

SAMHDA

SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

National Survey of Substance Abuse Treatment Services (N-SSATS), 2000

United States Department of Health and Human Services. Substance Abuse and Mental Health Services Administration. Office of Applied Studies

Codebook

SAMHDA

is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Substance Abuse and Mental Health Services Administration

www.samhsa.gov

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@samhsa.hhs.gov)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

DESCRIPTION OF THE NATIONAL SURVEY OF SUBSTANCE ABUSE TREATMENT SERVICES (N-SSATS)

The 2000 National Survey of Substance Abuse Treatment Services (N-SSATS) was conducted between October 2000 and April 2001, with a reference date of October 1, 2000. It is the 24th in a series of national surveys designed to collect data on the location, characteristics, and use of alcohol and drug abuse treatment facilities and services throughout the 50 States, the District of Columbia, and other U.S. jurisdictions.¹ The Office of Applied Studies, Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services, plans and directs N-SSATS.

N-SSATS is designed to collect information from all facilities² in the United States, both public and private, that provide substance abuse treatment. (Additional information on N-SSATS, its history, and changes in the survey and survey universe over time is provided in *N-SSATS Background*.)

N-SSATS provides the mechanism for quantifying the dynamic character and composition of the U.S. substance abuse treatment delivery system. The objectives of N-SSATS are to collect multipurpose data that can be used to—

- ◆ assist SAMHSA and State and local governments in assessing the nature and extent of services provided in State-supported and other treatment facilities and in forecasting treatment resource requirements;
- ◆ update SAMHSA's Inventory of Substance Abuse Treatment Services (I-SATS), which includes all known drug and alcohol abuse treatment facilities;
- ◆ analyze general treatment services trends and conduct comparative analyses for the nation, regions, and States;
- ◆ generate the *National Directory of Drug and Alcohol Abuse Treatment Programs*, a compendium of facilities approved by State substance abuse agencies for the provision of substance abuse treatment; and
- ◆ update the information in SAMHSA's Substance Abuse Treatment Facility Locator, a searchable database of facilities approved by State substance abuse agencies for the provision of substance abuse treatment. The Facility Locator is available on the Internet at:

<http://findtreatment.samhsa.gov>

¹ The jurisdictions include the territory of Guam, the Federated States of Micronesia, the Republic of Palau, the Commonwealth of Puerto Rico, and the Virgin Islands of the United States.

² In this report, entities responding to N-SSATS are referred to as "facilities." As discussed later in the report, a "facility" may be a program-level, clinic-level, or multi-site respondent.

Data Collection Procedures for the 2000 N-SSATS

Field period and reference date

The field period for the 2000 N-SSATS ran from October 2000 through April 2001, with a reference date of October 1, 2000. Follow-up calls to nonresponding facilities and for correction of missing and erroneous data continued through June 2001.

Survey coverage

The 2000 survey was sent to all active facilities that were on I-SATS as of about six weeks before the survey reference date (October 1, 2000). These facilities were contacted by mail. Facilities added by State substance abuse agencies or discovered during the survey prior to the second mailing were also included in the survey.

Content

The 2000 N-SSATS survey instrument was a 9-page document with 32 numbered questions (see *Questionnaire*). Topics included:

- ◆ Facility identification information
- ◆ Ownership
- ◆ Primary focus (substance abuse, mental health, both substance abuse and mental health, general health, other)
- ◆ Hotline operation
- ◆ Services offered (assessment services, substance abuse therapy and counseling, testing, transitional services, other services)
- ◆ Special programs provided (adolescents, dually diagnosed, HIV/AIDS, gays/lesbians, seniors/older adults, pregnant/postpartum women, other women's groups, groups of men only, DUI/DWI, criminal justice clients)
- ◆ Methadone/LAAM dispensing
- ◆ Languages in which treatment is provided

Table 1
Survey forms accounting and response rates:
N-SSATS 2000

	<i>Number</i>	<i>Percent</i>
Total facilities in survey	17,341	100.0
Closed/Ineligible	2,719	15.7
Eligible	14,622	84.3
Total Eligible	14,622	100.0
Respondents	13,749 ¹	94.0
Nonrespondents	873	6.0
Mode of Responses	13,428	100.0
Mail	10,230	76.2
Telephone	3,048	22.7
Internet	150	1.1

¹ Includes 321 facilities for which client counts were reported by another facility, but no response was received from the facility itself.

- ◆ Types of treatment provided
 - ◆ Hospital inpatient (detoxification, rehabilitation)
 - ◆ Non-hospital residential (detoxification, rehabilitation)
 - ◆ Outpatient (ambulatory detoxification, day treatment/partial hospitalization, intensive outpatient, nonintensive outpatient)
- ◆ Number of beds designated for hospital inpatient and residential substance abuse treatment
- ◆ Types of payment accepted
 - ◆ Sliding fee scale
 - ◆ Managed care participation
- ◆ Number of clients treated
- ◆ Facility accreditation
- ◆ Facility licensure/certification
- ◆ Halfway house

Data collection

Prior to the survey, faxes or letters were sent to all facilities to alert them to expect the survey. A secondary benefit of the letters was to update records with new address information returned from the post office. Data collection packets, including the questionnaire, SAMHSA cover letter, State-specific letters of endorsement and other enclosures, were mailed to each facility. During the data collection phase, contract personnel were available to answer facilities' questions concerning the survey. Four to five weeks after the initial mailing, thank you/reminder letters were sent to all facilities. Approximately eight weeks after the initial mailing, nonresponding facilities were sent a second mailing. About four to five weeks after the second mailing, nonrespondents received a reminder telephone call. Those facilities that had not responded within two to three weeks of the reminder call were telephoned and asked to complete the survey by telephone.

Forms accounting and response rate

Summary response rate information is presented in Table 1. Questionnaires were mailed to a total of 17,341 facilities believed to offer substance abuse

treatment services. Of these facilities, 15.7 percent were found to be ineligible for the survey because they had closed, were not providing substance abuse treatment on October 1, 2000, or treated incarcerated clients only. Of the remaining 14,622 facilities, 94 percent completed the survey. Seventy-six percent of respondents completed the mail survey, 23 percent completed the survey via telephone, and 1 percent completed the survey using an experimental web-based questionnaire on the Internet. Either no response of any kind or a refusal was received from 6 percent of facilities presumed to be eligible for the survey.

There were a total of 13,749 respondents to the 2000 N-SSATS. The breakdown of these responses with respect to reporting of facility data and client counts is presented in Table 2 and are distributed as follows:

- ◆ There were 11,808 facilities that reported both facility data and client counts for their own organization.

Table 2
Total survey respondents: N-SSATS 2000

<i>Type of data reported</i>	<i>Number of facilities reporting data</i>	<i>Number of facilities for which facility characteristics reported</i>	<i>Number of facilities for which client counts reported</i>
Total	13,749	13,428	13,649
Facility characteristics and client counts for responding facility only	11,808	11,808	11,808 ¹
Facility characteristics for responding facility only; client counts for other facilities as well	590	590	1,841
Facility characteristics only (client counts reported by another facility)	930	930	0
Facility characteristics only (client counts anticipated from another facility; but not reported)	100	100	0
No facility characteristics; client counts reported by another facility	321	0	0

¹Includes 280 facilities in which client counts for one or more treatment modalities were imputed.

- ◆ An additional 590 facilities reported on characteristics of their own facility and provided client counts for their own organization as well as other facilities. These 590 facilities reported client counts for a total of 1,841 facilities.
- ◆ There were 906 facilities that reported on the characteristics of their facility, with client counts reported by another facility within their organization.
- ◆ An additional 321 facilities did not provide data on facility characteristics and another facility provided their client counts.
- ◆ For 124 facilities, only data on facility characteristics were reported.

Quality assurance

All mail questionnaires were reviewed for inconsistencies and missing data. Calls were made to facilities to obtain missing data and to clarify questionable responses. After data entry, automated quality assurance reviews were conducted. These incorporated the rules used in manual editing, plus consistency checks not readily implemented by manual review. As a final check, the data were returned to the State substance abuse agencies for their review. State corrections received through January 2002 were incorporated into the database.

If facilities could not be reached during the edit callbacks, responses that were clearly in error were deleted and imputed.

Item nonresponse

Careful editing and extensive follow-up have greatly reduced item nonresponse. There are instances of nonresponse in most data items, however, and some variables have an explicit *Unknown* response option. Missing data for client count variables (e.g., the number of clients in hospital inpatient, non-hospital residential, and outpatient treatment) were imputed.

For the remaining unimputed variables, facilities with missing values for a given variable are excluded from

the tabulations using that variable. As a result, the number of treatment facilities on which tables are based may vary somewhat from table to table. The number of facilities actually reporting data is generally included on each table.

Methodology of Imputation of Missing Client Counts

Of the 13,428 eligible facilities that completed the survey, 1,030 facilities responded that their client counts were reported by another facility. Therefore, 12,398 facilities should have provided client figures. Of these facilities, 280 were missing client values of any modality (i.e., hospital inpatient, outpatient, or residential).

When available, 1998 client values were used to impute the missing client counts on the 2000 N-SSATS. Of the 280 facilities with missing client data, a total of 120 facilities had 1998 client figures.

For 154 of the remaining 160 facilities, the average client value stratified by State and type of ownership was used to impute the missing client counts. Client counts were imputed for each type of service (i.e., hospital inpatient detoxification, hospital inpatient rehabilitation, residential detoxification, etc.), as opposed to imputing total hospital inpatient, residential, and outpatient clients. Facilities were given imputed values for a given service if it reported that it provided such services but provided no client counts of any type. For example, a facility that reported that it provided hospital inpatient services and outpatient services was given client values for the hospital inpatient and outpatient variables. If that same facility reported that it did not provide residential services, then it was not given residential client values. The count of clients under age 18 were imputed using the percentage of clients under age 18 of each modality stratified by State and ownership. Methadone/LAAM figures were imputed using a percentage method similar to that used to impute number of clients under age 18.

Six facilities were unique in that each facility was the only facility in a state to possess a certain ownership value. These facilities were imputed using average values stratified by State only; ownership was not used.

Further Data Considerations and Limitations

As with any data collection effort, certain procedural considerations and data limitations must be taken into account when interpreting data from the 2000 N-SSATS. Some of these are outlined above. Other general issues are discussed here; considerations and limitations of specific data items are discussed where the data are presented.

- ◆ N-SSATS attempts to obtain responses from all known treatment facilities, but it is a voluntary survey. There is no adjustment for facility nonresponse.
- ◆ N-SSATS is a point-prevalence survey. It provides information on the substance abuse treatment system and its clients on the reference date. Client counts reported here do not represent annual totals. Rather, N-SSATS provides a “snapshot” of substance abuse treatment facilities and clients on an average day.
- ◆ N-SSATS collects data about facilities, not individual clients. Data on clients represent an aggregate of clients in treatment for each reporting facility.
- ◆ Multiple responses were allowed for certain variables (e.g., services provided and specialized programs). Tabulations of these variables include the total number of facilities reporting each response.

N-SSATS BACKGROUND

Survey History

N-SSATS has evolved from national survey efforts begun in the 1970s by the National Institute on Drug Abuse (NIDA) to measure the scope and use of drug abuse treatment services in the United States. The sixth of these surveys, conducted in 1976, introduced the data elements and format that have formed the core of subsequent surveys. These include organizational focus, service orientation, services available, clients in treatment by type of care, and inpatient/residential capacity. The 1976 survey, called the National Drug Abuse Treatment Utilization Survey, was repeated in 1977 and 1978. In 1979, the National Institute on Alcohol Abuse and Alcoholism (NIAAA) became a cosponsor of the survey, alcoholism treatment facilities were added, and the study was renamed the National Drug and Alcoholism Treatment Utilization Survey. This survey was repeated in 1980 and 1982. In 1984, a one-page version was used (the National Alcoholism and Drug Abuse Program Inventory). In 1987, the full version of the survey was reinstated and renamed the National Drug and Alcoholism Treatment Unit Survey (NDATUS). NDATUS was conducted annually from 1989 to 1993. In 1992, with the creation of SAMHSA, responsibility for conducting the survey shifted to SAMHSA's Office of Applied Studies. The survey was redesigned, and conducted annually as the Uniform Facility Data Set survey from 1995 to 1998. During these years, the survey was conducted by mail with telephone follow-up of nonrespondents. The 1999 survey year was a transition year during which the survey was redesigned, and an abbreviated telephone survey of treatment facilities was conducted. In 2000, a redesigned full mail survey was reinstated with telephone follow-up; it was

renamed the National Survey of Substance Abuse Treatment Services (N-SSATS).

N-SSATS in the Context of the Drug and Alcohol Services Information System (DASIS)

N-SSATS is one of the three components of SAMHSA's Drug and Alcohol Services Information System (DASIS). The core of DASIS is the Inventory of Substance Abuse Treatment Services (I-SATS), a continuously-updated, comprehensive listing of all known substance abuse treatment facilities. The other components of DASIS are N-SSATS and the Treatment Episode Data Set (TEDS), a client-level database of persons admitted to substance abuse treatment. A unique ID number assigned to each facility by I-SATS is used in the collection of facility-level data (N-SSATS) and client-level data (TEDS) so that the three data sets can be linked. Together, they provide national- and State-level information on the numbers and characteristics of individuals admitted to alcohol and drug treatment programs and describe the facilities that deliver care to those individuals.

I-SATS is the list frame for N-SSATS. Facilities in I-SATS fall into two general categories and are distinguished by the relationship of the facility to its State substance abuse agency. These categories are described below.

Treatment facilities approved by State substance abuse agencies

The largest group of facilities (about 11,400 in 2000) includes facilities that are licensed, certified, or otherwise approved by the State substance abuse agency to provide substance abuse treatment. The

majority of these facilities are required by the State agency to provide TEDS client-level data. State DASIS representatives maintain this segment of I-SATS by reporting new facilities, closures, and address changes to SAMHSA. Some facilities are not required by the State agency to provide TEDS client-level data. Some private for-profit facilities fall into this category. This group also includes programs operated by Federal agencies, the Department of Veterans Affairs (VA), the Department of Defense, and the Indian Health Service. I-SATS records for Federally-operated facilities are updated annually through lists provided by these agencies.

Treatment facilities not approved by State substance abuse agencies

This group of facilities (about 2,100 in 2000) represents the SAMHSA effort in recent years to make I-SATS as comprehensive as possible by including treatment facilities that State substance abuse agencies, for a variety of reasons, do not license or certify. Many of these facilities are private for-profit, small group practices, or hospital-based programs. Most of them are identified through periodic screening of alternative source databases (see *Expansion of survey coverage*). State substance abuse agencies are given the opportunity to review these facilities and to add them to the State agency-approved list, if appropriate.

Survey Coverage

The use of I-SATS as the list frame for N-SSATS imposes certain constraints related to the unit of response and the scope of facilities included. In addition, the expansion of I-SATS in recent years to provide a more complete enumeration of substance abuse treatment facilities means that year-to-year comparisons of the numbers of facilities reporting to N-SSATS must be interpreted with caution.

Figure 1 is a time line detailing the major changes in survey scope and administration that may have affected the numbers of reporting facilities and clients. Beginning in 1992, SAMHSA introduced expanded efforts to obtain information from

nonresponding facilities. This resulted in a 25 percent increase in the number of facilities and a 16 percent increase in the number of clients between 1991 and 1992. Beginning in 1995, changes in data collection methods enabled more complete identification of duplicate reporting by networks of facilities, causing a slight reduction in the total number of facilities.


Expansion of survey coverage to include all sites within networks at which treatment was provided (detailed below) yielded a net increase of about 2,600 facilities between 1997 and 1998. These additions were not necessarily new facilities, but were facilities not previously included in the survey as separate sites. The number of facilities reporting continued to increase in 1999, but at a slower pace, a net increase of 1,800 facilities. The increase between 1998 and 1999 was in large part because of the improved survey response rate (95 percent in 1999 vs. 90 percent in 1998).

In 2000, the number of facilities reporting dropped by 12 percent, to the 1998 level. There were several contributing factors. Although the survey response rate was 94 percent, the efforts of earlier years meant that there were fewer previously unknown facility sites to be identified. In addition, some 600 non-State agency-approved solo practitioners were identified and excluded from the 2000 survey universe. Fewer new facilities and a smaller universe combined with the customary turnover in facilities (in each of the years 1998, 1999, and 2000, 19 percent of the facilities that had reported the previous year did not report again) yielded a net loss between 1999 and 2000 of about 1,800 facilities.

Unit of response

N-SSATS is designed to collect data from each physical location where treatment services are provided. Accordingly, SAMHSA requests that State substance abuse agencies use the point of delivery of service (i.e., physical location) as the defining factor for a facility. It also requests that facilities be included in I-SATS, N-SSATS, and TEDS at the

Figure 1
Numbers of facilities and clients in treatment: UFDS - N-SSATS 1995-2000



* BOP = Bureau of Prisons

SOURCE: Office of Applied Studies, Substance Abuse and Mental Health Services Administration, Uniform Facility Data Set (UFDS) survey 1995-1999; National Survey of Substance Abuse Treatment Services (N-SSATS) 2000.

● Clients in treatment (not collected in 1999)
 ● Facilities

same administrative level so that record linkage among the three data sets is valid. Because of the different State administrative systems, however, there are some inconsistencies in implementation. For example, in some States, multiple treatment programs (e.g., detoxification, residential, and outpatient) at the same address and under the same management have separate State licenses. These are treated as separate by the State substance abuse agency, and are given separate I-SATS ID numbers. In other States, multiple sites are included as a single entity under a parent or administrative unit. In many of these cases, individual sites can report services data in N-SSATS, but client data are available only at a higher administrative level. Beginning in 1995, efforts have been made to identify facility networks and to eliminate duplicate reporting by networks. For most facilities, reporting level remains consistent from year to year. However, beginning in 1998, an emphasis was placed on collecting minimum information from all physical locations, and this has resulted in an increase in the number of facilities.

Expansion of survey coverage

The great majority of treatment facilities in I-SATS are administratively monitored by State substance abuse agencies. Therefore, the scope of facilities included in I-SATS is affected by differences in State systems of licensure, certification, accreditation, and the disbursement of public funds. For example, some State substance abuse agencies regulate private facilities and individual practitioners while others do not. In some States, hospital-based substance abuse treatment facilities are not licensed through the State substance abuse agency.

To address these differences, SAMHSA conducted a large-scale effort during 1995 and 1996 to identify substance abuse treatment facilities that, for a variety of reasons, were not on I-SATS. Some 15 source lists were considered, and facilities not on I-SATS were contacted to ascertain whether they provided substance abuse treatment. As expected, this yielded a number of hospital-based and small

private facilities that were not on I-SATS. (These facilities were surveyed in 1995 and 1996, but they were not included in the published results of the survey until 1997.) Analysis of the results of this effort led to similar but more targeted updates before the 1998 and 1999 UFDS. Potential new facilities were identified using data from the American Business Index, the annual American Hospital Association survey, and SAMHSA's Inventory of Mental Health Organizations, which were the three source lists from 1995 to 1996 that had yielded the most new facilities. Additional facilities are also identified during the survey itself by survey participants, who are asked to report all of the treatment facilities in their administrative networks. All newly identified facilities are initially included as not approved by the State substance abuse agency. State substance abuse agencies are given the opportunity to review these facilities and to add them to the State agency-approved list, if appropriate.

Data collection

Until 1996, State substance abuse agencies distributed and collected the UFDS survey forms. Beginning in 1996, data collection was centralized; since that time, SAMHSA has mailed facility survey forms directly to and collected forms directly from the facilities, and has conducted follow-up telephone interviews with the facility director or his/her designee.

Nonresponse

Beginning in 1992, SAMHSA expanded efforts to obtain information from nonresponding facilities. A representative sample of nonrespondents was contacted and administered an abbreviated version of the survey instrument via telephone. In 1993 and later years, this effort was extended to all nonresponding facilities. In 1997, a series of measures was introduced to enhance the survey response rate. These included advance notification and improved methods for updating address and contact information. In 2000, use of these methods and intensive telephone follow-up resulted in a

Table 3
Survey contents: UFDS - N-SSATS 1995-2000

Survey contents	UFDS - N-SSATS survey year				
	1995	1996	1997-1998	1999	2000
Ownership	X	X	X	X	X
Services offered	X	X	X	X	X
Organizational setting	X	X	X	X	
Primary focus				X	X
Type of treatment provided	X	X	X	X	X
No. of clients by age, sex, and race/ethnicity	X	X	X		
No. of clients (total and under age 18)	X	X	X		X
No. of beds	X	X	X		X
Types of payment accepted	X			X	X
Special programs offered	X		X	X	X
Licensure/certification of staff	X			X	
Licensure/certification of facility	X			X	X
Sources and amounts of revenue	X	X	X		
Managed care agreements	X	X	X	X	X

nonresponse rate of only 6 percent. For 94 percent of facilities in the sample, it was possible either to complete the survey or to determine that the facilities had closed or were otherwise ineligible.

Exclusions

Facilities operated by the Bureau of Prisons (BOP) were excluded from the 1997 UFDS survey and subsequent surveys because SAMHSA introduced a separate survey of correctional facilities.³ In 1997, facilities offering only DUI/DWI programs were excluded (these facilities were reinstated in 1998 if they provided treatment). In 1999 and 2000, facili-

ties treating incarcerated persons only were identified and excluded.

Changes in Survey Content

Table 3. Since 1992, SAMHSA has made adjustments each year to the survey design, both to minimize nonresponse and to include areas of emerging interest such as the role of managed care.

Table 3 shows the major content areas for the UFDS survey and N-SSATS from 1995 to 2000.

³ Office of Applied Studies, SAMHSA (2000). *Substance Abuse Treatment in Adult and Juvenile Correctional Facilities: Findings from the Uniform Facility Data Set 1997 Survey of Correctional Facilities*. Drug and Alcohol Services Information System Series: S-9.

National Survey of Substance Abuse Treatment Services (N-SSATS), 2000

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

CASEID: Case Identification Number

Based upon 13,428 valid cases out of 13,428 total cases.

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

MODE: Control: Completes 1=phone 2=mail 9=web

Mode of Data Collection

Value	Label	Unweighted Frequency	%
1	Phone	3048	22.7 %
2	Mail	10230	76.2 %
9	Web	150	1.1 %
	Total	13,428	100%

Based upon 13,428 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 9

Location: 6-6 (width: 1; decimal: 0)

Variable Type: numeric

STFIPS: Census State FIPS codes label

State FIPS codes consistent with those used by the U.S. Bureau of the Census.

Value	Label	Unweighted Frequency	%
1	ALABAMA	116	0.9 %
2	ALASKA	74	0.6 %
4	ARIZONA	227	1.7 %
5	ARKANSAS	53	0.4 %
6	CALIFORNIA	1413	10.5 %
8	COLORADO	350	2.6 %
9	CONNECTICUT	249	1.9 %
10	DELAWARE	44	0.3 %
11	DIST OF COLUMBIA	58	0.4 %
12	FLORIDA	652	4.9 %
13	GEORGIA	244	1.8 %
15	HAWAII	77	0.6 %
16	IDAHO	55	0.4 %
17	ILLINOIS	551	4.1 %
18	INDIANA	316	2.4 %
19	IOWA	126	0.9 %
20	KANSAS	181	1.3 %
21	KENTUCKY	258	1.9 %

Value	Label	Unweighted Frequency	%
22	LOUISIANA	163	1.2 %
23	MAINE	178	1.3 %
24	MARYLAND	332	2.5 %
25	MASSACHUSETTS	362	2.7 %
26	MICHIGAN	573	4.3 %
27	MINNESOTA	257	1.9 %
28	MISSISSIPPI	142	1.1 %
29	MISSOURI	287	2.1 %
30	MONTANA	54	0.4 %
31	NEBRASKA	93	0.7 %
32	NEVADA	84	0.6 %
33	NEW HAMPSHIRE	66	0.5 %
34	NEW JERSEY	293	2.2 %
35	NEW MEXICO	116	0.9 %
36	NEW YORK	1236	9.2 %
37	NORTH CAROLINA	276	2.1 %
38	NORTH DAKOTA	40	0.3 %
39	OHIO	500	3.7 %
40	OKLAHOMA	141	1.1 %
41	OREGON	214	1.6 %
42	PENNSYLVANIA	532	4.0 %
44	RHODE ISLAND	57	0.4 %
45	SOUTH CAROLINA	93	0.7 %
46	SOUTH DAKOTA	57	0.4 %
47	TENNESSEE	189	1.4 %
48	TEXAS	747	5.6 %
49	UTAH	131	1.0 %
50	VERMONT	48	0.4 %
51	VIRGINIA	216	1.6 %
53	WASHINGTON	306	2.3 %
54	WEST VIRGINIA	106	0.8 %
55	WISCONSIN	320	2.4 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 13,428 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 78

Location: 7-8 (width: 2; decimal: 0)

Variable Type: numeric

REGION: Added: Census Region

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: American Samoa, Fed Micronesia, Guam, Palau, Puerto Rico, Virgin Islands.
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).
- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

Value	Label	Unweighted Frequency	%
0	US Jurisdiction/Territory	120	0.9 %
1	Northeast	3021	22.5 %
2	Midwest	3301	24.6 %
3	South	3830	28.5 %
4	West	3156	23.5 %
	Total	13,428	100%

Based upon 13,428 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 4

Location: 9-9 (width: 1; decimal: 0)

Variable Type: numeric

DIVISION: Added: Census Division

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states

included in them are:

- U.S. TERRITORIES: American Samoa, Fed Micronesia, Guam, Palau, Puerto Rico, Virgin Islands.
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.
- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

Value	Label	Unweighted Frequency	%
0	US Jurisdiction/Territory	120	0.9 %
1	New England	960	7.1 %
2	Mid-Atlantic	2061	15.3 %
3	East North Central	2260	16.8 %
4	West North Central	1041	7.8 %
5	South Atlantic	2021	15.1 %
6	East South Central	705	5.3 %
7	West South Central	1104	8.2 %
8	Mountain	1072	8.0 %
9	Pacific	2084	15.5 %
	Total	13,428	100%

Based upon 13,428 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 9

Location: 10-10 (width: 1; decimal: 0)

Variable Type: numeric

TREATMT: Control: Treatment Indicator

1. On October 1, 2000, did this facility offer at this location either substance abuse treatment or detoxification services?

If Yes -> Skip to Q.2

By treatment, we mean services that focus on initiating and maintaining an individual's recovery from substance abuse and on averting relapse. It does NOT include drug or alcohol education programs or self-help groups, such as AA or NA.

Value	Label	Unweighted Frequency	%
0	No	0	0.0 %
1	Yes	13428	100.0 %
	Missing Data		
	Total	13,428	100%

Based upon 13,428 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 1

Location: 11-13 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

OWNERSHP: Ownership

2. Is this facility owned or operated by . . . ?

MARK ONLY ONE

If 1 then Skip to Q.3

If 2, 3, 4, or 5 then Skip to Q.4

If 6 then continue to Q.2a

Value	Label	Unweighted Frequency	%
1	Private for-profit organization	3478	25.9 %
2	Private non-profit organization	7988	59.5 %
3	State government	414	3.1 %
4	Local, county, or community government	1067	7.9 %
5	Tribal government	170	1.3 %
6	Federal government	311	2.3 %
	Missing Data		
	Total	13,428	100%

Based upon 13,428 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 6

Location: 14-16 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

FEDOWN: Federal government agency

2a. Which federal government agency?

MARK ONLY ONE

Skip to Q.4

Value	Label	Unweighted Frequency	%
1	Department of Veterans Affairs	152	1.1 %
2	Department of Defense	113	0.8 %
3	Indian Health Service	40	0.3 %
4	Other	6	0.0 %
	Missing Data		
-6	Logical Skip	13117	97.7 %
	Total	13,428	100%

Based upon 311 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 4

Location: 17-19 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LOC15: Solo practice

3. Is this a private solo practice, that is, an office with a single practitioner or therapist?

Value	Label	Unweighted Frequency	%
0	No	2795	20.8 %
1	Yes	661	4.9 %
	Missing Data		
-6	Logical Skip	9953	74.1 %
-2	Missing	17	0.1 %
-1	Don't Know	2	0.0 %
	Total	13,428	100%

Based upon 3,456 valid cases out of 13,428 total cases.

- Minimum: 0

- Maximum: 1

Location: 20-22 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

FOCUS: Is Primary focus SA Tx/MH/Other

4. What is the primary focus of this facility?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	Substance abuse treatment services	8147	60.7 %
2	Mental health services	1260	9.4 %
3	General health care	381	2.8 %
4	Mix of mental health and substance abuse	3303	24.6 %
5	Other	337	2.5 %
	Missing Data		
	Total	13,428	100%

Based upon 13,428 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 5

Location: 23-25 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

HOSPITAL: Located in/operated by hospital

5. Is this facility located in, or operated by, a hospital?

If No, Skip to Q.6

Value	Label	Unweighted Frequency	%
0	No	11326	84.3 %
1	Yes	2099	15.6 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	2	0.0 %
	Total	13,428	100%

Based upon 13,425 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 26-28 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LOC1: Hospital Type- General

5a. What type of hospital?

1. General hospital (including VA hospital)

Value	Label	Unweighted Frequency	%
0	No	432	3.2 %
1	Yes	1664	12.4 %
	Missing Data		
-6	Logical Skip	11328	84.4 %
-2	Missing	4	0.0 %
	Total	13,428	100%

Based upon 2,096 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LOC2: Hospital Type- Psychiatric

5a. What type of hospital?

2. Psychiatric hospital

Value	Label	Unweighted Frequency	%
0	No	1745	13.0 %
1	Yes	351	2.6 %
	Missing Data		
-6	Logical Skip	11328	84.4 %
-2	Missing	4	0.0 %
	Total	13,428	100%

Based upon 2,096 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 32-34 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LOC3: Hospital Type- Other Specialty

5a. What type of hospital?

3. Other speciality hospital, e.g., alcoholism, maternity, etc.

Value	Label	Unweighted Frequency	%
0	No	2015	15.0 %
1	Yes	81	0.6 %
	Missing Data		
-6	Logical Skip	11328	84.4 %
-2	Missing	4	0.0 %
	Total	13,428	100%

Based upon 2,096 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 35-37 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

HOTYN: Hotline - yes/no

6. Does this facility operate or participate in a substance abuse hotline?

A hotline is a telephone service that provides information and referral and immediate counseling, frequently in a crisis situation.

911 or the local police number is not considered a hotline.

Value	Label	Unweighted Frequency	%
0	No	10203	76.0 %
1	Yes	3163	23.6 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	41	0.3 %
-1	Don't Know	20	0.1 %
	Total	13,428	100%

Based upon 13,366 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 38-40 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC1: Assessment comprehensive SA

8. Which of the following services are provided by this facility?

Assessment Services:

(1) Comprehensive substance abuse assessment / diagnosis

Value	Label	Unweighted Frequency	%
0	No	994	7.4 %
1	Yes	12422	92.5 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	6	0.0 %
-1	Don't Know	5	0.0 %
	Total	13,428	100%

Based upon 13,416 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 41-43 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC2: 'Assessment mental health

8. Which of the following services are provided by this facility?

Assessment Services:

(2) Comprehensive mental health assessment / diagnosis (for example, psychological / psychiatric evaluation and testing)

Value	Label	Unweighted Frequency	%
0	No	7501	55.9 %
1	Yes	5918	44.1 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	6	0.0 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	2	0.0 %
	Total	13,428	100%

Based upon 13,419 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 44-46 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC4: Therapy family counseling

8. Which of the following services are provided by this facility?

Substance Abuse Therapy and Counseling:
(3) Family counseling

Value	Label	Unweighted Frequency	%
0	No	3022	22.5 %
1	Yes	10397	77.4 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	7	0.1 %
-1	Don't Know	1	0.0 %
	Total	13,428	100%

Based upon 13,419 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 47-49 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC5: Therapy group

8. Which of the following services are provided by this facility?

Substance Abuse Therapy and Counseling:
(4) Group therapy, not including relapse prevention

Value	Label	Unweighted Frequency	%
0	No	1545	11.5 %
1	Yes	11875	88.4 %
Missing Data			
-6	Logical Skip	1	0.0 %
-2	Missing	7	0.1 %
Total		13,428	100%

Based upon 13,420 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 50-52 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC6: Therapy individual

8. Which of the following services are provided by this facility?

Substance Abuse Therapy and Counseling:
(5) Individual therapy

Value	Label	Unweighted Frequency	%
0	No	708	5.3 %
1	Yes	12710	94.7 %
Missing Data			
-6	Logical Skip	1	0.0 %
-2	Missing	7	0.1 %
-1	Don't Know	2	0.0 %
Total		13,428	100%

Based upon 13,418 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 53-55 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC7: Therapy pharmaco/prescription med

8. Which of the following services are provided by this facility?

Substance Abuse Therapy and Counseling:
 (6) Pharmacotherapies / prescription medication

Value	Label	Unweighted Frequency	%
0	No	7795	58.1 %
1	Yes	5620	41.9 %
Missing Data			
-6	Logical Skip	1	0.0 %
-2	Missing	7	0.1 %
-1	Don't Know	5	0.0 %
Total		13,428	100%

Based upon 13,415 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC8: Therapy relapse prevention

8. Which of the following services are provided by this facility?

Substance Abuse Therapy and Counseling:
 (7) Relapse prevention groups

Value	Label	Unweighted Frequency	%
0	No	3131	23.3 %
1	Yes	10286	76.6 %
Missing Data			
-6	Logical Skip	1	0.0 %
-2	Missing	7	0.1 %
-1	Don't Know	3	0.0 %
Total		13,428	100%

Based upon 13,417 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 59-61 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC27: Therapy aftercare counseling

8. Which of the following services are provided by this facility?

Substance Abuse Therapy and Counseling:
(8) Aftercare counseling

Value	Label	Unweighted Frequency	%
0	No	3035	22.6 %
1	Yes	10381	77.3 %
Missing Data			
-6	Logical Skip	1	0.0 %
-2	Missing	7	0.1 %
-1	Don't Know	4	0.0 %
Total		13,428	100%

Based upon 13,416 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 62-64 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC10: Testing blood/alcohol

8. Which of the following services are provided by this facility?

Testing:
(9) Blood alcohol testing (including breathalyzer)

Include testing service even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	7372	54.9 %
1	Yes	6040	45.0 %
Missing Data			
-6	Logical Skip	1	0.0 %
-2	Missing	7	0.1 %
-1	Don't Know	8	0.1 %
Total		13,428	100%

Based upon 13,412 valid cases out of 13,428 total cases.

- Minimum: 0

- Maximum: 1

Location: 65-67 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC11: Testing drug/alcohol urine screen

8. Which of the following services are provided by this facility?

Testing:

(10) Drug / alcohol urine screening

Include testing service even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	2840	21.1 %
1	Yes	10579	78.8 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	7	0.1 %
-1	Don't Know	1	0.0 %
	Total	13,428	100%

Based upon 13,419 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC13: Testing Hepatitis

8. Which of the following services are provided by this facility?

Testing:

(11) Hepatitis testing

Include testing service even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	10019	74.6 %
1	Yes	3385	25.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	7	0.1 %
-1	Don't Know	16	0.1 %
	Total	13,428	100%

Based upon 13,404 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 71-73 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC14: Testing HIV

8. Which of the following services are provided by this facility?

Testing:

(12) HIV testing

Include testing service even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	8942	66.6 %
1	Yes	4472	33.3 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	7	0.1 %
-1	Don't Know	6	0.0 %
	Total	13,428	100%

Based upon 13,414 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 74-76 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC15: Testing STD

8. Which of the following services are provided by this facility?

Testing:
(13) STD testing

Include testing service even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	10111	75.3 %
1	Yes	3294	24.5 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	7	0.1 %
-1	Don't Know	15	0.1 %
	Total	13,428	100%

Based upon 13,405 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 77-79 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC16: Testing TB screen

8. Which of the following services are provided by this facility?

Testing:
(14) TB screening

Include testing service even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	8384	62.4 %
1	Yes	5030	37.5 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	7	0.1 %
-1	Don't Know	6	0.0 %
	Total	13,428	100%

Based upon 13,414 valid cases out of 13,428 total cases.

- Minimum: 0

- Maximum: 1

Location: 80-82 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC36: Transitional Assist. Social Services

8. Which of the following services are provided by this facility?

Transitional Services:

(15) Assistance with obtaining social services

(for example, Medicaid, WIC, SSI, SSDI)

Value	Label	Unweighted Frequency	%
0	No	6563	48.9 %
1	Yes	6851	51.0 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	7	0.1 %
-1	Don't Know	6	0.0 %
	Total	13,428	100%

Based upon 13,414 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC37: Transitional Discharge Plan

8. Which of the following services are provided by this facility?

Transitional Services:

(16) Discharge planning

Value	Label	Unweighted Frequency	%
0	No	2619	19.5 %
1	Yes	10796	80.4 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	7	0.1 %
-1	Don't Know	5	0.0 %

Value	Label	Unweighted Frequency	%
	Total	13,428	100%

Based upon 13,415 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC38: Transitional Employment

8. Which of the following services are provided by this facility?

Transitional Services:

(17) Employment counseling / training

Value	Label	Unweighted Frequency	%
0	No	8715	64.9 %
1	Yes	4702	35.0 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	7	0.1 %
-1	Don't Know	3	0.0 %
	Total	13,428	100%

Based upon 13,417 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC39: Transitional Housing Assist

8. Which of the following services are provided by this facility?

Transitional Services:

(18) Housing assistance

Value	Label	Unweighted Frequency	%
0	No	9293	69.2 %

Value	Label	Unweighted Frequency	%
1	Yes	4119	30.7 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	7	0.1 %
-1	Don't Know	8	0.1 %
	Total	13,428	100%

Based upon 13,412 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC40: Transitional Referral

8. Which of the following services are provided by this facility?

Transitional Services:

(19) Referral to other transitional services

Value	Label	Unweighted Frequency	%
0	No	2200	16.4 %
1	Yes	11218	83.5 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	7	0.1 %
-1	Don't Know	2	0.0 %
	Total	13,428	100%

Based upon 13,418 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC49: Other Services Case Management

8. Which of the following services are provided by this facility?

Other Services:
 (20) Case management services

Value	Label	Unweighted Frequency	%
0	No	4561	34.0 %
1	Yes	8854	65.9 %
Missing Data			
-6	Logical Skip	1	0.0 %
-2	Missing	6	0.0 %
-1	Don't Know	6	0.0 %
Total		13,428	100%

Based upon 13,415 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC50: Other Child Care

8. Which of the following services are provided by this facility?

Other Services:
 (21) Child care

Value	Label	Unweighted Frequency	%
0	No	12141	90.4 %
1	Yes	1278	9.5 %
Missing Data			
-6	Logical Skip	1	0.0 %
-2	Missing	6	0.0 %
-1	Don't Know	2	0.0 %
Total		13,428	100%

Based upon 13,419 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC52: Other Domestic Violence

8. Which of the following services are provided by this facility?

Other Services:

(22) Domestic violence-family / partner violence services (physical, sexual, and emotional abuse)

Value	Label	Unweighted Frequency	%
0	No	8906	66.3 %
1	Yes	4512	33.6 %
Missing Data			
-6	Logical Skip	1	0.0 %
-2	Missing	6	0.0 %
-1	Don't Know	3	0.0 %
Total		13,428	100%

Based upon 13,418 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 104-106 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC24: Other HIV/AIDS Edu

8. Which of the following services are provided by this facility?

Other Services:

(23) HIV/AIDS education / counseling / support

Value	Label	Unweighted Frequency	%
0	No	6095	45.4 %
1	Yes	7324	54.5 %
Missing Data			
-6	Logical Skip	1	0.0 %
-2	Missing	6	0.0 %
-1	Don't Know	2	0.0 %
Total		13,428	100%

Based upon 13,419 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 107-109 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC55: Other Outcome Follow-Up

8. Which of the following services are provided by this facility?

Other Services:

(24) Outcome follow-up (post discharge)

Value	Label	Unweighted Frequency	%
0	No	6813	50.7 %
1	Yes	6594	49.1 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	8	0.1 %
-1	Don't Know	12	0.1 %
	Total	13,428	100%

Based upon 13,407 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 110-112 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC59: Other Transportation Assistance

8. Which of the following services are provided by this facility?

Other Services:

(24) Transportation assistance to treatment

Value	Label	Unweighted Frequency	%
0	No	8655	64.5 %
1	Yes	4765	35.5 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	6	0.0 %
-1	Don't Know	1	0.0 %
	Total	13,428	100%

Based upon 13,420 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 113-115 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC48: Other Acupuncture

8. Which of the following services are provided by this facility?

Other Services:
(24) Acupuncture

Value	Label	Unweighted Frequency	%
0	No	12706	94.6 %
1	Yes	708	5.3 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	9	0.1 %
-1	Don't Know	4	0.0 %
	Total	13,428	100%

Based upon 13,414 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 116-118 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC30: Program/gr'p for adolescents

9. Does this facility offer a substance abuse treatment program or group specially designed for . . . ?

(a) Adolescents

Value	Label	Unweighted Frequency	%
0	No	8450	62.9 %
1	Yes	4969	37.0 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-4	Refused	3	0.0 %

Value	Label	Unweighted Frequency	%
-2	Missing	2	0.0 %
-1	Don't Know	3	0.0 %
	Total	13,428	100%

Based upon 13,419 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 119-121 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC31: Program/gr'p for dually-diagnosed

9. Does this facility offer a substance abuse treatment program or group specially designed for . . . ?

(b) Dually diagnosed clients (mental and substance abuse disorders)

Value	Label	Unweighted Frequency	%
0	No	6723	50.1 %
1	Yes	6696	49.9 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-4	Refused	3	0.0 %
-2	Missing	3	0.0 %
-1	Don't Know	2	0.0 %
	Total	13,428	100%

Based upon 13,419 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 122-124 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC32: Program/gr'p for persons with HIV/AIDS

9. Does this facility offer a substance abuse treatment program or group specially designed for . . . ?

(c) Persons with HIV / AIDS

Value	Label	Unweighted Frequency	%
0	No	10524	78.4 %
1	Yes	2895	21.6 %
Missing Data			
-6	Logical Skip	1	0.0 %
-4	Refused	3	0.0 %
-2	Missing	3	0.0 %
-1	Don't Know	2	0.0 %
Total		13,428	100%

Based upon 13,419 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 125-127 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC62: Program/gr'p for gays/lesbians

9. Does this facility offer a substance abuse treatment program or group specially designed for . . . ?

(d) Gays and lesbians

Value	Label	Unweighted Frequency	%
0	No	11384	84.8 %
1	Yes	2033	15.1 %
Missing Data			
-6	Logical Skip	1	0.0 %
-4	Refused	3	0.0 %
-2	Missing	4	0.0 %
-1	Don't Know	3	0.0 %
Total		13,428	100%

Based upon 13,417 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 128-130 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC63: Program/gr'p for seniors

9. Does this facility offer a substance abuse treatment program or group specially designed for . . . ?

(e) Seniors / older adults

Value	Label	Unweighted Frequency	%
0	No	11042	82.2 %
1	Yes	2374	17.7 %
Missing Data			
-6	Logical Skip	1	0.0 %
-4	Refused	3	0.0 %
-2	Missing	3	0.0 %
-1	Don't Know	5	0.0 %
Total		13,428	100%

Based upon 13,416 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 131-133 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC33: Program/gr'p for preg't/postpart'm women

9. Does this facility offer a substance abuse treatment program or group specially designed for . . . ?

(f) Pregnant / postpartum women

Value	Label	Unweighted Frequency	%
0	No	10657	79.4 %
1	Yes	2761	20.6 %
Missing Data			
-4	Refused	3	0.0 %
-2	Missing	3	0.0 %
-1	Don't Know	4	0.0 %
Total		13,428	100%

Based upon 13,418 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 134-136 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC34: Program/gr'p for other groups of women

9. Does this facility offer a substance abuse treatment program or group specially designed for . . . ?

(g) Other groups of women only

Value	Label	Unweighted Frequency	%
0	No	8330	62.0 %
1	Yes	5087	37.9 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-4	Refused	3	0.0 %
-2	Missing	3	0.0 %
-1	Don't Know	4	0.0 %
	Total	13,428	100%

Based upon 13,417 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 137-139 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC64: Program/gr'p for other groups of men

9. Does this facility offer a substance abuse treatment program or group specially designed for . . . ?

(h) Groups of men only

Value	Label	Unweighted Frequency	%
0	No	9030	67.2 %
1	Yes	4388	32.7 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-4	Refused	3	0.0 %
-2	Missing	3	0.0 %
-1	Don't Know	3	0.0 %
	Total	13,428	100%

Based upon 13,418 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 140-142 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC35: Program/gr'p for other groups

9. Does this facility offer a substance abuse treatment program or group specially designed for . . . ?

(i) Other

Value	Label	Unweighted Frequency	%
0	No	11455	85.3 %
1	Yes	1957	14.6 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-4	Refused	2	0.0 %
-2	Missing	4	0.0 %
-1	Don't Know	9	0.1 %
	Total	13,428	100%

Based upon 13,412 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 143-145 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

DUI_DWI: Program for DUI/DWI/other offenders

10. Does this facility offer a special program for DUI/DWI or other drunk driver offenders?

If No, Skip to Q.11

Value	Label	Unweighted Frequency	%
0	No	8603	64.1 %
1	Yes	4822	35.9 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-4	Refused	1	0.0 %
-1	Don't Know	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	13,428	100%

Based upon 13,425 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 155-157 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

ONLYDUI: All SA Tx clients DUI/DWI

10a. Are ALL of the substance abuse treatment clients at this facility DUI/DWI or other drunk driver offenders?

Value	Label	Unweighted Frequency	%
0	No	4552	33.9 %
1	Yes	268	2.0 %
	Missing Data		
-6	Logical Skip	8605	64.1 %
-2	Missing	2	0.0 %
-1	Don't Know	1	0.0 %
	Total	13,428	100%

Based upon 4,820 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 158-160 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC61: Program/gr'p for crimn'l justice clients

11. Does this facility offer a specially designed substance abuse treatment program or group for criminal justice clients, other than DUI/DWI clients?

Value	Label	Unweighted Frequency	%
0	No	8378	62.4 %
1	Yes	5047	37.6 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	1	0.0 %
-1	Don't Know	1	0.0 %
	Total	13,428	100%

Based upon 13,425 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 161-163 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

METLAM: Dispense Methadone or LAAM

12. Does this facility dispense Methadone or LAAM at this location?

If No, Skip to Q.13

Value	Label	Unweighted Frequency	%
0	No	12210	90.9 %
1	Yes	1215	9.0 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	2	0.0 %
	Total	13,428	100%

Based upon 13,425 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 146-148 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

ALLMETH: All clients receiving Methadone or LAAM

12a. Are all of the substance abuse treatment clients at this facility currently receiving Methadone or LAAM?

Value	Label	Unweighted Frequency	%
0	No	496	3.7 %
1	Yes	560	4.2 %
	Missing Data		
-6	Logical Skip	12367	92.1 %
-2	Missing	5	0.0 %
	Total	13,428	100%

Based upon 1,056 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 149-151 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

REGFDA: Narcotic Tx Program regulated by FDA

12b. Does this facility operate a Narcotic Treatment Program regulated by the Food and Drug Administration (FDA)?

Value	Label	Unweighted Frequency	%
0	No	162	1.2 %
1	Yes	853	6.4 %
Missing Data			
-6	Logical Skip	12367	92.1 %
-2	Missing	11	0.1 %
-1	Don't Know	35	0.3 %
Total		13,428	100%

Based upon 1,015 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 152-154 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG: Tx in language other than English-y/n

13. Does this facility provide substance abuse treatment services in a language other than English?

If No, Skip to Q.14

Value	Label	Unweighted Frequency	%
0	No	9410	70.1 %
1	Yes	3998	29.8 %
Missing Data			
-6	Logical Skip	1	0.0 %
-2	Missing	15	0.1 %
-1	Don't Know	4	0.0 %
Total		13,428	100%

Based upon 13,408 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 164-166 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

WHATLANG: Tx in Spanish and/or other

13a. In what other language(s) is substance abuse treatment provided at this facility?

Value	Label	Unweighted Frequency	%
1	Spanish only	3208	23.9 %
2	Other languages, not Spanish	373	2.8 %
3	Spanish and other languages	414	3.1 %
	Missing Data		
-6	Logical Skip	9430	70.2 %
-2	Missing	3	0.0 %
	Total	13,428	100%

Based upon 3,995 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 3

Location: 167-169 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPE4: Hosp Inpat'nt SA care offered currently

14. Which of the following substance abuse services are currently offered by this facility at this location?

HOSPITAL INPATIENT

Value	Label	Unweighted Frequency	%
0	No	12322	91.8 %
1	Yes	1102	8.2 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-4	Refused	3	0.0 %
	Total	13,428	100%

Based upon 13,424 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 170-172 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPEHI: Type Hosp Inpat'nt SA care offered currently

14. Which of the following substance abuse services are currently offered by this facility at this location?

HOSPITAL INPATIENT

(a) Detoxification

(b) Rehabilitation

Value	Label	Unweighted Frequency	%
1	Detoxification	494	3.7 %
2	Rehabilitation	121	0.9 %
3	Both	532	4.0 %
4	Neither	0	0.0 %
Missing Data			
-6	Logical Skip	12281	91.5 %
Total		13,428	100%

Based upon 1,147 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 3

Location: 173-175 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPE7: Non-hosp Res SA care offered currently

14. Which of the following substance abuse services are currently offered by this facility at this location?

NON-HOSPITAL RESIDENTIAL

Value	Label	Unweighted Frequency	%
0	No	9852	73.4 %
1	Yes	3574	26.6 %
Missing Data			
-6	Logical Skip	1	0.0 %
-4	Refused	1	0.0 %
Total		13,428	100%

Based upon 13,426 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 176-178 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPERC: Type Non-hosp Res SA care offered currently

14. Which of the following substance abuse services are currently offered by this facility at this location?

NON-HOSPITAL RESIDENTIAL

(c) Detoxification

(d) Rehabilitation

Value	Label	Unweighted Frequency	%
1	Detoxification	210	1.6 %
2	Rehabilitation	2585	19.3 %
3	Both	851	6.3 %
4	Neither	4	0.0 %
Missing Data			
-6	Logical Skip	9778	72.8 %
Total		13,428	100%

Based upon 3,650 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 4

Location: 179-181 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPE1: Any Outpat'nt SA care offered currently

14. Which of the following substance abuse services are currently offered by this facility at this location?

OUTPATIENT

Value	Label	Unweighted Frequency	%
0	No	2479	18.5 %
1	Yes	10946	81.5 %
Missing Data			
-6	Logical Skip	1	0.0 %
-4	Refused	1	0.0 %
-1	Don't Know	1	0.0 %
Total		13,428	100%

Based upon 13,425 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 182-184 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPE6: Amb'tory Detox Outpat'nt offered currently

14. Which of the following substance abuse services are currently offered by this facility at this location?

OUTPATIENT

(e) Ambulatory detoxification

Value	Label	Unweighted Frequency	%
0	No	9177	68.3 %
1	Yes	1770	13.2 %
	Missing Data		
-6	Logical Skip	2473	18.4 %
-4	Refused	2	0.0 %
-2	Missing	2	0.0 %
-1	Don't Know	4	0.0 %
	Total	13,428	100%

Based upon 10,947 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 185-187 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPE3: Regular Outpat'nt offered currently

14. Which of the following substance abuse services are currently offered by this facility at this location?

OUTPATIENT

(f) Regular outpatient treatment

Value	Label	Unweighted Frequency	%
0	No	586	4.4 %
1	Yes	10422	77.6 %
	Missing Data		
-6	Logical Skip	2419	18.0 %
-2	Missing	1	0.0 %
	Total	13,428	100%

Based upon 11,008 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 188-190 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPE2: Intensive Outpat'nt offered currently

14. Which of the following substance abuse services are currently offered by this facility at this location?

OUTPATIENT

(g) Intensive outpatient treatment (defined as a minimum of 2 hours per day on 3 or more days per week)

Value	Label	Unweighted Frequency	%
0	No	4763	35.5 %
1	Yes	6223	46.3 %
	Missing Data		
-6	Logical Skip	2442	18.2 %
	Total	13,428	100%

Based upon 10,986 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 191-193 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPEOP: Day Tx/Partial Hosp offered currently

14. Which of the following substance abuse services are currently offered by this facility at this location?

OUTPATIENT

(h) Day treatment / partial hospitalization program

Value	Label	Unweighted Frequency	%
0	No	8777	65.4 %
1	Yes	2181	16.2 %
	Missing Data		
-6	Logical Skip	2468	18.4 %
-4	Refused	1	0.0 %
-1	Don't Know	1	0.0 %
	Total	13,428	100%

Based upon 10,958 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 194-196 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

BEDSDES: Designate all or some beds for SA Tx

15a. Does this facility designate all, some or none of its beds specifically for substance abuse treatment clients?

Value	Label	Unweighted Frequency	%
0	No	577	4.3 %
1	Yes	3839	28.6 %
	Missing Data		
-6	Logical Skip	8955	66.7 %
-4	Refused	1	0.0 %
-2	Missing	56	0.4 %
	Total	13,428	100%

Based upon 4,416 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 197-199 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

HOSPBED: Total Beds Designated-Hospital Inpatient

15a. Does this facility designate all, some or none of its beds specifically for substance abuse treatment clients?

_____ HOSPITAL INPATIENT BEDS

Value	Label	Unweighted Frequency	%
0	-	48	0.4 %
1	-	2	0.0 %
2	-	9	0.1 %
3	-	8	0.1 %
4	-	24	0.2 %
5	-	28	0.2 %
6	-	35	0.3 %
7	-	9	0.1 %
8	-	28	0.2 %

Value	Label	Unweighted Frequency	%
9	-	2	0.0 %
10	-	55	0.4 %
11	-	7	0.1 %
12	-	32	0.2 %
13	-	6	0.0 %
14	-	21	0.2 %
15	-	21	0.2 %
16	-	40	0.3 %
17	-	8	0.1 %
18	-	27	0.2 %
19	-	9	0.1 %
20	-	51	0.4 %
21	-	4	0.0 %
22	-	14	0.1 %
23	-	4	0.0 %
24	-	26	0.2 %
25	-	7	0.1 %
26	-	10	0.1 %
27	-	7	0.1 %
28	-	12	0.1 %
29	-	4	0.0 %
30	-	25	0.2 %
31	-	3	0.0 %
32	-	5	0.0 %
33	-	1	0.0 %
34	-	10	0.1 %
35	-	2	0.0 %
36	-	7	0.1 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	12	0.1 %
41	-	1	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
44	-	4	0.0 %
45	-	3	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	4	0.0 %
50	-	5	0.0 %
51	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-6	Logical Skip	12721	94.7 %
-2	Missing	4	0.0 %
-1	Don't Know	12	0.1 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 691 valid cases out of 13,428 total cases.

- Mean: 20.07
- Median: 16.00
- Mode: 10.00
- Minimum: 0
- Maximum: 142
- Standard Deviation: 19.76

Location: 200-202 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

RESBED: Total Beds-Residential Clients

15a. Does this facility designate all, some or none of its beds specifically for substance abuse treatment clients?

_____ RESIDENTIAL BEDS

Value	Label	Unweighted Frequency	%
0	-	17	0.1 %
1	-	1	0.0 %
2	-	11	0.1 %
3	-	1	0.0 %
4	-	24	0.2 %
5	-	28	0.2 %
6	-	154	1.1 %
7	-	30	0.2 %
8	-	101	0.8 %
9	-	41	0.3 %
10	-	143	1.1 %
11	-	23	0.2 %
12	-	177	1.3 %
13	-	48	0.4 %
14	-	116	0.9 %
15	-	130	1.0 %

Value	Label	Unweighted Frequency	%
16	-	169	1.3 %
17	-	42	0.3 %
18	-	88	0.7 %
19	-	35	0.3 %
20	-	180	1.3 %
21	-	36	0.3 %
22	-	71	0.5 %
23	-	28	0.2 %
24	-	124	0.9 %
25	-	68	0.5 %
26	-	48	0.4 %
27	-	20	0.1 %
28	-	52	0.4 %
29	-	17	0.1 %
30	-	136	1.0 %
31	-	16	0.1 %
32	-	65	0.5 %
33	-	16	0.1 %
34	-	28	0.2 %
35	-	48	0.4 %
36	-	44	0.3 %
37	-	13	0.1 %
38	-	29	0.2 %
39	-	12	0.1 %
40	-	81	0.6 %
41	-	12	0.1 %
42	-	31	0.2 %
43	-	9	0.1 %
44	-	20	0.1 %
45	-	31	0.2 %
46	-	18	0.1 %
47	-	6	0.0 %
48	-	35	0.3 %
49	-	11	0.1 %
	Missing Data		
-6	Logical Skip	10136	75.5 %
-2	Missing	2	0.0 %
-1	Don't Know	8	0.1 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,282 valid cases out of 13,428 total cases.

- Mean: 33.60
- Median: 22.00
- Mode: 20.00
- Minimum: 0
- Maximum: 450
- Standard Deviation: 36.96

Location: 203-205 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

REVCHK1: Accepts cash or self-payment

16. Which of the following types of payments are accepted by this facility for substance abuse treatment?

(a) Cash or self-payment

Value	Label	Unweighted Frequency	%
0	No	1227	9.1 %
1	Yes	12120	90.3 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	4	0.0 %
-1	Don't Know	76	0.6 %
	Total	13,428	100%

Based upon 13,347 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 206-208 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

REVCHK8: Accepts Medicare payments

16. Which of the following types of payments are accepted by this facility for substance abuse treatment?

(b) Medicare

Value	Label	Unweighted Frequency	%
0	No	8026	59.8 %
1	Yes	4941	36.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	4	0.0 %
-1	Don't Know	456	3.4 %
	Total	13,428	100%

Based upon 12,967 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 209-211 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

REVCHK5: Accepts Medicaid payments

16. Which of the following types of payments are accepted by this facility for substance abuse treatment?

(c) Medicaid

Value	Label	Unweighted Frequency	%
0	No	5892	43.9 %
1	Yes	7221	53.8 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	4	0.0 %
-1	Don't Know	310	2.3 %
	Total	13,428	100%

Based upon 13,113 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 212-214 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

REVCHK10: Accepts state financed health ins

16. Which of the following types of payments are accepted by this facility for substance abuse treatment?

(d) A state-financed health insurance plan other than Medicaid (for example, State Children's Health Insurance Program)

(SCHIP) or high risk insurance pools)

Value	Label	Unweighted Frequency	%
0	No	7690	57.3 %
1	Yes	4466	33.3 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	4	0.0 %
-1	Don't Know	1267	9.4 %
	Total	13,428	100%

Based upon 12,156 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 215-217 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

REVCHK15: Accepts Federal military insurance

16. Which of the following types of payments are accepted by this facility for substance abuse treatment?

(e) Federal military insurance such as TRICARE or Champ VA

Value	Label	Unweighted Frequency	%
0	No	7604	56.6 %
1	Yes	4625	34.4 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	4	0.0 %
-1	Don't Know	1194	8.9 %
	Total	13,428	100%

Based upon 12,229 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 218-220 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

REVCHK2: Accepts Private Health insurance

16. Which of the following types of payments are accepted by this facility for substance abuse treatment?

(f) Private health insurance

Value	Label	Unweighted Frequency	%
0	No	3691	27.5 %
1	Yes	9522	70.9 %
Missing Data			
-6	Logical Skip	1	0.0 %
-2	Missing	4	0.0 %
-1	Don't Know	210	1.6 %
Total		13,428	100%

Based upon 13,213 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 221-223 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

EARMARK: Receive any Fed,State,C'nty,Local Funds

17. Does this facility receive any public funds such as federal, state, county, or local government funds for substance abuse treatment programs?

Do not include Medicare, Medicaid, or federal military insurance.

Value	Label	Unweighted Frequency	%
0	No	4626	34.5 %
1	Yes	8744	65.1 %
Missing Data			
-6	Logical Skip	1	0.0 %
-2	Missing	28	0.2 %
-1	Don't Know	29	0.2 %
Total		13,428	100%

Based upon 13,370 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 224-226 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

FEESCALE: Uses sliding fee scale

18. Does this facility use a sliding fee scale?

Value	Label	Unweighted Frequency	%
0	No	4367	32.5 %
1	Yes	8959	66.7 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-2	Missing	72	0.5 %
-1	Don't Know	29	0.2 %
	Total	13,428	100%

Based upon 13,326 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 227-229 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

PAYASST: Offers other payment assistance

18a. Other than a sliding fee scale, does this facility offer any type of payment assistance for clients receiving substance abuse treatment?

Value	Label	Unweighted Frequency	%
0	No	8116	60.4 %
1	Yes	5118	38.1 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-4	Refused	1	0.0 %
-2	Missing	158	1.2 %
-1	Don't Know	34	0.3 %
	Total	13,428	100%

Based upon 13,234 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 230-232 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

WRITARRA: Agrmnts/contrs w/Mang'd Care Org

19. Does this facility have agreements or contracts with managed care organizations for providing substance abuse treatment services?

Value	Label	Unweighted Frequency	%
0	No	6100	45.4 %
1	Yes	7200	53.6 %
Missing Data			
-6	Logical Skip	1	0.0 %
-2	Missing	64	0.5 %
-1	Don't Know	63	0.5 %
Total		13,428	100%

Based upon 13,300 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 233-235 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

ADMINLNK: Part of network - yes/no

20. On October 1, 2000, was this facility owned by an organization with multiple facilities or sites that provide substance abuse treatment?

If No, Skip to Q.21

Value	Label	Unweighted Frequency	%
0	No	4934	36.7 %
1	Yes	8487	63.2 %
Missing Data			
-7	Not Applicable	1	0.0 %
-2	Missing	1	0.0 %
-1	Don't Know	5	0.0 %
Total		13,428	100%

Based upon 13,421 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 236-238 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

OTHFAC2: Client counts-This Facility Only

20a. The next questions ask about the number of clients in treatment at this facility on October 1, 2000. We would prefer to get this information separately for this facility, that is, the facility named on the front cover. However, we understand there are situations when this is not possible.

Please check the option below that best describes how client counts will be reported for this facility.

(1) I will report client counts for this facility alone
 -> Skip to Q.21 (Page 6)

Value	Label	Unweighted Frequency	%
0	No	1620	12.1 %
1	Yes	6849	51.0 %
	Missing Data		
-6	Logical Skip	4940	36.8 %
-4	Refused	7	0.1 %
-2	Missing	2	0.0 %
-1	Don't Know	10	0.1 %
	Total	13,428	100%

Based upon 8,469 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 239-241 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

OTHFAC1: Client counts- Fac Combined w/Others

20a. The next questions ask about the number of clients in treatment at this facility on October 1, 2000. We would prefer to get this information separately for this facility, that is, the facility named on the front cover. However, we understand there are situations when this is not possible.

Please check the option below that best describes how client counts will be reported for this facility.

(2) I will report client counts for this facility combined with other facilities in the organization -> Skip to Q.21 (Page 6)

Value	Label	Unweighted Frequency	%
0	No	7879	58.7 %
1	Yes	590	4.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-6	Logical Skip	4940	36.8 %
-4	Refused	7	0.1 %
-2	Missing	2	0.0 %
-1	Don't Know	10	0.1 %
	Total	13,428	100%

Based upon 8,469 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 242-244 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

OTHFAC3: Cannot Provide Any Client Counts

20a. The next questions ask about the number of clients in treatment at this facility on October 1, 2000. We would prefer to get this information separately for this facility, that is, the facility named on the front cover. However, we understand there are situations when this is not possible.

Please check the option below that best describes how client counts will be reported for this facility.

(3) Client counts for this facility will be reported by another facility in the organization

Value	Label	Unweighted Frequency	%
0	No	7439	55.4 %
1	Yes	1030	7.7 %
	Missing Data		
-6	Logical Skip	4940	36.8 %
-4	Refused	7	0.1 %
-2	Missing	2	0.0 %
-1	Don't Know	10	0.1 %
	Total	13,428	100%

Based upon 8,469 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 245-247 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

TYPE4: Hosp Inpat'nt SA care offered 10/1/00

21. On October 1, 2000, were any clients receiving hospital inpatient substance abuse treatment or detoxification at this facility?

If No, Skip to Q.22

Value	Label	Unweighted Frequency	%
0	No	11394	84.9 %
1	Yes	994	7.4 %
	Missing Data		
-6	Logical Skip	1030	7.7 %
-4	Refused	1	0.0 %
-2	Missing	3	0.0 %
-1	Don't Know	6	0.0 %
	Total	13,428	100%

Based upon 12,388 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 248-250 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI1: Hosp. Inpatient clients, detox

21a. On October 1, 2000, how many hospital inpatients were receiving the following substance abuse services at this facility?

(a) Inpatient detoxification

COUNT a client in one service category only, even if the client was receiving both services.

DO NOT count co-dependents, parents, other relatives, friends (i.e., "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	138	1.0 %
1	-	87	0.6 %
2	-	119	0.9 %
3	-	112	0.8 %
4	-	86	0.6 %

Value	Label	Unweighted Frequency	%
5	-	93	0.7 %
6	-	74	0.6 %
7	-	46	0.3 %
8	-	53	0.4 %
9	-	18	0.1 %
10	-	46	0.3 %
11	-	11	0.1 %
12	-	17	0.1 %
13	-	13	0.1 %
14	-	7	0.1 %
15	-	17	0.1 %
16	-	8	0.1 %
17	-	5	0.0 %
18	-	3	0.0 %
19	-	5	0.0 %
20	-	17	0.1 %
21	-	3	0.0 %
22	-	4	0.0 %
23	-	1	0.0 %
24	-	6	0.0 %
25	-	4	0.0 %
26	-	2	0.0 %
27	-	2	0.0 %
28	-	2	0.0 %
30	-	4	0.0 %
32	-	2	0.0 %
35	-	2	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
43	-	1	0.0 %
50	-	1	0.0 %
55	-	1	0.0 %
60	-	1	0.0 %
64	-	1	0.0 %
280	-	1	0.0 %
	Missing Data		
-6	Logical Skip	12402	92.4 %
-2	Missing	3	0.0 %
-1	Don't Know	6	0.0 %

Value	Label	Unweighted Frequency	%
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,017 valid cases out of 13,428 total cases.

- Mean: 6.27
- Median: 4.00
- Mode: 0.00
- Minimum: 0
- Maximum: 280
- Standard Deviation: 11.13

Location: 251-253 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI2: Hosp. Inpatient clients, rehab

21a. On October 1, 2000, how many hospital inpatients were receiving the following substance abuse services at this facility?

(b) Inpatient rehabilitation

COUNT a client in one service category only, even if the client was receiving both services.

DO NOT count co-dependents, parents, other relatives, friends (i.e., "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	527	3.9 %
1	-	28	0.2 %
2	-	50	0.4 %
3	-	29	0.2 %
4	-	34	0.3 %
5	-	34	0.3 %
6	-	23	0.2 %
7	-	16	0.1 %
8	-	15	0.1 %
9	-	7	0.1 %
10	-	30	0.2 %
11	-	5	0.0 %
12	-	20	0.1 %
13	-	16	0.1 %

Value	Label	Unweighted Frequency	%
14	-	9	0.1 %
15	-	20	0.1 %
16	-	12	0.1 %
17	-	3	0.0 %
18	-	11	0.1 %
19	-	6	0.0 %
20	-	17	0.1 %
21	-	3	0.0 %
22	-	6	0.0 %
23	-	5	0.0 %
24	-	8	0.1 %
25	-	4	0.0 %
26	-	4	0.0 %
27	-	3	0.0 %
28	-	7	0.1 %
29	-	3	0.0 %
30	-	7	0.1 %
31	-	1	0.0 %
35	-	4	0.0 %
36	-	2	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	4	0.0 %
42	-	2	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
48	-	1	0.0 %
51	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
55	-	1	0.0 %
56	-	2	0.0 %
58	-	1	0.0 %
60	-	3	0.0 %
74	-	1	0.0 %
	Missing Data		
-6	Logical Skip	12418	92.5 %
-2	Missing	2	0.0 %
-1	Don't Know	5	0.0 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,003 valid cases out of 13,428 total cases.

- Mean: 6.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 250
- Standard Deviation: 15.40

Location: 254-256 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLIHI: Total Number of Hospital Inpatients

21a. On October 1, 2000, how many hospital inpatients were receiving substance abuse services at this facility?

_____ HOSPITAL INPATIENT TOTAL

COUNT a client in one service category only, even if the client was receiving both services.

DO NOT count co-dependents, parents, other relatives, friends (i.e., "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	5	0.0 %
1	-	68	0.5 %
2	-	96	0.7 %
3	-	92	0.7 %
4	-	61	0.5 %
5	-	71	0.5 %
6	-	62	0.5 %
7	-	52	0.4 %
8	-	48	0.4 %
9	-	31	0.2 %
10	-	55	0.4 %
11	-	22	0.2 %
12	-	32	0.2 %
13	-	25	0.2 %
14	-	14	0.1 %
15	-	31	0.2 %
16	-	20	0.1 %
17	-	15	0.1 %
18	-	15	0.1 %

Value	Label	Unweighted Frequency	%
19	-	13	0.1 %
20	-	26	0.2 %
21	-	7	0.1 %
22	-	12	0.1 %
23	-	5	0.0 %
24	-	18	0.1 %
25	-	9	0.1 %
26	-	8	0.1 %
27	-	6	0.0 %
28	-	8	0.1 %
29	-	6	0.0 %
30	-	12	0.1 %
31	-	2	0.0 %
32	-	5	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	6	0.0 %
36	-	2	0.0 %
37	-	1	0.0 %
38	-	2	0.0 %
40	-	5	0.0 %
41	-	1	0.0 %
42	-	3	0.0 %
43	-	5	0.0 %
44	-	2	0.0 %
45	-	3	0.0 %
47	-	1	0.0 %
50	-	1	0.0 %
52	-	2	0.0 %
55	-	3	0.0 %
56	-	4	0.0 %
	Missing Data		
-6	Logical Skip	12397	92.3 %
-2	Missing	3	0.0 %
-1	Don't Know	5	0.0 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,023 valid cases out of 13,428 total cases.

- Mean: 12.97
- Median: 8.00

- Mode: 2.00
- Minimum: 0
- Maximum: 280
- Standard Deviation: 18.86

Location: 257-259 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

H_AGE1: Hosp Inp Clients Under 18 years old

21b. On October 1, 2000, how many of the hospital inpatients from the total box above were under 18 years of age?

Value	Label	Unweighted Frequency	%
0	-	972	7.2 %
1	-	47	0.4 %
2	-	22	0.2 %
3	-	6	0.0 %
4	-	11	0.1 %
5	-	8	0.1 %
6	-	3	0.0 %
7	-	4	0.0 %
8	-	5	0.0 %
9	-	3	0.0 %
10	-	9	0.1 %
12	-	2	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	5	0.0 %
16	-	1	0.0 %
17	-	3	0.0 %
18	-	2	0.0 %
19	-	1	0.0 %
20	-	6	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
74	-	1	0.0 %
80	-	1	0.0 %
	Missing Data		
-6	Logical Skip	12303	91.6 %
-2	Missing	3	0.0 %
-1	Don't Know	4	0.0 %
	Total	13,428	100%

Based upon 1,118 valid cases out of 13,428 total cases.

- Mean: 0.93
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 80
- Standard Deviation: 4.62

Location: 260-262 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

HIMETNUM: Total Methadone Inpatients

21c. On October 1, 2000, how many of the hospital inpatients from the total box above were receiving Methadone or LAAM dispensed at this facility?

(a) Methadone

Value	Label	Unweighted Frequency	%
0	-	861	6.4 %
1	-	30	0.2 %
2	-	23	0.2 %
3	-	13	0.1 %
4	-	17	0.1 %
5	-	15	0.1 %
6	-	7	0.1 %
7	-	4	0.0 %
8	-	5	0.0 %
9	-	4	0.0 %
10	-	3	0.0 %
11	-	1	0.0 %
12	-	4	0.0 %
15	-	1	0.0 %
16	-	2	0.0 %
19	-	2	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
22	-	2	0.0 %
24	-	1	0.0 %
27	-	1	0.0 %
45	-	1	0.0 %
	Missing Data		
-6	Logical Skip	12421	92.5 %

Value	Label	Unweighted Frequency	%
-2	Missing	3	0.0 %
-1	Don't Know	5	0.0 %
	Total	13,428	100%

Based upon 999 valid cases out of 13,428 total cases.

- Mean: 0.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 45
- Standard Deviation: 3.00

Location: 263-265 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

HILAMNUM: Total LAAM Inpatients

21c. On October 1, 2000, how many of the hospital inpatients from the total box above were receiving Methadone or LAAM dispensed at this facility?

(b) LAAM

Value	Label	Unweighted Frequency	%
0	-	991	7.4 %
1	-	3	0.0 %
2	-	1	0.0 %
5	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	2	0.0 %
	Missing Data		
-6	Logical Skip	12421	92.5 %
-2	Missing	3	0.0 %
-1	Don't Know	4	0.0 %
	Total	13,428	100%

Based upon 1,000 valid cases out of 13,428 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 10
- Standard Deviation: 0.61

Location: 266-268 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

TYPE7: Non-hosp Res SA care offered 10/1/00

22. On October 1, 2000, were any clients receiving non-hospital residential substance abuse treatment or detoxification at this facility?

If No, Skip to Q.23

Value	Label	Unweighted Frequency	%
0	No	9058	67.5 %
1	Yes	3330	24.8 %
	Missing Data		
-6	Logical Skip	1030	7.7 %
-4	Refused	2	0.0 %
-2	Missing	3	0.0 %
-1	Don't Know	5	0.0 %
	Total	13,428	100%

Based upon 12,388 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 269-271 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI3: Residential Clients, Detox

22a. On October 1, 2000, how many non-hospital residential clients were receiving the following substance abuse services at this facility?

(a) Residential detoxification

COUNT a client in one service category only, even if the client was receiving both services.

DO NOT count co-dependents, parents, other relatives, friends (i.e., "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	2591	19.3 %
1	-	87	0.6 %

Value	Label	Unweighted Frequency	%
2	-	91	0.7 %
3	-	69	0.5 %
4	-	60	0.4 %
5	-	51	0.4 %
6	-	60	0.4 %
7	-	29	0.2 %
8	-	36	0.3 %
9	-	19	0.1 %
10	-	31	0.2 %
11	-	9	0.1 %
12	-	28	0.2 %
13	-	8	0.1 %
14	-	16	0.1 %
15	-	19	0.1 %
16	-	8	0.1 %
17	-	7	0.1 %
18	-	10	0.1 %
19	-	2	0.0 %
20	-	17	0.1 %
21	-	4	0.0 %
22	-	3	0.0 %
23	-	2	0.0 %
24	-	5	0.0 %
25	-	9	0.1 %
27	-	4	0.0 %
28	-	11	0.1 %
29	-	1	0.0 %
30	-	5	0.0 %
31	-	2	0.0 %
32	-	2	0.0 %
33	-	1	0.0 %
34	-	3	0.0 %
35	-	2	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	6	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
48	-	1	0.0 %
50	-	2	0.0 %

Value	Label	Unweighted Frequency	%
54	-	1	0.0 %
55	-	1	0.0 %
57	-	1	0.0 %
60	-	1	0.0 %
66	-	3	0.0 %
67	-	1	0.0 %
Missing Data			
-6	Logical Skip	10087	75.1 %
-2	Missing	2	0.0 %
-1	Don't Know	2	0.0 %
Total		13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,337 valid cases out of 13,428 total cases.

- Mean: 2.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 361
- Standard Deviation: 11.08

Location: 272-274 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI4: Residential Clients, Rehab

22a. On October 1, 2000, how many non-hospital residential clients were receiving the following substance abuse services at this facility?

(b) Residential rehabilitation

COUNT a client in one service category only, even if the client was receiving both services.

DO NOT count co-dependents, parents, other relatives, friends (i.e., "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	212	1.6 %
1	-	16	0.1 %
2	-	32	0.2 %
3	-	42	0.3 %

Value	Label	Unweighted Frequency	%
4	-	62	0.5 %
5	-	86	0.6 %
6	-	131	1.0 %
7	-	73	0.5 %
8	-	113	0.8 %
9	-	92	0.7 %
10	-	148	1.1 %
11	-	69	0.5 %
12	-	152	1.1 %
13	-	82	0.6 %
14	-	114	0.8 %
15	-	126	0.9 %
16	-	135	1.0 %
17	-	67	0.5 %
18	-	99	0.7 %
19	-	63	0.5 %
20	-	128	1.0 %
21	-	41	0.3 %
22	-	61	0.5 %
23	-	51	0.4 %
24	-	67	0.5 %
25	-	66	0.5 %
26	-	42	0.3 %
27	-	29	0.2 %
28	-	45	0.3 %
29	-	25	0.2 %
30	-	84	0.6 %
31	-	22	0.2 %
32	-	37	0.3 %
33	-	21	0.2 %
34	-	23	0.2 %
35	-	46	0.3 %
36	-	28	0.2 %
37	-	19	0.1 %
38	-	28	0.2 %
39	-	12	0.1 %
40	-	45	0.3 %
41	-	17	0.1 %
42	-	17	0.1 %
43	-	7	0.1 %
44	-	13	0.1 %
45	-	33	0.2 %

Value	Label	Unweighted Frequency	%
46	-	12	0.1 %
47	-	12	0.1 %
48	-	22	0.2 %
49	-	7	0.1 %
	Missing Data		
-6	Logical Skip	10060	74.9 %
-2	Missing	4	0.0 %
-1	Don't Know	3	0.0 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,361 valid cases out of 13,428 total cases.

- Mean: 26.13
- Median: 16.00
- Mode: 0.00
- Minimum: 0
- Maximum: 500
- Standard Deviation: 34.55

Location: 275-277 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLIRC: Total Residential Clients

22a. On October 1, 2000, how many non-hospital residential clients were receiving substance abuse services at this facility?

_____ RESIDENTIAL TOTAL

COUNT a client in one service category only, even if the client was receiving both services.

DO NOT count co-dependents, parents, other relatives, friends (i.e., "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	4	0.0 %
1	-	17	0.1 %
2	-	40	0.3 %
3	-	43	0.3 %
4	-	64	0.5 %
5	-	86	0.6 %

Value	Label	Unweighted Frequency	%
6	-	148	1.1 %
7	-	74	0.6 %
8	-	126	0.9 %
9	-	95	0.7 %
10	-	152	1.1 %
11	-	74	0.6 %
12	-	152	1.1 %
13	-	85	0.6 %
14	-	117	0.9 %
15	-	136	1.0 %
16	-	143	1.1 %
17	-	63	0.5 %
18	-	97	0.7 %
19	-	69	0.5 %
20	-	128	1.0 %
21	-	43	0.3 %
22	-	66	0.5 %
23	-	47	0.4 %
24	-	70	0.5 %
25	-	73	0.5 %
26	-	54	0.4 %
27	-	35	0.3 %
28	-	51	0.4 %
29	-	26	0.2 %
30	-	80	0.6 %
31	-	21	0.2 %
32	-	40	0.3 %
33	-	23	0.2 %
34	-	22	0.2 %
35	-	48	0.4 %
36	-	30	0.2 %
37	-	23	0.2 %
38	-	25	0.2 %
39	-	15	0.1 %
40	-	46	0.3 %
41	-	15	0.1 %
42	-	23	0.2 %
43	-	11	0.1 %
44	-	13	0.1 %
45	-	30	0.2 %
46	-	17	0.1 %
47	-	14	0.1 %

Value	Label	Unweighted Frequency	%
48	-	26	0.2 %
49	-	13	0.1 %
	Missing Data		
-6	Logical Skip	10059	74.9 %
-2	Missing	4	0.0 %
-1	Don't Know	3	0.0 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,362 valid cases out of 13,428 total cases.

- Mean: 28.58
- Median: 18.00
- Minimum: 0
- Maximum: 744
- Standard Deviation: 36.77

Location: 278-280 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

R_AGE1: Residential Clients Under 18 years old

22b. On October 1, 2000 how many of the non-hospital residential clients from the total box were under 18 years of age?

Value	Label	Unweighted Frequency	%
0	-	2805	20.9 %
1	-	73	0.5 %
2	-	49	0.4 %
3	-	38	0.3 %
4	-	30	0.2 %
5	-	35	0.3 %
6	-	46	0.3 %
7	-	21	0.2 %
8	-	24	0.2 %
9	-	19	0.1 %
10	-	22	0.2 %
11	-	14	0.1 %
12	-	29	0.2 %
13	-	15	0.1 %
14	-	19	0.1 %
15	-	23	0.2 %
16	-	24	0.2 %
17	-	11	0.1 %

Value	Label	Unweighted Frequency	%
18	-	14	0.1 %
19	-	6	0.0 %
20	-	15	0.1 %
21	-	6	0.0 %
22	-	11	0.1 %
23	-	6	0.0 %
24	-	12	0.1 %
25	-	10	0.1 %
26	-	11	0.1 %
27	-	7	0.1 %
28	-	4	0.0 %
29	-	1	0.0 %
30	-	7	0.1 %
31	-	3	0.0 %
32	-	3	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	6	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	3	0.0 %
40	-	7	0.1 %
42	-	6	0.0 %
43	-	1	0.0 %
45	-	4	0.0 %
50	-	2	0.0 %
60	-	2	0.0 %
67	-	1	0.0 %
68	-	1	0.0 %
69	-	1	0.0 %
74	-	1	0.0 %
83	-	1	0.0 %
	Missing Data		
-6	Logical Skip	9957	74.2 %
-2	Missing	3	0.0 %
-1	Don't Know	3	0.0 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,465 valid cases out of 13,428 total cases.

- Mean: 2.71

- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 187
- Standard Deviation: 10.06

Location: 281-283 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

RCMETNUM: Total Methadone Residential

22c. On October 1, 2000 how many of the non-hospital residential clients from the total box above were receiving methadone or LAAM dispensed at this facility?

(a) Methadone

Value	Label	Unweighted Frequency	%
0	-	3262	24.3 %
1	-	15	0.1 %
2	-	14	0.1 %
3	-	5	0.0 %
4	-	5	0.0 %
5	-	6	0.0 %
6	-	5	0.0 %
7	-	3	0.0 %
8	-	1	0.0 %
9	-	2	0.0 %
10	-	3	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
13	-	2	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
16	-	2	0.0 %
18	-	2	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
24	-	1	0.0 %
27	-	3	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
34	-	2	0.0 %
40	-	1	0.0 %
54	-	1	0.0 %

Value	Label	Unweighted Frequency	%
88	-	1	0.0 %
	Missing Data		
-6	Logical Skip	10077	75.0 %
-2	Missing	5	0.0 %
-1	Don't Know	2	0.0 %
	Total	13,428	100%

Based upon 3,344 valid cases out of 13,428 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 88
- Standard Deviation: 2.62

Location: 284-286 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

RCLAMNUM: Total LAAM Residential

22c. On October 1, 2000 how many of the non-hospital residential clients from the total box above were receiving methadone or LAAM dispensed at this facility?

(b) LAAM

Value	Label	Unweighted Frequency	%
0	-	3343	24.9 %
1	-	2	0.0 %
2	-	1	0.0 %
	Missing Data		
-6	Logical Skip	10077	75.0 %
-2	Missing	5	0.0 %
	Total	13,428	100%

Based upon 3,346 valid cases out of 13,428 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 2
- Standard Deviation: 0.04

Location: 287-289 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

TYPE1: Any Outpat'nt SA care offered 10/1/00

23. On October 1, 2000, were any clients enrolled in an outpatient substance abuse program at this facility?

Enrolled clients are those who received services in the 30 days up to and including October 1, and were not discharged during that time.

If No, Skip to Q.24

Value	Label	Unweighted Frequency	%
0	No	2642	19.7 %
1	Yes	9740	72.5 %
	Missing Data		
-6	Logical Skip	1030	7.7 %
-4	Refused	3	0.0 %
-2	Missing	2	0.0 %
-1	Don't Know	11	0.1 %
	Total	13,428	100%

Based upon 12,382 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 290-292 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI7: Clients in Outpat'nt detox

23a. On October 1, 2000, how many outpatients were enrolled in the following substance abuse services at this facility?

(a) Ambulatory detoxification

COUNT a client in one category only, even if the client was receiving multiple services.

DO NOT count co-dependents, parents, other relatives, friends (i.e., "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	8970	66.8 %
1	-	92	0.7 %

Value	Label	Unweighted Frequency	%
2	-	108	0.8 %
3	-	73	0.5 %
4	-	37	0.3 %
5	-	77	0.6 %
6	-	22	0.2 %
7	-	12	0.1 %
8	-	12	0.1 %
9	-	11	0.1 %
10	-	59	0.4 %
11	-	8	0.1 %
12	-	12	0.1 %
13	-	5	0.0 %
14	-	5	0.0 %
15	-	16	0.1 %
16	-	6	0.0 %
17	-	1	0.0 %
18	-	6	0.0 %
19	-	6	0.0 %
20	-	13	0.1 %
21	-	7	0.1 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	9	0.1 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	3	0.0 %
29	-	1	0.0 %
30	-	16	0.1 %
31	-	2	0.0 %
32	-	3	0.0 %
33	-	1	0.0 %
34	-	3	0.0 %
35	-	6	0.0 %
36	-	1	0.0 %
37	-	4	0.0 %
39	-	2	0.0 %
40	-	10	0.1 %
41	-	2	0.0 %
42	-	3	0.0 %
43	-	1	0.0 %
45	-	6	0.0 %

Value	Label	Unweighted Frequency	%
46	-	3	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	8	0.1 %
55	-	1	0.0 %
58	-	2	0.0 %
	Missing Data		
-6	Logical Skip	3702	27.6 %
-4	Refused	1	0.0 %
-2	Missing	2	0.0 %
-1	Don't Know	10	0.1 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,713 valid cases out of 13,428 total cases.

- Mean: 1.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 650
- Standard Deviation: 12.59

Location: 293-295 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI5: Clients in regular Outpat'nt Care

23a. On October 1, 2000, how many outpatients were enrolled in the following substance abuse services at this facility?

(b) Regular outpatient treatment

COUNT a client in one category only, even if the client was receiving multiple services.

DO NOT count co-dependents, parents, other relatives, friends (i.e., "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	1140	8.5 %
1	-	108	0.8 %
2	-	176	1.3 %
3	-	180	1.3 %

Value	Label	Unweighted Frequency	%
4	-	152	1.1 %
5	-	232	1.7 %
6	-	182	1.4 %
7	-	122	0.9 %
8	-	187	1.4 %
9	-	86	0.6 %
10	-	369	2.7 %
11	-	70	0.5 %
12	-	192	1.4 %
13	-	71	0.5 %
14	-	97	0.7 %
15	-	276	2.1 %
16	-	80	0.6 %
17	-	48	0.4 %
18	-	73	0.5 %
19	-	58	0.4 %
20	-	317	2.4 %
21	-	59	0.4 %
22	-	75	0.6 %
23	-	57	0.4 %
24	-	54	0.4 %
25	-	242	1.8 %
26	-	58	0.4 %
27	-	55	0.4 %
28	-	57	0.4 %
29	-	31	0.2 %
30	-	266	2.0 %
31	-	45	0.3 %
32	-	61	0.5 %
33	-	29	0.2 %
34	-	37	0.3 %
35	-	141	1.1 %
36	-	36	0.3 %
37	-	34	0.3 %
38	-	35	0.3 %
39	-	30	0.2 %
40	-	202	1.5 %
41	-	30	0.2 %
42	-	41	0.3 %
43	-	36	0.3 %
44	-	22	0.2 %
45	-	102	0.8 %

Value	Label	Unweighted Frequency	%
46	-	39	0.3 %
47	-	29	0.2 %
48	-	44	0.3 %
49	-	23	0.2 %
	Missing Data		
-6	Logical Skip	3522	26.2 %
-4	Refused	1	0.0 %
-2	Missing	2	0.0 %
-1	Don't Know	7	0.1 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,896 valid cases out of 13,428 total cases.

- Mean: 74.76
- Minimum: 0
- Maximum: 3000
- Standard Deviation: 137.77

Location: 296-299 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI6: Clients in Intensive Outpat'nt

23a. On October 1, 2000, how many outpatients were enrolled in the following substance abuse services at this facility?

(c) Intensive outpatient treatment (defined as a minimum of 2 hours per day on 3 or more days per week)

COUNT a client in one category only, even if the client was receiving multiple services.

DO NOT count co-dependents, parents, other relatives, friends (i.e., "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	5198	38.7 %
1	-	124	0.9 %
2	-	206	1.5 %
3	-	187	1.4 %
4	-	163	1.2 %
5	-	247	1.8 %
6	-	181	1.3 %

Value	Label	Unweighted Frequency	%
7	-	122	0.9 %
8	-	193	1.4 %
9	-	88	0.7 %
10	-	371	2.8 %
11	-	86	0.6 %
12	-	182	1.4 %
13	-	60	0.4 %
14	-	74	0.6 %
15	-	217	1.6 %
16	-	83	0.6 %
17	-	65	0.5 %
18	-	79	0.6 %
19	-	44	0.3 %
20	-	225	1.7 %
21	-	41	0.3 %
22	-	63	0.5 %
23	-	37	0.3 %
24	-	49	0.4 %
25	-	138	1.0 %
26	-	39	0.3 %
27	-	33	0.2 %
28	-	35	0.3 %
29	-	13	0.1 %
30	-	142	1.1 %
31	-	21	0.2 %
32	-	28	0.2 %
33	-	16	0.1 %
34	-	13	0.1 %
35	-	51	0.4 %
36	-	23	0.2 %
37	-	16	0.1 %
38	-	17	0.1 %
39	-	8	0.1 %
40	-	84	0.6 %
41	-	10	0.1 %
42	-	13	0.1 %
43	-	12	0.1 %
44	-	9	0.1 %
45	-	43	0.3 %
46	-	16	0.1 %
47	-	12	0.1 %
48	-	16	0.1 %

Value	Label	Unweighted Frequency	%
49	-	8	0.1 %
	Missing Data		
-6	Logical Skip	3640	27.1 %
-4	Refused	1	0.0 %
-2	Missing	2	0.0 %
-1	Don't Know	9	0.1 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,776 valid cases out of 13,428 total cases.

- Mean: 12.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1570
- Standard Deviation: 32.97

Location: 300-303 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI8: Clients in Day Tx/Partial Hosp

23a. On October 1, 2000, how many outpatients were enrolled in the following substance abuse services at this facility?

(d) Day treatment or partial hospitalization

COUNT a client in one category only, even if the client was receiving multiple services.

DO NOT count co-dependents, parents, other relatives, friends (i.e., "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	8418	62.7 %
1	-	104	0.8 %
2	-	132	1.0 %
3	-	98	0.7 %
4	-	75	0.6 %
5	-	99	0.7 %
6	-	83	0.6 %
7	-	45	0.3 %
8	-	62	0.5 %

Value	Label	Unweighted Frequency	%
9	-	22	0.2 %
10	-	100	0.7 %
11	-	17	0.1 %
12	-	49	0.4 %
13	-	10	0.1 %
14	-	15	0.1 %
15	-	58	0.4 %
16	-	12	0.1 %
17	-	13	0.1 %
18	-	12	0.1 %
19	-	5	0.0 %
20	-	40	0.3 %
21	-	8	0.1 %
22	-	8	0.1 %
23	-	5	0.0 %
24	-	8	0.1 %
25	-	29	0.2 %
26	-	7	0.1 %
27	-	8	0.1 %
28	-	4	0.0 %
29	-	4	0.0 %
30	-	25	0.2 %
31	-	3	0.0 %
32	-	7	0.1 %
33	-	5	0.0 %
34	-	3	0.0 %
35	-	14	0.1 %
36	-	2	0.0 %
37	-	4	0.0 %
38	-	1	0.0 %
39	-	4	0.0 %
40	-	10	0.1 %
42	-	5	0.0 %
43	-	3	0.0 %
44	-	1	0.0 %
45	-	6	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
49	-	1	0.0 %
50	-	12	0.1 %
51	-	2	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-6	Logical Skip	3707	27.6 %
-4	Refused	1	0.0 %
-2	Missing	1	0.0 %
-1	Don't Know	6	0.0 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,713 valid cases out of 13,428 total cases.

- Mean: 1.95
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 781
- Standard Deviation: 11.71

Location: 304-306 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLIOP: Total Number of Outpat'nt Clients

23a. On October 1, 2000, how many outpatients were enrolled in the following substance abuse services at this facility?

_____ OUTPATIENT TOTAL

COUNT a client in one category only, even if the client was receiving multiple services.

DO NOT count co-dependents, parents, other relatives, friends (i.e., "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	12	0.1 %
1	-	97	0.7 %
2	-	156	1.2 %
3	-	159	1.2 %
4	-	155	1.2 %
5	-	189	1.4 %
6	-	160	1.2 %
7	-	135	1.0 %
8	-	161	1.2 %
9	-	95	0.7 %
10	-	296	2.2 %

Value	Label	Unweighted Frequency	%
11	-	110	0.8 %
12	-	177	1.3 %
13	-	97	0.7 %
14	-	111	0.8 %
15	-	253	1.9 %
16	-	127	0.9 %
17	-	95	0.7 %
18	-	117	0.9 %
19	-	81	0.6 %
20	-	253	1.9 %
21	-	84	0.6 %
22	-	114	0.8 %
23	-	81	0.6 %
24	-	78	0.6 %
25	-	220	1.6 %
26	-	97	0.7 %
27	-	75	0.6 %
28	-	79	0.6 %
29	-	44	0.3 %
30	-	214	1.6 %
31	-	57	0.4 %
32	-	82	0.6 %
33	-	50	0.4 %
34	-	57	0.4 %
35	-	166	1.2 %
36	-	54	0.4 %
37	-	63	0.5 %
38	-	46	0.3 %
39	-	48	0.4 %
40	-	199	1.5 %
41	-	44	0.3 %
42	-	62	0.5 %
43	-	55	0.4 %
44	-	39	0.3 %
45	-	117	0.9 %
46	-	52	0.4 %
47	-	42	0.3 %
48	-	52	0.4 %
49	-	31	0.2 %
	Missing Data		
-6	Logical Skip	3507	26.1 %
-4	Refused	1	0.0 %

Value	Label	Unweighted Frequency	%
-2	Missing	1	0.0 %
-1	Don't Know	9	0.1 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,910 valid cases out of 13,428 total cases.

- Mean: 89.96
- Minimum: 0
- Maximum: 3000
- Standard Deviation: 147.67

Location: 307-310 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

O_AGE1: Outpat'nt clients under 18 years old

23b. On October 1, 2000, how many of the outpatients from the total box above were under 18 years of age?

Value	Label	Unweighted Frequency	%
0	-	5466	40.7 %
1	-	462	3.4 %
2	-	496	3.7 %
3	-	316	2.4 %
4	-	262	2.0 %
5	-	309	2.3 %
6	-	213	1.6 %
7	-	133	1.0 %
8	-	142	1.1 %
9	-	86	0.6 %
10	-	267	2.0 %
11	-	73	0.5 %
12	-	145	1.1 %
13	-	50	0.4 %
14	-	69	0.5 %
15	-	160	1.2 %
16	-	55	0.4 %
17	-	38	0.3 %
18	-	50	0.4 %
19	-	27	0.2 %
20	-	160	1.2 %
21	-	29	0.2 %
22	-	40	0.3 %

Value	Label	Unweighted Frequency	%
23	-	17	0.1 %
24	-	25	0.2 %
25	-	84	0.6 %
26	-	23	0.2 %
27	-	20	0.1 %
28	-	34	0.3 %
29	-	15	0.1 %
30	-	77	0.6 %
31	-	15	0.1 %
32	-	26	0.2 %
33	-	18	0.1 %
34	-	9	0.1 %
35	-	45	0.3 %
36	-	13	0.1 %
37	-	12	0.1 %
38	-	10	0.1 %
39	-	9	0.1 %
40	-	53	0.4 %
41	-	5	0.0 %
42	-	6	0.0 %
43	-	10	0.1 %
44	-	5	0.0 %
45	-	28	0.2 %
46	-	7	0.1 %
47	-	6	0.0 %
48	-	8	0.1 %
49	-	2	0.0 %
	Missing Data		
-6	Logical Skip	3485	26.0 %
-2	Missing	2	0.0 %
-1	Don't Know	9	0.1 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,932 valid cases out of 13,428 total cases.

- Mean: 7.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 520
- Standard Deviation: 22.13

Location: 311-313 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

OPMETNUM: Total Methadone Outpat'nts

23c. On October 1, 2000, how many of the outpatients from the total box above were receiving Methadone or LAAM dispensed at this facility?

(a) Methadone

Value	Label	Unweighted Frequency	%
0	-	8940	66.6 %
1	-	31	0.2 %
2	-	33	0.2 %
3	-	12	0.1 %
4	-	19	0.1 %
5	-	16	0.1 %
6	-	4	0.0 %
7	-	10	0.1 %
8	-	5	0.0 %
9	-	2	0.0 %
10	-	7	0.1 %
11	-	2	0.0 %
12	-	1	0.0 %
13	-	3	0.0 %
15	-	4	0.0 %
16	-	2	0.0 %
18	-	4	0.0 %
19	-	2	0.0 %
20	-	4	0.0 %
21	-	1	0.0 %
22	-	2	0.0 %
23	-	1	0.0 %
24	-	2	0.0 %
25	-	4	0.0 %
26	-	2	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	3	0.0 %
31	-	2	0.0 %
32	-	3	0.0 %
37	-	1	0.0 %

Value	Label	Unweighted Frequency	%
39	-	3	0.0 %
40	-	7	0.1 %
41	-	2	0.0 %
42	-	1	0.0 %
43	-	3	0.0 %
45	-	3	0.0 %
46	-	5	0.0 %
48	-	2	0.0 %
49	-	2	0.0 %
50	-	4	0.0 %
51	-	2	0.0 %
52	-	1	0.0 %
53	-	3	0.0 %
55	-	5	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
60	-	5	0.0 %
61	-	2	0.0 %
	Missing Data		
-6	Logical Skip	3601	26.8 %
-2	Missing	5	0.0 %
-1	Don't Know	4	0.0 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,818 valid cases out of 13,428 total cases.

- Mean: 17.41
- Minimum: 0
- Maximum: 1534
- Standard Deviation: 78.06

Location: 314-317 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

OPLAMNUM: Total LAAM Outpat'nts

23c. On October 1, 2000, how many of the outpatients from the total box above were receiving Methadone or LAAM dispensed at this facility?

(b) LAAM

Value	Label	Unweighted Frequency	%
0	-	9577	71.3 %
1	-	17	0.1 %
2	-	14	0.1 %
3	-	5	0.0 %
4	-	7	0.1 %
5	-	16	0.1 %
6	-	8	0.1 %
7	-	4	0.0 %
8	-	4	0.0 %
9	-	4	0.0 %
10	-	20	0.1 %
11	-	3	0.0 %
12	-	7	0.1 %
13	-	3	0.0 %
14	-	5	0.0 %
15	-	9	0.1 %
16	-	2	0.0 %
17	-	3	0.0 %
18	-	5	0.0 %
19	-	2	0.0 %
20	-	14	0.1 %
21	-	2	0.0 %
22	-	4	0.0 %
24	-	4	0.0 %
25	-	7	0.1 %
26	-	6	0.0 %
27	-	3	0.0 %
28	-	2	0.0 %
29	-	3	0.0 %
30	-	6	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	3	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
45	-	1	0.0 %
47	-	1	0.0 %

Value	Label	Unweighted Frequency	%
50	-	4	0.0 %
52	-	3	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	2	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
60	-	4	0.0 %
	Missing Data		
-6	Logical Skip	3601	26.8 %
-2	Missing	7	0.1 %
-1	Don't Know	3	0.0 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,817 valid cases out of 13,428 total cases.

- Mean: 0.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 240
- Standard Deviation: 5.82

Location: 318-320 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

B_PCT: % of Clients Treated for Alc/Drug Abuse

24. Approximately what percent of all substance abuse treatment clients enrolled at this facility on October 1, 2000, were being treated for . . .

(a) . . . Abuse of both alcohol and drugs?

Value	Label	Unweighted Frequency	%
0	-	904	6.7 %
1	-	47	0.4 %
2	-	52	0.4 %
3	-	32	0.2 %
4	-	22	0.2 %
5	-	150	1.1 %
6	-	21	0.2 %

Value	Label	Unweighted Frequency	%
7	-	19	0.1 %
8	-	25	0.2 %
9	-	14	0.1 %
10	-	316	2.4 %
11	-	22	0.2 %
12	-	32	0.2 %
13	-	20	0.1 %
14	-	25	0.2 %
15	-	147	1.1 %
16	-	29	0.2 %
17	-	30	0.2 %
18	-	37	0.3 %
19	-	27	0.2 %
20	-	418	3.1 %
21	-	22	0.2 %
22	-	22	0.2 %
23	-	29	0.2 %
24	-	16	0.1 %
25	-	381	2.8 %
26	-	23	0.2 %
27	-	25	0.2 %
28	-	27	0.2 %
29	-	27	0.2 %
30	-	454	3.4 %
31	-	15	0.1 %
32	-	24	0.2 %
33	-	89	0.7 %
34	-	66	0.5 %
35	-	158	1.2 %
36	-	28	0.2 %
37	-	25	0.2 %
38	-	30	0.2 %
39	-	25	0.2 %
40	-	477	3.6 %
41	-	37	0.3 %
42	-	33	0.2 %
43	-	20	0.1 %
44	-	21	0.2 %
45	-	119	0.9 %
46	-	28	0.2 %
47	-	27	0.2 %
48	-	34	0.3 %

Value	Label	Unweighted Frequency	%
49	-	20	0.1 %
	Missing Data		
-6	Logical Skip	1247	9.3 %
-4	Refused	9	0.1 %
-2	Missing	51	0.4 %
-1	Don't Know	75	0.6 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,046 valid cases out of 13,428 total cases.

- Mean: 54.88
- Median: 60.00
- Mode: 100.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 31.89

Location: 321-323 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

A_PCT: % of Clients Treated for Alc Abuse

24. Approximately what percent of all substance abuse treatment clients enrolled at this facility on October 1, 2000, were being treated for . . .

(b) . . . Alcohol abuse only?

Value	Label	Unweighted Frequency	%
0	-	2663	19.8 %
1	-	132	1.0 %
2	-	145	1.1 %
3	-	81	0.6 %
4	-	44	0.3 %
5	-	618	4.6 %
6	-	44	0.3 %
7	-	60	0.4 %
8	-	84	0.6 %
9	-	45	0.3 %
10	-	1206	9.0 %
11	-	36	0.3 %
12	-	73	0.5 %

Value	Label	Unweighted Frequency	%
13	-	60	0.4 %
14	-	51	0.4 %
15	-	521	3.9 %
16	-	48	0.4 %
17	-	41	0.3 %
18	-	51	0.4 %
19	-	27	0.2 %
20	-	963	7.2 %
21	-	31	0.2 %
22	-	45	0.3 %
23	-	30	0.2 %
24	-	30	0.2 %
25	-	751	5.6 %
26	-	28	0.2 %
27	-	30	0.2 %
28	-	38	0.3 %
29	-	31	0.2 %
30	-	525	3.9 %
31	-	21	0.2 %
32	-	28	0.2 %
33	-	116	0.9 %
34	-	42	0.3 %
35	-	162	1.2 %
36	-	28	0.2 %
37	-	24	0.2 %
38	-	29	0.2 %
39	-	18	0.1 %
40	-	430	3.2 %
41	-	15	0.1 %
42	-	18	0.1 %
43	-	29	0.2 %
44	-	22	0.2 %
45	-	79	0.6 %
46	-	16	0.1 %
47	-	26	0.2 %
48	-	20	0.1 %
49	-	20	0.1 %
	Missing Data		
-6	Logical Skip	1247	9.3 %
-4	Refused	9	0.1 %
-2	Missing	52	0.4 %
-1	Don't Know	73	0.5 %

Value	Label	Unweighted Frequency	%
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,047 valid cases out of 13,428 total cases.

- Mean: 25.04
- Median: 19.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 26.25

Location: 324-326 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

D_PCT: % of Clients Treated for Drug Abuse

24. Approximately what percent of all substance abuse treatment clients enrolled at this facility on October 1, 2000, were being treated for . . .

(c) . . . Drug abuse only?

Value	Label	Unweighted Frequency	%
0	-	3391	25.3 %
1	-	124	0.9 %
2	-	135	1.0 %
3	-	92	0.7 %
4	-	69	0.5 %
5	-	768	5.7 %
6	-	46	0.3 %
7	-	62	0.5 %
8	-	104	0.8 %
9	-	50	0.4 %
10	-	1421	10.6 %
11	-	48	0.4 %
12	-	106	0.8 %
13	-	68	0.5 %
14	-	60	0.4 %
15	-	590	4.4 %
16	-	56	0.4 %
17	-	58	0.4 %
18	-	67	0.5 %

Value	Label	Unweighted Frequency	%
19	-	42	0.3 %
20	-	1003	7.5 %
21	-	38	0.3 %
22	-	48	0.4 %
23	-	24	0.2 %
24	-	44	0.3 %
25	-	702	5.2 %
26	-	38	0.3 %
27	-	28	0.2 %
28	-	32	0.2 %
29	-	18	0.1 %
30	-	418	3.1 %
31	-	25	0.2 %
32	-	28	0.2 %
33	-	99	0.7 %
34	-	39	0.3 %
35	-	104	0.8 %
36	-	31	0.2 %
37	-	19	0.1 %
38	-	15	0.1 %
39	-	11	0.1 %
40	-	221	1.6 %
41	-	8	0.1 %
42	-	13	0.1 %
43	-	21	0.2 %
44	-	18	0.1 %
45	-	50	0.4 %
46	-	16	0.1 %
47	-	15	0.1 %
48	-	19	0.1 %
49	-	12	0.1 %
	Missing Data		
-6	Logical Skip	1247	9.3 %
-4	Refused	9	0.1 %
-2	Missing	52	0.4 %
-1	Don't Know	74	0.6 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,046 valid cases out of 13,428 total cases.

- Mean: 20.07

- Median: 10.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 25.44

Location: 327-329 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

TOTADMIS: Total # of admissions for Sub Abuse Tx

25. During the 12 months between October 1, 1999 and September 30, 2000, how many admissions for substance abuse treatment did this facility have?

Number of substance abuse admissions in 12-month period

If data for that specified time period are not readily available, use the most recent 12-month period for which you have data.

Count every admission and re-admission. If a person is admitted 3 times, count this as 3 admissions.

For outpatients, an admission is the initiation of a treatment episode.

Value	Label	Unweighted Frequency	%
0	-	59	0.4 %
1	-	21	0.2 %
2	-	32	0.2 %
3	-	27	0.2 %
4	-	30	0.2 %
5	-	44	0.3 %
6	-	38	0.3 %
7	-	22	0.2 %
8	-	39	0.3 %
9	-	31	0.2 %
10	-	84	0.6 %
11	-	27	0.2 %
12	-	84	0.6 %
13	-	26	0.2 %
14	-	28	0.2 %
15	-	117	0.9 %
16	-	34	0.3 %
17	-	27	0.2 %
18	-	28	0.2 %

Value	Label	Unweighted Frequency	%
19	-	29	0.2 %
20	-	153	1.1 %
21	-	39	0.3 %
22	-	38	0.3 %
23	-	28	0.2 %
24	-	57	0.4 %
25	-	121	0.9 %
26	-	39	0.3 %
27	-	34	0.3 %
28	-	24	0.2 %
29	-	31	0.2 %
30	-	137	1.0 %
31	-	34	0.3 %
32	-	34	0.3 %
33	-	32	0.2 %
34	-	34	0.3 %
35	-	82	0.6 %
36	-	49	0.4 %
37	-	34	0.3 %
38	-	32	0.2 %
39	-	31	0.2 %
40	-	145	1.1 %
41	-	34	0.3 %
42	-	34	0.3 %
43	-	29	0.2 %
44	-	24	0.2 %
45	-	89	0.7 %
46	-	31	0.2 %
47	-	34	0.3 %
48	-	54	0.4 %
49	-	37	0.3 %
	Missing Data		
-6	Logical Skip	1032	7.7 %
-4	Refused	30	0.2 %
-2	Missing	125	0.9 %
-1	Don't Know	187	1.4 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,054 valid cases out of 13,428 total cases.

- Mean: 329.89

- Minimum: 0
- Maximum: 59520
- Standard Deviation: 930.30

Location: 330-334 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

FACCLI: Other facilities included in client ct

26. How many facilities are included in the client counts reported in Q.21 - Q23c?

Value	Label	Unweighted Frequency	%
1	Only this facility	10787	80.3 %
2	This facility plus others	589	4.4 %
	Missing Data		
-6	Logical Skip	2046	15.2 %
-4	Refused	2	0.0 %
-2	Missing	3	0.0 %
-1	Don't Know	1	0.0 %
	Total	13,428	100%

Based upon 11,376 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 2

Location: 335-337 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

FACNUM: # of Facilities in Client Count Data

26. How many facilities are included in the client counts reported in Q.21 - Q23c?

Value	Label	Unweighted Frequency	%
2	-	311	2.3 %
3	-	143	1.1 %
4	-	53	0.4 %
5	-	34	0.3 %
6	-	19	0.1 %
7	-	11	0.1 %
8	-	1	0.0 %
9	-	6	0.0 %
10	-	3	0.0 %
11	-	6	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
24	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-6	Logical Skip	12837	95.6 %
-2	Missing	1	0.0 %
	Total	13,428	100%

Based upon 590 valid cases out of 13,428 total cases.

- Mean: 3.12
- Median: 2.00
- Mode: 2.00
- Minimum: 2
- Maximum: 24
- Standard Deviation: 2.05

Location: 338-340 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

ACTHI: Actual or estimate hosp inpat'nt client ct

27. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(a) Hospital inpatient client counts (Q.21a, Pg. 6)

Mark "N/A" for any type of care not provided by this facility on October 1, 2000.

Value	Label	Unweighted Frequency	%
1	Actual	551	4.1 %
2	Estimate	385	2.9 %
	Missing Data		
-7	Not Applicable	11394	84.9 %
-6	Logical Skip	1032	7.7 %
-4	Refused	4	0.0 %
-2	Missing	13	0.1 %
-1	Don't Know	49	0.4 %
	Total	13,428	100%

Based upon 936 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 2

Location: 341-343 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

ACTRES: Actual or estimate non-hosp res client ct

27. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(b) Non-hospital residential client counts (Q.22a, Pg. 6)

Mark "N/A" for any type of care not provided by this facility on October 1, 2000.

Value	Label	Unweighted Frequency	%
1	Actual	2339	17.4 %
2	Estimate	828	6.2 %
	Missing Data		
-7	Not Applicable	9058	67.5 %
-6	Logical Skip	1032	7.7 %
-4	Refused	2	0.0 %
-2	Missing	46	0.3 %
-1	Don't Know	123	0.9 %
	Total	13,428	100%

Based upon 3,167 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 2

Location: 344-346 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

ACTOP: Actual or estimate outpatient client ct

27. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(c) Outpatient client counts (Q.23a, Pg. 7)

Mark "N/A" for any type of care not provided by this facility on October 1, 2000.

Value	Label	Unweighted Frequency	%
1	Actual	5003	37.3 %
2	Estimate	4332	32.3 %
	Missing Data		
-7	Not Applicable	2642	19.7 %

Value	Label	Unweighted Frequency	%
-6	Logical Skip	1031	7.7 %
-4	Refused	19	0.1 %
-2	Missing	166	1.2 %
-1	Don't Know	235	1.8 %
	Total	13,428	100%

Based upon 9,335 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 2

Location: 347-349 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

TOTADEST: Actual or Estimate admis no.

27. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(d) 12-month admissions (Q.25, Pg. 7)

Mark "N/A" for any type of care not provided by this facility on October 1, 2000.

Value	Label	Unweighted Frequency	%
1	Actual	5686	42.3 %
2	Estimate	5421	40.4 %
	Missing Data		
-7	Not Applicable	59	0.4 %
-6	Logical Skip	1031	7.7 %
-4	Refused	31	0.2 %
-2	Missing	434	3.2 %
-1	Don't Know	766	5.7 %
	Total	13,428	100%

Based upon 11,107 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 2

Location: 350-352 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

JCAHO: Accred't'd by JCAHO

28. Is this facility or program accredited by any of the following organizations?

a. JCAHO (Joint Commission on Accreditation of Healthcare Organizations)

Value	Label	Unweighted Frequency	%
0	No	9050	67.4 %
1	Yes	3509	26.1 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-4	Refused	3	0.0 %
-2	Missing	115	0.9 %
-1	Don't Know	750	5.6 %
	Total	13,428	100%

Based upon 12,559 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 353-355 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CARF: Accred't'd by CARF

28. Is this facility or program accredited by any of the following organizations?

CARF (The Rehabilitation Accreditation Commission)

Value	Label	Unweighted Frequency	%
0	No	10871	81.0 %
1	Yes	1236	9.2 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-4	Refused	3	0.0 %
-2	Missing	136	1.0 %
-1	Don't Know	1181	8.8 %
	Total	13,428	100%

Based upon 12,107 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 356-358 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

NCQA: Accred't'd by NCQA

28. Is this facility or program accredited by any of the following organizations?

NCQA (National Committee for Quality Assurance)

Value	Label	Unweighted Frequency	%
0	No	11395	84.9 %
1	Yes	310	2.3 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-4	Refused	3	0.0 %
-2	Missing	167	1.2 %
-1	Don't Know	1552	11.6 %
	Total	13,428	100%

Based upon 11,705 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 359-361 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LICENSED: Licns'd/certif'd by State SA Agency

28a. Is this facility licensed or certified by the State substance abuse agency?

If Yes, Skip to Q.29

Value	Label	Unweighted Frequency	%
0	No	1451	10.8 %
1	Yes	11161	83.1 %
	Missing Data		
-7	Not Applicable	387	2.9 %
-6	Logical Skip	1	0.0 %
-4	Refused	5	0.0 %
-2	Missing	76	0.6 %
-1	Don't Know	347	2.6 %

Value	Label	Unweighted Frequency	%
	Total	13,428	100%

Based upon 12,612 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 362-364 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

OTHSTATE: Licns'd/certif'd by other State Agency

28b. Is this facility licensed or certified by another State agency?

Value	Label	Unweighted Frequency	%
0	No	1130	8.4 %
1	Yes	750	5.6 %
	Missing Data		
-6	Logical Skip	11161	83.1 %
-4	Refused	4	0.0 %
-2	Missing	138	1.0 %
-1	Don't Know	245	1.8 %
	Total	13,428	100%

Based upon 1,880 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 365-367 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LOC5: Setting, Halfway House

29. Does this facility operate a halfway house for substance abuse clients?

Value	Label	Unweighted Frequency	%
0	No	11491	85.6 %
1	Yes, at this location	890	6.6 %
2	Yes, at another location	847	6.3 %
3	Yes, at this and other locations	94	0.7 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-4	Refused	2	0.0 %
-2	Missing	100	0.7 %
-1	Don't Know	3	0.0 %

Value	Label	Unweighted Frequency	%
	Total	13,428	100%

Based upon 13,322 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 3

Location: 368-370 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

HASWEB: Has Web site- y/n

31. Does this facility have a Web site with information about the facility's substance abuse treatment programs?

Value	Label	Unweighted Frequency	%
0	No	8633	64.3 %
1	Yes	3953	29.4 %
	Missing Data		
-6	Logical Skip	1	0.0 %
-4	Refused	5	0.0 %
-2	Missing	124	0.9 %
-1	Don't Know	712	5.3 %
	Total	13,428	100%

Based upon 12,586 valid cases out of 13,428 total cases.

- Minimum: 0
- Maximum: 1

Location: 371-373 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI9: Added: Total Clients 10/1/00

Value	Label	Unweighted Frequency	%
0	-	3	0.0 %
1	-	91	0.7 %
2	-	159	1.2 %
3	-	172	1.3 %
4	-	161	1.2 %
5	-	219	1.6 %
6	-	254	1.9 %
7	-	167	1.2 %
8	-	230	1.7 %
9	-	156	1.2 %

Value	Label	Unweighted Frequency	%
10	-	360	2.7 %
11	-	165	1.2 %
12	-	281	2.1 %
13	-	152	1.1 %
14	-	211	1.6 %
15	-	330	2.5 %
16	-	207	1.5 %
17	-	149	1.1 %
18	-	205	1.5 %
19	-	139	1.0 %
20	-	342	2.5 %
21	-	114	0.8 %
22	-	153	1.1 %
23	-	117	0.9 %
24	-	123	0.9 %
25	-	259	1.9 %
26	-	141	1.1 %
27	-	101	0.8 %
28	-	129	1.0 %
29	-	63	0.5 %
30	-	262	2.0 %
31	-	71	0.5 %
32	-	101	0.8 %
33	-	71	0.5 %
34	-	80	0.6 %
35	-	197	1.5 %
36	-	71	0.5 %
37	-	80	0.6 %
38	-	71	0.5 %
39	-	64	0.5 %
40	-	229	1.7 %
41	-	54	0.4 %
42	-	81	0.6 %
43	-	67	0.5 %
44	-	60	0.4 %
45	-	130	1.0 %
46	-	74	0.6 %
47	-	64	0.5 %
48	-	77	0.6 %
49	-	44	0.3 %
	Missing Data		
-6	Logical Skip	1029	7.7 %

Value	Label	Unweighted Frequency	%
-2	Missing	1	0.0 %
Total		13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,398 valid cases out of 13,428 total cases.

- Mean: 80.73
- Minimum: 0
- Maximum: 3000
- Standard Deviation: 136.80

Location: 374-377 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLIJUV: Added: Total Clients Under Age 18 10/1/00

Value	Label	Unweighted Frequency	%
0	-	7387	55.0 %
1	-	534	4.0 %
2	-	529	3.9 %
3	-	332	2.5 %
4	-	283	2.1 %
5	-	332	2.5 %
6	-	243	1.8 %
7	-	148	1.1 %
8	-	156	1.2 %
9	-	101	0.8 %
10	-	281	2.1 %
11	-	90	0.7 %
12	-	162	1.2 %
13	-	58	0.4 %
14	-	85	0.6 %
15	-	178	1.3 %
16	-	71	0.5 %
17	-	55	0.4 %
18	-	64	0.5 %
19	-	40	0.3 %
20	-	169	1.3 %
21	-	36	0.3 %
22	-	44	0.3 %
23	-	15	0.1 %
24	-	28	0.2 %

Value	Label	Unweighted Frequency	%
25	-	96	0.7 %
26	-	35	0.3 %
27	-	27	0.2 %
28	-	37	0.3 %
29	-	18	0.1 %
30	-	86	0.6 %
31	-	17	0.1 %
32	-	24	0.2 %
33	-	23	0.2 %
34	-	10	0.1 %
35	-	50	0.4 %
36	-	13	0.1 %
37	-	14	0.1 %
38	-	13	0.1 %
39	-	12	0.1 %
40	-	62	0.5 %
41	-	5	0.0 %
42	-	11	0.1 %
43	-	12	0.1 %
44	-	6	0.0 %
45	-	31	0.2 %
46	-	8	0.1 %
47	-	6	0.0 %
48	-	12	0.1 %
49	-	3	0.0 %
	Missing Data		
-6	Logical Skip	1031	7.7 %
-2	Missing	1	0.0 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,396 valid cases out of 13,428 total cases.

- Mean: 6.85
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 520
- Standard Deviation: 20.98

Location: 378-380 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLIMET: Added: Total Methadone/LAAM Detox/Maint Clients 10/1/00

Value	Label	Unweighted Frequency	%
0	-	11215	83.5 %
1	-	66	0.5 %
2	-	63	0.5 %
3	-	27	0.2 %
4	-	34	0.3 %
5	-	29	0.2 %
6	-	13	0.1 %
7	-	15	0.1 %
8	-	11	0.1 %
9	-	9	0.1 %
10	-	11	0.1 %
11	-	3	0.0 %
12	-	6	0.0 %
13	-	4	0.0 %
14	-	1	0.0 %
15	-	6	0.0 %
16	-	7	0.1 %
17	-	1	0.0 %
18	-	8	0.1 %
19	-	5	0.0 %
20	-	6	0.0 %
21	-	2	0.0 %
22	-	2	0.0 %
23	-	1	0.0 %
24	-	3	0.0 %
25	-	3	0.0 %
26	-	3	0.0 %
27	-	4	0.0 %
28	-	2	0.0 %
29	-	2	0.0 %
30	-	3	0.0 %
32	-	2	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	2	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
40	-	8	0.1 %
42	-	1	0.0 %
43	-	2	0.0 %

Value	Label	Unweighted Frequency	%
44	-	3	0.0 %
45	-	4	0.0 %
46	-	6	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	2	0.0 %
50	-	4	0.0 %
51	-	2	0.0 %
52	-	2	0.0 %
53	-	3	0.0 %
	Missing Data		
-6	Logical Skip	1150	8.6 %
-2	Missing	1	0.0 %
	Total	13,428	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,277 valid cases out of 13,428 total cases.

- Mean: 14.52
- Minimum: 0
- Maximum: 1534
- Standard Deviation: 71.98

Location: 381-384 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CLIENTFL: Imputation flag, indicates if any clients were imputed

Value	Label	Unweighted Frequency	%
1	Data From a Prior Year	120	0.9 %
2	Data Imputed	160	1.2 %
	Missing Data		
-6	Logical Skip	13148	97.9 %
	Total	13,428	100%

Based upon 280 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 2

Location: 385-387 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI1FL: Imputation flag for t_cli1

Value	Label	Unweighted Frequency	%
1	Data From a Prior Year	18	0.1 %
2	Data Imputed	24	0.2 %
	Missing Data		
-6	Logical Skip	13386	99.7 %
	Total	13,428	100%

Based upon 42 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 2

Location: 388-390 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI2FL: Imputation flag for t_cli2

Value	Label	Unweighted Frequency	%
1	Data From a Prior Year	10	0.1 %
2	Data Imputed	15	0.1 %
	Missing Data		
-6	Logical Skip	13403	99.8 %
	Total	13,428	100%

Based upon 25 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 2

Location: 391-393 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI3FL: Imputation flag for t_cli3

Value	Label	Unweighted Frequency	%
1	Data From a Prior Year	3	0.0 %
2	Data Imputed	12	0.1 %
	Missing Data		
-6	Logical Skip	13413	99.9 %
	Total	13,428	100%

Based upon 15 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 2

Location: 394-396 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI4FL: Imputation flag for t_cli4

Value	Label	Unweighted Frequency	%
1	Data From a Prior Year	15	0.1 %
2	Data Imputed	24	0.2 %
	Missing Data		
-6	Logical Skip	13389	99.7 %
	Total	13,428	100%

Based upon 39 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 2

Location: 397-399 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI5FL: Imputation flag for t_cli5

Value	Label	Unweighted Frequency	%
1	Data From a Prior Year	86	0.6 %
2	Data Imputed	127	0.9 %
	Missing Data		
-6	Logical Skip	13215	98.4 %
	Total	13,428	100%

Based upon 213 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 2

Location: 400-402 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI6FL: Imputation flag for t_cli6

Value	Label	Unweighted Frequency	%
1	Data From a Prior Year	30	0.2 %
2	Data Imputed	24	0.2 %
	Missing Data		
-6	Logical Skip	13374	99.6 %
	Total	13,428	100%

Based upon 54 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 2

Location: 403-405 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI7FL: Imputation flag for t_cli7

Value	Label	Unweighted Frequency	%
1	Data From a Prior Year	4	0.0 %
2	Data Imputed	25	0.2 %
	Missing Data		
-6	Logical Skip	13399	99.8 %
	Total	13,428	100%

Based upon 29 valid cases out of 13,428 total cases.

- Minimum: 1
- Maximum: 2

Location: 406-408 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI8FL: Imputation flag for t_cli8

Value	Label	Unweighted Frequency	%
1	Data From a Prior Year	0	0.0 %
2	Data Imputed	34	0.3 %
	Missing Data		
-6	Logical Skip	13394	99.7 %
	Total	13,428	100%

Based upon 34 valid cases out of 13,428 total cases.

- Minimum: 2
- Maximum: 2

Location: 409-411 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1