

SAMHDA

SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

National Survey of Substance Abuse Treatment Services (N-SSATS), 2006

United States Department of Health and Human Services. Substance Abuse and Mental Health Services Administration. Office of Applied Studies

Codebook

SAMHDA

is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Substance Abuse and Mental Health Services Administration

www.samhsa.gov

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@samhsa.hhs.gov)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

DESCRIPTION OF THE NATIONAL SURVEY OF SUBSTANCE ABUSE TREATMENT SERVICES (N-SSATS)

This report presents tabular information and highlights from the 2006 National Survey of Substance Abuse Treatment Services (N-SSATS), conducted between March and October 2006, with a reference date of March 31, 2006. It is the 28th in a series of national surveys begun in the 1970s designed to collect data on the location, characteristics, and utilization of alcohol and drug treatment facilities and services throughout the 50 States, the District of Columbia, and other U.S. jurisdictions.¹ The Office of Applied Studies, Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services, plans and directs N-SSATS.

N-SSATS is designed to collect information from all facilities² in the United States, both public and private, that provide substance abuse treatment. (Additional information on N-SSATS, its history, and changes in the survey and survey universe over time is provided in Appendix A.)

N-SSATS provides the mechanism for quantifying the dynamic character and composition of the U.S. substance abuse treatment delivery system. The objectives of N-SSATS are to collect

multipurpose data that can be used to—

- assist SAMHSA and State and local governments in assessing the nature and extent of services provided in State-supported and other treatment facilities and in forecasting treatment resource requirements;
- update SAMHSA's Inventory of Substance Abuse Treatment Services (I-SATS), which includes all known drug and alcohol abuse treatment facilities (see Appendix A);
- analyze treatment services trends and conduct comparative analyses for the nation, regions, and States;
- generate the *National Directory of Drug and Alcohol Abuse Treatment Programs*, a compendium of facilities approved by State substance abuse agencies for the provision of substance abuse treatment; and
- update the information in SAMHSA's Substance Abuse Treatment Facility Locator, a searchable database of facilities approved by State substance abuse agencies for the provision of substance abuse treatment. The Treatment Facility Locator is available on the Internet at:

<http://fndtreatment.samhsa.gov>

¹ The jurisdictions include the territory of Guam, the Federated States of Micronesia, the Republic of Palau, the Commonwealth of Puerto Rico, and the Virgin Islands of the United States.

² In this report, entities responding to N-SSATS are referred to as "facilities."

Data Collection Procedures for the 2006 N-SSATS

Field period and reference date

The field period for the 2006 N-SSATS ran from March 31, 2006, through October 3, 2006, with a reference date of March 31, 2006.

Survey coverage

The 2006 N-SSATS facility universe included all 17,143 active treatment facilities on SAMHSA's I-SATS at a point 6 weeks prior to the survey reference date. Facilities added by State substance abuse agencies or discovered during the first 3 weeks of the survey that were also included in the survey universe.

Content

The 2006 N-SSATS survey instrument was a 12-page document with 37 numbered questions. (See Appendix B.) Topics included:

- Facility identification information
- Facility focus (substance abuse treatment services, mental health services, mix of mental health and substance abuse treatment services, general health care, other)
- Facility operation (private for-profit; private non-profit; government—local, county, or community; State; Federal; tribal)
- Hotline operation
- Services offered (assessment services, substance abuse therapy and counseling, pharmacotherapies, testing, transitional services, other services)
- Operation of an Opioid Treatment Program (OTP) certified by the Substance Abuse and Mental Health Services Administration
- Services in sign language for the hearing impaired
- Services in languages other than English

- Special programs or groups offered for specific types of clients (adolescents, clients with co-occurring mental and substance abuse disorders, criminal justice clients, persons with HIV or AIDS, gays or lesbians, seniors or older adults, adult women, pregnant or postpartum women, adult men, DUI/DWI offenders, other)
- Types of treatment provided
 - Hospital inpatient (detoxification, treatment)
 - Non-hospital residential (detoxification, short-term—30 days or less, long-term—more than 30 days)
 - Outpatient (detoxification, methadone maintenance, day treatment or partial hospitalization, intensive, regular)
- Payment options
- Receipt of public funding for substance abuse treatment programs
- Managed care participation
- Number of clients in treatment on March 31, 2006 (total, clients under age 18, clients receiving methadone or buprenorphine)
- Number of beds designated for non-hospital residential and hospital inpatient substance abuse treatment
- Client substance abuse problem treated (abuse of both alcohol and drugs, alcohol abuse only, drug abuse only)
- Facility licensure, certification, or accreditation
- Facility Internet access and web site availability

Data collection

Table 1.1
N-SSATS forms accounting, response rate, and
mode of response: 2006

	<i>Number</i>	<i>Percent</i>
Total facilities in survey	17,143	100.0
Closed/ineligible	2,034	11.9
Eligible	15,109	88.1
Total eligible	15,109	100.0
Non-respondents	532	3.5
Respondents	14,577	96.5
Excluded from report ¹	401	2.7
Roll-ups ²	405	2.7
Included in report	13,771	91.1
Mode of response	13,771	100.0
Mail	5,607	40.7
Internet	5,034	36.6
Telephone	3,130	22.7

¹ Facilities deemed out of the scope of this report. See text for details.

² Facilities whose client counts were included in or "rolled into" other facilities' counts and whose facility characteristics were not reported separately.

SOURCE: Office of Applied Studies, Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS), 2006.

Six weeks before the survey letters were mailed to all facilities to alert them to expect the survey. An additional benefit of the letters was to update records with new address information returned from the post office. On the survey reference date, data collection packets, including the questionnaire, SAMHSA cover letter, State-specific letter of endorsement, information on completing the survey on the Internet, and a sheet of *Frequently Asked Questions*, were mailed to each facility. During the data collection phase, contract personnel were available to answer facilities' questions concerning the survey. Support in responding to questions for those facilities completing the questionnaire over the Internet was also available. Four to 5 weeks after the initial questionnaire mailing, thank you/reminder

letters were sent to all facilities. Approximately 8 weeks after the initial questionnaire mailing, non-responding facilities were sent a second questionnaire mailing. About 4 to 5 weeks after the second questionnaire mailing, non-respondents received a reminder telephone call. Those facilities that had not responded within 2 to 3 weeks of the reminder call were telephoned and asked to complete the survey by telephone. The overall response rate was 97 percent.

Forms accounting and response rate

Summary response rate information is presented in Table 1.1. Questionnaires were mailed to a total of 17,143 facilities believed to offer substance abuse treatment services. Of these facilities, 12 percent were found to be ineligible for the survey because they had closed or did not provide substance abuse treatment or detoxification on March 31, 2006. Of the remaining 15,109 facilities, 97 percent completed the survey.

Exclusions

Of the 14,577 survey respondents, 401 facilities provided information but were deemed out of the scope of this report and were excluded from the analyses presented here. The excluded facilities fell into three categories:

- 154 excluded facilities were halfway houses that did not provide substance abuse treatment. These facilities were included in the survey so that they could be listed in the Directory and on the Treatment Facility Locator, but were excluded from the analyses in this report.
- 94 excluded facilities were jails, prisons, or other organizations that treated incarcerated clients exclusively.
- 153 excluded facilities were solo practitioners. I-SATS and N-SSATS are designed to include facilities rather than individuals. Solo practitioners are listed and surveyed only if the State substance abuse agency

Table 1.2
Number of N-SSATS facilities reporting client and/or facility data: 2006

<i>Type of data reported</i>	<i>Number of facilities for which facility characteristics were reported¹</i>	<i>Number of facilities for which client counts were reported</i>
Total	13,771	1,337
Facility characteristics and client counts for responding facility only	12,056	0
Facility characteristics for responding facility only; client counts for responding facility and other facilities as well	661	1,337
Facility characteristics only (client counts reported by another facility)	1,054	0

¹ Excludes 141 non-treatment halfway houses, 33 facilities treating incarcerated clients only, and 161 non-State-approved solo practitioners.

SOURCE: Office of Applied Studies, Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS), 2006.

explicitly requests that they be included. The excluded solo practitioners had not been identified for inclusion by the State substance abuse agency.

An additional 405 facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately were also excluded from facility counts in this report. However, their client counts are included.

After allowing for the exclusion of 401 out-of-scope facilities and 405 rolled-up facilities, 13,771 eligible respondent facilities were included in the 2006 N-SSATS report.

Number of respondents reporting facility and client data

Table 1.2. There were a total of 13,771 eligible respondents to the 2006 N-SSATS. The breakdown of these respondents with respect to their reporting of facility data and client counts is summarized below.

- 12,056 facilities reported facility data and

client counts for their own or organizations. (One facility reported facility data but refused to report client data.)

- 661 facilities reported facility characteristics for their own facility and provided client counts for their own facility and for other facilities. These 661 facilities reported client counts for a total of 1,337 facilities, including themselves.
- 1,054 facilities reported facility characteristics only. Their client counts were reported by another facility.

Quality assurance

All mail questionnaires were reviewed manually for consistency and for missing data. After data entry, automated quality assurance reviews were conducted. These incorporated the rules used in manual editing, plus consistency checks and checks for data outliers not readily implemented by manual review. Calls were made to facilities to clarify questionable responses and to obtain missing data.

If facilities could not be reached during the edit callbacks, responses that were clearly in error were replaced by imputation.

The Internet questionnaire was programmed to be self-editing; that is, respondents were prompted to complete missing responses and to confirm or correct inconsistent responses.

Item non-response

Careful editing and extensive follow-up have minimized item non-response. Item non-response was generally low, averaging 2 percent across all items. It was 10 percent or more for only five items.

Missing data for client count variables (i.e., the number of clients in hospital inpatient, non-hospital residential, and outpatient treatment and their subcategories) were imputed, as were total annual admissions. For the remaining variables, facilities with missing values for a given variable were excluded from the tabulations using that variable. As a result, the number of treatment facilities on which tables are based may vary somewhat from table to table. The number of facilities actually reporting data is generally included on each table.

Methodology of Imputation of Missing Data and Outliers

A total of 92 facilities were missing one-day census client count values for one or more types of service. A facility was given an imputed value for a type of service if it reported that it provided the service but had not provided client counts for that service type. For example, if a facility reported that it provided hospital inpatient services and outpatient services, but not non-hospital residential services, client values were imputed for the hospital inpatient and outpatient variables only.

When available, client values from the 2005 N-SSATS were used to impute the missing client counts on the 2006 N-SSATS. In all other cases,

the average client value, stratified by State and facility operation, was used to impute the missing client counts. If a facility were unique in its State and facility operation category values were imputed using average values for the State only. Missing client counts were imputed for each type of service (i.e., hospital inpatient detoxification, hospital inpatient treatment, non-hospital residential detoxification, etc.) and summed to the larger service type totals (total hospital inpatient clients, total non-hospital residential clients, and total outpatient clients), and finally to total clients.

Further Data Considerations and Limitations

As with any data collection effort, certain procedural considerations and data limitations must be taken into account when interpreting data from the 2006 N-SSATS. Some general issues are listed below, and other considerations are detailed in Appendix A. Considerations and limitations of specific data items are discussed where the data are presented.

- N-SSATS attempts to obtain responses from all known treatment facilities, but it is a voluntary survey. There is no adjustment for the approximately 5 percent facility non-response.
- N-SSATS is a point-prevalence survey. It provides information on the substance abuse treatment system and its clients on the reference date. Client counts reported here do not represent annual totals. Rather, N-SSATS provides a “snapshot” of substance abuse treatment facilities and clients on an average day.
- Multiple responses were allowed for certain variables (e.g., services provided and specialized programs). Tabulations of these variables include the total number of facilities reporting each response.

Terminology

The majority of tables in the report are organized according to facility operation and the primary focus of the facility, and present data on the characteristics of facilities and clients in treatment at these facilities. Therefore, it is important to define these terms.

Facility operation indicates the type of entity responsible for the operation of the facility: private for-profit; private non-profit; or government—local, county, or community; State; Federal; or tribal.

Primary focus indicates the services the facility primarily provides: substance abuse treatment services; mental health services; a mix of mental health and substance abuse treatment services; general health care; or other.

Clients in treatment were defined as: 1) hospital inpatient and non-hospital residential clients receiving substance abuse services at the facility on March 31, 2006; and 2) outpatient clients who were seen at the facility for a substance abuse treatment or detoxification service at least once during the month of March 2006, and who were still enrolled in treatment as of March 31, 2006.

N-SSATS BACKGROUND

Survey History

N-SSATS has evolved from national survey efforts begun in the 1970s by the National Institute on Drug Abuse (NIDA) to measure the scope and use of drug abuse treatment services in the United States. The sixth of these surveys, conducted in 1976, introduced the data elements and format that have formed the core of subsequent surveys. These include organizational focus, service orientation, services available, clients in treatment by type of care, and inpatient/residential capacity. The 1976 survey, called the National Drug Abuse Treatment Utilization Survey, was repeated in 1977 and 1978.

In 1979, the National Institute on Alcohol Abuse and Alcoholism (NIAAA) became a cosponsor of the survey, alcoholism treatment facilities were added, and the study was renamed the National Drug and Alcoholism Treatment Utilization Survey. This survey was repeated in 1980 and 1982. In 1984, a one-page version called the National Alcoholism and Drug Abuse Program Inventory was used. In 1987, the full version of the survey was reinstated and renamed the National Drug and Alcoholism Treatment Unit Survey (NDATUS). NDATUS was conducted annually from 1989 to 1993.

In 1992, with the creation of SAMHSA, responsibility for conducting the survey shifted to SAMHSA's Office of Applied Studies. The survey was redesigned, and conducted annually as the Uniform Facility Data Set (UFDS) survey from 1995 to 1998. During these years, the survey was conducted by mail with telephone follow-up of non-respondents. The 1999 survey year was a transition year during which the survey was redesigned, and an abbreviated

telephone survey of treatment facilities was conducted. In 2000, a redesigned full mail survey was reinstated with telephone follow-up; it was renamed the National Survey of Substance Abuse Treatment Services (N-SSATS). The reference date for the annual survey had always been the end of September or beginning of October. After the 2000 survey, the reference date was changed to the end of March, and no survey was conducted during 2001.

In 2000, the use of an Internet-based questionnaire was tested, and beginning in 2002, all facilities were offered the opportunity to respond via the Internet.

N-SSATS in the Context of the Drug and Alcohol Services Information System (DASIS)

N-SSATS is one of the three components of SAMHSA's Drug and Alcohol Services Information System (DASIS). The core of DASIS is the Inventory of Substance Abuse Treatment Services (I-SATS), a continuously-updated, comprehensive listing of all known substance abuse treatment facilities. The other components of DASIS are N-SSATS and the Treatment Episode Data Set (TEDS), a client-level database of admissions to substance abuse treatment. Together, the components provide national- and State-level information on the numbers and characteristics of individuals admitted to alcohol and drug treatment programs and describe the facilities that deliver care to those individuals.

I-SATS is the list frame for N-SSATS. Facilities in I-SATS fall into two general categories and are distinguished by the relationship of the fa

cility to its State substance abuse agency These categories are described below.

Treatment facilities approved by State substance abuse agencies

The largest group of facilities (11,184 in 2006) includes facilities that are licensed, certified, or otherwise approved by the State substance abuse agency to provide substance abuse treatment. State DASIS representatives maintain this segment of I-SATS by reporting new facilities, closures, and address changes to SAMHSA. Some facilities are not licensed, certified, or otherwise approved by the State agency. Some private for-profit facilities fall into this category. This group also includes programs operated by Federal agencies, the Department of Veterans Affairs (VA), the Department of Defense, and the Indian Health Service. I-SATS records for Federally-operated facilities are updated annually through lists provided by these agencies.

Treatment facilities not approved by State substance abuse agencies

This group of facilities (1,953 in 2006) represents the SAMHSA effort in recent years to make I-SATS as comprehensive as possible by including treatment facilities that State substance abuse agencies, for a variety of reasons, do not fund, license, or certify. Many of these facilities are private for-profit, small group practices, or hospital-based programs. Most of them are identified through periodic screening of alternative source databases. (See *Special efforts to improve survey coverage* below.) State substance abuse agencies are given the opportunity to review these facilities and to add them to the State agency-approved list, if appropriate.

Survey Coverage

The use of I-SATS as the list frame for N-SSATS imposes certain constraints related to the unit of response and the scope of facilities included. In addition, the expansion of I-SATS in recent

years to provide a more complete enumeration of substance abuse treatment facilities means that year-to-year comparisons of the numbers of facilities reporting to N-SSATS must be interpreted with caution.

Unit of response

N-SSATS is designed to collect data from each physical location where treatment services are provided. Accordingly, SAMHSA requests that State substance abuse agencies use the point of delivery of service (i.e., physical location) as the defining factor for a facility. It also requests that facilities be included in I-SATS, N-SSATS, and TEDS at the same administrative level so that record linkage among the three data sets is valid. Because of the different State administrative systems, however, there are some inconsistencies in implementation. For example, in some States, multiple treatment programs (e.g., detoxification, residential, and outpatient) at the same address and under the same management have separate State licenses. These are treated as separate by the State substance abuse agency, and are given separate I-SATS ID numbers. In other States, multiple sites are included as a single entity under a parent or administrative unit. In many of these cases, individual sites can report services data in N-SSATS, but client data are available only at a higher administrative level. Beginning in 1995, efforts have been made to identify facility networks and to eliminate duplicate reporting by networks. For most facilities, reporting level remains consistent from year to year. However, beginning in 1998, an emphasis was placed on collecting minimum information from all physical locations, and this has resulted in an increase in the number of facilities.

Special efforts to improve survey coverage

The great majority of treatment facilities in I-SATS are administratively monitored by State substance abuse agencies. Therefore, the scope of facilities included in I-SATS is affected by

differences in State systems of licensure, certification, accreditation, and the disbursement of public funds. For example, some State substance abuse agencies regulate private facilities and individual practitioners while others do not. In some States, hospital-based substance abuse treatment facilities are not licensed through the State substance abuse agency.

To address these differences, SAMHSA conducted a large-scale effort during 1995 and 1996 to identify substance abuse treatment facilities that, for a variety of reasons, were not on I-SATS. Some 15 source lists were considered, and facilities not on I-SATS were contacted to ascertain whether they provided substance abuse treatment. As expected, this yielded a number of hospital-based and small private facilities that were not on I-SATS. (These facilities were surveyed in 1995 and 1996, but they were not included in the published results of the survey until 1997.) Analysis of the results of this effort led to similar but more targeted updates before subsequent surveys. Potential new facilities are identified using data from the American Business Index, the annual American Hospital Association survey, and SAMHSA's biannual Inventory of Mental Health Organizations, the source lists that yielded the most new facilities in 1995 and 1996. Additional facilities are also identified during the survey itself by survey participants, who are asked to report all of the treatment facilities in their administrative networks. All newly identified facilities are initially included as not approved by the State substance abuse agency. State substance abuse agencies are given the opportunity to review these facilities and to add them to the State agency-approved list, if appropriate.

Expansion of survey coverage to include all sites within networks at which treatment was provided yielded a net increase of about 2,600 facilities between 1997 and 1998. These additions were not necessarily new facilities, but were facilities not previously included in the survey as separate

sites. The number of facilities reporting continued to increase in 1999, but at a slower pace, a net increase of 1,800 facilities. The increase between 1998 and 1999 was in large part because of the improved survey response rate (95 percent in 1999 vs. 90 percent in 1998). Between 2000 and 2006, the number of facilities remained constant, at between 13,000 and 14,000. The total number is deceptive, however. There was significant turnover as facilities closed and others opened. (See Table 2.1.)

Data collection

Until 1996, State substance abuse agencies distributed and collected the UFDS survey forms. Beginning in 1996, data collection was centralized; since that time, SAMHSA has mailed facility survey forms directly to and collected forms directly from the facilities, and has conducted follow-up telephone interviews with the facility director or his/her designee.

Non-response

Beginning in 1992, SAMHSA expanded efforts to obtain information from non-responding facilities. A representative sample of non-respondents was contacted and administered an abbreviated version of the survey instrument via telephone. In 1993 and later years, this effort was extended to all non-responding facilities. In 1997, a series of measures was introduced to enhance the survey response rate. These included advance notification and improved methods for updating address and contact information. Between 2000 and 2006, use of these methods and intensive telephone follow-up resulted in an annual non-response rate of only 4 to 6 percent. In 2006, it was possible either to complete the survey or to determine that the facility had closed or was otherwise ineligible for 97 percent of facilities in the sample.

Exclusions

In 1997, facilities offering only DUI/DWI

Table A.1
Survey contents: 1995-2006

<i>Survey content</i>	1995	1996	1997 & 1998	1999	2000, 2002 - 2006
Ownership/operation	X	X	X	X	X
Primary focus				X	X
Organizational setting	X	X	X		
Services offered	X	X	X		X
Opioid treatment program/replacement therapy	X	X	X	X	X
Languages other than English					X
Programs or groups for special populations	X		X	X	X
Type of treatment provided	X	X	X	X	X
Types of payment accepted				X	X
Managed care agreements	X	X	X	X	X
Sources and amounts of revenue	X	X	X		
No. of clients (total and under age 18)					X
No. of clients by age, sex, and race/ethnicity	X	X	X		
No. of beds	X	X	X		X
Client substance abuse problem treated		X	X	X	X
Licensure/certification of facility	X		X	X	X
Licensure/certification of staff	X				

programs were excluded; these facilities were reinstated in 1998.

Facilities operated by the Bureau of Prisons (BOP) were excluded from the 1997 UFDS survey and subsequent surveys because SAMHSA conducted a separate survey of correctional facilities.¹ During that survey, it was discovered that jails, prisons, and other organizations treating incarcerated persons only were poorly enumerated on I-SATS. Beginning in 1999, these facilities were identified during the survey

and excluded from analyses and public-use data files.

I-SATS and N-SSATS are designed to include specialty substance abuse treatment facilities rather than individuals. Solo practitioners are listed on I-SATS and surveyed in N-SSATS only if the State substance abuse agency explicitly requests that they be included.

Beginning in 2000, halfway houses that did not provide substance abuse treatment were included on I-SATS and in N-SSATS so that they could be listed in the *National Directory of Drug and Alcohol Abuse Treatment Programs* and on the Treatment Facility Locator (<http://ndtreatment.samhsa.gov>). These facilities were excluded from analyses and public-use data files.

¹ SAMHSA, Office of Applied Studies. *Substance Abuse Treatment in Adult and Juvenile Correctional Facilities: Findings from the Uniform Facility Data Set 1997 Survey of Correctional Facilities*. Drug and Alcohol Services Information System Series: S-9. DHHS Publication No. (SMA) 00-3380. Rockville, MD, 2000.

Changes in Survey Content

Since 1992, SAMHSA has made adjustments each year to the survey design, both to minimize non-response and to include areas of emerging interest such as the role of managed care. *Table A.1* shows the major content areas for the survey from 1995 to 2006.

National Survey of Substance Abuse Treatment Services (N-SSATS), 2006

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

CASEID: Case Identification Number

Based upon 13,771 valid cases out of 13,771 total cases.

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

MODE: Control: Completes 1=phone 2=mail 9=web

Mode of Data Collection

Value	Label	Unweighted Frequency	%
1	Phone	3130	22.7 %
2	Mail	5607	40.7 %
9	Web	5034	36.6 %
	Total	13,771	100%

Based upon 13,771 valid cases out of 13,771 total cases.

- Minimum: 1
- Maximum: 9

Location: 6-6 (width: 1; decimal: 0)

Variable Type: numeric

STFIPS: Census State FIPS codes label

State FIPS codes consistent with those used by the U.S. Bureau of the Census.

Value	Label	Unweighted Frequency	%
1	ALABAMA	138	1.0 %
2	ALASKA	70	0.5 %
4	ARIZONA	212	1.5 %
5	ARKANSAS	50	0.4 %
6	CALIFORNIA	1820	13.2 %
8	COLORADO	443	3.2 %
9	CONNECTICUT	209	1.5 %
10	DELAWARE	43	0.3 %
11	DIST OF COLUMBIA	46	0.3 %
12	FLORIDA	668	4.9 %
13	GEORGIA	277	2.0 %
15	HAWAII	105	0.8 %
16	IDAHO	57	0.4 %
17	ILLINOIS	588	4.3 %
18	INDIANA	338	2.5 %
19	IOWA	125	0.9 %
20	KANSAS	236	1.7 %
21	KENTUCKY	312	2.3 %

Value	Label	Unweighted Frequency	%
22	LOUISIANA	145	1.1 %
23	MAINE	191	1.4 %
24	MARYLAND	371	2.7 %
25	MASSACHUSETTS	312	2.3 %
26	MICHIGAN	539	3.9 %
27	MINNESOTA	263	1.9 %
28	MISSISSIPPI	112	0.8 %
29	MISSOURI	257	1.9 %
30	MONTANA	55	0.4 %
31	NEBRASKA	107	0.8 %
32	NEVADA	79	0.6 %
33	NEW HAMPSHIRE	57	0.4 %
34	NEW JERSEY	351	2.5 %
35	NEW MEXICO	120	0.9 %
36	NEW YORK	1030	7.5 %
37	NORTH CAROLINA	362	2.6 %
38	NORTH DAKOTA	65	0.5 %
39	OHIO	424	3.1 %
40	OKLAHOMA	176	1.3 %
41	OREGON	224	1.6 %
42	PENNSYLVANIA	447	3.2 %
44	RHODE ISLAND	57	0.4 %
45	SOUTH CAROLINA	104	0.8 %
46	SOUTH DAKOTA	59	0.4 %
47	TENNESSEE	195	1.4 %
48	TEXAS	523	3.8 %
49	UTAH	133	1.0 %
50	VERMONT	40	0.3 %
51	VIRGINIA	196	1.4 %
53	WASHINGTON	439	3.2 %
54	WEST VIRGINIA	83	0.6 %
55	WISCONSIN	290	2.1 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 13,771 valid cases out of 13,771 total cases.

- Minimum: 1
- Maximum: 78

Location: 7-8 (width: 2; decimal: 0)

Variable Type: numeric

REGION: Added: Census Region

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: American Samoa, Fed Micronesia, Guam, Palau, Puerto Rico, Virgin Islands.
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).
- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

Value	Label	Unweighted Frequency	%
0	US Jurisdiction/Territory	171	1.2 %
1	Northeast	2694	19.6 %
2	Midwest	3291	23.9 %
3	South	3801	27.6 %
4	West	3814	27.7 %
	Total	13,771	100%

Based upon 13,771 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 4

Location: 9-9 (width: 1; decimal: 0)

Variable Type: numeric

DIVISION: Added: Census Division

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states

included in them are:

- U.S. TERRITORIES: American Samoa, Fed Micronesia, Guam, Palau, Puerto Rico, Virgin Islands.
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.
- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

Value	Label	Unweighted Frequency	%
0	US Jurisdiction/Territory	171	1.2 %
1	New England	866	6.3 %
2	Mid-Atlantic	1828	13.3 %
3	East North Central	2179	15.8 %
4	West North Central	1112	8.1 %
5	South Atlantic	2150	15.6 %
6	East South Central	757	5.5 %
7	West South Central	894	6.5 %
8	Mountain	1156	8.4 %
9	Pacific	2658	19.3 %
	Total	13,771	100%

Based upon 13,771 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 9

Location: 10-10 (width: 1; decimal: 0)

Variable Type: numeric

OTHNONTX: Offer Intake /Assessment/Refer

1. Which of the following substance abuse services are offered by this facility at this location, that is, the location listed on the front cover?

(1) Intake, assessment, or referral

IF THIS IS A MENTAL HEALTH FACILITY: Please respond about the substance abuse services that may be offered at this facility.

Value	Label	Unweighted Frequency	%
0	No	879	6.4 %
1	Yes	12888	93.6 %
Missing Data			
-5	Multiple Responses	1	0.0 %
-2	Missing	2	0.0 %
-1	Don't Know	1	0.0 %
Total		13,771	100%

Based upon 13,767 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 11-13 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

DETOX: Offer Detox

1. Which of the following substance abuse services are offered by this facility at this location, that is, the location listed on the front cover?

(2) Detoxification

IF THIS IS A MENTAL HEALTH FACILITY: Please respond about the substance abuse services that may be offered at this facility.

Value	Label	Unweighted Frequency	%
0	No	10701	77.7 %
1	Yes	3070	22.3 %
Missing Data			
Total		13,771	100%

Based upon 13,771 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 14-16 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TREATMT: Offer SA Tx

1. Which of the following substance abuse services are offered by this facility at this location, that is, the location listed on the front cover?

(3) Substance abuse treatment (services that focus on initiating and maintaining an individual's recovery from substance abuse and on averting relapse)

IF THIS IS A MENTAL HEALTH FACILITY: Please respond about the substance abuse services that may be offered at this facility.

Value	Label	Unweighted Frequency	%
0	No	211	1.5 %
1	Yes	13560	98.5 %
	Missing Data		
	Total	13,771	100%

Based upon 13,771 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 17-19 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ADMIN: Offer Other SA Services

1. Which of the following substance abuse services are offered by this facility at this location, that is, the location listed on the front cover?

(4) Any other substance abuse services

IF THIS IS A MENTAL HEALTH FACILITY: Please respond about the substance abuse services that may be offered at this facility.

Value	Label	Unweighted Frequency	%
0	No	5557	40.4 %
1	Yes	4978	36.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-7	Not Applicable	3130	22.7 %
-2	Missing	106	0.8 %
	Total	13,771	100%

Based upon 10,535 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 20-22 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FOCUS: Is Primary focus SA Tx/MH/Mix/GH/Other

2. What is the primary focus of this facility at this location, that is, the location listed on the front cover?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	Substance abuse treatment services	8577	62.3 %
2	Mental health services	1050	7.6 %
3	Mix of mental health and substance abuse	3715	27.0 %
4	General health care	223	1.6 %
5	Other	206	1.5 %
	Missing Data		
	Total	13,771	100%

Based upon 13,771 valid cases out of 13,771 total cases.

- Minimum: 1
- Maximum: 5

Location: 23-25 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OWNERSHP: Ownership

3. Is this facility operated by . . .

MARK ONLY ONE

If 1 or 2 then Skip to Q.4

If 3, 4, or 5 then Skip to Q.7

If 6 then continue to Q.3a

Value	Label	Unweighted Frequency	%
1	Private for-profit organization	3807	27.6 %
2	Private non-profit organization	8111	58.9 %
3	State government	441	3.2 %
4	Local, county, or community government	896	6.5 %
5	Tribal government	185	1.3 %
6	Federal government	331	2.4 %
	Missing Data		
	Total	13,771	100%

Based upon 13,771 valid cases out of 13,771 total cases.

- Minimum: 1
- Maximum: 6

Location: 26-28 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FEDOWN: Federal Government Agency

3a. Which federal government agency?

MARK ONLY ONE

Skip to Q.7

Value	Label	Unweighted Frequency	%
1	Department of Veterans Affairs	186	1.4 %
2	Department of Defense	101	0.7 %
3	Indian Health Service	42	0.3 %
4	Other	2	0.0 %
	Missing Data		
-6	Logical Skip	13440	97.6 %
	Total	13,771	100%

Based upon 331 valid cases out of 13,771 total cases.

- Minimum: 1
- Maximum: 4

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LOC15: Solo practice

4. Is this facility a solo practice, meaning, an office with a single practitioner or therapist?

Value	Label	Unweighted Frequency	%
0	No	10932	79.4 %
1	Yes	953	6.9 %
Missing Data			
-6	Logical Skip	1847	13.4 %
-2	Missing	35	0.3 %
-1	Don't Know	4	0.0 %
Total		13,771	100%

Based upon 11,885 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 32-34 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RELIG: Affiliated w/ religious organization

5. Is this facility affiliated with a religious organization?

Value	Label	Unweighted Frequency	%
0	No	11003	79.9 %
1	Yes	868	6.3 %
Missing Data			
-6	Logical Skip	1847	13.4 %
-2	Missing	50	0.4 %
-1	Don't Know	3	0.0 %
Total		13,771	100%

Based upon 11,871 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 35-37 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HOSPITAL: Located in/operated by hospital

7. Is this facility located in, or operated by, a hospital?

If No, Skip to Q.9

Value	Label	Unweighted Frequency	%
0	No	12002	87.2 %

Value	Label	Unweighted Frequency	%
1	Yes	1744	12.7 %
	Missing Data		
-2	Missing	22	0.2 %
-1	Don't Know	3	0.0 %
	Total	13,771	100%

Based upon 13,746 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 38-40 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LOCS: Hospital Type

7a. What type of hospital?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	General hospital (including VA)	1369	9.9 %
2	Psychiatric hospital	297	2.2 %
3	Other specialty hospital	73	0.5 %
	Missing Data		
-6	Logical Skip	12027	87.3 %
-2	Missing	4	0.0 %
-1	Don't Know	1	0.0 %
	Total	13,771	100%

Based upon 1,739 valid cases out of 13,771 total cases.

- Minimum: 1
- Maximum: 3

Location: 41-43 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HOTYN: Hotline - yes/no

9. Does this facility operate a hotline that responds to substance abuse problems?

A hotline is a telephone service that provides information, referral, or immediate counseling, frequently in a crisis

situation.

If this facility is part of a group of facilities that operates a central hotline to respond to substance abuse problems, you should mark "yes."

Do not consider 911 or the local police number a hotline for the purpose of this survey.

Value	Label	Unweighted Frequency	%
0	No	10795	78.4 %
1	Yes	2930	21.3 %
Missing Data			
-2	Missing	36	0.3 %
-1	Don't Know	10	0.1 %
Total		13,771	100%

Based upon 13,725 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 44-46 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC89: Assessment screening substance abuse

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Assessment and Pre-Treatment Services:

(1) Screening for substance abuse

Value	Label	Unweighted Frequency	%
0	No	1227	8.9 %
1	Yes	12467	90.5 %
Missing Data			
-2	Missing	76	0.6 %
-1	Don't Know	1	0.0 %
Total		13,771	100%

Based upon 13,694 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 47-49 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC90: Assessment screening mental health

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Assessment and Pre-Treatment Services:

(2) Screening for mental health disorders

Value	Label	Unweighted Frequency	%
0	No	5584	40.5 %
1	Yes	7964	57.8 %
	Missing Data		
-2	Missing	218	1.6 %
-1	Don't Know	5	0.0 %
	Total	13,771	100%

Based upon 13,548 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 50-52 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC1: Assessment comprehensive SA

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Assessment and Pre-Treatment Services:

(3) Comprehensive substance abuse assessment or diagnosis

Value	Label	Unweighted Frequency	%
0	No	1593	11.6 %
1	Yes	12104	87.9 %
	Missing Data		
-2	Missing	64	0.5 %
-1	Don't Know	10	0.1 %
	Total	13,771	100%

Based upon 13,697 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 53-55 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC2: Assessment mental health

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Assessment and Pre-Treatment Services:

(4) Comprehensive mental health assessment or diagnosis (for example, psychological or psychiatric evaluation and testing)

Value	Label	Unweighted Frequency	%
0	No	7788	56.6 %
1	Yes	5718	41.5 %
	Missing Data		
-2	Missing	257	1.9 %
-1	Don't Know	8	0.1 %
	Total	13,771	100%

Based upon 13,506 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC91: Assessment outreach

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Assessment and Pre-Treatment Services:

(5) Outreach to persons in the community that may need treatment

Value	Label	Unweighted Frequency	%
0	No	7005	50.9 %
1	Yes	6502	47.2 %
	Missing Data		
-2	Missing	254	1.8 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	10	0.1 %
	Total	13,771	100%

Based upon 13,507 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 59-61 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC92: Assessment brief intervention

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Assessment and Pre-Treatment Services:

(6) Brief intervention for substance users who are not yet dependent, usually 1-5 sessions

Value	Label	Unweighted Frequency	%
0	No	6709	48.7 %
1	Yes	6812	49.5 %
	Missing Data		
-2	Missing	241	1.8 %
-1	Don't Know	9	0.1 %
	Total	13,771	100%

Based upon 13,521 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 62-64 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC93: Assessment interim services

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Assessment and Pre-Treatment Services:

(7) Interim services for clients when immediate admission is not possible

Value	Label	Unweighted Frequency	%
0	No	7951	57.7 %
1	Yes	5535	40.2 %
Missing Data			
-2	Missing	265	1.9 %
-1	Don't Know	20	0.1 %
Total		13,771	100%

Based upon 13,486 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 65-67 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC4: Therapy family counseling

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Substance Abuse Therapy and Counseling:

(8) Family counseling

Value	Label	Unweighted Frequency	%
0	No	3165	23.0 %
1	Yes	10490	76.2 %
Missing Data			
-2	Missing	115	0.8 %
-1	Don't Know	1	0.0 %
Total		13,771	100%

Based upon 13,655 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC5: Therapy group

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Substance Abuse Therapy and Counseling:
 (9) Group therapy, not including relapse prevention

Value	Label	Unweighted Frequency	%
0	No	1387	10.1 %
1	Yes	12328	89.5 %
Missing Data			
-2	Missing	56	0.4 %
Total		13,771	100%

Based upon 13,715 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 71-73 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC6: Therapy individual

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Substance Abuse Therapy and Counseling:
 (10) Individual therapy

Value	Label	Unweighted Frequency	%
0	No	705	5.1 %
1	Yes	13033	94.6 %
Missing Data			
-2	Missing	32	0.2 %
-1	Don't Know	1	0.0 %
Total		13,771	100%

Based upon 13,738 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 74-76 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC8: Therapy relapse prevention

10. Which of the following services are provided by this

facility at this location, that is, the location listed on the front cover?

Substance Abuse Therapy and Counseling:
(11) Relapse prevention groups

Value	Label	Unweighted Frequency	%
0	No	2463	17.9 %
1	Yes	11191	81.3 %
Missing Data			
-2	Missing	114	0.8 %
-1	Don't Know	3	0.0 %
Total		13,771	100%

Based upon 13,654 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 77-79 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC27: Therapy aftercare counseling

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Substance Abuse Therapy and Counseling:
(12) Aftercare / continuing care

Value	Label	Unweighted Frequency	%
0	No	2897	21.0 %
1	Yes	10759	78.1 %
Missing Data			
-2	Missing	112	0.8 %
-1	Don't Know	3	0.0 %
Total		13,771	100%

Based upon 13,656 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 80-82 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC70: Pharmacotherapies Antabuse

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Pharmacotherapies:
(13) Antabuse

Value	Label	Unweighted Frequency	%
0	No	11343	82.4 %
1	Yes	2190	15.9 %
Missing Data			
-2	Missing	206	1.5 %
-1	Don't Know	32	0.2 %
Total		13,771	100%

Based upon 13,533 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC71: Pharmacotherapies Naltrexone

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Pharmacotherapies:
(14) Naltrexone

Value	Label	Unweighted Frequency	%
0	No	11722	85.1 %
1	Yes	1758	12.8 %
Missing Data			
-2	Missing	231	1.7 %
-1	Don't Know	60	0.4 %
Total		13,771	100%

Based upon 13,480 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC88: Pharmacotherapies Campral

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Pharmacotherapies:

(15) Campral

Value	Label	Unweighted Frequency	%
0	No	11634	84.5 %
1	Yes	1838	13.3 %
	Missing Data		
-2	Missing	218	1.6 %
-1	Don't Know	81	0.6 %
	Total	13,771	100%

Based upon 13,472 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC86: Pharmacotherapies Buprenorphine - Subutex

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Pharmacotherapies:

(16) Buprenorphine - Subutex

Value	Label	Unweighted Frequency	%
0	No	12557	91.2 %
1	Yes	834	6.1 %
	Missing Data		
-2	Missing	302	2.2 %
-1	Don't Know	78	0.6 %
	Total	13,771	100%

Based upon 13,391 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC87: Pharmacotherapies Buprenorphine - Suboxone

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Pharmacotherapies:

(17) Buprenorphine - Suboxone

Value	Label	Unweighted Frequency	%
0	No	12039	87.4 %
1	Yes	1387	10.1 %
	Missing Data		
-2	Missing	266	1.9 %
-1	Don't Know	79	0.6 %
	Total	13,771	100%

Based upon 13,426 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC85: Pharmacotherapies Methadone

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Pharmacotherapies:

(18) Methadone

Value	Label	Unweighted Frequency	%
0	No	12117	88.0 %
1	Yes	1387	10.1 %
	Missing Data		
-2	Missing	248	1.8 %
-1	Don't Know	19	0.1 %

Value	Label	Unweighted Frequency	%
	Total	13,771	100%

Based upon 13,504 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC94: Pharmacotherapies Nicotine Replacement

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Pharmacotherapies:

(19) Nicotine replacement

Value	Label	Unweighted Frequency	%
0	No	11705	85.0 %
1	Yes	1783	12.9 %
	Missing Data		
-2	Missing	256	1.9 %
-1	Don't Know	27	0.2 %
	Total	13,771	100%

Based upon 13,488 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC95: Pharmacotherapies Psychiatric Disorders

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Pharmacotherapies:

(20) Medications for psychiatric disorders

Value	Label	Unweighted Frequency	%
0	No	8927	64.8 %
1	Yes	4685	34.0 %
Missing Data			
-2	Missing	146	1.1 %
-1	Don't Know	13	0.1 %
Total		13,771	100%

Based upon 13,612 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 104-106 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC10: Testing blood/alcohol

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Testing:

(21) Breathalyzer or other blood alcohol testing

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	5814	42.2 %
1	Yes	7834	56.9 %
Missing Data			
-2	Missing	115	0.8 %
-1	Don't Know	8	0.1 %
Total		13,771	100%

Based upon 13,648 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 107-109 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC11: Testing drug/alcohol urine screen

10. Which of the following services are provided by this

facility at this location, that is, the location listed on the front cover?

Testing:

(22) Drug or alcohol urine screening

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	2448	17.8 %
1	Yes	11276	81.9 %
Missing Data			
-2	Missing	43	0.3 %
-1	Don't Know	4	0.0 %
Total		13,771	100%

Based upon 13,724 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 110-112 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC73: Testing Hepatitis B

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Testing:

(23) Screening for Hepatitis B

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	10503	76.3 %
1	Yes	3011	21.9 %
Missing Data			
-2	Missing	234	1.7 %
-1	Don't Know	23	0.2 %
Total		13,771	100%

Based upon 13,514 valid cases out of 13,771 total cases.

- Minimum: 0

- Maximum: 1

Location: 113-115 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC74: Testing Hepatitis C

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Testing:

(24) Screening for Hepatitis C

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	10383	75.4 %
1	Yes	3149	22.9 %
	Missing Data		
-2	Missing	222	1.6 %
-1	Don't Know	17	0.1 %
	Total	13,771	100%

Based upon 13,532 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 116-118 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC14: Testing HIV

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Testing:

(25) HIV testing

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	9477	68.8 %

Value	Label	Unweighted Frequency	%
1	Yes	4088	29.7 %
	Missing Data		
-2	Missing	196	1.4 %
-1	Don't Know	10	0.1 %
	Total	13,771	100%

Based upon 13,565 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 119-121 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC15: Testing STD

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Testing:

(26) STD testing

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	10593	76.9 %
1	Yes	2931	21.3 %
	Missing Data		
-2	Missing	234	1.7 %
-1	Don't Know	13	0.1 %
	Total	13,771	100%

Based upon 13,524 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 122-124 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC16: Testing TB screen

10. Which of the following services are provided by this facility at this location, that is, the location listed

on the front cover?

Testing:
(27) TB screening

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	8904	64.7 %
1	Yes	4672	33.9 %
	Missing Data		
-2	Missing	184	1.3 %
-1	Don't Know	11	0.1 %
	Total	13,771	100%

Based upon 13,576 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 125-127 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC36: Transitional Assist. Social Services

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Transitional Services:
(28) Assistance with obtaining social services
(for example, Medicaid, WIC, SSI, SSDI)

Value	Label	Unweighted Frequency	%
0	No	6278	45.6 %
1	Yes	7404	53.8 %
	Missing Data		
-2	Missing	84	0.6 %
-1	Don't Know	5	0.0 %
	Total	13,771	100%

Based upon 13,682 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 128-130 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC37: Transitional Discharge Plan

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Transitional Services:
(29) Discharge planning

Value	Label	Unweighted Frequency	%
0	No	1942	14.1 %
1	Yes	11800	85.7 %
	Missing Data		
-2	Missing	28	0.2 %
-1	Don't Know	1	0.0 %
	Total	13,771	100%

Based upon 13,742 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 131-133 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC38: Transitional Employment

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Transitional Services:
(30) Employment counseling or training for clients

Value	Label	Unweighted Frequency	%
0	No	8613	62.5 %
1	Yes	5039	36.6 %
	Missing Data		
-2	Missing	119	0.9 %
	Total	13,771	100%

Based upon 13,652 valid cases out of 13,771 total cases.

- Minimum: 0

- Maximum: 1

Location: 134-136 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC39: Transitional Housing Assist

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Transitional Services:

(31) Assistance in locating housing for clients

Value	Label	Unweighted Frequency	%
0	No	7488	54.4 %
1	Yes	6165	44.8 %
	Missing Data		
-2	Missing	117	0.8 %
-1	Don't Know	1	0.0 %
	Total	13,771	100%

Based upon 13,653 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 137-139 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC49: Other Services Case Management

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(32) Case management services

Value	Label	Unweighted Frequency	%
0	No	3830	27.8 %
1	Yes	9889	71.8 %
	Missing Data		
-2	Missing	48	0.3 %
-1	Don't Know	4	0.0 %
	Total	13,771	100%

Based upon 13,719 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 140-142 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC96: Other Social Skills

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(33) Social skills development

Value	Label	Unweighted Frequency	%
0	No	5372	39.0 %
1	Yes	8320	60.4 %
	Missing Data		
-2	Missing	76	0.6 %
-1	Don't Know	3	0.0 %
	Total	13,771	100%

Based upon 13,692 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 143-145 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC97: Other Mentoring/Peer Support

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(34) Mentoring / peer support

Value	Label	Unweighted Frequency	%
0	No	7899	57.4 %
1	Yes	5762	41.8 %
	Missing Data		
-2	Missing	102	0.7 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	8	0.1 %
Total		13,771	100%

Based upon 13,661 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 146-148 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC50: Other Child Care

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(35) Child care for clients' children

Value	Label	Unweighted Frequency	%
0	No	12507	90.8 %
1	Yes	1114	8.1 %
Missing Data			
-2	Missing	149	1.1 %
-1	Don't Know	1	0.0 %
Total		13,771	100%

Based upon 13,621 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 149-151 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC52: Other Domestic Violence

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(36) Domestic violence-family or partner violence services (physical, sexual, and emotional abuse)

Value	Label	Unweighted Frequency	%
0	No	9091	66.0 %
1	Yes	4564	33.1 %
Missing Data			
-2	Missing	112	0.8 %
-1	Don't Know	4	0.0 %
Total		13,771	100%

Based upon 13,655 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 152-154 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC98: Other Intervention HIV

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(37) Early intervention for HIV

Value	Label	Unweighted Frequency	%
0	No	10709	77.8 %
1	Yes	2935	21.3 %
Missing Data			
-2	Missing	116	0.8 %
-1	Don't Know	11	0.1 %
Total		13,771	100%

Based upon 13,644 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 155-157 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC24: Other HIV/AIDS Edu

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(38) HIV or AIDS education, counseling, or support

Value	Label	Unweighted Frequency	%
0	No	6382	46.3 %
1	Yes	7313	53.1 %
	Missing Data		
-2	Missing	73	0.5 %
-1	Don't Know	3	0.0 %
	Total	13,771	100%

Based upon 13,695 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 158-160 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC55: Other Outcome Follow-Up

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(39) Outcome follow-up after discharge

Value	Label	Unweighted Frequency	%
0	No	6198	45.0 %
1	Yes	7475	54.3 %
	Missing Data		
-2	Missing	94	0.7 %
-1	Don't Know	4	0.0 %
	Total	13,771	100%

Based upon 13,673 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 161-163 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC99: Other Health Edu

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(40) Health education other than HIV / AIDS

Value	Label	Unweighted Frequency	%
0	No	7159	52.0 %
1	Yes	6509	47.3 %
Missing Data			
-2	Missing	97	0.7 %
-1	Don't Know	6	0.0 %
Total		13,771	100%

Based upon 13,668 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 164-166 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC100: Other Substance Abuse Edu

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(41) Substance abuse education

Value	Label	Unweighted Frequency	%
0	No	1206	8.8 %
1	Yes	12534	91.0 %
Missing Data			
-2	Missing	31	0.2 %
Total		13,771	100%

Based upon 13,740 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 167-169 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC59: Other Transportation Assistance

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(42) Transportation assistance to treatment

Value	Label	Unweighted Frequency	%
0	No	8784	63.8 %
1	Yes	4864	35.3 %
Missing Data			
-2	Missing	116	0.8 %
-1	Don't Know	7	0.1 %
Total		13,771	100%

Based upon 13,648 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 170-172 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC101: Other Mental Health Svcs

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(43) Mental health services

Value	Label	Unweighted Frequency	%
0	No	6576	47.8 %
1	Yes	7097	51.5 %
Missing Data			
-2	Missing	98	0.7 %
Total		13,771	100%

Based upon 13,673 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 173-175 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC48: Other Acupuncture

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(44) Acupuncture

Value	Label	Unweighted Frequency	%
0	No	12985	94.3 %
1	Yes	614	4.5 %
	Missing Data		
-2	Missing	168	1.2 %
-1	Don't Know	4	0.0 %
	Total	13,771	100%

Based upon 13,599 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 176-178 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC75: Other Residential Beds for Client's children

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(45) Residential beds for clients' children

Value	Label	Unweighted Frequency	%
0	No	12951	94.0 %
1	Yes	640	4.6 %
	Missing Data		
-2	Missing	180	1.3 %
	Total	13,771	100%

Based upon 13,591 valid cases out of 13,771 total cases.

- Minimum: 0

- Maximum: 1

Location: 179-181 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC102: Other Self-Help Groups

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(46) Self-help groups (for example, AA, NA, Smart Recovery)

Value	Label	Unweighted Frequency	%
0	No	7476	54.3 %
1	Yes	6141	44.6 %
	Missing Data		
-2	Missing	150	1.1 %
-1	Don't Know	4	0.0 %
	Total	13,771	100%

Based upon 13,617 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 182-184 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTP: Does facility operate an Opioid Treatment Program?

11. Does this facility operate an Opioid Treatment Program (OTP) at this location?

Opioid Treatment Programs are certified by SAMHSA's Center for Substance Abuse Treatment to use opioid drugs such as methadone or buprenorphine in the treatment of opiate (narcotic) addiction.

If No, Skip to Q.12

Value	Label	Unweighted Frequency	%
0	No	12568	91.3 %
1	Yes	1203	8.7 %
	Missing Data		
	Total	13,771	100%

Based upon 13,771 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 185-187 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTPTYPE: Is OTP a Maintenance/Detoxification program or Both?

11a. Is the Opioid Treatment Program at this location a maintenance program, a detoxification program, or both?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	Maintenance program	569	4.1 %
2	Detoxification program	280	2.0 %
3	Both	817	5.9 %
Missing Data			
-6	Logical Skip	12101	87.9 %
-4	Refused	1	0.0 %
-2	Missing	1	0.0 %
-1	Don't Know	2	0.0 %
Total		13,771	100%

Based upon 1,666 valid cases out of 13,771 total cases.

- Minimum: 1
- Maximum: 3

Location: 188-190 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTPAL: All Clients in OTP?

11b. Are ALL of the substance abuse clients at this facility currently in the Opioid Treatment Program?

Value	Label	Unweighted Frequency	%
0	No	894	6.5 %
1	Yes	706	5.1 %
Missing Data			
-6	Logical Skip	12165	88.3 %
-2	Missing	4	0.0 %
-1	Don't Know	2	0.0 %
Total		13,771	100%

Based upon 1,600 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 191-193 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

DUI_DWI: Program for DUI/DWI/other offenders

12. Does this facility offer a special program for DUI/DWI or other drunk driver offenders at this location?

Mark "yes" if this facility serves only DUI/DWI clients OR if this facility has a special DUI/DWI program.

If No, Skip to Q.13

Value	Label	Unweighted Frequency	%
0	No	9270	67.3 %
1	Yes	4299	31.2 %
	Missing Data		
-2	Missing	200	1.5 %
-1	Don't Know	2	0.0 %
	Total	13,771	100%

Based upon 13,569 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 194-196 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ONLYDUI: Are all clients in DUI/DWI program?

12a. Are ALL of the substance abuse treatment clients at this facility enrolled in the DUI/DWI program?

Value	Label	Unweighted Frequency	%
0	No	3993	29.0 %
1	Yes	270	2.0 %
	Missing Data		
-6	Logical Skip	9472	68.8 %
-2	Missing	34	0.2 %
-1	Don't Know	2	0.0 %
	Total	13,771	100%

Based upon 4,263 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 197-199 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SIGNLANG: Does facility offer sign language?

13. Does this facility provide substance abuse treatment services in sign language (for example, American Sign Language, Signed English, or Cued Speech) for the hearing impaired at this location?

Mark "yes" if either a staff counselor or an on-call interpreter provides this service.

Value	Label	Unweighted Frequency	%
0	No	9774	71.0 %
1	Yes	3942	28.6 %
Missing Data			
-2	Missing	50	0.4 %
-1	Don't Know	5	0.0 %
Total		13,771	100%

Based upon 13,716 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 200-202 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG: Tx in language other than English-y/n

14. Does this facility provide substance abuse treatment services in a language other than English at this location?

Mark "yes" if either a staff counselor or an on-call interpreter provides this service.

If No, Skip to Q.15

Value	Label	Unweighted Frequency	%
0	No	7523	54.6 %
1	Yes	6221	45.2 %
Missing Data			
-2	Missing	25	0.2 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	2	0.0 %
	Total	13,771	100%

Based upon 13,744 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 203-205 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANGPROV: Who Tx in language other than English

14a. At this facility, who provides substance abuse treatment services in a language other than English?

MARK ONE ONLY

- 1. Staff counselor who speaks a language other than English (Skip to Q.14b)
- 2. On-call interpreter brought in when needed (Skip to Q.15)
- 3. BOTH staff counselor and on-call interpreter (Skip to Q.14b)

Value	Label	Unweighted Frequency	%
1	Staff counselor	2785	20.2 %
2	On-call interpreter	2237	16.2 %
3	Both	1166	8.5 %
	Missing Data		
-6	Logical Skip	7550	54.8 %
-2	Missing	30	0.2 %
-1	Don't Know	3	0.0 %
	Total	13,771	100%

Based upon 6,188 valid cases out of 13,771 total cases.

- Minimum: 1
- Maximum: 3

Location: 206-208 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG1: Hopi

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(1) Hopi

Value	Label	Unweighted Frequency	%
0	No	3902	28.3 %
1	Yes	5	0.0 %
	Missing Data		
-6	Logical Skip	9820	71.3 %
-2	Missing	44	0.3 %
	Total	13,771	100%

Based upon 3,907 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 209-211 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG2: Lakota

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(2) Lakota

Value	Label	Unweighted Frequency	%
0	No	3887	28.2 %
1	Yes	19	0.1 %
	Missing Data		
-6	Logical Skip	9820	71.3 %
-2	Missing	45	0.3 %
	Total	13,771	100%

Based upon 3,906 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 212-214 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG3: Navajo

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(3) Navajo

Value	Label	Unweighted Frequency	%
0	No	3853	28.0 %
1	Yes	47	0.3 %
	Missing Data		
-6	Logical Skip	9820	71.3 %
-2	Missing	51	0.4 %
	Total	13,771	100%

Based upon 3,900 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 215-217 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG4: Yupik

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(4) Yupik

Value	Label	Unweighted Frequency	%
0	No	3889	28.2 %
1	Yes	7	0.1 %
	Missing Data		
-6	Logical Skip	9820	71.3 %
-2	Missing	54	0.4 %
-1	Don't Know	1	0.0 %
	Total	13,771	100%

Based upon 3,896 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 218-220 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG5: Tx in Other American Indian/Alaska Native

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(5) Other American Indian or Alaska Native language

Value	Label	Unweighted Frequency	%
0	No	3808	27.7 %
1	Yes	73	0.5 %
Missing Data			
-6	Logical Skip	9820	71.3 %
-2	Missing	69	0.5 %
-1	Don't Know	1	0.0 %
Total		13,771	100%

Based upon 3,881 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 221-223 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG6: Arabic

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(6) Arabic

Value	Label	Unweighted Frequency	%
0	No	3847	27.9 %
1	Yes	55	0.4 %
Missing Data			
-6	Logical Skip	9820	71.3 %
-2	Missing	49	0.4 %
Total		13,771	100%

Based upon 3,902 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 224-226 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG7: Chinese

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(7) Chinese

Value	Label	Unweighted Frequency	%
0	No	3820	27.7 %
1	Yes	79	0.6 %
	Missing Data		
-6	Logical Skip	9820	71.3 %
-2	Missing	51	0.4 %
-1	Don't Know	1	0.0 %
	Total	13,771	100%

Based upon 3,899 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 227-229 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG8: Creole

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(8) Creole

Value	Label	Unweighted Frequency	%
0	No	3810	27.7 %
1	Yes	93	0.7 %
	Missing Data		
-6	Logical Skip	9820	71.3 %
-2	Missing	47	0.3 %
-1	Don't Know	1	0.0 %
	Total	13,771	100%

Based upon 3,903 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 230-232 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG9: French

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(9) French

Value	Label	Unweighted Frequency	%
0	No	3685	26.8 %
1	Yes	216	1.6 %
Missing Data			
-6	Logical Skip	9820	71.3 %
-2	Missing	49	0.4 %
-1	Don't Know	1	0.0 %
Total		13,771	100%

Based upon 3,901 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 233-235 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG10: German

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(10) German

Value	Label	Unweighted Frequency	%
0	No	3802	27.6 %
1	Yes	98	0.7 %
Missing Data			
-6	Logical Skip	9820	71.3 %
-2	Missing	50	0.4 %
-1	Don't Know	1	0.0 %
Total		13,771	100%

Based upon 3,900 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 236-238 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG11: Hmong

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(11) Hmong

Value	Label	Unweighted Frequency	%
0	No	3858	28.0 %
1	Yes	39	0.3 %
	Missing Data		
-6	Logical Skip	9820	71.3 %
-2	Missing	53	0.4 %
-1	Don't Know	1	0.0 %
	Total	13,771	100%

Based upon 3,897 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 239-241 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG12: Korean

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(12) Korean

Value	Label	Unweighted Frequency	%
0	No	3834	27.8 %
1	Yes	64	0.5 %
	Missing Data		
-6	Logical Skip	9820	71.3 %
-2	Missing	53	0.4 %
	Total	13,771	100%

Based upon 3,898 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 242-244 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG13: Polish

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(13) Polish

Value	Label	Unweighted Frequency	%
0	No	3780	27.4 %
1	Yes	115	0.8 %
	Missing Data		
-6	Logical Skip	9820	71.3 %
-2	Missing	55	0.4 %
-1	Don't Know	1	0.0 %
	Total	13,771	100%

Based upon 3,895 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 245-247 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG14: Portuguese

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(14) Portuguese

Value	Label	Unweighted Frequency	%
0	No	3776	27.4 %
1	Yes	114	0.8 %
	Missing Data		
-6	Logical Skip	9820	71.3 %
-2	Missing	59	0.4 %
-1	Don't Know	2	0.0 %
	Total	13,771	100%

Based upon 3,890 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 248-250 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG15: Russian

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(15) Russian

Value	Label	Unweighted Frequency	%
0	No	3743	27.2 %
1	Yes	157	1.1 %
	Missing Data		
-6	Logical Skip	9820	71.3 %
-2	Missing	50	0.4 %
-1	Don't Know	1	0.0 %
	Total	13,771	100%

Based upon 3,900 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 251-253 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG16: Spanish

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(16) Spanish

Value	Label	Unweighted Frequency	%
0	No	267	1.9 %
1	Yes	3665	26.6 %
	Missing Data		
-6	Logical Skip	9820	71.3 %
-2	Missing	18	0.1 %
-1	Don't Know	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	13,771	100%

Based upon 3,932 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 254-256 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG17: Vietnamese

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(17) Vietnamese

Value	Label	Unweighted Frequency	%
0	No	3813	27.7 %
1	Yes	85	0.6 %
	Missing Data		
-6	Logical Skip	9820	71.3 %
-2	Missing	52	0.4 %
-1	Don't Know	1	0.0 %
	Total	13,771	100%

Based upon 3,898 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 257-259 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG18: Other Language

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(18) Other language

Value	Label	Unweighted Frequency	%
0	No	3454	25.1 %
1	Yes	271	2.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-6	Logical Skip	9820	71.3 %
-2	Missing	224	1.6 %
-1	Don't Know	2	0.0 %
	Total	13,771	100%

Based upon 3,725 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 260-262 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC76: Accepts adolescents

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

(1) Adolescents

Value	Label	Unweighted Frequency	%
0	No	6944	50.4 %
1	Yes	6788	49.3 %
	Missing Data		
-2	Missing	38	0.3 %
-1	Don't Know	1	0.0 %
	Total	13,771	100%

Based upon 13,732 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 263-265 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC30: Program/gr'p for adolescents

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(1) Adolescents

Value	Label	Unweighted Frequency	%
0	No	2355	17.1 %
1	Yes	4353	31.6 %
	Missing Data		
-6	Logical Skip	6983	50.7 %
-2	Missing	73	0.5 %
-1	Don't Know	7	0.1 %
	Total	13,771	100%

Based upon 6,708 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 266-268 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC77: Accepts co-occurring

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

(2) Clients with co-occurring mental and substance abuse disorders

Value	Label	Unweighted Frequency	%
0	No	1168	8.5 %
1	Yes	12570	91.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-2	Missing	31	0.2 %
-1	Don't Know	2	0.0 %
	Total	13,771	100%

Based upon 13,738 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 269-271 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC31: Program/gr'p for co-occurring

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(2) Clients with co-occurring mental and substance abuse disorders

Value	Label	Unweighted Frequency	%
0	No	7299	53.0 %
1	Yes	5131	37.3 %
	Missing Data		
-6	Logical Skip	1201	8.7 %
-2	Missing	136	1.0 %
-1	Don't Know	4	0.0 %
	Total	13,771	100%

Based upon 12,430 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 272-274 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC78: Accepts criminal justice clients

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

(3) Criminal justice clients (other than DUI/DWI)

Value	Label	Unweighted Frequency	%
0	No	1306	9.5 %
1	Yes	12407	90.1 %
	Missing Data		
-2	Missing	46	0.3 %
-1	Don't Know	12	0.1 %
	Total	13,771	100%

Based upon 13,713 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 275-277 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC61: Program/gr'p for crimn'l justice clients

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(3) Criminal justice clients (other than DUI/DWI)

Value	Label	Unweighted Frequency	%
0	No	8455	61.4 %
1	Yes	3821	27.7 %
	Missing Data		
-6	Logical Skip	1364	9.9 %

Value	Label	Unweighted Frequency	%
-5	Multiple Responses	2	0.0 %
-2	Missing	128	0.9 %
-1	Don't Know	1	0.0 %
	Total	13,771	100%

Based upon 12,276 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 278-280 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC79: Accepts persons with HIV/AIDS

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

(4) Persons with HIV or AIDS

Value	Label	Unweighted Frequency	%
0	No	662	4.8 %
1	Yes	13045	94.7 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-4	Refused	1	0.0 %
-2	Missing	52	0.4 %
-1	Don't Know	10	0.1 %
	Total	13,771	100%

Based upon 13,707 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 281-283 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC32: Program/gr'p for persons with HIV/AIDS

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(4) Persons with HIV or AIDS

Value	Label	Unweighted Frequency	%
0	No	11500	83.5 %
1	Yes	1399	10.2 %
	Missing Data		
-6	Logical Skip	726	5.3 %
-5	Multiple Responses	2	0.0 %
-2	Missing	139	1.0 %
-1	Don't Know	5	0.0 %
	Total	13,771	100%

Based upon 12,899 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 284-286 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC80: Accepts gays/lesbians

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

(5) Gays or lesbians

Value	Label	Unweighted Frequency	%
0	No	426	3.1 %
1	Yes	13296	96.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-4	Refused	1	0.0 %
-2	Missing	41	0.3 %
-1	Don't Know	7	0.1 %
	Total	13,771	100%

Based upon 13,722 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 287-289 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC62: Program/gr'p for gays/lesbians

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(5) Gays or lesbians

Value	Label	Unweighted Frequency	%
0	No	12367	89.8 %
1	Yes	791	5.7 %
	Missing Data		
-6	Logical Skip	475	3.4 %
-2	Missing	136	1.0 %
-1	Don't Know	2	0.0 %
	Total	13,771	100%

Based upon 13,158 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 290-292 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC81: Accepts seniors

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

(6) Seniors or older adults

Value	Label	Unweighted Frequency	%
0	No	1585	11.5 %
1	Yes	12145	88.2 %
	Missing Data		
-2	Missing	40	0.3 %
-1	Don't Know	1	0.0 %
	Total	13,771	100%

Based upon 13,730 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 293-295 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC63: Program/gr'p for seniors

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(6) Seniors or older adults

Value	Label	Unweighted Frequency	%
0	No	11003	79.9 %
1	Yes	995	7.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-6	Logical Skip	1626	11.8 %
-5	Multiple Responses	2	0.0 %
-2	Missing	142	1.0 %
-1	Don't Know	3	0.0 %
	Total	13,771	100%

Based upon 11,998 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 296-298 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC83: Accepts adult women

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

(7) Adult women

Value	Label	Unweighted Frequency	%
0	No	1791	13.0 %
1	Yes	11939	86.7 %
	Missing Data		
-2	Missing	41	0.3 %
	Total	13,771	100%

Based upon 13,730 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 299-301 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC34: Program/gr'p for adult women

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(7) Adult women

Value	Label	Unweighted Frequency	%
0	No	7375	53.6 %
1	Yes	4437	32.2 %
	Missing Data		
-6	Logical Skip	1832	13.3 %
-5	Multiple Responses	2	0.0 %
-2	Missing	124	0.9 %
-1	Don't Know	1	0.0 %
	Total	13,771	100%

Based upon 11,812 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 302-304 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC82: Accepts pregnant/postpartum women

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

(8) Pregnant or postpartum women

Value	Label	Unweighted Frequency	%
0	No	2403	17.4 %
1	Yes	11312	82.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-2	Missing	52	0.4 %
-1	Don't Know	4	0.0 %
	Total	13,771	100%

Based upon 13,715 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 305-307 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC33: Program/gr'p for preg't/postpart'm women

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(8) Pregnant or postpartum women

Value	Label	Unweighted Frequency	%
0	No	9226	67.0 %
1	Yes	1951	14.2 %
	Missing Data		
-6	Logical Skip	2459	17.9 %
-2	Missing	134	1.0 %
-1	Don't Know	1	0.0 %
	Total	13,771	100%

Based upon 11,177 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 308-310 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC84: Accepts adult men

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

(9) Adult men

Value	Label	Unweighted Frequency	%
0	No	1805	13.1 %
1	Yes	11920	86.6 %
Missing Data			
-2	Missing	46	0.3 %
Total		13,771	100%

Based upon 13,725 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 311-313 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC64: Program/gr'p for adult men

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(9) Adult men

Value	Label	Unweighted Frequency	%
0	No	8312	60.4 %
1	Yes	3443	25.0 %
Missing Data			
-6	Logical Skip	1851	13.4 %
-5	Multiple Responses	1	0.0 %

Value	Label	Unweighted Frequency	%
-2	Missing	164	1.2 %
	Total	13,771	100%

Based upon 11,755 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 314-316 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC35: Program/gr'p for other groups

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(10) Specially designed programs or groups for any other types of clients

Value	Label	Unweighted Frequency	%
0	No	12133	88.1 %
1	Yes	1620	11.8 %
	Missing Data		
-2	Missing	13	0.1 %
-1	Don't Know	5	0.0 %
	Total	13,771	100%

Based upon 13,753 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 317-319 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE4: Hosp Inpat'nt SA care offered currently

16. Does this facility offer HOSPITAL INPATIENT substance abuse services at this location, that is, the location listed on the front cover?

Value	Label	Unweighted Frequency	%
0	No	12843	93.3 %
1	Yes	925	6.7 %
	Missing Data		
-1	Don't Know	3	0.0 %
	Total	13,771	100%

Based upon 13,768 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 320-322 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPEHI1: Hosp Inpat'nt Detoxification care offered

16. Does this facility offer either of the following HOSPITAL INPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(1) Hospital inpatient detoxification

Value	Label	Unweighted Frequency	%
0	No	12954	94.1 %
1	Yes	817	5.9 %
	Missing Data		
	Total	13,771	100%

Based upon 13,771 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 323-325 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPEHI2: Hosp Inpat'nt Rehabilitation care offered

16. Does this facility offer either of the following HOSPITAL INPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(2) Hospital inpatient treatment

Value	Label	Unweighted Frequency	%
0	No	13147	95.5 %
1	Yes	620	4.5 %
	Missing Data		
-1	Don't Know	4	0.0 %
	Total	13,771	100%

Based upon 13,767 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 326-328 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE7: Non-hosp Res SA care offered currently

17. Does this facility offer RESIDENTIAL (non-hospital) substance abuse services at this location, that is, the location listed on the front cover?

Value	Label	Unweighted Frequency	%
0	No	9937	72.2 %
1	Yes	3834	27.8 %
	Missing Data		
	Total	13,771	100%

Based upon 13,771 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 329-331 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPERC1: Non-hosp Res Detoxification care offered

17. Does this facility offer any of the following RESIDENTIAL (non-hospital) substance abuse services at this location, that is, the location listed on the front cover?

(1) Residential detoxification

Value	Label	Unweighted Frequency	%
0	No	12780	92.8 %
1	Yes	991	7.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
	Total	13,771	100%

Based upon 13,771 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 332-334 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPERC3: Non-hosp Res Short Term Tx

17. Does this facility offer any of the following RESIDENTIAL (non-hospital) substance abuse services at this location, that is, the location listed on the front cover?

(2) Residential short-term treatment (30 days or less)

Value	Label	Unweighted Frequency	%
0	No	12051	87.5 %
1	Yes	1720	12.5 %
	Missing Data		
	Total	13,771	100%

Based upon 13,771 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 335-337 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPERC4: Non-hosp Res Long Term Tx

17. Does this facility offer any of the following RESIDENTIAL (non-hospital) substance abuse services at this location, that is, the location listed on the front cover?

(3) Residential long-term treatment (more than 30 days)

Value	Label	Unweighted Frequency	%
0	No	10557	76.7 %
1	Yes	3214	23.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
	Total	13,771	100%

Based upon 13,771 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 338-340 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE1: Any Outpat'nt SA care offered currently

18. Does this facility offer OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

Value	Label	Unweighted Frequency	%
0	No	2617	19.0 %
1	Yes	11152	81.0 %
	Missing Data		
-1	Don't Know	2	0.0 %
	Total	13,771	100%

Based upon 13,769 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 341-343 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE6: Outpatient Detox offered currently

18. Does this facility offer any of the following OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(1) Outpatient detoxification

Value	Label	Unweighted Frequency	%
0	No	12104	87.9 %
1	Yes	1664	12.1 %
	Missing Data		
-1	Don't Know	3	0.0 %
	Total	13,771	100%

Based upon 13,768 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 344-346 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPEML: Outpatient Methadone maintenance offered

18. Does this facility offer any of the following OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(2) Outpatient methadone/buprenorphine maintenance

Value	Label	Unweighted Frequency	%
0	No	12369	89.8 %
1	Yes	1396	10.1 %
	Missing Data		
-1	Don't Know	6	0.0 %
	Total	13,771	100%

Based upon 13,765 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 347-349 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPEOP: Day Tx/Partial Hosp offered currently

18. Does this facility offer any of the following OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(3) Outpatient day treatment or partial hospitalization (20 or more hours per week)

Value	Label	Unweighted Frequency	%
0	No	11697	84.9 %
1	Yes	2071	15.0 %
	Missing Data		
-1	Don't Know	3	0.0 %
	Total	13,771	100%

Based upon 13,768 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 350-352 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE2: Intensive Outpat'nt offered currently

18. Does this facility offer any of the following OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(4) Intensive outpatient treatment
(a minimum of 2 hours per day on 3 or more days per week)

Value	Label	Unweighted Frequency	%
0	No	7569	55.0 %
1	Yes	6199	45.0 %
	Missing Data		
-1	Don't Know	3	0.0 %
	Total	13,771	100%

Based upon 13,768 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 353-355 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE3: Regular Outpat'nt offered currently

18. Does this facility offer any of the following OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(5) Regular outpatient treatment
(fewer hours per week than intensive)

Value	Label	Unweighted Frequency	%
0	No	3592	26.1 %
1	Yes	10177	73.9 %
	Missing Data		
-1	Don't Know	2	0.0 %
	Total	13,771	100%

Based upon 13,769 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 356-358 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FEESCALE: Uses sliding fee scale

19. Does this facility use a sliding fee scale?

Value	Label	Unweighted Frequency	%
0	No	5014	36.4 %
1	Yes	8700	63.2 %
	Missing Data		
-4	Refused	2	0.0 %
-2	Missing	34	0.2 %
-1	Don't Know	21	0.2 %
	Total	13,771	100%

Based upon 13,714 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 359-361 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

PAYASST: Offers no charge or free tx

20. Does this facility offer treatment at no charge to clients who cannot afford to pay?

Value	Label	Unweighted Frequency	%
0	No	6327	45.9 %
1	Yes	7367	53.5 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-4	Refused	1	0.0 %
-2	Missing	51	0.4 %
-1	Don't Know	24	0.2 %
	Total	13,771	100%

Based upon 13,694 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 362-364 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

EARMARK: Receive any Fed,State,C'nty,Local Funds

21. Does this facility receive any funding or grants from the Federal government, or state, county or local governments, to support its substance abuse treatment programs?

Do not include Medicare, Medicaid, or federal military insurance. These forms of client payments will be included in Q.22 below.

Value	Label	Unweighted Frequency	%
0	No	5164	37.5 %
1	Yes	8189	59.5 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-2	Missing	58	0.4 %
-1	Don't Know	359	2.6 %
	Total	13,771	100%

Based upon 13,353 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 365-367 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK1: Accepts cash or self-payment

22. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(1) Cash or self-payment

Value	Label	Unweighted Frequency	%
0	No	1209	8.8 %
1	Yes	12423	90.2 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-2	Missing	29	0.2 %
-1	Don't Know	109	0.8 %
	Total	13,771	100%

Based upon 13,632 valid cases out of 13,771 total cases.

- Minimum: 0

- Maximum: 1

Location: 368-370 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK8: Accepts Medicare payments

22. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(2) Medicare

Value	Label	Unweighted Frequency	%
0	No	8437	61.3 %
1	Yes	4590	33.3 %
	Missing Data		
-5	Multiple Responses	7	0.1 %
-2	Missing	36	0.3 %
-1	Don't Know	701	5.1 %
	Total	13,771	100%

Based upon 13,027 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 371-373 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK5: Accepts Medicaid payments

22. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(3) Medicaid

Value	Label	Unweighted Frequency	%
0	No	6063	44.0 %
1	Yes	7201	52.3 %
	Missing Data		
-5	Multiple Responses	4	0.0 %
-2	Missing	39	0.3 %
-1	Don't Know	464	3.4 %
	Total	13,771	100%

Based upon 13,264 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 374-376 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK10: Accepts state financed health ins

22. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(4) A state-financed health insurance plan other than Medicaid (for example, State Children's Health Insurance Program (SCHIP) or high risk insurance pools)

Value	Label	Unweighted Frequency	%
0	No	7965	57.8 %
1	Yes	4409	32.0 %
	Missing Data		
-5	Multiple Responses	3	0.0 %
-2	Missing	32	0.2 %
-1	Don't Know	1362	9.9 %
	Total	13,771	100%

Based upon 12,374 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 377-379 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK15: Accepts Federal military insurance

22. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(5) Federal military insurance such as TRICARE or Champ VA

Value	Label	Unweighted Frequency	%
0	No	7935	57.6 %
1	Yes	4374	31.8 %
	Missing Data		
-5	Multiple Responses	5	0.0 %

Value	Label	Unweighted Frequency	%
-4	Refused	1	0.0 %
-2	Missing	29	0.2 %
-1	Don't Know	1427	10.4 %
	Total	13,771	100%

Based upon 12,309 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 380-382 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK2: Accepts Private Health insurance

22. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(6) Private health insurance

Value	Label	Unweighted Frequency	%
0	No	4501	32.7 %
1	Yes	8826	64.1 %
	Missing Data		
-5	Multiple Responses	5	0.0 %
-2	Missing	28	0.2 %
-1	Don't Know	411	3.0 %
	Total	13,771	100%

Based upon 13,327 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 383-385 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK3: Accepts Free Tx to all Clients

22. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(7) No payment accepted (free treatment for ALL clients)

Value	Label	Unweighted Frequency	%
0	No	13152	95.5 %
1	Yes	561	4.1 %
Missing Data			
-5	Multiple Responses	1	0.0 %
-2	Missing	27	0.2 %
-1	Don't Know	30	0.2 %
Total		13,771	100%

Based upon 13,713 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 386-388 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK16: Accepts ATR Vouchers

22. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(8) Access to Recovery (ATR) vouchers (to be answered by facilities in the following states only: CA, CT, FL, ID, IL, LA, MO, NJ, NM, TN, TX, WA, WI, WY)

Value	Label	Unweighted Frequency	%
0	No	3527	25.6 %
1	Yes	1399	10.2 %
Missing Data			
-7	Not Applicable	11	0.1 %
-6	Logical Skip	8052	58.5 %
-2	Missing	31	0.2 %
-1	Don't Know	751	5.5 %
Total		13,771	100%

Based upon 4,926 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 389-391 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK2A: Accepts Other Payments

22. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(9) Other

Value	Label	Unweighted Frequency	%
0	No	12710	92.3 %
1	Yes	296	2.1 %
	Missing Data		
-2	Missing	15	0.1 %
-1	Don't Know	750	5.4 %
	Total	13,771	100%

Based upon 13,006 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 392-394 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

WRITARRA: Agrmnts/contrs w/Mang'd Care Org

23. Does this facility have agreements or contracts with managed care organizations for providing substance abuse treatment services?

Managed care organizations have agreements with certain health care providers who give services to plan members, usually at discounted rates. Examples include managed behavioral healthcare organizations (MBHOs), health maintenance organizations (HMOs), and preferred provider organizations (PPOs).

Value	Label	Unweighted Frequency	%
0	No	6563	47.7 %
1	Yes	6413	46.6 %
	Missing Data		
-5	Multiple Responses	3	0.0 %
-2	Missing	78	0.6 %
-1	Don't Know	714	5.2 %
	Total	13,771	100%

Based upon 12,976 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 395-397 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTHFAC2: Client counts-This Facility Only

24. Questions 25 through 29 ask about the number of clients in treatment at this facility at specified times.

Please check the option below that best describes how client counts will be reported in these questions.

(1) Questions 25 through 29 will include client counts for this facility alone -> Skip to Q25 (Page 7)

Value	Label	Unweighted Frequency	%
0	No	1715	12.5 %
1	Yes	12056	87.5 %
	Missing Data		
	Total	13,771	100%

Based upon 13,771 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 398-400 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTHFAC1: Client counts-Fac Combined w/Others

24. Questions 25 through 29 ask about the number of clients in treatment at this facility at specified times.

Please check the option below that best describes how client counts will be reported in these questions.

(2) Questions 25 through 29 will include client counts for this facility combined with other facilities -> Skip to Q25 (Page 7)

Value	Label	Unweighted Frequency	%
0	No	13110	95.2 %
1	Yes	661	4.8 %
	Missing Data		
	Total	13,771	100%

Based upon 13,771 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 401-403 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTHFAC3: Cannot Provide Any Client Counts

(24) Questions 25 through 29 ask about the number of clients in treatment at this facility at specified times.

Please check the option below that best describes how client counts will be reported in these questions.

(3) Client counts for this facility will be reported by another facility -> Skip to Q32 (Page 10)

Value	Label	Unweighted Frequency	%
0	No	12717	92.3 %
1	Yes	1054	7.7 %
	Missing Data		
	Total	13,771	100%

Based upon 13,771 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 404-406 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TYPE4: Any patients rec'd Hosp Inpat'nt SA services, 3/31/06

25. On March 31, 2006, did any patients receive HOSPITAL INPATIENT substance abuse services at this facility?

Value	Label	Unweighted Frequency	%
0	No	11902	86.4 %
1	Yes	803	5.8 %
	Missing Data		
-6	Logical Skip	1066	7.7 %
	Total	13,771	100%

Based upon 12,705 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 407-409 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI1: Hosp. Inpatient clients, detox

25a. On March 31, 2006, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

(1) Hospital inpatient detoxification

COUNT a client in one service only, even if the client received both services.

DO NOT count family members, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	268	1.9 %
1	-	70	0.5 %
2	-	70	0.5 %
3	-	78	0.6 %
4	-	57	0.4 %
5	-	55	0.4 %
6	-	45	0.3 %
7	-	21	0.2 %
8	-	37	0.3 %
9	-	11	0.1 %
10	-	34	0.2 %
11	-	8	0.1 %
12	-	20	0.1 %
13	-	10	0.1 %
14	-	10	0.1 %
15	-	17	0.1 %
16	-	9	0.1 %
17	-	4	0.0 %
18	-	11	0.1 %
19	-	6	0.0 %
20	-	8	0.1 %
21	-	5	0.0 %
22	-	8	0.1 %
23	-	1	0.0 %
24	-	2	0.0 %
25	-	1	0.0 %
26	-	2	0.0 %
27	-	1	0.0 %
28	-	4	0.0 %

Value	Label	Unweighted Frequency	%
29	-	1	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
45	-	3	0.0 %
48	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
60	-	1	0.0 %
67	-	1	0.0 %
70	-	3	0.0 %
78	-	1	0.0 %
	Missing Data		
-6	Logical Skip	12877	93.5 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 894 valid cases out of 13,771 total cases.

- Mean: 5.84
- Median: 3.00
- Mode: 0.00
- Minimum: 0
- Maximum: 78
- Standard Deviation: 9.07

Location: 410-412 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI2: Hosp. Inpatient clients, Tx

25a. On March 31, 2006, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

(2) Hospital inpatient treatment

COUNT a client in one service only, even if the client received both services.

DO NOT count family members, friends, or other non-treatment

clients.

Value	Label	Unweighted Frequency	%
0	-	436	3.2 %
1	-	30	0.2 %
2	-	19	0.1 %
3	-	34	0.2 %
4	-	27	0.2 %
5	-	20	0.1 %
6	-	14	0.1 %
7	-	14	0.1 %
8	-	14	0.1 %
9	-	14	0.1 %
10	-	20	0.1 %
11	-	8	0.1 %
12	-	27	0.2 %
13	-	6	0.0 %
14	-	17	0.1 %
15	-	18	0.1 %
16	-	9	0.1 %
17	-	7	0.1 %
18	-	9	0.1 %
19	-	5	0.0 %
20	-	16	0.1 %
21	-	6	0.0 %
22	-	8	0.1 %
23	-	5	0.0 %
24	-	3	0.0 %
25	-	6	0.0 %
26	-	4	0.0 %
27	-	5	0.0 %
28	-	7	0.1 %
29	-	4	0.0 %
30	-	11	0.1 %
31	-	2	0.0 %
32	-	5	0.0 %
33	-	1	0.0 %
34	-	2	0.0 %
35	-	3	0.0 %
36	-	1	0.0 %
37	-	2	0.0 %
38	-	3	0.0 %
40	-	6	0.0 %

Value	Label	Unweighted Frequency	%
41	-	1	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
45	-	3	0.0 %
47	-	1	0.0 %
49	-	1	0.0 %
50	-	4	0.0 %
51	-	1	0.0 %
52	-	2	0.0 %
54	-	1	0.0 %
	Missing Data		
-6	Logical Skip	12877	93.5 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 894 valid cases out of 13,771 total cases.

- Mean: 10.02
- Median: 1.00
- Mode: 0.00
- Minimum: 0
- Maximum: 500
- Standard Deviation: 24.45

Location: 413-415 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIHI: Total Number of Hospital Inpatients

25a. On March 31, 2006, how many patients received HOSPITAL INPATIENT substance abuse services at this facility?

_____ HOSPITAL INPATIENT TOTAL

COUNT a client in one service only, even if the client received both services.

DO NOT count family members, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	118	0.9 %
1	-	53	0.4 %
2	-	51	0.4 %

Value	Label	Unweighted Frequency	%
3	-	54	0.4 %
4	-	38	0.3 %
5	-	30	0.2 %
6	-	37	0.3 %
7	-	23	0.2 %
8	-	35	0.3 %
9	-	22	0.2 %
10	-	40	0.3 %
11	-	14	0.1 %
12	-	31	0.2 %
13	-	18	0.1 %
14	-	18	0.1 %
15	-	24	0.2 %
16	-	15	0.1 %
17	-	13	0.1 %
18	-	21	0.2 %
19	-	12	0.1 %
20	-	18	0.1 %
21	-	14	0.1 %
22	-	13	0.1 %
23	-	7	0.1 %
24	-	10	0.1 %
25	-	10	0.1 %
26	-	11	0.1 %
27	-	6	0.0 %
28	-	7	0.1 %
29	-	6	0.0 %
30	-	12	0.1 %
31	-	3	0.0 %
32	-	8	0.1 %
33	-	6	0.0 %
34	-	5	0.0 %
35	-	3	0.0 %
36	-	4	0.0 %
37	-	3	0.0 %
38	-	4	0.0 %
39	-	3	0.0 %
40	-	5	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %
44	-	2	0.0 %
45	-	5	0.0 %

Value	Label	Unweighted Frequency	%
46	-	3	0.0 %
47	-	2	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	2	0.0 %
	Missing Data		
-6	Logical Skip	12877	93.5 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 894 valid cases out of 13,771 total cases.

- Mean: 15.86
- Median: 9.00
- Mode: 0.00
- Minimum: 0
- Maximum: 500
- Standard Deviation: 26.64

Location: 416-418 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

H_AGE1: Hosp Inp Clients Under 18 years old

25b. How many of the patients from the HOSPITAL INPATIENT TOTAL BOX were under the age of 18?

Value	Label	Unweighted Frequency	%
0	-	788	5.7 %
1	-	27	0.2 %
2	-	15	0.1 %
3	-	6	0.0 %
4	-	6	0.0 %
5	-	4	0.0 %
6	-	4	0.0 %
7	-	2	0.0 %
8	-	3	0.0 %
9	-	3	0.0 %
10	-	5	0.0 %
12	-	7	0.1 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	7	0.1 %
16	-	2	0.0 %

Value	Label	Unweighted Frequency	%
18	-	3	0.0 %
20	-	3	0.0 %
23	-	1	0.0 %
26	-	1	0.0 %
32	-	2	0.0 %
40	-	1	0.0 %
55	-	1	0.0 %
80	-	1	0.0 %
	Missing Data		
-6	Logical Skip	12877	93.5 %
	Total	13,771	100%

Based upon 894 valid cases out of 13,771 total cases.

- Mean: 1.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 80
- Standard Deviation: 4.79

Location: 419-421 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HIMETNUM: Total Methadone Inpatients

25c. How many of the patients from the HOSPITAL INPATIENT TOTAL BOX received methadone or buprenorphine dispensed by this facility?

(1) Methadone

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	1116	8.1 %
1	-	22	0.2 %
2	-	12	0.1 %
3	-	11	0.1 %
4	-	8	0.1 %
5	-	12	0.1 %
6	-	6	0.0 %
7	-	2	0.0 %
8	-	3	0.0 %

Value	Label	Unweighted Frequency	%
9	-	3	0.0 %
10	-	7	0.1 %
11	-	3	0.0 %
12	-	5	0.0 %
13	-	2	0.0 %
14	-	2	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
18	-	2	0.0 %
20	-	1	0.0 %
22	-	1	0.0 %
23	-	2	0.0 %
25	-	1	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
40	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
60	-	1	0.0 %
	Missing Data		
-6	Logical Skip	12533	91.0 %
-2	Missing	5	0.0 %
-1	Don't Know	2	0.0 %
	Total	13,771	100%

Based upon 1,231 valid cases out of 13,771 total cases.

- Mean: 0.81
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 60
- Standard Deviation: 4.14

Location: 422-424 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HIBUPNUM: Total Buprenorphine Inpatients

25c. How many of the patients from the HOSPITAL INPATIENT TOTAL BOX received methadone or buprenorphine dispensed by this facility?

(2) Buprenorphine

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	723	5.3 %
1	-	29	0.2 %
2	-	33	0.2 %
3	-	31	0.2 %
4	-	14	0.1 %
5	-	12	0.1 %
6	-	7	0.1 %
7	-	5	0.0 %
8	-	9	0.1 %
9	-	1	0.0 %
10	-	8	0.1 %
12	-	2	0.0 %
15	-	1	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
45	-	1	0.0 %
	Missing Data		
-6	Logical Skip	12878	93.5 %
-2	Missing	1	0.0 %
-1	Don't Know	14	0.1 %
	Total	13,771	100%

Based upon 878 valid cases out of 13,771 total cases.

- Mean: 0.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 45
- Standard Deviation: 2.55

Location: 425-427 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HOSPBED: Total Beds Designated-Hospital Inpatient

25d. On March 31, 2006, how many hospital inpatient beds at this facility were specifically designated for substance abuse treatment?

Value	Label	Unweighted Frequency	%
0	-	297	2.2 %

Value	Label	Unweighted Frequency	%
1	-	6	0.0 %
2	-	9	0.1 %
3	-	7	0.1 %
4	-	24	0.2 %
5	-	11	0.1 %
6	-	25	0.2 %
7	-	5	0.0 %
8	-	20	0.1 %
9	-	4	0.0 %
10	-	37	0.3 %
11	-	3	0.0 %
12	-	31	0.2 %
13	-	11	0.1 %
14	-	18	0.1 %
15	-	19	0.1 %
16	-	19	0.1 %
17	-	11	0.1 %
18	-	21	0.2 %
19	-	8	0.1 %
20	-	46	0.3 %
21	-	3	0.0 %
22	-	8	0.1 %
23	-	5	0.0 %
24	-	22	0.2 %
25	-	9	0.1 %
26	-	7	0.1 %
27	-	2	0.0 %
28	-	9	0.1 %
29	-	1	0.0 %
30	-	18	0.1 %
31	-	3	0.0 %
32	-	5	0.0 %
33	-	5	0.0 %
34	-	7	0.1 %
35	-	7	0.1 %
36	-	3	0.0 %
37	-	1	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	10	0.1 %
41	-	2	0.0 %
42	-	2	0.0 %

Value	Label	Unweighted Frequency	%
43	-	1	0.0 %
44	-	3	0.0 %
45	-	4	0.0 %
47	-	2	0.0 %
48	-	6	0.0 %
49	-	1	0.0 %
50	-	8	0.1 %
Missing Data			
-6	Logical Skip	12865	93.4 %
-2	Missing	70	0.5 %
-1	Don't Know	12	0.1 %
Total		13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 824 valid cases out of 13,771 total cases.

- Mean: 14.86
- Median: 10.00
- Mode: 0.00
- Minimum: 0
- Maximum: 400
- Standard Deviation: 23.53

Location: 428-430 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TYPE7: Any clients rec'd Res Non-Hosp SA services, 3/31/06

26. On March 31, 2006, did any clients receive RESIDENTIAL (non-hospital) substance abuse services at this facility?

Value	Label	Unweighted Frequency	%
0	No	9145	66.4 %
1	Yes	3566	25.9 %
Missing Data			
-6	Logical Skip	1060	7.7 %
Total		13,771	100%

Based upon 12,711 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 431-433 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI3: Residential Clients, Detox

26a. On March 31, 2006, how many clients received the following RESIDENTIAL substance abuse services at this facility?

(1) Residential detoxification

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	2935	21.3 %
1	-	63	0.5 %
2	-	76	0.6 %
3	-	69	0.5 %
4	-	49	0.4 %
5	-	58	0.4 %
6	-	51	0.4 %
7	-	28	0.2 %
8	-	32	0.2 %
9	-	16	0.1 %
10	-	44	0.3 %
11	-	18	0.1 %
12	-	29	0.2 %
13	-	16	0.1 %
14	-	15	0.1 %
15	-	16	0.1 %
16	-	6	0.0 %
17	-	5	0.0 %
18	-	8	0.1 %
19	-	7	0.1 %
20	-	11	0.1 %
21	-	8	0.1 %
22	-	6	0.0 %
23	-	1	0.0 %
24	-	5	0.0 %
25	-	4	0.0 %
26	-	3	0.0 %
28	-	7	0.1 %
29	-	3	0.0 %
30	-	1	0.0 %

Value	Label	Unweighted Frequency	%
31	-	1	0.0 %
32	-	2	0.0 %
33	-	5	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
36	-	2	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
40	-	2	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
50	-	3	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %
64	-	1	0.0 %
65	-	1	0.0 %
66	-	1	0.0 %
75	-	1	0.0 %
76	-	1	0.0 %
	Missing Data		
-6	Logical Skip	10149	73.7 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,622 valid cases out of 13,771 total cases.

- Mean: 1.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 76
- Standard Deviation: 5.82

Location: 434-436 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI9: Residential Clients, Short-term Tx

26a. On March 31, 2006, how many clients received the following RESIDENTIAL substance abuse services at this facility?

(2) Residential short-term treatment (30 days or less)

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	2408	17.5 %
1	-	40	0.3 %
2	-	69	0.5 %
3	-	49	0.4 %
4	-	52	0.4 %
5	-	65	0.5 %
6	-	55	0.4 %
7	-	41	0.3 %
8	-	58	0.4 %
9	-	31	0.2 %
10	-	62	0.5 %
11	-	24	0.2 %
12	-	52	0.4 %
13	-	32	0.2 %
14	-	25	0.2 %
15	-	41	0.3 %
16	-	30	0.2 %
17	-	25	0.2 %
18	-	30	0.2 %
19	-	18	0.1 %
20	-	44	0.3 %
21	-	14	0.1 %
22	-	20	0.1 %
23	-	20	0.1 %
24	-	23	0.2 %
25	-	31	0.2 %
26	-	6	0.0 %
27	-	9	0.1 %
28	-	15	0.1 %
29	-	7	0.1 %
30	-	22	0.2 %
31	-	8	0.1 %
32	-	14	0.1 %
33	-	10	0.1 %
34	-	9	0.1 %
35	-	8	0.1 %
36	-	13	0.1 %

Value	Label	Unweighted Frequency	%
37	-	6	0.0 %
38	-	10	0.1 %
39	-	7	0.1 %
40	-	14	0.1 %
41	-	6	0.0 %
42	-	4	0.0 %
43	-	4	0.0 %
44	-	1	0.0 %
45	-	7	0.1 %
46	-	4	0.0 %
47	-	1	0.0 %
48	-	4	0.0 %
49	-	2	0.0 %
	Missing Data		
-6	Logical Skip	10149	73.7 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,622 valid cases out of 13,771 total cases.

- Mean: 6.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 164
- Standard Deviation: 13.86

Location: 437-439 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI10: Residential Clients, Long-term Tx

26a. On March 31, 2006, how many clients received the following RESIDENTIAL substance abuse services at this facility?

(3) Residential long-term treatment (more than 30 days)

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	770	5.6 %
1	-	35	0.3 %
2	-	39	0.3 %
3	-	48	0.3 %
4	-	59	0.4 %
5	-	60	0.4 %
6	-	138	1.0 %
7	-	72	0.5 %
8	-	103	0.7 %
9	-	60	0.4 %
10	-	160	1.2 %
11	-	77	0.6 %
12	-	145	1.1 %
13	-	72	0.5 %
14	-	91	0.7 %
15	-	144	1.0 %
16	-	99	0.7 %
17	-	52	0.4 %
18	-	81	0.6 %
19	-	51	0.4 %
20	-	128	0.9 %
21	-	39	0.3 %
22	-	48	0.3 %
23	-	33	0.2 %
24	-	61	0.4 %
25	-	71	0.5 %
26	-	31	0.2 %
27	-	20	0.1 %
28	-	41	0.3 %
29	-	30	0.2 %
30	-	57	0.4 %
31	-	11	0.1 %
32	-	27	0.2 %
33	-	19	0.1 %
34	-	14	0.1 %
35	-	34	0.2 %
36	-	19	0.1 %
37	-	16	0.1 %
38	-	18	0.1 %
39	-	10	0.1 %
40	-	30	0.2 %
41	-	6	0.0 %

Value	Label	Unweighted Frequency	%
42	-	14	0.1 %
43	-	14	0.1 %
44	-	12	0.1 %
45	-	22	0.2 %
46	-	10	0.1 %
47	-	15	0.1 %
48	-	12	0.1 %
49	-	5	0.0 %
	Missing Data		
-6	Logical Skip	10149	73.7 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,622 valid cases out of 13,771 total cases.

- Mean: 21.83
- Median: 13.00
- Mode: 0.00
- Minimum: 0
- Maximum: 500
- Standard Deviation: 32.57

Location: 440-442 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIRC: Total Residential Clients

26a. On March 31, 2006, how many clients received RESIDENTIAL substance abuse services at this facility?

_____ RESIDENTIAL TOTAL

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	90	0.7 %
1	-	7	0.1 %
2	-	25	0.2 %
3	-	25	0.2 %
4	-	52	0.4 %

Value	Label	Unweighted Frequency	%
5	-	54	0.4 %
6	-	158	1.1 %
7	-	62	0.5 %
8	-	103	0.7 %
9	-	81	0.6 %
10	-	163	1.2 %
11	-	95	0.7 %
12	-	171	1.2 %
13	-	88	0.6 %
14	-	114	0.8 %
15	-	155	1.1 %
16	-	129	0.9 %
17	-	70	0.5 %
18	-	97	0.7 %
19	-	69	0.5 %
20	-	127	0.9 %
21	-	61	0.4 %
22	-	76	0.6 %
23	-	52	0.4 %
24	-	94	0.7 %
25	-	83	0.6 %
26	-	54	0.4 %
27	-	31	0.2 %
28	-	74	0.5 %
29	-	43	0.3 %
30	-	70	0.5 %
31	-	20	0.1 %
32	-	42	0.3 %
33	-	27	0.2 %
34	-	27	0.2 %
35	-	40	0.3 %
36	-	42	0.3 %
37	-	23	0.2 %
38	-	38	0.3 %
39	-	18	0.1 %
40	-	47	0.3 %
41	-	10	0.1 %
42	-	25	0.2 %
43	-	19	0.1 %
44	-	22	0.2 %
45	-	22	0.2 %
46	-	19	0.1 %

Value	Label	Unweighted Frequency	%
47	-	13	0.1 %
48	-	16	0.1 %
49	-	10	0.1 %
Missing Data			
-6	Logical Skip	10149	73.7 %
Total		13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,622 valid cases out of 13,771 total cases.

- Mean: 29.76
- Median: 20.00
- Mode: 12.00
- Minimum: 0
- Maximum: 500
- Standard Deviation: 34.26

Location: 443-445 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

R_AGE1: Residential Clients Under 18 years old

26b. How many of the clients from the RESIDENTIAL TOTAL BOX were under the age of 18?

Value	Label	Unweighted Frequency	%
0	-	3002	21.8 %
1	-	49	0.4 %
2	-	25	0.2 %
3	-	36	0.3 %
4	-	31	0.2 %
5	-	12	0.1 %
6	-	37	0.3 %
7	-	15	0.1 %
8	-	21	0.2 %
9	-	17	0.1 %
10	-	29	0.2 %
11	-	19	0.1 %
12	-	22	0.2 %
13	-	17	0.1 %
14	-	16	0.1 %
15	-	24	0.2 %
16	-	27	0.2 %
17	-	8	0.1 %

Value	Label	Unweighted Frequency	%
18	-	18	0.1 %
19	-	8	0.1 %
20	-	26	0.2 %
21	-	10	0.1 %
22	-	5	0.0 %
23	-	5	0.0 %
24	-	14	0.1 %
25	-	5	0.0 %
26	-	8	0.1 %
27	-	6	0.0 %
28	-	7	0.1 %
29	-	2	0.0 %
30	-	20	0.1 %
31	-	3	0.0 %
33	-	1	0.0 %
34	-	4	0.0 %
35	-	4	0.0 %
36	-	6	0.0 %
37	-	3	0.0 %
38	-	3	0.0 %
40	-	6	0.0 %
41	-	1	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
50	-	5	0.0 %
52	-	1	0.0 %
	Missing Data		
-6	Logical Skip	10149	73.7 %
-2	Missing	1	0.0 %
-1	Don't Know	1	0.0 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,620 valid cases out of 13,771 total cases.

- Mean: 2.96

- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 132
- Standard Deviation: 10.13

Location: 446-448 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RCMETNUM: Total Methadone Residential

26c. How many of the clients from the RESIDENTIAL TOTAL BOX received methadone or buprenorphine dispensed by this facility?

(1) Methadone

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	3778	27.4 %
1	-	11	0.1 %
2	-	12	0.1 %
3	-	5	0.0 %
4	-	4	0.0 %
5	-	4	0.0 %
6	-	1	0.0 %
7	-	3	0.0 %
8	-	2	0.0 %
9	-	3	0.0 %
10	-	3	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
13	-	2	0.0 %
14	-	2	0.0 %
15	-	3	0.0 %
16	-	5	0.0 %
17	-	2	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	4	0.0 %
21	-	2	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %

Value	Label	Unweighted Frequency	%
28	-	2	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
41	-	1	0.0 %
50	-	1	0.0 %
54	-	2	0.0 %
55	-	1	0.0 %
62	-	1	0.0 %
63	-	1	0.0 %
79	-	1	0.0 %
110	-	2	0.0 %
	Missing Data		
-6	Logical Skip	9855	71.6 %
-2	Missing	49	0.4 %
-1	Don't Know	1	0.0 %
	Total	13,771	100%

Based upon 3,866 valid cases out of 13,771 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 110
- Standard Deviation: 4.04

Location: 449-451 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RCBUPNUM: Total Buprenorphine Residential

26c. How many of the clients from the RESIDENTIAL TOTAL BOX received methadone or buprenorphine dispensed by this facility?

(2) Buprenorphine

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	3420	24.8 %
1	-	51	0.4 %
2	-	38	0.3 %
3	-	18	0.1 %

Value	Label	Unweighted Frequency	%
4	-	20	0.1 %
5	-	17	0.1 %
6	-	10	0.1 %
7	-	5	0.0 %
8	-	6	0.0 %
9	-	1	0.0 %
10	-	4	0.0 %
11	-	2	0.0 %
12	-	3	0.0 %
14	-	3	0.0 %
15	-	4	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
20	-	3	0.0 %
25	-	1	0.0 %
	Missing Data		
-6	Logical Skip	10150	73.7 %
-2	Missing	2	0.0 %
-1	Don't Know	10	0.1 %
	Total	13,771	100%

Based upon 3,609 valid cases out of 13,771 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 25
- Standard Deviation: 1.42

Location: 452-454 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RESBED: Total Beds-Residential Clients

26d. On March 31, 2006, how many residential beds at this facility were specifically designated for substance abuse treatment?

Value	Label	Unweighted Frequency	%
0	-	191	1.4 %
1	-	5	0.0 %
2	-	6	0.0 %
3	-	8	0.1 %
4	-	20	0.1 %

Value	Label	Unweighted Frequency	%
5	-	21	0.2 %
6	-	160	1.2 %
7	-	28	0.2 %
8	-	89	0.6 %
9	-	45	0.3 %
10	-	157	1.1 %
11	-	38	0.3 %
12	-	186	1.4 %
13	-	43	0.3 %
14	-	93	0.7 %
15	-	141	1.0 %
16	-	206	1.5 %
17	-	41	0.3 %
18	-	91	0.7 %
19	-	39	0.3 %
20	-	193	1.4 %
21	-	43	0.3 %
22	-	66	0.5 %
23	-	28	0.2 %
24	-	128	0.9 %
25	-	78	0.6 %
26	-	56	0.4 %
27	-	33	0.2 %
28	-	70	0.5 %
29	-	20	0.1 %
30	-	127	0.9 %
31	-	14	0.1 %
32	-	63	0.5 %
33	-	27	0.2 %
34	-	23	0.2 %
35	-	41	0.3 %
36	-	50	0.4 %
37	-	13	0.1 %
38	-	30	0.2 %
39	-	9	0.1 %
40	-	72	0.5 %
41	-	9	0.1 %
42	-	35	0.3 %
43	-	9	0.1 %
44	-	22	0.2 %
45	-	27	0.2 %
46	-	18	0.1 %

Value	Label	Unweighted Frequency	%
47	-	6	0.0 %
48	-	28	0.2 %
49	-	8	0.1 %
Missing Data			
-6	Logical Skip	10143	73.7 %
-4	Refused	1	0.0 %
-2	Missing	42	0.3 %
-1	Don't Know	5	0.0 %
Total		13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,580 valid cases out of 13,771 total cases.

- Mean: 31.80
- Median: 20.00
- Mode: 16.00
- Minimum: 0
- Maximum: 385
- Standard Deviation: 35.89

Location: 455-457 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TYPE1: Any clients rec'd Outpat'nt SA services, 3/31/06

27. During the month of March 2006, did any clients receive OUTPATIENT substance abuse services at this facility?

Value	Label	Unweighted Frequency	%
0	No	2646	19.2 %
1	Yes	10058	73.0 %
Missing Data			
-6	Logical Skip	1067	7.7 %
Total		13,771	100%

Based upon 12,704 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 458-460 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI7: Clients in Outpat'nt detox

27a. As of March 31, 2006, how many active clients were

enrolled in each of the following OUTPATIENT substance abuse services at this facility?

(1) Outpatient detoxification

An active outpatient client is someone who:

1 - was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2006

AND

2 - was still enrolled in treatment on March 31, 2006.

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	9427	68.5 %
1	-	79	0.6 %
2	-	131	1.0 %
3	-	59	0.4 %
4	-	54	0.4 %
5	-	79	0.6 %
6	-	33	0.2 %
7	-	13	0.1 %
8	-	20	0.1 %
9	-	19	0.1 %
10	-	64	0.5 %
11	-	8	0.1 %
12	-	15	0.1 %
13	-	6	0.0 %
14	-	6	0.0 %
15	-	16	0.1 %
16	-	8	0.1 %
17	-	2	0.0 %
18	-	9	0.1 %
19	-	2	0.0 %
20	-	23	0.2 %
21	-	3	0.0 %
22	-	9	0.1 %
23	-	5	0.0 %
24	-	3	0.0 %

Value	Label	Unweighted Frequency	%
25	-	12	0.1 %
27	-	4	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	11	0.1 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	4	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
40	-	9	0.1 %
41	-	2	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	3	0.0 %
46	-	1	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
50	-	12	0.1 %
52	-	1	0.0 %
53	-	1	0.0 %
55	-	3	0.0 %
	Missing Data		
-6	Logical Skip	3547	25.8 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,224 valid cases out of 13,771 total cases.

- Mean: 1.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 300
- Standard Deviation: 9.07

Location: 461-463 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

27a. As of March 31, 2006, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

(2) Outpatient methadone/buprenorphine maintenance (count methadone and buprenorphine maintenance clients on this line only)

An active outpatient client is someone who:

1 - was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2006

AND

2 - was still enrolled in treatment on March 31, 2006.

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	9004	65.4 %
1	-	32	0.2 %
2	-	30	0.2 %
3	-	27	0.2 %
4	-	12	0.1 %
5	-	32	0.2 %
6	-	12	0.1 %
7	-	9	0.1 %
8	-	7	0.1 %
9	-	3	0.0 %
10	-	27	0.2 %
11	-	3	0.0 %
12	-	7	0.1 %
15	-	16	0.1 %
16	-	3	0.0 %
17	-	3	0.0 %
18	-	3	0.0 %
20	-	13	0.1 %
21	-	5	0.0 %
22	-	6	0.0 %
23	-	3	0.0 %
24	-	1	0.0 %

Value	Label	Unweighted Frequency	%
25	-	4	0.0 %
26	-	3	0.0 %
27	-	1	0.0 %
28	-	5	0.0 %
29	-	6	0.0 %
30	-	23	0.2 %
33	-	1	0.0 %
35	-	7	0.1 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	3	0.0 %
40	-	4	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
48	-	1	0.0 %
50	-	11	0.1 %
51	-	3	0.0 %
52	-	3	0.0 %
53	-	2	0.0 %
54	-	4	0.0 %
55	-	4	0.0 %
56	-	4	0.0 %
58	-	4	0.0 %
59	-	1	0.0 %
	Missing Data		
-6	Logical Skip	3547	25.8 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,224 valid cases out of 13,771 total cases.

- Mean: 24.85
- Minimum: 0
- Maximum: 1871
- Standard Deviation: 99.45

Location: 464-467 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI8: Clients in Day Tx/Partial Hosp

27a. As of March 31, 2006, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

(3) Outpatient day treatment or partial hospitalization
(20 or more hours per week)

An active outpatient client is someone who:

1 - was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2006

AND

2 - was still enrolled in treatment on March 31, 2006.

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	8940	64.9 %
1	-	90	0.7 %
2	-	99	0.7 %
3	-	48	0.3 %
4	-	68	0.5 %
5	-	87	0.6 %
6	-	67	0.5 %
7	-	27	0.2 %
8	-	48	0.3 %
9	-	32	0.2 %
10	-	80	0.6 %
11	-	13	0.1 %
12	-	47	0.3 %
13	-	15	0.1 %
14	-	18	0.1 %
15	-	72	0.5 %
16	-	15	0.1 %
17	-	16	0.1 %
18	-	19	0.1 %
19	-	10	0.1 %
20	-	65	0.5 %
21	-	13	0.1 %

Value	Label	Unweighted Frequency	%
22	-	15	0.1 %
23	-	5	0.0 %
24	-	14	0.1 %
25	-	36	0.3 %
26	-	7	0.1 %
27	-	9	0.1 %
28	-	3	0.0 %
29	-	2	0.0 %
30	-	37	0.3 %
31	-	10	0.1 %
32	-	7	0.1 %
33	-	2	0.0 %
34	-	2	0.0 %
35	-	11	0.1 %
36	-	3	0.0 %
37	-	2	0.0 %
38	-	4	0.0 %
39	-	4	0.0 %
40	-	17	0.1 %
41	-	3	0.0 %
42	-	6	0.0 %
43	-	4	0.0 %
44	-	1	0.0 %
45	-	10	0.1 %
46	-	3	0.0 %
47	-	2	0.0 %
48	-	5	0.0 %
49	-	3	0.0 %
	Missing Data		
-6	Logical Skip	3547	25.8 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,224 valid cases out of 13,771 total cases.

- Mean: 2.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 400
- Standard Deviation: 10.98

Location: 468-470 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI6: Clients in Intensive Outpat'nt

27a. As of March 31, 2006, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

(4) Intensive outpatient treatment
(a minimum of 2 hours per day on 3 or more days per week)

An active outpatient client is someone who:

1 - was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2006

AND

2 - was still enrolled in treatment on March 31, 2006.

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	5596	40.6 %
1	-	109	0.8 %
2	-	140	1.0 %
3	-	172	1.2 %
4	-	146	1.1 %
5	-	207	1.5 %
6	-	167	1.2 %
7	-	103	0.7 %
8	-	176	1.3 %
9	-	85	0.6 %
10	-	325	2.4 %
11	-	83	0.6 %
12	-	231	1.7 %
13	-	71	0.5 %
14	-	71	0.5 %
15	-	231	1.7 %
16	-	72	0.5 %
17	-	59	0.4 %
18	-	76	0.6 %
19	-	31	0.2 %

Value	Label	Unweighted Frequency	%
20	-	247	1.8 %
21	-	49	0.4 %
22	-	62	0.5 %
23	-	41	0.3 %
24	-	79	0.6 %
25	-	129	0.9 %
26	-	48	0.3 %
27	-	29	0.2 %
28	-	35	0.3 %
29	-	21	0.2 %
30	-	154	1.1 %
31	-	20	0.1 %
32	-	33	0.2 %
33	-	22	0.2 %
34	-	17	0.1 %
35	-	60	0.4 %
36	-	29	0.2 %
37	-	17	0.1 %
38	-	23	0.2 %
39	-	17	0.1 %
40	-	114	0.8 %
41	-	12	0.1 %
42	-	14	0.1 %
43	-	7	0.1 %
44	-	7	0.1 %
45	-	68	0.5 %
46	-	17	0.1 %
47	-	6	0.0 %
48	-	13	0.1 %
49	-	5	0.0 %
	Missing Data		
-6	Logical Skip	3547	25.8 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,224 valid cases out of 13,771 total cases.

- Mean: 12.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 600

• Standard Deviation: 29.43

Location: 471-474 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI5: Clients in regular Outpat'nt Care

27a. As of March 31, 2006, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

(5) Regular outpatient treatment
(fewer hours per week than intensive)

An active outpatient client is someone who:

1 - was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2006

AND

2 - was still enrolled in treatment on March 31, 2006.

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	1982	14.4 %
1	-	93	0.7 %
2	-	169	1.2 %
3	-	160	1.2 %
4	-	143	1.0 %
5	-	216	1.6 %
6	-	164	1.2 %
7	-	89	0.6 %
8	-	166	1.2 %
9	-	91	0.7 %
10	-	333	2.4 %
11	-	76	0.6 %
12	-	183	1.3 %
13	-	46	0.3 %
14	-	65	0.5 %
15	-	271	2.0 %
16	-	82	0.6 %

Value	Label	Unweighted Frequency	%
17	-	53	0.4 %
18	-	82	0.6 %
19	-	49	0.4 %
20	-	323	2.3 %
21	-	61	0.4 %
22	-	83	0.6 %
23	-	58	0.4 %
24	-	80	0.6 %
25	-	216	1.6 %
26	-	43	0.3 %
27	-	53	0.4 %
28	-	42	0.3 %
29	-	35	0.3 %
30	-	286	2.1 %
31	-	33	0.2 %
32	-	52	0.4 %
33	-	32	0.2 %
34	-	36	0.3 %
35	-	149	1.1 %
36	-	44	0.3 %
37	-	34	0.2 %
38	-	44	0.3 %
39	-	27	0.2 %
40	-	214	1.6 %
41	-	30	0.2 %
42	-	51	0.4 %
43	-	37	0.3 %
44	-	24	0.2 %
45	-	108	0.8 %
46	-	39	0.3 %
47	-	29	0.2 %
48	-	43	0.3 %
49	-	25	0.2 %
	Missing Data		
-6	Logical Skip	3547	25.8 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,224 valid cases out of 13,771 total cases.

- Mean: 57.66
- Minimum: 0

- Maximum: 3381
- Standard Deviation: 109.24

Location: 475-478 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIOP: Total Number of Outpat'nt Clients

27a. As of March 31, 2006, how many active clients were enrolled in OUTPATIENT substance abuse services at this facility?

_____ OUTPATIENT TOTAL

An active outpatient client is someone who:

1 - was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2006

AND

2 - was still enrolled in treatment on March 31, 2006.

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	305	2.2 %
1	-	66	0.5 %
2	-	118	0.9 %
3	-	107	0.8 %
4	-	118	0.9 %
5	-	138	1.0 %
6	-	146	1.1 %
7	-	104	0.8 %
8	-	137	1.0 %
9	-	92	0.7 %
10	-	241	1.8 %
11	-	84	0.6 %
12	-	179	1.3 %
13	-	77	0.6 %
14	-	88	0.6 %
15	-	223	1.6 %
16	-	90	0.7 %

Value	Label	Unweighted Frequency	%
17	-	82	0.6 %
18	-	108	0.8 %
19	-	62	0.5 %
20	-	243	1.8 %
21	-	81	0.6 %
22	-	93	0.7 %
23	-	60	0.4 %
24	-	84	0.6 %
25	-	184	1.3 %
26	-	74	0.5 %
27	-	77	0.6 %
28	-	79	0.6 %
29	-	47	0.3 %
30	-	238	1.7 %
31	-	42	0.3 %
32	-	75	0.5 %
33	-	60	0.4 %
34	-	36	0.3 %
35	-	148	1.1 %
36	-	66	0.5 %
37	-	45	0.3 %
38	-	41	0.3 %
39	-	43	0.3 %
40	-	213	1.5 %
41	-	58	0.4 %
42	-	59	0.4 %
43	-	40	0.3 %
44	-	37	0.3 %
45	-	135	1.0 %
46	-	45	0.3 %
47	-	40	0.3 %
48	-	52	0.4 %
49	-	34	0.2 %
	Missing Data		
-6	Logical Skip	3547	25.8 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,224 valid cases out of 13,771 total cases.

- Mean: 98.68
- Minimum: 0

- Maximum: 3381
- Standard Deviation: 148.59

Location: 479-482 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

O_AGE1: Outpat'nt clients under 18 years old

27b. How many of the clients from the OUTPATIENT TOTAL BOX were under the age of 18?

Value	Label	Unweighted Frequency	%
0	-	5809	42.2 %
1	-	377	2.7 %
2	-	467	3.4 %
3	-	272	2.0 %
4	-	223	1.6 %
5	-	286	2.1 %
6	-	180	1.3 %
7	-	117	0.8 %
8	-	147	1.1 %
9	-	80	0.6 %
10	-	260	1.9 %
11	-	72	0.5 %
12	-	131	1.0 %
13	-	48	0.3 %
14	-	49	0.4 %
15	-	194	1.4 %
16	-	44	0.3 %
17	-	46	0.3 %
18	-	51	0.4 %
19	-	22	0.2 %
20	-	173	1.3 %
21	-	28	0.2 %
22	-	24	0.2 %
23	-	24	0.2 %
24	-	22	0.2 %
25	-	99	0.7 %
26	-	26	0.2 %
27	-	21	0.2 %
28	-	23	0.2 %
29	-	17	0.1 %
30	-	81	0.6 %
31	-	18	0.1 %
32	-	7	0.1 %

Value	Label	Unweighted Frequency	%
33	-	14	0.1 %
34	-	15	0.1 %
35	-	44	0.3 %
36	-	12	0.1 %
37	-	9	0.1 %
38	-	10	0.1 %
39	-	7	0.1 %
40	-	60	0.4 %
41	-	8	0.1 %
42	-	13	0.1 %
43	-	6	0.0 %
44	-	7	0.1 %
45	-	21	0.2 %
46	-	8	0.1 %
47	-	3	0.0 %
48	-	6	0.0 %
49	-	7	0.1 %
	Missing Data		
-6	Logical Skip	3701	26.9 %
-2	Missing	1	0.0 %
-1	Don't Know	7	0.1 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,062 valid cases out of 13,771 total cases.

- Mean: 7.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 617
- Standard Deviation: 24.31

Location: 483-485 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OPMETNUM: Total Methadone Outpat'nts

27c. How many of the clients from the OUTPATIENT TOTAL BOX received methadone or buprenorphine dispensed by this facility?

(1) Methadone

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	9056	65.8 %
1	-	2	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	3	0.0 %
6	-	3	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	5	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
15	-	3	0.0 %
16	-	2	0.0 %
17	-	2	0.0 %
18	-	2	0.0 %
20	-	5	0.0 %
21	-	2	0.0 %
22	-	1	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	6	0.0 %
33	-	1	0.0 %
35	-	3	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	5	0.0 %
41	-	1	0.0 %
43	-	2	0.0 %
44	-	3	0.0 %
45	-	4	0.0 %
46	-	1	0.0 %
50	-	7	0.1 %
51	-	2	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %

Value	Label	Unweighted Frequency	%
54	-	5	0.0 %
55	-	3	0.0 %
56	-	1	0.0 %
57	-	3	0.0 %
58	-	2	0.0 %
60	-	4	0.0 %
62	-	3	0.0 %
65	-	3	0.0 %
66	-	1	0.0 %
67	-	2	0.0 %
68	-	2	0.0 %
	Missing Data		
-6	Logical Skip	3615	26.3 %
-4	Refused	1	0.0 %
-2	Missing	138	1.0 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,017 valid cases out of 13,771 total cases.

- Mean: 25.59
- Minimum: 0
- Maximum: 1906
- Standard Deviation: 102.35

Location: 486-489 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OPBUPNUM: Total Buprenorphine Outpat'nts

27c. How many of the clients from the OUTPATIENT TOTAL BOX received methadone or buprenorphine dispensed by this facility?

(2) Buprenorphine

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	9547	69.3 %
1	-	55	0.4 %
2	-	60	0.4 %

Value	Label	Unweighted Frequency	%
3	-	50	0.4 %
4	-	28	0.2 %
5	-	43	0.3 %
6	-	16	0.1 %
7	-	18	0.1 %
8	-	10	0.1 %
9	-	6	0.0 %
10	-	43	0.3 %
11	-	5	0.0 %
12	-	10	0.1 %
13	-	3	0.0 %
14	-	2	0.0 %
15	-	23	0.2 %
16	-	2	0.0 %
17	-	5	0.0 %
18	-	3	0.0 %
20	-	27	0.2 %
21	-	4	0.0 %
22	-	5	0.0 %
23	-	3	0.0 %
24	-	1	0.0 %
25	-	5	0.0 %
26	-	1	0.0 %
27	-	2	0.0 %
28	-	4	0.0 %
29	-	3	0.0 %
30	-	15	0.1 %
31	-	1	0.0 %
33	-	2	0.0 %
35	-	4	0.0 %
37	-	1	0.0 %
38	-	2	0.0 %
40	-	2	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
50	-	5	0.0 %
52	-	2	0.0 %
60	-	1	0.0 %
62	-	1	0.0 %
70	-	1	0.0 %

Value	Label	Unweighted Frequency	%
91	-	1	0.0 %
105	-	1	0.0 %
131	-	1	0.0 %
136	-	1	0.0 %
Missing Data			
-6	Logical Skip	3724	27.0 %
-4	Refused	2	0.0 %
-2	Missing	1	0.0 %
-1	Don't Know	14	0.1 %
Total		13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,030 valid cases out of 13,771 total cases.

- Mean: 0.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 136
- Standard Deviation: 4.11

Location: 490-492 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

B_PCT: % of Clients Treated for Alc/Drug Abuse

28. Thinking about all of your substance abuse treatment clients - including hospital inpatient, residential, and/or outpatient - approximately what percent of the substance abuse treatment clients enrolled at this facility on March 31, 2006, were being treated for . . .

(1) . . . Abuse of both alcohol and drugs?

Value	Label	Unweighted Frequency	%
0	-	739	5.4 %
1	-	43	0.3 %
2	-	44	0.3 %
3	-	29	0.2 %
4	-	27	0.2 %
5	-	193	1.4 %
6	-	25	0.2 %
7	-	17	0.1 %

Value	Label	Unweighted Frequency	%
8	-	30	0.2 %
9	-	20	0.1 %
10	-	373	2.7 %
11	-	31	0.2 %
12	-	32	0.2 %
13	-	20	0.1 %
14	-	14	0.1 %
15	-	188	1.4 %
16	-	23	0.2 %
17	-	31	0.2 %
18	-	26	0.2 %
19	-	15	0.1 %
20	-	481	3.5 %
21	-	17	0.1 %
22	-	24	0.2 %
23	-	26	0.2 %
24	-	18	0.1 %
25	-	396	2.9 %
26	-	21	0.2 %
27	-	19	0.1 %
28	-	32	0.2 %
29	-	30	0.2 %
30	-	508	3.7 %
31	-	15	0.1 %
32	-	30	0.2 %
33	-	72	0.5 %
34	-	76	0.6 %
35	-	192	1.4 %
36	-	27	0.2 %
37	-	25	0.2 %
38	-	38	0.3 %
39	-	21	0.2 %
40	-	547	4.0 %
41	-	21	0.2 %
42	-	21	0.2 %
43	-	34	0.2 %
44	-	19	0.1 %
45	-	154	1.1 %
46	-	19	0.1 %
47	-	24	0.2 %
48	-	26	0.2 %
49	-	19	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-6	Logical Skip	1292	9.4 %
-4	Refused	7	0.1 %
-2	Missing	3	0.0 %
-1	Don't Know	30	0.2 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,439 valid cases out of 13,771 total cases.

- Mean: 53.73
- Median: 55.00
- Mode: 50.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 30.36

Location: 493-495 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

A_PCT: % of Clients Treated for Alc Abuse

28. Thinking about all of your substance abuse treatment clients - including hospital inpatient, residential, and/or outpatient - approximately what percent of the substance abuse treatment clients enrolled at this facility on March 31, 2006, were being treated for . . .

(2) . . . Alcohol abuse only?

Value	Label	Unweighted Frequency	%
0	-	2374	17.2 %
1	-	161	1.2 %
2	-	157	1.1 %
3	-	99	0.7 %
4	-	54	0.4 %
5	-	885	6.4 %
6	-	52	0.4 %
7	-	62	0.5 %
8	-	95	0.7 %
9	-	45	0.3 %
10	-	1649	12.0 %
11	-	33	0.2 %

Value	Label	Unweighted Frequency	%
12	-	96	0.7 %
13	-	57	0.4 %
14	-	40	0.3 %
15	-	683	5.0 %
16	-	35	0.3 %
17	-	54	0.4 %
18	-	57	0.4 %
19	-	28	0.2 %
20	-	1238	9.0 %
21	-	29	0.2 %
22	-	40	0.3 %
23	-	44	0.3 %
24	-	26	0.2 %
25	-	888	6.4 %
26	-	19	0.1 %
27	-	38	0.3 %
28	-	28	0.2 %
29	-	30	0.2 %
30	-	653	4.7 %
31	-	25	0.2 %
32	-	31	0.2 %
33	-	132	1.0 %
34	-	26	0.2 %
35	-	165	1.2 %
36	-	24	0.2 %
37	-	19	0.1 %
38	-	26	0.2 %
39	-	13	0.1 %
40	-	350	2.5 %
41	-	13	0.1 %
42	-	17	0.1 %
43	-	24	0.2 %
44	-	15	0.1 %
45	-	73	0.5 %
46	-	18	0.1 %
47	-	7	0.1 %
48	-	13	0.1 %
49	-	13	0.1 %
	Missing Data		
-6	Logical Skip	1292	9.4 %
-4	Refused	7	0.1 %
-2	Missing	5	0.0 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	31	0.2 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,436 valid cases out of 13,771 total cases.

- Mean: 21.38
- Median: 15.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 22.53

Location: 496-498 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

D_PCT: % of Clients Treated for Drug Abuse

28. Thinking about all of your substance abuse treatment clients - including hospital inpatient, residential, and/or outpatient - approximately what percent of the substance abuse treatment clients enrolled at this facility on March 31, 2006, were being treated for . . .

(3) . . . Drug abuse only?

Value	Label	Unweighted Frequency	%
0	-	2189	15.9 %
1	-	111	0.8 %
2	-	123	0.9 %
3	-	65	0.5 %
4	-	47	0.3 %
5	-	830	6.0 %
6	-	48	0.3 %
7	-	63	0.5 %
8	-	69	0.5 %
9	-	42	0.3 %
10	-	1643	11.9 %
11	-	33	0.2 %
12	-	83	0.6 %
13	-	64	0.5 %
14	-	59	0.4 %
15	-	704	5.1 %

Value	Label	Unweighted Frequency	%
16	-	30	0.2 %
17	-	49	0.4 %
18	-	57	0.4 %
19	-	33	0.2 %
20	-	1253	9.1 %
21	-	35	0.3 %
22	-	39	0.3 %
23	-	39	0.3 %
24	-	39	0.3 %
25	-	879	6.4 %
26	-	27	0.2 %
27	-	26	0.2 %
28	-	39	0.3 %
29	-	25	0.2 %
30	-	587	4.3 %
31	-	30	0.2 %
32	-	19	0.1 %
33	-	101	0.7 %
34	-	42	0.3 %
35	-	157	1.1 %
36	-	29	0.2 %
37	-	20	0.1 %
38	-	32	0.2 %
39	-	14	0.1 %
40	-	314	2.3 %
41	-	21	0.2 %
42	-	19	0.1 %
43	-	31	0.2 %
44	-	18	0.1 %
45	-	96	0.7 %
46	-	17	0.1 %
47	-	17	0.1 %
48	-	15	0.1 %
49	-	6	0.0 %
	Missing Data		
-6	Logical Skip	1292	9.4 %
-4	Refused	7	0.1 %
-2	Missing	5	0.0 %
-1	Don't Know	32	0.2 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,435 valid cases out of 13,771 total cases.

- Mean: 24.91
- Median: 17.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 26.71

Location: 499-501 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TOTADMIS: Total # of admissions for Sub Abuse Tx

29. In the 12 months beginning April 1, 2005, and ending March 31, 2006, how many ADMISSIONS for substance abuse treatment did this facility have? Count every admission and re-admission in this 12-month period. If a person was admitted 3 times, count this as 3 admissions.

Number of substance abuse admissions in 12-month period

FOR OUTPATIENT CLIENTS, consider an admission to be the initiation of a treatment program or course of treatment. Count admissions into treatment, not individual treatment visits.

IF DATA FOR THIS TIME PERIOD are not available, use the most recent 12-month period for which you have data.

IF THIS IS A MENTAL HEALTH FACILITY, count all admissions in which clients received substance abuse treatment, even if substance abuse was their secondary diagnosis.

Value	Label	Unweighted Frequency	%
0	-	57	0.4 %
1	-	16	0.1 %
2	-	33	0.2 %
3	-	27	0.2 %
4	-	29	0.2 %
5	-	45	0.3 %
6	-	34	0.2 %
7	-	18	0.1 %
8	-	39	0.3 %
9	-	18	0.1 %
10	-	88	0.6 %
11	-	24	0.2 %

Value	Label	Unweighted Frequency	%
12	-	71	0.5 %
13	-	30	0.2 %
14	-	25	0.2 %
15	-	89	0.6 %
16	-	31	0.2 %
17	-	30	0.2 %
18	-	37	0.3 %
19	-	31	0.2 %
20	-	129	0.9 %
21	-	23	0.2 %
22	-	44	0.3 %
23	-	39	0.3 %
24	-	54	0.4 %
25	-	141	1.0 %
26	-	36	0.3 %
27	-	31	0.2 %
28	-	34	0.2 %
29	-	21	0.2 %
30	-	174	1.3 %
31	-	29	0.2 %
32	-	42	0.3 %
33	-	27	0.2 %
34	-	36	0.3 %
35	-	97	0.7 %
36	-	58	0.4 %
37	-	35	0.3 %
38	-	30	0.2 %
39	-	20	0.1 %
40	-	161	1.2 %
41	-	27	0.2 %
42	-	59	0.4 %
43	-	30	0.2 %
44	-	29	0.2 %
45	-	87	0.6 %
46	-	35	0.3 %
47	-	34	0.2 %
48	-	50	0.4 %
49	-	32	0.2 %
	Missing Data		
-6	Logical Skip	1045	7.6 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,726 valid cases out of 13,771 total cases.

- Mean: 298.83
- Minimum: 0
- Maximum: 15000
- Standard Deviation: 522.83

Location: 502-506 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FACCLI: Other facilities included in client ct

30. How many facilities are included in the client counts reported in questions 25 through 29?

Value	Label	Unweighted Frequency	%
1	Only this facility	12056	87.5 %
2	This facility plus others	661	4.8 %
	Missing Data		
-6	Logical Skip	1054	7.7 %
	Total	13,771	100%

Based upon 12,717 valid cases out of 13,771 total cases.

- Minimum: 1
- Maximum: 2

Location: 507-509 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FACNUM: # of Facilities in Client Count Data

30. How many facilities are included in the client counts reported in questions 25 through 29?

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	364	2.6 %
3	-	150	1.1 %
4	-	73	0.5 %
5	-	29	0.2 %
6	-	17	0.1 %
7	-	10	0.1 %
8	-	3	0.0 %
9	-	3	0.0 %
10	-	5	0.0 %
11	-	2	0.0 %

Value	Label	Unweighted Frequency	%
14	-	1	0.0 %
21	-	2	0.0 %
31	-	1	0.0 %
Missing Data			
-6	Logical Skip	13110	95.2 %
Total		13,771	100%

Based upon 661 valid cases out of 13,771 total cases.

- Mean: 3.02
- Median: 2.00
- Mode: 2.00
- Minimum: 1
- Maximum: 31
- Standard Deviation: 2.12

Location: 510-512 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ACTHI: Actual or estimate hosp inpat'nt client ct

31. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(1) Hospital inpatient clients (Q.25a, Pg. 7)

Mark "N/A" for any type of care not provided by this facility on March 31, 2006.

Value	Label	Unweighted Frequency	%
1	Actual	399	2.9 %
2	Estimate	360	2.6 %
Missing Data			
-7	Not Applicable	11935	86.7 %
-6	Logical Skip	1054	7.7 %
-2	Missing	23	0.2 %
Total		13,771	100%

Based upon 759 valid cases out of 13,771 total cases.

- Minimum: 1
- Maximum: 2

Location: 513-515 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ACTRES: Actual or estimate non-hosp res client ct

31. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(2) Residential clients (Q.26a, Pg. 7)

Mark "N/A" for any type of care not provided by this facility on March 31, 2006.

Value	Label	Unweighted Frequency	%
1	Actual	2393	17.4 %
2	Estimate	1082	7.9 %
	Missing Data		
-7	Not Applicable	9194	66.8 %
-6	Logical Skip	1054	7.7 %
-2	Missing	47	0.3 %
-1	Don't Know	1	0.0 %
	Total	13,771	100%

Based upon 3,475 valid cases out of 13,771 total cases.

- Minimum: 1
- Maximum: 2

Location: 516-518 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ACTOP: Actual or estimate outpat'nt client ct

31. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(3) Outpatient clients (Q.27a, Pg. 8)

Mark "N/A" for any type of care not provided by this facility on March 31, 2006.

Value	Label	Unweighted Frequency	%
1	Actual	4636	33.7 %
2	Estimate	5121	37.2 %
	Missing Data		
-7	Not Applicable	2829	20.5 %
-6	Logical Skip	1054	7.7 %

Value	Label	Unweighted Frequency	%
-5	Multiple Responses	1	0.0 %
-4	Refused	2	0.0 %
-2	Missing	117	0.8 %
-1	Don't Know	11	0.1 %
	Total	13,771	100%

Based upon 9,757 valid cases out of 13,771 total cases.

- Minimum: 1
- Maximum: 2

Location: 519-521 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TOTADEST: Actual or Estimate admis no.

31. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(4) 12-month admissions (Q.29)

Mark "N/A" for any type of care not provided by this facility on March 31, 2006.

Value	Label	Unweighted Frequency	%
1	Actual	5121	37.2 %
2	Estimate	6824	49.6 %
	Missing Data		
-7	Not Applicable	253	1.8 %
-6	Logical Skip	1054	7.7 %
-4	Refused	3	0.0 %
-2	Missing	504	3.7 %
-1	Don't Know	12	0.1 %
	Total	13,771	100%

Based upon 11,945 valid cases out of 13,771 total cases.

- Minimum: 1
- Maximum: 2

Location: 522-524 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LOC5: Setting, Halfway House

32. Does this facility operate a halfway house or other transitional housing for substance abuse clients at this location, that is, the location listed on the front cover?

Value	Label	Unweighted Frequency	%
0	No	12397	90.0 %
1	Yes	1350	9.8 %
	Missing Data		
-4	Refused	5	0.0 %
-2	Missing	2	0.0 %
-1	Don't Know	17	0.1 %
	Total	13,771	100%

Based upon 13,747 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 525-527 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LICENSED: Licns'd/certif'd by State SA Agency

33. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(1) State substance abuse agency

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	2170	15.8 %
1	Yes	11184	81.2 %
	Missing Data		
-5	Multiple Responses	2	0.0 %
-4	Refused	6	0.0 %
-2	Missing	12	0.1 %
-1	Don't Know	397	2.9 %
	Total	13,771	100%

Based upon 13,354 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 528-530 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LICENMH: Licns'd/certif'd by Mental Health Dept.

33. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(2) State mental health department

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	8339	60.6 %
1	Yes	4665	33.9 %
	Missing Data		
-5	Multiple Responses	7	0.1 %
-4	Refused	7	0.1 %
-2	Missing	18	0.1 %
-1	Don't Know	735	5.3 %
	Total	13,771	100%

Based upon 13,004 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 531-533 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LICENPH: Licns'd/certif'd by Public Health Dept.

33. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(3) State department of health

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	7196	52.3 %
1	Yes	5476	39.8 %
Missing Data			
-5	Multiple Responses	7	0.1 %
-4	Refused	6	0.0 %
-2	Missing	21	0.2 %
-1	Don't Know	1065	7.7 %
Total		13,771	100%

Based upon 12,672 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 534-536 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LICENHOS: Licns'd/certif'd by Hospital authority

33. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(4) Hospital licensing authority

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	11615	84.3 %
1	Yes	1155	8.4 %
Missing Data			
-5	Multiple Responses	5	0.0 %
-4	Refused	6	0.0 %
-2	Missing	25	0.2 %
-1	Don't Know	965	7.0 %
Total		13,771	100%

Based upon 12,770 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 537-539 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

JCAHO: Accred't'd by JCAHO

33. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(5) JCAHO (Joint Commission on Accreditation of Healthcare Organizations)

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	9953	72.3 %
1	Yes	3017	21.9 %
	Missing Data		
-5	Multiple Responses	2	0.0 %
-4	Refused	6	0.0 %
-2	Missing	16	0.1 %
-1	Don't Know	777	5.6 %
	Total	13,771	100%

Based upon 12,970 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 540-542 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CARF: Accred't'd by CARF

33. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(6) CARF (Commission on Accreditation of Rehabilitation Facilities)

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service

licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	10280	74.6 %
1	Yes	2445	17.8 %
Missing Data			
-5	Multiple Responses	3	0.0 %
-4	Refused	6	0.0 %
-2	Missing	26	0.2 %
-1	Don't Know	1011	7.3 %
Total		13,771	100%

Based upon 12,725 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 543-545 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

NCQA: Accred't'd by NCQA

33. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(7) NCQA (National Committee for Quality Assurance)

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	11786	85.6 %
1	Yes	304	2.2 %
Missing Data			
-5	Multiple Responses	5	0.0 %
-4	Refused	6	0.0 %
-2	Missing	22	0.2 %
-1	Don't Know	1648	12.0 %
Total		13,771	100%

Based upon 12,090 valid cases out of 13,771 total cases.

- Minimum: 0

- Maximum: 1

Location: 546-548 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

COA: Accred't'd by COA

33. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(8) COA (Council on Accreditation for Children & Family Services)

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	11841	86.0 %
1	Yes	578	4.2 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-4	Refused	6	0.0 %
-2	Missing	25	0.2 %
-1	Don't Know	1320	9.6 %
	Total	13,771	100%

Based upon 12,419 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 549-551 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTHSTATE: Licns'd/certif'd by other State Agency

33. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(9) Another state or local agency or other organization

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service

licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	10839	78.7 %
1	Yes	1647	12.0 %
Missing Data			
-5	Multiple Responses	1	0.0 %
-4	Refused	6	0.0 %
-2	Missing	11	0.1 %
-1	Don't Know	1267	9.2 %
Total		13,771	100%

Based upon 12,486 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 552-554 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HASWEB: Has Web site- y/n

34. Does this facility have a website or web page with information about the facility's substance abuse treatment programs?

Value	Label	Unweighted Frequency	%
0	No	4821	35.0 %
1	Yes	8774	63.7 %
Missing Data			
-5	Multiple Responses	3	0.0 %
-4	Refused	5	0.0 %
-2	Missing	59	0.4 %
-1	Don't Know	109	0.8 %
Total		13,771	100%

Based upon 13,595 valid cases out of 13,771 total cases.

- Minimum: 0
- Maximum: 1

Location: 555-557 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RPTLVL: Added: Reporting for Self, Self & Others, No Counts

Value	Label	Unweighted Frequency	%
1	Reporting for self	12056	87.5 %

Value	Label	Unweighted Frequency	%
2	Reporting for self and others	661	4.8 %
3	Client counts reported by another facility	1054	7.7 %
	Missing Data		
	Total	13,771	100%

Based upon 13,771 valid cases out of 13,771 total cases.

- Minimum: 1
- Maximum: 3

Location: 558-560 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI11: Added: Total t_cli11 3/31/06

Value	Label	Unweighted Frequency	%
0	-	184	1.3 %
1	-	50	0.4 %
2	-	91	0.7 %
3	-	114	0.8 %
4	-	117	0.8 %
5	-	156	1.1 %
6	-	249	1.8 %
7	-	127	0.9 %
8	-	188	1.4 %
9	-	138	1.0 %
10	-	320	2.3 %
11	-	148	1.1 %
12	-	284	2.1 %
13	-	132	1.0 %
14	-	174	1.3 %
15	-	309	2.2 %
16	-	173	1.3 %
17	-	120	0.9 %
18	-	179	1.3 %
19	-	105	0.8 %
20	-	328	2.4 %
21	-	140	1.0 %
22	-	142	1.0 %
23	-	109	0.8 %
24	-	148	1.1 %
25	-	238	1.7 %
26	-	112	0.8 %

Value	Label	Unweighted Frequency	%
27	-	104	0.8 %
28	-	129	0.9 %
29	-	85	0.6 %
30	-	289	2.1 %
31	-	65	0.5 %
32	-	108	0.8 %
33	-	83	0.6 %
34	-	71	0.5 %
35	-	165	1.2 %
36	-	105	0.8 %
37	-	70	0.5 %
38	-	71	0.5 %
39	-	55	0.4 %
40	-	232	1.7 %
41	-	68	0.5 %
42	-	90	0.7 %
43	-	48	0.3 %
44	-	71	0.5 %
45	-	138	1.0 %
46	-	67	0.5 %
47	-	53	0.4 %
48	-	67	0.5 %
49	-	42	0.3 %
	Missing Data		
-6	Logical Skip	1061	7.7 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,710 valid cases out of 13,771 total cases.

- Mean: 88.98
- Minimum: 0
- Maximum: 3381
- Standard Deviation: 138.01

Location: 561-564 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIUV: Added: Total t_cli11 Under Age 18 3/31/06

Value	Label	Unweighted Frequency	%
0	-	7825	56.8 %

Value	Label	Unweighted Frequency	%
1	-	411	3.0 %
2	-	476	3.5 %
3	-	292	2.1 %
4	-	253	1.8 %
5	-	288	2.1 %
6	-	203	1.5 %
7	-	125	0.9 %
8	-	162	1.2 %
9	-	97	0.7 %
10	-	271	2.0 %
11	-	78	0.6 %
12	-	149	1.1 %
13	-	63	0.5 %
14	-	61	0.4 %
15	-	207	1.5 %
16	-	67	0.5 %
17	-	46	0.3 %
18	-	66	0.5 %
19	-	27	0.2 %
20	-	195	1.4 %
21	-	35	0.3 %
22	-	31	0.2 %
23	-	30	0.2 %
24	-	32	0.2 %
25	-	105	0.8 %
26	-	39	0.3 %
27	-	24	0.2 %
28	-	32	0.2 %
29	-	21	0.2 %
30	-	93	0.7 %
31	-	19	0.1 %
32	-	8	0.1 %
33	-	13	0.1 %
34	-	20	0.1 %
35	-	48	0.3 %
36	-	17	0.1 %
37	-	10	0.1 %
38	-	16	0.1 %
39	-	10	0.1 %
40	-	65	0.5 %
41	-	10	0.1 %
42	-	19	0.1 %

Value	Label	Unweighted Frequency	%
43	-	9	0.1 %
44	-	9	0.1 %
45	-	24	0.2 %
46	-	12	0.1 %
47	-	4	0.0 %
48	-	9	0.1 %
49	-	7	0.1 %
	Missing Data		
-6	Logical Skip	1210	8.8 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,561 valid cases out of 13,771 total cases.

- Mean: 7.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 644
- Standard Deviation: 22.90

Location: 565-567 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_METH: Added: Total Meth Maint 3/31/06

Value	Label	Unweighted Frequency	%
0	-	11285	81.9 %
1	-	25	0.2 %
2	-	22	0.2 %
3	-	11	0.1 %
4	-	11	0.1 %
5	-	16	0.1 %
6	-	7	0.1 %
7	-	3	0.0 %
8	-	3	0.0 %
9	-	6	0.0 %
10	-	12	0.1 %
11	-	4	0.0 %
12	-	4	0.0 %
13	-	2	0.0 %
14	-	6	0.0 %
15	-	9	0.1 %

Value	Label	Unweighted Frequency	%
16	-	6	0.0 %
17	-	4	0.0 %
18	-	5	0.0 %
20	-	8	0.1 %
21	-	3	0.0 %
22	-	2	0.0 %
23	-	4	0.0 %
24	-	3	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	7	0.1 %
31	-	2	0.0 %
32	-	1	0.0 %
33	-	2	0.0 %
35	-	4	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	6	0.0 %
41	-	2	0.0 %
43	-	3	0.0 %
44	-	3	0.0 %
45	-	3	0.0 %
46	-	2	0.0 %
48	-	2	0.0 %
50	-	9	0.1 %
51	-	2	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	7	0.1 %
55	-	2	0.0 %
56	-	1	0.0 %
	Missing Data		
-6	Logical Skip	1364	9.9 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,407 valid cases out of 13,771 total cases.

- Mean: 20.86

- Minimum: 0
- Maximum: 1927
- Standard Deviation: 92.57

Location: 568-571 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_BUPR: Added: Total Bupren Dextox Maint 3/31/06

Value	Label	Unweighted Frequency	%
0	-	11782	85.6 %
1	-	107	0.8 %
2	-	110	0.8 %
3	-	84	0.6 %
4	-	51	0.4 %
5	-	57	0.4 %
6	-	31	0.2 %
7	-	24	0.2 %
8	-	21	0.2 %
9	-	9	0.1 %
10	-	54	0.4 %
11	-	9	0.1 %
12	-	17	0.1 %
13	-	4	0.0 %
14	-	6	0.0 %
15	-	26	0.2 %
16	-	4	0.0 %
17	-	8	0.1 %
18	-	4	0.0 %
19	-	3	0.0 %
20	-	25	0.2 %
21	-	4	0.0 %
22	-	7	0.1 %
23	-	4	0.0 %
24	-	4	0.0 %
25	-	6	0.0 %
26	-	1	0.0 %
27	-	2	0.0 %
28	-	3	0.0 %
29	-	3	0.0 %
30	-	13	0.1 %
32	-	1	0.0 %
33	-	4	0.0 %
34	-	1	0.0 %

Value	Label	Unweighted Frequency	%
35	-	5	0.0 %
37	-	1	0.0 %
38	-	3	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
45	-	3	0.0 %
46	-	2	0.0 %
49	-	1	0.0 %
50	-	4	0.0 %
52	-	2	0.0 %
60	-	1	0.0 %
62	-	2	0.0 %
70	-	1	0.0 %
95	-	1	0.0 %
105	-	1	0.0 %
	Missing Data		
-6	Logical Skip	1250	9.1 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,521 valid cases out of 13,771 total cases.

- Mean: 0.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 136
- Standard Deviation: 3.91

Location: 572-574 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIMET: Added: Total Meth & Bupren Dextox Maint 3/31/06

Value	Label	Unweighted Frequency	%
0	-	10902	79.2 %
1	-	97	0.7 %
2	-	90	0.7 %
3	-	70	0.5 %
4	-	53	0.4 %
5	-	58	0.4 %
6	-	30	0.2 %

Value	Label	Unweighted Frequency	%
7	-	20	0.1 %
8	-	24	0.2 %
9	-	16	0.1 %
10	-	45	0.3 %
11	-	12	0.1 %
12	-	18	0.1 %
13	-	8	0.1 %
14	-	7	0.1 %
15	-	29	0.2 %
16	-	9	0.1 %
17	-	11	0.1 %
18	-	8	0.1 %
19	-	2	0.0 %
20	-	21	0.2 %
21	-	5	0.0 %
22	-	9	0.1 %
23	-	5	0.0 %
24	-	6	0.0 %
25	-	5	0.0 %
26	-	2	0.0 %
27	-	3	0.0 %
28	-	6	0.0 %
29	-	5	0.0 %
30	-	16	0.1 %
31	-	2	0.0 %
32	-	1	0.0 %
33	-	6	0.0 %
35	-	7	0.1 %
37	-	3	0.0 %
38	-	5	0.0 %
39	-	2	0.0 %
40	-	5	0.0 %
41	-	3	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %
45	-	4	0.0 %
46	-	5	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
49	-	2	0.0 %
50	-	12	0.1 %

Value	Label	Unweighted Frequency	%
51	-	3	0.0 %
	Missing Data		
-6	Logical Skip	1209	8.8 %
	Total	13,771	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,562 valid cases out of 13,771 total cases.

- Mean: 21.16
- Minimum: 0
- Maximum: 1927
- Standard Deviation: 92.30

Location: 575-578 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1