

National Household Survey on Drug Abuse, 1993

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies.*

Codebook

Terms of Use

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>

*****Processor Note*****
NHSDA 1993:
National Household Survey on Drug Abuse

Processor Note on Version 2

- 1) Modified value labels and missing values for variable GQTYPE to correct previous errors. The variable CASEID was also added to the dataset.

**Substance Abuse and Mental Health
Services Administration**

**National Household Survey
on Drug Abuse:**

Public Release Codebook 1993

**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Office of Applied Studies**

March 1995

NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

PUBLIC RELEASE CODEBOOK 1993

**Substance Abuse and Mental Health Services Administration
Office of Applied Studies
5600 Fishers Lane
Room 16C-06
Rockville, Maryland 20857**

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

This codebook was developed for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, by the National Opinion Research Center, under contract No. 283-94-0002.

Public Domain Notice

All material appearing in this volume is in the public domain and may be reproduced or copied without permission from the Substance Abuse and Mental Health Services Administration. Citation of the source is appreciated.

CODEBOOK DESCRIPTION

United States Department of Health and Human Services.
Substance Abuse and Mental Health Services Administration.

NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE, 1993

SUMMARY: This codebook contains a description of the data collected for the 1993 National Household Survey on Drug Abuse (NHSDA). The NHSDA reports the prevalence and correlates of drug use in the United States. Information is provided on the use of illicit drugs, alcohol, anabolic steroids, and tobacco among members of the United States household population aged 12 and older. Data are also provided on treatment for drug use and on illegal activities related to drug use. Questions include age at first use as well as lifetime, annual, and past month usage for the following drug classes: cannabis, inhalants, cocaine, hallucinogens, heroin, alcohol, tobacco, and nonmedical use of psychotherapeutics. Standard demographic data are also supplied, along with information on problems resulting from the use of drugs, alcohol, and tobacco, and respondents' perceptions of the risks involved. Demographic data include gender, race, ethnicity, educational level, job status, income level, household composition, and population density.

UNIVERSE: The noninstitutionalized civilian population of the United States, aged 12 and older.

SAMPLING: Multistage area sample design with oversampling of six special-interest Metropolitan Statistical Areas: Washington, DC, New York, Miami, Chicago, Denver, and Los Angeles. Minorities and youth aged 12-17 were also oversampled.

EXTENT OF COLLECTION: 1 data file

Data File:
File Structure: SAS Export
Cases: 26489
Variables: 1380
Record Length: 80
Records Per Case: 1

TABLE OF CONTENTS

	PAGE
INTRODUCTION AND DESCRIPTION OF THE 1993 NATIONAL HOUSEHOLD SURVEY	
ON DRUG ABUSE	i-1
Overview of the NHSDA	i-1
Strengths and Limitations of the NHSDA	i-2
SURVEY METHODOLOGY	i-3
Overview of the NHSDA Survey Methodology	i-3
Sample Design	i-3
Weighting Procedures	i-5
Data Collection and Response Rates	i-6
CONTENTS AND ORGANIZATION OF THE 1993 NHSDA PUBLIC USE FILE	
Data File Description	i-7
Variable Naming Conventions	i-8
IMPUTATIONS	i-8
Logical Imputations	i-8
Statistical Imputations	i-9
Standard Code Conventions	i-10
Sample Design Effects and Variance Estimation	i-11
Median Design Effects	i-12
Model-Based Prediction	i-13
Statistical Significance of Differences	i-15
Use of Sample Weights and Sample Design Variables	i-15
1990 Census Variables	i-16
Confidentiality of Data	i-16
Contact Persons	i-17
References	i-24
IDENTIFICATION	1
CIGARETTES	2
ALCOHOL -- ANSWER SHEET #1	6
SEDATIVES -- ANSWER SHEET #2	11
TRANQUILIZERS -- ANSWER SHEET #3	17
STIMULANTS -- ANSWER SHEET #4	23
ANALGESICS -- ANSWER SHEET #5	31
MARIJUANA AND HASHISH -- ANSWER SHEET #6	37
INHALANTS -- ANSWER SHEET #7	45
COCAINE -- ANSWER SHEET #8	56
"CRACK" -- ANSWER SHEET #9	63
HALLUCINOGENS -- ANSWER SHEET #10	67
HEROIN -- ANSWER SHEET #11	74
DRUGS -- ANSWER SHEET #12	78
NEEDLES -- ANSWER SHEET #13	103
SPECIAL TOPICS -- ANSWER SHEET #14	107
DRINKING EXPERIENCES -- ANSWER SHEET #15	120
DRUG PROBLEMS -- ANSWER SHEET #16	126
TREATMENT -- ANSWER SHEET #17	156
RISK -- ANSWER SHEET #18	171
HEALTH CONDITIONS	177
DEMOGRAPHICS	183
INTERVIEW INFORMATION	218
GEOGRAPHIC	224
IMPUTED DEMOGRAPHICS	226
IMPUTED DRUG USE	236
RECODED DEMOGRAPHICS	244
RECODED DRUG USE	249
ESTIMATION VARIABLES	260
CENSUS VARIABLES	261
SELECTED UNEDITED VARIABLES	264
GENERAL VARIABLES (RECODED)	271
DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED	276
DRUG PROBLEMS--ANSWER SHEET #16--RECODED	299
DRUGS--ANSWER SHEET #12--LOGICALLY IMPUTED	306
DRINKING--ANSWER SHEET #15--LOGICALLY IMPUTED	311
RECODED DRUG USE VARIABLES	315
ALPHA INDEX OF LABELS	322
INDEX OF LABELS	350

APPENDICES

APPENDIX A OCCUPATION CODES
APPENDIX B INDUSTRY CODES
APPENDIX C CENSUS REGION/DIVISION/STATE TABLE
APPENDIX D DRUG CODES FOR OPEN-ENDED QUESTIONS
APPENDIX E QUESTIONNAIRE ANSWER SHEETS

LIST OF TABLES

<u>TABLE</u>		<u>Page</u>
Table 1	Median Design Effects of Illicit Drug Use Estimates, by Age Group and Demographic Characteristics: 1993 NHSDA	i-18
Table 2	Median Design Effects of Licit Drug Use Estimates, by Age Group and Demographic Characteristics: 1993 NHSDA	i-19
Table 3	Median Design Effects for the Six Oversampled MSAs, by Age Group and Demographic Characteristics: 1993 NHSDA	i-20
Table 4	Generalized Standard Errors for Estimated Percentages of Illicit Drug Use Estimates: 1993 NHSDA	i-22
Table 5	Generalized Standard Errors for Estimated Percentages of Licit Drug Use Estimates: 1993 NHSDA	i-23

INTRODUCTION AND DESCRIPTION OF THE 1993 NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

INTRODUCTION

This codebook provides documentation for the 1993 National Household Survey on Drug Abuse (NHSDA) public use file. The 1993 NHSDA public use file has been prepared for use with the Statistical Analysis System (SAS) as a SAS dataset. The variable names in this codebook are the SAS variable names that appear in the dataset. The public use file is routinely provided to users on an unlabelled 9-track tape with density of 6250 BPI.

For each variable on the 1993 public use file, this codebook provides the SAS variable name, a description of the variable, the interview instrumentation source, value codes and their meanings, and a univariate frequency distribution. Most of the variables originated as questionnaire or answer sheet items. For created variables, the source variables and recoding specifications are provided, if space allows. In addition, case identification, sampling, and data collection variables are included on the file and documented in this codebook.

Overview of the NHSDA

The 1993 NHSDA is the thirteenth in a series, the primary purpose of which is to measure the prevalence and correlates of drug use in the United States. This survey provides information about the use of illicit drugs, alcohol, and tobacco among members of the non-institutionalized U.S. civilian population aged 12 and older. Surveys have been conducted periodically since 1971, with the most recent ones in 1979, 1982, 1985, 1988, 1990, 1991, 1992, and 1993. Currently, public use files are available for 1985, 1988, 1990, 1991, 1992, and 1993. The 1979 and 1982 public use files will be available in the early summer of 1995. The target population for the 1993 survey is the same as defined for the 1991 and 1992 NHSDAs: the civilian, noninstitutionalized population of the 50 United States (including civilians living on military bases) who are 12 years of age and older.

Before 1991, the NHSDA sample was drawn from the household population of the contiguous 48 states. Alaska and Hawaii were added to the sampled population in 1991, as were residents of non-institutional group quarters (e.g., college dormitories, group homes, civilians dwelling on military installations) and persons with no permanent residence (homeless people and residents of single rooms in hotels). In addition, six special-interest metropolitan statistical areas were oversampled. New questions were added in 1991 to collect data on treatment for drug use, illegal activities, and use of anabolic steroids; and the sets of questions about insurance and personal and family income sources and amounts were expanded. The 1992 and 1993 NHSDA retained these innovations and are also designed to provide quarterly as well as annual estimates.

Although the design of the NHSDA has preserved continuity in assessing drug use throughout the survey series, it has been sufficiently flexible to permit implementation of special procedures and examination of special topics. In 1979, respondents from rural areas were oversampled, and since 1985 blacks and Hispanics have been oversampled to increase the reliability of estimates of drug use in these important groups. Since 1988, additional information has also been gathered about the form of cocaine

known as "crack" and about sharing needles for injection of drugs. Also, the consequences of use of various drugs have been given considerable attention since 1985.

A description of the 1993 survey, including more detailed information on sampling issues, is found in two reports from the study:

National Household Survey on Drug Abuse: Main Findings 1993. This report provides information on the prevalence of use and information on demographic correlates of use, frequency of use, patterns of use, problems from use, and perceptions of risk of use of illicit drugs, alcohol, and tobacco (DHHS Publication No. (SMA) 95-3020).

National Household Survey on Drug Abuse: Population Estimates 1993. This report provides estimates of the percentages and numbers of people in the non-institutionalized U.S. civilian population aged 12 and over who have ever used illicit drugs, alcohol, and tobacco, as well as estimates of use in the past year and past month (DHHS Publication No. (SMA) 94-3017).

Strengths and Limitations of the NHSDA

The NHSDA is the only study that regularly produces estimates of drug use among civilian members of the non-institutionalized population in the United States. The survey is an appropriate technique for estimating prevalence rates for use of different drugs because much drug use would not ordinarily come to the attention of administrative, medical, or correctional authorities and therefore would not be included in official statistics. In-person interviews with a large national probability sample seem to be the best way to estimate drug use in virtually the entire population of the United States.

Although the NHSDA is useful for many purposes, it has certain limitations. First, the data are self-reports of drug use, and their value depends on respondents' truthfulness and memory. Although some experimental studies have established the validity of self-reported data in similar contexts and the NHSDA procedures were designed to encourage honesty and recall, some under- and over-reporting may have taken place. Second, the survey is cross-sectional rather than longitudinal. That is, individuals were interviewed only once and were not followed for additional interviews. The surveys therefore provide an overview of the prevalence of drug use at specific points in time rather than a view of how drug use changes over time for specific individuals. Third, because the target population of the survey is defined as the non-institutionalized civilian population of the United States, a small proportion (slightly more than 1%) of the population is excluded. The subpopulations excluded are members of the active duty military and persons in institutional group quarters (e.g., hospitals, prisons, nursing homes, treatment centers). If the drug use of these groups differs from that of the non-institutionalized civilian population, the NHSDA may provide slightly inaccurate estimates of drug use in the total population. This may be particularly true for prevalence estimates for rarely used drugs such as heroin.

SURVEY METHODOLOGY

Overview of the NHSDA Survey Methodology

The respondent universe for the 1993 NHSDA was the civilian, non-institutionalized population aged 12 years and older within the United States, including residents of noninstitutional group quarters. The sample design used to survey this population was a multistage area probability sample. Since 1988, the NHSDA sample design has used a composite size measure methodology and a specially designed within-dwelling selection procedure to ensure that desired sample sizes would be achieved for subpopulations defined by age, smoking status, and race/ethnicity. Also since 1991, NHSDA has oversampled six Metropolitan Statistical Areas (MSAs): Chicago, Denver, Los Angeles, Miami, New York, and Washington, DC. In the 1993 NHSDA, each of the six MSAs was oversampled in a way to allow separate estimation for their "low-socioeconomic status (low-SES) urbanized" areas of the MSA and for all other areas of the MSA.

A new enhancement to the within-dwelling unit sampling process was introduced in 1993 to increase the precision of recent drug-use statistics. Based on the strong association observed between reports of past-month cigarette smoking and recent-drug use, a screening question was introduced to collect past-month cigarette smoking status for all rostered persons within sample dwellings. These screening reports of smoking status are being used to increase the yield of 18-34-year-old smokers from about 30 to 50 percent smokers. Five age-group-by-smoking status domains were defined that were assigned varying probabilities of selection for each of three race/ethnic classifications of dwelling unit heads. The five age by smoking domains were (12-17), past-month smokers (18-34), other-(18-34), (35-49), and 50 plus. As in the previous years, the three race/ethnicity classifications of dwelling unit heads were Hispanic, non-Hispanic black, and non-Hispanic non-black.

The basic sample design involved four selection stages: (a) the selection of primary areas (e.g., counties), (b) the selection of subareas (blocks or block groups) within these primary areas, (c) the selection of listing units (housing units or civilian, non-institutionalized group quarters' units) within these subareas, (d) the selection of persons within dwelling units. Details of these sampling procedures are provided in the following section.

Sample Design

The sample for the 1993 NHSDA was selected using a multistage, deeply stratified sample design. The variables on this data file which represent each stage of sample selection are the following:

Selection of First-Stage Sample: For the 1993 survey, a first-stage sampling frame was constructed that partitioned the entire land of the 50 states and the District of Columbia into nonoverlapping primary sampling units (PSUs). These PSUs were defined in terms of counties, groups of counties, and independent cities, using 1990 census data. Within each of the PSUs, Census blocks were grouped by combining adjacent blocks to create non-overlapping area segments that combined at least 75 occupied dwellings. For the 1993 survey, a total of 117 PSUs were selected which included the same six

oversampled MSAs surveyed since the 1991 NHSDA. Because of the desire to oversample Hispanics, 39 of the 117 PSUs in the 1993 first-stage sample, PSUs with relatively high concentrations of Hispanics, were selected with certainty. The remaining 72 PSUs were selected from the remainder of the country with probabilities proportional to size with minimum replacement.

Selection of Second-Stage Sample: The second-stage sampling frame for the six special interest MSAs and for the remainder of the National Sample was based on the 1990 Decennial Census. A composite index equal to the weighted average of median housing value and median rent, where the weights equalled the percentages of owners and renters, was constructed for each segment. The one-third of households ranking lowest on this composite index in the urbanized area of each MSA was classified as low SES. Within each stratum of each sample PSU, census blocks were combined with adjacent blocks whenever necessary to create nonoverlapping area segments with at least 75 housing units or occupied dwelling units. The area segments from each stratum of each sample PSU were selected probabilities proportional to a composite size measure.

Selection of Third-Stage Sample: Projections indicated that screenings had to be completed for 84,000 dwelling units in the 1993 NHSDA in order to yield a total of approximately 28,000 completed interviews and to identify sufficient households to yield Hispanic and non-Hispanic age-domain samples of the required size. Assuming an average 96% screening completion rate and an average 89% listing eligibility rate, a total of about 98,000 dwelling unit listings had to be selected in order to yield 88,000 screeners of eligible dwelling units. A listing unit was ineligible for the study if it was (a) vacant; (b) a vacation, second, or temporary home; or (c) not a dwelling unit; or (d) a military facility whose occupants were only military personnel; or (e) an institutional housing facility.

The selection of dwelling unit listings was performed using systematic sampling. The sampled listings were then sent to the field for screening. Having first determined that a sampled listing was eligible for the study, the interviewer completed a dwelling roster that listed all residents aged 12 and older with their age, smoking status, and race/ethnicity. This roster formed the basis for the within-dwelling sampling of individuals.

Selection of Fourth-Stage Sample: Following the third-stage sampling, the interviewers screened each sampled dwelling unit. Following screening, the dwelling was classified by race/ethnicity based on the head of the dwelling. The interviewers, then, determined the age group composition of the dwelling in terms of presence versus absence of five age domains (12- to 17-year-olds, 18- to 34-year-old smokers, 18- to 34-year-old nonsmokers, 35- to 49-year-olds, and 50 years and older). Interviewers were provided a mechanism for selecting none, one, or two age-group-smoking domains and, subsequently, one sampled person from each selected domain. The age-group-smoking selection probabilities were based on the desired sample sizes for each age group by racial/ethnic domain. The probabilities of selecting the person within the age-group-smoking domain were based on the number of persons found in the age-smoking group.

A more detailed explanation of the sample design and sample selection procedures at each stage of the design are presented in the "1993 National Household Survey On Drug Abuse, Sample Design Report".

Weighting Procedures

At the conclusion of data collection, sample weights were constructed that reflect the four stages of sampling described above. Specifically, the person-level sampling weight is the product of the five stagewise sampling weights, each of which is equal to the inverse of the selection probability for that stage.

Five adjustments were made to the sampling weights at various stages of selection, put in order done- 1) regression-based methods were used to compensate for nonresponse and sampling error; 2) for nonresponse adjustments, logistic regression was used to model the response probability; 3) for sampling error adjustments, an exponential regression was used to model the ratio of the observed sample selection frequencies divided by the specified selection probabilities; 4) other adjustments included trimming the sample weights to reduce excessive weight variation; and 5) a poststratification to intercensal Census population projections.

The first adjustment was a poststratification for dwelling units. An adjustment factor was constructed so that when it is applied to the sample dwelling weight, the adjusted weight sums would equal specified control totals of the dwelling unit population. The housing unit counts were divided by the observed fraction of all listed dwelling units in the 1993 survey, including group quarters units, that were housing units. A total of eight post-strata were formed: one for the high Hispanic concentration MSAs, six for each of the oversampled MSAs, and one for the remainder portion of the country.

The second adjustment was to compensate for dwelling nonresponse. Failure to complete the screening interview for sampled dwellings was the first type of nonresponse encountered in the survey. Sample weights were adjusted for nonresponse using a logistic adjustment. This procedure uses logistic regression to model the expected value of a zero-one response indicator given a set of predictor variables available for both respondents and nonrespondents. The algorithm used to fit the logistic regression response propensity model is a generalization of raking or iterative proportional fitting (Bishop, Fienberg, & Holland, 1975, pp. 83-102). The potential predictor variables were based on 1990 Census block and enumeration district characteristics, including percent Hispanic, percent black, percent owner-occupied households, median housing value, median rent, region, and metropolitan status. After obtaining the final models, the adjustment factor was calculated as the inverse of the estimated response propensity.

The third adjustment was performed on person-level weights. The distributions for these weights were examined within classes defined by strata, race/ethnicity, and age group to determine if there was a need for truncation of very large weights. When there appeared to be a need for truncation, an upper limit was established for that class. The weights were then truncated and smoothed.

The fourth adjustment was a combined adjustment compensating for the sampling error associated with subsampling persons within responding dwellings and for the bias associated with interview nonresponse. The adjustment was based on an exponential regression model subjected to a generalized raking procedure. The contribution from the roster adjustment was small relative to the nonresponse adjustment contribution in the combined adjustment factor. By incorporating both

adjustments into one factor, greater precision was achieved in the final survey estimates than if just a nonresponse adjustment was performed.

The fifth adjustment was a post-stratification adjustment. This adjustment was designed to force the sums of weights within specified demographic subgroups to equal U.S. Bureau of the Census projections of the civilian, noninstitutionalized populations of these subgroups. The post-stratification totals were obtained from the National Estimates and Projections Branch of the U.S. Bureau of the Census and were classified by age group, sex, race, and Hispanic origin. The samples from each quarter were post-stratified to one-fourth of the projected population totals. These totals represent the population at the midpoint of each quarter's data collection period. The resulting sample weights, across all four quarters, sum to the average of the four quarter-specific projections. The final analysis weight can be regarded as the number of population members that each respondent represents.

Data Collection and Response Rates

The fieldwork for the 1993 NHSDA was directed by senior staff members at Research Triangle Institute (RTI). A total of 26,489 completed interviews was obtained between January 9, 1993 and December 31, 1993. A completed interview had to contain, at a minimum, data on the recency of use of marijuana, cocaine, and alcohol.

Strategies for ensuring high rates of participation resulted in an interview response rate of 79.2%. Of the 26,489 completed interviews, 13,412 were with whites and other (i.e., non-Hispanic, nonblacks), 6,183 were with non-Hispanic blacks, and 6,894 were with Hispanics. These completed interviews represented a 94% completion rate for screening sample households and an 89.2% rate for interviewing sample individuals. The response rates for these three racial/ethnic groups were 75% for whites and others, 82.9% for blacks, and 85.2% for Hispanics.

Throughout the course of the study, the respondent's anonymity and the privacy of his or her responses were protected by separating identifying information from survey responses. Respondents were assured that their identities and responses would be handled in the strictest compliance with Federal law. The questionnaire itself and the interviewing procedures were designed to enhance the privacy of responses, especially during segments of the interview in which questions of a sensitive nature were posed. Respondents were asked to mark answer sheets to record their responses to questions read aloud by the interviewer. The interviewer did not see the completed answer sheets.

CONTENTS AND ORGANIZATION OF THE 1993 NHSDA PUBLIC USE FILE

Data File Description

The file described here has been prepared in SAS Transport Format to facilitate its use on a variety of operating systems and SAS release versions. It is recorded on a non-labeled nine-track tape at 6,250 BPI. Before conversion to Transport Format, the dataset had these characteristics:

Internal SAS name	NHSDA93
SAS version	6.08
Number of observations	26,489
Number of variables	1,380

The overall organization of the file is shown in the Table of Contents of this document. Edited data from the questionnaire and drug answer sheets make up the first portion of the file. These variables contain missing data; see the section on "Standard Code Conventions" below for a description of the codes given to different types of missing data. The number of observations for which data are missing for any given variable is shown in the entry for that variable.

Imputation-revised demographic and drug use variables and recoded versions of these variables are given in the next four sections of the file. These variables include indicators for lifetime, past year and past month substance use, as well as imputation-revised demographic variables such as age, race/ethnicity, education, employment and income. Missing values for these variables have been imputed using the statistical imputation procedures described below. Imputation indicators are provided for each variable so that users may easily determine whether an observation contains data from the questionnaire or an imputed value. Users who wish to replicate results published in the National Household Survey on Drug Abuse: Main Findings 1993 (DHHS Publication No. (SMA) 95-3020) or other SAMHSA reports should use these imputation-revised variables rather than raw data from the questionnaire or drug answer sheets.

Many of the remaining variables in the file are recoded or logically imputed variables created for the National Household Survey on Drug Abuse: Main Findings 1993. These variables include recodes of questionnaire and imputation revised drug variables, and logically imputed variables and recoded versions of logically imputed variables pertaining to drug use problems, symptoms of dependency and negative drinking experiences.

Variables containing the original responses to recency-of-use questions are presented in a section called "Unedited Recencies." These are included to show the recency data actually collected before the responses were edited based on evidence of use found elsewhere in the questionnaire.

Variable Naming Conventions

Variable names are mnemonics related to the meaning of each variable. Insofar as possible, variables identical to those in the 1985, 1988, 1990, 1991, and 1992 NHSDA analytical files have also been named identically. However, the user should refer to the questionnaires and previous codebooks to verify that the data are exactly comparable.

IMPUTATIONS

Logical Imputations

For selected key variables, response data were changed to reflect more recent use or missing data were replaced with nonmissing values. The two different imputation procedures used are distinguished in this codebook by the code-value descriptive phrases "... LOGICALLY IMPUTED" and "... imputed" or by the designation "IMPUTATION-REVISED" in the variable label.

Logical imputation was carried out in the earliest stage of editing for the original recency-of-use variables. This procedure involved checking, for each recency-of use variable, other variables in a record that could yield evidence of use of that specific subject drug or class of drugs. Then the most recent indication supplied by the respondent of use of that drug replaced missing data in the subject drug recency-of-use variable or was used to change a less recent response value to a value reflecting the indication elsewhere of more recent use. Unique code values (7, 8, or 9) were assigned to the recency-of-use variable when such logical imputation occurred; these code values are readily identifiable by the phrase "... LOGICALLY IMPUTED" in the code-value descriptions. For those recency-of-use variables with missing data for which no indication of use of the drug could be found by examination of all relevant variables in the record, a code value of 91 (Never used) was assigned if there were one or more indications of such nonuse in the set of relevant variables. The variables for which logical imputation was implemented are CIGREC, ALCREC, SEDREC, TRANREC, STIMREC, ANALREC, MJREC, INHREC, COCREC, CRAKREC, HALLREC, PCPREC, HERREC, SNUFREC, ICEREC, GNNDLREC, STERREC, NEEDLREC, and NDL90RC2.

At this point in the editing process, a determination was made as to whether each record in the database contained enough information to be considered complete. To be classified as a minimally complete case, and thus to be retained in the database, data on the recency of use of alcohol, marijuana, and cocaine had to have been provided by the respondent or logically imputed from other answers supplied by the respondent.

Following logical imputation, any remaining missing data for recency-of-use variables (other than ALCREC, MJREC, and COCREC), for the frequency-of-use-in-past-12-months variables (other than alcohol, marijuana and cocaine), and for age, race, and Hispanic-origin variables, marital status, work status, education, high school graduate and health insurance were imputed by using a technique known as hot-deck imputation (using various sorts and classing variables). The income variables, as well as the

alcohol, marijuana and cocaine frequency-of-use-in-past-12-months variables, were imputed using regression based methods. Variables in this database for which the imputation procedures were implemented may be identified by the designation "IMPUTATION-REVISED" in the variable label and their variable names begin with the letters IR. In addition, for each imputation-revised variable, there is an "IMPUTATION INDICATOR" variable whose values distinguish whether the imputed variable's value originated from interview responses or were imputed.

Results published in the 1993 NHSDA Population Estimates report were generated using variables (or their derivatives) that were derived by means of logical imputation and/or hot-deck or regression-based imputation methods described above. The imputation-revised and resultant recode variables used in that document are documented at the end of the codebook. The 1993 NHSDA Population Estimates reported results based on these and additional imputation-revised variables.

In general, analysts are advised to use the imputation-revised variables for tabular summaries and other descriptive analyses. For analyses of relationships where multiple data items are involved, use of these imputation-revised variables may not be appropriate. Usually these analyses span data items that were not jointly used in defining the imputation procedure (either as the output variable or as a classing or sorting variable). In this situation, use of nonimputed data items may be best.

Statistical Imputations

For selected variables of interest, statistical imputation was done following logical imputation in order to replace missing responses with statistically imputed responses. In general, analysts are advised to use the statistically imputed data when creating tabular summaries and other descriptive analyses for population subgroups of interest. When forming population estimates, often statistical imputations will reduce the bias associated with the estimate. For example, data with missing responses which are not statistically imputed, will produce estimates of totals which will necessarily be underestimated and consequently biased since the total population will not be accounted for in the estimates. Also the bias in per-unit type estimates, such as the estimate of a population mean, can be reduced with statistical imputation particularly when the imputation procedure accounts for differential nonresponse patterns and differential reporting patterns among subgroups of the population. The statistically imputed data will not totally eliminate the bias associated with estimates produced from these data, but depending on the type of analyses being done, the statistical imputation should help reduce the bias.

For analyses of relationships involving multiple data items, use of the statistical imputation-revised variables may not be appropriate. Usually these analyses span data items that were not jointly used in defining the imputation procedure. In this situation, use of non-imputed data items may be best.

Variables in the data base that had one or more cases statistically imputed are identified by the designation "IMPUTATION-REVISED" in the variable label. The names of all such variables begin with the letters "IR" (e.g. IRRACE). For each imputation-revised variable, there is a corresponding imputation indicator variable which indicates whether a case's value on the variable resulted from the

interview response, a logical imputation, or a statistical imputation. Typically, the names of imputation indicator variables begin with the letters "II" (e.g. IIRACE). In summary, statistically imputed responses were created for the following variables: most of the drug recency-of-use items, the past year frequency-of-use items, age, race, sex, the Hispanic origin items, marital status, work status, education, high school graduate indicator, total and private health insurance and the personal and family income items.

In the 1993 NHSDA, imputations for all imputation-imputation revised variables, except for 1) the alcohol, marijuana, and cocaine recency and frequency-of-use variables and 2) the personal earnings and family income variables, were constructed using a technique known as "hot deck imputation." The first step in this procedure was to sort the data file with a progressive sorting series using data on recency of use of alcohol, marijuana, cocaine, age, sex, Hispanic origin, and race. The second step of the hot deck imputation procedure was to replace the missing item(s) on a particular record by the last encountered nonmissing response from an adjacent record on the sorted database. The hot deck imputation procedure was appropriate for the recency-of-use variables because the levels of item nonresponse of these variables were low.

Missing data for all frequency-of-use variables and personal and family income variables were statistically imputed using a regression-based method of imputation. This imputation procedure involves estimating a polytomous logistic regression model using item respondent data. The explanatory variables used in these models included recency of use (four levels) of alcohol, marijuana, and cocaine, age, sex, Hispanic origin, and race. After the model parameters were estimated, the resulting model was used to predict a categorical response for each frequency-of-use item nonrespondent. The model-based imputation procedure was appropriate for two reasons: (a) the level of nonresponse to these questions was larger than observed for the recency-of-use items; and (b) the model-based imputation procedure allows a greater number of statistically significant explanatory variables to affect an imputed response than is possible with the hot deck method. As discussed above, each of alcohol, marijuana, and cocaine recency-of-use was initially determined to be at one of four levels, ranging from past month use to never used, for each completed case. These three recency variables were subsequently extended to more levels using the regression-based model of imputation.

Standard Code Conventions

Generally, the following codes have the same (or consistent) meanings across all variables (exceptions are noted in the documentation for individual variables).

91 or 991 or 9991, etc.	=	Never used the substance
92 or 992, or 9992, etc.	=	Response illegible
93 or 993 or 9993, etc.	=	Did not use drug under conditions in the question (e.g., during time period)

94 or 994 or 9994, etc.	=	Don't know
95 or 995 or 9995, etc.	=	Bad data (usually, inconsistent with other data)
96 or 996 or 9996, etc.	=	Multiple response
97 or 997 or 997, etc.	=	Refusal
98 or 998 or 9998, etc.	=	Blank (not answered)
99 or 999 or 9999, etc.	=	Legitimate skip.

Most logically edited changes resulted in the assignment of the following codes whose meanings are equivalent to the standard codes above.

81 or 981 or 9981, etc.	=	Never used the substance LOGICALLY ASSIGNED
83 or 983 or 9983, etc.	=	Did not use drug under conditions in the question (e.g., during time period) LOGICALLY ASSIGNED
85 or 985 or 9985, etc.	=	Bad data (usually, inconsistent with other data) LOGICALLY ASSIGNED

Sample Design Effects and Variance Estimation (Tables 1 to 5)

This section describes methods for estimating the variance and standard errors of NHSDA sample statistics. (The standard error estimate is the square root of the variance estimate.) Correct variance estimates must take into account the complex features of the NHSDA sample design, such as the unequal selection probabilities of sample respondents, stratification, and clustering.

The best variance estimation approach is to use commercially available variance estimation software packages together with three sample design variables that are included on the public use file: VESTR (sample stratum), VEREP (replicate within stratum), and ANALWT (analysis weight). Wolter (1985) provides a review of the known quality and capabilities of many such software packages, a discussion of the statistical methods used by the packages, and purchasing information. Most of these packages, including SUDAAN (Shah, et al., 1994), compute variance estimates for means, percentages, and other statistics based on a first-order Taylor Series approximation of the deviations of estimates from

their expected values. The variance estimates calculated in this way are approximately unbiased for sufficiently large sample sizes. Estimated standard errors have already been computed for all parameter estimates appearing in 1993 NHSDA reports and are available from the Office of Applied Studies (OAS) upon request.

A less accurate approach to variance estimation is to use the approximate standard error estimates that are provided in this section. These approximations are designed for situations when commercially available variance estimation software packages are not available.

Two approaches for approximating standard error estimates are presented in this section, 1) the first uses median domain design effects; and 2) the second is based on a prediction equation obtained from modeling design effects. These alternatives to the published standard error estimates are described below.

Median Design Effects

As noted previously, the design effect is the ratio of the design-based variance estimate divided by the variance estimate that would have been obtained from a simple random sample of the same size. Therefore, the design effect summarizes the effects of stratification, clustering, and unequal weighting on the variance of a complex sample design. Because clustering and unequal weighting are expected to increase the variance, the design effect should virtually always be greater than one.

However, as discussed earlier, design effects were frequently less than one for prevalence rates near zero. Because these values were considered spurious, another design effect estimate based only on stratification and unequal weighting effects was substituted if it was greater than the total design effect. Moreover, if both design effect estimates were less than one, a value of one was substituted.

The median design effects were based on estimates from:

- *15 illicit drug use categories:* any illicit drug use; marijuana/hashish; cocaine; crack; inhalants; hallucinogens; PCP; heroin; nonmedical use of any psychotherapeutic; nonmedical use of stimulants; nonmedical use of sedatives; nonmedical use of tranquilizers; nonmedical use of analgesics; needle use; anabolic steroids;
- *3 licit drug use categories:* cigarettes; alcohol; and smokeless tobacco; and
- *3 recency-of-use categories:* ever used; used in past year; used in past month.

For each specified domain, a median design effect was calculated from the above estimates as opposed to calculating an average design effect. Because extreme values of some design effects would have distorted the associated averages, medians were chosen to provide a better measure of the central value. The domains were defined by cross-classifications of age by sex, race/ethnicity, population density, geographic region of residence, adult education, and current employment. Design effects

associated with percentage estimates exhibiting low precision were not used. Because the design effects from the licit drug use estimates tended to be larger than the design effects from the illicit drug use estimates, the median design effects were computed separately for these two classifications. Table 1 contains the median design effects for the illicit drugs, and Table 2 contains the median design effects for the licit drugs. These tables can be used to calculate an approximate variance estimate for a particular domain as follows:

$$\text{var}(p_d)_{\text{appx}} = \text{DEFF}_{d,\text{MED}} * [p_d(1-p_d) / n_d] \quad (1)$$

where

p_d = estimated proportion for domain d

n_d = sample size for domain d

$\text{DEFF}_{d,\text{MED}}$ = median design effect for domain d .

The approximate standard error estimate for p_d , $\text{SE}(p_d)_{\text{appx}}$, is simply the square root of $\text{var}(p_d)_{\text{appx}}$.

To approximate standard errors from estimates on the six oversampled MSAs, it is recommended that the user substitute the median domain design effects based on these areas only. Table 4 contains these median design effects, which were computed for cross-classifications of age by sex, race/ethnicity, and socioeconomic status.

Model-Based Prediction

When a median design effect for a domain under investigation is not listed in Tables 1 and 2, an alternative standard error approximation is recommended. This approximation uses a prediction equation obtained from modeling estimated design effects. Separate models were fit for the licit and illicit drug use estimates. The design effects used to calculate the medians in Tables 1 and 2 were used as data to fit the two models.

By substituting the fitted model into the definition of the design effect, a prediction equation for the approximate standard error is obtained:

$$\text{SE}_i(p)_{\text{appx}} = \frac{10^{(b_{0i}/2)} * p^{(1-b_{1i})/2} * (1-p)^{(1+b_{2i})/2}}{n^{(1-b_{3i})/2}}$$

where

$b_{0i}, b_{1i}, b_{2i}, b_{3i}$ = regression coefficients estimates for the intercept, $\log(p)$, $\log(1-p)$, and $\log(n)$, respectively.

The index-i depicts whether the standard error approximation is for a licit drug or illicit drug prevalence estimate.

After solving for the regression coefficients, the above approximation reduces to the following two prediction equations:

$$SE(p_{illegal})_{appx} = \frac{1.0627 * p^{(0.6237)} * (1-p)^{(0.8453)}}{n^{(0.3891)}} \quad (2)$$

and

$$SE(p_{legal})_{appx} = \frac{.8261 * p^{(0.5220)} * (1-p)^{(0.5101)}}{n^{(0.3461)}} \quad (3)$$

Table 4 and 5 contain generalized standard errors for various percentages (from 1% to 99%) and sample sizes (from 100 to 26,489), predicted from Equations (2) and (3). The generalized standard errors in the shaded areas of these tables correspond to estimated percentages that would not meet the precision constraint.

In summary, the user may obtain 1993 NHSDA standard error estimates from the following recommended order of sources:

1. Commercially available variance estimation software packages such as SUDAAN, otherwise.
2. Published standard errors from this or other reports in the 1993 NHSDA (obtainable upon request from the OAS at SAMHSA); otherwise,
3. Median domain design effects appearing in Tables 1 through 3 and application of Equation (1); otherwise,
4. Model-based prediction, using Equations (2) and (3) or Tables 4 and 5 for national or regional estimates. Note that this model-based prediction method would not be used for estimates from the six oversampled MSAs.

If a domain within an oversampled MSA is not presented in Table 3, it is recommended that users choose a reported domain that is thought to be similar to the domain of interest.

Once the variance estimates have been obtained, the user may apply the methods discussed in previous sections to compute confidence intervals or make statistical comparisons.

Statistical Significance of Differences

This section describes methods used to compare prevalence estimates. Customarily, the observed difference between estimates is evaluated in terms of its statistical significance. "Statistical significance" refers to the probability that a difference as large as that observed would occur due to random error in the estimates if there were no difference in the prevalence rates for the population groups being compared. To compare the prevalence of drug use for 1992 versus 1993, one can test the hypothesis of no difference in prevalence rates using the standard difference in proportions test, expressed as where

$$z = \frac{|p1 - p2|}{\sqrt{\text{var}(p1) + \text{var}(p2)}}$$

p1	= 1992 estimated proportion
var(p1)	= 1992 variance estimate for p1
p2	= 1993 estimated proportion
var(p2)	= 1993 variance estimate of p2

Under the null hypothesis of no difference in prevalence rates, Z is asymptotically distributed as a normal random variable; calculated values of Z can, therefore, be referred to the unit normal distribution to determine the corresponding probability level (i.e., p value).

For comparing prevalence estimates within the same survey, the same Z statistic quoted above can be used. However, the tests will be slightly conservative because of the small positive covariance expected between the two nonindependent prevalence estimates. The tests made in NHSDA reports accounted for the covariance by subtracting an estimate of 2*(Cov(p1, p2)) from the two variance quantities under the square root symbol in the denominator of Z. This covariance estimate was calculated by using SUDAAN (Research Triangle Institute, 1991).

Use of Sample Weights and Sample Design Variables

The NHSDA sample is not self-weighting, so analysts are advised to use the sample weight when attempting to use the NHSDA data to draw inferences about the target population or any subdomain of the target population. All estimates published in SAMHSA reports (such as 1993 Main Findings) are weighted. The appropriate and final sample weight is called ANALWT on this data file. This sample weight represents the total number of target population persons each record on the file represents. Note that the sum of ANALWT, over all records on the data file, represents an estimate of the total number of people in the target population. In addition, person-level sample weights defined for each quarter of the NHSDA survey are also included in the public use file. ANALWT1, ANALWT2, ANALWT3, and ANALWT4 should be used if one is interested in quarter-level estimates from the NHSDA. Additional information on the sample weighting procedures and the sample weight components may be found in the sample design report for the 1993 NHSDA.

The public use file contains two sample design variables in addition to ANALWT. These variables are VESTR (sample stratum) and VEREP (replicate within stratum) and must be used to estimate variances and standard errors when using commercially available variance estimation software packages such as SUDAAN or any other.

1990 Census Variables

In addition to 1993 NHSDA variables, the 1993 NHSDA public use file includes a number of census variables which provide information about the population and housing characteristics of segments. The census variables are based on the 1990 Decennial Census data. The following census variables were extracted from the Census STF3A files and linked to 1993 NHSDA respondent records:

PBLACKHH	Percent of households in the segment with a non-Hispanic black householder.
PBLACKP	Percent of population in the segment that is non-Hispanic black.
HSPHCONC	Percent of households in the segment with a Hispanic householder.
HSPPCONC	Percent of population in the segment that is Hispanic.
OWNOCONC	Percent owner-occupied households in segment.
RURORURB	Rural or Urban segment indicator.

The following variables were taken from the Census STF3A file as above at the tract level and linked to the 1993 NHSDA respondent records:

OWNEDAVE	Median value of owned homes in the tract.
PPOVER	Percent of families below the poverty level in the tract.
POWNED	Percent of housing units owned in the tract.
PRENTED	Percent of housing units rented in the tract.
RENTAVE	Median rent for rental units in the tract.

Confidentiality of Data

To protect the confidentiality of NHSDA respondents, all variables that could be used to identify individual respondents have been deleted from the public use file. To further protect confidentiality, some continuous variables, including census variables described in the preceding section, have been categorized. In general, the cutpoints of each categorized variables are the quintiles of the weighted distribution. Finally, a special reserve code denoting, "data suppressed for reasons of confidentiality," has been assigned whenever necessary to prevent identification of small geographic areas. The total number of data elements that have been suppressed for reasons of confidentiality is small. These data modifications and suppressions should not greatly affect most analytical uses of the 1993 NHSDA public use file.

Contact Persons

For additional information about the file documented in this codebook, the following individuals may be contacted:

Substantive Issues: Janet Greenblatt
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
5600 Fishers Lane, Room 16C-06
Rockville, MD 20857
(301) 443-7980

Programming Issues: NHSDA Codebook/Data Coordinator
National Opinion Research Center
1155 E. 60th Street
Chicago IL 60637
(312) 753-7500

Table 1 Median Design Effects of Illicit Drug Use Estimates, by Age Group and Demographic Characteristics: 1993 NHSDA

Demographic Characteristic	Age Group (Years)				Total
	12-17	18-25	26-34	≥ 35	
Total	2.65	3.66	3.87	2.70	4.37
Sex					
Male	2.75	3.46	3.33	2.14	3.59
Female	2.56	2.67	3.42	2.83	4.30
Race/Ethnicity ¹					
White	2.02	2.59	2.80	2.12	3.21
Black	1.89	2.17	2.54	2.16	3.25
Hispanic	2.53	2.86	2.01	1.72	2.71
Population Density					
Large Metro	4.20	3.96	4.70	2.25	4.11
Small Metro	1.35	1.97	2.10	1.44	2.83
Nonmetro	1.50	1.72	1.40	1.44	1.76
Region					
Northeast	1.79	2.91	2.55	1.49	2.40
North Central	1.87	2.21	2.30	1.43	2.92
South	3.22	3.62	4.17	3.37	4.59
West	3.73	4.53	5.00	2.46	4.87
Adult Education ²					
Less than high school	N/A	3.79	3.41	1.47	2.23
High school graduate	N/A	3.03	3.77	1.58	2.84
Some college	N/A	2.90	3.20	2.98	3.60
College graduate	N/A	2.93	3.14	2.12	2.88
Current Employment ³					
Full-time	N/A	3.61	3.43	2.55	3.62
Part-time	N/A	2.50	2.97	1.87	3.09
Unemployed	N/A	3.75	3.26	2.00	3.09
Other ⁴	N/A	2.63	3.17	2.18	2.41

N/A: Not applicable.

¹The category "Other for Race/Ethnicity is not included.

²Data on adult education are not applicable of 12- to 17-year-olds.

³Data on current employment are not applicable for 12- to 17-year-olds.

⁴Retired, disabled, homemaker, student, or "other."

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1993.

Table 2 Median Design Effects of Licit Drug Use Estimates, by Age Group and Demographic Characteristics: 1993 NHSDA

Demographic Characteristic	Age Group (Years)				Total
	12-17	18-25	26-34	≥ 35	
Total	3.40	3.79	4.41	6.03	8.58
Sex					
Male	3.10	3.55	4.15	4.71	8.24
Female	3.95	3.02	3.44	3.81	6.43
Race/Ethnicity ¹					
White	2.37	3.02	3.36	4.51	5.89
Black	2.73	2.27	2.96	3.27	5.33
Hispanic	3.20	3.58	2.88	2.75	3.91
Population Density					
Large Metro	5.26	5.73	5.61	6.15	10.62
Small Metro	2.36	1.93	2.62	2.55	5.21
Nonmetro	1.46	1.97	2.53	2.47	4.46
Region					
Northeast	2.96	2.93	3.03	5.32	10.05
North Central	2.26	3.29	3.05	5.04	7.25
South	4.17	4.53	6.93	5.43	7.80
West	3.89	5.30	4.37	4.63	8.44
Adult Education ²					
Less than high school	N/A	3.80	3.52	4.78	7.94
High school graduate	N/A	3.52	3.44	4.92	7.45
Some college	N/A	3.47	3.32	5.22	6.75
College graduate	N/A	3.13	3.64	3.54	5.04
Current Employment ³					
Full-time	N/A	3.97	3.88	4.43	7.18
Part-time	N/A	3.14	3.73	4.99	6.23
Unemployed	N/A	3.44	3.57	3.18	4.79
Other ⁴	N/A	3.84	3.57	4.12	8.36

N/A: Not applicable.

¹The category "Other for Race/Ethnicity is not included.

²Data on adult education are not applicable of 12- to 17-year-olds.

³Data on current employment are not applicable for 12- to 17-year-olds.

⁴Retired, disabled, homemaker, student, or "other."

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1993.

Table 3 Median Design Effects for the Six Oversampled MSAs, by Age Group and Demographic Characteristics: 1993 NHSDA

Demographic Characteristic	Age Group (Years)				Total
	12-17	18-25	26-34	≥ 35	
Chicago MSA					
Total	1.42	1.42	1.78	1.06	2.19
Sex					
Male	1.55	1.51	1.69	1.07	1.94
Female	1.09	1.51	1.69	1.33	2.16
Race/Ethnicity ¹					
White	1.56	1.27	1.60	1.00	1.86
Black	1.60	1.42	1.08	1.45	2.59
Hispanic	1.01	1.14	1.37	1.20	1.65
Socioeconomic Status of Area					
Low SES ²	1.08	1.79	1.43	1.26	2.18
Other SES	1.49	1.36	1.65	1.00	1.90
Denver MSA					
Total	1.61	1.55	1.57	1.57	2.54
Sex					
Male	1.61	1.40	1.46	1.50	2.51
Female	1.61	1.55	1.63	1.48	2.04
Race/Ethnicity ¹					
White	1.55	1.80	1.63	1.63	2.55
Black	*	*	1.01	*	1.09
Hispanic	1.62	1.25	1.35	*	1.64
Socioeconomic Status of Area					
Low SES ²	1.39	1.40	1.51	1.76	2.28
Other SES	1.35	1.32	1.42	1.42	2.12
Washington, DC, MSA					
Total	1.85	2.10	1.52	1.95	3.48
Sex					
Male	1.49	1.63	1.52	1.90	2.50
Female	1.93	1.35	1.60	1.74	2.33
Race/Ethnicity ¹					
White	1.56	1.98	1.48	1.86	3.08
Black	1.35	1.78	1.78	1.65	2.70
Hispanic	1.07	*	1.00	*	1.77
Socioeconomic Status of Area					
Low SES ²	1.56	1.35	1.85	1.70	2.80
Other SES	1.50	1.60	1.22	1.84	3.00

(continued)

Table 3 (Continued)

Demographic Characteristic	Age Group (Years)				Total
	12-17	18-25	26-34	≥ 35	
<u>Los Angeles MSA</u>					
Total	1.41	1.77	1.41	1.16	2.03
Sex					
Male	1.36	1.65	1.40	1.66	2.24
Female	1.54	1.67	1.55	1.17	1.69
Race/Ethnicity ¹					
White	1.38	1.81	1.44	1.28	1.85
Black	1.30	*	1.46	1.05	1.88
Hispanic	1.53	1.43	1.31	1.52	2.10
Socioeconomic Status of Area					
Low SES ²	1.33	1.67	1.35	1.13	2.09
Other SES	1.42	1.52	1.20	1.24	1.69
<u>Miami MSA</u>					
Total	1.14	1.56	1.77	1.07	1.73
Sex					
Male	1.17	1.35	2.11	1.38	1.73
Female	1.01	1.60	1.40	1.06	1.57
Race/Ethnicity ¹					
White	1.12	1.05	1.35	1.22	1.27
Black	1.28	1.64	1.15	1.07	1.46
Hispanic	1.18	1.37	1.88	1.00	1.49
Socioeconomic Status of Area					
Low SES ²	1.37	1.33	1.62	1.00	1.58
Other SES	1.11	1.56	1.59	1.43	1.56
<u>New York MSA</u>					
Total	1.25	2.17	1.66	1.64	2.56
Sex					
Male	1.37	1.32	1.49	1.53	2.38
Female	1.00	2.21	1.42	1.64	2.29
Race/Ethnicity ¹					
White	1.59	1.62	1.53	1.61	2.51
Black	1.02	1.73	1.88	1.46	2.27
Hispanic	1.46	1.35	1.38	1.12	1.28
Socioeconomic Status of Area					
Low SES ²	1.07	1.44	1.71	1.00	1.20
Other SES	1.33	1.86	1.53	1.41	2.37

*Not enough estimates to produce reliable median.

¹The category "Other" for Race/Ethnicity is not included.

²Low SES is defined as the third of population segments in the urbanized area with the lowest housing value and rent.

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1993.

Table 4 Generalized Standard Errors for Estimated Percentages of Illicit Drug Use Estimates: 1993 NHSDA

Sample Size for Base of Percentage, n	Estimated Percent (Proportion, p, Multiplied by 100)																
	1	2	3	5	10	20	30	40	50	60	70	80	90	95	97	98	99
100	0.99	1.82	1.84	2.62	3.88	5.37	6.18	6.49	6.40	5.94	5.12	3.95	2.37	1.36	0.90	0.64	0.36
300	0.65	0.99	1.26	1.71	2.51	3.51	4.03	4.23	4.17	3.87	3.34	2.58	1.54	0.89	0.58	0.42	0.23
500	0.53	0.81	1.04	1.40	2.06	2.87	3.31	3.47	3.42	3.17	2.74	2.11	1.27	0.73	0.48	0.34	0.19
700	0.47	0.71	0.91	1.23	1.81	2.52	2.90	3.05	3.00	2.78	2.40	1.85	1.11	0.64	0.42	0.30	0.17
900	0.42	0.65	0.82	1.11	1.64	2.29	2.63	2.76	2.72	2.52	2.18	1.68	1.01	0.58	0.38	0.27	0.15
1,000	0.41	0.62	0.79	1.07	1.57	2.19	2.52	2.65	2.61	2.42	2.09	1.61	0.97	0.56	0.37	0.26	0.15
1,250	0.37	0.57	0.73	0.98	1.44	2.01	2.31	2.43	2.39	2.22	1.92	1.48	0.89	0.51	0.34	0.24	0.13
1,500	0.35	0.53	0.68	0.91	1.34	1.87	2.16	2.26	2.23	2.07	1.79	1.38	0.83	0.48	0.31	0.22	0.13
1,750	0.33	0.50	0.64	0.86	1.27	1.76	2.03	2.13	2.10	1.95	1.68	1.30	0.78	0.45	0.29	0.21	0.12
2,000	0.31	0.47	0.60	0.82	1.20	1.68	1.93	2.02	1.99	1.85	1.60	1.23	0.74	0.42	0.28	0.20	0.11
2,500	0.28	0.43	0.55	0.75	1.10	1.54	1.77	1.86	1.83	1.70	1.46	1.13	0.68	0.39	0.26	0.18	0.10
3,000	0.26	0.40	0.52	0.70	1.03	1.43	1.65	1.73	1.70	1.58	1.36	1.05	0.63	0.36	0.24	0.17	0.10
4,000	0.24	0.36	0.46	0.62	0.92	1.28	1.47	1.55	1.52	1.41	1.22	0.94	0.56	0.32	0.21	0.15	0.09
5,000	0.22	0.33	0.42	0.57	0.84	1.17	1.35	1.42	1.40	1.30	1.12	0.86	0.52	0.30	0.20	0.14	0.08
7,500	0.19	0.28	0.36	0.49	0.72	1.00	1.15	1.21	1.19	1.11	0.96	0.74	0.44	0.25	0.17	0.12	0.07
10,000	0.17	0.25	0.32	0.44	0.64	0.90	1.03	1.08	1.07	0.99	0.85	0.66	0.39	0.23	0.15	0.11	0.06
15,000	0.14	0.22	0.28	0.37	0.55	0.76	0.88	0.92	0.91	0.84	0.73	0.56	0.34	0.19	0.13	0.09	0.05
20,000	0.13	0.19	0.25	0.33	0.49	0.68	0.79	0.83	0.81	0.76	0.65	0.50	0.30	0.17	0.11	0.08	0.05
25,000	0.12	0.18	0.23	0.31	0.45	0.63	0.72	0.76	0.75	0.69	0.60	0.46	0.28	0.16	0.10	0.07	0.04
26,489 ¹	0.11	0.17	0.22	0.30	0.44	0.61	0.71	0.74	0.73	0.68	0.58	0.45	0.27	0.16	0.10	0.07	0.04

Note: Generalized standard errors in the shaded area correspond to estimated proportions that do not meet the precision constraint. They are predicted from the following equation: $SE = 100 \cdot [1.0627 \cdot p^{10.6227} \cdot (1-p)^{10.6452} / n^{10.3881}]$.

¹The total sample size for the 1993 NHSDA is 26,489.

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1993.

Table 5 Generalized Standard Errors for Estimated Percentages of Licit Drug Use Estimates: 1993 NHSDA

Sample Size for Base of Percentage, n	Estimated Percent (Proportion, p, Multiplied by 100)																
	1	2	3	5	10	20	30	40	50	60	70	80	90	95	97	98	99
100	1.51	2.16	2.65	3.42	4.78	6.46	7.46	8.02	8.21	8.05	7.54	6.57	4.91	3.54	2.76	2.26	1.89
300	1.03	1.47	1.81	2.34	3.27	4.42	5.10	5.48	5.61	5.51	5.15	4.49	3.36	2.42	1.89	1.54	1.09
500	0.86	1.23	1.52	1.96	2.74	3.70	4.28	4.59	4.70	4.61	4.32	3.77	2.81	2.03	1.58	1.29	0.91
700	0.77	1.10	1.35	1.75	2.44	3.30	3.81	4.09	4.18	4.11	3.84	3.35	2.50	1.81	1.41	1.15	0.81
900	0.71	1.01	1.24	1.60	2.23	3.02	3.49	3.75	3.84	3.77	3.52	3.07	2.29	1.66	1.29	1.06	0.74
1,000	0.68	0.97	1.19	1.54	2.15	2.91	3.36	3.61	3.70	3.63	3.40	2.96	2.21	1.60	1.24	1.02	0.72
1,250	0.63	0.90	1.11	1.43	1.99	2.70	3.11	3.34	3.42	3.36	3.14	2.74	2.05	1.48	1.15	0.94	0.66
1,500	0.59	0.84	1.04	1.34	1.87	2.53	2.92	3.14	3.21	3.15	2.95	2.57	1.92	1.39	1.08	0.88	0.62
1,750	0.56	0.80	0.98	1.27	1.78	2.40	2.77	2.98	3.05	2.99	2.80	2.44	1.82	1.32	1.03	0.84	0.59
2,000	0.53	0.76	0.94	1.21	1.70	2.29	2.65	2.84	2.91	2.86	2.67	2.33	1.74	1.26	0.98	0.80	0.57
2,500	0.50	0.71	0.87	1.12	1.57	2.12	2.45	2.63	2.69	2.64	2.47	2.16	1.61	1.16	0.91	0.74	0.52
3,000	0.46	0.66	0.82	1.05	1.47	1.99	2.30	2.47	2.53	2.48	2.32	2.03	1.51	1.09	0.85	0.70	0.49
4,000	0.42	0.60	0.74	0.95	1.33	1.80	2.08	2.24	2.29	2.25	2.10	1.83	1.37	0.99	0.77	0.63	0.44
5,000	0.39	0.56	0.68	0.88	1.23	1.67	1.93	2.07	2.12	2.08	1.95	1.70	1.27	0.92	0.71	0.58	0.41
7,500	0.34	0.48	0.59	0.77	1.07	1.45	1.67	1.80	1.84	1.81	1.69	1.47	1.10	0.80	0.62	0.51	0.36
10,000	0.31	0.44	0.54	0.70	0.97	1.31	1.52	1.63	1.67	1.64	1.53	1.34	1.00	0.72	0.56	0.46	0.32
15,000	0.27	0.38	0.47	0.60	0.84	1.14	1.32	1.42	1.45	1.42	1.33	1.16	0.87	0.63	0.49	0.40	0.28
20,000	0.24	0.34	0.42	0.55	0.76	1.03	1.19	1.28	1.31	1.29	1.20	1.05	0.78	0.57	0.44	0.36	0.25
25,000	0.22	0.32	0.39	0.51	0.71	0.96	1.10	1.19	1.21	1.19	1.12	0.97	0.73	0.52	0.41	0.33	0.24
26,489 ¹	0.22	0.31	0.38	0.50	0.69	0.94	1.08	1.16	1.19	1.17	1.09	0.95	0.71	0.51	0.40	0.33	0.23

Note: Generalized standard errors in the shaded area correspond to estimated proportions that do not meet the precision constraint. They are predicted from the following equation: $SE = 100 \cdot [0.8261 \cdot p^{0.8261} \cdot (1-p)^{0.1739} / n^{0.8261}]$.

¹The total sample size for the 1993 NHSDA is 26,489.

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1993.

REFERENCES

Bishop, Y.M.M., Fienberg, S.E., & Holland, P.W. (1975). Discrete multivariate analysis: Theory and practice. Cambridge, MA: The MIT Press.

Office of Applied Statistics, Substance Abuse and Mental Health Services Administration (1994). National Household Survey on Drug Abuse: Main Findings 1993, Rockville, MD.

Office of Applied Statistics, Substance Abuse and Mental Health Services Administration (1994). National Household Survey on Drug Abuse: Population Estimates 1993, Rockville, MD.

Research Triangle Institute (1993). National Household Survey on Drug Abuse: Sample Design Report 1993, Research Triangle Park, NC: Research Triangle Institute (RTI/5071-30-01F)

Shah, B.V., Barnwell, B.G., Hunt, P.N., & LaVange, L.M. (1994). SUDAAN User's Manual: Release 6.4, Research Triangle Park, NC: Research Triangle Institute.

Wolter, K.M. (1985). Introduction to Variance Estimation. New York: Springer-Verlag.

LABEL	LEN	DESCRIPTION	IDENTIFICATION	FREQ	
-----	---	-----		----	-
			IDENTIFICATION		

RESPID	6	RESPONDENT IDENTIFICATION NUMBER			
ENCPSU	3	PRIMARY SAMPLING UNIT (ENCRYPTED)			
ENCSEG	4	SEGMENT IDENTIFICATION NUMBER (ENCRYPTED)			
ENCCASE	5	HOUSEHOLD LEVEL IDENTIFICATION NUMBER (ENCRYPTED)			

		CIGARETTES		
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	----
		CIGARETTES		

		C-1. About how old were you when you first tried a cigarette?		
CIGTRY	3	AGE WHEN FIRST TRIED A CIGARETTE		
		RANGE = 2 - 65	16022	60.49
		985 = BAD DATA Logically assigned	111	0.42
		991 = NEVER USED CIGARETTES	10265	38.75
		994 = DON'T KNOW	14	0.05
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	76	0.29
		C-2. Since that time, have you smoked at least 100 cigarettes in all, in your lifetime? (That's about as many as 5 packs.)		
CIG5PK	2	SMOKED 5 OR MORE PACKS OF CIGARETTES IN LIFETIME		
		1 = Yes	10536	39.78
		2 = No	5279	19.93
		3 = Yes LOGICALLY IMPUTED	236	0.89
		81 = NEVER USED CIGARETTES Logically assigned	20	0.08
		91 = NEVER USED CIGARETTES	10245	38.6
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	172	0.65
		C-3. About how old were you when you first started smoking daily?		
CIGAGE	3	AGE WHEN FIRST STARTED SMOKING DAILY		
		RANGE = 2 - 67	9748	36.80
		981 = NEVER USED CIGARETTES Logically assigned	17	0.06
		985 = BAD DATA Logically assigned	251	0.95
		989 = LEGITIMATE SKIP Logically assigned	410	1.55
		991 = NEVER USED CIGARETTES	10248	38.69
		993 = NEVER SMOKED DAILY	666	2.51
		994 = DON'T KNOW	7	0.03
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	271	1.02
		999 = LEGITIMATE SKIP	4869	18.38

		CIGARETTES			
LABEL	LEN	DESCRIPTION	FREQ		
-----	----	-----	----		
		C-4. For how many years did you smoke daily?			
CIGYRS	3	# YEARS SMOKED DAILY			
		RANGE = 0 - 72	9749	36.80	
		985 = BAD DATA Logically assigned	1	0.00	
		991 = NEVER USED CIGARETTES	10265	38.75	
		994 = DON'T KNOW	9	0.03	
		997 = REFUSED	2	0.01	
		998 = BLANK (NO ANSWER)	518	1.96	
		999 = LEGITIMATE SKIP	5945	22.44	
		C-5. During the period when you smoked daily, about how many cigarettes did you smoke per day, on the average?			
PACKS	2	# CIGARETTES SMOKED DAILY			
		1 = One to five cigarettes a day	1772	6.69	
		2 = About 1/2 pack a day (6-15 cigarettes)	3557	13.43	
		3 = About a pack a day (16-25 cigarettes)	3334	12.59	
		4 = About 1 1/2 packs a day (26-35 cigarettes)	681	2.57	
		5 = About 2 packs or more a day (over 35 cigarettes) ..	458	1.73	
		91 = NEVER USED CIGARETTES	10265	38.75	
		94 = DON'T KNOW	4	0.02	
		97 = REFUSED	3	0.01	
		98 = BLANK (NO ANSWER)	470	1.77	
		99 = LEGITIMATE SKIP	5945	22.44	
		C-6. When was the most recent time you smoked a cigarette?			
CIGREC	2	MOST RECENT TIME SMOKED A CIGARETTE			
		1 = Within the past month(30 days)	8426	31.81	
		2 = More than 1 month ago but less than 6 months ago .	645	2.43	
		3 = 6 or more months ago but less than 1 year ago	458	1.73	
		4 = 1 or more years ago but less than 3 years ago	906	3.42	
		5 = 3 or more years ago	4675	17.65	
		7 = Use in past 30 days LOGICALLY IMPUTED	78	0.29	
		8 = Use in past year LOGICALLY IMPUTED	351	1.33	
		9 = Use in lifetime LOGICALLY IMPUTED	616	2.33	
		91 = NEVER USED CIGARETTES	10265	38.75	
		94 = DON'T KNOW	1	0.00	
		98 = BLANK (NO ANSWER)	68	0.26	

		CIGARETTES			
LABEL	LEN	DESCRIPTION	FREQ		
-----	---	-----	----		
		C-7. How many cigarettes have you smoked per day, on the average, during the past 30 days? Give me the average number per day.			
AVCIG	2	# CIGARETTES SMOKED PER DAY LAST 30 DAYS			
		1 = Less than one cigarette a day	751	2.84	
		2 = One to five cigarettes a day	1540	5.81	
		3 = About 1/2 pack a day (6-15 cigarettes)	2640	9.97	
		4 = About a pack a day (16-25 cigarettes)	2397	9.05	
		5 = About 1 1/2 packs a day (26-35 cigarettes)	548	2.07	
		6 = About 2 packs or more a day (over 35 cigarettes) .	338	1.28	
		89 = LEGITIMATE SKIP Logically assigned	147	0.55	
		91 = NEVER USED CIGARETTES	10265	38.75	
		94 = DON'T KNOW	3	0.01	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	355	1.34	
		99 = LEGITIMATE SKIP	7504	28.33	
		C-8. For about how many years have you smoked (AMOUNT FROM Q.C-7)? (IF "Less than 1 year," PROBE FOR NUMBER OF MONTHS; RECORD IN LOWER BOXES.)			
CIGTIME	4	NUMBER OF MONTHS SMOKED # CIGARETTES/DAY IN AVCIG			
		RANGE = 0 - 792	8165	30.82	
		9981 = NEVER USED CIGARETTES Logically assigned	1	0.00	
		9985 = BAD DATA Logically assigned	1	0.00	
		9989 = LEGITIMATE SKIP Logically assigned	147	0.55	
		9991 = NEVER USED CIGARETTES	10264	38.75	
		9994 = DON'T KNOW	10	0.04	
		9997 = REFUSED	1	0.00	
		9998 = BLANK (NO ANSWER)	396	1.49	
		9999 = LEGITIMATE SKIP	7504	28.33	
		C-9. When was the most recent time you used chewing tobacco or snuff or other smokeless tobacco? (IF NEEDED, READ ANSWER CHOICES.)			
SNUFREC	2	MOST RECENT TIME USED SMOKELESS TOBACCO			
		1 = Within the past month (30 days)	494	1.86	
		2 = More than 1 month ago but less than 6 months ago .	196	0.74	
		3 = 6 or more months ago but less than 1 year ago	139	0.52	
		4 = 1 or more years ago but less than 3 years ago	329	1.24	
		5 = 3 or more years ago	1384	5.22	
		8 = Use in past year LOGICALLY IMPUTED	35	0.13	
		9 = Use in lifetime LOGICALLY IMPUTED	4	0.02	
		91 = NEVER USED SMOKELESS TOBACCO	23514	88.77	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	393	1.48	

CIGARETTES				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	-
		C-10. On the average, in the past 12 months, how often have you used chewing tobacco or snuff or other smokeless tobacco? (IF NEEDED, READ ANSWER CHOICES.)		
OTHTOB	2	FREQUENCY USED SMOKELESS TOBACCO PAST 12 MONTHS		
		1 = Daily in the past 12 Months	221	0.83
		2 = Almost daily (3-6 days a week)	80	0.30
		3 = 1 or 2 days a week	77	0.29
		4 = Several times a month (25-51 days a year)	51	0.19
		5 = 1 or 2 times a month (12-24 days a year)	74	0.28
		6 = Every other month or so (6-11 days a year)	47	0.18
		7 = 3-5 days this past year	72	0.27
		8 = 1 or 2 days this past year	218	0.82
		83 = DID NOT USE SMOKELESS TOBACCO PST YR Logic.assign.	1717	6.48
		91 = NEVER USED SMOKELESS TOBACCO	23514	88.77
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	416	1.57

LABEL	LEN	DESCRIPTION	ALCOHOL	FREQ	t
-----	----	-----		----	-

ALCOHOL -- ANSWER SHEET #1

A-1. About how old were you the first time you had a glass of beer or wine or a drink of liquor, such as whiskey, gin scotch, etc.? Do not include childhood sips that you might have had from an older person's drink. (IF YOU HAVE NEVER HAD A DRINK OF BEER, WINE, OR LIQUOR ONLY CIRCLE THE 991.)

ALCTRY	3	AGE WHEN HAD FIRST DRINK OF ALCOHOL			
		RANGE = 2 - 60	19247	72.66	
		981 = NEVER USED ALCOHOL Logically assigned	118	0.45	
		985 = BAD DATA Logically assigned	128	0.48	
		991 = NEVER USED ALCOHOL	6935	26.18	
		994 = DON'T KNOW	16	0.06	
		998 = BLANK (NO ANSWER)	45	0.17	

A-2. When was the most recent time that you had an alcohol drink, that is, of beer, wine, or liquor or a mixed alcoholic drink?

ALCREC	2	MOST RECENT ALCOHOL DRINK			
		1 = Within the past month (30 days)	11525	43.51	
		2 = More than 1 month ago but less than 6 months ago	2381	8.99	
		3 = 6 or more months ago but less than 1 year ago	1355	5.12	
		4 = 1 or more years ago but less than 3 years ago	996	3.76	
		5 = 3 or more years ago	1689	6.38	
		7 = Use in past 30 days LOGICALLY IMPUTED	832	3.14	
		8 = Use in past year LOGICALLY IMPUTED	527	1.99	
		9 = Use in lifetime LOGICALLY IMPUTED	131	0.49	
		81 = NEVER USED ALCOHOL Logically assigned	173	0.65	
		91 = NEVER USED ALCOHOL	6880	25.97	

A-3. About how old were you when you first began to drink beer, wine or liquor once a month or more often?

ALCAGE	3	AGE BEGAN DRINKING ALCOHOL MONTHLY OR MORE OFTEN			
		RANGE = 2 - 65	12262	46.29	
		981 = NEVER USED ALCOHOL Logically assigned	88	0.33	
		985 = BAD DATA Logically assigned	688	2.60	
		991 = NEVER USED ALCOHOL	6965	26.29	
		993 = NEVER USED ALCOHOL MONTHLY OR MORE OFTEN	6409	24.19	
		994 = DON'T KNOW	11	0.04	
		998 = BLANK (NO ANSWER)	66	0.25	

LABEL	LEN	DESCRIPTION	ALCOHOL	FREQ	t
		A-4. On about how many different days did you have one or more drinks of beer, wine or liquor during the past 30 days?			
ALCDAYS	2	# OF DAYS DRANK ALCOHOL PAST 30 DAYS			
		RANGE = 1 - 30		11645	43.96
		81 = NEVER USED ALCOHOL Logically assigned		82	0.31
		83 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS Logic Asn		457	1.73
		85 = BAD DATA Logically assigned		643	2.43
		91 = NEVER USED ALCOHOL		6971	26.32
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS		6622	25.00
		94 = DON'T KNOW		6	0.02
		95 = BAD DATA		1	0.00
		98 = BLANK (NO ANSWER)		62	0.23
		A-5. About how many drinks of beer, wine or liquor did you usually have in a day on the days that you drank during the past 30 days?			
NODR30A	2	USUAL # DRINKS PER DAY PAST 30 DAYS			
		RANGE = 1 - 80		11986	45.25
		81 = NEVER USED ALCOHOL Logically assigned		115	0.43
		83 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS Logic Asn		347	1.31
		85 = BAD DATA Logically assigned		340	1.28
		91 = NEVER USED ALCOHOL		6938	26.19
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS		6732	25.41
		94 = DON'T KNOW		4	0.02
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		26	0.10
		A-6. On about how many days did you have five or more drinks of beer, wine or liquor on the same occasion during the past 30 days? By "occasion" we mean at the same time or within a couple of hours of each other.			
DR5DAY	2	# DAYS DRANK 5 OR MORE DRINKS PAST 30 DAYS			
		RANGE = 0 - 30		12023	45.39
		81 = NEVER USED ALCOHOL Logically assigned		210	0.79
		83 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS Logic Asn		1069	4.04
		85 = BAD DATA Logically assigned		286	1.08
		91 = NEVER USED ALCOHOL		6843	25.83
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS		6010	22.69
		94 = DON'T KNOW		4	0.02
		95 = BAD DATA		1	0.00
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		42	0.16

LABEL	LEN	DESCRIPTION	ALCOHOL	FREQ
		A-7. What is the most you had to drink on any one day you drank beer, wine or liquor during the past 30 days?		
MODR30A	2	MOST # DRINKS ON ONE DAY IN PAST 30 DAYS		
		RANGE = 1 - 80	11777	44.46
		81 = NEVER USED ALCOHOL Logically assigned	113	0.43
		83 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS Logic Asn	414	1.56
		85 = BAD DATA Logically assigned	491	1.85
		91 = NEVER USED ALCOHOL	6940	26.20
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	6665	25.16
		94 = DON'T KNOW	15	0.06
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	72	0.27
		A-8. On how many days did you have this number of drinks of beer, wine or liquor in the past 30 days? (ANSWER FOR THE AMOUNT YOU RECORDED IN QUESTION A-7 ABOVE.)		
MODR30DY	2	# DAYS DRANK AMOUNT IN MODR30A PAST 30 DAYS		
		RANGE = 1 - 30	11543	43.58
		81 = NEVER USED ALCOHOL Logically assigned	91	0.34
		83 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS Logic Asn	330	1.25
		85 = BAD DATA Logically assigned	719	2.71
		91 = NEVER USED ALCOHOL	6962	26.28
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	6749	25.48
		94 = DON'T KNOW	18	0.07
		95 = BAD DATA	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	74	0.28

		ALCOHOL		
LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	-----	-
		A-9. On the average, how often in the past 12 months have you had any alcoholic beverage, that is, beer, wine, or liquor?		
ALCPAT	2	FREQUENCY ALCOHOL CONSUMPTION PAST 12 MONTHS		
		1 = Daily in the past 12 months	577	2.18
		2 = Almost daily or 3 to 6 days a week	1267	4.78
		3 = About 1 or 2 days a week	3136	11.84
		4 = Several times a month (about 25 to 51 days a year)	1753	6.62
		5 = 1 to 2 times a month (12 to 24 days a year)	3058	11.54
		6 = Every other month or so (6 to 11 days a year)	1888	7.13
		7 = 3 to 5 days in the past 12 months	2004	7.57
		8 = 1 or 2 days in the past 12 months	2212	8.35
		81 = NEVER USED ALCOHOL Logically assigned	83	0.31
		83 = DID NOT USE ALCOHOL PAST 12 MOS. Logic.assigned ..	142	0.54
		85 = BAD DATA Logically assigned	652	2.46
		91 = NEVER USED ALCOHOL	6970	26.31
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	2674	10.09
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	71	0.27
		A-10. How many times in the past 12 months have you gotten very high or drunk on alcohol, that is, beer, wine or liquor?		
DRUNKYR	2	# TIMES GOT DRUNK ON ALCOHOL PAST 12 MONTHS		
		1 = Daily in the past 12 months	133	0.50
		2 = Almost daily or 3 to 6 days a week	213	0.80
		3 = About 1 or 2 days a week	648	2.45
		4 = Several times a month (about 25 to 51 days a year)	475	1.79
		5 = 1 to 2 times a month (12 to 24 days a year)	1171	4.42
		6 = Every other month or so (6 to 11 days a year)	797	3.01
		7 = 3 to 5 days in the past 12 months	1228	4.64
		8 = 1 or 2 days in the past 12 months	2311	8.72
		9 = Never got very high or drunk in past 12 months ...	8264	31.20
		81 = NEVER USED ALCOHOL Logically assigned	117	0.44
		83 = DID NOT USE ALCOHOL PAST 12 MOS. Logic.assigned ..	156	0.59
		85 = BAD DATA Logically assigned	1262	4.76
		91 = NEVER USED ALCOHOL	6936	26.18
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	2660	10.04
		94 = DON'T KNOW	3	0.01
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	114	0.43

LABEL	LEN	DESCRIPTION	FREQ	
ALCOHOL				
A-11. On those occasions when you drink alcohol, is it usually beer, wine, or liquor? (PLEASE CIRCLE ONLY ONE ANSWER.)				
ALCBEER	2	USUAL ALCOHOL BEVERAGE-BEER		
		1 = Response circled	8848	33.40
		2 = Response not circled	10391	39.23
		81 = NEVER USED ALCOHOL Logically assigned	341	1.29
		85 = BAD DATA Logically assigned	196	0.74
		91 = NEVER USED ALCOHOL	6712	25.34
		94 = DON'T KNOW	1	0.00
ALCWINE	2	USUAL ALCOHOL BEVERAGE-WINE		
		1 = Response circled	3681	13.90
		2 = Response not circled	15559	58.74
		81 = NEVER USED ALCOHOL Logically assigned	341	1.29
		85 = BAD DATA Logically assigned	196	0.74
		91 = NEVER USED ALCOHOL	6712	25.34
ALCLIQR	2	USUAL ALCOHOL BEVERAGE-LIQUOR		
		1 = Response circled	2631	9.93
		2 = Response not circled	16609	62.70
		81 = NEVER USED ALCOHOL Logically assigned	341	1.29
		85 = BAD DATA Logically assigned	196	0.74
		91 = NEVER USED ALCOHOL	6712	25.34
ALCVARY	2	USUAL ALCOHOL BEVERAGE-IT VARIES		
		1 = Response circled	4050	15.29
		2 = Response not circled	15190	57.34
		81 = NEVER USED ALCOHOL Logically assigned	341	1.29
		85 = BAD DATA Logically assigned	196	0.74
		91 = NEVER USED ALCOHOL	6712	25.34

		SEDATIVES			
LABEL	LEN	DESCRIPTION		FREQ	
----	---	-----		----	-
		SEDATIVES -- ANSWER SHEET #2			

		IF YOU HAVE NEVER TAKEN ANY SEDATIVE FOR NONMEDICAL REASONS, CIRCLE THE 91 IN THE BOX TO THE RIGHT. -----> * 91 * THEN TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THIS ANSWER SHEET. OTHERWISE, CONTINUE WITH S-2 BELOW.			
NOSEDAT	2	HAS NEVER TAKEN SEDATIVES FOR NONMEDICAL REASONS			
		1 = Response circled	25560	96.49	
		2 = Response not circled	768	2.90	
		4 = Response not circled LOGICALLY IMPUTED	138	0.52	
		98 = BLANK (NO ANSWER)	23	0.09	
		S-1. Circle the number next to each sedative you have ever taken for nonmedical reasons--on your own, either without your own prescription from a doctor, or in greater amounts or more often than prescribed, or for any reason other than a doctor said you should take them.			
BUTISOL	2	BUTISOL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	21	0.08	
		2 = Response not circled	885	3.34	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	
BUTICAPS	2	BUTICAPS EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	7	0.03	
		2 = Response not circled	899	3.39	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	
AMYTAL	2	AMYTAL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	18	0.07	
		2 = Response not circled	888	3.35	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	
MEBARAL	2	MEBARAL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	30	0.11	
		2 = Response not circled	876	3.31	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	

		SEDATIVES			
LABEL	LEN	DESCRIPTION	FREQ		
----	----	-----	----		
PLACIDYL	2	PLACIDYL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	109	0.41	
		2 = Response not circled	797	3.01	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	
DORIDEN	2	DORIDEN EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	19	0.07	
		2 = Response not circled	887	3.35	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	
NOLUDAR	2	NOLUDAR EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	14	0.05	
		2 = Response not circled	892	3.37	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	
NEMBUTAL	2	NEMBUTAL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	55	0.21	
		2 = Response not circled	851	3.21	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	
SECONAL	2	SECONAL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	175	0.66	
		2 = Response not circled	731	2.76	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	
TUINAL	2	TUINAL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	109	0.41	
		2 = Response not circled	797	3.01	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	
DALMANE	2	DALMANE EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	54	0.20	
		2 = Response not circled	852	3.22	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	
RESTORIL	2	RESTORIL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	19	0.07	
		2 = Response not circled	887	3.35	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	
HALCION	2	HALCION EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	64	0.24	
		2 = Response not circled	842	3.18	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	

		SEDATIVES			
LABEL	LEN	DESCRIPTION	FREQ	t	
-----	----	-----	----		
AMOBARB	2	AMOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	10	0.04	
		2 = Response not circled	896	3.38	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	
PHENOBAR	2	PHENOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	75	0.28	
		2 = Response not circled	831	3.14	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	
METHAQ	2	METHAQUALONE EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	333	1.26	
		2 = Response not circled	573	2.16	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	
CHHYD	2	CHLORAL HYDRATE EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	12	0.05	
		2 = Response not circled	894	3.37	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	
PENTOB	2	PENTOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	30	0.11	
		2 = Response not circled	876	3.31	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	
SECOB	2	SECOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	32	0.12	
		2 = Response not circled	874	3.30	
		91 = NEVER USED SEDATIVES	25560	96.49	
		98 = BLANK (NO ANSWER)	23	0.09	

		SEDATIVES		
LABEL	LEN	DESCRIPTION	FREQ	†
SEDNEWA	3	OTHER SEDATIVE EVER USED-1ST MENTION		
		108 = Nembutal	1	0.00
		120 = Downers; OTHER Sedative, NOT SPECIFIED	5	0.02
		122 = Sleep Aid	1	0.00
		127 = Nytol	2	0.01
		129 = Reds	4	0.02
		135 = Mini Thins	1	0.00
		137 = 7-14	1	0.00
		158 = Calmociteno (in Brazil)	1	0.00
		159 = Octanox	1	0.00
		160 = Relanium [sic]	1	0.00
		161 = Rufonol	1	0.00
		162 = Ambramine 500 [sic]	1	0.00
		201 = Valium	16	0.06
		206 = Tranxene	1	0.00
		209 = Xanax	4	0.02
		224 = Triavil	1	0.00
		311 = Preludin	1	0.00
		326 = White cross	1	0.00
		327 = Black beauties, Black Beauty	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		369 = Artane	1	0.00
		401 = Darvon	1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	3	0.01
		415 = Codeine	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		422 = Motrin	1	0.00
		423 = Percocet	1	0.00
		427 = Darvocet	2	0.01
		430 = Aspirin, Ecotrin, Empirin	1	0.00
		434 = Co-Gesic, Hydrocodone, Tussionex, Vicodin	4	0.02
		435 = Tylenol, Tylenol Extrastrength	4	0.02
		456 = Lorcet HD, Lorcet Plus [see also 434]	1	0.00
		704 = Dope	1	0.00
		811 = Muscle relaxers	1	0.00
		864 = Dramamine, Motion sickness pill	2	0.01
		981 = NEVER USED SEDATIVES Logically assigned	2	0.01
		991 = NEVER USED SEDATIVES	25558	96.49
		998 = BLANK (NO ANSWER)	858	3.24
SEDNEWB	3	OTHER SEDATIVE EVER USED-2ND MENTION		
		116 = Methaqualone, Quaalude, Sopor	1	0.00
		209 = Xanax	1	0.00
		244 = Roche 2 (Mexican) [sic]	1	0.00
		247 = Adapin, Doxepin, Sinequan	1	0.00
		326 = White cross	1	0.00
		362 = Benadryl	1	0.00
		415 = Codeine	1	0.00
		428 = Execl [sic]	1	0.00
		991 = NEVER USED SEDATIVES	25560	96.49
		998 = BLANK (NO ANSWER)	921	3.48

SEDATIVES				
LABEL	LEN	DESCRIPTION	FREQ	%
SEDNEWC	3	OTHER SEDATIVE EVER USED-3RD MENTION		
		809 = Pills	1	0.00
		991 = NEVER USED SEDATIVES	25560	96.49
		998 = BLANK (NO ANSWER)	928	3.50
SEDNEWD	3	OTHER SEDATIVE EVER USED-4TH MENTION		
		991 = NEVER USED SEDATIVES	25560	96.49
		998 = BLANK (NO ANSWER)	929	3.51
SEDNEWE	3	OTHER SEDATIVE EVER USED-5TH MENTION		
		991 = NEVER USED SEDATIVES	25560	96.49
		998 = BLANK (NO ANSWER)	929	3.51
SEDNOSP	2	OTHER SEDATIVE EVER USED (NOT SPECIFIED)		
		1 = Response circled	57	0.22
		2 = Response not circled	744	2.81
		3 = Sedative use LOGICALLY IMPUTED	105	0.40
		91 = NEVER USED SEDATIVES	25560	96.49
		98 = BLANK (NO ANSWER)	23	0.09
SEDDKNAM	2	USED SEDATIVE, DON'T KNOW NAME		
		1 = Response circled	222	0.84
		2 = Response not circled	684	2.58
		81 = NEVER USED SEDATIVES Logically assigned	1	0.00
		91 = NEVER USED SEDATIVES	25559	96.49
		98 = BLANK (NO ANSWER)	23	0.09
S-2. About how old were you the first time you took a sedative for any nonmedical reason?				
SEDAGE	3	AGE FIRST TOOK SEDATIVE FOR NONMEDICAL REASONS		
		RANGE = 5 - 66	760	2.87
		981 = NEVER USED SEDATIVES Logically assigned	47	0.18
		985 = BAD DATA Logically assigned	13	0.05
		991 = NEVER USED SEDATIVES	25513	96.32
		994 = DON'T KNOW	5	0.02
		998 = BLANK (NO ANSWER)	151	0.57

SEDATIVES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		S-3. Altogether, about how many times in your life have you taken sedatives for any nonmedical reason?		
SEDTOT	2	# TIMES EVER TOOK SEDATIVE FOR NONMEDICAL REASONS		
		1 = 1 or 2 times	212	0.80
		2 = 3 to 5 times	151	0.57
		3 = 6 to 10 times	133	0.50
		4 = 11 to 49 times	136	0.51
		5 = 50 to 99 times	57	0.22
		6 = 100 to 199 times	33	0.12
		7 = 200 or more times	73	0.28
		81 = NEVER USED SEDATIVES Logically assigned	1	0.00
		91 = NEVER USED SEDATIVES	25559	96.49
		98 = BLANK (NO ANSWER)	134	0.51
		S-4. When was the most recent time you took any sedative for nonmedical reasons?		
SEDREC	2	MOST RECENT TIME USED SEDATIVE FOR NONMEDICAL RSN		
		1 = Within the past month(30 days)	74	0.28
		2 = More than 1 month ago but less than 6 months ago .	68	0.26
		3 = 6 or more months ago but less than 1 year ago	33	0.12
		4 = 1 or more years ago but less than 3 years ago	72	0.27
		5 = 3 or more years ago	496	1.87
		8 = Use in past year LOGICALLY IMPUTED	78	0.29
		9 = Use in lifetime LOGICALLY IMPUTED	85	0.32
		91 = NEVER USED SEDATIVES	25560	96.49
		98 = BLANK (NO ANSWER)	23	0.09
		S-5. On the average, how often in the past 12 months have you taken any sedative for nonmedical reasons?		
SEDYRFRQ	2	HOW OFTEN TKN SEDATIVES PAST YR FOR NONMDCL RSN		
		1 = Daily in the past 12 months	4	0.02
		2 = Almost daily or 3 to 6 days a week	6	0.02
		3 = About 1 or 2 days a week	18	0.07
		4 = Several times a month (25 to 51 days a year)	19	0.07
		5 = 1 to 2 times a month (12 to 24 days a year)	26	0.10
		6 = Every other month or so (6 to 11 days a year)	15	0.06
		7 = 3 to 5 days in the past 12 months	37	0.14
		8 = 1 or 2 days in the past 12 months	65	0.25
		81 = NEVER USED SEDATIVES Logically assigned	100	0.38
		83 = DID NOT USE SEDATIVE PAST 12 MOS. Logic.assigned .	76	0.29
		85 = BAD DATA Logically assigned	30	0.11
		91 = NEVER USED SEDATIVES	25460	96.12
		93 = DID NOT USE ANY SEDATIVE IN THE PAST 12 MONTHS ...	577	2.18
		98 = BLANK (NO ANSWER)	56	0.21

TRANQUILIZERS				
LABEL	LEN	DESCRIPTION	FREQ	
		TRANQUILIZERS -- ANSWER SHEET #3		
		T-0. You may complete this on your own, or if you prefer, I'll read the questions. Which way would you prefer to do it?		
TRNREAD	2	TRANQUILIZERS - READING PREF. (1988-91 = AS3READ)		
		1 = Wants interviewer to continue reading	8051	30.39
		2 = Wants to do it himself/herself	17773	67.10
		98 = BLANK (NO ANSWER)	665	2.51
		IF YOU HAVE NEVER TAKEN ANY TRANQUILIZER FOR NONMEDICAL REASONS, CIRCLE THE 91 IN BOX TO THE RIGHT. -----> * 91 * THEN TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THIS ANSWER SHEET. OTHERWISE, CONTINUE WITH T-2 BELOW.		
NOTRANQ	2	HAS NEVER TAKEN TRANQUILIZER FOR NONMED REASONS		
		1 = Response circled	25221	95.21
		2 = Response not circled	1152	4.35
		4 = Response not circled LOGICALLY IMPUTED	76	0.29
		98 = BLANK (NO ANSWER)	40	0.15
		T-1. Circle the number next to each tranquilizer you have ever taken for nonmedical reasons--on your own, either without a doctor's prescription, or in greater amounts or more often than prescribed, or for any reason other than a doctor said you should take them.		
VALIUM	2	VALIUM EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	932	3.52
		2 = Response not circled	296	1.12
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15
LIBRIUM	2	LIBRIUM EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	147	0.55
		2 = Response not circled	1081	4.08
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15
LIMBITROL	2	LIMBITROL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	10	0.04
		2 = Response not circled	1218	4.60
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15

TRANQUILIZERS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
MENRIUM	2	MENRIUM EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	5	0.02
		2 = Response not circled	1223	4.62
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15
SERAX	2	SERAX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	24	0.09
		2 = Response not circled	1204	4.55
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15
TRANXENE	2	TRANXENE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	47	0.18
		2 = Response not circled	1181	4.46
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15
ATIVAN	2	ATIVAN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	59	0.22
		2 = Response not circled	1169	4.41
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15
CENTRAX	2	CENTRAX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	13	0.05
		2 = Response not circled	1215	4.59
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15
XANAX	2	XANAX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	280	1.06
		2 = Response not circled	948	3.58
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15
PAXIPAM	2	PAXIPAM EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	8	0.03
		2 = Response not circled	1220	4.61
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15
BUSPAR	2	BUSPAR EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	24	0.09
		2 = Response not circled	1204	4.55
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15
MILTOWN	2	MILTOWN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	20	0.08
		2 = Response not circled	1208	4.56
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15

TRANQUILIZERS				
LABEL	LEN	DESCRIPTION	FREQ	%
EQUANIL	2	EQUANIL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	18	0.07
		2 = Response not circled	1210	4.57
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15
DEPROL	2	DEPROL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	8	0.03
		2 = Response not circled	1220	4.61
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15
VISTAR	2	VISTARIL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	25	0.09
		2 = Response not circled	1203	4.54
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15
ATARAX	2	ATARAX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	16	0.06
		2 = Response not circled	1212	4.58
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15
DURRAX	2	DURRAX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	8	0.03
		2 = Response not circled	1220	4.61
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15
DIAZEPAM	2	DIAZEPAM EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	55	0.21
		2 = Response not circled	1173	4.43
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15
SKLY	2	SK-LYGEN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	1	0.00
		2 = Response not circled	1227	4.63
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15
MEPROB	2	MEPROBAMATE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	11	0.04
		2 = Response not circled	1217	4.59
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15

TRANQUILIZERS				
LABEL	LEN	DESCRIPTION	FREQ	%
TRNEWA	3	OTHER TRANQUILIZER EVER USED-1ST MENTION		
		110 = Tuinal	1	0.00
		116 = Methaqualone, Quaalude, Sopor	2	0.01
		131 = Haldol, Haloperidol	2	0.01
		201 = Valium	1	0.00
		207 = Ativan	2	0.01
		209 = Xanax	1	0.00
		218 = Diazepam	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		227 = Thorazine	2	0.01
		228 = Amitriptyline [see also 239]	1	0.00
		234 = Cyclobenzaprine, Flexeril	4	0.02
		239 = Elavil [see also 228]	1	0.00
		268 = Rahipinal	1	0.00
		269 = Pasidrin (in Mexico)	1	0.00
		270 = Torzien	1	0.00
		336 = Diet pills	1	0.00
		344 = Bennies	1	0.00
		415 = Codeine	1	0.00
		422 = Motrin	1	0.00
		427 = Darvocet	1	0.00
		430 = Aspirin, Ecotrin, Empirin	1	0.00
		437 = Parafon Forte	1	0.00
		438 = Anaprox, Naprosyn	1	0.00
		991 = NEVER USED TRANQUILIZERS	25221	95.21
		998 = BLANK (NO ANSWER)	1238	4.67
TRNEWB	3	OTHER TRANQUILIZER EVER USED-2ND MENTION		
		128 = Nervine	1	0.00
		226 = Stelazine, Trifluoperazine HCl	1	0.00
		991 = NEVER USED TRANQUILIZERS	25221	95.21
		998 = BLANK (NO ANSWER)	1266	4.78
TRNEWC	3	OTHER TRANQUILIZER EVER USED-3RD MENTION		
		230 = Compazine	1	0.00
		991 = NEVER USED TRANQUILIZERS	25221	95.21
		998 = BLANK (NO ANSWER)	1267	4.78
TRNEWD	3	OTHER TRANQUILIZER EVER USED-4TH MENTION		
		991 = NEVER USED TRANQUILIZERS	25221	95.21
		998 = BLANK (NO ANSWER)	1268	4.79
TRNEWE	3	OTHER TRANQUILIZER EVER USED-5TH MENTION		
		991 = NEVER USED TRANQUILIZERS	25221	95.21
		998 = BLANK (NO ANSWER)	1268	4.79
TRNOSP	2	OTHER TRANQUILIZER EVER USED (NOT SPECIFIED)		
		1 = Response circled	21	0.08
		2 = Response not circled	1153	4.35
		3 = Tranquilizer use LOGICALLY IMPUTED	54	0.20
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15

TRANQUILIZERS				
LABEL	LEN	DESCRIPTION	FREQ	%
TRDKNAM	2	USED TRANQUILIZER, DON'T KNOW NAME		
		1 = Response circled	110	0.42
		2 = Response not circled	1118	4.22
		81 = NEVER USED TRANQUILIZERS Logically assigned	1	0.00
		91 = NEVER USED TRANQUILIZERS	25220	95.21
		98 = BLANK (NO ANSWER)	40	0.15
T-2. About how old were you the first time you took a tranquilizer for any nonmedical reason?				
TRANAGE	3	AGE FIRST TOOK TRANQUILIZER FOR NONMEDICAL REASONS		
		RANGE = 6 - 75	1133	4.28
		981 = NEVER USED TRANQUILIZERS Logically assigned	33	0.12
		985 = BAD DATA Logically assigned	10	0.04
		991 = NEVER USED TRANQUILIZERS	25188	95.09
		998 = BLANK (NO ANSWER)	125	0.47
T-3. Altogether, about how many times in your life have you taken tranquilizers for any nonmedical reason?				
TRANTOT	2	# TIMES EVER TOOK TRANQUILIZER NONMEDICAL REASONS		
		1 = 1 or 2 times	349	1.32
		2 = 3 to 5 times	239	0.90
		3 = 6 to 10 times	180	0.68
		4 = 11 to 49 times	197	0.74
		5 = 50 to 99 times	81	0.31
		6 = 100 to 199 times	33	0.12
		7 = 200 or more times	71	0.27
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	118	0.45
T-4. When was the most recent time you took any tranquilizer for nonmedical reasons?				
TRANREC	2	MOST RECENT TIME USED TRANQUILIZER NONMEDICAL REAS		
		1 = Within the past month (30 days)	108	0.41
		2 = More than 1 month ago but less than 6 months ago .	122	0.46
		3 = 6 or more months ago but less than 1 year ago	99	0.37
		4 = 1 or more years ago but less than 3 years ago	144	0.54
		5 = 3 or more years ago	620	2.34
		8 = Use in past year LOGICALLY IMPUTED	63	0.24
		9 = Use in lifetime LOGICALLY IMPUTED	72	0.27
		91 = NEVER USED TRANQUILIZERS	25221	95.21
		98 = BLANK (NO ANSWER)	40	0.15

TRANQUILIZERS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
		T-5. On the average, how often in the past 12 months have you taken any tranquilizer for nonmedical reasons?		
TRNYRFRQ	2	FREQ IN PAST YR TKN TRANQUILIZERS FOR NONMDCAL RSN		
		1 = Daily in the past 12 months	2	0.01
		2 = Almost daily or 3 to 6 days a week	12	0.05
		3 = About 1 or 2 days a week	24	0.09
		4 = Several times a month (about 25 to 51 days a year)	30	0.11
		5 = 1 to 2 times a month (12 to 24 days a year)	46	0.17
		6 = Every other month or so (6 to 11 days a year)	30	0.11
		7 = 3 to 5 days in the past 12 months	68	0.26
		8 = 1 or 2 days in the past 12 months	141	0.53
		81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.32
		83 = DID NOT USE TRANQUILIZER PAST 12 MOS. Logic.assgnd	71	0.27
		85 = BAD DATA Logically assigned	28	0.11
		91 = NEVER USED TRANQUILIZERS	25135	94.89
		93 = DID NOT USE ANY TRANQUILIZER IN THE PAST 12 MONTHS	765	2.89
		98 = BLANK (NO ANSWER)	51	0.19

		STIMULANTS			
LABEL	LEN	DESCRIPTION		FREQ	%
----	---	-----		----	-
STIMULANTS -- ANSWER SHEET #4					

ST-0. You may complete this on your own, or if you prefer, I'll read the questions. Which way do you want to do it?					
STMREAD	2	STIMULANTS - READING PREF. (1988-91 = AS4READ)			
		1 = Wants interviewer to continue reading	7812	29.49	
		2 = Wants to do it himself/herself	18037	68.09	
		96 = MULTIPLE RESPONSE	5	0.02	
		98 = BLANK (NO ANSWER)	635	2.40	
IF YOU HAVE NEVER TAKEN ANY STIMULANT FOR NONMEDICAL REASONS, CIRCLE THE 91 IN THE BOX TO THE RIGHT. -----> * 91 * THEN TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THIS ANSWER SHEET. OTHERWISE, CONTINUE WITH ST-2 BELOW.					
NOSTIMS	2	HAS NEVER TAKEN STIMULANT FOR NONMEDICAL REASONS			
		1 = Response circled	24893	93.97	
		2 = Response not circled	1448	5.47	
		4 = Response not circled LOGICALLY IMPUTED	97	0.37	
		98 = BLANK (NO ANSWER)	51	0.19	
ST-1. Circle the number next to each stimulant you have ever taken for nonmedical reasons--on your own, either without a doctor's prescription, or in greater amounts or more often than prescribed, or for a reason other than a doctor said you should take them.					
DEXED	2	DEXEDRINE EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	259	0.98	
		2 = Response not circled	1286	4.85	
		91 = NEVER USED STIMULANTS	24893	93.97	
		98 = BLANK (NO ANSWER)	51	0.19	
DEXAMYL	2	DEXAMYL EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	53	0.20	
		2 = Response not circled	1492	5.63	
		91 = NEVER USED STIMULANTS	24893	93.97	
		98 = BLANK (NO ANSWER)	51	0.19	

		STIMULANTS	
LABEL	LEN	DESCRIPTION	FREQ
ESKAT	2	ESKATROL EVER TAKEN FOR NONMEDICAL REASONS	
		1 = Response circled	15 0.06
		2 = Response not circled	1530 5.78
		91 = NEVER USED STIMULANTS	24893 93.97
		98 = BLANK (NO ANSWER)	51 0.19
BENZ	2	BENZEDRINE EVER TAKEN FOR NONMEDICAL REASONS	
		1 = Response circled	176 0.66
		2 = Response not circled	1369 5.17
		91 = NEVER USED STIMULANTS	24893 93.97
		98 = BLANK (NO ANSWER)	51 0.19
BIPHET	2	BIPHETAMINE EVER TAKEN FOR NONMEDICAL REASONS	
		1 = Response circled	143 0.54
		2 = Response not circled	1402 5.29
		91 = NEVER USED STIMULANTS	24893 93.97
		98 = BLANK (NO ANSWER)	51 0.19
DESOXYN	2	DESOXYN EVER TAKEN FOR NONMEDICAL REASONS	
		1 = Response circled	33 0.12
		2 = Response not circled	1512 5.71
		91 = NEVER USED STIMULANTS	24893 93.97
		98 = BLANK (NO ANSWER)	51 0.19
TENUATE	2	TENUATE EVER TAKEN FOR NONMEDICAL REASONS	
		1 = Response circled	31 0.12
		2 = Response not circled	1514 5.72
		91 = NEVER USED STIMULANTS	24893 93.97
		98 = BLANK (NO ANSWER)	51 0.19
TEPANIL	2	TEPANIL EVER TAKEN FOR NONMEDICAL REASONS	
		1 = Response circled	6 0.02
		2 = Response not circled	1539 5.81
		91 = NEVER USED STIMULANTS	24893 93.97
		98 = BLANK (NO ANSWER)	51 0.19
DIDREX	2	DIDREX EVER TAKEN FOR NONMEDICAL REASONS	
		1 = Response circled	7 0.03
		2 = Response not circled	1538 5.81
		91 = NEVER USED STIMULANTS	24893 93.97
		98 = BLANK (NO ANSWER)	51 0.19
PLEGINE	2	PLEGINE EVER TAKEN FOR NONMEDICAL REASONS	
		1 = Response circled	11 0.04
		2 = Response not circled	1534 5.79
		91 = NEVER USED STIMULANTS	24893 93.97
		98 = BLANK (NO ANSWER)	51 0.19
PRELUDIN	2	PRELUDIN EVER TAKEN FOR NONMEDICAL REASONS	
		1 = Response circled	97 0.37
		2 = Response not circled	1448 5.47
		91 = NEVER USED STIMULANTS	24893 93.97
		98 = BLANK (NO ANSWER)	51 0.19

LABEL	LEN	DESCRIPTION	FREQ	t
STIMULANTS				
IONAMIN	2	IONAMIN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	46	0.17
		2 = Response not circled	1499	5.66
		91 = NEVER USED STIMULANTS	24893	93.97
		98 = BLANK (NO ANSWER)	51	0.19
FASTIN	2	FASTIN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	89	0.34
		2 = Response not circled	1456	5.50
		91 = NEVER USED STIMULANTS	24893	93.97
		98 = BLANK (NO ANSWER)	51	0.19
PONDIMIN	2	PONDIMIN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	5	0.02
		2 = Response not circled	1540	5.81
		91 = NEVER USED STIMULANTS	24893	93.97
		98 = BLANK (NO ANSWER)	51	0.19
VORANIL	2	VORANIL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	15	0.06
		2 = Response not circled	1530	5.78
		91 = NEVER USED STIMULANTS	24893	93.97
		98 = BLANK (NO ANSWER)	51	0.19
SANOREX	2	SANOREX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	13	0.05
		2 = Response not circled	1532	5.78
		91 = NEVER USED STIMULANTS	24893	93.97
		98 = BLANK (NO ANSWER)	51	0.19
MAZANOR	2	MAZANOR EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	15	0.06
		2 = Response not circled	1530	5.78
		91 = NEVER USED STIMULANTS	24893	93.97
		98 = BLANK (NO ANSWER)	51	0.19
RITALIN	2	RITALIN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	63	0.24
		2 = Response not circled	1482	5.59
		91 = NEVER USED STIMULANTS	24893	93.97
		98 = BLANK (NO ANSWER)	51	0.19
CYLERT	2	CYLERT EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	6	0.02
		2 = Response not circled	1539	5.81
		91 = NEVER USED STIMULANTS	24893	93.97
		98 = BLANK (NO ANSWER)	51	0.19
DETAMP	2	DEXTROAMPHETAMINE EVER TAKEN FOR NONMED REASONS		
		1 = Response circled	41	0.15
		2 = Response not circled	1504	5.68
		91 = NEVER USED STIMULANTS	24893	93.97
		98 = BLANK (NO ANSWER)	51	0.19

		STIMULANTS			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
METHI	2	METHEDRINE EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	95	0.36	
		2 = Response not circled	1450	5.47	
		91 = NEVER USED STIMULANTS	24893	93.97	
		98 = BLANK (NO ANSWER)	51	0.19	
METHAMP	2	METHAMPHETAMINE EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	629	2.37	
		2 = Response not circled	916	3.46	
		91 = NEVER USED STIMULANTS	24893	93.97	
		98 = BLANK (NO ANSWER)	51	0.19	
OBLA	2	OBEDRIN-L.A. EVER TAKEN FOR NONMEDICAL REASONS			
		1 = Response circled	3	0.01	
		2 = Response not circled	1542	5.82	
		91 = NEVER USED STIMULANTS	24893	93.97	
		98 = BLANK (NO ANSWER)	51	0.19	

STIMULANTS			FREQ	%
LABEL	LEN	DESCRIPTION		
STIMNEWA	3	OTHER STIMULANT EVER USED-1ST MENTION		
		124 = Yellow jackets	1	0.00
		135 = Mini Thins	3	0.01
		145 = Red devil(s)	1	0.00
		301 = Dexedrine	2	0.01
		305 = Biphetamine	1	0.00
		313 = Fastin, Phentermine	1	0.00
		316 = Sanorex	1	0.00
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	2	0.01
		325 = USED STIMULANT, DON'T KNOW NAME	1	0.00
		326 = White cross	37	0.14
		327 = Black beauties, Black Beauty	11	0.04
		328 = Pink hearts	6	0.02
		329 = Robin's eggs, speckled eggs	1	0.00
		331 = Whites, Blancas	6	0.02
		332 = Ephedrine (HCl) [see also 346]	6	0.02
		333 = 357 Magnum, Magnum 44	1	0.00
		334 = Crossroads, cross tops	6	0.02
		335 = Dexatrim	3	0.01
		336 = Diet pills	3	0.01
		339 = Amphetamines (speed generically)	15	0.06
		344 = Bennies	1	0.00
		347 = Phenylpropanolamine	1	0.00
		348 = Crystal	1	0.00
		352 = Lemons	1	0.00
		353 = No-Doz	5	0.02
		354 = Vivarin	9	0.03
		355 = Crystal meth	3	0.01
		357 = Heart-shaped black pills	1	0.00
		384 = Little crosses	1	0.00
		385 = Little pink one	1	0.00
		386 = Ma Huang	1	0.00
		388 = Pink lemon	1	0.00
		389 = Daprisal [sic]	1	0.00
		390 = Max Alert	1	0.00
		391 = Turbe [sic] tablets	1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
		430 = Aspirin, Ecotrin, Empirin	1	0.00
		435 = Tylenol, Tylenol Extrastrength	1	0.00
		530 = Asthma inhaler, asthma med., bronchial dilators	1	0.00
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.00
		621 = Red dragon	1	0.00
		635 = Ginseng seeds	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana, MarrJane [sic], weed, Mary Jane, MJ	1	0.00
		805 = Cocaine, coke, coca	7	0.03
		806 = Crack, rock	1	0.00
		814 = Caffeine	4	0.02
		815 = Coffee	1	0.00
		991 = NEVER USED STIMULANTS	24893	93.97
		998 = BLANK (NO ANSWER)	1437	5.42

STIMULANTS				
LABEL	LEN	DESCRIPTION	FREQ	
STIMNEWB	3	OTHER STIMULANT EVER USED-2ND MENTION		
		124 = Yellow jackets	1	0.00
		254 = Vilonopin [sic]	1	0.00
		326 = White cross	3	0.01
		327 = Black beauties, Black Beauty	3	0.01
		328 = Pink hearts	1	0.00
		332 = Ephedrine (HCl) [see also 346]	1	0.00
		334 = Crossroads, cross tops	1	0.00
		339 = Amphetamines (speed generically)	2	0.01
		344 = Bennies	1	0.00
		353 = No-Doz	2	0.01
		354 = Vivarin	2	0.01
		355 = Crystal meth	1	0.00
		363 = Bam(s)	1	0.00
		620 = Blue dragon	1	0.00
		805 = Cocaine, coke	1	0.00
		806 = Crack, rock	1	0.00
		814 = Caffeine	3	0.01
		991 = NEVER USED STIMULANTS	24893	93.97
		998 = BLANK (NO ANSWER)	1570	5.93
STIMNEWC	3	OTHER STIMULANT EVER USED-3RD MENTION		
		374 = Christmas tree(s)	1	0.00
		991 = NEVER USED STIMULANTS	24893	93.97
		998 = BLANK (NO ANSWER)	1595	6.02
STIMNEWD	3	OTHER STIMULANT EVER USED-4TH MENTION		
		387 = Pink football	1	0.00
		991 = NEVER USED STIMULANTS	24893	93.97
		998 = BLANK (NO ANSWER)	1595	6.02
STIMNEWE	3	OTHER STIMULANT EVER USED-5TH MENTION		
		991 = NEVER USED STIMULANTS	24893	93.97
		998 = BLANK (NO ANSWER)	1596	6.03
STIMNOSP	2	OTHER STIMULANT EVER USED (NOT SPECIFIED)		
		1 = Response circled	107	0.40
		2 = Response not circled	1339	5.05
		3 = Stimulant use LOGICALLY IMPUTED	99	0.37
		91 = NEVER USED STIMULANTS	24893	93.97
		98 = BLANK (NO ANSWER)	51	0.19
STMDKNAM	2	USED STIMULANT, DON'T KNOW NAME		
		1 = Response circled	327	1.23
		2 = Response not circled	1218	4.60
		81 = NEVER USED STIMULANTS Logically assigned	1	0.00
		91 = NEVER USED STIMULANTS	24892	93.97
		98 = BLANK (NO ANSWER)	51	0.19

		STIMULANTS			
LABEL	LEN	DESCRIPTION	FREQ		
-----	---	-----	----		
		ST-2. About how old were you the first time you took amphetamines or other stimulants for any nonmedical reason?			
STIMAGE	3	AGE FIRST TOOK STIMULANT FOR NONMEDICAL REASONS			
		RANGE = 8 - 50	1433	5.41	
		981 = NEVER USED STIMULANTS Logically assigned	24	0.09	
		985 = BAD DATA Logically assigned	7	0.03	
		991 = NEVER USED STIMULANTS	24869	93.88	
		998 = BLANK (NO ANSWER)	156	0.59	
		ST-3. Altogether, about how many times in your life have you taken amphetamines or other stimulants for any nonmedical reason?			
STIMTOT	2	# TIMES EVER TOOK STIMULANT FOR NONMEDICAL REASONS			
		1 = 1 or 2 times	283	1.07	
		2 = 3 to 5 times	211	0.80	
		3 = 6 to 10 times	218	0.82	
		4 = 11 to 49 times	316	1.19	
		5 = 50 to 99 times	142	0.54	
		6 = 100 to 199 times	103	0.39	
		7 = 200 or more times	170	0.64	
		91 = NEVER USED STIMULANTS	24893	93.97	
		98 = BLANK (NO ANSWER)	153	0.58	
		ST-4. When was the most recent time you took any amphetamine or other stimulant for nonmedical reasons?			
STIMREC	2	MOST RECENT TIME USED STIMULANT FOR NONMED RSNS			
		1 = Within the past month (30 days)	99	0.37	
		2 = More than 1 month ago but less than 6 months ago .	101	0.38	
		3 = 6 or more months ago but less than 1 year ago	77	0.29	
		4 = 1 or more years ago but less than 3 years ago	150	0.57	
		5 = 3 or more years ago	955	3.61	
		8 = Use in past year LOGICALLY IMPUTED	74	0.28	
		9 = Use in lifetime LOGICALLY IMPUTED	89	0.34	
		91 = NEVER USED STIMULANTS	24893	93.97	
		98 = BLANK (NO ANSWER)	51	0.19	

		STIMULANTS			
LABEL	LEN	DESCRIPTION	FREQ		
-----	---	-----	----		
		ST-5. On the average, how often in the past 12 months have you taken any amphetamine or other stimulant for nonmedical reasons?			
STMYRFRQ	2	# TIMES USED STIMULANTS PAST 12 MONTHS			
		1 = Daily in the past 12 months	13	0.05	
		2 = Almost daily or 3 to 6 days a week	25	0.09	
		3 = About 1 or 2 days a week	29	0.11	
		4 = Several times a month (about 25 to 51 days a year)	21	0.08	
		5 = 1 to 2 times a month (12 to 24 days a year)	38	0.14	
		6 = Every other month or so (6 to 11 days a year)	40	0.15	
		7 = 3 to 5 days in the past 12 months	34	0.13	
		8 = 1 or 2 days in the past 12 months	92	0.35	
		81 = NEVER USED STIMULANTS Logically assigned	79	0.30	
		83 = DID NOT USE STIMULANT PAST 12 MOS. Logic.assigned	94	0.35	
		85 = BAD DATA Logically assigned	33	0.12	
		91 = NEVER USED STIMULANTS	24814	93.68	
		93 = DID NOT USE STIMULANT IN THE PAST 12 MONTHS	1100	4.15	
		98 = BLANK (NO ANSWER)	77	0.29	
		ST-6. Have you ever used amphetamines with a needle?			
STNEEDLE	2	EVER USED AMPHETAMINES WITH A NEEDLE			
		1 = Yes	120	0.45	
		2 = No	1267	4.78	
		3 = Yes LOGICALLY IMPUTED	35	0.13	
		81 = NEVER USED STIMULANTS Logically assigned	121	0.46	
		91 = NEVER USED STIMULANTS	24772	93.52	
		98 = BLANK (NO ANSWER)	174	0.66	
		ST-7. When was the most recent time you used amphetamines with a needle?			
STNDLREC	2	MOST RECENT TIME USED AMPHETAMINES WITH A NEEDLE			
		1 = Within the past month (30 days)	6	0.02	
		2 = More than 1 month ago but less than 6 months ago .	9	0.03	
		3 = 6 or more months ago but less than 1 year ago	8	0.03	
		4 = 1 or more years ago but less than 3 years ago	16	0.06	
		5 = 3 or more years ago but less than 10 years ago ...	41	0.15	
		6 = 10 or more years ago	50	0.19	
		9 = Use in lifetime LOGICALLY IMPUTED	25	0.09	
		81 = NEVER USED STIMULANTS Logically assigned	115	0.43	
		83 = NEVER USED AMPHETAMINES W/A NEEDLE Logic.assigned	76	0.29	
		91 = NEVER USED STIMULANTS	24778	93.54	
		93 = NEVER USED AMPHETAMINES WITH A NEEDLE	1198	4.52	
		98 = BLANK (NO ANSWER)	167	0.63	

ANALGESICS				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
		ANALGESICS -- ANSWER SHEET #5		

		AN-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?		
ANLREAD	2	ANALGESICS - READING PREF. (1988-91 = ASSREAD)		
		1 = Wants interviewer to read questions	7631	28.81
		2 = Wants to do it himself/herself	18191	68.67
		96 = MULTIPLE RESPONSE	6	0.02
		98 = BLANK (NO ANSWER)	661	2.50
		IF YOU HAVE NEVER TAKEN ANY ANALGESIC FOR NONMEDICAL REASONS, CIRCLE THE 91 IN THE BOX TO THE RIGHT. -----> * 91 *		
		THEN TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THIS ANSWER SHEET. OTHERWISE, CONTINUE WITH AN-2 BELOW.		
ANALNONE	2	HAS NEVER TAKEN ANALGESICS FOR NONMEDICAL REASONS		
		1 = Response circled	24914	94.05
		2 = Response not circled	1412	5.33
		4 = Response not circled LOGICALLY IMPUTED	111	0.42
		98 = BLANK (NO ANSWER)	52	0.20
		AN-1. Circle the number next to each analgesic you have ever taken for non-medical reasons--on your own, either without a doctor's prescription, or in greater amounts or more often than prescribed, or for a reason other than a doctor said you should take them.		
DARVON	2	DARVON EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	343	1.29
		2 = Response not circled	1180	4.45
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
DOLENE	2	DOLENE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	19	0.07
		2 = Response not circled	1504	5.68
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
SK65A	2	SK-65 EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	13	0.05
		2 = Response not circled	1510	5.70
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20

ANALGESICS				
LABEL	LEN	DESCRIPTION	FREQ	
WYGESIC	2	WYGESIC EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	10	0.04
		2 = Response not circled	1513	5.71
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
LEVODRO	2	LEVO-DROMORAN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	12	0.05
		2 = Response not circled	1511	5.70
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
PERCODAN	2	PERCODAN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	311	1.17
		2 = Response not circled	1212	4.58
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
DEMEROL	2	DEMEROL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	245	0.92
		2 = Response not circled	1278	4.82
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
DILAUD	2	DILAUDID EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	86	0.32
		2 = Response not circled	1437	5.47
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
TYLCOD	2	TYLENOL W/CODEINE EVER TAKEN FOR NONMEDICAL REASON		
		1 = Response circled	1000	3.78
		2 = Response not circled	523	1.97
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
PHENCOD	2	PHENAPHEN W/CODEINE EVER TAKEN FOR NONMEDICAL REAS		
		1 = Response circled	54	0.20
		2 = Response not circled	1469	5.55
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
TALWIN	2	TALWIN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	44	0.17
		2 = Response not circled	1479	5.58
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
TALWINNX	2	TALWIN NX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	15	0.06
		2 = Response not circled	1508	5.69
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20

ANALGESICS				
LABEL	LEN	DESCRIPTION	FREQ	t
TALACEN	2	TALACEN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	9	0.03
		2 = Response not circled	1514	5.72
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
PROPOXY	2	PROPOXYPHENE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	15	0.06
		2 = Response not circled	1508	5.69
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
CODEINE	2	CODEINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	323	1.22
		2 = Response not circled	1200	4.53
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
ANILERID	2	ANILERIDINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	3	0.01
		2 = Response not circled	1520	5.74
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
MORPHINE	2	MORPHINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	100	0.38
		2 = Response not circled	1423	5.37
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
METHDON	2	METHADONE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	54	0.20
		2 = Response not circled	1469	5.55
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
STADOL	2	STADOL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled	8	0.03
		2 = Response not circled	1515	5.72
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20

ANALGESICS			FREQ	t
LABEL	LEN	DESCRIPTION		
ANALNEWA	3	OTHER ANALGESICS EVER USED-1ST MENTION		
		234 = Cyclobenzaprine, Flexeril	2	0.01
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		406 = Oxycodone, Percodan, Roxicet	4	0.02
		407 = Demerol	2	0.01
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		422 = Motrin	6	0.02
		423 = Percocet	9	0.03
		425 = Advil	1	0.00
		426 = Butalbital, Fiorinal, Phrenilin Forte	2	0.01
		427 = Darvocet	6	0.02
		430 = Aspirin, Ecotrin, Empirin	2	0.01
		431 = Tylox	4	0.02
		434 = Co-Gesic, Hydrocodone, Tussionex, Vicodin	17	0.06
		435 = Tylenol, Tylenol Extrastrength	3	0.01
		438 = Anaprox, Naprosyn	3	0.01
		442 = Ibuprofen	7	0.03
		443 = Dolobid	1	0.00
		455 = Fiorinal with Codeine	1	0.00
		470 = Cafergot	1	0.00
		471 = Butazolidin	1	0.00
		472 = Indocin, Indomethacin	1	0.00
		473 = Pyridium	1	0.00
		474 = PPA [sic]	1	0.00
		475 = Precom [sic]	1	0.00
		476 = Isocom, Midrin	2	0.01
		477 = Neo-Melubrina (Spanish)	1	0.00
		479 = Pentrexyl	1	0.00
		480 = Robitussin AC with Codeine	1	0.00
		702 = Heroin	4	0.02
		703 = Opium	1	0.00
		811 = Muscle relaxers	1	0.00
		820 = Penicillin	1	0.00
		829 = Robitussin DM	1	0.00
		991 = NEVER USED ANALGESICS	1	0.00
		992 = ILLEGIBLE	24914	94.05
		998 = BLANK (NO ANSWER)	1	0.00
			1483	5.60
ANALNEWB	3	OTHER ANALGESICS EVER USED-2ND MENTION		
		415 = Codeine	2	0.01
		424 = Fioricet	1	0.00
		430 = Aspirin, Ecotrin, Empirin	1	0.00
		434 = Co-Gesic, Hydrocodone, Tussionex, Vicodin	2	0.01
		443 = Dolobid	1	0.00
		450 = Acetaminophen	1	0.00
		828 = Tetracycline	1	0.00
		991 = NEVER USED ANALGESICS	1	0.00
		998 = BLANK (NO ANSWER)	24914	94.05
			1566	5.91
ANALNEWC	3	OTHER ANALGESICS EVER USED-3RD MENTION		
		478 = Nogitronia	1	0.00
		991 = NEVER USED ANALGESICS	24914	94.05
		998 = BLANK (NO ANSWER)	1574	5.94

ANALGESICS				
LABEL	LEN	DESCRIPTION	FREQ	
ANALNEWD	3	OTHER ANALGESICS EVER USED-4TH MENTION		
		234 = Cyclobenzaprine, Flexeril	1	0.00
		991 = NEVER USED ANALGESICS	24914	94.05
		998 = BLANK (NO ANSWER)	1574	5.94
ANALNEWE	3	OTHER ANALGESICS EVER USED-5TH MENTION		
		991 = NEVER USED ANALGESICS	24914	94.05
		998 = BLANK (NO ANSWER)	1575	5.95
ANLNOSP	2	OTHER ANALGESICS EVER USED (NOT SPECIFIED)		
		1 = Response circled	54	0.20
		2 = Response not circled	1381	5.21
		3 = Analgesic use LOGICALLY IMPUTED	88	0.33
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
ANLDKNAM	2	USED ANALGESICS, DON'T KNOW NAME		
		1 = Response circled	97	0.37
		2 = Response not circled	1426	5.38
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
AN-2. About how old were you the first time you took an analgesic for any nonmedical reason?				
ANALAGE	3	AGE FIRST TOOK ANALGESICS FOR NONMED REASONS		
		RANGE = 3 - 60	1341	5.06
		981 = NEVER USED ANALGESICS Logically assigned	17	0.06
		985 = BAD DATA Logically assigned	15	0.06
		991 = NEVER USED ANALGESICS	24897	93.99
		994 = DON'T KNOW	6	0.02
		998 = BLANK (NO ANSWER)	213	0.80
AN-3. Altogether, about how many times in your life have you taken analgesics for any nonmedical reason?				
ANALTOT	2	# TIMES EVER TOOK ANALGESICS FOR NONMEDICAL REASON		
		1 = 1 or 2 times	435	1.64
		2 = 3 to 5 times	275	1.04
		3 = 6 to 10 times	203	0.77
		4 = 11 to 49 times	223	0.84
		5 = 50 to 99 times	110	0.42
		6 = 100 to 199 times	54	0.20
		7 = 200 or more times	82	0.31
		91 = NEVER USED ANALGESICS	24914	94.05
		94 = DON'T KNOW	1	0.00
		98 = BLANK (NO ANSWER)	192	0.72

ANALGESICS				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	---	-----	----	-
		AN-4. When was the most recent time you took any analgesic for nonmedical reasons?		
ANALREC	2	MOST RECENT TIME USED ANALGESIC FOR NONMED REASONS		
		1 = Within past month (30 days)	184	0.69
		2 = More than 1 month ago but less than 6 months ago .	187	0.71
		3 = 6 or more months ago but less than 1 year ago	167	0.63
		4 = 1 or more years ago but less than 3 years ago	220	0.83
		5 = 3 or more years ago	506	1.91
		8 = Use in past year LOGICALLY IMPUTED	132	0.50
		9 = Use in lifetime LOGICALLY IMPUTED	127	0.48
		91 = NEVER USED ANALGESICS	24914	94.05
		98 = BLANK (NO ANSWER)	52	0.20
		AN-5. On the average, how often in the past 12 months have you taken any analgesic for nonmedical reasons?		
ANLYRFRQ	2	# TIMES USED ANALGESIC PAST 12 MONTHS		
		1 = Daily in the past 12 months	14	0.05
		2 = Almost daily or 3 to 6 days a week	15	0.06
		3 = About 1 or 2 days a week	22	0.08
		4 = Several times a month (about 25 to 51 days a year)	41	0.15
		5 = 1 to 2 times a month (12 to 24 days a year)	59	0.22
		6 = Every other month or so (6 to 11 days a year)	72	0.27
		7 = 3 to 5 days in the past 12 months	117	0.44
		8 = 1 or 2 days in the past 12 months	235	0.89
		81 = NEVER USED ANALGESICS Logically assigned	91	0.34
		83 = DID NOT USE ANALGESICS PAST 12 MO. Logic.assigned	124	0.47
		85 = BAD DATA Logically assigned	41	0.15
		91 = NEVER USED ANALGESICS	24823	93.71
		93 = DID NOT USE ANALGESICS IN THE PAST 12 MONTHS	729	2.75
		98 = BLANK (NO ANSWER)	106	0.40

MARIJUANA AND HASHISH				
LABEL	LEN	DESCRIPTION	FREQ	t
		MARIJUANA AND HASHISH -- ANSWER SHEET #6		
		M-1. About how old were you when you first had a chance to try marijuana or hash if you had wanted to?		
MJOPP	3	AGE AT FIRST CHANCE TO TRY MARIJUANA/HASH		
		RANGE = 2 - 66	14383	54.30
		981 = NEVER HAD CHANCE TO TRY MARIJUANA Logically assigned	18	0.07
		985 = BAD DATA Logically assigned	18	0.07
		991 = NEVER HAD CHANCE TO TRY MARIJUANA	11958	45.14
		994 = DON'T KNOW	6	0.02
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	105	0.40
		M-2. About how old were you the first time you actually used marijuana or hash, even once?		
MJAGE	3	AGE WHEN FIRST USED MARIJUANA/HASH		
		RANGE = 2 - 62	9726	36.72
		981 = NEVER USED MARIJUANA Logically assigned	182	0.69
		985 = BAD DATA Logically assigned	65	0.25
		991 = NEVER USED MARIJUANA	16467	62.17
		994 = DON'T KNOW	2	0.01
		998 = BLANK (NO ANSWER)	47	0.18
		M-3. About how many times in your life have you used marijuana or hash?		
MJTOT	2	# TIMES USED MARIJUANA/HASH IN LIFE		
		1 = 1 or 2 times	2420	9.14
		2 = 3 to 5 times	1448	5.47
		3 = 6 to 10 times	1198	4.52
		4 = 11 to 49 times	1457	5.50
		5 = 50 to 99 times	899	3.39
		6 = 100 to 199 times	582	2.20
		7 = 200 or more times	1773	6.69
		81 = NEVER USED MARIJUANA Logically assigned	176	0.66
		85 = BAD DATA Logically assigned	42	0.16
		91 = NEVER USED MARIJUANA	16473	62.19
		94 = DON'T KNOW	4	0.02
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	14	0.05

MARIJUANA AND HASHISH

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
		M-4. When was the most recent time that you used marijuana or hash?		
MJREC	2	MOST RECENT TIME USED MARIJUANA/HASH		
		1 = Within the past week (7 days)	1046	3.95
		2 = More than 1 week ago but less than 1 month ago ...	553	2.09
		3 = 1 or more months ago but less than 6 months ago ..	566	2.14
		4 = 6 or more months ago but less than 1 year ago	609	2.30
		5 = 1 or more years ago but less than 3 years ago	719	2.71
		6 = 3 or more years ago	5313	20.06
		7 = Use in past 30 days LOGICALLY IMPUTED	339	1.28
		8 = Use in past year LOGICALLY IMPUTED	619	2.34
		9 = Use in lifetime LOGICALLY IMPUTED	76	0.29
		81 = NEVER USED MARIJUANA Logically assigned	138	0.52
		91 = NEVER USED MARIJUANA	16511	62.33
		M-5. On about how many different days did you use marijuana or hash during the past 30 days?		
MJDAY30A	2	# DAYS USED MARIJUANA/HASH IN PAST 30 DAYS		
		RANGE = 1 - 30	1732	6.54
		81 = NEVER USED MARIJUANA Logically assigned	165	0.62
		83 = DID NOT USE MARIJUANA PAST 30 DAYS Logic.assigned	423	1.60
		85 = BAD DATA Logically assigned	192	0.72
		91 = NEVER USED MARIJUANA	16484	62.23
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7479	28.23
		98 = BLANK (NO ANSWER)	14	0.05
		M-6. On the days that you used marijuana, about how much did you smoke each day, on the average, during the past 30 days?		
MJAV30A	2	# JOINTS SMOKED PER DAY IN PAST 30 DAYS		
		RANGE = 0 - 60	1622	6.12
		81 = NEVER USED MARIJUANA Logically assigned	385	1.45
		83 = DID NOT USE MARIJUANA PAST 30 DAYS Logic.assigned	838	3.16
		85 = BAD DATA Logically assigned	155	0.59
		91 = NEVER USED MARIJUANA	16264	61.40
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7064	26.67
		94 = DON'T KNOW	2	0.01
		98 = BLANK (NO ANSWER)	159	0.60

MARIJUANA AND HASHISH

LABEL	LEN	DESCRIPTION	FREQ	%
MJAV30B	2	# BONGS SMOKED PER DAY IN PAST 30 DAYS		
		RANGE = 0 - 60	619	2.34
		81 = NEVER USED MARIJUANA Logically assigned	374	1.41
		83 = DID NOT USE MARIJUANA PAST 30 DAYS Logic.assigned	838	3.16
		85 = BAD DATA Logically assigned	155	0.59
		91 = NEVER USED MARIJUANA	16275	61.44
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7064	26.67
		94 = DON'T KNOW	2	0.01
		98 = BLANK (NO ANSWER)	1162	4.39

M-7. What is the total amount of marijuana that you used, in all, during the past 30 days?

MJAMT30A	2	TOTAL AMOUNT MARIJUANA USED PAST 30 DAYS		
		1 = 1 to 10 joints in the past 30 days	1223	4.62
		2 = 11 to 20 joints in the past 30 days	316	1.19
		3 = About 1 ounce in the past 30 days	199	0.75
		4 = About 2 ounces in the past 30 days	58	0.22
		5 = 3 to 4 ounces in the past 30 days	18	0.07
		6 = 5 to 6 ounces in the past 30 days	19	0.07
		8 = 8 ounces in the past 30 days	1	0.00
		30 = 30 ounces in the past 30 days	1	0.00
		55 = Nickel bag in the past 30 days	1	0.00
		77 = More than 6 oz. exact amt not spec. in pst 30 days	5	0.02
		81 = NEVER USED MARIJUANA Logically assigned	159	0.60
		83 = DID NOT USE MARIJUANA PAST 30 DAYS Logic.assigned	184	0.69
		85 = BAD DATA Logically assigned	82	0.31
		91 = NEVER USED MARIJUANA	16490	62.25
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7718	29.14
		98 = BLANK (NO ANSWER)	15	0.06

M-8. How did you obtain any marijuana that you used during the past 30 days?

MJFRIEND	2	BOUGHT IT FROM FRIENDS, ACQUAINTANCES OR FAMILY		
		1 = Response circled	744	2.81
		2 = Response not circled	1188	4.48
		81 = NEVER USED MARIJUANA Logically assigned	168	0.63
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	619	2.34
		85 = BAD DATA Logically assigned	175	0.66
		91 = NEVER USED MARIJUANA	16481	62.22
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7108	26.83
		97 = REFUSED	6	0.02

MARIJUANA AND HASHISH

LABEL	LEN	DESCRIPTION	FREQ	%
MJDEALER	2	BOUGHT IT FROM A DEALER		
		1 = Response circled	387	1.46
		2 = Response not circled	1545	5.83
		81 = NEVER USED MARIJUANA Logically assigned	168	0.63
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	730	2.76
		85 = BAD DATA Logically assigned	64	0.24
		91 = NEVER USED MARIJUANA	16481	62.22
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7108	26.83
		97 = REFUSED	6	0.02
MJOTHSR	2	OTHERS SHARED WITH ME		
		1 = Response circled	929	3.51
		2 = Response not circled	1003	3.79
		81 = NEVER USED MARIJUANA Logically assigned	168	0.63
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	419	1.58
		85 = BAD DATA Logically assigned	375	1.42
		91 = NEVER USED MARIJUANA	16481	62.22
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7108	26.83
		97 = REFUSED	6	0.02
MJGIVEN	2	GIVEN TO ME		
		1 = Response circled	589	2.22
		2 = Response not circled	1343	5.07
		81 = NEVER USED MARIJUANA Logically assigned	168	0.63
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	572	2.16
		85 = BAD DATA Logically assigned	222	0.84
		91 = NEVER USED MARIJUANA	16481	62.22
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7108	26.83
		97 = REFUSED	6	0.02
MJTRGOOD	2	TRADED GOODS FOR IT		
		1 = Response circled	35	0.13
		2 = Response not circled	1897	7.16
		81 = NEVER USED MARIJUANA Logically assigned	168	0.63
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	782	2.95
		85 = BAD DATA Logically assigned	12	0.05
		91 = NEVER USED MARIJUANA	16481	62.22
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7108	26.83
		97 = REFUSED	6	0.02
MJTRSERV	2	TRADED SERVICES FOR IT		
		1 = Response circled	30	0.11
		2 = Response not circled	1902	7.18
		81 = NEVER USED MARIJUANA Logically assigned	168	0.63
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	787	2.97
		85 = BAD DATA Logically assigned	7	0.03
		91 = NEVER USED MARIJUANA	16481	62.22
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7108	26.83
		97 = REFUSED	6	0.02

MARIJUANA AND HASHISH				
LABEL	LEN	DESCRIPTION	FREQ	%
MJSTOLE	2	STOLE IT		
		1 = Response circled	13	0.05
		2 = Response not circled	1919	7.24
		81 = NEVER USED MARIJUANA Logically assigned	168	0.63
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	789	2.98
		85 = BAD DATA Logically assigned	5	0.02
		91 = NEVER USED MARIJUANA	16481	62.22
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7108	26.83
		97 = REFUSED	6	0.02
MJTRICK	2	OBTAINED IT BY TRICK OR FRAUD		
		1 = Response circled	11	0.04
		2 = Response not circled	1921	7.25
		81 = NEVER USED MARIJUANA Logically assigned	168	0.63
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	791	2.99
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED MARIJUANA	16481	62.22
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7108	26.83
		97 = REFUSED	6	0.02
MJGREW	2	GREW IT YOURSELF		
		1 = Response circled	54	0.20
		2 = Response not circled	1878	7.09
		81 = NEVER USED MARIJUANA Logically assigned	168	0.63
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	776	2.93
		85 = BAD DATA Logically assigned	18	0.07
		91 = NEVER USED MARIJUANA	16481	62.22
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7108	26.83
		97 = REFUSED	6	0.02
MJOBTON	2	DID NOT USE MARIJUANA IN PAST 30 DAYS		
		2 = Response not circled	1804	6.81
		81 = NEVER USED MARIJUANA Logically assigned	168	0.63
		83 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	794	3.00
		85 = BAD DATA Logically assigned	128	0.48
		91 = NEVER USED MARIJUANA	16481	62.22
		93 = DID NOT USE MARIJUANA IN PAST 30 DAYS	7108	26.83
		97 = REFUSED	6	0.02

MARIJUANA AND HASHISH

LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	-----	-----
		M-9. About how much money did all the marijuana you used in the past 30 days cost you? (Do not include money you spent for any marijuana that you sold or gave away.)		
MJBUCK	4	\$ AMOUNT SPENT ON MARIJUANA USED IN PAST 30 DAYS		
		RANGE = 1 - 8000	898	3.39
		0 = Did not spend any money on marijuana pst 30 days .	628	2.37
		9981 = NEVER USED MARIJUANA Logically assigned	428	1.62
		9983 = DID NOT USE MARIJUANA PST 30 DAYS Logic. assigned	708	2.67
		9985 = BAD DATA Logically assigned	106	0.40
		9991 = NEVER USED MARIJUANA	16221	61.24
		9993 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	7194	27.16
		9994 = DON'T KNOW	14	0.05
		9997 = REFUSED	6	0.02
		9998 = BLANK (NO ANSWER)	286	1.08
		M-10. On the average, how often in the past 12 months have you used marijuana?		
MJYRFREQ	2	FREQUENCY USED MARIJUANA PAST 12 MONTHS		
		1 = Several times a day in the past 12 months	202	0.76
		2 = Daily in the past 12 months	123	0.46
		3 = Almost daily or 3 to 6 days a week	341	1.29
		4 = 1 or 2 days a week	414	1.56
		5 = Several times a month (about 25 to 51 days a year)	276	1.04
		6 = 1 to 2 times a month (12 to 24 days a year)	378	1.43
		7 = Every other month or so (6 to 11 days a year)	310	1.17
		8 = 3 to 5 days in the past 12 months	355	1.34
		9 = 1 or 2 days in the past 12 months	671	2.53
		81 = NEVER USED MARIJUANA Logically assigned	159	0.60
		83 = DID NOT USE MARIJUANA PAST 12 MOS. Logic.assigned	153	0.58
		85 = BAD DATA Logically assigned	633	2.39
		91 = NEVER USED MARIJUANA	16490	62.25
		93 = DID NOT USE MARIJUANA IN PAST 12 MONTHS	5955	22.48
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	26	0.10
		M-11. Circle the numbers to the right of all the ways you have used marijuana in the past 12 months. (PLEASE CIRCLE ALL THAT APPLY.)		
MJJOINT	2	SMOKED MARIJUANA CIGARETTES OR JOINTS IN PST 12 MO		
		1 = Response circled	3041	11.48
		2 = Response not circled	689	2.60
		81 = NEVER USED MARIJUANA Logically assigned	312	1.18
		83 = DID NOT USE MARIJUANA PAST 12 MOS. Logic.assigned	156	0.59
		91 = NEVER USED MARIJUANA	16337	61.67
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	5952	22.47
		97 = REFUSED	2	0.01

MARIJUANA AND HASHISH				
LABEL	LEN	DESCRIPTION	FREQ	%
MJPIPE	2	SMOKED MARIJUANA WITH A PIPE OR BONG IN PAST 12 MO		
		1 = Response circled	1638	6.18
		2 = Response not circled	2092	7.90
		81 = NEVER USED MARIJUANA Logically assigned	312	1.18
		83 = DID NOT USE MARIJUANA PAST 12 MOS. Logic.assigned	156	0.59
		91 = NEVER USED MARIJUANA	16337	61.67
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	5952	22.47
		97 = REFUSED	2	0.01
MJBAKE	2	ATE MARIJUANA THAT'S BEEN BAKED IN FOOD PAST 12 MO		
		1 = Response circled	159	0.60
		2 = Response not circled	3571	13.48
		81 = NEVER USED MARIJUANA Logically assigned	312	1.18
		83 = DID NOT USE MARIJUANA PAST 12 MOS. Logic.assigned	156	0.59
		91 = NEVER USED MARIJUANA	16337	61.67
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	5952	22.47
		97 = REFUSED	2	0.01
MJCHEW	2	CHEWED MARIJUANA LIKE CHEWING TOBACCO IN PST 12 MO		
		1 = Response circled	61	0.23
		2 = Response not circled	3669	13.85
		81 = NEVER USED MARIJUANA Logically assigned	312	1.18
		83 = DID NOT USE MARIJUANA PAST 12 MOS. Logic.assigned	156	0.59
		91 = NEVER USED MARIJUANA	16337	61.67
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	5952	22.47
		97 = REFUSED	2	0.01
MJWAY	2	USED MARIJUANA SOME OTHER WAY IN PAST 12 MO		
		1 = Response circled, method not specified	9	0.03
		2 = Response not circled	3329	12.57
		4 = PST 30 DAY OR PST 12 MTH MJ USER W/NO Q.M-11 ANS.	324	1.22
		6 = Can with holes/in a bowl	18	0.07
		7 = One hitter/pinch hit	3	0.01
		8 = Boiled with tea	7	0.03
		9 = Smoky small room(burn in small room like bathroom)	1	0.00
		12 = Chewing/eating/suck on stems/gumming	2	0.01
		13 = Through an apple made like a pipe	1	0.00
		14 = Chillum hooka [sic]	1	0.00
		15 = Steam roller	1	0.00
		16 = Laced	1	0.00
		17 = Blunts/smoked with or in a cigar/in cigar paper ..	23	0.09
		19 = With cocaine	3	0.01
		24 = Drank it	2	0.01
		25 = Hash under glass/can/glass bottle	2	0.01
		28 = In tobacco paper/rolling paper	1	0.00
		31 = Joint	1	0.00
		32 = Pipe/water pipe	3	0.01
		81 = NEVER USED MARIJUANA Logically assigned	312	1.18
		83 = DID NOT USE MARIJUANA PAST 12 MOS. Logic.assigned	156	0.59
		91 = NEVER USED MARIJUANA	16337	61.67
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	5952	22.47

MARIJUANA AND HASHISH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
		M-12. Thinking back over your whole life, has there ever been a period when you used marijuana or hash daily or almost daily for two or more weeks?		
MJLFDALY	2	EVER USED MARIJUANA DAILY FOR 2 OR MORE WEEKS		
		1 = Yes	2607	9.84
		2 = No	7039	26.57
		3 = Yes LOGICALLY IMPUTED (from UDAYMJ)	67	0.25
		81 = NEVER USED MARIJUANA Logically assigned	1045	3.95
		91 = NEVER USED MARIJUANA	15604	58.91
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	125	0.47

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	---	-----	----	-
		INHALANTS -- ANSWER SHEET #7		

		IN-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?		
INHREAD	2	INHALANTS - READING PREFERENCE (1988-91 = AS7READ)		
		1 = Wants interviewer to read questions	7756	29.28
		2 = Wants to do it himself/herself	16376	61.82
		96 = MULTIPLE RESPONSE	7	0.03
		98 = BLANK (NO ANSWER)	2350	8.87
		IN-1. Circle the number to the right of each substance that you have ever sniffed or inhaled for kicks or to get high. (PLEASE CIRCLE NUMBERS FOR ALL THAT APPLY.)		
GAS	2	EVER INHALED GASOLINE OR LIGHTER FLUIDS		
		1 = Response circled	331	1.25
		2 = Response not circled	1451	5.48
		3 = Response circled LOGICALLY IMPUTED (from GAS30A) ..	6	0.02
		81 = NEVER USED INHALANTS Logically assigned	132	0.50
		91 = NEVER USED INHALANTS	24559	92.71
		98 = BLANK (NO ANSWER)	10	0.04
LGAS	2	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
		1 = Response circled	100	0.38
		2 = Response not circled	1686	6.36
		3 = Response circled LOGICALLY IMPUTED (from LGAS30A) ..	2	0.01
		81 = NEVER USED INHALANTS Logically assigned	132	0.50
		91 = NEVER USED INHALANTS	24559	92.71
		98 = BLANK (NO ANSWER)	10	0.04
SPPAINT	2	EVER INHALED SPRAY PAINTS		
		1 = Response circled	235	0.89
		2 = Response not circled	1549	5.85
		3 = Response circled LOGICALLY IMPUTED (frm SPPAN30A) ..	4	0.02
		81 = NEVER USED INHALANTS Logically assigned	132	0.50
		91 = NEVER USED INHALANTS	24559	92.71
		98 = BLANK (NO ANSWER)	10	0.04
AEROS	2	EVER INHALED OTHER AEROSOL SPRAYS		
		1 = Response circled	168	0.63
		2 = Response not circled	1612	6.09
		3 = Response circled LOGICALLY IMPUTED (frm AEROS30A) ..	8	0.03
		81 = NEVER USED INHALANTS Logically assigned	132	0.50
		91 = NEVER USED INHALANTS	24559	92.71
		98 = BLANK (NO ANSWER)	10	0.04

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	%
GLUE	2	EVER INHALED SHOESHINE LIQUID/GLUE/TOLUENE		
		1 = Response circled	285	1.08
		2 = Response not circled	1498	5.66
		3 = Response circled LOGICALLY IMPUTED (frm GLUE30A) ..	5	0.02
		81 = NEVER USED INHALANTS Logically assigned	132	0.50
		91 = NEVER USED INHALANTS	24559	92.71
		98 = BLANK (NO ANSWER)	10	0.04
SOLVENT	2	EVER INHALED LACQUER THINNER/OTHER PAINT SOLVENTS		
		1 = Response circled	106	0.40
		2 = Response not circled	1680	6.34
		3 = Response circled LOGICALLY IMPUTED (frm SOLVN30A) ..	2	0.01
		81 = NEVER USED INHALANTS Logically assigned	132	0.50
		91 = NEVER USED INHALANTS	24559	92.71
		98 = BLANK (NO ANSWER)	10	0.04
AMYLNIT	2	EVER INHLD AMYL NITRITE/POPPERS/LOCK.RM ODRZR/RUSH		
		1 = Response circled	521	1.97
		2 = Response not circled	1264	4.77
		3 = Response circled LOGICALLY IMPUTED (frm AMLNT30A) ..	3	0.01
		81 = NEVER USED INHALANTS Logically assigned	132	0.50
		91 = NEVER USED INHALANTS	24559	92.71
		98 = BLANK (NO ANSWER)	10	0.04
ETHER	2	EVER INHALED HALOTHANE/ETHER/OTHER ANESTHETICS		
		1 = Response circled	24	0.09
		2 = Response not circled	1764	6.67
		81 = NEVER USED INHALANTS Logically assigned	132	0.50
		91 = NEVER USED INHALANTS	24559	92.71
		98 = BLANK (NO ANSWER)	10	0.04
NITOXID	2	EVER INHALED NITROUS OXIDE/WHIPPETS		
		1 = Response circled	573	2.16
		2 = Response not circled	1210	4.57
		3 = Response circled LOGICALLY IMPUTED (frm NOX30A) ..	5	0.02
		81 = NEVER USED INHALANTS Logically assigned	132	0.50
		91 = NEVER USED INHALANTS	24559	92.71
		98 = BLANK (NO ANSWER)	10	0.04
CLEFLU	2	EVER INHLD CORRECTN FLDS/DEGREASERS/CLEANING FLDS		
		1 = Response circled	127	0.48
		2 = Response not circled	1651	6.23
		3 = Response circled LOGICALLY IMPUTED (frm CLFL30A) ..	10	0.04
		81 = NEVER USED INHALANTS Logically assigned	132	0.50
		91 = NEVER USED INHALANTS	24559	92.71
		98 = BLANK (NO ANSWER)	10	0.04

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	-----	-----
INHNEWA	3	OTHER SUBSTANCE EVER INHALED-1ST MENTION		
		327 = Black beauties, Black Beauty	1	0.00
		348 = Crystal	1	0.00
		417 = Morphine	1	0.00
		501 = Gasoline or lighter fluids	2	0.01
		503 = Other aerosol sprays	6	0.02
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	27	0.10
		505 = Lacquer thinner or other paint solvents	5	0.02
		506 = Amyl nitrite, "poppers," locker rm odorizer, "rush"	9	0.03
		507 = Halothane, ether, or other anesthetics; chloroform	2	0.01
		508 = Nitrous oxide, "whippets," dentist gas	1	0.00
		509 = Corr flds, degreasers, cleaning flds, Liquid Paper	7	0.03
		511 = Markers, felt-tip pens, ink pens	17	0.06
		513 = Tulio [sic]	1	0.00
		514 = Carbona [sic], carbone [sic]	1	0.00
		515 = Vicks	1	0.00
		516 = Freon	11	0.04
		518 = Acetone, nail polish remover	4	0.02
		519 = Helium	7	0.03
		524 = White-Out [see also 509]	19	0.07
		525 = Butane [see also 521, 544]	1	0.00
		526 = Nail polish	7	0.03
		528 = Whipped-cream can	3	0.01
		530 = Asthma inhaler, asthma med., bronchial dilators ..	1	0.00
		539 = ScotchGard	4	0.02
		540 = PAM	5	0.02
		542 = Spirits of ammonia	1	0.00
		545 = Car tailpipe exhaust fumes, CO2	1	0.00
		553 = Pixie sticks	2	0.01
		555 = Chillers	1	0.00
		558 = Kool Aid	1	0.00
		559 = LOLOY	1	0.00
		560 = Soap	1	0.00
		561 = Amputee gas cleanser	1	0.00
		562 = Ban apple gas	1	0.00
		563 = Acetylene	1	0.00
		565 = Trichloroethane	1	0.00
		566 = Smoked tea from Lipton tea bag	1	0.00
		567 = Pertussin spray	1	0.00
		568 = Tally	1	0.00
		569 = Peganento	1	0.00
		570 = PVC (in Mexico)	1	0.00
		702 = Heroin	1	0.00
		706 = Smack	1	0.00
		803 = Marijuana, MarrJane [sic], weed, Mary Jane, MJ ...	1	0.00
		805 = Cocaine, coke, coca	6	0.02
		816 = Smokeless tobacco, snuff, chewing tobacco	4	0.02
		852 = Formaldehyde, wak [sic], whack (embalming fluid) .	1	0.00
		900 = Non-Drug reason given for Drug Problem	1	0.00
		981 = NEVER USED INHALANTS Logically assigned	132	0.50
		991 = NEVER USED INHALANTS	24559	92.71
		998 = BLANK (NO ANSWER)	1622	6.12

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	%
INHNEWB	3	OTHER SUBSTANCE EVER INHALED-2ND MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	3	0.01
		508 = Nitrous oxide, "whippets," dentist gas	1	0.00
		509 = Corr flds, degreasers, cleaning flds, Liquid Paper	1	0.00
		511 = Markers, felt-tip pens, ink pens	2	0.01
		518 = Acetone, nail polish remover	1	0.00
		519 = Helium	1	0.00
		524 = White-Out [see also 509]	1	0.00
		548 = Cologne, rubbing alcohol	1	0.00
		556 = Energine	1	0.00
		564 = Electric contact cleaner	1	0.00
		818 = Nicotine	1	0.00
		981 = NEVER USED INHALANTS Logically assigned	132	0.50
		991 = NEVER USED INHALANTS	24559	92.71
		998 = BLANK (NO ANSWER)	1783	6.73
INHNEWC	3	OTHER SUBSTANCE EVER INHALED-3RD MENTION		
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	2	0.01
		519 = Helium	1	0.00
		981 = NEVER USED INHALANTS Logically assigned	132	0.50
		991 = NEVER USED INHALANTS	24559	92.71
		998 = BLANK (NO ANSWER)	1795	6.78
INHNEWD	3	OTHER SUBSTANCE EVER INHALED-4TH MENTION		
		981 = NEVER USED INHALANTS Logically assigned	132	0.50
		991 = NEVER USED INHALANTS	24559	92.71
		998 = BLANK (NO ANSWER)	1798	6.79
INHNEWE	3	OTHER SUBSTANCE EVER INHALED-5TH MENTION		
		981 = NEVER USED INHALANTS Logically assigned	132	0.50
		991 = NEVER USED INHALANTS	24559	92.71
		998 = BLANK (NO ANSWER)	1798	6.79
INHNO SP	2	OTHER SUBSTANCE EVER INHALED (NOT SPECIFIED)		
		1 = Response circled	114	0.43
		2 = Response not circled	1626	6.14
		3 = Inhalant use LOGICALLY IMPUTED	48	0.18
		81 = NEVER USED INHALANTS Logically assigned	132	0.50
		91 = NEVER USED INHALANTS	24559	92.71
		98 = BLANK (NO ANSWER)	10	0.04
INHDKNAM	2	USED INHALANT, DON'T KNOW NAME		
		1 = Response circled	112	0.42
		2 = Response not circled	1676	6.33
		81 = NEVER USED INHALANTS Logically assigned	132	0.50
		91 = NEVER USED INHALANTS	24559	92.71
		98 = BLANK (NO ANSWER)	10	0.04

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	t
		IN-2. About how old were you the first time you sniffed or inhaled or "huffed" one of these inhalants, even once, for kicks or to get high?		
INHAGE	3	AGE WHEN FIRST SNIFFED ONE OF THESE INHALANTS		
		RANGE = 3 - 38	1708	6.45
		981 = NEVER USED INHALANTS Logically assigned	1152	4.35
		985 = BAD DATA Logically assigned	67	0.25
		991 = NEVER USED INHALANTS	23539	88.86
		994 = DON'T KNOW	1	0.00
		998 = BLANK (NO ANSWER)	22	0.08
		IN-3. About how many times in your life have you used an inhalant for kicks or to get high?		
INHTOT	2	# TIMES USED INHALANT IN LIFETIME		
		1 = 1 or 2 times	697	2.63
		2 = 3 to 5 times	387	1.46
		3 = 6 to 10 times	271	1.02
		4 = 11 to 49 times	216	0.82
		5 = 50 to 99 times	64	0.24
		6 = 100 to 199 times	29	0.11
		7 = 200 or more times	45	0.17
		81 = NEVER USED INHALANTS Logically assigned	221	0.83
		85 = BAD DATA Logically assigned	75	0.28
		91 = NEVER USED INHALANTS	24470	92.38
		98 = BLANK (NO ANSWER)	14	0.05
		IN-4. When was the most recent time that you used an inhalant; that is, sniffed or inhaled something for kicks or to get high?		
INHREC	2	MOST RECENT TIME USED INHALANT		
		1 = Within the past week (7 days)	30	0.11
		2 = More than 1 week ago but less than 1 month ago	53	0.20
		3 = 1 or more months ago but less than 6 months ago	75	0.28
		4 = 6 or more months ago but less than 1 year ago	97	0.37
		5 = 1 or more years ago but less than 3 years ago	176	0.66
		6 = 3 or more years ago	1103	4.16
		7 = Use in past 30 days LOGICALLY IMPUTED	113	0.43
		8 = Use in past year LOGICALLY IMPUTED	88	0.33
		9 = Use in lifetime LOGICALLY IMPUTED	53	0.20
		81 = NEVER USED INHALANTS Logically assigned	210	0.79
		91 = NEVER USED INHALANTS	24481	92.42
		98 = BLANK (NO ANSWER)	10	0.04

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
		IN-5. Circle the number to the right of each substance that you have sniffed or inhaled for kicks or to get high during the past 30 days. (PLEASE CIRCLE ALL THAT APPLY.)		
GAS30A	2	INHALED GASOLINE OR LIGHTER FLUIDS PAST 30 DAYS		
		1 = Response circled	46	0.17
		2 = Response not circled	149	0.56
		81 = NEVER USED INHALANTS Logically assigned	237	0.89
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic.assigned .	97	0.37
		91 = NEVER USED INHALANTS	24454	92.32
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1495	5.64
		94 = DON'T KNOW	1	0.00
		98 = BLANK (NO ANSWER)	10	0.04
LGAS30A	2	INHALED LIGHTER GASES (BUTANE,PROPANE) PST 30 DAYS		
		1 = Response circled	14	0.05
		2 = Response not circled	182	0.69
		81 = NEVER USED INHALANTS Logically assigned	237	0.89
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic.assigned .	97	0.37
		91 = NEVER USED INHALANTS	24454	92.32
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1495	5.64
		98 = BLANK (NO ANSWER)	10	0.04
SPPAN30A	2	INHALED SPRAY PAINTS PAST 30 DAYS		
		1 = Response circled	28	0.11
		2 = Response not circled	168	0.63
		81 = NEVER USED INHALANTS Logically assigned	237	0.89
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic. assigned	97	0.37
		91 = NEVER USED INHALANTS	24454	92.32
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1495	5.64
		98 = BLANK (NO ANSWER)	10	0.04
AEROS30A	2	INHALED OTHER AEROSOL SPRAYS PAST 30 DAYS		
		1 = Response circled	27	0.10
		2 = Response not circled	169	0.64
		81 = NEVER USED INHALANTS Logically assigned	237	0.89
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic.assigned .	97	0.37
		91 = NEVER USED INHALANTS	24454	92.32
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1495	5.64
		98 = BLANK (NO ANSWER)	10	0.04
GLUE30A	2	INHALED SHOESHINE LIQUID/GLUE/TOLUENE PAST 30 DAYS		
		1 = Response circled	25	0.09
		2 = Response not circled	171	0.65
		81 = NEVER USED INHALANTS Logically assigned	237	0.89
		83 = DID NOT USED INHALANT PAST 30 DAYS Logic.assigned	97	0.37
		91 = NEVER USED INHALANTS	24454	92.32
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1495	5.64
		98 = BLANK (NO ANSWER)	10	0.04

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	%
SOLVN30A	2	INHALED LACQUER THINNER/PAINT SOLVENTS PST 30 DAYS		
		1 = Response circled	10	0.04
		2 = Response not circled	186	0.70
		81 = NEVER USED INHALANTS Logically assigned	237	0.89
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic.assigned	97	0.37
		91 = NEVER USED INHALANTS	24454	92.32
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1495	5.64
		98 = BLANK (NO ANSWER)	10	0.04
AMLNT30A	2	INHLD AMYL NITRITE/POPRS/LCR.RM ODZ/RUSH PST 30 DY		
		1 = Response circled	28	0.11
		2 = Response not circled	168	0.63
		81 = NEVER USED INHALANTS Logically assigned	237	0.89
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic.assigned	97	0.37
		91 = NEVER USED INHALANTS	24454	92.32
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1495	5.64
		98 = BLANK (NO ANSWER)	10	0.04
ETHER30A	2	INHALED HALOTHANE/ETHER/OTH ANESTHETICS PST 30 DYS		
		1 = Response circled	1	0.00
		2 = Response not circled	195	0.74
		81 = NEVER USED INHALANTS Logically assigned	237	0.89
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic.assigned	97	0.37
		91 = NEVER USED INHALANTS	24454	92.32
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1495	5.64
		98 = BLANK (NO ANSWER)	10	0.04
NOX30A	2	INHALED NITROUS OXIDE/WHIPPETS PAST 30 DAYS		
		1 = Response circled	51	0.19
		2 = Response not circled	145	0.55
		81 = NEVER USED INHALANTS Logically assigned	237	0.89
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic.assigned	97	0.37
		91 = NEVER USED INHALANTS	24454	92.32
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1495	5.64
		98 = BLANK (NO ANSWER)	10	0.04
CLFL30A	2	INHALED CORRECTION FLD/DEGREASER/CLN FLD PST 30 DY		
		1 = Response circled	25	0.09
		2 = Response not circled	171	0.65
		81 = NEVER USED INHALANTS Logically assigned	237	0.89
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic.assigned	97	0.37
		91 = NEVER USED INHALANTS	24454	92.32
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1495	5.64
		98 = BLANK (NO ANSWER)	10	0.04

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	t
INNEW30A	3	OTHER SUBSTANCE INHALED PAST 30 DAYS-1ST MENTION		
		348 = Crystal	1	0.00
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	2	0.01
		505 = Lacquer thinner or other paint solvents	1	0.00
		509 = Corr flds, degreasers, cleaning flds, Liquid Paper	2	0.01
		511 = Markers; felt-tip pens, ink pens	2	0.01
		519 = Helium	2	0.01
		524 = White-Out [see also 509]	3	0.01
		526 = Nail polish	1	0.00
		528 = Whipped-cream can	1	0.00
		539 = ScotchGard	1	0.00
		900 = Non-Drug reason given for Drug Problem	1	0.00
		981 = NEVER USED INHALANTS Logically assigned	237	0.89
		983 = DID NOT USE INHALANTS PAST 30 DAYS Logic.assigned	97	0.37
		991 = NEVER USED INHALANTS	24454	92.32
		993 = DID NOT USE INHALANTS IN PAST 30 DAYS	1495	5.64
		998 = BLANK (NO ANSWER)	189	0.71
INNEW30B	3	OTHER SUBSTANCE INHALED PAST 30 DAYS-2ND MENTION		
		519 = Helium	1	0.00
		981 = NEVER USED INHALANTS Logically assigned	237	0.89
		983 = DID NOT USE INHALANTS PAST 30 DAYS Logic.assigned	97	0.37
		991 = NEVER USED INHALANTS	24454	92.32
		993 = DID NOT USE INHALANTS PAST 30 DAYS	1495	5.64
		998 = BLANK (NO ANSWER)	205	0.77
INNEW30C	3	OTHER SUBSTANCE INHALED PAST 30 DAYS-3RD MENTION		
		981 = NEVER USED INHALANTS Logically assigned	237	0.89
		983 = DID NOT USE INHALANTS PAST 30 DAYS Logic.assigned	97	0.37
		991 = NEVER USED INHALANTS	24454	92.32
		993 = DID NOT USE INHALANTS IN PAST 30 DAYS	1495	5.64
		998 = BLANK (NO ANSWER)	206	0.78
INNEW30D	3	OTHER SUBSTANCE INHALED PAST 30 DAYS-4TH MENTION		
		981 = NEVER USED INHALANTS Logically assigned	237	0.89
		983 = DID NOT USE INHALANTS PAST 30 DAYS Logic.assigned	97	0.37
		991 = NEVER USED INHALANTS	24454	92.32
		993 = DID NOT USE INHALANTS PAST 30 DAYS	1495	5.64
		998 = BLANK (NO ANSWER)	206	0.78
INNEW30E	3	OTHER SUBSTANCE INHALED PAST 30 DAYS-5TH MENTION		
		981 = NEVER USED INHALANTS Logically assigned	237	0.89
		983 = DID NOT USE INHALANTS PAST 30 DAYS Logic.assigned	97	0.37
		991 = NEVER USED INHALANTS	24454	92.32
		993 = DID NOT USE INHALANTS IN PAST 30 DAYS	1495	5.64
		998 = BLANK (NO ANSWER)	206	0.78

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	t
IN30NOSP	2	OTH SUBSTANCE INHALED PAST 30 DAYS (NOT SPECIFIED)		
		1 = Response circled	18	0.07
		2 = Response not circled	170	0.64
		3 = Inhalant use LOGICALLY IMPUTED	8	0.03
		81 = NEVER USED INHALANTS Logically assigned	237	0.89
		83 = DID NOT USE INHALANT PAST 30 DAYS Logic.assigned .	97	0.37
		91 = NEVER USED INHALANTS	24454	92.32
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1495	5.64
		98 = BLANK (NO ANSWER)	10	0.04
INH30NO	2	DID NOT USE ANY INHALANT PAST 30 DAYS		
		1 = Response circled	1495	5.64
		2 = Response not circled	150	0.57
		3 = Response circled LOGICALLY IMPUTED	97	0.37
		4 = Response not circled LOGICALLY IMPUTED	46	0.17
		81 = NEVER USED INHALANTS Logically assigned	237	0.89
		91 = NEVER USED INHALANTS	24454	92.32
		98 = BLANK (NO ANSWER)	10	0.04
IN-6. During the past 30 days, on about how many different days did you use an inhalant for kicks or to get high?				
INH30A	2	# DAYS USED AN INHALANT IN PAST 30 DAYS		
		RANGE = 1 - 20	100	0.38
		81 = NEVER USED INHALANTS Logically assigned	258	0.97
		83 = DID NOT USE INHALANTS PAST 30 DAYS Logic.assigned	110	0.42
		85 = BAD DATA Logically assigned	93	0.35
		91 = NEVER USED INHALANTS	24433	92.24
		93 = DID NOT USE INHALANT IN PAST 30 DAYS	1482	5.59
		98 = BLANK (NO ANSWER)	13	0.05
IN-7. On the average, how often in the past 12 months have you sniffed or inhaled any substance for kicks or to get high?				
INH30FRQ	2	FREQ IN PAST YR SNIFFED OR INHALED SUBSTANCE		
		1 = Daily in the past 12 months	3	0.01
		2 = Almost daily or 3 to 6 days a week	4	0.02
		3 = About 1 or 2 days a week	24	0.09
		4 = Several times a month (about 25 to 51 days a year)	17	0.06
		5 = 1 to 2 times a month (12 to 24 days a year)	41	0.15
		6 = Every other month or so (6 to 11 days a year)	26	0.10
		7 = 3 to 5 days in the past 12 months	58	0.22
		8 = 1 or 2 days in the past 12 months	137	0.52
		81 = NEVER USED INHALANTS Logically assigned	2544	9.60
		83 = DID NOT USE INHALANT PAST 12 MOS. Logic.assigned .	81	0.31
		85 = BAD DATA Logically assigned	135	0.51
		91 = NEVER USED INHALANTS	22147	83.61
		93 = DID NOT USE INHALANT IN THE PAST 12 MONTHS	1251	4.72
		98 = BLANK (NO ANSWER)	21	0.08

INHALANTS				
LABEL	LEN	DESCRIPTION	FREQ	
		IN-8. Have you ever passed out from using any of these inhalants for kicks or to get high?		
INHPO	2	EVER PASSED OUT FROM USING INHALANTS		
		1 = Yes	199	0.75
		2 = No	1458	5.50
		81 = NEVER USED INHALANTS Logically assigned	306	1.16
		85 = BAD DATA Logically assigned	94	0.35
		91 = NEVER USED INHALANTS	24385	92.06
		94 = DON'T KNOW	1	0.00
		98 = BLANK (NO ANSWER)	46	0.17
		IN-9. Please tell me which questions, if any, were not clear.		
INHQNC1	2	QUESTION 1 NOT CLEAR		
		1 = QUESTION 1 NOT CLEAR	46	0.17
		98 = BLANK (NO ANSWER)	26443	99.83
INHQNC2	2	QUESTION 2 NOT CLEAR		
		2 = QUESTION 2 NOT CLEAR	50	0.19
		98 = BLANK (NO ANSWER)	26439	99.81
INHQNC3	2	QUESTION 3 NOT CLEAR		
		3 = QUESTION 3 NOT CLEAR	27	0.10
		98 = BLANK (NO ANSWER)	26462	99.90
INHQNC4	2	QUESTION 4 NOT CLEAR		
		4 = QUESTION 4 NOT CLEAR	22	0.08
		98 = BLANK (NO ANSWER)	26467	99.92
INHQNC5	2	QUESTION 5 NOT CLEAR		
		5 = QUESTION 5 NOT CLEAR	29	0.11
		98 = BLANK (NO ANSWER)	26460	99.89
INHQNC6	2	QUESTION 6 NOT CLEAR		
		6 = QUESTION 6 NOT CLEAR	24	0.09
		98 = BLANK (NO ANSWER)	26465	99.91
INHQNC7	2	QUESTION 7 NOT CLEAR		
		7 = QUESTION 7 NOT CLEAR	18	0.07
		98 = BLANK (NO ANSWER)	26471	99.93
INHQNC8	2	QUESTION 8 NOT CLEAR		
		8 = QUESTION 8 NOT CLEAR	79	0.30
		98 = BLANK (NO ANSWER)	26410	99.70
INHQNC10	2	ALL QUESTIONS WERE CLEAR		
		10 = ALL QUESTIONS WERE CLEAR	20232	76.38
		98 = BLANK (NO ANSWER)	6257	23.62

		INHALANTS			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
		IN-10. Have you marked an answer for each question?			
INHANSY	2	ANSWER MARKED FOR EACH QUESTION			
		1 = Yes	19580	73.92	
		2 = No	683	2.58	
		96 = MULTIPLE RESPONSE	6	0.02	
		98 = BLANK (NO ANSWER)	6220	23.48	

		COCAINE		
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		COCAINE -- ANSWER SHEET #8		

		THE QUESTIONS ON THIS ANSWER SHEET ARE ABOUT COCAINE IN ANY FORM, SUCH AS POW- DER, "CRACK", FREE BASE, AND COCA PASTE.		
		CN-1. About how old were you when you first had a chance to try cocaine, in any form, if you had wanted to?		
COCOPP	3	AGE AT FIRST CHANCE TO TRY COCAINE		
		RANGE = 1 - 61	7133	26.93
		981 = NEVER HAD A CHANCE TO TRY COCAINE Logic. assigned	17	0.06
		985 = BAD DATA Logically assigned	63	0.24
		991 = NEVER HAD A CHANCE TO TRY COCAINE IN ANY FORM	19091	72.07
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	180	0.68
		CN-2. About how old were you the first time you actually used cocaine, in any form, even once?		
COCAGE	3	AGE WHEN FIRST USED COCAINE		
		RANGE = 4 - 55	3665	13.84
		981 = NEVER USED COCAINE Logically assigned	165	0.62
		985 = BAD DATA Logically assigned	92	0.35
		991 = NEVER USED COCAINE	22558	85.16
		994 = DON'T KNOW	1	0.00
		998 = BLANK (NO ANSWER)	8	0.03
		CN-3. About how many times in your life have you used cocaine, in any form?		
COCTOT	2	# TIMES USED COCAINE IN LIFE		
		1 = 1 or 2 times	950	3.59
		2 = 3 to 5 times	569	2.15
		3 = 6 to 10 times	523	1.97
		4 = 11 to 49 times	676	2.55
		5 = 50 to 99 times	357	1.35
		6 = 100 to 199 times	207	0.78
		7 = 200 or more times	399	1.51
		81 = NEVER USED COCAINE Logically assigned	130	0.49
		85 = BAD DATA Logically assigned	83	0.31
		91 = NEVER USED COCAINE	22593	85.29
		94 = DON'T KNOW	1	0.00
		98 = BLANK (NO ANSWER)	1	0.00

COCAINE

LABEL	LEN	DESCRIPTION	FREQ	%
		CN-4. When was the most recent time that you used cocaine, in any form?		
COCREC	2	MOST RECENT TIME USED COCAINE (IN ANY FORM)		
		1 = Within the past week (7 days)	129	0.49
		2 = More than 1 week ago but less than 1 month ago ...	117	0.44
		3 = 1 or more months ago but less than 6 months ago ..	174	0.66
		4 = 6 or more months ago but less than 1 year ago	220	0.83
		5 = 1 or more years ago but less than 3 years ago	373	1.41
		6 = 3 or more years ago	2273	8.58
		7 = Use in past 30 days LOGICALLY IMPUTED	120	0.45
		8 = Use in past year LOGICALLY IMPUTED	310	1.17
		9 = Use in lifetime LOGICALLY IMPUTED	50	0.19
		81 = NEVER USED COCAINE Logically assigned	91	0.34
		91 = NEVER USED COCAINE	22632	85.44
		CN-5. On about how many different days did you use cocaine during the past 30 days?		
COCUS30A	2	# DAYS USED COCAINE PAST 30 DAYS		
		RANGE = 1 - 30	280	1.06
		81 = NEVER USED COCAINE Logically assigned	157	0.59
		83 = DID NOT USE COCAINE IN PAST 30 DAYS Logic.assigned	199	0.75
		85 = BAD DATA Logically assigned	86	0.32
		91 = NEVER USED COCAINE	22566	85.19
		93 = DID NOT USE COCAINE IN PAST 30 DAYS	3201	12.08
		CN-6. How many grams of cocaine have you used in the past 30 days?		
COCAM30A	2	# OF GRAMS OF COCAINE USED IN PAST 30 DAYS		
		1 = Used some but less than 1/4 gram in past 30 days .	147	0.55
		2 = About 1/4 gram in the past 30 days	48	0.18
		3 = About 1/2 gram in the past 30 days	30	0.11
		4 = About 1 gram in the past 30 days	36	0.14
		5 = About 2 grams in the past 30 days	24	0.09
		6 = About 3 grams in the past 30 days	16	0.06
		7 = About 4 grams in the past 30 days	1	0.00
		8 = About 5 grams in the past 30 days	1	0.00
		10 = About 7 grams in the past 30 days	1	0.00
		12 = About 9 grams in the past 30 days	1	0.00
		15 = About 12 grams in the past 30 days	1	0.00
		19 = About 16 grams in the past 30 days	1	0.00
		77 = More than 3 grams exact amt not spec. pst 30 days	13	0.05
		81 = NEVER USED COCAINE Logically assigned	127	0.48
		83 = DID NOT USE COCAINE IN PAST 30 DAYS Logic.assigned	133	0.50
		85 = BAD DATA Logically assigned	43	0.16
		91 = NEVER USED COCAINE	22596	85.30
		93 = DID NOT USE COCAINE IN PAST 30 DAYS	3267	12.33
		94 = DON'T KNOW	1	0.00
		98 = BLANK (NO ANSWER)	2	0.01

		COCAINE		
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
		CN-7. How did you obtain any cocaine that you used during the past 30 days?		
CCFRIEND	2	BOUGHT COC FRM FRIENDS, ACQNTNCS, FAMLY PST 30 DAYS		
		1 = Response circled	120	0.45
		2 = Response not circled	221	0.83
		3 = Response circled LOGICALLY IMPUTED (frm CKFRIEND)	22	0.08
		81 = NEVER USED COCAINE Logically assigned	151	0.57
		83 = DID NOT USE COCAINE PST 30 DAYS Logically assigned	273	1.03
		85 = BAD DATA Logically assigned	77	0.29
		91 = NEVER USED COCAINE	22572	85.21
		93 = DID NOT USE COCAINE IN PAST 30 DAYS	3050	11.51
		97 = REFUSED	3	0.01
CCDEALER	2	BOUGHT COCAINE FROM DEALER PAST 30 DAYS		
		1 = Response circled	108	0.41
		2 = Response not circled	244	0.92
		3 = Response circled LOGICALLY IMPUTED (frm CKDEALER)	11	0.04
		81 = NEVER USED COCAINE Logically Assigned	151	0.57
		83 = DID NOT USE COCAINE PST 30 DAYS Logically assigned	301	1.14
		85 = BAD DATA Logically assigned	49	0.18
		91 = NEVER USED COCAINE	22572	85.21
		93 = DID NOT USE COCAINE IN PAST 30 DAYS	3050	11.51
		97 = REFUSED	3	0.01
CCOTHSR	2	OTHERS SHARED COCAINE WITH ME PAST 30 DAYS		
		1 = Response circled	140	0.53
		2 = Response not circled	209	0.79
		3 = Response circled LOGICALLY IMPUTED (frm CKOTHSR)	14	0.05
		81 = NEVER USED COCAINE Logically assigned	151	0.57
		83 = DID NOT USE COCAINE PST 30 DAYS Logically assigned	209	0.79
		85 = BAD DATA Logically assigned	141	0.53
		91 = NEVER USED COCAINE	22572	85.21
		93 = DID NOT USE COCAINE IN PAST 30 DAYS	3050	11.51
		97 = REFUSED	3	0.01
CCGIVEN	2	COCAINE WAS GIVEN TO ME PAST 30 DAYS		
		1 = Response circled	95	0.36
		2 = Response not circled	258	0.97
		3 = Response circled LOGICALLY IMPUTED (frm CKGIVEN)	10	0.04
		81 = NEVER USED COCAINE Logically Assigned	151	0.57
		83 = DID NOT USE COCAINE PST 30 DAYS Logically assigned	257	0.97
		85 = BAD DATA Logically assigned	93	0.35
		91 = NEVER USED COCAINE	22572	85.21
		93 = DID NOT USE COCAINE IN PAST 30 DAYS	3050	11.51
		97 = REFUSED	3	0.01

COCAINE				
LABEL	LEN	DESCRIPTION	FREQ	%
CCTRGOOD	2	TRADED GOODS FOR COCAINE PAST 30 DAYS		
		1 = Response circled	22	0.08
		2 = Response not circled	335	1.26
		3 = Response circled LOGICALLY IMPUTED (frm CKTRGOOD)	6	0.02
		81 = NEVER USED COCAINE Logically assigned	151	0.57
		83 = DID NOT USE COCAINE PST 30 DAYS Logically assigned	340	1.28
		85 = BAD DATA Logically assigned	10	0.04
		91 = NEVER USED COCAINE	22572	85.21
		93 = DID NOT USE COCAINE IN PST 30 DAYS Logic assign. ..	3050	11.51
		97 = REFUSED	3	0.01
CCTRSEV	2	TRADED SERVICES FOR COCAINE PAST 30 DAYS		
		1 = Response circled	15	0.06
		2 = Response not circled	345	1.30
		3 = Response circled LOGICALLY IMPUTED (frm CKTRSEV)	3	0.01
		81 = NEVER USED COCAINE Logically assigned	151	0.57
		83 = DID NOT USE COCAINE PST 30 DAYS Logically assigned	346	1.31
		85 = BAD DATA Logically assigned	4	0.02
		91 = NEVER USED COCAINE	22572	85.21
		93 = DID NOT USE COCAINE IN PST 30 DAYS Logic assign. ..	3050	11.51
		97 = REFUSED	3	0.01
CCSTOLE	2	STOLE COCAINE PAST 30 DAYS		
		1 = Response circled	8	0.03
		2 = Response not circled	353	1.33
		3 = Response circled LOGICALLY IMPUTED (from CKSTOLE)	2	0.01
		81 = NEVER USED COCAINE Logically assigned	151	0.57
		83 = DID NOT USE COCAINE PST 30 DAYS Logically assigned	347	1.31
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED COCAINE	22572	85.21
		93 = DID NOT USE COCAINE IN PAST 30 DAYS	3050	11.51
		97 = REFUSED	3	0.01
CCTRICK	2	OBTAINED COCAINE BY TRICK OR FRAUD PAST 30 DAYS		
		1 = Response circled	8	0.03
		2 = Response not circled	350	1.32
		3 = Response circled LOGICALLY IMPUTED (frm CKTRICK)	5	0.02
		81 = NEVER USED COCAINE Logically assigned	151	0.57
		83 = DID NOT USE COCAINE PST 30 DAYS Logically assigned	346	1.31
		85 = BAD DATA Logically assigned	4	0.02
		91 = NEVER USED COCAINE	22572	85.21
		93 = DID NOT USE COCAINE IN PST 30 DAYS	3050	11.51
		97 = REFUSED	3	0.01
CCOBTNON	2	DID NOT USE COCAINE IN PAST 30 DAYS		
		2 = Response not circled	309	1.17
		81 = NEVER USED COCAINE Logically assigned	151	0.57
		83 = DID NOT USE COCAINE PST 30 DAYS Logically assigned	350	1.32
		85 = BAD DATA Logically assigned	54	0.20
		91 = NEVER USED COCAINE	22572	85.21
		93 = DID NOT USE COCAINE IN PAST 30 DAYS	3050	11.51
		97 = REFUSED	3	0.01

COCAINE				
LABEL	LEN	DESCRIPTION	FREQ	t
		CN-8. About how much money did all the cocaine you used in the past 30 days cost you? (Do not include money you spent for any cocaine that you sold or gave away.)		
COCBUCK	4	\$ AMOUNT SPENT ON COCAINE USED IN PAST 30 DAYS		
		RANGE = 1 - 2000	179	0.68
		0 = Did not spend any money on cocaine pst 30 days	87	0.33
		9981 = NEVER USED COCAINE Logically assigned	354	1.34
		9983 = DID NOT USE COCAINE PAST 30 DAYS Logic.assigned	297	1.12
		9985 = BAD DATA Logically assigned	55	0.21
		9991 = NEVER USED COCAINE	22369	84.45
		9993 = DID NOT USE COCAINE IN PAST 30 DAYS	3103	11.71
		9994 = DON'T KNOW	2	0.01
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	41	0.15
		CN-9. On the average, how often in the past 12 months have you used cocaine, in any form?		
COCYRFRQ	2	FREQUENCY USED COCAINE PAST 12 MONTHS		
		1 = Daily in the past 12 months	15	0.06
		2 = Almost daily or 3 to 6 days a week	42	0.16
		3 = About 1 or 2 days a week	64	0.24
		4 = Several times a month (about 25 to 51 days a year)	66	0.25
		5 = 1 to 2 times a month (12 to 24 days a year)	96	0.36
		6 = Every other month or so (6 to 11 days a year)	70	0.26
		7 = 3 to 5 days in the past 12 months	121	0.46
		8 = 1 or 2 days in the past 12 months	234	0.88
		81 = NEVER USED COCAINE Logically assigned	148	0.56
		83 = DID NOT USE COCAINE IN PAST 12 MONTHS Logic.assigned	83	0.31
		85 = BAD DATA Logically assigned	352	1.33
		91 = NEVER USED COCAINE	22575	85.22
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS	2613	9.86
		94 = DON'T KNOW	1	0.00
		98 = BLANK (NO ANSWER)	9	0.03
		CN-10. Circle the numbers of all the ways you have used cocaine in the past 12 months. (PLEASE CIRCLE ALL THAT APPLY.)		
COCSNIFF	2	SNIFFED/SNORTED COCAINE THRU NOSE IN PAST 12 MOS		
		1 = Response circled	761	2.87
		2 = Response not circled	309	1.17
		81 = NEVER USED COCAINE Logically assigned	392	1.48
		83 = DID NOT USE COCAINE PAST 12 MOS Logically assigned	86	0.32
		91 = NEVER USED COCAINE	22331	84.30
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS	2610	9.85

COCAINE				
LABEL	LEN	DESCRIPTION	FREQ	%
COCSWAL	2	SWALLOWED/DRANK COCAINE IN PAST 12 MONTHS		
		1 = Response circled	56	0.21
		2 = Response not circled	1014	3.83
		81 = NEVER USED COCAINE Logically assigned	392	1.48
		83 = DID NOT USE COCAINE PAST 12 MOS Logically assigned	86	0.32
		91 = NEVER USED COCAINE	22331	84.30
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS	2610	9.85
COCIV	2	INJECTED COCAINE WITH A NEEDLE IN PAST 12 MONTHS		
		1 = Response circled	52	0.20
		2 = Response not circled	975	3.68
		3 = Response circled LOGICALLY IMPUTED (frm CONDLREC)	43	0.16
		81 = NEVER USED COCAINE Logically assigned	392	1.48
		83 = DID NOT USE COCAINE PAST 12 MOS Logically assigned	86	0.32
		91 = NEVER USED COCAINE	22331	84.30
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS	2610	9.85
FREEBASE	2	SMOKED/FREE-BASED COCAINE IN PAST 12 MONTHS		
		1 = Response circled	311	1.17
		2 = Response not circled	643	2.43
		3 = Response circled LOGICALLY IMPUTED (frm CRAKREC)	116	0.44
		81 = NEVER USED COCAINE Logically assigned	392	1.48
		83 = DID NOT USE COCAINE PAST 12 MOS Logically assigned	86	0.32
		91 = NEVER USED COCAINE	22331	84.30
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS	2610	9.85
COCWAY	2	USED COCAINE SOME OTH WAY PST 12 MOS-ONLY MENTION		
		1 = Response circled, method not specified	3	0.01
		2 = Response not circled	921	3.48
		4 = PST 30 DAYS OR PST 12 MTH COC USR W/NO Q.CN-10 ANS	114	0.43
		7 = On my gums/mouth	5	0.02
		8 = "Freeze," put on tongue	1	0.00
		9 = Smoked in a cigarette/"Snowcap"	7	0.03
		10 = Laced with marijuana	12	0.05
		11 = Smoked using aluminum foil	1	0.00
		12 = Pop-can bong	1	0.00
		13 = Lined with PCP	1	0.00
		14 = Mixed in food	2	0.01
		15 = Sexually	2	0.01
		81 = NEVER USED COCAINE Logically assigned	392	1.48
		83 = DID NOT USE COCAINE PAST 12 MOS Logically assigned	86	0.32
		91 = NEVER USED COCAINE	22331	84.30
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS	2610	9.85

		COCAINE			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
		CN-11. When was the most recent time you used cocaine with a needle?			
CONDLREC	2	MOST RECENT TIME USED COCAINE WITH A NEEDLE			
		1 = Within past month (30 days)	33	0.12	
		2 = More than 1 month ago but less than 6 months ago	20	0.08	
		3 = 6 or more months ago but less than 1 year ago	22	0.08	
		4 = 1 or more years ago but less than 3 years ago	36	0.14	
		5 = 3 or more years ago but less than 10 years ago	98	0.37	
		6 = 10 or more years ago	55	0.21	
		8 = Use in past year LOGICALLY IMPUTED	20	0.08	
		9 = Use in lifetime LOGICALLY IMPUTED	30	0.11	
		81 = NEVER USED COCAINE Logically assigned	497	1.88	
		83 = USED COCAINE BUT NEVER W/A NEEDLE Logic. assigned	313	1.18	
		91 = NEVER USED COCAINE	22226	83.91	
		93 = USED COCAINE BUT NEVER W/A NEEDLE	3108	11.73	
		98 = BLANK (NO ANSWER)	31	0.12	
		CN-12. Thinking back over your whole life, has there ever been a period when you used cocaine, in any form, daily or almost daily for two or more weeks?			
CCLFDALY	2	EVER USED COCAINE DAILY FOR 2 OR MORE WEEKS			
		1 = Yes	772	2.91	
		2 = No	2903	10.96	
		3 = Yes LOGICALLY IMPUTED (from UDAYCOC)	55	0.21	
		81 = NEVER USED COCAINE Logically assigned	1401	5.29	
		91 = NEVER USED COCAINE	21322	80.49	
		98 = BLANK (NO ANSWER)	36	0.14	

LABEL	LEN	DESCRIPTION	CRACK	FREQ	
-----	----	-----		-----	-

"CRACK" -- ANSWER SHEET #9

THE QUESTIONS ON THIS ANSWER SHEET
 REFER JUST TO "CRACK" (COCAINE IN ROCK
 OR CHUNK FORM) AND NOT THE OTHER FORMS
 OF COCAINE.

CK-1. When was the most recent time you
 used the form of cocaine known as
 "crack"?

CRACKREC	2	MOST RECENT TIME USED "CRACK"		
		1 = Within the past week (7 days)	61	0.23
		2 = More than 1 week ago but less than 1 month ago ...	42	0.16
		3 = 1 or more months ago but less than 6 months ago ..	66	0.25
		4 = 6 or more months ago but less than 1 year ago	84	0.32
		5 = 1 or more years ago but less than 3 years ago	152	0.57
		6 = 3 or more years ago	386	1.46
		7 = Use in past 30 days LOGICALLY IMPUTED	23	0.09
		8 = Use in past year LOGICALLY IMPUTED	2	0.01
		9 = Use in lifetime LOGICALLY IMPUTED	14	0.05
		81 = NEVER USED "CRACK" Logically assigned	59	0.22
		91 = NEVER USED "CRACK"	25591	96.61
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	8	0.03

THE NEXT THREE QUESTIONS ARE ABOUT THE
 USE OF "CRACK" IN THE PAST 30 DAYS.

CK-2. How many vials or small
 containers of "crack" have you used in
 the past 30 days?

CRKAM30A	3	# OF VIALS OF "CRACK" USED IN PAST 30 DAYS		
		RANGE = 1 - 180	99	0.37
		981 = NEVER USED "CRACK" Logically assigned	174	0.66
		983 = DID NOT USE "CRACK" IN PAST 30 DAYS Logic.assignnd	43	0.16
		985 = BAD DATA Logically assigned	20	0.08
		991 = NEVER USED "CRACK"	25476	96.18
		993 = DID NOT USE "CRACK" IN PAST 30 DAYS	663	2.50
		994 = DON'T KNOW	5	0.02
		998 = BLANK (NO ANSWER)	9	0.03

		CRACK			
LABEL	LEN	DESCRIPTION		FREQ	t
-----	---	-----		----	-
		CK-3. How did you obtain any "crack" that you used during the past 30 days?			
CKFRIEND	2	BOUGHT "CRACK" FRM FRNDS, ACQNTNCES, FAMILY PST 30 DY			
		1 = Response circled	49	0.18	
		2 = Response not circled	85	0.32	
		81 = NEVER USED "CRACK" Logically assigned	176	0.66	
		83 = DID NOT USE "CRACK" PST 30 DAYS Logically assigned	93	0.35	
		85 = BAD DATA Logically assigned	12	0.05	
		91 = NEVER USED "CRACK"	25474	96.17	
		93 = DID NOT USE "CRACK" IN PAST 30 DAYS	599	2.26	
		97 = REFUSED	1	0.00	
CKDEALER	2	BOUGHT "CRACK" FROM DEALER PAST 30 DAYS			
		1 = Response circled	53	0.20	
		2 = Response not circled	81	0.31	
		81 = NEVER USED "CRACK" Logically assigned	176	0.66	
		83 = DID NOT USE "CRACK" PST 30 DAYS Logically assigned	80	0.30	
		85 = BAD DATA Logically assigned	25	0.09	
		91 = NEVER USED "CRACK"	25474	96.17	
		93 = DID NOT USE "CRACK" IN PAST 30 DAYS	599	2.26	
		97 = REFUSED	1	0.00	
CKOTHSHR	2	OTHERS SHARED "CRACK" WITH ME PAST 30 DAYS			
		1 = Response circled	48	0.18	
		2 = Response not circled	86	0.32	
		81 = NEVER USED "CRACK" Logically assigned	176	0.66	
		83 = DID NOT USE "CRACK" PST 30 DAYS Logically assigned	53	0.20	
		85 = BAD DATA Logically assigned	52	0.20	
		91 = NEVER USED "CRACK"	25474	96.17	
		93 = DID NOT USE "CRACK" IN PAST 30 DAYS	599	2.26	
		97 = REFUSED	1	0.00	
CKGIVEN	2	"CRACK" WAS GIVEN TO ME PAST 30 DAYS			
		1 = Response circled	34	0.13	
		2 = Response not circled	100	0.38	
		81 = NEVER USED "CRACK" Logically assigned	176	0.66	
		83 = DID NOT USE "CRACK" PST 30 DAYS Logically assigned	77	0.29	
		85 = BAD DATA Logically assigned	28	0.11	
		91 = NEVER USED "CRACK"	25474	96.17	
		93 = DID NOT USE "CRACK" IN PST 30 DAYS	599	2.26	
		97 = REFUSED	1	0.00	
CKTRGOOD	2	TRADED GOODS FOR "CRACK" PAST 30 DAYS			
		1 = Response circled	17	0.06	
		2 = Response not circled	117	0.44	
		81 = NEVER USED "CRACK" Logically assigned	176	0.66	
		83 = DID NOT USE "CRACK" PST 30 DAYS Logically assigned	102	0.39	
		85 = BAD DATA Logically assigned	3	0.01	
		91 = NEVER USED "CRACK"	25474	96.17	
		93 = DID NOT USE "CRACK" IN PAST 30 DAYS	599	2.26	
		97 = REFUSED	1	0.00	

		CRACK		
LABEL	LEN	DESCRIPTION	FREQ	
CKTRSERV	2	TRADED SERVICES FOR "CRACK" PAST 30 DAYS		
		1 = Response circled	7	0.03
		2 = Response not circled	127	0.48
		81 = NEVER USED "CRACK" Logically assigned	176	0.66
		83 = DID NOT USE "CRACK" PST 30 DAYS Logically assigned	104	0.39
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED "CRACK"	25474	96.17
		93 = DID NOT USE "CRACK" IN PAST 30 DAYS	599	2.26
		97 = REFUSED	1	0.00
CKSTOLE	2	STOLE "CRACK" PAST 30 DAYS		
		1 = Response circled	5	0.02
		2 = Response not circled	129	0.49
		81 = NEVER USED "CRACK" Logically assigned	176	0.66
		83 = DID NOT USE "CRACK" PST 30 DAYS Logically assigned	104	0.39
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED "CRACK"	25474	96.17
		93 = DID NOT USE "CRACK" IN PAST 30 DAYS	599	2.26
		97 = REFUSED	1	0.00
CKTRICK	2	OBTAINED "CRACK" BY TRICK OR FRAUD PAST 30 DAYS		
		1 = Response circled	7	0.03
		2 = Response not circled	127	0.48
		81 = NEVER USED "CRACK" Logically assigned	176	0.66
		83 = DID NOT USE "CRACK" PST 30 DAYS Logically assigned	103	0.39
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED "CRACK"	25474	96.17
		93 = DID NOT USE "CRACK" IN PAST 30 DAYS	599	2.26
		97 = REFUSED	1	0.00
CKOBTNON	2	DID NOT USE "CRACK" IN PAST 30 DAYS		
		2 = Response not circled	122	0.46
		81 = NEVER USED "CRACK" Logically assigned	176	0.66
		83 = DID NOT USE "CRACK" PST 30 DAYS Logically assigned	105	0.40
		85 = BAD DATA Logically assigned	11	0.04
		91 = NEVER USED "CRACK"	25474	96.17
		93 = DID NOT USE "CRACK" IN PAST 30 DAYS	601	2.27

LABEL	LEN	DESCRIPTION	CRACK	FREQ	
-----	---	-----		----	-
		CK-4. About how much money did the "crack" you used in the past 30 days cost you? (Do not include money you spent for any "crack" you sold or gave away, or any money you spent for other forms of cocaine besides "crack.")			
CRAKBUCK	4	\$ AMOUNT SPENT ON "CRACK" USED IN PAST 30 DAYS			
		RANGE = 2 - 1500	83	0.31	
		0 = Did not spend any money on "crack" pst 30 days ...	25	0.09	
		9981 = NEVER USED "CRACK" Logically assigned	310	1.17	
		9983 = DID NOT USE "CRACK" PAST 30 DAYS Logic.assigned ..	55	0.21	
		9985 = BAD DATA Logically assigned	11	0.04	
		9991 = NEVER USED "CRACK"	25340	95.66	
		9993 = DID NOT USE "CRACK" IN PAST 30 DAYS	650	2.45	
		9994 = DON'T KNOW	2	0.01	
		9997 = REFUSED	1	0.00	
		9998 = BLANK (NO ANSWER)	12	0.05	
		CK-5. Thinking back over your whole life, has there ever been a period when you used "crack" daily or almost daily for two or more weeks?			
CKLFDALY	2	EVER USED "CRACK" DAILY FOR 2 OR MORE WEEKS			
		1 = Yes	259	0.98	
		2 = No	564	2.13	
		81 = NEVER USED "CRACK" Logically assigned	1114	4.21	
		91 = NEVER USED "CRACK"	24536	92.63	
		98 = BLANK (NO ANSWER)	16	0.06	

LABEL	LEN	DESCRIPTION	FREQ	
HALLUCINOGENS -- ANSWER SHEET #10				
L-0. Shall I read these questions to you, or do you prefer to complete the answer sheet on your own?				
HALREAD	2	HALLUCINOGENS - READING PREF. (1988-91 = AS9READ)		
		1 = Wants interviewer to continue reading	7298	27.55
		2 = Wants to do it himself/herself	18547	70.02
		98 = BLANK (NO ANSWER)	644	2.43
L-1. Which of the following hallucinogens have you ever used? (PLEASE CIRCLE THE NUMBERS TO THE RIGHT OF ALL YOU HAVE EVER USED, EVEN ONCE.)				
LSD	2	EVER USED LSD ("ACID," "WHITE LIGHTNING")		
		1 = Response circled	1852	6.99
		2 = Response not circled	734	2.77
		81 = NEVER USED HALLUCINOGENS Logically assigned	64	0.24
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HALLUCINOGENS	23815	89.91
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	22	0.08
PEYOTE	2	EVER USED PEYOTE		
		1 = Response circled	381	1.44
		2 = Response not circled	2205	8.32
		81 = NEVER USED HALLUCINOGENS Logically assigned	64	0.24
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HALLUCINOGENS	23815	89.91
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	22	0.08
MESC	2	EVER USED Mescaline		
		1 = Response circled	643	2.43
		2 = Response not circled	1943	7.34
		81 = NEVER USED HALLUCINOGENS Logically assigned	64	0.24
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HALLUCINOGENS	23815	89.91
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	22	0.08
PSILCY	2	EVER USED PSILOCYBIN (MUSHROOMS)		
		1 = Response circled	923	3.48
		2 = Response not circled	1663	6.28
		81 = NEVER USED HALLUCINOGENS Logically assigned	64	0.24
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HALLUCINOGENS	23815	89.91
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	22	0.08

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	
PCP	2	EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)		
		1 = Response circled	657	2.48
		2 = Response not circled	1365	5.15
		3 = Response circled LOGICALLY IMPUTED (frm PCPREC) ..	564	2.13
		81 = NEVER USED HALLUCINOGENS Logically assigned	64	0.24
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HALLUCINOGENS	23815	89.91
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	22	0.08
ECSTASY	2	EVER USED "ECSTASY" (MDMA)		
		1 = Response circled	335	1.26
		2 = Response not circled	2251	8.50
		81 = NEVER USED HALLUCINOGENS Logically assigned	64	0.24
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HALLUCINOGENS	23815	89.91
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	22	0.08

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	-
HALNEWA	3	OTHER HALLUCINOGENS EVER USED-1ST MENTION		
		116 = Methaqualone, Quaalude, Sopor	1	0.00
		125 = Qulande [sic]	1	0.00
		142 = Belladona	1	0.00
		248 = Sooper Cool [sic]	1	0.00
		267 = Marezine	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		501 = Gasoline or lighter fluids	1	0.00
		509 = Corr flds, degreasers, cleaning flds, Liquid Paper	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	2	0.01
		602 = Peyote	1	0.00
		604 = Psilocybin (mushrooms)	42	0.16
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	2	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		609 = Gymsom [sic] pods, Jimson [sic] weed	1	0.00
		614 = MDA	8	0.03
		616 = DMT	1	0.00
		617 = Morning glory seeds	1	0.00
		618 = Acid paper, blotter (acid) [see also 601]	5	0.02
		622 = Microdot(s), purple microdot	7	0.03
		625 = Window pane	2	0.01
		628 = Hawaiian rosebud seed tea	1	0.00
		636 = STP	3	0.01
		646 = Poppy [sic]	1	0.00
		649 = Tea, Choc. [sic] tea	1	0.00
		653 = Cricketshit	1	0.00
		654 = Eve	1	0.00
		657 = Orange barrel	1	0.00
		658 = Special K	1	0.00
		659 = Boat (Marijuana & PCP)	1	0.00
		660 = Toad, Toad licking	1	0.00
		661 = X. Light [sic]	1	0.00
		662 = Kanepolin	1	0.00
		702 = Heroin	1	0.00
		703 = Opium	3	0.01
		802 = THC, cannabinol	1	0.00
		803 = Marijuana, MarrJane [sic], weed, Mary Jane, MJ ...	2	0.01
		981 = NEVER USED HALLUCINOGENS Logically assigned	64	0.24
		991 = NEVER USED HALLUCINOGENS	23815	89.91
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2506	9.46

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	t
HALNEWB	3	OTHER HALLUCINOGENS EVER USED-2ND MENTION		
		328 = Pink hearts	1	0.00
		348 = Crystal	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	1	0.00
		616 = DMT	1	0.00
		624 = Orange sunshine, sunshine, yellow sunshine	1	0.00
		636 = STP	1	0.00
		646 = Poppy [sic]	1	0.00
		655 = Flying elephant	1	0.00
		658 = Special K	1	0.00
		864 = Dramamine ,Motion sickness pill	1	0.00
		981 = NEVER USED HALLUCINOGENS Logically assigned	64	0.24
		991 = NEVER USED HALLUCINOGENS	23815	89.91
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2599	9.81
HALNEWC	3	OTHER HALLUCINOGENS EVER USED-3RD MENTION		
		625 = Window pane	1	0.00
		652 = ALD-52, ALD-S2 (version of LSD)	1	0.00
		656 = Mars	1	0.00
		981 = NEVER USED HALLUCINOGENS Logically assigned	64	0.24
		991 = NEVER USED HALLUCINOGENS	23815	89.91
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2606	9.84
HALNEWD	3	OTHER HALLUCINOGENS EVER USED-4TH MENTION		
		981 = NEVER USED HALLUCINOGENS Logically assigned	64	0.24
		991 = NEVER USED HALLUCINOGENS	23815	89.91
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2609	9.85
HALNEWE	3	OTHER HALLUCINOGENS EVER USED-5TH MENTION		
		981 = NEVER USED HALLUCINOGENS Logically assigned	64	0.24
		991 = NEVER USED HALLUCINOGENS	23815	89.91
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	2609	9.85
HALNOSP	2	OTHER HALLUCINOGENS EVER USED (NOT SPECIFIED)		
		1 = Response circled	96	0.36
		2 = Response not circled	2463	9.30
		3 = Response circled LOGICALLY IMPUTED	27	0.10
		81 = NEVER USED HALLUCINOGENS Logically assigned	64	0.24
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HALLUCINOGENS	23815	89.91
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	22	0.08

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	%
HALDKNAM	2	USED A HALLUCINOGEN, DON'T KNOW NAME		
		1 = Response circled	141	0.53
		2 = Response not circled	2445	9.23
		81 = NEVER USED HALLUCINOGENS Logically assigned	64	0.24
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HALLUCINOGENS	23815	89.91
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	22	0.08

L-2. About how old were you when you first had a chance to try LSD or PCP or another hallucinogen, if you had wanted to?

HALLOPP	3	AGE AT FIRST CHANCE TO TRY HALLUCINOGENS		
		RANGE = 3 - 44	3685	13.91
		981 = NEVER HAD A CHANCE TO TRY HALLUCINOGENS Logic.asgn	13	0.05
		985 = BAD DATA Logically assigned	42	0.16
		991 = NEVER HAD A CHANCE TO TRY HALLUCINOGENS	21596	81.53
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	1151	4.35

L-3. About how old were you the first time you actually used LSD or PCP or another hallucinogen?

HALLAGE	3	AGE WHEN FIRST USED LSD/PCP/OTHER HALLUCINOGENS		
		RANGE = 3 - 41	2493	9.41
		981 = NEVER USED HALLUCINOGENS Logically assigned	324	1.22
		985 = BAD DATA Logically assigned	67	0.25
		991 = NEVER USED HALLUCINOGENS	23556	88.93
		994 = DON'T KNOW	2	0.01
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	46	0.17

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	
		L-4. About how many times in your life have you used LSD or PCP or another hallucinogen?		
HALLTOT	2	# TIMES USED LSD/PCP/OTHER HALLUCINOGENS IN LIFE		
		1 = 1 or 2 times	837	3.16
		2 = 3 to 5 times	555	2.10
		3 = 6 to 10 times	401	1.51
		4 = 11 to 49 times	427	1.61
		5 = 50 to 99 times	153	0.58
		6 = 100 to 199 times	65	0.25
		7 = 200 or more times	86	0.32
		81 = NEVER USED HALLUCINOGENS Logically assigned	96	0.36
		85 = BAD DATA Logically assigned	60	0.23
		91 = NEVER USED HALLUCINOGENS	23783	89.78
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	25	0.09
		L-5. When was the most recent time that you used LSD or PCP or another hallucinogen?		
HALLREC	2	MOST RECENT TIME USED HALLUCINOGENS		
		1 = Within the past month (30 days)	116	0.44
		2 = More than 1 month ago but less than 6 months ago	155	0.59
		3 = 6 or more months ago but less than 1 year ago	155	0.59
		4 = 1 or more years ago but less than 3 years ago	257	0.97
		5 = 3 or more years ago	1701	6.42
		7 = Use in past 30 days LOGICALLY IMPUTED	30	0.11
		8 = Use in past year LOGICALLY IMPUTED	113	0.43
		9 = Use in lifetime LOGICALLY IMPUTED	59	0.22
		81 = NEVER USED HALLUCINOGENS Logically assigned	114	0.43
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HALLUCINOGENS	23765	89.72
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	22	0.08
		L-6. On about how many different days did you use LSD or PCP or another hallucinogen during the past 30 days?		
HAL30USE	2	# DAYS USED HALLUCINOGENS PAST 30 DAYS		
		RANGE = 1 - 15	141	0.53
		81 = NEVER USED HALLUCINOGENS Logically assigned	133	0.50
		83 = DID NOT USE HALLUCINOGENS PST 30 DAYS Logic.assgnd	139	0.52
		85 = BAD DATA Logically assigned	5	0.02
		91 = NEVER USED HALLUCINOGENS	23747	89.65
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	2301	8.69
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	22	0.08

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	-
		L-7. On the average, how often in the past 12 months have you used LSD or PCP or another hallucinogen?		
HALYRFRQ	2	# TIMES USED HALLUCINOGENS PAST 12 MONTHS		
		1 = Daily in the past 12 months	3	0.01
		2 = Almost daily or 3 to 6 days a week	6	0.02
		3 = About 1 or 2 days a week	20	0.08
		4 = Several times a month (about 25 to 51 days a year)	26	0.10
		5 = 1 to 2 times a month (12 to 24 days a year)	48	0.18
		6 = Every other month or so (6 to 11 days a year)	49	0.18
		7 = 3 to 5 days in the past 12 months	85	0.32
		8 = 1 or 2 days in the past 12 months	209	0.79
		81 = NEVER USED HALLUCINOGENS Logically assigned	121	0.46
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS. Logic.assgnd	74	0.28
		85 = BAD DATA Logically assigned	121	0.46
		91 = NEVER USED HALLUCINOGENS	23758	89.69
		93 = DID NOT USE HALLUCINOGENS IN THE PST 12 MONTHS ...	1943	7.34
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	24	0.09

THE NEXT QUESTION REFERS TO PCP ONLY.

L-8. When was the most recent time that you used PCP?

PCPREC	2	MOST RECENT TIME USED PCP		
		1 = Within the past month (30 days)	45	0.17
		2 = More than 1 month ago but less than 6 months ago .	45	0.17
		3 = 6 or more months ago but less than 1 year ago	47	0.18
		4 = 1 or more years ago but less than 3 years ago	115	0.43
		5 = 3 or more years ago	943	3.56
		8 = Use in past year LOGICALLY IMPUTED	1	0.00
		9 = Use in lifetime LOGICALLY IMPUTED	25	0.09
		81 = NEVER USED PCP Logically assigned	140	0.53
		91 = NEVER USED PCP	25074	94.66
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	53	0.20

LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	----	----
		HEROIN -- ANSWER SHEET #11		

		H-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?		
HERREAD	2	HEROIN - READING PREFERENCE (1988-91 = AS10READ)		
		1 = Wants interviewer to continue reading	7139	26.95
		2 = Wants to do it himself/herself	18692	70.57
		96 = MULTIPLE RESPONSE	4	0.02
		98 = BLANK (NO ANSWER)	654	2.47
		H-1. About how old were you when you first had a chance to try heroin if you had wanted to?		
HEROPP	3	AGE AT FIRST CHANCE TO TRY HEROIN		
		RANGE = 1 - 50	1430	5.40
		981 = NEVER HAD A CHANCE TO TRY HEROIN Logically assigned ..	13	0.05
		985 = BAD DATA Logically assigned	14	0.05
		991 = NEVER HAD A CHANCE TO TRY HEROIN	24558	92.71
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	473	1.79
		H-2. About how old were you the first time you actually used heroin?		
HERAGE	3	AGE WHEN FIRST USED HEROIN		
		RANGE = 9 - 34	371	1.40
		981 = NEVER USED HEROIN Logically assigned	248	0.94
		985 = BAD DATA Logically assigned	18	0.07
		991 = NEVER USED HEROIN	25831	97.52
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	20	0.08

HEROIN				
LABEL	LEN	DESCRIPTION	FREQ	
		H-3. About how many times in your life have you used heroin?		
HERTOT	2	# TIMES USED HEROIN IN LIFE		
		1 = 1 or 2 times	149	0.56
		2 = 3 to 5 times	52	0.20
		3 = 6 to 10 times	40	0.15
		4 = 11 to 49 times	38	0.14
		5 = 50 to 99 times	14	0.05
		6 = 100 to 199 times	12	0.05
		7 = 200 or more times	67	0.25
		81 = NEVER USED HEROIN Logically assigned	269	1.02
		85 = BAD DATA Logically assigned	18	0.07
		91 = NEVER USED HEROIN	25809	97.43
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	20	0.08
		H-4. When was the most recent time that you used heroin?		
HERREC	2	MOST RECENT TIME USED HEROIN		
		1 = Within the past month (30 days)	22	0.08
		2 = More than 1 month ago but less than 6 months ago ..	6	0.02
		3 = 6 or more months ago but less than 1 year ago	22	0.08
		4 = 1 or more years ago but less than 3 years ago	45	0.17
		5 = 3 or more years ago	248	0.94
		7 = Use in past 30 days LOGICALLY IMPUTED	7	0.03
		8 = Use in past year LOGICALLY IMPUTED	28	0.11
		9 = Use in lifetime LOGICALLY IMPUTED	13	0.05
		81 = NEVER USED HEROIN Logically assigned	106	0.40
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HEROIN	25972	98.05
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	18	0.07
		H-5. During the past 30 days, on about how many different days did you use heroin?		
HER30USE	2	# DAYS USED HEROIN PAST 30 DAYS		
		RANGE = 1 - 30	27	0.10
		81 = NEVER USED HEROIN Logically assigned	138	0.52
		83 = DID NOT USE HEROIN PAST 30 DAYS Logic.assigned ...	33	0.12
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED HEROIN	25941	97.93
		93 = DID NOT USE HEROIN IN THE PAST 30 DAYS	329	1.24
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	18	0.07

		HEROIN			
LABEL	LEN	DESCRIPTION		FREQ	
-----	---	-----		----	-
		H-6. Have you ever used heroin with a needle?			
HERNEEDL	2	EVER USED HEROIN WITH A NEEDLE			
		1 = Yes, have used heroin with a needle	197	0.74	
		2 = No, have used heroin, but not with a needle	154	0.58	
		3 = Yes, used heroin w/a needle LOGICALLY IMPUTED	13	0.05	
		4 = No, used heroin, but w/o a needle LOGIC. IMPUTED	26	0.10	
		81 = NEVER USED HEROIN Logically assigned	179	0.68	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED HEROIN	25899	97.77	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	19	0.07	
		H-7. When was the most recent time you used heroin with a needle?			
HRNDLREC	2	MOST RECENT TIME USED HEROIN WITH A NEEDLE			
		1 = Within the past month (30 days)	14	0.05	
		2 = More than 1 month ago but less than 6 months ago	7	0.03	
		3 = 6 or more months ago but less than 1 year ago	12	0.05	
		4 = 1 or more years ago but less than 3 years ago	25	0.09	
		5 = 3 or more years ago but less than 10 years ago ...	75	0.28	
		6 = 10 or more years ago	72	0.27	
		9 = Use in lifetime LOGICALLY IMPUTED	5	0.02	
		81 = NEVER USED HEROIN Logically assigned	121	0.46	
		83 = NEVER USED HEROIN WITH A NEEDLE Logically assigned	23	0.09	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED HEROIN	25957	97.99	
		93 = NEVER USED HEROIN WITH A NEEDLE	157	0.59	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	19	0.07	
		H-8. Have you ever smoked heroin?			
HERSMOKE	2	EVER SMOKED HEROIN			
		1 = Yes, have smoked heroin	112	0.42	
		2 = No, have used heroin, but have never smoked it ...	227	0.86	
		3 = Yes, have smoked heroin LOGICALLY IMPUTED	23	0.09	
		4 = No, used heroin, but never smoked it LOGIC. IMPUTED	28	0.11	
		81 = NEVER USED HEROIN Logically assigned	257	0.97	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED HEROIN	25821	97.48	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	19	0.07	

		HEROIN			
LABEL	LEN	DESCRIPTION		FREQ	
-----	----	-----		-----	-----
		H-9. When was the most recent time you smoked heroin?			
HRSMKREC	2	MOST RECENT TIME SMOKED HEROIN			
		1 = Within the past month (30 days)	7	0.03	
		2 = More than 1 month ago but less than 6 months ago ..	4	0.02	
		3 = 6 or more months ago but less than 1 year ago	9	0.03	
		4 = 1 or more years ago but less than 3 years ago	20	0.08	
		5 = 3 or more years ago but less than 10 years ago ...	46	0.17	
		6 = 10 or more years ago	49	0.18	
		81 = NEVER USED HEROIN Logically assigned	144	0.54	
		83 = USED HEROIN IN LIFE/NEVER SMOKED Logic. assigned ..	24	0.09	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED HEROIN	25934	97.90	
		93 = USED HEROIN IN LIFE BUT NEVER SMOKED IT	231	0.87	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	19	0.07	
		H-10. Have you ever sniffed ("snorted") heroin powder through your nose?			
HERSNIFF	2	EVER SNIFFED HEROIN POWDER THROUGH NOSE			
		1 = Yes, have sniffed ("snorted") heroin	218	0.82	
		2 = No, have used heroin, but have never sniffed it ..	139	0.52	
		3 = Yes, have sniffed ("snorted") heroin LOGIC.IMPUTED	9	0.03	
		4 = No, used heroin, but never sniffed LOGIC. IMPUTED	24	0.09	
		81 = NEVER USED HEROIN Logically assigned	144	0.54	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED HEROIN	25934	97.90	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	19	0.07	
		H-11. When was the most recent time you sniffed ("snorted") heroin powder through your nose?			
HRSNFREC	2	MOST RECENT/SNIFFED HEROIN POWDER THROUGH NOSE			
		1 = Within the past month (30 days)	13	0.05	
		2 = More than 1 month ago but less than 6 months ago ..	6	0.02	
		3 = 6 or more months ago but less than 1 year ago	11	0.04	
		4 = 1 or more years ago but less than 3 years ago	37	0.14	
		5 = 3 or more years ago but less than 10 years ago ...	68	0.26	
		6 = 10 or more years ago	89	0.34	
		9 = Use in lifetime LOGICALLY IMPUTED	3	0.01	
		81 = NEVER USED HEROIN Logically assigned	135	0.51	
		83 = USED HEROIN IN LIFE/NEVER SNIFFED Logic. assigned	23	0.09	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED HEROIN	25943	97.94	
		93 = USED HEROIN IN LIFE BUT NEVER SNIFFED IT	140	0.53	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	19	0.07	

LABEL	LEN	DESCRIPTION	DRUGS	FREQ
DRUGS -- ANSWER SHEET #12				
DR-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?				
DRGREAD	2	DRUGS - READING PREFERENCE (1988-91 = AS11READ)		
		1 = Wants interviewer to continue reading	7421	28.02
		2 = Wants to do it himself/herself	18284	69.02
		96 = MULTIPLE RESPONSE	56	0.21
		98 = BLANK (NO ANSWER)	728	2.75

LABEL	LEN	DESCRIPTION	DRUGS	FREQ	t
-----	----	-----		----	-
		<p>The following set of variables, CDCIG-CDNONE, has been edited slightly differently since 1991 than was true for the 1988 and 1990 NHSDAs. Previously, if respondent was a user during the past year of at least one of the listed drugs and s/he circled either a 93 (did not use any listed drug during past year) or a 91 (never used any listed drug), a bad data code (1988: 95; 1990: 85) was assigned to every variable in the set. For such respondents in 1991, the bad data code (85) was logically assigned to the CDNONE variable, but all other variables in the set received the code value 02 (response not circled), if the item was originally left blank by respondent.</p> <p>Most of the few cases in 1991 for which the bad data code 85 appeared in every variable in the set were non-users of any listed drug who marked either a 13 (did not experience what the question asked about) or a 93. In 1992 and 1993, such confirmed non-users have been assigned the edited "never used" code (81). The bad data code 85 appears in every variable in the set in 1992 and 1993 only for cases that appear to be non-users of any drug but for which use of at least one of the listed drugs is unknown.</p> <p>DR-1. During the past 12 months, for which drugs have you consciously tried to cut down on your use? (PLEASE CIRCLE ALL THAT APPLY.)</p>			
CDCIG	2	TRIED TO CUT DOWN ON USE OF CIGARETTES PAST YEAR			
		1 = Response circled		5923	22.36
		2 = Response not circled		4776	18.03
		13 = Did not try to cut down on any drug in past year ..		7636	28.83
		81 = NEVER USED ANY DRUGS Logically assigned		38	0.14
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		1006	3.80
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		5647	21.32
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1456	5.50
		97 = REFUSED		3	0.01
		98 = BLANK (NO ANSWER)		3	0.01

LABEL	LEN	DESCRIPTION	FREQ	%
CDALC	2	TRIED TO CUT DOWN ON USE OF ALCOHOL PAST YEAR		
		1 = Response circled	3988	15.06
		2 = Response not circled	6711	25.34
		13 = Did not try to cut down on any drug in past year .	7636	28.83
		81 = NEVER USED ANY DRUGS Logically assigned	38	0.14
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1006	3.80
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5647	21.32
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1456	5.50
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	3	0.01
CDSED	2	TRIED TO CUT DOWN ON USE OF SEDATIVES PAST YEAR		
		1 = Response circled	58	0.22
		2 = Response not circled	10641	40.17
		13 = Did not try to cut down on any drug in past year .	7636	28.83
		81 = NEVER USED ANY DRUGS Logically assigned	38	0.14
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1006	3.80
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5647	21.32
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1456	5.50
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	3	0.01
CDTRAN	2	TRIED TO CUT DOWN ON USE OF TRANQUILIZERS PAST YR		
		1 = Response circled	63	0.24
		2 = Response not circled	10636	40.15
		13 = Did not try to cut down on any drug in past year .	7636	28.83
		81 = NEVER USED ANY DRUGS Logically assigned	38	0.14
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1006	3.80
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5647	21.32
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1456	5.50
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	3	0.01
CDSTM	2	TRIED TO CUT DOWN ON USE OF STIMULANTS PAST YEAR		
		1 = Response circled	80	0.30
		2 = Response not circled	10619	40.09
		13 = Did not try to cut down on any drug in past year .	7636	28.83
		81 = NEVER USED ANY DRUGS Logically assigned	38	0.14
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1006	3.80
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5647	21.32
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1456	5.50
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	3	0.01

LABEL	LEN	DESCRIPTION	FREQ	%
DRUGS				
CDANAL	2	TRIED TO CUT DOWN ON USE OF ANALGESICS PAST YEAR		
		1 = Response circled	58	0.22
		2 = Response not circled	10641	40.17
		13 = Did not try to cut down on any drug in past year .	7636	28.83
		81 = NEVER USED ANY DRUGS Logically assigned	38	0.14
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1006	3.80
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5647	21.32
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1456	5.50
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	3	0.01
CDMJ	2	TRIED TO CUT DOWN ON USE OF MARIJUANA PAST YEAR		
		1 = Response circled	985	3.72
		2 = Response not circled	9714	36.67
		13 = Did not try to cut down on any drug in past year .	7636	28.83
		81 = NEVER USED ANY DRUGS Logically assigned	38	0.14
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1006	3.80
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5647	21.32
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1456	5.50
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	3	0.01
CDINH	2	TRIED TO CUT DOWN ON USE OF INHALANTS PAST YEAR		
		1 = Response circled	68	0.26
		2 = Response not circled	10631	40.13
		13 = Did not try to cut down on any drug in past year .	7636	28.83
		81 = NEVER USED ANY DRUGS Logically assigned	38	0.14
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1006	3.80
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5647	21.32
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1456	5.50
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	3	0.01
CDCOC	2	TRIED TO CUT DOWN ON USE OF COCAINE PAST YEAR		
		1 = Response circled	306	1.16
		2 = Response not circled	10393	39.24
		13 = Did not try to cut down on any drug in past year .	7636	28.83
		81 = NEVER USED ANY DRUGS Logically assigned	38	0.14
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1006	3.80
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5647	21.32
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1456	5.50
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	3	0.01

LABEL	LEN	DESCRIPTION	DRUGS	FREQ	%
CDHALL	2	TRIED TO CUT DOWN ON USE OF HALLUCINOGENS PAST YR			
		1 = Response circled		105	0.40
		2 = Response not circled		10594	39.99
		13 = Did not try to cut down on any drug in past year .		7636	28.83
		81 = NEVER USED ANY DRUGS Logically assigned		38	0.14
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		1006	3.80
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		5647	21.32
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1456	5.50
		97 = REFUSED		3	0.01
		98 = BLANK (NO ANSWER)		3	0.01
CDHER	2	TRIED TO CUT DOWN ON USE OF HEROIN PAST YEAR			
		1 = Response circled		42	0.16
		2 = Response not circled		10657	40.23
		13 = Did not try to cut down on any drug in past year .		7636	28.83
		81 = NEVER USED ANY DRUGS Logically assigned		38	0.14
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		1006	3.80
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		5647	21.32
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1456	5.50
		97 = REFUSED		3	0.01
		98 = BLANK (NO ANSWER)		3	0.01
CDOTHOP	2	TRIED TO CUT DOWN ON USE OF OTHER OPIATES PAST YR			
		1 = Response circled		36	0.14
		2 = Response not circled		10663	40.25
		13 = Did not try to cut down on any drug in past year .		7636	28.83
		81 = NEVER USED ANY DRUGS Logically assigned		38	0.14
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		1006	3.80
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		5647	21.32
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1456	5.50
		97 = REFUSED		3	0.01
		98 = BLANK (NO ANSWER)		3	0.01
CDNONE	2	DID NOT TRY TO CUT DOWN ON ANY DRUG USED PAST YR			
		1 = Response circled		7636	28.83
		2 = Response not circled		7541	28.47
		81 = NEVER USED ANY DRUGS Logically assigned		38	0.14
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		1006	3.80
		85 = BAD DATA Logically assigned		3159	11.93
		91 = NEVER USED ANY DRUGS		5647	21.32
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1456	5.50
		97 = REFUSED		3	0.01
		98 = BLANK (NO ANSWER)		3	0.01

		DRUGS			
LABEL	LEN	DESCRIPTION	FREQ		
-----	----	-----	----		
		<p>The following set of variables, UCDCIG-UCDNONE, has been edited slightly differently since 1991 than was true for the 1988 and 1990 NHSDAs. Previously, if respondent was a user during the past year of at least one of the listed drugs and s/he circled either a 93 (did not use any listed drug during past year) or a 91 (never used any listed drug), a bad data code (1988: 95; 1990: 85) was assigned to every variable in the set. For such respondents in 1991, the bad data code (85) was logically assigned to the UCDNONE variable, but all other variables in the set received the code value 02 (response not circled), if the item was originally left blank by respondent.</p> <p>Most of the few cases in 1991 for which the bad data code 85 appeared in every variable in the set were non-users of any listed drug who marked either a 13 (did not experience what the question asked about) or a 93. In 1992 and 1993, such confirmed non-users have been assigned the edited "never used" code (81). The bad data code 85 appears in every variable in the set in 1992 and 1993 only for cases that appear to be non-users of any drug but for which use of at least one of the listed drugs is unknown.</p> <p>DR-2. During the past 12 months, for which drugs have you been unable to cut down on your use, even though you tried? (PLEASE CIRCLE ALL THAT APPLY.)</p>			
UCDCIG	2	UNABLE TO CUT DOWN ON CIGARETTES DURING PAST 12 MO			
		1 = Response circled	4031	15.22	
		2 = Response not circled	5637	21.28	
		13 = Did not try to cut down on any drug in past year .	8434	31.84	
		81 = NEVER USED ANY DRUGS Logically assigned	53	0.20	
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .	1012	3.82	
		85 = BAD DATA Logically assigned (CDCIG > 1)	234	0.88	
		91 = NEVER USED ANY DRUGS	5632	21.26	
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	1450	5.47	
		97 = REFUSED	3	0.01	
		98 = BLANK (NO ANSWER)	3	0.01	

LABEL	LEN	DESCRIPTION	DRUGS	FREQ	%
UCDALC	2	UNABLE TO CUT DOWN ON ALCOHOL IN PAST 12 MONTHS			
		1 = Response circled		1512	5.71
		2 = Response not circled		8201	30.96
		13 = Did not try to cut down on any drug in past year .		8490	32.05
		81 = NEVER USED ANY DRUGS Logically assigned		53	0.20
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .		1012	3.82
		85 = BAD DATA Logically assigned (CDALC > 1)		133	0.50
		91 = NEVER USED ANY DRUGS		5632	21.26
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS		1450	5.47
		97 = REFUSED		3	0.01
		98 = BLANK (NO ANSWER)		3	0.01
UCDSED	2	UNABLE TO CUT DOWN ON SEDATIVES DURING PAST 12 MO			
		1 = Response circled		8	0.03
		2 = Response not circled		9800	37.00
		13 = Did not try to cut down on any drug in past year .		8523	32.18
		81 = NEVER USED ANY DRUGS Logically assigned		53	0.20
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .		1012	3.82
		85 = BAD DATA Logically assigned		5	0.02
		91 = NEVER USED ANY DRUGS		5632	21.26
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS		1450	5.47
		97 = REFUSED		3	0.01
		98 = BLANK (NO ANSWER)		3	0.01
UCDTRAN	2	UNABLE TO CUT DOWN ON TRANQUILIZERS PAST 12 MONTHS			
		1 = Response circled		12	0.05
		2 = Response not circled		9795	36.98
		13 = Did not try to cut down on any drug in past year .		8523	32.18
		81 = NEVER USED ANY DRUGS Logically assigned		53	0.20
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .		1012	3.82
		85 = BAD DATA Logically assigned		6	0.02
		91 = NEVER USED ANY DRUGS		5632	21.26
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS		1450	5.47
		97 = REFUSED		3	0.01
		98 = BLANK (NO ANSWER)		3	0.01
UCDSTM	2	UNABLE TO CUT DOWN ON STIMULANTS DURING PAST 12 MO			
		1 = Response circled		23	0.09
		2 = Response not circled		9787	36.95
		13 = Did not try to cut down on any drug in past year .		8523	32.18
		81 = NEVER USED ANY DRUGS Logically assigned		53	0.20
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .		1012	3.82
		85 = BAD DATA Logically assigned		3	0.01
		91 = NEVER USED ANY DRUGS		5632	21.26
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS		1450	5.47
		97 = REFUSED		3	0.01
		98 = BLANK (NO ANSWER)		3	0.01

LABEL	LEN	DESCRIPTION	DRUGS	FREQ	%
UCDANAL	2	UNABLE TO CUT DOWN ON ANALGESICS DURING PAST 12 MO			
		1 = Response circled		20	0.08
		2 = Response not circled		9786	36.94
		13 = Did not try to cut down on any drug in past year		8524	32.18
		81 = NEVER USED ANY DRUGS Logically assigned		53	0.20
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned		1012	3.82
		85 = BAD DATA Logically assigned		6	0.02
		91 = NEVER USED ANY DRUGS		5632	21.26
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS		1450	5.47
		97 = REFUSED		3	0.01
		98 = BLANK (NO ANSWER)		3	0.01
UCDMJ	2	UNABLE TO CUT DOWN ON MARIJUANA DURING PAST 12 MO			
		1 = Response circled		297	1.12
		2 = Response not circled		9487	35.81
		13 = Did not try to cut down on any drug in past year		8516	32.15
		81 = NEVER USED ANY DRUGS Logically assigned		53	0.20
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned		1012	3.82
		85 = BAD DATA Logically assigned (CDMJ > 1)		36	0.14
		91 = NEVER USED ANY DRUGS		5632	21.26
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS		1450	5.47
		97 = REFUSED		3	0.01
		98 = BLANK (NO ANSWER)		3	0.01
UCDINH	2	UNABLE TO CUT DOWN ON INHALANTS DURING PAST 12 MO			
		1 = Response circled		10	0.04
		2 = Response not circled		9798	36.99
		13 = Did not try to cut down on any drug in past year		8524	32.18
		81 = NEVER USED ANY DRUGS Logically assigned		53	0.20
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned		1012	3.82
		85 = BAD DATA Logically assigned		4	0.02
		91 = NEVER USED ANY DRUGS		5632	21.26
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS		1450	5.47
		97 = REFUSED		3	0.01
		98 = BLANK (NO ANSWER)		3	0.01
UCDCOC	2	UNABLE TO CUT DOWN ON COCAINE IN PAST 12 MONTHS			
		1 = Response circled		71	0.27
		2 = Response not circled		9734	36.75
		13 = Did not try to cut down on any drug in past year		8523	32.18
		81 = NEVER USED ANY DRUGS Logically assigned		53	0.20
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned		1012	3.82
		85 = BAD DATA Logically assigned		8	0.03
		91 = NEVER USED ANY DRUGS		5632	21.26
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS		1450	5.47
		97 = REFUSED		3	0.01
		98 = BLANK (NO ANSWER)		3	0.01

LABEL	LEN	DESCRIPTION	FREQ	t
----	----	-----	----	----
UCDHALL	2	UNABLE TO CUT DOWN ON HALLUCINOGENS PAST 12 MONTHS		
		1 = Response circled	12	0.05
		2 = Response not circled	9796	36.98
		13 = Did not try to cut down on any drug in past year .	8523	32.18
		81 = NEVER USED ANY DRUGS Logically assigned	53	0.20
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .	1012	3.82
		85 = BAD DATA Logically assigned	5	0.02
		91 = NEVER USED ANY DRUGS	5632	21.26
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	1450	5.47
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	3	0.01
UCDHER	2	UNABLE TO CUT DOWN ON HEROIN DURING PAST 12 MONTHS		
		1 = Response circled	15	0.06
		2 = Response not circled	9795	36.98
		13 = Did not try to cut down on any drug in past year .	8523	32.18
		81 = NEVER USED ANY DRUGS Logically assigned	53	0.20
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .	1012	3.82
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED ANY DRUGS	5632	21.26
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	1450	5.47
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	3	0.01
UCDOTHOP	2	UNABLE TO CUT DOWN ON OPIATES/MORPHINE PAST 12 MO		
		1 = Response circled	7	0.03
		2 = Response not circled	9803	37.01
		13 = Did not try to cut down on any drug in past year .	8512	32.13
		81 = NEVER USED ANY DRUGS Logically assigned	53	0.20
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .	1012	3.82
		85 = BAD DATA Logically assigned	14	0.05
		91 = NEVER USED ANY DRUGS	5632	21.26
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	1450	5.47
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	3	0.01
UCDNONE	2	DID NOT TRY TO CUT DOWN ON ANY DRUG IN PAST 12 MO		
		1 = Response circled	8432	31.83
		2 = Response not circled	6677	25.21
		81 = NEVER USED ANY DRUGS Logically assigned	53	0.20
		83 = DID NOT USE ANY DRUG PAST 12 MOS. Logic.assigned .	1012	3.82
		85 = BAD DATA Logically assigned	3227	12.18
		91 = NEVER USED ANY DRUGS	5632	21.26
		93 = DID NOT USE ANY DRUG IN THE PAST 12 MONTHS	1450	5.47
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	3	0.01

LABEL	LEN	DESCRIPTION	DRUGS	FREQ	t
-----	----	-----		-----	-

The following set of variables, EFFCIG-EFFNONE, has been edited slightly differently since 1991 than was true for the 1988 and 1990 NHSDAs. Previously, if respondent was a user during the past year of at least one of the listed drugs and s/he circled either a 93 (did not use any listed drug during past year) or a 91 (never used any listed drug), a bad data code (1988: 95; 1990: 85) was assigned to every variable in the set. For such respondents in 1991, the bad data code (85) was logically assigned to the EFFNONE variable, but all other variables in the set received the code value 02 (response not circled), if the item was originally left blank by respondent.

Most of the few cases in 1991 for which the bad data code 85 appeared in every variable in the set were non-users of any listed drug who marked either a 13 (did not experience what the question asked about) or a 93. In 1992 and 1993, such confirmed non-users have been assigned the edited "never used" code (81). The bad data code 85 appears in every variable in the set in 1992 and 1993 only for cases that appear to be non-users of any drug but which use of at least one of the listed drugs is unknown.

DR-3. During the past 12 months, for which drugs have you needed larger amounts to get the same effect; that is, for which drugs could you no longer get high on the same amount you used to use? (PLEASE CIRCLE ALL THAT APPLY.)

EFFCIG	2	NEEDED MORE CIGARETTES TO GET SAME EFFECT PAST YR		
		1 = Response circled	1362	5.14
		2 = Response not circled	4166	15.73
		13 = Did not need more of any drug used for same effect	12806	48.34
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1000	3.78
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5637	21.28
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1462	5.52
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	4	0.02

LABEL	LEN	DESCRIPTION	DRUGS	FREQ	%
EFFALC	2	NEEDED MORE ALCOHOL TO GET SAME EFFECT PAST YEAR			
		1 = Response circled		1185	4.47
		2 = Response not circled		4343	16.40
		13 = Did not need more of any drug used for same effect		12806	48.34
		81 = NEVER USED ANY DRUGS Logically assigned		47	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		1000	3.78
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		5637	21.28
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1462	5.52
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		4	0.02
EFFSED	2	NEEDED MORE SEDATIVES TO GET SAME EFFECT PAST YEAR			
		1 = Response circled		12	0.05
		2 = Response not circled		5516	20.82
		13 = Did not need more of any drug used for same effect		12806	48.34
		81 = NEVER USED ANY DRUGS Logically assigned		47	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		1000	3.78
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		5637	21.28
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1462	5.52
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		4	0.02
EFFTRAN	2	NEEDED MORE TRANQ. TO GET SAME EFFECT PAST YEAR			
		1 = Response circled		13	0.05
		2 = Response not circled		5515	20.82
		13 = Did not need more of any drug used for same effect		12806	48.34
		81 = NEVER USED ANY DRUGS Logically assigned		47	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		1000	3.78
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		5637	21.28
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1462	5.52
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		4	0.02
EFFSTM	2	NEEDED MORE STIMULANTS TO GET SAME EFFECT PAST YR			
		1 = Response circled		33	0.12
		2 = Response not circled		5495	20.74
		13 = Did not need more of any drug used for same effect		12806	48.34
		81 = NEVER USED ANY DRUGS Logically assigned		47	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		1000	3.78
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		5637	21.28
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1462	5.52
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		4	0.02

LABEL	LEN	DESCRIPTION	FREQ	%
EFFANAL	2	NEEDED MORE ANALGESICS TO GET SAME EFFECT PAST YR		
		1 = Response circled	19	0.07
		2 = Response not circled	5509	20.80
		13 = Did not need more of any drug used for same effect	12806	48.34
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1000	3.78
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5637	21.28
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1462	5.52
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	4	0.02
EFFMJ	2	NEEDED MORE MARIJUANA TO GET SAME EFFECT PAST YEAR		
		1 = Response circled	299	1.13
		2 = Response not circled	5229	19.74
		13 = Did not need more of any drug used for same effect	12806	48.34
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1000	3.78
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5637	21.28
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1462	5.52
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	4	0.02
EFFINH	2	NEEDED MORE INHALANTS TO GET SAME EFFECT PAST YEAR		
		1 = Response circled	19	0.07
		2 = Response not circled	5509	20.80
		13 = Did not need more of any drug used for same effect	12806	48.34
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1000	3.78
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5637	21.28
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1462	5.52
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	4	0.02
EFFCOC	2	NEEDED MORE COCAINE TO GET SAME EFFECT PAST YEAR		
		1 = Response circled	105	0.40
		2 = Response not circled	5423	20.47
		13 = Did not need more of any drug used for same effect	12806	48.34
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1000	3.78
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5637	21.28
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1462	5.52
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	4	0.02

		DRUGS			
LABEL	LEN	DESCRIPTION	FREQ		
EFFHALL	2	NEEDED MORE HALLUCIN. TO GET SAME EFFECT PAST YEAR			
		1 = Response circled	29	0.11	
		2 = Response not circled	5499	20.76	
		13 = Did not need more of any drug used for same effect	12806	48.34	
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.18	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1000	3.78	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	5637	21.28	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1462	5.52	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	4	0.02	
EFFHER	2	NEEDED MORE HEROIN TO GET SAME EFFECT PAST YEAR			
		1 = Response circled	19	0.07	
		2 = Response not circled	5509	20.80	
		13 = Did not need more of any drug used for same effect	12806	48.34	
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.18	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1000	3.78	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	5637	21.28	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1462	5.52	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	4	0.02	
EFFOTHOP	2	NEEDED MORE OTHER OPIATES TO GET SAME EFF PAST YR			
		1 = Response circled	9	0.03	
		2 = Response not circled	5519	20.84	
		13 = Did not need more of any drug used for same effect	12806	48.34	
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.18	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1000	3.78	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	5637	21.28	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1462	5.52	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	4	0.02	
EFFNONE	2	DID NOT NEED MORE OF ANY DRUG FOR SAME EFF PAST YR			
		1 = Response circled	12806	48.34	
		2 = Response not circled	2237	8.45	
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.18	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	1000	3.78	
		85 = BAD DATA Logically assigned	3292	12.43	
		91 = NEVER USED ANY DRUGS	5637	21.28	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1462	5.52	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	4	0.02	

LABEL	LEN	DESCRIPTION	DRUGS	FREQ	t
-----	----	-----		----	-

The following set of variables, UDAYCIG-UDAYNONE, has been edited slightly differently since 1991 than was true for the 1988 and 1990 NHSDAs. Previously, if respondent was a user during the past year of at least one of the listed drugs and s/he circled either a 93 (did not use any listed drug during past year) or a 91 (never used any listed drug), a bad data code (1988: 95; 1990: 85) was assigned to every variable in the set. For such respondents in 1991, the bad data code (85) was logically assigned to the UDAYNONE variable, but all other variables in the set received the code value 02 (response not circled), if the item was originally left blank by respondent.

Most of the few cases in 1991 for which the bad data code 85 appeared in every variable in the set were non-users of any listed drug who marked either a 13 (did not experience what the question asked about) or a 93. In 1992 and 1993, such confirmed non-users have been assigned the edited "never used" code (81). The bad data code 85 appears in every variable in the set in 1992 and 1993 only for cases that appear to be non-users of any drug but for which use of at least one of the listed drugs is unknown.

DR-4. During the past 12 months, which drugs have you used every day or almost daily for 2 or more weeks in a row?
(PLEASE CIRCLE ALL THAT APPLY.)

UDAYCIG	2	USED CIGARETTES DAILY FOR 2+ WEEKS IN PAST YEAR		
		1 = Response circled	6503	24.55
		2 = Response not circled	3949	14.91
		13 = Did not use any drug daily in past year	7880	29.75
		81 = NEVER USED ANY DRUGS Logically assigned	49	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	982	3.71
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ANY DRUGS	5635	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1480	5.59
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	4	0.02

LABEL	LEN	DESCRIPTION	FREQ	%
UDAYALC	2	USED ALCOHOL DAILY FOR 2+ WEEKS IN PAST YEAR		
		1 = Response circled	1615	6.10
		2 = Response not circled	8838	33.36
		13 = Did not use any drug daily in past year	7880	29.75
		81 = NEVER USED ANY DRUGS Logically assigned	49	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	982	3.71
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5635	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1480	5.59
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	4	0.02
UDAYSED	2	USED SEDATIVES DAILY FOR 2+ WEEKS IN PAST YEAR		
		1 = Response circled	17	0.06
		2 = Response not circled	10435	39.39
		13 = Did not use any drug daily in past year	7880	29.75
		81 = NEVER USED ANY DRUGS Logically assigned	49	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	982	3.71
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ANY DRUGS	5635	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1480	5.59
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	4	0.02
UDAYTRAN	2	USED TRANQUILIZERS DAILY FOR 2+ WKS IN PAST YEAR		
		1 = Response circled	21	0.08
		2 = Response not circled	10431	39.38
		13 = Did not use any drug daily in past year	7880	29.75
		81 = NEVER USED ANY DRUGS Logically assigned	49	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	982	3.71
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ANY DRUGS	5635	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1480	5.59
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	4	0.02
UDAYSTM	2	USED STIMULANTS DAILY FOR 2+ WEEKS IN PAST YEAR		
		1 = Response circled	26	0.10
		2 = Response not circled	10426	39.36
		13 = Did not use any drug daily in past year	7880	29.75
		81 = NEVER USED ANY DRUGS Logically assigned	49	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	982	3.71
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ANY DRUGS	5635	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1480	5.59
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	4	0.02

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
DRUGS				
UDAYANAL	2	USED ANALGESICS DAILY FOR 2+ WEEKS IN PAST YEAR		
		1 = Response circled	23	0.09
		2 = Response not circled	10429	39.37
		13 = Did not use any drug daily in past year	7880	29.75
		81 = NEVER USED ANY DRUGS Logically assigned	49	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	982	3.71
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ANY DRUGS	5635	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1480	5.59
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	4	0.02
UDAYMJ	2	USED MARIJUANA DAILY FOR 2+ WEEKS IN PAST YEAR		
		1 = Response circled	524	1.98
		2 = Response not circled	9928	37.48
		13 = Did not use any drug daily in past year	7880	29.75
		81 = NEVER USED ANY DRUGS Logically assigned	49	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	982	3.71
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ANY DRUGS	5635	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1480	5.59
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	4	0.02
UDAYINH	2	USED INHALANTS DAILY FOR 2+ WEEKS IN PAST YEAR		
		1 = Response circled	10	0.04
		2 = Response not circled	10442	39.42
		13 = Did not use any drug daily in past year	7880	29.75
		81 = NEVER USED ANY DRUGS Logically assigned	49	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	982	3.71
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ANY DRUGS	5635	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1480	5.59
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	4	0.02
UDAYCOC	2	USED COCAINE DAILY FOR 2+ WEEKS IN PAST YEAR		
		1 = Response circled	82	0.31
		2 = Response not circled	10370	39.15
		13 = Did not use any drug daily in past year	7880	29.75
		81 = NEVER USED ANY DRUGS Logically assigned	49	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	982	3.71
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ANY DRUGS	5635	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1480	5.59
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	4	0.02

LABEL	LEN	DESCRIPTION	DRUGS	FREQ	t
UDAYHALL	2	USED HALLUCINOGENS DAILY FOR 2+ WEEKS IN PAST YEAR			
		1 = Response circled		8	0.03
		2 = Response not circled		10444	39.43
		13 = Did not use any drug daily in past year		7880	29.75
		81 = NEVER USED ANY DRUGS Logically assigned		49	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		982	3.71
		85 = BAD DATA Logically assigned		2	0.01
		91 = NEVER USED ANY DRUGS		5635	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1480	5.59
		97 = REFUSED		5	0.02
		98 = BLANK (NO ANSWER)		4	0.02
UDAYHER	2	USED HEROIN DAILY FOR 2+ WEEKS IN PAST YEAR			
		1 = Response circled		17	0.06
		2 = Response not circled		10435	39.39
		13 = Did not use any drug daily in past year		7880	29.75
		81 = NEVER USED ANY DRUGS Logically assigned		49	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		982	3.71
		85 = BAD DATA Logically assigned		2	0.01
		91 = NEVER USED ANY DRUGS		5635	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1480	5.59
		97 = REFUSED		5	0.02
		98 = BLANK (NO ANSWER)		4	0.02
UDAYOTH	2	USED OTHER OPIATES DAILY FOR 2+ WEEKS IN PAST YEAR			
		1 = Response circled		11	0.04
		2 = Response not circled		10441	39.42
		13 = Did not use any drug daily in past year		7880	29.75
		81 = NEVER USED ANY DRUGS Logically assigned		49	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		982	3.71
		85 = BAD DATA Logically assigned		2	0.01
		91 = NEVER USED ANY DRUGS		5635	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1480	5.59
		97 = REFUSED		5	0.02
		98 = BLANK (NO ANSWER)		4	0.02
UDAYNONE	2	DID NOT USE ANY DRUG DAILY FOR 2+ WEEKS IN PAST YR			
		1 = Response circled		7880	29.75
		2 = Response not circled		7104	26.82
		81 = NEVER USED ANY DRUGS Logically assigned		49	0.18
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		982	3.71
		85 = BAD DATA Logically assigned		3350	12.65
		91 = NEVER USED ANY DRUGS		5635	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1480	5.59
		97 = REFUSED		5	0.02
		98 = BLANK (NO ANSWER)		4	0.02

LABEL	LEN	DESCRIPTION	DRUGS	FREQ	t
-----	----	-----		----	-
		<p>The following set of variables, DEPCIG-DEPNONE, has been edited slightly differently since 1991 than was true for the 1988 and 1990 NHSDAs. Previously, if respondent was a user during the past year of at least one of the listed drugs and s/he circled either a 93 (did not use any listed drug during past year) or a 91 (never used any listed drug), a bad data code (1988: 95; 1990: 85) was assigned to every variable in the set. For such respondents in 1991, the bad data code (85) was logically assigned to the DEPNONE variable, but all other variables in the set received the code value 02 (response not circled), if the item was originally left blank by respondent.</p> <p>Most of the few cases in 1991 for which the bad data code 85 appeared in every variable in the set were non-users of any listed drug who marked either a 13 (did not experience what the question asked about) or a 93. In 1992 and 1993, such confirmed non-users have been assigned the edited "never used" code (81). The bad data code 85 appears in every variable in the set in 1992 and 1993 only for cases that appear to be non-users of any drug but for which use of at least one of the listed drugs is unknown.</p> <p>DR-5. Which drugs have you felt that you needed or were dependent on in the past 12 months? (PLEASE CIRCLE ALL THAT APPLY.)</p>			
DEPCIG	2	FELT DEPENDENT ON CIGARETTES PAST YEAR			
		1 = Response circled		5404	20.40
		2 = Response not circled		3616	13.65
		13 = Did not feel like had to have any drug used pastyr		9313	35.16
		81 = NEVER USED ANY DRUGS Logically assigned		51	0.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		992	3.74
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		5633	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1470	5.55
		94 = DON'T KNOW		1	0.00
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		4	0.02

		DRUGS			
LABEL	LEN	DESCRIPTION		FREQ	%
----	----	-----		----	----
DEPALC	2	FELT DEPENDENT ON ALCOHOL PAST YEAR			
		1 = Response circled	1115	4.21	
		2 = Response not circled	7905	29.84	
		13 = Did not feel like had to have any drug used pastyr	9313	35.16	
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	992	3.74	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	5633	21.27	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1470	5.55	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	4	0.02	
DEPSED	2	FELT DEPENDENT ON SEDATIVES PAST YEAR			
		1 = Response circled	20	0.08	
		2 = Response not circled	9000	33.98	
		13 = Did not feel like had to have any drug used pastyr	9313	35.16	
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	992	3.74	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	5633	21.27	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1470	5.55	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	4	0.02	
DEPTRAN	2	FELT DEPENDENT ON TRANQUILIZERS PAST YEAR			
		1 = Response circled	27	0.10	
		2 = Response not circled	8993	33.95	
		13 = Did not feel like had to have any drug used pastyr	9313	35.16	
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	992	3.74	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	5633	21.27	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1470	5.55	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	4	0.02	
DEPSTM	2	FELT DEPENDENT ON STIMULANTS PAST YEAR			
		1 = Response circled	31	0.12	
		2 = Response not circled	8989	33.93	
		13 = Did not feel like had to have any drug used pastyr	9313	35.16	
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	992	3.74	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	5633	21.27	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1470	5.55	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	4	0.02	

LABEL	LEN	DESCRIPTION	DRUGS	FREQ	%
DEPANAL	2	FELT DEPENDENT ON ANALGESICS PAST YEAR			
		1 = Response circled		30	0.11
		2 = Response not circled		8990	33.94
		13 = Did not feel like had to have any drug used pastyr		9313	35.16
		81 = NEVER USED ANY DRUGS Logically assigned		51	0.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		992	3.74
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		5633	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1470	5.55
		94 = DON'T KNOW		1	0.00
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		4	0.02
DEPMJ	2	FELT DEPENDENT ON MARIJUANA PAST YEAR			
		1 = Response circled		329	1.24
		2 = Response not circled		8691	32.81
		13 = Did not feel like had to have any drug used pastyr		9313	35.16
		81 = NEVER USED ANY DRUGS Logically assigned		51	0.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		992	3.74
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		5633	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1470	5.55
		94 = DON'T KNOW		1	0.00
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		4	0.02
DEPINH	2	FELT DEPENDENT ON INHALANTS PAST YEAR			
		1 = Response circled		6	0.02
		2 = Response not circled		9014	34.03
		13 = Did not feel like had to have any drug used pastyr		9313	35.16
		81 = NEVER USED ANY DRUGS Logically assigned		51	0.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		992	3.74
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		5633	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1470	5.55
		94 = DON'T KNOW		1	0.00
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		4	0.02
DEPCOC	2	FELT DEPENDENT ON COCAINE PAST YEAR			
		1 = Response circled		102	0.39
		2 = Response not circled		8918	33.67
		13 = Did not feel like had to have any drug used pastyr		9313	35.16
		81 = NEVER USED ANY DRUGS Logically assigned		51	0.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		992	3.74
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		5633	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1470	5.55
		94 = DON'T KNOW		1	0.00
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		4	0.02

LABEL	LEN	DESCRIPTION	FREQ	t
DEPHALL	2	FELT DEPENDENT ON HALLUCINOGENS PAST YEAR		
		1 = Response circled	11	0.04
		2 = Response not circled	9009	34.01
		13 = Did not feel like had to have any drug used pastyr	9313	35.16
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	992	3.74
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5633	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1470	5.55
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	4	0.02
DEPHER	2	FELT DEPENDENT ON HEROIN PAST YEAR		
		1 = Response circled	22	0.08
		2 = Response not circled	8998	33.97
		13 = Did not feel like had to have any drug used pastyr	9313	35.16
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	992	3.74
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5633	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1470	5.55
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	4	0.02
DEPOTHOP	2	FELT DEPENDENT ON OTHER OPIATES PAST YEAR		
		1 = Response circled	14	0.05
		2 = Response not circled	9006	34.00
		13 = Did not feel like had to have any drug used pastyr	9313	35.16
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	992	3.74
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5633	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1470	5.55
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	4	0.02
DEPNONE	2	DID NOT FEEL DEPENDENT ON ANY DRUG USED PAST YEAR		
		1 = Response circled	9313	35.16
		2 = Response not circled	5912	22.32
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	992	3.74
		85 = BAD DATA Logically assigned	3109	11.74
		91 = NEVER USED ANY DRUGS	5633	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1470	5.55
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	4	0.02

LABEL	LEN	DESCRIPTION	DRUGS		FREQ	t
-----	----	-----			----	-
<p>The following set of variables, WSCIG-WSNONE, has been edited slightly differently since 1991 than was true for the 1988 and 1990 NHSDAs. Previously, if respondent was a user during the past year of at least one of the listed drugs and s/he circled either a 93 (did not use any listed drug during past year) or a 91 (never used any listed drug), a bad data code (1988: 95; 1990: 85) was assigned to every variable in the set. For such respondents in 1991, the bad data code (85) was logically assigned to the CDNONE variable, but all other variables in the set received the code value 02 (response not circled), if the item was originally left blank by respondent.</p> <p>Most of the few cases in 1991 for which the bad data code 85 appeared in every variable in the set were non-users of any listed drug who marked either a 13 (did not experience what the question asked about) or a 93. In 1992 and 1993, such confirmed non-users have been assigned the edited "never used" code (81). The bad data code 85 appears in every variable in the set in 1992 and 1993 only for cases that appear to be non-users of any drug but for which use of at least one of the listed drugs is unknown.</p> <p>DR-6. For which drugs have you had withdrawal symptoms; that is, you felt sick because you stopped or cut down on your use of them during the past 12 months? (PLEASE CIRCLE ALL THAT APPLY.)</p>						
WSCIG	2	FELT SICK WHEN CUT DOWN ON CIGARETTES PAST YEAR				
		1 = Response circled			2175	8.21
		2 = Response not circled			3863	14.58
		13 = Did not have withdrawal symptoms in past year			12294	46.41
		81 = NEVER USED ANY DRUGS Logically assigned			51	0.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned			988	3.73
		85 = BAD DATA Logically assigned			1	0.00
		91 = NEVER USED ANY DRUGS			5633	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS			1474	5.56
		94 = DON'T KNOW			2	0.01
		97 = REFUSED			4	0.02
		98 = BLANK (NO ANSWER)			4	0.02

LABEL	LEN	DESCRIPTION	DRUGS	FREQ	%
WSALC	2	FELT SICK WHEN CUT DOWN ON ALCOHOL PAST YEAR			
		1 = Response circled		688	2.60
		2 = Response not circled		5350	20.20
		13 = Did not have withdrawal symptoms in past year		12294	46.41
		81 = NEVER USED ANY DRUGS Logically assigned		51	0.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		988	3.73
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		5633	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1474	5.56
		94 = DON'T KNOW		2	0.01
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		4	0.02
WSSD	2	FELT SICK WHEN CUT DOWN ON SEDATIVES PAST YEAR			
		1 = Response circled		11	0.04
		2 = Response not circled		6027	22.75
		13 = Did not have withdrawal symptoms in past year		12294	46.41
		81 = NEVER USED ANY DRUGS Logically assigned		51	0.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		988	3.73
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		5633	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1474	5.56
		94 = DON'T KNOW		2	0.01
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		4	0.02
WSTRAN	2	FELT SICK WHEN CUT DOWN ON TRANQUILIZERS PAST YEAR			
		1 = Response circled		13	0.05
		2 = Response not circled		6025	22.75
		13 = Did not have withdrawal symptoms in past year		12294	46.41
		81 = NEVER USED ANY DRUGS Logically assigned		51	0.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		988	3.73
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		5633	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1474	5.56
		94 = DON'T KNOW		2	0.01
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		4	0.02
WSSTM	2	FELT SICK WHEN CUT DOWN ON STIMULANTS PAST YEAR			
		1 = Response circled		24	0.09
		2 = Response not circled		6014	22.70
		13 = Did not have withdrawal symptoms in past year		12294	46.41
		81 = NEVER USED ANY DRUGS Logically assigned		51	0.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned		988	3.73
		85 = BAD DATA Logically assigned		1	0.00
		91 = NEVER USED ANY DRUGS		5633	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS		1474	5.56
		94 = DON'T KNOW		2	0.01
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		4	0.02

		DRUGS			
LABEL	LEN	DESCRIPTION		FREQ	t
WSANAL	2	FELT SICK WHEN CUT DOWN ON ANALGESICS PAST YEAR			
		1 = Response circled	16	0.06	
		2 = Response not circled	6022	22.73	
		13 = Did not have withdrawal symptoms in past year	12294	46.41	
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	988	3.73	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	5633	21.27	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1474	5.56	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	4	0.02	
WSMJ	2	FELT SICK WHEN CUT DOWN ON MARIJUANA PAST YEAR			
		1 = Response circled	139	0.52	
		2 = Response not circled	5899	22.27	
		13 = Did not have withdrawal symptoms in past year	12294	46.41	
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	988	3.73	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	5633	21.27	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1474	5.56	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	4	0.02	
WSINH	2	FELT SICK WHEN CUT DOWN ON INHALANTS PAST YEAR			
		1 = Response circled	7	0.03	
		2 = Response not circled	6031	22.77	
		13 = Did not have withdrawal symptoms in past year	12294	46.41	
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	988	3.73	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	5633	21.27	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1474	5.56	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	4	0.02	
WSCOC	2	FELT SICK WHEN CUT DOWN ON COCAINE PAST YEAR			
		1 = Response circled	80	0.30	
		2 = Response not circled	5958	22.49	
		13 = Did not have withdrawal symptoms in past year	12294	46.41	
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19	
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	988	3.73	
		85 = BAD DATA Logically assigned	1	0.00	
		91 = NEVER USED ANY DRUGS	5633	21.27	
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1474	5.56	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	4	0.02	

LABEL	LEN	DESCRIPTION	FREQ	t
WSHALL	2	FELT SICK WHEN CUT DOWN ON HALLUCINOGENS PAST YEAR		
		1 = Response circled	14	0.05
		2 = Response not circled	6024	22.74
		13 = Did not have withdrawal symptoms in past year	12294	46.41
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	988	3.73
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5633	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1474	5.56
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	4	0.02
WSHER	2	FELT SICK WHEN CUT DOWN ON HEROIN PAST YEAR		
		1 = Response circled	26	0.10
		2 = Response not circled	6012	22.70
		13 = Did not have withdrawal symptoms in past year	12294	46.41
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	988	3.73
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5633	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1474	5.56
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	4	0.02
WSOTHOP	2	FELT SICK WHEN CUT DOWN ON OTHER OPIATES PAST YEAR		
		1 = Response circled	17	0.00
		2 = Response not circled	6021	22.73
		13 = Did not have withdrawal symptoms in past year	12294	46.41
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	988	3.73
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ANY DRUGS	5633	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1474	5.56
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	4	0.02
WSNONE	2	DID NOT HAVE WITHDRAWAL SYMPTOMS PAST YEAR		
		1 = Response circled	12294	46.41
		2 = Response not circled	2835	10.70
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19
		83 = DID NOT USE ANY DRUGS PAST 12 MOS. Logic.assigned	988	3.73
		85 = BAD DATA Logically assigned	3204	12.10
		91 = NEVER USED ANY DRUGS	5633	21.27
		93 = DID NOT USE ANY DRUGS IN THE PAST 12 MONTHS	1474	5.56
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	4	0.02

		NEEDLES			
LABEL	LEN	DESCRIPTION		FREQ	
-----	----	-----		----	-
		NEEDLES -- ANSWER SHEET #13			

		ND-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?			
NDLREAD	2	NEEDLES - READING PREFERENCE			
		1 = Wants interviewer to continue reading	7043	26.59	
		2 = Wants to do it himself/herself	18677	70.51	
		96 = MULTIPLE RESPONSE	5	0.02	
		98 = BLANK (NO ANSWER)	764	2.88	
		ND-1. Have you ever used a needle to get any drug injected under your skin, into a muscle, or into a vein for nonmedical reasons?			
GNNDLLIF	2	EVER USED NEEDLE TO INJECT DRUGS FOR NONMED REASON			
		1 = Yes, have used a needle to take a drug	352	1.33	
		2 = No, have never used a needle to take a drug	3180	12.00	
		3 = Yes, have used a ndle to take a drug LOGIC.IMPUTED	133	0.50	
		4 = No, have never used a ndle to take drug, LOGIC. IM	7109	26.84	
		81 = NEVER USED A NEEDLE TO TAKE A DRUG Logic.assigned	1549	5.85	
		91 = NEVER USED A NEEDLE TO TAKE A DRUG	14154	53.43	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	11	0.04	
		ND-2. When was the most recent time you used any drug for nonmedical reasons with a needle?			
GNNDLREC	2	MOST RECENT TIME USED ANY DRUG WITH A NEEDLE			
		1 = Within the past month (30 days)	21	0.08	
		2 = More than 1 month ago but less than 6 months	18	0.07	
		3 = 6 or more months ago but less than 1 year ago	19	0.07	
		4 = 1 or more years ago but less than 3 years ago	43	0.16	
		5 = 3 or more years ago but less than 10 years ago ...	121	0.46	
		6 = 10 or more years ago	105	0.40	
		7 = Use in past 30 days LOGICALLY IMPUTED	28	0.11	
		8 = Use in past year LOGICALLY IMPUTED	45	0.17	
		9 = Use in lifetime LOGICALLY IMPUTED	85	0.32	
		81 = NEVER USED ANY DRUG FOR NONMDCL RSN Logic.assigned	1358	5.13	
		83 = NEVER USED A NDL TO TAKE ANY DRUG Logic. assigned	6991	26.39	
		91 = NEVER USED ANY DRUG FOR NONMEDICAL REASONS	14345	54.15	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3298	12.45	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	11	0.04	

		NEEDLES		
LABEL	LEN	DESCRIPTION	FREQ	
ND-3. Circle the number to the right of each kind of drug you have ever used with a needle, for nonmedical reasons. (PLEASE CIRCLE ALL THAT APPLY.)				
GNNDLSED	2	USED SEDATIVE W/NEEDLE FOR NONMEDICAL RSN		
		1 = Response circled	39	0.15
		2 = Response not circled	444	1.68
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1291	4.87
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	6981	26.35
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	14412	54.41
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3308	12.49
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	11	0.04
GNNDLTRA	2	USED TRANQUILIZER W/NEEDLE FOR NONMEDICAL RSN		
		1 = Response circled	30	0.11
		2 = Response not circled	454	1.71
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1291	4.87
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	6981	26.35
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	14412	54.41
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3308	12.49
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	11	0.04
GNNDLSTM	2	USED STIMULANT W/NEEDLE FOR NONMEDICAL RSN		
		1 = Response circled	105	0.40
		2 = Response not circled	329	1.24
		3 = Response circled LOGICALLY IMPUTED (frm STNDLREC)	50	0.19
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1291	4.87
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	6981	26.35
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	14412	54.41
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3308	12.49
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	11	0.04
GNNDLANL	2	USED ANALGESIC W/NEEDLE FOR NONMEDICAL RSN		
		1 = Response circled	37	0.14
		2 = Response not circled	447	1.69
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1291	4.87
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	6981	26.35
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	14412	54.41
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3308	12.49
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	11	0.04

		NEEDLES		
LABEL	LEN	DESCRIPTION	FREQ	%
GNNDLINH	2	USED INHALANTS W/NEEDLE FOR NONMEDICAL RSN		
		1 = Response circled	4	0.02
		2 = Response not circled	480	1.81
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1291	4.87
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	6981	26.35
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	14412	54.41
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3308	12.49
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	11	0.04
GNNDLCOC	2	USED COCAINE W/NEEDLE FOR NONMEDICAL RSN		
		1 = Response circled	199	0.75
		2 = Response not circled	170	0.64
		3 = Response circled LOGICALLY IMPUTED (frm CONDLREC)	115	0.43
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1291	4.87
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	6981	26.35
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	14412	54.41
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3308	12.49
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	11	0.04
GNNDLHAL	2	USED HALLUCINOGENS W/NEEDLE FOR NONMEDICAL RSN		
		1 = Response circled	33	0.12
		2 = Response not circled	451	1.70
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1291	4.87
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	6981	26.35
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	14412	54.41
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3308	12.49
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	11	0.04
GNNDLHER	2	USED HEROIN W/NEEDLE FOR NONMEDICAL RSN		
		1 = Response circled	184	0.69
		2 = Response not circled	274	1.03
		3 = Response circled LOGICALLY IMPUTED (frm HRNDLREC)	26	0.10
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1291	4.87
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	6981	26.35
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	14412	54.41
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3308	12.49
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	11	0.04
GNNDLOPT	2	USED OTHER OPIATES W/NEEDLE FOR NONMEDICAL RSN		
		1 = Response circled	35	0.13
		2 = Response not circled	449	1.70
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logic.assigned ..	1291	4.87
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	6981	26.35
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	14412	54.41
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3308	12.49
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	11	0.04

		NEEDLES			
LABEL	LEN	DESCRIPTION		FREQ	t
----	----	-----		----	-
GNNDLSTR	2	USED ANABOLIC STEROIDS W/NEEDLE FOR NONMED REASON			
		1 = Response circled	23	0.09	
		2 = Response not circled	461	1.74	
		81 = NEVER USED ANY DRUGS LSTD ABOVE Logically assigned ..	1291	4.87	
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	6981	26.35	
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	14412	54.41	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3308	12.49	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	11	0.04	
GNNDLNON	2	NEVER USED A NEEDLE TO TAKE ANY DRUG			
		2 = Response not circled	346	1.31	
		81 = NEVER USED ANY DRUGS LISTED ABOVE Logically assigned ..	1291	4.87	
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	6981	26.35	
		85 = BAD DATA Logically assigned	138	0.52	
		91 = NEVER USED ANY OF THE DRUGS LISTED ABOVE	14412	54.41	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3308	12.49	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	11	0.04	
ND-4. Have you ever used a needle for injecting drugs when you knew or suspected that the needle had been used by someone else?					
GNNDLSH1	2	EVER USED A NEEDLE AFTER SOMEONE ELSE USED IT			
		1 = Yes, have used a needle after someone else used it	152	0.57	
		2 = No, have not used a needle after someone used it .	192	0.72	
		81 = NEVER USED ANY DRUG Logically assigned	1453	5.49	
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic.assigned ..	6932	26.17	
		85 = BAD DATA Logically assigned	131	0.49	
		91 = NEVER USED ANY DRUG	14250	53.80	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3357	12.67	
		94 = DON'T KNOW	4	0.02	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	17	0.06	
ND-5. Has someone else ever injected drugs with a needle after you used the needle?					
GNNDLSH2	2	SOMEONE ELSE EVER USED A NEEDLE AFTER YOU USED IT			
		1 = Yes, someone used a needle after I used it	176	0.66	
		2 = No, no one has used a needle after I used it	167	0.63	
		81 = NEVER USED ANY DRUG Logically assigned	1450	5.47	
		83 = NEVER USED A NEEDLE TO TAKE DRUG Logic. assigned .	6905	26.07	
		85 = BAD DATA Logically assigned	133	0.50	
		91 = NEVER USED ANY DRUG	14253	53.81	
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	3384	12.78	
		94 = DON'T KNOW	3	0.01	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	17	0.06	

SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
		SPECIAL TOPICS -- ANSWER SHEET #14		

		SP-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?		
SPTREAD	2	SPECIAL TOPICS - READING PREF.(1990-91 = AS12READ)		
		1 = Wants interviewer to continue reading	7411	27.98
		2 = Wants to do it himself/herself	18241	68.86
		98 = BLANK (NO ANSWER)	837	3.16
		SP-1. During the past 12 months, have you been required by your employer to take a drug test?		
DRUGTEST	2	BEEN REQUIRED TO TAKE DRUG TEST IN PAST 12 MONTH		
		1 = Yes	2266	8.55
		2 = No	15236	57.52
		3 = Did not have a job during past 12 months	8849	33.41
		85 = BAD DATA Logically assigned	17	0.06
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	117	0.44
		SP-2. During the past 12 months, did a drug test given to you by your employer indicate the presence of any drug?		
TESTPOS	2	DRUG TEST INDICATED PRESENCE OF DRUG IN PAST 12 MO		
		1 = Yes	99	0.37
		2 = No	6557	24.75
		3 = Did not receive test in past 12 months	10876	41.06
		4 = Did not have a job during past 12 months	8826	33.32
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	126	0.48
		SP-3. Have you ever used the smokable form of methamphetamine called "ice"?		
ICELIFE	2	HAVE YOU USED "ICE"?		
		1 = Yes	119	0.45
		3 = Yes LOGICALLY IMPUTED	64	0.24
		81 = NEVER USED "ICE" Logically assigned	336	1.27
		91 = NEVER USED "ICE"	25963	98.01
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	4	0.02

		SPECIAL TOPICS			
LABEL	LEN	DESCRIPTION		FREQ	t
-----	----	-----		----	-
		SP-4. When was the most recent time you used the smokable form of methamphetamine called "ice"?			
ICEREC	2	MOST RECENT TIME USED "ICE".			
		1 = Within the past month (30 days)	15	0.06	
		2 = More than 1 month ago but less than 6 months ago ..	53	0.20	
		3 = 6 or more months ago but less than 1 year ago	21	0.08	
		4 = 1 or more years ago but less than 3 years ago	20	0.08	
		5 = 3 or more years ago but less than 10 years ago ...	35	0.13	
		6 = 10 or more years ago	14	0.05	
		9 = Use in lifetime LOGICALLY IMPUTED	25	0.09	
		81 = NEVER USED "ICE" Logically assigned	171	0.65	
		91 = NEVER USED "ICE"	26128	98.64	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	4	0.02	
		SP-5. About how old were you when you first had a chance to try anabolic steroids if you had wanted to?			
STEROPP	3	AGE FIRST HAD CHANCE TO TRY ANABOLIC STEROIDS.			
		RANGE = 7 - 50	866	3.27	
		981 = NEVER HAD CHANCE TO TRY ANABOLIC STEROIDS Log.asn	46	0.17	
		985 = BAD DATA Logically assigned	9	0.07	
		991 = NEVER HAD A CHANCE TO TRY ANABOLIC STEROIDS	25419	95.91	
		997 = REFUSED	2	0.01	
		998 = BLANK (NO ANSWER)	147	0.55	
		SP-6. About how old were you the first time you actually tried anabolic steroids?			
STERAGE	3	AGE FIRST TIME ACTUALLY TRIED ANABOLIC STEROIDS.			
		RANGE = 7 - 50	132	0.50	
		981 = NEVER USED ANABOLIC STEROIDS Logically assigned ..	595	2.25	
		985 = BAD DATA Logically assigned	5	0.02	
		991 = NEVER USED ANABOLIC STEROIDS	25694	97.00	
		997 = REFUSED	2	0.01	
		998 = BLANK (NO ANSWER)	61	0.23	

		SPECIAL TOPICS			
LABEL	LEN	DESCRIPTION		FREQ	t
-----	----	-----		----	-
		SP-7. About how many times in your life have you used anabolic steroids?			
STERTOT	2	# TIMES YOU HAVE USED ANABOLIC STEROIDS			
		1 = 1 or 2 times	49	0.18	
		2 = 3 to 5 times	23	0.09	
		3 = 6 to 10 times	25	0.09	
		4 = 11 to 49 times	21	0.08	
		5 = 50 to 99 times	9	0.03	
		6 = 100 to 199 times	8	0.03	
		7 = 200 or more times	3	0.01	
		81 = NEVER USED ANABOLIC STEROIDS Logically assigned ..	209	0.79	
		85 = BAD DATA Logically assigned	6	0.02	
		91 = NEVER USED ANABOLIC STEROIDS	26080	98.46	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	54	0.20	
		SP-8. When was the most recent time that you used anabolic steroids?			
STERREC	2	MOST RECENT TIME YOU USED ANABOLIC STEROIDS			
		1 = Within the past month (30 days)	11	0.04	
		2 = More than 1 month ago but less than 6 months ago ..	8	0.03	
		3 = 6 or more months ago but less than 1 year ago	8	0.03	
		4 = 1 or more years ago but less than 3 years ago	28	0.11	
		5 = 3 or more years ago	83	0.31	
		8 = Use in past year LOGICALLY IMPUTED	1	0.00	
		9 = Use in lifetime LOGICALLY IMPUTED	6	0.02	
		81 = NEVER USED ANABOLIC STEROIDS Logically assigned ..	103	0.39	
		91 = NEVER USED ANABOLIC STEROIDS	26186	98.86	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	53	0.20	

SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	-
		SP-9. Have you used any other illegal drugs in the past 12 months that have not been mentioned in any of the previous questions on these answer sheets? Please write the names of all of these drugs on the lines below. If you have not used any other illegal drugs, write the word "NONE."		
SPNEWA	3	OTHER DRUGS USED IN PAST 12 MONTHS-1ST MENTION		
		0 = None (code used only for question SP-9)	24200	91.36
		116 = Methaqualone, Quaalude, Sopor	1	0.00
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		142 = Belladonna	1	0.00
		222 = USED TRANQUILIZER, DON'T KNOW NAME	1	0.00
		240 = Lithium carbonate	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		326 = White cross	4	0.02
		327 = Black beauties, Black Beauty	2	0.01
		339 = Amphetamines (speed generically)	5	0.02
		348 = Crystal	5	0.02
		355 = Crystal meth	2	0.01
		375 = Coco puffs [sic]	1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
		415 = Codeine	1	0.00
		434 = Co-Gesic, Hydrocodone, Tussionex, Vicodin	3	0.01
		438 = Anaprox, Naprosyn	1	0.00
		516 = Freon	2	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	6	0.02
		604 = Psilocybin (mushrooms)	11	0.04
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	3	0.01
		611 = Greens	1	0.00
		636 = STP	1	0.00
		654 = Eve	1	0.00
		658 = Special K	3	0.01
		660 = Toad, Toad licking	1	0.00
		703 = Opium	5	0.02
		705 = Speed Ball (heroin + cocaine)	1	0.00
		803 = Marijuana, MarrJane [sic], weed, Mary Jane, MJ ...	31	0.12
		804 = Hashish	1	0.00
		805 = Cocaine, coke, coca	3	0.01
		806 = Crack, rock	2	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	6	0.02
		813 = Cigarettes, smoking (subst spec), tobacco not spec	4	0.02
		824 = Steroids	2	0.01
		828 = Tetracycline	1	0.00
		832 = Primo	1	0.00
		844 = Blood pressure medication	1	0.00
		857 = Wicky [sic] stick	1	0.00
		859 = Aside [sic]	1	0.00
		866 = Boomers	1	0.00
		867 = Boron	1	0.00
		868 = Buttee [sic]	1	0.00
		872 = Raffies [sic]	1	0.00

		SPECIAL TOPICS			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
		873 = Contraceptives, Ferutal, Ortho Novum		1	0.00
		880 = Prios		1	0.00
		881 = YLOALE		1	0.00
		900 = Non-Drug reason given for Drug Problem		2	0.01
		994 = DON'T KNOW		1	0.00
		997 = REFUSED		3	0.01
		998 = BLANK (NO ANSWER)		2156	8.14
SPNEWB	3	OTHER DRUGS USED IN PAST 12 MONTHS-2ND MENTION			
		239 = Elavil [see also 228]		1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")		1	0.00
		332 = Ephedrine (HCl) [see also 346]		1	0.00
		339 = Amphetamines (speed generically)		1	0.00
		348 = Crystal		1	0.00
		355 = Crystal meth		2	0.01
		456 = Lorcet HD, Lorcet Plus [see also 434]		1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...		1	0.00
		605 = PCP ("angel dust," phencyclidine)		1	0.00
		616 = DMT		1	0.00
		803 = Marijuana, MarrJane [sic], weed, Mary Jane, MJ ...		4	0.02
		805 = Cocaine, coke, coca		3	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne		3	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec		2	0.01
		816 = Smokeless tobacco, snuff, chewing tobacco		1	0.00
		824 = Steroids		1	0.00
		852 = Formaldehyde, wak [sic], whack (embalming fluid) .		1	0.00
		871 = Pote [sic]		1	0.00
		876 = Glass		1	0.00
		878 = Friying		1	0.00
		900 = Non-Drug reason given for Drug Problem		1	0.00
		997 = REFUSED		3	0.01
		998 = BLANK (NO ANSWER)		26456	99.88
SPNEWC	3	OTHER DRUGS USED IN PAST 12 MONTHS-3RD MENTION			
		355 = Crystal meth		1	0.00
		406 = Oxycodone, Percodan, Roxicet		1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...		1	0.00
		605 = PCP ("angel dust," phencyclidine)		1	0.00
		652 = ALD-52, ALD-S2 (version of LSD)		1	0.00
		803 = Marijuana, MarrJane [sic], weed, Mary Jane, MJ ...		1	0.00
		804 = Hashish		1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne		1	0.00
		997 = REFUSED		3	0.01
		998 = BLANK (NO ANSWER)		26478	99.96
SPNEWD	3	OTHER DRUGS USED IN PAST 12 MONTHS-4TH MENTION			
		806 = Crack, rock		1	0.00
		879 = Dimethyltryptamide MMPT		1	0.00
		997 = REFUSED		3	0.01
		998 = BLANK (NO ANSWER)		26484	99.98

SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	t
SPNEWE	3	OTHER DRUGS USED IN PAST 12 MONTHS-5TH MENTION		
		701 = OTHER Opiates, NOT SPECIFIED	1	0.00
		997 = REFUSED	3	0.01
		998 = BLANK (NO ANSWER)	26485	99.98
<p>SP-10. Not counting minor traffic violations, have you ever been arrested and booked for breaking a law? (Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.)</p>				
BOOKED	2	EVER ARRESTED & BOOKED FOR BREAKING THE LAW		
		1 = Yes	2489	9.40
		2 = No	23522	88.80
		3 = Yes LOGICALLY IMPUTED	188	0.71
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	9	0.03
		98 = BLANK (NO ANSWER)	279	1.05
<p>SP-11. Not counting minor traffic violations, how many times in the past 12 months have you been arrested and booked for breaking a law? (IF NONE, WRITE IN ZERO.)</p>				
NOBOOKYR	3	# TIMES ARRESTED AND BOOKED IN PAST 12 MONTHS		
		RANGE = 1 - 20	735	2.77
		0 = Was not arrested and booked in past 12 months	24988	94.33
		85 = BAD DATA Logically assigned	277	1.05
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	9	0.03
		98 = BLANK (NO ANSWER)	478	1.80
<p>SP-12. Not counting minor traffic violations, in the past 12 months, for what offenses listed below were you arrested and booked?</p>				
BKLARCNY	2	ARRSTD & BOOKED FOR LARCENY/THEFT IN PAST 12 MOS		
		1 = Response circled	130	0.49
		2 = Response not circled	26328	99.39
		85 = BAD DATA Logically assigned	2	0.01
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	15	0.06
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	12	0.05

SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
BKBURGL	2	ARRSTD & BOOKED FOR BURGLARY OR B&E IN PST 12 MOS		
		1 = Response circled	90	0.34
		2 = Response not circled	26368	99.54
		85 = BAD DATA Logically assigned	2	0.01
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	15	0.06
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	12	0.05
BKAGASLT	2	ARRSTD & BOOKED FOR AGGRAVATED ASSAULT PST 12 MOS		
		1 = Response circled	68	0.26
		2 = Response not circled	26390	99.63
		85 = BAD DATA Logically assigned	2	0.01
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	15	0.06
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	12	0.05
BKSMASLT	2	ARRSTD & BOOKED FOR OTHER ASSAULT IN PST 12 MOS		
		1 = Response circled	121	0.46
		2 = Response not circled	26337	99.43
		85 = BAD DATA Logically assigned	2	0.01
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	15	0.06
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	12	0.05
BKMTVHFT	2	ARRSTD & BOOKED FOR MOTOR VEHICLE THEFT PST 12 MOS		
		1 = Response circled	54	0.20
		2 = Response not circled	26404	99.68
		85 = BAD DATA Logically assigned	2	0.01
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	15	0.06
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	12	0.05
BKROB	2	ARRSTD & BOOKED FOR ROBBERY IN PAST 12 MONTHS		
		1 = Response circled	37	0.14
		2 = Response not circled	26421	99.74
		85 = BAD DATA Logically assigned	2	0.01
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	15	0.06
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	12	0.05
BKRAPE	2	ARRSTD & BOOKED FOR FORCIBLE RAPE IN PST 12 MONTHS		
		1 = Response circled	2	0.01
		2 = Response not circled	26456	99.88
		85 = BAD DATA Logically assigned	2	0.01
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	15	0.06
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	12	0.05
BKMURDER	2	ARRST & BKD FOR MURDER/HOMICIDE/MNSLGHTR PST 12 MO		
		2 = Response not circled	26452	99.86
		85 = BAD DATA Logically assigned	8	0.03
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	15	0.06
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	12	0.05

		SPECIAL TOPICS			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
BKARSON	2	ARRSTD & BOOKED FOR ARSON IN PAST 12 MONTHS			
		1 = Response circled	11	0.04	
		2 = Response not circled	26447	99.84	
		85 = BAD DATA Logically assigned	2	0.01	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	15	0.06	
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	12	0.05	
BKDRVINF	2	ARRSTD & BOOKED FOR DUI IN PAST 12 MONTHS			
		1 = Response circled	220	0.83	
		2 = Response not circled	26238	99.05	
		85 = BAD DATA Logically assigned	2	0.01	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	15	0.06	
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	12	0.05	
BKDRUNK	2	ARRST & BKD FOR DRKNKNS/OTH LIQ LAW VIO PST 12 MO			
		1 = Response circled	111	0.42	
		2 = Response not circled	26347	99.46	
		85 = BAD DATA Logically assigned	2	0.01	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	15	0.06	
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	12	0.05	
BKDRUG	2	ARRSTD & BKED FOR POSSESS/SALE OF DRUGS PST 12 MOS			
		1 = Response circled	111	0.42	
		2 = Response not circled	26347	99.46	
		85 = BAD DATA Logically assigned	2	0.01	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	15	0.06	
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	12	0.05	
BKPROS	2	ARRSTD & BOOKED FOR PROSTITUTION IN PAST 12 MONTHS			
		1 = Response circled	12	0.05	
		2 = Response not circled	26446	99.84	
		85 = BAD DATA Logically assigned	2	0.01	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	15	0.06	
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	12	0.05	
BKVANDAL	2	ARRSTD & BOOKED FOR OTHR PROP OFFENSE PST 12 MOS			
		1 = Response circled	58	0.22	
		2 = Response not circled	26400	99.66	
		85 = BAD DATA Logically assigned	2	0.01	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	15	0.06	
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	12	0.05	

		SPECIAL TOPICS		
LABEL	LEN	DESCRIPTION	FREQ	%
BKOTHOFF	2	ARRSTD & BOOKED FOR OTHER OFFENSES		
		1 = Larceny or theft	9	0.03
		2 = Burglary or breaking and entering	2	0.01
		3 = Aggravated assault	1	0.00
		4 = Other assault, such as simple assault or battery ..	22	0.08
		6 = Robbery	1	0.00
		8 = Murder, homicide, or nonnegligent manslaughter ...	1	0.00
		10 = Driving under the influence	1	0.00
		11 = Drunkenness or other liquor law violation	5	0.02
		12 = Possession or sale of drugs	6	0.02
		14 = Oth proprty offns:- fraud, poss stln goods, vndlsn	23	0.09
		15 = Other offenses (NOT SPECIFIED)	3	0.01
		16 = Weapons offenses	16	0.06
		17 = Other offenses against persons	3	0.01
		18 = Violation of court order, parole, probation	19	0.07
		19 = Public order offenses	85	0.32
		20 = Juvenile status offenses	20	0.08
		22 = Traffic violations	29	0.11
		85 = BAD DATA Logically assigned	6	0.02
		94 = DON'T KNOW	3	0.01
		97 = REFUSED	17	0.06
		98 = BLANK (NO ANSWER)	26217	98.97
NOTBKED	2	NOT ARRSTD & BOOKED FOR ANY OFFENSE PAST 12 MONTHS		
		1 = Response circled	24583	92.80
		2 = Response not circled	1424	5.38
		3 = Response circled LOGICALLY IMPUTED	398	1.50
		85 = BAD DATA Logically assigned	55	0.21
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	15	0.06
		98 = BOOKED IN PAST YEAR BUT SP-12 NOT ANSWERED	12	0.05
SP-13. Were you on probation at any time in the past 12 months?				
PROBATON	2	ON PROBATION AT ANY TIME IN PAST 12 MONTHS		
		1 = Yes	514	1.94
		2 = No	25580	96.57
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	10	0.04
		98 = BLANK (NO ANSWER)	383	1.45
SP-14. Were you on parole at any time in the past 12 months?				
PAROLE	2	ON PAROLE AT ANY TIME IN PAST 12 MONTHS		
		1 = Yes	99	0.37
		2 = No	26053	98.35
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	10	0.04
		98 = BLANK (NO ANSWER)	325	1.23

		SPECIAL TOPICS			
LABEL	LEN	DESCRIPTION	FREQ		
-----	---	-----	----		
		SP-15. This section deals with activities that may be against the law. Read each item, then circle the 01 if you have done this activity in the past 12 months. If you did not do the activity in the past 12 months, circle the 02.			
		a. During the past 12 months, have you taken something from a store without paying for it?			
STRSTEAL	2	TAKEN SOMETHING FROM STORE W/O PAYING PAST 12 MOS			
		1 = Yes	1354	5.11	
		2 = No	24793	93.60	
		85 = BAD DATA Logically assigned	7	0.03	
		97 = REFUSED	7	0.03	
		98 = BLANK (NO ANSWER)	328	1.24	
		b. During the past 12 months, have you, other than from a store, taken money or property that did not belong to you?			
OTHSTEAL	2	TAKEN SMTHNG NOT YOURS (NOT FROM STORE) PST 12 MOS			
		1 = Yes	1063	4.01	
		2 = No	25089	94.71	
		85 = BAD DATA Logically assigned	7	0.01	
		97 = REFUSED	7	0.03	
		98 = BLANK (NO ANSWER)	323	1.22	
		c. During the past 12 months, have you purposely damaged or destroyed property that did not belong to you?			
DAMAGE	2	PURPOSELY DAMAGED PROPERTY NOT YOURS PAST 12 MOS.			
		1 = Yes	939	3.54	
		2 = No	25208	95.16	
		85 = BAD DATA Logically assigned	7	0.03	
		97 = REFUSED	7	0.03	
		98 = BLANK (NO ANSWER)	328	1.24	
		d. During the past 12 months, have you taken a car that didn't belong to someone in your family without the owner's permission?			
CARSTEAL	2	TAKEN A CAR NOT YOUR FAMILY'S IN PAST 12 MONTHS			
		1 = Yes	213	0.80	
		2 = No	25949	97.96	
		85 = BAD DATA Logically assigned	7	0.03	
		97 = REFUSED	7	0.03	
		98 = BLANK (NO ANSWER)	313	1.18	

		SPECIAL TOPICS			
LABEL	LEN	DESCRIPTION		FREQ	t
-----	----	-----		----	-
		e. During the past 12 months, have you used a weapon, force, or strong-arm methods to get money or things from a person?			
FORCEMON	2	USE WEAPON/FORCE GET MONEY/THINGS FROM PERS PST 12 MOS			
		1 = Yes	118	0.45	
		2 = No	26041	98.31	
		85 = BAD DATA Logically assigned	7	0.03	
		97 = REFUSED	8	0.03	
		98 = BLANK (NO ANSWER)	315	1.19	
		f. During the past 12 months, have you broken into a house or building to steal something or just to look around?			
BREAKIN	2	BROKEN INTO A HOUSE/BUILDING IN THE PAST 12 MONTHS			
		1 = Yes	208	0.79	
		2 = No	25951	97.97	
		85 = BAD DATA Logically assigned	7	0.03	
		97 = REFUSED	7	0.03	
		98 = BLANK (NO ANSWER)	316	1.19	
		g. During the past 12 months, have you hit someone or gotten into a physical fight?			
PHYFIGHT	2	GOTTEN INTO A PHYSICAL FIGHT IN PAST 12 MONTHS			
		1 = Yes	2841	10.73	
		2 = No	23319	88.03	
		85 = BAD DATA Logically assigned	7	0.03	
		97 = REFUSED	8	0.03	
		98 = BLANK (NO ANSWER)	314	1.19	
		h. During the past 12 months, have you hurt someone badly enough to need bandages or a doctor?			
HURTBAD	2	HURT SOMEONE ENOUGH TO NEED BANDAGE/A DR. PST 12 MO			
		1 = Yes	712	2.69	
		2 = No	25444	96.05	
		85 = BAD DATA Logically assigned	7	0.03	
		94 = DON'T KNOW	3	0.01	
		97 = REFUSED	8	0.03	
		98 = BLANK (NO ANSWER)	315	1.19	

LABEL	LEN	DESCRIPTION	SPECIAL TOPICS		FREQ	%
-----	----	-----			----	-
		i. During the past 12 months, have you used a knife or gun or some other thing (like a club) to get something from a person?				
GUNMONEY	2	USED WEAPON TO GET SOMETHING FRM PERSON PST 12 MO				
		1 = Yes		103		0.39
		2 = No	26054		98.36	
		85 = BAD DATA Logically assigned	7		0.03	
		97 = REFUSED	8		0.03	
		98 = BLANK (NO ANSWER)	317		1.20	
		j. During the past 12 months, have you driven any kind of vehicle while you were under the influence of alcohol or illegal drugs?				
DRUNKDRV	2	DRIVEN UNDER INFLUENCE OF ALC/DRUGS PST 12 MONTHS				
		1 = Yes	2277		8.60	
		2 = No	23887		90.18	
		85 = BAD DATA Logically assigned	7		0.03	
		97 = REFUSED	8		0.03	
		98 = BLANK (NO ANSWER)	310		1.17	
		k. During the past 12 months, have you sold any illegal drugs?				
SOLDDRUG	2	SOLD ILLEGAL DRUGS IN PAST 12 MONTHS				
		1 = Yes	365		1.38	
		2 = No	25786		97.35	
		85 = BAD DATA Logically assigned	7		0.03	
		97 = REFUSED	9		0.03	
		98 = BLANK (NO ANSWER)	322		1.22	
		l. During the past 12 months, have you done anything else that would have gotten you into trouble with the police if they had known about it?				
OTHDOING	2	ANYTHING ELSE TO GET IN TROUBL W/POLICE PST 12 MOS				
		1 = Yes	1216		4.59	
		2 = No	24918		94.07	
		3 = Yes LOGICALLY IMPUTED	32		0.12	
		85 = BAD DATA Logically assigned	7		0.03	
		97 = REFUSED	9		0.03	
		98 = BLANK (NO ANSWER)	307		1.16	

		SPECIAL TOPICS		
LABEL	LEN	DESCRIPTION	FREQ	%
OTHDOSP1	2	OTHER CRIMINAL BEHAVIOR PST 12 MONTHS-1ST MENTION		
		1 = Shoplifting	7	0.03
		2 = Other larceny or theft	26	0.10
		3 = Property damage/destruction (incl. vandalism)	63	0.24
		4 = Motor vehicle theft	11	0.04
		5 = Robbery	2	0.01
		6 = Breaking and entering	4	0.02
		7 = Hitting someone or physically fighting	17	0.06
		8 = Hurting someone enough to need medical attn	1	0.00
		9 = Other assault, battery	7	0.03
		10 = Driving under the influence of alcohol or drugs ..	53	0.20
		11 = Selling illegal drugs	28	0.11
		12 = Drug offense (except sales) involving marijuana ..	105	0.40
		13 = Other drug-related offenses	67	0.25
		14 = Drunkenness or other liquor law violation	112	0.42
		17 = Other offenses against persons	2	0.01
		18 = Arson	8	0.03
		19 = Nondestructive prop offenses, fraud, stln goods ..	13	0.05
		20 = Prostitution of commercialized sex	4	0.02
		21 = Weapons offenses	18	0.07
		22 = Violation of court order, parole, probation	2	0.01
		23 = Public order offenses	87	0.33
		24 = Juvenile status offenses	32	0.12
		26 = Traffic violations	208	0.79
		27 = Other offenses, NOT SPECIFIED	4	0.02
		85 = BAD DATA Logically assigned	12	0.05
		94 = DON'T KNOW	6	0.02
		97 = REFUSED	35	0.13
		98 = BLANK (NO ANSWER)	25555	96.47
OTHDOSP2	2	OTHER CRIMINAL BEHAVIOR PAST 12 MONTHS-2ND MENTION		
		1 = Shoplifting	1	0.00
		2 = Other larceny or theft	3	0.01
		3 = Property damage/destruction (incl. vandalism)	11	0.04
		4 = Motor vehicle theft	1	0.00
		7 = Hitting someone or physically fighting	3	0.01
		8 = Hurting someone enough to need medical attn	1	0.00
		9 = Other assault, battery	1	0.00
		10 = Driving under the influence of alcohol or drugs ..	5	0.02
		11 = Selling illegal drugs	2	0.01
		12 = Drug offense (except sales) involving marijuana ..	9	0.03
		13 = Other drug-related offenses	7	0.03
		14 = Drunkenness or other liquor law violation	9	0.03
		18 = Arson	2	0.01
		19 = Nondestructive prop offenses, fraud, stln goods ..	4	0.02
		21 = Weapons offenses	3	0.01
		23 = Public order offenses	8	0.03
		24 = Juvenile status offenses	8	0.03
		26 = Traffic violations	3	0.01
		27 = Other offenses, NOT SPECIFIED	1	0.00
		85 = BAD DATA Logically assigned	10	0.04
		98 = BLANK (NO ANSWER)	26397	99.65

DRINKING EXPERIENCES				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	+
DRINKING EXPERIENCES -- ANSWER SHEET #15				

DE-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions. Which way would you like to do it?				
DEXREAD	2	DRINKING EXPER. READING PREF. (1988-91 = AS13READ)		
		1 = Wants interviewer to continue reading	7071	26.69
		2 = Wants to do it himself/herself	18565	70.09
		96 = MULTIPLE RESPONSE	18	0.07
		98 = BLANK (NO ANSWER)	835	3.15
DE-1. If you drank any alcohol (that is, beer, wine, or liquor) in the past 12 months, please circle an answer for each statement below. Circle the 01 if you had the experience in the past 12 months, or circle the 02 if you did not have the experience in the past 12 months.				
NOBOOZYR	2	DID NOT USE BEER, WINE, OR LIQUOR IN PAST YEAR		
		1 = Response circled	9411	35.53
		2 = Response not circled	15674	59.17
		3 = Response circled LOGICALLY IMPUTED	458	1.73
		85 = BAD DATA Logically assigned	946	3.57
ALCAGGR	2	FELT AGGRESSIVE OR CROSS WHILE DRINKING PAST YEAR		
		1 = Yes	2007	7.58
		2 = No	13694	51.70
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	914	3.45
		99 = LEGITIMATE SKIP	9868	37.25
ALCARGUM	2	GOT INTO HEATED ARGUMENT WHILE DRINKING PAST YEAR		
		1 = Yes	1750	6.61
		2 = No	13940	52.63
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	925	3.49
		99 = LEGITIMATE SKIP	9868	37.25
ALCABSNT	2	STAYED OUT OF WORK/SCHOOL DUE TO HANGOVER PAST YR		
		1 = Yes	855	3.23
		2 = No	14829	55.98
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	931	3.51
		99 = LEGITIMATE SKIP	9868	37.25

DRINKING EXPERIENCES				
LABEL	LEN	DESCRIPTION	FREQ	%
ALCHIGH	2	HIGH OR LITTLE DRUNK ON JOB OR AT SCHOOL PAST YEAR		
		1 = Yes	883	3.33
		2 = No	14797	55.86
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	935	3.53
		99 = LEGITIMATE SKIP	9868	37.25
ALCJOB	2	LOST/NEARLY LOST JOB DUE TO DRINKING PAST YEAR		
		1 = Yes	176	0.66
		2 = No	15495	58.50
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	944	3.56
		99 = LEGITIMATE SKIP	9868	37.25
ALCMATCD	2	TOLD BY SPOUSE/DATE TO CUT DOWN DRINKING PAST YEAR		
		1 = Yes	1416	5.35
		2 = No	14267	53.86
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	932	3.52
		99 = LEGITIMATE SKIP	9868	37.25
ALCRELCD	2	TOLD BY RELATIVE TO CUT DOWN DRINKING PAST YEAR		
		1 = Yes	1189	4.49
		2 = No	14495	54.72
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	931	3.51
		99 = LEGITIMATE SKIP	9868	37.25
ALCFRDCD	2	TOLD BY FRIENDS TO CUT DOWN DRINKING PAST YEAR		
		1 = Yes	773	2.92
		2 = No	14909	56.28
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	933	3.52
		99 = LEGITIMATE SKIP	9868	37.25
ALCTOSS	2	TOSSED DOWN DRINKS FAST TO GET QUICKER EFF PAST YR		
		1 = Yes	2071	7.82
		2 = No	13619	51.41
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	925	3.49
		99 = LEGITIMATE SKIP	9868	37.25

DRINKING EXPERIENCES

LABEL	LEN	DESCRIPTION	FREQ	t
ALCHOLIC	2	WAS AFRAID MIGHT BE/BECOME AN ALCOHOLIC PAST YEAR		
		1 = Yes	1283	4.84
		2 = No	14391	54.33
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	940	3.55
		99 = LEGITIMATE SKIP	9867	37.25
ALCDRUNK	2	STAYED DRUNK MORE THAN 1 DAY AT A TIME PAST YEAR		
		1 = Yes	626	2.36
		2 = No	15051	56.82
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	938	3.54
		99 = LEGITIMATE SKIP	9867	37.25
ALCINTOX	2	COULDN'T STOP TILL COMPLETELY INTOXICATED PAST YR		
		1 = Yes	1026	3.87
		2 = No	14640	55.27
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	950	3.59
		99 = LEGITIMATE SKIP	9867	37.25
ALCREM	2	COULDN'T RECALL THINGS DONE WHILE DRINKING PAST YR		
		1 = Yes	2095	7.91
		2 = No	13382	50.52
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	1139	4.30
		99 = LEGITIMATE SKIP	9868	37.25
ALCQUICK	2	HAD QUICK DRINK WHEN NO ONE WAS LOOKING PAST YEAR		
		1 = Yes	871	3.29
		2 = No	14606	55.14
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	1139	4.30
		99 = LEGITIMATE SKIP	9868	37.25
ALCMORN	2	OFTEN HAD A DRINK FIRST THING IN MORNING PAST YEAR		
		1 = Yes	312	1.18
		2 = No	15154	57.21
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	1150	4.34
		99 = LEGITIMATE SKIP	9868	37.25

DRINKING EXPERIENCES				
LABEL	LEN	DESCRIPTION	FREQ	%
ALCSHOOK	2	HANDS SHOOK AFTER DRINKING DAY BEFORE IN PAST YEAR		
		1 = Yes	496	1.87
		2 = No	14975	56.53
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	1145	4.32
		99 = LEGITIMATE SKIP	9868	37.25
ALCALONE	2	SOMETIMES GOT HIGH/DRUNK WHILE DRNKNG ALONE PST YR		
		1 = Yes	1863	7.03
		2 = No	13612	51.39
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	1141	4.31
		99 = LEGITIMATE SKIP	9868	37.25
ALCBKPM	2	KEPT ON DRINKING AFTER PROMISING MYSELF TO STOP		
		1 = Yes	986	3.72
		2 = No	14486	54.69
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	1144	4.32
		99 = LEGITIMATE SKIP	9868	37.25
DE-2. In the past 12 months, what drugs listed below did you use on your own, that is, nonmedically, at the same time or within a couple of hours of when you drank beer, wine, or liquor? Please circle an answer number for each drug listed below.				
ALCMJ	2	MARIJUANA USED W/ALCOHOL PAST 12 MONTHS		
		1 = Yes	1931	7.29
		2 = No	13415	50.64
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	3	0.01
		98 = Response not circled	1267	4.78
		99 = LEGITIMATE SKIP	9868	37.25
ALCCOC	2	COCAINE USED W/ALCOHOL PAST 12 MONTHS		
		1 = Yes	456	1.72
		2 = No	14743	55.66
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	3	0.01
		98 = Response not circled	1414	5.34
		99 = LEGITIMATE SKIP	9868	37.25

DRINKING EXPERIENCES

LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	----
ALCOPT	2	HEROIN USED W/ALCOHOL PAST 12 MONTHS		
		1 = Yes	42	0.16
		2 = No	15101	57.01
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	3	0.01
		98 = Response not circled	1470	5.55
		99 = LEGITIMATE SKIP	9868	37.25
ALCHAL	2	HALLUCINOGENS USED W/ALCOHOL PAST 12 MONTHS		
		1 = Yes	252	0.95
		2 = No	14934	56.38
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	3	0.01
		98 = Response not circled	1427	5.39
		99 = LEGITIMATE SKIP	9868	37.25
ALCINH	2	INHALANTS USED W/ALCOHOL PAST 12 MONTHS		
		1 = Yes	97	0.37
		2 = No	15061	56.86
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	3	0.01
		98 = Response not circled	1454	5.49
		99 = LEGITIMATE SKIP	9868	37.25
ALCANAL	2	ANALGESICS USED W/ALCOHOL PAST 12 MONTHS		
		1 = Yes	194	0.73
		2 = No	14975	56.53
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	3	0.01
		98 = Response not circled	1444	5.45
		99 = LEGITIMATE SKIP	9868	37.25
ALCTAN	2	TRANQUILIZERS USED W/ALCOHOL PAST 12 MONTHS		
		1 = Yes	120	0.45
		2 = No	15042	56.79
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	3	0.01
		98 = Response not circled	1451	5.48
		99 = LEGITIMATE SKIP	9868	37.25
ALCSTM	2	STIMULANTS USED W/ALCOHOL PAST 12 MONTHS		
		1 = Yes	148	0.56
		2 = No	15016	56.69
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	3	0.01
		98 = Response not circled	1449	5.47
		99 = LEGITIMATE SKIP	9868	37.25

DRINKING EXPERIENCES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
ALCSED	2	SEDATIVES USED W/ALCOHOL PAST 12 MONTHS		
		1 = Yes	69	0.26
		2 = No	15090	56.97
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	3	0.01
		98 = Response not circled	1454	5.49
		99 = LEGITIMATE SKIP	9868	37.25

		DRUG PROBLEMS			
LABEL	LEN	DESCRIPTION		FREQ	
-----	----	-----		----	----
DRUG PROBLEMS -- ANSWER SHEET #16					

<p>DP-1. If you have ever used cigarettes, alcohol, or any of the other substances listed on the card, please circle an answer for each question below. If you had any of these problems in the past 12 months from your use of any of the substances listed on the card, please circle the 01 for "yes" and write in the names of the substances you think probably caused the problem. If you did not have the problem in the past 12 months, circle the 02.</p>					
AS13NONE	2	NEVER USED CIGARETTES, ALCOHOL, OR DRUGS IN LIFE			
		1 = Response circled	5572	21.04	
		2 = Response not circled	18591	70.18	
		3 = Response circled LOGICALLY IMPUTED	65	0.25	
		85 = BAD DATA Logically assigned	2255	8.51	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	5	0.02	
DRDEPRSS	2	BECAME DEPRESSED/LOST INTEREST DUE TO DRUG USE			
		1 = Yes	1088	4.17	
		2 = No	17549	66.21	
		3 = Yes LOGICALLY IMPUTED	27	0.10	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	5	0.02	
		98 = BLANK (NO ANSWER)	2182	8.24	
		99 = LEGITIMATE SKIP	5637	21.28	

		DRUG PROBLEMS			
LABEL	LEN	DESCRIPTION	FREQ		t
----	----	-----	----		-
DEPDRG1A	3	DRUG CAUSING DEPRESSION/LOST INTEREST-1ST MENTION			
		116 = Methaqualone, Quaalude, Sopor	1	0.00	
		201 = Valium	2	0.01	
		209 = Xanax	3	0.01	
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.01	
		241 = Prozac	1	0.00	
		312 = Ionamin	1	0.00	
		313 = Fastin, Phentermine	1	0.00	
		322 = Methamphetamine ("speed" or "ice" or "crank")	6	0.02	
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	3	0.01	
		339 = Amphetamines (speed generically)	5	0.02	
		348 = Crystal	2	0.01	
		355 = Crystal meth	2	0.01	
		375 = Coco puffs [sic]	2	0.01	
		426 = Butalbital, Fiorinal, Phrenilin Forte	1	0.00	
		501 = Gasoline or lighter fluids	1	0.00	
		502 = Spray paints	1	0.00	
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00	
		557 = Hagwash	1	0.00	
		601 = LSD ("acid," "white lightning") [see also 618] ...	9	0.03	
		605 = PCP ("angel dust," phencyclidine)	5	0.02	
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	2	0.01	
		702 = Heroin	18	0.07	
		704 = Dope	3	0.01	
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00	
		803 = Marijuana, MarrJane [sic], weed, Mary Jane, MJ ...	129	0.49	
		804 = Hashish	1	0.00	
		805 = Cocaine, coke, coca	82	0.31	
		806 = Crack, rock	28	0.11	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	580	2.19	
		808 = All of the ones I've tried	1	0.00	
		809 = Pills	2	0.01	
		810 = Hemp	1	0.00	
		812 = Cigars	5	0.02	
		813 = Cigarettes, smoking (subst spec), tobacco not spec	98	0.37	
		814 = Caffeine	2	0.01	
		816 = Smokeless tobacco, snuff, chewing tobacco	3	0.01	
		869 = CD [sic]	1	0.00	
		874 = Premarin	1	0.00	
		900 = Non-Drug reason given for Drug Problem	21	0.08	
		989 = LEGITIMATE SKIP Logically assigned	1	0.00	
		994 = DON'T KNOW	3	0.01	
		997 = REFUSED	5	0.02	
		998 = BLANK (NO ANSWER)	2266	8.55	
		999 = LEGITIMATE SKIP	23185	87.53	

DRUG PROBLEMS			FREQ	t
LABEL	LEN	DESCRIPTION		
DEPDRG2A	3	DRUG CAUSING DEPRESSION/LOST INTEREST-2ND MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	2	0.01
		339 = Amphetamines (speed generically)	3	0.01
		348 = Crystal	2	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	5	0.02
		605 = PCP ("angel dust," phencyclidine)	5	0.02
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana, MarrJane [sic], weed	25	0.09
		805 = Cocaine, coke	14	0.05
		806 = Crack, rock	9	0.03
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	48	0.18
		813 = Cigarettes, smoking (subst spec), tobacco not spec	8	0.03
		840 = Cough medicine (contents not specified)	1	0.00
		900 = Non-Drug reason given for Drug Problem	3	0.01
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3167	11.96
		999 = LEGITIMATE SKIP	23186	87.53
DEPDRG3A	3	DRUG CAUSING DEPRESSION/LOST INTEREST-3RD MENTION		
		339 = Amphetamines (speed generically)	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.00
		604 = Psilocybin (mushrooms)	1	0.00
		803 = Marijuana, MarrJane [sic], weed	5	0.02
		804 = Hashish	1	0.00
		805 = Cocaine, coke	5	0.02
		806 = Crack, rock	2	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	3	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3276	12.37
		999 = LEGITIMATE SKIP	23186	87.53
DEPDRG4A	3	DRUG CAUSING DEPRESSION/LOST INTEREST-4TH MENTION		
		415 = Codeine	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		805 = Cocaine, coke	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.01
		809 = Pills	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3290	12.42
		999 = LEGITIMATE SKIP	23186	87.53

			DRUG PROBLEMS	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
DEPDRG5A	3	DRUG CAUSING DEPRESSION/LOST INTEREST-5TH MENTION		
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		900 = Non-Drug reason given for Drug Problem	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3295	12.44
		999 = LEGITIMATE SKIP	23186	87.53
DRARGUM	2	HAD ARGUMNTS W/FAMILY/FRNDS PST YR DUE TO DRUG USE		
		1 = Yes	1475	5.57
		2 = No	17145	64.72
		3 = Yes LOGICALLY IMPUTED	31	0.12
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	2195	8.29
		99 = LEGITIMATE SKIP	5636	21.28

		DRUG PROBLEMS		
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
ARGDRG1A	3	DRUG CAUSING ARGUMENTS/FIGHTS-1ST MENTION		
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	4	0.02
		241 = Prozac	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	7	0.03
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00
		339 = Amphetamines (speed generically)	6	0.02
		348 = Crystal	2	0.01
		355 = Crystal meth	2	0.01
		415 = Codeine	1	0.00
		440 = Scma	1	0.00
		557 = Hagwash	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	3	0.01
		605 = PCP ("angel dust," phencyclidine)	4	0.02
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	14	0.05
		704 = Dope	2	0.01
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed, Mary Jane, MJ ...	74	0.28
		804 = Hashish	2	0.01
		805 = Cocaine, coke, coca	65	0.25
		806 = Crack, rock	26	0.10
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	978	3.69
		808 = All of the ones I've tried	1	0.00
		810 = Hemp	1	0.00
		812 = Cigars	2	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	148	0.56
		816 = Smokeless tobacco, snuff, chewing tobacco	3	0.01
		818 = Nicotine	1	0.00
		824 = Steroids	1	0.00
		900 = Non-Drug reason given for Drug Problem	22	0.08
		989 = LEGITIMATE SKIP Logically assigned	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	6	0.02
		998 = BLANK (NO ANSWER)	2323	8.77
		999 = LEGITIMATE SKIP	22781	86.00

DRUG PROBLEMS				
LABEL	LEN	DESCRIPTION	FREQ	%
ARGDRG2A	3	DRUG CAUSING ARGUMENTS/FIGHTS-2ND MENTION		
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00
		332 = Ephedrine (HCl) [see also 346]	1	0.00
		339 = Amphetamines (speed generically)	2	0.01
		348 = Crystal	3	0.01
		408 = Dilaudid	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	1	0.00
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		702 = Heroin	2	0.01
		803 = Marijuana, MarrJane [sic], weed	24	0.09
		805 = Cocaine, coke	15	0.06
		806 = Crack, rock	9	0.03
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	39	0.15
		813 = Cigarettes, smoking (subst spec), tobacco not spec	5	0.02
		840 = Cough medicine (contents not specified)	1	0.00
		900 = Non-Drug reason given for Drug Problem	7	0.03
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3588	13.55
		999 = LEGITIMATE SKIP	22782	86.01
ARGDRG3A	3	DRUG CAUSING ARGUMENTS/FIGHTS-3RD MENTION		
		601 = LSD ("acid," "white lightning") [see also 618]	3	0.01
		605 = PCP ("angel dust," phencyclidine)	2	0.01
		803 = Marijuana, MarrJane [sic], weed	2	0.01
		805 = Cocaine, coke	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		900 = Non-Drug reason given for Drug Problem	2	0.01
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3689	13.93
		999 = LEGITIMATE SKIP	22782	86.01
ARGDRG4A	3	DRUG CAUSING ARGUMENTS/FIGHTS-4TH MENTION		
		508 = Nitrous oxide, "whippets," dentist gas	1	0.00
		805 = Cocaine, coke	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3698	13.96
		999 = LEGITIMATE SKIP	22782	86.01
ARGDRG5A	3	DRUG CAUSING ARGUMENTS/FIGHTS-5TH MENTION		
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3701	13.97
		999 = LEGITIMATE SKIP	22782	86.01

DRUG PROBLEMS			
LABEL	LEN	DESCRIPTION	FREQ
-----	----	-----	----
DRALONE	2	FELT ALONE/ISOLATED PAST YEAR DUE TO DRUG USE	
		1 = Yes	730 2.76
		2 = No	17891 67.54
		3 = Yes LOGICALLY IMPUTED	20 0.08
		94 = DON'T KNOW	1 0.00
		97 = REFUSED	5 0.02
		98 = BLANK (NO ANSWER)	2205 8.32
		99 = LEGITIMATE SKIP	5637 21.28
ALNDRG1A	3	DRUG CAUSING FEELING ALONE/ISOLATED-1ST MENTION	
		201 = Valium	1 0.00
		209 = Xanax	2 0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	1 0.00
		241 = Prozac	1 0.00
		312 = Ionamin	1 0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	5 0.02
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1 0.00
		339 = Amphetamines (speed generically)	4 0.02
		348 = Crystal	3 0.01
		355 = Crystal meth	1 0.00
		401 = Darvon	1 0.00
		406 = Oxycodone, Percodan, Roxicet	1 0.00
		408 = Dilaudid	1 0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	14 0.05
		604 = Psilocybin (mushrooms)	3 0.01
		605 = PCP ("angel dust," phencyclidine)	6 0.02
		607 = OTHER Hallucinogen, NOT SPECIFIED	1 0.00
		702 = Heroin	13 0.05
		704 = Dope	1 0.06
		707 = Black Tar	1 0.00
		801 = OTHER Drugs, NOT SPECIFIED	1 0.00
		803 = Marijuana, MarrJane [sic], weed, Mary Jane, MJ ...	57 0.22
		805 = Cocaine, coke, coca	54 0.20
		806 = Crack, rock	25 0.09
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	408 1.54
		808 = All of the ones I've tried	1 0.00
		809 = Pills	1 0.00
		812 = Cigars	3 0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	43 0.16
		900 = Non-Drug reason given for Drug Problem	15 0.06
		989 = LEGITIMATE SKIP Logically assigned	2 0.01
		994 = DON'T KNOW	2 0.01
		997 = REFUSED	5 0.02
		998 = BLANK (NO ANSWER)	2284 8.62
		999 = LEGITIMATE SKIP	23526 88.81

DRUG PROBLEMS				
LABEL	LEN	DESCRIPTION	FREQ	t
ALNDRG2A	3	DRUG CAUSING FEELING ALONE/ISOLATED-2ND MENTION		
		209 = Xanax	1	0.00
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	2	0.01
		434 = Co-Gesic, Hydrocodone, Tussionex, Vicodin	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	3	0.01
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	2	0.01
		803 = Marijuana, MarrJane [sic], weed	10	0.04
		805 = Cocaine, coke	11	0.04
		806 = Crack, rock	7	0.03
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	17	0.06
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		840 = Cough medicine (contents not specified)	1	0.00
		848 = Liquid vitamin	1	0.00
		900 = Non-Drug reason given for Drug Problem	2	0.01
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2892	10.92
		999 = LEGITIMATE SKIP	23528	88.82
ALNDRG3A	3	DRUG CAUSING FEELING ALONE/ISOLATED-3RD MENTION		
		803 = Marijuana, MarrJane [sic], weed	5	0.02
		805 = Cocaine, coke	2	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	4	0.02
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		900 = Non-Drug reason given for Drug Problem	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2942	11.11
		999 = LEGITIMATE SKIP	23528	88.82
ALNDRG4A	3	DRUG CAUSING FEELING ALONE/ISOLATED-4TH MENTION		
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		809 = Pills	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2952	11.14
		999 = LEGITIMATE SKIP	23528	88.82
ALNDRG5A	3	DRUG CAUSING FEELING ALONE/ISOLATED-5TH MENTION		
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2954	11.15
		999 = LEGITIMATE SKIP	23528	88.82

		DRUG PROBLEMS			
LABEL	LEN	DESCRIPTION		FREQ	t
-----	----	-----		-----	-
DRANK	2	FELT VERY NERVOUS/ANXIOUS PAST YR DUE TO DRUG USE			
		1 = Yes	1207	4.56	
		2 = No	17403	65.70	
		3 = Yes LOGICALLY IMPUTED	29	0.11	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	5	0.02	
		98 = BLANK (NO ANSWER)	2206	8.33	
		99 = LEGITIMATE SKIP	5637	21.28	

		DRUG PROBLEMS		
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ANXDRG1A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-1ST MENTION		
		209 = Xanax	4	0.02
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.01
		241 = Prozac	1	0.00
		247 = Adapin, Doxepin, Sinequan	1	0.00
		271 = Zoloft	1	0.00
		301 = Dexedrine	1	0.00
		309 = Didrex	1	0.00
		312 = Ionamin	1	0.00
		313 = Fastin, Phentermine	2	0.01
		322 = Methamphetamine ("speed" or "ice" or "crank")	10	0.04
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	6	0.02
		332 = Ephedrine (HCl) [see also 346]	1	0.00
		336 = Diet pills	1	0.00
		339 = Amphetamines (speed generically)	21	0.08
		348 = Crystal	3	0.01
		354 = Vivarin	1	0.00
		355 = Crystal meth	3	0.01
		375 = Coco puffs [sic]	1	0.00
		408 = Dilaudid	1	0.00
		415 = Codeine	2	0.01
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		435 = Tylenol, Tylenol Extrastrength	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	3	0.01
		557 = Hagwash	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	25	0.09
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	2	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
		702 = Heroin	8	0.03
		704 = Dope	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	2	0.01
		803 = Marijuana, MarrJane [sic], weed, Mary Jane, MJ ...	138	0.52
		804 = Hashish	2	0.01
		805 = Cocaine, coke, coca	121	0.46
		806 = Crack, rock	38	0.14
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	354	1.34
		808 = All of the ones I've tried	1	0.00
		812 = Cigars	5	0.02
		813 = Cigarettes, smoking (subst spec), tobacco not spec	327	1.23
		814 = Caffeine	8	0.03
		815 = Coffee	2	0.01
		816 = Smokeless tobacco, snuff, chewing tobacco	3	0.01
		818 = Nicotine	3	0.01
		873 = Contraceptives, Ferutal, Ortho Novum	1	0.00
		900 = Non-Drug reason given for Drug Problem	17	0.06
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2310	8.72
		999 = LEGITIMATE SKIP	23040	86.98

DRUG PROBLEMS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
ANXDRG2A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-2ND MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	2	0.01
		339 = Amphetamines (speed generically)	2	0.01
		355 = Crystal meth	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	8	0.03
		604 = Psilocybin (mushrooms)	1	0.00
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
		702 = Heroin	2	0.01
		803 = Marijuana, MarrJane [sic], weed	18	0.07
		805 = Cocaine, coke	14	0.05
		806 = Crack, rock	7	0.03
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	28	0.11
		813 = Cigarettes, smoking (subst spec), tobacco not spec	11	0.04
		840 = Cough medicine (contents not specified)	1	0.00
		900 = Non-Drug reason given for Drug Problem	6	0.02
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3334	12.59
		999 = LEGITIMATE SKIP	23040	86.98
ANXDRG3A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-3RD MENTION		
		326 = White cross	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana, MarrJane [sic], weed	4	0.02
		805 = Cocaine, coke	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	2	0.01
		900 = Non-Drug reason given for Drug Problem	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3431	12.95
		999 = LEGITIMATE SKIP	23040	86.98
ANXDRG4A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-4TH MENTION		
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		809 = Pills	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3440	12.99
		999 = LEGITIMATE SKIP	23040	86.98
ANXDRG5A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-5TH MENTION		
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3442	12.99
		999 = LEGITIMATE SKIP	23040	86.98

DRUG PROBLEMS				
LABEL	LEN	DESCRIPTION	FREQ	%
DRHEALTH	2	HAD HEALTH PROBLEMS PAST YEAR DUE TO DRUG USE		
		1 = Yes	810	3.06
		2 = No	17800	67.20
		3 = Yes LOGICALLY IMPUTED	29	0.11
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	2207	8.33
		99 = LEGITIMATE SKIP	5637	21.28
HLTDRLA	3	DRUG CAUSING HEALTH PROBLEMS-1ST MENTION		
		209 = Xanax	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		339 = Amphetamines (speed generically)	6	0.02
		348 = Crystal	4	0.02
		355 = Crystal meth	1	0.00
		362 = Benadryl	1	0.00
		408 = Dilaudid	1	0.00
		501 = Gasoline or lighter fluids	2	0.01
		557 = Hagwash	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	3	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		639 = Cloves, Nutmeg	1	0.00
		702 = Heroin	10	0.04
		704 = Dope	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed, Mary Jane, MJ ...	34	0.13
		805 = Cocaine, coke, coca	33	0.12
		806 = Crack, rock	12	0.05
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	184	0.69
		809 = Pills	1	0.00
		812 = Cigars	6	0.02
		813 = Cigarettes, smoking (subst spec), tobacco not spec	422	1.59
		814 = Caffeine	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	2	0.01
		818 = Nicotine	5	0.02
		870 = Coug [sic]	1	0.00
		900 = Non-Drug reason given for Drug Problem	33	0.12
		989 = LEGITIMATE SKIP Logically assigned	1	0.00
		992 = ILLEGIBLE	1	0.00
		994 = DON'T KNOW	2	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2273	8.58
		999 = LEGITIMATE SKIP	23436	88.47

		DRUG PROBLEMS		
LABEL	LEN	DESCRIPTION	FREQ	+
----	----	-----	----	-
HLTDRG2A	3	DRUG CAUSING HEALTH PROBLEMS-2ND MENTION		
		332 = Ephedrine (HCl) [see also 346]	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		426 = Butalbital, Fiorinal, Phrenilin Forte	1	0.00
		506 = Amyl nitrite, "poppers," locker rm odorizer, "rush" ..	1	0.00
		530 = Asthma inhaler, asthma med., bronchial dilators ..	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.00
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		702 = Heroin	2	0.01
		803 = Marijuana, MarrJane [sic], weed, Mary Jane, MJ ...	15	0.06
		805 = Cocaine, coke, coca	10	0.04
		806 = Crack, rock	4	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	21	0.08
		812 = Cigars	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	12	0.05
		814 = Caffeine	1	0.00
		815 = Coffee	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		865 = Diuretics, Water pills	1	0.00
		900 = Non-Drug reason given for Drug Problem	24	0.09
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2946	11.12
		999 = LEGITIMATE SKIP	23437	88.48
HLTDRG3A	3	DRUG CAUSING HEALTH PROBLEMS-3RD MENTION		
		339 = Amphetamines (speed generically)	1	0.00
		348 = Crystal	1	0.00
		702 = Heroin	2	0.01
		803 = Marijuana, MarrJane [sic], weed	2	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	3	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	2	0.01
		900 = Non-Drug reason given for Drug Problem	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3034	11.45
		999 = LEGITIMATE SKIP	23437	88.48
HLTDRG4A	3	DRUG CAUSING HEALTH PROBLEMS-4TH MENTION		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3045	11.50
		999 = LEGITIMATE SKIP	23437	88.48
HLTDRG5A	3	DRUG CAUSING HEALTH PROBLEMS-5TH MENTION		
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3046	11.50
		999 = LEGITIMATE SKIP	23437	88.48

		DRUG PROBLEMS		
LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	-
DRNTHINK	2	HAD DIFFCLTY THINKNG CLEARLY PST YR DUE TO DRUG USE		
		1 = Yes	1480	5.59
		2 = No	17121	64.63
		3 = Yes LOGICALLY IMPUTED	43	0.16
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	2202	8.31
		99 = LEGITIMATE SKIP	5637	21.28

		DRUG PROBLEMS		
LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	-
NTKDRGLA	3	DRUG CAUSING DIFFICULTY THINKING CLEARLY-1ST MENTION		
		116 = Methaqualone, Quaalude, Sopor	1	0.00
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		209 = Xanax	3	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	3	0.01
		241 = Prozac	1	0.00
		247 = Adapin, Doxepin, Sinequan	1	0.00
		271 = Zoloft	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	6	0.02
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	2	0.01
		336 = Diet pills	1	0.00
		339 = Amphetamines (speed generically)	7	0.03
		348 = Crystal	2	0.01
		354 = Vivarin	1	0.00
		355 = Crystal meth	2	0.01
		401 = Darvon	1	0.00
		407 = Demerol	1	0.00
		408 = Dilaudid	1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
		418 = Methadone	1	0.00
		501 = Gasoline or lighter fluids	2	0.01
		502 = Spray paints	2	0.01
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	4	0.02
		511 = Markers, felt-tip pens, ink pens	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	23	0.09
		605 = PCP ("angel dust," phencyclidine)	6	0.02
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		609 = Gymsom [sic] pods, Jimson [sic] weed	1	0.00
		702 = Heroin	12	0.05
		704 = Dope	3	0.01
		705 = Speed Ball (heroin + cocaine)	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	3	0.01
		803 = Marijuana, MarrJane [sic], weed, Mary Jane, MJ ...	244	0.92
		804 = Hashish	3	0.01
		805 = Cocaine, coke, coca	61	0.23
		806 = Crack, rock	22	0.08
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	915	3.45
		810 = Hemp	1	0.00
		812 = Cigars	5	0.02
		813 = Cigarettes, smoking (subst spec), tobacco not spec	52	0.20
		815 = Coffee	3	0.01
		823 = Blast (KJ) [sic]	1	0.00
		840 = Cough medicine (contents not specified)	1	0.00
		873 = Contraceptives, Perutal, Ortho Novum	1	0.00
		900 = Non-Drug reason given for Drug Problem	15	0.06
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2301	8.69
		999 = LEGITIMATE SKIP	22758	85.91

DRUG PROBLEMS				
LABEL	LEN	DESCRIPTION	FREQ	%
NTKDRG2A	3	DRUG CAUSING DIFFICULTY THINKING CLEAR-2ND MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		339 = Amphetamines (speed generically)	3	0.01
		348 = Crystal	1	0.00
		407 = Demerol	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		426 = Butalbital, Fiorinal, Phrenilin Forte	1	0.00
		506 = Amyl nitrite, "poppers," locker rm odorizer, "rush"	1	0.00
		508 = Nitrous oxide, "whippets," dentist gas	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	11	0.04
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana, MarrJane [sic], weed	72	0.27
		805 = Cocaine, coke	17	0.06
		806 = Crack, rock	8	0.03
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	64	0.24
		809 = Pills	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	8	0.03
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		900 = Non-Drug reason given for Drug Problem	6	0.02
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3520	13.29
		999 = LEGITIMATE SKIP	22758	85.91
NTKDRG3A	3	DRUG CAUSING DIFFICULTY THINKING CLEAR-3RD MENTION		
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	5	0.02
		602 = Peyote	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana, MarrJane [sic], weed	6	0.02
		804 = Hashish	1	0.00
		805 = Cocaine, coke	4	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	7	0.03
		813 = Cigarettes, smoking (subst spec), tobacco not spec	2	0.01
		900 = Non-Drug reason given for Drug Problem	2	0.01
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3693	13.94
		999 = LEGITIMATE SKIP	22758	85.91

DRUG PROBLEMS			FREQ	%
LABEL	LEN	DESCRIPTION		
NTKDRG4A	3	DRUG CAUSING DIFFICULTY THINKING CLEAR-4TH MENTION		
		415 = Codeine	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	1	0.00
		805 = Cocaine, coke	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	3	0.01
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3718	14.04
		999 = LEGITIMATE SKIP	22758	85.91
NTKDRG5A	3	DRUG CAUSING DIFFICULTY THINKING CLEAR-5TH MENTION		
		201 = Valium	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
		803 = Marijuana, MarrJane [sic], weed	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3721	14.05
		999 = LEGITIMATE SKIP	22758	85.91
DRUPSET	2	FELT IRRITABLE/UPSET PAST YEAR DUE TO DRUG USE		
		1 = Yes	1399	5.28
		2 = No	17019	64.25
		3 = Yes LOGICALLY IMPUTED	22	0.08
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	2405	9.08
		99 = LEGITIMATE SKIP	5637	21.28

		DRUG PROBLEMS		
LABEL	LEN	DESCRIPTION	FREQ	t
----	----	-----	----	-
UPSDRG1A	3	DRUG CAUSING FEELING IRRITABLE/UPSET-1ST MENTION		
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	3	0.01
		241 = Prozac	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	6	0.02
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	3	0.01
		332 = Ephedrine (HCl) [see also 346]	1	0.00
		339 = Amphetamines (speed generically)	12	0.05
		348 = Crystal	3	0.01
		355 = Crystal meth	3	0.01
		406 = Oxycodone, Percodan, Roxicet	1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
		434 = Co-Gesic, Hydrocodone, Tussionex, Vicodin	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	2	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	4	0.02
		604 = Psilocybin (mushrooms)	1	0.00
		605 = PCP ("angel dust," phencyclidine)	4	0.02
		702 = Heroin	12	0.05
		704 = Dope	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	2	0.01
		803 = Marijuana, MariJane [sic], weed, Mary Jane, MJ ...	79	0.30
		805 = Cocaine, coke, coca	72	0.27
		806 = Crack, rock	28	0.11
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	716	2.70
		808 = All of the ones I've tried	1	0.00
		810 = Hemp	1	0.00
		812 = Cigars	3	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	294	1.11
		814 = Caffeine	5	0.02
		815 = Coffee	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	3	0.01
		818 = Nicotine	4	0.02
		824 = Steroids	2	0.01
		840 = Cough medicine (contents not specified)	1	0.00
		900 = Non-Drug reason given for Drug Problem	19	0.07
		989 = LEGITIMATE SKIP Logically assigned	2	0.01
		994 = DON'T KNOW	5	0.02
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2531	9.55
		999 = LEGITIMATE SKIP	22654	85.52

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	†
----	----	-----	----	----
UPSDRG2A	3	DRUG CAUSING FEELING IRRITABLE/UPSET-2ND MENTION		
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00
		339 = Amphetamines (speed generically)	2	0.01
		408 = Dilaudid	1	0.00
		434 = Co-Gesic, Hydrocodone, Tussionex, Vicodin	1	0.00
		508 = Nitrous oxide, "whippets," dentist gas	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	2	0.01
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana, MarrJane [sic], weed	25	0.09
		805 = Cocaine, coke	17	0.06
		806 = Crack, rock	10	0.04
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	35	0.13
		809 = Pills	1	0.00
		811 = Muscle relaxers	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	10	0.04
		814 = Caffeine	1	0.00
		815 = Coffee	1	0.00
		900 = Non-Drug reason given for Drug Problem	4	0.02
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3709	14.00
		999 = LEGITIMATE SKIP	22656	85.53
UPSDRG3A	3	DRUG CAUSING FEELING IRRITABLE/UPSET-3RD MENTION		
		437 = Parafon Forte	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	3	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana, MarrJane [sic], weed	1	0.00
		805 = Cocaine, coke	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	4	0.02
		809 = Pills	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3813	14.39
		999 = LEGITIMATE SKIP	22656	85.53
UPSDRG4A	3	DRUG CAUSING FEELING IRRITABLE/UPSET-4TH MENTION		
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	1	0.00
		805 = Cocaine, coke	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		900 = Non-Drug reason given for Drug Problem	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3821	14.42
		999 = LEGITIMATE SKIP	22656	85.53

DRUG PROBLEMS				
LABEL	LEN	DESCRIPTION	FREQ	%
UPSDRG5A	3	DRUG CAUSING FEELING IRRITABLE/UPSET-5TH MENTION		
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3826	14.44
		999 = LEGITIMATE SKIP	22656	85.53
DRLSWORK	2	GOT LESS WRK DONE @ SCH/JOB PST YR DUE TO DRUG USE		
		1 = Yes	767	2.90
		2 = No	17664	66.68
		3 = Yes LOGICALLY IMPUTED	16	0.06
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	2398	9.05
		99 = LEGITIMATE SKIP	5637	21.28
LSWDRGLA	3	DRUG CAUSING LESS WORK GETTING DONE-1ST MENTION		
		201 = Valium	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	3	0.01
		336 = Diet pills	1	0.00
		339 = Amphetamines (speed generically)	3	0.01
		348 = Crystal	2	0.01
		355 = Crystal meth	1	0.00
		406 = Oxycodone, Percodan, Roxicet	1	0.00
		501 = Gasoline or lighter fluids	2	0.01
		530 = Asthma inhaler, asthma med., bronchial dilators	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	6	0.02
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	6	0.02
		704 = Dope	3	0.01
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed, Mary Jane, MJ	133	0.50
		804 = Hashish	2	0.01
		805 = Cocaine, coke, coca	32	0.12
		806 = Crack, rock	11	0.04
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	423	1.60
		810 = Hemp	1	0.00
		812 = Cigars	2	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	60	0.23
		815 = Coffee	1	0.00
		900 = Non-Drug reason given for Drug Problem	12	0.05
		989 = LEGITIMATE SKIP Logically assigned	1	0.00
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2467	9.31
		999 = LEGITIMATE SKIP	23300	87.96

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	t
LSWDRG2A	3	DRUG CAUSING LESS WORK GETTING DONE-2ND MENTION		
		408 = Dilaudid	1	0.00
		508 = Nitrous oxide, "whippets," dentist gas	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.00
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		803 = Marijuana, MarrJane [sic], weed	23	0.09
		805 = Cocaine, coke	12	0.05
		806 = Crack, rock	6	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	28	0.11
		809 = Pills	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	6	0.02
		840 = Cough medicine (contents not specified)	1	0.00
		900 = Non-Drug reason given for Drug Problem	6	0.02
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3095	11.68
		999 = LEGITIMATE SKIP	23301	87.96
LSWDRG3A	3	DRUG CAUSING LESS WORK GETTING DONE-3RD MENTION		
		339 = Amphetamines (speed generically)	2	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		803 = Marijuana, MarrJane [sic], weed	2	0.01
		804 = Hashish	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	4	0.02
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.0
		998 = BLANK (NO ANSWER)	3171	11.9
		999 = LEGITIMATE SKIP	23301	87.96
LSWDRG4A	3	DRUG CAUSING LESS WORK GETTING DONE-4TH MENTION		
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		805 = Cocaine, coke	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3180	12.00
		999 = LEGITIMATE SKIP	23301	87.96
LSWDRG5A	3	DRUG CAUSING LESS WORK GETTING DONE-5TH MENTION		
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3181	12.01
		999 = LEGITIMATE SKIP	23301	87.96
DRSUSPIC	2	FELT DISTRUSTFUL/SUSPICIOUS PST YR DUE TO DRUG USE		
		1 = Yes	592	2.23
		2 = No	17825	67.29
		3 = Yes LOGICALLY IMPUTED	20	0.08
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	2408	9.09
		99 = LEGITIMATE SKIP	5637	21.28

DRUG PROBLEMS			FREQ	%
LABEL	LEN	DESCRIPTION		
SSPDRG1A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-1ST MENTION		
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	4	0.02
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00
		339 = Amphetamines (speed generically)	11	0.04
		348 = Crystal	2	0.01
		355 = Crystal meth	2	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	19	0.07
		605 = PCP ("angel dust," phencyclidine)	5	0.02
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
		702 = Heroin	7	0.03
		707 = Black Tar	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	2	0.01
		803 = Marijuana, MarrJane [sic], weed, Mary Jane, MJ	112	0.42
		804 = Hashish	2	0.01
		805 = Cocaine, coke, coca	70	0.26
		806 = Crack, rock	23	0.09
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	247	0.93
		812 = Cigars	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	16	0.06
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		840 = Cough medicine (contents not specified)	1	0.00
		900 = Non-Drug reason given for Drug Problem	9	0.03
		989 = LEGITIMATE SKIP Logically assigned	1	0.00
		994 = DON'T KNOW	2	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2481	9.37
		999 = LEGITIMATE SKIP	23461	88.57
SSPDRG2A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-2ND MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		408 = Dilaudid	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]	2	0.01
		604 = Psilocybin (mushrooms)	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	22	0.08
		805 = Cocaine, coke	13	0.05
		806 = Crack, rock	4	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	18	0.07
		809 = Pills	2	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	2	0.01
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2954	11.15
		999 = LEGITIMATE SKIP	23462	88.57

		DRUG PROBLEMS			
LABEL	LEN	DESCRIPTION		FREQ	+
-----	----	-----		----	-
SSPDRG3A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-3RD MENTION			
		339 = Amphetamines (speed generically)	1	0.00	
		702 = Heroin	1	0.00	
		803 = Marijuana, MarrJane (sic), weed	1	0.00	
		805 = Cocaine, coke	1	0.00	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00	
		809 = Pills	1	0.00	
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00	
		994 = DON'T KNOW	1	0.00	
		997 = REFUSED	5	0.02	
		998 = BLANK (NO ANSWER)	3014	11.38	
		999 = LEGITIMATE SKIP	23462	88.57	
SSPDRG4A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-4TH MENTION			
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00	
		805 = Cocaine, coke	1	0.00	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00	
		994 = DON'T KNOW	1	0.00	
		997 = REFUSED	5	0.02	
		998 = BLANK (NO ANSWER)	3018	11.39	
		999 = LEGITIMATE SKIP	23462	88.57	
SSPDRG5A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-5TH MENTION			
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00	
		994 = DON'T KNOW	1	0.00	
		997 = REFUSED	5	0.02	
		998 = BLANK (NO ANSWER)	3020	11.40	
		999 = LEGITIMATE SKIP	23462	88.57	
DRCOPE	2	PROBLEMS HARDER TO HANDLE PAST YR DUE TO DRUG USE			
		1 = Yes	627	2.37	
		2 = No	17808	67.23	
		3 = Yes LOGICALLY IMPUTED	11	0.04	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	5	0.02	
		98 = BLANK (NO ANSWER)	2400	9.06	
		99 = LEGITIMATE SKIP	5637	21.28	

DRUG PROBLEMS			FREQ	%
LABEL	LEN	DESCRIPTION		
CPEDRG1A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-1ST MENTION		
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		241 = Prozac	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	5	0.02
		339 = Amphetamines (speed generically)	5	0.02
		348 = Crystal	2	0.01
		355 = Crystal meth	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	2	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	6	0.02
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		702 = Heroin	9	0.03
		704 = Dope	2	0.01
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed, Mary Jane, MJ ...	52	0.20
		805 = Cocaine, coke, coca	55	0.21
		806 = Crack, rock	17	0.06
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	330	1.25
		809 = Pills	1	0.00
		812 = Cigars	3	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	44	0.17
		818 = Nicotine	2	0.01
		824 = Steroids	1	0.00
		877 = Methazolamide	1	0.00
		900 = Non-Drug reason given for Drug Problem	11	0.04
		989 = LEGITIMATE SKIP Logically assigned	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2481	9.37
		999 = LEGITIMATE SKIP	23444	88.50
CPEDRG2A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-2ND MENTION		
		239 = Elavil [see also 228]	1	0.00
		408 = Dilaudid	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.00
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		803 = Marijuana, MarrJane [sic], weed	20	0.08
		805 = Cocaine, coke	14	0.05
		806 = Crack, rock	5	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	20	0.08
		809 = Pills	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	4	0.02
		900 = Non-Drug reason given for Drug Problem	2	0.01
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2968	11.20
		999 = LEGITIMATE SKIP	23445	88.51

DRUG PROBLEMS				
LABEL	LEN	DESCRIPTION	FREQ	t
CPEDRG3A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-3RD MENTION		
		339 = Amphetamines (speed generically)	2	0.01
		803 = Marijuana, MarrJane [sic], weed	1	0.00
		804 = Hashish	1	0.00
		805 = Cocaine, coke	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	3	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3029	11.43
		999 = LEGITIMATE SKIP	23445	88.51
CPEDRG4A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-4TH MENTION		
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3037	11.47
		999 = LEGITIMATE SKIP	23445	88.51
CPEDRG5A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-5TH MENTION		
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3037	11.47
		999 = LEGITIMATE SKIP	23445	88.51
DREMGMED	2	HAD TO GET EMERG MED HELP PST YR DUE TO DRUG USE		
		1 = Yes	149	0.56
		2 = No	18274	68.99
		3 = Yes LOGICALLY IMPUTED	21	0.08
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	2401	9.06
		99 = LEGITIMATE SKIP	5637	21.28

		DRUG PROBLEMS			
LABEL	LEN	DESCRIPTION		FREQ	t
EMDRG1A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-1ST MENTION			
		108 = Nembutal	1	0.00	
		209 = Xanax	1	0.00	
		312 = Ionamin	1	0.00	
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01	
		339 = Amphetamines (speed generically)	1	0.00	
		348 = Crystal	1	0.00	
		430 = Aspirin, Ecotrin, Empirin	1	0.00	
		435 = Tylenol, Tylenol Extrastrength	1	0.00	
		503 = Other aerosol sprays	1	0.00	
		601 = LSD ("acid," "white lightning") [see also 618] ...	2	0.01	
		605 = PCP ("angel dust," phencyclidine)	1	0.00	
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.00	
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00	
		702 = Heroin	5	0.02	
		704 = Dope	2	0.01	
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00	
		803 = Marijuana, MarrJane [sic], weed	7	0.03	
		805 = Cocaine, coke	14	0.05	
		806 = Crack, rock	4	0.02	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	79	0.30	
		812 = Cigars	1	0.00	
		813 = Cigarettes, smoking (subst spec), tobacco not spec	16	0.06	
		815 = Coffee	1	0.00	
		858 = Antibiotic	1	0.00	
		900 = Non-Drug reason given for Drug Problem	3	0.01	
		989 = LEGITIMATE SKIP Logically assigned	1	0.00	
		994 = DON'T KNOW	1	0.00	
		997 = REFUSED	5	0.02	
		998 = BLANK (NO ANSWER)	2423	9.15	
		999 = LEGITIMATE SKIP	23910	90.26	
EMDRG2A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-2ND MENTION			
		339 = Amphetamines (speed generically)	1	0.00	
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00	
		803 = Marijuana, MarrJane [sic], weed	1	0.00	
		805 = Cocaine, coke	4	0.02	
		806 = Crack, rock	2	0.01	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	8	0.03	
		809 = Pills	1	0.00	
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00	
		900 = Non-Drug reason given for Drug Problem	2	0.01	
		994 = DON'T KNOW	1	0.00	
		997 = REFUSED	5	0.02	
		998 = BLANK (NO ANSWER)	2551	9.63	
		999 = LEGITIMATE SKIP	23911	90.27	
EMDRG3A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-3RD MENTION			
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00	
		994 = DON'T KNOW	1	0.00	
		997 = REFUSED	5	0.02	
		998 = BLANK (NO ANSWER)	2571	9.71	
		999 = LEGITIMATE SKIP	23911	90.27	

DRUG PROBLEMS				
LABEL	LEN	DESCRIPTION	FREQ	%
EMDRG4A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-4TH MENTION		
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2572	9.71
		999 = LEGITIMATE SKIP	23911	90.27
EMDRG5A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-5TH MENTION		
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2572	9.71
		999 = LEGITIMATE SKIP	23911	90.27
DRTMT	2	SOMEONE SUGGEST TREATMENT PST YR DUE TO DRUG USE		
		1 = Yes	527	1.99
		2 = No	17909	67.61
		3 = Yes LOGICALLY IMPUTED	11	0.04
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	2398	9.05
		99 = LEGITIMATE SKIP	5637	21.28
TMTDRG1A	3	DRUG CAUSING ONE TO SUGGEST TREATMENT-1ST MENTION		
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	3	0.01
		339 = Amphetamines (speed generically)	2	0.01
		348 = Crystal	2	0.01
		355 = Crystal meth	2	0.0
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.0
		415 = Codeine	1	0.00
		434 = Co-Gesic, Hydrocodone, Tussionex, Vicodin	1	0.00
		435 = Tylenol, Tylenol Extrastrength	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	2	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	2	0.01
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		702 = Heroin	12	0.05
		704 = Dope	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	3	0.01
		803 = Marijuana, MarrJane [sic], weed	24	0.09
		805 = Cocaine, coke	53	0.20
		806 = Crack, rock	24	0.09
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	223	0.84
		808 = All of the ones I've tried	2	0.01
		809 = Pills	1	0.00
		812 = Cigars	2	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	108	0.41
		815 = Coffee	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	2	0.01
		818 = Nicotine	1	0.00
		900 = Non-Drug reason given for Drug Problem	12	0.05
		989 = LEGITIMATE SKIP Logically assigned	1	0.00
		994 = DON'T KNOW	2	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2446	9.23
		999 = LEGITIMATE SKIP	23545	88.89

DRUG PROBLEMS				
LABEL	LEN	DESCRIPTION	FREQ	+
----	---	-----	----	-
TMTDRG2A	3	DRUG CAUSING ONE TO SUGGEST TREATMENT-2ND MENTION		
		332 = Ephedrine (HCl) [see also 346]	1	0.00
		339 = Amphetamines (speed generically)	2	0.01
		408 = Dilaudid	1	0.00
		417 = Morphine	1	0.00
		605 = PCP ("angel dust," phencyclidine)	2	0.01
		803 = Marijuana, MarrJane [sic], weed	11	0.04
		805 = Cocaine, coke	10	0.04
		806 = Crack, rock	6	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	16	0.06
		809 = Pills	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	7	0.03
		900 = Non-Drug reason given for Drug Problem	5	0.02
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2874	10.85
		999 = LEGITIMATE SKIP	23546	88.89
TMTDRG3A	3	DRUG CAUSING ONE TO SUGGEST TREATMENT-3RD MENTION		
		702 = Heroin	1	0.00
		805 = Cocaine, coke	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2932	11.07
		999 = LEGITIMATE SKIP	23546	88.89
TMTDRG4A	3	DRUG CAUSING ONE TO SUGGEST TREATMENT-4TH MENTION		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2936	11.08
		999 = LEGITIMATE SKIP	23546	88.89
TMTDRG5A	3	DRUG CAUSING ONE TO SUGGEST TREATMENT-5TH MENTION		
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2937	11.09
		999 = LEGITIMATE SKIP	23546	88.89
DRDRVUN	2	DROVE UNSAFELY IN PAST YEAR DUE TO DRUG USE		
		1 = Yes	1040	3.93
		2 = No	17386	65.63
		3 = Yes LOGICALLY IMPUTED	22	0.08
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	2397	9.05
		99 = LEGITIMATE SKIP	5637	21.28

DRUG PROBLEMS				
LABEL	LEN	DESCRIPTION	FREQ	%
DRVDRG1A	3	DRUG CAUSING UNSAFE DRIVING-1ST MENTION		
		110 = Tuinal	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	4	0.02
		348 = Crystal	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.00
		604 = Psilocybin (mushrooms)	1	0.00
		605 = PCP ("angel dust," phencyclidine)	2	0.01
		702 = Heroin	4	0.02
		801 = OTHER Drugs, NOT SPECIFIED	2	0.01
		803 = Marijuana, MarrJane [sic], weed	30	0.11
		805 = Cocaine, coke	17	0.06
		806 = Crack, rock	6	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	893	3.37
		808 = All of the ones I've tried	1	0.00
		812 = Cigars	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	10	0.04
		900 = Non-Drug reason given for Drug Problem	13	0.05
		989 = LEGITIMATE SKIP Logically assigned	2	0.01
		994 = DON'T KNOW	2	0.01
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	2471	9.33
		999 = LEGITIMATE SKIP	23021	86.91
DRVDRG2A	3	DRUG CAUSING UNSAFE DRIVING-2ND MENTION		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		408 = Dilaudid	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.00
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	3	0.01
		803 = Marijuana, MarrJane [sic], weed	37	0.14
		804 = Hashish	2	0.01
		805 = Cocaine, coke	7	0.03
		806 = Crack, rock	2	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	27	0.10
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3376	12.74
		999 = LEGITIMATE SKIP	23023	86.92
DRVDRG3A	3	DRUG CAUSING UNSAFE DRIVING-3RD MENTION		
		601 = LSD ("acid," "white lightning") [see also 618] ...	2	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], weed	3	0.01
		805 = Cocaine, coke	3	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	3	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	2	0.01
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3446	13.01
		999 = LEGITIMATE SKIP	23023	86.92

			DRUG PROBLEMS	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DRVDRG4A	3	DRUG CAUSING UNSAFE DRIVING-4TH MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		804 = Hashish	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3458	13.05
		999 = LEGITIMATE SKIP	23023	86.92
DRVDRG5A	3	DRUG CAUSING UNSAFE DRIVING-5TH MENTION		
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	5	0.02
		998 = BLANK (NO ANSWER)	3459	13.06
		999 = LEGITIMATE SKIP	23023	86.92

LABEL	LEN	DESCRIPTION	TREATMENT	FREQ	
TREATMENT -- ANSWER SHEET #17					
TR-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions. Which do you prefer?					
TMTREAD	2	TREATMENT - READING PREFERENCE (1991 = AS15READ)			
		1 = Wants interviewer to continue reading	7133	26.93	
		2 = Wants to do it himself/herself	18566	70.09	
		96 = MULTIPLE RESPONSE	55	0.21	
		98 = BLANK (NO ANSWER)	735	2.77	
TR-1. During the past 12 months, were you referred to any type of drug treatment through an employee assistance program?					
EMPDRUG	2	REFD. TO DRG TRMT THRU EMPLOYEE ASST.PGM PST 12 MO			
		1 = Yes	81	0.31	
		2 = No	26269	99.17	
		97 = REFUSED	6	0.02	
		98 = BLANK (NO ANSWER)	133	0.50	
TR-2. During the past 12 months, have you gone to a clinic, self-help group, counselor, doctor or other professional to get help to stop smoking cigarettes?					
CIGHHELP	2	GONE TO TRTMT PROF. TO QUIT SMOKING IN PAST 12 MO			
		1 = Yes	368	1.39	
		2 = No	15747	59.45	
		81 = NEVER SMOKED CIGARETTES Logically Assigned	70	0.26	
		91 = NEVER SMOKED CIGARETTES	10195	38.49	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	5	0.02	
		98 = BLANK (NO ANSWER)	103	0.39	
TR-3. During the past 12 months, have you gotten any treatment for drinking-- such as from a clinic, self-help group, counselor, doctor or other professional?					
DRNKHELP	2	GOTTEN TREATMENT FOR DRINKING IN PAST 12 MONTHS			
		1 = Yes	286	1.08	
		2 = No	19036	71.86	
		81 = NEVER USED ALCOHOL Logically assigned	51	0.19	
		91 = NEVER USED ALCOHOL	7002	26.43	
		97 = REFUSED	3	0.01	
		98 = BLANK (NO ANSWER)	111	0.42	

		TREATMENT			
LABEL	LEN	DESCRIPTION		FREQ	t
-----	----	-----		----	-
		TR-4. During the past 12 months, have you received treatment for other drug use, not counting cigarettes or alcohol?			
TRMTHelp	2	RECEIVED TREATMENT FOR DRUG USE IN PAST 12 MONTHS			
		1 = Yes	160	0.60	
		2 = No	493	1.86	
		3 = Yes LOGICALLY IMPUTED	112	0.42	
		4 = No LOGICALLY IMPUTED	1	0.00	
		81 = NEVER USED DRUGS Logically assigned	105	0.40	
		83 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS Lg.ass.	18	0.07	
		91 = NEVER USED DRUGS	15553	58.71	
		93 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS	9992	37.72	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	53	0.20	
		TR-5. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in an emergency room?			
TRMTEMRG	2	RECEIVED TRTMNT/DRUG USE/EMERGENCY RM PST 12 MO			
		1 = Yes	44	0.17	
		2 = No	714	2.70	
		3 = Yes LOGICALLY IMPUTED	4	0.02	
		81 = NEVER USED DRUGS Logically assigned	117	0.44	
		83 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS Lg.ass.	18	0.07	
		91 = NEVER USED DRUGS	15541	58.67	
		93 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS	9992	37.72	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	57	0.22	
		TR-6. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in a hospital as an inpatient?			
TRMTHOSP	2	RECVD TRTMNT/DRUG USE/HOSPITAL INPATIENT/PST 12 MO			
		1 = Yes	62	0.23	
		2 = No	697	2.63	
		3 = Yes LOGICALLY IMPUTED	5	0.02	
		81 = NEVER USED DRUGS Logically assigned	119	0.45	
		83 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS Lg.ass.	16	0.06	
		91 = NEVER USED DRUGS	15539	58.66	
		93 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS	9994	37.73	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	55	0.21	

LABEL	LEN	DESCRIPTION	TREATMENT	FREQ
-----	----	-----		----
		TR-7. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in a private doctor's office?		
TRMTDOC	2	RECEIVED TREATMENT/DRUG USE/DR'S OFFICE/PAST 12 MO		
		1 = Yes	35	0.13
		2 = No	714	2.70
		3 = Yes LOGICALLY IMPUTED	2	0.01
		4 = No LOGICALLY IMPUTED	1	0.00
		81 = NEVER USED DRUGS Logically assigned	154	0.58
		83 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS Lg.ass.	24	0.09
		91 = NEVER USED DRUGS	15504	58.53
		93 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS	9986	37.70
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	67	0.25
		TR-8. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in a drug treatment or rehabilitation facility?		
TRMTTRMT	2	REC TRMTNT/DRG USE/TRMTNT OR REHAB FCLTY/PST 12 MO		
		1 = Yes	113	0.43
		2 = No	613	2.37
		3 = Yes LOGICALLY IMPUTED	22	0.01
		4 = No LOGICALLY IMPUTED	3	0.01
		81 = NEVER USED DRUGS Logically assigned	159	0.60
		83 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS Lg.ass.	25	0.09
		91 = NEVER USED DRUGS	15499	58.51
		93 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS	9985	37.69
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	68	0.26
		TR-9. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol in a mental health center or facility?		
TRMTMHC	2	RECVD TRMTNT/DRUG USE/MENTAL HLTH CENTER/PST 12 MO		
		1 = Yes	65	0.25
		2 = No	682	2.57
		3 = Yes LOGICALLY IMPUTED	4	0.02
		4 = No LOGICALLY IMPUTED	1	0.00
		81 = NEVER USED DRUGS Logically assigned	161	0.61
		83 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS Lg.ass.	24	0.09
		91 = NEVER USED DRUGS	15497	58.50
		93 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS	9986	37.70
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	67	0.25

		TREATMENT		
LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	-
		TR-10. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in a self-help group?		
TRMTSHG	2	RECVD TRTMNT/DRUG USE/SELF-HELP GROUP/PST 12 MO		
		1 = Yes	140	0.53
		2 = No	602	2.27
		3 = Yes LOGICALLY IMPUTED	8	0.03
		4 = No LOGICALLY IMPUTED	2	0.01
		81 = NEVER USED DRUGS Logically assigned	165	0.62
		83 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS Lg.ass.	20	0.08
		91 = NEVER USED DRUGS	15493	58.49
		93 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS	9990	37.71
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	67	0.25
		TR-11. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in some other place?		
TRMTSOP	2	RECEIVED TRTMNT/DRUG USE/SOME OTHR PLACE/PST 12 MO		
		1 = Yes	57	0.22
		2 = No	640	2.42
		3 = Yes LOGICALLY IMPUTED	51	0.19
		4 = No LOGICALLY IMPUTED	3	0.01
		81 = NEVER USED DRUGS Logically assigned	183	0.69
		83 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS Lg.ass.	37	0.14
		91 = NEVER USED DRUGS	15475	58.42
		93 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS	9973	37.65
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	68	0.26

LABEL	LEN	DESCRIPTION	TREATMENT	FREQ	%
-----	----	-----		-----	-
TRMTSP	2	OTHER PLACE RECEIVED TREATMENT (SPECIFIED)			
		4 = AA or NA or CA		7	0.03
		5 = Residential placement		1	0.00
		9 = Within myself (self-treatment)		3	0.01
		10 = Church or religious influence		2	0.01
		12 = Friends		3	0.01
		13 = Court or correctional facilities		1	0.00
		14 = Counselor, therapist, psychologist		3	0.01
		15 = School		2	0.01
		16 = Home, family		3	0.01
		22 = Hospital		2	0.01
		24 = Drug treatment or rehab. center		8	0.03
		25 = Mental health center		2	0.01
		26 = Self-help group		1	0.00
		81 = NEVER USED DRUGS Logically assigned		183	0.69
		85 = BAD DATA Logically assigned		3	0.01
		91 = NEVER USED DRUGS		15475	58.42
		93 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS		10010	37.79
		97 = REFUSED		2	0.01
		98 = BLANK (NO ANSWER)		778	2.94

TR-12. When was the last time you
received treatment or counseling for use
of any other drug, not counting
cigarettes or alcohol?

TRMTREC	2	LAST TIME RECEIVED TREATMENT FOR DRUGS			
		1 = Within the past month		88	0.33
		2 = More than one month ago but less than 6 months ago		78	0.29
		3 = 6 or more months ago but less than 1 year ago		54	0.20
		4 = 1 or more years ago but less than 3 years ago		85	0.32
		5 = 3 or more years ago		273	1.03
		8 = Received treatment in past year LOGICALLY IMPUTED		52	0.20
		9 = Received treatment in lifetime LOGICALLY IMPUTED .		116	0.44
		81 = NEVER USED DRUGS Logically assigned		467	1.76
		83 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS Lg.ass.		124	0.47
		91 = NEVER USED DRUGS		15191	57.35
		93 = NEVER RECEIVED TREATMENT BUT MAY USE DRUGS		9886	37.32
		97 = REFUSED		3	0.01
		98 = BLANK (NO ANSWER)		72	0.27

LABEL	LEN	DESCRIPTION	TREATMENT	FREQ	
-----	---	-----		----	-
		TR-13. How many times in your life have you received treatment or counseling for your use of any drug, not counting cigarettes or alcohol? (IF NONE, WRITE IN THE NUMBER "0.")			
NRTXLIFE	3	#TIMES IN LIFE RECEIVED TRMT FOR USE OF DRUGS			
		RANGE = 1 - 500		490	1.85
		0 = NONE		25671	96.91
		985 = BAD DATA Logically assigned		195	0.74
		994 = DON'T KNOW		4	0.02
		997 = REFUSED		3	0.01
		998 = BLANK (NO ANSWER)		126	0.48
		If you never received treatment or counseling for drug use, circle the 93 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with question TR-14 below.			
NOTRMT	2	NEVER RECEIVED TRMT OR COUNSELING FOR DRUG USE			
		1 = Response circled		25222	95.22
		2 = Response not circled		578	2.18
		3 = Response circled LOGICALLY IMPUTED		445	1.68
		85 = BAD DATA Logically assigned		168	0.63
		97 = REFUSED		3	0.01
		98 = BLANK (NO ANSWER)		73	0.28
		TR-14. Where did you receive treatment the last time you were treated for other drug use, not counting cigarettes or alcohol?			
TXEMRG	2	LAST DRUG TREATMENT IN AN EMERGENCY ROOM			
		1 = Response circled		38	0.14
		2 = Response not circled		537	2.03
		3 = Response circled LOGICALLY IMPUTED		4	0.02
		89 = LEGITIMATE SKIP Logically assigned		2	0.01
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		239	0.90
		99 = LEGITIMATE SKIP		25665	96.89
TXHOSP	2	LAST DRUG TREATMENT IN A HOSPITAL AS AN INPATIENT			
		1 = Response circled		57	0.22
		2 = Response not circled		517	1.95
		3 = Response circled LOGICALLY IMPUTED		5	0.02
		89 = LEGITIMATE SKIP Logically assigned		17	0.06
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		239	0.90
		99 = LEGITIMATE SKIP		25650	96.83

LABEL	LEN	DESCRIPTION	TREATMENT	FREQ	%
TXDOC	2	LAST DRUG TREATMENT IN A PRIVATE DOCTOR'S OFFICE			
		1 = Response circled		29	0.11
		2 = Response not circled		548	2.07
		3 = Response circled LOGICALLY IMPUTED		2	0.01
		89 = LEGITIMATE SKIP Logically assigned		4	0.02
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		239	0.90
		99 = LEGITIMATE SKIP		25663	96.88
TXTRMT	2	LAST DRUG TRTMNT IN A DRUG TRTMNT OR REHAB FCLTY			
		1 = Response circled		226	0.85
		2 = Response not circled		341	1.29
		3 = Response circled LOGICALLY IMPUTED		12	0.05
		89 = LEGITIMATE SKIP Logically assigned		2	0.01
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		239	0.90
		99 = LEGITIMATE SKIP		25665	96.89
TXMHC	2	LAST DRUG TRTMNT IN A MENTAL HEALTH CENTER			
		1 = Response circled		56	0.21
		2 = Response not circled		519	1.96
		3 = Response circled LOGICALLY IMPUTED		4	0.02
		89 = LEGITIMATE SKIP Logically assigned		1	0.00
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		239	0.90
		99 = LEGITIMATE SKIP		25666	96.89
TXSHG	2	LAST DRUG TRTMNT IN A SELF-HELP GROUP			
		1 = Response circled		128	0.48
		2 = Response not circled		446	1.68
		3 = Response circled LOGICALLY IMPUTED		5	0.02
		89 = LEGITIMATE SKIP Logically assigned		4	0.02
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		239	0.90
		99 = LEGITIMATE SKIP		25663	96.88
TXSOP	2	LAST DRUG TRTMNT IN SOME OTHER PLACE			
		1 = Response circled		79	0.30
		2 = Response not circled		477	1.80
		3 = Response circled LOGICALLY IMPUTED		23	0.09
		89 = LEGITIMATE SKIP Logically assigned		41	0.15
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		239	0.90
		99 = LEGITIMATE SKIP		25626	96.74

LABEL	LEN	DESCRIPTION	TREATMENT	FREQ	%
TXSP	2	OTHER PLACE LAST RECVD TRTMNT SPECIFIED			
		4 = AA or NA or CA		6	0.02
		5 = Residential placement		2	0.01
		9 = Within myself (self-treatment)		3	0.01
		10 = Church or religious influence		1	0.00
		12 = Friends		3	0.01
		13 = Court or correctional facilities		11	0.04
		14 = Counselor, therapist, psychologist		15	0.06
		15 = School		7	0.03
		16 = Home, family		3	0.01
		17 = Employer's hotline, job corps, on the job		3	0.01
		22 = Hospital		4	0.02
		24 = Drug treatment or rehab. center		11	0.04
		25 = Mental health center		2	0.01
		89 = LEGITIMATE SKIP Logically assigned		6	0.02
		94 = DON'T KNOW		1	0.00
		97 = REFUSED		3	0.01
		98 = BLANK (NO ANSWER)		747	2.82
		99 = LEGITIMATE SKIP		25661	96.87

TR-15. How important were each of the following reasons to you for seeking treatment the last time you received treatment or counseling for drug use? (CIRCLE ONE NUMBER FOR EACH REASON.)

TRMTLIFE	2	IMPORT OF WANTING TO CHNGE LIFESTYLE AS RSN FOR TRM			
		1 = Very important		402	1.52
		2 = Somewhat important		75	0.28
		3 = Not at all important		82	0.31
		89 = LEGITIMATE SKIP Logically assigned		140	0.53
		96 = MULTIPLE RESPONSE		1	0.00
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		258	0.97
		99 = LEGITIMATE SKIP		25527	96.37
TRMTRESP	2	IMPORT OF FAMILY RESPONSBLTY AS RSN FOR TREATMENT			
		1 = Very important		294	1.11
		2 = Somewhat important		118	0.45
		3 = Not at all important		139	0.52
		89 = LEGITIMATE SKIP Logically assigned		137	0.52
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		267	1.01
		99 = LEGITIMATE SKIP		25530	96.38
TRMTFEAR	2	IMPORT OF FEAR OF BEING JAILED AS REASON FOR TRMT			
		1 = Very important		213	0.80
		2 = Somewhat important		100	0.38
		3 = Not at all important		237	0.89
		89 = LEGITIMATE SKIP Logically assigned		134	0.51
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		268	1.01
		99 = LEGITIMATE SKIP		25533	96.39

		TREATMENT			
LABEL	LEN	DESCRIPTION		FREQ	%
TRMTCOST	2	IMPORT OF DRUGS BEING TOO COSTLY AS RSN FOR TRMT			
		1 = Very important	160	0.60	
		2 = Somewhat important	102	0.39	
		3 = Not at all important	276	1.04	
		89 = LEGITIMATE SKIP Logically assigned	128	0.48	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	280	1.06	
		99 = LEGITIMATE SKIP	25539	96.41	
TRMTEVNT	2	IMPORT OF SIGNIFICANT EVENT AS REASON FOR TRMT			
		1 = Very important	197	0.74	
		2 = Somewhat important	117	0.44	
		3 = Not at all important	219	0.83	
		89 = LEGITIMATE SKIP Logically assigned	127	0.48	
		96 = MULTIPLE RESPONSE	1	0.00	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	284	1.07	
		99 = LEGITIMATE SKIP	25540	96.42	
TRMTPR	2	IMPORT OF PRESSR FRM FAMILY/FRNDS AS RSN FOR TRMT			
		1 = Very important	239	0.90	
		2 = Somewhat important	132	0.50	
		3 = Not at all important	168	0.63	
		89 = LEGITIMATE SKIP Logically assigned	128	0.48	
		96 = MULTIPLE RESPONSE	1	0.00	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	278	1.05	
		99 = LEGITIMATE SKIP	25539	96.41	
TRMTHLTH	2	IMPORT OF CONCERNS ABOUT HEALTH AS REASON FOR TRM			
		1 = Very important	259	0.98	
		2 = Somewhat important	117	0.44	
		3 = Not at all important	174	0.66	
		89 = LEGITIMATE SKIP Logically assigned	129	0.49	
		96 = MULTIPLE RESPONSE	1	0.00	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	267	1.01	
		99 = LEGITIMATE SKIP	25538	96.41	
TRMTJOB	2	IMPORT OF CONCERNS ABOUT JOB AS REASON FOR TRMT			
		1 = Very important	163	0.62	
		2 = Somewhat important	101	0.38	
		3 = Not at all important	269	1.02	
		89 = LEGITIMATE SKIP Logically assigned	127	0.48	
		96 = MULTIPLE RESPONSE	4	0.02	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	281	1.06	
		99 = LEGITIMATE SKIP	25540	96.42	

LABEL	LEN	DESCRIPTION	TREATMENT	FREQ	%
-----	----	-----		----	-
TRMTJAIL	2	IMPORT OF HAVING BEEN SENT TO JAIL AS RSN FOR TRMT			
		1 = Very important		152	0.57
		2 = Somewhat important		67	0.25
		3 = Not at all important		318	1.20
		89 = LEGITIMATE SKIP Logically assigned		128	0.48
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		281	1.06
		99 = LEGITIMATE SKIP		25539	96.41
TRMTSERV	2	IMPORT OF AVAILABILITY OF SVCS AS RSN FOR TRMT			
		1 = Very important		134	0.51
		2 = Somewhat important		117	0.44
		3 = Not at all important		275	1.04
		89 = LEGITIMATE SKIP Logically assigned		126	0.48
		96 = MULTIPLE RESPONSE		1	0.00
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		291	1.10
		99 = LEGITIMATE SKIP		25541	96.42
TRMTBQD	2	IMPORT OF BAD QUALITY DRUGS AS REASON FOR TRMT			
		1 = Very important		78	0.29
		2 = Somewhat important		62	0.23
		3 = Not at all important		382	1.44
		89 = LEGITIMATE SKIP Logically assigned		125	0.47
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		296	1.12
		99 = LEGITIMATE SKIP		25542	96.42
TRMTDNA	2	IMPORT OF DRGS NOT BEING AVAILBL AS RSN FOR TRMT			
		1 = Very important		48	0.18
		2 = Somewhat important		55	0.21
		3 = Not at all important		418	1.58
		89 = LEGITIMATE SKIP Logically assigned		126	0.48
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		297	1.12
		99 = LEGITIMATE SKIP		25541	96.42
TRMTSOR	2	IMPORTANCE OF SOME OTHER REASON FOR TRMT			
		1 = Very important		86	0.32
		2 = Somewhat important		10	0.04
		3 = Not at all important		202	0.76
		4 = Response circled only		10	0.04
		5 = Reason specified but no ranking		23	0.09
		89 = LEGITIMATE SKIP Logically assigned		119	0.45
		97 = REFUSED		4	0.02
		98 = BLANK (NO ANSWER)		487	1.84
		99 = LEGITIMATE SKIP		25548	96.45

LABEL	LEN	DESCRIPTION	TREATMENT	FREQ	%
-----	----	-----	-----	----	----
TRMTRSP	2	OTHER REASON FOR TRMT SPECIFIED			
		1 = Wanted to change lifestyle		12	0.05
		2 = Had family responsibilities		6	0.02
		5 = Occurrence of a signif. personal or special event		1	0.00
		6 = Pressure from family (or close friends)		14	0.05
		7 = Had concerns about health		7	0.03
		8 = Had concerns about job		1	0.00
		9 = Sent to jail		1	0.00
		14 = Depression		1	0.00
		15 = Fear of dying/suicide(fear of, or attempted)		4	0.02
		16 = Church or other religious influence		3	0.01
		17 = Forced/compelled (but by whom is unknown)		6	0.02
		18 = Wanted to quit drugs		12	0.05
		19 = Reason connected to the military		2	0.01
		20 = Overdose		5	0.02
		21 = Loss of control/dependency		1	0.00
		22 = Felt bad about self/wanted to do or be better		14	0.05
		23 = Reason connected to driver's license		1	0.00
		25 = Committing violence		1	0.00
		26 = Pressure from counselor/soc. srvc/s/etc.		1	0.00
		27 = Psychological disorders		5	0.02
		85 = BAD DATA Logically assigned		4	0.02
		89 = LEGITIMATE SKIP Logically assigned		4	0.02
		97 = REFUSED		3	0.01
		98 = BLANK (NO ANSWER)		717	2.71
		99 = LEGITIMATE SKIP		25663	96.88

LABEL	LEN	DESCRIPTION	TREATMENT	FREQ	%
		TR-16. What was the primary drug you recieved treatment or counseling for during the last time you were treated?			
TRMTDRGA	3	PRIMARY DRUG RECEIVED TRMT FOR/LAST TREATED			
		108 = Nembutal		1	0.00
		116 = Methaqualone, Quaalude, Sopor		1	0.00
		118 = Pentobarbital, pentothal, sodium pentothal		1	0.00
		120 = Downers; OTHER Sedative, NOT SPECIFIED		1	0.00
		201 = Valium		4	0.02
		202 = Librium		1	0.00
		204 = Menrium		1	0.00
		228 = Amitriptyline [see also 239]		1	0.00
		241 = Prozac		1	0.00
		247 = Adapin, Doxepin, Sinequan		1	0.00
		319 = Cylert		1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")		10	0.04
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED		4	0.02
		336 = Diet pills		1	0.00
		339 = Amphetamines (speed generically)		11	0.04
		348 = Crystal		1	0.00
		355 = Crystal meth		1	0.00
		401 = Darvon		1	0.00
		406 = Oxycodone, Percodan, Roxicet		1	0.00
		408 = Dilaudid		1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4		2	0.01
		417 = Morphine		2	0.01
		418 = Methadone		2	0.01
		430 = Aspirin, Ecotrin, Empirin		1	0.00
		434 = Co-Gesic, Hydrocodone, Tussionex, Vicodin		1	0.00
		435 = Tylenol, Tylenol Extrastrength		1	0.00
		501 = Gasoline or lighter fluids		1	0.00
		503 = Other aerosol sprays		1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED		1	0.00
		601 = LSD ("acid," "white lightning") [see also 618]		12	0.05
		605 = PCP ("angel dust," phencyclidine)		10	0.04
		702 = Heroin		36	0.14
		801 = OTHER Drugs, NOT SPECIFIED		2	0.01
		803 = Marijuana, MarrJane [sic], weed, Mary Jane, MJ		100	0.38
		805 = Cocaine, coke, coca		118	0.45
		806 = Crack, rock		39	0.15
		807 = Alcohol, beer, ethanol, EtOH, pink champagne		116	0.44
		808 = All of the ones I've tried		8	0.03
		809 = Pills		4	0.02
		813 = Cigarettes, smoking (subst spec), tobacco not spec		11	0.04
		824 = Steroids		1	0.00
		840 = Cough medicine (contents not specified)		1	0.00
		875 = Buds		1	0.00
		900 = Not a drug		12	0.05
		989 = LEGITIMATE SKIP Logically assigned		18	0.07
		992 = Illegible		2	0.01
		997 = REFUSED		3	0.01
		998 = BLANK (NO ANSWER)		289	1.09
		999 = LEGITIMATE SKIP		25649	96.83

LABEL	LEN	DESCRIPTION	TREATMENT	FREQ	%
TRMTDRGB	3	PRIMARY DRUG RECEIVED TRMT FOR/LAST TREATED			
		120 = Downers; OTHER Sedative, NOT SPECIFIED		1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")		2	0.01
		415 = Codeine		1	0.00
		423 = Percocet		1	0.00
		427 = Darvocet		1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...		1	0.00
		605 = PCP ("angel dust," phencyclidine)		2	0.01
		702 = Heroin		2	0.01
		801 = OTHER Drugs, NOT SPECIFIED		1	0.00
		803 = Marijuana, MarrJane [sic], weed, Mary Jane, MJ ...		7	0.03
		804 = Hashish		1	0.00
		805 = Cocaine, coke, coca		26	0.10
		806 = Crack, rock		11	0.04
		807 = Alcohol, beer, ethanol, EtOH, pink champagne		23	0.09
		900 = Not a drug		1	0.00
		989 = LEGITIMATE SKIP Logically assigned		3	0.01
		997 = REFUSED		3	0.01
		998 = BLANK (NO ANSWER)		738	2.79
		999 = LEGITIMATE SKIP		25664	96.89
TRMTDRGC	3	PRIMARY DRUG RECEIVED TRMT FOR/LAST TREATED			
		221 = OTHER Tranquilizer, NOT SPECIFIED		1	0.00
		246 = Clonopin, Klonopin		1	0.00
		355 = Crystal meth		1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...		2	0.01
		805 = Cocaine, coke, coca		1	0.00
		806 = Crack, rock		1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne		1	0.00
		989 = LEGITIMATE SKIP Logically assigned		3	0.01
		997 = REFUSED		3	0.01
		998 = BLANK (NO ANSWER)		811	3.06
		999 = LEGITIMATE SKIP		25664	96.89
TRMTDRGD	3	PRIMARY DRUG RECEIVED TRMT FOR/LAST TREATED			
		605 = PCP ("angel dust," phencyclidine)		1	0.00
		989 = LEGITIMATE SKIP Logically assigned		3	0.01
		997 = REFUSED		3	0.01
		998 = BLANK (NO ANSWER)		818	3.09
		999 = LEGITIMATE SKIP		25664	96.89
TRMTDRGE	3	PRIMARY DRUG RECEIVED TRMT FOR/LAST TREATED			
		989 = LEGITIMATE SKIP Logically assigned		3	0.01
		997 = REFUSED		3	0.01
		998 = BLANK (NO ANSWER)		819	3.09
		999 = LEGITIMATE SKIP		25664	96.89

LABEL	LEN	DESCRIPTION	TREATMENT	FREQ	
-----	----	-----		----	-
		TR-17. What was the outcome of the treatment or counseling you last received? (PLEASE CIRCLE ONLY THE ONE NUMBER FOR THE BEST ANSWER.)			
TRMTOUTC	2	OUTCOME OF THE TREATMENT OR COUNSELING LAST RECEIV			
		1 = Still in treatment	96	0.36	
		2 = Successfully completed treatment	282	1.06	
		3 = Had a problem with program	39	0.15	
		4 = Couldn't afford to continue treatment	13	0.05	
		5 = Family needed me	8	0.03	
		6 = Began using drug(s) again	94	0.35	
		7 = Other outcome, not specified	47	0.18	
		8 = Didn't need treatment	2	0.01	
		10 = Successful because of own efforts, not trmt.	5	0.02	
		11 = Use to a lesser extent	5	0.02	
		14 = Successful because of religious reasons	1	0.00	
		15 = Discontinued treatment, success unknown	14	0.05	
		89 = LEGITIMATE SKIP Logically assigned	69	0.26	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	212	0.80	
		99 = LEGITIMATE SKIP	25598	96.64	
		TR-18. How was the last treatment or counseling for drug use paid for? (PLEASE CIRCLE ALL THAT APPLY.)			
TMTPHI	2	LAST TREATMENT PAID BY HEALTH INSURANCE			
		1 = Response circled	142	0.54	
		2 = Response not circled	458	1.73	
		89 = LEGITIMATE SKIP Logically assigned	7	0.03	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	218	0.82	
		99 = LEGITIMATE SKIP	25660	96.87	
TMTPSAVE	2	LAST TREATMENT PAID BY OWN SAVINGS OR EARNINGS			
		1 = Response circled	110	0.42	
		2 = Response not circled	490	1.85	
		89 = LEGITIMATE SKIP Logically assigned	8	0.03	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	218	0.82	
		99 = LEGITIMATE SKIP	25659	96.87	
TMTPFMLY	2	LAST TREATMENT PAID BY FAMILY MEMBERS			
		1 = Response circled	56	0.21	
		2 = Response not circled	544	2.05	
		89 = LEGITIMATE SKIP Logically assigned	2	0.01	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	218	0.82	
		99 = LEGITIMATE SKIP	25665	96.89	

		TREATMENT			
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	----	-----	----	----	----
TMTPEMPR	2	LAST TREATMENT PAID BY EMPLOYER			
		1 = Response circled	17	0.06	
		2 = Response not circled	583	2.20	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	218	0.82	
		99 = LEGITIMATE SKIP	25667	96.90	
TMTPMEDI	2	LAST TREATMENT PAID BY MEDICARE OR MEDICAID			
		1 = Response circled	81	0.31	
		2 = Response not circled	519	1.96	
		89 = LEGITIMATE SKIP Logically assigned	3	0.01	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	218	0.82	
		99 = LEGITIMATE SKIP	25664	96.89	
TMTPFREE	2	LAST TREATMENT WAS FREE			
		1 = Response circled	147	0.55	
		2 = Response not circled	453	1.71	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	218	0.82	
		99 = LEGITIMATE SKIP	25667	96.90	
TMTPOTH	2	LAST TREATMENT PAID BY OTHER			
		1 = Response circled	78	0.29	
		2 = Response not circled	494	1.86	
		3 = Response circled LOGICALLY IMPUTED	28	0.11	
		89 = LEGITIMATE SKIP Logically assigned	45	0.17	
		97 = REFUSED	4	0.02	
		98 = BLANK (NO ANSWER)	218	0.82	
		99 = LEGITIMATE SKIP	25622	96.73	
TMTPASP	2	OTHER PAYER FOR LAST TREATMENT SPECIFIED			
		1 = Health Insurance	1	0.00	
		2 = Own savings or earnings	4	0.02	
		3 = Family member	1	0.00	
		4 = Employer or union	2	0.01	
		5 = Medicare or Medicaid	2	0.01	
		6 = Free	4	0.02	
		9 = State/city public assistance/welfare/relief	26	0.10	
		10 = Court	10	0.04	
		12 = School	4	0.02	
		13 = Hospital	1	0.00	
		14 = Veterans Administration/military services	9	0.03	
		15 = Treatment program	2	0.01	
		85 = BAD DATA Logically assigned	2	0.01	
		89 = LEGITIMATE SKIP Logically assigned	5	0.02	
		94 = DON'T KNOW	1	0.00	
		97 = REFUSED	3	0.01	
		98 = BLANK (NO ANSWER)	750	2.83	
		99 = LEGITIMATE SKIP	25662	96.88	

LABEL	LEN	DESCRIPTION	RISK	FREQ	t
-----	----	-----		-----	-
		RISK -- ANSWER SHEET #18			

		R-1. How much do you think people risk harming themselves physically and in other ways when they do each of the following activities? (If you're not sure, circle the number for the amount of risk that comes closest to what you think might be true for that activity. CIRCLE ONE NUMBER ON EACH LINE.)			
RSKPKCIG	2	RISK IF SMOKE 1 OR MORE PACKS CIGARETTES PER DAY			
		1 = No risk		903	3.41
		2 = Slight risk		2318	8.75
		3 = Moderate risk		6922	26.13
		4 = Great risk		16189	61.12
		94 = DON'T KNOW		39	0.15
		96 = MULTIPLE RESPONSE		7	0.03
		97 = REFUSED		10	0.04
		98 = BLANK (NO ANSWER)		101	0.38
RSKTRYMJ	2	RISK IF TRY MARIJUANA ONCE OR TWICE			
		1 = No risk		5805	21.91
		2 = Slight risk		7118	26.87
		3 = Moderate risk		4926	18.60
		4 = Great risk		8388	31.67
		94 = DON'T KNOW		95	0.36
		96 = MULTIPLE RESPONSE		23	0.09
		97 = REFUSED		9	0.03
		98 = BLANK (NO ANSWER)		125	0.47
RSKMJOCC	2	RISK IF SMOKE MARIJUANA OCCASIONALLY			
		1 = No risk		2330	8.80
		2 = Slight risk		5519	20.84
		3 = Moderate risk		7499	28.31
		4 = Great risk		10802	40.78
		94 = DON'T KNOW		88	0.33
		96 = MULTIPLE RESPONSE		19	0.07
		97 = REFUSED		9	0.03
		98 = BLANK (NO ANSWER)		223	0.84
RSKMJREG	2	RISK IF SMOKE MARIJUANA REGULARLY			
		1 = No risk		844	3.19
		2 = Slight risk		1659	6.26
		3 = Moderate risk		4615	17.42
		4 = Great risk		19068	71.98
		94 = DON'T KNOW		87	0.33
		96 = MULTIPLE RESPONSE		22	0.08
		97 = REFUSED		9	0.03
		98 = BLANK (NO ANSWER)		185	0.70

LABEL	LEN	DESCRIPTION	RISK	FREQ	%
RKTRYP	2	RISK IF TRY PCP ONCE OR TWICE			
		1 = No risk		985	3.72
		2 = Slight risk		2982	11.26
		3 = Moderate risk		5290	19.97
		4 = Great risk		16675	62.95
		94 = DON'T KNOW		391	1.48
		96 = MULTIPLE RESPONSE		17	0.06
		97 = REFUSED		12	0.05
		98 = BLANK (NO ANSWER)		137	0.52
RKPCPREG	2	RISK IF USE PCP REGULARLY			
		1 = No risk		411	1.55
		2 = Slight risk		302	1.14
		3 = Moderate risk		1599	6.04
		4 = Great risk		23623	89.18
		94 = DON'T KNOW		376	1.42
		96 = MULTIPLE RESPONSE		14	0.05
		97 = REFUSED		12	0.05
		98 = BLANK (NO ANSWER)		152	0.57
RKTRYHER	2	RISK IF TRY HEROIN ONCE OR TWICE			
		1 = No risk		776	2.93
		2 = Slight risk		2365	8.93
		3 = Moderate risk		4943	18.66
		4 = Great risk		18096	68.32
		94 = DON'T KNOW		163	0.62
		96 = MULTIPLE RESPONSE		6	0.02
		97 = REFUSED		10	0.04
		98 = BLANK (NO ANSWER)		130	0.49
RKHERREG	2	RISK IF USE HEROIN REGULARLY			
		1 = No risk		402	1.52
		2 = Slight risk		205	0.77
		3 = Moderate risk		937	3.54
		4 = Great risk		24627	92.97
		94 = DON'T KNOW		154	0.58
		96 = MULTIPLE RESPONSE		12	0.05
		97 = REFUSED		9	0.03
		98 = BLANK (NO ANSWER)		143	0.54
RKTRYCOC	2	RISK IF TRY COCAINE ONCE OR TWICE			
		1 = No risk		1319	4.98
		2 = Slight risk		3376	12.74
		3 = Moderate risk		5394	20.36
		4 = Great risk		16147	60.96
		94 = DON'T KNOW		108	0.41
		96 = MULTIPLE RESPONSE		18	0.07
		97 = REFUSED		9	0.03
		98 = BLANK (NO ANSWER)		118	0.45

LABEL	LEN	DESCRIPTION	RISK	FREQ	t
----	----	-----		-----	----
RKCOCOCC	2	RISK IF USE COCAINE OCCASIONALLY			
		1 = No risk		539	2.03
		2 = Slight risk		1100	4.15
		3 = Moderate risk		4246	16.03
		4 = Great risk		20328	76.74
		94 = DON'T KNOW		105	0.40
		96 = MULTIPLE RESPONSE		21	0.08
		97 = REFUSED		9	0.03
		98 = BLANK (NO ANSWER)		141	0.53
RKCOCREG	2	RISK IF USE COCAINE REGULARLY			
		1 = No risk		413	1.56
		2 = Slight risk		217	0.82
		3 = Moderate risk		983	3.71
		4 = Great risk		24600	92.87
		94 = DON'T KNOW		102	0.39
		96 = MULTIPLE RESPONSE		14	0.05
		97 = REFUSED		9	0.03
		98 = BLANK (NO ANSWER)		151	0.57
RKCRKOCC	2	RISK IF USE "CRACK" OCCASIONALLY			
		1 = No risk		453	1.71
		2 = Slight risk		590	2.23
		3 = Moderate risk		2764	10.43
		4 = Great risk		22377	84.48
		94 = DON'T KNOW		136	0.51
		96 = MULTIPLE RESPONSE		3	0.01
		97 = REFUSED		9	0.03
		98 = BLANK (NO ANSWER)		157	0.59
RKANSOCC	2	RISK IF USE ANABOLIC STEROIDS OCCASIONALLY			
		1 = No risk		636	2.40
		2 = Slight risk		2076	7.84
		3 = Moderate risk		6947	26.23
		4 = Great risk		16331	61.65
		94 = DON'T KNOW		324	1.22
		96 = MULTIPLE RESPONSE		9	0.03
		97 = REFUSED		12	0.05
		98 = BLANK (NO ANSWER)		154	0.58
RKANSREG	2	RISK IF USE ANABOLIC STEROIDS REGULARLY			
		1 = No risk		448	1.69
		2 = Slight risk		439	1.66
		3 = Moderate risk		2924	11.04
		4 = Great risk		22181	83.74
		94 = DON'T KNOW		315	1.19
		96 = MULTIPLE RESPONSE		6	0.02
		97 = REFUSED		12	0.05
		98 = BLANK (NO ANSWER)		164	0.62

LABEL	LEN	DESCRIPTION	RISK	FREQ	%
-----	----	-----		----	---
RK2DRINK	2	RISK IF TAKE 1 OR 2 DRINKS NEARLY EVERY DAY			
		1 = No risk		2875	10.85
		2 = Slight risk		6894	26.03
		3 = Moderate risk		8467	31.96
		4 = Great risk		8012	30.25
		94 = DON'T KNOW		43	0.16
		96 = MULTIPLE RESPONSE		16	0.06
		97 = REFUSED		8	0.03
		98 = BLANK (NO ANSWER)		174	0.66
RK5DRINK	2	RISK IF TAKE 4 OR 5 DRINKS NEARLY EVERY DAY			
		1 = No risk		581	2.19
		2 = Slight risk		1701	6.42
		3 = Moderate risk		6290	23.75
		4 = Great risk		17652	66.64
		94 = DON'T KNOW		44	0.17
		96 = MULTIPLE RESPONSE		12	0.05
		97 = REFUSED		9	0.03
		98 = BLANK (NO ANSWER)		200	0.76
RSKBINGE	2	RISK IF HAVE 5 OR MORE DRINKS ONCE OR TWICE A WEEK			
		1 = No risk		1054	3.98
		2 = Slight risk		2800	10.57
		3 = Moderate risk		6927	26.15
		4 = Great risk		15413	58.19
		94 = DON'T KNOW		48	0.18
		96 = MULTIPLE RESPONSE		15	0.06
		97 = REFUSED		9	0.03
		98 = BLANK (NO ANSWER)		223	0.84
R-2. How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? (CIRCLE ONE NUMBER ON EACH LINE.)					
RSKDIFMJ	2	DIFFICULTY OF GETTING MARIJUANA IF YOU WANTED			
		1 = Probably impossible		4286	16.18
		2 = Very difficult		2667	10.07
		3 = Fairly difficult		2720	10.27
		4 = Fairly easy		6424	24.25
		5 = Very easy		9880	37.30
		94 = DON'T KNOW		283	1.07
		96 = MULTIPLE RESPONSE		13	0.05
		97 = REFUSED		11	0.04
		98 = BLANK (NO ANSWER)		205	0.77

LABEL	LEN	DESCRIPTION	RISK	FREQ	%
RKDIFLSD	2	DIFFICULTY OF GETTING LSD IF YOU WANTED			
		1 = Probably impossible		8178	30.87
		2 = Very difficult		5551	20.96
		3 = Fairly difficult		4771	18.01
		4 = Fairly easy		3773	14.24
		5 = Very easy		3433	12.96
		94 = DON'T KNOW		492	1.86
		96 = MULTIPLE RESPONSE		12	0.05
		97 = REFUSED		11	0.04
		98 = BLANK (NO ANSWER)		268	1.01
RKDIFPCP	2	DIFFICULTY OF GETTING PCP IF YOU WANTED			
		1 = Probably impossible		8868	33.48
		2 = Very difficult		5943	22.44
		3 = Fairly difficult		4502	17.00
		4 = Fairly easy		3138	11.85
		5 = Very easy		3163	11.94
		94 = DON'T KNOW		522	1.97
		96 = MULTIPLE RESPONSE		46	0.17
		97 = REFUSED		11	0.04
		98 = BLANK (NO ANSWER)		296	1.12
RKDIFCOC	2	DIFF. OF GETTING COCAINE OR "CRACK" IF YOU WANTED			
		1 = Probably impossible		6443	24.32
		2 = Very difficult		4091	15.44
		3 = Fairly difficult		3505	13.23
		4 = Fairly easy		4811	18.16
		5 = Very easy		7010	26.46
		94 = DON'T KNOW		353	1.33
		96 = MULTIPLE RESPONSE		21	0.08
		97 = REFUSED		11	0.04
		98 = BLANK (NO ANSWER)		244	0.92
RKDIFHER	2	DIFFICULTY OF GETTING HEROIN IF YOU WANTED			
		1 = Probably impossible		8940	33.75
		2 = Very difficult		5553	20.96
		3 = Fairly difficult		4069	15.36
		4 = Fairly easy		3191	12.05
		5 = Very easy		4027	15.20
		94 = DON'T KNOW		435	1.64
		96 = MULTIPLE RESPONSE		9	0.03
		97 = REFUSED		11	0.04
		98 = BLANK (NO ANSWER)		254	0.96

LABEL	LEN	DESCRIPTION	RISK	FREQ	
		R-3. In the past month, has someone approached you to sell you an illegal drug?			
RSKSELL	2	SOMEONE APPR YOU TO SELL YOU ILLEG DRG PST MONTH			
		1 = Yes		4043	15.26
		2 = No		21835	82.43
		94 = DON'T KNOW		7	0.03
		97 = REFUSED		6	0.02
		98 = BLANK (NO ANSWER)		598	2.26
		R-4. How often do you see people who are drunk or high on drugs in your neighborhood?			
RKNEIDRN	2	FREQ. OF SEEING DRUNK/HIGH PEOPLE IN NEIGHBORHOOD			
		1 = Often		4950	18.69
		2 = Occasionally		6572	24.81
		3 = Rarely		6717	25.36
		4 = Never		8024	30.29
		94 = DON'T KNOW		19	0.07
		96 = MULTIPLE RESPONSE		10	0.04
		97 = REFUSED		6	0.02
		98 = BLANK (NO ANSWER)		191	0.72
		R-5. How often do you see people selling drugs in your neighborhood?			
RKNEISEL	2	FREQ. OF SEEING PEOPLE SELL DRUGS IN NEIGHBORHOOD			
		1 = Often		3209	12.11
		2 = Occasionally		2675	10.10
		3 = Rarely		3832	14.47
		4 = Never		16548	62.47
		94 = DON'T KNOW		23	0.09
		96 = MULTIPLE RESPONSE		7	0.03
		97 = REFUSED		8	0.03
		98 = BLANK (NO ANSWER)		187	0.71

		HEALTH CONDITIONS		
LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	-----	-----
HEALTH CONDITIONS				

HE-1. Have you ever been told by a doctor or nurse that you had high blood pressure or hypertension?				
HIGHBP	2	EVER DIAGNOSED AS HAVING HIGH BLOOD PRESSURE		
		1 = Yes	3063	11.56
		2 = No	23348	88.14
		3 = Yes LOGICALLY IMPUTED	7	0.03
		94 = DON'T KNOW	4	0.02
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	62	0.23
HE-2. Has a doctor ever prescribed medicine for your high blood pressure or hypertension?				
BPMED	2	MEDICATION EVER PRESCRIBED FOR HIGH BLOOD PRESSURE		
		1 = Yes	1367	5.16
		2 = No	1640	6.19
		89 = LEGITIMATE SKIP Logically assigned	847	3.20
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	131	0.49
		99 = LEGITIMATE SKIP	22501	84.94
HE-3. Have you ever had trouble with pain, discomfort or pressure in your chest when you walked fast or uphill?				
WALKPAIN	2	EVER HAD PAIN IN CHEST FROM EXERTION		
		1 = Yes	3194	12.06
		2 = No	23198	87.58
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	94	0.35
HE-4. Have you ever had severe pain across the front of your chest that lasted for a half hour or more?				
TIMEPAIN	2	EVER HAD SEVERE CHEST PAIN LASTING 1/2 HR OR MORE		
		1 = Yes	1208	4.56
		2 = No	25113	94.81
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	165	0.62

HEALTH CONDITIONS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
		HE-5. Have you ever had shortness of breath either when hurrying on level ground or walking up a slight hill?		
UPSHOR	2	EVER HAD SHORTNESS OF BREATH FROM EXERTION		
		1 = Yes	6039	22.80
		2 = No	20308	76.67
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	138	0.52
		HE-6. Have you ever been told by a doctor that you had a lung or chest condition such as emphysema, asthma, chronic bronchitis, pneumonia, pleurisy or TB?		
ASTHMA	2	EVER DIAGNOSED AS HAVING LUNG/CHEST CONDITION		
		1 = Yes	4073	15.38
		2 = No	22334	84.31
		94 = DON'T KNOW	6	0.02
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	72	0.27
		HE-7. Have you ever been treated for psychological or emotional difficulties?		
TRPSYCH	2	EVER TREATED FOR PSYCHOLOGICAL/EMOTIONAL CONDITION		
		1 = Yes	2108	7.96
		2 = No	24269	91.62
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	105	0.40
		HE-8. Have you ever been told by a doctor that you had a heart condition or heart problem?		
HEART	2	EVER DIAGNOSED AS HAVING HEART CONDITION/PROBLEM		
		1 = Yes	1471	5.55
		2 = No	24922	94.08
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	16	0.06
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	77	0.29

HEALTH CONDITIONS				
LABEL	LEN	DESCRIPTION	FREQ	%
		HE-9. Do you seem to get a bad cold or the flu every year?		
FLU	2	GET BAD COLD OR FLU EVERY YEAR		
		1 = Yes	11509	43.45
		2 = No	14901	56.25
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	74	0.28
		HE-10. Do you have hay fever?		
ALLERG	2	HAS HAY FEVER		
		1 = Yes	5324	20.10
		2 = No	21022	79.36
		94 = DON'T KNOW	20	0.08
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	118	0.45
		HE-11. Have you been hospitalized overnight because of injury or illness in the past 12 months?		
HOSPYR	2	HOSPITALIZED OVERNIGHT FOR INJURY/ILLNESS PAST YR		
		1 = Yes	1792	6.77
		2 = No	24600	92.87
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	94	0.35
		HE-12. Have you had a sore throat lasting three days or more in the past 12 months?		
SOREYR	2	HAD SORE THROAT LASTING 3 OR MORE DAYS IN PAST YR		
		1 = Yes	9574	36.14
		2 = No	16805	63.44
		94 = DON'T KNOW	8	0.03
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	98	0.37

LABEL	LEN	DESCRIPTION	FREQ	
HEALTH CONDITIONS				
HE-13. Have you had a runny nose lasting three days or more in the past 12 months?				
RUNNYR	2	HAD RUNNY NOSE LASTING 3 OR MORE DAYS IN PAST YEAR		
		1 = Yes	12582	47.50
		2 = No	13784	52.04
		94 = DON'T KNOW	3	0.01
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	116	0.44
HE-14. Have you had a cough lasting almost a week, three or more times in the past 12 months?				
COUGHYR	2	HAD COUGH LASTING ABOUT A WK 3/MORE TIMES PAST YR		
		1 = Yes	4966	18.75
		2 = No	21399	80.78
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	117	0.44
HE-15. Have you had a period of cough with phlegm, lasting for three weeks or more, in the past 12 months?				
PHLEGMYR	2	HAD COUGH W/PHLEGM LASTING 3 OR MORE WEEKS PAST YR		
		1 = Yes	2277	8.60
		2 = No	23763	89.71
		96 = MULTIPLE RESPONSE	5	0.02
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	441	1.66
HE-16. Would you describe your health for the past 12 months as... (READ ANSWER CHOICES)				
HEALTHYR	2	HEALTH FOR PAST 12 MONTHS		
		1 = Excellent	6865	25.92
		2 = Very good	10229	38.62
		3 = Good	6660	25.14
		4 = Fair	2307	8.71
		5 = Poor	310	1.17
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	18	0.07
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	95	0.36

HEALTH CONDITIONS				
LABEL	LEN	DESCRIPTION	FREQ	
.....
		HE-17. Please tell me how often you felt this way during the past week--rarely or none of the time, some or a little of the time, occasionally or a moderate amount of the time, or most or all of the time. Just tell me the number from this card.		
FLTEAT	2	DID NOT FEEL LIKE EATING; APPETITE POOR PAST WK		
		1 = Rarely or none of the time (less than a day)	20749	78.33
		2 = Some or a little of the time (1-2 days)	3687	13.92
		3 = Occasion. or a moderate amount of time (3-4 days)	1400	5.29
		4 = Most or all of the time (5-7 days)	559	2.11
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	87	0.33
FLTMIND	2	HAD TRBL KEEPING MIND ON WHAT I WAS DOING PAST WK		
		1 = Rarely or none of the time (less than a day)	18188	68.66
		2 = Some or a little of the time (1-2 days)	5639	21.29
		3 = Occasion. or a moderate amount of time (3-4 days)	1750	6.61
		4 = Most or all of the time (5-7 days)	798	3.01
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	7	0.03
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	99	0.37
FLTDEPRS	2	FELT DEPRESSED PAST WK		
		1 = Rarely or none of the time (less than a day)	19395	73.22
		2 = Some or a little of the time (1-2 days)	4634	17.49
		3 = Occasion. or a moderate amount of time (3-4 days)	1518	5.73
		4 = Most or all of the time (5-7 days)	804	3.04
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	126	0.48
FLTEFFRT	2	FELT EVERYTHING I DID WAS AN EFFORT PAST WK		
		1 = Rarely or none of the time (less than a day)	17790	67.16
		2 = Some or a little of the time (1-2 days)	4604	17.38
		3 = Occasion. or a moderate amount of time (3-4 days)	2015	7.61
		4 = Most or all of the time (5-7 days)	1942	7.33
		94 = DON'T KNOW	4	0.02
		96 = MULTIPLE RESPONSE	5	0.02
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	123	0.46

HEALTH CONDITIONS				
LABEL	LEN	DESCRIPTION	FREQ	%
FLTSLEEP	2	MY SLEEP WAS RESTLESS PAST WK		
		1 = Rarely or none of the time (less than a day)	17217	65.00
		2 = Some or a little of the time (1-2 days)	5551	20.96
		3 = Occasion. or a moderate amount of time (3-4 days)	2174	8.21
		4 = Most or all of the time (5-7 days)	1400	5.29
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	10	0.04
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	129	0.49
FLTSAD	2	FELT SAD PAST WK		
		1 = Rarely or none of the time (less than a day)	18611	70.26
		2 = Some or a little of the time (1-2 days)	5387	20.34
		3 = Occasion. or a moderate amount of time (3-4 days)	1495	5.64
		4 = Most or all of the time (5-7 days)	872	3.29
		94 = DON'T KNOW	3	0.01
		96 = MULTIPLE RESPONSE	8	0.03
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	105	0.40
FLTGOING	2	COULD NOT GET "GOING" PAST WK		
		1 = Rarely or none of the time (less than a day)	18498	69.83
		2 = Some or a little of the time (1-2 days)	5408	20.42
		3 = Occasion. or a moderate amount of time (3-4 days)	1574	5.94
		4 = Most or all of the time (5-7 days)	901	3.40
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	100	0.38

DEMOGRAPHICS			
LABEL	LEN	DESCRIPTION	FREQ
-----	----	-----	----
		DEMOGRAPHICS	

		3. Which of the following best describe your current marital status. Are you ...	
MARITAL	2	EDITED MARITAL STATUS	
		1 = Married	8391 31.68
		2 = Widowed	494 1.86
		3 = Divorced or separated	2674 10.09
		4 = Has never married	10938 41.29
		85 = BAD DATA Logically assigned	160 0.60
		89 = LEGITIMATE SKIP Logically assigned	1876 7.08
		96 = MULTIPLE RESPONSE	4 0.02
		97 = REFUSED	7 0.03
		98 = BLANK (NO ANSWER)	231 0.87
		99 = LEGITIMATE SKIP	1714 6.47
		4. How many times have you been married?	
NOMARR	2	# TIMES MARRIED	
		RANGE = 1 - 7	10900 41.15
		85 = BAD DATA Logically assigned	30 0.11
		89 = LEGITIMATE SKIP Logically assigned	42 0.16
		94 = DON'T KNOW	1 0.00
		97 = REFUSED	12 0.05
		98 = BLANK (NO ANSWER)	1018 3.84
		99 = LEGITIMATE SKIP	14486 54.69

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	-
		5. Please look at this card and tell me which of the statements describes your present work situation. (CIRCLE THE LOWEST CODE THAT APPLIES)		
WORKSTAT	2	PRESENT WORK SITUATION		
		1 = Working full-time, 35 hours or more a week	11180	42.21
		2 = Working part-time, less than 35 hours a week	3074	11.60
		3 = Have job but out: illness/leave/furlough/strike ..	133	0.50
		4 = Unemployed or laid off and looking for work	1356	5.12
		5 = Unemployed and not looking for work	634	2.39
		6 = Full-time homemaker only	1971	7.44
		7 = In school only	6816	25.73
		8 = Retired	582	2.20
		9 = Disabled, not able to work	436	1.65
		21 = Working full time, 35 hours or more a week	8	0.03
		22 = Working part time, less than 35 hours a week	41	0.15
		23 = Have a job but out: illness/leave/furlough/strike	13	0.05
		24 = Unemployed or laid off and looking for work	4	0.02
		25 = Unemployed and not looking for work	4	0.02
		26 = Full-time homemaker	8	0.03
		27 = In school only	29	0.11
		28 = Retired	4	0.02
		29 = Disabled, not able to work	5	0.02
		30 = Other, in labor force	57	0.22
		31 = Other, not in the labor force	35	0.13
		85 = BAD DATA Logically assigned	4	0.01
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	87	0.33
		6. In what month and year did you last work for pay?		
PAYMO	2	MONTH LAST WORKED FOR PAY		
		RANGE = 1 - 12	5596	21.13
		89 = LEGITIMATE SKIP Logically assigned	1592	6.01
		91 = NEVER WORKED FOR PAY	5838	22.04
		94 = DON'T KNOW	269	1.02
		97 = REFUSED	22	0.08
		98 = BLANK (NO ANSWER)	377	1.42
		99 = LEGITIMATE SKIP	12795	48.30
PAYYR	3	YEAR (19__) LAST WORKED FOR PAY		
		RANGE = 25 - 93	5981	22.58
		985 = BAD DATA Logically assigned	10	0.04
		989 = LEGITIMATE SKIP Logically assigned	1580	5.96
		991 = NEVER WORKED FOR PAY	5838	22.04
		994 = DON'T KNOW	42	0.16
		997 = REFUSED	21	0.08
		998 = BLANK (NO ANSWER)	210	0.79
		999 = LEGITIMATE SKIP	12807	48.35

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
		11. How many different jobs have you had in the past 5 years?		
NO5JOB	2	# OF JOBS LAST 5 YEARS		
		RANGE = 0 - 89	20056	75.71
		94 = DON'T KNOW	14	0.05
		95 = BAD DATA	1	0.00
		97 = REFUSED	33	0.12
		98 = BLANK (NO ANSWER)	555	2.10
		99 = LEGITIMATE SKIP	5830	22.01
		12. During the last 30 days, how many whole days of work did you miss because you were sick or injured?		
WORKDAYS	2	# DAYS MISSED WORK DUE TO ILL/INJURY LAST 30 DAYS		
		RANGE = 0 - 31	14245	53.78
		89 = LEGITIMATE SKIP Logically assigned	6747	25.47
		94 = DON'T KNOW	2	0.01
		95 = BAD DATA	1	0.00
		97 = REFUSED	16	0.06
		98 = BLANK (NO ANSWER)	218	0.82
		99 = LEGITIMATE SKIP	5260	19.86
		13. During the last 30 days, how many whole days of work did you miss because you just didn't want to be there?		
WORKBLAH	2	# DAYS SKIPPED WORK LAST 30 DAYS		
		RANGE = 0 - 30	14225	53.70
		89 = LEGITIMATE SKIP Logically assigned	6723	25.38
		94 = DON'T KNOW	3	0.01
		95 = BAD DATA	1	0.00
		97 = REFUSED	15	0.06
		98 = BLANK (NO ANSWER)	238	0.90
		99 = LEGITIMATE SKIP	5284	19.95
		14. Who is considered to be the chief wage earner or source of income in this household?		
CWE	2	CHIEF WAGE EARNER IN HOUSEHOLD		
		1 = Respondent	6087	22.98
		2 = Someone else (see CWESCs)	13447	50.76
		3 = Income contributed equally by R and (see CWESCs) ..	1697	6.41
		4 = No one	810	3.06
		6 = Some one else (see CWESCs) LOGICALLY ASSIGNED	575	2.17
		7 = Inc. from R & other(s) equally (see CWESCs) LOG AS	25	0.09
		89 = LEGITIMATE SKIP Logically assigned	2831	10.69
		94 = DON'T KNOW	10	0.04
		97 = REFUSED	11	0.04
		98 = BLANK (NO ANSWER)	168	0.63
		99 = LEGITIMATE SKIP	828	3.13

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	t
CWESC1	2	REL. OF CHIEF WAGE EARNER TO RESPONDENT - 1ST MENT		
		9 = Head of Household	24	0.09
		10 = Spouse	209	0.79
		20 = Parent/Guardian	8	0.03
		50 = Grandparent/Great+ Grandparent	1	0.00
		60 = Live-In Partner	67	0.25
		61 = Friend/Roommate/Companion	384	1.45
		71 = Cousin	42	0.16
		85 = Landlord/Home Owner	2	0.01
		91 = Other Non-Relative, Gender not specified	15	0.06
		92 = Other, Relation and Gender Unspecified	4	0.02
		109 = Male Head of Household	4	0.02
		110 = Husband	3491	13.18
		111 = Ex-Husband	3	0.01
		120 = Father/Male Guardian	5147	19.43
		121 = Step/Adopted/Foster Father	285	1.08
		122 = Father In-Law/Step Father In-Law	33	0.12
		130 = Son	40	0.15
		132 = Son In-Law	11	0.04
		133 = Grandson	2	0.01
		140 = Brother/Half Brother	179	0.68
		141 = Step/Adopted/Foster Brother	2	0.01
		142 = Brother In-Law	66	0.25
		150 = Grandfather/Great+ Grandfather	104	0.39
		160 = Male Live-In Partner	5	0.02
		161 = Male Fiance/Boyfriend/Roommate/Companion	208	0.79
		170 = Uncle	96	0.36
		171 = Male Cousin	1	0.00
		181 = Other Male God Relative	2	0.01
		190 = Other Male Relative	1	0.00
		191 = Other Male Non-Relative	16	0.06
		192 = Other Male, Relation Unspecified	3	0.01
		210 = Wife	571	2.16
		220 = Mother/Female Guardian	3324	12.55
		221 = Step/Adopted/Foster Mother	14	0.05
		222 = Mother In-Law/Step Mother In-Law	15	0.06
		230 = Daughter	48	0.18
		231 = Step/Adopted/Foster Daughter	1	0.00
		232 = Daughter In-Law	2	0.01
		240 = Sister/Half Sister	138	0.52
		241 = Step/Adopted/Foster Sister	1	0.00
		242 = Sister In-Law	5	0.02
		250 = Grandmother/Great+ Grandmother	218	0.82
		260 = Female Live-In Partner	1	0.00
		261 = Female Fiancee/Girlfriend/Roommate/Companion	82	0.31
		270 = Aunt	84	0.32
		271 = Female Cousin	1	0.00
		272 = Niece	1	0.00
		285 = Female Landlord/Home Owner	1	0.00
		291 = Other Female Non-Relative	5	0.02
		292 = Other Female, Relation Unspecified	1	0.00
		315 = In-Laws	3	0.01
		320 = Parents/Guardians	125	0.47
		350 = Grandparents/Great+ Grandparents	13	0.05

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
		361 = Friends/Roommates/Companions	43	0.16
		371 = Cousins	1	0.00
		390 = Other Relatives, Gender not specified	6	0.02
		392 = Others, Relation and Gender Unspecified	6	0.02
		430 = Sons	2	0.01
		442 = Brothers In-Law	1	0.00
		540 = Sisters/Half Sisters	4	0.02
		985 = BAD DATA Logically assigned	3	0.01
		994 = DON'T KNOW	2	0.01
		997 = REFUSED	11	0.04
		998 = BLANK (NO ANSWER)	740	2.79
		999 = LEGITIMATE SKIP	10561	39.87
CWESC2	2	REL. OF CHIEF WAGE EARNER TO RESPONDENT - 2ND MENT		
		20 = Parent/Guardian	1	0.00
		60 = Live-In Partner	2	0.01
		61 = Friend/Roommate/Companion	4	0.02
		92 = Other, Relation and Gender Unspecified	2	0.01
		110 = Husband	4	0.02
		120 = Father/Male Guardian	125	0.47
		121 = Step/Adopted/Foster Father	13	0.05
		140 = Brother/Half Brother	4	0.02
		142 = Brother In-Law	2	0.01
		150 = Grandfather/Great+ Grandfather	2	0.01
		161 = Male Fiance/Boyfriend/Roommate/Companion	4	0.02
		170 = Uncle	2	0.01
		191 = Other Male Non-Relative	2	0.01
		210 = Wife	4	0.02
		220 = Mother/Female Guardian	53	0.20
		221 = Step/Adopted/Foster Mother	2	0.01
		230 = Daughter	1	0.00
		240 = Sister/Half Sister	4	0.02
		242 = Sister In-Law	1	0.00
		250 = Grandmother/Great+ Grandmother	2	0.01
		270 = Aunt	4	0.02
		291 = Other Female Non-Relative	1	0.00
		315 = In-Laws	1	0.00
		392 = Others, Relation and Gender Unspecified	1	0.00
		540 = Sisters/Half Sisters	1	0.00
		997 = REFUSED	11	0.04
		998 = BLANK (NO ANSWER)	15675	59.18
		999 = LEGITIMATE SKIP	10561	39.87
		15. Does (he/she) work ...		
FULLPART	2	WORK STATUS OF CHIEF WAGE EARNER		
		1 = Full-time	13165	49.70
		2 = Part-time	703	2.65
		3 = Chief source of income does not work	2039	7.70
		89 = LEGITIMATE SKIP Logically assigned	128	0.48
		94 = DON'T KNOW	23	0.09
		97 = REFUSED	18	0.07
		98 = BLANK (NO ANSWER)	341	1.29
		99 = LEGITIMATE SKIP	10072	38.02

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	---	-----	----	-
		20. What is the last grade or year that you completed in school?		
EDUC	2	LAST GRADE COMPLETED IN SCHOOL		
		0 = No schooling	61	0.23
		1 = First Grade	29	0.11
		2 = Second grade	52	0.20
		3 = Third grade	90	0.34
		4 = Fourth grade	107	0.40
		5 = Fifth grade	459	1.73
		6 = Sixth grade	1502	5.67
		7 = Seventh Grade	1391	5.25
		8 = Eighth grade	1660	6.27
		9 = Ninth grade	1781	6.72
		10 = Tenth grade	2042	7.71
		11 = Eleventh grade	2226	8.40
		12 = Twelfth grade	6654	25.12
		13 = One year college	1585	5.98
		14 = 2 years college	2261	8.54
		15 = 3 years college	837	3.16
		16 = 4 years college	2338	8.83
		17 = Graduate/professional school	1321	4.99
		98 = BLANK (NO ANSWER)	93	0.35

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		21. Have you graduated from high school?		
GRADHS	2	GRADUATED FROM HIGH SCHOOL		
		1 = Yes	6404	24.18
		2 = No	11187	42.23
		4 = No LOGICALLY IMPUTED (from DIPLOMA)	150	0.57
		89 = LEGITIMATE SKIP Logically assigned	2019	7.62
		97 = REFUSED	9	0.03
		98 = BLANK (NO ANSWER)	464	1.75
		99 = LEGITIMATE SKIP	6256	23.62
		22. Have you received a high school diploma or a GED certificate of high school completion?		
DIPLOMA	2	EVIDENCE OF HIGH SCHOOL COMPLETION		
		1 = High school diploma	6191	23.37
		2 = GED certificate	922	3.48
		3 = Neither of the above	5978	22.57
		89 = LEGITIMATE SKIP Logically assigned	3342	12.62
		97 = REFUSED	9	0.03
		98 = BLANK (NO ANSWER)	441	1.66
		99 = LEGITIMATE SKIP	9606	36.26
		23. Are you now enrolled in any kind of school?		
ENROLLD	2	NOW ENROLLED IN ANY SCHOOL		
		1 = Yes	10113	38.18
		2 = No	16119	60.85
		3 = Yes LOGICALLY IMPUTED	102	0.39
		4 = No LOGICALLY IMPUTED	91	0.34
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	57	0.22
		24. Do you have plans to enroll in any kind of school in the future, or have you completed all the schooling you expect to get?		
SCHPLANS	2	PLANS FOR FUTURE SCHOOLING		
		1 = Has plans to enroll in a school in future	8653	32.67
		2 = Has completed all schooling	7411	27.98
		89 = LEGITIMATE SKIP Logically assigned	392	1.48
		94 = DON'T KNOW	58	0.22
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	144	0.54
		99 = LEGITIMATE SKIP	9823	37.08

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		25. Which of the following best describes your student status now? Are you...?		
STUDENT	2	STUDENT STATUS NOW		
		1 = A full-time student	8402	31.72
		2 = A part-time student	1632	6.16
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	234	0.88
		99 = LEGITIMATE SKIP	16209	61.19
		26. During the last month of school, how many whole days did you miss because you were sick or injured?		
SCHDAYS	2	# OF DAYS MISSED SCHOOL DUE TO ILL/INJURY LAST MO		
		RANGE = 0 - 31	9970	37.64
		89 = LEGITIMATE SKIP Logically assigned	11	0.04
		94 = DON'T KNOW	11	0.04
		95 = BAD DATA	1	0.00
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	288	1.09
		99 = LEGITIMATE SKIP	16200	61.1f
		27. During the last month of school, how many whole days did you miss because you skipped or "cut" or just didn't want to be there?		
SKIPPED	2	# DAYS SKIPPED SCHOOL LAST MONTH		
		RANGE = 0 - 31	9948	37.56
		89 = LEGITIMATE SKIP Logically assigned	14	0.05
		94 = DON'T KNOW	7	0.03
		97 = REFUSED	9	0.03
		98 = BLANK (NO ANSWER)	314	1.19
		99 = LEGITIMATE SKIP	16197	61.15

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		28. During a typical week, how many total miles would you estimate you usually drive a motor vehicle, such as a car, truck, or motorcycle?		
MILES	5	# MILES RESPONDENT DRIVES IN A TYPICAL WEEK		
		RANGE = 0 - 21000	18221	68.79
		99989 = LEGITIMATE SKIP Logically assigned	899	3.39
		99991 = HAS NEVER DRIVEN A MOTOR VEHICLE	4275	16.14
		99994 = DON'T KNOW	76	0.29
		99997 = REFUSED	12	0.05
		99998 = BLANK (NO ANSWER)	315	1.19
		99999 = LEGITIMATE SKIP	2691	10.16
		29. During the past 12 months, have you had an accident while you were driving a motor vehicle, whether or not you were responsible?		
ACCID	2	HAD MOTOR VEHICLE ACCIDENT IN PAST 12 MONTHS		
		1 = Yes	1924	7.26
		2 = No	15720	59.35
		3 = Did not drive in past 12 months	573	2.16
		89 = LEGITIMATE SKIP Logically assigned	344	1.30
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	9	0.03
		97 = REFUSED	11	0.04
		98 = BLANK (NO ANSWER)	385	1.45
		99 = LEGITIMATE SKIP	7521	28.39
		32. Altogether, how many people live here, including yourself?		
TOTPEOP	2	# OF RESIDENTS IN HOUSEHOLD		
		RANGE = 1 - 18	26385	99.61
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	100	0.38

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		33. Now, I need to know the relationship to you of the other person(s) who live(s) here.		
		33a-33l. (Does your/Do any of your/Do either of your/Do any other/Are there) (RELATIONSHIP(s)) (live here/living here/living here now)?		
		34. How many (EACH RELATIONSHIP IN Q.33) live here now?		
MOTHER	2	MOTHER OF RESPONDENT RESIDES IN HOUSEHOLD		
		0 = No	16499	62.29
		1 = Yes	9770	36.88
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	215	0.81
FATHER	2	FATHER OF RESPONDENT RESIDES IN HOUSEHOLD		
		0 = No	19848	74.93
		1 = Yes	6402	24.17
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	234	0.88
STEPMOM	2	STEPMOTHER OF RESPONDENT RESIDES IN HOUSEHOLD		
		0 = No	26065	98.40
		1 = Yes	174	0.66
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	245	0.92
STEPDAD	2	STEPFATHER OF RESPONDENT RESIDES IN HOUSEHOLD		
		0 = No	25536	96.40
		1 = Yes	705	2.66
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	242	0.91
SPOUSE	2	SPOUSE/LIVE-IN PARTNER OF RESP RESIDES IN HSEHOLD		
		0 = No	16955	64.01
		1 = Yes	9294	35.09
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	233	0.88
INLAW	2	# PARENT(S)-IN-LAW OF RESP RESIDES IN HOUSEHOLD		
		RANGE = 1 - 2	240	0.91
		0 = None	25993	98.13
		93 = RELATIONSHIP SPECIFIED, NO COUNT RECORDED	6	0.02
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	244	0.92

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
OWNCHILD	2	# BIOLOGICAL CHILDREN OF RESP RESIDES IN HOUSEHOLD		
		RANGE = 1 - 13	9112	34.40
		0 = None	17131	64.67
		93 = RELATIONSHIP SPECIFIED, NO COUNT RECORDED	12	0.05
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	227	0.86
STEPCHLD	2	# ADOPTED/STEPCHILDREN OF RESP RESIDES IN HOUSEHOL		
		RANGE = 1 - 6	432	1.63
		0 = None	25803	97.41
		93 = RELATIONSHIP SPECIFIED, NO COUNT RECORDED	6	0.02
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	241	0.91
BROSIS	2	# BROTHERS/SISTERS OF RESP RESIDES IN HOUSEHOLD		
		RANGE = 1 - 12	7854	29.65
		0 = None	18408	69.49
		93 = RELATIONSHIP SPECIFIED, NO COUNT RECORDED	12	0.05
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	209	0.79
OTHREL	2	# OTHER RELATIVES OF RESP RESIDES IN HOUSEHOLD		
		RANGE = 1 - 14	3041	11.48
		0 = None	23194	87.56
		93 = RELATIONSHIP SPECIFIED, NO COUNT RECORDED	15	0.06
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	231	0.87
FRIENDS	2	# FRIENDS/ROOMMATES OF RESP RESIDES IN HOUSEHOLD		
		RANGE = 1 - 9	1870	7.06
		0 = None	24355	91.94
		93 = RELATIONSHIP SPECIFIED, NO COUNT RECORDED	16	0.06
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	242	0.91
OTHERNON	2	# OTHER PEOPLE UNRELATD TO RESP RESIDES IN HOUSEHL		
		RANGE = 1 - 11	563	2.13
		0 = None	25672	96.92
		93 = RELATIONSHIP SPECIFIED, NO COUNT RECORDED	8	0.03
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	240	0.91

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	---	-----	----	-
		35. Are there any of your family members who lived here for six months or more in the past year, who are now living somewhere else?		
MOVDAWAY	2	ANY RESIDENT FOR 6 MONTHS IN PAST YEAR NOW MOVED		
		1 = Yes	817	3.08
		2 = No	24490	92.45
		3 = Yes LOGICALLY IMPUTED	11	0.04
		4 = No LOGICALLY IMPUTED	1018	3.84
		94 = DON'T KNOW	4	0.02
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	143	0.54
		36. How many of these persons who used to live here (for most of the past year) are now living in a... (READ ALL CATEGORIES.)		
DORM	2	# OF FORMER RESIDENTS NOW LIVING AT COLLEGE		
		RANGE = 0 - 4	1723	6.50
		94 = DON'T KNOW	6	0.02
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	265	1.00
		99 = LEGITIMATE SKIP (MOVDAWAY=2)	24488	92.45
MILBASE	2	# OF FORMER RESIDENTS NOW LIVING ON MILITARY BASE		
		RANGE = 0 - 2	1722	6.50
		94 = DON'T KNOW	6	0.02
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	266	1.00
		99 = LEGITIMATE SKIP (MOVDAWAY=2)	24488	92.45
HOSP	2	# OF FORMR RESDNTS NOW LVNG IN JAIL,HOSP,OTHR INST		
		RANGE = 0 - 2	1719	6.49
		94 = DON'T KNOW	6	0.02
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	269	1.02
		99 = LEGITIMATE SKIP (MOVDAWAY=2)	24488	92.45
OTHGPH	2	# OF FORMR RESDNTS NOW LIVING IN OTHR GRP HOUSING		
		RANGE = 0 - 10	1721	6.50
		85 = BAD DATA Logically assigned	4	0.02
		94 = DON'T KNOW	8	0.03
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	261	0.99
		99 = LEGITIMATE SKIP (MOVDAWAY=2)	24488	92.45

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
OTHGPHSP	2	OTHR GRP HOUSING (SPECIFIED) WHERE FORMR RSDNTS LIV		
		1 = Own dwelling	58	0.22
		2 = Married	6	0.02
		3 = (Moved to) another dwelling, ownership not specified	70	0.26
		4 = (Moved to) apartment, ownership not specified	73	0.28
		7 = Foster home	1	0.00
		8 = Nursing home/home for handicapped/retirement home	9	0.03
		9 = Died	3	0.01
		10 = Lives out of state/city/county	3	0.01
		11 = Staying/living with a friend	7	0.03
		12 = Moved away for job or job training(incl. military)	4	0.02
		14 = Overseas/out of country	11	0.04
		15 = Lives with mother/father/relatives	27	0.10
		17 = With other children in school group housing	2	0.01
		18 = Group housing in college	2	0.01
		20 = Hotel	1	0.00
		21 = Group home/halfway house/shelter/tx. or rehab. ...	6	0.02
		85 = BAD DATA Logically assigned	4	0.02
		94 = DON'T KNOW	11	0.04
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	291	1.10
		99 = LEGITIMATE SKIP	25893	97.75

37. Have you ever been in the armed forces?

SERVICE	2	EVER SERVED IN ARMED FORCES		
		1 = Yes	1557	5.88
		2 = No	18784	70.91
		3 = Yes LOGICALLY IMPUTED	27	0.10
		89 = LEGITIMATE SKIP Logically assigned	1090	4.11
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	205	0.77
		99 = LEGITIMATE SKIP	4821	18.20

38. Are you... (READ ANSWER CHOICES)

MILSTAT	2	CURRENT MILITARY STATUS		
		2 = In a Reserves component	147	0.55
		3 = Separated/retired from Reserves or active duty ...	1406	5.31
		89 = LEGITIMATE SKIP Logically assigned	5	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	236	0.89
		99 = LEGITIMATE SKIP	24690	93.21

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		39. How many different telephone numbers do you have in this household? Don't count business numbers or extensions with the same number.		
TELNO	2	# OF TELEPHONE NUMBERS IN HOUSEHOLD		
		RANGE = 0 - 8	26298	99.28
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	21	0.08
		98 = BLANK (NO ANSWER)	169	0.64
		40. How many times in the past five years have you moved?		
MOVES	2	# OF TIMES MOVED PAST 5 YEARS		
		RANGE = 0 - 30	26049	98.34
		94 = DON'T KNOW	19	0.07
		97 = REFUSED	15	0.06
		98 = BLANK (NO ANSWER)	406	1.53
		The variable, NOFAMRES, indicates whether the respondent has other relatives living in the household, based on the household roster in the questionnaire (i.e., Q.33 & Q.34).		
NOFAMRES	2	RELATIVES RESIDENT IN HOUSEHOLD		
		0 = Some relative(s) do(es) or may reside in household	23105	87.22
		1 = No relative resides in household	3384	12.78
		44. Is there some other family member who lives here that you think would be better able to give me the correct information about your health insurance coverage and the kinds of income you receive?		
PROXABLE	2	OTHR FMLY MEMBR ABLE TO GIVE INFO ON HLTH INS/INCM		
		1 = Yes	5737	21.66
		2 = No	16821	63.50
		3 = Yes LOGICALLY IMPUTED	121	0.46
		89 = LEGITIMATE SKIP Logically assigned	2760	10.42
		96 = MULTIPLE RESPONSE	5	0.02
		97 = REFUSED	9	0.03
		98 = BLANK (NO ANSWER)	412	1.56
		99 = LEGITIMATE SKIP	624	2.36

DEMOGRAPHICS			
LABEL	LEN	DESCRIPTION	FREQ
-----	----	-----	----
		45. Who is the person you think can help us get better information for these questions?	
PROXYREL	2	RELATN TO R OF PERSON ABLE TO GIVE INFO ON NEXT Q'S	
		1 = Respondent's spouse/live-in partner	205 0.77
		2 = Respondent's father	1158 4.37
		3 = Respondent's mother	3517 13.28
		4 = Respondent's brother	46 0.17
		5 = Respondent's sister	92 0.35
		6 = Other family member, relation not specified	6 0.02
		20 = Parent/Guardian	5 0.02
		50 = Grandparent/Great+ Grandparent	2 0.01
		60 = Live-In Partner	2 0.01
		61 = Friend/Roommate/Companion	6 0.02
		71 = Cousin	5 0.02
		91 = Other Non-Relative, Gender not specified	3 0.01
		110 = Husband	3 0.01
		120 = Father/Male Guardian	3 0.01
		121 = Step/Adopted/Foster Father	35 0.13
		130 = Son	3 0.01
		132 = Son In-Law	1 0.00
		142 = Brother In-Law	2 0.01
		150 = Grandfather/Great+ Grandfather	24 0.09
		170 = Uncle	18 0.07
		210 = Wife	2 0.01
		220 = Mother/Female Guardian	22 0.08
		221 = Step/Adopted/Foster Mother	21 0.08
		230 = Daughter	14 0.05
		231 = Step/Adopted/Foster Daughter	1 0.00
		232 = Daughter In-Law	1 0.00
		240 = Sister/Half Sister	2 0.01
		242 = Sister In-Law	4 0.02
		250 = Grandmother/Great+ Grandmother	131 0.49
		261 = Female Fiancee/Girlfriend/Roommate/Companion	1 0.00
		270 = Aunt	49 0.18
		291 = Other Female Non-Relative	1 0.00
		321 = Step/Adopted/Foster Parents	1 0.00
		350 = Grandparents/Great+ Grandparents	3 0.01
		989 = LEGITIMATE SKIP Logically assigned	3385 12.78
		996 = MULTIPLE RESPONSE	40 0.15
		997 = REFUSED	9 0.03
		998 = BLANK (NO ANSWER)	846 3.19
		999 = LEGITIMATE SKIP	16820 63.50

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	----
		46. Is your (RELATIVE FROM Q.45) here at home now?		
PROXHOME	2	RELATIVE FROM PROXYREL HERE AT HOME NOW		
		1 = Yes	4990	18.84
		2 = No	439	1.66
		3 = Yes LOGICALLY IMPUTED	95	0.36
		89 = LEGITIMATE SKIP Logically assigned	29	0.11
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	752	2.84
		99 = LEGITIMATE SKIP	20176	76.17
		47. Would you ask your (RELATIVE FROM Q.45) to join us to help with these last few questions about health insurance and income?		
PROXJOIN	2	WOULD R ASK RELATIVE FROM PROXYREL TO JOIN US NOW		
		1 = Yes	4901	18.50
		2 = No	47	0.18
		89 = LEGITIMATE SKIP Logically assigned	65	0.25
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	10	0.04
		98 = BLANK (NO ANSWER)	885	3.34
		99 = LEGITIMATE SKIP	20579	77.69
		48. Several government programs provide medical care or help pay medical bills. People covered by Medicare have a card that looks like this. In (MONTH), (were you/was (SAMPLE MEMBER)) covered by Medicare? (Medicare is a health insurance program for persons 65 and older and for certain disabled persons.)		
MEDICARE	2	COVERED BY MEDICARE LAST FULL CALENDAR MONTH (LFCM)		
		1 = Yes	1099	4.15
		2 = No	25163	94.99
		94 = DON'T KNOW	33	0.12
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	15	0.06
		98 = BLANK (NO ANSWER)	175	0.66

		DEMOGRAPHICS			
LABEL	LEN	DESCRIPTION	FREQ		
		49. In (month), (were you/was (SAMPLE MEMBER)) covered by Medicaid or (MEDICAL ASSISTANCE/CAL.-KAN.-AZ.NAME)? (MEDICAID or (Medical Assistance/CAL.-KAN.-AZ.NAME) is a public assistance program that pays for medical care.)			
MEDICAID	2	COVERED BY MEDICAID LAST FULL CALENDAR MONTH (LFCM)			
		1 = Yes	2991	11.29	
		2 = No	23254	87.79	
		94 = DON'T KNOW	60	0.23	
		96 = MULTIPLE RESPONSE	2	0.01	
		97 = REFUSED	24	0.09	
		98 = BLANK (NO ANSWER)	158	0.60	
		50. In (MONTH), (were you/was (SAMPLE MEMBER)) covered by CHAMPUS, CHAMPVA, the VA, or military health care? (These programs cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.)			
CHAMPUS	2	COVERED BY CHAMPUS, CHAMPVA, VA, MIL HLTH CARE LFCM			
		1 = Yes	582	2.20	
		2 = No	25637	96.78	
		94 = DON'T KNOW	53	0.20	
		97 = REFUSED	22	0.08	
		98 = BLANK (NO ANSWER)	195	0.74	
		51. Health insurance can also be obtained through a current or former employer or union or by paying premiums directly to a private health insurance company or to a health maintenance organization. (Were you/Was (SAMPLE MEMBER)) covered by private health insurance or by membership in a health maintenance organization (you/(s)he/someone in the family) purchased this way or by health insurance provided by a current/former employer or union in (MONTH)?			
PRVHLTIN	2	COVERED BY PRIVATE HEALTH INSURANCE LFCM			
		1 = Yes	16184	61.10	
		2 = No	9800	37.00	
		3 = Yes LOGICALLY IMPUTED	286	1.08	
		94 = DON'T KNOW	106	0.40	
		97 = REFUSED	25	0.09	
		98 = BLANK (NO ANSWER)	88	0.33	

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
		52. Was (your/(SAMPLE MEMBER's)) private health insurance coverage provided by a plan in (your/(SAMPLE MEMBER's)) own name or in the name of some other family member?		
OWNHLTIN	2	PRIVATE PLAN IN OWN NAME OR FAMILY NAME LFCM		
		1 = Yes	15653	59.09
		2 = No	587	2.22
		3 = Yes LOGICALLY IMPUTED	119	0.45
		89 = LEGITIMATE SKIP Logically assigned	424	1.60
		94 = DON'T KNOW	113	0.43
		97 = REFUSED	26	0.10
		98 = BLANK (NO ANSWER)	191	0.72
		99 = LEGITIMATE SKIP	9376	35.40
		53. Was this private health insurance plan offered through (your/(SAMPLE MEMBERS's)) current or former employer or union or through the current or former employer or union of some other family member?		
GRPHLTIN	2	PRIVATE PLAN OFFERED BY YOUR/FAMILY EMPLOYER LFCM		
		1 = Yes	14643	55.28
		2 = No	973	3.67
		89 = LEGITIMATE SKIP Logically assigned	423	1.60
		94 = DON'T KNOW	121	0.46
		96 = MULTIPLE RESPONSE	5	0.02
		97 = REFUSED	27	0.10
		98 = BLANK (NO ANSWER)	333	1.26
		99 = LEGITIMATE SKIP	9964	37.62
		54. Did (your/(SAMPLE MEMBERS's)) private health insurance plan or health maintenance organization include coverage for treatment for any of the following conditions? (READ ALL CATEGORIES.)		
HLTINALC	2	PRIVATE PLAN COVERED ALCOHOL ABUSE LFCM		
		1 = Yes	9546	36.04
		2 = No	2569	9.70
		89 = LEGITIMATE SKIP Logically assigned	317	1.20
		94 = DON'T KNOW	4380	16.54
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	28	0.11
		98 = BLANK (NO ANSWER)	165	0.62
		99 = LEGITIMATE SKIP	9483	35.80

		DEMOGRAPHICS			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
HLTINDRG	2	PRIVATE PLAN COVERED DRUG ABUSE LFCM			
		1 = Yes		9483	35.80
		2 = No		2602	9.82
		89 = LEGITIMATE SKIP Logically assigned		316	1.19
		94 = DON'T KNOW		4404	16.63
		96 = MULTIPLE RESPONSE		1	0.00
		97 = REFUSED		28	0.11
		98 = BLANK (NO ANSWER)		171	0.65
		99 = LEGITIMATE SKIP		9484	35.80
HLTIMMNT	2	PRIVATE PLAN COVERED MENTAL DIFFICULTIES LFCM			
		1 = Yes		10280	38.81
		2 = No		2290	8.65
		89 = LEGITIMATE SKIP Logically assigned		317	1.20
		94 = DON'T KNOW		3917	14.79
		97 = REFUSED		28	0.11
		98 = BLANK (NO ANSWER)		174	0.66
		99 = LEGITIMATE SKIP		9483	35.80

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	
		(55.) WHO ANSWERED MOST OF THE QUESTIONS ABOUT (SAMPLE MEMBERS'S) HEALTH INSURANCE?		
WHOANSHI	2	WHO ANSWERED QUESTIONS ABOUT HEALTH INSURANCE		
		1 = Sample member	21150	79.84
		2 = Proxy, relationship to sample member not specified	654	2.47
		10 = Spouse	12	0.05
		20 = Parent/Guardian	6	0.02
		50 = Grandparent/Great+ Grandparent	1	0.00
		60 = Live-In Partner	3	0.01
		61 = Friend/Roommate/Companion	7	0.03
		71 = Cousin	7	0.03
		91 = Other Non-Relative, Gender not specified	3	0.01
		92 = Other, Relation and Gender Unspecified	1	0.00
		110 = Husband	83	0.31
		120 = Father/Male Guardian	912	3.44
		121 = Step/Adopted/Foster Father	48	0.18
		130 = Son	3	0.01
		132 = Son In-Law	2	0.01
		140 = Brother/Half Brother	42	0.16
		142 = Brother In-Law	1	0.00
		150 = Grandfather/Great+ Grandfather	20	0.08
		160 = Male Live-In Partner	1	0.00
		170 = Uncle	18	0.07
		191 = Other Male Non-Relative	1	0.00
		210 = Wife	54	0.20
		220 = Mother/Female Guardian	2961	11.18
		221 = Step/Adopted/Foster Mother	23	0.09
		230 = Daughter	14	0.05
		231 = Step/Adopted/Foster Daughter	1	0.00
		232 = Daughter In-Law	1	0.00
		240 = Sister/Half Sister	87	0.33
		242 = Sister In-Law	3	0.01
		250 = Grandmother/Great+ Grandmother	118	0.45
		261 = Female Fiancee/Girlfriend/Roommate/Companion	1	0.00
		270 = Aunt	45	0.17
		291 = Other Female Non-Relative	1	0.00
		320 = Parents/Guardians	3	0.01
		350 = Grandparents/Great+ Grandparents	2	0.01
		994 = DON'T KNOW	2	0.01
		996 = MULTIPLE RESPONSE	10	0.04
		997 = REFUSED	8	0.03
		998 = BLANK (NO ANSWER)	180	0.68

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		56. Now we would like to get some information about (your/(SAMPLE MEMBER's)) employment. Did you have a job or business in (MONTH)?		
JOB	2	HAVE A JOB IN (MONTH)		
		1 = Yes	14615	55.17
		2 = No	11517	43.48
		3 = Yes LOGICALLY IMPUTED	262	0.99
		4 = No LOGICALLY IMPUTED	1	0.00
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	11	0.04
		98 = BLANK (NO ANSWER)	82	0.31
		57. How many hours total did you work at all jobs in (MONTH)? (A typical full-time job requires 35 or more hours each week.)		
HOURS	3	TOTAL HOURS WORKED IN (MONTH)		
		RANGE = 1 - 480	14595	55.10
		985 = BAD DATA Logically assigned	114	0.43
		994 = DON'T KNOW	34	0.13
		997 = REFUSED	41	0.15
		998 = BLANK (NO ANSWER)	187	0.71
		999 = LEGITIMATE SKIP	11518	43.48
		58. Were you working for an employer or were you self-employed in (MONTH)? (Examples of self-employment include working in your own business, professional practice, or farm.)		
WORK	2	SELF-EMPLOYED OR WORKING FOR EMPLOYER		
		1 = Worked only for an employer	13251	50.02
		2 = Was self-employed only	1162	4.39
		3 = Self-employed and working for an employer	377	1.42
		4 = Did not work during the month	11337	42.80
		5 = Did work during the month LOGICALLY IMPUTED	228	0.86
		6 = Did not work during the month LOGICALLY IMPUTED ..	45	0.17
		98 = BLANK (NO ANSWER)	89	0.34
WAG1	2	PERSONALLY RECEIVED WAGES IN MONTH - RECODE		
		1 = Yes	14994	56.60
		2 = No	11382	42.97
		3 = Yes LOGICALLY IMPUTED	24	0.09
		97 = REFUSED	12	0.05
		98 = BLANK (NO ANSWER)	77	0.29

DEMOGRAPHICS			
LABEL	LEN	DESCRIPTION	FREQ
		59. How much income did you personally receive in (MONTH), before deductions, from all your jobs and from your own self-employment? Include any tips, bonuses, overtime pay, or commissions. For self-employment, report net income, after business expenses. (For farms, include any earnings as a tenant farmer or sharecropper.)	
AWAG1	6	INCOME RECEIVED FROM ALL JOBS AND SELF EMPLOYMENT	
		RANGE = 5 - 15000	12765 48.19
		999985 = BAD DATA Logically assigned	273 1.03
		999994 = DON'T KNOW	312 1.18
		999997 = REFUSED	1561 5.89
		999998 = BLANK (NO ANSWER)	196 0.74
		999999 = LEGITIMATE SKIP	11382 42.97
		60. Now think about the past 12 months, since (MONTH) of 1991 up to now. How many weeks in the past 12 months did you either have a job or were self-employed? (There were 52 weeks in that 12 months.) (If "NONE," ENTER ZERO.)	
WEEKS	2	# WEEKS LAST YEAR YOU WORKED	
		RANGE = 0 - 52	26115 98.5
		94 = DON'T KNOW	54 0.26
		97 = REFUSED	29 0.11
		98 = BLANK (NO ANSWER)	291 1.10
		61. Now, I would like for you to think about the month of (LAST FULL CALENDAR MONTH) again. In (MONTH), did (you/(SAMPLE MEMBER)) receive Social Security or Railroad Retirement payments? (Social Security checks are either automatically deposited in the bank or mailed to arrive on about the 3rd of every month. If mailed, they are sent in a gold-colored envelope.)	
SOC1	2	RECEIVED SS OR RR PAYMENTS	
		1 = Yes	1073 4.05
		2 = No	25261 95.36
		3 = Yes LOGICALLY IMPUTED	15 0.06
		4 = No LOGICALLY IMPUTED	2 0.01
		94 = DON'T KNOW	17 0.06
		97 = REFUSED	30 0.11
		98 = BLANK (NO ANSWER)	91 0.34

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		62. How much income did (you/(SAMPLE MEMBER)) receive in (MONTH) from Social Security or Railroad Retirement?		
ASOC1	6	AMOUNT OF INCOME RECEIVED FROM SS OR RR		
		RANGE = 40 - 2850	861	3.25
		999985 = BAD DATA Logically assigned	18	0.07
		999994 = DON'T KNOW	54	0.20
		999997 = REFUSED	174	0.66
		999998 = BLANK (NO ANSWER)	119	0.45
		999999 = LEGITIMATE SKIP	25263	95.37
		63. In (MONTH), did (you/(SAMPLE MEMBER)) receive Supplemental Security Income or SSI? (Federal SSI checks are either automatically deposited in the bank or mailed to arrive on the first of every month. If mailed, they are sent in a blue-colored envelope.)		
SSI1	2	RECEIVED MONEY FROM SSI		
		1 = Yes	443	1.67
		2 = No	25845	97.57
		3 = Yes LOGICALLY IMPUTED	14	0.05
		94 = DON'T KNOW	25	0.09
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	33	0.12
		98 = BLANK (NO ANSWER)	128	0.48
		64. How much income did (you/(SAMPLE MEMBER)) receive in (MONTH) from Supplemental Security Income or SSI?		
ASSI1	6	AMOUNT OF INCOME RECEIVED FROM SSI		
		RANGE = 36 - 1914	375	1.42
		999985 = BAD DATA Logically assigned	10	0.04
		999994 = DON'T KNOW	37	0.14
		999997 = REFUSED	79	0.30
		999998 = BLANK (NO ANSWER)	143	0.54
		999999 = LEGITIMATE SKIP	25845	97.57

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
		65. In (MONTH), did (you/(SAMPLE MEM- BER)) receive public assistance or welfare payments from the State or local welfare office? Do not include SSI.		
PUB1	2	RECEIVED PUBLIC ASSISTANCE OR WELFARE PAYMENTS		
		1 = Yes	1693	6.39
		2 = No	24506	92.51
		3 = Yes LOGICALLY IMPUTED	131	0.49
		4 = No LOGICALLY IMPUTED	1	0.00
		94 = DON'T KNOW	17	0.06
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	29	0.11
		98 = BLANK (NO ANSWER)	110	0.42
		66. Did (you/(SAMPLE MEMBER)) receive Aid to Families with Dependent Children, sometimes called AFDC or ADC, or was it some other type of assistance payments in (MONTH)?		
AFDC1	2	RECEIVED AFDC OR OTHER TYPE OF ASSISTANCE		
		1 = Income from AFDC/ADC	1485	5.61
		2 = Income from other	200	0.76
		3 = Income from both	63	0.24
		94 = DON'T KNOW	28	0.11
		96 = MULTIPLE RESPONSE	5	0.02
		97 = REFUSED	29	0.11
		98 = BLANK (NO ANSWER)	172	0.65
		99 = LEGITIMATE SKIP	24507	92.52
		67. How much income did (you/(SAMPLE MEMBER)) receive from public assistance or welfare in (MONTH)?		
WEL1	2	PERSONALLY RECEIVED INCOME FROM WELFARE - RECODE		
		1 = Yes	1817	6.86
		2 = No	24506	92.51
		3 = Yes LOGICALLY IMPUTED	6	0.02
		4 = No LOGICALLY IMPUTED	2	0.01
		94 = DON'T KNOW	12	0.05
		97 = REFUSED	23	0.09
		98 = BLANK (NO ANSWER)	123	0.46
		67. How much income did (you/(SAMPLE MEMBER)) receive from public assistance or welfare in (MONTH)?		
AWEL1	6	AMOUNT OF INCOME RECEIVED FROM PUB.ASSITCE/WELFARE		
		RANGE = 16 - 1136	1463	5.52
		999985 = BAD DATA Logically assigned	57	0.22
		999994 = DON'T KNOW	94	0.35
		999997 = REFUSED	153	0.58
		999998 = BLANK (NO ANSWER)	214	0.81
		999999 = LEGITIMATE SKIP	24508	92.52

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	----	----
		68. In (MONTH), did (you/(SAMPLE MEMBER)) have money in any kind of savings or other bank account that earned interest or did you receive dividend income from stocks or mutual funds or income from rental property, royalties, estates or trusts? (Include money market funds, treasury notes, IRA's or certificates of deposit, interest earning checking accounts, bonds, or any other investments that earn interest.)		
INT1	2	HAD MONEY THAT EARNED INTEREST		
		1 = Yes	8450	31.90
		2 = No	17735	66.95
		3 = Yes LOGICALLY IMPUTED	43	0.16
		4 = No LOGICALLY IMPUTED	1	0.00
		94 = DON'T KNOW	33	0.12
		97 = REFUSED	113	0.43
		98 = BLANK (NO ANSWER)	114	0.43
		69. What is your best estimate of the total amount of this type of income that (you/(SAMPLE MEMBER)) earned in (MONTH)?		
AIN1	6	AMOUNT OF INCOME FROM INTEREST		
		RANGE = 1 - 5000	4465	16.86
		999985 = BAD DATA Logically assigned	427	1.61
		999994 = DON'T KNOW	2922	11.03
		999997 = REFUSED	726	2.74
		999998 = BLANK (NO ANSWER)	213	0.80
		999999 = LEGITIMATE SKIP	17736	66.96
		70. In (MONTH), did (you/(SAMPLE MEMBER)) receive any child support payments?		
CHD1	2	RECEIVED ANY CHILD SUPPORT PAYMENTS		
		1 = Yes	931	3.51
		2 = No	25240	95.28
		3 = Yes LOGICALLY IMPUTED	17	0.06
		4 = No LOGICALLY IMPUTED	3	0.01
		94 = DON'T KNOW	10	0.04
		97 = REFUSED	39	0.15
		98 = BLANK (NO ANSWER)	249	0.94

DEMOGRAPHICS			
LABEL	LEN	DESCRIPTION	FREQ
-----	---	-----	----
		71. What was the total amount of child support payments (you/(SAMPLE MEMBER)) received in (MONTH)?	
ACHD1	6	AMOUNT OF INCOME RECEIVED FROM CHILD SUPPORT	
		RANGE = 15 - 1250	832 3.14
		999985 = BAD DATA Logically assigned	23 0.09
		999989 = LEGITIMATE SKIP Logically assigned	1 0.00
		999994 = DON'T KNOW	48 0.18
		999997 = REFUSED	86 0.32
		999998 = BLANK (NO ANSWER)	257 0.97
		999999 = LEGITIMATE SKIP	25242 95.29
		72. In (MONTH), did (you/(SAMPLE MEMBER)) receive income from any other sources such as Veterans Administration payments, workers or unemployment compensation, alimony, other disability, retirement or survivor pension (other than Social Security or Railroad Retirement)? Do not include lump sum payments, such as money from an inheritance or sale of a home.	
OTH1	2	RECEIVED INCOME FROM OTHER SOURCES	
		1 = Yes	1003 3.79
		2 = No	24918 94.07
		3 = Yes LOGICALLY IMPUTED	265 1.00
		4 = No LOGICALLY IMPUTED	16 0.06
		94 = DON'T KNOW	17 0.06
		96 = MULTIPLE RESPONSE	3 0.01
		97 = REFUSED	39 0.15
		98 = BLANK (NO ANSWER)	228 0.86
		73. How much income did (you/(SAMPLE MEMBER)) receive in (MONTH) from all other sources?	
AOTH1	6	AMOUNT OF INCOME RECEIVED FROM OTHER SOURCES	
		RANGE = 2 - 5008	1059 4.00
		999985 = BAD DATA Logically assigned	39 0.15
		999989 = LEGITIMATE SKIP Logically assigned	2 0.01
		999994 = DON'T KNOW	45 0.17
		999997 = REFUSED	154 0.58
		999998 = BLANK (NO ANSWER)	258 0.97
		999999 = LEGITIMATE SKIP	24932 94.12

DEMOGRAPHICS			
LABEL	LEN	DESCRIPTION	FREQ
-----	----	-----	----
		BOX K: DOES RESPONDENT HAVE ANY FAMILY MEMBERS LIVING IN THIS RESIDENCE?	
FAMILYRES	2	FAMILY MEMBERS ARE LIVING IN THIS RESIDENCE	
		1 = Yes	21606 81.57
		2 = No	4547 17.17
		94 = DON'T KNOW	1 0.00
		96 = MULTIPLE RESPONSE	1 0.00
		97 = REFUSED	6 0.02
		98 = BLANK (NO ANSWER)	328 1.24
		74. Besides (yourself/(SAMPLE MEMBER)), did any other family member living here receive any income in (MONTH) from jobs or self-employment?	
WAG2	2	DID MEMBER OF FAMILY RECEIVE INCOME FROM SELF-EMP	
		1 = Yes	15796 59.63
		2 = No	5270 19.90
		3 = Yes LOGICALLY IMPUTED	193 0.73
		4 = No LOGICALLY IMPUTED	3 0.01
		89 = LEGITIMATE SKIP Logically assigned	622 2.35
		94 = DON'T KNOW	25 0.09
		96 = MULTIPLE RESPONSE	1 0.00
		97 = REFUSED	44 0.17
		98 = BLANK (NO ANSWER)	1060 4.00
		99 = LEGITIMATE SKIP	3475 13.12
		75. How much income in (MONTH) was received from jobs or self-employment by all members of the family, before deductions? Include any tips, bonuses, overtime pay, or commissions. For self-employment, report net income, after business expenses.	
AWAG2	6	INCOME RECEIVED FROM ALL MEMS OF FAMILY/SELF-EMPL	
		RANGE = 57 - 21000	10109 38.16
		999985 = BAD DATA Logically assigned	411 1.55
		999989 = LEGITIMATE SKIP Logically assigned	384 1.45
		999994 = DON'T KNOW	3930 14.84
		999997 = REFUSED	1444 5.45
		999998 = BLANK (NO ANSWER)	1225 4.62
		999999 = LEGITIMATE SKIP	8986 33.92

DEMOGRAPHICS			
LABEL	LEN	DESCRIPTION	FREQ
-----	---	-----	----
		76. Besides (yourself/(SAMPLE MEMBER)), in (MONTH), did any other family member living here receive Social Security or Railroad Retirement payments? (Social Security checks are either automatically deposited in the bank or mailed to arrive on the 3rd of every month. If mailed, they are sent in a gold-colored envelope.)	
SOC2	2	DID FAM MEM RECEIVE MONEY FROM SS OR RR	
		1 = Yes	1726 6.52
		2 = No	19343 73.02
		3 = Yes LOGICALLY IMPUTED	37 0.14
		4 = No LOGICALLY IMPUTED	4 0.02
		89 = LEGITIMATE SKIP Logically assigned	619 2.34
		94 = DON'T KNOW	129 0.49
		96 = MULTIPLE RESPONSE	2 0.01
		97 = REFUSED	56 0.21
		98 = BLANK (NO ANSWER)	1095 4.13
		99 = LEGITIMATE SKIP	3478 13.13
		77. How much income did everyone in your family receive in (MONTH) from Social Security or Railroad Retirement?	
ASOC2	6	FAMILY INCOME FROM SS OR RR	
		RANGE = 48 - 3692	1047 3.95
		999985 = BAD DATA Logically assigned	55 0.21
		999989 = LEGITIMATE SKIP Logically assigned	39 0.15
		999994 = DON'T KNOW	605 2.28
		999997 = REFUSED	213 0.80
		999998 = BLANK (NO ANSWER)	1125 4.25
		999999 = LEGITIMATE SKIP	23405 88.36

DEMOGRAPHICS			
LABEL	LEN	DESCRIPTION	FREQ
-----	----	-----	----
		78. Besides (yourself/(SAMPLE MEMBER)), in (MONTH), did any other family member living here receive Supplemental Security Income or SSI? (Federal SSI checks are either automatically deposit- ed in the bank or mailed to arrive on the first of every month. If mailed, they are sent in a blue-colored envelope.)	
SSI2	2	OTHER FAMILY MEMBER RECEIVED MONEY FROM SSI	
		1 = Yes	569 2.15
		2 = No	20504 77.41
		3 = Yes LOGICALLY IMPUTED	27 0.10
		4 = No LOGICALLY IMPUTED	3 0.01
		89 = LEGITIMATE SKIP Logically assigned	619 2.34
		94 = DON'T KNOW	137 0.52
		96 = MULTIPLE RESPONSE	2 0.01
		97 = REFUSED	52 0.20
		98 = BLANK (NO ANSWER)	1098 4.15
		99 = LEGITIMATE SKIP	3478 13.13
		79. How much income did everyone in your family receive in (MONTH) from Supplemental Security Income or SSI?	
ASSI2	6	AMOUNT OF FAMILY INCOME RECEIVED FROM SSI	
		RANGE = 8 - 2434	419 1.58
		999985 = BAD DATA Logically assigned	22 0.08
		999989 = LEGITIMATE SKIP Logically assigned	17 0.06
		999994 = DON'T KNOW	238 0.90
		999997 = REFUSED	86 0.32
		999998 = BLANK (NO ANSWER)	1120 4.23
		999999 = LEGITIMATE SKIP	24587 92.82
		80. Besides (yourself/(SAMPLE MEMBER)), in (MONTH), did any other family member living here receive public assistance or welfare payments from the State or local welfare office? Do not include SSI.	
PUB2	2	OTHR FAM MEMBR RECEIVED PUB ASSISTANCE OR WELFARE	
		1 = Yes	1209 4.56
		2 = No	19831 74.87
		3 = Yes LOGICALLY IMPUTED	141 0.53
		4 = No LOGICALLY IMPUTED	3 0.01
		89 = LEGITIMATE SKIP Logically assigned	622 2.35
		94 = DON'T KNOW	77 0.29
		96 = MULTIPLE RESPONSE	6 0.02
		97 = REFUSED	46 0.17
		98 = BLANK (NO ANSWER)	1079 4.07
		99 = LEGITIMATE SKIP	3475 13.12

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	---	-----	----	-
		81. Did anyone in the family receive Aid to Families with Dependent Children, sometimes called AFDC or ADC, or was it some other type of assistance payments in (MONTH)?		
AFDC2	2	OTHER FAMILY MEMBER RECEIVED AFDC OR ADC		
		1 = Income from AFDC/ADC	1031	3.89
		2 = Income from other	138	0.52
		3 = Income from both	66	0.25
		89 = LEGITIMATE SKIP Logically assigned	33	0.12
		94 = DON'T KNOW	109	0.41
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	47	0.18
		98 = BLANK (NO ANSWER)	1167	4.41
		99 = LEGITIMATE SKIP	23897	90.21
WEL2	2	OTHR FAMLY MEM RECVD INCOME FROM WELFARE - RECODE		
		1 = Yes	1311	4.95
		2 = No	19830	74.86
		3 = Yes LOGICALLY IMPUTED	33	0.12
		4 = No LOGICALLY IMPUTED	9	0.03
		89 = LEGITIMATE SKIP Logically assigned	622	2.35
		94 = DON'T KNOW	42	0.16
		97 = REFUSED	34	0.13
		98 = BLANK (NO ANSWER)	1133	4.28
		99 = LEGITIMATE SKIP	3475	13.1:
		82. How much income did everyone in you family receive from public assistance or welfare in (MONTH)?		
AWEL2	6	AMOUNT FAMLY RECEIVED FROM PUB ASSISTCE OR WELFARE		
		RANGE = 20 - 1720	847	3.20
		999985 = BAD DATA Logically assigned	82	0.31
		999989 = LEGITIMATE SKIP Logically assigned	38	0.14
		999994 = DON'T KNOW	302	1.14
		999997 = REFUSED	116	0.44
		999998 = BLANK (NO ANSWER)	1206	4.55
		999999 = LEGITIMATE SKIP	23898	90.22

		DEMOGRAPHICS			
LABEL	LEN	DESCRIPTION		FREQ	t
-----	---	-----		----	-
		83. Besides (yourself/(SAMPLE MEMBER)), in (MONTH), did any other family member living here have money in any kind of savings or other bank account that earn- ed interest or did anyone receive divid- end income from stocks or mutual funds or income from rental property, royal- ties, estates, or trusts? (Include money market funds, treasury notes, IRA's or certificates of deposit, interest earn- ing checking accounts, bonds, or any other investments that earned interest.)			
INT2	2	OTHER FAMILY MEMBER HAD MONEY THAT EARNED INTEREST			
		1 = Yes	6522	24.62	
		2 = No	14044	53.02	
		3 = Yes LOGICALLY IMPUTED	88	0.33	
		4 = No LOGICALLY IMPUTED	3	0.01	
		89 = LEGITIMATE SKIP Logically assigned	618	2.33	
		94 = DON'T KNOW	525	1.98	
		96 = MULTIPLE RESPONSE	2	0.01	
		97 = REFUSED	118	0.45	
		98 = BLANK (NO ANSWER)	1090	4.11	
		99 = LEGITIMATE SKIP	3479	13.13	
		84. What is your best estimate of the total amount that everyone in your family earned from interest, dividends, net rental property income, royalties, estates, or trusts in (MONTH)?			
AIN2	6	AMOUNT OF FAMILY INCOME EARNED FROM INTEREST			
		RANGE = 1 - 6000	2027	7.65	
		999985 = BAD DATA Logically assigned	268	1.01	
		999989 = LEGITIMATE SKIP Logically assigned	151	0.57	
		999994 = DON'T KNOW	4144	15.64	
		999997 = REFUSED	644	2.43	
		999998 = BLANK (NO ANSWER)	1262	4.76	
		999999 = LEGITIMATE SKIP	17993	67.93	

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	----
		85. Besides (yourself/(SAMPLE MEMBER)), in (MONTH), did any other family member living here receive child support pay- ments?		
CHD2	2	OTHER FAM MEMBER RECEIVED CHILD SUPPORT PAYMENTS		
		1 = Yes	781	2.95
		2 = No	20341	76.79
		3 = Yes LOGICALLY IMPUTED	31	0.12
		89 = LEGITIMATE SKIP Logically assigned	616	2.33
		94 = DON'T KNOW	55	0.21
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	43	0.16
		98 = BLANK (NO ANSWER)	1140	4.30
		99 = LEGITIMATE SKIP	3481	13.14
		86. How much did everyone in your fam- ily receive from child support payments in (MONTH)?		
ACHD2	6	AMOUNT OF INCOME FAMILY RECEIVED FROM CHILD SUPPORT		
		RANGE = 20 - 2100	628	2.37
		999985 = BAD DATA Logically assigned	32	0.12
		999989 = LEGITIMATE SKIP Logically assigned	24	0.09
		999994 = DON'T KNOW	157	0.59
		999997 = REFUSED	75	0.21
		999998 = BLANK (NO ANSWER)	1159	4.38
		999999 = LEGITIMATE SKIP	24414	92.17
		87. Besides (yourself/(SAMPLE MEMBER)), in (MONTH), did any other family member living here receive income from other sources, such as Veterans Administration payments, workers or unemployment com- pensation, alimony, other disability re- tirement or survivor pension (other than Social Security or Railroad Retirement)? Do not include lump sum payments, such as money from an inheritance or the sale of a home.		
OTH2	2	OTHER FAMLY MEM RECEIVED INCOME FROM OTHER SOURCES		
		1 = Yes	992	3.74
		2 = No	19880	75.05
		3 = Yes LOGICALLY IMPUTED	196	0.74
		4 = No LOGICALLY IMPUTED	1	0.00
		89 = LEGITIMATE SKIP Logically assigned	671	2.53
		94 = DON'T KNOW	137	0.52
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	54	0.20
		98 = BLANK (NO ANSWER)	1130	4.27
		99 = LEGITIMATE SKIP	3426	12.93

			DEMOGRAPHICS	
LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	-
		88. How much income did everyone in your family receive in (MONTH) from all other sources?		
AOTH2	6	AMOUNT OF INCOME FAMILY RECEIVED FROM OTHR SOURCES		
		RANGE = 10 - 8000	827	3.12
		999985 = BAD DATA Logically assigned	40	0.15
		999989 = LEGITIMATE SKIP Logically assigned	26	0.10
		999994 = DON'T KNOW	366	1.38
		999997 = REFUSED	121	0.46
		999998 = BLANK (NO ANSWER)	1157	4.37
		999999 = LEGITIMATE SKIP	23952	90.42

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	
		(89.) WHO ANSWERED MOST OF THE QUESTIONS ABOUT TOTAL FAMILY INCOME SOURCES AND AMOUNTS?		
WHOANSIN	2	WHO ANSWERED MOST QUESTIONS ABOUT FAMILY INCOME		
		1 = Sample member	16282	61.47
		2 = Proxy, relationship to sample member not specified	594	2.24
		10 = Spouse	14	0.05
		20 = Parent/Guardian	8	0.03
		60 = Live-In Partner	5	0.02
		61 = Friend/Roommate/Companion	8	0.03
		71 = Cousin	9	0.03
		91 = Other Non-Relative, Gender not specified	1	0.00
		110 = Husband	96	0.36
		120 = Father/Male Guardian	882	3.33
		121 = Step/Adopted/Foster Father	44	0.17
		130 = Son	5	0.02
		132 = Son In-Law	1	0.00
		133 = Grandson	1	0.00
		140 = Brother/Half Brother	43	0.16
		142 = Brother In-Law	1	0.00
		150 = Grandfather/Great+ Grandfather	24	0.09
		160 = Male Live-In Partner	1	0.00
		161 = Male Fiance/Boyfriend/Roommate/Companion	4	0.02
		170 = Uncle	19	0.07
		210 = Wife	55	0.21
		220 = Mother/Female Guardian	2891	10.97
		221 = Step/Adopted/Foster Mother	21	0.08
		222 = Mother In-Law/Step Mother In-Law	3	0.01
		230 = Daughter	12	0.05
		231 = Step/Adopted/Foster Daughter	1	0.00
		232 = Daughter In-Law	1	0.00
		240 = Sister/Half Sister	94	0.35
		242 = Sister In-Law	5	0.02
		250 = Grandmother/Great+ Grandmother	121	0.46
		261 = Female Fiancee/Girlfriend/Roommate/Companion	5	0.02
		270 = Aunt	52	0.20
		291 = Other Female Non-Relative	1	0.00
		320 = Parents/Guardians	5	0.02
		321 = Step/Adopted/Foster Parents	1	0.00
		350 = Grandparents/Great+ Grandparents	2	0.01
		989 = LEGITIMATE SKIP Logically assigned	277	1.05
		994 = DON'T KNOW	4	0.02
		996 = MULTIPLE RESPONSE	14	0.05
		997 = REFUSED	17	0.06
		998 = BLANK (NO ANSWER)	1758	6.64
		999 = LEGITIMATE SKIP	3107	11.73

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	
		90. In (MONTH), did (you/anyone in your family living here) receive food stamps?		
FSTAMP	2	YOU OR FAMILY LIVING HERE RECEIVED FOOD STAMPS		
		1 = Yes	3503	13.22
		2 = No	22406	84.59
		3 = Yes LOGICALLY IMPUTED	137	0.52
		4 = No LOGICALLY IMPUTED	2	0.01
		94 = DON'T KNOW	33	0.12
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	39	0.15
		98 = BLANK (NO ANSWER)	367	1.39
		91. Including yourself, others in your family, and non-family members living here, how many people in this household were included in the food stamp allotment during (MONTH)?		
PEOPFD	2	# PEOPLE COUNTED IN FOOD STAMP ALLOTMENT		
		RANGE = 1 - 14	3455	13.04
		85 = BAD DATA Logically assigned	3	0.01
		94 = DON'T KNOW	103	0.39
		97 = REFUSED	47	0.18
		98 = BLANK (NO ANSWER)	474	1.79
		99 = LEGITIMATE SKIP	22407	84.59
FOOD	2	ANY FAMILY MEMBER RECEIVED FOOD STAMPS - RECODE		
		1 = Yes	3627	13.69
		2 = No	22405	84.58
		3 = Yes LOGICALLY IMPUTED	13	0.05
		4 = No LOGICALLY IMPUTED	2	0.01
		94 = DON'T KNOW	10	0.04
		97 = REFUSED	27	0.10
		98 = BLANK (NO ANSWER)	405	1.53
		92. What was the total value of the food stamp allotment received by this household during (MONTH)?		
AFOOD	6	TOTAL VALUE OF FOOD STAMP ALLOTMENT		
		RANGE = 10 - 661	2970	11.21
		999985 = BAD DATA Logically assigned	72	0.27
		999994 = DON'T KNOW	358	1.35
		999997 = REFUSED	191	0.72
		999998 = BLANK (NO ANSWER)	491	1.85
		999999 = LEGITIMATE SKIP	22407	84.59

INTERVIEW INFORMATION				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
INTERVIEW INFORMATION				

INTMONTH	2	INTERVIEW MONTH		
BHOUR	2	BEGINNING HOUR OF INTERVIEW		
BMIN	2	BEGINNING MINUTE OF INTERVIEW		
BAP	2	BEGINNING TIME OF INTERVIEW - AM/PM INDICATOR		
		1 = AM	3825	14.44
		2 = PM	22204	83.82
		98 = BLANK (NO ANSWER)	460	1.74
Ehour	2	ENDING HOUR OF INTERVIEW		
EMIN	2	ENDING MINUTE OF INTERVIEW		
EAP	2	ENDING TIME OF INTERVIEW - AM/PM INDICATOR		
		1 = AM	2153	8.13
		2 = PM	23632	89.21
		96 = MULTIPLE RESPONSE	5	0.02
		98 = BLANK (NO ANSWER)	699	2.64
LANGVER	2	LANGUAGE VERSION		
		1 = English	24418	92.18
		2 = Spanish	2061	7.78
		98 = BLANK (NO ANSWER)	10	0.04
FI-1. Estimate the respondent's understanding of the interview.				
UNDINT	2	ESTIMATE RESPONDENT'S UNDERSTANDING OF INTERVIEW		
		1 = No difficulty-no language or reading problem	21321	80.49
		2 = Just a little difficulty-almost no lang/readg prob	3027	11.43
		3 = Fair amount of difficulty-some lang/reading prob .	1425	5.38
		4 = A lot of difficulty-considerable lang/reading prob	509	1.92
		96 = MULTIPLE RESPONSE	4	0.02
		98 = BLANK (NO ANSWER)	203	0.77

INTERVIEW INFORMATION				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
		FI-2. How cooperative has the respondent been?		
COOPINT	2	COOPERATION OF RESPONDENT		
		1 = Very cooperative	22280	84.11
		2 = Fairly cooperative	3078	11.62
		3 = Not very cooperative	642	2.42
		4 = Openly hostile	79	0.30
		96 = MULTIPLE RESPONSE	12	0.05
		98 = BLANK (NO ANSWER)	398	1.50
		FI-3. Indicate on this scale of 01 through 09 how private the interview was. (IF COMPLETELY PRIVATE, CIRCLE CODE 01 AND SKIP TO Q.F1-5.)		
PRIVACY	2	SCALE FOR PRIVACY DURING INTERVIEW		
		1 = Completely private-no one present/able to overhear	15463	58.38
		2 =	974	3.68
		3 = Minor distractions	3769	14.23
		4 =	296	1.12
		5 = Person(s) in room or listening 1/3 of the time ...	2016	7.61
		6 =	161	0.61
		7 = Serious interruptions more than half the time	371	1.40
		8 =	67	0.25
		9 = Constant presence of other person(s)	2979	11.25
		85 = BAD DATA Logically assigned	164	0.62
		96 = MULTIPLE RESPONSE	1	0.00
		98 = BLANK (NO ANSWER)	228	0.86
		FI-4. Others present or listening to the interview were ...		
PPRES	2	PARENT(S) PRESENT OR LISTENING		
		1 = Response circled	3389	12.79
		98 = BLANK (NO ANSWER)	7637	28.83
		99 = LEGITIMATE SKIP (PRIVACY=1)	15463	58.38
SPRES	2	SPOUSE PRESENT OR LISTENING		
		2 = Response circled	1780	6.72
		98 = BLANK (NO ANSWER)	9246	34.91
		99 = LEGITIMATE SKIP (PRIVACY=1)	15463	58.38
PARPRES	2	LIVE-IN PARTNR/FRIEND PRSNT OR LISTENING		
		3 = Response circled	370	1.40
		98 = BLANK (NO ANSWER)	10656	40.23
		99 = LEGITIMATE SKIP (PRIVACY=1)	15463	58.38
OARPRES	2	ADULT RELATIVE(S) PRESENT/LISTENING		
		4 = Response circled	1118	4.22
		98 = BLANK (NO ANSWER)	9908	37.40
		99 = LEGITIMATE SKIP (PRIVACY=1)	15463	58.38

INTERVIEW INFORMATION				
LABEL	LEN	DESCRIPTION	FREQ	%
OAPRES	2	OTHER ADULT(S) PRESENT OR LISTENING		
		5 = Response circled	986	3.72
		98 = BLANK (NO ANSWER)	10040	37.90
		99 = LEGITIMATE SKIP (PRIVACY=1)	15463	58.38
CPRES	2	CHILD(REN) UNDER 15 PRESENT/LISTENING		
		6 = Response circled	3695	13.95
		98 = BLANK (NO ANSWER)	7331	27.68
		99 = LEGITIMATE SKIP (PRIVACY=1)	15463	58.38
OPRESNSP	2	OTHER PERSON(S) (NOT SPECIFIED) PRESENT/LISTENING		
		7 = Response circled	541	2.04
		98 = BLANK (NO ANSWER)	10485	39.58
		99 = LEGITIMATE SKIP (PRIVACY=1)	15463	58.38

INTERVIEW INFORMATION				
LABEL	LEN	DESCRIPTION	FREQ	%
OPRESSPA	3	OTHER PERSON(S) PRESENT/LISTENING-1ST MENTION		
		9 = Head of Household	2	0.01
		10 = Spouse	1	0.00
		20 = Parent/Guardian	2	0.01
		37 = Child, Relation Unspecified	23	0.09
		60 = Live-In Partner	1	0.00
		61 = Friend/Roommate/Companion	99	0.37
		71 = Cousin	7	0.03
		83 = Nurse/Health Care Aide/Home Care Worker	3	0.01
		84 = Neighbor/Co-Worker/Visitor	11	0.04
		85 = Landlord/Home Owner	1	0.00
		91 = Other Non-Relative, Gender not specified	18	0.07
		92 = Other, Relation and Gender Unspecified	5	0.02
		110 = Husband	2	0.01
		120 = Father/Male Guardian	1	0.00
		121 = Step/Adopted/Foster Father	5	0.02
		130 = Son	11	0.04
		131 = Step/Adopted/Foster Son	1	0.00
		140 = Brother/Half Brother	33	0.12
		141 = Step/Adopted/Foster Brother	2	0.01
		150 = Grandfather/Great+ Grandfather	5	0.02
		161 = Male Fiance/Boyfriend/Roommate/Companion	8	0.03
		170 = Uncle	6	0.02
		191 = Other Male Non-Relative	2	0.01
		192 = Other Male, Relation Unspecified	2	0.01
		210 = Wife	4	0.02
		220 = Mother/Female Guardian	11	0.04
		221 = Step/Adopted/Foster Mother	2	0.01
		222 = Mother In-Law/Step Mother In-Law	1	0.00
		230 = Daughter	18	0.07
		231 = Step/Adopted/Foster Daughter	2	0.01
		232 = Daughter In-Law	1	0.00
		240 = Sister/Half Sister	37	0.14
		242 = Sister In-Law	1	0.00
		250 = Grandmother/Great+ Grandmother	25	0.09
		261 = Female Fiancee/Girlfriend/Roommate/Companion	13	0.05
		270 = Aunt	5	0.02
		280 = Female God Child/God Daughter	1	0.00
		292 = Other Female, Relation Unspecified	2	0.01
		337 = Children, Relation Unspecified	21	0.08
		340 = Siblings	1	0.00
		350 = Grandparents/Great+ Grandparents	2	0.01
		361 = Friends/Roommates/Companions	21	0.08
		371 = Cousins	1	0.00
		384 = Neighbors/Co-Workers/Visitors	5	0.02
		390 = Other Relatives, Gender not specified	5	0.02
		391 = Other Non-Relatives, Gender not specified	23	0.09
		392 = Others, Relation and Gender Unspecified	12	0.05
		430 = Sons	1	0.00
		440 = Brothers/Half Brothers	1	0.00
		461 = Male Fiances/Boyfriends/Roommates/Companions	1	0.00
		492 = Other Males, Relation Unspecified	1	0.00
		540 = Sisters/Half Sisters	3	0.01
		561 = Female Fiances/Girlfriends/Roommates/Companions ..	1	0.00

INTERVIEW INFORMATION				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		900 = Not A Person	76	0.29
		985 = BAD DATA Logically assigned	7	0.03
		994 = DON'T KNOW	1	0.00
		998 = BLANK (NO ANSWER)	10469	39.52
		999 = LEGITIMATE SKIP	15463	58.38
OPRESSPB	3	OTHER PERSON(S) PRESENT/LISTENING-2ND MENTION		
		9 = Head of Household	1	0.00
		33 = Grandchild	1	0.00
		61 = Friend/Roommate/Companion	6	0.02
		71 = Cousin	2	0.01
		84 = Neighbor/Co-Worker/Visitor	1	0.00
		170 = Uncle	1	0.00
		230 = Daughter	1	0.00
		240 = Sister/Half Sister	1	0.00
		261 = Female Fiancee/Girlfriend/Roommate/Companion	2	0.01
		270 = Aunt	1	0.00
		272 = Niece	1	0.00
		292 = Other Female, Relation Unspecified	1	0.00
		330 = Own Children/Own Half Children	1	0.00
		337 = Children, Relation Unspecified	2	0.01
		384 = Neighbors/Co-Workers/Visitors	1	0.00
		390 = Other Relatives, Gender not specified	2	0.01
		392 = Others, Relation and Gender Unspecified	3	0.01
		900 = Not A Person	5	0.02
		998 = BLANK (NO ANSWER)	10993	41.50
		999 = LEGITIMATE SKIP	15463	58.3
FI-5. Who marked the responses on the Answer Sheets? (CIRCLE ONLY ONE NUMBER.)				
WHOMARKD	2	WHO MARKED ANSWERS ON ANSWER SHEET		
		1 = Respondent marked ALL the Answer Sheet responses ..	20174	76.16
		2 = Interviewer marked All the Answer Sheet responses ..	3755	14.18
		3 = Combination of respondent and F.I.BLANK (NO ANSWER) ..	1742	6.58
		96 = MULTIPLE RESPONSE	13	0.05
		98 = BLANK (NO ANSWER)	805	3.04
QUARTER	1	QUARTER INDICATOR		
		1 = Quarter 1	6612	24.96
		2 = Quarter 2	6496	24.52
		3 = Quarter 3	6880	25.97
		4 = Quarter 4	6501	24.54

INTERVIEW INFORMATION				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		The variable, FAMSKIP, indicates whether the respondent has other family members in the household or not, based on the household roster from the screening form.		
FAMSKIP	2	OTHER FAMILY MEMBERS IN THE HH INDICATOR		
		0 = Respondent has other family members in household	22172	83.70
		1 = Respondent didn't have other family in household	4097	15.47
		98 = BLANK (NO ANSWER)	220	0.83
GQTYPE	1	TYPE OF GROUP QUARTERS		
		1 = Halfway house	2	0.01
		9 = Not Group Quarters	26189	98.87
		C = College Dorm	228	0.86
		O = Other	40	0.15
		S = Shelter	30	0.11

LABEL	LEN	DESCRIPTION	GEOGRAPHIC		FREQ
-----	---	-----			----
		GEOGRAPHIC			

		The six oversampled metropolitan areas consist of one metropolitan statistical area (MSA) and five primary metropolitan statistical areas (PMSAs) as defined by the 1990 Census. They include the Washington, DC-MD-VA MSA; Chicago, IL PMSA, Denver, CO PMSA; Los Angeles-Long Beach, CA PMSA; Miami-Hialeah, FL PMSA; and New York, NY PMSA. For simplicity, the common term "MSA" will refer to these metropolitan areas.			
		The following variables, PDEN through METRO are based on the 1990 Census.			
PDEN	1	POPULATION DENSITY			
		1 = Segment in a MSA with 1 million or more persons ..	19997		75.49
		2 = Segment in a MSA with fewer than 1 million persons	4052		15.30
		3 = Segment not in MSA	2440		9.21
PDEN2	1	POPULATION DENSITY - FIVE LEVELS			
		1 = Segment in MSA with 1 million or more persons	19997		75.49
		2 = Segm. in a MSA from 250000 to 999999 persons	3213		12.11
		3 = Segment in a MSA with fewer than 250000 persons ..	839		3.17
		4 = Segment not in a MSA and not in a rural area	1136		4.29
		5 = Segment not in a MSA and in a rural area	1304		4.92
DC	1	DC MSA INDICATOR			
		1 = Low SES - DC	1397		5.27
		2 = Not Low SES - DC	1458		5.50
		9 = NOT IN DC	23634		89.22
CHICAGO	1	CHICAGO MSA INDICATOR			
		1 = Low SES - CHICAGO	1244		4.70
		2 = Not Low SES - CHICAGO	1218		4.60
		9 = NOT IN CHICAGO	24027		90.71
DENVER	1	DENVER MSA INDICATOR			
		1 = Low SES - DENVER	1372		5.18
		2 = Not Low SES - DENVER	1246		4.70
		9 = NOT IN DENVER	23871		90.12
LA	1	LA MSA INDICATOR			
		1 = Low SES - LA	1232		4.65
		2 = Not Low SES - LA	1049		3.96
		9 = NOT IN LA	24208		91.39

		GEOGRAPHIC			
LABEL	LEN	DESCRIPTION	FREQ		
MIAMI	1	MIAMI MSA INDICATOR			
		1 = Low SES - MIAMI	1328	5.01	
		2 = Not Low SES - MIAMI	1477	5.58	
		9 = NOT IN MIAMI	23684	89.41	
NEWYORK	1	NEW YORK MSA INDICATOR			
		1 = Low SES - NEW YORK	1085	4.10	
		2 = Not Low SES - NEW YORK	1172	4.42	
		9 = NOT IN NEW YORK	24232	91.48	
REGION	1	CENSUS REGION			
		1 = Northeast	4041	15.26	
		2 = North Central	4925	18.59	
		3 = South	10242	38.67	
		4 = West	7281	27.49	
DIVISION	1	CENSUS DIVISION CODE			
		1 = New England	413	1.56	
		2 = Middle Atlantic	3628	13.70	
		3 = East North Central	3904	14.74	
		4 = West North Central	1021	3.85	
		5 = South Atlantic	8210	30.99	
		6 = East South Central	247	0.93	
		7 = West South Central	1785	6.74	
		8 = Mountain	3309	12.49	
		9 = Pacific	3972	14.99	
CENCTY	1	CENTRAL CITY IN THE SIX MSAs			
		1 = Yes	6984	26.37	
		2 = No	8294	31.31	
		3 = Not in any of the 6 metropolitan areas	11211	42.32	
URBARE	1	URBANIZED AREA IN THE 6 MSAs			
		1 = Yes	7844	29.61	
		2 = No	434	1.64	
		3 = Not in any of the 6 metropolitan areas	11211	42.32	
		9 = Data suppressed for reasons of confidentiality ...	7000	26.43	
METRO	1	METROPOLITAN AREA			
		1 = Chicago Metropolitan area	2462	9.29	
		2 = Denver Metropolitan area	2618	9.88	
		3 = Los Angeles Metropolitan area	2281	8.61	
		4 = Miami Metropolitan area	2805	10.59	
		5 = New York Metropolitan area	2257	8.52	
		6 = Washington, D.C. Metropolitan area	2855	10.78	
		9 = Not in any of the 6 Metropolitan areas	11211	42.32	
CENTRALC	1	CENTRAL CITY FOR ALL MSA'S			
		1 = Sample segm. within a central city of metro area .	11368	42.92	
		2 = Sam. segm. not within a central city of metro area	12681	47.87	
		3 = Sample segment not within a MSA	2440	9.21	

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	---
IMPUTED DEMOGRAPHICS				

BIRMONTH	2	BIRTH MONTH		
		RANGE = 1 - 12	26205	98.93
		. = BLANK (NO ANSWER)	284	1.07
BIRYEAR	2	BIRTH YEAR		
		RANGE = 99 - 1991	26205	98.93
		. = BLANK (NO ANSWER)	284	1.07
IRAGE	2	IMPUTATION-REVISED AGE OF RESPONDENT		
		RANGE = 12 - 98	26489	100.00
IIAGE	1	IRAGE INDICATOR		
		1 = Age from birthdate	25791	97.36
		2 = Age from cover of questionnaire	680	2.57
		3 = Age from roster	8	0.03
		4 = Age statistically imputed using age gr from roster	10	0.04
IRSEX	1	SEX - IMPUTATION REVISED		
		1 = Male	12059	45.52
		2 = Female	14430	54.48
IISEX	1	IRSEX INDICATOR		
		1 = Sex from questionnaire	26050	98.34
		2 = Sex from relationship on roster	280	1.06
		3 = Sex from roster	158	0.60
		4 = Sex statistically imputed	1	0.00
IRRACE	1	IMPUTATION-REVISED RACE OF RESPONDENT		
		1 = American indian or Alaskan native	365	1.38
		2 = Asian or Pacific islander	927	3.50
		3 = Black	6448	24.34
		4 = White	18749	70.78

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
IIRACE	1	IRRACE INDICATOR		
		1 = Race from questionnaire	25162	94.99
		2 = Race from interview observation	1120	4.23
		3 = Race from roster	15	0.06
		4 = Race statis imputed using race - "Other" on roster	4	0.02
		5 = Race statistically imputed, no infor. from roster	188	0.71
IRHOIND	1	IMPUTATION-REVISED HISPANIC ORIGIN		
		1 = Hispanic	6894	26.03
		2 = Nonhispanic	19595	73.97
IIHOIND	1	IRHOIND INDICATOR		
		1 = Hispanicity derived from questionnaire	26354	99.49
		2 = Hispanicity derived from roster	135	0.51
IRHOGRP	2	IMPUTATION-REVISED HISPANIC-ORIGIN GROUP		
		1 = Puerto Rican	876	3.31
		2 = Mexican	3640	13.74
		3 = Cuban	825	3.11
		4 = Other	1553	5.86
		99 = LEGITIMATE SKIP	19595	73.97
IIHOGRP	1	IMPUTATION INDICATOR FOR HISPANIC GROUP		
		1 = Hispanic-Origin Group taken from questionnaire ...	6694	25.27
		3 = Statistically imputed data	200	0.76
		9 = LEGITIMATE SKIP Respondent is not hispanic	19595	73.97
IRHOGRP2	2	IMPUTATION-REVISED HISPANIC-ORIGIN GROUP, VERSION2		
		1 = Puerto Rican	876	3.31
		2 = Mexican	3640	13.74
		3 = Cuban	825	3.11
		4 = Other	304	1.15
		5 = Central American	695	2.62
		6 = South American	347	1.31
		7 = Caribbean	207	0.78
		99 = LEGITIMATE SKIP Respondent is not hispanic	19595	73.97
IIHOGRP2	1	IMPUTATION INDICATOR FOR HISPANIC GROUP VERSION2		
		1 = Hispanic-Origin Group taken from questionnaire ...	6694	25.27
		3 = Statistically imputed data	200	0.76
		9 = LEGITIMATE SKIP Respondent is not hispanic	19595	73.97
IRMARIT	2	MARITAL STATUS - IMPUTATION INDICATOR		
		1 = Married	8601	32.47
		2 = Widowed	497	1.88
		3 = Divorced or Separated	2698	10.19
		4 = Never Married	11103	41.92
		99 = LEGITIMATE SKIP	3590	13.55

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
IIMARIT	1	IRMARIT INDICATOR		
		1 = Questionnaire data	22497	84.93
		2 = Logically imputed data from questionnaire	10	0.04
		4 = Logically imputed data from roster	209	0.79
		5 = Statistically imputed data	32	0.12
		6 = Logically imputed from relationship on roster	151	0.57
		9 = LEGITIMATE SKIP (less than or = 14 years old)	3590	13.55
IREduc	2	EDUCATION - IMPUTATION REVISED		
		0 = No schooling	61	0.23
		1 = First grade	30	0.11
		2 = Second grade	53	0.20
		3 = Third grade	91	0.34
		4 = Fourth grade	107	0.40
		5 = Fifth grade	460	1.74
		6 = Sixth grade	1507	5.69
		7 = Seventh grade	1399	5.28
		8 = Eighth grade	1662	6.27
		9 = Ninth grade	1791	6.76
		10 = Tenth grade	2050	7.74
		11 = Eleventh grade	2236	8.44
		12 = Twelfth grade	6683	25.23
		13 = One year of college	1590	6.00
		14 = Two years of college	2264	8.55
		15 = Three years of college	838	3.16
		16 = Four years of college	2341	8.84
		17 = Graduate/professional school	1326	5.07
IIEDUC	1	EDUCATION - IMPUTATION INDICATOR		
		1 = Questionnaire data	26396	99.65
		3 = Statistically imputed data	93	0.35
IRHSGRAD	1	HIGH SCHOOL GRADUATE - IMPUTATION REVISED		
		1 = Yes, graduated from high school	14969	56.51
		2 = No, did not graduate from high school	11520	43.49
IIHSGRAD	1	HIGH SCHOOL GRADUATE - IMPUTATION INDICATOR		
		1 = Questionnaire data	19685	74.31
		2 = Logically imputed data	6731	25.41
		3 = Statistically imputed data	73	0.28

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
IRWORKST	2	WORK STATUS - IMPUTATION REVISED		
		1 = Working full-time, 35 hours or more a week	11228	42.39
		2 = Working part-time, less than 35 hours a week	3127	11.80
		3 = Have job but out: illness/leave/furlough/strike ..	147	0.55
		4 = Unemployed or laid off and looking for work	1362	5.14
		5 = Unemployed and not looking for work	641	2.42
		6 = Full-time homemaker only	1991	7.52
		7 = In school only	6870	25.94
		8 = Retired	587	2.22
		9 = Disabled, not able to work	444	1.68
		10 = Other, in labor force	57	0.22
		11 = Other, not in labor force	35	0.13
IIWORKST	1	WORK STATUS - IMPUTATION INDICATOR		
		1 = Questionnaire data	26182	98.84
		2 = Logically imputed data	210	0.79
		3 = Statistically imputed data	97	0.37
IRPINSUR	1	PRIVATE HEALTH INSURANCE - IMPUTATION REVISED		
		1 = Yes, respondent does have private health insurance	16609	62.70
		2 = No, respondent does not have private health insur.	9880	37.30
IIPINSUR	1	PRIVATE HEALTH INSURANCE - IMPUTATION INDICATOR		
		1 = Questionnaire data	25984	98.09
		2 = Logically imputed data	286	1.08
		3 = Statistically imputed data	219	0.83
IRINSUR	1	HEALTH INSURANCE - IMPUTATION REVISED		
		1 = Yes, respondent does have health insurance	20127	75.98
		2 = No, respondent does not have health insurance	6362	24.02
IIINSUR	1	HEALTH INSURANCE - IMPUTATION INDICATOR		
		1 = Questionnaire data	26200	98.91
		2 = Logically imputed data	128	0.48
		3 = Statistically imputed data	161	0.61

The following variables, IRWAG1 through IIAFOOD, relate to income for the past month. IRWAG1 through IIAOTH1 are for the respondent. IRWAG2 through IIAOTH2 are for the other members in the household.

IRWAG1	1	RECEIVED WAGES - IMPUTATION REVISED		
		1 = Yes	15062	56.86
		2 = No	11427	43.14
IIWAG1	1	RECEIVED WAGES - IMPUTATION INDICATOR		
		1 = Questionnaire data	26376	99.57
		2 = Logically imputed data	24	0.09
		3 = Statistically imputed data	89	0.34

IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
IRAWAG1	6	AMNT RECEIVED FROM WAGES - IMPUTATION REVISED		
		RANGE = 5 - 15000	15062	56.86
		0 = Zero income received	11427	43.14
IIAWAG1	1	AMOUNT RECEIVED FROM WAGES - IMPUTATION INDICATOR		
		1 = Questionnaire data	12713	47.99
		2 = Logically imputed data	56	0.21
		3 = Statistically imputed data	2293	8.66
		9 = LEGITIMATE SKIP	11427	43.14
IRSOC1	1	RECEIVED INCOME FROM SS/RR - IMPUTATION REVISED		
		1 = Yes	1103	4.16
		2 = No	25386	95.84
IISOC1	1	RECEIVED INCOME FR SS/RR - IMPUTATION INDICATOR		
		1 = Questionnaire data	26334	99.41
		2 = Logically imputed data	17	0.06
		3 = Statistically imputed data	138	0.52
IRASOC1	6	AMNT RECEIVED FROM SS OR RR - IMPUTATION REVISED		
		RANGE = 40 - 2850	1103	4.16
		0 = Zero income received	25386	95.84
IIASOC1	1	AMT RECEIVED FROM SS/RR - IMPUTATION INDICATOR		
		1 = Questionnaire data	860	3.25
		2 = Logically imputed data	3	0.01
		3 = Statistically imputed data	240	0.91
		9 = LEGITIMATE SKIP	25386	95.84
IRSSII1	1	RECEIVED INCOME FROM SSI - IMPUTATION REVISED		
		1 = Yes	477	1.80
		2 = No	26012	98.20
IISII1	1	RECEIVED INCOME FROM SSI - IMPUTATION INDICATOR		
		1 = Questionnaire data	26288	99.24
		2 = Logically imputed data	14	0.05
		3 = Statistically imputed data	187	0.71
IRASSII1	6	AMNT RECEIVED FROM SSI - IMPUTATION REVISED		
		RANGE = 36 - 1914	477	1.80
		0 = Zero income received	26012	98.20
IIASSII1	1	AMOUNT RECEIVED FROM SSI - IMPUTATION INDICATOR		
		1 = Questionnaire data	375	1.42
		3 = Statistically imputed data	102	0.39
		9 = LEGITIMATE SKIP	26012	98.20
IRWEL1	1	RECEIVED WELFARE - IMPUTATION REVISED		
		1 = Yes	1836	6.93
		2 = No	24653	93.07

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
IIWEL1	1	RECEIVED WELFARE - IMPUTATION INDICATOR		
		1 = Questionnaire data	26323	99.37
		2 = Logically imputed data	8	0.03
		3 = Statistically imputed data	158	0.60
IRAWEL1	6	AMNT RECEIVED FROM WELFARE - IMPUTATION REVISED		
		RANGE = 16 - 1136	1836	6.93
		0 = Zero income received	24653	93.07
IIAWEL1	1	AMT RECEIVED FROM WELFARE - IMPUTATION INDICATOR		
		1 = Questionnaire data	1463	5.52
		3 = Statistically imputed data	373	1.41
		9 = LEGITIMATE SKIP	24653	93.07
IRINT1	1	RECEIVED INTEREST - IMPUTATION REVISED		
		1 = Yes	8567	32.34
		2 = No	17922	67.66
IIINT1	1	RECEIVED INTEREST - IMPUTATION INDICATOR		
		1 = Questionnaire data	26185	98.85
		2 = Logically imputed data	44	0.17
		3 = Statistically imputed data	260	0.98
IRAIN1	6	AMNT RECEIVED FROM INTEREST - IMPUTATION REVISED		
		RANGE = 1 - 5000	8567	32.34
		0 = Zero income received	17922	67.66
IIAIN1	1	AMT RECEIVED FROM INTEREST - IMPUTATION INDICATOR		
		1 = Questionnaire data	4463	16.85
		2 = Logically imputed data	2	0.01
		3 = Statistically imputed data	4102	15.49
		9 = LEGITIMATE SKIP	17922	67.66
IRCHD1	1	RECEIVED CHILD SUPPORT - IMPUTATION REVISED		
		1 = Yes	959	3.62
		2 = No	25530	96.38
IICHD1	1	RECEIVED FROM CHILD SUPPORT - IMPUTATION INDICATOR		
		1 = Questionnaire data	26171	98.80
		2 = Logically imputed data	20	0.08
		3 = Statistically imputed data	298	1.12
IRACHD1	6	AMNT RECEIVED FROM CHILD SUPPORT - IMPUT. REVISED		
		RANGE = 15 - 1250	959	3.62
		0 = Zero income received	25530	96.38
IIACHD1	1	AMT RECVD FR CHILD SUPPORT - IMPUTATION INDICATOR		
		1 = Questionnaire data	832	3.14
		3 = Statistically imputed data	127	0.48
		9 = LEGITIMATE SKIP	25530	96.38
IROTH1	1	RECEIVED OTHER SOURCES - IMPUTATION REVISED		
		1 = Yes	1282	4.84
		2 = No	25207	95.16

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
IIOTH1	1	RECVD INCOME FR OTHR SOURCS - IMPUTATION INDICATOR		
		1 = Questionnaire data	25921	97.86
		2 = Logically imputed data	281	1.06
		3 = Statistically imputed data	287	1.08
IRAOTH1	6	AMNT RECEIVED FROM OTHER SOURCES - IMPUT. REVISED		
		RANGE = 2 - 5008	1282	4.84
		0 = Zero income received	25207	95.16
IIAOTH1	1	AMT RECVD FR OTHR SOURCES - IMPUTATION INDICATOR		
		1 = Questionnaire data	1053	3.98
		2 = Logically imputed data	6	0.02
		3 = Statistically imputed data	223	0.84
		9 = LEGITIMATE SKIP	25207	95.16
IRWAG2	1	OTHR FAM MEM RECEIVED WAGES - IMPUTATION REVISED		
		1 = Yes	16590	62.63
		2 = No	9899	37.37
IIWAG2	1	OTHR FAM MEM RECVD WAGES - IMPUTATION INDICATOR		
		1 = Questionnaire data	21066	79.53
		2 = Logically imputed data	234	0.88
		3 = Statistically imputed data	1092	4.12
		9 = LEGITIMATE SKIP	4097	15.47
IRAWAG2	6	AMNT OTHR FAM RECVD FR WAGES - IMPUTATION REVISED		
		RANGE = 8 - 24830	16590	62.63
		0 = Zero income received	9899	37.37
IIAWAG2	1	AMT OTHR FAM RECVD FR WAGES - IMPUTATION INDICATOR		
		1 = Questionnaire data	10134	38.26
		2 = Logically imputed data	623	2.35
		3 = Statistically imputed data	5833	22.02
		9 = LEGITIMATE SKIP	9899	37.37
IRSOC2	1	OTHR FAM RECVD INCOME FR SS/RR - IMPUT. REVISED		
		1 = Yes	1918	7.24
		2 = No	24571	92.76
IISOC2	1	OTHR FAM RECVD INCOME FR SS/RR - IMPUT. INDICTR		
		1 = Questionnaire data	21069	79.54
		2 = Logically imputed data	46	0.17
		3 = Statistically imputed data	1277	4.82
		9 = LEGITIMATE SKIP	4097	15.47
IRASOC2	6	AMNT OTHR FAM RECVD FROM SS/RR - IMPUT. REVISED		
		RANGE = 45 - 3000	1918	7.24
		0 = Zero income received	24571	92.76
IIASOC2	1	AMT OTHR FAM RECVD FR SS/RR - IMPUTATION INDICATOR		
		1 = Questionnaire data	1059	4.00
		2 = Logically imputed data	37	0.14
		3 = Statistically imputed data	822	3.10
		9 = LEGITIMATE SKIP	24571	92.76

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
IRSSI2	1	OTHR FAM RECVD INCOME FR SSI - IMPUT. REVISED		
		1 = Yes	632	2.39
		2 = No	25857	97.61
IISSI2	1	OTHR FAM RECVD FROM SSI - IMPUTATION INDICATOR		
		1 = Questionnaire data	21073	79.55
		2 = Logically imputed data	32	0.12
		3 = Statistically imputed data	1287	4.86
		9 = LEGITIMATE SKIP	4097	15.47
IRASSI2	6	AMNT OTHR FAM RECVD FROM SSI - IMPUTATION REVISED		
		RANGE = 8 - 1700	632	2.39
		0 = Zero income received	25857	97.61
IIASSI2	1	AMT OTHR FAM RECVD FROM SSI - IMPUTATION INDICATOR		
		1 = Questionnaire data	427	1.61
		2 = Logically imputed data	13	0.05
		3 = Statistically imputed data	192	0.72
		9 = LEGITIMATE SKIP	25857	97.61
IRWEL2	1	OTHR FAM MEM RECEIVED WELFARE - IMPUTATION REVISED		
		1 = Yes	1403	5.30
		2 = No	25086	94.70
IIWEL2	1	OTHR FAM MEM RECVD WELFARE - IMPUTATION INDICATOR		
		1 = Questionnaire data	21140	79.81
		2 = Logically imputed data	51	0.19
		3 = Statistically imputed data	1201	4.53
		9 = LEGITIMATE SKIP	4097	15.47
IRAWEL2	6	AMNT OTHR FAM RECVD FR WELFARE - IMPUT. REVISED		
		RANGE = 1 - 1500	1403	5.30
		0 = Zero income received	25086	94.70
IIAWEL2	1	AMT OTHR FAM RECVD FROM WELFARE - IMPUT. INDICATOR		
		1 = Questionnaire data	861	3.25
		2 = Logically imputed data	92	0.35
		3 = Statistically imputed data	450	1.70
		9 = LEGITIMATE SKIP	25086	94.70
IRINT2	1	OTHR FAM RECVD INTEREST - IMPUTATION REVISED		
		1 = Yes	7024	26.52
		2 = No	19465	73.48
IIINT2	1	OTHR FAM RECVD INTEREST - IMPUTATION INDICATOR		
		1 = Questionnaire data	20566	77.64
		2 = Logically imputed data	101	0.38
		3 = Statistically imputed data	1725	6.51
		9 = LEGITIMATE SKIP	4097	15.47
IRAIN2	6	AMNT FAM RECVD FROM INTEREST - IMPUTATION REVISED		
		RANGE = 1 - 4000	7024	26.52
		0 = Zero income received	19465	73.48

IMPUTED DEMOGRAPHICS					
LABEL	LEN	DESCRIPTION	FREQ		
IIAINT2	1	AMT OTHR FAM RECVD FR INTEREST - IMPUT. INDICATOR			
		1 = Questionnaire data	2077	7.84	
		2 = Logically imputed data	229	0.86	
		3 = Statistically imputed data	4718	17.81	
		9 = LEGITIMATE SKIP	19465	73.48	
IRCHD2	1	OTHR FAM RECVD CHILD SUPPORT - IMPUTATION REVISED			
		1 = Yes	847	3.20	
		2 = No	25642	96.80	
IICH2	1	OTHR FAM RECVD FR CHILD SUPPORT - IMPUT. INDICATOR			
		1 = Questionnaire data	21122	79.74	
		2 = Logically imputed data	38	0.14	
		3 = Statistically imputed data	1232	4.65	
		9 = LEGITIMATE SKIP	4097	15.47	
IRACHD2	6	AMNT OTHR FAM RECVD FR CHLD SUPRT - IMPUT. REVISED			
		RANGE = 20 - 2100	847	3.20	
		0 = Zero income received	25642	96.80	
IIACHD2	1	AMT OTHR RECVD FR CHILD SUPPORT - IMPUT. INDICATOR			
		1 = Questionnaire data	638	2.41	
		2 = Logically imputed data	35	0.13	
		3 = Statistically imputed data	174	0.66	
		9 = LEGITIMATE SKIP	25642	96.80	
IROTH2	1	OTHR FAM RECVD OTHR SOURCES - IMPUTATION REVISED			
		1 = Yes	1254	4.73	
		2 = No	25235	95.27	
IIOTH2	1	OTHR FAM RECVD OTHR SOURCES - IMPUTATION INDICATOR			
		1 = Questionnaire data	20872	78.79	
		2 = Logically imputed data	201	0.76	
		3 = Statistically imputed data	1319	4.98	
		9 = LEGITIMATE SKIP	4097	15.47	
IRAOTH2	6	AMNT OTHR FAM RECVD FR OTHR SRCS - IMPUT. REVISED			
		RANGE = 10 - 8000	1254	4.73	
		0 = Zero income received	25235	95.27	
IIAOTH2	1	AMT OTHR FAM RECVD FR OTHR SOURCS - IMPUT. INDICTR			
		1 = Questionnaire data	826	3.12	
		2 = Logically imputed data	37	0.14	
		3 = Statistically imputed data	391	1.48	
		9 = LEGITIMATE SKIP	25235	95.27	
IRFOOD	1	ANY FAM MEM RECVD FOOD STAMP - IMPUTATION REVISED			
		1 = Yes	3695	13.95	
		2 = No	22794	86.05	
IIFOOD	1	ANY FAM MEM RECVD FOOD STMP - IMPUTATION INDICATOR			
		1 = Questionnaire data	26032	98.27	
		2 = Logically imputed data	20	0.08	
		3 = Statistically imputed data	437	1.65	

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
IRAFOD	6	VALUE OF FOOD STAMP - IMPUTATION REVISED		
		RANGE = 10 - 661	3695	13.95
		0 = Zero income received	22794	86.05
IIAFOD	1	AMT FAM RECVD FR FOOD STAMP - IMPUTATION INDICATOR		
		1 = Questionnaire data	2970	11.21
		2 = Logically imputed data	65	0.25
		3 = Statistically imputed data	660	2.49
		9 = LEGITIMATE SKIP	22794	86.05
IRPEOP	2	TOTAL # OF PEOPLE IN A HOUSEHOLD - IMPUTATION REVISED		
		RANGE = 1 - 17	26489	100.00
IRKIDS	2	TOTAL # OF CHILDREN (UNDER 12 YEARS) IN A HOUSEHOLD		
		0 = None	14482	54.67
		1 = One	5863	22.13
		2 = Two	3996	15.09
		3 = Three	1503	5.67
		4 = Four	441	1.66
		5 = Five	137	0.52
		6 = Six or more	67	0.25

IMPUTED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IMPUTED DRUG USE				

IRALCRC	1	ALCOHOL RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	12357	46.65
		2 = More than 1 month ago but less than 6 months ago ..	2707	10.22
		3 = 6 or more months ago but less than 1 year ago	1556	5.87
		4 = 1 or more years ago but less than 3 years ago	1052	3.97
		5 = 3 or more years ago	1764	6.66
		9 = Never used alcohol	7053	26.63
IIALCRC	1	ALCOHOL RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	24999	94.38
		2 = Imputed data	832	3.14
		3 = Statistically imputed data	658	2.48
IRMJRC	1	MARIJUANA RECENCY - IMPUTATION REVISED		
		1 = Within the past week (7 days)	1263	4.77
		2 = More than 1 week ago but less than 1 month ago ...	675	2.55
		3 = 1 or more months ago but less than 6 months ago ..	845	3.19
		4 = 6 or more months ago but less than 1 year ago	949	3.58
		5 = 1 or more years ago but less than 3 years ago	729	2.75
		6 = 3 or more years ago	5379	20.31
		9 = Never used marijuana	16649	62.85
IIMJRC	1	MARIJUANA RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	25455	96.10
		3 = Statistically imputed data	1034	3.90
IRCOCRC	1	COCAINE RECENCY - IMPUTATION REVISED		
		1 = Within the past week (7 days)	198	0.75
		2 = More than 1 week ago but less than 1 month ago ...	168	0.63
		3 = 1 or more months ago but less than 6 months ago ..	323	1.22
		4 = 6 or more months ago but less than 1 year ago	381	1.44
		5 = 1 or more years ago but less than 3 years ago	393	1.48
		6 = 3 or more years ago	2303	8.69
		9 = Never used cocaine	22723	85.78
IICOCRC	1	COCAINE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	26009	98.19
		2 = Imputed data	24	0.09
		3 = Statistically imputed data	456	1.72
IRSEDRC	1	SEDATIVES RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	98	0.37
		2 = More than 1 month ago but less than 6 months ago ..	104	0.39
		3 = 6 or more months ago but less than 1 year ago	51	0.19
		4 = 1 or more years ago but less than 3 years ago	99	0.37
		5 = 3 or more years ago	554	2.09
		9 = Never used sedatives	25583	96.58

IMPUTED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
IISEDRC	1	SEDATIVES RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	26303	99.30
		3 = Statistically imputed data	186	0.70
IRTRNRC	1	TRANQUILIZERS RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	133	0.50
		2 = More than 1 month ago but less than 6 months ago .	146	0.55
		3 = 6 or more months ago but less than 1 year ago	113	0.43
		4 = 1 or more years ago but less than 3 years ago	168	0.63
		5 = 3 or more years ago	669	2.53
		9 = Never used tranquilizers	25260	95.36
IITRNRC	1	TRANQUILIZERS RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	26314	99.34
		3 = Statistically imputed data	175	0.66
IRSTMRC	1	STIMULANTS RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	99	0.37
		2 = More than 1 month ago but less than 6 months ago .	131	0.49
		3 = 6 or more months ago but less than 1 year ago	121	0.46
		4 = 1 or more years ago but less than 3 years ago	181	0.68
		5 = 3 or more years ago	1013	3.82
		9 = Never used stimulants	24944	94.17
IISTMRC	1	STIMULANTS RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	26275	99.19
		3 = Statistically imputed data	214	0.81
IRANLRC	1	ANALGESICS RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	229	0.86
		2 = More than 1 month ago but less than 6 months ago .	236	0.89
		3 = 6 or more months ago but less than 1 year ago	205	0.77
		4 = 1 or more years ago but less than 3 years ago	267	1.01
		5 = 3 or more years ago	588	2.22
		9 = Never used analgesics	24964	94.24
IIANLRC	1	ANALGESICS RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	26178	98.83
		3 = Statistically imputed data	311	1.17
IRCIGRC	1	CIGARETTES RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	8521	32.17
		2 = More than 1 month ago but less than 6 months ago .	847	3.20
		3 = 6 or more months ago but less than 1 year ago	608	2.30
		4 = 1 or more years ago but less than 3 years ago	1030	3.89
		5 = 3 or more years ago	5178	19.55
		9 = Never smoked cigarettes	10305	38.90
IICIGRC	1	CIGARETTES RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	25375	95.79
		2 = Imputed data	78	0.29
		3 = Statistically imputed data	1036	3.91

IMPUTED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	-
IROTBRC	1	SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	522	1.97
		2 = More than 1 month ago but less than 6 months ago .	208	0.79
		3 = 6 or more months ago but less than 1 year ago	143	0.54
		4 = 1 or more years ago but less than 3 years ago	330	1.25
		5 = 3 or more years ago	1407	5.31
		9 = Never used smokeless tobacco	23879	90.15
IIOTBRC	1	SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	26056	98.37
		3 = Statistically imputed data	433	1.63
IRINHRC	1	INHALANTS RECENCY - IMPUTATION REVISED		
		1 = Within the past week (7 days)	60	0.23
		2 = More than 1 week ago but less than 1 month ago ...	136	0.51
		3 = 1 or more months ago but less than 6 months ago ..	99	0.37
		4 = 6 or more months ago but less than 1 year ago	161	0.61
		5 = 1 or more years ago but less than 3 years ago	187	0.71
		6 = 3 or more years ago	1146	4.33
		9 = Never used inhalants	24700	93.25
IIINHRC	1	INHALANTS RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	26225	99.00
		3 = Statistically imputed data	264	1.00
IRCRKRC	1	"CRACK" RECENCY - IMPUTATION REVISED		
		1 = Within the past week (7 days)	63	0.24
		2 = More than 1 week ago but less than 1 month ago ...	64	0.24
		3 = 1 or more months ago but less than 6 months ago ..	67	0.25
		4 = 6 or more months ago but less than 1 year ago	85	0.32
		5 = 1 or more years ago but less than 3 years ago	155	0.59
		6 = 3 or more years ago	401	1.51
		9 = Never used "crack"	25654	96.85
IICRKRC	1	"CRACK" RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	26441	99.82
		2 = Imputed data	6	0.02
		3 = Statistically imputed data	42	0.16
IRHALRC	1	HALLUCINOGENS RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	146	0.55
		2 = More than 1 month ago but less than 6 months ago .	199	0.75
		3 = 6 or more months ago but less than 1 year ago	225	0.85
		4 = 1 or more years ago but less than 3 years ago	269	1.02
		5 = 3 or more years ago	1750	6.61
		9 = Never used hallucinogens	23900	90.23
IIHALRC	1	HALLUCINOGENS RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	26263	99.15
		2 = Imputed data	31	0.12
		3 = Statistically imputed data	195	0.74

IMPUTED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
IRHERRC	1	HEROIN RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	29	0.11
		2 = More than 1 month ago but less than 6 months ago .	11	0.04
		3 = 6 or more months ago but less than 1 year ago	45	0.17
		4 = 1 or more years ago but less than 3 years ago	50	0.19
		5 = 3 or more years ago	258	0.97
		9 = Never used heroin	26096	98.52
IIHERRC	1	HEROIN RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	26421	99.74
		2 = Imputed data	7	0.03
		3 = Statistically imputed data	61	0.23
IRPCPRC	1	PCP RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	45	0.17
		2 = More than 1 month ago but less than 6 months ago .	47	0.18
		3 = 6 or more months ago but less than 1 year ago	48	0.18
		4 = 1 or more years ago but less than 3 years ago	122	0.46
		5 = 3 or more years ago	977	3.69
		9 = Never used PCP	25250	95.32
IIPCPRC	1	PCP RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	26409	99.70
		3 = Statistically imputed data	80	0.30
IRICERC	1	ICE RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	15	0.06
		2 = More than 1 month ago but less than 6 months ago .	62	0.23
		3 = 6 or more months ago but less than 1 year ago	24	0.09
		4 = 1 or more years ago but less than 3 years ago	24	0.09
		5 = 3 or more years ago but less than 10 years ago ...	39	0.15
		6 = 10 or more years ago	19	0.07
		9 = Never used ice	26306	99.31
IIICERC	1	ICE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	26457	99.88
		3 = Statistically imputed data	32	0.12
IRSTSRC	1	ANABOLIC STEROIDS RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days)	11	0.04
		2 = More than 1 month ago but less than 6 months ago .	8	0.03
		3 = 6 or more months ago but less than 1 year ago	9	0.03
		4 = 1 or more years ago but less than 3 years ago	31	0.12
		5 = 3 or more years ago	86	0.32
		9 = Never used anabolic steroids	26344	99.45
IISTSRC	1	ANABOLIC STEROIDS RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	26427	99.77
		3 = Statistically imputed data	62	0.23

IMPUTED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	t
IRALCFQ	1	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = Used daily in past year	593	2.24
		2 = Used almost daily in past year	1285	4.85
		3 = Used 1-2 days per week in past year	3187	12.03
		4 = Used several times a month in past year	1788	6.75
		5 = Used 1-2 times per month in past year	3150	11.89
		6 = Used every other month in past year	2018	7.62
		7 = Used 3-5 times in past year	2156	8.14
		8 = Used 1-2 times in past year	2443	9.22
		9 = Never used or did not use in the past year	9869	37.26
IIALCFQ	1	ALCOHOL FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	15895	60.01
		2 = Imputed data	9869	37.26
		3 = Statistically imputed data	725	2.74
IRMJFQ	2	MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = Used several times per day in past year	222	0.84
		2 = Used daily in past year	126	0.48
		3 = Used almost daily in past year	374	1.41
		4 = Used 1-2 days per week in past year	456	1.72
		5 = Used several times per month in past year	306	1.16
		6 = Used 1-2 times per month in past year	453	1.71
		7 = Used every other month in past year	394	1.49
		8 = Used 3-5 times in past year	497	1.88
		9 = Used 1-2 times in past year	904	3.41
		10 = Never used or did not use in the past year	22757	85.97
IIMJFQ	1	MARIJUANA FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	3070	11.59
		2 = Imputed data	22757	85.91
		3 = Statistically imputed data	662	2.50
IRCOCFQ	1	COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = Used daily in past year	20	0.08
		2 = Used almost daily in past year	51	0.19
		3 = Used 1-2 days per week in past year	93	0.35
		4 = Used several times per month in past year	90	0.34
		5 = Used 1-2 times per month in past year	130	0.49
		6 = Used every other month in past year	125	0.47
		7 = Used 3-5 times in past year	195	0.74
		8 = Used 1-2 times in past year	366	1.38
		9 = Never used or did not use in the past year	25419	95.96
IICOCFQ	1	COCAINE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	708	2.67
		2 = Imputed data	25419	95.96
		3 = Statistically imputed data	362	1.37

IMPUTED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IRSEDFQ	1	SEDATIVES FREQUENCY - IMPUTATION REVISED		
		1 = Used daily in past year	7	0.03
		2 = Used almost daily in past year	6	0.02
		3 = Used 1-2 days per week in past year	27	0.10
		4 = Used several times a month in past year	26	0.10
		5 = Used 1-2 times per month in past year	31	0.12
		6 = Used every other month in past year	17	0.06
		7 = Used 3-5 times in past year	50	0.19
		8 = Used 1-2 times in past year	89	0.34
		9 = Never used or did not use in the past year	26236	99.04
IISEDQ	1	SEDATIVES FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	190	0.72
		2 = Imputed data	26236	99.04
		3 = Statistically imputed data	63	0.24
IRTRNFQ	1	TRANQUILIZERS FREQUENCY - IMPUTATION REVISED		
		1 = Used daily in past year	2	0.01
		2 = Used almost daily in past year	13	0.05
		3 = Used 1-2 days per week in past year	26	0.10
		4 = Used several times a month in past year	34	0.13
		5 = Used 1-2 times per month in past year	50	0.19
		6 = Used every other month in past year	35	0.13
		7 = Used 3-5 times in past year	75	0.28
		8 = Used 1-2 times in past year	157	0.59
		9 = Never used or did not use in the past year	26097	98.52
IITRNFQ	1	TRANQUILIZERS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	353	1.33
		2 = Imputed data	26097	98.52
		3 = Statistically imputed data	39	0.15
IRSTMFQ	1	STIMULANTS FREQUENCY - IMPUTATION REVISED		
		1 = Used daily in past year	19	0.07
		2 = Used almost daily in past year	28	0.11
		3 = Used 1-2 days per week in past year	31	0.12
		4 = Used several times a month in past year	25	0.09
		5 = Used 1-2 times per month in past year	42	0.16
		6 = Used every other month in past year	45	0.17
		7 = Used 3-5 times in past year	38	0.14
		8 = Used 1-2 times in past year	123	0.46
		9 = Never used or did not use in the past year	26138	98.67
IISTMFQ	1	STIMULANTS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	292	1.10
		2 = Imputed data	26138	98.67
		3 = Statistically imputed data	59	0.22

IMPUTED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	t
IRANLFQ	1	ANALGESICS FREQUENCY - IMPUTATION REVISED		
		1 = Used daily in past year	14	0.05
		2 = Used almost daily in past year	17	0.06
		3 = Used 1-2 days per week in past year	25	0.09
		4 = Used several times a month in past year	43	0.16
		5 = Used 1-2 times per month in past year	69	0.26
		6 = Used every other month in past year	90	0.34
		7 = Used 3-5 times in past year	129	0.49
		8 = Used 1-2 times in past year	283	1.07
		9 = Never used or did not use in the past year	25819	97.47
IIANLFQ	1	ANALGESICS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	575	2.17
		2 = Imputed data	25819	97.47
		3 = Statistically imputed data	95	0.36
IROTBFQ	1	SMOKELESS TOBACCO FREQUENCY - IMPUTATION REVISED		
		1 = Used daily in past year	227	0.86
		2 = Used almost daily in past year	84	0.32
		3 = Used 1-2 days per week in past year	79	0.30
		4 = Used several times a month in past year	54	0.20
		5 = Used 1-2 times per month in past year	77	0.29
		6 = Used every other month in past year	48	0.18
		7 = Used 3-5 times in past year	75	0.28
		8 = Used 1-2 times in past year	229	0.86
		9 = Never used or did not use in the past year	25616	96.70
IIOTBFQ	1	SMOKELESS TOBACCO FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	840	3.17
		2 = Imputed data	25616	96.70
		3 = Statistically imputed data	33	0.12
IRINHFQ	1	INHALANTS FREQUENCY - IMPUTATION REVISED		
		1 = Use daily in past year	4	0.02
		2 = Used almost daily in past year	5	0.02
		3 = Used 1-2 days per week in past year	29	0.11
		4 = Used several times a month in past year	23	0.09
		5 = Used 1-2 times per month in past year	60	0.23
		6 = Used every other month in past year	46	0.17
		7 = Used 3-5 times in past year	78	0.29
		8 = Used 1-2 times in past year	211	0.80
		9 = Never used or did not use in the past year	26033	98.28
IIINHFQ	1	INHALANTS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	310	1.17
		2 = Imputed data	26033	98.28
		3 = Statistically imputed data	146	0.55

		IMPUTED DRUG USE			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
IRHALFQ	1	HALLUCINOGENS FREQUENCY - IMPUTATION REVISED			
		1 = Used daily in past year	3	0.01	
		2 = Used almost daily in past year	7	0.03	
		3 = Used 1-2 days per week in past year	23	0.09	
		4 = Used several times a month in past year	26	0.10	
		5 = Used 1-2 times per month in past year	59	0.22	
		6 = Used every other month in past year	63	0.24	
		7 = Used 3-5 times in past year	101	0.38	
		8 = Used 1-2 times in past year	288	1.09	
		9 = Never used or did not use in the past year	25919	97.85	
IIHALFQ	1	HALLUCINOGENS FREQUENCY - IMPUTATION INDICATOR			
		1 = Questionnaire data	446	1.68	
		2 = Imputed data	25919	97.85	
		3 = Statistically imputed data	124	0.47	

RECODED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
RECODED DEMOGRAPHICS				

CATAGE	1	AGE CATEGORY		
		1 = 12-17 years	6978	26.34
		2 = 18-25 years	5531	20.88
		3 = 26-34 years	8342	31.49
		4 = 35+ years	5638	21.28
CATAG2	1	AGE CATEGORY RECODE (3 LEVELS)		
		1 = 12-17 years	6978	26.34
		2 = 18-25 years	5531	20.88
		3 = 26+ years	13980	52.78
CATAG3	1	AGE CATEGORY RECODE (5 LEVELS)		
		1 = 12-17 years	6978	26.34
		2 = 18-25 years	5531	20.88
		3 = 26-34 years	8342	31.49
		4 = 35-49 years	4186	15.80
		5 = 50+ years	1452	5.48
RACE	2	RACE/HISPANIC-ORIGIN RECODE		
		1 = White (IRRACE = 4 and IRHOIND = 2)	12478	47.11
		2 = Black (IRRACE = 3 and IRHOIND = 2)	6183	23.34
		3 = Hispanic (IRHOIND = 1)	6894	26.03
		4 = Other (IRRACE = 1-2 and IRHOIND = 2)	934	3.53
HISPRACE	2	RACE ETHNICITY		
		1 = Hispanic	6894	26.03
		2 = Nonhispanic Black	6183	23.34
		3 = Nonhispanic Nonblack	13412	50.63
EDUCCAT2	1	EDUCATION RECODE		
		1 = Less than high school (IREduc=0-11 and IRAGE=>18)	4632	17.49
		2 = High school graduate (IREduc = 12 and IRAGE=>18)	6539	24.69
		3 = Some college (IREduc = 13-15 and IRAGE => 18)	4679	17.66
		4 = College graduate (IREduc = 16-17 and IRAGE => 18)	3661	13.82
		5 = 12-17 year olds (IRAGE = 12-17)	6978	26.34
EMPSTAT2	1	EMPLOYMENT STATUS RECODE		
		1 = Full-time (IRWORKST =1,3 and IRAGE => 18)	11239	42.43
		2 = Part-time (IRWORKST = 2 and IRAGE => 18)	2318	8.75
		3 = Unemployed (IRWORKST = 4,5,10 and IRAGE => 18) ...	1875	7.08
		4 = Other (IRWORKST = 6-9,11 and IRAGE => 18)	4079	15.40
		5 = 12-17 year olds (IRAGE = 12-17)	6978	26.34

RECODED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
<p>The following four variables, ROCCUP2, BUSINESS2, CWE OCC2, and CWEBUS2, are the recoded versions of ROCCUP, BUSINESS, CWE OCC, and CWEBUS as prepared for public release.</p>				
ROCCUP2	3	KIND OF WORK OF RESPONDENT		
		RANGE = 1 - 16	20354	76.84
		990 = OCCUPATION NOT REPORTED	91	0.34
		997 = REFUSED	17	0.06
		998 = BLANK (NO ANSWER)	189	0.71
		999 = LEGITIMATE SKIP	5838	22.04
BUSINES2	3	BUSINESS OR INDUSTRY OF RESPONDENT		
		RANGE = 1 - 16	20339	76.78
		990 = INDUSTRY NOT REPORTED	106	0.40
		997 = REFUSED	17	0.06
		998 = BLANK (NO ANSWER)	189	0.71
		999 = LEGITIMATE SKIP	5838	22.04
CWE OCC2	3	KIND OF WORK OF CHIEF WAGE EARNER		
		RANGE = 1 - 16	13709	51.75
		990 = INDUSTRY NOT REPORTED	273	1.03
		997 = REFUSED	11	0.04
		998 = BLANK (NO ANSWER)	294	1.11
		999 = LEGITIMATE SKIP	12202	46.06

RECODED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
CWEBUS2	3	BUSINESS OR INDUSTRY OF CHIEF WAGE EARNER		
		RANGE = 1 - 16	13734	51.85
		990 = INDUSTRY NOT REPORTED	248	0.94
		997 = REFUSED	11	0.04
		998 = BLANK (NO ANSWER)	294	1.11
		999 = LEGITIMATE SKIP	12202	46.06
		The following ten variables, CHAGE1 - CHAGE10, are the collapsed versions of the ages of children in the household as prepared for public release.		
CHAGE1	2	NUMBER OF CHILDREN AGES 0 TO 2		
		RANGE = 0 - 3	26489	100.00
CHAGE2	2	NUMBER OF CHILDREN AGES 3 TO 5		
		RANGE = 0 - 4	26489	100.00
CHAGE3	2	NUMBER OF CHILDREN AGES 6 TO 8		
		RANGE = 0 - 4	26489	100.00
CHAGE4	2	NUMBER OF CHILDREN AGES 9 TO 11		
		RANGE = 0 - 4	26489	100.00
CHAGE5	2	NUMBER OF CHILDREN AGES 12 TO 14		
		RANGE = 0 - 3	26489	100.00
CHAGE6	2	NUMBER OF CHILDREN AGES 15 TO 17		
		RANGE = 0 - 2	26489	100.00
CHAGE7	2	NUMBER OF CHILDREN AGES 18 TO 24		
		RANGE = 0 - 1	26489	100.00
CHAGE8	2	NUMBER OF CHILDREN AGES 25 TO 34		
		RANGE = 0 - 1	26489	100.00
CHAGE9	2	NUMBER OF CHILDREN AGES 35+		
		RANGE = 0	26489	100.00
CHAGE10	2	NUMBER OF CHILDREN W/AGES UNKNOWN OR UNSPECIFIED		
		RANGE = 0 - 5	26489	100.00
INDINC	6	ANNUAL TOTAL PERSONAL INCOME RECEIVED		
		RANGE = 0 - 181200	26489	100.00
IIINDINC	1	TOTL PERSONAL INCOME - IMPUTATION INDICATOR		
		1 = All personal income sources from questionnaire ...	19423	73.32
		3 = At least 1 of sources were stat or logic imputed .	7066	26.68

RECODED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
INDCAT	2	ANNUAL TOTAL PERSONAL INCOME RECODE (13 CATEGS.)		
		1 = \$0	6234	23.53
		2 = \$1-\$4,999	5036	19.01
		3 = \$5,000-\$6,999	1521	5.74
		4 = \$7,000-\$8,999	1374	5.19
		5 = \$9,000-\$11,999	1626	6.14
		6 = \$12,000-\$14,999	2172	8.20
		7 = \$15,000-\$19,999	2232	8.43
		8 = \$20,000-\$24,999	1676	6.33
		9 = \$25,000-\$29,999	1137	4.29
		10 = \$30,000-\$39,999	1726	6.52
		11 = \$40,000-\$49,999	973	3.67
		12 = \$50,000-\$74,999	605	2.28
		13 = \$75,000+	177	0.67
PERINC	1	ANNUAL TOTAL PERSONAL INCOME RECODE (5 CATEGORIES)		
		1 = \$0-\$8,999	14165	53.48
		2 = \$9,000-\$19,999	6030	22.76
		3 = \$20,000-\$39,999	4539	17.14
		4 = \$40,000-\$74,999	1578	5.96
		5 = \$75,000+	177	0.67
PERINC2	1	ANNUAL TOTAL PERSONAL INCOME RECODE (7 CATEGORIES)		
		1 = \$0-9,999	14969	56.51
		2 = \$10,000-\$19,999	5226	19.73
		3 = \$20,000-\$29,999	2813	10.62
		4 = \$30,000-\$39,999	1726	6.52
		5 = \$40,000-\$49,999	973	3.67
		6 = \$50,000-\$74,999	605	2.28
		7 = \$75,000+	177	0.67
PERINC3	1	ANNUAL TOTAL PERSONAL INCOME RECODE (8 CATEGORIES)		
		1 = \$0-\$9,999	8138	30.72
		2 = \$10,000-\$19,999	5114	19.31
		3 = \$20,000-\$29,999	2796	10.56
		4 = \$30,000-\$39,999	1714	6.47
		5 = \$40,000-\$49,999	969	3.66
		6 = \$50,000-\$74,999	604	2.28
		7 = \$75,000+	176	0.66
		8 = 12-17 Years Old	6978	26.34
TOTINC	7	ANNUAL TOTAL FAMILY INCOME (NOT INCLD FOOD STAMP)		
		RANGE = 12 - 336000	25778	97.32
		0 = No family income	711	2.68
IITOTINC	1	TOTL FAM INCOME (NOT FD STMP) - IMPUT. INDICATOR		
		1 = All income sources from questionnaire	12678	47.86
		3 = At least 1 of sources were stat or logic imputed	13811	52.14

RECODED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	---
TOTCAT	2	TOTAL FAMILY INCOME - CATEGORIZED TOTINC		
		1 = \$0	711	2.68
		2 = \$1-\$4,999	1306	4.93
		3 = \$5,000-\$6,999	835	3.15
		4 = \$7,000-\$8,999	1137	4.29
		5 = \$9,000-\$11,999	1473	5.56
		6 = \$12,000-\$14,999	1839	6.94
		7 = \$15,000-\$19,999	2845	10.74
		8 = \$20,000-\$24,999	2320	8.76
		9 = \$25,000-\$29,999	2005	7.57
		10 = \$30,000-\$39,999	3796	14.33
		11 = \$40,000-\$49,999	2580	9.74
		12 = \$50,000-\$74,999	3972	14.99
		13 = \$75,000+	1670	6.30
FAMINC	1	ANNUAL TOTAL FAMILY INCOME RECODE (5 CATEGORIES)		
		1 = \$0-\$8,999	3989	15.06
		2 = \$9,000-\$19,999	6157	23.24
		3 = \$20,000-\$39,999	8121	30.66
		4 = \$40,000-\$74,000	6552	24.73
		5 = \$75,000+	1670	6.30
FAMINC2	1	ANNUAL TOTAL FAMILY INCOME RECODE (7 CATEGORIES)		
		1 = \$0-\$9,999	4689	17.70
		2 = \$10,000-\$19,999	5457	20.60
		3 = \$20,000-\$29,999	4325	16.33
		4 = \$30,000-\$39,999	3796	14.33
		5 = \$40,000-\$49,999	2580	9.74
		6 = \$50,000-\$74,999	3972	14.99
		7 = \$75,000+	1670	6.30
FAMINC3	1	ANNUAL TOTAL FAMILY INCOME RECODE (8 CATEGORIES)		
		1 = \$0-\$9,999	3326	12.56
		2 = \$10,000-\$19,999	4016	15.16
		3 = \$20,000-\$29,999	3308	12.49
		4 = \$30,000-\$39,999	2780	10.49
		5 = \$40,000-\$49,999	1995	7.53
		6 = \$50,000-\$74,999	2801	10.57
		7 = \$75,000+	1285	4.85
		8 = 12-17 Years old	6978	26.34
WELFARE	1	ANY FAMILY MEMBER ON WELFARE PAST MONTH INDICATOR		
		1 = Yes, respondent or another fam member on welfare .	2754	10.40
		2 = No, there was no one in the family on welfare	23735	89.60

LABEL	LEN	DESCRIPTION	FREQ	%
RECODED DRUG USE				

RECODED DRUG USE				

HALFLAG	1	HALLUCINOGENS - EVER USED		
		0 = Never used (IRHALRC = 9)	23900	90.23
		1 = Ever used (IRHALRC = 1-5)	2589	9.77
HALYR	1	HALLUCINOGENS - PAST YEAR USE		
		0 = Did not use in the past year (IRHALRC = 4-5,9) ...	25919	97.85
		1 = Used within the past year (IRHALRC = 1-3)	570	2.15
HALMON	1	HALLUCINOGENS - PAST MONTH USE		
		0 = Did not use in the past month (IRHALRC = 2-5,9) ..	26343	99.45
		1 = Used within the past month (IRHALRC = 1)	146	0.55
PCPFLAG	1	PCP - EVER USED		
		0 = Never used (IRPCPRC = 9)	25250	95.32
		1 = Ever used (IRPCPRC = 1-5)	1239	4.68
PCPYR	1	PCP - PAST YEAR USE		
		0 = Did not use in the past year (IRPCPRC = 4-5,9) ...	26349	99.47
		1 = Used within the past year (IRPCPRC = 1-3)	140	0.53
PCPMON	1	PCP - PAST MONTH USE		
		0 = Did not use in the past month (IRPCPRC = 2-5,9) ..	26444	99.83
		1 = Used within the past month (IRPCPRC = 1)	45	0.17
STMFLAG	1	STIMULANTS - EVER USED		
		0 = Never used (IRSTMRC = 9)	24944	94.17
		1 = Ever used (IRSTMRC = 1-5)	1545	5.83
STMYR	1	STIMULANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRSTMRC = 4-5,9) ...	26138	98.67
		1 = Used within the past year (IRSTMRC = 1-3)	351	1.33
STMMON	1	STIMULANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRSTMRC = 2-5,9) ..	26390	99.63
		1 = Used within the past month (IRSTMRC = 1)	99	0.37
SEDFLAG	1	SEDATIVES - EVER USED		
		0 = Never used (IRSEDRC = 9)	25583	96.58
		1 = Ever used (IRSEDRC = 1-5)	906	3.42
SEDYR	1	SEDATIVES - PAST YEAR USE		
		0 = Did not use in the past year (IRSEDRC = 4-5,9) ...	26236	99.04
		1 = Used within the past year (IRSEDRC = 1-3)	253	0.96
SEDMON	1	SEDATIVES - PAST MONTH USE		
		0 = Did not use in the past month (IRSEDRC = 2-5,9) ..	26391	99.63
		1 = Used within the past month (IRSEDRC = 1)	98	0.37

RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	----
TRQFLAG	1	TRANQUILIZERS - EVER USED		
		0 = Never used (IRTRNRC = 9)	25260	95.36
		1 = Ever used (IRTRNRC = 1-5)	1229	4.64
TRQYR	1	TRANQUILIZERS - PAST YEAR USE		
		0 = Did not use in the past year (IRTRNRC = 4-5,9) ...	26097	98.52
		1 = Used within the past year (IRTRNRC = 1-3)	392	1.48
TRQMON	1	TRANQUILIZERS - PAST MONTH USE		
		0 = Did not use in the past month (IRTRNRC = 2-5,9) ..	26356	99.50
		1 = Used within the past month (IRTRNRC = 1)	133	0.50
ANLFLAG	1	ANALGESICS - EVER USED		
		0 = Never used (IRANLRC = 9)	24964	94.24
		1 = Ever used (IRANLRC = 1-5)	1525	5.76
ANLYR	1	ANALGESICS - PAST YEAR USE		
		0 = Did not use in the past year (IRANLRC = 4-5,9) ...	25819	97.47
		1 = Used within the past year (IRANLRC = 1-3)	670	2.53
ANLMON	1	ANALGESICS - PAST MONTH USE		
		0 = Did not use in the past month (IRANLRC = 2-5,9) ..	26260	99.14
		1 = Used within the past month (IRANLRC = 1)	229	0.86
ALCFLAG	1	ALCOHOL - EVER USED		
		0 = Never used (IRALCRC = 9)	7053	26.63
		1 = Ever used (IRALCRC = 1-5)	19436	73.37
ALCYR	1	ALCOHOL - PAST YEAR USE		
		0 = Did not use in the past year (IRALCRC = 4-5,9) ...	9869	37.26
		1 = Used within the past year (IRALCRC = 1-3)	16620	62.74
ALCMON	1	ALCOHOL - PAST MONTH USE		
		0 = Did not use in the past month (IRALCRC = 2-5,9) ..	14132	53.35
		1 = Used within the past month (IRALCRC = 1)	12357	46.65
CIGFLAG	1	CIGARETTES - EVER USED		
		0 = Never used (IRCIGRC = 9)	10305	38.90
		1 = Ever used (IRCIGRC = 1-5)	16184	61.10
CIGYR	1	CIGARETTES - PAST YEAR USE		
		0 = Did not use in the past year (IRCIGRC = 4-5,9) ...	16513	62.34
		1 = Used within the past year (IRCIGRC = 1-3)	9976	37.66
CIGMON	1	CIGARETTES - PAST MONTH USE		
		0 = Did not use in the past month (IRCIGRC = 2-5,9) ..	17968	67.83
		1 = Used within the past month (IRCIGRC = 1)	8521	32.17
SMKFLAG	1	SMOKELESS TOBACCO - EVER USED		
		0 = Never used (IROTBRC = 9)	23879	90.15
		1 = Ever used (IROTBRC = 1-5)	2610	9.85

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
SMKYR	1	SMOKELESS TOBACCO - PAST YEAR USE		
		0 = Did not use in the past year (IROTBR = 4-5,9) ...	25616	96.70
		1 = Used within the past year (IROTBR = 1-3)	873	3.30
SMKMON	1	SMOKELESS TOBACCO - PAST MONTH USE		
		0 = Did not use in the past month (IROTBR = 2-5,9) ..	25967	98.03
		1 = Used within the past month (IROTBR = 1)	522	1.97
HERFLAG	1	HEROIN - EVER USED		
		0 = Never used (IRHERRC = 9)	26096	98.52
		1 = Ever used (IRHERRC = 1-5)	393	1.48
HERYR	1	HEROIN - PAST YEAR USE		
		0 = Did not use in the past year (IRHERRC = 4-5,9) ...	26404	99.68
		1 = Used within the past year (IRHERRC = 1-3)	85	0.32
HERMON	1	HEROIN - PAST MONTH USE		
		0 = Did not use in the past month (IRHERRC = 2-5,9) ..	26460	99.89
		1 = Used within the past month (IRHERRC = 1)	29	0.11
STRFLAG	1	ANABOLIC STEROIDS - EVER USED		
		0 = Never used (IRSTRC = 9)	26344	99.45
		1 = Ever used (IRSTRC = 1-5)	145	0.55
STRYR	1	ANABOLIC STEROIDS - PAST YEAR USE		
		0 = Did not use in the past year (IRSTRC = 4-5,9) ...	26461	99.89
		1 = Used within the past year (IRSTRC = 1-3)	28	0.11
STRMON	1	ANABOLIC STEROIDS - PAST MONTH USE		
		0 = Did not use in the past month (IRSTRC = 2-5,9) ..	26478	99.96
		1 = Used within the past month (IRSTRC = 1)	11	0.04
MRJFLAG	1	MARIJUANA - EVER USED		
		0 = Never used (IRMJRC = 9)	16649	62.85
		1 = Ever used (IRMJRC = 1-6)	9840	37.15
MRJYR	1	MARIJUANA - PAST YEAR USE		
		0 = Did not use in the past year (IRMJRC = 5-6,9)	22757	85.91
		1 = Used within the past year (IRMJRC = 1-4)	3732	14.09
MRJMON	1	MARIJUANA - PAST MONTH USE		
		0 = Did not use in the past month (IRMJRC = 3-6,9) ...	24551	92.68
		1 = Used within the past month (IRMJRC = 1-2)	1938	7.32
COCFLAG	1	COCAINE - EVER USED		
		0 = Never used (IRCOCRC = 9)	22723	85.78
		1 = Ever used (IRCOCRC = 1-6)	3766	14.22
COCYR	1	COCAINE - PAST YEAR USE		
		0 = Did not use in the past year (IRCOCRC = 5-6,9) ...	25419	95.96
		1 = Used within the past year (IRCOCRC = 1-4)	1070	4.04

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
COCMON	1	COCAINE - PAST MONTH USE		
		0 = Did not use in the past month (IRCOCRC = 3-6,9) ..	26123	98.62
		1 = Used within the past month (IRCOCRC = 1-2)	366	1.38
CRKFLAG	1	"CRACK" - EVER USED		
		0 = Never used (IRCRKRC = 9)	25654	96.85
		1 = Ever used (IRCRKRC = 1-6)	835	3.15
CRKYR	1	"CRACK" - PAST YEAR USE		
		0 = Did not use in the past year (IRCRKRC = 5-6,9)	26210	98.95
		1 = Used within the past year (IRCRKRC = 1-4)	279	1.05
CRKMON	1	"CRACK" - PAST MONTH USE		
		0 = Did not use in the past month (IRCRKRC = 3-6,9) ..	26362	99.52
		1 = Used within the past month (IRCRKRC = 1-2)	127	0.48
INHFLAG	1	INHALANTS - EVER USED		
		0 = Never used (IRINHRC = 9)	24700	93.25
		1 = Ever used (IRINHRC = 1-6)	1789	6.75
INHYR	1	INHALANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRINHRC = 5-6,9) ...	26033	98.28
		1 = Used within the past year (IRINHRC = 1-4)	456	1.72
INHMON	1	INHALANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRINHRC = 3-6,9) ..	26293	99.26
		1 = Used within the past month (IRINHRC = 1-2)	196	0.74
ICEFLAG	1	EVER USED "ICE"		
		0 = Never used (IRICERC = 9)	26306	99.31
		1 = Ever used (IRICERC = 1-6)	183	0.69
ICEYR	1	USED "ICE" PAST YEAR		
		0 = Did not use in the past year (IRICERC = 4-6,9) ...	26388	99.62
		1 = Used within the past year (IRICERC = 1-3)	101	0.38
ICEMON	1	USED "ICE" PAST MONTH		
		0 = Did not use in the past month (IRICERC = 2-6,9) ..	26474	99.94
		1 = Used within the past month (IRICERC = 1)	15	0.06

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	+
		The following variable, NEEDLREC, was created by examination of STNEEDLE (Q.ST-6), STNDLREC(Q.ST-7), COCIV (Q.CN-10), CONDLREC(Q.CN-11), HERNEEDL (Q.H-6), and HRNDLREC(Q.H-7). The variable, NEEDLREC, is identical for the 1988, 1990, 1991, 1992, and 1993 NHSDAs.		
NEEDLREC	2	MOST RECENT TIME USED STM,COC OR HER WITH A NEEDLE		
		1 = Within the past month (30 days)	44	0.17
		2 = More than 1 month ago but less than 6 months ago .	26	0.10
		3 = 6 or more months ago but less than 1 year ago	28	0.11
		4 = 1 or more years ago but less than 3 years ago	52	0.20
		5 = 3 or more years ago but less than 10 years ago ...	134	0.51
		6 = 10 or more years ago	107	0.40
		8 = Use in past year LOGICALLY IMPUTED	17	0.06
		9 = Use in lifetime LOGICALLY IMPUTED	26	0.10
		91 = NEVER USED A NEEDLE TO INJECT ANY DRUG	25854	97.60
		98 = NEEDLE USE NOT INDICATED BUT 1+ SOURCE VAR BLANK .	201	0.76
		The following variable, NDL90REC, was created by examination of STNEEDLE (Q.ST-6), STNDLREC(Q.ST-7), COCIV (Q.CN-10), CONDLREC(Q.CN-11), HERNEEDL (Q.H-6), and HRNDLREC(Q.H-7). In addition, finally edited versions of the following variables were examined: GNNDLLIF(Q.ND-1), GNNDLREC(Q.ND-2), the series GNNDLSED(Q.ND-3) through GNNDLNON (Q.ND-3), GNNDLSH1(Q.ND-4) and GNNDLSH2(Q.ND-5).		
		The 1993 variable NDL90REC here is roughly comparable to the same 1992 and 1991 variable and to the 1990 variable, NDL90RC2.		
NDL90REC	2	MOST RECENT TIME USED DRUG W/ A NEEDLE		
		1 = Within the past month (30 days)	49	0.18
		2 = More than 1 month ago but less than 6 months ago .	31	0.12
		3 = 6 or more months ago but less than 1 year ago	35	0.13
		4 = 1 or more years ago but less than 3 years ago	61	0.23
		5 = 3 or more years ago but less than 10 years ago ...	158	0.60
		6 = 10 or more years ago	123	0.46
		8 = Use in past year LOGICALLY IMPUTED	16	0.06
		9 = Use in lifetime LOGICALLY IMPUTED	12	0.05
		91 = NEVER USED A NEEDLE TO INJECT ANY DRUG	25989	98.11
		98 = NEEDLE USE NOT INDICATED BUT 1+ SOURCE VAR BLANK .	15	0.06

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	----	----
		The variable, NEDFLAG3, is identical for all the 1990, 1991, 1992, and 1993 NHSDAs. The source variable NDL90RC2 in 1990 was named differently, but is defined in the same manner as is NDL90REC in 1991, 1992, and 1993.		
NEDFLAG3	1	NEEDLE USE (ANY DRUG) - EVER USE		
		0 = Never used (NDL90REC=91,98)	26004	98.17
		1 = Ever used (NDL90REC=1-9)	485	1.83
NEDYR3	1	NEEDLE USE (ANY DRUG) - PAST YEAR USE		
		0 = Never used (NDL90REC=4-6,9,91,98)	26358	99.51
		1 = Ever used (NDL90REC=1-3,8)	131	0.49
HALYRF	1	HALLUCINOGENS YEAR FLAG		
		0 = Never used or did not use in past year (IRHALFQ=9)	25919	97.85
		1 = Any use within the past year (IRHALFQ=1-8)	570	2.15
HALMONF	1	HALLUCINOGENS MONTH FLAG		
		0 = Did not use monthly/more past year (IRHALFQ=6-9) .	26371	99.55
		1 = Used monthly or more often past year (IRHALFQ=1-5)	118	0.45
HALWKF	1	HALLUCINOGENS WEEK FLAG		
		0 = Did not use weekly or more past year (IRHALFQ=4-9)	26456	99.88
		1 = Used weekly or more often past year (IRHALFQ=1-3)	33	0.17
HALOCCF	1	HALLUCINOGENS OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr (IRHALFQ=1-5,9)	26037	98.29
		1 = Used past year but less than monthly (IRHALFQ=6-8)	452	1.71
HALDLYF	1	HALLUCINOGENS DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost daily pst yr (IRHALFQ=3-9)	26479	99.96
		1 = Used daily/almost daily in past year (IRHALFQ=1-2)	10	0.04
STMYRF	1	STIMULANTS YEAR FLAG		
		0 = Never used or did not use in past year (IRSTMFQ=9)	26138	98.67
		1 = Any use within the past year (IRSTMFQ=1-8)	351	1.33
STMMONF	1	STIMULANTS MONTH FLAG		
		0 = Did not use monthly/more past year (IRSTMFQ=6-9) .	26344	99.45
		1 = Used monthly or more often past year (IRSTMFQ=1-5)	145	0.55
STMWKF	1	STIMULANTS WEEK FLAG		
		0 = Did not use weekly or more past year (IRSTMFQ=4-9)	26411	99.71
		1 = Used weekly or more often past year (IRSTMFQ=1-3)	78	0.29
STMOCFF	1	STIMULANTS OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr (IRSTMFQ=1-5,9)	26283	99.22
		1 = Used past year but less than monthly (IRSTMFQ=6-8)	206	0.78
STMDLYF	1	STIMULANTS DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost daily pst yr (IRSTMFQ=3-9)	26442	99.82
		1 = Used daily/almost daily in past year (IRSTMFQ=1-2)	47	0.18

LABEL	LEN	DESCRIPTION	FREQ	t
----	---	-----	----	---
SEDYRF	1	SEDATIVES YEAR FLAG 0 = Never used or did not use in past year (IRSEDFQ=9) 1 = Any use within the past year (IRSEDFQ=1-8)	26236 253	99.04 0.96
SEDMONF	1	SEDATIVES MONTH FLAG 0 = Did not use monthly/more past year (IRSEDFQ=6-9) . 1 = Used monthly or more often past year (IRSEDFQ=1-5)	26392 97	99.63 0.37
SEDWKF	1	SEDATIVES WEEK FLAG 0 = Did not use weekly or more past year (IRSEDFQ=4-9) 1 = Used weekly or more often past year (IRSEDFQ=1-3)	26449 40	99.85 0.15
SEDOCCF	1	SEDATIVES OCCASIONAL FLAG 0 = Used monthly/more or none in pst yr (IRSEDFQ=1-5,9) 1 = Used past year but less than monthly (IRSEDFQ=6-8)	26333 156	99.41 0.59
SEDDLYF	1	SEDATIVES DAILY/ALMOST DAILY FLAG 0 = Did not use daily/almost daily pst yr (IRSEDFQ=3-9) 1 = Used daily/almost daily in past year (IRSEDFQ=1-2)	26476 13	99.95 0.05
TRQYRF	1	TRANQUILIZERS YEAR FLAG 0 = Never used or did not use in past year (IRTRNFQ=9) 1 = Any use within the past year (IRTRNFQ=1-8)	26097 392	98.52 1.48
TRQMONF	1	TRANQUILIZERS MONTH FLAG 0 = Did not use monthly/more past year (IRTRNFQ=6-9) . 1 = Used monthly or more often past year (IRTRNFQ=1-5)	26364 125	99.53 0.47
TRQWKF	1	TRANQUILIZERS WEEK FLAG 0 = Did not use weekly or more past year (IRTRNFQ=4-9) 1 = Used weekly or more often past year (IRTRNFQ=1-3)	26448 41	99.85 0.15
TRQOCCF	1	TRANQUILIZERS OCCASIONAL FLAG 0 = Used monthly/more or none in pst yr (IRTRNFQ=1-5,9) 1 = Used past year but less than monthly (IRTRNFQ=6-8)	26222 267	98.99 1.01
TRQDLYF	1	TRANQUILIZERS DAILY/ALMOST DAILY FLAG 0 = Did not use daily/almost daily pst yr (IRTRNFQ=3-9) 1 = Used daily/almost daily in past year (IRTRNFQ=1-2)	26474 15	99.94 0.06
ANLYRF	1	ANALGESICS YEAR FLAG 0 = Never used or did not use in past year (IRANLFQ=9) 1 = Any use within the past year (IRANLFQ=1-8)	25819 670	97.47 2.53
ANLMONF	1	ANALGESICS MONTH FLAG 0 = Did not use monthly/more past year (IRANLFQ=6-9) . 1 = Used monthly or more often past year (IRANLFQ=1-5)	26321 168	99.37 0.63
ANLWKF	1	ANALGESICS WEEK FLAG 0 = Did not use weekly or more past year (IRANLFQ=4-9) 1 = Used weekly or more often past year (IRANLFQ=1-3)	26433 56	99.79 0.21

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	
----	----	-----	----	----
ANLOCCF	1	ANALGESICS OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr (IRANLFQ=1-5,9)	25987	98.10
		1 = Used past year but less than monthly (IRANLFQ=6-8)	502	1.90
ANLDLYF	1	ANALGESICS DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost daily pst yr (IRANLFQ=3-9)	26458	99.88
		1 = Used daily/almost daily in past year (IRANLFQ=1-2)	31	0.12
ALCYRF	1	ALCOHOL - ANY USE PAST YEAR		
		0 = Never used or not used in past year (IRALCFQ=9)	9869	37.26
		1 = Any use within the past year (IRALCFQ=1-8)	16620	62.74
ALCMONF	1	ALCOHOL - MONTHLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use monthly/more past year (IRALCFQ=6-9)	16486	62.24
		1 = Used monthly or more often past year (IRALCFQ=1-5)	10003	37.76
ALCWKF	1	ALCOHOL - WEEKLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use weekly or more past year (IRALCFQ=4-9)	21424	80.88
		1 = Used weekly or more in past year (IRALCFQ=1-3)	5065	19.12
ALCOCCF	1	ALCOHOL OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr (IRALCFQ=1-5,9)	19872	75.02
		1 = Used past year but less than monthly (IRALCFQ=6-8)	6617	24.98
ALCDLYF	1	ALCOHOL DAILY/ALMOST FLAG		
		0 = Did not use daily/almost daily pst yr (IRALCFQ=3-9)	24611	92.91
		1 = Used daily/almost daily in past year (IRALCFQ=1-2)	1878	7.09
SMKYRF	1	SMOKELESS TOBACCO YEAR FLAG		
		0 = Never used or did not use in past year (IROTBFAQ=9)	25616	96.70
		1 = Any use within the past year (IROTBFAQ=1-8)	873	3.30
SMKMONF	1	SMOKELESS TOBACCO MONTH FLAG		
		0 = Did not use monthly/more past year (IROTBFAQ=6-9)	25968	98.03
		1 = Used monthly or more often past year (IROTBFAQ=1-5)	521	1.97
SMKWKF	1	SMOKELESS TOBACCO WEEK FLAG		
		0 = Did not use weekly or more past year (IROTBFAQ=4-9)	26099	98.53
		1 = Used weekly or more often past year (IROTBFAQ=1-3)	390	1.47
SMKOCCF	1	SMOKELESS TOBACCO OCCASIONAL FLAG		
		0 = Used monthly/more or none in pst yr (IROTBFAQ=1-5,9)	26137	98.67
		1 = Used past year but less than monthly (IROTBFAQ=6-8)	352	1.33
SMKDLYF	1	SMOKELESS TOBACCO DAILY/ALMOST FLAG		
		0 = Did not use daily/almost daily pst yr (IROTBFAQ=3-9)	26178	98.83
		1 = Used daily/almost daily in past year (IROTBFAQ=1-2)	311	1.17
MRJYRF	1	MARIJUANA - ANY USE PAST YEAR		
		0 = Never used or did not use in past year (IRMJFAQ=10)	22757	85.91
		1 = Any use within the past year (IRMJFAQ=1-9)	3732	14.09

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	
----	----	-----	----	----
MRJMONF	1	MARIJUANA - MONTHLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use monthly/more past year (IRMJFQ=7-10) . 1 = Used monthly or more in past year (IRMJFQ=1-6) ...	24552 1937	92.69 7.31
MRJWKF	1	MARIJUANA - WEEKLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use weekly/more past year (IRMJFQ=5-10) .. 1 = Used weekly or more in past year (IRMJFQ=1-4)	25311 1178	95.55 4.45
MRJOCFF	1	MARIJUANA OCCASIONAL FLAG 0 = Used monthly/more or none in pst yr (IRMJFQ=1-6,10) 1 = Used past year but less than monthly (IRMJFQ=7-9)	24694 1795	93.22 6.78
MRJDLYF	1	MARIJUANA DAILY/ALMOST FLAG 0 = Did not use daily/almost daily pst yr (IRMJFQ=4-10) 1 = Used daily/almost daily in past year (IRMJFQ=1-3)	25767 722	97.27 2.73
COCYRF	1	COCAINE - ANY USE PAST YEAR 0 = Never used or did not use in past year (IRCOCFQ=9) 1 = Any use within the past year (IRCOCFQ = 1-8)	25419 1070	95.96 4.04
COCMONF	1	COCAINE - MONTHLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use monthly/more past year (IRCOCFQ=6-9) . 1 = Used monthly or more often past year (IRCOCFQ=1-5)	26105 384	98.55 1.45
COCWKF	1	COCAINE - WEEKLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use weekly or more past year (IRCOCFQ=4-9) 1 = Used weekly or more often past year (IRCOCFQ=1-3)	26325 164	99.38 0.62
COCOCCF	1	COCAINE OCCASIONAL FLAG 0 = Used monthly/more or none in pst yr (IRCOCFQ=1-5,9) 1 = Used past year but less than monthly (IRCOCFQ=6-8)	25803 686	97.41 2.59
COCDLYF	1	COCAINE DAILY/ALMOST FLAG 0 = Did not use daily/almost daily pst yr (IRCOCFQ=3-9) 1 = Used daily/almost daily in past year (IRCOCFQ=1-2)	26418 71	99.73 0.27
INH YRF	1	INHALANTS YEAR FLAG 0 = Never used or did not use in past year (IRINH FQ=9) 1 = Any use within the past year (IRINH FQ=1-8)	26033 456	98.28 1.72
INHMONF	1	INHALANTS MONTH FLAG 0 = Did not use monthly/more past year (IRINH FQ=6-9) . 1 = Used monthly or more often past year (IRINH FQ=1-5)	26368 121	99.54 0.46
INH WKF	1	INHALANTS WEEK FLAG 0 = Did not use weekly or more past year (IRINH FQ=4-9) 1 = Used weekly or more often past year (IRINH FQ=1-3)	26451 38	99.86 0.14
INHOCFF	1	INHALANTS OCCASIONAL FLAG 0 = Used monthly/more or none in pst yr (IRINH FQ=1-5,9) 1 = Used past year but less than monthly (IRINH FQ=6-8)	26154 335	98.74 1.26

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
INHDLYF	1	INHALANTS DAILY/ALMOST FLAG		
		0 = Did not use daily/almost daily pst yr (IRINHFAQ=3-9)	26480	99.97
		1 = Used daily/almost daily in past year (IRINHFAQ=1-2)	9	0.03

The following three variables were created by examination of IRSEDRC(Q.S-4) IRTRNRC(Q.T-4), IRSTMRC(Q.ST-4), and IRANLRC(Q.AN-4).

PSYFLAG2	1	ANY PSYCHOTHERAPEUTICS - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES = 9)	23490	88.68
		1 = Ever used (ANY SOURCE VARIABLE < 9)	2999	11.32
PSYR2	1	ANY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		0 = Did not use within past year (ALL SOURCE VARS > 3)	25337	95.65
		1 = Used in past year (ANY SOURCE VARIABLE < 4)	1152	4.35
PSYMON2	1	ANY PSYCHOTHERAPEUTICS - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS > 1) ..	26036	98.29
		1 = Used in past month (ANY SOURCE VARIABLE = 1)	453	1.71

The following variable, SUMFLAG, was created by examination of HALFLAG, HERFLAG, MRJFLAG, COCFLAG, INHFLAG, and PSYFLAG2.

SUMFLAG	1	ANY ILLICIT DRUG - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES = 0)	15743	59.43
		1 = Ever used (ANY SOURCE VARIABLE = 1)	10746	40.57

The following variable, SUMYR, was created by examination of HALYR, HERYR, MRJYR, COCYR, INHYR, and PSYR2.

SUMYR	1	ANY ILLICIT DRUG - PAST YEAR USE		
		0 = Did not use in past year (ALL SOURCE VARS = 0)	21881	82.60
		1 = Used in past year (ANY SOURCE VARIABLE = 1)	4608	17.40

The following variable, SUMMON, was created by examination of HALMON, HERMON, MRJMON, COCMON, INHMON, and PSYMON2.

SUMMON	1	ANY ILLICIT DRUG - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS = 0) ..	24053	90.80
		1 = Used in past month (ANY SOURCE VARIABLE = 1)	2436	9.20

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		The following variable, MJOFFLAG, was created by examination of MRJFLAG and then HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.		
MJOFFLAG	1	MARIJUANA ONLY - EVER USED		
		0 = Never used MJ/has used both MJ & another illicit drug	21865	82.54
		1 = Marijuana is only (illicit) drug ever used	4624	17.46
		The following variable, MJOYR2, was created by examination of MRJYR and then HALYR, HERYR, COCYR, INHYR, and PSYR2.		
MJOYR2	1	MARIJUANA ONLY - PAST YEAR USE		
		0 = MJ not used past yr/Used MJ & other drug past yr ..	24230	91.47
		1 = Marijuana is only (illicit) drug in past year	2259	8.53
		The following variable, MJOMON2, was created by examination of MRJMON and then HALMON, HERMON, COCMON, INHMON, and PSYMON2.		
MJOMON2	1	MARIJUANA ONLY - PAST MONTH USE		
		0 = MJ not used past month/Used MJ & other drug past mo	25032	94.50
		1 = Marijuana only (illicit) drug in past month	1457	5.50
		The following variable, IEMFLAG, was created by examination of HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.		
IEMFLAG	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - EVER USED		
		0 = Never used drug/used only marijuana	20367	76.89
		1 = Illicit drug except for marijuana are ever used ..	6122	23.11
		The following variable, IEMYR, was created by examination of HALYR, HERYR, COCYR, INHYR, and PSYR2.		
IEMYR	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - PAST YEAR USED		
		0 = Never used drug/used only marijuana past year	24140	91.13
		1 = Illicit drug except for marijuana used past year .	2349	8.87
		The following variable, IEMMON, was created by examination of HALMON, HERMON, COCMON, INHMON, and PSYMON2.		
IEMMON	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - PST MONTH USED		
		0 = Never used drug/used only marijuana past month ...	25510	96.30
		1 = Illicit drug except for marijuana used past month	979	3.70

ESTIMATION VARIABLES			
LABEL	LEN	DESCRIPTION	FREQ
-----	---	-----	----

VESTR	4	VARIANCE STRATUM	
VEREP	2	VARIANCE REPLICATE WITHIN VARIANCE STRATUM	

The following variable, ANALWT, is the final person-level sample weight for the NHSDA. This weight should be used to draw inferences with the NHSDA data about the survey's target population or about any subgrouping of the target population.

ANALWT	8	FINAL PERSON-LEVEL SAMPLE WEIGHT
ANALWT1	8	ANALYSIS WEIGHT FOR QUARTER 1
ANALWT2	8	ANALYSIS WEIGHT FOR QUARTER 2
ANALWT3	8	ANALYSIS WEIGHT FOR QUARTER 3
ANALWT4	8	ANALYSIS WEIGHT FOR QUARTER 4

CENSUS VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
<p>The following variables PBLACKHH through OWNOCNC were taken from the 1990 Decennial Census STF3A file at the segment level. For a small percentage (1%) of respondents, a match was not made to the 1990 segments and data from the 1980 Decennial Census STF3A file were used.</p>				
PBLACKHH	1	CATEG. & NONHISP. BLACK HH IN SEGMENT		
		1 = Greater than or equal to 50 percent	4745	17.91
		2 = Greater than or equal to 10 percent, less than 50 percent	4482	16.92
		3 = Less than 10 percent	17262	65.17
PBLACKP	1	CATEG. & NONHISP. BLACK POP. IN SEGMENT		
		1 = Greater than or equal to 50 percent	4759	17.97
		2 = Greater than or equal to 10 percent, less than 50 percent	4736	17.88
		3 = Less than 10 percent	16994	64.15
HSPHCONC	1	CATEG. & HISPANIC HH'S IN SEGMENT		
		1 = Greater than or equal to 50 percent	3677	13.88
		2 = Greater than or equal to 10 pcnt, less than 50 pcnt	6764	25.54
		3 = Less than 10 percent	16048	60.58
HSPPCNC	1	CATEG. & HISPANIC POP. IN SEGMENT		
		1 = Greater than or equal to 50 percent	4515	17.04
		2 = Greater than or equal to 10 pcnt, less than 50 pcnt	6911	26.09
		3 = Less than 10 percent	15063	56.87
OWNOCNC	1	CATEG. & OWNER-OCCUPIED HH'S IN SEGMENT		
		1 = Greater than or equal to 50 percent	15273	57.66
		2 = Greater than or equal to 10 pcnt, less than 50 pcnt	7730	29.18
		3 = Less than 10 pcnt	3486	13.16

CENSUS VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
		<p>The following variables, PPOVERTY through RENTAVE, are 1990 census variables taken from the STF3A tapes that provide data on the census tract level. For a small percentage (1%) of respondents, a match was not made to the 1990 tracts and data from the 1980 STF3A file were used. Each variable has been recoded into five categories based on their weighted quintiles.</p> <p>PPOVERTY uses the definition of poverty level as the sum of the responses to Census questions P123_13 through P123_24.</p>		
PPOVERTY	8	CATEG. FAMILIES BELOW POVERTY LEVEL IN TRACT		
		. = missing	69	0.26
		1 = 0 - 2.65 percent	4473	16.89
		2 = 2.66 - 5.12 percent	4004	15.12
		3 = 5.13 - 9.02 percent	4366	16.48
		4 = 9.03 - 16.15 percent	5009	18.91
		5 = 16.16 percent or more	8568	32.35
POWNED	8	CATEG. PERCENT OF HOUSING OWNED IN TRACT		
		. = missing	45	0.17
		1 = 0 - 50.25 percent	10026	37.85
		2 = 50.26 - 67.58 percent	5480	20.69
		3 = 67.59 - 76.38 percent	4190	15.82
		4 = 76.39 - 83.96 percent	2975	11.23
		5 = 83.97 percent or more	3773	14.24
PRENTED	8	CATEG. PERCENT OF HOUSING RENTED IN TRACT		
		. = missing	45	0.17
		1 = 0 - 16.04 percent	3773	14.24
		2 = 16.05 - 23.62 percent	2975	11.23
		3 = 23.63 - 32.42 percent	4190	15.82
		4 = 32.43 - 49.75 percent	5480	20.69
		5 = 49.75 percent or more	10026	37.85

CENSUS VARIABLES					
LABEL	LEN	DESCRIPTION	FREQ		
-----	---	-----	----		
OWNEDAVE	8	CATEG. MEDIAN VALUE OF OWNED HOMES IN TRACT			
		. = missing	227	0.86	
		1 = 0 - \$44,777	4154	15.68	
		2 = \$44,778 - \$60,832	4426	16.71	
		3 = \$60,833 - \$85,121	5540	20.91	
		4 = \$85,122 - \$142,831	5553	20.96	
		5 = \$142,832 or more	6589	24.87	
RENTAVE	8	CATEG. MEDIAN RENT FOR RENTAL UNITS IN TRACT			
		. = missing	39	0.15	
		1 = 0 - \$315.81	3955	14.93	
		2 = \$315.82 - \$393.95	4607	17.39	
		3 = \$393.96 - \$476.96	5251	19.82	
		4 = \$476.97 - \$619.72	6237	23.55	
		5 = \$619.72 or more	6400	24.16	
<p>The following variable, RURORURB, is based on the 1990 Census data. For each census segment, if the rural population is equal to the total population, the segment is considered to be rural. Otherwise, the segment is considered to be urban.</p>					
RURORURB	1	RURAL OR URBAN SEGMENT			
		1 = Rural	2626	9.91	
		2 = Urban	23863	90.09	
<p>This variable, created by the Urban Institute from 1990 CENSUS data, applies to a CENSUS tract. It identifies "underclass" CENSUS tracts. A tract is defined as underclass based on a combination of 4 factors: 1) families headed by a woman, with children; 2) persons 16-19 years not enrolled in school and not high school graduates; 3) males 16+ who worked 26 or fewer weeks in the past year plus males 16+ not in the labor force; and 4) households with public assistance income.</p>					
UCLASS9	1	UNDERCLASS			
		0 = Above poverty level	25953	97.98	
		1 = Below poverty level	536	2.02	

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
SELECTED UNEDITED VARIABLES				

C-6. When was the most recent time you smoked a cigarette?				
QC06	2	MOST RECENT TIME SMOKED A CIGARETTE		
		1 = Within the past month (30 days)	8426	31.81
		2 = More than 1 month ago but less than 6 months ago .	662	2.50
		3 = 6 or more months ago but less than 1 year ago	460	1.74
		4 = 1 or more years ago but less than 3 years ago	1016	3.84
		5 = 3 or more years ago	4822	18.20
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	11100	41.90
C-9. When was the most recent time you used chewing tobacco or snuff or other smokeless tobacco? (IF NEEDED, READ ANSWER CHOICES.)				
QC09	2	MOST RECENT TIME USED SMOKELESS TOBACCO		
		1 = Within the past month (30 days)	494	1.86
		2 = More than 1 month ago but less than 6 months ago .	196	0.74
		3 = 6 or more months ago but less than 1 year ago	139	0.57
		4 = 1 or more years ago but less than 3 years ago	338	1.7
		5 = 3 or more years ago	1389	5.2
		91 = NEVER USED SMOKELESS TOBACCO	23539	88.86
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	393	1.48
A-2. When was the most recent time that you had an alcohol drink, that is, of beer, wine, or liquor or a mixed alcoholic drink?				
AL02	2	MOST RECENT TIME HAD AN ALCOHOL DRINK		
		1 = Within the past month (30 days)	11525	43.51
		2 = More than 1 month ago but less than 6 months ago .	2863	10.81
		3 = 6 or more months ago but less than 1 year ago	1462	5.52
		4 = 1 or more years ago but less than 3 years ago	1376	5.19
		5 = 3 or more years ago	1862	7.03
		91 = NEVER USED ALCOHOL	7018	26.49
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	381	1.44

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
		S-4. When was the most recent time you took any sedative for nonmedical reasons?		
SE04	2	MOST RECENT TIME USED SEDATIVE FOR NONMEDICAL REAS		
		1 = Within the past month (30 days)	74	0.28
		2 = More than 1 month ago but less than 6 months ago .	68	0.26
		3 = 6 or more months ago but less than 1 year ago	33	0.12
		4 = 1 or more years ago but less than 3 years ago	102	0.39
		5 = 3 or more years ago	509	1.92
		98 = BLANK (NO ANSWER)	25703	97.03
		T-4. When was the most recent time you took any tranquilizer for nonmedical reasons?		
TR04	2	MOST RECENT TIME USED TRANQUILIZER NONMEDICAL REAS		
		1 = Within the past month (30 days)	108	0.41
		2 = More than 1 month ago but less than 6 months ago .	122	0.46
		3 = 6 or more months ago but less than 1 year ago	99	0.37
		4 = 1 or more years ago but less than 3 years ago	183	0.69
		5 = 3 or more years ago	628	2.37
		98 = BLANK (NO ANSWER)	25349	95.70
		ST-4. When was the most recent time you took any amphetamine or other stimulant for nonmedical reasons?		
ST04	2	MOST RECENT TIME USED STIMULANT FOR NONMEDICAL RSN		
		1 = Within the past month (30 days)	99	0.37
		2 = More than 1 month ago but less than 6 months ago .	99	0.37
		3 = 6 or more months ago but less than 1 year ago	79	0.30
		4 = 1 or more years ago but less than 3 years ago	177	0.67
		5 = 3 or more years ago	973	3.67
		98 = BLANK (NO ANSWER)	25062	94.61
		ST-7. When was the most recent time you used amphetamines with a needle?		
ST07	2	MOST RECENT TIME USED AMPHETAMINES WITH A NEEDLE		
		1 = Within the past month (30 days)	6	0.02
		2 = More than 1 month ago but less than 6 months ago .	9	0.03
		3 = 6 or more months ago but less than 1 year ago	8	0.03
		4 = 1 or more years ago but less than 3 years ago	16	0.06
		5 = 3 or more years ago but less than 10 years ago ...	41	0.15
		6 = 10 or more years ago	50	0.19
		93 = NEVER USED AMPHETAMINES WITH A NEEDLE	1323	4.99
		98 = BLANK (NO ANSWER)	25036	94.51

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	---
		AN-4. When was the most recent time you took any analgesic for nonmedical reasons?		
AN04	2	MOST RECENT TIME USED ANALGESICS NONMEDICAL REASON		
		1 = Within past month (30 days)	184	0.69
		2 = More than 1 month ago but less than 6 months ago ..	187	0.71
		3 = 6 or more months ago but less than 1 year ago	167	0.63
		4 = 1 or more years ago but less than 3 years ago	280	1.06
		5 = 3 or more years ago	526	1.99
		98 = BLANK (NO ANSWER)	25145	94.93
		M-4. When was the most recent time that you used marijuana or hash?		
MJ04	2	MOST RECENT TIME USED MARIJUANA/HASH		
		1 = Within the past week (7 days)	1046	3.95
		2 = More than 1 week ago but less than 1 month ago ...	553	2.09
		3 = 1 or more months ago but less than 6 months ago ..	749	2.83
		4 = 6 or more months ago but less than 1 year ago	660	2.49
		5 = 1 or more years ago but less than 3 years ago	1052	3.97
		6 = 3 or more years ago	5679	21.44
		91 = NEVER USED MARIJUANA	16589	62.63
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	156	0.59
		IN-4. When was the most recent time that you used an inhalant; that is, sniffed or inhaled something for kicks or to get high?		
IN04	2	MOST RECENT TIME USED INHALANT		
		1 = Within the past week (7 days)	30	0.11
		2 = More than 1 week ago but less than 1 month ago ...	53	0.20
		3 = 1 or more months ago but less than 6 months ago ..	96	0.36
		4 = 6 or more months ago but less than 1 year ago	116	0.44
		5 = 1 or more years ago but less than 3 years ago	235	0.89
		6 = 3 or more years ago	1172	4.42
		91 = NEVER USED INHALANTS	24562	92.73
		98 = BLANK (NO ANSWER)	225	0.85

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
CN-4. When was the most recent time that you used cocaine, in any form?				
CC04	2	MOST RECENT TIME USED COCAINE (IN ANY FORM)		
	1	= Within the past week (7 days)	121	0.46
	2	= More than 1 week ago but less than 1 month ago ...	125	0.47
	3	= 1 or more months ago but less than 6 months ago ..	207	0.78
	4	= 6 or more months ago but less than 1 year ago	245	0.92
	5	= 1 or more years ago but less than 3 years ago	524	1.98
	6	= 3 or more years ago	2447	9.24
	91	= NEVER USED COCAINE	22726	85.79
	94	= DON'T KNOW	1	0.00
	98	= BLANK (NO ANSWER)	93	0.35
CN-11. When was the most recent time you used cocaine with a needle?				
CC11	2	MOST RECENT TIME USED COCAINE WITH A NEEDLE		
	1	= Within past month (30 days)	33	0.12
	2	= More than 1 month ago but less than 6 months ago .	20	0.08
	3	= 6 or more months ago but less than 1 year ago	22	0.08
	4	= 1 or more years ago but less than 3 years ago	39	0.15
	5	= 3 or more years ago but less than 10 years ago ...	109	0.41
	6	= 10 or more years ago	58	0.22
	91	= NEVER USED COCAINE	22542	85.10
	93	= NEVER USED COCAINE WITH A NEEDLE	3136	11.84
	94	= DON'T KNOW	1	0.00
	98	= BLANK (NO ANSWER)	529	2.00
CK-1. When was the most recent time you used the form of cocaine known as "crack"?				
CK01	2	MOST RECENT TIME USED "CRACK"		
	1	= Within the past week (7 days)	61	0.23
	2	= More than 1 week ago but less than 1 month ago ...	42	0.16
	3	= 1 or months ago but less than 6 months ago	76	0.29
	4	= 6 or months ago but less than 1 year ago	86	0.32
	5	= 1 or more years ago but less than 3 years ago	160	0.60
	6	= 3 or more years ago	388	1.46
	91	= NEVER USED "CRACK"	25607	96.67
	94	= DON'T KNOW	1	0.00
	97	= REFUSED	2	0.01
	98	= BLANK (NO ANSWER)	66	0.25

SELECTED UNEDITED VARIABLES			
LABEL	LEN	DESCRIPTION	FREQ
-----	----	-----	----
		L-5. When was the most recent time that you used LSD or PCP or another hallucinogen?	
LS05	2	MOST RECENT TIME USED HALLUCINOGENS	
		1 = Within the past month (30 days)	116 0.44
		2 = More than 1 month ago but less than 6 months ago .	165 0.62
		3 = 6 or more months ago but less than 1 year ago	166 0.63
		4 = 1 or more years ago but less than 3 years ago	310 1.17
		5 = 3 or more years ago	1754 6.62
		85 = BAD DATA Logically assigned	1 0.00
		91 = NEVER USED HALLUCINOGENS	23833 89.97
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	143 0.54
		L-8. When was the most recent time that you used PCP?	
LS08	2	MOST RECENT TIME USED PCP	
		1 = Within the past month (30 days)	45 0.17
		2 = More than 1 month ago but less than 6 months ago .	45 0.17
		3 = 6 or more months ago but less than 1 year ago	47 0.18
		4 = 1 or more years ago but less than 3 years ago	115 0.43
		5 = 3 or more years ago	943 3.56
		91 = NEVER USED PCP	25098 94.75
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	195 0.74
		H-4. When was the most recent time that you used heroin?	
HE04	2	MOST RECENT TIME USED HEROIN	
		1 = Within the past month (30 days)	22 0.08
		2 = More than 1 month ago but less than 6 months ago .	9 0.03
		3 = 6 or more months ago but less than 1 year ago	23 0.09
		4 = 1 or more years ago but less than 3 years ago	50 0.19
		5 = 3 or more years ago	265 1.00
		85 = BAD DATA Logically assigned	1 0.00
		91 = NEVER USED HEROIN	25993 98.13
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	125 0.47

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	----	---
		H-7. When was the most recent time you used heroin with a needle?		
HE07	2	MOST RECENT TIME USED HEROIN WITH A NEEDLE		
		1 = Within the past month (30 days)	14	0.05
		2 = More than 1 month ago but less than 6 months ago .	7	0.03
		3 = 6 or more months ago but less than 1 year ago	12	0.05
		4 = 1 or more years ago but less than 3 years ago	25	0.09
		5 = 3 or more years ago but less than 10 years ago ...	75	0.28
		6 = 10 or more years ago	72	0.27
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HEROIN	25982	98.09
		93 = NEVER USED HEROIN WITH A NEEDLE	164	0.62
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	136	0.51
		ND-2. When was the most recent time you used any drug for nonmedical reasons with a needle?		
ND02	2	MOST RECENT TIME USED ANY DRUG WITH A NEEDLE		
		1 = Within the past month (30 days)	22	0.08
		2 = More than 1 month ago but less than 6 months	19	0.07
		3 = 6 or more months ago but less than a year ago	22	0.08
		4 = 1 or more years ago but less than 3 years ago	48	0.18
		5 = 3 or more years ago but less than 10 years ago ...	124	0.47
		6 = 10 or more years ago	126	0.48
		91 = NEVER USED ANY DRUG FOR NONMEDICAL REASONS	21386	80.74
		93 = NEVER USED A NEEDLE TO TAKE ANY DRUG	4647	17.54
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	93	0.35

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		SP-4. When was the most recent time you used the smokable form of methamphet- amine called "ice"?		
SP04	2	MOST RECENT TIME USED "ICE".		
		1 = Within the past month (30 days)	15	0.06
		2 = More than 1 month ago but less than 6 months ago .	53	0.20
		3 = 6 or more months ago but less than 1 year ago	21	0.08
		4 = 1 or more years ago but less than 3 years ago	20	0.08
		5 = 3 or more years ago but less than 10 years ago ...	35	0.13
		6 = 10 or more years ago	14	0.05
		91 = NEVER USED "ICE"	26153	98.73
		94 = DON'T KNOW	3	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	173	0.65
		SP-8. When was the most recent time that you used anabolic steroids?		
SP08	2	MOST RECENT TIME USED ANABOLIC STEROIDS		
		1 = Within the past month (30 days)	11	0.04
		2 = More than 1 month ago but less than 6 months ago .	8	0.03
		3 = More than 6 months ago but less than 1 year ago ..	8	0.03
		4 = 1 or more years ago but less than 3 years ago	28	0.11
		5 = 3 or more years ago	84	0.32
		91 = NEVER USED ANABOLIC STEROIDS	26191	98.8
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	157	0.59

GENERAL VARIABLES (RECODED)					
LABEL	LEN	DESCRIPTION	FREQ		
-----	---	-----	----		
AEROS2	1	EVER INHALED OTHER AEROSOL SPRAYS			
		0 = Never inhaled (AEROS = 2,81,91,98)	26313	99.34	
		1 = Ever inhaled (AEROS = 1,3)	176	0.66	
ALCDAYS2	1	# DAYS DRANK ALCOHOL IN PAST 30 DAYS			
		1 = None or never used alcohol (ALCDAYS = 0,81,91,93)	14132	53.35	
		2 = 1-2 days (ALCDAYS = 1-2)	4122	15.56	
		3 = 3-4 days (ALCDAYS = 3-4)	2510	9.48	
		4 = 5-19 days (ALCDAYS = 5-19)	3872	14.62	
		5 = 20-30 days (ALCDAYS = 20-31)	1141	4.31	
		6 = Don't know, bad data, or blank (no answer)	712	2.69	
ALCDAYS3	1	# DAYS DRANK ALCOHOL IN PAST 30 DAYS			
		. = Unknown (ALCDAYS2 = .)	712	2.69	
		1 = None or never used alcohol (ALCDAYS2 = 1)	14132	53.35	
		2 = 1-4 days (ALCDAYS2 = 2-3)	6632	25.04	
		3 = 5-19 days (ALCDAYS2 = 4)	3872	14.62	
		4 = 20-30 days (ALCDAYS2 = 5)	1141	4.31	
ALCMON2	1	ALCOHOL - PAST MONTH USE			
		1 = Did not use in the past month (ALCMON = 0)	14132	53.35	
		2 = Used within the past month (ALCMON = 1)	12357	46.65	
AMYLNIT2	1	EVER INHALED AMYL NITRITE/LOCKER RM ODORIZER/RUSH			
		0 = Never inhaled (AMYLNIT = 2,81,91,98)	25965	98.02	
		1 = Ever inhaled (AMYLNIT = 1,3)	524	1.98	
AVCIG2	1	# CIG. SMOKED PER DAY LAST 30			
		. = Unknown (AVCIG = 94,97,98)	359	1.36	
		1 = None/never smoked cigarettes (AVCIG=81,89,91,99) .	17916	67.64	
		2 = Currently smoke < a pack per day (AVCIG = 1-3) ...	4931	18.62	
		3 = Currently smoke a pack or more per day (AVCIG=4-6)	3283	12.39	
AVCIG3	1	# CIG. SMOKED PER DAY LAST 30			
		0 = None/never/< pack a day (AVCIG=1-3,81,89,91,98,99)	23206	87.61	
		1 = Currently smoke a pack or more per day (AVCIG=4-6)	3283	12.39	
CIGMON2	1	CIGARETTES - PAST MONTH USE			
		1 = Did not use in past month (CIGMON = 0)	17968	67.83	
		2 = Used within past month (CIGMON = 1)	8521	32.17	
CLEFLU2	1	EVER INHALED CORR. FLD/DEGREASER/CLEAN. FLD			
		0 = Never inhaled (CLEFLU = 2,81,91,98)	26352	99.48	
		1 = Ever inhaled (CLEFLU = 1,3)	137	0.52	
COCIV2	1	INJECTED COCAINE WITH NEEDLE PAST 12 MONTHS			
		0 = Never/no use past 12 mos (COCIV=2,81,83,91,93,97)	26394	99.64	
		1 = Injected in the past 12 months (COCIV = 1,3)	95	0.36	
COCWAY2	1	OTHER WAY COCAINE USED PAST 12 MONTHS			
		. = Unknown (COCWAY=4,10,11,95)	114	0.43	
		0 = Never/no use past 12 months (COCWAY=2,81,83,91,93)	26340	99.44	
		1 = Used other ways past 12 months (COCWAY=1,3,6-9) ..	35	0.13	
COCSNIF2	1	SMIFFED/SNORTED COC. THRU NOSE PAST 12 MONTH			
		0 = Never/no use pst 12 mos (COCSNIFF=2,81,83,91,93,97)	25728	97.13	
		1 = Sniffed/snorted in past 12 months (COCSNIFF = 1) .	761	2.87	

GENERAL VARIABLES (RECODED)

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
COCSWAL2	1	SWALLOWED/DRANK COCAINE PAST 12 MONTHS 0 = Never/no use pst 12 mos (COCSWAL=2,81,83,91,93,97) 1 = Swallowed/drunk in past 12 months (COCSWAL = 1)	26433 56	99.79 0.21
COCTOT2	1	# TIMES USED COCAINE IN LIFE 1 = Never used cocaine (COCTOT = 81,91) 2 = 1-2 times (COCTOT = 1) 3 = 3-10 times (COCTOT = 2,3) 4 = 11-99 times (COCTOT = 4,5) 5 = 100 or more times (COCTOT = 6,7) 6 = Unknown (COCTOT = 85,97,98)	22723 950 1092 1033 606 85	85.78 3.59 4.12 3.90 2.29 0.32
COCTOT3	1	# TIMES USED COCAINE IN LIFE . = Unknown (COCTOT2=6) 1 = 1-2 times (COCTOT2 = 2) 2 = 3-10 times (COCTOT2 = 3) 3 = 11-99 times (COCTOT2 = 4) 4 = 100 or more times (COCTOT2 = 5) 5 = Never used cocaine (COCTOT2 = 1)	85 950 1092 1033 606 22723	0.32 3.59 4.12 3.90 2.29 85.78
A value of 0 was assigned to the following variable, DRALHELP, if TRMTHLP2 or DRNKHLP2 was 0, and neither TRMTHLP2 nor DRNKHLP2 was 1.				
DRALHELP	1	TREATMENT RECEIVED FOR DRUGS OR DRINKING . = Unknown (TRMTHLP2=. and DRNKHLP2=.) 0 = No (see note above) 1 = Yes (TRMTHLP2=1 or DRNKHLP2=1)	46 25989 454	0. 98.1 1.71
DRINKER2	1	DRANK ALCOHOL - PAST 30 DAYS . = Unknown (ALCMON = 1 and DR5DAY = 85,94,95,97,98) 0 = Never/no ALC use (ALCMON=0 and DR5DAY=0,81,91,93) 1 = Alcohol use (ALCMON = 1 and DR5DAY = 0-30)	334 14132 12023	1.26 53.35 45.39
DRNKHLP2	1	TREATMENT RECEIVED FOR DRINKING IN PAST 12 MONTHS . = Unknown (DRNKHLP2=97,98) 0 = No (DRNKHLP2=2) 1 = Yes (DRNKHLP2=1)	114 26089 286	0.43 98.49 1.08
DRUNKYR2	1	# TIMES DRUNK ON ALC PAST 12 MONTH . = Never used/not in past yr (DRUNKYR = 81,83,91,93) 0 = Unknown (DRUNKYR = 85,96,97,98) 1 = Drunk more than twice a month (DRUNKYR = 1-4) 2 = Drunk twice a month or less (DRUNKYR = 5-8) 3 = Never drunk in past year (DRUNKYR = 9)	9869 1380 1469 5507 8264	37.26 5.21 5.55 20.79 31.20
ETHER2	1	EVER INHALED HALOTHANE/ETHER/OTHER ANESTHETICS 0 = Never inhaled (ETHER = 2,81,91,98) 1 = Ever inhaled (ETHER = 1,3)	26465 24	99.91 0.09
FREEBAS2	1	SMOKED/FREE-BASED COCAINE PAST 12 MONTHS 0 = Never/no use pst 12 mos (FREEBASE=2,81,83,91,93,97) 1 = Freebased in past 12 months (FREEBASE = 1,3)	26062 427	98.39 1.61
GAS2	1	EVER INHALED GASOLINE OR LIGHTER FLUID 0 = Never inhaled (GAS = 2,81,91,98) 1 = Ever inhaled (GAS = 1,3)	26152 337	98.7 1.2

GENERAL VARIABLES (RECODED)				
LABEL	LEN	DESCRIPTION	FREQ	t
LGAS2	1	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
		0 = Never inhaled (LGAS=2,81,91,98)	26387	99.61
		1 = Ever inhaled (LGAS=1,3)	102	0.39
GLUE2	1	EVER INHALED SHOESHINE LIQUID/GLUE/TOLUENE		
		0 = Never inhaled (GLUE = 2,81,91,98)	26199	98.91
		1 = Ever inhaled (GLUE = 1,3)	290	1.09
HVYDRK2	1	DRANK ALCOHOL HEAVILY - PAST 30 DAYS		
		. = Unknown (DR5DAY = 85,94,95,97,98)	334	1.26
		0 = Never/no heavy use (DR5DAY=0-4,81,91,93)	24733	93.37
		1 = Heavy alcohol use (DR5DAY = 5-30)	1422	5.37
LSD2	1	EVER USED LSD		
		. = Unknown	1	0.00
		0 = Never used hallucinogens (LSD = 2,81,91,97,98) ...	24636	93.00
		1 = Ever used LSD (LSD = 1)	1852	6.99
MESC2	1	EVER USED Mescaline		
		. = Unknown	1	0.00
		0 = Never used hallucinogens (MESC = 2,81,91,97,98) ..	25845	97.57
		1 = Ever used Mescaline (MESC = 1)	643	2.43
ECSTASY2	1	EVER USED ECSTASY		
		. = Unknown	1	0.00
		0 = Never used hallucinogens (ECSTASY=2,81,91,97,98) .	26153	98.73
		1 = Ever used Ecstasy (ECSTASY=1)	335	1.26
MJDAY30A2	1	# DAYS USED MARIJUANA IN PAST 30 DAYS		
		1 = None/never used marijuana (MJDAY30A = 0,81,91,93)	24551	92.68
		2 = 1-2 days (MJDAY30A = 1-2)	600	2.27
		3 = 3-4 days (MJDAY30A = 3-4)	298	1.12
		4 = 5-19 days (MJDAY30A = 5-19)	517	1.95
		5 = 20-30 days (MJDAY30A = 20-30)	317	1.20
		6 = Unknown (MJDAY30A = 85,94,95,98)	206	0.78
MJDAY30A3	1	# DAYS USED MARIJUANA IN PAST 30		
		. = Unknown (MJDAY30A2 = 6)	206	0.78
		1 = 1-2 days (MJDAY30A2 = 2)	600	2.27
		2 = 3-4 days (MJDAY30A2 = 3)	298	1.12
		3 = 5-19 days (MJDAY30A2 = 4)	517	1.95
		4 = 20-30 days (MJDAY30A2 = 5)	317	1.20
		5 = None or never used marijuana (MJDAY30A2 = 1)	24551	92.68
MJTOT2	1	# TIMES USED MARIJUANA IN LIFE		
		1 = Never used marijuana (MJTOT = 81,91)	16649	62.85
		2 = 1-2 times (MJTOT = 1)	2420	9.14
		3 = 3-10 times (MJTOT = 2,3)	2646	9.99
		4 = 11-99 times (MJTOT = 4,5)	2356	8.89
		5 = 100 or more times (MJTOT = 6,7)	2355	8.89
		6 = Unknown (MJTOT = 85,94,97,98)	63	0.24
MJTOT3	1	# TIMES USED MARIJUANA IN LIFE		
		. = Unknown (MJTOT2 = 6)	63	0.24
		1 = 1-2 times (MJTOT2 = 2)	2420	9.14
		2 = 3-10 times (MJTOT2 = 3)	2646	9.99
		3 = 11-99 times (MJTOT2 = 4)	2356	8.89
		4 = 100 or more times (MJTOT2 = 5)	2355	8.89
		5 = Never used marijuana (MJTOT2 = 1)	16649	62.85

GENERAL VARIABLES (RECODED)				
LABEL	LEN	DESCRIPTION	FREQ	%
MRJMON2	1	MARIJUANA - PAST MONTH USE		
		1 = Did not use in past month (MRJMON = 0)	24551	92.68
		2 = Used within the past month (MRJMON = 1)	1938	7.32
NITOXID2	1	EVER INHALED NITROUS OXIDE/WHIPPETS RECODE		
		0 = Never inhaled (NITOXID = 2,81,91,98)	25911	97.82
		1 = Ever inhaled (NITOXID = 1,3)	578	2.18
The following variable, NOTMARJ, was created by examination of COCMON, INHMON, HALMON, HERMON, and PSYMON2. Note: This variable is created such that all past month users of illicit drugs other than marijuana alone are in the positive response category.				
NOTMARJ	1	DRUG USE OTHER THAN MARIJUANA - PAST MONTH		
		0 = No (ALL SOURCE VARIABLES = 0)	25510	96.30
		1 = Yes (ANY SOURCE VARIABLES = 1)	979	3.70
PEYOTE2	1	EVER USED PEYOTE		
		. = Unknown	1	0.00
		0 = Never used hallucinogens (PEYOTE = 2,81,91,97,98)	26107	98.56
		1 = Ever used Peyote (PEYOTE = 1)	381	1.44
PSILCY2	1	EVER USED PSILOCYBIN (MUSHROOMS)		
		. = Unknown	1	0.0
		0 = Never used hallucinogens (PSILCY = 2,81,91,97,98)	25565	96.5
		1 = Ever used Psilocybin (PSILCY = 1)	923	3.48
RACESEX	1	RACE AND SEX COMBINED		
		. = Other males and females (SEX=1 or 2 and RACE=4) ..	934	3.53
		1 = White male (SEX = 1 and RACE = 1)	5716	21.58
		2 = Black male (SEX = 1 and RACE = 2)	2553	9.64
		3 = Hispanic male (SEX = 1 and RACE = 3)	3326	12.56
		4 = White female (SEX = 2 and RACE = 1)	6762	25.53
		5 = Black female (SEX = 2 and RACE = 2)	3630	13.70
		6 = Hispanic female (SEX = 2 and RACE = 3)	3568	13.47
RACESEX2	1	RACE AND SEX COMBINED		
		1 = White male (SEX=1 and RACE=1)	5716	21.58
		2 = Black male (SEX=1 and RACE=2)	2553	9.64
		3 = Hispanic male (SEX=1 and RACE=3)	3326	12.56
		4 = Other male (SEX=1 and RACE=4)	464	1.75
		5 = White female (SEX=2 and RACE=1)	6762	25.53
		6 = Black female (SEX=2 and RACE=2)	3630	13.70
		7 = Hispanic female (SEX=2 and RACE=3)	3568	13.47
		8 = Other female (SEX=2 and RACE=4)	470	1.77
SOLVENT2	1	EVER INHALED LACQUER THINNER/PAINT SOLVENTS		
		0 = Never inhaled (SOLVENT = 2,81,91,98)	26381	99.59
		1 = Ever inhaled (SOLVENT = 1,3)	108	0.41

GENERAL VARIABLES (RECODED)				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
SPPAINT2	1	EVER INHALED SPRAY PAINTS		
		0 = Never inhaled (SPPAINT = 2,81,91,98)	26250	99.10
		1 = Ever inhaled (SPPAINT = 1,3)	239	0.90
TRMTHLP2	1	TREATMENT RECEIVED FOR DRUG USE IN PAST 12 MONTHS		
		. = Unknown (TRMTHLP=85,94,97,98)	55	0.21
		0 = No (TRMTHLP=2)	26162	98.77
		1 = Yes (TRMTHLP=1)	272	1.03

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED

The drug problems answer sheet #16, which is included in Appendix E, is structured with a lead-in question, 11 gate questions, and one subquestion per gate question. The lead-in question (AS13NONE) asks if any of the substances listed on a showcard had been used. (Note: Unlike the 1988 NHSDA instrumentation, both the 1990 and 1991 instrumentation include smokeless tobacco on the showcard for "if you ever used one of these substances.") The 11 gate questions (DRDEPRSS, DRARGUM, DRALONE, DRANX, DRHEALTH, DRNTHINK, DRUPSET, DRLSWORK, DRSUSPIC, DRCOPE and DREMGMED) ask whether each of 11 problems has been experienced in the past year, and the one subquestion per gate question asks for each problem experienced that the substances suspected of causing the problem be listed. The substances suspected of causing each individual problem are recorded in a series of five variables per gate question (DEPDRG1A-DEPDRG5A, ARGDRG1A-ARGDRG5A, ALNDRG1A-ALNDRG5A, ANXDRG1A-ANXDRG5A, HLTDRG1A-HLTDRG5A, NTKDRG1A-NTKDRG5A, UPSDRG1A-UPSDRG5A, LSWDRG1A-LSWDRG5A, SSPDRG1A-SSPDRG5A, CPEDRG1A-CPEDRG5A, and EMGDRG1A-EMGDRG5A).

The above data were logically imputed as follows:

If no use of the substances listed on the showcard was indicated by the recoded lifetime drug use variables (CIGFLAG, ALCFLAG, MRJFLAG, COCFLAG, CRKFLAG, INHFLAG, HERFLAG, HALFLAG, PCPFLAG, SEDFLAG, TRQFLAG, STMFLAG, ANLFLAG and SMKFLAG), then the lead-in question was logically revised to indicate that no listed substance had been used (IRAS13=1). (Note: For the 1988 NHSDA data, it was necessary to exclude users of only smokeless tobacco because smokeless tobacco was not listed on the showcard. In 1990, to be consistent with the 1988 data, users of only smokeless tobacco were again excluded. However, in this data, only users of smokeless tobacco are being included as users of the listed substances. In doing so the variables for answer sheet #16 will not be strictly comparable with the same 1988 and 1990 variables.) Subsequently, the 11 gate questions were logically revised to the legitimate skip code (IRDEP, IRARG, IRALN, IRANX, IRHLT, IRNTK, IRUPS, IRLSW, IRSSP, IRCPE and IREMG=99). In addition, the 36 variables representing the data reported for the one subquestion per gate question were logically revised to the legitimate skip code (IRDEP1-IRDEP5, IRARG1-IRARG5, IRALN1-IRALN5, IRANX1-IRANX5, IRHLT1-IRHLT5, IRNTK1-IRNTK5, IRUPS1-IRUPS5, IRLSW1-IRLSW5, IRSSP1-IRSSP5, IRCPE1-IRCP5, and IREMG1-IREMG5=999).

If use of one or more of the listed substances was indicated by the recoded lifetime drug use variables (CIGFLAG, ALCFLAG, MRJFLAG, COCFLAG, CRKFLAG, INHFLAG, HERFLAG, HALFLAG, PCPFLAG, SEDFLAG, TRQFLAG, STMFLAG, ANLFLAG, and SMKFLAG), then the lead-in question was revised to indicate that a listed substance had been used (IRAS13=2). Subsequently, each gate question was individually examined. Positive responses and positive responses logically imputed to the gate questions were combined to simply be a positive response, and the respective series of variables per gate question were then logically revised in the following manner: In a series of variables containing valid drug mentions, all valid drug mentions were listed consecutively in the series of logically revised variables, and all subsequent variables in the series were set to the legitimate skip code (999). Note this included converting both non-drug reason responses (900) and other consistency codes encountered at this stage to the legitimate skip code. (This is consistent with the 1990 NHSDA data for answer sheet #16.) In a series containing no valid drug mentions, the first variable in the series was logically revised to the blank code (998) and the subsequent variables in the series were logically revised to the legitimate skip code (999). Negative responses to the gate questions were left as is, and don't know (94), refused (97), blank data (98) or legitimate skip (999) responses to the gate questions were logically imputed to negative responses. The respective series of variables per gate question were then logically revised to the legitimate skip code (999) in both situations.

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRAS13	1	NEVER USED ANY LISTED SUBSTANCES (L.I. AS13NONE)		
		1 = Never used any of the substances listed	5638	21.28
		2 = Used one or more of the listed substances	20851	78.72
IRDEP	2	DEPRESSION PST YR DUE TO DRUGS (L.I. DRDEPRSS)		
		1 = Yes	1115	4.21
		2 = No	19736	74.51
		99 = LEGITIMATE SKIP (IRAS13 = 1)	5638	21.28
IRDEP1	3	1ST DRUG CAUSING DEPRESSION (L.I. DEPDRG1A)		
		116 = Methaqualone, Parest, Quaalude, Sopor	1	0.00
		201 = Valium	2	0.01
		209 = Xanax	3	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.01
		241 = Prozac	1	0.00
		312 = Ionamin	1	0.00
		313 = Fastin, Phentermine	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	6	0.02
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	3	0.01
		339 = Amphetamines (speed generically)	5	0.02
		348 = Crystal	2	0.01
		355 = Crystal meth	2	0.01
		375 = Coco puffs [sic]	2	0.01
		426 = Butalbital, Fiorinal, Phrenilin Forte	1	0.00
		501 = Lighter fluids, Gasoline	1	0.00
		502 = Spray paints	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		557 = Hagwash	1	0.00
		601 = LSD ("acid," "white lightning")	9	0.03
		605 = PCP ("angel dust," phencyclidine)	5	0.02
		606 = "Ecstasy" (MDMA), X-TC	2	0.01
		702 = Heroin	18	0.07
		704 = Dope	3	0.01
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana	129	0.49
		804 = Hashish	1	0.00
		805 = Cocaine, Coke	82	0.31
		806 = Crack	28	0.11
		807 = Alcohol	580	2.19
		808 = All of the ones I've tried	1	0.00
		809 = Pills	2	0.01
		810 = Hemp	1	0.00
		812 = Cigars	5	0.02
		813 = Cigarettes, tobacco not specified	98	0.37
		814 = Caffeine	2	0.01
		816 = Smokeless tobacco, snuff, chewing tobacco	3	0.01
		869 = CD [sic]	1	0.00
		874 = Premarin	1	0.00
		998 = BLANK (NO ANSWER)	107	0.40
		999 = LEGITIMATE SKIP	25374	95.79

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	----
IRDEP2	3	2ND DRUG CAUSING DEPRESSION (L.I. DEPDRG2A)		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	2	0.01
		339 = Amphetamines (speed generically)	3	0.01
		348 = Crystal	2	0.01
		601 = LSD ("acid," "white lightning")	5	0.02
		605 = PCP ("angel dust," phencyclidine)	5	0.02
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana	25	0.09
		805 = Cocaine, Coke	14	0.05
		806 = Crack, rock	9	0.03
		807 = Alcohol	48	0.18
		813 = Cigarettes, tobacco not specified	8	0.03
		840 = Cough medicine (contents not specified) <OTC>	1	0.00
		999 = LEGITIMATE SKIP	26362	99.52
IRDEP3	3	3RD DRUG CAUSING DEPRESSION (L.I. DEPDRG3A)		
		339 = Amphetamines (speed generically)	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning")	1	0.00
		604 = Psilocybin (mushrooms)	1	0.00
		803 = Marijuana	5	0.02
		804 = Hashish	1	0.00
		805 = Cocaine, Coke	5	0.02
		806 = Crack, rock	2	0.01
		807 = Alcohol	3	0.01
		813 = Cigarettes, tobacco not specified	1	0.00
		999 = LEGITIMATE SKIP	26468	99.92
IRDEP4	3	4TH DRUG CAUSING DEPRESSION (L.I. DEPDRG4A)		
		415 = Codeine	1	0.00
		601 = LSD ("acid," "white lightning")	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		805 = Cocaine, Coke	1	0.00
		809 = Pills	1	0.00
		807 = Alcohol	2	0.01
		999 = LEGITIMATE SKIP	26482	99.97
IRDEP5	3	5TH DRUG CAUSING DEPRESSION (L.I. DEPDRG5A)		
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		999 = LEGITIMATE SKIP	26488	100.00

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	---	-----	----	-
IRARG	2	ARGUMENTS PST YR DUE TO DRUGS (L.I. DRARGUM)		
		1 = Yes	1506	5.69
		2 = No	19345	73.03
		99 = LEGITIMATE SKIP (IRAS13 = 1)	5638	21.28
IRARG1	3	1ST DRUG CAUSING ARGUMENTS (L.I. ARGDRG1A)		
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	4	0.02
		241 = Prozac	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	7	0.03
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
		339 = Amphetamines (speed generically)	6	0.02
		348 = Crystal	2	0.01
		355 = Crystal meth	2	0.01
		415 = Codeine	1	0.00
		440 = Soma	1	0.00
		557 = Hagwash	1	0.00
		601 = LSD ("acid," "white lightning")	3	0.01
		605 = PCP ("angel dust," phencyclidine)	4	0.02
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	14	0.05
		704 = Dope	2	0.01
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana	74	0.28
		804 = Hashish	2	0.01
		805 = Cocaine, Coke	65	0.25
		806 = Crack	26	0.10
		807 = Alcohol	978	3.69
		808 = All of the ones I've tried	1	0.00
		810 = Hemp	1	0.00
		812 = Cigars	2	0.01
		813 = Cigarettes, tobacco not specified	148	0.56
		816 = Smokeless tobacco, snuff, chewing tobacco	3	0.01
		818 = Nicotine	1	0.00
		824 = Steroids	1	0.00
		998 = BLANK (NO ANSWER)	151	0.57
		999 = LEGITIMATE SKIP	24983	94.31

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	%
IRARG2	3	2ND DRUG CAUSING ARGUMENTS (L.I. ARGDRG2A)		
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		324 = Uppers	1	0.00
		332 = Ephedrine (HCl)	1	0.00
		339 = Amphetamines (speed generically)	2	0.01
		348 = Crystal	3	0.01
		408 = Dilaudid	1	0.00
		601 = LSD ("acid," "white lightning")	1	0.00
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		702 = Heroin	2	0.01
		803 = Marijuana	24	0.09
		805 = Cocaine, Coke	15	0.06
		806 = Crack	9	0.03
		807 = Alcohol	39	0.15
		813 = Cigarettes, tobacco not specified	5	0.02
		840 = Cough medicine (contents not specified) <OTC>	1	0.00
		999 = LEGITIMATE SKIP	26383	99.60
IRARG3	3	3RD DRUG CAUSING ARGUMENTS (L.I. ARGDRG3A)		
		601 = LSD ("acid," "white lightning")	3	0.01
		605 = PCP ("angel dust," phencyclidine)	2	0.01
		803 = Marijuana	2	0.01
		805 = Cocaine, Coke	1	0.00
		807 = Alcohol	1	0.00
		813 = Cigarettes, tobacco not specified	1	0.00
		999 = LEGITIMATE SKIP	26479	99.96
IRARG4	3	4TH DRUG CAUSING ARGUMENTS (L.I. ARGDRG4A)		
		508 = Nitrous oxide, "whippets," dentist gas	1	0.00
		805 = Cocaine, Coke	1	0.00
		807 = Alcohol	1	0.00
		999 = LEGITIMATE SKIP	26486	99.99
IRARG5	3	5TH DRUG CAUSING ARGUMENTS (L.I. ARGDRG5A)		
		999 = LEGITIMATE SKIP	26489	100.00
IRALN	2	FELT ALONE PST YR DUE TO DRUGS (L.I. DRALONE)		
		1 = Yes	750	2.83
		2 = No	20101	75.88
		99 = LEGITIMATE SKIP (IRAS13 = 1)	5638	21.28

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
IRALN1	3	1ST DRUG CAUSING FEELING ALONE (L.I. ALNDRG1A)		
		201 = Valium	1	0.00
		209 = Xanax	2	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		241 = Prozac	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	5	0.02
		324 = Uppers	1	0.00
		339 = Amphetamines (speed generically)	4	0.02
		348 = Crystal	3	0.01
		355 = Crystal meth	1	0.00
		401 = Darvon	1	0.00
		406 = Oxycodone, Percodan, Roxicet	1	0.00
		408 = Dilaudid	1	0.00
		601 = LSD ("acid," "white lightning")	14	0.05
		604 = Psilocybin (mushrooms)	3	0.01
		605 = PCP ("angel dust," phencyclidine)	6	0.02
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	13	0.05
		704 = Dope	1	0.00
		707 = Black Tar	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana	57	0.22
		805 = Cocaine, Coke	54	0.20
		806 = Crack	25	0.09
		807 = Alcohol	408	1.54
		808 = All of the ones I've tried	1	0.00
		809 = Pills	1	0.00
		812 = Cigars	3	0.01
		813 = Cigarettes, tobacco not specified	43	0.16
		998 = BLANK (NO ANSWER)	95	0.36
		999 = LEGITIMATE SKIP	25739	97.17

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRALN2	3	2ND DRUG CAUSING FEELING ALONE (L.I. ALNDRG2A)		
		209 = Xanax	1	0.00
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	2	0.01
		434 = Co-Gesic, Hydrocodone, Lortab, Tussionex, Vicodin.	1	0.00
		601 = LSD ("acid," "white lightning")	3	0.01
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	2	0.01
		803 = Marijuana	10	0.04
		805 = Cocaine, Coke	11	0.04
		806 = Crack	7	0.03
		807 = Alcohol	17	0.06
		813 = Cigarettes, tobacco not specified	1	0.00
		840 = Cough medicine (contents not specified)	1	0.00
		848 = Liquid vitamin <OTC>	1	0.00
		999 = LEGITIMATE SKIP	26428	99.77
IRALN3	3	3RD DRUG CAUSING FEELING ALONE (L.I. ALNDRG3A)		
		803 = Marijuana	5	0.02
		805 = Cocaine, Coke	2	0.01
		807 = Alcohol	4	0.02
		813 = Cigarettes, tobacco not specified	1	0.00
		999 = LEGITIMATE SKIP	26477	99.95
IRALN4	3	4TH DRUG CAUSING FEELING ALONE (L.I. ALNDRG4A)		
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		807 = Alcohol	1	0.
		809 = Pills	1	0.0
		999 = LEGITIMATE SKIP	26486	99.99
IRALN5	3	5TH DRUG CAUSING FEELING ALONE (L.I. ALNDRG5A)		
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		999 = LEGITIMATE SKIP	26488	100.00
IRANX	2	FELT ANXIOUS PST YR DUE TO DRUGS (L.I. DRANX)		
		1 = Yes	1235	4.66
		2 = No	19616	74.05
		99 = LEGITIMATE SKIP (IRAS13 = 1)	5638	21.28

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
IRANX1	3	1ST DRUG CAUSING FEELING ANXIOUS (L.I. ANXIOGIA)		
		209 = Xanax	4	0.02
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.01
		241 = Prozac	1	0.00
		247 = Adapin, Doxepin, Sinequan	1	0.00
		271 = Zoloft	1	0.00
		301 = Dexedrine	1	0.00
		309 = Didrex	1	0.00
		312 = Ionamin	1	0.00
		313 = Fastin, Phentermine	2	0.01
		322 = Methamphetamine ("speed" or "ice" or "crank")	10	0.04
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	6	0.02
		332 = Ephedrine	1	0.00
		336 = Diet pills	1	0.00
		339 = Amphetamines (speed generically)	21	0.08
		348 = Crystal	3	0.01
		354 = Vivarin <OTC>	1	0.00
		355 = Crystal meth	3	0.01
		375 = Coco puffs [sic]	1	0.00
		408 = Dilaudid	1	0.00
		415 = Codeine	2	0.01
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	3	0.01
		557 = Hagwash	1	0.00
		601 = LSD ("acid," "white lightning")	25	0.09
		605 = Phencyclidine ("angel dust", "PCP")	3	0.01
		606 = "Ecstasy" (MDMA), X-TC	2	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
		702 = Heroin	8	0.03
		704 = Dope	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	2	0.01
		803 = Marijuana	138	0.52
		804 = Hashish	2	0.01
		805 = Cocaine, Coke	121	0.46
		806 = Crack	38	0.14
		807 = Alcohol	354	1.34
		808 = All of the ones I've tried	1	0.00
		812 = Cigars	5	0.02
		813 = Cigarettes, tobacco not specified	327	1.23
		814 = Caffeine	8	0.03
		815 = Coffee	2	0.01
		816 = Smokeless tobacco, snuff, chewing tobacco	3	0.01
		818 = Nicotine	3	0.01
		873 = Contraceptives, Feutal, Ortho Novum	1	0.00
		998 = Blank (not answered)	119	0.45
		999 = Legitimate skip	25254	95.34

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	
IRANX2	3	2ND DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG2A)		
		120 = Downers	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	2	0.01
		339 = Amphetamines (speed generically)	2	0.01
		355 = Crystal meth	1	0.00
		601 = LSD ("acid," "white lightning")	8	0.03
		604 = Psilocybin (mushrooms)	1	0.00
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
		702 = Heroin	2	0.01
		803 = Marijuana	18	0.07
		805 = Cocaine, Coke	14	0.05
		806 = Crack	7	0.03
		807 = Alcohol	28	0.11
		813 = Cigarettes, tobacco not specified	11	0.04
		840 = Cough medicine (contents not specified) <OTC>.....	1	0.00
		999 = LEGITIMATE SKIP	26386	99.61
IRANX3	3	3RD DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG3A)		
		326 = White cross	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana	4	0.02
		805 = Cocaine, Coke	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.01
		813 = Cigarettes, tobacco not specified	2	0.01
		999 = LEGITIMATE SKIP	26478	99.61

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRANX4	3	4TH DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG4A)		
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		803 Marijuana	1	0.00
		807 = Alcohol	1	0.00
		809 = Pills	1	0.00
		999 = LEGITIMATE SKIP	26486	99.99
IRANX5	3	5TH DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG5A)		
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		999 = LEGITIMATE SKIP	26488	100.00
IRHLT	2	HEALTH PROBS PST YR DUE TO DRUGS (L.I. DRHEALTH)		
		1 = Yes	839	3.17
		2 = No	20012	75.55
		99 = LEGITIMATE SKIP (IRAS13 = 1)	5638	21.28
IRHLT1	3	1ST DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG1A)		
		209 = Xanax	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		339 = Amphetamines (speed generically)	6	0.02
		348 = Crystal	4	0.02
		355 = Crystal meth	1	0.00
		362 = Benadryl	1	0.00
		408 = Dilaudid	1	0.00
		501 = Gasoline or lighter fluids	2	0.01
		557 = Hagwash	1	0.00
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		639 = Cloves, Nutmet	1	0.00
		702 = Heroin	10	0.04
		704 = Dope	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana	34	0.13
		805 = Cocaine, Coke	33	0.12
		806 = Crack	12	0.05
		807 = Alcohol	184	0.69
		809 = Pills	1	0.00
		812 = Cigars	6	0.02
		813 = Cigarettes, tobacco not specified	422	1.59
		814 = Caffeine	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	2	0.01
		818 = Nicotine	5	0.02
		870 = Coug [sic]	1	0.00
		998 = BLANK (NO ANSWER)	101	0.38
		999 = LEGITIMATE SKIP	25650	96.83

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	-----	-----
IRHLT2	3	2ND DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG2A)		
		332 = Ephedrine (HCl) [see also 346]	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		426 = Butalbital, Fiorinal, Phrenilin Forte	1	0.00
		506 = Amyl nitrate, "poppers," locker rm odorizer, "rush"	1	0.00
		530 = Asthma inhaler, asthma med., bronchial dilators...	1	0.00
		601 = LSD ("acid," "white lightning")	1	0.00
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		702 = Heroin	2	0.01
		803 = Marijuana	15	0.06
		805 = Cocaine, Coke	10	0.04
		806 = Crack	4	0.02
		807 = Alcohol	21	0.08
		812 = Cigars	1	0.00
		813 = Cigarettes, tobacco not specified	12	0.05
		814 = Caffeine	1	0.00
		815 = Coffee	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		865 = Diuretics, Water pills	1	0.00
		999 = LEGITIMATE SKIP	26413	99.71
IRHLT3	3	3RD DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG3A)		
		339 = Amphetamines (speed generically)	1	0.00
		348 = Crystal	1	0.00
		702 = Heroin	2	0.01
		803 = Marijuana	2	0.01
		807 = Alcohol	3	0.01
		813 = Cigarettes, tobacco not specified	2	0.01
		999 = LEGITIMATE SKIP	26478	99.96
IRHLT4	3	4TH DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG4A)		
		807 = Alcohol	1	0.00
		999 = LEGITIMATE SKIP	26488	100.00
IRHLT5	3	5TH DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG5A)		
		999 = LEGITIMATE SKIP	26489	100.00
IRNTK	2	DFF THINKNG CLR PST YR DUE TO DRUGS (L.I. DRNTHINK)		
		1 = Yes	1523	5.75
		2 = No	19328	72.97
		99 = LEGITIMATE SKIP (IRAS13 = 1)	5638	21.28

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	----	-----	----	----
IRNTK1	3	1ST DRUG CAUSNG DFFCLTY THINKNG CLR (L.I. NTKDRG1A)		
		116 = Methaqualone, Parest, Quaalude, Sopor	1	0.00
		120 = OTHER Sedative, NOT SPECIFIED, "Downers"	1	0.00
		209 = Xanax	3	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	3	0.01
		241 = Prozac	1	0.00
		247 = Adapin, Doxepin, Sinequan	1	0.00
		271 = Zoloft	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	6	0.02
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	2	0.01
		336 = Diet pills	1	0.00
		339 = Amphetamines (speed generically)	7	0.03
		348 = Crystal	2	0.01
		354 = Vivarin <OTC>	1	0.00
		355 = Crystal meth	2	0.01
		401 = Darvon	1	0.00
		407 = Demerol	1	0.00
		408 = Dilaudid	1	0.00
		409 = Tylenol with Codeine, Tylenol 3	1	0.00
		418 = Methadone	1	0.00
		501 = Gasoline or lighter fluids	2	0.01
		502 = Spray paints	2	0.01
		504 = Shoeshine liq, glue, toluene, SuperGlue, rubber cem..	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	4	0.02
		511 = Markers, felt-tip pens, ink pens	1	0.00
		601 = LSD ("acid," "white lightning")	23	0.09
		605 = PCP ("angel dust," phencyclidine)	6	0.02
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		609 = Gympsom [sic] pods, Jimson [sic] weed	1	0.00
		702 = Heroin	12	0.05
		704 = Dope	3	0.01
		705 = Speel Ball (heroin + cocaine)	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	3	0.01
		803 = Marijuana	244	0.92
		804 = Hashish	3	0.01
		805 = Cocaine, Coke	61	0.23
		806 = Crack	22	0.08
		807 = Alcohol	915	3.45
		810 = Hemp	1	0.00
		812 = Cigars	5	0.02
		813 = Cigarettes, tobacco not specified	52	0.20
		815 = Coffee	3	0.01
		823 = Blast(KJ) [sic]	1	0.00
		840 = Cough medicine (contents not specified) <OTC>	1	0.00
		873 = Contraceptives, Feutal, Ortho Novum	1	0.00
		998 = BLANK (NO ANSWER)	116	0.44
		999 = LEGITIMATE SKIP	24966	94.25

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	
IRNTK2	3	2ND DRUG CAUSNG DFFCLTY THINKNG CLR (L.I. NTKDRG2A)		
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		339 = Amphetamines (speed generically)	3	0.01
		348 = Crystal	1	0.00
		407 = Demerol	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		426 = Butalbital, Fiorinal, Phrenilin Forte	1	0.00
		506 = Amyl nitrate, "poppers," locker rm odorizer, "rush"	1	0.00
		508 = Nitrous oxide, "whippets," dentist gas	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning")	11	0.04
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana	72	0.27
		805 = Cocaine, Coke	17	0.06
		806 = Crack	8	0.03
		807 = Alcohol	64	0.24
		809 = Pills	1	0.00
		813 = Cigarettes, tobacco not specified	8	0.03
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		999 = LEGITIMATE SKIP	26290	99.25
IRNTK3	3	3RD DRUG CAUSNG DFFCLTY THINKNG CLR (L.I. NTKDRG3A)		
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00
		339 = Amphetamines (speed generically)	1	0.00
		601 = LSD ("acid," "white lightning")	5	0.00
		602 = Peyote	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana	6	0.02
		804 = Hashish	1	0.00
		805 = Cocaine, Coke	4	0.02
		807 = Alcohol	7	0.03
		813 = Cigarettes, tobacco not specified	2	0.01
		999 = LEGITIMATE SKIP	26459	99.89
IRNTK4	3	4TH DRUG CAUSNG DFFCLTY THINKNG CLR (L.I. NTKDRG4A)		
		415 = Codeine	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		803 = Marijuana	1	0.00
		805 = Cocaine, Coke	1	0.00
		807 = Alcohol	3	0.01
		999 = LEGITIMATE SKIP	26482	99.97
IRNTK5	3	5TH DRUG CAUSNG DFFCLTY THINKNG CLR (L.I. NTKDRG5A)		
		201 = Valium	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed	1	0.00
		999 = LEGITIMATE SKIP	26485	99.98
IRUPS	2	FELT UPSET PST YR DUE TO DRUGS (L.I. DRUPSET)		
		1 = Yes	1421	5.36
		2 = No	19430	73.35
		99 = LEGITIMATE SKIP (IRAS13 = 1)	5638	21.28

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	-----	-----
IRUPS1	3	1ST DRUG CAUSING FEELING UPSET (L.I. UPSDRG1A)		
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	3	0.01
		241 = Prozac	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	6	0.02
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	3	0.01
		332 = Ephedrine	1	0.00
		339 = Amphetamines (speed generically)	12	0.05
		348 = Crystal	3	0.01
		355 = Crystal meth	3	0.01
		406 = Oxycodone, Percodan, Roxicet	1	0.00
		409 = Tylenol with Codeine, Tylenol 3	1	0.00
		434 = Co-Gesic, Hydrocodone, Lortab, Tussionex, Vicodin.	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	2	0.01
		601 = LSD ("acid," "white lightning")	4	0.02
		604 = Psilocybin (mushrooms)	1	0.00
		605 = PCP ("angel dust," phencyclidine)	4	0.02
		702 = Heroin	12	0.05
		704 = Dope	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	2	0.01
		803 = Marijuana	79	0.30
		805 = Cocaine, Coke	72	0.27
		806 = Crack	28	0.11
		807 = Alcohol	716	2.70
		808 = All of the ones I've tried	1	0.00
		810 = Hemp	1	0.00
		812 = Cigars	3	0.01
		813 = Cigarettes, tobacco not specified	294	1.11
		814 = Caffeine	5	0.02
		815 = Coffee	1	0.00
		816 = Smokeless tobacco, snuff, chewing tobacco	3	0.01
		818 = Nicotine	4	0.02
		824 = Steroids	2	0.01
		840 = Cough medicine (contents not specified) <OTC>	1	0.00
		998 = BLANK (NO ANSWER)	148	0.56
		999 = LEGITIMATE SKIP	25068	94.64

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRUPS2	3	2ND DRUG CAUSING FEELING UPSET (L.I. UPSDRG2A)		
		324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"	1	0.00
		339 = Amphetamines (speed generically)	2	0.01
		408 = Dilaudid	1	0.00
		434 = Co-Gesic, Hydrocodone, Lortab, Tussionex, Vicodin.	1	0.00
		508 = Nitrous oxide, "whippets," dentist gas	1	0.00
		601 = LSD ("acid," "white lightning")	2	0.01
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana	25	0.09
		805 = Cocaine, Coke	17	0.06
		806 = Crack	10	0.04
		807 = Alcohol	35	0.13
		809 = Pills	1	0.00
		811 = Muscle relaxers	1	0.00
		813 = Cigarettes, tobacco not specified	10	0.04
		814 = Caffeine	1	0.00
		815 = Coffee	1	0.00
		999 = LEGITIMATE SKIP	26375	99.57
IRUPS3	3	3RD DRUG CAUSING FEELING UPSET (L.I. UPSDRG3A)		
		437 = Parafon Forte	1	0.00
		601 = LSD ("acid," "white lightning")	3	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana	1	0.00
		805 = Cocaine, Coke	1	0.00
		807 = Alcohol	4	0.02
		809 = Pills	1	0.00
		813 = Cigarettes, tobacco not specified	1	0.00
		999 = LEGITIMATE SKIP	26475	99.95
IRUPS4	3	4TH DRUG CAUSING FEELING UPSET (L.I. UPSDRG4A)		
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		803 = Marijuana	1	0.00
		805 = Cocaine, Coke	1	0.00
		807 = Alcohol	1	0.00
		813 = cigarettes, tobacco not specified	1	0.00
		999 = LEGITIMATE SKIP	26484	99.98
IRUPSS	3	5TH DRUG CAUSING FEELING UPSET (L.I. UPSDRG5A)		
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		999 = LEGITIMATE SKIP	26488	100.00
IRLSW	2	DID LESS WORK PST YR DUE TO DRUGS (L.I. DRLSWORK)		
		1 = Yes	783	2.96
		2 = No	20068	75.76
		99 = LEGITIMATE SKIP (IRAS13 = 1)	5638	21.28

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	t
-----	---	-----	----	-
IRLSW1	3	1ST DRUG CAUSING LESS WORK DONE (L.I. LSWDRG1A)		
		201 = Valium	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		324 = Uppers	3	0.01
		336 = Diet pills	1	0.00
		339 = Amphetamines (speed generically)	3	0.01
		348 = Crystal	2	0.01
		355 = Crystal meth	1	0.00
		406 = Oxycodone, Percodan, Roxicet	1	0.00
		501 = Gasoline or lighter fluids	2	0.01
		530 = Asthma inhaler, asthma med., bronchial dilators ..	1	0.00
		601 = LSD ("acid," "white lightning")	6	0.02
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	6	0.02
		704 = Dope	3	0.01
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana	133	0.50
		804 = Hashish	2	0.01
		805 = Cocaine, Coke	32	0.12
		806 = Crack	11	0.04
		807 = Alcohol	423	1.60
		810 = Hemp	1	0.00
		812 = Cigars	2	0.01
		813 = Cigarettes, tobacco not specified	60	0.23
		815 = Coffee	1	0.00
		998 = BLANK (NO ANSWER)	82	0.31
		999 = LEGITIMATE SKIP	25706	97.04

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	t
IRLSW2	3	2ND DRUG CAUSING LESS WORK DONE (L.I. LSWDRG2A)		
		408 = Dilaudid	1	0.00
		508 = Nitrous oxide, "whippets," dentist gas	1	0.00
		601 = LSD ("acid," "white lightning")	1	0.00
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		803 = Marijuana	23	0.09
		805 = Cocaine, Coke	12	0.05
		806 = Crack	6	0.02
		807 = Alcohol	28	0.11
		809 = Pills	1	0.00
		813 = Cigarettes, tobacco not specified	6	0.02
		840 = Cough medicine (contents not specified) <OTC>.....	1	0.00
		999 = LEGITIMATE SKIP	26408	99.69
IRLSW3	3	3RD DRUG CAUSING LESS WORK DONE (L.I. LSWDRG3A)		
		339 = Amphetamines (speed generically)	2	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		803 = Marijuana	2	0.01
		804 = Hashish	1	0.00
		807 = Alcohol	4	0.02
		813 = Cigarettes, tobacco not specified	1	0.00
		999 = LEGITIMATE SKIP	26478	99.96
IRLSW4	3	4TH DRUG CAUSING LESS WORK DONE (L.I. LSWDRG4A)		
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		805 = Cocaine, Coke	1	0.00
		999 = LEGITIMATE SKIP	26487	99.
IRLSW5	3	5TH DRUG CAUSING LESS WORK DONE (L.I. LSWDRG5A)		
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		999 = LEGITIMATE SKIP	26488	100.00
IRSSP	2	FLT SUSPICIOUS PST YR DUE TO DRUGS (L.I. DRSUSPIC)		
		1 = Yes	612	2.31
		2 = No	20239	76.41
		99 = LEGITIMATE SKIP (IRAS13 = 1)	5638	21.28

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
IRSSP1	3	1ST DRUG CAUSING FEELING SUSPICIOUS (L.I. SSPDRG1A)		
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	4	0.02
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00
		339 = Amphetamines (speed generically)	11	0.04
		348 = Crystal	2	0.01
		355 = Crystal meth	2	0.01
		601 = LSD ("acid," "white lightning")	19	0.07
		605 = PCP ("angel dust," phencyclidine)	5	0.02
		607 = OTHER Hallucinogen, NOT SPECIFIED	2	0.01
		702 = Heroin	7	0.03
		707 = Black Tar	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	2	0.01
		803 = Marijuana	112	0.42
		804 = Hashish	2	0.01
		805 = Cocaine, Coke	70	0.26
		806 = Crack	23	0.09
		807 = Alcohol	247	0.93
		812 = Cigars	1	0.00
		813 = Cigarettes, tobacco not specified	16	0.06
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
		840 = Cough medicine (contents not specified) <OTC>	1	0.00
		998 = BLANK (NO ANSWER)	82	0.31
		999 = LEGITIMATE SKIP	25877	97.69

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRSSP2	3	2ND DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG2A)		
		322 = Methamphetamine ("speed" or "ice" or "crank")	1	0.00
		408 = Dilaudid	1	0.00
		601 = LSD ("acid," "white lightning")	2	0.01
		604 = Psilocybin (mushrooms)	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		803 = Marijuana	22	0.08
		805 = Cocaine, Coke	13	0.05
		806 = Crack	4	0.02
		807 = Alcohol	18	0.07
		809 = Pills	2	0.01
		813 = Cigarettes, tobacco not specified	2	0.01
		999 = LEGITIMATE SKIP	26422	99.75
IRSSP3	3	3RD DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG3A)		
		339 = Amphetamines (speed generically)	1	0.00
		702 = Heroin	1	0.00
		803 = Marijuana	1	0.00
		805 = Cocaine, Coke	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		809 = Pills	1	0.00
		813 = Cigarettes, tobacco not specified	1	0.00
		999 = LEGITIMATE SKIP	26482	99.97
IRSSP4	3	4TH DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG4A)		
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.0
		805 = Cocaine, Coke	1	0.0
		807 = Alcohol	1	0.0
		999 = LEGITIMATE SKIP	26486	99.99
IRSSP5	3	5TH DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG5A)		
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		999 = LEGITIMATE SKIP	26488	100.00
IRCPE	2	PRB HARD TO HNDL PST YR DUE TO DRUGS (L.I. DRCOPE)		
		1 = Yes	638	2.41
		2 = No	20213	76.31
		99 = LEGITIMATE SKIP (IRAS13 = 1)	5638	21.28

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	----	----
IRCPE1	3	1ST DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG1A)		
		209 = Xanax	1	0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		241 = Prozac	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	5	0.02
		339 = Amphetamines (speed generically)	5	0.02
		348 = Crystal	2	0.01
		355 = Crystal meth	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	2	0.01
		601 = LSD ("acid," "white lightning")	6	0.02
		605 = PCP ("angel dust," phencyclidine)	3	0.01
		702 = Heroin	9	0.03
		704 = Dope	2	0.01
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana	52	0.20
		805 = Cocaine, Coke	55	0.21
		806 = Crack	17	0.06
		807 = Alcohol	330	1.25
		809 = Pills	1	0.00
		812 = Cigars	3	0.01
		813 = Cigarettes, tobacco not specified	44	0.17
		818 = Nicotine	2	0.01
		824 = Steroids	1	0.00
		877 = Methozolamide	1	0.00
		998 = BLANK (NO ANSWER)	92	0.35
		999 = LEGITIMATE SKIP	25851	97.59

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRCPE2	3	2ND DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG2A)		
		239 = Elavil	1	0.00
		408 = Dilaudid	1	0.00
		601 = LSD ("acid," "white lightning")	1	0.00
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		803 = Marijuana	20	0.08
		805 = Cocaine, Coke	14	0.05
		806 = Crack	5	0.02
		807 = Alcohol	20	0.08
		809 = Pills	1	0.00
		813 = Cigarettes, tobacco not specified	4	0.02
		999 = LEGITIMATE SKIP	26421	99.74
IRCPE3	3	3RD DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG3A)		
		339 = Amphetamines (speed generically)	2	0.01
		803 = Marijuana	1	0.00
		804 = Hashish	1	0.00
		805 = Cocaine, Coke	1	0.00
		807 = Alcohol	3	0.01
		813 = Cigarettes, tobacco not specified	1	0.00
		999 = LEGITIMATE SKIP	26480	99.97
IRCPE4	3	4TH DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG4A)		
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		999 = LEGITIMATE SKIP	26488	100.00
IRCPE5	3	5TH DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG5A)		
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		999 = LEGITIMATE SKIP	26488	100.00
IREMG	2	EMERG MED HELP PST YR DUE TO DRUGS (L.I. DREMGMED)		
		1 = Yes	170	0.64
		2 = No	20681	78.07
		99 = LEGITIMATE SKIP (IRAS13 = 1)	5638	21.28

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IREMG1	3	1ST DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG1A)		
		108 = Carbrital, Nembutal	1	0.00
		209 = Xanax	1	0.00
		312 = Ionamin	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank")	2	0.01
		339 = Amphetamines (speed generically)	1	0.00
		348 = Crystal	1	0.00
		430 = Aspirin, Ecotrin, Empiron <OTC>	1	0.00
		435 = Tylenol	1	0.00
		503 = Other aerosol sprays	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	2	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	5	0.02
		704 = Dope	2	0.01
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana	7	0.03
		805 = Cocaine, Coke	14	0.05
		806 = Crack	4	0.02
		807 = Alcohol	79	0.30
		812 = Cigars	1	0.00
		813 = Cigarettes, tobacco not specified	16	0.06
		815 = Coffee	1	0.00
		858 = Antibiotic	1	0.00
		998 = BLANK (NO ANSWER)	24	0.09
		999 = LEGITIMATE SKIP	26319	99.36
IREMG2	3	2ND DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG2A)		
		339 = Amphetamines (speed generically)	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		803 = Marijuana	1	0.00
		805 = Cocaine, Coke	4	0.02
		806 = Crack	2	0.01
		807 = Alcohol	8	0.03
		809 = Pills	1	0.00
		813 = Cigarettes, tobacco not specified	1	0.00
		999 = LEGITIMATE SKIP	26470	99.93
IREMG3	3	3RD DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG3A)		
		813 = Cigarettes, tobacco not specified	1	0.00
		999 = LEGITIMATE SKIP	26488	100.00
IREMG4	3	4TH DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG4A)		
		999 = LEGITIMATE SKIP	26489	100.00
IREMG5	3	5TH DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG5A)		
		999 = LEGITIMATE SKIP	26489	100.00

DRUG PROBLEMS--ANSWER SHEET #16--LOGICALLY IMPUTED			
LABEL	LEN	DESCRIPTION	FREQ
-----	----	-----	-----
		<p>The logically imputed gate questions (IRDEP, IRARG, IRALN, IRANX, IRHLT, IRNTK, IRUPS, IRLSW, IRSSP, IRCPE and IREMG) for the drug problems, answer sheet #16, were used to obtain a count of the number of problems experienced. Indicator variables were then created which indicated whether the respondent had experienced any of the 11 problems (ANYPROB), two or more of the 11 problems (TWOPROB), and three or more of the 11 problems (THREPROB). For a discussion of the structure and logical imputation of the data for answer sheet #16, refer to Drug Problems - Answer Sheet #16 - Logically Imputed.</p>	
ANYPROB	1	ANY OF THE 11 PROBS ON DRUG SHEET #16	
		0 = No	22801 86.08
		1 = Yes	3688 13.92
TWOPROB	1	TWO OR MORE OF THE 11 PROBS ON DRUG SHEET #16	
		0 = No	24241 91.51
		1 = Yes	2248 8.49
THREPROB	1	THREE OR MORE OF THE 11 PROBS ON DRUG SHEET #16	
		0 = No	25032 94.5
		1 = Yes	1457 5.51

DRUG PROBLEMS--ANSWER SHEET #16--RECODED

LABEL	LEN	DESCRIPTION	FREQ
-----	----	-----	----

The logically imputed data for the gate questions (IRDEP, IRALN, IRANX, IRHLT, IRNTK, IRUPS, IRLSW, IRSSP, IRCPE and IREM) and subquestions (IRDEP1-IRDEP5, IRARG1-IRARG5, IRALN1-IRALN5, IRANX1-IRANX5, IRHLT1-IRHLT5, IRNTK1-IRNTK5, IRUPS1-IRUPS5, IRLSW1-IRLSW5, IRSSP1-IRSSP5, IRCPE1-IRCPE5 and IREM1-IREM5) for the drug problems, answer sheet #16, were recoded to create variables which indicated past year problems associated with cigarette use (DEPCIG2, ARGCIG2, ALNCIG2, ANXCIG2, HLTICIG2, NTKCIG2, UPSCIG2, LSWCIG2, SSPCIG2, CPECIG2 and EMCIG2), alcohol use (DEPALC2, ARGALC2, ALNALC2, ANKALC2, HLTALC2, NTKALC2, UPSALC2, LSWALC2, SSPALC2, CPEALC2 and EMALC2), marijuana use (DEPMRJ2, ARGMRJ2, ALNMRJ2, ANOMRJ2, HLTMRJ2, NTKMRJ2, UPSMRJ2, LSWMRJ2, SSPMRJ2, CPEMRJ2 and EMMRJ2), and cocaine use (DEPCOC2, ARGCO2, ALNCO2, ANXCO2, HLTCO2, NTKCO2, UPSCOC2, LSWCOC2, SSPCOC2, CPECOC2 and EMCOC2) in the past year. The procedure was as follows for cigarette use: Past year users of cigarettes who indicated having the problem, and who attributed the problem to past year use of cigarettes (subquestion response=813) were given a positive response to the recoded variable. Past year users of cigarettes who indicated having the problem, but attributed the problem to a substance other than cigarettes, or who indicated not having the problem were given a negative response to the recoded variable. The recoded variable was coded to the SAS missing code (.) for non-users in the past year of cigarettes. For cigarettes, this procedure was repeated for each problem. In addition, this entire process was repeated for alcohol (subquestion response=807) marijuana (subquestion response=803) and cocaine (subquestion response=805 or 806), respectively. For a discussion of the structure and logical imputation of the data for answer sheet #16, refer to Drug Problems - Answer Sheet #16 - Logically Imputed.

DRUG PROBLEMS--ANSWER SHEET #16--RECODED

LABEL	LEN	DESCRIPTION	FREQ	%
ALNALC2	2	FELT ALONE PAST YEAR DUE TO ALC		
		0 = No	16209	61.19
		1 = Yes	411	1.55
		93 = Did not use alcohol in the past year	9869	37.26
ALNCIG2	2	FELT ALONE PAST YEAR DUE TO CIG		
		0 = No	9935	37.51
		1 = Yes	41	0.15
		93 = Did not use cigarettes in the past year	16513	62.34
ALNCOC2	2	FELT ALONE PAST YEAR DUE TO COC		
		0 = No	987	3.73
		1 = Yes	83	0.31
		93 = Did not use cocaine in the past year	25419	95.96
ALNMRJ2	2	FELT ALONE PAST YEAR DUE TO MRJ		
		0 = No	3666	13.84
		1 = Yes	66	0.25
		93 = Did not use marijuana in the past year	22757	85.91
ANXALC2	2	FELT NERVOUS PAST YEAR DUE TO ALC		
		0 = No	16259	61.38
		1 = Yes	361	1.36
		93 = Did not use alcohol in the past year	9869	37.26
ANXCIG2	2	FELT NERVOUS PAST YEAR DUE TO CIG		
		0 = No	9654	36.
		1 = Yes	322	1.2.
		93 = Did not use cigarettes in the past year	16513	62.34
ANXCOC2	2	FELT NERVOUS PAST YEAR DUE TO COC		
		0 = No	916	3.46
		1 = Yes	154	0.58
		93 = Did not use cocaine in the past year	25419	95.96
ANXMRJ2	2	FELT NERVOUS PAST YEAR DUE TO MRJ		
		0 = No	3585	13.53
		1 = Yes	147	0.55
		93 = Did not use marijuana in the past year	22757	85.91
ARGALC2	2	HAD ARGUMNTS PAST YEAR DUE TO ALC		
		0 = No	15631	59.01
		1 = Yes	989	3.73
		93 = Did not use alcohol in the past year	9869	37.26
ARGCIG2	2	HAD ARGUMNTS PAST YEAR DUE TO CIG		
		0 = No	9828	37.10
		1 = Yes	148	0.56
		93 = Did not use cigarettes in the past year	16513	62.34

DRUG PROBLEMS--ANSWER SHEET #16--RECODED

LABEL	LEN	DESCRIPTION	FREQ	%
ARGCOC2	2	HAD ARGUMNTS PAST YEAR DUE TO COC		
		0 = No	974	3.68
		1 = Yes	96	0.36
		93 = Did not use cocaine in the past year	25419	95.96
ARGMRJ2	2	HAD ARGUMNTS PAST YEAR DUE TO MRJ		
		0 = No	3640	13.74
		1 = Yes	92	0.35
		93 = Did not use marijuana in the past year	22757	85.91
CPEALC2	2	PROB HARD TO HANDLE DUE TO ALC		
		0 = No	16283	61.47
		1 = Yes	337	1.27
		93 = Did not use alcohol in the past year	9869	37.26
CPECIG2	2	PROB HARD TO HANDLE DUE TO CIG		
		0 = No	9931	37.49
		1 = Yes	45	0.17
		93 = Did not use cigarettes in the past year	16513	62.34
CPECOC2	2	PROB HARD TO HANDLE DUE TO COC		
		0 = No	989	3.73
		1 = Yes	81	0.31
		93 = Did not use cocaine in the past year	25419	95.96
CPEMRJ2	2	PROB HARD TO HANDLE DUE TO MRJ		
		0 = No	3665	13.84
		1 = Yes	67	0.25
		93 = Did not use marijuana in the past year	22757	85.91
DEPALC2	2	BECAME DEPRESSED PAST YEAR DUE TO ALC		
		0 = No	16010	60.44
		1 = Yes	610	2.30
		93 = Did not use alcohol in the past year	9869	37.26
DEPCIG2	2	BECAME DEPRESSED PAST YEAR DUE TO CIG		
		0 = No	9876	37.28
		1 = Yes	100	0.38
		93 = Did not use cigarettes in the past year	16513	62.34
DEPCOC2	2	BECAME DEPRESSED PAST YEAR DUE TO COC		
		0 = No	953	3.60
		1 = Yes	117	0.44
		93 = Did not use cocaine in the past year	25419	95.96
DEPMRJ2	2	BECAME DEPRESSED PAST YEAR DUE TO MRJ		
		0 = No	3589	13.55
		1 = Yes	143	0.54
		93 = Did not use marijuana in the past year	22757	85.91
EMALC2	2	EMERG MED HELP PST YR DUE TO ALC		
		0 = No	16537	62.43
		1 = Yes	83	0.31
		93 = Did not use alcohol in the past year	9869	37.26

DRUG PROBLEMS--ANSWER SHEET #16--RECODED

LABEL	LEN	DESCRIPTION	FREQ	%
EMCIG2	2	EMERG MED HELP PST YR DUE TO CIG		
		0 = No	9959	37.60
		1 = Yes	17	0.06
		93 = Did not use cigarettes in the past year	16513	62.34
EMCOC2	2	EMERG MED HELP PST YR DUE TO COC		
		0 = No	1051	3.97
		1 = Yes	19	0.07
		93 = Did not use cocaine in the past year	25419	95.96
EMMRJ2	2	EMERG MED HELP PST YR DUE TO MRJ		
		0 = No	3725	14.06
		1 = Yes	7	0.03
		93 = Did not use marijuana in the past year	22757	85.91
HLTALC2	2	HEALTH PROBS PAST YEAR DUE TO ALC		
		0 = No	16431	62.03
		1 = Yes	189	0.71
		93 = Did not use alcohol in the past year	9869	37.26
HLTCIG2	2	HEALTH PROBS PAST YEAR DUE TO CIG		
		0 = No	9569	36.12
		1 = Yes	407	1.54
		93 = Did not use cigarettes in the past year	16513	62.34
HLTCOC2	2	HEALTH PROBS PAST YEAR DUE TO COC		
		0 = No	1027	3.
		1 = Yes	43	0.16
		93 = Did not use cocaine in the past year	25419	95.96
HLTMRJ2	2	HEALTH PROBS PAST YEAR DUE TO MRJ		
		0 = No	3689	13.93
		1 = Yes	43	0.16
		93 = Did not use marijuana in the past year	22757	85.91
LSWALC2	2	LESS WRK SCH/JOB PST YR DUE TO ALC		
		0 = No	16173	61.06
		1 = Yes	447	1.69
		93 = Did not use alcohol in the past year	9869	37.26
LSWCIG2	2	LESS WRK SCH/JOB PST YR DUE TO CIG		
		0 = No	9912	37.42
		1 = Yes	64	0.24
		93 = Did not use cigarettes in the past year	16513	62.34
LSWCOC2	2	LESS WRK SCH/JOB PST YR DUE TO COC		
		0 = No	1018	3.84
		1 = Yes	52	0.20
		93 = Did not use cocaine in the past year	25419	95.96
LSWMRJ2	2	LESS WRK SCH/JOB PST YR DUE TO MRJ		
		0 = No	3581	13.52
		1 = Yes	151	0.57
		93 = Did not use marijuana in the past year	22757	85.91

DRUG PROBLEMS--ANSWER SHEET #16--RECODED

LABEL	LEN	DESCRIPTION	FREQ	%
NTKALC2	2	DIFF THINKING CLEARLY PST YR DUE TO ALC		
		0 = No	15666	59.14
		1 = Yes	954	3.60
		93 = Did not use alcohol in the past year	9869	37.26
NTKCIG2	2	DIFF THINKING CLEARLY PST YR DUE TO CIG		
		0 = No	9919	37.45
		1 = Yes	57	0.22
		93 = Did not use cigarettes in the past year	16513	62.34
NTKCOC2	2	DIFF THINKING CLEARLY PST YR DUE TO COC		
		0 = No	975	3.68
		1 = Yes	95	0.36
		93 = Did not use cocaine in the past year	25419	95.96
NTKMRJ2	2	DIFF THINKING CLEARLY PST YR DUE TO MRJ		
		0 = No	3432	12.96
		1 = Yes	300	1.13
		93 = Did not use marijuana in the past year	22757	85.91
SSPALC2	2	FELT SUSPICIOUS PST YR DUE TO ALC		
		0 = No	16365	61.78
		1 = Yes	255	0.96
		93 = Did not use alcohol in the past year	9869	37.26
SSPCIG2	2	FELT SUSPICIOUS PST YR DUE TO CIG		
		0 = No	9960	37.60
		1 = Yes	16	0.06
		93 = Did not use cigarettes in the past year	16513	62.34
SSPCOC2	2	FELT SUSPICIOUS PST YR DUE TO COC		
		0 = No	974	3.68
		1 = Yes	96	0.36
		93 = Did not use cocaine in the past year	25419	95.96
SSPMRJ2	2	FELT SUSPICIOUS PST YR DUE TO MRJ		
		0 = No	3607	13.62
		1 = Yes	125	0.47
		93 = Did not use marijuana in the past year	22757	85.91
UPSALC2	2	FELT UPSET PAST YEAR DUE TO ALC		
		0 = No	15883	59.96
		1 = Yes	737	2.78
		93 = Did not use alcohol in the past year	9869	37.26
UPSCIG2	2	FELT UPSET PAST YEAR DUE TO CIG		
		0 = No	9682	36.55
		1 = Yes	294	1.11
		93 = Did not use cigarettes in the past year	16513	62.34
UPSCOC2	2	FELT UPSET PAST YEAR DUE TO COC		
		0 = No	962	3.63
		1 = Yes	108	0.41
		93 = Did not use cocaine in the past year	25419	95.96

DRUG PROBLEMS--ANSWER SHEET #16--RECODED

LABEL	LEN	DESCRIPTION	FREQ	%
UPSMRJ2	2	FELT UPSET PAST YEAR DUE TO MRJ		
		0 = No	3633	13.72
		1 = Yes	99	0.37
		93 = Did not use marijuana in the past year	22757	85.91

The logically imputed recoded data for the drug problems, answer sheet #16, which indicate past year problems associated with cigarette use (DEPCIG2, ARGCIG2, ALNCIG2, ANXCIG2, HLTICIG2, NTKCIG2, UPSCIG2, LSWCIG2, SSPCIG2, CPECIG2 and EMCIG2), alcohol use (DEPALC2, ARGALC2, ALNALC2, ANXALC2, HLTALC2, NTKALC2, UPSALC2, LSWALC2, SSPALC2, CPEALC2 and EMALC2), marijuana use (DEPMRJ2, ARGMRJ2, ALNMRJ2, ANXMRJ2, HLTMRJ2, NTKMRJ2, UPSMRJ2, LSWMRJ2, SSPMRJ2, CPEMRJ2 and EMMRJ2), and cocaine use (DEPCOC2, ARGCOC2, ALNCOC2, ANXCOC2, HLTICOC2, NTKCOC2, UPSCOC2, LSWCOC2, SSPCOC2, CPECOC2 and EMCOC2) in the past year were used to obtain counts of the problems attributed to each of the four substances. Indicator variables were then created for past year users of cigarettes, alcohol, marijuana and cocaine, which indicated that any of the problems experienced were attributed to the substance in question (PRB1CIG, PRB1ALC, PRB1MRJ and PRB1COC), that two or more of the problems indicated were attributed to the substance in question (PRB2CIG, PRB2ALC, PRB2MRJ and PRB2COC), and that three or more of the problems indicated were attributed to the substance in question (PRB3CIG, PRB3ALC, PRB3MRJ and PRB3COC). For a discussion of the development of the variables indicating past year problems associated with cigarettes, alcohol, marijuana and cocaine use in the past year, refer to Drug Problems - Answer Sheet #16 - Recoded.

PRB1ALC	2	ALC USER WITH 1 OR MORE PROBS DUE TO ALC		
		0 = No	14528	54.8
		1 = Yes	2092	7.9
		93 = Did not use alcohol in the past year	9869	37.26
PRB1CIG	2	CIG USER WITH 1 OR MORE PROBS DUE TO CIG		
		0 = No	9144	34.52
		1 = Yes	832	3.14
		93 = Did not use cigarettes in the past year	16513	62.34
PRB1COC	2	COC USER WITH 1 OR MORE PROBS DUE TO COC		
		0 = No	837	3.16
		1 = Yes	233	0.88
		93 = Did not use cocaine in the past year	25419	95.96
PRB1MRJ	2	MRJ USER WITH 1 OR MORE PROBS DUE TO MRJ		
		0 = No	3185	12.02
		1 = Yes	547	2.07
		93 = Did not use marijuana in the past year	22757	85.91
PRB2ALC	2	ALC USER WITH 2 OR MORE PROBS DUE TO ALC		
		0 = No	15426	58.24
		1 = Yes	1194	4.51
		93 = Did not use alcohol in the past year	9869	37.26

DRUG PROBLEMS--ANSWER SHEET #16--RECODED

LABEL	LEN	DESCRIPTION	FREQ	%
PRB2CIG	2	CIG USER WITH 2 OR MORE PROBS DUE TO CIG		
		0 = No	9637	36.38
		1 = Yes	339	1.28
		93 = Did not use cigarettes in the past year	16513	62.34
PRB2COC	2	COC USER WITH 2 OR MORE PROBS DUE TO COC		
		0 = No	899	3.39
		1 = Yes	171	0.65
		93 = Did not use cocaine in the past year	25419	95.96
PRB2MRJ	2	MRJ USER WITH 2 OR MORE PROBS DUE TO MRJ		
		0 = No	3446	13.01
		1 = Yes	286	1.08
		93 = Did not use marijuana in the past year	22757	85.91
PRB3ALC	2	ALC USER WITH 3 OR MORE PROBS DUE TO ALC		
		0 = No	15875	59.93
		1 = Yes	745	2.81
		93 = Did not use alcohol in the past year	9869	37.26
PRB3CIG	2	CIG USER WITH 3 OR MORE PROBS DUE TO CIG		
		0 = No	9817	37.06
		1 = Yes	159	0.60
		93 = Did not use cigarettes in the past year	16513	62.34
PRB3COC	2	COC USER WITH 3 OR MORE PROBS DUE TO COC		
		0 = No	937	3.54
		1 = Yes	133	0.50
		93 = Did not use cocaine in the past year	25419	95.96
PRB3MRJ	2	MRJ USER WITH 3 OR MORE PROBS DUE TO MRJ		
		0 = No	3578	13.51
		1 = Yes	154	0.58
		93 = Did not use marijuana in the past year	22757	85.91

DRUGS--ANSWER SHEET #12--LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ
----	----	-----	----

The drugs answer sheet #12, which is included in appendix E, contains questions regarding symptoms of dependency. These questions ask whether each of six symptoms of dependency had been experienced in the past year for any of 15 choices: 12 specific substances, no used substance for these six questions, or did not use drugs in past 12 months. (Note: this differs from the 1988 and 1990 NHSDA instrumentation in that an additional symptom of dependency question has been added and an additional response choice concerning non drug usage has been added to each question.) All applicable responses were to be indicated. The data for these six questions were then coded to appear as 78 variables which indicate for each of the choices, with the exception of did not use listed drugs in past 12 months or never used drugs, whether each of the six specific problems had been experienced. Of these 78 variables, 20 were of current analytical interest. These 20 variables indicate whether each of five symptoms of dependency had been experienced in the past year for alcohol, cigarettes, cocaine and marijuana (CDALC, CDCIG, CDCOC, CDMJ, EFFALC, EFFCIG, EFFCOC, EFFMJ, UDAYALC, UDAYCIG, UDAYCOC, UDAYMJ, DEPALC, DEPCIG, DEPCOC, DEPMJ, WSALC, WSCIG, WSCOC and WSMJ).

The data of current analytical interest were logically imputed as follows:

If no use of cigarettes, alcohol or drugs was indicated by the recoded past year drug use variables (CIGYR, ALCYR, MRJYR, COCYR, INHYR, HERYR, HALYR, SEDYR, TRQYR, STMYR and ANLYR), then the responses did not use any drugs in the past 12 months (93), did not use any drugs in the past 12 months-logically assigned (83), bad data-logically assigned (85), never used any drugs (91) and blank (98), for the 20 variables of current analytical interest were logically revised to the legitimate skip code (IRCDALC, IRDCIG, IRDCOC, IRCDMJ, IRDPALC, IRDPCIG, IRDPCOC, IRDPMJ, IREFALC, IREFCIG, IREFCOC, IREFMJ, IRUDALC, IRUDCIG, IRUDCOC, IRUDMJ, IRWSALC, IRWSCIG, IRWSCOC and IRWSMJ=99).

If use of cigarettes, alcohol or other drugs was indicated by the recoded past year drug use variables (CIGYR, ALCYR, MRJYR, COCYR, INHYR, HERYR, HALYR, SEDYR, TRQYR, STMYR and ANLYR), then each of the 20 variables of current interest was examined. Positive and negative responses were left as is. The did not use drugs in the past 12 months (93), did not use any drugs in the past 12 months-logically assigned (83), never used any drugs (91), don't know (94), refused (97) and blank data (98) responses were logically revised to the negative response (13): did not experience the symptom of dependency in question for any drug in the past year.

Note that the drugs answer sheet was edited slightly differently in 1991 than in previous years. For a discussion of the editing differences, refer to Drugs - Answer Sheet #12. While this editing difference changes the distribution of negative responses, it does not change the positive responses. Thus the resulting analyses from answer sheet #12 are comparable for all years, but the individual logically revised variables will not be strictly comparable between years.

DRUGS--ANSWER SHEET #12--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRCDALC	2	TRIED TO CUT DOWN ALC USE PST YR (L.I. CDALC)		
		1 = Yes	3988	15.06
		2 = No	6711	25.34
		13 = Did not try to cut down on any drug in past year .	7644	28.86
		81 = NEVER USED ANY DRUGS Logically assigned	38	0.14
		99 = LEGITIMATE SKIP	8108	30.61
IRCDCIG	2	TRIED TO CUT DOWN CIG USE PST YR (L.I. CDCIG)		
		1 = Yes	5923	22.36
		2 = No	4776	18.03
		13 = Did not try to cut down on any drug in past year .	7644	28.86
		81 = NEVER USED ANY DRUGS Logically assigned	38	0.14
		99 = LEGITIMATE SKIP	8108	30.61
IRCDCOC	2	TRIED TO CUT DOWN COC USE PST YR (L.I. CDCOC)		
		1 = Yes	306	1.16
		2 = No	10393	39.24
		13 = Did not try to cut down on any drug in past year .	7644	28.86
		81 = NEVER USED ANY DRUGS Logically assigned	38	0.14
		99 = LEGITIMATE SKIP	8108	30.61
IRCDMJ	2	TRIED TO CUT DOWN MRJ USE PST YR (L.I. CDMJ)		
		1 = Yes	985	3.72
		2 = No	9714	36.67
		13 = Did not try to cut down on any drug in past year .	7644	28.86
		81 = NEVER USED ANY DRUGS Logically assigned	38	0.14
		99 = LEGITIMATE SKIP	8108	30.61
IREFALC	2	NEED MORE ALC SAME EFFECT PST YR (L.I. EFFALC)		
		1 = Yes	1185	4.47
		2 = No	4343	16.40
		13 = Did not need more of any drug used for same effect	12815	48.38
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.18
		99 = LEGITIMATE SKIP	8099	30.57
IREFCIG	2	NEED MORE CIG SAME EFFECT PST YR (L.I. EFFCIG)		
		1 = Yes	1362	5.14
		2 = No	4166	15.73
		13 = Did not need more of any drug used for same effect	12815	48.38
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.18
		99 = LEGITIMATE SKIP	8099	30.57
IREFCOC	2	NEED MORE COC SAME EFFECT PST YR (L.I. EFFCOC)		
		1 = Yes	105	0.40
		2 = No	5423	20.47
		13 = Did not need more of any drug used for same effect	12815	48.38
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.18
		99 = LEGITIMATE SKIP	8099	30.57
IREFMJ	2	NEED MORE MRJ SAME EFFECT PST YR (L.I. EFFMJ)		
		1 = Yes	299	1.13
		2 = No	5229	19.74
		13 = Did not need more of any drug used for same effect	12815	48.38
		81 = NEVER USED ANY DRUGS Logically assigned	47	0.18
		99 = LEGITIMATE SKIP	8099	30.57

DRUGS--ANSWER SHEET #12--LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	%
IRUDALC	2	USED ALC DAILY 2+ WEEKS PST YR (L.I. UDAYALC)		
		1 = Yes	1615	6.10
		2 = No	8838	33.36
		13 = Did not use any drug daily in the past year	7890	29.79
		81 = NEVER USED ANY DRUGS Logically assigned	49	0.18
		99 = LEGITIMATE SKIP	8097	30.57
IRUDCIG	2	USED CIG DAILY 2+ WEEKS PST YR (L.I. UDAYCIG)		
		1 = Yes	6503	24.55
		2 = No	3949	14.91
		13 = Did not use any drug daily in the past year	7891	29.79
		81 = NEVER USED ANY DRUGS Logically assigned	49	0.18
		99 = LEGITIMATE SKIP	8097	30.57
IRUDCOC	2	USED COC DAILY 2+ WEEKS PST YR (L.I. UDAYCOC)		
		1 = Yes	82	0.31
		2 = No	10370	39.15
		13 = Did not use any drug daily in the past year	7891	29.79
		81 = NEVER USED ANY DRUGS Logically assigned	49	0.18
		99 = LEGITIMATE SKIP	8097	30.57
IRUDMJ	2	USED MRJ DAILY 2+ WEEKS PST YR (L.I. UDAYMJ)		
		1 = Yes	524	1.98
		2 = No	9928	37.48
		13 = Did not use any drug daily in the past year	7891	29.79
		81 = NEVER USED ANY DRUGS Logically assigned	49	0.18
		99 = LEGITIMATE SKIP	8097	30.57
IRDPALC	2	FELT DEPENDENT ON ALC PST YR (L.I. DEPALC)		
		1 = Yes	1115	4.21
		2 = No	7905	29.84
		13 = Did not feel like had to have any drug used past y	9323	35.20
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19
		99 = LEGITIMATE SKIP	8095	30.56
IRDPCIG	2	FELT DEPENDENT ON CIG PST YR (L.I. DEPCIG)		
		1 = Yes	5404	20.40
		2 = No	3616	13.65
		13 = Did not feel like had to have any drug used pst yr	9323	35.20
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19
		99 = LEGITIMATE SKIP	8095	30.56
IRDPCOC	2	FELT DEPENDENT ON COC PST YR (L.I. DEPCOC)		
		1 = Yes	102	0.39
		2 = No	8918	33.67
		13 = Did not feel like had to have any drug used pst yr	9323	35.20
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19
		99 = LEGITIMATE SKIP	8095	30.56
IRDPMJ	2	FELT DEPENDENT ON MRJ PST YR (L.I. DEPMJ)		
		1 = Yes	329	1.24
		2 = No	8691	32.81
		13 = Did not feel like had to have any drug used pst yr	9323	35.20
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19
		99 = LEGITIMATE SKIP	8095	30.56

DRUGS--ANSWER SHEET #12--LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	%
IRWSALC	2	FELT SICK WHEN CUT DOWN ALC PST YR (L.I. WSALC)		
		1 = Yes	688	2.60
		2 = No	5350	20.20
		13 = Did not have withdrawal symptoms in the past year	12305	46.45
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19
		99 = LEGITIMATE SKIP	8095	30.56
IRWSCIG	2	FELT SICK WHEN CUT DOWN CIG PST YR (L.I. WSCIG)		
		1 = Yes	2175	8.21
		2 = No	3863	14.58
		13 = Did not have withdrawal symptoms in the past year	12305	46.45
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19
		99 = LEGITIMATE SKIP	8095	30.56
IRWSCOC	2	FELT SICK WHEN CUT DOWN COC PST YR (L.I. WSCOC)		
		1 = Yes	80	0.30
		2 = No	5958	22.49
		13 = Did not have withdrawal symptoms in the past year	12305	46.45
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19
		99 = LEGITIMATE SKIP	8095	30.56
IRWSMJ	2	FELT SICK WHEN CUT DOWN MRJ PST YR (L.I. WSMJ)		
		1 = Yes	139	0.52
		2 = No	5899	22.27
		13 = Did not have withdrawal symptoms in the past year	12305	46.45
		81 = NEVER USED ANY DRUGS Logically assigned	51	0.19
		99 = LEGITIMATE SKIP	8095	30.56

DRUGS--ANSWER SHEET #12--LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	----	----
<p>The logically imputed variables for drugs, answer sheet #12, which indicate past year symptoms of dependency with alcohol (IRCDALC, IRDPALC, IREFALC, IRUDALC and IRWSALC), cigarettes (IRDCIG, IRDPCIG, IREFCIG, IRUDCIG and IRWSCIG), cocaine (IRCDCOC, IRDPCOC, IREFCOC, IRUDCOC and IRWSCOC), and marijuana (IRCDMJ, IRDPMJ, IREFMJ, IRUDMJ and IRWSMJ) were used to obtain counts of the symptoms of dependency associated with associated with each of the four substances respectively. Indicator variables were then created for alcohol, cigarettes, cocaine and marijuana, respectively, which indicated whether any of the symptoms of dependency had been experienced for the substance in question (ALCPROBS, CIGPROBS, COCPROBS and MJPROBS). For a discussion of the structure and logical imputation of the data for answer sheet #12, refer to Drugs-Answer Sheet #12-Logically Imputed.</p>				
ALCPROBS	1	ANY PROBS DUE TO ALCOHOL		
		0 = No	21627	81.6
		1 = Yes	4862	18.35
CIGPROBS	1	ANY PROBS DUE TO CIGARETTES		
		0 = No	18811	71.01
		1 = Yes	7678	28.99
COCPROBS	1	ANY PROBS DUE TO COCAINE		
		0 = No	26140	98.68
		1 = Yes	349	1.32
MJPROBS	1	ANY PROBS DUE TO MARIJUANA		
		0 = No	25181	95.06
		1 = Yes	1308	4.94

DRINKING--ANSWER SHEET #15--LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ
-----	---	-----	----

The drinking experience answer sheet #15, which is included in Appendix E, is structured with a lead-in question and 18 subquestions. The lead-in question (NOBOOZYR) asks if beer, wine or liquor has been used in the past year. The 18 subquestions (ALCAGGR, ALCARGUM, ALCABSNT, ALCHIGH, ALCJOB, ALCMATCD, ALCRELCD, ALCFRDCD, ALCTOSS, ALCHOLIC, ALCDRUNK, ALCINTOX, ALCREM, ALCQUICK, ALCMORN, ALCSHOOK, ALCALONE and ALCBRKPRM) ask whether each of the 18 negative experiences associated with drinking had been experienced in the past year.

The above data were logically imputed as follows:

If no use of alcohol was indicated by the past year alcohol use variable (ALCYR=0), then the lead-in question was logically revised to indicate that no alcohol had been used in the past year (IRNOBOOZ=1). Subsequently, the 18 subquestions were logically revised to the legitimate skip code (IRALCABS, IRALCAGG, IRALCALO, IRALCARG, IRALCBRK, IRALCDRU, IRALCFRD, IRALCHIG, IRALCHOL, IRALCINT, IRALCJOB, IRALCMAT, IRALCMORE, IRALCQUI, IRALCREL, IRALCREM, IRALCSHO and IRALCTOS=99).

If use of alcohol was indicated by the past year alcohol use variable (ALCYR=1), then the lead-in question was logically revised to indicate that alcohol had been used in the past year (IRNOBOOZ=2). Subsequently, each subquestion was examined. Positive and negative responses were left as is. The don't know (94), refused (97) and blank (98) responses were logically revised to the negative response.

DRINKING--ANSWER SHEET #15--LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	%
IRNOBOOZ	1	NO USE OF BEER/WINE/LIQUOR PST YR (L.I. NOBOOZYR)		
		1 = No use of alcohol in the past year	9869	37.26
		2 = Used alcohol in the past year	16620	62.74
IRALCABS	2	ABSNT WRK/SCH FROM HANGOVER PST YR (L.I. ALCABSNT)		
		1 = Yes	855	3.23
		2 = No	15765	59.52
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	9869	37.26
IRALCAGG	2	FELT AGGRESSIVE WHILE DRNKNG PST YR (L.I. ALCAGGR)		
		1 = Yes	2007	7.58
		2 = No	14613	55.17
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	9869	37.26
IRALCALO	2	GOT DRUNK WHLE DRNKNG ALONE PST YR (L.I. ALCALONE)		
		1 = Yes	1863	7.03
		2 = No	14757	55.71
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	9869	37.26
IRALCARG	2	HEATED ARGUMNTS WHLE DRNKNG PST YR (L.I. ALCARGUM)		
		1 = Yes	1750	6.61
		2 = No	14870	56.14
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	9869	37.26
IRALCBRK	2	KPT DRNKNG AFT PROMISNG STP PST YR (L.I. ALCBRKPM)		
		1 = Yes	986	3.72
		2 = No	15634	59.1
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	9869	37.2
IRALCDRU	2	STAYD DRUNK >1DAY AT A TIME PST YR (L.I. ALCDRUNK)		
		1 = Yes	626	2.36
		2 = No	15994	60.38
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	9869	37.26
IRALCFRD	2	FRNDS SAID CUT DOWN DRINKNG PST YR (L.I. ALCFRDCD)		
		1 = Yes	773	2.92
		2 = No	15847	59.82
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	9869	37.26
IRALCHIG	2	HIGH/LITTLE DRUNK AT WRK/SCH PST YR (L.I. ALCHIGH)		
		1 = Yes	883	3.33
		2 = No	15737	59.41
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	9869	37.26
IRALCHOL	2	AFRAID MGHT BE/BECME ALCHLC PST YR (L.I. ALCHOLIC)		
		1 = Yes	1283	4.84
		2 = No	15337	57.90
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	9869	37.26

DRINKING--ANSWER SHEET #15--LOGICALLY IMPUTED				
LABEL	LEN	DESCRIPTION	FREQ	%
IRALCINT	2	NOT STP DRNKNG TILL INTXCTD PST YR (L.I. ALCINTOX)		
		1 = Yes	1026	3.87
		2 = No	15594	58.87
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	9869	37.26
IRALCJOB	2	LOST/NRLY LOST JOB FRM DRNKNG PST YR (L.I. ALCJOB)		
		1 = Yes	176	0.66
		2 = No	16444	62.08
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	9869	37.26
IRALCMAT	2	SPOUS/DATE SAY CUT DWN DRNK PST YR (L.I. ALCMATCD)		
		1 = Yes	1416	5.35
		2 = No	15204	57.40
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	9869	37.26
IRALCMOR	2	OFTEN DRINK 1ST THNG MORNING PST YR (L.I. ALCMORN)		
		1 = Yes	312	1.18
		2 = No	16308	61.57
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	9869	37.26
IRALCQUI	2	QUICK DRINKS NO ONE LOOKING PST YR (L.I. ALCQUICK)		
		1 = Yes	871	3.29
		2 = No	15749	59.45
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	9869	37.26
IRALCREL	2	RELATIVE SAY CUT DWN DRNKNG PST YR (L.I. ALCRELCD)		
		1 = Yes	1189	4.49
		2 = No	15431	58.25
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	9869	37.26
IRALCREM	2	NOT REMEMBR THNGS WHLE DRNKNG PST YR (L.I. ALCREM)		
		1 = Yes	2095	7.91
		2 = No	14525	54.83
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	9869	37.26
IRALCSHO	2	HNDS SHK AFT DRNK DAY BEFOR PST YR (L.I. ALCSHOOK)		
		1 = Yes	496	1.87
		2 = No	16124	60.87
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	9869	37.26

DRINKING--ANSWER SHEET #15--LOGICALLY IMPUTED

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRALCTOS	2	DRNK FAST FOR QUICKER EFFECT PST YR (L.I. ALCTOSS)		
		1 = Yes	2071	7.82
		2 = No	14549	54.92
		99 = LEGITIMATE SKIP (IRNOBOOZ = 1)	9869	37.26
<p>The logically revised subquestions (IRALCABS, IRALCAGG, IRALCALO, IRALCARG, IRALCBRK, IRALCDRU, IRALCFRD, IRALCHIG, IRALCHOL, IRALCINT, IRALCJOB, IRALCMAT, IRALCMOR, IRALCQUI, IRALCREL, IRALCREM, IRALCSHO and IRALCTOS) for drinking experiences, answer sheet #15, were used to obtain a count the number of problems associated with drinking. Indicator variables were then created which indicated whether any of the 18 problems (ANYALC) and three of more of the 18 problems (THREALC) had been experienced. For a discussion of the structure and logical imputation of the data for answer sheet #15, refer to Drinking-Answer Sheet #15 - Logically Imputed.</p>				
ANYALC	1	ANY PROBS W/ALCOHOL PAST YR		
		0 = No	20916	78.5
		1 = Yes	5573	21.
THREALC	1	GE 3 PROBS W/ALCOHOL PAST YR		
		0 = No	23601	89.10
		1 = Yes	2888	10.90

RECODED DRUG USE VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	----	-
		The following variables were created from the recoded drug use variables. The values of the source variables which define the yes response are given, and all other combinations of the source variables define the no response.		
ALCONLYL	1	ONLY ALCOHOL - EVER USED		
		0 = No	17468	65.94
		1 = Yes (ALCFLAG=1 AND SUMFLAG=0)	9021	34.06
ALCONLYY	1	ONLY ALCOHOL - PAST YEAR USE		
		0 = No	14149	53.41
		1 = Yes (ALCYR=1 AND SUMYR=0)	12340	46.59
ALCONLYM	1	ONLY ALCOHOL - PAST MONTH USE		
		0 = No	16149	60.96
		1 = Yes (ALCMON=1 AND SUMMON=0)	10340	39.04
ILLONLYL	1	ONLY ILLICIT DRUGS - EVER USED		
		0 = No	26158	98.75
		1 = Yes (SUMFLAG=1 AND ALCFLAG=0)	331	1.25
ILLONLYY	1	ONLY ILLICIT DRUGS - PAST YEAR USE		
		0 = No	26161	98.76
		1 = Yes (SUMYR=1 AND ALCYR=0)	328	1.24
ILLONLYM	1	ONLY ILLICIT DRUGS - PAST MONTH USE		
		0 = No	26070	98.42
		1 = Yes (SUMMON=1 AND ALCMON=0)	419	1.58
MRJONLYL	1	ONLY MARIJUANA - EVER USED		
		0 = No	26368	99.54
		1 = Yes (MJOFLAG=1 AND ALCFLAG=0)	121	0.46
MRJONLYY	1	ONLY MARIJUANA - PAST YEAR USE		
		0 = No	26362	99.52
		1 = Yes (MJOYR2=1 AND ALCYR=0)	127	0.48
MRJONLYM	1	ONLY MARIJUANA - PAST MONTH USE		
		0 = No	26284	99.23
		1 = Yes (MJOMON2=1 AND ALCMON=0)	205	0.77

RECODED DRUG USE VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
		The following variable, PSYONLYL, was created by examination of PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG and ALCFLAG.		
PSYONLYL	1	ONLY PSYCHOTHERAPEUTICS - EVER USED		
		0 = No	26394	99.64
		1 = Yes (PSYFLAG2=1 AND ALL OTHER SOURCE VARS=0)	95	0.36
		The following variable, PSYONLYY, was created by examination of PSYYR2, MRJYR, COCYR, INHYR, HALYR, HERYR, and ALCYR.		
PSYONLYY	1	ONLY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		0 = No	26389	99.62
		1 = Yes (PSYYR2=1 AND ALL OTHER SOURCE VARS=0)	100	0.38
		The following variable, PSYONLYM, was created by examination of PSYMON2, MRJMON, COCMON, INHMON, HALMON, HERMON, and ALCMON.		
PSYONLYM	1	ONLY PSYCHOTHERAPEUTICS - PAST MONTH USE		
		0 = No	26394	99.64
		1 = Yes (PSYMON2=1 AND ALL OTHER SOURCE VARS=0)	95	0.36
		The following variable, OTHONLYL, was created by examination of ALCFLAG, MRJONLYL, PSYONLYL, PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, and HERFLAG.		
OTHONLYL	1	ONLY OTHER DRUGS AND DRUG COMB. - EVER USED		
		0 = No	26374	99.57
		1 = Yes (FIRST 3 SOURCE VAR=0 & ANY OTHR SOURCE VAR=1)	115	0.43
		The following variable, OTHONLYY, was created by examination of ALCYR, MRJONLYY, PSYONLYY, PSYYR2, MRJYR, COCYR, INHYR, HALYR, and HERYR.		
OTHONLYY	1	ONLY OTHER DRUGS AND DRUG COMB. - PAST YEAR USE		
		0 = No	26388	99.62
		1 = Yes (FIRST 3 SOURCE VAR=0 & ANY OTHR SOURCE VAR=1)	101	0.38

RECODED DRUG USE VARIABLES					
LABEL	LEN	DESCRIPTION	FREQ		
-----	---	-----	----		
		The following variable, OTHONLYM, was created by examination of ALCMON, MRJONLYM, PSYONLYM, PSYMON2, MRJMON, COCMON, INHMON, HALMON, and HERMON.			
OTHONLYM	1	ONLY OTHER DRUGS AND DRUG COMB. - PAST MONTH USE			
		0 = No	26370	99.55	
		1 = Yes (FIRST 3 SOURCE VAR=0 & ANY OTHER SOURCE VAR=1)	119	0.45	
ALCILLL	1	ALCOHOL & ILLICIT DRUGS - EVER USED			
		0 = No	16074	60.68	
		1 = Yes (ALCFLAG=1 AND SUMFLAG=1)	10415	39.32	
ALCILLY	1	ALCOHOL & ILLICIT DRUGS - PAST YEAR USE			
		0 = No	22209	83.84	
		1 = Yes (ALCYR=1 AND SUMYR=1)	4280	16.16	
ALCILLM	1	ALCOHOL & ILLICIT DRUGS - PAST MONTH USE			
		0 = No	24472	92.39	
		1 = Yes (ALCMON=1 AND SUMMON=1)	2017	7.61	
		The following variable, ALCMRJL, was created by examination of ALCFLAG, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and PSYFLAG2.			
ALCMRJL	1	ALCOHOL & MARIJUANA - EVER USED			
		0 = No	21986	83.00	
		1 = Yes (ALCFLAG,MRJFLAG=1 AND ALL OTHER SOURCE VAR=0)	4503	17.00	
		The following variable, ALCMRJY, was created by examination of ALCYR, MRJYR, COCYR, INHYR, HALYR, HERYR, and PSYR2.			
ALCMRJY	1	ALCOHOL & MARIJUANA - PAST YEAR USE			
		0 = No	24357	91.95	
		1 = Yes (ALCYR AND MRJYR=1 AND ALL OTHER SOURCE VAR=0)	2132	8.05	
		The following variable, ALCMRJM, was created by examination of ALCMON, MRJMON, COCMON, INHMON, HALMON, HERMON, and PSYMON2.			
ALCMRJM	1	ALCOHOL & MARIJUANA - PAST MONTH USE			
		0 = No	25237	95.27	
		1 = Yes (ALCMON & MRJMON=1 AND ALL OTHER SOURCE VAR=0)	1252	4.73	

RECODED DRUG USE VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		The following variable, ALCPSYL, was created by examination of ALCFLAG, PSYFLAG2, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and MRJFLAG.		
ALCPSYL	1	ALCOHOL & PSYCHOTHERAPEUTICS - EVER USED		
		0 = No	26105	98.55
		1 = Yes (ALCFLAG, PSYFLAG2=1 & ALL OTHER SOURCE VAR=0)	384	1.45
		The following variable, ALCPSYY, was created by examination of ALCYR, PSYYR2, COCYR, INHYR, HALYR, HERYR, and MRJYR.		
ALCPSYY	1	ALCOHOL & PSYCHOTHERAPEUTICS - PAST YEAR USE		
		0 = No	26122	98.61
		1 = Yes (ALCYR & PSYYR2=1 AND ALL OTHER SOURCE VAR=0)	367	1.39
		The following variable, ALCPSYM, was created by examination of ALCMON, PSYMON2, COCMON, INHMON, HALMON, HERMON, and MRJMON.		
ALCPSYM	1	ALCOHOL & PSYCHOTHERAPEUTICS - PAST MONTH USE		
		0 = No	26333	99.4
		1 = Yes (ALCMON & PSYMON2=1 & ALL OTHER SOURCE VAR=0)	156	0.6
		The following variable, ALCOTHL, was created by examination of ALCFLAG, ALCMRJL, ALCPSYL, COCFLAG, INHFLAG, HALFLAG, HERFLAG, MRJFLAG, and PSYFLAG2.		
ALCOTHL	1	ALCOHOL & OTHER DRUGS & DRUG COMB. - EVER USED		
		0 = No	20961	79.13
		1 = Yes (ALCFLAG=1 & NEXT 2 VAR=0 & ANY OTHER VAR=1)	5528	20.87
		The following variable, ALCOTHY, was created by examination of ALCYR, ALCMRJY, ALCPSYY, COCYR, INHYR, HALYR, HERYR, MRJYR, and PSYYR2.		
ALCOTHY	1	ALCOHOL & OTHER DRUGS & DRUG COMB. - PAST YEAR USE		
		0 = No	24708	93.28
		1 = Yes (ALCYR=1 & NEXT 2 VAR=0 & ANY OTHER VAR=1)	1781	6.72

RECODED DRUG USE VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	---
		The following variable, ALCOTHM, was created by examination of ALCMON, ALCMRJM, ALCPSYM, COCMON, INHMON, HALMON, HERMON, MRJMON, and PSYMON2.		
ALCOTHM	1	ALCOHOL & OTHER DRUGS & DRUG COMB.- PAST MONTH USE		
		0 = No	25880	97.70
		1 = Yes (ALCMON=1 & NEXT 2 VAR=0 & ANY OTHER VAR=1) ..	609	2.30
		The following variable, SUB1LIF, was created by examination of PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and ALCFLAG.		
SUB1LIF	1	USED ONLY 1 SUBSTANCE - EVER		
		0 = No	17196	64.92
		1 = Yes (ONLY ONE OF THE SOURCE VARS=1)	9293	35.08
		The following variable, SUB1YR, was created by examination of PSYR2, MRJYR, COCYR, INHYR, HALYR, HERYR, AND ALCYR.		
SUB1YR	1	USED ONLY 1 SUBSTANCE - PAST YEAR		
		0 = No	13875	52.38
		1 = Yes (ONLY ONE OF THE SOURCE VARS=1)	12614	47.62
		The following variable, SUB1MON, was created by examination of PSYMON2, MRJMON, COCMON, INHMON, HALMON, HERMON, and ALCMON.		
SUB1MON	1	USED ONLY 1 SUBSTANCE - PAST MONTH		
		0 = No	15780	59.57
		1 = Yes (ONLY ONE OF THE SOURCE VARS=1)	10709	40.43
		The following variable, SUB2LIF, was created by examination of PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and ALCFLAG.		
SUB2LIF	1	USED ONLY 2 SUBSTANCES - EVER		
		0 = No	21293	80.38
		1 = Yes (ONLY TWO OF THE SOURCE VARS=1)	5196	19.62

RECODED DRUG USE VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	----
		The following variable, SUB2YR, was created by examination of PSYR2, MRJYR, COCYR, INHYR, HALYR, HERYR, and ALCYR.		
SUB2YR	1	USED ONLY 2 SUBSTANCES - PAST YEAR		
		0 = No	23665	89.34
		1 = Yes (ONLY TWO OF THE SOURCE VARS=1)	2824	10.66
		The following variable, SUB2MON, was created by examination of PSYMON2, MRJMON, COCMON, INHMON, HALMON, HERMON, and ALCMON.		
SUB2MON	1	USED ONLY 2 SUBSTANCES - PAST MONTH		
		0 = No	24899	94.00
		1 = Yes (ONLY TWO OF THE SOURCE VARS=1)	1590	6.00
		The following variable, SUB3LIF, was created by examination of PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and ALCFLAG.		
SUB3LIF	1	USED 3 OR MORE SUBSTANCES - EVER		
		0 = No	21211	80.07
		1 = Yes (THREE OR MORE OF THE SOURCE VARS=1)	5278	19.93
		The following variable, SUB3YR, was created by examination of PSYR2, MRJYR, COCYR, INHYR, HALYR, HERYR, and ALCYR.		
SUB3YR	1	USED 3 OR MORE SUBSTANCES - PAST YEAR		
		0 = No	24979	94.30
		1 = Yes (THREE OR MORE OF THE SOURCE VARS=1)	1510	5.70
		The following variable, SUB3MON, was created by examination of PSYMON2, MRJMON, COCMON, INHMON, HALMON, HERMON, and ALCMON.		
SUB3MON	1	USED 3 OR MORE SUBSTANCES - PAST MONTH		
		0 = No	26012	98.20
		1 = Yes (THREE OR MORE OF THE SOURCE VARS=1)	477	1.80

RECODED DRUG USE VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
CHANC MJ2	2	OPPORTUNITY TO USE MARIJUANA - REVISED		
		0 = Did not have a chance to use marijuana	11976	45.21
		1 = Had a chance to use marijuana	14383	54.30
		94 = UNKNOWN	130	0.49
CHANCOC2	2	OPPORTUNITY TO USE COCAINE - REVISED		
		0 = Did not have a chance to use cocaine	19108	72.14
		1 = Had a chance to use cocaine	7133	26.93
		94 = UNKNOWN	248	0.94
CHANHAL2	2	OPPORTUNITY TO USE HALLUCINOGENS - REVISED		
		0 = Did not have a chance to use hallucinogens	21609	81.58
		1 = Had a chance to use hallucinogens	3685	13.91
		94 = UNKNOWN	1195	4.51
CHANHER2	2	OPPORTUNITY TO USE HEROIN - REVISED		
		0 = Did not have a chance to use heroin	24571	92.76
		1 = Had a chance to use heroin	1430	5.40
		94 = UNKNOWN	488	1.84

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
ACCID	191
ACHD1	208
ACHD2	214
AEROS	45
AEROS2	271
AEROS30A	50
AFDC1	206
AFDC2	212
AFOOD	217
AIN1	207
AIN2	213
AL02	264
ALCABSNT	120
ALCAGE	6
ALCAGGR	120
ALCALONE	123
ALCANAL	124
ALCARGUM	120
ALCBEER	10
ALCBKPM	123
ALCCOC	123
ALCDAYS	7
ALCDAYS2	271
ALCDAYS3	271
ALCDLYF	256
ALCDRUNK	122
ALCFLAG	250
ALCFRDCD	121
ALCHAL	124
ALCHIGH	121
ALCHOLIC	122
ALCILL	317
ALCILLM	317
ALCILLY	317
ALCINH	124
ALCINTOX	122
ALCJOB	121
ALCLIQR	10
ALCMATCD	121
ALCMJ	123
ALCMON	250
ALCMON2	271
ALCMONF	256
ALCMORN	122
ALCMRJJ	317
ALCMRJM	317
ALCMRJY	317
ALCOCCF	256
ALCONLYL	315
ALCONLYM	315
ALCONLYY	315

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
ALCOPT	124
ALCOTHL	318
ALCOTHM	319
ALCOTHY	318
ALCPAT	9
ALCPROBS	310
ALCPSYL	318
ALCPSYM	318
ALCPSYY	318
ALCQUICK	122
ALCREC	6
ALCRELCD	121
ALCREM	122
ALCSED	125
ALCSHOOK	123
ALCSTM	124
ALCTOSS	121
ALCTRAN	124
ALCTRY	6
ALCVARY	10
ALCWINE	10
ALCWKF	256
ALCYR	250
ALCYRF	256
ALLERG	179
ALNALC2	300
ALNCIG2	300
ALNCOC2	300
ALNDRG1A	132
ALNDRG2A	133
ALNDRG3A	133
ALNDRG4A	133
ALNDRG5A	133
ALNMRJ2	300
AMLNT30A	51
AMOBAB	13
AMYLNIT	46
AMYLNIT2	271
AMYTAL	11
AN04	266
ANALAGE	35
ANALNEWA	34
ANALNEWB	34
ANALNEWC	34
ANALNEWD	35
ANALNEWE	35
ANALNONE	31
ANALREC	36
ANALTOT	35
ANALWT	260
ANALWT1	260

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
ANALWT2	260
ANALWT3	260
ANALWT4	260
ANILERID	33
ANLDKNAM	35
ANLDLYF	256
ANLFLAG	250
ANLMON	250
ANLMONF	255
ANLNOSP	35
ANLOCCF	256
ANLREAD	31
ANLWCF	255
ANLYR	250
ANLYRF	255
ANLYRFRQ	36
ANXALC2	300
ANXCIG2	300
ANXCOC2	300
ANXDRG1A	135
ANXDRG2A	136
ANXDRG3A	136
ANXDRG4A	136
ANXDRG5A	136
ANXMRJ2	300
ANYALC	314
ANYPROB	298
AOTH1	208
AOTH2	215
ARGALC2	300
ARGCIG2	300
ARGCOC2	301
ARGDRG1A	130
ARGDRG2A	131
ARGDRG3A	131
ARGDRG4A	131
ARGDRG5A	131
ARGMRJ2	301
AS13NONE	126
ASOC1	205
ASOC2	210
ASSI1	205
ASSI2	211
ASTHMA	178
ATARAX	19
ATIVAN	18
AVCIG	4
AVCIG2	271
AVCIG3	271
AWAG1	204
AWAG2	209

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
AWEL1	206
AWEL2	212
BAP	218
BENZ	24
BHOUR	218
BIPHET	24
BIRMONTH	226
BIRYEAR	226
BKAGASLT	113
BKARSON	114
BKBURGL	113
BKDROG	114
BKDRUNK	114
BKDRVINF	114
BKLARCNY	112
BKMORDER	113
BKMVTHFT	113
BKOTHOFF	115
BKPROS	114
BKRAPE	113
BKROB	113
BKSMASLT	113
BKVANDAL	114
BMIN	218
BOOKED	112
BPMD	177
BREAKIN	117
BROSIS	193
BUSINES2	245
BUSPAR	18
BUTICAPS	11
BUTISOL	11
CARSTEAL	116
CATAG2	244
CATAG3	244
CATAGE	244
CC04	267
CC11	267
CCDEALER	58
CCFRIEND	58
CCGIVEN	58
CCLFDALY	62
CCOBTNON	59
CCOTHSHR	58
CCSTOLE	59
CCTRGOOD	59
CCTRICK	59
CCTRSERV	59
CDALC	80
CDANAL	81
CDCIG	79

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
CDCOC	81
CDHALL	82
CDHER	82
CDINH	81
CDMJ	81
CDNONE	82
CDOTHOP	82
CDSED	80
CDSTM	80
CDTRAN	80
CENCTY	225
CENTRALC	225
CENTRAX	18
CHAGE1	246
CHAGE10	246
CHAGE2	246
CHAGE3	246
CHAGE4	246
CHAGE5	246
CHAGE6	246
CHAGE7	246
CHAGE8	246
CHAGE9	246
CHAMPUS	199
CHANCMJ2	321
CHANCOC2	321
CHANHAL2	321
CHANHER2	321
CHD1	207
CHD2	214
CHHYD	13
CHICAGO	224
CIG5PK	2
CIGAGE	2
CIGFLAG	250
CIGHLP	156
CIGMON	250
CIGMON2	271
CIGPROBS	310
CIGREC	3
CIGTIME	4
CIGTRY	2
CIGYR	250
CIGYRS	3
CK01	267
CKDEALER	64
CKFRIEND	64
CKGIVEN	64
CKLFDALY	66
CKOBTNON	65
CKOTHSHR	64

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
CKSTOLE	65
CKTRGOOD	64
CKTRICK	65
CKTRSERV	65
CLEFLU	46
CLEFLU2	271
CLFL30A	51
COCAGE	56
COCAM30A	57
COCBUCK	60
COCDLYF	257
COCFLAG	251
COCIV	61
COCIV2	271
COCMON	252
COCMONF	257
COCOCCF	257
COCOPP	56
COCPROBS	310
COCREC	57
COCSNIF2	271
COCSNIFF	60
COCSWAL	61
COCSWAL2	272
COCTOT	56
COCTOT2	272
COCTOT3	272
COCUS30A	57
COCWAY	61
COCWAY2	271
COCWKF	257
COCYR	251
COCYRF	257
COCYRFRQ	60
CODEINE	33
CONDLREC	62
COOPINT	219
COUGHYR	180
CPEALC2	301
CPECIG2	301
CPECOC2	301
CPEDRG1A	149
CPEDRG2A	149
CPEDRG3A	150
CPEDRG4A	150
CPEDRG5A	150
CPEMRJ2	301
CPRES	220
CRAKBUCK	66
CRAKREC	63
CRKAM30A	63

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
CRKFLAG	252
CRKMON	252
CRKQYR	252
CWE	185
CWEBUS2	246
CWEOCC2	245
CWESC1	186
CWESC2	187
CYLERT	25
DALMANE	12
DAMAGE	116
DARVON	31
DC	224
DEMEROL	32
DENVER	224
DEPALC	96
DEPALC2	301
DEPANAL	97
DEPCIG	95
DEPCIG2	301
DEPCOC	97
DEPCOC2	301
DEPDRG1A	127
DEPDRG2A	128
DEPDRG3A	128
DEPDRG4A	128
DEPDRG5A	129
DEPHALL	98
DEPHER	98
DEPINH	97
DEPMJ	97
DEPMRJ2	301
DEPNONE	98
DEPOTHOP	98
DEPROL	19
DEPSED	96
DEPSTM	96
DEPTRAN	96
DESOXYN	24
DETAMP	25
DEXAMYL	23
DEXED	23
DEXREAD	120
DIAZEPAM	19
DIDREX	24
DILAUD	32
DIPLOMA	189
DIVISION	225
DOLENE	31
DORIDEN	12
DORM	194

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
DR5DAY	7
DRALHELP	272
DRALONE	132
DRANK	134
DRARGUM	129
DRCOPE	148
DRDEPRSS	126
DRDRVON	153
DREMGMED	150
DRGREAD	78
DRHEALTH	137
DRINKER2	272
DRLSWORK	145
DRNKHELP	156
DRNKHLP2	272
DRNTHINK	139
DRSUSPIC	146
DRTRMT	152
DRUGTEST	107
DRUNKDRV	118
DRUNKYR	9
DRUNKYR2	272
DRUPSET	142
DRVDRG1A	154
DRVDRG2A	154
DRVDRG3A	154
DRVDRG4A	155
DRVDRG5A	155
DURRAX	19
EAP	218
ECSTASY	68
ECSTASY2	273
EDUC	188
EDUCCAT2	244
EFFALC	88
EFFANAL	89
EFFCIG	87
EFFCOC	89
EFFHALL	90
EFFHER	90
EFFINH	89
EFFMJ	89
EFFNONE	90
EFFOTHOP	90
EFFSED	88
EFFSTM	88
EFFTRAN	88
EHOOR	218
EMALC2	301
EMCIG2	302
EMCOC2	302

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
KMDRG1A	151
KMDRG2A	151
KMDRG3A	151
KMDRG4A	152
KMDRG5A	152
EMIN	218
EMMRJ2	302
EMPDRUG	156
EMPSTAT2	244
ENCCASE	1
ENCPSU	1
ENCSEG	1
ENROLLD	189
EQUANIL	19
ESKAT	24
ETHER	46
ETHER2	272
ETHER30A	51
FAMINC	248
FAMINC2	248
FAMINC3	248
FAMLYRES	209
FAMSKIP	223
FASTIN	25
FATHER	192
FLTDEPRS	181
FLTEAT	181
FLTEFFRT	181
FLTGOING	182
FLTMIND	181
FLTSAD	182
FLTSLEEP	182
FLU	179
FOOD	217
FORCEMON	117
FREEBAS2	272
FREEBASE	61
FRIENDS	193
FSTAMP	217
FULLPART	187
GAS	45
GAS2	272
GAS30A	50
GLUE	46
GLUE2	273
GLUE30A	50
GNNDLANL	104
GNNDLCOC	105
GNNDLHAL	105
GNNDLHER	105
GNNDLINH	105

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
GNNDLLIF	103
GNNDLNON	106
GNNDLOPT	105
GNNDLREC	103
GNNDLSED	104
GNNDLSH1	106
GNNDLSH2	106
GNNDLSTM	104
GNNDLSTR	106
GNNDLTRA	104
GQTYPE	223
GRADHS	189
GRPHLTIN	200
GUNMONEY	118
HAL3OUSE	72
HALCION	12
HALDKNAM	71
HALDLYF	254
HALFLAG	249
HALLAGE	71
HALLOPP	71
HALLREC	72
HALLTOT	72
HALMON	249
HALMONF	254
HALNEWA	69
HALNEWB	70
HALNEWC	70
HALNEWD	70
HALNEWE	70
HALNOSP	70
HALOCCF	254
HALREAD	67
HALWKF	254
HALYR	249
HALYRF	254
HALYRFRQ	73
HE04	268
HE07	269
HEALTHYR	180
HEART	178
HER3OUSE	75
HERAGE	74
HERFLAG	251
HERMON	251
HERNEEDL	76
HEROPP	74
HERREAD	74
HERREC	75
HERSMOKE	76
HERSNIFF	77

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
HERTOT	75
HERYR	251
HIGHBP	177
HISPRACE	244
HLTALC2	302
HLTCIG2	302
HLTCOC2	302
HLTDRG1A	137
HLTDRG2A	138
HLTDRG3A	138
HLTDRG4A	138
HLTDRG5A	138
HLTINALC	200
HLTINDRG	201
HLTIMMNT	201
HLTMRJ2	302
HOSP	194
HOSPYR	179
HOURS	203
HRNDLREC	76
HRSMKREC	77
HRSNFREC	77
HSPHCONC	261
HSPPCONC	261
HURTBAD	117
HVYDRK2	273
ICEFLAG	252
ICELIFE	107
ICEMON	252
ICEREC	108
ICEYR	252
IEMFLAG	259
IEMMON	259
IEMYR	259
IIACHD1	231
IIACHD2	234
IIAFOOD	235
IIAGE	226
IIAINT1	231
IIAINT2	234
IIALCFQ	240
IIALCRC	236
IIANLFQ	242
IIANLRC	237
IIAOTH1	232
IIAOTH2	234
IIASOC1	230
IIASOC2	232
IIASSI1	230
IIASSI2	233
IIAWAG1	230

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
IIAWAG2	232
IIAWEL1	231
IIAWEL2	233
IICHD1	231
IICHD2	234
IIICIGRC	237
IIICOCFQ	240
IIICOCRC	236
IIICRKRC	238
IIEDUC	228
IIIFOOD	234
IIHALFQ	243
IIHALRC	238
IIHERRC	239
IIHOGRP	227
IIHOGRP2	227
IIHOIND	227
IIHSGRAD	228
IIICERC	239
IIINDINC	246
IIINHFO	242
IIINHRC	238
IIINSUR	229
IIINT1	231
IIINT2	233
IIMARIT	228
IIMJFQ	240
IIMJRC	236
IIOTBFQ	242
IIOTBRC	238
IIOTH1	232
IIOTH2	234
IIPCPRC	239
IIPINSUR	229
IIRACE	227
IISEDFQ	241
IISEDRC	237
IISEX	226
IISOC1	230
IISOC2	232
IISSI1	230
IISSI2	233
IISTMFQ	241
IISTMRC	237
IISTRRC	239
IITOTINC	247
IITRNFO	241
IITRNRC	237
IIWAG1	229
IIWAG2	232
IIWEL1	231

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
IIWEL2	233
IIWORKST	229
ILLONLYL	315
ILLONLYM	315
ILLONLYY	315
IN04	266
IN30NOSP	53
INDCAT	247
INDINC	246
INH30NO	53
INHAGE	49
INHANSY	55
INHDKNAM	48
INHDLyf	258
INHdy30A	53
INHFLAG	252
INHMON	252
INHMONF	257
INHNEWA	47
INHNEWB	48
INHNEWC	48
INHNEWd	48
INHNEWE	48
INHNOsP	48
INHOCcF	257
INHPO	54
INHQNC1	54
INHQNC10	54
INHQNC2	54
INHQNC3	54
INHQNC4	54
INHQNC5	54
INHQNC6	54
INHQNC7	54
INHQNC8	54
INHREAD	45
INHREC	49
INHTOT	49
INHwKF	257
INHYR	252
INHYRF	257
INHYRFrQ	53
INLAW	192
INNEW30A	52
INNEW30B	52
INNEW30C	52
INNEW30D	52
INNEW30E	52
INT1	207
INT2	213
INTMONTH	218

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
IONAMIN	25
IRACHD1	231
IRACHD2	234
IRAFOD	235
IRAGE	226
IRAI1T1	231
IRAI1T2	233
IRALCABS	312
IRALCAGG	312
IRALCALO	312
IRALCARG	312
IRALCBRK	312
IRALCDRU	312
IRALCFQ	240
IRALCFRD	312
IRALCHIG	312
IRALCHOL	312
IRALCINT	313
IRALCJOB	313
IRALCMAT	313
IRALCMOR	313
IRALCQUI	313
IRALCRC	236
IRALCREL	313
IRALCREM	313
IRALCSHO	313
IRALCTOS	314
IRALN	280
IRALN1	281
IRALN2	282
IRALN3	282
IRALN4	282
IRALN5	282
IRANLFQ	242
IRANLRC	237
IRANX	282
IRANX1	283
IRANX2	284
IRANX3	284
IRANX4	285
IRANX5	285
IRAO1H1	232
IRAO1H2	234
IRARG	279
IRARG1	279
IRARG2	280
IRARG3	280
IRARG4	280
IRARG5	280
IRAS13	277
IRASOC1	230

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
IRASOC2	232
IRASSI1	230
IRASSI2	233
IRAWAG1	230
IRAWAG2	232
IRAWEL1	231
IRAWEL2	233
IRCDALC	307
IRCDCIG	307
IRCDCOC	307
IRCDMJ	307
IRCHD1	231
IRCHD2	234
IRCIGRC	237
IRCOCFO	240
IRCOCRC	236
IRCPE	294
IRCPE1	295
IRCPE2	296
IRCPE3	296
IRCPE4	296
IRCPE5	296
IRCRKRC	238
IRDEP	277
IRDEP1	277
IRDEP2	278
IRDEP3	278
IRDEP4	278
IRDEP5	278
IRDPALC	308
IRDPCIG	308
IRDPCOC	308
IRDPMJ	308
IREduc	228
IREFALC	307
IREFCIG	307
IREFCOC	307
IREFMJ	307
IREMG	296
IREMG1	297
IREMG2	297
IREMG3	297
IREMG4	297
IREMG5	297
IRFOOD	234
IRHALFO	243
IRHALRC	238
IRHERRC	239
IRHLT	285
IRHLT1	285
IRHLT2	286

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
IRHLT3	286
IRHLT4	286
IRHLT5	286
IRHOGRP	227
IRHOGRP2	227
IRHOIND	227
IRHSGRAD	228
IRICERC	239
IRINHFO	242
IRINHRC	238
IRINSUR	229
IRINT1	231
IRINT2	233
IRKIDS	235
IRLSW	290
IRLSW1	291
IRLSW2	292
IRLSW3	292
IRLSW4	292
IRLSW5	292
IRMARIT	227
IRMJFQ	240
IRMJRC	236
IRNOBOOZ	312
IRNTK	286
IRNTK1	287
IRNTK2	288
IRNTK3	288
IRNTK4	288
IRNTK5	288
IROTBFO	242
IROTBRC	238
IROTH1	231
IROTH2	234
IRPCPRC	239
IRPEOP	235
IRPINSUR	229
IRRACE	226
IRSEDFQ	241
IRSEDRC	236
IRSEX	226
IRSOC1	230
IRSOC2	232
IRSSI1	230
IRSSI2	233
IRSSP	292
IRSSP1	293
IRSSP2	294
IRSSP3	294
IRSSP4	294
IRSSP5	294

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
IRSTMFQ	241
IRSTMRC	237
IRSTRRC	239
IRTRNFQ	241
IRTRNRC	237
IRUDALC	308
IRUDCIG	308
IRUDCOC	308
IRUDMJ	308
IRUPS	288
IRUPS1	289
IRUPS2	290
IRUPS3	290
IRUPS4	290
IRUPS5	290
IRWAG1	229
IRWAG2	232
IRWEL1	230
IRWEL2	233
IRWORKST	229
IRWSALC	309
IRWSCIG	309
IRWSCOC	309
IRWSMJ	309
JOB	203
LA	224
LANGVER	218
LEVODRO	32
LGAS	45
LGAS2	273
LGAS30A	50
LIBRIUM	17
LIMBTROL	17
LS05	268
LS08	268
LSD	67
LSD2	273
LSWALC2	302
LSWCIG2	302
LSWCOC2	302
LSWDRG1A	145
LSWDRG2A	146
LSWDRG3A	146
LSWDRG4A	146
LSWDRG5A	146
LSWMRJ2	302
MARITAL	183
MAZANOR	25
MEBARAL	11
MEDICAID	199
MEDICARE	198

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
MENRIUM	18
MEPROB	19
MESC	67
MESC2	273
METHAMP	26
METHAQ	13
METHDON	33
METHI	26
METRO	225
MIAMI	225
MILBASE	194
MILES	191
MILSTAT	195
MILTOWN	18
MJ04	266
MJAGE	37
MJAMT30A	39
MJAV30A	38
MJAV30B	39
MJBAKE	43
MJBUCK	42
MJCHEW	43
MJDAY30A	38
MJDEALER	40
MJDY30A2	273
MJDY30A3	273
MJFRIEND	39
MJGIVEN	40
MJGREW	41
MJJOINT	42
MJLFDALY	44
MJOBTONON	41
MJOFLAG	259
MJOMON2	259
MJOPP	37
MJOTHSHR	40
MJOYR2	259
MJPIPE	43
MJPROBS	310
MJREC	38
MJSTOLE	41
MJTOT	37
MJTOT2	273
MJTOT3	273
MJTRGOOD	40
MJTRICK	41
MJTRSERV	40
MJWAY	43
MJYRFREQ	42
MODR30A	8
MODR30DY	8

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	----
MORPHINE	33
MOTHER	192
MOVDAWAY	194
MOVES	196
MRJDLYF	257
MRJFLAG	251
MRJMON	251
MRJMON2	274
MRJMONF	257
MRJOCFF	257
MRJONLYL	315
MRJONLYM	315
MRJONLYY	315
MRJWKF	257
MRJYR	251
MRJYRF	256
ND02	269
NDL90REC	253
NDLREAD	103
NEDFLAG3	254
NEDYR3	254
NEEDLREC	253
NEMBUTAL	12
NEWYORK	225
NITOXID	46
NITOXID2	274
NO5JOB	185
NOBOOKYR	112
NOBOOZYR	120
NODR30A	7
NOFAMRES	196
NOLUDAR	12
NOMARR	183
NOSEDAT	11
NOSTIMS	23
NOTBKED	115
NOTMARJ	274
NOTRANQ	17
NOTRMT	161
NOX30A	51
NRTXLIFE	161
NTKALC2	303
NTKCIG2	303
NTKCOC2	303
NTKDRG1A	140
NTKDRG2A	141
NTKDRG3A	141
NTKDRG4A	142
NTKDRG5A	142

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
NTKMRJ2	303
OAPRES	220
OARPRES	219
OBLA	26
OPRESNSP	220
OPRESSPA	221
OPRESSPB	222
OTH1	208
OTH2	214
OTHDOING	118
OTHDOSP1	119
OTHDOSP2	119
OTHERNON	193
OTHGPH	194
OTHGPHSP	195
OTHONLYL	316
OTHONLYM	317
OTHONLYY	316
OTHREL	193
OTHSTEAL	116
OTHTOB	5
OWNCHILD	193
OWNEDAVE	263
OWNHLTIN	200
OWNOCONC	261
PACKS	3
PAROLE	115
PARPRES	219
PAXIPAM	18
PAYMO	184
PAYYR	184
PBLACKHH	261
PBLACKP	261
PCP	68
PCPFLAG	249
PCPMON	249
PCPREC	73
PCPYR	249
PDEN	224
PDEN2	224
PENTOB	13
PEOPFD	217
PERCODAN	32
PERINC	247
PERINC2	247
PERINC3	247
PEYOTE	67
PEYOTE2	274
PHENCOD	32
PHENOBAR	13
PHLEGMYR	180

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
PHYFIGHT	117
PLACIDYL	12
PLEGINE	24
PONDIMIN	25
POWNED	262
PPOVERTY	262
PPRES	219
PRB1ALC	304
PRB1CIG	304
PRB1COC	304
PRB1MRJ	304
PRB2ALC	304
PRB2CIG	305
PRB2COC	305
PRB2MRJ	305
PRB3ALC	305
PRB3CIG	305
PRB3COC	305
PRB3MRJ	305
PRELUDIN	24
PRENTED	262
PRIVACY	219
PROBATON	115
PROPOXY	33
PROXABLE	196
PROXHOME	198
PROXJOIN	198
PROXYREL	197
PRVHLTIN	199
PSILCY	67
PSILCY2	274
PSYFLAG2	258
PSYMON2	258
PSYONLYL	316
PSYONLYM	316
PSYONLYY	316
PSYYR2	258
PUB1	206
PUB2	211
QC06	264
QC09	264
QUARTER	222
RACE	244
RACESEX	274
RACESEX2	274
REGION	225
RENTAVE	263
RESPID	1
RESTORIL	12
RITALIN	25
RK2DRINK	174

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
RKSDRINK	174
RKANSOCC	173
RKANSPREG	173
RKCOCOCC	173
RKCOCREG	173
RKCRKOCC	173
RKDIFCOC	175
RKDIFHER	175
RKDIFLSD	175
RKDIFPCP	175
RKHERREG	172
RKNEIDRN	176
RKNEISEL	176
RKPCPREG	172
RKTRYCOC	172
RKTRYHER	172
RKTRYPCP	172
ROCCUP2	245
RSKBINGE	174
RSKDIFMJ	174
RSKMJOCC	171
RSKMJREG	171
RSKPKCIG	171
RSKSELL	176
RSKTRYMJ	171
RUNNYR	180
RURORURB	263
SANOREX	25
SCHDAYS	190
SCHPLANS	189
SE04	265
SECOB	13
SECONAL	12
SEDAGE	15
SEDDKNAM	15
SEDDLIF	255
SEDFLAG	249
SEDMON	249
SEDMONF	255
SEDNEWA	14
SEDNEWB	14
SEDNEWC	15
SEDNEWD	15
SEDNEWE	15
SEDNOSP	15
SEDOCCF	255
SEDREC	16
SEDTOT	16
SEDWKF	255
SEDIR	249
SEDYRF	255

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
SEDIRFRQ	16
SERAX	18
SERVICE	195
SK65A	31
SKIPPED	190
SKLY	19
SMCDLYF	256
SMKFLAG	250
SMKMON	251
SMKMONF	256
SMKOCCE	256
SMKWKF	256
SMKYR	251
SMKYRF	256
SNUFREC	4
SOC1	204
SOC2	210
SOLDDRUG	118
SOLVENT	46
SOLVENT2	274
SOLVN30A	51
SOREYR	179
SP04	270
SP08	270
SPNEWA	110
SPNEWB	111
SPNEWC	111
SPNEWD	111
SPNEWE	112
SPOUSE	192
SPPAINT	45
SPPAINT2	275
SPPAN30A	50
SPRES	219
SPTREAD	107
SSI1	205
SSI2	211
SSPALC2	303
SSPCIG2	303
SSPCOC2	303
SSPDRG1A	147
SSPDRG2A	147
SSPDRG3A	148
SSPDRG4A	148
SSPDRG5A	148
SSPMRJ2	303
ST04	265
ST07	265
STADOL	33
STEPCHLD	193
STEPPAD	192

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
STPEMOM	192
STERAGE	108
STEROPP	108
STERREC	109
STERTOT	109
STIMAGE	29
STIMNEWA	27
STIMNEWB	28
STIMNEWC	28
STIMNEWD	28
STIMNEWE	28
STIMNOSP	28
STIMREC	29
STIMTOT	29
STMDKNAM	28
STMDLYF	254
STMFLAG	249
STMMON	249
STMMONF	254
STMOCCF	254
STMREAD	23
STMWKF	254
STMYR	249
STMYRF	254
STMYRFRQ	30
STNDLREC	30
STNEEDLE	30
STRFLAG	251
STRMON	251
STRSTEAL	116
STRYR	251
STUDENT	190
SUB1LIF	319
SUB1MON	319
SUB1YR	319
SUB2LIF	319
SUB2MON	320
SUB2YR	320
SUB3LIF	320
SUB3MON	320
SUB3YR	320
SUMFLAG	258
SUMMON	258
SUMYR	258
TALACEN	33
TALWIN	32
TALWINNX	32
TELNO	196
TENUATE	24
TEPANIL	24
TESTPOS	107

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
THREKALC	314
THREPROB	298
TIMEPAIN	177
TMTDRG1A	152
TMTDRG2A	153
TMTDRG3A	153
TMTDRG4A	153
TMTDRG5A	153
TMTPASP	170
TMTPEMPR	170
TMTPFMLY	169
TMTPFREE	170
TMTPHI	169
TMTPMEDI	170
TMTPOTH	170
TMTPSAVE	169
TMTREAD	156
TOTCAT	248
TOTINC	247
TOTPEOP	191
TR04	265
TRANAGE	21
TRANREC	21
TRANTOT	21
TRANCENE	18
TRDKNAM	21
TRMTBQD	165
TRMTCOST	164
TRMTDNA	165
TRMTDOC	158
TRMTDRGA	167
TRMTDRGB	168
TRMTDRGC	168
TRMTDRGD	168
TRMTDRGE	168
TRMTEMRG	157
TRMTEVNT	164
TRMTFEAR	163
TRMTHLP	157
TRMTHLP2	275
TRMTHLTH	164
TRMTHOSP	157
TRMTJAIL	165
TRMTJOB	164
TRMTLIFE	163
TRMTMHC	158
TRMTOUTC	169
TRMTPR	164
TRMTREC	160
TRMTRESP	163
TRMTRSP	166

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
TRMTSERV	165
TRMTSHG	159
TRMTSOP	159
TRMTSOR	165
TRMTSP	160
TRMTTRMT	158
TRNEWA	20
TRNEWB	20
TRNEWC	20
TRNEWD	20
TRNEWE	20
TRNOSP	20
TRNREAD	17
TRNYRFRQ	22
TRPSYCH	178
TRQDLYF	255
TRQFLAG	250
TRQMON	250
TRQMONF	255
TRQOCCF	255
TRQWKF	255
TRQYR	250
TRQYRF	255
TUINAL	12
TWOPROB	298
TXDOC	162
TXEMRG	161
TXHOSP	161
TXMHC	162
TXSHG	162
TXSOP	162
TXSP	163
TXTRMT	162
TYLCOD	32
UCDALC	84
UCDANAL	85
UCDCIG	83
UCDCOC	85
UCDHALL	86
UCDHER	86
UCDINH	85
UCDMJ	85
UCDNONE	86
UCDOTHOP	86
UCDSED	84
UCDSTM	84
UCDTRAN	84
UCLASS9	263
UDAYALC	92
UDAYANAL	93
UDAYCIG	91

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
UDAYCOC	93
UDAYHALL	94
UDAYHER	94
UDAYINH	93
UDAYMJ	93
UDAYNONE	94
UDAYOTH	94
UDAYSED	92
UDAYSTM	92
UDAYTRAN	92
UNDINT	218
UPSALC2	303
UPSCIG2	303
UPSCOC2	303
UPSDRG1A	143
UPSDRG2A	144
UPSDRG3A	144
UPSDRG4A	144
UPSDRG5A	145
UPSHOR	178
UPSMRJ2	304
URBARE	225
VALIUM	17
VEREP	260
VESTR	260
VISTAR	19
VORANIL	25
WAG1	203
WAG2	209
WALKPAIN	177
WEEKS	204
WEL1	206
WEL2	212
WELFARE	248
WHOANSHI	202
WHOANSIN	216
WHOMARKD	222
WORK	203
WORKBLAH	185
WORKDAYS	185
WORKSTAT	184
WSALC	100
WSANAL	101
WSCIG	99
WSCOC	101
WSHALL	102
WSHER	102
WSINH	101
WSMJ	101
WSNONE	102
WSOTHOP	102

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
WSSKD	100
WSSTM	100
WSTRAN	100
WYGESIC	32
XANAX	18

INDEX OF LABELS

LABEL	PAGE
-----	-----
RESPID	1
ENCPSU	1
ENCSEG	1
ENCCASE	1
CIGTRY	2
CIGSPK	2
CIGAGE	2
CIGYRS	3
PACKS	3
CIGREC	3
AVCIG	4
CIGTIME	4
SNUFREC	4
OTHTOB	5
ALCTRY	6
ALCREC	6
ALCAGE	6
ALCDAYS	7
NODR30A	7
DR5DAY	7
MODR30A	8
MODR30DY	8
ALCPAT	9
DRUNKYR	9
ALCBEER	10
ALCWINE	10
ALCLIQR	10
ALCVARY	10
NOSEDAT	11
BUTISOL	11
BUTICAPS	11
AMYTAL	11
MEBARAL	11
PLACIDYL	12
DORIDEN	12
NOLUDAR	12
NEMBUTAL	12
SECONAL	12
TUINAL	12
DALMANE	12
RESTORIL	12
HALCION	12
AMOBARB	13
PHENOBAR	13
METHAQ	13
CHHYD	13
PENTOB	13
SECOB	13
SEDNEWA	14
SEDNEWB	14
SEDNEWC	15

INDEX OF LABELS

LABEL	PAGE
-----	-----
SEDNEW	15
SEDNEW	15
SEDNOSP	15
SEDDKNAM	15
SEDAGE	15
SEDTOT	16
SEDREC	16
SEDYRFRQ	16
TRNREAD	17
NOTRANQ	17
VALIUM	17
LIBRIUM	17
LIMBTROL	17
MENRIUM	18
SERAX	18
TRANCENE	18
ATTIVAN	18
CENTRAX	18
XANAX	18
PAXIPAM	18
BUSPAR	18
MILTOWN	18
EQUANIL	19
DEPROL	19
VISTAR	19
ATARAX	19
DURRAX	19
DIAZEPAM	19
SKLY	19
MEPROB	19
TRNEWA	20
TRNEWB	20
TRNEWC	20
TRNEW	20
TRNEWE	20
TRNOSP	20
TRDKNAM	21
TRANAGE	21
TRANTOT	21
TRANREC	21
TRNYRFRQ	22
STMREAD	23
NOSTIMS	23
DEXED	23
DEXAMYL	23
ESKAT	24
BENZ	24
BIPHET	24
DESXYN	24
TENUATE	24
TEPANIL	24

INDEX OF LABELS

LABEL	PAGE
-----	-----
DIDREX	24
PLEGINE	24
PRELUDIN	24
IONAMIN	25
PASTIN	25
PONDIMIN	25
VORANIL	25
SANOREX	25
MAZANOR	25
RITALIN	25
CYLERT	25
DETAMP	25
METHI	26
METHAMP	26
OBLA	26
STIMNEWA	27
STIMNEWB	28
STIMNEWC	28
STIMNEWD	28
STIMNEWE	28
STIMNOSP	28
STMDKNAM	28
STIMAGE	29
STIMTOT	29
STIMREC	29
STMYRFRQ	30
STNEEDLE	30
STNDLREC	30
ANLREAD	31
ANALNONE	31
DARVON	31
DOLENE	31
SK65A	31
WYGESIC	32
LEVODRO	32
PERCODAN	32
DEMEROL	32
DILAUD	32
TYLCOD	32
PHENCOD	32
TALWIN	32
TALWINNX	32
TALACEN	33
PROPOXY	33
CODEINE	33
ANILERID	33
MORPHINE	33
METHDON	33
STADOL	33
ANALNEWA	34
ANALNEWB	34

INDEX OF LABELS

LABEL	PAGE
-----	-----
ANALNEWC	34
ANALNEWD	35
ANALNEWE	35
ANLNOSP	35
ANLDKNAM	35
ANALAGE	35
ANALTOT	35
ANALREC	36
ANLYRFRQ	36
MJOPP	37
MJAGE	37
MJTOT	37
MJREC	38
MJDAY30A	38
MJAV30A	38
MJAV30B	39
MJAMT30A	39
MJFRIEND	39
MJDEALER	40
MJOTHSR	40
MJGIVEN	40
MJTRGOOD	40
MJTRSERV	40
MJSTOLE	41
MJTRICK	41
MJGREW	41
MJOBTONON	41
MJBUCK	42
MJYRFREQ	42
MJJOINT	42
MJPIPE	43
MJBAKE	43
MJCHEW	43
MJWAY	43
MJLFDALY	44
INHREAD	45
GAS	45
LGAS	45
SPPAINT	45
AEROS	45
GLUE	46
SOLVENT	46
AMYLNIT	46
ETHER	46
NITOXID	46
CLEFLU	46
INHNEWA	47
INHNEWB	48
INHNEWC	48
INHNEWD	48
INHNEWE	48

INDEX OF LABELS

LABEL	PAGE
-----	-----
INHNO SP	48
INHDKNAM	48
INHAGE	49
INH TOT	49
INHREC	49
GAS30A	50
LGAS30A	50
SPPAN30A	50
AEROS30A	50
GLUE30A	50
SOLVN30A	51
AMLNT30A	51
ETHER30A	51
NOX30A	51
CLFL30A	51
INNEW30A	52
INNEW30B	52
INNEW30C	52
INNEW30D	52
INNEW30E	52
IN30NOSP	53
INH30NO	53
INH DY30A	53
INH YFRQ	53
INHPO	54
INH QNC1	54
INH QNC2	54
INH QNC3	54
INH QNC4	54
INH QNC5	54
INH QNC6	54
INH QNC7	54
INH QNC8	54
INH QNC10	54
INHANSY	55
COCOPP	56
COCAGE	56
COCTOT	56
COCREC	57
COCUS30A	57
COCAM30A	57
CCFRIEND	58
CCDEALER	58
CCOTHSHR	58
CCGIVEN	58
CCTRGOOD	59
CCTR SERV	59
CCSTOLE	59
CCTRICK	59
CCOBTNON	59
COCBUCK	60

INDEX OF LABELS

LABEL	PAGE
-----	-----
COCYRFRQ	60
COCSNIFF	60
COCSWAL	61
COCIV	61
FREEBASE	61
COCWAY	61
CONDLREC	62
CCLFDALY	62
CRKREC	63
CRKAM30A	63
CKFRIEND	64
CKDEALER	64
CKOTHSHR	64
CKGIVEN	64
CKTRGOOD	64
CKTRSERV	65
CKSTOLE	65
CKTRICK	65
CKOBTNON	65
CRKBUCK	66
CKLFDALY	66
HALREAD	67
LSD	67
PEYOTE	67
MESC	67
PSILCY	67
PCP	68
ECSTASY	68
HALNEWA	69
HALNEWB	70
HALNEWC	70
HALNEWD	70
HALNEWE	70
HALNOSP	70
HALDXNAM	71
HALLOPP	71
HALLAGE	71
HALLTOT	72
HALLREC	72
HAL30USE	72
HALYRFRQ	73
PCPREC	73
HERREAD	74
HEROPP	74
HERAGE	74
HERTOT	75
HERREC	75
HER30USE	75
HERNEEDL	76
HRNDLREC	76
HERSMOKE	76

INDEX OF LABELS

LABEL	PAGE
-----	-----
HRSMKREC	77
HERSNIFF	77
HRSNFREC	77
DRGREAD	78
CDCIG	79
CDALC	80
CDSER	80
CDTRAN	80
CDSTM	80
CDANAL	81
CDMJ	81
CDINH	81
CDCOC	81
CDHALL	82
CDHER	82
CDOTHOP	82
CDNONE	82
UCDCIG	83
UCDALC	84
UCDSER	84
UCDTRAN	84
UCDSTM	84
UCDANAL	85
UCDMJ	85
UCDINH	85
UCDCOC	85
UCDHALL	86
UCDHER	86
UCDOTHOP	86
UCDNONE	86
EFFCIG	87
EFFALC	88
EFFSER	88
EFFTRAN	88
EFFSTM	88
EFFANAL	89
EFFMJ	89
EFFINH	89
EFFCOC	89
EFFHALL	90
EFFHER	90
EFFOTHOP	90
EFFNONE	90
UDAYCIG	91
UDAYALC	92
UDAYSER	92
UDAYTRAN	92
UDAYSTM	92
UDAYANAL	93
UDAYMJ	93
UDAYINH	93

INDEX OF LABELS

LABEL	PAGE
-----	-----
UDAYCOC	93
UDAYHALL	94
UDAYHER	94
UDAYOTH	94
UDAYNONE	94
DEPCIG	95
DEPALC	96
DEPSED	96
DEPTRAN	96
DEPSTM	96
DEPANAL	97
DEPMJ	97
DEPINH	97
DEPCOC	97
DEPHALL	98
DEPHER	98
DEPOTHOP	98
DEPNONE	98
WSCIG	99
WSALC	100
WSSD	100
WSTRAN	100
WSSTM	100
WSANAL	101
WSMJ	101
WSINH	101
WSCOC	101
WSHALL	102
WSHER	102
WSOTHOP	102
WSNONE	102
NDLREAD	103
GNNDLLIF	103
GNNDLREC	103
GNNDLSED	104
GNNDLTRA	104
GNNDLSTM	104
GNNDLANL	104
GNNDLINH	105
GNNDLCOC	105
GNNDLHAL	105
GNNDLHER	105
GNNDLOPT	105
GNNDLSTR	106
GNNDLNON	106
GNNDLSH1	106
GNNDLSH2	106
SPTREAD	107
DRUGTEST	107
TESTPOS	107
ICELIFE	107

INDEX OF LABELS

LABEL	PAGE
-----	-----
ICEREC	108
STEROPP	108
STERAGE	108
STERTOT	109
STERREC	109
SPNEWA	110
SPNEWB	111
SPNEWC	111
SPNEWD	111
SPNEWE	112
BOOKED	112
NOBOOKYR	112
BKLARCNY	112
BKBURGL	113
BKAGASLT	113
BKSMASLT	113
BKMVTHFT	113
BKROB	113
BKRAPE	113
BKMURDER	113
BKARSON	114
BKORVIN	114
BKDRUNK	114
BKDRUG	114
BKPROS	114
BKVANDAL	114
BKOTHOFF	115
NOTBKED	115
PROBATON	115
PAROLE	115
STRSTEAL	116
OTHSTEAL	116
DAMAGE	116
CARSTEAL	116
FORCEMON	117
BREAKIN	117
PHYFIGHT	117
HURTBAD	117
GUNMONEY	118
DRUNKDRV	118
SOLDDRUG	118
OTHDOING	118
OTHDOSP1	119
OTHDOSP2	119
DEXREAD	120
NOBOOZYR	120
ALCAGGR	120
ALCARGUM	120
ALCABSNT	120
ALCHIGH	121
ALCJOB	121

INDEX OF LABELS

LABEL	PAGE
ALCMATCD	121
ALCRELCD	121
ALCFRDCD	121
ALCTOSS	121
ALCHOLIC	122
ALCDRUNK	122
ALCINTOX	122
ALCREM	122
ALCQUICK	122
ALCMORN	122
ALCSHOOK	123
ALCALONE	123
ALCBRKPM	123
ALCMJ	123
ALCCOC	123
ALCOPT	124
ALCHAL	124
ALCINH	124
ALCANAL	124
ALCTRAN	124
ALCSTM	124
ALCSED	125
AS13NONE	126
DRDEPRSS	126
DEPDRG1A	127
DEPDRG2A	128
DEPDRG3A	128
DEPDRG4A	128
DEPDRG5A	129
DRARGUM	129
ARGDRG1A	130
ARGDRG2A	131
ARGDRG3A	131
ARGDRG4A	131
ARGDRG5A	131
DRALONE	132
ALNDRG1A	132
ALNDRG2A	133
ALNDRG3A	133
ALNDRG4A	133
ALNDRG5A	133
DRANX	134
ANCDRG1A	135
ANCDRG2A	136
ANCDRG3A	136
ANCDRG4A	136
ANCDRG5A	136
DRHEALTH	137
HLTDRG1A	137
HLTDRG2A	138
HLTDRG3A	138

INDEX OF LABELS

LABEL	PAGE
-----	-----
HLTDRG4A	138
HLTDRG5A	138
DRNTHINK	139
NTKDRG1A	140
NTKDRG2A	141
NTKDRG3A	141
NTKDRG4A	142
NTKDRG5A	142
DRUPSET	142
UPSDRG1A	143
UPSDRG2A	144
UPSDRG3A	144
UPSDRG4A	144
UPSDRG5A	145
DRLSWORK	145
LSWDRG1A	145
LSWDRG2A	146
LSWDRG3A	146
LSWDRG4A	146
LSWDRG5A	146
DRSUSPIC	146
SSPDRG1A	147
SSPDRG2A	147
SSPDRG3A	148
SSPDRG4A	148
SSPDRG5A	148
DRCOPE	148
CPEDRG1A	149
CPEDRG2A	149
CPEDRG3A	150
CPEDRG4A	150
CPEDRG5A	150
DREMGMED	150
KMDRG1A	151
KMDRG2A	151
KMDRG3A	151
KMDRG4A	152
KMDRG5A	152
DRTRMT	152
TMTDRG1A	152
TMTDRG2A	153
TMTDRG3A	153
TMTDRG4A	153
TMTDRG5A	153
DRDRVON	153
DRVDRG1A	154
DRVDRG2A	154
DRVDRG3A	154
DRVDRG4A	155
DRVDRG5A	155
TMTREAD	156

INDEX OF LABELS

LABEL	PAGE
-----	-----
KMPDRUG	156
CIGHHELP	156
DRNKHHELP	156
TRMTHHELP	157
TRMTMARG	157
TRMTHOSP	157
TRMTDOC	158
TRMTTRMT	158
TRMTMHC	158
TRMTSHG	159
TRMTSOP	159
TRMTSP	160
TRMTREC	160
NRTXLIFE	161
NOTRMT	161
TXEMRG	161
TXHOSP	161
TXDOC	162
TXTRMT	162
TXMHC	162
TXSHG	162
TXSOP	162
TXSP	163
TRMTLIFE	163
TRMTRESP	163
TRMTFEAR	163
TRMTCOST	164
TRMTEVNT	164
TRMTFR	164
TRMTHLTH	164
TRMTJOB	164
TRMTJAIL	165
TRMTSERV	165
TRMTBQD	165
TRMTDNA	165
TRMTSOR	165
TRMTRSP	166
TRMTDRGA	167
TRMTDRGB	168
TRMTDRGC	168
TRMTDRGD	168
TRMTDRGE	168
TRMTOUTC	169
TMTPHI	169
TMTPSAVE	169
TMTPFMLY	169
TMTPEMPR	170
TMTPMEDI	170
TMTPFREE	170
TMTPOTH	170
TMTPASP	170

INDEX OF LABELS

LABEL	PAGE
-----	----
RSKPKCIG	171
RSKTRYMJ	171
RSKMJOCC	171
RSKMJREG	171
RKTRYPCP	172
RKPCPREG	172
RKTRYHER	172
RKHERREG	172
RKTRYCOC	172
RKCOCOCC	173
RKCOCREG	173
RKCRKOCC	173
RKANSOCC	173
RKANSREG	173
RK2DRINK	174
RK5DRINK	174
RSKBINGE	174
RSKDIFMJ	174
RKDIFLSD	175
RKDIFPCP	175
RKDIFCOC	175
RKDIFHER	175
RSKSELL	176
RKNEIDRN	176
RKNEISEL	176
HIGHBP	177
BPMED	177
WALKPAIN	177
TIMEPAIN	177
UPSHOR	178
ASTHMA	178
TRPSYCH	178
HEART	178
FLU	179
ALLERG	179
HOSPYR	179
SORRYR	179
RUNNYR	180
COUGHYR	180
PHLEGMYR	180
HEALTHYR	180
FLTEAT	181
FLTMIND	181
FLTDEPRS	181
FLTEFFRT	181
FLTSLEEP	182
FLTSAD	182
FLTGOING	182
MARITAL	183
NOMARR	183
WORKSTAT	184

INDEX OF LABELS

LABEL	PAGE
-----	-----
PAYMO	184
PAYYR	184
NOSJOB	185
WORKDAYS	185
WORKBLAH	185
CWE	185
CWESC1	186
CWESC2	187
FULLPART	187
EDUC	188
GRADHS	189
DIPLOMA	189
ENROLLD	189
SCHPLANS	189
STUDENT	190
SCHDAYS	190
SKIPPED	190
MILES	191
ACCID	191
TOTPEOP	191
MOTHER	192
FATHER	192
STEPMOM	192
STEPDAD	192
SPOUSE	192
INLAW	192
OWNCHILD	193
STEPCHLD	193
BROSIS	193
OTHREL	193
FRIENDS	193
OTHERNON	193
MOVDAWAY	194
DORM	194
MILBASE	194
HOSP	194
OTHGPH	194
OTHGPHSP	195
SERVICE	195
MILSTAT	195
TELNO	196
MOVES	196
NOFAMRES	196
PROXABLE	196
PROXYREL	197
PROXHOME	198
PROXJOIN	198
MEDICARE	198
MEDICAID	199
CHAMPUS	199
PRVHLTIN	199

INDEX OF LABELS

LABEL	PAGE
-----	-----
OWNHLTIN	200
GRPHLTIN	200
HLTINALC	200
HLTINDRG	201
HLTIMMNT	201
WHOANSI	202
JOB	203
HOURS	203
WORK	203
WAG1	203
AWAG1	204
WEEKS	204
SOC1	204
ASOC1	205
SSI1	205
ASSI1	205
PUB1	206
AFDC1	206
WEL1	206
AWEL1	206
INT1	207
AIN1	207
CHD1	207
ACHD1	208
OTH1	208
AOTH1	208
FAMILYRES	209
WAG2	209
AWAG2	209
SOC2	210
ASOC2	210
SSI2	211
ASSI2	211
PUB2	211
AFDC2	212
WEL2	212
AWEL2	212
INT2	213
AIN2	213
CHD2	214
ACHD2	214
OTH2	214
AOTH2	215
WHOANSIN	216
FSTAMP	217
PEOPFD	217
FOOD	217
AFOOD	217
INTMONTH	218
BHOUR	218
BMIN	218

INDEX OF LABELS

LABEL	PAGE
-----	-----
BAP	218
EHOOR	218
EMIN	218
EAP	218
LANGVER	218
UNDINT	218
COOPINT	219
PRIVACY	219
PPRES	219
SPRES	219
PARPRES	219
QARPRES	219
QAPRES	220
CPRES	220
OPRESNSP	220
OPRESSPA	221
OPRESSPB	222
WHOMARKD	222
QUARTER	222
FAMSKIP	223
GQTYPE	223
PDEN	224
PDEN2	224
DC	224
CHICAGO	224
DENVER	224
LA	224
MIAMI	225
NEWYORK	225
REGION	225
DIVISION	225
CENCTY	225
URBARE	225
METRO	225
CENTRALC	225
BIRMONTH	226
BIRYEAR	226
IRAGE	226
IIAGE	226
IRSEX	226
IISEX	226
IRRACE	226
IIRACE	227
IRHOIND	227
IIHOIND	227
IRHOGRP	227
IIHOGRP	227
IRHOGRP2	227
IIHOGRP2	227
IRMARIT	227
IIMARIT	228

INDEX OF LABELS

LABEL	PAGE
-----	----
IREduc	228
IIEDUC	228
IRHSGRAD	228
IIHSGRAD	228
IRWORKST	229
IIWORKST	229
IRPINSUR	229
IIPINSUR	229
IRINSUR	229
IIINSUR	229
IRWAG1	229
IIWAG1	229
IRAWAG1	230
IIAWAG1	230
IRSOC1	230
IISOC1	230
IRASOC1	230
IIASOC1	230
IRSSI1	230
IISSI1	230
IRASSI1	230
IIASSI1	230
IRWEL1	230
IIWEL1	231
IRAWEL1	231
IIAWEL1	231
IRINT1	231
IIINT1	231
IRAIN1	231
IIAIN1	231
IRCHD1	231
IICHD1	231
IRACHD1	231
IIACHD1	231
IROTH1	231
IIOTH1	232
IRAO1	232
IIAO1	232
IRWAG2	232
IIWAG2	232
IRAWAG2	232
IIAWAG2	232
IRSOC2	232
IISOC2	232
IRASOC2	232
IIASOC2	232
IRSSI2	233
IISSI2	233
IRASSI2	233
IIASSI2	233
IRWEL2	233

INDEX OF LABELS

LABEL	PAGE
-----	-----
IIWEL2	233
IRAWEL2	233
IIAWEL2	233
IRINT2	233
IIINT2	233
IRINT2	233
IIINT2	233
IRCHD2	234
IICHD2	234
IRACHD2	234
IIACHD2	234
IROTH2	234
IIOTH2	234
IRAOOTH2	234
IIAOOTH2	234
IRFOOD	234
IIFOOD	234
IRAFOD	235
IIAFOD	235
IRPEOP	235
IRKIDS	235
IRALCRC	236
IIALCRC	236
IRMJRC	236
IIIMJRC	236
IRCOCRC	236
IICOCRC	236
IRSEDR	236
IISEDR	237
IRTRNRC	237
IITRNRC	237
IRSTMRC	237
IISTMRC	237
IRANLRC	237
IIANLRC	237
IRCIERC	237
IICIERC	237
IROTBRC	238
IIOTBRC	238
IRINHRC	238
IIINHRC	238
IRCRKRC	238
IICRKRC	238
IRHALRC	238
IIHALRC	238
IRHERRC	239
IIHERRC	239
IRPCPRC	239
IIPCPRC	239
IRICERC	239
IIICERC	239

INDEX OF LABELS

LABEL	PAGE
-----	----
IRSTRRC	239
IISTRRC	239
IRALCFQ	240
IIALCFQ	240
IRMJFQ	240
IIMJFQ	240
IRCOCFQ	240
IICOCFQ	240
IRSEDFQ	241
IISEDFQ	241
IRTRNFQ	241
IITRNFQ	241
IRSTMFQ	241
IISTMFQ	241
IRANLFQ	242
IIANLFQ	242
IROTBFQ	242
IITOTBFQ	242
IRINHFQ	242
IINHFQ	242
IRHALFQ	243
IHALFQ	243
CATAGE	244
CATAG2	244
CATAG3	244
RACE	244
HISPRACE	244
EDUCCAT2	244
EMPSTAT2	244
ROCCUP2	245
BUSINES2	245
CWEOCC2	245
CWEBUS2	246
CHAGE1	246
CHAGE2	246
CHAGE3	246
CHAGE4	246
CHAGE5	246
CHAGE6	246
CHAGE7	246
CHAGE8	246
CHAGE9	246
CHAGE10	246
INDINC	246
IIINDINC	246
INDCAT	247
PERINC	247
PERINC2	247
PERINC3	247
TOTINC	247
IITOTINC	247

INDEX OF LABELS

LABEL	PAGE
-----	----
TOTCAT	248
FAMINC	248
FAMINC2	248
FAMINC3	248
WELFARE	248
HALFLAG	249
HALYR	249
HALMON	249
PCPFLAG	249
PCPYR	249
PCPMON	249
STMFLAG	249
STMYR	249
STIMON	249
SEDFLAG	249
SEDYR	249
SEDMON	249
TRQFLAG	250
TRQYR	250
TRQMON	250
ANLFLAG	250
ANLYR	250
ANLMON	250
ALCFLAG	250
ALCYR	250
ALCMON	250
CIGFLAG	250
CIGYR	250
CIGMON	250
SMKFLAG	250
SMKYR	251
SMKMON	251
HERFLAG	251
HERYR	251
HERMON	251
STRFLAG	251
STRYR	251
STRMON	251
MRJFLAG	251
MRJYR	251
MRJMON	251
COCFLAG	251
COCYR	251
COCMON	252
CRKFLAG	252
CRKYR	252
CRKMON	252
INHFLAG	252
INHYR	252
INHMON	252
ICEFLAG	252

INDEX OF LABELS

LABEL	PAGE
-----	-----
ICEYR	252
ICEMON	252
NEEDLREC	253
NDL90REC	253
NEDFLAG3	254
NEDYR3	254
HALYRF	254
HALMONF	254
HALWKF	254
HALOCCF	254
HALDLYF	254
STMYRF	254
STMMONF	254
STMWKF	254
STMOCCF	254
STMDLYF	254
SEDYRF	255
SEDMONF	255
SEDWKF	255
SEDOCCF	255
SEDDLYF	255
TRQYRF	255
TRQMONF	255
TRQWKF	255
TRQOCCF	255
TRQDLYF	255
ANLYRF	255
ANLMONF	255
ANLWKF	255
ANLOCCF	256
ANLDLYF	256
ALCYRF	256
ALCMONF	256
ALCWKF	256
ALCOCCF	256
ALCDLYF	256
SMKYRF	256
SMKMONF	256
SMKWKF	256
SMKOCCF	256
SMKDLYF	256
MRJYRF	256
MRJMONF	257
MRJWKF	257
MRJOCCF	257
MRJDLYF	257
COCYRF	257
COCMONF	257
COCWKF	257
COCOCCF	257
COCDLYF	257

INDEX OF LABELS

LABEL	PAGE
-----	----
INHRYF	257
INHMONF	257
INHWKF	257
INHOCFF	257
INHDLF	258
PSYFLAG2	258
PSYR2	258
PSYMON2	258
SUMFLAG	258
SUMYR	258
SUMMON	258
MJOFLAG	259
MJOYR2	259
MJOMON2	259
IEMFLAG	259
IEMYR	259
IEMMON	259
VESTR	260
VEREP	260
ANALWT	260
ANALWT1	260
ANALWT2	260
ANALWT3	260
ANALWT4	260
PBLACKGH	261
PBLACKP	261
HSPHCONC	261
HSPPCONC	261
OWNOCONC	261
PPOVERTY	262
POWNED	262
PRENTED	262
OWNEDAVE	263
RENTAVE	263
RURORURB	263
UCLASS9	263
QC06	264
QC09	264
AL02	264
SE04	265
TR04	265
ST04	265
ST07	265
AN04	266
MJ04	266
IN04	266
CC04	267
CC11	267
CK01	267

INDEX OF LABELS

LABEL	PAGE
-----	-----
LS05	268
LS08	268
HE04	268
HE07	269
ND02	269
SP04	270
SP08	270
AEROS2	271
ALCDAYS2	271
ALCDAYS3	271
ALCMON2	271
AMYLNIT2	271
AVCIG2	271
AVCIG3	271
CIGMON2	271
CLEFLU2	271
COCIV2	271
COCWAY2	271
COCSNIF2	271
COCSWAL2	272
COCTOT2	272
COCTOT3	272
DRALHELP	272
DRINKER2	272
DRNKHLP2	272
DRUNKYR2	272
ETHER2	272
FREEBAS2	272
GAS2	272
LGAS2	273
GLUE2	273
HVYDRK2	273
LSD2	273
MESC2	273
ECSTASY2	273
MJDY30A2	273
MJDY30A3	273
MJTOT2	273
MJTOT3	273
MRJMON2	274
NITOXID2	274
NOTMARJ	274
PEYOTE2	274
PSILCY2	274
RACESEX	274
RACESEX2	274
SOLVENT2	274
SPPAINT2	275
TRMTHLP2	275
IRAS13	277
IRDEP	277

INDEX OF LABELS

LABEL	PAGE
-----	-----
IRDEP1	277
IRDEP2	278
IRDEP3	278
IRDEP4	278
IRDEP5	278
IRARG	279
IRARG1	279
IRARG2	280
IRARG3	280
IRARG4	280
IRARG5	280
IRALN	280
IRALN1	281
IRALN2	282
IRALN3	282
IRALN4	282
IRALN5	282
IRANX	282
IRANX1	283
IRANX2	284
IRANX3	284
IRANX4	285
IRANX5	285
IRHLT	285
IRHLT1	285
IRHLT2	286
IRHLT3	286
IRHLT4	286
IRHLT5	286
IRNTK	286
IRNTK1	287
IRNTK2	288
IRNTK3	288
IRNTK4	288
IRNTK5	288
IRUPS	288
IRUPS1	289
IRUPS2	290
IRUPS3	290
IRUPS4	290
IRUPS5	290
IRLSW	290
IRLSW1	291
IRLSW2	292
IRLSW3	292
IRLSW4	292
IRLSW5	292
IRSSP	292
IRSSP1	293
IRSSP2	294
IRSSP3	294

INDEX OF LABELS

LABEL	PAGE
-----	----
IRSSP4	294
IRSSP5	294
IRCPE	294
IRCPE1	295
IRCPE2	296
IRCPE3	296
IRCPE4	296
IRCPE5	296
IREMG	296
IREMG1	297
IREMG2	297
IREMG3	297
IREMG4	297
IREMG5	297
ANYPROB	298
TWOPROB	298
THREPROB	298
ALNALC2	300
ALNCIG2	300
ALNCOC2	300
ALNMRJ2	300
ANXKALC2	300
ANXCIG2	300
ANXCOC2	300
ANOMRJ2	300
ARGALC2	300
ARGCIG2	300
ARGCOC2	301
ARGMRJ2	301
CPEALC2	301
CPECIG2	301
CPECOC2	301
CPEMRJ2	301
DEPALC2	301
DEPCIG2	301
DEPCOC2	301
DEPMRJ2	301
EMALC2	301
EMCIG2	302
EMCOC2	302
EMMRJ2	302
HLTALC2	302
HLTCIG2	302
HLTCOC2	302
HLTMRJ2	302
LSWALC2	302
LSWCIG2	302
LSWCOC2	302
LSWMRJ2	302
NTKALC2	303
NTKCIG2	303

INDEX OF LABELS

LABEL	PAGE
-----	-----
NTKCOC2	303
NTKMRJ2	303
SSPALC2	303
SSPCIG2	303
SSPCOC2	303
SSPMRJ2	303
UPSALC2	303
UPSCIG2	303
UPSCOC2	303
UPSMRJ2	304
PRB1ALC	304
PRB1CIG	304
PRB1COC	304
PRB1MRJ	304
PRB2ALC	304
PRB2CIG	305
PRB2COC	305
PRB2MRJ	305
PRB3ALC	305
PRB3CIG	305
PRB3COC	305
PRB3MRJ	305
IRCDALC	307
IRCDCIG	307
IRCDCOC	307
IRCDMJ	307
IREFALC	307
IREFCIG	307
IREFCOC	307
IREFMJ	307
IRUDALC	308
IRUDCIG	308
IRUDCOC	308
IRUDMJ	308
IRDPALC	308
IRDPCIG	308
IRDPCOC	308
IRDFMJ	308
IRWSALC	309
IRWSCIG	309
IRWSCOC	309
IRWSMJ	309
ALCPROBS	310
CIGPROBS	310
COCPROBS	310
MJPROBS	310
IRNOBOOZ	312
IRALCABS	312
IRALCAGG	312
IRALCALO	312
IRALCARG	312

INDEX OF LABELS

LABEL	PAGE
-----	----
IRALCBRK	312
IRALCDRU	312
IRALCFRD	312
IRALCHIG	312
IRALCHOL	312
IRALCINT	313
IRALCJOB	313
IRALCMAT	313
IRALCMOR	313
IRALCQUI	313
IRALCREL	313
IRALCREM	313
IRALCSHO	313
IRALCTOS	314
ANYALC	314
THREALC	314
ALCONLYL	315
ALCONLYY	315
ALCONLYM	315
ILLONLYL	315
ILLONLYY	315
ILLONLYM	315
MRJONLYL	315
MRJONLYY	315
MRJONLYM	315
PSYONLYL	316
PSYONLYY	316
PSYONLYM	316
OTHONLYL	316
OTHONLYY	316
OTHONLYM	317
ALCILLL	317
ALCILLY	317
ALCILLM	317
ALCMRJL	317
ALCMRJY	317
ALCMRJM	317
ALCPSYL	318
ALCPSYY	318
ALCPSYM	318
ALCOTHL	318
ALCOTHY	318
ALCOTHM	319
SUB1LIF	319
SUB1YR	319
SUB1MON	319
SUB2LIF	319
SUB2YR	320
SUB2MON	320
SUB3LIF	320
SUB3YR	320

INDEX OF LABELS

LABEL	PAGE
-----	-----
SUB3MON	320
CHANCMJ2	321
CHANCOC2	321
CHANHAL2	321
CHANHER2	321

APPENDIX A
OCCUPATION CODES

OCCUPATIONAL CLASSIFICATION SYSTEM

Equivalent numeric codes follow the alphabetic code. Either code may be used, depending on the processing method. Numbers in parentheses following the occupation categories are the 1977 Standard Occupational Classification code equivalents. The abbreviation "pt" means "part" and "n.e.c." means "not elsewhere classified."

Code Occupation Category

	MANAGERIAL AND PROFESSIONAL SPECIALITY OCCUPATIONS
1	Executive, Administrative, and Managerial Occupations
	Legislators (112)
	Chief executives and general administrators, public administration (111)
	Administrators and officials, public administration (pt 113 and 199, except 1136)
	Administrators, protective services (pt 113)
	Financial managers (122)
	Personnel and labor relations managers (123)
	Purchasing managers (124)
	Managers; marketing, advertising, and public relations (125)
	Administrators, education and related fields (128)
	Managers, medicine and health (131)
	Managers, properties and real estate (1353)
	Postmasters and mail superintendents (1344)
	Funeral directors (pt 1359)
	Managers and administrators, n.e.c. (1136, 121, 126, 127, 132-139, except 1344, 1353, pt 1359)
	Management related occupations
	Accountants and auditors (1412)
	Underwriters (pt 1419)
	Other financial officers (pt 1419)
	Management analysts (142)
	Personnel, training, and labor relations specialists (143)
	Purchasing agents and buyers, farm products (pt 144)
	Buyers, wholesale and retail trade, except farm products (432)
	Purchasing agents and buyers, n.e.c. (pt 144)
	Business and promotion agents (145)
	Construction inspectors (1171, 613)
	Inspectors and compliance officers, exc. construction (1172, 147)
	Management related occupations, n.e.c. (149)

Code Occupation Category

2	Professional Specialty Occupations
	Architects (15)
	Engineers, surveyors and mapping scientists
	Aerospace engineers (1622)
	Metallurgical and materials engineers (1623)
	Mining engineers (1624)
	Petroleum engineers (1625)
	Chemical engineers (1626)
	Nuclear engineers (1627)
	Civil engineers (1628)
	Agricultural engineers (1632)
	Electrical and electronic engineers (1633, 1636)
	Industrial engineers (1634)
	Mechanical engineers (1635)
	Marine engineers and naval architects (1637)
	Engineers, n.e.c. (1639)
	Surveyors and mapping scientists (1642)
	Mathematical and computer scientists
	Computer systems analysts and scientists (171)
	Operations and systems researchers and analysts (172)
	Actuaries (1732)
	Statisticians (1733)
	Mathematical scientists, n.e.c. (1739)
	Natural Scientists
	Physicists and astronomers (1842, 1843)
	Chemists, except biochemists (1845)
	Atmospheric and space scientists (1846)
	Geologists and geodesists (1847)
	Physical scientists, n.e.c. (1849)
	Agricultural and food scientists (1853)
	Biological and life scientist (1854, 1854)
	Forestry and conservation scientists (1852)
	Medical scientists (1855)
	Health diagnosing occupations
	Physicians (261)
	Dentists (262)
	Veterinarians
	Optometrists (27)
	Podiatrists (283)
	Health diagnosing practitioners, n.e.c. (289)
	Health assessment and treating occupations

Registered nurses (29)
 Pharmacists (301)
 Dietitians (302)
 Therapists
 Inhalation therapists (pt 303)
 Occupational therapists (pt 303)
 Physical therapists (pt 303)
 Speech therapists (pt 303)
 Therapists, n.e.c. (pt 303)
 Physicians' assistants (304)
 Teachers, postsecondary
 Earth, environmental, and marine science teachers (2212)
 Biological science teachers (2213)
 Chemistry teachers (2214)
 Physics teachers (2215)
 Natural science teachers, n.e.c. (2216)
 Psychology teachers (2217)
 Economics teachers (2218)
 History teachers (2222)
 Political science teachers (2223)
 Sociology teachers (2224)
 Social science teachers, n.e.c. (2225)
 Engineering teachers (2226)
 Mathematical science teachers (2227)
 Computer science teachers (2228)
 Medical science teachers (pt 2232)
 Health specialties teachers (pt 2232)
 Business, commerce, and marketing teachers (2233)
 Agriculture and forestry teachers (2234)
 Art, drama, and music teachers (2235)
 Physical education teachers (2236)
 Education teachers (2238)
 English teachers (2238)
 Foreign language teachers (2242)
 Law teachers (2243)
 Social work teachers (2244)
 Theology teachers (2245)
 Trade and industrial teachers (2246)
 Home economics teachers (pt 2249)
 Teachers, postsecondary, n.e.c. (pt 2249)
 Postsecondary teachers, subject not specified
 Teachers, except postsecondary
 Teachers, prekindergarten and kindergarten (231)
 Teachers, elementary school (232)
 Teachers, secondary school (233)
 Teachers, special education (235)
 Teachers, n.e.c. (234, 239)
 Counselors, educational and vocation (24)
 Librarians, archivists, and curators
 Librarians (251)
 Archivists and curators (252)
 Social scientists and urban planners
 Economists (1912)
 Psychologists (1915)
 Sociologists (1916)
 Social scientists, n.e.c. (1913, 1914, 1919)
 Urban planners (192)
 Social, recreation, and religious workers

Social workers (2032)
 Recreation workers (2033)
 Clergy (2042)
 Religious workers, n.e.c. (2049)
 Lawyers and judges
 Lawyers (211)
 Judges (212)
 Writers, artists, entertainers, and athletes
 Authors (pt 321)
 Technical writers (pt 321)
 Designers (322)
 Musicians and composers (323)
 Actors and directors (324)
 Painters, sculptors, craft-artists, and artist printmakers (325, pt 7263)
 Photographers (326)
 Dancers (327)
 Artists, performers, and related workers, n.e.c. (328, 329)
 Editors and reporters (331)
 Public relations specialists (332)
 Announcers (333)
 Athletes (34)

TECHNICAL, SALES, AND ADMINISTRATIVE SUPPORT OCCUPATIONS

3 Technicians and Related Support Occupations

Health technologists and technicians
 Clinical laboratory and technologists (362)
 Dental hygienists (363)
 Health record technologists and technicians (364)
 Radiologic technicians (365)
 Licensed practical nurses (366)
 Health technologists and technicians, n.e.c. (369)
 Technologists and technicians, except health
 Engineering and related technologists and technicians
 Electrical and electronic technicians (3711)
 Industrial engineering technicians (3712)
 Mechanical engineering technicians (3713)
 Engineering technicians, n.e.c. (3719)
 Drafting occupations (3721)
 Surveying and mapping technicians (3722)
 Science technicians
 Biological technicians (382)
 Chemical technicians (3831)
 Science technicians, n.e.c. (3832, 3833, 384, 389)
 Technicians, except health, engineering, and science
 Airplane pilots and navigators (645)
 Air traffic controllers (391)
 Broadcast equipment operators (392)
 Computer programmers (3931, 3932)
 Tool programmers, numerical control (3934)
 Legal assistants (396)
 Technicians, n.e.c. (399)

4 Sales Occupations

Supervisors and proprietors, sales occupations (40, pt 4518)
 Sales occupations, business goods and services Insurance sales occupations (4222)
 Real estate sales occupations (4223)
 Securities and financial services sales occupations (4224)
 Advertising and related sales occupations (4253)
 Sales occupations, other business services (4252)
 Sales engineers (pt 16)
 Sales representatives, mining, manufacturing, and wholesale (412, 413)
 Sales occupations, personal goods and services
 Sales workers, motor vehicles and boats (4142, 4144)
 Sales workers, apparel (pt 4146)
 Sales workers, shoes (pt 4146)
 Sales workers, furniture and home furnishings (4148)
 Sales workers' radio, television, hi-fi, and appliances (4143, 4152)
 Sales workers, hardware and building supplies (4153)
 Sales workers, parts (4167)
 Sales workers, other commodities (4145, 4147, 4154, 4156, 4159, pt 4162, 4169, 4259, 4665)
 Sales counter clerks (pt 4162)
 Cashiers (4683)
 Street and door-to-door sales workers (4163)
 News vendors (4165)
 Sales related occupations
 Demonstrators, promoters and models, sales (435)
 Auctioneers (pt 439)
 Sales support occupations, n.e.c. (434, 436, pt 439)

5 Administrative Support Occupations, Including Clerical

Supervisors, administrative support occupations
 Supervisors, general office (4511-4514, 4516, pt 4518, 4519, 4529, 4537)
 Supervisors, computer equipment operators (4535)
 Supervisors, financial records processing (4521, 4536)
 Chief communications operators (4515)
 Supervisors; distribution, scheduling, and adjusting clerks (4522-4528)
 Computer equipment operators
 Computer operators (4852)
 Peripheral equipment operators (4853)
 Secretaries, stenographers, and typists
 Secretaries (4612)
 Stenographers (4613)
 Typists (4622)
 Information clerks
 Interviewers (4642)

Hotel clerks (4643)
 Transportation ticket and reservation agents (4644)
 Receptionists (4645)
 Information clerks, n.e.c. (4649)
 Records processing occupations, except financial
 Classified-ad clerks (4662)
 Correspondence clerks (4663)
 Order clerks (4664)
 Personnel clerks, except payroll and timekeeping (4692)
 Library clerks (4694)
 File clerks (4696)
 Records clerks (4693, 4699)
 Financial records processing occupations
 Bookkeepers, accounting and auditing clerks (4712)
 Payroll and timekeeping clerks (4713)
 Billing clerks (4715)
 Cost and rate clerks (4716)
 Billing, posting, and calculating machine operators (486)
 Duplicating, mail and other office machine operators
 Duplicating machine operators (4872)
 Mail preparing and paper handling machine operators (4873)
 Office machine operators, n.e.c. (4879)
 Communications equipment operators
 Telephone operators (4652)
 Telegraphers (4623)
 Communications equipment operators, n.e.c. (4659)
 Mail and message distributing occupations
 Postal clerks, exc. mail carriers (4723)
 Mail carriers, postal service (4733)
 Mail clerks, exc. postal service (4722)
 Messengers (4732)
 Material recording, scheduling, and distributing clerks, n.e.c.
 Dispatchers (4741)
 Production Coordinators (4742)
 Traffic, shipping, and receiving clerks (4743)
 Stock and inventory clerks (4744)
 Meter readers (4745)
 Weighers, measurers, and checkers (4746)
 Samplers (4747)
 Expeditors (4748)
 Material recording, scheduling, and distributing clerks, n.e.c. (4749)
 Adjusters and investigators
 Insurance adjusters, examiners, and investigators (4782)
 Investigators and adjusters, except insurance (4783)
 Eligibility clerks, social welfare (4784)
 Bill and account collectors (4786)
 Miscellaneous administrative support occupations
 General office clerks (4632)
 Bank tellers (4682)
 Proofreaders (4792)
 Data-entry keyers (4624)
 Statistical clerks (4717)
 Teachers' aides (4695)

Administrative support occupations, n.e.c.
(4787, 4799)

SERVICE OCCUPATIONS

6 Private Household Occupations

Launderers and ironers (533)
COOKS, private household (534)
Housekeepers and butlers (535)
Child care workers, private household (536)
Private household cleaners and servants (532,
537, 539)

7 Protective Service Occupations

Supervisors, protective service occupations
Supervisors, firefighting and fire prevention
occupations (5011)
Supervisors, police and detectives (5012)
Supervisors, guards (5013)
Firefighting and fire prevention occupations
Fire inspection and fire prevention occupations
(5112)
Firefighting occupations (5113)
Police and detectives
Police and detectives, public service (5122)
Sheriffs, bailiffs, and other law enforcement
officers (5124)
Correctional institution officers (5133)
Guards
Crossing guards (5132)
Guards and police, exc. public service (5134)
Protective service occupations, n.e.c. (5139)

8 Service Occupations, Except Protective and Private Household

Food preparation and service occupations
Supervisors, food preparation and service
occupations (5021)
Bartenders (5121)
Waiters and waitresses (5213)
Cooks, except short order (5214)
Short-order cooks (5215)
Food counter, fountain and related occupations
(5216)
Kitchen workers, food preparation (5217)
Waiters'/waitresses' assistants (5218)
Miscellaneous food preparation occupations
(5219)
Health service occupations
Dental assistants (5232)
Health aides, except nursing (5233)
Nursing aides, orderlies, and attendants (5236)
Cleaning and building service occupations,
except private household
Supervisors, cleaning and building service
workers (5024)
Maids and housemen (5242, 5249)
Janitors and cleaners (5244)

Elevator operators (5245)
Pest control occupations (5246)
Personal service occupations
Supervisors, personal service occupations (5025)
Barbers (5251)
Hairdressers and cosmetologists (5252)
Attendants, amusement and recreation facilities
(5253)
Guides (5254)
Ushers (5255)
Public transportation attendants (5256)
Baggage porters and bellhops (5258)
Welfare service aides (5262)
Child care workers, except private household
(5263)
Personal service occupations, n.e.c. (5257, 5269)

9 FARMING, FORESTRY, AND FISHING OCCUPATIONS

Farm operators and managers
Farmers, except horticultural (5512-5514)
Horticultural specialty farmers (5515)
Managers, farms, except horticultural (5522-5524)
Managers, horticultural specialty farms (5525)

Other agricultural and related occupations
Farm occupations, except managerial
Supervisors, farm workers (5611)
Farm workers (5612-5617)
Marine life cultivation workers (5618)
Nursery workers (5619)
Related agricultural occupations
Supervisors, related agricultural occupations (5621)
Groundskeepers and gardeners, except farm (5622)
Animal caretakers, except farm (5624)
Graders and sorters, agricultural products (5625)
Inspectors, agricultural products (5627)
Forestry and logging occupations
Supervisors, forestry and logging workers (571)
Forestry workers, except logging (572)
Timber cutting and logging occupations (573, 579)
Fishers, hunters, and trappers
Captains and other officers, fishing vessels (582)
Fishers (583)
Hunters and trappers (584)

PRECISION PRODUCTION, CRAFT, AND REPAIR OCCUPATIONS

10 Mechanics and repairers
Supervisors, mechanics and repairers (66)
Mechanics and repairers, except supervisors
Vehicle and mobile equipment mechanics and
repairers
Automobile mechanics (6711)
Automobile mechanic apprentices (pt 6711)
Bus, truck, and stationary engine mechanics (6712)
Aircraft engine mechanics (6713)
Small engine repairers (6714)
Automobile body and related repairers (6715)

Aircraft mechanics, exc. engine (6716)
 Heavy equipment mechanics (6717)
 Farm equipment mechanics (6718)
 Industrial machinery repairers (673)
 Machinery maintenance occupations (674)
 Electrical and electronic equipment repairers
 Electronic repairers, communications and
 industrial equipment (6751, 6753, 6755)
 Data processing equipment repairers (6754)
 Household appliance and power tool repairers
 (6756)
 Telephone line installers and repairers (6757)
 Telephone installers and repairers (6758)
 Miscellaneous electrical and electronic equip-
 ment repairers (6752, 6759)
 Heating, air conditioning, and refrigeration
 mechanics (676)
 Miscellaneous mechanics and repairers
 Camera, watch, and musical instrument
 repairers (6771, 6772)
 Locksmiths and saw repairers (6773)
 Office machine repairers (6774)
 Mechanical controls and valve repairers (6775)
 Elevator installers and repairers (6776)
 Millwrights (6778)
 Specified mechanics and repairers, n.e.c.
 (6777, 6779)
 Not specified mechanics and repairers

11 Construction trades

Supervisors, construction occupations
 Supervisors; brickmasons, stonemasons, and
 tile setters (6012)
 Supervisors, carpenters and related workers
 (6013)
 Supervisors; electricians and power transmis-
 sion installers (6014)
 Supervisors, painters, paperhangers, and
 plasterers (6015)
 Supervisors; plumbers, pipefitters, and
 steamfitters (6016)
 Supervisors, n.e.c. (6011, 6018)
 Construction trades, except supervisors
 Brickmasons and stonemasons (6112, 6113)
 Brickmason and stonemason apprentices (6112,
 6113)
 Tile setters, hard and soft (6114, pt 6162)
 Carpet installers (pt 6162)
 Carpenters (6122)
 Carpenter apprentices (pt 6122)
 Drywall installers (6124)
 Electricians (6132)
 Electrician apprentices (pt 6132)
 Electrical power installers and repairers (6133)
 Painters, construction and maintenance (6142)
 Paperhangers (6143)
 Plasterers (6144)
 Plumbers, pipefitters, and steamfitters (6150)
 Plumber, pipefitter, and steam fiter apprentices
 (pt 6150)
 Concrete and terrazzo finishers (6163)

12

Glaziers (6164)
 Insulation workers (6165)
 Paving, surfacing, and tamping equipment
 operators (6166)
 Roofers (6168)
 Sheetmetal duct installers (6172)
 Structural metal workers (6172)
 Drillers, earth (6174)
 Construction trades, n.e.c. (6167, 6175, 6176,
 6179)

Extractive Occupations

Supervisors, extractive occupations (602)
 Drillers, oil well (622)
 Explosives workers (623)
 Mining machine operators (624)
 Mining occupations, n.e.c. (626)
 Precisions Production occupations
 Supervisors, production occupations (pt 711, 712)
 Precision metal working occupations
 Tool and die makers (7211)
 Tool and die maker apprentices (pt 7211)
 Precision assemblers, metal (7212)
 Machinists (7213)
 Machinist apprentices (pt 7213)
 Boilermakers (7214)
 Precision grinders, fitters, and tool sharpeners
 (7216)
 Patternmakers and model makers metal (7217)
 Lay-out workers (7221)
 Precious stones and metals workers (jewelers)
 (7222, 7266)
 Engravers, metal (7223)
 Sheet metal workers (7224)
 Sheet metal worker apprentices (pt 7224)
 Miscellaneous precision metal workers (7229)
 Precision woodworking occupations
 Patternmakers and model makers, wood (7231)
 Cabinet makers and bench carpenters (7232)
 Furniture and wood finishers (pt 7234, pt 7756)
 Miscellaneous precision woodworkers (pt 7234,
 7239)
 Precision textile, apparel, and furnishings machine
 workers
 Dressmakers (7251, pt 7752)
 Tailors (7252)
 Upholsterers (7253)
 Show repairers (7254)
 Apparel and fabric patternmakers (pt 7259)
 Miscellaneous precision apparel and fabric workers
 (pt 7259, pt 7752)
 Precision workers, assorted materials
 Hand molders and shapers, except jewelers (7261)
 Patternmakers, lay-out workers, and cutters (7262)
 Optical goods workers (7264, pt 7677)
 Dental laboratory and medical appliance technicians
 (7265)
 Bookbinders (pt 7249, pt 7449)
 Electrical and electronic equipment assemblers
 (7267)

Miscellaneous Precision workers N.E.C.(7269)
 Precision food production occupations
 Butchers and meat cutters (7271)
 Bakers (7272)
 Food batchmakers (7273, 7279)
 Precision inspectors, testers, and related workers
 Inspectors, testers, and graders (7281)
 Adjusters and calibrators (7282)
 Plant and system operators
 Water and sewage treatment plant operators (791)
 Power plant operators (pt 793)
 Stationary engineers (pt 793, 7668)
 Miscellaneous plant and system operators (792, 794, 795, 796)

OPERATORS, FABRICATORS, AND LABORERS

13 Machine Operators, Assemblers, and Inspectors

Machine operators and tenders, except precision Metalworking and plastic working machine operators
 Lathe and turning machine set-up operators (7312)
 Lathe and turning machine operators (7512)
 Milling and planing machine operators (7313, 7513)
 Punching and stamping press machine operators (7314, 7317, 7514, 7517)
 Rolling machine operators (7316, 7516)
 Drilling and boring machine operators (7318, 7518)
 Grinding, abrading, buffing, and polishing machine operators (7322, 7324, 7522)
 Forging machine operators (7319, 7519)
 Numerical control machine operators (7326)
 Miscellaneous metal, plastic, stone, and glass working machine operators (7329, 7529)
 Fabricating machine operators, n.e.c. (7339, 7539)
 Metal and plastic processing machine operators
 Molding and casting machine operators (7315, 7342, 7515, 7542)
 Metal plating machine operators (7343, 7543)
 Heat treating equipment operators (7344, 7544)
 Miscellaneous metal and plastic processing machine operators (7349, 7549)
 Woodworking machine operators
 Wood lathe, routing, and planing machine operators (7431, 7432, 7631, 7632)
 Sawing machine operators (7433, 7633)
 Shaping and joining machine operators (7435, 7635)
 Nailing and tacking machine operators (7636)
 Miscellaneous woodworking machine operators (7434, 7439, 7634, 7639)
 Printing machine operators
 Printing machine operators (7443, 7643)

Photoengravers and lithographers (7242, 7444, 7644)
 Typesetters and compositors (7241, 7442, 7642)
 Miscellaneous printing machine operators (pt 7249, pt 7449, 7649)
 Textile, apparel, and furnishings machine operators
 Winding and twisting machine operators (7451, 7651)
 Knitting, looping, taping, and weaving machine operators (7452, 7652)
 Textile cutting machine operators (7654)
 Textile sewing machine operators (7655, pt 7656)
 Shoe machine operators (pt 7656, pt 7659)
 Pressing machine operators (7657)
 Laundering and dry cleaning machine operators (7255, 7658)
 Miscellaneous textile machine operators (7453, 7653, pt 7659)
 Machine operators, assorted materials
 Cementing and gluing machine operators (7661)
 Packaging and filling machine operators (7462, 7662)
 Extruding and forming machine operators (7463, 7663)
 Mixing and blending machine operators (7664)
 Separating, filtering, and clarifying machine operators (7476, 7666, 7676)
 Compressing and compacting machine operators (7467, 7667)
 Painting and paint spraying machine operators (7669)
 Roasting and baking machine operators, food (7472, 7672)
 Washing, cleaning, and pickling machine operators (7673)
 Folding machine operators (7474, 7674)
 Furnace, kiln, and oven operators, exc. food (7668, 7671, 7675)
 Crushing and grinding machine operators (7477, pt 7677)
 Slicing and cutting machine operators (7478, 7678)
 Motion picture projectionists (pt 7679)
 Photographic process machine operators (pt 7263, pt 7679)
 Miscellaneous machine operators, n.e.c. (7479, 7665, pt 7679)
 Machine operators, not specified
 Fabricators, assemblers, and hand working occupations
 Welders and cutters (7332, 7532, 7714)
 Solderers and brazers (7333, 7533, 7717)
 Assemblers (772, 774)
 Hand cutting and trimming occupations (7753)
 Hand molding, casting, and forming occupations (7754, 7755)
 Hand painting, coating, and decorating occupations (pt 7756)
 Hand engraving and printing occupations (7757)
 Hand grinding and polishing occupations (7758)
 Miscellaneous hand working occupations (7759)
 Production inspectors, testers, samplers, and

- weighers
 Production inspectors, checkers, and examiners (782, 786, 787)
 Production testers (783)
 Production samplers and weighers (784)
 Graders and sorters, except agricultural (785)
- 14 **Transportation and Material Moving Occupations**
- Motor vehicle operators
 Supervisors, motor vehicle operators (6311)
 Truck drivers, heavy (6412, 6413)
 Truck drivers, light (6414)
 Driver-sales workers (433)
 Bus drivers (6415)
 Taxi cab drivers and chauffeurs (6416)
 Parking lot attendants (6417)
 Motor transportation occupations, n.e.c. (6419)
 Transportation occupations, except motor vehicles
 Rail transportation occupations
 Railroad conductors and yardmasters (6313)
 Locomotive operating occupations (6432)
 Railroad brake, signal, and switch operators (6433)
 Rail vehicle operators, n.e.c. (6439)
 Water transportation occupations
 Ship captains and mates, except fishing boats (6441, 6442)
 Sailors and deckhands (6443)
 Marine engineers (6444)
 Bridge, lock, and lighthouse tenders (6445)
 Materials moving equipment operators
 Supervisors, material moving equipment operators (632)
 Operating engineers (6512)
 Longshore equipment operators (6513)
 Hoist and winch operators (6514)
 Crane and tower operators (6515)
 Excavating and loading machine operators (6516)
 Grader, dozer, and scraper operators (6517)
 Industrial truck and tractor equipment operators (6518)
 Miscellaneous material moving equipment operators (6519, pt 659)
- 15 **Handlers, Equipment Cleaners, Helpers, and Laborers**
- Supervisors; handlers, equipment cleaners, and laborers, n.e.c. (pt 711)
 Helpers, mechanics and repairers (679)
 Helpers, construction and extractive occupations
 Helpers, construction trades (6191-6195, 6198)
 Helpers, surveyors (6196)
 Helpers, extractive occupations (629)
 Construction laborers (81)
 Production helpers (769, 779)

Freight, stock, and material movers
 Garbage collectors (822)
 Stevedores (823)
 Stock handlers and baggers (824)
 Machine feeders and offbearers (825)
 Freight, stock, and material handlers, n.e.c. (649,826)
 Garage and service station related occupations (672)
 Vehicle washers and equipment cleaners (83)
 Hand packers and packagers (841)
 Laborers, except construction (842, 846, pt 659)

16 **Active military duty**

990 **OCCUPATION NOT REPORTED¹**

¹Code used when not-reported cases are not allocated

APPENDIX B
INDUSTRY CODES

INDUSTRIAL CLASSIFICATION SYSTEM

Equivalent numeric codes follow the alphabetic code. Either code may be used, depending on the processing method. Numbers in parentheses following the industry categories are the SIC definitions. The abbreviation "pt" means "part" and "n.e.c." means "not elsewhere classified."

Code Industry Category

- 1 AGRICULTURE, FORESTRY, AND FISHERIES
 - Agricultural production, crops (01)
 - Agricultural production, livestock (02)
 - Agricultural services, except horticultural (07, except 078)
 - Horticultural services (078)
 - Forestry (08)
 - Fishing, hunting, and trapping (09)
- 2 MINING
 - Metal mining (10)
 - Coal mining (11, 12)
 - Crude petroleum and natural gas extraction (13)
 - Nonmetallic mining and quarrying, except fuel (14)
- 3 CONSTRUCTION (15, 16, 17)
- MANUFACTURING
- 4 Nondurable Goods
 - Food and kindred products
 - Meat products (201)
 - Dairy products (202)
 - Canned and preserved fruits and vegetables (203)
 - Grain mill products (204)
 - Bakery products (205)
 - Sugar and confectionery products (206)
 - Beverage industries (208)
 - Miscellaneous food preparations and kindred products (207, 209)
 - Not specified food industries
 - Tobacco manufactures (21)
 - Textile mill products
 - Knitting mills (225)
 - Dyeing and finishing textiles, except wool and knit goods (226)
 - Floor coverings, except hard surface (227)
 - Yarn, thread, and fabric mills (228, 221-224)
 - Miscellaneous textile mill products (229)
 - Apparel and other finished textile products
 - Apparel and accessories, except knit (231-238)

Code Industry Category

- Miscellaneous fabricated textile products (239)
 - Paper and allied products
 - Pulp, paper, and paperboard mills (261-263, 266)
 - Miscellaneous paper and pulp products (264)
 - Paperboard containers and boxes (265)
 - Printing, publishing and printing
 - Newspaper publishing and printing (271)
 - Printing, publishing, and allied industries, except newspapers (272-279)
 - Chemicals and allied products
 - Plastics, synthetics, and resins (282)
 - Drugs (283)
 - Soaps and cosmetics (284)
 - Paints, varnishes, and related products (285)
 - Agricultural chemicals (287)
 - Industrial and miscellaneous chemicals (281, 286, 289)
 - Petroleum and coal products
 - Petroleum refining (291)
 - Miscellaneous petroleum and coal products (295, 299)
 - Rubber and miscellaneous plastics products
 - Tires and inner tubes (301)
 - Other rubber products, and plastics footwear and belting (302-304, 306)
 - Miscellaneous plastics products (307)
 - Leather and leather products
 - Leather tanning and finishing (311)
 - Footwear, except rubber and plastic (313, 314)
 - Leather products, except footwear (315-317, 319)
- 5 Durable Goods
 - Lumber and wood products, except furniture
 - Logging (241)
 - Sawmills, planing mills, and millwork (242, 243)
 - Wood buildings and mobile homes (245)
 - Miscellaneous wood products (244, 249)
 - Furniture and fixtures (25)
 - Stone, clay, glass, and concrete products
 - Glass and glass products (321-323)
 - Cement, concrete, gypsum, and PLASTIC products (324, 327)
 - Structural clay products (325)
 - Pottery and related products (326)
 - Miscellaneous nonmetallic mineral and stone products (328, 329)

Metal industries
 Blast furnaces, steelworks, rolling and finishing mills (331)
 Iron and steel foundries (332)
 Primary aluminum industries (3334, pt 334, 3353-3355, 3361)
 Other primary metal industries (3331-3333, 3339, pt 334, 3351, 3356, 3357, 3362, 3369, 339)
 Cutlery, hand tools, and other hardware (342)
 Fabricated structural metal products (344)
 Screw machine products (345)
 Metal forgings and stampings (346)
 Ordnance (348)
 Miscellaneous fabricated metal products (341, 343, 347, 349)
 Not specified metal industries

Machinery, except electrical
 Engines and turbines (351)
 Farm machinery and equipment (352)
 Construction and material handling machines (353)
 Metalworking machinery (354)
 Office and accounting machines, (357, except 3573)
 Electronic computing equipment (3573)
 Machinery, except electrical, n.e.c. (355, 356, 358, 358)
 Not specified machinery

Electrical machinery, equipment, and supplies
 Household appliance (363)
 Radio, TV, and communication equipment (365, 366)
 Electrical machinery, equipment, and supplies, n.e.c. (361, 362, 364, 367, 369)
 Not specified electrical machinery, equipment, and supplies

Transportation equipment
 Motor vehicles and motor vehicle equipment (371)
 Aircraft and parts (372)
 Ship and boat building and repairing (373)
 Railroad locomotives and equipment (374)
 Guided missiles, space vehicles, and parts (376)
 Cycles and miscellaneous transportation equipment (375, 379)

Professional and photographic equipment, and watches
 Scientific and controlling instruments (381, 382)
 Optical and health services supplies (383, 384, 385)
 Photographic equipment and supplies (386)
 Watches, clocks, and clockwork operated devices (387)
 Not specified professional equipment

Toys, amusement, and sporting goods (394)
 Miscellaneous manufacturing industries (39 exc. 394)
 Not specified manufacturing industries

6

TRANSPORTATION, COMMUNICATIONS, AND OTHER PUBLIC UTILITIES

Transportation
 Railroads (40)
 Bus service and urban transit (41, exc. 412)
 Taxicab service (412)
 Trucking service (421, 423)
 Warehousing and storage (422)
 U.S. Postal Service (43)
 Water transportation (44)
 Air transportation (45)
 Pipe lines, except natural gas (46)
 Services incidental to transportation (47)
 Communications
 Radio and television broadcasting (483)
 Telephone (wire and radio) (481)
 Telegraph and miscellaneous communication services (482, 489)
 Utilities and sanitary services
 Electric light and power (491)
 Gas and steam supply systems (492, 496)
 Electric and gas, and other combinations (493)
 Water supply and irrigation (494, 496)
 Sanitary services (495)
 Not specified utilities

WHOLESALE TRADE

7

Durable Goods

Motor vehicles and equipment (501)
 Furniture and home furnishings (502)
 Lumber and construction materials (503)
 Sporting goods, toys, and hobby goods (504)
 Metals and minerals, except petroleum (505)
 Electrical goods (506)
 Hardware, plumbing and heating supplies (507)
 Not specified electrical and hardware products
 Machinery, equipment, and supplies (508)
 Scrap and waste materials (5093)
 Miscellaneous whole, durable goods (5094, 5099)

8

Nondurable Goods

Paper and paper products (511)
 Drugs, chemicals, and allied products (512, 516)
 Apparel, fabrics, and notions (513)
 Groceries and related products (514)
 Farm-product raw materials (515)
 Petroleum products (517)
 Alcoholic beverages (518)
 Farm supplies (5191)
 Miscellaneous wholesale, nondurable goods (5194, 5198, 5199)

	Not specified wholesale trade		Services to dwellings and other buildings (734)
9	RETAIL TRADE		Commercial research, development, and testing labs (7391, 7397)
	Lumber and building material retailing (521, 523)		Personnel supply services (736)
	Hardware stores (525)		Business management and consulting services (7392)
	Retail nurseries and garden stores (526)		Computer and data processing services (737)
	Mobile home dealers (527)		Detective and protective services (7393)
	Department stores (531)		Business services, n.e.c. (732, 733, 735, 7394, 7395, 7396, 7399)
	Variety stores (533)		Automotive services, except repair (751, 752, 754)
	Miscellaneous general merchandise stores (539)		Automotive repair shops (753)
	Grocery stores (541)		Electrical repair shops (762, 7694)
	Dairy products stores (545)		Miscellaneous repair services (763, 764, 7692, 7699)
	Retail bakeries (546)	12	PERSONAL SERVICES
	Food stores, n.e.c. (542, 543, 544, 549)		Private households (88)
	Motor vehicle dealers (551, 552)		Hotels and motels (701)
	Auto and home supply stores (553)		Lodging places, except hotels and motels (702, 703, 704)
	Gasoline service stations (554)		Laundry, cleaning, and garment services (721)
	Miscellaneous vehicle dealers (555, 556, 557, 559)		Beauty shops (723)
	Apparel and accessory stores, except shoe (56, except 566)		Barber shops (724)
	Shoe stores (566)		Funeral service and crematories (726)
	Furniture and home furnishings stores (571)		Shoe repair shops (725)
	Household appliances, TV, and radio stores (572, 573)		Dressmaking shops (pt 729)
	Eating and drinking places (58)		Miscellaneous personal services (722, pt 729)
	Drug stores (591)	13	ENTERTAINMENT AND RECREATION SERVICES
	Liquor stores (592)		Theaters and motion pictures (78, 792)
	Sporting goods, bicycles, and hobby stores (5941, 5945, 5946)		Bowling alleys, billiard and pool parlors (793)
	Book and stationery stores (5942, 5943)		Miscellaneous entertainment and recreation services (791, 794, 799)
	Jewelry stores (5944)		
	Sewing, needlework, and piece goods stores (5949)	14	PROFESSIONAL AND RELATED SERVICES
	Mail order houses (5961)		Offices of physicians (801, 803)
	Vending machine operators (5962)		Offices of dentists (802)
	Direct selling establishments (5963)		Offices of chiropractors (8041)
	Fuel and ice dealers (598)		Offices of optometrists (8042)
	Retail florists (5992)		Offices of health practitioners, n.e.c. (8049)
	Miscellaneous retail stores (593, 5947, 5948, 5993, 5994, 5999)		Hospitals (806)
	Not specified retail trade		Nursing and personal care facilities (805)
10	FINANCE, INSURANCE, AND REAL ESTATE		Health services, n.e.c. (807, 808, 809)
	Banking (60)		Legal services (81)
	Savings and loan associations (612)		Elementary and secondary schools (821)
	Credit agencies, n.e.c. (61, except 612)		Colleges and universities (822)
	Security, commodity brokerage, and investment companies (62, 67)		Business, trade, and vocational schools (824)
	Insurance (63, 64)		Libraries (823)
	Real estate, including real estate-insurance-law offices (65, 66)		Educational services, n.e.c. (829)
11	BUSINESS AND REPAIR SERVICES		Job training and vocational rehabilitation services (833)
	Advertising (731)		Child day care services (835)
			Residential care facilities, without nursing (836)
			Social services, n.e.c. (832, 839)
			Museums, art galleries, and zoos (84)
			Religious organization (866)

Membership organizations (861-865, 869)
Engineering, architectural, and surveying
services (891)
Accounting, auditing, and bookkeeping services
(893)
Noncommercial educational and scientific
research (892)
Miscellaneous professional and related services
(899)

15 PUBLIC ADMINISTRATION

Executive and legislative offices (911-913)
General government, n.e.c. (919)
Justice, public order, and safety (92)
Public finance, taxation, and monetary policy
(93)
Administration of human resources programs
(94)
Administration of environmental quality and
housing programs (95)
Administration of economic programs (96)
National security and international affairs (97)

16 ACTIVE MILITARY DUTY

990 INDUSTRY NOT REPORTED¹

¹Code used when not reported cases are not
allocated.

APPENDIX C

CENSUS REGION/DIVISION/STATE TABLE

CENSUS REGION/DIVISION/STATE TABLE

<u>CENSUS REGION</u>	<u>CENSUS DIVISION</u>	<u>STATE NAME</u>	<u>STATE ABBREVIATION</u>
Northeast	New England	Connecticut	CT
Northeast	New England	Maine	ME
Northeast	New England	Massachusetts	MA
Northeast	New England	New Hampshire	NH
Northeast	New England	Rhode Island	RI
Northeast	New England	Vermont	VT
Northeast	Middle Atlantic	New Jersey	NJ
Northeast	Middle Atlantic	New York	NY
Northeast	Middle Atlantic	Pennsylvania	PA
North Central	East North Central	Illinois	IL
North Central	East North Central	Indiana	IN
North Central	East North Central	Michigan	MI
North Central	East North Central	Ohio	OH
North Central	East North Central	Wisconsin	WI
North Central	West North Central	Iowa	IA
North Central	West North Central	Kansas	KS
North Central	West North Central	Minnesota	MN
North Central	West North Central	Missouri	MO
North Central	West North Central	Nebraska	NE
North Central	West North Central	North Dakota	ND
North Central	West North Central	South Dakota	SD
South	South Atlantic	Delaware	DE
South	South Atlantic	District of Columbia	DC
South	South Atlantic	Florida	FL
South	South Atlantic	Georgia	GA
South	South Atlantic	Maryland	MD
South	South Atlantic	North Carolina	NC
South	South Atlantic	South Carolina	SC
South	South Atlantic	Virginia	VA
South	South Atlantic	West Virginia	WV
South	East South Central	Alabama	AL
South	East South Central	Kentucky	KY
South	East South Central	Mississippi	MS
South	East South Central	Tennessee	TN
South	West South Central	Arkansas	AR
South	West South Central	Louisiana	LA
South	West South Central	Oklahoma	OK
South	West South Central	Texas	TX
West	Mountain	Arizona	AZ
West	Mountain	Colorado	CO
West	Mountain	Idaho	ID
West	Mountain	Montana	MT
West	Mountain	Nevada	NV
West	Mountain	New Mexico	NM
West	Mountain	Utah	UT
West	Mountain	Wyoming	WY
West	Pacific	Alaska	AK
West	Pacific	California	CA
West	Pacific	Hawaii	HI
West	Pacific	Oregon	OR
West	Pacific	Washington	WA

APPENDIX D

DRUG CODES FOR OPEN-ENDED QUESTIONS

Appendix of Drugs

Alphabetical Listing

244	=	2, Roche (Mexican) [sic]	836	=	Antabuse
358	=	20/20	338	=	Antiadiposium X112 [sic]
429	=	222, Frost	858	=	Antibiotic
439	=	222	843	=	Antihistamine
439	=	222, Canadian	264	=	Anxidel [sic]
340	=	250, Tiamina [sic]	369	=	Artane
409	=	3, Tylenol	249	=	Ascendin
410	=	3, Phenaphen	859	=	Aside [sic]
444	=	3, Empirin	444	=	Aspirin with codeine
851	=	3, Thyrolar- [sic]	430	=	Aspirin
333	=	357 Magnum	255	=	Assival [sic]
409	=	4, Tylenol	530	=	Asthma medication
837	=	400, Paris	530	=	Asthma inhaler
333	=	44 Magnum	216	=	Atarax
149	=	50, Ekilid [sic]	207	=	Ativan
137	=	7-14	236	=	Avatir [sic]
450	=	Acetaminophen	529	=	Balls, Moth
518	=	Acetone	363	=	Bam(s)
563	=	Acetylene	562	=	Ban apple gas
601	=	Acid	156	=	Barbital, Sodium
618	=	(Acid), Blotter	157	=	Barbiturates
618	=	Acid paper	327	=	Beauties, Black
148	=	Actifed	327	=	Beauty, Black
247	=	Adapin	452	=	Becadan [sic]
425	=	Advil	807	=	Beer
503	=	Aerosol sprays other than spray paints	860	=	Bees [sic]
122	=	Aid, Sleep	863	=	Beetlenut
504	=	Airplane glue	142	=	Belladonna
548	=	Alcohol, Rubbing	362	=	Benadryl
807	=	Alcohol	344	=	Bennies
652	=	ALD-52 (version of LSD)	146	=	Bentyl
808	=	All of the ones I've tried	304	=	Benzedrine
841	=	Allerest	350	=	Betin SS [sic]
827	=	Aluminum chloride	541	=	Binaca
826	=	Alupent	305	=	Biphetamine
154	=	Alurate	330	=	Birds, Blue
162	=	Ambramine 500 [sic]	345	=	Black Molly
228	=	Amitriptyline	357	=	Black pills, Heart-shaped
542	=	Ammonia, Spirits of	327	=	Black beauties
114	=	Amobarbital	265	=	Black Caddy
821	=	Amoxicillin	327	=	Black Beauty
339	=	Amphetamines (speed generically)	139	=	Black widows
821	=	Ampicillin	630	=	Black Owaley
561	=	Amputee gas cleanser	707	=	Black Tar
506	=	Amyl nitrite	331	=	Blancs
103	=	Amytal	823	=	Blast (KJ) [sic]
438	=	Anaprox	844	=	Blood pressure medication
507	=	Anesthetics other than halothane or ether	618	=	Blotter (acid)
605	=	Angel dust	330	=	Blue birds
416	=	Anileridine	330	=	Blue robins
451	=	Ansaid [sic]	330	=	Blue jays
			620	=	Blue dragon

457	=	Blues, T's and	545	=	CO2
659	=	Boat (Marijuana & PCP)	805	=	Coca
537	=	Boat horn	805	=	Cocaine
833	=	Bone	375	=	Coco puffs [sic]
866	=	Boomers	409	=	Codeine, Tylenol with
867	=	Boron	410	=	Codeine, Phenaphen with
530	=	Bronchial dilators	453	=	Codeine, Organidin with
875	=	Buds	415	=	Codeine
436	=	Bufferin	444	=	Codeine, Aspirin with
830	=	Bull, Mad	455	=	Codeine, Fiorinal with
211	=	Buspar	815	=	Coffee
426	=	Butalbital	371	=	Cogentin
525	=	Butane	805	=	Coke
471	=	Butazolidin	843	=	Cold tablets
102	=	Buticaps	548	=	Cologne
101	=	Butisol	230	=	Compazine
868	=	Buttee [sic]	538	=	Condensed horn
368	=	Butter Crank, Peanut	873	=	Contraceptives
265	=	Caddy, Black	378	=	Control
470	=	Cafergot	248	=	Cool, Sooper [sic]
814	=	Caffeine	535	=	Copies, Rexo [sic]
842	=	Callipress [sic]	509	=	Correction fluids
158	=	Calmociteno (in Brazil)	870	=	Coug [sic]
528	=	Can, Whipped-cream	840	=	Cough medicine (contents not specified)
439	=	Canadian 222	806	=	Crack
531	=	Candy	322	=	Crank
531	=	Candy, Powdered	368	=	Crank, Peanut Butter
802	=	Cannabinol	252	=	Cream, Strawberry whip
373	=	Captagon [sic]	653	=	Cricketshit
545	=	Car tailpipe exhaust fumes	359	=	Criss Cross
514	=	Carbona [sic]	359	=	Cross, Criss
240	=	Carbonate, Lithium	334	=	Cross tops
514	=	Carbone [sic]	326	=	Cross, White
108	=	Carbrital	334	=	Crossroads
869	=	CD [sic]	355	=	Crystal meth
504	=	Cement, Rubber	348	=	Crystal
208	=	Centrax	610	=	Crystal T
807	=	Champagne, Pink	234	=	Cyclobenzaprine
504	=	Chemical glue	319	=	Cylert
816	=	Chewing tobacco	238	=	Dafernil [sic]
555	=	Chillers	111	=	Dalmane
117	=	Chloral hydrate	461	=	Daopar [sic]
827	=	Chloride, Aluminum	389	=	Daprisal [sic]
550	=	Chloride, Methyl	427	=	Darvocet
507	=	Chloroform	401	=	Darvon
649	=	Choc. [sic] tea	650	=	Daytura
374	=	Christmas tree(s)	509	=	Degreasers
251	=	CIBA:S [sic]	407	=	Demerol
813	=	Cigarettes	508	=	Dentist gas
812	=	Cigars	534	=	Deodorant
551	=	Cleaner (Spam [sic]), Oven	214	=	Deprol
509	=	Cleaning fluids	365	=	Desecon [sic]
246	=	Clonopin	648	=	Designer drugs
639	=	Cloves	259	=	Desipramine
623	=	Club, Mickey Mouse	306	=	Desoxyn
434	=	Co-Gesic	225	=	Desyrel

145	=	Devil(s), Red	152	=	Esakabarb
302	=	Dexamyl	303	=	Esacatrol
335	=	Dexatrim	807	=	Ethanol
301	=	Dexedrine	507	=	Ether
356	=	Dexies	807	=	EtOH
320	=	Dextroamphetamine	243	=	Etrafon
134	=	Diasetan [sic]	654	=	Eve
218	=	Diazepam	468	=	Excedrin
146	=	Dicyclomine	428	=	Execl [sic]
309	=	Didrex	545	=	Exhaust fumes, Car tailpipe
336	=	Diet pills	606	=	Extasi [sic]
308	=	Diethylpropion (Tepanil)	435	=	Extra-Strength, Tylenol
307	=	Diethylpropion (Tenuate)	313	=	Fastin
141	=	Dilantin	511	=	Felt-tip pens
530	=	Dilators, Bronchial	465	=	Fentanyl
408	=	Dilaudid	873	=	Feutal
136	=	Dimetapp	424	=	Fioricet
879	=	Dimethyltryptamide MMPT	455	=	Fiorinal with Codeine
865	=	Diuretics	426	=	Fiorinal
616	=	DMT	536	=	Fire Halt
861	=	Doen [sic]	234	=	Flexeril
861	=	Doer [sic]	642	=	Floyd, Pink
402	=	Dolene	852	=	Fluid), Whack (embalming
443	=	Dolobid	501	=	Fluids, Lighter
418	=	Dolophine	509	=	Fluids, Correction
704	=	Dope	509	=	Fluids, Cleaning
106	=	Doriden	655	=	Flying elephant
120	=	Downers; OTHER Sedative, NOT SPECIFIED	632	=	Folifundia [sic]
247	=	Doxepin	382	=	Footballs, Purple
621	=	Dragon, Red	852	=	Formaldehyde
620	=	Dragon, Blue	445	=	Forte, Norgesic
864	=	Dramamine	437	=	Forte, Parafon
615	=	Drugs, Homemade	426	=	Forte, Phrenilin
648	=	Drugs, Designer	458	=	Fortis, Mepergan
613	=	Duckweed	516	=	Freon
366	=	Duromine [sic]	880	=	Frios
217	=	Durrax	878	=	Friying
605	=	Dust, Angel	429	=	Frost 222
430	=	Ecotrin	626	=	Fuel, Jet
606	=	Ecstasy	629	=	Fuel, Rocket
845	=	ECT [sic]	545	=	Fumes, Car tailpipe exhaust
329	=	Eggs, Robin's	853	=	Funti [sic] leaf
329	=	Eggs, Speckled	508	=	Gas, Dentist
149	=	Ekilid [sic] 50	544	=	Gases, Lighter, not specified
239	=	Elavil	501	=	Gasoline
564	=	Electric contact cleaner	847	=	GHB [sic]
852	=	(Embalming fluid), Whack	635	=	Ginseng seeds
444	=	Empirin 3	876	=	Glass
430	=	Empirin	617	=	Glory seeds, Morning
556	=	Energine	504	=	Glue, Airplane
332	=	Ephedrine (HCl)	504	=	Glue
346	=	Ephedrine Sulfate	504	=	Glue, Super
242	=	Equagesic	504	=	Glue, Model
213	=	Equanil	504	=	Glue, Chemical
846	=	Erythromycin	849	=	Glutamate (MSG), Monosodium
			611	=	Greens

609	=	Gympson [sic] pods	862	=	Leaves, Thornapple [sic]
557	=	Hagwash	352	=	Lemons
113	=	Halcion	469	=	Leritine
131	=	Haldol	405	=	Levo-Dromoran
131	=	Haloperidol	229	=	Librax
507	=	Halothane	203	=	Libritabs
536	=	Halt, Fire	202	=	Librium
612	=	Happy stick	501	=	Lighter fluids
817	=	Hard stuff	544	=	Lighter gases, not specified
804	=	Hashish	601	=	Lightning, White
628	=	Hawaiian rosebud seed tea	203	=	Limbitrol
627	=	Hawaiian Woodrow seeds	504	=	Liquid, Shoeshine
637	=	Haze, Purple	543	=	Liquid oxygen
456	=	HD, Lorcet	848	=	Liquid vitamin
357	=	Heart-shaped black pills	509	=	Liquid paper
379	=	Hearts	522	=	Liquid TV (MTV)
328	=	Hearts, Pink	463	=	Lisalgil [sic]
342	=	Hearts, Purple	240	=	Lithium carbonate
519	=	Helium	385	=	Little pink one
810	=	Hemp	384	=	Little crosses
702	=	Heroin	506	=	Locker room odorizer
615	=	Homemade drugs	559	=	LOLOY
831	=	Honey Oil	456	=	Lorcet HD
537	=	Horn, Boat	456	=	Lorcet Plus
538	=	Horn, Condensed	434	=	Lortab
258	=	Hoses [sic]	834	=	Loveboat
117	=	Hydrate, Chloral	638	=	Lovlez [sic]
434	=	Hydrocodone	601	=	LSD
442	=	Ibuprofen	441	=	Luitab [sic]
322	=	Ice	153	=	Luminal
992	=	Illegible	386	=	Ma Huang
235	=	Imipramine	647	=	Macullen [sic]
512	=	Incense	830	=	Mad Bull
819	=	Inderal	460	=	Magnopyrol [sic]
472	=	Indocin	333	=	Magnum, 44
472	=	Indomethacin	333	=	Magnum, 357
530	=	Inhaler, Asthma	138	=	Mandrax [sic]
511	=	Ink pens	346	=	Marax
312	=	Ionamin	267	=	Marezine
476	=	Isocom	803	=	Marijuana
361	=	Isutars [sic]	511	=	Markers
361	=	Isyfiars [sic]	803	=	MarrJane [sic]
124	=	Jackets, Yellow	656	=	Mars
330	=	Jays, Blue	803	=	Mary Jane
626	=	Jet Fuel	523	=	Matches
609	=	Jimson [sic] weed	390	=	Max Alert
854	=	Juice	317	=	Mazanor
509	=	K2R Spot Remover	641	=	Maze [sic]
662	=	Kanepolin	614	=	MDA
459	=	Ketamine	606	=	MDMA
246	=	Klonopin	104	=	Mebaral
558	=	Kool Aid	844	=	Medication, Blood pressure
505	=	Lacquer thinner	530	=	Medication, Asthma
380	=	Ladies, Pink	840	=	Medicine, Cough (contents not specified)
853	=	Leaf, Funti [sic]			
546	=	Leather protector			

372	=	Mejoral [Spanish]	508	=	Nitrous oxide
232	=	Mellaril	353	=	No-Doz
651	=	Mellow Yellow	117	=	Noctec
204	=	Menrium	478	=	Nogirtronia
458	=	Mepergan	107	=	Noludar
458	=	Mepergan Fortis	462	=	Norflex
220	=	Meprobamate	445	=	Norgesic Forte
220	=	Meprospan	259	=	Norpramin
603	=	Mescaline	250	=	Nortriptyline
370	=	Mess tab [sic]	454	=	Novocain
355	=	Meth, Crystal	639	=	Nutmeg
418	=	Methadone	127	=	Nytol
322	=	Methamphetamine	855	=	Oanol [sic]
116	=	Methaqualone	838	=	Obainedin [sic]
321	=	Methedrine	323	=	Obedrin-L.A.
877	=	Methozolamide	159	=	Octanox
550	=	Methyl chloride	506	=	Odorizer, Locker room
318	=	Methylphenidate	831	=	Oil, Honey
623	=	Mickey Mouse club	520	=	Old paint
623	=	Mickey Mousers	703	=	Opium
622	=	Microdot, Purple	657	=	Orange barrel
622	=	Microdot(s)	624	=	Orange sunshine
466	=	Midol	464	=	Oratab [sic]
476	=	Midrin	608	=	Organes-25 [sic]
212	=	Miltown	453	=	Organidin with Codeine
135	=	Mini Thins	873	=	Ortho Novum
803	=	MJ	446	=	Orvais [sic]
504	=	Model glue	503	=	Other aerosol sprays besides spray paints
337	=	Molly, White	505	=	Other paint solvents besides lacquer thinner
345	=	Molly, Black	507	=	Other anesthetics besides halothane and ether
849	=	Monosodium glutamate (MSG)	420	=	OTHER Analgesic, NOT SPECIFIED
617	=	Morning glory seeds	221	=	OTHER Tranquilizer, NOT SPECIFIED
417	=	Morphine	701	=	OTHER Opiates, NOT SPECIFIED
529	=	Moth balls	607	=	OTHER Hallucinogen, NOT SPECIFIED
864	=	Motion sickness pill	801	=	OTHER Drugs, NOT SPECIFIED
422	=	Motrin	510	=	OTHER Inhalant, NOT SPECIFIED
623	=	Mouse club, Mickey	551	=	Oven cleaner (Spam [sic])
623	=	Mousers, Mickey	630	=	Owaley, Black
633	=	Mr. Natural	631	=	Owaley, Purple
231	=	MS [sic]	508	=	Oxide, Nitrous
849	=	(MSG), Monosodium glutamate	406	=	Oxycodone
522	=	(MTV), Liquid TV	543	=	Oxygen, Liquid
811	=	Muscle relaxers	381	=	P.O.T.C.
604	=	Mushrooms	505	=	Paint solvents other than lacquer thinner
518	=	Nail polish remover	520	=	Paint, Old
526	=	Nail polish	502	=	Paints, Spray
438	=	Naprosyn	540	=	PAM
633	=	Natural, Mr.	625	=	Pane, Window
108	=	Nembutal	618	=	Paper, Acid
477	=	Neo-Melubrina (Spanish)	509	=	Paper, Liquid
128	=	Nervine	437	=	Parafon Forte
147	=	Nicol [sic]	433	=	Paregoric
818	=	Nicotine	116	=	Parast
506	=	Nitrate, Amyl			
527	=	Nitrate, Phenyl			
343	=	Nitroglycerine			

837	=	Paris 400	475	=	Precom [sic]
155	=	Passatorim [sic]	311	=	Preludin
269	=	Passidrin (in Mexico)	874	=	Premarin
210	=	Paxipam	844	=	Pressure medication, Blood
260	=	PCB	832	=	Primo
605	=	PCP	454	=	Procaine
368	=	Peanut Butter Crank	262	=	Prolixin
644	=	Pedro, San [Spanish]	521	=	Propane
569	=	Peganento	547	=	Propel [sic]
820	=	Penicillin	414	=	Propoxyphene
511	=	Pens, Ink	546	=	Protector, Leather
511	=	Pens, Felt-tip	241	=	Prozac
118	=	Pentobarbital	532	=	PRW [sic]
118	=	Pentothal, Sodium	604	=	Psilocybin
118	=	Pentothal	375	=	Puffs, Coco [sic]
479	=	Pentrexyl	342	=	Purple hearts
423	=	Percocet	382	=	Purple footballs
406	=	Percodan	631	=	Purple Owaley
259	=	Pertofrane	622	=	Purple microdot
567	=	Pertussin Spray	640	=	Purple Pyramid
602	=	Peyote	637	=	Purple haze
410	=	Phenapben with Codeine	570	=	PVC (in Mexico)
410	=	Phenapben 3	640	=	Pyramid, Purple
605	=	Phencyclidine	473	=	Pyridium
130	=	Phenergan	351	=	Q'at
115	=	Phenobarbital	116	=	Qualude
349	=	Phentametrizine [sic]	643	=	Queen
313	=	Phentermine	125	=	Quande [sic]
527	=	Phenyl nitrate	822	=	Rabbit tobacco
347	=	Phenylpropanolamine	872	=	Raffies [sic]
426	=	Phrenilin Forte	268	=	Rahipinal
336	=	Pills, Diet	554	=	Raid
357	=	Pills, Heart-shaped black	360	=	Rainbow speed
809	=	Pills	145	=	Red devil(s)
380	=	Pink ladies	621	=	Red dragon
328	=	Pink hearts	129	=	Reds
341	=	Pink roses	160	=	Relanium [sic]
388	=	Pink lemon	811	=	Relaxers, Muscle
387	=	Pink football	518	=	Remover, Nail polish
807	=	Pink champagne	112	=	Restoril
642	=	Pink Floyd	535	=	Rexo [sic] copies
553	=	Pixie sticks	144	=	Reynolds [sic]
105	=	Placidyl	318	=	Ritalin
310	=	Plegine	367	=	Rite, Slender [sic]
456	=	Plus, Lorcet	223	=	Robaxin
609	=	Pods, Gympson [sic]	329	=	Robin's eggs
518	=	Polish remover, Nail	330	=	Robins, Blue
526	=	Polish, Nail	480	=	Robitussin AC with Codeine
314	=	Poodimin	829	=	Robitussin DM
506	=	Poppers	244	=	Roche 2 (Mexican) [sic]
646	=	Poppy [sic]	806	=	Rock
871	=	Pote [sic]	629	=	Rocket Fuel
708	=	Powder (heroin?)	856	=	Roofe [sic]
531	=	Powdered candy	506	=	Room odorizer, Locker
474	=	PPA [sic]	261	=	Roperals [sic]
383	=	Pre-Sate	628	=	Rosebud seed tea, Hawaiian

341	=	Roses, Pink	705	=	Speed Ball (heroin + cocaine)
835	=	Rotan [sic]	542	=	Spirits of ammonia
406	=	Roxicet	509	=	Spot Remover, K2R
504	=	Rubber cement	502	=	Spray paints
548	=	Rubbing alcohol	503	=	Sprays, Aerosol, other than spray paints
432	=	Rufen	419	=	Stadol
161	=	Rufonol	226	=	Stelazine
506	=	Rush	824	=	Steroids
133	=	Ryoxine [sic]	645	=	Stick, Thai
644	=	San Pedro [Spanish]	857	=	Stick, Wicky [sic]
316	=	Sanorex	612	=	Stick, Happy
539	=	ScotchGard	553	=	Sticks, Pixie
533	=	Sealant, Window	636	=	STP
864	=	Seasick pill	252	=	Strawberry whip cream
119	=	Secobarbital	817	=	Stuff, Hard
109	=	Seconal	364	=	Sudafed
143	=	Sedoxen [sic]	346	=	Sulfate, Ephedrine
628	=	Seed tea, Hawaiian rosebud	624	=	Sunshine
635	=	Seeds, Ginseng	624	=	Sunshine, Orange
617	=	Seeds, Morning glory	624	=	Sunshine, Yellow
627	=	Seeds, Hawaiian Woodrow	504	=	Super Glue
140	=	Seldane	447	=	Synalgos
205	=	Serax	457	=	T's and blues
612	=	Sherm [sic]	370	=	Tab, Mess [sic]
612	=	Shermstick	843	=	Tablets, Cold
504	=	Shoeshine liquid	376	=	TAC [sic]
839	=	Siloquan [sic]	545	=	Tailpipe exhaust fumes, Car
247	=	Sinequan	413	=	Talacen
364	=	Simutab	568	=	Tally
403	=	SK-65	411	=	Talwin
219	=	SK-Lygen	412	=	Talwin NX
850	=	Slack	649	=	Tea
122	=	Sleep Aid	628	=	Tea, Hawaiian Rosebud seed
132	=	Sleepettes [sic]	307	=	Tenuate
367	=	Slender Rite [sic]	308	=	Tepanil
706	=	Smack	828	=	Tetracycline
549	=	Smarties [sic]	645	=	Thai stick
566	=	Smoked tea from Lipton tea bag	802	=	THC
816	=	Smokeless tobacco	825	=	Theo-Dur
813	=	Smoking (substance not specified)	505	=	Thinner, Lacquer
816	=	Snuff	135	=	Thins, Mini
560	=	Soap	227	=	Thorazine
118	=	Sodium pentothal	862	=	Thornapple [sic] leaves
156	=	Sodium barbital	851	=	Thyrolar-3 [sic]
505	=	Solvents, Paint, other than lacquer thinner	340	=	Tiamina 250 [sic]
440	=	Soma	619	=	TIC [sic]
126	=	Somenex [sic]	660	=	Toad, Toad licking
248	=	Soooper Cool [sic]	813	=	Tobacco not specified
116	=	Sopor	822	=	Tobacco, Rabbit
551	=	(Spam [sic]), Oven cleaner	816	=	Tobacco, Chewing
551	=	Spam [sic]	816	=	Tobacco, Smokeless
658	=	Special K	448	=	Tobutrol [sic]
329	=	Speckled eggs	467	=	Tolectin
322	=	Speed (methamphetamine)	504	=	Toluene
360	=	Speed, Rainbow	517	=	Tolyol [sic]
339	=	Speed (amphetamines generically)	334	=	Tops, Cross

270	=	Torzien	803	=	Weed
206	=	Tranxene	418	=	Westodone
225	=	Trazodone	852	=	Whack
374	=	Tree(s), Christmas	252	=	Whip cream, Strawberry
224	=	Triavil	528	=	Whipped-cream can
565	=	Trichloroethane	508	=	Whippets
226	=	Trifluoperazine HCl	326	=	White cross
233	=	Trilafon	337	=	White Molly
256	=	Tripjone [sic]	601	=	White lightning
900	=	TRMTDRGA = Not a drug	524	=	White-Out
900	=	TRMTDRGB = Not a drug	331	=	Whites
245	=	Tryptophan	857	=	Wicky [sic] stick
110	=	Tuinal	139	=	Widows, Black
513	=	Tulio [sic]	533	=	Window sealant
522	=	Tuner, TV	625	=	Window pane
391	=	Turbe [sic] tablets	627	=	Woodrow seed, Hawaiian
434	=	Tussionex	404	=	Wygaic
522	=	TV Tuner	661	=	X. Light [sic]
435	=	Tylenol Extra Strength	606	=	X-TC
409	=	Tylenol 3	338	=	X112, Antiadiposinum [sic]
435	=	Tylenol	209	=	Xanax
409	=	Tylenol with Codeine	449	=	Xycodone [sic]
409	=	Tylenol 4	124	=	Yellow jackets
431	=	Tylox	624	=	Yellow, sunshine
509	=	Typewash	651	=	Yellow, Mellow
634	=	Unicorn	881	=	YLOALE
123	=	Unisom	257	=	Zestril
324	=	Uppers; OTHER Stimulant, NOT SPECIFIED	271	=	Zolof
253	=	Urbadan [sic]			
222	=	USED TRANQUILIZER, DON'T KNOW NAME			
121	=	USED SEDATIVE, DON'T KNOW NAME			
421	=	USED ANALGESIC, DON'T KNOW NAME			
325	=	USED STIMULANT, DON'T KNOW NAME			
201	=	Valium			
552	=	Valo [sic]			
377	=	Ventolin			
237	=	Versed			
266	=	Verstran			
515	=	Vicks			
434	=	Vicodin			
254	=	Vilonopin [sic]			
215	=	Vistaril			
848	=	Vitamin, Liquid			
263	=	Vivactil			
354	=	Vivarin			
151	=	VOEOBO [sic]			
315	=	Voranil			
852	=	Wak [sic]			
865	=	Water pills			
150	=	Weed Cote [sic]			
609	=	Weed, Jimson [sic]			

Appendix of Drugs

Numerical Listing

101	=	Butisol	138	=	Mandrax [sic]
102	=	Buticaps	139	=	Black widows
103	=	Amytal	139	=	Widows, Black
104	=	Mebaral	140	=	Seldane
105	=	Placidyl	141	=	Dilantin
106	=	Doriden	142	=	Belladona
107	=	Noludar	143	=	Sedoxen [sic]
108	=	Carbital	144	=	Reynolds [sic]
108	=	Nembutal	145	=	Devil(s), Red
109	=	Seconal	145	=	Red devil(s)
110	=	Tuinal	146	=	Dicyclomine
111	=	Dalmane	146	=	Bentyl
112	=	Restoril	147	=	Nicol [sic]
113	=	Halcion	148	=	Actifed
114	=	Amobarbital	149	=	Ekilid [sic] 50
115	=	Phenobarbital	149	=	50, Ekilid [sic]
116	=	Quaalude	150	=	Weed Cote [sic]
116	=	Parest	151	=	VOEOBO [sic]
116	=	Methaqualone	152	=	Eskabarb
116	=	Sopor	153	=	Luminal
117	=	Chloral hydrate	154	=	Alurate
117	=	Hydrate, Chloral	155	=	Pasatorim [sic]
117	=	Noctec	156	=	Barbital, Sodium
118	=	Pentobarbital	156	=	Sodium barbital
118	=	Pentothal, Sodium	157	=	Barbiturates
118	=	Pentothal	158	=	Calmociteno (in Brazil)
118	=	Sodium pentothal	159	=	Octanox
119	=	Secobarbital	160	=	Relanium [sic]
120	=	Downers; OTHER Sedative, NOT SPECIFIED	161	=	Rufonol
121	=	USED SEDATIVE, DON'T KNOW NAME	162	=	Ambramine 500 [sic]
122	=	Aid, Sleep	201	=	Valium
122	=	Sleep Aid	202	=	Librium
123	=	Unisom	203	=	Libritabs
124	=	Jackets, Yellow	203	=	Limbitrol
124	=	Yellow jackets	204	=	Menrium
125	=	Qulande [sic]	205	=	Serax
126	=	Somenex [sic]	206	=	Tranxene
127	=	Nytol	207	=	Ativan
128	=	Nervine	208	=	Centrax
129	=	Reds	209	=	Xanax
130	=	Phenergan	210	=	Paxipam
131	=	Haloperidol	211	=	Buspar
131	=	Haldol	212	=	Miltown
132	=	Sleepettes [sic]	213	=	Equanil
133	=	Ryoxine [sic]	214	=	Deprol
134	=	Diasetan [sic]	215	=	Vistaril
135	=	Mini Thins	216	=	Atarax
135	=	Thins, Mini	217	=	Durrax
136	=	Dimetapp	218	=	Diazepam
137	=	7-14	219	=	SK-Lygen
			220	=	Meprobamate
			220	=	Meprospan

221	=	OTHER Tranquilizer, NOT SPECIFIED	262	=	Prolixin
222	=	USED TRANQUILIZER, DON'T KNOW NAME	263	=	Vivactil
223	=	Robaxin	264	=	Anxidel [sic]
224	=	Triavil	265	=	Black Caddy
225	=	Desyrel	265	=	Caddy, Black
225	=	Trazodone	266	=	Verstran
226	=	Trifluoperazine HCl	267	=	Marezine
226	=	Stelazine	268	=	Rahipinal
227	=	Thorazine	269	=	Pasidrin (in Mexico)
228	=	Amitriptyline	270	=	Torzien
229	=	Librax	271	=	Zoloft
230	=	Compazine	301	=	Dexedrine
231	=	MS [sic]	302	=	Dexamyl
232	=	Mellaril	303	=	Eskatrol
233	=	Trilafon	304	=	Benzedrine
234	=	Flexeril	305	=	Biphetamine
234	=	Cyclobenzaprine	306	=	Desoxyn
235	=	Imipramine	307	=	Diethylpropion (Tenuate)
236	=	Avatir [sic]	307	=	Tenuate
237	=	Versed	308	=	Diethylpropion (Tepanil)
238	=	Dafernil [sic]	308	=	Tepanil
239	=	Elavil	309	=	Didrex
240	=	Carbonate, Lithium	310	=	Plegine
240	=	Lithium carbonate	311	=	Preludin
241	=	Prozac	312	=	Ionamin
242	=	Equagesic	313	=	Fastin
243	=	Etrafon	313	=	Phentermine
244	=	2, Roche (Mexican) [sic]	314	=	Pondimin
244	=	Roche 2 (Mexican) [sic]	315	=	Voramil
245	=	Tryptophan	316	=	Sanorex
246	=	Clonopin	317	=	Mazanor
246	=	Klonopin	318	=	Methylphenidate
247	=	Adapin	318	=	Ritalin
247	=	Doxepin	319	=	Cylert
247	=	Sinequan	320	=	Dextroamphetamine
248	=	Cool, Sooper [sic]	321	=	Methedrine
248	=	Sooper Cool [sic]	322	=	Crank
249	=	Asendin	322	=	Ice
250	=	Nortriptyline	322	=	Methamphetamine
251	=	CIBA:S [sic]	322	=	Speed (methamphetamine)
252	=	Cream, Strawberry whip	323	=	Obedrin-L.A.
252	=	Strawberry whip cream	324	=	Uppers; OTHER Stimulant, NOT SPECIFIED
252	=	Whip cream, Strawberry	325	=	USED STIMULANT, DON'T KNOW NAME
253	=	Urbadan [sic]	326	=	Cross, White
254	=	Vilonopin [sic]	326	=	White cross
255	=	Assival [sic]	327	=	Black Beauty
256	=	Trijone [sic]	327	=	Black beauties
257	=	Zestril	327	=	Beauty, Black
258	=	Hoses [sic]	327	=	Beauties, Black
259	=	Desipramine	328	=	Hearts, Pink
259	=	Pertofrane	328	=	Pink hearts
259	=	Norpramin	329	=	Eggs, Robin's
260	=	PCB	329	=	Eggs, Speckled
261	=	Roperals [sic]	329	=	Speckled eggs

329 = Robin's eggs
 330 = Blue jays
 330 = Blue birds
 330 = Birds, Blue
 330 = Blue robins
 330 = Robins, Blue
 330 = Jays, Blue
 331 = Whites
 331 = Blancs
 332 = Ephedrine (HCl)
 333 = 357 Magnum
 333 = 44 Magnum
 333 = Magnum, 357
 333 = Magnum, 44
 334 = Cross tops
 334 = Crossroads
 334 = Tops, Cross
 335 = Dexatrim
 336 = Diet pills
 336 = Pills, Diet
 337 = Molly, White
 337 = White Molly
 338 = Antiadiposium X112 [sic]
 338 = X112, Antiadiposium [sic]
 339 = Amphetamines (speed generically)
 339 = Speed (amphetamines generically)
 340 = 250, Tiamina [sic]
 340 = Tiamina 250 [sic]
 341 = Pink roses
 341 = Roses, Pink
 342 = Purple hearts
 342 = Hearts, Purple
 343 = Nitroglycerine
 344 = Bennies
 345 = Black Molly
 345 = Molly, Black
 346 = Ephedrine Sulfate
 346 = Marax
 346 = Sulfate, Ephedrine
 347 = Phenylpropanolamine
 348 = Crystal
 349 = Phentametraine [sic]
 350 = Betin SS [sic]
 351 = Q'at
 352 = Lemons
 353 = No-Doz
 354 = Vivarin
 355 = Crystal meth
 355 = Meth, Crystal
 356 = Dexies
 357 = Black pills, Heart-shaped
 357 = Pills, Heart-shaped black
 357 = Heart-shaped black pills
 358 = 20/20
 359 = Crias Cross
 359 = Cross, Crias

360 = Rainbow speed
 360 = Speed, Rainbow
 361 = Isyfiars [sic]
 361 = Isutrars [sic]
 362 = Benadryl
 363 = Bam(s)
 364 = Sudafed
 364 = Sinutab
 365 = Desecon [sic]
 366 = Duromine [sic]
 367 = Rite, Slender [sic]
 367 = Slender Rite [sic]
 368 = Butter Crank, Peanut
 368 = Crank, Peanut Butter
 368 = Peanut Butter Crank
 369 = Artane
 370 = Mess tab [sic]
 370 = Tab, Mess [sic]
 371 = Cogentin
 372 = Mejoral [Spanish]
 373 = Captagon [sic]
 374 = Christmas tree(s)
 374 = Tree(s), Christmas
 375 = Coco puffs [sic]
 375 = Puffs, Coco [sic]
 376 = TAC [sic]
 377 = Ventolin
 378 = Control
 379 = Hearts
 380 = Pink ladies
 380 = Ladies, Pink
 381 = P.O.T.C.
 382 = Footballs, Purple
 382 = Purple footballs
 383 = Pre-Sate
 384 = Little crosses
 385 = Little pink one
 386 = Ma Huang
 387 = Pink football
 388 = Pink lemon
 389 = Daprisal [sic]
 390 = Max Alert
 391 = Turbe [sic] tablets
 401 = Darvon
 402 = Dolene
 403 = SK-65
 404 = Wygesic
 405 = Levo-Dromoran
 406 = Percodan
 406 = Oxycodone
 406 = Roxicet
 407 = Demerol
 408 = Dilaudid
 409 = Codeine, Tylenol with
 409 = 4, Tylenol
 409 = 3, Tylenol

409	=	Tylenol with Codeine	441	=	Luitab [sic]
409	=	Tylenol 3	442	=	Ibuprofen
409	=	Tylenol 4	443	=	Dolobid
410	=	3, Phenaphen	444	=	Empirin 3
410	=	Codeine, Phenaphen with	444	=	3, Empirin
410	=	Phenaphen with Codeine	444	=	Aspirin with codeine
410	=	Phenaphen 3	444	=	Codeine, Aspirin with
411	=	Talwin	445	=	Forte, Norgesic
412	=	Talwin NX	445	=	Norgesic Forte
413	=	Talacen	446	=	Orvais [sic]
414	=	Propoxyphene	447	=	Synalgos
415	=	Codeine	448	=	Tobutrol [sic]
416	=	Anileridine	449	=	Xycodone [sic]
417	=	Morphine	450	=	Acetaminophen
418	=	Dolophine	451	=	Ansaid [sic]
418	=	Methadone	452	=	Becadan [sic]
418	=	Westodone	453	=	Codeine, Organidin with
419	=	Stadol	453	=	Organidin with Codeine
420	=	OTHER Analgesic, NOT SPECIFIED	454	=	Novocain
421	=	USED ANALGESIC, DON'T KNOW	454	=	Procaine
		NAME	455	=	Codeine, Fiorinal with
422	=	Motrin	455	=	Fiorinal with Codeine
423	=	Percocet	456	=	Lorcet HD
424	=	Fioricet	456	=	Plus, Lorcet
425	=	Advil	456	=	HD, Lorcet
426	=	Forte, Phrenilin	456	=	Lorcet Plus
426	=	Fiorinal	457	=	Blues, T's and
426	=	Butalbital	457	=	T's and blues
426	=	Phrenilin Forte	458	=	Fortis, Mepergan
427	=	Darvocet	458	=	Mepergan
428	=	Execl [sic]	458	=	Mepergan Fortis
429	=	Frost 222	459	=	Ketamine
429	=	222, Frost	460	=	Magnopyrol [sic]
430	=	Ecotrin	461	=	Daopar [sic]
430	=	Empirin	462	=	Norflex
430	=	Aspirin	463	=	Lisalgil [sic]
431	=	Tylox	464	=	Oratab [sic]
432	=	Rufen	465	=	Fentanyl
433	=	Paregoric	466	=	Midol
434	=	Co-Gesic	467	=	Tolectin
434	=	Lortab	468	=	Excedrin
434	=	Tussionex	469	=	Leritine
434	=	Hydrocodone	470	=	Cafergot
434	=	Vicodin	471	=	Butazolidin
435	=	Extra-Strength, Tylenol	472	=	Indocin
435	=	Tylenol Extra Strength	472	=	Indomethacin
435	=	Tylenol	473	=	Pyridium
436	=	Bufferin	474	=	PPA [sic]
437	=	Forte, Parafon	475	=	Precom [sic]
437	=	Parafon Forte	476	=	Isocom
438	=	Anaprox	476	=	Midrin
438	=	Naprosyn	477	=	Neo-Melubrina (Spanish)
439	=	222	478	=	Nogitrone
439	=	222, Canadian	479	=	Pentrexyl
439	=	Canadian 222	480	=	Robitussin AC with Codeine
440	=	Soma	501	=	Fluids, Lighter

501	=	Lighter fluids	511	=	Felt-tip pens
501	=	Gasoline	511	=	Ink pens
502	=	Paints, Spray	511	=	Pens, Felt-tip
502	=	Spray paints	511	=	Markers
503	=	Aerosol sprays other than spray paints	511	=	Pens, Ink
503	=	Other aerosol sprays besides spray paints	512	=	Incense
503	=	Sprays, Aerosol, other than spray paints	513	=	Tulio [sic]
504	=	Airplane glue	514	=	Carbone [sic]
504	=	Cement, Rubber	514	=	Carbona [sic]
504	=	Chemical glue	515	=	Vicks
504	=	Model glue	516	=	Freon
504	=	Glue, Model	517	=	Tolyol [sic]
504	=	Glue	518	=	Acetone
504	=	Glue, Airplane	518	=	Nail polish remover
504	=	Glue, Chemical	518	=	Polish remover, Nail
504	=	Liquid, Shoeshine	518	=	Remover, Nail polish
504	=	Glue, Super	519	=	Helium
504	=	Toluene	520	=	Paint, Old
504	=	Shoeshine liquid	520	=	Old paint
504	=	Rubber cement	521	=	Propane
504	=	Super Glue	522	=	(MTV), Liquid TV
505	=	Paint solvents other than lacquer thinner	522	=	Liquid TV (MTV)
505	=	Lacquer thinner	522	=	Tuner, TV
505	=	Other paint solvents besides lacquer thinner	522	=	TV Tuner
505	=	Solvents, Paint, other than lacquer thinner	523	=	Matches
505	=	Thinner, Lacquer	524	=	White-Out
506	=	Amyl nitrite	525	=	Butane
506	=	Locker room odorizer	526	=	Nail polish
506	=	Nitrate, Amyl	526	=	Polish, Nail
506	=	Poppers	527	=	Phenyl nitrate
506	=	Odorizer, Locker room	527	=	Nitrate, Phenyl
506	=	Rush	528	=	Can, Whipped-cream
506	=	Room odorizer, Locker	528	=	Whipped-cream can
507	=	Ether	529	=	Balls, Moth
507	=	Chloroform	529	=	Moth balls
507	=	Anesthetics other than halothane or ether	530	=	Dilators, Bronchial
507	=	Halothane	530	=	Asthma inhaler
507	=	Other anesthetics besides halothane and ether	530	=	Asthma medication
508	=	Dentist gas	530	=	Bronchial dilators
508	=	Oxide, Nitrous	530	=	Medication, Asthma
508	=	Nitrous oxide	530	=	Inhaler, Asthma
508	=	Gas, Dentist	531	=	Candy, Powdered
508	=	Whippets	531	=	Candy
509	=	Degreasers	531	=	Powdered candy
509	=	Correction fluids	532	=	PRW [sic]
509	=	Cleaning fluids	533	=	Sealant, Window
509	=	Fluids, Cleaning	533	=	Window sealant
509	=	Fluids, Correction	534	=	Deodorant
509	=	Liquid paper	535	=	Copies, Rexo [sic]
509	=	Paper, Liquid	535	=	Rexo [sic] copies
509	=	K2R Spot Remover	536	=	Fire Halt
509	=	Spot Remover, K2R	536	=	Halt, Fire
509	=	Typewash	537	=	Boat horn
510	=	OTHER Inhalant, NOT SPECIFIED	537	=	Horn, Boat
			538	=	Condensed horn
			538	=	Horn, Condensed

539	=	ScotchGard	605	=	Dust, Angel
540	=	PAM	605	=	Phencyclidine
541	=	Binaca	605	=	PCP
542	=	Ammonia, Spirits of	606	=	Ecstasy
542	=	Spirits of ammonia	606	=	Extasi [sic]
543	=	Oxygen, Liquid	606	=	MDMA
543	=	Liquid oxygen	606	=	X-TC
544	=	Gases, Lighter, not specified	607	=	OTHER Hallucinogen, NOT SPECIFIED
544	=	Lighter gases, not specified	608	=	Organes-25 [sic]
545	=	Car tailpipe exhaust fumes	609	=	Jimson [sic] weed
545	=	Exhaust fumes, Car tailpipe	609	=	Weed, Jimson [sic]
545	=	Fumes, Car tailpipe exhaust	609	=	Gympson [sic] pods
545	=	CO2	609	=	Pods, Gympson [sic]
545	=	Tailpipe exhaust fumes, Car	610	=	Crystal T
546	=	Leather protector	611	=	Greens
546	=	Protector, Leather	612	=	Happy stick
547	=	Propel [sic]	612	=	Stick, Happy
548	=	Alcohol, Rubbing	612	=	Sberm [sic]
548	=	Cologne	612	=	Sbermstick
548	=	Rubbing alcohol	613	=	Duckweed
549	=	Smarties [sic]	614	=	MDA
550	=	Chloride, Methyl	615	=	Drugs, Homemade
550	=	Methyl chloride	615	=	Homemade drugs
551	=	Cleaner (Spam [sic]), Oven	616	=	DMT
551	=	Oven cleaner (Spam [sic])	617	=	Morning glory seeds
551	=	(Spam [sic]), Oven cleaner	617	=	Glory seeds, Morning
551	=	Spam [sic]	617	=	Seeds, Morning glory
552	=	Valo [sic]	618	=	Blotter (acid)
553	=	Pixie sticks	618	=	(Acid), Blotter
553	=	Sticks, Pixie	618	=	Acid paper
554	=	Raid	618	=	Paper, Acid
555	=	Chillers	619	=	TIC [sic]
556	=	Energine	620	=	Blue dragon
557	=	Hagwash	620	=	Dragon, Blue
558	=	Kool Aid	621	=	Dragon, Red
559	=	LOLOY	621	=	Red dragon
560	=	Soap	622	=	Purple microdot
561	=	Amputee gas cleanser	622	=	Microdot, Purple
562	=	Ban apple gas	622	=	Microdot(s)
563	=	Acetylene	623	=	Club, Mickey Mouse
564	=	Electric contact cleaner	623	=	Mickey Mousers
565	=	Trichloroethane	623	=	Mickey Mouse club
566	=	Smoked tea from Lipton tea bag	623	=	Mouse club, Mickey
567	=	Pertussin Spray	623	=	Mousers, Mickey
568	=	Tally	624	=	Orange sunshine
569	=	Peganento	624	=	Yellow, sunshine
570	=	PVC (in Mexico)	624	=	Sunshine, Yellow
601	=	Acid	624	=	Sunshine, Orange
601	=	Lightning, White	624	=	Sunshine
601	=	LSD	625	=	Pane, Window
601	=	White lightning	625	=	Window pane
602	=	Peyote	626	=	Fuel, Jet
603	=	Mescaline	626	=	Jet Fuel
604	=	Psilocybin	627	=	Hawaiian Woodrow seeds
604	=	Mushrooms	627	=	Woodrow seed, Hawaiian
605	=	Angel dust	627	=	Seeds, Hawaiian Woodrow

628 = Hawaiian rosebud seed tea
 628 = Rosebud seed tea, Hawaiian
 628 = Seed tea, Hawaiian rosebud
 628 = Tea, Hawaiian Rosebud seed
 629 = Fuel, Rocket
 629 = Rocket Fuel
 630 = Black Owaley
 630 = Owaley, Black
 631 = Purple Owaley
 631 = Owaley, Purple
 632 = Folifundis [sic]
 633 = Mr. Natural
 633 = Natural, Mr.
 634 = Unicorn
 635 = Ginseng seeds
 635 = Seeds, Ginseng
 636 = STP
 637 = Haze, Purple
 637 = Purple haze
 638 = Lovlez [sic]
 639 = Nutmeg
 639 = Cloves
 640 = Pyramid, Purple
 640 = Purple Pyramid
 641 = Maze [sic]
 642 = Floyd, Pink
 642 = Pink Floyd
 643 = Queen
 644 = Pedro, San [Spanish]
 644 = San Pedro [Spanish]
 645 = Thai stick
 645 = Stick, Thai
 646 = Poppy [sic]
 647 = Macullen [sic]
 648 = Drugs, Designer
 648 = Designer drugs
 649 = Tea
 649 = Choc. [sic] tea
 650 = Daytura
 651 = Mellow Yellow
 651 = Yellow, Mellow
 652 = ALD-52 (version of LSD)
 653 = Cricketshit
 654 = Eve
 655 = Flying elephant
 656 = Mars
 657 = Orange barrel
 658 = Special K
 659 = Boat (Marijuana & PCP)
 660 = Toad, Toad licking
 661 = X. Light [sic]
 662 = Kanepolin
 701 = OTHER Opiates, NOT SPECIFIED
 702 = Heroin
 703 = Opium
 704 = Dope

705 = Speed Ball (heroin + cocaine)
 706 = Smack
 707 = Black Tar
 708 = Powder (heroin?)
 801 = OTHER Drugs, NOT SPECIFIED
 802 = Cannabinol
 802 = THC
 803 = Marijuana
 803 = Weed
 803 = MarrJane [sic]
 803 = Mary Jane
 803 = MJ
 804 = Hashish
 805 = Coke
 805 = Cocaine
 805 = Coca
 806 = Crack
 806 = Rock
 807 = Champagne, Pink
 807 = EtOH
 807 = Beer
 807 = Alcohol
 807 = Ethanol
 807 = Pink champagne
 808 = All of the ones I've tried
 809 = Pills
 810 = Hemp
 811 = Relaxers, Muscle
 811 = Muscle relaxers
 812 = Cigars
 813 = Cigarettes
 813 = Tobacco not specified
 813 = Smoking (substance not specified)
 814 = Caffeine
 815 = Coffee
 816 = Chewing tobacco
 816 = Smokeless tobacco
 816 = Tobacco, Chewing
 816 = Tobacco, Smokeless
 816 = Snuff
 817 = Hard stuff
 817 = Snuff, Hard
 818 = Nicotine
 819 = Inderal
 820 = Penicillin
 821 = Ampicillin
 821 = Amoxicillin
 822 = Rabbit tobacco
 822 = Tobacco, Rabbit
 823 = Blast (KJ) [sic]
 824 = Steroids
 825 = Theo-Dur
 826 = Ahupent
 827 = Aluminum chloride
 827 = Chloride, Aluminum
 828 = Tetracycline

829	=	Robitussin DM	864	=	Motion sickness pill
830	=	Bull, Mad	864	=	Seasick pill
830	=	Mad Bull	865	=	Diuretics
831	=	Honey Oil	865	=	Water pills
831	=	Oil, Honey	866	=	Boomers
832	=	Primo	867	=	Boron
833	=	Bone	868	=	Buttze [sic]
834	=	Loveboat	869	=	CD [sic]
835	=	Rotan [sic]	870	=	Coug [sic]
836	=	Antabuse	871	=	Pote [sic]
837	=	400, Paris	872	=	Raffies [sic]
837	=	Paris 400	873	=	Contraceptives
838	=	Obainedin [sic]	873	=	Feutal
839	=	Siloquan [sic]	873	=	Ortho Novum
840	=	Cough medicine (contents not specified)	874	=	Premarin
840	=	Medicine, Cough (contents not specified)	875	=	Buds
841	=	Allerest	876	=	Glass
842	=	Callipress [sic]	877	=	Methozolamide
843	=	Cold tablets	878	=	Friying
843	=	Antihistamine	879	=	Dimethyltriptamide MMPT
843	=	Tablets, Cold	880	=	Frios
844	=	Blood pressure medication	881	=	YLOALE
844	=	Medication, Blood pressure	900	=	TRMTDRGA = Not a drug
844	=	Pressure medication, Blood	900	=	TRMTDRGB = Not a drug
845	=	ECT [sic]	992	=	Illegible
846	=	Erythromycin			
847	=	GHB [sic]			
848	=	Liquid vitamin			
848	=	Vitamin, Liquid			
849	=	Glutamate (MSG), Monosodium			
849	=	(MSG), Monosodium glutamate			
849	=	Monosodium glutamate (MSG)			
850	=	Slack			
851	=	3, Thyrolar- [sic]			
851	=	Thyrolar-3 [sic]			
852	=	Formaldehyde			
852	=	Fluid), Whack (embalming			
852	=	(Embalming fluid), Whack			
852	=	Wak [sic]			
852	=	Whack			
853	=	Funti [sic] leaf			
853	=	Leaf, Funti [sic]			
854	=	Juice			
855	=	Canol [sic]			
856	=	Roofe [sic]			
857	=	Stick, Wicky [sic]			
857	=	Wicky [sic] stick			
858	=	Antibiotic			
859	=	Aside [sic]			
860	=	Bees [sic]			
861	=	Doer [sic]			
861	=	Doen [sic]			
862	=	Leaves, Thornapple [sic]			
862	=	Thornapple [sic] leaves			
863	=	Beetlenut			
864	=	Dramamine			

APPENDIX E
QUESTIONNAIRE
ANSWER SHEETS

CIGARETTES

The first questions are about smoking tobacco.

C-1. About how old were you when you first tried a cigarette?

AGE WHEN FIRST TRIED A CIGARETTE -----

NEVER TRIED A CIGARETTE IN LIFETIME ----- 991 → (SKIP TO
BOX A,
NEXT PAGE)

C-2. Since that time, have you smoked at least 100 cigarettes in all in your lifetime? (That's about as many as 5 packs.)

YES ----- 01

NO ----- 02 → (SKIP TO Q.C-6)

C-3. About how old were you when you first started smoking daily?

AGE WHEN FIRST STARTED SMOKING DAILY -----

NEVER SMOKED DAILY ----- 993 → (SKIP TO Q.C-6)

C-4. For how many years did you smoke daily?

NUMBER OF YEARS SMOKED DAILY -----

SMOKED DAILY LESS THAN 1 YEAR ----- 00

C-5. During the period when you smoked daily, about how many cigarettes did you smoke per day, on the average? (IF NEEDED, READ ANSWER CHOICES.)

One to five cigarettes a day ----- 01

About 1/2 pack a day (6-15 cigarettes) ----- 02

About a pack a day (16-25 cigarettes) ----- 03

About 1 1/2 packs a day (26-35 cigarettes) ----- 04

About 2 packs or more a day (over 35 cigarettes) ----- 05

C-6. When was the most recent time you smoked a cigarette? (IF NEEDED, READ ANSWER CHOICES.)

Within the past month (30 days) ----- 01

More than 1 month ago but less than 6 months ago ----- 02

6 or more months ago but less than 1 year ago ----- 03

1 or more years ago but less than 3 years ago ----- 04

3 or more years ago ----- 05

(SKIP TO
BOX A,
NEXT PAGE)

C-7. How many cigarettes have you smoked per day, on the average, during the past 30 days? Give me the average number per day. (IF NEEDED, READ ANSWER CHOICES.)

- Less than one cigarette a day 01
- One to five cigarettes a day 02
- About 1/2 pack a day (6-15 cigarettes) 03
- About a pack a day (16-25 cigarettes) 04
- About 1 1/2 packs a day (26-35 cigarettes) 05
- About 2 packs or more a day (over 35 cigarettes) 06

C-8. For about how many years have you smoked (AMOUNT FROM Q.C-7)? (IF "Less than 1 year," PROBE FOR NUMBER OF MONTHS; RECORD IN LOWER SPACE.)

NUMBER OF YEARS ® HAS SMOKED AMOUNT
IN Q.C-7 []

(IF "Less than 1 year" RECORD
NUMBER OF MONTHS HERE) []

A	The next two questions are about smokeless tobacco, such as chewing tobacco or snuff.
---	---

C-9. When was the most recent time you used chewing tobacco or snuff or other smokeless tobacco? (IF NEEDED, READ ANSWER CHOICES.)

- Within the past month (30 days) 01
 - More than 1 month ago but less than 6 months ago 02
 - 6 or more months ago but less than 1 year ago 03
 - 1 or more years ago but less than 3 years ago 04
 - 3 or more years ago 05
 - NEVER USED SMOKELESS TOBACCO IN LIFETIME 91
- (SKIP TO
→ NEXT PAGE,
ALCOHOL)

C-10. On the average, in the past 12 months, how often have you used chewing tobacco or snuff or other smokeless tobacco? (IF NEEDED, READ ANSWER CHOICES.)

- Daily in the past 12 months 01
- Almost daily (3-6 days a week) 02
- 1 or 2 days a week 03
- Several times a month (25-51 days a year) 04
- 1 or 2 times a month (12-24 days a year) 05
- Every other month or so (6-11 days a year) 06
- 3-5 days this past year 07
- 1 or 2 days this past year 08

ALCOHOL ANSWER SHEET #1

- A-1. About how old were you the first time you had a glass of beer or wine or a drink of liquor, such as whiskey, gin, scotch, etc.? Do not include childhood sips that you might have had from an older person's drink. (IF YOU HAVE NEVER HAD A DRINK OF BEER, WINE OR LIQUOR, ONLY CIRCLE THE 991.)

Age when you had your first drink of beer, wine, or liquor -----

Never had a drink of beer, wine, or liquor in your life ----- 991

- A-2. When was the most recent time that you had an alcohol drink, that is, of beer, wine, or liquor or a mixed alcoholic drink?

Within the past month (30 days) ----- 01

More than 1 month ago but less than 6 months ago ----- 02

6 or more months ago but less than 1 year ago ----- 03

1 or more years ago but less than 3 years ago ----- 04

3 or more years ago ----- 05

Never had a drink of beer, wine, or liquor in your life ----- 91

- A-3. About how old were you when you first began to drink beer, wine or liquor once a month or more often?

IF YOU EVER DRANK ALCOHOL MONTHLY, ENTER NUMBER
IN SPACES FOR:

Age when you began to drink alcohol at least once a month -----

IF YOU NEVER DRANK ALCOHOL MONTHLY, CIRCLE ONE NUMBER
FOR THE ANSWER THAT BEST FITS YOU:

Used alcohol in your life but never drank alcohol once a month or more often ----- 993

Never had a drink of beer, wine, or liquor in your life ----- 991

THE NEXT FIVE QUESTIONS ARE ABOUT DRINKING ALCOHOL IN THE PAST 30 DAYS.

- A-4. On about how many different days did you have one or more drinks of beer, wine or liquor during the past 30 days?

IF ANY, ENTER NUMBER IN SPACES FOR:

Number of days you drank any kind of alcohol in past month -----

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used alcohol in your life but did not drink any alcohol in the past 30 days ----- 93

Never had a drink of beer, wine, or liquor in your life ----- 91

(PLEASE TURN THE PAGE)

A-5. About how many drinks of beer, wine or liquor did you usually have in a day on the days that you drank during the past 30 days?

IF ANY, ENTER NUMBER IN SPACES FOR:

Usual number of drinks per day on the days you drank in the past 30 days -----

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used alcohol in your life but did not drink any alcohol in the past 30 days ----- 93

Never had a drink of beer, wine, or liquor in your life ----- 91

A-6. On about how many days did you have five or more drinks of beer, wine or liquor on the same occasion during the past 30 days? By "occasion" we mean at the same time or within a couple of hours of each other.

IF ANY, ENTER NUMBER IN SPACES FOR:

Number of days in the past 30 days you drank five or more drinks -----

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Drank alcohol in past 30 days but did not have five or more drinks on one day ----- 00

Used alcohol in your life but did not drink any alcohol in the past 30 days ----- 93

Never had a drink of beer, wine, or liquor in your life ----- 91

A-7. What is the most you had to drink on any one day you drank beer, wine or liquor during the past 30 days?

IF ANY, ENTER NUMBER IN SPACES FOR:

Most number of drinks you had in one day in the past 30 days -----

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used alcohol in your life but did not drink any alcohol in the past 30 days ----- 93

Never had a drink of beer, wine, or liquor in your life ----- 91

A-8. On how many days did you have this number of drinks of beer, wine or liquor in the past 30 days?
(ANSWER FOR THE AMOUNT YOU RECORDED IN QUESTION A-7 ABOVE.)

IF ANY, ENTER NUMBER IN SPACES FOR:

Number of days you drank amount in question A-7 in the past 30 days -----

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used alcohol in your life but did not drink any alcohol in the past 30 days ----- 93

Never had a drink of beer, wine, or liquor in your life ----- 91

(PLEASE GO TO THE NEXT PAGE)

THE NEXT TWO QUESTIONS ARE ABOUT DRINKING ALCOHOL IN THE PAST 12 MONTHS.

A-9. On the average, how often in the past 12 months have you had any alcoholic beverage, that is, beer, wine, or liquor?

- Daily in the past 12 months ----- 01
- Almost daily or 3 to 6 days a week ----- 02
- About 1 or 2 days a week ----- 03
- Several times a month (about 25 to 51 days a year) ----- 04
- 1 to 2 times a month (12 to 24 days a year) ----- 05
- Every other month or so (6 to 11 days a year) ----- 06
- 3 to 5 days in the past 12 months ----- 07
- 1 or 2 days in the past 12 months ----- 08
- Used alcohol in your life but did not drink any alcohol in the past 12 months ----- 93
- Never had a drink of beer, wine, or liquor in your life ----- 91

A-10. How many times in the past 12 months have you gotten very high or drunk on alcohol, that is, beer, wine or liquor?

- Daily in the past 12 months ----- 01
- Almost daily or 3 to 6 days a week ----- 02
- About 1 or 2 days a week ----- 03
- Several times a month (about 25 to 51 days a year) ----- 04
- 1 to 2 times a month (12 to 24 days a year) ----- 05
- Every other month or so (6 to 11 days a year) ----- 06
- 3 to 5 days in the past 12 months ----- 07
- 1 or 2 days in the past 12 months ----- 08
- Drank beer, wine, or liquor in past 12 months but did not get very high or drunk ----- 09
- Used alcohol in your life but did not drink any alcohol in the past 12 months ----- 93
- Never had a drink of beer, wine, or liquor in your life ----- 91

(PLEASE TURN TO THE NEXT PAGE)

A-11. On those occasions when you drink alcohol, is it usually beer, wine, or liquor? (PLEASE CIRCLE ONLY ONE ANSWER.)

Beer ----- 01
Wine -----
Liquor ----- 03
It varies ----- 04
Never had a drink of beer, wine, or liquor in your life ----- 91

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

NOTICE

Public respondent burden for this collection of information is estimated to average 62 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate, or any other aspect of this collection of information, including suggestions for reducing this burden, to: Public Health Service Reports Clearance Officer, Attn: PRA, Hubert H. Humphrey Building, Room 721B, 200 Independence Avenue, SW, Washington, DC 20201; and to the Paperwork Reduction Project (0930-0110), Office of Management and Budget, Washington, DC 20503.

SEDATIVES--ANSWER SHEET #2

S-1. Circle the number next to each sedative you have ever taken for nonmedical reasons--on your own, either without your own prescription from a doctor, or in greater amounts or more often than prescribed, or for any reason other than a doctor said you should take them.

BUTISOL ----- 01	TUINAL ----- 10	CHLORAL HYDRATE ---- 17
BUTICAPS ----- 02	DALMANE ----- 11	PENTOBARBITAL ----- 18
AMYTAL ----- 03	RESTORIL ----- 12	SECOBARBITAL ----- 19
MEBARAL ----- 04	HALCION ----- 13	OTHER (SPECIFY):
PLACIDYL ----- 05	AMOBARBITAL ----- 14	_____ 20
DORIDEN ----- 06	PHENOBARBITAL ----- 15	USED SEDATIVE, DON'T KNOW NAME --- 21
NOLUDAR ----- 07	METHAQUALONE (including SOPOR, QUAALUDE) ----- 16	
NEMBUTAL ----- 08		
SECONAL ----- 09		

If you have never taken any sedative for nonmedical reasons, circle the 91 in the box to the right.
Then tell the interviewer that you are finished with this answer sheet.
Otherwise, continue with S-2 below.

91

S-2. About how old were you the first time you took a sedative for any nonmedical reason?

Age when you first used a sedative for a nonmedical reason -----

S-3. Altogether, about how many times in your life have you taken sedatives for any nonmedical reason?

1 or 2 times -----	01
3 to 5 times -----	02
6 to 10 times -----	03
11 to 49 times -----	04
50 to 99 times -----	05
100 to 199 times -----	06
200 or more times -----	07

(PLEASE TURN THE ANSWER SHEET OVER)

S-4. When was the most recent time you took any sedative for nonmedical reasons?

Within the past month (30 days) ----- 01
More than 1 month ago but less than 6 months ago ----- 02
6 or more months ago but less than 1 year ago -----
1 or more years ago but less than 3 years ago ----- 04
3 or more years ago ----- 05

S-5. On the average, how often in the past 12 months have you taken any sedative for nonmedical reasons?

Daily in the past 12 months ----- 01
Almost daily or 3 to 6 days a week ----- 02
About 1 or 2 days a week ----- 03
Several times a month (about 25 to 51 days a year) ----- 04
1 to 2 times a month (12 to 24 days a year) ----- 05
Every other month or so (6 to 11 days a year) ----- 06
3 to 5 days in the past 12 months ----- 07
1 or 2 days in the past 12 months ----- 08
Did not use any sedative for a nonmedical reason in the past 12 months ----- 93

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

TRANQUILIZERS--ANSWER SHEET #3

T-1. Circle the number next to each tranquilizer you have ever taken for nonmedical reasons--on your own, either without a doctor's prescription, or in greater amounts or more often than prescribed, or for any reason other than a doctor said you should take them.

VALIUM ----- 01	PAXIPAM ----- 10	DIAZEPAM ----- 18
LIBRIUM ----- 02	BUSPAR ----- 11	SK-LYGEN ----- 19
LIMBITROL ----- 03	MILTOWN ----- 12	MEPROBAMATE ----- 20
MENRIUM ----- 04	EQUANIL ----- 13	OTHER (SPECIFY):
SERAX ----- 05	DEPROL ----- 14	_____ 21
TRANXENE ----- 06	VISTARIL ----- 15	USED TRANQUILIZER, DON'T KNOW NAME ----- 22
ATTIVAN ----- 07	ATARAX ----- 16	
CENTRAX ----- 08	DURRAX ----- 17	
XANAX ----- 09		

If you have never taken any tranquilizer for nonmedical reasons, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with T-2 below.

91

T-2. About how old were you the first time you took a tranquilizer for any nonmedical reason?

Age when you first used a tranquilizer for a nonmedical reason -----

T-3. Altogether, about how many times in your life have you taken tranquilizers for any nonmedical reason?

1 or 2 times -----	01
3 to 5 times -----	02
6 to 10 times -----	03
11 to 49 times -----	04
50 to 99 times -----	05
100 to 199 times -----	06
200 or more times -----	07

(PLEASE TURN THE ANSWER SHEET OVER)

T-4. When was the most recent time you took any tranquilizer for nonmedical reasons?

Within the past month (30 days) 01
More than 1 month ago but less than 6 months ago
6 or more months ago but less than 1 year ago 03
1 or more years ago but less than 3 years ago 04
3 or more years ago 05

T-5. On the average, how often in the past 12 months have you taken any tranquilizer for nonmedical reasons?

Daily in the past 12 months 01
Almost daily or 3 to 6 days a week 02
About 1 or 2 days a week 03
Several times a month (about 25 to 51 days a year) 04
1 to 2 times a month (12 to 24 days a year) 05
Every other month or so (6 to 11 days a year) 06
3 to 5 days in the past 12 months 07
1 or 2 days in the past 12 months 08
Did not use any tranquilizer for a nonmedical reason in the past 12 months 09

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

STIMULANTS--ANSWER SHEET #4

ST-1. Circle the number next to each stimulant you have ever taken for nonmedical reasons--on your own, either without a doctor's prescription, or in greater amounts or more often than prescribed, or for a reason other than a doctor said you should take them.

DEXEDRINE ----- 01	PRELUDIN ----- 11	METHEDRINE ----- 21
DEXAMYL ----- 02	IONAMIN ----- 12	METHAMPHETAMINE ("speed" or "ice" or "crank") ----- 22
ESKATROL ----- 03	FASTIN ----- 13	OBEDRIN-L.A. ----- 23
BENZEDRINE ----- 04	PONDIMIN ----- 14	OTHER (SPECIFY): ----- 24
BIPHETAMINE ----- 05	VORANIL ----- 15	USED STIMULANT, DON'T KNOW NAME ----- 25
DESOXYN ----- 06	SANOREX ----- 16	
TENUATE ----- 07	MAZANOR ----- 17	
TEPANIL ----- 08	RITALIN ----- 18	
DIDREX ----- 09	CYLERT ----- 19	
PLEGINE ----- 10	DEXTROAMPHETAMINE -- 20	

If you have never taken any stimulant for nonmedical reasons, circle the 91 in the box to the right.
Then tell the interviewer that you are finished with this answer sheet.
Otherwise, continue with ST-2 below.

91

ST-2. About how old were you the first time you took amphetamines or other stimulants for any nonmedical reason?

Age when you first used a stimulant for a nonmedical reason -----

ST-3. Altogether, about how many times in your life have you taken amphetamines or other stimulants for any nonmedical reason?

1 or 2 times -----	01
3 to 5 times -----	02
6 to 10 times -----	03
11 to 49 times -----	04
50 to 99 times -----	05
100 to 199 times -----	06
200 or more times -----	07

(PLEASE TURN THE ANSWER SHEET OVER)

ST-4. When was the most recent time you took any amphetamine or other stimulant for nonmedical reasons?

Within the past month (30 days) 01
More than 1 month ago but less than 6 months ago 02
6 or more months ago but less than 1 year ago 03
1 or more years ago but less than 3 years ago 04
3 or more years ago 05

ST-5. On the average, how often in the past 12 months have you taken any amphetamine or other stimulant for nonmedical reasons?

Daily in the past 12 months 01
Almost daily or 3 to 6 days a week 02
About 1 or 2 days a week 03
Several times a month (about 25 to 51 days a year) 04
1 to 2 times a month (12 to 24 days a year) 05
Every other month or so (6 to 11 days a year) 06
3 to 5 days in the past 12 months 07
1 or 2 days in the past 12 months 08
Did not use any stimulant for a nonmedical reason in the past 12 months 93

THE NEXT TWO QUESTIONS ARE ABOUT USE OF AMPHETAMINES WITH A NEEDLE.

ST-6. Have you ever used amphetamines with a needle?

Yes 01
No 02

ST-7. When was the most recent time you used amphetamines with a needle?

Within the past month (30 days) 01
More than 1 month ago but less than 6 months ago 02
6 or more months ago but less than 1 year ago 03
1 or more years ago but less than 3 years ago 04
3 or more years ago but less than 10 years ago 05
10 or more years ago 06
Never used any amphetamine with a needle 93

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

ANALGESICS--ANSWER SHEET #5

AN-1. Circle the number next to each analgesic you have ever taken for nonmedical reasons--on your own, either without a doctor's prescription, or in greater amounts or more often than prescribed, or for a reason other than a doctor said you should take them.

DARVON ----- 01	TYLENOL WITH CODEINE ----- 09	ANILERIDINE ----- 16
DOLENE ----- 02		MORPHINE ----- 17
SK-65 ----- 03	PHENAPHEN WITH CODEINE ----- 10	METHADONE ----- 18
WYGESIC ----- 04	TALWIN ----- 11	STADOL ----- 19
LEVO-DROMORAN ----- 05	TALWIN NX ----- 12	OTHER (SPECIFY):
PERCODAN ----- 06	TALACEN ----- 13	----- 20
DEMEROL ----- 07	PROPOXYPHENE ----- 14	USED ANALGESIC, DON'T KNOW NAME ----- 21
DILAUDID ----- 08	CODEINE ----- 15	

If you have never taken any analgesic for nonmedical reasons, circle the 91 in the box to the right.
Then tell the interviewer that you are finished with this answer sheet.
Otherwise, continue with AN-2 below.

91

AN-2. About how old were you the first time you took an analgesic for any nonmedical reason?

Age when you first used an analgesic for a nonmedical reason -----

AN-3. Altogether, about how many times in your life have you taken analgesics for any nonmedical reason?

1 or 2 times -----	01
3 to 5 times -----	02
6 to 10 times -----	03
11 to 49 times -----	04
50 to 99 times -----	05
100 to 199 times -----	06
200 or more times -----	07

(PLEASE TURN THE ANSWER SHEET OVER)

AN-4. When was the most recent time you took any analgesic for nonmedical reasons?

- Within the past month (30 days) ----- 01
More than 1 month ago but less than 6 months ago ----- 02
6 or more months ago but less than 1 year ago -----
1 or more years ago but less than 3 years ago ----- 04
3 or more years ago ----- 05

AN-5. On the average, how often in the past 12 months have you taken any analgesic for nonmedical reasons?

- Daily in the past 12 months ----- 01
Almost daily or 3 to 6 days a week ----- 02
About 1 or 2 days a week ----- 03
Several times a month (about 25 to 51 days a year) ----- 04
1 to 2 times a month (12 to 24 days a year) ----- 05
Every other month or so (6 to 11 days a year) ----- 06
3 to 5 days in the past 12 months ----- 07
1 or 2 days in the past 12 months ----- 08
Did not use any analgesic for a nonmedical reason in the past 12 months ----- 93

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

MARIJUANA AND HASHISH--ANSWER SHEET #6

M-1. About how old were you when you first had a chance to try marijuana or hash if you had wanted to?

Age when you first had a chance to try marijuana or hashish -----]

Never had a chance to try marijuana or hashish in your life ----- 991

M-2. About how old were you the first time you actually used marijuana or hash, even once?

Age when you actually used marijuana or hash the first time -----]

Never used marijuana or hashish in your life ----- 991

M-3. About how many times in your life have you used marijuana or hash?

1 or 2 times ----- 01

3 to 5 times ----- 02

6 to 10 times ----- 03

11 to 49 times ----- 04

50 to 99 times ----- 05

100 to 199 times ----- 06

200 or more times ----- 07

Never used marijuana or hashish in your life ----- 91

M-4. When was the most recent time that you used marijuana or hash?

Within the past week (7 days) ----- 01

More than 1 week ago but less than 1 month (30 days) ago ----- 02

1 or more months ago but less than 6 months ago ----- 03

6 or more months ago but less than 1 year ago ----- 04

1 or more years ago but less than 3 years ago ----- 05

3 or more years ago ----- 06

Never used marijuana or hashish in your life ----- 91

(PLEASE TURN THE PAGE)

THE NEXT FIVE QUESTIONS ARE ABOUT MARIJUANA OR HASH USE IN THE PAST 30 DAYS.

M-5. On about how many different days did you use marijuana or hash during the past 30 days?

IF ANY, ENTER NUMBER IN SPACES FOR:

Number of days you used marijuana or hash in past 30 days _____

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used marijuana or hash in your life but did not use any in the past 30 days ----- 93

Never used marijuana or hashish in your life ----- 91

M-6. On the days that you used marijuana, about how much did you smoke each day, on the average, during the past 30 days?

IF ANY, ENTER NUMBER(S) IN ONE OR BOTH SPACES FOR:

Average number of marijuana cigarettes or joints per day on the days you used marijuana in the past 30 days _____

Average number of full pipes or bongs per day on the days you used marijuana in the past 30 days _____

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used marijuana in your life but did not smoke any marijuana in the past 30 days ----- 93

Never used marijuana in your life ----- 91

M-7. What is the total amount of marijuana that you used, in all, during the past 30 days?

1 to 10 joints (1/2 to 5 grams or up to 1/5 ounce) in the past 30 days ----- 01

11 to 20 joints (5-1/2 to 10 grams or 1/5 to 1/3 ounce) in the past 30 days ----- 02

About 1 ounce (21 to 85 joints or 11 to 42 grams) in the past 30 days ----- 03

About 2 ounces (86 to 145 joints or 43 to 72 grams) in the past 30 days ----- 04

3 to 4 ounces (146 to 255 joints or 73 to 127 grams) in the past 30 days ----- 05

5 to 6 ounces (256 to 370 joints or 128 to 185 grams) in the past 30 days ----- 06

More than 6 ounces in the past 30 days (WRITE IN THE AMOUNT OF MARIJUANA YOU USED DURING THE PAST 30 DAYS, IN OUNCES): _____ 77

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used marijuana in your life but did not use any marijuana in the past 30 days ----- 93

Never used marijuana in your life ----- 91

(PLEASE GO TO THE NEXT PAGE)

M-8. How did you obtain any marijuana that you used during the past 30 days?

PLEASE CIRCLE NUMBERS FOR ALL THE WAYS YOU OBTAINED MARIJUANA:

- Bought it from friends, acquaintances or family ----- 01
Bought it from a dealer ----- 02
Others shared with me ----- 03
Given to me ----- 04
Traded goods for it ----- 05
Traded services for it ----- 06
Stole it ----- 07
Obtained it by trick or fraud ----- 08
Grew it yourself ----- 09

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

- Used marijuana in your life but did not use any marijuana in the past 30 days ----- 93
Never used marijuana in your life ----- 91

M-9. About how much money did all the marijuana you used in the past 30 days cost you? (Do not include money you spent for any marijuana that you sold or gave away.)

- Total cost of marijuana that you used in the past 30 days ----- \$ []
Did not spend any money on the marijuana you used in the past 30 days ----- 0000
Used marijuana in your life but did not use any marijuana in the past 30 days ----- 9993
Never used marijuana in your life ----- 9991

THE NEXT TWO QUESTIONS ARE ABOUT MARIJUANA USE IN THE PAST 12 MONTHS.

M-10. On the average, how often in the past 12 months have you used marijuana?

- Several times a day in the past 12 months ----- 01
Daily in the past 12 months ----- 02
Almost daily or 3 to 6 days a week ----- 03
About 1 or 2 days a week ----- 04
Several times a month (about 25 to 51 days a year) ----- 05
1 to 2 times a month (12 to 24 days a year) ----- 06
Every other month or so (6 to 11 days a year) ----- 07
3 to 5 days in the past 12 months ----- 08
1 or 2 days in the past 12 months ----- 09
Used marijuana in your life but did not use any marijuana in the past 12 months ----- 93
Never used marijuana in your life ----- 91

(PLEASE TURN TO THE NEXT PAGE)

M-11. Circle the numbers to the right of all the ways you have used marijuana in the past 12 months. (PLEASE CIRCLE ALL THAT APPLY.)

- Smoking marijuana cigarettes or joints ----- 01
- Smoking marijuana with a pipe or "bong" -----
- Eating marijuana that's been baked in any kind of food ----- 03
- Chewing marijuana like chewing tobacco ----- 04
- Some other way (PLEASE DESCRIBE): -----
- 05
- Used marijuana in your life but did not use any marijuana in the past 12 months ----- 93
- Never used marijuana in any form in your life ----- 91

M-12. Thinking back over your whole life, has there ever been a period when you used marijuana or hash daily or almost daily for two or more weeks?

- Yes ----- 01
- No ----- 02

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

INHALANTS-ANSWER SHEET #7

IN-1. Circle the number to the right of each substance that you have ever sniffed or inhaled for kicks or to get high. (PLEASE CIRCLE NUMBERS FOR ALL THAT APPLY.)

Gasoline or lighter fluids ----- 01
Lighter gases (butane, propane) ----- 02
Spray paints ----- 03
Other aerosol sprays ----- 04
Shoeshine liquid, glue, or toluene ----- 05
Lacquer thinner or other paint solvents ----- 06
Amyl nitrite, "poppers," locker room odorizer, "rush" ----- 07
Halothane, ether, or other anesthetics ----- 08
Nitrous oxide, "whippets" ----- 09
Correction fluids, degreasers, cleaning fluids ----- 10
Other substances you inhaled for kicks or to get high (SPECIFY): _____

Inhaled a substance for kicks or to get high, but you don't know its name ----- 12
Never used an inhalant for kicks or to get high in your life ----- 91

IN-2. About how old were you the first time you sniffed or inhaled or "huffed" one of these inhalants, even once, for kicks or to get high?

Age when you first sniffed or inhaled one of these substances to get high _____
Never used an inhalant for kicks or to get high in your life ----- 991

IN-3. About how many times in your life have you used an inhalant for kicks or to get high?

1 or 2 times ----- 01
3 to 5 times ----- 02
6 to 10 times ----- 03
11 to 49 times ----- 04
50 to 99 times ----- 05
100 to 199 times ----- 06
200 or more times ----- 07
Never used an inhalant for kicks or to get high in your life ----- 91

(PLEASE TURN THE PAGE)

IN-4. When was the most recent time that you used an inhalant; that is, sniffed or inhaled something for kicks or to get high?

Within the past week (7 days) ----- 01
More than 1 week ago but less than 1 month (30 days) ago -----
1 or more months ago but less than 6 months ago ----- 03
6 or more months ago but less than 1 year ago ----- 04
1 or more years ago but less than 3 years ago ----- 05
3 or more years ago ----- 06
Never used an inhalant for kicks or to get high in your life ----- 91

THE NEXT TWO QUESTIONS ARE ABOUT USE OF INHALANTS IN THE PAST 30 DAYS.

IN-5. Circle the number to the right of each substance that you have sniffed or inhaled for kicks or to get high during the past 30 days. (PLEASE CIRCLE ALL THAT APPLY.)

IF ANY, CIRCLE NUMBERS FOR ALL SUBSTANCES YOU INHALED:

Gasoline or lighter fluids ----- 01
Lighter gases (butane, propane) ----- 02
Spray paints ----- 03
Other aerosol sprays -----
Shoeshine liquid, glue, or toluene ----- 05
Lacquer thinner or other paint solvents ----- 06
Amyl nitrite, "poppers," locker room odorizer, "rush" ----- 07
Halothane, ether, or other anesthetics ----- 08
Nitrous oxide, "whippets" ----- 09
Correction fluids, degreasers, cleaning fluids ----- 10
Other substances you inhaled for kicks or to get high (SPECIFY): -----
----- 11

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Inhaled something for kicks or to get high in your life but not in the past 30 days ----- 93
Never used an inhalant for kicks or to get high in your life ----- 91

(PLEASE GO TO THE NEXT PAGE)

IN-6. During the past 30 days, on about how many different days did you use an inhalant for kicks or to get high?

IF ANY, ENTER NUMBER IN SPACES FOR:

Number of days you used an inhalant for kicks/to get high in past 30 days ---- []

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Inhaled something for kicks or to get high in your life but not
during the past 30 days ----- 93

Never used an inhalant for kicks or to get high in your life ----- 91

THE NEXT QUESTION IS ABOUT USE OF INHALANTS IN THE PAST 12 MONTHS.

IN-7. On the average, how often in the past 12 months have you sniffed or inhaled any substance for kicks or to get high?

Daily in the past 12 months ----- 01

Almost daily or 3 to 6 days a week ----- 02

About 1 or 2 days a week ----- 03

Several times a month (about 25 to 51 days a year) ----- 04

1 to 2 times a month (12 to 24 days a year) ----- 05

Every other month or so (6 to 11 days a year) ----- 06

3 to 5 days in the past 12 months ----- 07

1 or 2 days in the past 12 months ----- 08

Inhaled something for kicks or to get high in your life but not in the past 12 months --- 93

Never used an inhalant for kicks or to get high in your life ----- 91

IN-8. Have you ever passed out from using any of these inhalants for kicks or to get high?

Yes ----- 01

No ----- 02

Never used an inhalant for kicks or to get high in your life ----- 91

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

COCAINE--ANSWER SHEET #8

THE QUESTIONS ON THIS ANSWER SHEET ARE ABOUT COCAINE IN ANY FORM, SUCH AS POWDER, "CRACK," FREE BASE, AND COCA PASTE.

CN-1. About how old were you when you first had a chance to try cocaine, in any form, if you had wanted to?

Age when you first had a chance to try cocaine in any form ----- 1
Never had a chance to try cocaine in any form ----- 991

CN-2. About how old were you the first time you actually used cocaine, in any form, even once?

Age when you first used cocaine in any form ----- 1
Never used cocaine in any form in your life ----- 991

CN-3. About how many times in your life have you used cocaine, in any form?

1 or 2 times ----- 01
3 to 5 times ----- 02
6 to 10 times ----- 03
11 to 49 times ----- 04
50 to 99 times ----- 05
100 to 199 times ----- 06
200 or more times ----- 07
Never used cocaine in any form in your life ----- 91

CN-4. When was the most recent time that you used cocaine, in any form?

Within the past week (7 days) ----- 01
More than 1 week ago but less than 1 month (30 days) ago ----- 02
1 or more months ago but less than 6 months ago ----- 03
6 or more months ago but less than 1 year ago ----- 04
1 or more years ago but less than 3 years ago ----- 05
3 or more years ago ----- 06
Never used cocaine in any form in your life ----- 91

(PLEASE TURN THE PAGE)

THE NEXT FOUR QUESTIONS ARE ABOUT COCAINE USE IN THE PAST 30 DAYS.

CN-5. On about how many different days did you use cocaine during the past 30 days?

IF ANY, ENTER NUMBER IN SPACES FOR:

Number of days when you used cocaine in past 30 days -----

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used cocaine in your life but did not use any cocaine in the past 30 days ----- 93

Never used cocaine in any form in your life ----- 91

CN-6. How many grams of cocaine have you used in the past 30 days?

Used some cocaine, but less than 1/4 gram (about 4 big lines of powder
or 1 to 3 rocks of "crack") ----- 01

About 1/4 gram (about 5 to 8 big lines of powder or a vial
(4 to 5 rocks) of "crack") ----- 02

About 1/2 gram (about 9 to 16 big lines of powder or
1-1/2 to 3 vials (6 to 12 rocks) of "crack") ----- 03

About 1 gram (about 17 to 36 big lines of powder or 3 to 5 vials
(13 to 25 rocks) of "crack") ----- 04

About 2 grams (about 37 to 60 big lines of powder or 6 to 8 vials
(26 to 40 rocks) of "crack") -----

About 3 grams (about 61 to 85 big lines of powder or 9 to 12 vials
(41 to 60 rocks) of "crack") ----- 06

More than 3 grams in the past 30 days (WRITE IN THE
AMOUNT OF COCAINE YOU USED DURING THE
PAST 30 DAYS, IN GRAMS): ----- 77

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used cocaine in your life but did not use any cocaine in the past 30 days ----- 93

Never used cocaine in any form in your life ----- 91

(PLEASE GO TO THE NEXT PAGE)

CN-7. How did you obtain any cocaine that you used during the past 30 days?

PLEASE CIRCLE NUMBERS FOR ALL THE WAYS YOU OBTAINED COCAINE:

- Bought it from friends, acquaintances or family ----- 01
Bought it from a dealer ----- 02
Others shared with me ----- 03
Given to me ----- 04
Traded goods for it ----- 05
Traded services for it ----- 06
Stole it ----- 07
Obtained it by trick or fraud ----- 08

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

- Used cocaine in your life but did not use any cocaine in the past 30 days ----- 93
Never used cocaine in your life ----- 91

CN-8. About how much money did all the cocaine you used in the past 30 days cost you? (Do not include money you spent for any cocaine that you sold or gave away.)

- Total cost of cocaine that you used in the past 30 days ----- \$
Did not spend any money on the cocaine you used in the past 30 days ----- 0000
Used cocaine in your life but did not use any cocaine in the past 30 days ----- 9993
Never used cocaine in any form in your life ----- 9991

THE NEXT TWO QUESTIONS ARE ABOUT COCAINE USE IN THE PAST 12 MONTHS.

CN-9. On the average, how often in the past 12 months have you used cocaine, in any form?

- Daily in the past 12 months ----- 01
Almost daily or 3 to 6 days a week ----- 02
About 1 or 2 days a week ----- 03
Several times a month (about 25 to 51 days a year) ----- 04
1 to 2 times a month (12 to 24 days a year) ----- 05
Every other month or so (6 to 11 days a year) ----- 06
3 to 5 days in the past 12 months ----- 07
1 or 2 days in the past 12 months ----- 08
Used cocaine in your life but did not use any cocaine in the past 12 months ----- 93
Never used cocaine in any form in your life ----- 91

(PLEASE TURN TO THE NEXT PAGE)

CN-10. Circle the numbers of all the ways you have used cocaine in the past 12 months. (PLEASE CIRCLE ALL THAT APPLY.)

- Sniffing through the nose ("snorting") ----- 01
Swallowing or drinking ----- 02
Injecting in a muscle or vein with a needle ----- 03
Smoking or free basing ----- 04
Some other way (PLEASE DESCRIBE): ----- 05
----- 05
Used cocaine in your life but did not use any cocaine in the past 12 months ----- 93
Never used cocaine in any form in your life ----- 91

CN-11. When was the most recent time you used cocaine with a needle?

- Within the past month (30 days) ----- 01
More than 1 month ago but less than 6 months ago ----- 02
6 or more months ago but less than 1 year ago ----- 03
1 or more years ago but less than 3 years ago ----- 04
3 or more years ago but less than 10 years ago ----- 05
10 or more years ago -----
Used cocaine in your life but never with a needle ----- 93
Never used cocaine in any form in your life ----- 91

CN-12. Thinking back over your whole life, has there ever been a period when you used cocaine, in any form, daily or almost daily for two or more weeks?

- Yes ----- 01
No ----- 02

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

THE QUESTIONS ON THIS ANSWER SHEET REFER JUST TO "CRACK" (COCAINE IN ROCK OR CHUNK FORM) AND NOT THE OTHER FORMS OF COCAINE.

CK-1. When was the most recent time you used the form of cocaine known as "crack"?

- Within the past week (7 days) ----- 01
More than 1 week ago but less than 1 month (30 days) ago ----- 02
1 or more months ago but less than 6 months ago ----- 03
6 or more months ago but less than 1 year ago ----- 04
1 or more years ago but less than 3 years ago ----- 05
3 or more years ago ----- 06
Never used "crack" in your life ----- 91

THE NEXT THREE QUESTIONS ARE ABOUT USE OF "CRACK" IN THE PAST 30 DAYS.

CK-2. How many vials or small containers of "crack" have you used in the past 30 days?

IF ANY, ENTER NUMBER IN SPACES FOR:

Number of vials or containers of "crack" you used in the
past 30 days -----

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

- Used "crack" in your life but did not use any "crack" in the past 30 days ----- 993
Never used "crack" in your life ----- 991

CK-3. How did you obtain any "crack" that you used during the past 30 days?

PLEASE CIRCLE NUMBERS FOR ALL THE WAYS YOU OBTAINED "CRACK":

- Bought it from friends, acquaintances or family ----- 01
Bought it from a dealer ----- 02
Others shared with me ----- 03
Given to me ----- 04
Traded goods for it ----- 05
Traded services for it ----- 06
Stole it ----- 07
Obtained it by trick or fraud ----- 08

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

- Used crack in your life but did not use any crack in the past 30 days ----- 93
Never used crack in your life ----- 91

(PLEASE TURN THE ANSWER SHEET OVER)

CK-4. About how much money did the "crack" you used in the past 30 days cost you? (Do not include money you spent for any "crack" you sold or gave away, or any money you spent for other forms of cocaine besides "crack.")

Total cost of "crack" you used in the past 30 days ----- \$ _____

Did not spend any money on the "crack" you used in the past 30 days ----- 0000

Used "crack" in your life but did not use any "crack" in the past 30 days ----- 9993

Never used "crack" in your life ----- 9991

CK-5. Thinking back over your whole life, has there ever been a period when you used "crack" daily or almost daily for two or more weeks?

Yes ----- 01

No ----- 02

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

HALLUCINOGENS--ANSWER SHEET #10

- L-1. Which of the following hallucinogens have you ever used? (PLEASE CIRCLE THE NUMBERS TO THE RIGHT OF ALL YOU HAVE EVER USED, EVEN ONCE.)

LSD ("acid," "white lightning") ----- 01
Peyote ----- 02
Mescaline ----- 03
Psilocybin (mushrooms) ----- 04
PCP ("angel dust," phencyclidine) ----- 05
"Ecstasy" (MDMA) ----- 06
Other hallucinogen (SPECIFY): ----- 07
Used a hallucinogen, but you don't know its name ----- 08
Never used any hallucinogen in your life ----- 91

- L-2. About how old were you when you first had a chance to try LSD or PCP or another hallucinogen, if you had wanted to?

Age when you first had a chance to try LSD, PCP, or another hallucinogen _____
Never had a chance to try LSD, PCP, or another hallucinogen ----- 991

- L-3. About how old were you the first time you actually used LSD or PCP or another hallucinogen?

Age when you first used LSD, PCP, or another hallucinogen ----- _____
Never used LSD, PCP, or another hallucinogen in your life ----- 991

- L-4. About how many times in your life have you used LSD or PCP or another hallucinogen?

1 or 2 times ----- 01
3 to 5 times ----- 02
6 to 10 times ----- 03
11 to 49 times ----- 04
50 to 99 times ----- 05
100 to 199 times ----- 06
200 or more times ----- 07
Never used LSD, PCP, or another hallucinogen in your life ----- 91

(PLEASE TURN THE PAGE)

L-5. When was the most recent time that you used LSD or PCP or another hallucinogen?

Within the past month (30 days) ----- 01
More than 1 month ago but less than 6 months ago ----- 02
6 or more months ago but less than 1 year ago ----- 03
1 or more years ago but less than 3 years ago ----- 04
3 or more years ago ----- 05
Never used LSD, PCP, or another hallucinogen in your life ----- 91

THE NEXT QUESTION IS ABOUT USE OF HALLUCINOGENS IN THE PAST 30 DAYS.

L-6. On about how many different days did you use LSD or PCP or another hallucinogen during the past 30 days?

IF ANY, ENTER NUMBER IN SPACES FOR:

Number of days you used LSD, PCP, or another hallucinogen
in past 30 days -----

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used LSD, PCP, or another hallucinogen in your life but not in the past 30 days ----- 93
Never used LSD, PCP, or another hallucinogen in your life ----- 91

QUESTION L-7 IS ABOUT USE OF HALLUCINOGENS IN THE PAST 12 MONTHS.

L-7. On the average, how often in the past 12 months have you used LSD or PCP or another hallucinogen?

Daily in the past 12 months ----- 01
Almost daily or 3 to 6 days a week ----- 02
About 1 or 2 days a week ----- 03
Several times a month (about 25 to 51 days a year) ----- 04
1 to 2 times a month (12 to 24 days a year) ----- 05
Every other month or so (6 to 11 days a year) ----- 06
3 to 5 days in the past 12 months ----- 07
1 or 2 days in the past 12 months ----- 08
Used LSD, PCP, or another hallucinogen in your life but not in the past 12 months ----- 93
Never used LSD, PCP, or another hallucinogen in your life ----- 91

(PLEASE GO TO THE NEXT PAGE)

THE NEXT QUESTION REFERS TO PCP ONLY.

L-8. When was the most recent time that you used PCP?

- Within the past month (30 days) ----- 01
- More than 1 month ago but less than 6 months ago ----- 02
- 6 or more months ago but less than 1 year ago ----- 03
- 1 or more years ago but less than 3 years ago ----- 04
- 3 or more years ago ----- 05
- Never used PCP in your life ----- 91

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

H-1. About how old were you when you first had a chance to try heroin if you had wanted to?

Age when you first had a chance to try heroin _____

Never had a chance to try heroin _____ 991

H-2. About how old were you the first time you actually used heroin?

Age when you first used heroin _____

Never used heroin in your life _____ 991

H-3. About how many times in your life have you used heroin?

1 or 2 times _____ 01

3 to 5 times _____ 02

6 to 10 times _____ 03

11 to 49 times _____ 04

50 to 99 times _____ 05

100 to 199 times _____ 06

200 or more times _____ 07

Never used heroin in your life _____ 91

H-4. When was the most recent time that you used heroin?

Within the past month (30 days) _____ 01

More than 1 month ago but less than 6 months ago _____ 02

6 or more months ago but less than 1 year ago _____ 03

1 or more years ago but less than 3 years ago _____ 04

3 or more years ago _____ 05

Never used heroin in your life _____ 91

THE NEXT QUESTION IS ABOUT USE OF HEROIN IN THE PAST 30 DAYS.

H-5. During the past 30 days, on about how many different days did you use heroin?

IF ANY, ENTER NUMBER IN SPACES FOR:

Number of days you used heroin in past 30 days _____

IF NONE, CIRCLE ONE NUMBER FOR BEST ANSWER:

Used heroin in your life but did not use any heroin in the past 30 days _____ 93

Never used heroin in your life _____ 91

(PLEASE TURN THE PAGE)

THE NEXT TWO QUESTIONS ARE ABOUT USE OF HEROIN WITH A NEEDLE.

H-6. Have you ever used heroin with a needle?

Yes, have used heroin with a needle ----- 01
No (have used heroin, but not with a needle) ----- 02
Never used heroin in your life ----- 91

H-7. When was the most recent time you used heroin with a needle?

Within the past month (30 days) ----- 01
More than 1 month ago but less than 6 months ago ----- 02
6 or more months ago but less than 1 year ago ----- 03
1 or more years ago but less than 3 years ago ----- 04
3 or more years ago but less than 10 years ago ----- 05
10 or more years ago ----- 06
Used heroin in your life but never with a needle ----- 93
Never used heroin in your life ----- 91

THE NEXT TWO QUESTIONS ARE ABOUT SMOKING HEROIN.

H-8. Have you ever smoked heroin?

Yes, have smoked heroin ----- 01
No (have used heroin, but have never smoked it) ----- 02
Never used heroin in your life ----- 91

H-9. When was the most recent time you smoked heroin?

Within the past month (30 days) ----- 01
More than 1 month ago but less than 6 months ago ----- 02
6 or more months ago but less than 1 year ago ----- 03
1 or more years ago but less than 3 years ago ----- 04
3 or more years ago but less than 10 years ago ----- 05
10 or more years ago ----- 06
Used heroin in your life but never smoked it ----- 93
Never used heroin in your life ----- 9

(PLEASE GO TO THE NEXT PAGE)

THE LAST TWO QUESTIONS ARE ABOUT SNIFFING ("SNORTING") HEROIN.

H-10. Have you ever sniffed ("snorted") heroin powder through your nose?

Yes, have sniffed ("snorted") heroin ----- 01

No (have used heroin, but have never sniffed ("snorted") it) ----- 02

Never used heroin in your life ----- 91

H-11. When was the most recent time you sniffed ("snorted") heroin powder through your nose?

Within the past month (30 days) ----- 01

More than 1 month ago but less than 6 months ago ----- 02

6 or more months ago but less than 1 year ago ----- 03

1 or more years ago but less than 3 years ago ----- 04

3 or more years ago but less than 10 years ago ----- 05

10 or more years ago ----- 06

Used heroin in your life but never sniffed ("snorted") it ----- 93

Never used heroin in your life ----- 91

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

ALL QUESTIONS ON THIS ANSWER SHEET REFER TO THE PAST 12 MONTHS.

DR-1. During the past 12 months, for which drugs have you consciously tried to cut down on your use?
(PLEASE CIRCLE ALL THAT APPLY.)

Cigarettes ----- 01
 Alcohol ----- 02
 Sedatives ----- 03
 Tranquilizers ----- 04
 Stimulants ----- 05
 Analgesics ----- 06
 Marijuana ----- 07
 Inhalants ----- 08
 Cocaine (including "crack") ----- 09
 Hallucinogens ----- 10
 Heroin ----- 11
 Other opiates, morphine, codeine ----- 12
 Did not try to cut down on any drug you used in the past 12 months ----- 13
 Used at least one of the drugs listed above in your life but not in the past 12 months --- 93
 Never used any of the drugs listed above in your life ----- 91

DR-2. During the past 12 months, for which drugs have you been unable to cut down on your use, even though
you tried? (PLEASE CIRCLE ALL THAT APPLY.)

Cigarettes ----- 01
 Alcohol ----- 02
 Sedatives ----- 03
 Tranquilizers ----- 04
 Stimulants ----- 05
 Analgesics ----- 06
 Marijuana ----- 07
 Inhalants ----- 08
 Cocaine (including "crack") ----- 09
 Hallucinogens ----- 10
 Heroin ----- 11
 Other opiates, morphine, codeine ----- 12
 Did not try to cut down on any drug you used in the past 12 months ----- 13
 Used at least one of the drugs listed above in your life but not in the past 12 months --- 93
 Never used any of the drugs listed above in your life ----- 91

(PLEASE TURN THE PAGE)

DR-3. During the past 12 months, for which drugs have you needed larger amounts to get the same effect; that is, for which drugs could you no longer get high on the same amount you used to use? (PLEASE CIRCLE ALL THAT APPLY.)

Cigarettes ----- 02
 Alcohol ----- 03
 Sedatives ----- 04
 Tranquilizers ----- 05
 Stimulants ----- 06
 Analgesics ----- 07
 Marijuana ----- 08
 Inhalants ----- 09
 Cocaine (including "crack") ----- 10
 Hallucinogens ----- 11
 Heroin ----- 12
 Other opiates, morphine, codeine ----- 13
 Did not need larger amounts of any drug you used in the past 12 months ----- 93
 Used at least one of the drugs listed above in your life but not in the past 12 months --- 91
 Never used any of the drugs listed above in your life ----- 91

DR-4. During the past 12 months, which drugs have you used every day or almost daily for 2 or more weeks in a row? (PLEASE CIRCLE ALL THAT APPLY.)

Cigarettes ----- 01
 Alcohol ----- 02
 Sedatives ----- 03
 Tranquilizers ----- 04
 Stimulants ----- 05
 Analgesics ----- 06
 Marijuana ----- 07
 Inhalants ----- 08
 Cocaine (including "crack") ----- 09
 Hallucinogens ----- 10
 Heroin ----- 11
 Other opiates, morphine, codeine ----- 12
 Used at least one drug in the past 12 months but not as often as every day
 or almost daily for 2 or more weeks in a row ----- 13
 Used at least one of the drugs listed above in your life but not in the past 12 months --- 93
 Never used any of the drugs listed above in your life ----- 91

(PLEASE GO TO THE NEXT PAGE)

DR-5. Which drugs have you felt that you needed or were dependent on in the past 12 months? (PLEASE CIRCLE ALL THAT APPLY.)

Cigarettes ----- 01
Alcohol ----- 02
Sedatives ----- 03
Tranquilizers ----- 04
Stimulants ----- 05
Analgesics ----- 06
Marijuana ----- 07
Inhalants ----- 08
Cocaine (including "crack") ----- 09
Hallucinogens ----- 10
Heroin ----- 11
Other opiates, morphine, codeine ----- 12
Did not feel like you had to have any drug you used in the past 12 months ----- 13
Used at least one of the drugs listed above in your life but not in the past 12 months --- 93
Never used any of the drugs listed above in your life ----- 91

DR-6. For which drugs have you had withdrawal symptoms; that is, you felt sick because you stopped or cut down on your use of them during the past 12 months? (PLEASE CIRCLE ALL THAT APPLY.)

Cigarettes ----- 01
Alcohol ----- 02
Sedatives ----- 03
Tranquilizers ----- 04
Stimulants ----- 05
Analgesics ----- 06
Marijuana ----- 07
Inhalants ----- 08
Cocaine (including "crack") ----- 09
Hallucinogens ----- 10
Heroin ----- 11
Other opiates, morphine, codeine ----- 12
Did not have withdrawal symptoms from cutting down on any drug you used
in the past 12 months ----- 13
Used at least one of the drugs listed above in your life but not in the past 12 months --- 93
Never used any of the drugs listed above in your life ----- 91

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

THE QUESTIONS ON THIS ANSWER SHEET ARE ABOUT NONMEDICAL USE OF ANY DRUG WITH A NEEDLE.

ND-1. Have you ever used a needle to get any drug injected under your skin, into a muscle, or into a vein for nonmedical reasons?

Yes, have used a needle to take a drug _____ 01

No, have never used a needle to take a drug _____ 02

Never used any drug for nonmedical reasons in your life _____ 91

ND-2. When was the most recent time you used any drug for nonmedical reasons with a needle?

Within the past month (30 days) _____ 01

More than 1 month ago but less than 6 months ago _____ 02

6 or more months ago but less than 1 year ago _____ 03

1 or more years ago but less than 3 years ago _____ 04

3 or more years ago but less than 10 years ago _____ 05

10 or more years ago _____ 06

Never used a needle to take any drug in your life _____ 93

Never used any drug for nonmedical reasons in your life _____ 91

ND-3. Circle the number to the right of each kind of drug you have ever used with a needle, for nonmedical reasons. (PLEASE CIRCLE ALL THAT APPLY.)

Sedatives (barbiturates, sleeping pills, Seconal ("downers")) _____ 21

Tranquilizers (antianxiety drugs like Librium and Valium) _____ 22

Stimulants (amphetamines, Preludin ("uppers" or "speed"),
methamphetamine ("crank" or "ice")) _____ 23

Analgesics (pain killers like Darvon, Demerol, Talwin, Talacen) _____ 24

Inhalants (toluene, paint thinner, amyl nitrite, "poppers," ether) _____ 25

Cocaine _____ 26

Hallucinogens like LSD, PCP, peyote, mescaline, "Ecstasy" _____ 27

Heroin _____ 28

Other opiates like morphine, codeine, Percodan _____ 29

Anabolic steroids _____ 30

Never used a needle to take any drug in your life _____ 93

Never used any of the drugs listed above for nonmedical reasons in your life _____ 91

(PLEASE TURN THE ANSWER SHEET OVER)

ND-4. Have you ever used a needle for injecting drugs when you knew or suspected that the needle had been used by someone else?

Yes, have used a needle after someone else used it -----

No, have not used a needle after someone else used it ----- 02

Never used a needle to take any drug in your life ----- 93

Never used any drug for nonmedical reasons in your life ----- 91

ND-5. Has someone else ever injected drugs with a needle after you used the needle?

Yes, someone used a needle after I used it ----- 01

No, no one has used a needle after I used it ----- 02

Never used a needle to take any drug in your life ----- 93

Never used any drug for nonmedical reasons in your life ----- 91

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

SPECIAL TOPICS--ANSWER SHEET #14

SP-1. During the past 12 months, have you been required by your employer to take a drug test?

Yes ----- 01

No ----- 02

Did not have a job during past 12 months ----- 03

SP-2. During the past 12 months, did a drug test given to you by your employer indicate the presence of any drug?

Yes ----- 01

No ----- 02

Did not receive test in past 12 months ----- 03

Did not have a job during past 12 months ----- 04

THE NEXT TWO QUESTIONS ARE ABOUT THE SMOKABLE FORM OF METHAMPHETAMINE CALLED "ICE."

SP-3. Have you ever used the smokable form of methamphetamine called "ice"?

Yes ----- 01

No ----- 02

SP-4. When was the most recent time you used the smokable form of methamphetamine called "ice"?

Within the past month (30 days) ----- 01

More than 1 month ago but less than 6 months ago ----- 02

6 or more months ago but less than 1 year ago ----- 03

1 or more years ago but less than 3 years ago ----- 04

3 or more years ago but less than 10 years ago ----- 05

10 or more years ago ----- 06

Never used the smokable form of methamphetamine ("ice") in your life ----- 91

THE NEXT FOUR QUESTIONS ARE ABOUT USE OF ANABOLIC STEROIDS.

SP-5. About how old were you when you first had a chance to try anabolic steroids if you had wanted to?

Age when you first had a chance to try anabolic steroids ----- 991

Never had a chance to try anabolic steroids ----- 991

(PLEASE TURN THE PAGE)

SP-6. About how old were you the first time you actually tried anabolic steroids?

Age when you first tried anabolic steroids _____

Never used anabolic steroids in your life _____

SP-7. About how many times in your life have you used anabolic steroids?

1 or 2 times _____ 01

3 to 5 times _____ 02

6 to 10 times _____ 03

11 to 49 times _____ 04

50 to 99 times _____ 05

100 to 199 times _____ 06

200 or more times _____ 07

Never used anabolic steroids in your life _____ 91

SP-8. When was the most recent time that you used anabolic steroids?

Within the past month (30 days) _____ 01

More than 1 month ago but less than 6 months ago _____ 02

6 or more months ago but less than 1 year ago _____ 03

1 or more years ago but less than 3 years ago _____

3 or more years ago _____

Never used anabolic steroids in your life _____ 91

THE NEXT QUESTION IS ABOUT DRUGS THAT HAVEN'T BEEN MENTIONED BEFORE.

SP-9. Have you used any other illegal drugs in the past 12 months that have not been mentioned in any of the previous questions on these answer sheets? Please write the names of all of these drugs on the lines below. If you have not used any other illegal drugs, write the word "NONE."

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

(PLEASE GO TO THE NEXT PAGE)

THE NEXT FIVE QUESTIONS ARE ABOUT ENCOUNTERS WITH THE POLICE OR SOMEONE CONNECTED WITH THE COURTS.

SP-10. Not counting minor traffic violations, have you ever been arrested and booked for breaking a law? (Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.)

Yes _____ 01
No _____ 02

SP-11. Not counting minor traffic violations, how many times in the past 12 months have you been arrested and booked for breaking a law? (IF NONE, WRITE IN THE NUMBER "0.")

Number of times arrested and booked in past 12 months _____

SP-12. Not counting minor traffic violations, in the past 12 months, for what offenses listed below were you arrested and booked? (PLEASE CIRCLE ALL THAT APPLY.)

Larceny or theft _____ 01
Burglary or breaking and entering _____ 02
Aggravated assault _____ 03
Other assault, such as simple assault or battery _____ 04
Motor vehicle theft _____ 05
Robbery _____ 06
Forcible rape _____ 07
Murder, homicide, or nonnegligent manslaughter _____ 08
Arson _____ 09
Driving under the influence _____ 10
Drunkenness or other liquor law violation _____ 11
Possession or sale of drugs _____ 12
Prostitution or commercialized sex _____ 13
Other property offenses, such as fraud, possessing stolen goods, vandalism _____ 14
Other offenses (PLEASE SPECIFY): _____ 15
Was not arrested and booked for any offense in the past 12 months _____ 93

SP-13. Were you on probation at any time in the past 12 months?

Yes _____ 01
No _____ 02

SP-14. Were you on parole at any time in the past 12 months?

Yes _____ 01
No _____ 02

(PLEASE TURN TO THE NEXT PAGE)

SP-15.

This section deals with activities that may be against the law. Read each item, then circle the 01 if you have done the activity in the past 12 months. If you did not do the activity in the past 12 months, circle the 02.

(PLEASE CIRCLE ONE ANSWER NUMBER FOR EVERY QUESTION BELOW.)

- | | | <u>YES</u> | <u>NO</u> |
|----|--|------------|-----------|
| a. | During the <u>past 12 months</u> , have you taken something from a store without paying for it? -- | 01 | 02 |
| b. | During the <u>past 12 months</u> , have you, other than from a store, taken money or property that did not belong to you? ----- | 01 | 02 |
| c. | During the <u>past 12 months</u> , have you purposely damaged or destroyed property that did not belong to you? ----- | 01 | 02 |
| d. | During the <u>past 12 months</u> , have you taken a car that didn't belong to someone in your family without the owner's permission? ----- | 01 | 02 |
| e. | During the <u>past 12 months</u> , have you used a weapon, force, or strong-arm methods to get money or things from a person? ----- | 01 | 02 |
| f. | During the <u>past 12 months</u> , have you broken into a house or building to steal something or just to look around? ----- | 01 | 02 |
| g. | During the <u>past 12 months</u> , have you hit someone or gotten into a physical fight? ----- | 01 | |
| h. | During the <u>past 12 months</u> , have you hurt someone badly enough to need bandages or a doctor? ----- | 01 | 02 |
| i. | During the <u>past 12 months</u> , have you used a knife or gun or some other thing (like a club) to get something from a person? ----- | 01 | 02 |
| j. | During the <u>past 12 months</u> , have you driven any kind of vehicle while you were under the influence of alcohol or illegal drugs? ----- | 01 | 02 |
| k. | During the <u>past 12 months</u> , have you sold any illegal drugs? ----- | 01 | 02 |
| l. | During the <u>past 12 months</u> , have you done anything else that would have gotten you into trouble with the police if they had known about it? ----- | 01 | 02 |

(PLEASE DESCRIBE): _____

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

DRINKING EXPERIENCES--ANSWER SHEET #15

DE-1. If you drank any alcohol (that is, beer, wine, or liquor) in the past 12 months, please circle an answer for each statement below. Circle the 01 if you had the experience in the past 12 months, or circle the 02 if you did not have the experience in the past 12 months.

If you did not drink any beer, wine, or liquor in the past 12 months, circle the 93 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, circle an answer number for every statement below.

93

- | <u>In the past 12 months, ...</u> | <u>YES</u> | <u>NO</u> |
|---|------------|-----------|
| a. I felt aggressive or cross while drinking _____ | 01 | 02 |
| b. I got into a heated argument while drinking _____ | 01 | 02 |
| c. I stayed away from work or school because of a hangover _____ | 01 | 02 |
| d. I was high or a little drunk when on the job or at school _____ | 01 | 02 |
| e. I lost a job, or nearly lost one, because of drinking _____ | 01 | 02 |
| f. My wife/husband or girl/boyfriend told me that I should cut down on my drinking _____ | 01 | 02 |
| g. A relative (other than my wife/husband) told me I should cut down on my drinking _____ | 01 | 02 |
| h. Friends told me that I should cut down on my drinking _____ | 01 | 02 |
| i. I tossed down several drinks pretty fast to get a quicker effect _____ | 01 | 02 |
| j. I was afraid I might be an alcoholic or that I might become one _____ | 01 | 02 |
| k. I stayed drunk for more than one day at a time _____ | 01 | 02 |
| l. Once I started drinking, it was difficult for me to stop
before I became completely intoxicated _____ | 01 | 02 |

(PLEASE TURN THE ANSWER SHEET OVER)

In the past 12 months, ...

YES NO

- m. I have awakened unable to remember some of the things I had done
while drinking the day before ----- 01 02
- n. I had a quick drink or so when no one was looking ----- 01 02
- o. I often took a drink the first thing when I got up in the morning ----- 01 02
- p. My hands shook a lot after drinking the day before ----- 01 02
- q. Sometimes I got high or a little drunk when drinking by myself ----- 01 02
- r. Sometimes I kept on drinking after promising myself not to ----- 01 02

DE-2. In the past 12 months, what drugs listed below did you use on your own, that is, nonmedically, at the same time or within a couple hours of when you drank beer, wine, or liquor? Please circle an answer number for each drug listed below.

Used within 2 hours of drinking alcohol?

YES NO

- Marijuana or hashish ----- 01 02
- Cocaine (including "crack") ----- 01 02
- Heroin ----- 01 02
- Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin
(mushrooms), mescaline, peyote ----- 01 02
- Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline
or lighter fluids, glue, spray paints, correction fluids ----- 01 02
- Analgesics, such as codeine, Tylenol with codeine, Darvon, Percodan,
Demerol, methadone, opiates ----- 01 02
- Tranquilizers, such as Valium, Xanax, Librium, Ativan,
other antianxiety drugs ----- 01 02
- Stimulants, such as methamphetamine, "speed," Dexedrine, Biphedamine,
Benzedrine, "uppers," other amphetamines ----- 01 02
- Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates,
sleeping pills, "downers" ----- 01 02

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

DRUG PROBLEMS--ANSWER SHEET #16

01

DP-1. If you have ever used cigarettes, alcohol, or any of the other substances listed on the card, please circle an answer for each question below. If you had any of these problems in the past 12 months from your use of any of the substances listed on the card, please circle the 01 for "yes" and write in the names of the substances you think probably caused the problem. If you did not have the problem in the past 12 months, circle the 02.

<p>If you have NEVER used cigarettes, alcohol, or <u>any</u> of the other substances listed on the card <u>IN YOUR LIFETIME</u>, circle the 91 in the box to the right. -----</p> <p>Then tell the interviewer that you are finished.</p> <p>Otherwise, circle an answer number for <u>EVERY</u> statement.</p>	<p>91</p>
---	-----------

As a result of drug use at any time in your life, did you, in the past 12 months ...

WRITE NAMES OF DRUGS THAT CAUSED THE PROBLEM

- | | |
|--|---|
| a. Become depressed or lose interest in things? | Yes ----- 01 → Drug(s) that caused problem: _____ |
| | No ----- 02 |
| b. Have arguments and fights with family or friends? | Yes ----- 01 → Drug(s) that caused problem: _____ |
| | No ----- 02 |
| c. Feel completely alone and isolated? | Yes ----- 01 → Drug(s) that caused problem: _____ |
| | No ----- 02 |
| d. Feel very nervous and anxious? | Yes ----- 01 → Drug(s) that caused problem: _____ |
| | No ----- 02 |
| e. Have health problems? | Yes ----- 01 → Drug(s) that caused problem: _____ |
| | No ----- 02 |
| f. Find it difficult to think clearly? | Yes ----- 01 → Drug(s) that caused problem: _____ |
| | No ----- 02 |

(PLEASE TURN THE ANSWER SHEET OVER)

As a result of drug use at any time in your life,
did you, in the past 12 months ...

WRITE NAMES OF DRUGS THAT CAUSED THE PROBLEM

g. Feel irritable and upset?

Yes ----- 01 → Drug(s) that caused problem: _____

No ----- 02

h. Get less work done than usual at school
or on the job?

Yes ----- 01 → Drug(s) that caused problem: _____

No ----- 02

i. Feel suspicious and distrustful of people?

Yes ----- 01 → Drug(s) that caused problem: _____

No ----- 02

j. Find it harder to handle your problems?

Yes ----- 01 → Drug(s) that caused problem: _____

No ----- 02

k. Have to get emergency medical help?

Yes ----- 01 → Drug(s) that caused problem: _____

No ----- 02

l. Have someone suggest you seek treatment?

Yes ----- 01 → Drug(s) that caused problem: _____

No ----- 02

m. Drive unsafely?

Yes ----- 01 → Drug(s) that caused problem: _____

No ----- 02

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

TREATMENT--ANSWER SHEET #17

TR-1. During the past 12 months, were you referred to any type of drug treatment through an employee assistance program?

Yes ----- 01

No ----- 02

TR-2. During the past 12 months, have you gone to a clinic, self-help group, counselor, doctor or other professional to get help to stop smoking cigarettes?

Yes ----- 01

No ----- 02

TR-3. During the past 12 months, have you gotten any treatment for drinking--such as from a clinic, self-help group, counselor, doctor or other professional?

Yes ----- 01

No ----- 02

IN THE REST OF THE QUESTIONS ON THIS ANSWER SHEET, WE ARE INTERESTED IN TREATMENT FOR USE OF OTHER DRUGS; THAT IS, DRUGS NOT INCLUDING CIGARETTES OR ALCOHOL.

TR-4. During the past 12 months, have you received treatment for other drug use, not counting cigarettes or alcohol?

Yes ----- 01

No ----- 02

TR-5. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in an emergency room?

Yes ----- 01

No ----- 02

TR-6. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in a hospital as an inpatient?

Yes ----- 01

No ----- 02

(PLEASE TURN THE PAGE)

- TR-7. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in a private doctor's office?
- Yes ----- 01
- No -----
- TR-8. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in a drug treatment or rehabilitation facility?
- Yes ----- 01
- No ----- 02
- TR-9. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in a mental health center or facility?
- Yes ----- 01
- No ----- 02
- TR-10. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in a self-help group?
- Yes ----- 01
- No ----- 02
- TR-11. During the past 12 months, have you received treatment for use of any other drug, not counting cigarettes or alcohol, in some other place?
- Yes (PLEASE DESCRIBE): ----- 01
- No ----- 02
- TR-12. When was the last time you received treatment or counseling for use of any other drug, not counting cigarettes or alcohol?
- Within the past month ----- 01
- More than one month ago but less than 6 months ago ----- 02
- 6 or more months ago but less than 1 year ago ----- 03
- 1 or more years ago but less than 3 years ago ----- 04
- 3 or more years ago ----- 05
- Never received treatment or counseling for drug use ----- 93
- TR-13. How many times in your life have you received treatment or counseling for your use of any drug, not counting cigarettes or alcohol? (IF NONE, WRITE IN THE NUMBER "0.")
- Number of times you received treatment or counseling for any drug other than cigarettes or alcohol -----

(PLEASE GO TO THE NEXT PAGE)

If you never received treatment or counseling for drug use, circle the 93 in the box to the right.
Then tell the interviewer that you are finished with this answer sheet.
Otherwise, continue with question TR-14 below.

93

TR-14. Where did you receive treatment the last time you were treated for other drug use, not counting cigarettes or alcohol?

In an emergency room 01
In a hospital as an inpatient 02
In a private doctor's office 03
In a drug treatment or rehabilitation facility 04
In a mental health center or facility 05
In a self-help group 06
In some other place (PLEASE DESCRIBE
THIS OTHER PLACE) 07

TR-15. How important were each of the following reasons to you for seeking treatment the last time you received treatment or counseling for drug use? (CIRCLE ONE NUMBER FOR EACH REASON.)

VERY IMPORTANT SOMEWHAT IMPORTANT NOT AT ALL IMPORTANT

a. Wanted to change lifestyle 01 02 03
b. Had family responsibilities 01 02 03
c. Fear of being jailed 01 02 03
d. Drugs were too costly 01 02 03
e. Occurrence of a significant personal or special event 01 02 03
f. Pressure from family (or close friends) 01 02 03
g. Had concerns about health 01 02 03
h. Had concerns about job 01 02 03
i. Sent to jail 01 02 03
j. Availability of services 01 02 03
k. Bad quality of drugs 01 02 03
l. Drugs not available 01 02 03
m. Some other reason 01 02 03
(PLEASE DESCRIBE): 04

TR-16. What was the primary drug you received treatment or counseling for during the last time you were treated?

Write name of primary drug: _____

(PLEASE TURN TO THE NEXT PAGE)

TR-17. What was the outcome of the treatment or counseling you last received? (PLEASE CIRCLE ONLY THE ONE NUMBER FOR THE BEST ANSWER.)

- Still in treatment ----- 01
- Successfully completed treatment -----
- Had a problem with program ----- 03
- Couldn't afford to continue treatment ----- 04
- Family needed me ----- 05
- Began using drug(s) again ----- 06
- Other (PLEASE SPECIFY): ----- 07

TR-18. How was the last treatment or counseling for drug use paid for? (PLEASE CIRCLE ALL THAT APPLY.)

- Health insurance ----- 01
- Your own savings or earnings ----- 02
- Family members paid ----- 03
- Your employer paid ----- 04
- Medicare or Medicaid ----- 05
- Treatment was free ----- 06
- Other (PLEASE DESCRIBE): -----

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)

R-1. How much do you think people risk harming themselves physically and in other ways when they do each of the following activities?

(If you're not sure, circle the number for the amount of risk that comes closest to what you think might be true for that activity. CIRCLE ONE NUMBER ON EACH LINE.)

How much do people risk harming themselves physically and in other ways when they ...

NO
RISK

SLIGHT
RISK

MODERATE
RISK

GREAT
RISK

- a. Smoke one or more packs of cigarenes per day? ----- 01 ----- 02 ----- 03 ----- 04
- b. Try marijuana once or twice? ----- 01 ----- 02 ----- 03 ----- 04
- c. Smoke marijuana occasionally? ----- 01 ----- 02 ----- 03 ----- 04
- d. Smoke marijuana regularly? ----- 01 ----- 02 ----- 03 ----- 04
- e. Try PCP once or twice? ----- 01 ----- 02 ----- 03 ----- 04
- f. Use PCP regularly? ----- 01 ----- 02 ----- 03 ----- 04
- g. Try heroin once or twice? ----- 01 ----- 02 ----- 03 ----- 04
- h. Use heroin regularly? ----- 01 ----- 02 ----- 03 ----- 04
- i. Try cocaine once or twice? ----- 01 ----- 02 ----- 03 ----- 04
- j. Use cocaine occasionally? ----- 01 ----- 02 ----- 03 ----- 04
- k. Use cocaine regularly? ----- 01 ----- 02 ----- 03 ----- 04
- l. Use "crack" occasionally? ----- 01 ----- 02 ----- 03 ----- 04
- m. Use anabolic steroids occasionally? ----- 01 ----- 02 ----- 03 ----- 04
- n. Use anabolic steroids regularly? ----- 01 ----- 02 ----- 03 ----- 04

(PLEASE TURN THE ANSWER SHEET OVER)

R-1. How much do you think people risk harming themselves physically and in other ways when they do each of the following activities?

How much do people risk harming themselves physically and in other ways when they ...

NO SLIGHT MODERATE GREAT
RISK RISK RISK RISK

o. Take one or two drinks nearly every day? ----- 01 ----- 02 ----- 03 ----- 04

p. Take four or five drinks nearly every day? ----- 01 ----- 02 ----- 03 ----- 04

q. Have five or more drinks once or twice a week? ----- 01 ----- 02 ----- 03 ----- 04

R-2. How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? (CIRCLE ONE NUMBER ON EACH LINE.)

How difficult or easy would it be for you to get some ...

PROBABLY VERY FAIRLY FAIRLY VERY
IMPOSSIBLE DIFFICULT DIFFICULT EASY EASY

a. Marijuana ----- 01 ----- 02 ----- 03 ----- 04 ----- 05

b. LSD ----- 01 ----- 02 ----- 03 ----- 04 ----- 05

c. PCP ----- 01 ----- 02 ----- 03 ----- 04 ----- 05

d. Cocaine or "crack" ----- 01 ----- 02 ----- 03 ----- 04 ----- 05

e. Heroin ----- 01 ----- 02 ----- 03 ----- 04 ----- 05

R-3. In the past month, has someone approached you to sell you an illegal drug?

Yes ----- 01

No ----- 02

OFTEN OCCASIONALLY RARELY NEVER

R-4. How often do you see people who are drunk or high on drugs in your neighborhood? ----- 01 ----- 02 ----- 03 ----- 04

R-5. How often do you see people selling drugs in your neighborhood? ----- 01 ----- 02 ----- 03 ----- 04

(PLEASE TELL THE INTERVIEWER WHEN YOU ARE FINISHED)