

National Household Survey on Drug Abuse, 1997

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook

Terms of Use

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>

*****Processor Note*****
NHSDA 1997:
National Household Survey on Drug Abuse

Processor Note on Version 1

- 1) Paragraph 1 of the portable document format (PDF) codebook introduction refers to the original SAS Windows system version of the public use data file that was archived prior to processing. To provide the data to users in a format that is neither system- nor platform- specific, the data file is in ASCII text format with SAS and SPSS data definition statements.
- 2) Variables ending in ...NEWA through ...NEWE (e.g., HALNEWA) represent written responses to open-ended questions regarding use of specific drugs. This resulted in some instances of incorrectly classified drugs.
- 3) IRHSGRAD (high school graduation variable) does not distinguish between respondents aged 12-17 years and those 18 and older. Accordingly, most respondents aged 12-17 years are included in the "No" category.

Processor Note on Version 3

- 1) Modified value labels and missing values for variable GQTYPE to correct previous errors. The variable CASEID was also added to the dataset.

**1997 NATIONAL HOUSEHOLD SURVEY
ON DRUG ABUSE**

PUBLIC RELEASE CODEBOOK

Substance Abuse and Mental Health Services Administration
Office of Applied Studies
5600 Fishers Lane
Room 16c-06
Rockville, Maryland 20857

**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service**

March, 1999



**1997 NATIONAL HOUSEHOLD SURVEY
ON DRUG ABUSE**

PUBLIC RELEASE CODEBOOK

Substance Abuse and Mental Health Services Administration
Office of Applied Studies
5600 Fishers Lane
Room 16c-06
Rockville, Maryland 20857

**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service**

March, 1999

This codebook was developed for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, by Research Triangle Institute, under contract No. 283-96-0001.

Public Domain Notice

All material appearing in this volume is in the public domain and may be reproduced or copied without permission from the Substance Abuse and Mental Health Services Administration. Citation of the source is appreciated.

For additional information, the following individual may be contacted:

Janet Greenblat
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
5600 Fishers Lane, Room 16c-06
Rockville, Maryland 20857
(301)443-7981

TABLE OF CONTENTS

	PAGE

INTRODUCTION AND DESCRIPTION OF THE 1997 NATIONAL HOUSEHOLD SURVEY	
ON DRUG ABUSE	i-1
Introduction	i-1
Overview of the NHSDA	i-1
Strengths and Limitations of the NHSDA	i-2
SURVEY METHODOLOGY	i-3
Selection of Primary Sampling Units	i-4
Selection of Second-Stage Sample: Subareas within PSUs	i-5
Selection of Third-Stage Sample: Listing Units within Subareas ..	i-6
Within-Dwelling Unit Sampling	i-6
DATA COLLECTION AND RESPONSE RATES	i-7
WEIGHTING PROCEDURES	i-7
CONTENTS AND ORGANIZATION OF THE 1997 NHSDA PUBLIC USE FILE	i-8
Data File Description	i-8
Variable Naming Conventions	i-8
IMPUTATIONS	i-8
Standard Code Conventions	i-9
VARIANCE ESTIMATION AND DESIGN EFFECTS	i-10
Statistical Significance of Differences	i-10
Sample Design Effects and Generalized Standard Errors	i-11
Median Design Effects	i-12
Model-Based Prediction	i-13
USE OF SAMPLE WEIGHTS AND SAMPLE DESIGN VARIABLES	i-15
CONFIDENTIALITY OF DATA	i-15
REFERENCES	i-16
 CORE	
IDENTIFICATION	1
DEMOGRAPHICS	2
HEALTH	7
TOBACCO -- ANSWER SHEET #1	8
ALCOHOL -- ANSWER SHEET #2	13
MARIJUANA -- ANSWER SHEET #3	18
COCAINE -- ANSWER SHEET #4	21
"CRACK" COCAINE -- ANSWER SHEET #5	24
HEROIN -- ANSWER SHEET #6	27
HALLUCINOGENS -- ANSWER SHEET #7	30
INHALANTS -- ANSWER SHEET #8	38
ANALGESICS -- ANSWER SHEET #9	45
TRANQUILIZERS -- ANSWER SHEET #10	54
STIMULANTS -- ANSWER SHEET #11	61
SEDATIVES -- ANSWER SHEET #12	69
IMPUTED DEMOGRAPHICS	76
RECENCY OF DRUG USE	81

FREQUENCY OF DRUG USE	85
RECODED DEMOGRAPHICS	89
RECODED DRUG USE	91
SELECTED UNEDITED VARIABLES	104
NON-CORE	
NON-CORE SPECIAL DRUGS -- ANSWER SHEET #13	115
NON-CORE RISK/AVAILABILITY -- ANSWER SHEET #14	123
NON-CORE DRUGS -- ANSWER SHEET #15	129
NON-CORE SPECIAL TOPICS -- ANSWER SHEET #16	150
NON-CORE TREATMENT -- ANSWER SHEET #17	164
NON-CORE WORKPLACE ISSUES -- ANSWER SHEET #18	184
NON-CORE DRUG EXPERIENCES -- ANSWER SHEET #19	189
NON-CORE YOUTH EXPERIENCES -- ANSWER SHEET #20	230
NON-CORE DEMOGRAPHICS (continued)	256
NON-CORE HEALTH (CONTINUED)	279
NON-CORE HEALTH CARE	301
NON-CORE PROXY INFORMATION	303
NON-CORE ACCESS TO CARE	306
NON-CORE HEALTH INSURANCE	312
NON-CORE INCOME	317
NON-CORE IMPUTED DEMOGRAPHICS	328
NON-CORE RECODED DEMOGRAPHICS	335
NON-CORE RECODED DRUG USE	338
NON-CORE IMPUTED DRUG EXPERIENCE VARIABLES	339
NON-CORE RECODED DRUG EXPERIENCE VARIABLES	340
NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES	342
INTERVIEW INFORMATION	346
INTERVIEWER OBSERVATIONS	347
GEOGRAPHIC	352
SAMPLE WEIGHTING AND ESTIMATION VARS	354
RECODES FOR MAIN FINDINGS	355
ALPHA INDEX OF LABELS	377
INDEX OF LABELS	406

APPENDICES

APPENDIX A	Census Region/Division/State Table
APPENDIX B	Drug Codes for Open-Ended Questions
APPENDIX C	1997 Questionnaire and Answer Sheets

LIST OF TABLES

<u>TABLE</u>	<u>PAGE</u>
Table 1: Optimal Allocation of Segments Over Strata	i-17
Table 2: Median Design Effects of Illicit Drug Use Estimates, By Age Group and Demographic Characteristics: 1997 NHSDA Questionnaire	i-18
Table 3: Median Design Effects of Licit Drug Use Estimates, By Age Group and Demographic Characteristics: 1997 NHSDA Questionnaire	i-19
Table 4: Generalized Standard Errors for Estimated Percentages Of Illicit Drug Use Estimates: 1997	i-20
Table 5: Generalized Standard Errors for Estimated Percentages Of Licit Drug Use Estimates: 1997	i-21

INTRODUCTION AND DESCRIPTION OF THE 1997 NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

Introduction

This codebook provides documentation for the 1997 National Household Survey on Drug Abuse (NHSDA) public use file. The 1997 NHSDA public use file has been prepared for use with the Statistical Analysis System (SAS) as a SAS dataset. The variable names in this codebook are the SAS variable names that appear in the dataset. The public use file is provided to users on CD-ROM.

For each variable on the 1997 public use file, this codebook provides the SAS variable name, a description of the variable, the interview instrumentation source, value codes and their meanings, and a univariate frequency distribution. Most of the variables originated as questionnaire or answer sheet items. For created variables, the source variables and recoding specifications are provided, if space allows. In addition, case identification, sampling, and data collection variables are included on the file and documented in this codebook. In 1994, a revised questionnaire and editing methodology was introduced. A split sample design was implemented with a sample of 4,372 persons using the old questionnaire (1994-A) and 17,809 persons using the new questionnaire (1994-B). Because of these changes, the estimates produced from the 1997 survey (which uses the same questionnaire and the estimate methodology as the 1994-B, 1995 and 1996 surveys) are not comparable to those produced from the 1994-A and earlier surveys.

Overview of the NHSDA

The 1997 NHSDA is the seventeenth in a series, the primary purpose of which is to measure the prevalence and correlates of drug use in the United States. This survey provides information about the use of illicit drugs, alcohol, and tobacco among members of the non-institutionalized U.S. civilian population aged 12 and older. Surveys have been conducted periodically since 1971, with the most recent ones in 1979, 1982, 1985, 1988, 1990, 1991, 1992, 1993, 1994, 1995, and 1996. Currently, public use files are available for 1979, 1982, 1985, 1988, 1990, 1991, 1992, 1993, and 1994-A (old questionnaire) and 1994-B (new questionnaire), 1995, 1996, and 1997.

The target population for the 1997 survey is the same as has been defined since the 1991 NHSDA: the civilian, non-institutionalized population of the 50 United States (including civilians living on military bases) who are 12 years of age and older.

Before 1991, the NHSDA sample was drawn from the household population of the contiguous 48 states. Alaska and Hawaii were added to the sample population in 1991, as were residents of non-institutional group quarters (e.g., college dormitories, group homes, civilians dwelling on military installations) and persons with no permanent residence (homeless people in shelters and residents of single rooms in hotels). In addition, six special-interest metropolitan statistical areas were oversampled. New questions were added in 1991 to collect data on treatment for drug use, illegal activities, and use of anabolic steroids; and the sets of questions about insurance and personal and family income sources and amounts were expanded. The 1992 and 1993 NHSDAs retained these innovations and were also designed to provide quarterly as well as annual estimates.

Although the design of the NHSDA has preserved continuity in assessing drug use throughout the survey series, it has been sufficiently flexible to permit implementation of special procedures and examination of special topics. In 1979, respondents from rural areas were oversampled, and since 1985, blacks and Hispanics have been oversampled to increase the reliability of estimates of drug use in these

important groups. Since 1988, additional information has also been gathered about the form of cocaine known as ‘crack’ and about sharing needles for injection of drugs. Also, the consequences of use of various drugs have been given considerable attention since 1985. In 1994, two questionnaires were used: the old questionnaire which retained all the core questions from the previous surveys, and the new questionnaire in which new questions on access to care and mental health were introduced. The 1994 survey also included a rural supplementary sample to obtain substance abuse prevalence estimates for rural areas in the United States. The 1995 NHSDA questionnaire retained the new questions on mental health and access to care which were introduced in the 1994-B (new questionnaire); questions on needs for treatment for drug or alcohol use and questions about criminal records were included under special topics. In 1996, the risk/availability of drugs section was re-introduced; and sections on driving behavior and personal behavior were added. The 1997 questionnaire continued the risk/availability section along with new items about use of cigars, people present when respondents used marijuana or cocaine for the first time (if applicable), reasons using marijuana or cocaine the first time, reasons for using marijuana or cocaine in the past year, reasons for discontinuing use of these two drugs (for lifetime but not past year users) and reasons why respondents never used these two drugs. In addition, a new series of questions were introduced that were asked only of youthful respondents aged 12 to 17. These covered a variety of topics relevant to the lives and perceptions of young respondents that may be associated with substance use and related behaviors. A description of the 1997 survey, including more detailed information on sample issues, can be found in the following NHSDA reports:

National Household Survey on Drug Abuse: Main Findings 1997. This report provides information on the prevalence of use and information on demographic correlates of use, frequency of use, patterns of use, problems from use, and perceptions of risk of use of illicit drugs, alcohol, and tobacco (DHHS Publication No. (SMA) 99-3295).

National Household Survey on Drug Abuse: Population Estimates 1997. This report provides estimates of the percentages and numbers of people in the non-institutionalized U.S. civilian population aged 12 and over who have ever used illicit drugs, alcohol, and tobacco, as well as estimates of use in the past year and past month (DHHS Publication No. (SMA) 98-3250).

Preliminary Results from the 1997 National Household Survey on Drug Abuse. This report presents in tabular, graphical, and narrative bullet formats some key findings on illicit drug use prevalence by age and major demographic variables in 1997, and relative to other years (DHHS Publication No. (SMA) 98-3251).

Strengths and Limitations of the NHSDA

The NHSDA is the only study that regularly produces estimates of drug use among civilian members of the non-institutionalized population in the United States. The survey is an appropriate technique for estimating prevalence rates for use of different drugs because much drug use would not ordinarily come to the attention of administrative, medical, or correctional authorities and therefore would not be included in official statistics. In-person interviews with a large national probability sample seem to be the best way to estimate drug use in virtually the entire population of the United States.

Although the NHSDA is useful for many purposes, it has certain limitations. First, the data are self-reports of drug use, and their value depends on respondents’ truthfulness and memory. Although some experimental studies have established the validity of self-reported data in similar contexts and the NHSDA procedures were designed to encourage honesty and recall, some under- and over-reporting may have taken place. Second, the survey is cross-sectional rather than longitudinal. That is, individuals were interviewed only once and were not followed for additional interviews. The surveys, therefore, provide an overview of

the prevalence of drug use at specific points in time rather than a view of how drug use changes over time for specific individuals. Third, because the target population of the survey is defined as the non-institutionalized civilian population of the United States, a small proportion (slightly less than 2%) of the population is excluded. The subpopulations excluded are members of the active duty military and persons in institutional group quarters (e.g., hospitals, prisons, nursing homes, treatment centers). If the drug use of these groups differs from that of the non-institutionalized civilian population, the NHSDA may provide slightly inaccurate estimates of drug use in the total population. This may be particularly true for prevalence estimates for rarely used drugs such as heroin.

Survey Methodology

The respondent universe for the 1997 NHSDA was the civilian, noninstitutionalized population age 12 years and older within the United States, including residents of noninstitutional group quarters (e.g., shelters, rooming houses, dormitories) as well as residents of civilian housing on military bases. Persons excluded from the universe include those with no fixed address, residents of institutional quarters (such as jails and hospitals), and active military personnel. The survey used basically the same multistage area probability sample design that has been employed since the 1988 NHSDA. This design uses a composite size measure methodology and a specially designed within-dwelling selection procedure to ensure that desired sample sizes are achieved for subpopulations defined by age and race/ethnicity. Oversampling was used to meet specified precision constraints for those subpopulations. Since the 1988 survey, the NHSDA has oversampled Hispanics in areas of high Hispanic concentration to reduce survey costs. Unlike the 1993, 1994, and 1995 NHSDAs, the 1996 and 1997 NHSDAs did not oversample cigarette smokers age 18-34. A design feature of the 1996 NHSDA is the overlap with segments previously surveyed in the 1995 NHSDA. About 95% of 1995 sample segments were screened again in 1996 to identify and sample occupied dwelling units in these segments that had not previously been interviewed in the 1995 NHSDA. The reuse of 1995 NHSDA segments reduced the overall costs of counting and listing dwelling units in the 1996 NHSDA and also modestly increased the precision of comparisons between the 1995 and 1996 NHSDAs. Unlike the 1996 NHSDA, the 1997 basically surveyed a new segment sample. It was necessary to add 1,844 new national sample segments within the 1996 primary sampling units (PSUs) because many of the 1996 segments, most of which also had been used for the 1995 study, were not sufficient in size to accommodate another sample for 1997. Only 96 segments in the 1997 NHSDA overlapped with 1996 segments.

In addition to national estimation provided by the 1997 NHSDA, at a later stage of designing the survey, State-level estimation was needed for Arizona and California. Hence, beginning in quarter two of the 1997 NHSDA, residents of Arizona and California were oversampled to provide direct survey estimates for these states. Due to confidentiality concerns, there is no variable on this file to indicate a state identifier. Estimates for Arizona and California can be obtained from SAMHSA. In addition, a more detailed report on the results of the Arizona and California samples will be published by SAMHSA later this year.

As in previous NHSDAs, the basic sample design of the 1997 NHSDA involved five selection stages: the selection of primary sampling units (e.g., counties) the selection of subareas (blocks or block groups) within PSUs, the selection of listing units (housing units or individual dwelling units within non-institutionalized group quarters that are occupied by one or more civilians) within these subareas, the selection of age domains (age groups 12 to 17, 18 to 25, 26 to 34, 35 to 49, and 50 and older) within sampled listing units, and the selection of eligible individuals within the sampled age domains. The following sections describe these selection stages. A more complete description of the sample design can be found in the 1997 *Methodological Resource Book* (available from the Office of Applied Studies, SAMHSA).

Selection of Primary Sampling Units

The 1997 NHSDA used the same 115 PSUs as the 1995 and 1996 NHSDAs, plus a total of 18 supplemental PSUs from Arizona and California. These 115 PSUs were selected to represent the nation's total eligible population, including areas of high Hispanic concentration. The PSUs were defined as metropolitan areas, counties, groups of counties, and independent cities. The 115 PSUs comprise 43 certainty PSUs and 72 noncertainty PSUs. The 43 certainty PSUs are metropolitan areas with high Hispanic concentration that have been included in the NHSDA with certainty since 1988. The 72 noncertainty PSUs were selected with probability proportional to size (PPS) and minimal replacement to represent the balance of the nation outside the 43 certainty PSUs. The national sample was supplemented by a PPS selection of 14 noncertainty PSUs from Arizona plus four noncertainty PSUs from California. Because the national sample provided representation for certainty PSUs in each state, no additional certainty PSUs were added to either sample.

The segments that formed the 43 certainty PSUs were partitioned into five strata:

- Stratum 1: High-Concentration Hispanic area segments. These segments had 71 percent or more Hispanics according to the 1990 Census.
- Stratum 2: Moderate-Concentration Hispanic area segments. These segments had between 20 percent and 71 percent Hispanics according to the 1990 Census.
- Stratum 3: Low-Concentration Hispanic area segments. These segments had less than 20 percent Hispanic but more than 2 percent combined Hispanic and non-Hispanic black population according to the 1990 Census, and furthermore included fewer than 70 percent non-Hispanic black population according to the 1990 Census.
- Stratum 4: High-Concentration Black area segments. These segments had fewer than 20 percent Hispanic but more than 2 percent combined Hispanic and non-Hispanic black population according to the 1990 Census, and furthermore included at least 70 percent non-Hispanic black population according to the 1990 Census.
- Stratum 5: High-Concentration White area segments. These segments had 2 percent or less combined Hispanic and non-Hispanic black population according to the 1990 Census.

To complete the stratum definitions for the remainder of the national study, an initial global noncertainty stratum was created for the residual portion of the United States and defined as:

- The initial noncertainty stratum representing the balance of the Nation.

At the final two stages of within-segment dwelling unit person sampling, segments in the noncertainty stratum for the national study were later partitioned into five substrata to improve the efficiency of the design by reducing the size of the screening sample.

An optimal allocation procedure was used in 1997 to allocate the sample to the six strata listed above. The results of the allocation suggested that total survey costs would be minimized for fixed precision when Hispanics were oversampled in the strata in which they were concentrated. Once sufficient screening interviews were conducted to identify the required number of Hispanic dwellings, more than enough non-Hispanic black and non-Hispanic non-black dwellings would be identified so that these interviews could be proportionally allocated to strata. For the Arizona/California supplement, there was no oversampling of Hispanics because each State's Hispanic allocation in the national study component was large enough to satisfy State-level precision requirements. Consequently, the three racial/ethnic groups were sampled in the supplement so that the combined national study and supplemental samples would result in a proportionally allocated sample.

The 43 certainty PSUs contained about 80 percent of the Hispanic population in the United States, according to the 1990 Census. They also contain approximately 50 percent of the non-Hispanic blacks and about 40 percent of the non-Hispanic non-blacks in the United States. The segments of Stratum 1 have about 81 percent Hispanic dwellings on average and contain about 24 percent of the U.S. Hispanic population. The segments of Stratum 2 have about 32 percent Hispanic dwelling units and contain about 35 percent of the U.S. Hispanic population. The segments of Stratum 3 have about 5 percent Hispanic dwelling units and contain about 18 percent of the U.S. Hispanic population.

The remaining 72 noncertainty PSUs were selected from the noncertainty stratum. The noncertainty PSUs were selected with probability proportional to a composite size measure. The composite size measure was defined as the sum of racial/ethnic group dwelling counts weighted by the specified racial/ethnic sampling rates. This selection scheme allowed for targeting particular racial/ethnic subpopulation sample sizes. Chromy's (1979) probability minimum replacement sequential sampling scheme was used to select these 72 PSUs with probabilities proportional to their composite size measures. The use of a composite size measure ensured, 1) roughly equal sample sizes per sample subarea (the second-state unit of selection) and 2) roughly equal probabilities of selecting eligible individuals (the fifth- or final-stage unit of selection) within race/ethnicity, and age group.

A State-supplementary sample large enough to provide reliable estimates for Arizona and California was selected to participate in quarters 2 through 4 of the 1997 NHSDA. The certainty PSUs included in the supplement also were included in the national study. This supplement consisted of no additional certainty PSUs because a representative certainty-PSU sample from both States was already participating in the national study.

The same first-stage sampling frame used for the noncertainty national sample also was the basis for selecting an independent supplement of 14 PSUs from Arizona and 4 PSUs from California. Because the noncertainty counties in Arizona were large geographically relative to population density, the counties representing the residual outside the certainty counties in Arizona were subdivided into smaller areas (Census tracts). Groups of these tracts satisfying a minimum population size requirement were defined as PSUs so that data collection would be more manageable. For the noncertainty California PSU sample, no subdivision of counties was necessary; hence, each noncertainty-county comprised a single PSU.

Selection of the Second-Stage Sample: Subareas within PSUs

Unlike the 1996 NHSDA, which used virtually the same segments surveyed in the 1995 NHSDA, the 1997 NHSDA basically surveyed a new segment sample. Approximately 95% of the 1997 sample, or 1,844 segments, consisted of the previously unused units of the pairwise sample that was selected at the same time the 1995 and 1996 segment samples were selected. The remaining 5% or 96 segments, overlapped with the 1996 survey year.

Both the 1995 and 1996 sample subareas and the new subareas selected in 1997 were drawn from the 1990 Census. Within each sample PSU, subareas were defined by combining adjacent blocks to create non-overlapping area segments that contained at least 90 occupied dwellings. The sample segment size allocations, based on optimal allocation and the expected precision requirements of individual strata, are given in Table 1 for each stratum. These allocations assumed that about nine interviews would be completed per sample segment.

The area segments from each stratum of each of the PSUs were selected with probabilities proportional to a size measure. For each stratum, a composite size measure was defined to equal a weighted sum of the numbers of Hispanic, non-Hispanic black, and non-Hispanic nonblack dwelling units with weights proportional to the desired racial/ethnic sampling rates. Segments within the national Strata 1 to 5 were sorted to implicitly stratify the sampling frame to reduce sampling variability and to control the distribution of the sample. To reduce screening costs, the subareas of the initial national noncertainty stratum were partitioned into three noncertainty substrata—high black, high white, and remainder—based on 1990 Census block data, and the selection of sample subareas was carried out separately within these three substrata.

Selection of the Third-Stage Sample: Listing Units within Subareas

Projections indicated that screenings had to be completed for approximately 80,000 dwelling units in order to identify sufficient dwelling units to yield Hispanic and non-Hispanic black age-domain samples of the desired size. Assuming an average 93 percent screening completion rate and a projected average 84 percent listing unit eligibility rate implied that approximately 101,000 listings had to be selected for both study components. A listing unit was ineligible for the study if it was (a) vacant; (b) a vacation, second, or temporary home; (c) not a dwelling unit; (d) a military facility whose occupants were only military personnel; or (e) an institutional housing facility.

Dwelling unit listings were selected using systematic sampling. The sampled listings were then sent to the field for screening. After first determining that a sampled listing was eligible for the study, the interviewer completed a dwelling roster that listed all residents age 12 and older with their age, and race/ethnicity. This roster formed the basis for the within-dwelling sampling of individuals.

Within-Dwelling Unit Sampling

The 1997 NHSDA used basically the same within-dwelling unit sample selection approach that has been applied since the 1988 NHSDA, except that, unlike the 1993 through 1995 NHSDAs, the 1996 and 1997 NHSDA did not use smoking status as a within-dwelling unit sampling criterion. Following the third-stage sampling, interviewers screened each sampled dwelling unit. Based on the screening the dwelling was classified according to the race/ethnicity of the head of the dwelling. The interviewers also determined the age domains represented by individuals residing in the dwelling in terms of presence or absence of individuals age 12 to 17, 18 to 25, 26 to 34, 35 to 49, and 50 and older. Interviewers were provided a mechanism for selecting none, one, or two age domains and, subsequently, one sample person from each selected domain. The age domain selection probabilities were based on the desired sample sizes for each age group by racial/ethnic domain. If a dwelling unit contained two or more individuals in the same age domain, the probability of selecting a particular individual was based on the number of individuals in the age domain. In some instances, two individuals, usually one 12- to 17-year-old and one adult, were selected from the same dwelling unit.

Data Collection and Response Rates

The fieldwork for the 1997 NHSDA was directed by senior staff members at Research Triangle Institute (RTI). A total of 24,505 completed interviews was obtained for the 1997 survey. A completed interview had to contain, at a minimum, data on the recency of use of marijuana, cocaine, and alcohol.

Strategies for ensuring high rates of participation resulted in an interview response rate of 78.3% for the 1997 survey. Of the 24,505 completed interviews, 13,607 were with whites and other (i.e., non-Hispanic, nonblacks), 4,639 were with non-Hispanic blacks, and 6,259 were with Hispanics. These completed interviews represented a 85.0% completion rate for screening sample households and a 92.7% rate for screening eligible households. The response rates for these three racial/ethnic groups were 75.5% for whites and others, 81.8% for blacks, and 82.5% for Hispanics.

Throughout the course of the study, the respondent's anonymity and the privacy of his or her responses were protected by separating identifying information from survey responses. Respondents were assured that their identities and responses would be handled in the strictest compliance with Federal law. The questionnaire itself and the interviewing procedures were designed to enhance the privacy of responses, especially during segments of the interview in which questions of a sensitive nature were posed. Respondents were asked to mark answer sheets to record their responses to questions read aloud by the interviewer. The interviewer did not see the completed answer sheets.

Weighting Procedures

$$\sum_i w_i = \text{Size of target population}, \quad (1)$$

The estimates of this report are based on sample survey data rather than on complete data for the population. This means that the data must be weighted to obtain unbiased estimates for drug use in the population represented by the 1997 NHSDA. The 'final sampling weight' of the i th respondent, say w_i , can be interpreted as the number of persons in the NHSDA target population that are represented by the i th respondent. The sum of the weights over all respondents estimates the size of the total target population, i.e., where the summations is over all NHSDA respondents in the 1997 NHSDA.

The 'basic sampling weights' for the 1997 NHSDA are equal to the inverse of the probabilities of selection of sample respondents. In other words, the smaller a respondent's chance of entering the sample, the larger the weight of that respondent in the calculation of unbiased estimates for the target population. The probability of selection of a respondent can be computed as the product of five stagewise sampling probabilities. The probability of selecting respondent I equals the product of 1) the probability of selecting respondent I 's PSU, 2) the probability of selecting respondent I 's subarea given selection of her PSU, 3) the probability of selecting respondent I 's dwelling unit given selection of her subarea, 4) the probability of selecting age groups within dwelling units, and (5) the probability of selecting respondent I given selection within sampled age group.

To obtain the 'final NHSDA weights,' the 'basic sampling weights' were adjusted to take into account dwelling unit-level and individual-level nonresponse and subsampling of individuals within dwelling units and further adjusted to ensure consistency with intercensal population projections obtained from the U.S. Bureau of the Census. The weight adjustments in the 1997 NHSDA were similar to the weight adjustments that were applied in previous NHSDAs.

Contents and Organization of the 1997 NHSDA Public Use File

Data File Description

The file described here has been recorded on a compact disc as a SAS dataset in PC-format. The dataset has these characteristics:

Internal SAS name	PUF97
SAS version	6.12
Number of observations	24,505
Number of variables	1,421

The overall organization of the file is shown in the Table of Contents of this document. Edited data from the questionnaire and drug answer sheets make up the first portion of the file. These variables contain missing data; see the section on 'Standard code Conventions' below for a description of the codes given to different types of missing data. The number of observations for which data are missing for any given variable is shown in the entry for that variable.

Imputation-revised demographic and drug use variables and recoded versions of these variables are given in the next four sections of the file. These variables include indicators for lifetime, past year and past month substance use, as well as imputation-revised demographic variables such as age, race/ethnicity, education, employment and income. Missing values for these variables have been imputed using the statistical imputation procedures described below. Imputation indicators are provided for each variable so that users may easily determine whether an observation contains data from the questionnaire or an imputed value. Users who wish to replicate results published in the *National Household Survey on Drug Abuse: Main Findings 1997* (DHHS Publication No. (SMA) 99-3295) or other SAMHSA reports should use the 1997 NHSDA imputed data for prevalence estimates rather than raw data from the questionnaire or drug answer sheets.

Many of the remaining variables in the 1997 file are recoded or logically imputed variables created for the prevalence section of the National Household Survey on Drug Abuse: Main Findings 1997. These variables include recodes of questionnaire and imputation revised drug variables, and logically imputed variables and recoded versions of logically imputed variables pertaining to drug use problems, symptoms of dependency and negative drinking experiences.

Variables containing the original responses to recency-of-use questions are presented in a section called 'Selected Unedited Variables.' These are included to show the recency data actually collected before the responses were edited based on evidence of use found elsewhere in the questionnaire.

Variable Naming Conventions

Variable names are mnemonics related to the meaning of each variable. Insofar as possible, variables identical to those in the 1985, 1988, 1990, 1991, 1992, 1993, 1994-A, 1994-B, 1995, and 1996 NHSDA analytical files have also been named identically. However, the user should refer to the questionnaires and previous codebooks to verify that the data are exactly comparable.

Imputations

For selected key variables, response data were changed to reflect more recent use or missing data were replaced with nonmissing values. The two different imputation procedures used are distinguished in

this codebook by the code-value descriptive phrases ‘...LOGICALLY IMPUTED’ and ‘..imputed’ or by the designation ‘IMPUTATION-REVISED’ in the variable label.

Logical imputation was carried out in the earliest stage of editing for the original drug recency-of-use variables. This procedure involved checking, for each recency-of-use variable, other variables in the same answer sheet only that could yield evidence of use of that specific subject drug or class of drugs. Then the most recent indication supplied by the respondent of use of that drug replaced missing data in the subject drug recency-of-use variable or was used to change a less recent response value to a value reflecting the indication elsewhere of more recent use. Unique code values (7, 8, or 9) were assigned to the recency-of-use variable when such logical imputation occurred; these code values are readily identifiable by the phrase ‘...LOGICALLY ASSIGNED’ in the code-value descriptions. For those recency-of-use variables with missing data for which no indication of use of the drug could be found by examination of all relevant variables in the same answer sheet, a code value of 91 (Never used) was assigned if there were one or more indications of such nonuse in the set of relevant variables. The recency-of-use variables for which logical imputation was implemented are CIGREC, ALCREC, SEDREC, TRANREC, STIMREC, ANALREC, MJREC, INHREC, COCREC, CRAKREC, HALLREC, PCPREC, HERREC, SNUFREC, PCPREC, and LSDREC.

At this point in the editing process, a determination was made as to whether each record in the database contained enough information to be considered complete. To be classified as a minimally complete case, and thus to be retained in the database, data on the recency of use of alcohol, marijuana, and cocaine had to have been provided by the respondent or logically imputed from other answers supplied by the respondent.

For selected variables of interest, statistical imputation was done following logical imputation in order to replace missing responses with statistically imputed responses. Most of the recency-of-use variables (except for alcohol, marijuana, and cocaine recency-of-use), cigar use, age, race, gender, Hispanic-origin variables, marital status, work status, education, high school graduate indicator, and total and private health insurance were imputed by using a technique known as hot-deck imputation (using various sorts and classing variables). The personal and family income variables, as well as the past 12 month alcohol, marijuana, and cocaine frequency-of-use variables, were imputed using regression based methods. Variables in this database for which the imputation procedures were implemented may be identified by the designation ‘IMPUTATION-REVISED’ in the variable label and their variable names begin with the letters IR. In addition, for each imputation-revised variable, there is an ‘IMPUTATION INDICATOR’ variable whose values distinguish whether the imputed variable’s value originated from interview responses or were imputed.

In general, analysts are advised to use the imputation-revised variables for tabular summaries and other descriptive analyses. For analyses of relationships where multiple data items are involved, use of these imputation-revised variables may not be appropriate. Usually these analyses span data items that were not jointly used in defining the imputation procedure (either as the output variable or as a classing or sorting variable). In this situation, use of nonimputed data items may be best.

Standard Code Conventions

Generally, the following codes have the same (or consistent) meanings across all variables (exceptions are noted in the documentation for individual variables).

91 or 991 or 9991, etc. = Never used the substance

92 or 992 or 9992, etc. = Response illegible

93 or 993 or 9993, etc. = Did not use drug under conditions in the question (e.g., during time period)

94 or 994 or 9994, etc. = Don't know

95 or 995 or 9995, etc. = Bad data (usually, inconsistent with other data)

96 or 996 or 9996, etc. = Multiple response

97 or 997 or 9997, etc. = Refusal

98 or 998 or 9998, etc. = Blank (not answered)

99 or 999 or 9999, etc. = Legitimate skip

Most logically edited changes resulted in the assignment of the following codes whose meanings are equivalent to the standard codes above.

81 or 981 or 9981, etc. = Never used the substance LOGICALLY ASSIGNED

83 or 983 or 9983, etc. = Did not use drug under conditions in the question (e.g., during time period) LOGICALLY ASSIGNED

85 or 985 or 9985, etc. = Bad data (usually, inconsistent with other data) LOGICALLY ASSIGNED

89 or 989 or 9989, etc. = Legitimate skip LOGICALLY ASSIGNED.

Variables from the SPECIAL DRUGS, DRUGS, TREATMENT, and DRUG EXPERIENCES answer sheets were not edited to be made consistent with any drug recency-of-use variables. However, editing was conducted to ensure consistency within each of these answer sheets' own set of variables. It should be noted that as a result of not editing across answer sheets drug-use variables from the SPECIAL DRUGS (answer sheet #13), DRUGS (answer sheet #15), TREATMENT (answer sheet #17), and DRUG EXPERIENCES (answer sheet #19) modules may be inconsistent with the edited recency-of-use variables. In this codebook, variables from these 4 answer sheets that might be inconsistent with a drug's recency-of-use variable are denoted with an asterisk (*) at the beginning of the variable label.

Variance Estimation and Design Effects

Statistical Significance of Differences

This section describes methods used to compare prevalence estimates. Customarily, the observed difference between estimates is evaluated in terms of its statistical significance. 'Statistical significance' refers to the probability that a difference as large as that observed would occur due to random error in the estimates if there were no difference in the prevalence rates for the population groups being compared. In chapter 2 of the Main Findings 1997 report (available from the Office of Applied Studies), comparisons were made between estimates in the 1996 NHSDA survey and the 1997 survey and between estimates within the 1997 survey. The significance of observed differences is reported at the 0.05 and 0.01 levels. However, the reader may wish to compare prevalence estimates from two groups for which the significance of the difference is not reported.

To compare the prevalence of drug use for the 1996 versus 1997, one can test the hypothesis of no difference in prevalence rates using the standard difference in proportions test, expressed as

$$Z = \frac{p1 - p2}{\sqrt{\text{var}(p1) + \text{var}(p2) - 2\text{cov}(p1, p2)}}$$

where

p1 = 1996 estimated proportion

var(p1) = variance estimate for p1

p2 = 1997 estimated proportion

var(p2) = variance estimate for p2

cov(p1, p2) = covariance between p1 and p2

Under the null hypothesis of no difference in prevalence rates, Z is asymptotically distributed as a normal random variable; calculated values of Z can, therefore, be referred to the unit normal distribution to determine the corresponding probability level (i.e., p value). Because the 1996 and 1997 NHSDAs were overlapping, including a high percentage of the same sample segments, the covariance term in the formula for Z is greater than zero in comparisons of the 1996 and 1997 surveys.

For comparing prevalence estimates within the same survey, the same Z statistic quoted above can be used. The covariance term in the formula for Z may be positive under many shared sample conditions in the multi-stage sample design.

Sample Design Effects and Generalized Standard Errors

This section describes methods for approximating sampling variability by computing generalized standard errors. (The standard error estimate is the square root of the variance estimate.)

The best variance estimation approach is to use commercially available variance estimation software packages, such as the Research Triangle Institute (RTI) SURVEY DATA ANALYSIS or SUDAAN package (Shah, Barnwell, & Bieler, 1997). Most packages compute variance estimates for means, percentages, and other statistics based on first-order Taylor Series approximation of the deviations of estimates from their expected values.

For use with software such as SUDAAN, two variables were created: VESTR and VEREP. The sampling design used to select the NHSDA results in a deeply stratified sample. Therefore, adjacent strata are collapsed into pairs to create pseudo-strata (VESTR) with two replicates each (VEREP). For all non-certainty strata, the PSU's (each of which represents an implicit stratum) are grouped into pairs based on their sequential order of selection. Each pair of PSUs defines a pseudo-stratum (VESTR) with two replicates (VEREP). For the certainty portion of the sample, segments represent the first stage of sampling. Each explicit design stratum is partitioned into groups of approximately 24 segments based on order of selection (e.g., about the size of a non-certainty pseudo-stratum). These sets of approximately 24 segments define pseudo-strata (VESTR) for analysis purposes. The segments are then paired in selection order within each

certainty pseudo-stratum. One segment from each pair is randomly assigned to replicate 1 and the other segment to replicate 2 (VEREP).

Standard errors have been computed using SUDAAN for all parameter estimates appearing in the 1997 Main Findings report and are available from the Office of Applied Studies (OAS) upon request. Given below is an example using SUDAAN to calculate the estimated number and percent of lifetime marijuana users by sex and race/ethnicity within age group. The input data file must be sorted by VESTR and VEREP.

```
PROC DESCRIPT DATA = "D:\NHSDA97" FILETYPE=SAS DESIGN=WR;
  NEST VESTR VEREP;
  WEIGHT ANALWT;
  VAR MRJFLAG;
  SUBGROUP CATAGE SEX RACE;
  LEVELS 4 2 4;
  TABLES CATAGE*(SEX RACE);
  SETENV DECWIDTH=6 COLWIDTH=17;
  PRINT NSUM WSUM MEAN SEMEAN SETOTAL/
    NSUMFMT=F8.0 WSUMFMT=F12.0 MEANFMT=F15.10
    SEMEANFMT=F15.10 SETOTALFMT=12.0
  OUTPUT NSUM WSUM MEAN SEMEAN SETOTAL/
    NSUMFMT=F8.0 WSUMFMT=F12.0 MEANFMT=F15.10
    SEMEANFMT=F15.10 SETOTALFMT=F12.0;
```

Whenever possible, estimates generated by a software package such as SUDAAN should be used to compute confidence intervals and perform statistical comparisons. However, it is the goal here to provide future users of the 1997 NHSDA data base with approximate standard error estimates for situations in which such computation of NHSDA standard error estimates is not possible.

Two approaches for approximating standard error estimates are presented in this section. The first uses median domain design effects. The second is based on a prediction equation obtained from modeling design effects. These alternatives to the published standard error estimates are described below.

Median Design Effects

The design effect is the ratio of the design-based variance estimate divided by the variance estimate that would have been obtained from a simple random sample of the same size. Therefore, the design effect summarizes the effects of stratification, clustering, and unequal weighting on the variance of a complex sample design. Because clustering and unequal weighting are expected to increase the variance, the design effect should virtually always be greater than one.

Design effects were frequently less than one for prevalence rates near zero. Because these values were considered spurious, another design effect estimate based only on stratification and unequal weighting effects was substituted if it was greater than the total design effect. Moreover, if both design effect estimates were less than one, a value of one was substituted.

For the 1997 NHSDA, the median design effects were based on estimates from:

- ***15 illicit drug use categories:*** any illicit drug use; marijuana/hashish; cocaine; crack; inhalants; hallucinogens; lysergic acid diethylamide (LSD), PCP; heroin; nonmedical use

of any psychotherapeutic; nonmedical use of stimulants; nonmedical use of sedatives; nonmedical use of tranquilizers; nonmedical use of analgesics; any illicit drug except marijuana;

- **3 licit drug use categories:** cigarettes; alcohol; and smokeless tobacco;

for each of

- **3 recency-of-use categories:** ever used; used in past year; used in past month.

The estimates of past month heavy drinking and binge drinking also were included in the licit drug use category, bringing the total number of estimates used for median calculation to 56.

For each specified domain within the 1997 NHSDA, a median design effect was calculated from the above estimates as opposed to calculating an average design effect. Because extreme values of some design effects would have distorted the associated averages, medians were chosen to provide a better measure of the central value. The domains were defined by cross-classifications of age and race/ethnicity by gender, race/ethnicity, population density, geographic region of residence, adult education, and current employment. The domain Arizona/California was also included. Design effects associated with percentage estimates exhibiting low precision were not used. Because the design effects from the licit drug use estimates tended to be larger than the design effects from the illicit drug use estimates, the median design effects were computed separately for these two classifications. Table 2 presents the median design effects for the illicit drugs, and Table 3 presents the median design effects for the licit drugs. These tables can be used to calculate an approximate variance estimate for a particular domain of 1997 NHSDA as follows:

$$var(p_d)_{appx} = DEFF_{d,MED} * [p_d(1-p_d)/n_d] , \quad (2)$$

where

p_d = estimated proportion for domain d ,

n_d = sample size for domain d , and

$DEFF_{d,MED}$ = median design effect for domain d .

The approximate standard error estimate for p_d , $SE(p_d)_{appx}$, is simply the square root of $var(p_d)_{appx}$.

Model-Based Prediction

When a median design effect for a domain under investigation is not listed in Tables 2 or 3, an alternative standard error approximation is recommended. This approximation uses a prediction equation obtained from modeling estimated design effects. The definition of the design effect is the basis for the regression model:

$$DEFF(p) = var(p) / [p(1-p)/n] ,$$

where

$var(p)$ = design-based variance estimate of p

$[p(1-p)/n]$ = simple random sample variance estimate of p .

Taking the log (base 10) of both sides of the above equation leads to the following log-linear model:

$$\log[DEFF(p)] = \beta_0 + \beta_1 \log(p) + \beta_2 \log(1-p) + \beta_3 \log(n) ,$$

where

$\beta_0, \beta_1, \beta_2, \beta_3$ = regression coefficients for the intercept, $\log(p)$, $\log(1-p)$, and $\log(n)$, respectively.

Separate models were fit for the licit and illicit drug use estimates in the 1997 NHSDA. The design effects used to calculate the medians in Tables 2 and 3 were used to fit the licit and illicit drug use models for the 1997 NHSDA.

By substituting the fitted model into the definition of the design effect, a prediction equation for the approximate SE is obtained:

$$SE_i(p)_{appx} = \frac{10^{(b_{0i}/2)} * p^{(1+b_{1i})/2} * (1-p)^{(1+b_{2i})/2}}{n^{(1-b_{3i})/2}} ,$$

where

$b_{0i}, b_{1i}, b_{2i}, b_{3i}$ = regression coefficients estimates for the intercept, $\log(p)$, $\log(1-p)$, and $\log(n)$, respectively.

The index- i indicates whether the standard error approximation is for a licit drug or illicit drug prevalence estimate.

After solving for the regression coefficients, the above approximation reduces to the following two prediction eq

$$SE(p_{illicit})_{appx} = \frac{1.1032 * p^{(0.8264)} * (1-p)^{(0.6002)}}{n^{(0.4036)}} . \quad (3)$$

$$SE(p_{licit})_{appx} = \frac{0.8911 * p^{(0.5910)} * (1-p)^{(0.5569)}}{n^{(0.3876)}} . \quad (4)$$

Tables 4 and 5 present generalized standard errors for various percentages (from 1% to 99%) and sample sizes (from 100 to 24,505) for the 1997 NHSDA, predicted from Equations (3) and (4).

In summary, the user may obtain 1997 NHSDA standard error estimates from the following recommended order of sources:

1. commercially available variance estimation software packages, such as SUDAAN; otherwise,
2. published standard errors from reports using data from the 1997 NHSDA (obtainable upon request from the OAS at SAMHSA); otherwise,
3. median domain design effects appearing in Tables 2 and 3 and application of Equation (2); otherwise,
4. model-based prediction, using Equations (3) and (4) or Tables 4 and 5.

Once the variance estimates have been obtained, the user may apply the methods discussed in previous sections to compute confidence intervals or make statistical comparisons.

Use of Sample Weights and Sample Design Variables

The NHSDA sample is not self-weighting, so analysts are advised to use the sample weight when attempting to use the NHSDA data to draw inferences about the target population or any subdomain of the target population. All estimates published in SAMHSA reports (such as 1997 Main Findings) are weighted. The appropriate and final sample weight is called ANALWT on this data file. This sample weight represents the total number of target population persons each record on the file represents. Note that the sum of ANALWT, over all records on the data file, represents an estimate of the total number of people in the target population. Additional information on the sample weighting procedures and the sample weight components may be found in the *1997 Methodological Resource Book*, available from OAS.

The public use file contains two sample design variables in addition to ANALWT. These variables are VESTR (sample stratum) and VEREP (replicate within stratum) and must be used to estimate variances and standard errors when using commercially available variance estimation software packages such as SUDAAN or any other.

Confidentiality of Data

To protect the confidentiality of NHSDA respondents, all variables that could be used to identify individual respondents have been deleted from the public use file. To further protect confidentiality, some continuous variables have been categorized. In general, the cutpoints of each categorized variables are the quintiles of the weighted distribution. These data modifications should not greatly affect most analytical uses of the 1997 NHSDA public use file.

References

- Achenbach, T.M. (1991). *Manual for the Youth Self-Report*. Burlington, VT: University of Vermont Department of Psychiatry.
- Bishop, Y.M.M., Fienberg, S.E., & Holland, P.W. (1975). *Discrete Multivariate Analysis: Theory and Practice*. Cambridge, MA: The MIT Press.
- Chromy, J.R. (1979). Sequential sample selection methods. In *Proceedings of the American Statistical Association, Survey Research methods Section* (pp. 401-406). Alexandria, VA: American Statistical Association.
- Office of Applied Studies, SAMHSA. (1996). *The Development and Implementation of a New Data Collection Instrument for the 1994 National Household Survey on Drug Abuse*. Rockville, MD: SAMHSA.
- Office of Applied Studies, SAMHSA. (1999). *Methodological Resource Book for the 1997 National Household Survey on Drug Abuse*. Rockville, MD: SAMHSA.
- Office of Applied Studies, SAMHSA. (1999). *National Household Survey on Drug Abuse: 1997 Main Findings Report*. Rockville, MD: SAMHSA.
- Office of Applied Studies, SAMHSA. (1998). *National Household Survey on Drug Abuse: Population Estimates 1997*. Rockville, MD: SAMHSA.
- Office of Applied Studies, SAMHSA. (1998). *Preliminary Results from the 1997 National Household Survey on Drug Abuse*. Rockville, MD: SAMHSA.
- Shah, B.V., Barnwell, B.G., and Bieler, G.S. (1997). *SUDAAN User's Manual, Release 7.5*, Research Triangle Park, NC: Research Triangle Institute.
- Wolter, K.M. (1985). *Introduction to Variance Estimation*. New York: Springer-Verlag.

Table 1 Optimal Allocation of Segments Over Strata

Stratum	Description of Stratum	Number of Segments Allocated
1	Certainty, High Hispanic	128
2	Certainty, Moderate Hispanic	300
3	Certainty, Low Hispanic	452
4	Certainty, High Black	124
5	Certainty, High White	72
-	Noncertainty Strata Combined	864
National Total		1,940
-	Arizona State Supplement	458
-	California State Supplement	298
Total	National Plus State Supplement	2,696

Source: Office of Applied Studies. SAMHSA, National Household Survey on Drug Abuse, 1997.

Table 2 Median Design Effects of Illicit Drug Use Estimates, by Age Group and Demographic Characteristics: 1997 NHSDA Questionnaire

Demographic Characteristic	Age Group in Years				Total
	12-17	18-25	26-34	35+	
Total	2.72	3.14	2.15	2.59	3.69
Gender					
Male	2.27	3.00	1.85	2.50	3.67
Female	2.62	2.83	2.13	1.82	2.63
Race/Ethnicity¹					
White, non-Hispanic	2.27	2.49	1.50	2.22	2.81
Black, non-Hispanic	1.77	1.51	1.52	1.85	2.87
Hispanic	2.18	2.65	1.63	2.58	3.43
Population Density					
Large metro	2.72	4.05	2.62	2.32	4.15
Small metro	2.18	2.38	1.86	2.42	3.39
Nonmetro	2.22	2.21	1.60	1.74	1.99
Region					
Northeast	1.87	2.33	1.98	1.33	2.16
North Central	1.49	1.91	1.73	1.99	2.79
South	1.81	2.70	2.00	2.52	3.19
West	4.66	3.70	2.84	3.43	5.23
Adult Education²					
Less than high school	N/A	2.88	2.21	2.66	3.03
High school graduate	N/A	3.30	1.89	2.17	2.59
Some college	N/A	2.67	2.43	2.15	2.85
College graduate	N/A	2.29	2.10	2.78	2.90
Current Employment³					
Full-time	N/A	3.27	2.22	2.86	3.54
Part-time	N/A	2.77	2.21	1.68	2.06
Unemployed	N/A	2.40	1.86	1.25	2.04
Other ⁴	N/A	2.66	1.88	2.13	2.25

Note: These design effects apply to the following drugs: any illicit drug use; marijuana/hashish; cocaine; crack; inhalants; hallucinogens; lysergic acid diethylamide (LSD); phencyclidine (PCP); heroin; nonmedical use of any psychotherapeutics; nonmedical use of stimulants; nonmedical use of sedatives; nonmedical use of tranquilizers; nonmedical use of analgesics; and any illicit drug except marijuana.

N/A: Not applicable.

¹The category "other" for race/ethnicity is not included.

²Data on adult education are not applicable for 12 to 17 year olds.

³Data on current employment are not applicable for 12 to 17 year olds.

⁴Retired, disabled, homemaker, student, or "other."

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1997.

Table 3 Median Design Effects of Licit Drug Use Estimates, by Age Group and Demographic Characteristics: 1997 NHSDA Questionnaire

Demographic Characteristic	Age Group in Years				Total
	12-17	18-25	26-34	35+	
Total	3.35	4.45	2.89	3.97	7.12
Gender					
Male	3.36	3.47	2.37	2.94	5.13
Female	2.56	3.75	2.67	2.92	5.01
Race/Ethnicity¹					
White, non-Hispanic	2.78	4.53	2.20	3.30	4.73
Black, non-Hispanic	1.82	2.11	1.88	2.10	3.90
Hispanic	2.63	3.45	1.85	2.59	4.03
Population Density					
Large metro	3.50	3.48	2.83	3.88	5.95
Small metro	2.47	5.42	3.10	2.58	4.73
Nonmetro	3.72	3.23	2.21	3.07	6.35
Region					
Northeast	2.00	2.49	2.47	2.06	3.20
North Central	2.43	1.65	1.93	1.97	3.40
South	2.58	2.85	3.27	3.05	5.64
West	4.49	13.94	3.74	8.63	17.89
Adult Education²					
Less than high school	N/A	3.06	2.53	3.20	4.30
High school graduate	N/A	2.88	2.46	2.49	3.64
Some college	N/A	4.94	2.41	3.14	4.70
College graduate	N/A	2.78	2.28	3.61	3.74
Current Employment³					
Full-time	N/A	3.24	2.35	3.31	3.84
Part-time	N/A	3.92	2.57	2.53	3.72
Unemployed	N/A	2.43	2.53	2.39	3.69
Other ⁴	N/A	3.50	2.00	3.58	5.18

Note: These design effects apply to the following drugs: cigarettes, alcohol, smokeless tobacco, binge drinking, and heavy drinking.

N/A: Not applicable.

¹The category "other" for race/ethnicity is not included.

²Data on adult education are not applicable for 12 to 17 year olds.

³Data on current employment are not applicable for 12 to 17 year olds.

⁴Retired, disabled, homemaker, student, or "other."

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1997.

Table 4 Generalized Standard Errors for Estimated Percentages of Illicit Drug Use Estimates: 1997

	Sample Size for Base of Percentage, <i>n</i>	Estimated Percentage (Proportion, <i>p</i> , Multiplied by 100)																
		1	2	3	5	10	20	30	40	50	60	70	80	90	95	97	98	99
I-20	100	0.38	0.67	0.93	1.40	2.41	3.98	5.13	5.93	6.40	6.50	6.22	5.44	3.96	2.73	2.04	1.62	1.07
	300	0.24	0.43	0.60	0.90	1.54	2.55	3.29	3.81	4.11	4.17	3.99	3.49	2.54	1.75	1.31	1.04	0.69
	500	0.20	0.35	0.49	0.73	1.26	2.08	2.68	3.10	3.34	3.40	3.25	2.84	2.07	1.43	1.07	0.84	0.56
	700	0.17	0.31	0.42	0.64	1.10	1.81	2.34	2.71	2.92	2.97	2.83	2.48	1.80	1.24	0.93	0.74	0.49
	900	0.16	0.28	0.38	0.58	0.99	1.64	2.11	2.44	2.63	2.68	2.56	2.24	1.63	1.12	0.84	0.67	0.44
	1,000	0.15	0.26	0.37	0.55	0.95	1.57	2.03	2.34	2.53	2.57	2.45	2.15	1.56	1.08	0.81	0.64	0.42
	1,250	0.14	0.24	0.34	0.51	0.87	1.43	1.85	2.14	2.31	2.35	2.24	1.96	1.43	0.98	0.74	0.58	0.39
	1,500	0.13	0.22	0.31	0.47	0.81	1.33	1.72	1.99	2.14	2.18	2.08	1.82	1.33	0.91	0.68	0.54	0.36
	2,000	0.11	0.20	0.28	0.42	0.72	1.19	1.53	1.77	1.91	1.94	1.86	1.62	1.18	0.81	0.61	0.48	0.32
	2,500	0.10	0.18	0.25	0.38	0.66	1.08	1.40	1.62	1.74	1.77	1.70	1.48	1.08	0.74	0.56	0.44	0.29
	3,000	0.10	0.17	0.24	0.36	0.61	1.01	1.30	1.50	1.62	1.65	1.57	1.38	1.00	0.69	0.52	0.41	0.27
	4,000	0.09	0.15	0.21	0.32	0.54	0.90	1.16	1.34	1.44	1.47	1.40	1.23	0.89	0.62	0.46	0.36	0.24
	5,000	0.08	0.14	0.19	0.29	0.50	0.82	1.06	1.22	1.32	1.34	1.28	1.12	0.82	0.56	0.42	0.33	0.22
	7,500	0.07	0.12	0.16	0.25	0.42	0.70	0.90	1.04	1.12	1.14	1.09	0.95	0.69	0.48	0.36	0.28	0.19
	10,000	0.06	0.10	0.15	0.22	0.38	0.62	0.80	0.92	1.00	1.01	0.97	0.85	0.62	0.43	0.32	0.25	0.17
	15,000	0.05	0.09	0.12	0.19	0.32	0.53	0.68	0.79	0.85	0.86	0.82	0.72	0.52	0.36	0.27	0.21	0.14
	18,000	0.05	0.08	0.11	0.17	0.30	0.49	0.63	0.73	0.79	0.80	0.76	0.67	0.49	0.34	0.25	0.20	0.13
	24,505 ¹	0.04	0.07	0.10	0.15	0.26	0.43	0.56	0.64	0.69	0.71	0.67	0.59	0.43	0.30	0.22	0.18	0.12

Note: Generalized standard errors are predicted from the following equation: $SE = 100 * [1.1032 p^{(.8264)} * (1-p)^{(.6002)} / n^{(.4036)}]$.

¹The total sample size for the 1997 NHSDA is 24,505.

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1997.

Table 5 Generalized Standard Errors for Estimated Percentages of Licit Drug Use Estimates: 1997

	Sample Size for Base of Percentage, <i>n</i>	Estimated Percentage (Proportion, <i>p</i> , Multiplied by 100)																
		1	2	3	5	10	20	30	40	50	60	70	80	90	95	97	98	99
1-21	100	0.98	1.46	1.85	2.47	3.62	5.10	6.02	6.55	6.75	6.64	6.19	5.35	3.90	2.73	2.08	1.67	1.14
	300	0.64	0.96	1.21	1.62	2.36	3.33	3.93	4.28	4.41	4.34	4.05	3.49	2.55	1.79	1.36	1.09	0.75
	500	0.52	0.78	0.99	1.33	1.94	2.73	3.22	3.51	3.62	3.56	3.32	2.87	2.09	1.47	1.12	0.90	0.61
	700	0.46	0.69	0.87	1.16	1.70	2.40	2.83	3.08	3.17	3.12	2.91	2.52	1.83	1.29	0.98	0.79	0.54
	900	0.42	0.63	0.79	1.06	1.54	2.18	2.57	2.79	2.88	2.83	2.64	2.28	1.66	1.17	0.89	0.71	0.49
	1,000	0.40	0.60	0.76	1.01	1.48	2.09	2.46	2.68	2.76	2.72	2.54	2.19	1.60	1.12	0.85	0.68	0.47
	1,250	0.37	0.55	0.70	0.93	1.36	1.92	2.26	2.46	2.53	2.49	2.33	2.01	1.46	1.03	0.78	0.63	0.43
	1,500	0.34	0.51	0.65	0.87	1.27	1.79	2.11	2.29	2.36	2.32	2.17	1.87	1.36	0.96	0.73	0.59	0.40
	2,000	0.31	0.46	0.58	0.77	1.13	1.60	1.88	2.05	2.11	2.08	1.94	1.67	1.22	0.86	0.65	0.52	0.36
	2,500	0.28	0.42	0.53	0.71	1.04	1.46	1.73	1.88	1.94	1.91	1.78	1.54	1.12	0.79	0.60	0.48	0.33
	3,000	0.26	0.39	0.50	0.66	0.97	1.36	1.61	1.75	1.81	1.78	1.66	1.43	1.04	0.73	0.56	0.45	0.31
	4,000	0.23	0.35	0.44	0.59	0.87	1.22	1.44	1.57	1.61	1.59	1.48	1.28	0.93	0.65	0.50	0.40	0.27
	5,000	0.21	0.32	0.41	0.54	0.79	1.12	1.32	1.44	1.48	1.46	1.36	1.17	0.86	0.60	0.46	0.37	0.25
	7,500	0.18	0.27	0.35	0.46	0.68	0.96	1.13	1.23	1.27	1.24	1.16	1.00	0.73	0.51	0.39	0.31	0.21
	10,000	0.16	0.25	0.31	0.42	0.61	0.86	1.01	1.10	1.13	1.11	1.04	0.90	0.65	0.46	0.35	0.28	0.19
	15,000	0.14	0.21	0.27	0.35	0.52	0.73	0.86	0.94	0.97	0.95	0.89	0.77	0.56	0.39	0.30	0.24	0.16
	18,000	0.13	0.20	0.25	0.33	0.48	0.68	0.80	0.87	0.90	0.89	0.83	0.71	0.52	0.37	0.28	0.22	0.15
	24,505 ¹	0.12	0.17	0.22	0.29	0.43	0.60	0.71	0.78	0.80	0.79	0.73	0.63	0.46	0.32	0.25	0.20	0.14

Note: Generalized standard errors are predicted from the following equation: $SE = 100 \cdot [0.8911p^{(.5910)}(1-p)^{(.5569)}/n^{(.3876)}]$.

¹The total sample size for the 1997 NHSDA is 24,505.

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1997.

IDENTIFICATION			PAGE :	1
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		IDENTIFICATION		

RESPID	6	RESPONDENT IDENTIFICATION NUMBER		
ENCPSU	3	PRIMARY SAMPLING UNIT (ENCRYPTED)		
ENCSEG	4	SEGMENT IDENTIFICATION NUMBER (ENCRYPTED)		
ENCCASE	5	HOUSEHOLD LEVEL IDENTIFICATION NUMBER (ENCRYPTED)		

LABEL	LEN	DESCRIPTION	DEMOGRAPHICS	PAGE:	2
-----	----	-----		FREQ	%
				----	-

DEMOGRAPHICS

FI CHECKPOINT A; MARK ONE BOX for R's
age.

SKPMARTL	1	SKIP OVER MARITAL Q'S TO CKPTB, BASED ON AGE		
		1 = Respondent is 12-14 years old - SKIP	3802	15.52
		2 = Respondent is 15 years old or older	20241	82.60
		3 = 12-14 years old LOGICALLY ASSIGNED - SKIP	84	0.34
		4 = 15 years or older LOGICALLY ASSIGNED	378	1.54

D-6. Which of the following best
describes your current marital status.
Are you...

MARITAL	2	MARITAL STATUS		
		1 = Married	7243	29.56
		2 = Widowed	720	2.94
		3 = Divorced or separated	1822	7.44
		4 = Never been married	10620	43.34
		85 = BAD DATA Logically assigned	50	0.20
		89 = LEGITIMATE SKIP Logically assigned	434	1.77
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	4	0.02
		98 = BLANK (NO ANSWER)	159	0.65
		99 = LEGITIMATE SKIP	3452	14.09

D-7. How many times have you been
married?

NOMARR	2	# TIMES MARRIED		
		RANGE = 1 - 7	9479	38.68
		85 = BAD DATA Logically assigned	16	0.07
		89 = LEGITIMATE SKIP Logically assigned	165	0.67
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	499	2.04
		99 = LEGITIMATE SKIP	14341	58.52

FI CHECKPOINT B; MARK ONE BOX for R's
age.

SKPMILT	1	SKIP OVER MILITARY Q'S TO D-10, BASED ON AGE		
		1 = Respondent is 12-16 years old - SKIP	6420	26.20
		2 = Respondent is 17 years old or older	17543	71.59
		3 = 12-16 years old LOGICALLY ASSIGNED - SKIP	149	0.61
		4 = 17 years or older LOGICALLY ASSIGNED	393	1.60

DEMOGRAPHICS			PAGE:	3
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
		D-8. Have you ever been in the United States' armed forces?		
SERVICE	2	EVER BEEN IN UNITED STATES' ARMED FORCES		
		1 = Yes	1285	5.24
		2 = No	16369	66.80
		3 = Yes LOGICALLY ASSIGNED	36	0.15
		89 = LEGITIMATE SKIP Logically assigned	207	0.84
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	245	1.00
		99 = LEGITIMATE SKIP	6362	25.96
		D-9. Are you currently... (READ ANSWER CHOICES)		
MILSTAT	2	CURRENT MILITARY STATUS		
		2 = In a reserves component	88	0.36
		3 = Now separated or retired from reserves/active duty	1126	4.59
		85 = BAD DATA Logically assigned	13	0.05
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	339	1.38
		99 = LEGITIMATE SKIP	22937	93.60

DEMOGRAPHICS			PAGE:	4
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		D-10. The next questions are about your schooling. What is the last grade or year that you completed in school?		
EDUC	2	LAST GRADE COMPLETED IN SCHOOL		
		0 = No schooling	56	0.23
		1 = First grade	30	0.12
		2 = Second grade	58	0.24
		3 = Third grade	106	0.43
		4 = Fourth grade	132	0.54
		5 = Fifth grade	529	2.16
		6 = Sixth grade	1543	6.30
		7 = Seventh grade	1486	6.06
		8 = Eighth grade	1796	7.33
		9 = Ninth grade	1892	7.72
		10 = Tenth grade	1942	7.92
		11 = Eleventh grade	2013	8.21
		12 = Twelfth grade	5708	23.29
		13 = Freshman/13th year	1496	6.10
		14 = Sophomore/14th year	1960	8.00
		15 = Junior/15th year	820	3.35
		16 = Senior/16th year	1730	7.06
		17 = Graduate/Professional School (or higher)	1094	4.46
		85 = BAD DATA Logically assigned	87	0.36
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	23	0.09
		D-11. Have you received a high school diploma, or a GED certificate of high school completion? Which have you received? (MARK ONLY ONE ANSWER.)		
DIPLOMA	2	EVIDENCE OF HIGH SCHOOL COMPLETION		
		1 = High School Diploma	5380	21.95
		2 = GED Certificate	738	3.01
		3 = Neither of the above	5909	24.11
		89 = LEGITIMATE SKIP Logically assigned	6773	27.64
		98 = BLANK (NO ANSWER)	201	0.82
		99 = LEGITIMATE SKIP	5504	22.46

DEMOGRAPHICS			PAGE:	5
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
NOTE: The ENRL9497 variable was edited to be consistent with procedures since the 1994 NHSDA. The ENROLL97 variable takes into account new variables that contain supporting information on reasons for leaving school without a diploma and the age when respondents left school. The net effect is that ENROLL97 classifies more respondents are currently being enrolled.				
ENROLL97	2	NOW ENROLLED IN ANY SCHOOL		
		1 = Yes	9107	37.16
		2 = No	13606	55.52
		3 = Yes LOGICALLY ASSIGNED	172	0.70
		4 = No LOGICALLY ASSIGNED	82	0.33
		51 = School not in session (RAW QD12 = 1)	1409	5.75
		52 = School not in session (RAW QD12 = 2)	118	0.48
		55 = School not in session (RAW QD12 > 2 OR MISSING) ..	7	0.03
		98 = BLANK (NO ANSWER)	4	0.02
ENRL9497	2	NOW ENROLLED IN ANY SCHOOL		
		1 = Yes	9030	36.85
		2 = No	13636	55.65
		3 = Yes LOGICALLY ASSIGNED	143	0.58
		4 = No LOGICALLY ASSIGNED	47	0.19
		5 = School not in session (RAW QD12 NOT 2)	1386	5.66
		11 = QD12 marked "Yes" but QD16 marked not enrld	138	0.56
		15 = School not in session (RAW QD12 = 2)	117	0.48
		96 = MULTIPLE RESPONSE	1	0.00
		98 = BLANK (NO ANSWER)	7	0.03

DEMOGRAPHICS			PAGE:	6
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		D-13. (HAND RESPONDENT SHOWCARD 2.) Please look at this card and tell me which of the statements describes your present work situation. (MARK THE FIRST ANSWER THAT APPLIES.)		
WORKSTAT	2	PRESENT WORK SITUATION		
		1 = Working full-time, 35 hours or more a week	8855	36.14
		2 = Working part-time, less than 35 hours a week	3152	12.86
		3 = Have a job but out: illness/leave/furlough/strike	106	0.43
		4 = Have a job, but it is seasonal	107	0.44
		5 = Unemployed or laid off and looking for work	925	3.77
		6 = Unemployed and not looking for work	215	0.88
		7 = Full-time homemaker	1822	7.44
		8 = In school only	7442	30.37
		9 = Retired	1148	4.68
		10 = Disabled, not able to work	500	2.04
		11 = Other, not specified	5	0.02
		21 = Working full-time, 35 hours or more a week	15	0.06
		22 = Working part-time, less than 35 hours a week	32	0.13
		23 = Have a job but out: illness/leave/furlough/strike	12	0.05
		24 = Have a job, but it is seasonal	4	0.02
		25 = Unemployed or laid off and looking for work	11	0.04
		26 = Unemployed and not looking for work	3	0.01
		27 = Full-time homemaker	6	0.02
		28 = In school only	43	0.18
		29 = Retired	1	0.00
		30 = Disabled, not able to work	3	0.01
		31 = Other, in labor force	30	0.12
		32 = Other, not in the labor force	29	0.12
		85 = BAD DATA Logically assigned	5	0.02
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	33	0.13

HEALTH			PAGE:	7
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		HEALTH		

		Now we have some questions concerning your health.		
		HE-1. About how tall are you, without shoes?		
HTININCH	3	HEIGHT IN INCHES (WITHOUT SHOES)		
		RANGE = 26 - 104	24348	99.36
		985 = BAD DATA Logically assigned	2	0.01
		994 = DON'T KNOW	112	0.46
		995 = BAD DATA	3	0.01
		997 = REFUSED	10	0.04
		998 = BLANK (NO ANSWER)	30	0.12
		HE-2. About how much do you weigh, without shoes?		
POUNDS	3	WEIGHT IN POUNDS WITHOUT SHOES		
		RANGE = 55 - 550	24127	98.46
		985 = BAD DATA Logically assigned	15	0.06
		994 = DON'T KNOW	200	0.82
		995 = BAD DATA	5	0.02
		997 = REFUSED	101	0.41
		998 = BLANK (NO ANSWER)	57	0.23
		HE-3. Would you say your health in general is...(READ ANSWER CHOICES)		
HEALTH	2	HEALTH IN GENERAL		
		1 = Excellent	8595	35.07
		2 = Very good	8088	33.01
		3 = Good	5735	23.40
		4 = Fair	1640	6.69
		5 = Poor	412	1.68
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	30	0.12

TOBACCO			PAGE:	8
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		TOBACCO -- ANSWER SHEET #1		

		The first 10 questions are about cigarettes only.		
		C-1. Have you ever smoked a cigarette, even one or two puffs?		
CIGEVER	2	EVER SMOKED A CIGARETTE		
		1 = Yes	14231	58.07
		2 = No	10077	41.12
		3 = Yes LOGICALLY ASSIGNED	86	0.35
		4 = No LOGICALLY ASSIGNED	98	0.40
		98 = BLANK (NO ANSWER)	13	0.05
		C-2. How old were you the first time you smoked a cigarette, even one or two puffs?		
CIGTRY	3	AGE WHEN FIRST SMOKED A CIGARETTE		
		RANGE = 2 - 66	14248	58.14
		981 = NEVER USED CIGARETTES Logically assigned	294	1.20
		985 = BAD DATA Logically assigned	29	0.12
		991 = NEVER USED CIGARETTES	9881	40.32
		994 = DON'T KNOW	7	0.03
		995 = BAD DATA	5	0.02
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	40	0.16
		C-3. Think about the entire time since you first smoked a cigarette. Altogether, on how many days in your life have you smoked a cigarette?		
CIGTOT	2	# DAYS SMOKED CIGARETTES IN LIFE		
		1 = More than 300 days	6556	26.75
		2 = At least 101 but not more than 300 days	1061	4.33
		3 = At least 12 but not more than 100 days	1638	6.68
		4 = At least 3 but not more than 11 days	1656	6.76
		5 = At least 1 but not more than 2 days	3253	13.27
		81 = NEVER USED CIGARETTES Logically assigned	103	0.42
		85 = BAD DATA Logically assigned	127	0.52
		91 = NEVER USED CIGARETTES	10072	41.10
		95 = BAD DATA	1	0.00
		98 = BLANK (NO ANSWER)	38	0.16

LABEL	LEN	DESCRIPTION	TOBACCO	PAGE:	9
-----	----	-----		FREQ	%

C-4. How long has it been since you
last smoked a cigarette?

CIGREC	2	TIME SINCE LAST SMOKED A CIGARETTE			
		1 = Within the past 30 days	5840	23.83	
		2 = More than 30 days ago but within the past 12 mos .	1043	4.26	
		3 = More than 12 months ago but within the past 3 yrs	1244	5.08	
		4 = More than 3 years ago	4877	19.90	
		7 = Use in past 30 days LOGICALLY ASSIGNED	1114	4.55	
		9 = Use in lifetime LOGICALLY ASSIGNED	199	0.81	
		81 = NEVER USED CIGARETTES Logically assigned	108	0.44	
		91 = NEVER USED CIGARETTES	10067	41.08	
		98 = BLANK (NO ANSWER)	13	0.05	

THE THREE QUESTIONS ON THIS PAGE REFER
TO THE PAST 30 DAYS ONLY.

C-5. Think specifically about the past
30 days--that is, from your 30-day
reference date up to and including
today. During the past 30 days, on how
many days did you smoke a cigarette?

CIG30USE	2	# DAYS SMOKED PAST 30 DAYS			
		RANGE = 1 - 30	6003	24.50	
		35 = Date specified within the past 30 days	1	0.00	
		81 = NEVER USED CIGARETTES Logically assigned	101	0.41	
		83 = DID NOT USE CIGARETTES IN PAST 30 DAYS Log assn ..	872	3.56	
		85 = BAD DATA Logically assigned	795	3.24	
		91 = NEVER USED CIGARETTES	10074	41.11	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	6491	26.49	
		94 = DON'T KNOW	5	0.02	
		95 = BAD DATA	55	0.22	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	106	0.43	

TOBACCO			PAGE: 10
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----
		C-6. When you smoked cigarettes during the past 30 days, how many did you usually smoke each day? If the number varied from day to day, mark the box for the number of cigarettes you smoked on a typical day.	
AVCIG	2	# CIGARETTES SMOKED PER DAY PAST 30 DAYS	
		1 = At least a puff but less than one cig each day ...	1201 4.90
		2 = 1 to 5 cigarettes each day	1871 7.64
		3 = 6 to 15 cigarettes (about 1/2 pack) each day	1696 6.92
		4 = 16 to 25 cigarettes (about 1 pack) each day	1269 5.18
		5 = 26 to 35 cigarettes (about 1 1/2 pk) each day	372 1.52
		6 = 35 or more cigarettes (about 2 packs) each day ...	216 0.88
		81 = NEVER USED CIGARETTES Logically assigned	77 0.31
		83 = DID NOT USE CIGARETTES PAST 30 DAYS Log assn	437 1.78
		85 = BAD DATA Logically assigned	309 1.26
		91 = NEVER USED CIGARETTES	10098 41.21
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	6926 28.26
		94 = DON'T KNOW	1 0.00
		98 = BLANK (NO ANSWER)	32 0.13
		C-7. When you smoked cigarettes during the past 30 days, how soon after you woke up in the morning did you usually smoke your first cigarette?	
CIG30WOK	2	TIME BEFORE SMOKING FIRST CIGARETTE AFTER WAKING	
		1 = 5 minutes or less	1094 4.46
		2 = 6 to 30 minutes	1621 6.61
		3 = 31 to 60 minutes	844 3.44
		4 = 1 to 3 hours	953 3.89
		5 = 4 or more hours	1726 7.04
		81 = NEVER USED CIGARETTES Logically assigned	74 0.30
		83 = DID NOT USE CIGARETTES IN PAST 30 DAYS Log assn ..	438 1.79
		85 = BAD DATA Logically assigned	685 2.80
		91 = NEVER USED CIGARETTES	10101 41.22
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	6925 28.26
		94 = DON'T KNOW	1 0.00
		98 = BLANK (NO ANSWER)	43 0.18

TOBACCO			PAGE: 11	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
		THE REST OF THE QUESTIONS ON THIS ANSWER SHEET ASK ABOUT YOUR ENTIRE LIFETIME.		
		C-8. Has there ever been a period in your life when you smoked cigarettes everyday?		
CIGEVYDA	2	EVER SMOKED DAILY		
		1 = Yes	7059	28.81
		2 = No	16421	67.01
		3 = Yes LOGICALLY ASSIGNED	616	2.51
		4 = No LOGICALLY ASSIGNED	358	1.46
		98 = BLANK (NO ANSWER)	51	0.21
		C-9. How old were you when you first started smoking cigarettes everyday?		
CIGAGE	3	AGE WHEN FIRST STARTED SMOKING CIGARETTES EVERYDAY		
		RANGE = 2 - 64	7314	29.85
		981 = NEVER USED CIGARETTES Logically assigned	113	0.46
		983 = NEVER USED CIGARETTES EVERYDAY Log assn	332	1.35
		985 = BAD DATA Logically assigned	319	1.30
		991 = NEVER USED CIGARETTES	10062	41.06
		993 = NEVER USED CIGARETTES EVERYDAY	6220	25.38
		994 = DON'T KNOW	7	0.03
		995 = BAD DATA	1	0.00
		998 = BLANK (NO ANSWER)	137	0.56
		C-10. For how many years have you smoked or did you smoke cigarettes everyday?		
CIGYRS	3	# YEARS SMOKED CIGARETTES EVERYDAY		
		RANGE = 1 - 72	6497	26.51
		0 = I smoked cigs every day but only for < one year ..	817	3.33
		981 = NEVER USED CIGARETTES Logically assigned	83	0.34
		983 = NEVER USED CIGARETTES EVERYDAY Log assn	290	1.18
		985 = BAD DATA Logically assigned	314	1.28
		991 = NEVER USED CIGARETTES	10092	41.18
		993 = NEVER USED CIGARETTES EVERYDAY	6273	25.60
		994 = DON'T KNOW	5	0.02
		995 = BAD DATA	7	0.03
		998 = BLANK (NO ANSWER)	127	0.52

			TOBACCO		PAGE: 12	
LABEL	LEN	DESCRIPTION	FREQ		%	
-----	----	-----	----		----	----
		The last 2 questions are about smokeless tobacco, such as chewing tobacco and snuff.				
		C-11. Have you ever, even once, used chewing tobacco or snuff?				
SNUFEVER	2	EVER USED SMOKELESS TOBACCO				
		1 = Yes	3091		12.61	
		2 = No	20898		85.28	
		3 = Yes LOGICALLY ASSIGNED	80		0.33	
		4 = No LOGICALLY ASSIGNED	308		1.26	
		85 = BAD DATA Logically assigned	1		0.00	
		98 = BLANK (NO ANSWER)	127		0.52	
		C-12. How long has it been since you last used chewing tobacco or snuff?				
SNUFREC	2	TIME SINCE LAST USED SMOKELESS TOBACCO				
		1 = Within the past 30 days	547		2.23	
		2 = More than 30 days ago but within the past 12 mos .	404		1.65	
		3 = More than 12 months ago but within the past 3 yrs	496		2.02	
		4 = More than 3 years ago	1657		6.76	
		9 = Use in lifetime LOGICALLY ASSIGNED	67		0.27	
		81 = NEVER USED SMOKELESS TOBACCO Logically assigned ..	111		0.45	
		85 = BAD DATA Logically assigned	1		0.00	
		91 = NEVER USED SMOKELESS TOBACCO	21095		86.08	
		98 = BLANK (NO ANSWER)	127		0.52	

ALCOHOL			PAGE:	13
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		ALCOHOL -- ANSWER SHEET #2		

		FI CHECKPOINT C; DO YOU THINK R CAN		
		COMPLETE THIS ANSWER SHEET ON HIS/HER		
		OWN?		
SKPALCRD	2	CAN RESPONDENT COMPLETE ALCOHOL ANSWER SHEET ALONE		
		1 = Yes, respondent can complete the answer sht. alone	23143	94.44
		2 = No, I doubt that resp. can complt. it alone - SKIP	1185	4.84
		96 = MULTIPLE RESPONSE	1	0.00
		98 = BLANK (NO ANSWER)	176	0.72
		A-0. You may complete this answer sheet		
		on your own, or if you prefer, I'll read		
		the questions out loud. Which do		
		you prefer?		
ALCREAD	2	ALCOHOL - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	3010	12.28
		2 = Wants to complete the answer sheet on his/her own	20828	84.99
		96 = MULTIPLE RESPONSE	8	0.03
		98 = BLANK (NO ANSWER)	177	0.72
		99 = LEGITIMATE SKIP	482	1.97
		A-1. The next few questions are about		
		drinks of alcoholic beverages. By a		
		"drink", we mean a can or bottle of		
		beer, a glass of wine or a wine cooler,		
		a shot a liquor, or a mixed drink with		
		liquor in it. Have you ever, even once,		
		had a drink of any type of alcoholic		
		beverage? Do not include sips from		
		another person's drink.		
ALCEVER	1	EVER HAD DRINK OF ALCOHOLIC BEVERAGE		
		1 = Yes	16867	68.83
		2 = No	7448	30.39
		3 = Yes LOGICALLY ASSIGNED	115	0.47
		4 = No LOGICALLY ASSIGNED	75	0.31

LABEL	LEN	DESCRIPTION	ALCOHOL	PAGE:	14
-----	----	-----		FREQ	%
		A-2. How old were you the first time you had a drink of any alcoholic beverage? Do not include sips from another person's drink.			
ALCTRY	3	AGE WHEN HAD FIRST DRINK OF ALCOHOLIC BEVERAGE			
		RANGE = 2 - 68	16822	68.65	
		981 = NEVER USED ALCOHOL Logically assigned	143	0.58	
		985 = BAD DATA Logically assigned	78	0.32	
		991 = NEVER USED ALCOHOL	7380	30.12	
		994 = DON'T KNOW	24	0.10	
		995 = BAD DATA	5	0.02	
		997 = REFUSED	1	0.00	
		998 = BLANK (NO ANSWER)	52	0.21	
		A-3. Think about the last time you drank any type of alcoholic beverage. How long has it been since you last drank an alcoholic beverage?			
ALCREC	2	TIME SINCE LAST DRANK AN ALCOHOLIC BEVERAGE			
		1 = Within the past 30 days	9113	37.19	
		2 = More than 30 days ago but within the past 12 mos .	2777	11.33	
		3 = More than 12 months ago but within the past 3 yrs	1139	4.65	
		4 = More than 3 years ago	1870	7.63	
		7 = Use in past 30 days LOGICALLY ASSIGNED	1426	5.82	
		8 = Use in past year LOGICALLY ASSIGNED	642	2.62	
		9 = Use in lifetime LOGICALLY ASSIGNED	15	0.06	
		81 = NEVER USED ALCOHOL Logically assigned	34	0.14	
		91 = NEVER USED ALCOHOL	7489	30.56	

ALCOHOL			PAGE:	15
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		A-4. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you drink an alcoholic beverage?		
ALCPAT	2	# DAYS HAD ALCOHOLIC BEVERAGE PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	686	2.80
		2 = 201 to 300 days (5 to 6 days a week)	399	1.63
		3 = 101 to 200 days (3 to 4 days a week)	908	3.71
		4 = 51 to 100 days (1 to 2 days a week)	1929	7.87
		5 = 25 to 50 days (3 to 4 days a month)	1708	6.97
		6 = 12 to 24 days (1 to 2 days a month)	1964	8.01
		7 = 6 to 11 days (less than one day a month)	1702	6.95
		8 = 3 to 5 days in the past 12 months	2025	8.26
		9 = 1 to 2 days in the past 12 months	2220	9.06
		81 = NEVER USED ALCOHOL Logically assigned	34	0.14
		83 = DID NOT USE ALCOHOL IN PAST 12 MONTHS Log assn ...	42	0.17
		85 = BAD DATA Logically assigned	410	1.67
		91 = NEVER USED ALCOHOL	7489	30.56
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	2982	12.17
		98 = BLANK (NO ANSWER)	7	0.03
		A-5. During the past 12 months, when you drank alcoholic beverages, on how many days did you get very high or drunk?		
DRUNKYR	2	# DAYS GOT DRUNK PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	139	0.57
		2 = 201 to 300 days (5 to 6 days a week)	103	0.42
		3 = 101 to 200 days (3 to 4 days a week)	196	0.80
		4 = 51 to 100 days (1 to 2 days a week)	585	2.39
		5 = 25 to 50 days (3 to 4 days a month)	576	2.35
		6 = 12 to 24 days (1 to 2 days a month)	831	3.39
		7 = 6 to 11 days (less than one day a month)	882	3.60
		8 = 3 to 5 days in the past 12 months	1400	5.71
		9 = 1 to 2 days in the past 12 months	1951	7.96
		81 = NEVER USED ALCOHOL Logically assigned	80	0.33
		83 = DID NOT USE ALCOHOL IN PAST 12 MONTHS Log assn ...	59	0.24
		85 = BAD DATA Logically assigned	595	2.43
		90 = HAD A DRINK BUT DID NOT GET DRUNK PST 12 MONTHS ..	6646	27.12
		91 = NEVER USED ALCOHOL	7443	30.37
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	2965	12.10
		98 = BLANK (NO ANSWER)	54	0.22

ALCOHOL			PAGE:	16
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		THE NEXT THREE QUESTIONS REFER TO THE PAST 30 DAYS ONLY.		
		A-6. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you drink one or more drinks of alcoholic beverages?		
ALCDAYS	2	# DAYS HAD ONE OR MORE DRINKS PAST 30 DAYS		
		RANGE = 1 - 30	9404	38.38
		81 = NEVER USED ALCOHOL Logically assigned	71	0.29
		83 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS Log assn .	356	1.45
		85 = BAD DATA Logically assigned	981	4.00
		91 = NEVER USED ALCOHOL	7452	30.41
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	6087	24.84
		94 = DON'T KNOW	4	0.02
		95 = BAD DATA	35	0.14
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	114	0.47
		A-7. On the days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer, a wine cooler or glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.		
NODR30A	2	USUAL # DRINKS PER DAY PAST 30 DAYS		
		RANGE = 1 - 66	9879	40.31
		81 = NEVER USED ALCOHOL Logically assigned	70	0.29
		83 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS Log assn .	248	1.01
		85 = BAD DATA Logically assigned	557	2.27
		91 = NEVER USED ALCOHOL	7453	30.41
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	6195	25.28
		94 = DON'T KNOW	3	0.01
		95 = BAD DATA	7	0.03
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	92	0.38

LABEL	LEN	DESCRIPTION	ALCOHOL	PAGE:	17
-----	----	-----		FREQ	%
-----	----	-----		-----	-----
		A-8. During the past 30 days, on how many days did you have five or more drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.			
DR5DAY	2	# DAYS HAD FIVE OR MORE DRINKS PAST 30 DAYS			
		RANGE = 1 - 30		3576	14.59
		0 = None		770	3.14
		35 = Date specified within the past 30 days		1	0.00
		81 = NEVER USED ALCOHOL Logically assigned		65	0.27
		83 = DID NOT DRINK ALCOHOL IN PAST 30 DAYS Log assn ...		248	1.01
		85 = BAD DATA Logically assigned		724	2.95
		90 = HAD A DRINK BUT NEVER MORE THAN 5 PAST 30 DAYS ...		5356	21.86
		91 = NEVER USED ALCOHOL		7458	30.43
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS		6195	25.28
		94 = DON'T KNOW		1	0.00
		95 = BAD DATA		8	0.03
		97 = REFUSED		1	0.00
		98 = BLANK (NO ANSWER)		102	0.42

LABEL	LEN	DESCRIPTION	MARIJUANA		PAGE:	18
-----	----	-----			FREQ	%
					-----	-

MARIJUANA -- ANSWER SHEET #3

The questions in this section are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked--either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.

M-1. Have you ever, even once, used marijuana or hashish?

MJEVER	1	EVER USED MARIJUANA/HASHISH		
		1 = Yes	7746	31.61
		2 = No	16609	67.78
		3 = Yes LOGICALLY ASSIGNED	25	0.10
		4 = No LOGICALLY ASSIGNED	125	0.51

M-2. How old were you the first time you used marijuana or hashish?

MJAGE	3	AGE WHEN FIRST USED MARIJUANA/HASHISH		
		RANGE = 2 - 65	7730	31.54
		981 = NEVER USED MARIJUANA Logically assigned	219	0.89
		985 = BAD DATA Logically assigned	22	0.09
		991 = NEVER USED MARIJUANA	16515	67.39
		994 = DON'T KNOW	5	0.02
		998 = BLANK (NO ANSWER)	14	0.06

MARIJUANA			PAGE: 19
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----
		M-3. Think about the entire time since you first used marijuana or hashish. Altogether, on how many days in your life have you used marijuana or hashish?	
MJTOT	2	# DAYS USED MARIJUANA/HASHISH IN LIFE	
		1 = More than 300 days	1505 6.14
		2 = At least 101 but not more than 300 days	820 3.35
		3 = At least 12 but not more than 100 days	1833 7.48
		4 = At least 3 but not more than 11 days	1675 6.84
		5 = At least 1 but not more than 2 days	1906 7.78
		81 = NEVER USED MARIJUANA Logically assigned	66 0.27
		85 = BAD DATA Logically assigned	24 0.10
		91 = NEVER USED MARIJUANA	16668 68.02
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	7 0.03
		M-4. How long has it been since you last used marijuana or hashish?	
MJREC	2	TIME SINCE LAST USED MARIJUANA/HASHISH	
		1 = Within the past 30 days	1504 6.14
		2 = More than 30 days ago but within the past 12 mos .	1100 4.49
		3 = More than 12 months ago but within the past 3 yrs	878 3.58
		4 = More than 3 years ago	3478 14.19
		7 = Use in past 30 days LOGICALLY ASSIGNED	421 1.72
		8 = Use in past year LOGICALLY ASSIGNED	364 1.49
		9 = Use in lifetime LOGICALLY ASSIGNED	26 0.11
		81 = NEVER USED MARIJUANA Logically assigned	52 0.21
		91 = NEVER USED MARIJUANA	16682 68.08

MARIJUANA			PAGE:	20
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		M-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use marijuana or hashish?		
MJYRFREQ	2	# DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	350	1.43
		2 = 201 to 300 days (5 to 6 days a week)	205	0.84
		3 = 101 to 200 days (3 to 4 days a week)	295	1.20
		4 = 51 to 100 days (1 to 2 days a week)	297	1.21
		5 = 25 to 50 days (3 to 4 days a month)	257	1.05
		6 = 12 to 24 days (1 to 2 days a month)	353	1.44
		7 = 6 to 11 days (less than one day a month)	325	1.33
		8 = 3 to 5 days in the past 12 months	486	1.98
		9 = 1 to 2 days in the past 12 months	679	2.77
		81 = NEVER USED MARIJUANA Logically assigned	285	1.16
		83 = DID NOT USE MARIJUANA PAST 12 MOS Log assn	107	0.44
		85 = BAD DATA Logically assigned	121	0.49
		91 = NEVER USED MARIJUANA	16449	67.13
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	4275	17.45
		94 = DON'T KNOW	1	0.00
		98 = BLANK (NO ANSWER)	20	0.08
		M-6. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?		
MJDAY30A	2	# DAYS USED MARIJUANA/HASHISH PAST 30 DAYS		
		RANGE = 1 - 30	1803	7.36
		81 = NEVER USED MARIJUANA Logically assigned	269	1.10
		83 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS Log assn	523	2.13
		85 = BAD DATA Logically assigned	78	0.32
		91 = NEVER USED MARIJUANA	16465	67.19
		93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	5323	21.72
		95 = BAD DATA	25	0.10
		98 = BLANK (NO ANSWER)	19	0.08

			COCAINE		PAGE: 21	
LABEL	LEN	DESCRIPTION	FREQ		%	
-----	----	-----	-----		----	----
		COCAINE -- ANSWER SHEET #4				

		FI CHECKPOINT D; DO YOU THINK R CAN				
		COMPLETE THIS ANSWER SHEET ON HIS/HER				
		OWN?				
SKPCOCD	2	CAN RESPONDENT COMPLETE COCAINE ANSWER SHEET ALONE				
		1 = Yes, respondent can complete the answer sht. alone	23266		94.94	
		2 = No, I doubt that resp. can complt. it alone - SKIP	1104		4.51	
		96 = MULTIPLE RESPONSE	1		0.00	
		98 = BLANK (NO ANSWER)	134		0.55	
		CN-0. You may complete this answer				
		sheet on your own, or if you prefer,				
		I'll read the questions out loud.				
		Which do you prefer?				
COCREAD	2	COCAINE - READING PREFERENCE				
		1 = Wants interviewer to read questions aloud	2065		8.43	
		2 = Wants to complete the answer sheet on his/her own	21815		89.02	
		96 = MULTIPLE RESPONSE	6		0.02	
		98 = BLANK (NO ANSWER)	140		0.57	
		99 = LEGITIMATE SKIP	479		1.95	
		The questions in this section are about				
		cocaine, including all the different				
		forms of cocaine, such as powder,				
		"crack," free base, and coca paste.				
		CN-1. Have you ever, even once, used				
		any form of cocaine?				
COCEVER	1	EVER USED COCAINE				
		1 = Yes	2213		9.03	
		2 = No	22029		89.90	
		3 = Yes LOGICALLY ASSIGNED	64		0.26	
		4 = No LOGICALLY ASSIGNED	199		0.81	

			COCAINE		PAGE: 22	
LABEL	LEN	DESCRIPTION	FREQ		%	
-----	----	-----	----		---	---
		CN-2. How old were you the first time you used cocaine, in any form?				
COCAGE	3	AGE WHEN FIRST USED COCAINE				
		RANGE = 2 - 58	2251		9.19	
		981 = NEVER USED COCAINE Logically assigned	349		1.42	
		985 = BAD DATA Logically assigned	12		0.05	
		991 = NEVER USED COCAINE	21879		89.28	
		994 = DON'T KNOW	3		0.01	
		995 = BAD DATA	1		0.00	
		998 = BLANK (NO ANSWER)	10		0.04	
		CN-3. Think about the entire time since you first used cocaine. Altogether, on how many days in your life have you used cocaine?				
COCTOT	2	# DAYS USED COCAINE IN LIFE				
		1 = More than 300 days	243		0.99	
		2 = At least 101 but not more than 300 days	199		0.81	
		3 = At least 12 but not more than 100 days	557		2.27	
		4 = At least 3 but not more than 11 days	567		2.31	
		5 = At least 1 but not more than 2 days	695		2.84	
		81 = NEVER USED COCAINE Logically assigned	95		0.39	
		85 = BAD DATA Logically assigned	12		0.05	
		91 = NEVER USED COCAINE	22133		90.32	
		98 = BLANK (NO ANSWER)	4		0.02	
		CN-4. How long has it been since you last used any form of cocaine?				
COCREC	2	TIME SINCE LAST USED COCAINE (IN ANY FORM)				
		1 = Within the past 30 days	156		0.64	
		2 = More than 30 days ago but within the past 12 mos .	300		1.22	
		3 = More than 12 months ago but within the past 3 yrs	297		1.21	
		4 = More than 3 years ago	1195		4.88	
		7 = Use in past 30 days LOGICALLY ASSIGNED	138		0.56	
		8 = Use in past year LOGICALLY ASSIGNED	146		0.60	
		9 = Use in lifetime LOGICALLY ASSIGNED	45		0.18	
		81 = NEVER USED COCAINE Logically assigned	80		0.33	
		91 = NEVER USED COCAINE	22148		90.38	

			COCAINE		PAGE: 23	
LABEL	LEN	DESCRIPTION	FREQ		%	
-----	----	-----	----		----	----
		CN-5. Now think about the past 12 months. On how many days in the past 12 months did you use cocaine?				
COCYRFRQ	2	# DAYS USED COCAINE PAST 12 MONTHS				
		1 = More than 300 days (every day or almost every day)	18		0.07	
		2 = 201 to 300 days (5 to 6 days a week)	17		0.07	
		3 = 101 to 200 days (3 to 4 days a week)	26		0.11	
		4 = 51 to 100 days (1 to 2 days a week)	44		0.18	
		5 = 25 to 50 days (3 to 4 days a month)	56		0.23	
		6 = 12 to 24 days (1 to 2 days a month)	72		0.29	
		7 = 6 to 11 days (less than one day a month)	78		0.32	
		8 = 3 to 5 days in the past 12 months	135		0.55	
		9 = 1 to 2 days in the past 12 months	246		1.00	
		81 = NEVER USED COCAINE Logically assigned	403		1.64	
		83 = DID NOT USE COCAINE IN PAST 12 MONTHS Log assn ...	77		0.31	
		85 = BAD DATA Logically assigned	45		0.18	
		91 = NEVER USED COCAINE	21825		89.06	
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS	1460		5.96	
		98 = BLANK (NO ANSWER)	3		0.01	
		CN-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use cocaine?				
COCUS30A	2	# DAYS USED COCAINE PAST 30 DAYS				
		RANGE = 1 - 30	283		1.15	
		81 = NEVER USED COCAINE Logically assigned	414		1.69	
		83 = DID NOT USE COCAINE IN THE PAST 30 DAYS Log assn .	283		1.15	
		85 = BAD DATA Logically assigned	8		0.03	
		91 = NEVER USED COCAINE	21814		89.02	
		93 = DID NOT USE COCAINE IN THE PAST 30 DAYS	1700		6.94	
		98 = BLANK (NO ANSWER)	3		0.01	

CRACK COCAINE			PAGE:	24
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		"CRACK" COCAINE -- ANSWER SHEET #5		

		FI CHECKPOINT E; DO YOU THINK R CAN		
		COMPLETE THIS ANSWER SHEET ON HIS/HER		
		OWN?		
SKPCRKR	2	CAN RESPONDENT COMPLETE "CRACK" ANSWER SHEET ALONE		
		1 = Yes, respondent can complete answer sheet alone ..	23225	94.78
		2 = No, I doubt that resp. can complt. it alone - SKIP	1057	4.31
		96 = MULTIPLE RESPONSE	4	0.02
		98 = BLANK (NO ANSWER)	219	0.89
		CK-0. You may complete this answer		
		sheet on your own, or if you prefer,		
		I'll read the questions out loud.		
		Which do you prefer?		
CRKREAD	2	"CRACK" - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1766	7.21
		2 = Wants to complete the answer sheet on his/her own	22034	89.92
		96 = MULTIPLE RESPONSE	5	0.02
		98 = BLANK (NO ANSWER)	228	0.93
		99 = LEGITIMATE SKIP	472	1.93
		The next 6 questions refer only to		
		"crack" (cocaine in rock or chunk form)		
		and not the other forms of cocaine.		
		CK-1. Have you ever, even once, used		
		"crack?"		
CRKEVER	2	EVER USED "CRACK"		
		1 = Yes	623	2.54
		2 = No	23648	96.50
		3 = Yes LOGICALLY ASSIGNED	4	0.02
		4 = No LOGICALLY ASSIGNED	228	0.93
		98 = BLANK (NO ANSWER)	2	0.01

CRACK COCAINE			PAGE:	25
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		CK-2. How old were you the first time you used "crack?"		
CRKAGE	3	AGE WHEN FIRST USED "CRACK"		
		RANGE = 3 - 54	615	2.51
		981 = NEVER USED "CRACK" Logically assigned	332	1.35
		985 = BAD DATA Logically assigned	4	0.02
		991 = NEVER USED "CRACK"	23544	96.08
		998 = BLANK (NO ANSWER)	10	0.04
		CK-3. Think about the entire time since you first used "crack." Altogether, on how many days in your life have you used "crack?"		
CRKTOT	2	# DAYS USED "CRACK" IN LIFE		
		1 = More than 300 days	99	0.40
		2 = At least 101 but not more than 300 days	52	0.21
		3 = At least 12 but not more than 100 days	105	0.43
		4 = At least 3 but not more than 11 days	137	0.56
		5 = At least 1 but not more than 2 days	225	0.92
		81 = NEVER USED "CRACK" Logically assigned	91	0.37
		85 = BAD DATA Logically assigned	7	0.03
		91 = NEVER USED "CRACK"	23785	97.06
		98 = BLANK (NO ANSWER)	4	0.02
		CK-4. How long has it been since you last used "crack?"		
CRAKREC	2	TIME SINCE LAST USED "CRACK"		
		1 = Within the past 30 days	64	0.26
		2 = More than 30 days ago but within the past 12 mos .	93	0.38
		3 = More than 12 months ago but within the past 3 yrs	111	0.45
		4 = More than 3 years ago	264	1.08
		7 = Use in past 30 days LOGICALLY ASSIGNED	43	0.18
		8 = Use in past year LOGICALLY ASSIGNED	44	0.18
		9 = Use in lifetime LOGICALLY ASSIGNED	8	0.03
		81 = NEVER USED "CRACK" Logically assigned	89	0.36
		91 = NEVER USED "CRACK"	23787	97.07
		98 = BLANK (NO ANSWER)	2	0.01

CRACK COCAINE			PAGE:	26
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		CK-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use "crack?"		
CRKYRFRQ	2	# DAYS USED "CRACK" PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	10	0.04
		2 = 201 to 300 days (5 to 6 days a week)	11	0.04
		3 = 101 to 200 days (3 to 4 days a week)	13	0.05
		4 = 51 to 100 days (1 to 2 days a week)	18	0.07
		5 = 25 to 50 days (3 to 4 days a month)	21	0.09
		6 = 12 to 24 days (1 to 2 days a month)	21	0.09
		7 = 6 to 11 days (less than one day a month)	28	0.11
		8 = 3 to 5 days in the past 12 months	29	0.12
		9 = 1 to 2 days in the past 12 months	70	0.29
		81 = NEVER USED "CRACK" Logically assigned	424	1.73
		83 = DID NOT USE "CRACK" PAST 12 MONTHS Log assn	18	0.07
		85 = BAD DATA Logically assigned	20	0.08
		91 = NEVER USED "CRACK"	23452	95.70
		93 = DID NOT USE "CRACK" IN THE PAST 12 MONTHS	365	1.49
		98 = BLANK (NO ANSWER)	5	0.02
		CK-6. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use "crack?"		
CRKUS30A	2	# DAYS USED "CRACK" PAST 30 DAYS		
		RANGE = 1 - 30	100	0.41
		81 = NEVER USED "CRACK" Logically assigned	435	1.78
		83 = DID NOT USE "CRACK" IN THE PAST 30 DAYS Log assn .	90	0.37
		85 = BAD DATA Logically assigned	5	0.02
		91 = NEVER USED "CRACK"	23441	95.66
		93 = DID NOT USE "CRACK" IN THE PAST 30 DAYS	430	1.75
		98 = BLANK (NO ANSWER)	4	0.02

			HEROIN	PAGE: 27	
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		-----	-
		HEROIN -- ANSWER SHEET #6			

		FI CHECKPOINT F; DO YOU THINK R CAN			
		COMPLETE THIS ANSWER SHEET ON HIS/HER			
		OWN?			
SKPHERRD	2	CAN RESPONDENT COMPLETE HEROIN ANS SHEET ALONE			
		1 = Yes, respondent can complete answer sheet alone ..	23245	94.86	
		2 = No, I doubt that resp. can complt. it alone - SKIP	1053	4.30	
		96 = MULTIPLE RESPONSE	1	0.00	
		98 = BLANK (NO ANSWER)	206	0.84	
		H-0. You may complete this answer			
		sheet on your own, or if you prefer,			
		I'll read the questions out loud.			
		Which do you prefer?			
HERREAD	2	HEROIN - READING PREFERENCE			
		1 = Wants interviewer to read questions aloud	1658	6.77	
		2 = Wants to complete the answer sheet on his/her own	22160	90.43	
		96 = MULTIPLE RESPONSE	7	0.03	
		98 = BLANK (NO ANSWER)	205	0.84	
		99 = LEGITIMATE SKIP	475	1.94	
		H-1. Have you ever, even once, used			
		heroin?			
HEREVER	2	EVER USED HEROIN			
		1 = Yes	244	1.00	
		2 = No	23906	97.56	
		3 = Yes LOGICALLY ASSIGNED	2	0.01	
		4 = No LOGICALLY ASSIGNED	338	1.38	
		98 = BLANK (NO ANSWER)	15	0.06	
		H-2. How old were you the first time			
		you used heroin?			
HERAGE	3	AGE WHEN FIRST USED HEROIN			
		RANGE = 2 - 39	237	0.97	
		981 = NEVER USED HEROIN Logically assigned	281	1.15	
		985 = BAD DATA Logically assigned	2	0.01	
		991 = NEVER USED HEROIN	23963	97.79	
		995 = BAD DATA	1	0.00	
		998 = BLANK (NO ANSWER)	21	0.09	

			HEROIN		PAGE: 28	
LABEL	LEN	DESCRIPTION	FREQ	%		
-----	----	-----	-----	---		
		H-3. Think about the entire time since you first used heroin. Altogether, on how many days in your life have you used heroin?				
HERTOT	2	# DAYS USED HEROIN IN LIFE				
		1 = More than 300 days	45	0.18		
		2 = At least 101 but not more than 300 days	14	0.06		
		3 = At least 12 but not more than 100 days	36	0.15		
		4 = At least 3 but not more than 11 days	39	0.16		
		5 = At least 1 but not more than 2 days	105	0.43		
		81 = NEVER USED HEROIN Logically assigned	86	0.35		
		85 = BAD DATA Logically assigned	6	0.02		
		91 = NEVER USED HEROIN	24158	98.58		
		98 = BLANK (NO ANSWER)	16	0.07		
		H-4. How long has it been since you last used heroin?				
HERREC	2	TIME SINCE LAST USED HEROIN				
		1 = Within the past 30 days	20	0.08		
		2 = More than 30 days ago but within the past 12 mos .	27	0.11		
		3 = More than 12 months ago but within the past 3 yrs	35	0.14		
		4 = More than 3 years ago	126	0.51		
		7 = Use in past 30 days LOGICALLY ASSIGNED	20	0.08		
		8 = Use in past year LOGICALLY ASSIGNED	13	0.05		
		9 = Use in lifetime LOGICALLY ASSIGNED	5	0.02		
		81 = NEVER USED HEROIN Logically assigned	72	0.29		
		91 = NEVER USED HEROIN	24172	98.64		
		98 = BLANK (NO ANSWER)	15	0.06		
		H-5. Now think about the past 12 months. On how many days in the past 12 months did you use heroin?				
HERYRFRQ	2	# DAYS USED HEROIN PAST 12 MONTHS				
		1 = More than 300 days (every day or almost every day)	12	0.05		
		3 = 101 to 200 days (3 to 4 days a week)	5	0.02		
		5 = 25 to 50 days (3 to 4 days a month)	7	0.03		
		6 = 12 to 24 days (1 to 2 days a month)	6	0.02		
		7 = 6 to 11 days (less than one day a month)	7	0.03		
		8 = 3 to 5 days in the past 12 months	6	0.02		
		9 = 1 to 2 days in the past 12 months	26	0.11		
		81 = NEVER USED HEROIN Logically assigned	448	1.83		
		83 = DID NOT USE HEROIN PAST 12 MONTHS Log assn	14	0.06		
		85 = BAD DATA Logically assigned	10	0.04		
		91 = NEVER USED HEROIN	23796	97.11		
		93 = DID NOT USE HEROIN IN THE PAST 12 MONTHS	152	0.62		
		98 = BLANK (NO ANSWER)	16	0.07		

			HEROIN	PAGE:	29
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		-----	-
		H-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use heroin?			
HER30USE	2	# DAYS USED HEROIN PAST 30 DAYS			
		RANGE = 1 - 30		37	0.15
		81 = NEVER USED HEROIN Logically assigned		458	1.87
		83 = DID NOT USE HEROIN IN PAST 30 DAYS Log assn		34	0.14
		85 = BAD DATA Logically assigned		2	0.01
		91 = NEVER USED HEROIN		23786	97.07
		93 = DID NOT USE HEROIN IN THE PAST 30 DAYS		172	0.70
		98 = BLANK (NO ANSWER)		16	0.07

HALLUCINOGENS			PAGE:	30
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		HALLUCINOGENS -- ANSWER SHEET #7		

		FI CHECKPOINT G; DO YOU THINK R CAN		
		COMPLETE THIS ANSWER SHEET ON HIS/HER		
		OWN?		
SKPHALRD	2	CAN RESP COMPLETE HALLUCINOGEN ANS SHEET ALONE		
		1 = Yes, respondent can complete answer sheet alone ..	23204	94.69
		2 = No, I doubt that resp. can complt. it alone - SKIP	1024	4.18
		96 = MULTIPLE RESPONSE	12	0.05
		98 = BLANK (NO ANSWER)	265	1.08
		L-0. You may complete the rest of this		
		answer sheet on your own, or if you		
		prefer, I'll read the questions out		
		loud. Which do you prefer?		
HALREAD	2	HALLUCINOGEN - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1681	6.86
		2 = Wants to complete the answer sheet on his/her own	22056	90.01
		96 = MULTIPLE RESPONSE	5	0.02
		98 = BLANK (NO ANSWER)	284	1.16
		99 = LEGITIMATE SKIP	479	1.95
		L-1. As you read the following list of		
		hallucinogens, please mark one box		
		beside each hallucinogen to indicate		
		whether you have ever used that		
		hallucinogen, even once.		
LSD	2	EVER USED LSD ("ACID")		
		1 = Yes	1773	7.24
		2 = No	434	1.77
		3 = Yes LOGICALLY ASSIGNED (LSDREC=1,2,3,4 or 9)	94	0.38
		4 = No LOGICALLY ASSIGNED (LSDREC=81 or 91)	37	0.15
		81 = NEVER USED HALLUCINOGENS Logically assigned	369	1.51
		91 = NEVER USED HALLUCINOGENS	21781	88.88
		98 = BLANK (NO ANSWER)	17	0.07

HALLUCINOGENS			PAGE: 31	
LABEL	LEN	DESCRIPTION	FREQ	%
PCP	2	EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)		
		1 = Yes	447	1.82
		2 = No	1566	6.39
		3 = Yes LOGICALLY ASSIGNED (PCPREC=1,2,3,4 or 9)	183	0.75
		4 = No LOGICALLY ASSIGNED (PCPREC=81 or 91)	138	0.56
		81 = NEVER USED HALLUCINOGENS Logically assigned	374	1.53
		91 = NEVER USED HALLUCINOGENS	21776	88.86
		98 = BLANK (NO ANSWER)	21	0.09
PEYOTE	2	EVER USED PEYOTE		
		1 = Yes	327	1.33
		2 = No	1837	7.50
		81 = NEVER USED HALLUCINOGENS Logically assigned	387	1.58
		91 = NEVER USED HALLUCINOGENS	21763	88.81
		98 = BLANK (NO ANSWER)	191	0.78
MESC	2	EVER USED Mescaline		
		1 = Yes	401	1.64
		2 = No	1760	7.18
		81 = NEVER USED HALLUCINOGENS Logically assigned	386	1.58
		91 = NEVER USED HALLUCINOGENS	21764	88.81
		98 = BLANK (NO ANSWER)	194	0.79
PSILCY	2	EVER USED PSILOCYBIN (MUSHROOMS)		
		1 = Yes	1092	4.46
		2 = No	1105	4.51
		3 = Yes LOGICALLY ASSIGNED	26	0.11
		81 = NEVER USED HALLUCINOGENS Logically assigned	393	1.60
		91 = NEVER USED HALLUCINOGENS	21757	88.79
		98 = BLANK (NO ANSWER)	132	0.54
ECSTASY	2	EVER USED "ECSTASY" (MDMA)		
		1 = Yes	485	1.98
		2 = No	1681	6.86
		81 = NEVER USED HALLUCINOGENS Logically assigned	453	1.85
		91 = NEVER USED HALLUCINOGENS	21697	88.54
		98 = BLANK (NO ANSWER)	189	0.77
HALDKNAM	2	USED HALLUCINOGEN, DON'T KNOW NAME		
		1 = Yes	205	0.84
		2 = No	1980	8.08
		3 = Yes LOGICALLY ASSIGNED	3	0.01
		81 = NEVER USED HALLUCINOGENS Logically assigned	394	1.61
		91 = NEVER USED HALLUCINOGENS	21756	88.78
		94 = DON'T KNOW	1	0.00
		98 = BLANK (NO ANSWER)	166	0.68

HALLUCINOGENS			PAGE:	32
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HALNOLST	2	USED HALLUCINOGEN NOT LISTED ABOVE		
		1 = Yes	201	0.82
		2 = No	1930	7.88
		3 = Yes LOGICALLY ASSIGNED	27	0.11
		81 = NEVER USED HALLUCINOGENS Logically assigned	191	0.78
		91 = NEVER USED HALLUCINOGENS	21959	89.61
		94 = DON'T KNOW	1	0.00
		98 = BLANK (NO ANSWER)	196	0.80

HALLUCINOGENS			PAGE:	33
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
HALNEWA	4	OTHER HALLUCINOGEN (FIRST MENTION)		
		142 = Belladona	2	0.01
		161 = Rohypnol, Roofies, Rope, Rophynol, Roples, Rufinal	3	0.01
		240 = Lithium carbonate, lithonate	1	0.00
		267 = Marezine	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	1	0.00
		334 = Crossroads, cross tops	1	0.00
		339 = Amphetamines (speed generically)	4	0.02
		355 = Crystal meth	4	0.02
		386 = Herbal ecstasy, ma huang	1	0.00
		415 = Codeine	1	0.00
		430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
		459 = Ketamine	5	0.02
		501 = Gasoline or lighter fluids	4	0.02
		503 = Other aerosol sprays	2	0.01
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	5	0.02
		506 = Amyl nitrate, "poppers," locker room odorizer, "ru	1	0.00
		508 = Nitrous oxide, "whippets," dentist gas	9	0.04
		511 = Markers, felt-tip pens, ink pens	1	0.00
		520 = Old paint, paint	2	0.01
		524 = White-Out [see also 509]	1	0.00
		594 = Starting fluid	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	5	0.02
		604 = Psilocybin (mushrooms), shooms	27	0.11
		605 = PCP ("angel dust," phencyclidine)	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	6	0.02
		609 = Gymsom [sic] pods, Jimson [sic] weed	2	0.01
		612 = Happy stick, sherm, sherman, shermstick	8	0.03
		614 = MDA, Methylenedioxy amphetamine	2	0.01
		616 = DET, Dimethyltryptamine, DMT	2	0.01
		617 = Morning glory seeds, morning glory tandrils	2	0.01
		622 = Microdot(s), purple microdot	4	0.02
		624 = Orange sunshine, sunshine, yellow sunshine	1	0.00
		625 = Window pane	1	0.00
		627 = Hawaiian wood rose, Hawaiian Woodrow seeds	1	0.00
		635 = Ginseng seeds, ginseng weed	1	0.00
		636 = STP	2	0.01
		639 = Cloves, Nutmeg	1	0.00
		640 = Purple pyramid	1	0.00
		646 = Poppy [sic]	1	0.00
		658 = Special K	4	0.02
		698 = Nexus, 2C-B	1	0.00
		703 = Opium	4	0.02
		802 = THC, cannabinol, marinol	5	0.02
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, pot, wee	4	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.01
		823 = Blast(KJ) [sic]	1	0.00
		847 = GHB [sic]	2	0.01
		852 = Formaldehyde, wak [sic], whack (embalming fluid) .	1	0.00
		885 = Drixoral <OTC>	1	0.00

HALLUCINOGENS			PAGE:	34
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		6003 = Cocahina	1	0.00
		6004 = Hallucinogen seeds	1	0.00
		6005 = Sassafras tea	1	0.00
		6006 = Super X	1	0.00
		6007 = Bathtub	1	0.00
		6008 = 8-Ball	1	0.00
		6010 = Atrepabelladona (flower)	1	0.00
		6011 = Natural herb	1	0.00
		6012 = Cloud 9	1	0.00
		6013 = Lion's tail	1	0.00
		6014 = Indo	1	0.00
		6016 = Nas	1	0.00
		6017 = Meesha	1	0.00
		6018 = Air horn	1	0.00
		6019 = Black duct	1	0.00
		6020 = Chocolate	1	0.00
		6021 = Snake bite kit (antivenom)	1	0.00
		6022 = Tequila worm	1	0.00
		6023 = Euphoria	1	0.00
		8001 = Robitussin elixir	1	0.00
		9981 = NEVER USED HALLUCINOGENS Logically assigned	4	0.02
		9985 = BAD DATA Logically assigned	1	0.00
		9991 = NEVER USED HALLUCINOGENS	22146	90.37
		9998 = BLANK (NO ANSWER)	2190	8.94
HALNEWB	4	OTHER HALLUCINOGEN (SECOND MENTION)		
		171 = NyQuil <OTC>	1	0.00
		459 = Ketamine	1	0.00
		502 = Spray paints	1	0.00
		503 = Other aerosol sprays	1	0.00
		505 = Lacquer thinner or other paint solvents	1	0.00
		508 = Nitrous oxide, "whippets," dentist gas	1	0.00
		588 = Antifreeze	1	0.00
		602 = Peyote	1	0.00
		604 = Psilocybin (mushrooms), shooms	1	0.00
		616 = DET, Dimethyltryptamine, DMT	1	0.00
		622 = Microdot(s), purple microdot	1	0.00
		648 = Designer drugs	1	0.00
		658 = Special K	2	0.01
		663 = Animal tranquilizer, horse tranquilizer	1	0.00
		691 = Maximum impact	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		852 = Formaldehyde, wak [sic], whack (embalming fluid) .	1	0.00
		863 = Beetlenut	1	0.00
		864 = Dramamine <OTC>, Motion sickness pill <OTC>	1	0.00
		876 = Glass	1	0.00
		6015 = Crysta	1	0.00
		6024 = Blue Jesus	1	0.00
		9991 = NEVER USED HALLUCINOGENS	22150	90.39
		9998 = BLANK (NO ANSWER)	2332	9.52

HALLUCINOGENS			PAGE: 35	
LABEL	LEN	DESCRIPTION	FREQ	%
HALNEWC	4	OTHER HALLUCINOGEN (THIRD MENTION)		
		355 = Crystal meth	1	0.00
		503 = Other aerosol sprays	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.00
		624 = Orange sunshine, sunshine, yellow sunshine	1	0.00
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, pot, wee	1	0.00
		3017 = Dayquil <OTC>	1	0.00
		6025 = Yellow jell	1	0.00
		9991 = NEVER USED HALLUCINOGENS	22150	90.39
		9998 = BLANK (NO ANSWER)	2348	9.58
HALNEWD	4	OTHER HALLUCINOGEN (FOURTH MENTION)		
		9991 = NEVER USED HALLUCINOGENS	22150	90.39
		9998 = BLANK (NO ANSWER)	2355	9.61
HALNEWE	4	OTHER HALLUCINOGEN (FIFTH MENTION)		
		9991 = NEVER USED HALLUCINOGENS	22150	90.39
		9998 = BLANK (NO ANSWER)	2355	9.61
L-2. How old were you the first time you used LSD, PCP, or any other hallucinogen?				
HALLAGE	3	AGE WHEN FIRST USED LSD/PCP/OTHER HALLUCINOGENS		
		RANGE = 2 - 43	2268	9.26
		981 = NEVER USED HALLUCINOGENS Logically assigned	349	1.42
		985 = BAD DATA Logically assigned	46	0.19
		991 = NEVER USED HALLUCINOGENS	21801	88.97
		994 = DON'T KNOW	6	0.02
		998 = BLANK (NO ANSWER)	35	0.14
L-3. Think about the entire time since you first used LSD, PCP, or any other hallucinogen. On how many days in your life have you used LSD, PCP, or any other hallucinogen?				
HALLTOT	2	# DAYS USED LSD/PCP/OTHER HALLUCINOGENS IN LIFE		
		1 = More than 300 days	169	0.69
		2 = At least 101 but not more than 300 days	107	0.44
		3 = At least 12 but not more than 100 days	447	1.82
		4 = At least 3 but not more than 11 days	681	2.78
		5 = At least 1 but not more than 2 days	887	3.62
		81 = NEVER USED HALLUCINOGENS Logically assigned	142	0.58
		85 = BAD DATA Logically assigned	38	0.16
		91 = NEVER USED HALLUCINOGENS	22008	89.81
		94 = DON'T KNOW	1	0.00
		98 = BLANK (NO ANSWER)	25	0.10

HALLUCINOGENS			PAGE:	36
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		L-4. How long has it been since you last used LSD, PCP, or any other hallucinogen?		
HALLREC	2	TIME SINCE LAST USED LSD/PCP/OTHR HALLUCINOGENS		
		1 = Within the past 30 days	151	0.62
		2 = More than 30 days ago but within the past 12 mos .	344	1.40
		3 = More than 12 months ago but within the past 3 yrs	332	1.35
		4 = More than 3 years ago	1150	4.69
		7 = Use in past 30 days LOGICALLY ASSIGNED	171	0.70
		8 = Use in past year LOGICALLY ASSIGNED	150	0.61
		9 = Use in lifetime LOGICALLY ASSIGNED	35	0.14
		81 = NEVER USED HALLUCINOGENS Logically assigned	123	0.50
		91 = NEVER USED HALLUCINOGENS	22027	89.89
		98 = BLANK (NO ANSWER)	22	0.09
		L-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use LSD, PCP, or any other hallucinogen?		
HALYRFRQ	2	# DAYS USED HALLUCINOGENS PAST 12 MONTHS		
		1 = More than 300 days (every day/almost every day) ..	11	0.04
		2 = 201 to 300 days (5 to 6 days a week)	12	0.05
		3 = 101 to 200 days (3 to 4 days a week)	12	0.05
		4 = 51 to 100 days (1 to 2 days a week)	21	0.09
		5 = 25 to 50 days (3 to 4 days a month)	33	0.13
		6 = 12 to 24 days (1 to 2 days a month)	73	0.30
		7 = 6 to 11 days (less than one day a month)	86	0.35
		8 = 3 to 5 days in the past 12 months	164	0.67
		9 = 1 to 2 days in the past 12 months	350	1.43
		81 = NEVER USED HALLUCINOGENS Logically assigned	120	0.49
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn	46	0.19
		85 = BAD DATA Logically assigned	52	0.21
		91 = NEVER USED HALLUCINOGENS	22030	89.90
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS ..	1471	6.00
		98 = BLANK (NO ANSWER)	24	0.10

HALLUCINOGENS			PAGE:	37
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		L-6. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use LSD, PCP, or any other hallucinogen?		
HAL30USE	2	# DAYS USED HALLUCINOGENS PAST 30 DAYS		
		RANGE = 1 - 30	304	1.24
		81 = NEVER USED HALLUCINOGENS Logically assigned	435	1.78
		83 = DID NOT USE HALLUCINOGENS IN PAST 30 DAYS Log assn	154	0.63
		85 = BAD DATA Logically assigned	18	0.07
		91 = NEVER USED HALLUCINOGENS	21715	88.61
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	1857	7.58
		98 = BLANK (NO ANSWER)	22	0.09
		L-7. Now think only about LSD. How long has it been since you last used LSD?		
LSDREC	2	TIME SINCE LAST USED LSD		
		1 = Within the past 30 days	107	0.44
		2 = More than 30 days ago but within the past 12 mos .	332	1.35
		3 = More than 12 months ago but within the past 3 yrs	367	1.50
		4 = More than 3 years ago	1025	4.18
		9 = Use in lifetime LOGICALLY ASSIGNED	36	0.15
		81 = NEVER USED LSD Logically assigned	128	0.52
		91 = NEVER USED LSD	22493	91.79
		98 = BLANK (NO ANSWER)	17	0.07
		L-8. Now think only about PCP. How long has it been since you last used PCP?		
PCPREC	2	TIME SINCE LAST USED PCP		
		1 = Within the past 30 days	23	0.09
		2 = More than 30 days ago but within the past 12 mos .	50	0.20
		3 = More than 12 months ago but within the past 3 yrs	103	0.42
		4 = More than 3 years ago	433	1.77
		9 = Use in lifetime LOGICALLY ASSIGNED	21	0.09
		81 = NEVER USED PCP Logically assigned	230	0.94
		91 = NEVER USED PCP	23624	96.40
		98 = BLANK (NO ANSWER)	21	0.09

INHALANTS			PAGE:	38
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		INHALANTS -- ANSWER SHEET #8		

		FI CHECKPOINT H; DO YOU THINK R CAN		
		COMPLETE THIS ANSWER SHEET ON HIS/HER		
		OWN?		
SKPINHRD	2	CAN RESPONDENT COMPLETE INHALANTS ANS SHEET ALONE		
		1 = Yes, respondent can complete the answer sht. alone	23260	94.92
		2 = No, I doubt that resp. can complt. it alone - SKIP	1030	4.20
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	213	0.87
		IN-0. You may complete this answer		
		sheet on your own, or if you prefer,		
		I'll read the questions out loud.		
		Which do you prefer?		
INHREAD	2	INHALANTS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1627	6.64
		2 = Wants to complete the answer sheet on his/her own	22196	90.58
		96 = MULTIPLE RESPONSE	6	0.02
		98 = BLANK (NO ANSWER)	209	0.85
		99 = LEGITIMATE SKIP	467	1.91
		IN-1. As you read the following list		
		of inhalants, please mark one box		
		beside each type of inhalant to indicate		
		whether you have ever used that kind of		
		inhalant, even once, for kicks or to get		
		high.		
AMYLNIT	2	EVER INHALED AMYL NITRITE, "POPPERS," RUSH, ETC.		
		1 = Yes	403	1.64
		2 = No	1239	5.06
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		81 = NEVER USED INHALANTS Logically assigned	305	1.24
		91 = NEVER USED INHALANTS	22481	91.74
		98 = BLANK (NO ANSWER)	76	0.31
CLEFLU	2	EVER INHALED CORRECTION FLUID, DEGREASER, ETC.		
		1 = Yes	187	0.76
		2 = No	1428	5.83
		3 = Yes LOGICALLY ASSIGNED	11	0.04
		81 = NEVER USED INHALANTS Logically assigned	316	1.29
		91 = NEVER USED INHALANTS	22470	91.70
		98 = BLANK (NO ANSWER)	93	0.38

		INHALANTS	PAGE: 39
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	----
GAS	2	EVER INHALED GASOLINE OR LIGHTER FLUID	
		1 = Yes	352 1.44
		2 = No	1281 5.23
		81 = NEVER USED INHALANTS Logically assigned	328 1.34
		91 = NEVER USED INHALANTS	22458 91.65
		98 = BLANK (NO ANSWER)	86 0.35
GLUE	2	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE	
		1 = Yes	397 1.62
		2 = No	1235 5.04
		3 = Yes LOGICALLY ASSIGNED	7 0.03
		81 = NEVER USED INHALANTS Logically assigned	321 1.31
		91 = NEVER USED INHALANTS	22465 91.68
		98 = BLANK (NO ANSWER)	80 0.33
ETHER	2	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC	
		1 = Yes	65 0.27
		2 = No	1558 6.36
		81 = NEVER USED INHALANTS Logically assigned	313 1.28
		91 = NEVER USED INHALANTS	22473 91.71
		98 = BLANK (NO ANSWER)	96 0.39
SOLVENT	2	EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS	
		1 = Yes	184 0.75
		2 = No	1443 5.89
		81 = NEVER USED INHALANTS Logically assigned	310 1.27
		91 = NEVER USED INHALANTS	22476 91.72
		98 = BLANK (NO ANSWER)	92 0.38
LGAS	2	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)	
		1 = Yes	119 0.49
		2 = No	1502 6.13
		81 = NEVER USED INHALANTS Logically assigned	310 1.27
		91 = NEVER USED INHALANTS	22476 91.72
		98 = BLANK (NO ANSWER)	98 0.40
NITOXID	2	EVER INHALED NITROUS OXIDE OR "WHIPPETS"	
		1 = Yes	695 2.84
		2 = No	946 3.86
		3 = Yes LOGICALLY ASSIGNED	2 0.01
		81 = NEVER USED INHALANTS Logically assigned	316 1.29
		91 = NEVER USED INHALANTS	22470 91.70
		98 = BLANK (NO ANSWER)	76 0.31
SPPAINT	2	EVER INHALED SPRAY PAINTS	
		1 = Yes	312 1.27
		2 = No	1319 5.38
		81 = NEVER USED INHALANTS Logically assigned	314 1.28
		91 = NEVER USED INHALANTS	22472 91.70
		98 = BLANK (NO ANSWER)	88 0.36

			INHALANTS		PAGE:	40
LABEL	LEN	DESCRIPTION	FREQ			%
-----	----	-----	----			-
AEROS	2	EVER INHALED OTHER AEROSOL SPRAYS				
		1 = Yes	217			0.89
		2 = No	1408			5.75
		3 = Yes LOGICALLY ASSIGNED	2			0.01
		81 = NEVER USED INHALANTS Logically assigned	335			1.37
		91 = NEVER USED INHALANTS	22451			91.62
		98 = BLANK (NO ANSWER)	92			0.38
INHDKNAM	2	USED INHALANT, DON'T KNOW NAME				
		1 = Yes	84			0.34
		2 = No	1524			6.22
		81 = NEVER USED INHALANTS Logically assigned	361			1.47
		91 = NEVER USED INHALANTS	22425			91.51
		98 = BLANK (NO ANSWER)	111			0.45
INHNLST	2	USED INHALANT NOT LISTED ABOVE				
		1 = Yes	119			0.49
		2 = No	1437			5.86
		3 = Yes LOGICALLY ASSIGNED	48			0.20
		81 = NEVER USED INHALANTS Logically assigned	190			0.78
		91 = NEVER USED INHALANTS	22596			92.21
		98 = BLANK (NO ANSWER)	115			0.47

INHALANTS			PAGE:	41
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
INHNEWA	4	USED OTHER INHALANT (FIRST MENTION)		
		339 = Amphetamines (speed generically)	1	0.00
		348 = Crystal	1	0.00
		377 = Albuterol, Proventil, Ventolin	1	0.00
		501 = Gasoline or lighter fluids	1	0.00
		502 = Spray paints	1	0.00
		503 = Other aerosol sprays	9	0.04
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	11	0.04
		506 = Amyl nitrate, "poppers," locker room odorizer, "ru	1	0.00
		508 = Nitrous oxide, "whippets," dentist gas	3	0.01
		509 = Corr flds, degreasers, cleaning flds, Liquid Paper	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	2	0.01
		511 = Markers, felt-tip pens, ink pens	12	0.05
		515 = Vicks	1	0.00
		516 = Freon	11	0.04
		518 = Acetone, nail polish remover	2	0.01
		519 = Helium	5	0.02
		520 = Old paint, paint	1	0.00
		524 = White-Out [see also 509]	12	0.05
		526 = Nail polish	12	0.05
		528 = Whipped-cream can	3	0.01
		530 = Asthma inhaler, asthma med., bronchial dilators ..	4	0.02
		539 = ScotchGard	5	0.02
		540 = PAM	2	0.01
		548 = Cologne, isopropanol vapors, rubbing alcohol	1	0.00
		551 = Spam [sic], oven cleaner (Spam [sic])	1	0.00
		553 = Pixie sticks	1	0.00
		556 = Energine	1	0.00
		578 = Dust off [sic]	3	0.01
		589 = Tire shine	1	0.00
		590 = Canned air	1	0.00
		591 = Air brush propellant	1	0.00
		592 = Computer air duster, computer cleaner	3	0.01
		593 = Neopren [sic]	1	0.00
		594 = Starting fluid	1	0.00
		595 = Chlorine	1	0.00
		596 = Femo clay	1	0.00
		597 = Trichlorolnitrate	1	0.00
		599 = Potpourri	1	0.00
		691 = Maximum impact	1	0.00
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, pot, wee	2	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		5001 = Bleach	1	0.00
		5002 = Dust X	1	0.00
		5003 = Methane	1	0.00
		5005 = Cobra rush	1	0.00
		6009 = Sulfer match smoke	1	0.00
		6018 = Air horn	1	0.00
		9981 = NEVER USED INHALANTS Logically assigned	5	0.02
		9985 = BAD DATA Logically assigned	1	0.00

INHALANTS			PAGE: 42	
LABEL	LEN	DESCRIPTION	FREQ	%
		9991 = NEVER USED INHALANTS	22781	92.96
		9998 = BLANK (NO ANSWER)	1587	6.48
INHNEWB	4	USED OTHER INHALANT (SECOND MENTION)		
		503 = Other aerosol sprays	3	0.01
		511 = Markers, felt-tip pens, ink pens	2	0.01
		518 = Acetone, nail polish remover	5	0.02
		524 = White-Out [see also 509]	1	0.00
		526 = Nail polish	1	0.00
		592 = Computer air duster, computer cleaner	1	0.00
		598 = Ethylene dichloride	1	0.00
		691 = Maximum impact	1	0.00
		9981 = NEVER USED INHALANTS Logically assigned	1	0.00
		9991 = NEVER USED INHALANTS	22785	92.98
		9998 = BLANK (NO ANSWER)	1704	6.95
INHNEWC	4	USED OTHER INHALANT (THIRD MENTION)		
		526 = Nail polish	1	0.00
		5004 = Ink print	1	0.00
		9991 = NEVER USED INHALANTS	22786	92.99
		9998 = BLANK (NO ANSWER)	1717	7.01
INHNEWD	4	USED OTHER INHALANT (FOURTH MENTION)		
		518 = Acetone, nail polish remover	1	0.00
		9991 = NEVER USED INHALANTS	22786	92.99
		9998 = BLANK (NO ANSWER)	1718	7.01
INHNEWE	4	USED OTHER INHALANT (FIFTH MENTION)		
		9991 = NEVER USED INHALANTS	22786	92.99
		9998 = BLANK (NO ANSWER)	1719	7.01
IN-2. How old were you the first time you used any inhalant for kicks or to get high?				
INHAGE	3	AGE WHEN FIRST USED INHALANTS		
		RANGE = 5 - 49	1613	6.58
		981 = NEVER USED INHALANTS Logically assigned	894	3.65
		985 = BAD DATA Logically assigned	49	0.20
		991 = NEVER USED INHALANTS	21892	89.34
		994 = DON'T KNOW	1	0.00
		998 = BLANK (NO ANSWER)	56	0.23

INHALANTS			PAGE:	43
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		IN-3. Think about the entire time since you first used an inhalant for kicks or to get high. Altogether, on how many days in your life have you used any inhalant of any kind?		
INHTOT	2	# DAYS USED INHALANTS IN LIFE		
		1 = More than 300 days	86	0.35
		2 = At least 101 but not more than 300 days	59	0.24
		3 = At least 12 but not more than 100 days	295	1.20
		4 = At least 3 but not more than 11 days	472	1.93
		5 = At least 1 but not more than 2 days	708	2.89
		81 = NEVER USED INHALANTS Logically assigned	179	0.73
		85 = BAD DATA Logically assigned	58	0.24
		91 = NEVER USED INHALANTS	22607	92.25
		98 = BLANK (NO ANSWER)	41	0.17
		IN-4. How long has it been since you last used any inhalant for kicks or to get high?		
INHREC	2	TIME SINCE LAST USED INHALANTS		
		1 = Within the past 30 days	100	0.41
		2 = More than 30 days ago but within the past 12 mos .	224	0.91
		3 = More than 12 months ago but within the past 3 yrs	225	0.92
		4 = More than 3 years ago	833	3.40
		7 = Use in past 30 days LOGICALLY ASSIGNED	124	0.51
		8 = Use in past year LOGICALLY ASSIGNED	117	0.48
		9 = Use in lifetime LOGICALLY ASSIGNED	60	0.24
		81 = NEVER USED INHALANTS Logically assigned	362	1.48
		91 = NEVER USED INHALANTS	22424	91.51
		98 = BLANK (NO ANSWER)	36	0.15

			INHALANTS		PAGE: 44	
LABEL	LEN	DESCRIPTION	FREQ		%	
-----	----	-----	-----		-----	-----
		IN-5. Now think about the past 12 months. On how many days in the past 12 months did you use an inhalant for kicks or to get high?				
INHYRFRQ	2	# DAYS USED INHALANTS PAST 12 MONTHS				
		1 = More than 300 days (every day or almost every day)	17		0.07	
		2 = 201 to 300 days (5 to 6 days a week)	3		0.01	
		3 = 101 to 200 days (3 to 4 days a week)	15		0.06	
		4 = 51 to 100 days (1 to 2 days a week)	14		0.06	
		5 = 25 to 50 days (3 to 4 days a month)	25		0.10	
		6 = 12 to 24 days (1 to 2 days a month)	48		0.20	
		7 = 6 to 11 days (less than one day a month)	84		0.34	
		8 = 3 to 5 days in the past 12 months	112		0.46	
		9 = 1 to 2 days in the past 12 months	201		0.82	
		81 = NEVER USED INHALANTS Logically assigned	309		1.26	
		83 = DID NOT USE INHALANTS IN PAST 12 MONTHS Log assn .	71		0.29	
		85 = BAD DATA Logically assigned	45		0.18	
		91 = NEVER USED INHALANTS	22477		91.72	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS	1047		4.27	
		98 = BLANK (NO ANSWER)	37		0.15	
		IN-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?				
INH DY30A	2	# DAYS USED INHALANTS PAST 30 DAYS				
		RANGE = 1 - 30	213		0.87	
		81 = NEVER USED INHALANTS Logically assigned	292		1.19	
		83 = DID NOT USE INHALANTS IN THE PAST 30 DAYS Log assn	132		0.54	
		85 = BAD DATA Logically assigned	10		0.04	
		91 = NEVER USED INHALANTS	22494		91.79	
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	1327		5.42	
		98 = BLANK (NO ANSWER)	37		0.15	

ANALGESICS			PAGE:	45
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		ANALGESICS -- ANSWER SHEET #9		

		FI CHECKPOINT I; DO YOU THINK R CAN		
		COMPLETE THIS ANSWER SHEET ON HIS/HER		
		OWN?		
SKPANLRD	2	CAN RESP COMPLETE PAIN KILLERS ANS SHEET ALONE		
		1 = Yes, respondent can complete answer sheet alone ..	23254	94.89
		2 = No, I doubt that resp. can complt. it alone - SKIP	1020	4.16
		96 = MULTIPLE RESPONSE	12	0.05
		98 = BLANK (NO ANSWER)	219	0.89
		PK-0. You may complete this answer sheet		
		on your own, or if you prefer, I'll read		
		the questions out loud. Which do		
		you prefer?		
ANLREAD	2	PAIN KILLERS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1648	6.73
		2 = Wants to complete the answer sheet on his/her own	22140	90.35
		96 = MULTIPLE RESPONSE	5	0.02
		98 = BLANK (NO ANSWER)	241	0.98
		99 = LEGITIMATE SKIP	471	1.92
		PK-1. As you read the following list		
		of prescription pain killers, please		
		mark one box beside each pain killer to		
		indicate whether you have ever used that		
		pain killer when it was not prescribed		
		for you, or that you took only for the		
		experience or feeling it caused. Again,		
		we are interested in all kinds of		
		prescription pain killers, in pill or		
		non-pill form.		
CODEINE	2	EVER USED CODEINE "NONMEDICALLY"		
		1 = Yes	558	2.28
		2 = No	1044	4.26
		81 = NEVER USED PAIN KILLERS Logically assigned	236	0.96
		91 = NEVER USED PAIN KILLERS	22581	92.15
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	85	0.35

			PAGE: 46	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ANALGESICS				
DARVON	2	EVER USED DARVON "NONMEDICALLY"		
		1 = Yes	169	0.69
		2 = No	1402	5.72
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		81 = NEVER USED PAIN KILLERS Logically assigned	244	1.00
		91 = NEVER USED PAIN KILLERS	22573	92.12
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	115	0.47
DEMEROL	2	EVER USED DEMEROL "NONMEDICALLY"		
		1 = Yes	193	0.79
		2 = No	1376	5.62
		81 = NEVER USED PAIN KILLERS Logically assigned	250	1.02
		91 = NEVER USED PAIN KILLERS	22567	92.09
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	118	0.48
DILAUD	2	EVER USED DILAUDID "NONMEDICALLY"		
		1 = Yes	58	0.24
		2 = No	1492	6.09
		81 = NEVER USED PAIN KILLERS Logically assigned	249	1.02
		91 = NEVER USED PAIN KILLERS	22568	92.10
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	137	0.56
METHDON	2	EVER USED METHADONE "NONMEDICALLY"		
		1 = Yes	75	0.31
		2 = No	1480	6.04
		81 = NEVER USED PAIN KILLERS Logically assigned	248	1.01
		91 = NEVER USED PAIN KILLERS	22569	92.10
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	132	0.54
MORPHINE	2	EVER USED MORPHINE "NONMEDICALLY"		
		1 = Yes	157	0.64
		2 = No	1406	5.74
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		81 = NEVER USED PAIN KILLERS Logically assigned	249	1.02
		91 = NEVER USED PAIN KILLERS	22568	92.10
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	123	0.50
PERCODAN	2	EVER USED PERCODAN "NONMEDICALLY"		
		1 = Yes	260	1.06
		2 = No	1309	5.34
		81 = NEVER USED PAIN KILLERS Logically assigned	249	1.02
		91 = NEVER USED PAIN KILLERS	22568	92.10
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	118	0.48

ANALGESICS			PAGE: 47	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
TALWIN	2	EVER USED TALWIN "NONMEDICALLY"		
		1 = Yes	60	0.24
		2 = No	1482	6.05
		81 = NEVER USED PAIN KILLERS Logically assigned	251	1.02
		91 = NEVER USED PAIN KILLERS	22566	92.09
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	145	0.59
TYLCO	2	EVER USED TYLENOL WITH CODEINE "NONMEDICALLY"		
		1 = Yes	801	3.27
		2 = No	804	3.28
		81 = NEVER USED PAIN KILLERS Logically assigned	286	1.17
		91 = NEVER USED PAIN KILLERS	22531	91.94
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	82	0.33
ANLCKNAM	2	USED PAIN KILLER "NONMEDICALLY", DON'T KNOW NAME		
		1 = Yes	384	1.57
		2 = No	1147	4.68
		3 = Yes LOGICALLY ASSIGNED	5	0.02
		81 = NEVER USED PAIN KILLERS Logically assigned	730	2.98
		91 = NEVER USED PAIN KILLERS	22087	90.13
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	151	0.62
ANLNOLST	2	USED PAIN KILLER "NONMEDICALLY" NOT LISTED ABOVE		
		1 = Yes	291	1.19
		2 = No	943	3.85
		3 = Yes LOGICALLY ASSIGNED	326	1.33
		81 = NEVER USED PAIN KILLERS Logically assigned	669	2.73
		91 = NEVER USED PAIN KILLERS	22148	90.38
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	127	0.52

ANALGESICS			PAGE:	48
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
ANALNEWA	4	USED OTHER PAIN KILLER (FIRST MENTION)		
		105 = Placidyl	1	0.00
		109 = Seconal	3	0.01
		110 = Tuinal, rainbows	1	0.00
		116 = Methaqualone, Parest, Quaalude, Sopor	12	0.05
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		129 = Reds	1	0.00
		138 = Mandrax [sic]	1	0.00
		161 = Rohypnol, Roofies, Rope, Rophynol, Roples, Rufinal	4	0.02
		201 = Valium	6	0.02
		207 = Ativan	1	0.00
		209 = Xanax	3	0.01
		228 = Amitriptyline [see also 239]	2	0.01
		234 = Cyclobenzaprine, Flexeril	3	0.01
		240 = Lithium carbonate, lithonate	1	0.00
		241 = Prozac	2	0.01
		246 = Clonopin, Klonopin	1	0.00
		265 = Black Caddy	1	0.00
		278 = Benzodiazepines	1	0.00
		301 = Dexedrine	1	0.00
		318 = Ritalin, Methylphenidate	4	0.02
		354 = Vivarin <OTC>	1	0.00
		390 = Max Alert	1	0.00
		401 = Darvon	1	0.00
		402 = Dolene	1	0.00
		404 = Wygesic	1	0.00
		417 = Morphine	2	0.01
		420 = OTHER Analgesic, NOT SPECIFIED	4	0.02
		421 = USED ANALGESIC, DON'T KNOW NAME	13	0.05
		422 = Motrin	8	0.03
		423 = Percocet	12	0.05
		425 = Advil	1	0.00
		426 = Butalbital, Esgic, Fiorinal, Phrenilin Forte	1	0.00
		427 = Darvocet	9	0.04
		430 = Aspirin, Ecotrin, Empirin <OTC>	7	0.03
		431 = Tylox	1	0.00
		434 = Anexia, Co-Gesic, Hydrocodone, Lortab, Tussionex,	53	0.22
		435 = Tylenol, Tylenol Extra Strength <OTC>	3	0.01
		438 = Anaprox, Naprosyn, Naproxen	3	0.01
		440 = Soma	11	0.04
		442 = Ibuprofen	8	0.03
		456 = Lorcet HD, Lorcet Plus, Lortab [see also 434]	4	0.02
		470 = Cafegot	1	0.00
		477 = Neo-Melubrina (Spanish)	1	0.00
		481 = Acular, Ketorolactromethamine, Toradol	1	0.00
		493 = IBU	2	0.01
		496 = Tramadol, Ultram	2	0.01
		499 = Aleve <OTC>	2	0.01
		658 = Special K	1	0.00
		663 = Animal tranquilizer, horse tranquilizer	1	0.00

ANALGESICS			PAGE:	49
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
	802	= THC, cannabinal, marinol	2	0.01
	820	= Penicillin	2	0.01
	864	= Dramamine <OTC>, Motion sickness pill <OTC>	1	0.00
	899	= Bromphen	1	0.00
	3016	= Claritin, loratadine	1	0.00
	4001	= Actron, Ketoprofen, Orudis, Oruvail	1	0.00
	4002	= Imitrex, sumatriptan	1	0.00
	4003	= Zipium [sic]	1	0.00
	4005	= Etodolac, Iodine	1	0.00
	4006	= Action	1	0.00
	4007	= Happy pills	1	0.00
	4010	= Methaphedadate [sic]	1	0.00
	4011	= Carbamazepine, epital, tegretol	1	0.00
	4012	= Wucluid [sic]	1	0.00
	4013	= Fenoprofen, nalfron	1	0.00
	4014	= Akineton biperiden	1	0.00
	4015	= Sedalmerk [sic]	1	0.00
	4016	= Ruds [sic]	1	0.00
	9981	= NEVER USED PAIN KILLERS Logically assigned	4	0.02
	9985	= BAD DATA Logically assigned	1	0.00
	9991	= NEVER USED PAIN KILLERS	22813	93.10
	9997	= REFUSED	1	0.00
	9998	= BLANK (NO ANSWER)	1460	5.96

ANALGESICS			PAGE:	50
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ANALNEWB	4	USED OTHER PAIN KILLER (SECOND MENTION)		
		109 = Seconal	1	0.00
		110 = Tuinal, rainbows	2	0.01
		116 = Methaqualone, Parest, Quaalude, Sopor	1	0.00
		161 = Rohypnol, Roofies, Rope, Rophynol, Roples, Rufinal	1	0.00
		201 = Valium	4	0.02
		209 = Xanax	6	0.02
		250 = Aventyl, Nortriptyline, Pamelor	1	0.00
		279 = Tridhorzapams [sic]	1	0.00
		318 = Ritalin, Methylphenidate	1	0.00
		405 = Levo-Dromoran	1	0.00
		415 = Codeine	1	0.00
		419 = Stadol	1	0.00
		422 = Motrin	2	0.01
		423 = Percocet	2	0.01
		425 = Advil	1	0.00
		427 = Darvocet	1	0.00
		430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
		434 = Anexia, Co-Gesic, Hydrocodone, Lortab, Tussionex,	7	0.03
		435 = Tylenol, Tylenol Extra Strength <OTC>	1	0.00
		440 = Soma	4	0.02
		459 = Ketamine	1	0.00
		499 = Aleve <OTC>	2	0.01
		894 = Depakene, Depakote, Valproic acid	1	0.00
		4008 = Brown gel pills	1	0.00
		9981 = NEVER USED PAIN KILLERS Logically assigned	1	0.00
		9991 = NEVER USED PAIN KILLERS	22816	93.11
		9997 = REFUSED	1	0.00
		9998 = BLANK (NO ANSWER)	1642	6.70
ANALNEWC	4	USED OTHER PAIN KILLER (THIRD MENTION)		
		161 = Rohypnol, Roofies, Rope, Rophynol, Roples, Rufinal	2	0.01
		209 = Xanax	2	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.00
		415 = Codeine	1	0.00
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.00
		431 = Tylox	1	0.00
		434 = Anexia, Co-Gesic, Hydrocodone, Lortab, Tussionex,	1	0.00
		4002 = Imitrex, sumatriptan	1	0.00
		4004 = Ashrica [sic]	1	0.00
		4009 = Smilies	1	0.00
		9991 = NEVER USED PAIN KILLERS	22817	93.11
		9997 = REFUSED	1	0.00
		9998 = BLANK (NO ANSWER)	1675	6.84

ANALGESICS			PAGE:	51
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ANALNEWD	4	USED OTHER PAIN KILLER (FOURTH MENTION)		
		407 = Demerol	1	0.00
		440 = Soma	1	0.00
		9991 = NEVER USED PAIN KILLERS	22817	93.11
		9997 = REFUSED	1	0.00
		9998 = BLANK (NO ANSWER)	1685	6.88
ANALNEWE	4	USED OTHER PAIN KILLER (FIFTH MENTION)		
		9991 = NEVER USED PAIN KILLERS	22817	93.11
		9997 = REFUSED	1	0.00
		9998 = BLANK (NO ANSWER)	1687	6.88

If you answered "NO" to each of the items a through k in Question PK-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with PK-2 below.

ANALNONE	2	NEVER USED PAIN KILLERS "NONMEDICALLY"		
		1 = Response circled	22291	90.97
		2 = Response not circled	1405	5.73
		3 = Response circled LOGICALLY ASSIGNED	526	2.15
		4 = Response not circled LOGICALLY ASSIGNED	205	0.84
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	77	0.31

PK-2. How old were you the first time you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

ANALAGE	3	AGE WHEN FIRST USED PAIN KILLERS "NONMEDICALLY"		
		RANGE = 4 - 65	1207	4.93
		981 = NEVER USED PAIN KILLERS Logically assigned	105	0.43
		985 = BAD DATA Logically assigned	39	0.16
		991 = NEVER USED PAIN KILLERS	22712	92.68
		994 = DON'T KNOW	5	0.02
		995 = BAD DATA	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	435	1.78

ANALGESICS			PAGE:	52
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		PK-3. Think about the entire time since you first used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ANALTOT	2	# DAYS USED PAIN KILLERS "NONMEDICALLY" IN LIFE		
		1 = More than 300 days	150	0.61
		2 = At least 101 but not more than 300 days	89	0.36
		3 = At least 12 but not more than 100 days	271	1.11
		4 = At least 3 but not more than 11 days	339	1.38
		5 = At least 1 but not more than 2 days	638	2.60
		81 = NEVER USED PAIN KILLERS Logically assigned	3	0.01
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED PAIN KILLERS	22814	93.10
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	198	0.81
		PK-4. How long has it been since you last used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ANALREC	2	TIME SINCE LAST USED PAIN KILLERS "NONMEDICALLY"		
		1 = Within the past 30 days	225	0.92
		2 = More than 30 days ago but within the past 12 mos .	328	1.34
		3 = More than 12 months ago but within the past 3 yrs	192	0.78
		4 = More than 3 years ago	493	2.01
		8 = Use in past year LOGICALLY ASSIGNED	227	0.93
		9 = Use in lifetime LOGICALLY ASSIGNED	145	0.59
		81 = NEVER USED PAIN KILLERS Logically assigned	528	2.15
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED PAIN KILLERS	22289	90.96
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	76	0.31

ANALGESICS			PAGE: 53	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		PK-5. Now think about the past 12 months. On how many days in the past 12 months did you use any pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ANLYRFRQ	2	# DAYS USED PAIN KILLERS "NONMEDICALLY" PST 12 MOS		
		1 = More than 300 days (every day or almost every day)	34	0.14
		2 = 201 to 300 days (5 to 6 days a week)	20	0.08
		3 = 101 to 200 days (3 to 4 days a week)	13	0.05
		4 = 51 to 100 days (1 to 2 days a week)	31	0.13
		5 = 25 to 50 days (3 to 4 days a month)	41	0.17
		6 = 12 to 24 days (1 to 2 days a month)	71	0.29
		7 = 6 to 11 days (less than one day a month)	116	0.47
		8 = 3 to 5 days in the past 12 months	125	0.51
		9 = 1 to 2 days in the past 12 months	301	1.23
		81 = NEVER USED PAIN KILLERS Logically assigned	558	2.28
		83 = DID NOT USE PAIN KILLERS IN PST 12 MONTHS Log assn	167	0.68
		85 = BAD DATA Logically assigned	30	0.12
		91 = NEVER USED PAIN KILLERS	22259	90.83
		93 = DID NOT USE PAIN KILLERS IN THE PAST 12 MONTHS ...	663	2.71
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	75	0.31

TRANQUILIZERS			PAGE:	54
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		TRANQUILIZERS -- ANSWER SHEET #10		

		FI CHECKPOINT J; DO YOU THINK R CAN		
		COMPLETE THIS ANSWER SHEET ON HIS/HER		
		OWN?		
SKPTRNRD	2	CAN RESP COMPLETE TRANQUILIZERS ANS SHEET ALONE		
		1 = Yes, I think resp can complete answer sheet alone	23290	95.04
		2 = No, I doubt that resp. can complt. it alone - SKIP	1021	4.17
		96 = MULTIPLE RESPONSE	4	0.02
		98 = BLANK (NO ANSWER)	190	0.78
		T-0. You may complete the rest of this		
		answer sheet on your own, or if you		
		prefer, I'll read the questions out		
		loud. Which do you prefer?		
TRNREAD	2	TRANQUILIZERS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1600	6.53
		2 = Wants to complete the answer sheet on his/her own	22232	90.72
		96 = MULTIPLE RESPONSE	5	0.02
		98 = BLANK (NO ANSWER)	198	0.81
		99 = LEGITIMATE SKIP	470	1.92
		T-1. As you read the following list of		
		prescription tranquilizers, please mark		
		one box beside each tranquilizer to		
		indicate whether you have ever used that		
		tranquilizer when it was not prescribed		
		for you, or that you took only for the		
		experience or feeling it caused. Again,		
		we are interested in all kinds of		
		prescription tranquilizers, in pill or		
		non-pill form.		
ATARAX	2	EVER USED ATARAX "NONMEDICALLY"		
		1 = Yes	20	0.08
		2 = No	762	3.11
		81 = NEVER USED TRANQUILIZERS Logically assigned	284	1.16
		91 = NEVER USED TRANQUILIZERS	23283	95.01
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	155	0.63

TRANQUILIZERS			PAGE:	55
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
ATIVAN	2	EVER USED ATIVAN "NONMEDICALLY"		
		1 = Yes	55	0.22
		2 = No	729	2.97
		81 = NEVER USED TRANQUILIZERS Logically assigned	289	1.18
		91 = NEVER USED TRANQUILIZERS	23278	94.99
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	153	0.62
DIAZEPAM	2	EVER USED DIAZEPAM "NONMEDICALLY"		
		1 = Yes	90	0.37
		2 = No	698	2.85
		81 = NEVER USED TRANQUILIZERS Logically assigned	293	1.20
		91 = NEVER USED TRANQUILIZERS	23274	94.98
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	149	0.61
LIBRIUM	2	EVER USED LIBRIUM "NONMEDICALLY"		
		1 = Yes	68	0.28
		2 = No	717	2.93
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		81 = NEVER USED TRANQUILIZERS Logically assigned	293	1.20
		91 = NEVER USED TRANQUILIZERS	23274	94.98
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	151	0.62
TRANXENE	2	EVER USED TRANXENE "NONMEDICALLY"		
		1 = Yes	29	0.12
		2 = No	744	3.04
		81 = NEVER USED TRANQUILIZERS Logically assigned	293	1.20
		91 = NEVER USED TRANQUILIZERS	23274	94.98
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	164	0.67
VALIUM	2	EVER USED VALIUM "NONMEDICALLY"		
		1 = Yes	497	2.03
		2 = No	319	1.30
		81 = NEVER USED TRANQUILIZERS Logically assigned	294	1.20
		91 = NEVER USED TRANQUILIZERS	23273	94.97
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	121	0.49
XANAX	2	EVER USED XANAX "NONMEDICALLY"		
		1 = Yes	231	0.94
		2 = No	564	2.30
		81 = NEVER USED TRANQUILIZERS Logically assigned	334	1.36
		91 = NEVER USED TRANQUILIZERS	23233	94.81
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	142	0.58

TRANQUILIZERS			PAGE:	56
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TRDKNAM	2	USED TRANQUILIZER "NONMEDICALLY", DON'T KNOW NAME		
		1 = Yes	131	0.53
		2 = No	636	2.60
		81 = NEVER USED TRANQUILIZERS Logically assigned	738	3.01
		91 = NEVER USED TRANQUILIZERS	22829	93.16
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	170	0.69
TRNOLST	2	USED TRANQUILIZER "NONMEDICALLY" NOT LISTED ABOVE		
		1 = Yes	88	0.36
		2 = No	536	2.19
		3 = Yes LOGICALLY ASSIGNED	157	0.64
		81 = NEVER USED TRANQUILIZERS Logically assigned	731	2.98
		91 = NEVER USED TRANQUILIZERS	22836	93.19
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	156	0.64

TRANQUILIZERS			PAGE:	57
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
TRNEWA	4	USED OTHER TRANQUILIZER (FIRST MENTION)		
		108 = Nembutal	1	0.00
		112 = Rasepam, Restoril, Temaz, Temazepam	1	0.00
		116 = Methaqualone, Parest, Quaalude, Sopor	2	0.01
		138 = Mandrax [sic]	1	0.00
		161 = Rohypnol, Roofies, Rope, Rophynol, Roples, Rufinal	7	0.03
		171 = NyQuil <OTC>	1	0.00
		202 = Librium, Chlordiazepoxide HCL	1	0.00
		203 = Libritabs, Limbitrol, Mitran [see also 276]	1	0.00
		207 = Ativan	1	0.00
		209 = Xanax	1	0.00
		211 = Buspar	4	0.02
		212 = Miltown	2	0.01
		214 = Deprol	1	0.00
		222 = USED TRANQUILIZER, DON'T KNOW NAME	2	0.01
		225 = Desyrel, Trazodone hydrochloride, Trazora, Trialod	1	0.00
		240 = Lithium carbonate, lithonate	1	0.00
		241 = Prozac	5	0.02
		246 = Clonopin, Klonopin	1	0.00
		271 = Zoloft	1	0.00
		276 = Limbitrol DS (chlordiazepoxide and amitriptyline)	1	0.00
		277 = Altut (Spanish)	1	0.00
		281 = Blue ringer	1	0.00
		282 = Clozapine, Clozaril	1	0.00
		283 = Paroxetine, Paxil	1	0.00
		318 = Ritalin, Methylphenidate	3	0.01
		362 = Benadryl	1	0.00
		423 = Percocet	1	0.00
		434 = Anexia, Co-Gesic, Hydrocodone, Lortab, Tussionex,	1	0.00
		438 = Anaprox, Naprosyn, Naproxen	1	0.00
		440 = Soma	3	0.01
		459 = Ketamine	2	0.01
		658 = Special K	2	0.01
		802 = THC, cannabinal, marinol	1	0.00
		811 = Muscle relaxers	1	0.00
		3009 = CAT, Ephedrone, Methcathinone	1	0.00
		4015 = Sedalmerk [sic]	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned	4	0.02
		9985 = BAD DATA Logically assigned	1	0.00
		9991 = NEVER USED TRANQUILIZERS	23563	96.16
		9997 = REFUSED	1	0.00
		9998 = BLANK (NO ANSWER)	878	3.58

TRANQUILIZERS				PAGE:	58
LABEL	LEN	DESCRIPTION	FREQ		%
-----	----	-----	-----		-
TRNEWB	4	USED OTHER TRANQUILIZER (SECOND MENTION)			
		135 = Mini Thins	1		0.00
		161 = Rohypnol, Roofies, Rope, Rophynol, Roples, Rufinal	1		0.00
		205 = Serax	1		0.00
		221 = OTHER Tranquilizer, NOT SPECIFIED	1		0.00
		234 = Cyclobenzaprine, Flexeril	1		0.00
		240 = Lithium carbonate, lithonate	1		0.00
		246 = Clonopin, Klonopin	1		0.00
		280 = Ketaset [sic]	1		0.00
		318 = Ritalin, Methylphenidate	1		0.00
		811 = Muscle relaxers	1		0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned	1		0.00
		9991 = NEVER USED TRANQUILIZERS	23566		96.17
		9997 = REFUSED	1		0.00
		9998 = BLANK (NO ANSWER)	927		3.78
TRNEWC	4	USED OTHER TRANQUILIZER (THIRD MENTION)			
		658 = Special K	1		0.00
		9991 = NEVER USED TRANQUILIZERS	23567		96.17
		9997 = REFUSED	1		0.00
		9998 = BLANK (NO ANSWER)	936		3.82
TRNEWD	4	USED OTHER TRANQUILIZER (FOURTH MENTION)			
		9991 = NEVER USED TRANQUILIZERS	23567		96.17
		9997 = REFUSED	1		0.00
		9998 = BLANK (NO ANSWER)	937		3.82
TRNEWE	4	USED OTHER TRANQUILIZER (FIFTH MENTION)			
		9991 = NEVER USED TRANQUILIZERS	23567		96.17
		9997 = REFUSED	1		0.00
		9998 = BLANK (NO ANSWER)	937		3.82
<p>If you answered "NO" to each of the items a through i in Question T-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with T-2 below.</p>					
NOTRANQ	2	NEVER USED TRANQUILIZERS "NONMEDICALLY"			
		1 = Response circled	23027		93.97
		2 = Response not circled	733		2.99
		3 = Response circled LOGICALLY ASSIGNED	540		2.20
		4 = Response not circled LOGICALLY ASSIGNED	71		0.29
		97 = REFUSED	1		0.00
		98 = BLANK (NO ANSWER)	133		0.54

TRANQUILIZERS			PAGE:	59
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		T-2. How old were you the first time you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TRANAGE	3	AGE WHEN FIRST USED TRANQUILIZERS "NONMEDICALLY"		
		RANGE = 5 - 70	650	2.65
		981 = NEVER USED TRANQUILIZERS Logically assigned	68	0.28
		985 = BAD DATA Logically assigned	21	0.09
		991 = NEVER USED TRANQUILIZERS	23499	95.89
		994 = DON'T KNOW	3	0.01
		995 = BAD DATA	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	262	1.07
		T-3. Think about the entire time since you first used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TRANTOT	2	# DAYS USED TRANQUILIZERS "NONMEDICALLY" IN LIFE		
		1 = More than 300 days	82	0.33
		2 = At least 101 but not more than 300 days	50	0.20
		3 = At least 12 but not more than 100 days	142	0.58
		4 = At least 3 but not more than 11 days	188	0.77
		5 = At least 1 but not more than 2 days	311	1.27
		81 = NEVER USED TRANQUILIZERS Logically assigned	9	0.04
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED TRANQUILIZERS	23558	96.14
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	163	0.67

TRANQUILIZERS			PAGE:	60
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		T-4. How long has it been since you last used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TRANREC	2	TIME SINCE LAST USED TRANQUILIZERS "NONMEDICALLY"		
		1 = Within the past 30 days	82	0.33
		2 = More than 30 days ago but within the past 12 mos .	145	0.59
		3 = More than 12 months ago but within the past 3 yrs	87	0.36
		4 = More than 3 years ago	359	1.47
		8 = Use in past year LOGICALLY ASSIGNED	96	0.39
		9 = Use in lifetime LOGICALLY ASSIGNED	35	0.14
		81 = NEVER USED TRANQUILIZERS Logically assigned	546	2.23
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED TRANQUILIZERS	23021	93.94
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	132	0.54
		T-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TRNYRFRQ	2	# DAYS USED TRANQUILIZERS "NONMEDICALLY" PST 12 MO		
		1 = More than 300 days (every day or almost every day)	22	0.09
		2 = 201 to 300 days (5 to 6 days a week)	7	0.03
		3 = 101 to 200 days (3 to 4 days a week)	9	0.04
		4 = 51 to 100 days (1 to 2 days a week)	22	0.09
		5 = 25 to 50 days (3 to 4 days a month)	13	0.05
		6 = 12 to 24 (1 to 2 days a month)	30	0.12
		7 = 6 to 11 days (less than one day a month)	43	0.18
		8 = 3 to 5 days in the past 12 months	62	0.25
		9 = 1 to 2 days in the past 12 months	110	0.45
		81 = NEVER USED TRANQUILIZERS Logically assigned	558	2.28
		83 = DID NOT USE TRANQUILIZERS PAST 12 MOS Log assn ...	48	0.20
		85 = BAD DATA Logically assigned	9	0.04
		91 = NEVER USED TRANQUILIZERS	23009	93.90
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MONTHS ..	433	1.77
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	129	0.53

STIMULANTS			PAGE:	61
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		STIMULANTS -- ANSWER SHEET #11		

		FI CHECKPOINT K; DO YOU THINK R CAN		
		COMPLETE THIS ANSWER SHEET ON HIS/HER		
		OWN?		
SKPSTMRD	2	CAN RESP COMPLETE STIMULANTS ANS SHEET ALONE		
		1 = Yes, I think respondent can complete it alone	23286	95.03
		2 = No, I doubt that resp. can complt. it alone - SKIP	1014	4.14
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	203	0.83
		ST-0. You may complete the rest of this		
		answer sheet on your own, or if you		
		prefer, I'll read the questions out		
		loud. Which do you prefer?		
STMREAD	2	STIMULANTS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1579	6.44
		2 = Wants to complete the answer sheet on his/her own	22242	90.77
		96 = MULTIPLE RESPONSE	5	0.02
		98 = BLANK (NO ANSWER)	208	0.85
		99 = LEGITIMATE SKIP	471	1.92
		ST-1. As you read the following list of		
		prescription stimulants, please mark one		
		box beside each stimulant to indicate		
		whether you have ever used that		
		stimulant when it was not prescribed for		
		you, or that you took only for the		
		experience or feeling it caused. Again,		
		we are interested in all kinds of pre-		
		scription stimulants, in pill or		
		non-pill form.		
BENZ	2	EVER USED BENZEDRINE "NONMEDICALLY"		
		1 = Yes	123	0.50
		2 = No	903	3.68
		81 = NEVER USED STIMULANTS Logically assigned	281	1.15
		91 = NEVER USED STIMULANTS	23078	94.18
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	119	0.49

STIMULANTS			PAGE: 62
LABEL	LEN	DESCRIPTION	FREQ %
----	----	-----	----
BIPHET	2	EVER USED BIPHETAMINE "NONMEDICALLY"	
		1 = Yes	66 0.27
		2 = No	946 3.86
		81 = NEVER USED STIMULANTS Logically assigned	283 1.15
		91 = NEVER USED STIMULANTS	23076 94.17
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	133 0.54
DEXAMYL	2	EVER USED DEXAMYL "NONMEDICALLY"	
		1 = Yes	47 0.19
		2 = No	964 3.93
		81 = NEVER USED STIMULANTS Logically assigned	286 1.17
		91 = NEVER USED STIMULANTS	23073 94.16
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	134 0.55
DEXED	2	EVER USED DEXEDRINE "NONMEDICALLY"	
		1 = Yes	145 0.59
		2 = No	873 3.56
		81 = NEVER USED STIMULANTS Logically assigned	283 1.15
		91 = NEVER USED STIMULANTS	23076 94.17
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	127 0.52
FASTIN	2	EVER USED FASTIN "NONMEDICALLY"	
		1 = Yes	54 0.22
		2 = No	958 3.91
		81 = NEVER USED STIMULANTS Logically assigned	285 1.16
		91 = NEVER USED STIMULANTS	23074 94.16
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	133 0.54
IONAMIN	2	EVER USED IONAMIN "NONMEDICALLY"	
		1 = Yes	31 0.13
		2 = No	977 3.99
		81 = NEVER USED STIMULANTS Logically assigned	283 1.15
		91 = NEVER USED STIMULANTS	23076 94.17
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	137 0.56
METHAMP	2	EVER USED METHAMPHETAMINE "NONMEDICALLY"	
		1 = Yes	574 2.34
		2 = No	463 1.89
		3 = Yes LOGICALLY ASSIGNED	1 0.00
		81 = NEVER USED STIMULANTS Logically assigned	284 1.16
		91 = NEVER USED STIMULANTS	23075 94.16
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	107 0.44

			PAGE: 63	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
METHI	2	EVER USED METHEDRINE "NONMEDICALLY"		
		1 = Yes	76	0.31
		2 = No	931	3.80
		81 = NEVER USED STIMULANTS Logically assigned	284	1.16
		91 = NEVER USED STIMULANTS	23075	94.16
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	138	0.56
PRELUDIN	2	EVER USED PRELUDIN "NONMEDICALLY"		
		1 = Yes	50	0.20
		2 = No	956	3.90
		81 = NEVER USED STIMULANTS Logically assigned	293	1.20
		91 = NEVER USED STIMULANTS	23066	94.13
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	139	0.57
STMDKNAM	2	USED STIMULANT "NONMEDICALLY", DON'T KNOW NAME		
		1 = Yes	218	0.89
		2 = No	758	3.09
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		81 = NEVER USED STIMULANTS Logically assigned	681	2.78
		91 = NEVER USED STIMULANTS	22678	92.54
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	168	0.69
STMNOLST	2	USED STIMULANT "NONMEDICALLY" NOT LISTED ABOVE		
		1 = Yes	170	0.69
		2 = No	680	2.77
		3 = Yes LOGICALLY ASSIGNED	136	0.55
		81 = NEVER USED STIMULANTS Logically assigned	681	2.78
		91 = NEVER USED STIMULANTS	22678	92.54
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	159	0.65

STIMULANTS			PAGE:	64
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
STIMNEWA	4	USED OTHER STIMULANT (FIRST MENTION)		
		135 = Mini Thins	10	0.04
		161 = Rohypnol, Roofies, Rope, Rophynol, Roples, Rufinal	1	0.00
		202 = Librium, Chlordiazepoxide HCL	1	0.00
		306 = Desoxyn, Methamphetamine hydrochloride	1	0.00
		307 = Tenuate, Diethylpropion	1	0.00
		308 = Tepanil, Diethylpropion	1	0.00
		313 = Adipex-P, Fastin, Phentermine hydrochloride	1	0.00
		315 = Voranil	1	0.00
		318 = Ritalin, Methylphenidate	39	0.16
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	1	0.00
		325 = USED STIMULANT, DON'T KNOW NAME	6	0.02
		326 = White cross	11	0.04
		327 = Black beauties, Black Beauty	8	0.03
		328 = Pink hearts	2	0.01
		329 = Bird eggs, robin's eggs, speckled eggs	1	0.00
		331 = Blancas, Whites	3	0.01
		332 = Ephedrine (HCL) [see also 346]	8	0.03
		333 = 357 Magnum, Magnum 44	2	0.01
		334 = Crossroads, cross tops	5	0.02
		335 = Dexatrim	2	0.01
		339 = Amphetamines (speed generically)	6	0.02
		344 = Bennies	1	0.00
		345 = Black Molly	3	0.01
		348 = Crystal	2	0.01
		349 = Phendimetrazine, Phentametrazine [sic]	1	0.00
		354 = Vivarin <OTC>	1	0.00
		355 = Crystal meth	2	0.01
		356 = Dexies	1	0.00
		359 = Criss cross	1	0.00
		374 = Christmas tree(s)	1	0.00
		377 = Albuterol, Proventil, Ventolin	1	0.00
		394 = Debs	1	0.00
		459 = Ketamine	1	0.00
		648 = Designer drugs	1	0.00
		805 = Cocaine, coca, coke	1	0.00
		814 = Caffeine	1	0.00
		824 = Steroids	1	0.00
		896 = Catapres, Clonidine	1	0.00
		3012 = Stud 100, Stud the rock	1	0.00
		3013 = Tweek	1	0.00
		3014 = Uptime	1	0.00
		3015 = Fen-Phen (fenfluramine and phentermine)	2	0.01
		3018 = Up-johns	1	0.00
		3020 = White powder	1	0.00
		4015 = Sedalmerk [sic]	1	0.00
		9981 = NEVER USED STIMULANTS Logically assigned	2	0.01
		9985 = BAD DATA Logically assigned	1	0.00
		9991 = NEVER USED STIMULANTS	23357	95.32
		9997 = REFUSED	1	0.00

			STIMULANTS		PAGE: 65	
LABEL	LEN	DESCRIPTION	FREQ		%	
-----	----	-----	----		----	----
		9998 = BLANK (NO ANSWER)	1004		4.10	
STIMNEWB	4	USED OTHER STIMULANT (SECOND MENTION)				
		135 = Mini Thins	1		0.00	
		307 = Tenuate, Diethylpropion	1		0.00	
		318 = Ritalin, Methylphenidate	3		0.01	
		326 = White cross	2		0.01	
		329 = Bird eggs, robin's eggs, speckled eggs	1		0.00	
		332 = Ephedrine (HCl) [see also 346]	1		0.00	
		334 = Crossroads, cross tops	1		0.00	
		339 = Amphetamines (speed generically)	2		0.01	
		353 = No-Doz <OTC>	1		0.00	
		374 = Christmas tree(s)	1		0.00	
		601 = LSD ("acid," "white lightning") [see also 618] ...	1		0.00	
		3015 = Fen-Phen (fenfluramine and phentermine)	1		0.00	
		9991 = NEVER USED STIMULANTS	23359		95.32	
		9997 = REFUSED	1		0.00	
		9998 = BLANK (NO ANSWER)	1129		4.61	
STIMNEWC	4	USED OTHER STIMULANT (THIRD MENTION)				
		306 = Desoxyn, Methamphetamine hydrochloride	1		0.00	
		330 = Blue birds, blue jays, blue robins, speckled bird	1		0.00	
		9991 = NEVER USED STIMULANTS	23359		95.32	
		9997 = REFUSED	1		0.00	
		9998 = BLANK (NO ANSWER)	1143		4.66	
STIMNEWD	4	USED OTHER STIMULANT (FOURTH MENTION)				
		314 = Pondimin, Fenfluramine HCL	1		0.00	
		9991 = NEVER USED STIMULANTS	23359		95.32	
		9997 = REFUSED	1		0.00	
		9998 = BLANK (NO ANSWER)	1144		4.67	
STIMNEWE	4	USED OTHER STIMULANT (FIFTH MENTION)				
		9991 = NEVER USED STIMULANTS	23359		95.32	
		9997 = REFUSED	1		0.00	
		9998 = BLANK (NO ANSWER)	1145		4.67	

LABEL	LEN	DESCRIPTION	STIMULANTS	PAGE:	66
-----	----	-----		FREQ	%
-----	----	-----		-----	---
		<p>If you answered "NO" to each of the items a through k in Question ST-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with ST-2 below.</p>			
NOSTIMS	2	NEVER USED STIMULANTS "NONMEDICALLY"			
		1 = Response circled	22824	93.14	
		2 = Response not circled	967	3.95	
		3 = Response circled LOGICALLY ASSIGNED	535	2.18	
		4 = Response not circled LOGICALLY ASSIGNED	61	0.25	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	117	0.48	
		<p>ST-2. How old were you the first time you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?</p>			
STIMAGE	3	AGE WHEN FIRST USED STIMULANTS "NONMEDICALLY"			
		RANGE = 6 - 60	885	3.61	
		981 = NEVER USED STIMULANTS Logically assigned	45	0.18	
		985 = BAD DATA Logically assigned	21	0.09	
		991 = NEVER USED STIMULANTS	23314	95.14	
		994 = DON'T KNOW	1	0.00	
		995 = BAD DATA	1	0.00	
		997 = REFUSED	1	0.00	
		998 = BLANK (NO ANSWER)	237	0.97	

STIMULANTS			PAGE:	67
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		ST-3. Think about the entire time since you first used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?		
STIMTOT	2	# DAYS USED STIMULANTS "NONMEDICALLY" IN LIFE		
		1 = More than 300 days	198	0.81
		2 = At least 101 but not more than 300 days	108	0.44
		3 = At least 12 but not more than 100 days	241	0.98
		4 = At least 3 but not more than 11 days	191	0.78
		5 = At least 1 but not more than 2 days	254	1.04
		81 = NEVER USED STIMULANTS Logically assigned	9	0.04
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED STIMULANTS	23350	95.29
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	152	0.62
		ST-4. How long has it been since you last used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?		
STIMREC	2	TIME SINCE LAST USED STIMULANTS "NONMEDICALLY"		
		1 = Within the past 30 days	109	0.44
		2 = More than 30 days ago but within the past 12 mos .	156	0.64
		3 = More than 12 months ago but within the past 3 yrs	117	0.48
		4 = More than 3 years ago	510	2.08
		8 = Use in past year LOGICALLY ASSIGNED	98	0.40
		9 = Use in lifetime LOGICALLY ASSIGNED	38	0.16
		81 = NEVER USED STIMULANTS Logically assigned	540	2.20
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED STIMULANTS	22819	93.12
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	116	0.47

LABEL	LEN	DESCRIPTION	STIMULANTS	PAGE:	68
-----	----	-----		FREQ	%
		ST-5. Now think about the past 12 months. On how many days in the past 12 months did you use any stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?			
STMYRFRQ	2	# DAYS USED STIMULANTS "NONMEDICALLY" PST 12 MOS			
		1 = More than 300 days (every day or almost every day)	34	0.14	
		2 = 201 to 300 days (5 to 6 days a week)	15	0.06	
		3 = 101 to 200 days (3 to 4 days a week)	24	0.10	
		4 = 51 to 100 days (1 to 2 days a week)	41	0.17	
		5 = 25 to 50 days (3 to 4 days a month)	39	0.16	
		6 = 12 to 24 days (1 to 2 days a month)	32	0.13	
		7 = 6 to 11 days (less than one day a month)	47	0.19	
		8 = 3 to 5 days in the past 12 months	35	0.14	
		9 = 1 to 2 days in the past 12 months	93	0.38	
		81 = NEVER USED STIMULANTS Logically assigned	552	2.25	
		83 = DID NOT USE STIMULANTS IN PAST 12 MONTHS Log assn	46	0.19	
		85 = BAD DATA Logically assigned	7	0.03	
		91 = NEVER USED STIMULANTS	22807	93.07	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MONTHS	619	2.53	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	113	0.46	

SEDATIVES			PAGE:	69
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		SEDATIVES -- ANSWER SHEET #12		

		FI CHECKPOINT L; DO YOU THINK R CAN		
		COMPLETE THIS ANSWER SHEET ON HIS/HER		
		OWN?		
SKPSED RD	2	CAN RESP COMPLETE SEDATIVES ANS SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	23293	95.05
		2 = No, I doubt that resp. can complt. it alone - SKIP	1023	4.17
		96 = MULTIPLE RESPONSE	4	0.02
		98 = BLANK (NO ANSWER)	185	0.75
		S-0. You may complete the rest of this		
		answer sheet on your own, or if you		
		prefer, I'll read the questions out		
		loud. Which do you prefer?		
SEDREAD	2	SEDATIVES - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1561	6.37
		2 = Wants to complete the answer sheet on his/her own	22278	90.91
		96 = MULTIPLE RESPONSE	4	0.02
		98 = BLANK (NO ANSWER)	191	0.78
		99 = LEGITIMATE SKIP	471	1.92
		S-1. As you read the following list of		
		prescription sedatives, please mark one		
		box beside each sedative to indicate		
		whether you have ever used that sedative		
		when it was not prescribed for you, or		
		that you took only for the experience or		
		feeling it caused. Again, we are		
		interested in all kinds of prescription		
		sedatives, in pill or non-pill form.		
DALMANE	2	EVER USED DALMANE "NONMEDICALLY"		
		1 = Yes	46	0.19
		2 = No	406	1.66
		81 = NEVER USED SEDATIVES Logically assigned	296	1.21
		91 = NEVER USED SEDATIVES	23654	96.53
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	102	0.42

SEDATIVES			PAGE:	70
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
HALCION	2	EVER USED HALCION "NONMEDICALLY"		
		1 = Yes	45	0.18
		2 = No	403	1.64
		81 = NEVER USED SEDATIVES Logically assigned	299	1.22
		91 = NEVER USED SEDATIVES	23651	96.51
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	106	0.43
METHAQ	2	EVER USED METHAQUALONE "NONMEDICALLY"		
		1 = Yes	159	0.65
		2 = No	287	1.17
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		81 = NEVER USED SEDATIVES Logically assigned	302	1.23
		91 = NEVER USED SEDATIVES	23648	96.50
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	106	0.43
NEMBUTAL	2	EVER USED NEMBUTAL "NONMEDICALLY"		
		1 = Yes	39	0.16
		2 = No	408	1.66
		81 = NEVER USED SEDATIVES Logically assigned	299	1.22
		91 = NEVER USED SEDATIVES	23651	96.51
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	107	0.44
PHENOBAR	2	EVER USED PHENOBARBITAL "NONMEDICALLY"		
		1 = Yes	69	0.28
		2 = No	378	1.54
		81 = NEVER USED SEDATIVES Logically assigned	299	1.22
		91 = NEVER USED SEDATIVES	23651	96.51
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	107	0.44
PLACIDYL	2	EVER USED PLACIDYL "NONMEDICALLY"		
		1 = Yes	44	0.18
		2 = No	401	1.64
		81 = NEVER USED SEDATIVES Logically assigned	300	1.22
		91 = NEVER USED SEDATIVES	23650	96.51
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	109	0.44
SECONAL	2	EVER USED SECONAL "NONMEDICALLY"		
		1 = Yes	85	0.35
		2 = No	368	1.50
		81 = NEVER USED SEDATIVES Logically assigned	300	1.22
		91 = NEVER USED SEDATIVES	23650	96.51
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	101	0.41

			PAGE: 71	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
SEDATIVES				
TUINAL	2	EVER USED TUINAL "NONMEDICALLY"		
		1 = Yes	50	0.20
		2 = No	401	1.64
		81 = NEVER USED SEDATIVES Logically assigned	309	1.26
		91 = NEVER USED SEDATIVES	23641	96.47
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	103	0.42
SEDDKNAM	2	OTHER SEDATIVE "NONMEDICALLY", DON'T KNOW NAME		
		1 = Yes	102	0.42
		2 = No	307	1.25
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		81 = NEVER USED SEDATIVES Logically assigned	673	2.75
		91 = NEVER USED SEDATIVES	23277	94.99
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	144	0.59
SEDNOLST	2	OTHER SEDATIVE "NONMEDICALLY" NOT LISTED ABOVE		
		1 = Yes	49	0.20
		2 = No	252	1.03
		3 = Yes LOGICALLY ASSIGNED	117	0.48
		81 = NEVER USED SEDATIVES Logically assigned	668	2.73
		91 = NEVER USED SEDATIVES	23282	95.01
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	136	0.55

			SEDATIVES		PAGE:	72
LABEL	LEN	DESCRIPTION	FREQ		%	
----	----	-----	----		----	----
SEDNEWA	4	USED OTHER SEDATIVE (FIRST MENTION)				
		102 = Buticaps	1		0.00	
		104 = Mebaral	1		0.00	
		107 = Noludar	1		0.00	
		112 = Rasepam, Restoril, Temaz, Temazepam	2		0.01	
		116 = Methaqualone, Parest, Quaalude, Sopor	2		0.01	
		121 = USED SEDATIVE, DON'T KNOW NAME	3		0.01	
		126 = Somenex [sic] <OTC>	1		0.00	
		129 = Reds	1		0.00	
		173 = Wafers	1		0.00	
		174 = Ambien, Zolpidem	2		0.01	
		175 = Ayerst 430 [sic]	1		0.00	
		176 = Melatonin <OTC>	1		0.00	
		218 = Diazepam	1		0.00	
		225 = Desyrel, Trazodone hydrochloride, Trazora, Trialod	1		0.00	
		318 = Ritalin, Methylphenidate	2		0.01	
		326 = White cross	1		0.00	
		434 = Anexia, Co-Gesic, Hydrocodone, Lortab, Tussionex,	1		0.00	
		440 = Soma	2		0.01	
		811 = Muscle relaxers	1		0.00	
		864 = Dramamine <OTC>, Motion sickness pill <OTC>	1		0.00	
		3019 = Peppies	1		0.00	
		4009 = Smilies	1		0.00	
		4015 = Sedalmerk [sic]	1		0.00	
		9981 = NEVER USED SEDATIVES Logically assigned	2		0.01	
		9991 = NEVER USED SEDATIVES	23948		97.73	
		9997 = REFUSED	1		0.00	
		9998 = BLANK (NO ANSWER)	524		2.14	
SEDNEWB	4	USED OTHER SEDATIVE (SECOND MENTION)				
		172 = Dream Ease <OTC>	1		0.00	
		201 = Valium	1		0.00	
		9991 = NEVER USED SEDATIVES	23950		97.74	
		9997 = REFUSED	1		0.00	
		9998 = BLANK (NO ANSWER)	552		2.25	
SEDNEWC	4	USED OTHER SEDATIVE (THIRD MENTION)				
		9991 = NEVER USED SEDATIVES	23950		97.74	
		9997 = REFUSED	1		0.00	
		9998 = BLANK (NO ANSWER)	554		2.26	
SEDNEWD	4	USED OTHER SEDATIVE (FOURTH MENTION)				
		9991 = NEVER USED SEDATIVES	23950		97.74	
		9997 = REFUSED	1		0.00	
		9998 = BLANK (NO ANSWER)	554		2.26	
SEDNEWE	4	USED OTHER SEDATIVE (FIFTH MENTION)				
		9991 = NEVER USED SEDATIVES	23950		97.74	
		9997 = REFUSED	1		0.00	
		9998 = BLANK (NO ANSWER)	554		2.26	

SEDATIVES			PAGE:	73
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		If you answered "NO" to each of the items a through j in Question S-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with S-2 below.		
NOSDAT	2	NEVER USED SEDATIVES "NONMEDICALLY"		
		1 = Response circled	23390	95.45
		2 = Response not circled	383	1.56
		3 = Response circled LOGICALLY ASSIGNED	560	2.29
		4 = Response not circled LOGICALLY ASSIGNED	42	0.17
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	129	0.53
		S-2. How old were you the first time you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SEDAGE	3	AGE WHEN FIRST USED SEDATIVES "NONMEDICALLY"		
		RANGE = 2 - 72	310	1.27
		981 = NEVER USED SEDATIVES Logically assigned	48	0.20
		985 = BAD DATA Logically assigned	21	0.09
		991 = NEVER USED SEDATIVES	23902	97.54
		994 = DON'T KNOW	1	0.00
		995 = BAD DATA	1	0.00
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	221	0.90

SEDATIVES			PAGE:	74
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		S-3. Think about the entire time since you first used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SEDTOT	2	# DAYS USED SEDATIVES "NONMEDICALLY" IN LIFE		
		1 = More than 300 days	61	0.25
		2 = At least 101 but not more than 300 days	26	0.11
		3 = At least 12 but not more than 100 days	69	0.28
		4 = At least 3 but not more than 11 days	74	0.30
		5 = At least 1 but not more than 2 days	176	0.72
		81 = NEVER USED SEDATIVES Logically assigned	7	0.03
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED SEDATIVES	23943	97.71
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	147	0.60
		S-4. How long has it been since you last used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SEDREC	2	TIME SINCE LAST USED SEDATIVES "NONMEDICALLY"		
		1 = Within the past 30 days	21	0.09
		2 = More than 30 days ago but within the past 12 mos .	44	0.18
		3 = More than 12 months ago but within the past 3 yrs	27	0.11
		4 = More than 3 years ago	269	1.10
		8 = Use in past year LOGICALLY ASSIGNED	45	0.18
		9 = Use in lifetime LOGICALLY ASSIGNED	19	0.08
		81 = NEVER USED SEDATIVES Logically assigned	563	2.30
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED SEDATIVES	23387	95.44
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	128	0.52

SEDATIVES			PAGE:	75
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		S-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SEDYRFRQ	2	# DAYS USED SEDATIVE "NONMEDICALLY" PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	18	0.07
		2 = 201 to 300 days (5 to 6 days a week)	6	0.02
		3 = 101 to 200 days (3 to 4 days a week)	3	0.01
		4 = 51 to 100 days (1 to 2 days a week)	4	0.02
		5 = 25 to 50 days (3 to 4 days a month)	15	0.06
		6 = 12 to 24 days (1 to 2 days a month)	4	0.02
		7 = 6 to 11 days (less than one day a month)	6	0.02
		8 = 3 to 5 days in the past 12 months	14	0.06
		9 = 1 to 2 days in the past 12 months	39	0.16
		81 = NEVER USED SEDATIVES Logically assigned	575	2.35
		83 = DID NOT USE SEDATIVES IN PAST 12 MONTHS Log assn .	21	0.09
		85 = BAD DATA Logically assigned	6	0.02
		91 = NEVER USED SEDATIVES	23375	95.39
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MONTHS	294	1.20
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	124	0.51

IMPUTED DEMOGRAPHICS			PAGE:	76
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		IMPUTED DEMOGRAPHICS		

		<p>The imputation-revised versions of age, race, ethnicity, gender, marital status, education and current work status were based on edited versions of the corresponding demographic questions on the core NHSDA answer sheet. When possible, screener data was used during the editing, however relevant data on any supplemental NHSDA answer sheet was not used.</p>		
BIRMONTH	2	BIRTH MONTH		
		RANGE = 1 - 12	24341	99.33
		98 = BLANK (NO ANSWER)	164	0.67
BIRYEAR	4	BIRTH YEAR		
		RANGE = 1897 - 1988	24341	99.33
		9998 = BLANK (NO ANSWER)	164	0.67
EIBDATE	1	BRTHDATE INDICATOR		
		1 = Birthdate established from questionnaire	24266	99.02
		2 = Portions of birthdate logically imputed	75	0.31
		3 = Birthdate missing	164	0.67
		<p>NOTE: For some records, IRAGE will not logically agree with the age obtained by comparing the birthdate with the interview date. A person's age may be inferred from many questions in the NHSDA and during editing it was determined that for some cases, the recorded birthdate was not correct.</p>		
IRAGE	2	IMPUTATION-REVISED AGE OF RESPONDENT		
		RANGE = 12 - 99	24505	100.00
IIAGE	1	IRAGE INDICATOR		
		1 = Age from birthdate	24124	98.45
		2 = Age from cover of questionnaire	370	1.51
		3 = Age from roster	6	0.02
		4 = Age statistically imputed using age gr from roster	5	0.02

IMPUTED DEMOGRAPHICS				PAGE:	77
LABEL	LEN	DESCRIPTION	FREQ		%
----	----	-----	----		-
IRSEX	1	SEX - IMPUTATION REVISED			
		1 = Male	10836	44.22	
		2 = Female	13669	55.78	
IISEX	1	IRSEX INDICATOR			
		1 = Sex from questionnaire	24501	99.98	
		2 = Sex from relationship on roster	3	0.01	
		3 = Sex from roster	1	0.00	
IRRACE	1	IMPUTATION-REVISED RACE OF RESPONDENT			
		1 = American Indian or Alaskan native	647	2.64	
		2 = Asian or Pacific islander	885	3.61	
		3 = Black	4914	20.05	
		4 = White	18059	73.70	
IIRACE	1	IRRACE INDICATOR			
		1 = Race from questionnaire	23206	94.70	
		2 = Race from interview observation	1227	5.01	
		3 = Race from roster	57	0.23	
		4 = Race statis imputed using race - "Other" on roster	5	0.02	
		5 = Race statistically imputed, no infor. from roster	10	0.04	
IRHOIND	1	IMPUTATION-REVISED HISPANIC ORIGIN			
		1 = Hispanic	6259	25.54	
		2 = Nonhispanic	18246	74.46	
IIHOIND	1	IRHOIND INDICATOR			
		1 = Hispanicity derived from questionnaire	24408	99.60	
		2 = Hispanicity derived from roster	97	0.40	
IRHOGRP	2	IMPUTATION-REVISED HISPANIC-ORIGIN GROUP			
		1 = Puerto Rican	522	2.13	
		2 = Mexican	4569	18.65	
		3 = Cuban	257	1.05	
		4 = Other	911	3.72	
		99 = LEGITIMATE SKIP	18246	74.46	
IIHOGRP	1	IMPUTATION INDICATOR FOR HISPANIC GROUP			
		1 = Hispanic-Origin Group taken from questionnaire ...	6100	24.89	
		3 = Statistically imputed data	159	0.65	
		9 = LEGITIMATE SKIP Respondent is not hispanic	18246	74.46	

IMPUTED DEMOGRAPHICS			PAGE:	78
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
IRHOGRP2	2	IMPUTATION-REVISED HISPANIC-ORIGIN GROUP, VERSION2		
		1 = Puerto Rican	522	2.13
		2 = Mexican	4569	18.65
		3 = Cuban	257	1.05
		4 = Other	164	0.67
		5 = Central American	422	1.72
		6 = South American	167	0.68
		7 = Caribbean	158	0.64
		99 = LEGITIMATE SKIP Respondent is not hispanic	18246	74.46
IIHOGRP2	1	IMPUTATION INDICATOR FOR HISPANIC GROUP VERSION2		
		1 = Hispanic-Origin Group taken from questionnaire ...	6100	24.89
		3 = Statistically imputed data	159	0.65
		9 = LEGITIMATE SKIP Respondent is not hispanic	18246	74.46
IRMARIT	2	MARITAL STATUS - IMPUTATION REVISED		
		1 = Married	7298	29.78
		2 = Widowed	730	2.98
		3 = Divorced or Separated	1831	7.47
		4 = Never Married	10760	43.91
		99 = LEGITIMATE SKIP	3886	15.86
The following variable, IIMARIT, is				
coded differently than it was prior to				
1997.				
IIMARIT	1	IRMARIT INDICATOR		
		1 = Questionnaire data	20405	83.27
		2 = Screener data	207	0.84
		4 = Statistically imputed data	7	0.03
		9 = Less than or equal to 14 years old	3886	15.86

IMPUTED DEMOGRAPHICS			PAGE:	79
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
IREduc	2	EDUCATION - IMPUTATION REVISED		
		0 = No schooling	56	0.23
		1 = First grade	31	0.13
		2 = Second grade	58	0.24
		3 = Third grade	106	0.43
		4 = Fourth grade	132	0.54
		5 = Fifth grade	529	2.16
		6 = Sixth grade	1543	6.30
		7 = Seventh grade	1490	6.08
		8 = Eighth grade	1805	7.37
		9 = Ninth grade	1908	7.79
		10 = Tenth grade	1980	8.08
		11 = Eleventh grade	2041	8.33
		12 = Twelfth grade	5718	23.33
		13 = Freshman/13th year	1499	6.12
		14 = Sophomore/14th year	1963	8.01
		15 = Junior/15th year	821	3.35
		16 = Senior/16th year	1731	7.06
		17 = Graduate/Professional School (or higher)	1094	4.46
IIEDUC	1	EDUCATION - IMPUTATION INDICATOR		
		1 = Questionnaire data	24391	99.53
		3 = Statistically imputed data	114	0.47
IRHSGRAD	1	HIGH SCHOOL GRADUATE - IMPUTATION REVISED		
		1 = Yes, graduated from high school	13186	53.81
		2 = No, did not graduate from high school	11319	46.19
IIHSGRAD	1	HIGH SCHOOL GRADUATE - IMPUTATION INDICATOR		
		1 = Questionnaire data	18799	76.71
		2 = Logically imputed data	5647	23.04
		3 = Statistically imputed data	59	0.24
IRWORKST	2	WORK STATUS - IMPUTATION REVISED		
		1 = Working full-time, 35 hours or more a week	8880	36.24
		2 = Working part-time, less than 35 hours a week	3191	13.02
		3 = Have a job, but not at work, illness/maternity ...	118	0.48
		4 = Have a job but not at work b/c it is seasonal	111	0.45
		5 = Unemployed or laid off and looking for work	938	3.83
		6 = Unemployed or laid off and not looking for work ..	218	0.89
		7 = Full-time homemaker	1831	7.47
		8 = In school only	7506	30.63
		9 = Retired	1150	4.69
		10 = Disabled for work	503	2.05
		11 = Other, in labor force	30	0.12
		12 = Other, not in labor force	29	0.12

IMPUTED DEMOGRAPHICS			PAGE:	80
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IIWORKST	1	WORK STATUS - IMPUTATION INDICATOR		
		1 = Questionnaire data	24272	99.05
		2 = Logically imputed data	189	0.77
		3 = Statistically imputed data	44	0.18

RECENCY OF DRUG USE			PAGE: 81
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	----
RECENCY OF DRUG USE			
----- -- ---- --			
IRCIGRC	1	CIGARETTE RECENCY - IMPUTATION REVISED	
		1 = Within the past 30 days	6959 28.40
		2 = More than 30 days ago but within the past 12 mos .	1068 4.36
		3 = More than 12 months ago but within the past 3 yrs	1279 5.22
		4 = More than 3 years ago	5018 20.48
		9 = Never smoked cigarettes	10181 41.55
IICIGRC	1	CIGARETTE RECENCY - IMPUTATION INDICATOR	
		1 = Questionnaire data	23179 94.59
		2 = Imputed data	1114 4.55
		3 = Statistically imputed data	212 0.87
IROTBRC	1	SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED	
		1 = Within the past 30 days	557 2.27
		2 = More than 30 days ago but within the past 12 mos .	416 1.70
		3 = More than 12 months ago but within the past 3 yrs	503 2.05
		4 = More than 3 years ago	1713 6.99
		9 = Never used smokeless tobacco	21316 86.99
IIOTBRC	1	SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR	
		1 = Questionnaire data	24310 99.20
		3 = Statistically imputed data	195 0.80
IRALCRC	1	ALCOHOL RECENCY - IMPUTATION REVISED	
		1 = Within the past 30 days	10539 43.01
		2 = More than 30 days ago but within the past 12 mos .	3419 13.95
		3 = More than 12 months ago but within the past 3 yrs	1144 4.67
		4 = More than 3 years ago	1880 7.67
		9 = Never used alcohol	7523 30.70
IIALCRC	1	ALCOHOL RECENCY - IMPUTATION INDICATOR	
		1 = Questionnaire data	22422 91.50
		2 = Imputed data	2068 8.44
		3 = Statistically imputed data	15 0.06
IRMJRC	1	MARIJUANA RECENCY - IMPUTATION REVISED	
		1 = Within the past 30 days	1925 7.86
		2 = More than 30 days ago but within the past 12 mos .	1464 5.97
		3 = More than 12 months ago but within the past 3 yrs	885 3.61
		4 = More than 3 years ago	3497 14.27
		9 = Never used marijuana	16734 68.29
IIMJRC	1	MARIJUANA RECENCY - IMPUTATION INDICATOR	
		1 = Questionnaire data	23694 96.69
		2 = Imputed data	785 3.20
		3 = Statistically imputed data	26 0.11

RECENCY OF DRUG USE			PAGE: 82
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----
IRCOCRC	1	COCAINE RECENCY - IMPUTATION REVISED	
		1 = Within the past 30 days	294 1.20
		2 = More than 30 days ago but within the past 12 mos .	446 1.82
		3 = More than 12 months ago but within the past 3 yrs	318 1.30
		4 = More than 3 years ago	1219 4.97
		9 = Never used cocaine	22228 90.71
IICOCRC	1	COCAINE RECENCY - IMPUTATION INDICATOR	
		1 = Questionnaire data	24176 98.66
		2 = Imputed data	287 1.17
		3 = Statistically imputed data	42 0.17
IRCRKRC	1	"CRACK" RECENCY - IMPUTATION REVISED	
		1 = Within the past 30 days	107 0.44
		2 = More than 30 days ago but within the past 12 mos .	137 0.56
		3 = More than 12 months ago but within the past 3 yrs	115 0.47
		4 = More than 3 years ago	270 1.10
		9 = Never used "crack"	23876 97.43
IICRKRC	1	"CRACK" RECENCY - IMPUTATION INDICATOR	
		1 = Questionnaire data	24408 99.60
		2 = Imputed data	87 0.36
		3 = Statistically imputed data	10 0.04
IRHERRC	1	HEROIN RECENCY - IMPUTATION REVISED	
		1 = Within the past 30 days	40 0.16
		2 = More than 30 days ago but within the past 12 mos .	40 0.16
		3 = More than 12 months ago but within the past 3 yrs	35 0.14
		4 = More than 3 years ago	131 0.53
		9 = Never used heroin	24259 99.00
IIHERRC	1	HEROIN RECENCY - IMPUTATION INDICATOR	
		1 = Questionnaire data	24452 99.78
		2 = Imputed data	33 0.13
		3 = Statistically imputed data	20 0.08
IRHALRC	1	HALLUCINOGEN RECENCY - IMPUTATION REVISED	
		1 = Within the past 30 days	322 1.31
		2 = More than 30 days ago but within the past 12 mos .	495 2.02
		3 = More than 12 months ago but within the past 3 yrs	344 1.40
		4 = More than 3 years ago	1176 4.80
		9 = Never used hallucinogens	22168 90.46
IIHALRC	1	HALLUCINOGEN RECENCY - IMPUTATION INDICATOR	
		1 = Questionnaire data	24127 98.46
		2 = Imputed data	321 1.31
		3 = Statistically imputed data	57 0.23

RECENCY OF DRUG USE			PAGE: 83	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IRLSDRC	1	LSD RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	109	0.44
		2 = More than 30 days ago but within the past 12 mos .	338	1.38
		3 = More than 12 months ago but within the past 3 yrs	373	1.52
		4 = More than 3 years ago	1048	4.28
		9 = Never used LSD	22637	92.38
IILSDRC	1	LSD RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	24452	99.78
		3 = Statistically imputed data	53	0.22
IRPCPRC	1	PCP RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	23	0.09
		2 = More than 30 days ago but within the past 12 mos .	53	0.22
		3 = More than 12 months ago but within the past 3 yrs	105	0.43
		4 = More than 3 years ago	451	1.84
		9 = Never used PCP	23873	97.42
IIPCPRC	1	PCP RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	24463	99.83
		3 = Statistically imputed data	42	0.17
IRINHRC	1	INHALANT RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	224	0.91
		2 = More than 30 days ago but within the past 12 mos .	342	1.40
		3 = More than 12 months ago but within the past 3 yrs	245	1.00
		4 = More than 3 years ago	875	3.57
		9 = Never used inhalants	22819	93.12
IIINHRC	1	INHALANT RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	24168	98.62
		2 = Imputed data	241	0.98
		3 = Statistically imputed data	96	0.39
IRANLRC	1	ANALGESIC RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	322	1.31
		2 = More than 30 days ago but within the past 12 mos .	458	1.87
		3 = More than 12 months ago but within the past 3 yrs	247	1.01
		4 = More than 3 years ago	586	2.39
		9 = Never used analgesics	22892	93.42
IIANLRC	1	ANALGESIC RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	24055	98.16
		3 = Statistically imputed data	450	1.84

RECENCY OF DRUG USE			PAGE:	84
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRTRNRC	1	TRANQUILIZER RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	134	0.55
		2 = More than 30 days ago but within the past 12 mos .	190	0.78
		3 = More than 12 months ago but within the past 3 yrs	95	0.39
		4 = More than 3 years ago	390	1.59
		9 = Never used tranquilizers	23696	96.70
IITRNRC	1	TRANQUILIZER RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	24240	98.92
		3 = Statistically imputed data	265	1.08
IRSTMRC	1	STIMULANT RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	143	0.58
		2 = More than 30 days ago but within the past 12 mos .	221	0.90
		3 = More than 12 months ago but within the past 3 yrs	123	0.50
		4 = More than 3 years ago	542	2.21
		9 = Never used stimulants	23476	95.80
IISTMRC	1	STIMULANT RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	24251	98.96
		3 = Statistically imputed data	254	1.04
IRSEDRC	1	SEDATIVE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	43	0.18
		2 = More than 30 days ago but within the past 12 mos .	67	0.27
		3 = More than 12 months ago but within the past 3 yrs	29	0.12
		4 = More than 3 years ago	287	1.17
		9 = Never used sedatives	24079	98.26
IISEDRC	1	SEDATIVE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	24311	99.21
		3 = Statistically imputed data	194	0.79

FREQUENCY OF DRUG USE			PAGE:	85
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
FREQUENCY OF DRUG USE				
----- -- ----				
IRALCFQ	2	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = Used daily in past year	695	2.84
		2 = Used 5-6 days per week in past year	407	1.66
		3 = Used 3-4 days per week in past year	924	3.77
		4 = Used 1-2 days per week in past year	1956	7.98
		5 = Used 3-4 days per month in past year	1743	7.11
		6 = Used 1-2 days per month in past year	2012	8.21
		7 = Used less than one day per month in past year	1751	7.15
		8 = Used 3-5 days in past 12 months	2105	8.59
		9 = Used 1-2 days in past 12 months	2365	9.65
		10 = Never used or did not use in the past year	10547	43.04
IIALCFQ	1	ALCOHOL FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	13541	55.26
		2 = Imputed data	10547	43.04
		3 = Statistically imputed data	417	1.70
IRMJFQ	2	MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = Used daily in past year	359	1.47
		2 = Used 5-6 days per week in past year	212	0.87
		3 = Used 3-4 days per week in past year	313	1.28
		4 = Used 1-2 days per week in past year	318	1.30
		5 = Used 3-4 days per month in past year	266	1.09
		6 = Used 1-2 days per month in past year	367	1.50
		7 = Used less than one day per month in past year	336	1.37
		8 = Used 3-5 days in past 12 months	508	2.07
		9 = Used 1-2 days in past 12 months	710	2.90
		10 = Never used or did not use in the past year	21116	86.17
IIMJFQ	1	MARIJUANA FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	3247	13.25
		2 = Imputed data	21116	86.17
		3 = Statistically imputed data	142	0.58
IRCOCFQ	2	COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = Used daily in past year	20	0.08
		2 = Used 5-6 days per week in past year	18	0.07
		3 = Used 3-4 days per week in past year	28	0.11
		4 = Used 1-2 days per week in past year	49	0.20
		5 = Used 3-4 days per month in past year	61	0.25
		6 = Used 1-2 days per month in past year	79	0.32
		7 = Used less than one day per month in past year	84	0.34
		8 = Used 3-5 days in past 12 months	139	0.57
		9 = Used 1-2 days in past 12 months	262	1.07
		10 = Never used or did not use in the past year	23765	96.98

FREQUENCY OF DRUG USE			PAGE: 86
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	----
IICOCFQ	1	COCAINE FREQUENCY - IMPUTATION INDICATOR	
		1 = Questionnaire data	692 2.82
		2 = Imputed data	23765 96.98
		3 = Statistically imputed data	48 0.20
IRCRKFQ	2	"CRACK" FREQUENCY PAST YEAR - IMPUTATION REVISED	
		1 = Used daily in past year	11 0.04
		2 = Used 5-6 days per week past year	11 0.04
		3 = Used 3-4 days per week past year	13 0.05
		4 = Used 1-2 days per week past year	18 0.07
		5 = Used 3-4 days per month past year	21 0.09
		6 = Used 1-2 days per month past year	25 0.10
		7 = Used less than one day per month in past year	31 0.13
		8 = Used 3-5 days in past 12 months	29 0.12
		9 = Used 1-2 days in past 12 months	85 0.35
		10 = Never used or did not use in the past year	24261 99.00
IICRKfQ	1	"CRACK" FREQUENCY - IMPUTATION INDICATOR	
		1 = Questionnaire data	221 0.90
		2 = Imputed data	24268 99.03
		3 = Statistically imputed data	16 0.07
IRHERFQ	2	HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED	
		1 = Used daily in past year	16 0.07
		3 = Used 3-4 days per week in past year	9 0.04
		5 = Used 3-4 days per month in past year	7 0.03
		6 = Used 1-2 days per month in past year	7 0.03
		7 = Used less than one day per month in past year	7 0.03
		8 = Used 3-5 days in past 12 months	6 0.02
		9 = Used 1-2 days in past 12 months	28 0.11
		10 = Never used or did not use in the past year	24425 99.67
IIHERFQ	1	HEROIN FREQUENCY - IMPUTATION INDICATOR	
		1 = Questionnaire data	69 0.28
		2 = Imputed data	24425 99.67
		3 = Statistically imputed data	11 0.04
IRHALFQ	2	HALLUCINOGENS FREQUENCY - IMPUTATION REVISED	
		1 = Used daily in past year	11 0.04
		2 = Used 5-6 days per week in past year	16 0.07
		3 = Used 3-4 days per week in past year	14 0.06
		4 = Used 1-2 days per week in past year	22 0.09
		5 = Used 3-4 days per month in past year	37 0.15
		6 = Used 1-2 days per month in past year	79 0.32
		7 = Used less than one day per month in past year	88 0.36
		8 = Used 3-5 days in past 12 months	179 0.73
		9 = Used 1-2 days in past 12 months	371 1.51
		10 = Never used or did not use in the past year	23688 96.67

FREQUENCY OF DRUG USE			PAGE: 87	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
IIHALFQ	1	HALLUCINOGENS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	762	3.11
		2 = Imputed data	23688	96.67
		3 = Statistically imputed data	55	0.22
IRINHFQ	2	INHALANTS FREQUENCY - IMPUTATION REVISED		
		1 = Used daily in past year	18	0.07
		2 = Used 5-6 days per week in past year	3	0.01
		3 = Used 3-4 days per week in past year	16	0.07
		4 = Used 1-2 days per week in past year	15	0.06
		5 = Used 3-4 days per month in past year	36	0.15
		6 = Used 1-2 days per month in past year	54	0.22
		7 = Used less than one day per month in past year	91	0.37
		8 = Used 3-5 days in past 12 months	123	0.50
		9 = Used 1-2 days in past 12 months	210	0.86
		10 = Never used or did not use in the past year	23939	97.69
IIINHFQ	1	INHALANTS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	519	2.12
		2 = Imputed data	23939	97.69
		3 = Statistically imputed data	47	0.19
IRANLFQ	2	ANALGESICS FREQUENCY - IMPUTATION REVISED		
		1 = Used daily in past year	35	0.14
		2 = Used 5-6 days per week in past year	21	0.09
		3 = Used 3-4 days per week in past year	14	0.06
		4 = Used 1-2 days per week in past year	32	0.13
		5 = Used 3-4 days per month in past year	43	0.18
		6 = Used 1-2 days per month in past year	73	0.30
		7 = Used less than one day per month in past year	119	0.49
		8 = Used 3-5 days in past 12 months	129	0.53
		9 = Used 1-2 days in past 12 months	314	1.28
		10 = Never used or did not use in the past year	23725	96.82
IIANLFQ	1	ANALGESICS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	752	3.07
		2 = Imputed data	23725	96.82
		3 = Statistically imputed data	28	0.11
IRTRNFQ	2	TRANQUILIZERS FREQUENCY - IMPUTATION REVISED		
		1 = Used daily in past year	22	0.09
		2 = Used 5-6 days per week in past year	7	0.03
		3 = Used 3-4 days per week in past year	9	0.04
		4 = Used 1-2 days per week in past year	23	0.09
		5 = Used 3-4 days per month in past year	14	0.06
		6 = Used 1-2 days per month in past year	30	0.12
		7 = Used less than one day per month in past year	43	0.18
		8 = Used 3-5 days in past 12 months	63	0.26
		9 = Used 1-2 days in past 12 months	113	0.46
		10 = Never used or did not use in the past year	24181	98.68

FREQUENCY OF DRUG USE			PAGE: 88
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----
IITRNFQ	1	TRANQUILIZERS FREQUENCY - IMPUTATION INDICATOR	
		1 = Questionnaire data	318 1.30
		2 = Imputed data	24181 98.68
		3 = Statistically imputed data	6 0.02
IRSTMFQ	2	STIMULANTS FREQUENCY - IMPUTATION REVISED	
		1 = Used daily in past year	35 0.14
		2 = Used 5-6 days per week in past year	16 0.07
		3 = Used 3-4 days per week in past year	24 0.10
		4 = Used 1-2 days per week in past year	41 0.17
		5 = Used 3-4 days per month in past year	39 0.16
		6 = Used 1-2 days per month in past year	32 0.13
		7 = Used less than one day per month in past year	48 0.20
		8 = Used 3-5 days in past 12 months	35 0.14
		9 = Used 1-2 days in past 12 months	94 0.38
		10 = Never used or did not use in the past year	24141 98.51
IISTMFQ	1	STIMULANTS FREQUENCY - IMPUTATION INDICATOR	
		1 = Questionnaire data	360 1.47
		2 = Imputed data	24141 98.51
		3 = Statistically imputed data	4 0.02
IRSEDFQ	2	SEDATIVES FREQUENCY - IMPUTATION REVISED	
		1 = Used daily in past year	18 0.07
		2 = Used 5-6 days per week in past year	6 0.02
		3 = Used 3-4 days per week in past year	3 0.01
		4 = Used 1-2 days per week in past year	4 0.02
		5 = Used 3-4 days per month in past year	15 0.06
		6 = Used 1-2 days per month in past year	4 0.02
		7 = Used less than one day per month in past year	6 0.02
		8 = Used 3-5 days in past 12 months	14 0.06
		9 = Used 1-2 days in past 12 months	40 0.16
		10 = Never used or did not use in the past year	24395 99.55
IISEDFQ	1	SEDATIVES FREQUENCY - IMPUTATION INDICATOR	
		1 = Questionnaire data	109 0.44
		2 = Imputed data	24395 99.55
		3 = Statistically imputed data	1 0.00

RECODED DEMOGRAPHICS			PAGE:	89
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
RECODED DEMOGRAPHICS				

CATAGE	1	AGE CATEGORY		
		1 = 12-17 years	7844	32.01
		2 = 18-25 years	6239	25.46
		3 = 26-34 years	4387	17.90
		4 = 35+ years	6035	24.63
CATAG2	1	AGE CATEGORY RECODE (3 LEVELS)		
		1 = 12-17 years	7844	32.01
		2 = 18-25 years	6239	25.46
		3 = 26+ years	10422	42.53
CATAG3	1	AGE CATEGORY RECODE (5 LEVELS)		
		1 = 12-17 years	7844	32.01
		2 = 18-25 years	6239	25.46
		3 = 26-34 years	4387	17.90
		4 = 35-49 years	3224	13.16
		5 = 50+ years	2811	11.47
RACE	1	RACE/HISPANIC-ORIGIN RECODE		
		1 = White (IRRACE = 4 and IRHOIND = 2)	12443	50.78
		2 = Black (IRRACE = 3 and IRHOIND = 2)	4639	18.93
		3 = Hispanic (IRHOIND = 1)	6259	25.54
		4 = Other (IRRACE = 1-2 and IRHOIND = 2)	1164	4.75
HISPRACE	1	RACE ETHNICITY		
		1 = Hispanic	6259	25.54
		2 = Nonhispanic Black	4639	18.93
		3 = Nonhispanic Nonblack	13607	55.53
EDUCCAT2	1	EDUCATION RECODE		
		1 = Less than high school (IREduc=0-11 and IRAGE=>18)	3972	16.21
		2 = High school graduate (IREduc = 12 and IRAGE=>18)	5585	22.79
		3 = Some college (IREduc = 13-15 and IRAGE => 18)	4279	17.46
		4 = College graduate (IREduc = 16-17 and IRAGE => 18)	2825	11.53
		5 = 12-17 year olds (IRAGE = 12-17)	7844	32.01
EMPSTAT2	1	EMPLOYMENT STATUS RECODE		
		1 = Full-time (IRWORKST = 1,3 and IRAGE => 18)	8839	36.07
		2 = Part-time (IRWORKST = 2 and IRAGE => 18)	2260	9.22
		3 = Unemployed (IRWORKST = 4,5,6,11 and IRAGE => 18)	1141	4.66
		4 = Other (IRWORKST = 7,8,9,10,12 and IRAGE => 18) ...	4421	18.04
		5 = 12-17 year olds (IRAGE = 12-17)	7844	32.01

RECODED DEMOGRAPHICS			PAGE:	90
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
BUSINES2	3	TYPE OF BUSINESS OR INDUSTRY		
		RANGE = 1 - 16	17694	72.21
		992 = UNEMPLOYED/NOT CLASSIFIED BY INDUSTRY	46	0.19
		995 = BAD DATA	8	0.03
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	268	1.09
		999 = LEGITIMATE SKIP	6488	26.48
ROCCUP2	3	KIND OF WORK/JOB TITLE PRIMARY JOB		
		RANGE = 1 - 16	17744	72.41
		995 = BAD DATA	4	0.02
		997 = REFUSED	1	0.00
		998 = BLANK (NO ANSWER)	268	1.09
		999 = LEGITIMATE SKIP	6488	26.48
MARISTAT	1	MARITAL STATUS RECODE		
		1 = Married (IRMARIT=1)	7298	29.78
		2 = Not Married (IRMARIT=2,3,4)	13321	54.36
		3 = LEGITIMATE SKIP (IRMARIT=99)	3886	15.86
NOTMAR	1	NOT MARRIED STATUS		
		1 = Never Married (IRMARIT=4)	10760	43.91
		2 = Divorced/Separated or Widowed (IRMARIT=2,3)	2561	10.45
		3 = Married/Legitimate Skip (IRMARIT=1,99)	11184	45.64

RECODED DRUG USE			PAGE: 91
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	----
		RECODED DRUG USE	

CIGFLAG	1	CIGARETTES - EVER USED	
		0 = Never used (IRCIGRC = 9)	10181 41.55
		1 = Ever used (IRCIGRC = 1-4)	14324 58.45
CIGYR	1	CIGARETTES - PAST YEAR USE	
		0 = Did not use in the past year (IRCIGRC = 3,4,9) ...	16478 67.24
		1 = Used within the past year (IRCIGRC = 1,2)	8027 32.76
CIGMON	1	CIGARETTES - PAST MONTH USE	
		0 = Did not use in the past month (IRCIGRC = 2-4,9) ..	17546 71.60
		1 = Used within the past month (IRCIGRC = 1)	6959 28.40
SMKFLAG	1	SMOKELESS TOBACCO - EVER USED	
		0 = Never used (IROTBR = 9)	21316 86.99
		1 = Ever used (IROTBR = 1-4)	3189 13.01
SMKYR	1	SMOKELESS TOBACCO - PAST YEAR USE	
		0 = Did not use in the past year (IROTBR = 3,4,9) ...	23532 96.03
		1 = Used within the past year (IROTBR = 1,2)	973 3.97
SMKMON	1	SMOKELESS TOBACCO - PAST MONTH USE	
		0 = Did not use in the past month (IROTBR = 2-4,9) ..	23948 97.73
		1 = Used within the past month (IROTBR = 1)	557 2.27
ALCFLAG	1	ALCOHOL - EVER USED	
		0 = Never used (IRALCRC = 9)	7523 30.70
		1 = Ever used (IRALCRC = 1-4)	16982 69.30
ALCYR	1	ALCOHOL - PAST YEAR USE	
		0 = Did not use in the past year (IRALCRC = 3,4,9) ...	10547 43.04
		1 = Used within the past year (IRALCRC = 1,2)	13958 56.96
ALCMON	1	ALCOHOL - PAST MONTH USE	
		0 = Did not use in the past month (IRALCRC = 2-4,9) ..	13966 56.99
		1 = Used within the past month (IRALCRC = 1)	10539 43.01
MRJFLAG	1	MARIJUANA - EVER USED	
		0 = Never used (IRMJRC = 9)	16734 68.29
		1 = Ever used (IRMJRC = 1-4)	7771 31.71
MRJYR	1	MARIJUANA - PAST YEAR USE	
		0 = Did not use in the past year (IRMJRC = 3,4,9)	21116 86.17
		1 = Used within the past year (IRMJRC = 1,2)	3389 13.83

RECODED DRUG USE			PAGE: 92	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
MRJMON	1	MARIJUANA - PAST MONTH USE		
		0 = Did not use in the past month (IRMJRC = 2-4,9) ...	22580	92.14
		1 = Used within the past month (IRMJRC = 1)	1925	7.86
COCFLAG	1	COCAINE - EVER USED		
		0 = Never used (IRCOCRC = 9)	22228	90.71
		1 = Ever used (IRCOCRC = 1-4)	2277	9.29
COCYR	1	COCAINE - PAST YEAR USE		
		0 = Did not use in the past year (IRCOCRC = 3,4,9) ...	23765	96.98
		1 = Used within the past year (IRCOCRC = 1,2)	740	3.02
COCMON	1	COCAINE - PAST MONTH USE		
		0 = Did not use in the past month (IRCOCRC = 2-4,9) ..	24211	98.80
		1 = Used within the past month (IRCOCRC = 1)	294	1.20
CRKFLAG	1	"CRACK" - EVER USED		
		0 = Never used (IRCRKRC = 9)	23876	97.43
		1 = Ever used (IRCRKRC = 1-4)	629	2.57
CRKYR	1	"CRACK" - PAST YEAR USE		
		0 = Did not use in the past year (IRCRKRC= 3,4,9)	24261	99.00
		1 = Used within the past year (IRCRKRC = 1,2)	244	1.00
CRKMON	1	"CRACK" - PAST MONTH USE		
		0 = Did not use in the past month (IRCRKRC = 2-4,9) ..	24398	99.56
		1 = Used within the past month (IRCRKRC = 1)	107	0.44
HERFLAG	1	HEROIN - EVER USED		
		0 = Never used (IRHERRC = 9)	24259	99.00
		1 = Ever used (IRHERRC = 1-4)	246	1.00
HERYR	1	HEROIN - PAST YEAR USE		
		0 = Did not use in the past year (IRHERRC = 3,4,9) ...	24425	99.67
		1 = Used within the past year (IRHERRC = 1,2)	80	0.33
HERMON	1	HEROIN - PAST MONTH USE		
		0 = Did not use in the past month (IRHERRC = 2-4,9) ..	24465	99.84
		1 = Used within the past month (IRHERRC = 1)	40	0.16
HALFLAG	1	HALLUCINOGENS - EVER USED		
		0 = Never used (IRHALRC = 9)	22168	90.46
		1 = Ever used (IRHALRC = 1-4)	2337	9.54
HALYR	1	HALLUCINOGENS - PAST YEAR USE		
		0 = Did not use in the past year (IRHALRC = 3,4,9) ...	23688	96.67
		1 = Used within the past year (IRHALRC = 1,2)	817	3.33

RECODED DRUG USE			PAGE: 93	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
HALMON	1	HALLUCINOGENS - PAST MONTH USE		
		0 = Did not use in the past month (IRHALRC = 2-4,9) ..	24183	98.69
		1 = Used within the past month (IRHALRC = 1)	322	1.31
LSDFLAG	1	LSD - EVER USED		
		0 = Never used (IRLSDRC = 9)	22637	92.38
		1 = Ever used (IRLSDRC = 1-4)	1868	7.62
LSDYR	1	LSD - PAST YEAR USE		
		0 = Did not use in the past year (IRLSDRC = 3,4,9) ...	24058	98.18
		1 = Used within the past year (IRLSDRC = 1,2)	447	1.82
LSDMON	1	LSD - PAST MONTH USE		
		0 = Did not use in the past month (IRLSDRC = 2-4,9) ..	24396	99.56
		1 = Used within the past month (IRLSDRC = 1)	109	0.44
PCPFLAG	1	PCP - EVER USED		
		0 = Never used (IRPCPRC = 9)	23873	97.42
		1 = Ever used (IRPCPRC = 1-4)	632	2.58
PCPYR	1	PCP - PAST YEAR USE		
		0 = Did not use in the past year (IRPCPRC = 3,4,9) ...	24429	99.69
		1 = Used within the past year (IRPCPRC = 1,2)	76	0.31
PCPMON	1	PCP - PAST MONTH USE		
		0 = Did not use in the past month (IRPCPRC = 2-4,9) ..	24482	99.91
		1 = Used within the past month (IRPCPRC = 1)	23	0.09
INHFLAG	1	INHALANTS - EVER USED		
		0 = Never used (IRINHRC = 9)	22819	93.12
		1 = Ever used (IRINHRC = 1-4)	1686	6.88
INHYR	1	INHALANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRINHRC = 3,4,9) ...	23939	97.69
		1 = Used within the past year (IRINHRC = 1,2)	566	2.31
INHMON	1	INHALANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRINHRC = 2-4,9) ..	24281	99.09
		1 = Used within the past month (IRINHRC = 1)	224	0.91
ANLFLAG	1	ANALGESICS - EVER USED		
		0 = Never used (IRANLRC = 9)	22892	93.42
		1 = Ever used (IRANLRC = 1-4)	1613	6.58
ANLYR	1	ANALGESICS - PAST YEAR USE		
		0 = Did not use in the past year (IRANLRC = 3,4,9) ...	23725	96.82
		1 = Used within the past year (IRANLRC = 1,2)	780	3.18

RECODED DRUG USE			PAGE: 94	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
ANLMON	1	ANALGESICS - PAST MONTH USE		
		0 = Did not use in the past month (IRANLRC = 2-4,9) ..	24183	98.69
		1 = Used within the past month (IRANLRC = 1)	322	1.31
TRQFLAG	1	TRANQUILIZERS - EVER USED		
		0 = Never used (IRTRNRC = 9)	23696	96.70
		1 = Ever used (IRTRNRC = 1-4)	809	3.30
TRQYR	1	TRANQUILIZERS - PAST YEAR USE		
		0 = Did not use in the past year (IRTRNRC = 3,4,9) ...	24181	98.68
		1 = Used within the past year (IRTRNRC = 1,2)	324	1.32
TRQMON	1	TRANQUILIZERS - PAST MONTH USE		
		0 = Did not use in the past month (IRTRNRC = 2-4,9) ..	24371	99.45
		1 = Used within the past month (IRTRNRC = 1)	134	0.55
STMFLAG	1	STIMULANTS - EVER USED		
		0 = Never used (IRSTMRC = 9)	23476	95.80
		1 = Ever used (IRSTMRC = 1-4)	1029	4.20
STMYR	1	STIMULANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRSTMRC = 3,4,9) ...	24141	98.51
		1 = Used within the past year (IRSTMRC = 1,2)	364	1.49
STMMON	1	STIMULANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRSTMRC = 2-4,9) ..	24362	99.42
		1 = Used within the past month (IRSTMRC = 1)	143	0.58
SEDFLAG	1	SEDATIVES - EVER USED		
		0 = Never used (IRSEDRC = 9)	24079	98.26
		1 = Ever used (IRSEDRC = 1-4)	426	1.74
SEDYR	1	SEDATIVES - PAST YEAR USE		
		0 = Did not use in the past year (IRSEDRC = 3,4,9) ...	24395	99.55
		1 = Used within the past year (IRSEDRC = 1,2)	110	0.45
SEDMON	1	SEDATIVES - PAST MONTH USE		
		0 = Did not use in the past month (IRSEDRC = 2-4,9) ..	24462	99.82
		1 = Used within the past month (IRSEDRC = 1)	43	0.18
ALCYRF	1	ALCOHOL - ANY USE PAST YEAR		
		0 = Never used or not used in past year (IRALCFQ=10) .	10547	43.04
		1 = Any use within the past year (IRALCFQ=1-9)	13958	56.96
ALCMONF	1	ALCOHOL - MONTHLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use monthly/more past year (IRALCFQ=7-10)	16768	68.43
		1 = Used monthly or more often past year (IRALCFQ=1-6)	7737	31.57

RECODED DRUG USE			PAGE: 95
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----
ALCWKF	1	ALCOHOL - WEEKLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use weekly or more pst year (IRALCFQ=5-10) 1 = Used weekly or more in past year (IRALCFQ=1-4) ...	20523 83.75 3982 16.25
ALCOCCF	1	ALCOHOL OCCASIONAL FLAG 0 = Used monthly/more or none pst yr (IRALCFQ=1-6,10) 1 = Used past year but less than monthly (IRALCFQ=7-9)	18284 74.61 6221 25.39
ALCDLYF	1	ALCOHOL DAILY/ALMOST FLAG 0 = Did not use daily/almost dly pst yr (IRALCFQ=4-10) 1 = Used daily/almost daily in past year (IRALCFQ=1-3)	22479 91.73 2026 8.27
MRJYRF	1	MARIJUANA - ANY USE PAST YEAR 0 = Never used or did not use in past year (IRMJFQ=10) 1 = Any use within the past year (IRMJFQ=1-9)	21116 86.17 3389 13.83
MRJMONF	1	MARIJUANA - MONTHLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use monthly/more past year (IRMJFQ=7-10) . 1 = Used monthly or more in past year (IRMJFQ=1-6) ...	22670 92.51 1835 7.49
MRJWKF	1	MARIJUANA - WEEKLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use weekly/more past year (IRMJFQ=5-10) .. 1 = Used weekly or more in past year (IRMJFQ=1-4)	23303 95.09 1202 4.91
MRJOCCF	1	MARIJUANA OCCASIONAL FLAG 0 = Used monthly/more or none in pst yr (IRMJFQ=1-6,10) 1 = Used past year but less than monthly (IRMJFQ=7-9)	22951 93.66 1554 6.34
MRJDLYF	1	MARIJUANA DAILY/ALMOST FLAG 0 = Did not use daily/almost daily pst yr (IRMJFQ=4-10) 1 = Used daily/almost daily in past year (IRMJFQ=1-3)	23621 96.39 884 3.61
COCYRF	1	COCAINE - ANY USE PAST YEAR 0 = Never used or did not use in pst year (IRCOCFQ=10) 1 = Any use within the past year (IRCOCFQ = 1-9)	23765 96.98 740 3.02
COCMONF	1	COCAINE - MONTHLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use monthly/more past year (IRCOCFQ=7-10) 1 = Used monthly or more often past year (IRCOCFQ=1-6)	24250 98.96 255 1.04
COCWKF	1	COCAINE - WEEKLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use weekly or more pst year (IRCOCFQ=5-10) 1 = Used weekly or more often past year (IRCOCFQ=1-4)	24390 99.53 115 0.47
COCOCCF	1	COCAINE OCCASIONAL FLAG 0 = Used monthly/more or none in pst yr (IRCOCFQ=1-6,9) 1 = Used past year but less than monthly (IRCOCFQ=7-9)	24020 98.02 485 1.98

RECODED DRUG USE			PAGE: 96
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----
COCDLYF	1	COCAINE DAILY/ALMOST DAILY FLAG	
		0 = Did not use daily/almost dly pst yr(IRCOCFQ=4-10)	24439 99.73
		1 = Used daily/almost daily in past year (IRCOCFQ=1-3)	66 0.27
CRKYRF	1	"CRACK" YEAR FLAG	
		0 = Never used or did not use in pst year (IRCRKFQ=10)	24261 99.00
		1 = Any use within the past year (IRCRKFQ = 1-9)	244 1.00
CRKMONF	1	"CRACK" MONTH FLAG	
		0 = Did not use monthly/more past year (IRCRKFQ=7-10)	24406 99.60
		1 = Used monthly or more often past year (IRCRKFQ=1-6)	99 0.40
CRKWKF	1	"CRACK" WEEK FLAG	
		0 = Did not use weekly or more pst year (IRCRKFQ=5-10)	24452 99.78
		1 = Used weekly or more often past year (IRCRKFQ=1-4)	53 0.22
CRKOCF	1	"CRACK" OCCASIONAL FLAG	
		0 = Used monthly/more or none in pst yr(IRCRKFQ=1-6,9)	24360 99.41
		1 = Used past year but less than monthly (IRCRKFQ=7-9)	145 0.59
CRKDLYF	1	"CRACK" DAILY/ALMOST DAILY FLAG	
		0 = Did not use daily/almost dly pst yr(IRCRKFQ=4-10)	24470 99.86
		1 = Used daily/almost daily in past year (IRCRKFQ=1-3)	35 0.14
HERYRF	1	HEROIN YEAR FLAG	
		0 = Never used or did not use in pst year (IRHERFQ=10)	24425 99.67
		1 = Any use within the past year (IRHERFQ=1-9)	80 0.33
HERMONF	1	HEROIN MONTH FLAG	
		0 = Did not use monthly/more past year (IRHERFQ=7-9) .	24466 99.84
		1 = Used monthly or more often past year (IRHERFQ=1-6)	39 0.16
HERWKF	1	HEROIN WEEK FLAG	
		0 = Did not use weekly or more pst year (IRHERFQ=5-10)	24480 99.90
		1 = Used weekly or more often past year (IRHERFQ=1-4)	25 0.10
HEROCF	1	HEROIN OCCASIONAL FLAG	
		0 = Used monthly/more or none pst yr(IRHERFQ=1-6,10) .	24464 99.83
		1 = Used past year but less than monthly (IRHERFQ=7-9)	41 0.17
HERDLYF	1	HEROIN DAILY/ALMOST DAILY FLAG	
		0 = Did not use daily/almost daly pst yr(IRHERFQ=4-10)	24480 99.90
		1 = Used daily/almost daily in past year (IRHERFQ=1-3)	25 0.10
HALYRF	1	HALLUCINOGENS YEAR FLAG	
		0 = Never used or did not use in pst year (IRHALFQ=10)	23688 96.67
		1 = Any use within the past year (IRHALFQ=1-9)	817 3.33

RECODED DRUG USE			PAGE: 97
LABEL	LEN	DESCRIPTION	FREQ %
----	----	-----	----
HALMONF	1	HALLUCINOGENS MONTH FLAG	
		0 = Did not use monthly/more past year (IRHALFQ=7-10)	24326 99.27
		1 = Used monthly or more often past year (IRHALFQ=1-6)	179 0.73
HALWKF	1	HALLUCINOGENS WEEK FLAG	
		0 = Did not use weekly or more pst year (IRHALFQ=5-10)	24442 99.74
		1 = Used weekly or more often past year (IRHALFQ=1-4)	63 0.26
HALOCCF	1	HALLUCINOGENS OCCASIONAL FLAG	
		0 = Used monthly/more or none pst yr(IRHALFQ=1-6,10) .	23867 97.40
		1 = Used past year but less than monthly (IRHALFQ=7-9)	638 2.60
HALDLYF	1	HALLUCINOGENS DAILY/ALMOST DAILY FLAG	
		0 = Did not use daily/almost dly pst yr(IRHALFQ=4-10)	24464 99.83
		1 = Used daily/almost daily in past year (IRHALFQ=1-3)	41 0.17
INHYRF	1	INHALANTS YEAR FLAG	
		0 = Never used or did not use in pst year (IRINHFQ=10)	23939 97.69
		1 = Any use within the past year (IRINHFQ=1-9)	566 2.31
INHMONF	1	INHALANTS MONTH FLAG	
		0 = Did not use monthly/more past year (IRINHFQ=7-10)	24363 99.42
		1 = Used monthly or more often past year (IRINHFQ=1-6)	142 0.58
INHWKF	1	INHALANTS WEEK FLAG	
		0 = Did not use weekly or more pst year (IRINHFQ=5-10)	24453 99.79
		1 = Used weekly or more often past year (IRINHFQ=1-4)	52 0.21
INHOCCF	1	INHALANTS OCCASIONAL FLAG	
		0 = Used monthly/more or none pst yr(IRINHFQ=1-6,10) .	24081 98.27
		1 = Used past year but less than monthly (IRINHFQ=7-9)	424 1.73
INHDLYF	1	INHALANTS DAILY/ALMOST FLAG	
		0 = Did not use daily/almost dly pst yr(IRINHFQ=4-10)	24468 99.85
		1 = Used daily/almost daily in past year (IRINHFQ=1-3)	37 0.15
ANLYRF	1	ANALGESICS YEAR FLAG	
		0 = Never used or did not use in pst year (IRANLFQ=10)	23725 96.82
		1 = Any use within the past year (IRANLFQ=1-9)	780 3.18
ANLMONF	1	ANALGESICS MONTH FLAG	
		0 = Did not use monthly/more past year (IRANLFQ=7-10)	24287 99.11
		1 = Used monthly or more often past year (IRANLFQ=1-6)	218 0.89
ANLWKF	1	ANALGESICS WEEK FLAG	
		0 = Did not use weekly or more pst year (IRANLFQ=5-10)	24403 99.58
		1 = Used weekly or more often past year (IRANLFQ=1-4)	102 0.42

RECODED DRUG USE			PAGE: 98
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----
ANLOCCF	1	ANALGESICS OCCASIONAL FLAG 0 = Used monthly/more or none pst yr (IRANLFQ=1-6,10) . 1 = Used past year but less than monthly (IRANLFQ=7-9)	23943 97.71 562 2.29
ANLDLYF	1	ANALGESICS DAILY/ALMOST DAILY FLAG 0 = Did not use daily/almost dly pst yr (IRANLFQ=4-10) 1 = Used daily/almost daily in past year (IRANLFQ=1-3)	24435 99.71 70 0.29
TRQYRF	1	TRANQUILIZERS YEAR FLAG 0 = Never used or did not use in pst year (IRTRNFQ=10) 1 = Any use within the past year (IRTRNFQ=1-9)	24181 98.68 324 1.32
TRQMONF	1	TRANQUILIZERS MONTH FLAG 0 = Did not use monthly/more past year (IRTRNFQ=7-10) 1 = Used monthly or more often past year (IRTRNFQ=1-6)	24400 99.57 105 0.43
TRQWKF	1	TRANQUILIZERS WEEK FLAG 0 = Did not use weekly or more pst year (IRTRNFQ=5-10) 1 = Used weekly or more often past year (IRTRNFQ=1-4)	24444 99.75 61 0.25
TRQOCCF	1	TRANQUILIZERS OCCASIONAL FLAG 0 = Used monthly/more or none pst yr (IRTRNFQ=1-6,10) . 1 = Used past year but less than monthly (IRTRNFQ=7-9)	24286 99.11 219 0.89
TRQDLYF	1	TRANQUILIZERS DAILY/ALMOST DAILY FLAG 0 = Did not use daily/almost dly pst yr (IRTRNFQ=4-10) 1 = Used daily/almost daily in past year (IRTRNFQ=1-3)	24467 99.84 38 0.16
STMYRF	1	STIMULANTS YEAR FLAG 0 = Never used or did not use in pst year (IRSTMFQ=10) 1 = Any use within the past year (IRSTMFQ=1-9)	24141 98.51 364 1.49
STMMONF	1	STIMULANTS MONTH FLAG 0 = Did not use monthly/more past year (IRSTMFQ=7-10) 1 = Used monthly or more often past year (IRSTMFQ=1-6)	24318 99.24 187 0.76
STMWKF	1	STIMULANTS WEEK FLAG 0 = Did not use weekly or more pst year (IRSTMFQ=5-10) 1 = Used weekly or more often past year (IRSTMFQ=1-4)	24389 99.53 116 0.47
STMOCCF	1	STIMULANTS OCCASIONAL FLAG 0 = Used monthly/more or none in pst yr (IRSTMFQ=1-6,9) 1 = Used past year but less than monthly (IRSTMFQ=7-9)	24328 99.28 177 0.72
STMDLYF	1	STIMULANTS DAILY/ALMOST DAILY FLAG 0 = Did not use daily/almost dly pst yr (IRSTMFQ=4-10) 1 = Used daily/almost daily in past year (IRSTMFQ=1-3)	24430 99.69 75 0.31

RECODED DRUG USE			PAGE:	99
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
SEDYRF	1	SEDATIVES YEAR FLAG		
		0 = Never used or did not use in pst year (IRSEDFQ=10)	24395	99.55
		1 = Any use within the past year (IRSEDFQ=1-9)	110	0.45
SEDMONF	1	SEDATIVES MONTH FLAG		
		0 = Did not use monthly/more past year (IRSEDFQ=7-10)	24455	99.80
		1 = Used monthly or more often past year (IRSEDFQ=1-6)	50	0.20
SEDWKF	1	SEDATIVES WEEK FLAG		
		0 = Did not use weekly or more pst year (IRSEDFQ=5-10)	24474	99.87
		1 = Used weekly or more often past year (IRSEDFQ=1-4)	31	0.13
SEDOCCF	1	SEDATIVES OCCASIONAL FLAG		
		0 = Used monthly/more or none pst yr(IRSEDFQ=1-6,10) .	24445	99.76
		1 = Used past year but less than monthly (IRSEDFQ=7-9)	60	0.24
SEDDLIF	1	SEDATIVES DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost dly pst yr(IRSEDFQ=4-10)	24478	99.89
		1 = Used daily/almost daily in past year (IRSEDFQ=1-3)	27	0.11
The following three variables were created by examination of IRSEDFQ(Q.S-4) IRTRNRC(Q.T-4), IRSTMRC(Q.ST-4), and IRANLRC(Q.PK-4).				
PSYFLAG2	1	ANY PSYCHOTHERAPEUTICS - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES = 9)	22077	90.09
		1 = Ever used (ANY SOURCE VARIABLE < 9)	2428	9.91
PSYYR2	1	ANY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		0 = Did not use within past year (ALL SOURCE VARS > 2)	23401	95.49
		1 = Used in past year (ANY SOURCE VARIABLE < 3)	1104	4.51
PSYMON2	1	ANY PSYCHOTHERAPEUTICS - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS > 1) ..	23992	97.91
		1 = Used in past month (ANY SOURCE VARIABLE = 1)	513	2.09
The following variable, SUMFLAG, was created by examination of HALFLAG, HERFLAG, MRJFLAG, COCFLAG, INHFLAG, and PSYFLAG2.				
SUMFLAG	1	ANY ILLICIT DRUG - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES = 0)	15736	64.22
		1 = Ever used (ANY SOURCE VARIABLE = 1)	8769	35.78

RECODED DRUG USE			PAGE: 100	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		The following variable, SUMYR, was created by examination of HALYR, HERYR, MRJYR, COCYR, INHYR, and PSYR2.		
SUMYR	1	ANY ILLICIT DRUG - PAST YEAR USE		
		0 = Did not use in past year (ALL SOURCE VARS =0)	20358	83.08
		1 = Used in past year (ANY SOURCE VARIABLE = 1)	4147	16.92
		The following variable, SUMMON, was created by examination of HALMON, HERMON, MRJMON, COCMON, INHMON, and PSYMON2.		
SUMMON	1	ANY ILLICIT DRUG - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS = 0) ..	22083	90.12
		1 = Used in past month (ANY SOURCE VARIABLE = 1)	2422	9.88
		The following variable, MJOFLAG, was created by examination of MRJFLAG and then HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.		
MJOFLAG	1	MARIJUANA ONLY - EVER USED		
		0 = Never used MJ/has used both MJ & another illct drug	20622	84.15
		1 = Marijuana is only (illicit) drug ever used	3883	15.85
		The following variable, MJOYR2, was created by examination of MRJYR and then HALYR, HERYR, COCYR, INHYR, and PSYR2.		
MJOYR2	1	MARIJUANA ONLY - PAST YEAR USE		
		0 = MJ not used past yr/Used MJ & other drug past yr ..	22514	91.88
		1 = Marijuana is only (illicit) drug in past year	1991	8.12
		The following variable, MJOMON2, was created by examination of MRJMON and then HALMON, HERMON, COCMON, INHMON, and PSYMON2.		
MJOMON2	1	MARIJUANA ONLY - PAST MONTH USE		
		0 = MJ not used past mnth/Used MJ & other drug past mo	23153	94.48
		1 = Marijuana only (illicit) drug in past month	1352	5.52

RECODED DRUG USE			PAGE: 101	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
The following variable, IEMFLAG, was created by examination of HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.				
IEMFLAG	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - EVER USED		
		0 = Never used drug/used only marijuana	19619	80.06
		1 = Illicit drug except for marijuana are ever used ..	4886	19.94
The following variable, IEMYR, was created by examination of HALYR, HERYR, COCYR, INHYR, and PSYR2.				
IEMYR	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - PAST YEAR USED		
		0 = Never used drug/used only marijuana past year	22349	91.20
		1 = Illicit drug except for marijuana used past year .	2156	8.80
The following variable, IEMMON, was created by examination of HALMON, HERMON, COCMON, INHMON, and PSYMON2.				
IEMMON	1	ILLICIT DRUG EXCEPT FOR MARIJUANA-PAST MONTH USED		
		0 = Never used drug/used only marijuana past month ...	23435	95.63
		1 = Illicit drug except for marijuana used past month	1070	4.37
BINGEDRK	1	BINGE ALCOHOL USE PAST 30 DAYS		
		0 = Never/No "Binge" ALC use (DR5DAY=0,81,83,90,91,93)	20092	81.99
		1 = "Binge" alcohol use (DR5DAY = 1-30)	3577	14.60
		99 = Unknown (DR5DAY = 85,94,95,98)	836	3.41
HVYDRK2	1	HEAVY ALCOHOL USE PAST 30 DAYS		
		0 = Never/No hvy ALC use(DR5DAY=0-4,35,81,83,90,91,93)	22321	91.09
		1 = Heavy alcohol use (DR5DAY = 5-30)	1348	5.50
		99 = Unknown (DR5DAY = 85,94,95,98)	836	3.41
The following variable, BINGEHVY, was created by examination of BINGEDRK, HVYDRK2, and ALCMON.				
BINGEHVY	1	LEVEL OF ALCOHOL USE PAST 30 DAYS		
		1 = Heavy alcohol use	1348	5.50
		2 = "Binge" alcohol use but not heavy use	2229	9.10
		3 = Past 30 day alcohol use but not "binge" use	6126	25.00
		4 = Did not use alcohol in the past 30 days	13966	56.99
		99 = Unknown	836	3.41

RECODED DRUG USE			PAGE: 102	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
PEYOTE2	1	EVER USED PEYOTE		
		0 = No/Unknown (PEYOTE=2,81,91,98)	24178	98.67
		1 = Yes (PEYOTE=1)	327	1.33
MESC2	1	EVER USED MESC		
		0 = No/Unknown (MESC=2,81,91,98)	24104	98.36
		1 = Yes (MESC=1)	401	1.64
PSILCY2	1	EVER USED PSILOCYBIN (MUSHROOMS)		
		0 = No/Unknown (PSILCY=2,81,91,98)	23387	95.44
		1 = Yes (PSILCY=1,3)	1118	4.56
ECSTASY2	1	EVER USED "ECSTASY" (MDMA)		
		0 = No/Unknown (ECSTASY=2,81,91,98)	24020	98.02
		1 = Yes (ECSTASY=1)	485	1.98
METHAMP2	1	EVER USED METHAMPHETAMINE "NONMEDICALLY"		
		0 = No/Unknown (METHAMP=2,81,91,97,98)	23930	97.65
		1 = Yes (METHAMP=1,3)	575	2.35
AMYLNIT2	1	EVER INHALED AMYL NITRITE, "POPPERS," RUSH, ETC.		
		0 = No/Unknown (AMYLNIT=2,81,91,98)	24101	98.35
		1 = Yes (AMYLNIT=1,3)	404	1.65
CLEFLU2	1	EVER INHALED CORRECTION FLUID, DEGREASER, ETC.		
		0 = No/Unknown (CLEFLU=2,81,91,98)	24307	99.19
		1 = Yes (CLEFLU=1,3)	198	0.81
GAS2	1	EVER INHALED GASOLINE OR LIGHTER FLUID		
		0 = No/Unknown (GAS=2,81,91,98)	24153	98.56
		1 = Yes (GAS=1)	352	1.44
GLUE2	1	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE		
		0 = No/Unknown (GLUE=2,81,91,98)	24101	98.35
		1 = Yes (GLUE=1,3)	404	1.65
ETHER2	1	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC		
		0 = No/Unknown (ETHER=2,81,91,98)	24440	99.73
		1 = Yes (ETHER=1)	65	0.27
SOLVENT2	1	EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS		
		0 = No/Unknown (SOLVENT=2,81,91,98)	24321	99.25
		1 = Yes (SOLVENT=1)	184	0.75
LGAS2	1	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
		0 = No/Unknown (LGAS=2,81,91,98)	24386	99.51
		1 = Yes (LGAS=1)	119	0.49

RECODED DRUG USE			PAGE: 103	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
NITOXID2	1	EVER INHALED NITROUS OXIDE OR "WHIPPETS"		
		0 = No/Unknown (NITOXID=2,81,91,98)	23808	97.16
		1 = Yes (NITOXID=1,3)	697	2.84
SPPAINT2	1	EVER INHALED SPRAY PAINTS		
		0 = No/Unknown (SPPAINT=2,81,91,98)	24193	98.73
		1 = Yes (SPPAINT=1)	312	1.27
AEROS2	1	EVER INHALED OTHER AEROSOL SPRAYS		
		0 = No/Unknown (AEROS=2,81,91,98)	24286	99.11
		1 = Yes (AEROS=1,3)	219	0.89
MJDY30A3	1	NUMBER OF DAYS USED MRJ/HASH IN PAST 30 DAYS		
		1 = 1-2 Days (MJDY30A = 1-2)	590	2.41
		2 = 3-4 Days (MJDY30A = 3-4)	238	0.97
		3 = 5-19 Days (MJDY30A = 5-19)	543	2.22
		4 = 20-30 Days (MJDY30A = 20-30)	432	1.76
		5 = None/Never used MRJ (MJDY30A = 35,81,83,91,93) ..	22580	92.14
		6 = Unknown (MJDY30A = 85,95,98)	122	0.50

SELECTED UNEDITED VARIABLES			PAGE: 104	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
SELECTED UNEDITED VARIABLES				

C-4. How long has it been since you last smoked a cigarette?				
CG04	2	TIME SINCE LAST SMOKED A CIGARETTE		
		1 = Within the past 30 days	5840	23.83
		2 = More than 30 days ago but within the past 12 mos .	1469	5.99
		3 = More than 12 months ago but within the past 3 yrs	1480	6.04
		4 = More than 3 years ago	5257	21.45
		85 = BAD DATA Logically assigned	5	0.02
		91 = NEVER USED CIGARETTES	10209	41.66
		98 = BLANK (NO ANSWER)	245	1.00
C-12. How long has it been since you last used chewing tobacco or snuff?				
CG12	2	TIME SINCE LAST USED SMOKELESS TOBACCO		
		1 = Within the past 30 days	547	2.23
		2 = More than 30 days ago but within the past 12 mos .	404	1.65
		3 = More than 12 months ago but within the past 3 yrs	496	2.02
		4 = More than 3 years ago	1657	6.76
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED CIGARETTES	21156	86.33
		98 = BLANK (NO ANSWER)	243	0.99
A-3. Think about the last time you drank any type of alcoholic beverage. How long has it been since you last drank an alcoholic beverage?				
AL03	2	TIME SINCE LAST DRANK AN ALCOHOLIC BEVERAGE		
		1 = Within the past 30 days	9113	37.19
		2 = More than 30 days ago but within the past 12 mos .	3842	15.68
		3 = More than 12 months ago but within the past 3 yrs	1844	7.52
		4 = More than 3 years ago	2137	8.72
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ALCOHOL	7512	30.65
		94 = DON'T KNOW	1	0.00
		98 = BLANK (NO ANSWER)	55	0.22

SELECTED UNEDITED VARIABLES			PAGE: 105	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		A-4. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you drink an alcoholic beverage?		
AL04	2	# DAYS DRANK ALCOHOLIC BEVERAGE PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	638	2.60
		2 = 201 to 300 days (5 to 6 days a week)	390	1.59
		3 = 101 to 200 days (3 to 4 days a week)	889	3.63
		4 = 51 to 100 days (1 to 2 days a week)	1910	7.79
		5 = 25 to 50 days (3 to 4 days a month)	1687	6.88
		6 = 12 to 24 days (1 to 2 days a month)	1971	8.04
		7 = 6 to 11 days (less than one day a month)	1698	6.93
		8 = 3 to 5 days in the past 12 months	2029	8.28
		9 = 1 to 2 days in the past 12 months	2246	9.17
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ALCOHOL	7536	30.75
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	3458	14.11
		94 = DON'T KNOW	2	0.01
		98 = BLANK (NO ANSWER)	49	0.20
		M-4. How long has it been since you last used marijuana or hashish?		
MJ04	2	TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days	1504	6.14
		2 = More than 30 days ago but within the past 12 mos .	1368	5.58
		3 = More than 12 months ago but within the past 3 yrs	1228	5.01
		4 = More than 3 years ago	3638	14.85
		85 = BAD DATA Logically Assigned	2	0.01
		91 = NEVER USED MARIJUANA	16707	68.18
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	57	0.23

SELECTED UNEDITED VARIABLES			PAGE: 106	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		M-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use marijuana or hashish?		
MJ05	2	# DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	352	1.44
		2 = 201 to 300 days (5 to 6 days a week)	206	0.84
		3 = 101 to 200 days (3 to 4 days a week)	295	1.20
		4 = 51 to 100 days (1 to 2 days a week)	297	1.21
		5 = 25 to 50 days (3 to 4 days a month)	257	1.05
		6 = 12 to 24 days (1 to 2 days a month)	353	1.44
		7 = 6 to 11 days (less than one day a month)	325	1.33
		8 = 3 to 5 days in the past 12 months	486	1.98
		9 = 1 to 2 days in the past 12 months	679	2.77
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED MARIJUANA	16511	67.38
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	4412	18.00
		94 = DON'T KNOW	1	0.00
		98 = BLANK (NO ANSWER)	328	1.34
		CN-4. How long has it been since you last used any form of cocaine?		
CC04	2	TIME SINCE LAST USED COCAINE (IN ANY FORM)		
		1 = Within the past 30 days	156	0.64
		2 = More than 30 days ago but within the past 12 mos .	365	1.49
		3 = More than 12 months ago but within the past 3 yrs	409	1.67
		4 = More than 3 years ago	1275	5.20
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED COCAINE	22216	90.66
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	81	0.33

SELECTED UNEDITED VARIABLES			PAGE: 107	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		CN-5. Now think about the past 12 months. On how many days in the past 12 months did you use cocaine?		
CC05	2	# DAYS USED COCAINE PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	15	0.06
		2 = 201 to 300 days (5 to 6 days a week)	13	0.05
		3 = 101 to 200 days (3 to 4 days a week)	25	0.10
		4 = 51 to 100 days (1 to 2 days a week)	39	0.16
		5 = 25 to 50 days (3 to 4 days a month)	46	0.19
		6 = 12 to 24 days (1 to 2 days a month)	72	0.29
		7 = 6 to 11 days (less than one day a month)	71	0.29
		8 = 3 to 5 days in the past 12 months	135	0.55
		9 = 1 to 2 days in the past 12 months	230	0.94
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED COCAINE	21903	89.38
		93 = NEVER USED COCAINE Logically assigned	1531	6.25
		98 = BLANK (NO ANSWER)	423	1.73
		CK-4. How long has it been since you last used "crack?"		
CK04	2	TIME SINCE LAST USED "CRACK"		
		1 = Within the past 30 days	64	0.26
		2 = More than 30 days ago but within the past 12 mos .	114	0.47
		3 = More than 12 months ago but within the past 3 yrs	161	0.66
		4 = More than 3 years ago	279	1.14
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED "CRACK"	23795	97.10
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	90	0.37

SELECTED UNEDITED VARIABLES			PAGE: 108	
LABEL	LEN	DESCRIPTION	FREQ	%
		CK-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use "crack?"		
CK05	2	# DAYS USED "CRACK" PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	11	0.04
		2 = 201 to 300 days (5 to 6 days a week)	11	0.04
		3 = 101 to 200 days (3 to 4 days a week)	13	0.05
		4 = 51 to 100 days (1 to 2 days a week)	18	0.07
		5 = 25 to 50 days (3 to 4 days a month)	21	0.09
		6 = 12 to 24 days (1 to 2 days a month)	21	0.09
		7 = 6 to 11 days (less than one day a month)	28	0.11
		8 = 3 to 5 days in the past 12 months	29	0.12
		9 = 1 to 2 days in the past 12 months	71	0.29
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED "CRACK"	23463	95.75
		93 = DID NOT USE "CRACK" IN THE PAST 12 MONTHS	389	1.59
		98 = BLANK (NO ANSWER)	429	1.75
		H-4. How long has it been since you last used heroin?		
HE04	2	TIME SINCE LAST USED HEROIN		
		1 = Within the past 30 days	20	0.08
		2 = More than 30 days ago but within the past 12 mos	34	0.14
		3 = More than 12 months ago but within the past 3 yrs	51	0.21
		4 = More than 3 years ago	134	0.55
		91 = NEVER USED HEROIN	24178	98.67
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	87	0.36
		H-5. Now think about the past 12 months. On how many days in the past 12 months did you use heroin?		
HE05	2	# DAYS USED HEROIN PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	12	0.05
		3 = 101 to 200 days (3 to 4 days a week)	5	0.02
		5 = 25 to 50 days (3 to 4 days a month)	7	0.03
		6 = 12 to 24 days (1 to 2 days a month)	6	0.02
		7 = 6 to 11 days (less than one day a month)	7	0.03
		8 = 3 to 5 days in the past 12 months	6	0.02
		9 = 1 to 2 days in the past 12 months	26	0.11
		91 = NEVER USED HEROIN	23802	97.13
		93 = DID NOT USE HEROIN IN THE PAST 12 MONTHS	162	0.66
		98 = BLANK (NO ANSWER)	472	1.93

SELECTED UNEDITED VARIABLES			PAGE: 109	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		L-4. How long has it been since you last used LSD, PCP, or any other hallucinogen?		
LS04	2	TIME SINCE LAST USED LSD/PCP/OTHR HALLUCINOGENS		
		1 = Within the past 30 days	151	0.62
		2 = More than 30 days ago but within the past 12 mos .	434	1.77
		3 = More than 12 months ago but within the past 3 yrs	464	1.89
		4 = More than 3 years ago	1239	5.06
		85 = BAD DATA Logically Assigned	5	0.02
		91 = NEVER USED HALLUCINOGENS	22066	90.05
		98 = BLANK (NO ANSWER)	146	0.60
		L-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use LSD, PCP, or any other hallucinogen?		
LS05	2	# DAYS USED HALLUCINOGENS PAST 12 MONTHS		
		1 = More than 300 days (every day/almost every day) ..	11	0.04
		2 = 201 to 300 days (5 to 6 days a week)	12	0.05
		3 = 101 to 200 days (3 to 4 days a week)	12	0.05
		4 = 51 to 100 days (1 to 2 days a week)	21	0.09
		5 = 25 to 50 days (3 to 4 days a month)	33	0.13
		6 = 12 to 24 days (1 to 2 days a month)	73	0.30
		7 = 6 to 11 days (less than 1 day a month)	86	0.35
		8 = 3 to 5 days in the past 12 months	164	0.67
		9 = 1 to 2 days in the past 12 months	351	1.43
		85 = BAD DATA Logically assigned	4	0.02
		91 = NEVER USED HALLUCINOGENS	22075	90.08
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS ..	1521	6.21
		98 = BLANK (NO ANSWER)	142	0.58
		L-7. Now think only about LSD. How long has it been since you last used LSD?		
LS07	2	TIME SINCE LAST USED LSD		
		1 = Within the past 30 days	107	0.44
		2 = More than 30 days ago but within the past 12 mos .	332	1.35
		3 = More than 12 months ago but within the past 3 yrs	367	1.50
		4 = More than 3 years ago	1025	4.18
		85 = BAD DATA Logically Assigned	3	0.01
		91 = NEVER USED LSD	22528	91.93
		98 = BLANK (NO ANSWER)	143	0.58

SELECTED UNEDITED VARIABLES			PAGE: 110	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		L-8. Now think only about PCP. How long has it been since you last used PCP?		
LS08	2	TIME SINCE LAST USED PCP		
		1 = Within the past 30 days	23	0.09
		2 = More than 30 days ago but within the past 12 mos .	50	0.20
		3 = More than 12 months ago but within the past 3 yrs	103	0.42
		4 = More than 3 years ago	433	1.77
		85 = BAD DATA Logically Assigned	4	0.02
		91 = NEVER USED PCP	23635	96.45
		98 = BLANK (NO ANSWER)	257	1.05
		IN-4. How long has it been since you last used any inhalant for kicks or to get high?		
IN04	2	TIME SINCE LAST USED INHALANTS		
		1 = Within the past 30 days	100	0.41
		2 = More than 30 days ago but within the past 12 mos .	284	1.16
		3 = More than 12 months ago but within the past 3 yrs	341	1.39
		4 = More than 3 years ago	894	3.65
		85 = BAD DATA Logically Assigned	13	0.05
		91 = NEVER USED INHALANTS	22478	91.73
		98 = BLANK (NO ANSWER)	395	1.61
		IN-5. Now think about the past 12 months. On how many days in the past 12 months did you use an inhalant for kicks or to get high?		
IN05	2	# DAYS USED INHALANTS PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	19	0.08
		2 = 201 to 300 days (5 to 6 days a week)	3	0.01
		3 = 101 to 200 days (3 to 4 days a week)	15	0.06
		4 = 51 to 100 days (1 to 2 days a week)	14	0.06
		5 = 25 to 50 days (3 to 4 days a month)	25	0.10
		6 = 12 to 24 days (1 to 2 days a month)	48	0.20
		7 = 6 to 11 days (less than one day a month)	84	0.34
		8 = 3 to 5 days in the past 12 months	112	0.46
		9 = 1 to 2 days in the past 12 months	203	0.83
		85 = BAD DATA Logically assigned	14	0.06
		91 = NEVER USED INHALANTS	22539	91.98
		93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS	1109	4.53
		98 = BLANK (NO ANSWER)	320	1.31

SELECTED UNEDITED VARIABLES			PAGE: 111	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		PK-4. How long has it been since you last used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
PK04	2	TIME SINCE LAST USED PAIN KILLERS "NONMEDICALLY"		
		1 = Within the past 30 days	225	0.92
		2 = More than 30 days ago but within the past 12 mos .	328	1.34
		3 = More than 12 months ago but within the past 3 yrs	305	1.24
		4 = More than 3 years ago	602	2.46
		85 = BAD DATA Logically Assigned	4	0.02
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	23040	94.02
		PK-5. Now think about the past 12 months. On how many days in the past 12 months did you use any pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
PK05	2	# DAYS USED PAIN KILLERS "NONMEDICALLY" PST 12 MOS		
		1 = More than 300 days (every day or almost every day)	34	0.14
		2 = 201 to 300 days (5 to 6 days a week)	20	0.08
		3 = 101 to 200 days (3 to 4 days a week)	13	0.05
		4 = 51 to 100 days (1 to 2 days a week)	31	0.13
		5 = 25 to 50 days (3 to 4 days a month)	41	0.17
		6 = 12 to 24 days (1 to 2 days a month)	71	0.29
		7 = 6 to 11 days (less than one day a month)	116	0.47
		8 = 3 to 5 days in the past 12 months	125	0.51
		9 = 1 to 2 days in the past 12 months	301	1.23
		85 = BAD DATA Logically assigned	4	0.02
		93 = DID NOT USE PAIN KILLERS IN THE PAST 12 MONTHS ...	759	3.10
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	22988	93.81

SELECTED UNEDITED VARIABLES			PAGE: 112	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		T-4. How long has it been since you last used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TR04	2	TIME SINCE LAST USED TRANQUILIZERS "NONMEDICALLY"		
		1 = Within the past 30 days	82	0.33
		2 = More than 30 days ago but within the past 12 mos .	145	0.59
		3 = More than 12 months ago but within the past 3 yrs	138	0.56
		4 = More than 3 years ago	404	1.65
		85 = BAD DATA Logically Assigned	10	0.04
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	23725	96.82
		T-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TR05	2	# DAYS USED TRANQUILIZERS "NONMEDICALLY" PST 12 MO		
		1 = More than 300 days (every day or almost every day)	22	0.09
		2 = 201 to 300 days (5 to 6 days a week)	7	0.03
		3 = 101 to 200 days (3 to 4 days a week)	9	0.04
		4 = 51 to 100 days (1 to 2 days a week)	22	0.09
		5 = 25 to 50 days (3 to 4 days a month)	13	0.05
		6 = 12 to 24 days (1 to 2 days a month)	30	0.12
		7 = 6 to 11 days (less than one day a month)	43	0.18
		8 = 3 to 5 days in the past 12 months	62	0.25
		9 = 1 to 2 days in the past 12 months	110	0.45
		85 = BAD DATA Logically assigned	8	0.03
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MONTHS ..	478	1.95
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	23700	96.71

SELECTED UNEDITED VARIABLES			PAGE: 113	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		ST-4. How long has it been since you last used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ST04	2	TIME SINCE LAST USED STIMULANTS "NONMEDICALLY"		
		1 = Within the past 30 days	109	0.44
		2 = More than 30 days ago but within the past 12 mos .	156	0.64
		3 = More than 12 months ago but within the past 3 yrs	164	0.67
		4 = More than 3 years ago	559	2.28
		85 = BAD DATA Logically Assigned	9	0.04
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	23507	95.93
		ST-5. Now think about the past 12 months. On how many days in the past 12 months did you use any stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ST05	2	# DAYS USED STIMULANTS "NONMEDICALLY" PST 12 MOS		
		1 = More than 300 days (every day or almost every day)	34	0.14
		2 = 201 to 300 days (5 to 6 days a week)	15	0.06
		3 = 101 to 200 days (3 to 4 days a week)	24	0.10
		4 = 51 to 100 days (1 to 2 days a week)	41	0.17
		5 = 25 to 50 days (3 to 4 days a month)	39	0.16
		6 = 12 to 24 days (1 to 2 days a month)	32	0.13
		7 = 6 to 11 days (less than one day a month)	47	0.19
		8 = 3 to 5 days in the past 12 months	35	0.14
		9 = 1 to 2 days in the past 12 months	93	0.38
		85 = BAD DATA Logically assigned	7	0.03
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MONTHS	661	2.70
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	23476	95.80

SELECTED UNEDITED VARIABLES			PAGE: 114	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		S-4. How long has it been since you last used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SE04	2	TIME SINCE LAST USED SEDATIVES "NONMEDICALLY"		
		1 = Within the past 30 days	21	0.09
		2 = More than 30 days ago but within the past 12 mos .	44	0.18
		3 = More than 12 months ago but within the past 3 yrs	39	0.16
		4 = More than 3 years ago	302	1.23
		85 = BAD DATA Logically Assigned	5	0.02
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	24092	98.31
		S-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SE05	2	# DAYS USED SEDATIVES "NONMEDICALLY" PST 12 MOS		
		1 = More than 300 days (every day or almost every day)	18	0.07
		2 = 201 to 300 days (5 to 6 days a week)	6	0.02
		3 = 101 to 200 days (3 to 4 days a week)	3	0.01
		4 = 51 to 100 days (1 to 2 days a week)	4	0.02
		5 = 25 to 50 days (3 to 4 days a month)	15	0.06
		6 = 12 to 24 days (1 to 2 days a month)	4	0.02
		7 = 6 to 11 days (less than one day a month)	6	0.02
		8 = 3 to 5 days in the past 12 months	14	0.06
		9 = 1 to 2 days in the past 12 months	39	0.16
		85 = BAD DATA Logically assigned	6	0.02
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MONTHS	331	1.35
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	24057	98.17

NON-CORE SPECIAL DRUGS			PAGE: 115
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----

NON-CORE SPECIAL DRUGS -- ANSWER SHEET #13

FI CHECKPOINT M; DO YOU THINK R CAN
COMPLETE THIS ANSWER SHEET ON HIS/HER
OWN?

SKPSDRD	2	CAN RESP COMPLETE SPECIAL DRUGS ANS SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	23249	94.87
		2 = No, I doubt that resp. can complt. it alone - SKIP	1051	4.29
		96 = MULTIPLE RESPONSE	3	0.01
		98 = BLANK (NO ANSWER)	202	0.82

SD-0. We would like you to complete the
rest of this answer sheet on your own,
but if you prefer, I'll read the
questions out loud. Which do you
prefer?

SDREAD	2	SPECIAL DRUGS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1689	6.89
		2 = Wants to complete the answer sheet on his/her own	22131	90.31
		96 = MULTIPLE RESPONSE	6	0.02
		98 = BLANK (NO ANSWER)	204	0.83
		99 = LEGITIMATE SKIP	475	1.94

SD-1. Have you ever, even once, used
heroin in any form?

HRANYFRM	2	*EVER USED HEROIN		
		1 = Yes	236	0.96
		2 = No	23832	97.25
		3 = Yes LOGICALLY ASSIGNED	44	0.18
		4 = No LOGICALLY ASSIGNED	116	0.47
		85 = BAD DATA Logically assigned	2	0.01
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	274	1.12

*The values in this section may be inconsistent with values from the core sections(s)
since non-core items were not edited to make them consistent with core items, and
core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS			PAGE: 116	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		SD-2. Have you ever, even once, smoked heroin?		
HERSMOKE	2	*EVER SMOKED HEROIN		
		1 = Yes	106	0.43
		2 = No	263	1.07
		3 = Yes LOGICALLY ASSIGNED	32	0.13
		4 = No LOGICALLY ASSIGNED	1	0.00
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned (HRANYFRM=2,4)	763	3.11
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	150	0.61
		99 = LEGITIMATE SKIP (HRANYFRM = 2, 4)	23185	94.61
		SD-3. How long has it been since you last smoked heroin?		
HRSMKREC	2	*TIME SINCE LAST SMOKED HEROIN		
		1 = Within the past 30 days	11	0.04
		2 = More than 30 days ago but within the past 12 mos .	20	0.08
		3 = More than 12 months ago but within the past 3 yrs	30	0.12
		4 = More than 3 years ago	63	0.26
		9 = Use in lifetime LOGICALLY ASSIGNED	14	0.06
		83 = USED HEROIN BUT NEVER SMOKED IT Logically assigned	5	0.02
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned (HRANYFRM=2,4)	248	1.01
		93 = USED HEROIN BUT NEVER SMOKED IT	135	0.55
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	275	1.12
		99 = LEGITIMATE SKIP (HRANYFRM = 2, 4)	23700	96.71
		SD-4. Have you ever, even once, sniffed ("snorted") heroin powder through your nose?		
HERSNIFF	2	*EVER SNIFFED HEROIN		
		1 = Yes	136	0.55
		2 = No	107	0.44
		3 = Yes LOGICALLY ASSIGNED	17	0.07
		4 = No LOGICALLY ASSIGNED	2	0.01
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned (HRANYFRM=2,4)	255	1.04
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	291	1.19
		99 = LEGITIMATE SKIP (HRANYFRM = 2, 4)	23693	96.69

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS			PAGE: 117	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-

SD-5. How long has it been since you last sniffed ("snorted") heroin powder through your nose?

HRSNFREC	2	*TIME SINCE LAST SNIFFED HEROIN		
		1 = Within the past 30 days	12	0.05
		2 = More than 30 days ago but within the past 12 mos .	23	0.09
		3 = More than 12 months ago but within the past 3 yrs	32	0.13
		4 = More than 3 years ago	83	0.34
		9 = Use in lifetime LOGICALLY ASSIGNED	3	0.01
		83 = USED HEROIN BUT NEVER SNIFFED IT Log assn	3	0.01
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned (HRANYFRM=2,4)	152	0.62
		93 = USED HEROIN BUT NEVER SNIFFED IT	101	0.41
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	296	1.21
		99 = LEGITIMATE SKIP (HRANYFRM = 2, 4)	23796	97.11

SD-6. Have you ever, even once, used a needle to inject a drug that was not prescribed for you, or that you took only for the experience or feeling it caused?

GNNDLLIF	2	*EVER USED A NEEDLE TO INJECT DRUGS		
		1 = Yes	207	0.84
		2 = No	23894	97.51
		3 = Yes LOGICALLY ASSIGNED	20	0.08
		85 = BAD DATA Logically assigned	5	0.02
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	378	1.54

SD-7. Have you ever, even once, used a needle to inject cocaine?

COCNEEDL	2	*EVER USED A NEEDLE TO INJECT COCAINE		
		1 = Yes	123	0.50
		3 = Yes LOGICALLY ASSIGNED	9	0.04
		83 = USED COCAINE BUT NEVER WITH A NEEDLE Log assn	1	0.00
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	407	1.66
		91 = NEVER USED COCAINE	194	0.79
		93 = USED COCAINE BUT NEVER WITH A NEEDLE	62	0.25
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	220	0.90
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	23487	95.85

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS			PAGE: 118	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		SD-8. How long has it been since you last used a needle to inject cocaine?		
CONDLREC	2	*TIME SINCE LAST USED NEEDLE TO INJECT COCAINE		
		1 = Within the past 30 days	5	0.02
		2 = More than 30 days ago but within the past 12 mos .	15	0.06
		3 = More than 12 months ago but within the past 3 yrs	22	0.09
		4 = More than 3 years ago	89	0.36
		9 = Use in lifetime LOGICALLY ASSIGNED	1	0.00
		81 = NEVER USED COCAINE Logically assigned	50	0.20
		83 = USED COCAINE BUT NEVER WITH A NEEDLE Log assn	6	0.02
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	329	1.34
		91 = NEVER USED COCAINE	144	0.59
		93 = USED COCAINE BUT NEVER WITH A NEEDLE	57	0.23
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	220	0.90
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	23565	96.16
		SD-9. Have you ever, even once, used a needle to inject heroin?		
HERNEEDL	2	*EVER USED A NEEDLE TO INJECT HEROIN		
		1 = Yes	111	0.45
		3 = Yes LOGICALLY ASSIGNED	12	0.05
		81 = NEVER USED HEROIN Logically assigned	126	0.51
		85 = BAD DATA Logically assigned	7	0.03
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	348	1.42
		91 = NEVER USED HEROIN	204	0.83
		93 = USED HEROIN BUT NEVER WITH A NEEDLE	8	0.03
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	142	0.58
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	23546	96.09

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS			PAGE: 119	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		SD-10. How long has it been since you last used a needle to inject heroin?		
HRNDLREC	2	*TIME SINCE LAST USED NEEDLE TO INJECT HEROIN		
		1 = Within the past 30 days	11	0.04
		2 = More than 30 days ago but within the past 12 mos .	11	0.04
		3 = More than 12 months ago but within the past 3 yrs	17	0.07
		4 = More than 3 years ago	80	0.33
		9 = Use in lifetime LOGICALLY ASSIGNED	4	0.02
		81 = NEVER USED HEROIN Logically assigned	113	0.46
		85 = BAD DATA Logically assigned	7	0.03
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	385	1.57
		91 = NEVER USED HEROIN	217	0.89
		93 = USED HEROIN BUT NEVER WITH A NEEDLE	8	0.03
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	142	0.58
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	23509	95.94
		 SD-11. Have you ever, even once, used a needle to inject a stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?		
STNEEDLE	2	*EVER USED A NEEDLE TO INJECT A STIMULANT		
		1 = Yes	93	0.38
		3 = Yes LOGICALLY ASSIGNED	20	0.08
		81 = NEVER USED STIMULANTS Logically assigned	4	0.02
		83 = USED STIMULANTS BUT NEVER WITH A NEEDLE Log assn .	4	0.02
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	364	1.49
		91 = NEVER USED STIMULANTS	194	0.79
		93 = USED STIMULANTS BUT NEVER WITH A NEEDLE	36	0.15
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	258	1.05
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	23530	96.02

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS			PAGE: 120	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		SD-12. How long has it been since you last used a needle to inject any stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?		
STNDLREC	2	*TIME SINCE LAST USED NEEDLE TO INJECT STIMULANT		
		1 = Within the past 30 days	7	0.03
		2 = More than 30 days ago but within the past 12 mos .	13	0.05
		3 = More than 12 months ago but within the past 3 yrs	19	0.08
		4 = More than 3 years ago	72	0.29
		9 = Use in lifetime LOGICALLY ASSIGNED	2	0.01
		81 = NEVER USED STIMULANTS Logically assigned	6	0.02
		83 = USED STIMULANTS BUT NEVER WITH A NEEDLE Log assn .	2	0.01
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	353	1.44
		91 = NEVER USED STIMULANTS	192	0.78
		93 = USED STIMULANTS BUT NEVER WITH A NEEDLE	38	0.16
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	258	1.05
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	23541	96.07
		SD-13. Now think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?		
GNNDREUS	2	*LAST TIME REUSED NEEDLE USED BEFORE		
		1 = Yes	71	0.29
		2 = No	209	0.85
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	125	0.51
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	330	1.35
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	23769	97.00
		SD-14. The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?		
GNNDLSH1	2	*LAST NEEDLE HAD BEEN USED BY SOMEONE ELSE		
		1 = Yes	55	0.22
		2 = No	215	0.88
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	163	0.67
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	339	1.38
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	23731	96.84

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS			PAGE: 121	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		SD-15. The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?		
GNNDCLN	2	*USED BLEACH TO CLEAN LAST NEEDLE BEFORE USE		
		1 = Yes	50	0.20
		2 = No	216	0.88
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	151	0.62
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	343	1.40
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	23743	96.89
		SD-16. The last time you used a needle for injecting drugs, did someone else use the needle after you?		
GNNDLSH2	2	*SOMEONE ELSE USED LAST NEEDLE AFTER YOU		
		1 = Yes	54	0.22
		2 = No	213	0.87
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	150	0.61
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	342	1.40
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	23744	96.89
		SD-17. The last time you used a needle for injecting drugs, how did you get the needle? PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.		
GNNDGET	2	*PLACE YOU GOT THE NEEDLE LAST TIME		
		1 = I bought the needle from a pharmacy	80	0.33
		2 = I got the needle from a needle exchange	3	0.01
		3 = I bought the needle on the street	34	0.14
		4 = I got the needle in a shooting gallery	5	0.02
		5 = I got the needle some other way	84	0.34
		85 = BAD DATA Logically assigned	22	0.09
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	48	0.20
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	382	1.56
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	23846	97.31

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS			PAGE: 122	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
GNNDGTSP	2	*GOT LAST NEEDLE SOME OTHER WAY		
		6 = Given by, stolen from a friend	26	0.11
		7 = Given by, stolen from a relative	4	0.02
		8 = Given by, stolen from someone, relation unspecifie	12	0.05
		9 = Came with drugs	4	0.02
		11 = I bought the needle from a pharmacy	2	0.01
		15 = Given by, stolen from medical facility/professiona	11	0.04
		18 = Bought, given, stolen from place/location unspecif	7	0.03
		20 = Given by, stolen from athletic trainer/coach	1	0.00
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	540	2.20
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	23894	97.51

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	NON-CORE RISK/AVAILABILITY		PAGE: 123
-----	----	-----	FREQ	%	

NON-CORE RISK/AVAILABILITY -- ANSWER SHEET #14

FI CHECKPOINT N; DO YOU THINK R CAN
COMPLETE THIS ANSWER SHEET ON HIS/HER
OWN?

SKPRSKRD	2	CAN RESP COMPLETE RISK/AVAIL ANS SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	23238	94.83
		2 = No, I doubt that resp. can complt. it alone - SKIP	1033	4.22
		96 = MULTIPLE RESPONSE	18	0.07
		98 = BLANK (NO ANSWER)	216	0.88

R-0. You may complete this answer sheet
on your own, or if you prefer, I'll read
the questions out loud. Which do
you prefer?

RSKREAD	2	RISK/AVAILABILITY - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1804	7.36
		2 = Wants to complete the answer sheet on his/her own	21969	89.65
		96 = MULTIPLE RESPONSE	5	0.02
		98 = BLANK (NO ANSWER)	245	1.00
		99 = LEGITIMATE SKIP	482	1.97

R-1. How much do you think people risk
harming themselves physically and in
other ways when they do each of the
following activities?

(If you're not sure, mark the box for
the amount of risk that comes closest to
what you think might be true for that
activity. MARK ONE BOX ON EACH LINE.)

RSKPKCIG	2	*RISK IF SMOKE 1 OR MORE PACKS CIGARETTES PER DAY		
		1 = No risk	564	2.30
		2 = Slight risk	1753	7.15
		3 = Moderate risk	6090	24.85
		4 = Great risk	15981	65.22
		94 = DON'T KNOW	14	0.06
		96 = MULTIPLE RESPONSE	14	0.06
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	83	0.34

*The values in this section may be inconsistent with values from the core sections(s)
since non-core items were not edited to make them consistent with core items, and
core items were not edited to make them consistent with non-core items.

NON-CORE RISK/AVAILABILITY			PAGE: 124	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RSKMJOCC	2	*RISK IF SMOKE MARIJUANA ONCE A MONTH		
		1 = No risk	3013	12.30
		2 = Slight risk	5778	23.58
		3 = Moderate risk	6341	25.88
		4 = Great risk	9117	37.20
		94 = DON'T KNOW	41	0.17
		96 = MULTIPLE RESPONSE	39	0.16
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	169	0.69
RSKMJREG	2	*RISK IF SMOKE MARIJUANA ONCE OR TWICE A WEEK		
		1 = No risk	1671	6.82
		2 = Slight risk	3192	13.03
		3 = Moderate risk	6000	24.48
		4 = Great risk	13165	53.72
		94 = DON'T KNOW	35	0.14
		96 = MULTIPLE RESPONSE	24	0.10
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	411	1.68
RKTRYLSD	2	*RISK IF TRY LSD ONCE OR TWICE		
		1 = No risk	1023	4.17
		2 = Slight risk	3033	12.38
		3 = Moderate risk	4447	18.15
		4 = Great risk	15699	64.06
		94 = DON'T KNOW	82	0.33
		96 = MULTIPLE RESPONSE	39	0.16
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	175	0.71
RKLSDREG	2	*RISK IF USE LSD ONCE OR TWICE A WEEK		
		1 = No risk	450	1.84
		2 = Slight risk	616	2.51
		3 = Moderate risk	2526	10.31
		4 = Great risk	20500	83.66
		94 = DON'T KNOW	81	0.33
		96 = MULTIPLE RESPONSE	19	0.08
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	306	1.25
RKTRYHER	2	*RISK IF TRY HEROIN ONCE OR TWICE		
		1 = No risk	666	2.72
		2 = Slight risk	2000	8.16
		3 = Moderate risk	3983	16.25
		4 = Great risk	17606	71.85
		94 = DON'T KNOW	50	0.20
		96 = MULTIPLE RESPONSE	31	0.13
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	162	0.66

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE RISK/AVAILABILITY			PAGE: 125	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RKHERREG	2	*RISK IF USE HEROIN ONCE OR TWICE A WEEK		
		1 = No risk	421	1.72
		2 = Slight risk	359	1.47
		3 = Moderate risk	1540	6.28
		4 = Great risk	21828	89.08
		94 = DON'T KNOW	48	0.20
		96 = MULTIPLE RESPONSE	16	0.07
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	286	1.17
RKCOCOCC	2	*RISK IF USE COCAINE ONCE A MONTH		
		1 = No risk	693	2.83
		2 = Slight risk	1938	7.91
		3 = Moderate risk	4668	19.05
		4 = Great risk	16976	69.28
		94 = DON'T KNOW	46	0.19
		96 = MULTIPLE RESPONSE	25	0.10
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	152	0.62
RKCOCREG	2	*RISK IF USE COCAINE ONCE OR TWICE A WEEK		
		1 = No risk	438	1.79
		2 = Slight risk	439	1.79
		3 = Moderate risk	1886	7.70
		4 = Great risk	21411	87.37
		94 = DON'T KNOW	45	0.18
		96 = MULTIPLE RESPONSE	8	0.03
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	271	1.11
RK5DRINK	2	*RISK OF HAVING 4 TO 5 DRINKS NEARLY EVERY DAY		
		1 = No risk	586	2.39
		2 = Slight risk	1529	6.24
		3 = Moderate risk	4592	18.74
		4 = Great risk	17583	71.75
		94 = DON'T KNOW	25	0.10
		96 = MULTIPLE RESPONSE	28	0.11
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	155	0.63
RSKBINGE	2	*RISK OF HAVING FIVE+ DRINKS ONCE OR TWICE A WEEK		
		1 = No risk	1102	4.50
		2 = Slight risk	3301	13.47
		3 = Moderate risk	7090	28.93
		4 = Great risk	12764	52.09
		94 = DON'T KNOW	26	0.11
		96 = MULTIPLE RESPONSE	11	0.04
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	204	0.83

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE RISK/AVAILABILITY			PAGE: 126	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		R-2. How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? (MARK ONE BOX ON EACH LINE.)		
RSKDIFMJ	2	*DIFFICULTY OF GETTING MARIJUANA		
		1 = Probably impossible	4247	17.33
		2 = Very difficult	2421	9.88
		3 = Fairly difficult	2271	9.27
		4 = Fairly easy	5611	22.90
		5 = Very easy	9634	39.31
		94 = DON'T KNOW	134	0.55
		96 = MULTIPLE RESPONSE	30	0.12
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	150	0.61
RKDIFLSD	2	*DIFFICULTY OF GETTING LSD		
		1 = Probably impossible	7141	29.14
		2 = Very difficult	4571	18.65
		3 = Fairly difficult	4547	18.56
		4 = Fairly easy	4300	17.55
		5 = Very easy	3496	14.27
		94 = DON'T KNOW	176	0.72
		96 = MULTIPLE RESPONSE	33	0.13
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	234	0.95
RKDIFCOC	2	*DIFFICULTY OF GETTING COCAINE		
		1 = Probably impossible	6386	26.06
		2 = Very difficult	4096	16.71
		3 = Fairly difficult	3766	15.37
		4 = Fairly easy	4610	18.81
		5 = Very easy	5254	21.44
		94 = DON'T KNOW	169	0.69
		96 = MULTIPLE RESPONSE	15	0.06
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	202	0.82
RKDIFCRK	2	*DIFFICULTY OF GETTING "CRACK"		
		1 = Probably impossible	6834	27.89
		2 = Very difficult	4280	17.47
		3 = Fairly difficult	3599	14.69
		4 = Fairly easy	4216	17.20
		5 = Very easy	5188	21.17
		94 = DON'T KNOW	171	0.70
		96 = MULTIPLE RESPONSE	11	0.04
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	199	0.81

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE RISK/AVAILABILITY			PAGE: 127	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RKDIFHER	2	*DIFFICULTY OF GETTING HEROIN		
		1 = Probably impossible	7983	32.58
		2 = Very difficult	4910	20.04
		3 = Fairly difficult	4024	16.42
		4 = Fairly easy	3564	14.54
		5 = Very easy	3625	14.79
		94 = DON'T KNOW	174	0.71
		96 = MULTIPLE RESPONSE	12	0.05
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	206	0.84

R-3. In the past 30 days, has anyone
approached you to sell you an illegal
drug?

RSKSELL	2	*SOMEONE APPROACH YOU TO SELL ILLEGAL DRUG PAST MO		
		1 = Yes	2898	11.83
		2 = No	21002	85.70
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	598	2.44

R-4. How often does each of the
following statements apply to you?
(MARK ONE BOX ON EACH LINE.)

How often do you...

RKFQDNDR	2	*GET A REAL KICK OUT OF DOING DANGEROUS THINGS		
		1 = Never	12154	49.60
		2 = Seldom	5432	22.17
		3 = Sometimes	5347	21.82
		4 = Always	916	3.74
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	13	0.05
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	637	2.60
RKFQRSKY	2	*LIKE TO TEST YOURSELF BY DOING RISKY THINGS		
		1 = Never	11839	48.31
		2 = Seldom	6162	25.15
		3 = Sometimes	5034	20.54
		4 = Always	767	3.13
		96 = MULTIPLE RESPONSE	32	0.13
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	667	2.72

*The values in this section may be inconsistent with values from the core sections(s)
since non-core items were not edited to make them consistent with core items, and
core items were not edited to make them consistent with non-core items.

NON-CORE RISK/AVAILABILITY			PAGE: 128	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RKFQPBLT	2	*WEAR A SEATBLT WHEN RIDE FRNT PASS SEAT OF A CAR		
		1 = Never	1776	7.25
		2 = Seldom	1526	6.23
		3 = Sometimes	4292	17.51
		4 = Always	16224	66.21
		96 = MULTIPLE RESPONSE	23	0.09
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	661	2.70
RKFQDBLT	2	*WEAR A SEATBELT WHEN YOU DRIVE A CAR		
		1 = Never	1367	5.58
		2 = Seldom	967	3.95
		3 = Sometimes	2394	9.77
		4 = Always	12843	52.41
		91 = I don't drive	6376	26.02
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	78	0.32
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	476	1.94

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	NON-CORE DRUGS		PAGE: 129
-----	----	-----	FREQ	%	

NON-CORE DRUGS -- ANSWER SHEET #15

FI CHECKPOINT O; DO YOU THINK R CAN
 COMPLETE THIS ANSWER SHEET ON HIS/HER
 OWN?

SKPDRGRD	2	CAN RESPONDENT COMPLETE DRUGS ANS SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	23280	95.00
		2 = No, I doubt that resp. can complt. it alone - SKIP	1014	4.14
		96 = MULTIPLE RESPONSE	3	0.01
		98 = BLANK (NO ANSWER)	208	0.85

DR-0. We would like you to complete the
 rest of this answer sheet on your own,
 but if you prefer, I'll read the
 questions out loud. Which do you
 prefer?

DRGREAD	2	DRUGS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1841	7.51
		2 = Wants to complete the answer sheet on his/her own	21972	89.66
		96 = MULTIPLE RESPONSE	5	0.02
		98 = BLANK (NO ANSWER)	214	0.87
		99 = LEGITIMATE SKIP	473	1.93

All the questions on this answer sheet
 refer to the past 12 months -- that is,
 since your 12-month reference date.

DR-1. As you read the following list of
 types of drugs, please mark one box
 beside each type of drug to indicate
 whether you have used that type of
 drug during the past 12 months.

USED CIG	2	*USED CIGARETTES PAST 12 MONTHS		
		1 = Yes	7456	30.43
		2 = No	16718	68.22
		3 = Yes LOGICALLY ASSIGNED	136	0.55
		4 = No LOGICALLY ASSIGNED	107	0.44
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	87	0.36

*The values in this section may be inconsistent with values from the core sections(s)
 since non-core items were not edited to make them consistent with core items, and
 core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				PAGE: 130	
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	----	-----	----	----	----
USEDALC	2	*USED ALCOHOL PAST 12 MONTHS			
		1 = Yes	12205	49.81	
		2 = No	12003	48.98	
		3 = Yes LOGICALLY ASSIGNED	113	0.46	
		4 = No LOGICALLY ASSIGNED	109	0.44	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	74	0.30	
USEDMRJ	2	*USED MARIJUANA/HASHISH PAST 12 MONTHS			
		1 = Yes	2929	11.95	
		2 = No	21152	86.32	
		3 = Yes LOGICALLY ASSIGNED	197	0.80	
		4 = No LOGICALLY ASSIGNED	109	0.44	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	117	0.48	
USEDcoc	2	*USED COCAINE (INCLUDING "CRACK") PAST 12 MONTHS			
		1 = Yes	494	2.02	
		2 = No	23474	95.79	
		3 = Yes LOGICALLY ASSIGNED	282	1.15	
		4 = No LOGICALLY ASSIGNED	115	0.47	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	139	0.57	
USEDHER	2	*USED HEROIN PAST 12 MONTHS			
		1 = Yes	105	0.43	
		2 = No	23860	97.37	
		3 = Yes LOGICALLY ASSIGNED	268	1.09	
		4 = No LOGICALLY ASSIGNED	118	0.48	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	153	0.62	
USEDHAL	2	*USED HALLUCINOGENS (LSD,PCP,ETC.) PAST 12 MONTHS			
		1 = Yes	575	2.35	
		2 = No	23416	95.56	
		3 = Yes LOGICALLY ASSIGNED	264	1.08	
		4 = No LOGICALLY ASSIGNED	116	0.47	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	133	0.54	
USEDINH	2	*USED INHALANTS (GLUE,SPRAY PAINT,ETC) PST 12 MOS			
		1 = Yes	391	1.60	
		2 = No	23592	96.27	
		3 = Yes LOGICALLY ASSIGNED	258	1.05	
		4 = No LOGICALLY ASSIGNED	119	0.49	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	144	0.59	

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				PAGE: 131
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
USEDANL	2	*USED PAIN KILLERS (CODEINE,ETC.) PAST 12 MONTHS		
		1 = Yes	828	3.38
		2 = No	23179	94.59
		3 = Yes LOGICALLY ASSIGNED	244	1.00
		4 = No LOGICALLY ASSIGNED	116	0.47
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	137	0.56
USEDTRN	2	*USED TRANQUILIZERS (VALIUM,ETC) PAST 12 MONTHS		
		1 = Yes	317	1.29
		2 = No	23642	96.48
		3 = Yes LOGICALLY ASSIGNED	267	1.09
		4 = No LOGICALLY ASSIGNED	120	0.49
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	158	0.64
USEDSTM	2	*USED STIMULANTS ("SPEED,"ETC.) PAST 12 MONTHS		
		1 = Yes	333	1.36
		2 = No	23654	96.53
		3 = Yes LOGICALLY ASSIGNED	255	1.04
		4 = No LOGICALLY ASSIGNED	121	0.49
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	141	0.58
USEDSED	2	*USED SEDATIVES (METHAQUALONE,ETC.) PAST 12 MONTHS		
		1 = Yes	179	0.73
		2 = No	23828	97.24
		3 = Yes LOGICALLY ASSIGNED	243	0.99
		4 = No LOGICALLY ASSIGNED	115	0.47
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	139	0.57

If you answered "NO" to each of the items a through l in question DR-1 above, circle the 93 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with DR-2.

NODRUGYR	2	*DID NOT USE DRUGS IN PAST 12 MONTHS		
		1 = Response circled	10163	41.47
		2 = Response not circled	13238	54.02
		3 = Response circled LOGICALLY ASSIGNED	325	1.33
		4 = Response not circled LOGICALLY ASSIGNED	724	2.95
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	54	0.22

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS			PAGE: 132	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		DR-2. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you had a period of a month or more during the past 12 months when you spent a great deal of time getting the drug, using the drug, or getting over its effects.		
GRTMCIG	2	*SPENT MONTH OR MORE ON CIGARETTES PAST 12 MONTHS		
		1 = Yes	3310	13.51
		2 = No	10006	40.83
		4 = No LOGICALLY ASSIGNED	409	1.67
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	888	3.62
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	291	1.19
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9600	39.18
GRTMALC	2	*SPENT MONTH OR MORE ON ALCOHOL PAST 12 MONTHS		
		1 = Yes	2347	9.58
		2 = No	11039	45.05
		4 = No LOGICALLY ASSIGNED	113	0.46
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	864	3.53
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	517	2.11
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9624	39.27
GRTMMRJ	2	*SPENT MONTH OR MORE ON MARIJUANA/HASH PST 12 MOS		
		1 = Yes	1065	4.35
		2 = No	12153	49.59
		4 = No LOGICALLY ASSIGNED	640	2.61
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	839	3.42
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	158	0.64
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9649	39.38
GRTMCOC	2	*SPENT MONTH OR MORE ON COCAINE, "CRACK" PST 12 MO		
		1 = Yes	172	0.70
		2 = No	13014	53.11
		4 = No LOGICALLY ASSIGNED	709	2.89
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	830	3.39
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	121	0.49
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9658	39.41

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS			PAGE: 133	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
GRTMHER	2	*SPENT MONTH OR MORE ON HEROIN PAST 12 MONTHS		
		1 = Yes	56	0.23
		2 = No	13123	53.55
		4 = No LOGICALLY ASSIGNED	719	2.93
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	821	3.35
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	118	0.48
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9667	39.45
GRTMHAL	2	*SPENT MONTH OR MORE ON HALLUCINOGENS PAST 12 MOS		
		1 = Yes	159	0.65
		2 = No	13028	53.16
		4 = No LOGICALLY ASSIGNED	709	2.89
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	815	3.33
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	120	0.49
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9673	39.47
GRTMINH	2	*SPENT MONTH OR MORE ON INHALANTS PAST 12 MONTH		
		1 = Yes	84	0.34
		2 = No	13101	53.46
		4 = No LOGICALLY ASSIGNED	708	2.89
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	812	3.31
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	123	0.50
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9676	39.49
GRTMANL	2	*SPENT MONTH OR MORE ON PAIN KILLERS PAST 12 MOS		
		1 = Yes	156	0.64
		2 = No	13028	53.16
		4 = No LOGICALLY ASSIGNED	701	2.86
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	808	3.30
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	131	0.53
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9680	39.50
GRTMTRN	2	*SPENT MONTH OR MORE ON TRANQUILIZERS PAST 12 MOS		
		1 = Yes	85	0.35
		2 = No	13096	53.44
		4 = No LOGICALLY ASSIGNED	715	2.92
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	806	3.29
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	120	0.49
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9682	39.51

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS			PAGE: 134	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
GRTMSTM	2	*SPENT MONTH OR MORE ON STIMULANTS PAST 12 MONTHS		
		1 = Yes	165	0.67
		2 = No	13020	53.13
		4 = No LOGICALLY ASSIGNED	714	2.91
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	799	3.26
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	117	0.48
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9689	39.54
GRTMSD	2	*SPENT MONTH OR MORE ON SEDATIVES PAST 12 MONTHS		
		1 = Yes	65	0.27
		2 = No	13122	53.55
		4 = No LOGICALLY ASSIGNED	714	2.91
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	798	3.26
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	115	0.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9690	39.54
<p>DR-3. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have used that kind of drug much more often or in larger amounts than you intended to during the past 12 months.</p>				
LAMTCIG	2	*USED CIG MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	2938	11.99
		2 = No	10296	42.02
		4 = No LOGICALLY ASSIGNED	459	1.87
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	657	2.68
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	323	1.32
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9831	40.12
LAMTALC	2	*USED ALCOHOL MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	2118	8.64
		2 = No	11193	45.68
		4 = No LOGICALLY ASSIGNED	120	0.49
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	655	2.67
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	585	2.39
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9833	40.13

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS			PAGE: 135	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
LAMTMRJ	2	*USED MJ/HASH MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	836	3.41
		2 = No	12320	50.28
		4 = No LOGICALLY ASSIGNED	699	2.85
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	654	2.67
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	161	0.66
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9834	40.13
LAMTCOC	2	*USED COCAINE MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	139	0.57
		2 = No	12984	52.99
		4 = No LOGICALLY ASSIGNED	775	3.16
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	653	2.66
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	118	0.48
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9835	40.13
LAMTHER	2	*USED HEROIN MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	30	0.12
		2 = No	13089	53.41
		4 = No LOGICALLY ASSIGNED	786	3.21
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	650	2.65
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	111	0.45
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9838	40.15
LAMTHAL	2	*USED HALL MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	93	0.38
		2 = No	13026	53.16
		4 = No LOGICALLY ASSIGNED	775	3.16
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	649	2.65
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	122	0.50
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9839	40.15
LAMTINH	2	*USED INH MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	43	0.18
		2 = No	13078	53.37
		4 = No LOGICALLY ASSIGNED	780	3.18
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	649	2.65
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	115	0.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9839	40.15

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS			PAGE: 136	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
LAMTANL	2	*USED PAIN KILLERS MORE OFT THAN INT PAST 12 MOS		
		1 = Yes	93	0.38
		2 = No	13027	53.16
		4 = No LOGICALLY ASSIGNED	763	3.11
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	648	2.64
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	133	0.54
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9840	40.16
LAMTTRN	2	*USED TRANQ MORE OFTEN THAN INTENDED PST 12 MOS		
		1 = Yes	54	0.22
		2 = No	13067	53.32
		4 = No LOGICALLY ASSIGNED	780	3.18
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	648	2.64
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	115	0.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9840	40.16
LAMTSTM	2	*USED STIM MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	124	0.51
		2 = No	12998	53.04
		4 = No LOGICALLY ASSIGNED	779	3.18
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	648	2.64
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	115	0.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9840	40.16
LAMTSED	2	*USED SED MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	35	0.14
		2 = No	13082	53.39
		4 = No LOGICALLY ASSIGNED	787	3.21
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	647	2.64
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	112	0.46
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9841	40.16

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS			PAGE: 137	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		DR-4. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have built up a tolerance for the drug so that the same amount of the drug had less effect than before during the past 12 months.		
BTOLCIG	2	*BUILT UP TOLERANCE FOR CIGARETTES PAST 12 MONTHS		
		1 = Yes	2488	10.15
		2 = No	10723	43.76
		4 = No LOGICALLY ASSIGNED	463	1.89
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	628	2.56
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	342	1.40
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9860	40.24
BTOLALC	2	*BUILT UP TOLERANCE FOR ALCOHOL PAST 12 MONTHS		
		1 = Yes	1977	8.07
		2 = No	11324	46.21
		4 = No LOGICALLY ASSIGNED	124	0.51
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	627	2.56
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	591	2.41
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9861	40.24
BTOLMRJ	2	*BUILT UP TOLERANCE FOR MARIJUANA/HASH PAST 12 MOS		
		1 = Yes	885	3.61
		2 = No	12248	49.98
		4 = No LOGICALLY ASSIGNED	715	2.92
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	625	2.55
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	168	0.69
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9863	40.25
BTOLCOC	2	*BUILT UP TOLERANCE FOR COCAINE PAST 12 MONTHS		
		1 = Yes	139	0.57
		2 = No	12963	52.90
		4 = No LOGICALLY ASSIGNED	797	3.25
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	625	2.55
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	117	0.48
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9863	40.25

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS			PAGE: 138	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
BTOLHER	2	*BUILT UP TOLERANCE FOR HEROIN PAST 12 MONTHS		
		1 = Yes	54	0.22
		2 = No	13038	53.21
		4 = No LOGICALLY ASSIGNED	811	3.31
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	623	2.54
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	113	0.46
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9865	40.26
BTOLHAL	2	*BUILT UP TOLERANCE FOR HALLUCINOGENS PAST 12 MOS		
		1 = Yes	109	0.44
		2 = No	12991	53.01
		4 = No LOGICALLY ASSIGNED	797	3.25
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	623	2.54
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	119	0.49
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9865	40.26
BTOLINH	2	*BUILT UP TOLERANCE FOR INHALANTS PAST 12 MONTHS		
		1 = Yes	69	0.28
		2 = No	13033	53.19
		4 = No LOGICALLY ASSIGNED	799	3.26
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	621	2.53
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	115	0.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9867	40.27
BTOLANL	2	*BUILT UP TOLERANCE FOR PAIN KILLERS PAST 12 MOS		
		1 = Yes	123	0.50
		2 = No	12975	52.95
		4 = No LOGICALLY ASSIGNED	786	3.21
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	621	2.53
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	132	0.54
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9867	40.27
BTOLTRN	2	*BUILT UP TOLERANCE FOR TRANQUILIZERS PAST 12 MOS		
		1 = Yes	75	0.31
		2 = No	13024	53.15
		4 = No LOGICALLY ASSIGNED	803	3.28
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	621	2.53
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	114	0.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9867	40.27

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS			PAGE: 139	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
BTOLSTM	2	*BUILT UP TOLERANCE FOR STIMULANTS PAST 12 MONTHS		
		1 = Yes	143	0.58
		2 = No	12956	52.87
		4 = No LOGICALLY ASSIGNED	802	3.27
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	621	2.53
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	115	0.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9867	40.27
BTOLSED	2	*BUILT UP TOLERANCE FOR SEDATIVES PAST 12 MONTHS		
		1 = Yes	65	0.27
		2 = No	13033	53.19
		4 = No LOGICALLY ASSIGNED	805	3.29
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	620	2.53
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	113	0.46
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9868	40.27
<p>DR-5. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether your use of that drug has often kept you from working, going to school, taking care of children, or engaging in recreational activities during the past 12 months.</p>				
ACRDCIG	2	*CIG REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	599	2.44
		2 = No	12581	51.34
		4 = No LOGICALLY ASSIGNED	486	1.98
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	601	2.45
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	350	1.43
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9887	40.35
ACRDALC	2	*ALCOHOL REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	726	2.96
		2 = No	12540	51.17
		4 = No LOGICALLY ASSIGNED	126	0.51
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	602	2.46
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	624	2.55
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9886	40.34

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS			PAGE: 140	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ACRDMRJ	2	*MJ/HASH REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	359	1.47
		2 = No	12748	52.02
		4 = No LOGICALLY ASSIGNED	737	3.01
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	600	2.45
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	172	0.70
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9888	40.35
ACRDCOC	2	*COCAINE REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	157	0.64
		2 = No	12915	52.70
		4 = No LOGICALLY ASSIGNED	829	3.38
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	599	2.44
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	115	0.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9889	40.36
ACRDHER	2	*HEROIN REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	91	0.37
		2 = No	12974	52.94
		4 = No LOGICALLY ASSIGNED	838	3.42
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	598	2.44
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	113	0.46
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9890	40.36
ACRDHAL	2	*HALL REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	119	0.49
		2 = No	12953	52.86
		4 = No LOGICALLY ASSIGNED	822	3.35
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	598	2.44
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	122	0.50
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9890	40.36
ACRDINH	2	*INHALANTS REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	90	0.37
		2 = No	12985	52.99
		4 = No LOGICALLY ASSIGNED	825	3.37
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	598	2.44
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	116	0.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9890	40.36

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS			PAGE: 141	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
ACRDANL	2	*PAIN KILLER REDUCED IMPORTANT ACTIVITIES PST 12 MO		
		1 = Yes	118	0.48
		2 = No	12954	52.86
		4 = No LOGICALLY ASSIGNED	810	3.31
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	595	2.43
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	134	0.55
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9893	40.37
ACRDTRN	2	*TRANQ REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	105	0.43
		2 = No	12963	52.90
		4 = No LOGICALLY ASSIGNED	834	3.40
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	595	2.43
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	114	0.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9893	40.37
ACRDSTM	2	*STIM REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	153	0.62
		2 = No	12915	52.70
		4 = No LOGICALLY ASSIGNED	833	3.40
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	595	2.43
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	115	0.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9893	40.37
ACRDSER	2	*SEDATIVES REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	97	0.40
		2 = No	12967	52.92
		4 = No LOGICALLY ASSIGNED	841	3.43
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	594	2.42
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	111	0.45
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9894	40.38

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS			PAGE: 142	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		DR-6. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether your use of the drug has caused you to have any emotional or psycho- logical problems--such as feeling un- interested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas during the past 12 months.		
EMPBCIG	2	*CIGARETTES CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	523	2.13
		2 = No	12648	51.61
		4 = No LOGICALLY ASSIGNED	491	2.00
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	589	2.40
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	354	1.44
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9899	40.40
EMPBALC	2	*ALCOHOL CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	893	3.64
		2 = No	12364	50.46
		4 = No LOGICALLY ASSIGNED	128	0.52
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	588	2.40
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	631	2.57
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9900	40.40
EMPBMRJ	2	*MJ/HASH CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	554	2.26
		2 = No	12547	51.20
		4 = No LOGICALLY ASSIGNED	737	3.01
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	587	2.40
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	178	0.73
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9901	40.40
EMPBCOC	2	*COCAINE CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	165	0.67
		2 = No	12909	52.68
		4 = No LOGICALLY ASSIGNED	826	3.37
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	587	2.40
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	116	0.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9901	40.40

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS			PAGE: 143	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
EMPBHER	2	*HEROIN CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	37	0.15
		2 = No	13028	53.16
		4 = No LOGICALLY ASSIGNED	838	3.42
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	587	2.40
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	113	0.46
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9901	40.40
EMPBHAL	2	*HALLUCINOGENS CAUSED EMOTIONAL PROBLEMS PAST 12 M		
		1 = Yes	142	0.58
		2 = No	12928	52.76
		4 = No LOGICALLY ASSIGNED	822	3.35
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	585	2.39
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	124	0.51
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9903	40.41
EMPBINH	2	*INHALANTS CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	47	0.19
		2 = No	13023	53.14
		4 = No LOGICALLY ASSIGNED	829	3.38
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	585	2.39
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	117	0.48
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9903	40.41
EMPBANL	2	*PAIN KILLERS CAUSED EMOTIONAL PROBLEMS PAST 12 MO		
		1 = Yes	60	0.24
		2 = No	13010	53.09
		4 = No LOGICALLY ASSIGNED	810	3.31
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	585	2.39
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	136	0.55
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9903	40.41
EMPBTRN	2	*TRANQUILIZERS CAUSED EMOTIONAL PROBLEMS PAST 12 M		
		1 = Yes	49	0.20
		2 = No	13016	53.12
		4 = No LOGICALLY ASSIGNED	836	3.41
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	586	2.39
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	115	0.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9902	40.41

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS			PAGE: 144	
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
EMPBSTM	2	*STIMULANTS CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	135	0.55
		2 = No	12934	52.78
		4 = No LOGICALLY ASSIGNED	832	3.40
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	585	2.39
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	115	0.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9903	40.41
EMPBSED	2	*SEDATIVES CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	37	0.15
		2 = No	13029	53.17
		4 = No LOGICALLY ASSIGNED	836	3.41
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	583	2.38
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	114	0.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9905	40.42
<p>DR-7. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether your use of that drug has caused you any health problems--such as liver disease, stomach disease, pancreatitis, feet tingling, numbness, memory problems, an accidental overdose, a persistent cough, a seizure or fit, hepatitis, or abscesses during the past 12 months.</p>				
HLPBCIG	2	*CIGARETTES CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes	972	3.97
		2 = No	12138	49.53
		4 = No LOGICALLY ASSIGNED	517	2.11
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	578	2.36
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	389	1.59
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9910	40.44
HLPBALC	2	*ALCOHOL CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes	488	1.99
		2 = No	12711	51.87
		4 = No LOGICALLY ASSIGNED	136	0.55
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	579	2.36
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	681	2.78
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9909	40.44

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS			PAGE: 145	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
HLPBMRJ	2	*MARIJUANA/HASH CAUSED HEALTH PROBLEMS PAST 12 MOS		
		1 = Yes	308	1.26
		2 = No	12734	51.96
		4 = No LOGICALLY ASSIGNED	787	3.21
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	576	2.35
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	187	0.76
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9912	40.45
HLPBCOC	2	*COCAINE CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes	87	0.36
		2 = No	12925	52.74
		4 = No LOGICALLY ASSIGNED	885	3.61
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	576	2.35
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	119	0.49
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9912	40.45
HLPBHER	2	*HEROIN CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes	27	0.11
		2 = No	12979	52.96
		4 = No LOGICALLY ASSIGNED	898	3.66
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	576	2.35
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	112	0.46
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9912	40.45
HLPBHAL	2	*HALLUCINOGENS CAUSED HEALTH PROBLEMS PAST 12 MOS		
		1 = Yes	66	0.27
		2 = No	12940	52.81
		4 = No LOGICALLY ASSIGNED	884	3.61
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	574	2.34
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	126	0.51
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9914	40.46
HLPBINH	2	*INHALANTS CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes	43	0.18
		2 = No	12966	52.91
		4 = No LOGICALLY ASSIGNED	888	3.62
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	574	2.34
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	119	0.49
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9914	40.46

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS			PAGE: 146	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
HLPBANL	2	*PAIN KILLERS CAUSED HEALTH PROBLEMS PAST 12 MOS		
		1 = Yes	60	0.24
		2 = No	12947	52.83
		4 = No LOGICALLY ASSIGNED	872	3.56
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	573	2.34
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	137	0.56
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9915	40.46
HLPBTRN	2	*TRANQUILIZERS CAUSED HEALTH PROBLEMS PAST 12 MOS		
		1 = Yes	44	0.18
		2 = No	12958	52.88
		4 = No LOGICALLY ASSIGNED	898	3.66
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	573	2.34
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	116	0.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9915	40.46
HLPBSTM	2	*STIMULANTS CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes	95	0.39
		2 = No	12908	52.67
		4 = No LOGICALLY ASSIGNED	894	3.65
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	573	2.34
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	119	0.49
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9915	40.46
HLPBSED	2	*SEDATIVES CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes	33	0.13
		2 = No	12966	52.91
		4 = No LOGICALLY ASSIGNED	902	3.68
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	574	2.34
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	115	0.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9914	40.46

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS			PAGE: 147	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
		DR-8. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether, during the past 12 months, you have wanted or tried to stop or cut down on your use of that drug but found that you couldn't.		
UCDCIG	2	*WANTED TO CUT DOWN ON CIGARETTES PAST 12 MONTHS		
		1 = Yes	3281	13.39
		2 = No	9782	39.92
		4 = No LOGICALLY ASSIGNED	548	2.24
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	547	2.23
		95 = BAD DATA	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	404	1.65
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9941	40.57
UCDALC	2	*WANTED TO CUT DOWN ON ALCOHOL PAST 12 MONTHS		
		1 = Yes	1340	5.47
		2 = No	11782	48.08
		4 = No LOGICALLY ASSIGNED	150	0.61
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	547	2.23
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	744	3.04
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9941	40.57
UCDMRJ	2	*WANTED TO CUT DOWN ON MARIJUANA/HASH PAST 12 MOS		
		1 = Yes	673	2.75
		2 = No	12254	50.01
		4 = No LOGICALLY ASSIGNED	887	3.62
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	546	2.23
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	202	0.82
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9942	40.57
UCDCOC	2	*WANTED TO CUT DOWN ON COCAINE PAST 12 MONTHS		
		1 = Yes	265	1.08
		2 = No	12611	51.46
		4 = No LOGICALLY ASSIGNED	1012	4.13
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	546	2.23
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	128	0.52
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9942	40.57

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				PAGE: 148	
LABEL	LEN	DESCRIPTION	FREQ	%	
----	----	-----	----	----	----
UCDHER	2	*WANTED TO CUT DOWN ON HEROIN PAST 12 MONTHS			
		1 = Yes	185	0.75	
		2 = No	12679	51.74	
		4 = No LOGICALLY ASSIGNED	1031	4.21	
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	545	2.22	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	121	0.49	
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9943	40.58	
UCDHAL	2	*WANTED TO CUT DOWN ON HALLUCINOGENS PAST 12 MOS			
		1 = Yes	187	0.76	
		2 = No	12681	51.75	
		4 = No LOGICALLY ASSIGNED	1010	4.12	
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	545	2.22	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	138	0.56	
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9943	40.58	
UCDINH	2	*WANTED TO CUT DOWN ON INHALANTS PAST 12 MONTHS			
		1 = Yes	184	0.75	
		2 = No	12682	51.75	
		4 = No LOGICALLY ASSIGNED	1018	4.15	
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	545	2.22	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	132	0.54	
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9943	40.58	
UCDANL	2	*WANTED TO CUT DOWN ON PAIN KILLERS PAST 12 MONTHS			
		1 = Yes	190	0.78	
		2 = No	12676	51.73	
		4 = No LOGICALLY ASSIGNED	994	4.06	
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	545	2.22	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	156	0.64	
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9943	40.58	
UCDTRN	2	*WANTED TO CUT DOWN ON TRANQUILIZERS PAST 12 MOS			
		1 = Yes	177	0.72	
		2 = No	12687	51.77	
		4 = No LOGICALLY ASSIGNED	1029	4.20	
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	545	2.22	
		97 = REFUSED	1	0.00	
		98 = BLANK (NO ANSWER)	123	0.50	
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9943	40.58	

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS			PAGE: 149	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
UCDSTM	2	*WANTED TO CUT DOWN ON STIMULANTS PAST 12 MONTHS		
		1 = Yes	231	0.94
		2 = No	12633	51.55
		4 = No LOGICALLY ASSIGNED	1025	4.18
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	545	2.22
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	127	0.52
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9943	40.58
UCDSED	2	*WANTED TO CUT DOWN ON SEDATIVES PAST 12 MONTHS		
		1 = Yes	170	0.69
		2 = No	12690	51.79
		4 = No LOGICALLY ASSIGNED	1032	4.21
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	545	2.22
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	124	0.51
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	9943	40.58

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS			PAGE: 150	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		NON-CORE SPECIAL TOPICS -- ANSWER SHEET #16		

		FI CHECKPOINT P; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPSPTRD	2	CAN RESP COMPLETE SPECIAL TOPICS ANS SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	23232	94.81
		2 = No, I doubt that resp. can complt it alone - SKIP	1044	4.26
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	227	0.93
		SP-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?		
SPTREAD	2	SPECIAL TOPICS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1868	7.62
		2 = Wants to complete the answer sheet on his/her own	21917	89.44
		96 = MULTIPLE RESPONSE	5	0.02
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	228	0.93
		99 = LEGITIMATE SKIP	486	1.98
		These questions are about treatment or counseling for drug or alcohol use, and encounters with the police or someone connected with the courts.		
		SP-1. At any time during the past 12 months did you receive treatment or counseling for your drug or alcohol use?		
NDTXRCVD	2	*RECEIVE COUNSELING/TRMT FOR DRG/ALC USE PST 12 MO		
		1 = Yes	359	1.47
		2 = No	23895	97.51
		5 = Yes (NDTXNEED="YES") LOGICALLY ASSIGNED	44	0.18
		96 = MULTIPLE RESPONSE	5	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	200	0.82

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS			PAGE: 151	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		SP-2. At any time during the past 12 months did you need treatment or counseling for your drug or alcohol use?		
NDTXNEED	2	*NEED COUNSELING/TRMT FOR DRUG/ALC USE PAST 12 MOS		
		1 = Yes	121	0.49
		2 = No	23328	95.20
		3 = Yes LOGICALLY ASSIGNED	98	0.40
		89 = LEGITIMATE SKIP Log assn (NDTXRCVD=1)	18	0.07
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	594	2.42
		99 = LEGITIMATE SKIP (NDTXRCVD=1)	341	1.39
		SP-3. As you read the following list of drugs, please mark one box beside each type of drug to indicate whether you needed treatment or counseling for your use of that kind of drug during the past 12 months.		
NDTXALC	2	*NEEDED TRMT/COUNS FOR ALCOHOL PAST 12 MONTHS		
		1 = Yes	83	0.34
		2 = No	190	0.78
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	1192	4.86
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	540	2.20
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22495	91.80
NDTXMJ	2	*NEEDED TRMT/COUNS FOR MARIJUANA PAST 12 MONTHS		
		1 = Yes	58	0.24
		2 = No	213	0.87
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	1183	4.83
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	543	2.22
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22504	91.83

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS			PAGE: 152	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
NDTXCOC	2	*NEEDED TRMT/COUNS FOR COCAINE/"CRACK" PAST 12 MOS		
		1 = Yes	27	0.11
		2 = No	245	1.00
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	1172	4.78
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	543	2.22
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22515	91.88
NDTXHER	2	*NEEDED TRMT/COUNS FOR HEROIN PAST 12 MONTHS		
		1 = Yes	10	0.04
		2 = No	259	1.06
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	1170	4.77
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	546	2.23
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22517	91.89
NDTXHAL	2	*NEEDED TRMT/COUNS FOR HALLUCINOGENS PAST 12 MOS		
		1 = Yes	2	0.01
		2 = No	266	1.09
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	1170	4.77
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	547	2.23
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22517	91.89
NDTXINH	2	*NEEDED TRMT/COUNS FOR INHALANTS PAST 12 MONTHS		
		1 = Yes	2	0.01
		2 = No	266	1.09
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	1167	4.76
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	547	2.23
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22520	91.90
NDTXANL	2	*NEEDED TRMT FOR PRESC PAIN KILLERS PAST 12 MONTHS		
		1 = Yes	6	0.02
		2 = No	261	1.07
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	1166	4.76
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	548	2.24
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22521	91.90

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS			PAGE: 153	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
NDTXTRAN	2	*NEEDED TRMT FOR PRESC TRANQUILIZERS PAST 12 MOS		
		1 = Yes	3	0.01
		2 = No	264	1.08
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	1164	4.75
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	548	2.24
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22523	91.91
NDTXSTIM	2	*NEEDED TRMT FOR PRESC STIMULANTS PAST 12 MONTHS		
		1 = Yes	19	0.08
		2 = No	250	1.02
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	1162	4.74
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	546	2.23
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22525	91.92
NDTXSED	2	*NEEDED TRMT FOR PRESC SEDATIVES PAST 12 MONTHS		
		1 = Yes	2	0.01
		2 = No	265	1.08
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	1162	4.74
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	548	2.24
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22525	91.92
NDTXSOD	2	*NEEDED TRMT FOR SOME OTHER DRUG PAST 12 MONTHS		
		1 = Yes	13	0.05
		2 = No	199	0.81
		3 = Yes LOGICALLY ASSIGNED	55	0.22
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	1158	4.73
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	548	2.24
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22529	91.94
NDTXDRG1	4	*OTHER DRUG (FIRST MENTION)		
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	4	0.02
		348 = Crystal	1	0.00
		355 = Crystal meth	2	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	2	0.01
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	807	3.29
		9999 = LEGITIMATE SKIP	23687	96.66

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS			PAGE: 154	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
NDTXDRG2	4	*OTHER DRUG (SECOND MENTION)		
		339 = Amphetamines (speed generically)	1	0.00
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	815	3.33
		9999 = LEGITIMATE SKIP	23687	96.66
NDTXDRG3	4	*OTHER DRUG (THIRD MENTION)		
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	816	3.33
		9999 = LEGITIMATE SKIP	23687	96.66
NDTXDRG4	4	*OTHER DRUG (FOURTH MENTION)		
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	816	3.33
		9999 = LEGITIMATE SKIP	23687	96.66
NDTXDRG5	4	*OTHER DRUG (FIFTH MENTION)		
		9997 = REFUSED	2	0.01
		9998 = BLANK (NO ANSWER)	816	3.33
		9999 = LEGITIMATE SKIP	23687	96.66
<p>SP-4. During the past 12 months, did you take any steps to obtain treatment or counseling for your drug or alcohol use?</p>				
NDTXSTEP	2	*TAKE STEPS TO OBTAIN TRMT PAST 12 MONTHS		
		1 = Yes	56	0.23
		2 = No	168	0.69
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	979	4.00
		96 = MULTIPLE RESPONSE	5	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	585	2.39
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22708	92.67

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS			PAGE: 155	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		SP-5. As you read the following list of reasons, please mark one box beside each reason to indicate whether it explains why you did not obtain treatment or counseling for your drug or alcohol use during the past 12 months.		
NDTXTRSP	2	*NO TRANSPORTATION TO TRMT/COUNSELING PROGRAMS		
		1 = Yes	36	0.15
		2 = No	199	0.81
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	847	3.46
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	579	2.36
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22840	93.21
NDXTTFAR	2	*NEAREST TRMT/COUNSELING PROGRAMS TOO FAR AWAY		
		1 = Yes	16	0.07
		2 = No	214	0.87
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	835	3.41
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	583	2.38
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22852	93.25
NDTXBDHR	2	*TRMT/COUNSELING PROGRAMS' HOURS NOT CONVENIENT		
		1 = Yes	20	0.08
		2 = No	213	0.87
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	832	3.40
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	582	2.38
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22855	93.27
NDTXOPEN	2	*NO OPENINGS IN THE TRMT/COUNSELING PROGRAMS		
		1 = Yes	14	0.06
		2 = No	218	0.89
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	831	3.39
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	583	2.38
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22856	93.27

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS			PAGE: 156	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NDTXTYPE	2	*PROGRAMS DID NOT OFFER TYPE OF TRMT I WANTED		
		1 = Yes	19	0.08
		2 = No	213	0.87
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	830	3.39
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	582	2.38
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22857	93.27
NDTXMONY	2	*DID NOT HAVE INSURANCE OR MONEY TO PAY FOR PGM		
		1 = Yes	43	0.18
		2 = No	192	0.78
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	831	3.39
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	579	2.36
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22856	93.27
NDTXHCAP	2	*PROGRMS' FACILITIES NOT ACCESSIBLE TO HANDICAPPED		
		1 = Yes	5	0.02
		2 = No	226	0.92
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	831	3.39
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	584	2.38
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22856	93.27
NDTXTCMP	2	*PARTICIPATION IN PROGRAM WAS TOO COMPLICATED		
		1 = Yes	23	0.09
		2 = No	207	0.84
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	828	3.38
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	585	2.39
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22859	93.28
NDTXLANG	2	*PGM'S COUNSELORS DIDN'T MEET ETHNIC/LANG NEEDS		
		1 = Yes	7	0.03
		2 = No	223	0.91
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	829	3.38
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	585	2.39
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22858	93.28

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS			PAGE: 157	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
NDTXSPSV	2	*PROGRAMS DID NOT OFFER SPECIAL SERVICES		
		1 = Yes	16	0.07
		2 = No	213	0.87
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	829	3.38
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	586	2.39
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22858	93.28
NDTXSOR	2	*DID NOT OBTAIN TRMT/COUNSELING FOR SOME OTHER RSN		
		1 = Yes	42	0.17
		2 = No	117	0.48
		3 = Yes LOGICALLY ASSIGNED	72	0.29
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	860	3.51
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	584	2.38
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	22827	93.15
NDTXRSC1	2	*OTH REASON DID NOT OBTAIN TRMT PAST 12 MONTHS		
		5 = Programs did not offer what I wanted	1	0.00
		12 = Did not need it	5	0.02
		14 = Do not want to (quit/get treatment)	4	0.02
		15 = Was using at the time/not ready/unmotivated	13	0.05
		16 = Can do it myself	4	0.02
		17 = Do not know where to go/did not look for	1	0.00
		18 = Do not use/infrequently use drugs and alcohol	1	0.00
		19 = Lack of time	3	0.01
		20 = Shame/wanted to hide problem (from parents)	3	0.01
		22 = Conflict with spouse	1	0.00
		23 = Only smoke cigs/not ready to quit smoking	1	0.00
		24 = Can do it with the support of my family/friends ..	1	0.00
		27 = No one cares	1	0.00
		28 = I have problems in addition to alcohol/drug abuse	1	0.00
		29 = Too heavy a user to seek treatment at this time ..	1	0.00
		30 = Completed treatment in the past, success unknown .	1	0.00
		31 = No specific reason	1	0.00
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	78	0.32
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	771	3.15
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	23609	96.34

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS			PAGE: 158	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		SP-6. Not counting minor traffic violations, have you ever been arrested and booked for breaking the law? Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.		
BOOKED	2	*EVER ARRESTED & BOOKED FOR BREAKING THE LAW		
		1 = Yes	2055	8.39
		2 = No	21943	89.54
		3 = Yes LOGICALLY ASSIGNED	185	0.75
		96 = MULTIPLE RESPONSE	7	0.03
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	313	1.28
		SP-7. Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking the law? RECORD THE NUMBER OF TIMES OR MARK THE BOX:		
NOBOOKYR	2	*# TIMES ARRESTED AND BOOKED IN PAST 12 MONTHS		
		RANGE = 1 - 15	699	2.85
		83 = NOT BEEN ARSTD & BKD PAST 12 MONTHS Log assn	208	0.85
		85 = BAD DATA Logically assigned	87	0.36
		89 = LEGITIMATE SKIP Logically assigned (BOOKED=2)	782	3.19
		93 = NOT ARRESTED AND BOOKED PAST 12 MONTHS	1118	4.56
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	448	1.83
		99 = LEGITIMATE SKIP (BOOKED=2)	21161	86.35
		SP-8. Below is a list of offenses that are against the law. As you read the list, please mark one box beside each offense to indicate whether you were arrested and booked for that offense in the past 12 months. For this question, do not include minor traffic violations.		
BKLARCNY	2	*ARRSTD & BOOKED FOR LARCENY/THEFT IN PAST 12 MOS		
		1 = Yes	146	0.60
		2 = No	568	2.32
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	1048	4.28
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	516	2.11
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	22221	90.68

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS			PAGE: 159	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
BKBURGL	2	*ARRSTD & BOOKED FOR BURGLARY OR B&E IN PST 12 MOS		
		1 = Yes	65	0.27
		2 = No	639	2.61
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	1045	4.26
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	526	2.15
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	22224	90.69
BKAGASLT	2	*ARRSTD & BOOKED FOR AGGRAVATED ASSAULT PST 12 MOS		
		1 = Yes	89	0.36
		2 = No	615	2.51
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	1041	4.25
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	527	2.15
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	22228	90.71
BKSMASLT	2	*ARRSTD & BOOKED FOR OTHER ASSAULT IN PST 12 MOS		
		1 = Yes	124	0.51
		2 = No	585	2.39
		3 = Yes LOGICALLY ASSIGNED	3	0.01
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	1041	4.25
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	520	2.12
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	22228	90.71
BKMOVTHFT	2	*ARRSTD & BOOKED FOR MOTOR VEHICLE THEFT PST 12 MO		
		1 = Yes	34	0.14
		2 = No	665	2.71
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	1041	4.25
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	533	2.18
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	22228	90.71
BKROB	2	*ARRSTD & BOOKED FOR ROBBERY IN PAST 12 MONTHS		
		1 = Yes	24	0.10
		2 = No	672	2.74
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	1041	4.25
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	535	2.18
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	22228	90.71

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS			PAGE: 160	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
BKRAPE	2	*ARRSTD & BOOKD FOR FORCIBLE RAPE IN PST 12 MONTHS		
		1 = Yes	3	0.01
		2 = No	688	2.81
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	1040	4.24
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	540	2.20
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	22229	90.71
BKMURDER	2	*ARRST & BKD FOR MURDER/HOMICDE/MNSLGHTR PST 12 MO		
		1 = Yes	3	0.01
		2 = No	690	2.82
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	1040	4.24
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	539	2.20
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	22229	90.71
BKARSON	2	*ARRSTD & BOOKED FOR ARSON IN PAST 12 MONTHS		
		1 = Yes	10	0.04
		2 = No	682	2.78
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	1039	4.24
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	540	2.20
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	22230	90.72
BKDRVINF	2	*ARRSTD & BOOKED FOR DUI IN PAST 12 MONTHS		
		1 = Yes	116	0.47
		2 = No	597	2.44
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	1040	4.24
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	518	2.11
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	22229	90.71
BKDRUNK	2	*ARRST & BKD FOR DRKNSS/OTH LIQ LAW VIO PST 12 MO		
		1 = Yes	99	0.40
		2 = No	605	2.47
		3 = Yes LOGICALLY ASSIGNED	4	0.02
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	1040	4.24
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	524	2.14
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	22229	90.71

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS			PAGE: 161	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
BKDRUG	2	*ARRSTD & BKED FOR POSSESS/SALE OF DRUGS PST 12 MO		
		1 = Yes	142	0.58
		2 = No	569	2.32
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	1038	4.24
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	521	2.13
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	22231	90.72
BKPROS	2	*ARRSTD & BOOKED FOR PROSTITUTION IN PAST 12 MOS		
		1 = Yes	10	0.04
		2 = No	685	2.80
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	1038	4.24
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	537	2.19
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	22231	90.72
BKVANDAL	2	*ARRSTD & BOOKED FOR OTHR PROP OFFENSE PST 12 MOS		
		1 = Yes	61	0.25
		2 = No	640	2.61
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	1038	4.24
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	531	2.17
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	22231	90.72
BKOTH	2	*ARRSTD & BOOKED FOR OTHER OFFENSES PST 12 MOS		
		1 = Yes	147	0.60
		2 = No	481	1.96
		3 = Yes LOGICALLY ASSIGNED	101	0.41
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	1036	4.23
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	503	2.05
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	22233	90.73

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS			PAGE: 162	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
BKOTHOFF	2	*ARRSTD & BOOKED FOR OTHER OFFENSES PST 12 MOS		
		1 = Larceny or theft	8	0.03
		2 = Burglary or breaking and entering	1	0.00
		3 = Aggravated assault	3	0.01
		4 = Other assault, such as simple assault or battery .	11	0.04
		5 = Motor vehicle theft	2	0.01
		6 = Robbery	1	0.00
		7 = Forcible rape	1	0.00
		9 = Arson	1	0.00
		10 = Driving under the influence	3	0.01
		11 = Drunkenness or other liquor law violation	9	0.04
		12 = Possession or sale of drugs	16	0.07
		14 = Oth proprty offns:- fraud, poss stln goods, vndlsm	14	0.06
		16 = Weapons offenses	11	0.04
		18 = Violation of court order, parole, probation	20	0.08
		19 = Public order offenses	47	0.19
		20 = Juvenile status offenses	22	0.09
		21 = Other offenses, not elsewhere classified	1	0.00
		22 = Traffic violations	25	0.10
		85 = BAD DATA Logically assigned	6	0.02
		89 = LEGITIMATE SKIP Logically assigned	782	3.19
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1032	4.21
		99 = LEGITIMATE SKIP	22487	91.76

NOTE: (This note from 1995 still applies.) For Q.SP-9 and SP-10, multiple responses (code 96) were changed to code 3 = Yes, logically assigned in earlier years. This year no such editing occurred because of ambiguous skip instructions from Q.SP-6.

SP-9. Were you on probation at any time during the past 12 months?

PROBATON	2	*ON PROBATION AT ANY TIME IN PAST 12 MONTHS		
		1 = Yes	551	2.25
		2 = No	23187	94.62
		96 = MULTIPLE RESPONSE	44	0.18
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	720	2.94

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS			PAGE: 163	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		SP-10. Were you on parole at any time during the past 12 months?		
PAROLE	2	*ON PAROLE AT ANY TIME IN PAST 12 MONTHS		
		1 = Yes	92	0.38
		2 = No	23206	94.70
		96 = MULTIPLE RESPONSE	47	0.19
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	1157	4.72
		SP-11. This question deals with activities that may be against the law. Read each item, then mark one box beside each question to indicate whether you have done the activity during the past 12 months.		
		a. During the past 12 months, I drove a vehicle while I was under the influence of a combination of alcohol and illegal drugs used together		
DRVALDR	2	*DROVE UNDER INFLU OF ALC & ILL DRGS PAST 12 MOS		
		1 = Yes	633	2.58
		2 = No	22728	92.75
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1142	4.66
		b. During the past 12 months, I drove a vehicle while I was under the influence of alcohol		
DRIVEAL	2	*DROVE WHILE UNDER INFLU OF ALCOHOL PAST 12 MONTHS		
		1 = Yes	2000	8.16
		2 = No	21370	87.21
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1133	4.62
		c. During the past 12 months, I drove a vehicle while I was under the influence of illegal drugs.		
DRIVEDR	2	*DROVE UNDER INFLUENCE OF ILLEGAL DRUGS PST 12 MOS		
		1 = Yes	746	3.04
		2 = No	22628	92.34
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1128	4.60

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	NON-CORE TREATMENT		PAGE: 164
-----	----	-----	FREQ	%	

NON-CORE TREATMENT -- ANSWER SHEET #17

FI CHECKPOINT Q; DO YOU THINK R CAN
 COMPLETE THIS ANSWER SHEET ON HIS/HER
 OWN?

SKPTMTRD	2	CAN RESPONDENT COMPLETE TREATMENT ANS SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	23278	94.99
		2 = No, I doubt that resp. can complt. it alone - SKIP	1029	4.20
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	196	0.80

TX-0. We would like you to complete the
 rest of this answer sheet on your own,
 but if you prefer, I'll read the
 questions out loud. Which do you
 prefer?

TMTREAD	2	TREATMENT - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1833	7.48
		2 = Wants to complete the answer sheet on his/her own	21982	89.70
		96 = MULTIPLE RESPONSE	6	0.02
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	205	0.84
		99 = LEGITIMATE SKIP	478	1.95

This set of questions deals with
 treatment for alcohol and drug problems,
 not including cigarettes. For these
 questions we are interested in treatment
 designed to help you reduce or stop your
 alcohol or drug use and also treatment
 for medical problems associated with
 your alcohol or drug use.

TX-1. Have you ever received treatment
 or counseling for your use of alcohol
 or any drug, not counting cigarettes?

TXEVER	2	*EVER RECEIVED ALCOHOL OR DRUG TREATMENT		
		1 = Yes	696	2.84
		2 = No	23560	96.14
		3 = Yes LOGICALLY ASSIGNED	97	0.40
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	148	0.60

*The values in this section may be inconsistent with values from the core sections(s)
 since non-core items were not edited to make them consistent with core items, and
 core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			PAGE: 165	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		TX-2. How many times in your life have you started into treatment or counseling for your use of alcohol or any drug, not counting cigarettes?		
		NOTE: For some cases, the value in TXSTRTLF is less than the value in TXSTRTYR.		
TXSTRTLF	3	*# TIMES STARTED ALCOHOL OR DRUG TREATMENT IN LIFE		
		RANGE = 1 - 600	660	2.69
		975 = Indicated treatment received at least once	4	0.02
		985 = BAD DATA Logically assigned	17	0.07
		989 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	14	0.06
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	4	0.02
		998 = BLANK (NO ANSWER)	259	1.06
		999 = LEGITIMATE SKIP (TXEVER=2)	23546	96.09
		TX-3. How many times in the past 12 months have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?		
		NOTE: For some cases, the value in TXSTRTYR is greater than the value in TXSTRTLF.		
TXSTRTYR	3	*# TIMES STARTED ALCOHOL/DRUG TRMT PAST 12 MONTHS		
		RANGE = 1 - 365	224	0.91
		0 = None	282	1.15
		975 = Indicated treatment received at least once	3	0.01
		985 = BAD DATA Logically assigned	159	0.65
		989 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	13	0.05
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	4	0.02
		998 = BLANK (NO ANSWER)	272	1.11
		999 = LEGITIMATE SKIP (TXEVER=2)	23547	96.09

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			PAGE: 166	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
TX-4. As you read the following list of places where treatment for alcohol use is offered, please mark one box beside each type of treatment place to indicate whether you have received treatment for your alcohol use in that type of facility during the past 12 months.				
TXALHOSP	2	*RCVD ALC TRMT IN HOSPITAL/OVERNIGHT PAST 12 MOS		
		1 = Yes	43	0.18
		2 = No	680	2.77
		3 = Yes LOGICALLY ASSIGNED	6	0.02
		5 = Yes LOGICALLY ASSIGNED from TXLTHOSP	9	0.04
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	192	0.78
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	203	0.83
		99 = LEGITIMATE SKIP (TXEVER=2)	23368	95.36
TXALRFIN	2	*RCVD ALC TRMT REHAB CENTER/OVERNIGHT PST 12 MOS		
		1 = Yes	72	0.29
		2 = No	652	2.66
		3 = Yes LOGICALLY ASSIGNED	4	0.02
		5 = Yes LOGICALLY ASSIGNED from TXLTRFIN	9	0.04
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	175	0.71
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	204	0.83
		99 = LEGITIMATE SKIP (TXEVER=2)	23385	95.43
TXALRFOP	2	*RCVD ALC TRMT REHAB CENTER/OUTPATIENT PST 12 MOS		
		1 = Yes	125	0.51
		2 = No	593	2.42
		3 = Yes LOGICALLY ASSIGNED	12	0.05
		5 = Yes LOGICALLY ASSIGNED from TXLTRFOP	6	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	173	0.71
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	205	0.84
		99 = LEGITIMATE SKIP (TXEVER=2)	23387	95.44
TXALMHC	2	*RCVD ALC TRMT MENT HEALTH CENTER/OUTPT PST 12 MOS		
		1 = Yes	54	0.22
		2 = No	666	2.72
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		5 = Yes LOGICALLY ASSIGNED from TXLTMHC	7	0.03
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	172	0.70
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	212	0.87
		99 = LEGITIMATE SKIP (TXEVER=2)	23388	95.44

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			PAGE: 167	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
TXALEMRG	2	*RCVD ALC TRMT IN AN EMERGENCY ROOM PAST 12 MOS		
		1 = Yes	32	0.13
		2 = No	689	2.81
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	172	0.70
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	220	0.90
		99 = LEGITIMATE SKIP (TXEVER=2)	23388	95.44
TXALDOC	2	*RCVD ALC TRMT IN PRIV DOCTOR'S OFFICE PST 12 MOS		
		1 = Yes	41	0.17
		2 = No	677	2.76
		5 = Yes LOGICALLY ASSIGNED from TXLTDOC	4	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	172	0.70
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	219	0.89
		99 = LEGITIMATE SKIP (TXEVER=2)	23388	95.44
TXALJAIL	2	*RCVD ALC TRMT IN PRISON OR JAIL PAST 12 MONTHS		
		1 = Yes	42	0.17
		2 = No	682	2.78
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	170	0.69
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	217	0.89
		99 = LEGITIMATE SKIP (TXEVER=2)	23390	95.45
TXALSHG	2	*RCVD ALCOHOL TRMT IN SELF-HELP GROUP PAST 12 MOS		
		1 = Yes	140	0.57
		2 = No	567	2.31
		3 = Yes LOGICALLY ASSIGNED	10	0.04
		5 = Yes LOGICALLY ASSIGNED from TXLTSHG	13	0.05
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	169	0.69
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	211	0.86
		99 = LEGITIMATE SKIP (TXEVER=2)	23391	95.45
TXALSOP	2	*RCVD ALC TRMT IN SOME OTHER PLACE PAST 12 MONTHS		
		1 = Yes	79	0.32
		2 = No	609	2.49
		3 = Yes LOGICALLY ASSIGNED	9	0.04
		5 = Yes LOGICALLY ASSIGNED from TXLTSOP	10	0.04
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	166	0.68
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	234	0.95
		99 = LEGITIMATE SKIP (TXEVER=2)	23394	95.47

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			PAGE: 168	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
TXALSP	2	*OTHER FACILITY RECEIVED ALC TRMT PAST 12 MONTHS		
		4 = AA or NA or CA	15	0.06
		5 = Residential placement	4	0.02
		10 = Church or religious influence	4	0.02
		12 = Friends	2	0.01
		13 = Court or correctional facilities	11	0.04
		14 = Counselor, therapist, psychologist	10	0.04
		15 = School	7	0.03
		16 = Home, family	1	0.00
		18 = Homeless shelter	1	0.00
		22 = Hospital	8	0.03
		24 = Drug treatment or rehab. center	16	0.07
		25 = Mental health center	2	0.01
		26 = Self-help group	1	0.00
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	858	3.50
		99 = LEGITIMATE SKIP (TXEVER=2)	23559	96.14

TX-5. As you read the following list of places where treatment for drug use is offered, please mark one box beside each type of treatment place to indicate whether you have received treatment for your use of other drugs not counting cigarettes or alcohol in that type of facility during the past 12 months.

TXDRHOSP	2	*RECEIVED DRUG TRMT HOSPITAL/OVERNIGHT PST 12 MOS		
		1 = Yes	34	0.14
		2 = No	696	2.84
		3 = Yes LOGICALLY ASSIGNED	5	0.02
		5 = Yes LOGICALLY ASSIGNED from TXLTHOSP	13	0.05
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	173	0.71
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	193	0.79
		99 = LEGITIMATE SKIP (TXEVER=2)	23387	95.44
TXDRFIN	2	*RCVD DRUG TRMT REHAB CENTER/OVERNIGHT PST 12 MOS		
		1 = Yes	59	0.24
		2 = No	678	2.77
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		5 = Yes LOGICALLY ASSIGNED from TXLTRFIN	14	0.06
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	173	0.71
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	189	0.77
		99 = LEGITIMATE SKIP (TXEVER=2)	23387	95.44

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			PAGE: 169	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
TXDRFOP	2	*RCVD DRUG TRMT REHAB CENTER/OP PAST 12 MONTHS		
		1 = Yes	82	0.33
		2 = No	642	2.62
		3 = Yes LOGICALLY ASSIGNED	10	0.04
		5 = Yes LOGICALLY ASSIGNED from TXLTRFOP	19	0.08
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	173	0.71
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	188	0.77
		99 = LEGITIMATE SKIP (TXEVER=2)	23387	95.44
TXDRMHC	2	*RCVD DRUG TRMT M.HEALTH CENTER PAST 12 MONTHS		
		1 = Yes	32	0.13
		2 = No	709	2.89
		5 = Yes LOGICALLY ASSIGNED from TXLTMHC	7	0.03
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	173	0.71
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	193	0.79
		99 = LEGITIMATE SKIP (TXEVER=2)	23387	95.44
TXDREMRG	2	*RCVD DRUG TRMT IN EMERGENCY ROOM PAST 12 MONTHS		
		1 = Yes	28	0.11
		2 = No	691	2.82
		3 = Yes LOGICALLY ASSIGNED	27	0.11
		4 = No LOGICALLY ASSIGNED	16	0.07
		5 = Yes LOGICALLY ASSIGNED from TXLTEMRG or TXYREMRG .	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	175	0.71
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	178	0.73
		99 = LEGITIMATE SKIP (TXEVER=2)	23385	95.43
TXDRDOC	2	*RCVD DRUG TRMT IN PRIV DOCTOR'S OFF PST 12 MOS		
		1 = Yes	31	0.13
		2 = No	713	2.91
		5 = Yes LOGICALLY ASSIGNED from TXLTDOC	3	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	173	0.71
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	194	0.79
		99 = LEGITIMATE SKIP (TXEVER=2)	23387	95.44
TXDRJAIL	2	*RCVD DRUG TRMT IN PRISON PAST 12 MONTHS		
		1 = Yes	31	0.13
		2 = No	716	2.92
		5 = Yes LOGICALLY ASSIGNED from TXLTJAIL	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	173	0.71
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	193	0.79
		99 = LEGITIMATE SKIP (TXEVER=2)	23387	95.44

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			PAGE: 170	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
TXDRSHG	2	*RCVD DRUG TREAT IN SELF-HELP GROUP PAST 12 MONTHS		
		1 = Yes	103	0.42
		2 = No	632	2.58
		3 = Yes LOGICALLY ASSIGNED	5	0.02
		5 = Yes LOGICALLY ASSIGNED from TXLTSHG	12	0.05
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	173	0.71
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	189	0.77
		99 = LEGITIMATE SKIP (TXEVER=2)	23387	95.44
TXDRSOP	2	*RECEIVED DRUG TRMT IN SOME OTH PLACE PST 12 MOS		
		1 = Yes	45	0.18
		2 = No	669	2.73
		3 = Yes LOGICALLY ASSIGNED	10	0.04
		5 = Yes LOGICALLY ASSIGNED from TXLTSOP	17	0.07
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	175	0.71
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	200	0.82
		99 = LEGITIMATE SKIP (TXEVER=2)	23385	95.43
TXDRSP	2	*OTHER FACILITY RECEIVED DRUG TRMT PAST 12 MONTHS		
		4 = AA or NA or CA	8	0.03
		5 = Residential placement	2	0.01
		9 = Within myself (self-treatment)	2	0.01
		10 = Church or religious influence	2	0.01
		12 = Friends	3	0.01
		13 = Court or correctional facilities	6	0.02
		14 = Counselor, therapist, psychologist	4	0.02
		15 = School	4	0.02
		16 = Home, family	1	0.00
		18 = Homeless shelter	2	0.01
		20 = Camp/Outward Bound Program	1	0.00
		22 = Hospital	7	0.03
		24 = Drug treatment or rehab. center	14	0.06
		26 = Self-help group	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	884	3.61
		99 = LEGITIMATE SKIP (TXEVER=2)	23560	96.14

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			PAGE: 171	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		TX-6. During the past 12 months, how many times did you visit a hospital emergency room to receive treatment related to your use of cocaine, heroin, marijuana, or other illegal drugs?		
TXYREMRG	3	*# TIMES EMER RM FOR TRMT OF ILL DRUGS PST 12 MOS		
		RANGE = 1 - 12	44	0.18
		0 = None	707	2.89
		985 = BAD DATA Logically assigned	9	0.04
		989 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	175	0.71
		997 = REFUSED	4	0.02
		998 = BLANK (NO ANSWER)	181	0.74
		999 = LEGITIMATE SKIP (TXEVER=2)	23385	95.43
		The rest of the questions on this answer sheet refer to treatment for your use of drugs or alcohol.		
		TX-7. How long has it been since you last received treatment or counseling for your alcohol or drug use, not counting cigarettes?		
TXADGREG	2	*TIME SINCE LAST ALCOHOL OR DRUG TREATMENT		
		1 = Within the past 30 days	116	0.47
		2 = More than 30 days ago but within the past 12 mos .	134	0.55
		3 = More than 12 months ago but within the past 3 yrs	77	0.31
		4 = More than 3 years ago	230	0.94
		8 = Treatment in past year LOGICALLY ASSIGNED	165	0.67
		9 = Treatment in lifetime LOGICALLY ASSIGNED	71	0.29
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned ...	1	0.00
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	7	0.03
		91 = NEVER USED ALCOHOL OR DRUGS	6879	28.07
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	146	0.60
		99 = LEGITIMATE SKIP (TXEVER=2)	16673	68.04

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			PAGE: 172	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		TX-8. What was the primary place where you received treatment the last time you started treatment for your alcohol or other drug use, not counting cigarettes? MARK ONLY ONE BOX FOR THE BEST ANSWER.		
TXLTHOSP	2	*LAST ALCOHOL OR DRUG TRMT OVERNIGHT AT HOSPITAL		
		1 = Response marked	64	0.26
		3 = Response marked LOGICALLY ASSIGNED	14	0.06
		6 = Response not marked LOGICALLY ASSIGNED	635	2.59
		85 = BAD DATA Logically assigned	8	0.03
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	220	0.90
		99 = LEGITIMATE SKIP (TXEVER=2)	23551	96.11
TXLTRFIN	2	*LAST ALC/DRG TRMT OVERNITE AT RES DRUG REHAB CTR		
		1 = Response marked	125	0.51
		3 = Response marked LOGICALLY ASSIGNED	10	0.04
		6 = Response not marked LOGICALLY ASSIGNED	578	2.36
		85 = BAD DATA Logically assigned	8	0.03
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	220	0.90
		99 = LEGITIMATE SKIP (TXEVER=2)	23551	96.11
TXLTRFOP	2	*LAST ALC/DRUG TRMT OUTPATIENT DRUG REHAB CENTER		
		1 = Response marked	157	0.64
		3 = Response marked LOGICALLY ASSIGNED	34	0.14
		6 = Response not marked LOGICALLY ASSIGNED	522	2.13
		85 = BAD DATA Logically assigned	8	0.03
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	220	0.90
		99 = LEGITIMATE SKIP (TXEVER=2)	23551	96.11
TXLTMHC	2	*LAST ALC/DRG TRMT OUTPATIENT AT MENT HEALTH CENT		
		1 = Response marked	52	0.21
		3 = Response marked LOGICALLY ASSIGNED	3	0.01
		6 = Response not marked LOGICALLY ASSIGNED	657	2.68
		85 = BAD DATA Logically assigned	9	0.04
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	220	0.90
		99 = LEGITIMATE SKIP (TXEVER=2)	23551	96.11

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			PAGE: 173	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
TXLTEMRG	2	*LAST ALCOHOL OR DRUG TRMT AT EMERGENCY ROOM		
		1 = Response marked	10	0.04
		3 = Response marked LOGICALLY ASSIGNED	4	0.02
		6 = Response not marked LOGICALLY ASSIGNED	698	2.85
		85 = BAD DATA Logically assigned	9	0.04
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	220	0.90
		99 = LEGITIMATE SKIP (TXEVER=2)	23551	96.11
TXLTDOC	2	*LAST ALCOHOL OR DRUG TRMT AT PRIVATE DOCTOR OFF		
		1 = Response marked	26	0.11
		3 = Response marked LOGICALLY ASSIGNED	2	0.01
		6 = Response not marked LOGICALLY ASSIGNED	684	2.79
		85 = BAD DATA Logically assigned	9	0.04
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	220	0.90
		99 = LEGITIMATE SKIP (TXEVER=2)	23551	96.11
TXLTJAIL	2	*LAST ALCOHOL OR DRUG TREATMENT IN PRISON OR JAIL		
		1 = Response marked	16	0.07
		3 = Response marked LOGICALLY ASSIGNED	6	0.02
		6 = Response not marked LOGICALLY ASSIGNED	691	2.82
		85 = BAD DATA Logically assigned	8	0.03
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	220	0.90
		99 = LEGITIMATE SKIP (TXEVER=2)	23551	96.11
TXLTSHG	2	*LAST ALCOHOL OR DRUG TREATMENT IN SELF-HELP GROUP		
		1 = Response marked	139	0.57
		3 = Response marked LOGICALLY ASSIGNED	15	0.06
		6 = Response not marked LOGICALLY ASSIGNED	559	2.28
		85 = BAD DATA Logically assigned	8	0.03
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	220	0.90
		99 = LEGITIMATE SKIP (TXEVER=2)	23551	96.11
TXLTSOP	2	*LAST ALCOHOL OR DRUG TREATMENT IN SOME OTH PLACE		
		1 = Response marked	127	0.52
		3 = Response marked LOGICALLY ASSIGNED	20	0.08
		6 = Response not marked LOGICALLY ASSIGNED	566	2.31
		85 = BAD DATA Logically assigned	8	0.03
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	9	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	220	0.90
		99 = LEGITIMATE SKIP (TXEVER=2)	23551	96.11

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			PAGE: 174	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
TXLTSP	2	*OTHER FACILITY RECEIVED LAST TREATMENT		
		4 = AA or NA or CA	8	0.03
		5 = Residential placement	6	0.02
		9 = Within myself (self-treatment)	1	0.00
		10 = Church or religious influence	5	0.02
		12 = Friends	1	0.00
		13 = Court or correctional facilities	17	0.07
		14 = Counselor, therapist, psychologist	14	0.06
		15 = School	10	0.04
		16 = Home, family	2	0.01
		18 = Homeless shelter	2	0.01
		19 = Alternative medicine	1	0.00
		20 = Camp/Outward Bound Program	2	0.01
		22 = Hospital	8	0.03
		24 = Drug treatment or rehab. center	27	0.11
		25 = Mental health center	3	0.01
		85 = BAD DATA Logically assigned	2	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	832	3.40
		99 = LEGITIMATE SKIP (TXEVER=2)	23560	96.14

TX-9. As you read the following list of drugs, please mark one box beside each type of drug to indicate whether you received treatment or counseling for your use of that kind of drug the last time you entered treatment.

TXLTALC	2	*LAST TREATMENT FOR ALCOHOL		
		1 = Yes	477	1.95
		2 = No	241	0.98
		3 = Yes LOGICALLY ASSIGNED	10	0.04
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	117	0.48
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	213	0.87
		99 = LEGITIMATE SKIP (TXEVER=2)	23443	95.67
TXLTMJ	2	*LAST TREATMENT FOR MARIJUANA/HASHISH		
		1 = Yes	221	0.90
		2 = No	488	1.99
		3 = Yes LOGICALLY ASSIGNED	4	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	117	0.48
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	228	0.93
		99 = LEGITIMATE SKIP (TXEVER=2)	23443	95.67

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			PAGE: 175	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
TXLTCOC	2	*LAST TREATMENT FOR COCAINE/"CRACK"		
		1 = Yes	142	0.58
		2 = No	564	2.30
		3 = Yes LOGICALLY ASSIGNED	6	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	117	0.48
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	229	0.93
		99 = LEGITIMATE SKIP (TXEVER=2)	23443	95.67
TXLTHER	2	*LAST TREATMENT FOR HEROIN		
		1 = Yes	50	0.20
		2 = No	649	2.65
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	116	0.47
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	241	0.98
		99 = LEGITIMATE SKIP (TXEVER=2)	23444	95.67
TXLTHAL	2	*LAST TREATMENT FOR HALLUCINOGENS		
		1 = Yes	58	0.24
		2 = No	643	2.62
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	117	0.48
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	240	0.98
		99 = LEGITIMATE SKIP (TXEVER=2)	23443	95.67
TXLTINH	2	*LAST TREATMENT FOR INHALANTS		
		1 = Yes	28	0.11
		2 = No	672	2.74
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	116	0.47
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	241	0.98
		99 = LEGITIMATE SKIP (TXEVER=2)	23444	95.67
TXLTANL	2	*LAST TREATMENT FOR PRESCRIPTION PAIN KILLERS		
		1 = Yes	44	0.18
		2 = No	654	2.67
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	116	0.47
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	242	0.99
		99 = LEGITIMATE SKIP (TXEVER=2)	23444	95.67
TXLTRAN	2	*LAST TREATMENT FOR PRESCRIPTION TRANQUILIZERS		
		1 = Yes	33	0.13
		2 = No	664	2.71
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	116	0.47
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	244	1.00
		99 = LEGITIMATE SKIP (TXEVER=2)	23444	95.67

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			PAGE: 176	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
TXLTSTIM	2	*LAST TREATMENT FOR PRESCRIPTION STIMULANTS		
		1 = Yes	52	0.21
		2 = No	619	2.53
		3 = Yes LOGICALLY ASSIGNED	33	0.13
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	117	0.48
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	237	0.97
		99 = LEGITIMATE SKIP (TXEVER=2)	23443	95.67
TXLTSED	2	*LAST TREATMENT FOR PRESCRIPTION SEDATIVES		
		1 = Yes	31	0.13
		2 = No	665	2.71
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	116	0.47
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	244	1.00
		99 = LEGITIMATE SKIP (TXEVER=2)	23444	95.67
TXLTSOD	2	*LAST TREATMENT FOR SOME OTHER DRUG(S)		
		1 = Yes	39	0.16
		2 = No	581	2.37
		3 = Yes LOGICALLY ASSIGNED	10	0.04
		5 = Treatment drug unknown, LOGICALLY ASSIGNED	72	0.29
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	116	0.47
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	239	0.98
		99 = LEGITIMATE SKIP (TXEVER=2)	23444	95.67
TXLTA	4	*OTHER DRUG LAST TREATED (FIRST MENTION)		
		247 = Adapin, Doxepin, Sinequan	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	13	0.05
		339 = Amphetamines (speed generically)	1	0.00
		348 = Crystal	3	0.01
		355 = Crystal meth	4	0.02
		415 = Codeine	1	0.00
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, pot, wee	1	0.00
		805 = Cocaine, coca, coke	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		9900 = Not a drug	1	0.00
		9997 = REFUSED	4	0.02
		9998 = BLANK (NO ANSWER)	912	3.72
		9999 = LEGITIMATE SKIP	23560	96.14

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			PAGE: 177	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
TXLTB	4	*OTHER DRUG LAST TREATED (SECOND MENTION)		
		229 = Librax	1	0.00
		321 = Methedrine	1	0.00
		806 = Crack, rock	1	0.00
		9997 = REFUSED	4	0.02
		9998 = BLANK (NO ANSWER)	938	3.83
		9999 = LEGITIMATE SKIP	23560	96.14
TXLTC	4	*OTHER DRUG LAST TREATED (THIRD MENTION)		
		9997 = REFUSED	4	0.02
		9998 = BLANK (NO ANSWER)	941	3.84
		9999 = LEGITIMATE SKIP	23560	96.14
TXLTD	4	*OTHER DRUG LAST TREATED (FOURTH MENTION)		
		9997 = REFUSED	4	0.02
		9998 = BLANK (NO ANSWER)	941	3.84
		9999 = LEGITIMATE SKIP	23560	96.14
TXLTE	4	*OTHER DRUG LAST TREATED (FIFTH MENTION)		
		9997 = REFUSED	4	0.02
		9998 = BLANK (NO ANSWER)	941	3.84
		9999 = LEGITIMATE SKIP	23560	96.14

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			PAGE: 178	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		TX-10. What was the primary drug you entered treatment for during the last time you were treated?		
TXDRGA	4	*PRIMARY DRUG OF TREATMENT (FIRST MENTION)		
		103 = Amytal	1	0.00
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.00
		207 = Ativan	1	0.00
		209 = Xanax	2	0.01
		250 = Aventyl, Nortriptyline, Pamelor	1	0.00
		318 = Ritalin, Methylphenidate	2	0.01
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	20	0.08
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00
		339 = Amphetamines (speed generically)	14	0.06
		348 = Crystal	10	0.04
		355 = Crystal meth	7	0.03
		415 = Codeine	3	0.01
		420 = OTHER Analgesic, NOT SPECIFIED	3	0.01
		434 = Anexia, Co-Gesic, Hydrocodone, Lortab, Tussionex,	3	0.01
		501 = Gasoline or lighter fluids	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	2	0.01
		604 = Psilocybin (mushrooms), shooms	1	0.00
		605 = PCP ("angel dust," phencyclidine)	2	0.01
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	23	0.09
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, pot, wee	93	0.38
		804 = Hashish	1	0.00
		805 = Cocaine, coca, coke	42	0.17
		806 = Crack, rock	26	0.11
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	316	1.29
		812 = Cigars	1	0.00
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.00
		899 = Bromphen	1	0.00
		9900 = Not a drug	1	0.00
		9995 = BAD DATA	1	0.00
		9997 = REFUSED	5	0.02
		9998 = BLANK (NO ANSWER)	355	1.45
		9999 = LEGITIMATE SKIP	23560	96.14

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				PAGE: 179
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
TXDRGB	4	*PRIMARY DRUG OF TREATMENT (SECOND MENTION)		
		201 = Valium	1	0.00
		284 = Tofranil	1	0.00
		321 = Methedrine	1	0.00
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	2	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.00
		348 = Crystal	2	0.01
		355 = Crystal meth	1	0.00
		423 = Percocet	1	0.00
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.00
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	2	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		702 = Heroin	1	0.00
		801 = OTHER Drugs, NOT SPECIFIED	1	0.00
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, pot, wee	13	0.05
		805 = Cocaine, coca, coke	13	0.05
		806 = Crack, rock	5	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.01
		9997 = REFUSED	4	0.02
		9998 = BLANK (NO ANSWER)	892	3.64
		9999 = LEGITIMATE SKIP	23560	96.14
TXDRGC	4	*PRIMARY DRUG OF TREATMENT (THIRD MENTION)		
		348 = Crystal	1	0.00
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.00
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.00
		805 = Cocaine, coca, coke	1	0.00
		806 = Crack, rock	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	3	0.01
		9997 = REFUSED	4	0.02
		9998 = BLANK (NO ANSWER)	933	3.81
		9999 = LEGITIMATE SKIP	23560	96.14
TXDRGD	4	*PRIMARY DRUG OF TREATMENT (FOURTH MENTION)		
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.00
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, pot, wee	1	0.00
		9997 = REFUSED	4	0.02
		9998 = BLANK (NO ANSWER)	939	3.83
		9999 = LEGITIMATE SKIP	23560	96.14
TXDRGE	4	*PRIMARY DRUG OF TREATMENT (FIFTH MENTION)		
		9997 = REFUSED	4	0.02
		9998 = BLANK (NO ANSWER)	941	3.84
		9999 = LEGITIMATE SKIP	23560	96.14

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			PAGE: 180	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		TX-11. What was the outcome of the primary treatment or counseling at the place you marked in question TX-8? PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.		
TXOUTC	2	*OUTCOME OF TREATMENT LAST RECEIVED		
		1 = Still in treatment	111	0.45
		2 = Successfully completed treatment	418	1.71
		3 = Had a problem with program	44	0.18
		4 = Couldn't afford to continue treatment	17	0.07
		5 = Family needed me	8	0.03
		6 = Began using drug(s) again	32	0.13
		7 = Other outcome, not specified	17	0.07
		8 = Didn't need treatment	5	0.02
		10 = Successful because of own efforts, not trmt.	5	0.02
		12 = Kicked out of program	3	0.01
		13 = Moved	1	0.00
		14 = Successful because of religious reasons	2	0.01
		15 = Discontinued treatment, success unknown	8	0.03
		16 = Completed treatment, outcome unknown	5	0.02
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	3	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	261	1.07
		99 = LEGITIMATE SKIP (TXEVER=2)	23557	96.13
		TX-12. How long did you stay in treat- ment for your alcohol or drug use during your last treatment at the place you marked in question TX-8? If you are currently in treatment for alcohol or drug use, how long have you been in treatment so far? Please fill in either the number of days or the number of months below.		
TXTIME	4	*LENGTH OF LAST DRUG/ALCOHOL TREATMENT IN DAYS		
		RANGE = 1 - 5760	632	2.58
		0 = None	24	0.10
		9975 = Indicated treatment received at least once	2	0.01
		9989 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	31	0.13
		9994 = DON'T KNOW	5	0.02
		9997 = REFUSED	5	0.02
		9998 = BLANK (NO ANSWER)	277	1.13
		9999 = LEGITIMATE SKIP (TXEVER=2)	23529	96.02

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			PAGE: 181	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		TX-13. As you read the following list of sources of payment for treatment, please mark one box beside each source to indicate whether your last treatment or counseling that you marked in question TX-8 for alcohol or drug use was paid for by that source, even if it only paid part of the cost.		
TXPDINS	2	*HEALTH INSURANCE PAID FOR LAST TREATMENT		
		1 = Yes	158	0.64
		2 = No	457	1.86
		3 = Yes LOGICALLY ASSIGNED	3	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	182	0.74
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	323	1.32
		99 = LEGITIMATE SKIP (TXEVER=2)	23378	95.40
TXPDCARE	2	*MEDICARE PAID FOR LAST TREATMENT		
		1 = Yes	30	0.12
		2 = No	560	2.29
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	180	0.73
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	350	1.43
		99 = LEGITIMATE SKIP (TXEVER=2)	23380	95.41
TXPDCAID	2	*MEDICAID PAID FOR LAST TREATMENT		
		1 = Yes	51	0.21
		2 = No	546	2.23
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	179	0.73
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	344	1.40
		99 = LEGITIMATE SKIP (TXEVER=2)	23381	95.41
TXPDSAVE	2	*OWN SAVINGS OR EARNINGS PAID FOR LAST TRMT		
		1 = Yes	151	0.62
		2 = No	455	1.86
		3 = Yes LOGICALLY ASSIGNED	6	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	179	0.73
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	329	1.34
		99 = LEGITIMATE SKIP (TXEVER=2)	23381	95.41

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			PAGE: 182	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
TXPDFMLY	2	*FAMILY MEMBERS PAID FOR LAST TREATMENT		
		1 = Yes	79	0.32
		2 = No	515	2.10
		3 = Yes LOGICALLY ASSIGNED	3	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	180	0.73
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	344	1.40
		99 = LEGITIMATE SKIP (TXEVER=2)	23380	95.41
TXPDEMPL	2	*EMPLOYER PAID FOR LAST TREATMENT		
		1 = Yes	20	0.08
		2 = No	565	2.31
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	179	0.73
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	356	1.45
		99 = LEGITIMATE SKIP (TXEVER=2)	23381	95.41
TXPDFREE	2	*LAST TREATMENT WAS FREE		
		1 = Yes	154	0.63
		2 = No	468	1.91
		3 = Yes LOGICALLY ASSIGNED	9	0.04
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	179	0.73
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	310	1.27
		99 = LEGITIMATE SKIP (TXEVER=2)	23381	95.41
TXPDSOS	2	*LAST TREATMENT PAID FOR BY SOME OTHER SOURCE		
		1 = Yes	85	0.35
		2 = No	441	1.80
		3 = Yes LOGICALLY ASSIGNED	17	0.07
		5 = Yes, payment source not specified LOGICALLY ASSN .	74	0.30
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	177	0.72
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	324	1.32
		99 = LEGITIMATE SKIP (TXEVER=2)	23383	95.42

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			PAGE: 183	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TXPDSP	2	*OTHER PAYER FOR LAST TREATMENT		
		1 = Health Insurance	3	0.01
		2 = Own savings or earnings	9	0.04
		3 = Family member	4	0.02
		6 = Free	11	0.04
		8 = Friend/Sponsor	2	0.01
		9 = State/city public assistance/welfare/relief	23	0.09
		10 = Court	13	0.05
		11 = Church	1	0.00
		12 = School	3	0.01
		13 = Hospital	1	0.00
		14 = Veterans administration/military services	11	0.04
		16 = Indian Health Service	1	0.00
		17 = Social Security	2	0.01
		19 = Medicare	2	0.01
		21 = Bartered Services	1	0.00
		85 = BAD DATA Logically assigned	4	0.02
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	849	3.46
		99 = LEGITIMATE SKIP (TXEVER=2)	23560	96.14

TX-14. Were you enrolled in a treatment program for your alcohol or drug use (whether or not it was your last treatment episode) on October 1, 1996? For this question, please include only treatment received at a hospital, drug rehabilitation facility, or mental health center.

Note: TXENROLL is a new name for the variable below which is comparable to TXEN1093 of NHSDA 1994W.

TXENROLL	2	*ENROLLED IN TREATMENT ON OCTOBER 1, 1996		
		1 = Yes	83	0.34
		2 = No	642	2.62
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	530	2.16
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	215	0.88
		99 = LEGITIMATE SKIP (TXEVER=2)	23030	93.98

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE WORKPLACE ISSUES			PAGE: 184	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		NON-CORE WORKPLACE ISSUES -- ANSWER SHEET #18		

		FI CHECKPOINT R; DO YOU THINK R CAN		
		COMPLETE THIS ANSWER SHEET ON HIS/HER		
		OWN?		
SKPWRKRD	2	CAN RESP COMPLETE WORK PLACE ISSUES ANS SHEET ALON		
		1 = Yes, I think that respondent can complete it alone	23087	94.21
		2 = No, I doubt that resp. can complt. it alone - SKIP	1028	4.20
		96 = MULTIPLE RESPONSE	3	0.01
		98 = BLANK (NO ANSWER)	387	1.58
		WK-0. You may complete this answer		
		sheet on your own, or if you prefer,		
		I'll read the questions out loud.		
		Which do you prefer?		
WRKREAD	2	WORK PLACE ISSUES - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1853	7.56
		2 = Wants to complete the answer sheet on his/her own	21765	88.82
		96 = MULTIPLE RESPONSE	3	0.01
		98 = BLANK (NO ANSWER)	409	1.67
		99 = LEGITIMATE SKIP	475	1.94

NON-CORE WORKPLACE ISSUES			PAGE: 185	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
		<p>The first seven questions are about work-related accidents in which you may have been involved. When we refer to your involvement in work-related accidents, we mean that you were part of an accident at the time it took place while you were working, and that this accident resulted in any or all of the following: damage to property or equipment, an injury to yourself, or an injury to another person. Please keep this definition in mind as you answer this series of questions.</p> <p>WK-1. Have you ever been involved in a work-related accident?</p>		
WKEVRACC	2	EVER BEEN INVOLVED IN WORK-RELATED ACCIDENT		
		1 = Yes	2383	9.72
		2 = No	21662	88.40
		3 = Yes LOGICALLY ASSIGNED	25	0.10
		4 = No LOGICALLY ASSIGNED	12	0.05
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	420	1.71
		<p>W-2. Have you been involved in a work-related accident during the past 12 months?</p>		
WKYRACC	2	BEEN INVOLVED WORK-RELATED ACCIDENT PAST 12 MTHS		
		1 = Yes	704	2.87
		2 = No	1694	6.91
		3 = Yes LOGICALLY ASSIGNED	25	0.10
		89 = LEGITIMATE SKIP Logically assigned	886	3.62
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	405	1.65
		99 = LEGITIMATE SKIP	20788	84.83

NON-CORE WORKPLACE ISSUES

PAGE: 186

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
		W-3. As a result of any work-related accidents you were involved in during the past 12 months, were you required to take an alcohol or drug test?		
WKYRTEST	2	RESULT OF ACCIDENT, RQRD DRUG/ALC TEST PAST 12 MTH		
		1 = Yes	128	0.52
		2 = No	604	2.46
		3 = Yes LOGICALLY ASSIGNED	6	0.02
		89 = LEGITIMATE SKIP Logically assigned	315	1.29
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	395	1.61
		99 = LEGITIMATE SKIP	23053	94.07
		W-4. During the past 30 days, have you been involved in any work-related accidents?		
WK30ACC	2	BEEN INVOLVED IN WORK-RELATED ACCIDENTS PST 30 DYS		
		1 = Yes	165	0.67
		2 = No	544	2.22
		3 = Yes LOGICALLY ASSIGNED	14	0.06
		89 = LEGITIMATE SKIP Logically assigned	453	1.85
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	410	1.67
		99 = LEGITIMATE SKIP	22915	93.51
		W-5. As a result of any work-related accidents you were involved in during the past 30 days, were you required to take an alcohol or drug test?		
WK30TEST	2	RESULT OF ACCIDENT, RQRD DRUG/ALC TEST PST 30 DAYS		
		1 = Yes	40	0.16
		2 = No	142	0.58
		89 = LEGITIMATE SKIP Logically assigned	315	1.29
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	408	1.66
		99 = LEGITIMATE SKIP	23597	96.29

NON-CORE WORKPLACE ISSUES			PAGE: 187	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		W-6. During the past 12 months, have you voluntarily left an employer?		
WKYRVOL	2	VOLUNTARILY LEFT AN EMPLOYER PAST 12 MONTHS		
		1 = Yes	3677	15.01
		2 = No	19834	80.94
		3 = Yes LOGICALLY ASSIGNED	58	0.24
		96 = MULTIPLE RESPONSE	86	0.35
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	847	3.46
		W-7. During the past 12 months, have you involuntarily left an employer for any of the following reasons? (PLEASE MARK ONE BOX FOR EACH ITEM.)		
WKYRFIRE	2	YOU WERE FIRED		
		1 = Yes	487	1.99
		2 = No	21403	87.34
		3 = Yes LOGICALLY ASSIGNED	17	0.07
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	2592	10.58
WKYRLOFF	2	YOU WERE PERMANENTLY LAID OFF		
		1 = Yes	552	2.25
		2 = No	21227	86.62
		3 = Yes LOGICALLY ASSIGNED	76	0.31
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	2644	10.79
WKYROTHR	2	FOR SOME OTHER REASON		
		1 = Yes	1083	4.42
		2 = No	19504	79.59
		3 = Yes LOGICALLY ASSIGNED	465	1.90
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	3447	14.07

NON-CORE WORKPLACE ISSUES			PAGE: 188	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
WKYRSPEC	2	OTHER REASON SPECIFIED		
		1 = Fired	23	0.09
		2 = Permanently laid off	84	0.34
		4 = Better job/pay/benefits/opportunities	77	0.31
		5 = New job/career change	58	0.24
		6 = Union/labor dispute	3	0.01
		7 = Too few hours/poor pay/lack of benefits	66	0.27
		8 = Too demanding	18	0.07
		9 = Family and child care responsibilities	41	0.17
		10 = Personal or domestic problems	16	0.07
		11 = Transportation problems	13	0.05
		12 = Health reasons/accident/injury unascrbed to work	92	0.38
		13 = Bus. closed/bankruptcy/relocated/reorganized/sold	80	0.33
		14 = Communication problems/conflicts at work	63	0.26
		15 = Sexual harassment/racism	10	0.04
		16 = Seasonal/short-term job	81	0.33
		17 = Temporary agency/temporary job	23	0.09
		18 = Job locale was too far from home	4	0.02
		19 = Moved away from area/job	78	0.32
		20 = Temporary lay off	21	0.09
		21 = Pregnancy/maternity-related reasons	47	0.19
		22 = Job-related injury/workman's compensation	6	0.02
		23 = Self-employed	11	0.04
		24 = Student/interfered wth schl activities or studies	121	0.49
		25 = Alcohol/drug abuse	6	0.02
		26 = Criminal/legal problems	10	0.04
		27 = Voluntarily left/quit/resigned	163	0.67
		28 = Not old enough to work	16	0.07
		29 = Unemployed/have not worked past 12 months/retired	276	1.13
		85 = BAD DATA Logically assigned	22	0.09
		94 = DON'T KNOW	3	0.01
		95 = BAD DATA	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	22967	93.72

NON-CORE DRUG EXPERIENCES			PAGE: 189
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----
		NON-CORE DRUG EXPERIENCES -- ANSWER SHEET #19	

		FI CHECKPOINT S; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?	
SKPDEXRD	2	CAN RESP COMPLETE DRUG EXPERIENCES ANS SHEET ALONE	
		1 = Yes, I think that respondent can complete it alone	23152 94.48
		2 = No, I doubt that resp. can complt. it alone - SKIP	1027 4.19
		96 = MULTIPLE RESPONSE	3 0.01
		98 = BLANK (NO ANSWER)	323 1.32
		DE-0. We would like you to complete the rest of this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?	
DEXREAD	2	DRUG EXPERIENCES - READING PREFERENCE	
		1 = Wants interviewer to continue reading	1955 7.98
		2 = Wants to do it himself/herself	21692 88.52
		96 = MULTIPLE RESPONSE	6 0.02
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	378 1.54
		99 = LEGITIMATE SKIP	473 1.93
DXVERSN	2	*IS THIS TYPE 19A ANSWER SHEET (OLD OR NEW)	
		1 = Yes (Type 19A)	19231 78.48
		2 = No	130 0.53
		98 = BLANK (NO ANSWER)	5144 20.99
		DE-1. Have you ever smoked a cigar, even one or two puffs? Please include any cigarillos you may have smoked.	
DXCGRLF	2	*EVER SMOKED CIGARS	
		1 = Yes	6325 25.81
		2 = No	17974 73.35
		3 = Yes LOGICALLY ASSIGNED	40 0.16
		96 = MULTIPLE RESPONSE	12 0.05
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	152 0.62

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 190	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		DE-2. Have you smoked at least 50 cigars in your lifetime?		
DXCG50LF	2	*SMOKED AT LEAST 50 CIGARS IN LIFETIME		
		1 = Yes	1114	4.55
		2 = No	5184	21.15
		89 = LEGITIMATE SKIP Logically assigned	269	1.10
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	228	0.93
		99 = LEGITIMATE SKIP	17705	72.25
		DE-3. Now think about the past 30 days, from your 30-day reference date through today. During the past 30 days, on how many days did you smoke a cigar?		
DXCG30US	2	*# DAYS SMOKED CIGARS PAST 30 DAYS		
		RANGE = 1 - 30	1444	5.89
		0 = None	1	0.00
		35 = Date specified within the past 30 days	1	0.00
		83 = DID NOT USE CIGARS IN THE PAST 30 DAYS Log assn ..	300	1.22
		85 = BAD DATA Logically assigned	6	0.02
		89 = LEGITIMATE SKIP Logically assigned	102	0.42
		93 = DID NOT USE CIGARS IN THE PAST 30 DAYS	4418	18.03
		94 = DON'T KNOW	2	0.01
		95 = BAD DATA	26	0.11
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	331	1.35
		99 = LEGITIMATE SKIP	17872	72.93
		DE-4. Has anyone ever offered you mari- juana or hashish, or tried to sell you marijuana or hashish?		
DXMJOFFR	2	*ANYONE OFFERED/TRIED TO SELL YOU MARIJUANA		
		1 = Yes	10244	41.80
		2 = No	12721	51.91
		96 = MULTIPLE RESPONSE	7	0.03
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1531	6.25

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 191	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		DE-5. Have you ever, even once, used marijuana or hashish?		
DXMJEVER	2	*EVER USED MARIJUANA		
		1 = Yes	7353	30.01
		2 = No	16608	67.77
		3 = Yes LOGICALLY ASSIGNED	102	0.42
		4 = No LOGICALLY ASSIGNED	148	0.60
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	291	1.19
		DE-6. Who were the other people with you the first time you smoked marijuana or hashish? PLEASE MARK ALL THAT APPLY.		
DXMJPALN	2	*I WAS ALONE		
		1 = Response marked	168	0.69
		6 = Response not marked	6968	28.44
		11 = Response marked (and >=1 other response in DE-6) .	195	0.80
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	412	1.68
		99 = LEGITIMATE SKIP	16755	68.37
DXMJPPSPS	2	*WITH BOYFRIEND/GIRLFRIEND/SPOUSE		
		1 = Response marked	1192	4.86
		6 = Response not marked	6013	24.54
		11 = Response marked (and DXMJPALN marked)	126	0.51
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	412	1.68
		99 = LEGITIMATE SKIP	16755	68.37
DXMJPFNRN	2	*WITH FRIEND(S)		
		1 = Response marked	5876	23.98
		6 = Response not marked	1263	5.15
		11 = Response marked (and DXMJPALN marked)	192	0.78
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	412	1.68
		99 = LEGITIMATE SKIP	16755	68.37

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 192
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----
DXMJPMET	2	*WITH SOMEONE I JUST MET	
		1 = Response marked	295 1.20
		6 = Response not marked	6963 28.41
		11 = Response marked (and DXMJPALN marked)	73 0.30
		85 = BAD DATA Logically assigned	3 0.01
		89 = LEGITIMATE SKIP Logically assigned	1 0.00
		97 = REFUSED	3 0.01
		98 = BLANK (NO ANSWER)	412 1.68
		99 = LEGITIMATE SKIP	16755 68.37
DXMJPSIB	2	*WITH BROTHER(S) OR SISTER(S)	
		1 = Response marked	540 2.20
		6 = Response not marked	6723 27.44
		11 = Response marked (and DXMJPALN marked)	68 0.28
		85 = BAD DATA Logically assigned	3 0.01
		89 = LEGITIMATE SKIP Logically assigned	1 0.00
		97 = REFUSED	3 0.01
		98 = BLANK (NO ANSWER)	412 1.68
		99 = LEGITIMATE SKIP	16755 68.37
DXMJPDAD	2	*WITH MY FATHER	
		1 = Response marked	26 0.11
		6 = Response not marked	7296 29.77
		11 = Response marked (and DXMJPALN marked)	9 0.04
		85 = BAD DATA Logically assigned	3 0.01
		89 = LEGITIMATE SKIP Logically assigned	1 0.00
		97 = REFUSED	3 0.01
		98 = BLANK (NO ANSWER)	412 1.68
		99 = LEGITIMATE SKIP	16755 68.37
DXMJPMOM	2	*WITH MY MOTHER	
		1 = Response marked	37 0.15
		6 = Response not marked	7283 29.72
		11 = Response marked (and DXMJPALN marked)	11 0.04
		85 = BAD DATA Logically assigned	3 0.01
		89 = LEGITIMATE SKIP Logically assigned	1 0.00
		97 = REFUSED	3 0.01
		98 = BLANK (NO ANSWER)	412 1.68
		99 = LEGITIMATE SKIP	16755 68.37
DXMJPREL	2	*WITH OTHER RELATIVE(S)	
		1 = Response marked	406 1.66
		6 = Response not marked	6850 27.95
		11 = Response marked (and DXMJPALN marked)	75 0.31
		85 = BAD DATA Logically assigned	3 0.01
		89 = LEGITIMATE SKIP Logically assigned	1 0.00
		97 = REFUSED	3 0.01
		98 = BLANK (NO ANSWER)	412 1.68
		99 = LEGITIMATE SKIP	16755 68.37

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 193
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----
DXMJPSOP	2	*SOME OTHER PERSON/PEOPLE	
		1 = Response marked	130 0.53
		6 = Response not marked	7183 29.31
		11 = Response marked (and DXMJPALN marked)	18 0.07
		85 = BAD DATA Logically assigned	3 0.01
		89 = LEGITIMATE SKIP Logically assigned	1 0.00
		97 = REFUSED	3 0.01
		98 = BLANK (NO ANSWER)	412 1.68
		99 = LEGITIMATE SKIP	16755 68.37
DXMJPSOP	3	*OTHER RELATIONSHIP SPECIFIED	
		84 = Neighbor/Co-Worker/Visitor/Employee/Employer	7 0.03
		91 = Other Non-Relative, Gender not specified	7 0.03
		181 = Other Male God Relative	1 0.00
		191 = Other Male Non-Relative	8 0.03
		291 = Other Female Non-Relative	3 0.01
		384 = Neighbors/Co-Workers/Visitors/Employees/Employers	6 0.02
		391 = Other Non-Relatives, Gender not specified	11 0.04
		392 = Others, Relation and Gender Unspecified	11 0.04
		600 = Teacher(s)	3 0.01
		605 = Police/law enforcement	2 0.01
		985 = BAD DATA Logically assigned	6 0.02
		989 = LEGITIMATE SKIP Logically assigned	7179 29.30
		997 = REFUSED	3 0.01
		998 = BLANK (NO ANSWER)	502 2.05
		999 = LEGITIMATE SKIP	16756 68.38

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 194
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----
DXMJPNR	2	*USED MJ WITH OTHER NON-RELATIVE - RECODE	
		10 = BOY/GIRLFRIEND OF PARENT	1 0.00
		11 = OTHER FRIEND(S) OF PARENT(S)	1 0.00
		12 = BOY/GIRLFRIEND OF SIBLING(S)	2 0.01
		13 = OTHER FRIEND(S) OF SIBLING(S)	3 0.01
		14 = IN-LAW(S) OF SIBLING(S)	1 0.00
		15 = FRIEND(S) OF FAMILY	1 0.00
		16 = FRIEND(S) OF OTHER RELATIVE(S)	1 0.00
		20 = FRIEND(S) OF SPOUSE	1 0.00
		21 = SIBLING(S) OF BOY/GIRLFRIEND/EX	2 0.01
		22 = FRIEND(S) OF BOY/GIRLFRIEND/EX	1 0.00
		30 = PARENT(S) OF FRIEND(S)	3 0.01
		31 = SIBLING(S) OF FRIEND(S)	2 0.01
		32 = FRIEND(S) OF FRIEND(S)	2 0.01
		40 = MANAGER/BOSS/EMPLOYER	2 0.01
		41 = EMPLOYEE(S)/SUPERVISEE(S)	1 0.00
		42 = CO-WORKER(S), RELATIONSHIP UNSPECIFIED	7 0.03
		50 = NEIGHBOR(S)	1 0.00
		51 = FAMILY MEMBER(S) OF NEIGHBOR	1 0.00
		60 = PARTY/COLLEGE PARTY	7 0.03
		61 = OTHER SCHOOL-RELATED	2 0.01
		62 = IN THE MILITARY	2 0.01
		63 = IN A GROUP, PARTY NOT SPECIFIED	2 0.01
		70 = BABYSITTER	1 0.00
		71 = CASUAL ACQUAINTANCE(S)	3 0.01
		72 = DRUG DEALER	1 0.00
		997 = REFUSED	3 0.01
		998 = BLANK (NO ANSWER)	510 2.08
		999 = LEGITIMATE SKIP	23941 97.70

DE-7. Here are some reasons people give for using marijuana or hashish the first time. Please indicate whether each of these was a reason why you used marijuana or hashish the first time. PLEASE MARK ONLY ONE BOX FOR EACH REASON.

DXMJFSEE	2	*I WANTED TO SEE WHAT IT WAS LIKE	
		1 = Yes	6570 26.81
		2 = No	500 2.04
		89 = LEGITIMATE SKIP Logically assigned	153 0.62
		96 = MULTIPLE RESPONSE	13 0.05
		97 = REFUSED	3 0.01
		98 = BLANK (NO ANSWER)	663 2.71
		99 = LEGITIMATE SKIP	16603 67.75

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 195	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DXMJFFGD	2	*I THOUGHT IT WOULD MAKE ME FEEL GOOD		
		1 = Yes	3341	13.63
		2 = No	3000	12.24
		89 = LEGITIMATE SKIP Logically assigned	150	0.61
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	1403	5.73
		99 = LEGITIMATE SKIP	16606	67.77
DXMJFFRN	2	*MY FRIENDS WERE USING IT		
		1 = Yes	3892	15.88
		2 = No	2587	10.56
		89 = LEGITIMATE SKIP Logically assigned	148	0.60
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	1265	5.16
		99 = LEGITIMATE SKIP	16608	67.77
DXMJFSPS	2	*MY BOYFRIEND/GIRLFRIEND/SPOUSE WANTED ME TO TRY I		
		1 = Yes	1095	4.47
		2 = No	5157	21.04
		89 = LEGITIMATE SKIP Logically assigned	147	0.60
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	1490	6.08
		99 = LEGITIMATE SKIP	16609	67.78
DXMJFESC	2	*I WANTED TO GET AWAY FROM MY PROBLEMS OR TROUBLES		
		1 = Yes	745	3.04
		2 = No	5476	22.35
		89 = LEGITIMATE SKIP Logically assigned	146	0.60
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	1523	6.22
		99 = LEGITIMATE SKIP	16610	67.78
DXMJFNEW	2	*I WAS BORED AND WANTED TO TRY SOMETHING NEW		
		1 = Yes	1849	7.55
		2 = No	4408	17.99
		89 = LEGITIMATE SKIP Logically assigned	146	0.60
		96 = MULTIPLE RESPONSE	5	0.02
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	1484	6.06
		99 = LEGITIMATE SKIP	16610	67.78

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 196	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DXMJFREB	2	*I WANTED TO DISOBEY PEOPLE WHO TOLD ME NOT TO USE		
		1 = Yes	442	1.80
		2 = No	5757	23.49
		89 = LEGITIMATE SKIP Logically assigned	145	0.59
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	1546	6.31
		99 = LEGITIMATE SKIP	16611	67.79
DXMJFSOR	2	*SOME OTHER REASON		
		1 = Yes	328	1.34
		2 = No	5458	22.27
		5 = Yes LOGICALLY ASSIGNED	47	0.19
		89 = LEGITIMATE SKIP Logically assigned	144	0.59
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	1913	7.81
		99 = LEGITIMATE SKIP	16612	67.79

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 197
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	----
DXMJFSP	2	*OTHER REASON SPECIFIED	
		9 = Thought it would be fun/exciting	9 0.04
		10 = Pressured by others/afraid to say no	32 0.13
		11 = To be cool/to be with the in crowd	16 0.07
		12 = My parent(s) offered it to me/my parent(s) use ...	7 0.03
		13 = My sibling(s) offered it to me/my sibling(s) use .	10 0.04
		14 = Forced to use against will	9 0.04
		15 = Other outside influence	7 0.03
		16 = For physical/medical reasons	10 0.04
		17 = To relax/sleep/relieve stress	16 0.07
		18 = To keep awake/give me energy	1 0.00
		19 = For sexual reasons	2 0.01
		20 = Enlightenment/spiritual reasons	5 0.02
		21 = Liked the smell	6 0.02
		22 = To replace another drug/enhance a drug high	2 0.01
		24 = Under the influence of another drug	4 0.02
		25 = Unaware I was using it/deception	15 0.06
		26 = I was young/stupid/didn't know better	12 0.05
		27 = It just happened/it was available/normal	17 0.07
		28 = To get it over with	1 0.00
		29 = Always around it	3 0.01
		30 = Did not think it was as dangerous as other drugs .	2 0.01
		32 = As part of a special occasion	6 0.02
		33 = Used it to get rid of it	1 0.00
		34 = I wanted to prove that it is harmful	1 0.00
		35 = Because I wanted to/just felt like it	35 0.14
		36 = Part of a dare/bet	1 0.00
		85 = BAD DATA Logically assigned	7 0.03
		89 = LEGITIMATE SKIP Logically assigned	88 0.36
		94 = DON'T KNOW	2 0.01
		97 = REFUSED	4 0.02
		98 = BLANK (NO ANSWER)	2048 8.36
		99 = LEGITIMATE SKIP	22126 90.29

DE-8. Now think about the past 12 months, from your 12-month reference date through today. Have you used marijuana or hashish during the past 12 months?

DXMJYR	2	*USED MARIJUANA PAST 12 MONTHS	
		1 = Yes	2791 11.39
		2 = No	4508 18.40
		3 = Yes LOGICALLY ASSIGNED	128 0.52
		4 = No LOGICALLY ASSIGNED	39 0.16
		89 = LEGITIMATE SKIP Logically assigned	222 0.91
		96 = MULTIPLE RESPONSE	1 0.00
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	280 1.14
		99 = LEGITIMATE SKIP	16534 67.47

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 198	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		DE-9. Here are some reasons people give for using marijuana or hashish. Please mark whether each of these was a reason why you used marijuana or hashish at any time during the past 12 months. PLEASE MARK ONLY ONE BOX FOR EACH REASON.		
DXMJYFRN	2	*MY FRIENDS WERE USING IT		
		1 = Yes	1150	4.69
		2 = No	1003	4.09
		89 = LEGITIMATE SKIP Logically assigned	273	1.11
		92 = Question not administered	5274	21.52
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	417	1.70
		99 = LEGITIMATE SKIP	16385	66.86
DXMJYSPS	2	*MY BOYFRIEND/GIRLFRIEND/SPOUSE WAS USING IT		
		1 = Yes	441	1.80
		2 = No	1621	6.61
		89 = LEGITIMATE SKIP Logically assigned	261	1.07
		92 = Question not administered	5274	21.52
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	510	2.08
		99 = LEGITIMATE SKIP	16397	66.91
DXMJYESC	2	*I WANTED TO GET AWAY FROM MY PROBLEMS OR TROUBLES		
		1 = Yes	460	1.88
		2 = No	1600	6.53
		89 = LEGITIMATE SKIP Logically assigned	261	1.07
		92 = Question not administered	5274	21.52
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	511	2.09
		99 = LEGITIMATE SKIP	16397	66.91
DXMJYRLX	2	*I USED IT TO RELAX		
		1 = Yes	1356	5.53
		2 = No	817	3.33
		89 = LEGITIMATE SKIP Logically assigned	261	1.07
		92 = Question not administered	5274	21.52
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	397	1.62
		99 = LEGITIMATE SKIP	16397	66.91

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 199
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	----
DXMJYDRS	2	*A DOCTOR SUGGESTED THAT I USE IT	
		1 = Yes	44 0.18
		2 = No	1984 8.10
		89 = LEGITIMATE SKIP Logically assigned	261 1.07
		92 = Question not administered	5274 21.52
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	544 2.22
		99 = LEGITIMATE SKIP	16397 66.91
DXMJYDRX	2	*A DOCTOR PRESCRIBED IT FOR ME	
		1 = Yes	27 0.11
		2 = No	1999 8.16
		89 = LEGITIMATE SKIP Logically assigned	261 1.07
		92 = Question not administered	5274 21.52
		96 = MULTIPLE RESPONSE	1 0.00
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	545 2.22
		99 = LEGITIMATE SKIP	16397 66.91
DXMJYRLF	2	*I USED IT FOR PAIN RELIEF	
		1 = Yes	276 1.13
		2 = No	1765 7.20
		89 = LEGITIMATE SKIP Logically assigned	260 1.06
		92 = Question not administered	5274 21.52
		96 = MULTIPLE RESPONSE	1 0.00
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	530 2.16
		99 = LEGITIMATE SKIP	16398 66.92
DXMJYSOR	2	*SOME OTHER REASON	
		1 = Yes	464 1.89
		2 = No	1449 5.91
		5 = Yes LOGICALLY ASSIGNED	124 0.51
		89 = LEGITIMATE SKIP Logically assigned	258 1.05
		92 = Question not administered	5274 21.52
		96 = MULTIPLE RESPONSE	2 0.01
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	533 2.18
		99 = LEGITIMATE SKIP	16400 66.93

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 200
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----
DXMJYSP	2	*SOME OTHER REASON SPECIFIED	
		9 = Experimenting/curiosity	92 0.38
		10 = Because I wanted to/just felt like it	77 0.31
		11 = It was there	6 0.02
		12 = Influenced by others	10 0.04
		13 = It's fun/I like it/I like the way it makes me feel	156 0.64
		14 = Partying/to enhance an experience	11 0.04
		15 = Celebrating/special occasion	5 0.02
		16 = Enlightenment/spiritual reasons	5 0.02
		17 = I like the way it smells	1 0.00
		18 = I'm addicted/it is a habit	4 0.02
		19 = Bored	19 0.08
		20 = To give me energy	3 0.01
		21 = Increase my appetite	4 0.02
		22 = Unaware I was using it/deception	1 0.00
		23 = To replace another drug/enhance a drug high	2 0.01
		24 = Under the influence of another drug/alcohol	4 0.02
		26 = Good for you	1 0.00
		27 = Prefer it over other drugs	1 0.00
		29 = To remind myself why I had stopped using	1 0.00
		30 = To be cool/be with the in crowd	1 0.00
		89 = LEGITIMATE SKIP Logically assigned	54 0.22
		92 = Question not administered	5274 21.52
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	719 2.93
		99 = LEGITIMATE SKIP	18053 73.67

DE-10. Now think about the month in
which your 12-month reference date
begins. Did you used marijuana or
hashish at any time during that month
in 1996?

DXMJRET1	2	*USE MARIJUANA DURING SPEC MONTH IN 1996	
		1 = Yes	1584 6.46
		2 = No	776 3.17
		89 = LEGITIMATE SKIP Logically assigned	320 1.31
		92 = Question not administered	5274 21.52
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	211 0.86
		99 = LEGITIMATE SKIP	16338 66.67

*The values in this section may be inconsistent with values from the core sections(s)
since non-core items were not edited to make them consistent with core items, and
core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 201	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		DE-11. Here are some reasons people give for not using marijuana or hashish. Please indicate whether each of these was a reason why you did not use marijuana or hashish in the past 12 months. PLEASE MARK ONLY ONE BOX FOR EACH REASON.		
DXMJJNI	2	*I'M NOT INTERESTED IN USING IT ANY MORE		
		1 = Yes	3734	15.24
		2 = No	575	2.35
		89 = LEGITIMATE SKIP Logically assigned	787	3.21
		96 = MULTIPLE RESPONSE	7	0.03
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	512	2.09
		99 = LEGITIMATE SKIP	18888	77.08
DXMJDPHY	2	*I THINK IT HARMS ME PHYSICALLY		
		1 = Yes	2608	10.64
		2 = No	1531	6.25
		89 = LEGITIMATE SKIP Logically assigned	761	3.11
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	685	2.80
		99 = LEGITIMATE SKIP	18914	77.18
DXMJDSCK	2	*USING IT MAKES ME FEEL SICK		
		1 = Yes	1465	5.98
		2 = No	2620	10.69
		89 = LEGITIMATE SKIP Logically assigned	740	3.02
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	741	3.02
		99 = LEGITIMATE SKIP	18935	77.27
DXMJDBLF	2	*USING IT IS AGAINST MY BELIEFS		
		1 = Yes	1760	7.18
		2 = No	2352	9.60
		89 = LEGITIMATE SKIP Logically assigned	747	3.05
		96 = MULTIPLE RESPONSE	5	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	711	2.90
		99 = LEGITIMATE SKIP	18928	77.24

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 202	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DXMJDTST	2	*I'M AFRAID OF DRUG TESTING AT A JOB		
		1 = Yes	1054	4.30
		2 = No	3030	12.36
		89 = LEGITIMATE SKIP Logically assigned	746	3.04
		96 = MULTIPLE RESPONSE	6	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	738	3.01
		99 = LEGITIMATE SKIP	18929	77.25
DXMJDPST	2	*I FEEL THAT IT HARMS ME PSYCHOLOGICALLY		
		1 = Yes	2068	8.44
		2 = No	2035	8.30
		89 = LEGITIMATE SKIP Logically assigned	747	3.05
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	724	2.95
		99 = LEGITIMATE SKIP	18928	77.24
DXMJDDGS	2	*I'M AFRAID IT MIGHT LEAD ME TO USE STRONGER DRUGS		
		1 = Yes	1483	6.05
		2 = No	2608	10.64
		89 = LEGITIMATE SKIP Logically assigned	746	3.04
		96 = MULTIPLE RESPONSE	5	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	732	2.99
		99 = LEGITIMATE SKIP	18929	77.25
DXMJDADD	2	*I'M AFRAID I COULD BECOME ADDICTED		
		1 = Yes	1455	5.94
		2 = No	2632	10.74
		89 = LEGITIMATE SKIP Logically assigned	745	3.04
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	739	3.02
		99 = LEGITIMATE SKIP	18930	77.25
DXMJDPGR	2	*I GOT PREGNANT, OR I WANTED TO GET PREGNANT		
		1 = Yes	349	1.42
		2 = No	3669	14.97
		89 = LEGITIMATE SKIP Logically assigned	727	2.97
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	806	3.29
		99 = LEGITIMATE SKIP	18948	77.32

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 203
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	----
DXMJDKID	2	*I DON'T WANT TO USE IT AROUND MY CHILDREN	
		1 = Yes	1712 6.99
		2 = No	2385 9.73
		89 = LEGITIMATE SKIP Logically assigned	730 2.98
		94 = DON'T KNOW	1 0.00
		96 = MULTIPLE RESPONSE	1 0.00
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	729 2.97
		99 = LEGITIMATE SKIP	18945 77.31
DXMJDPAR	2	*MY PARENTS DISAPPROVE	
		1 = Yes	1568 6.40
		2 = No	2510 10.24
		89 = LEGITIMATE SKIP Logically assigned	742 3.03
		96 = MULTIPLE RESPONSE	4 0.02
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	746 3.04
		99 = LEGITIMATE SKIP	18933 77.26
DXMJDSPS	2	*MY SPOUSE/BOYFRIEND/GIRLFRIEND DISAPPROVES	
		1 = Yes	1347 5.50
		2 = No	2727 11.13
		89 = LEGITIMATE SKIP Logically assigned	738 3.01
		96 = MULTIPLE RESPONSE	4 0.02
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	750 3.06
		99 = LEGITIMATE SKIP	18937 77.28
DXMJDFRN	2	*MY FRIENDS DISAPPROVE	
		1 = Yes	994 4.06
		2 = No	3075 12.55
		89 = LEGITIMATE SKIP Logically assigned	731 2.98
		96 = MULTIPLE RESPONSE	2 0.01
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	757 3.09
		99 = LEGITIMATE SKIP	18944 77.31
DXMJDCOS	2	*IT'S TOO EXPENSIVE	
		1 = Yes	1228 5.01
		2 = No	2847 11.62
		89 = LEGITIMATE SKIP Logically assigned	737 3.01
		96 = MULTIPLE RESPONSE	3 0.01
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	750 3.06
		99 = LEGITIMATE SKIP	18938 77.28

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 204
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	----
DXMJGDGET	2	*I WOULDN'T KNOW WHERE TO GET IT	
		1 = Yes	814 3.32
		2 = No	3259 13.30
		89 = LEGITIMATE SKIP Logically assigned	732 2.99
		96 = MULTIPLE RESPONSE	1 0.00
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	754 3.08
		99 = LEGITIMATE SKIP	18943 77.30
DXMJDDLRL	2	*I'M AFRAID TO ASSOCIATE WITH DRUG DEALERS	
		1 = Yes	1628 6.64
		2 = No	2445 9.98
		89 = LEGITIMATE SKIP Logically assigned	739 3.02
		96 = MULTIPLE RESPONSE	6 0.02
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	749 3.06
		99 = LEGITIMATE SKIP	18936 77.27
DXMJDIGL	2	*USING MARIJUANA OR HASHISH IS ILLEGAL	
		1 = Yes	2411 9.84
		2 = No	1699 6.93
		89 = LEGITIMATE SKIP Logically assigned	744 3.04
		96 = MULTIPLE RESPONSE	8 0.03
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	710 2.90
		99 = LEGITIMATE SKIP	18931 77.25
DXMJDCRM	2	*BUYING MARIJUANA/HASHISH HELPS SUPPORT CRIMINALS	
		1 = Yes	2029 8.28
		2 = No	2063 8.42
		89 = LEGITIMATE SKIP Logically assigned	737 3.01
		96 = MULTIPLE RESPONSE	4 0.02
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	732 2.99
		99 = LEGITIMATE SKIP	18938 77.28
DXMJDSOR	2	*SOME OTHER REASON	
		1 = Yes	334 1.36
		2 = No	2960 12.08
		5 = Yes LOGICALLY ASSIGNED	95 0.39
		89 = LEGITIMATE SKIP Logically assigned	654 2.67
		96 = MULTIPLE RESPONSE	1 0.00
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	1438 5.87
		99 = LEGITIMATE SKIP	19021 77.62

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 205
LABEL	LEN	DESCRIPTION	FREQ
-----	----	-----	----
DXMJJDSP	2	*OTHER REASON SPECIFIED	
		20 = It is stupid/dumb	12 0.05
		21 = It is disgusting	6 0.02
		22 = I don't use drugs anymore/I am drug-free now	12 0.05
		23 = Don't like it/I don't like its effect	53 0.22
		24 = Would interfere with medical care	1 0.00
		25 = I enjoy life without drugs/happy without drugs ...	3 0.01
		26 = Self-respect/want to be my best/in control	9 0.04
		27 = People just use it to cover up/hide from problems	1 0.00
		28 = Drugs are the downfall of society	1 0.00
		29 = I've seen what it could do to family members	1 0.00
		30 = I've seen what it could do to friends/nonrelatives	3 0.01
		32 = Could interfere w/ job/career/sports/school/goals	18 0.07
		33 = Could hurt others/those around me	2 0.01
		34 = No benefit to me/too much to lose/would regret it	14 0.06
		35 = Have too many responsibilities/need to set example	13 0.05
		36 = Afraid to use anymore/not sure what would happen .	1 0.00
		38 = On probation/could get in trouble	6 0.02
		39 = Have not had the opportunity to use	4 0.02
		40 = Matured out of it/too old now	17 0.07
		42 = Do not want to support other countries	1 0.00
		89 = LEGITIMATE SKIP Logically assigned	139 0.57
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	1690 6.90
		99 = LEGITIMATE SKIP	22496 91.80

DE-12. Now think about the month in
which your 12-month reference date
begins. Did you used marijuana or
hashish at any time during that month
in 1996?

DXMJRET2	2	*USE MARIJUANA DURING SPEC MONTH IN 1996	
		1 = Yes	168 0.69
		2 = No	3302 13.47
		89 = LEGITIMATE SKIP Logically assigned	701 2.86
		92 = Question not administered	5274 21.52
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	364 1.49
		99 = LEGITIMATE SKIP	14695 59.97

*The values in this section may be inconsistent with values from the core sections(s)
since non-core items were not edited to make them consistent with core items, and
core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 206
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----
		DE-13. Here are some reasons people give for never using marijuana or hashish. Please indicate whether each of these was a reason why you never used marijuana or hashish. PLEASE MARK ONLY ONE BOX FOR EACH REASON.	
DXMJNNI	2	*I'M NOT INTERESTED IN USING IT ANY MORE	
		1 = Yes	13202 53.87
		2 = No	3208 13.09
		89 = LEGITIMATE SKIP Logically assigned	642 2.62
		94 = DON'T KNOW	1 0.00
		96 = MULTIPLE RESPONSE	41 0.17
		97 = REFUSED	4 0.02
		98 = BLANK (NO ANSWER)	594 2.42
		99 = LEGITIMATE SKIP	6813 27.80
DXMJNPHY	2	*I THINK IT COULD HARM ME PHYSICALLY	
		1 = Yes	13475 54.99
		2 = No	2799 11.42
		5 = Yes LOGICALLY ASSIGNED	93 0.38
		89 = LEGITIMATE SKIP Logically assigned	607 2.48
		96 = MULTIPLE RESPONSE	45 0.18
		97 = REFUSED	4 0.02
		98 = BLANK (NO ANSWER)	634 2.59
		99 = LEGITIMATE SKIP	6848 27.95
DXMJNLIK	2	*I DON'T THINK I'D LIKE IT	
		1 = Yes	11295 46.09
		2 = No	4895 19.98
		89 = LEGITIMATE SKIP Logically assigned	585 2.39
		94 = DON'T KNOW	9 0.04
		96 = MULTIPLE RESPONSE	18 0.07
		97 = REFUSED	5 0.02
		98 = BLANK (NO ANSWER)	828 3.38
		99 = LEGITIMATE SKIP	6870 28.04
DXMJNBFLF	2	*USING IT IS AGAINST MY BELIEFS	
		1 = Yes	10761 43.91
		2 = No	5434 22.18
		5 = Yes LOGICALLY ASSIGNED	73 0.30
		89 = LEGITIMATE SKIP Logically assigned	583 2.38
		94 = DON'T KNOW	5 0.02
		96 = MULTIPLE RESPONSE	15 0.06
		97 = REFUSED	4 0.02
		98 = BLANK (NO ANSWER)	758 3.09
		99 = LEGITIMATE SKIP	6872 28.04

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 207	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DXMJNTST	2	*I'M AFRAID OF DRUG TESTING AT A JOB		
		1 = Yes	4695	19.16
		2 = No	11357	46.35
		5 = Yes LOGICALLY ASSIGNED	32	0.13
		89 = LEGITIMATE SKIP Logically assigned	578	2.36
		94 = DON'T KNOW	4	0.02
		96 = MULTIPLE RESPONSE	18	0.07
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	940	3.84
		99 = LEGITIMATE SKIP	6877	28.06
DXMJNPSY	2	*I THINK THAT IT COULD HARM ME PSYCHOLOGICALLY		
		1 = Yes	12383	50.53
		2 = No	3825	15.61
		5 = Yes LOGICALLY ASSIGNED	80	0.33
		89 = LEGITIMATE SKIP Logically assigned	582	2.38
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	10	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	746	3.04
		99 = LEGITIMATE SKIP	6873	28.05
DXMJNDGS	2	*I'M AFRAID IT MIGHT LEAD ME TO USE STRONGER DRUGS		
		1 = Yes	11264	45.97
		2 = No	4929	20.11
		5 = Yes LOGICALLY ASSIGNED	79	0.32
		89 = LEGITIMATE SKIP Logically assigned	580	2.37
		94 = DON'T KNOW	7	0.03
		96 = MULTIPLE RESPONSE	16	0.07
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	751	3.06
		99 = LEGITIMATE SKIP	6875	28.06
DXMJNADD	2	*I'M AFRAID I COULD BECOME ADDICTED		
		1 = Yes	11684	47.68
		2 = No	4529	18.48
		5 = Yes LOGICALLY ASSIGNED	76	0.31
		89 = LEGITIMATE SKIP Logically assigned	577	2.35
		94 = DON'T KNOW	7	0.03
		96 = MULTIPLE RESPONSE	9	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	741	3.02
		99 = LEGITIMATE SKIP	6878	28.07

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 208	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DXMJNPRG	2	*I'M AFRAID IT MIGHT HARM MY CHILDREN DURING PREG		
		1 = Yes	7604	31.03
		2 = No	8252	33.67
		5 = Yes LOGICALLY ASSIGNED	27	0.11
		89 = LEGITIMATE SKIP Logically assigned	563	2.30
		94 = DON'T KNOW	6	0.02
		96 = MULTIPLE RESPONSE	22	0.09
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	1135	4.63
		99 = LEGITIMATE SKIP	6892	28.12
DXMJNKID	2	*I DON'T WANT TO USE IT AROUND MY CHILDREN		
		1 = Yes	7477	30.51
		2 = No	8452	34.49
		5 = Yes LOGICALLY ASSIGNED	43	0.18
		89 = LEGITIMATE SKIP Logically assigned	573	2.34
		94 = DON'T KNOW	7	0.03
		96 = MULTIPLE RESPONSE	18	0.07
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	1049	4.28
		99 = LEGITIMATE SKIP	6882	28.08
DXMJNPAR	2	*MY PARENTS WOULD DISAPPROVE		
		1 = Yes	11612	47.39
		2 = No	4504	18.38
		5 = Yes LOGICALLY ASSIGNED	73	0.30
		89 = LEGITIMATE SKIP Logically assigned	575	2.35
		94 = DON'T KNOW	5	0.02
		96 = MULTIPLE RESPONSE	12	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	840	3.43
		99 = LEGITIMATE SKIP	6880	28.08
DXMJNSPS	2	*MY SPOUSE/BOYFRIEND/GIRLFRIEND WOULD DISAPPROVE		
		1 = Yes	9864	40.25
		2 = No	6163	25.15
		5 = Yes LOGICALLY ASSIGNED	62	0.25
		89 = LEGITIMATE SKIP Logically assigned	570	2.33
		94 = DON'T KNOW	6	0.02
		96 = MULTIPLE RESPONSE	9	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	942	3.84
		99 = LEGITIMATE SKIP	6885	28.10

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 209	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DXMJNFRN	2	*MY FRIENDS WOULD DISAPPROVE		
		1 = Yes	9927	40.51
		2 = No	6178	25.21
		5 = Yes LOGICALLY ASSIGNED	66	0.27
		89 = LEGITIMATE SKIP Logically assigned	570	2.33
		94 = DON'T KNOW	6	0.02
		96 = MULTIPLE RESPONSE	14	0.06
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	855	3.49
		99 = LEGITIMATE SKIP	6885	28.10
DXMJNCOS	2	*IT'S TOO EXPENSIVE		
		1 = Yes	8407	34.31
		2 = No	7601	31.02
		5 = Yes LOGICALLY ASSIGNED	61	0.25
		89 = LEGITIMATE SKIP Logically assigned	577	2.35
		94 = DON'T KNOW	38	0.16
		96 = MULTIPLE RESPONSE	15	0.06
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	924	3.77
		99 = LEGITIMATE SKIP	6878	28.07
DXMJNGET	2	*I WOULDN'T KNOW WHERE TO GET IT		
		1 = Yes	6810	27.79
		2 = No	9261	37.79
		5 = Yes LOGICALLY ASSIGNED	51	0.21
		89 = LEGITIMATE SKIP Logically assigned	568	2.32
		94 = DON'T KNOW	11	0.04
		96 = MULTIPLE RESPONSE	11	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	902	3.68
		99 = LEGITIMATE SKIP	6887	28.10
DXMJNDLR	2	*I'M AFRAID TO ASSOCIATE WITH DRUG DEALERS		
		1 = Yes	10325	42.13
		2 = No	5778	23.58
		5 = Yes LOGICALLY ASSIGNED	68	0.28
		89 = LEGITIMATE SKIP Logically assigned	572	2.33
		94 = DON'T KNOW	4	0.02
		96 = MULTIPLE RESPONSE	15	0.06
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	856	3.49
		99 = LEGITIMATE SKIP	6883	28.09

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 210	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
DXMJNIGL	2	*USING MARIJUANA OR HASHISH IS ILLEGAL		
		1 = Yes	12644	51.60
		2 = No	3556	14.51
		5 = Yes LOGICALLY ASSIGNED	83	0.34
		89 = LEGITIMATE SKIP Logically assigned	578	2.36
		94 = DON'T KNOW	3	0.01
		96 = MULTIPLE RESPONSE	13	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	747	3.05
		99 = LEGITIMATE SKIP	6877	28.06
DXMJNCRM	2	*BUYING MARIJUANA/HASHISH HELPS SUPPORT CRIMINALS		
		1 = Yes	11072	45.18
		2 = No	5082	20.74
		5 = Yes LOGICALLY ASSIGNED	73	0.30
		89 = LEGITIMATE SKIP Logically assigned	572	2.33
		94 = DON'T KNOW	10	0.04
		96 = MULTIPLE RESPONSE	10	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	799	3.26
		99 = LEGITIMATE SKIP	6883	28.09
DXMJNSOR	2	*SOME OTHER REASON		
		1 = Yes	2054	8.38
		2 = No	10353	42.25
		5 = Yes LOGICALLY ASSIGNED	1033	4.22
		89 = LEGITIMATE SKIP Logically assigned	493	2.01
		94 = DON'T KNOW	3	0.01
		96 = MULTIPLE RESPONSE	14	0.06
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	3589	14.65
		99 = LEGITIMATE SKIP	6962	28.41

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 211	
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
DXMJNSP	2	*OTHER REASON SPECIFIED		
		20 = It is stupid/dumb	161	0.66
		21 = It is disgusting	43	0.18
		22 = I just don't use drugs/not the type who uses	53	0.22
		23 = Don't like it/makes me sick	23	0.09
		24 = Would interfere with medical care	2	0.01
		25 = I enjoy life without drugs/happy without drugs ...	15	0.06
		26 = Self-respect/want to be my best/in control	49	0.20
		27 = People just use it to cover up/hide from problems	4	0.02
		28 = Drugs are the downfall of society	19	0.08
		29 = I've seen what it could do to family members	24	0.10
		30 = I've seen what it could do to friends/nonrelatives	51	0.21
		31 = Hate it/could ruin my life/bad/dangerous/harmful .	86	0.35
		32 = Could interfere w/ job/career/sports/school/goals	71	0.29
		33 = Could hurt others/those around me	15	0.06
		34 = No benefit to me/too much to lose/would regret it	46	0.19
		35 = Have too many responsibilities/need to set example	23	0.09
		36 = Afraid to use/not sure what would happen	21	0.09
		37 = Could lead to other criminal activity/behavior ...	3	0.01
		38 = Not old enough to use yet	1	0.00
		39 = Never had the opportunity to use	10	0.04
		40 = Too old now/experimental days in the past	4	0.02
		41 = Don't know anything about it	4	0.02
		44 = It is unnatural	3	0.01
		45 = TV, radio and newspaper ads	1	0.00
		85 = BAD DATA Logically assigned	6	0.02
		89 = LEGITIMATE SKIP Logically assigned	545	2.22
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	5953	24.29
		99 = LEGITIMATE SKIP	17263	70.45

DE-14. Has anyone ever offered you
cocaine, or tried to sell you cocaine?

DXCCOFFR	2	*ANYONE OFFERED/TRIED TO SELL YOU COCAINE		
		1 = Yes	4457	18.19
		2 = No	18251	74.48
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	1794	7.32

DE-15. Have you ever, even once, used
cocaine?

DXCCEVER	2	*EVER USED COCAINE		
		1 = Yes	2091	8.53
		2 = No	21809	89.00
		3 = Yes LOGICALLY ASSIGNED	61	0.25
		4 = No LOGICALLY ASSIGNED	172	0.70
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	370	1.51

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 212	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		DE-16. Who were the other people with you the first time you used cocaine? PLEASE MARK ALL THAT APPLY.		
DXCCPALN	2	*I WAS ALONE		
		1 = Response marked	51	0.21
		6 = Response not marked	1988	8.11
		11 = Response marked (and >=1 other response in DE-16)	57	0.23
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	423	1.73
		99 = LEGITIMATE SKIP	21979	89.69
DXCCSPSPS	2	*WITH BOYFRIEND/GIRLFRIEND/SPOUSE		
		1 = Response marked	430	1.75
		6 = Response not marked	1633	6.66
		11 = Response marked (and DXCCPALN marked)	33	0.13
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	423	1.73
		99 = LEGITIMATE SKIP	21979	89.69
DXCCPFRN	2	*WITH FRIEND(S)		
		1 = Response marked	1653	6.75
		6 = Response not marked	391	1.60
		11 = Response marked (and DXCCPALN marked)	52	0.21
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	423	1.73
		99 = LEGITIMATE SKIP	21979	89.69
DXCCPMET	2	*WITH SOMEONE I JUST MET		
		1 = Response marked	87	0.36
		6 = Response not marked	1987	8.11
		11 = Response marked (and DXCCPALN marked)	22	0.09
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	423	1.73
		99 = LEGITIMATE SKIP	21979	89.69

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES					PAGE: 213
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	----	-----	----	---	
DXCCPSIB	2	*WITH MY BROTHER(S) OR SISTER(S)			
		1 = Response marked	93	0.38	
		6 = Response not marked	1990	8.12	
		11 = Response marked (and DXCCPALN marked)	13	0.05	
		85 = BAD DATA Logically assigned	3	0.01	
		89 = LEGITIMATE SKIP Logically assigned	2	0.01	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	423	1.73	
		99 = LEGITIMATE SKIP	21979	89.69	
DXCCPDAD	2	*WITH MY FATHER			
		6 = Response not marked	2095	8.55	
		11 = Response marked (and DXCCPALN marked)	1	0.00	
		85 = BAD DATA Logically assigned	3	0.01	
		89 = LEGITIMATE SKIP Logically assigned	2	0.01	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	423	1.73	
		99 = LEGITIMATE SKIP	21979	89.69	
DXCCPMOM	2	*WITH MY MOTHER			
		1 = Response marked	2	0.01	
		6 = Response not marked	2093	8.54	
		11 = Response marked (and DXCCPALN marked)	1	0.00	
		85 = BAD DATA Logically assigned	3	0.01	
		89 = LEGITIMATE SKIP Logically assigned	2	0.01	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	423	1.73	
		99 = LEGITIMATE SKIP	21979	89.69	
DXCCPREL	2	*WITH OTHER RELATIVE(S)			
		1 = Response marked	92	0.38	
		6 = Response not marked	1993	8.13	
		11 = Response marked (and DXCCPALN marked)	11	0.04	
		85 = BAD DATA Logically assigned	3	0.01	
		89 = LEGITIMATE SKIP Logically assigned	2	0.01	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	423	1.73	
		99 = LEGITIMATE SKIP	21979	89.69	
DXCCPSOP	2	*SOME OTHER PERSON/PEOPLE			
		1 = Response marked	42	0.17	
		6 = Response not marked	2052	8.37	
		11 = Response marked (and DXCCPALN marked)	2	0.01	
		85 = BAD DATA Logically assigned	3	0.01	
		89 = LEGITIMATE SKIP Logically assigned	2	0.01	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	423	1.73	
		99 = LEGITIMATE SKIP	21979	89.69	

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 214
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	----
DXCCPSP	3	*OTHER RELATIONSHIP SPECIFIED	
		84 = Neighbor/Co-Worker/Visitor/Employee/Employer	4 0.02
		91 = Other Non-Relative, Gender not specified	2 0.01
		92 = Other, Relation and Gender Unspecified	2 0.01
		191 = Other Male Non-Relative	2 0.01
		384 = Neighbors/Co-Workers/Visitors/Employees/Employers	3 0.01
		391 = Other Non-Relatives, Gender not specified	4 0.02
		392 = Others, Relation and Gender Unspecified	2 0.01
		610 = Doctor(s)/nurse(s)/health care professional(s) ...	1 0.00
		985 = BAD DATA Logically assigned	2 0.01
		989 = LEGITIMATE SKIP Logically assigned	2051 8.37
		997 = REFUSED	2 0.01
		998 = BLANK (NO ANSWER)	449 1.83
		999 = BLEGITIMATE SKIP	21981 89.70

DXCCPNR	2	*USED COC WITH OTHER NON-RELATIVE - RECODE	
		10 = BOY/GIRLFRIEND OF PARENT	1 0.00
		13 = OTHER FRIEND(S) OF SIBLING(S)	1 0.00
		30 = PARENT(S) OF FRIEND(S)	1 0.00
		31 = SIBLING(S) OF FRIEND(S)	1 0.00
		41 = EMPLOYEE(S)/SUPERVISEE(S)	1 0.00
		42 = CO-WORKER(S), RELATIONSHIP UNSPECIFIED	6 0.02
		61 = OTHER SCHOOL-RELATED	2 0.01
		64 = PEOPLE AT A CONCERT	1 0.00
		71 = CASUAL ACQUAINTANCE(S)	1 0.00
		72 = DRUG DEALER	4 0.02
		997 = REFUSED	2 0.01
		998 = BLANK (NO ANSWER)	451 1.84
		999 = LEGITIMATE SKIP	24033 98.07

DE-17. Here are some reasons people
give for using cocaine the first
time. Please indicate whether each of
these was a reason why you used
cocaine the first time.
PLEASE MARK ONLY ONE BOX FOR EACH
REASON.

DXCCFSEE	2	*I WANTED TO SEE WHAT IT WAS LIKE	
		1 = Yes	1921 7.84
		2 = No	155 0.63
		89 = LEGITIMATE SKIP Logically assigned	158 0.64
		96 = MULTIPLE RESPONSE	2 0.01
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	444 1.81
		99 = LEGITIMATE SKIP	21823 89.06

*The values in this section may be inconsistent with values from the core sections(s)
since non-core items were not edited to make them consistent with core items, and
core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 215	
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
DXCCFFGD	2	*I THOUGHT IT WOULD MAKE ME FEEL GOOD		
		1 = Yes	1215	4.96
		2 = No	722	2.95
		89 = LEGITIMATE SKIP Logically assigned	156	0.64
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	584	2.38
		99 = LEGITIMATE SKIP	21825	89.06
DXCCFFRN	2	*MY FRIENDS WERE USING IT		
		1 = Yes	1198	4.89
		2 = No	743	3.03
		89 = LEGITIMATE SKIP Logically assigned	156	0.64
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	577	2.35
		99 = LEGITIMATE SKIP	21825	89.06
DXCCFSPS	2	*MY BOYFRIEND/GIRLFRIEND/SPOUSE WANTED ME TO TRY I		
		1 = Yes	399	1.63
		2 = No	1501	6.13
		89 = LEGITIMATE SKIP Logically assigned	155	0.63
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	622	2.54
		99 = LEGITIMATE SKIP	21826	89.07
DXCCFESC	2	*I WANTED TO GET AWAY FROM MY PROBLEMS OR TROUBLES		
		1 = Yes	253	1.03
		2 = No	1641	6.70
		89 = LEGITIMATE SKIP Logically assigned	154	0.63
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	628	2.56
		99 = LEGITIMATE SKIP	21827	89.07
DXCCFNEW	2	*I WAS BORED AND WANTED TO TRY SOMETHING NEW		
		1 = Yes	583	2.38
		2 = No	1318	5.38
		89 = LEGITIMATE SKIP Logically assigned	154	0.63
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	621	2.53
		99 = LEGITIMATE SKIP	21827	89.07
DXCCFREB	2	*I WANTED TO DISOBEY PEOPLE WHO TOLD ME NOT TO USE		
		1 = Yes	117	0.48
		2 = No	1764	7.20
		89 = LEGITIMATE SKIP Logically assigned	153	0.62
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	641	2.62
		99 = LEGITIMATE SKIP	21828	89.08

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 216
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	----
DXCCFSOR	2	*SOME OTHER REASON	
		1 = Yes	91 0.37
		2 = No	1627 6.64
		5 = Yes LOGICALLY ASSIGNED	30 0.12
		89 = LEGITIMATE SKIP Logically assigned	148 0.60
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	774 3.16
		99 = LEGITIMATE SKIP	21833 89.10
DXCCFSP	2	*OTHER REASON SPECIFIED	
		9 = Thought it would be fun/exciting	1 0.00
		10 = Pressured by others/afraid to say no	9 0.04
		11 = To be cool/to be with the in crowd	1 0.00
		12 = My parent(s) offered it to me/my parent(s) use ...	1 0.00
		13 = My sibling(s) offered it to me/my sibling(s) use .	3 0.01
		14 = Forced to use against will	1 0.00
		15 = Other outside influence	1 0.00
		16 = For physical/medical reasons	2 0.01
		18 = To keep awake/give me energy	8 0.03
		19 = For sexual reasons	2 0.01
		21 = Liked the smell	1 0.00
		22 = To replace another drug/enhance a drug high	3 0.01
		23 = To counteract another drug's effects	1 0.00
		24 = Under the influence of another drug	7 0.03
		25 = Unaware I was using it/deception	13 0.05
		26 = I was young/stupid/didn't know better	1 0.00
		27 = It just happened/it was available/normal	8 0.03
		31 = Was going to start selling it/already selling it .	1 0.00
		32 = As part of a special occasion	1 0.00
		35 = Because I wanted to/just felt like it	2 0.01
		89 = LEGITIMATE SKIP Logically assigned	19 0.08
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	828 3.38
		99 = LEGITIMATE SKIP	23589 96.26

DE-18. Now think about the past 12 months, from your 12-month reference date through today. Have you used cocaine during the past 12 months?

DXCCYR	2	*USED COCAINE PAST 12 MONTHS	
		1 = Yes	497 2.03
		2 = No	1577 6.44
		3 = Yes LOGICALLY ASSIGNED	60 0.24
		4 = No LOGICALLY ASSIGNED	19 0.08
		89 = LEGITIMATE SKIP Logically assigned	284 1.16
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	369 1.51
		99 = LEGITIMATE SKIP	21697 88.54

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 217	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		DE-19. Here are some reasons people give for using cocaine. Please mark whether each of these was a reason why you used cocaine at any time during the past 12 months. PLEASE MARK ONLY ONE BOX FOR EACH REASON.		
DXCCYFRN	2	*MY FRIENDS WERE USING IT		
		1 = Yes	245	1.00
		2 = No	178	0.73
		89 = LEGITIMATE SKIP Logically assigned	168	0.69
		92 = Question not administered	5275	21.53
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	277	1.13
		99 = LEGITIMATE SKIP	18360	74.92
DXCCYSPS	2	*MY BOYFRIEND/GIRLFRIEND/SPOUSE WAS USING IT		
		1 = Yes	78	0.32
		2 = No	320	1.31
		89 = LEGITIMATE SKIP Logically assigned	167	0.68
		92 = Question not administered	5275	21.53
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	303	1.24
		99 = LEGITIMATE SKIP	18361	74.93
DXCCYESC	2	*I WANTED TO GET AWAY FROM MY PROBLEMS OR TROUBLES		
		1 = Yes	89	0.36
		2 = No	302	1.23
		89 = LEGITIMATE SKIP Logically assigned	162	0.66
		92 = Question not administered	5275	21.53
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	310	1.27
		99 = LEGITIMATE SKIP	18366	74.95
DXCCYRLX	2	*I USED IT TO RELAX		
		1 = Yes	104	0.42
		2 = No	291	1.19
		89 = LEGITIMATE SKIP Logically assigned	162	0.66
		92 = Question not administered	5275	21.53
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	305	1.24
		99 = LEGITIMATE SKIP	18366	74.95

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 218	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DXCCYDRS	2	*A DOCTOR SUGGESTED THAT I USE IT		
		1 = Yes	4	0.02
		2 = No	377	1.54
		89 = LEGITIMATE SKIP Logically assigned	162	0.66
		92 = Question not administered	5275	21.53
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	320	1.31
		99 = LEGITIMATE SKIP	18366	74.95
DXCCYDRX	2	*A DOCTOR PRESCRIBED IT FOR ME		
		1 = Yes	4	0.02
		2 = No	378	1.54
		89 = LEGITIMATE SKIP Logically assigned	162	0.66
		92 = Question not administered	5275	21.53
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	319	1.30
		99 = LEGITIMATE SKIP	18366	74.95
DXCCYRLF	2	*I USED IT FOR PAIN RELIEF		
		1 = Yes	29	0.12
		2 = No	356	1.45
		89 = LEGITIMATE SKIP Logically assigned	162	0.66
		92 = Question not administered	5275	21.53
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	316	1.29
		99 = LEGITIMATE SKIP	18366	74.95
DXCCYSOR	2	*SOME OTHER REASON		
		1 = Yes	104	0.42
		2 = No	241	0.98
		5 = Yes LOGICALLY ASSIGNED	48	0.20
		89 = LEGITIMATE SKIP Logically assigned	159	0.65
		92 = Question not administered	5275	21.53
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	308	1.26
		99 = LEGITIMATE SKIP	18369	74.96

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 219
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	----
DXCCYSP	2	*SOME OTHER REASON SPECIFIED	
		9 = Experimenting/curiosity	30 0.12
		10 = Because I wanted to/just felt like it	11 0.04
		11 = It was there	9 0.04
		13 = It's fun/I like it/I like the way it makes me feel	29 0.12
		14 = Partying/to enhance an experience	2 0.01
		18 = I'm addicted/it is a habit	1 0.00
		20 = To give me energy	5 0.02
		22 = Unaware I was using it/deception	5 0.02
		25 = Lose weight/decrease my appetite	1 0.00
		28 = I wanted to disobey the people who told me not to	1 0.00
		85 = BAD DATA Logically assigned	1 0.00
		89 = LEGITIMATE SKIP Logically assigned	8 0.03
		92 = Question not administered	5275 21.53
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	365 1.49
		99 = LEGITIMATE SKIP	18761 76.56

DE-20. Now think about the month in
which your 12-month reference date
begins. Did you used cocaine at any
time during that month in 1996?

DXCCRET1	2	*USE COCAINE DURING SPEC MONTH IN 1996	
		1 = Yes	209 0.85
		2 = No	237 0.97
		89 = LEGITIMATE SKIP Logically assigned	225 0.92
		92 = Question not administered	5275 21.53
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	254 1.04
		99 = LEGITIMATE SKIP	18303 74.69

DE-21. Here are some reasons people
give for not using cocaine.
Please indicate whether each of these
was a reason why you did not use
cocaine in the past 12 months?
PLEASE MARK ONLY ONE BOX FOR
EACH REASON.

DXCCDNI	2	*I'M NOT INTERESTED IN USING IT ANY MORE	
		1 = Yes	1293 5.28
		2 = No	216 0.88
		89 = LEGITIMATE SKIP Logically assigned	386 1.58
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	456 1.86
		99 = LEGITIMATE SKIP	22152 90.40

*The values in this section may be inconsistent with values from the core sections(s)
since non-core items were not edited to make them consistent with core items, and
core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 220	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DXCCDPHY	2	*I THINK IT HARMS ME PHYSICALLY		
		1 = Yes	1125	4.59
		2 = No	348	1.42
		89 = LEGITIMATE SKIP Logically assigned	381	1.55
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	491	2.00
		99 = LEGITIMATE SKIP	22157	90.42
DXCCDSCK	2	*USING IT MAKES ME FEEL SICK		
		1 = Yes	607	2.48
		2 = No	833	3.40
		89 = LEGITIMATE SKIP Logically assigned	367	1.50
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	525	2.14
		99 = LEGITIMATE SKIP	22171	90.48
DXCCDBLF	2	*USING IT IS AGAINST MY BELIEFS		
		1 = Yes	583	2.38
		2 = No	856	3.49
		89 = LEGITIMATE SKIP Logically assigned	374	1.53
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	526	2.15
		99 = LEGITIMATE SKIP	22164	90.45
DXCCDTST	2	*I'M AFRAID OF DRUG TESTING AT A JOB		
		1 = Yes	374	1.53
		2 = No	1058	4.32
		89 = LEGITIMATE SKIP Logically assigned	369	1.51
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	532	2.17
		99 = LEGITIMATE SKIP	22169	90.47
DXCCDPSY	2	*I FEEL THAT IT HARMS ME PSYCHOLOGICALLY		
		1 = Yes	847	3.46
		2 = No	599	2.44
		89 = LEGITIMATE SKIP Logically assigned	370	1.51
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	518	2.11
		99 = LEGITIMATE SKIP	22168	90.46
DXCCDDGS	2	*I'M AFRAID IT MIGHT LEAD ME TO USE STRONGER DRUGS		
		1 = Yes	575	2.35
		2 = No	859	3.51
		89 = LEGITIMATE SKIP Logically assigned	370	1.51
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	531	2.17
		99 = LEGITIMATE SKIP	22168	90.46

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 221	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
DXCCDADD	2	*I'M AFRAID I COULD BECOME ADDICTED		
		1 = Yes	798	3.26
		2 = No	656	2.68
		89 = LEGITIMATE SKIP Logically assigned	373	1.52
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	511	2.09
		99 = LEGITIMATE SKIP	22165	90.45
DXCCDPRG	2	*I GOT PREGNANT, OR I WANTED TO GET PREGNANT		
		1 = Yes	125	0.51
		2 = No	1283	5.24
		89 = LEGITIMATE SKIP Logically assigned	362	1.48
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	556	2.27
		99 = LEGITIMATE SKIP	22176	90.50
DXCCDKID	2	*I DON'T WANT TO USE IT AROUND MY CHILDREN		
		1 = Yes	611	2.49
		2 = No	821	3.35
		89 = LEGITIMATE SKIP Logically assigned	362	1.48
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	531	2.17
		99 = LEGITIMATE SKIP	22176	90.50
DXCCDPAR	2	*MY PARENTS DISAPPROVE		
		1 = Yes	501	2.04
		2 = No	921	3.76
		89 = LEGITIMATE SKIP Logically assigned	367	1.50
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	541	2.21
		99 = LEGITIMATE SKIP	22171	90.48
DXCCDSPS	2	*MY SPOUSE/BOYFRIEND/GIRLFRIEND DISAPPROVES		
		1 = Yes	480	1.96
		2 = No	944	3.85
		89 = LEGITIMATE SKIP Logically assigned	367	1.50
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	541	2.21
		99 = LEGITIMATE SKIP	22171	90.48

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 222	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DXCCDFRN	2	*MY FRIENDS DISAPPROVE		
		1 = Yes	391	1.60
		2 = No	1032	4.21
		89 = LEGITIMATE SKIP Logically assigned	366	1.49
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	541	2.21
		99 = LEGITIMATE SKIP	22172	90.48
DXCCDCOS	2	*IT'S TOO EXPENSIVE		
		1 = Yes	755	3.08
		2 = No	683	2.79
		89 = LEGITIMATE SKIP Logically assigned	369	1.51
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	524	2.14
		99 = LEGITIMATE SKIP	22169	90.47
DXCCDGET	2	*I WOULDN'T KNOW WHERE TO GET IT		
		1 = Yes	351	1.43
		2 = No	1074	4.38
		89 = LEGITIMATE SKIP Logically assigned	368	1.50
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	539	2.20
		99 = LEGITIMATE SKIP	22170	90.47
DXCCDDLRL	2	*I'M AFRAID TO ASSOCIATE WITH DRUG DEALERS		
		1 = Yes	547	2.23
		2 = No	879	3.59
		89 = LEGITIMATE SKIP Logically assigned	369	1.51
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	539	2.20
		99 = LEGITIMATE SKIP	22169	90.47
DXCCDIGL	2	*USING COCAINE IS ILLEGAL		
		1 = Yes	764	3.12
		2 = No	670	2.73
		89 = LEGITIMATE SKIP Logically assigned	374	1.53
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	530	2.16
		99 = LEGITIMATE SKIP	22164	90.45

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 223
LABEL	LEN	DESCRIPTION	FREQ %
DXCCDCRM	2	*BUYING COCAINE HELPS SUPPORT CRIMINALS	
		1 = Yes	669 2.73
		2 = No	761 3.11
		89 = LEGITIMATE SKIP Logically assigned	369 1.51
		96 = MULTIPLE RESPONSE	2 0.01
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	533 2.18
		99 = LEGITIMATE SKIP	22169 90.47
DXCCDSOR	2	*SOME OTHER REASON	
		1 = Yes	133 0.54
		2 = No	1091 4.45
		5 = Yes LOGICALLY ASSIGNED	44 0.18
		89 = LEGITIMATE SKIP Logically assigned	311 1.27
		96 = MULTIPLE RESPONSE	4 0.02
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	693 2.83
		99 = LEGITIMATE SKIP	22227 90.70
DXCCDSP	2	*OTHER REASON SPECIFIED	
		20 = It is stupid/dumb	4 0.02
		21 = It is disgusting	1 0.00
		22 = I don't use drugs anymore/I am drug-free now	6 0.02
		23 = Don't like it/I don't like its effect	11 0.04
		25 = I enjoy life without drugs/happy without drugs ...	1 0.00
		26 = Self-respect/want to be my best/in control	2 0.01
		30 = I've seen what it could do to friends/nonrelatives	5 0.02
		31 = Hate it/could ruin my life/bad/dangerous/harmful .	3 0.01
		32 = Could interfere w/ job/career/sports/school/goals	2 0.01
		33 = Could hurt others/those around me	1 0.00
		34 = No benefit to me/too much to lose/would regret it	9 0.04
		35 = Have too many responsibilities/need to set example	7 0.03
		38 = On probation/could get in trouble	1 0.00
		39 = Have not had the opportunity to use	2 0.01
		40 = Matured out of it/too old now	1 0.00
		41 = Prefer a different drug	2 0.01
		89 = LEGITIMATE SKIP Logically assigned	41 0.17
		97 = REFUSED	2 0.01
		98 = BLANK (NO ANSWER)	816 3.33
		99 = LEGITIMATE SKIP	23588 96.26

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 224
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----
		DE-22. Now think about the month in which your 12-month reference date begins. Did you used cocaine at any time during that month in 1996?	
DXCCRET2	2	*USE COCAINE DURING SPEC MONTH IN 1996	
		1 = Yes	35 0.14
		2 = No	1184 4.83
		89 = LEGITIMATE SKIP Logically assigned	295 1.20
		92 = Question not administered	5275 21.53
		97 = REFUSED	1 0.00
		98 = BLANK (NO ANSWER)	311 1.27
		99 = LEGITIMATE SKIP	17404 71.02
		DE-23. Here are some reasons people give for never using cocaine. Please indicate whether each of these was a reason why you never used cocaine. PLEASE MARK ONLY ONE BOX FOR EACH REASON.	
DXCCNNI	2	*I'M NOT INTERESTED IN USING IT	
		1 = Yes	18118 73.94
		2 = No	3339 13.63
		89 = LEGITIMATE SKIP Logically assigned	239 0.98
		94 = DON'T KNOW	2 0.01
		96 = MULTIPLE RESPONSE	34 0.14
		97 = REFUSED	8 0.03
		98 = BLANK (NO ANSWER)	852 3.48
		99 = LEGITIMATE SKIP	1913 7.81
DXCCNPHY	2	*I THINK IT COULD HARM ME PHYSICALLY	
		1 = Yes	18553 75.71
		2 = No	2627 10.72
		5 = Yes LOGICALLY ASSIGNED	99 0.40
		89 = LEGITIMATE SKIP Logically assigned	220 0.90
		94 = DON'T KNOW	3 0.01
		96 = MULTIPLE RESPONSE	24 0.10
		97 = REFUSED	8 0.03
		98 = BLANK (NO ANSWER)	1039 4.24
		99 = LEGITIMATE SKIP	1932 7.88

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 225	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DXCCNLIK	2	*I DON'T THINK I'D LIKE IT		
		1 = Yes	15641	63.83
		2 = No	5388	21.99
		89 = LEGITIMATE SKIP Logically assigned	214	0.87
		94 = DON'T KNOW	8	0.03
		96 = MULTIPLE RESPONSE	13	0.05
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	1295	5.28
		99 = LEGITIMATE SKIP	1938	7.91
DXCCNBLF	2	*USING IT IS AGAINST MY BELIEFS		
		1 = Yes	14367	58.63
		2 = No	6623	27.03
		5 = Yes LOGICALLY ASSIGNED	90	0.37
		89 = LEGITIMATE SKIP Logically assigned	212	0.87
		94 = DON'T KNOW	4	0.02
		96 = MULTIPLE RESPONSE	19	0.08
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	1242	5.07
		99 = LEGITIMATE SKIP	1940	7.92
DXCCNTST	2	*I'M AFRAID OF DRUG TESTING AT A JOB		
		1 = Yes	7149	29.17
		2 = No	13623	55.59
		5 = Yes LOGICALLY ASSIGNED	52	0.21
		89 = LEGITIMATE SKIP Logically assigned	210	0.86
		94 = DON'T KNOW	5	0.02
		96 = MULTIPLE RESPONSE	34	0.14
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	1482	6.05
		99 = LEGITIMATE SKIP	1942	7.92
DXCCNPSY	2	*I THINK THAT IT COULD HARM ME PSYCHOLOGICALLY		
		1 = Yes	17058	69.61
		2 = No	3982	16.25
		5 = Yes LOGICALLY ASSIGNED	92	0.38
		89 = LEGITIMATE SKIP Logically assigned	212	0.87
		94 = DON'T KNOW	5	0.02
		96 = MULTIPLE RESPONSE	11	0.04
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	1197	4.88
		99 = LEGITIMATE SKIP	1940	7.92

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 226	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DXCCNDGS	2	*I'M AFRAID IT MIGHT LEAD ME TO USE STRONGER DRUGS		
		1 = Yes	15312	62.49
		2 = No	5681	23.18
		5 = Yes LOGICALLY ASSIGNED	83	0.34
		89 = LEGITIMATE SKIP Logically assigned	211	0.86
		94 = DON'T KNOW	6	0.02
		96 = MULTIPLE RESPONSE	12	0.05
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	1251	5.11
		99 = LEGITIMATE SKIP	1941	7.92
DXCCNADD	2	*I'M AFRAID I COULD BECOME ADDICTED		
		1 = Yes	16298	66.51
		2 = No	4749	19.38
		5 = Yes LOGICALLY ASSIGNED	87	0.36
		89 = LEGITIMATE SKIP Logically assigned	210	0.86
		94 = DON'T KNOW	7	0.03
		96 = MULTIPLE RESPONSE	6	0.02
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	1198	4.89
		99 = LEGITIMATE SKIP	1942	7.92
DXCCNPRG	2	*I'M AFRAID IT MIGHT HARM MY CHILDREN DURING PREG		
		1 = Yes	9646	39.36
		2 = No	10901	44.48
		5 = Yes LOGICALLY ASSIGNED	42	0.17
		89 = LEGITIMATE SKIP Logically assigned	205	0.84
		94 = DON'T KNOW	10	0.04
		95 = BAD DATA	1	0.00
		96 = MULTIPLE RESPONSE	23	0.09
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	1722	7.03
		99 = LEGITIMATE SKIP	1947	7.95
DXCCNKID	2	*I DON'T WANT TO USE IT AROUND MY CHILDREN		
		1 = Yes	10098	41.21
		2 = No	10584	43.19
		5 = Yes LOGICALLY ASSIGNED	62	0.25
		89 = LEGITIMATE SKIP Logically assigned	210	0.86
		94 = DON'T KNOW	6	0.02
		96 = MULTIPLE RESPONSE	19	0.08
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	1576	6.43
		99 = LEGITIMATE SKIP	1942	7.92

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 227	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DXCCNPAR	2	*MY PARENTS WOULD DISAPPROVE		
		1 = Yes	14714	60.04
		2 = No	6169	25.17
		5 = Yes LOGICALLY ASSIGNED	81	0.33
		89 = LEGITIMATE SKIP Logically assigned	209	0.85
		94 = DON'T KNOW	6	0.02
		96 = MULTIPLE RESPONSE	15	0.06
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	1360	5.55
		99 = LEGITIMATE SKIP	1943	7.93
DXCCNSPS	2	*MY SPOUSE/BOYFRIEND/GIRLFRIEND WOULD DISAPPROVE		
		1 = Yes	13067	53.32
		2 = No	7738	31.58
		5 = Yes LOGICALLY ASSIGNED	73	0.30
		89 = LEGITIMATE SKIP Logically assigned	209	0.85
		94 = DON'T KNOW	7	0.03
		96 = MULTIPLE RESPONSE	11	0.04
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	1449	5.91
		99 = LEGITIMATE SKIP	1943	7.93
DXCCNFRN	2	*MY FRIENDS WOULD DISAPPROVE		
		1 = Yes	13519	55.17
		2 = No	7363	30.05
		5 = Yes LOGICALLY ASSIGNED	78	0.32
		89 = LEGITIMATE SKIP Logically assigned	209	0.85
		94 = DON'T KNOW	8	0.03
		96 = MULTIPLE RESPONSE	15	0.06
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	1362	5.56
		99 = LEGITIMATE SKIP	1943	7.93
DXCCNCOS	2	*IT'S TOO EXPENSIVE		
		1 = Yes	12723	51.92
		2 = No	8119	33.13
		5 = Yes LOGICALLY ASSIGNED	77	0.31
		89 = LEGITIMATE SKIP Logically assigned	211	0.86
		94 = DON'T KNOW	31	0.13
		96 = MULTIPLE RESPONSE	21	0.09
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	1374	5.61
		99 = LEGITIMATE SKIP	1941	7.92

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 228	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DXCCNGET	2	*I WOULDN'T KNOW WHERE TO GET IT		
		1 = Yes	10363	42.29
		2 = No	10496	42.83
		5 = Yes LOGICALLY ASSIGNED	68	0.28
		89 = LEGITIMATE SKIP Logically assigned	207	0.84
		94 = DON'T KNOW	12	0.05
		96 = MULTIPLE RESPONSE	19	0.08
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	1387	5.66
		99 = LEGITIMATE SKIP	1945	7.94
DXCCNDLR	2	*I'M AFRAID TO ASSOCIATE WITH DRUG DEALERS		
		1 = Yes	13090	53.42
		2 = No	7821	31.92
		5 = Yes LOGICALLY ASSIGNED	76	0.31
		89 = LEGITIMATE SKIP Logically assigned	209	0.85
		94 = DON'T KNOW	3	0.01
		96 = MULTIPLE RESPONSE	12	0.05
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	1343	5.48
		99 = LEGITIMATE SKIP	1943	7.93
DXCCNIGL	2	*USING COCAINE IS ILLEGAL		
		1 = Yes	16111	65.75
		2 = No	4911	20.04
		5 = Yes LOGICALLY ASSIGNED	87	0.36
		89 = LEGITIMATE SKIP Logically assigned	209	0.85
		94 = DON'T KNOW	3	0.01
		96 = MULTIPLE RESPONSE	5	0.02
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	1228	5.01
		99 = LEGITIMATE SKIP	1943	7.93
DXCCNCRM	2	*BUYING COCAINE HELPS SUPPORT CRIMINALS		
		1 = Yes	14223	58.04
		2 = No	6736	27.49
		5 = Yes LOGICALLY ASSIGNED	79	0.32
		89 = LEGITIMATE SKIP Logically assigned	209	0.85
		94 = DON'T KNOW	8	0.03
		96 = MULTIPLE RESPONSE	9	0.04
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	1290	5.26
		99 = LEGITIMATE SKIP	1943	7.93

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUG EXPERIENCES			PAGE: 229	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DXCCNSOR	2	*SOME OTHER REASON		
		1 = Yes	3217	13.13
		2 = No	13427	54.79
		5 = Yes LOGICALLY ASSIGNED	1258	5.13
		89 = LEGITIMATE SKIP Logically assigned	188	0.77
		94 = DON'T KNOW	4	0.02
		96 = MULTIPLE RESPONSE	38	0.16
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	4401	17.96
		99 = LEGITIMATE SKIP	1964	8.01
DXCCNSP	2	*OTHER REASON SPECIFIED		
		20 = It is stupid/dumb	139	0.57
		21 = It is disgusting	25	0.10
		22 = I just don't use drugs/not the type who uses	51	0.21
		23 = Don't like it/makes me sick	15	0.06
		24 = Would interfere with medical care	3	0.01
		25 = I enjoy life without drugs/happy without drugs ...	13	0.05
		26 = Self-respect/want to be my best/in control	35	0.14
		27 = People just use it to cover up/hide from problems	5	0.02
		28 = Drugs are the downfall of society	12	0.05
		29 = I've seen what it could do to family members	24	0.10
		30 = I've seen what it could do to friends/nonrelatives	51	0.21
		31 = Hate it/could ruin my life/bad/dangerous/harmful .	79	0.32
		32 = Could interfere with job/career/sports/school/goal	57	0.23
		33 = Could hurt others/those around me	20	0.08
		34 = No benefit to me/too much to lose/would regret it	28	0.11
		35 = Have too many responsibilities/need to set example	16	0.07
		36 = Afraid to use/not sure what would happen	24	0.10
		37 = Could lead to other criminal activity/behavior ...	5	0.02
		39 = Never had the opportunity to use	18	0.07
		40 = Too old now/experimental days in the past	5	0.02
		41 = Don't know anything about it	6	0.02
		42 = I prefer a different drug	2	0.01
		43 = I sell it	1	0.00
		44 = It is unnatural	2	0.01
		45 = TV, radio and newspaper ads	1	0.00
		46 = Don't want to support other countries	1	0.00
		47 = Only [racial epithet group] use drugs	2	0.01
		85 = BAD DATA Logically assigned	7	0.03
		89 = LEGITIMATE SKIP Logically assigned	466	1.90
		97 = REFUSED	9	0.04
		98 = BLANK (NO ANSWER)	8270	33.75
		99 = LEGITIMATE SKIP	15113	61.67

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 230
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----

NON-CORE YOUTH EXPERIENCES -- ANSWER SHEET #20

FI CHECKPOINT T; R's age

SKPYEANS	2	SKIP OVER YE TO DEMOGRAPHICS, ON AGE		
		1 = Respondent is 18 years or older - SKIP	16306	66.54
		2 = Respondent is 12-17 years old	7692	31.39
		3 = Respondent is 18 years or older LOG ASSN - SKIP ..	355	1.45
		4 = Respondent is 12-17 years old LOG ASSN	152	0.62

FI CHECKPOINT U; DO YOU THINK R CAN
COMPLETE THIS ANSWER SHEET ON HIS/HER
OWN?

SKPYEXRD	2	CAN RESPONDENT COMPLETE YOUTH EXP ANS SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	7392	30.17
		2 = No, I doubt that resp. can complt. it alone - SKIP	239	0.98
		89 = LEGITIMATE SKIP Logically assigned	250	1.02
		96 = MULTIPLE RESPONSE	4	0.02
		98 = BLANK (NO ANSWER)	209	0.85
		99 = LEGITIMATE SKIP	16411	66.97

YE-0. We would like you to complete the
rest of this answer sheet on your own,
but if you prefer, I'll read the
questions out loud. Which do you
prefer?

YEXREAD	2	YOUTH EXPERIENCES - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	489	2.00
		2 = Wants to complete the answer sheet on his/her own	6977	28.47
		89 = LEGITIMATE SKIP Logically assigned	225	0.92
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	260	1.06
		99 = LEGITIMATE SKIP	16553	67.55

NON-CORE YOUTH EXPERIENCES			PAGE: 231	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		Y-1. Have you been enrolled in any type of school at any time during the past 12 months?		
YEENRLYR	2	*BEEN ENROLLED IN ANY SCHOOL PAST 12 MONTHS		
		1 = Yes	6918	28.23
		2 = No	738	3.01
		3 = Yes LOGICALLY ASSIGNED	120	0.49
		4 = No LOGICALLY ASSIGNED	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	192	0.78
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	58	0.24
		99 = LEGITIMATE SKIP	16469	67.21
		Y-2. As you read the following types of schools, please mark one box beside each type of school to indicate whether you were enrolled in that type of school at any time during the past 12 months.		
YEPUBSCH	2	*PUBLIC SCHOOL; WORKING TOWARD HS DIPLOMA		
		1 = Yes	6158	25.13
		2 = No	474	1.93
		85 = BAD DATA Logically assigned	7	0.03
		89 = LEGITIMATE SKIP Logically assigned	62	0.25
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	453	1.85
		99 = LEGITIMATE SKIP	17341	70.77
YEPRVSCH	2	*PRIVATE SCHOOL; WORKING TOWARD HS DIPLOMA		
		1 = Yes	620	2.53
		2 = No	4296	17.53
		85 = BAD DATA Logically assigned	7	0.03
		89 = LEGITIMATE SKIP Logically assigned	51	0.21
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	2170	8.86
		99 = LEGITIMATE SKIP	17352	70.81

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 232	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YEHOMSCH	2	*HOME SCHOOL		
		1 = Yes	191	0.78
		2 = No	4558	18.60
		85 = BAD DATA Logically assigned	7	0.03
		89 = LEGITIMATE SKIP Logically assigned	49	0.20
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	2339	9.54
		99 = LEGITIMATE SKIP	17354	70.82
YE4YRCOL	2	*A 4-YEAR COLLEGE OR UNIVERSITY		
		1 = Yes	208	0.85
		2 = No	4522	18.45
		85 = BAD DATA Logically assigned	7	0.03
		89 = LEGITIMATE SKIP Logically assigned	53	0.22
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	2358	9.62
		99 = LEGITIMATE SKIP	17350	70.80
YE2YRCOL	2	*A 2-YEAR COLLEGE OR UNIVERSITY		
		1 = Yes	131	0.53
		2 = No	4580	18.69
		85 = BAD DATA Logically assigned	7	0.03
		89 = LEGITIMATE SKIP Logically assigned	51	0.21
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	2378	9.70
		99 = LEGITIMATE SKIP	17352	70.81
YEVOCSCH	2	*VOCATIONAL OR TRADE SCHOOL		
		1 = Yes	154	0.63
		2 = No	4573	18.66
		85 = BAD DATA Logically assigned	7	0.03
		89 = LEGITIMATE SKIP Logically assigned	49	0.20
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	2361	9.63
		99 = LEGITIMATE SKIP	17354	70.82
YESCHOTH	2	*SOME OTHER TYPE OF SCHOOL		
		1 = Yes	122	0.50
		2 = No	4251	17.35
		4 = No LOGICALLY ASSIGNED	148	0.60
		5 = Yes LOGICALLY ASSIGNED	57	0.23
		85 = BAD DATA Logically assigned	7	0.03
		89 = LEGITIMATE SKIP Logically assigned	46	0.19
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	2511	10.25
		99 = LEGITIMATE SKIP	17357	70.83

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 233	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
YESCHSP	2	*OTHER SCHOOL SPECIFIED		
		7 = GED program/night school/adult ed	17	0.07
		8 = Graduate or post-graduate school	2	0.01
		9 = Alternative school	21	0.09
		10 = Performing arts school	6	0.02
		11 = School for learning disabled/phys handicapped	9	0.04
		12 = Extracurricular activity schooling	3	0.01
		13 = Summer school	10	0.04
		14 = Tutoring	1	0.00
		15 = Correspondence courses	2	0.01
		16 = School for behavior problems/continuation school .	8	0.03
		18 = Post-high school level, school type unspecified ..	2	0.01
		19 = Technical/vocational course, school type unspec ..	1	0.00
		85 = BAD DATA Logically assigned	7	0.03
		89 = LEGITIMATE SKIP Logically assigned	162	0.66
		98 = BLANK (NO ANSWER)	2615	10.67
		99 = LEGITIMATE SKIP	21639	88.30

Y-3. What were your grades for the last semester or grading period that you completed?

YEGRADES	2	*GRADES FOR LAST SEMESTER/GRADING PERIOD COMPLETED		
		1 = Mostly A's or B's	3212	13.11
		2 = Mostly B's or C's	2416	9.86
		3 = Mostly C's or D's	811	3.31
		4 = Mostly D's or below	199	0.81
		89 = LEGITIMATE SKIP Logically assigned	65	0.27
		91 = My school does not give those grades	90	0.37
		94 = DON'T KNOW	2	0.01
		95 = BAD DATA	1	0.00
		96 = MULTIPLE RESPONSE	142	0.58
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	223	0.91
		99 = LEGITIMATE SKIP	17338	70.75

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 234	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		Y-4. As you read each of the following activities, please mark one box beside each activity to indicate whether you have taken part in that activity during the past 12 months.		
YESCOUTS	2	*BOY SCOUTS/GIRL SCOUTS		
		1 = Yes	555	2.26
		2 = No	6006	24.51
		89 = LEGITIMATE SKIP Logically assigned	69	0.28
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	533	2.18
		99 = LEGITIMATE SKIP	17334	70.74
YEPRVLES	2	*PRIVATE LESSONS (PIANO,DANCE,TENNIS,KARATE,ETC.)		
		1 = Yes	1441	5.88
		2 = No	5157	21.04
		89 = LEGITIMATE SKIP Logically assigned	69	0.28
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	496	2.02
		99 = LEGITIMATE SKIP	17334	70.74
YETEMSPT	2	*TEAM SPORTS (FOOTBALL,BASKETBALL,SWIMMING,ETC.)		
		1 = Yes	3551	14.49
		2 = No	3175	12.96
		89 = LEGITIMATE SKIP Logically assigned	69	0.28
		96 = MULTIPLE RESPONSE	13	0.05
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	358	1.46
		99 = LEGITIMATE SKIP	17334	70.74
YE4HCLUB	2	*4-H CLUB		
		1 = Yes	273	1.11
		2 = No	6261	25.55
		89 = LEGITIMATE SKIP Logically assigned	67	0.27
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	560	2.29
		99 = LEGITIMATE SKIP	17336	70.74
YEBAND	2	*SCHOOL BAND, ORCHESTRA, OR CHOIR		
		1 = Yes	1811	7.39
		2 = No	4789	19.54
		89 = LEGITIMATE SKIP Logically assigned	68	0.28
		96 = MULTIPLE RESPONSE	8	0.03
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	489	2.00
		99 = LEGITIMATE SKIP	17335	70.74

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 235	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YESCHCLB	2	*SCHOOL-RELATED CLUBS		
		1 = Yes	2382	9.72
		2 = No	4259	17.38
		89 = LEGITIMATE SKIP Logically assigned	69	0.28
		96 = MULTIPLE RESPONSE	6	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	450	1.84
		99 = LEGITIMATE SKIP	17334	70.74
YESTGOVT	2	*STUDENT GOVERNMENT		
		1 = Yes	637	2.60
		2 = No	5914	24.13
		89 = LEGITIMATE SKIP Logically assigned	68	0.28
		96 = MULTIPLE RESPONSE	5	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	541	2.21
		99 = LEGITIMATE SKIP	17335	70.74
YEVOLUNT	2	*VOLUNTEER ACTIVITIES		
		1 = Yes	2492	10.17
		2 = No	4113	16.78
		89 = LEGITIMATE SKIP Logically assigned	70	0.29
		96 = MULTIPLE RESPONSE	12	0.05
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	480	1.96
		99 = LEGITIMATE SKIP	17333	70.73
YECHOIR	2	*CHURCH CHOIR		
		1 = Yes	825	3.37
		2 = No	5713	23.31
		89 = LEGITIMATE SKIP Logically assigned	68	0.28
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	556	2.27
		99 = LEGITIMATE SKIP	17335	70.74
YEACTION	2	*SOME OTHER ACTIVITY		
		1 = Yes	873	3.56
		2 = No	5100	20.81
		4 = No LOGICALLY ASSIGNED	178	0.73
		89 = LEGITIMATE SKIP Logically assigned	60	0.24
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	945	3.86
		99 = LEGITIMATE SKIP	17343	70.77

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 236	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
YEACTION	2	*OTHER ACTIVITY SPECIFIED		
		10 = Church-related/religious activity other than choir	153	0.62
		11 = Job/internship	63	0.26
		12 = Drama/acting/theater/dance/performing arts	63	0.26
		13 = Band/music/chorus, unasccribed to school or church	35	0.14
		14 = Art class/art program/photography	17	0.07
		15 = Cheerleading/colorguard/drill team	52	0.21
		16 = Chores/family responsibilities	3	0.01
		17 = Leisure/recreation (hunting, fishing, beach,etc.)	15	0.06
		18 = After school program/study group/schooling	17	0.07
		19 = Club/youth group, unasccribed to school or church .	93	0.38
		20 = YMCA/YWCA	7	0.03
		21 = ROTC/JROTC/military or civic-oriented program	38	0.16
		22 = Sports/exercise, unasccribed to school	93	0.38
		23 = Hobbies	10	0.04
		24 = Camp/upward bound	5	0.02
		25 = Academic activities/club/group, unasccribed to schl	9	0.04
		26 = Cosmetic/physical appearance-related activities ..	3	0.01
		27 = Multiple activities	3	0.01
		85 = BAD DATA Logically assigned	11	0.04
		89 = LEGITIMATE SKIP Logically assigned	189	0.77
		98 = BLANK (NO ANSWER)	1137	4.64
		99 = LEGITIMATE SKIP	22489	91.77

Y-5. During the past 12 months, did you
work at a job for pay at any time?

YEJOBYR	2	*WORK A JOB FOR PAY PAST 12 MONTHS		
		1 = Yes	2267	9.25
		2 = No	4534	18.50
		3 = Yes LOGICALLY ASSIGNED	19	0.08
		89 = LEGITIMATE SKIP Logically assigned	69	0.28
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	277	1.13
		99 = LEGITIMATE SKIP	17334	70.74

Y-6. Did you work at a job for pay
before or after school on school days?

YEJOBSCD	2	*WORK BEFORE OR AFTER SCHOOL ON SCHOOL DAYS		
		1 = Yes	1439	5.87
		2 = No	801	3.27
		89 = LEGITIMATE SKIP Logically assigned	399	1.63
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	323	1.32
		99 = LEGITIMATE SKIP	21538	87.89

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 237	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		Y-7. During the past 12 months, have you had any of the following alcohol or drug education classes in school? PLEASE MARK ONLY ONE BOX FOR EACH ITEM.		
YEDETCR	2	*A SPECIAL COURSE ABOUT ALC/DRUGS BY REG TEACHER		
		1 = Yes	2498	10.19
		2 = No	4180	17.06
		89 = LEGITIMATE SKIP Logically assigned	69	0.28
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	417	1.70
		99 = LEGITIMATE SKIP	17334	70.74
YEDENTCH	2	*A SPECIAL COURSE ABOUT ALC/DRUGS BY OTH TEACHER		
		1 = Yes	2675	10.92
		2 = No	3998	16.32
		89 = LEGITIMATE SKIP Logically assigned	68	0.28
		96 = MULTIPLE RESPONSE	5	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	419	1.71
		99 = LEGITIMATE SKIP	17335	70.74
YEDESPCL	2	*SPECIAL CLASSES NOT CONNECTED TO REG CLASSES		
		1 = Yes	1205	4.92
		2 = No	5386	21.98
		89 = LEGITIMATE SKIP Logically assigned	69	0.28
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	506	2.06
		99 = LEGITIMATE SKIP	17334	70.74
YEDEOTH	2	*SOME OTHER ALC/DRUG EDUCATION EXPERIENCE IN SCHOO		
		1 = Yes	969	3.95
		2 = No	5487	22.39
		4 = No LOGICALLY ASSIGNED	14	0.06
		89 = LEGITIMATE SKIP Logically assigned	67	0.27
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	626	2.55
		99 = LEGITIMATE SKIP	17336	70.74

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 238	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
YEDESP	2	*OTHER SPECIFIED		
		4 = Special course/class; instructor unspecified	12	0.05
		5 = Law enforcement/court rep spoke on drugs/alcohol .	28	0.11
		6 = Former addict spoke on drug/alcohol abuse	9	0.04
		7 = Substance abuse person/counselor/med profess spoke	24	0.10
		8 = Other students spoke on drugs/alcohol abuse	16	0.07
		9 = Teacher(s)/coach(es) discussed (no special course)	13	0.05
		10 = Speaker (unidentified) spoke on drugs/alcohol	31	0.13
		11 = School Assembly/presentation/health fair	37	0.15
		12 = Simulation (e.g. drunk driving simulator)	2	0.01
		13 = GREAT [Gang Resistance Education and Training] ...	29	0.12
		14 = A play/skit/quiz/concert about alcohol/drug abuse	11	0.04
		15 = Parents/family members have talked to me	7	0.03
		16 = Anti-drug day/week at schl (e.g. Red Ribbon Week)	11	0.04
		17 = Part of driver's education class	8	0.03
		18 = Part of health/physical/science/sex ed class	103	0.42
		19 = Church/religious-affiliated class	4	0.02
		20 = Students/Mothers Against Drunk Driving (SADD/MADD)	22	0.09
		21 = Camp/Upward Bound/club/conference	6	0.02
		22 = Viewed a video/movie about drug/alcohol abuse	19	0.08
		23 = Personal experiences	4	0.02
		24 = Written materials on drug/alcohol abuse	7	0.03
		25 = Special course taught by military	3	0.01
		26 = Part of life skills/life management class/course .	12	0.05
		27 = YMCA/sports-affiliated class/course	4	0.02
		85 = BAD DATA Logically assigned	10	0.04
		89 = LEGITIMATE SKIP Logically assigned	15	0.06
		94 = DON'T KNOW	6	0.02
		98 = BLANK (NO ANSWER)	1164	4.75
		99 = LEGITIMATE SKIP	22888	93.40

Y-8. During the past 12 months, have
you seen or heard any alcohol or drug
prevention messages from sources outside
school (for example, posters, pamphlets,
radio, or TV ads)?

YEMSGYR	2	*SEEN/HEARD ALC/DRUG PREV MSG OUTSIDE SCH 12 MOS		
		1 = Yes	6478	26.44
		2 = No	1263	5.15
		89 = LEGITIMATE SKIP Logically assigned	139	0.57
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	92	0.38
		99 = LEGITIMATE SKIP	16522	67.42

*The values in this section may be inconsistent with values from the core sections(s)
since non-core items were not edited to make them consistent with core items, and
core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 239	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		Y-9. During the past 12 months, have you spoken with a parent or other adult about the dangers of alcohol or drug use?		
YEPARYR	2	*SPOKEN PAR/OTH ADULT ABOUT DANG ALC/DRUG PST 12 M		
		1 = Yes	4210	17.18
		2 = No	3512	14.33
		89 = LEGITIMATE SKIP Logically assigned	128	0.52
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	113	0.46
		99 = LEGITIMATE SKIP	16533	67.47
		Y-10. How do you think your parents would feel if they thought you did the following things? PLEASE MARK ONLY ONE BOX FOR EACH ITEM.		
YEPPKCIG	2	*SMOKED 1 OR MORE PACKS OF CIGARETTES PER DAY		
		1 = Not upset at all	330	1.35
		2 = Somewhat upset	1043	4.26
		3 = Very upset	6355	25.93
		89 = LEGITIMATE SKIP Logically assigned	115	0.47
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	106	0.43
		99 = LEGITIMATE SKIP	16546	67.52
YEPMJEV	2	*TRIED MARIJUANA ONCE OR TWICE		
		1 = Not upset at all	356	1.45
		2 = Somewhat upset	1142	4.66
		3 = Very upset	6224	25.40
		89 = LEGITIMATE SKIP Logically assigned	114	0.47
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	113	0.46
		99 = LEGITIMATE SKIP	16547	67.52

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 240	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YEPMJOC	2	*SMOKED MARIJUANA ONCE A MONTH		
		1 = Not upset at all	274	1.12
		2 = Somewhat upset	630	2.57
		3 = Very upset	6816	27.81
		89 = LEGITIMATE SKIP Logically assigned	114	0.47
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	5	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	112	0.46
		99 = LEGITIMATE SKIP	16547	67.52
YEPMJREG	2	*SMOKED MARIJUANA ONCE OR TWICE A WEEK		
		1 = Not upset at all	207	0.84
		2 = Somewhat upset	332	1.35
		3 = Very upset	7182	29.31
		89 = LEGITIMATE SKIP Logically assigned	113	0.46
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	7	0.03
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	109	0.44
		99 = LEGITIMATE SKIP	16548	67.53
YEPINEVR	2	*TRIED INHALANTS ONCE OR TWICE		
		1 = Not upset at all	199	0.81
		2 = Somewhat upset	588	2.40
		3 = Very upset	6933	28.29
		89 = LEGITIMATE SKIP Logically assigned	114	0.47
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	113	0.46
		99 = LEGITIMATE SKIP	16547	67.52
YEPHEEVR	2	*TRIED HEROIN ONCE OR TWICE		
		1 = Not upset at all	157	0.64
		2 = Somewhat upset	226	0.92
		3 = Very upset	7338	29.94
		89 = LEGITIMATE SKIP Logically assigned	114	0.47
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	113	0.46
		99 = LEGITIMATE SKIP	16547	67.52

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 241	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YEPCCOCC	2	*USED COCAINE ONCE A MONTH		
		1 = Not upset at all	158	0.64
		2 = Somewhat upset	123	0.50
		3 = Very upset	7435	30.34
		89 = LEGITIMATE SKIP Logically assigned	113	0.46
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	119	0.49
		99 = LEGITIMATE SKIP	16548	67.53
YEPBINGE	2	*HAD FIVE OR MORE DRINKS ONCE OR TWICE A WEEK		
		1 = Not upset at all	241	0.98
		2 = Somewhat upset	665	2.71
		3 = Very upset	6802	27.76
		89 = LEGITIMATE SKIP Logically assigned	113	0.46
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	6	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	123	0.50
		99 = LEGITIMATE SKIP	16548	67.53
Y-11. How do you think your close friends would feel if they thought you did the following things? PLEASE MARK ONLY ONE BOX FOR EACH ITEM.				
YEFPKCIG	2	*SMOKED 1 OR MORE PACKS OF CIGARETTES PER DAY		
		1 = Not upset at all	2016	8.23
		2 = Somewhat upset	2533	10.34
		3 = Very upset	3159	12.89
		89 = LEGITIMATE SKIP Logically assigned	111	0.45
		94 = DON'T KNOW	5	0.02
		96 = MULTIPLE RESPONSE	13	0.05
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	113	0.46
		99 = LEGITIMATE SKIP	16550	67.54
YEFMJEV	2	*TRIED MARIJUANA ONCE OR TWICE		
		1 = Not upset at all	2104	8.59
		2 = Somewhat upset	2053	8.38
		3 = Very upset	3548	14.48
		89 = LEGITIMATE SKIP Logically assigned	111	0.45
		94 = DON'T KNOW	6	0.02
		96 = MULTIPLE RESPONSE	12	0.05
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	116	0.47
		99 = LEGITIMATE SKIP	16550	67.54

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 242	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YEFMJOC	2	*SMOKED MARIJUANA ONCE A MONTH		
		1 = Not upset at all	1890	7.71
		2 = Somewhat upset	1924	7.85
		3 = Very upset	3889	15.87
		89 = LEGITIMATE SKIP Logically assigned	111	0.45
		94 = DON'T KNOW	5	0.02
		96 = MULTIPLE RESPONSE	10	0.04
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	121	0.49
		99 = LEGITIMATE SKIP	16550	67.54
YEFMJREG	2	*SMOKED MARIJUANA ONCE OR TWICE A WEEK		
		1 = Not upset at all	1549	6.32
		2 = Somewhat upset	1765	7.20
		3 = Very upset	4387	17.90
		89 = LEGITIMATE SKIP Logically assigned	111	0.45
		94 = DON'T KNOW	5	0.02
		96 = MULTIPLE RESPONSE	13	0.05
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	120	0.49
		99 = LEGITIMATE SKIP	16550	67.54
YEFINEVR	2	*TRIED INHALANTS ONCE OR TWICE		
		1 = Not upset at all	1169	4.77
		2 = Somewhat upset	1990	8.12
		3 = Very upset	4541	18.53
		89 = LEGITIMATE SKIP Logically assigned	111	0.45
		94 = DON'T KNOW	5	0.02
		96 = MULTIPLE RESPONSE	9	0.04
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	125	0.51
		99 = LEGITIMATE SKIP	16550	67.54
YEFHEEVR	2	*TRIED HEROIN ONCE OR TWICE		
		1 = Not upset at all	760	3.10
		2 = Somewhat upset	1621	6.61
		3 = Very upset	5320	21.71
		89 = LEGITIMATE SKIP Logically assigned	111	0.45
		94 = DON'T KNOW	6	0.02
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	128	0.52
		99 = LEGITIMATE SKIP	16550	67.54

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 243	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YEFCCOCC	2	*USED COCAINE ONCE A MONTH		
		1 = Not upset at all	730	2.98
		2 = Somewhat upset	1499	6.12
		3 = Very upset	5469	22.32
		89 = LEGITIMATE SKIP Logically assigned	111	0.45
		94 = DON'T KNOW	5	0.02
		96 = MULTIPLE RESPONSE	5	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	131	0.53
		99 = LEGITIMATE SKIP	16550	67.54

YEFBINGE	2	*HAD FIVE OR MORE DRINKS ONCE OR TWICE A WEEK		
		1 = Not upset at all	1673	6.83
		2 = Somewhat upset	1863	7.60
		3 = Very upset	4159	16.97
		89 = LEGITIMATE SKIP Logically assigned	111	0.45
		94 = DON'T KNOW	5	0.02
		96 = MULTIPLE RESPONSE	8	0.03
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	131	0.53
		99 = LEGITIMATE SKIP	16550	67.54

Y-12. How many of your close friends
have done each of the following things?
PLEASE MARK ONLY ONE BOX FOR EACH ITEM/.

YEFDPKCG	2	*SMOKED 1 OR MORE PACKS OF CIGARETTES PER DAY		
		1 = None of them	3714	15.16
		2 = A few of them	2958	12.07
		3 = Most of them	1006	4.11
		89 = LEGITIMATE SKIP Logically assigned	110	0.45
		94 = DON'T KNOW	13	0.05
		96 = MULTIPLE RESPONSE	11	0.04
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	137	0.56
		99 = LEGITIMATE SKIP	16551	67.54

YEFDMJEV	2	*TRIED MARIJUANA ONCE OR TWICE		
		1 = None of them	3505	14.30
		2 = A few of them	2605	10.63
		3 = Most of them	1571	6.41
		89 = LEGITIMATE SKIP Logically assigned	110	0.45
		94 = DON'T KNOW	12	0.05
		96 = MULTIPLE RESPONSE	6	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	140	0.57
		99 = LEGITIMATE SKIP	16551	67.54

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 244	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YEFDMJOC	2	*SMOKED MARIJUANA ONCE A MONTH		
		1 = None of them	4139	16.89
		2 = A few of them	2271	9.27
		3 = Most of them	1257	5.13
		89 = LEGITIMATE SKIP Logically assigned	109	0.44
		94 = DON'T KNOW	14	0.06
		96 = MULTIPLE RESPONSE	9	0.04
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	149	0.61
		99 = LEGITIMATE SKIP	16552	67.55
YEFDMJRG	2	*SMOKED MARIJUANA ONCE OR TWICE A WEEK		
		1 = None of them	4696	19.16
		2 = A few of them	1927	7.86
		3 = Most of them	1041	4.25
		89 = LEGITIMATE SKIP Logically assigned	109	0.44
		94 = DON'T KNOW	14	0.06
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	157	0.64
		99 = LEGITIMATE SKIP	16552	67.55
YEFDINEV	2	*TRIED INHALANTS ONCE OR TWICE		
		1 = None of them	5629	22.97
		2 = A few of them	1477	6.03
		3 = Most of them	553	2.26
		89 = LEGITIMATE SKIP Logically assigned	107	0.44
		94 = DON'T KNOW	17	0.07
		96 = MULTIPLE RESPONSE	11	0.04
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	152	0.62
		99 = LEGITIMATE SKIP	16554	67.55
YEFDHEEV	2	*TRIED HEROIN ONCE OR TWICE		
		1 = None of them	6557	26.76
		2 = A few of them	718	2.93
		3 = Most of them	389	1.59
		89 = LEGITIMATE SKIP Logically assigned	107	0.44
		94 = DON'T KNOW	17	0.07
		96 = MULTIPLE RESPONSE	6	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	152	0.62
		99 = LEGITIMATE SKIP	16554	67.55

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 245	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YEFDCOC	2	*USED COCAINE ONCE A MONTH		
		1 = None of them	6351	25.92
		2 = A few of them	894	3.65
		3 = Most of them	418	1.71
		89 = LEGITIMATE SKIP Logically assigned	107	0.44
		94 = DON'T KNOW	16	0.07
		96 = MULTIPLE RESPONSE	7	0.03
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	153	0.62
		99 = LEGITIMATE SKIP	16554	67.55
YEFDBING	2	*HAD FIVE OR MORE DRINKS ONCE OR TWICE A WEEK		
		1 = None of them	4273	17.44
		2 = A few of them	2233	9.11
		3 = Most of them	1164	4.75
		89 = LEGITIMATE SKIP Logically assigned	107	0.44
		94 = DON'T KNOW	14	0.06
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	151	0.62
		99 = LEGITIMATE SKIP	16554	67.55
Y-13. If you wanted to talk to someone				
about a serious problem, which of the				
following people would you turn to?				
MARK ALL THAT APPLY.				
YETLKNON	2	*THERE IS NOBODY I CAN TALK TO ABOUT SERIOUS PROBS		
		1 = Response marked	66	0.27
		3 = Response marked, LOG ASSN (YEMOSNON=1)	1	0.00
		6 = Response not marked	7435	30.34
		11 = Response marked (and other responses in Y-13)	125	0.51
		13 = Resp markd LOG ASSN (>1 ans in Y-13 & YEMOSNON=1)	31	0.13
		15 = Resp markd LOG ASSN (>1 ans in Y-13 & YEMOSNON=15)	7	0.03
		85 = BAD DATA Logically assigned	17	0.07
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	157	0.64
		99 = LEGITIMATE SKIP	16659	67.98

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 246	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YETLKMOM	2	*MY MOTHER		
		1 = Response marked	5538	22.60
		3 = Response marked, LOG ASSN (YEMOSMOM=1)	67	0.27
		5 = Response marked, LOG ASSN (YEMOSMOM=5)	27	0.11
		6 = Response not marked	1964	8.01
		11 = Response marked (and YETLKNON=11)	57	0.23
		13 = Resp markd LOG ASSN (YETLKNON marked & YEMOSMOM=1)	10	0.04
		15 = Response marked LOG ASSN (YEMOSMOM=5 or 15)	8	0.03
		85 = BAD DATA Logically assigned	11	0.04
		89 = LEGITIMATE SKIP Logically assigned	66	0.27
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	157	0.64
		99 = LEGITIMATE SKIP	16595	67.72
YETLKDAD	2	*MY FATHER		
		1 = Response marked	3959	16.16
		3 = Response marked, LOG ASSN (YEMOSDAD=1)	41	0.17
		5 = Response marked, LOG ASSN (YEMOSDAD=5)	33	0.13
		6 = Response not marked	3582	14.62
		11 = Response marked (and YETLKNON=11)	39	0.16
		13 = Resp markd LOG ASSN (YETLKNON marked & YEMOSDAD=1)	5	0.02
		15 = Response marked LOG ASSN (YEMOSDAD=5 or 15)	6	0.02
		85 = BAD DATA Logically assigned	17	0.07
		89 = LEGITIMATE SKIP Logically assigned	46	0.19
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	157	0.64
		99 = LEGITIMATE SKIP	16615	67.80
YETLKBGF	2	*MY BOYFRIEND OR GIRLFRIEND		
		1 = Response marked	3075	12.55
		3 = Response marked, LOG ASSN (YEMOSBGF=1)	33	0.13
		5 = Response marked, LOG ASSN (YEMOSBGF=5)	32	0.13
		6 = Response not marked	4459	18.20
		11 = Response marked (and YETLKNON=11)	50	0.20
		13 = Resp markd LOG ASSN (YETLKNON marked & YEMOSBGF=1)	6	0.02
		15 = Response marked LOG ASSN (YEMOSBGF=5 or 15)	11	0.04
		85 = BAD DATA Logically assigned	16	0.07
		89 = LEGITIMATE SKIP Logically assigned	47	0.19
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	157	0.64
		99 = LEGITIMATE SKIP	16614	67.80

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 247	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YETLKSIB	2	*MY BROTHER OR SISTER		
		1 = Response marked	3399	13.87
		3 = Response marked, LOG ASSN (YEMOSSIB=1)	24	0.10
		5 = Response marked, LOG ASSN (YEMOSSIB=5)	41	0.17
		6 = Response not marked	4158	16.97
		11 = Response marked (and YETLKNON=11)	34	0.14
		13 = Resp markd LOG ASSN (YETLKNON marked & YEMOSSIB=1)	1	0.00
		15 = Response marked LOG ASSN (YEMOSSIB=5 or 15)	8	0.03
		85 = BAD DATA Logically assigned	17	0.07
		89 = LEGITIMATE SKIP Logically assigned	42	0.17
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	157	0.64
		99 = LEGITIMATE SKIP	16619	67.82
YETLKSOR	2	*SOME OTHER RELATIVE		
		1 = Response marked	3398	13.87
		3 = Response marked, LOG ASSN (YEMOSSOR=1)	19	0.08
		5 = Response marked, LOG ASSN (YEMOSSOR=5)	50	0.20
		6 = Response not marked	4142	16.90
		11 = Response marked (and YETLKNON=11)	46	0.19
		13 = Resp markd LOG ASSN (YETLKNON marked & YEMOSSOR=1)	5	0.02
		15 = Response marked LOG ASSN (YEMOSSOR=5 or 15)	4	0.02
		85 = BAD DATA Logically assigned	18	0.07
		89 = LEGITIMATE SKIP Logically assigned	30	0.12
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	157	0.64
		99 = LEGITIMATE SKIP	16631	67.87
YETLKFRN	2	*A FRIEND		
		1 = Response marked	5605	22.87
		3 = Response marked, LOG ASSN (YEMOSFRN=1)	65	0.27
		5 = Response marked, LOG ASSN (YEMOSFRN=5)	34	0.14
		6 = Response not marked	1864	7.61
		11 = Response marked (and YETLKFRN=11)	76	0.31
		13 = Resp markd LOG ASSN (YETLKNON marked & YEMOSFRN=1)	17	0.07
		15 = Response marked LOG ASSN (YEMOSFRN=5 or 15)	5	0.02
		85 = BAD DATA Logically assigned	16	0.07
		89 = LEGITIMATE SKIP Logically assigned	66	0.27
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	157	0.64
		99 = LEGITIMATE SKIP	16595	67.72

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 248	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YETLKTC	2	*A TEACHER, COACH, OR SCHOOL COUNSELOR		
		1 = Response marked	3298	13.46
		3 = Response marked, LOG ASSN (YEMOSTCH=1)	8	0.03
		5 = Response marked, LOG ASSN (YEMOSTCH=5)	25	0.10
		6 = Response not marked	4284	17.48
		11 = Response marked (and YETLKNON=11)	44	0.18
		13 = Resp markd LOG ASSN (YETLKNON marked & YEMOSTCH=1)	1	0.00
		15 = Response marked LOG ASSN (YEMOSTCH=5 or 15)	4	0.02
		85 = BAD DATA Logically assigned	18	0.07
		89 = LEGITIMATE SKIP Logically assigned	14	0.06
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	157	0.64
		99 = LEGITIMATE SKIP	16647	67.93
YETLKCLG	2	*A PASTOR OR CLERGY		
		1 = Response marked	1781	7.27
		3 = Response marked, LOG ASSN (YEMOSCLG=1)	4	0.02
		5 = Response marked, LOG ASSN (YEMOSCLG=5)	20	0.08
		6 = Response not marked	5826	23.77
		11 = Response marked (and YETLKNON=11)	28	0.11
		13 = Resp markd LOG ASSN (YETLKNON marked & YEMOSCLG=1)	1	0.00
		15 = Response marked LOG ASSN (YEMOSCLG=5 or 15)	3	0.01
		85 = BAD DATA Logically assigned	19	0.08
		89 = LEGITIMATE SKIP Logically assigned	17	0.07
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	157	0.64
		99 = LEGITIMATE SKIP	16644	67.92
YETLKSOP	2	*SOME OTHER PERSON		
		1 = Response marked	929	3.79
		3 = Response marked, LOG ASSN (YEMOSSOP=1)	9	0.04
		5 = Response marked, LOG ASSN (YEMOSSOP=5)	40	0.16
		6 = Response not marked	6658	27.17
		11 = Response marked (and YETLKNON=11)	19	0.08
		13 = Resp markd LOG ASSN (YETLKNON marked & YEMOSSOP=1)	3	0.01
		15 = Response marked LOG ASSN (YEMOSSOP=5 or 15)	5	0.02
		85 = BAD DATA Logically assigned	19	0.08
		89 = LEGITIMATE SKIP Logically assigned	20	0.08
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	157	0.64
		99 = LEGITIMATE SKIP	16641	67.91

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 249	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
YETLKSP	3	*OTHER PERSON SPECIFIED		
		84 = Neighbor/Co-Worker/Visitor/Employee/Employer	40	0.16
		91 = Other Non-Relative, Gender not specified	36	0.15
		92 = Other, Relation and Gender Unspecified	8	0.03
		181 = Other Male God Relative	6	0.02
		191 = Other Male Non-Relative	5	0.02
		192 = Other Male, Relation Unspecified	2	0.01
		281 = Other Female God Relative	5	0.02
		291 = Other Female Non-Relative	23	0.09
		292 = Other Female, Relation Unspecified	4	0.02
		381 = Other God Relatives	2	0.01
		384 = Neighbors/Co-Workers/Visitors/Employees/Employers	5	0.02
		391 = Other Non-Relatives, Gender not specified	12	0.05
		392 = Others, Relation and Gender Unspecified	4	0.02
		605 = Police/law enforcement	12	0.05
		606 = Counselor(s), type unspecified	28	0.11
		607 = Other church worker(s)/member(s)	21	0.09
		608 = Teacher(s), non-school	9	0.04
		609 = Psychologist(s)/psychiatrist(s)/therapist(s)	9	0.04
		610 = Doctor(s)/nurse(s)/health care professional(s) ...	9	0.04
		611 = Hotline	1	0.00
		900 = NOT A PERSON	12	0.05
		901 = God/Heavenly Father	20	0.08
		985 = BAD DATA Logically assigned	44	0.18
		989 = LEGITIMATE SKIP Logically assigned	6886	28.10
		998 = BLANK (NO ANSWER)	655	2.67
		999 = LEGITIMATE SKIP	16647	67.93

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 250	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
YETLKNR	3	*OTHER NON-RELATIVE THAT R CAN TALK TO - RECODE		
		10 = BOY/GIRLFRIEND OF PARENT	3	0.01
		11 = OTHER FRIEND(S) OF PARENT(S)	7	0.03
		12 = BOY/GIRLFRIEND OF SIBLING(S)	4	0.02
		13 = OTHER FRIEND(S) OF SIBLING(S)	3	0.01
		15 = FRIEND(S) OF FAMILY	3	0.01
		16 = FRIEND(S) OF OTHER RELATIVE(S)	1	0.00
		23 = PARENT OF BOY/GIRLFRIEND	4	0.02
		30 = PARENT(S) OF FRIEND(S)	28	0.11
		40 = MANAGER/BOSS/EMPLOYER	6	0.02
		41 = EMPLOYEE(S)/SUPERVISEE(S)	1	0.00
		42 = CO-WORKER(S), RELATIONSHIP UNSPECIFIED	2	0.01
		50 = NEIGHBOR(S)	35	0.14
		62 = IN THE MILITARY	2	0.01
		70 = BABYSITTER	1	0.00
		71 = CASUAL ACQUAINTANCE(S)	7	0.03
		73 = SELF-HELP GROUP MEMBER(S)	1	0.00
		74 = SCOUT LEADER/MASTER	2	0.01
		75 = YOUTH WORKER, CHURCH NOT SPECIFIED	4	0.02
		76 = MENTOR/PERSON BEING MENTORED	1	0.00
		77 = ANOTHER ADULT/OLDER PERSON	7	0.03
		78 = SOMEONE KNOWN TO R, RELATIONSHIP UNSPEC	1	0.00
		80 = ANYBODY/EVERYBODY	3	0.01
		81 = PERSON(S) W/DESIRED CHARACTERISTICS/EXPERIENCE ...	6	0.02
		90 = SPECIFIC NAME MENTIONED	6	0.02
		998 = BLANK (NO ANSWER)	700	2.86
		999 = LEGITIMATE SKIP	23667	96.58

Y-14. Now think about the one person
you are most likely to talk to about a
serious problem. Who would that person
be? PLEASE MARK ONLY ONE BOX FOR THE
BEST ANSWER.

YEMOSNON	2	*THERE IS NOBODY I CAN TALK TO ABOUT SERIOUD PROBS		
		1 = Response marked	108	0.44
		6 = Response not marked	7510	30.65
		15 = Response marked (and other responses in Y-14)	27	0.11
		85 = BAD DATA Logically assigned	6	0.02
		89 = LEGITIMATE SKIP Logically assigned	4	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	188	0.77
		99 = LEGITIMATE SKIP	16657	67.97

*The values in this section may be inconsistent with values from the core sections(s)
since non-core items were not edited to make them consistent with core items, and
core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 251	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YEMOSMOM	2	*MY MOTHER		
		1 = Response marked (only response marked in Y-14) ...	2390	9.75
		5 = Response marked (>1 relationship marked in Y-14) .	894	3.65
		6 = Response not marked	4345	17.73
		15 = Response marked (and YEMOSNON=15)	16	0.07
		85 = BAD DATA Logically assigned	6	0.02
		89 = LEGITIMATE SKIP Logically assigned	31	0.13
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	188	0.77
		99 = LEGITIMATE SKIP	16630	67.86
YEMOSDAD	2	*MY FATHER		
		1 = Response marked (only response marked in Y-14) ...	628	2.56
		5 = Response marked (>1 relationship marked in Y-14) .	668	2.73
		6 = Response not marked	6337	25.86
		15 = Response marked (and YEMOSNON=15)	12	0.05
		85 = BAD DATA Logically assigned	6	0.02
		89 = LEGITIMATE SKIP Logically assigned	21	0.09
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	188	0.77
		99 = LEGITIMATE SKIP	16640	67.90
YEMOSBGF	2	*MY BOYFRIEND OR GIRLFRIEND		
		1 = Response marked (only response marked in Y-14) ...	477	1.95
		5 = Response marked (>1 relationship marked in Y-14) .	495	2.02
		6 = Response not marked	6659	27.17
		15 = Response marked (and YEMOSNON=15)	14	0.06
		85 = BAD DATA Logically assigned	6	0.02
		89 = LEGITIMATE SKIP Logically assigned	34	0.14
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	188	0.77
		99 = LEGITIMATE SKIP	16627	67.85
YEMOSSIB	2	*MY BROTHER OR SISTER		
		1 = Response marked (only response marked in Y-14) ...	499	2.04
		5 = Response marked (>1 relationship marked in Y-14) .	513	2.09
		6 = Response not marked	6620	27.01
		15 = Response marked (and YEMOSNON=15)	13	0.05
		85 = BAD DATA Logically assigned	6	0.02
		89 = LEGITIMATE SKIP Logically assigned	15	0.06
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	188	0.77
		99 = LEGITIMATE SKIP	16646	67.93

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 252	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	---
YEMOSSOR	2	*SOME OTHER RELATIVE		
		1 = Response marked (only response marked in Y-14) ...	255	1.04
		5 = Response marked (>1 relationship marked in Y-14) .	551	2.25
		6 = Response not marked	6830	27.87
		15 = Response marked (and YEMOSNON=15)YEMOSFRN	9	0.04
		85 = BAD DATA Logically assigned	6	0.02
		89 = LEGITIMATE SKIP Logically assigned	6	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	188	0.77
		99 = LEGITIMATE SKIP	16655	67.97
YEMOSFRN	2	*A FRIEND		
		1 = Response marked (only response marked in Y-14) ...	1635	6.67
		5 = Response marked (>1 relationship marked in Y-14) .	788	3.22
		6 = Response marked	5206	21.24
		15 = Response marked (and YEMOSNON=15)	16	0.07
		85 = BAD DATA Logically assigned	6	0.02
		89 = LEGITIMATE SKIP Logically assigned	34	0.14
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	188	0.77
		99 = LEGITIMATE SKIP	16627	67.85
YEMOSTCH	2	*A TEACHER, COACH, OR SCHOOL COUNSELOR		
		1 = Response marked (only response marked in Y-14) ...	214	0.87
		5 = Response marked (>1 relationship marked in Y-14) .	412	1.68
		6 = Response not marked	7005	28.59
		15 = Response marked (and YEMOSNON=15)	14	0.06
		85 = BAD DATA Logically assigned	6	0.02
		89 = LEGITIMATE SKIP Logically assigned	7	0.03
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	188	0.77
		99 = LEGITIMATE SKIP	16654	67.96
YEMOSCLG	2	*A PASTOR OR CLERGY		
		1 = Response marked (only response marked in Y-14) ...	99	0.40
		5 = Response marked (>1 relationship marked in Y-14) .	242	0.99
		6 = Response not marked	7295	29.77
		15 = Response marked (and YEMOSNON=15)	9	0.04
		85 = BAD DATA Logically assigned	6	0.02
		89 = LEGITIMATE SKIP Logically assigned	8	0.03
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	188	0.77
		99 = LEGITIMATE SKIP	16653	67.96

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 253	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	---
YEMOSSOP	2	*SOME OTHER PERSON		
		1 = Response marked (only response marked in Y-14) ...	76	0.31
		5 = Response marked (>1 relationship marked in Y-14) .	203	0.83
		6 = Response not marked	7358	30.03
		15 = Response marked (and YEMOSNON=15)	8	0.03
		85 = BAD DATA Logically assigned	6	0.02
		89 = LEGITIMATE SKIP Logically assigned	12	0.05
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	188	0.77
		99 = LEGITIMATE SKIP	16649	67.94
YEMOSSP	3	*OTHER PERSON SPECIFIED		
		84 = Neighbor/Co-Worker/Visitor/Employee/Employer	6	0.02
		91 = Other Non-Relative, Gender not specified	7	0.03
		92 = Other, Relation and Gender Unspecified	2	0.01
		142 = Brother In-Law	2	0.01
		181 = Other Male God Relative	3	0.01
		281 = Other Female God Relative	1	0.00
		291 = Other Female Non-Relative	7	0.03
		292 = Other Female, Relation Unspecified	2	0.01
		381 = Other God Relatives	1	0.00
		384 = Neighbors/Co-Workers/Visitors/Employees/Employers	1	0.00
		391 = Other Non-Relatives, Gender not specified	1	0.00
		605 = Police/law enforcement	2	0.01
		606 = Counselor(s), type unspecified	10	0.04
		607 = Other church worker(s)/member(s)	7	0.03
		608 = Teacher(s), non-school	4	0.02
		609 = Psychologist(s)/psychiatrist(s)/therapist(s)	6	0.02
		610 = Doctor(s)/nurse(s)/health care professional(s) ...	1	0.00
		611 = Hotline	1	0.00
		900 = NOT A PERSON	2	0.01
		901 = God/Heavenly Father	14	0.06
		985 = BAD DATA Logically assigned	41	0.17
		989 = LEGITIMATE SKIP Logically assigned	7423	30.29
		998 = BLANK (NO ANSWER)	313	1.28
		999 = LEGITIMATE SKIP	16648	67.94
YEMOSNR	3	*OTHER NON-REL MOST LIKELY TO TALK TO - RECODE		
		12 = BOY/GIRLFRIEND OF SIBLING(S)	1	0.00
		13 = OTHER FRIEND(S) OF SIBLING(S)	1	0.00
		30 = PARENT(S) OF FRIEND(S)	6	0.02
		71 = CASUAL ACQUAINTANCE(S)	2	0.01
		73 = SELF-HELP GROUP MEMBER(S)	1	0.00
		75 = YOUTH WORKER, CHURCH NOT SPECIFIED	1	0.00
		76 = MENTOR/PERSON BEING MENTORED	1	0.00
		77 = ANOTHER ADULT/OLDER PERSON	1	0.00
		81 = PERSON(S) W/DESIRED CHARACTERISTICS/EXPERIENCE ...	2	0.01
		90 = SPECIFIC NAME MENTIONED	2	0.01
		998 = BLANK (NO ANSWER)	355	1.45
		999 = LEGITIMATE SKIP	24132	98.48

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 254	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		Y-15. How strict are your parents about...		
YESTDRES	2	*THE WAY YOU DRESS?		
		1 = Not at all strict	3393	13.85
		2 = Just strict enough	3670	14.98
		3 = Too strict	597	2.44
		89 = LEGITIMATE SKIP Logically assigned	102	0.42
		96 = MULTIPLE RESPONSE	8	0.03
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	171	0.70
		99 = LEGITIMATE SKIP	16559	67.57
YESTLATE	2	*STAYING OUT LATE AT NIGHT (CURFEW)?		
		1 = Not at all strict	943	3.85
		2 = Just strict enough	4418	18.03
		3 = Too strict	2263	9.23
		89 = LEGITIMATE SKIP Logically assigned	94	0.38
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	213	0.87
		99 = LEGITIMATE SKIP	16567	67.61
YESTHWRK	2	*TIME SPENT DOING HOMEWORK?		
		1 = Not at all strict	1997	8.15
		2 = Just strict enough	4136	16.88
		3 = Too strict	1483	6.05
		89 = LEGITIMATE SKIP Logically assigned	89	0.36
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	221	0.90
		99 = LEGITIMATE SKIP	16572	67.63
		Y-16. During the past 12 months, how often have you argued with your parents?		
YEARGUP	2	*ARGUED WITH PARENTS PAST 12 MONTHS		
		1 = Every day	603	2.46
		2 = Several times a week	1353	5.52
		3 = About once a week	1823	7.44
		4 = About once a month	1462	5.97
		5 = Rarely or never	2447	9.99
		89 = LEGITIMATE SKIP Logically assigned	98	0.40
		96 = MULTIPLE RESPONSE	6	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	145	0.59
		99 = LEGITIMATE SKIP	16563	67.59

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH EXPERIENCES			PAGE: 255	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		Y-17. During the past 12 months, how many times have you gotten into a gang fight?		
YEGFITE	2	*# TIMES GOTTEN INTO GANG FIGHT 12 MONTHS		
		1 = Never	6955	28.38
		2 = 1 or 2 times	488	1.99
		3 = 3 or 4 times	113	0.46
		4 = 5 or more times	128	0.52
		89 = LEGITIMATE SKIP Logically assigned	100	0.41
		96 = MULTIPLE RESPONSE	6	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	149	0.61
		99 = LEGITIMATE SKIP	16561	67.58
		Y-18. During the past 12 months, how many times have you taken something from a store without paying for it?		
YESHPLFT	2	*# TIMES TAKEN ITEM FROM STORE W/O PAYING PST 12 M		
		1 = Never	6231	25.43
		2 = 1 or 2 times	971	3.96
		3 = 3 or 4 times	179	0.73
		4 = 5 or more times	306	1.25
		89 = LEGITIMATE SKIP Logically assigned	101	0.41
		96 = MULTIPLE RESPONSE	7	0.03
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	145	0.59
		99 = LEGITIMATE SKIP	16560	67.58

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DEMOGRAPHICS (continued)

That was the last of the answer sheets.
 For the remaining questions, I will read
 the question out loud, you can tell me
 your answer, and I will record it in the
 questionnaire booklet.

D-14. How many times in the past 12
 months have you moved?

MOVESPYR	2	# TIMES MOVED PAST 12 MONTHS		
		RANGE = 1 - 50	6173	25.19
		0 = None	18033	73.59
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	298	1.22

NON-CORE DEMOGRAPHICS (continued)			PAGE: 257	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		D-15. Now I have some questions about your schooling. I need you to confirm what you told me earlier about your school experience. Is it correct that the last grade or year you completed in school was: (READ SCHOOL STATUS CATEGORY MARKED IN Q.D-10 ON PAGE 3. MARK CORRECT CATEGORY BELOW.)		
EDUC2NDQ	2	LAST GRADE CMPLTD, QD15 WITH MISS FILD FR EDUC		
		0 = No schooling	57	0.23
		1 = First grade	29	0.12
		2 = Second grade	60	0.24
		3 = Third grade	105	0.43
		4 = Fourth grade	134	0.55
		5 = Fifth grade	534	2.18
		6 = Sixth grade	1549	6.32
		7 = Seventh grade	1482	6.05
		8 = Eighth grade	1819	7.42
		9 = Ninth grade	1911	7.80
		10 = Tenth grade	1931	7.88
		11 = Eleventh grade	2036	8.31
		12 = Twelfth grade	5730	23.38
		13 = Freshman/13th year	1490	6.08
		14 = Sophomore/14th year	1973	8.05
		15 = Junior/15th year	804	3.28
		16 = Senior/16th year	1690	6.90
		17 = Graduate/Professional School (or higher)	1113	4.54
		85 = BAD DATA Logically assigned	47	0.19
		94 = DON'T KNOW	4	0.02
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	6	0.02
		D-16. Are you now...(READ ANSWER CHOICES)		
STUDNT97	2	STUDENT STATUS		
		1 = A full-time student	8043	32.82
		2 = A part-time student	1072	4.37
		3 = Not now enrolled in any school	13355	54.50
		4 = A full-time/part-time student LOG ASSN	164	0.67
		6 = Not now enrolled in any school LOG ASSN	333	1.36
		51 = School not in session (RAW QD16 = 1)	1489	6.08
		52 = School not in session (RAW QD16 = 2)	5	0.02
		53 = School not in session (RAW QD16 = 3)	34	0.14
		54 = School not in session (RAW QD16 = 98)	4	0.02
		55 = School not in session (RAW QD16=RECODE OTH THAN 98	2	0.01
		98 = BLANK (NO ANSWER)	4	0.02

NON-CORE DEMOGRAPHICS (continued)			PAGE: 258	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
STDT9497	2	STUDENT STATUS		
		1 = A full-time student	8051	32.85
		2 = A part-time student	1072	4.37
		3 = Not now enrolled in any school	13337	54.43
		5 = School not in session (RAW QD16 NOT 3)	1470	6.00
		6 = Not now enrolled in any school LOG ASSN	348	1.42
		13 = QD16 marked not enrld, but QD12 marked "Yes"	138	0.56
		15 = School not in session (RAW QD16 = 3)	33	0.13
		85 = BAD DATA Logically assigned	2	0.01
		96 = MULTIPLE RESPONSE	1	0.00
		98 = BLANK (NO ANSWER)	53	0.22

FI CHECKPOINT V; MARK ONE BOX for R's
education.

SKPSCHGR	2	SKIP BASED ON EDUCATION AND STUDENT ENROLLMENT		
		1 = EDUC2NDQ = 0 THROUGH 11 AND STUDNT97= 3, 6	3466	14.14
		2 = EDUC2NDQ = 12 THROUGH 17 AND STUDNT97= 3, 6	9671	39.47
		3 = EDUC2NDQ = 0 THROUGH 11 AND STUDNT97= 3,6 LOG ASSN	176	0.72
		4 = EDUC2NDQ = 12 THROUGH 17 AND STUDNT97= 3,6 LOG ASS	372	1.52
		51 = School not in session (EDUC2NDQ = 0-11)	1308	5.34
		52 = School not in session (EDUC2NDQ = 12-17)	219	0.89
		53 = School not in session (EDUC2NDQ undefined)	7	0.03
		89 = LEGITIMATE SKIP Logically assigned	1089	4.44
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	1	0.00
		98 = BLANK (NO ANSWER)	5	0.02
		99 = LEGITIMATE SKIP	8190	33.42

FI CHECKPOINT W; MARK ONE BOX for R's
age.

SKPSCHAG	2	IS RESPONDENT 50 YEARS OLD OR OLDER		
		1 = Yes	740	3.02
		2 = No	2563	10.46
		3 = Yes LOGICALLY ASSIGNED	75	0.31
		4 = No LOGICALLY ASSINGED	1586	6.47
		89 = LEGITIMATE SKIP Logically assigned	917	3.74
		99 = LEGITIMATE SKIP	18624	76.00

NON-CORE DEMOGRAPHICS (continued)			PAGE: 259	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		D-17. Please look at this card and tell me which one of these reasons best describes why you left school. (HAND R SHOWCARD 6.) Just give me the number.		
LFTSCHRS	2	REASON FOR LEAVING SCHOOL		
		1 = I was getting bad grades	146	0.60
		2 = School was boring	387	1.58
		3 = I got expelled for selling drugs	6	0.02
		4 = I got expelled for using drugs	10	0.04
		5 = I got expelled for some other reason	124	0.51
		6 = I got pregnant	358	1.46
		7 = I had to get a job because I needed the money	771	3.15
		8 = I wasn't learning anything	98	0.40
		9 = I went to jail/prison	21	0.09
		10 = I quit school for some other reason	29	0.12
		11 = I was getting bad grades	1	0.00
		12 = School was boring	2	0.01
		15 = I got expelled for some other reason	2	0.01
		16 = I got pregnant	3	0.01
		17 = I had to get a job because I needed the money	37	0.15
		18 = I wasn't learning anything	9	0.04
		20 = I was ill/sick/injured/needed medical care	24	0.10
		21 = Family member became ill/sick/died	23	0.09
		22 = Responsibilities at home/family/personal problems	77	0.31
		23 = Parents/guardian would not allow me to attend	14	0.06
		24 = Ran away from/put out of/placed out of home	10	0.04
		25 = Too stressful/couldn't adjust	5	0.02
		26 = Learning disabled	2	0.01
		27 = Couldn't get along with students/teachers/admin ..	22	0.09
		28 = Race-related problems	4	0.02
		29 = Was sexually abuse/assaulted	1	0.00
		30 = Running with the wrong crowd/getting in to trouble	9	0.04
		31 = Afraid of gangs/fear of violence/crime	10	0.04
		32 = Abusing drugs/alcohol	5	0.02
		33 = Skipping school/excessive absenteeism	11	0.04
		34 = Too expensive/couldn't afford	55	0.22
		35 = Didn't like it/didn't want to go/not interested ..	52	0.21
		36 = No transportation/school too far away	15	0.06
		37 = Wasn't able to play sports so quit	3	0.01
		38 = Grade or credit discrepancies/lacked credits	15	0.06
		39 = Advised to quit by guidance counselor/admin	3	0.01
		40 = All the schooling that was available	45	0.18
		41 = Wasn't required/didn't have to go/not needed	8	0.03
		42 = Against my religion	1	0.00
		43 = To sell drugs	1	0.00
		44 = War/political problems in my country	3	0.01
		45 = I was stupid/foolish	3	0.01
		46 = Needed a break	2	0.01
		47 = Got married/moved in with boyfriend	95	0.39

NON-CORE DEMOGRAPHICS (continued)			PAGE: 260	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		48 = Joined military	5	0.02
		49 = Too old	6	0.02
		50 = Wanted to work/do apprenticeship instead of school	22	0.09
		51 = Moved away/didn't re-enroll	117	0.48
		52 = Just quit; reason unspecified	13	0.05
		53 = I got suspended for fighting	1	0.00
		54 = I got suspended, reason unspecified	1	0.00
		68 = Graduated/completed high school or higher	21	0.09
		69 = Never went to school/no school available	10	0.04
		77 = Summer/school not in session	27	0.11
		78 = I am still in school	11	0.04
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	262	1.07
		92 = ILLEGIBLE	1	0.00
		94 = DON'T KNOW	3	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	102	0.42
		99 = LEGITIMATE SKIP	21372	87.21

D-18. How old were you when you left
or stopped attending school?

LFTSCHAG	3	AGE STOPPED ATTENDING SCHOOL		
		RANGE = 6 - 28	2696	11.00
		985 = BAD DATA Logically assigned	11	0.04
		989 = LEGITIMATE SKIP Logically assigned	257	1.05
		994 = DON'T KNOW	5	0.02
		995 = BAD DATA	2	0.01
		997 = REFUSED	3	0.01
		998 = BLANK (NO ANSWER)	116	0.47
		999 = LEGITIMATE SKIP	21415	87.39

D-19. From your 30-day reference date
up to and including today, how many
whole days of school did you miss
because you were sick or injured?

SCHDYS97	2	# DAYS MISSED SCHOOL FOR INJURY/SICKNESS PAST MTH		
		RANGE = 1 - 30	2516	10.27
		0 = None	4968	20.27
		85 = BAD DATA Logically assigned	11	0.04
		89 = LEGITIMATE SKIP Logically assigned	101	0.41
		90 = School was not in session	1533	6.26
		94 = DON'T KNOW	3	0.01
		95 = BAD DATA	1	0.00
		98 = BLANK (NO ANSWER)	660	2.69
		99 = LEGITIMATE SKIP	14712	60.04

NON-CORE DEMOGRAPHICS (continued)

PAGE: 261

LABEL	LEN	DESCRIPTION	FREQ	%
SCHD9497	2	# DAYS MISSED SCHOOL FOR INJURY/SICKNESS PAST MTH		
		RANGE = 1 - 30	2517	10.27
		0 = None	4976	20.31
		85 = BAD DATA Logically assigned	23	0.09
		89 = LEGITIMATE SKIP Logically assigned	93	0.38
		90 = School was not in session	1520	6.20
		94 = DON'T KNOW	3	0.01
		95 = BAD DATA	1	0.00
		98 = BLANK (NO ANSWER)	560	2.29
		99 = LEGITIMATE SKIP	14812	60.44

D-20. During the past 30 days of school, how many whole days did you miss because you skipped or "cut" or just didn't want to be there?

SKIPPD97	2	# OF DAYS SKIPPED SCHOOL PAST 30 DAYS		
		RANGE = 1 - 30	1104	4.51
		0 = None	6343	25.88
		35 = Date specified within the past 30 days	1	0.00
		85 = BAD DATA Logically assigned	70	0.29
		89 = LEGITIMATE SKIP Logically assigned	179	0.73
		90 = School was not in session	1543	6.30
		94 = DON'T KNOW	1	0.00
		95 = BAD DATA	3	0.01
		98 = BLANK (NO ANSWER)	636	2.60
		99 = LEGITIMATE SKIP	14625	59.68

SKIP9497	2	# OF DAYS SKIPPED SCHOOL PAST 30 DAYS		
		RANGE = 1 - 30	1105	4.51
		0 = None	6351	25.92
		35 = Date specified within the past 30 days	1	0.00
		85 = BAD DATA Logically assigned	81	0.33
		89 = LEGITIMATE SKIP Logically assigned	171	0.70
		90 = School was not in session	1531	6.25
		94 = DON'T KNOW	1	0.00
		95 = BAD DATA	3	0.01
		98 = BLANK (NO ANSWER)	527	2.15
		99 = LEGITIMATE SKIP	14734	60.13

NON-CORE DEMOGRAPHICS (continued)			PAGE: 262	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		D-21. Now I have some questions about your work status. How many different employers have you had in the past 12 months?		
NJOBSPYR	2	# OF DIFFERENT EMPLOYERS IN PAST 12 MONTHS		
		RANGE = 1 - 60	13600	55.50
		0 = None	9909	40.44
		94 = DON'T KNOW	6	0.02
		95 = BAD DATA	5	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	983	4.01
		D-22. I need to confirm what you told me earlier about your present working situation. Is it correct that you are: (READ WORK STATUS CATEGORY MARKED IN Q.D-13 ON PAGE 4. MARK CORRECT CATEGORY BELOW.)		
WRKSTAT2	2	PRESENT WORK SITUATION		
		1 = Working full-time, 35 hours or more a week	8831	36.04
		2 = Working part-time, less than 35 hours a week	3210	13.10
		3 = Have a job but out: illness/leave/furlough/strike	102	0.42
		4 = Have a job, but it is seasonal	111	0.45
		5 = Unemployed or laid off and looking for work	906	3.70
		6 = Unemployed and not looking for work	227	0.93
		7 = Full-time homemaker	1802	7.35
		8 = In school only	7315	29.85
		9 = Retired	1148	4.68
		10 = Disabled, not able to work	504	2.06
		11 = Other, not specified	2	0.01
		21 = Working full-time, 35 hours or more a week	12	0.05
		22 = Working part-time, less than 35 hours a week	39	0.16
		23 = Have a job but out: illness/leave/furlough/strike	13	0.05
		24 = Have a job, but it is seasonal	6	0.02
		25 = Unemployed or laid off and looking for work	9	0.04
		26 = Unemployed and not looking for work	3	0.01
		27 = Full-time homemaker	6	0.02
		28 = In school only	43	0.18
		29 = Retired	2	0.01
		30 = Disabled, not able to work	4	0.02
		31 = Other, in labor force	36	0.15
		32 = Other, not in the labor force	32	0.13
		85 = BAD DATA Logically assigned	4	0.02
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	135	0.55

NON-CORE DEMOGRAPHICS (continued)			PAGE: 263	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
WKST2NDQ	2	WRKSTAT2 WITH MISSINGS FILLED FROM WORKSTAT		
		1 = Working full-time, 35 hours or more a week	8863	36.17
		2 = Working part-time, less than 35 hours a week	3221	13.14
		3 = Have a job but out: illness/leave/furlough/strike	103	0.42
		4 = Have a job, but it is seasonal	111	0.45
		5 = Unemployed or laid off and looking for work	909	3.71
		6 = Unemployed and not looking for work	230	0.94
		7 = Full-time homemaker	1812	7.39
		8 = In school only	7379	30.11
		9 = Retired	1157	4.72
		10 = Disabled, not able to work	506	2.06
		11 = Other, not specified	2	0.01
		21 = Working full-time, 35 hours or more a week	12	0.05
		22 = Working part-time, less than 35 hours a week	39	0.16
		23 = Have a job but out: illness/leave/furlough/strike	13	0.05
		24 = Have a job, but it is seasonal	6	0.02
		25 = Unemployed or laid off and looking for work	9	0.04
		26 = Unemployed and not looking for work	4	0.02
		27 = Full-time homemaker	6	0.02
		28 = In school only	43	0.18
		29 = Retired	2	0.01
		30 = Disabled, not able to work	4	0.02
		31 = Other, in labor force	36	0.15
		32 = Other, not in the labor force	32	0.13
		85 = BAD DATA Logically assigned	3	0.01
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	2	0.01

D-23. During the past 12 months -- that
is, from your 12-month reference date
through today -- for how many weeks
have you been (READ WORK STATUS FROM
Q.D-22)? There are 52 weeks in 12
months.

WKSWKST	2	# WEEKS IN PAST 12 MONTHS YOU BEEN IN WORK SIT		
		RANGE = 1 - 52	21002	85.70
		0 = None	2497	10.19
		94 = DON'T KNOW	79	0.32
		95 = BAD DATA	22	0.09
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	901	3.68

		NON-CORE DEMOGRAPHICS (continued)	PAGE: 264
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----

FI CHECKPOINT X; R's work status

SKPWKST1	2	SKIP BASED ON WORK STATUS, WKST2NDQ/WORKSTAT		
		1 = WORK STATUS = 1,2,3, or 4	12124	49.48
		2 = WORK STATUS = 5,6,7,8,9,10, or 11	12073	49.27
		3 = WORK STATUS = 1,2,3, or 4 LOG ASSN	199	0.81
		4 = WORK STATUS = 5,6,7,8,9,10, or 11 LOG ASSN	102	0.42
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	4	0.02

D-24. The next questions seek to identify whether you work for a large or small business. About how many people work for your employer at all locations? By location, we mean all the offices, stores, etc., regardless of their geographic location, of a certain company. (HAND RESPONDENT SHOWCARD 7.)

BUSSIZE	2	# PEOPLE THAT WORK FOR EMPLOYER - ALL LOCATIONS		
		1 = Less than 10 people	2161	8.82
		2 = 10-24 people	1306	5.33
		3 = 25-99 people	1583	6.46
		4 = 100-499 people	1669	6.81
		5 = 500 people or more	4963	20.25
		12 = 10-24 people LOGICALLY ASSIGNED	21	0.09
		13 = 25-99 people LOGICALLY ASSIGNED	56	0.23
		14 = 100-499 people LOGICALLY ASSIGNED	109	0.44
		15 = 500 people or more LOGICALLY ASSIGNED	320	1.31
		89 = LEGITIMATE SKIP Logically assigned	44	0.18
		94 = DON'T KNOW	19	0.08
		96 = MULTIPLE RESPONSE	6	0.02
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	213	0.87
		99 = LEGITIMATE SKIP	12032	49.10

NON-CORE DEMOGRAPHICS (continued)			PAGE: 265	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		D-25. Thinking about the location where you work, about how many people work for your employer out of this office, store, etc.? (HAND RESPONDENT SHOWCARD 7.)		
LOCSIZE	2	# PEOPLE THAT WORK FOR EMPLOYER - RESP'S LOCATION		
		1 = Less than 10 people	3199	13.05
		2 = 10-24 people	2270	9.26
		3 = 25-99 people	2776	11.33
		4 = 100-499 people	2225	9.08
		5 = 500 people or more	1726	7.04
		89 = LEGITIMATE SKIP Logically assigned	45	0.18
		94 = DON'T KNOW	14	0.06
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	211	0.86
		99 = LEGITIMATE SKIP	12031	49.10
		D-26. At your workplace, have you ever been provided with any information regarding the use of alcohol or drugs?		
DRGINFO	2	HAS WORKPLACE PROVIDED DRUG/ALC USE INFO.		
		1 = Yes	6077	24.80
		2 = No	3741	15.27
		3 = Yes LOGICALLY ASSIGNED	2199	8.97
		89 = LEGITIMATE SKIP Logically assigned	44	0.18
		94 = Don't remember	191	0.78
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	218	0.89
		99 = LEGITIMATE SKIP	12032	49.10
		D-27. At your workplace, is there a written policy regarding employee use of alcohol or drugs?		
DRGPLCY	2	WORKPLACE HAVE WRITTEN POLICY DRUG/ALCOHOL USE		
		1 = Yes	7737	31.57
		2 = No	3585	14.63
		3 = Yes LOGICALLY ASSIGNED	40	0.16
		89 = LEGITIMATE SKIP Logically assigned	45	0.18
		94 = Don't remember	851	3.47
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	213	0.87
		99 = LEGITIMATE SKIP	12031	49.10

NON-CORE DEMOGRAPHICS (continued)			PAGE: 266	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		D-28. Does this policy cover only alcohol, only drugs, or both alcohol and drugs?		
PLCYCOV	2	DID POLICY COVER ALCOHOL, DRUGS, OR BOTH		
		1 = Only alochol	127	0.52
		2 = Only drugs	201	0.82
		3 = Both alcohol and drugs	7251	29.59
		89 = LEGITIMATE SKIP Logically assigned	159	0.65
		94 = Don't Know	148	0.60
		96 = MULTIPLE RESPONSE	17	0.07
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	247	1.01
		99 = LEGITIMATE SKIP	16353	66.73
		D-29. Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?		
DRGPRGM	2	EMPLOYER HAVE EMPLOYEE ASSIST. FOR ALC/DRUG PROB		
		1 = Yes	4551	18.57
		2 = No	4932	20.13
		89 = LEGITIMATE SKIP Logically assigned	43	0.18
		94 = Don't Know	2707	11.05
		96 = MULTIPLE RESPONSE	6	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	231	0.94
		99 = LEGITIMATE SKIP	12033	49.10
		D-30. Are there any circumstances under which your workplace or business tests its employees for drug or alcohol usage?		
USALCTST	2	WORKPLACE TESTS FOR ALCOHOL USAGE		
		1 = Yes	4419	18.03
		2 = No	6128	25.01
		85 = BAD DATA Logically assigned	73	0.30
		89 = LEGITIMATE SKIP Logically assigned	43	0.18
		94 = Don't Know	1547	6.31
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	258	1.05
		99 = LEGITIMATE SKIP	12033	49.10

NON-CORE DEMOGRAPHICS (continued)			PAGE: 267	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
USDRGTST	2	WORKPLACE TESTS FOR DRUG USAGE		
		1 = Yes	4885	19.93
		2 = No	5749	23.46
		85 = BAD DATA Logically assigned	73	0.30
		89 = LEGITIMATE SKIP Logically assigned	43	0.18
		94 = Don't Know	1449	5.91
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	269	1.10
		99 = LEGITIMATE SKIP	12033	49.10
FI CHECKPOINT Y; MARK ONE BOX for R's answer to Q-30.				
SKPWKTST	2	SKIP Q'S ABOUT WHEN WORK TESTS FOR ALC/DRUG		
		1 = USALCTST = No or DK and USDRGTST = No or DK	7013	28.62
		2 = USALCTST or USDRGTST = Yes	4639	18.93
		3 = USALCTST = No or DK and USDRGTST = No/DK LOG ASSN	172	0.70
		4 = USALCTST or USDRGTST = Yes LOG ASSN	390	1.59
		89 = LEGITIMATE SKIP Logically assigned	45	0.18
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	213	0.87
		99 = LEGITIMATE SKIP	12031	49.10
D-31. Under what circumstances does your workplace or business test its employees for drug or alcohol usage? Is it conducted...(READ ALL CATEGORIES)				
TSTHIRE	2	AS PART OF THE HIRING PROCESS		
		1 = Yes	3922	16.00
		2 = No	872	3.56
		89 = LEGITIMATE SKIP Logically assigned	194	0.79
		94 = Don't Know	145	0.59
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	339	1.38
		99 = LEGITIMATE SKIP	19031	77.66
TSTRAND	2	ON A RANDOM BASIS		
		1 = Yes	2436	9.94
		2 = No	1984	8.10
		89 = LEGITIMATE SKIP Logically assigned	185	0.75
		94 = Don't Know	466	1.90
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	390	1.59
		99 = LEGITIMATE SKIP	19040	77.70

NON-CORE DEMOGRAPHICS (continued)			PAGE: 268	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TSTSUSP	2	BASED ON THE REASONABLE SUSPICION OF A SUPERVISOR		
		1 = Yes	3216	13.12
		2 = No	924	3.77
		89 = LEGITIMATE SKIP Logically assigned	185	0.75
		94 = Don't Know	753	3.07
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	381	1.55
		99 = LEGITIMATE SKIP	19040	77.70
TSTACCD	2	FOLLOWING A WORK-RELATED ACCIDENT		
		1 = Yes	2907	11.86
		2 = No	997	4.07
		89 = LEGITIMATE SKIP Logically assigned	182	0.74
		94 = Don't Know	987	4.03
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	385	1.57
		99 = LEGITIMATE SKIP	19043	77.71
TSTTRMT	2	SOME OTHER REASON (TEST SUBSEQUENT TO TREAT)		
		1 = Yes	1636	6.68
		2 = No	1428	5.83
		89 = LEGITIMATE SKIP Logically assigned	181	0.74
		94 = Don't know	1815	7.41
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	399	1.63
		99 = LEGITIMATE SKIP	19044	77.71
D-32. Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol usage as part of the hiring process? Would you say...				
WRKHIRE	2	WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST PRE-HIRE		
		1 = More likely	5007	20.43
		2 = Less likely	569	2.32
		3 = Would it make no difference to you	6619	27.01
		89 = LEGITIMATE SKIP Logically assigned	48	0.20
		94 = DON'T KNOW	3	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	229	0.93
		99 = LEGITIMATE SKIP	12028	49.08

NON-CORE DEMOGRAPHICS (continued)			PAGE: 269	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		D-33. Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol usage on a random basis? Would you say...		
WRKRAND	2	WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST RANDOMLY		
		1 = More likely	4535	18.51
		2 = Less likely	1027	4.19
		3 = Would it make no difference to you	6633	27.07
		89 = LEGITIMATE SKIP Logically assigned	48	0.20
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	230	0.94
		99 = LEGITIMATE SKIP	12028	49.08
		D-34. Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol usage based on the reasonable suspicion of a supervisor? Would you say...		
WRKSUSP	2	WOULD YOU WORK FOR EMP DOES DRUG/ALC TST SUSPICION		
		1 = More likely	4809	19.62
		2 = Less likely	1214	4.95
		3 = Would it make no difference to you	6171	25.18
		89 = LEGITIMATE SKIP Logically assigned	48	0.20
		94 = DON'T KNOW	4	0.02
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	228	0.93
		99 = LEGITIMATE SKIP	12028	49.08
		D-35. Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol usage following a work-related accident? Would you say...		
WRKACCD	2	WLD YOU WORK FOR EMP DOES DRUG/ALC TEST WK-REL ACC		
		1 = More likely	5386	21.98
		2 = Less likely	645	2.63
		3 = Would it make no difference to you	6096	24.88
		89 = LEGITIMATE SKIP Logically assigned	53	0.22
		94 = DON'T KNOW	5	0.02
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	294	1.20
		99 = LEGITIMATE SKIP	12023	49.06

NON-CORE DEMOGRAPHICS (continued)			PAGE: 270	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		D-36. In what month and year did you last work for pay?		
PAYMO	2	MONTH LAST WORKED FOR PAY		
		RANGE = 1 - 12	5165	21.08
		89 = LEGITIMATE SKIP Logically assigned	3832	15.64
		91 = NEVER WORKED FOR PAY	6490	26.48
		94 = DON'T KNOW	268	1.09
		95 = BAD DATA	2	0.01
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	9	0.04
		98 = BLANK (NO ANSWER)	333	1.36
		99 = LEGITIMATE SKIP	8405	34.30
PAYYR	3	YEAR LAST WORKED FOR PAY		
		RANGE = 19 - 97	5507	22.47
		985 = BAD DATA Logically assigned	10	0.04
		989 = LEGITIMATE SKIP Logically assigned	3827	15.62
		991 = NEVER WORKED FOR PAY	6490	26.48
		994 = DON'T KNOW	47	0.19
		995 = BAD DATA	3	0.01
		996 = MULTIPLE RESPONSE	1	0.00
		997 = REFUSED	9	0.04
		998 = BLANK (NO ANSWER)	201	0.82
		999 = LEGITIMATE SKIP	8410	34.32
		FI CHECKPOINT Z; R's work status		
SKPWKST2	2	SKIP BASED ON WORK STATUS, WKST2NDQ/WORKSTAT		
		1 = Work stat=Now in labor force (codes 1-4,21-24) ...	11964	48.82
		2 = Work stat=Not in labor frc (5-11,25-32) - SKIP ...	11936	48.71
		3 = Work stat=Now in labor force LOGICALLY ASSIGNED ..	357	1.46
		4 = Work stat=Not in labor frc LOG ASSN - SKIP	241	0.98
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	6	0.02

NON-CORE DEMOGRAPHICS (continued)			PAGE: 271	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		D-41. During the past 30 days -- that is, from your 30-day reference date up to and including today -- how many whole days of work did you miss because you were sick or injured?		
WORKDAYS	2	# DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS		
		RANGE = 1 - 30	2213	9.03
		0 = None	9857	40.22
		89 = LEGITIMATE SKIP Logically assigned	206	0.84
		95 = BAD DATA	10	0.04
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	333	1.36
		99 = LEGITIMATE SKIP	11884	48.50
		D-42. During the past 30 days, how many whole days of work did you miss because you just didn't want to be there?		
WORKBLAH	2	# DAYS SKIPPED WORK PAST 30 DAYS		
		RANGE = 1 - 30	981	4.00
		0 = None	11038	45.04
		89 = LEGITIMATE SKIP Logically assigned	196	0.80
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	393	1.60
		99 = LEGITIMATE SKIP	11894	48.54
		FI CHECKPOINT AA; MARK ONE BOX for R's age and sex.		
SKPPREG	1	SKIP OVER PREGNANCY Q'S TO TOTPEOP, ON AGE AND SEX		
		1 = Respondent is female less than 45 years old	11263	45.96
		2 = Respondent is female 45 years or older - SKIP	2106	8.59
		3 = Respondent is male - SKIP	10749	43.86
		4 = Female less than 45 LOGICALLY ASSIGNED	242	0.99
		5 = Female 45 years or older LOGICALLY ASSIGNED - SKIP	58	0.24
		6 = Male LOGICALLY ASSIGNED - SKIP	87	0.36

NON-CORE DEMOGRAPHICS (continued)			PAGE: 272	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		D-45. Are you currently pregnant?		
PREGNANT	2	CURRENTLY PREGNANT		
		1 = Yes	458	1.87
		2 = No	10897	44.47
		3 = Yes LOGICALLY ASSIGNED	3	0.01
		89 = LEGITIMATE SKIP Logically assigned	100	0.41
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	143	0.58
		99 = LEGITIMATE SKIP	12900	52.64
		D-46. How many months pregnant are you?		
PREGMOS	2	NUMBER OF MONTHS PREGNANT		
		RANGE = 1 - 9	437	1.78
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	26	0.11
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	163	0.67
		99 = LEGITIMATE SKIP	23871	97.41
		FI CHECKPOINT BB; IS RESPONDENT THE ONLY ADULT 18 OR OLDER LIVING IN THIS HOUSEHOLD?		
SKPCWE	1	ONLY ADULT IN HOUSEHOLD		
		1 = Yes	2732	11.15
		2 = No	20295	82.82
		3 = Yes LOGICALLY ASSIGNED	305	1.24
		4 = No LOGICALLY ASSIGNED	1173	4.79

NON-CORE DEMOGRAPHICS (continued)			PAGE: 273	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		D-47. Who is considered to be the chief wage earner or source of income in this household?		
CWE	2	CHIEF WAGE EARNER IN HOUSEHOLD		
		1 = Respondent	4073	16.62
		2 = Someone else (specify)	13889	56.68
		3 = Income equally by resp and someone else (specify)	1882	7.68
		4 = No one	428	1.75
		6 = Someone else LOGICALLY ASSIGNED	860	3.51
		7 = Income eq1 by resp and someone else LOG ASSN	22	0.09
		89 = LEGITIMATE SKIP Logically assigned	453	1.85
		94 = DON'T KNOW	10	0.04
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	425	1.73
		99 = LEGITIMATE SKIP	2456	10.02

NON-CORE DEMOGRAPHICS (continued)			PAGE: 274	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
CWESC1	3	REL OF CHIEF WAGE EARNER TO RESPONDENT - 1ST MENT		
		8 = Respondent	1	0.00
		9 = Head of Household	66	0.27
		10 = Spouse	195	0.80
		20 = Parent/Guardian	26	0.11
		37 = Child, Relation Unspecified	1	0.00
		60 = Live-In Partner	47	0.19
		61 = Friend/Roommate/Companion	405	1.65
		71 = Cousin/Cousin's Spouse	38	0.16
		82 = Housekeeper/Maid/Caretaker/Butler	1	0.00
		84 = Neighbor/Co-Worker/Visitor/Employee/Employer	1	0.00
		85 = Landlord/Home Owner	9	0.04
		91 = Other Non-Relative, Gender not specified	9	0.04
		109 = Male Head of Household	1	0.00
		110 = Husband	3291	13.43
		111 = Ex-Husband	2	0.01
		113 = Child's Father	2	0.01
		120 = Father/Male Guardian	5628	22.97
		121 = Step/Adopted/Foster Father/Future Step Father	303	1.24
		122 = Father/Step Father/Future Father In-Law	37	0.15
		130 = Son	63	0.26
		132 = Son In-Law	22	0.09
		140 = Brother/Half Brother	164	0.67
		141 = Step/Adopted/Foster Brother/Future Step Brother ..	1	0.00
		142 = Brother In-Law	76	0.31
		150 = Grandfather/Great+ Grandfather	134	0.55
		160 = Male Live-In Partner	1	0.00
		161 = Male Fiance/Boyfriend/Roommate/Companion	272	1.11
		170 = Uncle/Step Uncle/Aunt's Husband	82	0.33
		171 = Male Cousin	1	0.00
		172 = Nephew	8	0.03
		181 = Other Male God Relative	1	0.00
		184 = Male Neighbor/Co-Worker/Visitor/Employee/Employer	1	0.00
		190 = Other Male Relative	1	0.00
		191 = Other Male Non-Relative	23	0.09
		192 = Other Male, Relation Unspecified	4	0.02
		210 = Wife	557	2.27
		211 = Ex-Wife	1	0.00
		220 = Mother/Female Guardian	3694	15.07
		221 = Step/Adopted/Foster Mother/Future Step Mother	14	0.06
		222 = Mother/Step Mother/Future Mother In-Law	16	0.07
		230 = Daughter	74	0.30
		231 = Step/Adopted/Foster Daughter	1	0.00
		232 = Daughter In-Law	2	0.01
		233 = Granddaughter	2	0.01
		240 = Sister/Half Sister	94	0.38
		241 = Step/Adopted/Foster Sister/Future Step Sister	1	0.00
		242 = Sister In-Law	5	0.02
		250 = Grandmother/Great+ Grandmother	231	0.94
		261 = Female Fiancee/Girlfriend/Roommate/Companion	84	0.34

NON-CORE DEMOGRAPHICS (continued)			PAGE: 275
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----
		270 = Aunt	85 0.35
		272 = Niece	4 0.02
		291 = Other Female Non-Relative	9 0.04
		292 = Other Female, Relation Unspecified	1 0.00
		309 = Head of Household	1 0.00
		315 = In-Laws	1 0.00
		320 = Parents/Guardians	278 1.13
		321 = Step/Adopted/Foster Parents/Future Step Parents ..	1 0.00
		337 = Children, Relation Unspecified	1 0.00
		340 = Siblings	1 0.00
		350 = Grandparents/Great+ Grandparents	14 0.06
		361 = Friends/Roommates/Companions	114 0.47
		371 = Cousins/Cousins' Spouses	3 0.01
		382 = Housekeepers/Maids/Caretakers/Butlers	1 0.00
		390 = Other Relatives, Gender not specified	4 0.02
		391 = Other Non-Relatives, Gender not specified	3 0.01
		392 = Others, Relation and Gender Unspecified	11 0.04
		410 = Husbands	1 0.00
		420 = Fathers/Male Guardians	1 0.00
		430 = Sons	3 0.01
		440 = Brothers/Half Brothers	6 0.02
		461 = Male Fiances/Boyfriends/Roommates/Companions	3 0.01
		492 = Other Males, Relation Unspecified	1 0.00
		540 = Sisters/Half Sisters	5 0.02
		900 = NOT A PERSON	1 0.00
		985 = BAD DATA Logically assigned	11 0.04
		989 = LEGITIMATE SKIP Logically assigned	85 0.35
		994 = DON'T KNOW	1 0.00
		997 = REFUSED	7 0.03
		998 = BLANK (NO ANSWER)	830 3.39
		999 = LEGITIMATE SKIP	7325 29.89

NON-CORE DEMOGRAPHICS (continued)			PAGE: 276	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
CWESC2	3	REL OF CHIEF WAGE EARNER TO RESPONDENT - 2ND MENT		
		8 = Respondent	3	0.01
		9 = Head of Household	13	0.05
		20 = Parent/Guardian	1	0.00
		50 = Grandparent/Great+ Grandparent	1	0.00
		60 = Live-In Partner	1	0.00
		61 = Friend/Roommate/Companion	18	0.07
		71 = Cousin/Cousin's Spouse	5	0.02
		91 = Other Non-Relative, Gender not specified	2	0.01
		92 = Other, Relation and Gender Unspecified	1	0.00
		109 = Male Head of Household	1	0.00
		110 = Husband	6	0.02
		120 = Father/Male Guardian	345	1.41
		121 = Step/Adopted/Foster Father/Future Step Father	24	0.10
		122 = Father/Step Father/Future Father In-Law	1	0.00
		130 = Son	2	0.01
		132 = Son In-Law	8	0.03
		133 = Grandson	1	0.00
		140 = Brother/Half Brother	16	0.07
		142 = Brother In-Law	3	0.01
		150 = Grandfather/Great+ Grandfather	2	0.01
		161 = Male Fiance/Boyfriend/Roommate/Companion	6	0.02
		170 = Uncle/Step Uncle/Aunt's Husband	15	0.06
		172 = Nephew	3	0.01
		191 = Other Male Non-Relative	6	0.02
		192 = Other Male, Relation Unspecified	2	0.01
		210 = Wife	17	0.07
		220 = Mother/Female Guardian	147	0.60
		221 = Step/Adopted/Foster Mother/Future Step Mother	2	0.01
		222 = Mother/Step Mother/Future Mother In-Law	2	0.01
		230 = Daughter	3	0.01
		232 = Daughter In-Law	2	0.01
		240 = Sister/Half Sister	14	0.06
		242 = Sister In-Law	7	0.03
		250 = Grandmother/Great+ Grandmother	7	0.03
		261 = Female Fiancee/Girlfriend/Roommate/Companion	2	0.01
		270 = Aunt	7	0.03
		272 = Niece	1	0.00
		291 = Other Female Non-Relative	2	0.01
		320 = Parents/Guardians	2	0.01
		322 = Parents/Step Parents/Future Parents In-Law	1	0.00
		337 = Children, Relation Unspecified	1	0.00
		361 = Friends/Roommates/Companions	4	0.02
		440 = Brothers/Half Brothers	2	0.01
		540 = Sisters/Half Sisters	1	0.00
		550 = Grandmothers/Great+ Grandmothers	1	0.00
		989 = LEGITIMATE SKIP Logically assigned	85	0.35
		997 = REFUSED	7	0.03
		998 = BLANK (NO ANSWER)	16377	66.83
		999 = LEGITIMATE SKIP	7325	29.89

NON-CORE DEMOGRAPHICS (continued)			PAGE: 277	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		D-48. Does (he/she) work...(READ ANSWER CHOICES)		
FULLPART	2	CHIEF WAGE EARNER FULL OR PART TIME		
		1 = Full time	14533	59.31
		2 = Part time	861	3.51
		3 = Chief wage earner does not work	1824	7.44
		89 = LEGITIMATE SKIP Logically assigned	147	0.60
		94 = DON'T KNOW	13	0.05
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	733	2.99
		99 = LEGITIMATE SKIP	6386	26.06
		D-49. Altogether, how many people live here, including yourself?		
TOTPEOP	2	# PEOPLE LIVING IN HOUSEHOLD		
		RANGE = 1 - 15	24505	100.00
		D-50. During the past 12 months, how often did you attend religious services? Please do not include special occasions such as weddings, christenings, funerals, or other special events in your answer. Would you say you...		
RLGSVCFQ	2	HOW OFTEN ATTENDED RELIGIOUS SERVICES PAST 12 MOS		
		1 = Never attended religious services	6038	24.64
		2 = Attended about once or twice in the past 12 months	5355	21.85
		3 = Attended about once or twice a month	5051	20.61
		4 = Attended every week	5897	24.06
		5 = Attended several times a week	1988	8.11
		94 = DON'T KNOW	6	0.02
		95 = BAD DATA	3	0.01
		96 = MULTIPLE RESPONSE	14	0.06
		97 = REFUSED	16	0.07
		98 = BLANK (NO ANSWER)	137	0.56

NON-CORE DEMOGRAPHICS (continued)			PAGE: 278	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		D-51. I am going to read some state- ments about the role that religious beliefs may play in your life. Please tell me if you strongly disagree, disagree, agree, or strongly agree with each statement. (READ ALL STATEMENTS.)		
RLGIMPRT	2	MY RELIGIOUS BELIEFS ARE VERY IMPORTANT		
		1 = Strongly disagree	720	2.94
		2 = Disagree	3072	12.54
		3 = Agree	11724	47.84
		4 = Strongly Agree	8793	35.88
		94 = DON'T KNOW	23	0.09
		96 = MULTIPLE RESPONSE	5	0.02
		97 = REFUSED	27	0.11
		98 = BLANK (NO ANSWER)	141	0.58
RLGDECSN	2	MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS		
		1 = Strongly disagree	865	3.53
		2 = Disagree	4840	19.75
		3 = Agree	11335	46.26
		4 = Strongly Agree	7259	29.62
		94 = DON'T KNOW	19	0.08
		96 = MULTIPLE RESPONSE	7	0.03
		97 = REFUSED	28	0.11
		98 = BLANK (NO ANSWER)	152	0.62
RLGFRNDS	2	IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS		
		1 = Strongly disagree	3706	15.12
		2 = Disagree	13124	53.56
		3 = Agree	5528	22.56
		4 = Strongly Agree	1945	7.94
		94 = DON'T KNOW	18	0.07
		96 = MULTIPLE RESPONSE	7	0.03
		97 = REFUSED	26	0.11
		98 = BLANK (NO ANSWER)	151	0.62

NON-CORE HEALTH (CONTINUED)			PAGE: 279	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
NON-CORE HEALTH (CONTINUED)				

FI CHECKPOINT CC; R's age.				
SKPMHC	1	SKIP TO HEALTH CARE, BASED ON AGE		
		1 = Respondent is 18 years or older	16357	66.75
		2 = Respondent is 12-17 years old - SKIP	7770	31.71
		3 = 18 or older LOGICALLY ASSIGNED	304	1.24
		4 = 12 to 17 LOGICALLY ASSIGNED - SKIP	74	0.30
HE-4. Now we have some additional questions about specific aspects of your health. During the past 12 months, was there ever a time when you felt sad, blue, or depressed for two weeks or more in a row?				
DEPRESS	2	FELT DEPRESSED 2 WEEKS OR MORE IN PAST 12 MONTHS		
		1 = Yes	2572	10.50
		2 = No	13996	57.11
		3 = Yes LOGICALLY ASSIGNED	11	0.04
		4 = No LOGICALLY ASSIGNED	5	0.02
		89 = LEGITIMATE SKIP Logically assigned	141	0.58
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	72	0.29
		99 = LEGITIMATE SKIP	7703	31.43
HE-5. For the next few questions, please think of the two-week period during the past 12 months when these feelings were worst. During that time, did the feeling of being sad, blue, or depressed usually last all day long, about half the day, or less than half the day?				
DEPDAYS	2	DURING 2 WKS, HOW MUCH OF DAY WERE YOU DEPRESSED		
		1 = All day long	773	3.15
		2 = Most of the day	755	3.08
		3 = About half the day	598	2.44
		4 = Less than half the day	448	1.83
		89 = LEGITIMATE SKIP Logically assigned	21	0.09
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	80	0.33
		99 = LEGITIMATE SKIP	21824	89.06

NON-CORE HEALTH (CONTINUED)			PAGE: 280	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		HE-6. Did you feel this way every day, almost every day, or less often during those two weeks?		
DEPFREQ	2	FELT DEPRESSED HOW OFTEN IN 2 WK PERIOD		
		1 = Every day	855	3.49
		2 = Almost every day	1065	4.35
		3 = Less often	654	2.67
		89 = LEGITIMATE SKIP Logically assigned	19	0.08
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	80	0.33
		99 = LEGITIMATE SKIP	21826	89.07
		HE-7. During those two weeks, did you lose interest in most things?		
LOSTINT1	2	LOSE INTEREST IN THINGS IN 2 WK PERIOD - VERSION1		
		1 = Yes	1685	6.88
		2 = No	888	3.62
		89 = LEGITIMATE SKIP Logically assigned	21	0.09
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	80	0.33
		99 = LEGITIMATE SKIP	21824	89.06
		HE-8. Did you feel tired out or low on energy all the time?		
TIRED1	2	FEEL TIRED ALL THE TIME IN 2 WK PERIOD - VERSION1		
		1 = Yes	2059	8.40
		2 = No	518	2.11
		89 = LEGITIMATE SKIP Logically assigned	19	0.08
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	78	0.32
		99 = LEGITIMATE SKIP	21826	89.07

NON-CORE HEALTH (CONTINUED)			PAGE: 281	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		HE-9. Did you gain weight, lose weight, or stay about the same?		
WTCHNG1	2	WEIGHT CHANGE PAST 12 MONTHS - VERSION 1		
		1 = Gained weight	510	2.08
		2 = Lost weight	734	3.00
		3 = Both gained and lost weight	78	0.32
		4 = Stayed the same	1250	5.10
		5 = Respondent was on a diet	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	19	0.08
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	79	0.32
		99 = LEGITIMATE SKIP	21826	89.07
		HE-10. About how much did you (gain/lose)?		
LBSCHNG1	3	# POUNDS GAINED OR LOST - VERSION 1		
		RANGE = 1 - 80	1261	5.15
		0 = None	1	0.00
		989 = LEGITIMATE SKIP Logically assigned	13	0.05
		994 = DON'T KNOW	30	0.12
		995 = BAD DATA	6	0.02
		997 = REFUSED	6	0.02
		998 = BLANK (NO ANSWER)	104	0.42
		999 = LEGITIMATE SKIP	23084	94.20
		HE-11. Did you have more trouble falling asleep than you usually do?		
SLPLOSS1	2	TROUBLE FALLING ASLEEP IN 2 WK PERIOD - VERSION 1		
		1 = Yes	1541	6.29
		2 = No	1024	4.18
		3 = Yes LOGICALLY ASSIGNED	14	0.06
		89 = LEGITIMATE SKIP Logically assigned	20	0.08
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	76	0.31
		99 = LEGITIMATE SKIP	21825	89.06

NON-CORE HEALTH (CONTINUED)			PAGE: 282	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		HE-12. Did that happen every night, nearly every night, or less often during those two weeks?		
SLPFREQ1	2	HOW OFTEN TROUBLE SLEEPING IN 2 WK PER - VERSION 1		
		1 = Every night	477	1.95
		2 = Nearly every night	723	2.95
		3 = Less often	348	1.42
		89 = LEGITIMATE SKIP Logically assigned	10	0.04
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	83	0.34
		99 = LEGITIMATE SKIP	22859	93.28
		HE-13. Did you have a lot more trouble concentrating than usual?		
CONCEN1	2	HAVE MORE PROBLEM CONCENTRATING THAN USUAL		
		1 = Yes	1822	7.44
		2 = No	751	3.06
		89 = LEGITIMATE SKIP Logically assigned	20	0.08
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	82	0.33
		99 = LEGITIMATE SKIP	21825	89.06
		HE-14. At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?		
DOWN1	2	FEEL NO GOOD, WORTHLESS, DOWN		
		1 = Yes	1532	6.25
		2 = No	1038	4.24
		89 = LEGITIMATE SKIP Logically assigned	19	0.08
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	83	0.34
		99 = LEGITIMATE SKIP	21826	89.07
		HE-15. Did you think a lot about death, either your own, someone else's, or death in general?		
IDEAT1	2	THINK ABOUT DEATH - OWN, SOMEONE ELSE, GENERAL		
		1 = Yes	1162	4.74
		2 = No	1413	5.77
		89 = LEGITIMATE SKIP Logically assigned	20	0.08
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	79	0.32
		99 = LEGITIMATE SKIP	21825	89.06

NON-CORE HEALTH (CONTINUED)			PAGE: 283	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		FI CHECKPOINT DD; ANY BOXED ITEMS IN Q.HE-7 THROUGH Q.HE-15 MARKED?		
SKPDEP1	2	ANY BOXED ITEMS MARKED LOSTINT1 TO IDEAT1		
		1 = Yes	2398	9.79
		2 = No - SKIP	77	0.31
		3 = Yes LOGICALLY ASSIGNED	94	0.38
		4 = No LOGICALLY ASSIGNED - SKIP	15	0.06
		89 = LEGITIMATE SKIP Logically assigned	183	0.75
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	72	0.29
		99 = LEGITIMATE SKIP	21662	88.40
		<p>HE-16. Reviewing what you just told me, you had two weeks in a row during the past 12 months when you were sad, blue, or depressed and also had some other things like (READ UP TO TWO DESCRIPTIONS IN YES-BOXED RESPONSES FROM QUESTIONS HE-7 THROUGH HE-15). About how many weeks altogether did you feel this way during the past 12 months?</p>		
DEPWKS1	2	# WEEKS FELT DEPRESSED PAST 12 MONTHS		
		RANGE = 2 - 52	2395	9.77
		85 = BAD DATA Logically assigned	32	0.13
		89 = LEGITIMATE SKIP Logically assigned	36	0.15
		94 = DON'T KNOW	13	0.05
		95 = BAD DATA	5	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	120	0.49
		99 = LEGITIMATE SKIP	21900	89.37
		<p>HE-17. Think about the last time you felt this way for two weeks or more in a in a row. In what month was that?</p>		
DEPMO1	2	WHAT MONTH LAST FELT DEPRESSED		
		RANGE = 1 - 12	2158	8.81
		89 = LEGITIMATE SKIP Logically assigned	62	0.25
		94 = DON'T KNOW	19	0.08
		95 = BAD DATA	4	0.02
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	142	0.58
		99 = LEGITIMATE SKIP	22113	90.24

NON-CORE HEALTH (CONTINUED)			PAGE: 284
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----
DEPYR1	3	WHAT YEAR LAST FELT DEPRESSED - RECODE	
		RANGE = 96 - 97	2125 8.67
		985 = BAD DATA Logically assigned	49 0.20
		989 = LEGITIMATE SKIP Logically assigned	61 0.25
		994 = DON'T KNOW	10 0.04
		997 = REFUSED	7 0.03
		998 = BLANK (NO ANSWER)	139 0.57
		999 = LEGITIMATE SKIP	22114 90.24

HE-18. During the past 12 months, was there ever a time lasting two weeks or more when you lost interest in most things like hobbies, work, or activities that usually gave you pleasure?

LOSTINT2	2	LOST INTEREST IN THINGS IN 2 WK PERIOD - VERSION 2	
		1 = Yes	370 1.51
		2 = No	13535 55.23
		3 = Yes LOGICALLY ASSIGNED	2 0.01
		89 = LEGITIMATE SKIP Logically assigned	591 2.41
		97 = REFUSED	4 0.02
		98 = BLANK (NO ANSWER)	167 0.68
		99 = LEGITIMATE SKIP	9836 40.14

HE-19. For the next few questions, please think of the two-week period during the past 12 months when you had the most complete loss of interest in things. During that two-week period, did the loss of interest usually last all day long, most of the day, about half the day, or less than half the day?

LOSINDAY	2	AMT OF DAY LOST INTEREST IN 2 WK PERIOD	
		1 = All day long	81 0.33
		2 = Most of the day	93 0.38
		3 = About half the day	106 0.43
		4 = Less than half the day	92 0.38
		89 = LEGITIMATE SKIP Logically assigned	225 0.92
		97 = REFUSED	4 0.02
		98 = BLANK (NO ANSWER)	167 0.68
		99 = LEGITIMATE SKIP	23737 96.87

NON-CORE HEALTH (CONTINUED)			PAGE: 285	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		HE-20. Did you feel this way every day, almost every day, or less often during the two weeks?		
LOSINFRQ	2	LOST INTEREST HOW OFTEN IN 2 WEEK PERIOD		
		1 = Every day	57	0.23
		2 = Almost every day	145	0.59
		3 = Less often	166	0.68
		89 = LEGITIMATE SKIP Logically assigned	224	0.91
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	171	0.70
		99 = LEGITIMATE SKIP	23738	96.87
		HE-21. During those two weeks, did you feel tired out, or low on energy all the time?		
TIRED2	2	DURING TWO WEEKS, FEEL TIRED OR LOW ON ENERGY		
		1 = Yes	266	1.09
		2 = No	102	0.42
		89 = LEGITIMATE SKIP Logically assigned	222	0.91
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	171	0.70
		99 = LEGITIMATE SKIP	23740	96.88
		HE-22. During those two weeks, did you gain weight, lose weight, or stay about the same?		
WTCHNG2	2	WEIGHT CHANGE IN 2 WEEK PERIOD - VERSION 2		
		1 = Gained weight	73	0.30
		2 = Lost weight	67	0.27
		3 = Both gained and lost weight	5	0.02
		4 = Stayed the same	224	0.91
		5 = Respondent was on a diet	1	0.00
		89 = LEGITIMATE SKIP Logically assigned	219	0.89
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	169	0.69
		99 = LEGITIMATE SKIP	23743	96.89

NON-CORE HEALTH (CONTINUED)			PAGE: 286	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		HE-23. About how much did you (gain/lose)?		
LBSCHNG2	3	# POUNDS LOST OR GAINED - VERSION 2		
		RANGE = 1 - 60	141	0.58
		989 = LEGITIMATE SKIP Logically assigned	118	0.48
		994 = DON'T KNOW	1	0.00
		995 = BAD DATA	1	0.00
		997 = REFUSED	4	0.02
		998 = BLANK (NO ANSWER)	171	0.70
		999 = LEGITIMATE SKIP	24069	98.22
		HE-24. During those two weeks, did you have more trouble falling asleep than you usually do?		
SLPLOSS2	2	TROUBLE FALLING ASLEEP IN 2 WK PERIOD - VERSION 2		
		1 = Yes	168	0.69
		2 = No	202	0.82
		89 = LEGITIMATE SKIP Logically assigned	216	0.88
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	169	0.69
		99 = LEGITIMATE SKIP	23746	96.90
		HE-25. Did that happen every night, nearly every night, or less often during those two weeks?		
SLPFREQ2	2	HOW OFTEN TROUBLE SLEEPING IN 2 WK PER - VERSION 2		
		1 = Every night	31	0.13
		2 = Nearly every night	85	0.35
		3 = Less often	52	0.21
		89 = LEGITIMATE SKIP Logically assigned	148	0.60
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	169	0.69
		99 = LEGITIMATE SKIP	24016	98.00
		HE-26. During those two weeks, did you have a lot more trouble concentrating than usual?		
CONCEN2	2	HAVE TROUBLE CONCENTRATING DURING THOSE 2 WEEKS		
		1 = Yes	213	0.87
		2 = No	157	0.64
		89 = LEGITIMATE SKIP Logically assigned	214	0.87
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	169	0.69
		99 = LEGITIMATE SKIP	23748	96.91

NON-CORE HEALTH (CONTINUED)			PAGE: 287	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		HE-27. At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?		
DOWN2	2	FEEL DOWN, NO GOOD OR WORTHLESS DURING THOSE 2 WKS		
		1 = Yes	146	0.60
		2 = No	222	0.91
		89 = LEGITIMATE SKIP Logically assigned	211	0.86
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	171	0.70
		99 = LEGITIMATE SKIP	23751	96.92
		HE-28. During those two weeks, did you think a lot about death -- either your own, someone else's, or death in general?		
IDEAT2	2	THINK ABOUT DEATH - OWN,SOMEONE ELSE,GENERAL 2 WKS		
		1 = Yes	121	0.49
		2 = No	249	1.02
		89 = LEGITIMATE SKIP Logically assigned	214	0.87
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	169	0.69
		99 = LEGITIMATE SKIP	23748	96.91
		FI CHECKPOINT EE; ANY BOXED ITEMS IN Q.HE-21 THROUGH Q.HE-28 MARKED?		
SKPDEP2	2	ANY BOXED ITEMS MARKED TIRED2 TO IDEAT2		
		1 = Yes	333	1.36
		2 = No - SKIP	55	0.22
		3 = Yes LOGICALLY ASSIGNED	10	0.04
		4 = No LOGICALLY ASSIGNED - SKIP	6	0.02
		89 = LEGITIMATE SKIP Logically assigned	388	1.58
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	135	0.55
		99 = LEGITIMATE SKIP	23574	96.20

NON-CORE HEALTH (CONTINUED)			PAGE: 288	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		HE-29. Reviewing what you told me, you had two weeks in row during the past 12 months when you lost interest in most things and also had some other things like (READ UP TO TWO DESCRIPTION IN YES-BOXED RESPONSES FROM QUESTIONS HE-21 THROUGH HE-28.) About how many weeks altogether did you feel this way during the past 12 months?		
DEPWKS2	2	# WEEKS PAST YEAR LOST INTEREST IN THINGS		
		RANGE = 2 - 52	325	1.33
		85 = BAD DATA Logically assigned	10	0.04
		89 = LEGITIMATE SKIP Logically assigned	217	0.89
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	175	0.71
		99 = LEGITIMATE SKIP	23774	97.02
		HE-30. Think about the last time you had two weeks in row when you felt this way. In what month and year was that?		
DEPMO2	2	LAST TIME LOST INTEREST IN THINGS > 2 WKS - MOS		
		RANGE = 1 - 12	310	1.27
		89 = LEGITIMATE SKIP Logically assigned	214	0.87
		94 = DON'T KNOW	5	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	178	0.73
		99 = LEGITIMATE SKIP	23794	97.10
DEPYR2	3	LAST TIME LOST INTEREST IN THINGS > 2 WKS - YEAR		
		RANGE = 96 - 97	302	1.23
		985 = BAD DATA Logically assigned	10	0.04
		989 = LEGITIMATE SKIP Logically assigned	213	0.87
		994 = DON'T KNOW	4	0.02
		997 = REFUSED	4	0.02
		998 = BLANK (NO ANSWER)	177	0.72
		999 = LEGITIMATE SKIP	23795	97.10

NON-CORE HEALTH (CONTINUED)			PAGE: 289	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		HE-31. During the past 12 months, did you ever have a period lasting one month or longer when most of the time you felt worried or anxious?		
WORRIED	2	PERIOD LONGER THAN 1 MONTH FELT ANXIOUS PAST YEAR		
		1 = Yes	1865	7.61
		2 = No	14657	59.81
		3 = Yes LOGICALLY ASSIGNED	25	0.10
		89 = LEGITIMATE SKIP Logically assigned	140	0.57
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	107	0.44
		99 = LEGITIMATE SKIP	7704	31.44
		HE-32. Has that period ended or is it still going on?		
WOREND	2	PERIOD ENDED OR STILL GOING ON		
		1 = Ended	946	3.86
		2 = Still going on	852	3.48
		3 = Ended LOGICALLY ASSIGNED	59	0.24
		4 = Still going on LOGICALLY ASSIGNED	33	0.13
		89 = LEGITIMATE SKIP Logically assigned	10	0.04
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	108	0.44
		99 = LEGITIMATE SKIP	22491	91.78
		HE-33. How many months or years did it go on before it ended? (FILL IN NUMBER AND MARK APPROPRIATE TIMEFRAME.)		
WORNOM01	4	# OF MONTHS BEFORE ANXIETY ENDED - RECODE		
		RANGE = 1 - 456	962	3.93
		9989 = LEGITIMATE SKIP Logically assigned	37	0.15
		9994 = DON'T KNOW	3	0.01
		9997 = REFUSED	8	0.03
		9998 = BLANK (NO ANSWER)	146	0.60
		9999 = LEGITIMATE SKIP	23349	95.28

NON-CORE HEALTH (CONTINUED)			PAGE: 290	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		HE-34. During that period, did you worry about things that were not likely to happen?		
WORHAPN1	2	WORRIED ABOUT THINGS UNLIKELY TO HAPPEN		
		1 = Yes	405	1.65
		2 = No	581	2.37
		85 = BAD DATA Logically assigned	11	0.04
		89 = LEGITIMATE SKIP Logically assigned	39	0.16
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	113	0.46
		99 = LEGITIMATE SKIP	23347	95.27
		HE-35. Did you worry about things that were not really serious?		
WORSERI1	2	WORRIED ABOUT THINGS NOT SERIOUS		
		1 = Yes	148	0.60
		2 = No	487	1.99
		89 = LEGITIMATE SKIP Logically assigned	32	0.13
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	109	0.44
		99 = LEGITIMATE SKIP	23720	96.80
		HE-36. During this period of worry or anxiety, did you have different worries on your mind at the same time?		
WORDIFF1	2	HAD DIFFERENT WORRIES ON MIND		
		1 = Yes	426	1.74
		2 = No	87	0.36
		89 = LEGITIMATE SKIP Logically assigned	55	0.22
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	111	0.45
		99 = LEGITIMATE SKIP	23818	97.20

NON-CORE HEALTH (CONTINUED)			PAGE: 291	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		HE-37. How many months or years has it been going on? (FILL IN NUMBER AND MARK APPROPRIATE TIMEFRAME.)		
WORNOMO2	4	# OF MONTHS ANXIETY GOING ON - RECODE		
		RANGE = 1 - 720	845	3.45
		9989 = LEGITIMATE SKIP Logically assigned	7	0.03
		9994 = DON'T KNOW	2	0.01
		9995 = BAD DATA	2	0.01
		9997 = REFUSED	7	0.03
		9998 = BLANK (NO ANSWER)	143	0.58
		9999 = LEGITIMATE SKIP	23499	95.89
		HE-38. Do you worry about things that are not likely to happen?		
WORHAPN2	2	WORRY ABOUT THINGS UNLIKELY TO HAPPEN		
		1 = Yes	370	1.51
		2 = No	493	2.01
		85 = BAD DATA Logically assigned	10	0.04
		89 = LEGITIMATE SKIP Logically assigned	4	0.02
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	120	0.49
		99 = LEGITIMATE SKIP	23502	95.91
		HE-39. Do you worry a great deal about things that are not really serious?		
WORSERI2	2	WORRY ABOUT THINGS NOT SERIOUS		
		1 = Yes	118	0.48
		2 = No	421	1.72
		89 = LEGITIMATE SKIP Logically assigned	7	0.03
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	120	0.49
		99 = LEGITIMATE SKIP	23833	97.26
		HE-40. Do you have different worries on your mind at the same time?		
WORDIFF2	2	HAVE DIFFERENT WORRIES ON MIND		
		1 = Yes	413	1.69
		2 = No	32	0.13
		89 = LEGITIMATE SKIP Logically assigned	51	0.21
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	127	0.52
		99 = LEGITIMATE SKIP	23876	97.43

NON-CORE HEALTH (CONTINUED)			PAGE: 292	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		FI CHECKPOINT FF; WORNOMO1 or WORNOMO2 is more than or less than 6 months.		
SKPWOR	2	WORNOMO1 OR WORNOMO2 IS 6 MONTHS OR MORE		
		1 = WORNOMO1 or WORNOMO2 = 6 months or more	434	1.77
		2 = WORNOMO1 or WORNOMO2 < 6 mo. - SKIP	489	2.00
		3 = WORNOMO1 or WORNOMO2 = 6 mo. or more LOG ASSN	23	0.09
		4 = WORNOMO1 or WORNOMO2 < 6 mo. LOG ASSN - SKIP	21	0.09
		89 = LEGITIMATE SKIP Logically assigned	99	0.40
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	122	0.50
		99 = LEGITIMATE SKIP	23310	95.12
		HE-41. When you (are/were) worried or anxious, (are/were) you also...		
WORREST	2	RESTLESS WHEN WORRIED		
		1 = Yes	383	1.56
		2 = No	63	0.26
		89 = LEGITIMATE SKIP Logically assigned	66	0.27
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	133	0.54
		99 = LEGITIMATE SKIP	23853	97.34
WOREDGE	2	KEYED UP OR ON EDGE WHEN WORRIED		
		1 = Yes	358	1.46
		2 = No	87	0.36
		89 = LEGITIMATE SKIP Logically assigned	66	0.27
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	134	0.55
		99 = LEGITIMATE SKIP	23853	97.34
WORIRRIT	2	IRRITABLE WHEN WORRIED		
		1 = Yes	342	1.40
		2 = No	103	0.42
		89 = LEGITIMATE SKIP Logically assigned	66	0.27
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	134	0.55
		99 = LEGITIMATE SKIP	23853	97.34
WORHEART	2	HEART POUNDS OR RACES WHEN WORRIED		
		1 = Yes	252	1.03
		2 = No	194	0.79
		89 = LEGITIMATE SKIP Logically assigned	66	0.27
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	133	0.54
		99 = LEGITIMATE SKIP	23853	97.34

NON-CORE HEALTH (CONTINUED)			PAGE: 293	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
WORTIRED	2	EASILY TIRED WHEN WORRIED		
		1 = Yes	341	1.39
		2 = No	103	0.42
		89 = LEGITIMATE SKIP Logically assigned	65	0.27
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	135	0.55
		99 = LEGITIMATE SKIP	23854	97.34
WORSLEEP	2	TROUBLE FALLING ASLEEP WHEN WORRIED		
		1 = Yes	326	1.33
		2 = No	119	0.49
		89 = LEGITIMATE SKIP Logically assigned	65	0.27
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	134	0.55
		99 = LEGITIMATE SKIP	23854	97.34
WORFAINT	2	FEEL FAINT OR UNREAL WHEN WORRIED		
		1 = Yes	169	0.69
		2 = No	276	1.13
		89 = LEGITIMATE SKIP Logically assigned	66	0.27
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	134	0.55
		99 = LEGITIMATE SKIP	23853	97.34
<p>HE-42. Here's list of situations that cause some people to have unreasonably strong fears. "Unreasonably strong" means being very upset or badly frightened when most people would not be afraid. During the past 12 months, did you have an unreasonably strong fear of...</p>				
FEARPUB	2	BEING IN A PUBLIC PLACE, OR A CROWD OR LINE		
		1 = Yes	548	2.24
		2 = No	16012	65.34
		89 = LEGITIMATE SKIP Logically assigned	153	0.62
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	93	0.38
		99 = LEGITIMATE SKIP	7691	31.39
FEAROUT	2	LEAVING HOME OR BEING AWAY FROM HOME		
		1 = Yes	499	2.04
		2 = No	16063	65.55
		89 = LEGITIMATE SKIP Logically assigned	153	0.62
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	93	0.38
		99 = LEGITIMATE SKIP	7691	31.39

NON-CORE HEALTH (CONTINUED)			PAGE: 294	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
FEARBRDG	2	FEAR OF CROSSING BRIDGE IN PAST 12 MONTHS		
		1 = Yes	421	1.72
		2 = No	16135	65.84
		89 = LEGITIMATE SKIP Logically assigned	152	0.62
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	99	0.40
		99 = LEGITIMATE SKIP	7692	31.39

FI CHECKPOINT GG; FEARPUB, FEAROUT, or
FEARBRDG marked either yes or all no.

SKPFEAR1	2	RESPONSE TO FEARPUB, FEAROUT, AND FEARBRDG		
		1 = Any yes answer	948	3.87
		2 = All answered no - SKIP	15458	63.08
		3 = Any yes answer LOGICALLY ASSIGNED	67	0.27
		4 = All answered no LOGICALLY ASSIGNED - SKIP	84	0.34
		85 = BAD DATA Logically assigned	18	0.07
		89 = LEGITIMATE SKIP Logically assigned	141	0.58
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	81	0.33
		99 = LEGITIMATE SKIP	7703	31.43

FEAROFT	2	HOW OFTEN HAVE THESE FEARS		
		1 = Every time	159	0.65
		2 = Most of the time	173	0.71
		3 = Some of the time	565	2.31
		4 = Only one or two times	77	0.31
		89 = LEGITIMATE SKIP Logically assigned	23	0.09
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	139	0.57
		99 = LEGITIMATE SKIP	23363	95.34

HE-44. How long have you had
(this/these) fear(s) -- less than 1
year, between 1 and 5 years, or more
than 5 years?

FEARYRS	2	HOW LONG HAD THIS/THESE FEAR(S)		
		1 = Less than 1 year	39	0.16
		2 = Between 1 and 5 years	68	0.28
		3 = More than 5 years	218	0.89
		5 = Between 1 and 5 yrs LOGICALLY ASSIGNED	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	36	0.15
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	141	0.58
		99 = LEGITIMATE SKIP	23992	97.91

NON-CORE HEALTH (CONTINUED)			PAGE: 295	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		HE-45. About how many months have you had (this/these) fear(s)?		
FEARMOS	2	# OF MONTHS HAD THIS/THESE FEAR(S)		
		RANGE = 1 - 60	92	0.38
		85 = BAD DATA Logically assigned	10	0.04
		89 = LEGITIMATE SKIP Logically assigned	20	0.08
		94 = DON'T KNOW	3	0.01
		95 = BAD DATA	3	0.01
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	145	0.59
		99 = LEGITIMATE SKIP	24226	98.86
		HE-46. When you are in (this/these) situation(s), are you afraid that you might faint, lose control, or embarrass yourself in other ways?		
FEARFANT	2	WHEN IN THIS SITUATION AFRAID OF FAINTING		
		1 = Yes	193	0.79
		2 = No	137	0.56
		89 = LEGITIMATE SKIP Logically assigned	38	0.16
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	140	0.57
		99 = LEGITIMATE SKIP	23990	97.90
		HE-47. When you are in (this/these) situation(s), do you worry that you might be trapped without any way to escape?		
FEARTRAP	2	WHEN IN THIS SITUATION WORRY ABOUT BEING TRAPPED		
		1 = Yes	222	0.91
		2 = No	108	0.44
		89 = LEGITIMATE SKIP Logically assigned	44	0.18
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	140	0.57
		99 = LEGITIMATE SKIP	23984	97.87

NON-CORE HEALTH (CONTINUED)			PAGE: 296	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		HE-48. When you are in (this/these) situation(s), do you worry that help might not be available if you needed it?		
FEARHELP	2	WHEN IN THIS SITUATION WORRY NO HELP AVAILABLE		
		1 = Yes	217	0.89
		2 = No	112	0.46
		89 = LEGITIMATE SKIP Logically assigned	51	0.21
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	140	0.57
		99 = LEGITIMATE SKIP	23977	97.85
		HE-49. During the past 12 months, did you ever have a spell or an attack when all of a sudden you felt frightened, anxious, or very uneasy when most people would not be afraid or anxious?		
PANIC1	2	SPELL WHEN SUDDENLY FRIGHTENED PAST 12 MO		
		1 = Yes	891	3.64
		2 = No	15643	63.84
		85 = BAD DATA Logically assigned	21	0.09
		89 = LEGITIMATE SKIP Logically assigned	141	0.58
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	100	0.41
		99 = LEGITIMATE SKIP	7703	31.43
		HE-50. During the past 12 months, did you ever have a spell or an attack when for no reason your heart suddenly began to race, you felt faint, or you couldn't catch your breath? (IF RESPONDENT VOLUNTEERS ONLY WHEN HAVING HEART ATTACK, OR DUE TO PHYSICAL CAUSES, MARK NO.)		
PANIC2	2	SUDDEN SPELL HEART RACED IN PAST 12 MO		
		1 = Yes	520	2.12
		2 = No	15176	61.93
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		89 = LEGITIMATE SKIP Logically assigned	132	0.54
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	104	0.42
		99 = LEGITIMATE SKIP	8566	34.96

NON-CORE HEALTH (CONTINUED)			PAGE: 297
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----
		HE-51. About how many attacks did you have in the past 12 months?	
PANICNUM	3	# ATTACKS IN PAST 12 MONTHS	
		RANGE = 1 - 365	1336 5.45
		0 = None	3 0.01
		985 = BAD DATA Logically assigned	7 0.03
		989 = LEGITIMATE SKIP Logically assigned	22 0.09
		994 = DON'T KNOW	11 0.04
		995 = BAD DATA	8 0.03
		997 = REFUSED	5 0.02
		998 = BLANK (NO ANSWER)	115 0.47
		999 = LEGITIMATE SKIP	22998 93.85
		HE-52. In what month and year did you have (the last one/this attack)?	
PANICMO	2	MONTH THAT LAST ATTACK OCCURRED	
		RANGE = 1 - 12	1331 5.43
		89 = LEGITIMATE SKIP Logically assigned	16 0.07
		94 = DON'T KNOW	29 0.12
		95 = BAD DATA	1 0.00
		97 = REFUSED	6 0.02
		98 = BLANK (NO ANSWER)	118 0.48
		99 = LEGITIMATE SKIP	23004 93.87
PANICYR	3	YEAR THAT LAST ATTACK OCCURRED	
		RANGE = 96 - 97	1332 5.44
		985 = BAD DATA Logically assigned	19 0.08
		989 = LEGITIMATE SKIP Logically assigned	17 0.07
		994 = DON'T KNOW	8 0.03
		995 = BAD DATA	1 0.00
		997 = REFUSED	5 0.02
		998 = BLANK (NO ANSWER)	120 0.49
		999 = LEGITIMATE SKIP	23003 93.87
		HE-53. Did (this attack/these attacks ever) happen in a situation when you were not in danger or not the center of attention?	
PANIDANG	2	HAD ATTACK WHEN NOT IN DANGER PAST 12 MO	
		1 = Yes	917 3.74
		2 = No	450 1.84
		89 = LEGITIMATE SKIP Logically assigned	31 0.13
		94 = DON'T KNOW	2 0.01
		97 = REFUSED	6 0.02
		98 = BLANK (NO ANSWER)	110 0.45
		99 = LEGITIMATE SKIP	22989 93.81

NON-CORE HEALTH (CONTINUED)			PAGE: 298	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-

FI CHECKPOINT HH; FEARPUB, FEAROUT, or
FEARBRDG marked either yes or all no.

SKPFEAR2	2	RESPONSE TO FEARPUB, FEAROUT, AND FEARBRDG		
		1 = Any yes answer	302	1.23
		2 = All answered no - SKIP	466	1.90
		3 = Any yes answer LOGICALLY ASSIGNED	23	0.09
		4 = All answered no LOGICALLY ASSIGNED - SKIP	167	0.68
		89 = LEGITIMATE SKIP Logically assigned	87	0.36
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	76	0.31
		99 = LEGITIMATE SKIP	23383	95.42

HE-54. A moment ago, we discussed
situations that cause unreasonably
strong fears. When you have attacks of
the sort you just described, do they
usually occur in situations that cause
you unreasonably strong fears?

PANIFEAR	2	ATTACKS OCCUR IN SITUATION CAUSING STRONG FEARS		
		1 = Yes	181	0.74
		2 = No	126	0.51
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	160	0.65
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	88	0.36
		99 = LEGITIMATE SKIP	23943	97.71

HE-55. Did you ever have an attack in
the past 12 months when you were not in
a situation that usually causes you to
have unreasonably strong fears?

PANINOFR	2	HAVE ATTACK WHEN NOT IN SITUATION CAUSING FEAR		
		1 = Yes	106	0.43
		2 = No	78	0.32
		89 = LEGITIMATE SKIP Logically assigned	53	0.22
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	90	0.37
		99 = LEGITIMATE SKIP	24174	98.65

NON-CORE HEALTH (CONTINUED)			PAGE: 299	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		HE-56. When you have attacks,...		
PANIHART	2	HEART POUNDS WHEN HAVING ATTACKS		
		1 = Yes	628	2.56
		2 = No	161	0.66
		89 = LEGITIMATE SKIP Logically assigned	64	0.26
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	162	0.66
		99 = LEGITIMATE SKIP	23484	95.83
PANIPAIN	2	TIGHTNESS IN STOMACH WHEN HAVING ATTACKS		
		1 = Yes	498	2.03
		2 = No	296	1.21
		89 = LEGITIMATE SKIP Logically assigned	62	0.25
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	158	0.64
		99 = LEGITIMATE SKIP	23486	95.84
PANISWET	2	SWEAT WHEN HAVING ATTACKS		
		1 = Yes	408	1.66
		2 = No	386	1.58
		89 = LEGITIMATE SKIP Logically assigned	62	0.25
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	157	0.64
		99 = LEGITIMATE SKIP	23486	95.84
PANISHAK	2	SHAKE WHEN HAVING ATTACKS		
		1 = Yes	434	1.77
		2 = No	358	1.46
		89 = LEGITIMATE SKIP Logically assigned	62	0.25
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	159	0.65
		99 = LEGITIMATE SKIP	23486	95.84
PANIHOT	2	HOT FLASHES/CHILLS WHEN HAVING ATTACKS		
		1 = Yes	405	1.65
		2 = No	386	1.58
		89 = LEGITIMATE SKIP Logically assigned	62	0.25
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	159	0.65
		99 = LEGITIMATE SKIP	23486	95.84

NON-CORE HEALTH (CONTINUED)			PAGE:	300
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
PANIUNRL	2	THINGS SEEM UNREAL WHEN HAVING ATTACKS		
		1 = Yes	266	1.09
		2 = No	523	2.13
		89 = LEGITIMATE SKIP Logically assigned	62	0.25
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	160	0.65
		99 = LEGITIMATE SKIP	23486	95.84

		NON-CORE HEALTH CARE	PAGE: 301
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----

NON-CORE HEALTH CARE

Now we have some questions about any medical treatment you may have had in a hospital emergency room. For these four questions, think about the past 12 months--that is, from your 12-month reference date up to and including today.

HC-1. During the past 12 months, how many different times have you been treated in an emergency room because of injury or illness?

NUERTMT	2	# OF TIMES BEEN TREATED IN EMER. ROOM PAST 12 MO		
		RANGE = 1 - 60	4610	18.81
		0 = None	19765	80.66
		94 = DON'T KNOW	4	0.02
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	123	0.50

HC-2. During the past 12 months, how many different times have you stayed overnight or longer in a hospital?

NUHSPOV	2	# NIGHTS STAYED IN HOSPITAL OVERNIGHT OR LONGER		
		RANGE = 1 - 80	1988	8.11
		0 = None	22326	91.11
		94 = DON'T KNOW	2	0.01
		95 = BAD DATA	2	0.01
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	184	0.75

NON-CORE HEALTH CARE

PAGE: 302

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
		HC-3. During the past 12 months, how many different times have you stayed overnight or longer in a hospital to receive treatment for psychological or emotional difficulties?		
NUHSPPE	2	# NIGHT STAYED IN HOSPITAL FOR PSY/EMOTIONAL TREAT		
		RANGE = 1 - 60	118	0.48
		0 = None	1657	6.76
		89 = LEGITIMATE SKIP Logically assigned	3473	14.17
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	400	1.63
		99 = LEGITIMATE SKIP	18853	76.94
		HC-4. Have you received treatment for psychological problems or emotional difficulties at a mental health clinic or by a mental health professional on an outpatient basis in the past 12 months?		
OUTPTPE	2	BEEN OUTPATIENT AT MENTAL HEALTH CLINIC PAST YEAR		
		1 = Yes	1084	4.42
		2 = No	23257	94.91
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	5	0.02
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	155	0.63

NON-CORE PROXY INFORMATION

The next questions are about your health care, health insurance coverage, and the kinds and amounts of income that you receive. The answers to these questions will add greatly to our knowledge about the health problems of the American people, the types of health care they receive, and whether they can afford the care that they need. This information will help in planning health care services and finding ways to lower costs of care.

(IF RESPONDENT HAS NO FAMILY MEMBERS LIVING IN THIS RESIDENCE, SKIP TO ACCESS CARE SECTION ON PAGE 104.)

P-1. Is there some other family member who lives here that you think would be better able to give me the correct information about your health care, health insurance coverage, and the kinds of income you receive?

PROXABLE	2	ANOTHER FAMILY MEMBER THAT CAN GIVE INFO ABOUT HTH		
		1 = Yes	6152	25.11
		2 = No	15438	63.00
		3 = Yes LOGICALLY ASSIGNED	63	0.26
		89 = LEGITIMATE SKIP Logically assigned (FAMSKIP=1) ...	2144	8.75
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	465	1.90
		99 = LEGITIMATE SKIP (FAMSKIP=1)	236	0.96

NON-CORE PROXY INFORMATION			PAGE: 304	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		P-2. Who is the person you think can help us get the correct information for these questions?		
PROXYREL	3	PERSON THAT CAN GIVE MORE INFO ABOUT HEALTH		
		1 = Respondent's spouse/live-in partner	109	0.44
		2 = Respondent's father	1319	5.38
		3 = Respondent's mother	4217	17.21
		4 = Respondent's brother	36	0.15
		5 = Respondent's sister	77	0.31
		6 = Other family member (specify relation to resp) ...	3	0.01
		20 = Parent/Guardian	6	0.02
		50 = Grandparent/Great+ Grandparent	2	0.01
		61 = Friend/Roommate/Companion	4	0.02
		71 = Cousin/Cousin's Spouse	9	0.04
		91 = Other Non-Relative, Gender not specified	2	0.01
		110 = Husband	3	0.01
		120 = Father/Male Guardian	2	0.01
		121 = Step/Adopted/Foster Father/Future Step Father	11	0.04
		130 = Son	7	0.03
		140 = Brother/Half Brother	1	0.00
		150 = Grandfather/Great+ Grandfather	26	0.11
		170 = Uncle/Step Uncle/Aunt's Husband	11	0.04
		171 = Male Cousin	1	0.00
		210 = Wife	4	0.02
		220 = Mother/Female Guardian	8	0.03
		221 = Step/Adopted/Foster Mother/Future Step Mother	12	0.05
		222 = Mother/Step Mother/Future Mother In-Law	2	0.01
		230 = Daughter	13	0.05
		232 = Daughter In-Law	2	0.01
		242 = Sister In-Law	5	0.02
		250 = Grandmother/Great+ Grandmother	147	0.60
		261 = Female Fiancee/Girlfriend/Roommate/Companion	2	0.01
		270 = Aunt	43	0.18
		281 = Other Female God Relative	1	0.00
		291 = Other Female Non-Relative	1	0.00
		350 = Grandparents/Great+ Grandparents	1	0.00
		989 = LEGITIMATE SKIP Logically assigned	8	0.03
		997 = REFUSED	6	0.02
		998 = BLANK (NO ANSWER)	594	2.42
		999 = LEGITIMATE SKIP	17810	72.68

NON-CORE PROXY INFORMATION			PAGE: 305	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		P-3. Is your (RELATIVE FROM Q.P-2) here at home now?		
PROXHOME	2	IS RELATIVE AT HOME		
		1 = Yes	5637	23.00
		2 = No	411	1.68
		3 = Yes LOGICALLY ASSIGNED	37	0.15
		89 = LEGITIMATE SKIP Logically assigned	13	0.05
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	596	2.43
		99 = LEGITIMATE SKIP	17805	72.66
		P-4. Would you ask your (RELATIVE FROM Q.P-2) to join us to help with these last questions about health care, health insurance, and income?		
PROXJOIN	2	ASK THE RELATIVE TO JOIN US		
		1 = Yes	5545	22.63
		2 = No	53	0.22
		89 = LEGITIMATE SKIP Logically assigned	17	0.07
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	672	2.74
		99 = LEGITIMATE SKIP	18212	74.32

NON-CORE ACCESS TO CARE			PAGE: 306	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		NON-CORE ACCESS TO CARE		

		These questions are about medical care.		
		For the following set of variables the skips have been implemented only when all answers were logically correct in these sets of variables, otherwise it has only been coded as 98.		
		AC-1. Is there a particular person or place that (you usually go/SAMPLE MEMBER usually goes) to when (you are/SAMPLE MEMBER is) sick or need(s) advice about (your/his/her) health?		
CAREUSU	2	IS THERE USUAL PLACE FOR HEALTH CARE		
		1 = Yes	21064	85.96
		2 = No	3198	13.05
		3 = Don't know	72	0.29
		4 = There is more than one place	17	0.07
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	149	0.61
		AC-2. Which of these is the main reason (you do/SAMPLE MEMBER does) not have a usual source of medical care? (HAND RESPONDENT SHOWCARD 8.)		
NCARERSN	2	REASON FOR NOT HAVING USUAL SOURCE OF CARE		
		1 = Two or more usual doctors/places	260	1.06
		2 = Don't need a doctor	1338	5.46
		3 = Don't like/trust/believe in doctors	96	0.39
		4 = Don't know where to go	105	0.43
		5 = Previous doctor is not available/moved	110	0.45
		6 = No insurance/can't afford it	963	3.93
		7 = Speak a different language	7	0.03
		8 = No care available/care too far away/inconvenient .	30	0.12
		9 = Other specify (see NCRRSNSP & NCRRSNSC)	281	1.15
		94 = DON'T KNOW	89	0.36
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	568	2.32
		99 = LEGITIMATE SKIP	20653	84.28

NON-CORE ACCESS TO CARE			PAGE: 307	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NCRRSNSP	2	WHETHER OTHER REASON SPECIFIED FOR NCARERSN		
		1 = Response marked	289	1.18
		3 = Response marked LOGICALLY ASSIGNED	8	0.03
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	3550	14.49
		99 = LEGITIMATE SKIP	20653	84.28

NCRRSNSC	2	CODE OF OTHER REASON SPECIFIED FOR NCARERSN		
		1 = Two or more usual doctors/places	1	0.00
		2 = Don't need a doctor	108	0.44
		3 = Don't like/trust/believe in doctors	11	0.04
		4 = Don't know where to go	4	0.02
		5 = Previous doctor is not available/moved	9	0.04
		6 = No insurance/can't afford it	25	0.10
		8 = No care available/care too far away or inconvenien	4	0.02
		10 = New to area/recently moved	38	0.16
		11 = Do not have a regular doctor	25	0.10
		12 = Self treatment/treatment by family member	36	0.15
		13 = Religious reasons	4	0.02
		14 = Health care plan determines source	18	0.07
		15 = Hospital/urgent care/clinic	2	0.01
		16 = School/workplace	1	0.00
		18 = Alternative medicine	1	0.00
		85 = BAD DATA Logically assigned	3	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	3557	14.52
		99 = LEGITIMATE SKIP	20653	84.28

AC-3. Is there one of these places that
(you go/SAMPLE MEMBER goes) to most
often when (you are/SAMPLE MEMBER is)
sick or need(s) advice about (your/his/
her) health?

CAREOFT	2	ONE PLACE GO MOST OFTEN		
		1 = Yes	257	1.05
		2 = No	228	0.93
		94 = DON'T KNOW	20	0.08
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	632	2.58
		99 = LEGITIMATE SKIP	23363	95.34

NON-CORE ACCESS TO CARE			PAGE: 308	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		AC-4. At any time in the past 12 months, did (you/SAMPLE MEMBER) have a place that (your/he/she) usually went to for medical care?		
PYRCARE	2	USUALLY HAVE A PLACE TO GO FOR CARE PAST 12 MONTHS		
		1 = Yes	745	3.04
		2 = No	2420	9.88
		94 = DON'T KNOW	31	0.13
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	612	2.50
		99 = LEGITIMATE SKIP	20692	84.44
		AC-5. What kind of place was it -- a clinic, a health center, a hospital, a doctor's office, or some other place?		
PYRCRTYP	2	PLACE VISITED WHEN NEEDED CARE PAST YEAR		
		1 = Doctor's office or private clinic	608	2.48
		2 = Company or school health clinic/center	39	0.16
		3 = Community/migrant/rural clinic or center	57	0.23
		4 = County/city/public hospital outpatient clinic	103	0.42
		5 = Private/other hospital outpatient clinic	36	0.15
		6 = Hospital emergency room	97	0.40
		7 = HMO	56	0.23
		8 = Psychiatric hosptial or clinic	2	0.01
		9 = VA hospital or clinic	8	0.03
		10 = Military health care facility	17	0.07
		11 = Some other place specified (see PYRCRTSP/SC)	44	0.18
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	474	1.93
		99 = LEGITIMATE SKIP	22959	93.69
PYRCRTSP	2	WHETHER OTHER PLACE SPECIFIED FOR PYRCRTYP		
		1 = Response marked	45	0.18
		3 = Response marked LOGICALLY ASSIGNED	3	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	1493	6.09
		99 = LEGITIMATE SKIP	22959	93.69

NON-CORE ACCESS TO CARE			PAGE: 309	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
PYRCRTSC	2	CODE OF OTHER PLACE SPECIFIED FOR PYRCRTYP		
		1 = Doctor's office or private clinic	3	0.01
		2 = Company or school health clinic/center	3	0.01
		3 = Community/migrant/rural clinic or center	4	0.02
		4 = County/city/public hospital outpatient clinic	1	0.00
		7 = HMO (Health maintenance organization/pre-paid grp)	2	0.01
		12 = Self treatment/family member	8	0.03
		14 = Urgent care/walk-in medical facility	4	0.02
		16 = Alternative medicine	2	0.01
		18 = Family planning clinic	4	0.02
		19 = Indian clinic or hospital	12	0.05
		20 = Drug treatment/rehab center	1	0.00
		23 = Prison/correctional facility	1	0.00
		85 = BAD DATA Logically assigned	2	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	1494	6.10
		99 = LEGITIMATE SKIP	22959	93.69

AC-6. If (you/SAMPLE MEMBER) needed
medical care now, would (you/he/she) go
to that (FILL PLACE FROM Q.AC-5)?

CARENOW	2	IF NEEDED MEDICAL CARE, WOULD GO TO PLACE IN Q.AC5		
		1 = Yes	824	3.36
		2 = No	197	0.80
		94 = DON'T KNOW	25	0.10
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	495	2.02
		99 = LEGITIMATE SKIP	22959	93.69

AC-7. What is the main reason (you/
SAMPLE MEMBER) would not use that place
for medical care now?

MNRSNNCR	2	REASON WOULD NOT USE PLACE ANYMORE		
		1 = Respondent changed residence/moved	90	0.37
		2 = Respondent changed jobs	11	0.04
		3 = Employer changed insurance companies	3	0.01
		5 = Owed money to former usual source	3	0.01
		6 = Dissatsfd with frmr source/like new source better	13	0.05
		7 = Medical care needs changed	8	0.03
		8 = Frmr usual source stopped taking ins/coverage	12	0.05
		9 = Other reason specified (see MNRSNNSP/SC)	72	0.29
		94 = DON'T KNOW	12	0.05
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	890	3.63
		99 = LEGITIMATE SKIP	23386	95.43

NON-CORE ACCESS TO CARE			PAGE: 310	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
MNRSNNSP	2	OTHER REASON		
		1 = Yes	70	0.29
		3 = Yes LOGICALLY ASSIGNED	5	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	1039	4.24
		99 = LEGITIMATE SKIP	23386	95.43

MNRSNNSC	2	CODE OF OTHER REASON SPECIFIED FOR MNRSNNCR		
		1 = Respondent changed residence/moved	10	0.04
		3 = Employer change insurance companies	1	0.00
		4 = Former usual source left area	4	0.02
		6 = Dissatsfd with frmr source/liked new source better	11	0.04
		7 = Medical care needs changed	9	0.04
		10 = Gynecological/obstetric care only	3	0.01
		11 = Medical care received through workman's comp	4	0.02
		12 = Do not need/like doctors	6	0.02
		13 = Cannot afford it/no insurance	20	0.08
		15 = Military	3	0.01
		16 = Former student	1	0.00
		19 = Different insurance coverage now	3	0.01
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	1039	4.24
		99 = LEGITIMATE SKIP	23386	95.43

AC-8. What kind of place is it -- a
 clinic, a health center, a hospital, a
 doctor's office, or some other place?

UCARETYP	2	USUAL PLACE VISITED FOR HEALTH CARE		
		1 = Doctor's office or private clinic	13414	54.74
		2 = Company or school health clinic/center	356	1.45
		3 = Community/migrant/rural clinic or center	728	2.97
		4 = County/city/public hospital outpatient clinic	1588	6.48
		5 = Private/other hospital outpatient clinic	501	2.04
		6 = Hospital emergency room	864	3.53
		7 = HMO	2875	11.73
		8 = Psychiatric hospital or clinic	11	0.04
		9 = VA hospital or clinic	77	0.31
		10 = Military health care facility	148	0.60
		11 = Some other place specified (see UCRTYPSP/SC)	391	1.60
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	660	2.69
		99 = LEGITIMATE SKIP	2886	11.78

NON-CORE ACCESS TO CARE			PAGE: 311	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
UCRTYPSP	2	WHETHER OTHER PLACE SPECIFIED FOR UCARETYP		
		1 = Response marked	389	1.59
		3 = Response marked LOGICALLY ASSIGNED	14	0.06
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	21211	86.56
		99 = LEGITIMATE SKIP	2886	11.78
UCRTYPSC	2	CODE OF OTHER PLACE SPECIFIED FOR UCARETYP		
		1 = Doctor's office or private clinic	7	0.03
		2 = Company or school health clinic/center	11	0.04
		3 = Community/migrant/rural clinic or center	20	0.08
		4 = County/city/public hospital outpatient clinic	5	0.02
		6 = Hospital emergency room	2	0.01
		7 = HMO (Health maintenance organization/pre-paid grp)	14	0.06
		10 = Military health care facility	1	0.00
		12 = Self treatment/family member	171	0.70
		13 = Friend	27	0.11
		14 = Urgent care/walk-in medical facility	11	0.04
		15 = Religion/church	6	0.02
		16 = Alternative medicine	16	0.07
		17 = Non-physician health care professional	3	0.01
		18 = Family planning clinic	3	0.01
		19 = Indian clinic or hospital	96	0.39
		24 = Health-related camp/program	1	0.00
		85 = BAD DATA Logically assigned	5	0.02
		97 = REFUSED	5	0.02
		98 = BLANK (NO ANSWER)	21215	86.57
		99 = LEGITIMATE SKIP	2886	11.78

NON-CORE HEALTH INSURANCE

The next questions are about your health insurance coverage and the kinds and amounts of income that you receive. The answers to these questions will add greatly to our knowledge about the health problems of the American people, the types of health care they receive, and whether they can afford the care that they need. This information will help in planning health care services and finding ways to lower costs of care. Most of these next questions refer to the month of (LAST FULL CALENDAR MONTH) rather than to the past 30 days that were referred to in some earlier questions.

HI-1. Several government programs provide medical care or help pay medical bills. (HAND RESPONDENT SHOWCARD 9.) People covered by Medicare have a card that looks like this. (PAUSE) In (MONTH), (were you/was SAMPLE MEMBER) covered by Medicare? Medicare is a health insurance program for persons 65 and older and for certain disabled persons.

MEDICARE	2	COVERED BY MEDICARE		
		1 = Yes	1663	6.79
		2 = No	22709	92.67
		94 = DON'T KNOW	25	0.10
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	101	0.41

NON-CORE HEALTH INSURANCE			PAGE: 313	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	----
		HI-2. In (MONTH), (were you/was SAMPLE MEMBER) covered by Medicaid or (Medical Assistance/CAL.-KAN.-AZ.NAME)? Medicaid or (Medical Assistance/CAL.-KAN.-AZ.NAME) is a public assistance program that pays for medical care.		
MEDICAID	2	COVERED BY MEDICAID		
		1 = Yes	2776	11.33
		2 = No	21564	88.00
		94 = DON'T KNOW	52	0.21
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	7	0.03
		98 = BLANK (NO ANSWER)	105	0.43
		HI-3. In (MONTH), (were you/was SAMPLE MEMBER) covered by CHAMPUS, CHAMPVA, the VA, or military health care? These programs cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.		
CHAMPUS	2	COVERED BY CHAMPUS, CHAMPVA, VA, MILITARY		
		1 = Yes	555	2.26
		2 = No	23730	96.84
		94 = DON'T KNOW	32	0.13
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	181	0.74

NON-CORE HEALTH INSURANCE			PAGE: 314	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		HI-4. Health insurance can also be obtained through an employer or union or by paying premiums directly to a private health insurance company or to a health maintenance organization. (Were you/Was SAMPLE MEMBER)) covered by private health insurance or by membership in a health maintenance organization (you/(s)he/someone in the family) purchased this way or by health insurance provided by an employer or union in (MONTH)?		
PRVHLTIN	2	COVERED BY PRIVATE INSURANCE OR HMO		
		1 = Yes	15050	61.42
		2 = No	9004	36.74
		3 = Yes LOGICALLY ASSIGNED	311	1.27
		94 = DON'T KNOW	49	0.20
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	83	0.34
		HI-5. Was this private health insurance plan offered through (your/(SAMPLE MEMBER'S)) employer or union or through the employer or union of some other family member?		
GRPHLTIN	2	PRIVATE PLAN OFFERED THROUGH EMPLOYER OR UNION		
		1 = Yes	13378	54.59
		2 = No	1210	4.94
		4 = No LOGICALLY ASSIGNED	629	2.57
		89 = LEGITIMATE SKIP Logically assigned	202	0.82
		94 = DON'T KNOW	52	0.21
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	223	0.91
		99 = LEGITIMATE SKIP	8802	35.92

NON-CORE HEALTH INSURANCE			PAGE: 315	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HI-6. Was (your/SAMPLE MEMBER'S) private health insurance coverage obtained by paying premiums directly to a private health insurance company or health maintenance organization?		
PDHINPRM	2	PRIVATE INSURANCE OBTAINED BY PAYING PREMIUMS		
		1 = Yes	1599	6.53
		2 = No	162	0.66
		89 = LEGITIMATE SKIP Logically assigned	564	2.30
		94 = DON'T KNOW	54	0.22
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	302	1.23
		99 = LEGITIMATE SKIP	21818	89.03
		HI-7. Did (your/SAMPLE MEMBER'S) private health insurance plan or health maintenance organization include coverage for treatment for any of the following conditions? (READ ALL CATEGORIES.)		
HLTINALC	2	ALCOHOL ABUSE OR ALCOHOLISM		
		1 = Yes	7273	29.68
		2 = No	1385	5.65
		89 = LEGITIMATE SKIP Logically assigned	161	0.66
		94 = DON'T KNOW	6659	27.17
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	176	0.72
		99 = LEGITIMATE SKIP	8843	36.09
HLTINDRG	2	DRUG ABUSE		
		1 = Yes	7239	29.54
		2 = No	1396	5.70
		89 = LEGITIMATE SKIP Logically assigned	160	0.65
		94 = DON'T KNOW	6682	27.27
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	177	0.72
		99 = LEGITIMATE SKIP	8844	36.09

NON-CORE HEALTH INSURANCE			PAGE: 316	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HLTINMNT	2	MENTAL OR EMOTIONAL DIFFICULTIES		
		1 = Yes	8335	34.01
		2 = No	1127	4.60
		89 = LEGITIMATE SKIP Logically assigned	159	0.65
		94 = DON'T KNOW	5854	23.89
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	6	0.02
		98 = BLANK (NO ANSWER)	177	0.72
		99 = LEGITIMATE SKIP	8845	36.09

LABEL	LEN	DESCRIPTION	NON-CORE INCOME		PAGE: 317
-----	----	-----			FREQ %

NON-CORE INCOME

I-1. Now, I would like for you to think about the past 12 months, from your 12-month reference date through today. In the past 12 months, did (you/ SAMPLE MEMBER) receive Social Security or Railroad Retirement payments? Social Security checks are either automatically deposited in the bank or mailed to arrive on about the 3rd of every month. If mailed, they are sent in gold envelope.

SOC1	2	RESPONDENT RECEIVE SS OR RR PAYMENTS PAST 12 MONTH		
		1 = Yes	1961	8.00
		2 = No	22425	91.51
		4 = No LOGICALLY ASSIGNED	18	0.07
		94 = DON'T KNOW	10	0.04
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	10	0.04
		98 = BLANK (NO ANSWER)	79	0.32

I-2. In the past 12 months, did any other family member living here receive Social Security or Railroad Retirement payments?

SOC2	2	OTHER FAM RECEIVE SS OR RR PAYMENTS PAST 12 MONTHS		
		1 = Yes	1329	5.42
		2 = No	18300	74.68
		3 = Yes LOGICALLY ASSIGNED	64	0.26
		4 = No LOGICALLY ASSIGNED	104	0.42
		89 = LEGITIMATE SKIP Logically assigned	1009	4.12
		94 = DON'T KNOW	53	0.22
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	8	0.03
		98 = BLANK (NO ANSWER)	827	3.37
		99 = LEGITIMATE SKIP	2809	11.46

NON-CORE INCOME			PAGE: 318	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		I-3. In the past 12 months, did (you/ SAMPLE MEMBER) receive Supplemental Security Income or SSI? Federal SSI checks are either automatically deposited in the bank or mailed to arrive on the first of every month. If mailed, they are sent in a blue envelope.		
SSI1	2	RESPONDENT RECEIVE SSI		
		1 = Yes	740	3.02
		2 = No	23624	96.40
		4 = No LOGICALLY ASSIGNED	21	0.09
		94 = DON'T KNOW	21	0.09
		96 = MULTIPLE RESPONSE	3	0.01
		97 = REFUSED	11	0.04
		98 = BLANK (NO ANSWER)	85	0.35
		I-4. In the past 12 months, did any other family member living here receive Supplemental Security Income or SSI?		
SSI2	2	OTHER FAMILY MEMBER RECEIVE SSI PAST 12 MONTHS		
		1 = Yes	745	3.04
		2 = No	19664	80.24
		3 = Yes LOGICALLY ASSIGNED	53	0.22
		4 = No LOGICALLY ASSIGNED	120	0.49
		89 = LEGITIMATE SKIP Logically assigned	569	2.32
		94 = DON'T KNOW	68	0.28
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	9	0.04
		98 = BLANK (NO ANSWER)	853	3.48
		99 = LEGITIMATE SKIP	2423	9.89
		I-5. In the past 12 months, did (you/ SAMPLE MEMBER) receive public assistance or welfare payments from the state or local welfare office? Do not include SSI.		
PUB1	2	RESPONDENT RECEIVE PUBLIC ASSIST/WELFARE STATE/LOC		
		1 = Yes	1548	6.32
		2 = No	22824	93.14
		4 = No LOGICALLY ASSIGNED	22	0.09
		94 = DON'T KNOW	15	0.06
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	12	0.05
		98 = BLANK (NO ANSWER)	82	0.33

NON-CORE INCOME			PAGE: 319	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		I-6. In the past 12 months, did any other family member living here receive public assistance or welfare payments from the state or local welfare office? Do not include SSI.		
PUB2	2	OTHER FAM RECEIVE PUBLIC ASSIST/WELFARE STATE/LOC		
		1 = Yes	673	2.75
		2 = No	18970	77.41
		3 = Yes LOGICALLY ASSIGNED	90	0.37
		4 = No LOGICALLY ASSIGNED	104	0.42
		89 = LEGITIMATE SKIP Logically assigned	838	3.42
		94 = DON'T KNOW	34	0.14
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	9	0.04
		98 = BLANK (NO ANSWER)	723	2.95
		99 = LEGITIMATE SKIP	3063	12.50
		I-7. Did (you/SAMPLE MEMBER) or another family member living in your household receive Aid to Families with Dependent Children, sometimes called AFDC or ADC, or was it some other type of assistance payments in the past 12 months?		
AFDC	2	RESPONDENT RECEIVE AFDC OR ADC		
		1 = AFDC/ADC	1580	6.45
		2 = OTHER	202	0.82
		3 = BOTH	74	0.30
		4 = AFDC/ADC Logically assigned	78	0.32
		5 = OTHER Logically assigned	14	0.06
		6 = BOTH Logically assigned	35	0.14
		89 = LEGITIMATE SKIP Logically assigned	996	4.06
		94 = DON'T KNOW	18	0.07
		96 = MULTIPLE RESPONSE	5	0.02
		98 = BLANK (NO ANSWER)	321	1.31
		99 = LEGITIMATE SKIP	21182	86.44

NON-CORE INCOME

PAGE: 320

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	-----	-
		I-8. In the past 12 months, did (you/ (SAMPLE MEMBER)) have money in any kind of savings or other bank account that earned interest or did (you/(SAMPLE MEMBER)) receive dividend income from stocks or mutual funds or income from rental property, royalties, estates, or trusts? Include money market funds, treasury notes, IRA's or certificates of deposit, interest earning checking bonds, or any other investments that earn interest.		
INT1	2	RESPONDENT RECEIVE INTEREST ON SAVINGS/BOND ETC.		
		1 = Yes	11159	45.54
		2 = No	13139	53.62
		4 = No LOGICALLY ASSIGNED	20	0.08
		94 = DON'T KNOW	15	0.06
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	67	0.27
		98 = BLANK (NO ANSWER)	104	0.42
		I-9. In the past 12 months, did any other family member living here have money in any kind of savings or other bank account that earned interest or did they receive dividend income from stocks or mutual funds or income from rental property, royalties, estates, or trusts?		
INT2	2	OTHER FAM RECEIVE INTEREST ON SAVINGS/BOND ETC.		
		1 = Yes	2607	10.64
		2 = No	8389	34.23
		3 = Yes LOGICALLY ASSIGNED	380	1.55
		4 = No LOGICALLY ASSIGNED	83	0.34
		89 = LEGITIMATE SKIP Logically assigned	4141	16.90
		94 = DON'T KNOW	108	0.44
		97 = REFUSED	21	0.09
		98 = BLANK (NO ANSWER)	730	2.98
		99 = LEGITIMATE SKIP	8046	32.83

NON-CORE INCOME			PAGE: 321	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		I-10. In the past 12 months, did (you/ SAMPLE MEMBER) receive any child support payments?		
CHD1	2	RESPONDENT RECEIVE CHILD SUPPORT PAST 12 MONTHS		
		1 = Yes	1399	5.71
		2 = No	22938	93.61
		4 = No LOGICALLY ASSIGNED	23	0.09
		94 = DON'T KNOW	13	0.05
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	10	0.04
		98 = BLANK (NO ANSWER)	121	0.49
		I-11. In the past 12 months, did any other family member living here receive any child support payments?		
CHD2	2	OTHER FAM RECEIVE CHILD SUPPORT PAST 12 MONTHS		
		1 = Yes	950	3.88
		2 = No	18701	76.32
		3 = Yes LOGICALLY ASSIGNED	110	0.45
		4 = No LOGICALLY ASSIGNED	106	0.43
		89 = LEGITIMATE SKIP Logically assigned	864	3.53
		94 = DON'T KNOW	33	0.13
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	11	0.04
		98 = BLANK (NO ANSWER)	821	3.35
		99 = LEGITIMATE SKIP	2908	11.87
		I-12. In the past 12 months, did (you/ SAMPLE MEMBER) receive income from any other sources, such as Veterans Administration payments, workers or unemployment compensation, alimony, other disability, retirement or survivor pension (other than Social Security or Railroad Retirement). Do not include lump sum payments, such as money from an inheritance or sale of a home.		
OTH1	2	RESPONDENT RECEIVE INCOME FROM OTHER SOURCES		
		1 = Yes	1345	5.49
		2 = No	22983	93.79
		4 = No LOGICALLY ASSIGNED	27	0.11
		94 = DON'T KNOW	21	0.09
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	20	0.08
		98 = BLANK (NO ANSWER)	107	0.44

NON-CORE INCOME			PAGE: 322	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		I-13. In the past 12 months, did any other family member living here receive income from any other sources, such as Veterans Administration payments, workers or unemployment compensation, alimony, other disability, retirement or survivor pension (other than Social Security or Railroad Retirement). Do not include lump sum payments, such as money from an inheritance or the sale The 'Yes' response for the following variable, OTHONLYL, was created by examination of these variables: ALCFLAG=0 and MRJONLYL=0 and PSYONLYL=0, and any of the following PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFFLAG, or HERFLAG=1.		
OTH2	2	OTHER FAMILY RECEIVE INCOME FROM OTHER SOURCES		
		1 = Yes	1088	4.44
		2 = No	18482	75.42
		3 = Yes LOGICALLY ASSIGNED	133	0.54
		4 = No LOGICALLY ASSIGNED	228	0.93
		89 = LEGITIMATE SKIP Logically assigned	746	3.04
		94 = DON'T KNOW	70	0.29
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	16	0.07
		98 = BLANK (NO ANSWER)	1057	4.31
		99 = LEGITIMATE SKIP	2684	10.95
		I-14. In the past 12 months, did (you/ SAMPLE MEMBER) or anyone in your family living here receive food stamps?		
FSTAMP	2	ANYONE RECEIVE FOOD STAMPS PAST 12 MONTHS		
		1 = Yes	3199	13.05
		2 = No	20890	85.25
		3 = Yes LOGICALLY ASSIGNED	165	0.67
		4 = No LOGICALLY ASSIGNED	58	0.24
		94 = DON'T KNOW	19	0.08
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	11	0.04
		98 = BLANK (NO ANSWER)	162	0.66

NON-CORE INCOME			PAGE: 323	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		<p>I-15. The next two questions are about (your/SAMPLE MEMBER'S) total personal income during the past 12 months from all sources. Include money from your jobs, social security, retirement income, unemployment payments, public assistance, and so forth. Also include income from interest, dividends, net income from business, farm, or rent, and any other money income (you/SAMPLE MEMBER) received.</p> <p>Was (your/SAMPLE MEMBER'S) total personal income during the past 12 months more or less than \$20,000? Income data is important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.</p>		
PINC1	2	TOTAL PERSONAL INCOME > OR < \$20,000 PAST 12 MO		
		1 = \$20,000 or more	5675	23.16
		2 = Less than \$20,000	18397	75.07
		94 = DON'T KNOW	49	0.20
		97 = REFUSED	232	0.95
		98 = BLANK (NO ANSWER)	152	0.62

NON-CORE INCOME			PAGE: 324	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		I-16. Of these income groups, which letter best represents (your/SAMPLE MEMBER'S) total personal income during the past 12 months? Include wages, salaries, and other items we just talked about. Income data is important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.		
PINC2	2	RANGE OF RESPONDENTS TOTAL PERSONAL INCOME		
		1 = Less than \$1,000 (including loss)	7922	32.33
		2 = \$1,000 - \$1,999	886	3.62
		3 = \$2,000 - \$2,999	696	2.84
		4 = \$3,000 - \$3,999	637	2.60
		5 = \$4,000 - \$4,999	583	2.38
		6 = \$5,000 - \$5,999	710	2.90
		7 = \$6,000 - \$6,999	585	2.39
		8 = \$7,000 - \$7,999	537	2.19
		9 = \$8,000 - \$8,999	492	2.01
		10 = \$9,000 - \$9,999	483	1.97
		11 = \$10,000 - \$10,999	675	2.75
		12 = \$11,000 - \$11,999	379	1.55
		13 = \$12,000 - \$12,999	645	2.63
		14 = \$13,000 - \$13,999	371	1.51
		15 = \$14,000 - \$14,999	375	1.53
		16 = \$15,000 - \$15,999	512	2.09
		17 = \$16,000 - \$16,999	338	1.38
		18 = \$17,000 - \$17,999	313	1.28
		19 = \$18,000 - \$18,999	436	1.78
		20 = \$19,000 - \$19,999	405	1.65
		21 = \$20,000 - \$24,999	1491	6.08
		22 = \$25,000 - \$29,999	1035	4.22
		23 = \$30,000 - \$34,999	778	3.17
		24 = \$35,000 - \$39,999	528	2.15
		25 = \$40,000 - \$44,999	399	1.63
		26 = \$45,000 - \$49,999	295	1.20
		27 = \$50,000 - \$74,999	557	2.27
		28 = \$75,000 or more	337	1.38
		94 = DON'T KNOW	269	1.10
		96 = MULTIPLE RESPONSE	28	0.11
		97 = REFUSED	535	2.18
		98 = BLANK (NO ANSWER)	273	1.11

		NON-CORE INCOME		PAGE: 325
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-

FI CHECKPOINT JJ; ARE THERE OTHER
FAMILY MEMBERS LIVING IN THIS HOUSEHOLD?

SKPTFMIN	2	SKIP OVER FINC1 TO TELNO ON OTH-FAMILY		
		1 = Yes	20773	84.77
		2 = No - SKIP	3114	12.71
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	612	2.50

I-17. The next two questions are about total family income during the past 12 months from all sources. We would like to combine everyone's income -- that is, yours and your (mother's/father's/stepmother's/stepfather's/wife's/husband's/etc.). Include money from all jobs, social security, retirement income, unemployment payments, public assistance, and so forth. Also include income from interest, dividends, net income from business, farm, or rent, and any other money income you received.

Was the total combined family income during the past 12 months more or less than \$20,000? Income data is important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.

FINC1	2	TOTAL FAMILY INCOME > OR < \$20,000 PAST 12 MONTHS		
		1 = \$20,000 or more	15379	62.76
		2 = Less than \$20,000	5341	21.80
		89 = LEGITIMATE SKIP Logically assigned	87	0.36
		94 = DON'T KNOW	485	1.98
		97 = REFUSED	278	1.13
		98 = BLANK (NO ANSWER)	642	2.62
		99 = LEGITIMATE SKIP	2293	9.36

NON-CORE INCOME			PAGE: 326	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		I-18. Of these income groups, which letter best represents the total combined family income during the past 12 months (that is, yours and your (mother's/father's/stepmother's/stepfather's/wife's/husband's/etc.)? Include wages, salaries, and other items we just talked about. Income data is important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types medical care services or have conditions more or less often than those in another group.		
FINC2	2	RANGE FOR TOTAL FAMILY INCOME		
		1 = Less than \$1,000 (including loss)	67	0.27
		2 = \$1,000 - \$1,999	75	0.31
		3 = \$2,000 - \$2,999	91	0.37
		4 = \$3,000 - \$3,999	131	0.53
		5 = \$4,000 - \$4,999	122	0.50
		6 = \$5,000 - \$5,999	184	0.75
		7 = \$6,000 - \$6,999	207	0.84
		8 = \$7,000 - \$7,999	212	0.87
		9 = \$8,000 - \$8,999	246	1.00
		10 = \$9,000 - \$9,999	263	1.07
		11 = \$10,000 - \$10,999	346	1.41
		12 = \$11,000 - \$11,999	231	0.94
		13 = \$12,000 - \$12,999	396	1.62
		14 = \$13,000 - \$13,999	225	0.92
		15 = \$14,000 - \$14,999	295	1.20
		16 = \$15,000 - \$15,999	407	1.66
		17 = \$16,000 - \$16,999	306	1.25
		18 = \$17,000 - \$17,999	278	1.13
		19 = \$18,000 - \$18,999	430	1.75
		20 = \$19,000 - \$19,999	506	2.06
		21 = \$20,000 - \$24,999	1755	7.16
		22 = \$25,000 - \$29,999	1501	6.13
		23 = \$30,000 - \$34,999	1406	5.74
		24 = \$35,000 - \$39,999	1440	5.88
		25 = \$40,000 - \$44,999	1337	5.46
		26 = \$45,000 - \$49,999	1228	5.01
		27 = \$50,000 - \$74,999	2990	12.20
		28 = \$75,000 or more	2691	10.98
		89 = LEGITIMATE SKIP Logically assigned	91	0.37
		94 = DON'T KNOW	1311	5.35
		96 = MULTIPLE RESPONSE	18	0.07
		97 = REFUSED	651	2.66
		98 = BLANK (NO ANSWER)	779	3.18

LABEL	LEN	DESCRIPTION	NON-CORE INCOME	PAGE: 327
-----	----	-----		FREQ %
		99 = LEGITIMATE SKIP		2289 9.34

I-19. The last question is: How many different telephone numbers do you have in this household? Don't count business numbers or extensions with the same number.

TELNO	2	# OF TELEPHONE LINES IN HOUSEHOLD		
		RANGE = 1 - 12	22733	92.77
		0 = None	1646	6.72
		94 = DON'T KNOW	2	0.01
		95 = BAD DATA	1	0.00
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	119	0.49

NON-CORE IMPUTED DEMOGRAPHICS			PAGE: 328	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
NON-CORE IMPUTED DEMOGRAPHICS				

IRPINSUR	1	PRIVATE HEALTH INSURANCE - IMPUTATION REVISED		
		1 = Yes, respondent does have private health insurance	15462	63.10
		2 = No, respondent does not have private health insur	9043	36.90
IIPINSUR	1	PRIVATE HEALTH INSURANCE - IMPUTATION INDICATOR		
		1 = Questionnaire data	24054	98.16
		2 = Logically imputed data	311	1.27
		3 = Statistically imputed data	140	0.57
IRINSUR	1	HEALTH INSURANCE - IMPUTATION REVISED		
		1 = Yes, respondent does have health insurance	18824	76.82
		2 = No, respondent does not have health insurance	5681	23.18
IIINSUR	1	HEALTH INSURANCE - IMPUTATION INDICATOR		
		1 = Questionnaire data	24328	99.28
		2 = Logically imputed data	19	0.08
		3 = Statistically imputed data	158	0.64
IRSOC1	1	RECEIVED INCOME FROM SS/RR - IMPUTATION REVISED		
		1 = Yes	1071	5.86
		2 = No	17198	94.14
IISOC1	1	RECEIVED INCOME FR SS/RR - IMPUTATION INDICATOR		
		1 = Questionnaire data	18199	99.62
		2 = Logically imputed data	11	0.06
		3 = Statistically imputed data	59	0.32
IRSSI1	1	RECEIVED INCOME FROM SSI - IMPUTATION REVISED		
		1 = Yes	539	2.95
		2 = No	17730	97.05
IISSI1	1	RECEIVED INCOME FROM SSI - IMPUTATION INDICATOR		
		1 = Questionnaire data	18188	99.56
		2 = Logically imputed data	12	0.07
		3 = Statistically imputed data	69	0.38
IRPUB1	1	RESP RECEIVE PUBLIC ASSIST/WELFARE IMPUTATION REV		
		1 = Yes	1495	8.18
		2 = No	16774	91.82
IIPUB1	1	RESP RECEIVE PUBLIC ASSIST/WELFARE IMPUTATION IND		
		1 = Questionnaire data	18201	99.63
		2 = Logically imputed data	10	0.05
		3 = Statistically imputed data	58	0.32

NON-CORE IMPUTED DEMOGRAPHICS			PAGE: 329	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
IRAFDC	1	ANY FAMILY MEMBER RECEIVED AFDC OR ADC - IMP REV		
		1 = AFDC/ADC	1772	9.70
		2 = OTHER	264	1.45
		3 = BOTH	74	0.41
		89 = LEGITIMATE SKIP Logically assigned	511	2.80
		99 = LEGITIMATE SKIP	15648	85.65
IIAFDC	1	ANY FAMILY MEMBER RECEIVED AFDC OR ADC - IMP IND		
		1 = Questionnaire data	1764	9.66
		2 = Logically imputed data	97	0.53
		3 = Statistically imputed data	249	1.36
		9 = LEGITIMATE SKIP	16159	88.45
IRINT1	1	RECEIVED INTEREST - IMPUTATION REVISED		
		1 = Yes	8568	46.90
		2 = No	9701	53.10
IIINT1	1	RECEIVED INTEREST - IMPUTATION INDICATOR		
		1 = Questionnaire data	18149	99.34
		2 = Logically imputed data	14	0.08
		3 = Statistically imputed data	106	0.58
IRCHD1	1	RECEIVED CHILD SUPPORT - IMPUTATION REVISED		
		1 = Yes	1088	5.96
		2 = No	17181	94.04
IICH1	1	RECEIVED FROM CHILD SUPPORT - IMPUTATION INDICATOR		
		1 = Questionnaire data	18175	99.49
		2 = Logically imputed data	15	0.08
		3 = Statistically imputed data	79	0.43
IROTH1	1	RECEIVED OTHER SOURCES - IMPUTATION REVISED		
		1 = Yes	968	5.30
		2 = No	17301	94.70
IIOTH1	1	RECVD INCOME FR OTHR SOURCS - IMPUTATION INDICATOR		
		1 = Questionnaire data	18146	99.33
		2 = Logically imputed data	14	0.08
		3 = Statistically imputed data	109	0.60
IRFSTAMP	1	YOU OR FAMILY HERE RECEIVED FD STAMPS - IMPUT REV		
		1 = Yes	3166	17.33
		2 = No	15103	82.67
IIFSTAMP	1	YOU OR FAMILY HERE RECEIVED FD STAMPS - IMPUT IND		
		1 = Questionnaire data	17954	98.28
		2 = Logically imputed data	170	0.93
		3 = Statistically imputed data	145	0.79

NON-CORE IMPUTED DEMOGRAPHICS			PAGE: 330	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	---
IRPINC1	1	TOTAL PERSONAL INCOME - IMPUTATION REVISED		
		1 = \$20,000 or more	4502	24.64
		2 = Less than \$20,000	13767	75.36
IIPINC1	1	TOTAL PERSONAL INCOME - IMPUTATION INDICATOR		
		1 = Questionnaire data	17618	96.44
		2 = Logically imputed data	334	1.83
		3 = Statistically imputed data	317	1.74
IRFINC1	1	TOTAL FAMILY INCOME - IMPUTATION REVISED		
		1 = \$20,000 or more	11289	61.79
		2 = Less than \$20,000	4908	26.87
		89 = LEGITIMATE SKIP Logically assigned	42	0.23
		99 = LEGITIMATE SKIP	2030	11.11
IIFINC1	1	TOTAL FAMILY INCOME - IMPUTATION INDICATOR		
		1 = Questionnaire data	14900	81.56
		2 = Logically imputed data	328	1.80
		3 = Statistically imputed data	969	5.30
		9 = LEGITIMATE SKIP	2072	11.34
IRSOC2	1	OTHR FAM RECVD INCOME FR SS/RR - IMPUT. REVISED		
		1 = Yes	1118	6.12
		2 = No	17151	93.88
IISOC2	1	OTHR FAM RECVD INCOME FR SS/RR - IMPUT. INDICTR		
		1 = Questionnaire data	14839	81.23
		2 = Logically imputed data	86	0.47
		3 = Statistically imputed data	502	2.75
		9 = LEGITIMATE SKIP	2842	15.56
IRSSI2	1	OTHR FAM RECVD INCOME FR SSI - IMPUT. REVISED		
		1 = Yes	654	3.58
		2 = No	17615	96.42
IISSI2	1	OTHR FAM RECVD FROM SSI - IMPUTATION INDICATOR		
		1 = Questionnaire data	15204	83.22
		2 = Logically imputed data	81	0.44
		3 = Statistically imputed data	507	2.78
		9 = LEGITIMATE SKIP	2477	13.56
IRPUB2	1	FAMLY RECEIVE PUBLIC ASSIST/WELFARE IMPUTATION REV		
		1 = Yes	631	3.45
		2 = No	17638	96.55
IIPUB2	1	FAMLY RECEIVE PUBLIC ASSIST/WELFARE IMPUTATION IND		
		1 = Questionnaire data	14311	78.33
		2 = Logically imputed data	104	0.57
		3 = Statistically imputed data	354	1.94
		9 = LEGITIMATE SKIP	3500	19.16

NON-CORE IMPUTED DEMOGRAPHICS			PAGE: 331	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
IRINT2	1	OTHR FAM RECVD INTEREST - IMPUTATION REVISED		
		1 = Yes	2039	11.16
		2 = No	16230	88.84
IIINT2	1	OTHR FAM RECVD INTEREST - IMPUTATION INDICATOR		
		1 = Questionnaire data	8079	44.22
		2 = Logically imputed data	270	1.48
		3 = Statistically imputed data	529	2.90
		9 = LEGITIMATE SKIP	9391	51.40
IRCHD2	1	OTHR FAM RECVD CHILD SUPPORT - IMPUTATION REVISED		
		1 = Yes	706	3.86
		2 = No	17563	96.14
IICH2	1	OTHR FAM RECVD FR CHILD SUPPORT - IMPUT. INDICATOR		
		1 = Questionnaire data	14437	79.02
		2 = Logically imputed data	122	0.67
		3 = Statistically imputed data	573	3.14
		9 = LEGITIMATE SKIP	3137	17.17
IROTH2	1	OTHR FAM RECVD OTHR SOURCES - IMPUTATION REVISED		
		1 = Yes	1024	5.61
		2 = No	17245	94.39
IIOTH2	1	OTHR FAM RECVD OTHR SOURCES - IMPUTATION INDICATOR		
		1 = Questionnaire data	14506	79.40
		2 = Logically imputed data	192	1.05
		3 = Statistically imputed data	739	4.05
		9 = LEGITIMATE SKIP	2832	15.50

NON-CORE IMPUTED DEMOGRAPHICS			PAGE: 332	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRPINC2	2	TOTAL PERSONAL INCOME - IMPUTATION REVISED		
		1 = Less than \$1,000 (including loss)	5423	29.68
		2 = \$1,000 - \$1,999	687	3.76
		3 = \$2,000 - \$2,999	542	2.97
		4 = \$3,000 - \$3,999	534	2.92
		5 = \$4,000 - \$4,999	438	2.40
		6 = \$5,000 - \$5,999	591	3.23
		7 = \$6,000 - \$6,999	527	2.88
		8 = \$7,000 - \$7,999	427	2.34
		9 = \$8,000 - \$8,999	415	2.27
		10 = \$9,000 - \$9,999	435	2.38
		11 = \$10,000 - \$10,999	590	3.23
		12 = \$11,000 - \$11,999	272	1.49
		13 = \$12,000 - \$12,999	463	2.53
		14 = \$13,000 - \$13,999	378	2.07
		15 = \$14,000 - \$14,999	328	1.80
		16 = \$15,000 - \$15,999	418	2.29
		17 = \$16,000 - \$16,999	325	1.78
		18 = \$17,000 - \$17,999	286	1.57
		19 = \$18,000 - \$18,999	386	2.11
		20 = \$19,000 - \$19,999	302	1.65
		21 = \$20,000 - \$24,999	1224	6.70
		22 = \$25,000 - \$29,999	956	5.23
		23 = \$30,000 - \$34,999	669	3.66
		24 = \$35,000 - \$39,999	506	2.77
		25 = \$40,000 - \$44,999	334	1.83
		26 = \$45,000 - \$49,999	214	1.17
		27 = \$50,000 - \$74,999	419	2.29
		28 = \$75,000 or more	180	0.99
IIPINC2	1	TOTAL PERSONAL INCOME - IMPUTATION INDICATOR		
		1 = Questionnaire data	17427	95.39
		3 = Statistically imputed data	842	4.61

NON-CORE IMPUTED DEMOGRAPHICS			PAGE: 333	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	---
IRFINC2	2	TOTAL FAMILY INCOME - IMPUTATION REVISED		
		1 = Less than \$1,000 (including loss)	102	0.56
		2 = \$1,000 - \$1,999	81	0.44
		3 = \$2,000 - \$2,999	115	0.63
		4 = \$3,000 - \$3,999	138	0.76
		5 = \$4,000 - \$4,999	158	0.86
		6 = \$5,000 - \$5,999	236	1.29
		7 = \$6,000 - \$6,999	245	1.34
		8 = \$7,000 - \$7,999	236	1.29
		9 = \$8,000 - \$8,999	239	1.31
		10 = \$9,000 - \$9,999	277	1.52
		11 = \$10,000 - \$10,999	375	2.05
		12 = \$11,000 - \$11,999	185	1.01
		13 = \$12,000 - \$12,999	325	1.78
		14 = \$13,000 - \$13,999	255	1.40
		15 = \$14,000 - \$14,999	259	1.42
		16 = \$15,000 - \$15,999	367	2.01
		17 = \$16,000 - \$16,999	240	1.31
		18 = \$17,000 - \$17,999	284	1.55
		19 = \$18,000 - \$18,999	398	2.18
		20 = \$19,000 - \$19,999	393	2.15
		21 = \$20,000 - \$24,999	1522	8.33
		22 = \$25,000 - \$29,999	1273	6.97
		23 = \$30,000 - \$34,999	1187	6.50
		24 = \$35,000 - \$39,999	1087	5.95
		25 = \$40,000 - \$44,999	1186	6.49
		26 = \$45,000 - \$49,999	974	5.33
		27 = \$50,000 - \$74,999	2336	12.79
		28 = \$75,000 or more	1724	9.44
		89 = LEGITIMATE SKIP Logically assigned	45	0.25
		99 = LEGITIMATE SKIP	2027	11.10
IIFINC2	1	TOTAL FAMILY INCOME - IMPUTATION INDICATOR		
		1 = Questionnaire data	13101	71.71
		2 = Logically imputed data	1094	5.99
		3 = Statistically imputed data	2002	10.96
		9 = LEGITIMATE SKIP	2072	11.34
IRPEOP	2	TOTAL NUMBER OF PEOPLE IN A HOUSEHOLD		
		RANGE = 1 - 15	24505	100.00
EDIRKIDS	2	EDITED NUMBER OF KIDS < 12 YRS OLD IN DU		
		RANGE = 1 - 9	11076	45.20
		91 = No children under 12	13336	54.42
		95 = BAD DATA	1	0.00
		98 = BLANK (NO ANSWER)	92	0.38
IRKIDS	1	TOT NUM OF CHILDREN (UNDER 12 YRS) IN A HOUSEHOLD		
		RANGE = 1 - 9	11036	45.04
		0 = No children under 12	13469	54.96

NON-CORE IMPUTED DEMOGRAPHICS			PAGE: 334	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
PARSTAT	1	RESPONDENT'S NUMBER OF CHILDREN		
		1 = Respondent has no children	17521	71.50
		2 = Respondent has at least one child < 2 yrs old	1955	7.98
		3 = Resp has at least 1 child < 17, none < 2 yrs old .	5029	20.52
RELINTHH	2	RELATIONSHIP OF THE RESPONDENT TO 2ND INTV PERSON		
		0 = Second interviewed person does not exist	15896	64.87
		10 = Spouse	1053	4.30
		20 = Parent/Guardian	1753	7.15
		21 = Step/Adopted/Foster Parent	22	0.09
		22 = Parent In-Law (Also step-)	18	0.07
		25 = Parent's Sibling	53	0.22
		30 = Child	1753	7.15
		31 = Step/Adopted/Foster Child	22	0.09
		32 = Child In-Law	18	0.07
		35 = Sibling's Child	45	0.18
		36 = Cousin	88	0.36
		37 = Grandchild	84	0.34
		40 = Sibling	2550	10.41
		41 = Step/Adopted/Foster Sibling	32	0.13
		42 = Sibling In-Law	40	0.16
		50 = Grandparent	84	0.34
		60 = Live in partner, fiancée	128	0.52
		61 = Friend/Roommate	306	1.25
		62 = Tenant/Boarder/Exchange Student	2	0.01
		70 = Other, Relative	287	1.17
		71 = Other, Non-Relative	146	0.60
		99 = Other, Relation Unspecified	125	0.51

NON-CORE RECODED DEMOGRAPHICS			PAGE: 335	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
NON-CORE RECODED DEMOGRAPHICS				

FEMBABY	1	RESP IS FEMALE WITH CHILDREN LESS THAN 1 YEAR OLD		
		0 = No	23730	96.84
		1 = Yes	775	3.16
FEMKIDS	1	RESP IS FEMALE WITH CHILDREN 17 YEARS OLD OR LESS		
		0 = No	19549	79.78
		1 = Yes	4956	20.22
MALEBABY	1	RESP IS MALE WITH CHILDREN LESS THAN 1 YEAR OLD		
		0 = No	24207	98.78
		1 = Yes	298	1.22
MALEKIDS	1	RESP IS MALE WITH CHILDREN 17 YEARS OLD OR LESS		
		0 = No	22477	91.72
		1 = Yes	2028	8.28
F15_44	1	FEMALES AGE 15-44		
		0 = Otherwise	14926	60.91
		1 = Female age 15-44	9579	39.09
M15_44	1	MALES AGE 15-44		
		0 = Otherwise	17187	70.14
		1 = Male age 15-44	7318	29.86
PREG	1	PREGNANT FEMALES AGE 12-44 - RECODED PREGNANT VAR		
		0 = Otherwise	24044	98.12
		1 = Pregnant female age 12-44	461	1.88
PREG2	1	PREGNANCY STATUS OF FEMALES AGE 12-44		
		1 = Pregnant (PREGNANT = 1,3)	461	1.88
		2 = Not pregnant (PREGNANT = 2)	10897	44.47
		3 = Males/Females not age 12-44 (PREGNANT = 89,99) ...	13000	53.05
		99 = Unknown (PREGNANT = 94,97,98)	147	0.60
TRIMEST	1	CURRENT TRIMESTER OF PREGNANCY - FEMALES AGE 12-44		
		1 = 1st 3 months of pregnancy (PREG=1 & PREGMOS=1-3) .	117	0.48
		2 = 2nd 3 months of pregnancy (PREG=1 & PREGMOS=4-6) .	171	0.70
		3 = Last 3 months of pregnancy (PREG=1 & PREGMOS=7-9)	149	0.61
		4 = Males/Not pregnant females (PREG=0)	24044	98.12
		99 = Unknown (PREG=1 and PREGMOS=85,94,98)	24	0.10

NON-CORE RECODED DEMOGRAPHICS			PAGE: 336	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
INDCAT	2	TOTAL PERSONAL INCOME RECODE (13 CATEGS.)		
		1 = \$0	5423	29.68
		2 = \$1-\$4,999	2201	12.05
		3 = \$5,000-\$6,999	1118	6.12
		4 = \$7,000-\$8,999	842	4.61
		5 = \$9,000-\$11,999	1297	7.10
		6 = \$12,000-\$14,999	1169	6.40
		7 = \$15,000-\$19,999	1717	9.40
		8 = \$20,000-\$24,999	1224	6.70
		9 = \$25,000-\$29,999	956	5.23
		10 = \$30,000-\$39,999	1175	6.43
		11 = \$40,000-\$49,999	548	3.00
		12 = \$50,000-\$74,999	419	2.29
		13 = \$75,000+	180	0.99
PERINC	1	TOTAL PERSONAL INCOME RECODE (5 CATEGORIES)		
		1 = \$0-\$8,999	9584	52.46
		2 = \$9,000-\$19,999	4183	22.90
		3 = \$20,000-\$39,999	3355	18.36
		4 = \$40,000-\$74,999	967	5.29
		5 = \$75,000+	180	0.99
PERINC2	1	TOTAL PERSONAL INCOME RECODE (7 CATEGORIES)		
		1 = \$0-9,999	10019	54.84
		2 = \$10,000-\$19,999	3748	20.52
		3 = \$20,000-\$29,999	2180	11.93
		4 = \$30,000-\$39,999	1175	6.43
		5 = \$40,000-\$49,999	548	3.00
		6 = \$50,000-\$74,999	419	2.29
		7 = \$75,000+	180	0.99
PERINC3	1	TOTAL PERSONAL INCOME RECODE (8 CATEGORIES)		
		1 = \$0-\$9,999	5635	30.84
		2 = \$10,000-\$19,999	3664	20.06
		3 = \$20,000-\$29,999	2146	11.75
		4 = \$30,000-\$39,999	1155	6.32
		5 = \$40,000-\$49,999	543	2.97
		6 = \$50,000-\$74,999	413	2.26
		7 = \$75,000+	175	0.96
		8 = 12-17 Years Old	4538	24.84

NON-CORE RECODED DEMOGRAPHICS			PAGE: 337	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
TOTCAT	2	TOTAL FAMILY INCOME RECODE (13 CATEGORIES)		
		1 = \$0	204	1.12
		2 = \$1-\$4,999	668	3.66
		3 = \$5,000-\$6,999	649	3.55
		4 = \$7,000-\$8,999	593	3.25
		5 = \$9,000-\$11,999	1038	5.68
		6 = \$12,000-\$14,999	988	5.41
		7 = \$15,000-\$19,999	1965	10.76
		8 = \$20,000-\$24,999	1726	9.45
		9 = \$25,000-\$29,999	1465	8.02
		10 = \$30,000-\$39,999	2525	13.82
		11 = \$40,000-\$49,999	2281	12.49
		12 = \$50,000-\$74,999	2423	13.26
		13 = \$75,000+	1744	9.55
FAMINC	1	TOTAL FAMILY INCOME RECODE (5 CATEGORIES)		
		1 = \$0-\$8,999	2114	11.57
		2 = \$9,000-\$19,999	3991	21.85
		3 = \$20,000-\$39,999	5716	31.29
		4 = \$40,000-\$74,000	4704	25.75
		5 = \$75,000+	1744	9.55
FAMINC2	1	TOTAL FAMILY INCOME RECODE (7 CATEGORIES)		
		1 = \$0-\$9,999	2454	13.43
		2 = \$10,000-\$19,999	3651	19.98
		3 = \$20,000-\$29,999	3191	17.47
		4 = \$30,000-\$39,999	2525	13.82
		5 = \$40,000-\$49,999	2281	12.49
		6 = \$50,000-\$74,999	2423	13.26
		7 = \$75,000+	1744	9.55
FAMINC3	1	TOTAL FAMILY INCOME RECODE (8 CATEGORIES)		
		1 = \$0-\$9,999	1924	10.53
		2 = \$10,000-\$19,999	2769	15.16
		3 = \$20,000-\$29,999	2444	13.38
		4 = \$30,000-\$39,999	1915	10.48
		5 = \$40,000-\$49,999	1689	9.25
		6 = \$50,000-\$74,999	1775	9.72
		7 = \$75,000+	1215	6.65
		8 = 12-17 Years old	4538	24.84
WELFARE	1	ANY FAMILY MEMBER ON WELFARE IN PAST 12 MONTHS		
		1 = Yes, respondent or another fam member on welfare .	2126	11.64
		2 = No, there was no one in the family on welfare	16143	88.36

NON-CORE RECODED DRUG USE			PAGE: 338	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
NON-CORE RECODED DRUG USE				

NEEDLREC	2	MOST RECENT TIME USED COC/HER/STM WITH A NEEDLE		
		1 = Within the past month (30 days)	19	0.08
		2 = More than 1 month ago but less than 12 months ago	22	0.09
		3 = 12 or more months ago but less than 3 years ago ..	31	0.13
		4 = More than 3 years ago	122	0.50
		9 = Use in lifetime LOGICALLY IMPUTED	3	0.01
		91 = NEVER USED A NEEDLE TO INJECT ANY DRUG	24029	98.06
		98 = NEEDLE USE NOT INDICATED BUT 1+ SOURCE VAR BLANK .	279	1.14
NEDFLAG4	1	NEEDLE USE (ANY DRUG) - EVER USE		
		0 = Never used (GNNDLLIF=2,85,97,98)	24278	99.07
		1 = Ever Used (GNNDLLIF=1,3)	227	0.93
NEDYR4	1	NEEDLE USE WITH COC/HER/STM - PAST YEAR USE		
		0 = Never used (NEEDLREC=3,4,9,91,98)	24464	99.83
		1 = Ever Used (NEEDLREC=1,2)	41	0.17
HERSMOK2	1	EVER SMOKED HEROIN		
		0 = No/Unknown (HERSMOKE=2,4,85,89,97,98,99)	24367	99.44
		1 = Yes (HERSMOKE=1,3)	138	0.56
HERSNIF2	1	EVER SNIFFED HEROIN		
		0 = No/Unknown (HERSNIFF=2,4,85,89,97,98,99)	24352	99.38
		1 = Yes (HERSNIFF=1,3)	153	0.62

NON-CORE IMPUTED DRUG EXPERIENCE VARIABLES			PAGE: 339	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
NON-CORE IMPUTED DRUG EXPERIENCE VARIABLES				

<p>Unlike other drugs, data on cigars was collected on a non-core section of the questionnaire. Using available data, an attempt was made to impute for missing data comparable to the core recency of drug imputations.</p>				
CIGARMON	2	CIGAR PAST MONTH USE - RECODED DXCG30US		
		1 = Used in past 30 days	1445	5.90
		2 = Did not use in past 30 days	4419	18.03
		4 = Did not use in past 30 days, LOGICALLY ASSIGNED ..	300	1.22
		85 = BAD DATA Logically assigned	6	0.02
		89 = LEGITIMATE SKIP Logically assigned	102	0.42
		94 = DON'T KNOW	2	0.01
		95 = BAD DATA	26	0.11
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	331	1.35
		99 = LEGITIMATE SKIP	17872	72.93
IRCGRLF	1	IMPUTATION-REVISED CIGAR LIFETIME USE		
		1 = Used in lifetime	6417	26.19
		9 = Never used cigars	18088	73.81
IRCGRMN	1	IMPUTATION-REVISED CIGAR PAST MONTH USE		
		1 = Used in past 30 days	1498	6.11
		2 = Did not use in past 30 days	4919	20.07
		9 = Never used cigars	18088	73.81
IICGRLF	1	CIGAR LIFETIME USE INDICATOR		
		1 = Questionnaire data	24299	99.16
		2 = Imputed data	64	0.26
		3 = Statistically imputed data	142	0.58
IICGRMN	1	CIGAR PAST MONTH USE INDICATOR		
		1 = Questionnaire data	23838	97.28
		2 = Imputed data	414	1.69
		3 = Statistically imputed data	253	1.03

NON-CORE RECODED DRUG EXPERIENCE VARIABLES

Unlike other drugs, data on cigars was collected on a non-core section of the questionnaire. Using the imputed cigar use variables, the following variables, CGRFLAG and CGRMON, were created to resemble the core recency of drug use recodes. Data was not available to create a past year cigar use recode.

CGRFLAG	2	CIGAR - EVER USED		
		0 = Never used (IRCGRLF = 9)	18088	73.81
		1 = Ever used (IRCGRLF = 1)	6417	26.19
CGRMON	1	CIGAR - PAST MONTH USE		
		0 = Did not use in the past month (IRCGRMN = 2,9)	23007	93.89
		1 = Used within the past month (IRCGRMN = 1)	1498	6.11

The following two variables were created by examination of DXMJEVER and DXMJYR. The missing data responses (values greater than 80) are treated as if the respondent answered "No" to these questions.

MJFORMER	1	FORMER LIFETIME MARIJUANA USER BUT NOT PAST YEAR		
		0 = Otherwise	19969	81.49
		1 = Used marijuana in lifetime, but not in past year .	4536	18.51
MJNEVER	1	NEVER USED MARIJUANA		
		0 = Otherwise	7455	30.42
		1 = Did not use marijuana in lifetime or past year ...	17050	69.58

The following two variables were created by examination of DXCCEVER and DXCCYR. The missing data responses (values greater than 80) are treated as if the respondent answered "No" to these questions.

CCFORMER	1	FORMER LIFETIME COCAINE USER BUT NOT PAST YEAR		
		0 = Otherwise	22910	93.49
		1 = Used cocaine in lifetime, but not in past year ...	1595	6.51

NON-CORE RECODED DRUG EXPERIENCE VARIABLES			PAGE: 341
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	-----
CCNEVER	1	NEVER USED COCAINE	
		0 = Otherwise	2152 8.78
		1 = Did not use cocaine in lifetime or past year	22353 91.22

NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES

The following variables, MDESFS1 and MDESFS3, were created by examination of DEPRESS, DEPDAYS, DEPFREQ, LOSTINT1, TIRED1, LBSCHNG1, SLPFREQ1, CONCEN1, DOWN1, IDEAT1, LOSTINT2, TIRED2, LBSCHNG2, SLPFREQ2, CONCEN2, DOWN2, and IDEAT2. MDESFS1 requires DEPRESS or LOSTINT2 to have originally been answered as yes. MDESFS3 takes into account logically assigned yes answers for DEPRESS and LOSTINT2.

MDESFS1	2	MAJOR DEPRESSIVE EPISODE SHORT FORM SCORE 1		
		RANGE = 0 - 8	16661	67.99
		99 = LEGITIMATE SKIP	7844	32.01
MDESFS3	2	MAJOR DEPRESSIVE EPISODE SHORT FORM SCORE 2		
		RANGE = 0 - 8	16661	67.99
		99 = LEGITIMATE SKIP	7844	32.01

The following variables, PROBMDE1 and PROBMDE3, were created from MDESFS1 and MDESFS3, respectively.

PROBMDE1	2	PROBABILITY OF CASENESS FOR MDE VERSION 1		
		RANGE = 0.0001 - 0.9100	16661	67.99
PROBMDE3	2	PROBABILITY OF CASENESS FOR MDE VERSION 2		
		RANGE = 0.0001 - 0.9100	16661	67.99

The following variables, MDE1 and MDE3, were created from MDESFS1 and MDESFS3, respectively.

MDE1	2	MAJOR DEPRESSIVE EPISODE VERSION 1		
		0 = Probable noncase	15321	62.52
		1 = Probable case	1340	5.47
		99 = LEGITIMATE SKIP	7844	32.01
MDE3	2	MAJOR DEPRESSIVE EPISODE VERSION 2		
		0 = Probable noncase	15320	62.52
		1 = Probable case	1341	5.47
		99 = LEGITIMATE SKIP	7844	32.01

NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES			PAGE: 343	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		The following variables, GADSFS1 and GADSFS3, were created by examination of WORRIED, WOREND, WORNOMO1, WORHAPN1, WORSERI1, WORDIFF1, WORNOMO2, WORHAPN2, WORSERI2, WORDIFF2, WORREST, WOREDGE, WORIRRIT, WORHEART, WORTIRED, WORSLEEP, and WORFAINT. GADSFS1 ignores logically assigned values for these variables. GADSFS3 takes into account logically assigned values.		
GADSFS1	2	GENERAL ANXIETY DISORDER SHORT FORM SCORE 1		
		RANGE = 0 - 7	16661	67.99
		99 = LEGITIMATE SKIP	7844	32.01
GADSFS3	2	GENERAL ANXIETY DISORDER SHORT FORM SCORE 2		
		RANGE = 0 - 7	16661	67.99
		99 = LEGITIMATE SKIP	7844	32.01
		The following variables, PROBGAD1 and PROBGAD3, were created from GADSFS1 and GADSFS3, respectively.		
PROBGAD1	2	PROBABILITY OF CASENESS FOR GAD VERSION 1		
		RANGE = 0.0000 - 0.9978	16661	67.99
PROBGAD3	2	PROBABILITY OF CASENESS FOR GAD VERSION 2		
		RANGE = 0.0000 - 0.9978	16661	67.99
		The following variables, GAD1 and GAD3, were created from GADSFS1 and GADSFS3, respectively.		
GAD1	2	GENERAL ANXIETY DISORDER VERSION 1		
		0 = Probable noncase	16325	66.62
		1 = Probable case	336	1.37
		99 = LEGITIMATE SKIP	7844	32.01
GAD3	2	GENERAL ANXIETY DISORDER VERSION 2		
		0 = Probable noncase	16303	66.53
		1 = Probable case	358	1.46
		99 = LEGITIMATE SKIP	7844	32.01

NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES			PAGE: 344	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
<p>The following variables, AGPSFS1 and AGPSFS3, were created by examination of FEARPUB, FEAROUT, FEARBRDG, FEAROFT, FEARYRS, FEARMO, FEARFANT, FEARTRAP, and FEARHELP. AGPSFS1 ignores logically assigned values for these variables. AGPSFS3 takes into account logically assigned values.</p>				
AGPSFS1	2	AGORAPHOBIA SHORT FORM SCORE 1		
		RANGE = 0 - 4	16661	67.99
		99 = LEGITIMATE SKIP	7844	32.01
AGPSFS3	2	AGORAPHOBIA SHORT FORM SCORE 2		
		RANGE = 0 - 4	16661	67.99
		99 = LEGITIMATE SKIP	7844	32.01
<p>The following variables, PROBAGP1 and PROBAGP3, were created from AGPSFS1 and AGPSFS3, respectively.</p>				
PROBAGP1	2	PROBABILITY OF CASENESS FOR AGORA VERSION 1		
		RANGE = 0.0000 - 1.0000	16661	67.99
		99 = LEGITIMATE SKIP	7844	32.01
PROBAGP3	2	PROBABILITY OF CASENESS FOR AGORA VERSION 2		
		RANGE = 0.0000 - 1.0000	16661	67.99
<p>The following variables, AGP1 and AGP3, were created from AGPSFS1 and AGPSFS3, respectively.</p>				
AGP1	2	AGORAPHOBIA VERSION 1		
		0 = Probable noncase	16334	66.66
		1 = Probable case	327	1.33
		99 = LEGITIMATE SKIP	7844	32.01
AGP3	2	AGORAPHOBIA VERSION 2		
		0 = Probable noncase	16334	66.66
		1 = Probable case	327	1.33
		99 = LEGITIMATE SKIP	7844	32.01

NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES			PAGE: 345	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
<p>The following variables, PASFS1 and PASFS3, were created by examination of PANIC1, PANIC2, PANIDANG, PANIFEAR, PANINOFR, PANIHART, PANIPAIN, PANISWET, PANISHAK, PANIHOT, and PANIUNRL. PASFS1 ignores logically assigned values for these variables. PASFS3 takes into account logically assigned values.</p>				
PASFS1	2	PANIC ATTACK SHORT FORM SCORE 1		
		RANGE = 0 - 6	16661	67.99
		99 = LEGITIMATE SKIP	7844	32.01
PASFS3	2	PANIC ATTACK SHORT FORM SCORE 2		
		RANGE = 0 - 6	16661	67.99
		99 = LEGITIMATE SKIP	7844	32.01
<p>The following variables, PROBPA1 and PROBPA3, were created from PASFS1 and PASFS3, respectively.</p>				
PROBPA1	2	PROBABILITY OF CASENESS FOR PANIC VERSION 1		
		RANGE = 0.0000 - 1.0000	16661	67.99
		99 = LEGITIMATE SKIP	7844	32.01
PROBPA3	2	PROBABILITY OF CASENESS FOR PANIC VERSION 2		
		RANGE = 0.0000 - 1.0000	16661	67.99
<p>The following variables, PA1 and PA3, were created from PASFS1 and PASFS3, respectively.</p>				
PA1	2	PANIC ATTACK VERSION 1		
		0 = Probable noncase	16134	65.84
		1 = Probable case	527	2.15
		99 = LEGITIMATE SKIP	7844	32.01
PA3	2	PANIC ATTACK VERSION 2		
		0 = Probable noncase	16138	65.86
		1 = Probable case	523	2.13
		99 = LEGITIMATE SKIP	7844	32.01

INTERVIEW INFORMATION			PAGE: 346
LABEL	LEN	DESCRIPTION	FREQ %
-----	----	-----	----
		INTERVIEW INFORMATION	

INTMONTH	2	EDITED INTERVIEW MONTH	
EIIDATE	1	INTDATE INDICATOR	
		1 = Interview date established from questionnaire	24406 99.60
		2 = Interview date logically imputed	99 0.40
BHOUR	2	BEGINNING HOUR OF INTERVIEW	
BMIN	2	BEGINNING MINUTE OF INTERVIEW	
BAP	2	BEGINNING TIME OF INTERVIEW - AM/PM INDICATOR	
ETIMEHR	2	HOUR WHEN INTERVIEW WAS FINISHED	
ETIMEMN	2	MINUTE WHEN INTERVIEW WAS FINISHED	
EAP	2	AM OR PM WHEN INTERVIEW WAS FINISHED	
LANGVER	1	LANGUAGE VERSION	
		1 = English	22580 92.14
		2 = Spanish	1925 7.86

INTERVIEWER OBSERVATIONS			PAGE: 347	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
INTERVIEWER OBSERVATIONS				

FI-2. Estimate the respondent's understanding of the interview.				
UNDINT	2	ESTIMATE RESPONDENT'S UNDERSTANDING OF INTERVIEW		
		1 = No difficulty--no language or reading problem	19835	80.94
		2 = Just a little difficulty--almost no lang/read prob	2664	10.87
		3 = A fair amount of difficulty--some lang/read probs	869	3.55
		4 = A lot of difficulty--considerable lang/read probs	382	1.56
		94 = DON'T KNOW	1	0.00
		96 = MULTIPLE RESPONSE	9	0.04
		98 = BLANK (NO ANSWER)	745	3.04
FI-3. How cooperative has the respondent been?				
COOPINT	2	COOPERATION OF RESPONDENT		
		1 = Very cooperative	22076	90.09
		2 = Fairly cooperative	1995	8.14
		3 = Not very cooperative	226	0.92
		4 = Openly hostile	48	0.20
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	158	0.64
FI-4. Indicate on this scale of 01 through 09 how private the interview was.				
PRIVACY	2	SCALE FOR PRIVACY DURING INTERVIEW		
		1 = Completely private-no one present/able to overhear	15237	62.18
		2 =	688	2.81
		3 = Minor distractions	3886	15.86
		4 =	200	0.82
		5 = Person(s) in the room or listening 1/3 of time ...	1583	6.46
		6 =	68	0.28
		7 = Serious interruption of privacy more than 1/2 time	314	1.28
		8 =	33	0.13
		9 = Constant presence of other person(s)	1969	8.04
		85 = BAD DATA Logically assigned	219	0.89
		96 = MULTIPLE RESPONSE	86	0.35
		98 = BLANK (NO ANSWER)	222	0.91

INTERVIEWER OBSERVATIONS			PAGE: 348	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		FI-5. Others present or listening to the interview were ... (MARK ALL THAT APPLY.)		
PPRES	2	PARENT(S)		
		1 = Response marked	3197	13.05
		98 = BLANK (NO ANSWER)	6071	24.77
		99 = LEGITIMATE SKIP	15237	62.18
SPRES	2	SPOUSE		
		2 = Response marked	1276	5.21
		98 = BLANK (NO ANSWER)	7992	32.61
		99 = LEGITIMATE SKIP	15237	62.18
PARPRES	2	LIVE-IN PARTNER/BOYFRIEND/GIRLFRIEND		
		3 = Response marked	289	1.18
		98 = BLANK (NO ANSWER)	8979	36.64
		99 = LEGITIMATE SKIP	15237	62.18
OARPRES	2	OTHER ADULT RELATIVE(S)		
		4 = Response marked	963	3.93
		98 = BLANK (NO ANSWER)	8305	33.89
		99 = LEGITIMATE SKIP	15237	62.18
OAPRES	2	OTHER ADULT(S)		
		5 = Response marked	806	3.29
		98 = BLANK (NO ANSWER)	8462	34.53
		99 = LEGITIMATE SKIP	15237	62.18
CPRES	2	CHILD(REN) UNDER 15		
		6 = Response marked	3603	14.70
		98 = BLANK (NO ANSWER)	5665	23.12
		99 = LEGITIMATE SKIP	15237	62.18
OPRESNSP	2	OTHER (PEOPLE PRESENT/LISTENING DURING INT)SPECIFY		
		7 = Response marked	483	1.97
		98 = BLANK (NO ANSWER)	8785	35.85
		99 = LEGITIMATE SKIP	15237	62.18

INTERVIEWER OBSERVATIONS			PAGE: 349	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
OPRESSPA	3	OTHER PERSON PRESENT DURING INTERVIEW - 1ST MENT		
		10 = Spouse	1	0.00
		20 = Parent/Guardian	1	0.00
		30 = Own Child/Own Half Child	1	0.00
		33 = Grandchild	1	0.00
		37 = Child, Relation Unspecified	13	0.05
		40 = Sibling	2	0.01
		50 = Grandparent/Great+ Grandparent	3	0.01
		61 = Friend/Roommate/Companion	74	0.30
		71 = Cousin/Cousin's Spouse	6	0.02
		83 = Nurse/Health Care Aide/Home Care Worker	3	0.01
		84 = Neighbor/Co-Worker/Visitor/Employee/Employer	4	0.02
		90 = Other Relative, Gender not specified	4	0.02
		91 = Other Non-Relative, Gender not specified	11	0.04
		92 = Other, Relation and Gender Unspecified	1	0.00
		110 = Husband	1	0.00
		111 = Ex-Husband	1	0.00
		120 = Father/Male Guardian	1	0.00
		121 = Step/Adopted/Foster Father/Future Step Father	1	0.00
		122 = Father/Step Father/Future Father In-Law	1	0.00
		130 = Son	17	0.07
		132 = Son In-Law	1	0.00
		133 = Grandson	2	0.01
		140 = Brother/Half Brother	34	0.14
		142 = Brother In-Law	1	0.00
		150 = Grandfather/Great+ Grandfather	8	0.03
		161 = Male Fiance/Boyfriend/Roommate/Companion	13	0.05
		170 = Uncle/Step Uncle/Aunt's Husband	2	0.01
		172 = Nephew	3	0.01
		191 = Other Male Non-Relative	3	0.01
		192 = Other Male, Relation Unspecified	1	0.00
		220 = Mother/Female Guardian	14	0.06
		221 = Step/Adopted/Foster Mother/Future Step Mother	1	0.00
		222 = Mother/Step Mother/Future Mother In-Law	1	0.00
		230 = Daughter	21	0.09
		231 = Step/Adopted/Foster Daughter	1	0.00
		232 = Daughter In-Law	1	0.00
		233 = Granddaughter	1	0.00
		237 = Female child, Relation Unspecified	1	0.00
		240 = Sister/Half Sister	27	0.11
		250 = Grandmother/Great+ Grandmother	31	0.13
		261 = Female Fiancee/Girlfriend/Roommate/Companion	6	0.02
		270 = Aunt	6	0.02
		272 = Niece	1	0.00
		282 = Female Housekeeper/Maid/Caretaker/Butler	1	0.00
		291 = Other Female Non-Relative	3	0.01
		337 = Children, Relation Unspecified	5	0.02
		340 = Siblings	1	0.00
		350 = Grandparents/Great+ Grandparents	4	0.02
		361 = Friends/Roommates/Companions	28	0.11

INTERVIEWER OBSERVATIONS			PAGE:	350
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		371 = Cousins/Cousins' Spouses	1	0.00
		384 = Neighbors/Co-Workers/Visitors/Employees/Employers	12	0.05
		390 = Other Relatives, Gender not specified	1	0.00
		391 = Other Non-Relatives, Gender not specified	15	0.06
		392 = Others, Relation and Gender Unspecified	3	0.01
		430 = Sons	2	0.01
		440 = Brothers/Half Brothers	4	0.02
		492 = Other Males, Relation Unspecified	1	0.00
		530 = Daughters	1	0.00
		533 = Granddaughters	1	0.00
		540 = Sisters/Half Sisters	6	0.02
		561 = Female Fiances/Girlfriends/Roommates/Companions .	1	0.00
		900 = NOT A PERSON	65	0.27
		985 = BAD DATA Logically assigned	13	0.05
		994 = DON'T KNOW	1	0.00
		998 = BLANK (NO ANSWER)	8772	35.80
		999 = LEGITIMATE SKIP	15237	62.18

OPRESSPB	3	OTHER PERSON PRESENT DURING INTERVIEW - 2ND MENT		
		61 = Friend/Roommate/Companion	2	0.01
		91 = Other Non-Relative, Gender not specified	1	0.00
		130 = Son	2	0.01
		140 = Brother/Half Brother	2	0.01
		161 = Male Fiance/Boyfriend/Roommate/Companion	1	0.00
		172 = Nephew	1	0.00
		240 = Sister/Half Sister	1	0.00
		261 = Female Fiancee/Girlfriend/Roommate/Companion	1	0.00
		291 = Other Female Non-Relative	1	0.00
		337 = Children, Relation Unspecified	1	0.00
		361 = Friends/Roommates/Companions	1	0.00
		391 = Other Non-Relatives, Gender not specified	2	0.01
		540 = Sisters/Half Sisters	2	0.01
		900 = NOT A PERSON	3	0.01
		998 = BLANK (NO ANSWER)	9247	37.74
		999 = LEGITIMATE SKIP	15237	62.18

FI-6. Who marked the responses on the
Answer Sheets? (MARK ONLY ONE BOX.)

WHOMARKD	2	WHO MARKED ANSWERS ON ANSWER SHEET		
		1 = Respondent marked all the Answer Sheet responses .	23645	96.49
		2 = Interviewer marked all the Answer Sheet responses	550	2.24
		96 = MULTIPLE RESPONSE	13	0.05
		98 = BLANK (NO ANSWER)	297	1.21

INTERVIEWER OBSERVATIONS			PAGE: 351	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
QUARTER	1	QUARTER INDICATOR		
		1 = Quarter 1	5144	20.99
		2 = Quarter 2	6919	28.24
		3 = Quarter 3	6296	25.69
		4 = Quarter 4	6146	25.08
<p>The variable, FAMSKIP, indicates whether the respondent has other family members in the household or not, based on the household roster from the screening form.</p>				
FAMSKIP	1	OTHER FAMILY MEMBERS IN THE HH INDICATOR		
		0 = Respondent has other family members in household .	22125	90.29
		1 = Respondent didn't have other family in household .	2380	9.71
GQTYPE	1	TYPE OF GROUP QUARTERS		
		1 = Halfway House	5	0.02
		9 = Not Group Quarters	24301	99.17
		B = Boarding House	1	0.00
		C = College Dorm	169	0.69
		O = Other	23	0.09
		S = Shelter	6	0.02

GEOGRAPHIC			PAGE: 352	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		GEOGRAPHIC		

		The variables, PDEN and PDEN2 are based on the 1990 Census.		
PDEN	1	POPULATION DENSITY		
		1 = Segment in a MSA with 1 million or more persons ..	12964	52.90
		2 = Segment in a MSA with fewer than 1 million persons	7137	29.12
		3 = Segment not in MSA	4404	17.97
PDEN2	1	POPULATION DENSITY - FIVE LEVELS		
		1 = Segment in MSA with 1 million or more persons	12964	52.90
		2 = Segm. in a MSA from 250000 to 999999 persons	5253	21.44
		3 = Segment in a MSA with fewer than 250000 persons ..	1884	7.69
		4 = Segment not in a MSA and not in a rural area	2215	9.04
		5 = Segment not in a MSA and in a rural area	2189	8.93
REGION	1	CENSUS REGION		
		1 = Northeast	2905	11.85
		2 = North Central	3255	13.28
		3 = South	7554	30.83
		4 = West	10791	44.04
DIVISION	1	CENSUS DIVISION CODE		
		1 = New England	609	2.49
		2 = Middle Atlantic	2296	9.37
		3 = East North Central	2294	9.36
		4 = West North Central	961	3.92
		5 = South Atlantic	3445	14.06
		6 = East South Central	1367	5.58
		7 = West South Central	2742	11.19
		8 = Mountain	5036	20.55
		9 = Pacific	5755	23.49
HSPHCONC	1	CATEG. % HISPANIC HH'S IN SEGMENT		
		1 = Greater than or equaled 50 percent	2712	11.07
		2 = Greater than or equaled 10 pcnt, less than 50 pcnt	5879	23.99
		3 = Less than 10 percent	15914	64.94
HSPPCONC	1	CATEG. % HISPANIC POP. IN SEGMENT		
		1 = Greater than or equaled 50 percent	3279	13.38
		2 = Greater than or equaled 10 pcnt, less than 50 pcnt	6540	26.69
		3 = Less than 10 percent	14686	59.93
NHBHCONC	1	CATEG. % NONHISP. BLACK HH'S IN SEGMENT		
		1 = Greater than or equaled 50 percent	3325	13.57
		2 = Greater than or equaled 10 pcnt, less than 50 pcnt	2871	11.72
		3 = Less than 10 percent	18309	74.72

			PAGE: 353	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NHBPCONC	1	CATEG. % NONHISP. BLACK POP. IN SEGMENT		
		1 = Greater than or equaled 50 percent	3294	13.44
		2 = Greater than or equaled 10 pcnt, less than 50 pcnt	3017	12.31
		3 = Less than 10 percent	18194	74.25
OWNOCONC	1	CATEG. % OWNER-OCCUPIED HH'S IN SEGMENT		
		1 = Greater than or equaled 50 percent	16359	66.76
		2 = Greater than or equaled 10 pcnt, less than 50 pcnt	5822	23.76
		3 = Less than 10 pcnt	2324	9.48
RURORURB	1	RURAL OR URBAN SEGMENT		
		1 = Rural	3689	15.05
		2 = Urban	20816	84.95
URBPCT	8	PERCENT URBAN POPULATION IN SEGMENT		

LABEL	LEN	DESCRIPTION
-----	----	-----

PAGE:	354
FREQ	%
-----	-

SAMPLE WEIGHTING AND ESTIMATION VARS

VESTR	4	VARIANCE STRATUM
VEREP	2	VARIANCE REPLICATE WITHIN VARIANCE STRATUM

The following variable, ANALWT, is the final person-level sample weight for the NHSDA. This weight should be used to draw inferences with the NHSDA data about the survey's target population or about any subgrouping of the target population.

ANALWT	8	FINAL PERSON-LEVEL SAMPLE WEIGHT, = (WT1*...*WT12)
ANALWT1	8	ANALYSIS WEIGHT FOR QUARTER 1
ANALWT2	8	ANALYSIS WEIGHT FOR QUARTER 2
ANALWT3	8	ANALYSIS WEIGHT FOR QUARTER 3
ANALWT4	8	ANALYSIS WEIGHT FOR QUARTER 4

RECODES FOR MAIN FINDINGS

The following variables were created for the National Household Survey on Drug Abuse: Main Findings 1997 report. These variables consist of recodes of previous codebook variables.

ALCDAYS2	1	# DAYS DRANK ALCOHOL IN PAST 30 DAYS		
		1 = None or never used alcohol (ALCDAYS=81,83,91,93) .	13966	56.99
		2 = 1-2 days (ALCDAYS = 1-2)	3761	15.35
		3 = 3-4 days (ALCDAYS = 3-4)	1922	7.84
		4 = 5-19 days (ALCDAYS = 5-19)	2825	11.53
		5 = 20-30 days (ALCDAYS = 20-30)	896	3.66
		6 = UNKNOWN (ALCDAYS = 85,94,95,97,98)	1135	4.63
ALCDAYS3	1	# DAYS HAD 1 OR MORE DRINKS IN PAST 30 DAYS		
		1 = 0 (ALCDAYS2 = 1)	13966	56.99
		2 = 1-4 (ALCDAYS2 = 2,3)	5683	23.19
		3 = 5-19 (ALCDAYS2 = 4)	2825	11.53
		4 = 20-30 (ALCDAYS2 = 5)	896	3.66
		6 = UNKNOWN (ALCDAYS2 = 6)	1135	4.63
ALCILLL	1	ALCOHOL & ILLICIT DRUGS - EVER USED		
		0 = No	16228	66.22
		1 = Yes (ALCFLAG = 1 AND SUMFLAG = 1)	8277	33.78
ALCILLM	1	ALCOHOL & ILLICIT DRUGS - PAST MONTH USE		
		0 = No	22553	92.03
		1 = Yes (ALCMON = 1 AND SUMMON = 1)	1952	7.97
ALCILLY	1	ALCOHOL & ILLICIT DRUGS - PAST YEAR USE		
		0 = No	20790	84.84
		1 = Yes (ALCYR = 1 AND SUMYR = 1)	3715	15.16

The 'Yes' response for the following variable, ALCMRJL, was created by examination of these variables: ALCFLAG and MRJFLAG=1, and all of the following PSYFLAG2, COCFLAG, INHFLAG, HALFLAG, AND HERFLAG=0.

ALCMRJL	1	ONLY ALCOHOL & MARIJUANA - EVER USED		
		0 = No	20791	84.84
		1 = Yes (See Comment Above)	3714	15.16

RECODES FOR MAIN FINDINGS			PAGE: 356	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		The 'Yes' response for the following variable, ALCMRJM, was created by examination of these variables: ALCMON and MRJMON=1, and all of the following PSYMON2, COCMON, INHMON, HALMON, AND HERMON=0.		
ALCMRJM	1	ONLY ALCOHOL & MARIJUANA - PAST MONTH USE		
		0 = No	23392	95.46
		1 = Yes (See Comment Above)	1113	4.54
		The 'Yes' response for the following variable, ALCMRJY, was created by examination of these variables: ALCYR and MRJYR=1, and all of the following PSYR2, COCYR, INHYR, HALYR, AND HERYR=0.		
ALCMRJY	1	ONLY ALCOHOL & MARIJUANA - PAST YEAR USE		
		0 = No	22700	92.63
		1 = Yes (See Comment Above)	1805	7.37
ALCONLYL	1	ONLY ALCOHOL - EVER USED		
		0 = No	15800	64.48
		1 = Yes (ALCFLAG=1 AND SUMFLAG=0)	8705	35.52
ALCONLYM	1	ONLY ALCOHOL - PAST MONTH USE		
		0 = No	15918	64.96
		1 = Yes (ALCMON=1 AND SUMMON=0)	8587	35.04
ALCONLYY	1	ONLY ALCOHOL - PAST YEAR USE		
		0 = No	14262	58.20
		1 = Yes (ALCYR=1 AND SUMYR=0)	10243	41.80
		The 'Yes' response for the following variable, ALCOTHL, was created by examination of these variables: ALCFLAG=1 and ALCMRJL=0 and ALCPSYL=0, and any of the following PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, or HERFLAG=1.		
ALCOTHL	1	ALCOHOL & OTHER DRUGS & DRUG COMB - EVER USED		
		0 = No	20319	82.92
		1 = Yes (See Comment Above)	4186	17.08

RECODES FOR MAIN FINDINGS			PAGE: 357	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		<p>The 'Yes' response for the following variable, ALCOTHM, was created by examination of these variables: ALCMON=1 and ALCMRJM=0 and ALCPSYM=0, and any of the following PSYMON2, MRJMON, COCMON, INHMON, HALMON, or HERMON=1.</p>		
ALCOTHM	1	ALCOHOL & OTHER DRUGS & DRUG COMB - PAST MONTH USE		
		0 = No	23799	97.12
		1 = Yes (See Comment Above)	706	2.88
		<p>The 'Yes' response for the following variable, ALCOTHY, was created by examination of these variables: ALCYR=1 and ALCMRJY=0 and ALCPSYY=0, and any of the following PSYYR2, MRJYR, COCYR, INHYR, HALYR, or HERYR=1.</p>		
ALCOTHY	1	ALCOHOL & OTHER DRUGS & DRUG COMB - PAST YEAR USE		
		0 = No	22857	93.27
		1 = Yes (See Comment Above)	1648	6.73
		<p>The following three variables, ALCPRBS3, ALC2PRB3, and ALC3PRB3, differ from similarly named variables from past years. Although these variables were created in the same manner as in previous years, the coding of the source variables used to create these three variables was changed this year. The source variables were changed to exclude respondents who reported problems associated with a particular drug but did not report past year use on that drug's corresponding answer sheet. Accordingly, this change in the source variables affected these three variables as well. These three variables were created by examination of the following source variables: IRACALC3, IRBTALC3, IRGRALC3, IRLAALC3, IREMALC3, IRHLALC3, IRUCALC3.</p>		
ALCPRBS3	1	ANY PROBLEMS DUE TO ALCOHOL		
		0 = No	20317	82.91
		1 = Yes (ANY SOURCE VARIABLE = 1)	4188	17.09

RECODES FOR MAIN FINDINGS			PAGE: 358	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
ALC2PRB3	1	ANY 2 OR MORE PROBLEMS DUE TO ALCOHOL		
		0 = No	22097	90.17
		1 = Yes (ANY TWO OR MORE SOURCE VARIABLES = 1)	2408	9.83
ALC3PRB3	1	ANY 3 OR MORE PROBLEMS DUE TO ALCOHOL		
		0 = No	23028	93.97
		1 = Yes (ANY THREE OR MORE SOURCE VARIABLES = 1)	1477	6.03
<p>The 'Yes' response for the following variable, ALCPSYL, was created by examination of these variables: ALCFLAG and PSYFLAG2=1, and all of the following MRJFLAG, COCFLAG, INHFLAG, HALFLAG, AND HERFLAG=0.</p>				
ALCPSYL	1	ONLY ALCOHOL & PSYCHOTHERAPEUTICS - EVER USED		
		0 = No	24128	98.46
		1 = Yes (See Comment Above)	377	1.54
<p>The 'Yes' response for the following variable, ALCPSYM, was created by examination of these variables: ALCMON and PSYMON2=1, and all of the following MRJMON, COCMON, INHMON, HALMON, AND HERMON=0.</p>				
ALCPSYM	1	ONLY ALC & PSYCHOTHERAPEUTICS - PAST MONTH USE		
		0 = No	24372	99.46
		1 = Yes (See Comment Above)	133	0.54
<p>The 'Yes' response for the following variable, ALCPSYY, was created by examination of these variables: ALCYR and PSYYR2=1, and all of the following MRJYR, COCYR, INHYR, HALYR, AND HERYR=0.</p>				
ALCPSYY	1	ONLY ALC & PSYCHOTHERAPEUTICS - PAST YEAR USE		
		0 = No	24243	98.93
		1 = Yes (See Comment Above)	262	1.07
ALCTRY2	2	AGE HAD FIRST DRINK OF ALCOHOL		
		RANGE = 2 - 68	16822	68.65
		99 = NEVER USED/UNKNOWN (ALCTRY = 981-998)	7683	31.35

RECODES FOR MAIN FINDINGS			PAGE: 359	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
ALCUSE	1	ALCOHOL - FREQUENCY OF USE IN PAST YEAR		
		1 = Less than 12 days (IRALCFQ=7-9)	6221	25.39
		2 = 12-50 days (1-4 days/month) (IRALCFQ=5-6)	3755	15.32
		3 = 51-300 days (1-7 days/week) (IRALCFQ=2-4)	3287	13.41
		4 = More than 300 days (daily or almost) (IRALCFQ=1) .	695	2.84
		5 = HAS NOT USED IN PAST YEAR (IRALCFQ=10)	10547	43.04
ANALAGE2	2	AGE FIRST USED ANALGESICS		
		RANGE = 4 - 65	1207	4.93
		99 = NEVER USED/UNKNOWN (ANALAGE = 981-998)	23298	95.07
ANY4MENT	2	ANY 1 OF 4 MENTAL SYNDROMES - AGE 18+		
		0 = No	14733	60.12
		1 = Yes (MDE3 or GAD3 or PA3 or AGP3 = 1)	1928	7.87
		99 = Children age 12-17 (CATAGE = 1)	7844	32.01
AVCIG2	1	NUMBER OF CIGARETTES SMOKED PER DAY IN LAST 30 DAY		
		1 = 0 (AVCIG = 81,83,91,93)	17538	71.57
		2 = 15 cigarettes or less (AVCIG = 1-3)	4768	19.46
		3 = 16 cigarettes or more (AVCIG = 4-6)	1857	7.58
		4 = UNKNOWN (AVCIG = 85,94,98)	342	1.40
AVCIG3	1	SMOKED A PACK OR MORE A DAY IN THE PAST 30 DAYS		
		0 = No (AVCIG = 1-3,81,83,85,91,93,94,98)	22648	92.42
		1 = Yes (AVCIG = 4-6)	1857	7.58
BINGDRK2	1	BINGE ALCOHOL USE PAST 30 DAYS		
		0 = No (BINGEDRK = 99 OR BINGEDRK = 0)	20928	85.40
		1 = Yes (BINGEDRK = 1)	3577	14.60
BKAGASL2	1	ARRESTED & BOOKED FOR AGGR ASSLT IN PST YR-REVISED		
		0 = No (BKAGASLT = 2,85,89,97,98,99)	24415	99.63
		1 = Yes (BKAGASLT = 1,3)	90	0.37
BKARSON2	1	ARRESTED & BOOKED FOR ARSON IN PST YR-REVISED		
		0 = No (BKARSON = 2,85,89,97,98,99)	24495	99.96
		1 = Yes (BKARSON = 1)	10	0.04
BKBURGL2	1	ARRESTED & BOOKED FOR BURGLARY IN PST YR-REVISED		
		0 = No (BKBURGL = 2,85,89,97,98,99)	24438	99.73
		1 = Yes (BKBURGL = 1,3)	67	0.27
BKDRUG2	1	ARR & BKED FOR POSS/SALE OF ILL DRGS IN PST YR-REV		
		0 = No (BKDRUG = 2,85,89,97,98,99)	24363	99.42
		1 = Yes (BKDRUG = 1)	142	0.58
BKDRUNK2	1	ARRST & BKED FOR DRNKNSS/LIQ LAW IN PST YR-REVISED		
		0 = No (BKDRUNK = 2,85,89,97,98,99)	24402	99.58
		1 = Yes (BKRUNK = 1,3)	103	0.42

RECODES FOR MAIN FINDINGS			PAGE: 360	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
BKDRVIN2	1	ARRESTED & BOOKED FOR DUI IN PST YR-REVISED		
		0 = No (BKDRVINF = 2,85,89,97,98,99)	24388	99.52
		1 = Yes (BKDRVINF = 1,3)	117	0.48
BKLARC2	1	ARRSTD & BKED FOR LARCENY/THEFT IN PST YR-REVISED		
		0 = No (BKLARCNY = 2,85,89,97,98,99)	24357	99.40
		1 = Yes (BKLARCNY = 1,3)	148	0.60
BKMOVTHF2	1	ARRSTD & BKD FOR MOTOR VEH.THEFT IN PST YR-REVISED		
		0 = No (BKMOVTHFT = 2,85,89,97,98,99)	24471	99.86
		1 = Yes (BKMOVTHFT = 1)	34	0.14
BKROB2	1	ARRESTED & BOOKED FOR ROBBERY IN PST YR-REVISED		
		0 = No (BKROB = 2,85,89,97,98,99)	24480	99.90
		1 = Yes (BKROB = 1,3)	25	0.10
BKSMASL2	1	ARRESTED & BKD FOR OTHER ASSULT PAST YR-REVISED		
		0 = No (BKSMASLT = 2,85,89,97,98,99)	24378	99.48
		1 = Yes (BKSMASLT = 1,3)	127	0.52

The following three variables, CIGPRBS3, CIG2PRB3, and CIG3PRB3, differ from similarly named variables from past years. Although these variables were created in the same manner as in previous years, the coding of the source variables used to create these three variables was changed this year. The source variables were changed to exclude respondents who reported problems associated with a particular drug but did not report past year use on that drug's corresponding answer sheet. Accordingly, this change in the source variables affected these three variables as well. These three variables were created by examination of the following source variables: IRACCIG3, IRBTCIG3, IRGRCIG3, IRLACIG3, IREMCIG3, IRHLCIG3, IRUCCIG3.

CIGPRBS3	1	ANY PROBLEMS DUE TO CIGARETTES		
		0 = No	19797	80.79
		1 = Yes (ANY SOURCE VARIABLE = 1)	4708	19.21
CIG2PRB3	1	ANY 2 OR MORE PROBLEMS DUE TO CIGARETTES		
		0 = No	20930	85.41
		1 = Yes (ANY TWO OR MORE SOURCE VARIABLES = 1)	3575	14.59

RECODES FOR MAIN FINDINGS			PAGE: 361	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
CIG3PRB3	1	ANY 3 OR MORE PROBLEMS DUE TO CIGARETTES		
		0 = No	21836	89.11
		1 = Yes (ANY THREE OR MORE SOURCE VARIABLES = 1)	2669	10.89
CIGTRY2	2	AGE FIRST TRIED A CIGARETTE		
		RANGE = 2 - 66	14248	58.14
		99 = NEVER USED/UNKNOWN (CIGTRY = 981-998)	10257	41.86
COCAGE2	2	AGE FIRST USED COCAINE		
		RANGE = 2 - 58	2251	9.19
		99 = NEVER USED/UNKNOWN (COCAGE = 981-998)	22254	90.81

The following three variables, COCPRBS3, COC2PRB3, and COC3PRB3, differ from similarly named variables from past years. Although these variables were created in the same manner as in previous years, the coding of the source variables used to create these three variables was changed this year. The source variables were changed to exclude respondents who reported problems associated with a particular drug but did not report past year use on that drug's corresponding answer sheet. Accordingly, this change in the source variables affected these three variables as well. These three variables were created by examination of the following source variables: IRACCOC3, IRBTCOC3, IRGRCOC3, IRLACOC3, IREMCOC3, IRHLCOC3, IRUCCOC.

COCPRBS3	1	ANY PROBLEMS DUE TO COCAINE		
		0 = No	24225	98.86
		1 = Yes (ANY SOURCE VARIABLE = 1)	280	1.14
COC2PRB3	1	ANY 2 OR MORE PROBLEMS DUE TO COCAINE		
		0 = No	24311	99.21
		1 = Yes (ANY TWO OR MORE SOURCE VARIABLES = 1)	194	0.79
COC3PRB3	1	ANY 3 OR MORE PROBLEMS DUE TO COCAINE		
		0 = No	24373	99.46
		1 = Yes (ANY THREE OR MORE SOURCE VARIABLES = 1)	132	0.54

RECODES FOR MAIN FINDINGS			PAGE: 362	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
COCTOT3	2	NUMBER OF DAYS USED COCAINE IN LIFE		
		1 = 1-2 days (COCTOT = 5)	695	2.84
		2 = 3-11 days (COCTOT = 4)	567	2.31
		3 = 12-100 days (COCTOT = 3)	557	2.27
		4 = 101+ days (COCTOT = 1,2)	442	1.80
		5 = NEVER USED (COCTOT = 81,91)	22228	90.71
		99 = UNKNOWN (COCTOT = 85,98)	16	0.07
COCUSE	1	COCAINE - FREQUENCY OF USE IN THE PAST YEAR		
		1 = Less than 12 days (IRCOCFQ=7-9)	485	1.98
		2 = 12-50 days (1-4 days/month) (IRCOCFQ=5-6)	140	0.57
		3 = 51-300 days (1-7 days/week) (IRCOCFQ=2-4)	95	0.39
		4 = More than 300 days (daily or almost) (IRCOCFQ=1) .	20	0.08
		5 = Has not used in past year (IRCOCFQ=10)	23765	96.98
<p>The following variable, DRALHLP3, differs from the similarly named variable from past years. Although this variable was created in the same manner as in previous years, the coding of the source variables used to create this variable was changed this year. The source variables were changed to exclude respondents who reported receiving treatment for drugs/alcohol, but never having used drugs/alcohol. This change affected this variable as well.</p>				
DRALHLP3	2	TRMT RECEIVED FOR DRUGS/ALCOHOL PST YR - REVISED		
		0 = No (TRMTHLP3=0 and DRNKHLP3=0)	24100	98.35
		1 = Yes (TRMTHLP3=1 or DRNKHLP3=1)	403	1.64
		99 = UNKNOWN (Otherwise)	2	0.01
DRINKER2	1	DRANK ALCOHOL IN PAST 30 DAYS		
		0 = No	13966	56.99
		1 = Yes (DR5DAY=1-30,90 OR ALCMON=1)	10539	43.01

RECODES FOR MAIN FINDINGS			PAGE: 363	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		The following variable, DRNKHLP3, differs from the similarly named variable from past years by excluding respondents who reported receiving treatment for alcohol, but never having used alcohol. This variable was created by examination of the following source variables: TXALHOSP, TXALRFIN, TXALRFOP, TXALMHC, TXALEMRG, TXALDOC, TXALJAIL, TXALSHG, TXALSOP.		
DRNKHLP3	2	TREATMENT RECEIVED FOR ALCOHOL PAST YR - REVISED		
		0 = No (Otherwise)	24146	98.53
		1 = Yes (ANY SOURCE VAR=1,3,5 and ALCFLAG=1)	354	1.44
		99 = NON USER/TRT (ANY SOURCE VAR=1,3,5 and ALCFLAG=0)	5	0.02
DRUNKYR2	1	DRUNK 51+ DAYS IN PAST YEAR		
		1 = Yes (DRUNKYR = 1,2,3,4)	1023	4.17
		2 = No (DRUNKYR=5,6,7,8,9,81,83,85,90,91,93,98)	23482	95.83
DRUNKYR3	2	DRUNK 3+ DAYS IN PAST YEAR - AGE 18+		
		0 = No (DRUNKYR GT 8)	12930	52.76
		1 = Yes (DRUNKYR LE 8)	3731	15.23
		99 = Children age 12-17 (CATAGE = 1)	7844	32.01
		The following variable, DUI, was created by examination of the following source variables: DRVALDR, DRIVEAL, and DRIVEDR.		
DUI	1	DRIVING UNDER INFLUENCE OF ALC OR DRUGS IN PST YR		
		0 = No	22244	90.77
		1 = Yes (ANY SOURCE VAR=1)&(ALCYR=1 or SUMYR=1)	2261	9.23
FERTAGE	2	AGE GROUPS, WOMEN 15-44		
		1 = Women ages 15-25 (CATAG3 = 1,2 AND F15_44 = 1) ...	5530	22.57
		2 = Women ages 16-44 (CATAG3 = 3,4 AND F15_44 = 1) ...	4049	16.52
		99 = MEN/WOMEN AGE 12-14 and 45+ (F15_44=0)	14926	60.91
HALLAGE2	2	AGE FIRST USED HALLUCINOGENS		
		RANGE = 2 - 43	2268	9.26
		99 = NEVER USED/UNKNOWN (HALLAGE = 981-998)	22237	90.74
HERAGE2	2	AGE FIRST USED HEROIN		
		RANGE = 2 - 39	237	0.97
		99 = NEVER USED/UNKNOWN (HERAGE = 981-998)	24268	99.03

RECODES FOR MAIN FINDINGS			PAGE: 364	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
HERNEED2	1	EVER USED A NEEDLE TO INJECT HEROIN		
		0 = No (HERNEEDL=81,85,89,91,93,97,98,99)	24382	99.50
		1 = Yes (HERNEEDL=1,3)	123	0.50
HVYDRK3	1	DRANK ALCOHOL HEAVILY - PST 30 DAYS		
		0 = No (HVYDRK2 = 99 OR HVYDRK2 = 0)	23157	94.50
		1 = Yes (HVYDRK2 = 1)	1348	5.50
ILLONLYL	1	ONLY ILLICIT DRUGS - EVER USED		
		0 = No	24013	97.99
		1 = Yes (SUMFLAG=1 AND ALCFLAG=0)	492	2.01
ILLONLYM	1	ONLY ILLICIT DRUGS - PAST MONTH USE		
		0 = No	24035	98.08
		1 = Yes (SUMMON=1 AND ALCMON=0)	470	1.92
ILLONLYY	1	ONLY ILLICIT DRUGS - PAST YEAR USE		
		0 = No	24073	98.24
		1 = Yes (SUMYR=1 AND ALCYR=0)	432	1.76
INHAGE2	2	AGE FIRST USED INHALANT		
		RANGE = 5 - 49	1613	6.58
		99 = NEVER USED/UNKNOWN (INHAGE = 981-998)	22892	93.42

The following variables differ from similarly named variables from past years: IRACALC3, IRBTALC3, IREMAC3, IRGRALC3, IRHLALC3, IRLAALC3, IRUCALC3, IRACCIG3, IRBTCIG3, IREMCIG3, IRGRCIG3, IRHLCIG3, IRLACIG3, IRUCCIG3, IRACCOC3, IRBTCOC3, IREMCOC3, IRGRCOC3, IRHLCOC3, IRLACOC3, IRUCCOC3, IRACMRJ3, IRBTMRJ3, IREMMRJ3, IRGRMRJ3, IRHLMRJ3, IRLAMRJ3, IRUCMRJ3. For these variables, a respondent must have reported past year use of the drug in question to be included in the "Yes" response. Thus, respondents were excluded if they reported problems associated with a particular drug but did not report past year use on that drug's corresponding answer sheet.

IRACALC3	1	ALCOHOL REDUCED IMPT ACTIVITIES-REVISED		
		0 = No	23796	97.11
		1 = Yes (ALCYR = 1 and ACRDALC = 1)	709	2.89

RECODES FOR MAIN FINDINGS			PAGE: 365	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRACCIG3	1	CIG REDUCED IMPT ACTIVITIES - REVISED		
		0 = No	23935	97.67
		1 = Yes (CIGYR = 1 and ACRDCIG = 1)	570	2.33
IRACCOC3	1	COCAINE REDUCED IMPT ACTIVITIES - REVISED		
		0 = No	24414	99.63
		1 = Yes (COCYR = 1 and ACRDCOC = 1)	91	0.37
IRACMRJ3	1	MARIJUANA REDUCED IMPT ACTIVITIES - REVISED		
		0 = No	24184	98.69
		1 = Yes (MRJYR = 1 and ACRDMRJ = 1)	321	1.31
IRBTALC3	1	BUILT UP TOLERANCE FOR ALCOHOL - REVISED		
		0 = No	22541	91.99
		1 = Yes (ALCYR = 1 and BTOLALC = 1)	1964	8.01
IRBTCIG3	1	BUILT UP TOLERANCE FOR CIGARETTES - REVISED		
		0 = No	22061	90.03
		1 = Yes (CIGYR = 1 and BTOLCIG = 1)	2444	9.97
IRBTCOC3	1	BUILT UP TOLERANCE FOR COCAINE - REVISED		
		0 = No	24396	99.56
		1 = Yes (COCYR = 1 and BTOLCOC = 1)	109	0.44
IRBTMRJ3	1	BUILT UP TOLERANCE FOR MARIJUANA - REVISED		
		0 = No	23650	96.51
		1 = Yes (MRJYR = 1 and BTOLMRJ = 1)	855	3.49
IREMALC3	1	ALCOHOL CAUSED EMOTIONAL PROBLEMS - REVISED		
		0 = No	23622	96.40
		1 = Yes (ALCYR = 1 and EMPBALC = 1)	883	3.60
IREMCIG3	1	CIGARETTES CAUSED EMOTIONAL PROBLEMS - REVISED		
		0 = No	24003	97.95
		1 = Yes (CIGYR = 1 and EMPBCIG = 1)	502	2.05
IREMCOC3	1	COCAINE CAUSED EMOTIONAL PROBLEMS - REVISED		
		0 = No	24359	99.40
		1 = Yes (COCYR = 1 and EMPBCOC = 1)	146	0.60
IREMMRJ3	1	MARIJUANA CAUSED EMOTIONAL PROBLEMS - REVISED		
		0 = No	23978	97.85
		1 = Yes (MRJYR = 1 and EMPBMRJ = 1)	527	2.15
IRGRALC3	1	SPENT MONTH OR MORE ON ALCOHOL - REVISED		
		0 = No	22169	90.47
		1 = Yes (ALCYR = 1 and GRTMALC = 1)	2336	9.53

RECODES FOR MAIN FINDINGS			PAGE: 366	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IRGRCIG3	1	SPENT MONTH OR MORE ON CIGARETTES - REVISED		
		0 = No	21245	86.70
		1 = Yes (CIGYR = 1 and GRTMCIG = 1)	3260	13.30
IRGRCO3	1	SPENT MONTH OR MORE ON COCAINE - REVISED		
		0 = No	24361	99.41
		1 = Yes (COCYR = 1 and GRTMCOC = 1)	144	0.59
IRGRMRJ3	1	SPENT MONTH OR MORE ON MARIJUANA - REVISED		
		0 = No	23470	95.78
		1 = Yes (MRJYR = 1 and GRTMMRJ = 1)	1035	4.22
IRHLALC3	1	ALCOHOL CAUSED HEALTH PROBLEMS - REVISED		
		0 = No	24024	98.04
		1 = Yes (ALCYR = 1 and HLPBALC = 1)	481	1.96
IRHLCIG3	1	CIGARETTES CAUSED HEALTH PROBLEMS - REVISED		
		0 = No	23556	96.13
		1 = Yes (CIGYR = 1 and HLPBCIG = 1)	949	3.87
IRHLCOC3	1	COCAINE CAUSED HEALTH PROBLEMS - REVISED		
		0 = No	24437	99.72
		1 = Yes (COCYR = 1 and HLPBCOC = 1)	68	0.28
IRHLMRJ3	1	MARIJUANA CAUSED HEALTH PROBLEMS - REVISED		
		0 = No	24215	98.82
		1 = Yes (MRJYR = 1 and HLPBMRJ = 1)	290	1.18
IRLAALC3	1	USED ALCOHOL MORE OFTEN THAN INTENDED - REVISED		
		0 = No	22396	91.39
		1 = Yes (ALCYR = 1 and LAMTALC = 1)	2109	8.61
IRLACIG3	1	USED CIGARETTES MORE OFTEN THAN INTENDED - REVISED		
		0 = No	21608	88.18
		1 = Yes (CIGYR = 1 and LAMTCIG = 1)	2897	11.82
IRLACOC3	1	USED COCAINE MORE OFTEN THAN INTENDED - REVISED		
		0 = No	24372	99.46
		1 = Yes (COCYR = 1 and LAMTCOC = 1)	133	0.54
IRLAMRJ3	1	USED MARIJUANA MORE OFTEN THAN INTENDED - REVISED		
		0 = No	23686	96.66
		1 = Yes (MRJYR = 1 and LAMTMRJ = 1)	819	3.34
IRUCALC3	1	WANTED & UNABLE TO CUT DOWN ON ALC USE - REVISED		
		0 = No	23204	94.69
		1 = Yes (ALCYR = 1 and UCDALC = 1)	1301	5.31

RECODES FOR MAIN FINDINGS			PAGE: 367	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
IRUCCIG3	1	WANTED & UNABLE TO CUT DOWN ON CIG USE - REVISED		
		0 = No	21312	86.97
		1 = Yes (CIGYR = 1 and UCDCIG = 1)	3193	13.03
IRUCCOC3	1	WANTED & UNABLE TO CUT DOWN ON COC USE - REVISED		
		0 = No	24373	99.46
		1 = Yes (COCYR = 1 and UCDCOC = 1)	132	0.54
IRUCMRJ3	1	WANTED & UNABLE TO CUT DOWN ON MRJ USE - REVISED		
		0 = No	23906	97.56
		1 = Yes (MRJYR = 1 and UCDCMRJ = 1)	599	2.44
MARUSE	1	MARIJUANA - FREQUENCY OF USE IN THE PAST YEAR		
		1 = Less than 12 days (IRMJFQ = 7-9)	1554	6.34
		2 = 12-50 days (1-4 days/month) (IRMJFQ = 5-6)	633	2.58
		3 = 51-300 days (1-7 days/week) (IRMJFQ = 2-4)	843	3.44
		4 = More than 300 days (daily or almost) (IRMJFQ = 1)	359	1.47
		5 = Did not use in past year (IRMJFQ = 10)	21116	86.17
MJAGE2	2	AGE FIRST USED MARIJUANA		
		RANGE = 2 - 65	7730	31.54
		99 = NEVER USED/UNKNOWN (MJAGE = 981-998)	16775	68.46
MJDY30A3	1	NUMBER OF DAYS USED MRJ/HASH IN PAST 30 DAYS		
		1 = 1-2 Days (MJDY30A = 1-2)	590	2.41
		2 = 3-4 Days (MJDY30A = 3-4)	238	0.97
		3 = 5-19 Days (MJDY30A = 5-19)	543	2.22
		4 = 20-30 Days (MJDY30A = 20-30)	432	1.76
		5 = None/Never used MRJ (MJDY30A = 35,81,83,91,93) ..	22580	92.14
		6 = Unknown (MJDY30A = 85,95,98)	122	0.50

RECODES FOR MAIN FINDINGS			PAGE: 368	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		<p>The following three variables, MRJPRBS3, MRJ2PRB3, and MRJ3PRB3, differ from similarly named variables from past years. Although these variables were created in the same manner as in previous years, the coding of the source variables used to create these three variables was changed this year. The source variables were changed to exclude respondents who reported problems associated with a particular drug but did not report past year use on that drug's corresponding answer sheet. Accordingly, this change in the source variables affected these three variables as well. These three variables were created by examination of the following source variables: IRACMRJ3, IRBTMRJ3, IRGRMRJ3, IRLAMRJ3, IREMMRJ3, IRHLMRJ3, IRUCMRJ3.</p>		
MRJPRBS3	1	ANY PROBLEMS DUE TO MARIJUANA		
		0 = No	22825	93.14
		1 = (ANY SOURCE VARIABLE = 1)	1680	6.86
MRJ2PRB3	1	ANY 2 OR MORE PROBLEMS DUE TO MARIJUANA		
		0 = No	23393	95.46
		1 = Yes (ANY TWO OR MORE SOURCE VARIABLES = 1)	1112	4.54
MRJ3PRB3	1	ANY 3 OR MORE PROBLEMS DUE TO MARIJUANA		
		0 = No	23733	96.85
		1 = Yes (ANY THREE OR MORE SOURCE VARIABLES = 1)	772	3.15
MJTOT3	2	NUMBER OF DAYS USED MARIJUANA/HASHISH IN LIFE		
		1 = 1-2 days (MJTOT = 5)	1906	7.78
		2 = 3-11 days (MJTOT = 4)	1675	6.84
		3 = 12-100 days (MJTOT = 3)	1833	7.48
		4 = 101+ days (MJTOT = 1,2)	2325	9.49
		5 = NEVER USED (MJTOT = 81,91)	16734	68.29
		99 = UNKNOWN (MJTOT = 85,97,98)	32	0.13
MRJONLYL	1	ONLY MARIJUANA - EVER USED		
		0 = No	24336	99.31
		1 = Yes (MJOFLAG=1 AND ALCFLAG=0)	169	0.69
MRJONLYM	1	ONLY MARIJUANA - PAST MONTH USE		
		0 = No	24266	99.02
		1 = Yes (MJOMON2=1 AND ALCMON=0)	239	0.98

RECODES FOR MAIN FINDINGS

PAGE: 369

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
MRJONLYY	1	ONLY MARIJUANA - PAST YEAR USE		
		0 = No	24319	99.24
		1 = Yes (MJOYR2=1 AND ALCYR=0)	186	0.76

The following variable, NOTMARJ, was created by examination of the following source variables: COCMON, INHMON, HALMON, HERMON, and PSYMON2.

NOTMARJ	1	DRUG USE OTHER THAN MARIJUANA - PAST MONTH USE		
		0 = No (All Source Variables = 0)	23435	95.63
		1 = Yes (All Source Variables = 1)	1070	4.37

The 'Yes' response for the following variable, OTHONLYL, was created by examination of these variables: ALCFLAG=0 and MRJONLYL=0 and PSYONLYL=0, and any of the following PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, or HERFLAG=1.

OTHONLYL	1	ONLY OTHER DRUGS & DRUG COMBINATIONS - EVER USED		
		0 = No	24357	99.40
		1 = Yes (See Comment Above)	148	0.60

The 'Yes' response for the following variable, OTHONLYM, was created by examination of these variables: ALCMON=0 and MRJONLYM=0 and PSYONLYM=0, and any of the following PSYMON2, MRJMON, COCMON, INHMON, HALMON, or HERMON=1.

OTHONLYM	1	ONLY OTHER DRUGS & DRUG COMB - PAST MONTH USE		
		0 = No	24376	99.47
		1 = Yes (See Comment Above)	129	0.53

RECODES FOR MAIN FINDINGS			PAGE: 370	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		<p>The 'Yes' response for the following variable, OTHONLYY, was created by examination of these variables: ALCYR=0 and MRJONLYY=0 and PSYONLYY=0, and any of the following PSYYR2, MRJYR, COCYR, INHYR, HALYR, or HERYR=1.</p>		
OTHONLYY	1	ONLY OTHER DRUGS & DRUG COMB - PAST YEAR USE		
		0 = No	24380	99.49
		1 = Yes (See Comment Above)	125	0.51
PREG3	2	PREGNANCY STATUS OF WOMEN AGES 15-44		
		1 = Pregnant (PREG2 = 1 and F15_44 = 1)	454	1.85
		2 = Not pregnant (PREG2 = 2 and F15_44 = 1)	9005	36.75
		99 = Men/Women 12-14 and 45+ (F14_44=0)	15046	61.40
		<p>The following variable, PSYAGE, was created by examination of the following source variables: STIMAGE2, SEDAGE2, TRANAGE2, and ANALAGE2. The age of first use of Psychotherapeutics is the minimum of these four source variables.</p>		
PSYAGE	2	AGE FIRST USED PSYCHOTHERAPEUTICS NON-MED		
		RANGE = 2 - 70	1993	8.13
		99 = NEVER USED/UNKNOWN (ALL SOURCE VARS = 981-998) ...	22512	91.87
		<p>The 'Yes' response for the following variable, PSYONLYL, was created by examination of these variables: PSYFLAG2=1, and all of the following ALCFLAG, COCFLAG, HALFLAG, HERFLAG, INHFLAG, AND MRJFLAG=0.</p>		
PSYONLYL	1	ONLY PSYCHOTHERAPEUTICS - EVER USED		
		0 = No	24330	99.29
		1 = Yes (See Comment Above)	175	0.71

RECODES FOR MAIN FINDINGS			PAGE: 371	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		The 'Yes' response for the following variable, PSYONLYM, was created by examination of these variables: PSYMON2=1, and all of the following ALCMON, COCMON, HALMON, HERMON, INHMON, AND MRJMON=0.		
PSYONLYM	1	ONLY PSYCHOTHERAPEUTICS - PAST MONTH USE		
		0 = No	24403	99.58
		1 = Yes (See Comment Above)	102	0.42
		The 'Yes' response for the following variable, PSYONLYY, was created by examination of these variables: PSYYR2=1, and all of the following ALCYR, COCYR, HALYR, HERYR, INHYR, AND MRJYR=0.		
PSYONLYY	1	ONLY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		0 = No	24384	99.51
		1 = Yes (See Comment Above)	121	0.49
RACESEX	2	RACE AND SEX COMBINED		
		1 = White male (IRSEX = 1 AND RACE = 1)	5607	22.88
		2 = Black male (IRSEX = 1 AND RACE = 2)	1812	7.39
		3 = Hispanic male (IRSEX = 1 AND RACE = 3)	2879	11.75
		4 = White female (IRSEX = 2 AND RACE = 1)	6836	27.90
		5 = Black female (IRSEX = 2 AND RACE = 2)	2827	11.54
		6 = Hispanic female (IRSEX = 2 AND RACE = 3)	3380	13.79
		99 = Other Males and Females (IRSEX=1,2 and RACE=4) ...	1164	4.75
RACESEX2	1	RACE AND SEX COMBINED		
		1 = White male (IRSEX = 1 AND RACE = 1)	5607	22.88
		2 = Black male (IRSEX = 1 AND RACE = 2)	1812	7.39
		3 = Hispanic male (IRSEX = 1 AND RACE = 3)	2879	11.75
		4 = Other male (IRSEX = 1 AND RACE = 4)	538	2.20
		5 = White female (IRSEX = 2 AND RACE = 1)	6836	27.90
		6 = Black female (IRSEX = 2 AND RACE = 2)	2827	11.54
		7 = Hispanic female (IRSEX = 2 AND RACE = 3)	3380	13.79
		8 = Other female (IRSEX = 2 AND RACE = 4)	626	2.55
RDIFCOC	2	COCAINE FAIRLY OR VERY EASY TO OBTAIN		
		0 = Not easy (RKDIFCOC = 1,2,3)	14248	58.14
		1 = Fairly or very easy to obtain (RKDIFCOC = 4,5) ...	9864	40.25
		99 = UNKNOWN (RKDIFCOC = 94,96,97,98)	393	1.60

RECODES FOR MAIN FINDINGS			PAGE: 372	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
RDIFCRK	2	CRACK FAIRLY OR VERY EASY TO OBTAIN		
		0 = Not easy (RKDIFCRK = 1,2,3)	14713	60.04
		1 = Fairly or very easy to obtain (RKDIFCRK = 4,5) ...	9404	38.38
		99 = UNKNOWN (RKDIFCRK = 94,96,97,98)	388	1.58
RDIFHER	2	HEROIN FAIRLY OR VERY EASY TO OBTAIN		
		0 = Not easy (RKDIFHER = 1,2,3)	16917	69.03
		1 = Fairly or very easy to obtain (RKDIFHER = 4,5) ...	7189	29.34
		99 = UNKNOWN (RKDIFHER = 94,96,97,98)	399	1.63
RDIFLSD	2	LSL FAIRLY OR VERY EASY TO OBTAIN		
		0 = Not easy (RKDIFLSD = 1,2,3)	16259	66.35
		1 = Fairly or very easy to obtain (RKDIFLSD = 4,5) ...	7796	31.81
		99 = UNKNOWN (RKDIFLSD = 94,96,97,98)	450	1.84
RDIFMJ	2	MRJ FAIRLY OR VERY EASY TO OBTAIN		
		0 = Not easy (RKDIFMJ = 1,2,3)	8939	36.48
		1 = Fairly or very easy to obtain (RKDIFMJ = 4,5)	15245	62.21
		99 = UNKNOWN (RKDIFMJ = 94,96,97,98)	321	1.31
RSKALC1	2	GREAT RISK:4-5 DRINKS NEARLY EVERY DAY		
		0 = No (RK5DRINK = 1,2,3)	6707	27.37
		1 = Yes (RK5DRINK = 4)	17583	71.75
		99 = UNKNOWN (RK5DRINK = 94,96,97,98)	215	0.88
RSKALC2	2	GREAT RISK:5+ DRINKS 1-2 TIMES PER WEEK		
		0 = No (RSKBINGE = 1,2,3)	11493	46.90
		1 = Yes (RSKBINGE = 4)	12764	52.09
		99 = UNKNOWN (RSKBINGE = 94,96,97,98)	248	1.01
RSKCIG	2	GREAT RISK: SMOKE 1+PACKS CIGARETTES PER DAY		
		0 = No (RSKPKCIG = 1,2,3)	8407	34.31
		1 = Yes (RSKPKCIG = 4)	15981	65.22
		99 = UNKNOWN (RSKPKCIG = 94,96,97,98)	117	0.48
RSKCOC1	2	GREAT RISK: USE COC ONCE A MONTH		
		0 = No (RKCOCOCC = 1,2,3)	7299	29.79
		1 = Yes (RKCOCOCC = 4)	16976	69.28
		99 = UNKNOWN (RKCOCOCC = 94,96,97,98)	230	0.94
RSKCOC2	2	GREAT RISK: USE COC 1-2 TIMES PER WEEK		
		0 = No (RKCOCREG = 1,2,3)	2763	11.28
		1 = Yes (RKCOCREG = 4)	21411	87.37
		99 = UNKNOWN (RKCOCREG = 94,96,97,98)	331	1.35
RSKHER1	2	GREAT RISK: USE HEROIN 1-2 TIMES PER WEEK		
		0 = No (RKTRYHER = 1,2,3)	2320	9.47
		1 = Yes (RKTRYHER = 4)	21828	89.08
		99 = UNKNOWN (RKTRYHER = 94,96,97,98)	357	1.46

RECODES FOR MAIN FINDINGS			PAGE: 373	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
RSKHER2	2	GREAT RISK: TRY HEROIN ONCE/TWICE		
		0 = No (RKHERREG = 1,2,3)	6649	27.13
		1 = Yes (RKHERREG = 4)	17606	71.85
		99 = UNKNOWN (RKHERREG = 94,96,97,98)	250	1.02
RSKLSD1	2	GREAT RISK: TRY LSD ONCE/TWICE		
		0 = No (RKTRYLSD = 1,2,3)	8503	34.70
		1 = Yes (RKTRYLSD = 4)	15699	64.06
		99 = UNKNOWN (RKTRYLSD = 94,96,97,98)	303	1.24
RSKMJ1	2	GREAT RISK: USE MRJ ONCE A MONTH		
		0 = No (RSKMJOCC = 1,2,3)	15132	61.75
		1 = Yes (RSKMJOCC = 4)	9117	37.20
		99 = UNKNOWN (RSKMJOCC = 94,96,97,98)	256	1.04
RSKMJ2	2	GREAT RISK: USE MRJ 1-2 TIMES PER WEEK		
		0 = No (RSKMJREG = 1,2,3)	10863	44.33
		1 = Yes (RSKMJREG = 4)	13165	53.72
		99 = UNKNOWN (RSKMJREG = 94,96,97,98)	477	1.95
RSKSELL2	1	SOMEONE APPROACH TO SELL ILLEGAL DRUG IN PAST MO.		
		0 = No (RSKSELL = 2,96,97,98)	21607	88.17
		1 = Yes (RSKSELL = 1)	2898	11.83
SBELTRSK	1	DROVE OR RODE WITHOUT SEATBELT		
		0 = No	20935	85.43
		1 = Yes (RKFPBLT = 1,2 or RKFPDBLT = 1,2)	3570	14.57
SEDAGE2	2	AGE FIRST USED SEDATIVE NON-MED		
		RANGE = 2 - 50	309	1.26
		99 = NEVER USED/UNKNOWN (SEDAGE = 981-998)	24196	98.74
STIMAGE2	2	AGE FIRST USED STIMULANT NON-MED		
		RANGE = 6 - 60	885	3.61
		99 = NEVER USED/UNKNOWN (STIMAGE = 981-998)	23620	96.39
The following variable, SUB1LIF, was created by examination of PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and ALCFLAG.				
SUB1LIF	1	ONLY 1 SUBSTANCE - EVER USED		
		0 = No	15385	62.78
		1 = Yes (Only one Source Var=1)	9120	37.22

RECODES FOR MAIN FINDINGS			PAGE: 374	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
		The following variable, SUB1MON, was created by examination of PSYMON2, MRJMON, COCMON, INHMON, HALMON, HERMON, and ALCMON.		
SUB1MON	1	ONLY 1 SUBSTANCE - PAST MONTH USE		
		0 = No	15516	63.32
		1 = Yes (Only one Source Var=1)	8989	36.68
		The following variable, SUB1YR, was created by examination of PSYR2, MRJYR, COCYR, INHYR, HALYR, HERYR, and ALCYR.		
SUB1YR	1	ONLY 1 SUBSTANCE - PAST YEAR USE		
		0 = No	13895	56.70
		1 = Yes (Only one Source Var=1)	10610	43.30
		The following variable, SUB2LIF, was created by examination of PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and ALCFLAG.		
SUB2LIF	1	ONLY 2 SUBSTANCES - EVER USED		
		0 = No	20103	82.04
		1 = Yes (Only two Source Vars=1)	4402	17.96
		The following variable, SUB2MON, was created by examination of PSYMON2, MRJMON, COCMON, INHMON, HALMON, HERMON, and ALCMON.		
SUB2MON	1	ONLY 2 SUBSTANCES - PAST MONTH USE		
		0 = No	23069	94.14
		1 = Yes (Only two Source Vars=1)	1436	5.86
		The following variable, SUB2YR, was created by examination of PSYR2, MRJYR, COCYR, INHYR, HALYR, HERYR, and ALCYR.		
SUB2YR	1	ONLY 2 SUBSTANCES - PAST YEAR USE		
		0 = No	22154	90.41
		1 = Yes (Only two Source Vars=1)	2351	9.59

RECODES FOR MAIN FINDINGS			PAGE: 375	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		The following variable, SUB3LIF, was created by examination of PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and ALCFLAG.		
SUB3LIF	1	3 OR MORE SUBSTANCES - EVER USED		
		0 = No	20553	83.87
		1 = Yes (3 or More Source Vars=1)	3952	16.13
		The following variable, SUB3MON, was created by examination of PSYMON2, MRJMON, COCMON, INHMON, HALMON, HERMON, and ALCMON.		
SUB3MON	1	3 OR MORE SUBSTANCES - PAST MONTH USE		
		0 = No	23921	97.62
		1 = Yes (3 or More Source Vars=1)	584	2.38
		The following variable, SUB3YR, was created by examination of PSYR2, MRJYR, COCYR, INHYR, HALYR, HERYR, and ALCYR.		
SUB3YR	1	3 OR MORE SUBSTANCES - PAST YEAR USE		
		0 = No	23076	94.17
		1 = Yes (3 or More Source Vars=1)	1429	5.83
TRANAGE2	2	AGE FIRST USED TRANQUILIZER NON-MED		
		RANGE = 5 - 70	650	2.65
		99 = NEVER USED/UNKNOWN (TRANAGE = 981-998)	23855	97.35
TRIMEST2	2	CURRENT TRIMESTER OF PREGNANT WOMEN AGE 15-44		
		1 = 1st 3 mos of pregnancy (TRIMEST=1 AND F15_44=1) ..	115	0.47
		2 = 2nd 3 mos of pregnancy (TRIMEST=2 AND F15_44=1) ..	170	0.69
		3 = Last 3 mos of pregnancy (TRIMEST=3 AND F15_44=1) .	148	0.60
		99 = Otherwise (TRIMEST NE 1,2,3 or F15_44=0)	24072	98.23

RECODES FOR MAIN FINDINGS			PAGE: 376	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
		The following variable, TRMTHLP3, differs from the similarly named vari- able from past years by excluding respondents who reported receiving treatment for drugs, but never having used drugs. This variable was created by examination of the following source variables: TXDRHOSP, TXDRRFIN, TXDRRFOP, TXDREMRG, TXDRMHC, TXDRDOC, TXDRJAIL, TXDRSHG, TXDRSOP.		
TRMTHLP3	2	TREATMENT RECEIVED FOR DRUGS PAST YR - REVISED		
		0 = No (Otherwise)	24200	98.76
		1 = Yes (ANY SOURCE VAR=1,3,5 and SUMFLAG=1)	290	1.18
		99 = NON USER/TRT (ANY SOURCE VAR=1,3,5 and SUMFLAG=0)	15	0.06

ALPHA INDEX OF LABELS

PAGE: 377

LABEL	PAGE
-----	-----
ACRDALC	139
ACRDANL	141
ACRDCIG	139
ACRDCOC	140
ACRDHAL	140
ACRDHER	140
ACRDINH	140
ACRDMRJ	140
ACRSED	141
ACRDSTM	141
ACRDTRN	141
AEROS	40
AEROS2	103
AFDC	319
AGP1	344
AGP3	344
AGPSFS1	344
AGPSFS3	344
AL03	104
AL04	105
ALC2PRB3	358
ALC3PRB3	358
ALCDAYS	16
ALCDAYS2	355
ALCDAYS3	355
ALCDLYF	95
ALCEVER	13
ALCFLAG	91
ALCILLL	355
ALCILLM	355
ALCILLY	355
ALCMON	91
ALCMONF	94
ALCMRJL	355
ALCMRJM	356
ALCMRJY	356
ALCOCCF	95
ALCONLYL	356
ALCONLYM	356
ALCONLYY	356
ALCOTHL	356
ALCOTHM	357
ALCOTHY	357
ALCPAT	15
ALCPRBS3	357
ALCPSYL	358
ALCPSYM	358
ALCPSYY	358
ALCREAD	13
ALCREC	14

ALPHA INDEX OF LABELS

PAGE: 378

LABEL	PAGE
-----	-----
ALCTRY	14
ALCTRY2	358
ALCUSE	359
ALCWKF	95
ALCYR	91
ALCYRF	94
AMYNIT	38
AMYNIT2	102
ANALAGE	51
ANALAGE2	359
ANALNEWA	48
ANALNEWB	50
ANALNEWC	50
ANALNEWD	51
ANALNEWE	51
ANALNONE	51
ANALREC	52
ANALTOT	52
ANALWT	354
ANALWT1	354
ANALWT2	354
ANALWT3	354
ANALWT4	354
ANLDKNAM	47
ANLDLYF	98
ANLFLAG	93
ANLMON	94
ANLMONF	97
ANLNOLST	47
ANLOCCF	98
ANLREAD	45
ANLWKF	97
ANLYR	93
ANLYRF	97
ANLYRFRQ	53
ANY4MENT	359
ATARAX	54
ATIVAN	55
AVCIG	10
AVCIG2	359
AVCIG3	359
BAP	346
BENZ	61
BHOUR	346
BINGDRK2	359
BINGEDRK	101
BINGEHVY	101
BIPHET	62
BIRMONTH	76
BIRYEAR	76

ALPHA INDEX OF LABELS

PAGE: 379

LABEL	PAGE
-----	-----
BKAGASL2	359
BKAGASLT	159
BKARSON	160
BKARSON2	359
BKBURGL	159
BKBURGL2	359
BKDRUG	161
BKDRUG2	359
BKDRUNK	160
BKDRUNK2	359
BKDRVIN2	360
BKDRVINF	160
BKLARC2	360
BKLARCNY	158
BKMURDER	160
BKMTHTF2	360
BKMTHTFT	159
BKOTH	161
BKOTHOFF	162
BKPROS	161
BKRAPE	160
BKROB	159
BKROB2	360
BKSMASL2	360
BKSMASLT	159
BKVANDAL	161
BMIN	346
BOOKED	158
BTOLALC	137
BTOLANL	138
BTOLCIG	137
BTOLCOC	137
BTOLHAL	138
BTOLHER	138
BTOLINH	138
BTOLMRJ	137
BTOLSED	139
BTOLSTM	139
BTOLTRN	138
BUSINES2	90
BUSSIZE	264
CARENOW	309
CAREOFT	307
CAREUSU	306
CATAG2	89
CATAG3	89
CATAGE	89
CC04	106
CC05	107
CCFORMER	340

ALPHA INDEX OF LABELS

PAGE: 380

LABEL	PAGE
-----	-----
CCNEVER	341
CG04	104
CG12	104
CGRFLAG	340
CGRMON	340
CHAMPUS	313
CHD1	321
CHD2	321
CIG2PRB3	360
CIG30USE	9
CIG30WOK	10
CIG3PRB3	361
CIGAGE	11
CIGARMON	339
CIGEVER	8
CIGEVYDA	11
CIGFLAG	91
CIGMON	91
CIGPRBS3	360
CIGREC	9
CIGTOT	8
CIGTRY	8
CIGTRY2	361
CIGYR	91
CIGYRS	11
CK04	107
CK05	108
CLEFLU	38
CLEFLU2	102
COC2PRB3	361
COC3PRB3	361
COCAGE	22
COCAGE2	361
COCDLYF	96
COCEVER	21
COCFLAG	92
COCMON	92
COCMONF	95
COCNEEDL	117
COCOCCF	95
COCPRBS3	361
COCREAD	21
COCREC	22
COCTOT	22
COCTOT3	362
COCUS30A	23
COCUSE	362
COCWKF	95
COCYR	92
COCYRF	95

ALPHA INDEX OF LABELS

PAGE: 381

LABEL	PAGE
-----	-----
COCYRFRQ	23
CODEINE	45
CONCEN1	282
CONCEN2	286
CONDLREC	118
COOPINT	347
CPRES	348
CRAKREC	25
CRKAGE	25
CRKDLYF	96
CRKEVER	24
CRKFLAG	92
CRKMON	92
CRKMONF	96
CRKOCCF	96
CRKREAD	24
CRKTOT	25
CRKUS30A	26
CRKWKF	96
CRKYR	92
CRKYRF	96
CRKYRFRQ	26
CWE	273
CWESC1	274
CWESC2	276
DALMANE	69
DARVON	46
DEMEROL	46
DEPDAYS	279
DEPFREQ	280
DEPMO1	283
DEPMO2	288
DEPRESS	279
DEPWKS1	283
DEPWKS2	288
DEPYR1	284
DEPYR2	288
DEXAMYL	62
DEXED	62
DEXREAD	189
DIAZEPAM	55
DILAUD	46
DIPLOMA	4
DIVISION	352
DOWN1	282
DOWN2	287
DR5DAY	17
DRALHLP3	362
DRGINFO	265
DRGPLCY	265

ALPHA INDEX OF LABELS

PAGE: 382

LABEL	PAGE
-----	-----
DRGPRGM	266
DRGREAD	129
DRINKER2	362
DRIVEAL	163
DRIVEDR	163
DRNKHLP3	363
DRUNKYR	15
DRUNKYR2	363
DRUNKYR3	363
DRVALDR	163
DUI	363
DXCCDADD	221
DXCCDBLF	220
DXCCDCOS	222
DXCCDCRM	223
DXCCDDGS	220
DXCCDDLRL	222
DXCCDFRN	222
DXCCDGET	222
DXCCDIGL	222
DXCCDKID	221
DXCCDNI	219
DXCCDPAR	221
DXCCDPHY	220
DXCCDPRG	221
DXCCDPSY	220
DXCCDSCK	220
DXCCDSOR	223
DXCCDSP	223
DXCCDSPS	221
DXCCDTST	220
DXCCEVER	211
DXCCFESC	215
DXCCFFGD	215
DXCCFFRN	215
DXCCFNEW	215
DXCCFREB	215
DXCCFSEE	214
DXCCFSOR	216
DXCCFSP	216
DXCCFSPS	215
DXCCNADD	226
DXCCNBLF	225
DXCCNCOS	227
DXCCNCRM	228
DXCCNDGS	226
DXCCNDLR	228
DXCCNFRN	227
DXCCNGET	228
DXCCNIGL	228

ALPHA INDEX OF LABELS

PAGE: 383

LABEL	PAGE
-----	-----
DXCCNKID	226
DXCCNLIK	225
DXCCNNI	224
DXCCNPAR	227
DXCCNPHY	224
DXCCNPRG	226
DXCCNPSY	225
DXCCNSOR	229
DXCCNSP	229
DXCCNSPS	227
DXCCNTST	225
DXCCOFFR	211
DXCCPALN	212
DXCCPDAD	213
DXCCPFRN	212
DXCCPMET	212
DXCCPMOM	213
DXCCPNR	214
DXCCPREL	213
DXCCPSIB	213
DXCCPSOP	213
DXCCPSP	214
DXCCSPSP	212
DXCCRET1	219
DXCCRET2	224
DXCCYDRS	218
DXCCYDRX	218
DXCCYESC	217
DXCCYFRN	217
DXCCYR	216
DXCCYRLF	218
DXCCYRLX	217
DXCCYSOR	218
DXCCYSP	219
DXCCYSPS	217
DXCG30US	190
DXCG50LF	190
DXCGRLF	189
DXMJDADD	202
DXMJDBLF	201
DXMJDCOS	203
DXMJDCRM	204
DXMJDDGS	202
DXMJDDLRL	204
DXMJDFRN	203
DXMJDGET	204
DXMJDIGL	204
DXMJDKID	203
DXMJDNI	201
DXMJDPAR	203

ALPHA INDEX OF LABELS

PAGE: 384

LABEL	PAGE
-----	-----
DXMJDPHY	201
DXMJDPRG	202
DXMJDPSY	202
DXMJDSCK	201
DXMJDSOR	204
DXMJDSP	205
DXMJDSPS	203
DXMJDTST	202
DXMJEVER	191
DXMJFESC	195
DXMJFFGD	195
DXMJFFRN	195
DXMJFNEW	195
DXMJFREB	196
DXMJFSEE	194
DXMJFSOR	196
DXMJFSP	197
DXMJFSPS	195
DXMJNADD	207
DXMJNBLF	206
DXMJNCOS	209
DXMJNCRM	210
DXMJNDGS	207
DXMJNDLR	209
DXMJNFRN	209
DXMJNGET	209
DXMJNIGL	210
DXMJNKID	208
DXMJNLIK	206
DXMJNNI	206
DXMJNPAR	208
DXMJNPHY	206
DXMJNPRG	208
DXMJNPSY	207
DXMJNSOR	210
DXMJNSP	211
DXMJNSPS	208
DXMJNTST	207
DXMJOFFR	190
DXMJPALN	191
DXMJPDAD	192
DXMJPFRN	191
DXMJPMET	192
DXMJPMOM	192
DXMJPNR	194
DXMJPREL	192
DXMJPSIB	192
DXMJPSOP	193
DXMJPSP	193
DXMJSPSPS	191

ALPHA INDEX OF LABELS

PAGE: 385

LABEL	PAGE
-----	-----
DXMJRET1	200
DXMJRET2	205
DXMJYDRS	199
DXMJYDRX	199
DXMJYESC	198
DXMJYFRN	198
DXMJYR	197
DXMJYRLF	199
DXMJYRLX	198
DXMJYSOR	199
DXMJYSP	200
DXMJYSPS	198
DXVERSN	189
EAP	346
ECSTASY	31
ECSTASY2	102
EDIRKIDS	333
EDUC	4
EDUC2NDQ	257
EDUCCAT2	89
EIBDATE	76
EIIDATE	346
EMPBALC	142
EMPBANL	143
EMPBCIG	142
EMPBCOC	142
EMPBHAL	143
EMPBHER	143
EMPBINH	143
EMPBMRJ	142
EMPBSED	144
EMPBSTM	144
EMPBTRN	143
EMPSTAT2	89
ENCCASE	1
ENCPSU	1
ENCSEG	1
ENRL9497	5
ENROLL97	5
ETHER	39
ETHER2	102
ETIMEHR	346
ETIMEMN	346
F15_44	335
FAMINC	337
FAMINC2	337
FAMINC3	337
FAMSKIP	351
FASTIN	62
FEARBRDG	294

ALPHA INDEX OF LABELS

PAGE: 386

LABEL	PAGE
-----	-----
FEARFANT	295
FEARHELP	296
FEARMOS	295
FEAROFT	294
FEAROUT	293
FEARPUB	293
FEARTRAP	295
FEARYRS	294
FEMBABY	335
FEMKIDS	335
FERTAGE	363
FINC1	325
FINC2	326
FSTAMP	322
FULLPART	277
GAD1	343
GAD3	343
GADSFS1	343
GADSFS3	343
GAS	39
GAS2	102
GLUE	39
GLUE2	102
GNNDCLN	121
GNNDGET	121
GNNDGTSP	122
GNNDLLIF	117
GNNDLSH1	120
GNNDLSH2	121
GNNDREUS	120
GQTYPE	351
GRPHLTIN	314
GRTMALC	132
GRTMANL	133
GRTMCIG	132
GRTMCOC	132
GRTMHAL	133
GRTMHER	133
GRTMINH	133
GRTMMRJ	132
GRTMSD	134
GRTMSTM	134
GRTMTRN	133
HAL30USE	37
HALCION	70
HALDKNAM	31
HALDLYF	97
HALFLAG	92
HALLAGE	35
HALLAGE2	363

ALPHA INDEX OF LABELS

PAGE: 387

LABEL	PAGE
-----	-----
HALLREC	36
HALLTOT	35
HALMON	93
HALMONF	97
HALNEWA	33
HALNEWB	34
HALNEWC	35
HALNEWD	35
HALNEWE	35
HALNOLST	32
HALOCCF	97
HALREAD	30
HALWKF	97
HALYR	92
HALYRF	96
HALYRFRQ	36
HE04	108
HE05	108
HEALTH	7
HER30USE	29
HERAGE	27
HERAGE2	363
HERDLYF	96
HEREVER	27
HERFLAG	92
HERMON	92
HERMONF	96
HERNEED2	364
HERNEEDL	118
HEROCCF	96
HERREAD	27
HERREC	28
HERSMOK2	338
HERSMOKE	116
HERSNIF2	338
HERSNIFF	116
HERTOT	28
HERWKF	96
HERYR	92
HERYRF	96
HERYRFRQ	28
HISPRACE	89
HLPBALC	144
HLPBANL	146
HLPBCIG	144
HLPBCOC	145
HLPBHAL	145
HLPBHER	145
HLPBINH	145
HLPBMRJ	145

ALPHA INDEX OF LABELS

PAGE: 388

LABEL	PAGE
-----	-----
HLPBSED	146
HLPBSTM	146
HLPBTRN	146
HLTINALC	315
HLTINDRG	315
HLTIMMNT	316
HRANYFRM	115
HRNDLREC	119
HRSMKREC	116
HRSNFREC	117
HSPHCONC	352
HSPPCONC	352
HTININCH	7
HVYDRK2	101
HVYDRK3	364
IDEAT1	282
IDEAT2	287
IEMFLAG	101
IEMMON	101
IEMYR	101
IIAFDC	329
IIAGE	76
IIALCFQ	85
IIALCRC	81
IIANLFQ	87
IIANLRC	83
IICGRLF	339
IICGRMN	339
IICHD1	329
IICHD2	331
IICIGRC	81
IICOCFQ	86
IICOCRC	82
IICRKFC	86
IICRKRC	82
IIEDUC	79
IIFINC1	330
IIFINC2	333
IIFSTAMP	329
IIHALFQ	87
IIHALRC	82
IIHERFQ	86
IIHERRC	82
IIHGRP	77
IIHGRP2	78
IIHOIND	77
IIHSGRAD	79
IIINHFQ	87
IIINHRC	83
IIINSUR	328

ALPHA INDEX OF LABELS

PAGE: 389

LABEL	PAGE
-----	-----
IIINT1	329
IIINT2	331
IILSDRC	83
IIMARIT	78
IIMJFQ	85
IIMJRC	81
IIOTBRC	81
IIOTH1	329
IIOTH2	331
IIPCPRC	83
IIPINC1	330
IIPINC2	332
IIPINSUR	328
IIPUB1	328
IIPUB2	330
IIRACE	77
IISEDfQ	88
IISEDRC	84
IISEX	77
IISOC1	328
IISOC2	330
IISSI1	328
IISSI2	330
IISTMFQ	88
IISTMRC	84
IITRNFQ	88
IITRNRC	84
IIWORKST	80
ILLONLYL	364
ILLONLYM	364
ILLONLYY	364
IN04	110
IN05	110
INDCAT	336
INHAGE	42
INHAGE2	364
INHDKNAM	40
INHDLyf	97
INHdY30A	44
INHFLAG	93
INHMON	93
INHMONF	97
INHNEWA	41
INHNEWB	42
INHNEWC	42
INHNEWD	42
INHNEWE	42
INHnOLST	40
INHOCcF	97
INHREAD	38

ALPHA INDEX OF LABELS

PAGE: 390

LABEL	PAGE
-----	-----
INHREC	43
INHTOT	43
INHWKF	97
INHYR	93
INHYRF	97
INHYRFRQ	44
INT1	320
INT2	320
INTMONTH	346
IONAMIN	62
IRACALC3	364
IRACCIG3	365
IRACCOC3	365
IRACMRJ3	365
IRAFDC	329
IRAGE	76
IRALCFQ	85
IRALCRC	81
IRANLFQ	87
IRANLRC	83
IRBTALC3	365
IRBTCIG3	365
IRBTCOC3	365
IRBTMRJ3	365
IRCGRLF	339
IRCGRMN	339
IRCHD1	329
IRCHD2	331
IRCIIRC	81
IRCOCFQ	85
IRCOCRC	82
IRCRKFQ	86
IRCRKRC	82
IREduc	79
IREMALC3	365
IREMCIG3	365
IREMCOC3	365
IREMMRJ3	365
IRFinc1	330
IRFinc2	333
IRFSTAMP	329
IRGRALC3	365
IRGRCIG3	366
IRGRCOC3	366
IRGRMRJ3	366
IRHALFQ	86
IRHALRC	82
IRHERFQ	86
IRHERRC	82
IRHLALC3	366

ALPHA INDEX OF LABELS

PAGE: 391

LABEL	PAGE
-----	-----
IRHLCIG3	366
IRHLCOC3	366
IRHLMRJ3	366
IRHOGRP	77
IRHOGRP2	78
IRHOIND	77
IRHSGRAD	79
IRINHFQ	87
IRINHRC	83
IRINSUR	328
IRINT1	329
IRINT2	331
IRKIDS	333
IRLAALC3	366
IRLACIG3	366
IRLACOC3	366
IRLAMRJ3	366
IRLSDRC	83
IRMARIT	78
IRMJFQ	85
IRMJRC	81
IROTBRC	81
IROTH1	329
IROTH2	331
IRPCPRC	83
IRPEOP	333
IRPINC1	330
IRPINC2	332
IRPINSUR	328
IRPUB1	328
IRPUB2	330
IRRACE	77
IRSEDFQ	88
IRSEDRC	84
IRSEX	77
IRSOC1	328
IRSOC2	330
IRSSI1	328
IRSSI2	330
IRSTMFQ	88
IRSTMRC	84
IRTRNFQ	87
IRTRNRC	84
IRUCALC3	366
IRUCCIG3	367
IRUCCOC3	367
IRUCMRJ3	367
IRWORKST	79
LAMTALC	134
LAMTANL	136

ALPHA INDEX OF LABELS

PAGE: 392

LABEL	PAGE
-----	-----
LAMTCIG	134
LAMTCOC	135
LAMTHAL	135
LAMTHER	135
LAMTINH	135
LAMTMRJ	135
LAMTSED	136
LAMTSTM	136
LAMTTRN	136
LANGVER	346
LBSCHNG1	281
LBSCHNG2	286
LFTSCHAG	260
LFTSCHRS	259
LGAS	39
LGAS2	102
LIBRIUM	55
LOCSIZE	265
LOSINDAY	284
LOSINFRQ	285
LOSTINT1	280
LOSTINT2	284
LS04	109
LS05	109
LS07	109
LS08	110
LSD	30
LSDFLAG	93
LSDMON	93
LSDREC	37
LSDYR	93
M15_44	335
MALEBABY	335
MALEKIDS	335
MARISTAT	90
MARITAL	2
MARUSE	367
MDE1	342
MDE3	342
MDESFS1	342
MDESFS3	342
MEDICAID	313
MEDICARE	312
MESC	31
MESC2	102
METHAMP	62
METHAMP2	102
METHAQ	70
METHDON	46
METHI	63

ALPHA INDEX OF LABELS

PAGE: 393

LABEL	PAGE
-----	-----
MILSTAT	3
MJ04	105
MJ05	106
MJAGE	18
MJAGE2	367
MJDAY30A	20
MJDY30A3	103
MJDY30A3	367
MJEVER	18
MJFORMER	340
MJNEVER	340
MJOFLAG	100
MJOMON2	100
MJOYR2	100
MJREC	19
MJTOT	19
MJTOT3	368
MJYRFREQ	20
MNRSNNCR	309
MNRSNNSC	310
MNRSNNSP	310
MORPHINE	46
MOVESPYR	256
MRJ2PRB3	368
MRJ3PRB3	368
MRJDLYF	95
MRJFLAG	91
MRJMON	92
MRJMONF	95
MRJOCCF	95
MRJONLYL	368
MRJONLYM	368
MRJONLYY	369
MRJPRBS3	368
MRJWKF	95
MRJYR	91
MRJYRF	95
NCARERSN	306
NCRRSNSC	307
NCRRSNSP	307
NDTXALC	151
NDTXANL	152
NDTXBDHR	155
NDTXCOC	152
NDTXDRG1	153
NDTXDRG2	154
NDTXDRG3	154
NDTXDRG4	154
NDTXDRG5	154
NDTXHAL	152

ALPHA INDEX OF LABELS

PAGE: 394

LABEL	PAGE
-----	-----
NDTXHCAP	156
NDTXHER	152
NDTXINH	152
NDTXLANG	156
NDTXMJ	151
NDTXMONY	156
NDTXNEED	151
NDTXOPEN	155
NDTXRCVD	150
NDTXRSC1	157
NDTXSED	153
NDTXSOD	153
NDTXSOR	157
NDTXSPSV	157
NDTXSTEP	154
NDTXSTIM	153
NDXTCMP	156
NDXTFAR	155
NDXTRAN	153
NDXTRSP	155
NDXTYPE	156
NEDFLAG4	338
NEDYR4	338
NEEDLREC	338
NEMBUTAL	70
NHBHCONC	352
NHBPCONC	353
NITOXID	39
NITOXID2	103
NJOBSPYR	262
NOBOOKYR	158
NODR30A	16
NODRUGYR	131
NOMARR	2
NOSEDAT	73
NOSTIMS	66
NOTMAR	90
NOTMARJ	369
NOTRANQ	58
NUERTMT	301
NUHSPOV	301
NUHSPPE	302
OAPRES	348
OARPRES	348
OPRESNSP	348
OPRESSPA	349
OPRESSPB	350
OTH1	321
OTH2	322
OTHONLYL	369

ALPHA INDEX OF LABELS

PAGE: 395

LABEL	PAGE
-----	-----
OTHONLYM	369
OTHONLYY	370
OUTPTPE	302
OWNOCONC	353
PA1	345
PA3	345
PANIC1	296
PANIC2	296
PANICMO	297
PANICNUM	297
PANICYR	297
PANIDANG	297
PANIFEAR	298
PANIHART	299
PANIHOT	299
PANINOFR	298
PANIPAIN	299
PANISHAK	299
PANISWET	299
PANIUNRL	300
PAROLE	163
PARPRES	348
PARSTAT	334
PASFS1	345
PASFS3	345
PAYMO	270
PAYYR	270
PCP	31
PCPFLAG	93
PCPMON	93
PCPREC	37
PCPYR	93
PDEN	352
PDEN2	352
PDHINPRM	315
PERCODAN	46
PERINC	336
PERINC2	336
PERINC3	336
PEYOTE	31
PEYOTE2	102
PHENOBAR	70
PINC1	323
PINC2	324
PK04	111
PK05	111
PLACIDYL	70
PLCYCOV	266
POUNDS	7
PPRES	348

ALPHA INDEX OF LABELS

PAGE: 396

LABEL	PAGE
-----	-----
PREG	335
PREG2	335
PREG3	370
PREGMOS	272
PREGNANT	272
PRELUDIN	63
PRIVACY	347
PROBAGP1	344
PROBAGP3	344
PROBATON	162
PROBGAD1	343
PROBGAD3	343
PROBMDE1	342
PROBMDE3	342
PROBPA1	345
PROBPA3	345
PROXABLE	303
PROXHOME	305
PROXJOIN	305
PROXYREL	304
PRVHLTIN	314
PSILCY	31
PSILCY2	102
PSYAGE	370
PSYFLAG2	99
PSYMON2	99
PSYONLYL	370
PSYONLYM	371
PSYONLYY	371
PSYR2	99
PUB1	318
PUB2	319
PYRCARE	308
PYRCRTSC	309
PYRCRTSP	308
PYRCRTYP	308
QUARTER	351
RACE	89
RACESEX	371
RACESEX2	371
RDIFCOC	371
RDIFCRK	372
RDIFHER	372
RDIFLSD	372
RDIFMJ	372
REGION	352
RELINTHH	334
RESPID	1
RK5DRINK	125
RKCOCOCC	125

ALPHA INDEX OF LABELS

PAGE: 397

LABEL	PAGE
-----	-----
RKCOCREG	125
RKDIFCOC	126
RKDIFCRK	126
RKDIFHER	127
RKDIFLSD	126
RKFQDBLT	128
RKFQDNDR	127
RKFQPBLT	128
RKFQRSKY	127
RKHERREG	125
RKLSDREG	124
RKTRYHER	124
RKTRYLSD	124
RLGDECSN	278
RLGFRNDS	278
RLGIMPRT	278
RLGSVCFQ	277
ROCCUP2	90
RSKALC1	372
RSKALC2	372
RSKBINGE	125
RSKCIG	372
RSKCOC1	372
RSKCOC2	372
RSKDIFMJ	126
RSKHER1	372
RSKHER2	373
RSKLS1	373
RSKMJ1	373
RSKMJ2	373
RSKMJOCC	124
RSKMJREG	124
RSKPKCIG	123
RSKREAD	123
RSKSELL	127
RSKSELL2	373
RURORURB	353
SBELTRSK	373
SCHD9497	261
SCHDYS97	260
SDREAD	115
SE04	114
SE05	114
SECONAL	70
SEDAGE	73
SEDAGE2	373
SEDDKNAM	71
SEDDLIF	99
SEDFLAG	94
SEDMON	94

ALPHA INDEX OF LABELS

PAGE: 398

LABEL	PAGE
-----	-----
SEDMONF	99
SEDNEWA	72
SEDNEWB	72
SEDNEWC	72
SEDNEWD	72
SEDNEWE	72
SEDNOLST	71
SEDOCCF	99
SEDREAD	69
SEDREC	74
SEDTOT	74
SEDWKF	99
SEDYR	94
SEDYRF	99
SEDYRFRQ	75
SERVICE	3
SKIP9497	261
SKIPPD97	261
SKPALCRD	13
SKPANLRD	45
SKPCOCD	21
SKPCRKR	24
SKPCWE	272
SKPDEP1	283
SKPDEP2	287
SKPDEXRD	189
SKPDRGRD	129
SKPFEAR1	294
SKPFEAR2	298
SKPHALRD	30
SKPHERRD	27
SKPINHRD	38
SKPMARTL	2
SKPMHC	279
SKPMILT	2
SKPPREG	271
SKPRSKRD	123
SKPSCHAG	258
SKPSCHGR	258
SKPSDRD	115
SKPSEDRD	69
SKPSPTRD	150
SKPSTMRD	61
SKPTFMIN	325
SKPTMTRD	164
SKPTRNRD	54
SKPWKST1	264
SKPWKST2	270
SKPWKTST	267
SKPWOR	292

ALPHA INDEX OF LABELS

PAGE: 399

LABEL	PAGE
-----	-----
SKPWRKRD	184
SKPYEANS	230
SKPYEXRD	230
SLPFREQ1	282
SLPFREQ2	286
SLPLOSS1	281
SLPLOSS2	286
SMKFLAG	91
SMKMON	91
SMKYR	91
SNUFEVER	12
SNUFREC	12
SOC1	317
SOC2	317
SOLVENT	39
SOLVENT2	102
SPPAINT	39
SPPAINT2	103
SPRES	348
SPTREAD	150
SSI1	318
SSI2	318
ST04	113
ST05	113
STD9497	258
STIMAGE	66
STIMAGE2	373
STIMNEWA	64
STIMNEWB	65
STIMNEWC	65
STIMNEWD	65
STIMNEWE	65
STIMREC	67
STIMTOT	67
STMDKNAM	63
STMDLYF	98
STMFLAG	94
STMMON	94
STMMONF	98
STMNOLST	63
STMOCCF	98
STMREAD	61
STMWKF	98
STMYR	94
STMYRF	98
STMYRFRQ	68
STNDLREC	120
STNEEDLE	119
STUDENT97	257
SUB1LIF	373

ALPHA INDEX OF LABELS

PAGE: 400

LABEL	PAGE
-----	-----
SUB1MON	374
SUB1YR	374
SUB2LIF	374
SUB2MON	374
SUB2YR	374
SUB3LIF	375
SUB3MON	375
SUB3YR	375
SUMFLAG	99
SUMMON	100
SUMYR	100
TALWIN	47
TELNO	327
TIRED1	280
TIRED2	285
TMTREAD	164
TOTCAT	337
TOTPEOP	277
TR04	112
TR05	112
TRANAGE	59
TRANAGE2	375
TRANREC	60
TRANTOT	59
TRANXENE	55
TRDKNAM	56
TRIMEST	335
TRIMEST2	375
TRMTHLP3	376
TRNEWA	57
TRNEWB	58
TRNEWC	58
TRNEWD	58
TRNEWE	58
TRNOLST	56
TRNREAD	54
TRNYRFRQ	60
TRQDLYF	98
TRQFLAG	94
TRQMON	94
TRQMONF	98
TRQOCCF	98
TRQWKF	98
TRQYR	94
TRQYRF	98
TSTACCD	268
TSTHIRE	267
TSTRAND	267
TSTSUSP	268
TSTTRMT	268

ALPHA INDEX OF LABELS

PAGE: 401

LABEL	PAGE
-----	-----
TUINAL	71
TXADGREC	171
TXALDOC	167
TXALEMRG	167
TXALHOSP	166
TXALJAIL	167
TXALMHC	166
TXALRFIN	166
TXALRFOP	166
TXALSHG	167
TXALSOP	167
TXALSP	168
TXDRDOC	169
TXDREMRG	169
TXDRFIN	168
TXDRFOP	169
TXDRGA	178
TXDRGB	179
TXDRGC	179
TXDRGD	179
TXDRGE	179
TXDRHOSP	168
TXDRJAIL	169
TXDRMHC	169
TXDRSHG	170
TXDRSOP	170
TXDRSP	170
TXENROLL	183
TXEVER	164
TXLTA	176
TXLTALC	174
TXLTANL	175
TXLTB	177
TXLTC	177
TXLTCOC	175
TXLTD	177
TXLTDOC	173
TXLTE	177
TXLTEMRG	173
TXLTHAL	175
TXLTHER	175
TXLTHOSP	172
TXLTINH	175
TXLTJAIL	173
TXLTMHC	172
TXLTMJ	174
TXLTRAN	175
TXLTRFIN	172
TXLTRFOP	172
TXLTSER	176

ALPHA INDEX OF LABELS

PAGE: 402

LABEL	PAGE
-----	-----
TXLTSHG	173
TXLTSOD	176
TXLTSOP	173
TXLTSP	174
TXLTSTIM	176
TXOUTC	180
TXPDCAID	181
TXPDCARE	181
TXPDEMPLE	182
TXPDFMLY	182
TXPDFREE	182
TXPDINS	181
TXPDSAVE	181
TXPDSOS	182
TXPDSP	183
TXSTRTLF	165
TXSTRTYR	165
TXTIME	180
TXYREMRG	171
TYLCOD	47
UCARETYP	310
UCDALC	147
UCDANL	148
UCDCIG	147
UCDCOC	147
UCDHAL	148
UCDHER	148
UCDINH	148
UCDMRJ	147
UCDSED	149
UCDSTM	149
UCDTRN	148
UCRTYPSC	311
UCRTYPSP	311
UNDINT	347
URBPCT	353
USALCTST	266
USDRGTST	267
USEDALC	130
USEDANL	131
USEDICIG	129
USEDICOC	130
USEDHAL	130
USEDHER	130
USEDINH	130
USEDMRJ	130
USEDSED	131
USEDSTM	131
USEDTRN	131
VALIUM	55

ALPHA INDEX OF LABELS

PAGE: 403

LABEL	PAGE
-----	-----
VEREP	354
VESTR	354
WELFARE	337
WHOMARKD	350
WK30ACC	186
WK30TEST	186
WKEVRACC	185
WKST2NDQ	263
WKSWKST	263
WKYRACC	185
WKYRFIRE	187
WKYRLOFF	187
WKYROTHR	187
WKYRSPEC	188
WKYRTEST	186
WKYRVOL	187
WORDIFF1	290
WORDIFF2	291
WOREDGE	292
WOREND	289
WORFAINT	293
WORHAPN1	290
WORHAPN2	291
WORHEART	292
WORIRRIT	292
WORKBLAH	271
WORKDAYS	271
WORKSTAT	6
WORNOMO1	289
WORNOMO2	291
WORREST	292
WORRIED	289
WORSERI1	290
WORSERI2	291
WORSLEEP	293
WORTIRED	293
WRKACCD	269
WRKHIRE	268
WRKRAND	269
WRKREAD	184
WRKSTAT2	262
WRKSUSP	269
WTCHNG1	281
WTCHNG2	285
XANAX	55
YE2YRCOL	232
YE4HCLUB	234
YE4YRCOL	232
YEACTOTH	235
YEACTSP	236

ALPHA INDEX OF LABELS

PAGE: 404

LABEL	PAGE
-----	-----
YEARGUP	254
YEBAND	234
YECHOIR	235
YEDENTCH	237
YEDEOTH	237
YEDESP	238
YEDESPCL	237
YEDETCR	237
YEENRLYR	231
YEFBINGE	243
YEFCCOCC	243
YEFDBING	245
YEFDCCOC	245
YEFDHEEV	244
YEFDINEV	244
YEFDMJEV	243
YEFDMJOC	244
YEFDMJRG	244
YEFDPKCG	243
YEFHEEVR	242
YEFINEVR	242
YEFMJEVR	241
YEFMJOCC	242
YEFMJREG	242
YEFPKCIG	241
YEGFITE	255
YEGRADES	233
YEHOMSCH	232
YEJOBSCD	236
YEJOBYR	236
YEMOSBGF	251
YEMOSCLG	252
YEMOSDAD	251
YEMOSFRN	252
YEMOSMOM	251
YEMOSNON	250
YEMOSNR	253
YEMOSSIB	251
YEMOSSOP	253
YEMOSSOR	252
YEMOSSP	253
YEMOSTCH	252
YEMSGYR	238
YEPARYR	239
YEPBINGE	241
YEPCCOCC	241
YEPHEEVR	240
YEPINEVR	240
YEPMJEVR	239
YEPMJOCC	240

ALPHA INDEX OF LABELS

PAGE: 405

LABEL	PAGE
-----	-----
YEPMJREG	240
YEPPKCIG	239
YEPRVLES	234
YEPRVSCH	231
YEPUBSCH	231
YESCHCLB	235
YESCHOTH	232
YESCHSP	233
YESCOUTS	234
YESHPLFT	255
YESTDRES	254
YESTGOVT	235
YESTHWRK	254
YESTLATE	254
YETEMSPT	234
YETLKBGF	246
YETLKCLG	248
YETLKDAD	246
YETLKFRN	247
YETLKMOM	246
YETLKNON	245
YETLKNR	250
YETLKSIB	247
YETLKSOP	248
YETLKSOR	247
YETLKSP	249
YETLKTCH	248
YEVOCSCH	232
YEVOLUNT	235
YEXREAD	230

INDEX OF LABELS

PAGE: 406

LABEL	PAGE
-----	-----
RESPID	1
ENCPSU	1
ENCSEG	1
ENCCASE	1
SKPMARTL	2
MARITAL	2
NOMARR	2
SKPMILT	2
SERVICE	3
MILSTAT	3
EDUC	4
DIPLOMA	4
ENROLL97	5
ENRL9497	5
WORKSTAT	6
HTININCH	7
POUNDS	7
HEALTH	7
CIGEVER	8
CIGTRY	8
CIGTOT	8
CIGREC	9
CIG30USE	9
AVCIG	10
CIG30WOK	10
CIGEVYDA	11
CIGAGE	11
CIGYRS	11
SNUFEVER	12
SNUFREC	12
SKPALCRD	13
ALCREAD	13
ALCEVER	13
ALCTRY	14
ALCREC	14
ALCPAT	15
DRUNKYR	15
ALCDAYS	16
NODR30A	16
DR5DAY	17
MJEVER	18
MJAGE	18
MJTOT	19
MJREC	19
MJYRFREQ	20
MJDAY30A	20
SKPCOCD	21
COCREAD	21
COCEVER	21
COCAGE	22

INDEX OF LABELS

PAGE: 407

LABEL	PAGE
-----	-----
COCTOT	22
COCREC	22
COCYRFRQ	23
COCUS30A	23
SKPCRKRD	24
CRKREAD	24
CRKEVER	24
CRKAGE	25
CRKTOT	25
CRAKREC	25
CRKYRFRQ	26
CRKUS30A	26
SKPHERRD	27
HERREAD	27
HEREVER	27
HERAGE	27
HERTOT	28
HERREC	28
HERYRFRQ	28
HER30USE	29
SKPHALRD	30
HALREAD	30
LSD	30
PCP	31
PEYOTE	31
MESC	31
PSILCY	31
ECSTASY	31
HALDKNAM	31
HALNOLST	32
HALNEWA	33
HALNEWB	34
HALNEWC	35
HALNEWD	35
HALNEWE	35
HALLAGE	35
HALLTOT	35
HALLREC	36
HALYRFRQ	36
HAL30USE	37
LSDREC	37
PCPREC	37
SKPINHRD	38
INHREAD	38
AMYLNIT	38
CLEFLU	38
GAS	39
GLUE	39
ETHER	39
SOLVENT	39

INDEX OF LABELS

PAGE: 408

LABEL	PAGE
-----	-----
LGAS	39
NITOXID	39
SPPAINT	39
AEROS	40
INHDKNAM	40
INHNLST	40
INHNEWA	41
INHNEWB	42
INHNEWC	42
INHNEWD	42
INHNEWE	42
INHAGE	42
INHTOT	43
INHREC	43
INHYRFRQ	44
INHDI30A	44
SKPANLRD	45
ANLREAD	45
CODEINE	45
DARVON	46
DEMEROL	46
DILAUD	46
METHDON	46
MORPHINE	46
PERCODAN	46
TALWIN	47
TYLCOD	47
ANLDKNAM	47
ANLNOLST	47
ANALNEWA	48
ANALNEWB	50
ANALNEWC	50
ANALNEWD	51
ANALNEWE	51
ANALNONE	51
ANALAGE	51
ANALTOT	52
ANALREC	52
ANLYRFRQ	53
SKPTRNRD	54
TRNREAD	54
ATARAX	54
ATIVAN	55
DIAZEPAM	55
LIBRIUM	55
TRANXENE	55
VALIUM	55
XANAX	55
TRDKNAM	56
TRNOLST	56

INDEX OF LABELS

PAGE: 409

LABEL	PAGE
-----	-----
TRNEWA	57
TRNEWB	58
TRNEWC	58
TRNEWD	58
TRNEWE	58
NOTRANQ	58
TRANAGE	59
TRANTOT	59
TRANREC	60
TRNYRFRQ	60
SKPSTMRD	61
STMREAD	61
BENZ	61
BIPHET	62
DEXAMYL	62
DEXED	62
FASTIN	62
IONAMIN	62
METHAMP	62
METHI	63
PRELUDIN	63
STMDKNAM	63
STMNOLST	63
STIMNEWA	64
STIMNEWB	65
STIMNEWC	65
STIMNEWD	65
STIMNEWE	65
NOSTIMS	66
STIMAGE	66
STIMTOT	67
STIMREC	67
STMYRFRQ	68
SKPSEDRD	69
SEDREAD	69
DALMANE	69
HALCION	70
METHAQ	70
NEMBUTAL	70
PHENOBAR	70
PLACIDYL	70
SECONAL	70
TUINAL	71
SEDDKNAM	71
SEDNOLST	71
SEDNEWA	72
SEDNEWB	72
SEDNEWC	72
SEDNEWD	72
SEDNEWE	72

INDEX OF LABELS

PAGE: 410

LABEL	PAGE
-----	-----
NOSEDAT	73
SEDAGE	73
SEDTOT	74
SEDREC	74
SEDYRFRQ	75
BIRMONTH	76
BIRYEAR	76
EIBDATE	76
IRAGE	76
IIAGE	76
IRSEX	77
IISEX	77
IRRACE	77
IIRACE	77
IRHOIND	77
IIHOIND	77
IRHOGRP	77
IIHOGRP	77
IRHOGRP2	78
IIHOGRP2	78
IRMARIT	78
IIMARIT	78
IREduc	79
IIEDUC	79
IRHSGRAD	79
IIHSGRAD	79
IRWORKST	79
IIWORKST	80
IRCIGRC	81
IICIGRC	81
IROTBRc	81
IIOTBRc	81
IRALCRc	81
IIALCRc	81
IRMJRC	81
IIMJRC	81
IRCOCRC	82
IICOCRC	82
IRCRKRC	82
IICRKRC	82
IRHERRC	82
IIHERRC	82
IRHALRC	82
IIHALRC	82
IRLSDRc	83
IIILSDRC	83
IRPCPRC	83
IIPCPRC	83
IRINHRC	83
IIINHRC	83

INDEX OF LABELS

PAGE: 411

LABEL	PAGE
-----	-----
IRANLRC	83
IIANLRC	83
IRTRNRC	84
IIIRNRC	84
IRSTMRC	84
IIISTMRC	84
IRSEDRC	84
IIISEDRC	84
IRALCFQ	85
IIALCFQ	85
IRMJFQ	85
IIMJFQ	85
IRCOCFQ	85
IICOCFQ	86
IRCRKFQ	86
IICRKQFQ	86
IRHERFQ	86
IIHERFQ	86
IRHALFQ	86
IIHALFQ	87
IRINHFQ	87
IIINHFQ	87
IRANLFQ	87
IIANLFQ	87
IRTRNFQ	87
IIIRNFQ	88
IRSTMFQ	88
IIISTMFQ	88
IRSEDFQ	88
IISEDFQ	88
CATAGE	89
CATAG2	89
CATAG3	89
RACE	89
HISPRACE	89
EDUCCAT2	89
EMPSTAT2	89
BUSINES2	90
ROCCUP2	90
MARISTAT	90
NOTMAR	90
CIGFLAG	91
CIGYR	91
CIGMON	91
SMKFLAG	91
SMKYR	91
SMKMON	91
ALCFLAG	91
ALCYR	91
ALCMON	91

INDEX OF LABELS

PAGE: 412

LABEL	PAGE
-----	-----
MRJFLAG	91
MRJYR	91
MRJMON	92
COCFLAG	92
COCYR	92
COCMON	92
CRKFLAG	92
CRKYR	92
CRKMON	92
HERFLAG	92
HERYR	92
HERMON	92
HALFLAG	92
HALYR	92
HALMON	93
LSDFLAG	93
LSDYR	93
LSDMON	93
PCPFLAG	93
PCPYR	93
PCPMON	93
INHFLAG	93
INHYR	93
INHMON	93
ANLFLAG	93
ANLYR	93
ANLMON	94
TRQFLAG	94
TRQYR	94
TRQMON	94
STMFLAG	94
STMYR	94
STMMON	94
SEDFLAG	94
SEDYR	94
SEDMON	94
ALCYRF	94
ALCMONF	94
ALCWKF	95
ALCOCCF	95
ALCDLYF	95
MRJYRF	95
MRJMONF	95
MRJWKF	95
MRJOCCF	95
MRJDLYF	95
COCYRF	95
COCMONF	95
COCWKF	95
COCOCCF	95

INDEX OF LABELS

PAGE: 413

LABEL	PAGE
-----	-----
COCDLYF	96
CRKYRF	96
CRKMONF	96
CRKWKF	96
CRKOCCF	96
CRKDLYF	96
HERYRF	96
HERMONF	96
HERWKF	96
HEROCCF	96
HERDLYF	96
HALYRF	96
HALMONF	97
HALWKF	97
HALOCCF	97
HALDLYF	97
INHYRF	97
INHMONF	97
INHWKF	97
INHOCCF	97
INHDLYF	97
ANLYRF	97
ANLMONF	97
ANLWKF	97
ANLOCCF	98
ANLDLYF	98
TRQYRF	98
TRQMONF	98
TRQWKF	98
TRQOCCF	98
TRQDLYF	98
STMYRF	98
STMMONF	98
STMWKF	98
STMOCCF	98
STMDLYF	98
SEDYRF	99
SEDMONF	99
SEDWKF	99
SEDOCCF	99
SEDDLIF	99
PSYFLAG2	99
PSYYR2	99
PSYMON2	99
SUMFLAG	99
SUMYR	100
SUMMON	100
MJOFLAG	100
MJOYR2	100
MJOMON2	100

INDEX OF LABELS

PAGE: 414

LABEL	PAGE
-----	-----
IEMFLAG	101
IEMYR	101
IEMMON	101
BINGEDRK	101
HVYDRK2	101
BINGEHVY	101
PEYOTE2	102
MESC2	102
PSILCY2	102
ECSTASY2	102
METHAMP2	102
AMYLNIT2	102
CLEFLU2	102
GAS2	102
GLUE2	102
ETHER2	102
SOLVENT2	102
LGAS2	102
NITOXID2	103
SPPAINT2	103
AEROS2	103
MJDY30A3	103
CG04	104
CG12	104
AL03	104
AL04	105
MJ04	105
MJ05	106
CC04	106
CC05	107
CK04	107
CK05	108
HE04	108
HE05	108
LS04	109
LS05	109
LS07	109
LS08	110
IN04	110
IN05	110
PK04	111
PK05	111
TR04	112
TR05	112
ST04	113
ST05	113
SE04	114
SE05	114
SKPSDRD	115
SDREAD	115

INDEX OF LABELS

PAGE: 415

LABEL	PAGE
-----	-----
HRANYFRM	115
HERSMOKE	116
HRSMKREC	116
HERSNIFF	116
HRSNFREC	117
GNNDLLIF	117
COCNEEDL	117
CONDLREC	118
HERNEEDL	118
HRNDLREC	119
STNEEDLE	119
STNDLREC	120
GNNDREUS	120
GNNDLSH1	120
GNNDCLEN	121
GNNDLSH2	121
GNNDGET	121
GNNDGTSP	122
SKPRSKRD	123
RSKREAD	123
RSKPKCIG	123
RSKMJOCC	124
RSKMJREG	124
RKTRYLSD	124
RKLSDREG	124
RKTRYHER	124
RKHERREG	125
RKCOCOCC	125
RKCOCREG	125
RK5DRINK	125
RSKBINGE	125
RSKDIFMJ	126
RKDIFLSD	126
RKDIFCOC	126
RKDIFCRK	126
RKDIFHER	127
RSKSELL	127
RKFQDNGR	127
RKFQRSKY	127
RKFQPBLT	128
RKFQDBLT	128
SKPDRGRD	129
DRGREAD	129
USEDICG	129
USEDALC	130
USEDMRJ	130
USEDIOC	130
USEDHER	130
USEDHAL	130
USEDINH	130

INDEX OF LABELS

PAGE: 416

LABEL	PAGE
-----	-----
USEDANL	131
USEDTRN	131
USEDSTM	131
USEDSED	131
NODRUGYR	131
GRTMCIG	132
GRTMALC	132
GRTMMRJ	132
GRTMCOC	132
GRTMHER	133
GRTMHAL	133
GRTMINH	133
GRTMANL	133
GRTMTRN	133
GRTMSTM	134
GRTMSED	134
LAMTCIG	134
LAMTALC	134
LAMTMRJ	135
LAMTCOC	135
LAMTHER	135
LAMTHAL	135
LAMTINH	135
LAMTANL	136
LAMTTRN	136
LAMTSTM	136
LAMTSED	136
BTOLCIG	137
BTOLALC	137
BTOLMRJ	137
BTOLCOC	137
BTOLHER	138
BTOLHAL	138
BTOLINH	138
BTOLANL	138
BTOLTRN	138
BTOLSTM	139
BTOLSED	139
ACRDCIG	139
ACRDALC	139
ACRDMRJ	140
ACRDCOC	140
ACRDHER	140
ACRDHAL	140
ACRDINH	140
ACRDANL	141
ACRDTRN	141
ACRDSTM	141
ACRDSER	141
EMPBCIG	142

INDEX OF LABELS

PAGE: 417

LABEL	PAGE
-----	-----
EMPBALC	142
EMPBMRJ	142
EMPBCOC	142
EMPBHER	143
EMPBHAL	143
EMPBINH	143
EMPBANL	143
EMPBTRN	143
EMPBSTM	144
EMPBSED	144
HLPBCIG	144
HLPBALC	144
HLPBMRJ	145
HLPBCOC	145
HLPBHER	145
HLPBHAL	145
HLPBINH	145
HLPBANL	146
HLPBTRN	146
HLPBSTM	146
HLPBSED	146
UCDCIG	147
UCDALC	147
UCDMRJ	147
UCDCOC	147
UCDHER	148
UCDHAL	148
UCDINH	148
UCDANL	148
UCDTRN	148
UCDSTM	149
UCDSED	149
SKPSPTRD	150
SPTREAD	150
NDTXRCVD	150
NDTXNEED	151
NDTXALC	151
NDTXMJ	151
NDTXCOC	152
NDTXHER	152
NDTXHAL	152
NDTXINH	152
NDTXANL	152
NDTXTRAN	153
NDTXSTIM	153
NDTXSED	153
NDTXSOD	153
NDTXDRG1	153
NDTXDRG2	154
NDTXDRG3	154

INDEX OF LABELS

PAGE: 418

LABEL	PAGE
-----	-----
NDTXDRG4	154
NDTXDRG5	154
NDTXSTEP	154
NDTXTRSP	155
NDTXTFAR	155
NDTXBDHR	155
NDTXOPEN	155
NDTXTYPE	156
NDTXMONY	156
NDTXHCAP	156
NDTXTCMP	156
NDTXLANG	156
NDTXSPSV	157
NDTXSOR	157
NDTXRSC1	157
BOOKED	158
NOBOOKYR	158
BKLARCNY	158
BKBURGL	159
BKAGASLT	159
BKSMASLT	159
BKMVTHFT	159
BKROB	159
BKRAPE	160
BKMURDER	160
BKARSON	160
BKDRVINF	160
BKDRUNK	160
BKDRUG	161
BKPROS	161
BKVANDAL	161
BKOTH	161
BKOTHOFF	162
PROBATON	162
PAROLE	163
DRVALDR	163
DRIVEAL	163
DRIVEDR	163
SKPTMTRD	164
TMTREAD	164
TXEVER	164
TXSTRTLF	165
TXSTRTYR	165
TXALHOSP	166
TXALRFIN	166
TXALRFOP	166
TXALMHC	166
TXALEMRG	167
TXALDOC	167
TXALJAIL	167

INDEX OF LABELS

PAGE: 419

LABEL	PAGE
-----	-----
TXALSHG	167
TXALSOP	167
TXALSP	168
TXDRHOSP	168
TXDRFIN	168
TXDRFOP	169
TXDRMHC	169
TXDREMRG	169
TXDRDOC	169
TXDRJAIL	169
TXDRSHG	170
TXDRSOP	170
TXDRSP	170
TXYREMRG	171
TXADGREC	171
TXLTHOSP	172
TXLTRFIN	172
TXLTRFOP	172
TXLTMHC	172
TXLTEMRG	173
TXLTDOC	173
TXLTJAIL	173
TXLTSHG	173
TXLTSOP	173
TXLTSP	174
TXLTALC	174
TXLTMJ	174
TXLTCOC	175
TXLTHER	175
TXLTHAL	175
TXLTINH	175
TXLTANL	175
TXLTRAN	175
TXLTSTIM	176
TXLTSED	176
TXLTSOD	176
TXLTA	176
TXLTB	177
TXLTC	177
TXLTD	177
TXLTE	177
TXDRGA	178
TXDRGB	179
TXDRGC	179
TXDRGD	179
TXDRGE	179
TXOUTC	180
TXTIME	180
TXPDINS	181
TXPDCARE	181

INDEX OF LABELS

PAGE: 420

LABEL	PAGE
-----	-----
TXPDCAID	181
TXPDSAVE	181
TXPDFMLY	182
TXPDEMPL	182
TXPDFREE	182
TXPDSOS	182
TXPDSP	183
TXENROLL	183
SKPWRKRD	184
WRKREAD	184
WKEVRACC	185
WKYRACC	185
WKYRTEST	186
WK30ACC	186
WK30TEST	186
WKYRVOL	187
WKYRFIRE	187
WKYRLOFF	187
WKYROTHR	187
WKYRSPEC	188
SKPDEXRD	189
DEXREAD	189
DXVERSN	189
DXCGRLF	189
DXCG50LF	190
DXCG30US	190
DXMJOFFR	190
DXMJEVER	191
DXMJPALN	191
DXMJSPSP	191
DXMJPFNR	191
DXMJPMET	192
DXMJPSIB	192
DXMJPDAD	192
DXMJPMOM	192
DXMJPREL	192
DXMJPSOP	193
DXMJPSP	193
DXMJPNR	194
DXMJFSEE	194
DXMJFFGD	195
DXMJFFRN	195
DXMJFSPS	195
DXMJFESC	195
DXMJFNEW	195
DXMJFREB	196
DXMJFSOR	196
DXMJFSP	197
DXMJYR	197
DXMJYFRN	198

INDEX OF LABELS

PAGE: 421

LABEL	PAGE
-----	-----
DXMJYSPS	198
DXMJYESC	198
DXMJYRLX	198
DXMJYDRS	199
DXMJYDRX	199
DXMJYRLF	199
DXMJYSOR	199
DXMJYSP	200
DXMJRET1	200
DXMJDNI	201
DXMJDPHY	201
DXMJDSCK	201
DXMJDBLF	201
DXMJDTST	202
DXMJDPSY	202
DXMJDDGS	202
DXMJDADD	202
DXMJDPRG	202
DXMJDKID	203
DXMJDPAR	203
DXMJDSPS	203
DXMJDFRN	203
DXMJDCOS	203
DXMJDGET	204
DXMJDDLRLR	204
DXMJDIGL	204
DXMJDCRM	204
DXMJDSOR	204
DXMJDSP	205
DXMJRET2	205
DXMJNNI	206
DXMJNPHY	206
DXMJNLIK	206
DXMJNBLF	206
DXMJNTST	207
DXMJNPSY	207
DXMJNDGS	207
DXMJNADD	207
DXMJNPRG	208
DXMJNKID	208
DXMJNPAR	208
DXMJNSPS	208
DXMJNFRN	209
DXMJNCOS	209
DXMJNGET	209
DXMJNDLR	209
DXMJNIGL	210
DXMJNCRM	210
DXMJNSOR	210
DXMJNSP	211

INDEX OF LABELS

PAGE: 422

LABEL	PAGE
-----	-----
DXCCOFFR	211
DXCCEVER	211
DXCCPALN	212
DXCCSPSP	212
DXCCPFRN	212
DXCCPMET	212
DXCCPSIB	213
DXCCPDAD	213
DXCCPMOM	213
DXCCPREL	213
DXCCPSOP	213
DXCCPSP	214
DXCCPNR	214
DXCCFSEE	214
DXCCFFGD	215
DXCCFFRN	215
DXCCFSPS	215
DXCCFESC	215
DXCCFNEW	215
DXCCFREB	215
DXCCFSOR	216
DXCCFSP	216
DXCCYR	216
DXCCYFRN	217
DXCCYSPS	217
DXCCYESC	217
DXCCYRLX	217
DXCCYDRS	218
DXCCYDRX	218
DXCCYRLF	218
DXCCYSOR	218
DXCCYSP	219
DXCCRET1	219
DXCCDNI	219
DXCCDPHY	220
DXCCDSCK	220
DXCCDBLF	220
DXCCDTST	220
DXCCDPSY	220
DXCCDDGS	220
DXCCDADD	221
DXCCDPRG	221
DXCCDKID	221
DXCCDPAR	221
DXCCDSPS	221
DXCCDFRN	222
DXCCDCOS	222
DXCCDGET	222
DXCCDDLRLR	222
DXCCDIGL	222

INDEX OF LABELS

PAGE: 423

LABEL	PAGE
-----	-----
DXCCDCRM	223
DXCCDSOR	223
DXCCDSP	223
DXCCRET2	224
DXCCNNI	224
DXCCNPHY	224
DXCCNLIK	225
DXCCNBLF	225
DXCCNTST	225
DXCCNPSY	225
DXCCNDGS	226
DXCCNADD	226
DXCCNPRG	226
DXCCNKID	226
DXCCNPAR	227
DXCCNSPS	227
DXCCNFRN	227
DXCCNCOS	227
DXCCNGET	228
DXCCNDLR	228
DXCCNIGL	228
DXCCNCRM	228
DXCCNSOR	229
DXCCNSP	229
SKPYEANS	230
SKPYEXRD	230
YEXREAD	230
YEENRLYR	231
YEPUBSCH	231
YEPRVSCH	231
YEHOMSCH	232
YE4YRCOL	232
YE2YRCOL	232
YEVOCSCH	232
YESCHOTH	232
YESCHSP	233
YEGRADES	233
YESCOUTS	234
YEPRVLES	234
YETEMSPT	234
YE4HCLUB	234
YEBAND	234
YESCHCLB	235
YESTGOVT	235
YEVOLUNT	235
YECHOIR	235
YEACTION	235
YEACTION	236
YEJOBYR	236
YEJOBSCD	236

INDEX OF LABELS

PAGE: 424

LABEL	PAGE
-----	-----
YEDETCR	237
YEDENTCH	237
YEDESPCL	237
YEDEOTH	237
YEDESP	238
YEMSGYR	238
YEPARYR	239
YEPPKCIG	239
YEPMJEVR	239
YEPMJOCC	240
YEPMJREG	240
YEPINEVR	240
YEPHEEVR	240
YEPCCOCC	241
YEPBINGE	241
YEFPKCIG	241
YEFMJEVR	241
YEFMJOCC	242
YEFMJREG	242
YEFINEVR	242
YEFHEEVR	242
YEFCCOCC	243
YEFBINGE	243
YEFDPKCG	243
YEFDMJEV	243
YEFDMJOC	244
YEFDMJRG	244
YEFDINEV	244
YEFDHEEV	244
YEFDCCOC	245
YEFDBING	245
YETLKNON	245
YETLKMOM	246
YETLKDAD	246
YETLKBGF	246
YETLKSIB	247
YETLKSOR	247
YETLKFRN	247
YETLKTCH	248
YETLKCLG	248
YETLKSOP	248
YETLKSP	249
YETLKNR	250
YEMOSNON	250
YEMOSMOM	251
YEMOSDAD	251
YEMOSBGF	251
YEMOSSIB	251
YEMOSSOR	252
YEMOSFRN	252

INDEX OF LABELS

PAGE: 425

LABEL	PAGE
-----	-----
YEMOSTCH	252
YEMOSCLG	252
YEMOSSOP	253
YEMOSSP	253
YEMOSNR	253
YESTDRES	254
YESTLATE	254
YESTHWRK	254
YEARGUP	254
YEGFITE	255
YESHPLFT	255
MOVESPYR	256
EDUC2NDQ	257
STUDNT97	257
STDT9497	258
SKPSCHGR	258
SKPSCHAG	258
LFTSCHRS	259
LFTSCHAG	260
SCHDYS97	260
SCHD9497	261
SKIPPD97	261
SKIP9497	261
NJOBSPYR	262
WRKSTAT2	262
WKST2NDQ	263
WKSWKST	263
SKPWKST1	264
BUSSIZE	264
LOCSIZE	265
DRGINFO	265
DRGPLCY	265
PLCYCOV	266
DRGPRGM	266
USALCTST	266
USDRGTST	267
SKPWKTST	267
TSTHIRE	267
TSTRAND	267
TSTSUSP	268
TSTACCD	268
TSTTRMT	268
WRKHIRE	268
WRKRAND	269
WRKSUSP	269
WRKACCD	269
PAYMO	270
PAYYR	270
SKPWKST2	270
WORKDAYS	271

INDEX OF LABELS

PAGE: 426

LABEL	PAGE
-----	-----
WORKBLAH	271
SKPPREG	271
PREGNANT	272
PREGMOS	272
SKPCWE	272
CWE	273
CWESC1	274
CWESC2	276
FULLPART	277
TOTPEOP	277
RLGSVCFQ	277
RLGIMPRT	278
RLGDECSN	278
RLGFRNDS	278
SKPMHC	279
DEPRESS	279
DEPDAYS	279
DEPFREQ	280
LOSTINT1	280
TIRED1	280
WTCHNG1	281
LBSCHNG1	281
SLPLOSS1	281
SLPFREQ1	282
CONCEN1	282
DOWN1	282
IDEAT1	282
SKPDEP1	283
DEPWKS1	283
DEPMO1	283
DEPYR1	284
LOSTINT2	284
LOSINDAY	284
LOSINFRQ	285
TIRED2	285
WTCHNG2	285
LBSCHNG2	286
SLPLOSS2	286
SLPFREQ2	286
CONCEN2	286
DOWN2	287
IDEAT2	287
SKPDEP2	287
DEPWKS2	288
DEPMO2	288
DEPYR2	288
WORRIED	289
WOREND	289
WORNOMO1	289
WORHAPN1	290

INDEX OF LABELS

PAGE: 427

LABEL	PAGE
-----	-----
WORSER11	290
WORDIFF1	290
WORNOMO2	291
WORHAPN2	291
WORSER12	291
WORDIFF2	291
SKPWOR	292
WORREST	292
WOREDGE	292
WORIRRIT	292
WORHEART	292
WORTIRED	293
WORSLEEP	293
WORFAINT	293
FEARPUB	293
FEAROUT	293
FEARBRDG	294
SKPFEAR1	294
FEAROFT	294
FEARYRS	294
FEARMOS	295
FEARFANT	295
FEARTRAP	295
FEARHELP	296
PANIC1	296
PANIC2	296
PANICNUM	297
PANICMO	297
PANICYR	297
PANIDANG	297
SKPFEAR2	298
PANIFEAR	298
PANINOFR	298
PANIHART	299
PANIPAIN	299
PANISWET	299
PANISHAK	299
PANIHOT	299
PANIUNRL	300
NUERTMT	301
NUHSPOV	301
NUHSPPE	302
OUTPTPE	302
PROXABLE	303
PROXYREL	304
PROXHOME	305
PROXJOIN	305
CAREUSU	306
NCARERSN	306
NCRRSNSP	307

INDEX OF LABELS

PAGE: 428

LABEL	PAGE
-----	-----
NCRRSNSC	307
CAREOFT	307
PYRCARE	308
PYRCRTYP	308
PYRCRTSP	308
PYRCRTSC	309
CARENOW	309
MNRSNNCR	309
MNRSNNSP	310
MNRSNNSC	310
UCARETYP	310
UCRTYPSP	311
UCRTYPSC	311
MEDICARE	312
MEDICAID	313
CHAMPUS	313
PRVHLTIN	314
GRPHLTIN	314
PDHINPRM	315
HLTINALC	315
HLTINDRG	315
HLTINMNT	316
SOC1	317
SOC2	317
SSI1	318
SSI2	318
PUB1	318
PUB2	319
AFDC	319
INT1	320
INT2	320
CHD1	321
CHD2	321
OTH1	321
OTH2	322
FSTAMP	322
PINC1	323
PINC2	324
SKPTFMIN	325
FINC1	325
FINC2	326
TELNO	327
IRPINSUR	328
IIPINSUR	328
IRINSUR	328
IIINSUR	328
IRSOC1	328
IISOC1	328
IRSSI1	328
IISSI1	328

INDEX OF LABELS

PAGE: 429

LABEL	PAGE
-----	-----
IRPUB1	328
IIPUB1	328
IRAFDC	329
IIAFDC	329
IRINT1	329
IIINT1	329
IRCHD1	329
IICHHD1	329
IROTH1	329
IIOTH1	329
IRFSTAMP	329
IIFSTAMP	329
IRPINC1	330
IIPINC1	330
IRFINC1	330
IIFINC1	330
IRSOC2	330
IISOC2	330
IRSSI2	330
IISSI2	330
IRPUB2	330
IIPUB2	330
IRINT2	331
IIINT2	331
IRCHD2	331
IICHHD2	331
IROTH2	331
IIOTH2	331
IRPINC2	332
IIPINC2	332
IRFINC2	333
IIFINC2	333
IRPEOP	333
EDIRKIDS	333
IRKIDS	333
PARSTAT	334
RELINTHH	334
FEMBABY	335
FEMKIDS	335
MALEBABY	335
MALEKIDS	335
F15_44	335
M15_44	335
PREG	335
PREG2	335
TRIMEST	335
INDCAT	336
PERINC	336
PERINC2	336
PERINC3	336

INDEX OF LABELS

PAGE: 430

LABEL	PAGE
-----	-----
TOTCAT	337
FAMINC	337
FAMINC2	337
FAMINC3	337
WELFARE	337
NEEDLREC	338
NEDFLAG4	338
NEDYR4	338
HERSMOK2	338
HERSNIF2	338
CIGARMON	339
IRCGRLF	339
IRCGRMN	339
IICGRLF	339
IICGRMN	339
CGRFLAG	340
CGRMON	340
MJFORMER	340
MJNEVER	340
CCFORMER	340
CCNEVER	341
MDESFS1	342
MDESFS3	342
PROBMDE1	342
PROBMDE3	342
MDE1	342
MDE3	342
GADSFS1	343
GADSFS3	343
PROBGAD1	343
PROBGAD3	343
GAD1	343
GAD3	343
AGPSFS1	344
AGPSFS3	344
PROBAGP1	344
PROBAGP3	344
AGP1	344
AGP3	344
PASFS1	345
PASFS3	345
PROBPA1	345
PROBPA3	345
PA1	345
PA3	345
INTMONTH	346
EIIDATE	346
BHOUR	346
BMIN	346
BAP	346

INDEX OF LABELS

PAGE: 431

LABEL	PAGE
-----	-----
ETIMEHR	346
ETIMEMN	346
EAP	346
LANGVER	346
UNDINT	347
COOPINT	347
PRIVACY	347
PPRES	348
SPRES	348
PARPRES	348
OARPRES	348
OAPRES	348
CPRES	348
OPRESNSP	348
OPRESSPA	349
OPRESSPB	350
WHOMARKD	350
QUARTER	351
FAMSKIP	351
GQTYPE	351
PDEN	352
PDEN2	352
REGION	352
DIVISION	352
HSPHCONC	352
HSPPCONC	352
NHBHCONC	352
NHBPCONC	353
OWNOCONC	353
RURORURB	353
URBPCT	353
VESTR	354
VEREP	354
ANALWT	354
ANALWT1	354
ANALWT2	354
ANALWT3	354
ANALWT4	354
ALCDAYS2	355
ALCDAYS3	355
ALCILLL	355
ALCILLM	355
ALCILLY	355
ALCMRJL	355
ALCMRJM	356
ALCMRJY	356
ALCONLYL	356
ALCONLYM	356
ALCONLYY	356
ALCOTHL	356

INDEX OF LABELS

PAGE: 432

LABEL	PAGE
-----	-----
ALCOTHM	357
ALCOTHY	357
ALCPRBS3	357
ALC2PRB3	358
ALC3PRB3	358
ALCPSYL	358
ALCPSYM	358
ALCPSYY	358
ALCTRY2	358
ALCUSE	359
ANALAGE2	359
ANY4MENT	359
AVCIG2	359
AVCIG3	359
BINGDRK2	359
BKAGASL2	359
BKARSON2	359
BKBURGL2	359
BKDRUG2	359
BKDRUNK2	359
BKDRVIN2	360
BKLARCN2	360
BKMVTHF2	360
BKROB2	360
BKSMASL2	360
CIGPRBS3	360
CIG2PRB3	360
CIG3PRB3	361
CIGTRY2	361
COCAGE2	361
COCPRBS3	361
COC2PRB3	361
COC3PRB3	361
COCTOT3	362
COCUSE	362
DRALHLP3	362
DRINKER2	362
DRNKHLP3	363
DRUNKYR2	363
DRUNKYR3	363
DUI	363
FERTAGE	363
HALLAGE2	363
HERAGE2	363
HERNEED2	364
HVYDRK3	364
ILLONLYL	364
ILLONLYM	364
ILLONLYY	364
INHAGE2	364

INDEX OF LABELS

PAGE: 433

LABEL	PAGE
-----	-----
IRACALC3	364
IRACCIG3	365
IRACCOC3	365
IRACMRJ3	365
IRBTALC3	365
IRBTCIG3	365
IRBTCOC3	365
IRBTMRJ3	365
IREMALC3	365
IREMCIG3	365
IREMCOC3	365
IREMMRJ3	365
IRGRALC3	365
IRGRCIG3	366
IRGRCOC3	366
IRGRMRJ3	366
IRHLALC3	366
IRHLCIG3	366
IRHLCOC3	366
IRHLMRJ3	366
IRLAALC3	366
IRLACIG3	366
IRLACOC3	366
IRLAMRJ3	366
IRUCALC3	366
IRUCCIG3	367
IRUCCOC3	367
IRUCMRJ3	367
MARUSE	367
MJAGE2	367
MJDY30A3	367
MRJPRBS3	368
MRJ2PRB3	368
MRJ3PRB3	368
MJTOT3	368
MRJONLYL	368
MRJONLYM	368
MRJONLYY	369
NOTMARJ	369
OTHONLYL	369
OTHONLYM	369
OTHONLYY	370
PREG3	370
PSYAGE	370
PSYONLYL	370
PSYONLYM	371
PSYONLYY	371
RACESEX	371
RACESEX2	371
RDIFCOC	371

INDEX OF LABELS

PAGE: 434

LABEL	PAGE
-----	-----
RDIFCRK	372
RDIFHER	372
RDIFLSD	372
RDIFMJ	372
RSKALC1	372
RSKALC2	372
RSKCIG	372
RSKCOC1	372
RSKCOC2	372
RSKHER1	372
RSKHER2	373
RSKLSL1	373
RSKMJ1	373
RSKMJ2	373
RSKSELL2	373
SBELTRSK	373
SEDAGE2	373
STIMAGE2	373
SUB1LIF	373
SUB1MON	374
SUB1YR	374
SUB2LIF	374
SUB2MON	374
SUB2YR	374
SUB3LIF	375
SUB3MON	375
SUB3YR	375
TRANAGE2	375
TRIMEST2	375
TRMTHLP3	376

APPENDIX A

CENSUS REGION/DIVISION/STATE TABLE

APPENDIX A

CENSUS REGION/DIVISION/STATE TABLE

<u>CENSUS REGION</u>	<u>CENSUS DIVISION</u>	<u>STATE NAME</u>	<u>STATE ABBREVIATION</u>
NORTHEAST	NEW ENGLAND	CONNECTICUT	CT
NORTHEAST	NEW ENGLAND	MAINE	ME
NORTHEAST	NEW ENGLAND	MASSACHUSETTS	MA
NORTHEAST	NEW ENGLAND	NEW HAMPSHIRE	NH
NORTHEAST	NEW ENGLAND	RHODE ISLAND	RI
NORTHEAST	NEW ENGLAND	VERMONT	VT
NORTHEAST	MIDDLE ATLANTIC	NEW JERSEY	NJ
NORTHEAST	MIDDLE ATLANTIC	NEW YORK	NY
NORTHEAST	MIDDLE ATLANTIC	PENNSYLVANIA	PA
NORTH CENTRAL	EAST NORTH CENTRAL	ILLINOIS	IL
NORTH CENTRAL	EAST NORTH CENTRAL	INDIANA	IN
NORTH CENTRAL	EAST NORTH CENTRAL	MICHIGAN	MI
NORTH CENTRAL	EAST NORTH CENTRAL	OHIO	OH
NORTH CENTRAL	EAST NORTH CENTRAL	WISCONSIN	WI
NORTH CENTRAL	WEST NORTH CENTRAL	IOWA	IA
NORTH CENTRAL	WEST NORTH CENTRAL	KANSAS	KS
NORTH CENTRAL	WEST NORTH CENTRAL	MINNESOTA	MN
NORTH CENTRAL	WEST NORTH CENTRAL	MISSOURI	MO
NORTH CENTRAL	WEST NORTH CENTRAL	NEBRASKA	NE
NORTH CENTRAL	WEST NORTH CENTRAL	NORTH DAKOTA	ND
NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH DAKOTA	SD
SOUTH	SOUTH ATLANTIC	DELAWARE	DE
SOUTH	SOUTH ATLANTIC	DISTRICT OF COLUMBIA	DC
SOUTH	SOUTH ATLANTIC	FLORIDA	FL
SOUTH	SOUTH ATLANTIC	GEORGIA	GA
SOUTH	SOUTH ATLANTIC	MARYLAND	MD
SOUTH	SOUTH ATLANTIC	NORTH CAROLINA	NC
SOUTH	SOUTH ATLANTIC	SOUTH CAROLINA	SC
SOUTH	SOUTH ATLANTIC	VIRGINIA	VA
SOUTH	SOUTH ATLANTIC	WEST VIRGINIA	WV
SOUTH	EAST SOUTH CENTRAL	ALABAMA	AL
SOUTH	EAST SOUTH CENTRAL	KENTUCKY	KY
SOUTH	EAST SOUTH CENTRAL	MISSISSIPPI	MS
SOUTH	EAST SOUTH CENTRAL	TENNESSEE	TN
SOUTH	WEST SOUTH CENTRAL	ARKANSAS	AR
SOUTH	WEST SOUTH CENTRAL	LOUISIANA	LA
SOUTH	WEST SOUTH CENTRAL	OKLAHOMA	OK
SOUTH	WEST SOUTH CENTRAL	TEXAS	TX
WEST	MOUNTAIN	ARIZONA	AZ
WEST	MOUNTAIN	COLORADO	CO
WEST	MOUNTAIN	IDAHO	ID
WEST	MOUNTAIN	MONTANA	MT
WEST	MOUNTAIN	NEVADA	NV
WEST	MOUNTAIN	NEW MEXICO	NM
WEST	MOUNTAIN	UTAH	UT
WEST	MOUNTAIN	WYOMING	WY
WEST	PACIFIC	ALASKA	AK
WEST	PACIFIC	CALIFORNIA	CA
WEST	PACIFIC	HAWAII	HI
WEST	PACIFIC	OREGON	OR
WEST	PACIFIC	WASHINGTON	WA

APPENDIX B

Drug Codes for Open-Ended Questions

APPENDIX B

Drug Codes for Open-Ended Questions (1997 NHSDA)

Numerical Listing

101 = Butisol	147 = Nicol [sic]
102 = Buticaps	148 = Actifed <OTC>
103 = Amytal	149 = Ekilid [sic] 50
104 = Mebaral	150 = Weed.Cote [sic]
105 = Placidyl	151 = VOEOBO [sic]
106 = Doriden	152 = Eskabarb
107 = Noludar	153 = Luminal
108 = Carbrital, Nembutal	154 = Alurate
109 = Seconal	155 = Pasatorim [sic]
110 = Tuinal, Rainbows	156 = Sodium barbital
111 = Dalmane, Durapam	157 = Barbiturates
112 = Rasepam, Restoril, Temaz, Temazepam	158 = Calmociteno (in Brazil)
113 = Halcion	159 = Octanox
114 = Amobarbital	160 = Relanium [sic]
115 = Phenobarbital	161 = Rohypnol, Roofies, Rope, Roples, Rufinal [sic], Rufonol [sic] [see also 168, 483]
116 = Methaqualone, Parest, Quaalude, Sopor	162 = Ambramine [sic] 500
117 = Chloral hydrate, Noctec	163 = Blue meanies
118 = Pentobarbital, Pentothal, Sodium pentothal	164 = Yellow zombies
119 = Secobarbital	165 = Trips
120 = Downers; OTHER Sedative, NOT SPECIFIED	166 = Roinol [sic]
121 = USED SEDATIVE, DON'T KNOW NAME	167 = Dumolid [sic]
122 = Sleep Aid <OTC>	168 = Rahypnol, Rohybenol [sic], Ruhibinol [sic] [see also 161, 483]
123 = Unisom <OTC>	169 = Dolestan [sic] <German OTC>
124 = Yellow jackets	170 = Popey [sic]
125 = Qulande [sic]	171 = NyQuil <OTC>
126 = Somenex [sic] <OTC>	172 = Dream Ease <OTC>
127 = Nytol <OTC>	173 = Wafers
128 = Nervine <OTC>	174 = Ambien, Zolpidem
129 = Reds	175 = Ayerst 430 [sic]
130 = Phenergan	176 = Melatonin <OTC>
131 = Haldol, Haloperidol	
132 = Sleepettes [sic] <OTC>	201 = Valium
133 = Ryoxine [sic]	202 = Librium, Chlordiazepoxide HCL
134 = Diasetan [sic]	203 = Libritabs, Limbitrol, Mitran [see also 276]
135 = Mini Thins	204 = Menrium
136 = Dimetapp	205 = Serax
137 = 7-14	206 = Tranxene
138 = Mandrax [sic]	207 = Ativan
139 = Black widows	208 = Centrax
140 = Seldane	209 = Xanax
141 = Dilantin	210 = Paxipam
142 = Belladona	211 = Buspar
143 = Sedoxen [sic]	212 = Miltown
144 = Reynolds [sic]	213 = Equanil
145 = Red devil(s)	214 = Deprol
146 = Bently, Dicyclomine	

215 = Vistaril
 216 = Atarax
 217 = Durrax
 218 = Diazepam
 219 = SK-Lygen
 220 = Meprobamate, Meprospan
 221 = OTHER Tranquilizer, NOT SPECIFIED
 222 = USED TRANQUILIZER, DON'T
 KNOW NAME
 223 = Carbacot, Delaxin, Marbaxin,
 Methocarbamol, Robamol, Robaxin,
 Robomol
 224 = Triavil
 225 = Desyrel, Trazodone hydrochloride,
 Trazora, Trialodine
 226 = Stelazine, Trifluoperazine HCl
 227 = Thorazine
 228 = Amitriptyline [see also 239]
 229 = Librax
 230 = Compazine
 231 = MS [sic]
 232 = Mellaril
 233 = Trilafon
 234 = Cyclobenzaprine, Flexeril
 235 = Imipramine
 236 = Avatir [sic]
 237 = Versed
 238 = Dafernil [sic]
 239 = Elavil [see also 228]
 240 = Lithium carbonate, lithonate
 241 = Prozac
 242 = Equagesic
 243 = Etrafon
 244 = Roche 2 (Mexican) [sic]
 245 = Tryptophan
 246 = Clonopin, Klonopin
 247 = Adapin, Doxepin, Sinequan
 248 = Sooper Cool [sic]
 249 = Asendin
 250 = Aventyl, Nortriptyline, Pamelor
 251 = CIBA'S [sic]
 252 = Strawberry whip cream
 253 = Urbadan [sic]
 254 = Vilonopin [sic]
 255 = Assival [sic]
 256 = Tripjone [sic]
 257 = Zestril
 258 = Hoses [sic]
 259 = Desipramine, Norpramin, Pertofrane
 260 = PCB
 261 = Roperals [sic]
 262 = Prolixin
 263 = Vivactil
 264 = Anxidel [sic]
 265 = Black Caddy
 266 = Verstran
 267 = Marezine
 268 = Rahipinal
 269 = Pasidrin (in Mexico)

270 = Torzien
 271 = Zoloft
 272 = Megadon [sic], Mogadon, Nitrazepam
 273 = Insidod [sic], Insidon [sic]
 274 = Nipam [sic]
 275 = Loxitane
 276 = Limbitrol DS (chlordiazepoxide and
 amitriptyline) [see also 203]
 277 = Altut (Spanish)
 278 = Benzodiazepines
 279 = Tridhorzapams [sic]
 280 = Ketaset [sic]
 281 = Blue ringer
 282 = Clozapine, Clozaril
 283 = Paroxetine, Paxil
 284 = Tofranil

 301 = Dexedrine
 302 = Dexamyl
 303 = Eskatrol
 304 = Benzedrine
 305 = Biphedamine
 306 = Desoxyn, Methamphetamine
 hydrochloride
 307 = Tenuate, Diethylpropion
 308 = Tepanil, Diethylpropion
 309 = Didrex
 310 = Plegine
 311 = Preludin
 312 = Ionamin
 313 = Adipex-P, Fastin, Phentermine
 hydrochloride
 314 = Pondimin, Fenfluramine HCL
 315 = Voranil
 316 = Sanorex
 317 = Mazanor
 318 = Ritalin, Methylphenidate
 319 = Cylert
 320 = Dextroamphetamine
 321 = Methedrine
 322 = Methamphetamine ("speed" or "ice" or
 "crank"), Meth
 323 = Obedrin-L.A.
 324 = Uppers; OTHER Stimulant, NOT
 SPECIFIED
 325 = USED STIMULANT, DON'T KNOW
 NAME
 326 = White cross
 327 = Black beauties, Black Beauty
 328 = Pink hearts
 329 = Bird's eggs, Robin's eggs, speckled eggs
 330 = Blue birds, blue jays, blue robins,
 speckled bird
 331 = Blancs, Whites
 332 = Ephedrine (HCl) [see also 346]
 333 = 357 Magnum, Magnum 44
 334 = Crossroads, cross tops

335	=	Dexatrim <OTC> [see also 347, 378]	392	=	Obeesatol [sic]
336	=	Diet pills	393	=	OP 33
337	=	White Molly	394	=	Debs
338	=	Antiadiposium X112 [sic]	395	=	Black cats
339	=	Amphetamines (speed generically)	396	=	Black Rjs
340	=	Tiamina 250 [sic]	397	=	F-40
341	=	Pink roses	398	=	Pink crosses
342	=	Purple hearts	399	=	Pasodoril [sic]
343	=	Nitroglycerine	3001	=	Brown and clear
344	=	Bennies	3002	=	Pep ups
345	=	Black Molly	3003	=	Primatine tablets
346	=	Ephedrine sulfate, Marax [see also 332]	3004	=	Black cadillac
347	=	Phenylpropanolamine <OTC> [see also 335, 378]	3005	=	Methylandlanamine
348	=	Crystal	3006	=	Green Amps
349	=	Phendimetrazine, Phentametrzine [sic]	3007	=	Nasal inhalant
350	=	Betin SS [sic]	3009	=	CAT, Ephedrone, Methcathinone
351	=	Q'at	3010	=	KOOD12
352	=	Lemons	3011	=	Escalation
353	=	No-Doz <OTC>	3012	=	Stud 100, Stud the rock
354	=	Vivarin <OTC>	3013	=	Tweek
355	=	Crystal meth	3014	=	Uptime
356	=	Dexies	3015	=	Fen-Phen (fenfluramine and phentermine)
357	=	Heart-shaped black pills	3016	=	Claritin, loratadine
358	=	20/20	3017	=	Dayquil <OTC>
359	=	Criss cross	3018	=	Up-johns
360	=	Rainbow speed	3019	=	Peppies
361	=	Isutrars [sic], Isyfiars [sic]	3020	=	White powder
362	=	Benadryl			
363	=	Bam(s)			
364	=	Pseudophedrine, Sinutab, Sudafed <OTC>	401	=	Darvon
365	=	Desecon [sic]	402	=	Dolene
366	=	Duromine [sic]	403	=	SK-65
367	=	Slender Rite [sic]	404	=	Wygesic
368	=	Peanut butter crank	405	=	Levo-Dromoran
369	=	Artane	406	=	Oxycodone, Percodan, Roxicet
370	=	Mess tab [sic]	407	=	Demerol
371	=	Cogentin	408	=	Dilaudid
372	=	Mejoral [Spanish: aspirin & caffeine]	409	=	Tylenol with Codeine, Tylenol 3, Tylenol 4
373	=	Captagon [sic]	410	=	Phenaphen with Codeine, Phenaphen 3
374	=	Christmas tree(s)	411	=	Talwin
375	=	Coco puffs [sic]	412	=	Talwin NX
376	=	TAC [sic]	413	=	Talacen
377	=	Albuterol, Proventil, Ventolin	414	=	Propoxy, Propoxyphene
378	=	Control <OTC> [see also 335, 347]	415	=	Codeine
379	=	Hearts	416	=	Anileridine
380	=	Pink ladies	417	=	Morphine
381	=	P.O.T.C.	418	=	Dolophine, Methadone, Westodone
382	=	Footballs, purple footballs	419	=	Stadol, Stadol NS
383	=	Pre-Sate	420	=	OTHER Analgesic, NOT SPECIFIED
384	=	Little crosses	421	=	USED ANALGESIC, DON'T KNOW NAME
385	=	Little pink one	422	=	Motrin
386	=	Herbal ecstasy, ma huang	423	=	Percocet
387	=	Pink football	424	=	Fioricet
388	=	Pink lemon	425	=	Advil
389	=	Daprisal [sic]	426	=	Butalbital, Esgic, Fiorinal, Phrenilin Forte
390	=	Max Alert	427	=	Darvocet
391	=	Turbe [sic] tablets			

428	=	Execl [sic]	485	=	Mark Vanan [sic]
429	=	Frost 222	486	=	Beserol [sic]
430	=	Aspirin, Ecotrin, Empirin <OTC>	487	=	Ariel
431	=	Tylox	488	=	Polofin [sic]
432	=	Rufen	489	=	Plruteam [sic]
433	=	Paregoric	490	=	Nubain
434	=	Anexia, Co-Gesic, Hydrocodone, Lortab, Tussionex, Vicodin [see also 456]	491	=	PDR
435	=	Tylenol, Tylenol Extra-Strength <OTC>	492	=	Car Crase [sic]
436	=	Bufferin <OTC>	493	=	IBU
437	=	Parafon Forte	494	=	Zanbars [sic]
438	=	Anaprox, Naprosyn, Naproxen	495	=	Red cross
439	=	222, Canadian 222	496	=	Tramadol, Ultram
440	=	Soma, carisoprodol	497	=	Cloratabs [sic]
441	=	Luitab [sic]	498	=	Ponstel, Mefenamic acid
442	=	Ibuprofen	499	=	Aleve <OTC>
443	=	Dolobid	4001	=	Actron, Ketoprofen, Orudis, Oruvail
444	=	Aspirin with Codeine, Empirin 3	4002	=	Imitrex, sumatriptan
445	=	Norgesic Forte	4003	=	Zipium [sic]
446	=	Orvais [sic]	4004	=	Ashrica [sic]
447	=	Synalgos, Synalgos DC	4005	=	Etodolac, Iodine
448	=	Tobutrol [sic]	4006	=	Action
449	=	Xycodone [sic]	4007	=	Happy pills
450	=	Acetaminophen <OTC>	4008	=	Brown gel pills
451	=	Ansaid [sic]	4009	=	Smilies
452	=	Becadan [sic]	4010	=	Methaphedate [sic]
453	=	Organidin with Codeine	4011	=	Carbamazepine, epital, tegretol
454	=	Novocain, Procaine	4012	=	Wucluid [sic]
455	=	Fiorinal with Codeine	4013	=	Fenoprofen, nalfon
456	=	Lorcet HD, Lorcet Plus, Lortab [see also 434]	4014	=	Akineton biperiden
457	=	T's and blues	4015	=	Sedalmerk [sic]
458	=	Mepergan, Mepergan Fortis	4016	=	Ruds [sic]
459	=	Ketamine			
460	=	Magnopyrol [sic]	501	=	Gasoline or lighter fluids
461	=	Daopar [sic]	502	=	Spray paints
462	=	Norflex	503	=	Other aerosol sprays
463	=	Lisalgil [sic]	504	=	Shoeshine liquid, glue, or toluene; Super Glue; rubber cement; airplane or model glue; chemical glue
464	=	Oratab [sic]	505	=	Lacquer thinner or other paint solvents
465	=	Fentanyl, Duragesic, Oralet, Sublimaze	506	=	Amyl nitrite, "poppers," locker room odorizer, "rush," isobutyl nitrate, bolt
466	=	Midol <OTC>	507	=	Halothane, ether, or other anesthetics; chloroform
467	=	Tolectin	508	=	Nitrous oxide, "whippets," dentist gas
468	=	Excedrin <OTC>	509	=	Correction fluids, degreasers, cleaning fluids, Liquid Paper [see also 524], K2R Spot Remover, Typewash
469	=	Leritine	510	=	OTHER Inhalant, NOT SPECIFIED
470	=	Cafergot	511	=	Markers, felt-tip pens, ink pens
471	=	Butazolidin	512	=	Incense
472	=	Indocin, Indomethacin	513	=	Tulio [sic]
473	=	Pyridium	514	=	Carbona [sic], carbone [sic]
474	=	PPA [sic]	515	=	Vicks
475	=	Precom [sic]	516	=	Freon
476	=	Isocom, Midrin	517	=	Tolul [sic], Tolyol
477	=	Neo-Melubrina (Spanish)	518	=	Acetone, nail polish remover
478	=	Nogirtronia	519	=	Helium
479	=	Pentrexyl			
480	=	Robitussin AC with Codeine			
481	=	Acular, Ketorolactromethamine, Toradol			
482	=	Coai d [sic]			
483	=	Rophynol (rope) [sic] [see also 161, 168]			
484	=	Volume Roach 2-10-8 [sic], Volumes			

520	=	Old paint, paint	576	=	C.A.T.
521	=	Propane [see also 525, 544]	577	=	Rave runners
522	=	Liquid TV (MTV), TV tuner, TV11Y	578	=	Dust off [sic]
523	=	Matches	579	=	Losean [sic]
524	=	White-Out [see also 509]	580	=	Medusa [sic]
525	=	Butane [see also 521, 544]	581	=	Benzol alcohol [sic]
526	=	Nail polish	582	=	WD-40
527	=	Phenyl nitrate	583	=	Duster [sic]
528	=	Whipped-cream can	584	=	Oxy's [sic]
529	=	Moth balls	585	=	TCL
530	=	Asthma inhaler, asthma medication, bronchial dilators	586	=	Carbon from empty softdrink bottle
531	=	Candy, powdered candy	587	=	Mineral ice
532	=	PRW [sic]	588	=	Antifreeze
533	=	Window sealant	589	=	Tire shine
534	=	Deodorant [see also 827]	590	=	Canned air
535	=	Rexo [sic] copies	591	=	Air brush propellent
536	=	Fire Halt	592	=	Computer air duster, computer cleaner
537	=	Boat horn	593	=	Neopren [sic]
538	=	Condensed horn	594	=	Starting fluid
539	=	ScotchGard	595	=	Chlorine
540	=	PAM	596	=	Femo clay
541	=	Binaca	597	=	Trichlorolnitrate
542	=	Brasso, lens cleaner, spirits of ammonia	598	=	Ethylene dichloride
543	=	Liquid oxygen	599	=	Potpourri
544	=	Lighter gases, not specified [see also 521, 525]	5001	=	Bleach
545	=	Car tailpipe exhaust fumes, CO2	5002	=	Dust X
546	=	Leather protector	5003	=	Methane
547	=	Propel [sic]	5004	=	Ink print
548	=	Cologne, isopropanol vapors, rubbing alcohol	5005	=	Cobra rush
549	=	Smarties [sic]			
550	=	Methyl chloride	601	=	LSD ("acid," "white lightning") [see also 618]
551	=	Spam [sic], oven cleaner (Spam [sic])	602	=	Peyote
552	=	Valo [sic]	603	=	Mescaline
553	=	Pixie sticks	604	=	Psilocybin (mushrooms), shooms
554	=	Raid	605	=	PCP ("angel dust," phencyclidine)
555	=	Chillers	606	=	"Ecstasy" (MDMA), X-TC, Extasi [sic]
556	=	Energine	607	=	OTHER Hallucinogen, NOT SPECIFIED
557	=	Hagwash	608	=	Organes-25 [sic]
558	=	Kool Aid	609	=	Gympsom [sic] pods, Jimson [sic] weed
559	=	LOLOY	610	=	Crystal T
560	=	Soap	611	=	Greens
561	=	Amputee gas cleanser	612	=	Happy stick, sherm, sherman, shermstick
562	=	Ban apple gas	613	=	Duckweed
563	=	Acetylene	614	=	MDA, Methylenedioxy amphetamine
564	=	Electric contact cleaner	615	=	Homemade drugs
565	=	Trichloroethane	616	=	DET, Dimethyltryptamine, DMT
566	=	Smoked tea from Lipton tea bag	617	=	Morning glory seeds, morning glory tandrils
567	=	Pertussin spray	618	=	Acid paper, blotter (acid) [see also 601]
568	=	Tally, Tolly [sic]	619	=	TIC [sic]
569	=	Peganento	620	=	Blue dragon
570	=	PVC (in Mexico)	621	=	Red dragon
571	=	Black jack	622	=	Microdot(s), purple microdot
572	=	Etam	623	=	Mickey, mickey mouse club, mickey mousers
573	=	Furniture polish			
574	=	Tornado			
575	=	Dykem blue			

624 = Orange sunshine, sunshine, yellow
 sunshine
 625 = Window pane
 626 = Jet Fuel
 627 = Hawaiian wood rose, Hawaiian Woodrow
 seeds
 628 = Hawaiian rosebud seed tea
 629 = Rocket Fuel
 630 = Black Owsley
 631 = Purple Owsley
 632 = Folifundia [sic]
 633 = Mr. Natural
 634 = Unicorn
 635 = Ginseng seeds, ginseng weed
 636 = STP
 637 = Purple haze
 638 = Lovlez [sic]
 639 = Cloves, Nutmeg
 640 = Purple pyramid
 641 = Maze [sic]
 642 = Pink Floyd
 643 = Queen
 644 = San Pedro [Spanish]
 645 = Thai stick
 646 = Poppy [sic]
 647 = Macullen [sic]
 648 = Designer drugs
 649 = Tea, Choc. [sic] tea
 650 = Daytura
 651 = Mellow Yellow
 652 = ALD-52 (version of LSD)
 653 = Cricketshit
 654 = Eve
 655 = Flying elephant
 656 = Mars
 657 = Orange barrel
 658 = Special K
 659 = Boat (Marijuana & PCP)
 660 = Toad, Toad licking
 661 = X. Light [sic]
 662 = Kanepolin
 663 = Animal tranquilizer, horse tranquilizer
 664 = Purple fingers
 665 = Paniolis
 666 = Zonick
 667 = Cody Robert
 668 = Yellow tiny pills
 669 = Stropharia
 670 = Monkey dust
 671 = Blomstedt
 672 = Suncrush
 673 = Orange
 674 = Pee-pope
 675 = Shein [sic]
 676 = Ashmadorf [sic]
 677 = Skunk II
 678 = Banana peels
 679 = Hell bells
 680 = Tweak

681 = Lovely
 682 = Kief [sic]
 683 = Yage' [sic]
 684 = Chuntaro [sic]
 685 = Chayan [sic]
 686 = Spider in my feet
 687 = Spray
 688 = AMP
 689 = Amaneta [sic]
 690 = RID
 691 = Maximum impact
 692 = Banadine [sic]
 693 = Lemon drops
 694 = Yellow flower busch [sic]
 695 = Angel trumpkets [sic]
 696 = Reyna [sic]
 697 = Knebinal [sic]
 698 = Nexus, 2C-B
 699 = BOHA-49B
 6001 = Collapsing little birds
 6002 = Damyana [sic]
 6003 = Cocahina
 6004 = Hallucinogen seeds
 6005 = Sassafras tea
 6006 = Super X
 6007 = Bathtub
 6008 = 8-Ball
 6009 = Sulfer match smoke
 6010 = Atrepabelladona (flower)
 6011 = Natural herb
 6012 = Cloud 9
 6013 = Lion's tail
 6014 = Indo
 6015 = Crysta
 6016 = Nas
 6017 = Meesha
 6018 = Air horn
 6019 = Black duct
 6020 = Chocolate
 6021 = Snake bite kit (antivenom)
 6022 = Tequila worm
 6023 = Euphoria
 6024 = Blue Jesus
 6025 = Yellow jell

 701 = OTHER Opiates, NOT SPECIFIED
 702 = Heroin
 703 = Opium
 704 = Dope
 705 = Speed Ball (heroin + cocaine)
 706 = Smack
 707 = Black Tar
 708 = Powder (heroin?)

 801 = OTHER Drugs, NOT SPECIFIED

802	=	THC, cannabinal, marinol	855	=	Oanol [sic]
803	=	Marijuana, MarrJane [sic], Mary Jane, MJ, pot, weed	856	=	Roofe [sic]
804	=	Hashish	857	=	Wicky [sic] stick
805	=	Cocaine, coca, cocaína, coke	858	=	Antibiotic
806	=	Crack, rock	859	=	Aside [sic]
807	=	Alcohol, beer, ethanol, EtOH, pink champagne	860	=	Bees [sic]
808	=	All of the ones I've tried	861	=	Doen [sic], doer [sic]
809	=	Pills	862	=	Thornapple [sic] leaves
810	=	Hemp	863	=	Beetlenut
811	=	Muscle relaxers	864	=	Dramamine <OTC>, Motion sickness pill <OTC>, Seasick pill <OTC>
812	=	Cigars	865	=	Diuretics, Water pills
813	=	Cigarettes, smoking (substance not specified), tobacco not specified	866	=	Boomers
814	=	Caffeine	867	=	Boron
815	=	Coffee	868	=	Buttee [sic]
816	=	Smokeless tobacco, snuff, chewing tobacco	869	=	CD [sic]
817	=	Hard stuff	870	=	Coug [sic]
818	=	Nicotine	871	=	Pote [sic]
819	=	Inderal	872	=	Raffies [sic]
820	=	Penicillin	873	=	Contraceptives, Ferutal, Ortho Novum
821	=	Amoxicillin, Ampicillin	874	=	Premarin
822	=	Rabbit tobacco	875	=	Buds
823	=	Blast (KJ) [sic]	876	=	Glass
824	=	Steroids	877	=	Methazolamide
825	=	Theo-Dur	878	=	Friying
826	=	Alupent	879	=	Dimethyltriptamide MMPT
827	=	Aluminum chloride [see also 534]	880	=	Frios
828	=	Tetracycline	881	=	YLOALE
829	=	Robitussin DM	882	=	Herbal Life
830	=	Mad bull	883	=	Dextromethorphan Hydrobromide <OTC>
831	=	Honey oil	884	=	Snow
832	=	Primo	885	=	Drixoral <OTC>
833	=	Bone	886	=	Spanish fly
834	=	Loveboat	887	=	Orange peel (dried)
835	=	Rotan [sic]	888	=	Texas shoesmine [sic]
836	=	Antabuse	889	=	Methenphemeolies [sic]
837	=	Paris 400	890	=	Methanol hits [sic]
838	=	Obainedin [sic] (called the "dog")	891	=	Famotidine, Pepcid
839	=	Siloquan [sic]	892	=	Carafate, Sucralfate
840	=	Cough medicine (contents not specified) <OTC>	893	=	Estrogen
841	=	Allerest <OTC>, Contact <OTC>	894	=	Depakene, Depakote, Valproic Acid
842	=	Callipress [sic]	895	=	Tagamet, Cimetidine
843	=	Antihistamine, cold tablets <OTC>	896	=	Catapres, Clonidine
844	=	Blood pressure medication	897	=	Synthroid, Levothyroxine
845	=	ECT [sic]	898	=	Propylene
846	=	Erythromycin	899	=	Bromphen
847	=	GHB [sic]	8001	=	Robitussin elixir
848	=	Liquid vitamin <OTC>			
849	=	Monosodium glutamate (MSG)	900	=	Not a drug
850	=	Slack	900	=	Non-drug reason given for a drug
851	=	Thyrolar-3 [sic]	992	=	Illegible
852	=	Formaldehyde, wak [sic], whack (embalming fluid)			
853	=	Funti [sic] leaf			
854	=	Juice			

Alphabetical Listing

3012 = 100, Stud	581 = Alcohol, Benzol [sic]
698 = 2C-B	548 = Alcohol, Rubbing
244 = 2, Roche (Mexican), [sic]	652 = ALD-52 (version of LSD)
484 = 2-10-8, Volume Roach, [sic]	390 = Alert, Max
358 = 20/20	499 = Aleve <OTC>
439 = 222	808 = All of the ones I've tried
439 = 222, Canadian	841 = Allerest <OTC>
429 = 222, Frost	827 = Aluminum chloride
340 = 250, Tiamina [sic]	826 = Alupent
444 = 3, Empirin	154 = Alurate
410 = 3, Phenaphen	277 = Altut (Spanish)
851 = 3, Thyrolar- [sic]	174 = Ambien
409 = 3, Tylenol	162 = Ambramine 500 [sic]
393 = 33, OP	689 = Amaneta [sic]
333 = 357 Magnum	228 = Amitriptyline
409 = 4, Tylenol	542 = Ammonia, Spirits of
397 = 40, F-	114 = Amobarbital
333 = 44, Magnum	821 = Amoxicillin
837 = 400, Paris	688 = AMP
175 = 430, Ayerst [sic]	3006 = Amps, Green
149 = 50, Ekilid [sic]	614 = Amphetamine, Methylenedioxy
162 = 500, Ambramine [sic]	339 = Amphetamines (speed generically)
137 = 7-14	821 = Ampicillin
6008 = 8-Ball	561 = Amputee gas cleanser
6012 = 9, Cloud	506 = Amyl nitrite
	103 = Amytal
	438 = Anaprox
450 = Acetaminophen	507 = Anesthetics other than halothane and ether
518 = Acetone	434 = Anexia [see also 456]
563 = Acetylene	605 = Angel dust
601 = Acid	695 = Angel triumphets [sic]
618 = (Acid), Blotter	416 = Anileridine
498 = Acid, Mefenamic	663 = Animal tranquilizer
618 = Acid paper	451 = Ansaid [sic]
894 = Acid, Valpronic	836 = Antabuse
148 = Actifed	338 = Antiadiposium X112 [sic]
4006 = Action [sic]	858 = Antibiotic
4001 = Actron	588 = Antifreeze
481 = Acular	843 = Antihistamine
247 = Adapin	264 = Anxidel [sic]
313 = Adipex-P	562 = Apple gas, Ban
425 = Advil	487 = Ariel
503 = Aerosol sprays other than spray paints	4004 = Ashrica [sic]
558 = Aid, Kool	369 = Artane
122 = Aid, Sleep	249 = Asendin
591 = Air brush propellant	676 = Ashmadorf [sic]
590 = Air, Canned	859 = Aside [sic]
592 = Air duster, Computer	430 = Aspirin
6018 = Air horn	444 = Aspirin with Codeine
504 = Airplane glue	255 = Assival [sic]
4014 = Akineton	530 = Asthma inhaler
377 = Albuterol	530 = Asthma medication
807 = Alcohol	216 = Atarax
	207 = Ativan

6010 = Atrepabelladona (flower)	618 = Blotter (acid)
236 = Avatir [sic]	330 = Blue birds
250 = Aventyl	620 = Blue dragon
175 = Ayerst 430 [sic]	330 = Blue jays
	6024 = Blue Jesus
6008 = Ball, 8-	163 = Blue meanies
529 = Balls, Moth	281 = Blue ringer
363 = Bam(s)	330 = Blue robins
562 = Ban apple gas	457 = Blues, T's and
692 = Banadine [sic]	537 = Boat horn
678 = Banana peels	659 = Boat (Marijuana & PCP)
156 = Barbital, Sodium	699 = BOHA-49B
157 = Barbiturates	506 = Bolt
657 = Barrel, Orange	833 = Bone
6007 = Bathtub	866 = Boomers
327 = Beauties, Black	867 = Boron
327 = Beauty, Black	586 = Bottle, Carbon from empty softdrink
452 = Becadan [sic]	542 = Brasso
807 = Beer	899 = Bromphen
860 = Bees [sic]	530 = Bronchial dilators
863 = Beetlenut	3001 = Brown and clear
142 = Belladona	4008 = Brown gel pills
679 = Bells, Hell	591 = Brush propellent, Air
362 = Benadryl	875 = Buds
344 = Bennies	436 = Bufferin
146 = Bentlyl	830 = Bull, Mad
304 = Benzedrine	694 = Busch [sic], Yellow flower
278 = Benzodiazepixs	211 = Buspar
581 = Benzol alcohol [sic]	426 = Butalbital
486 = Beserol [sic]	471 = Butazolidin
350 = Betin SS [sic]	525 = Butane
541 = Binaca	102 = Buticaps
4014 = Biperiden	101 = Butisol
305 = Biphethamine	868 = Buttee [sic]
329 = Bird eggs	368 = Butter crank, Peanut
330 = Bird, Speckled	
330 = Birds, Blue	576 = C.A.T.
6001 = Birds, Collapsing little	3009 = Cat
6021 = Bite kit, Snake	223 = Carbacot
327 = Black beauties	3004 = Cadillac, Black
327 = Black Beauty	265 = Caddy, Black
265 = Black Caddy	470 = Cafergot
3004 = Black cadillac	814 = Caffeine
395 = Black cats	158 = Calmociteno (in Brazil)
6019 = Black duct	842 = Callipress [sic]
571 = Black jack	528 = Can, Whipped-cream
345 = Black Molly	439 = Canadian 222
630 = Black Owsley	531 = Candy
357 = Black pills, Heart-shaped	531 = Candy, Powdered
396 = Black Rjs	802 = Cannabinol
707 = Black Tar	590 = Canned air
139 = Black widows	373 = Captagon [sic]
331 = Blancs	492 = Car crase [sic]
823 = Blast (KJ) [sic]	440 = Carisoprodol
5001 = Bleach	545 = Car tailpipe exhaust fumes
671 = Blomstedt	892 = Carafate
844 = Blood pressure medication	4011 = Carbamazepine

586	=	Carbon from empty softdrink bottle	815	=	Coffee
514	=	Carbona [sic]	371	=	Cogentin
240	=	Carbonate, Lithium	434	=	Co-Gesic [see also 456]
514	=	Carbone [sic]	805	=	Coke
108	=	Carbrital	843	=	Cold tablets
896	=	Catapres	6001	=	Collapsing little birds
395	=	Cats, Black	548	=	Cologne
869	=	CD [sic]	230	=	Compazine
504	=	Cement, Rubber	592	=	Computer air duster
208	=	Centrax	592	=	Computer cleaner
807	=	Champagne, Pink	538	=	Condensed horn
685	=	Chayan [sic]	841	=	Contact <OTC>
504	=	Chemical glue	564	=	Contact cleaner, Electric
816	=	Chewing tobacco	873	=	Contraceptives
555	=	Chillers	378	=	Control
117	=	Chloral hydrate	248	=	Cool, Sooper [sic]
202	=	Chlordiazepoxide HCL	535	=	Copies, Rexo [sic]
827	=	Chloride, Aluminum	509	=	Correction fluids
550	=	Chloride, Methyl	870	=	Coug [sic]
595	=	Chlorine	840	=	Cough medicine (contents not specified)
507	=	Chloroform	806	=	Crack
6020	=	Chocolate	322	=	Crank
649	=	Choc. [sic] tea	368	=	Crank, Peanut butter
374	=	Christmas tree(s)	492	=	Crase, Car [sic]
684	=	Chuntaro [sic]	252	=	Cream, Strawberry whip
251	=	CIBA'S [sic]	653	=	Cricketshit
813	=	Cigarettes	359	=	Criss Cross
812	=	Cigars	359	=	Cross, Criss
895	=	Cimetidine	495	=	Cross, Red
3016	=	Claritin	326	=	Cross, White
596	=	Clay, Femo	384	=	Crosses, Little
592	=	Cleaner, Computer	398	=	Crosses, Pink
542	=	Cleaner, lens	334	=	Crossroads
551	=	Cleaner (Spam [sic]), Oven	334	=	Cross tops
509	=	Cleaning fluids	6015	=	Crysta
3001	=	Clear, Brown and	348	=	Crystal
896	=	Clonidine	355	=	Crystal meth
246	=	Clonopin	610	=	Crystal T
497	=	Cloratabs [sic]	234	=	Cyclobenzaprine
6012	=	Cloud 9	319	=	Cylert
639	=	Cloves, Nutmeg			
282	=	Clozapine	238	=	Dafernil [sic]
282	=	Clozaril	111	=	Dalmane
623	=	Club, Mickey Mouse	6002	=	Damyana [sic]
545	=	CO2	461	=	Daopar [sic]
482	=	Coaid [sic]	389	=	Daprisal [sic]
5005	=	Cobra rush	427	=	Darvocet
6003	=	Cocahina	401	=	Darvon
805	=	Cocaine	3017	=	Dayquil <OTC>
805	=	Cocaina	650	=	Daytura
375	=	Coco puffs [sic]	447	=	DC, Synalgos
415	=	Codeine	394	=	Debs
444	=	Codeine, Aspirin with	509	=	Degreasers
455	=	Codeine, Fiorinal with	223	=	Delaxin
453	=	Codeine, Organidin with	407	=	Demerol
410	=	Codeine, Phenaphen with	508	=	Dentist gas
480	=	Codeine, Robitussin AC with	534	=	Deodorant
409	=	Codeine, Tylenol with			
667	=	Cody Robert			

894	=	Depakene	605	=	Dust, Angel
894	=	Depakote	670	=	Dust, Monkey
214	=	Deprol	5002	=	Dust X
365	=	Desecon [sic]	583	=	Duster [sic]
648	=	Designer drugs	592	=	Duster, Computer air
259	=	Desipramine			
306	=	Desoxyn			
225	=	Desyrel			
616	=	DET	172	=	Ease, Dream <OTC>
145	=	Devil(s), Red	430	=	Ecotrin
302	=	Dexamyl	606	=	Ecstasy
335	=	Dexatrim	386	=	Ecstasy, Herbal
301	=	Dexedrine	845	=	ECT [sic]
356	=	Dexies	329	=	Eggs, Bird
320	=	Dextroamphetamine	329	=	Eggs, Robin's
883	=	Dextromethorphan Hydrobromide <OTC>	329	=	Eggs, Speckled
134	=	Diasetan [sic]	149	=	Ekilid [sic] 50
218	=	Diazepam	239	=	Elavil
598	=	Dichloride, ethylene	564	=	Electric contact cleaner
146	=	Dicyclomine	655	=	Elephant, Flying
309	=	Didrex	8001	=	Elixir, Robitussin
336	=	Diet pills	852	=	Embalming fluid
307	=	Diethylpropion (Tenuate)	430	=	Empirin
308	=	Diethylpropion (Tepanil)	444	=	Empirin 3
141	=	Dilantin	586	=	Empty softdrink bottle, Carbon from
530	=	Dilators, Bronchial	556	=	Energine
408	=	Dilaudid	332	=	Ephedrine
136	=	Dimetapp	332	=	Ephedrine (HCl)
879	=	Dimethyltriptamide MMPT	346	=	Ephedrine sulfate
616	=	Dimethyltryptamine	3009	=	Ephedrone
865	=	Diuretics	4011	=	Epital
616	=	DMT	242	=	Equagesic
861	=	Doen [sic]	213	=	Equanil
861	=	Doer [sic]	846	=	Erythromycin
402	=	Dolene	3011	=	Escalation
169	=	Dolestan [sic] <German OTC>	426	=	Esgic
443	=	Dolobid	152	=	Eskabarb
418	=	Dolophine	303	=	Eskatrol
704	=	Dope	893	=	Estrogen
106	=	Doriden	572	=	Etam
120	=	Downers	807	=	Ethanol
247	=	Doxepin	507	=	Ether
620	=	Dragon, Blue	598	=	Ethylene dichloride
621	=	Dragon, Red	4005	=	Etodolac
864	=	Dramamine <OTC>	807	=	EtOH
172	=	Dream Ease <OTC>	243	=	Etrafon
885	=	Drixoral <OTC>	6023	=	Euphoria
693	=	Drops, Lemon	654	=	Eve
648	=	Drugs, Designer	468	=	Excedrin
615	=	Drugs, Homemade	428	=	Execl [sic]
613	=	Duckweed	545	=	Exhaust fumes, Car tailpipe
6019	=	Duct, Black	606	=	Extasi [sic]
167	=	Dumolid [sic]	435	=	Extra-Strength, Tylenol
465	=	Duragesic			
111	=	Durapam			
366	=	Duromine [sic]	397	=	F-40
217	=	Durrax	891	=	Famotidine
578	=	Dust off [sic]	313	=	Fastin

686	=	Feet, Spider in my	849	=	Glutamate (MSG), Monosodium
511	=	Felt-tip pens	3006	=	Green amps
596	=	Femo clay	611	=	Greens
3015	=	Fen-Phen (fenfluramine + phentermine)	609	=	Gympsom [sic] pods
314	=	Fenfluramine			
4013	=	Fenoprofen	557	=	Hagwash
465	=	Fentanyl	113	=	Halcion
873	=	Ferutal	131	=	Haldol
664	=	Fingers, Purple	6004	=	Hallucinogen seeds
424	=	Fioricet	131	=	Haloperidol
426	=	Fiorinal	507	=	Halothane
455	=	Fiorinal with Codeine	536	=	Halt, Fire
536	=	Fire Halt	4007	=	Happy pills
234	=	Flexeril	612	=	Happy stick
642	=	Floyd, Pink	817	=	Hard stuff
694	=	Flower busch [sic], Yellow	804	=	Hashish
852	=	Fluid), Whack (embalming)	628	=	Hawaiian rosebud seed tea
509	=	Fluids, Cleaning	627	=	Hawaiian wood rose
509	=	Fluids, Correction	627	=	Hawaiian Woodrow seeds
501	=	Fluids, Lighter	637	=	Haze, Purple
594	=	Fluid, Starting	332	=	HCL, Ephedrine
655	=	Flying elephant	314	=	HCL, Fenfluramine
632	=	Folifundia [sic]	226	=	HCl, Trifluoperazine
387	=	Football, Pink	456	=	HD, Lorcet [see also 434]
382	=	Footballs	379	=	Hearts
382	=	Footballs, Purple	328	=	Hearts, Pink
852	=	Formaldehyde	342	=	Hearts, Purple
445	=	Forte, Norgesic	357	=	Heart-shaped black pills
437	=	Forte, Parafon	519	=	Helium
426	=	Forte, Phrenilin	679	=	Hell bells
458	=	Fortis, Mepergan	810	=	Hemp
516	=	Freon	6011	=	Herb, Natural
880	=	Frios	386	=	Herbal ecstasy
878	=	Friying	702	=	Heroin
429	=	Frost 222	615	=	Homemade drugs
626	=	Fuel, Jet	831	=	Honey oil
629	=	Fuel, Rocket	6018	=	Horn, Air
545	=	Fumes, Car tailpipe exhaust	537	=	Horn, Boat
853	=	Funti [sic] leaf	538	=	Horn, Condensed
573	=	Furniture polish	258	=	Hoses [sic]
			663	=	Horse tranquilizer
562	=	Gas, Apple Ban	386	=	Huang, Ma
508	=	Gas, Dentist	117	=	Hydrate, Chloral
544	=	Gases, Lighter, not specified	883	=	Hydrobromide, Dextromethorphan <OTC>
501	=	Gasoline	306	=	Hydrochloride, Methamphetamine
4008	=	Gel pills, Brown	313	=	Hydrochloride, Phentermine
847	=	GHB [sic]	225	=	Hydrochloride, Trazodone
635	=	Ginseng seeds	434	=	Hydrocodone [see also 456]
635	=	Ginseng weed			
876	=	Glass			
617	=	Glory seeds, Morning	493	=	IBU
617	=	Glory tandrils, Morning	442	=	Ibuprofen
504	=	Glue	506	=	Isobutyl nitrate
504	=	Glue, Airplane	322	=	Ice
504	=	Glue, Chemical	587	=	Ice, Mineral
504	=	Glue, Model			
504	=	Glue, Super			

235	=	Imipramine	469	=	Leritine
4002	=	Imitrex	405	=	Levo-Dromoran
691	=	Impact, Maximum	897	=	Levothyroxine
512	=	Incense	229	=	Librax
819	=	Inderal	203	=	Libritabs
472	=	Indocin	202	=	Librium
472	=	Indomethacin	882	=	Life, Herbal
3007	=	Inhalant, Nasal	661	=	Light, X. [sic]
530	=	Inhaler, Asthma	501	=	Lighter fluids
686	=	In my feet, Spider	544	=	Lighter gases, not specified
511	=	Ink pens	601	=	Lightning, White
5004	=	Ink print	203	=	Limbitrol
6014	=	Indo	276	=	Limbitrol DS
273	=	Insidod [sic]	6013	=	Lion's tail
273	=	Insidon [sic]	566	=	Lipton tea bag, Smoked tea from
4005	=	Iodine	504	=	Liquid, Shoeshine
312	=	Ionamin	543	=	Liquid oxygen
476	=	Isocom	509	=	Liquid Paper [see also 524]
548	=	Isopropanol vapors	522	=	Liquid TV (MTV)
361	=	Isutrars [sic]	848	=	Liquid vitamin
361	=	Isyfiars [sic]	463	=	Lisalgil [sic]
			240	=	Lithium carbonate
			240	=	Lithonate
571	=	Jack, Black	6001	=	Little birds, Collapsing
124	=	Jackets, Yellow	384	=	Little crosses
330	=	Jays, Blue	385	=	Little pink ones
6025	=	Jell, Yellow	506	=	Locker room odorizer
6024	=	Jesus, Blue	559	=	LOLOY
626	=	Jet Fuel	3016	=	Loratadine
609	=	Jimson [sic] weed	434	=	Lortab [see also 456]
854	=	Juice	456	=	Lorcet HD [see also 434]
			456	=	Lorcet Plus [see also 434]
			579	=	Losean [sic]
662	=	Kanepolin	834	=	Loveboat
509	=	K2R Spot Remover	681	=	Lovely
459	=	Ketamine	638	=	Lovlez [sic]
280	=	Ketaset [sic]	275	=	Loxitane
4001	=	Ketoprofen	601	=	LSD
481	=	Ketorolactromethamine	441	=	Luitab [sic]
682	=	Kief [sic]	153	=	Luminal
6021	=	Kit, Snake bite			
246	=	Klonopin	647	=	Macullen [sic]
697	=	Knebinal [sic]	830	=	Mad Bull
3010	=	KOOD12	460	=	Magnopyrol [sic]
558	=	Kool Aid	333	=	Magnum, 357
			333	=	Magnum 44
505	=	Lacquer thinner	386	=	Ma Huang
380	=	Ladies, Pink	138	=	Mandrax [sic]
853	=	Leaf, Funti [sic]	346	=	Marax
546	=	Leather protector	223	=	Marbaxin
862	=	Leaves, Thornapple [sic]	267	=	Marezine
693	=	Lemon Drops	803	=	Marijuana
388	=	Lemon, Pink	659	=	(Marijuana & PCP), Boat
352	=	Lemons	802	=	Marinol
542	=	Lens cleaner	485	=	Mark Vanan [sic]
			511	=	Markers
			803	=	MarrJane [sic]

656	=	Mars	203	=	Mitran
803	=	Mary Jane	803	=	MJ
523	=	Matches	879	=	MMPT, Dimethyltryptamide
6009	=	Match smoke, Sulfer	504	=	Model glue
390	=	Max Alert	272	=	Mogadon
691	=	Maximum impact	345	=	Molly, Black
317	=	Mazanor	337	=	Molly, White
641	=	Maze [sic]	670	=	Monkey dust
614	=	MDA	849	=	Monosodium glutamate (MSG)
606	=	MDMA	617	=	Morning glory seeds
163	=	Meanies, Blue	617	=	Morning glory taldrils
104	=	Mebaral	417	=	Morphine
530	=	Medication, Asthma	864	=	Motion sickness pill <OTC>
844	=	Medication, Blood pressure	529	=	Moth balls
840	=	Medicine, Cough (contents not specified)	422	=	Motrin
580	=	Medusa [sic]	623	=	Mouse club, Mickey
6017	=	Meesha	623	=	Mousers, Mickey
498	=	Mefenamic acid	633	=	Mr. Natural
272	=	Megadon [sic]	231	=	MS [sic]
372	=	Mejoral [Spanish]	849	=	(MSG), Monosodium glutamate
176	=	Melatonin <OTC>	522	=	(MTV), Liquid TV
232	=	Mellaril	811	=	Muscle relaxers
651	=	Mellow Yellow	604	=	Mushrooms
204	=	Menrium	686	=	My feet, Spider in
458	=	Mepergan			
458	=	Mepergan Fortis			
220	=	Meprobamate			
220	=	Meprospan	526	=	Nail polish
603	=	Mescaline	518	=	Nail polish remover
370	=	Mess Tab [sic]	4013	=	Nalfron
322	=	Meth	438	=	Naprosyn
355	=	Meth, Crystal	438	=	Naproxen
418	=	Methadone	6016	=	Nas
322	=	Methamphetamine	3007	=	Nasal Inhalant
5003	=	Methane	6011	=	Natural herb
4010	=	Methaphedate [sic]	633	=	Natural, Mr.
306	=	Methamphetamine Hydrochloride	108	=	Nembutal
890	=	Methanol hits	477	=	Neo-Melubrina (Spanish)
116	=	Methaqualone	593	=	Neopren [sic]
877	=	Methazolamide	128	=	Nervine
3009	=	Methcathinone	698	=	Nexus
321	=	Methedrine	147	=	Nicol [sic]
889	=	Methenphemeolies [sic]	818	=	Nicotine
223	=	Methocarbamol	274	=	Nipam [sic]
3005	=	Methyl andlanamine	506	=	Nitrate, Isobutyl
550	=	Methyl chloride	527	=	Nitrate, Phenyl
614	=	Methylenedioxy amphetamine	272	=	Nitrazepam
318	=	Methylphenidate	506	=	Nitrite, Amyl
623	=	Mickey	343	=	Nitroglycerine
623	=	Mickey Mouse club	508	=	Nitrous oxide
623	=	Mickey mousers	117	=	Noctec
622	=	Microdot, Purple	353	=	No-Doz
622	=	Microdot(s)	478	=	Nogirtronia
466	=	Midol	107	=	Noludar
476	=	Midrin	462	=	Norflex
212	=	Miltown	445	=	Norgesic Forte
587	=	Mineral ice	259	=	Norpramin
135	=	Mini Thins	250	=	Nortriptyline
3008	=	Miniwhites	454	=	Novocain

353	=	No-Doz	116	=	Parest
419	=	NS, Stadol	837	=	Paris 400
490	=	Nubain	283	=	Paroxetine
639	=	Nutmeg, Cloves	155	=	Pasatorim [sic]
171	=	NyQuil <OTC>	269	=	Pasidrin (in Mexico)
127	=	Nytol	250	=	Pamelor
			399	=	Pasodoril [sic]
			283	=	Paxil
			210	=	Paxipam
855	=	Oanol [sic]	260	=	PCB
838	=	Obainedin [sic]	605	=	PCP
323	=	Obedrin-L.A.	491	=	PDR
392	=	Obeesatol [sic]	368	=	Peanut butter crank
159	=	Octanox	644	=	Pedro, San [Spanish]
506	=	Odorizer, Locker room	887	=	Peel, Orange (dried)
578	=	Off, Dust [sic]	678	=	Peels, Banana
831	=	Oil, Honey	674	=	Pee-pope
520	=	Old paint	569	=	Peganento
385	=	Ones, Little Pink	820	=	Penicillin
393	=	OP 33	511	=	Pens, Felt-tip
703	=	Opium	511	=	Pens, Ink
465	=	Oralet	118	=	Pentobarbital
673	=	Orange	118	=	Pentothal
657	=	Orange barrel	118	=	Pentothal, Sodium
887	=	Orange peel (dried)	479	=	Pentrexyl
624	=	Orange sunshine	3002	=	Pep ups
464	=	Oratab [sic]	891	=	Pepcid
608	=	Organes-25 [sic]	3019	=	Peppies
453	=	Organidin with Codeine	423	=	Percocet
873	=	Ortho Novum	406	=	Percodan
4001	=	Orudis	259	=	Pertofrane
4001	=	Oruvail	567	=	Pertussin spray
446	=	Orvais [sic]	602	=	Peyote
503	=	Other aerosol sprays besides spray paints	3015	=	Phen, Fen=(fenfluramine and phentermine)
507	=	Other anesthetics besides halothane and ether	410	=	Phenaphen 3
505	=	Other paint solvents besides lacquer thinner	410	=	Phenaphen with Codeine
551	=	Oven cleaner (Spam [sic])	605	=	Phencyclidine
630	=	Owsley, Black	349	=	Phendimetrazine
631	=	Owsley, Purple	130	=	Phenergan
508	=	Oxide, Nitrous	115	=	Phenobarbital
584	=	Oxy's [sic]	349	=	Phentametrizine [sic]
406	=	Oxycodone	313	=	Phentermine hydrochloride
543	=	Oxygen, Liquid	527	=	Phenyl nitrate
			347	=	Phenylpropanolamine
			426	=	Phrenilin Forte
			864	=	Pill, Motion sickness <OTC>
			809	=	Pills
520	=	Paint	4008	=	Pills, Brown gel
520	=	Paint, Old	336	=	Pills, Diet
505	=	Paint solvents other than lacquer thinner	4007	=	Pills, Happy
502	=	Paints, Spray	357	=	Pills, Heart-shaped black
540	=	PAM	864	=	Pills, Seasick <OTC>
625	=	Pane, Window	668	=	Pills, Yellow tiny
665	=	Paniolis	807	=	Pink champagne
618	=	Paper, Acid	398	=	Pink crosses
509	=	Paper, Liquid	642	=	Pink Floyd
437	=	Parafon Forte	387	=	Pink football
433	=	Paregoric	328	=	Pink hearts

380	=	Pink ladies	570	=	PVC (in Mexico)
388	=	Pink lemon			
385	=	Pink Ones, Little			
341	=	Pink roses			
553	=	Pixie sticks	351	=	Q'at
105	=	Placidyl	116	=	Quaalude
310	=	Plegine	643	=	Queen
489	=	Plruteam [sic]	125	=	Qulande [sic]
456	=	Plus, Lorcet [see also 434]	351	=	Q'at
609	=	Pods, Gympsom [sic]			
573	=	Polish, Furniture			
526	=	Polish, Nail			
518	=	Polish remover, Nail	822	=	Rabbit tobacco
488	=	Polofin [sic]	872	=	Raffies [sic]
314	=	Pondimin	268	=	Rahipinal
498	=	Ponstel	168	=	Rahypnol
170	=	Popey [sic]	554	=	Raid
506	=	Poppers	360	=	Rainbow speed
646	=	Poppy	110	=	Rainbows
803	=	Pot	112	=	Rasepam
381	=	P.O.T.C.	577	=	Rave runners
871	=	Pote [sic]	495	=	Red cross
599	=	Potpourri	145	=	Red devil(s)
708	=	Powder (heroin?)	621	=	Red dragon
3020	=	Powder, White	129	=	Reds
531	=	Powdered candy	160	=	Relanium [sic]
474	=	PPA [sic]	811	=	Relaxers, Muscle
475	=	Precom [sic]	518	=	Remover, Nail polish
311	=	Preludin	509	=	Remover, K2R Spot
874	=	Premarin	112	=	Restoril
383	=	Pre-Sate	535	=	Rexo [sic] copies
844	=	Pressure medication, Blood	696	=	Reyna [sic]
5004	=	Print, Ink	144	=	Reynolds [sic]
3003	=	Primate tablets	690	=	RID
832	=	Primo	281	=	Ringer, blue
454	=	Procaine	318	=	Ritalin
262	=	Prolixin	367	=	Rite, Slender [sic]
521	=	Propane	396	=	RJs, Black
547	=	Propel [sic]	484	=	Roach 2-10-8, Volume [sic]
591	=	Propellent, Air brush	223	=	Robamol
414	=	Propoxy	223	=	Robaxin
414	=	Propoxyphene	667	=	Robert, Cody
898	=	Propylene	330	=	Robins, Blue
546	=	Protector, Leather	329	=	Robin's eggs
377	=	Proventil	480	=	Robitussin AC with Codeine
241	=	Prozac	829	=	Robitussin DM
532	=	PRW [sic]	8001	=	Robitussin Elixir
414	=	Pseudoephedrine	223	=	Robomol
604	=	Psilocybin	244	=	Roche 2 (Mexican) [sic]
375	=	Puffs, Coco [sic]	806	=	Rock
664	=	Purple fingers	3012	=	Rock, Stud the
382	=	Purple footballs	629	=	Rocket fuel
637	=	Purple haze	168	=	Rohybenol [sic][see also 161, 483]
342	=	Purple hearts	161	=	Rohypnol [see also 161, 168]
622	=	Purple microdot	166	=	Roinol [sic]
631	=	Purple Owsley	856	=	Roofe [sic]
640	=	Purple pyramid	161	=	Roofies [see also 168 and 483]
640	=	Pyramid, Purple	506	=	Room odorizer, Locker
473	=	Pyridium	161	=	Rope [see also 168, 483]

483 = (Rope), Rophynol [sic], [see also 161, 483]	132 = Sleepettes [sic]
261 = Roperals [sic]	367 = Slender Rite [sic]
483 = Rophynol, (Rope), [sic], [see also 161, 483]	706 = Smack
161 = Roples [see also 168, 483]	549 = Smarties [sic]
627 = Rose, Hawaiian wood	4009 = Smilies
628 = Rosebud seed tea, Hawaiian	6009 = Smoke, Sulfer match
341 = Roses, Pink	566 = Smoked tea from Lipton tea bag
835 = Rotan [sic]	816 = Smokeless tobacco
406 = Roxicet	813 = Smoking (substance not specified)
504 = Rubber cement	6021 = Snake bite kit
548 = Rubbing alcohol	884 = Snow
4016 = Ruds [sic]	816 = Snuff
432 = Rufen	560 = Soap
161 = Rufinal [sic] [see also 168, 483]	156 = Sodium barbital
161 = Rufonol [sic] [see also 168, 483]	118 = Sodium pentothal
168 = Ruhibinol [sic] [see also 161, 483]	586 = Softdrink bottle, Carbon from empty
577 = Runners, Rave	505 = Solvents, Paint, other than lacquer thinner
506 = Rush	440 = Soma
5005 = Rush, Cobra	126 = Somenex [sic]
133 = Ryoxine [sic]	248 = Sooper Cool [sic]
	116 = Sopor
	551 = Spam [sic]
	551 = (Spam [sic]), Oven cleaner
	687 = Spary
316 = Sanorex	658 = Special K
644 = San Pedro [Spanish]	330 = Speckled birds
6005 = Sassafras tea	329 = Speckled eggs
539 = ScotchGard	339 = Speed (amphetamines generically)
533 = Sealant, Window	322 = Speed (methamphetamine)
864 = Seasick pill <OTC>	360 = Speed, Rainbow
4015 = Sedalmerk	705 = Speedball (heroin + cocaine)
119 = Secobarbital	686 = Spider in my feet
109 = Seconal	542 = Spirits of ammonia
143 = Sedoxen [sic]	509 = Spot Remover, K2R
628 = Seed tea, Hawaiian rosebud	502 = Spray paints
635 = Seeds, Ginseng	567 = Spray, Pertussin
627 = Seeds, Hawaiian Woodrow	503 = Sprays, Aerosol, other than spray paints
6004 = Seeds, Hallucinogen	419 = Stadol
617 = Seeds, Morning glory	594 = Starting fluid
628 = Seed tea, Hawaiian rosebud	419 = Staydol NS
140 = Seldane	226 = Stelazine
205 = Serax	824 = Steroids
675 = Shein [sic]	612 = Stick, Happy
612 = Sherm [sic]	645 = Stick, Thai
612 = Sherman	857 = Stick, Wicky [sic]
589 = Shine, Tire	553 = Sticks, Pixie
612 = Shermstick	636 = STP
504 = Shoeshine liquid	252 = Strawberry whip cream
888 = Shoesmine, Texas [sic]	669 = Stropharia
604 = Shooms	3012 = Stud 100
839 = Siloquan [sic]	3012 = Stud the rock
247 = Sinequan	817 = Stuff, Hard
364 = Sinutab	465 = Sublimaze
403 = SK-65	892 = Sucralfate
219 = SK-Lygen	364 = Sudafed
677 = Skunk II	346 = Sulfate, Ephedrine
850 = Slack	6009 = Sulfer match smoke
122 = Sleep Aid	4002 = Sumatriptan
	672 = Suncrush

624	=	Sunshine	504	=	Toluene
624	=	Sunshine, Orange	517	=	Tolul [sic]
624	=	Sunshine, Yellow	517	=	Tolyol
504	=	Super Glue	334	=	Tops, Cross
6006	=	Super X	481	=	Toradol
447	=	Synalgos	574	=	Tornado
447	=	Synalgos DC	270	=	Torzien
897	=	Synthroid	496	=	Tramadol
			663	=	Tranquilizer, Animal
			663	=	Tranquilizer, Horse
			206	=	Tranxene
			225	=	Trazodone hydrochloride
			225	=	Trazora
370	=	Tab, Mess [sic]	374	=	Tree(s), Christmas
843	=	Tablets, Cold	225	=	Trialodine
3003	=	Tablets, Primatine	224	=	Triavil
391	=	Tablets, Turbe [sic]	565	=	Trichloroethane
376	=	TAC	597	=	Trichlorolnitrate
895	=	Tagamet	279	=	Tridhorzapams [sic]
6013	=	Tail, Lion's	226	=	Trifluoperazine Hcl
545	=	Tailpipe exhaust fumes, Car	233	=	Trilafon
413	=	Talacen	256	=	Tripjone [sic]
568	=	Tally	165	=	Trips
411	=	Talwin	900	=	TRMTDRGA =Not a drug
412	=	Talwin NX	900	=	TRMTDRGB =Not a drug
617	=	Tandrils, Morning glory	695	=	Trumphets, Angel [sic]
707	=	Tar, Black	245	=	Tryptophan
585	=	TCL	457	=	T's and Blues
649	=	Tea, Choc. [sic] tea	110	=	Tuinal
628	=	Tea, Hawaiian rosebud seed	513	=	Tulio [sic]
6005	=	Tea, Sassafras	522	=	Tuner, TV
112	=	Temaz	391	=	Turbe [sic] tablets
112	=	Temazepam	434	=	Tussionex [see also 456]
4011	=	Tegretol	522	=	TV (MTV), Liquid
307	=	Tenuate	522	=	TV Tuner
308	=	Tepanil	522	=	TV11Y
6022	=	Tequila worm	680	=	Tweak
828	=	Tetracycline	3013	=	Tweek
888	=	Texas shoemine [sic]	435	=	Tylenol
645	=	Thai stick	409	=	Tylenol 3
802	=	THC	409	=	Tylenol 4
825	=	Theo-Dur	435	=	Tylenol Extra-Strength
505	=	Thinner, Lacquer	409	=	Tylenol with Codeine
135	=	Thins, Mini	431	=	Tylox
227	=	Thorazine	509	=	Typewash
862	=	Thornapple [sic] leaves			
851	=	Thyrolar-3 [sic]			
340	=	Tiamina 250 [sic]			
619	=	TIC [sic]			
668	=	Tiny, Yellow pills			
589	=	Tire shine	496	=	Ultram
660	=	Toad	634	=	Unicorn
660	=	Toad licking	123	=	Unisom
816	=	Tobacco, Chewing	3018	=	Up-johns
822	=	Tobacco, Rabbit	324	=	Uppers
816	=	Tobacco, Smokeless	3002	=	Ups, Pep
813	=	Tobacco not specified	3014	=	Uptime
448	=	Tobutrol [sic]	253	=	Urbadan [sic]
284	=	Tofranil			
467	=	Tolectin			
568	=	Tolly [sic]			

201 = Valium	449 = Xycodone [sic]
894 = Valproic acid	
552 = Valo [sic]	
485 = Vanan [sic], Mark	
548 = Vapors, Isopropanol	683 = Yage' [sic]
377 = Ventolin	694 = Yellow flower busch [sic]
237 = Versed	124 = Yellow jackets
266 = Verstran	6025 = Yellow jell
515 = Vicks	651 = Yellow, Mellow
434 = Vicodin [see also 456]	624 = Yellow sunshine
254 = Vilonopin [sic]	668 = Yellow tiny pills
215 = Vistaril	164 = Yellow zombies
848 = Vitamin, Liquid	881 = YLOALE
263 = Vivactil	
354 = Vivarin	
151 = VOEOBO [sic]	
484 = Volume Roach 2-10-8 [sic]	494 = Zanabars [sic]
484 = Volume	257 = Zestril
315 = Voranil	4003 = Zipium [sic]
	271 = Zoloft
	174 = Zolpidem
	164 = Zombies, yellow
	666 = Zonick
582 = WD-40	
173 = Wafers	
852 = Wak [sic]	
865 = Water pills	
803 = Weed	
150 = Weed.Cote [sic]	
635 = Weed, Ginseng	
609 = Weed, Jimson [sic]	
418 = Westodone	
852 = Whack	
252 = Whip cream, Strawberry	
528 = Whipped-cream can	
508 = Whippets	
326 = White cross	
601 = White lightning	
337 = White Molly	
524 = White-Out	
3020 = White powder	
331 = Whites	
857 = Wicky [sic] stick	
139 = Widows, Black	
625 = Window pane	
533 = Window sealant	
627 = Wood rose, Hawaiian	
627 = Woodrow seeds, Hawaiian	
6022 = Worm, Tequila	
4012 = Wucluid [sic]	
404 = Wygesic	
5002 = X, Dust	
6006 = X, Super	
338 = X112, Antiadiposium [sic]	
209 = Xanax	
661 = X. Light [sic]	
606 = X-TC	

APPENDIX C

1997 QUESTIONNAIRE AND ANSWER SHEETS

NOTICE: Public reporting burden for this collection of information is estimated to average 66 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to DHHS Reports Clearance Officer, Paperwork Reduction Project (0930-0110): Room 531-H, Humphrey Building, 200 Independence Ave., SW, Washington, DC 20201. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The OMB control number for this project is 0930-0110.

DATE INTERVIEW BEGAN: 1997
MONTH DAY

TIME INTERVIEW BEGAN: :
HOUR MIN.

ENTER NUMBER FROM BELOW BARCODE ON SCREENER:

CASE ID # - -

TIME OF DAY: A.M. ☐ 1

ENTER ROSTER NUMBER OF SELECTED HH MEMBER:

P.M. ☐ 2

ROSTER #

LANGUAGE VERSION: 01

THE INFORMATION ENTERED ON THIS FORM WILL BE HANDLED IN THE STRICTEST CONFIDENCE
AND WILL NOT BE RELEASED TO UNAUTHORIZED PERSONNEL.

Hello. I'm _____, and I'm working on a nationwide study sponsored by the U.S. Department of Health and Human Services. You should have received a letter about this study. (SHOW LETTER.)

- First, please tell me how old (you were/SAMPLE MEMBER was) on (your/his/her) last birthday.

SAMPLE MEMBER'S AGE ON LAST BIRTHDAY

- IF SAMPLED CHILD'S AGE IS UNDER 12, VERIFY AGE ON LAST BIRTHDAY.

- IF VERIFIED AGE IS UNDER 12, DO NOT INTERVIEW!

STOP!

- IF SAMPLE MEMBER IS 12-17 YEARS OLD, GO TO BACK OF THIS PAGE. 

- IF SAMPLE MEMBER IS 18 OR OLDER, CONTINUE: - We are interviewing approximately 18,000 individuals across the nation. You have been selected to participate in the study, based on scientific sampling procedures. Your responses will represent the views of over 11,500 Americans. We cannot substitute anyone else if you decide not to participate.

The study collects information on use of alcohol, cigarettes, and drugs, certain illegal behaviors, and other physical and mental health-related issues for the nation as a whole. Responses are never connected to individuals. Because it is important that we get the most accurate information possible, special protections are provided to ensure your privacy. (SHOW STATEMENT OF CONFIDENTIALITY.) This statement describes the measures being taken to ensure the confidentiality of your responses, which are protected by a Federal Certificate of Confidentiality. The Federal Government has issued a Certificate of Confidentiality to the researchers who are conducting this study indicating that Federal laws require all information obtained from you only be used for research purposes. Your participation will not put you at any risk, and your truthful responses will be of great value.

We also would like to conduct the interview in as private a setting as possible. Can we find a reasonably private spot to complete the interview? If it is all right with you, let's get started.

- BASED ONLY ON YOUR
OBSERVATION. (DO NOT
ASK!) RECORD RACE OF ADULT
SAMPLE MEMBER AGED 18 OR
OLDER HERE.

RACE OF SAMPLE MEMBER 18 OR OLDER

WHITE ☐ 1
BLACK ☐ 2
INDIAN (AMERICAN), ALEUT, ESKIMO ☐ 3
ASIAN OR PACIFIC ISLANDER
(INCL. ASIAN INDIAN) ☐ 4

- CONDUCT THE INTERVIEW.

U.S. Department of Health and Human Services, Public Health Service
Substance Abuse and Mental Health Services Administration
Office of Applied Studies

- IF SPEAKING TO PARENT OF 12-17 YEAR-OLD (MINOR) SAMPLE MEMBER, READ PARAGRAPH "B."
OTHERWISE, ASK TO SPEAK TO A PARENT OF THE SAMPLE MEMBER. THEN READ BOTH PARAGRAPH
"A" AND PARAGRAPH "B" TO THE PARENT.

Paragraph "A" Hello, I'm _____, and I'm working on a nationwide study sponsored by the U.S. Department of Health and Human Services. You should have received a letter about this study. (SHOW LETTER, IF NECESSARY.)

Paragraph "B" Your (AGE) year-old child has been selected to participate. (He/she) was selected based on scientific sampling procedures so that the answers your child provides will represent those of approximately 5,000 other youths. No substitution can be made if your child does not participate. The answers (he/she) gives us will be kept strictly confidential, and no names are ever connected with the survey. To protect the confidentiality of your child's answers, you will not be permitted to see (his/her) completed survey. The study collects information about use of alcohol, cigarettes, and drugs, certain illegal behaviors, as well as other physical and mental health-related issues for the nation as a whole. (OFFER QUESTIONNAIRE TO THE PARENT SO HE/SHE MAY TAKE IT, AND CONTINUE): This is the questionnaire we will be using. (IF THE PARENT WANTS TO EXAMINE QUESTIONNAIRE, LET HIM/HER DO SO, ANSWER ANY QUESTIONS, AND THEN SAY): The results of this study will provide a major source of information on drug experience and will be used for important research purposes. If it is all right with you, we could get started. We also like to conduct the interview in as private a setting as possible. Can we find a reasonably private spot to complete the interview?

- AFTER OBTAINING PARENTAL PERMISSION, READ THE FOLLOWING PARAGRAPHS TO THE
12-17 YEAR-OLD SELECTED AS THE SAMPLE MEMBER.

Hello, I'm _____, and I'm working on a nationwide study sponsored by the U.S. Department of Health and Human Services. Someone in your house should have received a letter about the study. (SHOW LETTER.)

We are interviewing approximately 18,000 individuals across the nation. You have been selected to participate in the study, based on scientific sampling procedures. Your responses will represent the views of over 5,000 Americans. We cannot substitute anyone else if you decide not to participate.

The study collects information on use of alcohol, cigarettes and drugs, certain illegal behaviors, as well as other physical and mental health-related issues for the nation as a whole. Responses are never connected to individuals. Because it is important that we get the most accurate information possible, special protections are provided to ensure your privacy. (SHOW STATEMENT OF CONFIDENTIALITY.) This statement describes the measures being taken to ensure the confidentiality of your responses, which are protected by a Federal Certificate of Confidentiality. The Federal Government has issued a Certificate of Confidentiality to the researchers who are conducting this study indicating that Federal laws require all information obtained from you only be used for research purposes. Your parents or school will never see your answers; only the researchers connected with the study (and they don't know your name). Your participation will not put you at any risk, and your truthful responses will be of great value.

If it is all right with you, let's get started.

- BASED ONLY ON YOUR
OBSERVATION. (DO NOT
ASK!) RECORD RACE OF
12-17 YEAR-OLD SAMPLE
MEMBER HERE. RACE OF 12-17 YEAR-OLD SAMPLE MEMBER
WHITE ☐ 1
BLACK ☐ 2
INDIAN (AMERICAN), ALEUT, ESKIMO ☐ 3
ASIAN OR PACIFIC ISLANDER
(INCL. ASIAN INDIAN) ☐ 4
- CONDUCT THE INTERVIEW.

The first few questions are for statistical purposes only, to help us analyze the results of the study.

D-1. (RECORD ®'S SEX): MALE ☐ 1
FEMALE ☐ 2

D-2. What is your date of birth?

MONTH
DAY
YEAR

→ (VERBALLY
VERIFY WITH ®
THAT AGE FROM
FRONT COVER IS
CONSISTENT WITH
BIRTHDATE)

D-3. Are you of Hispanic or Spanish origin or descent?

YES ☐ 1
NO ☐ 2

→ (SKIP TO Q.D-5)

D-4. Which of these Hispanic-origin groups best describes you? Are you...

Puerto Rican, ☐ 1
Mexican, ☐ 2
Cuban, or ☐ 3
Some other group? (SPECIFY): ☐ 4

D-5. (HAND ® SHOWCARD 1.) Which of the groups on this card best describes you?
Just give me the number.

WHITE ☐ 1
BLACK ☐ 2
INDIAN (AMERICAN), ALEUT,
ESKIMO ☐ 3
ASIAN OR PACIFIC ISLANDER
(INCLUDING ASIAN INDIAN) ☐ 4
OTHER (SPECIFY): ☐ 5

(TAKE BACK SHOWCARD 1.)

FI	MARK ONE BOX:	® IS 12-14 YEARS OLD	<input type="checkbox"/> 1	→ (SKIP TO FI CHECKPOINT B)
CHECKPOINT		® IS 15 YEARS OLD		
A		OR OLDER	<input type="checkbox"/> 2	→ (CONTINUE WITH Q.D-6)

D-6. Which of the following best describes your current marital status. Are you ...

- Married, ☐ 1
 Widowed, ☐ 2
 Divorced or separated, or ☐ 3
 Have you never married? ☐ 4 → (SKIP TO FI CHECKPOINT B)

D-7. How many times have you been married?

NUMBER OF TIMES MARRIED .

FI	MARK ONE BOX:	® IS 12-16 YEARS OLD	<input type="checkbox"/> 1	→ (SKIP TO Q.D-10)
CHECKPOINT		® IS 17 YEARS OLD		
B		OR OLDER	<input type="checkbox"/> 2	→ (CONTINUE WITH Q.D-8)

D-8. Have you ever been in the United States' armed forces?

- YES ☐ 1
 NO ☐ 2 → (SKIP TO Q.D-10)

D-9. Are you currently ...

- On active duty in the armed forces, ☐ 1 → (PROBE: IF CONFIRMED, TERMINATE INTERVIEW)
 In a reserves component, or ☐ 2
 Now separated or retired from either reserves or active duty? ☐ 3

D-10. The next questions are about your schooling. What is the last grade or year that you completed in school?

- ☐ 0 HAS NO SCHOOLING
- ELEMENTARY SCHOOL GRADES:
- FIRST GRADE ☐ 1
- SECOND GRADE ☐ 2
- THIRD GRADE ☐ 3
- FOURTH GRADE ☐ 4
- FIFTH GRADE ☐ 5
- SIXTH GRADE ☐ 6
- SEVENTH GRADE ☐ 7
- EIGHTH GRADE ☐ 8
- HIGH SCHOOL GRADES:
- NINTH GRADE ☐ 9
- TENTH GRADE ☐ 10
- ELEVENTH GRADE ☐ 11
- TWELFTH GRADE ☐ 12
- COLLEGE/TECHNICAL SCHOOL YEARS:
- FRESHMAN/13th YEAR ☐ 13
- SOPHOMORE/14th YEAR ☐ 14
- JUNIOR/15th YEAR ☐ 15
- SENIOR/16th YEAR ☐ 16 → (SKIP TO Q.D-12)
- GRADUATE/PROFESSIONAL SCHOOL
(OR HIGHER) ☐ 17

D-11. Have you received a high school diploma (PAUSE), or a GED certificate of high school completion? Which have you received? (MARK ONLY ONE ANSWER.)

- HIGH SCHOOL DIPLOMA ☐ 1
- GED CERTIFICATE ☐ 2
- NEITHER OF THE ABOVE ☐ 3

D-12. Are you now enrolled in any kind of school?

- YES ☐ 1
- NO ☐ 2

D-13. (HAND @ SHOWCARD 2.) Please look at this card and tell me which of the statements describes your present work situation. (MARK THE FIRST ANSWER THAT APPLIES.)

- WORKING FULL-TIME, 35 HOURS
OR MORE A WEEK ☐ 1
- WORKING PART-TIME, LESS THAN
35 HOURS A WEEK ☐ 2
- HAVE A JOB, BUT NOT AT WORK
BECAUSE OF EXTENDED ILLNESS,
MATERNITY LEAVE, FURLOUGH,
OR STRIKE ☐ 3
- HAVE A JOB BUT NOT AT WORK
BECAUSE IT IS SEASONAL
WORK ☐ 4
- UNEMPLOYED OR LAID OFF AND
LOOKING FOR WORK ☐ 5
- UNEMPLOYED OR LAID OFF AND
NOT LOOKING FOR WORK ☐ 6
- FULL-TIME HOMEMAKER ☐ 7
- IN SCHOOL ONLY ☐ 8
- RETIRED ☐ 9
- DISABLED FOR WORK ☐ 10
- OTHER (SPECIFY): ☐ 11

(TAKE BACK SHOWCARD 2.)

HEALTH

Now we have some questions concerning your health.

HE-1. About how tall are you, without shoes?

FEET

INCHES

HE-2. About how much do you weigh, without shoes?

POUNDS

HE-3. Would you say your health in general is ...

Excellent,	<input type="checkbox"/> 1
Very good,	<input type="checkbox"/> 2
Good,	<input type="checkbox"/> 3
Fair, or	<input type="checkbox"/> 4
Poor?	<input type="checkbox"/> 5

CALENDAR

Throughout the rest of this questionnaire, I will be asking you to answer a number of questions about three specific time periods, namely the past 30 days, the past 12 months and your lifetime. To help you remember the first two time periods, let's mark this calendar with the beginning dates for each one of them.

(SHOW CALENDAR TO RESPONDENT.)

Now, let's think about the past 30 days. According to the calendar, (MONTH AND DATE) was 30 days ago, so I will write (MONTH AND DATE) here on the calendar. I'll call that your 30-day reference date.

(WRITE 30-DAY REFERENCE DATE ON CALENDAR AND CIRCLE DAY; UNDERLINE ENTIRE 30-DAY PERIOD.)

A number of questions will ask about the past 12 months, that is since this date last year. Let's look at the calendar and find that date. I'll call that your 12-month reference date.

(WRITE 12-MONTH REFERENCE DATE ON CALENDAR, AND CIRCLE DAY ON CALENDAR.)

Please use this calendar as we go through the interview to help you remember when different things happened. I will remind you to think about your 30-day reference date and your 12-month reference date when I ask you questions.

The next set of questions asks about different forms of tobacco, such as cigarettes, chewing tobacco, and snuff.

I will give you an answer sheet to mark your answers. The questions are set up so that every person answers every question whether or not he or she has used tobacco. That way, I will not know what your answers are. Even if a question doesn't apply to you, there is an answer provided for you to mark, after I read it to you.

(HAND @ THE TOBACCO ANSWER SHEET #1, A PEN, AND THE LARGE ENVELOPE.)

Read along to yourself from your answer sheet as I read the questions and instructions out loud. Then read all the answer choices printed below the question and either write a number in the space provided or mark an "X" in one of the boxes for that question. On this answer sheet, you should mark only one answer for each question. When you finish this answer sheet, please put it in the envelope. At the end of the interview, we'll seal the envelope, and I'll drop it in the nearest mailbox. You can go to the mailbox with me, if you'd like.

Let's start. Remember, to answer a question, just mark an "X" in the box beside the best answer or, in some questions, write in a number on the solid line provided out to the right of the first answer choice. At the top of the answer sheet is an example of how to mark an answer with an "X," and another example of how to write in a number. If you have any questions about how to record your answer, just let me know.

The first 10 questions are about cigarettes only.

C-1. First, I will read question C-1. Tell me when you have found it. (PAUSE.) Question C-1 says: Have you ever smoked a cigarette, even one or two puffs?

- If you have ever smoked at least one or two puffs from a cigarette, please mark the first box. [1]
- If you have never smoked a cigarette in your life, please mark the second box. [2]

Now we will go to question C-2. Remember, it is necessary for us to get an answer from you for every question, even if the question doesn't apply to you.

C-2. How old were you the first time you smoked a cigarette, even one or two puffs?

- On the solid blank line, write in how old you were when you first smoked a cigarette.
- If you have never smoked a cigarette in your life, please mark the box at the end of the second answer line. [991]

C-3. Now look at question C-3. Question C-3 says: Think about the entire time since you first smoked a cigarette. Altogether, on how many days in your life have you smoked a cigarette?

- If you smoked on more than 300 days in your life, mark the first box. [1]
- The next answer is at least 101 but not more than 300 days. Mark the second box if the number of days on which you smoked a cigarette was at least 101 but not more than 300 days. [2]
- Mark the third box if the number of days is at least 12 but not more than 100 days. [3]
- Mark the fourth box if the number of days is at least 3 but not more than 11. [4]
- And, mark box 5 if you smoked a cigarette on at least 1 but not more than 2 days in your life. [5]
- If you never smoked a cigarette in your life, mark the last box. [91]

Please turn the page and find question C-4.

C-4. The next question is C-4. It says: **How long has it been since you last smoked a cigarette?**

- If you last smoked a cigarette within the past 30 days, mark the first box. [1]
- If it has been more than 30 days ago but within the past 12 months that you last smoked a cigarette, mark the second box. [2]
- If you last smoked a cigarette more than 12 months ago but within the past 3 years, mark the third box. [3]
- If it has been more than 3 years ago since you last smoked a cigarette, mark the fourth box. [4]
- If you have never smoked a cigarette in your life, please mark the last box; it tells us you've never smoked a cigarette. [91]

C-5. For question C-5, think specifically about the past 30 days -- that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you smoke a cigarette?

- On the solid blank line, please write the number of days you smoked, even if it was just a puff, since your 30-day reference date.
- If you have smoked cigarettes, but not during the past 30 days, please mark the first box; it tells us you've smoked, but not during the past 30 days. [93]
- If you have never smoked a cigarette in your life, please mark the last box. [91]

C-6. When you smoked cigarettes during the past 30 days, how many did you usually smoke each day? If the number varied from day to day, mark the box for the number of cigarettes you smoked on a typical day.

- Mark the first box if you smoked at least a puff or two but less than 1 cigarette each day. [1]
- Mark the second box if you smoked at least 1 but not more than 5 cigarettes each day. [2]
- Mark the third box if you smoked at least 6 but not more than 15 cigarettes (about ½ pack) each day. [3]
- Mark the fourth box if you smoked at least 16 but not more than 25 cigarettes (about 1 pack) each day. [4]
- Mark the fifth box if you smoked at least 26 but not more than 35 cigarettes (about 1 ½ packs) each day. [5]
- Mark the sixth box if you smoked more than 35 cigarettes (about 2 packs) each day. [6]
- If you have smoked cigarettes, but not during the past 30 days, mark the next-to-last box; it tells us you've smoked, but not during the past 30 days. [93]
- If you have never smoked a cigarette in your life, mark the last box. [91]

C-7. The next question is C-7. It asks, **When you smoked cigarettes during the past 30 days, how soon after you woke up in the morning did you usually smoke your first cigarette?**

- Mark the first box if you smoked your first cigarette within five minutes after you woke up in the morning. [1]
- Mark the second box if you smoked your first cigarette within 6 to 30 minutes after you woke up. [2]
- Mark the third box if it was more than thirty minutes but within an hour after you woke up. [3]
- Mark the fourth box if you had your first cigarette between 1 and 3 hours after you woke up. [4]
- Mark box 5 if you usually had your first cigarette 4 or more hours after you woke up. [5]
- If you have smoked cigarettes, but not during the past 30 days, mark the next-to-last box. [93]
- If you have never smoked a cigarette in your life, mark the last box. [91]

Please go to the next page of the answer sheet.

C-8. Question C-8: **Has there ever been a period in your life when you smoked cigarettes every day?**

- If you have ever smoked cigarettes every day, mark the first box. [1]
- If you have never smoked cigarettes every day, mark the last box. [2]

C-9. Question C-9 asks: **How old were you when you first started smoking cigarettes every day?**

- Write in how old you were when you started smoking cigarettes every day on the solid blank line.
- If you have smoked cigarettes, but never every day, please mark the first box. [993]
- If you have never smoked a cigarette in your life, mark the second box. [991]

C-10. **For how many years have you smoked or did you smoke cigarettes every day?**

- Write the number of years that you smoked cigarettes every day on the solid blank line.
- If you have smoked cigarettes every day, but only for less than one whole year, mark the first box. [0]
- If you have smoked cigarettes, but never every day, please mark the second box. [993]
- If you have never smoked a cigarette in your life, please mark the last box. [991]

C-11. **The last 2 questions are about smokeless tobacco, such as chewing tobacco and snuff. Question C-11 asks: Have you ever, even once, used chewing tobacco or snuff?**

- If you have ever used chewing tobacco or snuff, mark the first box. [1]
- If you have never used chewing tobacco or snuff in your life, mark the second box. [2]

C-12. How long has it been since you last used chewing tobacco or snuff?

- If you last used chewing tobacco or snuff within the past 30 days, mark the first box. [1]
- If it has been more than 30 days ago but within the past 12 months that you last used chewing tobacco or snuff, mark the second box. [2]
- If you last used chewing tobacco or snuff more than 12 months ago but within the past 3 years, mark the third box. [3]
- If it has been more than 3 years since you last used chewing tobacco or snuff, mark the fourth box. [4]
- If you have never used chewing tobacco or snuff in your life, mark the last box. [91]

(WAIT FOR @ TO FINISH.)

Please check back and make sure you have marked one answer for each question. Even if you never used any kind of tobacco, it is necessary to have your answer to every question to show that I asked every question.

(PAUSE)

Please put your answer sheet in the envelope but don't seal the envelope yet because there will be other answer sheets.

The next questions are about alcoholic beverages, such as beer, wine, liquor, brandy and mixed drinks. (HAND @ SHOWCARD 3.) Take a moment to look over the names of alcoholic beverages listed on Card 3. The list gives examples of the types of beverages that the next set of questions asks about. (PAUSE) For these questions about alcoholic beverages we are only interested in any drinks you may have had. Please do not include sips you may have had from another person's drink.

(HAND @ THE ALCOHOL ANSWER SHEET #2.)

FI	DO YOU THINK @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?	
CHECKPOINT	YES, @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN	<input type="checkbox"/> 1 → (ASK Q.A-0)
C	NO, I DOUBT THAT @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN	<input type="checkbox"/> 2 → (SKIP TO Q.A-1)

A-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?

WANTS INTERVIEWER TO READ QUESTIONS ALOUD ☐ 1 → (SKIP TO Q.A-1)

WANTS TO COMPLETE THE ANSWER SHEET ON HIS/HER OWN ☐ 2 → (READ Q. A-00)

A-00. Remember, even if a question doesn't apply to you, there is always an answer provided for you to mark. Please let me know when you are finished.

(WAIT UNTIL @ HAS FINISHED.)

A-000. Did you understand all the questions? (REPEAT QUESTIONS, IF NECESSARY.)

Please make sure you marked one answer for each question. Even if you never had an alcoholic beverage, it is necessary to have your answer to every question. Put your answer sheet in the envelope.

(TAKE BACK SHOWCARD 3 AND GO TO PAGE 15, MARIJUANA.)

A-1. The next few questions are about drinks of alcoholic beverages. Throughout this answer sheet, by a "drink," we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. Not including sips from another person's drink, have you ever, even once, had a drink of any type of alcoholic beverage?

- If you have ever had a drink of an alcoholic beverage, please mark the first box. [1]
- If you have never had a drink of any alcoholic beverage in your life, mark the second box. [2]

A-2. **How old were you the first time you had a drink of any alcoholic beverage? Do not include sips from another person's drink. If you can't remember exactly how old you were, make your best guess of (the) one specific age.**

- On the solid blank line, write in how old you were the first time you drank an alcoholic beverage.
- If you have never drunk an alcoholic beverage in your life, mark the box at the end of the second line. [991]

A-3. **For question A-3, Think about the last time you drank any type of alcoholic beverage. How long has it been since you last drank an alcoholic beverage?**

- If you last drank an alcoholic beverage within the past 30 days, mark the first box. [1]
- If it has been more than 30 days ago but within the past 12 months that you last drank an alcoholic beverage, mark the second box. [2]
- If it was more than 12 months ago but within the past 3 years, mark the third box. [3]
- If it has been more than 3 years since you last drank an alcoholic beverage, mark the fourth box. [4]
- If you have never drunk an alcoholic beverage in your life, mark the last box. [91]

A-4. **Now think about the past 12 months, from your 12-month reference date through today. For question A-4, as I read the categories, mark an "X" in the box for the answer that tells: On how many days in the past 12 months did you drink an alcoholic beverage?**

- Mark the first box for more than 300 days (which is every day or almost every day). [1]
- Mark the second for at least 201 but not more than 300 days (5 to 6 days a week). [2]
- Mark the next for at least 101 but not more than 200 days (3 to 4 days a week). [3]
- Mark the next for at least 51 but not more than 100 days (1 to 2 days a week). [4]
- Mark the next for at least 25 but not more than 50 days (3 to 4 days a month). [5]
- Mark the next for at least 12 but not more than 24 days (1 to 2 days a month). [6]
- Mark the next for at least 6 but not more than 11 days (less than one day a month). [7]
- Mark the next for at least 3 but not more than 5 days. [8]
- And mark the third from the last for at least 1 but not more than 2 days. [9]
- If you have ever drunk alcoholic beverages, but not during the past 12 months, mark the next-to-last box. [93]
- If you have never drunk an alcoholic beverage in your life, mark the last box. [91]

Please go to Question A-5 at the top of the next page.

A-5. During the past 12 months, when you drank alcoholic beverages, on how many days did you get very high or drunk?

- Mark the first box for more than 300 days (which would be every day or almost every day). [1]
- Mark the second box for at least 201 but not more than 300 days (that is about 5 to 6 days a week). [2]
- Mark the next for at least 101 but not more than 200 days (or about 3 to 4 days a week). [3]
- Mark the next for at least 51 but not more than 100 days (1 to 2 days a week). [4]
- Mark the next for at least 25 but not more than 50 days (3 to 4 days a month). [5]
- Mark the next for at least 12 but not more than 24 days (1 to 2 days a month). [6]
- Mark the next for at least 6 but not more than 11 days (less than one day a month). [7]
- Mark the next for at least 3 but not more than 5 days in the past 12 months. [8]
- Mark the next for at least 1 but not more than 2 days in the past 12 months. [9]
- If you drank an alcoholic beverage in the past 12 months, but you never got very high or drunk, mark the third box from the last. [90]
- If you have drunk alcoholic beverages, but not during the past 12 months, mark the next-to-last box. [93]
- If you have never drunk an alcoholic beverage in your life, mark the last box. [91]

Please go to the next page.

A-6. For question A-6, Think specifically about the past 30 days – that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you drink one or more drinks of alcoholic beverages?

- On the solid blank line, write the number of days in the past 30 days when you had a drink of an alcoholic beverage.
- If you have drunk alcoholic beverages, but not during the past 30 days, mark the first box. [93]
- If you have never drunk an alcoholic beverage in your life, mark the last box. [91]

A-7. On the days that you drank during the past 30 days, how many drinks did you usually have? Again, remember to count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- On the solid blank line, write the number of drinks you usually had on the days when you drank an alcoholic beverage.
- If you have drunk alcoholic beverages, but not during the past 30 days, mark the first box. [93]
- If you have never drunk an alcoholic beverage in your life, mark the last box. [91]

A-8. During the past 30 days, on how many days did you have 5 or more drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.

- On the solid blank line, write the number of days in the past 30 days when you drank 5 or more drinks of an alcoholic beverage on the same occasion.
- If you never had 5 or more drinks on the same occasion on any day when you drank during the past 30 days, mark the first box. [90]
- If you have drunk alcoholic beverages, but not during the past 30 days, mark the second box. [93]
- If you have never drunk an alcoholic beverage in your life, mark the last box. [91]

(WAIT FOR ® TO FINISH.)

Please check back and make sure you have marked one answer for each question. Even if you never had an alcoholic beverage, it is necessary to have your answer to every question.

(PAUSE)

Please put your answer sheet in the envelope.

(TAKE BACK SHOWCARD 3.)

The next questions are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked — either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food.

Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.

(HAND @ MARIJUANA ANSWER SHEET #3.)

Beginning with this answer sheet, many of the remaining questions will be about illegal drugs. Remember, all your answers are totally confidential and protected by a Federal Certificate of Confidentiality. We need an answer for each and every question — whether or not you've ever tried marijuana.

M-1. Question M-1 asks: Have you ever, even once, used marijuana or hashish?

- Mark the first box if you have used marijuana or hashish. [1]
- Mark the second box if you have never used marijuana or hashish in your life. [2]

M-2. How old were you the first time you used marijuana or hashish? If you're not sure how old you were, make your best guess.

- Write in how old you were the first time you used marijuana or hashish on the solid blank line.
- If you have never used marijuana or hashish in your life, mark the box at the end of the second line. [991]

M-3. Think about the entire time since you first used marijuana or hashish. Altogether, on how many days in your life have you used marijuana or hashish? If you are not sure how many days you've used marijuana or hashish, make your best guess.

- If your answer is more than 300 days, mark the first box. [1]
- If your answer is at least 101 but not more than 300 days, mark the second box. [2]
- If your answer is at least 12 but not more than 100 days, mark the third box. [3]
- If your answer is at least 3 but not more than 11 days, mark the fourth box. [4]
- If your answer is at least 1 but not more than 2 days, mark the next-to-last box. [5]
- If you have never used marijuana or hashish in your life, mark the last box. [91]

M-4. How long has it been since you last used marijuana or hashish?

- If your answer is within the past 30 days, mark the first box. [1]
- If your answer is more than 30 days ago but within the past 12 months, mark the second box. [2]
- If your answer is more than 12 months ago but within the past 3 years, mark the third box. [3]
- If your answer is more than 3 years ago, mark the next-to-last box. [4]
- If you have never used marijuana or hashish in your life, mark the last box. [91]

Please turn the answer sheet over.

M-5. For M-5, think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use marijuana or hashish?

- Mark the first box for more than 300 days (which is every day or almost every day). [1]
- Mark the second for at least 201 but not more than 300 days (5 to 6 days a week). [2]
- Mark the next for at least 101 but not more than 200 days (3 to 4 days a week). [3]
- Mark the next for at least 51 but not more than 100 days (1 to 2 days a week). [4]
- Mark the next for at least 25 but not more than 50 days (3 to 4 days a month). [5]
- Mark the next for at least 12 but not more than 24 days (1 to 2 days a month). [6]
- Mark the next for at least 6 but not more than 11 days (less than one day a month). [7]
- Mark the next for at least 3 but not more than 5 days in the past 12 months. [8]
- And mark the third from the last for at least 1 but not more than 2 days in the past 12 months. [9]
- If you have ever used marijuana or hashish, but not during the past 12 months, mark the next-to-last box. [93]
- If you have never used marijuana or hashish in your life, mark the last box. [91]

M-6. Think specifically about the past 30 days – that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use marijuana or hashish? If you're not sure, try to make a good guess.

- On the solid blank line, write in the number of days in the past 30 days when you used marijuana or hashish.
- If you have used marijuana or hashish, but not during the past 30 days, mark the first box. [93]
- If you have never used marijuana or hashish in your life, mark the second box. [91]

(WAIT FOR ® TO FINISH.)

Please check back and make sure you marked one answer for each question on this answer sheet. If you have any questions, let me know.

Please put your answer sheet in the envelope.

The questions in this section are about cocaine, including all the different forms of cocaine such as powder, "crack," free base, and coca paste.

(HAND @ COCAINE ANSWER SHEET #4.)

Please use this answer sheet to mark down your answers. We need an answer for every question—even if you've never tried cocaine.

FI	DO YOU THINK @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?
CHECKPOINT	YES, @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 1 → (ASK Q.CN-0)
D	NO, I DOUBT THAT @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 2 → (SKIP TO Q.CN-1)

CN-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?

WANTS INTERVIEWER TO READ QUESTIONS ALOUD ☐ 1 → (SKIP TO Q.CN-1)

WANTS TO COMPLETE THE ANSWER SHEET ON HIS/HER OWN ☐ 2 → (READ Q.CN-00)

CN-00. Please let me know when you are finished.

(WAIT UNTIL @ HAS FINISHED.)

CN-000. Did you understand all the questions? (REPEAT QUESTIONS, IF NECESSARY.)

Please make sure you marked one answer for each question. Put the answer sheet in the envelope.

(GO TO PAGE 20, "CRACK.")

CN-1. The first question, CN-1, asks: Have you ever, even once, used any form of cocaine?

- If you have ever used some form of cocaine, mark the first box. [1]
- If you have never used any form of cocaine, mark the second box. [2]

CN-2. Question CN-2 is: How old were you the first time you used cocaine, in any form?

- Write in how old you were the first time you used some form of cocaine on the solid blank line.
- If you have never used any form of cocaine in your life, mark the box at the end of the second line. [991]

CN-3. Question CN-3 says: **Think about the entire time since you first used cocaine. Altogether, on how many days in your life have you used cocaine?** If you are not sure how many days you've used cocaine, give your best guess.

- If your answer is more than 300 days, mark the first box. [1]
- If your answer is at least 101 but not more than 300 days, mark the second box. [2]
- If your answer is at least 12 but not more than 100 days, mark the third box. [3]
- If your answer is at least 3 but not more than 11 days, mark the fourth box. [4]
- If your answer is at least 1 but not more than 2 days, mark the next-to-last box. [5]
- If you have never used any form of cocaine in your life, mark the last box. [91]

CN-4. Question CN-4 is: **How long has it been since you last used any form of cocaine?**

- If your answer is within the past 30 days, mark the first box. [1]
- If your answer is more than 30 days ago but within the past 12 months, mark the second box. [2]
- If your answer is more than 12 months ago but within the past 3 years, mark the third box. [3]
- If your answer is more than 3 years ago, mark the next-to-last box. [4]
- If you have never used any form of cocaine in your life, mark the last box. [91]

Please turn the answer sheet over and find question CN-5 at the top of the page.

CN-5. Now think about the past 12 months. On how many days in the past 12 months did you use cocaine?

- Mark the first box for more than 300 days (which is every day or almost every day). [1]
- Mark the second for at least 201 but not more than 300 days (5 to 6 days a week). [2]
- Mark the next for at least 101 but not more than 200 days (3 to 4 days a week). [3]
- Mark the next for at least 51 but not more than 100 days (1 to 2 days a week). [4]
- Mark the next for at least 25 but not more than 50 days (3 to 4 days a month). [5]
- Mark the next for at least 12 but not more than 24 days (1 to 2 days a month). [6]
- Mark the next for at least 6 but not more than 11 days (less than one day a month). [7]
- Mark the next for at least 3 but not more than 5 days in the past 12 months. [8]
- And mark the third from the last for at least 1 but not more than 2 days in the past 12 months. [9]
- If you have ever used cocaine, but not during the past 12 months, mark the next-to-last box. [93]
- If you have never used any form of cocaine in your life, mark the last box. [91]

CN-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use cocaine? If you're not sure, try to make a good guess.

- On the solid blank line, write in the number of days in the past 30 days when you used some form of cocaine.
- If you have used cocaine, but not during the past 30 days, please mark the first box. [93]
- If you have never used any form of cocaine in your life, mark the second box. [91]

(WAIT FOR @ TO FINISH.)

We appreciate your answering every question, even if you have never tried cocaine. There is a place for you to show an answer for each question. Please check back and make sure you have marked one answer for each question. If you have skipped one or aren't sure what is meant, I'll be glad to help you with it.

Please put your answer sheet in the envelope.

"CRACK" COCAINE

(ANSWER SHEET #

The next 6 questions refer only to "crack," that is, cocaine in rock or chunk form, and not the other forms of cocaine.

(HAND @ "CRACK" ANSWER SHEET #5.)

Please use this answer sheet to mark down your answers. We need an answer for every question – even if you've never tried the form of cocaine known as "crack."

FI	DO YOU THINK @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?
CHECKPOINT	YES, @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 1 → (ASK Q.CK-0)
E	NO, I DOUBT THAT @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 2 → (SKIP TO Q.CK-1)

CK-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?

WANTS INTERVIEWER TO READ QUESTIONS ALOUD ☐ 1 → (SKIP TO Q.CK-1)
WANTS TO COMPLETE THE ANSWER SHEET ON HIS/HER OWN ☐ 2 → (READ Q.CK-00)

CK-00. Please let me know when you are finished.

(WAIT UNTIL @ HAS FINISHED.)

CK-000. Did you understand all the questions? (REPEAT QUESTIONS, IF NECESSARY.)

Please make sure you marked one answer for each question. Put the answer sheet in the envelope.
(GO TO PAGE 22, HEROIN.)

CK-1. The first question, CK-1, asks: Have you ever, even once, used "crack?"

- If you have ever used "crack," mark the first box. [1]
- If you have never used "crack" in your life, mark the second box. [2]

CK-2. Question CK-2 is: How old were you the first time you used "crack?"

- Write in how old you were the first time you used "crack" on the solid blank line.
- If you have never used "crack" in your life, mark the box at the end of the second line. [991]

CK-3. Question CK-3 says: Think about the entire time since you first used "crack." Altogether, on how many days in your life have you used "crack?" If you are not sure how many days you've used "crack," give your best guess.

- If your answer is more than 300 days, mark the first box. [1]
- If your answer is at least 101 but not more than 300 days, mark the second box. [2]
- If your answer is at least 12 but not more than 100 days, mark the third box. [3]
- If your answer is at least 3 but not more than 11 days, mark the fourth box. [4]
- If your answer is at least 1 but not more than 2 days, mark the next-to-last box. [5]
- If you have never used "crack" in your life, mark the last box. [91]

CK-4. Question CK-4 is: **How long has it been since you last used "crack?"**

- If your answer is within the past 30 days, mark the first box. [1]
- If your answer is more than 30 days ago but within the past 12 months, mark the second box. [2]
- If your answer is more than 12 months ago but within the past 3 years, mark the third box. [3]
- If your answer is more than 3 years ago, mark the next-to-last box. [4]
- If you have never used "crack" in your life, mark the last box. [91]

Please turn the answer sheet over and find question CK-5 at the top of the page.

CK-5. **Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use "crack?"**

- Mark the first box for more than 300 days (which is every day or almost every day). [1]
- Mark the second for at least 201 but not more than 300 days (5 to 6 days a week). [2]
- Mark the next for at least 101 but not more than 200 days (3 to 4 days a week). [3]
- Mark the next for at least 51 but not more than 100 days (1 to 2 days a week). [4]
- Mark the next for at least 25 but not more than 50 days (3 to 4 days a month). [5]
- Mark the next for at least 12 but not more than 24 days (1 to 2 days a month). [6]
- Mark the next for at least 6 but not more than 11 days (less than one day a month). [7]
- Mark the next for at least 3 but not more than 5 days in the past 12 months. [8]
- And mark the third from the last for at least 1 but not more than 2 days in the past 12 months. [9]
- If you have used "crack," but not during the past 12 months, mark the next-to-last box. [93]
- If you have never used "crack" in your life, mark the last box. [91]

CK-6. **Think specifically about the past 30 days -- that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use "crack?"**

- On the solid blank line, write in the number of days in the past 30 days when you used "crack."
- If you have used "crack," but not during the past 30 days, please mark the first box. [93]
- If you have never used "crack" in your life, mark the second box. [91]

(WAIT FOR ® TO FINISH.)

Please check back and make sure you have marked one answer for each question. If you have skipped one or aren't sure what it meant, I'll be glad to help you with it.

Please put your answer sheet in the envelope.

The questions in this section are about heroin.

(HAND @ HEROIN ANSWER SHEET #6.)

FI	DO YOU THINK @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?
CHECKPOINT	YES, @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 1 → (ASK Q.H-0)
F	NO, I DOUBT THAT @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 2 → (SKIP TO Q.H-1)

H-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?

WANTS INTERVIEWER TO READ QUESTIONS ALOUD ☐ 1 → (SKIP TO Q.H-1)
 WANTS TO COMPLETE THE ANSWER SHEET ON HIS/HER OWN ☐ 2 → (READ Q.H-00)

H-00. Please let me know when you are finished.

(WAIT UNTIL @ HAS FINISHED.)

H-000. Did you understand all the questions? (REPEAT QUESTIONS, IF NECESSARY.)

Please make sure you marked an answer to every question. Put the answer sheet in the envelope.
 (GO TO PAGE 24, HALLUCINOGENS.)

H-1. Question H-1 says: Have you ever, even once, used heroin?

- If you have ever used heroin, please mark the first box. [1]
- If you have never used heroin in your life, please mark the second box. [2]

H-2. How old were you the first time you used heroin? If you're not sure how old you were, make your best guess.

- On the solid blank line, write in how old you were the first time you used heroin.
- If you have never used heroin in your life, mark the box at the end of the second answer line. [991]

H-3. For question H-3, when I say the answer that applies best to you, please mark the box. Think about the entire time since you first used heroin. Altogether, on how many days in your life have you used heroin? If you are not sure how many days you've used heroin, make your best guess.

- If your answer is more than 300 days, mark the first box. [1]
- If your answer is at least 101 but not more than 300 days, mark the second box. [2]
- If your answer is at least 12 but not more than 100 days, mark the third box. [3]
- If your answer is at least 3 but not more than 11 days, mark the fourth box. [4]
- If your answer is at least 1 but not more than 2 days, mark the next-to-last box. [5]
- If you have never used heroin in your life, mark the last box. [91]

H-4. How long has it been since you last used heroin?

- If your answer is within the past 30 days, mark the first box. [1]
- If your answer is more than 30 days ago but within the past 12 months, mark the second box. [2]
- If your answer is more than 12 months ago but within the past 3 years, mark the third box. [3]
- If your answer is more than 3 years ago, mark the next-to-last box. [4]
- If you have never used heroin in your life, mark the last box. [91]

Please turn the answer sheet over and find question H-5 at the top of the page.

H-5. Now think about the past 12 months. On how many days in the past 12 months did you use heroin?

- Mark the first box for more than 300 days (which is every day or almost every day). [1]
- Mark the second for at least 201 but not more than 300 days (5 to 6 days a week). [2]
- Mark the next for at least 101 but not more than 200 days (3 to 4 days a week). [3]
- Mark the next for at least 51 but not more than 100 days (1 to 2 days a week). [4]
- Mark the next for at least 25 but not more than 50 days (3 to 4 days a month). [5]
- Mark the next for at least 12 but not more than 24 days (1 to 2 days a month). [6]
- Mark the next for at least 6 but not more than 11 days (less than one day a month). [7]
- Mark the next for at least 3 but not more than 5 days in the past 12 months. [8]
- And mark the third from the last for at least 1 but not more than 2 days in the past 12 months. [9]
- If you have used heroin, but not in the past 12 months, mark the next-to-last box. [93]
- If you have never used heroin in your life, mark the last box. [91]

H-6. For question H-6, Think specifically about the past 30 days. During the past 30 days, on how many days did you use heroin?

- On the solid blank line, write in the number of days in the past 30 days when you used heroin.
- If you have used heroin, but not in the past 30 days, please mark the first box. [93]
- If you have never used heroin in your life, mark the last box. [91]

(WAIT FOR ® TO FINISH.)

Please check back and make sure you marked one answer for each question. If you have skipped one, or aren't sure what it meant, I'll be glad to read it again.

Please put your answer sheet in the envelope.

HALLUCINOGENS

(ANSWER SHEET #7)

The questions in this section are about substances like LSD, peyote, mescaline, and PCP, which is also known as "angel dust." These drugs are called hallucinogens because they often cause people to feel that they are seeing or experiencing things that are not real.

(HAND @ SHOWCARD 4.)

A list of some common hallucinogens is shown on Card 4. These and many other substances that people use as hallucinogens are often known only by street names, and we can't list them all. Please take a moment to look at the substances listed on the card so you know what kind of drugs the next questions are about.

(HAND @ HALLUCINOGENS ANSWER SHEET #7.)

- L-1. Question L-1 has the same list of hallucinogens that is printed on Card 4. As I read the list of hallucinogens, please mark one box beside each hallucinogen to indicate whether you have ever used that hallucinogen, even once. On each line, mark the "YES" box on the left if you have ever used that hallucinogen, even once. Mark the "NO" box on the right if you have never used that hallucinogen.
- a. Have you ever, even once, used LSD, also called "acid"?
 - b. Have you ever, even once, used PCP, also called "angel dust" or phencyclidine?
 - c. ... Peyote?
 - d. ... Mescaline?
 - e. ... Psilocybin, found in mushrooms?
 - f. ... "Ecstasy," also known as MDMA?
 - g. Have you ever used a hallucinogen whose name you don't know?
 - h. Have you ever used any other hallucinogens besides the ones I've named from this list? If you mark the "YES" box for this last item, please print on the lines at the bottom of the list the names of all the hallucinogens you've ever used but that we don't have listed.

FI	DO YOU THINK @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?
CHECKPOINT	YES, @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 1 → (ASK Q.L-0)
G	NO, I DOUBT THAT @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 2 → (SKIP TO Q.L-2)

- L-0. You may complete the rest of this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?

WANTS INTERVIEWER TO READ QUESTIONS ALOUD ☐ 1 → (SKIP TO Q.L-2)

WANTS TO COMPLETE THE ANSWER SHEET ON HIS/HER OWN ☐ 2 → (READ Q.L-00)

- L-00. Please let me know when you are finished.

(WAIT UNTIL @ HAS FINISHED.)

- L-000. Did you understand all the questions? (REPEAT QUESTIONS, IF NECESSARY.)

Please make sure you marked an answer to every question. Put the answer sheet in the envelope.

(TAKE BACK SHOWCARD 4 AND GO TO PAGE 27, INHALANTS.)

L-2. How old were you the first time you used LSD, PCP, or any other hallucinogen?

- On the solid blank line, write in how old you were the first time you used any hallucinogen.
- If you have never used any hallucinogen in your life, mark the box. [991]

L-3. Think about the entire time since you first used LSD, PCP, or any other hallucinogen. On how many days in your life have you used LSD, PCP, or any other hallucinogen?

- If your answer is more than 300 days, mark the first box. [1]
- If your answer is at least 101 but not more than 300 days, mark the second box. [2]
- If your answer is at least 12 but not more than 100 days, mark the third box. [3]
- If your answer is at least 3 but not more than 11 days, mark the fourth box. [4]
- If your answer is at least 1 but not more than 2 days, mark the next-to-last box. [5]
- If you have never used any hallucinogen in your life, mark the last box. [91]

Please turn the page and find question L-4 at the top.

L-4. How long has it been since you last used LSD, PCP, or any other hallucinogen?

- If your answer is within the past 30 days, mark the first box. [1]
- If your answer is more than 30 days ago but within the past 12 months, mark the second box. [2]
- If your answer is more than 12 months ago but within the past 3 years, mark the third box. [3]
- If your answer is more than 3 years ago, mark the next-to-last box. [4]
- If you have never used any hallucinogen in your life, mark the last box. [91]

L-5. Now, for question L-5, Think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use LSD, PCP, or any other hallucinogen?

- Mark the first box for more than 300 days (which is every day or almost every day). [1]
- Mark the second for at least 201 but not more than 300 days (5 to 6 days a week). [2]
- Mark the next for at least 101 but not more than 200 days (3 to 4 days a week). [3]
- Mark the next for at least 51 but not more than 100 days (1 to 2 days a week). [4]
- Mark the next for at least 25 but not more than 50 days (3 to 4 days a month). [5]
- Mark the next for at least 12 but not more than 24 days (1 to 2 days a month). [6]
- Mark the next for at least 6 but not more than 11 days (less than one day a month). [7]
- Mark the next for at least 3 but not more than 5 days in the past 12 months. [8]
- And mark the third from the last for at least 1 but not more than 2 days in the past 12 months. [9]
- If you have used an hallucinogen, but not during the past 12 months, mark the next-to-last box. [93]
- If you have never used any hallucinogen in your life, mark the last box. [91]

L-6. Think specifically about the past 30 days – that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use LSD, PCP, or any other hallucinogen?

- On the solid blank line, write in the number of days in the past 30 days when you used LSD, PCP or another hallucinogen.
- If you have used an hallucinogen, but not during the past 30 days, mark the first box. [93]
- If you have never used any hallucinogen in your life, mark the second box. [91]

L-7. Now think only about LSD. How long has it been since you last used LSD?

- If your answer is within the past 30 days, mark the first box. [1]
- If your answer is more than 30 days ago but within the past 12 months, mark the second box. [2]
- If your answer is more than 12 months ago but within the past 3 years, mark the third box. [3]
- If your answer is more than 3 years ago, mark the next-to-last box. [4]
- If you have never used LSD in your life, mark the last box. [91]

Please go to the next page.

L-8. Now think only about PCP. How long has it been since you last used PCP?

- If your answer is within the past 30 days, mark the first box. [1]
- If your answer is more than 30 days ago but within the past 12 months, mark the second box. [2]
- If your answer is more than 12 months ago but within the past 3 years, mark the third box. [3]
- If your answer is more than 3 years ago, mark the next-to-last box. [4]
- If you have never used PCP in your life, mark the last box. [91]

(WAIT FOR © TO FINISH.)

Please check back and make sure you have marked one answer for each question. If you have skipped one or aren't sure what it meant, I'll be glad to read it again.

Please put your answer sheet in the envelope.

(TAKE BACK SHOWCARD 4.)

The questions in this section are about liquids, sprays, and gases that people sniff or inhale to get high or to make them feel good. Lighter fluid, glue, paint thinners, ether, "poppers," and certain aerosol sprays are examples of substances people breathe in or sniff for kicks or to get high.

(HAND @ SHOWCARD 5.) The questions use the term "inhalant" to include all the things listed on Card 5, as well as any other substances that people sniff or inhale for kicks or to get high. Take a moment to look at the substances listed on the card so you know what kinds of liquids, sprays, and gases these questions are about.

(HAND @ INHALANTS ANSWER SHEET #8.)

IN-1. Question IN-1 has the same list of inhalants that is printed on Card 5. As I read the list of inhalants, please mark one box beside each type of inhalant to indicate whether you have ever used that kind of inhalant, even once, for kicks or to get high. On each line, mark the box on the left for "YES" if you have ever used that kind of inhalant, even once. Mark the box on the right for "NO" if you have never used any inhalant of that kind.

- a. Have you ever, even once, inhaled Amyl nitrite, "poppers," locker room odorizers, or "rush" for kicks or to get high?
- b. Have you ever, even once, inhaled correction fluid, degreaser, or cleaning fluid for kicks or to get high?
- c. ... Gasoline or lighter fluid?
- d. ... Glue, shoe polish, or toluene?
- e. ... Halothane, ether, or other anesthetics?
- f. ... Lacquer thinner or other paint solvents?
- g. ... Lighter gases, such as butane or propane?
- h. ... Nitrous oxide or "whippets"?
- i. ... Spray paints?
- j. Have you ever, even once, inhaled some other aerosol spray for kicks or to get high?
- k. Have you ever used any inhalant whose name you don't know, for kicks or to get high?
- l. Have you ever used any other inhalants for kicks or to get high besides the ones I've named from this list? If you mark the "YES" box for this last item, please print on the lines at the bottom of the list the names of all the substances you've ever inhaled for kicks or to get high but that we don't have listed.

FI	DO YOU THINK @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?
CHECKPOINT	YES, @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 1 → (ASK Q.IN-0)
H	NO, I DOUBT THAT @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 2 → (SKIP TO Q.IN-2)

IN-0. You may complete the rest of this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?

WANTS INTERVIEWER TO READ QUESTIONS ALOUD ☐1 → (SKIP TO Q.IN-2)
 WANTS TO COMPLETE THE ANSWER SHEET ON HIS/HER OWN ☐2 → (READ Q.IN-00)

IN-00. Please let me know when you are finished.

(WAIT UNTIL @ HAS FINISHED.)

IN-000. Did you understand all the questions? (REPEAT QUESTIONS, IF NECESSARY.)

Please make sure you marked an answer to every question. Put the answer sheet in the envelope.

(TAKE BACK SHOWCARD 5 AND GO TO PAGE 30, ANALGESICS.)

IN-2. How old were you the first time you used any inhalant for kicks or to get high?

- On the solid blank line, write in how old you were the first time you used any inhalant for kicks or to get high.
- If you have never used any inhalant for kicks or to get high in your life, just mark the box. [991]

IN-3. Think about the entire time since you first used an inhalant for kicks or to get high. Altogether, on how many days in your life have you used an inhalant of any kind?

- If your answer is more than 300 days, mark the first box. [1]
- If your answer is at least 101 but not more than 300 days, mark the second box. [2]
- If your answer is at least 12 but not more than 100 days, mark the third box. [3]
- If your answer is at least 3 but not more than 11 days, mark the fourth box. [4]
- If your answer is at least 1 but not more than 2 days, mark the next-to-last box. [5]
- If you have never used any inhalant for kicks or to get high in your life, mark the last box. [91]

Please turn the answer sheet over and find question IN-4 at the top of the next page.

IN-4. How long has it been since you last used any inhalant for kicks or to get high?

- If your answer is within the past 30 days, mark the first box. [1]
- If your answer is more than 30 days ago but within the past 12 months, mark the second box. [2]
- If your answer is more than 12 months ago but within the past 3 years, mark the third box. [3]
- If your answer is more than 3 years ago, mark the next-to-last box. [4]
- If you have never used any inhalant for kicks or to get high in your life, mark the last box. [91]

IN-5. Now think about the past 12 months. On how many days in the past 12 months did you use an inhalant for kicks or to get high?

- Mark the first box for more than 300 days (which is every day or almost every day). [1]
- Mark the second for at least 201 but not more than 300 days (5 to 6 days a week). [2]
- Mark the next for at least 101 but not more than 200 days (3 to 4 days a week). [3]
- Mark the next for at least 51 but not more than 100 days (1 to 2 days a week). [4]
- Mark the next for at least 25 but not more than 50 days (3 to 4 days a month). [5]
- Mark the next for at least 12 but not more than 24 days (1 to 2 days a month). [6]
- Mark the next for at least 6 but not more than 11 days (less than one day a month). [7]
- Mark the next for at least 3 but not more than 5 days in the past 12 months. [8]
- And mark the third from the last for at least 1 but not more than 2 days in the past 12 months. [9]
- If you have used an inhalant for kicks or to get high, but not during the past 12 months, mark the next-to-last box. [93]
- If you have never used any inhalant for kicks or to get high in your life, mark the last box. [91]

IN-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?

- On the solid blank line, write in the number of days in the past 30 days when you used some kind of inhalant for kicks or to get high.
- If you have used an inhalant for kicks or to get high, but not during the past 30 days, mark the first box. [93]
- If you have never used any inhalant for kicks or to get high in your life, mark the second box. [91]

(WAIT FOR @ TO FINISH.)

We appreciate your answering every question, even if you have never tried any inhalant to make you feel high or for kicks. There is a place for you to show an answer for each question. Please check back and make sure you marked one answer for each question. (PAUSE)

Did you understand every question? (REPEAT QUESTIONS, IF NECESSARY.)

Please put your answer sheet in the envelope.

(TAKE BACK SHOWCARD 5.)

ANALGESICS

(ANSWER SHEET #9)

The next four answer sheets are about drugs that people are supposed to take only if they have a prescription from a doctor. For the questions on these next four answer sheets we are only interested in your use of a drug if:

- the drug was not prescribed for you, or if
- you took the drug only for the experience or feeling it caused.

This section is about the use of pain killers, which are known as analgesics. The questions ask only about prescription pain killers. Do not include over-the-counter pain killers, such as aspirin, Tylenol, Advil, Anacin, or others available over-the-counter. We're interested only in use of prescription analgesics or pain killers that were not prescribed for you, or that you took only for the experience or feeling they caused.

(HAND @ PILLCARD A -- MAKE SURE @ TAKES CARD IN HIS/HER HAND.)

Please look at Card A. It shows pictures of some different kinds of prescription pain killers and lists the names of some others. The questions about pain killers include all of these drugs on the card as well as all other pain killers that are supposed to be available only with a prescription from a doctor. These pictures show only pills, but we are interested in your use of any form of prescription pain killers that were not prescribed for you, or that you took only for the experience or feeling they caused.

(HAND @ ANALGESICS ANSWER SHEET #9.)

FI	DO YOU THINK @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?
CHECKPOINT	YES, @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 1 → (ASK Q.PK-0)
I	NO, I DOUBT THAT @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 2 → (SKIP TO Q.PK-1)

PK-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions out loud.
Which do you prefer?

WANTS INTERVIEWER TO READ QUESTIONS ALOUD <input type="checkbox"/> 1 → (SKIP TO Q.PK-1)
WANTS TO COMPLETE THE ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 2 → (READ Q.PK-00)

PK-00. Please let me know when you are finished.

(WAIT UNTIL @ HAS FINISHED.)

PK-000. Did you understand all the questions? (REPEAT QUESTIONS, IF NECESSARY.)

Please make sure you marked an answer to every question. Put the answer sheet in the envelope.

(TAKE BACK PILLCARD A AND GO TO PAGE 33, TRANQUILIZERS.)

PK-1. Question PK-1 contains a list of some of the prescription pain killers shown on Card A. As I read the following list of prescription pain killers, please mark one box beside each pain killer. Mark the "YES" box on the left if you have ever used that pain killer when it was not prescribed for you, or that you took only for the experience or feeling it caused. Mark the "NO" box on the right if you have not done this. Again, we are interested in all kinds of prescription pain killers, in pill or non-pill form.

- a. Have you ever, even once, used Codeine that was not prescribed for you, or that you took only for the experience or feeling it caused?
- b. Have you ever, even once, used Darvon that was not prescribed for you, or that you took only for the experience or feeling it caused?
- c. ... Demerol?
- d. ... Dilaudid?
- e. Have you ever, even once, used Methadone that was not prescribed for you, or that you took only for the experience or feeling it caused?
- f. ... Morphine?
- g. ... Percodan?
- h. ... Talwin?
- i. ... Tylenol with codeine?
- j. Have you ever used a pain killer whose name you don't know that was not prescribed for you, or that you took only for the experience or feeling it caused?
- k. Have you ever used any other pain killer besides these I've named from the list in PK-1, that was not prescribed for you, or that you took only for the experience or feeling it caused? If you mark the "YES" box for this last item, please print on the lines at the bottom of the list the names of pain killers you've used in this way.

If you answered "NO" to each of the items in question PK-1, circle the 91 in the box below the list and tell me that you have finished this answer sheet.

(IF @ TELLS YOU THAT HE/SHE HAS COMPLETED THE ANSWER SHEET, SKIP TO BOX A ON PAGE 32.)

PK-2. How old were you the first time you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- On the blank line, write in how old you were the first time you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused.

Now, please turn the answer sheet over and find question PK-3.

PK-3. Think about the entire time since you first used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Mark the first box for more than 300 days. [1]
- Mark the second box for at least 101 but not more than 300 days. [2]
- Mark the third box for at least 12 but not more than 100 days. [3]
- Mark the fourth box for at least 3 but not more than 11 days. [4]
- Mark the last box for at least 1 but not more than 2 days. [5]

PK-4. How long has it been since you last used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Mark the first box if you used a pain killer sometime within the past 30 days that was not prescribed for you, or that you took only for the experience or feeling it caused. [1]
- Mark the second box for use more than 30 days ago but within the past 12 months. [2]
- Mark the next box for use more than 12 months ago but within the past 3 years. [3]
- Mark the last box for use more than 3 years ago. [4]

PK-5. Now think about the past 12 months. On how many days in the past 12 months did you use any pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Mark the first box for more than 300 days (which is every day or almost every day). [1]
- Mark the second for at least 201 but not more than 300 days (5 to 6 days a week). [2]
- Mark the next for at least 101 but not more than 200 days (3 to 4 days a week). [3]
- Mark the next for at least 51 but not more than 100 days (1 to 2 days a week). [4]
- Mark the next for at least 25 but not more than 50 days (3 to 4 days a month). [5]
- Mark the next for at least 12 but not more than 24 days (1 to 2 days a month). [6]
- Mark the next for at least 6 but not more than 11 days (less than one day a month). [7]
- Mark the next for at least 3 but not more than 5 days in the past 12 months. [8]
- And mark the next-to-the-last for at least 1 but not more than 2 days in the past 12 months. [9]
- Mark the last box if you have used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused, but not during the past 12 months. [93]

(WAIT FOR ® TO FINISH.)

Please check back and make sure you answered every question on pain killers.

(PAUSE)

Did you understand every question? (REPEAT QUESTIONS IF NECESSARY.)

BOX A

Please put your answer sheet in the envelope.

(TAKE BACK PILLCARD A.)

TRANQUILIZERS

(ANSWER SHEET #10)

This section is about the use of tranquilizers. Tranquilizers are usually prescribed to relax people, to calm people down, or to relieve depression. Some people refer to tranquilizers as "nerve pills" since they usually reduce anxiety and stress. We are interested only in use of prescription tranquilizers, that were not prescribed for you, or that you took only for the experience or feeling they caused.

(HAND @ PILLCARD B -- MAKE SURE @ TAKES CARD IN HIS/HER HAND.)

Please look at Card B. It shows pictures of some different kinds of prescription tranquilizers and lists the names of some others. The questions about tranquilizers include all of these drugs on the card as well as all other tranquilizers that are supposed to be available only with a prescription from a doctor. These pictures show only pills, but we are interested in your use of any form of prescription tranquilizers, that were not prescribed for you, or that you took only for the experience or feeling they caused.

(HAND @ TRANQUILIZERS ANSWER SHEET #10.)

FI	DO YOU THINK @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?
CHECKPOINT	YES, @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 1 → (ASK Q.T-0)
J	NO, I DOUBT THAT @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 2 → (SKIP TO Q.T-1)

T-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?

WANTS INTERVIEWER TO READ QUESTIONS ALOUD ☐ 1 → (SKIP TO Q.T-1)
WANTS TO COMPLETE THE ANSWER SHEET ON HIS/HER OWN ☐ 2 → (READ Q.T-00)

T-00. Please let me know when you are finished.

(WAIT UNTIL @ HAS FINISHED.)

T-000. Did you understand all the questions? (REPEAT QUESTIONS, IF NECESSARY.)

Please make sure you marked an answer to every question. Put the answer sheet in the envelope.

(TAKE BACK PILLCARD B AND GO TO PAGE 36, STIMULANTS.)

T-1. Question T-1 contains a list of some of the prescription tranquilizers shown on Card B. As I read the following list of prescription tranquilizers, please mark one box beside each tranquilizer. Mark the box on the left for "YES" if you have ever used that tranquilizer when it was not prescribed for you, or that you took only for the experience or feeling it caused. Mark the box on the right for "NO" if you have not done this. Again, we are interested in all kinds of prescription tranquilizers, in pill or non-pill form.

- a. Have you ever, even once, used Atarax that was not prescribed for you, or that you took only for the experience or feeling it caused?
- b. Have you ever, even once, used Ativan that was not prescribed for you, or that you took only for the experience or feeling it caused?
- c. ... Diazepam?
- d. ... Librium?
- e. Have you ever, even once, used Tranxene that was not prescribed for you, or that you took only for the experience or feeling it caused?
- f. ... Valium?
- g. ... Xanax?
- h. Have you ever used a tranquilizer whose name you don't know that was not prescribed for you, or that you took only for the experience or feeling it caused?
- i. Have you ever used any other tranquilizer besides these I've named from the list in T-1, that was not prescribed for you, or that you took only for the experience or feeling it caused? If you mark the "YES" box for this last item, please list on the lines at the bottom of the list the names of tranquilizers you've used in this way.

If you answered "NO" to each of the items in Question T-1, circle the 91 in the box below the list and tell me that you have finished this answer sheet.

(IF @ TELLS YOU THAT HE/SHE HAS COMPLETED THE ANSWER SHEET, SKIP TO BOX A ON PAGE 35.)

T-2. How old were you the first time you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- On the blank line, write in how old you were the first time you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused.

Now, please turn the answer sheet over and find question T-3.

T-3. Think about the entire time since you first used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Mark the first box for more than 300 days. [1]
- Mark the second box for at least 101 but not more than 300 days. [2]
- Mark the third box for at least 12 but not more than 100 days. [3]
- Mark the fourth box for at least 3 but not more than 11 days. [4]
- Mark the last box for at least 1 but not more than 2 days. [5]

T-4. How long has it been since you last used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Mark the first box if you used a tranquilizer sometime within the past 30 days that was not prescribed for you, or that you took only for the experience or feeling it caused. [1]
- Mark the second box for use more than 30 days ago but within the past 12 months. [2]
- Mark the next box for use more than 12 months ago but within the past 3 years. [3]
- Mark the last box for use more than 3 years ago. [4]

T-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Mark the first box for more than 300 days (which is every day or almost every day). [1]
- Mark the second for at least 201 but not more than 300 days (5 to 6 days a week). [2]
- Mark the next for at least 101 but not more than 200 days (3 to 4 days a week). [3]
- Mark the next for at least 51 but not more than 100 days (1 to 2 days a week). [4]
- Mark the next for at least 25 but not more than 50 days (3 to 4 days a month). [5]
- Mark the next for at least 12 but not more than 24 days (1 to 2 days a month). [6]
- Mark the next for at least 6 but not more than 11 days (less than one day a month). [7]
- Mark the next for at least 3 but not more than 5 days in the past 12 months. [8]
- And mark the next-to-the-last for at least 1 but not more than 2 days in the past 12 months. [9]
- Mark the last box if you have used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused, but not during the past 12 months. [93]

(WAIT FOR ® TO FINISH.)

Please check back and make sure you answered every question on tranquilizers.

(PAUSE)

Did you understand every question? (REPEAT QUESTIONS IF NECESSARY.)

BOX A

Please put your answer sheet in the envelope.

(TAKE BACK PILLCARD B.)

This section is about the use of drugs like amphetamines that are known as stimulants and "uppers." People sometimes take these drugs to lose weight or to stay awake. The questions ask only about prescription stimulants. Do not include over-the-counter stimulants, such as Dexatrim or No-Doz. We're interested only in use of prescription stimulants, uppers, and speed that were not prescribed for you, or that you took only for the experience or feeling they caused.

(HAND @ PILLCARD C -- MAKE SURE @ TAKES CARD IN HIS/HER HAND.)

Please look at Card C. It shows pictures of some different kinds of prescription stimulants and lists the names of some others. The questions about stimulants include all of these drugs on the card as well as all other stimulants that are supposed to be available only with a prescription from a doctor. These pictures show only pills, but we are interested in your use of any form of prescription stimulants that were not prescribed for you, or that you took only for the experience or feeling they caused.

(HAND @ STIMULANTS ANSWER SHEET #11.)

FI	DO YOU THINK @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?
CHECKPOINT	YES, @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 1 → (ASK Q.ST-0)
K	NO, I DOUBT THAT @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 2 → (SKIP TO Q.ST-

ST-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?

WANTS INTERVIEWER TO READ QUESTIONS ALOUD ☐ 1 → (SKIP TO Q.ST-1)
 WANTS TO COMPLETE THE ANSWER SHEET ON HIS/HER OWN ☐ 2 → (READ Q.ST-00)

ST-00. Please let me know when you are finished.

(WAIT UNTIL @ HAS FINISHED.)

ST-000. Did you understand all the questions? (REPEAT QUESTIONS, IF NECESSARY.)

Please make sure you marked an answer to every question. Put the answer sheet in the envelope.
 (TAKE BACK PILLCARD C AND GO TO PAGE 39, SEDATIVES.)

ST-1. Question ST-1 contains a list of some of the prescription stimulants shown on Card C. As I read the following list of prescription stimulants, please mark one box beside each stimulant. Mark the "YES" box on the left if you have ever used that stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused. Mark the "NO" box on the right if you have not done this. Again, we are interested in all kinds of prescription stimulants, in pill or non-pill form.

- a. Have you ever, even once, used Benzedrine that was not prescribed for you, or that you took only for the experience or feeling it caused?
- b. Have you ever, even once, used Biphedamine that was not prescribed for you, or that you took only for the experience or feeling it caused?
- c. ... Dexamyl?
- d. ... Dexedrine?
- e. ... Fastin?
- f. ... Ionamin?
- g. Have you ever, even once, used Methamphetamine that was not prescribed for you, or that you took only for the experience or feeling it caused?
- h. ... Methedrine?
- i. ... Preludin?
- j. Have you ever used a stimulant whose name you don't know that was not prescribed for you, or that you took only for the experience or feeling it caused?
- k. Have you ever used any other stimulant besides these I've named from the list in ST-1, that was not prescribed for you, or that you took only for the experience or feeling it caused? If you mark the "YES" box for this last item, please print on the lines at the bottom of the list the names of stimulants you've used in this way.

If you answered "NO" to each of the items in Question ST-1, circle the 91 in the box below the list and tell me that you have finished this answer sheet.

(IF @ TELLS YOU THAT HE/SHE HAS COMPLETED THE ANSWER SHEET, SKIP TO BOX A ON PAGE 38.)

ST-2. How old were you the first time you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

- On the blank line, write in how old you were the first time you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused.

Now, please turn the answer sheet over and find question ST-3.

ST-3. Think about the entire time since you first used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Mark the first box for more than 300 days. [1]
- Mark the second box for at least 101 but not more than 300 days. [2]
- Mark the third box for at least 12 but not more than 100 days. [3]
- Mark the fourth box for at least 3 but not more than 11 days. [4]
- Mark the last box for at least 1 but not more than 2 days. [5]

ST-4. How long has it been since you last used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Mark the first box if you used a stimulant sometime within the past 30 days that was not prescribed for you, or that you took only for the experience or feeling it caused. [1]
- Mark the second box for use more than 30 days ago but within the past 12 months. [2]
- Mark the next box for use more than 12 months ago but within the past 3 years. [3]
- Mark the last box for use more than 3 years ago. [4]

ST-5. Now think about the past 12 months. On how many days in the past 12 months did you use any stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Mark the first box for more than 300 days (which is every day or almost every day). [1]
- Mark the second for at least 201 but not more than 300 days (5 to 6 days a week). [2]
- Mark the next for at least 101 but not more than 200 days (3 to 4 days a week). [3]
- Mark the next for at least 51 but not more than 100 days (1 to 2 days a week). [4]
- Mark the next for at least 25 but not more than 50 days (3 to 4 days a month). [5]
- Mark the next for at least 12 but not more than 24 days (1 to 2 days a month). [6]
- Mark the next for at least 6 but not more than 11 days (less than one day a month). [7]
- Mark the next for at least 3 but not more than 5 days in the past 12 months. [8]
- And mark the next-to-last for at least 1 but not more than 2 days in the past 12 months. [9]
- Mark the last box if you have used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused, but not during the past 12 months. [93]

(WAIT FOR ® TO FINISH.)

Please check back and make sure you answered every question on stimulants.

(PAUSE)

Did you understand every question? (REPEAT QUESTIONS IF NECESSARY.)

BOX A

Please put your answer sheet in the envelope.

(TAKE BACK PILLCARD C.)

The questions in this section are about sedatives and barbiturates. These drugs are also called "downers" and sleeping pills. People take these drugs to help them relax or to stay calm. We're interested only in use of prescription sedatives that were not prescribed for you, or that you took only for the experience or feeling they caused.

(HAND @ PILLCARD D -- MAKE SURE @ TAKES CARD IN HIS/HER HAND.)

Please look at Card D. It shows pictures of some different kinds of prescription sedatives and lists the names of some others. The questions about sedatives include all of these drugs on the card as well as all other sedatives that are supposed to be available only with a prescription from a doctor. These pictures show only pills, but we are interested in your use of any form of prescription sedatives that were not prescribed for you, or that you took only for the experience or feeling they caused.

(HAND @ SEDATIVES ANSWER SHEET #12.)

FI	DO YOU THINK @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?	
CHECKPOINT	YES, @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN	<input type="checkbox"/> 1 → (ASK Q.S-0)
L	NO, I DOUBT THAT @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN	<input type="checkbox"/> 2 → (SKIP TO Q.S-1)

S-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?

WANTS INTERVIEWER TO READ QUESTIONS ALOUD ☐ 1 → (SKIP TO Q.S-1)
 WANTS TO COMPLETE THE ANSWER SHEET ON HIS/HER OWN ☐ 2 → (READ Q.S-00)

S-00. Please let me know when you are finished.

(WAIT UNTIL @ HAS FINISHED.)

S-000. Did you understand all the questions? (REPEAT QUESTIONS, IF NECESSARY.)

Please make sure you marked an answer to every question. Put the answer sheet in the envelope.

(TAKE BACK PILLCARD D AND GO TO PAGE 42, SPECIAL DRUGS.)

S-1. Question S-1 contains a list of some of the prescription sedatives shown on Card D. As I read the following list of prescription sedatives, please mark one box beside each sedative. Mark the "YES" box on the left if you have ever used that sedative when it was not prescribed for you, or that you took only for the experience or feeling it caused. Mark the "NO" box on the right if you have not done this. Again, we are interested in all kinds of prescription sedatives, in pill or non-pill form.

- a. Have you ever, even once, used Dalmane that was not prescribed for you, or that you took only for the experience or feeling it caused?
- b. Have you ever, even once, used Halcion that was not prescribed for you, or that you took only for the experience or feeling it caused?
- c. ... Methaqualone, including Sopor and Quaalude?
- d. Have you ever, even once, used Nembutal that was not prescribed for you, or that you took only for the experience or feeling it caused?
- e. ... Phenobarbital?
- f. ... Placidyl?
- g. ... Seconal?
- h. ... Tuinal?
- i. Have you ever used a sedative whose name you don't know that was not prescribed for you, or that you took only for the experience or feeling it caused?
- j. Have you ever used any other sedative besides these I've named from the list in S-1, that was not prescribed for you, or that you took only for the experience or feeling it caused? If you mark the "YES" box for this last item, please print on the lines at the bottom of the list the names of sedatives you've used in this way.

If you answered "NO" to each of the items in Question S-1, circle the 91 in the box below the list and tell me that you are finished with this answer sheet.

(IF @ TELLS YOU THAT HE/SHE HAS COMPLETED THE ANSWER SHEET, SKIP TO BOX A ON PAGE 41.)

S-2. How old were you the first time you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

- On the blank line, write in how old you were the first time you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused.

Now, please turn the answer sheet over and find question S-3.

S-3. Think about the entire time since you first used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Mark the first box for more than 300 days. [1]
- Mark the second box for at least 101 but not more than 300 days. [2]
- Mark the third box for at least 12 but not more than 100 days. [3]
- Mark the fourth box for at least 3 but not more than 11 days. [4]
- Mark the last box for at least 1 but not more than 2 days. [5]

S-4. How long has it been since you last used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Mark the first box if you used a sedative sometime within the past 30 days that was not prescribed for you, or that you took only for the experience or feeling it caused. [1]
- Mark the second box for use more than 30 days ago but within the past 12 months. [2]
- Mark the next box for use more than 12 months ago but within the past 3 years. [3]
- Mark the last box for use more than 3 years ago. [4]

S-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Mark the first box for more than 300 days (which is every day or almost every day). [1]
- Mark the second for at least 201 but not more than 300 days (5 to 6 days a week). [2]
- Mark the next for at least 101 but not more than 200 days (3 to 4 days a week). [3]
- Mark the next for at least 51 but not more than 100 days (1 to 2 days a week). [4]
- Mark the next for at least 25 but not more than 50 days (3 to 4 days a month). [5]
- Mark the next for at least 12 but not more than 24 days (1 to 2 days a month). [6]
- Mark the next for at least 6 but not more than 11 days (less than one day a month). [7]
- Mark the next for at least 3 but not more than 5 days in the past 12 months. [8]
- And mark the next-to-the-last for at least 1 but not more than 2 days in the past 12 months. [9]
- Mark the last box if you have used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused, but not during the past 12 months. [93]

WAIT FOR @ TO FINISH.)

Please check back and make sure you answered every question on sedatives.

(PAUSE)

Did you understand every question? (REPEAT QUESTIONS IF NECESSARY.)

BOX A

Please put your answer sheet in the envelope.

(TAKE BACK PILLCARD D.)

SPECIAL DRUGS

(ANSWER SHEET #13)

The questions in this section are mostly about the use of drugs with a needle. If some of the questions don't apply to you, you will be instructed to skip them.

(HAND @ SPECIAL DRUGS ANSWER SHEET #13.)

FI	DO YOU THINK @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?
CHECKPOINT	YES, @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 1 → (ASK Q.SD-0)
M	NO, I DOUBT THAT @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 2 → (SKIP TO Q.SD-1)

SD-0. We would like you to complete this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?

WANTS INTERVIEWER TO READ QUESTIONS ALOUD ☐1 → (SKIP TO Q.SD-1)
WANTS TO COMPLETE THE ANSWER SHEET ON HIS/HER OWN ☐2 → (READ Q.SD-00)

SD-00. Please let me know when you are finished.

(WAIT UNTIL @ HAS FINISHED.)

SD-000. Did you understand all the questions? (REPEAT QUESTIONS, IF NECESSARY.)

Please make sure you marked an answer to every question on this answer sheet except for any you were instructed to skip. Put the answer sheet in the envelope.

(GO TO PAGE 46, RISK/AVAILABILITY.)

SD-1. Have you ever, even once, used heroin in any form?

- If your answer is yes, mark the first box under SD-1. → (READ Q.SD-2.) [1]
- If your answer is no, mark the second box under SD-1 and tell me. → (INSTRUCT @ TO SKIP TO Q.SD-6) [2]

SD-2. Question SD-2 says: Have you ever, even once, smoked heroin?

- If you have ever smoked heroin, mark the first box. [1]
- If you have used heroin, but have never smoked it, mark the second box. [2]

SD-3. How long has it been since you last smoked heroin?

- If your answer is within the past 30 days, mark the first box. [1]
- If your answer is more than 30 days ago but within the past 12 months, mark the second box. [2]
- If your answer is more than 12 months ago but within the past 3 years, mark the third box. [3]
- If your answer is more than 3 years ago, mark the fourth box. [4]
- If you have used heroin, but have never smoked it, mark the last box. [93]

SD-4. Question SD-4 asks: Have you ever, even once, sniffed ("snorted") heroin powder through your nose?

- If you have ever sniffed ("snorted") heroin, mark the first box. [1]
- If you have used heroin, but never sniffed ("snorted") it, mark the second box. [2]

SD-5. How long has it been since you last sniffed ("snorted") heroin powder through your nose?

- If your answer is within the past 30 days, mark the first box. [1]
- If your answer is more than 30 days ago but within the past 12 months, mark the second box. [2]
- If your answer is more than 12 months ago but within the past 3 years, mark the third box. [3]
- If your answer is more than 3 years ago, mark the fourth box. [4]
- If you have used heroin, but never sniffed ("snorted") it, mark the last box. [93]

Please turn the page.

SD-6. Question SD-6 says: Have you ever, even once, used a needle to inject a drug that was not prescribed for you, or that you took only for the experience or feeling it caused?

- If your answer is yes, mark the first box under SD-6. → (READ Q.SD-7) [1]
- If your answer is no, mark the second box under SD-6 and tell me. → (SKIP TO BOX A ON PAGE 45) [2]

SD-7. Question SD-7 asks: Have you ever, even once, used a needle to inject cocaine?

- If you have ever used a needle to inject cocaine, mark the first box. [1]
- If you have used cocaine, but never with a needle, mark the second box. [93]
- If you have never used any form of cocaine in your life, mark the third box. [91]

SD-8. Question SD-8 says: How long has it been since you last used a needle to inject cocaine?

- If your answer is within the past 30 days, mark the first box. [1]
- If your answer is more than 30 days ago but within the past 12 months, mark the second box. [2]
- If your answer is more than 12 months ago but within the past 3 years, mark the third box. [3]
- If your answer is more than 3 years ago, mark the fourth box. [4]
- If you have used cocaine but never with a needle, mark the next-to-last box. [93]
- If you have never used any form of cocaine in your life, mark the last box. [91]

SD-9. Have you ever, even once, used a needle to inject heroin?

- If you have ever used a needle to inject heroin, mark the first box. [1]
- If you have used heroin, but never with a needle, mark the second box. [93]
- If you have never used heroin in your life, mark the last box. [91]

Please go to the next page.

SD-10. How long has it been since you last used a needle to inject heroin?

- If your answer is within the past 30 days, mark the first box. [1]
- If your answer is more than 30 days ago but within the past 12 months, mark the second box. [2]
- If your answer is more than 12 months ago but within the past 3 years, mark the third box. [3]
- If your answer is more than 3 years ago, mark the fourth box. [4]
- If you have used heroin, but never with a needle, mark the next-to-last box. [93]
- If you have never used heroin in your life, mark the last box. [91]

SD-11. Have you ever, even once, used a needle to inject a stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?

- Mark the first box if you have ever used a needle to inject a stimulant when it was not prescribed for you, or only for the feeling or experience it caused. [1]
- Mark the second box if you have used a stimulant when it was not prescribed for you, or only for the experience or feeling it caused, but never with a needle. [93]
- Mark the third box if you have never in your life used any stimulant when it was not prescribed for you, or only for the experience or feeling it caused. [91]

SD-12. How long has it been since you last used a needle to inject any stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?

- Mark the first box if you used a needle sometime within the past 30 days to inject a stimulant when it was not prescribed for you, or only for the experience or feeling it caused. [1]
- Mark the second box for use more than 30 days ago but within the past 12 months. [2]
- Mark the next box for use more than 12 months ago but within the past 3 years. [3]
- And mark the next box for use more than 3 years ago. [4]
- Mark the next-to-last box if you have ever used a stimulant when it was not prescribed for you, or only for the experience or feeling it caused, but never with a needle. [93]
- Mark the last box if you have never in your life used any stimulant when it was not prescribed for you, or only for the experience or feeling it caused. [91]

SD-13. Think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle you had used before?

- If you reused a needle that you had used before the last time you used a needle for injecting drugs, mark the first box. [1]
- If you did not reuse a needle that you had used before the last time you used a needle for injecting drugs, mark the second box. [2]

Please go to the next page.

SD-14. The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?

- If you used a needle that you knew or suspected someone else had used before the last time you used a needle for injecting drugs, mark the first box. [1]
- If you did not use a needle that you knew or suspected someone else had used before the last time you used a needle for injecting drugs, mark the second box. [2]

SD-15. The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?

- If you used bleach to clean the needle the last time you used a needle for injecting drugs, mark the first box. [1]
- If you did not use bleach to clean the needle the last time you used a needle for injecting drugs, mark the second box. [2]

SD-16. The last time you used a needle for injecting drugs, did someone else use the needle after you?

- If someone else used the needle after you the last time you used a needle for injecting drugs, mark the first box. [1]
- If no one else used the needle after you the last time you used a needle for injecting drugs, mark the second box. [2]

SD-17. The last time you used a needle for injecting drugs, how did you get the needle?

- If you bought the needle from a pharmacy, mark the first box. [1]
- If you got the needle from a needle exchange, mark the second box. [2]
- If you bought the needle on the street, mark the third box. [3]
- If you got the needle in a shooting gallery, mark the next-to-last box. [4]
- If you got the needle some other way, mark the last box and write on the line at the bottom of the list what this other way was. [5]

(WAIT FOR @ TO FINISH.)

BOX A

Please check back and make sure you marked an answer for each question on this answer sheet except for any you were instructed to skip. If you have any questions, let me know.

(PAUSE.)

Please put your answer sheet in the envelope.

RISK/AVAILABILITY

(ANSWER SHEET

We are interested in your opinion about the effects of using certain drugs and other substances, about whether it's difficult or easy to get drugs, and the extent to which drugs are available in your neighborhood.

(HAND @ THE RISK/AVAILABILITY ANSWER SHEET #14.)

First, we want you to tell us how much you think people risk harming themselves physically and in other ways when they do each of the things listed on this answer sheet.

Please notice when you get to question R-2, you are asked to mark a box to tell us how difficult or easy it would be to get several different kinds of drugs.

FI	DO YOU THINK @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?
CHECKPOINT	YES, @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 1 → (ASK Q.R-0)
N	NO, I THINK THAT @ MAY HAVE TROUBLE COMPLETING THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 2 → (SKIP TO Q.R-1)

R-0. We would like you to complete this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?

WANTS INTERVIEWER TO READ QUESTIONS ALOUD ☐ 1 → (SKIP TO Q.R-1)

WANTS TO COMPLETE THE ANSWER SHEET ON HIS/HER OWN ☐ 2 → (READ Q.R-00)

R-00. If you need my help, just let me know. Please tell me when you are finished with the last question.

(WAIT UNTIL @ HAS FINISHED.)

R-000. Please check back and make sure that you have marked one box for each activity in question R-1 and for each kind of drug in question R-2. Also, check to see that you have marked an answer for R-3 and for each statement in R-4. Put your answer sheet in the envelope.

(GO TO PAGE 51, DRUGS.)

R-1a. How much do you think people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day?

- Mark the first box if you think there is no risk. [1]
- Mark the second box if you think there is a slight risk. [2]
- Mark the third box if you think there is a moderate risk. [3]
- Mark the fourth box if you think there is a great risk. [4]

- R-1b. **How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month?**
- Mark the first box if you think there is no risk. [1]
 - Mark the second box if you think there is a slight risk. [2]
 - Mark the third box if you think there is a moderate risk. [3]
 - Mark the fourth box if you think there is a great risk. [4]
- R-1c. **How much do you think people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week? Is there:**
- No risk? [1]
 - Slight risk? [2]
 - Moderate risk, or [3]
 - Great risk? [4]
- R-1d. **How much do people risk harming themselves physically and in other ways when they try LSD once or twice? Is there:**
- No risk? [1]
 - Slight risk? [2]
 - Moderate risk, or [3]
 - Great risk? [4]
- R-1e. **How much do people risk harming themselves physically and in other ways when they use LSD once or twice a week? Is there:**
- No risk? [1]
 - Slight risk? [2]
 - Moderate risk, or [3]
 - Great risk? [4]
- R-1f. **How much do people risk harming themselves physically and in other ways when they try heroin once or twice? Is there:**
- No risk? [1]
 - Slight risk? [2]
 - Moderate risk, or [3]
 - Great risk? [4]
- R-1g. **How much do people risk harming themselves physically and in other ways when they use heroin once or twice a week? Is there:**
- No risk? [1]
 - Slight risk? [2]
 - Moderate risk, or [3]
 - Great risk? [4]

R-1h. How much do people risk harming themselves physically and in other ways **when they use cocaine once a month?** Is there:

- No risk? [1]
- Slight risk? [2]
- Moderate risk, or [3]
- Great risk? [4]

R-1i. How much do people risk harming themselves physically and in other ways **when they use cocaine once or twice a week?** Is there:

- No risk? [1]
- Slight risk? [2]
- Moderate risk, or [3]
- Great risk? [4]

R-1j. How much do people risk harming themselves physically and in other ways **when they have four or five drinks nearly every day?** Is there:

- No risk? [1]
- Slight risk? [2]
- Moderate risk, or [3]
- Great risk? [4]

R-1k. The last item in question R-1 is: **How much do people risk harming themselves physically and in other ways when they have five or more drinks once or twice a week?** Is there:

- No risk? [1]
- Slight risk? [2]
- Moderate risk, or [3]
- Great risk? [4]

Question R-2 asks you to tell us how difficult you think it would be for you to get several different kinds of drugs, if you wanted some. Please mark one box on each line.

R-2a. **How difficult or easy would it be for you to get some marijuana, if you wanted some?**

- Mark the first box if you think it would probably be impossible. [1]
- Mark the second box if you think it would be very difficult. [2]
- Mark the third box if you think it would be fairly difficult. [3]
- Mark the fourth box if you think it would be fairly easy. [4]
- Mark the fifth box if you think it would be very easy. [5]

R-2b. **How difficult or easy would it be for you to get some LSD if you wanted some? Would getting LSD ...**

- Probably be impossible, [1]
- Very difficult, [2]
- Fairly difficult, [3]
- Fairly easy, or [4]
- Very easy? [5]

R-2c. **How difficult or easy would it be for you to get some cocaine if you wanted some? Would getting cocaine ...**

- Probably be impossible, [1]
- ~~Very~~ Very difficult, [2]
- Fairly difficult, [3]
- Fairly easy, or [4]
- Very easy? [5]

R-2d. **How difficult or easy would it be for you to get some "crack" if you wanted some? Would getting "crack" ...**

- Probably be impossible, [1]
- Very difficult, [2]
- Fairly difficult, [3]
- Fairly easy, or [4]
- Very easy? [5]

R-2e. **How difficult or easy would it be for you to get some heroin, if you wanted some? Would getting heroin ...**

- Probably be impossible, [1]
- Very difficult, [2]
- Fairly difficult, [3]
- Fairly easy, or [4]
- Very easy? [5]

Please turn the answer sheet over.

R-3. **In the past 30 days, has anyone approached you to sell you an illegal drug?**

- If your answer is yes, mark the first box. [1]
- If your answer is no, mark the second box. [2]

Question R-4 asks you to tell us how often a number of statements apply to you. Please mark one box on each line.

R-4a. How often do you get a real kick out of doing things that are a little dangerous? Would you say ...

- Never, [1]
- Seldom, [2]
- Sometimes, or [3]
- Always? [4]

R-4b. How often do you like to test yourself by doing something a little risky? Would you say ...

- Never, [1]
- Seldom, [2]
- Sometimes, or [3]
- Always? [4]

R-4c. How often do you wear a seatbelt when you are riding in the front passenger seat of a car? Would you say...

- Never, [1]
- Seldom, [2]
- Sometimes, or [3]
- Always? [4]

R-4d. How often do you wear a seatbelt when you drive a car? Would you say ...

- Never, [1]
- Seldom, [2]
- Sometimes, or [3]
- Always? [4]
- If you do not drive, mark the last box [91]

Now, check back and make sure you marked one box for every activity in question R-1 and for each kind of drug in question R-2. Also check to see that you have marked an answer for R-3 and for each statement in R-4.

Please put your answer sheet in the envelope.

DRUGS

(ANSWER SHEET #15)

Now, we'd like for you to tell us about your overall experience in the past 12 months with the drugs listed on this answer sheet.

(HAND @ DRUGS ANSWER SHEET #15.)

All the questions on this answer sheet refer to the past 12 months — that is, since your 12-month reference date.

FI	DO YOU THINK @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?
CHECKPOINT	YES, @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 1 → (ASK Q.DR-0)
O	NO, I DOUBT THAT @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 2 → (SKIP TO Q.DR-1)

DR-0. We would like you to complete this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?

WANTS INTERVIEWER TO READ QUESTIONS ALOUD ☐ 1 → (SKIP TO Q.DR-1)
WANTS TO COMPLETE THE ANSWER SHEET ON HIS/HER OWN ☐ 2 → (READ Q.DR-00)

DR-00. Okay. Refer to the instructions in DR-1 and mark a box for each type of drug listed. Mark the box in the column labeled "YES" if you used that type of drug during the past 12 months, or mark the box in the column labeled "NO" if you did not use any of the types of drugs listed during the past 12 months.

If you answered "NO" to each of the types of drugs listed in Question DR-1, circle the 93 in the box below the list and tell me that you have finished this answer sheet.

Please let me know when you have finished this answer sheet.

(WAIT UNTIL @ HAS FINISHED.)

DR-000. (READ NEXT STATEMENT TO ANY @ WHO DID NOT CIRCLE THE 93 AFTER DR-1 AND DID CONTINUE WITH THE ANSWER SHEET.)

Please check back and make sure you answered every question on this answer sheet. Put the answer sheet in the envelope.

(GO TO PAGE 57, SPECIAL TOPICS.)

DR-1. As I read the list of types of drugs in question DR-1, please mark one box beside each type of drug to indicate whether you have used that type of drug during the past 12 months. On each line, mark the "YES" box on the left if you have used that type of drug during the past 12 months. Mark the "NO" box on the right if you have not used that type of drug during the past 12 months.

- a. Cigarettes?
- b. Alcohol?
- c. Marijuana or hashish?
- d. Cocaine, including "crack"?
- e. Heroin?
- f. Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote?
- g. Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids?

Remember that for prescription drugs, we are only interested in use during the past 12 months of a drug that was not prescribed for you, or that you took only for the experience or feeling it caused.

- h. Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates?
- i. Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs?
- j. Stimulants, such as methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines?
- k. Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers?"

If you answered "no" to each of the types of drugs listed in a through k in Question DR-1, circle the 93 in the box below the list and tell me that you have finished this answer sheet.

(IF @ TELLS YOU THAT HE/SHE HAS COMPLETED THE ANSWER SHEET, SKIP TO BOX A ON PAGE 56.)

DR-2. As I read the list of types of drugs in question DR-2, please mark one box beside each type of drug to indicate whether you had a period of a month or more during the past 12 months when you spent a great deal of time getting the drug, using the drug, or getting over its effects. On each line, mark the "YES" box on the left if you had such a period during the past 12 months. Mark the "NO" box on the right if you did not have such a period during the past 12 months, or if you did not use that drug in the past 12 months, or ever.

- a. During the past 12 months, did you have a period of a month or more when you spent a great deal of time getting, using, or getting over the effects of cigarettes?
- b. During the past 12 months, did you have a period of a month or more when you spent a great deal of time getting, using, or getting over the effects of alcohol?
- c. ... Marijuana or hashish?
- d. ... Cocaine, including "crack"?
- e. ... Heroin?
- f. During the past 12 months, did you have a period of a month or more when you spent a great deal of time getting, using, or getting over the effects of hallucinogens?
- g. ... Inhalants?

Remember that for prescription drugs we are only interested in use during the past 12 months of a drug that was not prescribed for you or that you took only for the experience or feeling it caused.

- h. During the past 12 months, did you have a period of a month or more when you spent a great deal of time getting, using, or getting over the effects of pain killers?
- i. ... Tranquilizers?
- j. ... Stimulants?
- k. ... Sedatives?

ease turn the page and find question DR-3.

DR-3. As I read the list of types of drugs in question DR-3, please mark one box beside each type of drug to indicate whether you have used that kind of drug much more often or in larger amounts than you intended to during the past 12 months. On each line, mark the "YES" box on the left if you have used that kind of drug much more often or in larger amounts than you intended to. Mark the "NO" box on the right if you have not used that kind of drug much more often or in greater amounts than you intended to, or if you did not use that kind of drug in the past 12 months, or ever.

- a. During the past 12 months, have you used cigarettes much more often or in larger amounts than you intended to?
- b. During the past 12 months, have you used alcohol much more often or in larger amounts than you intended to?
- c. ... Marijuana or hashish?
- d. ... Cocaine, including "crack"?
- e. ... Heroin?
- f. During the past 12 months, have you used hallucinogens much more often or in larger amounts than you intended to?
- g. ... Inhalants?
- h. During the past 12 months, have you used pain killers much more often or in larger amounts than you intended to?
- i. ... Tranquilizers?
- j. ... Stimulants?
- k. ... Sedatives?

DR-4. As I read the list of types of drugs in question DR-4, please mark one box beside each type of drug to indicate whether you have built up a tolerance for the drug so that the same amount of the drug had less effect than before during the past 12 months. On each line, mark the "YES" box on the left if you have built up a tolerance for the drug so that the same amount of the drug had less effect than before. Mark the "NO" box on the right if you did not build up a tolerance for the drug so that the same amount of the drug had less effect than before during the past 12 months, or if you did not use that drug in the past 12 months, or ever.

- a. During the past 12 months, have you needed larger amounts of cigarettes to get the same effect?
- b. During the past 12 months, have you needed larger amounts of alcohol to get the same effect?
- c. ... Marijuana or hashish?
- d. ... Cocaine, including "crack"?
- e. ... Heroin?
- f. During the past 12 months, have you needed larger amounts of hallucinogens?
- g. ... Inhalants?
- h. During the past 12 months, have you needed larger amounts of pain killers?
- i. ... Tranquilizers?
- j. ... Stimulants?
- k. ... Sedatives?

Please go to the next page and find DR-5.

DR-5. As I read the list of types of drugs in question DR-5, please mark one box beside each type of drug to indicate whether your use of that drug has often kept you from working, going to school, taking care of children, or engaging in recreational activities during the past 12 months. On each line, mark the "YES" box on the left if your use of that drug has often caused you to reduce or give up important activities. Mark the "NO" box on the right if your use of that drug did not cause you to reduce or give up important activities or if you did not use that drug in the past 12 months, or ever.

- a. During the past 12 months, has your use of cigarettes often caused you to reduce or give up important activities?
- b. During the past 12 months, has your use of alcohol often caused you to reduce or give up important activities?
- c. ... Marijuana or hashish?
- d. ... Cocaine, including "crack"?
- e. ... Heroin?
- f. During the past 12 months, has your use of hallucinogens often caused you to reduce or give up important activities?
- g. ... Inhalants?
- h. During the past 12 months, has your use of pain killers often caused you to reduce or give up important activities?
- i. ... Tranquilizers?
- j. ... Stimulants?
- k. ... Sedatives?

DR-6. As I read the list of drugs in question DR-6, please mark one box beside each type of drug to indicate whether your use of the drug has caused you to have any emotional or psychological problems -- such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas during the past 12 months. On each line, mark the "YES" box on the left if you feel that drug caused you to have emotional problems like these. Mark the "NO" box on the right if the drug did not cause these types of emotional problems for you during the past 12 months, or if you did not use that drug in the past 12 months, or ever.

- a. During the past 12 months, has your use of cigarettes caused you to have emotional problems?
- b. During the past 12 months, has your use of alcohol caused you to have emotional problems?
- c. ... Marijuana or hashish?
- ~~d.~~ ... Cocaine, including "crack"?
- e. ... Heroin?
- f. During the past 12 months, has your use of hallucinogens caused you to have emotional problems?
- g. ... Inhalants?
- h. During the past 12 months, has your use of pain killers caused you to have emotional problems?
- i. ... Tranquilizers?
- j. ... Stimulants?
- k. ... Sedatives?

Please turn the page and find question DR-7.

DR-7. As I read the list of drugs in question DR-7, please mark one box beside each type of drug to indicate whether your use of the drug has caused you to have any health problems -- such as liver disease, stomach disease, pancreatitis, feet tingling, numbness, memory problems, an accidental overdose, a persistent cough, a seizure or fit, hepatitis, or abscesses during the past 12 months. On each line, mark the "YES" box on the left if you feel that drug caused you to have physical problems like these. Mark the "NO" box on the right if the drug did not cause these types of physical problems for you during the past 12 months, or if you did not use that drug in the past 12 months, or ever.

- a. During the past 12 months, has your use of cigarettes caused you to have physical problems?
- b. During the past 12 months, has your use of alcohol caused you to have physical problems?
- c. ... Marijuana or hashish?
- d. ... Cocaine, including "crack"?
- e. ... Heroin?
- f. During the past 12 months, has your use of hallucinogens caused you to have physical problems?
- g. ... Inhalants?
- h. During the past 12 months, has your use of pain killers caused you to have physical problems?
- i. ... Tranquilizers?
- j. ... Stimulants?
- k. ... Sedatives?

DR-8. As I read the list of drugs in question DR-8, please mark one box beside each type of drug to indicate whether, during the past 12 months, you have wanted to or tried to stop or cut down on your use of that drug but found that you couldn't. On each line, mark the "YES" box on the left if you wanted to or tried to stop or cut down on your use of that drug, but found that you couldn't. Mark the "NO" box on the right if you did not want or try to cut down on your use of that drug in the past 12 months, or if you did not use that drug in the past 12 months, or ever.

- a. During the past 12 months, did you want to or try to stop or cut down on your use of cigarettes but found that you couldn't?
- b. During the past 12 months, did you want to or try to stop or cut down on your use of alcohol but found that you couldn't?
- c. ... Marijuana or hashish?
- d. ... Cocaine, including "crack"?
- e. ... Heroin?
- f. During the past 12 months, did you want to or try to stop or cut down on your use of hallucinogens but found that you couldn't?
- g. ... Inhalants?
- h. During the past 12 months, did you want to or try to stop or cut down on your use of pain killers but found that you couldn't?
- i. ... Tranquilizers?
- j. ... Stimulants?
- k. ... Sedatives?

(WAIT FOR @ TO FINISH.)

Please check back and make sure you marked answers for each kind of drug in each question, DR-1 through DR-8, on this answer sheet.

BOX A

Please put your answer sheet in the envelope.

SPECIAL TOPICS

(ANSWER SHEET #16)

This answer sheet contains questions about treatment for drug or alcohol use, and encounters with the police or someone connected with the courts.

(HAND @ SPECIAL TOPICS ANSWER SHEET #16.)

If any question isn't clear, I'll be happy to help you with it.

FI	DO YOU THINK @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?
CHECKPOINT	YES, @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 1 → (ASK Q.SP-0)
P	NO, I DOUBT THAT @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 2 → (SKIP TO Q.SP-1)

SP-0. We would like you to complete this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?

WANTS INTERVIEWER TO READ QUESTIONS ALOUD ☐ 1 → (SKIP TO Q.SP-1)
WANTS TO COMPLETE ANSWER SHEET ON HIS/HER OWN ☐ 2 → (READ Q.SP-00)

SP-00. Please let me know when you have finished the answer sheet.

(WAIT UNTIL @ HAS FINISHED.)

SP-000. Please check back and make sure you marked one answer for each question except for any you were instructed to skip. Put the answer sheet in the envelope.

(GO TO PAGE 61, TREATMENT)

SP-1. At any time during the past 12 months did you receive treatment or counseling for your drug or alcohol use?

- If you have received treatment or counseling for your drug or alcohol use during the past 12 months, mark the first box under SP-1 and tell me. → (INSTRUCT @ TO SKIP TO Q.SP-6) [1]
- If you have not received treatment or counseling for your drug or alcohol use during the past 12 months, mark the second box under SP-1. → (READ Q.SP-2) [2]

SP-2. At any time during the past 12 months did you need treatment or counseling for your drug or alcohol use?

- If you needed treatment or counseling for your drug or alcohol use during the past 12 months, mark the first box under SP-2. → (READ Q.SP-3) [1]
- If you did not need treatment or counseling for your drug or alcohol use during the past 12 months, mark the second box under SP-2 and tell me. → (INSTRUCT ® TO SKIP TO Q.SP-6) [2]

Please turn the page.

SP-3. Question SP-3: As I read the following list of drugs, please mark one box beside each type of drug to indicate whether you needed treatment or counseling for your use of that kind of drug during the past 12 months. For each line, mark the "YES" box on the left if you needed treatment or counseling for that kind of drug during the past 12 months. Mark the "NO" box on the right if you did not need treatment or counseling for that kind of drug during the past 12 months.

- a. During the past 12 months, did you need treatment or counseling for your use of alcohol?
- b. During the past 12 months, did you need treatment or counseling for your use of marijuana or hashish?
- c. ...Cocaine or "crack"?
- d. ...Heroin?
- e. ...Hallucinogens?
- f. ...Inhalants?
- g. During the past 12 months, did you need treatment or counseling for your use of prescription pain killers or analgesics?
- h. ...Prescription tranquilizers?
- i. ...Prescription stimulants?
- j. ...Prescription sedatives?
- k. During the past 12 months, have you needed treatment or counseling for your use of some other drug besides those I've named from the list in SP-3? If you mark the "YES" box for this last item, please print on the line at the bottom of the list the name of the other drug for which you got treatment or counseling for during the past 12 months.

SP-4. During the past 12 months, did you take any steps to obtain treatment or counseling for your drug or alcohol use?

- If you took any steps to obtain treatment or counseling for your drug or alcohol use during the past 12 months, mark the first box under SP-4. [1]
- If you did not take any steps to obtain treatment or counseling for your drug or alcohol use during the past 12 months, mark the second box under SP-4. [2]

SP-5. For question SP-5, as I read the following list of reasons, please mark one box beside each reason to indicate whether it explains why you did not obtain treatment or counseling for your drug or alcohol use during the past 12 months. For each line, mark the "YES" box on the left if the reason explains why you did not obtain treatment or counseling for that kind of drug during the past 12 months. Mark the "NO" box on the right if the reason does not explain why you did not obtain treatment or counseling for that kind of drug during the past 12 months.

- a. During the past 12 months, did you not obtain treatment or counseling for your drug or alcohol use because you had no transportation to the treatment or counseling program?
- b. During the past 12 months, did you not obtain treatment or counseling for your drug or alcohol use because the nearest treatment or counseling programs were too far away?
- c. ...The treatment or counseling programs' hours were not convenient?
- d. ...There were no openings in the treatment or counseling programs?
- e. ...The programs didn't offer the type of treatment or counseling you wanted?
- f. ...You didn't have insurance or money to pay for the programs?
- g. ...The programs' facilities were not accessible to the handicapped?
- h. ...Participation in the program was too complicated?
- i. ...The programs' counselors didn't meet your ethnic or language needs?
- j. ...The programs did not offer special services that you needed, such as medical or mental health care, housing, employment counseling, child care, etc?
- k. Was there some other reason why you did not obtain treatment or counseling for your drug or alcohol use during the past 12 months? If you mark the "YES" box for this last item, please print on the line at the bottom of the list the other reasons why you did not obtain treatment or counseling for your drug or alcohol use during the past 12 months.

Please go to the next page.

SP-6. Not counting minor traffic violations, have you ever been arrested and booked for breaking the law? Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.

- If your answer is yes, mark the first box. → (READ Q.SP-7) [1]
- If your answer is no, mark the second box and tell me. → (INSTRUCT @ TO SKIP TO Q.SP-9) [2]

SP-7. Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking a law?

- In the space provided, please write in the number of times in the past 12 months that you have been arrested and booked for breaking a law. → (READ Q.SP-8)
- If you have not been arrested and booked for breaking a law in the past 12 months, mark the second box and tell me. → (INSTRUCT @ TO SKIP TO Q.SP-9) [93]

SP-8. SP-8 has a list of offenses that are against the law. As I read the list, please mark one box beside each offense to indicate whether you were arrested and booked for that offense in the past 12 months. For each line, mark the "YES" box on the left if you were arrested and booked for that offense in the past 12 months. For this question, do not include minor traffic violations.

- a. In the past 12 months, were you arrested and booked for larceny or theft?
- b. In the past 12 months, were you arrested and booked for burglary or breaking and entering?
- c. Aggravated assault?
- d. Other assault, such as simple assault or battery?
- e. Motor vehicle theft?
- f. Robbery?
- g. Forcible rape?
- h. Murder, homicide, or nonnegligent manslaughter?
- i. Arson?
- j. Driving under the influence?
- k. Drunkenness or other liquor law violation?
- l. Possession or sale of drugs?
- m. Prostitution or commercialized sex?
- n. Other property offenses, such as fraud, possessing stolen goods, or vandalism?
- o. In the past 12 months, were you arrested and booked for some other offense besides these I've named from the list in SP-8? If you mark the "YES" box for this last item, please describe on the line at the bottom of the list the kinds of offenses for which you were arrested and booked in the past 12 months.

Please turn to the next page.

SP-9. Were you on probation at any time during the past 12 months?

- If you were on probation at any time during the past 12 months, mark the first box. [1]
- If you were not on probation at any time during the past 12 months, mark the second box. [2]

SP-10. Were you on parole at any time during the past 12 months?

- If you were on parole at any time during the past 12 months, mark the first box. [1]
- If you were not on parole at any time during the past 12 months, mark the second box. [2]

SP-11. Question SP-11 deals with activities that may be against the law. As I read each item, please mark one box beside each item to indicate whether you have done the activity during the past 12 months. For each line, mark the "YES" box on the left if you have done the activity during the past 12 months. Mark the "NO" box on the right if you have not done the activity during the past 12 months.

- a. During the past 12 months, have you driven a vehicle while you were under the influence of a combination of alcohol and illegal drugs used together?
- b. During the past 12 months, have you driven a vehicle while you were under the influence of alcohol?
- c. During the past 12 months, have you driven a vehicle while you were under the influence of illegal drugs?

(WAIT FOR ® TO FINISH.)

Please check back and make sure you marked answers for all the questions except for any you were instructed to skip.

Please put your answer sheet in the envelope.

TREATMENT

(ANSWER SHEET #17)

This set of questions deals with treatment for alcohol and drug problems, not including cigarettes. For these questions we are interested in treatment designed to help you reduce or stop your alcohol or drug use and also treatment for medical problems associated with your alcohol or drug use.

(HAND ® TREATMENT ANSWER SHEET #17.)

If any question isn't clear, I'll be happy to help you with it.

FI	DO YOU THINK ® CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?	
CHECKPOINT	YES, ® CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN	<input type="checkbox"/> 1 → (ASK Q.TX-0)
Q	NO, I DOUBT THAT ® CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN	<input type="checkbox"/> 2 → (SKIP TO Q.TX-1)

TX-0. We would like you to complete this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?

WANTS INTERVIEWER TO READ QUESTIONS ALOUD ☐ 1 → (SKIP TO Q.TX-1)

WANTS TO COMPLETE THE ANSWER SHEET ON HIS/HER OWN ☐ 2 → (READ Q.TX-00)

TX-00. Please let me know when you have finished the answer sheet.

(WAIT UNTIL ® HAS FINISHED.)

TX-000. Please check back and make sure you marked one answer for each question except for any you were instructed to skip. Put the answer sheet in the envelope.

(GO TO PAGE 66, WORKPLACE ISSUES.)

TX-1. Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

- If you have ever received treatment or counseling for your use of any drug, besides cigarettes, mark the first box under TX-1. → (READ Q.TX-2.) [1]
- If you have never received treatment or counseling for your use of any drug other than cigarettes, mark the second box under TX-1 and tell me. → (SKIP TO BOX A ON PAGE 65.) [2]

TX-2. How many times in your life have you started into treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

- Write on the solid blank line the number of times in your life you have started into treatment or counseling for your alcohol or drug use, not counting cigarettes.

TX-3. How many times in the past 12 months have you started into treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

- Write on the solid blank line the number of times in the past 12 months you have started into treatment or counseling for your alcohol or drug use, not counting cigarettes.

TX-4. As I read the names of places where treatment or counseling for alcohol use is offered, Please mark one box beside each type of treatment place in question TX-4 to indicate whether you have received treatment for your alcohol use in that type of facility during the past 12 months. On each line, mark the "YES" box on the left if you received treatment for your alcohol use in that type of facility in the past 12 months. Mark the "NO" box on the right if you did not receive treatment for your alcohol use in that type of facility in the past 12 months.

- a. During the past 12 months, have you received treatment for your use of alcohol in a hospital overnight as an inpatient?
- b. During the past 12 months, have you received treatment for your use of alcohol in a residential drug or alcohol rehabilitation facility where you stayed overnight?
- c. ... A drug or alcohol rehabilitation facility as an outpatient?
- d. ... A mental health center or facility as an outpatient?
- e. ... An emergency room?
- f. ... A private doctor's office?
- g. ... A prison or jail?
- h. ... A self-help group?
- i. During the past 12 months, have you received treatment in some other place besides these I've named from the list in TX-4? If you mark the "YES" box for this last item, please print on the line at the bottom of the list the kinds of places where you've gotten treatment for your alcohol use in the past 12 months.

Please turn the page.

TX-5. As I read the names of places where treatment or counseling for drug use is offered, please mark one box beside each type of treatment place in question TX-5 to indicate whether you have received treatment for your use of other drugs not counting cigarettes or alcohol in that type of facility during the past 12 months. For each line, mark the "YES" box on the left if you received treatment for other drug use in that type of facility in the past 12 months. Mark the "NO" box on the right if you did not receive treatment for other drug use in that type of facility in the past 12 months.

- a. During the past 12 months, have you received treatment for your use of drugs other than cigarettes or alcohol in a hospital overnight as an inpatient?
- b. During the past 12 months, have you received treatment for your use of drugs other than cigarettes or alcohol in a residential drug or alcohol rehabilitation facility where you stayed overnight?
- c. ... A drug or alcohol rehabilitation facility as an outpatient?
- d. ... A mental health center or facility as an outpatient?
- e. ... An emergency room?
- f. ... A private doctor's office?
- g. ... A prison or jail?
- h. ... A self-help group?
- i. During the past 12 months, have you received treatment in some other place besides these I've named from the list in TX-5? If you mark the "YES" box for this last item, please print on the line at the bottom of the list the kinds of places where you've gotten treatment for drug use other than cigarettes or alcohol in the past 12 months.

TX-6. Question TX-6 asks: **During the past 12 months, how many times did you visit a hospital emergency room to receive treatment related to your use of cocaine, heroin, marijuana, or other illegal drugs?**

- On the solid blank line, please write in the number of times you received treatment for your illegal drug use in a hospital emergency room.

The rest of the questions on this answer sheet refer to treatment for your use of drugs or alcohol.

TX-7. **How long has it been since you last received treatment or counseling for your alcohol or drug use, not counting cigarettes?**

- If you last received treatment or counseling for your use of alcohol or other drugs not counting cigarettes within the past 30 days, mark the first box. [1]
- If it has been more than 30 days ago but within the past 12 months, mark the second box. [2]
- If it was more than 12 months ago but within the past 3 years, mark the third box. [3]
- If it has been more than 3 years since you last received treatment or counseling for your use of alcohol or other drugs, not counting cigarettes, mark the last box. [4]

Please go to the next page.

TX-8. For question TX-8, I will read the question, then I'll read the answer choices. When I read the one answer that best applies to you, please mark the box. **What was the primary place where you received treatment or counseling the last time you started treatment for your alcohol or other drug use, not counting cigarettes?**
The answers are: ...

- A hospital overnight as an inpatient? [1]
- A residential drug or alcohol rehabilitation facility where you stayed overnight? [2]
- A drug or alcohol rehabilitation facility as an outpatient? [3]
- A mental health center or facility as an outpatient? [4]
- An emergency room? [5]
- A private doctor's office? [6]
- A prison or jail? [7]
- A self-help group? [8]
- Or did you receive treatment the last time in some other place? If so, please mark the last box.
Then, on the line below, please print the name or description of this other place where you last started treatment. [9]

- TX-9. As I read the list of drugs, Please mark one box beside each type of drug in question TX-9 to indicate whether you received treatment or counseling for your use of that kind of drug the last time you entered treatment. On each line, mark the "YES" box on the left if you received treatment for that kind of drug the last time you entered treatment. Mark the "NO" box on the right if you did not receive treatment for that kind of drug the last time you entered treatment.
- a. Did you receive treatment or counseling for your use of alcohol?
 - b. Did you receive treatment or counseling for your use of marijuana or hashish?
 - c. ... Cocaine or "crack"?
 - d. ... Heroin?
 - e. ... Hallucinogens?
 - f. ... Inhalants?
 - g. Did you receive treatment or counseling for your use of prescription pain killers or analgesics?
 - h. ... Prescription tranquilizers?
 - i. ... Prescription stimulants?
 - j. ... Prescription sedatives?
 - k. Did you receive treatment or counseling for your use of any other drug besides those I've named from the list in TX-9? If you mark the "YES" box for this last item, please print on the line at the bottom of the list the name of the other drug for which you got treatment or counseling.
- TX-10. What was the primary drug you entered treatment or counseling for during the last time you were treated?
- Write the name of the primary drug you received treatment for on the solid blank line beneath Question TX-10.
- TX-11. Question TX-11 asks: What was the outcome of the primary treatment or counseling at the place you marked in question TX-8? As I read the choices, please mark only one box for the best answer. Was the outcome of the primary treatment or counseling at the place you marked in TX-8:
- That you are still in treatment? [1]
 - That you successfully completed treatment? [2]
 - That you left because you had a problem with the program? [3]
 - That you left because you couldn't afford to continue treatment? [4]
 - That you left because your family needed you? [5]
 - That you left because you began using drugs again? [6]
 - Or did your last treatment have some other outcome? If so, please mark the last box, then write on the line at the bottom of the list what this other outcome was. [7]

Please turn the page.

- TX-12. How long did you stay in treatment for your alcohol or drug use during your last treatment at the place you marked in question TX-8? If you are currently in treatment for alcohol or drug use, how long have you been in treatment so far?
- If you want to give your answer in terms of the number of days you were in treatment during your last treatment, write the number of days on the first solid blank line.
 - If you want to give your answer in terms of the number of months you were in treatment during your last treatment, write the number of months on the second solid blank line.

TX-13. As I read each of the sources of payment for treatment or counseling, Please mark one box beside each source in question TX-13 to indicate whether your last treatment or counseling that you marked in question TX-8 for alcohol or drug use was paid for by that source, even if it only paid part of the cost. On each line, mark the "YES" box on the left if your last treatment or counseling for alcohol or drug use was paid for by that source. Mark the "NO" box on the right if your last treatment or counseling for alcohol or drug use was not paid for by that source.

- a. Did health insurance pay for the last treatment you received?
- b. Did Medicare pay for the last treatment you received?
- c. Did Medicaid pay for the last treatment you received?
- d. Did you use your own savings or earnings to pay for the last treatment you received?
- e. Did family members pay for the last treatment you received?
- f. Did your employer pay for the last treatment you received?
- g. Was the last treatment you received free?
- h. Was your last treatment paid for by some other source besides those I've named? If you mark the "YES" box to indicate that some other source paid for your last treatment, please print on the line at the bottom of the list the names of all the other sources that paid for your last treatment.

TX-14. The last question on this answer sheet asks: Were you enrolled in a treatment program for your alcohol or drug use -- whether or not it was your last treatment episode -- on October 1, 1996? For this question, please include only treatment received at a hospital, drug rehabilitation facility, or mental health center.

- If you were enrolled in a treatment program for your alcohol or drug use on October 1, 1996, mark the first box. [1]
- If you were not enrolled in a treatment program for your alcohol or drug use on October 1, 1996, mark the second box. [2]

(WAIT FOR ® TO FINISH.)

Please check back and make sure you marked answers for all the questions except any that you were instructed to skip.

BOX A

Please put your answer sheet in the envelope.

WORKPLACE ISSUES

(ANSWER SHEET #18)

Now, we have some questions related to things that may have happened to you at your workplace or as part of your job. As with some of the previous answer sheets, if some of the questions don't apply to you, you will be instructed to skip over them.

(HAND @ WORKPLACE ISSUES ANSWER SHEET #18.)

Please note that some of the questions refer to only the past 12 months — that is, since your 12-month reference date — and some refer to only the past 30 days — that is, since your 30-day reference date. If any question isn't clear, I'll be happy to help you with it.

FI	DO YOU THINK @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?
CHECKPOINT	YES, @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 1 → (ASK Q.W-0)
R	NO, I DOUBT THAT @ CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 2 → (SKIP TO Q.W-1)

W-0. We would like you to complete this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?

WANTS INTERVIEWER TO READ QUESTIONS ALOUD ☐ 1 → (SKIP TO Q.W-1)

WANTS TO COMPLETE ANSWER SHEET ON HIS/HER OWN ☐ 2 → (READ Q.W-00)

W-00. The first seven questions are about work-related accidents in which you may have been involved. When we refer to your involvement in work-related accidents, we mean that you were part of an accident at the time it took place while you were working, and that this accident resulted in any or all of the following: damage to property or equipment, an injury to yourself, or an injury to another person. Please keep this definition in mind as you complete this series of questions.

Be sure to follow the correct arrows in this section. The arrows will indicate which questions you should answer and which ones you should skip. Please let me know when you are finished.

(WAIT UNTIL @ HAS FINISHED.)

W-000. Please check back and make sure you marked one answer for each question except any you were instructed to skip. Put the answer sheet in the envelope.

(GO TO PAGE 68, DRUG EXPERIENCES)

W-1. The first seven questions are about work-related accidents in which you may have been involved. When we refer to your involvement in work-related accidents, we mean that you were part of an accident at the time it took place while you were working, and that this accident resulted in any or all of the following: damage to property or equipment, an injury to yourself, or an injury to another person. Please keep this definition in mind as I read this series of questions to you. Question W-1 asks: Have you ever been involved in a work-related accident?

- If your answer is yes, mark the first box under W-1. → (READ Q. W-2) [1]
- If your answer is no, mark the second box and tell me. → (INSTRUCT @ TO SKIP TO Q. W-6 AT TOP OF P.3) [2]

W-2. **Have you been involved in a work-related accident during the past 12 months?**

- If your answer is yes, mark the first box under W-2. → (READ Q. W-3) [1]
- If your answer is no, mark the second box and tell me . → (INSTRUCT ® TO SKIP TO Q. W-6 AT TOP OF P.3) [2]

W-3. **Question W-3 asks, As a result of any work-related accidents you were involved in during the past 12 months, were you required to take an alcohol or drug test?**

- If your answer is yes, mark the first box under W-3. [1]
- If your answer is no, mark the second box. [2]

Please turn the page and find W-4 at the top.

W-4. **During the past 30 days, have you been involved in any work-related accidents?**

- If your answer is yes, mark the first box under W-4. → (READ Q. W-5) [1]
- If your answer is no, mark the second box and tell me . → (INSTRUCT ® TO SKIP TO Q. W-6 AT TOP OF P.3) [2]

W-5. **As a result of any work-related accidents you were involved in during the past 30 days, were you required to take an alcohol or drug test?**

- If your answer is yes, mark the first box under W-5. [1]
- If your answer is no, mark the second box. [2]

Please go to the next page.

W-6. **During the past 12 months, have you voluntarily left an employer?**

- If your answer is yes, mark the first box under W-6. [1]
- If your answer is no, mark the second box. [2]

W-7. **During the past 12 months, have you involuntarily left an employer for any of the following reasons? Mark the "YES" box on the left if you have involuntarily left a job for that reason or the "NO" box on the right if you have not.**

- a. You were fired?
- b. You were permanently laid off?
- c. For some other reason? If you mark the "YES" box for this last item, please print on the lines at the bottom of the list the reason you involuntarily left a job during the past 12 months.

(WAIT FOR ® TO FINISH.)

Please check back and make sure you answered each question on this answer sheet except for any you were instructed to skip. If you have any questions, let me know.

Please put your answer sheet in the envelope.

USE THIS BEIGE BOOKLET IF YOU ARE CONDUCTING AN INTERVIEW WHERE YOU NEED TO READ THE *DRUG EXPERIENCES* QUESTIONS OUT LOUD TO THE RESPONDENT.

RECORD THE RESPONSES TO FI CHECKPOINT S AND QUESTION DE-0 IN THE WHITE BOOKLET; THEN, IF NECESSARY, READ THE *DRUG EXPERIENCES* QUESTIONS FROM THIS BOOKLET.

DE-1. Have you ever smoked a cigar, even one or two puffs? Please include any cigarillos you may have smoked.

- If you have ever smoked at least one or two puffs of a cigar, mark the first box. → (READ Q.DE-2) [1]
- If you have never smoked a cigar in your life, mark the second box under DE-1 and tell me. → (INSTRUCT @ TO SKIP TO Q.DE-4 AT TOP OF P.2) [2]

DE-2. Have you smoked at least 50 cigars in your lifetime?

- If you have smoked at least 50 cigars in your lifetime, mark the first box. [1]
- If you have not smoked at least 50 cigars in your lifetime, mark the second box. [2]

DE-3. Now, think about the past 30 days, from your 30-day reference date through today. During the past 30 days, on how many days did you smoke a cigar?

- On the solid blank line, write in the number of days you smoked a cigar, even if it was just a puff, since your 30-day reference date.
- If you have smoked a cigar, but not during the past 30 days, please mark the box; it tells us you've smoked a cigar, but not during the past 30 days. [93]

Please turn the page.

DE-4. Has anyone ever offered you marijuana or hashish, or tried to sell you marijuana or hashish?

- If anyone has ever offered you marijuana or hashish, or tried to sell you marijuana or hashish, mark the first box. [1]
- If no one has ever offered you marijuana or hashish, or ever tried to sell you marijuana or hashish, mark the second box. [2]

DE-5. Have you ever, even once, used marijuana or hashish?

- If you have ever used marijuana or hashish, mark the first box. (READ Q.DE-6) [1]
- If you have never used marijuana or hashish, mark the second box under DE-5 and tell me. (INSTRUCT © TO SKIP TO Q.DE-13 AT TOP OF P.5) [2]

DE-6. Who were the other people with you the first time you smoked marijuana or hashish? Please mark all that apply.

- If you were alone the first time you smoked marijuana or hashish, mark the first box. [1]
- If you were with a boyfriend, girlfriend, or your spouse, mark the second box. [2]
- If you were with one or more friends, mark the third box. [3]
- If you were with someone you had just met, mark the next box. [4]
- If you were with your brother(s) or sister(s), mark the next box. [5]
- If you were with your father, mark the next box. [6]
- If you were with your mother, mark the next box. [7]
- If you were with other relative(s), mark the next-to-last box. [8]
- If you were with some other person or other people, mark the last box. If you mark the last box, please print on the lines your relationship with that other person or the other people. [9]

DE-7. Question DE-7 lists some reasons people give for using marijuana or hashish the first time. As I read the list of reasons, please mark one box beside each reason to indicate whether that was one of the reasons why you used marijuana or hashish the first time. On each line, mark the box on the left for "YES" if it is one of the reasons why you used marijuana or hashish the first time. Mark the box on the right for "NO" if it is not one of the reasons why you used marijuana or hashish the first time.

- a. Did you use marijuana or hashish the first time because you wanted to see what it was like?
- b. Did you use marijuana or hashish the first time because you thought it would make you feel good?
- c. ... your friends were using it?
- d. ... your boyfriend/girlfriend/spouse wanted you to try it?
- e. Did you use marijuana or hashish the first time because you wanted to get away from your problems or troubles?
- f. ... you were bored and wanted to try something new?
- g. ... you wanted to disobey the people who told you not to use it?
- h. Is there some other reason you used marijuana or hashish the first time? If you mark the "YES" box for some other reason, please print on the line at the bottom of this list what the other reason is.

Please go to the next page.

DE-8. Now think about the past 12 months, from your 12-month reference date through today. Have you used marijuana or hashish during the past 12 months?

- If you have used marijuana or hashish during the past 12 months, mark the first box. → (READ Q.DE-9) [1]
- If you have not used marijuana or hashish during the past 12 months, mark the second box under DE-8 and tell me. → (INSTRUCT @ TO SKIP TO Q.DE-11 AT TOP OF P.4). [2]

DE-9. Question DE-9 lists some reasons people give for using marijuana or hashish. As I read the list of reasons, please mark one box beside each reason to indicate whether that was one of the reasons why you used marijuana or hashish at any time during the past 12 months. On each line, mark the box on the left for "YES" if it is one of the reasons why you used marijuana or hashish in the past 12 months. Mark the box on the right for "NO" if it is not one of the reasons why you used marijuana or hashish in the past 12 months.

- a. Did you use marijuana or hashish in the past 12 months because your friends were using it?
- b. Did you use marijuana or hashish in the past 12 months because your boyfriend/girlfriend/spouse was using it?
- c. ...you wanted to get away from your problems or troubles?
- d. ...you used it to relax?
- e. Did you use marijuana or hashish in the past 12 months because a doctor suggested that you use it?
- f. ...a doctor prescribed it for you?
- g. ...you used it for pain relief?
- h. Is there some other reason you used marijuana or hashish in the past 12 months? If you mark the "YES" box for some other reason, please print on the line at the bottom of this list what the other reason is.

DE-10. Now think about the month in which your 12-month reference date begins. Did you use marijuana or hashish at any time during that month in 1996?

- If you did use marijuana or hashish at any time during that month in 1996, mark the first box. [1]
- If you did not use marijuana or hashish at any time during that month in 1996, mark the second box. [2]

Please go to question DE-14 at the top of page 6.

DE-11. Question DE-11 lists some reasons people give for not using marijuana or hashish. As I read the list of reasons, please mark one box beside each reason to indicate whether that was one of the reasons why you did not use marijuana or hashish in the past 12 months. On each line, mark the box on the left for "YES" if it is one of the reasons why you did not use marijuana or hashish in the past 12 months. Mark the box on the right for "NO" if it is not one of the reasons why you did not use marijuana or hashish in the past 12 months.

- a. You're not interested in using it any more.
- b. You think it harms you physically.
- c. Using it makes you feel sick.
- d. Using it is against your beliefs.
- e. You're afraid of drug testing at a job.
- f. You feel it harms you psychologically.
- g. You're afraid it might lead you to use stronger drugs.
- h. You're afraid you could become addicted.
- i. You got pregnant, or you wanted to get pregnant.
- j. You don't want to use it around your children.
- k. Your parents disapprove.
- l. Your spouse/boyfriend/girlfriend disapproves.
- m. Your friends disapprove.
- n. It's too expensive.
- o. You wouldn't know where to get it.
- p. You're afraid to associate with drug dealers.
- q. Using marijuana or hashish is illegal.
- r. Buying marijuana or hashish helps support criminals.
- s. Is there some other reason you did not use marijuana or hashish in the past 12 months? If you mark the "YES" box for some other reason, please print on the line at the bottom of this list what the other reason is.

DE-12. Now think about the month in which your 12-month reference date begins. Did you use marijuana or hashish at any time during that month in 1996?

- If you did use marijuana or hashish at any time during that month in 1996, mark the first box. [1]
- If you did not use marijuana or hashish at any time during that month in 1996, mark the second box. [2]

Please go to question DE-14 at the top of page 6.

DE-13. Question DE-13 lists some reasons people give for never using marijuana or hashish. As I read the list of reasons, please mark one box beside each reason to indicate whether that was one of the reasons why you never used marijuana or hashish. On each line, mark the box on the left for "YES" if it is one of the reasons why you never used marijuana or hashish. Mark the box on the right for "NO" if it is not one of the reasons why you never used marijuana or hashish.

- a. You're not interested in using it.
- b. You think it could harm you physically.
- c. You don't think you'd like it.
- d. Using it is against your beliefs.
- e. You're afraid of drug testing at a job.
- f. You think it could harm you psychologically.
- g. You're afraid it might lead you to use stronger drugs.
- h. You're afraid you could become addicted.
- i. You're afraid it might harm your children during pregnancy.
- j. You don't want to use it around your children.
- k. Your parents would disapprove.
- l. Your spouse/boyfriend/girlfriend would disapprove.
- m. Your friends would disapprove.
- n. It's too expensive.
- o. You wouldn't know where to get it.
- p. You're afraid to associate with drug dealers.
- q. Using marijuana or hashish is illegal.
- r. Buying marijuana or hashish helps support criminals.
- s. Is there some other reason you've never used marijuana or hashish? If you mark the "YES" box for some other reason, please print on the line at the bottom of this list what the other reason is.

Please go to the next page.

For the rest of the questions on this answer sheet, please think about all the different forms of cocaine including powder, "crack," free base, and coca paste.

DE-14. Has anyone ever offered you cocaine, or tried to sell you cocaine?

- If anyone has ever offered you cocaine, or tried to sell you cocaine, mark the first box. [1]
- If no one has ever offered you cocaine, or ever tried to sell you cocaine, mark the second box. [2]

DE-15. Have you ever, even once, used cocaine?

- If you have ever used cocaine, mark the first box. → (READ Q.DE-16) [1]
- If you have never used cocaine, mark the second box under DE-15 and tell me. → (INSTRUCT @ TO SKIP TO Q.DE-23 AT TOP OF P.9) [2]

DE-16. Who were the other people with you the first time you used cocaine? Please mark all that apply.

- If you were alone the first time you used cocaine, mark the first box. [1]
- If you were with a boyfriend, girlfriend, or your spouse, mark the second box. [2]
- If you were with one or more friends, mark the third box. [3]
- If you were with someone you had just met, mark the next box. [4]
- If you were with your brother(s) or sister(s), mark the next box. [5]
- If you were with your father, mark the next box. [6]
- If you were with your mother, mark the next box. [7]
- If you were with other relative(s), mark the next-to-last box. [8]
- If you were with some other person or other people, mark the last box. If you mark the last box, please print on the lines your relationship with that other person or the other people. [9]

DE-17. Question DE-17 lists some reasons people give for using cocaine the first time. As I read the list of reasons, please mark one box beside each reason to indicate whether that was one of the reasons why you used cocaine the first time. On each line, mark the box on the left for "YES" if it is one of the reasons why you used cocaine the first time. Mark the box on the right for "NO" if it is not one of the reasons why you used cocaine the first time.

- a. Did you use cocaine the first time because you wanted to see what it was like?
- b. Did you use cocaine the first time because you thought it would make you feel good?
- c. ... your friends were using it?
- d. ... your boyfriend/girlfriend/spouse wanted you to try it?
- e. Did you use cocaine the first time because you wanted to get away from your problems or troubles?
- f. ... you were bored and wanted to try something new?
- g. ... you wanted to disobey the people who told you not to use it?
- h. Is there some other reason you used cocaine the first time? If you mark the "YES" box for some other reason, please print on the line at the bottom of this list what the other reason is.

Please turn to the next page.

DE-18. Now think about the past 12 months, from your 12-month reference date through today. Have you used cocaine during the past 12 months?

- If you have used cocaine during the past 12 months, please mark the first box → (READ Q.DE-19) [1]
- If you have not used cocaine during the past 12 months, please mark the second box under DE-18 and tell me. → (INSTRUCT @ TO SKIP TO Q.DE-21 AT TOP OF P.8). [2]

DE-19. Question DE-19 lists some reasons people give for using cocaine. As I read the list of reasons, please mark one box beside each reason to indicate whether that was one of the reasons why you used cocaine at any time during the past 12 months. On each line, mark the box on the left for "YES" if it is one of the reasons why you used cocaine in the past 12 months. Mark the box on the right for "NO" if it is not one of the reasons why you used cocaine in the past 12 months.

- a. Did you use cocaine in the past 12 months because your friends were using it?
- b. Did you use cocaine in the past 12 months because your boyfriend/girlfriend/spouse was using it?
- c. ...you wanted to get away from your problems or troubles?
- d. ...you used it to relax?
- e. Did you use cocaine in the past 12 months because a doctor suggested that you use it?
- f. ...a doctor prescribed it for you?
- g. ...you used it for pain relief?
- h. Is there some other reason you used cocaine in the past 12 months? If you mark the "YES" box for some other reason, please print on the line at the bottom of this list what the other reason is.

DE-20. Now think about the month in which your 12-month reference date begins. Did you use cocaine at any time during that month in 1996?

- If you did use cocaine at any time during that month in 1996, mark the first box. [1]
- If you did not use cocaine at any time during that month in 1996, mark the second box. [2]

Please turn to page 9 and go to Box A at the bottom of the page.

DE-21. Question DE-21 lists some reasons people give for not using cocaine. As I read the list of reasons, please mark one box beside each reason to indicate whether that was one of the reasons why you did not use cocaine in the past 12 months. On each line, mark the box on the left for "YES" if it is one of the reasons why you did not use cocaine in the past 12 months. Mark the box on the right for "NO" if it is not one of the reasons why you did not use cocaine in the past 12 months.

- a. You're not interested in using it any more.
- b. You think it harms you physically.
- c. Using it makes you feel sick.
- d. Using it is against your beliefs.
- e. You're afraid of drug testing at a job.
- f. You feel it harms you psychologically.
- g. You're afraid it might lead you to use stronger drugs.
- h. You're afraid you could become addicted.
- i. You got pregnant, or you wanted to get pregnant.
- j. You don't want to use it around your children.
- k. Your parents disapprove.
- l. Your spouse/boyfriend/girlfriend disapproves.
- m. Your friends disapprove.
- n. It's too expensive.
- o. You wouldn't know where to get it.
- p. You're afraid to associate with drug dealers.
- q. Using cocaine is illegal.
- r. Buying cocaine helps support criminals.
- s. Is there some other reason you did not use cocaine in the past 12 months? If you mark the "YES" box for some other reason, please print on the line at the bottom of this list what the other reason is.

DE-22. Now think about the month in which your 12-month reference date begins. Did you use cocaine at any time during that month in 1996?

- If you did use cocaine at any time during that month in 1996, mark the first box. [1]
- If you did not use cocaine at any time during that month in 1996, mark the second box. [2]

Please turn to page 9 and go to Box A at the bottom of the page.

DE-23. Question DE-23 lists some reasons people give for never using cocaine. As I read the list of reasons, please mark one box beside each reason to indicate whether that was one of the reasons why you never used cocaine. On each line, mark the box on the left for "YES" if it is one of the reasons why you never used cocaine. Mark the box on the right for "NO" if it is not one of the reasons why you never used cocaine.

- a. You're not interested in using it.
- b. You think it could harm you physically.
- c. You don't think you'd like it.
- d. Using it is against your beliefs.
- e. You're afraid of drug testing at a job.
- f. You think it could harm you psychologically.
- g. You're afraid it might lead you to use stronger drugs.
- h. You're afraid you could become addicted.
- i. You're afraid it might harm your children during pregnancy.
- j. You don't want to use it around your children.
- k. Your parents would disapprove.
- l. Your spouse/boyfriend/girlfriend would disapprove.
- m. Your friends would disapprove.
- n. It's too expensive.
- o. You wouldn't know where to get it.
- p. You're afraid to associate with drug dealers.
- q. Using cocaine is illegal.
- r. Buying cocaine helps support criminals.
- s. Is there some other reason you've never used cocaine? If you mark the "YES" box for some other reason, please print on the line at the bottom of this list what the other reason is.

(WAIT FOR @ TO FINISH.)

Please check back and make sure you answered each question on this answer sheet except for any you were instructed to skip. If you have any questions, let me know.

BOX A

Please put your answer sheet in the envelope.

(RETURN TO READING FROM THE WHITE QUESTIONNAIRE BOOKLET.)

FI	® IS 18 YEARS OR OLDER	<input type="checkbox"/> 1 →	(PUT ANSWER SHEET #20 IN ENVELOPE AND SKIP TO DEMOGRAPHICS ON PAGE 83)
CHECKPOINT			
T	® IS 12-17 YEARS OLD	<input type="checkbox"/> 2 →	(CONTINUE WITH INTRODUCTION BELOW)

This answer sheet has questions about your school, extra-curricular activities, family and friends.

(HAND ® YOUTH EXPERIENCES ANSWER SHEET #20.)

FI	DO YOU THINK ® CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?
CHECKPOINT	YES, ® CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 1 → (ASK Q.Y-0)
U	NO, I DOUBT THAT ® CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN <input type="checkbox"/> 2 → (SKIP TO Q.Y-1)

Y-0. We would like you to complete this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?

WANTS INTERVIEWER TO READ QUESTIONS ALOUD ☐ 1 → (SKIP TO Q.Y-1)
 WANTS TO COMPLETE THE ANSWER SHEET ON HIS/HER OWN .. ☐ 2 → (READ Q.Y-00)

Y-00. Please let me know when you have finished this answer sheet.

(WAIT UNTIL ® HAS FINISHED.)

Y-000. Please check back and make sure you answered every question on this answer sheet. Put the answer sheet in the envelope.

(GO TO PAGE 83, DEMOGRAPHICS.)

Y-1. Have you been enrolled in any type of school at any time during the past 12 months?

- If you have been enrolled in any type of school at any time during the past 12 months, mark the first box. → (READ Q.Y-2) [1]
- If you have not been enrolled in any type of school at any time during the past 12 months, mark the second box and tell me. → (INSTRUCT ® TO SKIP TO Q.Y-8 AT TOP OF P.3) [2]

Y-2. As I read this list of types of schools, please mark one box beside each type of school to indicate whether you were enrolled in that type of school at any time during the past 12 months. On each line, mark the box on the left for "YES" if you were enrolled in that type of school at any time during the past 12 months. Mark the box on the right for "NO" if you were not enrolled in that type of school at any time during the past 12 months.

- a. In the past 12 months, were you enrolled in a public school working toward a high school diploma?
- b. In the past 12 months, were you enrolled in a private school working toward a high school diploma?
- c. ...In home school?
- d. ...In a 4-year college or university?
- e. ...In a 2-year college or university?
- f. ...In a vocational or trade school?
- g. In the past 12 months, were you enrolled in any other type of school? If you mark the "YES" box for this last item, please print on the lines at the bottom of this list the other type of school you were enrolled in.

Y-3. Question Y-3 asks: What were your grades for the last semester or grading period that you completed?

- If you got mostly A's or B's, mark the first box. [1]
- If you got mostly B's or C's, mark the second box. [2]
- If you got mostly C's or D's, mark the third box. [3]
- If you got mostly D's or below, mark the fourth box. [4]
- If your school does not give these grades, mark the last box. [91]

Please turn the page.

Y-4. As I read each of the following activities, please mark one box beside each activity to indicate whether you have taken part in that activity during the past 12 months. On each line, mark the box on the left for "YES" if you have taken part in that activity during the past 12 months. Mark the box on the right for "NO" if you have not taken part in that activity during the past 12 months.

- a. In the past 12 months, have you participated in the Boy Scouts or Girl Scouts?
- b. In the past 12 months, have you participated in private lessons, such as piano, dance, tennis, karate, horseback riding, etc.?
- c. ...In team sports, such as, football, basketball, swimming, gymnastics, etc.?
- d. ...In a 4-H Club?
- e. ...In a school band, orchestra, or choir?
- f. ...In school-related clubs?
- g. ...In student government?
- h. ...In volunteer activities?
- i. ...In a church choir?
- j. In the past 12 months, have you participated in some other activity not listed here? If you mark the "YES" box for this last item, please print on the line at the bottom of this list the other type of activity you participated in during the past 12 months.

Y-5. During the past 12 months, did you work at a job for pay at any time?

- If you worked at a job for pay at any time during the past 12 months, mark the first box. → (READ Q.Y-6)
- If you did not work at a job for pay at any time during the past 12 months, mark the second box and tell me. → (INSTRUCT @ TO SKIP TO Q.Y-7 AT THE BOTTOM OF P. 2) [2]

Y-6 Did you work at a job for pay before or after school on school days?

- If you worked at a job for pay before or after school on school days, mark the first box. [1]
- If you did not work at a job for pay before or after school on school days, mark the second box. [2]

Y-7. **During the past 12 months, have you had any of the following alcohol or drug education classes in school?** On each line, mark the box on the left for "YES" if you had that type of alcohol or drug education class in school during the past 12 months. Mark the box on the right for "NO" if you did not have that type of alcohol or drug education class in school during the past 12 months.

- a. In the past 12 months, have you had a special course about alcohol or drugs taught by your regular teacher?
- b. ...A special course about alcohol or drugs, such as DARE, taught by someone other than your regular teacher?
- c. ...Any special classes or other experiences, like a field trip, not connected to one of your regularly scheduled classes?
- d. In the past 12 months, have you had some other alcohol or drug education experience in school? If you mark the "YES" box for this last item, please print on the line at the bottom of this list the other alcohol or drug education experience you had in school in the past 12 months.

Please go to the next page.

Y-8. **During the past 12 months, have you seen or heard any alcohol or drug prevention messages from sources outside school (for example, posters, pamphlets, radio or TV ads)?**

- If you have seen or heard any alcohol or drug prevention messages from sources outside of school during the past 12 months, mark the first box. [1]
- If you have not seen or heard any alcohol or drug prevention messages from sources outside of school during the past 12 months, mark the second box. [2]

Y-9. **During the past 12 months, have you spoken with a parent or other adult about the dangers of alcohol or drug use?**

- If you have spoken with a parent or other adult about the dangers of alcohol or drug use during the past 12 months, mark the first box. [1]
- If you have not spoken with a parent or other adult about the dangers of alcohol or drug use during the past 12 months, mark the second box. [2]

Question Y-10 asks how you think your parents would feel if they thought you did each of a number of things. As I read each item, please mark one box on each line to indicate how your parents would feel.

Y-10a. How would your parents feel if they thought you smoked 1 or more packs of cigarettes per day?

- If you think they would be not at all upset, mark the first box. [1]
- If you think they would be somewhat upset, mark the second box. [2]
- If you think they would be very upset, mark the third box. [3]

Y-10b. How would your parents feel if they thought you tried marijuana once or twice?

- If you think they would be not at all upset, mark the first box. [1]
- If you think they would be somewhat upset, mark the second box. [2]
- If you think they would be very upset, mark the third box. [3]

Y-10c. How would your parents feel if they thought you smoked marijuana once a month?

- Not at all upset? [1]
- Somewhat upset? [2]
- Very upset? [3]

Y-10d. How would your parents feel if they thought you smoked marijuana once or twice a week?

- Not at all upset? [1]
- Somewhat upset? [2]
- Very upset? [3]

Y-10e. How would your parents feel if they thought you tried inhalants once or twice?

- Not at all upset? [1]
- Somewhat upset? [2]
- Very upset? [3]

Y-10f. How would your parents feel if they thought you tried heroin once or twice?

- If you think they would be not at all upset, mark the first box. [1]
- If you think they would be somewhat upset, mark the second box. [2]
- If you think they would be very upset, mark the third box. [3]

Y-10g. How would your parents feel if they thought you used cocaine once a month?

- Not at all upset? [1]
- Somewhat upset? [2]
- Very upset? [3]

Y-10h. How would your parents feel if they thought you had five or more drinks once or twice a week?

- Not at all upset? [1]
- Somewhat upset? [2]
- Very upset? [3]

Question Y-11 asks how you think your close friends would feel if they thought you did each of a number of things. As I read each item, please mark one box on each line to indicate how your close friends would feel.

Y-11a. How would your close friends feel if they thought you smoked 1 or more packs of cigarettes per day?

- If you think they would be not at all upset, mark the first box. [1]
- If you think they would be somewhat upset, mark the second box. [2]
- If you think they would be very upset, mark the third box. [3]

Y-11b. How would your close friends feel if they thought you tried marijuana once or twice?

- If you think they would be not at all upset, mark the first box. [1]
- If you think they would be somewhat upset, mark the second box. [2]
- If you think they would be very upset, mark the third box. [3]

Y-11c. How would your close friends feel if they thought you smoked marijuana once a month?

- Not at all upset? [1]
- Somewhat upset? [2]
- Very upset? [3]

Y-11d. How would your close friends feel if they thought you smoked marijuana once or twice a week?

- Not at all upset? [1]
- Somewhat upset? [2]
- Very upset? [3]

Y-11e. How would your close friends feel if they thought you tried inhalants once or twice?

- Not at all upset? [1]
- Somewhat upset? [2]
- Very upset? [3]

Y-11f. How would your close friends feel if they thought you tried heroin once or twice?

- If you think they would be not at all upset, mark the first box. [1]
- If you think they would be somewhat upset, mark the second box. [2]
- If you think they would be very upset, mark the third box. [3]

Y-11g. How would your close friends feel if they thought you used cocaine once a month?

- Not at all upset? [1]
- Somewhat upset? [2]
- Very upset? [3]

Y-11h. How would your close friends feel if they thought you had five or more drinks once or twice a week?

- Not at all upset? [1]
- Somewhat upset? [2]
- Very upset? [3]

Please turn to the next page.

Question Y-12 asks how many of your close friends have done each of a number of things. As I read each item, please mark one box on each line to indicate how many of your close friends have done that activity.

Y-12a. How many of your close friends have smoked 1 or more packs of cigarettes per day?

- Mark the first box if none of your friends have. [1]
- Mark the second box if a few of your friends have. [2]
- Mark the third box if most of your friends have. [3]

Y-12b. How many of your close friends have tried marijuana once or twice?

- Mark the first box if none of your friends have. [1]
- Mark the second box if a few of your friends have. [2]
- Mark the third box if most of your friends have. [3]

Y-12c. How many of your close friends have smoked marijuana once a month?

- None of them? [1]
- A few of them? [2]
- Most of them? [3]

Y-12d. How many of your close friends have smoked marijuana once or twice a week?

- None of them? [1]
- A few of them? [2]
- Most of them? [3]

Y-12e. How many of your close friends have tried inhalants once or twice?

- None of them? [1]
- A few of them? [2]
- Most of them? [3]

Y-12f. How many of your close friends have tried heroin once or twice?

- Mark the first box if none of your friends have. [1]
- Mark the second box if a few of your friends have. [2]
- Mark the third box if most of your friends have. [3]

Y-12g. How many of your close friends have used cocaine once a month?

- None of them? [1]
- A few of them? [2]
- Most of them? [3]

Y-12h. How many of your close friends have had five or more drinks once or twice a week?

- None of them? [1]
- A few of them? [2]
- Most of them? [3]

Please go to the next page.

Y-13. If you wanted to talk to someone about a serious problem, which of the following people would you turn to? Please mark all that apply.

- If you feel there is nobody you can talk to about serious problems, mark the box with the 0 next to it. [0]
- If you would turn to your mother to talk about a serious problem, mark the box with the 1 next to it. [1]
- If you would turn to your father, mark the box with the 2 next to it. [2]
- If you would turn to your boyfriend or girlfriend, mark the box with the 3 next to it. [3]
- If you would turn to your brother or sister, mark the box with the 4 next to it. [4]
- If you would turn to some other relative, mark the box with the 5 next to it. [5]
- If you would turn to a friend to talk about a serious problem, mark the box with the 6 next to it. [6]
- If you would turn to a teacher, coach, or school counselor, mark the box with the 7 next to it. [7]
- If you would turn to a pastor or clergy, mark the box with the 8 next to it. [8]
- If you would turn to some other person not listed here to talk to about a serious problem, mark the last box. If you mark the last box, please print on the line your relationship to this other person. [9]

Y-14. Now think about the one person you are most likely to talk to about a serious problem. Who would that person be? Please mark only one box for the best answer.

- If you feel there is nobody you could talk to about serious problems, mark the box with the 0 next to it. [0]
- If you would be most likely to talk to your mother about a serious problem, mark the box with the 1 next to it. [1]
- If you would be most likely to talk to your father, mark the box with the 2 next to it. [2]
- If you would be most likely to talk to your boyfriend or girlfriend, mark the box with the 3 next to it. [3]
- If you would be most likely to talk to your brother or sister, mark the box with the 4 next to it. [4]
- If you would be most likely to talk to some other relative, mark the box with the 5 next to it. [5]
- If you would be most likely to talk to a friend about a serious problem, mark the box with the 6 next to it. [6]
- If you would be most likely to talk to a teacher, coach, or school counselor, mark the box with the 7 next to it. [7]
- If you would be most likely to talk to a pastor or clergy, mark the box with the 8 next to it. [8]
- If you would be most likely to talk to some other person not listed here about a serious problem, mark the last box. If you mark the last box, please print on the line your relationship with this other person. [9]

Please turn to the next page.

Question Y-15 asks some questions about how strict your parents are about certain things. As I read each item, please mark one box on each line to indicate how strict they are.

Y-15a. How strict are your parents about the way you dress?

- Mark the first box if you think your parents are not at all strict. [1]
- Mark the second box if you think your parents are just strict enough. [2]
- Mark the third box if you think your parents are too strict. [3]

Y-15b. How strict are your parents about staying out late at night (curfew)?

- Mark the first box if you think your parents are not at all strict. [1]
- Mark the second box if you think your parents are just strict enough. [2]
- Mark the third box if you think your parents are too strict. [3]

Y-15c. How strict are your parents about time spent doing homework?

- Not at all strict? [1]
- Just strict enough? [2]
- Too strict? [3]

Y-16. Y-16 asks: **During the past 12 months**, how often have you argued with your parents?

- Mark the first box if you have argued with your parents everyday in the past 12 months. [1]
- Mark the second box if you have argued with your parents several times a week in the past 12 months. [2]
- Mark the third box if you have argued with your parents about once a week in the past 12 months. [3]
- Mark the fourth box if you have argued with your parents about once a month in the past 12 months. [4]
- Mark the last box if you have rarely or never argued with your parents in the past 12 months. [5]

Y-17. **During the past 12 months**, how many times have you gotten into a gang fight?

- If you have never gotten into a gang fight during the past 12 months, mark the first box. [1]
- If you have gotten into a gang fight 1 or 2 times during the past 12 months, mark the second box. [2]
- If you have gotten into a gang fight 3 or 4 times during the past 12 months, mark the third box. [3]
- If you have gotten into a gang fight 5 or more times during the past 12 months, mark the last box. [4]

Y-18. **During the past 12 months**, how many times have you taken something from a store without paying for it?

- If you have never taken something from a store without paying for it during the past 12 months, mark the first box. [1]
- If you have taken something from a store without paying for it 1 or 2 times during the past 12 months, mark the second box. [2]
- If you have taken something from a store without paying for it 3 or 4 times during the past 12 months, mark the third box. [3]
- If you have taken something from a store without paying for it 5 or more times during the past 12 months, mark the last box. [4]

(WAIT FOR @ TO FINISH.)

Please check back and make sure you answered each question on this answer sheet except for any you were instructed to skip. If you have any questions, let me know.

Please put your answer sheet in the envelope.

DEMOGRAPHICS

That was the last of the answer sheets. For the remaining questions, I will read the question out loud, you can tell me your answer, and I will record it in the questionnaire booklet.

D-14. How many times in the past 12 months have you moved?

NUMBER OF TIMES @ HAS
MOVED IN THE PAST
12 MONTHS

D-15. Now I have some questions about your schooling. I need to confirm what you told me earlier about your school experience. Is it correct that the last grade or year you completed in school was: (READ SCHOOL STATUS CATEGORY MARKED IN Q.D-10 ON PAGE 3. MARK CORRECT CATEGORY BELOW.)

- @ HAS NO SCHOOLING ☐ 0
- ELEMENTARY SCHOOL GRADES:
- FIRST GRADE ☐ 1
- SECOND GRADE ☐ 2
- THIRD GRADE ☐ 3
- FOURTH GRADE ☐ 4
- FIFTH GRADE ☐ 5
- SIXTH GRADE ☐ 6
- SEVENTH GRADE ☐ 7
- EIGHTH GRADE ☐ 8
- HIGH SCHOOL GRADES:
- NINTH GRADE ☐ 9
- TENTH GRADE ☐ 10
- ELEVENTH GRADE ☐ 11
- TWELFTH GRADE ☐ 12
- COLLEGE/TECHNICAL SCHOOL YEARS:
- FRESHMAN/13th YEAR ☐ 13
- SOPHOMORE/14th YEAR ☐ 14
- JUNIOR/15th YEAR ☐ 15
- SENIOR/16th YEAR ☐ 16
- GRADUATE/PROFESSIONAL SCHOOL
(OR HIGHER) ☐ 17

D-16. Are you now ... (READ ANSWER CHOICES)

- A full-time student, ☐ 1 → [SKIP TO Q.D-19]
- A part-time student, or are you ☐ 2 → [SKIP TO Q.D-21]
- Not enrolled in any school? ☐ 3

FI	MARK ONE BOX: Q.D-15 = 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, or 11
CHECKPOINT	AND Q.D-16 = 3 <input type="checkbox"/> 1 → (CONTINUE WITH CHECKPOINT W)
V	Q.D-15 = 12, 13, 14, 15, 16, or 17 AND Q.D-16 = 3 <input type="checkbox"/> 2 → (SKIP TO Q.D-21)

FI	IS @ 50 YEARS OLD OR OLDER?
CHECKPOINT	YES <input type="checkbox"/> 1 → (SKIP TO Q.D-21)
W	NO <input type="checkbox"/> 2 → (CONTINUE WITH Q.D-17)

D-17. Please look at this card and tell me which one of these reasons best describes why you left school.
(HAND @ SHOWCARD 6.) Just give me the number.

- I WAS GETTING BAD GRADES ☐ 1
- SCHOOL WAS BORING ☐ 2
- I GOT EXPELLED FOR SELLING DRUGS ☐ 3
- I GOT EXPELLED FOR USING DRUGS ☐ 4
- I GOT EXPELLED FOR SOME OTHER
REASON ☐ 5
- I GOT PREGNANT ☐ 6
- I HAD TO GET A JOB BECAUSE I NEEDED
THE MONEY ☐ 7
- I WASN'T LEARNING ANYTHING ☐ 8
- I WENT TO JAIL/PRISON ☐ 9
- OTHER (SPECIFY): _____ ☐ 10

(TAKE BACK SHOWCARD 6.)

D-18. How old were you when you left or stopped attending school?

AGE @ LEFT/STOPPED ATTENDING
SCHOOL → [SKIP TO Q.D-21]

D-19. From your 30-day reference date up to and including today, how many whole days of school did you miss because you were sick or injured?

NUMBER OF DAYS MISSED
SCHOOL FOR ILLNESS
OR INJURY
SCHOOL NOT IN SESSION ☐ 90

- D-20. From your 30-day reference date up to and including today, how many whole days did you miss because you skipped or "cut" or just didn't want to be there?

NUMBER OF DAYS SKIPPED

SCHOOL

SCHOOL NOT IN SESSION ☐ 90

- D-21. Now I have some questions about your work status. How many different employers have you had in the past 12 months?

NUMBER OF EMPLOYERS

- D-22. I need to confirm what you told me earlier about your present work situation. Is it correct that you are: (READ WORK STATUS CATEGORY MARKED IN Q.D-13 ON PAGE 4. MARK CORRECT CATEGORY BELOW.)

WORKING FULL-TIME, 35 HOURS

OR MORE A WEEK ☐ 1

WORKING PART-TIME, LESS THAN

35 HOURS A WEEK ☐ 2

HAVE A JOB, BUT NOT AT WORK

BECAUSE OF EXTENDED ILLNESS,
MATERNITY LEAVE, FURLOUGH,
OR STRIKE ☐ 3

HAVE A JOB, BUT NOT AT WORK

BECAUSE IT IS SEASONAL WORK ☐ 4

UNEMPLOYED OR LAID OFF AND

LOOKING FOR WORK ☐ 5

UNEMPLOYED OR LAID OFF AND

NOT LOOKING FOR WORK ☐ 6

FULL-TIME HOMEMAKER ☐ 7

IN SCHOOL ONLY ☐ 8

RETIRED ☐ 9

DISABLED FOR WORK ☐ 10

OTHER (SPECIFY) ☐ 11

- D-23. During the past 12 months -- that is, from your 12-month reference date through today -- for how many weeks have you been (READ WORK STATUS FROM Q.D-22)? There are 52 weeks in 12 months.

NUMBER OF WEEKS

FI

MARK ONE BOX: Q.D-22 (WORK STATUS) = 1, 2, 3, or 4 ☐ 1 → (CONTINUE WITH Q.D-24)

CHECKPOINT

Q.D-22 (WORK STATUS) = 5, 6, 7, 8,
9, 10 or 11 ☐ 2 → (SKIP TO Q.D-36)

X

- D-24. The next questions seek to identify whether you work for a large or small business. About how many people work for your employer at all locations? By location, we mean all the offices, stores, etc., regardless of their geographic location, of a certain company. (HAND @ SHOWCARD 7.)

LESS THAN 10 PEOPLE ☐ 1
10-24 PEOPLE ☐ 2
25-99 PEOPLE ☐ 3
100-499 PEOPLE ☐ 4
500 PEOPLE OR MORE ☐ 5

- D-25. Thinking about the location where you work, how many people work for your employer out of this office, store, etc.? (HAND @ SHOWCARD 7.)

LESS THAN 10 PEOPLE ☐ 1
10-24 PEOPLE ☐ 2
25-99 PEOPLE ☐ 3
100-499 PEOPLE ☐ 4
500 PEOPLE OR MORE ☐ 5

(TAKE BACK SHOWCARD 7.)

- D-26. At your workplace, have you ever been provided with any information regarding the use of alcohol or drugs?

YES ☐ 1
NO ☐ 2
DON'T REMEMBER ☐ 94

- D-27. At your workplace, is there a written policy regarding employee use of alcohol or drugs?

YES ☐ 1
NO ☐ 2
DON'T KNOW ☐ 94

→ (SKIP TO Q.D-29)

- D-28. Does this policy cover only alcohol, only drugs, or both alcohol and drugs?

ONLY ALCOHOL ☐ 1
ONLY DRUGS ☐ 2
BOTH ALCOHOL AND DRUGS ☐ 3
DON'T KNOW ☐ 94

- D-29. Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?

YES ☐ 1
NO ☐ 2
DON'T KNOW ☐ 94

D-30. Are there any circumstances under which your workplace tests its employees for...

	YES	NO	DON'T KNOW
a. Alcohol usage?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 94
b. Drug usage?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 94

FI	MARK ONE BOX:	Q.D-30a = NO or DK	
CHECKPOINT		AND Q.D-30b = NO or DK	<input type="checkbox"/> 1 → (SKIP TO Q.D-32)
Y		Q.D-30a or Q.D-30b = YES	<input type="checkbox"/> 2 → (CONTINUE WITH Q.D-31)

D-31. Under what circumstances does your workplace or business test its employees for drug or alcohol usage?
Is it conducted ... (READ ALL CATEGORIES)

	YES	NO	DON'T KNOW
a. As part of the hiring process?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 94
b. On a random basis?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 94
c. Based on the reasonable suspicion of a supervisor?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 94
d. Following a work-related accident?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 94
e. For some other reason, such as testing subsequent to treatment?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 94

D-32. Would you be more or less likely to want to work for an employer that tests its employees for drug usage as part of the hiring process? Would you say ...

More likely, ☐ 1
 Less likely, or ☐ 2
 Would it make no difference to you? ☐ 3

D-33. Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol usage on a random basis? Would you say ...

More likely, ☐ 1
 Less likely, or ☐ 2
 Would it make no difference to you? ☐ 3

D-34. Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol usage based on the reasonable suspicion of a supervisor? Would you say ...

More likely, ☐ 1
 Less likely, or ☐ 2
 Would it make no difference to you? ☐ 3

D-35. Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol usage following a work-related accident? Would you say ...

More likely, ☐ 1
Less likely, or ☐ 2
Would it make no difference to you? ☐ 3

→ (SKIP TO Q. D-3)

D-36. In what month and year did you last work for pay?

MONTH
YEAR 19
NEVER WORKED FOR PAY ☐ 9991 → (SKIP TO FI CHECKPOINT Z)

D-37. What kind of work (are/were) you doing at your primary job? By primary job we mean the job at which you (work/worked) the most hours. (PROBE: What is/was your job title?)

KIND OF WORK: _____
(JOB TITLE) _____

D-38. What (are/were) your most important activities or duties in that job? (PROBE FOR DETAIL.)

DUTIES: _____

D-39. In what type of business or industry (is/was) this; that is, what product (is/was) made or what service (is/was) offered? (PROBE FOR DETAIL.)

BUSINESS
OR INDUSTRY: _____

D-40. (Is/was) this mainly ... (READ ANSWER CHOICES)

Manufacturing, ☐ 1
Wholesale trade, ☐ 2
Retail trade, or ☐ 3
Something else? (SPECIFY):
_____ ☐ 4

FI	MARK ONE BOX:
CHECKPOINT	Q.D-22 ON PAGE 85 (WORK STATUS) = 1, 2, 3, or 4 <input type="checkbox"/> 1 → (CONTINUE WITH Q.D-41)
Z	Q.D-22 ON PAGE 85 (WORK STATUS) = 5, 6, 7, 8, 9, 10 or 11 <input type="checkbox"/> 2 → (SKIP TO Q.D-43)

- D-41. During the past 30 days -- that is from your 30-day reference date up to and including today -- how many whole days of work did you miss because you were sick or injured?

NUMBER OF DAYS MISSED WORK FOR
ILLNESS OR INJURY

- D-42. During the past 30 days, how many whole days of work did you miss because you just didn't want to be there?

NUMBER OF DAYS SKIPPED WORK

- D-43. How many children under the age of 12 live here now?

NUMBER OF CHILDREN UNDER 12

NO CHILDREN UNDER 12 ☐ 91 → (SKIP TO FI
CHECKPOINT AA
ON PAGE 90)

- D-44. Now I need some additional information about (each of) the (READ NUMBER FROM Q.D-43) child(ren) under 12 who live(s) here. (Starting with the oldest child), Please tell me how old (the/each) child was on his or her last birthday.

(RECORD AGE IN WHOLE YEARS FOR CHILDREN 2 YEARS OR OLDER IN COLUMN B OF CHILD ROSTER. FOR CHILDREN YOUNGER THAN 2 YEARS, PROBE FOR AND RECORD AGE IN WHOLE MONTHS IN COLUMN C.)

(AFTER ALL CHILDREN ARE LISTED, ASK Q.D-44a AND Q.D-44b FOR EACH CHILD.)

- D-44a. Is the (AGE)-(year/month)-old child a male or a female? (CIRCLE CORRECT SEX IN COLUMN D.)

- D-44b. What is (his/her) relationship to you? (RECORD RELATIONSHIP IN COLUMN E.)

ROSTER OF CHILDREN UNDER 12

Col. A	Col. B	Col. C	Col. D	Col. E
Child	Age in Years (for children 2 years or older)	Age in Months (for children younger than 2)	Sex	Relationship to ®
01			M F	
02			M F	
03			M F	
04			M F	
05			M F	
06			M F	
07			M F	
08			M F	
09			M F	
10			M F	
11			M F	
12			M F	

FI CHECKPOINT AA	MARK ONE BOX:	
	® IS FEMALE LESS THAN 45 YEARS OLD	<input type="checkbox"/> 1 → (CONTINUE WITH Q.D-45)
	® IS FEMALE 45 YEARS OR OLDER	<input type="checkbox"/> 2 → (SKIP TO FI CHECKPOINT BB)
	® IS MALE	<input type="checkbox"/> 3

D-45. Are you currently pregnant?

YES ☐ 1
 NO ☐ 2 → (SKIP TO FI CHECKPOINT BB)

D-46. How many months pregnant are you?

NUMBER OF MONTHS
 PREGNANT

FI CHECKPOINT BB	IS ® THE ONLY ADULT 18 OR OLDER LIVING IN THIS HOUSEHOLD?	
	YES	<input type="checkbox"/> 1 → (SKIP TO Q.D-49)
	NO	<input type="checkbox"/> 2 → (CONTINUE WITH Q.D-47)

D-47. Who is considered to be the chief wage earner or source of income in this household?

RESPONDENT ☐ 1 → (SKIP TO Q.D-49)
 SOMEONE ELSE (SPECIFY RELATIONSHIP TO ®) ☐ 2

 INCOME CONTRIBUTED EQUALLY
 BY ® AND SOMEONE ELSE
 (SPECIFY RELATIONSHIP TO ®) .. ☐ 3

 NO ONE ☐ 4 → (SKIP TO Q.D-49)

D-48. Does (he/she) work ... (READ ANSWER CHOICES)

Full-time, or ☐ 1
 Part-time? ☐ 2
 CHIEF SOURCE OF INCOME
 DOES NOT WORK ☐ 3

D-49. Altogether, how many people live here, including yourself?

NUMBER OF RESIDENTS
 IN HOUSEHOLD

D-50. During the past 12 months, how often did you attend religious services? Please do not include special occasions such as weddings, christenings, funerals, or other special events in your answer. Would you say you...

- Never attended religious services, ☐ 1
 Attended about once or twice in the
 past 12 months, ☐ 2
 Attended about once or twice a month, ☐ 3
 Attended every week, or ☐ 4
 Attended several times a week? ☐ 5

D-51. I am going to read some statements about the role that religious beliefs may play in your life. Please tell me if you strongly disagree, disagree, agree, or strongly agree with each statement. (READ ALL STATEMENTS.)

- | | STRONGLY
DISAGREE | DISAGREE | AGREE | STRONGLY
AGREE |
|---|----------------------------|----------------------------------|----------------------------------|----------------------------------|
| a. My religious beliefs are a very important part of my life | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| b. My religious beliefs influence how I make decisions in my life | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| c. It is important that my friends share my religious beliefs | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |

HEALTH (CONTINUED)

FI	@ IS 18 YEARS OR OLDER <input type="checkbox"/> 1 → (CONTINUE WITH Q. HE-4)	
CHECKPOINT	@ IS 12-17 YEARS OLD <input type="checkbox"/> 2 → (SKIP TO HEALTH CARE SECTION ON PAGE 101)	
CC		

HE-4. Now we have some additional questions about specific aspects of your health. During the past 12 months, was there ever a time when you felt sad, blue, or depressed for two weeks or more in a row?

YES ☐ 1

NO ☐ 2 → (SKIP TO Q. HE-18)

HE-5. For the next few questions, please think of the two-week period during the past 12 months when these feelings were worst. During that time, did the feeling of being sad, blue, or depressed usually last all day long, most of the day, about half the day, or less than half the day?

ALL DAY LONG ☐ 1

MOST OF THE DAY ☐ 2

ABOUT HALF THE DAY ☐ 3

LESS THAN HALF THE DAY ☐ 4

HE-6. Did you feel this way every day, almost every day, or less often during those two weeks?

EVERY DAY ☐ 1

ALMOST EVERY DAY ☐ 2

LESS OFTEN ☐ 3

HE-7. During those two weeks, did you lose interest in most things?

YES ☐ 1

NO ☐ 2

LOSING INTEREST

HE-8. Did you feel tired out or low on energy all the time?

YES ☐ 1

NO ☐ 2

FEELING TIRED

HE-9. Did you gain weight, lose weight, or stay about the same?

GAINED WEIGHT ☐ 1

GAINING WEIGHT

LOST WEIGHT ☐ 2

LOSING WEIGHT

BOTH GAINED AND LOST WEIGHT ... ☐ 3

**GAINING AND
LOSING WEIGHT**

STAYED THE SAME ☐ 4

CODE ONLY IF VOLUNTEERED:

@ WAS ON A DIET ☐ 5

→ (SKIP TO Q.HE-11)

HE-10. About how much did you (gain/lose)?

NUMBER OF POUNDS

HE-11. Did you have more trouble falling asleep than you usually do?

YES ☐ 1

**TROUBLE FALLING
ASLEEP**

NO ☐ 2

→ (SKIP TO Q.HE-13)

HE-12. Did that happen every night, nearly every night, or less often during those two weeks?

EVERY NIGHT ☐ 1

NEARLY EVERY NIGHT ☐ 2

LESS OFTEN ☐ 3

HE-13. Did you have a lot more trouble concentrating than usual?

YES ☐ 1

**TROUBLE
CONCENTRATING**

NO ☐ 2

HE-14. At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?

YES ☐ 1

**FEELING DOWN
ON YOURSELF**

NO ☐ 2

HE-15. Did you think a lot about death -- either your own, someone else's, or death in general?

YES ☐ 1

**THOUGHTS ABOUT
DEATH**

NO ☐ 2

FI	ANY BOXED ITEMS IN Q.HE-7 THROUGH Q.HE-15 MARKED?
CHECKPOINT	YES <input type="checkbox"/> 1 → (CONTINUE WITH Q.HE-16)
DD	NO <input type="checkbox"/> 2 → (SKIP TO Q.HE-17)

HE-16. Reviewing what you just told me, you had two weeks in a row during the past 12 months when you were sad, blue, or depressed and also had some other things like (READ UP TO TWO DESCRIPTIONS IN YES-BOXED RESPONSES FROM QUESTIONS HE-7 THROUGH HE-15). About how many weeks altogether did you feel this way during the past 12 months?

NUMBER OF WEEKS
 CODE ONLY IF VOLUNTEERED:
 ENTIRE YEAR ☐ 52 → (SKIP TO Q.HE-31)

HE-17. Think about the last time you felt this way for two weeks or more in a row. In what month and year was that?

MONTH
 YEAR 19 → (SKIP TO Q.HE-31)

HE-18. During the past 12 months, was there ever a time lasting two weeks or more when you lost interest in most things like hobbies, work, or activities that usually gave you pleasure?

YES ☐ 1
 NO ☐ 2 → (SKIP TO Q.HE-31)

HE-19. For the next few questions, please think of the two-week period during the past 12 months when you had the most complete loss of interest in things. During that two-week period, did the loss of interest usually last all day long, most of the day, about half the day, or less than half the day?

ALL DAY LONG ☐ 1
 MOST OF THE DAY ☐ 2
 ABOUT HALF THE DAY ☐ 3
 LESS THAN HALF THE DAY ☐ 4

HE-20. Did you feel this way every day, almost every day, or less often during the two weeks?

EVERY DAY ☐ 1
 ALMOST EVERY DAY ☐ 2
 LESS OFTEN ☐ 3

HE-21. During those two weeks, did you feel tired out, or low on energy all the time?

YES ☐ 1 **FEELING TIRED**
 NO ☐ 2

HE-22. During those two weeks, did you gain weight, lose weight, or stay about the same?

GAINED WEIGHT ☐ 1

GAINING WEIGHT

LOST WEIGHT ☐ 2

LOSING WEIGHT

BOTH GAINED AND LOST WEIGHT ... ☐ 3

**GAINING AND
LOSING WEIGHT**

STAYED THE SAME ☐ 4

CODE ONLY IF VOLUNTEERED:

Ⓢ WAS ON A DIET ☐ 5

→ (SKIP TO Q.HE-24)

HE-23. About how much did you (gain/lose)?

NUMBER OF POUNDS

HE-24. During those two weeks, did you have more trouble falling asleep than you usually do?

YES ☐ 1

**TROUBLE FALLING
ASLEEP**

NO ☐ 2

→ (SKIP TO Q.HE-26)

HE-25. Did that happen every night, nearly every night, or less often during those two weeks?

EVERY NIGHT ☐ 1

NEARLY EVERY NIGHT ☐ 2

LESS OFTEN ☐ 3

HE-26. During those two weeks, did you have a lot more trouble concentrating than usual?

YES ☐ 1

**TROUBLE
CONCENTRATING**

NO ☐ 2

HE-27. At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?

YES ☐ 1

**FEELING DOWN
ON YOURSELF**

NO ☐ 2

HE-28. During those two weeks, did you think a lot about death -- either your own, someone else's, or death in general?

YES ☐ 1

**THOUGHTS ABOUT
DEATH**

NO ☐ 2

FI ANY BOXED ITEMS IN Q.HE-21 THROUGH Q.HE-28 MARKED?

CHECKPOINT

YES ☐ 1

→ (CONTINUE WITH
Q.HE-29)

EE

NO ☐ 2

→ (SKIP TO Q.HE-31)

HE-29. Reviewing what you just told me, you had two weeks in a row during the past 12 months when you lost interest in most things and also had some other things like (READ UP TO TWO DESCRIPTIONS IN YES-BOXED RESPONSES FROM QUESTIONS HE-21 THROUGH HE-28). About how many weeks altogether did you feel this way during the past 12 months?

NUMBER OF WEEKS

CODE ONLY IF VOLUNTEERED:

ENTIRE YEAR ☐ 52 → (SKIP TO Q.HE-31)

HE-30. Think about the last time you had two weeks in a row when you felt this way. In what month and year was that?

MONTH

YEAR 19

HE-31. During the past 12 months, did you ever have a period lasting one month or longer when most of the time you felt worried or anxious?

YES ☐ 1

NO ☐ 2 → (SKIP TO Q.HE-42)

HE-32. Has that period ended or is it still going on?

ENDED ☐ 1

STILL GOING ON ☐ 2 → (SKIP TO Q.HE-37)

HE-33. How many months or years did it go on before it ended? (FILL IN NUMBER AND MARK APPROPRIATE TIMEFRAME.)

MONTHS ☐ 1

NUMBER OF (MARK ONE):

YEARS ☐ 2

HE-34. During that period, did you worry about things that were not likely to happen?

YES ☐ 1 → (SKIP TO Q.HE-36)

NO ☐ 2

HE-35. Did you worry a great deal about things that were not really serious?

YES ☐ 1

NO ☐ 2 → (SKIP TO Q.HE-42)

HE-36. During this period of worry or anxiety, did you have different worries on your mind at the same time?

YES ☐ 1

NO ☐ 2

(SKIP TO FI
CHECKPOINT FF
ON PAGE 97)

HE-37. How many months or years has it been going on? (FILL IN NUMBER AND MARK APPROPRIATE TIMEFRAME.)

MONTHS ☐ 1
[] NUMBER OF (MARK ONE):
YEARS ☐ 2

HE-38. Do you worry about things that are not likely to happen?

YES ☐ 1 → (SKIP TO Q.HE-40)
NO ☐ 2

HE-39. Do you worry a great deal about things that are not really serious?

YES ☐ 1
NO ☐ 2 → (SKIP TO Q.HE-42)

HE-40. Do you have different worries on your mind at the same time?

YES ☐ 1
NO ☐ 2

FI
CHECKPOINT

QUESTION HE-33 OR HE-37 = 6 MONTHS OR MORE ☐ 1 → (CONTINUE WITH Q.HE-41 BELOW)

FF

QUESTION HE-33 OR HE-37 = LESS THAN 6 MONTHS ☐ 2 → (SKIP TO Q.HE-42)

HE-41. When you (are/were) worried or anxious, (are/were) you also ...

	YES	NO
a. Restless?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b. (Are/Were) you keyed up or on edge?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c. (Are/Were) you particularly irritable?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d. (Are/Were) you aware of your heart pounding or racing?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e. (Are/Were) you easily tired?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f. (Do/Did) you also have trouble falling asleep or staying asleep?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g. (Do/Did) you feel faint or unreal?	<input type="checkbox"/> 1	<input type="checkbox"/> 2

HE-42. Here's a list of situations that cause some people to have unreasonably strong fears. "Unreasonably strong" means being very upset or badly frightened when most people would not be afraid. During the past 12 months, did you have an unreasonably strong fear of

YES NO

- a. Being in a public place or a crowd or line? ☐ 1 ☐ 2
- b. Leaving your home or being alone away from home? ☐ 1 ☐ 2
- c. Crossing a bridge or riding in trains or buses? . ☐ 1 ☐ 2

FI

CHECKPOINT

GG

Q.HE-42a OR Q.HE-42b OR Q.HE-42c = YES ☐ 1 → (CONTINUE WITH Q.HE-43 BELOW)

Q.HE-42a AND Q.HE-42b AND Q.HE-42c = NO ☐ 2 → (SKIP TO Q.HE-49)

HE-43. Do you get very upset or badly frightened every time you are in (this/these) situation(s), most of the time, or only some of the time?

EVERY TIME ☐ 1

MOST OF THE TIME ☐ 2

SOME OF THE TIME ☐ 3

CODE ONLY IF VOLUNTEERED:

ONLY ONE OR TWO TIMES ☐ 4

→ (SKIP TO Q.HE-49)

HE-44. How long have you had (this/these) fear(s) — less than 1 year, between 1 and 5 years, or more than 5 years?

LESS THAN 1 YEAR ☐ 1

BETWEEN 1 AND 5 YEARS ☐ 2

MORE THAN 5 YEARS ☐ 3 → (SKIP TO Q.HE-46)

HE-45. About how many months have you had (this/these) fear(s)?

NUMBER OF MONTHS

HE-46. When you are in (this/these) situation(s), are you afraid that you might faint, lose control, or embarrass yourself in other ways?

YES ☐ 1

NO ☐ 2

HE-47. When you are in (this/these) situation(s), do you worry that you might be trapped without any way to escape?

YES ☐ 1
NO ☐ 2

HE-48. When you are in (this/these) situation(s), do you worry that help might not be available if you needed it?

YES ☐ 1
NO ☐ 2

HE-49. During the past 12 months, did you ever have a spell or an attack when all of a sudden you felt frightened, anxious, or very uneasy when most people would not be afraid or anxious?

YES ☐ 1 → (SKIP TO Q.HE-51)
NO ☐ 2

HE-50. During the past 12 months, did you ever have a spell or attack when for no reason your heart suddenly began to race, you felt faint, or you couldn't catch your breath? (IF @ VOLUNTEERS ONLY WHEN HAVING HEART ATTACK, OR DUE TO PHYSICAL CAUSES, MARK NO.)

YES ☐ 1
NO ☐ 2 → (SKIP TO HEALTH CARE SECTION ON PAGE 101)

HE-51. About how many attacks did you have in the past 12 months?

NUMBER OF ATTACKS

HE-52. In what month and year did you have (the last one/this attack)?

MONTH
YEAR 19

HE-53. Did (this attack/these attacks ever) happen in a situation when you were not in danger or not the center of attention?

YES ☐ 1
NO ☐ 2 → (SKIP TO HEALTH CARE SECTION ON PAGE 101)

FI	Q.HE-42a <u>OR</u> Q.HE-42b <u>OR</u> Q.HE-42c = YES	<input type="checkbox"/> 1	→ (CONTINUE WITH Q.HE-54 BELOW)
CHECKPOINT	Q.HE-42a <u>AND</u> Q.HE-42b <u>AND</u> Q.HE-42c = NO	<input type="checkbox"/> 2	→ (SKIP TO Q.HE-56)
HH			

HE-54. A moment ago, we discussed situations that cause unreasonably strong fears. When you have attacks of the sort you just described, do they usually occur in situations that cause you unreasonably strong fears?

YES ☐ 1
 NO ☐ 2 → (SKIP TO Q.HE-56)

HE-55. Did you ever have an attack in the past 12 months when you were not in a situation that usually causes you to have unreasonably strong fears?

YES ☐ 1
 NO ☐ 2 → (SKIP TO HEALTH CARE SECTION ON PAGE 101)

HE-56. When you have attacks, ...

	<u>YES</u>	<u>NO</u>
a. Does your heart pound?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b. Do you have tightness, pain or discomfort in your chest or stomach?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c. Do you sweat?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d. Do you tremble or shake?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e. Do you have hot flashes or chills?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f. Do you, or things around you, seem unreal?	<input type="checkbox"/> 1	<input type="checkbox"/> 2

HEALTH CARE

Now we have some questions about any medical treatment you may have had in a hospital or emergency room. For these four questions, think about the past 12 months -- that is, from your 12-month reference date up to and including today.

HC-1. During the past 12 months, how many different times have you been treated in an emergency room because of injury or illness?

NONE ☐ 0

NUMBER OF TIMES IN
EMERGENCY ROOM

HC-2. During the past 12 months, how many different times have you stayed overnight or longer in a hospital?

NONE ☐ 0 → (SKIP TO Q.HC-4)

NUMBER OF OVERNIGHT
STAYS IN HOSPITAL

HC-3. During the past 12 months, how many different times have you stayed overnight or longer in a hospital to receive treatment for psychological or emotional difficulties?

NONE ☐ 0

NUMBER OF OVERNIGHT
PSYCHIATRIC STAYS

HC-4. Have you received treatment for psychological problems or emotional difficulties at a mental health clinic or by a mental health professional on an outpatient basis in the past 12 months?

YES ☐ 1

NO ☐ 2

PROXY INFORMATION

The next questions are about your health care, health insurance coverage, and the kinds and amounts of income that you receive. The answers to these questions will add greatly to our knowledge about the health problems of the American people, the types of health care they receive, and whether they can afford the care that they need. This information will help in planning health care services and finding ways to lower costs of care.

(IF @ HAS NO FAMILY MEMBERS LIVING IN THIS RESIDENCE, SKIP TO ACCESS TO CARE SECTION ON PAGE 103.)

- P-1. Is there some other family member who lives here that you think would be better able to give me the correct information about your health care, health insurance coverage, and the kinds of income you receive?

YES ☐ 1

NO ☐ 2 → (SKIP TO ACCESS
TO CARE
SECTION ON
PAGE 103)

- P-2. Who is the person you think can help us get the correct information for these questions?

@'s SPOUSE/LIVE-IN PARTNER ☐ 1

@'s FATHER ☐ 2

@'s MOTHER ☐ 3

@'s BROTHER ☐ 4

@'s SISTER ☐ 5

OTHER FAMILY MEMBER
(SPECIFY RELATIONSHIP TO @):
..... ☐ 6

- P-3. Is your (RELATIVE FROM Q.P-2) here at home now?

YES ☐ 1

NO ☐ 2 → (SKIP TO ACCESS
TO CARE
SECTION ON
PAGE 103)

- P-4. Would you ask your (RELATIVE FROM Q.P-2) to join us to help with these last questions about health care, health insurance, and income?

YES ☐ 1

NO ☐ 2 → (SKIP TO ACCESS
TO CARE
SECTION ON
PAGE 103)

FI
CHECKPOINT

II

(READ ALOUD ONLY IF PROXY JOINS @): The next questions are about (**SAMPLE MEMBER's**) health care, health insurance coverage, and the kinds and amounts of income that (**SAMPLE MEMBER**) and other people in your family receive. The answers to these questions will add greatly to our knowledge about the health problems of the American people, the types of health care they receive, and whether they can afford the care that they need. This information will help in planning health care services and finding ways to lower costs of care.

ACCESS TO CARE

These questions are about medical care.

AC-1. Is there one particular person or place that (you usually go/SAMPLE MEMBER usually goes) to when (you are/SAMPLE MEMBER is) sick or need(s) advice about (your/his/her) health?

- YES ☐ 1 → (SKIP TO Q. AC-8)
NO ☐ 2
DON'T KNOW ☐ 3 → (SKIP TO Q. AC-4)

CODE ONLY IF @ VOLUNTEERED:

- THERE IS MORE THAN
ONE PLACE ☐ 4 → (SKIP TO Q. AC-3)

AC-2. Which of these is the main reason (you do/SAMPLE MEMBER does) not have a usual source of medical care? (HAND @ SHOWCARD 8.)

- TWO OR MORE USUAL
DOCTORS/PLACES ☐ 1
DON'T NEED A DOCTOR ☐ 2
DON'T LIKE/TRUST/BELIEVE
IN DOCTORS ☐ 3
DON'T KNOW WHERE TO GO ☐ 4
PREVIOUS DOCTOR IS NOT
AVAILABLE/MOVED ☐ 5 → (SKIP TO Q. AC-4)
NO INSURANCE/CAN'T
AFFORD IT ☐ 6
SPEAK A DIFFERENT
LANGUAGE ☐ 7
NO CARE AVAILABLE/CARE
TOO FAR AWAY OR
NOT CONVENIENT ☐ 8
OTHER (SPECIFY):
..... ☐ 9
DON'T KNOW ☐ 94

(TAKE BACK SHOWCARD 8.)

AC-3. Is there one of these places that (you go/SAMPLE MEMBER goes) to most often when (you are/SAMPLE MEMBER is) sick or need(s) advice about (your/his/her) health?

- YES ☐ 1 → (SKIP TO Q. AC-8)
NO ☐ 2
DON'T KNOW ☐ 94

AC-4. At any time in the past 12 months, did (you/SAMPLE MEMBER) have a place that (you/he/she) usually went to for medical care?

YES ☐ 1

NO ☐ 2

DON'T KNOW ☐ 94

→ (SKIP TO HEALTH
INSURANCE SEC-
TION ON PAGE
106.)

AC-5. What kind of place was it — a clinic, a health center, a hospital, a doctor's office, or some other place?

DOCTOR'S OFFICE OR

PRIVATE CLINIC ☐ 1

COMPANY OR SCHOOL HEALTH

CLINIC/CENTER ☐ 2

COMMUNITY/MIGRANT/RURAL

CLINIC OR CENTER ☐ 3

COUNTY/CITY/PUBLIC HOSPITAL

OUTPATIENT CLINIC ☐ 4

PRIVATE/OTHER HOSPITAL

OUTPATIENT CLINIC ☐ 5

HOSPITAL EMERGENCY ROOM ☐ 6

HMO (HEALTH MAINTENANCE

ORGANIZATION/PRE-

PAID GROUP) ☐ 7

PSYCHIATRIC HOSPITAL

OR CLINIC ☐ 8

VA HOSPITAL OR CLINIC ☐ 9

MILITARY HEALTH CARE

FACILITY ☐ 10

SOME OTHER PLACE (SPECIFY):

..... ☐ 11

AC-6. If (you/SAMPLE MEMBER) needed medical care now, would (you/he/she) go to that (FILL PLACE FROM Q. AC-5)?

YES ☐ 1

NO ☐ 2

DON'T KNOW ☐ 94

→ (SKIP TO HEALTH
INSURANCE SEC-
TION ON PAGE
106)

AC-7. What is the main reason (you/SAMPLE MEMBER) would not use that place for medical care now?

- Ⓐ CHANGED RESIDENCE/
MOVED ☐ 1
- Ⓑ CHANGED JOBS ☐ 2
- EMPLOYER CHANGED
INSURANCE COMPANIES ☐ 3
- FORMER USUAL SOURCE
LEFT AREA ☐ 4
- OWED MONEY TO FORMER
USUAL SOURCE ☐ 5
- DISSATISFIED WITH FORMER
SOURCE/LIKED NEW
SOURCE BETTER ☐ 6
- MEDICAL CARE NEEDS
CHANGED ☐ 7
- FORMER USUAL SOURCE STOPPED
TAKING INSURANCE/
COVERAGE ☐ 8
- OTHER REASON (SPECIFY):

_____ ☐ 9
- DON'T KNOW ☐ 94

→ (SKIP TO HEALTH
INSURANCE ON
PAGE 106)

AC-8. What kind of place is it – a clinic, a health center, a hospital, a doctor's office, or some other place?

- DOCTOR'S OFFICE OR
PRIVATE CLINIC ☐ 1
- COMPANY OR SCHOOL HEALTH
CLINIC/CENTER ☐ 2
- COMMUNITY/MIGRANT/RURAL
CLINIC OR CENTER ☐ 3
- COUNTY/CITY/PUBLIC HOSPITAL
OUTPATIENT CLINIC ☐ 4
- PRIVATE/OTHER HOSPITAL
OUTPATIENT CLINIC ☐ 5
- HOSPITAL EMERGENCY ROOM ☐ 6
- HMO (HEALTH MAINTENANCE
ORGANIZATION/PRE-
PAID GROUP) ☐ 7
- PSYCHIATRIC HOSPITAL
OR CLINIC ☐ 8
- VA HOSPITAL OR CLINIC ☐ 9
- MILITARY HEALTH CARE
FACILITY ☐ 10
- SOME OTHER PLACE (SPECIFY):

_____ ☐ 11

HEALTH INSURANCE

The next questions are about your health insurance coverage and the kinds and amounts of income that you receive. The answers to these questions will add greatly to our knowledge about the health problems of the American people, the types of health care they receive, and whether they can afford the care that they need. This information will help in planning health care services and finding ways to lower costs of care. Most of these next questions refer to the month of **(LAST FULL CALENDAR MONTH)** rather than to the past 30 days that were referred to in some earlier questions.

- HI-1. Several government programs provide medical care or help pay medical bills. (HAND @ SHOWCARD 9.) People covered by Medicare have a card that looks like this. (PAUSE) In **(MONTH)**, (were you/was **(SAMPLE MEMBER)**) covered by Medicare? Medicare is a health insurance program for persons 65 and older and for certain disabled persons.

YES ☐ 1

NO ☐ 2

(TAKE BACK SHOWCARD 9.)

- HI-2. In **(MONTH)**, (were you/was **(SAMPLE MEMBER)**) covered by Medicaid or (Medical Assistance/ **CAL.-KAN.-AZ. NAME**)? Medicaid or (Medical Assistance/ **CAL.-KAN.-AZ. NAME**) is a public assistance program that pays for medical care.

YES ☐ 1

NO ☐ 2

- HI-3. In **(MONTH)**, (were you/was **(SAMPLE MEMBER)**) covered by CHAMPUS or TRICARE, CHAMPVA, the VA, or military health care? These programs cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.

YES ☐ 1

NO ☐ 2

- HI-4. Health insurance can also be obtained through an employer or union or by paying premiums directly to a private health insurance company or to a health maintenance organization. (Were you/Was **(SAMPLE MEMBER)**) covered by private health insurance or by membership in a health maintenance organization (you/(s)he/someone in the family) purchased this way or by health insurance provided by an employer or union in **(MONTH)**?

YES ☐ 1

NO ☐ 2 → (SKIP TO
INCOME
SECTION ON
PAGE 108)

- HI-5. Was this private health insurance plan offered through (your/**(SAMPLE MEMBER'S)**) employer or union or through the employer or union of some other family member?

YES ☐ 1 → (SKIP TO Q.HI-7)

NO ☐ 2

HI-6. Was (your/(SAMPLE MEMBER'S)) private health insurance coverage obtained by paying premiums directly to a private health insurance company or health maintenance organization?

YES ☐ 1

NO ☐ 2

HI-7. Did (your/(SAMPLE MEMBER'S)) private health insurance plan or health maintenance organization include coverage for treatment for any of the following conditions? (READ ALL CATEGORIES.)

	<u>YES</u>	<u>NO</u>	<u>DON'T KNOW</u>
a. Alcohol abuse or alcoholism?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 94
b. Drug abuse?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 94
c. Mental or emotional difficulties?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 94

INCOME

- I-1. Now, I would like for you to think about the past 12 months, from your 12-month reference date through today. In the past 12 months, did (you/(SAMPLE MEMBER)) receive Social Security or Railroad Retirement payments? Social Security checks are either automatically deposited in the bank or mailed to arrive on about the 3rd of every month. If mailed, they are sent in a gold envelope.

YES ☐ 1 → (SKIP TO Q. I-3)
NO ☐ 2 → (IF NO OTHER FAMILY MEMBERS IN HH, SKIP TO Q. I-3,
OTHERWISE ASK Q. I-2.)

- I-2. In the past 12 months, did any other family member living here receive Social Security or Railroad Retirement payments?

YES ☐ 1
NO ☐ 2

- I-3. In the past 12 months, did (you/(SAMPLE MEMBER)) receive Supplemental Security Income or SSI? Federal SSI checks are either automatically deposited in the bank or mailed to arrive on the first of every month. If mailed, they are sent in a blue envelope.

YES ☐ 1 → (SKIP TO Q. I-5)
NO ☐ 2 → (IF NO OTHER FAMILY MEMBERS IN HH, SKIP TO Q. I-5,
OTHERWISE ASK Q. I-4.)

- I-4. In the past 12 months, did any other family member living here receive Supplemental Security Income or SSI?

YES ☐ 1
NO ☐ 2

- I-5. In the past 12 months, did (you/(SAMPLE MEMBER)) receive public assistance or welfare payments from the state or local welfare office? Do not include SSI.

YES ☐ 1 → (SKIP TO Q. I-7)
NO ☐ 2 → (IF NO OTHER FAMILY MEMBERS IN HH, SKIP TO Q. I-8,
OTHERWISE ASK Q. I-6.)

- I-6. In the past 12 months, did any other family member living here receive public assistance or welfare payments from the state or local welfare office? Do not include SSI.

YES ☐ 1
NO ☐ 2 → (SKIP TO Q. I-8)

- I-7. Did (you/SAMPLE MEMBER) or another family member living in your household receive Aid to Families with Dependent Children, sometimes called AFDC or ADC, or was it some other type of assistance payments in the past 12 months?

AFDC/ADC ☐ 1
OTHER ☐ 2
BOTH ☐ 3

- I-8. In the past 12 months, did (you/SAMPLE MEMBER) have money in any kind of savings or other bank account that earned interest or did (you/(SAMPLE MEMBER)) receive dividend income from stocks or mutual funds or income from rental property, royalties, estates, or trusts? Include money market funds, treasury notes, IRAs or certificates of deposit, interest earning checking accounts, bonds, or any other investments that earn interest.

YES ☐ 1 → (SKIP TO Q. I-10)
NO ☐ 2 → (IF NO OTHER FAMILY MEMBERS IN HH, SKIP TO Q. I-10,
OTHERWISE ASK Q. I-9.)

- I-9. In the past 12 months, did any other family member living here have money in any kind of savings or other bank account that earned interest or did they receive dividend income from stocks or mutual funds or income from rental property, royalties, estates, or trusts?

YES ☐ 1
NO ☐ 2

- I-10. In the past 12 months, did (you/(SAMPLE MEMBER)) receive any child support payments?

YES ☐ 1 → (SKIP TO Q. I-12)
NO ☐ 2 → (IF NO OTHER FAMILY MEMBERS IN HH, SKIP TO Q. I-12,
OTHERWISE ASK Q. I-11.)

- I-11. In the past 12 months, did any other family member living here receive any child support payments?

YES ☐ 1
NO ☐ 2

- I-12. In the past 12 months, did (you/(SAMPLE MEMBER)) receive income from any other sources, such as Veterans Administration payments, workers or unemployment compensation, alimony, other disability, retirement or survivor pension (other than Social Security or Railroad Retirement)? Do not include lump sum payments, such as money from an inheritance or the sale of a home.

YES ☐ 1 → (SKIP TO Q. I-14)

NO ☐ 2 → (IF NO OTHER FAMILY MEMBERS IN HH,
SKIP TO Q. I-14, OTHERWISE ASK Q. I-13)

- I-13. In the past 12 months, did any other family member living here receive income from any other sources, such as Veterans Administration payments, workers or unemployment compensation, alimony, other disability, retirement or survivor pension (other than Social Security or Railroad Retirement)? Do not include lump sum payments, such as money from an inheritance or the sale of a home.

YES ☐ 1

NO ☐ 2

- I-14. In the past 12 months, did (you/(SAMPLE PERSON)) or anyone in your family living here receive food stamps?

YES ☐ 1

NO ☐ 2

- I-15. The next two questions are about (your/(SAMPLE MEMBER'S)) total personal income during the past 12 months from all sources. Include money from (your/(SAMPLE MEMBER'S)) jobs, social security, retirement income, unemployment payments, public assistance, and so forth. Also include income from interest, dividends, net income from business, farm, or rent, and any other money income (you/(SAMPLE MEMBER)) received.

Was (your/(SAMPLE MEMBER'S)) total personal income during the past 12 months more or less than \$20,000? Income data is important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.

\$20,000 OR MORE ☐ 1 → (HAND
SHOWCARD 10)

LESS THAN \$20,000 ☐ 2 → (HAND
SHOWCARD 11)

- I-16. Of these income groups, which letter best represents (your/(SAMPLE MEMBER'S)) total personal income during the past 12 months? Include wages, salaries, and other items we just talked about. Income data is important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.

- | | | |
|--|--------------------------|----|
| A ... LESS THAN \$1,000 (INCLUDING LOSS) | <input type="checkbox"/> | 1 |
| B ... \$1,000 - \$1,999 | <input type="checkbox"/> | 2 |
| C ... \$2,000 - \$2,999 | <input type="checkbox"/> | 3 |
| D ... \$3,000 - \$3,999 | <input type="checkbox"/> | 4 |
| E ... \$4,000 - \$4,999 | <input type="checkbox"/> | 5 |
| F ... \$5,000 - \$5,999 | <input type="checkbox"/> | 6 |
| G ... \$6,000 - \$6,999 | <input type="checkbox"/> | 7 |
| H ... \$7,000 - \$7,999 | <input type="checkbox"/> | 8 |
| I ... \$8,000 - \$8,999 | <input type="checkbox"/> | 9 |
| J ... \$9,000 - \$9,999 | <input type="checkbox"/> | 10 |
| K ... \$10,000 - \$10,999 | <input type="checkbox"/> | 11 |
| L ... \$11,000 - \$11,999 | <input type="checkbox"/> | 12 |
| M ... \$12,000 - \$12,999 | <input type="checkbox"/> | 13 |
| N ... \$13,000 - \$13,999 | <input type="checkbox"/> | 14 |
| O ... \$14,000 - \$14,999 | <input type="checkbox"/> | 15 |
| P ... \$15,000 - \$15,999 | <input type="checkbox"/> | 16 |
| Q ... \$16,000 - \$16,999 | <input type="checkbox"/> | 17 |
| R ... \$17,000 - \$17,999 | <input type="checkbox"/> | 18 |
| S ... \$18,000 - \$18,999 | <input type="checkbox"/> | 19 |
| T ... \$19,000 - \$19,999 | <input type="checkbox"/> | 20 |
| U ... \$20,000 - \$24,999 | <input type="checkbox"/> | 21 |
| V ... \$25,000 - \$29,999 | <input type="checkbox"/> | 22 |
| W ... \$30,000 - \$34,999 | <input type="checkbox"/> | 23 |
| X ... \$35,000 - \$39,999 | <input type="checkbox"/> | 24 |
| Y ... \$40,000 - \$44,999 | <input type="checkbox"/> | 25 |
| Z ... \$45,000 - \$49,999 | <input type="checkbox"/> | 26 |
| AA ... \$50,000 - \$74,999 | <input type="checkbox"/> | 27 |
| BB ... \$75,000 OR MORE | <input type="checkbox"/> | 28 |

(TAKE BACK SHOWCARD 10 OR 11.)

FI	ARE THERE OTHER FAMILY MEMBERS LIVING IN THIS HOUSEHOLD?	
CHECKPOINT	YES	<input type="checkbox"/> 1 → (CONTINUE WITH Q.I-17)
JJ	NO	<input type="checkbox"/> 2 → (SKIP TO Q.I-19 O PAGE 114)

I-17. The next two questions are about the total family income during the past 12 months from all sources. We would like you to combine everyone's income — that is, yours and your (mother's/ father's/stepmother's/ stepfather's/wife's/husband's/etc.). Include money from all jobs, social security, retirement income, unemployment payments, public assistance, and so forth. Also include income from interest, dividends, net income from business, farm, or rent, and any other money income you received.

Was the total combined family income during the past 12 months more or less than \$20,000? Income data is important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.

\$20,000 OR MORE ☐ 1 → (HAND SHOWCARD 10)

LESS THAN \$20,000 ☐ 2 → (HAND SHOWCARD 11)

- I-18. Of these income groups, which letter best represents the total combined family income during the past 12 months (that is, yours and your (mother's/father's/stepmother's/stepfather's/wife's/husband's/etc.)? Include wages, salaries, and other items we just talked about. Income data is important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.

- | | |
|--|-----------------------------|
| A ... LESS THAN \$1,000 (INCLUDING LOSS) | <input type="checkbox"/> 1 |
| B ... \$1,000 - \$1,999 | <input type="checkbox"/> 2 |
| C ... \$2,000 - \$2,999 | <input type="checkbox"/> 3 |
| D ... \$3,000 - \$3,999 | <input type="checkbox"/> 4 |
| E ... \$4,000 - \$4,999 | <input type="checkbox"/> 5 |
| F ... \$5,000 - \$5,999 | <input type="checkbox"/> 6 |
| G ... \$6,000 - \$6,999 | <input type="checkbox"/> 7 |
| H ... \$7,000 - \$7,999 | <input type="checkbox"/> 8 |
| I ... \$8,000 - \$8,999 | <input type="checkbox"/> 9 |
| J ... \$9,000 - \$9,999 | <input type="checkbox"/> 10 |
| K ... \$10,000 - \$10,999 | <input type="checkbox"/> 11 |
| L ... \$11,000 - \$11,999 | <input type="checkbox"/> 12 |
| M ... \$12,000 - \$12,999 | <input type="checkbox"/> 13 |
| N ... \$13,000 - \$13,999 | <input type="checkbox"/> 14 |
| O ... \$14,000 - \$14,999 | <input type="checkbox"/> 15 |
| P ... \$15,000 - \$15,999 | <input type="checkbox"/> 16 |
| Q ... \$16,000 - \$16,999 | <input type="checkbox"/> 17 |
| R ... \$17,000 - \$17,999 | <input type="checkbox"/> 18 |
| S ... \$18,000 - \$18,999 | <input type="checkbox"/> 19 |
| T ... \$19,000 - \$19,999 | <input type="checkbox"/> 20 |
| U ... \$20,000 - \$24,999 | <input type="checkbox"/> 21 |
| V ... \$25,000 - \$29,999 | <input type="checkbox"/> 22 |
| W ... \$30,000 - \$34,999 | <input type="checkbox"/> 23 |
| X ... \$35,000 - \$39,999 | <input type="checkbox"/> 24 |
| Y ... \$40,000 - \$44,999 | <input type="checkbox"/> 25 |
| Z ... \$45,000 - \$49,999 | <input type="checkbox"/> 26 |
| AA ... \$50,000 - \$74,999 | <input type="checkbox"/> 27 |
| BB ... \$75,000 OR MORE | <input type="checkbox"/> 28 |

(TAKE BACK SHOWCARD 10 OR 11.)

- I-19. The last question is: How many different telephone numbers do you have in this household? Don't count business numbers or extensions with the same number.

NUMBER OF TELEPHONE
NUMBERS IN HOUSEHOLD

THANK @. BE SURE YOU HAVE ALL SHOWCARDS AND PILLCARDS.

FI RECORD THE TIME HERE.
CHECKPOINT TIME WHEN REACHED
THIS POINT :
HOUR MIN.
KK INDICATE TIME OF DAY: A.M. ☐ 1
P.M. ☐ 2

(READ ALOUD TO ALL @'s):

Before we seal the envelope, there are a couple of forms I have to complete, and I need your help with one of them. (PEEL THIS @'s CORRECT LABEL OFF SCREENING FORM. PLACE IT ON VERIFICATION FORM. PRINT FI NAME AND ID # ON VERIFICATION FORM.)

It is important that I do my job correctly; therefore, my supervisors will be checking on my work. Would you help me by printing your address and home telephone number on this form? Then place it in the postage-paid envelope so that my supervisor can write or call you in several weeks to confirm that I did my job. As you can see, this is kept separate from your answers so they will still be completely private.

While you are completing the verification form, I will be finishing some forms to show that I did the interview. Let me know when you are finished. Thank you very much for your help.

(COMPLETE QUESTIONS FI-1 THROUGH FI-8.)

FIELD INTERVIEWER OBSERVATIONS

- FI-1. Sign your name and record your field interviewer identification number.

F.I. SIGNATURE: _____

F.I. ID #:

- FI-2. Estimate the respondent's understanding of the interview.

No difficulty--no language or reading problem ☐ 1
Just a little difficulty--almost no language or reading problem ☐ 2
A fair amount of difficulty--some language or reading problem ☐ 3
A lot of difficulty--considerable language or reading problem ☐ 4

FI-3. How cooperative has the respondent been?

- Very cooperative ☐ 1
Fairly cooperative ☐ 2
Not very cooperative ☐ 3
Openly hostile ☐ 4

FI-4. Indicate on this scale of 1 through 9 how private the interview was.

- Completely private--no one was in the room or could overhear
any part of the interview ☐ 1 → (SKIP TO Q.FI-6)
..... ☐ 2
Minor distractions ☐ 3
..... ☐ 4
Person(s) in the room or listening about 1/3 of the time ☐ 5
..... ☐ 6
Serious interruptions of privacy more than half the time ☐ 7
..... ☐ 8
Constant presence of other person(s) ☐ 9

FI-5. Other people present or listening to the interview were ... (MARK ALL THAT APPLY.)

- Parent(s) ☐ 1
Spouse ☐ 2
Live-in partner/boyfriend/girlfriend ☐ 3
Other adult relative(s) ☐ 4
Other adult(s) ☐ 5
Child(ren) under 15 ☐ 6
Other (SPECIFY): _____ ☐ 7
(RELATIONSHIP(S) TO ®)

FI-6. Who marked the responses on the Answer Sheets? (MARK ONLY ONE BOX.)

- Respondent marked all the Answer Sheet
responses ☐ 1 → (SKIP TO Q.FI-8)
Interviewer marked all the Answer Sheet
responses ☐ 2

FI-7. Why did you mark the respondent's answers on the answer sheets?

| | |
(OFFICE USE)

FI-8. Please write a note about anything else you think will be helpful for the interpretation and understanding of this interview.

| | |
(OFFICE USE)

[COMPLETE POST-INTERVIEW PROCEDURES ON NEXT PAGE.] 

COMPLETE THE EDIT CHECKLIST FOR SCREENING AND INTERVIEWING. ESPECIALLY NOTING THE FOLLOWING POST-INTERVIEW CHECKS:

- A. IF ONLY ONE HU/GQU MEMBER IS SELECTED FOR INTERVIEW, PEEL OFF AND DISCARD SECOND LABEL FROM SCREENING FORM.**
- B. VERIFY THAT SCREENING FORM IS COMPLETE AND THAT SELECTION INFORMATION IN SECTION(S) A (AND F) IS FILLED IN.**
- C. VERIFY THAT CORRECT INFORMATION IS ENTERED IN SCREENING FORM "RECORD OF CALLS" (SECTION I/SECTION M) AND THAT PROPER CODES FROM "RESULT CODES" BOXES (SECTION H/SECTION L) ARE ENTERED ON THE FRONT OF THE SCREENING FORM.**
- D. TRANSFER STATUS CODE(S), HU/GQU TYPE, AND ROSTER NUMBER(S) TO ACF FORM.**
- E. ASK ® FOR THE LARGE ENVELOPE WITH 20 ANSWER SHEETS IN IT, PLACE THE SCREENING FORM AND THIS QUESTIONNAIRE IN IT, AND SEAL THE ENVELOPE WITH THE "CONFIDENTIAL" TAPE.**
- F. ASK ® FOR THE SMALL ENVELOPE. THANK ® AGAIN FOR PARTICIPATING. INVITE ® TO GO WITH YOU TO THE NEAREST MAILBOX.**
- G. MAIL BOTH ENVELOPES IMMEDIATELY.**

TOBACCO**Answer Sheet #1****EXAMPLE QUESTIONS**

EQ-1. How long has it been since you last went to the movies?

- Within the past 30 days ☐ 1
 More than 30 days ago but within the past 12 months ☒ 2
 More than 12 months ago but within the past 3 years ☐ 3
 More than 3 years ago ☐ 4
 I have never been to the movies in my life ☐ 91

EQ-2. During the past 30 days, on how many days did you eat corn?

- Number of days I ate corn 3
 I have eaten corn but not during the past 30 days ☐ 93
 I have never eaten corn in my life ☐ 91

The first 10 questions are about cigarettes only.

C-1. Have you ever smoked a cigarette, even one or two puffs?

- Yes, I have smoked at least a puff or two from a cigarette ☐ 1
 No, I have never smoked a cigarette in my life ☐ 2

C-2. How old were you the first time you smoked a cigarette, even one or two puffs?

- The first time I smoked a cigarette, I was years old
 I have never smoked a cigarette in my life ☐ 991

C-3. Think about the entire time since you first smoked a cigarette. Altogether, on how many days in your life have you smoked a cigarette?

- More than 300 days ☐ 1
 At least 101 but not more than 300 days ☐ 2
 At least 12 but not more than 100 days ☐ 3
 At least 3 but not more than 11 days ☐ 4
 At least 1 but not more than 2 days ☐ 5
 I have never smoked a cigarette in my life ☐ 91

(PLEASE TURN THE PAGE.)

C-4. How long has it been since you last smoked a cigarette?

- Within the past 30 days ☐ 1
More than 30 days ago but within the past 12 months ☐ 2
More than 12 months ago but within the past 3 years ☐ 3
More than 3 years ago ☐ 4
I have never smoked a cigarette in my life ☐ 91

THE NEXT THREE QUESTIONS REFER TO THE PAST 30 DAYS ONLY.

C-5. Think specifically about the past 30 days — that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you smoke a cigarette?

- Number of days I smoked at least a puff or two from a cigarette ☐
IF NONE, MARK ONE BOX FOR BEST ANSWER → ☐ 93
I have smoked cigarettes but not during the past 30 days ☐ 91
I have never smoked a cigarette in my life ☐ 91

C-6. When you smoked cigarettes during the past 30 days, how many did you usually smoke each day? *If the number varied from day to day, mark the box for the number of cigarettes you smoked on a typical day.*

- At least a puff or two but less than 1 cigarette each day ☐ 1
At least 1 but not more than 5 cigarettes each day ☐ 2
At least 6 but not more than 15 cigarettes (about 1/2 pack) each day ☐ 3
At least 16 but not more than 25 cigarettes (about 1 pack) each day ☐ 4
At least 26 but not more than 35 cigarettes (about 1 1/2 packs) each day ... ☐ 5
More than 35 cigarettes (about 2 packs or more) each day ☐ 6
IF NONE, MARK ONE BOX FOR BEST ANSWER → ☐ 93
I have smoked cigarettes but not during the past 30 days ☐ 91
I have never smoked a cigarette in my life ☐ 91

C-7. When you smoked cigarettes during the past 30 days, how soon after you woke up in the morning did you usually smoke your first cigarette?

- 5 minutes or less ☐ 1
6 to 30 minutes ☐ 2
31 to 60 minutes ☐ 3
1 to 3 hours ☐ 4
4 or more hours ☐ 5
IF NONE, MARK ONE BOX FOR BEST ANSWER → ☐ 93
I have smoked cigarettes but not during the past 30 days ☐ 91
I have never smoked a cigarette in my life ☐ 91

(PLEASE GO TO THE NEXT PAGE.)

THE REST OF THE QUESTIONS ON THIS ANSWER SHEET ASK ABOUT YOUR ENTIRE LIFETIME.

C-8. Has there ever been a period in your life when you smoked cigarettes every day?

Yes ☐ 1

No ☐ 2

C-9. How old were you when you first started smoking cigarettes every day?

I started smoking cigarettes every day when I was years old

*IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER*

[I have smoked cigarettes but never every day ☐ 993

[I have never smoked a cigarette in my life ☐ 991

C-10. For how many years have you smoked or did you smoke cigarettes every day?

RECORD NUMBER OF YEARS OR MARK A BOX:

Number of years I smoked cigarettes every day was year(s)

I smoked cigarettes every day but only for less than one whole year ☐ 0

*IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER*

[I have smoked cigarettes but never every day ☐ 993

[I have never smoked a cigarette in my life ☐ 991

The last 2 questions are about smokeless tobacco, such as chewing tobacco and snuff.

C-11. Have you ever, even once, used chewing tobacco or snuff?

Yes, I have used chewing tobacco or snuff ☐ 1

No, I have never used chewing tobacco or snuff in my life ☐ 2

C-12. How long has it been since you last used chewing tobacco or snuff?

Within the past 30 days ☐ 1

More than 30 days ago but within the past 12 months ☐ 2

More than 12 months ago but within the past 3 years ☐ 3

More than 3 years ago ☐ 4

I have never used chewing tobacco or snuff in my life ☐ 91

YOU HAVE FINISHED THE QUESTIONS ABOUT TOBACCO.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE TOBACCO QUESTIONS.**

ALCOHOL**Answer Sheet #2**

- A-1. The next few questions are about drinks of alcoholic beverages. By a "drink," we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. Have you ever, even once, had a drink of any type of alcoholic beverage? *Do not include sips from another person's drink.*

Yes, I have had a drink of an alcoholic beverage ☐ 1
 No, I have never had a drink of any alcoholic beverage in my life ☐ 2

- A-2. How old were you the first time you had a drink of any alcoholic beverage? *Do not include sips from another person's drink.*

The first time I drank an alcoholic beverage, I was years old
 I have never drunk an alcoholic beverage in my life ☐ 991

- A-3. Think about the last time you drank any type of alcoholic beverage. How long has it been since you last drank an alcoholic beverage?

Within the past 30 days ☐ 1
 More than 30 days ago but within the past 12 months ☐ 2
 More than 12 months ago but within the past 3 years ☐ 3
 More than 3 years ago ☐ 4
 I have never drunk an alcoholic beverage in my life ☐ 91

- A-4. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you drink an alcoholic beverage?

More than 300 days (every day or almost every day) ☐ 1
 At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
 At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
 At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
 At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
 At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
 At least 6 but not more than 11 days (less than one day a month) ☐ 7
 At least 3 but not more than 5 days in the past 12 months ☐ 8
 At least 1 but not more than 2 days in the past 12 months ☐ 9

IF NONE,
 MARK ONE →
 BOX FOR
 BEST ANSWER

I have drunk alcoholic beverages but not during the past 12 months ☐ 93
 I have never drunk an alcoholic beverage in my life ☐ 91

(PLEASE TURN THE PAGE.)

A-5. During the past 12 months, when you drank alcoholic beverages, on how many days did you get very high or drunk?

- More than 300 days (every day or almost every day) ☐ 1
- At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
- At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
- At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
- At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
- At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
- At least 6 but not more than 11 days (less than one day a month) ☐ 7
- At least 3 but not more than 5 days in the past 12 months ☐ 8
- At least 1 but not more than 2 days in the past 12 months ☐ 9
- I drank an alcoholic beverage in the past 12 months but I
did not get very high or drunk ☐ 90
- I have drunk alcoholic beverages but not during the past 12 months ☐ 93
- I have never drunk an alcoholic beverage in my life ☐ 91

IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER

(PLEASE GO TO THE NEXT PAGE.)

THE NEXT THREE QUESTIONS REFER TO THE PAST 30 DAYS ONLY.

- A-6.** Think specifically about the past 30 days – that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you drink one or more drinks of alcoholic beverages?

Number of days I had a drink of an alcoholic beverage

IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER

[I have drunk alcoholic beverages but not during the past 30 days ☐ 93
I have never drunk an alcoholic beverage in my life ☐ 91

- A-7.** On the days that you drank during the past 30 days, how many drinks did you usually have? *Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.*

On the days I had an alcoholic beverage, I usually had drink(s)
per day

IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER

[I have drunk alcoholic beverages but not during the past 30 days ☐ 93
I have never drunk an alcoholic beverage in my life ☐ 91

- A-8.** During the past 30 days, on how many days did you have 5 or more drinks on the same occasion? *By "occasion," we mean at the same time or within a couple of hours of each other.*

Number of days I drank 5 or more drinks of an alcoholic beverage

IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER

[On the days I drank during the past 30 days, I never had 5 or more drinks ☐ 90
I have drunk alcoholic beverages but not during the past 30 days ☐ 93
I have never drunk an alcoholic beverage in my life ☐ 91

YOU HAVE FINISHED THE QUESTIONS ABOUT ALCOHOL.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE ALCOHOL QUESTIONS.**

MARIJUANA**Answer Sheet #3**

The questions in this section are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked -- either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.

M-1. Have you ever, even once, used marijuana or hashish?

Yes, I have used marijuana or hashish ☐ 1

No, I have never used marijuana or hashish in my life ☐ 2

M-2. How old were you the first time you used marijuana or hashish?

The first time I used marijuana or hashish, I was years old

I have never used marijuana or hashish in my life ☐ 991

M-3. Think about the entire time since you first used marijuana or hashish. Altogether, on how many days in your life have you used marijuana or hashish?

More than 300 days ☐ 1

At least 101 but not more than 300 days ☐ 2

At least 12 but not more than 100 days ☐ 3

At least 3 but not more than 11 days ☐ 4

At least 1 but not more than 2 days ☐ 5

I have never used marijuana or hashish in my life ☐ 91

M-4. How long has it been since you last used marijuana or hashish?

Within the past 30 days ☐ 1

More than 30 days ago but within the past 12 months ☐ 2

More than 12 months ago but within the past 3 years ☐ 3

More than 3 years ago ☐ 4

I have never used marijuana or hashish in my life ☐ 91

(PLEASE TURN THE ANSWER SHEET OVER.)

M-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use marijuana or hashish?

- More than 300 days (every day or almost every day) ☐ 1
 At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
 At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
 At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
 At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
 At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
 At least 6 but not more than 11 days (less than one day a month) ☐ 7
 At least 3 but not more than 5 days in the past 12 months ☐ 8
 At least 1 but not more than 2 days in the past 12 months ☐ 9

*IF NONE,
 MARK ONE →
 BOX FOR
 BEST ANSWER*

- [I have used marijuana or hashish but not during the past 12 months ☐ 93
 I have never used marijuana or hashish in my life ☐ 91

M-6. Think specifically about the past 30 days -- that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?

Number of days I used marijuana or hashish

*IF NONE,
 MARK ONE →
 BOX FOR
 BEST ANSWER*

- [I have used marijuana or hashish but not during the past 30 days ☐ 93
 I have never used marijuana or hashish in my life ☐ 91

YOU HAVE FINISHED THE QUESTIONS ABOUT MARIJUANA.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
 WITH THE MARIJUANA QUESTIONS.**

COCAINE**Answer Sheet #4**

The questions in this section are about cocaine, including all the different forms of cocaine such as powder, "crack," free base, and coca paste.

CN-1. Have you ever, even once, used any form of cocaine?

- Yes, I have used some form of cocaine ☐ 1
 No, I have never used any form of cocaine in my life ☐ 2

CN-2. How old were you the first time you used cocaine, in any form?

- The first time I used some form of cocaine, I was years old
 I have never used any form of cocaine in my life ☐ 991

CN-3. Think about the entire time since you first used cocaine. Altogether, on how many days in your life have you used cocaine?

- More than 300 days ☐ 1
 At least 101 but not more than 300 days ☐ 2
 At least 12 but not more than 100 days ☐ 3
 At least 3 but not more than 11 days ☐ 4
 At least 1 but not more than 2 days ☐ 5
 I have never used any form of cocaine in my life ☐ 91

CN-4. How long has it been since you last used any form of cocaine?

- Within the past 30 days ☐ 1
 More than 30 days ago but within the past 12 months ☐ 2
 More than 12 months ago but within the past 3 years ☐ 3
 More than 3 years ago ☐ 4
 I have never used any form of cocaine in my life ☐ 91

(PLEASE TURN THE ANSWER SHEET OVER.)

CN-5. Now think about the past 12 months. On how many days in the past 12 months did you use cocaine?

- More than 300 days (every day or almost every day) ☐ 1
 At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
 At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
 At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
 At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
 At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
 At least 6 but not more than 11 days (less than one day a month) ☐ 7
 At least 3 but not more than 5 days in the past 12 months ☐ 8
 At least 1 but not more than 2 days in the past 12 months ☐ 9

*IF NONE,
 MARK ONE →
 BOX FOR
 BEST ANSWER*

- [I have used cocaine but not during the past 12 months ☐ 93
 I have never used any form of cocaine in my life ☐ 91

CN-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use cocaine?

- Number of days I used some form of cocaine
 [I have used cocaine but not during the past 30 days ☐ 93
 I have never used any form of cocaine in my life ☐ 91

*IF NONE,
 MARK ONE →
 BOX FOR
 BEST ANSWER*

YOU HAVE FINISHED THE QUESTIONS ABOUT COCAINE.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
 WITH THE COCAINE QUESTIONS.**

"CRACK" COCAINE**Answer Sheet #5**

The next 6 questions refer only to "crack" (cocaine in rock or chunk form) and not the other forms of cocaine.

CK-1. Have you ever, even once, used "crack?"

- Yes, I have used "crack" ☐ 1
 No, I have never used "crack" in my life ☐ 2

CK-2. How old were you the first time you used "crack?"

- The first time I used "crack," I was years old
 I have never used "crack" in my life ☐ 991

CK-3. Think about the entire time since you first used "crack." Altogether, on how many days in your life have you used "crack?"

- More than 300 days ☐ 1
 At least 101 but not more than 300 days ☐ 2
 At least 12 but not more than 100 days ☐ 3
 At least 3 but not more than 11 days ☐ 4
 At least 1 but not more than 2 days ☐ 5
 I have never used "crack" my life ☐ 91

CK-4. How long has it been since you last used "crack?"

- Within the past 30 days ☐ 1
 More than 30 days ago but within the past 12 months ☐ 2
 More than 12 months ago but within the past 3 years ☐ 3
 More than 3 years ago ☐ 4
 I have never used "crack" in my life ☐ 91

(PLEASE TURN THE ANSWER SHEET OVER.)

CK-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use "crack?"

- | | |
|--|---|
| More than 300 days (every day or almost every day) | <input type="checkbox"/> 1 |
| At least 201 but not more than 300 days (5 to 6 days a week) | <input type="checkbox"/> 2 |
| At least 101 but not more than 200 days (3 to 4 days a week) | <input type="checkbox"/> 3 |
| At least 51 but not more than 100 days (1 to 2 days a week) | <input type="checkbox"/> 4 |
| At least 25 but not more than 50 days (3 to 4 days a month) | <input type="checkbox"/> 5 |
| At least 12 but not more than 24 days (1 to 2 days a month) | <input type="checkbox"/> 6 |
| At least 6 but not more than 11 days (less than one day a month) | <input type="checkbox"/> 7 |
| At least 3 but not more than 5 days in the past 12 months | <input type="checkbox"/> 8 |
| At least 1 but not more than 2 days in the past 12 months | <input type="checkbox"/> 9 |
| <i>IF NONE,</i>
<i>MARK ONE →</i>
<i>BOX FOR</i>
<i>BEST ANSWER</i> | <input type="checkbox"/> I have used "crack" but not during the past 12 months 93
<input type="checkbox"/> I have never used "crack" in my life 91 |

CK-6. Think specifically about the past 30 days -- that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use "crack?"

- | | |
|--|---|
| | Number of days I used "crack" <input type="text"/> |
| <i>IF NONE,</i>
<i>MARK ONE →</i>
<i>BOX FOR</i>
<i>BEST ANSWER</i> | <input type="checkbox"/> I have used "crack" but not during the past 30 days 93
<input type="checkbox"/> I have never used "crack" in my life 91 |

YOU HAVE FINISHED THE QUESTIONS ABOUT "CRACK."

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE "CRACK" QUESTIONS.**

HEROIN**Answer Sheet #6**

H-1. Have you ever, even once, used heroin?

Yes, I have used heroin ☐ 1

No, I have never used heroin in my life ☐ 2

H-2. How old were you the first time you used heroin?

The first time I used heroin, I was years old

I have never used heroin in my life ☐ 991

H-3. Think about the entire time since you first used heroin. Altogether, on how many days in your life have you used heroin?

More than 300 days ☐ 1

At least 101 but not more than 300 days ☐ 2

At least 12 but not more than 100 days ☐ 3

At least 3 but not more than 11 days ☐ 4

At least 1 but not more than 2 days ☐ 5

I have never used heroin in my life ☐ 91

H-4. How long has it been since you last used heroin?

Within the past 30 days ☐ 1

More than 30 days ago but within the past 12 months ☐ 2

More than 12 months ago but within the past 3 years ☐ 3

More than 3 years ago ☐ 4

I have never used heroin in my life ☐ 91

(PLEASE TURN THE ANSWER SHEET OVER.)

H-5. Now think about the past 12 months. On how many days in the past 12 months did you use heroin?

- More than 300 days (every day or almost every day) ☐ 1
At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
At least 6 but not more than 11 days (less than one day a month) ☐ 7
At least 3 but not more than 5 days in the past 12 months ☐ 8
At least 1 but not more than 2 days in the past 12 months ☐ 9
IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER [I have used heroin but not during the past 12 months ☐ 93
I have never used heroin in my life ☐ 91

H-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use heroin?

- Number of days I used heroin
IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER [I have used heroin but not during the past 30 days ☐ 93
I have never used heroin in my life ☐ 91

YOU HAVE FINISHED THE QUESTIONS ABOUT HEROIN.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE HEROIN QUESTIONS.**

HALLUCINOGENS**Answer Sheet #7**

L-1. As you read the following list of hallucinogens, please mark one box beside each hallucinogen to indicate whether you have ever used that hallucinogen, even once.

Ever used?
YES NO

- a. LSD ("acid") ☐ 1 ... ☐ 2
- b. PCP ("angel dust," phencyclidine) ☐ 1 ... ☐ 2
- c. Peyote ☐ 1 ... ☐ 2
- d. Mescaline ☐ 1 ... ☐ 2
- e. Psilocybin (mushrooms) ☐ 1 ... ☐ 2
- f. "Ecstasy" (MDMA) ☐ 1 ... ☐ 2
- g. Have you ever used a hallucinogen whose name you don't know? ☐ 1 ... ☐ 2
- h. Have you ever used any other hallucinogens besides the ones listed above? ☐ 1 ... ☐ 2

PLEASE PRINT NAME(S) OF OTHER HALLUCINOGENS BELOW:

L-2. How old were you the first time you used LSD, PCP, or any other hallucinogen?

The first time I used a hallucinogen, I was years old

I have never used any hallucinogen in my life ☐ 991

L-3. Think about the entire time since you first used LSD, PCP, or any other hallucinogen. On how many days in your life have you used LSD, PCP, or any other hallucinogen?

- More than 300 days ☐ 1
- At least 101 but not more than 300 days ☐ 2
- At least 12 but not more than 100 days ☐ 3
- At least 3 but not more than 11 days ☐ 4
- At least 1 but not more than 2 days ☐ 5
- I have never used any hallucinogen in my life ☐ 91

(PLEASE TURN THE PAGE.)

L-4. How long has it been since you last used LSD, PCP, or any other hallucinogen?

- Within the past 30 days ☐ 1
More than 30 days ago but within the past 12 months ☐ 2
More than 12 months ago but within the past 3 years ☐ 3
More than 3 years ago ☐ 4
I have never used any hallucinogen in my life ☐ 91

L-5. Now think about the past 12 months, from the 12-month reference date through today. On how many days in the past 12 months did you use LSD, PCP, or any other hallucinogen?

- More than 300 days (every day or almost every day) ☐ 1
At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
At least 6 but not more than 11 days (less than one day a month) ☐ 7
At least 3 but not more than 5 days in the past 12 months ☐ 8
At least 1 but not more than 2 days in the past 12 months ☐ 9

IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER

- [I have used an hallucinogen but not during the past 12 months ☐ 93
I have never used any hallucinogen in my life ☐ 91

L-6. Think specifically about the past 30 days -- that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use LSD, PCP, or any other hallucinogen?

Number of days I used LSD, PCP, or another hallucinogen

IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER

- [I have used an hallucinogen but not during the past 30 days ☐ 93
I have never used any hallucinogen in my life ☐ 91

L-7. Now think only about LSD. How long has it been since you last used LSD?

- Within the past 30 days ☐ 1
More than 30 days ago but within the past 12 months ☐ 2
More than 12 months ago but within the past 3 years ☐ 3
More than 3 years ago ☐ 4
I have never used LSD in my life ☐ 91

(PLEASE GO TO THE NEXT PAGE.)

L-8. Now think only about PCP. How long has it been since you last used PCP?

- Within the past 30 days ☐ 1
More than 30 days ago but within the past 12 months ☐ 2
More than 12 months ago but within the past 3 years ☐ 3
More than 3 years ago ☐ 4
I have never used PCP in my life ☐ 91

YOU HAVE FINISHED THE QUESTIONS ABOUT HALLUCINOGENS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE HALLUCINOGENS QUESTIONS.**

INHALANTS**Answer Sheet #8**

IN-1. As you read the following list of inhalants, please mark one box beside each type of inhalant to indicate whether you have ever used that kind of inhalant, even once, for kicks or to get high.

Ever used for
kicks or to get high?
YES NO

- a. Amyl nitrite, "poppers," locker room odorizers, or "rush" ☐ 1 . . . ☐ 2
- b. Correction fluid, degreaser, or cleaning fluid ☐ 1 . . . ☐ 2
- c. Gasoline or lighter fluid ☐ 1 . . . ☐ 2
- d. Glue, shoe polish, or toluene ☐ 1 . . . ☐ 2
- e. Halothane, ether, or other anesthetics ☐ 1 . . . ☐ 2
- f. Lacquer thinner or other paint solvents ☐ 1 . . . ☐ 2
- g. Lighter gases (butane, propane) ☐ 1 . . . ☐ 2
- h. Nitrous oxide or "whippets" ☐ 1 . . . ☐ 2
- i. Spray paints ☐ 1 . . . ☐ 2
- j. Other aerosol sprays ☐ 1 . . . ☐ 2
- k. Have you ever used an inhalant whose name you don't
know for kicks or to get high? ☐ 1 . . . ☐ 2
- l. Have you ever used any other inhalants, besides
those listed above, for kicks or to get high? ☐ 1 . . . ☐ 2
- PLEASE PRINT NAME(S) OF OTHER INHALANTS BELOW:*

IN-2. How old were you the first time you used any inhalant for kicks or to get high?

The first time I used any inhalant for kicks or to get high, I was years old

I have never used any inhalant for kicks or to get high in my life ☐ 991

IN-3. Think about the entire time since you first used an inhalant for kicks or to get high. Altogether, on how many days in your life have you used an inhalant of any kind?

- More than 300 days ☐ 1
- At least 101 but not more than 300 days ☐ 2
- At least 12 but not more than 100 days ☐ 3
- At least 3 but not more than 11 days ☐ 4
- At least 1 but not more than 2 days ☐ 5
- I have never used any inhalant for kicks or to get high in my life ☐ 91

(PLEASE TURN THE ANSWER SHEET OVER.)

IN-4. How long has it been since you last used any inhalant for kicks or to get high?

- Within the past 30 days ☐ 1
More than 30 days ago but within the past 12 months ☐ 2
More than 12 months ago but within the past 3 years ☐ 3
More than 3 years ago ☐ 4
I have never used any inhalant for kicks or to get high in my life ☐ 91

IN-5. Now think about the past 12 months. On how many days in the past 12 months did you use an inhalant for kicks or to get high?

- More than 300 days (every day or almost every day) ☐ 1
At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
At least 6 but not more than 11 days (less than one day a month) ☐ 7
At least 3 but not more than 5 days in the past 12 months ☐ 8
At least 1 but not more than 2 days in the past 12 months ☐ 9

*IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER*

- I have used an inhalant for kicks or to get high but not during the past 12 months ☐ 93
I have never used any inhalant for kicks or to get high in my life ☐ 91

IN-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?

*IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER*

- Number of days I have used some kind of inhalant for kicks or to get high
I have used an inhalant for kicks or to get high but not during the past 30 days ☐ 93
I have never used any inhalant for kicks or to get high in my life ☐ 91

YOU HAVE FINISHED THE QUESTIONS ABOUT INHALANTS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE INHALANTS QUESTIONS.

ANALGESICS**Answer Sheet #9**

PK-1. As you read the following list of prescription pain killers, please mark one box beside each pain killer to indicate whether you have ever used that pain killer when it was not prescribed for you, or that you took only for the experience or feeling it caused. Again, we are interested in all kinds of prescription pain killers, in pill or non-pill form.

Ever used without a
prescription or for
the experience?
YES **NO**

- a. Codeine ☐ 1 ☐ 2
- b. Darvon ☐ 1 ☐ 2
- c. Demerol ☐ 1 ☐ 2
- d. Dilaudid ☐ 1 ☐ 2
- e. Methadone ☐ 1 ☐ 2
- f. Morphine ☐ 1 ☐ 2
- g. Percodan ☐ 1 ☐ 2
- h. Talwin ☐ 1 ☐ 2
- i. Tylenol with codeine ☐ 1 ☐ 2
- j. Have you ever used a pain killer whose name you don't
know that was not prescribed for you, or that you
took only for the experience or feeling it caused? ☐ 1 ☐ 2
- k. Have you ever used any other pain killer besides the ones
listed above, that was not prescribed for you, or that
you took only for the experience or feeling it caused? . ☐ 1 ☐ 2

PLEASE PRINT NAME(S) OF OTHER PAIN KILLERS BELOW:

If you answered "NO" to each of the items a through k in Question PK-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with PK-2 below.

91

PK-2. How old were you the first time you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

The first time I used a pain killer that was not prescribed for me, or that
I took only for the experience or feeling it caused, I was years old

(PLEASE TURN THE ANSWER SHEET OVER.)

PK-3. Think about the entire time since you first used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days ☐ 1
At least 101 but not more than 300 days ☐ 2
At least 12 but not more than 100 days ☐ 3
At least 3 but not more than 11 days ☐ 4
At least 1 but not more than 2 days ☐ 5

PK-4. How long has it been since you last used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Within the past 30 days ☐ 1
More than 30 days ago but within the past 12 months ☐ 2
More than 12 months ago but within the past 3 years ☐ 3
More than 3 years ago ☐ 4

PK-5. Now think about the past 12 months. On how many days in the past 12 months did you use any pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days (every day or almost every day) ☐ 1
At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
At least 6 but not more than 11 days (less than one day a month) ☐ 7
At least 3 but not more than 5 days in the past 12 months ☐ 8
At least 1 but not more than 2 days in the past 12 months ☐ 9
I have used a pain killer that was not prescribed for me, or that I took only for the experience or feeling it caused, but not during the past 12 months ☐ 93

YOU HAVE FINISHED THE QUESTIONS ABOUT ANALGESICS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE ANALGESICS QUESTIONS.**

TRANQUILIZERS**Answer Sheet #10**

T-1. As you read the following list of prescription tranquilizers, please mark one box beside each tranquilizer to indicate whether you have ever used that tranquilizer when it was not prescribed for you, or that you took only for the experience or feeling it caused. Again, we are interested in all kinds of prescription tranquilizers, in pill or non-pill form.

Ever used without a
prescription or for
the experience?
YES **NO**

- a. Atarax ☐ 1 ☐ 2
- b. Ativan ☐ 1 ☐ 2
- c. Diazepam ☐ 1 ☐ 2
- d. Librium ☐ 1 ☐ 2
- e. Tranxene ☐ 1 ☐ 2
- f. Valium ☐ 1 ☐ 2
- g. Xanax ☐ 1 ☐ 2
- h. Have you ever used a tranquilizer whose name you don't
know that was not prescribed for you, or that you
took only for the experience or feeling it caused? ☐ 1 ☐ 2
- i. Have you ever used any other tranquilizer besides the ones
listed above, that was not prescribed for you, or that
you took only for the experience or feeling it caused? . ☐ 1 ☐ 2

PLEASE PRINT NAME(S) OF OTHER TRANQUILIZERS BELOW:

If you answered "NO" to each of the items a through i in Question T-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with T-2 below.

91

T-2. How old were you the first time you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

The first time I used a tranquilizer that was not prescribed for me, or
that I took only for the experience or feeling it caused, I was years old

(PLEASE TURN THE ANSWER SHEET OVER.)

T-3. Think about the entire time since you first used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days ☐ 1
At least 101 but not more than 300 days ☐ 2
At least 12 but not more than 100 days ☐ 3
At least 3 but not more than 11 days ☐ 4
At least 1 but not more than 2 days ☐ 5

T-4. How long has it been since you last used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Within the past 30 days ☐ 1
More than 30 days ago but within the past 12 months ☐ 2
More than 12 months ago but within the past 3 years ☐ 3
More than 3 years ago ☐ 4

T-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days (every day or almost every day) ☐ 1
At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
At least 6 but not more than 11 days (less than one day a month) ☐ 7
At least 3 but not more than 5 days in the past 12 months ☐ 8
At least 1 but not more than 2 days in the past 12 months ☐ 9
I have used a tranquilizer that was not prescribed for me, or that
I took only for the experience or feeling it caused, but not during
the past 12 months ☐ 93

YOU HAVE FINISHED THE QUESTIONS ABOUT TRANQUILIZERS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE TRANQUILIZERS QUESTIONS.**

STIMULANTS**Answer Sheet #11**

ST-1. As you read the following list of prescription stimulants, please mark one box beside each stimulant to indicate whether you have ever used that stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused. Again, we are interested in all kinds of prescription stimulants, in pill or non-pill form.

Ever used without a
prescription or for
the experience?
YES **NO**

- a. Benzedrine ☐ 1 ☐ 2
- b. Biphetamine ☐ 1 ☐ 2
- c. Dexamyl ☐ 1 ☐ 2
- d. Dexedrine ☐ 1 ☐ 2
- e. Fastin ☐ 1 ☐ 2
- f. Ionamin ☐ 1 ☐ 2
- g. Methamphetamine ☐ 1 ☐ 2
- h. Methedrine ☐ 1 ☐ 2
- i. Preludin ☐ 1 ☐ 2
- j. Have you ever used a stimulant whose name you don't know
that was not prescribed for you, or that you took
only for the experience or feeling it caused? ☐ 1 ☐ 2
- k. Have you ever used any other stimulant besides the ones
listed above, that was not prescribed for you, or that
you took only for the experience or feeling it caused? . ☐ 1 ☐ 2
- PLEASE PRINT NAME(S) OF OTHER STIMULANTS BELOW:**

If you answered "NO" to each of the items a through k in Question ST-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with ST-2 below.

91

ST-2. How old were you the first time you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

The first time I used a stimulant that was not prescribed for me, or
that I took only for the experience or feeling it caused, I was years old

(PLEASE TURN THE ANSWER SHEET OVER.)

ST-3. Think about the entire time since you first used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days ☐ 1
- At least 101 but not more than 300 days ☐ 2
- At least 12 but not more than 100 days ☐ 3
- At least 3 but not more than 11 days ☐ 4
- At least 1 but not more than 2 days ☐ 5

ST-4. How long has it been since you last used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Within the past 30 days ☐ 1
- More than 30 days ago but within the past 12 months ☐ 2
- More than 12 months ago but within the past 3 years ☐ 3
- More than 3 years ago ☐ 4

ST-5. Now think about the past 12 months. On how many days in the past 12 months did you use any stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days (every day or almost every day) ☐ 1
- At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
- At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
- At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
- At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
- At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
- At least 6 but not more than 11 days (less than one day a month) ☐ 7
- At least 3 but not more than 5 days in the past 12 months ☐ 8
- At least 1 but not more than 2 days in the past 12 months ☐ 9
- I have used a stimulant that was not prescribed for me, or that I took only for the experience or feeling it caused, but not during the past 12 months ☐ 93

YOU HAVE FINISHED THE QUESTIONS ABOUT STIMULANTS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE STIMULANTS QUESTIONS.**

SEDATIVES**Answer Sheet #12**

- S-1. As you read the following list of prescription sedatives, please mark one box beside each sedative to indicate whether you have ever used that sedative when it was not prescribed for you, or that you took only for the experience or feeling it caused. Again, we are interested in all kinds of prescription sedatives, in pill or non-pill form.

Ever used without a
prescription or for
the experience?
YES **NO**

- a. Dalmane ☐ 1 ☐ 2
- b. Halcion ☐ 1 ☐ 2
- c. Methaqualone (including Sopor and Quaalude) ☐ 1 ☐ 2
- d. Nembutal ☐ 1 ☐ 2
- e. Phenobarbital ☐ 1 ☐ 2
- f. Placidyl ☐ 1 ☐ 2
- g. Seconal ☐ 1 ☐ 2
- h. Tuinal ☐ 1 ☐ 2
- i. Have you ever used a sedative whose name you don't know
that was not prescribed for you, or that you took
only for the experience or feeling it caused? ☐ 1 ☐ 2
- j. Have you ever used any other sedative besides the ones
listed above, that was not prescribed for you, or that you
took only for the experience or feeling it caused? ☐ 1 ☐ 2
- PLEASE PRINT NAME(S) OF OTHER SEDATIVES BELOW:*
- _____
- _____

If you answered "NO" to each of the items a through j in Question S-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with S-2 below.

91

- S-2. How old were you the first time you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

The first time I used a sedative that was not prescribed for me, or that
I took only for the experience or feeling it caused, I was years old

(PLEASE TURN THE ANSWER SHEET OVER.)

- S-3. Think about the entire time since you first used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

More than 300 days ☐ 1
At least 101 but not more than 300 days ☐ 2
At least 12 but not more than 100 days ☐ 3
At least 3 but not more than 11 days ☐ 4
At least 1 but not more than 2 days ☐ 5

- S-4. How long has it been since you last used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

Within the past 30 days ☐ 1
More than 30 days ago but within the past 12 months ☐ 2
More than 12 months ago but within the past 3 years ☐ 3
More than 3 years ago ☐ 4

- S-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

More than 300 days (every day or almost every day) ☐ 1
At least 201 but not more than 300 days (5 to 6 days a week) ☐ 2
At least 101 but not more than 200 days (3 to 4 days a week) ☐ 3
At least 51 but not more than 100 days (1 to 2 days a week) ☐ 4
At least 25 but not more than 50 days (3 to 4 days a month) ☐ 5
At least 12 but not more than 24 days (1 to 2 days a month) ☐ 6
At least 6 but not more than 11 days (less than one day a month) ☐ 7
At least 3 but not more than 5 days in the past 12 months ☐ 8
At least 1 but not more than 2 days in the past 12 months ☐ 9
I have used a sedative that was not prescribed for me, or that
I took only for the experience or feeling it caused, but
not during the past 12 months ☐ 93

YOU HAVE FINISHED THE QUESTIONS ABOUT SEDATIVES.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE SEDATIVES QUESTIONS.**

SPECIAL DRUGS**Answer Sheet #13**

SD-1. Have you ever, even once, used heroin in any form?

YES, I have used heroin . . . ☐ 1 → SD-2.

NO, I have never used
heroin ☐ 2

GO TO
QUESTION SD-6
AT TOP OF
PAGE 2

Have you ever, even once, smoked heroin?

Yes, I have smoked heroin ☐ 1

No, I have used heroin, but I never
smoked it ☐ 2

SD-3. How long has it been since you last smoked heroin?

Within the past 30 days ☐ 1

More than 30 days ago but within
the past 12 months ☐ 2

More than 12 months ago but within
the past 3 years ☐ 3

More than 3 years ago ☐ 4

I have used heroin, but I never smoked it . . . ☐ 93

SD-4. Have you ever, even once, sniffed ("snorted") heroin powder
through your nose?

Yes, I have sniffed ("snorted") heroin ☐ 1

No, I have used heroin, but I have never
sniffed ("snorted") it ☐ 2

SD-5. How long has it been since you last sniffed ("snorted")
heroin powder through your nose?

Within the past 30 days ☐ 1

More than 30 days ago but within the past
12 months ☐ 2

More than 12 months ago but within the past
3 years ☐ 3

More than 3 years ago ☐ 4

I have used heroin, but I have never sniffed
("snorted") it ☐ 93

(PLEASE TURN THE PAGE)

SD-6. Have you ever, even once, used a needle to inject a drug that was not prescribed for you, or that you took only for the experience or feeling it caused?

YES, I have used a needle
to inject a drug ☐ 1

NO, I have never used a
needle to inject a drug . . ☐ 2

→ **SD-7.** Have you ever, even once, used a needle to inject cocaine?

Yes, I have used a needle to inject
cocaine ☐ 1

No, I have used cocaine, but never
with a needle ☐ 93

No, I have never used any form of
cocaine in my life ☐ 91

IF NEVER,
MARK ONE →
BOX FOR
BEST ANSWER

GO TO
BOX A
AT BOTTOM OF
PAGE 4

SD-8. How long has it been since you last used a needle
to inject cocaine?

Within the past 30 days ☐ 1

More than 30 days ago but within
the past 12 months ☐ 2

More than 12 months ago but within
the past 3 years ☐ 3

More than 3 years ago ☐ 4

I have used cocaine, but never
with a needle ☐ 93

I have never used any form of
cocaine in my life ☐ 91

IF NEVER,
MARK ONE →
BOX FOR
BEST ANSWER

SD-9. Have you ever, even once, used a needle to inject heroin?

Yes, I have used a needle to inject
heroin ☐ 1

No, I have used heroin, but never
with a needle ☐ 93

No, I have never used heroin in my
life ☐ 91

IF NEVER,
MARK ONE →
BOX FOR
BEST ANSWER

(PLEASE GO TO THE NEXT PAGE.)

SD-10. How long has it been since you last used a needle to inject heroin?

Within the past 30 days

More than 30 days ago but within the past 12 months

More than 12 months ago but within the past 3 years

More than 3 years ago

IF NEVER,
MARK ONE -
BOX FOR
BEST ANSWER

[I have used heroin, but never with a needle
I have never used heroin in my life

☐ 1
☐ 2
☐ 3
☐ 4
☐ 93
☐ 91

SD-11. Have you ever, even once, used a needle to inject a stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?

Yes, I have used a needle to inject a stimulant when it was not prescribed for me or only for the experience or feeling it caused

IF NEVER,
MARK ONE -
BOX FOR
BEST ANSWER

[No, I have used a stimulant when it was not prescribed for me or only for the experience or feeling it caused, but never with a needle
No, I have never in my life used any stimulant when it was not prescribed for me or only for the experience or feeling it caused

☐ 1
☐ 93
☐ 91

SD-12. How long has it been since you last used a needle to inject any stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?

Within the past 30 days

More than 30 days ago but within the past 12 months

More than 12 months ago but within the past 3 years

More than 3 years ago

IF NEVER,
MARK ONE -
BOX FOR
BEST ANSWER

[I have used a stimulant when it was not prescribed for me or only for the experience or feeling it caused, but never with a needle

I have never in my life used any stimulant when it was not

prescribed for me or only for the experience or feeling it caused

☐ 1
☐ 2
☐ 3
☐ 4
☐ 93
☐ 91

SD-13. Now think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?

Yes, the last time I used a needle for injecting drugs, I reused a needle that I had used before

No, the last time I used a needle for injecting drugs, I did not reuse a needle that I had used before

☐ 1
☐ 2

(PLEASE TURN TO THE NEXT PAGE.)

SD-14. The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?

Yes, the last time I used a needle for injecting drugs, I used a needle that I knew or suspected someone else had used before ☐ 1

No, the last time I used a needle for injecting drugs, I did not use a needle that I knew or suspected someone else had used before ☐ 2

SD-15. The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?

Yes, the last time I used a needle for injecting drugs, I used bleach to clean the needle before I used it ☐ 1

No, the last time I used a needle for injecting drugs, I did not use bleach to clean the needle before I used it ☐ 2

SD-16. The last time you used a needle for injecting drugs, did someone else use the needle after you?

Yes, the last time I used a needle for injecting drugs, someone else used the needle after me ☐ 1

No, no one else used the needle after me the last time I used a needle for injecting drugs ☐ 2

SD-17. The last time you used a needle for injecting drugs, how did you get the needle? *PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.*

I bought the needle from a pharmacy ☐ 1

I got the needle from a needle exchange ☐ 2

I bought the needle on the street ☐ 3

I got the needle in a shooting gallery ☐ 4

I got the needle some other way ☐ 5

PLEASE DESCRIBE HOW YOU GOT THE NEEDLE:

BOX A	YOU HAVE FINISHED THE QUESTIONS ABOUT SPECIAL DRUGS.
	THANK YOU FOR ANSWERING THESE QUESTIONS.
	PLEASE TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE SPECIAL DRUGS QUESTIONS.

RISK/AVAILABILITY**Answer Sheet #14**

- R-1.** How much do you think people risk harming themselves physically and in other ways when they do each of the following activities?

(If you're not sure, mark the box for the amount of risk that comes closest to what you think might be true for that activity. **MARK ONE BOX ON EACH LINE.**)

How much do people risk harming themselves physically and in other ways when they ...

NO RISK SLIGHT RISK MODERATE RISK GREAT RISK

- a. Smoke one or more packs of cigarettes per day? ☐ 1 ☐ 2 ☐ 3 ☐ 4
- b. Smoke marijuana once a month? ☐ 1 ☐ 2 ☐ 3 ☐ 4
- c. Smoke marijuana once or twice a week? ☐ 1 ☐ 2 ☐ 3 ☐ 4
- d. Try LSD once or twice? ☐ 1 ☐ 2 ☐ 3 ☐ 4
- e. Use LSD once or twice a week? ☐ 1 ☐ 2 ☐ 3 ☐ 4
- f. Try heroin once or twice? ☐ 1 ☐ 2 ☐ 3 ☐ 4
- g. Use heroin once or twice a week? ☐ 1 ☐ 2 ☐ 3 ☐ 4
- h. Use cocaine once a month? ☐ 1 ☐ 2 ☐ 3 ☐ 4
- i. Use cocaine once or twice a week? ☐ 1 ☐ 2 ☐ 3 ☐ 4
- j. Have four or five drinks nearly every day? ☐ 1 ☐ 2 ☐ 3 ☐ 4
- k. Have five or more drinks once or twice a week? ☐ 1 ☐ 2 ☐ 3 ☐ 4

- R-2.** How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? (**MARK ONE BOX ON EACH LINE.**)

How difficult or easy would it be for you to get some ...

PROBABLY IMPOSSIBLE VERY DIFFICULT FAIRLY DIFFICULT FAIRLY EASY VERY EASY

- a. Marijuana ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
- b. LSD ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
- c. Cocaine ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
- d. "Crack" ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
- e. Heroin ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

(PLEASE TURN THE ANSWER SHEET OVER.)

R-3. In the past 30 days, has anyone approached you to sell you an illegal drug?

Yes ☐ 1
No ☐ 2

R-4. How often does each of the following statements apply to you? (MARK ONE BOX ON EACH LINE.)

How often do you ...	NEVER	SELDOM	SOME- TIMES	ALWAYS	I DON'T DRIVE
a. Get a real kick out of doing things that are a little dangerous?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	
b. Like to test yourself by doing something a little risky?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	
c. Wear a seatbelt when you ride in the front passenger seat of a car?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	
d. Wear a seatbelt when you drive a car?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 91

YOU HAVE FINISHED THE QUESTIONS ABOUT RISK/AVAILABILITY.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE RISK/AVAILABILITY QUESTIONS.**

DRUGS**Answer Sheet #15**

All the questions on this answer sheet refer to the past 12 months – that is, since your 12-month reference date.

DR-1. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have used that type of drug during the past 12 months.

		<u>Used in past 12 months?</u>	
		<u>YES</u>	<u>NO</u>
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

If you answered "NO" to each of the items a through k in Question DR-1 above, circle the 93 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with DR-2 below.

93

DR-2. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you had a period of a month or more during the past 12 months when you spent a great deal of time getting the drug, using the drug, or getting over its effects.

		<u>Month or more when great deal of time spent involved with the drug?</u>	
		<u>YES</u>	<u>NO</u>
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

(PLEASE TURN THE PAGE.)

DR-3. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have used that kind of drug much more often or in larger amounts than you intended to during the past 12 months.

		Used more often or in larger amounts?	
		YES	NO
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

DR-4. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have built up a tolerance for the drug so that the same amount of the drug had less effect than before during the past 12 months.

		Built up a tolerance?	
		YES	NO
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

(PLEASE GO TO THE NEXT PAGE.)

DR-5. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether your use of that drug has often kept you from working, going to school, taking care of children, or engaging in recreational activities during the past 12 months.

		Important activities reduced or given up?	
		YES	NO
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

DR-6. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether your use of the drug has caused you to have any emotional or psychological problems -- such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas during the past 12 months.

		Had emotional problems?	
		YES	NO
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

(PLEASE TURN THE PAGE.)

DR-7. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether your use of that drug has caused you any health problems -- such as liver disease, stomach disease, pancreatitis, feet tingling, numbness, memory problems, an accidental overdose, a persistent cough, a seizure or fit, hepatitis, or abscesses during the past 12 months.

		Had physical problems?	
		YES	NO
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

DR-8. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether, during the past 12 months, you have wanted or tried to stop or cut down on your use of that drug but found that you couldn't.

		Wanted or tried to stop or cut down on use?	
		YES	NO
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

YOU HAVE FINISHED THE QUESTIONS ABOUT DRUGS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE DRUGS QUESTIONS.

SPECIAL TOPICS**Answer Sheet #16**

These questions are about treatment or counseling for drug or alcohol use, and encounters with the police or someone connected with the courts.

SP-1. At any time during the past 12 months did you receive treatment or counseling for your drug or alcohol use?

YES, I have received treatment
or counseling during the
past 12 months ☐ 1

NO, I have not received treatment
or counseling during the
past 12 months ☐ 2

**GO TO
QUESTION SP-6
AT TOP OF
PAGE 3**

SP-2. At any time during the past 12 months did you need
treatment or counseling for your drug or alcohol use?

YES, I needed treatment or
counseling during the
past 12 months ☐ 1

NO, I did not need treatment
or counseling during the
past 12 months ☐ 2

**GO TO
QUESTION SP-3
AT TOP OF
PAGE 2**

**GO TO
QUESTION SP-6
AT TOP OF
PAGE 3**

SP-3. As you read the following list of drugs, please mark one box beside each type of drug to indicate whether you needed treatment or counseling for your use of that kind of drug during the past 12 months.

	In past 12 months, needed treatment for this drug?	
	YES	NO
a. Alcohol	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
b. Marijuana or hashish	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
c. Cocaine or "crack"	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
d. Heroin	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
e. Hallucinogens	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
f. Inhalants	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
g. Prescription pain killers or analgesics	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
h. Prescription tranquilizers	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
i. Prescription stimulants	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
j. Prescription sedatives	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2
k. I needed treatment for use of some other drug(s)	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2

PLEASE PRINT NAME(S) BELOW:

SP-4. During the past 12 months, did you take any steps to obtain treatment or counseling for your drug or alcohol use?

Yes, during the past 12 months, I took steps to obtain treatment or counseling ☐ 1

No, during the past 12 months, I did not take steps to obtain treatment or counseling . . . ☐ 2

SP-5. As you read the following list of reasons, please mark one box beside each reason to indicate whether it explains why you did not obtain treatment or counseling for your drug or alcohol use during the past 12 months.

	Reason for not obtaining treatment or counseling?	
	YES	NO
a. I had no transportation to the treatment or counseling programs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b. The nearest treatment or counseling programs were too far away	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c. The treatment or counseling programs' hours were not convenient	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d. There were no openings in the treatment or counseling programs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e. The programs didn't offer the type of treatment or counseling I wanted	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f. I didn't have insurance or money to pay for the programs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g. The programs' facilities were not accessible to the handicapped	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h. Participation in the program was too complicated	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i. The programs' counselors didn't meet my ethnic or language needs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j. The programs did not offer special services that I needed, such as medical or mental health care, housing, employment counseling, child care, etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k. I did not obtain treatment or counseling for some other reason(s)	<input type="checkbox"/> 1	<input type="checkbox"/> 2

PLEASE SPECIFY REASON(S) BELOW:

(PLEASE GO TO THE NEXT PAGE.)

SP-6.

Not counting minor traffic violations, have you ever been arrested and booked for breaking the law?
Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.

YES, I have been arrested

and booked for

breaking a law ☐ 1 →

NO, I have never been
 arrested and booked

for breaking a law . . . ☐ 2

SP-7.

Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking a law? **RECORD NUMBER OF TIMES OR MARK THE BOX:**

Number of times arrested
 and booked in the past
 12 months times

I have not been arrested
 and booked in the past
 12 months ☐ 93

GO TO
 QUESTION SP-9
 AT TOP OF
 PAGE 4

SP-8. Below is a list of offenses that are against the law. As you read the list, please mark one box beside each offense to indicate whether you were arrested and booked for that offense in the past 12 months. For this question, do not include minor traffic violations.

	In past 12 months, arrested and booked?	
	YES	NO
a. Larceny or theft	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b. Burglary or breaking and entering	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c. Aggravated assault	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d. Other assault, such as simple assault or battery	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e. Motor vehicle theft	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f. Robbery	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g. Forcible rape	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h. Murder, homicide, or nonnegligent manslaughter	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i. Arson	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j. Driving under the influence	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k. Drunkenness or other liquor law violation	<input type="checkbox"/> 1	<input type="checkbox"/> 2
l. Possession or sale of drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
m. Prostitution or commercialized sex	<input type="checkbox"/> 1	<input type="checkbox"/> 2
n. Other property offenses, such as fraud, possessing stolen goods, or vandalism	<input type="checkbox"/> 1	<input type="checkbox"/> 2
o. Other offenses	<input type="checkbox"/> 1	<input type="checkbox"/> 2

(PLEASE DESCRIBE): _____

(PLEASE TURN TO THE NEXT PAGE.)

SP-9. Were you on probation at any time during the past 12 months?

Yes, I was on probation at some time during the past 12 months ☐ 1

No, I was not on probation during the past 12 months ☐ 2

SP-10. Were you on parole at any time during the past 12 months?

Yes, I was on parole at some time during the past 12 months ☐ 1

No, I was not on parole during the past 12 months ☐ 2

SP-11. This question deals with activities that may be against the law. Read each item, then mark one box beside each question to indicate whether you have done the activity during the past 12 months.

**Done during the
past 12 months?**
YES NO

a. During the past 12 months, I drove a vehicle while I was under the
influence of a combination of alcohol and illegal drugs used together ☐ 1 ☐ 2

b. During the past 12 months, I drove a vehicle while I was under the
influence of alcohol ☐ 1 ☐ 2

c. During the past 12 months, I drove a vehicle while I was under the
influence of illegal drugs ☐ 1 ☐ 2

YOU HAVE FINISHED THE SPECIAL TOPICS QUESTIONS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE SPECIAL TOPICS QUESTIONS.**

TREATMENT**Answer Sheet #17**

This set of questions deals with treatment for alcohol and drug problems, not including cigarettes. For these questions we are interested in treatment designed to help you reduce or stop your alcohol or drug use and also treatment for medical problems associated with your alcohol or drug use.

TX-1. Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

YES, I have received
treatment for my
use of alcohol or
some drug ☐ 1

NO, I have never
received treatment
for my use of alcohol
or any drug ☐ 2

TX-2. How many times in your life have you started into treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

I have started into treatment or
counseling for my alcohol
or drug use times.

TX-3. How many times in the past 12 months have you started into treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

In the past 12 months I have started into
treatment or counseling for my
alcohol or drug use times.

TX-4. As you read the following list of places where treatment for alcohol use is offered, please mark one box beside each type of treatment place to indicate whether you have received treatment for your alcohol use in that type of facility during the past 12 months.

In past 12 months,
got treatment here for
your alcohol use?
YES **NO**

- a. A hospital overnight as an inpatient ☐ 1 ☐ 2
- b. A residential drug or alcohol rehabilitation facility (overnight) ☐ 1 ☐ 2
- c. A drug or alcohol rehabilitation facility as an outpatient ☐ 1 ☐ 2
- d. A mental health center or facility as an outpatient ☐ 1 ☐ 2
- e. An emergency room ☐ 1 ☐ 2
- f. A private doctor's office ☐ 1 ☐ 2
- g. A prison or jail ☐ 1 ☐ 2
- h. A self-help group ☐ 1 ☐ 2
- i. I received treatment in some other place. ☐ 1 ☐ 2

**PLEASE DESCRIBE BELOW
THIS OTHER PLACE:**

**GO TO BOX A
AT BOTTOM OF
PAGE 4**

(PLEASE TURN THE PAGE.)

- TX-5. As you read the following list of places where treatment for drug use is offered, please mark one box beside each type of treatment place to indicate whether you have received treatment for your use of other drugs not counting cigarettes or alcohol in that type of facility during the past 12 months.

	In past 12 months, got treatment here for your drug use?	
	YES	NO
a. A hospital overnight as an inpatient	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b. A residential drug or alcohol rehabilitation facility (overnight)	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c. A drug or alcohol rehabilitation facility as an outpatient	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d. A mental health center or facility as an outpatient	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e. An emergency room	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f. A private doctor's office	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g. A prison or jail	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h. A self-help group	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i. I received treatment in some other place.	<input type="checkbox"/> 1	<input type="checkbox"/> 2

PLEASE DESCRIBE BELOW THIS OTHER PLACE:

- TX-6. During the past 12 months, how many times did you visit a hospital emergency room to receive treatment related to your use of cocaine, heroin, marijuana, or other illegal drugs?

During the past 12 months, the number of times I received treatment
for my use of some illegal drug in a hospital emergency room was times.

The rest of the questions on this answer sheet refer to treatment for your use of drugs or alcohol.

- TX-7. How long has it been since you last received treatment or counseling for your alcohol or drug use, not counting cigarettes?

Within the past 30 days	<input type="checkbox"/> 1
More than 30 days ago but within the past 12 months	<input type="checkbox"/> 2
More than 12 months ago but within the past 3 years	<input type="checkbox"/> 3
More than 3 years ago	<input type="checkbox"/> 4

(PLEASE GO TO THE NEXT PAGE.)

TX-8. What was the primary place where you received treatment the last time you started treatment for your alcohol or other drug use, not counting cigarettes? **MARK ONLY ONE BOX FOR THE BEST ANSWER.**

- A hospital overnight as an inpatient ☐ 1
- A residential drug or alcohol rehabilitation facility (overnight) ☐ 2
- A drug or alcohol rehabilitation facility as an outpatient ☐ 3
- A mental health center or facility as an outpatient ☐ 4
- An emergency room ☐ 5
- A private doctor's office ☐ 6
- A prison or jail ☐ 7
- A self-help group ☐ 8
- I received treatment in some other place. ☐ 9

PLEASE DESCRIBE BELOW THIS OTHER PLACE:

TX-9. As you read the following list of drugs, please mark one box beside each type of drug to indicate whether you received treatment or counseling for your use of that kind of drug the last time you entered treatment.

		Got treatment for this drug?	
		YES	NO
a. Alcohol	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2	<input type="checkbox"/> 2
b. Marijuana or hashish	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2	<input type="checkbox"/> 2
c. Cocaine or "crack"	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2	<input type="checkbox"/> 2
d. Heroin	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2	<input type="checkbox"/> 2
e. Hallucinogens	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2	<input type="checkbox"/> 2
f. Inhalants	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2	<input type="checkbox"/> 2
g. Prescription pain killers or analgesics	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2	<input type="checkbox"/> 2
h. Prescription tranquilizers	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2	<input type="checkbox"/> 2
i. Prescription stimulants	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2	<input type="checkbox"/> 2
j. Prescription sedatives	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2	<input type="checkbox"/> 2
k. I received treatment for use of some other drug(s).	<input type="checkbox"/> 1 . . .	<input type="checkbox"/> 2	<input type="checkbox"/> 2

PLEASE PRINT NAME(S) BELOW:

TX-10. What was the primary drug you entered treatment for during the last time you were treated?

Write name of primary drug: _____

TX-11. What was the outcome of the primary treatment or counseling at the place you marked in question TX-8? **PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.**

- I am still in treatment ☐ 1
- I successfully completed treatment ☐ 2
- I left because I had a problem with the program ☐ 3
- I left because I couldn't afford to continue treatment ☐ 4
- I left because my family needed me ☐ 5
- I left because I began using drug(s) again ☐ 6
- My last treatment had some other outcome. ☐ 7

PLEASE DESCRIBE THE OUTCOME BELOW:

(PLEASE TURN THE PAGE.)

TX-12. How long did you stay in treatment for your alcohol or drug use during your last treatment at the place you marked in question TX-8? If you are currently in treatment for alcohol or drug use, how long have you been in treatment so far? Please fill in either the number of days or the number of months below.

I was in treatment for days
OR:
 I was in treatment for months

TX-13. As you read the following list of sources of payment for treatment, please mark one box beside each source to indicate whether your last treatment or counseling that you marked in question TX-8 for alcohol or drug use was paid for by that source, even if it only paid part of the cost.

	Source paid for <u>last treatment?</u>	
	<u>YES</u>	<u>NO</u>
a. Health insurance paid for the <u>last</u> treatment I received	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b. Medicare paid for the <u>last</u> treatment I received	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c. Medicaid paid for the <u>last</u> treatment I received	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d. I used my own savings or earnings to pay for the <u>last</u> treatment I received	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e. Family members paid for the <u>last</u> treatment I received	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f. My employer paid for the <u>last</u> treatment I received	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g. The <u>last</u> treatment I received was free	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h. My <u>last</u> treatment was paid for by some other source.	<input type="checkbox"/> 1	<input type="checkbox"/> 2

PLEASE DESCRIBE BELOW:

TX-14. Were you enrolled in a treatment program for your alcohol or drug use (whether or not it was your last treatment episode) on October 1, 1996? For this question, please include only treatment received at a hospital, drug rehabilitation facility, or mental health center.

YES, I was enrolled in a treatment program for my alcohol
or drug use on October 1, 1996 ☐ 1
 NO, I was not enrolled in a treatment program for my
alcohol or drug use on October 1, 1996 ☐ 2

BOX A	YOU HAVE FINISHED THE QUESTIONS ABOUT TREATMENT.
	THANK YOU FOR ANSWERING THESE QUESTIONS.
	PLEASE TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE TREATMENT QUESTIONS.

WORKPLACE ISSUES**Answer Sheet #18**

The first seven questions are about work-related accidents in which you may have been involved. When we refer to your involvement in work-related accidents, we mean that you were part of an accident at the time it took place while you were working, and that this accident resulted in any or all of the following: damage to property or equipment, an injury to yourself, or an injury to another person. Please keep this definition in mind as you answer this series of questions.

W-1. Have you ever been involved in a work-related accident?

YES, I have been
involved in a
work-related
accident ☐ 1 →

NO, I have never
been involved
in a work-related
accident ☐ 2

W-2. Have you been involved in a work-related accident during the past 12 months?

YES, I have been
involved in a work-
related accident
during the past
12 months ☐ 1

NO, I have not been
involved in a work-
related accident
during the past
12 months ☐ 2

W-3. As a result of any work-related accidents you were involved in during the past 12 months, were you required to take an alcohol or drug test?

YES, I was required to take an
alcohol or drug test ☐ 1

NO, I was not required to take an
alcohol or drug test ☐ 2

GO TO QUESTION
W-6
AT TOP OF
PAGE 3

(PLEASE TURN THE PAGE.)

W-4. During the past 30 days, have you been involved in any work-related accidents?

YES, I have been
involved in a
work-related
accident during
the past 30
days ☐ 1

→ W-5.

As a result of any work-related accidents you were involved
in during the past 30 days, were you required to take an
alcohol or drug test?

NO, I have not
been involved
in a work-related
accident during
the past 30 days ☐ 2

YES, I was required to take an
alcohol or drug test ☐ 1

NO, I was not required to take
an alcohol or drug test ☐ 2

(PLEASE GO TO THE NEXT PAGE.)

W-6. During the past 12 months, have you voluntarily left an employer?

YES, during the past 12 months, I have voluntarily
left an employer ☐ 1

NO, during the past 12 months, I have not voluntarily
left an employer ☐ 2

W-7. During the past 12 months, have you involuntarily left an employer for any of the following reasons?
PLEASE MARK ONE BOX FOR EACH ITEM.

	<u>YES</u>	<u>NO</u>
a. You were fired	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b. You were permanently laid off	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c. For some other reason. <i>PLEASE</i> <i>SPECIFY REASON BELOW:</i>	<input type="checkbox"/> 1	<input type="checkbox"/> 2

YOU HAVE FINISHED THE QUESTIONS ABOUT WORKPLACE ISSUES.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE WORKPLACE ISSUES QUESTIONS.**

DRUG EXPERIENCES**Answer Sheet #19 (A)**

DE-1. Have you ever smoked a cigar, even one or two puffs? Please include any cigarillos you may have smoked.

YES, I have smoked at least a
puff or two from a cigar ☐ 1 →

NO, I have never smoked
a cigar in my life ☐ 2

DE-2. Have you smoked at least 50 cigars in your lifetime?

Yes, I have smoked at least 50 cigars ... ☐ 1

No, I have not smoked 50 cigars
in my life ☐ 2

DE-3. Now think about the past 30 days, from your 30-day
reference date through today. During the past 30
days, on how many days did you smoke a cigar?

Number of days I smoked a cigar

I have smoked a cigar but not
during the past 30 days ☐ 93

(PLEASE TURN THE PAGE.)

**GO TO
QUESTION DE-4
AT TOP OF PAGE 2**

DE-4. Has anyone ever offered you marijuana or hashish, or tried to sell you marijuana or hashish?

Yes ☐ 1

No ☐ 2

DE-5 Have you ever, even once, used marijuana or hashish?

YES, I have used marijuana
or hashish ☐ 1

NO, I have never used
marijuana or hashish ☐ 2



DE-6. Who were the other people with you the first time
you smoked marijuana or hashish? *PLEASE*
MARK ALL THAT APPLY.

I was alone ☐ 1

With boyfriend/girlfriend/spouse .. ☐ 2

With friend(s) ☐ 3

With someone I just met ☐ 4

With my brother(s) or sister(s) ... ☐ 5

With my father ☐ 6

With my mother ☐ 7

With other relative(s) ☐ 8

Some other person/people ☐ 9

*PLEASE SPECIFY THIS
RELATIONSHIP:*

GO TO
QUESTION DE-13
AT TOP OF PAGE 5

DE-7. Here are some reasons people give for using marijuana or hashish the first time. Please indicate whether each of these was a reason why you used marijuana or hashish the first time. *PLEASE MARK ONLY ONE BOX FOR EACH REASON.*

Was this a reason for you?

	<u>YES</u>	<u>NO</u>
a. I wanted to see what it was like	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b. I thought it would make me feel good	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c. My friends were using it	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d. My boyfriend/girlfriend/spouse wanted me to try it	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e. I wanted to get away from my problems or troubles	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f. I was bored and wanted to try something new	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g. I wanted to disobey the people who told me not to use it	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h. Some other reason	<input type="checkbox"/> 1	<input type="checkbox"/> 2

PLEASE SPECIFY THIS OTHER REASON: _____

(PLEASE GO TO THE NEXT PAGE.)

DE-8. Now think about the past 12 months, from your 12-month reference date through today. Have you used marijuana or hashish during the past 12 months?

YES, I have used marijuana or hashish
during the past 12 months ☐ 1 →

**CONTINUE WITH
QUESTION DE-9**

NO, I have not used marijuana or hashish
during the past 12 months ☐ 2 →

**GO TO QUESTION DE-11
AT THE TOP OF PAGE 4**

DE-9. Here are some reasons people give for using marijuana or hashish. Please mark whether each of these was a reason why you used marijuana or hashish at any time during the past 12 months. *PLEASE MARK ONLY ONE BOX FOR EACH REASON.*

Was this a reason for you?

- | | <u>YES</u> | <u>NO</u> |
|--|----------------------------|----------------------------|
| a. My friends were using it. | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| b. My boyfriend/girlfriend/spouse was using it. | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| c. I wanted to get away from my problems or troubles. | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| d. I used it to relax. | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| e. A doctor suggested that I use it. | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| f. A doctor prescribed it for me. | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| g. I used it for pain relief. | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| h. Some other reason | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |

PLEASE SPECIFY THIS OTHER REASON: _____

DE-10. Now think about the month in which your 12-month reference date begins. Did you use marijuana or hashish at any time during that month in 1996?

Yes ☐ 1
No ☐ 2

**GO TO QUESTION DE-14
AT THE TOP OF PAGE 6**

DE-11. Here are some reasons people give for not using marijuana or hashish. Please indicate whether each of these was a reason why you did not use marijuana or hashish in the past 12 months. *PLEASE MARK ONLY ONE BOX FOR EACH REASON.*

Was this a reason for you?

- | | <u>YES</u> | <u>NO</u> |
|--|----------------------------|----------------------------|
| a. I'm not interested in using it any more | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| b. I think it harms me physically | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| c. Using it makes me feel sick | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| d. Using it is against my beliefs | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| e. I'm afraid of drug testing at a job | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| f. I feel that it harms me psychologically | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| g. I'm afraid it might lead me to use stronger drugs | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| h. I'm afraid I could become addicted | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| i. I got pregnant, or I wanted to get pregnant | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| j. I don't want to use it around my children | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| k. My parents disapprove | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| l. My spouse/boyfriend/girlfriend disapproves | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| m. My friends disapprove | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| n. It's too expensive | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| o. I wouldn't know where to get it | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| p. I'm afraid to associate with drug dealers | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| q. Using marijuana or hashish is illegal | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| r. Buying marijuana or hashish helps support criminals .. | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| s. Some other reason | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |

PLEASE SPECIFY THIS OTHER REASON:

DE-12. Now think about the month in which your 12-month reference date begins. Did you use marijuana or hashish at any time during that month in 1996?

- Yes ☐ 1
- No ☐ 2

**GO TO QUESTION DE-14
AT THE TOP OF PAGE 6**

DE-13. Here are some reasons people give for never using marijuana or hashish. Please indicate whether each of these was a reason why you never used marijuana or hashish. *PLEASE MARK ONLY ONE BOX FOR EACH REASON.*

Was this a reason for you?

- | | <u>YES</u> | <u>NO</u> |
|---|----------------------------|----------------------------|
| a. I'm not interested in using it | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| b. I think it could harm me physically | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| c. I don't think I'd like it | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| d. Using it is against my beliefs | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| e. I'm afraid of drug testing at a job | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| f. I think that it could harm me psychologically | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| g. I'm afraid it might lead me to use stronger drugs | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| h. I'm afraid I could become addicted | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| i. I'm afraid it might harm my children during pregnancy .. | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| j. I don't want to use it around my children | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| k. My parents would disapprove | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| l. My spouse/boyfriend/girlfriend would disapprove | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| m. My friends would disapprove | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| n. It's too expensive | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| o. I wouldn't know where to get it | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| p. I'm afraid to associate with drug dealers | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| q. Using marijuana or hashish is illegal | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| r. Buying marijuana or hashish helps support criminals | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| s. Some other reason | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |

PLEASE SPECIFY THIS OTHER REASON:

(PLEASE GO TO THE NEXT PAGE.)

FOR THE REST OF THE QUESTIONS ON THIS ANSWER SHEET, PLEASE THINK ABOUT ALL THE DIFFERENT FORMS OF COCAINE INCLUDING POWDER, "CRACK," FREE BASE, AND COCA PASTE.

DE-14. Has anyone ever offered you cocaine, or tried to sell you cocaine?

Yes ☐ 1
No ☐ 2

DE-15. Have you ever, even once, used cocaine?

YES, I have used cocaine ☐ 1 →

NO, I have never used
cocaine ☐ 2

GO TO
QUESTION DE-23
AT TOP OF PAGE 9

DE-16. Who were the other people with you the first time you used cocaine? *PLEASE MARK ALL THAT APPLY.*

I was alone ☐ 1
With boyfriend/girlfriend/spouse .. ☐ 2
With friend(s) ☐ 3
With someone I just met ☐ 4
With my brother(s) or sister(s) ... ☐ 5
With my father ☐ 6
With my mother ☐ 7
With other relative(s) ☐ 8
Some other person/people ☐ 9

*PLEASE SPECIFY THIS
RELATIONSHIP:*

DE-17. Here are some reasons people give for using cocaine for the first time. Please indicate whether each of these was a reason why you used cocaine the first time. *PLEASE MARK ONLY ONE BOX FOR EACH REASON.*

Was this a reason for you?

	<u>YES</u>	<u>NO</u>
a. I wanted to see what it was like	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b. I thought it would make me feel good	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c. My friends were using it	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d. My boyfriend/girlfriend/spouse wanted me to try it	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e. I wanted to get away from my problems or troubles	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f. I was bored and wanted to try something new	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g. I wanted to disobey the people who told me not to use it	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h. Some other reason	<input type="checkbox"/> 1	<input type="checkbox"/> 2

PLEASE SPECIFY THIS OTHER REASON:

(PLEASE TURN TO THE NEXT PAGE.)

DE-18. Now think about the past 12 months, from your 12-month reference date through today. Have you used cocaine during the past 12 months?

YES, I have used cocaine during the
past 12 months ☐ 1 →

**CONTINUE WITH
QUESTION DE-19**

NO, I have not used cocaine during
the past 12 months ☐ 2 →

**GO TO QUESTION DE-21
AT THE TOP OF PAGE 8**

DE-19. Here are some reasons people give for using cocaine. Please mark whether each of these was a reason why you used cocaine at any time during the past 12 months. *PLEASE MARK ONLY ONE BOX FOR EACH REASON.*

Was this a reason for you?

	<u>YES</u>	<u>NO</u>
a. My friends were using it.	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b. My boyfriend/girlfriend/spouse was using it.	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c. I wanted to get away from my problems or troubles.	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d. I used it to relax.	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e. A doctor suggested that I use it.	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f. A doctor prescribed it for me.	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g. I used it for pain relief.	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h. Some other reason	<input type="checkbox"/> 1	<input type="checkbox"/> 2

PLEASE SPECIFY THIS OTHER REASON: _____

DE-20. Now think about the month in which your 12-month reference date begins. Did you use cocaine at any time during that month in 1996?

Yes ☐ 1
No ☐ 2

**GO TO BOX A
AT THE BOTTOM OF
PAGE 9**

DE-21. Here are some reasons people give for not using cocaine. Please indicate whether each of these was a reason why you did not use cocaine in the past 12 months. *PLEASE MARK ONLY ONE BOX FOR EACH REASON.*

	<u>Was this a reason for you?</u>	
	<u>YES</u>	<u>NO</u>
a. I'm not interested in using it any more	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b. I think it harms me physically	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c. Using it makes me feel sick	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d. Using it is against my beliefs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e. I'm afraid of drug testing at a job	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f. I feel that it harms me psychologically	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g. I'm afraid it might lead me to use stronger drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h. I'm afraid I could become addicted	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i. I got pregnant, or I wanted to get pregnant	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j. I don't want to use it around my children	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k. My parents disapprove	<input type="checkbox"/> 1	<input type="checkbox"/> 2
l. My spouse/boyfriend/girlfriend disapproves	<input type="checkbox"/> 1	<input type="checkbox"/> 2
m. My friends disapprove	<input type="checkbox"/> 1	<input type="checkbox"/> 2
n. It's too expensive	<input type="checkbox"/> 1	<input type="checkbox"/> 2
o. I wouldn't know where to get it	<input type="checkbox"/> 1	<input type="checkbox"/> 2
p. I'm afraid to associate with drug dealers	<input type="checkbox"/> 1	<input type="checkbox"/> 2
q. Using cocaine is illegal	<input type="checkbox"/> 1	<input type="checkbox"/> 2
r. Buying cocaine helps support criminals	<input type="checkbox"/> 1	<input type="checkbox"/> 2
s. Some other reason	<input type="checkbox"/> 1	<input type="checkbox"/> 2

PLEASE SPECIFY THIS OTHER REASON:

DE-22. Now think about the month in which your 12-month reference date begins. Did you use cocaine at any time during that month in 1996?

Yes	<input type="checkbox"/> 1
No	<input type="checkbox"/> 2

**GO TO BOX A
AT THE BOTTOM OF
PAGE 9**

DE-23. Here are some reasons people give for never using cocaine. Please indicate whether each of these was a reason why you never used cocaine. *PLEASE MARK ONLY ONE BOX FOR EACH REASON.*

Was this a reason for you?

- | | <u>YES</u> | <u>NO</u> |
|--|----------------------------|----------------------------|
| a. I'm not interested in using it | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| b. I think it could harm me physically | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| c. I don't think I'd like it | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| d. Using it is against my beliefs | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| e. I'm afraid of drug testing at a job | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| f. I think that it could harm me psychologically | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| g. I'm afraid it might lead me to use stronger drugs | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| h. I'm afraid I could become addicted | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| i. I'm afraid it might harm my children during pregnancy | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| j. I don't want to use it around my children | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| k. My parents would disapprove | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| l. My spouse/boyfriend/girlfriend would disapprove | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| m. My friends would disapprove | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| n. It's too expensive | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| o. I wouldn't know where to get it | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| p. I'm afraid to associate with drug dealers | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| q. Using cocaine is illegal | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| r. Buying cocaine helps support criminals | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| s. Some other reason | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |

PLEASE SPECIFY THIS OTHER REASON:

BOX A	<p style="text-align: center;">YOU HAVE FINISHED THE QUESTIONS ABOUT DRUG EXPERIENCES.</p> <p style="text-align: center;">THANK YOU FOR ANSWERING THESE QUESTIONS.</p> <p style="text-align: center;">TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE DRUG EXPERIENCES QUESTIONS.</p>
------------------	--

YOUTH EXPERIENCES**Answer Sheet #20**

Y-1. Have you been enrolled in any type of school at any time during the past 12 months?

YES, I have been enrolled in school
during the past 12 months ☐ 1 → Y-2.

NO, I was not enrolled in school at
any time during the past 12 months ... ☐ 2

As you read the following types of schools,
please mark one box beside each type of school
to indicate whether you were enrolled in that
type of school at any time during the past 12
months.

YES **NO**

a. Public school; working
toward a high school
diploma ☐ 1 ... ☐ 2

b. Private school; working
toward a high school
diploma ☐ 1 ... ☐ 2

c. Home school ☐ 1 ... ☐ 2

d. A 4-year college or
university ☐ 1 ... ☐ 2

e. A 2-year college or
university ☐ 1 ... ☐ 2

f. Vocational or
trade school ☐ 1 ... ☐ 2

g. Some other type of school ☐ 1 ... ☐ 2

PLEASE SPECIFY:

**GO TO QUESTION Y-8 AT
THE TOP OF PAGE 3**

Y-3. What were your grades for the last semester or
grading period that you completed?

Mostly A's or B's ☐ 1

Mostly B's or C's ☐ 2

Mostly C's or D's ☐ 3

Mostly D's or below ☐ 4

My school does not give
these grades ☐ 91

(PLEASE TURN THE PAGE.)

Y-4. As you read each of the following activities, please mark one box beside each activity to indicate whether you have taken part in that activity during the past 12 months.

	Participated during the past 12 months?	
	<u>YES</u>	<u>NO</u>
a. Boy Scouts/Girl Scouts	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b. Private lessons (such as piano, dance, tennis, karate, horseback riding, etc.) ..	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c. Team sports (such as football, basketball, swimming, gymnastics, etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d. 4-H Club	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e. School band, orchestra, or choir	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f. School-related clubs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g. Student government	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h. Volunteer activities	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i. Church choir	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j. Some other activity	<input type="checkbox"/> 1	<input type="checkbox"/> 2


PLEASE SPECIFY: _____

Y-5. During the past 12 months, did you work at a job for pay at any time?

Yes ☐ 1
 No ☐ 2

Y-6. Did you work at a job for pay before or after school on school days?

Yes ☐ 1
 No ☐ 2



Y-7. During the past 12 months, have you had any of the following alcohol or drug education classes in school?
PLEASE MARK ONLY ONE BOX FOR EACH ITEM.

	Participated in this type of class?	
	<u>YES</u>	<u>NO</u>
a. A special course about alcohol or drugs taught by your regular teacher	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b. A special course about alcohol or drugs (like DARE) taught by someone other than your regular teacher	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c. Special classes or other experiences (like a field trip) not connected to one of your regularly scheduled classes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d. Some other alcohol or drug education experience in school	<input type="checkbox"/> 1	<input type="checkbox"/> 2

PLEASE DESCRIBE THIS OTHER EDUCATION BELOW:

(PLEASE GO TO THE NEXT PAGE.)

Y-8. During the past 12 months, have you seen or heard any alcohol or drug prevention messages from sources outside school (for example, posters, pamphlets, radio or TV ads)?

Yes ☐ 1
 No ☐ 2

Y-9. During the past 12 months, have you spoken with a parent or other adult about the dangers of alcohol or drug use?

Yes ☐ 1
 No ☐ 2

Y-10. How do you think your parents would feel if they thought you did the following things? *PLEASE MARK ONLY ONE BOX FOR EACH ITEM.*

How would your parents feel?

	NOT AT ALL UPSET	SOMEWHAT UPSET	VERY UPSET
a. Smoked 1 or more packs of cigarettes per day	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
b. Tried marijuana once or twice	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
c. Smoked marijuana once a month	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
d. Smoked marijuana once or twice a week	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
e. Tried inhalants once or twice	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
f. Tried heroin once or twice	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
g. Used cocaine once a month	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
h. Had five or more drinks once or twice a week	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

Y-11. How do you think your close friends would feel if they thought you did the following things? *PLEASE MARK ONLY ONE BOX FOR EACH ITEM.*

How would your close friends feel?

	NOT AT ALL UPSET	SOMEWHAT UPSET	VERY UPSET
a. Smoked 1 or more packs of cigarettes per day	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
b. Tried marijuana once or twice	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
c. Smoked marijuana once a month	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
d. Smoked marijuana once or twice a week	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
e. Tried inhalants once or twice	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
f. Tried heroin once or twice	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
g. Used cocaine once a month	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
h. Had five or more drinks once or twice a week	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

(PLEASE TURN TO THE NEXT PAGE.)

Y-12. How many of your close friends have done each of the following things? *PLEASE MARK ONLY ONE BOX FOR EACH ITEM.*

	<u>NONE OF THEM</u>	<u>A FEW OF THEM</u>	<u>MOST OF THEM</u>
a. Smoked 1 or more packs of cigarettes per day	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
b. Tried marijuana once or twice	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
c. Smoked marijuana once a month	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
d. Smoked marijuana once or twice a week	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
e. Tried inhalants once or twice	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
f. Tried heroin once or twice	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
g. Used cocaine once a month	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
h. Had five or more drinks once or twice a week	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

(PLEASE GO TO THE NEXT PAGE.)

Y-13. If you wanted to talk to someone about a serious problem, which of the following people would you turn to? **MARK ALL THAT APPLY.**

- There is nobody I can talk to about serious problems ☐ 0
My mother ☐ 1
My father ☐ 2
My boyfriend or girlfriend ☐ 3
My brother or sister ☐ 4
Some other relative ☐ 5
A friend ☐ 6
A teacher, coach, or school counselor ☐ 7
A pastor or clergy ☐ 8
Some other person ☐ 9

PLEASE DESCRIBE YOUR RELATIONSHIP TO THIS OTHER PERSON:

Y-14. Now think about the one person you are most likely to talk to about a serious problem. Who would that person be? **PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.**

- There is nobody I can talk to about serious problems ☐ 0
My mother ☐ 1
My father ☐ 2
My boyfriend or girlfriend ☐ 3
My brother or sister ☐ 4
Some other relative ☐ 5
A friend ☐ 6
A teacher, coach, or school counselor ☐ 7
A pastor or clergy ☐ 8
Some other person ☐ 9

PLEASE DESCRIBE YOUR RELATIONSHIP TO THIS OTHER PERSON:

(PLEASE TURN TO THE NEXT PAGE.)

Y-15. How strict are your parents about ...

	Not at all Strict	Just Strict Enough	Too Strict
The way you dress?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
Staying out late at night (curfew)?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
Time spent doing homework?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

Y-16. During the past 12 months, how often have you argued with your parents?

Every day	<input type="checkbox"/> 1
Several times a week	<input type="checkbox"/> 2
About once a week	<input type="checkbox"/> 3
About once a month	<input type="checkbox"/> 4
Rarely or never	<input type="checkbox"/> 5

Y-17. During the past 12 months, how many times have you gotten into a gang fight?

Never	<input type="checkbox"/> 1
1 or 2 times	<input type="checkbox"/> 2
3 or 4 times	<input type="checkbox"/> 3
5 or more times	<input type="checkbox"/> 4

Y-18. During the past 12 months, how many times have you taken something from a store without paying for it?

Never	<input type="checkbox"/> 1
1 or 2 times	<input type="checkbox"/> 2
3 or 4 times	<input type="checkbox"/> 3
5 or more times	<input type="checkbox"/> 4

YOU HAVE FINISHED THE YOUTH EXPERIENCES QUESTIONS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE YOUTH EXPERIENCES QUESTIONS.**