

National Household Survey on Drug Abuse, 1999

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook

Processor Notes

- 1) All system-missing values (denoted as “.” in the frequencies) were recoded to “-9” in this version of the data file. In the past these values were coded to “99”
- 2) Variables ending in ...NEWA through NEWE (e.g., HALNEWA) represent written responses to open-ended questions regarding use of specific drugs. This resulted in some instances of incorrectly classified drugs.
- 3) This data collection includes setup statements (e.g., a “do file” and dictionary) for StataSE. Analysts are advised that the conversion from ASCII to Stata format is likely to be slow due to the large file size. Subsets from the NSDUH may be downloaded from the on-line analysis system

Important Changes in Third Edition Release

- 1) The two study design variables VEREP and VESTR were revised to provide consistency with the 2004 study, which collapsed the strata to maximize the number of people in each replicate.
- 2) There were also 7 more variables (CIG30BRN, CIG30ROL, CHW30BRN, SNF30BRN, SLT30BRN, CGR30BRN, TXYRNMER) that were dropped and replaced by the variables (CIG30BR2, CIG30RO2, CHW30BR2, SNF30BR2, SLT30BR2, CGR30BR2, TXYRNME2). This was done to correct a problem with how rare responses were coded and to provide consistency with the 2004 NSDUH study as well as future public releases of the NSDUH study.
- 3) Three more variables (EMPSTATY, IEMPSTY, EDUCCAT2) were added for this release. These additional variables provide consistency with the 2004 NSDUH study as well as future public releases of the NSDUH study.
- 4) Eight variables (SNPPHLD, YESTSCIG, YESTSMJ, YESTSALC, YESTSDNK, YETRSCIG, YETRPDAL, YETRPUDG) were updated to provide consistency with future public releases of the NSDUH study.

1999 NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

Public Use File Codebook

Contract No. 283-03-9028
Project No. 8726
Deliverable 25

Prepared for:

Substance Abuse and Mental Health Services Administration
Rockville, Maryland 20857

Prepared by:
Research Triangle Institute

May 18, 2006

This codebook was developed for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, by Research Triangle Institute, under contract No. 283-98-9008.

Public Domain Notice

All material appearing in this volume is in the public domain and may be reproduced or copied without permission from the Substance Abuse and Mental Health Services Administration. Citation of the source is appreciated.

For additional information, the following may be contacted:

Substance Abuse and Mental Health Services Administration
Office of Applied Studies
5600 Fishers Lane, Room 16C-105
Rockville, Maryland 20857

TABLE OF CONTENTS

	PAGE

INTRODUCTION AND DESCRIPTION OF THE 1999 NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE.....	i-1
Introduction.....	i-1
Overview of the NHSDA.....	i-1
Strengths and Limitations of the NHSDA.....	i-3
SURVEY METHODOLOGY (1999 SURVEY REDESIGN).....	i-4
Stratification and Selection of Primary Sampling Units.....	i-5
Selection of Dwelling Units.....	i-6
Selection of Persons.....	i-6
DATA COLLECTION AND RESPONSE RATES.....	i-7
WEIGHTING PROCEDURES.....	i-7
CONTENTS AND ORGANIZATION OF THE 1999 NHSDA PUBLIC USE FILE.....	i-8
Data File Description.....	i-8
Variable Naming Conventions.....	i-10
USABLE CASES.....	i-10
LOGICAL EDITING.....	i-11
Editing Procedure for Drug Use Variables.....	i-12
Standard Code Conventions.....	i-13
STATISTICAL IMPUTATION.....	i-14
STATISTICAL SIGNIFICANCE OF DIFFERENCES.....	i-15
USE OF SAMPLE WEIGHTS AND SAMPLE DESIGN VARIABLES.....	i-16
CONFIDENTIALITY OF DATA.....	i-17
Estimation of Parameters and their Standard Errors.....	i-18
Table 1. Past Month Marijuana Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample by Seven Domains.....	i-18
Table 2. Past Year Heroin Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample by Six Domains.....	i-19
CODEBOOK	
IDENTIFICATION.....	1
CORE SUBSTANCE USE	
TOBACCO.....	2
ALCOHOL.....	23
MARIJUANA.....	28
COCAINE.....	32
CRACK.....	36
HEROIN.....	40
HALLUCINOGENS.....	44
INHALANTS.....	55
PAIN RELIEVERS.....	65
TRANQUILIZERS.....	82
STIMULANTS.....	93
SEDATIVES.....	105
IMPUTED SUBSTANCE USE	
RECENCY OF DRUG USE.....	114
PAST YEAR FREQUENCY OF USE.....	122
PAST MONTH FREQUENCY OF USE.....	126
AGE/DATE OF FIRST DRUG USE.....	130
RECODED DRUG USE.....	136
SELECTED UNEDITED VARIABLES.....	154

NON-CORE	
SPECIAL DRUGS.....	173
RISK/AVAILABILITY.....	180
DRUGS.....	190
SPECIAL TOPICS.....	246
TREATMENT.....	255
SOCIAL ENVIRONMENT.....	289
YOUTH EXPERIENCES.....	303
IMPUTED HOUSEHOLD COMPOSITION (ROSTER).....	348
PREGNANCY AND HEALTH CARE.....	349
INCOME AND INSURANCE.....	352
INTERVIEW INFORMATION.....	367
DEMOGRAPHICS	
CORE DEMOGRAPHICS.....	368
IMPUTED DEMOGRAPHICS.....	370
NON-CORE DEMOGRAPHICS.....	373
RECODED DEMOGRAPHICS.....	387
GEOGRAPHIC.....	388
SAMPLE WEIGHTING AND ESTIMATION VARS.....	389
ALPHA INDEX OF VARIABLE NAMES.....	390
INDEX OF VARIABLE NAMES.....	422

APPENDICES

APPENDIX A	Drug Codes for Open-Ended Questions
APPENDIX B	Tobacco Brand Codes for Open-Ended Questions
APPENDIX C	Dependence Variable Documentation
APPENDIX D	Consolidated Drug Other Specify Tables
APPENDIX E	Variable Map

INTRODUCTION AND DESCRIPTION OF THE 1999 NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

Introduction

This codebook provides documentation for the 1999 National Household Survey on Drug Abuse (NHSDA) public use file. The variable names in this codebook are the variable names that appear in the dataset. The public use file is provided to users on a compact disc (i.e., a CD-ROM). The NHSDA is sponsored by the Office of Applied Studies (OAS) within the Substance Abuse and Mental Health Services Administration (SAMHSA) and is conducted by RTI of Research Triangle Park, North Carolina.

The survey underwent a major redesign in 1999. The redesign of the survey also had implications for the presentation of codebook variables. For this reason, users of the data file are encouraged to read this introduction in its entirety prior to using the file.

For each variable on the 1999 public use file, the codebook provides the variable name, a description of the variable, value codes and their meanings, and a univariate frequency distribution. Most of the variables originated as interview items. For created variables, the source variables and recoding specifications are provided, if space allows. In addition, case identification, sampling, and data collection variables are included on the file and documented in the codebook.

Extensive work was done on the 1999 public use file to protect respondent confidentiality while still allowing most variables to be available for analysts' use. These procedures are discussed in greater detail in the Confidentiality of Data section of this introduction. Briefly, the steps included standard procedures for eliminating variables for which there was a high risk that individuals could be identified and collapsing values of other variables. Additional special techniques to protect respondent confidentiality included subsampling of records and substitution of data from donors. Analysis of the data after these procedures showed that the effect on the levels and accuracy of estimates was minimal. Nevertheless, because of the procedures that were implemented, users of this file are advised that previously published estimates may not be exactly reproducible from the variables on this file.

Overview of the NHSDA

The 1999 NHSDA is the 19th in a series, the primary purpose of which is to measure the prevalence and correlates of drug use in the United States. This survey series provides information about the use of illicit drugs, alcohol, and tobacco among members of the noninstitutionalized U.S. civilian population aged 12 or older. Surveys have been conducted periodically since 1971, with the most recent ones in 1979, 1982, 1985, 1988, and 1990 through 1998. Currently, public use files also are available for surveys from 1979 onward.

In 1999, the NHSDA underwent a major redesign. The method of data collection was changed from a paper questionnaire administration to a computer-assisted administration. In addition, the sample design was changed from a strictly national design to a State-based sampling plan. These important changes have a major impact on the data produced from the NHSDA. Because of the differences in methodology and impact of the new design on data collection, only limited comparisons can be made between data from the redesigned surveys (1999 onward) and data obtained from surveys prior to 1999.

Prior to 1999, the NHSDA was conducted using paper-and-pencil interviewing (PAPI) methods for an interview lasting about an hour. The NHSDA PAPI instrumentation consisted of a questionnaire booklet completed by an interviewer and a set of individual answer sheets completed by a respondent. All substance use questions and other sensitive questions appeared on the answer sheets, so the interviewer was unaware of the respondent's answers. Less sensitive questions, such as demographics, occupational status, household size, and composition, were asked aloud by the interviewer and recorded in the questionnaire booklet.

Starting in 1999, the NHSDA interview is now carried out using computer-assisted interviewing (CAI) methods. The survey uses a combination of a computer-assisted personal interviewing (CAPI) conducted by an interviewer and audio computer-assisted self-interviewing (ACASI). For the most part, questions previously administered by an interviewer are now administered by an interviewer using CAPI. Questions previously administered using self-administered answer sheets are now administered using ACASI. Use of ACASI is designed to provide respondents with a highly private and confidential means of responding to questions and to increase the level of honest reporting of illicit drug use and other sensitive behaviors.

The 1999 interview includes specifications for the logic governing how respondents were routed through the questions in the interview. Analysts are encouraged to reference this document in conjunction with their review of documentation of variables from the interview (for searchable versions of the specifications, see <http://www.samhsa.gov/oas/nhsda/methods.cfm>).

A key feature of the NHSDA CAI instrument is a core/supplement structure. A core set of questions critical for basic trend measurement of prevalence rates remains in the survey every year and comprises the first part of the interview. Supplemental questions, or modules, that can be revised, dropped, or added from year to year make up the remainder of the interview. The core consists of initial demographic items and questions pertaining to the use of tobacco, alcohol, marijuana, cocaine, crack cocaine, heroin, hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives. Supplemental items include the remaining ACASI sections and demographic questions. It should be mentioned that some of the supplemental portions of the questionnaire have remained in the survey, relatively unchanged, every year (e.g., current health insurance coverage, income). Since 1988, additional information also has been gathered about the form of cocaine known as "crack" and about sharing needles for injection of drugs. In addition, the consequences of using various drugs have been given considerable attention since 1985.

The target population for the 1999 survey was the same as has been defined since the 1991 NHSDA: the civilian, noninstitutionalized population of the 50 States (including civilians living on military bases) who were 12 years of age or older at the time of the survey. Before 1991, the NHSDA sample was drawn from the household population of the contiguous 48 States. Alaska and Hawaii were added to the sample population in 1991, as were residents of noninstitutional group quarters (e.g., college dormitories, group homes, civilians dwelling on military installations) and persons with no permanent residence (homeless people in shelters and residents of single rooms in hotels). In addition, six special-interest metropolitan statistical areas (MSAs) were oversampled in 1991. The 1992 and 1993 NHSDAs retained the oversampling of the six MSAs and were also designed to provide quarterly as well as annual estimates.

Beginning in 1999, the NHSDA sample employed a 50-State design with an independent, multistage area probability sample for each of the 50 States and the District of Columbia. The eight States with the largest population (which together account for 48 percent of the total U.S. population aged 12 or older) were designated as large sample States (California, Florida, Illinois, Michigan, New York, Ohio, Pennsylvania, and Texas). For these States, the design provided a sample large enough to support direct State estimates. For the remaining 42 States and the District of Columbia, smaller, but adequate, samples were selected to support State estimates using small area estimation (SAE) techniques. The design also oversampled youths and young adults, so that each State's sample was approximately equally distributed among three major age groups: 12 to 17 years, 18 to 25 years, and 26 years or older.

A description of the 1999 survey, including more detailed information on sample issues, can be found in the following NHSDA report:

Summary of Findings from the 1999 National Household Survey on Drug Abuse.

This report presents in tabular, graphical, and narrative bullet formats some key findings on drug use prevalence by age and major demographic variables in 1999, and by State (DHHS Publication No. SMA 00-3466, NHSDA Series H-12).

Strengths and Limitations of the NHSDA

The NHSDA is the only study that regularly produces estimates of drug use among civilian members of the noninstitutionalized population in the United States. The survey is an appropriate technique for estimating prevalence rates for use of different drugs because much drug use would not ordinarily come to the attention of administrative, medical, or correctional authorities and therefore would not be included in official statistics. In-person interviews with a large national probability sample seem to be the best way to estimate drug use in virtually the entire population of the United States.

The redesign of the NHSDA also has yielded improvements. With the expanded sample design, the precision of the estimates at the national level is improved substantially. The CAI methodology also has made data collection and processing more efficient and has improved the quality of the data.

Although the NHSDA is useful for many purposes, it has certain limitations. First, the data are self-reports of drug use, and their value depends on respondents' truthfulness and memory. Although some experimental studies have established the validity of self-reported data in similar contexts and the NHSDA procedures were designed to encourage honesty and recall, some underreporting and overreporting may have taken place. Second, the survey is cross-sectional rather than longitudinal. That is, individuals were interviewed only once and were not followed for additional interviews. Each year's survey, therefore, provides an overview of the prevalence of drug use at a specific point in time rather than a view of how drug use changes over time for specific individuals. Third, because the target population of the survey is defined as the noninstitutionalized civilian population of the United States, a small proportion (slightly less than 2 percent) of the population is excluded. The subpopulations excluded are members of the active-duty military and persons in institutional group quarters (e.g., hospitals, prisons, nursing homes, treatment centers). If the drug use of these groups differs from that of the noninstitutionalized civilian population, the NHSDA may provide slightly inaccurate estimates of drug use in the total population. This may be particularly true for prevalence estimates for rarely used drugs, such as heroin.

Survey Methodology (1999 Survey Redesign)

As noted above, the 1999 survey was the first conducted using CAI methods and marked the first year in a transition to improved State estimates based on minimum sample sizes per State. Household screening was also converted from a paper screening form to a handheld computer (Newton). In addition, it was also the first year in which cigarette brand information was obtained for the Centers for Disease Control and Prevention (CDC). To obtain the required precision at the State level and to improve the precision of cigarette brand data for youths at the national level, the total sample size was increased by 2,500 youths aged 12 to 17 to yield a total overall sample of 70,000. This large sample size allowed SAMHSA to continue reporting adequately precise demographic subgroup estimates at the national level without needing to oversample specially targeted demographics, as was required in the past. The achieved sample for the 1999 CAI sample was 66,706 persons. Because of the subsampling step used in the procedures to control the risk of disclosing the identity of any respondent, only 53,560 records appear on the public use file (see the section on Confidentiality of Data).

A coordinated 5-year sample design was developed. Although there is no overlap with the 1998 sample, a coordinated design for 1999 through 2003 facilitated a 50 percent overlap in first-stage units (area segments [see below]) between each 2 successive years from 1999 through 2003.¹ This design was intended to increase the precision of estimates in year-to-year trend analyses because of the expected positive correlation resulting from the overlapping sample between successive NHSDA years.

The 1999 through 2003 design allows for computation of estimates by State in all 50 States plus the District of Columbia. States may therefore be viewed as the first level of

¹In segments used in 2 successive years, only addresses not sampled in the first year may be included in the second year's sample.

stratification as well as a reporting variable. Eight States, referred to as the large sample States, had a sample designed to yield 3,600 to 4,630 respondents per State for the 1999 survey. This sample size was considered adequate to support direct State estimates. The remaining 43 States had a sample designed to yield 900 to 1,030 respondents per State in the 1999 survey. In these 43 States, adequate data were available to support reliable State estimates based on SAE methodology. Initial plans called for target sample sizes of 3,600 persons in each of the eight large sample States and 900 in each of the remaining States. The additional sample of 2,500 youths aged 12 to 17 was allocated across States in a manner to most effectively increase the precision of national estimates. As a result, some State sample sizes were higher than the initially planned sample sizes of 3,600 for large sample States and 900 for small sample States.

Stratification and Selection of Primary Sampling Units (Area Segments)

Within each State, sampling strata called field interviewer (FI) regions were formed. Based on a composite size measure, States were geographically partitioned into roughly equally sized regions. In other words, regions were formed such that each area yielded, in expectation, roughly the same number of interviews during each data collection period, thus distributing the workload equally among interviewers. The eight large sample States were divided into 48 FI regions; the remaining States were divided into 12 FI regions. Therefore, the partitioning of the United States resulted in the formation of a total of 900 FI regions.

For the first stage of sampling, each of the FI regions was partitioned into small geographic areas composed of adjacent Census blocks. These geographic clusters of blocks are referred to as *segments*, but were actually the primary sampling units (PSUs) for the new 50-State design. A sample *dwelling unit* in the NHSDA refers to either a housing unit or a group quarters listing unit, such as a dormitory room or a shelter bed. To support the overlapping sample design and any special supplemental samples or field tests that SAMHSA might wish to conduct, segments were formed to contain a minimum of 175 dwelling units.²

Before selecting sample segments, additional implicit stratification was achieved by sorting the first-stage sampling units by a metropolitan statistical area/socioeconomic status (MSA/SES) indicator³ and by the percentage of the population who are non-Hispanic and white. Within each FI region, a large segment sample was selected with probabilities proportional to size to serve as a pool of segments for the coordinated 5-year design and to allow for partial replacement of the segment sample each year. A subsample of eight area segments was selected for 1999; the sample of eight segments was further partitioned into four samples of two segments each and assigned to the four quarterly survey periods. For future years, one segment per quarter will be retained in the sample and one new segment will be added.

²Dwelling unit counts were obtained from the 1990 Decennial Census data supplemented with revised population counts from Claritas.

³Four categories were defined: (1) MSA/low SES, (2) MSA/high SES, (3) non-MSA/low SES, and (4) non-MSA/high SES.

Selection of Dwelling Units

The sample design required an approximately equal number of persons in three age groups: 12-17 years, 18-25 years, and 26 years and older. In order to improve the precision of the estimates, the sample allocation process targeted five age groups: 12-17 years, 18-25 years, 26-34 years, 35-49 years, and 50 years and older. Here the allocation among the three age groups in the 26 years and older group was done in such a way as to increase precision while maintaining approximately the same sample size as the 12-17 and 18-25 age groups. The size measures used in selecting the area segments were coordinated with the dwelling unit and person selection process so that a nearly self-weighting sample could be achieved in each of the five age groups. Departures from the self weighting objective occurred for several reasons, including the following:

- advance projections on the number of dwelling units did not accurately reflect the current housing inventory;
- maximum dwelling unit sample sizes were preset to control the interviewer workload and to allow unused addresses to be available for the next year's survey; and
- the person selection probabilities were constrained so that no more than two persons could be selected per dwelling unit.

An iterative sample allocation process was followed to adjust for these additional constraints. In addition, the dwelling unit sample allocation in each area segment was adjusted to allow for dwelling unit eligibility, for screening nonresponse, and for person nonresponse.

In advance of the survey period, specially trained listers had visited each area segment and listed all addresses for housing units and eligible group quarters units in a prescribed order. Systematic sampling was used to select the allocated sample of addresses from each segment.⁴

Selection of Persons

During each quarterly survey, FIs visited each sample address to determine dwelling unit eligibility, to list all eligible persons at the address, to select the sample of persons to be interviewed, and to conduct interviews. In addition, the interviewers followed special "half-open" interval procedures to identify any new (since the time of listing) housing or any dwelling units missed during the advance listing process. Any new or missed dwelling units following immediately after a sample dwelling unit and up to, but not including, the next initially listed address in the prescribed order of listing were also included in the sample.

⁴This had the effect of creating *noncompact clusters* (selection from a list), which differ from compact clusters in that not all units within the cluster are included in the sample. Although compact cluster designs are less costly and more stable, a noncompact cluster design was used because it provides for greater heterogeneity of dwellings within the sample. Also, social interaction (contagion) among neighboring dwellings is sometimes introduced with compact clusters (see L. Kish, 1965, *Survey Sampling*, New York: John Wiley).

The interviewers used a handheld computer to record the results of the dwelling unit screening process and to select the sample of respondents. They recorded the results of each call, the final eligibility status of the dwelling unit, and information on new and missed dwelling units. If a sample address was an eligible occupied dwelling unit, they also conducted a screening interview to identify and roster all survey-eligible persons residing at the address. When the roster was complete, the computer was programmed to select the sample of persons to be interviewed using parameters specified for that area segment and a random number specified for that address.

Data collection progress was monitored during each quarterly survey by State. During Quarter 1, it became necessary to subsample some of the remaining work in order to conclude the work before the end of the quarter. In subsequent quarters, small reserve samples were held back and small supplements were identified so that the assigned sample size could be adjusted if necessary during the course of the quarter.

Data Collection and Response Rates

The fieldwork for the 1999 NHSDA was directed by senior RTI staff members, and RTI maintained a field staff of approximately 1,100 FIs to collect the data.

As noted above, a total final sample of 66,706 computer-assisted interviews was obtained for the 1999 survey. Strategies for ensuring high rates of participation resulted in a weighted screening response rate of 90 percent and a weighted interview response rate for the CAI of 69 percent. (Note that these response rates are estimates only because they reflect the original sample, not the subsampled data file referenced in this document.)

Throughout the course of the study, respondent anonymity and the privacy of responses were protected by separating identifying information from survey responses. Respondents were assured that their identities and responses would be handled in the strictest compliance with Federal law. As discussed above, the questionnaire itself and the interviewing procedures were designed to enhance the privacy of responses, especially during segments of the interview in which questions of a sensitive nature were posed. Answers to sensitive questions were gathered using ACASI. During ACASI portions of the interview, respondents listened to prerecorded questions through headphones and entered their responses directly into a computer without interviewers knowing how they were answering.

Weighting Procedures

The estimates in this report are based on sample survey data rather than on complete data for the entire population. This means that the data must be weighted to obtain unbiased estimates for drug use in the population represented by the 1999 NHSDA. The "final sampling weight" of the i^{th} respondent, say w_i , can be interpreted as the number of persons in the NHSDA target population represented by the i^{th} respondent. The sum of the weights over all respondents estimates the size of the total target population:

w_i estimated size of target population,

where the summation is over all respondents in the 1999 NHSDA.

The "basic sampling weights" for the 1999 NHSDA are equal to the inverse of the probabilities of selection of sample respondents. In other words, the smaller a respondent's chance of entering the sample, the larger the weight of that respondent is in the calculation of unbiased estimates for the target population. The probability of selection of a respondent can be computed as the product of three stagewise sampling probabilities. Specifically, the probability of selecting respondent i equals the product of (a) the probability of selecting respondent i 's subarea given the State's geographic region in which it is located, (b) the probability of selecting respondent i 's dwelling unit given selection of his or her subarea, and (c) the probability of selecting respondent i within that selected dwelling unit.

To obtain the full sample "final NHSDA weights," the basic sampling weights were adjusted to take into account dwelling unit-level and individual-level nonresponse. These weights were further adjusted to ensure consistency with intercensal population projections obtained from the U.S. Bureau of the Census (see <http://www.census.gov/> and www.census.gov/population/www/projections/st_yr95to00.html).

For this file, a portion of the records was randomly subsampled from the original file and removed to introduce uncertainty in the intruder's mind while reducing the probability that any known respondent was in the public use file. Therefore, the weights of the members of the remaining sample were subsequently adjusted for subsampling. The weights were then calibrated to known totals from the full analytic file in order to increase precision.

Contents and Organization of the 1999 NHSDA Public Use File

Data File Description

The file described here is made available as an ASCII file with 1,532 variables and 53,560 observations. Three programs are made available to read the ASCII file into SAS, SPSS, or Stata. The file is also made available as a SAS transport (XPORT) file, SPSS portable file, and Stata system file. The ASCII file and programs are available from SAMHDA at <http://datafiles.samhsa.gov>.

The overall organization of the file is shown in the Table of Contents of this document. Edited data from core drug modules make up the first portion of the file. Edited data from the noncore self-administered modules and demographic questions are in later sections. These variables contain missing data; see the section on Standard Code Conventions below for a description of the codes given to different types of missing data. For each edited variable, the number of observations assigned a given missing data code are shown in the entry for that variable.

Imputation-revised drug use variables, as well as selected recoded versions of these variables, are included for core drug use variables. These imputed and recoded drug use variables are in separate sections following the edited core drug variables. The recoded drug use variables include indicators for lifetime, past year, and past month substance use. The imputation-revised core drug variables served as the starting point for the recoded core drug variables. Imputation-revised core and noncore demographic variables also are included toward the end of the codebook. Missing values for all imputation-revised variables have been imputed using the statistical imputation procedures described below. Imputation indicators are provided for each variable so that users may easily determine whether an observation contains data from the questionnaire or an imputed value. Where imputed or recoded variables are provided, users are encouraged to use them to produce estimates rather than raw or edited variables from the interview.

Variables containing the original responses to the recency-of-use and 12-month frequency-of-use questions are presented in a section called Selected Unedited Variables. These are included to show how respondents originally answered these questions prior to the data being edited for consistency with related items in that drug's section of the interview.

Variables from self-administered noncore modules comprise the next major section in the codebook. In addition to edited variables in these noncore modules, recoded variables are in some of these sections. For example, edited variables from the drugs section of the interview were used to create recoded summary measures of dependence on alcohol or other drugs. Unlike variables in the core sections, however, imputation for missing data generally was not done prior to the recoding of noncore variables. Consequently, noncore recoded variables may still have missing values.

For recoded variables, the missing data codes contained in the source variables and defined in the Standard Code Convention section of this codebook were often recoded to the standard SAS missing code (.) to facilitate use within software packages, such as SURvey DATA ANalysis (SUDAAN). It is intended that cases containing these SAS missing codes be excluded from an analysis.

A map file also is included to aid users in determining associations between different types of variables (Appendix E). The map file gives a correspondence between question names in the CAI instrument specifications (see <http://www.samhsa.gov/oas/nhsda/methods.cfm>), raw instrument variables, edited variables, and recoded variables. Except for the Selected Unedited Variables described above, however, raw instrument variables are not found on this file. Nevertheless, the listing of these raw variables may assist analysts in understanding associations between the original questions asked in the instrument and subsequent edited, imputed, or recoded variables.

In many instances, the codebook itself also indicates in parentheses the question name that corresponds to an edited variable. However, one important feature of the transition to CAI in 1999 was that respondents could be routed to different versions of a question depending on prior information from the interview. For this reason, individual variables do not exist on this file that

correspond to every question in the interview. For example, respondents who initiated use of a drug within 1 year of their current age were asked more detailed questions about the year and month in which they first used that drug. Depending on their age, date of birth, and interview date, respondents could be routed to one of three possible questions to identify the year in which they first used a drug (e.g., CG04a, CG04b, or CG04c for cigarettes, as shown in the specifications at <http://www.samhsa.gov/oas/nhsda/methods.cfm>). Similarly, respondents could be routed to one of two possible questions to determine the month in which they first used a drug. To facilitate analysis, therefore, responses from these multiple year-of-first-use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.

Variable Naming Conventions

Variable names are mnemonics related to the meaning of each variable. The user is advised, however, that the transition to a CAI mode of data collection beginning in 1999 marked an important change not only in the conduct of the survey but also in the data that the survey yielded. Therefore, data collected with the CAI mode beginning in 1999 are generally not comparable with data collected with the old PAPI mode in prior years, even if the basic wording or content of a question was the same in both the CAI and PAPI instruments.

As much as possible, however, CAI variables were named identically to the PAPI variables when the content of questions was identical or similar in CAI and PAPI. Use of variable names in CAI that had previously been used in PAPI preserved the historical meaning of key variables, such as those pertaining to the most recent time that respondents used a particular drug.

Usable Cases

A key step in the data processing procedures established the minimum item response requirements in order for cases to be retained for weighting and further analysis (i.e., "usable" cases). These procedures were designed to eliminate cases with unacceptable levels of item nonresponse (i.e., missing data), thereby retaining cases with lower levels of missing data and reducing the amount of statistical imputation needed for any given record.

The usable case criteria established for CAI were based on the completeness of information that respondents provided about their lifetime use or nonuse of different drugs. In CAI, respondents were asked more detailed questions about different drugs only if they reported lifetime use of that drug (or lifetime use of one or more drugs within a broader category, such as hallucinogens).⁵ Consequently, whether a CAI respondent was a lifetime user or nonuser of the

⁵In all modules except those pertaining to hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives, the logic for asking more detailed questions about use of that drug was based on the answer to a single "yes/no" question (e.g., "Have you ever, even once, used marijuana or hashish?"). In the hallucinogens through sedatives modules, the logic for asking more detailed questions about use of that category of drugs was based on respondents' answers to multiple "yes/no" questions about the lifetime use or nonuse of specific drugs within that category (e.g., lifetime use or nonuse of the specific hallucinogens LSD, PCP, peyote, mescaline,

drugs of interest could be readily determined by reviewing the respondent's answers to the lifetime question(s) for that drug (or category of drugs).

The requirements for a CAI record to be considered usable are noted below.

1. The lifetime cigarette question (i.e., "Have you ever smoked part or all of a cigarette?") had to have been answered as "yes" or "no." This requirement was set so that lifetime use or nonuse would be fully defined for at least one substance. Consequently, data about lifetime use or nonuse of cigarettes could be used in subsequent statistical imputations for other drugs where lifetime use/nonuse was undefined.
2. At least nine (9) of the following additional drugs had to contain information about lifetime use or nonuse: (a) chewing tobacco, (b) snuff, (c) cigars, (d) alcohol, (e) marijuana, (f) cocaine (in any form), (g) heroin, (h) hallucinogens, (i) inhalants; (j) pain relievers, (k) tranquilizers, (l) stimulants, and (m) sedatives. Crack cocaine was not included in the usable case rule because the logic for asking about crack cocaine was dependent upon the respondent having answered the lifetime cocaine question as "yes." Although the CAI instrument also asked about pipe tobacco, this was not included in the usable case rule because there was only one other question about pipe tobacco in addition to the lifetime pipe tobacco use question.

For the hallucinogens through sedatives sections, respondents reported about use or nonuse of specific drugs within that category. For these sections, the requirement for reporting of lifetime use or nonuse was considered to have been satisfied if *at least one* lead lifetime question in the series was answered as "yes" or "no" (e.g., if at least one question in the hallucinogen series was answered as "yes" or "no" for hallucinogens).

In addition, the CAI program terminated interviews during the initial demographics questions if respondents were ineligible for the survey (i.e., under age 12 or on active duty in the U.S. military). These ineligible cases by definition did not meet the usable case criteria because the interviews were terminated before the respondents got to the first cigarette use question.

Logical Editing

For selected key variables, response data were reviewed to identify and address inconsistent data among related variables or to replace missing data with nonmissing values. The routing logic in the CAI instrument reduced the opportunities for respondents to give inconsistent answers by skipping respondents past questions that did not apply to them. The occurrence of inconsistent data was further reduced through the use of consistency checks built into the CAI program that prompted respondents to resolve inconsistencies between related items. Nevertheless, there still were limited situations in which respondents could answer one question in a manner that was inconsistent with their answer to a previous question.

psilocybin/mushrooms, Ecstasy, or "any other" hallucinogen).

Logical editing of data was first conducted for many of the variables. This procedure used data within a respondent's record to identify and address inconsistencies among related variables within a given module of the interview (e.g., within the hallucinogens section). As part of this procedure, variables were identified that had been legitimately skipped because the condition(s) for asking the questions did not apply.

As a general principle when editing data in all the modules, responses from one module (e.g., hallucinogens) were not used to edit variables in another module (e.g., inhalants).⁶ For this reason, data in one module may not be completely consistent with data in other modules. Subsequent discussion about editing in this section focuses on key drug use variables.

Editing Procedure for Drug Use Variables

Logical editing and processing of drug use variables in the tobacco through the sedatives modules first involved identifying whether respondents had ever used or never used the drug of interest. If respondents did not provide sufficient information about their use or nonuse of a particular drug (or drug category), their final status was assigned through statistical imputation procedures (see below). If values pertaining to lifetime use or nonuse of a given drug were changed through the editing procedures, this editing was indicated through special codes that indicated that a response was logically inferred; documentation for these codes includes the phrase "LOGICALLY ASSIGNED." In the hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives modules, for example, respondents who did not report lifetime use of a specific drug (e.g., LSD) but specified use of it as "some other drug" were logically inferred to be lifetime users of that drug. In the psychotherapeutics modules (i.e., pain relievers, tranquilizers, stimulants, and sedatives), respondents whose only reported lifetime use involved over-the-counter medications were logically inferred to have never used that particular *prescription-type* psychotherapeutic drug.

Following determination of lifetime use or nonuse of a given drug, edits of the variables that established when respondents last used a drug of interest were probably the most critical. These edited recency-of-use variables were the precursors for the final, imputed measures that established the prevalence of use in the past 30 days, past 12 months, and lifetime (see below). Situations were identified and flagged in which there were potential inconsistencies between a respondent's answer to a drug's recency question and other data in that module. For example, it would be inconsistent for a respondent to report last using a drug "more than 12 months ago" but also to report having first used it at his or her current age. These inconsistencies were then addressed by statistically imputing final values for the affected recency variable and the other variable(s) where the data were inconsistent with the respondent's original answer to the recency question (see below).

Again, if values pertaining to the period when respondents last used a drug were changed through the editing procedures, special codes were assigned to indicate that these edits had been

⁶One exception to the principle of not editing across modules involved situations where responses in one module governed whether respondents were asked questions in another module. For example, if respondents reported never using heroin, they were not asked questions in the noncore treatment module about treatment for heroin. Consequently, codes could be assigned to indicate that the respondents skipped out of the heroin treatment data because they had never used it.

done. The documentation for these codes included the phrase "LOGICALLY ASSIGNED." For example, a code of 8 in a drug's recency-of-use variable means "Used at some point in the past 12 months LOGICALLY ASSIGNED." Specifically, if a respondent reported using a drug more than 30 days ago but within the past 12 months but other data suggested that the respondent may have used the drug more recently, this code of 8 indicated that it could at least be inferred that the respondent was a user in the past 12 months (and potentially more recently). Similarly, a code of 9 ("Used at some point in the lifetime LOGICALLY ASSIGNED") indicated that the respondent was potentially a user in any period that was asked about for that particular drug, including the past 30 days.

Standard Code Conventions

Generally, the following codes have the same (or consistent) meanings across all variables. Exceptions are noted in the documentation for individual variables.

91 or 991 or 9991, etc.	=	NEVER USED [DRUG(s) OF INTEREST]
93 or 993 or 9993, etc.	=	USED [DRUG] BUT NOT IN THE PERIOD OF INTEREST
94 or 994 or 9994, etc.	=	DON'T KNOW
97 or 997 or 9997, etc.	=	REFUSED
98 or 998 or 9998, etc.	=	BLANK (i.e., not answered; not asked the question)
99 or 999 or 9999, etc.	=	Legitimate skip

The following analogous codes also were assigned as part of the logical editing process:

81 (or 981, 9981, etc.)	=	NEVER USED [DRUG(s) OF INTEREST] Logically assigned
83 (or 983, 9983, etc.)	=	USED [DRUG] BUT NOT IN THE PERIOD OF INTEREST Logically assigned
85 (or 985, 9985, etc.)	=	BAD DATA Logically assigned (i.e., usually inconsistent with other data)
89 (or 989, 9989, etc.)	=	LEGITIMATE SKIP Logically assigned

The codes of 81, 83, 85, and 89 were given values in the 80s to signify that existing values were overwritten during editing. For example, if a respondent was somehow routed into the youth experiences module but that respondent was subsequently classified as being 18 or older, any answers that the respondent gave in the youth experiences module were overwritten with codes of 89 (or 989, etc.). These codes signify that this adult respondent logically was not eligible to be asked the youth experiences questions.

Codes of 85 (or 985, etc.), 94 (or 994, etc.), 97 (or 997, etc.), and 98 (or 998, etc.) are codes for missing data. In particular, codes of 98 (i.e., blank) could occur in the data for the following reasons:

- the respondent broke off the interview before reaching a particular question or section;
- the CAI program allowed the respondent to hit the ENTER key without providing a response (typically, in situations where respondents were asked to specify something, such as the name of some other drug that they had used); or
- the CAI program skipped the respondent past a question, but there was some uncertainty as to whether the skipped question applied or did not apply to the respondent (e.g., if subsequent questions about a drug were skipped because the respondent did not know whether he or she ever used that drug).

Statistical Imputation

Statistical imputation refers to the substitution of acceptable artificial values for missing values. These imputed values cannot be directly distinguished from nonimputed values. Using statistical imputation, missing data were replaced with nonmissing values for selected variables. These variables can be identified in the codebook by their labels, within which can be found the words "IMPUTATION REVISED." In addition, most imputation-revised variables have names with the prefix "IR." Associated indicator variables tell the user which values are imputed and which ones are not. These indicator variables have the words "IMPUTATION INDICATOR" in their labels and are identified with the prefix "II." For some imputation-revised variables, additional imputation indicators are available, identified with the prefix "II2," giving more details about the source of the imputed or logically assigned value.

The levels within the imputation-revised variables were limited to the valid responses in the interview itself. If neither editing nor imputation was required for a particular characteristic, the levels for the edited and imputation-revised variables were the same, with each level corresponding to a valid interview response. If an edited variable had a logically assigned value for which no imputation was required, that logically assigned value was converted to the associated valid interview response in the imputation-revised variable. Finally, levels in the edited variable that did not correspond to a valid interview response indicated that the information available for that respondent was incomplete and, consequently, imputation was required. These levels were replaced by imputed values corresponding to valid interview responses, which were consistent with any preexisting information related to that variable. Examples of levels indicating incomplete information include "bad data," "don't know," and "refused." Also, in the case of recency of use, some levels in the edited variable described a more general recency than was designated from a valid interview response, which, in the imputation-revised variable, were replaced by imputed values consistent with the general recency level.

Some missing data were imputed using the same unweighted sequential hot-deck procedure used in prior NHSDAs with various sorting and classing variables. In 1999, these

variables include two race variables, two Hispanic origin variables, marital status, and employment status. To protect confidentiality the original imputation-revised race, Hispanic origin, and education level variables were replaced by recoded versions. The name of the recoded education level variable is given by the original variable name followed by a "2" (IREduc2). A single recoded variable combines race and Hispanic origin (NEWRACE2). Although no missing data were imputed for gender, the potential for missing data makes an "IR" prefix necessary for this variable (IRSEX). As with other demographic variables, gender was imputed using an unweighted sequential hot-deck procedure if data were missing.

In the 1999 CAI instrument, the core drug use variables were recency of use, frequency of use in the past 12 months, frequency of use in the past 30 days, and age at first use. Imputation of missing values in these core drug use variables was accomplished using a new imputation procedure developed specifically for the NHSDA called predictive mean neighborhoods (PMN). PMN is a combination of model-assisted and nearest neighbor hot-deck imputation methods and is described in detail, along with its application to the NHSDA, in the *1999 Imputation Report*.⁷ The PMN method was also used to impute missing values in many of the income, insurance, and roster-derived household composition variables in the 1999 CAI instrument.

Statistical Significance of Differences

The NHSDA's redesign has improved the precision of its estimates of substance use prevalence, but the redesign has also made it difficult to assess long-term trends. *As noted previously, it is not considered appropriate to make comparisons of the 1999 CAI estimates with earlier NHSDA estimates to assess trends in substance use, due to the major differences between the CAI and PAPI methods. If comparisons such as these are made, it is recommended that they be interpreted with caution.*

Customarily, the observed difference between estimates is evaluated in terms of its "statistical significance," which refers to the probability that a difference as large as that observed would occur due to random error in the estimates if there were no difference in the prevalence rates for the population groups being compared. The significance of observed differences is generally reported at the 0.05 and 0.01 levels.

To compare the prevalence of drug use between survey year prevalence estimates, year1 and year2, one can test the null hypothesis (no difference in the year1 and year2 prevalence rates) against the alternative hypothesis (there is a difference in prevalence rates) using the standard difference in proportions test, expressed as follows :

$$Z = \frac{\hat{p}_1 - \hat{p}_2}{\sqrt{\text{var}(\hat{p}_1) + \text{var}(\hat{p}_2) - 2\text{cov}(\hat{p}_1, \hat{p}_2)}},$$

⁷Grau, E.A., Bowman, K.R., Giacoletti, K.E.D., Odom, D.M., & Sathe, N.S. (2001, July). Imputation report. In *1999 National Household Survey on Drug Abuse: Methodological resource book* (Section 4, Vol. 1, prepared for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, under Contract No. 283-98-9008, Deliverable No. 28, RTI 7190). Research Triangle Park, NC: RTI.

where

\hat{p}_1 = year1 estimated proportion,

$\text{var}(\hat{p}_1)$ = variance estimate for \hat{p}_1 ,

\hat{p}_2 = year2 estimated proportion,

$\text{var}(\hat{p}_2)$ = variance estimate for \hat{p}_2 , and

$\text{cov}(\hat{p}_1, \hat{p}_2)$ = covariance between \hat{p}_1 and \hat{p}_2 .

Under the null hypothesis, Z is asymptotically distributed as a normal random variable. Calculated values of Z can therefore be referred to as the unit normal distribution to determine the corresponding probability level (i.e., p value). Because there is a 50 percent overlap in the sampled segments between successive years of the NHSDA samples (see the section on Survey Methodology (1999 Survey Redesign)), the covariance term in the formula for Z will, in general, be greater than zero. As described below, commercially available variance estimation software such as SUDAAN, can be used to compute estimates of Z along with the associated p values such that the covariance term is calculated by taking the sample design into account. A similar procedure and formula for Z can be used for estimated totals.

Two non-independent prevalence estimates from the same data year can be compared using the above formula. Using this formula directly and ignoring the covariance term, which is usually small and positive, will result in a somewhat conservative test of hypotheses that will sometimes fail to establish statistical significance when in fact it exists. SUDAAN can calculate such within year comparison estimates so that the covariance term is calculated by accounting for the sample design.

Use of Sample Weights and Sample Design Variables

Due to the coverage bias, the 1999 NHSDA sample is not self-weighting. Analysts are advised to use the sample weight when attempting to use the NHSDA data to draw inferences about the target population or any subdomain of the target population. All estimates published in SAMHSA reports (such as the *Summary of Findings from the 1999 NHSDA*) are weighted. The appropriate and final sample weight is called ANALWT_C on this data file. This sample weight represents the total number of target population persons each record on the file represents. Note that the sum of ANALWT_C, over all records on the data file, represents an estimate of the total number of people in the target population. Additional information on the full sample weighting procedures and the sample weight components may be found in the *1999 Methodological Resource Book* available from OAS.⁸

⁸RTI. (2001, July). *1999 National Household Survey on Drug Abuse: Methodological resource book* (prepared for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, under Contract No. 283-98-9008, Deliverable No. 28, RTI 7190). Research Triangle Park, NC.

The public use file contains two sample design variables in addition to ANALWT_C. These variables are VESTR (sample stratum) and VEREP (replicate within stratum) and must be used to estimate variances and standard errors when using commercially available variance estimation software packages, such as SUDAAN or any other.

Confidentiality of Data

To protect the confidentiality of respondents to the 1999 NHSDA, the full analytic file of approximately 70,000 persons has been modified in a number of ways. All directly identifying information on the file, such as the address, has been eliminated. In addition, Census region, State, and other geographic identifiers have been removed. This is an individual record file, and the household link between two persons who responded from the same household has been removed. Because the data represent a stratified sample of FI regions, with clustered samples of segments (block groups), households, and individuals, estimates of the precision that account for the stratification, clustering, and weighting require the use of an appropriate method such as Taylorized linearization. The SAMHDA Data Analysis System (<http://datafiles.samhsa.gov>) has this capacity and is available for public use.

All variables on the file were reviewed for the possibility of identifying the respondent by combining a number of them at one time. Variables considered to have a high potential of personal identification, as well as a high value for analysis, were treated by standard procedures of categorization and top-and-bottom coding. In addition, two other techniques were used to introduce sufficient uncertainty for any person who attempted to disclose an individual identity and the confidential responses. First, a portion of the records was randomly subsampled and removed from the file to reduce the probability that any known respondent was in the public use file. Second, also on a random basis, a sample of records was designated, and variables were substituted from a similar donor record. This process makes it difficult for a "data snooper" to be certain that any record corresponds to a specific individual because some of the variables used to identify the record may come from different individuals. The result is that there is a very small probability of identifying an individual from the file.

Subsampling and substitution were done while simultaneously constraining the resultant file to a minimal increase in bias and variation (specifically, variance as a measure of the precision of estimates). In addition, the weights on the final file were recalibrated to known totals from the full analytic file so as to minimize the decrease in precision owing to the two techniques.

A number of variables were reviewed after the above process was undergone in order to determine the impact of these techniques on the accuracy and precision of estimates compared with the full file. These variables included both variables for which partial records were substituted, as well as other variables. In addition, the precision was studied for over 340 variables/subdomains. The difference in the estimates from the full analytic file and the public use file was typically about plus or minus 1 or 2 percent. In a few cases, it was higher, the highest being plus 65 percent for heroin (HERYR, heroin past year use), the drug with the lowest prevalence, in domain Non-Hispanic Native American/Alaska Native. The decrease in precision was typically below 7 percent on average, with HERYR and STMFLAG (stimulants ever used)

being the only exceptions, at about 13 percent and 10 percent increase of the standard error, respectively.

Estimation of Parameters and Their Standard Errors

The sampling weights on the public use file were adjusted for subsampling and calibrated with respect to 6 drug use prevalence measures and 25 demographic domains. Survey analysis software, such as SUDAAN, can be used with these weights, along with VEREP and VESTR to estimate various parameters and their standard errors. Because of calibration, some of the prevalence estimates for certain demographic domains from the public use file will be identical to the full sample estimates. Tables 1 and 2 show prevalence estimates and their standard errors for demographic domains that were not included in the calibration constraints.

Table 1 shows the ratio of prevalence estimates and standard errors from the public use file subsample to the full sample for monthly marijuana use, a relatively high prevalence drug. The results are for seven demographic domains.

Table 2 shows the same ratios for past year heroin use, a relatively low prevalence drug. Only six of the seven demographic domains are presented because the Native Hawaiian/other Pacific Islander domain had a 0 heroin prevalence estimate.

Table 1. Past Month Marijuana Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample, by Seven Domains

Domain	Prevalence Ratio	Standard Error Ratio
Non-Hispanic Native American/Alaska Native	1.11	1.12
Non-Hispanic Native Hawaiian/other Pacific Islander	0.95	0.79
Non-Hispanic Asian	1.02	1.18
Non-Hispanic more than one race	0.99	0.97
Household has four members	1.02	1.03
Household has five members	0.98	1.27
Household has six or more members	0.98	1.03

Note: Ratio = [public use file subsample estimate/full sample estimate].

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 CAI.

Table 2. Past Year Heroin Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample, by Six Domains

Domain	Prevalence Ratio	Standard Error Ratio
Non-Hispanic Native American/Alaska Native	1.65	1.77
Non-Hispanic Asian	0.91	0.89
Non-Hispanic more than one race	1.12	1.11
Household has four members	0.97	0.99
Household has five members	1.05	1.32
Household has six or more members	0.99	1.03

Note: Ratio = [public use file subsample estimate/full sample estimate].

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 CAI.

IDENTIFICATION			PAGE:	1
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QUESTID)		IDENTIFICATION		

The following variable, QUESTID, is a unique record identifier within a particular study year. The IDs may be repeated in other study years, so analysts should always consider the interview date (INTDATE) when using the QUESTID.

QUESTID	7	RESPONDENT IDENTIFICATION
---------	---	---------------------------

TOBACCO			PAGE: 2	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CG01)		TOBACCO		

<p>These questions are about your use of tobacco products. This includes cigarettes, chewing tobacco, snuff, cigars, and pipe tobacco. The first questions are about cigarettes only.</p> <p>Have you ever smoked part or all of a cigarette?</p>				
CIGEVER	1	EVER SMOKED A CIGARETTE		
		1 = Yes.....	31610	59.02
		2 = No.....	21950	40.98
(CG02)		If one of your best friends offered you a cigarette, would you smoke it?		
CIGOFRSM	2	IF BEST FRIEND OFFERED, WOULD YOU SMOKE CIG		
		1 = Definitely Yes.....	34	0.06
		2 = Probably Yes.....	264	0.49
		3 = Probably Not.....	2017	3.77
		4 = Definitely Not.....	9352	17.46
		94 = DON'T KNOW.....	36	0.07
		97 = REFUSED.....	71	0.13
		98 = BLANK (NO ANSWER).....	4	0.01
		99 = LEGITIMATE SKIP.....	41782	78.01
(CG03)		At any time during the next 12 months do you think you will smoke a cigarette?		
CIGWILYR	2	DO YOU THINK YOU'LL SMOKE CIG IN NEXT 12 MOS		
		1 = Definitely Yes.....	22	0.04
		2 = Probably Yes.....	236	0.44
		3 = Probably Not.....	1844	3.44
		4 = Definitely Not.....	9572	17.87
		85 = BAD DATA Logically assigned.....	19	0.04
		94 = DON'T KNOW.....	44	0.08
		97 = REFUSED.....	37	0.07
		98 = BLANK (NO ANSWER).....	4	0.01
		99 = LEGITIMATE SKIP.....	41782	78.01
(CG04)		How old were you the first time you smoked part or all of a cigarette?		
CIGTRY	3	AGE WHEN FIRST SMOKED A CIGARETTE		
		RANGE = 1 - 65	30567	57.07
		985 = BAD DATA Logically assigned.....	192	0.36
		991 = NEVER USED CIGARETTES.....	21950	40.98
		994 = DON'T KNOW.....	769	1.44
		997 = REFUSED.....	82	0.15

TOBACCO			PAGE:		3
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	----	-----	----	-	
(CG04A)		NOTE: For respondents who initiated use within 1 year of their current age, responses from the individual year-of-first use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.			
CIGYFU	4	YEAR OF FIRST CIGARETTE USE - RECODE			
		RANGE = 1997 - 1999	1954	3.65	
		9985 = BAD DATA Logically assigned.....	687	1.28	
		9989 = LEGITIMATE SKIP Logically assn (CIGTRY<AGE-1)....	7	0.01	
		9991 = NEVER USED CIGARETTES.....	21950	40.98	
		9994 = DON'T KNOW.....	783	1.46	
		9997 = REFUSED.....	87	0.16	
		9998 = BLANK (NO ANSWER).....	107	0.20	
		9999 = LEGITIMATE SKIP (CIGTRY<AGE-1).....	27985	52.25	
CIGMFU	2	MONTH OF FIRST CIGARETTE USE - RECODE			
		1 = January.....	121	0.23	
		2 = February.....	80	0.15	
		3 = March.....	96	0.18	
		4 = April.....	86	0.16	
		5 = May.....	132	0.25	
		6 = June.....	194	0.36	
		7 = July.....	170	0.32	
		8 = August.....	128	0.24	
		9 = September.....	120	0.22	
		10 = October.....	157	0.29	
		11 = November.....	100	0.19	
		12 = December.....	89	0.17	
		85 = BAD DATA Logically assigned.....	720	1.34	
		89 = LEGITIMATE SKIP Logically assigned.....	7	0.01	
		91 = NEVER USED CIGARETTES.....	21950	40.98	
		94 = DON'T KNOW.....	1255	2.34	
		97 = REFUSED.....	96	0.18	
		98 = BLANK (NO ANSWER).....	74	0.14	
		99 = LEGITIMATE SKIP.....	27985	52.25	

TOBACCO			PAGE: 4	
LABEL	LEN	DESCRIPTION	FREQ	%
(CG05)		NOTE: CIGREC was created from the two questions shown below.		
		Now think about the past 30 days -- that is, from DATEFILL up to and including today. During the past 30 days, have you smoked part or all of a cigarette?		
		How long has it been since you last smoked part or all of a cigarette?		
CIGREC	2	TIME SINCE LAST SMOKED CIGARETTES		
		1 = Within the past 30 days.....	14362	26.81
		2 = More than 30 days ago but within the past 12 mos..	3383	6.32
		3 = More than 12 months ago but within the past 3 yrs.	3468	6.47
		4 = More than 3 years ago.....	9864	18.42
		8 = Used at some point in the past 12 mos LOG ASSN....	13	0.02
		9 = Used at some point in the lifetime LOG ASSN.....	119	0.22
		14 = Used more than 12 months ago LOG ASSN.....	35	0.07
		19 = Used more than 30 days ago LOG ASSN.....	366	0.68
		91 = NEVER USED CIGARETTES.....	21950	40.98
(CG07)		During the past 30 days, that is since DATEFILL, on how many days did you smoke part or all of a cigarette?		
CIG30USE	2	HOW MANY DAYS SMOKED CIG IN PAST 30 DAYS		
		RANGE = 1 - 30	13726	25.63
		85 = BAD DATA Logically assigned.....	27	0.05
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17116	31.96
		94 = DON'T KNOW.....	573	1.07
		97 = REFUSED.....	63	0.12
		98 = BLANK (NO ANSWER).....	105	0.20
(CG07A)		What is your best estimate of the number of days you smoked part or all of a cigarette during the past 30 days?		
CG30EST	2	BEST EST. # DAYS SMOKED CIG PAST 30 DAYS		
		1 = 1 or 2 days.....	66	0.12
		2 = 3 to 5 days.....	71	0.13
		3 = 6 to 9 days.....	69	0.13
		4 = 10 to 19 days.....	79	0.15
		5 = 20 to 29 days.....	60	0.11
		6 = All 30 days.....	211	0.39
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17116	31.96
		94 = DON'T KNOW.....	62	0.12
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	130	0.24
		99 = LEGITIMATE SKIP.....	13726	25.63

TOBACCO			PAGE:	5
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CG08)		On the CG07 OR CG07a FILL days you smoked cigarettes during the past 30 days, how many cigarettes did you smoke per day, on average?		
CIG30AV	2	AVG # CIGS SMOKED PER DAY/ON DAY SMOKED		
		1 = Less than one cigarette per day.....	1716	3.20
		2 = 1 cigarette per day.....	1338	2.50
		3 = 2 to 5 cigarettes per day.....	3503	6.54
		4 = 6 to 15 cigarettes per day (about 1/2 pack).....	3533	6.60
		5 = 16 to 25 cigarettes per day (about 1 pack).....	2959	5.52
		6 = 26 to 35 cigarettes per day (about 1 1/2 packs)...	804	1.50
		7 = More than 35 cigs per day (abt 2 packs or more)...	345	0.64
		85 = BAD DATA Logically assigned.....	25	0.05
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17116	31.96
		94 = DON'T KNOW.....	57	0.11
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	169	0.32

TOBACCO			PAGE:		6
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.					
CIG30BR2	4	CIG BRAND USED MOST OFTEN PAST MO - RECODE			
		101 = Basic.....	471	0.88	
		102 = Benson & Hedges.....	200	0.37	
		103 = Cambridge.....	38	0.07	
		104 = Camel.....	1309	2.44	
		105 = Capri.....	71	0.13	
		106 = Carlton.....	34	0.06	
		107 = Doral.....	315	0.59	
		109 = GPC.....	298	0.56	
		110 = Kent.....	22	0.04	
		111 = Kool.....	264	0.49	
		112 = Marlboro.....	7330	13.69	
		113 = Merit.....	101	0.19	
		114 = Misty.....	91	0.17	
		115 = Monarch.....	19	0.04	
		116 = Montclair.....	22	0.04	
		117 = More.....	27	0.05	
		118 = Newport.....	1968	3.67	
		119 = Pall Mall.....	48	0.09	
		120 = Parliament.....	186	0.35	
		121 = Private Label.....	6	0.01	
		122 = Salem.....	182	0.34	
		123 = Vantage.....	35	0.07	
		124 = Viceroy.....	21	0.04	
		125 = Virginia Slims.....	219	0.41	
		126 = Winston.....	356	0.66	
		127 = Alpine.....	6	0.01	
		128 = Barclay.....	4	0.01	
		129 = Belair.....	3	0.01	
		130 = Best Value.....	10	0.02	
		132 = Bugler (roll-your-own).....	12	0.02	
		134 = Chesterfield.....	3	0.01	
		137 = Eve.....	8	0.01	
		138 = Harley Davidson.....	4	0.01	
		140 = Lark.....	3	0.01	
		142 = Lucky Strike.....	19	0.04	
		144 = Maverick.....	32	0.06	
		146 = Now.....	11	0.02	
		147 = Old Gold.....	29	0.05	
		148 = Players.....	4	0.01	
		149 = Pyramid.....	11	0.02	
		153 = Satin.....	3	0.01	
		157 = Tareyton.....	12	0.02	
		158 = Top (roll-your-own).....	9	0.02	
		160 = True.....	12	0.02	
		161 = American Spirit.....	46	0.09	
		162 = Austin.....	5	0.01	

TOBACCO			PAGE:	7
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		166 = Bidis, brand unspecified.....	4	0.01
		171 = Checkers.....	4	0.01
		172 = Cimmarron.....	3	0.01
		173 = Clove, brand unspecified.....	7	0.01
		174 = Daves.....	3	0.01
		175 = Djarum.....	33	0.06
		176 = Drum rolling tobacco.....	5	0.01
		178 = Dunhill Cigarettes.....	4	0.01
		179 = Eagle.....	6	0.01
		185 = Generic cigarettes, brand unspecified.....	5	0.01
		188 = Gunsmoke.....	4	0.01
		191 = Jester (roll-your-own).....	3	0.01
		193 = Kamel Red.....	11	0.02
		198 = Medallion.....	3	0.01
		199 = Meridian.....	3	0.01
		404 = Black & Mild.....	14	0.03
		423 = Swisher Sweets.....	12	0.02
		428 = Winchester.....	3	0.01
		501 = Prince Albert Tobacco.....	3	0.01
		1001 = Nat Sherman Cigarettes.....	6	0.01
		1005 = Private Stock.....	4	0.01
		1011 = Sampoerna's.....	8	0.01
		1017 = Sundance.....	3	0.01
		1018 = USA Gold.....	16	0.03
		1020 = Waves.....	6	0.01
		1024 = Prime.....	3	0.01
		1029 = Tourney.....	5	0.01
		1032 = American Spirit rolling tobacco.....	3	0.01
		1999 = Cigarette, brand otherwise unspecified.....	114	0.21
		3999 = Snuff, brand otherwise unspecified.....	1	0.00
		4999 = Cigar/Cigarillo, brand otherwise unspecified.....	9	0.02
		7999 = Not a tobacco product.....	1	0.00
		9985 = BAD DATA Logically assigned.....	34	0.06
		9991 = NEVER USED CIGARETTES.....	21950	40.98
		9993 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17116	31.96
		9994 = DON'T KNOW.....	126	0.24
		9997 = REFUSED.....	41	0.08
		9998 = BLANK (NO ANSWER).....	105	0.20
CIG30R02	2	HAVE YOU SMOKED ROLL-OWN CIG IN PAST 30 DAYS		
		1 = Yes.....	1745	3.26
		2 = No.....	12593	23.51
		85 = BAD DATA Logically assigned.....	27	0.05
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17116	31.96
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	105	0.20

TOBACCO			PAGE: 8	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(CG15)		NOTE: Codes of 89 or 99 were assigned to CIGDLYMO if the respondent reported smoking cigarettes on all 30 days in the past month (from CIG30USE or CG30EST.) For analysis purposes, these codes of 89 and 99 in CIGDLYMO are equivalent to a response of "yes."		
		Has there ever been a period in your life when you smoked cigarettes every day for at least 30 days?		
CIGDLYMO	2	EVER SMOKED CIG EVERY DAY FOR 30 DAYS		
		1 = Yes.....	7703	14.38
		2 = No.....	15576	29.08
		89 = LEGITIMATE SKIP Logically assigned.....	211	0.39
		91 = NEVER USED CIGARETTES.....	21950	40.98
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	489	0.91
		99 = LEGITIMATE SKIP.....	7610	14.21
(CG16)		How old were you when you first started smoking cigarettes every day?		
CIGAGE	3	AGE WHEN FIRST STARTED SMOKING CIGARETTES EVERYDAY		
		RANGE = 1 - 80	15119	28.23
		985 = BAD DATA Logically assigned.....	38	0.07
		991 = NEVER USED CIGARETTES.....	21950	40.98
		994 = DON'T KNOW.....	161	0.30
		997 = REFUSED.....	20	0.04
		998 = BLANK (NO ANSWER).....	696	1.30
		999 = LEGITIMATE SKIP (NEVER USED CIGS EVERYDAY).....	15576	29.08
(CG16A)		Have you smoked at least 100 cigarettes in your entire life?		
CIG100LF	2	HAVE YOU SMOKED 100 CIGS IN YOUR LIFE		
		1 = Yes.....	17235	32.18
		2 = No.....	14024	26.18
		3 = Yes LOGICALLY ASSIGNED.....	82	0.15
		91 = NEVER USED CIGARETTES.....	21950	40.98
		94 = DON'T KNOW.....	213	0.40
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	44	0.08

		TOBACCO	PAGE: 9	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(CG17)		The next questions are about chewing tobacco and snuff.		
		Chewing tobacco is coarsely shredded tobacco that is sold in pouches of loose tobacco leaves or in a "plug" or "twist" form. To use chewing tobacco, you either chew it or hold it in your cheek or inside your lower lip.		
		Snuff is a finely ground form of tobacco that usually comes in a container called a tin. You can use snuff by placing a pinch or dip in your mouth between your lip and gum or between your cheek and gum. Snuff can also be inhaled through the nose. Snuff is sold in both loose form or in ready-to-use packets.		
		The next questions are only about chewing tobacco. Have you ever used chewing tobacco, even once?		
CHEWEVER	2	EVER USED CHEW EVEN ONCE		
		1 = Yes.....	9117	17.02
		2 = No.....	44422	82.94
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	8	0.01
(CG18)		How old were you the first time you used chewing tobacco?		
CHEWTRY	3	AGE WHEN FIRST USED CHEW		
		RANGE = 1 - 73	8714	16.27
		985 = BAD DATA Logically assigned.....	71	0.13
		991 = NEVER USED CHEWING TOBACCO.....	44422	82.94
		994 = DON'T KNOW.....	298	0.56
		997 = REFUSED.....	42	0.08
		998 = BLANK (NO ANSWER).....	13	0.02
(CG18A)		NOTE: For respondents who initiated use within 1 year of their current age, responses from the individual year-of-first use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.		
CHEWYFU	4	YEAR OF FIRST CHEWING TOBACCO USE - RECODE		
		RANGE = 1997 - 1999	637	1.19
		9985 = BAD DATA Logically assigned.....	239	0.45
		9991 = NEVER USED CHEWING TOBACCO.....	44422	82.94
		9994 = DON'T KNOW.....	306	0.57
		9997 = REFUSED.....	43	0.08
		9998 = BLANK (NO ANSWER).....	43	0.08
		9999 = LEGITIMATE SKIP (CHEWTRY<AGE-1).....	7870	14.69

TOBACCO			PAGE: 10	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
CHEWMFU	2	MONTH OF FIRST CHEWING TOBACCO USE - RECODE		
		1 = January.....	28	0.05
		2 = February.....	34	0.06
		3 = March.....	52	0.10
		4 = April.....	42	0.08
		5 = May.....	27	0.05
		6 = June.....	68	0.13
		7 = July.....	65	0.12
		8 = August.....	31	0.06
		9 = September.....	35	0.07
		10 = October.....	53	0.10
		11 = November.....	41	0.08
		12 = December.....	23	0.04
		85 = BAD DATA Logically assigned.....	249	0.46
		91 = NEVER USED CHEWING TOBACCO.....	44422	82.94
		94 = DON'T KNOW.....	441	0.82
		97 = REFUSED.....	46	0.09
		98 = BLANK (NO ANSWER).....	33	0.06
		99 = LEGITIMATE SKIP.....	7870	14.69
(CG19)		NOTE: CHEWREC was created from the two questions shown below.		
		Now think about the past 30 days -- that is, from DATEFILL up to and including today. During the past 30 days, have you used chewing tobacco, even once?		
		How long has it been since you last used chewing tobacco?		
CHEWREC	2	TIME SINCE LAST USED CHEWING TOBACCO		
		1 = Within the past 30 days.....	1495	2.79
		2 = More than 30 days ago but within the past 12 mos..	1011	1.89
		3 = More than 12 months ago but within the past 3 yrs.	1413	2.64
		4 = More than 3 years ago.....	4987	9.31
		8 = Used at some point in the past 12 mos LOG ASSN....	4	0.01
		9 = Used at some point in the lifetime LOG ASSN.....	31	0.06
		14 = Used more than 12 months ago LOG ASSN.....	19	0.04
		19 = Used more than 30 days ago LOG ASSN.....	157	0.29
		91 = NEVER USED CHEWING TOBACCO.....	44422	82.94
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	13	0.02

TOBACCO			PAGE: 11	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(CG21)		During the past 30 days, that is since DATEFILL, on how many days did you use chewing tobacco?		
CHW30USE	2	HOW MANY DAYS USED CHEW IN PAST 30 DAYS		
		RANGE = 1 - 30	1434	2.68
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED CHEWING TOBACCO.....	44422	82.94
		93 = DID NOT USE CHEWING TOBACCO PAST 30 DAYS.....	7587	14.17
		94 = DON'T KNOW.....	55	0.10
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	44	0.08
		NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.		
CHW30BR2	4	CHEW BRAND USED MOST OFTEN PAST MO - RECODE		
		201 = Beech-Nut.....	117	0.22
		202 = Chattanooga Chew.....	15	0.03
		203 = Day's Work.....	19	0.04
		204 = Granger.....	8	0.01
		205 = H.B. Scott.....	4	0.01
		206 = Levi Garrett.....	173	0.32
		207 = Red Fox.....	11	0.02
		208 = Red Man.....	325	0.61
		209 = Taylors Pride.....	18	0.03
		212 = Apple Jack.....	4	0.01
		220 = Lancaster.....	6	0.01
		221 = Mail Pouch.....	6	0.01
		225 = Trophy.....	3	0.01
		301 = Copenhagen.....	200	0.37
		304 = Hawken.....	9	0.02
		305 = Kodiak.....	89	0.17
		307 = Silver Creek.....	3	0.01
		308 = Skoal.....	339	0.63
		309 = Timber Wolf.....	18	0.03
		312 = Cougar.....	5	0.01
		317 = Rooster.....	15	0.03
		1999 = Cigarette, brand otherwise unspecified.....	1	0.00
		2999 = Chewing tobacco, brand otherwise unspecified.....	63	0.12
		3999 = Snuff, brand otherwise unspecified.....	2	0.00
		9000 = Did not confirm brand.....	1	0.00
		9985 = BAD DATA Logically assigned.....	4	0.01
		9991 = NEVER USED CHEWING TOBACCO.....	44422	82.94
		9993 = DID NOT USE CHEWING TOBACCO PAST 30 DAYS.....	7587	14.17
		9994 = DON'T KNOW.....	32	0.06
		9997 = REFUSED.....	17	0.03
		9998 = BLANK (NO ANSWER).....	44	0.08

TOBACCO			PAGE: 12	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(CG25A)		These next questions are about your use of snuff, sometimes called dip. Snuff is a finely ground form of tobacco that usually comes in a container called a tin. You can use snuff by placing a pinch or dip in your mouth between your lip and gum or between your cheek and gum. Snuff can also be inhaled through the nose. Snuff is sold in both loose form or in ready-to-use packets.		
		These next questions are about your use of snuff, sometimes called dip.		
		Have you ever used snuff, even once?		
SNFEVER	2	EVER USED SNUFF		
		1 = Yes.....	5792	10.81
		2 = No.....	47719	89.09
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	16	0.03
(CG26)		How old were you the first time you used snuff?		
SNUFTRY	3	AGE WHEN FIRST USED SNUFF		
		RANGE = 1 - 68	5522	10.31
		985 = BAD DATA Logically assigned.....	43	0.08
		991 = NEVER USED SNUFF.....	47719	89.09
		994 = DON'T KNOW.....	209	0.39
		997 = REFUSED.....	34	0.06
		998 = BLANK (NO ANSWER).....	33	0.06
(CG26A)		NOTE: For respondents who initiated use within 1 year of their current age, responses from the individual year-of-first use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.		
SNUFYFU	4	YEAR OF FIRST SNUFF USE - RECODE		
		RANGE = 1997 - 1999	425	0.79
		9985 = BAD DATA Logically assigned.....	130	0.24
		9991 = NEVER USED SNUFF.....	47719	89.09
		9994 = DON'T KNOW.....	212	0.40
		9997 = REFUSED.....	38	0.07
		9998 = BLANK (NO ANSWER).....	51	0.10
		9999 = LEGITIMATE SKIP (SNUFTRY<AGE-1).....	4985	9.31

TOBACCO			PAGE: 13	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
SNUFMFU	2	MONTH OF FIRST SNUFF USE - RECODE		
		1 = January.....	18	0.03
		2 = February.....	20	0.04
		3 = March.....	23	0.04
		4 = April.....	24	0.04
		5 = May.....	26	0.05
		6 = June.....	41	0.08
		7 = July.....	44	0.08
		8 = August.....	25	0.05
		9 = September.....	32	0.06
		10 = October.....	35	0.07
		11 = November.....	27	0.05
		12 = December.....	25	0.05
		85 = BAD DATA Logically assigned.....	135	0.25
		91 = NEVER USED SNUFF.....	47719	89.09
		94 = DON'T KNOW.....	295	0.55
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	46	0.09
		99 = LEGITIMATE SKIP.....	4985	9.31
(CG27)		NOTE: SNFREC was created from the two questions shown below.		
		Now think about the past 30 days -- that is, from DATEFILL up to and including today. During the past 30 days, have you used snuff, even once?		
		How long has it been since you last used snuff?		
SNFREC	2	TIME SINCE LAST USED SNUFF		
		1 = Within the past 30 days.....	1484	2.77
		2 = More than 30 days ago but within the past 12 mos..	630	1.18
		3 = More than 12 months ago but within the past 3 yrs.	849	1.59
		4 = More than 3 years ago.....	2710	5.06
		9 = Used at some point in the lifetime LOG ASSN.....	24	0.04
		14 = Used more than 12 months ago LOG ASSN.....	10	0.02
		19 = Used more than 30 days ago LOG ASSN.....	85	0.16
		91 = NEVER USED SMOKELESS TOBACCO.....	47719	89.09
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	33	0.06

TOBACCO			PAGE: 14	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CG29)		During the past 30 days, that is since DATEFILL, on how many days did you use snuff?		
SNF30USE	2	HOW MANY DAYS USED SNUFF PAST 30 DAYS		
		RANGE = 1 - 30	1431	2.67
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED SNUFF.....	47719	89.09
		93 = DID NOT USE SNUFF IN THE PAST 30 DAYS.....	4284	8.00
		94 = DON'T KNOW.....	51	0.10
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	54	0.10
		NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.		
SNF30BR2	4	SNUFF BRAND USED MOST OFTEN PAST MO - RECODE		
		301 = Copenhagen.....	529	0.99
		304 = Hawken.....	21	0.04
		305 = Kodiak.....	195	0.36
		306 = Redwood.....	5	0.01
		307 = Silver Creek.....	13	0.02
		308 = Skoal.....	580	1.08
		309 = Timber Wolf.....	54	0.10
		310 = Bruton.....	3	0.01
		312 = Cougar.....	3	0.01
		317 = Rooster.....	14	0.03
		321 = W. Garrett snuff.....	3	0.01
		2999 = Chewing tobacco, brand otherwise unspecified.....	2	0.00
		3999 = Snuff, brand otherwise unspecified.....	37	0.07
		7999 = Not a tobacco product.....	2	0.00
		9985 = BAD DATA Logically assigned.....	3	0.01
		9991 = NEVER USED SNUFF.....	47719	89.09
		9993 = DID NOT USE SNUFF IN THE PAST 30 DAYS.....	4284	8.00
		9994 = DON'T KNOW.....	21	0.04
		9997 = REFUSED.....	18	0.03
		9998 = BLANK (NO ANSWER).....	54	0.10

TOBACCO			PAGE: 15	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
<p>NOTE: The variables SLTTRY, SLTYFU, SLTMFU, SLTREC, and SLT30BR2 are recoded variables for the use of any smokeless tobacco product (either chewing tobacco or snuff). These variables were recoded from CHEWTRY, SNUFTRY, CHEWYFU, SNUFYFU, CHEWMFU, CHEWMFU, SNUFMFU, CHEWREC, SNFREC, CHW30BR2, and SNF30BR2. The variable SLT30FAV refers to the brand of smokeless tobacco used most often, and was recoded from Questions CG33a through CG33d.</p>				
SLTTRY	3	AGE WHEN FIRST USED ANY SMOKLESS TOB - RECODE		
		RANGE = 1 - 67	9804	18.30
		985 = BAD DATA Logically assigned.....	13	0.02
		991 = NEVER USED SMOKELESS TOBACCO.....	43174	80.61
		994 = DON'T KNOW.....	379	0.71
		997 = REFUSED.....	63	0.12
		998 = BLANK (NO ANSWER).....	127	0.24
<p>NOTE: For respondents who initiated use within 1 year of their current age, responses from the individual year-of-first use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.</p>				
SLTYFU	4	YEAR OF FIRST SMOKELESS TOBACCO USE - RECODE		
		RANGE = 1997 - 1999	762	1.42
		9985 = BAD DATA Logically assigned.....	211	0.39
		9991 = NEVER USED SMOKELESS TOBACCO.....	43174	80.61
		9994 = DON'T KNOW.....	388	0.72
		9997 = REFUSED.....	66	0.12
		9998 = BLANK (NO ANSWER).....	136	0.25
		9999 = LEGITIMATE SKIP (SLTTRY<AGE-1).....	8823	16.47

TOBACCO			PAGE: 16	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
SLTMFU	2	MONTH OF FIRST SMOKELESS TOBACCO USE - RECODE		
		1 = January.....	32	0.06
		2 = February.....	39	0.07
		3 = March.....	56	0.10
		4 = April.....	49	0.09
		5 = May.....	35	0.07
		6 = June.....	84	0.16
		7 = July.....	81	0.15
		8 = August.....	44	0.08
		9 = September.....	45	0.08
		10 = October.....	62	0.12
		11 = November.....	47	0.09
		12 = December.....	30	0.06
		85 = BAD DATA Logically assigned.....	213	0.40
		91 = NEVER USED SMOKELESS TOBACCO.....	43174	80.61
		94 = DON'T KNOW.....	544	1.02
		97 = REFUSED.....	68	0.13
		98 = BLANK (NO ANSWER).....	134	0.25
		99 = LEGITIMATE SKIP.....	8823	16.47
SLTREC	2	TIME SINCE LAST USED ANY SMOKLESS TOB - RECODE		
		1 = Within the past 30 days.....	2169	4.05
		2 = More than 30 days ago but within the past 12 mos..	1117	2.09
		3 = More than 12 months ago but within the past 3 yrs.	1493	2.79
		4 = More than 3 years ago.....	5287	9.87
		8 = Used at some point in the past 12 mos LOG ASSN....	3	0.01
		9 = Used at some point in the lifetime LOG ASSN.....	45	0.08
		14 = Used more than 12 months ago LOG ASSN.....	24	0.04
		19 = Used more than 30 days ago LOG ASSN.....	199	0.37
		91 = NEVER USED SMOKELESS TOBACCO.....	43174	80.61
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	33	0.06

TOBACCO			PAGE: 17	
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.		
SLT30BR2	4	SMKLSS TOB BRAND USED MOST OFTEN PAST MO - RECODE		
		201 = Beech-Nut.....	61	0.11
		202 = Chattanooga Chew.....	10	0.02
		203 = Day's Work.....	13	0.02
		205 = H.B. Scott.....	3	0.01
		206 = Levi Garrett.....	85	0.16
		207 = Red Fox.....	7	0.01
		208 = Red Man.....	173	0.32
		209 = Taylors Pride.....	11	0.02
		212 = Apple Jack.....	3	0.01
		220 = Lancaster.....	4	0.01
		221 = Mail Pouch.....	5	0.01
		301 = Copenhagen.....	540	1.01
		304 = Hawken.....	19	0.04
		305 = Kodiak.....	231	0.43
		306 = Redwood.....	5	0.01
		307 = Silver Creek.....	16	0.03
		308 = Skoal.....	736	1.37
		309 = Timber Wolf.....	58	0.11
		310 = Bruton.....	3	0.01
		311 = Cooper.....	3	0.01
		312 = Cougar.....	8	0.01
		317 = Rooster.....	21	0.04
		321 = W. Garrett snuff.....	3	0.01
		1999 = Cigarette, brand otherwise unspecified.....	1	0.00
		2999 = Chewing tobacco, brand otherwise unspecified.....	48	0.09
		3999 = Snuff, brand otherwise unspecified.....	27	0.05
		7999 = Not a tobacco product.....	2	0.00
		9000 = Did not confirm brand.....	1	0.00
		9991 = NEVER USED SMOKELESS TOBACCO.....	43174	80.61
		9993 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.	8120	15.16
		9994 = DON'T KNOW.....	33	0.06
		9997 = REFUSED.....	24	0.04
		9998 = BLANK (NO ANSWER).....	112	0.21
SLT30FAV	2	WHICH BRAND CHEW OR SNUFF USED MOST		
		1 = Brand reported from CHW30BR2.....	838	1.56
		2 = Brand reported from SNF30BR2.....	1300	2.43
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED SMOKELESS TOBACCO.....	43174	80.61
		93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.	8120	15.16
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	107	0.20

TOBACCO			PAGE: 18	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(CG34)		The next questions are about smoking cigars. By cigars we mean any kind, including big cigars, cigarillos, and even little cigars that look like cigarettes.		
		Have you ever smoked part or all of any type of cigar?		
CIGAREVR	2	EVER SMOKED PART OR ALL OF CIGAR		
		1 = Yes.....	17587	32.84
		2 = No.....	35934	67.09
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	18	0.03
(CG35)		How old were you the first time you smoked part or all of any type of cigar?		
CIGARTRY	3	AGE WHEN FIRST SMOKED CIGAR		
		RANGE = 1 - 70	16751	31.28
		985 = BAD DATA Logically assigned.....	177	0.33
		991 = NEVER USED CIGARS.....	35934	67.09
		994 = DON'T KNOW.....	634	1.18
		997 = REFUSED.....	43	0.08
		998 = BLANK (NO ANSWER).....	21	0.04
(CG35A)		NOTE: For respondents who initiated use within 1 year of their current age, responses from the individual year-of-first use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.		
CIGARYFU	4	YEAR OF FIRST CIGAR USE - RECODE		
		RANGE = 1997 - 1999	2658	4.96
		9985 = BAD DATA Logically assigned.....	863	1.61
		9991 = NEVER USED CIGARS.....	35934	67.09
		9994 = DON'T KNOW.....	659	1.23
		9997 = REFUSED.....	46	0.09
		9998 = BLANK (NO ANSWER).....	98	0.18
		9999 = LEGITIMATE SKIP (CIGARTRY<AGE-1).....	13302	24.84

TOBACCO			PAGE:		19
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	---	-----	----	-	
CIGARMFU	2	MONTH OF FIRST CIGAR USE - RECODE			
		1 = January.....	161	0.30	
		2 = February.....	124	0.23	
		3 = March.....	142	0.27	
		4 = April.....	132	0.25	
		5 = May.....	171	0.32	
		6 = June.....	247	0.46	
		7 = July.....	277	0.52	
		8 = August.....	203	0.38	
		9 = September.....	152	0.28	
		10 = October.....	166	0.31	
		11 = November.....	169	0.32	
		12 = December.....	166	0.31	
		85 = BAD DATA Logically assigned.....	895	1.67	
		91 = NEVER USED CIGARS.....	35934	67.09	
		94 = DON'T KNOW.....	1191	2.22	
		97 = REFUSED.....	62	0.12	
		98 = BLANK (NO ANSWER).....	66	0.12	
		99 = LEGITIMATE SKIP.....	13302	24.84	
(CG36) NOTE: CIGARREC was created from the two questions shown below.					
Now think about the past 30 days -- that is, from DATEFILL up to and including today. During the past 30 days, have you smoked part or all of any type of cigar?					
How long has it been since you last smoked part or all of any type of cigar?					
CIGARREC	2	TIME SINCE LAST SMOKED CIGAR			
		1 = Within the past 30 days.....	3813	7.12	
		2 = More than 30 days ago but within the past 12 mos..	4387	8.19	
		3 = More than 12 months ago but within the past 3 yrs.	3997	7.46	
		4 = More than 3 years ago.....	4884	9.12	
		8 = Used at some point in the past 12 mos LOG ASSN....	14	0.03	
		9 = Used at some point in the lifetime LOG ASSN.....	82	0.15	
		14 = Used more than 12 months ago LOG ASSN.....	37	0.07	
		19 = Used more than 30 days ago LOG ASSN.....	373	0.70	
		91 = NEVER USED CIGARS.....	35934	67.09	
		97 = REFUSED.....	18	0.03	
		98 = BLANK (NO ANSWER).....	21	0.04	

TOBACCO			PAGE: 20	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(CG36)		During the past 30 days, that is since DATEFILL, on how many days did you smoke part or all of a cigar?		
CGR30USE	2	HOW MANY DAYS SMOKED CIGAR IN PAST 30 DAYS		
		RANGE = 1 - 30	3677	6.87
		85 = BAD DATA Logically assigned.....	8	0.01
		91 = NEVER USED CIGARS.....	35934	67.09
		93 = DID NOT USE CIGARS IN THE PAST 30 DAYS.....	13678	25.54
		94 = DON'T KNOW.....	126	0.24
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	109	0.20
(CG38A)		What is your best estimate of the number of days you smoked part or all of a cigar during the past 30 days?		
CI30EST	2	BEST EST. # DAYS SMOKED CIGAR PAST 30 DAYS		
		1 = 1 or 2 days.....	51	0.10
		2 = 3 to 5 days.....	28	0.05
		3 = 6 to 9 days.....	16	0.03
		4 = 10 to 19 days.....	11	0.02
		5 = 20 to 29 days.....	2	0.00
		6 = All 30 days.....	3	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CIGARS.....	35934	67.09
		93 = DID NOT USE CIGARS PAST 30 DAYS.....	13678	25.54
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	116	0.22
		99 = LEGITIMATE SKIP.....	3677	6.87

		TOBACCO		PAGE:		21
LABEL	LEN	DESCRIPTION		FREQ	%	
-----	---	-----		----	-	
NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.						
CGR30BR2	4	CIGAR BRAND USED MOST OFTEN PAST MO - RECODE				
		112 = Marlboro.....		36	0.07	
		175 = Djarum.....		8	0.01	
		401 = Antonio y Cleopatra.....		35	0.07	
		402 = Backwoods.....		112	0.21	
		403 = Bering.....		8	0.01	
		404 = Black & Mild.....		993	1.85	
		405 = Captain Black.....		19	0.04	
		407 = Cuesta-Rey.....		3	0.01	
		408 = Dutch Masters.....		74	0.14	
		409 = El Producto.....		14	0.03	
		411 = Garcia y Vega.....		154	0.29	
		412 = Havatampa.....		39	0.07	
		413 = King Edward.....		60	0.11	
		414 = La Corona.....		27	0.05	
		415 = Little Nippers.....		6	0.01	
		416 = Macanudos.....		198	0.37	
		417 = Muriel.....		10	0.02	
		418 = Partagas.....		26	0.05	
		419 = Phillies.....		217	0.41	
		420 = Rigoletto.....		4	0.01	
		421 = Robert Burns.....		6	0.01	
		422 = Roi-Tan.....		7	0.01	
		423 = Swisher Sweets.....		838	1.56	
		424 = Tijuana Smalls.....		25	0.05	
		426 = White Owl.....		31	0.06	
		427 = William Penn.....		7	0.01	
		428 = Winchester.....		21	0.04	
		429 = Al Capone.....		10	0.02	
		431 = Arturo Fuente.....		25	0.05	
		432 = Ashton.....		7	0.01	
		434 = Baccarat.....		3	0.01	
		437 = Blackstone.....		5	0.01	
		441 = Cherry Blend.....		3	0.01	
		443 = Cohiba.....		27	0.05	
		445 = Corona, brand unspecified.....		3	0.01	
		447 = Cremosa Cubanos.....		3	0.01	
		448 = Cuban, brand unspecified.....		39	0.07	
		452 = Don Diego.....		6	0.01	
		457 = Don Thomas.....		4	0.01	
		458 = Dunhill Cigars.....		4	0.01	
		464 = H. Upmann.....		6	0.01	
		465 = Habana/Havana, brand unspecified.....		9	0.02	
		469 = Hoya De Monterrey.....		6	0.01	
		476 = La Gloria Cubana.....		3	0.01	
		486 = Montecristo.....		19	0.04	
		488 = Optimo.....		5	0.01	

TOBACCO			PAGE:	22
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		492 = Primetime.....	3	0.01
		493 = Prince Albert Cigars.....	3	0.01
		494 = Punch.....	9	0.02
		496 = Romeo y Julieta.....	17	0.03
		1999 = Cigarette, brand otherwise unspecified.....	7	0.01
		4001 = Sweets, brand unspecified.....	3	0.01
		4002 = Tampa, brand unspecified.....	3	0.01
		4003 = Te Amo.....	4	0.01
		4005 = Thompson.....	3	0.01
		4006 = Tiparillo.....	3	0.01
		4009 = Bahia.....	3	0.01
		4999 = Cigar/Cigarillo, brand otherwise unspecified.....	270	0.50
		9000 = Did not confirm brand.....	1	0.00
		9985 = BAD DATA Logically assigned.....	8	0.01
		9991 = NEVER USED CIGARS.....	35934	67.09
		9993 = DID NOT USE CIGARS IN THE PAST 30 DAYS.....	13678	25.54
		9994 = DON'T KNOW.....	310	0.58
		9997 = REFUSED.....	27	0.05
		9998 = BLANK (NO ANSWER).....	109	0.20
(CG42)		These last questions on tobacco products are about using a pipe to smoke tobacco. Have you ever smoked tobacco in a pipe, even once?		
PIPEVER	2	EVER SMOKED PIPE TOBACCO		
		1 = Yes.....	5364	10.01
		2 = No.....	48164	89.93
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	11	0.02
(CG43)		During the past 30 days, that is since DATEFILL, have you smoked tobacco in a pipe, even once?		
PIPE30DY	2	HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS		
		1 = Yes.....	536	1.00
		2 = No.....	4832	9.02
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED PIPE TOBACCO.....	48164	89.93
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	7	0.01

		ALCOHOL	PAGE: 23	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(AL01)		ALCOHOL -----		
<p>These questions are about drinks of alcoholic beverages. Throughout these questions, by a "drink," we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink.</p> <p>Have you ever, even once, had a drink of any type of alcoholic beverage? Please do not include times when you only had a sip or two from a drink.</p>				
ALCEVER	2	EVER HAD DRINK OF ALCOHOLIC BEVERAGE		
		1 = Yes.....	37882	70.73
		2 = No.....	15625	29.17
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	38	0.07
(AL02)		Think about the first time you had a drink of an alcoholic beverage. How old were you the first time you had a drink of an alcoholic beverage? Please do not include any time when you only had a sip or two from a drink.		
ALCTRY	3	AGE WHEN FIRST DRANK ALCOHOLIC BEVERAGE		
		RANGE = 1 - 70	36391	67.94
		985 = BAD DATA Logically assigned.....	227	0.42
		991 = NEVER USED ALCOHOL.....	15625	29.17
		994 = DON'T KNOW.....	1136	2.12
		997 = REFUSED.....	166	0.31
		998 = BLANK (NO ANSWER).....	15	0.03
(AL02A)		NOTE: For respondents who initiated use within 1 year of their current age, responses from the individual year-of-first use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.		
ALCYFU	4	YEAR OF FIRST ALCOHOL USE - RECODE		
		RANGE = 1997 - 1999	3425	6.39
		9985 = BAD DATA Logically assigned.....	985	1.84
		9989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		9991 = NEVER USED ALCOHOL.....	15625	29.17
		9994 = DON'T KNOW.....	1164	2.17
		9997 = REFUSED.....	169	0.32
		9998 = BLANK (NO ANSWER).....	170	0.32
		9999 = LEGITIMATE SKIP.....	32020	59.78

ALCOHOL			PAGE:	24
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
ALCMFU	2	MONTH OF FIRST ALCOHOL USE - RECODE		
		1 = January.....	293	0.55
		2 = February.....	152	0.28
		3 = March.....	171	0.32
		4 = April.....	158	0.29
		5 = May.....	214	0.40
		6 = June.....	323	0.60
		7 = July.....	375	0.70
		8 = August.....	227	0.42
		9 = September.....	194	0.36
		10 = October.....	211	0.39
		11 = November.....	188	0.35
		12 = December.....	318	0.59
		85 = BAD DATA Logically assigned.....	1047	1.95
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL.....	15625	29.17
		94 = DON'T KNOW.....	1751	3.27
		97 = REFUSED.....	188	0.35
		98 = BLANK (NO ANSWER).....	103	0.19
		99 = LEGITIMATE SKIP.....	32020	59.78
(ALLAST3) How long has it been since you last drank an alcoholic beverage?				
ALCREC	2	TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE		
		1 = Within the past 30 days.....	21620	40.37
		2 = More than 30 days ago but within the past 12 mos..	8683	16.21
		3 = More than 12 months ago.....	6533	12.20
		8 = Used at some point in the past 12 mos LOG ASSN....	407	0.76
		9 = Used at some point in the lifetime LOG ASSN.....	639	1.19
		91 = NEVER USED ALCOHOL.....	15625	29.17
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	15	0.03
ALCYRTOT	3	TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 365	29988	55.99
		985 = BAD DATA Logically assigned.....	136	0.25
		991 = NEVER USED ALCOHOL.....	15625	29.17
		993 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	6533	12.20
		994 = DON'T KNOW.....	537	1.00
		997 = REFUSED.....	157	0.29
		998 = BLANK (NO ANSWER).....	584	1.09
ALTOTFG	2	TRIMMING INDICATOR FOR ALCYRTOT		
		1 = Trimmed to 365 days (no further editing).....	3	0.01
		2 = Trimmed relative to the 30-day freq.....	193	0.36
		98 = BLANK (NO ANSWER).....	53364	99.63
ALFQFLG	2	TRIMMED ALCYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	568	1.06
		98 = BLANK (NO ANSWER).....	52992	98.94

ALCOHOL			PAGE: 25	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(ALFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.		
		What would be the easiest way for you to tell us how many days you drank alcoholic beverages?		
ALBSTWAY	2	EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL		
		1 = Prefer to answer in days per week.....	9238	17.25
		2 = Prefer to answer in days per month.....	10540	19.68
		3 = Prefer to answer in days per year.....	9642	18.00
		11 = Prefer to ans in days per wk LOG ASSN.....	104	0.19
		12 = Prefer to ans in days per mo LOG ASSN.....	207	0.39
		13 = Prefer to ans in days per yr LOG ASSN.....	622	1.16
		85 = BAD DATA Logically assigned.....	130	0.24
		91 = NEVER USED ALCOHOL.....	15625	29.17
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	6533	12.20
		94 = DON'T KNOW.....	240	0.45
		97 = REFUSED.....	95	0.18
		98 = BLANK (NO ANSWER).....	584	1.09
(ALYRAVE)		On how many days in the past 12 months did you drink an alcoholic beverage?		
ALDAYPYR	3	NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 365	10169	18.99
		985 = BAD DATA Logically assigned.....	59	0.11
		989 = LEGITIMATE SKIP Logically assigned.....	308	0.58
		991 = NEVER USED ALCOHOL.....	15625	29.17
		993 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	6533	12.20
		994 = DON'T KNOW.....	323	0.60
		997 = REFUSED.....	102	0.19
		998 = BLANK (NO ANSWER).....	660	1.23
		999 = LEGITIMATE SKIP.....	19781	36.93
(ALMONAVE)		On average, how many days did you drink an alcoholic beverage each month during the past 12 months?		
ALDAYPMO	2	# DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 31	10641	19.87
		85 = BAD DATA Logically assigned.....	39	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	107	0.20
		91 = NEVER USED ALCOHOL.....	15625	29.17
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	6533	12.20
		94 = DON'T KNOW.....	411	0.77
		97 = REFUSED.....	115	0.21
		98 = BLANK (NO ANSWER).....	685	1.28
		99 = LEGITIMATE SKIP.....	19404	36.23

ALCOHOL			PAGE: 26	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(ALWKAVE)		On average, how many days did you drink an alcoholic beverage each week during the past 12 months?		
ALDAYPWK	2	# DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 7	9178	17.14
		85 = BAD DATA Logically assigned.....	39	0.07
		91 = NEVER USED ALCOHOL.....	15625	29.17
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	6533	12.20
		94 = DON'T KNOW.....	533	1.00
		97 = REFUSED.....	155	0.29
		98 = BLANK (NO ANSWER).....	687	1.28
		99 = LEGITIMATE SKIP.....	20810	38.85
(AL06)		Think specifically about the past 30 days - that is, since [FILL DATE], up to and including today. During the past 30 days, on how many days did you drink one or more drinks of an alcoholic beverage?		
ALCDAYS	2	# DAYS HAD ONE OR MORE DRINKS PAST 30 DAYS		
		RANGE = 1 - 30	20998	39.20
		85 = BAD DATA Logically assigned.....	604	1.13
		91 = NEVER USED ALCOHOL.....	15625	29.17
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	15216	28.41
		94 = DON'T KNOW.....	356	0.66
		97 = REFUSED.....	113	0.21
		98 = BLANK (NO ANSWER).....	648	1.21
ALDYSFG	1	REVISION INDICATOR FOR ALCDAYS		
		1 = Edited for consistency with ALCYRTOT or DR5DAY....	21	0.04
		98 = BLANK (NO ANSWER).....	53539	99.96
(AL07)		On the [30DALC] days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.		
NODR30A	3	USUAL # OF DRINKS PER DAY PAST 30 DAYS		
		RANGE = 1 - 90	19912	37.18
		975 = AT LEAST 5 Logically assigned.....	911	1.70
		985 = BAD DATA Logically assigned.....	473	0.88
		991 = NEVER USED ALCOHOL.....	15625	29.17
		993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	15216	28.41
		994 = DON'T KNOW.....	298	0.56
		997 = REFUSED.....	115	0.21
		998 = BLANK (NO ANSWER).....	1010	1.89

ALCOHOL			PAGE:	27
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(AL08)		During the past 30 days, that is since [FILL DATE], on how many days did you have 5 or more drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.		
DR5DAY	2	# DAYS HAD FIVE OR MORE DRINKS PAST 30 DAYS		
		RANGE = 0 - 30	20541	38.35
		80 = NO OCCAS OF 5+ DRINKS PST 30 DAYS Log assn.....	66	0.12
		85 = BAD DATA Logically assigned.....	473	0.88
		91 = NEVER USED ALCOHOL.....	15625	29.17
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	15216	28.41
		94 = DON'T KNOW.....	473	0.88
		97 = REFUSED.....	156	0.29
		98 = BLANK (NO ANSWER).....	1010	1.89

MARIJUANA			PAGE: 28	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJ01)		MARIJUANA -----		
<p>The next questions are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked, either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.</p> <p>Have you ever, even once, used marijuana or hashish?</p>				
MJEVER	2	EVER USED MARIJUANA/HASHISH		
		1 = Yes.....	18458	34.46
		2 = No.....	34912	65.18
		94 = DON'T KNOW.....	19	0.04
		97 = REFUSED.....	171	0.32
(MJ02)		How old were you the first time you used marijuana or hashish?		
MJAGE	3	AGE WHEN FIRST USED MARIJUANA/HASHISH		
		RANGE = 1 - 70	18043	33.69
		985 = BAD DATA Logically assigned.....	131	0.24
		991 = NEVER USED MARIJUANA.....	34912	65.18
		994 = DON'T KNOW.....	235	0.44
		997 = REFUSED.....	220	0.41
		998 = BLANK (NO ANSWER).....	19	0.04
(MJ03A)		NOTE: For respondents who initiated use within 1 year of their current age, responses from the individual year-of-first use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.		
MJYFU	4	YEAR OF FIRST MARIJUANA/HASHISH USE - RECODE		
		RANGE = 1997 - 1999	1729	3.23
		9985 = BAD DATA Logically assigned.....	497	0.93
		9991 = NEVER USED MARIJUANA.....	34912	65.18
		9994 = DON'T KNOW.....	246	0.46
		9997 = REFUSED.....	224	0.42
		9998 = BLANK (NO ANSWER).....	95	0.18
		9999 = LEGITIMATE SKIP (MJAGE<AGE-1).....	15857	29.61

MARIJUANA			PAGE:	29
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
MJMFU	2	MONTH OF FIRST MARIJUANA/HASHISH USE - RECODE		
		1 = January.....	127	0.24
		2 = February.....	113	0.21
		3 = March.....	102	0.19
		4 = April.....	115	0.21
		5 = May.....	99	0.18
		6 = June.....	156	0.29
		7 = July.....	151	0.28
		8 = August.....	129	0.24
		9 = September.....	105	0.20
		10 = October.....	140	0.26
		11 = November.....	97	0.18
		12 = December.....	94	0.18
		85 = BAD DATA Logically assigned.....	522	0.97
		91 = NEVER USED MARIJUANA.....	34912	65.18
		94 = DON'T KNOW.....	537	1.00
		97 = REFUSED.....	238	0.44
		98 = BLANK (NO ANSWER).....	66	0.12
		99 = LEGITIMATE SKIP.....	15857	29.61
(MJLAST3) How long has it been since you last used marijuana or hashish?				
MJREC	2	TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days.....	4038	7.54
		2 = More than 30 days ago but within the past 12 mos..	3369	6.29
		3 = More than 12 months ago.....	10502	19.61
		8 = Used at some point in the past 12 mos LOG ASSN....	155	0.29
		9 = Used at some point in the lifetime LOG ASSN.....	394	0.74
		91 = NEVER USED MARIJUANA.....	34912	65.18
		97 = REFUSED.....	171	0.32
		98 = BLANK (NO ANSWER).....	19	0.04
MJYRTOT	2	TOTAL # OF DAYS USED MARIJUANA IN PAST 12 MOS		
		RANGE = 1 - 365	7337	13.70
		985 = BAD DATA Logically assigned.....	82	0.15
		991 = NEVER USED MARIJUANA.....	34912	65.18
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	10502	19.61
		994 = DON'T KNOW.....	113	0.21
		997 = REFUSED.....	216	0.40
		998 = BLANK (NO ANSWER).....	398	0.74
MRTOTFG	2	TRIMMING INDICATOR FOR MRJYRTOT		
		1 = Trimmed to 365 days (no further editing).....	9	0.02
		2 = Trimmed relative to the 30-day freq.....	155	0.29
		98 = BLANK (NO ANSWER).....	53396	99.69
MJFQFLG	2	TRIMMED MJYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	276	0.52
		98 = BLANK (NO ANSWER).....	53284	99.48

MARIJUANA			PAGE: 30	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used marijuana or hashish during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
MRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED MARIJUANA/HASH		
		1 = Prefer to answer in days per week.....	2339	4.37
		2 = Prefer to answer in days per month.....	1966	3.67
		3 = Prefer to answer in days per year.....	2945	5.50
		11 = Prefer to ans in days per wk LOG ASSN.....	22	0.04
		12 = Prefer to ans in days per mo LOG ASSN.....	44	0.08
		13 = Prefer to ans in days per yr LOG ASSN.....	112	0.21
		85 = BAD DATA Logically assigned.....	82	0.15
		91 = NEVER USED MARIJUANA.....	34912	65.18
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	10502	19.61
		94 = DON'T KNOW.....	45	0.08
		97 = REFUSED.....	193	0.36
		98 = BLANK (NO ANSWER).....	398	0.74
(MJYRAVE)		On how many days in the past 12 months did you use marijuana or hashish?		
MRDAYPYR	3	# DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS		
		RANGE = 1 - 365	3037	5.67
		985 = BAD DATA Logically assigned.....	16	0.03
		989 = LEGITIMATE SKIP Logically assigned.....	64	0.12
		991 = NEVER USED MARIJUANA.....	34912	65.18
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	10502	19.61
		994 = DON'T KNOW.....	61	0.11
		997 = REFUSED.....	197	0.37
		998 = BLANK (NO ANSWER).....	464	0.87
		999 = LEGITIMATE SKIP.....	4307	8.04
(MJMONAVE)		On average, how many days did you use marijuana or hashish each month during the past 12 months?		
MRDAYPMO	2	# DAYS PER MO USED MARIJUANA/HASHISH PAST 12 MOS		
		RANGE = 1 - 31	1983	3.70
		85 = BAD DATA Logically assigned.....	18	0.03
		89 = LEGITIMATE SKIP Logically assigned.....	22	0.04
		91 = NEVER USED MARIJUANA.....	34912	65.18
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	10502	19.61
		94 = DON'T KNOW.....	81	0.15
		97 = REFUSED.....	204	0.38
		98 = BLANK (NO ANSWER).....	462	0.86
		99 = LEGITIMATE SKIP.....	5376	10.04

MARIJUANA			PAGE:	31
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(MJWKAVE)		On average, how many days did you use marijuana or hashish each week during the past 12 months?		
MRDAYPWK	2	# DAYS PER WEEK USED MARIJUANA/HASHISH PAST 12 MOS		
		RANGE = 1 - 7	2317	4.33
		85 = BAD DATA Logically assigned.....	50	0.09
		91 = NEVER USED MARIJUANA.....	34912	65.18
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	10502	19.61
		94 = DON'T KNOW.....	113	0.21
		97 = REFUSED.....	215	0.40
		98 = BLANK (NO ANSWER).....	431	0.80
		99 = LEGITIMATE SKIP.....	5020	9.37
(MJ06)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?		
MJDAY30A	2	# DAYS USED MARIJUANA/HASHISH PAST 30 DAYS		
		RANGE = 1 - 30	3953	7.38
		85 = BAD DATA Logically assigned.....	103	0.19
		91 = NEVER USED MARIJUANA.....	34912	65.18
		93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS.....	13871	25.90
		94 = DON'T KNOW.....	56	0.10
		97 = REFUSED.....	200	0.37
		98 = BLANK (NO ANSWER).....	465	0.87

COCAINE			PAGE: 32	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CC01)		COCAINE -----		
<p>These questions are about cocaine, including all the different forms of cocaine such as powder, "crack," free base, and coca paste.</p> <p>Have you ever, even once, used any form of cocaine?</p>				
COCEVER	2	EVER USED COCAINE		
		1 = Yes.....	4956	9.25
		2 = No.....	48516	90.58
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	72	0.13
(CC02)		How old were you the first time you used cocaine, in any form?		
COCAGE	3	AGE WHEN FIRST USED COCAINE		
		RANGE = 1 - 55	4822	9.00
		985 = BAD DATA Logically assigned.....	38	0.07
		991 = NEVER USED COCAINE.....	48516	90.58
		994 = DON'T KNOW.....	75	0.14
		997 = REFUSED.....	93	0.17
		998 = BLANK (NO ANSWER).....	16	0.03
(CC03A)		NOTE: For respondents who initiated use within 1 year of their current age, responses from the individual year-of-first use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.		
COCYFU	4	YEAR OF FIRST COCAINE USE - RECODE		
		RANGE = 1997 - 1999	569	1.06
		9985 = BAD DATA Logically assigned.....	199	0.37
		9989 = LEGITIMATE SKIP Logically assn (COCAGE<AGE-1).....	10	0.02
		9991 = NEVER USED COCAINE.....	48516	90.58
		9994 = DON'T KNOW.....	81	0.15
		9997 = REFUSED.....	97	0.18
		9998 = BLANK (NO ANSWER).....	33	0.06
		9999 = LEGITIMATE SKIP (COCAGE<AGE-1).....	4055	7.57

COCAINE			PAGE:	33
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
COCMFU	2	MONTH OF FIRST COCAINE USE - RECODE		
		1 = January.....	49	0.09
		2 = February.....	36	0.07
		3 = March.....	33	0.06
		4 = April.....	32	0.06
		5 = May.....	39	0.07
		6 = June.....	62	0.12
		7 = July.....	40	0.07
		8 = August.....	52	0.10
		9 = September.....	41	0.08
		10 = October.....	49	0.09
		11 = November.....	33	0.06
		12 = December.....	32	0.06
		85 = BAD DATA Logically assigned.....	201	0.38
		89 = LEGITIMATE SKIP Logically assigned.....	10	0.02
		91 = NEVER USED COCAINE.....	48516	90.58
		94 = DON'T KNOW.....	151	0.28
		97 = REFUSED.....	100	0.19
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	4055	7.57
(CCLAST3) How long has it been since you last used cocaine?				
COCREC	2	TIME SINCE LAST USED COCAINE		
		1 = Within the past 30 days.....	441	0.82
		2 = More than 30 days ago but within the past 12 mos..	830	1.55
		3 = More than 12 months ago.....	3472	6.48
		8 = Used at some point in the past 12 mos LOG ASSN....	45	0.08
		9 = Used at some point in the lifetime LOG ASSN.....	131	0.24
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	15	0.03
		12 = Used >30 days ago but within pst 12 mos LOG ASSN..	22	0.04
		91 = NEVER USED COCAINE.....	48516	90.58
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	16	0.03
COCYRTOT	3	TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS		
		RANGE = 1 - 365	1316	2.46
		985 = BAD DATA Logically assigned.....	8	0.01
		991 = NEVER USED COCAINE.....	48516	90.58
		993 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	3472	6.48
		994 = DON'T KNOW.....	24	0.04
		997 = REFUSED.....	78	0.15
		998 = BLANK (NO ANSWER).....	146	0.27
CCTOTFG	2	TRIMMING INDICATOR FOR COCYRTOT		
		1 = Trimmed to 365 days (no further editing).....	1	0.00
		2 = Trimmed relative to the 30-day freq.....	6	0.01
		98 = BLANK (NO ANSWER).....	53553	99.99
CCFQFLG	2	TRIMMED COCYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	93	0.17
		98 = BLANK (NO ANSWER).....	53467	99.83

		COCAINE	PAGE:	34
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(CCFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used cocaine during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
CCBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED COCAINE		
		1 = Prefer to answer in days per week.....	225	0.42
		2 = Prefer to answer in days per month.....	274	0.51
		3 = Prefer to answer in days per year.....	731	1.36
		11 = Prefer to ans in days per wk LOG ASSN.....	5	0.01
		12 = Prefer to ans in days per mo LOG ASSN.....	3	0.01
		13 = Prefer to ans in days per yr LOG ASSN.....	12	0.02
		21 = Prefer to ans in days per wk (CRBSTWAY=1,11).....	23	0.04
		22 = Prefer to ans in days per mo (CRBSTWAY=2,12).....	25	0.05
		23 = Prefer to ans in days per yr (CRBSTWAY=3,13).....	34	0.06
		85 = BAD DATA Logically assigned.....	8	0.01
		91 = NEVER USED COCAINE.....	48516	90.58
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	3472	6.48
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	77	0.14
		98 = BLANK (NO ANSWER).....	146	0.27
(CCYRAVE)		On how many days in the past 12 months did you use cocaine?		
CCDAYPYR	3	# DAYS USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 365	775	1.45
		985 = BAD DATA Logically assigned.....	1	0.00
		989 = LEGITIMATE SKIP Logically assigned.....	24	0.04
		991 = NEVER USED COCAINE.....	48516	90.58
		993 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	3472	6.48
		994 = DON'T KNOW.....	11	0.02
		997 = REFUSED.....	77	0.14
		998 = BLANK (NO ANSWER).....	153	0.29
		999 = LEGITIMATE SKIP.....	531	0.99
(CCMONAVE)		On average, how many days did you use cocaine each month during the past 12 months?		
CCDAYPMO	2	# DAYS PER MONTH USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 30	298	0.56
		85 = BAD DATA Logically assigned.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	11	0.02
		91 = NEVER USED COCAINE.....	48516	90.58
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	3472	6.48
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	77	0.14
		98 = BLANK (NO ANSWER).....	151	0.28
		99 = LEGITIMATE SKIP.....	1017	1.90

COCAINE			PAGE:	35
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(CCWKAVE)		On average, how many days did you use cocaine each week during the past 12 months?		
CCDAYPWK	2	# DAYS PER WEEK USE COCAINE PAST 12 MONTHS		
		RANGE = 1 - 7	243	0.45
		85 = BAD DATA Logically assigned.....	4	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		91 = NEVER USED COCAINE.....	48516	90.58
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	3472	6.48
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	78	0.15
		98 = BLANK (NO ANSWER).....	150	0.28
		99 = LEGITIMATE SKIP.....	1070	2.00
(CC06)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use cocaine?		
COCUS30A	2	# DAYS USED COCAINE PAST 30 DAYS		
		RANGE = 1 - 30	431	0.80
		85 = BAD DATA Logically assigned.....	20	0.04
		91 = NEVER USED COCAINE.....	48516	90.58
		93 = DID NOT USE COCAINE IN THE PAST 30 DAYS.....	4324	8.07
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	75	0.14
		98 = BLANK (NO ANSWER).....	187	0.35

CRACK			PAGE: 36	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CK01)		CRACK -----		
<p>The next questions are about "crack," that is cocaine in rock or chunk form, and not the other forms of cocaine.</p> <p>Have you ever, even once, used "crack?"</p>				
CRKEVER	2	EVER USED CRACK		
		1 = Yes.....	1265	2.36
		2 = No.....	3675	6.86
		91 = NEVER USED COCAINE (COCEVER=2).....	48516	90.58
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	82	0.15
		98 = BLANK (NO ANSWER).....	16	0.03
(CK02)		How old were you the first time you used "crack?"		
CRKAGE	3	AGE WHEN FIRST USED CRACK		
		RANGE = 1 - 51	1223	2.28
		985 = BAD DATA Logically assigned.....	12	0.02
		991 = NEVER USED CRACK.....	52191	97.44
		994 = DON'T KNOW.....	26	0.05
		997 = REFUSED.....	86	0.16
		998 = BLANK (NO ANSWER).....	22	0.04
(CK03A)		NOTE: For respondents who initiated use within 1 year of their current age, responses from the individual year-of-first use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.		
CRKYFU	4	YEAR OF FIRST CRACK USE - RECODE		
		RANGE = 1997 - 1999	172	0.32
		9985 = BAD DATA Logically assigned.....	49	0.09
		9991 = NEVER USED CRACK.....	52191	97.44
		9994 = DON'T KNOW.....	26	0.05
		9997 = REFUSED.....	86	0.16
		9998 = BLANK (NO ANSWER).....	30	0.06
		9999 = LEGITIMATE SKIP (CRKAGE<AGE-1).....	1006	1.88

CRACK			PAGE:	37
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
CRKMFU	2	MONTH OF FIRST CRACK USE - RECODE		
		1 = January.....	15	0.03
		2 = February.....	9	0.02
		3 = March.....	11	0.02
		4 = April.....	14	0.03
		5 = May.....	15	0.03
		6 = June.....	16	0.03
		7 = July.....	16	0.03
		8 = August.....	19	0.04
		9 = September.....	10	0.02
		10 = October.....	9	0.02
		11 = November.....	11	0.02
		12 = December.....	9	0.02
		85 = BAD DATA Logically assigned.....	53	0.10
		91 = NEVER USED CRACK.....	52191	97.44
		94 = DON'T KNOW.....	44	0.08
		97 = REFUSED.....	87	0.16
		98 = BLANK (NO ANSWER).....	25	0.05
		99 = LEGITIMATE SKIP.....	1006	1.88
(CKLAST3) How long has it been since you last used "crack?"				
CRAKREC	2	TIME SINCE LAST USED CRACK		
		1 = Within the past 30 days.....	99	0.18
		2 = More than 30 days ago but within the past 12 mos..	204	0.38
		3 = More than 12 months ago.....	910	1.70
		8 = Used at some point in the past 12 mos LOG ASSN....	15	0.03
		9 = Used at some point in the lifetime LOG ASSN.....	37	0.07
		91 = NEVER USED CRACK.....	52191	97.44
		97 = REFUSED.....	82	0.15
		98 = BLANK (NO ANSWER).....	22	0.04
CRKYRTOT	3	TOTAL # DAYS USED CRACK IN PAST 12 MONTHS		
		RANGE = 1 - 364	303	0.57
		985 = BAD DATA Logically assigned.....	8	0.01
		991 = NEVER USED CRACK.....	52191	97.44
		993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	910	1.70
		994 = DON'T KNOW.....	5	0.01
		997 = REFUSED.....	85	0.16
		998 = BLANK (NO ANSWER).....	58	0.11
CRTOTFG	2	TRIMMING INDICATOR FOR CRKYRTOT		
		2 = Trimmed relative to the 30-day freq.....	3	0.01
		98 = BLANK (NO ANSWER).....	53557	99.99
CRFQFLG	2	TRIMMED CRKYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	27	0.05
		98 = BLANK (NO ANSWER).....	53533	99.95

		CRACK		
LABEL	LEN	DESCRIPTION	PAGE:	38
----	----	-----	FREQ	%
----	----	-----	----	----
(CKFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used "crack" during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
CRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED CRACK		
		1 = Prefer to answer in days per week.....	79	0.15
		2 = Prefer to answer in days per month.....	67	0.13
		3 = Prefer to answer in days per year.....	157	0.29
		12 = Prefer to ans in days per mo LOG ASSN.....	2	0.00
		13 = Prefer to ans in days per yr LOG ASSN.....	4	0.01
		85 = BAD DATA Logically assigned.....	8	0.01
		91 = NEVER USED CRACK.....	52191	97.44
		93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	910	1.70
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	83	0.15
		98 = BLANK (NO ANSWER).....	58	0.11
(CKYRAVE)		On how many days in the past 12 months did you use "crack?"		
CRDAYPYR	3	# DAYS USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 200	160	0.30
		989 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		991 = NEVER USED CRACK.....	52191	97.44
		993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	910	1.70
		994 = DON'T KNOW.....	2	0.00
		997 = REFUSED.....	83	0.15
		998 = BLANK (NO ANSWER).....	66	0.12
		999 = LEGITIMATE SKIP.....	145	0.27
(CKMONAVE)		On average, how many days did you use "crack" each month during the past 12 months?		
CRDAYPMO	2	# DAYS PER MONTH USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 25	68	0.13
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED CRACK.....	52191	97.44
		93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	910	1.70
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	84	0.16
		98 = BLANK (NO ANSWER).....	63	0.12
		99 = LEGITIMATE SKIP.....	239	0.45

CRACK			PAGE: 39	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CKWKAVE)		On average, how many days did you use "crack" each week during the past 12 months?		
CRDAYPWK	2	# DAYS PER WEEK USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 7	75	0.14
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED CRACK.....	52191	97.44
		93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	910	1.70
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	85	0.16
		98 = BLANK (NO ANSWER).....	61	0.11
		99 = LEGITIMATE SKIP.....	228	0.43
(CK06)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use "crack?"		
CRKUS30A	2	# DAYS USED CRACK PAST 30 DAYS		
		RANGE = 1 - 30	94	0.18
		85 = BAD DATA Logically assigned.....	6	0.01
		91 = NEVER USED CRACK.....	52191	97.44
		93 = DID NOT USE CRACK IN THE PAST 30 DAYS.....	1114	2.08
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	82	0.15
		98 = BLANK (NO ANSWER).....	68	0.13

HEROIN			PAGE: 40	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	---
(HE01)		HEROIN		

		These next questions are about heroin.		
		Have you ever, even once, used heroin?		
HEREVER	2	EVER USED HEROIN		
		1 = Yes.....	607	1.13
		2 = No.....	52897	98.76
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	42	0.08
(HE02)		How old were you the first time you used heroin?		
HERAGE	3	AGE WHEN FIRST USED HEROIN		
		RANGE = 1 - 45	582	1.09
		985 = BAD DATA Logically assigned.....	6	0.01
		991 = NEVER USED HEROIN.....	52897	98.76
		994 = DON'T KNOW.....	11	0.02
		997 = REFUSED.....	50	0.09
		998 = BLANK (NO ANSWER).....	14	0.03
(HE03A)		NOTE: For respondents who initiated use within 1 year of their current age, responses from the individual year-of-first use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.		
HERYFU	4	YEAR OF FIRST HEROIN USE - RECODE		
		RANGE = 1997 - 1999	98	0.18
		9985 = BAD DATA Logically assigned.....	31	0.06
		9991 = NEVER USED HEROIN.....	52897	98.76
		9994 = DON'T KNOW.....	12	0.02
		9997 = REFUSED.....	51	0.10
		9998 = BLANK (NO ANSWER).....	16	0.03
		9999 = LEGITIMATE SKIP (HERAGE<AGE-1).....	455	0.85

HEROIN			PAGE:	41
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
HERMFU	2	MONTH OF FIRST HEROIN USE - RECODE		
		1 = January.....	7	0.01
		2 = February.....	8	0.01
		3 = March.....	6	0.01
		4 = April.....	14	0.03
		5 = May.....	5	0.01
		6 = June.....	8	0.01
		7 = July.....	7	0.01
		8 = August.....	5	0.01
		9 = September.....	5	0.01
		10 = October.....	8	0.01
		11 = November.....	8	0.01
		12 = December.....	5	0.01
		85 = BAD DATA Logically assigned.....	31	0.06
		91 = NEVER USED HEROIN.....	52897	98.76
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	51	0.10
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	455	0.85
(HELAST3) How long has it been since you last used heroin?				
HERREC	2	TIME SINCE LAST USED HEROIN		
		1 = Within the past 30 days.....	49	0.09
		2 = More than 30 days ago but within the past 12 mos..	77	0.14
		3 = More than 12 months ago.....	447	0.83
		8 = Used at some point in the past 12 mos LOG ASSN....	6	0.01
		9 = Used at some point in the lifetime LOG ASSN.....	28	0.05
		91 = NEVER USED HEROIN.....	52897	98.76
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	14	0.03
HERYRTOT	3	TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS		
		RANGE = 1 - 364	126	0.24
		985 = BAD DATA Logically assigned.....	4	0.01
		991 = NEVER USED HEROIN.....	52897	98.76
		993 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	447	0.83
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	43	0.08
		998 = BLANK (NO ANSWER).....	42	0.08
HRTOTFG	2	TRIMMING INDICATOR FOR HERYRTOT		
		2 = Trimmed relative to the 30-day freq.....	1	0.00
		98 = BLANK (NO ANSWER).....	53559	100.0
HRFQFLG	2	TRIMMED HERYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	18	0.03
		98 = BLANK (NO ANSWER).....	53542	99.97

HEROIN			PAGE: 42	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(HEFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used heroin during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
HRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED HEROIN		
		1 = Prefer to answer in days per week.....	37	0.07
		2 = Prefer to answer in days per month.....	21	0.04
		3 = Prefer to answer in days per year.....	69	0.13
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN PAST 12 MONTHS.....	447	0.83
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	42	0.08
(HEYRAVE)		On how many days in the past 12 months did you use heroin?		
HRDAYPYR	3	# DAYS USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 360	69	0.13
		991 = NEVER USED HEROIN.....	52897	98.76
		993 = DID NOT USE HEROIN PAST 12 MOS.....	447	0.83
		997 = REFUSED.....	43	0.08
		998 = BLANK (NO ANSWER).....	46	0.09
		999 = LEGITIMATE SKIP.....	58	0.11
(HEMONAVE)		On average, how many days did you use heroin each month during the past 12 months?		
HRDAYPMO	2	# DAYS PER MONTH USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 23	21	0.04
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN PAST 12 MOS.....	447	0.83
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	44	0.08
		99 = LEGITIMATE SKIP.....	106	0.20

HEROIN			PAGE:	43
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(HEWKAVE)		On average, how many days did you use heroin each week during the past 12 months?		
HRDAYPWK	2	# DAYS PER WEEK USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 7	36	0.07
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN PAST 12 MOS.....	447	0.83
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	44	0.08
		99 = LEGITIMATE SKIP.....	90	0.17
(HE06)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use heroin?		
HER30USE	2	# DAYS USED HEROIN PAST 30 DAYS		
		RANGE = 1 - 30	48	0.09
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN IN THE PAST 30 DAYS.....	524	0.98
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	46	0.09

HALLUCINOGENS			PAGE: 44	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(LS01A)		HALLUCINOGENS -----		
<p>The next questions are about substances called hallucinogens. These drugs often cause people to see or experience things that are not real.</p> <p>A list of some common hallucinogens is shown below. These and many other substances that people use as hallucinogens are often known by street names, and we can't list them all. Please take a moment to look at the substances listed below so you know what kind of drugs the next questions are about.</p> <p>LSD, also called "acid" PCP, also called "angel dust" or phencyclidine Peyote Mescaline Psilocybin "Ecstasy," also called MDMA</p> <p>Have you ever, even once, used LSD, also called "acid"?</p>				
LSD	2	EVER USED LSD ("ACID")		
		1 = Yes.....	4909	9.17
		2 = No.....	1786	3.33
		3 = Yes LOGICALLY ASSIGNED.....	5	0.01
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30
		94 = DON'T KNOW.....	43	0.08
		97 = REFUSED.....	58	0.11
(LS01B)		Have you ever, even once, used PCP, also called "angel dust" or phencyclidine?		
PCP	2	EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)		
		1 = Yes.....	1073	2.00
		2 = No.....	5635	10.52
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30
		94 = DON'T KNOW.....	56	0.10
		97 = REFUSED.....	35	0.07
(LS01C)		Have you ever, even once, used peyote?		
PEYOTE	2	EVER USED PEYOTE		
		1 = Yes.....	838	1.56
		2 = No.....	5845	10.91
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30
		94 = DON'T KNOW.....	82	0.15
		97 = REFUSED.....	36	0.07

HALLUCINOGENS			PAGE:		45
LABEL	LEN	DESCRIPTION	FREQ	%	
----	----	-----	----	--	
(LS01D)		Have you ever, even once, used mescaline?			
MESC	2	EVER USED MESCALINE			
		1 = Yes.....	1200	2.24	
		2 = No.....	5483	10.24	
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30	
		94 = DON'T KNOW.....	86	0.16	
		97 = REFUSED.....	32	0.06	
(LS01E)		Have you ever, even once, used psilocybin, found in mushrooms?			
PSILCY	2	EVER USED PSILOCYBIN (MUSHROOMS)			
		1 = Yes.....	3580	6.68	
		2 = No.....	3026	5.65	
		3 = Yes LOGICALLY ASSIGNED.....	20	0.04	
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30	
		94 = DON'T KNOW.....	125	0.23	
		97 = REFUSED.....	50	0.09	
(LS01F)		Have you ever, even once, used "Ecstasy," also known as MDMA?			
ECSTASY	2	EVER USED "ECSTASY" (MDMA)			
		1 = Yes.....	1850	3.45	
		2 = No.....	4815	8.99	
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30	
		94 = DON'T KNOW.....	91	0.17	
		97 = REFUSED.....	45	0.08	
(LS01H)		Have you ever, even once used any other hallucinogens besides the ones that have been listed?			
HALNOLST	2	EVER USED OTHER HALLUCINOGEN			
		1 = Yes.....	707	1.32	
		2 = No.....	5952	11.11	
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30	
		94 = DON'T KNOW.....	111	0.21	
		97 = REFUSED.....	31	0.06	

HALLUCINOGENS			PAGE:	46
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HALNEWA	4	OTHER HALLUCINOGEN - SPECIFY 1		
		112 = Restoril, Temazepam.....	1	0.00
		116 = Methaqualone, Quaalude, Sopor.....	2	0.00
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	1	0.00
		142 = Belladona.....	2	0.00
		174 = Ambien, Zolpidem.....	1	0.00
		187 = Belladona plant/flower/root, deadly nightshade....	1	0.00
		209 = Xanax, Alprazolam.....	1	0.00
		267 = Marezine.....	1	0.00
		268 = Rohypnol, Roche, roofies.....	4	0.01
		283 = Paroxetine, Paxil.....	1	0.00
		318 = Ritalin, Methylphenidate.....	3	0.01
		322 = Methamphetamine ("ice" or "crank"), Meth.....	8	0.01
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED..	1	0.00
		326 = White cross.....	2	0.00
		345 = Black Molly.....	1	0.00
		348 = Crystal.....	2	0.00
		355 = Crystal meth.....	4	0.01
		386 = Herbal ecstasy.....	1	0.00
		417 = Morphine, Roxanol.....	1	0.00
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
		501 = Gasoline or lighter fluids.....	7	0.01
		502 = Spray paints.....	5	0.01
		503 = Other aerosol sprays.....	3	0.01
		504 = Shoeshine liquid, glue, or toluene.....	8	0.01
		505 = Lacquer thinner or other paint solvents.....	1	0.00
		506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	3	0.01
		508 = Nitrous oxide, "whippets," dentist gas.....	9	0.02
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	2	0.00
		511 = Markers, felt-tip pens, ink pens.....	3	0.01
		512 = Incense.....	1	0.00
		516 = Freon, refrigerant.....	2	0.00
		518 = Acetone, nail polish remover.....	1	0.00
		519 = Helium.....	2	0.00
		520 = Old paint, paint.....	4	0.01
		524 = White-Out.....	2	0.00
		542 = Brasso, lens cleaner, spirits of ammonia.....	1	0.00
		566 = Smoked tea from Lipton tea bag.....	1	0.00
		601 = LSD ("acid").....	35	0.07
		602 = Peyote.....	1	0.00
		603 = Mescaline.....	4	0.01
		604 = Psilocybin (mushrooms), shrooms.....	30	0.06
		605 = PCP ("angel dust," phencyclidine).....	5	0.01
		606 = "Ecstasy" (MDMA), X-TC, "X".....	4	0.01
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	54	0.10
		609 = Jimson weed.....	9	0.02
		614 = MDA, Methylenedioxy amphetamine.....	5	0.01
		615 = Homemade drugs.....	1	0.00
		616 = DET, Dimethyltryptamine, DMT.....	13	0.02
		617 = Morning glory seeds, morning glory tendrils.....	11	0.02
		618 = Acid paper, blotter (acid).....	7	0.01

HALLUCINOGENS			PAGE:	47
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		622 = Microdot(s), green microdot, purple microdot.....	14	0.03
		624 = Orange sunshine, sunshine, yellow sunshine.....	2	0.00
		625 = Window, window pane, 4-way pane.....	8	0.01
		627 = Hawaiian wood rose, Hawaiian Woodrow seeds.....	3	0.01
		635 = Ginseng seeds, ginseng weed.....	1	0.00
		636 = DOM, STP.....	3	0.01
		639 = Nutmeg, Mace.....	2	0.00
		645 = Thai stick.....	1	0.00
		650 = Daytura.....	2	0.00
		658 = Special K, Ketamine.....	17	0.03
		659 = Boat.....	3	0.01
		660 = Toad, Toad licking.....	3	0.01
		678 = Banana peels.....	1	0.00
		679 = Hell bells.....	1	0.00
		695 = Angel's trumpet.....	2	0.00
		698 = Nexus, 2C-B.....	2	0.00
		703 = Opium.....	10	0.02
		706 = Smack.....	1	0.00
		802 = THC, cannabinal, marinol.....	9	0.02
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	10	0.02
		809 = Pills.....	1	0.00
		828 = Tetracycline.....	1	0.00
		829 = Robitussin DM <OTC>.....	9	0.02
		840 = Cough medicine (contents not specified) <OTC>.....	1	0.00
		847 = GHB.....	10	0.02
		852 = Formaldehyde, wak [sic], whack (embalming fluid)..	3	0.01
		876 = Glass.....	1	0.00
		883 = Dextromethorphan Hydrobromide <OTC>.....	5	0.01
		900 = Not a drug, Non-drug reason given for a drug.....	1	0.00
		1002 = Dramamine, seasick/motion sickness pill <OTC>.....	10	0.02
		3044 = Caffeine pills <OTC>.....	1	0.00
		3052 = Speed, otherwise unspecified.....	7	0.01
		4041 = Maxalt.....	1	0.00
		5009 = Robo.....	1	0.00
		5032 = Nitrogen.....	1	0.00
		6022 = Tequila worm, agave worm.....	1	0.00
		6029 = DXM.....	1	0.00
		6031 = Strychnine.....	1	0.00
		6037 = Fry.....	1	0.00
		6043 = Salviadinorum.....	4	0.01
		6044 = Gel caps, gel tabs.....	11	0.02
		6054 = Spiney apples.....	1	0.00
		6055 = Liberty caps.....	1	0.00
		6056 = Wet.....	1	0.00
		6057 = Silk.....	1	0.00
		6059 = Satan flower.....	1	0.00
		6060 = Ololiuhqui.....	1	0.00
		6062 = Madderwort, Wormwood.....	1	0.00
		6064 = Marigold buttons.....	1	0.00
		6065 = 3CPO.....	1	0.00
		6068 = Blue ice.....	1	0.00

HALLUCINOGENS			PAGE:	48
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
	6070	= DTP.....	1	0.00
	6072	= JUNO.....	1	0.00
	6074	= LSA.....	1	0.00
	6075	= Trinity.....	1	0.00
	8002	= Zantac.....	1	0.00
	8008	= Antidepressant; type unspecified.....	1	0.00
	8011	= Herb, flower, plant; type unspecified.....	7	0.01
	8012	= Coriciden <OTC>.....	2	0.00
	8024	= Asthma inhaler, asthma medication, bronchial dilator	1	0.00
	9985	= BAD DATA Logically assigned.....	10	0.02
	9991	= NEVER USED HALLUCINOGENS.....	46759	87.30
	9997	= REFUSED.....	67	0.13
	9998	= BLANK (NO ANSWER).....	306	0.57
	9999	= LEGITIMATE SKIP.....	5952	11.11

HALLUCINOGENS			PAGE:	49
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HALNEWB	4	OTHER HALLUCINOGEN - SPECIFY 2		
		267 = Marezine.....	1	0.00
		318 = Ritalin, Methylphenidate.....	1	0.00
		322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
		355 = Crystal meth.....	2	0.00
		407 = Demerol.....	1	0.00
		502 = Spray paints.....	1	0.00
		504 = Shoeshine liquid, glue, or toluene.....	1	0.00
		505 = Lacquer thinner or other paint solvents.....	1	0.00
		508 = Nitrous oxide, "whippets," dentist gas.....	2	0.00
		511 = Markers, felt-tip pens, ink pens.....	1	0.00
		519 = Helium.....	1	0.00
		520 = Old paint, paint.....	1	0.00
		525 = Butane.....	1	0.00
		601 = LSD ("acid").....	7	0.01
		603 = Mescaline.....	1	0.00
		604 = Psilocybin (mushrooms), shrooms.....	3	0.01
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	18	0.03
		609 = Jimson weed.....	1	0.00
		614 = MDA, Methylenedioxy amphetamine.....	1	0.00
		617 = Morning glory seeds, morning glory tendrils.....	3	0.01
		622 = Microdot(s), green microdot, purple microdot.....	1	0.00
		625 = Window, window pane, 4-way pane.....	1	0.00
		636 = DOM, STP.....	1	0.00
		640 = Purple pyramid.....	1	0.00
		658 = Special K, Ketamine.....	1	0.00
		659 = Boat.....	1	0.00
		660 = Toad, Toad licking.....	1	0.00
		705 = Speed Ball (heroin + cocaine).....	1	0.00
		802 = THC, cannabinal, marinol.....	3	0.01
		803 = Marijuana, MarrJane, MJ, pot, weed.....	2	0.00
		815 = Coffee <OTC>.....	1	0.00
		829 = Robitussin DM <OTC>.....	3	0.01
		900 = Not a drug, Non-drug reason given for a drug.....	2	0.00
		1002 = Dramamine, seasick/motion sickness pill <OTC>.....	2	0.00
		3052 = Speed, otherwise unspecified.....	1	0.00
		4007 = Happy pills.....	1	0.00
		5001 = Bleach.....	1	0.00
		6038 = Triplets, trips.....	1	0.00
		6044 = Gel caps, gel tabs.....	3	0.01
		6056 = Wet.....	1	0.00
		6058 = Purple life.....	1	0.00
		6061 = 5-MeO-DMT.....	1	0.00
		6062 = Madderwort, Wormwood.....	1	0.00
		6065 = 3CPO.....	1	0.00
		6071 = Sinicuichi.....	1	0.00
		8024 = Asthma inhaler, asthma medication, bronchial dilator	1	0.00
		9985 = BAD DATA Logically assigned.....	8	0.01
		9991 = NEVER USED HALLUCINOGENS.....	46759	87.30
		9997 = REFUSED.....	49	0.09
		9998 = BLANK (NO ANSWER).....	708	1.32

HALLUCINOGENS			PAGE:	50
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
		9999 = LEGITIMATE SKIP.....	5952	11.11
HALNEWC	4	OTHER HALLUCINOGEN - SPECIFY 3		
		508 = Nitrous oxide, "whippets," dentist gas.....	1	0.00
		509 = Correction fluids, degreasers, cleaning fluids....	1	0.00
		519 = Helium.....	1	0.00
		526 = Nail polish.....	1	0.00
		604 = Psilocybin (mushrooms), shrooms.....	1	0.00
		605 = PCP ("angel dust," phencyclidine).....	1	0.00
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	5	0.01
		609 = Jimson weed.....	1	0.00
		616 = DET, Dimethyltryptamine, DMT.....	1	0.00
		625 = Window, window pane, 4-way pane.....	2	0.00
		658 = Special K, Ketamine.....	1	0.00
		660 = Toad, Toad licking.....	1	0.00
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	1	0.00
		805 = Cocaine, coca, cocana, coke.....	1	0.00
		815 = Coffee <OTC>.....	1	0.00
		819 = Inderal.....	1	0.00
		3052 = Speed, otherwise unspecified.....	1	0.00
		6044 = Gel caps, gel tabs.....	1	0.00
		6063 = Foxglove.....	1	0.00
		8024 = Asthma inhaler, asthma medication, bronchial dilator	1	0.00
		9985 = BAD DATA Logically assigned.....	3	0.01
		9991 = NEVER USED HALLUCINOGENS.....	46759	87.30
		9997 = REFUSED.....	39	0.07
		9998 = BLANK (NO ANSWER).....	782	1.46
		9999 = LEGITIMATE SKIP.....	5952	11.11
HALNEWD	4	OTHER HALLUCINOGEN - SPECIFY 4		
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED..	1	0.00
		519 = Helium.....	1	0.00
		601 = LSD ("acid").....	2	0.00
		609 = Jimson weed.....	1	0.00
		3052 = Speed, otherwise unspecified.....	1	0.00
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED HALLUCINOGENS.....	46759	87.30
		9997 = REFUSED.....	37	0.07
		9998 = BLANK (NO ANSWER).....	805	1.50
		9999 = LEGITIMATE SKIP.....	5952	11.11
HALNEWE	4	OTHER HALLUCINOGEN - SPECIFY 5		
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	1	0.00
		3052 = Speed, otherwise unspecified.....	1	0.00
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED HALLUCINOGENS.....	46759	87.30
		9997 = REFUSED.....	34	0.06
		9998 = BLANK (NO ANSWER).....	812	1.52
		9999 = LEGITIMATE SKIP.....	5952	11.11

HALLUCINOGENS			PAGE: 51	
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
(LS02)		How old were you the first time you used [LSFILL]?		
HALLAGE	3	AGE WHEN FIRST USED HALLUCINOGENS		
		RANGE = 1 - 45	6263	11.69
		985 = BAD DATA Logically assigned.....	66	0.12
		991 = NEVER USED HALLUCINOGENS.....	46759	87.30
		994 = DON'T KNOW.....	114	0.21
		997 = REFUSED.....	59	0.11
		998 = BLANK (NO ANSWER).....	299	0.56
(LS03A)		NOTE: For respondents who initiated use within 1 year of their current age, responses from the individual year-of-first use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.		
HALYFU	4	YEAR OF FIRST HALLUCINOGEN USE - RECODE		
		RANGE = 1997 - 1999	988	1.84
		9985 = BAD DATA Logically assigned.....	271	0.51
		9991 = NEVER USED HALLUCINOGENS.....	46759	87.30
		9994 = DON'T KNOW.....	119	0.22
		9997 = REFUSED.....	61	0.11
		9998 = BLANK (NO ANSWER).....	335	0.63
		9999 = LEGITIMATE SKIP (HALLAGE<AGE-1).....	5027	9.39
HALMFU	2	MONTH OF FIRST HALLUCINOGEN USE - RECODE		
		1 = January.....	71	0.13
		2 = February.....	57	0.11
		3 = March.....	60	0.11
		4 = April.....	70	0.13
		5 = May.....	81	0.15
		6 = June.....	91	0.17
		7 = July.....	96	0.18
		8 = August.....	74	0.14
		9 = September.....	68	0.13
		10 = October.....	87	0.16
		11 = November.....	58	0.11
		12 = December.....	51	0.10
		85 = BAD DATA Logically assigned.....	283	0.53
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30
		94 = DON'T KNOW.....	241	0.45
		97 = REFUSED.....	69	0.13
		98 = BLANK (NO ANSWER).....	317	0.59
		99 = LEGITIMATE SKIP.....	5027	9.39

HALLUCINOGENS			PAGE:	52
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(LSLAST)		How long has it been since you last used [LSFILL]?		
HALLREC	2	TIME SINCE LAST USED HALLUCINOGENS		
		1 = Within the past 30 days.....	488	0.91
		2 = More than 30 days ago but within the past 12 mos..	1268	2.37
		3 = More than 12 months ago.....	4432	8.27
		8 = Used at some point in the past 12 mos LOG ASSN....	34	0.06
		9 = Used at some point in lifetime LOG ASSN.....	243	0.45
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	10	0.02
		12 = Used >30 days ago but within pst 12 mos LOG ASSN..	9	0.02
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	299	0.56
HALYRTOT	3	TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS		
		RANGE = 1 - 365	1733	3.24
		985 = BAD DATA Logically assigned.....	4	0.01
		991 = NEVER USED HALLUCINOGENS.....	46759	87.30
		993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	4432	8.27
		994 = DON'T KNOW.....	20	0.04
		997 = REFUSED.....	29	0.05
		998 = BLANK (NO ANSWER).....	583	1.09
HLTOTFG	2	TRIMMING INDICATOR FOR HALYRTOT		
		2 = Trimmed relative to the 30-day freq.....	4	0.01
		98 = BLANK (NO ANSWER).....	53556	99.99
HLFQFLG	2	TRIMMED HALYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	133	0.25
		98 = BLANK (NO ANSWER).....	53427	99.75
(LSFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used [LSFILL] during the past 12 months. What would be the easiest way for you to tell us how many days you've used it?		
HLBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN		
		1 = Prefer to answer in days per week.....	225	0.42
		2 = Prefer to answer in days per month.....	293	0.55
		3 = Prefer to answer in days per year.....	1191	2.22
		11 = Prefer to ans in days per wk LOG ASSN.....	3	0.01
		12 = Prefer to ans in days per mo LOG ASSN.....	4	0.01
		13 = Prefer to ans in days per yr LOG ASSN.....	36	0.07
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30
		93 = DID NOT USE HALLUCINOGENS PAST 12 MONTHS.....	4432	8.27
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	583	1.09

HALLUCINOGENS			PAGE: 53	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(LSYRAVE)		On how many days in the past 12 months did you use [LSFILL]?		
HLDAYPYR	3	# DAYS USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 365	1226	2.29
		985 = BAD DATA Logically assigned.....	4	0.01
		989 = LEGITIMATE SKIP Logically assigned.....	6	0.01
		991 = NEVER USED HALLUCINOGENS.....	46759	87.30
		993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	4432	8.27
		994 = DON'T KNOW.....	6	0.01
		997 = REFUSED.....	25	0.05
		998 = BLANK (NO ANSWER).....	583	1.09
		999 = LEGITIMATE SKIP.....	519	0.97
(LSMONAVE)		On average, how many days did you use [LSFILL] each month during the past 12 months?		
HLDAYPMO	2	# DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 27	293	0.55
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	4432	8.27
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	588	1.10
		99 = LEGITIMATE SKIP.....	1450	2.71
(LSWKAVE)		On average, how many days did you use [LSFILL] each week during the past 12 months?		
HLDAYPWK	2	# DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 7	214	0.40
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	4432	8.27
		94 = DON'T KNOW.....	19	0.04
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	588	1.10
		99 = LEGITIMATE SKIP.....	1519	2.84
(LS06)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use [LSFILL]?		
HAL30USE	2	# DAYS USED HALLUCINOGEN PAST 30 DAYS		
		RANGE = 1 - 30	470	0.88
		85 = BAD DATA Logically assigned.....	20	0.04
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS.....	5709	10.66
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	575	1.07

HALLUCINOGENS			PAGE:	54
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
(LS07)		Now think only about LSD. How long has it been since you last used LSD?		
LSDREC	2	TIME SINCE LAST USED LSD		
		1 = Within the past 30 days.....	279	0.52
		2 = More than 30 days ago but within the past 12 mos..	824	1.54
		3 = More than 12 months ago.....	3687	6.88
		8 = Used at some point in the past 12 mos LOG ASSN....	5	0.01
		9 = Used at some point in the lifetime LOG ASSN.....	119	0.22
		91 = NEVER USED LSD.....	48545	90.64
		97 = REFUSED.....	58	0.11
		98 = BLANK (NO ANSWER).....	43	0.08
(LS08)		Now think only about PCP. How long has it been since you last used PCP?		
PCPREC	2	TIME SINCE LAST USED PCP		
		1 = Within the past 30 days.....	37	0.07
		2 = More than 30 days ago but within the past 12 mos..	109	0.20
		3 = More than 12 months ago.....	899	1.68
		9 = Used at some point in the lifetime LOG ASSN.....	30	0.06
		91 = NEVER USED PCP.....	52394	97.82
		97 = REFUSED.....	35	0.07
		98 = BLANK (NO ANSWER).....	56	0.10

		INHALANTS		PAGE: 55	
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
(IN01A)		INHALANTS			

		<p>These next questions are about liquids, sprays, and gases that people sniff or inhale to get high or to make them feel good. We are not interested in times when you inhaled a substance accidentally - such as when painting, cleaning an oven, or filling a car with gasoline.</p> <p>The questions use the term "inhalant" to include all the things listed below, as well as any other substances that people sniff or inhale for kicks or to get high. Take a moment to look at the substances listed below so you know what kinds of liquids, sprays, and gases these questions are about.</p> <p>Amyl nitrite, "poppers," locker room odorizers, or "rush"</p> <p>Correction fluid, degreaser, or cleaning fluid</p> <p>Gasoline or lighter fluid</p> <p>Glue, shoe polish, or toluene</p> <p>Halothane, ether, or other paint solvents</p> <p>Lighter gases, such as butane or propane</p> <p>Nitrous oxide or "whippets"</p> <p>Spray paints</p> <p>Other aerosol sprays</p> <p>Have you ever, even once, inhaled amyl nitrite, "poppers," locker room odorizers, or "rush" for kicks or to get high?</p>			
AMYLNIT	2	EVER INHALED AMYL NITRITE, "POPPERS," RUSH, ETC.			
		1 = Yes.....	1593	2.97	
		2 = No.....	3981	7.43	
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01	
		91 = NEVER USED INHALANTS.....	47925	89.48	
		94 = DON'T KNOW.....	29	0.05	
		97 = REFUSED.....	28	0.05	
(IN01B)		Have you ever, even once, inhaled correction fluid, degreaser, or cleaning fluid for kicks or to get high?			
CLEFLU	2	EVER INHALED CORRECTION FLUID, DEGREASER, ETC.			
		1 = Yes.....	847	1.58	
		2 = No.....	4722	8.82	
		3 = Yes LOGICALLY ASSIGNED.....	20	0.04	
		91 = NEVER USED INHALANTS.....	47925	89.48	
		94 = DON'T KNOW.....	28	0.05	
		97 = REFUSED.....	18	0.03	

INHALANTS			PAGE: 56	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(IN01C)		Have you ever, even once, inhaled gasoline or lighter fluid for kicks or to get high?		
GAS	2	EVER INHALED GASOLINE OR LIGHTER FLUID		
		1 = Yes.....	1345	2.51
		2 = No.....	4236	7.91
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED INHALANTS.....	47925	89.48
		94 = DON'T KNOW.....	25	0.05
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	1	0.00
(IN01D)		Have you ever, even once, inhaled glue, shoe polish, or toluene for kicks or to get high?		
GLUE	2	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE		
		1 = Yes.....	1361	2.54
		2 = No.....	4223	7.88
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01
		91 = NEVER USED INHALANTS.....	47925	89.48
		94 = DON'T KNOW.....	19	0.04
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	1	0.00
(IN01E)		Have you ever, even once, inhaled halothane, ether, or other anesthetics for kicks or to get high?		
ETHER	2	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC		
		1 = Yes.....	332	0.62
		2 = No.....	5246	9.79
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED INHALANTS.....	47925	89.48
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	1	0.00
(IN01F)		Have you ever, even once, inhaled lacquer thinner or other paint solvents for kicks or to get high?		
SOLVENT	2	EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS		
		1 = Yes.....	659	1.23
		2 = No.....	4925	9.20
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED INHALANTS.....	47925	89.48
		94 = DON'T KNOW.....	25	0.05
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	2	0.00

INHALANTS			PAGE:	57
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(IN01G)		Have you ever, even once, inhaled lighter gases, such as butane or propane for kicks or to get high?		
LGAS	2	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
		1 = Yes.....	438	0.82
		2 = No.....	5150	9.62
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED INHALANTS.....	47925	89.48
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	2	0.00
(IN01H)		Have you ever, even once, inhaled nitrous oxide or whippets for kicks or to get high?		
NITOXID	2	EVER INHALED NITROUS OXIDE OR "WHIPPETS"		
		1 = Yes.....	2588	4.83
		2 = No.....	2984	5.57
		3 = Yes LOGICALLY ASSIGNED.....	5	0.01
		91 = NEVER USED INHALANTS.....	47925	89.48
		94 = DON'T KNOW.....	35	0.07
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	3	0.01
(IN01I)		Have you ever, even once, inhaled spray paints for kicks or to get high?		
SPPAINT	2	EVER INHALED SPRAY PAINTS		
		1 = Yes.....	785	1.47
		2 = No.....	4808	8.98
		91 = NEVER USED INHALANTS.....	47925	89.48
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	3	0.01
(IN01J)		Have you ever, even once, inhaled some other aerosol spray for kicks or to get high?		
AEROS	2	EVER INHALED OTHER AEROSOL SPRAYS		
		1 = Yes.....	693	1.29
		2 = No.....	4891	9.13
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01
		91 = NEVER USED INHALANTS.....	47925	89.48
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	3	0.01

		INHALANTS	PAGE: 58	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(IN01L)		Have you ever, even once used any other inhalants for kicks or to get high besides the ones that have been listed?		
INHNOLST	2	EVER USED OTHER INHALANTS		
		1 = Yes.....	480	0.90
		2 = No.....	5091	9.51
		91 = NEVER USED INHALANTS.....	47925	89.48
		94 = DON'T KNOW.....	35	0.07
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	3	0.01

INHALANTS			PAGE:	59
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
INHNEWA	4	OTHER INHALANT - SPECIFY 1		
		377 = Albuterol, Proventil, Ventolin.....	2	0.00
		501 = Gasoline or lighter fluids.....	5	0.01
		503 = Other aerosol sprays.....	36	0.07
		504 = Shoeshine liquid, glue, or toluene.....	9	0.02
		505 = Lacquer thinner or other paint solvents.....	1	0.00
		506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	12	0.02
		507 = Halothane, ether, or other anesthetics; chloroform	1	0.00
		508 = Nitrous oxide, "whippets," dentist gas.....	7	0.01
		509 = Correction fluids, degreasers, cleaning fluids....	3	0.01
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	19	0.04
		511 = Markers, felt-tip pens, ink pens.....	53	0.10
		516 = Freon, refrigerant.....	29	0.05
		518 = Acetone, nail polish remover.....	9	0.02
		519 = Helium.....	23	0.04
		520 = Old paint, paint.....	1	0.00
		522 = Liquid TV (MTV), TV tuner, TV11Y.....	1	0.00
		524 = White-Out.....	20	0.04
		525 = Butane.....	1	0.00
		526 = Nail polish.....	21	0.04
		528 = Whipped-cream can.....	9	0.02
		534 = Deodorant.....	1	0.00
		539 = ScotchGard.....	2	0.00
		540 = PAM.....	11	0.02
		542 = Brasso, lens cleaner, spirits of ammonia.....	1	0.00
		543 = Liquid oxygen, oxygen.....	1	0.00
		545 = Car tailpipe exhaust fumes, CO.....	3	0.01
		548 = Cologne, isopropanol vapors, rubbing alcohol.....	1	0.00
		566 = Smoked tea from Lipton tea bag.....	1	0.00
		577 = Rave runners.....	1	0.00
		588 = Antifreeze.....	1	0.00
		589 = Tire shine.....	1	0.00
		590 = Canned air.....	1	0.00
		591 = Air brush propellant.....	3	0.01
		592 = Computer air duster, computer cleaner, dust-off...	19	0.04
		599 = Potpourri.....	3	0.01
		691 = Maximum impact.....	1	0.00
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	2	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	2	0.00
		3051 = Betel nut, Beetlenut.....	1	0.00
		5001 = Bleach.....	2	0.00
		5019 = Melted plastic.....	2	0.00
		5021 = Octane booster.....	3	0.01
		5022 = Dry ice hits.....	1	0.00
		5023 = Double eagle.....	1	0.00
		5024 = Citronella candle.....	1	0.00
		5025 = Lime salt.....	1	0.00
		5026 = Silly putty.....	1	0.00
		5027 = Benzene.....	1	0.00
		5028 = Engine cleaner.....	1	0.00
		5030 = Polyurethane Spray.....	1	0.00

INHALANTS			PAGE:	60
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
		5031 = Naphtha.....	1	0.00
		5033 = Sur-noxem.....	1	0.00
		5035 = Brake cleaner.....	1	0.00
		8011 = Herb, flower, plant; type unspecified.....	1	0.00
		8024 = Asthma inhaler,asthma medication,bronchial dilator	12	0.02
		8028 = Bactine <OTC>.....	1	0.00
		9985 = BAD DATA Logically assigned.....	6	0.01
		9991 = NEVER USED INHALANTS.....	47925	89.48
		9997 = REFUSED.....	38	0.07
		9998 = BLANK (NO ANSWER).....	150	0.28
		9999 = LEGITIMATE SKIP.....	5091	9.51
INHNEWB	4	OTHER INHALANT - SPECIFY 2		
		268 = Rohypnol, Roche, roofies.....	1	0.00
		501 = Gasoline or lighter fluids.....	2	0.00
		503 = Other aerosol sprays.....	3	0.01
		504 = Shoeshine liquid, glue, or toluene.....	3	0.01
		505 = Lacquer thinner or other paint solvents.....	1	0.00
		506 = Amyl nitrite,"poppers,"locker room odorizer,"rush"	2	0.00
		508 = Nitrous oxide, "whippets," dentist gas.....	1	0.00
		509 = Correction fluids, degreasers, cleaning fluids....	2	0.00
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	5	0.01
		511 = Markers, felt-tip pens, ink pens.....	9	0.02
		516 = Freon, refrigerant.....	1	0.00
		518 = Acetone, nail polish remover.....	1	0.00
		519 = Helium.....	2	0.00
		520 = Old paint, paint.....	1	0.00
		524 = White-Out.....	3	0.01
		526 = Nail polish.....	4	0.01
		528 = Whipped-cream can.....	1	0.00
		540 = PAM.....	1	0.00
		545 = Car tailpipe exhaust fumes, CO.....	1	0.00
		592 = Computer air duster, computer cleaner, dust-off...	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	2	0.00
		826 = Alupent.....	1	0.00
		5001 = Bleach.....	2	0.00
		5029 = Floor wax.....	1	0.00
		5034 = Hippie crack.....	1	0.00
		8024 = Asthma inhaler,asthma medication,bronchial dilator	1	0.00
		9985 = BAD DATA Logically assigned.....	5	0.01
		9991 = NEVER USED INHALANTS.....	47925	89.48
		9997 = REFUSED.....	34	0.06
		9998 = BLANK (NO ANSWER).....	452	0.84
		9999 = LEGITIMATE SKIP.....	5091	9.51

INHALANTS			PAGE:	61
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
INHNEWC	4	OTHER INHALANT - SPECIFY 3		
		503 = Other aerosol sprays.....	1	0.00
		504 = Shoeshine liquid, glue, or toluene.....	1	0.00
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	2	0.00
		511 = Markers, felt-tip pens, ink pens.....	1	0.00
		518 = Acetone, nail polish remover.....	1	0.00
		519 = Helium.....	2	0.00
		526 = Nail polish.....	2	0.00
		540 = PAM.....	1	0.00
		900 = Not a drug, Non-drug reason given for a drug.....	1	0.00
		5001 = Bleach.....	1	0.00
		9991 = NEVER USED INHALANTS.....	47925	89.48
		9997 = REFUSED.....	27	0.05
		9998 = BLANK (NO ANSWER).....	504	0.94
		9999 = LEGITIMATE SKIP.....	5091	9.51
INHNEWD	4	OTHER INHALANT - SPECIFY 4		
		503 = Other aerosol sprays.....	1	0.00
		509 = Correction fluids, degreasers, cleaning fluids....	1	0.00
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	2	0.00
		518 = Acetone, nail polish remover.....	2	0.00
		519 = Helium.....	1	0.00
		526 = Nail polish.....	1	0.00
		540 = PAM.....	1	0.00
		9991 = NEVER USED INHALANTS.....	47925	89.48
		9997 = REFUSED.....	28	0.05
		9998 = BLANK (NO ANSWER).....	507	0.95
		9999 = LEGITIMATE SKIP.....	5091	9.51
INHNEWE	4	OTHER INHALANT - SPECIFY 5		
		504 = Shoeshine liquid, glue, or toluene.....	1	0.00
		519 = Helium.....	1	0.00
		524 = White-Out.....	1	0.00
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED INHALANTS.....	47925	89.48
		9997 = REFUSED.....	26	0.05
		9998 = BLANK (NO ANSWER).....	514	0.96
		9999 = LEGITIMATE SKIP.....	5091	9.51
(IN02)		How old were you the first time you used any inhalant for kicks or to get high?		
INHAGE	3	AGE WHEN FIRST USED INHALANTS		
		RANGE = 1 - 50	5081	9.49
		985 = BAD DATA Logically assigned.....	63	0.12
		991 = NEVER USED INHALANTS.....	47925	89.48
		994 = DON'T KNOW.....	264	0.49
		997 = REFUSED.....	86	0.16
		998 = BLANK (NO ANSWER).....	141	0.26

INHALANTS			PAGE:	62
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	---
(IN03A)		NOTE: For respondents who initiated use within 1 year of their current age, responses from the individual year-of-first use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.		
INHYFU	4	YEAR OF FIRST INHALANT USE - RECODE		
		RANGE = 1997 - 1999	631	1.18
		9985 = BAD DATA Logically assigned.....	270	0.50
		9991 = NEVER USED INHALANTS.....	47925	89.48
		9994 = DON'T KNOW.....	278	0.52
		9997 = REFUSED.....	89	0.17
		9998 = BLANK (NO ANSWER).....	168	0.31
		9999 = LEGITIMATE SKIP (INHAGE<AGE-1).....	4199	7.84
INHMFU	2	MONTH OF FIRST INHALANT USE - RECODE		
		1 = January.....	36	0.07
		2 = February.....	24	0.04
		3 = March.....	38	0.07
		4 = April.....	40	0.07
		5 = May.....	37	0.07
		6 = June.....	46	0.09
		7 = July.....	71	0.13
		8 = August.....	55	0.10
		9 = September.....	29	0.05
		10 = October.....	42	0.08
		11 = November.....	36	0.07
		12 = December.....	34	0.06
		85 = BAD DATA Logically assigned.....	272	0.51
		91 = NEVER USED INHALANTS.....	47925	89.48
		94 = DON'T KNOW.....	429	0.80
		97 = REFUSED.....	94	0.18
		98 = BLANK (NO ANSWER).....	153	0.29
		99 = LEGITIMATE SKIP.....	4199	7.84
(INLAST)		How long has it been since you last used any inhalant for kicks or to get high?		
INHREC	2	TIME SINCE LAST USED INHALANTS		
		1 = Within the past 30 days.....	300	0.56
		2 = More than 30 days ago but within the past 12 mos..	763	1.42
		3 = More than 12 months ago.....	4100	7.65
		8 = Used at some point in the past 12 mos LOG ASSN....	21	0.04
		9 = Used at some point in lifetime LOG ASSN.....	306	0.57
		91 = NEVER USED INHALANTS.....	47925	89.48
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	141	0.26

INHALANTS			PAGE:	63
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
INHYRTOT	3	TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 364	1041	1.94
		985 = BAD DATA Logically assigned.....	3	0.01
		991 = NEVER USED INHALANTS.....	47925	89.48
		993 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4100	7.65
		994 = DON'T KNOW.....	32	0.06
		997 = REFUSED.....	13	0.02
		998 = BLANK (NO ANSWER).....	446	0.83
INTOTFG	2	TRIMMING INDICATOR FOR INHYRTOT		
		2 = Trimmed relative to the 30-day freq.....	2	0.00
		98 = BLANK (NO ANSWER).....	53558	100.0
INFQFLG	2	TRIMMED INHYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	81	0.15
		98 = BLANK (NO ANSWER).....	53479	99.85
(INFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've done this?		
INBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED INHALANTS		
		1 = Prefer to answer in days per week.....	153	0.29
		2 = Prefer to answer in days per month.....	218	0.41
		3 = Prefer to answer in days per year.....	646	1.21
		11 = Prefer to ans in days per wk LOG ASSN.....	5	0.01
		12 = Prefer to ans in days per mo LOG ASSN.....	7	0.01
		13 = Prefer to ans in days per yr LOG ASSN.....	38	0.07
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED INHALANTS.....	47925	89.48
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4100	7.65
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	446	0.83
(INYRAVE)		On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?		
INDAYPYR	3	# DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 360	675	1.26
		989 = LEGITIMATE SKIP Logically assigned.....	9	0.02
		991 = NEVER USED INHALANTS.....	47925	89.48
		993 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4100	7.65
		994 = DON'T KNOW.....	21	0.04
		997 = REFUSED.....	7	0.01
		998 = BLANK (NO ANSWER).....	449	0.84
		999 = LEGITIMATE SKIP.....	374	0.70

INHALANTS			PAGE:	64
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(INMONAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?		
INDAYPMO	2	# DAYS PER MONTH USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 25	215	0.40
		85 = BAD DATA Logically assigned.....	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	5	0.01
		91 = NEVER USED INHALANTS.....	47925	89.48
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4100	7.65
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	447	0.83
		99 = LEGITIMATE SKIP.....	828	1.55
(INWKAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?		
INDAYPWK	2	# DAYS PER WEEK USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 7	151	0.28
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	47925	89.48
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4100	7.65
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	448	0.84
		99 = LEGITIMATE SKIP.....	890	1.66
(IN06)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?		
INH DY30A	2	# DAYS USED INHALANT PAST 30 DAYS		
		RANGE = 1 - 30	283	0.53
		85 = BAD DATA Logically assigned.....	19	0.04
		91 = NEVER USED INHALANTS.....	47925	89.48
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS.....	4863	9.08
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	449	0.84

		PAIN RELIEVERS	PAGE:	65
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PR01)		PAIN RELIEVERS		

Now we have some questions about drugs that people are supposed to take only if they have a prescription from a doctor. We are only interested in your use of a drug if:

- the drug was not prescribed for you, or
- you took the drug only for the experience or feeling it caused.

These questions are about the use of pain relievers. We are not interested in your use of "over-the-counter" pain relievers such as aspirin, Tylenol, and Advil that can be bought in drug stores or grocery stores without a doctor's prescription.

Card A shows pictures of some different kinds of prescription pain relievers and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused. Please look at Card A carefully as you answer the next questions.

Have you ever, even once, used Darvocet, Darvon, or Tylenol with codeine that was not prescribed for you or that you took only for the experience or feeling it caused?

DARVTYLC	2	EVER USED DARVOCET, DARVON, OR TYLENOL W/ CODEINE		
		1 = Yes.....	3951	7.38
		2 = No.....	1855	3.46
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	180	0.34
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	7	0.01

PAIN RELIEVERS			PAGE: 66	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(PR02)		Have you ever, even once, used Percocet, Percodan, or Tylox that was not prescribed for you or that you took only for the experience or feeling it caused?		
PERCTYLX	2	EVER USED PERCOCET, PERCODAN, OR TYLOX		
		1 = Yes.....	1669	3.12
		2 = No.....	4227	7.89
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	99	0.18
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	8	0.01
(PR03)		Have you ever, even once, used Vicodin, Lortab, or Lorcet that was not prescribed for you or that you took only for the experience or feeling it caused?		
VICOLOR	2	EVER USED VICODIN, LORTAB, OR LORCET		
		1 = Yes.....	1892	3.53
		2 = No.....	3993	7.46
		3 = Yes LOGICALLY ASSIGNED.....	8	0.01
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	104	0.19
		97 = REFUSED.....	35	0.07
		98 = BLANK (NO ANSWER).....	8	0.01
(PR04)		Please look at the pain relievers shown below the red line on Card A.		
		Have you ever, even once, used any of these pain relievers when they were not prescribed for you or that you took only for the experience or feeling they caused?		
ANLCARD	2	EVER USED PAIN RELIEVER BELOW RED LINE ON CARD A		
		1 = Yes.....	2092	3.91
		2 = No.....	3757	7.01
		3 = Yes LOGICALLY ASSIGNED.....	32	0.06
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	110	0.21
		97 = REFUSED.....	41	0.08
		98 = BLANK (NO ANSWER).....	8	0.01

PAIN RELIEVERS			PAGE: 67	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(PR04A)		Which of the pain relievers shown below the red line on Card A have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
CODEINE	2	EVER USED CODEINE "NONMEDICALLY"		
		1 = Response entered.....	1279	2.39
		3 = Response entered LOGICALLY ASSIGNED.....	7	0.01
		6 = Response not entered.....	684	1.28
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	118	0.22
		99 = LEGITIMATE SKIP.....	3757	7.01
DEMEROL	2	EVER USED DEMEROL "NONMEDICALLY"		
		1 = Response entered.....	566	1.06
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	1399	2.61
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	118	0.22
		99 = LEGITIMATE SKIP.....	3757	7.01
DILAUD	2	EVER USED DILAUDID "NONMEDICALLY"		
		1 = Response entered.....	113	0.21
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	1855	3.46
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	118	0.22
		99 = LEGITIMATE SKIP.....	3757	7.01
FIORICET	2	EVER USED FIORICET "NONMEDICALLY"		
		1 = Response entered.....	75	0.14
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1894	3.54
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	118	0.22
		99 = LEGITIMATE SKIP.....	3757	7.01

PAIN RELIEVERS			PAGE:	68
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
FIORINAL	2	EVER USED FIORINAL "NONMEDICALLY"		
		1 = Response entered.....	78	0.15
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	1889	3.53
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	118	0.22
		99 = LEGITIMATE SKIP.....	3757	7.01
HYDROCOD	2	EVER USED HYDROCODONE "NONMEDICALLY"		
		1 = Response entered.....	505	0.94
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	1460	2.73
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	118	0.22
		99 = LEGITIMATE SKIP.....	3757	7.01
METHDON	2	EVER USED METHADONE "NONMEDICALLY"		
		1 = Response entered.....	180	0.34
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	1787	3.34
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	118	0.22
		99 = LEGITIMATE SKIP.....	3757	7.01
MORPHINE	2	EVER USED MORPHINE "NONMEDICALLY"		
		1 = Response entered.....	422	0.79
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
		6 = Response not entered.....	1542	2.88
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	118	0.22
		99 = LEGITIMATE SKIP.....	3757	7.01

PAIN RELIEVERS			PAGE: 69	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	---
OXYCONTN	2	EVER USED OXYCONTIN "NONMEDICALLY"		
		1 = Response entered.....	79	0.15
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	1888	3.53
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	118	0.22
		99 = LEGITIMATE SKIP.....	3757	7.01
PHENCOD	2	EVER USED PHENAPHEN WITH CODEINE "NONMEDICALLY"		
		1 = Response entered.....	151	0.28
		6 = Response not entered.....	1819	3.40
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	118	0.22
		99 = LEGITIMATE SKIP.....	3757	7.01
PROPOXY	2	EVER USED PROPOXYPHENE "NONMEDICALLY"		
		1 = Response entered.....	54	0.10
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1915	3.58
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	118	0.22
		99 = LEGITIMATE SKIP.....	3757	7.01
SK65A	2	EVER USED SK65 "NONMEDICALLY"		
		1 = Response entered.....	17	0.03
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1952	3.64
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	118	0.22
		99 = LEGITIMATE SKIP.....	3757	7.01
STADOL	2	EVER USED STADOL "NONMEDICALLY"		
		1 = Response entered.....	31	0.06
		6 = Response not entered.....	1939	3.62
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	118	0.22
		99 = LEGITIMATE SKIP.....	3757	7.01

PAIN RELIEVERS			PAGE:	70
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
TALACEN	2	EVER USED TALACEN "NONMEDICALLY"		
		1 = Response entered.....	21	0.04
		6 = Response not entered.....	1949	3.64
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	118	0.22
		99 = LEGITIMATE SKIP.....	3757	7.01
TALWIN	2	EVER USED TALWIN "NONMEDICALLY"		
		1 = Response entered.....	62	0.12
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	1906	3.56
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	118	0.22
		99 = LEGITIMATE SKIP.....	3757	7.01
TALWINNX	2	EVER USED TALWIN NX "NONMEDICALLY"		
		1 = Response entered.....	22	0.04
		6 = Response not entered.....	1948	3.64
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	118	0.22
		99 = LEGITIMATE SKIP.....	3757	7.01
TRAMADOL	2	EVER USED TRAMADOL "NONMEDICALLY"		
		1 = Response entered.....	29	0.05
		6 = Response not entered.....	1941	3.62
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	118	0.22
		99 = LEGITIMATE SKIP.....	3757	7.01
ULTRAM	2	EVER USED ULTRAM "NONMEDICALLY"		
		1 = Response entered.....	144	0.27
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	1824	3.41
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	118	0.22
		99 = LEGITIMATE SKIP.....	3757	7.01

PAIN RELIEVERS			PAGE: 71	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(PR05)		Have you ever, even once, used any other prescription pain reliever, besides the ones shown on Card A, when it was not prescribed for you or that you took only for the experience or feeling it caused?		
ANLNOLST	2	EVER USED ANY OTHER PAIN RELIEVER "NONMEDICALLY"		
		1 = Yes.....	1272	2.37
		2 = No.....	4516	8.43
		4 = No LOGICALLY ASSIGNED.....	39	0.07
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	158	0.29
		97 = REFUSED.....	46	0.09
		98 = BLANK (NO ANSWER).....	9	0.02

PAIN RELIEVERS			PAGE:	72
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	---
ANALNEWA	4	OTHER PAIN RELIEVER - SPECIFY 1		
		105 = Placidyl.....	3	0.01
		109 = Seconal.....	6	0.01
		110 = Tuinal.....	3	0.01
		116 = Methaqualone, Quaalude, Sopor.....	13	0.02
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	1	0.00
		121 = USED SEDATIVE, DON'T KNOW NAME.....	1	0.00
		124 = Yellow jackets.....	1	0.00
		130 = Phenergan.....	1	0.00
		131 = Haldol, Haloperidol.....	1	0.00
		136 = Dimetapp <OTC>.....	1	0.00
		138 = Mandrakes.....	1	0.00
		157 = Barbiturates.....	1	0.00
		171 = NyQuil <OTC>.....	1	0.00
		174 = Ambien, Zolpidem.....	2	0.00
		184 = Red and blues.....	1	0.00
		186 = Butalbital.....	1	0.00
		201 = Valium, Diazepam.....	84	0.16
		202 = Librium, Chlordiazepoxide HCL.....	1	0.00
		205 = Serax.....	1	0.00
		207 = Ativan , Lorazepam.....	1	0.00
		209 = Xanax, Alprazolam.....	62	0.12
		211 = Buspar.....	1	0.00
		216 = Atarax , Hydroxyzine.....	1	0.00
		225 = Desyrel, Trazodone hydrochloride.....	1	0.00
		228 = Amitriptyline, Elavil.....	1	0.00
		234 = Cyclobenzaprine, Flexeril.....	6	0.01
		240 = Lithium carbonate, Lithonate.....	3	0.01
		241 = Prozac.....	6	0.01
		246 = Clonazepam, Klonopin.....	8	0.01
		268 = Rohypnol, Roche, roofies.....	5	0.01
		271 = Zolofte.....	7	0.01
		285 = Risperdal, resperidone.....	1	0.00
		288 = Baclofen.....	1	0.00
		290 = Skelaxin.....	1	0.00
		301 = Dexedrine.....	1	0.00
		318 = Ritalin, Methylphenidate.....	26	0.05
		322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
		339 = Amphetamines.....	1	0.00
		353 = No-Doz <OTC>.....	1	0.00
		364 = Pseudophedrine.....	1	0.00
		377 = Albuterol, Proventil, Ventolin.....	1	0.00
		382 = Footballs, purple footballs.....	1	0.00
		401 = Darvon.....	1	0.00
		403 = SK-65.....	1	0.00
		406 = Percodan.....	4	0.01
		407 = Demerol.....	2	0.00
		408 = Dilaudid.....	2	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	13	0.02
		411 = Talwin.....	1	0.00
		414 = Propoxyphene.....	2	0.00

PAIN RELIEVERS			PAGE:	73
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
415	=	Codeine.....	9	0.02
417	=	Morphine, Roxanol.....	8	0.01
418	=	Dolophine, Methadone.....	2	0.00
420	=	OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	16	0.03
421	=	USED ANALGESIC, DON'T KNOW NAME.....	164	0.31
422	=	Motrin.....	37	0.07
423	=	Percocet.....	14	0.03
424	=	Fioricet.....	1	0.00
425	=	Advil <OTC>.....	2	0.00
426	=	Fiorinal.....	3	0.01
427	=	Darvocet.....	3	0.01
430	=	Aspirin, Ecotrin, Empirin <OTC>.....	1	0.00
431	=	Tylox.....	1	0.00
434	=	Anexsia, Co-Gesic, Lortab, Tussionex, Vicodin.....	18	0.03
438	=	Anaprox, Naprosyn, Naproxen.....	23	0.04
442	=	Ibuprofen.....	38	0.07
445	=	Norgesic Forte.....	1	0.00
458	=	Mepergan, Mepergan Fortis.....	3	0.01
462	=	Norflex.....	1	0.00
476	=	Isocom, Midrin.....	4	0.01
480	=	Robitussin AC with Codeine.....	1	0.00
490	=	Nubain.....	1	0.00
496	=	Ultram.....	2	0.00
499	=	Aleve <OTC>.....	1	0.00
540	=	PAM.....	1	0.00
601	=	LSD ("acid").....	1	0.00
802	=	THC, cannabinal, marinol.....	1	0.00
820	=	Penicillin.....	6	0.01
821	=	Amoxicillin, Ampicillin.....	4	0.01
840	=	Cough medicine (contents not specified) <OTC>.....	1	0.00
858	=	Antibiotic.....	1	0.00
895	=	Tagamet, Cimetidine.....	1	0.00
2001	=	Soma.....	19	0.04
2002	=	Muscle Relaxers.....	10	0.02
3023	=	Adderall.....	1	0.00
3052	=	Speed, otherwise unspecified.....	4	0.01
4001	=	Actron, Ketoprofen, Orudis, Oruvail.....	1	0.00
4005	=	Etodolac, Lodine.....	3	0.01
4027	=	Rorer.....	1	0.00
4031	=	Cough medicine with codeine.....	1	0.00
4032	=	Flarex.....	1	0.00
4033	=	Vicoprofen.....	1	0.00
4034	=	Lilly red.....	1	0.00
4035	=	Nabumetone, Relafin.....	1	0.00
4036	=	Stagesic.....	1	0.00
4039	=	Daypro.....	1	0.00
4040	=	Ridaura.....	1	0.00
4044	=	Hydrocodone.....	5	0.01
4045	=	Phrenilin Forte.....	1	0.00
4046	=	Oxycodone.....	3	0.01
4047	=	Roxicet.....	2	0.00

PAIN RELIEVERS			PAGE:	74
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
	8002	= Zantac.....	3	0.01
	8008	= Antidepressant; type unspecified.....	1	0.00
	8009	= Allergy pills; type unspecified.....	1	0.00
	8010	= Zyrtec, cetirizine.....	1	0.00
	8019	= Azithromycin, Zithromax.....	2	0.00
	8024	= Asthma inhaler, asthma medication, bronchial dilator	4	0.01
	8025	= Claritin, Claritin D.....	7	0.01
	8032	= Prilosec.....	2	0.00
	8033	= Heart medication, type unspecified.....	1	0.00
	8040	= Trioxsalen.....	1	0.00
	9981	= NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
	9985	= BAD DATA Logically assigned.....	13	0.02
	9989	= LEGITIMATE SKIP Logically assigned.....	39	0.07
	9991	= NEVER USED PAIN RELIEVERS.....	47463	88.62
	9997	= REFUSED.....	72	0.13
	9998	= BLANK (NO ANSWER).....	661	1.23
	9999	= LEGITIMATE SKIP.....	4516	8.43

PAIN RELIEVERS			PAGE:	75
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ANALNEWB	4	OTHER PAIN RELIEVER - SPECIFY 2		
		109 = Seconal.....	1	0.00
		110 = Tuinal.....	1	0.00
		116 = Methaqualone, Quaalude, Sopor.....	3	0.01
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	1	0.00
		137 = 7-14.....	1	0.00
		157 = Barbiturates.....	2	0.00
		171 = NyQuil <OTC>.....	1	0.00
		174 = Ambien, Zolpidem.....	2	0.00
		182 = Melzone.....	1	0.00
		183 = Mysoline.....	1	0.00
		201 = Valium, Diazepam.....	13	0.02
		209 = Xanax, Alprazolam.....	10	0.02
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	1	0.00
		225 = Desyrel, Trazodone hydrochloride.....	1	0.00
		241 = Prozac.....	1	0.00
		246 = Clonazepam, Klonopin.....	3	0.01
		268 = Rohypnol, Roche, roofies.....	1	0.00
		292 = Serzone.....	1	0.00
		301 = Dexedrine.....	1	0.00
		318 = Ritalin, Methylphenidate.....	3	0.01
		327 = Black beauties, Black Beauty.....	1	0.00
		352 = Lemons.....	1	0.00
		353 = No-Doz <OTC>.....	1	0.00
		354 = Vivarin <OTC>.....	1	0.00
		364 = Pseudophedrine.....	1	0.00
		406 = Percodan.....	1	0.00
		407 = Demerol.....	2	0.00
		408 = Dilaudid.....	1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	3	0.01
		410 = Phenaphen with Codeine, Phenaphen 3.....	1	0.00
		411 = Talwin.....	1	0.00
		415 = Codeine.....	1	0.00
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	2	0.00
		421 = USED ANALGESIC, DON'T KNOW NAME.....	10	0.02
		422 = Motrin.....	4	0.01
		423 = Percocet.....	4	0.01
		427 = Darvocet.....	3	0.01
		434 = Anexsia, Co-Gesic, Lortab, Tussionex, Vicodin.....	5	0.01
		435 = Tylenol, Tylenol Extra-Strength <OTC>.....	2	0.00
		438 = Anaprox, Naprosyn, Naproxen.....	3	0.01
		439 = 222, Canadian 222.....	1	0.00
		442 = Ibuprofen.....	5	0.01
		496 = Ultram.....	1	0.00
		821 = Amoxicillin, Ampicillin.....	1	0.00
		2001 = Soma.....	2	0.00
		3023 = Adderall.....	3	0.01
		3052 = Speed, otherwise unspecified.....	2	0.00
		4005 = Etodolac, Lodine.....	1	0.00
		4011 = Carbamazepine, Epital, Tegretol.....	1	0.00
		4047 = Roxicet.....	1	0.00

PAIN RELIEVERS			PAGE:	76
LABEL	LEN	DESCRIPTION	FREQ	%
		8021 = Cipro, Ciprofloxacin, Cliloxam.....	1	0.00
		8025 = Claritin, Claritin D.....	1	0.00
		8030 = Tums <OTC>.....	1	0.00
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		9985 = BAD DATA Logically assigned.....	6	0.01
		9989 = LEGITIMATE SKIP Logically assigned.....	14	0.03
		9991 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		9997 = REFUSED.....	47	0.09
		9998 = BLANK (NO ANSWER).....	1315	2.46
		9999 = LEGITIMATE SKIP.....	4540	8.48
ANALNEWC	4	OTHER PAIN RELIEVER - SPECIFY 3		
		103 = Amytal.....	1	0.00
		105 = Placidyl.....	2	0.00
		110 = Tuinal.....	1	0.00
		116 = Methaqualone, Quaalude, Sopor.....	1	0.00
		174 = Ambien, Zolpidem.....	1	0.00
		201 = Valium, Diazepam.....	6	0.01
		209 = Xanax, Alprazolam.....	2	0.00
		318 = Ritalin, Methylphenidate.....	4	0.01
		327 = Black beauties, Black Beauty.....	1	0.00
		353 = No-Doz <OTC>.....	1	0.00
		369 = Artane.....	1	0.00
		401 = Darvon.....	1	0.00
		407 = Demerol.....	1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	1	0.00
		415 = Codeine.....	1	0.00
		417 = Morphine, Roxanol.....	1	0.00
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
		421 = USED ANALGESIC, DON'T KNOW NAME.....	1	0.00
		434 = Anexsia, Co-Gesic, Lortab, Tussionex, Vicodin.....	2	0.00
		438 = Anaprox, Naprosyn, Naproxen.....	1	0.00
		821 = Amoxicillin, Ampicillin.....	1	0.00
		2001 = Soma.....	1	0.00
		3044 = Caffeine pills <OTC>.....	1	0.00
		8025 = Claritin, Claritin D.....	1	0.00
		8031 = Sugar pills.....	1	0.00
		8036 = Norvasc.....	1	0.00
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		9985 = BAD DATA Logically assigned.....	3	0.01
		9989 = LEGITIMATE SKIP Logically assigned.....	5	0.01
		9991 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		9997 = REFUSED.....	47	0.09
		9998 = BLANK (NO ANSWER).....	1399	2.61
		9999 = LEGITIMATE SKIP.....	4549	8.49

PAIN RELIEVERS			PAGE:	77
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
ANALNEWD	4	OTHER PAIN RELIEVER - SPECIFY 4		
		110 = Tuinal.....	1	0.00
		116 = Methaqualone, Quaalude, Sopor.....	1	0.00
		209 = Xanax, Alprazolam.....	3	0.01
		407 = Demerol.....	1	0.00
		434 = Anexsia, Co-Gesic, Lortab, Tussionex, Vicodin.....	1	0.00
		3026 = Bupropion, Wellbutrin, Zyban.....	1	0.00
		3044 = Caffeine pills <OTC>.....	1	0.00
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		9985 = BAD DATA Logically assigned.....	1	0.00
		9989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		9991 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		9997 = REFUSED.....	47	0.09
		9998 = BLANK (NO ANSWER).....	1429	2.67
		9999 = LEGITIMATE SKIP.....	4552	8.50
ANALNEWE	4	OTHER PAIN RELIEVER - SPECIFY 5		
		103 = Amytal.....	1	0.00
		329 = Bird's eggs, Robin's eggs, speckled eggs.....	1	0.00
		418 = Dolophine, Methadone.....	1	0.00
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		9991 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		9997 = REFUSED.....	46	0.09
		9998 = BLANK (NO ANSWER).....	1437	2.68
		9999 = LEGITIMATE SKIP.....	4554	8.50
(PR06)		How old were you the first time you used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
ANALAGE	3	AGE WHEN FIRST USED PAIN RELIEVERS "NONMEDICALLY"		
		RANGE = 1 - 76	5024	9.38
		981 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		985 = BAD DATA Logically assigned.....	62	0.12
		991 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		994 = DON'T KNOW.....	477	0.89
		997 = REFUSED.....	150	0.28
		998 = BLANK (NO ANSWER).....	327	0.61

PAIN RELIEVERS			PAGE: 78	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PR07A)		NOTE: For respondents who initiated use within 1 year of their current age, responses from the individual year-of-first use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.		
ANALYFU	4	YEAR OF FIRST PAIN RELIEVER USE - RECODE		
		RANGE = 1997 - 1999	903	1.69
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		9985 = BAD DATA Logically assigned.....	294	0.55
		9991 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		9994 = DON'T KNOW.....	489	0.91
		9997 = REFUSED.....	152	0.28
		9998 = BLANK (NO ANSWER).....	363	0.68
		9999 = LEGITIMATE SKIP.....	3839	7.17
ANALMFU	2	MONTH OF FIRST PAIN RELIEVER USE - RECODE		
		1 = January.....	72	0.13
		2 = February.....	60	0.11
		3 = March.....	71	0.13
		4 = April.....	44	0.08
		5 = May.....	47	0.09
		6 = June.....	72	0.13
		7 = July.....	74	0.14
		8 = August.....	65	0.12
		9 = September.....	74	0.14
		10 = October.....	59	0.11
		11 = November.....	61	0.11
		12 = December.....	54	0.10
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	311	0.58
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		94 = DON'T KNOW.....	639	1.19
		97 = REFUSED.....	152	0.28
		98 = BLANK (NO ANSWER).....	346	0.65
		99 = LEGITIMATE SKIP.....	3839	7.17

PAIN RELIEVERS			PAGE: 79	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PR09)		How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
ANALREC	2	TIME SINCE LAST USED PAIN RELIEVER "NONMEDICALLY"		
		1 = Within the past 30 days.....	951	1.78
		2 = More than 30 days ago but within the past 12 mos..	1476	2.76
		3 = More than 12 months ago.....	2837	5.30
		8 = Used at some point in the past 12 mos LOG ASSN....	11	0.02
		9 = Used at some point in lifetime LOG ASSN.....	423	0.79
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	326	0.61
ANLYRTOT	3	TOTAL # DAYS USED PAIN RELIEVER PAST 12 MONTHS		
		RANGE = 1 - 364	2306	4.31
		981 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		985 = BAD DATA Logically assigned.....	9	0.02
		991 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		993 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	2837	5.30
		994 = DON'T KNOW.....	104	0.19
		997 = REFUSED.....	36	0.07
		998 = BLANK (NO ANSWER).....	748	1.40
PRTOTFG	2	TRIMMING INDICATOR FOR ANLYRTOT		
		98 = BLANK (NO ANSWER).....	53560	100.0
PRFQFLG	2	TRIMMED ANLYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	157	0.29
		98 = BLANK (NO ANSWER).....	53403	99.71

PAIN RELIEVERS			PAGE: 80	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(PR10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription pain reliever in either of these ways?		
PRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED PAIN RELIEVER		
		1 = Prefer to answer in days per week.....	443	0.83
		2 = Prefer to answer in days per month.....	585	1.09
		3 = Prefer to answer in days per year.....	1256	2.35
		11 = Prefer to ans in days per wk LOG ASSN.....	15	0.03
		12 = Prefer to ans in days per mo LOG ASSN.....	11	0.02
		13 = Prefer to ans in days per yr LOG ASSN.....	55	0.10
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	9	0.02
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MOS.....	2837	5.30
		94 = DON'T KNOW.....	52	0.10
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	748	1.40
(PR11)		On how many days in the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRDAYPYR	3	# DAYS USED PAIN RELIEVER "NM" PAST 12 MONTHS		
		RANGE = 1 - 365	1280	2.39
		981 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		989 = LEGITIMATE SKIP Logically assigned.....	20	0.04
		991 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		993 = DID NOT USE PAIN RELIEVERS IN PAST 12 MOS.....	2837	5.30
		994 = DON'T KNOW.....	79	0.15
		997 = REFUSED.....	33	0.06
		998 = BLANK (NO ANSWER).....	757	1.41
		999 = LEGITIMATE SKIP.....	1034	1.93

PAIN RELIEVERS			PAGE: 81	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PR12)		On average, how many days each month during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRDAYPMO	2	# DAYS PER MO USED PAIN RELIEVER "NM" PAST 12 MOS		
		RANGE = 1 - 25	589	1.10
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	15	0.03
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MOS.....	2837	5.30
		94 = DON'T KNOW.....	90	0.17
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	754	1.41
		99 = LEGITIMATE SKIP.....	1723	3.22
(PR13)		On average, how many days each week during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRDAYPWK	2	# DAYS PER WK USED PAIN RELIEVER "NM" PAST 12 MOS		
		RANGE = 1 - 7	437	0.82
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	6	0.01
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MOS.....	2837	5.30
		94 = DON'T KNOW.....	104	0.19
		97 = REFUSED.....	36	0.07
		98 = BLANK (NO ANSWER).....	751	1.40
		99 = LEGITIMATE SKIP.....	1869	3.49

TRANQUILIZERS			PAGE: 82	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TR01)		TRANQUILIZERS		

		<p>These next questions ask about the use of tranquilizers. Tranquilizers are usually prescribed to relax people, to calm people down, to relieve anxiety, or to relax muscle spasms. Some people call tranquilizers "nerve pills."</p> <p>Card B shows pictures of some different kinds of prescription tranquilizers and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription tranquilizers that were not prescribed for you, or that you took only for the experience or feeling they caused.</p> <p>Have you ever, even once, used Klonopin or Clonazepam that was not prescribed for you or that you took only for the experience or feeling it caused?</p>		
KLONOPIN	2	EVER USED KLONOPIN OR CLONAZEPAM		
		1 = Yes.....	375	0.70
		2 = No.....	2678	5.00
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	95	0.18
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	12	0.02
(TR02)		Have you ever, even once, used Xanax, Alprazolam, Ativan, or Lorazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		
XNAXATVN	2	EVER USED XANAX, ALPRAZOLAM, ATIVAN, OR LORAZEPAM		
		1 = Yes.....	1323	2.47
		2 = No.....	1739	3.25
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	87	0.16
		97 = REFUSED.....	36	0.07
		98 = BLANK (NO ANSWER).....	12	0.02

TRANQUILIZERS			PAGE: 83	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TR03)		Have you ever, even once, used Valium or Diazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		
VALMDIAZ	2	EVER USED VALIUM OR DIAZEPAM		
		1 = Yes.....	2190	4.09
		2 = No.....	870	1.62
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	84	0.16
		97 = REFUSED.....	41	0.08
		98 = BLANK (NO ANSWER).....	12	0.02
(TR04)		Please look at the tranquilizers shown below the red line on Card B.		
		Have you ever, even once, used any of these tranquilizers when they were not prescribed for you or that you took only for the experience or feeling they caused?		
TRNCARD	2	EVER USED ANY TRANQ BELOW RED LINE ON CARD B		
		1 = Yes.....	881	1.64
		2 = No.....	2161	4.03
		3 = Yes LOGICALLY ASSIGNED.....	7	0.01
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	96	0.18
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	12	0.02
(TR04A)		Which of the tranquilizers shown below the red line on Card B have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
ATARAX	2	EVER USED ATARAX "NONMEDICALLY"		
		1 = Response entered.....	65	0.12
		6 = Response not entered.....	747	1.39
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	51	0.10
		97 = REFUSED.....	67	0.13
		98 = BLANK (NO ANSWER).....	108	0.20
		99 = LEGITIMATE SKIP.....	2161	4.03

TRANQUILIZERS			PAGE:	84
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
BUSPAR	2	EVER USED BUSPAR "NONMEDICALLY"		
		1 = Response entered.....	92	0.17
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	719	1.34
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	51	0.10
		97 = REFUSED.....	67	0.13
		98 = BLANK (NO ANSWER).....	108	0.20
		99 = LEGITIMATE SKIP.....	2161	4.03
EQUANIL	2	EVER USED EQUANIL "NONMEDICALLY"		
		1 = Response entered.....	27	0.05
		6 = Response not entered.....	785	1.47
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	51	0.10
		97 = REFUSED.....	67	0.13
		98 = BLANK (NO ANSWER).....	108	0.20
		99 = LEGITIMATE SKIP.....	2161	4.03
FLEXERIL	2	EVER USED FLEXERIL "NONMEDICALLY"		
		1 = Response entered.....	229	0.43
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	582	1.09
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	51	0.10
		97 = REFUSED.....	67	0.13
		98 = BLANK (NO ANSWER).....	108	0.20
		99 = LEGITIMATE SKIP.....	2161	4.03
LIBRIUM	2	EVER USED LIBRIUM "NONMEDICALLY"		
		1 = Response entered.....	130	0.24
		6 = Response not entered.....	682	1.27
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	51	0.10
		97 = REFUSED.....	67	0.13
		98 = BLANK (NO ANSWER).....	108	0.20
		99 = LEGITIMATE SKIP.....	2161	4.03
LIMBTROL	2	EVER USED LIMBTROL "NONMEDICALLY"		
		1 = Response entered.....	24	0.04
		6 = Response not entered.....	788	1.47
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	51	0.10
		97 = REFUSED.....	67	0.13
		98 = BLANK (NO ANSWER).....	108	0.20
		99 = LEGITIMATE SKIP.....	2161	4.03

TRANQUILIZERS			PAGE:	85
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
MEPROB	2	EVER USED MEPROBAMATE "NONMEDICALLY"		
		1 = Response entered.....	31	0.06
		6 = Response not entered.....	781	1.46
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	51	0.10
		97 = REFUSED.....	67	0.13
		98 = BLANK (NO ANSWER).....	108	0.20
		99 = LEGITIMATE SKIP.....	2161	4.03
MILTOWN	2	EVER USED MILTOWN "NONMEDICALLY"		
		1 = Response entered.....	28	0.05
		6 = Response not entered.....	784	1.46
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	51	0.10
		97 = REFUSED.....	67	0.13
		98 = BLANK (NO ANSWER).....	108	0.20
		99 = LEGITIMATE SKIP.....	2161	4.03
ROHYPNOL	2	EVER USED ROHYPNOL "NONMEDICALLY"		
		1 = Response entered.....	113	0.21
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	694	1.30
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	51	0.10
		97 = REFUSED.....	67	0.13
		98 = BLANK (NO ANSWER).....	108	0.20
		99 = LEGITIMATE SKIP.....	2161	4.03
SERAX	2	EVER USED SERAX "NONMEDICALLY"		
		1 = Response entered.....	37	0.07
		6 = Response not entered.....	775	1.45
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	51	0.10
		97 = REFUSED.....	67	0.13
		98 = BLANK (NO ANSWER).....	108	0.20
		99 = LEGITIMATE SKIP.....	2161	4.03
SOMA	2	EVER USED SOMA "NONMEDICALLY"		
		1 = Response entered.....	324	0.60
		6 = Response not entered.....	488	0.91
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	51	0.10
		97 = REFUSED.....	67	0.13
		98 = BLANK (NO ANSWER).....	108	0.20
		99 = LEGITIMATE SKIP.....	2161	4.03

TRANQUILIZERS			PAGE: 86	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
TRANXENE	2	EVER USED TRANXENE "NONMEDICALLY"		
		1 = Response entered.....	58	0.11
		6 = Response not entered.....	754	1.41
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	51	0.10
		97 = REFUSED.....	67	0.13
		98 = BLANK (NO ANSWER).....	108	0.20
		99 = LEGITIMATE SKIP.....	2161	4.03
VISTAR	2	EVER USED VISTARIL "NONMEDICALLY"		
		1 = Response entered.....	65	0.12
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	746	1.39
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	51	0.10
		97 = REFUSED.....	67	0.13
		98 = BLANK (NO ANSWER).....	108	0.20
		99 = LEGITIMATE SKIP.....	2161	4.03
(TR05)		Have you ever, even once, used any other prescription tranquilizer, besides the ones shown on Card B when it was not prescribed for you or that you took only for the experience or feeling it caused?		
TRNOLST	2	EVER USED ANY OTHER TRANQUILIZER "NONMEDICALLY"		
		1 = Yes.....	296	0.55
		2 = No.....	2733	5.10
		4 = No LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	113	0.21
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	12	0.02

TRANQUILIZERS			PAGE:	87
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TRNEWA	4	OTHER TRANQUILIZER - SPECIFY 1		
		105 = Placidyl.....	1	0.00
		109 = Seconal.....	4	0.01
		110 = Tuinal.....	1	0.00
		111 = Dalmane, Flurazepam.....	1	0.00
		113 = Halcion.....	2	0.00
		115 = Phenobarbital.....	1	0.00
		116 = Methaqualone, Quaalude, Sopor.....	16	0.03
		124 = Yellow jackets.....	1	0.00
		129 = Reds.....	1	0.00
		137 = 7-14.....	1	0.00
		174 = Ambien, Zolpidem.....	4	0.01
		201 = Valium, Diazepam.....	12	0.02
		207 = Ativan , Lorazepam.....	2	0.00
		209 = Xanax, Alprazolam.....	3	0.01
		211 = Buspar.....	1	0.00
		215 = Vistaril.....	1	0.00
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	5	0.01
		222 = USED TRANQUILIZER, DON'T KNOW NAME.....	39	0.07
		223 = Carbacot, Marbaxin, Methocarbamol.....	2	0.00
		225 = Desyrel, Trazodone hydrochloride.....	3	0.01
		227 = Thorazine.....	3	0.01
		228 = Amitriptyline, Elavil.....	6	0.01
		229 = Librax.....	1	0.00
		233 = Trilafon, Perphenazine.....	1	0.00
		234 = Cyclobenzaprine, Flexeril.....	2	0.00
		240 = Lithium carbonate, Lithonate.....	1	0.00
		241 = Prozac.....	6	0.01
		246 = Clonazepam, Klonopin.....	2	0.00
		247 = Adapin, Doxepin, Sinequan.....	1	0.00
		268 = Rohypnol, Roche, roofies.....	3	0.01
		271 = Zolofte.....	2	0.00
		283 = Paroxetine, Paxil.....	1	0.00
		302 = Dexamyl.....	1	0.00
		318 = Ritalin, Methylphenidate.....	4	0.01
		406 = Percodan.....	1	0.00
		415 = Codeine.....	1	0.00
		417 = Morphine, Roxanol.....	1	0.00
		434 = Anexsia, Co-Gesic, Lortab, Tussionex, Vicodin.....	2	0.00
		438 = Anaprox, Naprosyn, Naproxen.....	1	0.00
		658 = Special K, Ketamine.....	11	0.02
		663 = Animal tranquilizer, horse tranquilizer.....	3	0.01
		2001 = Soma.....	1	0.00
		2002 = Muscle Relaxers.....	3	0.01
		3023 = Adderall.....	1	0.00
		4027 = Rorer.....	1	0.00
		8017 = Buscapina.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		9985 = BAD DATA Logically assigned.....	6	0.01
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		9991 = NEVER USED TRANQUILIZERS.....	50356	94.02

TRANQUILIZERS			PAGE:	88
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		9997 = REFUSED.....	50	0.09
		9998 = BLANK (NO ANSWER).....	247	0.46
		9999 = LEGITIMATE SKIP.....	2733	5.10
TRNEWB	4	OTHER TRANQUILIZER - SPECIFY 2		
		110 = Tuinal.....	2	0.00
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	1	0.00
		137 = 7-14.....	1	0.00
		201 = Valium, Diazepam.....	2	0.00
		207 = Ativan , Lorazepam.....	1	0.00
		209 = Xanax, Alprazolam.....	1	0.00
		211 = Buspar.....	1	0.00
		222 = USED TRANQUILIZER, DON'T KNOW NAME.....	1	0.00
		225 = Desyrel, Trazodone hydrochloride.....	1	0.00
		227 = Thorazine.....	1	0.00
		228 = Amitriptyline, Elavil.....	1	0.00
		240 = Lithium carbonate, Lithonate.....	1	0.00
		250 = Aventyl, Nortriptyline, Pamelor.....	1	0.00
		268 = Rohypnol, Roche, roofies.....	2	0.00
		318 = Ritalin, Methylphenidate.....	1	0.00
		363 = Bam(s).....	1	0.00
		406 = Percodan.....	1	0.00
		435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
		663 = Animal tranquilizer, horse tranquilizer.....	2	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED TRANQUILIZERS.....	50356	94.02
		9997 = REFUSED.....	44	0.08
		9998 = BLANK (NO ANSWER).....	397	0.74
		9999 = LEGITIMATE SKIP.....	2734	5.10
TRNEWC	4	OTHER TRANQUILIZER - SPECIFY 3		
		110 = Tuinal.....	1	0.00
		201 = Valium, Diazepam.....	1	0.00
		207 = Ativan , Lorazepam.....	2	0.00
		241 = Prozac.....	1	0.00
		363 = Bam(s).....	1	0.00
		425 = Advil <OTC>.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		9991 = NEVER USED TRANQUILIZERS.....	50356	94.02
		9997 = REFUSED.....	45	0.08
		9998 = BLANK (NO ANSWER).....	413	0.77
		9999 = LEGITIMATE SKIP.....	2734	5.10
TRNEWD	4	OTHER TRANQUILIZER - SPECIFY 4		
		430 = Aspirin, Ecotrin, Empirin <OTC>.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		9991 = NEVER USED TRANQUILIZERS.....	50356	94.02
		9997 = REFUSED.....	44	0.08
		9998 = BLANK (NO ANSWER).....	420	0.78
		9999 = LEGITIMATE SKIP.....	2734	5.10

TRANQUILIZERS			PAGE:	89
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
TRNEWE	4	OTHER TRANQUILIZER - SPECIFY 5		
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		9991 = NEVER USED TRANQUILIZERS.....	50356	94.02
		9997 = REFUSED.....	44	0.08
		9998 = BLANK (NO ANSWER).....	421	0.79
		9999 = LEGITIMATE SKIP.....	2734	5.10
(TR06)		How old were you the first time you used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRANAGE	3	AGE WHEN FIRST USED TRANQUILIZERS "NONMEDICALLY"		
		RANGE = 1 - 75	2808	5.24
		981 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		985 = BAD DATA Logically assigned.....	31	0.06
		991 = NEVER USED TRANQUILIZERS.....	50356	94.02
		994 = DON'T KNOW.....	113	0.21
		997 = REFUSED.....	48	0.09
		998 = BLANK (NO ANSWER).....	199	0.37
(TR07A)		NOTE: For respondents who initiated use within 1 year of their current age, responses from the individual year-of-first use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.		
TRANYFU	4	YEAR OF FIRST TRANQUILIZER USE - RECODE		
		RANGE = 1997 - 1999	415	0.77
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		9985 = BAD DATA Logically assigned.....	143	0.27
		9991 = NEVER USED TRANQUILIZERS.....	50356	94.02
		9994 = DON'T KNOW.....	119	0.22
		9997 = REFUSED.....	49	0.09
		9998 = BLANK (NO ANSWER).....	215	0.40
		9999 = LEGITIMATE SKIP (TRANAGE<AGE-1).....	2258	4.22

TRANQUILIZERS			PAGE:	90
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
TRANMFU	2	MONTH OF FIRST TRANQUILIZER USE - RECODE		
		1 = January.....	31	0.06
		2 = February.....	33	0.06
		3 = March.....	31	0.06
		4 = April.....	27	0.05
		5 = May.....	27	0.05
		6 = June.....	28	0.05
		7 = July.....	35	0.07
		8 = August.....	21	0.04
		9 = September.....	29	0.05
		10 = October.....	29	0.05
		11 = November.....	22	0.04
		12 = December.....	24	0.04
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	149	0.28
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		94 = DON'T KNOW.....	193	0.36
		97 = REFUSED.....	53	0.10
		98 = BLANK (NO ANSWER).....	209	0.39
		99 = LEGITIMATE SKIP.....	2258	4.22
(TR09)		How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRANREC	2	TIME SINCE LAST USED TRANQUILIZERS "NONMEDICALLY"		
		1 = Within the past 30 days.....	331	0.62
		2 = More than 30 days ago but within the past 12 mos..	589	1.10
		3 = More than 12 months ago.....	1900	3.55
		8 = Used at some point in the past 12 mos LOG ASSN....	1	0.00
		9 = Used at some point in lifetime LOG ASSN.....	155	0.29
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	199	0.37
TRNYRTOT	3	TOTAL # DAYS USED TRANQUILIZERS PAST 12 MONTHS		
		RANGE = 1 - 364	895	1.67
		981 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		985 = BAD DATA Logically assigned.....	3	0.01
		991 = NEVER USED TRANQUILIZERS.....	50356	94.02
		993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	1900	3.55
		994 = DON'T KNOW.....	22	0.04
		997 = REFUSED.....	27	0.05
		998 = BLANK (NO ANSWER).....	352	0.66
TRTOTFG	2	TRIMMING INDICATOR FOR TRNYRTOT		
		98 = BLANK (NO ANSWER).....	53560	100.0

TRANQUILIZERS			PAGE:	91
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TRFQFLG	2	TRIMMED TRNYRTOT IF R USED < 12 MOS 1 = Trimmed to be consistent with mo/yr of 1st use.... 98 = BLANK (NO ANSWER).....	57 53503	0.11 99.89
(TR10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months. What would be the easiest way for you to tell us how many days you used a prescription tranquilizer in either of these ways?		
TRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED TRANQUILIZER 1 = Prefer to answer in days per week..... 2 = Prefer to answer in days per month..... 3 = Prefer to answer in days per year..... 12 = Prefer to ans in days per mo LOG ASSN..... 13 = Prefer to ans in days per yr LOG ASSN..... 81 = NEVER USED TRANQUILIZERS Logically assigned..... 85 = BAD DATA Logically assigned..... 91 = NEVER USED TRANQUILIZERS..... 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER).....	143 244 506 3 13 5 3 50356 1900 9 26 352	0.27 0.46 0.94 0.01 0.02 0.01 0.01 94.02 3.55 0.02 0.05 0.66
(TR11)		On how many days in the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRDAYPYR	3	# DAYS USED TRANQUILIZERS "NM" PAST 12 MONTHS RANGE = 1 - 175 981 = NEVER USED TRANQUILIZERS Logically assigned..... 985 = BAD DATA Logically assigned..... 989 = LEGITIMATE SKIP Logically assigned..... 991 = NEVER USED TRANQUILIZERS..... 993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS..... 994 = DON'T KNOW..... 997 = REFUSED..... 998 = BLANK (NO ANSWER)..... 999 = LEGITIMATE SKIP.....	514 5 1 3 50356 1900 13 27 354 387	0.96 0.01 0.00 0.01 94.02 3.55 0.02 0.05 0.66 0.72

TRANQUILIZERS			PAGE: 92	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TR12)		On average, how many days each month during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRDAYPMO	2	# DAYS PER MO USED TRANQUILIZERS "NM" PAST 12 MOS		
		RANGE = 1 - 20	240	0.45
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	1900	3.55
		94 = DON'T KNOW.....	19	0.04
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	354	0.66
		99 = LEGITIMATE SKIP.....	657	1.23
(TR13)		On average, how many days each week during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRDAYPWK	2	# DAYS USED PER WK TRANQUILIZERS "NM" PAST 12 MOS		
		RANGE = 1 - 7	141	0.26
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	1900	3.55
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	354	0.66
		99 = LEGITIMATE SKIP.....	754	1.41

		STIMULANTS	PAGE: 93	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST01)		STIMULANTS		

		<p>These questions ask about the use of drugs such as amphetamines that are known as stimulants, "uppers," or "speed." People sometimes take these drugs to lose weight, to stay awake, or for attention deficit disorders. We are not interested in the use of "over-the-counter" stimulants such as Dexatrim or No-Doz that can be bought in drug stores or grocery stores without a doctor's prescription.</p> <p>Card C shows pictures of some different kinds of prescription stimulants and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription stimulants that were not prescribed for you, or that you took only for the experience or feeling they caused.</p> <p>Have you ever, even once, used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused? Methamphetamine is also known as crank, crystal, ice, or speed.</p>		
METHDES	2	EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE		
		1 = Yes.....	2023	3.78
		2 = No.....	1740	3.25
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		94 = DON'T KNOW.....	82	0.15
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	16	0.03
(ST02)		<p>Have you ever, even once, used prescription diet pills, such as Amphetamines, Benzedrine, Biphetamine, Fastin, or Phentermine, that was not prescribed for you or that you took only for the experience or feeling it caused?</p>		
DIETPILS	2	EVER USED DIET PILLS SUCH AS AMPHETAMINES, ETC		
		1 = Yes.....	1294	2.42
		2 = No.....	2478	4.63
		3 = Yes LOGICALLY ASSIGNED.....	5	0.01
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		94 = DON'T KNOW.....	78	0.15
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	16	0.03

		STIMULANTS	PAGE: 94	
LABEL	LEN	DESCRIPTION	FREQ	%

(ST03)		Have you ever, even once, used Ritalin or Methylphenidate that was not prescribed for you or that you took only for the experience or feeling it caused?		
RITMPHEN	2	EVER USED RITALIN OR METHYLPHENIDATE		
		1 = Yes.....	1180	2.20
		2 = No.....	2604	4.86
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		94 = DON'T KNOW.....	72	0.13
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	16	0.03
(ST04)		Please look at the stimulants shown below the red line on Card C.		
		Have you ever, even once, used any of these stimulants when they were not prescribed for you or that you took only for the experience or feeling they caused?		
STMCARD	2	EVER USED ANY STIMULANT BELOW RED LINE ON CARD C		
		1 = Yes.....	678	1.27
		2 = No.....	3083	5.76
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		94 = DON'T KNOW.....	87	0.16
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	16	0.03
(ST04A)		Which of the stimulants shown below the red line on Card C have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
CYLERT	2	EVER USED CYLERT "NONMEDICALLY"		
		1 = Response entered.....	71	0.13
		6 = Response not entered.....	497	0.93
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		94 = DON'T KNOW.....	87	0.16
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	103	0.19
		99 = LEGITIMATE SKIP.....	3083	5.76

STIMULANTS			PAGE:	95
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
DEXED	2	EVER USED DEXEDRINE "NONMEDICALLY"		
		1 = Response entered.....	295	0.55
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	271	0.51
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		94 = DON'T KNOW.....	87	0.16
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	103	0.19
		99 = LEGITIMATE SKIP.....	3083	5.76
DETAMP	2	EVER USED DEXTROAMPHET "NONMEDICALLY"		
		1 = Response entered.....	99	0.18
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	468	0.87
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		94 = DON'T KNOW.....	87	0.16
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	103	0.19
		99 = LEGITIMATE SKIP.....	3083	5.76
DIDREX	2	EVER USED DIDREX "NONMEDICALLY"		
		1 = Response entered.....	35	0.07
		6 = Response not entered.....	533	1.00
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		94 = DON'T KNOW.....	87	0.16
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	103	0.19
		99 = LEGITIMATE SKIP.....	3083	5.76
ESKAT	2	EVER USED ESKATROL "NONMEDICALLY"		
		1 = Response entered.....	24	0.04
		6 = Response not entered.....	544	1.02
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		94 = DON'T KNOW.....	87	0.16
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	103	0.19
		99 = LEGITIMATE SKIP.....	3083	5.76
IONAMIN	2	EVER USED IONAMIN "NONMEDICALLY"		
		1 = Response entered.....	57	0.11
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	509	0.95
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		94 = DON'T KNOW.....	87	0.16
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	103	0.19
		99 = LEGITIMATE SKIP.....	3083	5.76

STIMULANTS			PAGE:	96
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
MAZANOR	2	EVER USED MAZANOR "NONMEDICALLY"		
		1 = Response entered.....	23	0.04
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	544	1.02
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		94 = DON'T KNOW.....	87	0.16
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	103	0.19
		99 = LEGITIMATE SKIP.....	3083	5.76
OBLA	2	EVER USED OBEDRIN-LA "NONMEDICALLY"		
		1 = Response entered.....	8	0.01
		6 = Response not entered.....	560	1.05
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		94 = DON'T KNOW.....	87	0.16
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	103	0.19
		99 = LEGITIMATE SKIP.....	3083	5.76
PLEGINE	2	EVER USED PLEGINE "NONMEDICALLY"		
		1 = Response entered.....	14	0.03
		6 = Response not entered.....	554	1.03
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		94 = DON'T KNOW.....	87	0.16
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	103	0.19
PRELUDIN	2	EVER USED PRELUDIN "NONMEDICALLY"		
		1 = Response entered.....	84	0.16
		6 = Response not entered.....	484	0.90
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		94 = DON'T KNOW.....	87	0.16
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	103	0.19
SANOREX	2	EVER USED SANOREX "NONMEDICALLY"		
		1 = Response entered.....	45	0.08
		6 = Response not entered.....	523	0.98
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		94 = DON'T KNOW.....	87	0.16
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	103	0.19
		99 = LEGITIMATE SKIP.....	3083	5.76

STIMULANTS			PAGE:	97
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
TENUATE	2	EVER USED TENUATE "NONMEDICALLY"		
		1 = Response entered.....	30	0.06
		6 = Response not entered.....	538	1.00
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		94 = DON'T KNOW.....	87	0.16
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	103	0.19
		99 = LEGITIMATE SKIP.....	3083	5.76
(ST05)		Have you ever, even once, used any other prescription stimulant, besides the ones shown on Card C when it was not prescribed for you or that you took only for the experience or feeling it caused?		
STMNOLST	2	EVER USED ANY OTHER STIMULANT "NONMEDICALLY"		
		1 = Yes.....	370	0.69
		2 = No.....	3364	6.28
		4 = No LOGICALLY ASSIGNED.....	4	0.01
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		94 = DON'T KNOW.....	114	0.21
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	16	0.03

		STIMULANTS	PAGE:	98
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
STIMNEWA	4	OTHER STIMULANT - SPECIFY 1		
		112 = Restoril, Temazepam.....	1	0.00
		209 = Xanax, Alprazolam.....	1	0.00
		240 = Lithium carbonate, Lithonate.....	1	0.00
		241 = Prozac.....	4	0.01
		268 = Rohypnol, Roche, roofies.....	1	0.00
		271 = Zoloft.....	1	0.00
		301 = Dexedrine.....	1	0.00
		302 = Dexamyl.....	1	0.00
		306 = Desoxyn.....	2	0.00
		312 = Ionamin.....	2	0.00
		313 = Adipex-P, Fastin, Phentermine.....	11	0.02
		317 = Mazanor.....	1	0.00
		318 = Ritalin, Methylphenidate.....	5	0.01
		320 = Dextroamphetamine.....	2	0.00
		322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED..	5	0.01
		325 = USED STIMULANT, DON'T KNOW NAME.....	62	0.12
		326 = White cross.....	12	0.02
		327 = Black beauties, Black Beauty.....	19	0.04
		328 = Pink hearts.....	1	0.00
		329 = Bird's eggs, Robin's eggs, speckled eggs.....	2	0.00
		330 = Blue birds, blue jays, blue robins, speckled bird.	3	0.01
		331 = Blancs, Whites.....	1	0.00
		332 = Ma huang, Ephedrine.....	12	0.02
		333 = 357 Magnum, Magnum 44.....	2	0.00
		334 = Crossroads, cross tops.....	4	0.01
		339 = Amphetamines.....	1	0.00
		345 = Black Molly.....	1	0.00
		348 = Crystal.....	1	0.00
		353 = No-Doz <OTC>.....	1	0.00
		355 = Crystal meth.....	1	0.00
		363 = Bam(s).....	2	0.00
		364 = Pseudophedrine.....	1	0.00
		366 = Duromine.....	1	0.00
		374 = Christmas tree(s).....	1	0.00
		396 = Black Rjs, RJ8.....	2	0.00
		414 = Propoxyphene.....	1	0.00
		606 = "Ecstasy" (MDMA), X-TC, "X".....	1	0.00
		3015 = Fen-Phen (fenfluramine and phentermine).....	3	0.01
		3023 = Adderall.....	15	0.03
		3026 = Bupropion, Wellbutrin, Zyban.....	2	0.00
		3028 = Blackbirds.....	1	0.00
		3031 = Brethine, Bricanyl, Terbutaline.....	1	0.00
		3032 = Heads up.....	2	0.00
		3035 = Blacks.....	1	0.00
		3038 = Obenil.....	1	0.00
		3039 = Theophed.....	1	0.00
		3040 = Hyper pills.....	1	0.00
		3041 = Desbutal.....	1	0.00
		3050 = Mini Thins.....	6	0.01

STIMULANTS			PAGE:	99
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
		3052 = Speed, otherwise unspecified.....	5	0.01
		8039 = Kaopectate <OTC>.....	1	0.00
		9981 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		9985 = BAD DATA Logically assigned.....	6	0.01
		9989 = LEGITIMATE SKIP Logically assigned.....	4	0.01
		9991 = NEVER USED STIMULANTS.....	49635	92.67
		9997 = REFUSED.....	54	0.10
		9998 = BLANK (NO ANSWER).....	272	0.51
		9999 = LEGITIMATE SKIP.....	3364	6.28
STIMNEWB	4	OTHER STIMULANT - SPECIFY 2		
		116 = Methaqualone, Quaalude, Sopor.....	1	0.00
		124 = Yellow jackets.....	1	0.00
		209 = Xanax, Alprazolam.....	1	0.00
		285 = Risperdal, resperidone.....	1	0.00
		301 = Dexedrine.....	1	0.00
		306 = Desoxyn.....	1	0.00
		325 = USED STIMULANT, DON'T KNOW NAME.....	3	0.01
		326 = White cross.....	1	0.00
		327 = Black beauties, Black Beauty.....	2	0.00
		329 = Bird's eggs, Robin's eggs, speckled eggs.....	1	0.00
		336 = Diet pills.....	1	0.00
		374 = Christmas tree(s).....	1	0.00
		408 = Dilaudid.....	1	0.00
		3023 = Adderall.....	3	0.01
		3029 = Soccerballs.....	1	0.00
		3037 = Effexor.....	1	0.00
		3042 = 30-30.....	1	0.00
		3043 = Brown Bodies.....	1	0.00
		3050 = Mini Thins.....	2	0.00
		3052 = Speed, otherwise unspecified.....	1	0.00
		9981 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		9985 = BAD DATA Logically assigned.....	4	0.01
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		9991 = NEVER USED STIMULANTS.....	49635	92.67
		9997 = REFUSED.....	47	0.09
		9998 = BLANK (NO ANSWER).....	468	0.87
		9999 = LEGITIMATE SKIP.....	3367	6.29
STIMNEWC	4	OTHER STIMULANT - SPECIFY 3		
		201 = Valium, Diazepam.....	1	0.00
		241 = Prozac.....	1	0.00
		271 = Zoloft.....	1	0.00
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED..	1	0.00
		331 = Blancs, Whites.....	1	0.00
		3023 = Adderall.....	1	0.00
		9981 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED STIMULANTS.....	49635	92.67
		9997 = REFUSED.....	45	0.08
		9998 = BLANK (NO ANSWER).....	493	0.92
		9999 = LEGITIMATE SKIP.....	3368	6.29

STIMULANTS			PAGE:	100
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
STIMNEWD	4	OTHER STIMULANT - SPECIFY 4		
		201 = Valium, Diazepam.....	1	0.00
		9981 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED STIMULANTS.....	49635	92.67
		9997 = REFUSED.....	45	0.08
		9998 = BLANK (NO ANSWER).....	498	0.93
		9999 = LEGITIMATE SKIP.....	3368	6.29
STIMNEWE	4	OTHER STIMULANT - SPECIFY 5		
		9981 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED STIMULANTS.....	49635	92.67
		9997 = REFUSED.....	45	0.08
		9998 = BLANK (NO ANSWER).....	499	0.93
		9999 = LEGITIMATE SKIP.....	3368	6.29
(ST06)		How old were you the first time you used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STIMAGE	3	AGE WHEN FIRST USED STIMULANTS "NONMEDICALLY"		
		RANGE = 1 - 50	3468	6.47
		981 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		985 = BAD DATA Logically assigned.....	36	0.07
		991 = NEVER USED STIMULANTS.....	49635	92.67
		994 = DON'T KNOW.....	131	0.24
		997 = REFUSED.....	76	0.14
		998 = BLANK (NO ANSWER).....	202	0.38
(ST07A)		NOTE: For respondents who initiated use within 1 year of their current age, responses from the individual year-of-first use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.		
STIMYFU	4	YEAR OF FIRST STIMULANT USE - RECODE		
		RANGE = 1997 - 1999	431	0.80
		9981 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		9985 = BAD DATA Logically assigned.....	150	0.28
		9989 = LEGITIMATE SKIP Logically assn (STIMAGE<AGE-1)....	27	0.05
		9991 = NEVER USED STIMULANTS.....	49635	92.67
		9994 = DON'T KNOW.....	140	0.26
		9997 = REFUSED.....	77	0.14
		9998 = BLANK (NO ANSWER).....	219	0.41
		9999 = LEGITIMATE SKIP (STIMAGE<AGE-1).....	2869	5.36

STIMULANTS			PAGE:	101
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
STIMMFU	2	MONTH OF FIRST STIMULANT USE - RECODE		
		1 = January.....	31	0.06
		2 = February.....	31	0.06
		3 = March.....	39	0.07
		4 = April.....	22	0.04
		5 = May.....	36	0.07
		6 = June.....	25	0.05
		7 = July.....	32	0.06
		8 = August.....	23	0.04
		9 = September.....	36	0.07
		10 = October.....	38	0.07
		11 = November.....	18	0.03
		12 = December.....	17	0.03
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	156	0.29
		89 = LEGITIMATE SKIP Logically assigned.....	27	0.05
		91 = NEVER USED STIMULANTS.....	49635	92.67
		94 = DON'T KNOW.....	220	0.41
		97 = REFUSED.....	80	0.15
		98 = BLANK (NO ANSWER).....	213	0.40
		99 = LEGITIMATE SKIP.....	2869	5.36
(ST09) How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?				
STIMREC	2	TIME SINCE LAST USED STIMULANTS "NONMEDICALLY"		
		1 = Within the past 30 days.....	309	0.58
		2 = More than 30 days ago but within the past 12 mos..	601	1.12
		3 = More than 12 months ago.....	2531	4.73
		8 = Used at some point in the past 12 mos LOG ASSN....	18	0.03
		9 = Used at some point in lifetime LOG ASSN.....	226	0.42
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	5	0.01
		12 = Used >30 days ago but within pst 12 mos LOG ASSN..	11	0.02
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	184	0.34
STMYRTOT	3	TOTAL # DAYS USED STIMULANTS PAST 12 MONTHS		
		RANGE = 1 - 364	677	1.26
		981 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		985 = BAD DATA Logically assigned.....	8	0.01
		991 = NEVER USED STIMULANTS.....	49635	92.67
		993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2531	4.73
		994 = DON'T KNOW.....	14	0.03
		997 = REFUSED.....	31	0.06
		998 = BLANK (NO ANSWER).....	652	1.22
STTOTFG	2	TRIMMING INDICATOR FOR STMYRTOT		
		98 = BLANK (NO ANSWER).....	53560	100.0

STIMULANTS			PAGE:	102
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
STFQFLG	2	TRIMMED STMYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	51	0.10
		98 = BLANK (NO ANSWER).....	53509	99.90
(ST10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription stimulant in either of these ways?		
STBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED STIMULANT		
		1 = Prefer to answer in days per week.....	142	0.27
		2 = Prefer to answer in days per month.....	173	0.32
		3 = Prefer to answer in days per year.....	358	0.67
		11 = Prefer to ans in days per wk LOG ASSN.....	1	0.00
		12 = Prefer to ans in days per mo LOG ASSN.....	1	0.00
		13 = Prefer to ans in days per yr LOG ASSN.....	11	0.02
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	8	0.01
		91 = NEVER USED STIMULANTS.....	49635	92.67
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2531	4.73
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	30	0.06
		98 = BLANK (NO ANSWER).....	652	1.22
(ST11)		On how many days in the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STDAYPYR	3	# DAYS USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 320	364	0.68
		981 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		991 = NEVER USED STIMULANTS.....	49635	92.67
		993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2531	4.73
		994 = DON'T KNOW.....	11	0.02
		997 = REFUSED.....	30	0.06
		998 = BLANK (NO ANSWER).....	660	1.23
		999 = LEGITIMATE SKIP.....	316	0.59

STIMULANTS			PAGE:	103
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(ST12)		On average, how many days each month during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STDAYPMO	2	# DAYS PER MO USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 30	172	0.32
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	49635	92.67
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2531	4.73
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	657	1.23
		99 = LEGITIMATE SKIP.....	506	0.94
(ST13)		On average, how many days each week during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STDAYPWK	2	# DAYS PER WEEK USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 7	141	0.26
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED STIMULANTS.....	49635	92.67
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2531	4.73
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	655	1.22
		99 = LEGITIMATE SKIP.....	536	1.00
(ST14)		Now think only about your use of Methamphetamine, Desoxyn, or Methedrine. How old were you the first time you used Methamphetamine, Desoxyn, or Methedrine?		
METHAGE	3	AGE WHEN 1ST USED METHAMPH, DESOXYN, METHEDRINE		
		RANGE = 1 - 41	1923	3.59
		981 = NEVER USED METHAMPHETAMINES Logically assigned....	12	0.02
		985 = BAD DATA Logically assigned.....	15	0.03
		991 = NEVER USED METHAMPHETAMINES.....	51375	95.92
		994 = DON'T KNOW.....	64	0.12
		997 = REFUSED.....	71	0.13
		998 = BLANK (NO ANSWER).....	100	0.19

STIMULANTS			PAGE:	104
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(ST14A)		NOTE: For respondents who initiated use within 1 year of their current age, responses from the individual year-of-first use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.		
METHYFU	4	YEAR OF FIRST METHAMPHETAMINE USE - RECODE		
		RANGE = 1997 - 1999	144	0.27
		9981 = NEVER USED METHAMPHETAMINES Logically assigned....	12	0.02
		9985 = BAD DATA Logically assigned.....	60	0.11
		9991 = NEVER USED METHAMPHETAMINES.....	51375	95.92
		9994 = DON'T KNOW.....	64	0.12
		9997 = REFUSED.....	72	0.13
		9998 = BLANK (NO ANSWER).....	108	0.20
		9999 = LEGITIMATE SKIP (METHAGE<AGE-1).....	1725	3.22
METHMFU	2	MONTH OF FIRST METHAMPHETAMINE USE - RECODE		
		1 = January.....	10	0.02
		2 = February.....	13	0.02
		3 = March.....	13	0.02
		4 = April.....	6	0.01
		5 = May.....	11	0.02
		6 = June.....	8	0.01
		7 = July.....	11	0.02
		8 = August.....	8	0.01
		9 = September.....	14	0.03
		10 = October.....	13	0.02
		11 = November.....	5	0.01
		12 = December.....	8	0.01
		81 = NEVER USED METHAMPHETAMINES Logically assigned....	12	0.02
		85 = BAD DATA Logically assigned.....	61	0.11
		91 = NEVER USED METHAMPHETAMINES.....	51375	95.92
		94 = DON'T KNOW.....	88	0.16
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	107	0.20
		99 = LEGITIMATE SKIP.....	1725	3.22
(ST15)		How long has it been since you last used Methamphetamine, Desoxyn, or Methedrine?		
METHREC	2	TIME SINCE LAST USED METHAMPHETAMINES		
		1 = Within the past 30 days.....	127	0.24
		2 = More than 30 days ago but within the past 12 mos..	274	0.51
		3 = More than 12 months ago.....	1510	2.82
		9 = Used at some point in lifetime LOG ASSN.....	114	0.21
		81 = NEVER USED METHAMPHETAMINES Logically assigned....	12	0.02
		91 = NEVER USED METHAMPHETAMINES.....	51375	95.92
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	98	0.18

SEDATIVES			PAGE:	105
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SV01)		SEDATIVES		

These next questions ask about the use of sedatives or barbiturates. These drugs are also called "downers," or "sleeping pills." People take these drugs to help them relax or to help them sleep. We are not interested in the use of "over-the-counter" sedatives such as Sominex, Unisom, Nytol, or Benadryl that can be bought in drug stores or grocery stores without a doctor's prescription.

Card D shows pictures of some different kinds of prescription sedatives and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription sedatives that were not prescribed for you, or that you took only for the experience or feeling they caused.

Have you ever, even once, used Methaqualone, Sopor, or Quaalude that was not prescribed for you or that you took only for the experience or feeling it caused?

METHAQ	2	EVER USED METHAQUALONE, SOPOR, OR QUAALUDE		
		1 = Yes.....	763	1.42
		2 = No.....	483	0.90
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		94 = DON'T KNOW.....	84	0.16
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	17	0.03

(SV02) Have you ever, even once, used barbiturates such as Nembutal, Pentobarbital, Seconal, Secobarbital, or Butalbital that were not prescribed for you or that you took only for the experience or feeling they caused?

NEMBBARB	2	EVER USED BARBITURATES SUCH AS NEMBUTAL, ETC		
		1 = Yes.....	392	0.73
		2 = No.....	852	1.59
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		94 = DON'T KNOW.....	89	0.17
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	18	0.03

SEDATIVES			PAGE:	106
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SV03)		Have you ever, even once, used Restoril or Temazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		
RESTTMAZ	2	EVER USED RESTORIL OR TEMAZEPAM		
		1 = Yes.....	140	0.26
		2 = No.....	1113	2.08
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		94 = DON'T KNOW.....	82	0.15
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	20	0.04
(SV04)		Please look at the sedatives shown below the red line on Card D.		
		Have you ever, even once, used any of these sedatives when they were not prescribed for you or that you took only for the experience or feeling they caused?		
SEDCARD	2	EVER USED ANY SEDATIVES BELOW RED LINE ON CARD D		
		1 = Yes.....	416	0.78
		2 = No.....	824	1.54
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		94 = DON'T KNOW.....	87	0.16
		97 = REFUSED.....	41	0.08
		98 = BLANK (NO ANSWER).....	20	0.04
(SV04A)		Which of the sedatives shown below the red line on Card D have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
AMYTAL	2	EVER USED AMYTAL "NONMEDICALLY"		
		1 = Response entered.....	41	0.08
		6 = Response not entered.....	346	0.65
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	47	0.09
		98 = BLANK (NO ANSWER).....	107	0.20
		99 = LEGITIMATE SKIP.....	824	1.54

SEDATIVES			PAGE:	107
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
BUTISOL	2	EVER USED BUTISOL "NONMEDICALLY"		
		1 = Response entered.....	30	0.06
		6 = Response not entered.....	357	0.67
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	47	0.09
		98 = BLANK (NO ANSWER).....	107	0.20
		99 = LEGITIMATE SKIP.....	824	1.54
CHHYD	2	EVER USED CHLORAL HYDRATE "NONMEDICALLY"		
		1 = Response entered.....	28	0.05
		6 = Response not entered.....	359	0.67
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	47	0.09
		98 = BLANK (NO ANSWER).....	107	0.20
		99 = LEGITIMATE SKIP.....	824	1.54
DALMANE	2	EVER USED DALMANE "NONMEDICALLY"		
		1 = Response entered.....	52	0.10
		6 = Response not entered.....	335	0.63
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	47	0.09
		98 = BLANK (NO ANSWER).....	107	0.20
		99 = LEGITIMATE SKIP.....	824	1.54
HALCION	2	EVER USED HALCION "NONMEDICALLY"		
		1 = Response entered.....	94	0.18
		6 = Response not entered.....	293	0.55
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	47	0.09
		98 = BLANK (NO ANSWER).....	107	0.20
		99 = LEGITIMATE SKIP.....	824	1.54
PHENOBAR	2	EVER USED PHENOBARBITAL "NONMEDICALLY"		
		1 = Response entered.....	149	0.28
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	237	0.44
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	47	0.09
		98 = BLANK (NO ANSWER).....	107	0.20
		99 = LEGITIMATE SKIP.....	824	1.54

SEDATIVES			PAGE:	108
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
PLACIDYL	2	EVER USED PLACIDYL "NONMEDICALLY"		
		1 = Response entered.....	94	0.18
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	291	0.54
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	47	0.09
		98 = BLANK (NO ANSWER).....	107	0.20
		99 = LEGITIMATE SKIP.....	824	1.54
TUINAL	2	EVER USED TUINAL "NONMEDICALLY"		
		1 = Response entered.....	98	0.18
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	288	0.54
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	47	0.09
		98 = BLANK (NO ANSWER).....	107	0.20
		99 = LEGITIMATE SKIP.....	824	1.54
(SV05)		Have you ever, even once, used any other prescription sedative, besides the ones shown on Card D when it was not prescribed for you or that you took only for the experience or feeling it caused?		
SEDNOLST	2	EVER USED ANY OTHER SEDATIVE "NONMEDICALLY"		
		1 = Yes.....	180	0.34
		2 = No.....	1030	1.92
		4 = No LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		94 = DON'T KNOW.....	116	0.22
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	20	0.04

SEDATIVES			PAGE:	109
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
SEDNEWA	4	OTHER SEDATIVES - SPECIFY 1		
		105 = Placidyl.....	1	0.00
		110 = Tuinal.....	1	0.00
		115 = Phenobarbital.....	1	0.00
		116 = Methaqualone, Quaalude, Sopor.....	2	0.00
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	2	0.00
		121 = USED SEDATIVE, DON'T KNOW NAME.....	43	0.08
		174 = Ambien, Zolpidem.....	7	0.01
		182 = Melzone.....	1	0.00
		201 = Valium, Diazepam.....	3	0.01
		209 = Xanax, Alprazolam.....	2	0.00
		220 = Meproamate, Meprospan.....	1	0.00
		225 = Desyrel, Trazodone hydrochloride.....	11	0.02
		227 = Thorazine.....	2	0.00
		228 = Amitriptyline, Elavil.....	4	0.01
		234 = Cyclobenzaprine, Flexeril.....	1	0.00
		241 = Prozac.....	1	0.00
		246 = Clonazepam, Klonopin.....	1	0.00
		247 = Adapin, Doxepin, Sinequan.....	1	0.00
		268 = Rohypnol, Roche, roofies.....	2	0.00
		271 = Zolofte.....	1	0.00
		283 = Paroxetine, Paxil.....	1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	1	0.00
		417 = Morphine, Roxanol.....	2	0.00
		418 = Dolophine, Methadone.....	1	0.00
		2001 = Soma.....	1	0.00
		8002 = Zantac.....	1	0.00
		8011 = Herb, flower, plant; type unspecified.....	1	0.00
		8025 = Claritin, Claritin D.....	1	0.00
		9981 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		9985 = BAD DATA Logically assigned.....	3	0.01
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		9991 = NEVER USED SEDATIVES.....	52161	97.39
		9997 = REFUSED.....	47	0.09
		9998 = BLANK (NO ANSWER).....	211	0.39
		9999 = LEGITIMATE SKIP.....	1030	1.92
SEDNEWB	4	OTHER SEDATIVES - SPECIFY 2		
		105 = Placidyl.....	1	0.00
		201 = Valium, Diazepam.....	1	0.00
		225 = Desyrel, Trazodone hydrochloride.....	2	0.00
		268 = Rohypnol, Roche, roofies.....	1	0.00
		9981 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED SEDATIVES.....	52161	97.39
		9997 = REFUSED.....	42	0.08
		9998 = BLANK (NO ANSWER).....	310	0.58
		9999 = LEGITIMATE SKIP.....	1031	1.92

SEDATIVES			PAGE:	110
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
SEDNEWC	4	OTHER SEDATIVES - SPECIFY 3		
		9981 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		9991 = NEVER USED SEDATIVES.....	52161	97.39
		9997 = REFUSED.....	42	0.08
		9998 = BLANK (NO ANSWER).....	316	0.59
		9999 = LEGITIMATE SKIP.....	1031	1.92
SEDNEWD	4	OTHER SEDATIVES - SPECIFY 4		
		9981 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		9991 = NEVER USED SEDATIVES.....	52161	97.39
		9997 = REFUSED.....	42	0.08
		9998 = BLANK (NO ANSWER).....	316	0.59
		9999 = LEGITIMATE SKIP.....	1031	1.92
SEDNEWE	4	OTHER SEDATIVES - SPECIFY 5		
		9981 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		9991 = NEVER USED SEDATIVES.....	52161	97.39
		9997 = REFUSED.....	42	0.08
		9998 = BLANK (NO ANSWER).....	316	0.59
		9999 = LEGITIMATE SKIP.....	1031	1.92
(SV06)		How old were you the first time you used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SEDAGE	3	AGE WHEN FIRST USED SEDATIVES "NONMEDICALLY"		
		RANGE = 1 - 67	1078	2.01
		981 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		985 = BAD DATA Logically assigned.....	13	0.02
		991 = NEVER USED SEDATIVES.....	52161	97.39
		994 = DON'T KNOW.....	52	0.10
		997 = REFUSED.....	40	0.07
		998 = BLANK (NO ANSWER).....	206	0.38
(SV07A)		NOTE: For respondents who initiated use within 1 year of their current age, responses from the individual year-of-first use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.		
SEDYFU	4	YEAR OF FIRST SEDATIVE USE - RECODE		
		RANGE = 1997 - 1999	95	0.18
		9981 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		9985 = BAD DATA Logically assigned.....	31	0.06
		9991 = NEVER USED SEDATIVES.....	52161	97.39
		9994 = DON'T KNOW.....	52	0.10
		9997 = REFUSED.....	40	0.07
		9998 = BLANK (NO ANSWER).....	214	0.40
		9999 = LEGITIMATE SKIP (SEDAGE<AGE-1).....	957	1.79

SEDATIVES			PAGE:	111
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
SEDMFU	2	MONTH OF FIRST SEDATIVE USE - RECODE		
		1 = January.....	5	0.01
		2 = February.....	10	0.02
		3 = March.....	3	0.01
		4 = April.....	5	0.01
		5 = May.....	3	0.01
		6 = June.....	8	0.01
		7 = July.....	7	0.01
		8 = August.....	6	0.01
		9 = September.....	8	0.01
		10 = October.....	7	0.01
		11 = November.....	6	0.01
		12 = December.....	9	0.02
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		85 = BAD DATA Logically assigned.....	32	0.06
		91 = NEVER USED SEDATIVES.....	52161	97.39
		94 = DON'T KNOW.....	69	0.13
		97 = REFUSED.....	41	0.08
		98 = BLANK (NO ANSWER).....	213	0.40
		99 = LEGITIMATE SKIP.....	957	1.79
(SV09)		How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SEDREC	2	TIME SINCE LAST USED SEDATIVES "NONMEDICALLY"		
		1 = Within the past 30 days.....	76	0.14
		2 = More than 30 days ago but within the past 12 mos..	132	0.25
		3 = More than 12 months ago.....	887	1.66
		9 = Used at some point in lifetime LOG ASSN.....	61	0.11
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	205	0.38
SEDYRTOT	3	TOTAL # OF DAYS USED SEDATIVES PAST 12 MONTHS		
		RANGE = 1 - 364	200	0.37
		981 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		991 = NEVER USED SEDATIVES.....	52161	97.39
		993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	887	1.66
		994 = DON'T KNOW.....	5	0.01
		997 = REFUSED.....	31	0.06
		998 = BLANK (NO ANSWER).....	266	0.50
SVTOTFG	2	TRIMMING INDICATOR FOR SEDYRTOT		
		98 = BLANK (NO ANSWER).....	53560	100.0
SVFQFLG	2	TRIMMED SEDYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	19	0.04
		98 = BLANK (NO ANSWER).....	53541	99.96

SEDATIVES			PAGE:	112
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SV10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription sedative in either of these ways?		
SVBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED SEDATIVE		
		1 = Prefer to answer in days per week.....	41	0.08
		2 = Prefer to answer in days per month.....	57	0.11
		3 = Prefer to answer in days per year.....	106	0.20
		11 = Prefer to ans in days per wk LOG ASSN.....	1	0.00
		12 = Prefer to ans in days per mo LOG ASSN.....	1	0.00
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	887	1.66
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	266	0.50
(SV11)		On how many days in the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVDAYPYR	3	# DAYS USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 42	103	0.19
		981 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		991 = NEVER USED SEDATIVES.....	52161	97.39
		993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	887	1.66
		994 = DON'T KNOW.....	4	0.01
		997 = REFUSED.....	29	0.05
		998 = BLANK (NO ANSWER).....	266	0.50
		999 = LEGITIMATE SKIP.....	99	0.18

SEDATIVES			PAGE:	113
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SV12)		On average, how many days each month during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVDAYPMO	2	# DAYS PER MONTH USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 25	57	0.11
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	887	1.66
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	30	0.06
		98 = BLANK (NO ANSWER).....	266	0.50
		99 = LEGITIMATE SKIP.....	144	0.27
(SV13)		On average, how many days each week during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVDAYPWK	2	# DAYS PER WEEK USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 7	40	0.07
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	887	1.66
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	266	0.50
		99 = LEGITIMATE SKIP.....	160	0.30

RECENCY OF DRUG USE			PAGE:	114
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
RECENCY OF DRUG USE				
----- -- ---- --				
IRCIGRC	1	CIGARETTE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	14413	26.91
		2 = More than 30 days ago but within the past 12 mos..	3534	6.60
		3 = More than 12 months ago but within the past 3 yrs.	3641	6.80
		4 = More than 3 years ago.....	10022	18.71
		9 = Never smoked cigarettes.....	21950	40.98
IICIGRC	1	CIGARETTE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53027	99.00
		3 = Statistically imputed data.....	533	1.00
II2CIGRC	1	CIGARETTE RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53027	99.00
		4 = Statistically imputed data - edited recency=9.....	119	0.22
		5 = Statistically imputed data - edited recency=8.....	13	0.02
		6 = Statistically imputed data - edited recency=19.....	366	0.68
		7 = Statistically imputed data - edited recency=14.....	35	0.07
IRCGRRC	1	CIGAR RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	3848	7.18
		2 = More than 30 days ago but within the past 12 mos..	4608	8.60
		3 = More than 12 months ago but within the past 3 yrs.	4171	7.79
		4 = More than 3 years ago.....	4973	9.28
		9 = Never smoked cigars.....	35960	67.14
IICGRRC	1	CIGAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53015	98.98
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data.....	544	1.02
II2CGRRC	1	CIGAR RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53015	98.98
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data - lifetime use imputed.	39	0.07
		4 = Statistically imputed data - edited recency=9.....	82	0.15
		5 = Statistically imputed data - edited recency=8.....	13	0.02
		6 = Statistically imputed data - edited recency=19.....	373	0.70
		7 = Statistically imputed data - edited recency=14.....	37	0.07
IRPIPLF	1	LIFETIME PIPE USE - IMPUTATION REVISED		
		1 = Ever used pipes.....	5370	10.03
		9 = Never smoked pipes.....	48190	89.97
IIPILF	1	LIFETIME PIPE USE - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53516	99.92
		3 = Statistically imputed data.....	44	0.08

REGENCY OF DRUG USE			PAGE:	115
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRPIPMN	1	PAST MONTH PIPE USE - IMPUTATION REVISED		
		1 = Within the past 30 days.....	538	1.00
		2 = More than 30 days ago but within lifetime.....	4832	9.02
		9 = Never smoked pipes.....	48190	89.97
IIPIPMN	1	PAST MONTH PIPE USE - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53516	99.92
		3 = Statistically imputed data.....	44	0.08
IRSLTRC	1	SMOKELESS TOBACCO REGENCY-IMPUTATION REVISED		
		1 = Within the past 30 days.....	2178	4.07
		2 = More than 30 days age but within the past 12 mos..	1182	2.21
		3 = More than 12 months age but within the past 3 yrs.	1586	2.96
		4 = More than 3 years ago.....	5398	10.08
		9 = Never used smokeless tobacco.....	43216	80.69
IISLTRC	1	SMOKELESS TOBACCO REGENCY-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53240	99.40
		3 = Statistically imputed data.....	320	0.60
II2SLTRC	1	SMOKELESS TOBACCO REGENCY-DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	53240	99.40
		3 = Statistically imputed data - lifetime use imputed.	53	0.10
		4 = Statistically imputed data - edited recency=9.....	38	0.07
		5 = Statistically imputed data - edited recency=8.....	3	0.01
		6 = Statistically imputed data - edited recency=19.....	202	0.38
		7 = Statistically imputed data - edited recency=14.....	24	0.04
IRCHWRC	1	CHEWING TOBACCO REGENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	1503	2.81
		2 = More than 30 days ago but within the past 12 mos..	1061	1.98
		3 = More than 12 months ago but within the past 3 yrs.	1481	2.77
		4 = More than 3 years ago.....	5077	9.48
		9 = Never used chewing tobacco.....	44438	82.97
IICHWRC	1	CHEWING TOBACCO REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53272	99.46
		3 = Statistically imputed data.....	288	0.54
II2CHWRC	1	CHEWING TOBACCO REGENCY-DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	53272	99.46
		3 = Statistically imputed data - lifetime use imputed.	77	0.14
		4 = Statistically imputed data - edited recency=9.....	31	0.06
		5 = Statistically imputed data - edited recency=8.....	4	0.01
		6 = Statistically imputed data - edited recency=19.....	157	0.29
		7 = Statistically imputed data - edited recency=14.....	19	0.04

RECENCY OF DRUG USE			PAGE:	116
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IRSNFRC	1	SNUFF RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	1492	2.79
		2 = More than 30 days ago but within the past 12 mos..	662	1.24
		3 = More than 12 months ago but within the past 3 yrs.	889	1.66
		4 = More than 3 years ago.....	2753	5.14
		9 = Never used snuff.....	47764	89.18
IISNFRC	1	SNUFF RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53228	99.38
		3 = Statistically imputed data.....	332	0.62
II2SNFRC	1	SNUFF RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53228	99.38
		3 = Statistically imputed data - lifetime use imputed.	213	0.40
		4 = Statistically imputed data - edited recency=9.....	24	0.04
		6 = Statistically imputed data - edited recency=19.....	85	0.16
		7 = Statistically imputed data - edited recency=14.....	10	0.02
IRALCRC	1	ALCOHOL RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	22071	41.21
		2 = More than 30 days ago but within the past 12 mos..	9125	17.04
		3 = More than 12 months ago.....	6724	12.55
		9 = Never used alcohol.....	15640	29.20
IIALCRC	1	ALCOHOL RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52461	97.95
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data.....	1098	2.05
II2ALCRC	1	ALCOHOL RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52461	97.95
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data - lifetime use imputed.	53	0.10
		4 = Statistically imputed data - edited recency=9.....	639	1.19
		5 = Statistically imputed data - edited recency=8.....	406	0.76
IRMJRC	1	MARIJUANA RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	4217	7.87
		2 = More than 30 days ago but within the past 12 mos..	3553	6.63
		3 = More than 12 months ago.....	10765	20.10
		9 = Never used marijuana.....	35025	65.39
IIMJRC	1	MARIJUANA RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52821	98.62
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data.....	738	1.38

RECENCY OF DRUG USE			PAGE:	117
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
II2MJRC	1	MARIJUANA RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52821	98.62
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data - lifetime use imputed.	190	0.35
		4 = Statistically imputed data - edited recency=9.....	394	0.74
		5 = Statistically imputed data - edited recency=8.....	154	0.29
IRCOCRC	1	COCAINE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	483	0.90
		2 = More than 30 days ago but within the past 12 mos..	926	1.73
		3 = More than 12 months ago.....	3566	6.66
		9 = Never used cocaine.....	48585	90.71
IICOCRC	1	COCAINE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53259	99.44
		2 = Logically imputed data.....	37	0.07
		3 = Statistically imputed data.....	264	0.49
II2COCRC	1	COCAINE RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53259	99.44
		2 = Logically imputed data.....	37	0.07
		3 = Statistically imputed data - lifetime use imputed.	88	0.16
		4 = Statistically imputed data - edited recency=9.....	131	0.24
		5 = Statistically imputed data - edited recency=8.....	45	0.08
IRCRKRC	1	CRACK RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	106	0.20
		2 = More than 30 days ago but within the past 12 mos..	226	0.42
		3 = More than 12 months ago.....	942	1.76
		9 = Never used CRACK.....	52286	97.62
IICRKRC	1	CRACK RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53404	99.71
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data.....	155	0.29
II2CRKRC	1	CRACK RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53404	99.71
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data - lifetime use imputed.	104	0.19
		4 = Statistically imputed data - edited recency=9.....	37	0.07
		5 = Statistically imputed data - edited recency=8.....	14	0.03
IRHERRC	1	HEROIN RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	55	0.10
		2 = More than 30 days ago but within the past 12 mos..	83	0.15
		3 = More than 12 months ago.....	469	0.88
		9 = Never used heroin.....	52953	98.87
IIHERRC	1	HEROIN RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53470	99.83
		3 = Statistically imputed data.....	90	0.17

RECENCY OF DRUG USE			PAGE:	118
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
II2HERRC	1	HEROIN RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53470	99.83
		3 = Statistically imputed data - lifetime use imputed.	56	0.10
		4 = Statistically imputed data - edited recency=9.....	28	0.05
		5 = Statistically imputed data - edited recency=8.....	6	0.01
IRHALRC	1	HALLUCINOGEN RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	526	0.98
		2 = More than 30 days ago but within the past 12 mos..	1383	2.58
		3 = More than 12 months ago.....	4602	8.59
		9 = Never used hallucinogens.....	47049	87.84
IIHALRC	1	HALLUCINOGEN RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52936	98.83
		2 = Logically imputed data.....	19	0.04
		3 = Statistically imputed data.....	605	1.13
II2HALRC	1	HALLUCINOGEN RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52936	98.83
		2 = Logically imputed data.....	19	0.04
		3 = Statistically imputed data - lifetime use imputed.	336	0.63
		4 = Statistically imputed data - edited recency=9.....	235	0.44
		5 = Statistically imputed data - edited recency=8.....	34	0.06
IRLSDRC	1	LSD RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	291	0.54
		2 = More than 30 days ago but within the past 12 mos..	869	1.62
		3 = More than 12 months ago.....	3766	7.03
		9 = Never used LSD.....	48634	90.80
IILSDRC	1	LSD RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53335	99.58
		3 = Statistically imputed data.....	225	0.42
II2LSDRC	1	LSD RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53335	99.58
		3 = Statistically imputed data - lifetime use imputed.	101	0.19
		4 = Statistically imputed data - edited recency=9.....	119	0.22
		5 = Statistically imputed data - edited recency=8.....	5	0.01
IRPCPRC	1	PCP RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	40	0.07
		2 = More than 30 days ago but within the past 12 mos..	114	0.21
		3 = More than 12 months ago.....	927	1.73
		9 = Never used PCP.....	52479	97.98
IIPCPRC	1	PCP RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53439	99.77
		3 = Statistically imputed data.....	121	0.23

RECENCY OF DRUG USE			PAGE:	119
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
II2PCPRC	1	PCP RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53439	99.77
		3 = Statistically imputed data - lifetime use imputed.	91	0.17
		4 = Statistically imputed data - edited recency=9.....	30	0.06
IRINHRC	1	INHALANT RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	332	0.62
		2 = More than 30 days ago but within the past 12 mos..	855	1.60
		3 = More than 12 months ago.....	4320	8.07
		9 = Never used inhalants.....	48053	89.72
IIINHRC	1	INHALANT RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53088	99.12
		3 = Statistically imputed data.....	472	0.88
II2INHRC	1	INHALANT RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53088	99.12
		3 = Statistically imputed data - lifetime use imputed.	145	0.27
		4 = Statistically imputed data - edited recency=9.....	306	0.57
		5 = Statistically imputed data - edited recency=8.....	21	0.04
IRANLRC	1	PAIN RELIEVER RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	1047	1.95
		2 = More than 30 days ago but within the past 12 mos..	1641	3.06
		3 = More than 12 months ago.....	3049	5.69
		9 = Never used pain relievers.....	47823	89.29
IIANLRC	1	PAIN RELIEVER RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52727	98.44
		2 = Logically imputed data.....	58	0.11
		3 = Statistically imputed data.....	775	1.45
II2ANLRC	1	PAIN RELIEVER RECENCY-DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	52727	98.44
		2 = Logically imputed data.....	58	0.11
		3 = Statistically imputed data - lifetime use imputed.	342	0.64
		4 = Statistically imputed data - edited recency=9.....	423	0.79
		5 = Statistically imputed data - edited recency=8.....	10	0.02
IRTRNRC	1	TRANQUILIZER RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	357	0.67
		2 = More than 30 days ago but within the past 12 mos..	638	1.19
		3 = More than 12 months ago.....	1999	3.73
		9 = Never used tranquilizers.....	50566	94.41
IITRNRC	1	TRANQUILIZER RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53176	99.28
		2 = Logically imputed data.....	5	0.01
		3 = Statistically imputed data.....	379	0.71

RECENCY OF DRUG USE			PAGE:	120
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
II2TRNRC	1	TRANQUILIZER RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53176	99.28
		2 = Logically imputed data.....	5	0.01
		3 = Statistically imputed data - lifetime use imputed.	223	0.42
		4 = Statistically imputed data - edited recency=9.....	155	0.29
		5 = Statistically imputed data - edited recency=8.....	1	0.00
IRSTMRC	1	STIMULANT RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	352	0.66
		2 = More than 30 days ago but within the past 12 mos..	665	1.24
		3 = More than 12 months ago.....	2706	5.05
		9 = Never used stimulants.....	49837	93.05
IISTMRC	1	STIMULANT RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53069	99.08
		2 = Logically imputed data.....	28	0.05
		3 = Statistically imputed data.....	463	0.86
II2STMRC	1	STIMULANT RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53069	99.08
		2 = Logically imputed data.....	28	0.05
		3 = Statistically imputed data - lifetime use imputed.	237	0.44
		4 = Statistically imputed data - edited recency=9.....	208	0.39
		5 = Statistically imputed data - edited recency=8.....	18	0.03
IRMTHRC	1	METHAMPHETAMINE RECENCY-IMPUTATION REVISED		
		1 = Within the past 30 days.....	144	0.27
		2 = More than 30 days ago but within the past 12 mos..	291	0.54
		3 = More than 12 months ago.....	1599	2.99
		9 = Never used methamphetamines.....	51526	96.20
IIMTHRC	1	METHAMPHETAMINE - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53286	99.49
		2 = Logically imputed data.....	12	0.02
		3 = Statistically imputed data.....	262	0.49
II2MTHRC	1	METHAMPHETAMINE RECENCY-DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	53286	99.49
		2 = Logically imputed data.....	12	0.02
		3 = Statistically imputed data - lifetime use imputed.	148	0.28
		4 = Statistically imputed data - edited recency=9.....	113	0.21
		5 = Statistically imputed data - edited recency=8.....	1	0.00
IRSEDRC	1	SEDATIVE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	86	0.16
		2 = More than 30 days ago but within the past 12 mos..	145	0.27
		3 = More than 12 months ago.....	933	1.74
		9 = Never used sedatives.....	52396	97.83

RECENCY OF DRUG USE			PAGE:	121
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IISEDRC	1	SEDATIVE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53256	99.43
		2 = Logically imputed data.....	10	0.02
		3 = Statistically imputed data.....	294	0.55
II2SEDRC	1	SEDATIVE RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53256	99.43
		2 = Logically imputed data.....	10	0.02
		3 = Statistically imputed data - lifetime use imputed.	233	0.44
		4 = Statistically imputed data - edited recency=9.....	61	0.11

PAST YEAR FREQUENCY OF USE			PAGE:	122
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
PAST YEAR FREQUENCY OF USE				

IRALCFY	3	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365	31196	58.24
		991 = NEVER USED ALCOHOL.....	15640	29.20
		993 = DID NOT USE ALCOHOL PAST YEAR.....	6724	12.55
IIALCFY	1	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52147	97.36
		3 = Statistically imputed data.....	1413	2.64
II2ALCFY	1	ALCOHOL FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	52147	97.36
		3 = Statistically imputed data - lifetime use imputed.	53	0.10
		4 = Statistically imputed data - lifetime use known...	1360	2.54
IRMJFY	3	MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365	7770	14.51
		991 = NEVER USED MARIJUANA.....	35025	65.39
		993 = DID NOT USE MARIJUANA PAST YEAR.....	10765	20.10
IIMJFY	1	MARIJUANA FREQUENCY PAST YEAR - IMP INDICATOR		
		1 = Questionnaire data.....	52751	98.49
		3 = Statistically imputed data.....	809	1.51
II2MJFY	1	MARIJUANA FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	52751	98.49
		3 = Statistically imputed data - lifetime use imputed.	190	0.35
		4 = Statistically imputed data - lifetime use known...	619	1.16
IRCOCFY	3	COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365	1409	2.63
		991 = NEVER USED COCAINE.....	48585	90.71
		993 = DID NOT USE COCAINE PAST YEAR.....	3566	6.66
IICOCFY	1	COCAINE FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53304	99.52
		3 = Statistically imputed data.....	256	0.48
II2COCFY	1	COCAINE FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	53304	99.52
		3 = Statistically imputed data - lifetime use imputed.	88	0.16
		4 = Statistically imputed data - lifetime use known...	168	0.31
IRCRKFY	3	CRACK FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 364	332	0.62
		991 = NEVER USED CRACK.....	52286	97.62
		993 = DID NOT USE CRACK PAST YEAR.....	942	1.76

PAST YEAR FREQUENCY OF USE			PAGE:	123
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IICRKFY	1	CRACK FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53404	99.71
		3 = Statistically imputed data.....	156	0.29
II2CRKFY	1	CRACK FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	53404	99.71
		3 = Statistically imputed data - lifetime use imputed.	104	0.19
		4 = Statistically imputed data - lifetime use known...	52	0.10
IRHERFY	3	HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 364	138	0.26
		991 = NEVER USED HEROIN.....	52953	98.87
		993 = DID NOT USE HEROIN PAST YEAR.....	469	0.88
IIHERFY	1	HEROIN FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53470	99.83
		3 = Statistically imputed data.....	90	0.17
II2HERFY	1	HEROIN FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	53470	99.83
		3 = Statistically imputed data - lifetime use imputed.	56	0.10
		4 = Statistically imputed data - lifetime use known...	34	0.06
IRHALFY	3	HALL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365	1909	3.56
		991 = NEVER USED HALLUCINOGENS.....	47049	87.84
		993 = DID NOT USE HALLUCINOGENS PAST YEAR.....	4602	8.59
IIHALFY	1	HALL FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52924	98.81
		3 = Statistically imputed data.....	636	1.19
II2HALFY	1	HALL FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	52924	98.81
		3 = Statistically imputed data - lifetime use imputed.	327	0.61
		4 = Statistically imputed data - lifetime use known...	309	0.58
IRINHFY	3	INHALANT FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 364	1187	2.22
		991 = NEVER USED INHALANTS.....	48053	89.72
		993 = DID NOT USE INHALANTS PAST YEAR.....	4320	8.07
IIINHFY	1	INHALANT FREQUENCY PAST YEAR - IMP INDICATOR		
		1 = Questionnaire data.....	53066	99.08
		3 = Statistically imputed data.....	494	0.92
II2INHFY	1	INHALANT FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	53066	99.08
		3 = Statistically imputed data - lifetime use imputed.	145	0.27
		4 = Statistically imputed data - lifetime use known...	349	0.65

PAST YEAR FREQUENCY OF USE			PAGE:	124
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRANLFY	3	PAIN RELIEVER FREQ PAST YEAR-IMPUTATION REVISED		
		RANGE = 1 - 365	2688	5.02
		991 = NEVER USED PAIN RELIEVERS.....	47823	89.29
		993 = DID NOT USE PAIN RELIEVERS PAST YEAR.....	3049	5.69
IIANLFY	1	PAIN RELIEVER FREQ PAST YEAR - IMP INDICATOR		
		1 = Questionnaire data.....	52606	98.22
		2 = Logically imputed data.....	57	0.11
		3 = Statistically imputed data.....	897	1.67
II2ANLFY	1	PAIN RELIEVER FREQ PST YR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	52606	98.22
		2 = Logically imputed data.....	57	0.11
		3 = Statistically imputed data - lifetime use imputed.	342	0.64
		4 = Statistically imputed data - lifetime use known...	555	1.04
IRTRNFI	3	TRANQUILIZER FREQ PAST YEAR-IMPUTATION REVISED		
		RANGE = 1 - 364	995	1.86
		991 = NEVER USED TRANQUILIZERS.....	50566	94.41
		993 = DID NOT USE TRANQUILIZERS PAST YEAR.....	1999	3.73
IITRNFI	1	TRAN FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53151	99.24
		2 = Logically imputed data.....	5	0.01
		3 = Statistically imputed data.....	404	0.75
II2TRNFI	1	TRAN FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	53151	99.24
		2 = Logically imputed data.....	5	0.01
		3 = Statistically imputed data - lifetime use imputed.	223	0.42
		4 = Statistically imputed data - lifetime use known...	181	0.34
IRSTMFI	3	STIMULANT FREQUENCY PAST YEAR-IMPUTATION REVISED		
		RANGE = 1 - 365	1017	1.90
		991 = NEVER USED STIMULANTS.....	49837	93.05
		993 = DID NOT USE STIMULANTS PAST YEAR.....	2706	5.05
IISTMFI	1	STIM FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52843	98.66
		2 = Logically imputed data.....	12	0.02
		3 = Statistically imputed data.....	705	1.32
II2STMFI	1	STIMULANT FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	52843	98.66
		2 = Logically imputed data.....	12	0.02
		3 = Statistically imputed data - lifetime use imputed.	230	0.43
		4 = Statistically imputed data - lifetime use known...	475	0.89
IRSEDFY	3	SEDATIVE FREQUENCY PAST YEAR-IMPUTATION REVISED		
		RANGE = 1 - 365	231	0.43
		991 = NEVER USED SEDATIVES.....	52396	97.83
		993 = DID NOT USE SEDATIVES PAST YEAR.....	933	1.74

PAST YEAR FREQUENCY OF USE			PAGE:	125
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IISEDY	1	SEDATIVE FREQUENCY PAST YEAR - IMP INDICATOR		
		1 = Questionnaire data.....	53248	99.42
		2 = Logically imputed data.....	10	0.02
		3 = Statistically imputed data.....	302	0.56
II2SEDFY	1	SEDATIVE FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	53248	99.42
		2 = Logically imputed data.....	10	0.02
		3 = Statistically imputed data - lifetime use imputed.	233	0.44
		4 = Statistically imputed data - lifetime use known...	69	0.13

PAST MONTH FREQUENCY OF USE			PAGE:	126
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
PAST MONTH FREQUENCY OF USE				

IRCIGFM	2	CIG FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	14413	26.91
		91 = NEVER USED.....	21950	40.98
		93 = DID NOT USE CIGARETTES PAST MONTH.....	17197	32.11
IICIGFM	1	CIG FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52792	98.57
		2 = Logically imputed data.....	556	1.04
		3 = Statistically imputed data.....	212	0.40
II2CIGFM	1	CIG FREQUENCY PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	52792	98.57
		2 = Logically imputed data.....	556	1.04
		4 = Statistically imputed data - lifetime use known...	212	0.40
IRCGRFM	2	CIGAR FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	3848	7.18
		91 = NEVER SMOKED CIGARS.....	35960	67.14
		93 = DID NOT SMOKE CIGARS PAST MONTH.....	13752	25.68
IICGRFM	1	CIGAR FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53289	99.49
		2 = Logically imputed data.....	111	0.21
		3 = Statistically imputed data.....	160	0.30
II2CGRFM	1	CIGAR FREQUENCY PST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	53289	99.49
		2 = Logically imputed data.....	111	0.21
		3 = Statistically imputed data - lifetime use imputed.	39	0.07
		4 = Statistically imputed data - lifetime use known...	121	0.23
IRCHWFM	2	CHEWING TOB FREQUENCY PST MON - IMPUTATION REVISED		
		RANGE = 1 - 30	1503	2.81
		91 = NEVER USED CHEWING TOBACCO.....	44438	82.97
		93 = DID NOT USE CHEWING TOBACCO PAST MONTH.....	7619	14.23
IICHWFM	1	CHEWING TOB FREQ PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53387	99.68
		3 = Statistically imputed data.....	173	0.32
II2CHWFM	1	CHEWING TOB FREQ PST MON - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	53387	99.68
		3 = Statistically imputed data - lifetime use imputed.	77	0.14
		4 = Statistically imputed data - lifetime use known...	96	0.18
IRSNFFM	2	SNUFF FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	1492	2.79
		91 = NEVER USED SNUFF.....	47764	89.18
		93 = DID NOT USE SNUFF PAST MONTH.....	4304	8.04

PAST MONTH FREQUENCY OF USE			PAGE:	127
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
IISNFFM	1	SNUFF FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53270	99.46
		3 = Statistically imputed data.....	290	0.54
II2SNFFM	1	SNUFF FREQUENCY PST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	53270	99.46
		3 = Statistically imputed data - lifetime use imputed.	213	0.40
		4 = Statistically imputed data - lifetime use known...	77	0.14
IRALCFM	2	ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	22071	41.21
		91 = NEVER USED ALCOHOL.....	15640	29.20
		93 = DID NOT USE ALCOHOL PAST MONTH.....	15849	29.59
IIALCFM	1	ALCOHOL FREQUENCY PST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	51839	96.79
		3 = Statistically imputed data.....	1721	3.21
II2ALCFM	1	ALCOHOL FREQUENCY PST MONTH - DETAILED IMP IND		
		1 = Questionnaire data.....	51839	96.79
		3 = Statistically imputed data - lifetime use imputed.	53	0.10
		4 = Statistically imputed data - lifetime use known...	1668	3.11
IRALCD5	2	5+ ALC DRNKS PAST MONTH - IMP REVISED (DR5DAY)		
		RANGE = 0 - 30	22071	41.21
		91 = NEVER USED ALCOHOL.....	15640	29.20
		93 = DID NOT HAVE 5+ ALC DRNKS PAST MONTH.....	15849	29.59
IIALCD5	1	5+ ALC DRNKS PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	51382	95.93
		2 = Logically imputed data.....	66	0.12
		3 = Statistically imputed data.....	2112	3.94
II2ALCD5	1	5+ ALC DRINKS PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	51382	95.93
		2 = Logically imputed data.....	66	0.12
		3 = Statistically imputed data - lifetime use imputed.	53	0.10
		4 = Statistically imputed data - lifetime use known...	2059	3.84
IRMJFM	2	MARIJUANA FREQUENCY PAST MONTH - IMP REVISED		
		RANGE = 1 - 30	4217	7.87
		91 = NEVER USED MARIJUANA.....	35025	65.39
		93 = DID NOT USE MARIJUANA PAST MONTH.....	14318	26.73
IIMJFM	1	MARIJUANA FREQUENCY PAST MONTH - IMP INDICATOR		
		1 = Questionnaire data.....	52736	98.46
		3 = Statistically imputed data.....	824	1.54
II2MJFM	1	MARIJUANA FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	52736	98.46
		3 = Statistically imputed data - lifetime use imputed.	190	0.35
		4 = Statistically imputed data - lifetime use known...	634	1.18

PAST MONTH FREQUENCY OF USE			PAGE:	128
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRCOCFM	2	COCAINE FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	483	0.90
		91 = NEVER USED COCAINE.....	48585	90.71
		93 = DID NOT USE COCAINE PAST MONTH.....	4492	8.39
IICOCFM	1	COCAINE FREQUENCY PST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53271	99.46
		3 = Statistically imputed data.....	289	0.54
II2COCFM	1	COCAINE FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	53271	99.46
		3 = Statistically imputed data - lifetime use imputed.	88	0.16
		4 = Statistically imputed data - lifetime use known...	201	0.38
IRCRKFM	2	CRACK FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	106	0.20
		91 = NEVER USED CRACK.....	52286	97.62
		93 = DID NOT USE CRACK PAST MONTH.....	1168	2.18
IICRKFM	1	CRACK FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53399	99.70
		3 = Statistically imputed data.....	161	0.30
II2CRKFM	1	CRACK FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	53399	99.70
		3 = Statistically imputed data - lifetime use imputed.	104	0.19
		4 = Statistically imputed data - lifetime use known...	57	0.11
IRHERFM	2	HEROIN FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	55	0.10
		91 = NEVER USED HEROIN.....	52953	98.87
		93 = DID NOT USE HEROIN PAST MONTH.....	552	1.03
IIHERFM	1	HEROIN FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53469	99.83
		3 = Statistically imputed data.....	91	0.17
II2HERFM	1	HEROIN FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	53469	99.83
		3 = Statistically imputed data - lifetime use imputed.	56	0.10
		4 = Statistically imputed data - lifetime use known...	35	0.07
IRHALFM	2	HALL FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	526	0.98
		91 = NEVER USED HALLUCINOGENS.....	47049	87.84
		93 = DID NOT USE HALLUCINOGENS PAST MONTH.....	5985	11.17
IIHALFM	1	HALL FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52927	98.82
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data.....	632	1.18

PAST MONTH FREQUENCY OF USE			PAGE:	129
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
II2HALFM	1	HALL FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	52927	98.82
		2 = Logically imputed data.....	1	0.00
		3 = Statistically imputed data - lifetime use imputed.	336	0.63
		4 = Statistically imputed data - lifetime use known...	296	0.55
IRINHFM	2	INHALANT FREQUENCY PAST MONTH - IMP REVISED		
		RANGE = 1 - 30	332	0.62
		91 = NEVER USED INHALANTS.....	48053	89.72
		93 = DID NOT USE INHALANTS PAST MONTH.....	5175	9.66
IIINHFM	1	INHALANT FREQUENCY PAST MONTH - IMP INDICATOR		
		1 = Questionnaire data.....	53071	99.09
		3 = Statistically imputed data.....	489	0.91
II2INHFM	1	INHALANT FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	53071	99.09
		3 = Statistically imputed data - lifetime use imputed.	145	0.27
		4 = Statistically imputed data - lifetime use known...	344	0.64

AGE/DATE OF FIRST DRUG USE			PAGE:	130
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
AGE/DATE OF FIRST DRUG USE				
----- -- -----				
IRCIGAGE	3	IMPUTATION-REVISED CIGARETTE AGE OF FIRST USE		
		RANGE = 1 - 65	31610	59.02
		991 = NEVER USED.....	21950	40.98
IICIGAGE	1	IRCIGAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	52517	98.05
		3 = Statistically Imputed Data.....	1043	1.95
IRCIGYFU	4	IMPUTATION-REVISED CIGARETTE YEAR OF FIRST USE		
		RANGE = 1911 - 1999	31610	59.02
		9999 = NEVER USED.....	21950	40.98
IICIGYFU	1	IRCIGYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	23904	44.63
		3 = Statistically Imputed Data.....	29656	55.37
IRCDUAGE	3	IMPUTATION-REVISED DAILY CIG AGE OF FIRST USE		
		RANGE = 1 - 80	15767	29.44
		991 = NEVER USED.....	21950	40.98
		993 = NEVER USED CIGARETTES DAILY.....	15843	29.58
IICDUAGE	1	IRCDUAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	37069	69.21
		3 = Statistically imputed data.....	16490	30.79
		9 = Legitimate skip.....	1	0.00
IRCDUYFU	4	IMPUTATION-REVISED DAILY CIG YEAR OF FIRST USE		
		RANGE = 1915 - 1999	15767	29.44
		9993 = NEVER A DAILY USER.....	15843	29.58
		9999 = NEVER USED.....	21950	40.98
IICDUYFU	1	IRCDUYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	21950	40.98
		3 = Statistically Imputed Data.....	31610	59.02
IRCGRAGE	3	IMPUTATION-REVISED CIGAR AGE OF FIRST USE		
		RANGE = 1 - 70	17600	32.86
		991 = NEVER USED.....	35960	67.14
IICGRAGE	1	IRCGRAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	52685	98.37
		3 = Statistically Imputed Data.....	875	1.63
IRCGRYFU	4	IMPUTATION-REVISED CIGAR YEAR OF FIRST USE		
		RANGE = 1915 - 1999	17600	32.86
		9999 = NEVER USED.....	35960	67.14

AGE/DATE OF FIRST DRUG USE			PAGE:	131
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IICGRYFU	1	IRCGRYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	38592	72.05
		3 = Statistically Imputed Data.....	14968	27.95
IRSNFAGE	3	IMPUTATION-REVISED SNUFF AGE OF FIRST USE		
		RANGE = 1 - 68	5796	10.82
		991 = Never Used.....	47764	89.18
IISNFAGE	1	IRSNFAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	53241	99.40
		3 = Statistically Imputed Data.....	319	0.60
IRSNFYFU	4	IMPUTATION-REVISED SNUFF YEAR OF FIRST USE		
		RANGE = 1911 - 1999	5796	10.82
		9999 = NEVER USED.....	47764	89.18
IISNFYFU	1	IRSNFYFU Imputation Indicator		
		1 = Questionnaire Data.....	48144	89.89
		3 = Statistical Imputation.....	5416	10.11
IRCHWAGE	3	IMPUTATION-REVISED CHEWING TOB AGE FIRST USE		
		RANGE = 1 - 73	9122	17.03
		991 = NEVER USED.....	44438	82.97
IICHWAGE	1	IRCHWAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	53136	99.21
		3 = Statistically Imputed Data.....	424	0.79
IRCHWYFU	4	IMPUTATION-REVISED CHEWING TOB YEAR FIRST USE		
		RANGE = 1912 - 1999	9122	17.03
		9999 = Never Used.....	44438	82.97
IICHWYFU	1	IRCHWYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	45059	84.13
		3 = Statistically Imputed Data.....	8501	15.87
IRSLTAGE	3	IMPUTATION-REVISED SMOKELESS TOB AGE FIRST USE		
		RANGE = 1 - 67	10344	19.31
		991 = Never Used.....	43216	80.69
IISLTAGE	1	IRSLTAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	52978	98.91
		3 = Statistically Imputed Data.....	582	1.09
IRSLTYFU	4	IMPUTATION-REVISED SMOKELESS TOB YEAR OF FIRST USE		
		RANGE = 1911 - 1999	10344	19.31
		9999 = Never Used.....	43216	80.69
IISLTYFU	1	IRSNFYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	43911	81.98
		3 = Statistically Imputed Data.....	9649	18.02

AGE/DATE OF FIRST DRUG USE			PAGE:	132
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRALCAGE	3	IMPUTATION-REVISED ALCOHOL AGE OF FIRST USE		
		RANGE = 1 - 70	37920	70.80
		991 = Never Used.....	15640	29.20
IIALCAGE	1	IRALCAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	52016	97.12
		3 = Statistically Imputed Data.....	1544	2.88
IRALCYFU	4	IMPUTATION-REVISED ALCOHOL YEAR OF FIRST USE		
		RANGE = 1911 - 1999	37920	70.80
		9999 = NEVER USED.....	15640	29.20
IIALCYFU	1	IRALCYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	19050	35.57
		3 = Statistically Imputed Data.....	34510	64.43
IRMJAGE	3	IMPUTATION-REVISED MARIJUANA AGE OF FIRST USE		
		RANGE = 1 - 70	18535	34.61
		991 = Never Used.....	35025	65.39
IIMJAGE	1	IRMJAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	52955	98.87
		3 = Statistically Imputed Data.....	605	1.13
IRMJYFU	4	IMPUTATION-REVISED MARIJUANA YEAR OF FIRST USE		
		RANGE = 1936 - 1999	18535	34.61
		9999 = Never Used.....	35025	65.39
IIMJYFU	1	IRMJYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	36641	68.41
		3 = Statistically Imputed Data.....	16919	31.59
IRCOAGE	3	IMPUTATION-REVISED COCAINE AGE OF FIRST USE		
		RANGE = 1 - 55	4975	9.29
		991 = Never Used.....	48585	90.71
IICOAGE	1	IRCOAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	53338	99.59
		3 = Statistically Imputed Data.....	222	0.41
IRCOCYFU	4	IMPUTATION-REVISED COCAINE YEAR OF FIRST USE		
		RANGE = 1937 - 1999	4975	9.29
		9999 = Never Used.....	48585	90.71
IICO CYFU	1	IRCOCYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	49085	91.64
		3 = Statistically Imputed Data.....	4475	8.36
IRCRKAGE	3	IMPUTATION-REVISED CRACK AGE OF FIRST USE		
		RANGE = 1 - 51	1274	2.38
		991 = Never Used.....	52286	97.62

AGE/DATE OF FIRST DRUG USE			PAGE:	133
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IICRKAGE	1	IICRKAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	53414	99.73
		2 = Logical Edited Data.....	3	0.01
		3 = Statistically Imputed Data.....	143	0.27
IRCRKYFU	4	IMPUTATION-REVISED CRACK YEAR OF FIRST USE		
		RANGE = 1969 - 1999	1274	2.38
		9999 = Never Used.....	52286	97.62
IICRKYFU	1	IRCRKYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	52363	97.77
		3 = Statistically Imputed Data.....	1197	2.23
IRHERAGE	3	IMPUTATION-REVISED HEROIN AGE OF FIRST USE		
		RANGE = 1 - 45	607	1.13
		991 = Never Used.....	52953	98.87
IIHERAGE	1	IRHERAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	53479	99.85
		3 = Statistically Imputed Data.....	81	0.15
IRHERYFU	4	IMPUTATION-REVISED HEROIN YEAR OF FIRST USE		
		RANGE = 1964 - 1999	607	1.13
		9999 = Never Used.....	52953	98.87
IIHERYFU	1	IRHERYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	52995	98.95
		3 = Statistically Imputed Data.....	565	1.05
IRHALAGE	3	IMPUTATION-REVISED HALLUCINOGEN AGE OF FIRST USE		
		RANGE = 1 - 45	6511	12.16
		991 = Never Used.....	47049	87.84
IIHALAGE	1	IRHALAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	53312	99.54
		3 = Statistically Imputed Data.....	248	0.46
IRHALYFU	4	IMPUTATION-REVISED HALLUCINOGEN YEAR OF FIRST USE		
		RANGE = 1956 - 1999	6511	12.16
		9999 = Never Used.....	47049	87.84
IIHALYFU	1	IRHALYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	48037	89.69
		3 = Statistically Imputed Data.....	5523	10.31
IRINHAGE	3	IMPUTATION-REVISED INHALANTS AGE OF FIRST USE		
		RANGE = 1 - 50	5507	10.28
		991 = Never Used.....	48053	89.72
IIINHAGE	1	IRINHAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	53006	98.97
		3 = Statistically Imputed Data.....	554	1.03

AGE/DATE OF FIRST DRUG USE			PAGE:	134
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRINHYFU	4	IMPUTATION-REVISED INHALANTS YEAR OF FIRST USE		
		RANGE = 1943 - 1999	5507	10.28
		9999 = Never Used.....	48053	89.72
IIINHYFU	1	IRINHYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	48556	90.66
		3 = Statistically Imputed Data.....	5004	9.34
IRANLAGE	3	IMPUTATION-REVISED PAIN RELIEVERS AGE OF FIRST USE		
		RANGE = 1 - 76	5737	10.71
		991 = Never Used.....	47823	89.29
IIANLAGE	1	IRANLAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	52487	98.00
		2 = Logical Edited Data.....	57	0.11
		3 = Statistically Imputed Data.....	1016	1.90
IRANLYFU	4	IMPUTATION-REVISED PAIN RELIEVER YEAR FIRST USE		
		RANGE = 1916 - 1999	5737	10.71
		9999 = Never Used.....	47823	89.29
IIANLYFU	1	IRANLYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	48366	90.30
		2 = Logical Edited Data.....	57	0.11
		3 = Statistically Imputed Data.....	5137	9.59
IRTRNAGE	3	IMPUTATION-REVISED TRANQUILIZER AGE OF FIRST USE		
		RANGE = 1 - 75	2994	5.59
		991 = Never Used.....	50566	94.41
IITRNAGE	1	IRTRNAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	53164	99.26
		2 = Logical Edited Data.....	5	0.01
		3 = Statistically Imputed Data.....	391	0.73
IRTRNYFU	4	IMPUTATION-REVISED TRANQUILIZER YEAR OF FIRST USE		
		RANGE = 1923 - 1999	2994	5.59
		9999 = Never Used.....	50566	94.41
IITRNYFU	1	IRTRNYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	50771	94.79
		2 = Logical Edited Data.....	5	0.01
		3 = Statistically Imputed Data.....	2784	5.20
IRSTMAGE	3	IMPUTATION-REVISED STIMULANTS AGE OF FIRST USE		
		RANGE = 1 - 50	3723	6.95
		991 = Never Used.....	49837	93.05
IISTMAGE	1	IRSTMAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	53103	99.15
		2 = Logical Edited Data.....	12	0.02
		3 = Statistically Imputed Data.....	445	0.83

AGE/DATE OF FIRST DRUG USE			PAGE:	135
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRSTMYFU	4	IMPUTATION-REVISED STIMULANTS YEAR OF FIRST USE		
		RANGE = 1945 - 1999	3723	6.95
		9999 = Never Used.....	49837	93.05
IISTMYFU	1	IRSTMYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	50066	93.48
		2 = Logical Edited Data.....	12	0.02
		3 = Statistically Imputed Data.....	3482	6.50
IRMTHAGE	3	IMPUTATION-REVISED METHAMPHETAMINE AGE FIRST USE		
		RANGE = 1 - 41	2034	3.80
		991 = Never Used.....	51526	96.20
IIMTHAGE	1	IRMTHAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	53298	99.51
		2 = Logical Edited Data.....	15	0.03
		3 = Statistically Imputed Data.....	247	0.46
IRMTHYFU	4	IMPUTATION-REVISED METHAMPHETAMINE YEAR FIRST USE		
		RANGE = 1950 - 1999	2034	3.80
		9999 = Never Used.....	51526	96.20
IIMTHYFU	1	IRMTHYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	51519	96.19
		2 = Logical Edited Data.....	12	0.02
		3 = Statistically Imputed Data.....	2029	3.79
IRSEDAGE	3	IMPUTATION-REVISED SEDATIVES AGE OF FIRST USE		
		RANGE = 1 - 67	1164	2.17
		991 = Never Used.....	52396	97.83
IISEDAGE	1	IRSEDAGE IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	53239	99.40
		2 = Logical Edited Data.....	10	0.02
		3 = Statistically Imputed Data.....	311	0.58
IRSEDYFU	4	IMPUTATION-REVISED SEDATIVES YEAR OF FIRST USE		
		RANGE = 1925 - 1999	1164	2.17
		9999 = Never Used.....	52396	97.83
IISEDYFU	1	IRSEDYFU IMPUTATION INDICATOR		
		1 = Questionnaire Data.....	52256	97.57
		2 = Logical Edited Data.....	10	0.02
		3 = Statistically Imputed Data.....	1294	2.42

RECODED DRUG USE			PAGE:	136
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
RECODED DRUG USE				

CIGFLAG	1	CIGARETTES - EVER USED		
		0 = Never used (IRCIGRC = 9).....	21950	40.98
		1 = Ever used (IRCIGRC = 1-4).....	31610	59.02
CIGMON	1	CIGARETTES - PAST MONTH USE		
		0 = Did not use in the past month (IRCIGRC = 2-4,9)...	39147	73.09
		1 = Used within the past month (IRCIGRC = 1).....	14413	26.91
CIGYR	1	CIGARETTES - PAST YEAR USE		
		0 = Did not use in the past year (IRCIGRC = 3,4,9)....	35613	66.49
		1 = Used within the past year (IRCIGRC = 1,2).....	17947	33.51
CGRFLAG	1	CIGAR - EVER USED		
		0 = Never used (IRCGRRC = 9).....	35960	67.14
		1 = Ever used (IRCGRRC = 1-4).....	17600	32.86
CGRYR	1	CIGAR - PAST YEAR USE		
		0 = Did not use in the past year (IRCGRRC = 3,4,9)....	45104	84.21
		1 = Used within the past year (IRCGRRC = 1,2).....	8456	15.79
CGRMON	1	CIGAR - PAST MONTH USE		
		0 = Did not use in the past month (IRCGRRC = 2-4,9)...	49712	92.82
		1 = Used within the past month (IRCGRRC = 1).....	3848	7.18
PIPFLAG	1	PIPES - EVER USED		
		0 = Never Used (IRPIPLF=9).....	48190	89.97
		1 = Ever Used (IRPIPLF=1).....	5370	10.03
PIPMON	1	PIPES - PAST MONTH USE		
		0 = Did not use in the past month (IRPIPMN=2,9).....	53022	99.00
		1 = Used within the past month (IRPIPMN=1).....	538	1.00
SMKFLAG	1	SMOKELESS TOBACCO - EVER USED		
		0 = Never used (IRSLTRC = 9).....	43216	80.69
		1 = Ever used (IRSLTRC = 1-4).....	10344	19.31
SMKYR	1	SMOKELESS TOBACCO - PAST YEAR USE		
		0 = Did not use in the past year (IRSLTRC = 3,4,9)....	50200	93.73
		1 = Used within the past year (IRSLTRC = 1,2).....	3360	6.27
SMKMON	1	SMOKELESS TOBACCO - PAST MONTH USE		
		0 = Did not use in the past month (IRSLTRC = 2-4,9)...	51382	95.93
		1 = Used within the past month (IRSLTRC = 1).....	2178	4.07
CHWFLAG	1	CHEWING TOBACCO - EVER USED		
		0 = Never Used (IRCHWRC=9).....	44438	82.97
		1 = Ever Used (IRCHWRC=1-4).....	9122	17.03

RECODED DRUG USE			PAGE:	137
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
CHWYR	1	CHEWING TOBACCO - PAST YEAR USE		
		0 = Did not use in the past year (IRCHWRC=3,4,9).....	50996	95.21
		1 = Used within the past year (IRCHWRC=1,2).....	2564	4.79
CHWMON	1	CHEWING TOBACCO - PAST MONTH USE		
		0 = Did not use in the past month (IRCHWRC=2-4,9).....	52057	97.19
		1 = Used within the past month (IRCHWRC=1).....	1503	2.81
SNFFLAG	1	SNUFF - EVER USED		
		0 = Never used (IRSNFRC = 9).....	47764	89.18
		1 = Ever used (IRSNFRC = 1-4).....	5796	10.82
SNFYR	1	SNUFF - PAST YEAR USE		
		0 = Did not use in the past year (IRSNFRC = 3,4,9)....	51406	95.98
		1 = Used within the past year (IRSNFRC = 1,2).....	2154	4.02
SNFMON	1	SNUFF - PAST MONTH USE		
		0 = Did not use in the past month (IRSNFRC = 2-4,9)...	52068	97.21
		1 = Used within the past month (IRSNFRC = 1).....	1492	2.79
The following three any tobacco variables were created by the examination of IRCIGRC, IRCGRRC, IRSLTRC, and IRPIPMN.				
TOBFLAG	1	ANY TOBACCO - EVER USED		
		0 = Never Used (all source vars=9).....	19773	36.92
		1 = Ever Used (any source var=1-4).....	33787	63.08
TOBYR	1	ANY TOBACCO - PAST YEAR USE		
		0 = Never use pst yr(IRPIPMN=2,9 &oth src vars=3,4,9)..	32495	60.67
		1 = Used pst yr(IRPIPMN=1 or any oth src var=1,2).....	21065	39.33
TOBMON	1	ANY TOBACCO - PAST MONTH USE		
		0 = Did not use in pst month (all source vars=2-4,9)..	36899	68.89
		1 = Used in past month (any source var=1).....	16661	31.11

The following three variables, CIGBRAND, CGRBRAND, SMKBRAND, were created with the intent to show the brand estimates in order from highest to lowest within the overall population. The most widely used brands for each tobacco product and the ranking of these brands were determined by examining weighted frequencies of the respective source variables among all users of that tobacco product. Once the brand ordering was determined, the analysis variables were created as defined below. For each of these tobacco brand variables, all persons who indicated no past month use were set to the SAS missing code and excluded from the analysis. The category "Other Brands" contains all past month users who reported other valid brands not otherwise defined in one of the other levels. The category "Unknown Brands" contains past month users who did not specify a specific tobacco brand. Variables of this type can also be created within demographic subgroups, by first examining weighted frequencies of the respective source variables among users defined by a demographic subgroup of interest.

CIGBRAND	2	CIGARETTE BRAND USED MOST OFTEN IN PAST MONTH		
		. = Not Past Month Cigarette User (CIGMON=0).....	39147	73.09
		1 = Marlboro (CIG30BR2=112).....	7330	13.69
		2 = Newport (CIG30BR2=118).....	1968	3.67
		3 = Camel (CIG30BR2=104).....	1309	2.44
		4 = Basic (CIG30BR2=101).....	471	0.88
		5 = Doral (CIG30BR2=107).....	315	0.59
		6 = Winston (CIG30BR2=126).....	356	0.66
		7 = GPC (CIG30BR2=109).....	298	0.56
		8 = Kool (CIG30BR2=111).....	264	0.49
		9 = Virginia Slims (CIG30BR2=125).....	219	0.41
		10 = Benson & Hedges (CIG30BR2=102).....	200	0.37
		11 = Salem (CIG30BR2=122).....	182	0.34
		12 = Merit (CIG30BR2=113).....	101	0.19
		13 = Pall Mall (CIG30BR2=119).....	48	0.09
		14 = Misty (CIG30BR2=114).....	91	0.17
		15 = Parliament (CIG30BR2=120).....	186	0.35
		16 = Capri (CIG30BR2=105).....	71	0.13
		17 = Other Brnd (CIG30BR2=other 100-199,1001-1999).....	735	1.37
		18 = Unknwn Brnd (CIG30BR2=300-799,4999,9985-9998).....	269	0.50

RECODED DRUG USE			PAGE: 139	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
CGRBRAND	2	CIGAR BRAND USED MOST OFTEN IN PAST MONTH		
		. = Not Past Month Cigar Users (CGRMON=0).....	49712	92.82
		1 = Swisher Sweets (CGR30BR2 = 423).....	838	1.56
		2 = Black and Mild (CGR30BR2 = 404).....	993	1.85
		3 = Macanudos (CGR30BR2 = 416).....	198	0.37
		4 = Garcia Y Vega (CGR30BR2 = 411).....	154	0.29
		5 = Backwoods (CGR30BR2 = 402).....	112	0.21
		6 = Phillies (CGR30BR2 = 419).....	217	0.41
		7 = Dutch Masters (CGR30BR2 = 408).....	74	0.14
		8 = Antoinio Y Cleopatra (CGR30BR2 = 401).....	35	0.07
		9 = Partagas (CGR30BR2 = 418).....	26	0.05
		10 = King Edward (CGR30BR2 = 413).....	60	0.11
		11 = Havatampa (CGR30BR2 = 412).....	39	0.07
		12 = Cuba, brand unspecified (CGR30BR2 = 448,449).....	41	0.08
		13 = Arturo Fuentes (CGR30BR2 = 431).....	25	0.05
		14 = White Owl (CGR30BR2 = 426).....	31	0.06
		15 = Montecristo (CGR30BR2 = 486).....	19	0.04
		16 = Other Brnd (CGR30BR2 =other 400-499,4000-4999)...	580	1.08
		17 = Unknwn Brnd (CGR30BR2=101-175,9000,9985-9998).....	406	0.76
SMKBRAND	2	SMOKELESS TOBACCO BRAND USED MOST OFTEN IN PST MON		
		. = Not Past Month Smokeless Tobacco User (SMKMON=0)...	51382	95.93
		1 = Skoal (SLT30BR2=308).....	736	1.37
		2 = Copenhagen (SLT30BR2=301).....	540	1.01
		3 = Kodiak (SLT30BR2=305).....	231	0.43
		4 = Red Man (SLT30BR2=208).....	173	0.32
		5 = Levi Garrett (SLT30BR2=206).....	85	0.16
		6 = Timber Wolf (SLT30BR2=309).....	58	0.11
		7 = Beech-Nut (SLT30BR2=201).....	61	0.11
		8 = Day's Work (SLT30BR2=203).....	13	0.02
		9 = Chatanooga Chew (SLT30BR2=202).....	10	0.02
		10 = Other Brand (SLT30BR2=other 200-399,2999,3999).....	186	0.35
		11 = Unknwn Brnd (SLT30BR2=111,118,701,702,9000-9998)...	85	0.16

RECODED DRUG USE			PAGE:	140
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NOTE: The variable CIGCMPNY indicates the companies that owned the labels of the cigarette brands that respondents reported using most often in the past 30 days. For brands that were sold to another company during the survey year, CIGCMPNY reflects which company owned the brand label for the majority of the year.				
CIGCMPNY	2	CIG COMPANY FOR BRAND IN PAST 30 DAYS - RECODE		
		1 = Phillip Morris.....	8558	15.98
		2 = R.J. Reynolds.....	2267	4.23
		3 = Lorillard.....	2067	3.86
		4 = Brown and Williamson.....	878	1.64
		5 = Liggett.....	21	0.04
		6 = Commonwealth Brands.....	39	0.07
		7 = Santa Fe Natural Tobacco Company.....	49	0.09
		70 = SOME OTHER BRAND/COMPANY.....	195	0.36
		80 = CIG BRAND/COMPANY NOT SPECIFIED.....	70	0.13
		85 = BAD DATA Log assn (CIG30BR2=9985).....	34	0.06
		90 = NOT A CIGARETTE BRAND.....	44	0.08
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17116	31.96
		94 = DON'T KNOW (CIG30BR2=9994).....	126	0.24
		97 = REFUSED (CIG30BR2=9997).....	41	0.08
		98 = BLANK (CIG30BR2=9998).....	105	0.20
ALCFLAG	1	ALCOHOL - EVER USED		
		0 = Never used (IRALCRC = 9).....	15640	29.20
		1 = Ever used (IRALCRC = 1-3).....	37920	70.80
ALCYR	1	ALCOHOL - PAST YEAR USE		
		0 = Did not use in the past year (IRALCRC = 3,9).....	22364	41.76
		1 = Used within the past year (IRALCRC = 1,2).....	31196	58.24
ALCMON	1	ALCOHOL - PAST MONTH USE		
		0 = Did not use in the past month (IRALCRC = 2-3,9)...	31489	58.79
		1 = Used within the past month (IRALCRC = 1).....	22071	41.21
MRJFLAG	1	MARIJUANA - EVER USED		
		0 = Never used (IRMJRC = 9).....	35025	65.39
		1 = Ever used (IRMJRC = 1-3).....	18535	34.61
MRJYR	1	MARIJUANA - PAST YEAR USE		
		0 = Did not use in the past year (IRMJRC = 3,9).....	45790	85.49
		1 = Used within the past year (IRMJRC = 1,2).....	7770	14.51
MRJMON	1	MARIJUANA - PAST MONTH USE		
		0 = Did not use in the past month (IRMJRC = 2-3,9)....	49343	92.13
		1 = Used within the past month (IRMJRC = 1).....	4217	7.87

RECODED DRUG USE			PAGE:	141
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
COCFLAG	1	COCAINE - EVER USED		
		0 = Never used (IRCOCRC = 9).....	48585	90.71
		1 = Ever used (IRCOCRC = 1-3).....	4975	9.29
COCYR	1	COCAINE - PAST YEAR USE		
		0 = Did not use in the past year (IRCOCRC = 3,9).....	52151	97.37
		1 = Used within the past year (IRCOCRC = 1,2).....	1409	2.63
COCMON	1	COCAINE - PAST MONTH USE		
		0 = Did not use in the past month (IRCOCRC = 2-3,9)...	53077	99.10
		1 = Used within the past month (IRCOCRC = 1).....	483	0.90
CRKFLAG	1	CRACK - EVER USED		
		0 = Never used (IRCRKRC = 9).....	52286	97.62
		1 = Ever used (IRCRKRC = 1-3).....	1274	2.38
CRKYR	1	CRACK - PAST YEAR USE		
		0 = Did not use in the past year (IRCRKRC = 3,9).....	53228	99.38
		1 = Used within the past year (IRCRKRC = 1,2).....	332	0.62
CRKMON	1	CRACK - PAST MONTH USE		
		0 = Did not use in the past month (IRCRKRC = 2-3,9)...	53454	99.80
		1 = Used within the past month (IRCRKRC = 1).....	106	0.20
HERFLAG	1	HEROIN - EVER USED		
		0 = Never used (IRHERRC = 9).....	52953	98.87
		1 = Ever used (IRHERRC = 1-3).....	607	1.13
HERYR	1	HEROIN - PAST YEAR USE		
		0 = Did not use in the past year (IRHERRC = 3,9).....	53422	99.74
		1 = Used within the past year (IRHERRC = 1,2).....	138	0.26
HERMON	2	HEROIN - PAST MONTH USE		
		0 = Did not use in the past month (IRHERRC = 2-3,9)...	53505	99.90
		1 = Used within the past month (IRHERRC = 1).....	55	0.10
HALFLAG	1	HALLUCINOGENS - EVER USED		
		0 = Never used (IRHALRC = 9).....	47049	87.84
		1 = Ever used (IRHALRC = 1-3).....	6511	12.16
HALYR	2	HALLUCINOGENS - PAST YEAR USE		
		0 = Did not use in the past year (IRHALRC = 3,9).....	51651	96.44
		1 = Used within the past year (IRHALRC = 1,2).....	1909	3.56
HALMON	1	HALLUCINOGENS - PAST MONTH USE		
		0 = Did not use in the past month (IRHALRC = 2-3,9)...	53034	99.02
		1 = Used within the past month (IRHALRC = 1).....	526	0.98
LSDFLAG	1	LSD - EVER USED		
		0 = Never used (IRLSDRC = 9).....	48634	90.80
		1 = Ever used (IRLSDRC = 1-3).....	4926	9.20

RECODED DRUG USE			PAGE:	142
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
LSDYR	1	LSD - PAST YEAR USE		
		0 = Did not use in the past year (IRLSDRC = 3,9).....	52400	97.83
		1 = Used within the past year (IRLSDRC = 1,2).....	1160	2.17
LSDMON	1	LSD - PAST MONTH USE		
		0 = Did not use in the past month (IRLSDRC = 2-3,9)...	53269	99.46
		1 = Used within the past month (IRLSDRC = 1).....	291	0.54
PCPFLAG	1	PCP - EVER USED		
		0 = Never used (IRPCPRC = 9).....	52479	97.98
		1 = Ever used (IRPCPRC = 1-3).....	1081	2.02
PCPYR	1	PCP - PAST YEAR USE		
		0 = Did not use in the past year (IRPCPRC = 3,9).....	53406	99.71
		1 = Used within the past year (IRPCPRC = 1,2).....	154	0.29
PCPMON	1	PCP - PAST MONTH USE		
		0 = Did not use in the past month (IRPCPRC = 2-3,9)...	53520	99.93
		1 = Used within the past month (IRPCPRC = 1).....	40	0.07
INHFLAG	1	INHALANTS - EVER USED		
		0 = Never used (IRINHRC = 9).....	48053	89.72
		1 = Ever used (IRINHRC = 1-3).....	5507	10.28
INHYR	1	INHALANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRINHRC = 3,9).....	52373	97.78
		1 = Used within the past year (IRINHRC = 1,2).....	1187	2.22
INHMON	1	INHALANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRINHRC = 2-3,9)...	53228	99.38
		1 = Used within the past month (IRINHRC = 1).....	332	0.62
ANLFLAG	1	PAIN RELIEVERS - EVER USED		
		0 = Never used (IRANLRC = 9).....	47823	89.29
		1 = Ever used (IRANLRC = 1-3).....	5737	10.71
ANLYR	1	PAIN RELIEVERS - PAST YEAR USE		
		0 = Did not use in the past year (IRANLRC = 3,9).....	50872	94.98
		1 = Used within the past year (IRANLRC = 1,2).....	2688	5.02
ANLMON	1	PAIN RELIEVERS - PAST MONTH USE		
		0 = Did not use in the past month (IRANLRC = 2-3,9)...	52513	98.05
		1 = Used within the past month (IRANLRC = 1).....	1047	1.95
TRQFLAG	1	TRANQUILIZERS - EVER USED		
		0 = Never used (IRTRNRC = 9).....	50566	94.41
		1 = Ever used (IRTRNRC = 1-3).....	2994	5.59
TRQYR	1	TRANQUILIZERS - PAST YEAR USE		
		0 = Did not use in the past year (IRTRNRC = 3,9).....	52565	98.14
		1 = Used within the past year (IRTRNRC = 1,2).....	995	1.86

RECODED DRUG USE			PAGE:	143
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
TRQMON	1	TRANQUILIZERS - PAST MONTH USE		
		0 = Did not use in the past month (IRTRNRC = 2-3,9)...	53203	99.33
		1 = Used within the past month (IRTRNRC = 1).....	357	0.67
STMFLAG	1	STIMULANTS - EVER USED		
		0 = Never used (IRSTMRC = 9).....	49837	93.05
		1 = Ever used (IRSTMRC = 1-3).....	3723	6.95
STMYR	1	STIMULANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRSTMRC = 3,9).....	52543	98.10
		1 = Used within the past year (IRSTMRC = 1,2).....	1017	1.90
STMMON	1	STIMULANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRSTMRC = 2-3,9)...	53208	99.34
		1 = Used within the past month (IRSTMRC = 1).....	352	0.66
MTHFLAG	1	METHAMPHETAMINES--EVER USED		
		0 = Never Used (IRMTHRC=9).....	51526	96.20
		1 = Ever Used (IRMTHRC=1-3).....	2034	3.80
MTHYR	1	METHAMPHETAMINES-PAST MONTH USE		
		0 = Did not use in the past year (IRMTHRC=3,9).....	53125	99.19
		1 = Used within the past year (IRMTHRC=1,2).....	435	0.81
MTHMON	1	METHAMPHETAMINES-PAST YEAR USE		
		0 = Did not use in the past month (IRMTHRC=2-3,9).....	53416	99.73
		1 = Used within the past month (IRMTHRC=1).....	144	0.27
SEDFLAG	1	SEDATIVES - EVER USED		
		0 = Never used (IRSEDRC = 9).....	52396	97.83
		1 = Ever used (IRSEDRC = 1-3).....	1164	2.17
SEDYR	1	SEDATIVES - PAST YEAR USE		
		0 = Did not use in the past year (IRSEDRC = 3,9).....	53329	99.57
		1 = Used within the past year (IRSEDRC = 1,2).....	231	0.43
SEDMON	1	SEDATIVES - PAST MONTH USE		
		0 = Did not use in the past month (IRSEDRC = 2-3,9)...	53474	99.84
		1 = Used within the past month (IRSEDRC = 1).....	86	0.16
The following three any psychotherapeutic variables were created by examination of IRSEDRC, IRTRNRC, IRSTMRC, and IRANLRC				
PSYFLAG2	1	ANY PSYCHOTHERAPEUTICS - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES = 9).....	45046	84.10
		1 = Ever used (ANY SOURCE VARIABLE < 9).....	8514	15.90
PSYYR2	1	ANY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		0 = Did not use within past year (ALL SOURCE VARS > 2)	49952	93.26
		1 = Used in past year (ANY SOURCE VARIABLE < 3).....	3608	6.74

RECODED DRUG USE			PAGE:	144
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
PSYMON2	1	ANY PSYCHOTHERAPEUTICS - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS > 1)...	52097	97.27
		1 = Used in past month (ANY SOURCE VARIABLE = 1).....	1463	2.73
		The following variable, SUMFLAG, was created by examination of HALFLAG, HERFLAG, MRJFLAG, COCFLAG, INHFLAG, and PSYFLAG2.		
SUMFLAG	1	ANY ILLICIT DRUG - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES = 0).....	31556	58.92
		1 = Ever used (ANY SOURCE VARIABLE = 1).....	22004	41.08
		The following variable, SUMYR, was created by examination of HALYR, HERYR, MRJYR, COCYR, INHYR, and PSYYR2.		
SUMYR	1	ANY ILLICIT DRUG - PAST YEAR USE		
		0 = Did not use in past year (ALL SOURCE VARS =0).....	43483	81.19
		1 = Used in past year (ANY SOURCE VARIABLE = 1).....	10077	18.81
		The following variable, SUMMON, was created by examination of HALMON, HERMON, MRJMON, COCMON, INHMON, and PSYMON2.		
SUMMON	1	ANY ILLICIT DRUG - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS = 0)...	48227	90.04
		1 = Used in past month (ANY SOURCE VARIABLE = 1).....	5333	9.96
		The following variable, MJOFLAG, was created by examination of MRJFLAG and then HALFLAG, HERFLAG, COCFLAG, INHFLAG, PSYFLAG2.		
MJOFLAG	1	MARIJUANA ONLY - EVER USED		
		0 = Never used MJ/has used both MJ & anothr illct drug	45344	84.66
		1 = Marijuana is only (illicit) drug ever used.....	8216	15.34
		The following variable, MJOYR2, was created by examination of MRJYR and then HALYR, HERYR, COCYR, INHYR, PSYYR2.		
MJOYR2	1	MARIJUANA ONLY - PAST YEAR USE		
		0 = MJ not used past yr/Used MJ & othr drug past yr...	49117	91.70
		1 = Marijuana is only (illicit) drug in past year.....	4443	8.30
		The following variable, MJOMON2, was created by examination of MRJMON and then HALMON, HERMON, COCMON, INHMON, PSYMON2.		
MJOMON2	1	MARIJUANA ONLY - PAST MONTH USE		
		0 = MJ not used past mnth/Used MJ & othr drug past mo.	50483	94.26
		1 = Marijuana only (illicit) drug in past month.....	3077	5.74

RECODED DRUG USE			PAGE:	145
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
The following variable, IEMFLAG, was created by examination of HALFLAG, HERFLAG, COCFLAG, INHFLAG, PSYFLAG2.				
IEMFLAG	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - EVER USED		
		0 = Never used drug/used only marijuana.....	39772	74.26
		1 = Illicit drug except for marijuana are ever used...	13788	25.74
The following variable, IEMYR, was created by examination of HALYR, HERYR, COCYR, INHYR, PSYYR2.				
IEMYR	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - PAST YEAR USED		
		0 = Never used drug/used only marijuana past year....	47926	89.48
		1 = Illicit drug except for marijuana used past year..	5634	10.52
The following variable, IEMMON, was created by examination of HALMON, HERMON, COCMON, INHMON, PSYMON2.				
IEMMON	1	ILLICIT DRUG EXCEPT FOR MARIJUANA-PAST MONTH USED		
		0 = Never used drug/used only marijuana past month....	51304	95.79
		1 = Illicit drug except for marijuana used past month.	2256	4.21
"Binge" Alcohol Use, BINGEDRK, is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other.				
BINGEDRK	1	BINGE ALCOHOL USE PAST 30 DAYS		
		0 = Never/No "Binge" alcohol use (IRALCD5 = 0).....	41209	76.94
		1 = "Binge" alcohol use (IRALCD5 = 1-30).....	12351	23.06
Heavy Alcohol Use, HVYDRK2, is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users.				
HVYDRK2	1	HEAVY ALCOHOL USE PAST 30 DAYS		
		0 = Never/No heavy alcohol use (IRALCD5 = 0-4).....	49836	93.05
		1 = Heavy alcohol use (IRALCD5 = 5-30).....	3724	6.95

RECODED DRUG USE			PAGE:	146
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
<p>The following variable, BINGEHVY, was created by examination of BINGEDRK, HVYDRK2, and ALCMON. To be considered a past month "binge" or heavy alcohol user, a respondent must have used alcohol in the past month. Further, to be a past month heavy alcohol drinker, a respondent must also be a past month "binge" alcohol user.</p>				
BINGEHVY	1	LEVEL OF ALCOHOL USE PAST MONTH		
		1 = Heavy Alcohol Use (HVYDRK2=1).....	3724	6.95
		2 = "Binge" But Not Heavy Use (BINGEDRK=1 & HVYDRK2=0)	8627	16.11
		3 = Pst Month But Not "Binge" (ALCMON=1 & BINGEDRK=0).	9720	18.15
		4 = Did Not Use Alcohol in Pst Month (All source=0)...	31489	58.79
PEYOTE2	1	EVER USED PEYOTE		
		0 = No/Unknown (PEYOTE=2,91,94,97).....	52722	98.44
		1 = Yes (PEYOTE=1).....	838	1.56
MESC2	1	EVER USED MESCALINE		
		0 = No/Unknown (MESC=2,91,94,97).....	52360	97.76
		1 = Yes (MESC=1,3).....	1200	2.24
PSILCY2	1	EVER USED PSILOCYBIN (MUSHROOMS)		
		0 = No/Unknown (PSILCY=2,91,94,97).....	49960	93.28
		1 = Yes (PSILCY=1,3).....	3600	6.72
ECSTASY2	1	EVER USED "ECSTASY" (MDMA)		
		0 = No/Unknown (ECSTASY=2,91,94,97).....	51710	96.55
		1 = Yes (ECSTASY=1).....	1850	3.45
AMYLNIT2	1	EVER INHALED AMYL NITRITE, "POPPERS," RUSH, ETC.		
		0 = No/Unknown (AMYLNIT=2,91,94,97).....	51963	97.02
		1 = Yes (AMYLNIT=1,3).....	1597	2.98
CLEFLU2	1	EVER INHALED CORRECTION FLUID, DEGREASER, ETC.		
		0 = No/Unknown (CLEFLU=2,91,94,97).....	52693	98.38
		1 = Yes (CLEFLU=1,3).....	867	1.62
GAS2	1	EVER INHALED GASOLINE OR LIGHTER FLUID		
		0 = No/Unknown (GAS=2,91,94,97,98).....	52214	97.49
		1 = Yes (GAS=1,3).....	1346	2.51
GLUE2	1	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE		
		0 = No/Unknown (GLUE=2,91,94,97,98).....	52195	97.45
		1 = Yes (GLUE=1,3).....	1365	2.55
ETHER2	1	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC		
		0 = No/Unknown (ETHER=2,91,94,97,98).....	53227	99.38
		1 = Yes (ETHER=1,3).....	333	0.62
SOLVENT2	1	EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS		
		0 = No/Unknown (SOLVENT=2,91,94,97,98).....	52900	98.77
		1 = Yes (SOLVENT=1,3).....	660	1.23

RECODED DRUG USE			PAGE:	147
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
LGAS2	1	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
		0 = No/Unknown (LGAS=2,91,94,97,98)	53121	99.18
		1 = Yes (LGAS=1,3)	439	0.82
NITOXID2	1	EVER INHALED NITROUS OXIDE OR "WHIPPETS"		
		0 = No/Unknown (NITOXID=2,91,94,97,98)	50967	95.16
		1 = Yes (NITOXID=1,3)	2593	4.84
SPPAINT2	2	EVER INHALED SPRAY PAINTS		
		0 = No/Unknown (SPPAINT=2,91,94,97,98)	52775	98.53
		1 = Yes (SPPAINT=1)	785	1.47
AEROS2	1	EVER INHALED OTHER AEROSOL SPRAYS		
		0 = No/Unknown (AEROS=2,91,94,97,98)	52861	98.69
		1 = Yes (AEROS=1,3)	699	1.31
DIETPIL2	1	EVER USED DIET PILLS FOR FEELING CAUSED		
		0 = No/Unknown (DIETPILS=2,81,91,94,97,98)	52261	97.57
		1 = Yes (DIETPILS=1,3)	1299	2.43
RITMPHE2	1	EVER USED RITALIN FOR FEELING CAUSED		
		0 = No/Unknown (RITMPHEN=2,81,91,94,97,98)	52379	97.79
		1 = Yes (RITMPHEN=1,3)	1181	2.21
OTHSTM	1	EVER USED OTHER STIMULANTS		
		0 = No/Unknwn (STMCARD or STMNOLST=2,4,81,91,94,97,98)	52641	98.28
		1 = Yes (STMCARD or STMNOLST = 1,3)	919	1.72
METHAQ2	1	EVER USED METHAQUALONE, SOPOR, QUALLUDE		
		0 = No/Unknown (METHAQ=2,81,91,94,97,98)	52797	98.58
		1 = Yes (METHAQ=1)	763	1.42
NEMBBAR2	1	EVER USED BARBITURATES FOR FEELING		
		0 = No/Unknown (NEMBBARB=2,81,91,94,97,98)	53168	99.27
		1 = Yes (NEMBBARB=1)	392	0.73
RESTTMA2	1	EVER USED RESTORIL OR TEMAZEPAM		
		0 = No/Unknown (RESTTMAZ=2,81,91,94,97,98)	53420	99.74
		1 = Yes (RESTTMAZ=1)	140	0.26
OTHSED	1	EVER USED OTHER SEDATIVES		
		0 = No/Unknwn (SEDCARD or SEDNOLST=2,4,81,91,94,97,98)	53018	98.99
		1 = Yes (SEDCARD or SEDNOLST = 1,3)	542	1.01
KLONOP12	1	EVER USED KLONOPIN OR CLONAZEPAM		
		0 = No/Unknown (KLONOPIN=2,81,91,94,97,98)	53185	99.30
		1 = Yes (KLONOPIN=1)	375	0.70
XNAXATV2	1	EVER USED XANAX, ALPRAZOLAM, ATVIAN		
		0 = No/Unknown (XNAXATVN=2,81,91,94,97,98)	52235	97.53
		1 = Yes (XNAXATVN=1,3)	1325	2.47

RECODED DRUG USE			PAGE:	148
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
VALMDIA2	1	EVER USED VALIUM OR DIAZEPAM FOR FEELING		
		0 = No/Unknown (VALMDIAZ=2,81,91,94,97,98)	51368	95.91
		1 = Yes (VALMDIAZ=1,3)	2192	4.09
OTHTRN	1	EVER USED OTHER TRANQUILIZERS		
		0 = No/Unknown (TRNCARD or TRNNOLST=2,4,81,91,94,97,98)	52508	98.04
		1 = Yes (TRNCARD or TRNNOLST = 1,3)	1052	1.96
DARVTYL2	1	EVER USED DARVOCET, DARVON, TYLENOL W/CODEINE		
		0 = No/Unknown (DARVTYLC=2,81,91,94,97,98)	49605	92.62
		1 = Yes (DARVTYLC=1,3)	3955	7.38
PERCTYL2	1	EVER USED PERCOCET, PERCODAN, TYLOX		
		0 = No/Unknown (PERCTYLX=2,91,94,97)	51885	96.87
		1 = Yes (PERCTYLX=1,3)	1675	3.13
VICOLOR2	1	EVER USED VICODIN, LORTAB, LORCET		
		0 = No/Unknown (VICOLOR=2,91,94,97)	51660	96.45
		1 = Yes (VICOLOR=1,3)	1900	3.55
OTHANL	1	EVER USED OTHER PAIN RELIEVERS		
		0 = No/Unknown (ANLCARD or ANLNOLST=2,4,81,91,94,97,98)	50716	94.69
		1 = Yes (ANLCARD or ANLNOLST = 1,3)	2844	5.31
AMYTAL2	1	EVER USED AMYTAL		
		0 = No/Unknown (AMYTAL=6,81,91,94,97,98,99)	53519	99.92
		1 = Yes (AMYTAL= 1)	41	0.08
BUTISOL2	1	EVER USED BUTISOL		
		0 = No/Unknown (BUTISOL=6,81,91,94,97,98,99)	53530	99.94
		1 = Yes (BUTISOL= 1)	30	0.06
CHHYD2	1	EVER USED CHLORAL HYDRATE		
		0 = No/ Unknown (CHHYD = 6,81,91,94,97,98,99)	53532	99.95
		1 = Yes (CHHYD= 1)	28	0.05
DALMANE2	1	EVER USED DALMANE		
		0 = No/Unknown (DALMANE=6,81,91,94,97,98,99)	53508	99.90
		1 = Yes (DALMANE=1,3)	52	0.10
HALCION2	1	EVER USED HALCION		
		0 = No/Unknown (HALCION=6,81,91,94,97,98,99)	53466	99.82
		1 = Yes (HALCION=1)	94	0.18
PHENOBR2	1	EVER USED PHENOBARBITAL		
		0 = No/Unknown (PHENOBAR=6,81,91,94,97,98,99)	53410	99.72
		1 = Yes (PHENOBAR=1,3)	150	0.28
PLACIDY2	1	EVER USED OTHER PLACIDYL		
		0 = No/ Unknown (PLACIDYL = 6,81,91,94,97,98,99)	53464	99.82
		1 = Yes (PLACIDYL= 1,3)	96	0.18

RECODED DRUG USE			PAGE:	149
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
TUINAL2	1	EVER USED TUINAL		
		0 = No/Unknown (TUINAL=6,81,91,94,97,98,99)	53461	99.82
		1 = Yes (TUINAL=1,3)	99	0.18
CODEINE2	1	EVER USED CODEINE		
		0 = No/Unknown (CODEINE=6,81,91,94,97,98,99)	52274	97.60
		1 = Yes (CODEINE=1,3)	1286	2.40
DEMEROL2	1	EVER USED DEMEROL		
		0 = No/Unknown (DEMEROL=6,81,91,94,97,98,99)	52989	98.93
		1 = Yes (DEMEROL=1,3)	571	1.07
DILAUD2	1	EVER USED DILAUDID		
		0 = No/ Unknown (DILAUD = 6,81,91,94,97,98,99)	53445	99.79
		1 = Yes (DILAUD = 1,3)	115	0.21
FIORICT2	1	EVER USED FIORICET		
		0 = No/Unknown (FIORICET=6,81,91,94,97,98,99)	53484	99.86
		1 = Yes (FIORICET=1,3)	76	0.14
FIORINL2	1	EVER USED FIORINAL		
		0 = No/Unknown (FIORINAL= 6,81,91,94,97,98,99)	53479	99.85
		1 = Yes (FIORINAL=1,3)	81	0.15
HYDROCD2	1	EVER USED HYDROCODONE		
		0 = No/Unknown (HYDROCOD= 6,81,91,94,97,98,99)	53050	99.05
		1 = Yes (HYDROCOD=1,3)	510	0.95
METHDON2	1	EVER USED METHADONE		
		0 = No/ Unknown (METHDON =6,81,91,94,97,98,99)	53377	99.66
		1 = Yes (METHDON = 1,3)	183	0.34
MORPHIN2	1	EVER USED MORPHINE		
		0 = No/ Unknown (MORPHINE =6,81,91,94,97,98,99)	53132	99.20
		1 = Yes (MORPHINE = 1,3)	428	0.80
OXYCONT2	1	EVER USED OXYCONTIN		
		0 = No/ Unknown (OXYCONTN =6,81,91,94,97,98,99)	53478	99.85
		1 = Yes (OXYCONTN = 1,3)	82	0.15
PHENCOD2	1	EVER USED PHENAPHEN WITH CODEINE		
		0 = No/ Unknown (PHENCOD =6,81,91,94,97,98,99)	53409	99.72
		1 = Yes (PHENCOD = 1)	151	0.28
PROPOXY2	1	EVER USED PROPOXYPHENE		
		0 = No/ Unknown (PROPOXY =6,81,91,94,97,98,99)	53505	99.90
		1 = Yes (PROPOXY = 1,3)	55	0.10
SK65A2	1	EVER USED SK65		
		0 = No/ Unknown (SK65A =6,81,91,94,97,98,99)	53542	99.97
		1 = Yes (SK65A = 1,3)	18	0.03

RECODED DRUG USE			PAGE:	150
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
STADOL2	1	EVER USED STADOL		
		0 = No/ Unknown (STADOL =6,81,91,94,97,98,99)	53529	99.94
		1 = Yes (STADOL = 1)	31	0.06
TALACEN2	1	EVER USED TALACEN		
		0 = No/ Unknown (TALACEN =6,81,91,94,97,98,99)	53539	99.96
		1 = Yes (TALACEN = 1)	21	0.04
TALWIN2	1	EVER USED TALWIN		
		0 = No/ Unknown (TALWIN =6,81,91,94,97,98,99)	53496	99.88
		1 = Yes (TALWIN = 1,3)	64	0.12
TALWINX2	1	EVER USED TALWIN NX		
		0 = No/ Unknown (TALWINNX =6,81,91,94,97,98,99)	53538	99.96
		1 = Yes (TALWINNX = 1)	22	0.04
TRAMADL2	1	EVER USED TRAMADOL		
		0 = No/ Unknown (TRAMADOL =6,81,91,94,97,98,99)	53531	99.95
		1 = Yes (TRAMADOL = 1)	29	0.05
ULTRAM2	1	EVER USED ULTRAM		
		0 = No/ Unknown (ULTRAM =6,81,91,94,97,98,99)	53414	99.73
		1 = Yes (ULTRAM = 1,3)	146	0.27
ATARAX2	1	EVER USED ATARAX		
		0 = No/ Unknown (ATARAX =6,81,91,94,97,98,99)	53495	99.88
		1 = Yes (ATARAX = 1)	65	0.12
BUSPAR2	1	EVER USED BUSPAR		
		0 = No/ Unknown (BUSPAR =6,81,91,94,97,98,99)	53467	99.83
		1 = Yes (BUSPAR = 1,3)	93	0.17
EQUANIL2	1	EVER USED EQUANIL		
		0 = No/ Unknown (EQUANIL =6,81,91,94,97,98,99)	53533	99.95
		1 = Yes (EQUANIL = 1)	27	0.05
FLEXERL2	1	EVER USED FLEXERIL		
		0 = No/ Unknown (FLEXERIL =6,81,91,94,97,98,99)	53330	99.57
		1 = Yes (FLEXERIL = 1,3)	230	0.43
LIBRIUM2	1	EVER USED LIBRIUM		
		0 = No/ Unknown (LIBRIUM =6,81,91,94,97,98,99)	53430	99.76
		1 = Yes (LIBRIUM = 1,3)	130	0.24
LIMBTRL2	1	EVER USED LIMBITROL		
		0 = No/ Unknown (LIMBTROL =6,81,91,94,97,98,99)	53536	99.96
		1 = Yes (LIMBTROL = 1)	24	0.04
MEPROB2	1	EVER USED MEPROBAMATE		
		0 = No/ Unknown (MEPROB =6,81,91,94,97,98,99)	53529	99.94
		1 = Yes (MEPROB = 1)	31	0.06

RECODED DRUG USE			PAGE:	151
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
MILTOWN2	1	EVER USED MILTOWN		
		0 = No/ Unknown (MILTOWN =6,81,91,94,97,98,99)	53532	99.95
		1 = Yes (MILTOWN = 1)	28	0.05
ROHYPNL2	1	EVER USED ROHYPNOL		
		0 = No/Unknown (ROHYPNOL =6,81,91,94,97,98,99)	53442	99.78
		1 = Yes (ROHYPNOL = 1,3)	118	0.22
SERAX2	1	EVER USED SERAX		
		0 = No/ Unknown (SERAX =6,81,91,94,97,98,99)	53523	99.93
		1 = Yes (SERAX = 1)	37	0.07
SOMA2	1	EVER USED SOMA		
		0 = No/ Unknown (SOMA =6,81,91,94,97,98,99)	53236	99.40
		1 = Yes (SOMA = 1,3)	324	0.60
TRANXEN2	1	EVER USED TRANXENE		
		0 = No/ Unknown (TRANXENE =6,81,91,94,97,98,99)	53502	99.89
		1 = Yes (TRANXENE = 1)	58	0.11
VISTAR2	1	EVER USED VISTARIL		
		0 = No/ Unknown (VISTAR =6,81,91,94,97,98,99)	53494	99.88
		1 = Yes (VISTAR = 1,3)	66	0.12
CYLERT2	1	EVER USED CYLERT		
		0 = No/ Unknown (CYLERT =6,81,91,94,97,98,99)	53489	99.87
		1 = Yes (CYLERT = 1)	71	0.13
DEXED2	1	EVER USED DEXEDRINE		
		0 = No/ Unknown (DEXED =6,81,91,94,97,98,99)	53263	99.45
		1 = Yes (DEXED = 1,3)	297	0.55
DETAMP2	1	EVER USED DEXTROAMPHETAMINE		
		0 = No/ Unknown (DETAMP =6,81,91,94,97,98,99)	53460	99.81
		1 = Yes (DETAMP = 1,3)	100	0.19
DIDREX2	1	EVER USED DIDREX		
		0 = No/ Unknown (DIDREX =6,81,91,94,97,98,99)	53525	99.93
		1 = Yes (DIDREX = 1)	35	0.07
ESKAT2	1	EVER USED ESKATROL		
		0 = No/ Unknown (ESKAT =6,81,91,94,97,98,99)	53536	99.96
		1 = Yes (ESKAT = 1)	24	0.04
IONAMIN2	1	EVER USED IONAMIN		
		0 = No/ Unknown (IONAMIN =6,81,91,94,97,98,99)	53501	99.89
		1 = Yes (IONAMIN = 1,3)	59	0.11
MAZANOR2	1	EVER USED MAZANOR		
		0 = No/ Unknown (MAZANOR =6,81,91,94,97,98,99)	53536	99.96
		1 = Yes (MAZANOR = 1,3)	24	0.04

RECODED DRUG USE			PAGE: 152	
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
OBLA2	1	EVER USED OBEDRIN-LA		
		0 = No/ Unknown (OBLA =6,81,91,94,97,98,99).....	53552	99.99
		1 = Yes (OBLA = 1).....	8	0.01
PLEGINE2	1	EVER USED PLEGINE		
		0 = No/ Unknown (PLEGINE =6,81,91,94,97,98,99).....	53546	99.97
		1 = Yes (PLEGINE = 1).....	14	0.03
PRELUDN2	1	EVER USED PRELUDIN		
		0 = No/ Unknown (PRELUDIN =6,81,91,94,97,98,99).....	53476	99.84
		1 = Yes (PRELUDIN = 1).....	84	0.16
SANOREX2	1	EVER USED SANOREX		
		0 = No/ Unknown (SANOREX =6,81,91,94,97,98,99).....	53515	99.92
		1 = Yes (SANOREX = 1).....	45	0.08
TENUATE2	1	EVER USED TENUATE		
		0 = No/ Unknown (TENUATE =6,81,91,94,97,98,99).....	53530	99.94
		1 = Yes (TENUATE = 1).....	30	0.06
ALCAFU	1	ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRALCAGE=1-14).....	13383	24.99
		2 = 15-17 Years Old (IRALCAGE=15-17).....	14413	26.91
		3 = 18 Years or Older (IRALCAGE=18+).....	10124	18.90
		4 = Non Alcohol Users (IRALAGE = 991).....	15640	29.20
MJAFU	1	MARIJUANA AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRMJAGE=1-14).....	5516	10.30
		2 = 15-17 Years Old (IRMJAGE=15-17).....	7551	14.10
		3 = 18 Years or Older (IRMJAGE=18+).....	5468	10.21
		4 = Non Marijuana Users (IRMJGE = 991).....	35025	65.39
COCAFU	1	COCAINE AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRCOCAGE=1-14).....	431	0.80
		2 = 15-17 Years Old (IRCOCAGE=15-17).....	1446	2.70
		3 = 18 Years or Older (IRCOCAGE=18+).....	3098	5.78
		4 = Non Cocaine Users (IRCOCAGE = 991).....	48585	90.71
HERAFU	1	HEROIN AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRHERAGE=1-14).....	71	0.13
		2 = 15-17 Years Old (IRHERAGE=15-17).....	173	0.32
		3 = 18 Years or Older (IRHERAGE=18+).....	363	0.68
		4 = Non Heroin Users (IRHERAGE = 991).....	52953	98.87
HALAFU	1	HALLUCINOGEN AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRHALAGE=1-14).....	948	1.77
		2 = 15-17 Years Old (IRHALAGE=15-17).....	2799	5.23
		3 = 18 Years or Older (IRHALAGE=18+).....	2764	5.16
		4 = Non Hallucinogen Users (IRHALAGE = 991).....	47049	87.84

RECODED DRUG USE			PAGE:	153
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
INHAFU	1	INHALANT AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRINHAGE=1-14).....	2324	4.34
		2 = 15-17 Years Old (IRINHAGE=15-17).....	1869	3.49
		3 = 18 Years or Older (IRINHAGE=18+).....	1314	2.45
		4 = Non Inhalant Users (IRINHAGE = 991).....	48053	89.72
ANLAFU	1	PAIN RELIEVER AGE OF FIRST USE - CATEGORIZED RECOD		
		1 = 14 Years or Younger (IRANLAGE=1-14).....	1563	2.92
		2 = 15-17 Years Old (IRANLAGE=15-17).....	1708	3.19
		3 = 18 Years or Older (IRANLAGE=18+).....	2466	4.60
		4 = Non Pain Reliever Users (IRANLAGE = 991).....	47823	89.29
TRNAFU	1	TRANQUILIZER AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRTRNAGE=1-14).....	471	0.88
		2 = 15-17 Years Old (IRTRNAGE=15-17).....	922	1.72
		3 = 18 Years or Older (IRTRNAGE=18+).....	1601	2.99
		4 = Non Tranquilizer Users (IRTRNAGE = 991).....	50566	94.41
STMAFU	1	STIMULANT AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRSTMAGE=1-14).....	856	1.60
		2 = 15-17 Years Old (IRSTMAGE=15-17).....	1323	2.47
		3 = 18 Years or Older (IRSTMAGE=18+).....	1544	2.88
		4 = Non Stimulant Users (IRSTMAGE = 991).....	49837	93.05
SEDAFU	1	SEDATIVE AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRSEDAGE=1-14).....	223	0.42
		2 = 15-17 Years Old (IRSEDAGE=15-17).....	377	0.70
		3 = 18 Years or Older (IRSEDAGE=18+).....	564	1.05
		4 = Non Sedative Users (IRSEDAGE = 991).....	52396	97.83
CIGAFU	1	CIGARETTE AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRCIGAGE=1-14).....	16253	30.35
		2 = 15-17 Years Old (IRCIGAGE=15-17).....	9944	18.57
		3 = 18 Years or Older (IRCIGAGE=18+).....	5413	10.11
		4 = Non Cigarette Users (IRCIGAGE = 991).....	21950	40.98
CGRAFU	1	CIGAR AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRCGRAGE=1-14).....	3830	7.15
		2 = 15-17 Years Old (IRCGRAGE=15-17).....	5535	10.33
		3 = 18 Years or Older (IRCGRAGE=18+).....	8235	15.38
		4 = Non Cigar Users (IRCGRAGE = 991).....	35960	67.14
SLTAFU	1	SMOKELESS TOBACCO AGE OF FIRST USE - RECODE		
		1 = 14 Years or Younger (IRSLTAGE=1-14).....	4439	8.29
		2 = 15-17 Years Old (IRSLTAGE=15-17).....	3554	6.64
		3 = 18 Years or Older (IRSLTAGE=18+).....	2351	4.39
		4 = Non Smokeless Tobacco Users (IRSLTAGE = 991).....	43216	80.69

SELECTED UNEDITED VARIABLES			PAGE:	154
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(CG05)		SELECTED UNEDITED VARIABLES		

		Now think about the past 30 days -- that is, from DATEFILL up to and including today. During the past 30 days, have you smoked part or all of a cigarette?		
CG05	2	HAVE YOU SMOKED CIG IN PAST 30 DAYS		
		1 = Yes.....	14362	26.81
		2 = No.....	17135	31.99
		85 = BAD DATA Logically assigned.....	69	0.13
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	21950	40.98
(CG06)		How long has it been since you last smoked part or all of a cigarette?		
CG06	2	TIME SINCE LAST SMOKE A CIGARETTE		
		1 = More than 30 days ago but within the past 12 mos..	3396	6.34
		2 = More than 12 months ago but within the past 3 yrs.	3639	6.79
		3 = More than 3 years ago.....	9910	18.50
		85 = BAD DATA Logically assigned.....	42	0.08
		94 = DON'T KNOW.....	164	0.31
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	36383	67.93
(CG19)		Now think about the past 30 days -- that is, from DATEFILL up to and including today. During the past 30 days, have you used chewing tobacco, even once?		
CG19	2	HAVE YOU USED CHEW IN PAST 30 DAYS		
		1 = Yes.....	1495	2.79
		2 = No.....	7591	14.17
		85 = BAD DATA Logically assigned.....	18	0.03
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	44443	82.98
(CG20)		How long has it been since you last used chewing tobacco?		
CG20	2	TIME SINCE LAST USED CHEW		
		1 = More than 30 days ago but within the past 12 mos..	1015	1.90
		2 = More than 12 months ago but within the past 3 yrs.	1479	2.76
		3 = More than 3 years ago.....	5010	9.35
		85 = BAD DATA Logically assigned.....	14	0.03
		94 = DON'T KNOW.....	61	0.11
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	45955	85.80

SELECTED UNEDITED VARIABLES			PAGE:	155
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(CG27)		Now think about the past 30 days -- that is, from DATEFILL up to and including today. During the past 30 days, have you used snuff, even once?		
CG27	2	HAVE YOU USED SNUFF IN PAST 30 DAYS		
		1 = Yes.....	1484	2.77
		2 = No.....	4285	8.00
		85 = BAD DATA Logically assigned.....	10	0.02
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	47768	89.19
(CG28)		How long has it been since you last used snuff?		
CG28	2	TIME SINCE LAST USE SNUFF		
		1 = More than 30 days ago but within the past 12 mos..	630	1.18
		2 = More than 12 months ago but within the past 3 yrs.	895	1.67
		3 = More than 3 years ago.....	2721	5.08
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	49268	91.99
(CG36)		Now think about the past 30 days -- that is from DATEFILL up to and including today. During the past 30 days, have you smoked part or all of any type of cigar?		
CG36	2	HAVE YOU SMOKED CIGAR IN PAST 30 DAYS		
		1 = Yes.....	3813	7.12
		2 = No.....	13696	25.57
		85 = BAD DATA Logically assigned.....	36	0.07
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	35973	67.16
(CG37)		How long has it been since you last smoked part or all of any type of cigar?		
CG37	2	TIME SINCE LAST SMOKED CIGAR		
		1 = More than 30 days ago but within the past 12 mos..	4401	8.22
		2 = More than 12 months ago but within the past 3 yrs.	4233	7.90
		3 = More than 3 years ago.....	4946	9.23
		85 = BAD DATA Logically assigned.....	28	0.05
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	39836	74.38

SELECTED UNEDITED VARIABLES			PAGE:	156
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(CG43)		During the past 30 days, that is since DATEFILL, have you smoked tobacco in a pipe, even once?		
CG43	2	HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS		
		1 = Yes.....	539	1.01
		2 = No.....	4832	9.02
		85 = BAD DATA Logically assigned.....	9	0.02
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	48164	89.93
(ALLAST3)		How long has it been since you last drank an alcoholic beverage?		
ALLAST3	2	TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE		
		1 = Within the past 30 days -- since 30 day ref date..	21982	41.04
		2 = More than 30 days ago but within the past 12 mos..	8728	16.30
		3 = More than 12 months ago.....	6789	12.68
		85 = BAD DATA Logically assigned.....	85	0.16
		94 = DON'T KNOW.....	224	0.42
		97 = REFUSED.....	74	0.14
		98 = BLANK (NO ANSWER).....	15678	29.27
TOTDRINK	3	TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 372	30060	56.12
		985 = BAD DATA Logically assigned.....	70	0.13
		994 = DON'T KNOW.....	533	1.00
		997 = REFUSED.....	117	0.22
		998 = BLANK (NO ANSWER).....	22780	42.53
(ALFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.		
		What would be the easiest way for you to tell us how many days you drank alcoholic beverages?		
ALFRAME3	2	EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL		
		1 = Avg num of days per week during pst 12 mos.....	9238	17.25
		2 = Avg num of days per month during pst 12 mos.....	10577	19.75
		3 = Total number of days during the past 12 months....	9778	18.26
		85 = BAD DATA Logically assigned.....	70	0.13
		94 = DON'T KNOW.....	957	1.79
		97 = REFUSED.....	160	0.30
		98 = BLANK (NO ANSWER).....	22780	42.53

SELECTED UNEDITED VARIABLES			PAGE:	157
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(ALYRAVE)		On how many days in the past 12 months did you drink an alcoholic beverage?		
ALYRAVE	3	NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 365	10238	19.12
		985 = BAD DATA Logically assigned.....	27	0.05
		994 = DON'T KNOW.....	570	1.06
		997 = REFUSED.....	87	0.16
		998 = BLANK (NO ANSWER).....	42638	79.61
(ALMONAVE)		On average, how many days did you drink an alcoholic beverage each month during the past 12 months?		
ALMONAVE	2	# DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 31	10643	19.87
		85 = BAD DATA Logically assigned.....	26	0.05
		94 = DON'T KNOW.....	501	0.94
		97 = REFUSED.....	90	0.17
		98 = BLANK (NO ANSWER).....	42300	78.98
(ALWKAVE)		On average, how many days did you drink an alcoholic beverage each week during the past 12 months?		
ALWKAVE	2	# DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 7	9179	17.14
		85 = BAD DATA Logically assigned.....	18	0.03
		94 = DON'T KNOW.....	533	1.00
		97 = REFUSED.....	117	0.22
		98 = BLANK (NO ANSWER).....	43713	81.62
(MJLAST3)		How long has it been since you last used marijuana or hashish?		
MJLAST3	2	TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days -- since 30 day ref date..	4136	7.72
		2 = More than 30 days ago but within the past 12 month	3426	6.40
		3 = More than 12 months ago.....	10652	19.89
		85 = BAD DATA Logically assigned.....	44	0.08
		94 = DON'T KNOW.....	107	0.20
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	35102	65.54
TOTMJ	3	TOTAL # OF DAYS USED MARIJUANA IN PAST 12 MOS		
		RANGE = 1 - 372	7404	13.82
		985 = BAD DATA Logically assigned.....	15	0.03
		994 = DON'T KNOW.....	113	0.21
		997 = REFUSED.....	44	0.08
		998 = BLANK (NO ANSWER).....	45984	85.86

SELECTED UNEDITED VARIABLES			PAGE:	158
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(MJFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used marijuana or hashish during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
MJFRAME3	2	EASIEST WAY TO TELL US # DAYS USED MARIJUANA/HASH		
		1 = Avg num of days per week during pst 12 mos.....	2380	4.44
		2 = Avg num of days per month during pst 12 mos.....	1984	3.70
		3 = Total number of days during the past 12 months....	2979	5.56
		85 = BAD DATA Logically assigned.....	15	0.03
		94 = DON'T KNOW.....	175	0.33
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	45983	85.85
(MJYRAVE)		On how many days in the past 12 months did you use marijuana or hashish?		
MJYRAVE	3	# DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS		
		RANGE = 1 - 365	3053	5.70
		985 = BAD DATA Logically assigned.....	6	0.01
		994 = DON'T KNOW.....	110	0.21
		997 = REFUSED.....	35	0.07
		998 = BLANK (NO ANSWER).....	50356	94.02
(MJMONAVE)		On average, how many days did you use marijuana or hashish each month during the past 12 months?		
MJMONAVE	2	# DAYS PER MO USED MARIJUANA/HASHISH PAST 12 MOS		
		RANGE = 1 - 31	1994	3.72
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	98	0.18
		97 = REFUSED.....	37	0.07
		98 = BLANK (NO ANSWER).....	51427	96.02
(MJWKAVE)		On average, how many days did you use marijuana or hashish each week during the past 12 months?		
MJWKAVE	2	# DAYS PER WEEK USED MARIJUANA/HASHISH PAST 12 MOS		
		RANGE = 1 - 7	2358	4.40
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	113	0.21
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	51038	95.29

SELECTED UNEDITED VARIABLES			PAGE:	159
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	---
(CCLAST3)		How long has it been since you last used cocaine?		
CCLAST3	2	TIME SINCE LAST USED COCAINE		
		1 = Within the past 30 days -- since 30 day ref date..	460	0.86
		2 = More than 30 days ago but within the past 12 month	865	1.62
		3 = More than 12 months ago.....	3569	6.66
		85 = BAD DATA Logically assigned.....	11	0.02
		94 = DON'T KNOW.....	19	0.04
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	48604	90.75
TOTCOKE	3	TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS		
		RANGE = 1 - 372	1295	2.42
		985 = BAD DATA Logically assigned.....	2	0.00
		994 = DON'T KNOW.....	24	0.04
		997 = REFUSED.....	6	0.01
		998 = BLANK (NO ANSWER).....	52233	97.52
(CCFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used cocaine during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
CCFRAME3	2	EASIEST WAY TO TELL US # DAYS USED COCAINE		
		1 = Avg num of days per week during pst 12 mos.....	240	0.45
		2 = Avg num of days per month during pst 12 mos.....	293	0.55
		3 = Total number of days during the past 12 months....	760	1.42
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	52233	97.52
(CCYRAVE)		On how many days in the past 12 months did you use cocaine?		
CCYRAVE	3	# DAYS USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 365	771	1.44
		985 = BAD DATA Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	16	0.03
		997 = REFUSED.....	5	0.01
		998 = BLANK (NO ANSWER).....	52767	98.52

SELECTED UNEDITED VARIABLES			PAGE:	160
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(CCMONAVE)		On average, how many days did you use cocaine each month during the past 12 months?		
CCMONAVE	2	# DAYS PER MONTH USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 31	288	0.54
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	53245	99.41
(CCWKAVE)		On average, how many days did you use cocaine each week during the past 12 months?		
CCWKAVE	2	# DAYS PER WEEK USE COCAINE PAST 12 MONTHS		
		RANGE = 1 - 7	236	0.44
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	53294	99.50
(CKLAST3)		How long has it been since you last used "crack?"		
CKLAST3	2	TIME SINCE LAST USED CRACK		
		1 = Within the past 30 days -- since 30 day ref date..	104	0.19
		2 = More than 30 days ago but within the past 12 month	214	0.40
		3 = More than 12 months ago.....	930	1.74
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	52295	97.64
TOTCRACK	3	TOTAL # DAYS USED CRACK IN PAST 12 MONTHS		
		RANGE = 1 - 364	310	0.58
		985 = BAD DATA Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	5	0.01
		997 = REFUSED.....	3	0.01
		998 = BLANK (NO ANSWER).....	53241	99.40
(CKFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used "crack" during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
CKFRAME3	2	EASIEST WAY TO TELL US # DAYS USED CRACK		
		1 = Avg num of days per week during pst 12 mos.....	83	0.15
		2 = Avg num of days per month during pst 12 mos.....	69	0.13
		3 = Total number of days during the past 12 months....	159	0.30
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	53241	99.40

SELECTED UNEDITED VARIABLES			PAGE:	161
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(CKYRAVE)		On how many days in the past 12 months did you use "crack?"		
CKYRAVE	3	# DAYS USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 200	161	0.30
		994 = DON'T KNOW.....	4	0.01
		997 = REFUSED.....	1	0.00
		998 = BLANK (NO ANSWER).....	53394	99.69
(CKMONAVE)		On average, how many days did you use "crack" each month during the past 12 months?		
CKMONAVE	2	# DAYS PER MONTH USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 30	70	0.13
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	53486	99.86
(CKWKAVE)		On average, how many days did you use "crack" each week during the past 12 months?		
CKWKAVE	2	# DAYS PER WEEK USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 7	79	0.15
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	53472	99.84
(HELAST3)		How long has it been since you last used heroin?		
HELAST3	2	TIME SINCE LAST USED HEROIN		
		1 = Within the past 30 days -- since 30 day ref date..	51	0.10
		2 = More than 30 days ago but within the past 12 month	81	0.15
		3 = More than 12 months ago.....	461	0.86
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	52953	98.87
TOTHERO	3	TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS		
		RANGE = 1 - 364	130	0.24
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	1	0.00
		998 = BLANK (NO ANSWER).....	53428	99.75

SELECTED UNEDITED VARIABLES			PAGE:	162
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	---
(HEFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used heroin during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
HEFRAME3	2	EASIEST WAY TO TELL US # DAYS USED HEROIN		
		1 = Avg num of days per week during pst 12 mos.....	39	0.07
		2 = Avg num of days per month during pst 12 mos.....	23	0.04
		3 = Total number of days during the past 12 months....	69	0.13
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	53428	99.75
(HEYRAVE)		On how many days in the past 12 months did you use heroin?		
HEYRAVE	3	# DAYS USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 360	69	0.13
		997 = REFUSED.....	1	0.00
		998 = BLANK (NO ANSWER).....	53490	99.87
(HEMNAVE)		On average, how many days did you use heroin each month during the past 12 months?		
HEMNAVE	2	# DAYS PER MONTH USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 29	23	0.04
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	53536	99.96
(HEWKAVE)		On average, how many days did you use heroin each week during the past 12 months?		
HEWKAVE	2	# DAYS PER WEEK USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 7	38	0.07
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	53520	99.93
(LSLAST)		How long has it been since you last used [LSFILL]?		
LSLAST	2	TIME SINCE LAST USED HALLUCINOGEN		
		1 = Within the past 30 days -- since 30 day ref date..	499	0.93
		2 = More than 30 days ago but within the past 12 mos..	1267	2.37
		3 = More than 12 months ago.....	4592	8.57
		85 = BAD DATA Logically assigned.....	16	0.03
		94 = DON'T KNOW.....	70	0.13
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	47076	87.89

SELECTED UNEDITED VARIABLES			PAGE:	163
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
TOTHALL	3	TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS		
		RANGE = 1 - 365	1736	3.24
		985 = BAD DATA Logically assigned.....	2	0.00
		994 = DON'T KNOW.....	19	0.04
		997 = REFUSED.....	11	0.02
		998 = BLANK (NO ANSWER).....	51792	96.70
(LSFRAME3) Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used [LSFILL] during the past 12 months. What would be the easiest way for you to tell us how many days you've used it?				
LSFRAME3	2	EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN		
		1 = Avg num of days per week during pst 12 mos.....	223	0.42
		2 = Avg num of days per month during pst 12 mos.....	296	0.55
		3 = Total number of days during the past 12 months....	1197	2.23
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	42	0.08
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	51792	96.70
(LSYRAVE) On how many days in the past 12 months did you use [LSFILL]?				
LSYRAVE	3	# DAYS USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 365	1230	2.30
		985 = BAD DATA Logically assigned.....	2	0.00
		994 = DON'T KNOW.....	9	0.02
		997 = REFUSED.....	8	0.01
		998 = BLANK (NO ANSWER).....	52311	97.67
(LSMONAVE) On average, how many days did you use [LSFILL] each month during the past 12 months?				
LSMONAVE	2	# DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 27	294	0.55
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	53247	99.42
(LSWKAVE) On average, how many days did you use [LSFILL] each week during the past 12 months?				
LSWKAVE	2	# DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 7	212	0.40
		94 = DON'T KNOW.....	19	0.04
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	53318	99.55

SELECTED UNEDITED VARIABLES			PAGE:	164
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(LS07)		Now think only about LSD. How long has it been since you last used LSD?		
LS07	2	TIME SINCE LAST USED LSD		
		1 = Within the past 30 days -- since 30 day ref date..	246	0.46
		2 = More than 30 days ago but within the past 12 mos..	616	1.15
		3 = More than 12 months ago.....	2590	4.84
		85 = BAD DATA Logically assigned.....	9	0.02
		94 = DON'T KNOW.....	25	0.05
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	50054	93.45
(LS08)		Now think only about PCP. How long has it been since you last used PCP?		
LS08	2	TIME SINCE LAST USED PCP		
		1 = Within the past 30 days -- since 30 day ref date..	35	0.07
		2 = More than 30 days ago but within the past 12 mos..	99	0.18
		3 = More than 12 months ago.....	817	1.53
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	52584	98.18
(INLAST)		How long has it been since you last used any inhalant for kicks or to get high?		
INLAST	2	TIME SINCE LAST USED INHALANT		
		1 = Within the past 30 days -- since 30 day ref date..	319	0.60
		2 = More than 30 days ago but within the past 12 mos..	765	1.43
		3 = More than 12 months ago.....	4204	7.85
		85 = BAD DATA Logically assigned.....	10	0.02
		94 = DON'T KNOW.....	121	0.23
		97 = REFUSED.....	71	0.13
		98 = BLANK (NO ANSWER).....	48070	89.75
TOTINHAL	3	TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 364	1043	1.95
		985 = BAD DATA Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	32	0.06
		997 = REFUSED.....	9	0.02
		998 = BLANK (NO ANSWER).....	52475	97.97

SELECTED UNEDITED VARIABLES			PAGE:	165
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(INFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've done this?		
INFRAME3	2	EASIEST WAY TO TELL US # DAYS USED INHALANT		
		1 = Avg num of days per week during pst 12 mos.....	153	0.29
		2 = Avg num of days per month during pst 12 mos.....	223	0.42
		3 = Total number of days during the past 12 months....	651	1.22
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	48	0.09
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	52475	97.97
(INYRAVE)		On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?		
INYRAVE	3	# DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 360	675	1.26
		994 = DON'T KNOW.....	29	0.05
		997 = REFUSED.....	4	0.01
		998 = BLANK (NO ANSWER).....	52852	98.68
(INMONAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?		
INMONAVE	2	# DAYS PER MONTH USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 30	217	0.41
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	53304	99.52
(INWKAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?		
INWKAVE	2	# DAYS PER WEEK USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 7	151	0.28
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	53367	99.64

SELECTED UNEDITED VARIABLES			PAGE: 166	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(PR09)		How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR09	2	TIME SINCE LAST USED PAIN RELIEVER "NONMEDICALLY"		
		1 = Within the past 30 days -- since 30 day ref date..	970	1.81
		2 = More than 30 days ago but within the past 12 mos..	1504	2.81
		3 = More than 12 months ago.....	2944	5.50
		85 = BAD DATA Logically assigned.....	11	0.02
		94 = DON'T KNOW.....	222	0.41
		97 = REFUSED.....	102	0.19
		98 = BLANK (NO ANSWER).....	47807	89.26
(PR10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription pain reliever in either of these ways?		
PR10	2	EASIEST WAY TO TELL US # DAYS USED PAIN RELIEVER		
		1 = Avg num of days per week during pst 12 mos.....	457	0.85
		2 = Avg num of days per month during pst 12 mos.....	602	1.12
		3 = Total number of days during the past 12 months....	1276	2.38
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	120	0.22
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	51085	95.38
(PR11)		On how many days in the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR11	3	# DAYS USED PAIN RELIEVER "NM" PAST 12 MONTHS		
		RANGE = 1 - 366	1295	2.42
		994 = DON'T KNOW.....	100	0.19
		997 = REFUSED.....	19	0.04
		998 = BLANK (NO ANSWER).....	52146	97.36

SELECTED UNEDITED VARIABLES			PAGE:	167
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PR12)		On average, how many days each month during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR12	2	# DAYS PER MO USED PAIN RELIEVER "NM" PAST 12 MOS		
		RANGE = 1 - 30	600	1.12
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	108	0.20
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	52837	98.65
(PR13)		On average, how many days each week during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR13	2	# DAYS PER WK USED PAIN RELIEVER "NM" PAST 12 MOS		
		RANGE = 1 - 7	452	0.84
		94 = DON'T KNOW.....	106	0.20
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	52982	98.92
(TR09)		How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR09	2	TIME SINCE LAST USED TRANQUILIZER "NONMEDICALLY"		
		1 = Within the past 30 days -- since 30 day ref date..	333	0.62
		2 = More than 30 days ago but within the past 12 mos..	591	1.10
		3 = More than 12 months ago.....	1949	3.64
		85 = BAD DATA Logically assigned.....	8	0.01
		94 = DON'T KNOW.....	70	0.13
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	50580	94.44

SELECTED UNEDITED VARIABLES			PAGE: 168	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TR10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription tranquilizer in either of these ways?		
TR10	2	EASIEST WAY TO TELL US # DAYS USED TRANQUILIZER		
		1 = Avg num of days per week during pst 12 mos.....	145	0.27
		2 = Avg num of days per month during pst 12 mos.....	245	0.46
		3 = Total number of days during the past 12 months....	507	0.95
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	52634	98.27
(TR11)		On how many days in the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR11	2	# DAYS USED TRANQUILIZERS "NM" PAST 12 MONTHS		
		RANGE = 1 - 175	515	0.96
		985 = BAD DATA Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	15	0.03
		997 = REFUSED.....	4	0.01
		998 = BLANK (NO ANSWER).....	53025	99.00
(TR12)		On average, how many days each month during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR12	2	# DAYS PER MO USED TRANQUILIZERS "NM" PAST 12 MOS		
		RANGE = 1 - 20	241	0.45
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	19	0.04
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	53295	99.51

SELECTED UNEDITED VARIABLES			PAGE:	169
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
(TR13)		On average, how many days each week during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR13	2	# DAYS USED PER WK TRANQUILIZERS "NM" PAST 12 MOS		
		RANGE = 1 - 7	143	0.27
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	53392	99.69
(ST09)		How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST09	2	TIME SINCE LAST USED STIMULANT "NONMEDICALLY"		
		1 = Within the past 30 days -- since 30 day ref date..	241	0.45
		2 = More than 30 days ago but within the past 12 mos..	466	0.87
		3 = More than 12 months ago.....	1777	3.32
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	66	0.12
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	50970	95.16
(ST10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription stimulant in either of these ways?		
ST10	2	EASIEST WAY TO TELL US # DAYS USED STIMULANT		
		1 = Avg num of days per week during pst 12 mos.....	149	0.28
		2 = Avg num of days per month during pst 12 mos.....	177	0.33
		3 = Total number of days during the past 12 months....	361	0.67
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	52853	98.68

SELECTED UNEDITED VARIABLES			PAGE:	170
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
(ST11)		On how many days in the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST11	3	# DAYS USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 320	366	0.68
		994 = DON'T KNOW.....	13	0.02
		997 = REFUSED.....	2	0.00
		998 = BLANK (NO ANSWER).....	53179	99.29
(ST12)		On average, how many days each month during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST12	2	# DAYS PER MO USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 31	176	0.33
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	53368	99.64
(ST13)		On average, how many days each week during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST13	2	# DAYS PER WEEK USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 7	148	0.28
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	53395	99.69
(ST15)		How long has it been since you last used Methamphetamine, Desoxyn, or Methedrine?		
ST15	2	TIME SINCE LAST USED METHAMPH, DESOXYN, METHEDRINE		
		1 = Within the past 30 days -- since 30 day ref date..	130	0.24
		2 = More than 30 days ago but within the past 12 mos..	270	0.50
		3 = More than 12 months ago.....	1515	2.83
		85 = BAD DATA Logically assigned.....	5	0.01
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	51624	96.39

SELECTED UNEDITED VARIABLES			PAGE:	171
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SV09)		How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV09	2	TIME SINCE LAST USED SEDATIVE "NONMEDICALLY"		
		1 = Within the past 30 days -- since 30 day ref date..	79	0.15
		2 = More than 30 days ago but within the past 12 mos..	137	0.26
		3 = More than 12 months ago.....	899	1.68
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	52395	97.82
(SV10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription sedative in either of these ways?		
SV10	2	EASIEST WAY TO TELL US # DAYS USED SEDATIVE		
		1 = Avg num of days per week during pst 12 mos.....	43	0.08
		2 = Avg num of days per month during pst 12 mos.....	61	0.11
		3 = Total number of days during the past 12 months....	107	0.20
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	53344	99.60
(SV11)		On how many days in the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV11	2	# DAYS USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 42	105	0.20
		994 = DON'T KNOW.....	6	0.01
		997 = REFUSED.....	1	0.00
		998 = BLANK (NO ANSWER).....	53448	99.79

SELECTED UNEDITED VARIABLES			PAGE:	172
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SV12)		On average, how many days each month during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV12	2	# DAYS PER MONTH USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 25	60	0.11
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	53492	99.87
(SV13)		On average, how many days each week during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV13	2	# DAYS PER WEEK USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 7	42	0.08
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	53509	99.90

SPECIAL DRUGS			PAGE:	173
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
(SD02)		SPECIAL DRUGS		

<p>These next questions are about the different ways that certain drugs can be used.</p> <p>Have you ever, even once, smoked heroin?</p>				
HERSMOKE	2	1EVER SMOKED HEROIN		
		1 = Yes.....	213	0.40
		2 = No.....	391	0.73
		91 = NEVER USED HEROIN.....	52897	98.76
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	14	0.03
(SD03)		How long as it been since you last smoked heroin?		
HRSMKREC	2	1TIME SINCE LAST SMOKED HEROIN		
		1 = Within the past 30 days.....	17	0.03
		2 = More than 30 days ago but within the past 12 mos..	26	0.05
		3 = More than 12 months ago.....	168	0.31
		9 = At some point in the lifetime LOG ASSN.....	1	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = USED HEROIN BUT NEVER SMOKED IT.....	391	0.73
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	14	0.03
(SD04)		Have you ever, even once, sniffed or "snorted" heroin powder through your nose?		
HERSNIFF	2	1EVER SNIFFED HEROIN		
		1 = Yes.....	344	0.64
		2 = No.....	259	0.48
		91 = NEVER USED HEROIN.....	52897	98.76
		97 = REFUSED.....	46	0.09
		98 = BLANK (NO ANSWER).....	14	0.03

1The values in the section may be inconsistent with values from the core section(s).
Items in this section were edited when respondents legitimately skipped out of
these items based on prior answers in the core section(s). Otherwise, non-core
items generally were not edited to make them consistent with core items, and core
items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	174
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SD05)		How long has it been since you last sniffed or "snorted" heroin powder through your nose?		
HRSNFREC	2	1TIME SINCE LAST SNIFFED HEROIN		
		1 = Within the past 30 days.....	21	0.04
		2 = More than 30 days ago but within the past 12 mos..	45	0.08
		3 = More than 12 months ago.....	274	0.51
		9 = At some point in the lifetime LOG ASSN.....	3	0.01
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = USED HEROIN BUT NEVER SNIFFED IT.....	259	0.48
		97 = REFUSED.....	46	0.09
		98 = BLANK (NO ANSWER).....	14	0.03
(SD06)		Have you ever, even once, used a needle to inject a drug that was not prescribed for you or that you took only for the experience it caused?		
GNNDLLIF	2	1EVER USED A NEEDLE TO INJECT DRUGS NOT PRESCRIBED		
		1 = Yes.....	508	0.95
		2 = No.....	52962	98.88
		4 = No LOGICALLY ASSIGNED.....	6	0.01
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	30	0.06
(SD07)		Have you ever, even once, used a needle to inject cocaine?		
COCNEEDL	2	1EVER USED NEEDLE TO INJECT COCAINE		
		1 = Yes.....	264	0.49
		2 = No.....	162	0.30
		91 = NEVER USED COCAINE.....	145	0.27
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	4	0.01
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	52962	98.88

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	175
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SD08)		How long has it been since you last used a needle to inject cocaine?		
CONDLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT COCAINE		
		1 = Within the past 30 days.....	17	0.03
		2 = More than 30 days ago but within the past 12 mos..	32	0.06
		3 = More than 12 months ago.....	212	0.40
		9 = At some point in the lifetime LOG ASSN.....	1	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	2	0.00
		91 = NEVER USED COCAINE.....	145	0.27
		93 = USED COCAINE BUT NEVER WITH A NEEDLE.....	162	0.30
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	5	0.01
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	52962	98.88
(SD09)		Have you ever, even once, used a needle to inject heroin?		
HERNEEDL	2	1EVER USED NEEDLE TO INJECT HEROIN		
		1 = Yes.....	224	0.42
		2 = No.....	40	0.07
		91 = NEVER USED HEROIN.....	321	0.60
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	2	0.00
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	52962	98.88
(SD10)		How long has it been since you last used a needle to inject heroin?		
HRNDLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT HEROIN		
		1 = Within the past 30 days.....	13	0.02
		2 = More than 30 days ago but within the past 12 mos..	27	0.05
		3 = More than 12 months ago.....	181	0.34
		9 = At some point in the lifetime LOG ASSN.....	2	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED HEROIN.....	321	0.60
		93 = USED HEROIN BUT NEVER WITH A NEEDLE.....	40	0.07
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	2	0.00
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	52962	98.88

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	176
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SD11)		Have you ever, even once, used a needle to inject a stimulant when it was not prescribed for you or that you took only for the experience or feeling it caused?		
STNEEDLE	2	1EVER USED NEEDLE TO INJECT STIMULANT		
		1 = Yes.....	182	0.34
		2 = No.....	162	0.30
		91 = NEVER USED STIMULANTS.....	196	0.37
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	30	0.06
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	52962	98.88
(SD12)		How long has it been since you last used a needle to inject any stimulant when it was not prescribed for you or that you took only for the experience or feeling it caused?		
STNDLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT STIMULANT		
		1 = Within the past 30 days.....	14	0.03
		2 = More than 30 days ago but within the past 12 mos..	29	0.05
		3 = More than 12 months ago.....	136	0.25
		9 = At some point in the lifetime LOG ASSN.....	1	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	2	0.00
		91 = NEVER USED STIMULANTS.....	196	0.37
		93 = USED STIMULANTS BUT NEVER WITH A NEEDLE.....	162	0.30
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	31	0.06
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	52962	98.88
(SD13)		Think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?		
GNNDREUS	2	1LAST TIME REUSED NEEDLE USED BEFORE		
		1 = Yes.....	150	0.28
		2 = No.....	351	0.66
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 4).	6	0.01
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	46	0.09
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	52962	98.88

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE: 177	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SD14)		The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?		
GNNDLSH1	2	1LAST NEEDLE HAD BEEN USED BY SOMEONE ELSE		
		1 = Yes.....	105	0.20
		2 = No.....	393	0.73
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 4).	6	0.01
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	46	0.09
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	52962	98.88
(SD15)		The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?		
GNNDCLEN	2	1USED BLEACH TO CLEAN LAST NEEDLE BEFORE USE		
		1 = Yes.....	116	0.22
		2 = No.....	382	0.71
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 4).	6	0.01
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	41	0.08
		98 = BLANK (NO ANSWER).....	46	0.09
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	52962	98.88
(SD16)		The last time you used a needle for injecting drugs, did someone else use the needle after you?		
GNNDLSH2	2	1SOMEONE ELSE USED LAST NEEDLE AFTER YOU		
		1 = Yes.....	124	0.23
		2 = No.....	363	0.68
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 4).	6	0.01
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	41	0.08
		98 = BLANK (NO ANSWER).....	46	0.09
		99 = LEGITIMATE SKIP (GNNDLLIF = 2).....	52962	98.88

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE: 178	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SD17)		NOTE: In situations where respondents reported getting their last needle "some other way" and specified where they got the needle, the variable GNNDGET2 incorporates these "OTHER, Specify" data.		
		The last time you used a needle for injecting drugs, how did you get the needle?		
GNNDGET2	2	1HOW DID YOU GET THE NEEDLE LAST TIME		
		1 = Bought the needle from a pharmacy.....	222	0.41
		2 = Got the needle from a needle exchange.....	13	0.02
		3 = Bought the needle on the street.....	41	0.08
		4 = Got the needle in a shooting gallery.....	7	0.01
		5 = Got the needle some other way.....	65	0.12
		41 = Given by, stolen from a friend/acquaint of friend.	77	0.14
		42 = Given by, stolen from a relative.....	14	0.03
		43 = Given by, stolen from someone, relation unspecifd.	20	0.04
		44 = From drug dealer/came with drugs.....	7	0.01
		46 = Given by, stolen from medical facility/professionl	14	0.03
		49 = Bought, given, stolen from place/location unspecd.	3	0.01
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF=4)...	6	0.01
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	46	0.09
		98 = BLANK (NO ANSWER).....	46	0.09
		99 = LEGITIMATE SKIP (GNNDLLIF=2).....	52962	98.88
		NOTE: The remaining variables in this section are recoded variables that were created from one or more of the preceding edited variables from this same section.		
		NOTE: The variable NEDLRECC was created from the edited source variables GNNDLLIF, CONDLREC, HRNDLREC, and STNDLREC.		
NEDLRECC	2	MOST RECENT TIME USED COC/HER/STM WITH A NEEDLE		
		1 = Within the past 30 days.....	31	0.06
		2 = More than 30 days ago but within the past 12 mos..	57	0.11
		3 = More than 12 months ago.....	314	0.59
		9 = At some point in the lifetime LOG ASSN.....	6	0.01
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED COC/HER/STM WITH A NEEDLE.....	53086	99.12
		97 = REFUSED.....	33	0.06
		98 = MISSING (BUT NOT REFUSED).....	32	0.06

SPECIAL DRUGS			PAGE:	179
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
NEDFLAG4	1	NEEDLE USE (ANY DRUG) - EVER USED		
		0 = Never used (GNNDLLIF=2,4,94,97,98)	53052	99.05
		1 = Ever Used (GNNDLLIF=1)	508	0.95
HERSMOK2	1	EVER SMOKED HEROIN		
		0 = No/Unknown (HERSMOKE=2,91,97,98)	53347	99.60
		1 = Yes (HERSMOKE=1)	213	0.40
HERSNIF2	1	EVER SNIFFED HEROIN		
		0 = No/Unknown (HERSNIFF=2,91,97,98)	53216	99.36
		1 = Yes (HERSNIFF=1)	344	0.64

		RISK/AVAILABILITY	PAGE: 180	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(RK01A)		RISK/AVAILABILITY		

We are interested in your opinion about the effects of using certain drugs and other substances, about whether it's difficult or easy to get drugs, and the extent to which drugs are available in your neighborhood.

Please indicate how much you think people risk harming themselves physically and in other ways when they do each of the following activities.

If you're not sure, choose an answer for the amount of risk that comes closest to what you think might be true for that activity.

How much do people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day?

RSKPKCIG	2	1RISK SMOKING 1 OR MORE PACKS CIGARETTES PER DAY		
		1 = No risk.....	967	1.81
		2 = Slight risk.....	4151	7.75
		3 = Moderate risk.....	14407	26.90
		4 = Great risk.....	33176	61.94
		94 = DON'T KNOW.....	669	1.25
		97 = REFUSED.....	158	0.29
		98 = BLANK (NO ANSWER).....	32	0.06

(RK01B) How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month?

RSKMJOCC	2	1RISK SMOKING MARIJUANA ONCE A MONTH		
		1 = No risk.....	5438	10.15
		2 = Slight risk.....	12884	24.06
		3 = Moderate risk.....	14562	27.19
		4 = Great risk.....	19312	36.06
		94 = DON'T KNOW.....	1207	2.25
		97 = REFUSED.....	124	0.23
		98 = BLANK (NO ANSWER).....	33	0.06

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		RISK/AVAILABILITY	PAGE: 181	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(RK01C)		How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?		
RSKMJREG	2	1RISK SMOKING MARIJUANA ONCE OR TWICE A WEEK		
		1 = No risk.....	3203	5.98
		2 = Slight risk.....	8294	15.49
		3 = Moderate risk.....	13761	25.69
		4 = Great risk.....	27007	50.42
		94 = DON'T KNOW.....	1138	2.12
		97 = REFUSED.....	124	0.23
		98 = BLANK (NO ANSWER).....	33	0.06
(RK01D)		How much do people risk harming themselves physically and in other ways when they try LSD once or twice?		
RKTRYLSD	2	1RISK TRYING LSD ONCE OR TWICE		
		1 = No risk.....	1379	2.57
		2 = Slight risk.....	5809	10.85
		3 = Moderate risk.....	10098	18.85
		4 = Great risk.....	34215	63.88
		94 = DON'T KNOW.....	1884	3.52
		97 = REFUSED.....	142	0.27
		98 = BLANK (NO ANSWER).....	33	0.06
(RK01E)		How much do people risk harming themselves physically and in other ways when they use LSD once or twice a week?		
RKLSDREG	2	1RISK USING LSD ONCE OR TWICE A WEEK		
		1 = No risk.....	583	1.09
		2 = Slight risk.....	1554	2.90
		3 = Moderate risk.....	5688	10.62
		4 = Great risk.....	43767	81.72
		94 = DON'T KNOW.....	1790	3.34
		97 = REFUSED.....	145	0.27
		98 = BLANK (NO ANSWER).....	33	0.06

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		RISK/AVAILABILITY	PAGE: 182	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(RK01F)		How much do people risk harming themselves physically and in other ways when they try heroin once or twice?		
RKTRYHER	2	1RISK TRYING HEROIN ONCE OR TWICE		
		1 = No risk.....	725	1.35
		2 = Slight risk.....	3727	6.96
		3 = Moderate risk.....	8343	15.58
		4 = Great risk.....	39264	73.31
		94 = DON'T KNOW.....	1350	2.52
		97 = REFUSED.....	117	0.22
		98 = BLANK (NO ANSWER).....	34	0.06
(RK01G)		How much do people risk harming themselves physically and in other ways when they use heroin once or twice a week?		
RKHERREG	2	1RISK USING HEROIN ONCE OR TWICE A WEEK		
		1 = No risk.....	440	0.82
		2 = Slight risk.....	893	1.67
		3 = Moderate risk.....	3404	6.36
		4 = Great risk.....	47415	88.53
		94 = DON'T KNOW.....	1250	2.33
		97 = REFUSED.....	124	0.23
		98 = BLANK (NO ANSWER).....	34	0.06
(RK01H)		How much do people risk harming themselves physically and in other ways when they use cocaine once a month?		
RKCOCOCC	2	1RISK USING COCAINE ONCE A MONTH		
		1 = No risk.....	985	1.84
		2 = Slight risk.....	4658	8.70
		3 = Moderate risk.....	11420	21.32
		4 = Great risk.....	35095	65.52
		94 = DON'T KNOW.....	1250	2.33
		97 = REFUSED.....	117	0.22
		98 = BLANK (NO ANSWER).....	35	0.07

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		RISK/AVAILABILITY	PAGE: 183	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(RK01I)		How much do people risk harming themselves physically and in other ways when they use cocaine once or twice a week?		
RKCOCREG	2	1RISK USING COCAINE ONCE OR TWICE A WEEK		
		1 = No risk.....	489	0.91
		2 = Slight risk.....	1279	2.39
		3 = Moderate risk.....	4712	8.80
		4 = Great risk.....	45765	85.45
		94 = DON'T KNOW.....	1160	2.17
		97 = REFUSED.....	120	0.22
		98 = BLANK (NO ANSWER).....	35	0.07
(RK01J)		How much do people risk harming themselves physically and in other ways when they have four or five drinks of an alcoholic beverage nearly every day?		
RK5ALDLY	2	1RISK HAVING 4 OR 5 DRINKS NEARLY EVERY DAY		
		1 = No risk.....	860	1.61
		2 = Slight risk.....	4167	7.78
		3 = Moderate risk.....	13172	24.59
		4 = Great risk.....	34602	64.60
		94 = DON'T KNOW.....	600	1.12
		97 = REFUSED.....	124	0.23
		98 = BLANK (NO ANSWER).....	35	0.07
(RK01K)		How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?		
RK5ALWK	2	1RISK HAVING 5 OR MORE DRINKS ONCE OR TWICE A WEEK		
		1 = No risk.....	2065	3.86
		2 = Slight risk.....	9863	18.41
		3 = Moderate risk.....	19098	35.66
		4 = Great risk.....	21722	40.56
		94 = DON'T KNOW.....	670	1.25
		97 = REFUSED.....	107	0.20
		98 = BLANK (NO ANSWER).....	35	0.07

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		RISK/AVAILABILITY	PAGE: 184	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(RK02A)		The next questions ask how difficult you think it would be for you to get each of the following types of drugs, if you wanted some.		
		How difficult or easy would it be for you to get some marijuana, if you wanted some?		
RSKDIFMJ	2	1HOW DIFFICULT TO GET MARIJUANA		
		1 = Probably impossible.....	6932	12.94
		2 = Very difficult.....	5183	9.68
		3 = Fairly difficult.....	6633	12.38
		4 = Fairly easy.....	14565	27.19
		5 = Very easy.....	17646	32.95
		94 = DON'T KNOW.....	2331	4.35
		97 = REFUSED.....	234	0.44
		98 = BLANK (NO ANSWER).....	36	0.07
(RK02B)		How difficult or easy would it be for you to get some LSD, if you wanted some?		
RKDIFLSD	2	1HOW DIFFICULT TO GET LSD		
		1 = Probably impossible.....	14699	27.44
		2 = Very difficult.....	10194	19.03
		3 = Fairly difficult.....	10679	19.94
		4 = Fairly easy.....	8978	16.76
		5 = Very easy.....	4336	8.10
		94 = DON'T KNOW.....	4414	8.24
		97 = REFUSED.....	223	0.42
		98 = BLANK (NO ANSWER).....	37	0.07
(RK02C)		How difficult or easy would it be for you to get some cocaine, if you wanted some?		
RKDIFCOC	2	1HOW DIFFICULT TO GET COCAINE		
		1 = Probably impossible.....	13082	24.42
		2 = Very difficult.....	9957	18.59
		3 = Fairly difficult.....	9868	18.42
		4 = Fairly easy.....	9866	18.42
		5 = Very easy.....	6713	12.53
		94 = DON'T KNOW.....	3814	7.12
		97 = REFUSED.....	223	0.42
		98 = BLANK (NO ANSWER).....	37	0.07

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		RISK/AVAILABILITY		PAGE: 185	
LABEL	LEN	DESCRIPTION		FREQ	%
----	----	-----		----	-
(RK02D)		How difficult or easy would it be for you to get some 'crack', if you wanted some?			
RKDIFCRK	2	1HOW DIFFICULT TO GET CRACK			
		1 = Probably impossible.....	14050	26.23	
		2 = Very difficult.....	10296	19.22	
		3 = Fairly difficult.....	9363	17.48	
		4 = Fairly easy.....	8661	16.17	
		5 = Very easy.....	6968	13.01	
		94 = DON'T KNOW.....	3965	7.40	
		97 = REFUSED.....	220	0.41	
		98 = BLANK (NO ANSWER).....	37	0.07	
(RK02E)		How difficult or easy would it be for you to get some heroin, if you wanted some?			
RKDIFHER	2	1HOW DIFFICULT TO GET HEROIN			
		1 = Probably impossible.....	17463	32.60	
		2 = Very difficult.....	11931	22.28	
		3 = Fairly difficult.....	9366	17.49	
		4 = Fairly easy.....	6265	11.70	
		5 = Very easy.....	3977	7.43	
		94 = DON'T KNOW.....	4300	8.03	
		97 = REFUSED.....	221	0.41	
		98 = BLANK (NO ANSWER).....	37	0.07	
(RK03)		In the past 30 days, has anyone approached you to sell you an illegal drug?			
RSKSELL	2	1APPROACHED BY SOMEONE SELLING ILL DRUG PST 30 DYS			
		1 = Yes.....	6828	12.75	
		2 = No.....	46362	86.56	
		85 = BAD DATA Logically assigned.....	117	0.22	
		94 = DON'T KNOW.....	127	0.24	
		97 = REFUSED.....	89	0.17	
		98 = BLANK (NO ANSWER).....	37	0.07	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		RISK/AVAILABILITY		PAGE: 186	
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
(RK04A)		How often do you get a real kick out of doing things that are a little dangerous?			
RKFQDNDR	2	1GET A REAL KICK OUT OF DOING DANGEROUS THINGS			
		1 = Never.....	19737	36.85	
		2 = Seldom.....	16850	31.46	
		3 = Sometimes.....	13834	25.83	
		4 = Always.....	2619	4.89	
		94 = DON'T KNOW.....	328	0.61	
		97 = REFUSED.....	154	0.29	
		98 = BLANK (NO ANSWER).....	38	0.07	
(RK04B)		How often do you like to test yourself by doing something a little risky?			
RKFQRSKY	2	1LIKE TO TEST YOURSELF BY DOING RISKY THINGS			
		1 = Never.....	19884	37.12	
		2 = Seldom.....	19916	37.18	
		3 = Sometimes.....	11608	21.67	
		4 = Always.....	1774	3.31	
		94 = DON'T KNOW.....	215	0.40	
		97 = REFUSED.....	125	0.23	
		98 = BLANK (NO ANSWER).....	38	0.07	
(RK04C)		How often do you wear a seatbelt when you ride in the front passenger seat of a car?			
RKFQPBLT	2	1WEAR A SEATBELT WHEN RIDE FRONT PASS SEAT OF CAR			
		1 = Never.....	3124	5.83	
		2 = Seldom.....	4488	8.38	
		3 = Sometimes.....	10931	20.41	
		4 = Always.....	34849	65.07	
		94 = DON'T KNOW.....	59	0.11	
		97 = REFUSED.....	71	0.13	
		98 = BLANK (NO ANSWER).....	38	0.07	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		RISK/AVAILABILITY	PAGE: 187	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(RK04D)		How often do you wear a seatbelt when you drive a car?		
GRKFQDBLT	2	1WEAR A SEATBELT WHEN YOU DRIVE A CAR		
		1 = Never.....	2857	5.33
		2 = Seldom.....	2816	5.26
		3 = Sometimes.....	6201	11.58
		4 = Always.....	28293	52.82
		5 = I don't drive.....	13133	24.52
		94 = DON'T KNOW.....	117	0.22
		97 = REFUSED.....	105	0.20
		98 = BLANK (NO ANSWER).....	38	0.07
		NOTE: The remaining variables in this section are recoded variables that were created from one or more of the preceding edited variables from this same section.		
GRSKPKCG	1	GREAT RISK: SMOKE 1+ PACKS CIGARETTES PER DAY		
		. = Unknown (RSKPKCIG = 94,97,98).....	859	1.60
		0 = Otherwise (RSKPKCIG = 1,2,3).....	19525	36.45
		1 = Great Risk (RSKPKCIG = 4).....	33176	61.94
GRSKCREG	1	GREAT RISK: USE COCAINE 1-2 TIMES PER WEEK		
		. = Unknown (RKCOCREG = 94,97,98).....	1315	2.46
		0 = Otherwise (RKCOCREG = 1,2,3).....	6480	12.10
		1 = Great Risk (RKCOCREG = 4).....	45765	85.45
GRSKCOCC	1	GREAT RISK: USE COCAINE ONCE A MONTH		
		. = Unknown (RKCOCOCC = 94,97,98).....	1402	2.62
		0 = Otherwise (RKCOCOCC = 1,2,3).....	17063	31.86
		1 = Great Risk (RKCOCOCC = 4).....	35095	65.52
GRSKMREG	1	GREAT RISK: USE MARIJUANA 1-2 TIMES PER WEEK		
		. = Unknown (RSKMJREG = 94,97,98).....	1295	2.42
		0 = Otherwise (RSKMJREG = 1,2,3).....	25258	47.16
		1 = Great Risk (RSKMJREG = 4).....	27007	50.42
GRSKMOCC	1	GREAT RISK: USE MARIJUANA ONCE A MONTH		
		. = Unknown (RSKMJOCC = 94,97,98).....	1364	2.55
		0 = Otherwise (RSKMJOCC = 1,2,3).....	32884	61.40
		1 = Great Risk (RSKMJOCC = 4).....	19312	36.06
GRSKHTRY	1	GREAT RISK: TRYING HEROIN ONCE OR TWICE		
		. = Unknown (RKTRYHER = 94,97,98).....	1501	2.80
		0 = Otherwise (RKTRYHER = 1,2,3).....	12795	23.89
		1 = Great Risk (RKTRYHER = 4).....	39264	73.31

RISK/AVAILABILITY			PAGE:	188
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
GRSKHREG	1	GREAT RISK: USE HEROIN 1-2 TIMES PER WEEK		
		. = Unknown (RKHERREG = 94,97,98).....	1408	2.63
		0 = Otherwise (RKHERREG = 1,2,3).....	4737	8.84
		1 = Great Risk (RKHERREG = 4).....	47415	88.53
GRSKLTRY	1	GREAT RISK: TRYING LSD ONCE OR TWICE		
		. = Unknown (RKTRYLSD = 94,97,98).....	2059	3.84
		0 = Otherwise (RKTRYLSD = 1,2,3).....	17286	32.27
		1 = Great Risk (RKTRYLSD=4).....	34215	63.88
GRSKLREG	1	GREAT RISK: USE LSD 1-2 TIMES PER WEEK		
		. = Unknown (RKLSDREG = 94,97,98).....	1968	3.67
		0 = Otherwise (RKLSDREG = 1,2,3).....	7825	14.61
		1 = Great Risk (RKLSDREG = 4).....	43767	81.72
GRSKD4_5	1	GREAT RISK: HAVE 4-5 ALC DRINKS PER DAY		
		. = Unknown (RK5ALDLY = 94,97,98).....	759	1.42
		0 = Otherwise (RK5ALDLY = 1,2,3).....	18199	33.98
		1 = Great Risk (RK5ALDLY = 4).....	34602	64.60
GRSKD5WK	1	GREAT RISK: HAVE 5+ ALC DRINKS 1-2 TIMES PER WEEK		
		. = Unknown (RK5ALWK = 94,97,98).....	812	1.52
		0 = Otherwise (RK5ALWK = 1,2,3).....	31026	57.93
		1 = Great Risk (RK5ALWK = 4).....	21722	40.56
RDIFMJ	1	MARIJUANA FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RSKDIFMJ = 94,97,98).....	2601	4.86
		0 = Otherwise (RSKDIFMJ = 1,2,3).....	18748	35.00
		1 = Fairly or very easy (RSKDIFMJ = 4,5).....	32211	60.14
RDIFCOC	1	COCAINE FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFCOC = 94,97,98).....	4074	7.61
		0 = Otherwise (RKDIFCOC = 1,2,3).....	32907	61.44
		1 = Fairly or very easy (RKDIFCOC = 4,5).....	16579	30.95
RDIFHER	1	HEROIN FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFHER = 94,97,98).....	4558	8.51
		0 = Otherwise (RKDIFHER = 1,2,3).....	38760	72.37
		1 = Fairly or very easy (RKDIFHER = 4,5).....	10242	19.12
RDIFLSD	1	LSD FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFLSD = 94,97,98).....	4674	8.73
		0 = Otherwise (RKDIFLSD = 1,2,3).....	35572	66.42
		1 = Fairly or very easy (RKDIFLSD = 4,5).....	13314	24.86

RISK/AVAILABILITY			PAGE:	189
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
RDIFCRK	1	CRACK FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFCRK = 94,97,98).....	4222	7.88
		0 = Otherwise (RKDIFCRK = 1,2,3).....	33709	62.94
		1 = Fairly or very easy (RKDIFCRK = 4,5).....	15629	29.18
APPSELDG	1	APPROACHED BY SOMEONE SELLING DRUGS		
		. = Unknown (RSKSELL = 85,94,97,98).....	370	0.69
		0 = No (RSKSELL = 2).....	46362	86.56
		1 = Yes (RSKSELL = 1).....	6828	12.75

DRUGS			PAGE:	190
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DR02A)		DRUGS		

Now we'd like for you to tell us about your experiences with the drugs you've used during the past 12 months.

All the questions refer to the past 12 months - that is since DATEFILL.

Think about your use of cigarettes during the past 12 months as you answer these next questions.

During the past 12 months, did you have a period of a month or more when you spent a great deal of time getting, using, or getting over the effects of cigarettes?

GRTMCIG	2	1SPENT A MONTH OR MORE ON CIGARETTES PAST 12 MOS		
		1 = Yes.....	5015	9.36
		2 = No.....	12506	23.35
		85 = BAD DATA Logically assigned.....	30	0.06
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN PAST 12 MONTHS.....	13367	24.96
		94 = DON'T KNOW.....	182	0.34
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	465	0.87

(DR03A) During the past 12 months, have you smoked cigarettes much more often or have you smoked more cigarettes than you intended to?

LAMTCIG	2	1USED CIGS MORE OFTEN THAN INTENDED PAST 12 MONTHS		
		1 = Yes.....	7383	13.78
		2 = No.....	10246	19.13
		85 = BAD DATA Logically assigned.....	30	0.06
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN PAST 12 MONTHS.....	13367	24.96
		94 = DON'T KNOW.....	85	0.16
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	465	0.87

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE: 191	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DR04A)		During the past 12 months, have you built up a tolerance for cigarettes so that the same number had less effect than before?		
BTOLCIG	2	1BUILT UP TOLERANCE FOR CIGS PAST 12 MONTHS		
		1 = Yes.....	5252	9.81
		2 = No.....	12155	22.69
		85 = BAD DATA Logically assigned.....	30	0.06
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN PAST 12 MONTHS.....	13367	24.96
		94 = DON'T KNOW.....	292	0.55
		97 = REFUSED.....	48	0.09
		98 = BLANK (NO ANSWER).....	466	0.87
(DR05A)		During the past 12 months, has smoking cigarettes often kept you from working, going to school, taking care of children, or taking part in recreational activities?		
ACRDCIG	2	1CIGS REDUCED IMPORTANT ACTIVITIES PAST 12 MONTHS		
		1 = Yes.....	766	1.43
		2 = No.....	16910	31.57
		85 = BAD DATA Logically assigned.....	30	0.06
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN PAST 12 MONTHS.....	13367	24.96
		94 = DON'T KNOW.....	35	0.07
		97 = REFUSED.....	37	0.07
		98 = BLANK (NO ANSWER).....	465	0.87
(DR06A)		During the past 12 months, has smoking cigarettes caused you to have any emotional or psychological problems - such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas?		
EMPBCIG	2	1CIGARETTES CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes.....	1083	2.02
		2 = No.....	16548	30.90
		85 = BAD DATA Logically assigned.....	30	0.06
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN PAST 12 MONTHS.....	13367	24.96
		94 = DON'T KNOW.....	72	0.13
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	465	0.87

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE: 192	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DR07A)		During the past 12 months, has smoking cigarettes caused you to have any health problems?		
HLPRCIG	2	1CIGARETTES CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes.....	2751	5.14
		2 = No.....	14825	27.68
		85 = BAD DATA Logically assigned.....	30	0.06
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN PAST 12 MONTHS.....	13367	24.96
		94 = DON'T KNOW.....	132	0.25
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	465	0.87
(DR08A)		During the past 12 months, did you want to or try to stop or cut down on your cigarette smoking but found that you couldn't?		
UCDCIG	2	1WANTED TO CUT DOWN ON CIGARETTES PAST 12 MONTHS		
		1 = Yes.....	7133	13.32
		2 = No.....	10456	19.52
		85 = BAD DATA Logically assigned.....	30	0.06
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN PAST 12 MONTHS.....	13367	24.96
		94 = DON'T KNOW.....	89	0.17
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	465	0.87

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE: 193	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DR09A)		Please look at the symptoms listed below. During the past 12 months, have you had any of these symptoms as the effect of the cigarettes you smoked were wearing off?		
		<ul style="list-style-type: none"> - Feeling kind of blue, down, or depressed - Having trouble sleeping - Feeling irritable, frustrated, or angry - Feeling anxious - Having difficulty concentrating - Feeling hungry more often or gaining weight - Feeling restless - Having a slower heart rate 		
WDRWCIG	2	1ANY CIGARETTE WITHDRAWAL SYMPTOMS PAST 12 MONTHS		
		1 = Yes.....	5058	9.44
		2 = No.....	12452	23.25
		85 = BAD DATA Logically assigned.....	30	0.06
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN PAST 12 MONTHS.....	13367	24.96
		94 = DON'T KNOW.....	182	0.34
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	465	0.87

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUGS	PAGE: 194	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DR09B)		Please look at the symptoms listed below. During the past 12 months, which of these symptoms have you had as the effect of the cigarettes you smoked was wearing off?		
		Type the number of each symptom you had during the past 12 months.		
		1 Feeling kind of blue, down, or depressed		
		2 Having trouble sleeping		
		3 Feeling irritable, frustrated, or angry		
		4 Feeling anxious		
		5 Having difficulty concentrating		
		6 Feeling hungry more often or gaining weight		
		7 Feeling restless		
		8 Having a slower heart rate		
DPRSCIG	2	1FELT BLUE WHEN CIGS WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	1399	2.61
		6 = Response not entered.....	3578	6.68
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN PAST 12 MONTHS.....	13367	24.96
		94 = DON'T KNOW.....	61	0.11
		97 = REFUSED.....	74	0.14
		98 = BLANK (NO ANSWER).....	676	1.26
		99 = LEGITIMATE SKIP.....	12452	23.25
TRSLPCIG	2	1TROUB SLEEP WHEN CIGS WEARING OFF PST 12 MOS		
		1 = Response entered.....	1439	2.69
		6 = Response not entered.....	3538	6.61
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN PAST 12 MONTHS.....	13367	24.96
		94 = DON'T KNOW.....	61	0.11
		97 = REFUSED.....	74	0.14
		98 = BLANK (NO ANSWER).....	676	1.26
		99 = LEGITIMATE SKIP.....	12452	23.25

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:	195
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRRITCIG	2	1IRRITABLE WHEN CIGS WEARING OFF PST 12 MONTHS		
		1 = Response entered.....	2536	4.73
		6 = Response not entered.....	2441	4.56
		85 = BAD DATA Logically assigned.....	6	0.01
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN PAST 12 MONTHS.....	13367	24.96
		94 = DON'T KNOW.....	61	0.11
		97 = REFUSED.....	74	0.14
		98 = BLANK (NO ANSWER).....	673	1.26
		99 = LEGITIMATE SKIP.....	12452	23.25
ANXCIG	2	1ANXIOUS WHEN CIGS WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	1739	3.25
		6 = Response not entered.....	3238	6.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN PAST 12 MONTHS.....	13367	24.96
		94 = DON'T KNOW.....	61	0.11
		97 = REFUSED.....	74	0.14
		98 = BLANK (NO ANSWER).....	678	1.27
		99 = LEGITIMATE SKIP.....	12452	23.25
CONCCIG	2	1PROB CONCENTRAT WHEN CIGS WEARING OFF PST 12 MOS		
		1 = Response entered.....	1069	2.00
		6 = Response not entered.....	3908	7.30
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN PAST 12 MONTHS.....	13367	24.96
		94 = DON'T KNOW.....	61	0.11
		97 = REFUSED.....	74	0.14
		98 = BLANK (NO ANSWER).....	677	1.26
		99 = LEGITIMATE SKIP.....	12452	23.25
HUNGRIG	2	1HUNGRY WHEN CIGS WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	1581	2.95
		6 = Response not entered.....	3396	6.34
		85 = BAD DATA Logically assigned.....	8	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED CIGARETTES.....	21950	40.98
		93 = DID NOT USE CIGARETTES IN PAST 12 MONTHS.....	13367	24.96
		94 = DON'T KNOW.....	61	0.11
		97 = REFUSED.....	74	0.14
		98 = BLANK (NO ANSWER).....	671	1.25
		99 = LEGITIMATE SKIP.....	12451	23.25

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:		196
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	---	-----	----	-	
RSTLSCIG	2	1RESTLESS WHEN CIGS WEARING OFF PAST 12 MONTHS			
		1 = Response entered.....	1694	3.16	
		6 = Response not entered.....	3283	6.13	
		85 = BAD DATA Logically assigned.....	3	0.01	
		91 = NEVER USED CIGARETTES.....	21950	40.98	
		93 = DID NOT USE CIGARETTES IN PAST 12 MONTHS.....	13367	24.96	
		94 = DON'T KNOW.....	61	0.11	
		97 = REFUSED.....	74	0.14	
		98 = BLANK (NO ANSWER).....	676	1.26	
		99 = LEGITIMATE SKIP.....	12452	23.25	
SLHRTCIG	2	1SLO HEART RATE WHEN CIGS WEARING OFF PST 12 MOS			
		1 = Response entered.....	594	1.11	
		6 = Response not entered.....	4383	8.18	
		91 = NEVER USED CIGARETTES.....	21950	40.98	
		93 = DID NOT USE CIGARETTES IN PAST 12 MONTHS.....	13367	24.96	
		94 = DON'T KNOW.....	61	0.11	
		97 = REFUSED.....	74	0.14	
		98 = BLANK (NO ANSWER).....	679	1.27	
		99 = LEGITIMATE SKIP.....	12452	23.25	
(DR02B)		Think about your use of alcohol during the past 12 months as you answer these next questions.			
		During the past 12 months, did you have a period of a month or more when you spent a great deal of time getting, using, or getting over the effects of alcohol?			
GRTMALC	2	1SPENT A MONTH OR MORE ON ALCOHOL PAST 12 MONTHS			
		1 = Yes.....	3325	6.21	
		2 = No.....	27199	50.78	
		85 = BAD DATA Logically assigned.....	70	0.13	
		91 = NEVER USED ALCOHOL.....	15625	29.17	
		93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.....	6533	12.20	
		94 = DON'T KNOW.....	103	0.19	
		97 = REFUSED.....	105	0.20	
		98 = BLANK (NO ANSWER).....	600	1.12	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:		197
LABEL	LEN	DESCRIPTION	FREQ	%	
----	----	-----	----	-	
(DR03B)		During the past 12 months, have you used alcohol much more often or in larger amounts than you intended to?			
LAMTALC	2	1USED ALCOHOL MORE OFTEN THAN INTENDED PAST 12 MOS			
		1 = Yes.....	5038	9.41	
		2 = No.....	25547	47.70	
		85 = BAD DATA Logically assigned.....	70	0.13	
		91 = NEVER USED ALCOHOL.....	15625	29.17	
		93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.....	6533	12.20	
		94 = DON'T KNOW.....	50	0.09	
		97 = REFUSED.....	97	0.18	
		98 = BLANK (NO ANSWER).....	600	1.12	
(DR04B)		During the past 12 months, have you built up a tolerance for alcohol so that the same amount had less effect than before?			
BTOLALC	2	1BUILT UP TOLERANCE FOR ALCOHOL PAST 12 MONTHS			
		1 = Yes.....	4831	9.02	
		2 = No.....	25591	47.78	
		85 = BAD DATA Logically assigned.....	70	0.13	
		91 = NEVER USED ALCOHOL.....	15625	29.17	
		93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.....	6533	12.20	
		94 = DON'T KNOW.....	207	0.39	
		97 = REFUSED.....	103	0.19	
		98 = BLANK (NO ANSWER).....	600	1.12	
(DR05B)		During the past 12 months, has your use of alcohol often kept you from working, going to school, taking care of children, or taking part in recreational activities?			
ACRDALC	2	1ALCOHOL REDUCED IMPORTANT ACTIVITIES PAST 12 MOS			
		1 = Yes.....	1193	2.23	
		2 = No.....	29398	54.89	
		85 = BAD DATA Logically assigned.....	70	0.13	
		91 = NEVER USED ALCOHOL.....	15625	29.17	
		93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.....	6533	12.20	
		94 = DON'T KNOW.....	45	0.08	
		97 = REFUSED.....	95	0.18	
		98 = BLANK (NO ANSWER).....	601	1.12	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUGS	PAGE: 198	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DR06B)		During the past 12 months, has your use of alcohol caused you to have emotional or psychological problems - such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas?		
EMPBALC	2	1ALCOHOL CAUSED EMOTIONAL PROBLEMS PAST 12 MONTHS		
		1 = Yes.....	1642	3.07
		2 = No.....	28926	54.01
		85 = BAD DATA Logically assigned.....	70	0.13
		91 = NEVER USED ALCOHOL.....	15625	29.17
		93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.....	6533	12.20
		94 = DON'T KNOW.....	61	0.11
		97 = REFUSED.....	102	0.19
		98 = BLANK (NO ANSWER).....	601	1.12
(DR07B)		During the past 12 months, has your use of alcohol caused you to have any health problems?		
HLPRALC	2	1ALCOHOL CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes.....	692	1.29
		2 = No.....	29851	55.73
		85 = BAD DATA Logically assigned.....	70	0.13
		91 = NEVER USED ALCOHOL.....	15625	29.17
		93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.....	6533	12.20
		94 = DON'T KNOW.....	92	0.17
		97 = REFUSED.....	95	0.18
		98 = BLANK (NO ANSWER).....	602	1.12
(DR08B)		During the past 12 months, did you want to or try to stop or cut down on your use of alcohol but found that you couldn't?		
UCDALC	2	1WANTED TO CUT DOWN ON ALCOHOL PAST 12 MONTHS		
		1 = Yes.....	1639	3.06
		2 = No.....	28765	53.71
		85 = BAD DATA Logically assigned.....	70	0.13
		91 = NEVER USED ALCOHOL.....	15625	29.17
		93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.....	6533	12.20
		94 = DON'T KNOW.....	152	0.28
		97 = REFUSED.....	174	0.32
		98 = BLANK (NO ANSWER).....	602	1.12

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE: 199	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DR09D)		Please look at the symptoms listed below. During the past 12 months, have you had any of these symptoms as the effect of the alcohol you drank was wearing off?		
		<ul style="list-style-type: none"> - Sweating or feeling that your heart was beating fast - Having your hands tremble - Having trouble sleeping - Vomiting or feeling nauseous - Seeing, hearing, or feeling things that weren't really there - Feeling like you couldn't sit still - Feeling anxious - Having seizures or fits 		
WDRWALC	2	1ANY ALCOHOL WITHDRAWAL SYMPTOMS PAST 12 MONTHS		
		1 = Yes.....	4750	8.87
		2 = No.....	25753	48.08
		85 = BAD DATA Logically assigned.....	70	0.13
		91 = NEVER USED ALCOHOL.....	15625	29.17
		93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.....	6533	12.20
		94 = DON'T KNOW.....	109	0.20
		97 = REFUSED.....	118	0.22
		98 = BLANK (NO ANSWER).....	602	1.12

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUGS	PAGE: 200	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DR09F)		Please look at the symptoms listed below. During the past 12 months, which of these symptoms have you had as the effect of the alcohol you drank was wearing off?		
		1 Sweating or feeling that your heart was beating fast		
		2 Having your hands tremble		
		3 Having trouble sleeping		
		4 Vomiting or feeling nauseous		
		5 Seeing, hearing, or feeling things that weren't really there		
		6 Feeling like you couldn't sit still		
		7 Feeling anxious		
		8 Having seizures or fits		
SWETALC	2	1SWEATING WHEN ALC WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	1292	2.41
		6 = Response not entered.....	3412	6.37
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED ALCOHOL.....	15625	29.17
		93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.....	6533	12.20
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	776	1.45
		99 = LEGITIMATE SKIP.....	25753	48.08
HSKALC	2	1HANDS SHAKING WHEN ALC WEARING OFF PST 12 MONTHS		
		1 = Response entered.....	809	1.51
		6 = Response not entered.....	3895	7.27
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL.....	15625	29.17
		93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.....	6533	12.20
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	778	1.45
		99 = LEGITIMATE SKIP.....	25753	48.08
TRSLPALC	2	1TROUB SLEEPING WHEN ALC WEARING OFF PST 12 MOS		
		1 = Response entered.....	1141	2.13
		6 = Response not entered.....	3563	6.65
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL.....	15625	29.17
		93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.....	6533	12.20
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	778	1.45
		99 = LEGITIMATE SKIP.....	25753	48.08

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:	201
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
VOMITALC	2	1VOMIT WHEN ALCOHOL WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	3111	5.81
		6 = Response not entered.....	1593	2.97
		85 = BAD DATA Logically assigned.....	8	0.01
		91 = NEVER USED ALCOHOL.....	15625	29.17
		93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.....	6533	12.20
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	773	1.44
		99 = LEGITIMATE SKIP.....	25753	48.08
HALUCALC	2	1HALLUC WHEN ALC WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	441	0.82
		6 = Response not entered.....	4263	7.96
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL.....	15625	29.17
		93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.....	6533	12.20
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	779	1.45
		99 = LEGITIMATE SKIP.....	25753	48.08
SITSTALC	2	1NOT SIT STILL WHEN ALC WEARING OFF PAST 12 MOS		
		1 = Response entered.....	925	1.73
		6 = Response not entered.....	3779	7.06
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL.....	15625	29.17
		93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.....	6533	12.20
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	778	1.45
		99 = LEGITIMATE SKIP.....	25753	48.08
ANXALC	2	1ANXIOUS WHEN ALC WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	953	1.78
		6 = Response not entered.....	3751	7.00
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL.....	15625	29.17
		93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.....	6533	12.20
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	778	1.45
		99 = LEGITIMATE SKIP.....	25753	48.08

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:	202
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
SEIZALC	2	1SEIZURES WHEN ALC WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	82	0.15
		6 = Response not entered.....	4622	8.63
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL.....	15625	29.17
		93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.....	6533	12.20
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	780	1.46
		99 = LEGITIMATE SKIP.....	25753	48.08
(DR09G)		During the past 12 months, did you drink more alcohol to get over or avoid any of the bad after-effects of your drinking?		
AVDWDALC	2	1DRINK MORE ALC TO AVOID AFT EFFECTS PST 12 MOS		
		1 = Yes.....	1162	2.17
		2 = No.....	29398	54.89
		85 = BAD DATA Logically assigned.....	70	0.13
		91 = NEVER USED ALCOHOL.....	15625	29.17
		93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS.....	6533	12.20
		94 = DON'T KNOW.....	65	0.12
		97 = REFUSED.....	104	0.19
		98 = BLANK (NO ANSWER).....	603	1.13
(DR02C)		Think about your use of marijuana or hashish during the past 12 months as you answer these next questions.		
		During the past 12 months, did you have a period of a month or more when you spent a great deal of time getting, using, or getting over the effects of marijuana or hashish?		
GRTMMRJ	2	1SPENT MONTH OR MORE ON MARIJUANA/HASH PST 12 MOS		
		1 = Yes.....	1623	3.03
		2 = No.....	5896	11.01
		85 = BAD DATA Logically assigned.....	15	0.03
		91 = NEVER USED MARIJUANA.....	34912	65.18
		93 = DID NOT USE MARIJUANA IN PAST 12 MONTHS.....	10502	19.61
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	186	0.35
		98 = BLANK (NO ANSWER).....	403	0.75

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:		203
LABEL	LEN	DESCRIPTION	FREQ	%	
----	----	-----	----	-	
(DR03C)		During the past 12 months, have you used marijuana or hashish much more often or in larger amounts than you intended to?			
LAMTMRJ	2	1USED MJ/HASH MORE OFTEN THAN INTENDED PAST 12 MOS			
		1 = Yes.....	1563	2.92	
		2 = No.....	5957	11.12	
		85 = BAD DATA Logically assigned.....	15	0.03	
		91 = NEVER USED MARIJUANA.....	34912	65.18	
		93 = DID NOT USE MARIJUANA IN PAST 12 MONTHS.....	10502	19.61	
		94 = DON'T KNOW.....	19	0.04	
		97 = REFUSED.....	189	0.35	
		98 = BLANK (NO ANSWER).....	403	0.75	
(DR04C)		During the past 12 months, have you built up a tolerance for marijuana or hashish so that the same amount had less effect than before?			
BTOLMRJ	2	1BUILT UP TOLERANCE FOR MARIJUANA/HASH PAST 12 MOS			
		1 = Yes.....	1671	3.12	
		2 = No.....	5830	10.88	
		85 = BAD DATA Logically assigned.....	15	0.03	
		91 = NEVER USED MARIJUANA.....	34912	65.18	
		93 = DID NOT USE MARIJUANA IN PAST 12 MONTHS.....	10502	19.61	
		94 = DON'T KNOW.....	39	0.07	
		97 = REFUSED.....	188	0.35	
		98 = BLANK (NO ANSWER).....	403	0.75	
(DR05C)		During the past 12 months, has your use of marijuana or hashish often kept you from working, going to school, taking care of children, or taking part in recreational activities?			
ACRDMRJ	2	1MJ/HASH REDUCED IMPORTANT ACTIVITIES PST 12 MOS			
		1 = Yes.....	566	1.06	
		2 = No.....	6954	12.98	
		85 = BAD DATA Logically assigned.....	15	0.03	
		91 = NEVER USED MARIJUANA.....	34912	65.18	
		93 = DID NOT USE MARIJUANA IN PAST 12 MONTHS.....	10502	19.61	
		94 = DON'T KNOW.....	19	0.04	
		97 = REFUSED.....	189	0.35	
		98 = BLANK (NO ANSWER).....	403	0.75	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:		204
LABEL	LEN	DESCRIPTION	FREQ	%	
----	----	-----	----	--	
(DR06C)		During the past 12 months, has your use of marijuana or hashish caused you to have emotional or psychological problems - such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas?			
EMPBMRJ	2	1MJ/HASH CAUSED EMOTIONAL PROBLEMS PAST 12 MOS			
		1 = Yes.....	1108	2.07	
		2 = No.....	6399	11.95	
		85 = BAD DATA Logically assigned.....	15	0.03	
		91 = NEVER USED MARIJUANA.....	34912	65.18	
		93 = DID NOT USE MARIJUANA IN PAST 12 MONTHS.....	10502	19.61	
		94 = DON'T KNOW.....	30	0.06	
		97 = REFUSED.....	191	0.36	
		98 = BLANK (NO ANSWER).....	403	0.75	
(DR07C)		During the past 12 months, has your use of marijuana or hashish caused you to have any health problems?			
HLPRMRJ	2	1MJ/HASH CAUSED HEALTH PROBLEMS PAST 12 MOS			
		1 = Yes.....	305	0.57	
		2 = No.....	7191	13.43	
		85 = BAD DATA Logically assigned.....	15	0.03	
		91 = NEVER USED MARIJUANA.....	34912	65.18	
		93 = DID NOT USE MARIJUANA IN PAST 12 MONTHS.....	10502	19.61	
		94 = DON'T KNOW.....	41	0.08	
		97 = REFUSED.....	191	0.36	
		98 = BLANK (NO ANSWER).....	403	0.75	
(DR08C)		During the past 12 months, did you want to or try to stop or cut down on your use of marijuana or hashish but found that you couldn't?			
UCDMRJ	2	1WANTED TO CUT DOWN ON MARIJUANA/HASH PAST 12 MOS			
		1 = Yes.....	782	1.46	
		2 = No.....	6712	12.53	
		85 = BAD DATA Logically assigned.....	15	0.03	
		91 = NEVER USED MARIJUANA.....	34912	65.18	
		93 = DID NOT USE MARIJUANA IN PAST 12 MONTHS.....	10502	19.61	
		94 = DON'T KNOW.....	33	0.06	
		97 = REFUSED.....	201	0.38	
		98 = BLANK (NO ANSWER).....	403	0.75	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUGS		PAGE: 205	
LABEL	LEN	DESCRIPTION		FREQ	%
----	----	-----		----	-
(DR02D)		Think about your use of cocaine, including "crack", during the past 12 months as you answer these next questions.			
		During the past 12 months, did you have a period of a month or more when you spent a great deal of time getting, using, or getting over the effects of cocaine, including "crack"?			
GRTMCOC	2	1SPENT MONTH OR MORE ON COCAINE, CRACK PST 12 MOS			
		1 = Yes.....	263	0.49	
		2 = No.....	1080	2.02	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED COCAINE.....	48516	90.58	
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS.....	3468	6.47	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	80	0.15	
		98 = BLANK (NO ANSWER).....	146	0.27	
(DR03D)		During the past 12 months, have you used cocaine, including "crack" much more often or in larger amounts than you intended to?			
LAMTCOC	2	1USED COCAINE MORE OFTEN THAN INTENDED PAST 12 MOS			
		1 = Yes.....	317	0.59	
		2 = No.....	1028	1.92	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED COCAINE.....	48516	90.58	
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS.....	3468	6.47	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	80	0.15	
		98 = BLANK (NO ANSWER).....	146	0.27	
(DR04D)		During the past 12 months, have you built up a tolerance for cocaine, including "crack" so that the same amount had less effect than before?			
BTOLCOC	2	1BUILT UP TOLERANCE FOR COCAINE PAST 12 MONTHS			
		1 = Yes.....	214	0.40	
		2 = No.....	1125	2.10	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED COCAINE.....	48516	90.58	
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS.....	3468	6.47	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	81	0.15	
		98 = BLANK (NO ANSWER).....	146	0.27	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:		206
LABEL	LEN	DESCRIPTION	FREQ	%	
----	----	-----	----	--	
(DR05D)		During the past 12 months, has your use of cocaine, including "crack" often kept you from working, going to school, taking care of children, or taking part in recreational activities?			
ACRDCOC	2	1COCAINE REDUCED IMPORTANT ACTIVITIES PST 12 MOS			
		1 = Yes.....	163	0.30	
		2 = No.....	1178	2.20	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED COCAINE.....	48516	90.58	
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS.....	3468	6.47	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	82	0.15	
		98 = BLANK (NO ANSWER).....	146	0.27	
(DR06D)		During the past 12 months, has your use of cocaine, including "crack" caused you to have emotional or psychological problems - such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas?			
EMPBCOC	2	1COCAINE CAUSED EMOTIONAL PROBLEMS PAST 12 MOS			
		1 = Yes.....	263	0.49	
		2 = No.....	1076	2.01	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED COCAINE.....	48516	90.58	
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS.....	3468	6.47	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	82	0.15	
		98 = BLANK (NO ANSWER).....	146	0.27	
(DR07D)		During the past 12 months, has your use of cocaine, including "crack" caused you to have any health problems?			
HLPRCOC	2	1COCAINE CAUSED HEALTH PROBLEMS PAST 12 MONTHS			
		1 = Yes.....	101	0.19	
		2 = No.....	1232	2.30	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED COCAINE.....	48516	90.58	
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS.....	3468	6.47	
		94 = DON'T KNOW.....	14	0.03	
		97 = REFUSED.....	81	0.15	
		98 = BLANK (NO ANSWER).....	146	0.27	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE: 207	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DR08D)		During the past 12 months, did you want to or try to stop or cut down on your use of cocaine, including "crack" but found that you couldn't?		
UCDCOC	2	1WANTED TO CUT DOWN ON COCAINE PAST 12 MONTHS		
		1 = Yes.....	191	0.36
		2 = No.....	1151	2.15
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED COCAINE.....	48516	90.58
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS.....	3468	6.47
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	81	0.15
		98 = BLANK (NO ANSWER).....	146	0.27
(DR09H)		During the past 12 months, have you felt kind of blue or down when the effect of the cocaine or "crack" you used was wearing off?		
DPRSCOC	2	1FELT BLUE WHEN COC WEARING OFF PAST 12 MONTHS		
		1 = Yes.....	378	0.71
		2 = No.....	964	1.80
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED COCAINE.....	48516	90.58
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS.....	3468	6.47
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	81	0.15
		98 = BLANK (NO ANSWER).....	146	0.27

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE: 208	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DR09I)		Please look at the symptoms listed below. During the past 12 months, have you had any of these symptoms as the effect of the cocaine or "crack" you used was wearing off?		
		<ul style="list-style-type: none"> - Feeling tired or exhausted - Having bad dreams - Having trouble sleeping or sleeping more than you normally do - Feeling hungry more often - Feeling either very slowed down or like you couldn't sit still 		
WDRWCOC	2	1ANY COCAINE WITHDRAWAL SYMPTOMS PAST 12 MONTHS		
		1 = Yes.....	315	0.59
		2 = No.....	63	0.12
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	48516	90.58
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS.....	3468	6.47
		97 = REFUSED.....	81	0.15
		98 = BLANK (NO ANSWER).....	152	0.28
		99 = LEGITIMATE SKIP.....	964	1.80
(DR09J)		Please look at the symptoms listed below. During the past 12 months, which of these symptoms have you had as the effect of the cocaine or "crack" you used was wearing off?		
		<ul style="list-style-type: none"> 1 Feeling tired or exhausted 2 Having bad dreams 3 Having trouble sleeping or sleeping more than you normally do 4 Feeling hungry more often 5 Feeling either very slowed down or like you couldn't sit still 		
TIREDCOC	2	1TIREDCOC WHEN COCAINE WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	211	0.39
		6 = Response not entered.....	103	0.19
		91 = NEVER USED COCAINE.....	48516	90.58
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS.....	3468	6.47
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	81	0.15
		98 = BLANK (NO ANSWER).....	153	0.29
		99 = LEGITIMATE SKIP.....	1027	1.92

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:	209
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
BDDRMCO	2	1BAD DREAMS WHEN COC WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	94	0.18
		6 = Response not entered.....	220	0.41
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	48516	90.58
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS.....	3468	6.47
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	81	0.15
		98 = BLANK (NO ANSWER).....	152	0.28
		99 = LEGITIMATE SKIP.....	1027	1.92
SLPRBCO	2	1TROUB SLEEPING WHEN COC WEARING OFF PAST 12 MOS		
		1 = Response entered.....	206	0.38
		6 = Response not entered.....	108	0.20
		91 = NEVER USED COCAINE.....	48516	90.58
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS.....	3468	6.47
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	81	0.15
		98 = BLANK (NO ANSWER).....	153	0.29
		99 = LEGITIMATE SKIP.....	1027	1.92
HUNGRCO	2	1HUNGRY WHEN COC WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	72	0.13
		6 = Response not entered.....	242	0.45
		91 = NEVER USED COCAINE.....	48516	90.58
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS.....	3468	6.47
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	81	0.15
		98 = BLANK (NO ANSWER).....	153	0.29
		99 = LEGITIMATE SKIP.....	1027	1.92
SLODNCO	2	1SLOW/NOT SIT STILL WHN COC WEAR OFF PAST 12 MOS		
		1 = Response entered.....	185	0.35
		6 = Response not entered.....	129	0.24
		91 = NEVER USED COCAINE.....	48516	90.58
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS.....	3468	6.47
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	81	0.15
		98 = BLANK (NO ANSWER).....	153	0.29
		99 = LEGITIMATE SKIP.....	1027	1.92

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:		210
LABEL	LEN	DESCRIPTION	FREQ	%	
----	----	-----	----	-	
(DR09K)		During the past 12 months, did you use more cocaine or "crack" to get over or avoid any of the bad after-effects of your cocaine or "crack" use?			
AVDWDCCOC	2	1USED MORE COC TO AVOID AFT EFFECTS PAST 12 MOS			
		1 = Yes.....	130	0.24	
		2 = No.....	1211	2.26	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED COCAINE.....	48516	90.58	
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS.....	3468	6.47	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	82	0.15	
		98 = BLANK (NO ANSWER).....	146	0.27	
(DR02E)		Think about your use of heroin during the past 12 months as you answer these next questions.			
		During the past 12 months, did you have a period of a month or more when you spent a great deal of time getting, using, or getting over the effects of heroin?			
GRTMHER	2	1SPENT MONTH OR MORE ON HEROIN PAST 12 MONTHS			
		1 = Yes.....	44	0.08	
		2 = No.....	102	0.19	
		91 = NEVER USED HEROIN.....	52897	98.76	
		93 = DID NOT USE HEROIN IN PAST 12 MONTHS.....	434	0.81	
		97 = REFUSED.....	47	0.09	
		98 = BLANK (NO ANSWER).....	36	0.07	
(DR03E)		During the past 12 months, have you used heroin much more often or in larger amounts than you intended to?			
LAMTHER	2	1USED HEROIN MORE OFTEN THAN INTENDED PAST 12 MOS			
		1 = Yes.....	43	0.08	
		2 = No.....	103	0.19	
		91 = NEVER USED HEROIN.....	52897	98.76	
		93 = DID NOT USE HEROIN IN PAST 12 MONTHS.....	434	0.81	
		97 = REFUSED.....	47	0.09	
		98 = BLANK (NO ANSWER).....	36	0.07	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:	211
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DR04E)		During the past 12 months, have you built up a tolerance for heroin so that the same amount had less effect than before?		
BTOLHER	2	1BUILT UP TOLERANCE FOR HEROIN PAST 12 MONTHS		
		1 = Yes.....	48	0.09
		2 = No.....	98	0.18
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN IN PAST 12 MONTHS.....	434	0.81
		97 = REFUSED.....	47	0.09
		98 = BLANK (NO ANSWER).....	36	0.07
(DR05E)		During the past 12 months, has your use of heroin often kept you from working, going to school, taking care of children, or taking part in recreational activities?		
ACRDHER	2	1HEROIN REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes.....	43	0.08
		2 = No.....	103	0.19
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN IN PAST 12 MONTHS.....	434	0.81
		97 = REFUSED.....	47	0.09
		98 = BLANK (NO ANSWER).....	36	0.07
(DR06E)		During the past 12 months, has your use of heroin caused you to have emotional or psychological problems - such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas?		
EMPBHER	2	1HEROIN CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes.....	54	0.10
		2 = No.....	91	0.17
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN IN PAST 12 MONTHS.....	434	0.81
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	47	0.09
		98 = BLANK (NO ANSWER).....	36	0.07

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:	212
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DR07E)		During the past 12 months, has your use of heroin caused you to have any health problems?		
HLPHER	2	1HEROIN CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes.....	33	0.06
		2 = No.....	112	0.21
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN IN PAST 12 MONTHS.....	434	0.81
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	47	0.09
		98 = BLANK (NO ANSWER).....	36	0.07
(DR08E)		During the past 12 months, did you want to or try to stop or cut down on your use of heroin but found that you couldn't?		
UCDHER	2	1WANTED TO CUT DOWN ON HEROIN PAST 12 MONTHS		
		1 = Yes.....	45	0.08
		2 = No.....	101	0.19
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN IN PAST 12 MONTHS.....	434	0.81
		97 = REFUSED.....	47	0.09
		98 = BLANK (NO ANSWER).....	36	0.07
(DR09L)		Please look at the symptoms listed below. During the past 12 months, have you had any of these symptoms as the effect of the heroin you used was wearing off?		
		- Feeling kind of blue or down		
		- Vomiting or feeling nauseous		
		- Having cramps or muscle aches		
		- Having teary eyes or a runny nose		
		- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin		
		- Having diarrhea		
		- Yawning		
		- Having a fever		
		- Having trouble sleeping		
WDRWHER	2	1ANY HEROIN WITHDRAWAL SYMPTOMS PAST 12 MONTHS		
		1 = Yes.....	69	0.13
		2 = No.....	77	0.14
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN IN PAST 12 MONTHS.....	434	0.81
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	46	0.09
		98 = BLANK (NO ANSWER).....	36	0.07

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUGS	PAGE: 213	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DR09M)		Please look at the symptoms listed below. During the past 12 months, which of these symptoms have you had as the effect of the heroin you used was wearing off?		
		1 Feeling kind of blue or down		
		2 Vomiting or feeling nauseous		
		3 Having cramps or muscle aches		
		4 Having teary eyes or a runny nose		
		5 Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin		
		6 Having diarrhea		
		7 Yawning		
		8 Having a fever		
		9 Having trouble sleeping		
DPRSHER	2	1FELT BLUE WHEN HER WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	35	0.07
		6 = Response not entered.....	34	0.06
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN IN PAST 12 MONTHS.....	434	0.81
		97 = REFUSED.....	46	0.09
		98 = BLANK (NO ANSWER).....	37	0.07
		99 = LEGITIMATE SKIP.....	77	0.14
VOMITHER	2	1VOMIT WHEN HEROIN WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	36	0.07
		6 = Response not entered.....	33	0.06
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN IN PAST 12 MONTHS.....	434	0.81
		97 = REFUSED.....	46	0.09
		98 = BLANK (NO ANSWER).....	37	0.07
		99 = LEGITIMATE SKIP.....	77	0.14
CRAMPHER	2	1CRAMPS WHEN HEROIN WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	31	0.06
		6 = Response not entered.....	38	0.07
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN IN PAST 12 MONTHS.....	434	0.81
		97 = REFUSED.....	46	0.09
		98 = BLANK (NO ANSWER).....	37	0.07
		99 = LEGITIMATE SKIP.....	77	0.14

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUGS	PAGE: 214	
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
EYNOSHER	2	1TEARS/RUNNY NOSE WHEN HER WEARING OFF PST 12 MOS		
		1 = Response entered.....	27	0.05
		6 = Response not entered.....	42	0.08
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN IN PAST 12 MONTHS.....	434	0.81
		97 = REFUSED.....	46	0.09
		98 = BLANK (NO ANSWER).....	37	0.07
		99 = LEGITIMATE SKIP.....	77	0.14
DILATHER	2	1SWEAT/DILAT PUPILS WHN HER WEARING OFF PST 12 MOS		
		1 = Response entered.....	35	0.07
		6 = Response not entered.....	34	0.06
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN IN PAST 12 MONTHS.....	434	0.81
		97 = REFUSED.....	46	0.09
		98 = BLANK (NO ANSWER).....	37	0.07
		99 = LEGITIMATE SKIP.....	77	0.14
DIARHER	2	1DIARRHEA WHEN HEROIN WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	20	0.04
		6 = Response not entered.....	49	0.09
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN IN PAST 12 MONTHS.....	434	0.81
		97 = REFUSED.....	46	0.09
		98 = BLANK (NO ANSWER).....	37	0.07
		99 = LEGITIMATE SKIP.....	77	0.14
YAWNHER	2	1YAWN WHEN HEROIN WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	24	0.04
		6 = Response not entered.....	45	0.08
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN IN PAST 12 MONTHS.....	434	0.81
		97 = REFUSED.....	46	0.09
		98 = BLANK (NO ANSWER).....	37	0.07
		99 = LEGITIMATE SKIP.....	77	0.14
FEVERHER	2	1FEVER WHEN HEROIN WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	15	0.03
		6 = Response not entered.....	54	0.10
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN IN PAST 12 MONTHS.....	434	0.81
		97 = REFUSED.....	46	0.09
		98 = BLANK (NO ANSWER).....	37	0.07
		99 = LEGITIMATE SKIP.....	77	0.14

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:	215
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TRSLPHER	2	1TROUB SLEEP WHEN HEROIN WEARING OFF PST 12 MOS		
		1 = Response entered.....	39	0.07
		6 = Response not entered.....	30	0.06
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN IN PAST 12 MONTHS.....	434	0.81
		97 = REFUSED.....	46	0.09
		98 = BLANK (NO ANSWER).....	37	0.07
		99 = LEGITIMATE SKIP.....	77	0.14
(DR09N)		During the past 12 months, did you use more heroin to get over or avoid any of the bad after-effects of your heroin use?		
AVDWDHER	2	1USED MORE HEROIN TO AVOID AFT EFFECTS PST 12 MOS		
		1 = Yes.....	35	0.07
		2 = No.....	111	0.21
		91 = NEVER USED HEROIN.....	52897	98.76
		93 = DID NOT USE HEROIN IN PAST 12 MONTHS.....	434	0.81
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	46	0.09
		98 = BLANK (NO ANSWER).....	36	0.07
(DR02F)		Think about your use of hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, or peyote during the past 12 months as you answer these next questions.		
		During the past 12 months, did you have a period of a month or more when you spent a great deal of time getting, using, or getting over the effects of hallucinogens?		
GRTMHAL	2	1SPENT MONTH OR MORE ON HALLUCINOGENS PAST 12 MOS		
		1 = Yes.....	222	0.41
		2 = No.....	1569	2.93
		83 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn..	1	0.00
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30
		93 = DID NOT USE HALLUCINOGENS IN PAST 12 MONTHS.....	4431	8.27
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	544	1.02

1The values in the section may be inconsistent with values from the core section(s).
Items in this section were edited when respondents legitimately skipped out of
these items based on prior answers in the core section(s). Otherwise, non-core
items generally were not edited to make them consistent with core items, and core
items were not edited to make them consistent with non-core items.

DRUGS			PAGE:		216
LABEL	LEN	DESCRIPTION	FREQ	%	
----	----	-----	----	-	
(DR03F)		During the past 12 months, have you used hallucinogens much more often or in larger amounts than you intended to?			
LAMTHAL	2	1USED HALL MORE OFTEN THAN INTENDED PAST 12 MOS			
		1 = Yes.....	204	0.38	
		2 = No.....	1588	2.96	
		83 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn..	1	0.00	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30	
		93 = DID NOT USE HALLUCINOGENS IN PAST 12 MONTHS.....	4431	8.27	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	26	0.05	
		98 = BLANK (NO ANSWER).....	544	1.02	
(DR04F)		During the past 12 months, have you built up a tolerance for hallucinogens so that the same amount had less effect than before?			
BTOLHAL	2	1BUILT UP TOLERANCE FOR HALLUCINOGENS PAST 12 MOS			
		1 = Yes.....	174	0.32	
		2 = No.....	1615	3.02	
		83 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn..	1	0.00	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30	
		93 = DID NOT USE HALLUCINOGENS IN PAST 12 MONTHS.....	4431	8.27	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	26	0.05	
		98 = BLANK (NO ANSWER).....	544	1.02	
(DR05F)		During the past 12 months, has your use of hallucinogens often kept you from working, going to school, taking care of children, or taking part in recreational activities?			
ACRDHAL	2	1HALL REDUCED IMPORTANT ACTIVITIES PAST 12 MOS			
		1 = Yes.....	114	0.21	
		2 = No.....	1678	3.13	
		83 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn..	1	0.00	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30	
		93 = DID NOT USE HALLUCINOGENS IN PAST 12 MONTHS.....	4431	8.27	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	26	0.05	
		98 = BLANK (NO ANSWER).....	544	1.02	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUGS	PAGE: 217	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DR06F)		During the past 12 months, has your use of hallucinogens caused you to have emotional or psychological problems - such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas?		
EMPBHAL	2	1HALLUCINOGEN CAUSED EMOTIONAL PROBLEMS PAST 12 MO		
		1 = Yes.....	320	0.60
		2 = No.....	1470	2.74
		83 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn..	1	0.00
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30
		93 = DID NOT USE HALLUCINOGENS IN PAST 12 MONTHS.....	4431	8.27
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	544	1.02
(DR07F)		During the past 12 months, has your use of hallucinogens caused you to have any health problems?		
HLPRHAL	2	1HALLUCINOGENS CAUSED HEALTH PROBLEMS PAST 12 MOS		
		1 = Yes.....	63	0.12
		2 = No.....	1727	3.22
		83 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn..	1	0.00
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30
		93 = DID NOT USE HALLUCINOGENS IN PAST 12 MONTHS.....	4431	8.27
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	544	1.02
(DR08F)		During the past 12 months, did you want to or try to stop or cut down on your use of hallucinogens but found that you couldn't?		
UCDHAL	2	1WANTED TO CUT DOWN ON HALLUCINOGENS PAST 12 MOS		
		1 = Yes.....	79	0.15
		2 = No.....	1708	3.19
		83 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn..	1	0.00
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED HALLUCINOGENS.....	46759	87.30
		93 = DID NOT USE HALLUCINOGENS IN PAST 12 MONTHS.....	4431	8.27
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	544	1.02

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUGS	PAGE: 218	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DR02G)		Think about your use of inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints or correction fluids during the past 12 months as you answer these next questions.		
		During the past 12 months, did you have a period of a month or more when you spent a great deal of time getting, using, or getting over the effects of inhalants?		
GRTMINH	2	1SPENT MONTH OR MORE ON INHALANTS PAST 12 MONTH		
		1 = Yes.....	81	0.15
		2 = No.....	991	1.85
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	47925	89.48
		93 = DID NOT USE INHALANTS IN PAST 12 MONTHS.....	4100	7.65
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	447	0.83
(DR03G)		During the past 12 months, have you used inhalants much more often or in larger amounts than you intended to?		
LAMTINH	2	1USED INHALANTS MORE OFTEN THAN INTENDED PST 12 MO		
		1 = Yes.....	94	0.18
		2 = No.....	982	1.83
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	47925	89.48
		93 = DID NOT USE INHALANTS IN PAST 12 MONTHS.....	4100	7.65
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	447	0.83

1The values in the section may be inconsistent with values from the core section(s).
Items in this section were edited when respondents legitimately skipped out of
these items based on prior answers in the core section(s). Otherwise, non-core
items generally were not edited to make them consistent with core items, and core
items were not edited to make them consistent with non-core items.

		DRUGS	PAGE: 219	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DR04G)		During the past 12 months, have you built up a tolerance for inhalants so that the same amount had less effect than before?		
BTOLINH	2	1BUILT UP TOLERANCE FOR INHALANTS PAST 12 MONTHS		
		1 = Yes.....	91	0.17
		2 = No.....	970	1.81
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	47925	89.48
		93 = DID NOT USE INHALANTS IN PAST 12 MONTHS.....	4100	7.65
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	447	0.83
(DR05G)		During the past 12 months, has your use of inhalants often kept you from working, going to school, taking care of children, or taking part in recreational activities?		
ACRDINH	2	1INHALANTS REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes.....	35	0.07
		2 = No.....	1039	1.94
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	47925	89.48
		93 = DID NOT USE INHALANTS IN PAST 12 MONTHS.....	4100	7.65
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	447	0.83
(DR06G)		During the past 12 months, has your use of inhalants caused you to have emotional or psychological problems - such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas?		
EMPBINH	2	1INHALANTS CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes.....	86	0.16
		2 = No.....	989	1.85
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	47925	89.48
		93 = DID NOT USE INHALANTS IN PAST 12 MONTHS.....	4100	7.65
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	447	0.83

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE: 220	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DR07G)		During the past 12 months, has your use of inhalants caused you to have any health problems?		
HLPRINH	2	1INHALANTS CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes.....	45	0.08
		2 = No.....	1029	1.92
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	47925	89.48
		93 = DID NOT USE INHALANTS IN PAST 12 MONTHS.....	4100	7.65
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	447	0.83
(DR08G)		During the past 12 months, did you want to or try to stop or cut down on your use of inhalants but found that you couldn't?		
UCDINH	2	1WANTED TO CUT DOWN ON INHALANTS PAST 12 MONTHS		
		1 = Yes.....	76	0.14
		2 = No.....	992	1.85
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	47925	89.48
		93 = DID NOT USE INHALANTS IN PAST 12 MONTHS.....	4100	7.65
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	447	0.83

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUGS	PAGE: 221	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DR02H)		Think about your use of prescription pain relievers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription pain relievers that were not prescribed for you or that you used only for the experience or feeling they caused.		
		During the past 12 months, did you have a period of a month or more when you spent a great deal of time getting, using, or getting over the effects of prescription pain relievers?		
GRTMANL	2	1SPENT MONTH OR MORE ON PAIN RELIEVERS PAST 12 MOS		
		1 = Yes.....	230	0.43
		2 = No.....	2186	4.08
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MONTHS.....	2837	5.30
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	749	1.40
(DR03H)		During the past 12 months, have you used prescription pain relievers much more often or in larger amounts than you intended to?		
LAMTANL	2	1USED PAIN RELIEVERS MORE OFT THAN INT PAST 12 MOS		
		1 = Yes.....	265	0.49
		2 = No.....	2152	4.02
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MONTHS.....	2837	5.30
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	750	1.40

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:		222
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	----	-----	----	-	
(DR04H)		During the past 12 months, have you built up a tolerance for prescription pain relievers so that the same amount had less effect than before?			
BTOLANL	2	1BUILT UP TOLERANCE FOR PAIN RELIEVERS PAST 12 MOS			
		1 = Yes.....	264	0.49	
		2 = No.....	2144	4.00	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62	
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MONTHS.....	2837	5.30	
		94 = DON'T KNOW.....	16	0.03	
		97 = REFUSED.....	27	0.05	
		98 = BLANK (NO ANSWER).....	750	1.40	
(DR05H)		During the past 12 months, has your use of prescription pain relievers often kept you from working, going to school, taking care of children, or taking part in recreational activities?			
ACRDANL	2	1PAIN RELIEVER REDUCED IMP ACTIVITIES PST 12 MOS			
		1 = Yes.....	117	0.22	
		2 = No.....	2299	4.29	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62	
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MONTHS.....	2837	5.30	
		94 = DON'T KNOW.....	10	0.02	
		97 = REFUSED.....	25	0.05	
		98 = BLANK (NO ANSWER).....	750	1.40	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE: 223	
LABEL	LEN	DESCRIPTION	FREQ	%
(DR06H)		During the past 12 months, has your use of prescription pain relievers caused you to have emotional or psychological problems - such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas?		
EMPBANL	2	1PAIN RELIEVER CAUSED EMOTIONAL PROBLEMS PST 12 MO		
		1 = Yes.....	160	0.30
		2 = No.....	2256	4.21
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MONTHS.....	2837	5.30
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	25	0.05
		98 = BLANK (NO ANSWER).....	750	1.40
(DR07H)		During the past 12 months, has your use of prescription pain relievers caused you to have any health problems?		
HLPRANL	2	1PAIN RELIEVER CAUSED HEALTH PROBLEMS PAST 12 MOS		
		1 = Yes.....	80	0.15
		2 = No.....	2330	4.35
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MONTHS.....	2837	5.30
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	25	0.05
		98 = BLANK (NO ANSWER).....	750	1.40
(DR08H)		During the past 12 months, did you want to or try to stop or cut down on your use of prescription pain relievers but found that you couldn't?		
UCDANL	2	1WANTED TO CUT DOWN ON PAIN RELIEVERS PAST 12 MOS		
		1 = Yes.....	152	0.28
		2 = No.....	2254	4.21
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MONTHS.....	2837	5.30
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	750	1.40

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE: 224	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DR090)		Please look at the symptoms listed below. During the past 12 months, have you had any of these symptoms as the effect of the prescription pain relievers you used was wearing off?		
		<ul style="list-style-type: none"> - Feeling kind of blue or down - Vomiting or feeling nauseous - Having cramps or muscle aches - Having teary eyes or a runny nose - Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin - Having diarrhea - Yawning - Having a fever - Having trouble sleeping 		
WDRWANL	2	1ANY PAIN RELVS WITHDRAWAL SYMPTOMS PAST 12 MONTHS		
		1 = Yes.....	423	0.79
		2 = No.....	1978	3.69
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MONTHS.....	2837	5.30
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	750	1.40

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:	225
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DR09P)		Please look at the symptoms listed below. During the past 12 months, which of these symptoms have you had as the effect of the prescription pain relievers you used was wearing off?		
		1 Feeling kind of blue or down		
		2 Vomiting or feeling nauseous		
		3 Having cramps or muscle aches		
		4 Having teary eyes or a runny nose		
		5 Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin		
		6 Having diarrhea		
		7 Yawning		
		8 Having a fever		
		9 Having trouble sleeping		
DPRSANL	2	1FELT BLUE WHEN PN RLV WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	156	0.29
		6 = Response not entered.....	263	0.49
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MONTHS.....	2837	5.30
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	775	1.45
		99 = LEGITIMATE SKIP.....	1978	3.69
VOMITANL	2	1VOMIT WHEN PAIN RLVS WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	120	0.22
		6 = Response not entered.....	299	0.56
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MONTHS.....	2837	5.30
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	775	1.45
		99 = LEGITIMATE SKIP.....	1978	3.69

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:	226
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
CRAMPANL	2	1CRAMPS WHEN PAIN RLVS WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	128	0.24
		6 = Response not entered.....	291	0.54
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MONTHS.....	2837	5.30
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	775	1.45
		99 = LEGITIMATE SKIP.....	1978	3.69
EYNOSANL	2	1TEARS/RUNNY NOSE WHEN PN RLV WEAR OFF PST 12 MOS		
		1 = Response entered.....	109	0.20
		6 = Response not entered.....	310	0.58
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MONTHS.....	2837	5.30
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	775	1.45
		99 = LEGITIMATE SKIP.....	1978	3.69
DILATANL	2	1SWEAT/DILAT PUPILS WHN PN RLV WEAR OFF PST 12 MOS		
		1 = Response entered.....	123	0.23
		6 = Response not entered.....	296	0.55
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MONTHS.....	2837	5.30
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	775	1.45
		99 = LEGITIMATE SKIP.....	1978	3.69
DIARANL	2	1DIARRHEA WHEN PAIN RLVS WEARING OFF PST 12 MOS		
		1 = Response entered.....	67	0.13
		6 = Response not entered.....	352	0.66
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MONTHS.....	2837	5.30
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	775	1.45
		99 = LEGITIMATE SKIP.....	1978	3.69

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUGS	PAGE: 227	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
YAWNANL	2	1YAWN WHEN PAIN RELVRS WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	174	0.32
		6 = Response not entered.....	245	0.46
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MONTHS.....	2837	5.30
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	775	1.45
		99 = LEGITIMATE SKIP.....	1978	3.69
FEVERANL	2	1FEVER WHEN PAIN RLVRs WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	55	0.10
		6 = Response not entered.....	364	0.68
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MONTHS.....	2837	5.30
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	775	1.45
		99 = LEGITIMATE SKIP.....	1978	3.69
TRSLPANL	2	1TROUB SLEEP WHEN PN RLVS WEARING OFF PST 12 MOS		
		1 = Response entered.....	177	0.33
		6 = Response not entered.....	242	0.45
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MONTHS.....	2837	5.30
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	775	1.45
		99 = LEGITIMATE SKIP.....	1978	3.69

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUGS	PAGE: 228	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DR09Q)		During the past 12 months, did you use more prescription pain relievers to get over or avoid any of the bad after-effects of your use of prescription pain relievers?		
AVDWDANL	2	1USED MORE PAIN RLVR TO AVOID AFT EFCT PST 12 MOS		
		1 = Yes.....	108	0.20
		2 = No.....	2304	4.30
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	57	0.11
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED PAIN RELIEVERS.....	47463	88.62
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MONTHS.....	2837	5.30
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	750	1.40
(DR02I)		Think about your use of prescription tranquilizers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription tranquilizers that were not prescribed for you or that you used only for the experience or feeling they caused.		
		During the past 12 months, did you have a period of a month or more when you spent a great deal of time getting, using, or getting over the effects of prescription tranquilizers?		
GRTMTRN	2	1SPENT MONTH OR MORE ON TRANQUILIZERS PAST 12 MOS		
		1 = Yes.....	69	0.13
		2 = No.....	846	1.58
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		93 = DID NOT USE TRANQUILIZERS IN PAST 12 MONTHS.....	1900	3.55
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	352	0.66

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:	229
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DR03I)		During the past 12 months, have you used prescription tranquilizers much more often or in larger amounts than you intended to?		
LAMTRN	2	1USED TRANQ MORE OFTEN THAN INTENDED PST 12 MOS		
		1 = Yes.....	72	0.13
		2 = No.....	843	1.57
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		93 = DID NOT USE TRANQUILIZERS IN PAST 12 MONTHS.....	1900	3.55
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	352	0.66
(DR04I)		During the past 12 months, have you built up a tolerance for prescription tranquilizers so that the same amount had less effect than before?		
BTOLTRN	2	1BUILT UP TOLERANCE FOR TRANQUILIZERS PAST 12 MOS		
		1 = Yes.....	69	0.13
		2 = No.....	848	1.58
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		93 = DID NOT USE TRANQUILIZERS IN PAST 12 MONTHS.....	1900	3.55
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	352	0.66
(DR05I)		During the past 12 months, has your use of prescription tranquilizers often kept you from working, going to school, taking care of children, or taking part in recreational activities?		
ACRDTRN	2	1TRANQ REDUCED IMPORTANT ACTIVITIES PAST 12 MOS		
		1 = Yes.....	42	0.08
		2 = No.....	874	1.63
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		93 = DID NOT USE TRANQUILIZERS IN PAST 12 MONTHS.....	1900	3.55
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	352	0.66

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:	230
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DR06I)		During the past 12 months, has your use of prescription tranquilizers caused you to have emotional or psychological problems - such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas?		
EMPBTRN	2	1TRANQUILIZERS CAUSED EMOTIONAL PROBLEMS PST 12 MO		
		1 = Yes.....	59	0.11
		2 = No.....	857	1.60
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		93 = DID NOT USE TRANQUILIZERS IN PAST 12 MONTHS.....	1900	3.55
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	352	0.66
(DR07I)		During the past 12 months, has your use of prescription tranquilizers caused you to have any health problems?		
HLPBTRN	2	1TRANQUILIZERS CAUSED HEALTH PROBLEMS PAST 12 MOS		
		1 = Yes.....	29	0.05
		2 = No.....	884	1.65
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		93 = DID NOT USE TRANQUILIZERS IN PAST 12 MONTHS.....	1900	3.55
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	352	0.66
(DR08I)		During the past 12 months, did you want to or try to stop or cut down on your use of prescription tranquilizers but found that you couldn't?		
UCDTRN	2	1WANTED TO CUT DOWN ON TRANQUILIZERS PAST 12 MOS		
		1 = Yes.....	47	0.09
		2 = No.....	868	1.62
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	5	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	50356	94.02
		93 = DID NOT USE TRANQUILIZERS IN PAST 12 MONTHS.....	1900	3.55
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	352	0.66

1The values in the section may be inconsistent with values from the core section(s).
Items in this section were edited when respondents legitimately skipped out of
these items based on prior answers in the core section(s). Otherwise, non-core
items generally were not edited to make them consistent with core items, and core
items were not edited to make them consistent with non-core items.

DRUGS			PAGE: 231	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DR02J)		Think about your use of prescription stimulants during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription stimulants that were not prescribed for you or that you used only for the experience or feeling they caused.		
		During the past 12 months, did you have a period of a month or more when you spent a great deal of time getting, using, or getting over the effects of prescription stimulants?		
GRTMSTM	2	1SPENT MONTH OR MORE ON STIMULANTS PAST 12 MONTHS		
		1 = Yes.....	102	0.19
		2 = No.....	840	1.57
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		93 = DID NOT USE STIMULANTS IN PAST 12 MONTHS.....	2521	4.71
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	409	0.76
(DR03J)		During the past 12 months, have you used prescription stimulants much more often or in larger amounts than you intended to?		
LAMTSTM	2	1USED STIM MORE OFTEN THAN INTENDED PAST 12 MONTHS		
		1 = Yes.....	102	0.19
		2 = No.....	842	1.57
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		93 = DID NOT USE STIMULANTS IN PAST 12 MONTHS.....	2521	4.71
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	409	0.76

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:	232
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DR04J)		During the past 12 months, have you built up a tolerance for prescription stimulants so that the same amount had less effect than before?		
BTOLSTM	2	1BUILT UP TOLERANCE FOR STIMULANTS PAST 12 MONTHS		
		1 = Yes.....	88	0.16
		2 = No.....	854	1.59
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		93 = DID NOT USE STIMULANTS IN PAST 12 MONTHS.....	2521	4.71
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	409	0.76
(DR05J)		During the past 12 months, has your use of prescription stimulants often kept you from working, going to school, taking care of children, or taking part in recreational activities?		
ACRDSTM	2	1STIM REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes.....	50	0.09
		2 = No.....	897	1.67
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		93 = DID NOT USE STIMULANTS IN PAST 12 MONTHS.....	2521	4.71
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	409	0.76
(DR06J)		During the past 12 months, has your use of prescription stimulants caused you to have emotional or psychological problems - such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas?		
EMPBSTM	2	1STIMULANTS CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes.....	107	0.20
		2 = No.....	837	1.56
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		93 = DID NOT USE STIMULANTS IN PAST 12 MONTHS.....	2521	4.71
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	409	0.76

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE: 233	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DR07J)		During the past 12 months, has your use of prescription stimulants caused you to have any health problems?		
HLPRSTM	2	1STIMULANTS CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes.....	42	0.08
		2 = No.....	904	1.69
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		93 = DID NOT USE STIMULANTS IN PAST 12 MONTHS.....	2521	4.71
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	409	0.76
(DR08J)		During the past 12 months, did you want to or try to stop or cut down on your use of prescription stimulants but found that you couldn't?		
UCDSTM	2	1WANTED TO CUT DOWN ON STIMULANTS PAST 12 MONTHS		
		1 = Yes.....	72	0.13
		2 = No.....	871	1.63
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		93 = DID NOT USE STIMULANTS IN PAST 12 MONTHS.....	2521	4.71
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	37	0.07
		98 = BLANK (NO ANSWER).....	409	0.76
(DR09R)		During the past 12 months, have you felt kind of blue or down when the effect of the prescription stimulants you used was wearing off?		
DPRSSTM	2	1FELT BLUE WHEN STIMS WEARING OFF PAST 12 MONTHS		
		1 = Yes.....	139	0.26
		2 = No.....	803	1.50
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		93 = DID NOT USE STIMULANTS IN PAST 12 MONTHS.....	2521	4.71
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	409	0.76

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUGS	PAGE: 234	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DR09S)		Please look at the symptoms listed below. During the past 12 months, have you had any of these symptoms as the effect of the prescription stimulants you used was wearing off?		
		<ul style="list-style-type: none"> - Feeling tired or exhausted - Having bad dreams - Having trouble sleeping or sleeping more than you normally do - Feeling hungry more often - Feeling either very slowed down or like you couldn't sit still 		
WDRWSTM	2	1ANY STIMULANT WITHDRAWAL SYMPTOMS PAST 12 MONTHS		
		1 = Yes.....	126	0.24
		2 = No.....	12	0.02
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		93 = DID NOT USE STIMULANTS IN PAST 12 MONTHS.....	2521	4.71
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	416	0.78
		99 = LEGITIMATE SKIP.....	803	1.50
(DR09T)		Please look at the symptoms listed below. During the past 12 months, which of these symptoms have you had as the effect of the prescription stimulants you used was wearing off?		
		<ul style="list-style-type: none"> 1 Feeling tired or exhausted 2 Having bad dreams 3 Having trouble sleeping or sleeping more than you normally do 4 Feeling hungry more often 5 Feeling either very slowed down or like you couldn't sit still 		
TIREDDSTM	2	1TIREDD WHEN STIMS WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	97	0.18
		6 = Response not entered.....	29	0.05
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		93 = DID NOT USE STIMULANTS IN PAST 12 MONTHS.....	2521	4.71
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	417	0.78
		99 = LEGITIMATE SKIP.....	815	1.52

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUGS	PAGE: 235	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
BDDRMSTM	2	1BAD DREAMS WHEN STIMS WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	41	0.08
		6 = Response not entered.....	85	0.16
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		93 = DID NOT USE STIMULANTS IN PAST 12 MONTHS.....	2521	4.71
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	417	0.78
		99 = LEGITIMATE SKIP.....	815	1.52
SLPRBSTM	2	1TROUB SLEEPING WHEN STIM WEARING OFF PAST 12 MOS		
		1 = Response entered.....	81	0.15
		6 = Response not entered.....	45	0.08
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		93 = DID NOT USE STIMULANTS IN PAST 12 MONTHS.....	2521	4.71
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	417	0.78
		99 = LEGITIMATE SKIP.....	815	1.52
HUNGRSTM	2	1HUNGRY WHEN STIM WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	41	0.08
		6 = Response not entered.....	85	0.16
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		93 = DID NOT USE STIMULANTS IN PAST 12 MONTHS.....	2521	4.71
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	417	0.78
		99 = LEGITIMATE SKIP.....	815	1.52
SLODNSTM	2	1SLOW/NOT SIT STILL WHN STM WEAR OFF PAST 12 MOS		
		1 = Response entered.....	83	0.15
		6 = Response not entered.....	43	0.08
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		93 = DID NOT USE STIMULANTS IN PAST 12 MONTHS.....	2521	4.71
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	417	0.78
		99 = LEGITIMATE SKIP.....	815	1.52

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUGS	PAGE: 236	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DR09U)		During the past 12 months, did you use more prescription stimulants to get over or avoid any of the bad after-effects of your use of prescription stimulants?		
AVDWDSTM	2	1USED MORE STIM TO AVOID AFT EFFECTS PST 12 MOS		
		1 = Yes.....	64	0.12
		2 = No.....	876	1.64
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	49635	92.67
		93 = DID NOT USE STIMULANTS IN PAST 12 MONTHS.....	2521	4.71
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	35	0.07
		98 = BLANK (NO ANSWER).....	409	0.76
(DR02K)		Think about your use of prescription sedatives during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription sedatives that were not prescribed for you or that you used only for the experience or feeling they caused.		
		During the past 12 months, did you have a period of a month or more when you spent a great deal of time getting, using, or getting over the effects of prescription sedatives?		
GRTMSED	2	1SPENT MONTH OR MORE ON SEDATIVES PAST 12 MONTHS		
		1 = Yes.....	33	0.06
		2 = No.....	170	0.32
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN PAST 12 MONTHS.....	887	1.66
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	266	0.50

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE: 237	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DR03K)		During the past 12 months, have you used prescription sedatives much more often or in larger amounts than you intended to?		
LAMTSED	2	1USED SED MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes.....	31	0.06
		2 = No.....	172	0.32
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN PAST 12 MONTHS.....	887	1.66
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	266	0.50
(DR04K)		During the past 12 months, have you built up a tolerance for prescription sedatives so that the same amount had less effect than before?		
BTOLSED	2	1BUILT UP TOLERANCE FOR SEDATIVES PAST 12 MONTHS		
		1 = Yes.....	26	0.05
		2 = No.....	177	0.33
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN PAST 12 MONTHS.....	887	1.66
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	266	0.50
(DR05K)		During the past 12 months, has your use of prescription sedatives often kept you from working, going to school, taking care of children, or taking part in recreational activities?		
ACRDSED	2	1SEDATIVES REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes.....	18	0.03
		2 = No.....	185	0.35
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN PAST 12 MONTHS.....	887	1.66
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	266	0.50

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:	238
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DR06K)		During the past 12 months, has your use of prescription sedatives caused you to have emotional or psychological problems - such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas?		
EMPBSED	2	1SEDATIVES CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes.....	29	0.05
		2 = No.....	174	0.32
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN PAST 12 MONTHS.....	887	1.66
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	266	0.50
(DR07K)		During the past 12 months, has your use of prescription sedatives caused you to have any health problems?		
HLPRSED	2	1SEDATIVES CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes.....	16	0.03
		2 = No.....	185	0.35
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN PAST 12 MONTHS.....	887	1.66
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	266	0.50
(DR08K)		During the past 12 months, did you want to or try to stop or cut down on your use of prescription sedatives but found that you couldn't?		
UCDSED	2	1WANTED TO CUT DOWN ON SEDATIVES PAST 12 MONTHS		
		1 = Yes.....	27	0.05
		2 = No.....	177	0.33
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN PAST 12 MONTHS.....	887	1.66
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	266	0.50

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUGS	PAGE: 239	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DR09V)		Please look at the symptoms listed below. During the past 12 months, have you had any of these symptoms as the effect of the prescription sedatives you used was wearing off?		
		- Sweating or feeling that your heart was beating fast		
		- Having your hands tremble		
		- Having trouble sleeping or sleeping more than you normally do		
		- Vomiting or feeling nauseous		
		- Seeing, hearing, or feeling things that weren't really there		
		- Feeling like you couldn't sit still		
		- Feeling anxious		
		- Having seizures or fits		
WDRWSED	2	1ANY SEDATIVE WITHDRAWAL SYMPTOMS PAST 12 MONTHS		
		1 = Yes.....	49	0.09
		2 = No.....	153	0.29
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN PAST 12 MONTHS.....	887	1.66
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	266	0.50

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:	240
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DR09W)		Please look at the symptoms listed below. During the past 12 months, which of these symptoms had you had as the effect of the prescription sedatives you used was wearing off?		
		1 Sweating or feeling that your heart was beating fast		
		2 Having your hands tremble		
		3 Having trouble sleeping or sleeping more than you normally do		
		4 Vomiting or feeling nauseous		
		5 Seeing, hearing, or feeling things that weren't really there		
		6 Feeling like you couldn't sit still		
		7 Feeling anxious		
		8 Having seizures or fits		
SWETSED	2	1SWEATING WHEN SED WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	25	0.05
		6 = Response not entered.....	24	0.04
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN PAST 12 MONTHS.....	887	1.66
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	269	0.50
		99 = LEGITIMATE SKIP.....	153	0.29
HSKAKSED	2	1HANDS SHAKING WHEN SED WEARING OFF PST 12 MONTHS		
		1 = Response entered.....	20	0.04
		6 = Response not entered.....	29	0.05
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN PAST 12 MONTHS.....	887	1.66
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	269	0.50
		99 = LEGITIMATE SKIP.....	153	0.29
SLPRBSED	2	1TROUB SLEEPING WHEN SED WEARING OFF PAST 12 MOS		
		1 = Response entered.....	33	0.06
		6 = Response not entered.....	16	0.03
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN PAST 12 MONTHS.....	887	1.66
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	269	0.50
		99 = LEGITIMATE SKIP.....	153	0.29

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		DRUGS	PAGE: 241	
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
VOMITSED	2	1VOMIT WHEN SEDATIVES WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	16	0.03
		6 = Response not entered.....	33	0.06
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN PAST 12 MONTHS.....	887	1.66
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	269	0.50
		99 = LEGITIMATE SKIP.....	153	0.29
HALUCSED	2	1HALLUC WHEN SED WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	21	0.04
		6 = Response not entered.....	28	0.05
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN PAST 12 MONTHS.....	887	1.66
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	269	0.50
		99 = LEGITIMATE SKIP.....	153	0.29
SITSTSED	2	1NOT SIT STILL WHEN SED WEARING OFF PAST 12 MOS		
		1 = Response entered.....	24	0.04
		6 = Response not entered.....	25	0.05
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN PAST 12 MONTHS.....	887	1.66
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	269	0.50
		99 = LEGITIMATE SKIP.....	153	0.29
ANXSED	2	1ANXIOUS WHEN SED WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	25	0.05
		6 = Response not entered.....	24	0.04
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN PAST 12 MONTHS.....	887	1.66
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	269	0.50
		99 = LEGITIMATE SKIP.....	153	0.29

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

DRUGS			PAGE:	242
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
SEIZSED	2	1SEIZURES WHEN SED WEARING OFF PAST 12 MONTHS		
		1 = Response entered.....	3	0.01
		6 = Response not entered.....	46	0.09
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN PAST 12 MONTHS.....	887	1.66
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	269	0.50
		99 = LEGITIMATE SKIP.....	153	0.29
(DR09X)		During the past 12 months, did you use more prescription sedatives to get over or avoid any of the bad after-effects of your use of prescription sedatives?		
AVDWDSED	2	1USED MORE SEDATIVES TO AVOID AFT EFTS PST 12 MOS		
		1 = Yes.....	23	0.04
		2 = No.....	181	0.34
		81 = NEVER USED SEDATIVES Logically assigned.....	10	0.02
		91 = NEVER USED SEDATIVES.....	52161	97.39
		93 = DID NOT USE SEDATIVES IN PAST 12 MONTHS.....	887	1.66
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	266	0.50

1The values in the section may be inconsistent with values from the core section(s).
Items in this section were edited when respondents legitimately skipped out of
these items based on prior answers in the core section(s). Otherwise, non-core
items generally were not edited to make them consistent with core items, and core
items were not edited to make them consistent with non-core items.

DRUGS			PAGE:	243
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NOTE: The remaining variables in this section are recoded variables that were created from one or more of the preceding edited variables from this same section.				
The following recoded dependence variables were defined based on the dependence criteria listed in the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV). The following is a general explanation about how the dependence variables were created. Specific details for each of the 11 individual drug dependence variables are provided in Appendix C.				
A respondent was defined as having marijuana, inhalant, hallucinogen, or tranquilizer dependence (DEPMRJ, DEPINH, DEPHAL, DEPTRN) if the respondent reported past year substance use as defined by the edited drug recency variables: XXXREC = 1,2,8,11,12 (Note: Standard 3 letter drug name abbreviations are not used for all the edited recency variables) and a positive response to 3 or more of these 6 dependence criteria:				
(1) Respondent spent a great deal of time over a period of a month getting, using, or getting over the effects of substance (GRTMXXX=1)				
(2) Respondent built up a tolerance to the substance (BTOLXXX=1)				
(3) Respondent used substance more often than intended (LAMTXXX=1)				
(4) Substance use caused the respondent to reduce or give up participation in important activities (ACRDXXX=1)				
(5) Substance use caused the respondent emotional or psychological problems (EMPBXXX=1) or health problems (HLPRXXX=1)				
(6) Respondent wanted to stop or cut down on use of substance but could not (UCDXXX=1)				
The type of withdrawal symptoms varied by substance, each having withdrawal characteristics specific to the drug (see Non-Core Drug section for examples of withdrawal symptoms). A respondent was defined as having alcohol, pain reliever, cigarette, cocaine, heroin, sedative, or stimulant dependence (DEPALC, DEPANL, DEPCIG, DEPCOC, DEPHER, DEPSED, DEPSTM) if the respondent reported past year substance use and a positive response to 3 or more of the 7 dependence criteria (including the six standard criteria listed above plus a seventh withdrawal symptom criteria).				
DEPALC	1	ALCOHOL DEPENDENCE IN THE PAST YEAR		
		0 = No.....	50778	94.81
		1 = Yes.....	2782	5.19

DRUGS			PAGE:	244
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
DEPANL	1	PAIN RELIEVER DEPENDENCE IN THE PAST YEAR		
		0 = No.....	53345	99.60
		1 = Yes.....	215	0.40
DEPCIG	1	CIGARETTE DEPENDENCE IN THE PAST YEAR		
		0 = No.....	48237	90.06
		1 = Yes.....	5323	9.94
DEPCOC	1	COCAINE DEPENDENCE IN THE PAST YEAR		
		0 = No.....	53287	99.49
		1 = Yes.....	273	0.51
DEPHAL	1	HALLUCINOGEN DEPENDENCE IN THE PAST YEAR		
		0 = No.....	53407	99.71
		1 = Yes.....	153	0.29
DEPHER	1	HEROIN DEPENDENCE IN THE PAST YEAR		
		0 = No.....	53512	99.91
		1 = Yes.....	48	0.09
DEPINH	1	INHALANT DEPENDENCE IN THE PAST YEAR		
		0 = No.....	53499	99.89
		1 = Yes.....	61	0.11
DEPMRJ	1	MARIJUANA DEPENDENCE IN THE PAST YEAR		
		0 = No.....	52408	97.85
		1 = Yes.....	1152	2.15
DEPSED	1	SEDATIVE DEPENDENCE IN THE PAST YEAR		
		0 = No.....	53522	99.93
		1 = Yes.....	38	0.07
DEPSTM	1	STIMULANT DEPENDENCE IN THE PAST YEAR		
		0 = No.....	53457	99.81
		1 = Yes.....	103	0.19
DEPTRN	1	TRANQUILIZER DEPENDENCE IN THE PAST YEAR		
		0 = No.....	53509	99.90
		1 = Yes.....	51	0.10

DRUGS			PAGE:	245
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		A respondent was defined as having illicit drug dependence, DEPILL, if the respondent was classified as dependent on any of these following substances: marijuana (DEPMRJ), hallucinogens (DEPHAL), inhalants (DEPINH), tranquilizers (DEPTRN), cocaine (DEPCOC), heroin (DEPHER), pain relievers (DEPANL), stimulants (DEPSTM), or sedative (DEPSED).		
DEPILL	1	ILLICIT DRUG DEPENDENCE IN THE PAST YEAR		
		0 = No.....	51950	96.99
		1 = Yes (Any source variable listed above =1).....	1610	3.01
DILORALC	1	ILLICIT DRUG OR ALCOHOL DEPENDENCE PAST YR		
		0 = No.....	49800	92.98
		1 = Yes (DEPILL=1 or DEPALC=1).....	3760	7.02
DILANALC	1	ILLICIT DRUGS AND ALCOHOL DEPENDENCE PAST YR		
		0 = No.....	52928	98.82
		1 = Yes (DEPILL=1 or DEPALC=1).....	632	1.18
DEPPSYCH	1	PSYCHOTHERAPEUTIC DEPENDENCE IN THE PAST YR		
		0 = No.....	53248	99.42
		1 = Yes (DEPTRN or DEPANL or DEPSTM or DEPSED=1).....	312	0.58

SPECIAL TOPICS			PAGE: 246	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP06)		SPECIAL TOPICS		

		The next questions are about encounters with the police or someone connected with the courts.		
		Not counting minor traffic violations, have you ever been arrested and booked for breaking the law?		
		Being 'booked' means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.		
BOOKED	2	1EVER ARRESTED AND BOOKED FOR BREAKING THE LAW		
		1 = Yes.....	6671	12.46
		2 = No.....	46017	85.92
		3 = Yes LOGICALLY ASSIGNED (PROBATON OR PAROLE=1).....	480	0.90
		94 = DON'T KNOW.....	130	0.24
		97 = REFUSED.....	221	0.41
		98 = BLANK (NO ANSWER).....	41	0.08
(SP07)		Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking a law?		
NOBOOKY2	3	1# TIMES ARRESTED AND BOOKED PAST 12 MONTHS		
		0 = None.....	3978	7.43
		1 = One time.....	1658	3.10
		2 = Two times.....	691	1.29
		3 = Three or more times.....	247	0.46
		985 = BAD DATA Logically assigned.....	11	0.02
		994 = DON'T KNOW.....	44	0.08
		997 = REFUSED.....	262	0.49
		998 = BLANK (NO ANSWER).....	652	1.22
		999 = LEGITIMATE SKIP (BOOKED=2).....	46017	85.92

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	247
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SP08A)		The next questions are about offenses that are against the law. As you read each question, please answer whether you were arrested and booked for that offense during the past 12 months.		
		In the past 12 months, were you arrested and booked for larceny or theft?		
BKLARCNY	2	1ARRSTD & BOOKED FOR LARCENY/THEFT PAST 12 MONTHS		
		1 = Yes.....	424	0.79
		2 = No.....	2216	4.14
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01
		85 = BAD DATA Logically assigned.....	20	0.04
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	235	0.44
		98 = BLANK (NO ANSWER).....	658	1.23
		99 = LEGITIMATE SKIP.....	49995	93.34
(SP08B)		In the past 12 months, were you arrested and booked for burglary or breaking and entering?		
BKBURGL	2	1ARRSTD & BOOKED FOR BURGLARY/B & E PAST 12 MOS		
		1 = Yes.....	166	0.31
		2 = No.....	2481	4.63
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	20	0.04
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	234	0.44
		98 = BLANK (NO ANSWER).....	658	1.23
		99 = LEGITIMATE SKIP.....	49995	93.34
(SP08C)		In the past 12 months, were you arrested and booked for aggravated assault?		
BKAGASLT	2	1ARRSTD & BOOKED FOR AGGRAVATED ASSAULT PAST 12 MO		
		1 = Yes.....	253	0.47
		2 = No.....	2395	4.47
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		85 = BAD DATA Logically assigned.....	20	0.04
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	235	0.44
		98 = BLANK (NO ANSWER).....	658	1.23
		99 = LEGITIMATE SKIP.....	49995	93.34

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE: 248	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SP08D)		In the past 12 months, were you arrested and booked for other assault, such as simple assault or battery?		
BKSMASLT	2	1ARRSTD & BOOKED FOR OTHER ASSAULT PAST 12 MONTHS		
		1 = Yes.....	376	0.70
		2 = No.....	2258	4.22
		3 = Yes LOGICALLY ASSIGNED.....	14	0.03
		85 = BAD DATA Logically assigned.....	20	0.04
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	235	0.44
		98 = BLANK (NO ANSWER).....	658	1.23
		99 = LEGITIMATE SKIP.....	49995	93.34
(SP08E)		In the past 12 months, were you arrested and booked for motor vehicle theft?		
BKMVTHFT	2	1ARRSTD & BOOKED FOR MOTOR VEHICLE THEFT PST 12 MO		
		1 = Yes.....	98	0.18
		2 = No.....	2551	4.76
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	20	0.04
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	234	0.44
		98 = BLANK (NO ANSWER).....	658	1.23
		99 = LEGITIMATE SKIP.....	49995	93.34
(SP08F)		In the past 12 months, were you arrested and booked for robbery?		
BKROB	2	1ARRSTD & BOOKED FOR ROBBERY PAST 12 MONTHS		
		1 = Yes.....	71	0.13
		2 = No.....	2578	4.81
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	20	0.04
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	234	0.44
		98 = BLANK (NO ANSWER).....	658	1.23
		99 = LEGITIMATE SKIP.....	49995	93.34

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	249
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SP08G)		In the past 12 months, were you arrested and booked for forcible rape?		
BKRAPE	2	1ARRSTD & BOOKED FOR FORCIBLE RAPE PAST 12 MONTHS		
		1 = Yes.....	20	0.04
		2 = No.....	2631	4.91
		85 = BAD DATA Logically assigned.....	20	0.04
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	233	0.44
		98 = BLANK (NO ANSWER).....	658	1.23
		99 = LEGITIMATE SKIP.....	49995	93.34
(SP08H)		In the past 12 months, were you arrested and booked for murder, homicide, or nonnegligent manslaughter?		
BKMURDER	2	1ARRSTD & BOOKED FOR MURDR/HOMIC/MNSLGTR PST 12 MO		
		1 = Yes.....	23	0.04
		2 = No.....	2627	4.90
		85 = BAD DATA Logically assigned.....	20	0.04
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	233	0.44
		98 = BLANK (NO ANSWER).....	658	1.23
		99 = LEGITIMATE SKIP.....	49995	93.34
(SP08I)		In the past 12 months, were you arrested and booked for arson?		
BKARSON	2	1ARRSTD & BOOKED FOR ARSON PAST 12 MONTHS		
		1 = Yes.....	41	0.08
		2 = No.....	2606	4.87
		85 = BAD DATA Logically assigned.....	20	0.04
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	234	0.44
		98 = BLANK (NO ANSWER).....	658	1.23
		99 = LEGITIMATE SKIP.....	49995	93.34
(SP08J)		In the past 12 months, were you arrested and booked for driving under the influence?		
BKDRVINF	2	1ARRSTD & BOOKED FOR DUI PAST 12 MONTHS		
		1 = Yes.....	329	0.61
		2 = No.....	2322	4.34
		85 = BAD DATA Logically assigned.....	20	0.04
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	233	0.44
		98 = BLANK (NO ANSWER).....	658	1.23
		99 = LEGITIMATE SKIP.....	49995	93.34

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	250
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SP08K)		In the past 12 months, were you arrested and booked for drunkenness or other liquor law violations?		
BKDRUNK	2	1ARRST & BKD FOR DRNKNS/OTH LIQ LAW VIO PST 12 MO		
		1 = Yes.....	391	0.73
		2 = No.....	2245	4.19
		3 = Yes LOGICALLY ASSIGNED.....	12	0.02
		85 = BAD DATA Logically assigned.....	20	0.04
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	234	0.44
		98 = BLANK (NO ANSWER).....	658	1.23
		99 = LEGITIMATE SKIP.....	49995	93.34
(SP08L)		In the past 12 months, were you arrested and booked for possession or sale of drugs?		
BKDRUG	2	1ARRSTD & BOOKED FOR POSSES/SALE DRUGS PAST 12 MOS		
		1 = Yes.....	334	0.62
		2 = No.....	2308	4.31
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01
		85 = BAD DATA Logically assigned.....	20	0.04
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	236	0.44
		98 = BLANK (NO ANSWER).....	658	1.23
		99 = LEGITIMATE SKIP.....	49995	93.34
(SP08M)		In the past 12 months, were you arrested and booked for prostitution or commercialized sex?		
BKPROS	2	1ARRSTD & BOOKED FOR PROSTITUTION PAST 12 MONTHS		
		1 = Yes.....	28	0.05
		2 = No.....	2622	4.90
		85 = BAD DATA Logically assigned.....	20	0.04
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	234	0.44
		98 = BLANK (NO ANSWER).....	658	1.23
		99 = LEGITIMATE SKIP.....	49995	93.34

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE: 251	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SP08N)		In the past 12 months, were you arrested and booked for other property offenses, such as fraud, possessing stolen goods, or vandalism?		
BKVANDAL	2	1ARRSTD & BOOKED FOR OTHR PROP OFFENSE PST 12 MOS		
		1 = Yes.....	211	0.39
		2 = No.....	2415	4.51
		3 = Yes LOGICALLY ASSIGNED.....	22	0.04
		85 = BAD DATA Logically assigned.....	20	0.04
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	235	0.44
		98 = BLANK (NO ANSWER).....	658	1.23
		99 = LEGITIMATE SKIP.....	49995	93.34
(SP08O)		In the past 12 months, were you arrested and booked for some other offense besides these that have been named? Please do not include minor traffic violations.		
BKOTH	2	1ARRSTD & BOOKED FOR SOME OTHER OFFENSE PAST 12 MO		
		1 = Yes.....	522	0.97
		2 = No.....	1474	2.75
		5 = Offense unknown.....	649	1.21
		85 = BAD DATA Logically assigned.....	20	0.04
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	234	0.44
		98 = BLANK (NO ANSWER).....	658	1.23
		99 = LEGITIMATE SKIP.....	49995	93.34

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	252
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
BKOTHOF2	2	10THER OFFENSE PAST 12 MONTHS - SPECIFY		
		1 = Larceny or theft.....	11	0.02
		2 = Burglary or breaking and entering.....	2	0.00
		3 = Aggravated assault.....	3	0.01
		4 = Other assault, such as simple assault or battery..	18	0.03
		5 = Motor vehicle theft.....	1	0.00
		6 = Robbery.....	1	0.00
		11 = Drunkenness or other liquor law violation.....	16	0.03
		12 = Possession or sale of drugs.....	8	0.01
		14 = Oth proprty offns: fraud, poss stln goods, vndlsm.	25	0.05
		15 = Other offense, not categorized elsewhere.....	8	0.01
		16 = Weapons law violations.....	27	0.05
		17 = Counterfeiting/Forgery.....	3	0.01
		18 = Violation of court order, parole, probation.....	44	0.08
		19 = Disorderly conduct.....	47	0.09
		20 = Juvenile status offenses.....	8	0.01
		21 = All oth offns: crimes agnst persons/prprty/society	17	0.03
		22 = Traffic violations.....	26	0.05
		23 = Bad checks.....	14	0.03
		24 = Curfew/loitering/vagrancy violations.....	21	0.04
		25 = Trespass of real property.....	19	0.04
		26 = Runaway.....	15	0.03
		27 = Family offenses, nonviolent.....	9	0.02
		28 = Intimidation.....	7	0.01
		31 = Tobacco law/code violation.....	8	0.01
		36 = Possession of drug paraphernalia.....	10	0.02
		38 = Evading/hindering/obstructing police.....	14	0.03
		39 = False report/statement/alarm.....	4	0.01
		85 = BAD DATA Logically assigned.....	20	0.04
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	251	0.47
		98 = BLANK (NO ANSWER).....	1428	2.67
		99 = LEGITIMATE SKIP.....	51469	96.10
(SP09)		Were you on probation at any time during the past 12 months?		
PROBATON	2	10N PROBATION AT ANY TIME PAST 12 MONTHS		
		1 = Yes.....	1634	3.05
		2 = No.....	51509	96.17
		85 = BAD DATA Logically assigned.....	117	0.22
		94 = DON'T KNOW.....	112	0.21
		97 = REFUSED.....	147	0.27
		98 = BLANK (NO ANSWER).....	41	0.08

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE: 253	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SP10)		Were you on parole at any time during the past 12 months?		
PAROLE	2	1ON PAROLE AT ANY TIME PAST 12 MONTHS		
		1 = Yes.....	263	0.49
		2 = No.....	52889	98.75
		85 = BAD DATA Logically assigned.....	117	0.22
		94 = DON'T KNOW.....	127	0.24
		97 = REFUSED.....	123	0.23
		98 = BLANK (NO ANSWER).....	41	0.08
(SP11A)		During the past 12 months, have you driven a vehicle while you were under the influence of a combination of alcohol and illegal drugs used together?		
DRVALDR	2	1DROVE UNDER INFLU OF ALC & ILL DRUGS PAST 12 MOS		
		1 = Yes.....	2057	3.84
		2 = No.....	6415	11.98
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	14	0.03
		89 = LEGITIMATE SKIP Logically assigned.....	13	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	1031	1.92
		99 = LEGITIMATE SKIP.....	30103	56.20
(SP11B)		During the past 12 months, have you driven a vehicle while you were under the influence of alcohol?		
DRIVEAL	2	1DROVE UNDER INFLU OF ALCOHOL PAST 12 MONTHS		
		1 = Yes.....	6450	12.04
		2 = No.....	23910	44.64
		12 = No (DRVALDR = 1).....	192	0.36
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	70	0.13
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	109	0.20
		98 = BLANK (NO ANSWER).....	640	1.19
		99 = LEGITIMATE SKIP.....	8282	15.46

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE: 254	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SP11C)		During the past 12 months, have you driven a vehicle while you were under the influence of illegal drugs?		
DRIVEDR	2	1DROVE UNDER INFLU OF ILLEGAL DRUGS PAST 12 MONTHS		
		1 = Yes.....	2564	4.79
		2 = No.....	6573	12.27
		12 = No (DRVALDR = 1).....	421	0.79
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	20	0.04
		89 = LEGITIMATE SKIP Logically assigned.....	19	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	46	0.09
		98 = BLANK (NO ANSWER).....	1766	3.30
		99 = LEGITIMATE SKIP.....	28263	52.77

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	TREATMENT DESCRIPTION	PAGE:	255
-----	----	-----	FREQ	%
-----	----	-----	----	-
(TX01)		TREATMENT -----		

These next questions deal with treatment for alcohol and drug problems, not including cigarettes. For these questions we are interested in treatment designed to help you reduce or stop your alcohol or drug use. We are also interested in treatment for medical problems associated with your alcohol or drug use.

Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

TXEVER	2	1EVER RECEIVED ALCOHOL OR DRUG TREATMENT		
		1 = Yes.....	2248	4.20
		2 = No.....	36843	68.79
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	46	0.09
		97 = REFUSED.....	97	0.18
		98 = BLANK (NO ANSWER).....	450	0.84

(TX02) During the past 12 months, that is since [DATEFILL] have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

TXYREVER	2	1EVER RECEIVED ALCOHOL OR DRUG TRMT PAST 12 MOS		
		1 = Yes.....	754	1.41
		2 = No.....	1359	2.54
		3 = Yes LOGICALLY ASSIGNED.....	121	0.23
		4 = No LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	8	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	100	0.19
		98 = BLANK (NO ANSWER).....	497	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 256	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX02A)		During the past 12 months when you received treatment was the treatment for alcohol use only, drug use only, or both alcohol and drug use?		
TXYRADG	2	1WAS PAST YR TRMT FOR ALC, DRUGS, OR BOTH		
		1 = Alcohol use only.....	239	0.45
		2 = Drug use only.....	163	0.30
		3 = Both alcohol and drug use.....	303	0.57
		4 = Alcohol (drug trmt unknown) LOGICALLY ASSIGNED....	32	0.06
		5 = Drugs (alcohol trmt unknown) LOGICALLY ASSIGNED...	31	0.06
		6 = Both alcohol and drug use LOGICALLY ASSIGNED.....	26	0.05
		11 = Alcohol only (but last tmt for drugs reported)....	14	0.03
		12 = Drugs only (but last tmt for alc reported).....	24	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	9	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	100	0.19
		98 = BLANK (NO ANSWER).....	538	1.00
		99 = LEGITIMATE SKIP.....	38203	71.33
(TX03A)		During the past 12 months, have you received treatment for your [TXFILL1] in a hospital overnight as an inpatient?		
TXYRHOSP	2	1RCVD TXFILL1 TRMT IN HOSPITAL/OVERNIGHT PST 12 MO		
		1 = Yes.....	137	0.26
		2 = No.....	601	1.12
		5 = Yes LOGICALLY ASSIGNED (from TXLTMAI2).....	20	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	10	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		97 = REFUSED.....	101	0.19
		98 = BLANK (NO ANSWER).....	612	1.14
		99 = LEGITIMATE SKIP.....	38203	71.33

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 257	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX03B)		During the past 12 months, have you received treatment for your [TXFILL1] in a residential drug or alcohol rehabilitation facility where you stayed overnight?		
TXYRRFIN	2	1RCVD TXFILL1 TRMT REHAB CENTR/OVERNIGHT PST 12 MO		
		1 = Yes.....	159	0.30
		2 = No.....	558	1.04
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		5 = Yes LOGICALLY ASSIGNED (from TXLTMAI2).....	45	0.08
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	10	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		97 = REFUSED.....	101	0.19
		98 = BLANK (NO ANSWER).....	607	1.13
		99 = LEGITIMATE SKIP.....	38203	71.33
(TX03C)		During the past 12 months, have you received treatment for your [TXFILL1] in a drug or alcohol rehabilitation facility as an outpatient?		
TXYRRFOP	2	1RCVD TXFILL1 TRMT REHAB CENTR/OUTPT PST 12 MOS		
		1 = Yes.....	288	0.54
		2 = No.....	430	0.80
		5 = Yes LOGICALLY ASSIGNED (from TXLTMAI2).....	39	0.07
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	102	0.19
		98 = BLANK (NO ANSWER).....	609	1.14
		99 = LEGITIMATE SKIP.....	38203	71.33

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 258	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX03D)		During the past 12 months, have you received treatment for your [TXFILL1] in a mental health center or facility as an outpatient?		
TXYRMHC	2	1RCVD TXFILL1 TRMT MNT HEALTH CNTR/OUTPT PST 12 MO		
		1 = Yes.....	180	0.34
		2 = No.....	547	1.02
		5 = Yes LOGICALLY ASSIGNED (from TXLTMAI2).....	28	0.05
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	102	0.19
		98 = BLANK (NO ANSWER).....	612	1.14
		99 = LEGITIMATE SKIP.....	38203	71.33
(TX03E)		During the past 12 months, have you received treatment for your [TXFILL1] in an emergency room?		
TXYRTXER	2	1RCVD TXFILL1 TRMT IN EMERGENCY ROOM PAST 12 MOS		
		1 = Yes.....	70	0.13
		2 = No.....	661	1.23
		3 = Yes LOGICALLY ASSIGNED.....	14	0.03
		5 = Yes LOGICALLY ASSIGNED (from TXLTMAI2).....	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	10	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	101	0.19
		98 = BLANK (NO ANSWER).....	623	1.16
		99 = LEGITIMATE SKIP.....	38203	71.33
(TX03F)		During the past 12 months, have you received treatment for your [TXFILL1] in a private doctor's office?		
TXYRDOC	2	1RCVD TXFILL1 TRMT IN PRIV DR.'S OFFICE PST 12 MOS		
		1 = Yes.....	109	0.20
		2 = No.....	622	1.16
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		5 = Yes LOGICALLY ASSIGNED (from TXLTMAI2).....	22	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	102	0.19
		98 = BLANK (NO ANSWER).....	612	1.14
		99 = LEGITIMATE SKIP.....	38203	71.33

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	TREATMENT DESCRIPTION	PAGE:		259
			FREQ	%	
----	----	-----	----	--	
(TX03G)		During the past 12 months, have you received treatment for your [TXFILL1] in a prison or jail?			
TXYRJAIL	2	1RCVD TXFILL1 TRMT IN PRISON/JAIL PAST 12 MONTHS			
		1 = Yes.....	69	0.13	
		2 = No.....	674	1.26	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		5 = Yes LOGICALLY ASSIGNED (from TXLTMAI2).....	5	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04	
		85 = BAD DATA Logically assigned.....	11	0.02	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	101	0.19	
		98 = BLANK (NO ANSWER).....	619	1.16	
		99 = LEGITIMATE SKIP.....	38203	71.33	
(TX03H)		During the past 12 months, have you received treatment for your [TXFILL1] in a self-help group?			
TXYRSHG	2	1RCVD TXFILL1 TRMT IN SELF-HELP GROUP PAST 12 MOS			
		1 = Yes.....	364	0.68	
		2 = No.....	356	0.66	
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00	
		5 = Yes LOGICALLY ASSIGNED (from TXLTMAI2).....	41	0.08	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04	
		85 = BAD DATA Logically assigned.....	11	0.02	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	100	0.19	
		98 = BLANK (NO ANSWER).....	606	1.13	
		99 = LEGITIMATE SKIP.....	38203	71.33	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 260	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX03I)		During the past 12 months, have you received treatment for your [TXFILL1] in some other place besides these that have been listed?		
TXYRSOP	2	1RCVD TXFILL1 TRMT IN SOME OTHER PLACE PAST 12 MOS		
		1 = Yes.....	185	0.35
		2 = No.....	483	0.90
		5 = Yes LOGICALLY ASSIGNED (from TXLTMAI2).....	92	0.17
		7 = Treatment location unknown, LOG ASSN.....	9	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	100	0.19
		98 = BLANK (NO ANSWER).....	600	1.12
		99 = LEGITIMATE SKIP.....	38203	71.33
TXYROTS2	3	1OTHER PLACE RECEIVED TRMT PAST 12 MONTHS		
		9 = Some other place, not categorized elsewhere.....	16	0.03
		22 = Residential drug or alc rehab facility overnight..	1	0.00
		26 = Private doctor's office.....	2	0.00
		27 = Prison or jail.....	2	0.00
		28 = Self-help group.....	15	0.03
		40 = Home, family, friends.....	16	0.03
		41 = School, college.....	31	0.06
		42 = Church/religious/spiritual influence.....	14	0.03
		44 = Halfway house/group home.....	5	0.01
		45 = Rehab/intervention fac/prgrm, ptnt status unspcfd.	8	0.01
		48 = Counselor, therapist, psychologist.....	41	0.08
		49 = Court-mandated/sponsored program.....	27	0.05
		51 = Alcohol/drug class, location unspecified.....	8	0.01
		59 = Foster Care, Child & Family Services, DSS.....	3	0.01
		64 = Methadone clinic/program.....	4	0.01
		65 = Name of facility/program given.....	22	0.04
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		985 = BAD DATA Logically assigned.....	19	0.04
		991 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		994 = DON'T KNOW.....	2	0.00
		997 = REFUSED.....	107	0.20
		998 = BLANK (NO ANSWER).....	655	1.22
		999 = LEGITIMATE SKIP.....	38686	72.23

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 261	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX08A)		During the past 12 months, that is, since [DATEFILL], did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?		
TXYRVSER	2	1EVER VISIT EMER RM FOR TRMT OF ILL DRUG PST 12 MO		
		1 = Yes.....	36	0.07
		2 = No.....	434	0.81
		6 = NEVER USED RELEVANT DRUGS.....	41	0.08
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	100	0.19
		98 = BLANK (NO ANSWER).....	627	1.17
		99 = LEGITIMATE SKIP.....	38442	71.77
		During the past 12 months, how many times did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?		
TXYRNME2	3	1# TIMES EMER RM FOR TRMT OF ILL DRUGS PST 12 MOS		
		RANGE = 1 - 3	35	0.07
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		985 = BAD DATA Logically assigned.....	1	0.00
		991 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	100	0.19
		998 = BLANK (NO ANSWER).....	630	1.18
		999 = LEGITIMATE SKIP.....	38917	72.66
(TX09)		During the past 12 months, did you need treatment or counseling for your alcohol or drug use?		
NDTXNEED	2	1NEED TRMT FOR USE OF ALCOHOL OR DRUG PAST 12 MOS		
		1 = Yes.....	323	0.60
		2 = No.....	37810	70.59
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	87	0.16
		89 = LEGITIMATE SKIP Logically assigned.....	121	0.23
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	48	0.09
		97 = REFUSED.....	88	0.16
		98 = BLANK (NO ANSWER).....	453	0.85
		99 = LEGITIMATE SKIP.....	754	1.41

1The values in the section may be inconsistent with values from the core section(s).
Items in this section were edited when respondents legitimately skipped out of
these items based on prior answers in the core section(s). Otherwise, non-core
items generally were not edited to make them consistent with core items, and core
items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 262	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX10)		During the past 12 months, did you need treatment or counseling for your use of alcohol?		
NDTXALC	2	1NEED TRMT FOR USE OF ALCOHOL PAST 12 MONTHS		
		1 = Yes.....	180	0.34
		2 = No.....	293	0.55
		11 = Yes (TXYRADG=12).....	7	0.01
		12 = No (TXYRADG=12).....	16	0.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	112	0.21
		98 = BLANK (NO ANSWER).....	211	0.39
		99 = LEGITIMATE SKIP.....	38832	72.50
(TX11A)		During the past 12 months, did you need treatment or counseling for your use of marijuana or hashish?		
NDTXMJ	2	1NEED TRMT FOR USE OF MARIJUANA/HASHISH PAST 12 MO		
		1 = Yes.....	91	0.17
		2 = No.....	381	0.71
		11 = Yes (TXYRADG=11).....	5	0.01
		12 = No (TXYRADG=11).....	7	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	4	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	24	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	115	0.21
		99 = LEGITIMATE SKIP.....	38983	72.78

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 263	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX11B)		During the past 12 months, did you need treatment or counseling for your use of cocaine or 'crack'?		
NDTXCOC	2	1NEED TRMT FOR USE OF COCAINE/CRACK PAST 12 MONTHS		
		1 = Yes.....	52	0.10
		2 = No.....	218	0.41
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		11 = Yes (TXYRADG=11).....	4	0.01
		12 = No (TXYRADG=11).....	5	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	19	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	42	0.08
		99 = LEGITIMATE SKIP.....	39307	73.39
(TX11C)		During the past 12 months, did you need treatment or counseling for your use of heroin?		
NDTXHER	2	1NEED TRMT FOR USE OF HEROIN PAST 12 MONTHS		
		1 = Yes.....	8	0.01
		2 = No.....	49	0.09
		11 = Yes (TXYRADG=11).....	1	0.00
		12 = No (TXYRADG=11).....	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	6	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	39589	73.92

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 264	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX11D)		During the past 12 months, did you need treatment or counseling for your use of hallucinogens?		
NDTXHAL	2	1NEED TRMT FOR USE OF HALLUCINOGENS PAST 12 MONTHS		
		1 = Yes.....	17	0.03
		2 = No.....	272	0.51
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		11 = Yes (TXYRADG=11).....	2	0.00
		12 = No (TXYRADG=11).....	6	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	19	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	194	0.36
		99 = LEGITIMATE SKIP.....	39141	73.08
(TX11E)		During the past 12 months, did you need treatment or counseling for your use of inhalants?		
NDTXINH	2	1NEED TRMT FOR USE OF INHALANTS PAST 12 MONTHS		
		1 = Yes.....	8	0.01
		2 = No.....	214	0.40
		11 = Yes (TXYRADG=11).....	2	0.00
		12 = No (TXYRADG=11).....	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	13	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	114	0.21
		99 = LEGITIMATE SKIP.....	39297	73.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 265	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX11F)		During the past 12 months, did you need treatment or counseling for your use of prescription pain relievers?		
NDTXANL	2	1NEED TRMT FOR USE OF RX PAIN RELIEVERS PST 12 MOS		
		1 = Yes.....	21	0.04
		2 = No.....	239	0.45
		11 = Yes (TXYRADG=11).....	2	0.00
		12 = No (TXYRADG=11).....	7	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	18	0.03
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	233	0.44
		99 = LEGITIMATE SKIP.....	39126	73.05
(TX11G)		During the past 12 months, did you need treatment or counseling for your use of prescription tranquilizers?		
NDTXTRAN	2	1NEED TRMT FOR USE OF RX TRANQUILIZERS PST 12 MOS		
		1 = Yes.....	8	0.01
		2 = No.....	155	0.29
		11 = Yes (TXYRADG=11).....	1	0.00
		12 = No (TXYRADG=11).....	3	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	12	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	123	0.23
		99 = LEGITIMATE SKIP.....	39351	73.47

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 266	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX11H)		During the past 12 months, did you need treatment or counseling for your use of prescription stimulants?		
NDTXSTIM	2	1NEED TRMT FOR USE OF RX STIMULANTS PST 12 MOS		
		1 = Yes.....	13	0.02
		2 = No.....	177	0.33
		3 = Yes LOGICALLY ASSIGNED.....	5	0.01
		11 = Yes (TXYRADG=11).....	1	0.00
		12 = No (TXYRADG=11).....	3	0.01
		13 = Yes LOGICALLY ASSIGNED (TXYRADG=11).....	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	2	0.00
		89 = LEGITIMATE SKIP Log assn.....	13	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	113	0.21
		99 = LEGITIMATE SKIP.....	39320	73.41
(TX11I)		During the past 12 months, did you need treatment or counseling for your use of prescription sedatives?		
NDTXSED	2	1NEED TRMT FOR USE OF RX SEDATIVES PST 12 MOS		
		1 = Yes.....	7	0.01
		2 = No.....	75	0.14
		11 = Yes (TXYRADG=11).....	1	0.00
		12 = No (TXYRADG=11).....	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	8	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	30	0.06
		98 = BLANK (NO ANSWER).....	106	0.20
		99 = LEGITIMATE SKIP.....	39454	73.66

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 267	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX11J)		During the past 12 months, did you need treatment or counseling for your use of some other drug besides the ones just listed?		
NDTXSOD	2	1NEED TRMT FOR USE OF SOME OTHER DRUG PAST 12 MOS		
		1 = Yes.....	23	0.04
		2 = No.....	503	0.94
		5 = Drug Unknown LOGICALLY ASSIGNED.....	57	0.11
		11 = Yes (TXYRADG=11).....	3	0.01
		12 = No (TXYRADG=11).....	11	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	4	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	25	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	91	0.17
		98 = BLANK (NO ANSWER).....	633	1.18
		99 = LEGITIMATE SKIP.....	38332	71.57
NDTXDRG1	4	1OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 1		
		355 = Crystal meth.....	4	0.01
		435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
		606 = "Ecstasy" (MDMA), X-TC, "X".....	1	0.00
		658 = Special K, Ketamine.....	1	0.00
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
		805 = Cocaine, coca, cocana, coke.....	1	0.00
		806 = Crack, rock.....	1	0.00
		824 = Steroids.....	1	0.00
		3052 = Speed, otherwise unspecified.....	2	0.00
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		9985 = BAD DATA Logically assigned.....	4	0.01
		9989 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		9997 = REFUSED.....	91	0.17
		9998 = BLANK (NO ANSWER).....	705	1.32
		9999 = LEGITIMATE SKIP.....	38868	72.57
NDTXDRG2	4	1OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 2		
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		9985 = BAD DATA Logically assigned.....	3	0.01
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		9997 = REFUSED.....	91	0.17
		9998 = BLANK (NO ANSWER).....	719	1.34
		9999 = LEGITIMATE SKIP.....	38870	72.57

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

TREATMENT			PAGE:		268
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	---	-----	----	--	
NDTXDRG3	4	1OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 3			
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04	
		9985 = BAD DATA Logically assigned.....	1	0.00	
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87	
		9997 = REFUSED.....	91	0.17	
		9998 = BLANK (NO ANSWER).....	721	1.35	
		9999 = LEGITIMATE SKIP.....	38870	72.57	
NDTXDRG4	4	1OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 4			
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04	
		9985 = BAD DATA Logically assigned.....	1	0.00	
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87	
		9997 = REFUSED.....	91	0.17	
		9998 = BLANK (NO ANSWER).....	721	1.35	
		9999 = LEGITIMATE SKIP.....	38871	72.57	
NDTXDRG5	4	1OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 5			
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04	
		9985 = BAD DATA Logically assigned.....	1	0.00	
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87	
		9997 = REFUSED.....	91	0.17	
		9998 = BLANK (NO ANSWER).....	721	1.35	
		9999 = LEGITIMATE SKIP.....	38871	72.57	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 269	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX12)		NOTE: In the variable NDTXEFRT, codes of 11 and 12 were assigned if the respondent reported needing treatment for alcohol or drugs, but one or more substances for which the respondent reported needing treatment was assigned a code of 11 because of a potential inconsistency with TXYRADG.		
		During the past 12 months, did you make an effort to get treatment or counseling for your use of [TXFILL2]?		
NDTXEFRT	2	1MAKE EFFORT FOR TRMT OF TXFILL2 PAST 12 MONTHS		
		1 = Yes.....	84	0.16
		2 = No.....	200	0.37
		11 = Yes (TXYRADG=11,12).....	13	0.02
		12 = No (TXYRADG=11,12).....	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	32	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		97 = REFUSED.....	92	0.17
		98 = BLANK (NO ANSWER).....	713	1.33
		99 = LEGITIMATE SKIP.....	38545	71.97
(TX16)		How long has it been since you last received treatment or counseling for your alcohol or drug use, not counting cigarettes?		
TXADGREC	2	1TIME SINCE LAST RCVD ALCOHOL OR DRUG TREATMENT		
		1 = Within the past 30 days.....	272	0.51
		2 = More than 30 days ago but within the past 12 mos..	490	0.91
		3 = More than 12 months ago.....	1335	2.49
		8 = Treatment in past year LOGICALLY ASSIGNED.....	113	0.21
		9 = Treatment in lifetime LOGICALLY ASSIGNED.....	13	0.02
		13 = Treatment > 12 mos ago LOG ASSN (TXYREVER=2).....	25	0.05
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		97 = REFUSED.....	97	0.18
		98 = BLANK (NO ANSWER).....	496	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 270	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX17)		What was the main place where you received treatment the last time you started treatment for your alcohol or other drug use, not counting cigarettes?		
TXLTMAI2	3	1MAIN PLACE RCVD TRMT LAST TIME STARTED TREATMENT		
		1 = Hospital inpatient overnight.....	127	0.24
		2 = Residential drug or alc rehab facility overnight..	385	0.72
		3 = Drug or alcohol rehab facility as outpatient.....	441	0.82
		4 = Mental health center or facility as outpatient....	156	0.29
		5 = Emergency room.....	9	0.02
		6 = Private doctor's office.....	110	0.21
		7 = Prison or jail.....	58	0.11
		8 = Self-help group.....	454	0.85
		9 = In some other place.....	150	0.28
		40 = Home, family, friends.....	11	0.02
		41 = School, college.....	52	0.10
		42 = Church/religious/spiritual influence.....	15	0.03
		44 = Halfway house/group home.....	8	0.01
		45 = Rehab/intervention fac/prgrm, ptnt status unspcfd.	10	0.02
		46 = Mental health center or facility, inpatient.....	3	0.01
		47 = Community/city/county/state program, unspecified..	7	0.01
		48 = Counselor, therapist, psychologist.....	49	0.09
		49 = Court-mandated/sponsored program.....	65	0.12
		50 = Within myself (self-treatment).....	3	0.01
		51 = Alcohol/drug class, location unspecified.....	11	0.02
		52 = Military/VA Hospital.....	14	0.03
		53 = Hospital, patient status unspecified.....	5	0.01
		54 = On the job, Job Corp, EAP.....	3	0.01
		55 = Youth-oriented facility/organization/program.....	3	0.01
		65 = Name of facility/program given.....	25	0.05
		66 = Church-run formal program/facility.....	3	0.01
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		985 = BAD DATA Logically assigned.....	8	0.01
		991 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		994 = DON'T KNOW.....	32	0.06
		997 = REFUSED.....	127	0.24
		998 = BLANK (NO ANSWER).....	497	0.93
		999 = LEGITIMATE SKIP.....	36843	68.79

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 271	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX18A)		The last time you entered treatment, did you receive treatment or counseling for your use of alcohol?		
TXLTALC	2	1LAST TREATMENT FOR ALCOHOL		
		1 = Yes.....	1454	2.71
		2 = No.....	692	1.29
		3 = Yes LOGICALLY ASSIGNED.....	7	0.01
		5 = Yes LOG ASSN (TXYRADG = 1).....	23	0.04
		6 = NEVER USED ALCOHOL (TXEVER = 1).....	45	0.08
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	6	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	105	0.20
		98 = BLANK (NO ANSWER).....	497	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79
(TX18B)		The last time you entered treatment, did you receive treatment or counseling for your use of marijuana or hashish?		
TXLTMJ	2	1LAST TREATMENT FOR MARIJUANA/HASHISH		
		1 = Yes.....	804	1.50
		2 = No.....	1072	2.00
		3 = Yes LOGICALLY ASSIGNED.....	8	0.01
		6 = NEVER USED MARIJUANA (TXEVER = 1).....	338	0.63
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	110	0.21
		98 = BLANK (NO ANSWER).....	499	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 272	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX18C)		The last time you entered treatment, did you receive treatment or counseling for your use of cocaine or 'crack'?		
TXLTCOC	2	1LAST TREATMENT FOR COCAINE/CRACK		
		1 = Yes.....	391	0.73
		2 = No.....	749	1.40
		3 = Yes LOGICALLY ASSIGNED.....	13	0.02
		6 = NEVER USED COCAINE (TXEVER = 1).....	1077	2.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	107	0.20
		98 = BLANK (NO ANSWER).....	498	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79
(TX18D)		The last time you entered treatment, did you receive treatment or counseling for your use of heroin?		
TXLTHER	2	1LAST TREATMENT FOR HEROIN		
		1 = Yes.....	118	0.22
		2 = No.....	154	0.29
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		6 = NEVER USED HEROIN (TXEVER = 1).....	1965	3.67
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	498	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 273	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX18E)		The last time you entered treatment, did you receive treatment or counseling for your use of hallucinogens?		
TXLTHAL	2	1LAST TREATMENT FOR HALLUCINOGENS		
		1 = Yes.....	259	0.48
		2 = No.....	981	1.83
		3 = Yes LOGICALLY ASSIGNED.....	5	0.01
		6 = NEVER USED HALLUCINOGENS (TXEVER = 1).....	984	1.84
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	501	0.94
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79
(TX18F)		The last time you entered treatment, did you receive treatment or counseling for your use of inhalants?		
TXLTINH	2	1LAST TREATMENT FOR INHALANTS		
		1 = Yes.....	128	0.24
		2 = No.....	736	1.37
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		6 = NEVER USED INHALANTS (TXEVER = 1).....	1369	2.56
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	499	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 274	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX18G)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription pain relievers?		
TXLTANL	2	1LAST TREATMENT FOR PRESCRIPTION PAIN RELIEVERS		
		1 = Yes.....	180	0.34
		2 = No.....	701	1.31
		3 = Yes LOGICALLY ASSIGNED.....	8	0.01
		6 = NEVER USED PAIN RELIEVERS (TXEVER = 1).....	1338	2.50
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	505	0.94
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79
(TX18H)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription tranquilizers?		
TXLTTRAN	2	1LAST TREATMENT FOR PRESCRIPTION TRANQUILIZERS		
		1 = Yes.....	129	0.24
		2 = No.....	558	1.04
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01
		6 = NEVER USED TRANQUILIZERS (TXEVER = 1).....	1541	2.88
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	102	0.19
		98 = BLANK (NO ANSWER).....	502	0.94
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 275	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX18I)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription stimulants?		
TXLTSTIM	2	1LAST TREATMENT FOR PRESCRIPTION STIMULANTS		
		1 = Yes.....	148	0.28
		2 = No.....	603	1.13
		3 = Yes LOGICALLY ASSIGNED.....	52	0.10
		6 = NEVER USED STIMULANTS (TXEVER = 1).....	1432	2.67
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	499	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79
(TX18J)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription sedatives?		
TXLTSED	2	1LAST TREATMENT FOR PRESCRIPTION SEDATIVES		
		1 = Yes.....	78	0.15
		2 = No.....	259	0.48
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		6 = NEVER USED SEDATIVES (TXEVER = 1).....	1891	3.53
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	507	0.95
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 276	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX18K)		The last time you entered treatment, did you receive treatment or counseling for your use of any other drug?		
TXLTSOD	2	1LAST TREATMENT FOR SOME OTHER DRUG		
		1 = Yes.....	223	0.42
		2 = No.....	1787	3.34
		3 = Yes LOGICALLY ASSIGNED.....	14	0.03
		5 = Treatment drug unknown, LOGICALLY ASSIGNED.....	12	0.02
		7 = Treatment drug/alc unknown LOG ASSN.....	187	0.35
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	6	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	106	0.20
		98 = BLANK (NO ANSWER).....	498	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	TREATMENT DESCRIPTION	PAGE:	277
			FREQ	%
-----	----	-----	----	-
TXLTA	4	1OTHER DRUG LAST TREATED - SPECIFY 1		
		209 = Xanax, Alprazolam.....	2	0.00
		246 = Clonazepam, Klonopin.....	2	0.00
		268 = Rohypnol, Roche, roofies.....	1	0.00
		322 = Methamphetamine ("ice" or "crank"), Meth.....	41	0.08
		336 = Diet pills.....	1	0.00
		339 = Amphetamines.....	2	0.00
		348 = Crystal.....	1	0.00
		355 = Crystal meth.....	3	0.01
		401 = Darvon.....	1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	1	0.00
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	3	0.01
		426 = Fiorinal.....	1	0.00
		434 = Anexsia, Co-Gesic, Lortab, Tussionex, Vicodin.....	1	0.00
		442 = Ibuprofen.....	1	0.00
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	1	0.00
		531 = Candy, powdered candy.....	1	0.00
		601 = LSD ("acid").....	2	0.00
		602 = Peyote.....	1	0.00
		604 = Psilocybin (mushrooms), shrooms.....	1	0.00
		606 = "Ecstasy" (MDMA), X-TC, "X".....	1	0.00
		658 = Special K, Ketamine.....	2	0.00
		701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	1	0.00
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	3	0.01
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	8	0.01
		805 = Cocaine, coca, cocana, coke.....	2	0.00
		806 = Crack, rock.....	4	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	6	0.01
		808 = All of the ones I've tried.....	1	0.00
		818 = Nicotine.....	1	0.00
		857 = Wicki stick.....	1	0.00
		3050 = Mini Thins.....	1	0.00
		3052 = Speed, otherwise unspecified.....	8	0.01
		8006 = Laxative <OTC>.....	1	0.00
		8007 = Gabapentin, Neurontin.....	1	0.00
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		9985 = BAD DATA Logically assigned.....	14	0.03
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		9994 = DON'T KNOW.....	7	0.01
		9997 = REFUSED.....	113	0.21
		9998 = BLANK (NO ANSWER).....	846	1.58
		9999 = LEGITIMATE SKIP.....	38596	72.06

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

TREATMENT			PAGE:	278
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
TXLTB	4	1OTHER DRUG LAST TREATED - SPECIFY 2		
		322 = Methamphetamine ("ice" or "crank"), Meth.....	5	0.01
		335 = Dexatrim <OTC>.....	1	0.00
		339 = Amphetamines.....	1	0.00
		355 = Crystal meth.....	1	0.00
		601 = LSD ("acid").....	1	0.00
		658 = Special K, Ketamine.....	1	0.00
		805 = Cocaine, coca, cocana, coke.....	2	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	3	0.01
		900 = Not a drug, Non-drug reason given for a drug.....	1	0.00
		2001 = Soma.....	1	0.00
		2002 = Muscle Relaxers.....	1	0.00
		3052 = Speed, otherwise unspecified.....	3	0.01
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		9985 = BAD DATA Logically assigned.....	5	0.01
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		9994 = DON'T KNOW.....	1	0.00
		9997 = REFUSED.....	106	0.20
		9998 = BLANK (NO ANSWER).....	955	1.78
		9999 = LEGITIMATE SKIP.....	38596	72.06
TXLTC	4	1OTHER DRUG LAST TREATED - SPECIFY 3		
		322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	1	0.00
		508 = Nitrous oxide, "whippets," dentist gas.....	1	0.00
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		9985 = BAD DATA Logically assigned.....	3	0.01
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		9994 = DON'T KNOW.....	1	0.00
		9997 = REFUSED.....	102	0.19
		9998 = BLANK (NO ANSWER).....	978	1.83
		9999 = LEGITIMATE SKIP.....	38596	72.06
TXLTD	4	1OTHER DRUG LAST TREATED - SPECIFY 4		
		326 = White cross.....	1	0.00
		336 = Diet pills.....	1	0.00
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		9985 = BAD DATA Logically assigned.....	2	0.00
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		9997 = REFUSED.....	101	0.19
		9998 = BLANK (NO ANSWER).....	982	1.83
		9999 = LEGITIMATE SKIP.....	38596	72.06

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

TREATMENT			PAGE:	279
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
TXLTE	4	1OTHER DRUG LAST TREATED - SPECIFY 5		
		3052 = Speed, otherwise unspecified.....	1	0.00
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		9985 = BAD DATA Logically assigned.....	2	0.00
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		9997 = REFUSED.....	101	0.19
		9998 = BLANK (NO ANSWER).....	984	1.84
		9999 = LEGITIMATE SKIP.....	38596	72.06
(TX19) What was the main drug you entered treatment for the last time you were treated?				
TXLTPRIM	2	1MAIN DRUG ENTERED TRMT FOR LAST TIME TREATED		
		1 = Alcohol.....	276	0.52
		2 = Marijuana or hashish.....	180	0.34
		3 = Cocaine or Crack.....	145	0.27
		4 = Heroin.....	30	0.06
		5 = Hallucinogens.....	17	0.03
		6 = Inhalants.....	4	0.01
		7 = Prescription pain relievers.....	14	0.03
		8 = Prescription tranquilizers.....	8	0.01
		9 = Prescription stimulants.....	18	0.03
		10 = Prescription sedatives.....	3	0.01
		11 = Some other drug.....	45	0.08
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	6	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	109	0.20
		98 = BLANK (NO ANSWER).....	735	1.37
		99 = LEGITIMATE SKIP.....	38083	71.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	TREATMENT DESCRIPTION	PAGE:		280
			FREQ	%	
-----	----	-----	----	-	
(TX20)		What was the outcome of the treatment or counseling you last received?			
TXOUTC2	2	1OUTCOME OF TREATMENT LAST RECEIVED			
		1 = You are still in treatment.....	245	0.46	
		2 = You successfully completed treatment.....	1458	2.72	
		3 = You left because you had a problem with program...	138	0.26	
		4 = You left because you couldn't afford to continue..	56	0.10	
		5 = You left because your family needed you.....	24	0.04	
		6 = You left because you began using drugs again.....	88	0.16	
		7 = Your last treatment had some other outcome.....	38	0.07	
		41 = You left because you didn't need/want treatment...	15	0.03	
		42 = You consider that treatment is for lifetime.....	4	0.01	
		43 = You were successful b/c of own efforts, not trmt..	8	0.01	
		44 = You relapsed/program did not work for you.....	17	0.03	
		45 = You were kicked out of program.....	3	0.01	
		46 = You moved away from the treatment location.....	4	0.01	
		48 = Discontinued treatment, success unknown.....	19	0.04	
		49 = Completed treatment, outcome unknown.....	51	0.10	
		50 = You had other problems to deal with.....	4	0.01	
		51 = You still use drugs, but to a lesser extent.....	8	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87	
		94 = DON'T KNOW.....	35	0.07	
		97 = REFUSED.....	126	0.24	
		98 = BLANK (NO ANSWER).....	498	0.93	
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	TREATMENT DESCRIPTION	PAGE:	
			FREQ	%
(TX21)		NOTE: The variable TXLTDUR2 was created from the questions shown below.		
		How long did you stay in treatment for your alcohol or drug use during your last treatment at [FILL IN ANSWER FROM TX17]?		
		How long have you been in treatment for your alcohol or drug use at [FILL IN ANSWER FROM TX17] so far?		
		How long did you stay in treatment for your alcohol or drug use during your last treatment?		
		How long have you been in treatment for your alcohol or drug use so far?		
		Please indicate whether you want to give your answer in days or months.		
		How many days have you been in treatment for your alcohol or drug use so far?		
		How many days did you stay in treatment for your alcohol or drug use the last time?		
		How many months have you been in treatment for your alcohol or drug use so far?		
		How many months did you stay in treatment for your alcohol or drug use the last time?		
TXLTDUR2	5	1# DAYS IN ALC/DRG TMT SO FAR/LAST TIME - RECODE		
		RANGE = 1 - 720	2066	3.86
		730 = 730 or more days.....	61	0.11
		99981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		99985 = BAD DATA Logically assigned.....	8	0.01
		99991 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		99994 = DON'T KNOW.....	57	0.11
		99997 = REFUSED.....	151	0.28
		99998 = BLANK (NO ANSWER).....	498	0.93
		99999 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 282	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX22A)		Did private health insurance pay for the last treatment you received, even if it paid only part of the cost?		
TXPDINS	2	1HEALTH INSURANCE PAID FOR LAST TREATMENT		
		1 = Yes.....	655	1.22
		2 = No.....	1481	2.77
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	67	0.13
		97 = REFUSED.....	128	0.24
		98 = BLANK (NO ANSWER).....	498	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79
(TX22B)		Did Medicare pay for the last treatment you received, even if it paid only part of the cost?		
TXPDICARE	2	1MEDICARE PAID FOR LAST TREATMENT		
		1 = Yes.....	174	0.32
		2 = No.....	1956	3.65
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	78	0.15
		97 = REFUSED.....	124	0.23
		98 = BLANK (NO ANSWER).....	498	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79
(TX22C)		Did Medicaid pay for the last treatment you received, even if it paid only part of the cost?		
TXPDCAID	2	1MEDICAID PAID FOR LAST TREATMENT		
		1 = Yes.....	204	0.38
		2 = No.....	1923	3.59
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	80	0.15
		97 = REFUSED.....	123	0.23
		98 = BLANK (NO ANSWER).....	498	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 283	
LABEL	LEN	DESCRIPTION	FREQ	%

(TX22D)		Did a public assistance program other than Medicaid pay for the last treatment you received, even if it paid only part of the cost?		
TXPD PUBP	2	10 OTHER PUBLIC ASSISTANCE PROGRAM PAID FOR LAST TMT		
		1 = Yes.....	289	0.54
		2 = No.....	1833	3.42
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	84	0.16
		97 = REFUSED.....	124	0.23
		98 = BLANK (NO ANSWER).....	498	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79
(TX22E)		Did you use your own savings or earnings to pay for the last treatment you received, even if you paid only part of the cost?		
TXPD SAVE	2	10 OWN SAVINGS OR EARNINGS PAID FOR LAST TREATMENT		
		1 = Yes.....	836	1.56
		2 = No.....	1319	2.46
		3 = Yes LOGICALLY ASSIGNED.....	8	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	44	0.08
		97 = REFUSED.....	125	0.23
		98 = BLANK (NO ANSWER).....	498	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79
(TX22F)		Did family members pay for the last treatment you received, even if they paid only part of the cost?		
TXPD FMLY	2	10 FAMILY MEMBERS PAID FOR LAST TREATMENT		
		1 = Yes.....	541	1.01
		2 = No.....	1621	3.03
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	43	0.08
		97 = REFUSED.....	123	0.23
		98 = BLANK (NO ANSWER).....	498	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 284	
LABEL	LEN	DESCRIPTION	FREQ	%

(TX22G)		Did the courts pay for the last treatment you received, even if it paid only part of the cost?		
TXPDCORT	2	1COURTS PAID FOR LAST TREATMENT		
		1 = Yes.....	200	0.37
		2 = No.....	1955	3.65
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	124	0.23
		98 = BLANK (NO ANSWER).....	498	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79
(TX22H)		Did CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the last treatment you received, even if it paid only part of the cost?		
TXPDMILC	2	1CHAMPUS, TRICARE, CHAMPVA PAID FOR LAST TREATMENT		
		1 = Yes.....	99	0.18
		2 = No.....	2060	3.85
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	47	0.09
		97 = REFUSED.....	123	0.23
		98 = BLANK (NO ANSWER).....	498	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79
(TX22I)		Did your employer pay for the last treatment you received, even if it paid only part of the cost?		
TXPDEMPLE	2	1EMPLOYER PAID FOR LAST TREATMENT		
		1 = Yes.....	117	0.22
		2 = No.....	2056	3.84
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	35	0.07
		97 = REFUSED.....	122	0.23
		98 = BLANK (NO ANSWER).....	498	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 285	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX22K)		Was your last treatment paid for by some other source besides those that have been listed?		
TXPDSOS	2	1SOME OTHER SOURCE PAID FOR LAST TREATMENT		
		1 = Yes.....	265	0.49
		2 = No.....	1840	3.44
		4 = No LOG ASSN (free trmt specified).....	1	0.00
		5 = Yes, payment source not specified LOG ASSN.....	43	0.08
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	60	0.11
		97 = REFUSED.....	123	0.23
		98 = BLANK (NO ANSWER).....	498	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79
TXPDSP2	2	1OTHER PAYER FOR LAST TREATMENT		
		1 = Private health insurance.....	38	0.07
		3 = Medicaid.....	4	0.01
		4 = Public assistance program other than Medicaid.....	6	0.01
		5 = Own savings or earnings.....	23	0.04
		6 = Family members.....	10	0.02
		7 = Courts.....	6	0.01
		8 = CHAMPUS, TRICARE, CHAMPVA, VA, othr military hlth.	4	0.01
		9 = Employer.....	2	0.00
		10 = Free.....	18	0.03
		11 = Some other source.....	16	0.03
		12 = Friend/sponsor.....	8	0.01
		14 = School.....	31	0.06
		15 = Treatment program.....	3	0.01
		16 = Indian Health Service/BIA.....	5	0.01
		19 = Public assistance, unspecified.....	12	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	14	0.03
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	130	0.24
		98 = BLANK (NO ANSWER).....	660	1.23
		99 = LEGITIMATE SKIP.....	38683	72.22

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		TREATMENT	PAGE: 286	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX22J)		Was the last treatment you received free?		
TXPDFRE	2	1LAST TREATMENT WAS FREE		
		1 = Yes.....	164	0.31
		2 = No.....	43	0.08
		3 = Yes LOGICALLY ASSIGNED.....	18	0.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	117	0.22
		98 = BLANK (NO ANSWER).....	561	1.05
		99 = LEGITIMATE SKIP.....	38778	72.40
(TX23)		Were you enrolled in a treatment program for your alcohol or drug use on October 1, 1998?		
		For this question, please include only treatment you received at a hospital, drug rehabilitation facility, or mental health center.		
TXENROLL	2	1ENROLLED IN TREATMENT PROGRAM ON OCT.1 1998		
		1 = Yes.....	214	0.40
		2 = No.....	1970	3.68
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	20	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	13856	25.87
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	126	0.24
		98 = BLANK (NO ANSWER).....	498	0.93
		99 = LEGITIMATE SKIP (TXEVER=2).....	36843	68.79

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

TREATMENT			PAGE:	287
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NOTE: The remaining variables in this section are recoded variables that were created from one or more of the preceding edited variables from this same section or from other sections.				
A respondent was defined with illicit drug abuse treatment need (TRMTNEED) if they met any one of the following 4 criteria in the past year:				
(1) dependent on any illicit drug (DEPILL=1)				
(2) used marijuana daily, or used some other illicit drug on at least 52 days (IRMJFY = 363, 364, 365) OR (IRSEDFY or IRSTMFY or IRANLFY or ITRNIFY or IRHALFY or IRCOCFY or IRINHFY = 52-365)				
(3) were injection drug users or used heroin (CONDLREC=1,2 or HRNDLREC=1,2 or STNDLREC=1,2) OR (HERREC=1,2 or HRSMKREC=1,2 or HRSNFFREC=1,2)				
(4) received any treatment for drug abuse from a location such as a hospital, rehabilitation facility (in or out patient), mental health center, emergency room, private doctor's office, jail/prison, self-help group, or some other place. (TXYRADG=2,3,5,6,11,12) AND (TXYRHOSP or TXYRRFIN or TXYRRFOP or TXYRMHC or TXYRTXER or TXYRDOC or TXYRJAIL or TXYRSHG or TXYRSOP = 1,3,5)				
TRMTNEED	1	NEEDED TRMT IN PST YR FOR ILLICIT DRUG ABUSE		
		0 = No.....	50516	94.32
		1 = Yes (See comment above).....	3044	5.68
TRTNEED2	1	NEEDED TRMT IN PST YR FOR ILL DRG ABUSE OR ALC DEP		
		0 = No.....	48577	90.70
		1 = Yes (TRMTNEED=1) OR (DEPALC=1).....	4983	9.30
Treatment at a specialty facility (TRMTSPEC) includes treatment at a hospital overnight as an inpatient (TXYRHOSP=1,3,5), a mental health center as an outpatient (TXYRMHC=1,3,5), or a drug abuse facility as in (TXYRRFIN=1,3,5) or out (TXYRRFOP=1,3,5) patient.				
TRMTSPEC	1	RCD TRMT AT SPEC FAC IN PST YR FOR ILL DRG USE		
		0 = No (Otherwise).....	53191	99.31
		1 = Yes (TXYRADG=2,3,5,6,11,12) & (ANY ABOVE SOURCE)...	369	0.69

TREATMENT			PAGE:	288
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		A respondent was classified as needing treatment for an especially severe drug problem (also referred to as level 2 drug abuse treatment need (LEVEL2)), if they met any one of the following 5 criteria in the past year:		
		(1) used marijuana daily and were dependent on marijuana in the past year (IRMJFY = 363,364,365) AND (DEPMRJ=1)		
		(2) were dependent on an illicit drug other than marijuana (DEPOTHER=1)		
		(3) used cocaine on 52 or more days, or used inhalants, hallucinogens, pain relievers, tranquilizers, sedatives, or stimulants daily in the past year (IRCOCFY=52-365) OR (IRINH FY or IRHALFY or IRANL FY or ITRN FY or IRSEDFY or IRSTMFY = 363, 364, 365)		
		(4) were injection drug users or used heroin in the past year (CONDLREC=1,2 or HRNDLREC=1,2 or STNDLREC=1,2) OR (HERREC=1,2 or HRSMKREC=1,2 or HRSNFREC=1,2)		
		(5) received treatment for drug abuse at a speciality facility in the past year (TRMTSPEC=1)		
LEVEL2	1	NEEDED TREATMENT FOR ESPECIALLY SEVERE DRUG PROB		
		0 = No.....	52308	97.66
		1 = Yes (See comment above).....	1252	2.34
DRNKHELP	1	RECEIVED TREATMENT IN PAST YR FOR ALC USE		
		0 = No (Otherwise).....	52922	98.81
		1 = Yes (TXYREVER=1,3 & TXYRADG=1,3,4,6,11,12).....	638	1.19
DRUGHELP	1	RECEIVED TREATMENT IN PST YR FOR DRUG USE		
		0 = No (Otherwise).....	52999	98.95
		1 = Yes (TXYREVER=1,3 & TXYRADG=2,3,5,6,11,12).....	561	1.05
SUBSHELP	1	RECEIVED TREATMENT IN PST YR FOR ALC OR DRUG USE		
		0 = No (DRNKHELP=0 and DRUGHELP=0).....	52728	98.45
		1 = Yes (DRNKHELP=1 or DRUGHELP=1).....	832	1.55

SOCIAL ENVIRONMENT			PAGE:	289
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SEN01)		SOCIAL ENVIRONMENT		

The next questions are about the neighborhood where you currently live.

How long have you lived in this neighborhood?

SNLIVNBR	2	1HOW LONG LIVED IN THIS NEIGHBORHOOD		
		1 = Less than one year.....	7773	14.51
		2 = At least 1 year but less than 3 years.....	7153	13.36
		3 = At least 3 years but less than 5 years.....	4379	8.18
		4 = At least 5 years but less than 10 years.....	4843	9.04
		5 = 10 or more years.....	10610	19.81
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	28	0.05
		99 = LEGITIMATE SKIP.....	18685	34.89

(SEN02A) For each of the next statements, please indicate how much you agree or disagree.

There is a lot of crime in your neighborhood.

SNCRIME	2	1THERE IS A LOT OF CRIME IN NEIGHBORHOOD		
		1 = Strongly Agree.....	2152	4.02
		2 = Somewhat Agree.....	5573	10.41
		3 = Somewhat Disagree.....	8657	16.16
		4 = Strongly Disagree.....	17760	33.16
		94 = DON'T KNOW.....	622	1.16
		97 = REFUSED.....	83	0.15
		98 = BLANK (NO ANSWER).....	28	0.05
		99 = LEGITIMATE SKIP.....	18685	34.89

(SEN02B) A lot of drug selling goes on in your neighborhood.

SNSELLDG	2	1A LOT OF DRUG SELLING GOES ON IN NEIGHBORHOOD		
		1 = Strongly Agree.....	2961	5.53
		2 = Somewhat Agree.....	5161	9.64
		3 = Somewhat Disagree.....	6553	12.23
		4 = Strongly Disagree.....	17670	32.99
		94 = DON'T KNOW.....	2393	4.47
		97 = REFUSED.....	109	0.20
		98 = BLANK (NO ANSWER).....	28	0.05
		99 = LEGITIMATE SKIP.....	18685	34.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE: 290	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SEN02C)		People in your neighborhood share the same values.		
SNPPVAL	2	1PEOPLE IN NEIGHBORHOOD SHARE THE SAME VALUES		
		1 = Strongly Agree.....	8269	15.44
		2 = Somewhat Agree.....	15027	28.06
		3 = Somewhat Disagree.....	5557	10.38
		4 = Strongly Disagree.....	3477	6.49
		94 = DON'T KNOW.....	2426	4.53
		97 = REFUSED.....	91	0.17
		98 = BLANK (NO ANSWER).....	28	0.05
		99 = LEGITIMATE SKIP.....	18685	34.89
(SEN02D)		There are lots of street fights in your neighborhood.		
SNSTFGT	2	1LOTS OF STREET FIGHTS IN NEIGHBORHOOD		
		1 = Strongly Agree.....	1012	1.89
		2 = Somewhat Agree.....	2292	4.28
		3 = Somewhat Disagree.....	4451	8.31
		4 = Strongly Disagree.....	25977	48.50
		94 = DON'T KNOW.....	1023	1.91
		97 = REFUSED.....	92	0.17
		98 = BLANK (NO ANSWER).....	28	0.05
		99 = LEGITIMATE SKIP.....	18685	34.89
(SEN02E)		There are many empty or abandoned buildings in your neighborhood.		
SNEMTBLD	2	1MANY EMPTY/ABANDONED BLDGS IN NEIGHBORHOOD		
		1 = Strongly Agree.....	1158	2.16
		2 = Somewhat Agree.....	2171	4.05
		3 = Somewhat Disagree.....	3718	6.94
		4 = Strongly Disagree.....	27151	50.69
		94 = DON'T KNOW.....	572	1.07
		97 = REFUSED.....	76	0.14
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	18685	34.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE: 291	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SEN02F)		People in your neighborhood often help each other out.		
SNPPHLP	2	1PEOPLE IN NEIGHBORHOOD OFTEN HELP EACH OTHER		
		1 = Strongly Agree.....	11588	21.64
		2 = Somewhat Agree.....	14997	28.00
		3 = Somewhat Disagree.....	4301	8.03
		4 = Strongly Disagree.....	2603	4.86
		94 = DON'T KNOW.....	1304	2.43
		97 = REFUSED.....	53	0.10
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	18685	34.89
(SEN02G)		There is a lot of graffiti in your neighborhood. By "graffiti" we mean words or pictures that are written or drawn on buildings, fences, walls, or rocks, often with spray paint.		
SNGRAFTI	2	1THERE IS A LOT OF GRAFFITI IN NEIGHBORHOOD		
		1 = Strongly Agree.....	1122	2.09
		2 = Somewhat Agree.....	2383	4.45
		3 = Somewhat Disagree.....	4188	7.82
		4 = Strongly Disagree.....	26696	49.84
		94 = DON'T KNOW.....	382	0.71
		97 = REFUSED.....	75	0.14
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	18685	34.89
(SEN02H)		People in your neighborhood often visit in each other's homes.		
SNPPVSIT	2	1PEOPLE IN NBHD OFTEN VISIT IN EACH OTHERS HOMES		
		1 = Strongly Agree.....	7158	13.36
		2 = Somewhat Agree.....	15101	28.19
		3 = Somewhat Disagree.....	6688	12.49
		4 = Strongly Disagree.....	4378	8.17
		94 = DON'T KNOW.....	1448	2.70
		97 = REFUSED.....	73	0.14
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	18685	34.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE: 292	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SEN02I)		People move in and out of your neighborhood often.		
SNPPMOVE	2	1PEOPLE MOVE IN AND OUT OF NEIGHBORHOOD OFTEN		
		1 = Strongly Agree.....	3583	6.69
		2 = Somewhat Agree.....	7060	13.18
		3 = Somewhat Disagree.....	9828	18.35
		4 = Strongly Disagree.....	12961	24.20
		94 = DON'T KNOW.....	1336	2.49
		97 = REFUSED.....	78	0.15
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	18685	34.89
(SEN03A)		How do you think most people in your neighborhood would feel about adults smoking one or more packs of cigarettes per day?		
SNAPKCIG	2	1HOW NGHBRWS WLD FEEL: ADLTS SMOKNG 1+ PACK CIGS/DY		
		1 = Neither approve nor disapprove.....	20806	38.85
		2 = Somewhat disapprove.....	8497	15.86
		3 = Strongly disapprove.....	3018	5.63
		94 = DON'T KNOW.....	2429	4.54
		97 = REFUSED.....	96	0.18
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	18685	34.89
(SEN03B)		How do you think most people in your neighborhood would feel about adults trying marijuana or hashish once or twice?		
SNAMJEVR	2	1HOW NGHBRWS WLD FEEL: ADLTS TRYING MJ/HASH		
		1 = Neither approve nor disapprove.....	7792	14.55
		2 = Somewhat disapprove.....	8882	16.58
		3 = Strongly disapprove.....	15785	29.47
		94 = DON'T KNOW.....	2288	4.27
		97 = REFUSED.....	99	0.18
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	18685	34.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE: 293	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SEN03C)		How do you think most people in your neighborhood would feel about adults having one or two drinks of an alcoholic beverage nearly every day?		
SNAALDLY	2	1HOW NGHBRWS WLD FEEL: ADLTS DRINKING ALC DAILY		
		1 = Neither approve nor disapprove.....	19761	36.90
		2 = Somewhat disapprove.....	8886	16.59
		3 = Strongly disapprove.....	4016	7.50
		94 = DON'T KNOW.....	2077	3.88
		97 = REFUSED.....	106	0.20
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	18685	34.89
(SEN03D)		How do you think most people in your neighborhood would feel about adults driving a car after having 1 or 2 drinks of an alcoholic beverage?		
SNAALDRV	2	1HOW NGHBRWS WLD FEEL: ADLTS DRIVING AFT 1-2 DRINKS		
		1 = Neither approve nor disapprove.....	7899	14.75
		2 = Somewhat disapprove.....	10825	20.21
		3 = Strongly disapprove.....	14427	26.94
		94 = DON'T KNOW.....	1612	3.01
		97 = REFUSED.....	83	0.15
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	18685	34.89
(SEN04)		How many times have you moved in the past 5 years?		
SNMOV5Y2	3	1# TIMES MOVED IN PAST 5 YEARS		
		0 = None.....	13472	25.15
		1 = One time.....	8324	15.54
		2 = Two times.....	5311	9.92
		3 = Three times.....	3822	7.14
		4 = Four times.....	1563	2.92
		5 = Five times.....	844	1.58
		6 = Six or more times.....	1131	2.11
		985 = BAD DATA Logically assigned.....	6	0.01
		994 = DON'T KNOW.....	232	0.43
		997 = REFUSED.....	141	0.26
		998 = BLANK (NO ANSWER).....	29	0.05
		999 = LEGITIMATE SKIP.....	18685	34.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE: 294	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SEN05)		Do one or more other people live here with you in this household?		
SNPPHLD	2	1ONE OR MORE OTHER PEOPLE LIVE HERE		
		1 = Yes.....	30445	56.84
		2 = No.....	4281	7.99
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	84	0.16
		98 = BLANK (NO ANSWER).....	33	0.06
		99 = LEGITIMATE SKIP.....	18685	34.89
(SEN06A)		For each of the next statements, please indicate how much you agree or disagree.		
		People in your household often insult or yell at each other.		
SNINSULT	2	1PEOP IN HH OFTEN INSULT/YELL AT EACH OTHER		
		1 = Strongly Agree.....	1894	3.54
		2 = Somewhat Agree.....	4238	7.91
		3 = Somewhat Disagree.....	6535	12.20
		4 = Strongly Disagree.....	17538	32.74
		94 = DON'T KNOW.....	93	0.17
		97 = REFUSED.....	195	0.36
		98 = BLANK (NO ANSWER).....	62	0.12
		99 = LEGITIMATE SKIP.....	23005	42.95
(SEN06B)		People in your household have serious arguments.		
SNSRARGU	2	1PEOP IN HH HAVE SERIOUS ARGUMENTS		
		1 = Strongly Agree.....	1269	2.37
		2 = Somewhat Agree.....	3047	5.69
		3 = Somewhat Disagree.....	5899	11.01
		4 = Strongly Disagree.....	20003	37.35
		94 = DON'T KNOW.....	80	0.15
		97 = REFUSED.....	195	0.36
		98 = BLANK (NO ANSWER).....	62	0.12
		99 = LEGITIMATE SKIP.....	23005	42.95

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE: 295	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SEN06C)		People in your household argue about the same things over and over.		
SNSMARGU	2	1PEOP IN HH ARGUE ABOUT THE SME THING OVER & OVER		
		1 = Strongly Agree.....	2389	4.46
		2 = Somewhat Agree.....	5539	10.34
		3 = Somewhat Disagree.....	5584	10.43
		4 = Strongly Disagree.....	16699	31.18
		94 = DON'T KNOW.....	97	0.18
		97 = REFUSED.....	185	0.35
		98 = BLANK (NO ANSWER).....	62	0.12
		99 = LEGITIMATE SKIP.....	23005	42.95
(SEN07)		Are you currently living with a spouse or partner?		
SNSPOUSE	2	1CURRENTLY LIVING WITH A SPOUSE/PARTNER		
		1 = Yes.....	17348	32.39
		2 = No.....	12992	24.26
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	120	0.22
		98 = BLANK (NO ANSWER).....	62	0.12
		99 = LEGITIMATE SKIP.....	23005	42.95
(SEN08A)		How many times during the past 12 months have you and your spouse or partner spent an hour or more together doing an activity that you both enjoyed?		
SNSPACTV	2	1YOU AND SPOUSE SPENT 1+ HR IN ACTIV YOU ENJOY		
		1 = 0 times.....	500	0.93
		2 = 1 or 2 times.....	802	1.50
		3 = A few times.....	3014	5.63
		4 = Many times.....	12925	24.13
		85 = BAD DATA Logically assigned.....	41	0.08
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	154	0.29
		98 = BLANK (NO ANSWER).....	95	0.18
		99 = LEGITIMATE SKIP.....	35997	67.21

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE: 296	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SEN08B)		How many times during the past 12 months were you and your spouse or partner angry with each other?		
SNSPANGR	2	1YOU AND SPOUSE WERE ANGRY WITH EACH OTHER		
		1 = 0 times.....	2258	4.22
		2 = 1 or 2 times.....	4675	8.73
		3 = A few times.....	7974	14.89
		4 = Many times.....	2253	4.21
		85 = BAD DATA Logically assigned.....	41	0.08
		94 = DON'T KNOW.....	73	0.14
		97 = REFUSED.....	194	0.36
		98 = BLANK (NO ANSWER).....	95	0.18
		99 = LEGITIMATE SKIP.....	35997	67.21
(SEN08C)		How many times during the past 12 months did your spouse or partner hit or threaten to hit you?		
SNSPHITU	2	1YOUR SPOUSE/PARTNER HIT/THREATENED TO HIT YOU		
		1 = 0 times.....	16175	30.20
		2 = 1 or 2 times.....	660	1.23
		3 = A few times.....	249	0.46
		4 = Many times.....	146	0.27
		85 = BAD DATA Logically assigned.....	41	0.08
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	173	0.32
		98 = BLANK (NO ANSWER).....	95	0.18
		99 = LEGITIMATE SKIP.....	35997	67.21
(SEN08D)		How many times during the past 12 months did you hit or threaten to hit your spouse or partner?		
SNYHITSP	2	1YOU HIT/THREATENED TO HIT YOUR SPOUSE/PARTNER		
		1 = 0 times.....	16285	30.41
		2 = 1 or 2 times.....	688	1.28
		3 = A few times.....	178	0.33
		4 = Many times.....	95	0.18
		85 = BAD DATA Logically assigned.....	41	0.08
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	167	0.31
		98 = BLANK (NO ANSWER).....	95	0.18
		99 = LEGITIMATE SKIP.....	35997	67.21

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE: 297	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SEN09)		How often is your spouse or partner critical of you?		
SNSPCRIT	2	1HOW OFTEN IS SPOUSE/PARTNER CRITICAL OF YOU		
		1 = Always.....	970	1.81
		2 = Sometimes.....	4386	8.19
		3 = Seldom.....	6409	11.97
		4 = Never.....	5353	9.99
		94 = DON'T KNOW.....	158	0.29
		97 = REFUSED.....	192	0.36
		98 = BLANK (NO ANSWER).....	95	0.18
		99 = LEGITIMATE SKIP.....	35997	67.21
(SEN10)		How often does your spouse or partner show concern for your feelings and problems?		
SNSPCONC	2	1HOW OFTEN SPOUSE/PRTNER SHOWS CONCERN FEELINGS		
		1 = Always.....	11749	21.94
		2 = Sometimes.....	4397	8.21
		3 = Seldom.....	779	1.45
		4 = Never.....	360	0.67
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	157	0.29
		98 = BLANK (NO ANSWER).....	95	0.18
		99 = LEGITIMATE SKIP.....	35997	67.21
(SEN11A)		Not including family members, how many friends do you have who you share personal issues and concerns with?		
SNFRCONC	2	1#FRIENDS WHO YOU SHARE PERS ISSUES/CONCERNS WITH		
		1 = None.....	4337	8.10
		2 = One.....	5375	10.04
		3 = 2 or 3.....	14001	26.14
		4 = 4 to 5.....	4916	9.18
		5 = More than 5.....	5891	11.00
		94 = DON'T KNOW.....	158	0.29
		97 = REFUSED.....	168	0.31
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	18685	34.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE: 298	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SEN11B)		Not including family members, how many friends do you have who you spend time with on shared interests and activities?		
SNFRACTV	2	1#FRIENDS WHO YOU SPEND TIME WITH		
		1 = None.....	3432	6.41
		2 = One.....	4394	8.20
		3 = 2 or 3.....	12107	22.60
		4 = 4 to 5.....	5416	10.11
		5 = More than 5.....	9225	17.22
		94 = DON'T KNOW.....	121	0.23
		97 = REFUSED.....	151	0.28
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	18685	34.89
(SEN11C)		Not including family members, how many friends do you have who really like and care about you?		
SNFRCARE	2	1#FRIENDS WHO REALLY LIKE/CARE ABOUT YOU		
		1 = None.....	1833	3.42
		2 = One.....	3100	5.79
		3 = 2 or 3.....	9386	17.52
		4 = 4 to 5.....	5331	9.95
		5 = More than 5.....	14735	27.51
		94 = DON'T KNOW.....	317	0.59
		97 = REFUSED.....	142	0.27
		98 = BLANK (NO ANSWER).....	31	0.06
		99 = LEGITIMATE SKIP.....	18685	34.89
(SEN12A)		During the past 12 months, how many times have you sold illegal drugs?		
SNYSELL	2	1SOLD ILLEGAL DRUGS		
		1 = 0 times.....	33569	62.68
		2 = 1 or 2 times.....	399	0.74
		3 = 3 to 5 times.....	185	0.35
		4 = 6 to 9 times.....	85	0.16
		5 = 10 or more times.....	322	0.60
		85 = BAD DATA Logically assigned.....	81	0.15
		94 = DON'T KNOW.....	53	0.10
		97 = REFUSED.....	149	0.28
		98 = BLANK (NO ANSWER).....	32	0.06
		99 = LEGITIMATE SKIP.....	18685	34.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE: 299	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SEN12B)		During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?		
SNYSTOLE	2	1STOLEN/TRIED TO STEAL ANYTHING WORTH > \$50		
		1 = 0 times.....	33967	63.42
		2 = 1 or 2 times.....	429	0.80
		3 = 3 to 5 times.....	98	0.18
		4 = 6 to 9 times.....	40	0.07
		5 = 10 or more times.....	77	0.14
		85 = BAD DATA Logically assigned.....	81	0.15
		94 = DON'T KNOW.....	41	0.08
		97 = REFUSED.....	110	0.21
		98 = BLANK (NO ANSWER).....	32	0.06
		99 = LEGITIMATE SKIP.....	18685	34.89
(SEN12C)		During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?		
SNYATTAK	2	1ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM		
		1 = 0 times.....	33409	62.38
		2 = 1 or 2 times.....	958	1.79
		3 = 3 to 5 times.....	156	0.29
		4 = 6 to 9 times.....	55	0.10
		5 = 10 or more times.....	39	0.07
		85 = BAD DATA Logically assigned.....	81	0.15
		94 = DON'T KNOW.....	43	0.08
		97 = REFUSED.....	102	0.19
		98 = BLANK (NO ANSWER).....	32	0.06
		99 = LEGITIMATE SKIP.....	18685	34.89
(SEN13A)		How do you feel about adults smoking one or more packs of cigarettes per day?		
SNFACIG	2	1HOW YOU FEEL: ADLTS SMOKING 1+ PK CIGS/DAY		
		1 = Neither approve nor disapprove.....	14212	26.53
		2 = Somewhat disapprove.....	6895	12.87
		3 = Strongly disapprove.....	13387	24.99
		94 = DON'T KNOW.....	241	0.45
		97 = REFUSED.....	107	0.20
		98 = BLANK (NO ANSWER).....	33	0.06
		99 = LEGITIMATE SKIP.....	18685	34.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE: 300	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SEN13B)		How do you feel about adults trying marijuana or hashish once or twice?		
SNFAMJEV	2	1HOW YOU FEEL: ADLTS TRYING MJ/HASH		
		1 = Neither approve nor disapprove.....	11700	21.84
		2 = Somewhat disapprove.....	5573	10.41
		3 = Strongly disapprove.....	17195	32.10
		94 = DON'T KNOW.....	262	0.49
		97 = REFUSED.....	112	0.21
		98 = BLANK (NO ANSWER).....	33	0.06
		99 = LEGITIMATE SKIP.....	18685	34.89
(SEN13C)		How do you feel about adults having one or two drinks of an alcoholic beverage nearly every day?		
SNFAALDY	2	1HOW YOU FEEL: ADLTS DRINKING ALC DLY		
		1 = Neither approve nor disapprove.....	14825	27.68
		2 = Somewhat disapprove.....	9360	17.48
		3 = Strongly disapprove.....	10307	19.24
		94 = DON'T KNOW.....	238	0.44
		97 = REFUSED.....	112	0.21
		98 = BLANK (NO ANSWER).....	33	0.06
		99 = LEGITIMATE SKIP.....	18685	34.89
(SEN13D)		How do you feel about adults driving a car after having one or two drinks of an alcoholic beverage?		
SNFAALDV	2	1HOW YOU FEEL: ADLTS DRIVING AFT 1-2 DRINKS		
		1 = Neither approve nor disapprove.....	6016	11.23
		2 = Somewhat disapprove.....	7660	14.30
		3 = Strongly disapprove.....	20878	38.98
		94 = DON'T KNOW.....	197	0.37
		97 = REFUSED.....	91	0.17
		98 = BLANK (NO ANSWER).....	33	0.06
		99 = LEGITIMATE SKIP.....	18685	34.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE: 301	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SEN14A)		How many of your friends would you say smoke cigarettes?		
SNFDCIG	2	1HOW MANY FRIENDS SMOKE CIGARETTES		
		1 = None of them.....	7007	13.08
		2 = A few of them.....	19477	36.36
		3 = Most of them.....	6879	12.84
		4 = All of them.....	1188	2.22
		94 = DON'T KNOW.....	189	0.35
		97 = REFUSED.....	102	0.19
		98 = BLANK (NO ANSWER).....	33	0.06
		99 = LEGITIMATE SKIP.....	18685	34.89
(SEN14B)		How many of your friends would you say use marijuana or hashish?		
SNFDMJ	2	1HOW MANY FRIENDS USE MJ/HASH		
		1 = None of them.....	19713	36.81
		2 = A few of them.....	11277	21.05
		3 = Most of them.....	2421	4.52
		4 = All of them.....	581	1.08
		94 = DON'T KNOW.....	695	1.30
		97 = REFUSED.....	155	0.29
		98 = BLANK (NO ANSWER).....	33	0.06
		99 = LEGITIMATE SKIP.....	18685	34.89
(SEN14C)		How many of your friends would you say drink alcoholic beverages?		
SNFDALC	2	1HOW MANY FRIENDS DRINK ALCOHOL		
		1 = None of them.....	3938	7.35
		2 = A few of them.....	14268	26.64
		3 = Most of them.....	11958	22.33
		4 = All of them.....	4280	7.99
		94 = DON'T KNOW.....	273	0.51
		97 = REFUSED.....	125	0.23
		98 = BLANK (NO ANSWER).....	33	0.06
		99 = LEGITIMATE SKIP.....	18685	34.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE: 302	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SEN14D)		How many of your friends would you say get drunk at least once a week?		
SNFDDRNK	2	1HOW MANY FRIENDS GET DRUNK WEEKLY		
		1 = None of them.....	17738	33.12
		2 = A few of them.....	12228	22.83
		3 = Most of them.....	3144	5.87
		4 = All of them.....	971	1.81
		94 = DON'T KNOW.....	629	1.17
		97 = REFUSED.....	132	0.25
		98 = BLANK (NO ANSWER).....	33	0.06
		99 = LEGITIMATE SKIP.....	18685	34.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	303
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE01)		YOUTH EXPERIENCES		

The next questions are about the neighborhood where you currently live.

How long have you lived in this neighborhood?

YELIVNBR	2	1HOW LONG LIVED IN THIS NEIGHBORHOOD		
		1 = Less than one year.....	2181	4.07
		2 = At least 1 year but less than 3 years.....	2856	5.33
		3 = At least 3 years but less than 5 years.....	2667	4.98
		4 = At least 5 years but less than 10 years.....	4067	7.59
		5 = 10 or more years.....	6780	12.66
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	99	0.18
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	15	0.03
		99 = LEGITIMATE SKIP.....	34874	65.11

(YE02A) For each of the next statements, please indicate how much you agree or disagree.

There is a lot of crime in your neighborhood.

YECRIME	2	1THERE IS A LOT OF CRIME IN NEIGHBORHOOD		
		1 = Strongly Agree.....	990	1.85
		2 = Somewhat Agree.....	3047	5.69
		3 = Somewhat Disagree.....	4841	9.04
		4 = Strongly Disagree.....	9535	17.80
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	218	0.41
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	34874	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 304	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE02B)		A lot of drug selling goes on in your neighborhood.		
YESLLDG	2	1A LOT OF DRUG SELLING IN NEIGHBORHOOD		
		1 = Strongly Agree.....	1605	3.00
		2 = Somewhat Agree.....	2790	5.21
		3 = Somewhat Disagree.....	3315	6.19
		4 = Strongly Disagree.....	10331	19.29
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	577	1.08
		97 = REFUSED.....	51	0.10
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE02C)		People in your neighborhood often help each other out.		
YEPPLP	2	1PEOPLE IN NEIGHBORHOOD HELP EACH OTHER OUT		
		1 = Strongly Agree.....	6123	11.43
		2 = Somewhat Agree.....	8191	15.29
		3 = Somewhat Disagree.....	2578	4.81
		4 = Strongly Disagree.....	1411	2.63
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	339	0.63
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE02D)		There are lots of street fights in your neighborhood.		
YESTFGT	2	1THERE ARE LOTS OF STREET FIGHTS IN NEIGHBORHOOD		
		1 = Strongly Agree.....	842	1.57
		2 = Somewhat Agree.....	1706	3.19
		3 = Somewhat Disagree.....	2905	5.42
		4 = Strongly Disagree.....	12915	24.11
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	266	0.50
		97 = REFUSED.....	35	0.07
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	34874	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 305	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE02E)		There are many empty or abandoned buildings in your neighborhood.		
YEEMTBLD	2	1THERE ARE EMPTY/ABANDONED BLDGS IN NEIGHBORHOOD		
		1 = Strongly Agree.....	682	1.27
		2 = Somewhat Agree.....	1386	2.59
		3 = Somewhat Disagree.....	2482	4.63
		4 = Strongly Disagree.....	13833	25.83
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	246	0.46
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE02F)		People in your neighborhood often visit in each other's homes.		
YEPPVSIT	2	1PEOPLE IN NEIGHBORHOOD OFTEN VISIT IN EA OTH HOME		
		1 = Strongly Agree.....	5744	10.72
		2 = Somewhat Agree.....	7580	14.15
		3 = Somewhat Disagree.....	3017	5.63
		4 = Strongly Disagree.....	1830	3.42
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	470	0.88
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE02G)		There is a lot of graffiti in your neighborhood. By "graffiti" we mean words or pictures that are written or drawn on buildings, fences, walls, or rocks, often with spray paint.		
YEGRAFTI	2	1THERE IS A LOT OF GRAFFITI IN NEIGHBORHOOD		
		1 = Strongly Agree.....	913	1.70
		2 = Somewhat Agree.....	1852	3.46
		3 = Somewhat Disagree.....	2725	5.09
		4 = Strongly Disagree.....	12982	24.24
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	158	0.29
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	34874	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 306	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE02H)		People move in and out of your neighborhood often.		
YEPPMOVE	2	1PEOPLE MOVE IN AND OUT OF NEIGHBORHOOD OFTEN		
		1 = Strongly Agree.....	1476	2.76
		2 = Somewhat Agree.....	4034	7.53
		3 = Somewhat Disagree.....	5713	10.67
		4 = Strongly Disagree.....	6920	12.92
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	495	0.92
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE03A)		How do you think most adults in your neighborhood would feel about you smoking one or more packs of cigarettes per day?		
YEAPKCIG	2	1HOW ADLTS WLD FEEL: YOU SMOKING 1+ PACK CIGS/DAY		
		1 = Neither approve nor disapprove.....	3017	5.63
		2 = Somewhat disapprove.....	3211	6.00
		3 = Strongly disapprove.....	11759	21.95
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	603	1.13
		97 = REFUSED.....	79	0.15
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE03B)		How do you think most adults in your neighborhood would feel about you trying marijuana or hashish once or twice?		
YEAMJEVR	2	1HOW ADLTS WLD FEEL: YOU TRYING MJ/HASH		
		1 = Neither approve nor disapprove.....	1820	3.40
		2 = Somewhat disapprove.....	2009	3.75
		3 = Strongly disapprove.....	14216	26.54
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	551	1.03
		97 = REFUSED.....	73	0.14
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	34874	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 307	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE03C)		How do you think most adults in your neighborhood would feel about you having one or two drinks of an alcoholic beverage nearly every day?		
YEALDLY	2	1HOW ADLTS WLD FEEL: YOU DRINKING ALC DAILY		
		1 = Neither approve nor disapprove.....	2316	4.32
		2 = Somewhat disapprove.....	3075	5.74
		3 = Strongly disapprove.....	12675	23.67
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	533	1.00
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE04)		How many times have you moved in the past 5 years?		
YEMOV5Y2	2	1# TIMES MOVED IN PAST 5 YEARS		
		0 = None.....	9496	17.73
		1 = One time.....	4142	7.73
		2 = Two times.....	2139	3.99
		3 = Three times.....	1345	2.51
		4 = Four times.....	565	1.05
		5 = Five times.....	262	0.49
		6 = Six or more times.....	322	0.60
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	325	0.61
		997 = REFUSED.....	73	0.14
		998 = BLANK (NO ANSWER).....	16	0.03
		999 = LEGITIMATE SKIP.....	34874	65.11
(YE05A)		How many of the adults that you know personally would you say smoke cigarettes?		
YEADOCIG	2	1HOW MANY ADLTS YOU KNOW SMOKE CIGARETTES		
		1 = None of them.....	1977	3.69
		2 = A few of them.....	11146	20.81
		3 = Most of them.....	4896	9.14
		4 = All of them.....	502	0.94
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	110	0.21
		97 = REFUSED.....	37	0.07
		98 = BLANK (NO ANSWER).....	17	0.03
		99 = LEGITIMATE SKIP.....	34874	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 308	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE05B)		How many of the adults that you know personally would you say use marijuana or hashish?		
YEADOMRJ	2	1HOW MANY ADLTS YOU KNOW USE MJ/HASH		
		1 = None of them.....	12844	23.98
		2 = A few of them.....	4643	8.67
		3 = Most of them.....	548	1.02
		4 = All of them.....	159	0.30
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	414	0.77
		97 = REFUSED.....	60	0.11
		98 = BLANK (NO ANSWER).....	17	0.03
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE05C)		How many of the adults that you know personally would you say drink alcoholic beverages?		
YEADOALC	2	1HOW MANY ADLTS YOU KNOW DRINK ALCOHOL		
		1 = None of them.....	2257	4.21
		2 = A few of them.....	7694	14.37
		3 = Most of them.....	6655	12.43
		4 = All of them.....	1815	3.39
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	200	0.37
		97 = REFUSED.....	47	0.09
		98 = BLANK (NO ANSWER).....	17	0.03
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE05D)		How many of the adults that you know personally would you say get drunk at least once a week?		
YEADODNK	2	1HOW MANY ADLTS YOU KNOW GET DRUNK WEEKLY		
		1 = None of them.....	9845	18.38
		2 = A few of them.....	6929	12.94
		3 = Most of them.....	1175	2.19
		4 = All of them.....	220	0.41
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	442	0.83
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	18	0.03
		99 = LEGITIMATE SKIP.....	34874	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 309	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE09)		Have you been enrolled in any type of school at any time during the past 12 months?		
YEENRLYR	2	1BEEN ENROLLED IN ANY SCHOOL PAST 12 MONTHS		
		1 = Yes.....	14214	26.54
		2 = No.....	4002	7.47
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	354	0.66
		97 = REFUSED.....	61	0.11
		98 = BLANK (NO ANSWER).....	18	0.03
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE10)		Which of the statements below best describes how you felt overall about going to school during the past 12 months?		
YESCHFLT	2	1HOW YOU FELT OVERALL ABT GOING TO SCHL PAST 12 MO		
		1 = I liked going to school a lot.....	4552	8.50
		2 = I kind of liked going to school.....	6853	12.79
		3 = I didn't like going to school very much.....	1937	3.62
		4 = I hated going to school.....	854	1.59
		85 = BAD DATA Logically assigned.....	26	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	67	0.13
		98 = BLANK (NO ANSWER).....	382	0.71
		99 = LEGITIMATE SKIP.....	38876	72.58
(YE11)		During the past 12 months, how often did you feel that the school work you were assigned to do was meaningful and important?		
YESCHWRK	2	1HOW OFTEN FELT SCHL WORK MEANINGFUL PST 12 MOS		
		1 = Always.....	3569	6.66
		2 = Sometimes.....	7574	14.14
		3 = Seldom.....	2385	4.45
		4 = Never.....	646	1.21
		85 = BAD DATA Logically assigned.....	26	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	69	0.13
		98 = BLANK (NO ANSWER).....	382	0.71
		99 = LEGITIMATE SKIP.....	38876	72.58

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 310	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE12)		How important do you think the things you have learned in school during the past 12 months are going to be to you later in life?		
YESCHIMP	2	1HOW IMPT THNGS LEARNED PST 12 MOS ARE GOING TO BE		
		1 = Very important.....	6403	11.95
		2 = Somewhat important.....	5833	10.89
		3 = Somewhat unimportant.....	1501	2.80
		4 = Very unimportant.....	439	0.82
		85 = BAD DATA Logically assigned.....	26	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	68	0.13
		98 = BLANK (NO ANSWER).....	382	0.71
		99 = LEGITIMATE SKIP.....	38876	72.58
(YE13)		How interesting do you think most of your courses at school during the past 12 months have been?		
YESCHINT	2	1HOW INTERESTING ARE COURSES AT SCHL PAST 12 MONTH		
		1 = Very interesting.....	3056	5.71
		2 = Somewhat interesting.....	7552	14.10
		3 = Somewhat boring.....	2694	5.03
		4 = Very boring.....	868	1.62
		85 = BAD DATA Logically assigned.....	26	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	382	0.71
		99 = LEGITIMATE SKIP.....	38876	72.58
(YE14)		During the past 12 months, how often did your teachers at school let you know when you were doing a good job with your school work?		
YETCGJOB	2	1HOW OFTEN TCHR SAY DOING A GOOD JOB PAST 12 MONTH		
		1 = Always.....	4266	7.96
		2 = Sometimes.....	6420	11.99
		3 = Seldom.....	2617	4.89
		4 = Never.....	876	1.64
		85 = BAD DATA Logically assigned.....	26	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	382	0.71
		99 = LEGITIMATE SKIP.....	38876	72.58

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 311	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE15)		What were your grades for the last semester or grading period you completed?		
YELSTGRD	2	1GRADES FOR LAST SEMESTER/GRADING PERIOD COMPLETED		
		1 = An "A+", "A" or "A-minus" average.....	4041	7.54
		2 = A "B+", "B" or "B-minus" average.....	5754	10.74
		3 = A "C+", "C" or "C-minus" average.....	3106	5.80
		4 = A "D" or less than a "D" average.....	814	1.52
		5 = My school does not give these grades.....	264	0.49
		85 = BAD DATA Logically assigned.....	26	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	147	0.27
		97 = REFUSED.....	149	0.28
		98 = BLANK (NO ANSWER).....	382	0.71
		99 = LEGITIMATE SKIP.....	38876	72.58
(YE16A)		How many of the students in your grade at school would you say smoke cigarettes?		
YESTSCIG	2	1HOW MANY SDNTS YOU KNOW SMOKE CIGARETTES		
		1 = None of them.....	1866	3.48
		2 = A few of them.....	6542	12.21
		3 = Most of them.....	5225	9.76
		4 = All of them.....	266	0.50
		85 = BAD DATA Logically assigned.....	24	0.04
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	282	0.53
		97 = REFUSED.....	82	0.15
		98 = BLANK (NO ANSWER).....	382	0.71
		99 = LEGITIMATE SKIP.....	38890	72.61
(YE16B)		How many of the students in your grade at school would you say use marijuana or hashish?		
YESTSMJ	2	1HOW MANY SDNTS YOU KNOW USE MJ/HASH		
		1 = None of them.....	3548	6.62
		2 = A few of them.....	6988	13.05
		3 = Most of them.....	2843	5.31
		4 = All of them.....	220	0.41
		85 = BAD DATA Logically assigned.....	24	0.04
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	575	1.07
		97 = REFUSED.....	89	0.17
		98 = BLANK (NO ANSWER).....	382	0.71
		99 = LEGITIMATE SKIP.....	38890	72.61

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 312	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE16C)		How many of the students in your grade at school would you say drink alcoholic beverages?		
YESTSALC	2	1HOW MANY SDNTS YOU KNOW DRINK ALCOHOL		
		1 = None of them.....	2471	4.61
		2 = A few of them.....	5629	10.51
		3 = Most of them.....	5073	9.47
		4 = All of them.....	510	0.95
		85 = BAD DATA Logically assigned.....	24	0.04
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	493	0.92
		97 = REFUSED.....	87	0.16
		98 = BLANK (NO ANSWER).....	382	0.71
		99 = LEGITIMATE SKIP.....	38890	72.61
(YE16D)		How many of the students in your grade at school would you say get drunk at least once a week?		
YESTSDNK	2	1HOW MANY SDNTS YOU KNOW GET DRUNK WEEKLY		
		1 = None of them.....	4803	8.97
		2 = A few of them.....	6398	11.95
		3 = Most of them.....	2126	3.97
		4 = All of them.....	162	0.30
		85 = BAD DATA Logically assigned.....	24	0.04
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	687	1.28
		97 = REFUSED.....	87	0.16
		98 = BLANK (NO ANSWER).....	382	0.71
		99 = LEGITIMATE SKIP.....	38890	72.61
(YE17A)		How much trouble do you think a student in your grade would be in if he or she got caught at school smoking a cigarette?		
YETRSCIG	2	1HOW MUCH TROUBLE FOR SMOKING A CIGARETTE		
		1 = A lot of trouble.....	8903	16.62
		2 = A little trouble.....	4593	8.58
		3 = No trouble at all.....	580	1.08
		85 = BAD DATA Logically assigned.....	24	0.04
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	115	0.21
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	382	0.71
		99 = LEGITIMATE SKIP.....	38890	72.61

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 313	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE17B)		How much trouble do you think a student in your grade would be in if he or she got caught at school possessing or drinking an alcoholic beverage?		
YETRPDAL	2	1HOW MUCH TROUB FOR POSSESSING/DRINKING ALCOHOL		
		1 = A lot of trouble.....	12055	22.51
		2 = A little trouble.....	1844	3.44
		3 = No trouble at all.....	188	0.35
		85 = BAD DATA Logically assigned.....	24	0.04
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	105	0.20
		97 = REFUSED.....	71	0.13
		98 = BLANK (NO ANSWER).....	382	0.71
		99 = LEGITIMATE SKIP.....	38890	72.61
(YE17C)		How much trouble do you think a student in your grade would be in if he or she got caught at school possessing or using an illegal drug?		
YETRPUDG	2	1HOW MUCH TROUBLE FOR POSSESSING/USING ILLGL DRUG		
		1 = A lot of trouble.....	13409	25.04
		2 = A little trouble.....	560	1.05
		3 = No trouble at all.....	147	0.27
		85 = BAD DATA Logically assigned.....	24	0.04
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	77	0.14
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	382	0.71
		99 = LEGITIMATE SKIP.....	38890	72.61

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 314	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE06A)		The next questions ask about your parents. By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians who live in your household.		
		During the past 12 months, how often did your parents check on whether you had done your homework?		
YEPCHKHW	2	1PRNTS CHECK IF YOU'VE DONE HOMEWORK PST 12 MOS		
		1 = Always.....	6538	12.21
		2 = Sometimes.....	4601	8.59
		3 = Seldom.....	1887	3.52
		4 = Never.....	1129	2.11
		85 = BAD DATA Logically assigned.....	26	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	82	0.15
		98 = BLANK (NO ANSWER).....	383	0.72
		99 = LEGITIMATE SKIP.....	38876	72.58
(YE06B)		During the past 12 months, how often did your parents provide help with your homework when you needed it?		
YEPHLPWH	2	1PRNTS HELPED YOU W/HOMEWORK PAST 12 MONTHS		
		1 = Always.....	8128	15.18
		2 = Sometimes.....	3400	6.35
		3 = Seldom.....	1496	2.79
		4 = Never.....	1119	2.09
		85 = BAD DATA Logically assigned.....	26	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	45	0.08
		97 = REFUSED.....	86	0.16
		98 = BLANK (NO ANSWER).....	383	0.72
		99 = LEGITIMATE SKIP.....	38876	72.58

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 315	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE06C)		During the past 12 months, how often did your parents make you do chores around the house?		
YEPCHORE	2	1PRNTS MADE YOU DO WORK/CHORES PAST 12 MONTHS		
		1 = Always.....	9372	17.50
		2 = Sometimes.....	6873	12.83
		3 = Seldom.....	1701	3.18
		4 = Never.....	560	1.05
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	71	0.13
		97 = REFUSED.....	53	0.10
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE06D)		During the past 12 months, how often did your parents limit the amount of time you watched TV?		
YEPLMTTV	2	1PRNTS LIMITED YOUR AMT OF TV TIME PST 12 MOS		
		1 = Always.....	2018	3.77
		2 = Sometimes.....	5084	9.49
		3 = Seldom.....	4101	7.66
		4 = Never.....	7260	13.55
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	101	0.19
		97 = REFUSED.....	66	0.12
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE06E)		During the past 12 months, how often did your parents limit the amount of time you went out with friends on school nights?		
YEPLMTSN	2	1PRNTS LIMITED YOUR TIME OUT W/FRNDS PST 12 MOS		
		1 = Always.....	5752	10.74
		2 = Sometimes.....	4255	7.94
		3 = Seldom.....	2212	4.13
		4 = Never.....	1808	3.38
		85 = BAD DATA Logically assigned.....	26	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	142	0.27
		97 = REFUSED.....	105	0.20
		98 = BLANK (NO ANSWER).....	383	0.72
		99 = LEGITIMATE SKIP.....	38876	72.58

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 316	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE06F)		During the past 12 months, how often did your parents let you know when you'd done a good job?		
YEPGDJOB	2	1PRNTS LET YOU KNOW DONE A GOOD JOB PST 12 MOS		
		1 = Always.....	9675	18.06
		2 = Sometimes.....	6239	11.65
		3 = Seldom.....	1861	3.47
		4 = Never.....	750	1.40
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	61	0.11
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE06G)		During the past 12 months, how often did your parents tell you they were proud of you for something you had done?		
YEPPROUD	2	1PRNTS TELL YOU PROUD OF SOMETHING YOU'D DONE		
		1 = Always.....	9853	18.40
		2 = Sometimes.....	6000	11.20
		3 = Seldom.....	1916	3.58
		4 = Never.....	741	1.38
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	69	0.13
		97 = REFUSED.....	51	0.10
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE18A)		During the past 12 months, how many times have you argued or had a fight with at least one of your parents?		
YEYARGUP	2	1ARGUED/HAD A FIGHT WITH AT LEAST ONE OF YOUR PRNT		
		1 = 0 times.....	3430	6.40
		2 = 1 or 2 times.....	5048	9.42
		3 = 3 to 5 times.....	3653	6.82
		4 = 6 to 9 times.....	1897	3.54
		5 = 10 or more times.....	4281	7.99
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	222	0.41
		97 = REFUSED.....	99	0.18
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 317	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE18B)		During the past 12 months, how many times have you gotten into a serious fight at school or work?		
YEYFGTSW	2	1GOTTEN INTO A SERIOUS FIGHT AT SCHOOL/WORK		
		1 = 0 times.....	14363	26.82
		2 = 1 or 2 times.....	3076	5.74
		3 = 3 to 5 times.....	683	1.28
		4 = 6 to 9 times.....	193	0.36
		5 = 10 or more times.....	180	0.34
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	72	0.13
		97 = REFUSED.....	63	0.12
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE18C)		During the past 12 months, how many times have you taken part in a fight where a group of your friends fought against another group?		
YEYFGTGP	2	1TAKEN PART IN FIGHT WHERE GROUP FIGHTS GROUP		
		1 = 0 times.....	15290	28.55
		2 = 1 or 2 times.....	2336	4.36
		3 = 3 to 5 times.....	533	1.00
		4 = 6 to 9 times.....	151	0.28
		5 = 10 or more times.....	183	0.34
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	75	0.14
		97 = REFUSED.....	62	0.12
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 318	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE18D)		During the past 12 months, how many times have you carried a handgun?		
YEYHGUN	2	1CARRIED A HANDGUN		
		1 = 0 times.....	17846	33.32
		2 = 1 or 2 times.....	434	0.81
		3 = 3 to 5 times.....	101	0.19
		4 = 6 to 9 times.....	41	0.08
		5 = 10 or more times.....	97	0.18
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	51	0.10
		97 = REFUSED.....	60	0.11
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE18E)		During the past 12 months, how many times have you sold illegal drugs?		
YEYSELL	2	1SOLD ILLEGAL DRUGS		
		1 = 0 times.....	17840	33.31
		2 = 1 or 2 times.....	369	0.69
		3 = 3 to 5 times.....	119	0.22
		4 = 6 to 9 times.....	53	0.10
		5 = 10 or more times.....	150	0.28
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	66	0.12
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 319	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE18F)		During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?		
YEYSTOLE	2	1STOLEN/TRIED TO STEAL ANYTHING WORTH >\$50		
		1 = 0 times.....	17656	32.96
		2 = 1 or 2 times.....	599	1.12
		3 = 3 to 5 times.....	129	0.24
		4 = 6 to 9 times.....	53	0.10
		5 = 10 or more times.....	85	0.16
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	69	0.13
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE18G)		During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?		
YEYATTAK	2	1ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM		
		1 = 0 times.....	16990	31.72
		2 = 1 or 2 times.....	1215	2.27
		3 = 3 to 5 times.....	184	0.34
		4 = 6 to 9 times.....	62	0.12
		5 = 10 or more times.....	77	0.14
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	45	0.08
		97 = REFUSED.....	57	0.11
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE07A)		How do you think your parents would feel about you smoking one or more packs of cigarettes per day?		
YEPPKCIG	2	1HOW PRNTS WLD FEEL: YOU SMOKING 1+ PACK CIGS/DAY		
		1 = Neither approve nor disapprove.....	1168	2.18
		2 = Somewhat disapprove.....	1090	2.04
		3 = Strongly disapprove.....	16136	30.13
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	212	0.40
		97 = REFUSED.....	60	0.11
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 320	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE07B)		How do you think your parents would feel about you trying marijuana or hashish once or twice?		
YEPMJEV	2	1HOW PRNTS WLD FEEL: YOU TRYING MJ/HASH		
		1 = Neither Approve or Disapprove.....	811	1.51
		2 = Somewhat Disapprove.....	922	1.72
		3 = Strongly Disapprove.....	16669	31.12
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	193	0.36
		97 = REFUSED.....	71	0.13
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE07C)		How do you think your parents would feel about you having one or two drinks of an alcoholic beverage nearly every day?		
YEPALDLY	2	1HOW PRNTS WLD FEEL: YOU DRINKING ALC DAILY		
		1 = Neither Approve or Disapprove.....	754	1.41
		2 = Somewhat Disapprove.....	1192	2.23
		3 = Strongly Disapprove.....	16464	30.74
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	190	0.35
		97 = REFUSED.....	66	0.12
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE19A)		How do you feel about someone your age smoking one or more packs of cigarettes a day?		
YEGPKCIG	2	1HOW YOU FEEL S/ONE YOUR AGE SMOKG 1+ PK CIGS/DY		
		1 = Neither approve nor disapprove.....	3352	6.26
		2 = Somewhat disapprove.....	3319	6.20
		3 = Strongly disapprove.....	11729	21.90
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	201	0.38
		97 = REFUSED.....	65	0.12
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	321
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE19B)		How do you feel about someone your age trying marijuana or hashish once or twice?		
YEGMJJEVR	2	1HOW YOU FEEL S/ONE YOUR AGE TRYING MJ/HASH		
		1 = Neither approve nor disapprove.....	3765	7.03
		2 = Somewhat disapprove.....	2947	5.50
		3 = Strongly disapprove.....	11672	21.79
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	207	0.39
		97 = REFUSED.....	75	0.14
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE19C)		How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?		
YEGALDLY	2	1HOW YOU FEEL S/ONE YOUR AGE DRINKING ALC DLY		
		1 = Neither approve nor disapprove.....	3407	6.36
		2 = Somewhat disapprove.....	3323	6.20
		3 = Strongly disapprove.....	11665	21.78
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	204	0.38
		97 = REFUSED.....	67	0.13
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE20A)		How do you think your close friends would feel about you smoking one or more packs of cigarettes a day?		
YEFPKCIG	2	1HOW FRNDS WLD FEEL: YOU SMOKING 1+ PACK CIGS/DAY		
		1 = Neither approve nor disapprove.....	4002	7.47
		2 = Somewhat disapprove.....	3692	6.89
		3 = Strongly disapprove.....	10617	19.82
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	297	0.55
		97 = REFUSED.....	58	0.11
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 322	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE20B)		How do you think your close friends would feel about you trying marijuana or hashish once or twice?		
YEFMJEV	2	1HOW FRNDS WLD FEEL: YOU TRYING MJ/HASH		
		1 = Neither approve nor disapprove.....	3811	7.12
		2 = Somewhat disapprove.....	2908	5.43
		3 = Strongly disapprove.....	11608	21.67
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	274	0.51
		97 = REFUSED.....	65	0.12
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE20C)		How do you think your close friends would feel about you having one or two drinks of an alcoholic beverage nearly every day?		
YEFALDLY	2	1HOW FRNDS WLD FEEL: YOU DRINKING ALC DAILY		
		1 = Neither approve nor disapprove.....	3719	6.94
		2 = Somewhat disapprove.....	3627	6.77
		3 = Strongly disapprove.....	10973	20.49
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	280	0.52
		97 = REFUSED.....	67	0.13
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE21A)		How many of your friends would you say smoke cigarettes?		
YEFDCIG	2	1HOW MANY FRIENDS SMOKE CIGARETTES		
		1 = None of them.....	7137	13.33
		2 = A few of them.....	7876	14.71
		3 = Most of them.....	2874	5.37
		4 = All of them.....	503	0.94
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	194	0.36
		97 = REFUSED.....	82	0.15
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 323	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE21B)		How many of your friends would you say use marijuana or hashish?		
YEFDMJ	2	1HOW MANY FRIENDS USE MJ/HASH		
		1 = None of them.....	10726	20.03
		2 = A few of them.....	5517	10.30
		3 = Most of them.....	1664	3.11
		4 = All of them.....	385	0.72
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	287	0.54
		97 = REFUSED.....	87	0.16
		98 = BLANK (NO ANSWER).....	19	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE21C)		How many of your friends would you say drink alcoholic beverages?		
YEFDALC	2	1HOW MANY FRIENDS DRINK ALCOHOL		
		1 = None of them.....	7301	13.63
		2 = A few of them.....	6812	12.72
		3 = Most of them.....	3282	6.13
		4 = All of them.....	913	1.70
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	278	0.52
		97 = REFUSED.....	79	0.15
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE21D)		How many of your friends would you say get drunk at least once a week?		
YEFDDNK	2	1HOW MANY FRIENDS GET DRUNK WEEKLY		
		1 = None of them.....	11627	21.71
		2 = A few of them.....	4988	9.31
		3 = Most of them.....	1304	2.43
		4 = All of them.....	312	0.58
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	355	0.66
		97 = REFUSED.....	79	0.15
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 324	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE22)		NOTE: In the variables YETLKMOM, YETLKDAD, YETLKGPR, YETLKBGF, YETLKSIB, YETLKSOR, YETLKFNR, YETLKNBR, YETLKTCH, YETLKPSY, YETLKCLG, and YETLKSOP, codes of 11 or 13 were assigned if the respondent indicated that there was no one that he/she could talk to about a serious problem but the respondent also indicated 1 or more people that he/she could talk to about a serious problem.		
		If you wanted to talk to someone about a serious problem, which of the following people would you turn to?		
YETLKNON	2	1THERE IS NOBODY I CAN TALK TO ABOUT SERIOUS PROBS		
		1 = Response entered.....	390	0.73
		6 = Response not entered.....	17619	32.90
		11 = Response entered (& other responses entered).....	440	0.82
		13 = Resp entered LOG ASSN (& other responses entered).	12	0.02
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	125	0.23
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	34875	65.11
YETLKMOM	2	1MY MOTHER		
		1 = Response entered.....	11706	21.86
		3 = Response entered LOGICALLY ASSIGNED.....	22	0.04
		6 = Response not entered.....	6465	12.07
		11 = Response entered (YETLKNON=11,13).....	257	0.48
		13 = Response entered LOG ASSN (YETLKNON=11,13).....	11	0.02
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	125	0.23
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	34875	65.11
YETLKDAD	2	1MY FATHER		
		1 = Response entered.....	7524	14.05
		3 = Response entered LOGICALLY ASSIGNED.....	12	0.02
		6 = Response not entered.....	10832	20.22
		11 = Response entered (YETLKNON=11,13).....	91	0.17
		13 = Response entered LOG ASSN (YETLKNON=11,13).....	2	0.00
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	125	0.23
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	34875	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	325
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
YETLKGPR	2	1MY GRANDMOTHER OR GRANDFATHER		
		1 = Response entered.....	3696	6.90
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	14669	27.39
		11 = Response entered (YETLKNON=11,13).....	94	0.18
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	125	0.23
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
YETLKBGF	2	1MY BOYFRIEND OR GIRLFRIEND		
		1 = Response entered.....	5174	9.66
		3 = Response entered LOGICALLY ASSIGNED.....	12	0.02
		6 = Response not entered.....	13127	24.51
		11 = Response entered (YETLKNON=11,13).....	148	0.28
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	125	0.23
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	34875	65.11
YETLKSIB	2	1MY BROTHER OR SISTER		
		1 = Response entered.....	5424	10.13
		3 = Response entered LOGICALLY ASSIGNED.....	8	0.01
		6 = Response not entered.....	12874	24.04
		11 = Response entered (YETLKNON=11,13).....	155	0.29
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	125	0.23
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	34875	65.11
YETLKSOR	2	1SOME OTHER RELATIVE		
		1 = Response entered.....	4248	7.93
		3 = Response entered LOGICALLY ASSIGNED.....	65	0.12
		6 = Response not entered.....	14007	26.15
		11 = Response entered (YETLKNON=11,13).....	141	0.26
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	125	0.23
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	34875	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 326	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
YETLKFRN	2	1A FRIEND		
		1 = Response entered.....	11184	20.88
		3 = Response entered LOGICALLY ASSIGNED.....	62	0.12
		6 = Response not entered.....	6900	12.88
		11 = Response entered (YETLKNON=11,13).....	315	0.59
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	125	0.23
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	34875	65.11
YETLKNBR	2	1A NEIGHBOR		
		1 = Response entered.....	1645	3.07
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	16761	31.29
		11 = Response entered (YETLKNON=11,13).....	54	0.10
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	125	0.23
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	34875	65.11
YETLKTC	2	1A TEACHER, PRINCIPAL, COACH, OR SCHOOL COUNSELOR		
		1 = Response entered.....	5218	9.74
		3 = Response entered LOGICALLY ASSIGNED.....	7	0.01
		6 = Response not entered.....	13066	24.40
		11 = Response entered (YETLKNON=11,13).....	170	0.32
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	125	0.23
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	34875	65.11
YETLKPSY	2	1A THERAPIST, PSYCHIATRIST, OTHER PRIVATE COUNSELOR		
		1 = Response entered.....	1908	3.56
		3 = Response entered LOGICALLY ASSIGNED.....	9	0.02
		6 = Response not entered.....	16475	30.76
		11 = Response entered (YETLKNON=11,13).....	68	0.13
		13 = Response entered LOG ASSN (YETLKNON=11,13).....	1	0.00
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	125	0.23
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	34875	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	327
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YETLKCLG	2	1A PASTOR, CLERGY, OR CHURCH GROUP		
		1 = Response entered.....	3308	6.18
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	15037	28.08
		11 = Response entered (YETLKNON=11,13).....	114	0.21
		13 = Response entered LOG ASSN (YETLKNON=11,13).....	1	0.00
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	125	0.23
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	34875	65.11
YETLKSOP	2	1SOME OTHER PERSON		
		1 = Response entered.....	2690	5.02
		6 = Response not entered.....	15672	29.26
		11 = Response entered (YETLKNON=11,13).....	99	0.18
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	125	0.23
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	34875	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	328
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
YETLKSP	3	1OTHER PERSON SPECIFIED		
		8 = Respondent.....	13	0.02
		20 = Parent/Guardian.....	11	0.02
		21 = Step/Adopted/Foster Parent/Future Step Parent.....	1	0.00
		40 = Sibling.....	1	0.00
		61 = Friend/Roommate/Companion.....	579	1.08
		71 = Cousin/Cousin's Spouse.....	35	0.07
		90 = Other Relative, Gender not specified.....	9	0.02
		92 = Other, Relation and Gender Unspecified.....	1	0.00
		110 = Husband.....	5	0.01
		120 = Father/Male Guardian.....	109	0.20
		121 = Step/Adopted/Foster Father/Future Step Father.....	7	0.01
		140 = Brother/Half Brother.....	30	0.06
		141 = Step/Adopted/Foster Brother/Future Step Brother...	1	0.00
		142 = Brother In-Law.....	1	0.00
		150 = Grandfather/Great+ Grandfather.....	5	0.01
		161 = Male Fiance/Boyfriend/Roommate/Companion.....	53	0.10
		170 = Uncle/Step Uncle/Aunt's Husband.....	18	0.03
		181 = Other Male God Relative.....	1	0.00
		192 = Other Male, Relation Unspecified.....	1	0.00
		220 = Mother/Female Guardian.....	495	0.92
		221 = Step/Adopted/Foster Mother/Future Step Mother.....	5	0.01
		222 = Mother/Step Mother/Future Mother In-Law.....	1	0.00
		240 = Sister/Half Sister.....	64	0.12
		241 = Step/Adopted/Foster Sister/Future Step Sister.....	1	0.00
		250 = Grandmother/Great+ Grandmother.....	23	0.04
		251 = Step/Adopted/Foster/Great+ Grandmother.....	1	0.00
		261 = Female Fiancee/Girlfriend/Roommate/Companion.....	35	0.07
		270 = Aunt.....	37	0.07
		281 = Other Female God Relative.....	1	0.00
		291 = Other Female Non-Relative.....	1	0.00
		292 = Other Female, Relation Unspecified.....	1	0.00
		320 = Parents/Guardians.....	241	0.45
		321 = Step/Adopted/Foster Parents/Future Step Parents...	1	0.00
		340 = Siblings.....	3	0.01
		350 = Grandparents/Great+ Grandparents.....	4	0.01
		361 = Friends/Roommates/Companions.....	53	0.10
		371 = Cousins/Cousins' Spouses.....	3	0.01
		390 = Other Relatives, Gender not specified.....	13	0.02
		391 = Other Non-Relatives, Gender not specified.....	1	0.00
		492 = Other Males, Relation Unspecified.....	1	0.00
		540 = Sisters/Half Sisters.....	3	0.01
		570 = Aunts.....	2	0.00
		600 = Teacher(s).....	22	0.04
		601 = Coach(es).....	5	0.01
		602 = School counselor(s)/principal(s).....	18	0.03

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	329
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
		603 = Pastor(s).....	23	0.04
		604 = Clergy.....	2	0.00
		605 = Police/law enforcement.....	6	0.01
		606 = Counselor(s), type unspecified.....	19	0.04
		607 = Other church worker(s)/member(s).....	5	0.01
		608 = Teacher(s), non-school.....	1	0.00
		609 = Psychologist(s)/psychiatrist(s)/therapist(s).....	4	0.01
		610 = Doctor(s)/nurse(s)/health care professional(s)....	5	0.01
		612 = Internet/Chat room friends.....	3	0.01
		614 = Boy/girlfriend of parent.....	2	0.00
		615 = Other friend(s) of parent.....	6	0.01
		616 = Boy/girlfriend of sibling(s).....	3	0.01
		618 = Friend(s) of family.....	3	0.01
		620 = Parent of boy/girlfriend.....	2	0.00
		621 = Parent(s) of friend(s).....	14	0.03
		622 = Other relative(s) of friend(s).....	1	0.00
		630 = Manager/boss/employer.....	7	0.01
		632 = Co-worker(s), relationship unspecified.....	1	0.00
		633 = Neighbor(s).....	1	0.00
		634 = In the military.....	1	0.00
		635 = Babysitter.....	1	0.00
		636 = Casual acquaintance(s)/stranger(s).....	6	0.01
		638 = Scout leader/master or similar.....	1	0.00
		639 = Youth worker, church not specified.....	3	0.01
		640 = Mentor/person being mentored.....	1	0.00
		641 = Another adult/older person(s).....	12	0.02
		642 = Someone known to R, relationship unspecified.....	3	0.01
		644 = Anybody/everybody.....	3	0.01
		645 = Sponsor(s).....	1	0.00
		650 = Specific name(s) mentioned.....	29	0.05
		651 = Person w/desired characteristics/experience.....	174	0.32
		900 = NOT A PERSON.....	4	0.01
		901 = God/Heavenly Father/Jesus/Higher Power/Mary.....	18	0.03
		950 = Qualities listed: may apply to previous answer....	368	0.69
		985 = BAD DATA Logically assigned.....	41	0.08
		994 = DON'T KNOW.....	76	0.14
		997 = REFUSED.....	29	0.05
		998 = BLANK (NO ANSWER).....	218	0.41
		999 = LEGITIMATE SKIP.....	50547	94.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 330	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE08)		Now think about the past 12 months, that is, from DATEFILL through today. During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use?		
YEPARDNG	2	1TALKED W/PARENT ABT DANGER OF TOB/ALC/DRG USE		
		1 = Yes.....	10736	20.04
		2 = No.....	7693	14.36
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	153	0.29
		97 = REFUSED.....	47	0.09
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE23A)		During the past 12 months have you participated in a Big Brother/Big Sister/Big Buddy program or peer mentoring or tutoring program?		
YEBIGBRO	2	1BIG BROTHER/BIG SISTER/BIG BUDDY PROGRAM		
		1 = Yes.....	2594	4.84
		2 = No.....	15869	29.63
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	117	0.22
		97 = REFUSED.....	49	0.09
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE23B)		During the past 12 months have you participated in a problem solving, communication skills or self-esteem group?		
YEPRBSLV	2	1PRBLM SOLVING/COMMUNICATION SKILLS/SELF-ESTEEM GR		
		1 = Yes.....	3763	7.03
		2 = No.....	14652	27.36
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	169	0.32
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 331	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE23C)		During the past 12 months have you participated in a violence prevention program, where you learn ways to avoid fights and control anger?		
YEVIOPRV	2	1VIOLENCE PREVENTION PROGRAMS		
		1 = Yes.....	3334	6.22
		2 = No.....	15125	28.24
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	119	0.22
		97 = REFUSED.....	49	0.09
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE23D)		During the past 12 months have you participated in youth center activities, at the YMCA, YWCA, or other similar community centers?		
YEYMCA	2	1YOUTH CENTER ACTIVITIES/YMCA/YWCA		
		1 = Yes.....	4135	7.72
		2 = No.....	14341	26.78
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	109	0.20
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE23E)		During the past 12 months have you participated in Boy Scouts or Girl Scouts?		
YESCOUTS	2	1BOY SCOUTS/GIRL SCOUTS		
		1 = Yes.....	1971	3.68
		2 = No.....	16551	30.90
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	60	0.11
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 332	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE23F)		During the past 12 months have you participated in private lessons such as piano, dance, tennis, karate or horseback riding?		
YEPRVLES	2	1PRIVATE LESSONS		
		1 = Yes.....	5395	10.07
		2 = No.....	13139	24.53
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	57	0.11
		97 = REFUSED.....	36	0.07
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE23G)		During the past 12 months have you participated in an alcohol, tobacco or drug prevention program outside of school, where you learn about the dangers of using, and how to resist using, alcohol, tobacco, or drugs?		
YEDGPRGP	2	1ALCOHOL/TOBACCO/DRUG PREV PGMS OUTSIDE SCHL		
		1 = Yes.....	2332	4.35
		2 = No.....	16175	30.20
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	78	0.15
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE23H)		During the past 12 months have you participated in team sports such as football, basketball, swimming or gymnastics?		
YETEMSPT	2	1TEAM SPORTS		
		1 = Yes.....	11596	21.65
		2 = No.....	6948	12.97
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	48	0.09
		97 = REFUSED.....	35	0.07
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 333	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE23I)		During the past 12 months have you participated in a 4-H Club?		
YE4HCLUB	2	14-H CLUB		
		1 = Yes.....	1304	2.43
		2 = No.....	16826	31.42
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	460	0.86
		97 = REFUSED.....	37	0.07
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE23J)		During the past 12 months have you participated in a program or meeting to help you deal with drug or alcohol use by you or another member of your family, such as Alcoholics Anonymous, Alateen, or individual or group counseling?		
YESLFHLP	2	1AA/ALATEEN/INDIVIDUAL OR GROUP COUNSELING		
		1 = Yes.....	907	1.69
		2 = No.....	17531	32.73
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	137	0.26
		97 = REFUSED.....	52	0.10
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE23K)		During the past 12 months have you participated in a school band, orchestra, or choir?		
YEBAND	2	1SCHOOL BAND, ORCHESTRA, CHOIR		
		1 = Yes.....	5350	9.99
		2 = No.....	8821	16.47
		85 = BAD DATA Logically assigned.....	26	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	79	0.15
		98 = BLANK (NO ANSWER).....	385	0.72
		99 = LEGITIMATE SKIP.....	38876	72.58

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 334	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE23L)		During the past 12 months have you participated in school-related clubs?		
YESCHCLB	2	1SCHOOL-RELATED CLUBS		
		1 = Yes.....	7374	13.77
		2 = No.....	6771	12.64
		85 = BAD DATA Logically assigned.....	26	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	48	0.09
		97 = REFUSED.....	79	0.15
		98 = BLANK (NO ANSWER).....	385	0.72
		99 = LEGITIMATE SKIP.....	38876	72.58
(YE23M)		During the past 12 months have you participated in volunteer or community work, such as recycling or clean-up projects?		
YEVOLUNT	2	1VOLUNTEER/COMMUNITY WORK		
		1 = Yes.....	6886	12.86
		2 = No.....	11610	21.68
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	94	0.18
		97 = REFUSED.....	37	0.07
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE23N)		During the past 12 months have you participated in student government?		
YESTGOVT	2	1STUDENT GOVERNMENT		
		1 = Yes.....	2335	4.36
		2 = No.....	11782	22.00
		85 = BAD DATA Logically assigned.....	26	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	75	0.14
		97 = REFUSED.....	80	0.15
		98 = BLANK (NO ANSWER).....	385	0.72
		99 = LEGITIMATE SKIP.....	38876	72.58

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 335	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE23O)		During the past 12 months have you participated in pregnancy or sexually transmitted disease prevention programs?		
YEPRGSTD	2	1PREGNANCY OR SEXUALLY TRANSMITTED DISEASE PGMS		
		1 = Yes.....	2534	4.73
		2 = No.....	15968	29.81
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	76	0.14
		97 = REFUSED.....	49	0.09
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE23P)		During the past 12 months have you participated in a job skills or job training program?		
YEJBSKIL	2	1JOB SKILLS OR JOB TRAINING		
		1 = Yes.....	4482	8.37
		2 = No.....	14010	26.16
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	97	0.18
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
(YE23Q)		During the past 12 months have you participated in a church choir?		
YECHOIR	2	1CHURCH CHOIR		
		1 = Yes.....	3483	6.50
		2 = No.....	15049	28.10
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	54	0.10
		97 = REFUSED.....	41	0.08
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE: 336	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE24A)		During the past 12 months have you had a special class about drugs or alcohol in school?		
YEDECLAS	2	1A SPECIAL CLASS ABOUT DRUGS OR ALCOHOL		
		1 = Yes.....	6225	11.62
		2 = No.....	8286	15.47
		85 = BAD DATA Logically assigned.....	28	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	78	0.15
		97 = REFUSED.....	35	0.07
		98 = BLANK (NO ANSWER).....	31	0.06
		99 = LEGITIMATE SKIP.....	38876	72.58
(YE24B)		During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol in one of your regular school classes such as health or physical education?		
YEDERGLR	2	1FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC IN CLASS		
		1 = Yes.....	9878	18.44
		2 = No.....	4602	8.59
		85 = BAD DATA Logically assigned.....	28	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	109	0.20
		97 = REFUSED.....	35	0.07
		98 = BLANK (NO ANSWER).....	31	0.06
		99 = LEGITIMATE SKIP.....	38876	72.58
(YE24C)		During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol outside of one of your regular classes such as in a special assembly?		
YEDESPCL	2	1FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC OUT CLAS		
		1 = Yes.....	5807	10.84
		2 = No.....	8633	16.12
		85 = BAD DATA Logically assigned.....	28	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	143	0.27
		97 = REFUSED.....	41	0.08
		98 = BLANK (NO ANSWER).....	31	0.06
		99 = LEGITIMATE SKIP.....	38876	72.58

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	337
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE25)		During the past 12 months have you seen or heard any alcohol or drug prevention messages from sources outside school such as posters, pamphlets, radio, or TV?		
YEPVNTYR	2	1SEEN/HEARD ALC/DRG PREV MESSAGES FRM SOURC OUT SC		
		1 = Yes.....	15149	28.28
		2 = No.....	3307	6.17
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	127	0.24
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	23	0.04
		99 = LEGITIMATE SKIP.....	34874	65.11
NOTE: The remaining variables in this section are recoded variables that were created from one or more of the preceding edited variables from this same section.				
The following variable, ACTALL, was created by counting the number of positive responses reported over all seventeen youth activities listed under question YE-23 of the Youth Experiences module. Missing data or unknown information was included in the "No Activity" category. The number of activities that youth participated in may be somewhat undercounted due to the fact that youth who reported that they were not enrolled in school in the past 12 months were not asked about their participation in prevention activities through school.				
ACTALL	1	RESP PARTICIPATED IN YOUTH ACTIVITIES		
		1 = No activities were marked.....	36657	68.44
		2 = One activity was marked.....	2488	4.65
		3 = Two activities were marked.....	2789	5.21
		4 = Three or more activities were marked.....	11626	21.71

YOUTH EXPERIENCES			PAGE:	338
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
The following variable, ACTSEL, was created by examining the respondents involvement in 5 selected youth activities from question YE-23 on the Youth Experiences module: problemsolving/communication skills/self esteem groups (PRBSOLV), violence prevention programs (PREVIOL), drug prevention programs outside of school (PRVDRGO), program to help deal with drug abuse (GRPCNSL), and pregnancy or sexually transmitted disease prevention programs (PREGPGM).				
ACTSEL	1	RESP PARTICIPATED IN SELECTED ACTIVITIES		
		1 = No selected activities were marked.....	45933	85.76
		2 = One selected activity was marked.....	4258	7.95
		3 = Two selected activities were marked.....	2040	3.81
		4 = Three or more selected activities were marked.....	1329	2.48
ADFLALDY	1	HOW ADULTS FEEL: YTH DRNK 1 ALC BEV/DAY		
		. = Otherwise.....	35494	66.27
		1 = Neither Approve Nor Disapprove (YEAALDLY = 1)....	2316	4.32
		2 = Somewhat Disapprove (YEAALDLY = 2).....	3075	5.74
		3 = Strongly Disapprove (YEAALDLY = 3).....	12675	23.67
ADFLPKCG	1	HOW ADULTS FEEL: YTH SMOKE PACK/DAY CIG		
		. = Otherwise.....	35573	66.42
		1 = Neither Approve Nor Disapprove (YEAPKCIG = 1)....	3017	5.63
		2 = Somewhat Disapprove (YEAPKCIG = 2).....	3211	6.00
		3 = Strongly Disapprove (YEAPKCIG = 3).....	11759	21.95
ADFLTMRJ	1	HOW ADULTS FEEL: YOUTH TRY MJ/HASH		
		. = Otherwise.....	35515	66.31
		1 = Neither Approve or Disapprove (YEAMJEVR = 1).....	1820	3.40
		2 = Somewhat Disapprove (YEAMJEVR = 2).....	2009	3.75
		3 = Strongly Disapprove (YEAMJEVR = 3).....	14216	26.54
ADULTALC	1	HOW MANY ADULTS YTH KNOWS DRNK ALC BEV		
		. = Otherwise.....	35139	65.61
		1 = None of Them (YEADOALC = 1).....	2257	4.21
		2 = A few of Them (YEADOALC = 2).....	7694	14.37
		3 = Most of Them (YEADOALC = 3).....	6655	12.43
		4 = All of Them (YEADOALC = 4).....	1815	3.39
ADULTCIG	1	HOW MANY ADULTS YTH KNOWS SMOKE CIG		
		. = Otherwise.....	35039	65.42
		1 = None of Them (YEADOCIG = 1).....	1977	3.69
		2 = A few of Them (YEADOCIG = 2).....	11146	20.81
		3 = Most of Them (YEADOCIG = 3).....	4896	9.14
		4 = All of Them (YEADOCIG = 4).....	502	0.94

YOUTH EXPERIENCES			PAGE:	339
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
ADULTDRK	1	HOW MANY ADULTS YTH KNOWS DRUNK ONCE/WK		
		. = Otherwise.....	35391	66.08
		1 = None of Them (YEADODNK = 1).....	9845	18.38
		2 = A few of Them (YEADODNK = 2).....	6929	12.94
		3 = Most of Them (YEADODNK = 3).....	1175	2.19
		4 = All of Them (YEADODNK = 4).....	220	0.41
ADULTMRJ	1	HOW MANY ADULTS YTH KNOWS USE MJ/HASH		
		. = Otherwise.....	35366	66.03
		1 = None of Them (YEADOMRJ = 1).....	12844	23.98
		2 = A few of Them (YEADOMRJ = 2).....	4643	8.67
		3 = Most of Them (YEADOMRJ = 3).....	548	1.02
		4 = All of Them (YEADOMRJ = 4).....	159	0.30
For the following variable, ANYEDUC2, the number of "Yes" responses may be undercounted due to the fact that youths who reported that they were not enrolled in school in the past 12 months were not asked about their participation in school-coordinated drug prevention programs.				
ANYEDUC2	1	YOUTH HAD ANY DRUG EDUC IN SCHOOL		
		1 = Yes (DRGSPCLS = 1 or DRGRGCLS = 1 or DRUGLECT = 1)	11255	21.01
		2 = No (DRGSPCLS = 0 & DRGRGCLS = 0 & DRUGLECT = 0)...	42305	78.99
DRGRGCLS	1	YOUTH DRUG EDUC IN REGULAR CLASS		
		0 = Otherwise.....	43682	81.56
		1 = Yes (YEDERGLR = 1).....	9878	18.44
DRGSPCLS	1	YOUTH TAKEN SPECIAL CLASS ABOUT DRUGS		
		0 = Otherwise.....	47335	88.38
		1 = Yes (YEDECLAS = 1).....	6225	11.62
DRPRVME2	1	YOUTH SEEN DRUG PREV MSG OUTSIDE SCH		
		1 = Yes (YEPVNTYR = 1).....	15149	28.28
		2 = No (YEPVNTRY = 2,85,89,94,97,98,99).....	38411	71.72
DRUGLECT	1	YOUTH DRUG EDUC OUTSIDE REG CLASS		
		0 = Otherwise.....	47753	89.16
		1 = Yes (YEDESPCL = 1).....	5807	10.84
FRDALDLY	1	HOW FRNDS FEEL: YTH DRNK 1+ALC BEV/DAY		
		. = Otherwise.....	35241	65.80
		1 = Neither Approve Nor Disapprove (YEFALDLY = 1)....	3719	6.94
		2 = Somewhat Disapprove (YEFALDLY = 2).....	3627	6.77
		3 = Strongly Disapprove (YEFALDLY = 3).....	10973	20.49

YOUTH EXPERIENCES			PAGE:	340
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
FRDMJEVR	1	HOW FRIEND FEEL: YOUTH TRY MJ/HASH		
		. = Otherwise.....	35233	65.78
		1 = Neither Approve Nor Disapprove (YEFMJEVR = 1)....	3811	7.12
		2 = Somewhat Disapprove (YEFMJEVR = 2).....	2908	5.43
		3 = Strongly Disapprove (YEFMJEVR = 3).....	11608	21.67
FRDPKCIG	1	HOW FRNDS FEEL: YTH SMOKE PACK/DAY CIG		
		. = Otherwise.....	35249	65.81
		1 = Neither Approve Nor Disapprove (YEFPKCIG = 1)....	4002	7.47
		2 = Somewhat Disapprove (YEFPKCIG = 2).....	3692	6.89
		3 = Strongly Disapprove (YEFPKCIG = 3).....	10617	19.82
FRNDALC	1	HOW MANY YOUTH FRIENDS DRINK ALC BEV		
		. = Otherwise.....	35252	65.82
		1 = None of Them (YEFDALC = 1).....	7301	13.63
		2 = A few of Them (YEFDALC = 2).....	6812	12.72
		3 = Most of Them (YEFDALC = 3).....	3282	6.13
		4 = All of Them (YEFDALC = 4).....	913	1.70
FRNDCIG	1	HOW MANY YOUTH FRIENDS SMOKE CIGARETTES		
		. = Otherwise.....	35170	65.66
		1 = None of Them (YEFDCIG = 1).....	7137	13.33
		2 = A few of Them (YEFDCIG = 2).....	7876	14.71
		3 = Most of Them (YEFDCIG = 3).....	2874	5.37
		4 = All of Them (YEFDCIG = 4).....	503	0.94
FRNDDNK	1	HOW MANY YOUTH FRIENDS DRUNK LEAST 1/WK		
		. = Otherwise.....	35329	65.96
		1 = None of Them (YEFDDNK = 1).....	11627	21.71
		2 = A few of Them (YEFDDNK = 2).....	4988	9.31
		3 = Most of Them (YEFDDNK = 3).....	1304	2.43
		4 = All of Them (YEFDDNK = 4).....	312	0.58
FRNDMJ	1	HOW MANY YOUTH FRIENDS USE MJ/HASH		
		. = Otherwise.....	35268	65.85
		1 = None of Them (YEFDMJ = 1).....	10726	20.03
		2 = A few of Them (YEFDMJ = 2).....	5517	10.30
		3 = Most of Them (YEFDMJ = 3).....	1664	3.11
		4 = All of Them (YEFDMJ = 4).....	385	0.72
GRPCNSL	1	PARTICIPATED IN PROGRAM TO HELP DRUG ABUSE		
		1 = Yes (YESLFHLP = 1).....	907	1.69
		2 = Otherwise (YESLFHLP = 2,85,89,94,97,98,99).....	52653	98.31

YOUTH EXPERIENCES			PAGE:	341
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
LIVNBRHD	1	AMOUNT OF TIME YOUTH LIVED IN NEIGHBRHD		
		. = Otherwise.....	35009	65.36
		1 = Less Than One Year (YELIVNBR = 1).....	2181	4.07
		2 = At least 1 yr but Less than 3 yrs (YELIVNBR = 2)..	2856	5.33
		3 = At least 3 yrs but Less than 5 yrs (YELIVNBR = 3)..	2667	4.98
		4 = At least 5 yrs but Less than 10 yrs (YELIVNBR = 4)	4067	7.59
		5 = 10 or More Years (YELIVNBR = 5).....	6780	12.66
MOVIN5YR	1	NUM OF TIMES YOUTH MOVED IN PAST 5 YRS		
		. = Otherwise.....	35289	65.89
		1 = None (YEMOV5Y2 = 0).....	9496	17.73
		2 = One Time (YEMOV5Y2 = 1).....	4142	7.73
		3 = Two Times (YEMOV5Y2 = 2).....	2139	3.99
		4 = Three Times (YEMOV5Y2 = 3).....	1345	2.51
		5 = Four Times (YEMOV5Y2 = 4).....	565	1.05
		6 = 5 or more times (YEMOV5Y2 = 5-6).....	584	1.09
NGHDBLDG	1	MANY EMPTY BUILDINGS IN YOUTH NGHD		
		. = Otherwise.....	35177	65.68
		1 = Strongly Agree (YEEMTBLD = 1).....	682	1.27
		2 = Somewhat Agree (YEEMTBLD = 2).....	1386	2.59
		3 = Somewhat Disagree (YEEMTBLD = 3).....	2482	4.63
		4 = Strongly Disagree (YEEMTBLD = 4).....	13833	25.83
NGHDCRIM	1	A LOT OF CRIME IN YOUTH NEIGHBORHOOD		
		. = Otherwise.....	35147	65.62
		1 = Strongly Agree (YECRIME = 1).....	990	1.85
		2 = Somewhat Agree (YECRIME = 2).....	3047	5.69
		3 = Somewhat Disagree (YECRIME = 3).....	4841	9.04
		4 = Strongly Disagree (YECRIME = 4).....	9535	17.80
NGHDFGHT	1	MANY STREET FIGHTS IN YOUTH NGHD		
		. = Otherwise.....	35192	65.71
		1 = Strongly Agree (YESTFGT = 1).....	842	1.57
		2 = Somewhat Agree (YESTFGT = 2).....	1706	3.19
		3 = Somewhat Disagree (YESTFGT = 3).....	2905	5.42
		4 = Strongly Disagree (YESTFGT = 4).....	12915	24.11
NGHDGRAF	1	LOT OF GRAFFITI IN YOUTH NEIGHBORHOOD		
		. = Otherwise.....	35088	65.51
		1 = Strongly Agree (YEGRAFTI = 1).....	913	1.70
		2 = Somewhat Agree (YEGRAFTI = 2).....	1852	3.46
		3 = Somewhat Disagree (YEGRAFTI = 3).....	2725	5.09
		4 = Strongly Disagree (YEGRAFTI = 4).....	12982	24.24

YOUTH EXPERIENCES			PAGE:	342
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
NGHDHELP	1	PEOPLE HELP EACH OTHER IN YOUTH NGHD		
		. = Otherwise.....	35257	65.83
		1 = Strongly Agree (YEPPHLP = 1).....	6123	11.43
		2 = Somewhat Agree (YEPPHLP = 2).....	8191	15.29
		3 = Somewhat Disagree (YEPPHLP = 3).....	2578	4.81
		4 = Strongly Disagree (YEPPHLP = 4).....	1411	2.63
NGHDMOVE	1	PEOPLE OFTEN MOVE IN/OUT IN YTH NGHD		
		. = Otherwise.....	35417	66.13
		1 = Strongly Agree (YEPPMOVE = 1).....	1476	2.76
		2 = Somewhat Agree (YEPPMOVE = 2).....	4034	7.53
		3 = Somewhat Disagree (YEPPMOVE = 3).....	5713	10.67
		4 = Strongly Disagree (YEPPMOVE = 4).....	6920	12.92
NGHDSELL	1	A LOT OF DRUG SELLING IN YOUTH NGHD		
		. = Otherwise.....	35519	66.32
		1 = Strongly Agree (YESLLDG = 1).....	1605	3.00
		2 = Somewhat Agree (YESLLDG = 2).....	2790	5.21
		3 = Somewhat Disagree (YESLLDG = 3).....	3315	6.19
		4 = Strongly Disagree (YESLLDG = 4).....	10331	19.29
NGHDVSIT	1	PEOPLE VISIT EACH OTHER IN YOUTH NGHD		
		. = Otherwise.....	35389	66.07
		1 = Strongly Agree (YEPPVSIT = 1).....	5744	10.72
		2 = Somewhat Agree (YEPPVSIT = 2).....	7580	14.15
		3 = Somewhat Disagree (YEPPVSIT = 3).....	3017	5.63
		4 = Strongly Disagree (YEPPVSIT = 4).....	1830	3.42
PARALDLY	1	HOW PARENTS FEEL: YOUTH DRNK 1 ALC BEV/DAY		
		. = Otherwise.....	35150	65.63
		1 = Neither Approve Nor Disapprove (YEPALDLY = 1).....	754	1.41
		2 = Somewhat Disapprove (YEPALDLY = 2).....	1192	2.23
		3 = Strongly Disapprove (YEPALDLY = 3).....	16464	30.74
PARCHORE	1	PARENTS MAKE YTH DO CHORES IN PST YEAR		
		. = Otherwise.....	35054	65.45
		1 = Always (YEPCHORE = 1).....	9372	17.50
		2 = Sometimes (YEPCHORE = 2).....	6873	12.83
		3 = Seldom (YEPCHORE = 3).....	1701	3.18
		4 = Never (YEPCHORE = 4).....	560	1.05
PARGDJOB	1	PARENTS TELL YTH GOOD JOB PAST YEAR		
		. = Otherwise.....	35035	65.41
		1 = Always (YEPGDJOB = 1).....	9675	18.06
		2 = Sometimes (YEPGDJOB = 2).....	6239	11.65
		3 = Seldom (YEPGDJOB = 3).....	1861	3.47
		4 = Never (YEPGDJOB = 4).....	750	1.40

YOUTH EXPERIENCES			PAGE:	343
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
PARLMTTV	1	PARENTS LIMIT AMT OF TV TIME PAST YEAR		
		. = Otherwise.....	35097	65.53
		1 = Always (YEPLMTTV = 1).....	2018	3.77
		2 = Sometimes (YEPLMTTV = 2).....	5084	9.49
		3 = Seldom (YEPLMTTV = 3).....	4101	7.66
		4 = Never (YEPLMTTV = 4).....	7260	13.55
PARMJEV	1	HOW PARENTS FEEL: YOUTH TRY MJ/HASH		
		. = Otherwise.....	35158	65.64
		1 = Neither Approve Nor Disapprove (YEPMJEV = 1).....	811	1.51
		2 = Somewhat Disapprove (YEPMJEV = 2).....	922	1.72
		3 = Strongly Disapprove (YEPMJEV = 3).....	16669	31.12
PARPKCIG	1	HOW PARENTS FEEL: YOUTH SMOKE PACK/DAY CIG		
		. = Otherwise.....	35166	65.66
		1 = Neither Approve Nor Disapprove (YEPPKCIG = 1).....	1168	2.18
		2 = Somewhat Disapprove (YEPPKCIG = 2).....	1090	2.04
		3 = Strongly Disapprove (YEPPKCIG = 3).....	16136	30.13
PARPROUD	1	PARENTS TELL YTH PROUD PAST YEAR		
		. = Otherwise.....	35050	65.44
		1 = Always (YEPPROUD = 1).....	9853	18.40
		2 = Sometimes (YEPPROUD = 2).....	6000	11.20
		3 = Seldom (YEPPROUD = 3).....	1916	3.58
		4 = Never (YEPPROUD = 4).....	741	1.38
PRBSOLV	1	PARTICIPATED IN PROBSOLV/COMMSKILL/SELFESTEEM GRP		
		1 = Yes (YEPRBSLV = 1).....	3763	7.03
		2 = Otherwise (YEPRBSLV = 2,85,89,94,97,98,99).....	49797	92.97
PREGPGM	1	PARTICIPATED IN PREG/STD PREV PROGRAM		
		1 = Yes (YEPRGSTD = 1).....	2534	4.73
		2 = Otherwise (YEPRGSTD = 2,85,89,94,97,98,99).....	51026	95.27
PREVIOL	1	PARTICIPATED IN VIOLENCE PREVENTION PROGRAM		
		1 = Yes (YEVIOPRV = 1).....	3334	6.22
		2 = Otherwise (YEVIOPRV = 2,85,89,94,97,98,99).....	50226	93.78
PRTALK2	1	TALKED W/PARENT ABT DANGER TOB/ALC/DRG		
		1 = Yes (YEPARDNG = 1).....	10736	20.04
		2 = No (YEPARDNG = 2,85,89,94,97,98,99).....	42824	79.96
PRVDRGO	1	PARTICIPATED IN DRUG PREV PROGRAM OUTSIDE SCHOOL		
		1 = Yes (YEDGPRGP = 1).....	2332	4.35
		2 = Otherwise (YEDGPRGP = 2,85,89,94,97,98,99).....	51228	95.65

YOUTH EXPERIENCES			PAGE:	344
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
The following variable, TLKADULT, is created by a combination of these source variables: YETLKGPR, YETLKTC, YETLKPSY, and YETLKCLG. This variable combines grandparents, teachers/principals/coaches, therapist/psychiatrist, or Pastor/clergy/church group as adults the respondent would turn to for talking about a serious problem.				
TLKADULT	1	TALK TO ADULT ABOUT SERIOUS PROBLEM		
		1 = Response Marked (Any Source = 1,3,11,13).....	8492	15.86
		2 = Response Not Marked (All Source = 6).....	9969	18.61
		3 = Unknown (All Source = 85,94,97,98).....	224	0.42
		4 = Respondents Aged 18 + (All Source = 99).....	34875	65.11
TLKBGF	1	WOULD TALK TO BOY/GIRL FRIEND ABT SERIOUS PROBLEM		
		1 = Response Marked (YETLKBGF = 1,3,11).....	5334	9.96
		2 = Response Not Marked (YETLKBGF = 6).....	13127	24.51
		3 = Unknown (YETLKBGF = 85,94,97,98).....	224	0.42
		4 = Respondents Aged 18 + (YETLKBGF = 99).....	34875	65.11
TLKDAD	1	WOULD TALK TO FATHER ABOUT SERIOUS PROBLEM		
		1 = Response Marked (YETLKDAD = 1,3,11,13).....	7629	14.24
		2 = Response Not Marked (YETLKDAD = 6).....	10832	20.22
		3 = Unknown (YETLKDAD = 85,94,97,98).....	224	0.42
		4 = Respondents Aged 18 + (YETLKDAD = 99).....	34875	65.11
TLKMOM	1	WOULD TALK TO MOTHER ABOUT SERIOUS PROBLEM		
		1 = Response Marked (YETLMOM = 1,3,11,13).....	11996	22.40
		2 = Response Not Marked (YETLMOM = 6).....	6465	12.07
		3 = Unknown (YETLMOM = 85,94,97,98).....	224	0.42
		4 = Respondents Aged 18 + (YETLMOM = 99).....	34875	65.11
TLKNON	1	WOULD TALK TO NO ONE ABOUT SERIOUS PROBLEM		
		1 = Response Marked (YETLKNON = 1,11,13).....	842	1.57
		2 = Response Not Marked (YETLKNON = 6).....	17619	32.90
		3 = Unknown (YETLKNON = 85,94,97,98).....	224	0.42
		4 = Respondents Aged 18 + (YETLKNON = 99).....	34875	65.11

YOUTH EXPERIENCES			PAGE:	345
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
<p>The following variable, TLKNONAD, is created by a combination of these source variables: YETLKSIB and YETLKFRN. This variable combines brother/sisters, and friends as persons their own age that the respondent would turn to for talking about a serious problem.</p>				
TLKNONAD	1	TALK TO NON-ADULT ABOUT SERIOUS PROBLEM		
		1 = Response Marked (Any Source = 1,3,11,13).....	12677	23.67
		2 = Response Not marked (All Source = 6).....	5784	10.80
		3 = Unknown (All Source = 85,94,97,98).....	224	0.42
		4 = Respondents Aged 18 + (All Source = 99).....	34875	65.11
<p>The following variable, TLKOTHER, is created by a combination of these source variables: YETLKNBR, YETLKSOP, and YETLKSOR. "Other" refers to people not classified as an adult or non-adult. This variable combines responses for neighbor, some other person, and some other relative as the person the respondent would turn to for talking about a serious problem.</p>				
TLKOTHER	1	TALK TO OTHER PERSON ABOUT SERIOUS PROBLEM		
		1 = Response Marked (Any Source = 1,3,11,13).....	6368	11.89
		2 = Response Not Marked (All Source = 6).....	12093	22.58
		3 = Unknown (All Source = 85,94,97,98).....	224	0.42
		4 = Respondents Aged 18 + (All Source = 99).....	34875	65.11
YTFLADLY	1	HOW YTH FEELS: PEERS DRNK 1+ALC BEV/DAY		
		. = Otherwise.....	35165	65.66
		1 = Neither Approve Nor Disapprove (YEGALDLY = 1)....	3407	6.36
		2 = Somewhat Disapprove (YEGALDLY = 2).....	3323	6.20
		3 = Strongly Disapprove (YEGALDLY = 3).....	11665	21.78
YTFLPKCG	1	HOW YTH FEELS: PEERS SMOKE PACK/DAY CIG		
		. = Otherwise.....	35160	65.65
		1 = Neither Approve Nor Disapprove (YEGPKCIG = 1)....	3352	6.26
		2 = Somewhat Disapprove (YEGPKCIG = 2).....	3319	6.20
		3 = Strongly Disapprove (YEGPKCIG = 3).....	11729	21.90
YTFLTMRJ	1	HOW YTH FEELS: PEERS TRY MJ/HASH		
		. = Otherwise.....	35176	65.68
		1 = Neither Approve Nor Disapprove (YEGMJEVJR = 1)....	3765	7.03
		2 = Somewhat Disapprove (YEGMJEVJR = 2).....	2947	5.50
		3 = Strongly Disapprove (YEGMJEVJR = 3).....	11672	21.79

YOUTH EXPERIENCES			PAGE:	346
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
YTHARGUE	1	YOUTH ARGUED W/AT LEAST 1 PARENT		
		. = Otherwise.....	35251	65.82
		1 = None (YEYARGUP = 1).....	3430	6.40
		2 = 1 or 2 Times (YEYARGUP = 2).....	5048	9.42
		3 = 3 to 5 Times (YEYARGUP = 3).....	3653	6.82
		4 = 6 to 9 Times (YEYARGUP = 4).....	1897	3.54
		5 = 10 or More Times (YEYARGUP = 5).....	4281	7.99
YTHATTAK	1	YOUTH ATTACKED W/INTENT TO HARM		
		. = Otherwise.....	35032	65.41
		1 = None (YEYATTAK = 1).....	16990	31.72
		2 = 1 or 2 Times (YEYATTAK = 2).....	1215	2.27
		3 = 3 to 5 Times (YEYATTAK = 3).....	184	0.34
		4 = 6 to 9 Times (YEYATTAK = 4).....	62	0.12
		5 = 10 or More Times (YEYATTAK = 5).....	77	0.14
YTHFIGHT	1	YOUTH HAD SERIOUS FIGHT AT SCHOOL/WORK		
		. = Otherwise.....	35065	65.47
		1 = None (YEYFGTSW = 1).....	14363	26.82
		2 = 1 or 2 Times (YEYFGTSW = 2).....	3076	5.74
		3 = 3 to 5 Times (YEYFGTSW = 3).....	683	1.28
		4 = 6 to 9 Times (YEYFGTSW = 4).....	193	0.36
		5 = 10 or More Times (YEYFGTSW = 5).....	180	0.34
YTHGRPFT	1	YOUTH FOUGHT W/GROUP VS OTHER GROUP		
		. = Otherwise.....	35067	65.47
		1 = None (YEYFGTGP = 1).....	15290	28.55
		2 = 1 or 2 Times (YEYFGTGP = 2).....	2336	4.36
		3 = 3 to 5 Times (YEYFGTGP = 3).....	533	1.00
		4 = 6 to 9 Times (YEYFGTGP = 4).....	151	0.28
		5 = 10 or More Times (YEYFGTGP = 5).....	183	0.34
YTHHGUN	1	YOUTH CARRIED A HANDGUN		
		. = Otherwise.....	35041	65.42
		1 = None (YEYHGUN = 1).....	17846	33.32
		2 = 1 or 2 Times (YEYHGUN = 2).....	434	0.81
		3 = 3 to 5 Times (YEYHGUN = 3).....	101	0.19
		4 = 6 to 9 Times (YEYHGUN = 4).....	41	0.08
		5 = 10 or More Times (YEYHGUN = 5).....	97	0.18
YTHSELL	1	YOUTH SOLD ILLEGAL DRUGS		
		. = Otherwise.....	35029	65.40
		1 = None (YEYSELL = 1).....	17840	33.31
		2 = 1 or 2 Times (YEYSELL = 2).....	369	0.69
		3 = 3 to 5 Times (YEYSELL = 3).....	119	0.22
		4 = 6 to 9 Times (YEYSELL = 4).....	53	0.10
		5 = 10 or More Times (YEYSELL = 5).....	150	0.28

YOUTH EXPERIENCES			PAGE:	347
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
YTHSTOLE	1	YOUTH STOLE/TRIED TO STEAL ITEM >\$50		
		. = Otherwise.....	35038	65.42
		1 = None (YEYSTOLE = 1).....	17656	32.96
		2 = 1 or 2 Times (YEYSTOLE = 2).....	599	1.12
		3 = 3 to 5 Times (YEYSTOLE = 3).....	129	0.24
		4 = 6 to 9 Times (YEYSTOLE = 4).....	53	0.10
		5 = 10 or More Times (YEYSTOLE = 5).....	85	0.16

IMPUTED HOUSEHOLD COMPOSITION (ROSTER)			PAGE:	348
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(FRELATON)		IMPUTED HOUSEHOLD COMPOSITION (ROSTER)		

IMOTHER	1	MOTHER IN HH		
		1 = R is 12-17, mother in hh.....	16941	31.63
		2 = R is 12-17, no mother in hh.....	1517	2.83
		3 = R is 12-17, don't know whether mother is in hh....	227	0.42
		4 = R is 18 or older.....	34875	65.11
IFATHER	1	FATHER IN HH		
		1 = R is 12-17, father in hh.....	13778	25.72
		2 = R is 12-17, no father in hh.....	4649	8.68
		3 = R is 12-17, don't know whether father is in hh....	258	0.48
		4 = R is 18 or older.....	34875	65.11
IRHHSIZ2	1	RECODE - IMPUTATION-REVISED # PERSONS IN HH		
		1 = One person in household.....	3733	6.97
		2 = Two people in household.....	11302	21.10
		3 = Three people in household.....	12677	23.67
		4 = Four people in household.....	13756	25.68
		5 = Five people in household.....	7264	13.56
		6 = 6 to 25 people in household.....	4828	9.01
IIHHSIZ2	1	IRHHSIZ2-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53329	99.57
		3 = Statistically imputed data.....	231	0.43
IRHH65_2	1	REC - IMPUTATION-REVISED # OF PER IN HH AGED>=65		
		1 = No people 65 or older in household.....	49033	91.55
		2 = One person 65 or older in household.....	3072	5.74
		3 = Two or more people 65 or older in household.....	1455	2.72
IIHH65_2	1	IRHH65_2-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52804	98.59
		2 = Logically imputed data.....	87	0.16
		3 = Statistically imputed data.....	669	1.25
IRKI17_2	1	RECODE - IMPUTATION-REVISED # KIDS AGED<18 IN HH		
		1 = No children under 18.....	19677	36.74
		2 = One child under 18.....	13111	24.48
		3 = Two children under 18.....	12311	22.99
		4 = Three or more children under 18.....	8461	15.80
IIKI17_2	1	IRKI17_2-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53066	99.08
		3 = Statistically imputed data.....	494	0.92

PREGNANCY AND HEALTH CARE			PAGE: 349	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QD72)		PREGNANCY AND HEALTH CARE		

		The next questions are about your health. Are you currently pregnant?		
PREGNANT	2	ARE YOU PREGNANT		
		1 = Yes.....	891	1.66
		2 = No.....	23217	43.35
		11 = Yes (but potentially inconsistent).....	20	0.04
		94 = DON'T KNOW.....	44	0.08
		97 = REFUSED.....	41	0.08
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP.....	29304	54.71
(QHC01)		Now we have some questions about any medical treatment you may have had in a hospital or emergency room.		
		During the past 12 months, that is since DATEFILL, how many different times have you been treated in an emergency room for any reason?		
NMERTMT2	2	# OF TIMES BEEN TREATED IN EMER ROOM PAST 12 MOS		
		RANGE = 0 - 30	53308	99.53
		31 = 31 or more.....	14	0.03
		94 = DON'T KNOW.....	68	0.13
		97 = REFUSED.....	86	0.16
		98 = BLANK (NO ANSWER).....	84	0.16
(QHC02)		During the past 12 months, how many different times have you stayed overnight or longer as a patient in a hospital?		
NMHSP0V2	2	# NIGHTS STAYED IN HOSPITAL OVERNIGHT OR LONGER		
		RANGE = 0 - 30	53355	99.62
		31 = 31 or more.....	12	0.02
		94 = DON'T KNOW.....	36	0.07
		97 = REFUSED.....	73	0.14
		98 = BLANK (NO ANSWER).....	84	0.16

PREGNANCY AND HEALTH CARE			PAGE: 350	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QHC03)		During the past 12 months, how many different times have you stayed overnight or longer in a hospital to receive treatment for psychological or emotional problems?		
NMHSPPE2	2	# NIGHT STAYED IN HOSPITAL FOR PSY/EMOTIONAL TREAT		
		RANGE = 0 - 30	4701	8.78
		31 = 31 or more.....	2	0.00
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	76	0.14
		98 = BLANK (NO ANSWER).....	120	0.22
		99 = LEGITIMATE SKIP.....	48658	90.85
(QHC04)		Have you received treatment for psychological or emotional problems at a mental health clinic or by a mental health professional on an outpatient basis in the past 12 months?		
OUTPEYR	2	BEEN OUTPATIENT AT MENTAL HEALTH CLINIC PAST 12 MO		
		1 = Yes.....	2608	4.87
		2 = No.....	50730	94.72
		94 = DON'T KNOW.....	35	0.07
		97 = REFUSED.....	102	0.19
		98 = BLANK (NO ANSWER).....	85	0.16
(HASJOIN)		NOTE: The variable PROXANS2 is a recoded variable that indicates whether the respondent or a proxy for the respondent was likely to have answered the questions on health insurance and income. HAS THE PERSON'S [QP02 FILL] JOINED R?		
PROXANS2	2	IS PROXY ANSWERING INSURANCE/INCOME QS		
		1 = Yes.....	15174	28.33
		2 = No.....	113	0.21
		7 = Unclear LOGICALLY ASSIGNED.....	521	0.97
		89 = LEGITIMATE SKIP Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	567	1.06
		99 = LEGITIMATE SKIP (Respondent answering).....	37143	69.35

PREGNANCY AND HEALTH CARE			PAGE: 351	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		NOTE: The remaining variables in this section are recoded variables that were created from one or more of the preceding edited variables from this same section or from other sections.		
PREG	1	Pregnant Females Aged 12-44		
		0 = Otherwise.....	52649	98.30
		1 = Pregnant Females Aged 12-44 (PREGNANT=1,11).....	911	1.70
PREG2	1	Pregnancy Status of Females Aged 12-44		
		. = Unknown (PREGNANT = 94,97,98).....	128	0.24
		1 = Pregnant (PREGNANT=1,11).....	911	1.70
		2 = Not Pregnant (PREGNANT=2).....	23217	43.35
		3 = Males/Females not age 12-44 (PREGNANT=99).....	29304	54.71
TRIMEST	1	Current Trimester of Pregnancy - Females Age 12-44		
		. = Unknown.....	3	0.01
		1 = 1st 3 months of pregnancy.....	272	0.51
		2 = 2nd 3 months of pregnancy.....	349	0.65
		3 = Last 3 months of pregnancy.....	287	0.54
		4 = Males/Not Pregnant Females.....	52649	98.30

INCOME AND INSURANCE			PAGE:	352
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		INCOME AND INSURANCE		

NOTE: Because of the complexity of the relationship between income and the household roster, for confidentiality reasons only imputed income variables are included on this public use file. Users can differentiate between imputed and non-imputed values using the imputation indicators.				
IRPSOC	1	IMP. REVISED- RESP RECEIVE SS OR RR PAYMENTS		
		1 = Yes.....	3990	7.45
		2 = No.....	49570	92.55
IIPSOC	1	IRPSOC - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52872	98.72
		3 = Statistically imputed data.....	688	1.28
IRFAMSOC	1	IMP. REVISED-FAM RECEIVE SS OR RR PAYMENTS		
		1 = Yes.....	6661	12.44
		2 = No.....	46899	87.56
IIFAMSOC	1	IRFAMSOC-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52378	97.79
		3 = Statistically imputed data.....	1182	2.21
IRPSSI	1	IMP. REVISED- RESP RECEIVE SSI		
		1 = Yes.....	1544	2.88
		2 = No.....	52016	97.12
IIPSSI	1	IRPSSI - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52745	98.48
		3 = Statistically imputed data.....	815	1.52
IRFAMSSI	1	IMP. REVISED- FAM RECEIVE SSI		
		1 = Yes.....	3128	5.84
		2 = No.....	50432	94.16
IIFAMSSI	1	IRFAMSSI-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52242	97.54
		3 = Statistically imputed data.....	1318	2.46
IRFSTAMP	1	IMP. REVISED-RESP/OTH FAM MEM REC FOOD STAMPS		
		1 = Yes.....	4394	8.20
		2 = No.....	49166	91.80

INCOME AND INSURANCE			PAGE:	353
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IIFSTAMP	1	IRFSTAMP-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52891	98.75
		3 = Statistically imputed data.....	669	1.25
IRPPMT	1	IMP. REVISED-RESP RECEIVE PUBLIC ASSIST		
		1 = Yes.....	2168	4.05
		2 = No.....	51392	95.95
IIPPMT	1	IRPPMT - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52895	98.76
		3 = Statistically imputed data.....	665	1.24
IRFAMPMT	1	IMP. REVISED-FAM RECEIVE PUBLIC ASSIST		
		1 = Yes.....	2883	5.38
		2 = No.....	50677	94.62
IIFAMPMT	1	IRFAMPMT -IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52607	98.22
		3 = Statistically imputed data.....	953	1.78
IRPSVC	1	IMP. REVISED- RESP REC WELFARE/JOB PL/CHILD CARE		
		1 = Yes.....	1702	3.18
		2 = No.....	51858	96.82
IIPSVC	1	IRPSVC - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52949	98.86
		3 = Statistically imputed data.....	611	1.14
IRFAMSVC	1	IMP. REVISED- FAM REC WELFARE/JOB PL/CHILDCARE		
		1 = Yes.....	2449	4.57
		2 = No.....	51111	95.43
IIFAMSVC	1	IRFAMSVC-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52659	98.32
		3 = Statistically imputed data.....	901	1.68
IRWELMOS	2	2IMP. REVISED- NO.OF MONTHS ON WELFARE		
		RANGE = 1 - 12	3780	7.06
		99 = LEGITIMATE SKIP.....	49780	92.94
IIWELMOS	1	IRWELMOS-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	3515	6.56
		2 = Logically Assigned data.....	57	0.11
		3 = Statistically imputed data.....	1236	2.31
		9 = Legitimate skip.....	48752	91.02

2The legitimate skip code 99 was assigned if the respondent had no other family members in household or if the corresponding respondent level variable is 1. A legitimate skip code of 89 was assigned if the number of other family members in the household (besides the respondent) was imputed to be 0 (IRFAMSKP=1).

INCOME AND INSURANCE			PAGE:	354
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRPINT	1	IMP.REVISED-RESP REC INTEREST SAVING/DIVIDEND		
		1 = Yes.....	29778	55.60
		2 = No.....	23782	44.40
IIPINT	1	IRPINT - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52220	97.50
		3 = Statistically imputed data.....	1340	2.50
IRFAMINT	1	IMP. REV-FAM REC INTEREST SAVING/DIVIDEND		
		1 = Yes.....	36440	68.04
		2 = No.....	17120	31.96
IIFAMINT	1	IRFAMINT-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	51329	95.83
		3 = Statistically imputed data.....	2231	4.17
IRPCHD	1	IMP. REVISED-RESP REC CHILD SUPPORT PAYMENTS		
		1 = Yes.....	3630	6.78
		2 = No.....	49930	93.22
IIPCHD	1	IRPCHD - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52939	98.84
		3 = Statistically imputed data.....	621	1.16
IRFAMCHD	1	IMP. REVISED-FAM REC CHILD SUPPORT PAYMENTS		
		1 = Yes.....	5949	11.11
		2 = No.....	47611	88.89
IIFAMCHD	1	IRFAMCHD -IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52620	98.24
		3 = Statistically imputed data.....	940	1.76
IRPWAG	1	IMP. REVISED-RESP RECEIVE INCOME FROM JOB		
		1 = Yes.....	34128	63.72
		2 = No.....	19432	36.28
IIPWAG	1	IRPWAG - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53085	99.11
		3 = Statistically imputed data.....	475	0.89
IRFAMWAG	1	IMP. REVISED-FAM REC INCOME FROM JOB		
		1 = Yes.....	48522	90.59
		2 = No.....	5038	9.41
IIFAMWAG	1	IRFAMWAG -IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52881	98.73
		3 = Statistically imputed data.....	679	1.27

INCOME AND INSURANCE			PAGE:	355
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRPOTH	1	IMP.REVISED-RESP REC OTH INCOME FROM OTH SOURCE		
		1 = Yes.....	2907	5.43
		2 = No.....	50653	94.57
IIPOTH	1	IRPOTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52921	98.81
		3 = Statistically imputed data.....	639	1.19
IRFAMOTH	1	IMP. REVISED-FAM REC OTH INC FR OTH SOURCE		
		1 = Yes.....	6010	11.22
		2 = No.....	47550	88.78
IIFAMOTH	1	IRFAMOTH -IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52312	97.67
		3 = Statistically imputed data.....	1248	2.33
IRPINC3	1	RECODE - IMP.REVISED-RESP'S TOT INC (FINER CAT.)		
		1 = \$0 - \$9,999 (Including Loss).....	30322	56.61
		2 = \$10,000 - \$19,999.....	8942	16.70
		3 = \$20,000 - \$29,999.....	5946	11.10
		4 = \$30,000 - \$39,999.....	3548	6.62
		5 = \$40,000 - \$49,999.....	1983	3.70
		6 = \$50,000 - \$74,999.....	1698	3.17
		7 = \$75,000 or more.....	1121	2.09
IIPINC3	1	IRPINC3 - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	50026	93.40
		3 = Statistically imputed data.....	3534	6.60
IRFAMIN3	1	RECODE - IMP.REVISED -TOT FAM INCOME (FINER CAT)		
		1 = \$0 - \$9,999 (Including Loss).....	5470	10.21
		2 = \$10,000 - \$19,999.....	7798	14.56
		3 = \$20,000 - \$29,999.....	7779	14.52
		4 = \$30,000 - \$39,999.....	7576	14.14
		5 = \$40,000 - \$49,999.....	7028	13.12
		6 = \$50,000 - \$74,999.....	9285	17.34
		7 = \$75,000 or more.....	8624	16.10
IIFAMIN3	1	IRFAMIN3 -IMPUTATION INDICATOR		
		1 = Questionnaire data.....	44942	83.91
		3 = Statistically imputed data.....	8618	16.09

INCOME AND INSURANCE			PAGE:	356
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		NOTE: The variable HLCALLFG is a created "flag" variable that indicates when a respondent (or proxy) answered yes to MEDICARE, MEDICAID, CHAMPUS, and PRVHLTIN (see below), indicating that the respondent was currently covered by all of these forms of health insurance.		
HLCALLFG	2	FLAG IF EVERY FORM OF HEALTH INS REPORTED		
		1 = Answered yes to all current health insurance Qs...	68	0.13
		98 = BLANK (NO ANSWER).....	53492	99.87
(QHI01)		The next questions are about SAMPLE MEMBER'S health insurance coverage and the kinds and amounts of income that SAMPLE MEMBER and other people in your family receive.		
		People covered by Medicare have a card that looks like this. (Are you/Is SAMPLE MEMBER) covered by Medicare? (Medicare is a health insurance program for persons 65 and older and for certain disabled persons.)		
MEDICARE	2	COVERED BY MEDICARE		
		1 = Yes.....	3663	6.84
		2 = No.....	49331	92.10
		94 = DON'T KNOW.....	337	0.63
		97 = REFUSED.....	140	0.26
		98 = BLANK (NO ANSWER).....	89	0.17
(QHI02)		(Are you / Is SAMPLE MEMBER) currently covered by Medicaid or Medical Assistance? Medicaid or Medical Assistance is a public assistance program that pays for medical care. (In this state, Medicaid is also known as MEDICAID STATE NAME(S); Medical Assistance may be known as MEDICAL ASSISTANCE STATE NAME(S).)		
MEDICAID	2	COVERED BY MEDICAID		
		1 = Yes.....	5543	10.35
		2 = No.....	47250	88.22
		94 = DON'T KNOW.....	530	0.99
		97 = REFUSED.....	148	0.28
		98 = BLANK (NO ANSWER).....	89	0.17

INCOME AND INSURANCE			PAGE: 357	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(QHI03)		(Are you/Is SAMPLE MEMBER) currently covered by CHAMPUS or TRICARE, CHAMPVA, the VA, or military health care?		
		These programs cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.		
CHAMPUS	2	COVERED BY CHAMPUS, CHAMPVA, VA, MILITARY		
		1 = Yes.....	1555	2.90
		2 = No.....	51326	95.83
		94 = DON'T KNOW.....	450	0.84
		97 = REFUSED.....	140	0.26
		98 = BLANK (NO ANSWER).....	89	0.17
(QHI04)		Private health insurance can be obtained through work, such as through an employer, union, or professional association or by paying premiums directly to a health insurance company.		
		(Are you/Is SAMPLE MEMBER) currently covered by private health insurance?		
PRVHLTIN	2	COVERED BY PRIVATE INSURANCE		
		1 = Yes.....	38751	72.35
		2 = No.....	13959	26.06
		94 = DON'T KNOW.....	615	1.15
		97 = REFUSED.....	146	0.27
		98 = BLANK (NO ANSWER).....	89	0.17
(QHI05)		(Was your/SAMPLE MEMBER'S) private health insurance obtained through work, such as through an employer, union, or professional association?		
GRPHLTIN	2	PRIVATE PLAN OFFERED THROUGH EMPLOYER OR UNION		
		1 = Yes.....	35386	66.07
		2 = No.....	3207	5.99
		94 = DON'T KNOW.....	151	0.28
		97 = REFUSED.....	152	0.28
		98 = BLANK (NO ANSWER).....	705	1.32
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	13959	26.06

INCOME AND INSURANCE			PAGE: 358	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(QHI06A)		Does (your/SAMPLE MEMBER'S) private health insurance include coverage for treatment for any of the following conditions?		
		Alcohol abuse or alcoholism?		
HLTINALC	2	ALCOHOL ABUSE OR ALCOHOLISM		
		1 = Yes.....	18731	34.97
		2 = No.....	5050	9.43
		94 = DON'T KNOW.....	14910	27.84
		97 = REFUSED.....	205	0.38
		98 = BLANK (NO ANSWER).....	705	1.32
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	13959	26.06
(QHI06B)		Drug abuse?		
HLTINDRG	2	DRUG ABUSE		
		1 = Yes.....	18471	34.49
		2 = No.....	5150	9.62
		94 = DON'T KNOW.....	15048	28.10
		97 = REFUSED.....	227	0.42
		98 = BLANK (NO ANSWER).....	705	1.32
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	13959	26.06
(QHI06C)		Mental or emotional problems?		
HLTINMNT	2	MENTAL OR EMOTIONAL DIFFICULTIES		
		1 = Yes.....	23280	43.47
		2 = No.....	3952	7.38
		94 = DON'T KNOW.....	11472	21.42
		97 = REFUSED.....	192	0.36
		98 = BLANK (NO ANSWER).....	705	1.32
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	13959	26.06
(QHI07)		During the past 12 months, was there any time when (you/SAMPLE MEMBER) did not have any kind of health insurance or coverage?		
HLCNOTYR	2	ANYTIME DID NOT HAVE HEALTH INS/COVER PAST 12 MOS		
		1 = Yes.....	4195	7.83
		2 = No.....	40362	75.36
		94 = DON'T KNOW.....	368	0.69
		97 = REFUSED.....	130	0.24
		98 = BLANK (NO ANSWER).....	740	1.38
		99 = LEGITIMATE SKIP.....	7765	14.50

INCOME AND INSURANCE			PAGE:	359
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QHI08)		During the past 12 months, about how many months were (you/SAMPLE MEMBER) without any kind of health insurance or coverage?		
HLCNOTMO	2	PAST 12 MOS, HOW MANY MOS W/O COVERAGE		
		RANGE = 1 - 12	4153	7.75
		94 = DON'T KNOW.....	42	0.08
		97 = REFUSED.....	130	0.24
		98 = BLANK (NO ANSWER).....	1108	2.07
		99 = LEGITIMATE SKIP.....	48127	89.86
(QHI09)		NOTE: In the variable HLCLAST, codes of 11 through 15 were assigned when there was some inconsistency between the answer to HLCLAST and data on why the respondent lost coverage, or never had coverage. Codes of 11 through 14 indicate that the respondent (or proxy) reported not being currently covered by any of the forms of health insurance asked about in the interview but an answer was specified in the variable HLLSORS2 to indicate that the respondent currently had health insurance (HLLSORS2 = 90). Similarly, a code of 15 was assigned to HLCLAST if the respondent (or proxy) reported never having health insurance but an answer was specified in the variable HLNVP2 to indicate that the respondent currently or formerly had health insurance (HLNVP2 = 90 or 92).		
		About how long has it been since (you/SAMPLE MEMBER) last had any kind of health coverage?		
HLCLAST	2	TIME SINCE LAST HAD HEALTH CARE COVERAGE		
		1 = Within the past 6 months.....	1445	2.70
		2 = More than 6 months ago, but within the past year..	1001	1.87
		3 = More than 1 year ago, but within the past 3 years.	1595	2.98
		4 = More than 3 years ago.....	1671	3.12
		5 = Never had coverage.....	1861	3.47
		11 = Within the past 6 months (HLLSORS2=90).....	13	0.02
		13 = More than 1 yr ago but w/in pst 3 yr (HLLSORS2=90)	1	0.00
		14 = More than 3 years ago (HLLSORS2=90).....	1	0.00
		15 = Never had coverage (HLNVP2=90,92).....	19	0.04
		94 = DON'T KNOW.....	153	0.29
		97 = REFUSED.....	125	0.23
		98 = BLANK (NO ANSWER).....	739	1.38
		99 = LEGITIMATE SKIP.....	44936	83.90

INCOME AND INSURANCE			PAGE:	360
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(QHI10)		When (you were/SAMPLE MEMBER was) last covered, what kind of health care coverage did (you/SAMPLE MEMBER) have?		
HLCPRIVT	2	PRIVATE HEALTH INSURANCE		
		1 = Response entered.....	3797	7.09
		3 = Response entered LOGICALLY ASSIGNED.....	103	0.19
		6 = Response not entered.....	1789	3.34
		94 = DON'T KNOW.....	188	0.35
		97 = REFUSED.....	128	0.24
		98 = BLANK (NO ANSWER).....	739	1.38
		99 = LEGITIMATE SKIP.....	46816	87.41
HLCMCAID	2	MEDICAID OR MEDICAL ASSISTANCE		
		1 = Response entered.....	1261	2.35
		3 = Response entered LOGICALLY ASSIGNED.....	18	0.03
		6 = Response not entered.....	4410	8.23
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	188	0.35
		97 = REFUSED.....	128	0.24
		98 = BLANK (NO ANSWER).....	739	1.38
		99 = LEGITIMATE SKIP.....	46815	87.41
HLCMILT	2	MILITARY HEALTH CARE (CHAMPUS, TRICARE, CHAMPVA, VA)		
		1 = Response entered.....	109	0.20
		6 = Response not entered.....	5580	10.42
		94 = DON'T KNOW.....	188	0.35
		97 = REFUSED.....	128	0.24
		98 = BLANK (NO ANSWER).....	739	1.38
		99 = LEGITIMATE SKIP.....	46816	87.41
HLCMCARE	2	MEDICARE		
		1 = Response entered.....	85	0.16
		6 = Response not entered.....	5604	10.46
		94 = DON'T KNOW.....	188	0.35
		97 = REFUSED.....	128	0.24
		98 = BLANK (NO ANSWER).....	739	1.38
		99 = LEGITIMATE SKIP.....	46816	87.41
HLCGOVVT	2	SOME OTHER GOVERNMENT PROGRAM		
		1 = Response entered.....	208	0.39
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	5480	10.23
		94 = DON'T KNOW.....	188	0.35
		97 = REFUSED.....	128	0.24
		98 = BLANK (NO ANSWER).....	739	1.38
		99 = LEGITIMATE SKIP.....	46816	87.41

INCOME AND INSURANCE			PAGE: 361	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
HLCOTHER	2	SOME OTHER KIND OF COVERAGE (SPECIFY)		
		1 = Response entered.....	252	0.47
		6 = Response not entered.....	5437	10.15
		94 = DON'T KNOW.....	188	0.35
		97 = REFUSED.....	128	0.24
		98 = BLANK (NO ANSWER).....	739	1.38
		99 = LEGITIMATE SKIP.....	46816	87.41
HLCOTHS2	2	LAST KIND OF HEALTH COVERAGE SPECIFIED		
		1 = Private health insurance.....	103	0.19
		2 = Medicaid or medical assistance.....	18	0.03
		5 = Some other government program.....	1	0.00
		6 = Some other kind of coverage.....	8	0.01
		7 = Public health service/indian hlth hospital or clnc	8	0.01
		8 = Health care coverage outside of usa.....	14	0.03
		9 = School/sport-related health care coverage.....	39	0.07
		61 = Does not have medical insurance.....	5	0.01
		85 = BAD DATA Logically assigned.....	14	0.03
		90 = NEVER HAD HEALTH CARE COVERAGE.....	2	0.00
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	130	0.24
		98 = BLANK (NO ANSWER).....	927	1.73
		99 = LEGITIMATE SKIP.....	52253	97.56
(QHI11A)		Which of the reasons on this card describe why (you/SAMPLE MEMBER) stopped being covered by health insurance?		
HLLLOSJB	2	PERS IN FAM W/HEALTH INS LOST JOB/CHANGED EMP		
		1 = Response entered.....	1517	2.83
		3 = Response entered LOGICALLY ASSIGNED.....	115	0.21
		6 = Response not entered.....	4081	7.62
		94 = DON'T KNOW.....	155	0.29
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	740	1.38
		99 = LEGITIMATE SKIP.....	46816	87.41

INCOME AND INSURANCE			PAGE:	362
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(QHI11A)		NOTE: In the variables HLLMAJOB and HLLMASOR, codes of 11 and 13 were assigned when respondents reported losing Medicaid or medical assistance for some reason (implying prior coverage by Medicaid or other government-sponsored medical assistance) but they had not previously reported that they were last covered by Medicaid or by some other government program.		
HLLMAJOB	2	LOST MEDICAID/MED ASSIST B/C NEW JOB/PAY INCREASE		
		1 = Response entered.....	434	0.81
		3 = Response entered LOGICALLY ASSIGNED.....	10	0.02
		6 = Response not entered.....	5135	9.59
		11 = Response entered (potl incons w/last coverage)....	131	0.24
		13 = Response entered LOG ASSN (potl incons).....	3	0.01
		94 = DON'T KNOW.....	155	0.29
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	740	1.38
		99 = LEGITIMATE SKIP.....	46816	87.41
HLLMASOR	2	LOST MEDICAID/MED ASSIST FOR SOME OTH REASON		
		1 = Response entered.....	413	0.77
		3 = Response entered LOGICALLY ASSIGNED.....	28	0.05
		6 = Response not entered.....	5201	9.71
		11 = Response entered (potl incons w/last coverage)....	70	0.13
		13 = Response entered LOG ASSN (potl incons).....	1	0.00
		94 = DON'T KNOW.....	155	0.29
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	740	1.38
		99 = LEGITIMATE SKIP.....	46816	87.41
HLLCOST	2	COST TOO HIGH/CAN'T AFFORD PREMIUMS		
		1 = Response entered.....	1067	1.99
		3 = Response entered LOGICALLY ASSIGNED.....	18	0.03
		6 = Response not entered.....	4628	8.64
		94 = DON'T KNOW.....	155	0.29
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	740	1.38
		99 = LEGITIMATE SKIP.....	46816	87.41
HLLLINELG	2	BECAME INELIGIBLE B/C AGE OR LEAVING SCHOOL		
		1 = Response entered.....	1074	2.01
		3 = Response entered LOGICALLY ASSIGNED.....	24	0.04
		6 = Response not entered.....	4615	8.62
		94 = DON'T KNOW.....	155	0.29
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	740	1.38
		99 = LEGITIMATE SKIP.....	46816	87.41

INCOME AND INSURANCE			PAGE: 363	
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
HLLNOFFR	2	EMPLOYER DOES NOT OFFER COVERAGE/NOT ELIGIBLE		
		1 = Response entered.....	444	0.83
		3 = Response entered LOGICALLY ASSIGNED.....	9	0.02
		6 = Response not entered.....	5260	9.82
		94 = DON'T KNOW.....	155	0.29
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	740	1.38
		99 = LEGITIMATE SKIP.....	46816	87.41
HLLDIVOR	2	DIVORCED/SEPARATED FROM PERSON W/INSURANCE		
		1 = Response entered.....	137	0.26
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	5573	10.41
		94 = DON'T KNOW.....	155	0.29
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	740	1.38
		99 = LEGITIMATE SKIP.....	46816	87.41
HLLDEATH	2	DEATH OF SPOUSE OR PARENT		
		1 = Response entered.....	40	0.07
		6 = Response not entered.....	5673	10.59
		94 = DON'T KNOW.....	155	0.29
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	740	1.38
		99 = LEGITIMATE SKIP.....	46816	87.41
HLLREFUS	2	INSURANCE COMPANY REFUSED COVERAGE		
		1 = Response entered.....	60	0.11
		3 = Response entered LOGICALLY ASSIGNED.....	9	0.02
		6 = Response not entered.....	5644	10.54
		94 = DON'T KNOW.....	155	0.29
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	740	1.38
		99 = LEGITIMATE SKIP.....	46816	87.41
HLLNONED	2	DON'T NEED IT		
		1 = Response entered.....	165	0.31
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	5546	10.35
		94 = DON'T KNOW.....	155	0.29
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	740	1.38
		99 = LEGITIMATE SKIP.....	46816	87.41

INCOME AND INSURANCE			PAGE:	364
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
HLLSOR	2	LOST HEALTH INSURANCE FOR SOME OTHER REASON		
		1 = Response entered.....	476	0.89
		6 = Response not entered.....	5237	9.78
		94 = DON'T KNOW.....	155	0.29
		97 = REFUSED.....	136	0.25
		98 = BLANK (NO ANSWER).....	740	1.38
		99 = LEGITIMATE SKIP.....	46816	87.41
HLLSORS2	2	OTHER REASON FOR LOSING HLTH INS - SPECIFY		
		1 = Person in family w/ ins lost job/chngd employers..	115	0.21
		2 = Lost medicaid or med assist cov b/c new job/income	13	0.02
		3 = Lost medicaid or med assist cov for other reason..	29	0.05
		4 = Cost is too high/can't afford premiums.....	19	0.04
		5 = Became ineligible b/c of age or leaving school....	24	0.04
		6 = Employer doesn't offer cov/not eligible for cov...	9	0.02
		7 = Got divorced or separated from person w/ ins.....	3	0.01
		9 = Insurance company refused coverage.....	9	0.02
		10 = Don't need it.....	2	0.00
		11 = Some other reason.....	18	0.03
		12 = Have not applied or reapplied for ins coverage....	12	0.02
		13 = Applied ins/medicaid,waiting for activation/eligib	12	0.02
		14 = Ineligible b/c moved out of parents home/got marri	38	0.07
		16 = Non-us citizen.....	21	0.04
		19 = Self-employed/parents self-employed.....	5	0.01
		20 = Dissatisfied with previous/available coverage.....	7	0.01
		21 = Don't believe in/trust medical profession/ins co..	3	0.01
		22 = Had ins in another country before moving to US....	11	0.02
		23 = Moved/don't have same coverage.....	32	0.06
		25 = Don't qualify, no reason specified.....	8	0.01
		26 = Dropped coverage, no reason specified.....	8	0.01
		39 = Employer/respondent is changing insurance plans...	5	0.01
		41 = Parent/guardian doesn't/won't provide coverage....	10	0.02
		42 = Ins co didn't receive payment/paperwork in time...	7	0.01
		44 = Student/becoming stdnt(elg for oth cov unk).....	5	0.01
		85 = BAD DATA LOGICALLY ASSIGNED.....	8	0.01
		90 = CURRENTLY COVERED BY HEALTH INSURANCE.....	16	0.03
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	150	0.28
		98 = BLANK (NO ANSWER).....	895	1.67
		99 = LEGITIMATE SKIP.....	52053	97.19

INCOME AND INSURANCE			PAGE:	365
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(QHI11B)		Which of the reasons on this card describe why (you/SAMPLE MEMBER) have never had health insurance coverage?		
HLNV COST	2	COST TOO HIGH		
		1 = Response entered.....	1076	2.01
		3 = Response entered LOGICALLY ASSIGNED.....	9	0.02
		6 = Response not entered.....	771	1.44
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	122	0.23
		98 = BLANK (NO ANSWER).....	821	1.53
		99 = LEGITIMATE SKIP.....	50740	94.73
HLNV OFFER	2	EMPLOYER DOESN'T OFFER		
		1 = Response entered.....	378	0.71
		3 = Response entered LOGICALLY ASSIGNED.....	8	0.01
		6 = Response not entered.....	1470	2.74
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	122	0.23
		98 = BLANK (NO ANSWER).....	821	1.53
		99 = LEGITIMATE SKIP.....	50740	94.73
HLNV REF	2	INSURANCE COMPANY REFUSED COVERAGE		
		1 = Response entered.....	32	0.06
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1823	3.40
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	122	0.23
		98 = BLANK (NO ANSWER).....	821	1.53
		99 = LEGITIMATE SKIP.....	50740	94.73
HLNV NEED	2	DON'T NEED IT		
		1 = Response entered.....	305	0.57
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	1546	2.89
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	122	0.23
		98 = BLANK (NO ANSWER).....	821	1.53
		99 = LEGITIMATE SKIP.....	50740	94.73
HLNV SOR	2	NEVER HAD HLTH INS SOME OTHER REASON		
		1 = Response entered.....	145	0.27
		6 = Response not entered.....	1711	3.19
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	122	0.23
		98 = BLANK (NO ANSWER).....	821	1.53
		99 = LEGITIMATE SKIP.....	50740	94.73

INCOME AND INSURANCE			PAGE:	366
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
HLNVSP2	2	OTHER REASON NEVER HAD HLTH INS - SPECIFY		
		1 = Cost is too high/can't afford premiums.....	10	0.02
		2 = Employer doesn't offer cov/not eligible for cov...	8	0.01
		3 = Insurance company refused coverage.....	1	0.00
		4 = Don't need it.....	5	0.01
		5 = Some other reason.....	5	0.01
		7 = Have never applied for/thought about ins covrg....	10	0.02
		8 = Religious beliefs/don't trust medical prof/ins co.	9	0.02
		11 = No one has ever offered.....	3	0.01
		12 = Non-US citizen.....	16	0.03
		13 = Don't want insurance.....	6	0.01
		14 = Prefer to pay cash.....	3	0.01
		15 = Never had insurance, no reason specified.....	7	0.01
		16 = Parent/guardian don't/won't provide coverage.....	7	0.01
		17 = Ineligible, other reasons.....	3	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		90 = CURRENTLY COVERED BY HEALTH INSURANCE.....	17	0.03
		91 = ASSISTANCE PROVIDED BY CHURCH/COMMUNITY.....	12	0.02
		92 = HAVE BEEN COVERED BY HEALTH INSURANCE IN PAST.....	2	0.00
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	125	0.23
		98 = BLANK (NO ANSWER).....	842	1.57
		99 = LEGITIMATE SKIP.....	52451	97.93
IRPINSUR	1	IMPUTATION-REVISED PRIVATE HEALTH INSURANCE		
		1 = Yes, respondent does have private health insurance	39375	73.52
		2 = No, respondent does not have private health insur.	14185	26.48
IIPINSUR	1	IMPUTATION -INDICATOR IRPINSUR		
		1 = Questionnaire data.....	52710	98.41
		3 = Statistically imputed data.....	850	1.59
IRINSUR	1	IMPUTATION-REVISED HEALTH INSURANCE		
		1 = Yes, respondent does have health insurance.....	45640	85.21
		2 = No, respondent does not have health insurance.....	7920	14.79
IIINSUR	1	IMPUTATION-INDICATOR IRINSUR		
		1 = Questionnaire data.....	52701	98.40
		3 = Statistically imputed data.....	859	1.60

INTERVIEW INFORMATION			PAGE: 367	
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		INTERVIEW INFORMATION		

LANGVER	2	LANGUAGE VERSION		
		1 = English.....	52001	97.09
		2 = Spanish.....	1557	2.91
		98 = BLANK (NO ANSWER).....	2	0.00
QUARTER	1	QUARTER INDICATOR		
		1 = Quarter 1.....	11557	21.58
		2 = Quarter 2.....	10450	19.51
		3 = Quarter 3.....	16390	30.60
		4 = Quarter 4.....	15163	28.31
QTRFIELD	1	ACTUAL QUARTER FIELDDED		
		1 = Quarter 1.....	10117	18.89
		2 = Quarter 2.....	11890	22.20
		3 = Quarter 3.....	16390	30.60
		4 = Quarter 4.....	15163	28.31
GQTYPE	1	TYPE OF GROUP QUARTER		
		= Not a Group Quarter.....	52700	98.3
		1 = Halfway House.....	8	0.01
		B = Boarding House.....	3	0.01
		C = College Dorm.....	711	1.33
		O = Other.....	125	0.23
		S = Shelter.....	13	0.02

CORE DEMOGRAPHICS			PAGE:	368
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(AGE1)		CORE DEMOGRAPHICS		

NOTE: After a respondent has entered his/her birthdate in the first part of the questionnaire, he/she has multiple opportunities to change his/her age in response to consistency checks throughout the questionnaire. It is therefore possible for the age recorded by the respondent at the beginning of the questionnaire to be different than the age at the end of the questionnaire. The final age variable is determined using these two constituent age variables, in addition to the age calculated from the raw birthdate and the final edited interview date, the age entered in the questionnaire roster (if it exists), and the pre-interview screener age.

AGE2	2	RECODE - FINAL EDITED AGE		
		1 = Respondent is 12 years old.....	2931	5.47
		2 = Respondent is 13 years old.....	3335	6.23
		3 = Respondent is 14 years old.....	3256	6.08
		4 = Respondent is 15 years old.....	3087	5.76
		5 = Respondent is 16 years old.....	3148	5.88
		6 = Respondent is 17 years old.....	2928	5.47
		7 = Respondent is 18 years old.....	2512	4.69
		8 = Respondent is 19 years old.....	2272	4.24
		9 = Respondent is 20 years old.....	2143	4.00
		10 = Respondent is 21 years old.....	2042	3.81
		11 = Respondent is 22 or 23 years old.....	4042	7.55
		12 = Respondent is 24 or 25 years old.....	4070	7.60
		13 = Respondent is between 26 and 29 years old.....	3235	6.04
		14 = Respondent is between 30 and 34 years old.....	3966	7.40
		15 = Respondent is between 35 and 49 years old.....	5707	10.66
		16 = Respondent is between 50 and 64 years old.....	2639	4.93
		17 = Respondent is 65 years old or older.....	2247	4.20
(QD08)		How many times have you been married?		
NOMARR2	2	NUMBER OF TIMES MARRIED		
		1 = One time.....	15158	28.30
		2 = Two or more times.....	3380	6.31
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	48	0.09
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP.....	34966	65.28

CORE DEMOGRAPHICS			PAGE: 369	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(QD09)		Have you ever been in the United States' armed forces?		
SERVICE	2	EVER BEEN IN THE US ARMED FORCES		
		1 = Yes.....	2921	5.45
		2 = No.....	34878	65.12
		89 = LEGITIMATE SKIP Logically assigned.....	5	0.01
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	15752	29.41
(QD10)		Are you currently on active duty in the armed forces, in a reserves component, or now separated or retired from either reserves or active duty?		
MILSTAT	2	CURRENT MILITARY STATUS		
		2 = In a reserves component.....	255	0.48
		3 = Now separated/retired from reserves/active duty...	2637	4.92
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	50635	94.54
(QD12)		This question is about your overall health. Would you say your health in general is excellent, very good, good, fair, or poor?		
HEALTH	2	OVERALL HEALTH		
		1 = Excellent.....	18346	34.25
		2 = Very good.....	19940	37.23
		3 = Good.....	11926	22.27
		4 = Fair.....	2795	5.22
		5 = Poor.....	533	1.00
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	3	0.01

IMPUTED DEMOGRAPHICS			PAGE: 370	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		IMPUTED DEMOGRAPHICS		

IRSEX	1	IMPUTATION REVISED GENDER		
		1 = Male.....	25681	47.95
		2 = Female.....	27879	52.05
IISEX	1	IMPUTATION REVISED GENDER INDICATOR		
		1 = Sex from questionnaire.....	53557	99.99
		2 = Sex from screener.....	3	0.01
IRMARIT	2	IMPUTATION REVISED MARITAL STATUS		
		1 = Married.....	14803	27.64
		2 = Widowed.....	1048	1.96
		3 = Divorced or Separated.....	2727	5.09
		4 = Never Been Married.....	25460	47.54
		99 = LEGITIMATE SKIP.....	9522	17.78
IIMARIT	1	IMPUTATION REVISED MARITAL STATUS INDICATOR		
		1 = Marital status from questionnaire.....	44009	82.17
		3 = Marital status statistically imputed.....	29	0.05
		9 = LEGITIMATE SKIP Respondent is <= 14 years old.....	9522	17.78
IREduc2	2	RECODE - IMPUTATION REVISED EDUCATION		
		1 = Fifth grade or less.....	1357	2.53
		2 = Sixth grade.....	3306	6.17
		3 = Seventh grade.....	3459	6.46
		4 = Eighth grade.....	4028	7.52
		5 = Ninth grade.....	4004	7.48
		6 = Tenth grade.....	4068	7.60
		7 = Eleventh grade.....	4242	7.92
		8 = Twelfth grade.....	12800	23.90
		9 = Freshman/13th year.....	3669	6.85
		10 = Sophomore/14th year or Junior/15th year.....	6035	11.27
		11 = Senior/16th year or Graduate/Prof School (or highe	6592	12.31
IIEduc2	1	IMPUTATION REVISED EDUCATION INDICATOR		
		1 = Education from questionnaire.....	53540	99.96
		3 = Education statistically imputed.....	20	0.04

IMPUTED DEMOGRAPHICS			PAGE:	371
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NOTE: In past years, an imputation-revised work status variable IRWORKST was created, and then a recoded variable EMPSTAT2 was created by collapsing categories of IRWORKST. In 1999, IRWORKST was not created, and EMPSTAT3 is the statistically imputed employment status variable.				
EMPSTAT3	1	IMPUTATION REVISED EMPLOYMENT STATUS		
		1 = Employed full time.....	20389	38.07
		2 = Employed part time.....	5797	10.82
		3 = Unemployed.....	1303	2.43
		4 = Other.....	7386	13.79
		5 = 12-17 year olds.....	18685	34.89
IIEMPST3	1	IMPUTATION REVISED EMPLOYMENT STATUS INDICATOR		
		1 = Employment status from questionnaire.....	34625	64.65
		3 = Employment statistically imputed.....	250	0.47
		4 = 12-17 years old.....	18685	34.89
This variable was created after EMPSTAT3, mainly to promote consistency between 1999, 2000, and 2001. Because of changes to the 2001 questionnaire, a 2001 variable consistent with EMPSTAT3 could not be created. It differs from EMPSTAT3 in two ways. First, it does not incorporate information from the other-specify answers to the employment status questions of the questionnaire (QD30 and QD31). Second, the mapping between the questionnaire and the final employment status variable has been altered slightly to ensure consistency with the definition of "unemployed" in the Current Population Survey.				
EMPSTAT4	1	IMP. REV. WORK STATUS CPS NO OTH. SPEC.		
		1 = Employed full time.....	20332	37.96
		2 = Employed part time.....	5791	10.81
		3 = Unemployed.....	1117	2.09
		4 = Other (incl. not in labor force).....	7635	14.26
		5 = 12-17 year olds.....	18685	34.89
IIEMPST4	1	IMPUTATION REVISED EMPLOYMENT STATUS INDICATOR		
		1 = Employment status from questionnaire.....	34767	64.91
		3 = Employment statistically imputed.....	108	0.20
		4 = 12-17 years old.....	18685	34.89

IMPUTED DEMOGRAPHICS			PAGE:	372
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
<p>The following variable, EMPSTATY, was created to promote consistency across survey years. The similar variable EMPSTAT3 was created in 1999 and 2000; it could not be created in the survey years since 2001 because of changes to the questionnaire. (See the comment before JBSTATR2 for more details.) The levels of EMPSTATY are close to those in the Current Population Survey. The main difference is that EMPSTATY considers people who did not have a job last week and were not looking for a job all to be unemployed. In comparison, the CPS definition requires people who did not have a job last week and were not looking for a job to be waiting to be recalled to their old job, in order for them to be classified as unemployed.</p>				
EMPSTATY	1	IMPUTATION REVISED EMPLOYMENT STATUS		
		1 = Employed full time.....	20890	39.00
		2 = Employed part time.....	8790	16.41
		3 = Unemployed.....	1460	2.73
		4 = Other.....	12898	24.08
		5 = 12-17 year olds.....	9522	17.78
IIEMPSTY	1	IMPUTATION REVISED EMPLOYMENT STATUS INDICATOR		
		1 = Employment status from questionnaire.....	43901	81.97
		3 = Employment statistically imputed.....	137	0.26
		4 = 12-17 years old.....	9522	17.78
NRCH17_2	1	# R'S CHILDREN < 18 IN HOUSEHOLD		
		. = Missing.....	431	0.80
		0 = No children.....	41731	77.91
		1 = One child.....	5220	9.75
		2 = Two children.....	4181	7.81
		3 = Three or more children.....	1997	3.73

NON-CORE DEMOGRAPHICS			PAGE:	373
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	---
(QD13)		NON-CORE DEMOGRAPHICS		

		For the remaining questions, I will read the question out loud, you can tell me your answer, and I will enter it into the computer.		
		How many times in the past 12 months have you moved?		
MOVESPY2	3	# TIMES MOVED PAST 12 MONTHS		
		0 = None.....	38290	71.49
		1 = One time.....	9643	18.00
		2 = Two times.....	3134	5.85
		3 = Three or more times.....	2335	4.36
		994 = DON'T KNOW.....	50	0.09
		997 = REFUSED.....	34	0.06
		998 = BLANK (NO ANSWER).....	74	0.14
(QD17)		NOTE: The school enrollment variable ENROLED was assigned codes of 11 or 52 if the respondent reported currently being enrolled (in the case of the code of 11) or not being enrolled (in the case of the code of 52) but there was uncertainty about the respondent's school enrollment status.		
		The next questions are about school. Are you now attending or are you currently enrolled in school? By "school," we mean an elementary school, a junior high or middle school, a high school, or a college or university.		
ENROLED	2	NOW ENROLLED IN ANY SCHOOL		
		1 = Yes.....	26135	48.80
		2 = No.....	27246	50.87
		3 = Yes LOGICALLY ASSIGNED (LFSCHRS2=777,778).....	26	0.05
		5 = Yes LOGICALLY ASSIGNED (LFSCHRS2=601).....	38	0.07
		11 = Yes (SCHDSKIP = 30).....	12	0.02
		52 = Summer interview (not enrolled & HSDIPLMA=4).....	4	0.01
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	75	0.14

NON-CORE DEMOGRAPHICS			PAGE: 374	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(QD18)		In what grade or year of school are you now enrolled? Please tell me the number from the card.		
EDUCNOW2	2	RECODE- WHAT GRADE IN NOW		
		1 = 2nd Grade through 5th Grade.....	106	0.20
		2 = 6th Grade.....	1066	1.99
		3 = 7th Grade.....	3057	5.71
		4 = 8th Grade.....	3246	6.06
		5 = 9th Grade.....	3340	6.24
		6 = 10th Grade.....	3050	5.69
		7 = 11th Grade.....	2794	5.22
		8 = 12th Grade.....	2650	4.95
		9 = College or university/1st year.....	1859	3.47
		10 = College or university/2nd Year, 3rd year.....	2964	5.53
		11 = College or university/4th Year, 5th or higher year	1947	3.64
		12 = Missing.....	235	0.44
		13 = LEGITIMATE SKIP.....	27246	50.87
(QD19)		Are you a full-time student or a part-time student?		
STUDNT	2	FULL OR PART TIME		
		1 = FULL-TIME.....	23953	44.72
		2 = PART-TIME.....	2182	4.07
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	150	0.28
		99 = LEGITIMATE SKIP.....	27246	50.87
(QD20)		During the past 30 days, that is from DATEFILL up to and including today, how many whole days of school did you miss because you were sick or injured?		
SCHDSICK	2	HOW MANY DAYS MISSED SCHOOL FROM SICK		
		RANGE = 1 - 30	7269	13.57
		0 = None.....	14003	26.14
		85 = BAD DATA Logically assigned.....	5	0.01
		90 = SCHOOL NOT IN SESSION.....	2561	4.78
		94 = DON'T KNOW.....	102	0.19
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	161	0.30
		99 = LEGITIMATE SKIP.....	29428	54.94

NON-CORE DEMOGRAPHICS			PAGE:	375
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(QD21)		NOTE: There were 6 cases in 1999 that had values greater than 30 days in the variable SCHDSKIP. No further editing was done for these 6 cases.		
		During the past 30 days, that is since DATEFILL, how many whole days did you miss because you skipped or "cut" or just didn't want to be there?		
SCHDSKIP	2	HOW MANY DAYS MISSED SCHOOL FROM SKIPPING		
		RANGE = 1 - 90	3359	6.27
		0 = None.....	17952	33.52
		94 = DON'T KNOW.....	52	0.10
		97 = REFUSED.....	41	0.08
		98 = BLANK (NO ANSWER).....	167	0.31
		99 = LEGITIMATE SKIP.....	31989	59.73
(QD22)		Have you received a high school diploma?		
HSDIPLMA	2	RECEIVED DIPLOMA		
		1 = Yes.....	4748	8.86
		2 = No.....	2479	4.63
		3 = Yes LOGICALLY ASSIGNED.....	5	0.01
		4 = No LOGICALLY ASSIGNED.....	127	0.24
		89 = LEGITIMATE SKIP Logically assigned.....	64	0.12
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	53	0.10
		99 = LEGITIMATE SKIP.....	46076	86.03
(QD23)		Have you received a GED certificate of high school completion?		
HSGED	2	RECEIVED GED		
		1 = Yes.....	385	0.72
		2 = No.....	2098	3.92
		89 = LEGITIMATE SKIP Logically assigned.....	64	0.12
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	180	0.34
		99 = LEGITIMATE SKIP.....	50824	94.89

NON-CORE DEMOGRAPHICS			PAGE:	376
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QD24A)		Please look at this card and tell me which one of these reasons best describes why you left school before receiving a high school diploma. Just give me the number.		
LFSCHRS2	3	WHY YOU LEFT SCHOOL		
		1 = School was boring.....	362	0.68
		2 = I got pregnant.....	371	0.69
		3 = I got expelled for selling drugs.....	12	0.02
		4 = I got expelled for using drugs.....	14	0.03
		5 = I got expelled for some other reason.....	188	0.35
		6 = I had to get a job (or work more hours).....	407	0.76
		7 = I was getting bad grades.....	164	0.31
		8 = I wasn't learning anything.....	111	0.21
		9 = I got married (or moved in with boy/girlfriend)...	131	0.24
		10 = I moved here from another country.....	84	0.16
		11 = I was treated badly at school.....	144	0.27
		12 = I became ill (or injured).....	52	0.10
		13 = I went to jail/prison.....	30	0.06
		14 = Other reason.....	37	0.07
		41 = Family member became ill/sick/died.....	22	0.04
		42 = Responsibilities at home/family/personal problems.	44	0.08
		43 = Parents/guardian/partner wouldn't allow me to.....	10	0.02
		44 = Ran away from/put out of/placed out of home.....	12	0.02
		45 = Too stressful/couldn't adjust.....	4	0.01
		48 = Running with the wrong crowd/getting in trouble...	14	0.03
		49 = Afraid of gangs/fear of violence/crime.....	7	0.01
		50 = Moved away/didn't re-enroll.....	29	0.05
		51 = Skipping school/excessive absenteeism.....	10	0.02
		52 = Too expensive/couldn't afford.....	20	0.04
		53 = Didn't like it/didn't want to go/not interested...	30	0.06
		56 = Grade, credit discrepancies/lacked credits/document	41	0.08
		57 = Involved with too many activities to go to school.	3	0.01
		58 = All the schooling/preferred that was available....	7	0.01
		59 = Wasn't required/didn't have to/not needed/customs.	16	0.03
		60 = Against my religion/beliefs.....	9	0.02
		63 = I was stupid/foolish.....	3	0.01
		66 = Too old.....	3	0.01
		67 = Wanted to work/do apprenticeship instead.....	19	0.04
		69 = Just quit; reason unspecified.....	15	0.03
		70 = Did not have a permanent address.....	3	0.01
		71 = Didn't pass/take end of grade/school test.....	9	0.02
		72 = Went to group home/foster home/special home.....	4	0.01
		75 = Was abusing drugs/alcohol.....	3	0.01
		601 = Home schooled.....	38	0.07
		605 = Completed HS/certificate, general.....	6	0.01
		607 = Pursuing GED/proficiency exam/re-enrolling.....	3	0.01
		777 = Summer/school not in session.....	17	0.03

NON-CORE DEMOGRAPHICS			PAGE:	377
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
		778 = I am still in school.....	9	0.02
		985 = BAD DATA Logically assigned.....	4	0.01
		994 = DON'T KNOW.....	16	0.03
		997 = REFUSED.....	19	0.04
		998 = BLANK (NO ANSWER).....	180	0.34
		999 = LEGITIMATE SKIP.....	50824	94.89

(QD25) How old were you when you stopped attending school?

LFTSCHA2	3	AGE WHEN STOPPED ATTENDING SCHOOL		
		RANGE = 11 - 18	2335	4.36
		10 = Left at age 10 or younger.....	26	0.05
		19 = Left at age 19 or older.....	84	0.16
		985 = BAD DATA Logically assigned.....	25	0.05
		989 = LEGITIMATE SKIP Logically assigned.....	64	0.12
		994 = DON'T KNOW.....	6	0.01
		997 = REFUSED.....	16	0.03
		998 = BLANK (NO ANSWER).....	180	0.34
		999 = LEGITIMATE SKIP.....	50824	94.89

NOTE: The variable JOBSTAT2 was created from questions that asked respondents whether they worked in the past week, whether they usually work 35 or more hours per week, and where relevant, reasons why they did not work in the past week.

JOBSTAT2	3	WORK SITUATION IN PAST WEEK - RECODE		
		1 = Worked at full-time job, past week.....	19982	37.31
		2 = Worked at part time job, past week.....	7789	14.54
		3 = Has job or volunteer worker, did not work past wee	1938	3.62
		4 = Unemployed/on layoff, looking for work.....	1525	2.85
		5 = Disabled.....	752	1.40
		6 = Keeping house full-time.....	2313	4.32
		7 = In school/training.....	6821	12.74
		8 = Retired.....	2110	3.94
		9 = Does not have a job, some other reason.....	700	1.31
		10 = MISSING.....	108	0.20
		11 = LEGITIMATE SKIP.....	9522	17.78

NON-CORE DEMOGRAPHICS			PAGE: 378	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		NOTE: The variable JBSTATR2 was created from questions that asked respondents whether they worked in the past week, whether they usually work 35 or more hours per week, and where relevant, reasons why they did not work in the past week. "Other" reasons specified for not working or not having a job generally were not taken into account in creating JBSTATR2. Respondents who did not know or refused to report whether they worked in the past week but indicated that they did not work in the past 12 months were classified in JBSTATR2 as not having a job. In addition, respondents who reported that they had no job but were looking for work were not classified as being in the labor force unless they reported making specific efforts to find work. In the variable JOBSTAT2, these respondents were classified as being unemployed/on layoff and looking for work. Other than these changes, the variable JBSTATR2 is analogous to the variable JOBSTAT2.		
JBSTATR2	3	WORK SITUATION IN PAST WEEK - RECODE		
		1 = Worked at full-time job, past week.....	19982	37.31
		2 = Worked at part time job, past week.....	7789	14.54
		3 = Has job but out: vacation/sick/temp absence.....	1909	3.56
		4 = Has job but out: layoff, looking for work.....	1164	2.17
		5 = Has job but out: layoff, not looking for work.....	740	1.38
		6 = Has job but out: waiting to report to new job.....	2240	4.18
		7 = Has job but out: self-employed, no business.....	6723	12.55
		8 = Has job but out: in school/training.....	2083	3.89
		9 = No job: unemp/layoff, looking for work.....	1304	2.43
		10 = No job: layoff, not looking for work.....	104	0.19
		11 = No job: keeping house full time.....	9522	17.78
(QD27)		Even though you did not work at any time last week, did you have a job or business?		
WRKHAVJB	2	DID YOU HAVE A JOB OR BUSINESS		
		1 = Yes.....	1964	3.67
		2 = No.....	14162	26.44
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	47	0.09
		98 = BLANK (NO ANSWER).....	61	0.11
		99 = LEGITIMATE SKIP.....	37325	69.69

NON-CORE DEMOGRAPHICS			PAGE:	379
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QD28)		How many hours did you work last week at all jobs or businesses?		
WRKHRSWK	3	HOW MANY HOURS WORKED LAST WEEK		
		RANGE = 1 - 120	27730	51.77
		994 = DON'T KNOW.....	57	0.11
		997 = REFUSED.....	63	0.12
		998 = BLANK (NO ANSWER).....	62	0.12
		999 = LEGITIMATE SKIP.....	25648	47.89
(QD32)		During the past 30 days, did you make specific efforts to find work? Include any contacts you made with anyone about a job, sending out resumes or applications, placing or answering ads. Do not include only reading job ads.		
WRKEFFRT	2	PAST 30 DAYS, MAKE EFFORT TO FIND WORK		
		1 = Yes.....	1077	2.01
		2 = No.....	294	0.55
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	46	0.09
		98 = BLANK (NO ANSWER).....	119	0.22
		99 = LEGITIMATE SKIP.....	52023	97.13
(QD33)		Now, think about the past 12 months, from DATEFILL through today. Did you work at a job or business at any time during the past 12 months?		
WRKEDYR	2	PAST 12 MOS, WORKED AT ANY JOB		
		1 = Yes.....	4950	9.24
		2 = No.....	9215	17.21
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	48	0.09
		98 = BLANK (NO ANSWER).....	51	0.10
		99 = LEGITIMATE SKIP.....	39289	73.36
(QD34)		Have you been self-employed at any time during the past 12 months?		
WRKSLFEM	2	PAST 12 MOS, SELF EMPLOYED		
		1 = Yes.....	4496	8.39
		2 = No.....	30047	56.10
		3 = Yes LOGICALLY ASSIGNED.....	154	0.29
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	63	0.12
		98 = BLANK (NO ANSWER).....	58	0.11
		99 = LEGITIMATE SKIP.....	18737	34.98

NON-CORE DEMOGRAPHICS			PAGE: 380	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(QD35A)		How many different employers, including yourself, have you had in the past 12 months?		
WRKJOBS2	3	PAST 12 MOS, HOW MANY EMPLOYERS		
		1 = One.....	20664	38.58
		2 = Two.....	8381	15.65
		3 = Three.....	2459	4.59
		4 = Four or more.....	1141	2.13
		975 = At least one LOGICALLY ASSIGNED.....	979	1.83
		994 = DON'T KNOW.....	34	0.06
		997 = REFUSED.....	76	0.14
		998 = BLANK (NO ANSWER).....	1089	2.03
		999 = LEGITIMATE SKIP.....	18737	34.98
(QD36)		During the past 12 months, was there ever a time when you did not have at least one job or business?		
WRKUNEMP	2	PAST 12 MOS, TIME WITH NO JOB		
		1 = Yes.....	5971	11.15
		2 = No.....	22924	42.80
		89 = LEGITIMATE SKIP Logically assigned.....	10	0.02
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	919	1.72
		99 = LEGITIMATE SKIP.....	23678	44.21
(QD37)		In how many weeks during the past 12 months did you not have at least one job or business?		
WRKUNWKS	2	HOW MANY WKS W/O JOB IN PAST 12 MOS		
		RANGE = 0 - 52	5781	10.79
		85 = BAD DATA Logically assigned.....	30	0.06
		89 = LEGITIMATE SKIP Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	157	0.29
		97 = REFUSED.....	58	0.11
		98 = BLANK (NO ANSWER).....	922	1.72
		99 = LEGITIMATE SKIP.....	46605	87.01
WRKLASY2	4	WHAT YEAR LAST WORKED		
		RANGE = 1961 - 1999	10123	18.90
		1960 = 1960 or earlier.....	119	0.22
		9985 = BAD DATA Logically assigned.....	762	1.42
		9991 = NEVER WORKED FOR PAY.....	3912	7.30
		9994 = DON'T KNOW.....	430	0.80
		9997 = REFUSED.....	103	0.19
		9998 = BLANK (NO ANSWER).....	786	1.47
		9999 = LEGITIMATE SKIP.....	37325	69.69

NON-CORE DEMOGRAPHICS			PAGE: 381	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(NQ1)		During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you were sick or injured?		
WORKDAYS	2	# DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS		
		RANGE = 1 - 30	6784	12.67
		0 = None.....	22018	41.11
		85 = BAD DATA Logically assigned.....	20	0.04
		94 = DON'T KNOW.....	68	0.13
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	964	1.80
		99 = LEGITIMATE SKIP.....	23684	44.22
(NQ2)		During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you just didn't want to be there?		
WORKBLAH	2	# DAYS SKIPPED WORK PAST 30 DAYS		
		RANGE = 1 - 30	3386	6.32
		0 = None.....	25443	47.50
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	54	0.10
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	964	1.80
		99 = LEGITIMATE SKIP.....	23684	44.22
(QD39)		Thinking about the location where you work, how many people work for your employer out of this office, store, etc.?		
LOCSIZE	2	# PEOPLE THAT WORK FOR EMPLOYER - RESP'S LOCATION		
		1 = Less than 10 people.....	8223	15.35
		2 = 10-24 people.....	6085	11.36
		3 = 25-99 people.....	6631	12.38
		4 = 100-499 people.....	4671	8.72
		5 = 500 people or more.....	3076	5.74
		94 = DON'T KNOW.....	190	0.35
		97 = REFUSED.....	35	0.07
		98 = BLANK (NO ANSWER).....	965	1.80
		99 = LEGITIMATE SKIP.....	23684	44.22

NON-CORE DEMOGRAPHICS			PAGE: 382	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(QD40)		At your workplace, is there a written policy about employee use of alcohol or drugs?		
DRGPLCY	2	WORKPLACE HAVE WRITTEN POLICY DRUG/ALCOHOL USE		
		1 = Yes.....	19469	36.35
		2 = No.....	7707	14.39
		94 = DON'T KNOW.....	1710	3.19
		97 = REFUSED.....	25	0.05
		98 = BLANK (NO ANSWER).....	965	1.80
		99 = LEGITIMATE SKIP.....	23684	44.22
(QD41)		Does this policy cover only alcohol, only drugs, or both alcohol and drugs?		
PLCYCOV	2	DID POLICY COVER ALCOHOL, DRUGS, OR BOTH		
		1 = Only alcohol.....	400	0.75
		2 = Only drugs.....	943	1.76
		3 = Both alcohol and drugs.....	17768	33.17
		94 = DON'T KNOW.....	355	0.66
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	2675	4.99
		99 = LEGITIMATE SKIP.....	31391	58.61
(QD42)		At your workplace, have you ever been given any educational information regarding the use of alcohol or drugs?		
WKDRGED	2	AT WORK, GIVEN EDUCATION ON DRUGS/ALC		
		1 = Yes.....	9991	18.65
		2 = No.....	16994	31.73
		3 = Don't remember.....	1466	2.74
		94 = DON'T KNOW.....	436	0.81
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	965	1.80
		99 = LEGITIMATE SKIP.....	23684	44.22
(QD43)		Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?		
DRGPRGM	2	ANY ASSISTANCE PROGRAM OFFERED THROUGH WRK		
		1 = Yes.....	11067	20.66
		2 = No.....	13882	25.92
		94 = DON'T KNOW.....	3927	7.33
		97 = REFUSED.....	35	0.07
		98 = BLANK (NO ANSWER).....	965	1.80
		99 = LEGITIMATE SKIP.....	23684	44.22

NON-CORE DEMOGRAPHICS			PAGE: 383	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(QD44A)		Does your workplace ever test its employees for alcohol use?		
USALCTST	2	WORKPLACE TESTS FOR ALCOHOL USAGE		
		1 = Yes.....	7858	14.67
		2 = No.....	19183	35.82
		94 = DON'T KNOW.....	1835	3.43
		97 = REFUSED.....	35	0.07
		98 = BLANK (NO ANSWER).....	965	1.80
		99 = LEGITIMATE SKIP.....	23684	44.22
(QD44B)		Does your workplace ever test its employees for drug use?		
USDRGTST	2	WORKPLACE TESTS FOR DRUG USAGE		
		1 = Yes.....	10939	20.42
		2 = No.....	16315	30.46
		94 = DON'T KNOW.....	1628	3.04
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	965	1.80
		99 = LEGITIMATE SKIP.....	23684	44.22
(QD45A)		Does your workplace test its employees for drug or alcohol use as part of the hiring process?		
TSTHIRE	2	AS PART OF THE HIRING PROCESS		
		1 = Yes.....	9038	16.87
		2 = No.....	1945	3.63
		94 = DON'T KNOW.....	159	0.30
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	2701	5.04
		99 = LEGITIMATE SKIP.....	39690	74.10
(QD45B)		Does your workplace test its employees for drug or alcohol use on a random basis?		
TSTRAND	2	ON A RANDOM BASIS		
		1 = Yes.....	6413	11.97
		2 = No.....	4178	7.80
		94 = DON'T KNOW.....	550	1.03
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	2701	5.04
		99 = LEGITIMATE SKIP.....	39690	74.10

NON-CORE DEMOGRAPHICS			PAGE: 384	
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(QD46)		According to the policy at your workplace, what happens to an employee the first time he or she tests positive for illicit drugs?		
FIRSTPOS	2	WHAT HAPPENS FIRST TIME CAUGHT		
		1 = Handled on indiv basis/policy does not spec what..	2025	3.78
		2 = Employee is fired.....	4418	8.25
		3 = Employee is referred for treatment or counseling..	2498	4.66
		4 = Nothing happens.....	49	0.09
		5 = Something else happens.....	467	0.87
		94 = DON'T KNOW.....	1674	3.13
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	2701	5.04
		99 = LEGITIMATE SKIP.....	39690	74.10
(QD47)		Would you be more or less likely to want to work for an employer that tests its employees for drug use as part of the hiring process? Would you say more likely, less likely, or would it make no difference to you?		
WRKHIRE	2	WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST PRE-HIRE		
		1 = More likely.....	11646	21.74
		2 = Less likely.....	1884	3.52
		3 = Would it make no difference to you.....	15216	28.41
		94 = DON'T KNOW.....	135	0.25
		97 = REFUSED.....	30	0.06
		98 = BLANK (NO ANSWER).....	965	1.80
		99 = LEGITIMATE SKIP.....	23684	44.22
(QD48)		Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol use on a random basis? Would you say more likely, less likely, or would it make no difference to you?		
WORKRAND	2	WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST RANDOMLY		
		1 = More likely.....	10279	19.19
		2 = Less likely.....	3006	5.61
		3 = Would make no difference.....	15480	28.90
		94 = DON'T KNOW.....	123	0.23
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	965	1.80
		99 = LEGITIMATE SKIP.....	23684	44.22

NON-CORE DEMOGRAPHICS			PAGE: 385	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(RELATTEN)		During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, christenings, funerals, or other special events in your answer. Would you say 0 times, 1 to 2 times, 3 to 5 times, 6 to 24 times, 25 to 52 times, or more than 52 times?		
RLGSVCYR	2	PAST 12 MOS, HOW MANY RELIG. SERVICES		
		1 = 0 times.....	15165	28.31
		2 = 1 to 2 times.....	5578	10.41
		3 = 3 to 5 times.....	5731	10.70
		4 = 6 to 24 times.....	8756	16.35
		5 = 25 to 52 times.....	9345	17.45
		6 = More than 52 times.....	8535	15.94
		94 = DON'T KNOW.....	127	0.24
		97 = REFUSED.....	243	0.45
		98 = BLANK (NO ANSWER).....	80	0.15
(RELBELF1)		Now I am going to read some statements about the role that religious beliefs may play in your life. Please tell me if you strongly disagree, disagree, agree, or strongly agree with each statement.		
		My religious beliefs are a very important part of my life.		
RLGIMPRT	2	MY RELIGIOUS BELIEFS ARE VERY IMPORTANT		
		1 = Strongly Disagree.....	4205	7.85
		2 = Disagree.....	6795	12.69
		3 = Agree.....	22193	41.44
		4 = Strongly Agree.....	19552	36.50
		94 = DON'T KNOW.....	405	0.76
		97 = REFUSED.....	330	0.62
		98 = BLANK (NO ANSWER).....	80	0.15
(RELBELF2)		My religious beliefs influence how I make decisions in my life.		
RLGDECSN	2	MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS		
		1 = Strongly Disagree.....	4315	8.06
		2 = Disagree.....	10449	19.51
		3 = Agree.....	22291	41.62
		4 = Strongly Agree.....	15680	29.28
		94 = DON'T KNOW.....	413	0.77
		97 = REFUSED.....	332	0.62
		98 = BLANK (NO ANSWER).....	80	0.15

NON-CORE DEMOGRAPHICS			PAGE: 386	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(RELBELF3)		It is important that my friends share my religious beliefs.		
RLGFRNDS	2	IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS		
		1 = Strongly Disagree.....	10981	20.50
		2 = Disagree.....	24612	45.95
		3 = Agree.....	12406	23.16
		4 = Strongly Agree.....	4749	8.87
		94 = DON'T KNOW.....	404	0.75
		97 = REFUSED.....	328	0.61
		98 = BLANK (NO ANSWER).....	80	0.15
(QI24)		The last question is: How many different telephone numbers do you have in this household? Don't count business numbers or extensions with the same number.		
TELNO2	2	# OF TELEPHONE LINES IN HOUSEHOLD		
		0 = None.....	2371	4.43
		1 = One.....	40310	75.26
		2 = Two or more.....	10421	19.46
		94 = DON'T KNOW.....	122	0.23
		97 = REFUSED.....	239	0.45
		98 = BLANK (NO ANSWER).....	97	0.18
		A respondent was defined as a full or part-time college student if they were aged 18 to 22, enrolled in school, enrolled at the college level, and if they were a full-time or part-time student. Otherwise a respondent was defined as not enrolled in college or as an "Other Person Aged 18-22" (enrolled in other grades either full or part-time, or enrolled with no other information available).		
COLLEGE2	1	COLLEGE ENROLLMENT		
		. = Unknwn Enrollment, Aged 18-22.....	18	0.03
		1 = Full-Time College Student Aged 18-22.....	3824	7.14
		2 = Part-Time College Student Aged 18-22.....	627	1.17
		3 = Not Enrolled.....	5315	9.92
		4 = Others Persons Aged 18-22.....	1221	2.28
		5 = Persons Aged 12-17, or 23 or Older.....	42555	79.45

RECODED DEMOGRAPHICS			PAGE:	387
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RECODED DEMOGRAPHICS				

CATAGE	1	AGE CATEGORY		
		1 = 12-17 Years Old.....	18685	34.89
		2 = 18-25 Years Old.....	17081	31.89
		3 = 26-34 Years Old.....	7201	13.44
		4 = 35 or Older.....	10593	19.78
CATAG2	1	AGE CATEGORY RECODE (3 LEVELS)		
		1 = 12-17 Years Old.....	18685	34.89
		2 = 18-25 Years Old.....	17081	31.89
		3 = 26 or Older.....	17794	33.22
CATAG3	1	AGE CATEGORY RECODE (5 LEVELS)		
		1 = 12-17 Years Old.....	18685	34.89
		2 = 18-25 Years Old.....	17081	31.89
		3 = 26-34 Years Old.....	7201	13.44
		4 = 35-49 Years Old.....	5707	10.66
		5 = 50 or Older.....	4886	9.12
NEWRACE2	1	REVISED RACE VARIABLE (7 LEVELS)		
		1 = NonHisp White.....	37644	70.28
		2 = NonHisp Black/Afr Am.....	6445	12.03
		3 = NonHisp Native Am/AK Native.....	479	0.89
		4 = NonHisp Native HI/Other Pac Isl.....	197	0.37
		5 = NonHisp Asian.....	1616	3.02
		6 = NonHisp More than one race.....	703	1.31
		7 = Hispanic.....	6476	12.09
EDUCCAT2	1	EDUCATION RECODE		
		1 = Less than high school.....	6007	11.22
		2 = High school graduate.....	12592	23.51
		3 = Some college.....	9684	18.08
		4 = College graduate.....	6592	12.31
		5 = 12 to 17 year olds (1<=AGE2<=6).....	18685	34.89

GEOGRAPHIC			PAGE:	388
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		GEOGRAPHIC		

		The variable PDEN on the 1990 Census.		
PDEN	1	POPULATION DENSITY		
		1 = Segment in a MSA with 1 million or more persons...	19685	36.75
		2 = Segment in a MSA with fewer than 1 million persons	18885	35.26
		3 = Segment not in a MSA.....	14990	27.99

SAMPLE WEIGHTING AND ESTIMATION VARS			PAGE:	389
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
SAMPLE WEIGHTING AND ESTIMATION VARS				

VESTR	5	VARIANCE STRATUM		
VEREP	2	VARIANCE REPLICATE WITHIN VARIANCE STRATUM		
ANALWT_C	8	FIN PRSN-LEVEL SMPLE WGHT		

VARIABLE NAME	PAGE
-----	----
ACRDALC.....	197
ACRDANL.....	222
ACRDCIG.....	191
ACRDCOC.....	206
ACRDHAL.....	216
ACRDHER.....	211
ACRDINH.....	219
ACRDMRJ.....	203
ACRDSER.....	237
ACRDSTM.....	232
ACRDTRN.....	229
ACTALL.....	337
ACTSEL.....	338
ADFLALDY.....	338
ADFLPKCG.....	338
ADFLTMRJ.....	338
ADULTALC.....	338
ADULTCIG.....	338
ADULTDRK.....	339
ADULTMRJ.....	339
AEROS.....	57
AEROS2.....	147
AGE2.....	368
ALBSTWAY.....	25
ALCAFU.....	152
ALCDAYS.....	26
ALCEVER.....	23
ALCFLAG.....	140
ALCMFU.....	24
ALCMON.....	140
ALCREC.....	24
ALCTRY.....	23
ALCYFU.....	23
ALCYR.....	140
ALCYRTOT.....	24
ALDAYPMO.....	25
ALDAYPWK.....	26
ALDAYPYR.....	25
ALDYSFG.....	26
ALFQFLG.....	24
ALFRAME3.....	156
ALLAST3.....	156
ALMONAVE.....	157
ALTOTFG.....	24
ALWKAVE.....	157

VARIABLE NAME	PAGE
-----	----
ALYRAVE.....	157
AMYLNIT.....	55
AMYLNIT2.....	146
AMYTAL.....	106
AMYTAL2.....	148
ANALAGE.....	77
ANALMFU.....	78
ANALNEWA.....	72
ANALNEWB.....	75
ANALNEWC.....	76
ANALNEWD.....	77
ANALNEWE.....	77
ANALREC.....	79
ANALWT_C.....	389
ANALYFU.....	78
ANLAFU.....	153
ANLCARD.....	66
ANLFLAG.....	142
ANLMON.....	142
ANLNOLST.....	71
ANLYR.....	142
ANLYRTOT.....	79
ANXALC.....	201
ANXCIG.....	195
ANXSED.....	241
ANYEDUC2.....	339
APPSELDG.....	189
ATARAX.....	83
ATARAX2.....	150
AVDWDALC.....	202
AVDWDANL.....	228
AVDWDCCOC.....	210
AVDWDHER.....	215
AVDWDSED.....	242
AVDWDSTM.....	236
BDDRMCCOC.....	209
BDDRMSTM.....	235
BINGEDRK.....	145
BINGEHVY.....	146
BKAGASLT.....	247
BKARSON.....	249
BKBURGL.....	247
BKDRUG.....	250
BKDRUNK.....	250
BKDRVINF.....	249

VARIABLE NAME	PAGE
-----	----
BKLARCNY.....	247
BKMURDER.....	249
BKMVTHFT.....	248
BKOTH.....	251
BKOTHOF2.....	252
BKPROS.....	250
BKRAPE.....	249
BKROB.....	248
BKSMASLT.....	248
BKVANDAL.....	251
BOOKED.....	246
BTOLALC.....	197
BTOLANL.....	222
BTOLCIG.....	191
BTOLCOC.....	205
BTOLHAL.....	216
BTOLHER.....	211
BTOLINH.....	219
BTOLMRJ.....	203
BTOLSED.....	237
BTOLSTM.....	232
BTOLTRN.....	229
BUSPAR.....	84
BUSPAR2.....	150
BUTISOL.....	107
BUTISOL2.....	148
CATAG2.....	387
CATAG3.....	387
CATAGE.....	387
CCBSTWAY.....	34
CCDAYPMO.....	34
CCDAYPWK.....	35
CCDAYPYR.....	34
CCFQFLG.....	33
CCFRAME3.....	159
CCLAST3.....	159
CCMONAVE.....	160
CCTOTFG.....	33
CCWKAVE.....	160
CCYRAVE.....	159
CG05.....	154
CG06.....	154
CG19.....	154
CG20.....	154
CG27.....	155

VARIABLE NAME	PAGE
-----	----
CG28.....	155
CG30EST.....	4
CG36.....	155
CG37.....	155
CG43.....	156
CGR30BR2.....	21
CGR30USE.....	20
CGRAFU.....	153
CGRBRAND.....	139
CGRFLAG.....	136
CGRMON.....	136
CGRYR.....	136
CHAMPUS.....	357
CHEWEVER.....	9
CHEWMFU.....	10
CHEWREC.....	10
CHEWTRY.....	9
CHEWYFU.....	9
CHHYD.....	107
CHHYD2.....	148
CHW30BR2.....	11
CHW30USE.....	11
CHWFLAG.....	136
CHWMON.....	137
CHWYR.....	137
CI30EST.....	20
CIG100LF.....	8
CIG30AV.....	5
CIG30BR2.....	6
CIG30RO2.....	7
CIG30USE.....	4
CIGAFU.....	153
CIGAGE.....	8
CIGAREVR.....	18
CIGARMFU.....	19
CIGARREC.....	19
CIGARTRY.....	18
CIGARYFU.....	18
CIGBRAND.....	138
CIGCMPNY.....	140
CIGDLYMO.....	8
CIGEVER.....	2
CIGFLAG.....	136
CIGMFU.....	3
CIGMON.....	136

VARIABLE NAME	PAGE
-----	----
CIGOFRSM.....	2
CIGREC.....	4
CIGTRY.....	2
CIGWILYR.....	2
CIGYFU.....	3
CIGYR.....	136
CKFRAME3.....	160
CKLAST3.....	160
CKMONAVE.....	161
CKWKAVE.....	161
CKYRAVE.....	161
CLEFLU.....	55
CLEFLU2.....	146
COCAFU.....	152
COCAGE.....	32
COCEVER.....	32
COCFLAG.....	141
COCMFU.....	33
COCMON.....	141
COCNEEDL.....	174
COCREC.....	33
COCUS30A.....	35
COCYFU.....	32
COCYR.....	141
COCYRTOT.....	33
CODEINE.....	67
CODEINE2.....	149
COLLEGE2.....	386
CONCCIG.....	195
CONDLREC.....	175
CRAKREC.....	37
CRAMPANL.....	226
CRAMPHER.....	213
CRBSTWAY.....	38
CRDAYPMO.....	38
CRDAYPWK.....	39
CRDAYPYR.....	38
CRFQFLG.....	37
CRKAGE.....	36
CRKEVER.....	36
CRKFLAG.....	141
CRKMFU.....	37
CRKMON.....	141
CRKUS30A.....	39
CRKYFU.....	36

VARIABLE NAME	PAGE
-----	----
CRKYR.....	141
CRKYRTOT.....	37
CRTOTFG.....	37
CYLERT.....	94
CYLERT2.....	151
DALMANE.....	107
DALMANE2.....	148
DARVTYL2.....	148
DARVTYLC.....	65
DEMEROL.....	67
DEMEROL2.....	149
DEPALC.....	243
DEPANL.....	244
DEPCIG.....	244
DEPCOC.....	244
DEPHAL.....	244
DEPHER.....	244
DEPILL.....	245
DEPINH.....	244
DEPMRJ.....	244
DEPPSYCH.....	245
DEPSED.....	244
DEPSTM.....	244
DEPTRN.....	244
DETAMP.....	95
DETAMP2.....	151
DEXED.....	95
DEXED2.....	151
DIARANL.....	226
DIARHER.....	214
DIDREX.....	95
DIDREX2.....	151
DIETPIL2.....	147
DIETPILS.....	93
DILANALC.....	245
DILATANL.....	226
DILATHER.....	214
DILAUD.....	67
DILAUD2.....	149
DILORALC.....	245
DPRSANL.....	225
DPRSCIG.....	194
DPRSCOC.....	207
DPRSHER.....	213
DPRSSTM.....	233

VARIABLE NAME	PAGE
-----	----
DR5DAY.....	27
DRGPLCY.....	382
DRGPRGM.....	382
DRGRGCLS.....	339
DRGSPCLS.....	339
DRIVEAL.....	253
DRIVEDR.....	254
DRNKHELP.....	288
DRPRVME2.....	339
DRUGHELP.....	288
DRUGLECT.....	339
DRVALDR.....	253
ECSTASY.....	45
ECSTASY2.....	146
EDUCCAT2.....	387
EDUCNOW2.....	374
EMPBALC.....	198
EMPBANL.....	223
EMPBCIG.....	191
EMPBCOC.....	206
EMPBHAL.....	217
EMPBHER.....	211
EMPBINH.....	219
EMPBMRJ.....	204
EMPBSED.....	238
EMPBSTM.....	232
EMPBTRN.....	230
EMPSTAT3.....	371
EMPSTAT4.....	371
EMPSTATY.....	372
ENROLED.....	373
EQUANIL.....	84
EQUANIL2.....	150
ESKAT.....	95
ESKAT2.....	151
ETHER.....	56
ETHER2.....	146
EYNOSANL.....	226
EYNOSHER.....	214
FEVERANL.....	227
FEVERHER.....	214
FIORICET.....	67
FIORICT2.....	149
FIORINAL.....	68
FIORINL2.....	149

VARIABLE NAME	PAGE
-----	----
FIRSTPOS.....	384
FLEXERIL.....	84
FLEXERL2.....	150
FRDALDLY.....	339
FRDMJEVR.....	340
FRDPKCIG.....	340
FRNDALC.....	340
FRNDCIG.....	340
FRNDDNK.....	340
FRNDMJ.....	340
GAS.....	56
GAS2.....	146
GLUE.....	56
GLUE2.....	146
GNNDCLN.....	177
GNNDGET2.....	178
GNNDLLIF.....	174
GNNDLSH1.....	177
GNNDLSH2.....	177
GNNDREUS.....	176
GQTYPE.....	367
GRPCNSL.....	340
GRPHLTIN.....	357
GRSKCOCC.....	187
GRSKCREG.....	187
GRSKD4_5.....	188
GRSKD5WK.....	188
GRSKHREG.....	188
GRSKHTRY.....	187
GRSKLREG.....	188
GRSKLTRY.....	188
GRSKMOCC.....	187
GRSKMREG.....	187
GRSKPKCG.....	187
GRTMALC.....	196
GRTMANL.....	221
GRTMCIG.....	190
GRTMCOC.....	205
GRTMHAL.....	215
GRTMHER.....	210
GRTMINH.....	218
GRTMMRJ.....	202
GRTMSD.....	236
GRTMSTM.....	231
GRTMTRN.....	228

VARIABLE NAME	PAGE
-----	----
HAL30USE.....	53
HALAFU.....	152
HALCION.....	107
HALCION2.....	148
HALFLAG.....	141
HALLAGE.....	51
HALLREC.....	52
HALMFU.....	51
HALMON.....	141
HALNEWA.....	46
HALNEWB.....	50
HALNEWC.....	50
HALNEWD.....	50
HALNEWE.....	50
HALNOLST.....	45
HALUCALC.....	201
HALUCSED.....	241
HALYFU.....	51
HALYR.....	141
HALYRTOT.....	52
HEALTH.....	369
HEFRAME3.....	162
HELAST3.....	161
HEMONAVE.....	162
HER30USE.....	43
HERAFU.....	152
HERAGE.....	40
HEREVER.....	40
HERFLAG.....	141
HERMFU.....	41
HERMON.....	141
HERNEEDL.....	175
HERREC.....	41
HERSMOK2.....	179
HERSMOKE.....	173
HERSNIF2.....	179
HERSNIFF.....	173
HERYFU.....	40
HERYR.....	141
HERYRTOT.....	41
HEWKAVE.....	162
HEYRAVE.....	162
HLBSTWAY.....	52
HLCALLFG.....	356
HLCLAST.....	359

VARIABLE NAME -----	PAGE ----
HLCMCAID.....	360
HLCMCARE.....	360
HLCMILT.....	360
HLCNOTMO.....	359
HLCNOTYR.....	358
HLCGOVT.....	360
HLCOTHER.....	361
HLCOTHS2.....	361
HLCPRIVT.....	360
HLDAYPMO.....	53
HLDAYPWK.....	53
HLDAYPYR.....	53
HLFQFLG.....	52
HLLCOST.....	362
HLLDEATH.....	363
HLLDIVOR.....	363
HLLINELG.....	362
HLLLOSJB.....	361
HLLMAJOB.....	362
HLLMASOR.....	362
HLLNOFFR.....	363
HLLNONED.....	363
HLLREFUS.....	363
HLLSOR.....	364
HLLSORS2.....	364
HLNV COST.....	365
HLNVNEED.....	365
HLNV OFFR.....	365
HLNVREF.....	365
HLNVSOR.....	365
HLNVSP2.....	366
HLPRALC.....	198
HLPRANL.....	223
HLPRCIG.....	192
HLPRCOC.....	206
HLPRHAL.....	217
HLPRHER.....	212
HLPRINH.....	220
HLPRMRJ.....	204
HLPRSED.....	238
HLPRSTM.....	233
HLPRTRN.....	230
HLTINALC.....	358
HLTINDRG.....	358
HLTIMMNT.....	358

VARIABLE NAME	PAGE
-----	----
HLTOTFG.....	52
HRBSTWAY.....	42
HRDAYPMO.....	42
HRDAYPWK.....	43
HRDAYPYR.....	42
HRFQFLG.....	41
HRNDLREC.....	175
HRSMKREC.....	173
HRSNFREC.....	174
HRTOTFG.....	41
HSDIPLMA.....	375
HSGED.....	375
HSHAKALC.....	200
HSHAKSED.....	240
HUNGRSIG.....	195
HUNGRSIC.....	209
HUNGRSTM.....	235
HVYDRK2.....	145
HYDROCD2.....	149
HYDROCOD.....	68
IEMFLAG.....	145
IEMMON.....	145
IEMYR.....	145
IFATHER.....	348
II2ALCD5.....	127
II2ALCFM.....	127
II2ALCFY.....	122
II2ALCRC.....	116
II2ANLFY.....	124
II2ANLRC.....	119
II2CGRFM.....	126
II2CGRRC.....	114
II2CHWFM.....	126
II2CHWRC.....	115
II2CIGFM.....	126
II2CIGRC.....	114
II2COCFM.....	128
II2COCFY.....	122
II2COCRC.....	117
II2CRKFM.....	128
II2CRKFY.....	123
II2CRKRC.....	117
II2HALFM.....	129
II2HALFY.....	123
II2HALRC.....	118

VARIABLE NAME	PAGE
-----	----
II2HERFM.....	128
II2HERFY.....	123
II2HERRC.....	118
II2INHFM.....	129
II2INHFY.....	123
II2INHRC.....	119
II2LSDRC.....	118
II2MJFM.....	127
II2MJFY.....	122
II2MJRC.....	117
II2MTHRC.....	120
II2PCPRC.....	119
II2SEDFY.....	125
II2SEDRC.....	121
II2SLTRC.....	115
II2SNFFM.....	127
II2SNFRC.....	116
II2STMFY.....	124
II2STMRC.....	120
II2TRNFY.....	124
II2TRNRC.....	120
IIALCAGE.....	132
IIALCD5.....	127
IIALCFM.....	127
IIALCFY.....	122
IIALCRC.....	116
IIALCYFU.....	132
IIANLAGE.....	134
IIANLFY.....	124
IIANLRC.....	119
IIANLYFU.....	134
IICDUAGE.....	130
IICDUYFU.....	130
IICGRAGE.....	130
IICGRFM.....	126
IICGRRC.....	114
IICGRYFU.....	131
IICHWAGE.....	131
IICHWFM.....	126
IICHWRC.....	115
IICHWYFU.....	131
IICIGAGE.....	130
IICIGFM.....	126
IICIGRC.....	114
IICIGYFU.....	130

VARIABLE NAME -----	PAGE ----
IICOCAGE.....	132
IICOCFM.....	128
IICOCFY.....	122
IICOCRC.....	117
IICOCYFU.....	132
IICRKAGE.....	133
IICRKFM.....	128
IICRKFY.....	123
IICRKRC.....	117
IICRKYFU.....	133
IIEDUC2.....	370
IIEMPST3.....	371
IIEMPST4.....	371
IIEMPSTY.....	372
IIFAMCHD.....	354
IIFAMIN3.....	355
IIFAMINT.....	354
IIFAMOTH.....	355
IIFAMPMT.....	353
IIFAMSOC.....	352
IIFAMSSI.....	352
IIFAMSVF.....	353
IIFAMWAG.....	354
IIFSTAMP.....	353
IIHALAGE.....	133
IIHALFM.....	128
IIHALFY.....	123
IIHALRC.....	118
IIHALYFU.....	133
IIHERAGE.....	133
IIHERFM.....	128
IIHERFY.....	123
IIHERRC.....	117
IIHERYFU.....	133
IIHH65_2.....	348
IIHHSIZ2.....	348
IIINHAGE.....	133
IIINHFM.....	129
IIINHFI.....	123
IIINHRC.....	119
IIINHYFU.....	134
IIINSUR.....	366
IIKI17_2.....	348
IILSDRC.....	118
IIMARIT.....	370

VARIABLE NAME	PAGE
-----	----
IIMJAGE.....	132
IIMJFM.....	127
IIMJFY.....	122
IIMJRC.....	116
IIMJYFU.....	132
IIMTHAGE.....	135
IIMTHRC.....	120
IIMTHYFU.....	135
IIPCHD.....	354
IIPCPRC.....	118
IIPINC3.....	355
IIPINSUR.....	366
IIPINT.....	354
IIPPLF.....	114
IIPPMN.....	115
IIPOTH.....	355
IIPPMT.....	353
IIPSOC.....	352
IIPSSI.....	352
IIP SVC.....	353
IIPWAG.....	354
IISEDAGE.....	135
IISED FY.....	125
IISEDRC.....	121
IISEDYFU.....	135
IISEX.....	370
IISLTAGE.....	131
IISLTRC.....	115
IISLTYFU.....	131
IISNFAGE.....	131
IISNFFM.....	127
IISNFRC.....	116
IISNFYFU.....	131
IISTMAGE.....	134
IISTMFY.....	124
IISTMRC.....	120
IISTMYFU.....	135
IITRNAGE.....	134
IITRN FY.....	124
IITRNRC.....	119
IITRNYFU.....	134
IIWELMOS.....	353
IMOTHER.....	348
INBSTWAY.....	63
INDAYPMO.....	64

VARIABLE NAME	PAGE
-----	----
INDAYPWK.....	64
INDAYPYR.....	63
INFQFLG.....	63
INFRAME3.....	165
INHAFU.....	153
INHAGE.....	61
INHDI30A.....	64
INHFLAG.....	142
INHMFU.....	62
INHMON.....	142
INHNEWA.....	59
INHNEWB.....	60
INHNEWC.....	61
INHNEWD.....	61
INHNEWE.....	61
INHNLST.....	58
INHREC.....	62
INHIFY.....	62
INHYR.....	142
INHYRTOT.....	63
INLAST.....	164
INMONAVE.....	165
INTOTFG.....	63
INWKAVE.....	165
INYRAVE.....	165
IONAMIN.....	95
IONAMIN2.....	151
IRALCAGE.....	132
IRALCD5.....	127
IRALCFM.....	127
IRALCFY.....	122
IRALCRC.....	116
IRALCYFU.....	132
IRANLAGE.....	134
IRANLFY.....	124
IRANLRC.....	119
IRANLYFU.....	134
IRCDUAGE.....	130
IRCDUYFU.....	130
IRCGRAGE.....	130
IRCGRFM.....	126
IRCGRRC.....	114
IRCGRYFU.....	130
IRCHWAGE.....	131
IRCHWFM.....	126

VARIABLE NAME	PAGE
-----	----
IRCHWRC.....	115
IRCHWYFU.....	131
IRCIGAGE.....	130
IRCIGFM.....	126
IRCIGRC.....	114
IRCIGYFU.....	130
IRCOAGE.....	132
IRCOCFM.....	128
IRCOCFY.....	122
IRCOCRC.....	117
IRCOCYFU.....	132
IRCRKAGE.....	132
IRCRKFM.....	128
IRCRKFY.....	122
IRCRKRC.....	117
IRCRKYFU.....	133
IREduc2.....	370
IRFAMCHD.....	354
IRFAMIN3.....	355
IRFAMINT.....	354
IRFAMOTH.....	355
IRFAMPMT.....	353
IRFAMSOC.....	352
IRFAMSSI.....	352
IRFAMSVc.....	353
IRFAMWAG.....	354
IRFSTAMP.....	352
IRHALAGE.....	133
IRHALFM.....	128
IRHALFY.....	123
IRHALRC.....	118
IRHALYFU.....	133
IRHERAGE.....	133
IRHERFM.....	128
IRHERFY.....	123
IRHERRC.....	117
IRHERYFU.....	133
IRHH65_2.....	348
IRHHSIZ2.....	348
IRINHAGE.....	133
IRINHFM.....	129
IRINHfy.....	123
IRINHRC.....	119
IRINHfyFU.....	134
IRINSUR.....	366

VARIABLE NAME	PAGE
-----	----
IRKI17_2.....	348
IRLSDRC.....	118
IRMARIT.....	370
IRMJAGE.....	132
IRMJFM.....	127
IRMJFY.....	122
IRMJRC.....	116
IRMJYFU.....	132
IRMTHAGE.....	135
IRMTHRC.....	120
IRMTHYFU.....	135
IRPCHD.....	354
IRPCPRC.....	118
IRPINC3.....	355
IRPINSUR.....	366
IRPINT.....	354
IRPIPLF.....	114
IRPIPMN.....	115
IRPOTH.....	355
IRPPMT.....	353
IRPSOC.....	352
IRPSSI.....	352
IRPSVC.....	353
IRPWAG.....	354
IRRITCIG.....	195
IRSEDAGE.....	135
IRSEDFY.....	124
IRSEDRC.....	120
IRSEDYFU.....	135
IRSEX.....	370
IRSLTAGE.....	131
IRSLTRC.....	115
IRSLTYFU.....	131
IRSNFAGE.....	131
IRSNFFM.....	126
IRSNFRC.....	116
IRSNFYFU.....	131
IRSTMAGE.....	134
IRSTMFY.....	124
IRSTMRC.....	120
IRSTMYFU.....	135
IRTRNAGE.....	134
IRTRNFY.....	124
IRTRNRC.....	119
IRTRNYFU.....	134

VARIABLE NAME	PAGE
-----	----
IRWELMOS.....	353
JBSTATR2.....	378
JOBSTAT2.....	377
KLONOP12.....	147
KLONOPIN.....	82
LAMTALC.....	197
LAMTANL.....	221
LAMTCIG.....	190
LAMTCOC.....	205
LAMTHAL.....	216
LAMTHER.....	210
LAMTINH.....	218
LAMTMRJ.....	203
LAMTSED.....	237
LAMTSTM.....	231
LAMTTRN.....	229
LANGVER.....	367
LEVEL2.....	288
LFSCHRS2.....	377
LFTSCHA2.....	377
LGAS.....	57
LGAS2.....	147
LIBRIUM.....	84
LIBRIUM2.....	150
LIMBTRL2.....	150
LIMBTROL.....	84
LIVNBRHD.....	341
LOCSIZE.....	381
LS07.....	164
LS08.....	164
LSD.....	44
LSDFLAG.....	141
LSDMON.....	142
LSDREC.....	54
LSDYR.....	142
LSFRAME3.....	163
LSLAST.....	162
LSMONAVE.....	163
LSWKAVE.....	163
LSYRAVE.....	163
MAZANOR.....	96
MAZANOR2.....	151
MEDICAID.....	356
MEDICARE.....	356
MEPROB.....	85

VARIABLE NAME	PAGE
-----	----
MEPROB2.....	150
MESC.....	45
MESC2.....	146
METHAGE.....	103
METHAQ.....	105
METHAQ2.....	147
METHDES.....	93
METHDON.....	68
METHDON2.....	149
METHMFU.....	104
METHREC.....	104
METHYFU.....	104
MILSTAT.....	369
MILTOWN.....	85
MILTOWN2.....	151
MJAFU.....	152
MJAGE.....	28
MJDAY30A.....	31
MJEVER.....	28
MJFQFLG.....	29
MJFRAME3.....	158
MJLAST3.....	157
MJMFU.....	29
MJMONAVE.....	158
MJOFLAG.....	144
MJOMON2.....	144
MJOYR2.....	144
MJREC.....	29
MJWKAVE.....	158
MJYFU.....	28
MJYRAVE.....	158
MJYRTOT.....	29
MORPHIN2.....	149
MORPHINE.....	68
MOVESPY2.....	373
MOVIN5YR.....	341
MRBSTWAY.....	30
MRDAYPMO.....	30
MRDAYPWK.....	31
MRDAYPYR.....	30
MRJFLAG.....	140
MRJMON.....	140
MRJYR.....	140
MRTOTFG.....	29
MTHFLAG.....	143

VARIABLE NAME	PAGE
-----	----
MTHMON.....	143
MTHYR.....	143
NDTXALC.....	262
NDTXANL.....	265
NDTXCOC.....	263
NDTXDRG1.....	267
NDTXDRG2.....	267
NDTXDRG3.....	268
NDTXDRG4.....	268
NDTXDRG5.....	268
NDTXEFRT.....	269
NDTXHAL.....	264
NDTXHER.....	263
NDTXINH.....	264
NDTXMJ.....	262
NDTXNEED.....	261
NDTXSED.....	266
NDTXSOD.....	267
NDTXSTIM.....	266
NDTXTRAN.....	265
NEDFLAG4.....	179
NEDLRECC.....	178
NEMBBAR2.....	147
NEMBBARB.....	105
NEWRACE2.....	387
NGHDBLDG.....	341
NGHDCCRIM.....	341
NGHDFGHT.....	341
NGHDGRAF.....	341
NGHDHELP.....	342
NGHDMOVE.....	342
NGHDSELL.....	342
NGHDVSIT.....	342
NITOXID.....	57
NITOXID2.....	147
NMERTMT2.....	349
NMHSPOV2.....	349
NMHSPPE2.....	350
NOBOOKY2.....	246
NODR30A.....	26
NOMARR2.....	368
NRCH17_2.....	372
OBLA.....	96
OBLA2.....	152
OTHANL.....	148

VARIABLE NAME	PAGE
-----	----
OTHSED.....	147
OTHSTM.....	147
OTHTRN.....	148
OUTPEYR.....	350
OXYCONT2.....	149
OXYCONTN.....	69
PARALDLY.....	342
PARCHORE.....	342
PARGDJOB.....	342
PARLMTTV.....	343
PARMJEV.....	343
PAROLE.....	253
PARPKCIG.....	343
PARPROUD.....	343
PCP.....	44
PCPFLAG.....	142
PCPMON.....	142
PCPREC.....	54
PCPYR.....	142
PDEN.....	388
PERCTYL2.....	148
PERCTYLX.....	66
PEYOTE.....	44
PEYOTE2.....	146
PHENCOD.....	69
PHENCOD2.....	149
PHENOBAR.....	107
PHENOB2.....	148
PIPE30DY.....	22
PIPEVER.....	22
PIPFLAG.....	136
PIPMON.....	136
PLACIDY2.....	148
PLACIDYL.....	108
PLCYCOV.....	382
PLEGINE.....	96
PLEGINE2.....	152
PR09.....	166
PR10.....	166
PR11.....	166
PR12.....	167
PR13.....	167
PRBSOLV.....	343
PRBSTWAY.....	80
PRDAYPMO.....	81

VARIABLE NAME	PAGE
-----	----
PRDAYPWK.....	81
PRDAYPYR.....	80
PREG.....	351
PREG2.....	351
PREGNANT.....	349
PREGPGM.....	343
PRELUDIN.....	96
PRELUDN2.....	152
PREVIOL.....	343
PRFQFLG.....	79
PROBATON.....	252
PROPOXY.....	69
PROPOXY2.....	149
PROXANS2.....	350
PRTALK2.....	343
PRTOTFG.....	79
PRVDRGO.....	343
PRVHLTIN.....	357
PSILCY.....	45
PSILCY2.....	146
PSYFLAG2.....	143
PSYMON2.....	144
PSYYR2.....	143
QTRFIELD.....	367
QUARTER.....	367
QUESTID.....	1
RDIFCOC.....	188
RDIFCRK.....	189
RDIFHER.....	188
RDIFLSD.....	188
RDIFMJ.....	188
RESTTMA2.....	147
RESTTMAZ.....	106
RITMPHE2.....	147
RITMPHEN.....	94
RK5ALDLY.....	183
RK5ALWK.....	183
RKCOCOC.....	182
RKCOCREG.....	183
RKDIFCOC.....	184
RKDIFCRK.....	185
RKDIFHER.....	185
RKDIFLSD.....	184
RKFQDBLT.....	187
RKFQDNDR.....	186

VARIABLE NAME	PAGE
-----	----
RKFQBLT.....	186
RKFQRSKY.....	186
RKHERREG.....	182
RKLSDREG.....	181
RKTRYHER.....	182
RKTRYLSD.....	181
RLGDECSN.....	385
RLGFRNDS.....	386
RLGIMPRT.....	385
RLGSVCYR.....	385
ROHYPNL2.....	151
ROHYPNOL.....	85
RSKDIFMJ.....	184
RSKMJOCC.....	180
RSKMJREG.....	181
RSKPKCIG.....	180
RSKSELL.....	185
RSTLSCIG.....	196
SANOREX.....	96
SANOREX2.....	152
SCHDSICK.....	374
SCHDSKIP.....	375
SEDAFU.....	153
SEDAGE.....	110
SEDCARD.....	106
SEDFLAG.....	143
SEDMFU.....	111
SEDMON.....	143
SEDNEWA.....	109
SEDNEWB.....	109
SEDNEWC.....	110
SEDNEWD.....	110
SEDNEWE.....	110
SEDNOLST.....	108
SEDREC.....	111
SEDYFU.....	110
SEDYR.....	143
SEDYRTOT.....	111
SEIZALC.....	202
SEIZSED.....	242
SERAX.....	85
SERAX2.....	151
SERVICE.....	369
SITSTALC.....	201
SITSTSED.....	241

VARIABLE NAME	PAGE
-----	----
SK65A.....	69
SK65A2.....	149
SLHRTCIG.....	196
SLODNCOC.....	209
SLODNSTM.....	235
SLPRBCOC.....	209
SLPRBSED.....	240
SLPRBSTM.....	235
SLT30BR2.....	17
SLT30FAV.....	17
SLTAFU.....	153
SLTMFU.....	16
SLTREC.....	16
SLTTRY.....	15
SLTYFU.....	15
SMKBRAND.....	139
SMKFLAG.....	136
SMKMON.....	136
SMKYR.....	136
SNAALDLY.....	293
SNAALDRV.....	293
SNAMJEVR.....	292
SNAPKCIG.....	292
SNCRIME.....	289
SNEMTBLD.....	290
SNF30BR2.....	14
SNF30USE.....	14
SNFAALDV.....	300
SNFAALDY.....	300
SNFACIG.....	299
SNFAMJEV.....	300
SNFDALC.....	301
SNFDCIG.....	301
SNFDDRNK.....	302
SNFDMJ.....	301
SNFEVER.....	12
SNFFLAG.....	137
SNFMON.....	137
SNFRACTV.....	298
SNFRCARE.....	298
SNFRCONC.....	297
SNFREC.....	13
SNFYR.....	137
SNGRAFTI.....	291
SNINSULT.....	294

VARIABLE NAME	PAGE
-----	----
SNLIVNBR.....	289
SNMOV5Y2.....	293
SNPPHLD.....	294
SNPPHLP.....	291
SNPPMOVE.....	292
SNPPVAL.....	290
SNPPVSIT.....	291
SNSELLDG.....	289
SNSMARGU.....	295
SNSPACTV.....	295
SNSPANGR.....	296
SNSPCONC.....	297
SNSPCRIT.....	297
SNSPHITU.....	296
SNSPOUSE.....	295
SNSRARGU.....	294
SNSTFGT.....	290
SNUFMFU.....	13
SNUFTRY.....	12
SNUFYFU.....	12
SNYATTAK.....	299
SNYHITSP.....	296
SNYSELL.....	298
SNYSTOLE.....	299
SOLVENT.....	56
SOLVENT2.....	146
SOMA.....	85
SOMA2.....	151
SPPAINT.....	57
SPPAINT2.....	147
ST09.....	169
ST10.....	169
ST11.....	170
ST12.....	170
ST13.....	170
ST15.....	170
STADOL.....	69
STADOL2.....	150
STBSTWAY.....	102
STDAYPMO.....	103
STDAYPWK.....	103
STDAYPYR.....	102
STFQFLG.....	102
STIMAGE.....	100
STIMMFU.....	101

VARIABLE NAME	PAGE
-----	----
STIMNEWA.....	98
STIMNEWB.....	99
STIMNEWC.....	99
STIMNEWD.....	100
STIMNEWE.....	100
STIMREC.....	101
STIMYFU.....	100
STMAFU.....	153
STMCARD.....	94
STMFLAG.....	143
STMMON.....	143
STMNOLST.....	97
STMYR.....	143
STMYRTOT.....	101
STNDLREC.....	176
STNEEDLE.....	176
STTOTFG.....	101
STUDNT.....	374
SUBSHELP.....	288
SUMFLAG.....	144
SUMMON.....	144
SUMYR.....	144
SV09.....	171
SV10.....	171
SV11.....	171
SV12.....	172
SV13.....	172
SVBSTWAY.....	112
SVDAYPMO.....	113
SVDAYPWK.....	113
SVDAYPYR.....	112
SVFQFLG.....	111
SVTOTFG.....	111
SWETALC.....	200
SWETSED.....	240
TALACEN.....	70
TALACEN2.....	150
TALWIN.....	70
TALWIN2.....	150
TALWINNX.....	70
TALWINX2.....	150
TELNO2.....	386
TENUATE.....	97
TENUATE2.....	152
TIREDCOC.....	208

VARIABLE NAME	PAGE
-----	----
TIREDDTM.....	234
TLKADULT.....	344
TLKBGF.....	344
TLKDAD.....	344
TLKMOM.....	344
TLKNON.....	344
TLKNONAD.....	345
TLKOTHER.....	345
TOBFLAG.....	137
TOBMON.....	137
TOBYR.....	137
TOTCOKE.....	159
TOTCRACK.....	160
TOTDRINK.....	156
TOTHALL.....	163
TOTHERO.....	161
TOTINHAL.....	164
TOTMJ.....	157
TR09.....	167
TR10.....	168
TR11.....	168
TR12.....	168
TR13.....	169
TRAMADL2.....	150
TRAMADOL.....	70
TRANAGE.....	89
TRANMFU.....	90
TRANREC.....	90
TRANXEN2.....	151
TRANXENE.....	86
TRANYFU.....	89
TRBSTWAY.....	91
TRDAYPMO.....	92
TRDAYPWK.....	92
TRDAYPYR.....	91
TRFQFLG.....	91
TRIMEST.....	351
TRMTNEED.....	287
TRMTSPEC.....	287
TRNAFU.....	153
TRNCARD.....	83
TRNEWA.....	87
TRNEWB.....	88
TRNEWC.....	88
TRNEWD.....	88

VARIABLE NAME	PAGE
-----	----
TRNEWE.....	89
TRNOLST.....	86
TRNYRTOT.....	90
TRQFLAG.....	142
TRQMON.....	143
TRQYR.....	142
TRSLPALC.....	200
TRSLPANL.....	227
TRSLPCIG.....	194
TRSLPHER.....	215
TRTNEED2.....	287
TRTOTFG.....	90
TSTHIRE.....	383
TSTRAND.....	383
TUINAL.....	108
TUINAL2.....	149
TXADGREC.....	269
TXENROLL.....	286
TXEVER.....	255
TXLTA.....	277
TXLTALC.....	271
TXLTANL.....	274
TXLTB.....	278
TXLTC.....	278
TXLTCOC.....	272
TXLTD.....	278
TXLTDUR2.....	281
TXLTE.....	279
TXLTHAL.....	273
TXLTHER.....	272
TXLTINH.....	273
TXLTMAI2.....	270
TXLTMJ.....	271
TXLT PRIM.....	279
TXLTSED.....	275
TXLTSOD.....	276
TXLTSTIM.....	275
TXLTTRAN.....	274
TXOUTC2.....	280
TXPDCAID.....	282
TXPDCARE.....	282
TXPDCORT.....	284
TXPDEMPL.....	284
TXPDFMLY.....	283
TXPDFRE.....	286

VARIABLE NAME	PAGE
-----	----
TXPDINS.....	282
TXPDMILC.....	284
TXPDPUBP.....	283
TXPDSAVE.....	283
TXPDSOS.....	285
TXPDSP2.....	285
TXYRADG.....	256
TXYRDOC.....	258
TXYREVER.....	255
TXYRHOSP.....	256
TXYRJAIL.....	259
TXYRMHC.....	258
TXYRNME2.....	261
TXYROTS2.....	260
TXYRRFIN.....	257
TXYRRFOP.....	257
TXYRSHG.....	259
TXYRSOP.....	260
TXYRTXER.....	258
TXYRVSER.....	261
UCDALC.....	198
UCDANL.....	223
UCDCIG.....	192
UCDCOC.....	207
UCDHAL.....	217
UCDHER.....	212
UCDINH.....	220
UCDMRJ.....	204
UCDSED.....	238
UCDSTM.....	233
UCDTRN.....	230
ULTRAM.....	70
ULTRAM2.....	150
USALCTST.....	383
USDRGTST.....	383
VALMDIA2.....	148
VALMDIAZ.....	83
VEREP.....	389
VESTR.....	389
VICOLOR.....	66
VICOLOR2.....	148
VISTAR.....	86
VISTAR2.....	151
VOMITALC.....	201
VOMITANL.....	225

VARIABLE NAME	PAGE
-----	----
VOMITHER.....	213
VOMITSED.....	241
WDRWALC.....	199
WDRWANL.....	224
WDRWCIG.....	193
WDRWCOC.....	208
WDRWHER.....	212
WDRWSED.....	239
WDRWSTM.....	234
WKDRGED.....	382
WORKBLAH.....	381
WORKDAYS.....	381
WORKRAND.....	384
WRKEDYR.....	379
WRKEFFRT.....	379
WRKHAVJB.....	378
WRKHIRE.....	384
WRKHRSWK.....	379
WRKJOBS2.....	380
WRKCLASY2.....	380
WRKSLFEM.....	379
WRKUNEMP.....	380
WRKUNWKS.....	380
XNAXATV2.....	147
XNAXATVN.....	82
YAWNANL.....	227
YAWNHER.....	214
YE4HCLUB.....	333
YEAALDLY.....	307
YEADOALC.....	308
YEADOCIG.....	307
YEADODNK.....	308
YEADOMRJ.....	308
YEAMJEVR.....	306
YEAPKCIG.....	306
YEBAND.....	333
YEBIGBRO.....	330
YECHOIR.....	335
YECRIME.....	303
YEDECLAS.....	336
YEDERGLR.....	336
YEDESPCL.....	336
YEDGPRGP.....	332
YEEMTBLD.....	305
YEENRLYR.....	309

VARIABLE NAME	PAGE
-----	----
YEFALDLY.....	322
YEFDALC.....	323
YEFDCIG.....	322
YEFDDNK.....	323
YEFDMJ.....	323
YEFMJEVR.....	322
YEFPKCIG.....	321
YEGALDLY.....	321
YEGMJEVR.....	321
YEGPKCIG.....	320
YEGRAFTI.....	305
YEJBSKIL.....	335
YELIVNBR.....	303
YELSTGRD.....	311
YEMOV5Y2.....	307
YEPALDLY.....	320
YEPARDNG.....	330
YEPCHKHW.....	314
YEPCHORE.....	315
YEPGDJOB.....	316
YEPHLPHW.....	314
YEPLMTSN.....	315
YEPLMTTV.....	315
YEPMJEVR.....	320
YEPPHLP.....	304
YEPPKCIG.....	319
YEPPMOVE.....	306
YEPPROUD.....	316
YEPVSIT.....	305
YEPRBSLV.....	330
YEPRGSTD.....	335
YEPRVLES.....	332
YEPVNTYR.....	337
YESCHCLB.....	334
YESCHFLT.....	309
YESCHIMP.....	310
YESCHINT.....	310
YESCHWRK.....	309
YESCOUTS.....	331
YESELLDG.....	304
YESLFHLP.....	333
YESTFGT.....	304
YESTGOVT.....	334
YESTSALC.....	312
YESTSCIG.....	311

VARIABLE NAME	PAGE
-----	----
YESTSDNK.....	312
YESTSMJ.....	311
YETCGJOB.....	310
YETEMSPT.....	332
YETLKBGF.....	325
YETLKCLG.....	327
YETLKDAD.....	324
YETLKFRN.....	326
YETLKGPR.....	325
YETLKMOM.....	324
YETLKNBR.....	326
YETLKNON.....	324
YETLKPSY.....	326
YETLKSIB.....	325
YETLKSOP.....	327
YETLKSOR.....	325
YETLKSP.....	328
YETLKTCH.....	326
YETRPDAL.....	313
YETRPUDG.....	313
YETRSCIG.....	312
YEVIOPRV.....	331
YEVOLUNT.....	334
YEVARGUP.....	316
YEVATTAK.....	319
YEVFGTGP.....	317
YEVFGTSW.....	317
YEVHGUN.....	318
YEYMCA.....	331
YEYSELL.....	318
YEYSTOLE.....	319
YTFLADLY.....	345
YTFLPKCG.....	345
YTFLTMRJ.....	345
YTHARGUE.....	346
YTHATTAK.....	346
YTHFIGHT.....	346
YTHGRPFT.....	346
YTHHGUN.....	346
YTHSELL.....	346
YTHSTOLE.....	347

VARIABLE NAME	PAGE
-----	----
QUESTID.....	1
CIGEVER.....	2
CIGOFRSM.....	2
CIGWILYR.....	2
CIGTRY.....	2
CIGYFU.....	3
CIGMFU.....	3
CIGREC.....	4
CIG30USE.....	4
CG30EST.....	4
CIG30AV.....	5
CIG30BR2.....	6
CIG30RO2.....	7
CIGDLYMO.....	8
CIGAGE.....	8
CIG100LF.....	8
CHEWEVER.....	9
CHEWTRY.....	9
CHEWYFU.....	9
CHEWMFU.....	10
CHEWREC.....	10
CHW30USE.....	11
CHW30BR2.....	11
SNFEVER.....	12
SNUFTRY.....	12
SNUFYFU.....	12
SNUFMFU.....	13
SNFRECE.....	13
SNF30USE.....	14
SNF30BR2.....	14
SLTTRY.....	15
SLTYFU.....	15
SLTMFU.....	16
SLTREC.....	16
SLT30BR2.....	17
SLT30FAV.....	17
CIGAREVR.....	18
CIGARTRY.....	18
CIGARYFU.....	18
CIGARMFU.....	19
CIGARREC.....	19
CGR30USE.....	20
CI30EST.....	20
CGR30BR2.....	21
PIPEVER.....	22

VARIABLE NAME -----	PAGE ----
PIPE30DY.....	22
ALCEVER.....	23
ALCTRY.....	23
ALCYFU.....	23
ALCMFU.....	24
ALCREC.....	24
ALCYRTOT.....	24
ALTOTFG.....	24
ALFQFLG.....	24
ALBSTWAY.....	25
ALDAYPYR.....	25
ALDAYPMO.....	25
ALDAYPWK.....	26
ALCDAYS.....	26
ALDYSFG.....	26
NODR30A.....	26
DR5DAY.....	27
MJEVER.....	28
MJAGE.....	28
MJYFU.....	28
MJMFU.....	29
MJREC.....	29
MJYRTOT.....	29
MRTOTFG.....	29
MJFQFLG.....	29
MRBSTWAY.....	30
MRDAYPYR.....	30
MRDAYPMO.....	30
MRDAYPWK.....	31
MJDAY30A.....	31
COCEVER.....	32
COCAGE.....	32
COCYFU.....	32
COCMFU.....	33
COCREC.....	33
COCYRTOT.....	33
CCTOTFG.....	33
CCFQFLG.....	33
CCBSTWAY.....	34
CCDAYPYR.....	34
CCDAYPMO.....	34
CCDAYPWK.....	35
COCUS30A.....	35
CRKEVER.....	36
CRKAGE.....	36

VARIABLE NAME	PAGE
-----	----
CRKYFU.....	36
CRKMFU.....	37
CRAKREC.....	37
CRKYRTOT.....	37
CRTOTFG.....	37
CRFQFLG.....	37
CRBSTWAY.....	38
CRDAYPYR.....	38
CRDAYPMO.....	38
CRDAYPWK.....	39
CRKUS30A.....	39
HEREVER.....	40
HERAGE.....	40
HERYFU.....	40
HERMFU.....	41
HERREC.....	41
HERYRTOT.....	41
HRTOTFG.....	41
HRFQFLG.....	41
HRBSTWAY.....	42
HRDAYPYR.....	42
HRDAYPMO.....	42
HRDAYPWK.....	43
HER30USE.....	43
LSD.....	44
PCP.....	44
PEYOTE.....	44
MESC.....	45
PSILCY.....	45
ECSTASY.....	45
HALNOLST.....	45
HALNEWA.....	46
HALNEWB.....	50
HALNEWC.....	50
HALNEWD.....	50
HALNEWE.....	50
HALLAGE.....	51
HALYFU.....	51
HALMFU.....	51
HALLREC.....	52
HALYRTOT.....	52
HLTOTFG.....	52
HLFQFLG.....	52
HLBSTWAY.....	52
HLDAYPYR.....	53

VARIABLE NAME	PAGE
-----	----
HLDAYPMO.....	53
HLDAYPWK.....	53
HAL30USE.....	53
LSDREC.....	54
PCPREC.....	54
AMYLNIT.....	55
CLEFLU.....	55
GAS.....	56
GLUE.....	56
ETHER.....	56
SOLVENT.....	56
LGAS.....	57
NITOXID.....	57
SPPAINT.....	57
AEROS.....	57
INHNOLST.....	58
INHNEWA.....	59
INHNEWB.....	60
INHNEWC.....	61
INHNEWD.....	61
INHNEWE.....	61
INHAGE.....	61
INHYFU.....	62
INHMFU.....	62
INHREC.....	62
INHYRTOT.....	63
INTOTFG.....	63
INFQFLG.....	63
INBSTWAY.....	63
INDAYPYR.....	63
INDAYPMO.....	64
INDAYPWK.....	64
INH DY30A.....	64
DARV TYLC.....	65
PERCTYLX.....	66
VICOLOR.....	66
ANLCARD.....	66
CODEINE.....	67
DEMEROL.....	67
DILAUD.....	67
FIORICET.....	67
FIORINAL.....	68
HYDROCOD.....	68
METHDON.....	68
MORPHINE.....	68

VARIABLE NAME -----	PAGE ----
OXYCONTN.....	69
PHENCOD.....	69
PROPOXY.....	69
SK65A.....	69
STADOL.....	69
TALACEN.....	70
TALWIN.....	70
TALWINNX.....	70
TRAMADOL.....	70
ULTRAM.....	70
ANLNOLST.....	71
ANALNEWA.....	72
ANALNEWB.....	75
ANALNEWC.....	76
ANALNEWD.....	77
ANALNEWE.....	77
ANALAGE.....	77
ANALYFU.....	78
ANALMFU.....	78
ANALREC.....	79
ANLYRTOT.....	79
PRTOTFG.....	79
PRFQFLG.....	79
PRBSTWAY.....	80
PRDAYPYR.....	80
PRDAYPMO.....	81
PRDAYPWK.....	81
KLONOPIN.....	82
XNAXATVN.....	82
VALMDIAZ.....	83
TRNCARD.....	83
ATARAX.....	83
BUSPAR.....	84
EQUANIL.....	84
FLEXERIL.....	84
LIBRIUM.....	84
LIMBTROL.....	84
MEPROB.....	85
MILTOWN.....	85
ROHYPNOL.....	85
SERAX.....	85
SOMA.....	85
TRANXENE.....	86
VISTAR.....	86
TRNOLST.....	86

VARIABLE NAME	PAGE
-----	----
TRNEWA.....	87
TRNEWB.....	88
TRNEWC.....	88
TRNEWD.....	88
TRNEWE.....	89
TRANAGE.....	89
TRANYFU.....	89
TRANMFU.....	90
TRANREC.....	90
TRNYRTOT.....	90
TRTOTFG.....	90
TRFQFLG.....	91
TRBSTWAY.....	91
TRDAYPYR.....	91
TRDAYPMO.....	92
TRDAYPWK.....	92
METHDES.....	93
DIETPILS.....	93
RITMPHEN.....	94
STMCARD.....	94
CYLERT.....	94
DEXED.....	95
DETAMP.....	95
DIDREX.....	95
ESKAT.....	95
IONAMIN.....	95
MAZANOR.....	96
OBLA.....	96
PLEGINE.....	96
PRELUDIN.....	96
SANOREX.....	96
TENUATE.....	97
STMNOLST.....	97
STIMNEWA.....	98
STIMNEWB.....	99
STIMNEWC.....	99
STIMNEWD.....	100
STIMNEWE.....	100
STIMAGE.....	100
STIMYFU.....	100
STIMMFU.....	101
STIMREC.....	101
STMYRTOT.....	101
STTOTFG.....	101
STFQFLG.....	102

VARIABLE NAME	PAGE
-----	----
STBSTWAY.....	102
STDAYPYR.....	102
STDAYPMO.....	103
STDAYPWK.....	103
METHAGE.....	103
METHYFU.....	104
METHMFU.....	104
METHREC.....	104
METHAQ.....	105
NEMBBARB.....	105
RESTTMAZ.....	106
SEDCARD.....	106
AMYTAL.....	106
BUTISOL.....	107
CHHYD.....	107
DALMANE.....	107
HALCION.....	107
PHENOBAR.....	107
PLACIDYL.....	108
TUINAL.....	108
SEDNOLST.....	108
SEDNEWA.....	109
SEDNEWB.....	109
SEDNEWC.....	110
SEDNEWD.....	110
SEDNEWE.....	110
SEDAGE.....	110
SEDYFU.....	110
SEDMFU.....	111
SEDREC.....	111
SEDYRTOT.....	111
SVTOTFG.....	111
SVFQFLG.....	111
SVBSTWAY.....	112
SVDAYPYR.....	112
SVDAYPMO.....	113
SVDAYPWK.....	113
IRCIIRC.....	114
IICIIRC.....	114
II2CIIRC.....	114
IRCGRR.....	114
IICGRR.....	114
II2CGRR.....	114
IRPIPLF.....	114
IIPILF.....	114

VARIABLE NAME	PAGE
-----	----
IRPIPMN.....	115
IIPIMN.....	115
IRSLTRC.....	115
IISLTRC.....	115
II2SLTRC.....	115
IRCHWRC.....	115
IICHWRC.....	115
II2CHWRC.....	115
IRSNFRC.....	116
IISNFRC.....	116
II2SNFRC.....	116
IRALCRC.....	116
IIALCRC.....	116
II2ALCRC.....	116
IRMJRC.....	116
IIMJRC.....	116
II2MJRC.....	117
IRCOCRC.....	117
IICOCRC.....	117
II2COCRC.....	117
IRCRKRC.....	117
IICRKRC.....	117
II2CRKRC.....	117
IRHERRC.....	117
IIHERRC.....	117
II2HERRC.....	118
IRHALRC.....	118
IIHALRC.....	118
II2HALRC.....	118
IRLSDRC.....	118
IILSDRC.....	118
II2LSDRRC.....	118
IRPCPRC.....	118
IIPCPRC.....	118
II2PCPRC.....	119
IRINHRC.....	119
IIINHRC.....	119
II2INHRC.....	119
IRANLRC.....	119
IIANLRC.....	119
II2ANLRC.....	119
IRTRNRC.....	119
IITRNRC.....	119
II2TRNRC.....	120
IRSTMRC.....	120

VARIABLE NAME -----	PAGE ----
IISTMRC.....	120
II2STMRC.....	120
IRMTHRC.....	120
IIMTHRC.....	120
II2MTHRC.....	120
IRSEDRC.....	120
IISEDRC.....	121
II2SEDRC.....	121
IRALCFY.....	122
IIALCFY.....	122
II2ALCFY.....	122
IRMJFY.....	122
IIMJFY.....	122
II2MJFY.....	122
IRCOCFY.....	122
IICOCFY.....	122
II2COCFY.....	122
IRCRKFY.....	122
IICRKFY.....	123
II2CRKFY.....	123
IRHERFY.....	123
IHERFY.....	123
II2HERFY.....	123
IRHALFY.....	123
IIHALFY.....	123
II2HALFY.....	123
IRINHFY.....	123
IIINHFY.....	123
II2INHFY.....	123
IRANLFY.....	124
IIANLFY.....	124
II2ANLFY.....	124
IRTRNFY.....	124
IITRNFY.....	124
II2TRNFY.....	124
IRSTMFY.....	124
IISTMFY.....	124
II2STMFY.....	124
IRSEDFY.....	124
IISEDFY.....	125
II2SEDFY.....	125
IRCIGFM.....	126
IICIGFM.....	126
II2CIGFM.....	126
IRCGRFM.....	126

VARIABLE NAME	PAGE
-----	----
IICGRFM.....	126
II2CGRFM.....	126
IRCHWFM.....	126
IICHWFM.....	126
II2CHWFM.....	126
IRSNFFM.....	126
IISNFFM.....	127
II2SNFFM.....	127
IRALCFM.....	127
IIALCFM.....	127
II2ALCFM.....	127
IRALCD5.....	127
IIALCD5.....	127
II2ALCD5.....	127
IRMJFM.....	127
IIMJFM.....	127
II2MJFM.....	127
IRCOCFM.....	128
IICOCFM.....	128
II2COCFM.....	128
IRCRKFM.....	128
IICRKFM.....	128
II2CRKFM.....	128
IRHERFM.....	128
IIHERFM.....	128
II2HERFM.....	128
IRHALFM.....	128
IIHALFM.....	128
II2HALFM.....	129
IRINHFM.....	129
IIINHFM.....	129
II2INHFM.....	129
IRCIGAGE.....	130
IICIGAGE.....	130
IRCIGYFU.....	130
IICIGYFU.....	130
IRCDUAGE.....	130
IICDUAGE.....	130
IRCDUYFU.....	130
IICDUYFU.....	130
IRCGRAGE.....	130
IICGRAGE.....	130
IRCGRYFU.....	130
IICGRYFU.....	131
IRSNFAGE.....	131

VARIABLE NAME	PAGE
-----	----
IISNFAGE.....	131
IRSNFYFU.....	131
IISNFYFU.....	131
IRCHWAGE.....	131
IICHWAGE.....	131
IRCHWYFU.....	131
IICHWYFU.....	131
IRSLTAGE.....	131
IISLTAGE.....	131
IRSLTYFU.....	131
IISLTYFU.....	131
IRALCAGE.....	132
IIALCAGE.....	132
IRALCYFU.....	132
IIALCYFU.....	132
IRMJAGE.....	132
IIMJAGE.....	132
IRMJYFU.....	132
IIMJYFU.....	132
IRCOCAGE.....	132
IICOCAGE.....	132
IRCOCYFU.....	132
IICOCYFU.....	132
IRCRKAGE.....	132
IICRKAGE.....	133
IRCRKYFU.....	133
IICRKYFU.....	133
IRHERAGE.....	133
IIHERAGE.....	133
IRHERYFU.....	133
IIHERYFU.....	133
IRHALAGE.....	133
IIHALAGE.....	133
IRHALYFU.....	133
IIHALYFU.....	133
IRINHAGE.....	133
IIINHAGE.....	133
IRINHYFU.....	134
IIINHYFU.....	134
IRANLAGE.....	134
IIANLAGE.....	134
IRANLYFU.....	134
IIANLYFU.....	134
IRTRNAGE.....	134
IITRNAGE.....	134

VARIABLE NAME	PAGE
-----	----
IRTRNYFU.....	134
IITRNYFU.....	134
IRSTMAGE.....	134
IISTMAGE.....	134
IRSTMYFU.....	135
IISTMYFU.....	135
IRMTHAGE.....	135
IIMTHAGE.....	135
IRMTHYFU.....	135
IIMTHYFU.....	135
IRSEDAGE.....	135
IISEDAGE.....	135
IRSEDYFU.....	135
IISEDYFU.....	135
CIGFLAG.....	136
CIGMON.....	136
CIGYR.....	136
CGRFLAG.....	136
CGRYR.....	136
CGRMON.....	136
PIPFLAG.....	136
PIPMON.....	136
SMKFLAG.....	136
SMKYR.....	136
SMKMON.....	136
CHWFLAG.....	136
CHWYR.....	137
CHWMON.....	137
SNFFLAG.....	137
SNFYR.....	137
SNFMON.....	137
TOBFLAG.....	137
TOBYR.....	137
TOBMON.....	137
CIGBRAND.....	138
CGRBRAND.....	139
SMKBRAND.....	139
CIGCMPNY.....	140
ALCFLAG.....	140
ALCYR.....	140
ALCMON.....	140
MRJFLAG.....	140
MRJYR.....	140
MRJMON.....	140
COCFLAG.....	141

VARIABLE NAME	PAGE
-----	----
COCYR.....	141
COCMON.....	141
CRKFLAG.....	141
CRKYR.....	141
CRKMON.....	141
HERFLAG.....	141
HERYR.....	141
HERMON.....	141
HALFLAG.....	141
HALYR.....	141
HALMON.....	141
LSDFLAG.....	141
LSDYR.....	142
LSDMON.....	142
PCPFLAG.....	142
PCPYR.....	142
PCPMON.....	142
INHFLAG.....	142
INHYP.....	142
INHMON.....	142
ANLFLAG.....	142
ANLYR.....	142
ANLMON.....	142
TRQFLAG.....	142
TRQYR.....	142
TRQMON.....	143
STMFLAG.....	143
STMYR.....	143
STMMON.....	143
MTHFLAG.....	143
MTHYR.....	143
MTHMON.....	143
SEDFLAG.....	143
SEDYR.....	143
SEDMON.....	143
PSYFLAG2.....	143
PSYR2.....	143
PSYMON2.....	144
SUMFLAG.....	144
SUMYR.....	144
SUMMON.....	144
MJOFLAG.....	144
MJOYR2.....	144
MJOMON2.....	144
IEMFLAG.....	145

VARIABLE NAME	PAGE
-----	----
IEMYR.....	145
IEMMON.....	145
BINGEDRK.....	145
HVYDRK2.....	145
BINGEHVY.....	146
PEYOTE2.....	146
MESC2.....	146
PSILCY2.....	146
ECSTASY2.....	146
AMYLNIT2.....	146
CLEFLU2.....	146
GAS2.....	146
GLUE2.....	146
ETHER2.....	146
SOLVENT2.....	146
LGAS2.....	147
NITOXID2.....	147
SPPAINT2.....	147
AEROS2.....	147
DIETPIL2.....	147
RITMPHE2.....	147
OTHSTM.....	147
METHAQ2.....	147
NEMBBAR2.....	147
RESTTMA2.....	147
OTHSED.....	147
KLONOP12.....	147
XNAXATV2.....	147
VALMDIA2.....	148
OTHTRN.....	148
DARVTYL2.....	148
PERCTYL2.....	148
VICOLOR2.....	148
OTHANL.....	148
AMYTAL2.....	148
BUTISOL2.....	148
CHHYD2.....	148
DALMANE2.....	148
HALCION2.....	148
PHENOB2.....	148
PLACIDY2.....	148
TUINAL2.....	149
CODEINE2.....	149
DEMEROL2.....	149
DILAUD2.....	149

VARIABLE NAME	PAGE
-----	----
FIORICT2.....	149
FIORINL2.....	149
HYDROCD2.....	149
METHDON2.....	149
MORPHIN2.....	149
OXYCONT2.....	149
PHENCOD2.....	149
PROPOXY2.....	149
SK65A2.....	149
STADOL2.....	150
TALACEN2.....	150
TALWIN2.....	150
TALWINX2.....	150
TRAMADL2.....	150
ULTRAM2.....	150
ATARAX2.....	150
BUSPAR2.....	150
EQUANIL2.....	150
FLEXERL2.....	150
LIBRIUM2.....	150
LIMBTRL2.....	150
MEPROB2.....	150
MILTOWN2.....	151
ROHYPNL2.....	151
SERAX2.....	151
SOMA2.....	151
TRANXEN2.....	151
VISTAR2.....	151
CYLERT2.....	151
DEXED2.....	151
DETAMP2.....	151
DIDREX2.....	151
ESKAT2.....	151
IONAMIN2.....	151
MAZANOR2.....	151
OBLA2.....	152
PLEGINE2.....	152
PRELUDN2.....	152
SANOREX2.....	152
TENUATE2.....	152
ALCAFU.....	152
MJAFU.....	152
COCAFU.....	152
HERAFU.....	152
HALAFU.....	152

VARIABLE NAME	PAGE
-----	----
INHAFU.....	153
ANLAFU.....	153
TRNAFU.....	153
STMAFU.....	153
SEDAFU.....	153
CIGAFU.....	153
CGRAFU.....	153
SLTAFU.....	153
CG05.....	154
CG06.....	154
CG19.....	154
CG20.....	154
CG27.....	155
CG28.....	155
CG36.....	155
CG37.....	155
CG43.....	156
ALLAST3.....	156
TOTDRINK.....	156
ALFRAME3.....	156
ALYRAVE.....	157
ALMONAVE.....	157
ALWKAVE.....	157
MJLAST3.....	157
TOTMJ.....	157
MJFRAME3.....	158
MJYRAVE.....	158
MJMONAVE.....	158
MJWKAVE.....	158
CCLAST3.....	159
TOTCOKE.....	159
CCFRAME3.....	159
CCYRAVE.....	159
CCMONAVE.....	160
CCWKAVE.....	160
CKLAST3.....	160
TOTCRACK.....	160
CKFRAME3.....	160
CKYRAVE.....	161
CKMONAVE.....	161
CKWKAVE.....	161
HELAST3.....	161
TOTHERO.....	161
HEFRAME3.....	162
HEYRAVE.....	162

VARIABLE NAME	PAGE
-----	----
HEMNAVE.....	162
HEWKAVE.....	162
LSLAST.....	162
TOTHALL.....	163
LSFRAME3.....	163
LSYRAVE.....	163
LSMONAVE.....	163
LSWKAVE.....	163
LS07.....	164
LS08.....	164
INLAST.....	164
TOTINHAL.....	164
INFRAME3.....	165
INYRAVE.....	165
INMONAVE.....	165
INWKAVE.....	165
PR09.....	166
PR10.....	166
PR11.....	166
PR12.....	167
PR13.....	167
TR09.....	167
TR10.....	168
TR11.....	168
TR12.....	168
TR13.....	169
ST09.....	169
ST10.....	169
ST11.....	170
ST12.....	170
ST13.....	170
ST15.....	170
SV09.....	171
SV10.....	171
SV11.....	171
SV12.....	172
SV13.....	172
HERSMOKE.....	173
HRSMKREC.....	173
HERSNIFF.....	173
HRSNFREC.....	174
GNNDLLIF.....	174
COCNEEDL.....	174
CONDLREC.....	175
HERNEEDL.....	175

VARIABLE NAME	PAGE
-----	----
HRNDLREC.....	175
STNEEDLE.....	176
STNDLREC.....	176
GNNDREUS.....	176
GNNDLSH1.....	177
GNNDCLN.....	177
GNNDLSH2.....	177
GNNDGET2.....	178
NEDLRECC.....	178
NEDFLAG4.....	179
HERSMOK2.....	179
HERSNIF2.....	179
RSKPKCIG.....	180
RSKMJOCC.....	180
RSKMJREG.....	181
RKTRYLSD.....	181
RKLSDREG.....	181
RKTRYHER.....	182
RKHERREG.....	182
RKCOCOC.....	182
RKCOCREG.....	183
RK5ALDLY.....	183
RK5ALWK.....	183
RSKDIFMJ.....	184
RKDIFLSD.....	184
RKDIFCOC.....	184
RKDIFCRK.....	185
RKDIFHER.....	185
RSKSELL.....	185
RKFQDNDR.....	186
RKFQRSKY.....	186
RKFQPBLT.....	186
RKFQDBLT.....	187
GRSKPKCG.....	187
GRSKCREG.....	187
GRSKCOCC.....	187
GRSKMREG.....	187
GRSKMOCC.....	187
GRSKHTRY.....	187
GRSKHREG.....	188
GRSKLTRY.....	188
GRSKLREG.....	188
GRSKD4_5.....	188
GRSKD5WK.....	188
RDIFMJ.....	188

VARIABLE NAME -----	PAGE ----
RDIFCOC.....	188
RDIFHER.....	188
RDIFLSD.....	188
RDIFCRK.....	189
APPSELDG.....	189
GRTMCIG.....	190
LAMTCIG.....	190
BTOLCIG.....	191
ACRDCIG.....	191
EMPBCIG.....	191
HLPRCIG.....	192
UCDCIG.....	192
WDRWCIG.....	193
DPRSCIG.....	194
TRSLPCIG.....	194
IRRITCIG.....	195
ANXCIG.....	195
CONCCIG.....	195
HUNGRCIG.....	195
RSTLSCIG.....	196
SLHRTCIG.....	196
GRTMALC.....	196
LAMTALC.....	197
BTOLALC.....	197
ACRDALC.....	197
EMPBALC.....	198
HLPRALC.....	198
UCDALC.....	198
WDRWALC.....	199
SWETALC.....	200
HSHAKALC.....	200
TRSLPALC.....	200
VOMITALC.....	201
HALUCALC.....	201
SITSTALC.....	201
ANXALC.....	201
SEIZALC.....	202
AVDWDALC.....	202
GRTMMRJ.....	202
LAMTMRJ.....	203
BTOLMRJ.....	203
ACRDMRJ.....	203
EMPBMRJ.....	204
HLPRMRJ.....	204
UCDMRJ.....	204

VARIABLE NAME	PAGE
-----	----
GRTMCOC.....	205
LAMTCOC.....	205
BTOLCOC.....	205
ACRDCOC.....	206
EMPBCOC.....	206
HLPRCOC.....	206
UCDCOC.....	207
DPRSCOC.....	207
WDRWCOC.....	208
TIREDCOC.....	208
BDDRMCO.....	209
SLPRBCOC.....	209
HUNGRCO.....	209
SLODNCOC.....	209
AVDWDCO.....	210
GRTMHER.....	210
LAMTHER.....	210
BTOLHER.....	211
ACRDHER.....	211
EMPBHER.....	211
HLPRHER.....	212
UCDHER.....	212
WDRWHER.....	212
DPRSHER.....	213
VOMITHER.....	213
CRAMPHER.....	213
EYNOSHER.....	214
DILATHER.....	214
DIARHER.....	214
YAWNHER.....	214
FEVERHER.....	214
TRSLPHER.....	215
AVDWDHER.....	215
GRTMHAL.....	215
LAMTHAL.....	216
BTOLHAL.....	216
ACRDHAL.....	216
EMPBHAL.....	217
HLPRHAL.....	217
UCDHAL.....	217
GRTMINH.....	218
LAMTINH.....	218
BTOLINH.....	219
ACRDINH.....	219
EMPBINH.....	219

VARIABLE NAME -----	PAGE ----
HLPRINH.....	220
UCDINH.....	220
GRTMANL.....	221
LAMTANL.....	221
BTOLANL.....	222
ACRDANL.....	222
EMPBANL.....	223
HLPRANL.....	223
UCDANL.....	223
WDRWANL.....	224
DPRSANL.....	225
VOMITANL.....	225
CRAMPANL.....	226
EYNOSANL.....	226
DILATANL.....	226
DIARANL.....	226
YAWNANL.....	227
FEVERANL.....	227
TRSLPANL.....	227
AVDWDANL.....	228
GRTMTRN.....	228
LAMTTRN.....	229
BTOLTRN.....	229
ACRDTRN.....	229
EMPBTRN.....	230
HLPRTRN.....	230
UCDTRN.....	230
GRTMSTM.....	231
LAMTSTM.....	231
BTOLSTM.....	232
ACRDSTM.....	232
EMPBSTM.....	232
HLPRSTM.....	233
UCDSTM.....	233
DPRSSTM.....	233
WDRWSTM.....	234
TIREDDSTM.....	234
BDDRMSTM.....	235
SLPRBSTM.....	235
HUNGRSTM.....	235
SLODNSTM.....	235
AVDWDSTM.....	236
GRTMSED.....	236
LAMTSED.....	237
BTOLSED.....	237

VARIABLE NAME	PAGE
-----	----
ACRDSSED.....	237
EMPBSED.....	238
HLPRSED.....	238
UCDSED.....	238
WDRWSED.....	239
SWETSED.....	240
HSHAKSED.....	240
SLPRBSED.....	240
VOMITSED.....	241
HALUCSED.....	241
SITSTSED.....	241
ANXSED.....	241
SEIZSED.....	242
AVDWDSED.....	242
DEPALC.....	243
DEPANL.....	244
DEPCIG.....	244
DEPCOC.....	244
DEPHAL.....	244
DEPHER.....	244
DEPINH.....	244
DEPMRJ.....	244
DEPSED.....	244
DEPSTM.....	244
DEPTRN.....	244
DEPILL.....	245
DILORALC.....	245
DILANALC.....	245
DEPPSYCH.....	245
BOOKED.....	246
NOBOOKY2.....	246
BKLARCNY.....	247
BKBURGL.....	247
BKAGASLT.....	247
BKSMASLT.....	248
BKMVTHFT.....	248
BKROB.....	248
BKRAPE.....	249
BKMURDER.....	249
BKARSON.....	249
BKDRVINF.....	249
BKDRUNK.....	250
BKDRUG.....	250
BKPROS.....	250
BKVANDAL.....	251

VARIABLE NAME	PAGE
-----	----
BKOTH.....	251
BKOTHOF2.....	252
PROBATON.....	252
PAROLE.....	253
DRVALDR.....	253
DRIVEAL.....	253
DRIVEDR.....	254
TXEVER.....	255
TXYREVER.....	255
TXYRADG.....	256
TXYRHOSP.....	256
TXYRRFIN.....	257
TXYRRFOP.....	257
TXYRMHC.....	258
TXYRTXER.....	258
TXYRDOC.....	258
TXYRJAIL.....	259
TXYRSHG.....	259
TXYRSOP.....	260
TXYROTS2.....	260
TXYRVSER.....	261
TXYRNME2.....	261
NDTXNEED.....	261
NDTXALC.....	262
NDTXMJ.....	262
NDTXCOC.....	263
NDTXHER.....	263
NDTXHAL.....	264
NDTXINH.....	264
NDTXANL.....	265
NDTXTRAN.....	265
NDTXSTIM.....	266
NDTXSED.....	266
NDTXSOD.....	267
NDTXDRG1.....	267
NDTXDRG2.....	267
NDTXDRG3.....	268
NDTXDRG4.....	268
NDTXDRG5.....	268
NDTXEFRT.....	269
TXADGREC.....	269
TXLTMAI2.....	270
TXLTALC.....	271
TXLTMJ.....	271
TXLTCOC.....	272

VARIABLE NAME	PAGE
-----	----
TXLTHER.....	272
TXLTHAL.....	273
TXLTINH.....	273
TXLTANL.....	274
TXLTTRAN.....	274
TXLTSTIM.....	275
TXLTSED.....	275
TXLTSOD.....	276
TXLTA.....	277
TXLTB.....	278
TXLTC.....	278
TXLTD.....	278
TXLTE.....	279
TXLTPRIM.....	279
TXOUTC2.....	280
TXLTDUR2.....	281
TXPDINS.....	282
TXPDCARE.....	282
TXPDCAID.....	282
TXPDPUBP.....	283
TXPDSAVE.....	283
TXPDFMLY.....	283
TXPDCORT.....	284
TXPDMILC.....	284
TXPDEMPL.....	284
TXPDSOS.....	285
TXPDSP2.....	285
TXPDFRE.....	286
TXENROLL.....	286
TRMTNEED.....	287
TRTNEED2.....	287
TRMTSPEC.....	287
LEVEL2.....	288
DRNKHELP.....	288
DRUGHELP.....	288
SUBSHELP.....	288
SNLIVNBR.....	289
SNCRIME.....	289
SNSELLDG.....	289
SNPPVAL.....	290
SNSTFGT.....	290
SNEMTBLD.....	290
SNPPHLP.....	291
SNGRAFTI.....	291
SNPPVSIT.....	291

VARIABLE NAME	PAGE
-----	----
SNPPMOVE.....	292
SNAPKCIG.....	292
SNAMJEVR.....	292
SNAALDLY.....	293
SNAALDRV.....	293
SNMOV5Y2.....	293
SNPPHLD.....	294
SNINSULT.....	294
SNSRARGU.....	294
SNSMARGU.....	295
SNSPOUSE.....	295
SNSPACTV.....	295
SNSPANGR.....	296
SNSPHITU.....	296
SNYHITSP.....	296
SNSPCRIT.....	297
SNSPCONC.....	297
SNFRCONC.....	297
SNFRACTV.....	298
SNFRCARE.....	298
SNYSELL.....	298
SNYSTOLE.....	299
SNYATTAK.....	299
SNFACIG.....	299
SNFAMJEV.....	300
SNFAALDY.....	300
SNFAALDV.....	300
SNFDCIG.....	301
SNFDMJ.....	301
SNFDALC.....	301
SNFDDRNK.....	302
YELIVNBR.....	303
YECRIME.....	303
YSELLDG.....	304
YEPPHLP.....	304
YESTFGT.....	304
YEEMTBLD.....	305
YEPPVSIT.....	305
YEGRAFTI.....	305
YEPPMOVE.....	306
YEAPKCIG.....	306
YEAMJEVR.....	306
YEAALDLY.....	307
YEMOV5Y2.....	307
YEADOCIG.....	307

VARIABLE NAME	PAGE
-----	----
YEADOMRJ.....	308
YEADOALC.....	308
YEADODNK.....	308
YEENRLYR.....	309
YESCHFLT.....	309
YESCHWRK.....	309
YESCHIMP.....	310
YESCHINT.....	310
YETCGJOB.....	310
YELSTGRD.....	311
YESTSCIG.....	311
YESTSMJ.....	311
YESTSALC.....	312
YESTSDNK.....	312
YETRSCIG.....	312
YETRPDAL.....	313
YETRPUDG.....	313
YEPCHKHW.....	314
YEPHLPHW.....	314
YEPCHORE.....	315
YEPLMTTV.....	315
YEPLMTSN.....	315
YEPGDJOB.....	316
YEPPROUD.....	316
YEYARGUP.....	316
YEYFGTSW.....	317
YEYFGTGP.....	317
YEYHGUN.....	318
YEYSELL.....	318
YEYSTOLE.....	319
YEYATTAK.....	319
YEPPKCIG.....	319
YEPMJVR.....	320
YEPALDLY.....	320
YEGPKCIG.....	320
YEGMJVR.....	321
YEGALDLY.....	321
YEFPKCIG.....	321
YEFMJVR.....	322
YEFALDLY.....	322
YEFDCIG.....	322
YEFDMJ.....	323
YEFDALC.....	323
YEFDDNK.....	323
YETLKNON.....	324

VARIABLE NAME	PAGE
-----	----
YETLKMOM.....	324
YETLKDAD.....	324
YETLKGPR.....	325
YETLKBGF.....	325
YETLKSIB.....	325
YETLKSOR.....	325
YETLKFRN.....	326
YETLKNBR.....	326
YETLKTCH.....	326
YETLKPSY.....	326
YETLKCLG.....	327
YETLKSOP.....	327
YETLKSP.....	328
YEPARDNG.....	330
YEBIGBRO.....	330
YEPRBSLV.....	330
YEVIOPRV.....	331
YEYMCA.....	331
YESCOUTS.....	331
YEPRVLES.....	332
YEDGPRGP.....	332
YETEMSPT.....	332
YE4HCLUB.....	333
YESLFHLP.....	333
YEBAND.....	333
YESCHCLB.....	334
YEVOLUNT.....	334
YESTGOVT.....	334
YEPRGSTD.....	335
YEJBSKIL.....	335
YECHOIR.....	335
YEDECLAS.....	336
YEDERGLR.....	336
YEDESPCL.....	336
YEPVNTYR.....	337
ACTALL.....	337
ACTSEL.....	338
ADFLALDY.....	338
ADFLPKCG.....	338
ADFLTMRJ.....	338
ADULTALC.....	338
ADULTCIG.....	338
ADULTDRK.....	339
ADULTMRJ.....	339
ANYEDUC2.....	339

VARIABLE NAME	PAGE
-----	----
DRGRGCLS.....	339
DRGSPCLS.....	339
DRPRVME2.....	339
DRUGLECT.....	339
FRDALDLY.....	339
FRDMJEVR.....	340
FRDPKCIG.....	340
FRNDALC.....	340
FRNDCIG.....	340
FRNDDNK.....	340
FRNDMJ.....	340
GRPCNSL.....	340
LIVNBRHD.....	341
MOVIN5YR.....	341
NGHDBLDG.....	341
NGHDCRIM.....	341
NGHDFGHT.....	341
NGHDGRAF.....	341
NGHDHELP.....	342
NGHDMOVE.....	342
NGHDSELL.....	342
NGHDVSIT.....	342
PARALDLY.....	342
PARCHORE.....	342
PARGDJOB.....	342
PARLMTTV.....	343
PARMJEVR.....	343
PARPKCIG.....	343
PARPROUD.....	343
PRBSOLV.....	343
PREGPGM.....	343
PREVIOL.....	343
PRTALK2.....	343
PRVDRGO.....	343
TLKADULT.....	344
TLKBGF.....	344
TLKDAD.....	344
TLKMOM.....	344
TLKNON.....	344
TLKNONAD.....	345
TLKOTHER.....	345
YTFLADLY.....	345
YTFLPKCG.....	345
YTFLTMRJ.....	345
YTHARGUE.....	346

VARIABLE NAME	PAGE
-----	----
YTHATTAK.....	346
YTHFIGHT.....	346
YTHGRPFT.....	346
YTHHGUN.....	346
YTHSELL.....	346
YTHSTOLE.....	347
IMOTHER.....	348
IFATHER.....	348
IRHHSIZ2.....	348
IIHHSIZ2.....	348
IRHH65_2.....	348
IIHH65_2.....	348
IRKI17_2.....	348
IIKI17_2.....	348
PREGNANT.....	349
NMERTMT2.....	349
NMHSPOV2.....	349
NMHSPPE2.....	350
OUTPEYR.....	350
PROXANS2.....	350
PREG.....	351
PREG2.....	351
TRIMEST.....	351
IRPSOC.....	352
IIPSOC.....	352
IRFAMSOC.....	352
IIFAMSOC.....	352
IRPSSI.....	352
IIPSSI.....	352
IRFAMSSI.....	352
IIFAMSSI.....	352
IRFSTAMP.....	352
IIFSTAMP.....	353
IRPPMT.....	353
IIPPMT.....	353
IRFAMPMT.....	353
IIFAMPMT.....	353
IRPSVC.....	353
IIP SVC.....	353
IRFAM SVC.....	353
IIFAM SVC.....	353
IRWELMOS.....	353
IIWELMOS.....	353
IRPINT.....	354
IIPINT.....	354

VARIABLE NAME	PAGE
-----	----
IRFAMINT.....	354
IIFAMINT.....	354
IRPCHD.....	354
IIPCHD.....	354
IRFAMCHD.....	354
IIFAMCHD.....	354
IRPWAG.....	354
IIPWAG.....	354
IRFAMWAG.....	354
IIFAMWAG.....	354
IRPOTH.....	355
IIPOTH.....	355
IRFAMOTH.....	355
IIFAMOTH.....	355
IRPINC3.....	355
IIPINC3.....	355
IRFAMIN3.....	355
IIFAMIN3.....	355
HLCALLFG.....	356
MEDICARE.....	356
MEDICAID.....	356
CHAMPUS.....	357
PRVHLTIN.....	357
GRPHLTIN.....	357
HLTINALC.....	358
HLTINDRG.....	358
HLTIMMNT.....	358
HLCNOTYR.....	358
HLCNOTMO.....	359
HLCLAST.....	359
HLCPRIVT.....	360
HLCMCAID.....	360
HLCMILT.....	360
HLCMCARE.....	360
HLCGOVT.....	360
HLCOTHER.....	361
HLCOTHS2.....	361
HLLLOSJB.....	361
HLLMAJOB.....	362
HLLMASOR.....	362
HLLCOST.....	362
HLLINELG.....	362
HLLNOFFR.....	363
HLLDIVOR.....	363
HLLDEATH.....	363

VARIABLE NAME	PAGE
-----	----
HLLREFUS.....	363
HLLNONED.....	363
HLLSOR.....	364
HLLSORS2.....	364
HLNV COST.....	365
HLNV OFFR.....	365
HLNV REF.....	365
HLNV NEED.....	365
HLNV SOR.....	365
HLNV SP2.....	366
IRPINSUR.....	366
IIPINSUR.....	366
IRINSUR.....	366
IIINSUR.....	366
LANGVER.....	367
QUARTER.....	367
QTRFIELD.....	367
GQTYPE.....	367
AGE2.....	368
NOMARR2.....	368
SERVICE.....	369
MILSTAT.....	369
HEALTH.....	369
IRSEX.....	370
IISEX.....	370
IRMARIT.....	370
IIMARIT.....	370
IREDC2.....	370
IIEDC2.....	370
EMPSTAT3.....	371
IIEMPST3.....	371
EMPSTAT4.....	371
IIEMPST4.....	371
EMPSTATY.....	372
IIEMPSTY.....	372
NRCH17_2.....	372
MOVESPY2.....	373
ENROLED.....	373
EDUCNOW2.....	374
STUDNT.....	374
SCHDSICK.....	374
SCHDSKIP.....	375
HSDIPLMA.....	375
HSGED.....	375
LFSCHRS2.....	377

VARIABLE NAME	PAGE
-----	----
LFTSCHA2.....	377
JOBSTAT2.....	377
JBSTATR2.....	378
WRKHAVJB.....	378
WRKHRSWK.....	379
WRKEFFRT.....	379
WRKEDYR.....	379
WRKSLFEM.....	379
WRKJOBS2.....	380
WRKUNEMP.....	380
WRKUNWKS.....	380
WRKCLASY2.....	380
WORKDAYS.....	381
WORKBLAH.....	381
LOCSIZE.....	381
DRGPLCY.....	382
PLCYCOV.....	382
WKDRGED.....	382
DRGPRGM.....	382
USALCTST.....	383
USDRTST.....	383
TSTHIRE.....	383
TSTRAND.....	383
FIRSTPOS.....	384
WRKHIRE.....	384
WORKRAND.....	384
RLGSVCYR.....	385
RLGIMPRT.....	385
RLGDECSN.....	385
RLGFRNDS.....	386
TELNO2.....	386
COLLEGE2.....	386
CATAGE.....	387
CATAG2.....	387
CATAG3.....	387
NEWRACE2.....	387
EDUCCAT2.....	387
PDEN.....	388
VESTR.....	389
VEREP.....	389
ANALWT_C.....	389

APPENDIX A

Drug Codes for Open-Ended Questions

APPENDIX A

Drug Codes for Open-Ended Questions (1999 CAI NHSDA)

Numerical Listing

NOTE: Due to changes in the NHSDA instrument in 1999,
codes for some drugs may differ from those used in prior survey years.

101 = Butisol	156 = Sodium barbital
102 = Buticaps	157 = Barbiturates
103 = Amytal	159 = Octanox
104 = Mebaral	163 = Blue meanies
105 = Placidyl	164 = Yellow zombies
106 = Doriden	171 = NyQuil <OTC>
107 = Noludar	172 = Dream Ease <OTC>
108 = Nembutal	173 = Wafers
109 = Seconal	174 = Ambien, Zolpidem
110 = Tuinal	176 = Melatonin <OTC>
111 = Dalmane, Flurazepam	177 = Bean
112 = Restoril, Temazepam	178 = Quetiapine, Seroquel
113 = Halcion	179 = Water tee [sic]
114 = Amobarbital	180 = Tylenol P.M. <OTC>
115 = Phenobarbital	181 = Excedrin P.M. <OTC>
116 = Methaqualone, Quaalude, Sopor	182 = Melzone
117 = Chloral hydrate, Noctec	183 = Mysoline
118 = Pentobarbital, Pentothal, Sodium pentothal	184 = Red and blues
119 = Secobarbital	185 = Tylenol Simply Sleep <OTC>
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	186 = Butalbital
121 = USED SEDATIVE, DON'T KNOW NAME	187 = Belladonna plant/flower/root, Deadly nightshade
122 = Over-the-counter sleep aid; not specified <OTC>	1001 = Benadryl <OTC>
123 = Unisom <OTC>	1002 = Dramamine, motion sickness pill, seasick pill <OTC>
124 = Yellow jackets	
126 = Somnex <OTC>	201 = Valium, Diazepam
127 = Nytol <OTC>	202 = Librium, Chlordiazepoxide HCl
128 = Nervine <OTC>	203 = Limbitrol [see also 276]
129 = Reds	204 = Menrium
130 = Phenergan, Promethazine	205 = Serax
131 = Haldol, Haloperidol	206 = Tranxene
132 = Sleepettes <OTC>	207 = Ativan, Lorazepam
136 = Dimetapp <OTC>	208 = Centrax
137 = 7-14	209 = Xanax, Alprazolam
138 = Mandrakes	210 = Paxipam
139 = Black widows	211 = Buspar
140 = Seldane	212 = Miltown
141 = Dilantin	213 = Equanil
142 = Belladonna	214 = Deprol
145 = Red devil(s)	215 = Vistaril
146 = Bentyl, Dicyclomine	216 = Atarax, Hydroxyzine
148 = Actifed <OTC>	217 = Durrax
152 = Eskabarb	219 = SK-Lygen
153 = Luminal	220 = Meprobamate
154 = Alurate	

221	=	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	305	=	Biphetamine
222	=	USED TRANQUILIZER, DON'T KNOW NAME	306	=	Desoxyn
223	=	Carbacot, Marbaxin, Methocarbamol, Robaxin	307	=	Tenuate, Diethylpropion
224	=	Triavil	308	=	Tepanil
225	=	Desyrel, Trazodone hydrochloride	309	=	Didrex
226	=	Stelazine, Trifluoperazine HCl	310	=	Plegine
227	=	Thorazine	311	=	Preludin
228	=	Amitriptyline, Elavil	312	=	Ionamin
229	=	Librax	313	=	Adipex-P, Fastin, Phentermine
230	=	Compazine	314	=	Pondimin, Fenfluramine
232	=	Mellaril	315	=	Voramil
233	=	Trilafon, Perphenazine	316	=	Sanorex
234	=	Cyclobenzaprine, Flexeril	317	=	Mazanor
235	=	Imipramine	318	=	Ritalin, Methylphenidate
237	=	Versed	319	=	Cylert
240	=	Lithium carbonate, Lithonate	320	=	Dextroamphetamine
241	=	Prozac	321	=	Methedrine
242	=	Equagesic	322	=	Methamphetamine ("ice" or "crank"), Meth
243	=	Etrafon	323	=	Obedrin-L.A.
245	=	Tryptophan	324	=	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED
246	=	Clonazepam, Klonopin	325	=	USED STIMULANT, DON'T KNOW NAME
247	=	Adapin, Doxepin, Sinequan	326	=	White cross
249	=	Asendin	327	=	Black beauties, Black beauty
250	=	Aventyl, Nortriptyline, Pamelor	328	=	Pink hearts
252	=	Strawberry whip cream	329	=	Bird's eggs, Robin's eggs, speckled eggs
257	=	Zestril	330	=	Blue birds, blue jays, blue robins, speckled bird
259	=	Desipramine, Norpramin	331	=	Blancs, Whites
260	=	PCB	332	=	Ma huang, Ephedrine
262	=	Prolixin	333	=	357 Magnum, Magnum 44
263	=	Vivactil	334	=	Crossroads, cross tops
266	=	Verstran	335	=	Dexatrim <OTC> [see also 347, 378]
267	=	Marezine	336	=	Diet pills
268	=	Rohypnol, Roche, roofies	337	=	White Molly
270	=	Torzien	339	=	Amphetamines
271	=	Zoloft	341	=	Pink roses
275	=	Loxitane	342	=	Purple hearts
276	=	Limbitrol DS [see also 203]	343	=	Nitroglycerine
278	=	Benzodiazepines	344	=	Bennies
280	=	Ketaset	345	=	Black Molly
281	=	Blue ringer	346	=	Marax
282	=	Clozapine, Clozaril	347	=	Phenylpropanolamine <OTC> [see also 335, 378]
283	=	Paroxetine, Paxil	348	=	Crystal
284	=	Tofranil	349	=	Phendimetrazine
285	=	Risperdal, resperidone	351	=	Cathinone, Q'at, Cat
288	=	Baclofen	352	=	Lemons
289	=	Olanzapine, Zyprexa	353	=	No-Doz <OTC>
290	=	Skelaxin	354	=	Vivarin <OTC>
291	=	Celexa	355	=	Crystal meth
292	=	Serzone	356	=	Dexies
2001	=	Soma	357	=	Heart-shaped black pills
2002	=	Muscle Relaxers	358	=	20/20
			359	=	Criss cross
301	=	Dexedrine	360	=	Rainbow speed
302	=	Dexamyl	363	=	Bam(s)
303	=	Eskatrol	364	=	Pseudoephedrine
304	=	Benzedrine	366	=	Duromine

368	=	Peanut butter crank	3040	=	Hyper pills
369	=	Artane	3041	=	Desbutal
371	=	Cogentin	3042	=	30-30
374	=	Christmas tree(s)	3043	=	Brown Bodies
376	=	TAC	3044	=	Caffeine pills <OTC>
377	=	Albuterol, Proventil, Ventolin	3045	=	Stay awakes <OTC>
378	=	Control <OTC> [see also 335, 347]	3046	=	Adrenalin, Epinephrine
379	=	Hearts	3047	=	Sudafed <OTC>
380	=	Pink ladies	3050	=	Mini Thins
381	=	P.O.T.C.	3051	=	Betel nut, Beetlenut
382	=	Footballs, purple footballs	3052	=	Speed; otherwise unspecified
383	=	Pre-Sate			
384	=	Little crosses			
385	=	Little pink one			
386	=	Herbal ecstasy	401	=	Darvon
387	=	Pink football	402	=	Dolene
388	=	Pink lemon	403	=	SK-65
390	=	Max Alert	404	=	Wygesic
393	=	OP 33	405	=	Levo-Dromoran
394	=	Debs	406	=	Percodan
395	=	Black cats	407	=	Demerol
396	=	Black Rjs, RJ8	408	=	Dilaudid
397	=	F-40	409	=	Tylenol with Codeine, Tylenol 3, Tylenol 4
398	=	Pink crosses	410	=	Phenaphen with Codeine, Phenaphen 3
3001	=	Brown and clear	411	=	Talwin
3002	=	Pep ups	412	=	Talwin NX
3003	=	Primatene tablets <OTC>	413	=	Talacen
3004	=	Black cadillac	414	=	Propoxyphene
3005	=	Methylandlanamine	415	=	Codeine
3006	=	Green Amps	416	=	Anileridine
3007	=	Nasal inhalant	417	=	Morphine, Roxanol
3008	=	Miniwites	418	=	Dolophine, Methadone
3009	=	Ephedrone, Methcathinone	419	=	Stadol, Stadol NS
3010	=	KOOD12	420	=	OTHER Analgesic, NOT OTHERWISE SPECIFIED
3011	=	Escalation	421	=	USED ANALGESIC, DON'T KNOW NAME
3012	=	Stud 100, Stud the rock	422	=	Motrin
3013	=	Tweek	423	=	Percocet
3014	=	Uptime	424	=	Fioricet
3015	=	Fen-Phen (fenfluramine and phentermine)	425	=	Advil <OTC>
3017	=	Dayquil <OTC>	426	=	Fiorinal
3018	=	Up-johns	427	=	Darvocet
3019	=	Peppies	429	=	Frost 222
3020	=	White powder	430	=	Aspirin, Ecotrin, Empirin <OTC>
3021	=	Blue balls	431	=	Tylox
3023	=	Adderall	432	=	Rufen
3024	=	Yohimbe	433	=	Paregoric
3025	=	Moles [sic]	434	=	Anexsia, Co-Gesic, Lorcet-HD, Lorcet Plus, Lortab, Vicodin
3026	=	Bupropion, Wellbutrin, Zyban	435	=	Tylenol, Tylenol Extra-Strength <OTC>
3027	=	Energy pills	436	=	Bufferin <OTC>
3028	=	Blackbirds	438	=	Anaprox, Naprosyn, Naproxen
3029	=	Soccerballs	439	=	222, Canadian 222
3030	=	Red hearts	442	=	Ibuprofen
3031	=	Brethine, Bricanyl, Terbutaline	443	=	Dolobid
3032	=	Heads up	444	=	Aspirin with Codeine, Empirin 3
3033	=	Metabolife <OTC>	445	=	Norgesic Forte
3034	=	Speckleberry	447	=	Synalgos, Synalgos DC
3035	=	Blacks	450	=	Acetaminophen <OTC>
3036	=	Ripped fuel <OTC>			
3037	=	Effexor			
3038	=	Obenil			
3039	=	Theophed			

453	=	Organidin with Codeine	4046	=	Oxycodone
454	=	Novocain, Procaine	4047	=	Roxicet
455	=	Fiorinal with Codeine	4048	=	Motrin IB <OTC>
457	=	T's and blues			
458	=	Mepergan, Mepergan Fortis			
462	=	Norflex			
465	=	Fentanyl, Duragesic, Sublimaze	501	=	Gasoline or lighter fluids
466	=	Midol <OTC>	502	=	Spray paints
467	=	Tolectin	503	=	Other aerosol sprays
468	=	Excedrin <OTC>	504	=	Shoeshine liquid, glue, or toluene; Super Glue; rubber cement; airplane or model glue; chemical glue
469	=	Leritine	505	=	Lacquer thinner or other paint solvents
470	=	Cafergot	506	=	Amyl nitrite, "poppers," locker room odorizer, "rush," isobutyl nitrate, bolt
471	=	Butazolidin	507	=	Halothane, ether, or other anesthetics; chloroform
472	=	Indocin, Indomethacin	508	=	Nitrous oxide, "whippets," dentist gas
473	=	Pyridium	509	=	Correction fluids, degreasers, cleaning fluids, Liquid Paper [see also 524], K2R Spot Remover, Typewash
476	=	Isocom, Midrin	510	=	OTHER Inhalant, NOT OTHERWISE SPECIFIED
478	=	Nogirtronia	511	=	Markers, felt-tip pens, ink pens
479	=	Pentrexyl	512	=	Incense
480	=	Robitussin AC with Codeine	516	=	Freon, refrigerant
481	=	Acular, Ketorolac tromethamine, Toradol	517	=	Tolyol
487	=	Ariel	518	=	Acetone, nail polish remover
490	=	Nubain	519	=	Helium
491	=	PDR	520	=	Old paint, paint
495	=	Red cross	521	=	Propane [see also 525, 544]
496	=	Ultram	522	=	Liquid TV (MTV), TV tuner, TV11Y
498	=	Ponstel, Mefenamic acid	523	=	Matches
499	=	Aleve <OTC>	524	=	White-Out [see also 509]
4001	=	Actron, Ketoprofen, Orudis, Oruvail	525	=	Butane [see also 521, 544]
4002	=	Imitrex, Sumatriptan	526	=	Nail polish
4005	=	Etodolac, Lodine	527	=	Phenyl nitrate
4007	=	Happy pills	528	=	Whipped-cream can
4008	=	Brown gel pills	529	=	Moth balls
4009	=	Smilies	531	=	Candy, powdered candy
4011	=	Carbamazepine, Eptol, Tegretol	533	=	Window sealant
4013	=	Fenoprofen, Nalfron	534	=	Deodorant [see also 827]
4014	=	Akineton, Biperiden	536	=	Fire Halt
4018	=	Nuprin <OTC>	537	=	Boat horn
4022	=	Buprenex	538	=	Condensed horn
4023	=	Pamprin <OTC>	539	=	ScotchGard
4024	=	Reynol [sic]	540	=	PAM
4025	=	Viserol [sic]	541	=	Binaca
4026	=	Ventrex [sic]	542	=	Brasso, lens cleaner, spirits of ammonia
4027	=	Rorer	543	=	Liquid oxygen, oxygen
4028	=	Arthrotec	544	=	Lighter gases, not specified [see also 521, 525]
4029	=	Feldine, Piroxicam	545	=	Car tailpipe exhaust fumes, CO
4030	=	Triple "S"	546	=	Leather protector
4031	=	Cough medicine with codeine	548	=	Cologne, isopropanol vapors, rubbing alcohol
4032	=	Flarex	550	=	Methyl chloride
4033	=	Vicoprofen	551	=	Oven cleaner
4034	=	Lilly red	553	=	Pixie sticks
4035	=	Nabumetone, Relafin	554	=	Raid
4036	=	Stagesic	555	=	Chillers
4037	=	MS Contin			
4038	=	Propacet			
4039	=	Daypro			
4040	=	Ridaura			
4041	=	Maxalt			
4042	=	M-33			
4043	=	Tramadol			
4044	=	Hydrocodone			
4045	=	Phrenilin Forte			

556	=	Energine	5027	=	Benzene
557	=	Hagwash [sic], Hogwash	5028	=	Engine cleaner
558	=	Kool Aid	5029	=	Floor wax
559	=	LOLOY	5030	=	Polyurethane Spray
560	=	Soap	5031	=	Naphtha
561	=	Amputee gas cleanser	5032	=	Nitrogen
562	=	Ban apple gas	5033	=	Sur-noxem
563	=	Acetylene	5034	=	Hippie crack
564	=	Electric contact cleaner	5035	=	Brake cleaner
565	=	Trichloroethane			
566	=	Smoked tea from Lipton tea bag			
567	=	Pertussin spray			
568	=	Tally	601	=	LSD ("acid") [see also 618]
569	=	Peganento	602	=	Peyote
571	=	Black jack	603	=	Mescaline
572	=	Etam	604	=	Psilocybin (mushrooms), shrooms
573	=	Furniture polish	605	=	PCP ("angel dust," phencyclidine)
574	=	Tornado	606	=	"Ecstasy" (MDMA), X-TC, "X"
576	=	C.A.T.	607	=	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED
577	=	Rave runners	609	=	Jimson weed
580	=	Medusa	610	=	Crystal T
582	=	WD-40	611	=	Greens
585	=	TCL	612	=	Happy stick, sherm, sherman, shermstick
586	=	Carbon from empty soft drink bottle	613	=	Duckweed
587	=	Mineral ice	614	=	MDA, Methylenedioxy amphetamine
588	=	Antifreeze	615	=	Homemade drugs
589	=	Tire shine	616	=	DET, Dimethyltryptamine, DMT
590	=	Canned air	617	=	Morning glory seeds, morning glory tendrils
591	=	Air brush propellant	618	=	Acid paper, blotter (acid) [see also 601]
592	=	Computer air duster, computer cleaner, dust-off, dust X	620	=	Blue dragon
594	=	Starting fluid	621	=	Red dragon
595	=	Chlorine	622	=	Microdot(s), green microdot, purple microdot
596	=	Femo clay	623	=	Mickey, mickey mouse club, mickey mousers
597	=	Trichloronitrate	624	=	Orange sunshine, sunshine, yellow sunshine
598	=	Ethylene dichloride	625	=	Window, window pane, 4-way pane
599	=	Potpourri	626	=	Jet Fuel
5001	=	Bleach	627	=	Hawaiian wood rose, Hawaiian Woodrow seeds
5003	=	Methane	628	=	Hawaiian rosebud seed tea
5004	=	Ink print, paper	629	=	Rocket Fuel
5005	=	Cobra rush	630	=	Black Owsley
5006	=	Brake fluid	631	=	Purple Owsley
5007	=	Fly nap	633	=	Mr. Natural
5008	=	R-R	634	=	Unicorn
5009	=	Robo	635	=	Ginseng seeds, ginseng weed
5011	=	Ozone	636	=	DOM, STP
5012	=	Negros	637	=	Purple haze
5013	=	Lebel 12	639	=	Nutmeg, Mace
5014	=	Spray O Buzz	640	=	Purple pyramid
5015	=	MCH	642	=	Pink Floyd
5016	=	Masking tape, tape adhesive	643	=	Mount queen, queen
5017	=	***Currently unused code***	645	=	Thai stick
5018	=	B-12 (Spanish)	648	=	Designer drugs
5019	=	Melted plastic	650	=	Daytura
5020	=	Wet cement	651	=	Mellow Yellow
5021	=	Octane booster	652	=	ALD-52
5022	=	Dry ice hits			
5023	=	Double eagle			
5024	=	Citronella candle			
5025	=	Lime salt			
5026	=	Silly putty			

653	=	Cricket, cricketshit	6030	=	Root
654	=	Eve	6031	=	Strychnine
655	=	Flying elephant	6032	=	TSP
656	=	Mars	6033	=	Ramstein
657	=	Orange barrel	6034	=	Pigface
658	=	Special K, Ketamine	6035	=	Campana (flower)
659	=	Boat	6036	=	Coco weed
660	=	Toad, Toad licking	6037	=	Fry
662	=	Kanepolin	6038	=	Triplets, Trips
663	=	Animal tranquilizer, horse tranquilizer	6039	=	Blue Hawaii
664	=	Purple fingers	6040	=	Dank
665	=	Paniolis	6041	=	Leaky leak
666	=	Zonick	6042	=	Super K
668	=	Yellow tiny pills	6043	=	Salviadinorum
669	=	Stropharia	6044	=	Gel caps, gel tabs
670	=	Monkey dust	6045	=	Blackboards
672	=	Suncrush	6046	=	Aquafoot
673	=	Orange	6047	=	Water
674	=	Pee-pope	6048	=	Dex
677	=	Skunk II	6049	=	Locoseeds, Locoweed seeds
678	=	Banana peels	6050	=	High roller
679	=	Hell bells	6051	=	Triptanene
681	=	Lovely	6052	=	Acrylic resin
682	=	Kif	6053	=	Toothpicks
683	=	Yage	6054	=	Spiny apples
686	=	Spider in my feet	6055	=	Liberty caps
687	=	Spray	6056	=	Wet
688	=	AMP	6057	=	Silk
690	=	RID	6058	=	Purple life
691	=	Maximum impact	6059	=	Satan flower
693	=	Lemon drops	6060	=	Ololiuhqui
695	=	Angel's trumpet	6061	=	5-MeO-DMT
698	=	Nexus, 2C-B	6062	=	Madderwort, Wormwood
699	=	BOHA-49B	6063	=	Foxglove
6001	=	Collapsing little birds	6064	=	Marigold buttons
6003	=	Cocahina	6065	=	3CPO
6004	=	Hallucinogen seeds	6066	=	Purple rain
6005	=	Sassafras tea	6067	=	Venus
6006	=	Super X	6068	=	Blue ice
6007	=	Bathtub	6069	=	Peach
6008	=	8-Ball	6070	=	DTP
6009	=	Sulfer match smoke	6071	=	Sinicuichi
6010	=	Atrepabelladona (flower)	6072	=	JUNO
6012	=	Cloud 9	6073	=	Rolls
6013	=	Lion's tail	6074	=	LSA
6014	=	Indo	6075	=	Trinity
6015	=	Crysta			
6016	=	Nas			
6017	=	Meesha			
6018	=	Air horn	701	=	OTHER Opiates, not otherwise specified
6019	=	Black dust, Black duct [sic]	702	=	Heroin
6020	=	Chocolate	703	=	Opium
6021	=	Snake bite kit (anti-venom)	704	=	Dope
6022	=	Tequila worm, agave worm	705	=	Speed Ball (heroin + cocaine)
6023	=	Euphoria	706	=	Smack
6024	=	Blue Jesus	707	=	Black Tar
6025	=	Yellow jell	709	=	Poppy
6026	=	KJ			
6027	=	Judyfly			
6028	=	Laced flower			
6029	=	DXM			

801	= OTHER Drugs, NOT OTHERWISE SPECIFIED	879	= Dimethyltriptamide MMPT
802	= THC, cannabinol, marinol	880	= Frios
803	= Marijuana, MarrJane [sic], Mary Jane, MJ, pot, weed, hemp	881	= YLOALE
804	= Hashish	883	= Dextromethorphan Hydrobromide <OTC>
805	= Cocaine, coca, cocaina, coke	884	= Snow
806	= Crack, rock	885	= Drixoral <OTC>
807	= Alcohol, beer, ethanol, EtOH, pink champagne	891	= Famotidine, Pepcid
808	= All of the ones I've tried	892	= Carafate, Sucralfate
809	= Pills	893	= Estrogen
812	= Cigars	894	= Depakene, Depakote, Valproic Acid
813	= Cigarettes, smoking (substance not specified), tobacco not specified	895	= Tagamet, Cimetidine
814	= Caffeine <OTC>	896	= Catapres, Clonidine
815	= Coffee <OTC>	897	= Synthroid, Levothyroxine
816	= Smokeless tobacco, snuff, chewing tobacco	898	= Propylene
817	= Hard stuff	899	= Bromophen
818	= Nicotine	8001	= Robitussin elixir
819	= Inderal	8002	= Zantac
820	= Penicillin	8003	= Yesca
821	= Amoxicillin, Ampicillin	8004	= Guaifenesin
822	= Rabbit tobacco	8005	= Imodium AD <OTC>
824	= Steroids	8006	= Laxative <OTC>
825	= Theo-Dur	8007	= Gabapentin, Neurontin
826	= Alupent	8008	= Antidepressant; type unspecified
827	= Aluminum chloride [see also 534]	8009	= Allergy pills; type unspecified
828	= Tetracycline	8010	= Zyrtec, cetirizine
829	= Robitussin DM <OTC>	8011	= Herb, flower, plant; type unspecified
830	= Mad bull	8012	= Coriciden <OTC>
831	= Honey oil	8013	= Maalox <OTC>
832	= Primo	8014	= Vicks throat spray <OTC>
833	= Bone	8015	= Bengay <OTC>
834	= Loveboat	8016	= Icy hot <OTC>
836	= Antabuse	8017	= Buscapina
837	= Paris 400	8018	= Claritromicina
840	= Cough medicine (contents not specified) <OTC>	8019	= Azithromycin, Zithromax
841	= Allerest <OTC>, Contact <OTC>	8020	= Allegra
843	= Antihistamine, cold tablets <OTC>	8021	= Cipro, Ciprofloxacin, Ciloxam
844	= Blood pressure medication	8022	= Creatine <OTC>
846	= Erythromycin	8023	= Myoflex <OTC>
847	= GHB	8024	= Asthma inhaler, asthma medication, bronchial dilators
848	= Liquid vitamin <OTC>	8025	= Claritin, Claritin D
849	= Monosodium glutamate (MSG) <OTC>	8026	= Powder
850	= Slack	8027	= Loradine
852	= Formaldehyde, wak [sic], whack (embalming fluid)	8028	= Bactine <OTC>
854	= Juice	8029	= Flexall <OTC>
857	= Wicki stick	8030	= Tums <OTC>
858	= Antibiotic	8031	= Sugar pills
865	= Diuretics, Water pills	8032	= Prilosec
866	= Boomers	8033	= Heart medication; type unspecified
867	= Boron	8034	= Nutri-calm <OTC>
873	= Contraceptives, Ferutal, Ortho Novum	8035	= Prednisone
874	= Premarin	8036	= Norvasc
875	= Buds	8037	= Thermochrome 5000 <OTC>
876	= Glass	8038	= Coldact
877	= Methazolamide	8039	= Kaopectate <OTC>
		8040	= Trioxsalen
		8041	= Garlic, garlic oil <OTC>
		8042	= Alka Seltzer <OTC>

900 = Not a drug
900 = Non-drug reason given for a drug

Alphabetical Listing

NOTE: Due to changes in the NHSDA instrument in 1999,
codes for some drugs may differ from those used in prior survey years.

5013 = 12, Lebel	592 = Air duster, Computer
5018 = 12 (Spanish), B-	6018 = Air horn
3012 = 100, Stud	504 = Airplane glue
698 = 2C-B	4014 = Akineton
358 = 20/20	377 = Albuterol
439 = 222	807 = Alcohol
439 = 222, Canadian	548 = Alcohol, Rubbing
429 = 222, Frost	652 = ALD-52
6065 = 3CPO	390 = Alert, Max
444 = 3, Empirin	499 = Aleve <OTC>
410 = 3, Phenaphen	8042 = Alka Seltzer <OTC>
409 = 3, Tylenol	808 = All of the ones I've tried
3042 = 30-30	8020 = Allegra
393 = 33, OP	841 = Allerest <OTC>
333 = 357 Magnum	8009 = Allergy pills; type unspecified
409 = 4, Tylenol	209 = Alprazolam
625 = 4-way pane	827 = Aluminum chloride
397 = 40, F-	826 = Alupent
333 = 44, Magnum	154 = Alurate
837 = 400, Paris	174 = Ambien
6061 = 5-MeO-DMT	228 = Amitriptyline
8037 = 5000, Thermochrome	542 = Ammonia, Spirits of
652 = 52, ALD-	114 = Amobarbital
137 = 7-14	821 = Amoxicillin
6008 = 8-Ball	688 = AMP
6012 = 9, Cloud	3006 = Amps, Green
	614 = Amphetamine, Methylenedioxy
	339 = Amphetamines
450 = Acetaminophen	821 = Ampicillin
518 = Acetone	561 = Amputee gas cleanser
563 = Acetylene	506 = Amyl nitrite
601 = Acid	103 = Amytal
618 = (Acid), Blotter	438 = Anaprox
498 = Acid, Mefenamic	507 = Anesthetics other than halothane and ether
618 = Acid paper	434 = Anexsia
894 = Acid, Valproic	605 = Angel dust
6052 = Acrylic resin	695 = Angel's trumpet
148 = Actifed	416 = Anileridine
4001 = Actron	663 = Animal tranquilizer
481 = Acular	836 = Antabuse
247 = Adapin	858 = Antibiotic
3023 = Adderall	8008 = Antidepressant; type unspecified
5016 = Adhesive tape	588 = Antifreeze
8005 = AD, Imodium <OTC>	843 = Antihistamine
313 = Adipex-P	562 = Apple gas, Ban
3046 = Adrenalin	6054 = Apples, Spiny
425 = Advil <OTC>	6046 = Aquafoot
503 = Aerosol sprays other than spray paints	487 = Ariel
6022 = Agave worm	369 = Artane
558 = Aid, Kool	4028 = Arthrotec
122 = Aid; not specified <OTC>, Over-the-counter Sleep	249 = Asendin
591 = Air brush propellant	430 = Aspirin
590 = Air, Canned	444 = Aspirin with Codeine
	8024 = Asthma inhaler
	8024 = Asthma medication

216	=	Atarax	3035	=	Blacks
207	=	Ativan	707	=	Black Tar
6010	=	Atrepabelladona (flower)	139	=	Black widows
250	=	Aventyl	331	=	Blancs
3045	=	Awakes, Stay <OTC>	5001	=	Bleach
8019	=	Azithromycin	844	=	Blood pressure medication
			618	=	Blotter (acid)
			3021	=	Blue balls
			330	=	Blue birds
5018	=	B-12 (Spanish)	620	=	Blue dragon
288	=	Baclofen	6039	=	Blue Hawaii
8028	=	Bactine <OTC>	6068	=	Blue ice
6008	=	Ball, 8-	330	=	Blue jays
3021	=	Balls, Blue	6024	=	Blue Jesus
529	=	Balls, Moth	163	=	Blue meanies
363	=	Bam(s)	281	=	Blue ringer
562	=	Ban apple gas	330	=	Blue robins
678	=	Banana peels	184	=	Blues, Red and
156	=	Barbital, Sodium	457	=	Blues, T's and
157	=	Barbiturates	537	=	Boat horn
657	=	Barrel, Orange	659	=	Boat
6007	=	Bathtub	3043	=	Bodies, Brown
177	=	Bean	699	=	BOHA-49B
327	=	Beauties, Black	506	=	Bolt
327	=	Beauty, Black	833	=	Bone
807	=	Beer	866	=	Boomers
142	=	Belladona	5021	=	Booster, Octane
187	=	Belladona flower	867	=	Boron
187	=	Belladona plant	586	=	Bottle, Carbon from empty soft drink
187	=	Belladona, root	5035	=	Brake cleaner
679	=	Bells, Hell	5006	=	Brake fluid
1001	=	Benadryl <OTC>	542	=	Brasso
8015	=	Bengay <OTC>	3031	=	Brethnine
344	=	Bennies	3031	=	Bricanyl
146	=	Bentyl	899	=	Bromophen
304	=	Benzedrine	8024	=	Bronchial dilators
5027	=	Benzene	3001	=	Brown and clear
278	=	Benzodiazepines	3043	=	Brown Bodies
3051	=	Beetlenut	4008	=	Brown gel pills
3051	=	Betel nut	591	=	Brush propellant, Air
541	=	Binaca	875	=	Buds
4014	=	Biperiden	436	=	Bufferin <OTC>
305	=	Biphetamine	830	=	Bull, Mad
329	=	Bird eggs	4022	=	Buprenex
330	=	Bird, Speckled	3026	=	Bupropion
330	=	Birds, Blue	8017	=	Buscapina
6001	=	Birds, Collapsing little	211	=	Buspar
6021	=	Bite kit, Snake	186	=	Butalbital
327	=	Black beauties	471	=	Butazolidin
327	=	Black Beauty	525	=	Butane
3028	=	Blackbirds	102	=	Buticaps
6045	=	Blackboards	101	=	Butisol
3004	=	Black cadillac	368	=	Butter crank, Peanut
395	=	Black cats			
6019	=	Black duct [sic]			
6019	=	Black dust			
571	=	Black jack	3044	=	Caffeine pills <OTC>
345	=	Black Molly	576	=	C.A.T.
630	=	Black Owsley	3009	=	Cat
357	=	Black pills, Heart-shaped	223	=	Carbacot
396	=	Black Rjs	3004	=	Cadillac, Black

470	=	Cafergot	5005	=	Cobra rush
814	=	Caffeine <OTC>	6003	=	Cocahina
528	=	Can, Whipped-cream	805	=	Cocaine
439	=	Canadian 222	805	=	Cocaina
5024	=	Candle, Citronella	6036	=	Coco weed
531	=	Candy	415	=	Codeine
531	=	Candy, Powdered	444	=	Codeine, Aspirin with
802	=	Cannabinol	4031	=	Codeine, Cough medicine with
590	=	Canned air	455	=	Codeine, Fiorinal with
6044	=	Caps, Gel	453	=	Codeine, Organidin with
6055	=	Caps, Liberty	410	=	Codeine, Phenaphen with
545	=	Car tailpipe exhaust fumes	480	=	Codeine, Robitussin AC with
892	=	Carafate	409	=	Codeine, Tylenol with
4011	=	Carbamazepine	815	=	Coffee <OTC>
586	=	Carbon from empty soft drink bottle	371	=	Cogentin
240	=	Carbonate, Lithium	434	=	Co-Gesic
896	=	Catapres	805	=	Coke
395	=	Cats, Black	8038	=	Coldact
291	=	Celexa	843	=	Cold tablets
504	=	Cement, Rubber	6001	=	Collapsing little birds
5020	=	Cement, Wet	548	=	Cologne
208	=	Centrax	230	=	Compazine
8010	=	Cetirizine	592	=	Computer air duster
807	=	Champagne, Pink	592	=	Computer cleaner
504	=	Chemical glue	538	=	Condensed horn
816	=	Chewing tobacco	841	=	Contact <OTC>
555	=	Chillers	564	=	Contact cleaner, Electric
117	=	Chloral hydrate	4037	=	Contin, MS
202	=	Chlordiazepoxide	873	=	Contraceptives
827	=	Chloride, Aluminum	378	=	Control
550	=	Chloride, Methyl	8012	=	Coriciden <OTC>
595	=	Chlorine	509	=	Correction fluids
507	=	Chloroform	840	=	Cough medicine (contents not specified)
6020	=	Chocolate		=	<OTC>
374	=	Christmas tree(s)	4031	=	Cough medicine with codeine
813	=	Cigarettes	806	=	Crack
812	=	Cigars	5034	=	Crack, Hippie
8021	=	Ciloxan	322	=	Crank
895	=	Cimetidine	368	=	Crank, Peanut butter
8021	=	Cipro	252	=	Cream, Strawberry whip
8022	=	Ciprofloxacin	8022	=	Creatine <OTC>
5024	=	Citronella Candle	653	=	Crickets
8025	=	Claritin	653	=	Cricketshit
8025	=	Claritin D	359	=	Criss Cross
8018	=	Claritromicina	359	=	Cross, Criss
596	=	Clay, Femo	495	=	Cross, Red
5035	=	Cleaner, Brake	326	=	Cross, White
592	=	Cleaner, Computer	384	=	Crosses, Little
5028	=	Cleaner, Engine	398	=	Crosses, Pink
542	=	Cleaner, Lens	334	=	Crossroads
551	=	Cleaner, Oven	334	=	Cross tops
509	=	Cleaning fluids	6015	=	Crysta
3001	=	Clear, Brown and	348	=	Crystal
246	=	Clonazepam	355	=	Crystal meth
896	=	Clonidine	610	=	Crystal T
6012	=	Cloud 9	234	=	Cyclobenzaprine
639	=	Cloves	319	=	Cylert
282	=	Clozapine			
282	=	Clozaril			
623	=	Club, Mickey Mouse	8025	=	D, Claritin
545	=	CO	111	=	Dalmane

427	=	Darvocet	6070	=	DTP
401	=	Darvon	613	=	Duckweed
4039	=	Daypro	6019	=	Duct, Black [sic]
3017	=	Dayquil <OTC>	465	=	Duragesic
650	=	Daytura	366	=	Duromine
447	=	DC, Synalgos	217	=	Durrax
187	=	Deadly nightshade	605	=	Dust, Angel
394	=	Debs	6019	=	Dust, Black
509	=	Degreasers	670	=	Dust, Monkey
407	=	Demerol	592	=	Duster, Computer air
508	=	Dentist gas	6029	=	DXM
534	=	Deodorant			
894	=	Depakene			
894	=	Depakote			
214	=	Deprol	5023	=	Eagle, Double
3041	=	Desbutal	172	=	Ease, Dream <OTC>
648	=	Designer drugs	430	=	Ecotrin <OTC>
259	=	Desipramine	606	=	Ecstasy
306	=	Desoxyn	386	=	Ecstasy, Herbal
225	=	Desyrel	3037	=	Effexor
616	=	DET	329	=	Eggs, Bird
145	=	Devil(s), Red	329	=	Eggs, Robin's
6048	=	Dex	329	=	Eggs, Speckled
302	=	Dexamyl	564	=	Electric contact cleaner
335	=	Dexatrim <OTC>	655	=	Elephant, Flying
301	=	Dexedrine	8001	=	Elixir, Robitussin
356	=	Dexies	852	=	Embalming fluid
320	=	Dextroamphetamine	430	=	Empirin <OTC>
883	=	Dextromethorphan Hydrobromide <OTC>	444	=	Empirin 3
598	=	Dichloride, Ethylene	586	=	Empty soft drink bottle, Carbon from
146	=	Dicyclomine	556	=	Energine
309	=	Didrex	3027	=	Energy pills
336	=	Diet pills	5028	=	Engine cleaner
307	=	Diethylpropion (Tenuate)	332	=	Ephedrine
141	=	Dilantin	3009	=	Ephedrone
8024	=	Dilators, Bronchial	3046	=	Epinephrine
408	=	Dilaudid	4011	=	Epitol
136	=	Dimetapp <OTC>	242	=	Equagesic
879	=	Dimethyltriptamide MMPT	213	=	Equanil
616	=	Dimethyltryptamine	846	=	Erythromycin
6061	=	DMT, 5-MeO-	3011	=	Escalation
865	=	Diuretics	152	=	Eskabarb
616	=	DMT	303	=	Eskatrol
402	=	Dolene	893	=	Estrogen
443	=	Dolobid	572	=	Etam
418	=	Dolophine	807	=	Ethanol
636	=	DOM	507	=	Ether
704	=	Dope	598	=	Ethylene dichloride
106	=	Doriden	4005	=	Etodolac
5023	=	Double eagle	807	=	EtOH
120	=	Downers	243	=	Etrafon
247	=	Doxepin	6023	=	Euphoria
620	=	Dragon, Blue	654	=	Eve
621	=	Dragon, Red	468	=	Excedrin <OTC>
1002	=	Dramamine <OTC>	181	=	Excedrin P.M. <OTC>
172	=	Dream Ease <OTC>	545	=	Exhaust fumes, Car tailpipe
885	=	Drixoral <OTC>	435	=	Extra-Strength, Tylenol <OTC>
693	=	Drops, Lemon			
648	=	Drugs, Designer			
615	=	Drugs, Homemade			
5022	=	Dry ice hits	397	=	F-40

891	=	Famotidine	6044	=	Gel caps
313	=	Fastin	4008	=	Gel pills, Brown
686	=	Feet, Spider in my	6044	=	Gel tabs
4029	=	Feldine	847	=	GHB
511	=	Felt-tip pens	635	=	Ginseng seeds
596	=	Femo clay	635	=	Ginseng weed
3015	=	Fen-Phen (fenfluramine + phentermine)	876	=	Glass
314	=	Fenfluramine	617	=	Glory seeds, Morning
4013	=	Fenoprofen	617	=	Glory tendrils, Morning
465	=	Fentanyl	504	=	Glue
873	=	Ferutal	504	=	Glue, Airplane
664	=	Fingers, Purple	504	=	Glue, Chemical
424	=	Fioricet	504	=	Glue, Model
426	=	Fiorinal	504	=	Glue, Super
455	=	Fiorinal with Codeine	849	=	Glutamate (MSG), Monosodium <OTC>
536	=	Fire Halt	3006	=	Green amps
4032	=	Flarex	622	=	Green microdot
8029	=	Flexall <OTC>	611	=	Greens
234	=	Flexeril	8004	=	Guaifenesin
5029	=	Floor wax			
642	=	Floyd, Pink			
187	=	Flower, Belladonna			
6035	=	(Flower), Campana	557	=	Hagwash [sic]
8011	=	Flower, plant; type unspecified, Herb	113	=	Halcion
6059	=	Flower, Satan	131	=	Haldol
5006	=	Fluid, Brake	6004	=	Hallucinogen seeds
852	=	Fluid), Whack (embalming	131	=	Haloperidol
509	=	Fluids, Cleaning	507	=	Halothane
509	=	Fluids, Correction	536	=	Halt, Fire
501	=	Fluids, Lighter	4007	=	Happy pills
594	=	Fluid, Starting	612	=	Happy stick
111	=	Flurazepam	817	=	Hard stuff
655	=	Flying elephant	804	=	Hashish
5007	=	Flynap	6039	=	Hawaii, Blue
387	=	Football, Pink	628	=	Hawaiian rosebud seed tea
382	=	Footballs	627	=	Hawaiian wood rose
382	=	Footballs, Purple	627	=	Hawaiian Woodrow seeds
852	=	Formaldehyde	637	=	Haze, Purple
445	=	Forte, Norgesic	226	=	HCl, Trifluoperazine
4045	=	Forte, Phrenilin	434	=	HD, Lorcet-
458	=	Fortis, Mepergan	3032	=	Heads up
6063	=	Foxglove	379	=	Hearts
516	=	Freon	328	=	Hearts, Pink
880	=	Frios	342	=	Hearts, Purple
429	=	Frost 222	3030	=	Hearts, Red
6037	=	Fry	357	=	Heart-shaped black pills
626	=	Fuel, Jet	519	=	Helium
3036	=	Fuel, Ripped <OTC>	679	=	Hell bells
629	=	Fuel, Rocket	8011	=	Herb, flower, plant; type unspecified
545	=	Fumes, Car tailpipe exhaust	6011	=	Herb, Natural
573	=	Furniture polish	386	=	Herbal ecstasy
			702	=	Heroin
			6050	=	High roller
8007	=	Gabapentin	5034	=	Hippie crack
8041	=	Garlic <OTC>	5022	=	Hits, Dry ice
8041	=	Garlic oil <OTC>	557	=	Hogwash
562	=	Gas, Apple Ban	615	=	Homemade drugs
508	=	Gas, Dentist	831	=	Honey oil
544	=	Gases; not specified, Lighter	6018	=	Horn, Air
501	=	Gasoline	537	=	Horn, Boat
			538	=	Horn, Condensed

663 = Horse tranquilizer	682 = Kif
8016 = Hot, Icy <OTC>	6021 = Kit, Snake bite
386 = Huang, Ma	6026 = KJ
117 = Hydrate, Chloral	246 = Klonopin
883 = Hydrobromide, Dextromethorphan <OTC>	3010 = KOOD12
225 = Hydrochloride, Trazodone	558 = Kool Aid
4044 = Hydrocodone	
216 = Hydroxyzine	
3040 = Hyper pills	
	6028 = Laced flower
	505 = Lacquer thinner
	380 = Ladies, Pink
442 = Ibuprofen	8006 = Laxative <OTC>
506 = Isobutyl nitrate	6041 = Leak, Leaky
322 = Ice	6041 = Leaky leak
6068 = Ice, Blue	546 = Leather protector
5022 = Ice hits, Dry	5013 = Lebel 12
587 = Ice, Mineral	693 = Lemon Drops
8016 = Icy Hot <OTC>	388 = Lemon, Pink
235 = Imipramine	352 = Lemons
4002 = Imitrex	542 = Lens cleaner
8005 = Imodium AD <OTC>	469 = Leritine
691 = Impact, Maximum	405 = Levo-Dromoran
512 = Incense	897 = Levothyroxine
819 = Inderal	6055 = Liberty caps
472 = Indocin	229 = Librax
472 = Indomethacin	202 = Librium
3007 = Inhalant, Nasal	6058 = Life, Purple
8024 = Inhaler, Asthma	501 = Lighter fluids
686 = In my feet, Spider	544 = Lighter gases, not specified
511 = Ink pens	4034 = Lilly red
5004 = Ink print	203 = Limbitrol
6014 = Indo	276 = Limbitrol DS
312 = Ionamin	5025 = Lime salt
476 = Isocom	6013 = Lion's tail
548 = Isopropanol vapors	566 = Lipton tea bag, Smoked tea from
	504 = Liquid, Shoeshine
	543 = Liquid oxygen
	509 = Liquid Paper [see also 524]
571 = Jack, Black	522 = Liquid TV (MTV)
124 = Jackets, Yellow	848 = Liquid vitamin <OTC>
330 = Jays, Blue	240 = Lithium carbonate
6025 = Jell, Yellow	240 = Lithonate
6024 = Jesus, Blue	6001 = Little birds, Collapsing
626 = Jet Fuel	384 = Little crosses
609 = Jimson weed	385 = Little pink ones
6027 = Judyfly	506 = Locker room odorizer
854 = Juice	6049 = Locoweeds seeds
6072 = JUNO	6049 = Locoweeds
	4005 = Lodine
	559 = LOLOY
6042 = K, Super	8027 = Loradine
662 = Kanepolin	207 = Lorazepam
8039 = Kaopectate <OTC>	434 = Lorcet-HD
509 = K2R Spot Remover	434 = Lorcet Plus
280 = Ketaset	834 = Loveboat
4001 = Ketoprofen	681 = Lovely
481 = Ketorolac tromethamine	275 = Loxitane
682 = Kief [sic]	6074 = LSA
	601 = LSD
	153 = Luminal

4042 = M-33
 8013 = Maalox <OTC>
 830 = Mad Bull
 6062 = Madderwort
 333 = Magnum, 357
 333 = Magnum 44
 386 = Ma Huang
 138 = Mandrakes
 346 = Marax
 223 = Marbaxin
 267 = Marezine
 6064 = Marigold buttons
 803 = Marijuana
 802 = Marinol
 511 = Markers
 803 = MarrJane [sic]
 656 = Mars
 803 = Mary Jane
 5016 = Masking tape
 523 = Matches
 6009 = Match smoke, Sulfer
 390 = Max Alert
 4041 = Maxalt
 691 = Maximum impact
 317 = Mazanor
 5015 = MCH
 614 = MDA
 606 = MDMA
 163 = Meanies, Blue
 104 = Mebaral
 8024 = Medication, Asthma
 844 = Medication, Blood pressure
 840 = Medicine, Cough (contents not specified)
 <OTC>
 4031 = Medicine with codeine, Cough
 580 = Medusa
 6017 = Meesha
 498 = Mefenamic acid
 176 = Melatonin <OTC>
 232 = Mellaril
 651 = Mellow Yellow
 5019 = Melted plastic
 182 = Melzone
 204 = Menrium
 6061 = Meo-DMT, 5-
 458 = Mepergan
 458 = Mepergan Fortis
 220 = Meproamate
 603 = Mescaline
 3033 = Metabolife <OTC>
 322 = Meth
 355 = Meth, Crystal
 418 = Methadone
 322 = Methamphetamine
 5003 = Methane
 116 = Methaqualone
 877 = Methazolamide
 3009 = Methcathinone
 321 = Methedrine

223 = Methocarbamol
 3005 = Methylandlanamine
 550 = Methyl chloride
 614 = Methylenedioxy amphetamine
 318 = Methylphenidate
 623 = Mickey
 622 = Microdot, Green
 623 = Mickey Mouse club
 623 = Mickey mousers
 622 = Microdot, Green
 622 = Microdot, Purple
 622 = Microdot(s)
 466 = Midol <OTC>
 476 = Midrin
 212 = Miltown
 587 = Mineral ice
 3050 = Mini Thins
 3008 = Miniwhites
 803 = MJ
 879 = MMPT, Dimethyltryptamide
 504 = Model glue
 3025 = Moles [sic]
 345 = Molly, Black
 337 = Molly, White
 670 = Monkey dust
 849 = Monosodium glutamate (MSG) <OTC>
 617 = Morning glory seeds
 617 = Morning glory tendrils
 417 = Morphine
 1002 = Motion sickness pill <OTC>
 529 = Moth balls
 422 = Motrin
 4048 = Motrin IB <OTC>
 643 = Mount queen
 623 = Mouse club, Mickey
 623 = Mousers, Mickey
 633 = Mr. Natural
 4037 = MS Contin
 849 = (MSG), Monosodium glutamate
 522 = (MTV), Liquid TV
 604 = Mushrooms
 686 = My feet, Spider in
 8023 = Myoflex <OTC>
 183 = Mysoline

 4035 = Nabumetone
 526 = Nail polish
 518 = Nail polish remover
 4013 = Nalfron
 5007 = Nap, Fly
 5031 = Naphtha
 438 = Naprosyn
 438 = Naproxen
 6016 = Nas
 3007 = Nasal Inhalant
 633 = Natural, Mr.
 5012 = Negros
 108 = Nembutal
 128 = Nervine

8007 = Neurontin	543 = Oxygen, Liquid
698 = Nexus	5011 = Ozone
818 = Nicotine	
187 = Nightshade, Deadly	
506 = Nitrate, Isobutyl	520 = Paint
527 = Nitrate, Phenyl	520 = Paint, Old
506 = Nitrite, Amyl	505 = Paint solvents other than lacquer thinner
5032 = Nitrogen	502 = Paints, Spray
343 = Nitroglycerine	540 = PAM
508 = Nitrous oxide	4023 = Pamprin <OTC>
117 = Noctec	625 = Pane, 4-way
353 = No-Doz <OTC>	625 = Pane, Window
478 = Nogirtronia	665 = Paniolis
107 = Noludar	618 = Paper, Acid
462 = Norflex	509 = Paper, Liquid
445 = Norgescic Forte	433 = Paregoric
259 = Norpramin	837 = Paris 400
250 = Nortriptyline	283 = Paroxetine
8036 = Norvasc	250 = Pamelor
454 = Novocain	5004 = Paper
419 = NS, Stadol	283 = Paxil
490 = Nubain	210 = Paxipam
4018 = Nuprin <OTC>	260 = PCB
3051 = Nut, Betel	605 = PCP
639 = Nutmeg	491 = PDR
8034 = Nutri-calm <OTC>	6069 = Peach
171 = NyQuil <OTC>	368 = Peanut butter crank
127 = Nytol <OTC>	678 = Peels, Banana
	674 = Pee-pope
	569 = Peganento
323 = Obedrin-L.A.	820 = Penicillin
3038 = Obenil	511 = Pens, Felt-tip
5021 = Octane booster	511 = Pens, Ink
159 = Octanox	118 = Pentobarbital
506 = Odorizer, Locker room	118 = Pentothal
831 = Oil, Honey	118 = Pentothal, Sodium
289 = Olanzapine	479 = Pentrexyl
520 = Old paint	3002 = Pep ups
6061 = Ololiuhqui	891 = Pepcid
385 = Ones, Little Pink	3019 = Peppies
393 = OP 33	423 = Percocet
703 = Opium	406 = Percodan
673 = Orange	233 = Perphenazine
657 = Orange barrel	567 = Pertussin spray
624 = Orange sunshine	602 = Peyote
453 = Organidin with Codeine	3015 = Phen, Fen (fenfluramine and phentermine)
873 = Ortho Novum	410 = Phenaphen 3
4001 = Orudis	410 = Phenaphen with Codeine
4001 = Oruvail	605 = Phencyclidine
503 = Other aerosol sprays besides spray paints	349 = Phendimetrazine
507 = Other anesthetics besides halothane and ether	130 = Phenergan
505 = Other paint solvents besides lacquer thinner	115 = Phenobarbital
551 = Oven cleaner	349 = Phentametrizine
630 = Owsley, Black	313 = Phentermine
631 = Owsley, Purple	527 = Phenyl nitrate
508 = Oxide, Nitrous	347 = Phenylpropanolamine
4046 = Oxycodone	4045 = Phrenilin Forte
543 = Oxygen	1002 = Pill, Motion sickness <OTC>
	1002 = Pill, Seasick pill <OTC>
	809 = Pills

4008	=	Pills, Brown gel	241	=	Prozac
3044	=	Pills, Caffeine <OTC>	364	=	Pseudoephedrine
336	=	Pills, Diet	604	=	Psilocybin
3027	=	Pills, Energy	664	=	Purple fingers
4007	=	Pills, Happy	382	=	Purple footballs
357	=	Pills, Heart-shaped black	637	=	Purple haze
3040	=	Pills, Hyper	342	=	Purple hearts
8032	=	Pills, Sugar	6058	=	Purple life
8009	=	Pills; type unspecified, Allergy	622	=	Purple microdot
668	=	Pills, Yellow tiny	631	=	Purple Owsley
807	=	Pink champagne	640	=	Purple pyramid
398	=	Pink crosses	6066	=	Purple rain
642	=	Pink Floyd	5026	=	Putty, Silly
387	=	Pink football	640	=	Pyramid, Purple
328	=	Pink hearts	473	=	Pyridium
380	=	Pink ladies			
388	=	Pink lemon			
385	=	Pink Ones, Little			
341	=	Pink roses	351	=	Q'at
6034	=	Pigface	116	=	Quaalude
4029	=	Piroxicam	643	=	Queen
553	=	Pixie sticks	643	=	Queen, Mount
105	=	Placidyl	178	=	Quetiapine
187	=	Plant, Belladonna			
8011	=	Plant; type unspecified, Herb, flower,			
5019	=	Plastic, Melted			
310	=	Plegine	822	=	Rabbit tobacco
434	=	Plus, Lorcet	554	=	Raid
181	=	P.M., Excedrin <OTC>	360	=	Rainbow speed
180	=	P.M., Tylenol <OTC>	110	=	Rainbows
573	=	Polish, Furniture	6066	=	Rain, Purple
526	=	Polish, Nail	6033	=	Ramstein
518	=	Polish remover, Nail	577	=	Rave runners
5030	=	Polyurethane Spray	184	=	Red and blues
314	=	Pondimin	495	=	Red cross
498	=	Ponstel	145	=	Red devil(s)
506	=	Poppers	621	=	Red dragon
803	=	Pot	3030	=	Red hearts
381	=	P.O.T.C.	4034	=	Red, Lilly
599	=	Potpourri	129	=	Reds
8026	=	Powder	516	=	Refrigerant
3020	=	Powder, White	4035	=	Relafin
531	=	Powdered candy	2002	=	Relaxers, Muscle
8035	=	Prednisone	518	=	Remover, Nail polish
311	=	Preludin	509	=	Remover, K2R Spot
874	=	Premarin	6052	=	Resin, Acrylic
383	=	Pre-Sate	285	=	Resperidone
844	=	Pressure medication, Blood	112	=	Restoril
8032	=	Prilosec	4024	=	Reynol [sic]
3003	=	Primatene tablets <OTC>	690	=	RID
832	=	Primo	4040	=	Ridaura
5004	=	Print, Ink	281	=	Ringer, blue
454	=	Procaine	3036	=	Ripped fuel <OTC>
262	=	Prolixin	285	=	Risperdal
4038	=	Propacet	318	=	Ritalin
521	=	Propane	396	=	RJ8
591	=	Propellent, Air brush	396	=	RJs, Black
414	=	Propoxyphene	223	=	Robaxin
898	=	Propylene	330	=	Robins, Blue
546	=	Protector, Leather	329	=	Robin's eggs
377	=	Proventil	480	=	Robitussin AC with Codeine

829	=	Robitussin DM <OTC>	185	=	Simply Sleep, Tylenol <OTC>
8001	=	Robitussin Elixir	247	=	Sinequan
5009	=	Robo	6071	=	Sinicuichi
223	=	Robomol	403	=	SK-65
268	=	Roche	290	=	Skelaxin
806	=	Rock	219	=	SK-Lygen
3012	=	Rock, Stud the	677	=	Skunk II
629	=	Rocket fuel	850	=	Slack
268	=	Rohypnol	122	=	Sleep aid; not specified <OTC>, Over-the-counter
6050	=	Roller, High	132	=	Sleepettes <OTC>
6073	=	Rolls	185	=	Sleep, Tylenol Simply <OTC>
268	=	Roofies	706	=	Smack
506	=	Room odorizer, Locker	4009	=	Smilies
6030	=	Root	6009	=	Smoke, Sulfer match
187	=	Root, Belladonna	566	=	Smoked tea from Lipton tea bag
4027	=	Rorer	816	=	Smokeless tobacco
627	=	Rose, Hawaiian wood	813	=	Smoking (substance not specified)
628	=	Rosebud seed tea, Hawaiian	6021	=	Snake bite kit
341	=	Roses, Pink	884	=	Snow
4047	=	Roxicet	816	=	Snuff
417	=	Roxanol	560	=	Soap
5008	=	R-R	3029	=	Soccerballs
504	=	Rubber cement	156	=	Sodium barbital
548	=	Rubbing alcohol	118	=	Sodium pentothal
432	=	Rufen	586	=	Soft drink bottle, Carbon from empty
577	=	Runners, Rave	505	=	Solvents, Paint, other than lacquer thinner
506	=	Rush	2001	=	Soma
5005	=	Rush, Cobra	126	=	Sominex <OTC>
			116	=	Sopor
			658	=	Special K
5025	=	Salt, Lime	3034	=	Speckleberry
6043	=	Salviadinorum	330	=	Speckled birds
316	=	Sanorex	329	=	Speckled eggs
6005	=	Sassafras tea	3052	=	Speed; otherwise unspecified
6059	=	Satan flower	360	=	Speed, Rainbow
539	=	ScotchGard	705	=	Speedball (heroin + cocaine)
533	=	Sealant, Window	686	=	Spider in my feet
1002	=	Seasick pill <OTC>	6054	=	Spiny apples
119	=	Secobarbital	542	=	Spirits of ammonia
109	=	Seconal	509	=	Spot Remover, K2R
628	=	Seed tea, Hawaiian rosebud	687	=	Spray
635	=	Seeds, Ginseng	5014	=	Spray O Buzz
627	=	Seeds, Hawaiian Woodrow	502	=	Spray paints
6004	=	Seeds, Hallucinogen	567	=	Spray, Pertussin
6049	=	Seeds, Locoweed	5030	=	Spray, Polyurethane
617	=	Seeds, Morning glory	8014	=	Spray, Vicks throat <OTC>
140	=	Seldane	503	=	Sprays, other than spray paints, Aerosol
8042	=	Seltzer, Alka <OTC>	419	=	Stadol
205	=	Serax	419	=	Stadol NS
178	=	Seroquel	4036	=	Stagesic
292	=	Serzone	594	=	Starting fluid
612	=	Sherm	3045	=	Stay awakes <OTC>
612	=	Sherman	226	=	Stelazine
589	=	Shine, Tire	824	=	Steroids
612	=	Shermstick	612	=	Stick, Happy
504	=	Shoeshine liquid	645	=	Stick, Thai
604	=	Shrooms	857	=	Stick, Wicki
1002	=	Sickness pill, Motion <OTC>	553	=	Sticks, Pixie
6057	=	Silk	636	=	STP
5026	=	Silly putty	252	=	Strawberry whip cream

669	=	Stropharia	589	=	Tire shine
6031	=	Strychnine	660	=	Toad
3012	=	Stud 100	660	=	Toad licking
3012	=	Stud the rock	816	=	Tobacco, Chewing
817	=	Stuff, Hard	822	=	Tobacco, Rabbit
465	=	Sublimaze	816	=	Tobacco, Smokeless
892	=	Sucralfate	813	=	Tobacco not specified
3047	=	Sudafed <OTC>	284	=	Tofranil
8031	=	Sugar pills	467	=	Tolectin
6009	=	Sulfer match smoke	504	=	Toluene
4002	=	Sumatriptan	517	=	Tolyol
672	=	Suncrush	6053	=	Toothpicks
624	=	Sunshine	334	=	Tops, Cross
624	=	Sunshine, Orange	481	=	Toradol
624	=	Sunshine, Yellow	574	=	Tornado
6042	=	Super K	270	=	Torzien
504	=	Super Glue	4043	=	Tramadol
6006	=	Super X	663	=	Tranquilizer, Animal
5033	=	Sur-noxem	663	=	Tranquilizer, Horse
447	=	Synalgos	206	=	Tranxene
447	=	Synalgos DC	225	=	Trazodone hydrochloride
897	=	Synthroid	374	=	Tree(s), Christmas
			224	=	Triavil
			565	=	Trichloroethane
			597	=	Trichloronitrate
6044	=	Tabs, Gel	226	=	Trifluoperazine HCl
843	=	Tablets, Cold	233	=	Trilafon
3003	=	Tablets, Primatine	6075	=	Trinity
376	=	TAC	8040	=	Trioxsalen
895	=	Tagamet	4030	=	Triple "S"
6013	=	Tail, Lion's	6038	=	Triplets
545	=	Tailpipe exhaust fumes, Car	6038	=	Trips
413	=	Talacen	6051	=	Triptaneve [sic]
568	=	Tally	695	=	Trumpets, Angel
411	=	Talwin	245	=	Tryptophan
412	=	Talwin NX	457	=	T's and Blues
5016	=	Tape, Adhesive	6032	=	TSP
5016	=	Tape, Masking	110	=	Tuinal
707	=	Tar, Black	8030	=	Tums <OTC>
585	=	TCL	522	=	Tuner, TV
628	=	Tea, Hawaiian rosebud seed	522	=	TV (MTV), Liquid
6005	=	Tea, Sassafras	522	=	TV Tuner
179	=	Tee [sic], Water	522	=	TV11Y
4011	=	Tegretol	3013	=	Tweek
112	=	Temazepam	435	=	Tylenol <OTC>
617	=	Tendrils, Morning glory	409	=	Tylenol 3
307	=	Tenuate	409	=	Tylenol 4
308	=	Tepanil	435	=	Tylenol Extra-Strength <OTC>
6022	=	Tequila worm	409	=	Tylenol with Codeine
3031	=	Terbutaline	180	=	Tylenol P.M. <OTC>
828	=	Tetracycline	185	=	Tylenol Simply Sleep <OTC>
645	=	Thai stick	431	=	Tylox
802	=	THC	509	=	Typewash
825	=	Theo-Dur			
3039	=	Theophed			
8037	=	Thermochrome 5000 <OTC>			
505	=	Thinner, Lacquer	496	=	Ultram
3050	=	Thins, Mini	634	=	Unicorn
227	=	Thorazine	123	=	Unisom <OTC>
8014	=	Throat spray, Vicks <OTC>	3032	=	Up, Heads
668	=	Tiny pills, Yellow	3018	=	Up-johns

324 = Uppers
 3032 = Ups, Head
 3002 = Ups, Pep
 3014 = Uptime

606 = "X"
 6006 = X, Super
 606 = X-TC

201 = Valium
 894 = Valproic acid
 548 = Vapors, Isopropanol
 377 = Ventolin
 4026 = Ventrex [sic]
 6067 = Venus
 237 = Versed
 266 = Verstran
 8014 = Vicks throat spray <OTC>
 434 = Vicodin
 4033 = Vicoprofen
 4025 = Viserol [sic]
 215 = Vistaril
 848 = Vitamin, Liquid <OTC>
 263 = Vivactil
 354 = Vivarin
 315 = Voranil

683 = Yage'
 124 = Yellow jackets
 6025 = Yellow jell
 651 = Yellow, Mellow
 624 = Yellow sunshine
 668 = Yellow tiny pills
 164 = Yellow zombies
 8003 = Yesca
 881 = YLOALE
 3023 = Yohimbe

8002 = Zantac
 3025 = Zentro [sic]
 257 = Zestril
 8019 = Zithromax
 271 = Zoloft
 174 = Zolpidem
 164 = Zombies, yellow
 666 = Zonick
 3026 = Zyban
 289 = Zyprexa
 8010 = Zyrtec

173 = Wafers
 852 = Wak [sic]
 6047 = Water
 865 = Water pills
 179 = Water tee [sic]
 5029 = Wax, Floor
 625 = Way pane, 4-
 582 = WD-40
 803 = Weed
 635 = Weed, Ginseng
 3026 = Wellbutrin
 6056 = Wet
 5020 = Wet cement
 852 = Whack
 252 = Whip cream, Strawberry
 528 = Whipped-cream can
 508 = Whippets
 326 = White cross
 337 = White Molly
 524 = White-Out
 3020 = White powder
 331 = Whites
 857 = Wicki stick
 139 = Widows, Black
 625 = Window
 625 = Window pane
 533 = Window sealant
 627 = Wood rose, Hawaiian
 627 = Woodrow seeds, Hawaiian
 6022 = Worm, Agave
 6022 = Worm, Tequila
 6062 = Wormwood
 404 = Wygesic

APPENDIX B

Tobacco Brand Codes for Open-Ended Questions

The final tobacco brand codes were created from listings of brands that appeared on the computer screen(s) corresponding to that particular type of tobacco, or from answers that respondents specified, if they indicated use of "a brand not on this list." For each tobacco product (cigarettes, chewing tobacco, snuff, and cigars), the available responses in the contiguous order of appearance on the screen were used to initially create each tobacco product group. Tobacco brand codes 100-199 and 1000-1999 represent cigarette brands, codes 200-299 and 2000-2999 represent chewing tobacco brands, codes 300-399 and 3000-3999 represent snuff brands, and codes 400-499 and 4000-4999 represent cigar brands. Additional codes were added to each group list as needed. Miscellaneous tobacco and non-tobacco groups are represented by the 500-599, 600-699, and 700-799 series.

For tobacco brands that respondents could choose from a list, no distinction was made in the coding between situations where respondents chose that particular brand from the list, and those where respondents reported use of "a brand not on this list" and then specified use of that brand. In addition, there was no distinction between particulars such as menthol, light, or full-flavor varieties in the coding. In addition, the coding took into account situations where respondents might specify a brand that corresponded to a different type of tobacco. For example, if a snuff brand was specified as a brand of "chewing tobacco," then the reported brand of "chewing tobacco" was assigned a code in the 300 series, corresponding to snuff.

APPENDIX B

Tobacco Brand Codes for Open-Ended Questions (1999 CAI NHSDA)

Numerical Listing

Cigarette Brands

101 = Basic	149 = Pyramid
102 = Benson & Hedges	150 = Raleigh
103 = Cambridge	151 = Richland
104 = Camel	152 = Saratoga
105 = Capri	153 = Satin
106 = Carlton	154 = State Express
107 = Doral	155 = Sterling
108 = Forsyth	156 = Style
109 = GPC	157 = Tareyton
110 = Kent	158 = Top (roll-your-own)
111 = Kool	159 = Triumph
112 = Marlboro	160 = True
113 = Merit	161 = American Spirit
114 = Misty	162 = Austin
115 = Monarch	163 = Bali Hai
116 = Montclair	164 = Bali-Shag (roll-your-own)
117 = More	165 = Best Buy cigarettes
118 = Newport	166 = Bidis; brand unspecified
119 = Pall Mall	167 = Black Death
120 = Parliament	168 = Brandon
121 = Private Label	169 = Bronson
122 = Salem	170 = Cartier
123 = Vantage	171 = Checkers
124 = Viceroy	172 = Cimmarron
125 = Virginia Slims	173 = Clove; brand unspecified
126 = Winston	174 = Daves
127 = Alpine	175 = Djarum
128 = Barclay	176 = Drum rolling tobacco
129 = Belair	177 = Du Maurier
130 = Best Value	178 = Dunhill cigarettes
131 = Bristol	179 = Eagle
132 = Bugler (roll-your-own)	180 = Export A
133 = Century	181 = Fiesta
134 = Chesterfield	182 = First Choice
135 = Commander	183 = First Class
136 = Covington	184 = Gauloises
137 = Eve	185 = Generic cigarettes; brand unspecified
138 = Harley Davidson	186 = Gold Coast
139 = Jasmine	187 = Gudang Garam
140 = Lark	188 = Gunsmoke
141 = L & M	189 = Hi-Value
142 = Lucky Strike	190 = Jacks
143 = Magna	191 = Jester (roll-your-own)
144 = Maverick	192 = Kailas Bidis
145 = Max	193 = Kamel Red
146 = Now	194 = Legend
147 = Old Gold	195 = Malibu
148 = Players	196 = Mainstreet
	197 = Marker
	198 = Medallion

199 = Meridian
 1001 = Nat Sherman cigarettes
 1002 = Omaha
 1003 = Piel Roja
 1004 = Planet
 1005 = Private Stock
 1006 = Quality Smokes
 1007 = Rally
 1008 = Rave
 1009 = Rollrich (roll-your-own)
 1010 = Rothman
 1011 = Sampoerna's
 1012 = Seven Stars/Mild Sevens
 1013 = Slim Price
 1014 = Sobranie
 1015 = Springwater Vanilla
 1016 = Summit
 1017 = Sundance
 1018 = USA Gold
 1019 = Vegas
 1020 = Waves
 1021 = Yours
 1022 = Bailey
 1023 = Sport
 1024 = Prime
 1025 = Ultra Buy
 1026 = Bull Durham
 1027 = Mustang
 1028 = Value; brand unspecified
 1029 = Tourney
 1030 = BV Bonus Value
 1031 = House Blend
 1032 = American Spirit rolling tobacco
 1033 = Hollywood
 1998 = Roll-your-own cigarette; brand unspecified
 1999 = Cigarette; brand otherwise unspecified

Chewing Tobacco Brands

201 = Beech-Nut
 202 = Chattanooga Chew
 203 = Day's Work
 204 = Granger
 205 = H.B. Scott
 206 = Levi Garrett
 207 = Red Fox
 208 = Red Man
 209 = Taylors Pride
 210 = Totems
 211 = Work Horse
 212 = Apple Jack
 213 = Ball Park
 214 = Best Buy chewing tobacco
 215 = Big Leaf
 216 = Blackbull
 217 = Bowie
 218 = Cannonball
 219 = Durango
 220 = Lancaster

221 = Mail Pouch
 222 = Morgan's
 223 = Peachy Big Leaf
 224 = Rough Country
 225 = Trophy
 226 = WB
 227 = Havana Blossom
 228 = Southern Pride
 229 = Union Workman
 230 = Stoker
 231 = Cottonboll
 2999 = Chewing tobacco; brand otherwise unspecified

Snuff Brands

301 = Copenhagen
 302 = Gold River
 303 = Happy Days
 304 = Hawken
 305 = Kodiak
 306 = Redwood
 307 = Silver Creek
 308 = Skoal
 309 = Timber Wolf
 310 = Bruton
 311 = Cooper
 312 = Cougar
 313 = Dental
 314 = Honey Bee
 315 = Navy
 316 = Red Seal
 317 = Rooster
 318 = Square
 319 = Tops
 320 = Tube Rose
 321 = W. Garrett snuff
 322 = Peach
 323 = Mint Snuff
 324 = Ralphs
 3999 = Snuff; brand otherwise unspecified

Cigar Brands

401 = Antonio y Cleopatra
 402 = Backwoods
 403 = Bering
 404 = Black & Mild
 405 = Captain Black
 406 = Casa Silva
 407 = Cuesta-Rey
 408 = Dutch Masters
 409 = El Producto
 410 = Erik Filter
 411 = Garcia y Vega
 412 = Havatampa
 413 = King Edward
 414 = La Corona
 415 = Little Nippers

416 = Macanudos
 417 = Muriel
 418 = Partagas
 419 = Phillies
 420 = Rigoletto
 421 = Robert Burns
 422 = Roi-Tan
 423 = Swisher Sweets
 424 = Tijuana Smalls
 425 = Universal
 426 = White Owl
 427 = William Penn
 428 = Winchester
 429 = Al Capone
 430 = Arango Sportsman
 431 = Arturo Fuente
 432 = Ashton
 433 = Astral
 434 = Baccarat
 435 = Balmoral
 436 = Ben Franklin
 437 = Blackstone
 438 = Blair
 439 = Blunts; brand unspecified
 440 = Butera
 441 = Cherry Blend
 442 = Churchill; brand unspecified
 443 = Cohiba
 444 = Cojimar
 445 = Corona; brand unspecified
 446 = Cortina
 447 = Cremosa Cubanos
 448 = Cuban; brand unspecified
 449 = Cubana; brand unspecified
 450 = Dannerman
 451 = Davidoff
 452 = Don Diego
 453 = Don Jose
 454 = Don Lino
 455 = Don Rene
 456 = Don Sebastian
 457 = Don Thomas
 458 = Dunhill cigars
 459 = Dutch Treats
 460 = El Rey del Mundo
 461 = Fonseca
 462 = Grenadiers
 463 = Griffin's
 464 = H. Upmann
 465 = Habana/Havana; brand unspecified
 466 = Habana Gold
 467 = Henry Clay
 468 = Hobo
 469 = Hoya De Monterrey
 470 = Hugo Cassar
 471 = Infiesta
 472 = Joya De Nicaragua
 473 = Jr Ultimate
 474 = King
 475 = La Aurora
 476 = La Gloria Cubana

477 = La Tradicion
 478 = La Unica
 479 = LaFlor Dominicana
 480 = Las Cabrillas
 481 = Lone Wolf
 482 = Martinez y Cia
 483 = Mi Cubano
 484 = Middleton Cherry Blend
 485 = Monero
 486 = Montecristo
 487 = Oliveros
 488 = Optimo
 489 = Opus X
 490 = Padron
 491 = Parodi Cella
 492 = Primetime
 493 = Prince Albert cigars
 494 = Punch
 495 = Puros Indios
 496 = Romeo y Julieta
 497 = Royal Jamaica
 498 = Schimmelpennick
 499 = Stag
 4001 = Sweets; brand unspecified
 4002 = Tampa; brand unspecified
 4003 = Te Amo
 4004 = Temple Hall
 4005 = Thompson
 4006 = Tiparillo
 4007 = Wolf Brothers
 4008 = Lars Tetens
 4009 = Bahia
 4010 = Big Butt
 4011 = Tobacco Place
 4012 = Five Star
 4013 = Cubita
 4014 = Avanti
 4015 = Windsor
 4016 = Dominican; brand unspecified
 4017 = Rum Runner
 4018 = Nat Sherman Cigars
 4019 = J.R. Tobacco
 4020 = Onyx
 4021 = Credo; brand unspecified
 4022 = Excalibur
 4023 = John T's
 4024 = Sierra Sweets
 4025 = Middleton Gold and Mild
 4026 = Habana Black and Gold
 4027 = Nicaraguan; brand unspecified
 4997 = Little cigars; brand unspecified
 4998 = Homemade cigars
 4999 = Cigar/Cigarillo; brand otherwise unspecified

Pipe Tobacco or Miscellaneous Tobacco

501 = Prince Albert tobacco

Miscellaneous Classifications

601 = Homegrown

701 = Marijuana

702 = Cocaine

Alphabetical Listing

180	=	A, Export	131	=	Bristol
429	=	Al Capone	169	=	Bronson
493	=	Albert Cigars, Prince	4007	=	Brothers, Wolf
501	=	Albert Tobacco, Prince	310	=	Bruton
127	=	Alpine	132	=	Bugler (roll-your-own)
161	=	American Spirit	1026	=	Bull Durham
1032	=	American Spirit rolling tobacco	421	=	Burns, Robert
4003	=	Amo, Te	440	=	Butera
401	=	Antonio y Cleopatra	4010	=	Butt, Big
212	=	Apple Jack	214	=	Buy chewing tobacco, Best
430	=	Arango Sportsman	165	=	Buy cigarettes, Best
431	=	Arturo Fuente	1025	=	Buy, Ultra
432	=	Ashton	1030	=	BV Bonus Value
433	=	Astral			
475	=	Aurora, La			
162	=	Austin	480	=	Cabrillas, Las
4014	=	Avanti	103	=	Cambridge
			104	=	Camel
			218	=	Cannonball
434	=	Baccarat	429	=	Capone, Al
402	=	Backwoods	105	=	Capri
4009	=	Bahia	405	=	Captain Black
1022	=	Bailey	106	=	Carlton
163	=	Bali Hai	170	=	Cartier
164	=	Bali-Shag (roll-your-own)	406	=	Casa Silva
213	=	Ball Park	470	=	Cassar, Hugo
435	=	Balmoral	491	=	Cella, Parodi
128	=	Barclay	133	=	Century
101	=	Basic	202	=	Chattanooga Chew
314	=	Bee, Honey	171	=	Checkers
201	=	Beech-Nut	441	=	Cherry Blend
129	=	Belair	484	=	Cherry Blend, Middleton
436	=	Ben Franklin	134	=	Chesterfield
102	=	Benson & Hedges	202	=	Chew, Chattanooga
403	=	Bering	2999	=	Chewing tobacco; brand unspecified
214	=	Best Buy chewing tobacco	182	=	Choice, First
165	=	Best Buy cigarettes	442	=	Churchill; brand unspecified
130	=	Best Value	482	=	Cia, Martinez y
192	=	Bidis, Kailas	4999	=	Cigar/Cigarillo; brand unspecified
166	=	Bidis; brand unspecified	1999	=	Cigarette; brand unspecified
4010	=	Big Butt	172	=	Cimmarron
223	=	Big Leaf, Peachy	183	=	Class, First
404	=	Black & Mild	467	=	Clay, Henry
4026	=	Black and Gold, Habana	401	=	Cleopatra, Antonio y
405	=	Black, Captain	173	=	Clove; brand unspecified
167	=	Black Death	186	=	Coast, Gold
216	=	Blackbull	702	=	Cocaine
437	=	Blackstone	443	=	Cohiba
438	=	Blair	444	=	Cojimar
441	=	Blend, Cherry	135	=	Commander
1031	=	Blend, House	311	=	Cooper
484	=	Blend, Middleton Cherry	301	=	Copenhagen
227	=	Blossom, Havana	445	=	Corona; brand unspecified
439	=	Blunts; brand unspecified	414	=	Corona, La
1030	=	Bonus Value, BV	446	=	Cortina
217	=	Bowie	231	=	Cottonboll
168	=	Brandon	312	=	Cougar

224 = Country, Rough	4012 = Five Star
136 = Covington	461 = Fonseca
4021 = Credo; brand unspecified	108 = Forsyth
307 = Creek, Silver	207 = Fox, Red
447 = Cremosa Cubanos	436 = Franklin, Ben
448 = Cuban; brand unspecified	431 = Fuente, Arturo
449 = Cubana; brand unspecified	
476 = Cubana, La Gloria	
483 = Cubano, Mi	411 = Garcia y Vega
447 = Cubanos, Cremosa	206 = Garrett, Levi
4013 = Cubita	321 = Garrett snuff, W.
407 = Cuesta-Rey	184 = Gauloises
	185 = Generic cigarettes; brand unspecified
	476 = Gloria Cubana, La
450 = Dannerman	4025 = Gold and Mild, Middleton
174 = Daves	186 = Gold Coast
451 = Davidoff	466 = Gold, Habana
138 = Davidson, Harley	4026 = Gold, Habana Black and
203 = Day's Work	147 = Gold, Old
303 = Days, Happy	302 = Gold River
469 = De Monterrey, Hoya	1018 = Gold, USA
472 = De Nicaragua, Joya	109 = GPC
167 = Death, Black	204 = Granger
460 = Del Mundo, El Rey	462 = Grenadiers
313 = Dental	463 = Griffin's
452 = Diego, Don	187 = Gudang Guram
175 = Djarum	188 = Gunsmoke
4016 = Dominican; brand unspecified	187 = Guram, Gudang
479 = Dominicana, LaFlor	
452 = Don Diego	
453 = Don Jose	464 = H. Upmann
454 = Don Lino	205 = H.B. Scott
455 = Don Rene	4026 = Habana Black and Gold
456 = Don Sebastian	466 = Habana Gold
457 = Don Thomas	465 = Habana/Havana; brand unspecified
107 = Doral	163 = Hai, Bali
176 = Drum rolling tobacco	4004 = Hall, Temple
177 = Du Maurier	303 = Happy Days
178 = Dunhill cigarettes	138 = Harley Davidson
458 = Dunhill cigars	227 = Havana Blossom
219 = Durango	465 = Havana; brand unspecified, Habana/
1026 = Durham, Bull	412 = Havatampa
408 = Dutch Masters	304 = Hawken
459 = Dutch Treats	102 = Hedges, Benson &
	467 = Henry Clay
	189 = Hi-Value
179 = Eagle	468 = Hobo
413 = Edward, King	1033 = Hollywood
409 = El Producto	4998 = Homemade cigars
460 = El Rey del Mundo	601 = Homegrown
410 = Erik Filter	314 = Honey Bee
137 = Eve	211 = Horse, Work
4022 = Excalibur	1031 = House Blend
180 = Export A	469 = Hoya De Monterrey
154 = Express, State	470 = Hugo Cassar
181 = Fiesta	495 = Indios, Puros
410 = Filter, Erik	471 = Infiesta
182 = First Choice	
183 = First Class	

4019 = J.R. Tobacco
 212 = Jack, Apple
 190 = Jacks
 497 = Jamaica, Royal
 139 = Jasmine
 191 = Jester (roll-your-own)
 4023 = John T's
 453 = Jose, Don
 472 = Joya De Nicaragua
 473 = Jr Ultimate
 496 = Julieta, Romeo y

192 = Kailas Bidis
 193 = Kamel Red
 110 = Kent
 474 = King
 413 = King Edward
 305 = Kodiak
 111 = Kool

141 = L & M
 475 = La Aurora
 414 = La Corona
 476 = La Gloria Cubana
 477 = La Tradicion
 478 = La Unica
 121 = Label, Private
 479 = LaFlor Dominicana
 220 = Lancaster
 140 = Lark
 4008 = Lars Tetens
 480 = Las Cabrillas
 215 = Leaf, Big
 223 = Leaf, Peachy Big
 194 = Legend
 206 = Levi Garrett
 454 = Lino, Don
 4997 = Little cigars; brand unspecified
 415 = Little Nippers
 481 = Lone Wolf
 142 = Lucky Strike

416 = Macanudos
 143 = Magna
 221 = Mail Pouch
 196 = Mainstreet
 195 = Malibu
 119 = Mall, Pall
 208 = Man, Red
 701 = Marijuana
 197 = Marker
 112 = Marlboro
 482 = Martinez y Cia
 408 = Masters, Dutch
 177 = Maurier, Du
 144 = Maverick
 145 = Max
 198 = Medallion

199 = Meridian
 113 = Merit
 483 = Mi Cubano
 484 = Middleton Cherry Blend
 4025 = Middleton Gold and Mild
 404 = Mild, Black &
 4025 = Mild, Middleton Gold and
 1012 = Mild Sevens, Seven Stars/
 323 = Mint Snuff
 114 = Misty
 115 = Monarch
 485 = Monero
 116 = Montclair
 486 = Montecristo
 469 = Monterrey, Hoya De
 117 = More
 222 = Morgan's
 460 = Mundo, El Rey del
 417 = Muriel
 1027 = Mustang

1001 = Nat Sherman cigarettes
 4018 = Nat Sherman cigars
 315 = Navy
 118 = Newport
 472 = Nicaragua, Joya De
 4027 = Nicaraguan; brand unspecified
 415 = Nippers, Little
 146 = Now

147 = Old Gold
 487 = Oliveros
 1002 = Omaha
 4020 = Onyx
 488 = Optimo
 489 = Opus X
 426 = Owl, White

490 = Padron
 119 = Pall Mall
 213 = Park, Ball
 120 = Parliament
 491 = Parodi Cella
 418 = Partagas
 322 = Peach
 223 = Peachy Big Leaf
 427 = Penn, William
 419 = Phillies
 1003 = Piel Roja
 4011 = Place, Tobacco
 1004 = Planet
 148 = Players
 221 = Pouch, Mail
 1013 = Price, Slim
 228 = Pride, Southern
 209 = Pride, Taylors
 1024 = Prime
 492 = Primetime

493	=	Prince Albert cigars	1013	=	Slim Price
501	=	Prince Albert tobacco	125	=	Slims, Virginia
121	=	Private Label	424	=	Smalls, Tijuana
1005	=	Private Stock	1006	=	Smokes, Quality
409	=	Producto, El	3999	=	Snuff; brand unspecified
494	=	Punch	1014	=	Sobranie
495	=	Puros Indios	228	=	Southern Pride
149	=	Pyramid	161	=	Spirit, American
			1032	=	Spirit rolling tobacco, American
1006	=	Quality Smokes	1023	=	Sport
			430	=	Sportsman, Arango
150	=	Raleigh	1015	=	Springwater Vanilla
1007	=	Rally	318	=	Square
324	=	Ralphs	499	=	Stag
1008	=	Rave	4012	=	Star, Five
207	=	Red Fox	1012	=	Stars/Mild Sevens, Seven
193	=	Red, Kamel	154	=	State Express
208	=	Red Man	155	=	Sterling
316	=	Red Seal	1005	=	Stock, Private
306	=	Redwood	230	=	Stoker
455	=	Rene, Don	142	=	Strike, Lucky
407	=	Rey, Cuesta-	156	=	Style
460	=	Rey del Mundo, El	1016	=	Summit
151	=	Richland	1017	=	Sundance
420	=	Rigoletto	4001	=	Sweets; brand unspecified
302	=	River, Gold	4024	=	Sweets, Sierra
421	=	Robert Burns	423	=	Sweets, Swisher
422	=	Roi-Tan	423	=	Swisher Sweets
1003	=	Roja, Piel			
1009	=	Rollrich (roll-your-own)	4023	=	T's, John
1998	=	Roll-your-own cigarette; brand unspecified	4002	=	Tampa; brand unspecified
496	=	Romeo y Julieta	422	=	Tan, Roi-
317	=	Rooster	157	=	Tareyton
320	=	Rose, Tube	209	=	Taylors Pride
1010	=	Rothman	4003	=	Te Amo
224	=	Rough Country	4004	=	Temple Hall
497	=	Royal Jamaica	4008	=	Tetens, Lars
4017	=	Rum Runner	457	=	Thomas, Don
4017	=	Runner, Rum	4005	=	Thompson
			424	=	Tijuana Smalls
122	=	Salem	309	=	Timber Wolf
1011	=	Sampoerna's	4006	=	Tiparillo
152	=	Saratoga	4011	=	Tobacco Place
153	=	Satin	501	=	Tobacco, Prince Albert
498	=	Schimmelpennick	4019	=	Tobacco, R.J.
205	=	Scott, H.B.	158	=	Top (roll-your-own)
316	=	Seal, Red	319	=	Tops
456	=	Sebastian, Don	210	=	Totems
1012	=	Seven Stars/Mild Sevens	1029	=	Tourney
1012	=	Sevens, Seven Stars/Mild	477	=	Tradicion, La
164	=	Shag, Bali-	459	=	Treats, Dutch
1001	=	Sherman cigarettes, Nat	159	=	Triumph
4018	=	Sherman cigars, Nat	225	=	Trophy
4024	=	Sierra Sweets	160	=	True
406	=	Silva, Casa	320	=	Tube Rose
307	=	Silver Creek			
308	=	Skoal	473	=	Ultimate, Jr
			1025	=	Ultra Buy
			478	=	Unica, La

229 = Union Workman
425 = Universal
464 = Upmann, H.
1018 = USA Gold

130 = Value, Best
1028 = Value; brand unspecified
1030 = Value, BV Bonus
189 = Value, Hi-
1015 = Vanilla, Springwater
123 = Vantage
411 = Vega, Garcia y
1019 = Vegas
124 = Viceroy
125 = Virginia Slims

321 = W. Garrett snuff
1020 = Waves
226 = WB
426 = White Owl
427 = William Penn
428 = Winchester
4015 = Windsor
126 = Winston
4007 = Wolf Brothers
481 = Wolf, Lone
309 = Wolf, Timber
203 = Work, Day's
211 = Work Horse
229 = Workman, Union

489 = X, Opus

1021 = Yours

APPENDIX C

Dependence Variable Documentation

In order to identify patterns of substance abuse within the 1999 NHSDA data, variable indicators were created to measure dependence on alcohol and/or drugs. Due to the complexity of defining these dependence variables, additional details about how each of these indicators were created is being included in this appendix.

The 1999 NHSDA questionnaire included a series of questions designed to assess dependence on substances, based on the criteria for dependence in the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV). For marijuana, inhalants, hallucinogens, and tranquilizers, a respondent was defined as having dependence if they used the substance in the past year and met 3 or more of 6 dependence criteria. For alcohol, pain relievers, cigarettes, cocaine, heroin, sedatives, and stimulants, a respondent was defined as having dependence if they used the substance in the past year and met 3 or more of 7 dependence criteria (including six standard criteria plus a seventh withdrawal symptom criteria).

Listed below are the definitions used for each of the individual dependence measures. Additional dependence variables were created using a combination of these individual dependence measures and are listed in the main part of the codebook.

Substances Defined with Withdrawal Criteria

ALCOHOL:

To be defined with alcohol dependence, DEPALC, a respondent must have used alcohol in the past year (ALCREC=1,2,8,11,12):

- (1) Indicated 2 or more alcohol withdrawal consequences/symptoms: sweating (SWETALC=1), hand shaking (HSHAKALC=1), trouble sleeping (TRSLPALC=1), vomiting (VOMITALC), hallucinating (HALUCALC=1), trouble sitting still (SITSTALC=1), feeling anxious (ANXALC=1), having seizures (SEIZALC=1), or drinking more to avoid after effects (AVDWDALC=1).
- (2) Spent a great deal of time over a period of a month getting, using, or getting over the effects of alcohol (GRTMALC=1)
- (3) Built up tolerance to alcohol (BTOLALC=1)
- (4) Used alcohol more often than intended (LAMTALC=1)
- (5) Alcohol use reduced involvement in important activities (ACRDALC=1)
- (6) Alcohol use caused emotional or psychological problems (EMPBALC or HLPALC=1)
- (7) Wanted to cut down on the amount of alcohol used but could not (UCDALC=1).

PAIN RELIEVERS:

To be defined with pain reliever dependence, DEPANL, a respondent must have used pain relievers not prescribed for them in the past year (ANLREC=1,2,8,11,12) and meet 3 or more of the pain reliever dependence criteria:

- (1) Indicated 3 or more pain reliever withdrawal consequences/symptoms: feeling depressed (DPRSANL=1), vomiting (VOMITANL=1), cramping (CRAMPANL=1), watery eyes/runny nose (EYNOSANL=1), enlarged pupils (DILATANL=1), diarrhea (DIARANL=1), yawning (YAWNANL=1), fever (FEVERANL=1), trouble sleeping (TRSLPANL=1), or using more pain relievers to avoid after effects (AVDWDANL=1).

- (2) Spent a great deal of time getting, using, or getting over the effects of pain relievers (GRTMANL=1)
- (3) Built up tolerance to pain relievers (BTOLANL=1)
- (4) Used pain relievers more often than intended (LAMTANL=1)
- (5) Pain reliever use reduced involvement in important activities (ACRDANL=1)
- (6) Pain reliever use caused emotional or psychological problems (EMPBANL or HLPRANL=1)
- (7) Wanted to cut down on the amount of pain relievers using but could not (UCDANL=1).

CIGARETTES:

To be defined with cigarette dependence, DEPCIG, a respondent must have smoked cigarettes in the past year (CIGREC=1,2,8,11,12) and meet 3 or more of the cigarette dependence criteria:

- (1) Indicated 4 or more cigarette smoking withdrawal consequences/symptoms: feeling depressed (DPRSCIG=1), trouble sleeping (TRSLPCIG=1), feeling irritable (IRRITCIG=1), feeling anxious (ANXCIG=1), having problems concentrating (CONCCIG=1), feeling hungry (HUNGRCIG=1), feeling restless (RSTLSCIG=1), or having slow heart rate (SLHRTCIG=1).
- (2) Spent a great deal of time getting, using, or getting over the effects of cigarettes (GRTMCIG=1)
- (3) Built up tolerance to cigarettes (BTOLCIG=1)
- (4) Used cigarettes more often than intended (LAMTCIG=1)
- (5) Cigarette smoking reduced involvement in important activities (ACRDCIG=1)
- (6) Cigarette use caused emotional or psychological problems (EMPBCIG or HLPRCIG=1)
- (7) Wanted to cut down on the amount of cigarettes using but could not (UCDCIG=1).

COCAINE:

To be defined with cocaine dependence, DEPCOC, a respondent must have used cocaine in the past year (CIGREC=1,2,8,11,12) and meet 3 or more of the cocaine dependence criteria:

- (1) Indicated 2 or more cocaine withdrawal consequences/symptoms: feeling tired (TIREDCOC=1), having bad dreams (BDDRMCOCC=1), trouble sleeping (SLPRBCOC=1), feeling hungry (HUNGRCOC=1), feeling slow (SLODNCOC=1), or using more cocaine to avoid after effects (AVDWDCOC=1).
- (2) Spent a great deal of time getting, using, or getting over the effects of cocaine (GRTMCOCC=1)
- (3) Built up tolerance to cocaine (BTOLCOCC=1)
- (4) Used cocaine more often than intended (LAMTCOC=1)
- (5) Cocaine use reduced involvement in important activities (ACRDCOC=1)
- (6) Cocaine use caused emotional or psychological problems (EMPBCOC or HLPRCOC=1)
- (7) Wanted to cut down on the amount of cocaine using but could not (UCDCOC=1).

HEROIN:

To be defined with heroin dependence, DEPPER, a respondent must have used heroin in the past year (HERREC=1,2,8,11,12) and meet 3 or more of the heroin dependence criteria:

- (1) Indicated 3 or more heroin withdrawal consequences/symptoms: feeling depressed (DEPPER=1), vomiting (VOMITHER=1), having cramps (CRAMPHER=1), watery eyes/runny nose (EYNOSHER=1), enlarged pupils (DILATHER=1), diarrhea (DIARHER=1), yawning (YAWNHER=1), fever (FEVERHER=1), trouble sleeping (TRSLPHER=1), or using more heroin to avoid after effects (AVDWDHER=1).
- (2) Spent a great deal of time getting, using, or getting over the effects of heroin (GRTMHER=1)
- (3) Built up tolerance to heroin (BTOLHER=1)
- (4) Used heroin more often than intended (LAMTHER=1)
- (5) Heroin use reduced involvement in important activities (ACRDHER=1)
- (6) Heroin use caused emotional or psychological problems (EMPBHER or HLPHER=1)
- (7) Wanted to cut down on the amount of heroin using but could not (UCDHER=1).

SEDATIVES:

To be defined with sedative dependence, DEPSED, a respondent must have used sedatives in the past year (HERREC=1,2,8,11,12) and meet 3 or more of the sedative dependence criteria:

- (1) Indicated 2 or more sedative withdrawal consequences/symptoms: sweating (SWETSED=1), hand shaking (HSHAKSED=1), trouble sleeping (TRSLPSED=1), vomiting (VOMITSED), hallucinating (HALUCSED=1), trouble sitting still (SITSTSED=1), feeling anxious (ANXSED=1), having seizures (SEIZED=1), or using more sedatives to avoid after effects (AVDWDSED=1).
- (2) Spent a great deal of time getting, using, or getting over the effects of sedatives (GRTMSED=1)
- (3) Built up tolerance to sedatives (BTOLSED=1)
- (4) Used sedatives more often than intended (LAMTSED=1)
- (5) Sedative use reduced involvement in important activities (ACRDSED=1)
- (6) Sedative use caused emotional or psychological problems (EMPBSED or HLPSED=1)
- (7) Wanted to cut down on the amount of sedatives using but could not (UCDSED=1).

STIMULANTS:

To be defined with stimulant dependence, DEPSTM a respondent must have used stimulants in the past year (STMREC=1,2,8,11,12) and meet 3 or more of the stimulant dependence criteria:

- (1) Indicated 2 or more stimulant withdrawal consequences/symptoms: feeling tired (TIREDSTM=1), having bad dreams (BDDRMSTM=1), trouble sleeping (SLPRBSTM=1), feeling hungry (HUNGRSTM=1), feeling slow (SLODNSTM=1), or using more stimulants to avoid after effects (AVDWDSTM=1).
- (2) Spent a great deal of time getting, using, or getting over the effects of stimulants (GRTMSTM=1)
- (3) Built up tolerance to stimulants (BTOLSTM=1)
- (4) Used stimulants more often than intended (LAMTSTM=1)
- (5) Stimulant use reduced involvement in important activities (ACRDSTM=1)
- (6) Stimulant use caused emotional or psychological problems (EMPBSTM or HLPSTM=1)
- (7) Wanted to cut down on the amount of stimulants using but could not (UCDSTM=1).

Substances Defined Without Withdrawal Criteria

HALLUCINOGENS:

To be defined with hallucinogen dependence, DEPHAL, a respondent must have used hallucinogens in the past year (HALLREC= 1,2,8,11,12) and meet 3 or more of these hallucinogen dependence criteria:

- (1) Spent a great deal of time getting, using, or getting over the effects of hallucinogens (GRTMHAL=1)
- (2) Built up tolerance to hallucinogens (BTOLHAL=1)
- (3) Used hallucinogens more often than intended (LAMTHAL=1)
- (4) Hallucinogen use reduced involvement in important activities (ACRDHAL=1)
- (5) Hallucinogen use caused emotional or psychological problems (EMPBHAL=1 or HLPRHAL=1)
- (6) Wanted to cut down on the amount of hallucinogen use but could not (UCDHAL=1)

INHALANTS:

To be defined with inhalant dependence, DEPINH, a respondent must have used inhalants in the past year (INHREC= 1,2,8,11,12) and meet 3 or more of these inhalant dependence criteria:

- (1) Spent a great deal of time getting, using, or getting over the effects of inhalants (GRTMINH=1)
- (2) Built up tolerance to inhalants (BTOLINH=1)
- (3) Used inhalants more often than intended (LAMTINH=1)
- (4) Inhalant use reduced involvement in important activities (ACRDINH=1)
- (5) Inhalant use caused emotional or psychological problems (EMPBINH=1 or HLPRINH=1)
- (6) Wanted to cut down on the amount of inhalant use but could not (UCDINH=1)

MARIJUANA:

To be defined with marijuana dependence, DEPMRJ, a respondent must have used marijuana in the past year (MJREC= 1,2,8,11,12) and meet 3 or more of these marijuana dependence criteria:

- (1) Spent a great deal of time getting, using, or getting over the effects of marijuana (GRTMMRJ=1)
- (2) Built up tolerance to marijuana (BTOLMRJ=1)
- (3) Used marijuana more often than intended (LAMTMRJ=1)
- (4) Marijuana use reduced involvement in important activities (ACRDMRJ=1)
- (5) Marijuana use caused emotional or psychological problems (EMPBMRJ=1 or HLPRMRJ=1)
- (6) Wanted to cut down on the amount of marijuana use but could not (UCDMRJ=1)

TRANQUILIZERS:

To be defined with tranquilizer dependence, DEPTRN, a respondent must have used tranquilizers in the past year (TRANREC= 1,2,8,11,12) and meet 3 or more of these tranquilizer dependence criteria:

- (1) Spent a great deal of time getting, using, or getting over the effects of tranquilizers (GRTMTRN=1)
- (2) Built up tolerance to tranquilizers (BTOLTRN=1)
- (3) Used tranquilizers more often than intended (LAMTTRN=1)
- (4) Tranquilizer use reduced involvement in important activities (ACRDTRN=1)
- (5) Tranquilizer use caused emotional or psychological problems (EMPBTRN=1 or HLPTRN=1)
- (6) Wanted to cut down on the amount of tranquilizer use but could not (UCDTRN=1)

APPENDIX D

CONSOLIDATED DRUG OTHER SPECIFY TABLES

APPENDIX D

Drug Codes for Open-Ended Questions (1999 CAI NHSDA)

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
103	Amytal	2	0.08
105	Placidyl	8	0.33
109	Seconal	11	0.46
110	Tuinal	11	0.46
111	Dalmane, Flurazepam	1	0.04
112	Restoril, Temazepam	2	0.08
113	Halcion	2	0.08
115	Phenobarbital	2	0.08
116	Methaqualone, Quaalude, Sopor	39	1.62
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	6	0.25
121	USED SEDATIVE, DON'T KNOW NAME	7	0.29
124	Yellow jackets	3	0.12
127	Nytol <OTC>	1	0.04
129	Reds	1	0.04
130	Phenergan	1	0.04
131	Haldol, Haloperidol	1	0.04
136	Dimetapp <OTC>	1	0.04
137	7-14	3	0.12
138	Mandrakes	1	0.04
142	Belladonna	2	0.08
148	Actifed <OTC>	1	0.04
157	Barbiturates	3	0.12
171	NyQuil <OTC>	9	0.37
174	Ambien, Zolpidem	17	0.70
176	Melatonin <OTC>	1	0.04
180	Tylenol P.M. <OTC>	3	0.12
181	Excedrin P.M. <OTC>	2	0.08
182	Melzone	2	0.08
183	Mysoline	1	0.04
184	Red and blues	1	0.04
185	Tylenol Simply Sleep <OTC>	1	0.04
186	Butalbital	1	0.04
187	Belladonna plant/flower/root, deadly nightshade	1	0.04
201	Valium, Diazepam	124	5.14
202	Librium, Chlordiazepoxide HCL	1	0.04
205	Serax	1	0.04
207	Ativan , Lorazepam	6	0.25
209	Xanax, Alprazolam	88	3.65
211	Buspar	3	0.12
215	Vistaril	1	0.04
216	Atarax , Hydroxyzine	1	0.04
220	Meproamate, Meprospan	1	0.04
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	6	0.25
222	USED TRANQUILIZER, DON'T KNOW NAME	2	0.08

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
223	Carbacot, Marbaxin, Methocarbamol	2	0.08
225	Desyrel, Trazodone hydrochloride	19	0.79
227	Thorazine	6	0.25
228	Amitriptyline, Elavil	12	0.50
229	Librax	1	0.04
233	Trilafon, Perphenazine	1	0.04
234	Cyclobenzaprine, Flexeril	9	0.37
240	Lithium carbonate, Lithonate	6	0.25
241	Prozac	20	0.83
246	Clonazepam, Klonopin	16	0.66
247	Adapin, Doxepin, Sinequan	2	0.08
250	Aventyl, Nortriptyline, Pamelor	1	0.04
267	Marezine	2	0.08
268	Rohypnol, Roche, roofies	21	0.87
271	Zolofit	12	0.50
283	Paroxetine, Paxil	3	0.12
285	Risperdal, resperidone	2	0.08
288	Baclofen	1	0.04
290	Skelaxin	1	0.04
292	Serzone	1	0.04
301	Dexedrine	4	0.17
302	Dexamyl	2	0.08
306	Desoxyn	3	0.12
312	Ionamin	2	0.08
313	Adipex-P, Fastin, Phentermine	11	0.46
317	Mazanor	1	0.04
318	Ritalin, Methylphenidate	47	1.95
320	Dextroamphetamine	2	0.08
322	Methamphetamine ('ice' or 'crank'), Meth	58	2.40
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	8	0.33
325	USED STIMULANT, DON'T KNOW NAME	7	0.29
326	White cross	16	0.66
327	Black beauties, Black Beauty	23	0.95
328	Pink hearts	1	0.04
329	Bird's eggs, Robin's eggs, speckled eggs	4	0.17
330	Blue birds, blue jays, blue robins, spckled brd	3	0.12
331	Blancs, Whites	2	0.08
332	Ma huang, Ephedrine	12	0.50
333	357 Magnum, Magnum 44	2	0.08
334	Crossroads, cross tops	4	0.17
335	Dexatrim <OTC>	2	0.08
336	Diet pills	3	0.12
339	Amphetamines	5	0.21
345	Black Molly	2	0.08
348	Crystal	4	0.17
352	Lemons	1	0.04
353	No-Doz <OTC>	12	0.50
354	Vivarin <OTC>	3	0.12
355	Crystal meth	15	0.62
363	Bam(s)	4	0.17

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
364	Pseudophedrine	3	0.12
366	Duromine	1	0.04
369	Artane	1	0.04
374	Christmas tree(s)	2	0.08
377	Albuterol, Proventil, Ventolin	3	0.12
382	Footballs, purple footballs	1	0.04
386	Herbal ecstasy	1	0.04
396	Black Rjs, RJ8	2	0.08
401	Darvon	4	0.17
403	SK-65	1	0.04
406	Percodan	7	0.29
407	Demerol	7	0.29
408	Dilaudid	4	0.17
409	Tylenol with Codeine, Tylenol 3, Tylenol 4	21	0.87
410	Phenaphen with Codeine, Phenaphen 3	1	0.04
411	Talwin	2	0.08
414	Propoxyphene	3	0.12
415	Codeine	12	0.50
417	Morphine, Roxanol	13	0.54
418	Dolophine, Methadone	4	0.17
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	23	0.95
421	USED ANALGESIC, DON'T KNOW NAME	19	0.79
422	Motrin	41	1.70
423	Percocet	18	0.75
424	Fioricet	1	0.04
425	Advil <OTC>	43	1.78
426	Fiorinal	4	0.17
427	Darvocet	6	0.25
430	Aspirin, Ecotrin, Empirin <OTC>	20	0.83
431	Tylox	1	0.04
434	Anexsia, Co-Gesic, Lortab, Tussionex, Vicodin	29	1.20
435	Tylenol, Tylenol Extra-Strength <OTC>	38	1.57
436	Bufferin <OTC>	2	0.08
438	Anaprox, Naprosyn, Naproxen	28	1.16
439	222, Canadian 222	1	0.04
442	Ibuprofen	44	1.82
445	Norgesic Forte	1	0.04
450	Acetaminophen <OTC>	3	0.12
458	Mepergan, Mepergan Fortis	3	0.12
462	Norflex	1	0.04
466	Midol <OTC>	3	0.12
468	Excedrin <OTC>	1	0.04
476	Isocom, Midrin	4	0.17
480	Robitussin AC with Codeine	1	0.04
490	Nubain	1	0.04
496	Ultram	3	0.12
499	Aleve <OTC>	4	0.17

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
501	Gasoline or lighter fluids	14	0.58
502	Spray paints	6	0.25
503	Other aerosol sprays	44	1.82
504	Shoeshine liquid, glue, or toluene	23	0.95
505	Lacquer thinner or other paint solvents	4	0.17
506	Amyl nitrite, 'poppers,' locker room odorizer, 'rush'	17	0.70
507	Halothane, ether, or other anesthetics; chloroform	1	0.04
508	Nitrous oxide, 'whippets,' dentist gas	21	0.87
509	Correction fluids, degreasers, cleaning fluids	7	0.29
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	12	0.50
511	Markers, felt-tip pens, ink pens	67	2.78
512	Incense	1	0.04
516	Freon, refrigerant	32	1.33
518	Acetone, nail polish remover	14	0.58
519	Helium	34	1.41
520	Old paint, paint	7	0.29
522	Liquid TV (MTV), TV tuner, TV11Y	1	0.04
524	White-Out	26	1.08
525	Butane	2	0.08
526	Nail polish	29	1.20
528	Whipped-cream can	10	0.41
531	Candy, powdered candy	1	0.04
534	Deodorant	1	0.04
539	ScotchGard	2	0.08
540	PAM	15	0.62
542	Brasso, lens cleaner, spirits of ammonia	2	0.08
543	Liquid oxygen, oxygen	1	0.04
545	Car tailpipe exhaust fumes, CO	4	0.17
548	Cologne, isopropanol vapors, rubbing alcohol	1	0.04
566	Smoked tea from Lipton tea bag	2	0.08
577	Rave runners	1	0.04
588	Antifreeze	1	0.04
589	Tire shine	1	0.04
590	Canned air	1	0.04
591	Air brush propellant	3	0.12
592	Computer air duster, computer cleaner, dust-off	20	0.83
599	Potpourri	3	0.12
601	LSD ('acid')	48	1.99
602	Peyote	2	0.08
603	Mescaline	5	0.21
604	Psilocybin (mushrooms), shrooms	36	1.49
605	PCP ('angel dust,' phencyclidine)	6	0.25
606	'Ecstasy' (MDMA), X-TC, 'X'	7	0.29
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	20	0.83
609	Jimson weed	12	0.50
614	MDA, Methylenedioxy amphetamine	6	0.25
615	Homemade drugs	1	0.04

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
616	DET, Dimethyltryptamine, DMT	14	0.58
617	Morning glory seeds, morning glory tendrils	14	0.58
618	Acid paper, blotter (acid)	7	0.29
622	Microdot(s), green microdot, purple microdot	15	0.62
624	Orange sunshine, sunshine, yellow sunshine	2	0.08
625	Window, window pane, 4-way pane	11	0.46
627	Hawaiian wood rose, Hawaiian Woodrow seeds	3	0.12
635	Ginseng seeds, ginseng weed	1	0.04
636	DOM, STP	4	0.17
639	Nutmeg, Mace	2	0.08
640	Purple pyramid	1	0.04
645	Thai stick	1	0.04
650	Daytura	2	0.08
658	Special K, Ketamine	34	1.41
659	Boat	4	0.17
660	Toad, Toad licking	5	0.21
663	Animal tranquilizer, horse tranquilizer	5	0.21
678	Banana peels	1	0.04
679	Hell bells	1	0.04
691	Maximum impact	1	0.04
695	Angel's trumpet	2	0.08
698	Nexus, 2C-B	2	0.08
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	1	0.04
703	Opium	10	0.41
705	Speed Ball (heroin + cocaine)	1	0.04
706	Smack	1	0.04
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	6	0.25
802	THC, cannabinol, marinol	13	0.54
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	24	0.99
805	Cocaine, coca, cocana, coke	6	0.25
806	Crack, rock	5	0.21
807	Alcohol, beer, ethanol, EtOH, pink champagne	13	0.54
808	All of the ones I've tried	1	0.04
809	Pills	1	0.04
813	Cigarettes, smoking (substance not specified)	2	0.08
814	Caffeine <OTC>	1	0.04
815	Coffee <OTC>	2	0.08
818	Nicotine	1	0.04
819	Inderal	1	0.04
820	Penicillin	6	0.25
821	Amoxicillin, Ampicillin	6	0.25
824	Steroids	1	0.04
826	Alupent	1	0.04
828	Tetracycline	1	0.04
829	Robitussin DM <OTC>	12	0.50
840	Cough medicine (contents not specified) <OTC>	2	0.08
843	Antihistamine, cold tablets <OTC>	1	0.04

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
847	GHB	10	0.41
852	Formaldehyde, wak [sic], whack (embalming fluid)	3	0.12
857	Wicki stick	1	0.04
858	Antibiotic	1	0.04
876	Glass	1	0.04
883	Dextromethorphan Hydrobromide <OTC>	5	0.21
895	Tagamet, Cimetidine	1	0.04
900	Not a drug, Non-drug reason given for a drug	5	0.21
1001	Benadryl <OTC>	6	0.25
1002	Dramamine, seasick/motion sickness pill <OTC>	15	0.62
2001	Soma	26	1.08
2002	Muscle Relaxers	14	0.58
3015	Fen-Phen (fenfluramine and phentermine)	3	0.12
3023	Adderall	24	0.99
3026	Bupropion, Wellbutrin, Zyban	3	0.12
3028	Blackbirds	1	0.04
3029	Soccerballs	1	0.04
3031	Brethine, Bricanyl, Terbutaline	1	0.04
3032	Heads up	2	0.08
3033	Metabolife <OTC>	2	0.08
3035	Blacks	1	0.04
3036	Ripped fuel <OTC>	1	0.04
3037	Effexor	1	0.04
3038	Obenil	1	0.04
3039	Theophed	1	0.04
3040	Hyper pills	1	0.04
3041	Desbutal	1	0.04
3042	30-30	1	0.04
3043	Brown Bodies	1	0.04
3044	Caffeine pills <OTC>	6	0.25
3045	Stay awakes <OTC>	1	0.04
3047	Sudafed <OTC>	2	0.08
3050	Mini Thins	9	0.37
3051	Betel nut, Beetlenut	1	0.04
3052	Speed, otherwise unspecified	37	1.53
4001	Actron, Ketoprofen, Orudis, Oruvail	1	0.04
4005	Etodolac, Lodine	4	0.17
4007	Happy pills	1	0.04
4011	Carbamazepine, Epital, Tegretol	1	0.04
4027	Rorer	2	0.08
4031	Cough medicine with codeine	1	0.04
4032	Flarex	1	0.04
4033	Vicoprofen	1	0.04
4034	Lilly red	1	0.04
4035	Nabumetone, Relafin	1	0.04
4036	Stagesic	1	0.04
4039	Daypro	1	0.04

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
4040	Ridaura	1	0.04
4041	Maxalt	1	0.04
4044	Hydrocodone	5	0.21
4045	Phrenilin Forte	1	0.04
4046	Oxycodone	3	0.12
4047	Roxicet	3	0.12
4048	Motrin IB	2	0.08
5001	Bleach	6	0.25
5009	Robo	1	0.04
5019	Melted plastic	2	0.08
5021	Octane booster	3	0.12
5022	Dry ice hits	1	0.04
5023	Double eagle	1	0.04
5024	Citronella candle	1	0.04
5025	Lime salt	1	0.04
5026	Silly putty	1	0.04
5027	Benzene	1	0.04
5028	Engine cleaner	1	0.04
5029	Floor wax	1	0.04
5030	Polyurethane Spray	1	0.04
5031	Naphtha	1	0.04
5032	Nitrogen	1	0.04
5033	Sur-noxem	1	0.04
5034	Hippie crack	1	0.04
5035	Brake cleaner	1	0.04
6022	Tequila worm, agave worm	1	0.04
6029	DXM	1	0.04
6031	Strychnine	1	0.04
6037	Fry	1	0.04
6038	Triplets, trips	1	0.04
6043	Salviadinorum	4	0.17
6044	Gel caps, gel tabs	15	0.62
6054	Spiney apples	1	0.04
6055	Liberty caps	1	0.04
6056	Wet	2	0.08
6057	Silk	1	0.04
6058	Purple life	1	0.04
6059	Satan flower	1	0.04
6060	Ololiuhqui	1	0.04
6061	5-MeO-DMT	1	0.04
6062	Madderwort, Wormwood	2	0.08
6063	Foxglove	1	0.04
6064	Marigold buttons	1	0.04
6065	3CPO	2	0.08
6068	Blue ice	1	0.04
6070	DTP	1	0.04
6071	Sinicuichi	1	0.04

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
6072	JUNO	1	0.04
6074	LSA	1	0.04
6075	Trinity	1	0.04
8002	Zantac	5	0.21
8005	Imodium AD <OTC>	1	0.04
8006	Laxative <OTC>	1	0.04
8007	Gabapentin, Neurontin	1	0.04
8008	Antidepressant; type unspecified	2	0.08
8009	Allergy pills; type unspecified	1	0.04
8010	Zyrtec, cetirizine	1	0.04
8011	Herb, flower, plant; type unspecified	9	0.37
8012	Coriciden <OTC>	3	0.12
8013	Maalox <OTC>	1	0.04
8015	Bengay <OTC>	1	0.04
8016	Icy hot <OTC>	1	0.04
8017	Buscapina	1	0.04
8019	Azithromycin, Zithromax	2	0.08
8021	Cipro, Ciprofloxacin, Ciloxam	1	0.04
8022	Creatine <OTC>	1	0.04
8023	Myoflex <OTC>	1	0.04
8024	Asthma inhaler, asthma medication, bronchial dilators	20	0.83
8025	Claritin, Claritin D	10	0.41
8028	Bactine <OTC>	1	0.04
8029	Flexall <OTC>	1	0.04
8030	Tums <OTC>	1	0.04
8031	Sugar pills	1	0.04
8032	Prilosec	2	0.08
8033	Heart medication, type unspecified	1	0.04
8034	Nutri-calm <OTC>	1	0.04
8036	Norvasc	1	0.04
8037	Thermochrome 5000 <OTC>	1	0.04
8039	Kaopectate <OTC>	1	0.04
8040	Trioxsalen	1	0.04
8041	Garlic <OTC>	1	0.04
8042	Alka Seltzer <OTC>	1	0.04

Tabulation of INHALANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All INHALANT Drugs Specified
268	Rohypnol, Roche, roofies	1	0.24
377	Albuterol, Proventil, Ventolin	2	0.49
501	Gasoline or lighter fluids	7	1.71
503	Other aerosol sprays	41	10.02
504	Shoeshine liquid, glue, or toluene	14	3.42
505	Lacquer thinner or other paint solvents	2	0.49
506	Amyl nitrite, 'poppers,' locker room odorizer, 'rush'	14	3.42
507	Halothane, ether, or other anesthetics; chloroform	1	0.24
508	Nitrous oxide, 'whippets,' dentist gas	8	1.96
509	Correction fluids, degreasers, cleaning fluids	6	1.47
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	9	2.20
511	Markers, felt-tip pens, ink pens	63	15.40
516	Freon, refrigerant	30	7.33
518	Acetone, nail polish remover	13	3.18
519	Helium	29	7.09
520	Old paint, paint	2	0.49
522	Liquid TV (MTV), TV tuner, TV11Y	1	0.24
524	White-Out	24	5.87
525	Butane	1	0.24
526	Nail polish	28	6.85
528	Whipped-cream can	10	2.44
534	Deodorant	1	0.24
539	ScotchGard	2	0.49
540	PAM	14	3.42
542	Brasso, lens cleaner, spirits of ammonia	1	0.24
543	Liquid oxygen, oxygen	1	0.24
545	Car tailpipe exhaust fumes, CO	4	0.98
548	Cologne, isopropanol vapors, rubbing alcohol	1	0.24
566	Smoked tea from Lipton tea bag	1	0.24
577	Rave runners	1	0.24
588	Antifreeze	1	0.24
589	Tire shine	1	0.24
590	Canned air	1	0.24
591	Air brush propellant	3	0.73
592	Computer air duster, computer cleaner, dust-off	20	4.89
599	Potpourri	3	0.73
691	Maximum impact	1	0.24
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	2	0.49
807	Alcohol, beer, ethanol, EtOH, pink champagne	4	0.98
826	Alupent	1	0.24
900	Not a drug, Non-drug reason given for a drug	1	0.24
3051	Betel nut, Beetlenut	1	0.24
5001	Bleach	5	1.22
5019	Melted plastic	2	0.49
5021	Octane booster	3	0.73
5022	Dry ice hits	1	0.24
5023	Double eagle	1	0.24

Tabulation of INHALANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All INHALANT Drugs Specified
5024	Citronella candle	1	0.24
5025	Lime salt	1	0.24
5026	Silly putty	1	0.24
5027	Benzene	1	0.24
5028	Engine cleaner	1	0.24
5029	Floor wax	1	0.24
5030	Polyurethane Spray	1	0.24
5031	Naphtha	1	0.24
5033	Sur-noxem	1	0.24
5034	Hippie crack	1	0.24
5035	Brake cleaner	1	0.24
8011	Herb, flower, plant; type unspecified	1	0.24
8024	Asthma inhaler,asthma medication,bronchial dilators	13	3.18
8028	Bactine <OTC>	1	0.24

Tabulation of HALLUCINOGEN Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All HALLUCINOGEN Drugs Specified
112	Restoril, Temazepam	1	0.19
116	Methaqualone, Quaalude, Sopor	2	0.38
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.19
142	Belladonna	2	0.38
174	Ambien, Zolpidem	1	0.19
187	Belladonna plant/flower/root, deadly nightshade	1	0.19
209	Xanax, Alprazolam	1	0.19
267	Mareline	2	0.38
268	Rohypnol, Roche, roofies	4	0.76
283	Paroxetine, Paxil	1	0.19
318	Ritalin, Methylphenidate	4	0.76
322	Methamphetamine ('ice' or 'crank'), Meth	9	1.71
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	2	0.38
326	White cross	2	0.38
345	Black Molly	1	0.19
348	Crystal	2	0.38
355	Crystal meth	6	1.14
386	Herbal ecstasy	1	0.19
407	Demerol	1	0.19
417	Morphine, Roxanol	1	0.19
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	1	0.19
501	Gasoline or lighter fluids	7	1.33
502	Spray paints	6	1.14
503	Other aerosol sprays	3	0.57
504	Shoeshine liquid, glue, or toluene	9	1.71
505	Lacquer thinner or other paint solvents	2	0.38
506	Amyl nitrite, 'poppers,' locker room odorizer, 'rush'	3	0.57
508	Nitrous oxide, 'whippets,' dentist gas	12	2.28
509	Correction fluids, degreasers, cleaning fluids	1	0.19
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	2	0.38
511	Markers, felt-tip pens, ink pens	4	0.76
512	Incense	1	0.19
516	Freon, refrigerant	2	0.38
518	Acetone, nail polish remover	1	0.19
519	Helium	5	0.95
520	Old paint, paint	5	0.95
524	White-Out	2	0.38
525	Butane	1	0.19
526	Nail polish	1	0.19
542	Brasso, lens cleaner, spirits of ammonia	1	0.19
566	Smoked tea from Lipton tea bag	1	0.19
601	LSD ('acid')	44	8.37
602	Peyote	1	0.19
603	Mescaline	5	0.95
604	Psilocybin (mushrooms), shrooms	34	6.46
605	PCP ('angel dust,' phencyclidine)	6	1.14
606	'Ecstasy' (MDMA), X-TC, 'X'	4	0.76

Tabulation of HALLUCINOGEN Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All HALLUCINOGEN Drugs Specified
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	20	3.80
609	Jimson weed	12	2.28
614	MDA, Methylenedioxy amphetamine	6	1.14
615	Homemade drugs	1	0.19
616	DET, Dimethyltryptamine, DMT	14	2.66
617	Morning glory seeds, morning glory tendrils	14	2.66
618	Acid paper, blotter (acid)	7	1.33
622	Microdot(s), green microdot, purple microdot	15	2.85
624	Orange sunshine, sunshine, yellow sunshine	2	0.38
625	Window, window pane, 4-way pane	11	2.09
627	Hawaiian wood rose, Hawaiian Woodrow seeds	3	0.57
635	Ginseng seeds, ginseng weed	1	0.19
636	DOM, STP	4	0.76
639	Nutmeg, Mace	2	0.38
640	Purple pyramid	1	0.19
645	Thai stick	1	0.19
650	Daytura	2	0.38
658	Special K, Ketamine	19	3.61
659	Boat	4	0.76
660	Toad, Toad licking	5	0.95
678	Banana peels	1	0.19
679	Hell bells	1	0.19
695	Angel's trumpet	2	0.38
698	Nexus, 2C-B	2	0.38
703	Opium	10	1.90
705	Speed Ball (heroin + cocaine)	1	0.19
706	Smack	1	0.19
802	THC, cannabinal, marinol	12	2.28
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	14	2.66
805	Cocaine, coca, cocana, coke	1	0.19
809	Pills	1	0.19
815	Coffee <OTC>	2	0.38
819	Inderal	1	0.19
828	Tetracycline	1	0.19
829	Robitussin DM <OTC>	12	2.28
840	Cough medicine (contents not specified) <OTC>	1	0.19
847	GHB	10	1.90
852	Formaldehyde, wak [sic], whack (embalming fluid)	3	0.57
876	Glass	1	0.19
883	Dextromethorphan Hydrobromide <OTC>	5	0.95
900	Not a drug, Non-drug reason given for a drug	3	0.57
1002	Dramamine, seasick/motion sickness pill <OTC>	12	2.28
3044	Caffeine pills <OTC>	1	0.19
3052	Speed, otherwise unspecified	11	2.09
4007	Happy pills	1	0.19
4041	Maxalt	1	0.19
5001	Bleach	1	0.19

Tabulation of HALLUCINOGEN Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All HALLUCINOGEN Drugs Specified
5009	Robo	1	0.19
5032	Nitrogen	1	0.19
6022	Tequila worm, agave worm	1	0.19
6029	DXM	1	0.19
6031	Strychnine	1	0.19
6037	Fry	1	0.19
6038	Triplets, trips	1	0.19
6043	Salviadinorum	4	0.76
6044	Gel caps, gel tabs	15	2.85
6054	Spiney apples	1	0.19
6055	Liberty caps	1	0.19
6056	Wet	2	0.38
6057	Silk	1	0.19
6058	Purple life	1	0.19
6059	Satan flower	1	0.19
6060	Ololiuhqui	1	0.19
6061	5-MeO-DMT	1	0.19
6062	Madderwort, Wormwood	2	0.38
6063	Foxglove	1	0.19
6064	Marigold buttons	1	0.19
6065	3CPO	2	0.38
6068	Blue ice	1	0.19
6070	DTP	1	0.19
6071	Sinicuichi	1	0.19
6072	JUNO	1	0.19
6074	LSA	1	0.19
6075	Trinity	1	0.19
8002	Zantac	1	0.19
8008	Antidepressant; type unspecified	1	0.19
8011	Herb, flower, plant; type unspecified	7	1.33
8012	Coriciden <OTC>	2	0.38
8024	Asthma inhaler, asthma medication, bronchial dilators	3	0.57

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
103	Amytal	2	0.23
105	Placidyl	5	0.57
109	Seconal	7	0.80
110	Tuinal	6	0.68
116	Methaqualone, Quaalude, Sopor	18	2.05
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	2	0.23
121	USED SEDATIVE, DON'T KNOW NAME	1	0.11
124	Yellow jackets	1	0.11
130	Phenergan	1	0.11
131	Haldol, Haloperidol	1	0.11
136	Dimetapp <OTC>	1	0.11
137	7-14	1	0.11
138	Mandrakes	1	0.11
148	Actifed <OTC>	1	0.11
157	Barbiturates	3	0.34
171	NyQuil <OTC>	5	0.57
174	Ambien, Zolpidem	5	0.57
180	Tylenol P.M. <OTC>	3	0.34
181	Excedrin P.M. <OTC>	2	0.23
182	Melzone	1	0.11
183	Mysoline	1	0.11
184	Red and blues	1	0.11
185	Tylenol Simply Sleep <OTC>	1	0.11
186	Butalbital	1	0.11
201	Valium, Diazepam	103	11.72
202	Librium, Chlordiazepoxide HCL	1	0.11
205	Serax	1	0.11
207	Ativan , Lorazepam	1	0.11
209	Xanax, Alprazolam	77	8.76
211	Buspar	1	0.11
216	Atarax , Hydroxyzine	1	0.11
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	1	0.11
225	Desyrel, Trazodone hydrochloride	2	0.23
228	Amitriptyline, Elavil	1	0.11
234	Cyclobenzaprine, Flexeril	6	0.68
240	Lithium carbonate, Lithonate	3	0.34
241	Prozac	7	0.80
246	Clonazepam, Klonopin	11	1.25
268	Rohypnol, Roche, roofies	6	0.68
271	Zoloft	7	0.80
285	Risperdal, resperidone	1	0.11
288	Baclofen	1	0.11
290	Skelaxin	1	0.11
292	Serzone	1	0.11
301	Dexedrine	2	0.23
318	Ritalin, Methylphenidate	33	3.75
322	Methamphetamine ('ice' or 'crank'), Meth	1	0.11

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
327	Black beauties, Black Beauty	2	0.23
329	Bird's eggs, Robin's eggs, speckled eggs	1	0.11
339	Amphetamines	1	0.11
352	Lemons	1	0.11
353	No-Doz <OTC>	3	0.34
354	Vivarin <OTC>	2	0.23
364	Pseudophedrine	2	0.23
369	Artane	1	0.11
377	Albuterol, Proventil, Ventolin	1	0.11
382	Footballs, purple footballs	1	0.11
401	Darvon	2	0.23
403	SK-65	1	0.11
406	Percodan	5	0.57
407	Demerol	6	0.68
408	Dilaudid	3	0.34
409	Tylenol with Codeine, Tylenol 3, Tylenol 4	17	1.93
410	Phenaphen with Codeine, Phenaphen 3	1	0.11
411	Talwin	2	0.23
414	Propoxyphene	2	0.23
415	Codeine	11	1.25
417	Morphine, Roxanol	9	1.02
418	Dolophine, Methadone	3	0.34
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	19	2.16
421	USED ANALGESIC, DON'T KNOW NAME	19	2.16
422	Motrin	41	4.66
423	Percocet	18	2.05
424	Fioricet	1	0.11
425	Advil <OTC>	40	4.55
426	Fiorinal	3	0.34
427	Darvocet	6	0.68
430	Aspirin, Ecotrin, Empirin <OTC>	18	2.05
431	Tylox	1	0.11
434	Anexsia, Co-Gesic, Lortab, Tussionex, Vicodin	26	2.96
435	Tylenol, Tylenol Extra-Strength <OTC>	33	3.75
436	Bufferin <OTC>	2	0.23
438	Anaprox, Naprosyn, Naproxen	27	3.07
439	222, Canadian 222	1	0.11
442	Ibuprofen	43	4.89
445	Norgesic Forte	1	0.11
450	Acetaminophen <OTC>	3	0.34
458	Mepergan, Mepergan Fortis	3	0.34
462	Norflex	1	0.11
466	Midol <OTC>	3	0.34
468	Excedrin <OTC>	1	0.11
476	Isocom, Midrin	4	0.46
480	Robitussin AC with Codeine	1	0.11
490	Nubain	1	0.11

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
496	Ultram	3	0.34
499	Aleve <OTC>	4	0.46
540	PAM	1	0.11
601	LSD ('acid')	1	0.11
802	THC, cannabinol, marinol	1	0.11
820	Penicillin	6	0.68
821	Amoxicillin, Ampicillin	6	0.68
840	Cough medicine (contents not specified) <OTC>	1	0.11
843	Antihistamine, cold tablets <OTC>	1	0.11
858	Antibiotic	1	0.11
895	Tagamet, Cimetidine	1	0.11
1001	Benadryl <OTC>	4	0.46
1002	Dramamine, seasick/motion sickness pill <OTC>	2	0.23
2001	Soma	22	2.50
2002	Muscle Relaxers	10	1.14
3023	Adderall	4	0.46
3026	Bupropion, Wellbutrin, Zyban	1	0.11
3044	Caffeine pills <OTC>	3	0.34
3047	Sudafed <OTC>	2	0.23
3052	Speed, otherwise unspecified	6	0.68
4001	Actron, Ketoprofen, Orudis, Oruvail	1	0.11
4005	Etodolac, Lodine	4	0.46
4011	Carbamazepine, Epital, Tegretol	1	0.11
4027	Rorer	1	0.11
4031	Cough medicine with codeine	1	0.11
4032	Flarex	1	0.11
4033	Vicoprofen	1	0.11
4034	Lilly red	1	0.11
4035	Nabumetone, Relafin	1	0.11
4036	Stagesic	1	0.11
4039	Daypro	1	0.11
4040	Ridaura	1	0.11
4044	Hydrocodone	5	0.57
4045	Phrenilin Forte	1	0.11
4046	Oxycodone	3	0.34
4047	Roxicet	3	0.34
4048	Motrin IB	2	0.23
8002	Zantac	3	0.34
8005	Imodium AD <OTC>	1	0.11
8008	Antidepressant; type unspecified	1	0.11
8009	Allergy pills; type unspecified	1	0.11
8010	Zyrtec, cetirizine	1	0.11
8012	Coriciden <OTC>	1	0.11
8013	Maalox <OTC>	1	0.11
8015	Bengay <OTC>	1	0.11
8016	Icy hot <OTC>	1	0.11
8019	Azithromycin, Zithromax	2	0.23

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
8021	Cipro, Ciprofloxacin, Cliloxam	1	0.11
8024	Asthma inhaler, asthma medication, bronchial dilators	4	0.46
8025	Claritin, Claritin D	9	1.02
8029	Flexall <OTC>	1	0.11
8030	Tums <OTC>	1	0.11
8031	Sugar pills	1	0.11
8032	Prilosec	2	0.23
8033	Heart medication, type unspecified	1	0.11
8036	Norvasc	1	0.11
8040	Trioxsalen	1	0.11
8041	Garlic <OTC>	1	0.11
8042	Alka Seltzer <OTC>	1	0.11

Tabulation of STIMULANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All STIMULANT Drugs Specified
112	Restoril, Temazepam	1	0.49
116	Methaqualone, Quaalude, Sopor	1	0.49
124	Yellow jackets	1	0.49
201	Valium, Diazepam	2	0.97
209	Xanax, Alprazolam	2	0.97
240	Lithium carbonate, Lithonate	1	0.49
241	Prozac	5	2.43
268	Rohypnol, Roche, roofies	1	0.49
271	Zoloft	2	0.97
285	Risperdal, resperidone	1	0.49
301	Dexedrine	2	0.97
302	Dexamyl	1	0.49
306	Desoxyn	3	1.46
312	Ionamin	2	0.97
313	Adipex-P, Fastin, Phentermine	11	5.34
317	Mazanor	1	0.49
318	Ritalin, Methylphenidate	5	2.43
320	Dextroamphetamine	2	0.97
322	Methamphetamine ('ice' or 'crank'), Meth	1	0.49
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	6	2.91
325	USED STIMULANT, DON'T KNOW NAME	7	3.40
326	White cross	13	6.31
327	Black beauties, Black Beauty	21	10.19
328	Pink hearts	1	0.49
329	Bird's eggs, Robin's eggs, speckled eggs	3	1.46
330	Blue birds, blue jays, blue robins, spckled brd	3	1.46
331	Blancs, Whites	2	0.97
332	Ma huang, Ephedrine	12	5.83
333	357 Magnum, Magnum 44	2	0.97
334	Crossroads, cross tops	4	1.94
335	Dexatrim <OTC>	1	0.49
336	Diet pills	1	0.49
339	Amphetamines	1	0.49
345	Black Molly	1	0.49
348	Crystal	1	0.49
353	No-Doz <OTC>	8	3.88
354	Vivarin <OTC>	1	0.49
355	Crystal meth	1	0.49
363	Bam(s)	2	0.97
364	Pseudophedrine	1	0.49
366	Duromine	1	0.49
374	Christmas tree(s)	2	0.97
396	Black Rjs, RJ8	2	0.97
408	Dilaudid	1	0.49
414	Propoxyphene	1	0.49
606	'Ecstasy' (MDMA), X-TC, 'X'	1	0.49
814	Caffeine <OTC>	1	0.49

Tabulation of STIMULANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All STIMULANT Drugs Specified
1001	Benadryl <OTC>	1	0.49
3015	Fen-Phen (fenfluramine and phentermine)	3	1.46
3023	Adderall	19	9.22
3026	Bupropion, Wellbutrin, Zyban	2	0.97
3028	Blackbirds	1	0.49
3029	Soccerballs	1	0.49
3031	Brethine, Bricanyl, Terbutaline	1	0.49
3032	Heads up	2	0.97
3033	Metabolife <OTC>	2	0.97
3035	Blacks	1	0.49
3036	Ripped fuel <OTC>	1	0.49
3037	Effexor	1	0.49
3038	Obenil	1	0.49
3039	Theophed	1	0.49
3040	Hyper pills	1	0.49
3041	Desbutal	1	0.49
3042	30-30	1	0.49
3043	Brown Bodies	1	0.49
3044	Caffeine pills <OTC>	1	0.49
3045	Stay awakes <OTC>	1	0.49
3050	Mini Thins	8	3.88
3052	Speed, otherwise unspecified	6	2.91
8022	Creatine <OTC>	1	0.49
8037	Thermochrome 5000 <OTC>	1	0.49
8039	Kaopectate <OTC>	1	0.49

Tabulation of SEDATIVE Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All SEDATIVE Drugs Specified
105	Placidyl	2	2.60
110	Tuinal	1	1.30
115	Phenobarbital	1	1.30
116	Methaqualone, Quaalude, Sopor	2	2.60
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	2	2.60
121	USED SEDATIVE, DON'T KNOW NAME	6	7.79
127	Nytol <OTC>	1	1.30
171	NyQuil <OTC>	4	5.19
174	Ambien, Zolpidem	7	9.09
176	Melatonin <OTC>	1	1.30
182	Melzone	1	1.30
201	Valium, Diazepam	4	5.19
209	Xanax, Alprazolam	2	2.60
220	Meproamate, Meprospan	1	1.30
225	Desyrel, Trazodone hydrochloride	13	16.88
227	Thorazine	2	2.60
228	Amitriptyline, Elavil	4	5.19
234	Cyclobenzaprine, Flexeril	1	1.30
241	Prozac	1	1.30
246	Clonazepam, Klonopin	1	1.30
247	Adapin, Doxepin, Sinequan	1	1.30
268	Rohypnol, Roche, roofies	3	3.90
271	Zoloft	1	1.30
283	Paroxetine, Paxil	1	1.30
353	No-Doz <OTC>	1	1.30
409	Tylenol with Codeine, Tylenol 3, Tylenol 4	1	1.30
417	Morphine, Roxanol	2	2.60
418	Dolophine, Methadone	1	1.30
430	Aspirin, Ecotrin, Empirin <OTC>	1	1.30
435	Tylenol, Tylenol Extra-Strength <OTC>	1	1.30
1001	Benadryl <OTC>	1	1.30
1002	Dramamine, seasick/motion sickness pill <OTC>	1	1.30
2001	Soma	1	1.30
3044	Caffeine pills <OTC>	1	1.30
8002	Zantac	1	1.30
8011	Herb, flower, plant; type unspecified	1	1.30
8025	Claritin, Claritin D	1	1.30

Tabulation of TRANQUILIZER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All TRANQUILIZER Drugs Specified
105	Placidyl	1	0.62
109	Seconal	4	2.48
110	Tuinal	4	2.48
111	Dalmane, Flurazepam	1	0.62
113	Halcion	2	1.24
115	Phenobarbital	1	0.62
116	Methaqualone, Quaalude, Sopor	16	9.94
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.62
124	Yellow jackets	1	0.62
129	Reds	1	0.62
137	7-14	2	1.24
174	Ambien, Zolpidem	4	2.48
201	Valium, Diazepam	15	9.32
207	Ativan , Lorazepam	5	3.11
209	Xanax, Alprazolam	4	2.48
211	Buspar	2	1.24
215	Vistaril	1	0.62
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	5	3.11
222	USED TRANQUILIZER, DON'T KNOW NAME	2	1.24
223	Carbacot, Marbaxin, Methocarbamol	2	1.24
225	Desyrel, Trazodone hydrochloride	4	2.48
227	Thorazine	4	2.48
228	Amitriptyline, Elavil	7	4.35
229	Librax	1	0.62
233	Trilafon, Perphenazine	1	0.62
234	Cyclobenzaprine, Flexeril	2	1.24
240	Lithium carbonate, Lithonate	2	1.24
241	Prozac	7	4.35
246	Clonazepam, Klonopin	2	1.24
247	Adapin, Doxepin, Sinequan	1	0.62
250	Aventyl, Nortriptyline, Pamelor	1	0.62
268	Rohypnol, Roche, roofies	5	3.11
271	Zoloft	2	1.24
283	Paroxetine, Paxil	1	0.62
302	Dexamyl	1	0.62
318	Ritalin, Methylphenidate	5	3.11
363	Bam(s)	2	1.24
406	Percodan	2	1.24
415	Codeine	1	0.62
417	Morphine, Roxanol	1	0.62
425	Advil <OTC>	3	1.86
430	Aspirin, Ecotrin, Empirin <OTC>	1	0.62
434	Anexsia, Co-Gesic, Lortab, Tussionex, Vicodin	2	1.24
435	Tylenol, Tylenol Extra-Strength <OTC>	3	1.86
438	Anaprox, Naprosyn, Naproxen	1	0.62
658	Special K, Ketamine	11	6.83
663	Animal tranquilizer, horse tranquilizer	5	3.11

Tabulation of TRANQUILIZER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All TRANQUILIZER Drugs Specified
2001	Soma	1	0.62
2002	Muscle Relaxers	3	1.86
3023	Adderall	1	0.62
4027	Rorer	1	0.62
8017	Buscapina	1	0.62
8023	Myoflex <OTC>	1	0.62
8034	Nutri-calm <OTC>	1	0.62

Tabulation of TREATMENT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All TREATMENT Drugs Specified
209	Xanax, Alprazolam	2	1.28
246	Clonazepam, Klonopin	2	1.28
268	Rohypnol, Roche, roofies	1	0.64
322	Methamphetamine ('ice' or 'crank'), Meth	47	30.13
326	White cross	1	0.64
335	Dexatrim <OTC>	1	0.64
336	Diet pills	2	1.28
339	Amphetamines	3	1.92
348	Crystal	1	0.64
355	Crystal meth	8	5.13
401	Darvon	2	1.28
409	Tylenol with Codeine, Tylenol 3, Tylenol 4	3	1.92
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	3	1.92
426	Fiorinal	1	0.64
434	Anexsia, Co-Gesic, Lortab, Tussionex, Vicodin	1	0.64
435	Tylenol, Tylenol Extra-Strength <OTC>	1	0.64
442	Ibuprofen	1	0.64
508	Nitrous oxide, 'whippets,' dentist gas	1	0.64
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	1	0.64
531	Candy, powdered candy	1	0.64
601	LSD ('acid')	3	1.92
602	Peyote	1	0.64
604	Psilocybin (mushrooms), shrooms	2	1.28
606	'Ecstasy' (MDMA), X-TC, 'X'	2	1.28
658	Special K, Ketamine	4	2.56
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	1	0.64
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	6	3.85
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	8	5.13
805	Cocaine, coca, cocana, coke	5	3.21
806	Crack, rock	5	3.21
807	Alcohol, beer, ethanol, EtOH, pink champagne	9	5.77
808	All of the ones I've tried	1	0.64
813	Cigarettes, smoking (substance not specified)	2	1.28
818	Nicotine	1	0.64
824	Steroids	1	0.64
857	Wicki stick	1	0.64
900	Not a drug, Non-drug reason given for a drug	1	0.64
2001	Soma	2	1.28
2002	Muscle Relaxers	1	0.64
3050	Mini Thins	1	0.64
3052	Speed, otherwise unspecified	14	8.97
8006	Laxative <OTC>	1	0.64
8007	Gabapentin, Neurontin	1	0.64

APPENDIX E

VARIABLE MAP

The Variable Map marks the progression of data from the initial CAI Specification stage through the Edited, Imputation, and Recode stages. There are columns for the variable names at each of these stages. Analysts may use this map to determine what data are used in the creation of variables at a later stage.

CAI variables are those found in the specifications. The specifications include the logic flow and how the respondent reaches each of the questions. The electronic version of the CAI Specifications may be found at <http://datafiles.samhsa.gov>.

Edited variables use mnemonic names to describe the content of the variables and may contain special codes to indicate that logical assignment of values has taken place.

Variables under the column "imputed" are equivalent to their edited counterparts, except that missing or ambiguous values have been replaced by valid response codes obtained using an appropriate imputation procedure. Imputed values are distinguished from nonimputed values by an accompanying indicator variable, identified by the prefix "II" and given in the "Other" column.

Recoded variables are produced for the purpose of creating the estimates found in the Summary Tables and the annual Summary of Findings Report. In general, these use mnemonic names to describe the content of the variables. Data file users are advised to use these recoded variables to produce estimates comparable to those in published reports.

Variables that do not necessarily fall into the above categories are listed in the "Other" column.

The following notes are referenced throughout the map. The column titled Notes will contain a 1 or 2 if the analyst should refer to the notes on this page.

NOTE 1: This variable was created from recoded versions of the indicated source data. See the codebook for further information.

NOTE 2: This recoded variable was also created using the source data from the recoded "Past Year Any Illicit Drug Dependence" variable labeled DEPILL.

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

QUESTID		QUESTID			
AGE1	AGE2			CATAGE	
	AGE2			CATAG2	
	AGE2			CATAG3	
	AGE2			CATAG18	
	AGE2			PREGAGE	
	AGE2			AGEDRNK	
	AGE2			M15_44	
	AGE2			F15_44	
	AGE2			PREG	
	AGE2			PREG2	
	AGE2			TRIMEST	1
	AGE2			EDUCAGE	
	AGE2			COLLEGE2	1
CALCAGE	AGE2			CATAGE	
CONFIRM	AGE2			CATAGE	
QD01		IISEX	IRSEX	M15_44	
		IISEX	IRSEX	F15_44	
		IISEX	IRSEX	PREG	
		IISEX	IRSEX	PREG2	
		IISEX	IRSEX	TRIMEST	
				NEWRA2	
QD04OTHR				NEWRA2	
QD05				NEWRA2	
QD05OTHR				NEWRA2	
QD06				NEWRA2	
QD07		IIMARIT	IRMARIT		
QD08	NOMARR2	IIMARIT	IRMARIT		
QD09	SERVICE				
QD10	MILSTAT				
QD11		IIEDUC	IRE2		
QD12	HEALTH				
CG01	CIGEVER				
CG02	CIGOFRSM				
CG03	CIGWILYR				
CG04	CIGTRY	IICIGAGE	IRCIGAGE	CIGAFU	
	CIGTRY	FICIGDAT	IRCIGAGE	CIGAFU	
		IRCIGDFU	IRCIGAGE	CIGAFU	
		IICIGDFU	IRCIGAGE	CIGAFU	
CG04A	CIGYFU	IICIGYFU	IRCIGYFU		
CG04B	CIGYFU	IICIGYFU	IRCIGYFU		
CG04C	CIGYFU	IICIGYFU	IRCIGYFU		
		IRCIGDFU	IRCIGYFU		
		IICIGDFU	IRCIGYFU		
CG04C	CIGMFU	IICIGMFU	IRCIGMFU		
CG04D	CIGMFU	IICIGMFU	IRCIGMFU		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

		IRCIGDFU	IRCIGMFU		
		IICIGDFU	IRCIGMFU		
CG05	CIGREC	IICIGRC	IRCIGRC	CIGFLAG	
	CIGREC	IICIGRC	IRCIGRC	CIGMON	
	CIGREC	IICIGRC	IRCIGRC	CIGYR	
	CIGREC	IICIGRC	IRCIGRC	TOBFLAG	
	CIGREC	IICIGRC	IRCIGRC	TOBMON	
	CIGREC	IICIGRC	IRCIGRC	TOBYR	
	CIGREC	IICIGRC	IRCIGRC	CIGBRAND	1
	CIGREC	IICIGRC	IRCIGRC	DEPCIG	
CG06	CIGREC	IICIGRC	IRCIGRC	CIGFLAG	
	CIGREC	IICIGRC	IRCIGRC	CIGFLAG	
	CIGREC	IICIGRC	IRCIGRC	CIGMON	
	CIGREC	IICIGRC	IRCIGRC	CIGYR	
	CIGREC	IICIGRC	IRCIGRC	TOBFLAG	
	CIGREC	IICIGRC	IRCIGRC	TOBMON	
	CIGREC	IICIGRC	IRCIGRC	TOBYR	
	CIGREC	IICIGRC	IRCIGRC	CIGBRAND	1
	CIGREC	IICIGRC	IRCIGRC	DEPCIG	
CG07	CIG30USE	IICIGFM	IRCIGFM		
		IICIGFM	IRCIGFM		
CG07A	CG30EST				
CG08	CIG30AV				
CG10	CIG30AV				
CG11	CIG30BRN	CIGCMPNY		CIGBRAND	
CG11A	CIG30BRN	CIGCMPNY		CIGBRAND	
CG12	CIG30BRN	CIGCMPNY		CIGBRAND	
CG14	CIG30ROL				
CG15	CIGDLYMO				
CG16	CIGAGE	IICDUAGE	IRCDUAGE		
	CIGAGE	IICDUDFU	IRCDUDFU		
	CIGAGE	IICDUMFU	IRCDUMFU		
	CIGAGE	IICDUYFU	IRCDUYFU		
	CIGAGE	FICDUDAT	IRCDUAGE		
CG16A	CIG100LF				
CG17	CHEWEVER				
CG18	CHEWTRY	IICHWAGE	IRCHWAGE		
	CHEWTRY	FICHWDAT	IRCHWAGE		
		IRCHWDFU	IRCHWAGE		
		IICHWDFU	IRCHWAGE		
CG18	CHEWTRY	SLTTRY	IRSLTAGE	SLTAFU	
	CHEWTRY	IISLTAGE	IRSLTAGE	SLTAFU	
	CHEWTRY	FISLTDAT	IRSLTAGE	SLTAFU	
		IRSLTDFU	IRSLTAGE	SLTAFU	
		IISLTDFU	IRSLTAGE	SLTAFU	
CG18A	CHEWYFU	IICHWYFU	IRCHWYFU		
CG18B	CHEWYFU	IICHWYFU	IRCHWYFU		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CG18C	CHEWYFU	IICHWYFU	IRCHWYFU		
		IRCHWDFU	IRCHWYFU		
		IICHWDFU	IRCHWYFU		
CG18A	CHEWYFU	SLTYFU	IRSLTYFU		
CG18B	CHEWYFU	SLTYFU	IRSLTYFU		
CG18C	CHEWYFU	SLTYFU	IRSLTYFU		
	CHEWYFU	IISLTYFU	IRSLTYFU		
		IRSLTDFU	IRSLTYFU		
		IISLTDFU	IRSLTYFU		
CG18C	CHEWMFU	IICHWMFU	IRCHWMFU		
CG18D	CHEWMFU	IICHWMFU	IRCHWMFU		
		IRCHWDFU	IRCHWMFU		
		IICHWDFU	IRCHWMFU		
CG18C	CHEWMFU	SLTMFU	IRSLTMFU		
CG18D	CHEWMFU	SLTMFU	IRSLTMFU		
	CHEWMFU	IISLTMFU	IRSLTMFU		
		IRSLTDFU	IRSLTMFU		
		IISLTDFU	IRSLTMFU		
CG19	CHEWREC	IICHWRC	IRCHWRC	CHWFLAG	
	CHEWREC	IICHWRC	IRCHWRC	CHWYR	
	CHEWREC	IICHWRC	IRCHWRC	CHWMON	
	CHEWREC	IICHWRC	IRCHWRC	TOBFLAG	
	CHEWREC	IICHWRC	IRCHWRC	TOBMON	
	CHEWREC	IICHWRC	IRCHWRC	TOBYR	
CG19	CHEWREC	SLTREC	IRSLTRC	SMKFLAG	
	CHEWREC	SLTREC	IRSLTRC	SMKYR	
	CHEWREC	SLTREC	IRSLTRC	SMKMON	
	CHEWREC	SLTREC	IRSLTRC	TOBFLAG	
	CHEWREC	SLTREC	IRSLTRC	TOBMON	
	CHEWREC	SLTREC	IRSLTRC	TOBYR	
	CHEWREC	SLTREC	IRSLTRC	SMKBRAND	1
CG20	CHEWREC	IICHWRC	IRCHWRC	CHWFLAG	
CG20	CHEWREC	SLTREC	IRSLTRC	SMKFLAG	
	CHEWREC	II2CHWRC	IRCHWRC	CHWFLAG	
	CHEWREC	II2CHWRC	IRCHWRC	CHWYR	
	CHEWREC	II2CHWRC	IRCHWRC	CHWMON	
	CHEWREC	II2CHWRC	IRCHWRC	TOBFLAG	
	CHEWREC	II2CHWRC	IRCHWRC	TOBMON	
	CHEWREC	II2CHWRC	IRCHWRC	TOBYR	
	CHEWREC	IISLTRC	IRSLTRC	SMKFLAG	
	CHEWREC	IISLTRC	IRSLTRC	SMKYR	
	CHEWREC	IISLTRC	IRSLTRC	SMKMON	
	CHEWREC	IISLTRC	IRSLTRC	TOBFLAG	
	CHEWREC	IISLTRC	IRSLTRC	TOBMON	
	CHEWREC	IISLTRC	IRSLTRC	TOBYR	
	CHEWREC	IISLTRC	IRSLTRC	SMKBRAND	1
	CHEWREC	II2SLTRC	IRSLTRC	SMKFLAG	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

	CHEWREC	II2SLTRC	IRSLTRC	SMKYR	
	CHEWREC	II2SLTRC	IRSLTRC	SMKMON	
	CHEWREC	II2SLTRC	IRSLTRC	SMKBRAND	1
CG21	CHW30USE	II2CHWFM	IRCHWFM		
	CHW30USE	II2CHWFM	IRCHWFM		
CG22	CHW30BRN	SLT30BRN		SMKBRAND	
CG23	CHW30BRN	SLT30BRN		SMKBRAND	
CG25A	SNFEVER				
CG25B	SNFEVER				
CG26	SNUFTRY	IISNFAGE	IRSNFAGE		
	SNUFTRY	FISNFDAT	IRSNFAGE		
		IRSNFDFU	IRSNFAGE		
		IISNFDUFU	IRSNFAGE		
CG26	SNUFTRY	SLTTRY	IRSLTAGE	SLTAFU	
	SNUFTRY	IISLTAGE	IRSLTAGE	SLTAFU	
	SNUFTRY	FISNFDAT	IRSLTAGE	SLTAFU	
		IRSLTDFU	IRSLTAGE		
		IISLTDFU	IRSLTAGE		
CG26A	SNUFYFU	IISNIFYFU	IRSNIFYFU		
CG26B	SNUFYFU	IISNIFYFU	IRSNIFYFU		
CG26C	SNUFYFU	IISNIFYFU	IRSNIFYFU		
		IRSNFDFU	IRSNIFYFU		
		IISNFDUFU	IRSNIFYFU		
CG26C	SNUFYFU	SLTYFU	IRSLTYFU		
	SNUFYFU	IISLTYFU	IRSLTYFU		
	SNUFYFU	IRSLTDFU	IRSLTYFU		
CG26C	SNUFMFU	IISNFMFU	IRSNFMFU		
		IRSNFDFU	IRSNFMFU		
		IISNFDUFU	IRSNFMFU		
CG26D	SNUFMFU	IISNFMFU	IRSNFMFU		
	SNUFMFU	SLTMFU	IRSLTMFU		
	SNUFMFU	IISLTMFU	IRSLTMFU		
CG27	SNFREC	IISNFRC	IRSNFRC	SNFFLAG	
	SNFREC	IISNFRC	IRSNFRC	SNFYR	
	SNFREC	IISNFRC	IRSNFRC	SNFMON	
	SNFREC	IISNFRC	IRSNFRC	TOBFLAG	
	SNFREC	IISNFRC	IRSNFRC	TOBMON	
	SNFREC	IISNFRC	IRSNFRC	TOBYR	
	SNFREC	SLTREC	IRSLTRC	SMKFLAG	
	SNFREC	SLTREC	IRSLTRC	SMKYR	
	SNFREC	SLTREC	IRSLTRC	SMKMON	
	SNFREC	SLTREC	IRSLTRC	SMKBRAND	1
CG28	SNFREC	IISNFRC	IRSNFRC	SNFFLAG	
	SNFREC	SLTREC	IRSLTRC	TOBFLAG	
	SNFREC	SLTREC	IRSLTRC	TOBMON	
	SNFREC	SLTREC	IRSLTRC	TOBYR	
	SNFREC	II2SNFRC	IRSNFRC	SNFFLAG	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

	SNFREC	II2SNFRC	IRSNFRC	SNFYR	
	SNFREC	II2SNFRC	IRSNFRC	SNFMON	
	SNFREC	II2SNFRC	IRSNFRC	TOBFLAG	
	SNFREC	II2SNFRC	IRSNFRC	TOBMON	
	SNFREC	II2SNFRC	IRSNFRC	TOBYR	
	SNFREC	II2SLTRC	IRSLTRC	SMKFLAG	
	SNFREC	II2SLTRC	IRSLTRC	SMKYR	
	SNFREC	II2SLTRC	IRSLTRC	SMKMON	
	SNFREC	II2SLTRC	IRSLTRC	TOBFLAG	
	SNFREC	II2SLTRC	IRSLTRC	TOBMON	
	SNFREC	II2SLTRC	IRSLTRC	TOBYR	
	SNFREC	II2SLTRC	IRSLTRC	SMKBRAND	1
	SNFREC	II2SLTRC	IRSLTRC	SMKFLAG	
	SNFREC	II2SLTRC	IRSLTRC	SMKYR	
	SNFREC	II2SLTRC	IRSLTRC	SMKMON	
	SNFREC	II2SLTRC	IRSLTRC	TOBFLAG	1
	SNFREC	II2SLTRC	IRSLTRC	TOBMON	
	SNFREC	II2SLTRC	IRSLTRC	TOBYR	
	SNFREC	II2SLTRC	IRSLTRC	SMKBRAND	
CG29	SNF30USE	II2SNFFM	IRSNFFM		
	SNF30USE	II2SNFFM	IRSNFFM		
CG30	SNF30BRN	SLT30BRN		SMKBRAND	
CG31	SNF30BRN	SLT30BRN		SMKBRAND	
CG33A	SLT30FAV	SLT30BRN		SMKBRAND	
CG33B	SLT30FAV	SLT30BRN		SMKBRAND	
CG33C	SLT30FAV	SLT30BRN		SMKBRAND	
CG33D	SLT30FAV	SLT30BRN		SMKBRAND	
CG34	CIGAREVR				
CG35	CIGARTRY	IICGRAGE	IRCGRAGE	CGRAFU	
	CIGARTRY	FICGRDAT	IRCGRAGE	CGRAFU	
		IRCGRDFU	IRCGRAGE	CGRAFU	
		IICGRDFU	IRCGRAGE	CGRAFU	
CG35A	CIGARYFU	IICGRYFU	IRCGRYFU		
CG35B	CIGARYFU	IICGRYFU	IRCGRYFU		
CG35C	CIGARYFU	IICGRYFU	IRCGRYFU		
		IRCGRDFU	IRCGRYFU		
		IICGRDFU	IRCGRYFU		
CG35C	CIGARMFU	IICGRMFU	IRCGRMFU		
CG35D	CIGARMFU	IICGRMFU	IRCGRMFU		
		IRCGRDFU	IRCGRMFU		
		IICGRDFU	IRCGRMFU		
CG36	CIGARREC	IICGRRC	IRCGRRC	CGRFLAG	
	CIGARREC	IICGRRC	IRCGRRC	CGRYR	
	CIGARREC	IICGRRC	IRCGRRC	CGRMON	
	CIGARREC	IICGRRC	IRCGRRC	TOBFLAG	
	CIGARREC	IICGRRC	IRCGRRC	TOBMON	
	CIGARREC	IICGRRC	IRCGRRC	TOBYR	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

	CIGARREC	IICGRRRC	IRCGRRRC	CGRBRAND	1
CG37	CIGARREC	IICGRRRC	IRCGRRRC	CGRFLAG	
	CIGARREC	II2CGRRRC	IRCGRRRC	CGRFLAG	
	CIGARREC	II2CGRRRC	IRCGRRRC	CGRYR	
	CIGARREC	II2CGRRRC	IRCGRRRC	CGRMON	
	CIGARREC	II2CGRRRC	IRCGRRRC	TOBFLAG	
	CIGARREC	II2CGRRRC	IRCGRRRC	TOBMON	
	CIGARREC	II2CGRRRC	IRCGRRRC	TOBYR	
	CIGARREC	II2CGRRRC	IRCGRRRC	CGRBRAND	
CG36	CGR30USE	IICGRFM	IRCGRFM		
CG38	CGR30USE	II2CGRFM	IRCGRFM		
CG38A	CI30EST				
CG39	CGR30BRN			CGRBRAND	
CG40	CGR30BRN			CGRBRAND	
CG42	PIPEVER	IIPIPLF	IRPIPLF	PIPFLAG	
	PIPEVER	IIPIPLF	IRPIPLF	TOBFLAG	
CG43	PIPE30DY	IIPIPMN	IRPIPMN	PIPMON	
	PIPE30DY	IIPIPMN	IRPIPMN	TOBMON	
AL01	ALCEVER				
AL02	ALCTRY	IIALCAGE	IRALCAGE	ALCAFU	
	ALCTRY	FIALCDAT	IRALCAGE	ALCAFU	
		IRALCDFU	IRALCAGE	ALCAFU	
		IIALCDFU	IRALCAGE	ALCAFU	
AL02A	ALCYFU	IIALCYFU	IRALCYFU		
AL02B	ALCYFU	IIALCYFU	IRALCYFU		
AL02C	ALCYFU	IIALCYFU	IRALCYFU		
		IRALCDFU	IRALCYFU		
		IIALCDFU	IRALCYFU		
AL02C	ALCMFU	IIALCMFU	IRALCMFU		
AL02D	ALCMFU	IIALCMFU	IRALCMFU		
		IRALCDFU	IRALCMFU		
		IIALCDFU	IRALCMFU		
ALLAST3	ALCREC	IIALCRC	IRALCRC	ALCFLAG	
	ALCREC	IIALCRC	IRALCRC	ALCYR	
	ALCREC	IIALCRC	IRALCRC	ALCMON	
	ALCREC	IIALCRC	IRALCRC	HVYDRK2	1
	ALCREC	IIALCRC	IRALCRC	BINGEDRK	1
	ALCREC	IIALCRC	IRALCRC	BINGEHVY	1
	ALCREC	IIALCRC	IRALCRC	DEPALC	
	ALCREC	II2ALCRC	IRALCRC	ALCFLAG	
	ALCREC	II2ALCRC	IRALCRC	ALCYR	
	ALCREC	II2ALCRC	IRALCRC	ALCMON	
	ALCREC	II2ALCRC	IRALCRC	HVYDRK2	1
	ALCREC	II2ALCRC	IRALCRC	BINGEDRK	1
	ALCREC	II2ALCRC	IRALCRC	BINGEHVY	1
	ALCREC	II2ALCRC	IRALCRC	DEPALC	
TOTDRINK	ALCYRTOT	IIALCFY	IRALCFY	DEPALC	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

	ALCYRTOT	II2ALCFY	IRALCFY	DEPALC	
	ALCYRTOT	ALTOTFG		DEPALC	
	ALCYRTOT	ALFQFLG		DEPALC	
ALFRAME3	ALBSTWAY				
ALYRAVE	ALDAYPYR				
ALMONAVE	ALDAYPMO				
ALWKAVE	ALDAYPWK				
AL06	ALCDAYS	IIALCFM	IRALCFM		
	ALCDAYS	II2ALCFM	IRALCFM		
	ALCDAYS	ALDYSFG			
AL07	NODR30A				
AL08	DR5DAY	IIALCD5	IRALCD5	HVYDRK2	
	DR5DAY	IIALCD5	IRALCD5	BINGEDRK	
	DR5DAY	IIALCD5	IRALCD5	BINGEHVY	1
	DR5DAY	II2ALCD5	IRALCD5	HVYDRK2	
	DR5DAY	II2ALCD5	IRALCD5	BINGEDRK	
	DR5DAY	II2ALCD5	IRALCD5	BINGEHVY	1
MJ01	MJEVER				
MJ02	MJAGE	IIMJAGE	IRMJAGE	MJAFU	
	MJAGE	FIMJDAT	IRMJAGE	MJAFU	
		IRMJDFU	IRMJAGE	MJAFU	
		IIMJDFU	IRMJAGE	MJAFU	
MJ03A	MJYFU	IIMJYFU	IRMJYFU		
MJ03B	MJYFU	IIMJYFU	IRMJYFU		
MJ03C	MJYFU	IIMJYFU	IRMJYFU		
		IRMJDFU	IRMJYFU		
		IIMJDFU	IRMJYFU		
MJ03C	MJMFU	IIMJMFU	IRMJMFU		
MJ03D	MJMFU	IIMJMFU	IRMJMFU		
		IRMJDFU	IRMJMFU		
		IIMJDFU	IRMJMFU		
MJLAST3	MJREC	IIMJRC	IRMJRC	MRJFLAG	
	MJREC	IIMJRC	IRMJRC	SUMFLAG	1
	MJREC	IIMJRC	IRMJRC	MJOFLAG	1
	MJREC	IIMJRC	IRMJRC	IEMFLAG	1
	MJREC	IIMJRC	IRMJRC	MRJYR	
	MJREC	IIMJRC	IRMJRC	SUMYR	1
	MJREC	IIMJRC	IRMJRC	MJOYR2	1
	MJREC	IIMJRC	IRMJRC	IEMYR	1
	MJREC	IIMJRC	IRMJRC	MRJMON	
	MJREC	IIMJRC	IRMJRC	SUMMON	1
	MJREC	IIMJRC	IRMJRC	MJOMON2	1
	MJREC	IIMJRC	IRMJRC	IEMMON	1
	MJREC	IIMJRC	IRMJRC	DEPMRJ	
	MJREC	II2MJRC	IRMJRC	MRJFLAG	
	MJREC	II2MJRC	IRMJRC	SUMFLAG	1
	MJREC	II2MJRC	IRMJRC	MJOFLAG	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

	MJREC	II2MJRC	IRMJRC	IEMFLAG	1
	MJREC	II2MJRC	IRMJRC	MRJYR	
	MJREC	II2MJRC	IRMJRC	SUMYR	1
	MJREC	II2MJRC	IRMJRC	MJOYR2	1
	MJREC	II2MJRC	IRMJRC	IEMYR	1
	MJREC	II2MJRC	IRMJRC	MRJMON	
	MJREC	II2MJRC	IRMJRC	SUMMON	1
	MJREC	II2MJRC	IRMJRC	MJOMON2	1
	MJREC	II2MJRC	IRMJRC	IEMMON	1
	MJREC	II2MJRC	IRMJRC	DEPMRJ	
TOTMJ	MJYRTOT	IIMJFY	IRMJFY	LEVEL2	
	MJYRTOT	IIMJFY	IRMJFY	TRMTNEED	2
	MJYRTOT	IIMJFY	IRMJFY	TRTNEED2	2
	MJYRTOT	II2MJFY	IRMJFY	LEVEL2	
	MJYRTOT	II2MJFY	IRMJFY	TRMTNEED	2
	MJYRTOT	II2MJFY	IRMJFY	TRTNEED2	2
	MJYRTOT	MRTOTFG			
	MJYRTOT	MJFQFLG			
MJFRAME3	MRBSTWAY				
MJYRAVE	MRDAYPYR				
MJMONAVE	MRDAYPMO				
MJWKAVE	MRDAYPWK				
MJ06	MJDAY30A	IIMJFM	IRMJFM		
	MJDAY30A	II2MJFM	IRMJFM		
CC01	COCEVER				
CC02	COCAGE	IICOCAGE	IRCOCAGE	COCAFU	
	COCAGE	FICOCDAT	IRCOCAGE	COCAFU	
		IRCOCDFU	IRCOCAGE	COCAFU	
		IICOCDFU	IRCOCAGE	COCAFU	
CC03A	COCYFU	IICOCYFU	IRCOCYFU		
CC03B	COCYFU	IICOCYFU	IRCOCYFU		
CC03C	COCYFU	IICOCYFU	IRCOCYFU		
		IRCOCDFU	IRCOCYFU		
		IICOCDFU	IRCOCYFU		
CC03C	COCMFU	IICOCMFU	IRCOCMFU		
CC03D	COCMFU	IICOCMFU	IRCOCMFU		
		IRCOCDFU	IRCOCMFU		
		IICOCDFU	IRCOCMFU		
CCLAST3	COCREC	IICOCRC	IRCOCRC	COCFLAG	
	COCREC	IICOCRC	IRCOCRC	SUMFLAG	1
	COCREC	IICOCRC	IRCOCRC	MJOFLAG	1
	COCREC	IICOCRC	IRCOCRC	IEMFLAG	1
	COCREC	IICOCRC	IRCOCRC	COCYR	
	COCREC	IICOCRC	IRCOCRC	SUMYR	1
	COCREC	IICOCRC	IRCOCRC	MJOYR2	1
	COCREC	IICOCRC	IRCOCRC	IEMYR	1
	COCREC	IICOCRC	IRCOCRC	COCMON	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

	COCREC	IICOCRC	IRCOCRC	SUMMON	1
	COCREC	IICOCRC	IRCOCRC	MJOMON2	1
	COCREC	IICOCRC	IRCOCRC	IEMMON	1
	COCREC	IICOCRC	IRCOCRC	DEPCOC	
	COCREC	IICOCRC	IRCOCRC	COCFLAG	
	COCREC	IICOCRC	IRCOCRC	SUMFLAG	1
	COCREC	IICOCRC	IRCOCRC	MJOFLAG	1
	COCREC	IICOCRC	IRCOCRC	IEMFLAG	1
	COCREC	IICOCRC	IRCOCRC	COCYR	
	COCREC	IICOCRC	IRCOCRC	SUMYR	1
	COCREC	IICOCRC	IRCOCRC	MJOYR2	1
	COCREC	IICOCRC	IRCOCRC	IEMYR	1
	COCREC	IICOCRC	IRCOCRC	COCMON	
	COCREC	IICOCRC	IRCOCRC	SUMMON	1
	COCREC	IICOCRC	IRCOCRC	MJOMON2	1
	COCREC	IICOCRC	IRCOCRC	IEMMON	1
	COCREC	IICOCRC	IRCOCRC	DEPCOC	
TOTCOKE	COCYRTOT	IICOCFY	IRCOCFY	LEVEL2	
	COCYRTOT	IICOCFY	IRCOCFY	TRMTNEED	2
	COCYRTOT	IICOCFY	IRCOCFY	TRTNEED2	2
	COCYRTOT	IICOCFY	IRCOCFY	LEVEL2	
	COCYRTOT	IICOCFY	IRCOCFY	TRMTNEED	2
	COCYRTOT	IICOCFY	IRCOCFY	TRTNEED2	2
	COCYRTOT	CCTOTFG			
	COCYRTOT	CCFQFLG			
CCFRAME3	CCBSTWAY				
CCYRAVE	CCDAYPYR				
CCMONAVE	CCDAYPMO				
CCWKAVE	CCDAYPWK				
CC06	COCUS30A	IICOCFM	IRCOCFM		
	COCUS30A	IICOCFM	IRCOCFM		
CK01	CRKEVER				
CK02	CRKAGE	IICRKAGE	IRCRKAGE		
	CRKAGE	FICRKDAT	IRCRKAGE		
	CRKAGE	IRCRKDFU	IRCRKAGE		
	CRKAGE	IICRKDFU	IRCRKAGE		
CK03A	CRKYFU	IICRKYFU	IRCRKYFU		
CK03B	CRKYFU	IICRKYFU	IRCRKYFU		
CK03C	CRKYFU	IICRKYFU	IRCRKYFU		
		IRCRKDFU	IRCRKYFU		
		IICRKDFU	IRCRKYFU		
CK03C	CRKMFU	IICRKMFU	IRCRKMFU		
CK03D	CRKMFU	IICRKMFU	IRCRKMFU		
		IRCRKDFU	IRCRKMFU		
		IICRKDFU	IRCRKMFU		
CKLAST3	CRAKREC	IICRKRC	IRCRKRC	CRKFLAG	
	CRAKREC	IICRKRC	IRCRKRC	CRKYR	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

	CRAKREC	II CRKRC	IRCRKRC	CRKMON	
	CRAKREC	II2CRKRC	IRCRKRC	CRKFLAG	
	CRAKREC	II2CRKRC	IRCRKRC	CRKYR	
	CRAKREC	II2CRKRC	IRCRKRC	CRKMON	
TOTCRACK	CRKYRTOT	II CRKfy	IRCRKfy		
	CRKYRTOT	II2CRKfy	IRCRKfy		
	CRKYRTOT	CRTOTFG			
	CRKYRTOT	CRFQFLG			
CKFRAME3	CRBSTWAY				
CKYRAVE	CRDAYPYR				
CKMONAVE	CRDAYPMO				
CKWKAVE	CRDAYPWK				
CK06	CRKUS30A	II CRKFM	IRCRKFM		
	CRKUS30A	II2CRKFM	IRCRKFM		
HE01	HEREVER				
HE02	HERAGE	II HERAGE	IRHERAGE	HERAFU	
	HERAGE	FIHERDAT	IRHERAGE	HERAFU	
	HERAGE	IRHERDFU	IRHERAGE	HERAFU	
	HERAGE	II HERDFU	IRHERAGE	HERAFU	
HE03A	HERYFU	II HERYFU	IRHERYFU		
HE03B	HERYFU	II HERYFU	IRHERYFU		
HE03C	HERYFU	II HERYFU	IRHERYFU		
		IRHERDFU	IRHERYFU		
		II HERDFU	IRHERYFU		
HE03C	HERMFU	II HERMFU	IRHERMFU		
HE03D	HERMFU	II HERMFU	IRHERMFU		
		IRHERDFU	IRHERMFU		
		II HERDFU	IRHERMFU		
HELAST3	HERREC	II HERRC	IRHERRC	HERFLAG	
	HERREC	II HERRC	IRHERRC	SUMFLAG	1
	HERREC	II HERRC	IRHERRC	MJOFLAG	1
	HERREC	II HERRC	IRHERRC	IEMFLAG	1
	HERREC	II HERRC	IRHERRC	HERYR	
	HERREC	II HERRC	IRHERRC	SUMYR	1
	HERREC	II HERRC	IRHERRC	MJOYR2	1
	HERREC	II HERRC	IRHERRC	IEMYR	1
	HERREC	II HERRC	IRHERRC	HERMON	
	HERREC	II HERRC	IRHERRC	SUMMON	1
	HERREC	II HERRC	IRHERRC	MJOMON2	1
	HERREC	II HERRC	IRHERRC	IEMMON	1
	HERREC	II HERRC	IRHERRC	DEPHER	
	HERREC	II HERRC	IRHERRC	LEVEL2	1
	HERREC	II HERRC	IRHERRC	TRMTNEED	2
	HERREC	II HERRC	IRHERRC	TRTNEED2	2
	HERREC	II2HERRC	IRHERRC	HERFLAG	
	HERREC	II2HERRC	IRHERRC	SUMFLAG	1
	HERREC	II2HERRC	IRHERRC	MJOFLAG	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

	HERREC	II2HERRC	IRHERRC	IEMFLAG	1
	HERREC	II2HERRC	IRHERRC	HERYR	
	HERREC	II2HERRC	IRHERRC	SUMYR	1
	HERREC	II2HERRC	IRHERRC	MJOYR2	1
	HERREC	II2HERRC	IRHERRC	IEMYR	1
	HERREC	II2HERRC	IRHERRC	HERMON	
	HERREC	II2HERRC	IRHERRC	SUMMON	1
	HERREC	II2HERRC	IRHERRC	MJOMON2	1
	HERREC	II2HERRC	IRHERRC	IEMMON	1
	HERREC	II2HERRC	IRHERRC	DEPHER	
	HERREC	II2HERRC	IRHERRC	LEVEL2	1
	HERREC	II2HERRC	IRHERRC	TRMTNEED	2
	HERREC	II2HERRC	IRHERRC	TRTNEED2	2
TOTHERO	HERYRTOT	IIHERFY	IRHERFY		
	HERYRTOT	II2HERFY	IRHERFY		
	HERYRTOT	HRTOTFG			
	HERYRTOT	HRFQFLG			
HEFRAME3	HRBSTWAY				
HEYRAVE	HRDAYPYR				
HEMONAVE	HRDAYPMO				
HEWKAVE	HRDAYPWK				
HE06	HER30USE	IIHERFM	IRHERFM		
	HER30USE	II2HERFM	IRHERFM		
LS01A	LSD				
LS01B	PCP				
LS01C	PEYOTE			PEYOTE2	
LS01D	MESC			MESC2	
LS01E	PSILCY			PSILCY2	
LS01F	ECSTASY			ECSTASY2	
LS01H	HALNOLST				
LS0THS1	HALNEWA				
LS0THS2	HALNEWB				
LS0THS3	HALNEWC				
LS0THS4	HALNEWD				
LS0THS5	HALNEWE				
LS02	HALLAGE	IIHALAGE	IRHALAGE	HALAFU	
	HALLAGE	FIHALDAT	IRHALAGE	HALAFU	
	HALLAGE	IRHALDFU	IRHALAGE	HALAFU	
	HALLAGE	IIHALDFU	IRHALAGE	HALAFU	
LS03A	HALYFU	IIHALYFU	IRHALYFU		
LS03B	HALYFU	IIHALYFU	IRHALYFU		
LS03C	HALYFU	IIHALYFU	IRHALYFU		
		IRHALDFU	IRHALYFU		
		IIHALDFU	IRHALYFU		
LS03C	HALMFU	IIHALMFU	IRHALMFU		
LS03D	HALMFU	IIHALMFU	IRHALMFU		
		IRHALDFU	IRHALMFU		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

		IIHALDFU	IRHALMFU		
LSLAST	HALLREC	IIHALRC	IRHALRC	HALFLAG	
	HALLREC	IIHALRC	IRHALRC	SUMFLAG	1
	HALLREC	IIHALRC	IRHALRC	MJOFLAG	1
	HALLREC	IIHALRC	IRHALRC	IEMFLAG	1
	HALLREC	IIHALRC	IRHALRC	HALYR	
	HALLREC	IIHALRC	IRHALRC	SUMYR	1
	HALLREC	IIHALRC	IRHALRC	MJOYR2	1
	HALLREC	IIHALRC	IRHALRC	IEMYR	1
	HALLREC	IIHALRC	IRHALRC	HALMON	
	HALLREC	IIHALRC	IRHALRC	SUMMON	1
	HALLREC	IIHALRC	IRHALRC	MJOMON2	1
	HALLREC	IIHALRC	IRHALRC	IEMMON	1
	HALLREC	IIHALRC	IRHALRC	DEPHAL	
	HALLREC	II2HALRC	IRHALRC	HALFLAG	
	HALLREC	II2HALRC	IRHALRC	SUMFLAG	1
	HALLREC	II2HALRC	IRHALRC	MJOFLAG	1
	HALLREC	II2HALRC	IRHALRC	IEMFLAG	1
	HALLREC	II2HALRC	IRHALRC	HALYR	
	HALLREC	II2HALRC	IRHALRC	SUMYR	1
	HALLREC	II2HALRC	IRHALRC	MJOYR2	1
	HALLREC	II2HALRC	IRHALRC	IEMYR	1
	HALLREC	II2HALRC	IRHALRC	HALMON	
	HALLREC	II2HALRC	IRHALRC	SUMMON	1
	HALLREC	II2HALRC	IRHALRC	MJOMON2	1
	HALLREC	II2HALRC	IRHALRC	IEMMON	1
	HALLREC	II2HALRC	IRHALRC	DEPHAL	
TOTHALL	HALYRTOT	IIHALFY	IRHALFY	LEVEL2	
	HALYRTOT	IIHALFY	IRHALFY	TRMTNEED	2
	HALYRTOT	IIHALFY	IRHALFY	TRTNEED2	2
	HALYRTOT	II2HALFY	IRHALFY	LEVEL2	
	HALYRTOT	II2HALFY	IRHALFY	TRMTNEED	2
	HALYRTOT	II2HALFY	IRHALFY	TRTNEED2	2
	HALYRTOT	HLTOTFG			
	HALYRTOT	HLFQFLG			
LSFRAME3	HLBSTWAY				
LSYRAVE	HLDAYPYR				
LSMONAVE	HLDAYPMO				
LSWKAVE	HLDAYPWK				
LS06	HAL30USE	IIHALFM	IRHALFM		
	HAL30USE	II2HALFM	IRHALFM		
LS07	LSDREC	IILSDRC	IRLSDRC	LSDFLAG	
	LSDREC	IILSDRC	IRLSDRC	LSDYR	
	LSDREC	IILSDRC	IRLSDRC	LSDMON	
	LSDREC	II2LSDRC	IRLSDRC	LSDFLAG	
	LSDREC	II2LSDRC	IRLSDRC	LSDYR	
	LSDREC	II2LSDRC	IRLSDRC	LSDMON	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

LS08	PCPREC	IIPCPRC	IRPCPRC	PCPFLAG	
	PCPREC	IIPCPRC	IRPCPRC	PCPYR	
	PCPREC	IIPCPRC	IRPCPRC	PCPMON	
	PCPREC	II2PCPRC	IRPCPRC	PCPFLAG	
	PCPREC	II2PCPRC	IRPCPRC	PCPYR	
	PCPREC	II2PCPRC	IRPCPRC	PCPMON	
IN01A	AMYLNIT			AMYLNIT2	
IN01B	CLEFLU			CLEFLU2	
IN01C	GAS			GAS2	
IN01D	GLUE			GLUE2	
IN01E	ETHER			ETHER2	
IN01F	SOLVENT			SOLVENT2	
IN01G	LGAS			LGAS2	
IN01H	NITOXID			NITOXID2	
IN01I	SPPAINT			SPPAINT2	
IN01J	AEROS			AEROS2	
IN01L	INHNLST				
IN01OTH1	INHNEWA				
INOTHS2	INHNEWB				
INOTHS3	INHNEWC				
INOTHS4	INHNEWD				
INOTHS5	INHNEWE				
IN02	INHAGE	IIINHAGE	IRINHAGE	INHAFU	
	INHAGE	FIINHDFU	IRINHAGE	INHAFU	
	INHAGE	IRINHDFU	IRINHAGE	INHAFU	
	INHAGE	IIINHDFU	IRINHAGE	INHAFU	
IN03A	INHYFU	IIINHYFU	IRINHYFU		
IN03B	INHYFU	IIINHYFU	IRINHYFU		
IN03C	INHYFU	IIINHYFU	IRINHYFU		
		IRINHDFU	IRINHYFU		
		IIINHDFU	IRINHYFU		
IN03C	INHMFU	IIINHMFU	IRINHMFU		
IN03D	INHMFU	IIINHMFU	IRINHMFU		
		IRINHDFU	IRINHMFU		
		IIINHDFU	IRINHMFU		
INLAST	INHREC	IIINHRC	IRINHRC	INHFLAG	
	INHREC	IIINHRC	IRINHRC	SUMFLAG	1
	INHREC	IIINHRC	IRINHRC	MJOFLAG	1
	INHREC	IIINHRC	IRINHRC	IEMFLAG	1
	INHREC	IIINHRC	IRINHRC	INHYR	
	INHREC	IIINHRC	IRINHRC	SUMYR	1
	INHREC	IIINHRC	IRINHRC	MJOYR2	1
	INHREC	IIINHRC	IRINHRC	IEMYR	1
	INHREC	IIINHRC	IRINHRC	INHMON	
	INHREC	IIINHRC	IRINHRC	SUMMON	1
	INHREC	IIINHRC	IRINHRC	MJOMON2	1
	INHREC	IIINHRC	IRINHRC	IEMMON	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

	INHREC	IIINHRC	IRINHRC	DEPINH	
	INHREC	II2INHRC	IRINHRC	INHFLAG	
	INHREC	II2INHRC	IRINHRC	SUMFLAG	1
	INHREC	II2INHRC	IRINHRC	MJOFLAG	1
	INHREC	II2INHRC	IRINHRC	IEMFLAG	1
	INHREC	II2INHRC	IRINHRC	INHYR	
	INHREC	II2INHRC	IRINHRC	SUMYR	1
	INHREC	II2INHRC	IRINHRC	MJOYR2	1
	INHREC	II2INHRC	IRINHRC	IEMYR	1
	INHREC	II2INHRC	IRINHRC	INHMON	
	INHREC	II2INHRC	IRINHRC	SUMMON	1
	INHREC	II2INHRC	IRINHRC	MJOMON2	1
	INHREC	II2INHRC	IRINHRC	IEMMON	1
	INHREC	II2INHRC	IRINHRC	DEPINH	
TOTINHAL	INHYRTOT	IIINHfy	IRINHfy	LEVEL2	
	INHYRTOT	IIINHfy	IRINHfy	TRMTNEED	2
	INHYRTOT	IIINHfy	IRINHfy	TRTNEED2	2
	INHYRTOT	II2INHfy	IRINHfy	LEVEL2	
	INHYRTOT	II2INHfy	IRINHfy	TRMTNEED	2
	INHYRTOT	II2INHfy	IRINHfy	TRTNEED2	2
	INHYRTOT	INTOTFG			
	INHYRTOT	INFQFLG			
INFRAME3	INBSTWAY				
INYRAVE	INDAYPYR				
INMONAVE	INDAYPMO				
INWKAVE	INDAYPWK				
IN06	INHdy30A	IIINHFM	IRINHFM		
	INHdy30A	II2INHFM	IRINHFM		
PR01	DARVTYLC			DARVTYL2	
PR02	PERCTYLX			PERCTYL2	
PR03	VICOLOR			VICOLOR2	
PR04	ANLCARD			OTHANL	
PR04A	CODEINE			CODEINE2	
PR04A	DEMEROL			DEMEROL2	
PR04A	DILAUD			DILAUD2	
PR04A	FIORICET			FIORICT2	
PR04A	FIORINAL			FIORINL2	
PR04A	HYDROCOD			HYDROCD2	
PR04A	METHDON			METHDON2	
PR04A	MORPHINE			MORPHIN2	
PR04A	OXYCONTN			OXYCONT2	
PR04A	PHENCOD			PHENCOD2	
PR04A	PROPOXY			PROPOXY2	
PR04A	SK65A			SK65A2	
PR04A	STADOL			STADOL2	
PR04A	TALACEN			TALACEN2	
PR04A	TALWIN			TALWIN2	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

PR04A	TALWINN			TALWINX2	
PR04A	TRAMADOL			TRAMADL2	
PR04A	ULTRAM			ULTRAM2	
PR05	ANLNOLST			OTHANL	
PR05B	ANALNEWA				
PR05C	ANALNEWB				
PR05D	ANALNEWC				
PR05E	ANALNEWD				
PR05A	ANALNEWE				
PR06	ANALAGE	IIANLAGE	IRANLAGE	ANLAFU	
PR06	ANALAGE	FIANLDAT	IRANLAGE	ANLAFU	
		IRANLDFU	IRANLAGE	ANLAFU	
		IIANLDFU	IRANLAGE	ANLAFU	
PR07A	ANALYFU	IIANLYFU	IRANLYFU		
PR07B	ANALYFU	IIANLYFU	IRANLYFU		
PR08A	ANALYFU	IIANLYFU	IRANLYFU		
		IRANLDFU	IRANLYFU		
		IIANLDFU	IRANLYFU		
PR08A	ANALMFU	IIANLMFU	IRANLMFU		
PR08B	ANALMFU	IIANLMFU	IRANLMFU		
		IRANLDFU	IRANLMFU		
		IIANLDFU	IRANLMFU		
PR09	ANALREC	IIANLRC	IRANLRC	ANLFLAG	
	ANALREC	IIANLRC	IRANLRC	SUMFLAG	1
	ANALREC	IIANLRC	IRANLRC	PSYFLAG2	1
	ANALREC	IIANLRC	IRANLRC	MJOFLAG	1
	ANALREC	IIANLRC	IRANLRC	IEMFLAG	1
	ANALREC	IIANLRC	IRANLRC	ANLYR	
	ANALREC	IIANLRC	IRANLRC	SUMYR	1
	ANALREC	IIANLRC	IRANLRC	PSYYR2	1
	ANALREC	IIANLRC	IRANLRC	MJOYR2	1
	ANALREC	IIANLRC	IRANLRC	IEMYR	1
	ANALREC	IIANLRC	IRANLRC	ANLMON	
	ANALREC	IIANLRC	IRANLRC	SUMMON	1
	ANALREC	IIANLRC	IRANLRC	PSYMON2	1
	ANALREC	IIANLRC	IRANLRC	MJOMON2	1
	ANALREC	IIANLRC	IRANLRC	IEMMON	1
	ANALREC	IIANLRC	IRANLRC	DEPANL	
	ANALREC	II2ANLRC	IRANLRC	ANLFLAG	
	ANALREC	II2ANLRC	IRANLRC	SUMFLAG	1
	ANALREC	II2ANLRC	IRANLRC	PSYFLAG2	1
	ANALREC	II2ANLRC	IRANLRC	MJOFLAG	1
	ANALREC	II2ANLRC	IRANLRC	IEMFLAG	1
	ANALREC	II2ANLRC	IRANLRC	ANLYR	
	ANALREC	II2ANLRC	IRANLRC	SUMYR	1
	ANALREC	II2ANLRC	IRANLRC	PSYYR2	1
	ANALREC	II2ANLRC	IRANLRC	MJOYR2	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

	ANALREC	II2ANLRC	IRANLRC	IEMYR	1
	ANALREC	II2ANLRC	IRANLRC	ANLMON	
	ANALREC	II2ANLRC	IRANLRC	SUMMON	1
	ANALREC	II2ANLRC	IRANLRC	PSYMON2	1
	ANALREC	II2ANLRC	IRANLRC	MJOMON2	1
	ANALREC	II2ANLRC	IRANLRC	IEMMON	1
	ANALREC	II2ANLRC	IRANLRC	DEPANL	
PR10	PRBSTWAY				
PR11	PRDAYPYR	ANLYRTOT	IRANLFY	LEVEL2	
	PRDAYPYR	ANLYRTOT	IRANLFY	TRMTNEED	2
	PRDAYPYR	ANLYRTOT	IRANLFY	TRTNEED2	2
	PRDAYPYR	IIANLFY	IRANLFY	LEVEL2	
	PRDAYPYR	IIANLFY	IRANLFY	TRMTNEED	2
	PRDAYPYR	IIANLFY	IRANLFY	TRTNEED2	2
	PRDAYPYR	II2ANLFY	IRANLFY	LEVEL2	
	PRDAYPYR	II2ANLFY	IRANLFY	TRMTNEED	2
	PRDAYPYR	II2ANLFY	IRANLFY	TRTNEED2	2
PR12	PRDAYPMO	ANLYRTOT	IRANLFY	LEVEL2	
	PRDAYPMO	ANLYRTOT	IRANLFY	TRMTNEED	2
	PRDAYPMO	ANLYRTOT	IRANLFY	TRTNEED2	2
	PRDAYPMO	IIANLFY	IRANLFY	LEVEL2	
	PRDAYPMO	IIANLFY	IRANLFY	TRMTNEED	2
	PRDAYPMO	IIANLFY	IRANLFY	TRTNEED2	2
	PRDAYPMO	II2ANLFY	IRANLFY	LEVEL2	
	PRDAYPMO	II2ANLFY	IRANLFY	TRMTNEED	2
	PRDAYPMO	II2ANLFY	IRANLFY	TRTNEED2	2
PR13	PRDAYPWK	ANLYRTOT	IRANLFY	LEVEL2	
	PRDAYPWK	ANLYRTOT	IRANLFY	TRMTNEED	2
	PRDAYPWK	ANLYRTOT	IRANLFY	TRTNEED2	2
	PRDAYPWK	IIANLFY	IRANLFY	LEVEL2	
	PRDAYPWK	IIANLFY	IRANLFY	TRMTNEED	2
	PRDAYPWK	IIANLFY	IRANLFY	TRTNEED2	2
	PRDAYPWK	II2ANLFY	IRANLFY	LEVEL2	
	PRDAYPWK	II2ANLFY	IRANLFY	TRMTNEED	2
	PRDAYPWK	II2ANLFY	IRANLFY	TRTNEED2	2
		PRTOTFG			
		PRFQFLG			
TR01	KLONOPIN			KLONOP12	
TR02	XNAXATVN			XNAXATV2	
TR03	VALMDIAZ			VALMDIA2	
TR04	TRNCARD			OTHTRN	
TR04A	ATARAX			ATARAX2	
TR04A	BUSPAR			BUSPAR2	
TR04A	EQUANIL			EQUANIL2	
TR04A	FLEXERIL			FLEXERL2	
TR04A	LIBRIUM			LIBRIUM2	
TR04A	LIMBTROL			LIMBTRL2	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

TR04A	MEPROB			MEPROB2	
TR04A	MILTOWN			MILTOWN2	
TR04A	ROHYPNOL			ROHYPNL2	
TR04A	SERAX			SERAX2	
TR04A	SOMA			SOMA2	
TR04A	TRANXENE			TRANXEN2	
TR04A	VISTAR			VISTAR2	
TR05	TRNOLST			OTHTRN	
TR05A	TRNEWA				
TR05B	TRNEWB				
TR05C	TRNEWC				
TR05D	TRNEWD				
TR05E	TRNEWE				
TR06	TRANAGE	IITRNAGE	IRTRNAGE	TRNAFU	
TR06	TRANAGE	FITRNDAT	IRTRNAGE	TRNAFU	
		IRTRNDFU	IRTRNAGE	TRNAFU	
		IITRNDFU	IRTRNAGE	TRNAFU	
TR07A	TRANIFYU	IITRNYFU	IRTRNYFU		
TR07B	TRANIFYU	IITRNYFU	IRTRNYFU		
TR08A	TRANIFYU	IITRNYFU	IRTRNYFU		
		IRTRNDFU	IRTRNYFU		
		IITRNDFU	IRTRNYFU		
TR08A	TRANMFU	IITRNMFU	IRTRNMFU		
TR08B	TRANMFU	IITRNMFU	IRTRNMFU		
		IRTRNDFU	IRTRNMFU		
		IITRNDFU	IRTRNMFU		
TR09	TRANREC	IITRNRC	IRTRNRC	TRQFLAG	
	TRANREC	IITRNRC	IRTRNRC	SUMFLAG	1
	TRANREC	IITRNRC	IRTRNRC	PSYFLAG2	1
	TRANREC	IITRNRC	IRTRNRC	MJOFLAG	1
	TRANREC	IITRNRC	IRTRNRC	IEMFLAG	1
	TRANREC	IITRNRC	IRTRNRC	TRQYR	
	TRANREC	IITRNRC	IRTRNRC	SUMYR	1
	TRANREC	IITRNRC	IRTRNRC	PSYR2	1
	TRANREC	IITRNRC	IRTRNRC	MJOYR2	1
	TRANREC	IITRNRC	IRTRNRC	IEMYR	1
	TRANREC	IITRNRC	IRTRNRC	TRQMON	
	TRANREC	IITRNRC	IRTRNRC	SUMMON	1
	TRANREC	IITRNRC	IRTRNRC	PSYMON2	1
	TRANREC	IITRNRC	IRTRNRC	MJOMON2	1
	TRANREC	IITRNRC	IRTRNRC	IEMMON	1
	TRANREC	IITRNRC	IRTRNRC	DEPTRN	
	TRANREC	IIT2TRNRC	IRTRNRC	TRQFLAG	
	TRANREC	IIT2TRNRC	IRTRNRC	SUMFLAG	1
	TRANREC	IIT2TRNRC	IRTRNRC	PSYFLAG2	1
	TRANREC	IIT2TRNRC	IRTRNRC	MJOFLAG	1
	TRANREC	IIT2TRNRC	IRTRNRC	IEMFLAG	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

	TRANREC	II2TRNRC	IRTRNRC	TRQYR	
	TRANREC	II2TRNRC	IRTRNRC	SUMYR	1
	TRANREC	II2TRNRC	IRTRNRC	PSYYR2	1
	TRANREC	II2TRNRC	IRTRNRC	MJOYR2	1
	TRANREC	II2TRNRC	IRTRNRC	IEMYR	1
	TRANREC	II2TRNRC	IRTRNRC	TRQMON	
	TRANREC	II2TRNRC	IRTRNRC	SUMMON	1
	TRANREC	II2TRNRC	IRTRNRC	PSYMON2	1
	TRANREC	II2TRNRC	IRTRNRC	MJOMON2	1
	TRANREC	II2TRNRC	IRTRNRC	IEMMON	1
	TRANREC	II2TRNRC	IRTRNRC	DEPTRN	
TR10	TRBSTWAY				
TR11	TRDAYPYR	TRNYRTOT	IRTRNFY	LEVEL2	
	TRDAYPYR	TRNYRTOT	IRTRNFY	TRMTNEED	2
	TRDAYPYR	TRNYRTOT	IRTRNFY	TRTNEED2	2
	TRDAYPYR	IIIRNFY	IRTRNFY	LEVEL2	
	TRDAYPYR	IIIRNFY	IRTRNFY	TRMTNEED	2
	TRDAYPYR	IIIRNFY	IRTRNFY	TRTNEED2	2
	TRDAYPYR	II2TRNFY	IRTRNFY	LEVEL2	
	TRDAYPYR	II2TRNFY	IRTRNFY	TRMTNEED	2
	TRDAYPYR	II2TRNFY	IRTRNFY	TRTNEED2	2
TR12	TRDAYPMO	TRNYRTOT	IRTRNFY	LEVEL2	
	TRDAYPMO	TRNYRTOT	IRTRNFY	TRMTNEED	2
	TRDAYPMO	TRNYRTOT	IRTRNFY	TRTNEED2	2
	TRDAYPMO	IIIRNFY	IRTRNFY	LEVEL2	
	TRDAYPMO	IIIRNFY	IRTRNFY	TRMTNEED	2
	TRDAYPMO	IIIRNFY	IRTRNFY	TRTNEED2	2
	TRDAYPMO	II2TRNFY	IRTRNFY	LEVEL2	
	TRDAYPMO	II2TRNFY	IRTRNFY	TRMTNEED	2
	TRDAYPMO	II2TRNFY	IRTRNFY	TRTNEED2	2
TR13	TRDAYPWK	TRNYRTOT	IRTRNFY	LEVEL2	
	TRDAYPWK	TRNYRTOT	IRTRNFY	TRMTNEED	2
	TRDAYPWK	TRNYRTOT	IRTRNFY	TRTNEED2	2
	TRDAYPWK	IIIRNFY	IRTRNFY	LEVEL2	
	TRDAYPWK	IIIRNFY	IRTRNFY	TRMTNEED	2
	TRDAYPWK	IIIRNFY	IRTRNFY	TRTNEED2	2
	TRDAYPWK	II2TRNFY	IRTRNFY	LEVEL2	
	TRDAYPWK	II2TRNFY	IRTRNFY	TRMTNEED	2
	TRDAYPWK	II2TRNFY	IRTRNFY	TRTNEED2	2
		TRTOTFG			
		TRFQFLG			
ST01	METHDES				
ST02	DIETPILS			DIETPIL2	
ST03	RITMPHEN			RITMPHE2	
ST04	STMCARD			OTHSTM	
ST04A	CYLERT			CYLERT2	
ST04A	DEXED			DEXED2	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

ST04A	DETAMP			DETAMP2	
ST04A	DIDREX			DIDREX2	
ST04A	ESKAT			ESKAT2	
ST04A	IONAMIN			IONAMIN2	
ST04A	MAZANOR			MAZANOR2	
ST04A	OBLA			OBLA2	
ST04A	PLEGINE			PLEGINE2	
ST04A	PRELUDIN			PRELUDN2	
ST04A	SANOREX			SANOREX2	
ST04A	TENUATE			TENUATE2	
ST05	STMNOLST			OTHSTM	
ST05A	STIMNEWA				
ST05B	STIMNEWB				
ST05C	STIMNEWC				
ST05D	STIMNEWD				
ST05E	STIMNEWE				
ST06	STIMAGE	IISTMAGE	IRSTMAGE	STMAFU	
	STIMAGE	FISTMDAT	IRSTMAGE	STMAFU	
		IRSTMDFU	IRSTMAGE	STMAFU	
		IISTMDFU	IRSTMAGE	STMAFU	
ST07A	STIMYFU	IISTMYFU	IRSTMYFU		
ST07B	STIMYFU	IISTMYFU	IRSTMYFU		
ST08A	STIMYFU	IISTMYFU	IRSTMYFU		
		IRSTMDFU	IRSTMYFU		
		IISTMDFU	IRSTMYFU		
ST08A	STIMMFU	IISTMMFU	IRSTMMFU		
ST08B	STIMMFU	IISTMMFU	IRSTMMFU		
		IRSTMDFU	IRSTMMFU		
		IISTMDFU	IRSTMMFU		
ST09	STIMREC	IISTMRC	IRSTMRC	STMFLAG	
	STIMREC	IISTMRC	IRSTMRC	SUMFLAG	1
	STIMREC	IISTMRC	IRSTMRC	PSYFLAG2	1
	STIMREC	IISTMRC	IRSTMRC	MJOFLAG	1
	STIMREC	IISTMRC	IRSTMRC	IEMFLAG	1
	STIMREC	IISTMRC	IRSTMRC	STMYR	
	STIMREC	IISTMRC	IRSTMRC	SUMYR	1
	STIMREC	IISTMRC	IRSTMRC	PSYYR2	1
	STIMREC	IISTMRC	IRSTMRC	MJOYR2	1
	STIMREC	IISTMRC	IRSTMRC	IEMYR	1
	STIMREC	IISTMRC	IRSTMRC	STMMON	
	STIMREC	IISTMRC	IRSTMRC	SUMMON	1
	STIMREC	IISTMRC	IRSTMRC	PSYMON2	1
	STIMREC	IISTMRC	IRSTMRC	MJOMON2	1
	STIMREC	IISTMRC	IRSTMRC	IEMMON	1
	STIMREC	IISTMRC	IRSTMRC	DEPSTM	
	STIMREC	IISTMRC	IRSTMRC	STMFLAG	
	STIMREC	IISTMRC	IRSTMRC	SUMFLAG	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

	STIMREC	II2STMRC	IRSTMRC	PSYFLAG2	1
	STIMREC	II2STMRC	IRSTMRC	MJOFLAG	1
	STIMREC	II2STMRC	IRSTMRC	IEMFLAG	1
	STIMREC	II2STMRC	IRSTMRC	STMYR	
	STIMREC	II2STMRC	IRSTMRC	SUMYR	1
	STIMREC	II2STMRC	IRSTMRC	PSYR2	1
	STIMREC	II2STMRC	IRSTMRC	MJOYR2	1
	STIMREC	II2STMRC	IRSTMRC	IEMYR	1
	STIMREC	II2STMRC	IRSTMRC	STMMON	
	STIMREC	II2STMRC	IRSTMRC	SUMMON	1
	STIMREC	II2STMRC	IRSTMRC	PSYMON2	1
	STIMREC	II2STMRC	IRSTMRC	MJOMON2	1
	STIMREC	II2STMRC	IRSTMRC	IEMMON	1
	STIMREC	II2STMRC	IRSTMRC	DEPSTM	
ST10	STBSTWAY				
ST11	STDAYPYR	STMYRTOT	IRSTMFY	LEVEL2	
	STDAYPYR	STMYRTOT	IRSTMFY	TRMTNEED	2
	STDAYPYR	STMYRTOT	IRSTMFY	TRTNEED2	2
	STDAYPYR	IISTMFY	IRSTMFY	LEVEL2	
	STDAYPYR	IISTMFY	IRSTMFY	TRMTNEED	2
	STDAYPYR	IISTMFY	IRSTMFY	TRTNEED2	2
	STDAYPYR	II2STMFY	IRSTMFY	LEVEL2	
	STDAYPYR	II2STMFY	IRSTMFY	TRMTNEED	2
	STDAYPYR	II2STMFY	IRSTMFY	TRTNEED2	2
ST12	STDAYPMO	STMYRTOT	IRSTMFY	LEVEL2	
	STDAYPMO	STMYRTOT	IRSTMFY	TRMTNEED	2
	STDAYPMO	STMYRTOT	IRSTMFY	TRTNEED2	2
	STDAYPMO	IISTMFY	IRSTMFY	LEVEL2	
	STDAYPMO	IISTMFY	IRSTMFY	TRMTNEED	2
	STDAYPMO	IISTMFY	IRSTMFY	TRTNEED2	2
	STDAYPMO	II2STMFY	IRSTMFY	LEVEL2	
	STDAYPMO	II2STMFY	IRSTMFY	TRMTNEED	2
	STDAYPMO	II2STMFY	IRSTMFY	TRTNEED2	2
ST13	STDAYPWK	STMYRTOT	IRSTMFY	LEVEL2	
	STDAYPWK	STMYRTOT	IRSTMFY	TRMTNEED	2
	STDAYPWK	STMYRTOT	IRSTMFY	TRTNEED2	2
	STDAYPWK	IISTMFY	IRSTMFY	LEVEL2	
	STDAYPWK	IISTMFY	IRSTMFY	TRMTNEED	2
	STDAYPWK	IISTMFY	IRSTMFY	TRTNEED2	2
	STDAYPWK	II2STMFY	IRSTMFY	LEVEL2	
	STDAYPWK	II2STMFY	IRSTMFY	TRMTNEED	2
	STDAYPWK	II2STMFY	IRSTMFY	TRTNEED2	2
		STTOTFG			
		STFQFLG			
ST14	METHAGE	IIMTHAGE	IRMTHAGE		
	METHAGE	FIMTHDAT	IRMTHAGE		
		IRMTHDFU	IRMTHAGE		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

		IIMTHDFU	IRMTHAGE		
ST14A	METHYFU	IIMTHYFU	IRMTHYFU		
ST14B	METHYFU	IIMTHYFU	IRMTHYFU		
ST14C	METHYFU	IIMTHYFU	IRMTHYFU		
		IRMTHDFU	IRMTHYFU		
		IIMTHDFU	IRMTHYFU		
ST14C	METHMFU	IIMTHMFU	IRMTHMFU		
ST14D	METHMFU	IIMTHMFU	IRMTHMFU		
		IRMTHDFU	IRMTHMFU		
		IIMTHDFU	IRMTHMFU		
ST15	METHREC	IIMTHRC	IRMTHRC	MTHFLAG	
ST15	METHREC	IIMTHRC	IRMTHRC	MTHYR	
ST15	METHREC	IIMTHRC	IRMTHRC	MTHMON	
	METHREC	II2MTHRC	IRMTHRC	MTHFLAG	
	METHREC	II2MTHRC	IRMTHRC	MTHYR	
	METHREC	II2MTHRC	IRMTHRC	MTHMON	
SV01	METHAQ			METHAQ2	
SV02	NEMBBARB			NEMBBAR2	
SV03	RESTTMAZ			RESTTMA2	
SV04	SEDCARD			OTHSED	
SV04A	AMYTAL			AMYTAL2	
SV04A	BUTISOL			BUTISOL2	
SV04A	CHHYD			CHHYD2	
SV04A	DALMANE			DALMANE2	
SV04A	HALCION			HALCION2	
SV04A	PHENOBAR			PHENOBAR2	
SV04A	PLACIDYL			PLACIDY2	
SV04A	TUINAL			TUINAL2	
SV05	SEDNOLST			OTHSED	
SV05A	SEDNEWA				
SV05B	SEDNEWB				
SV05C	SEDNEWC				
SV05D	SEDNEWD				
SV05E	SEDNEWE				
SV06	SEDAGE	IISEDAGE	IRSEDAGE	SEDAFU	
	SEDAGE	FISEDDAT	IRSEDAGE	SEDAFU	
		IRSEDDFU	IRSEDAGE	SEDAFU	
		IISEDDFU	IRSEDAGE	SEDAFU	
SV07A	SEDYFU	IISEDYFU	IRSEDYFU		
SV07B	SEDYFU	IISEDYFU	IRSEDYFU		
SV08A	SEDYFU	IISEDYFU	IRSEDYFU		
		IRSEDDFU	IRSEDYFU		
		IISEDDFU	IRSEDYFU		
SV08A	SEDMFU	IISEDMFU	IRSEDMFU		
SV08B	SEDMFU	IISEDMFU	IRSEDMFU		
		IRSEDDFU	IRSEDMFU		
		IISEDDFU	IRSEDMFU		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

SV09	SEDREC	II SEDRC	IR SEDRC	SEDFLAG	
	SEDREC	II SEDRC	IR SEDRC	SUMFLAG	1
	SEDREC	II SEDRC	IR SEDRC	PSYFLAG2	1
	SEDREC	II SEDRC	IR SEDRC	MJOFLAG	1
	SEDREC	II SEDRC	IR SEDRC	IEMFLAG	1
	SEDREC	II SEDRC	IR SEDRC	SEDYR	
	SEDREC	II SEDRC	IR SEDRC	SUMYR	1
	SEDREC	II SEDRC	IR SEDRC	PSYYR2	1
	SEDREC	II SEDRC	IR SEDRC	MJOYR2	1
	SEDREC	II SEDRC	IR SEDRC	IEMYR	1
	SEDREC	II SEDRC	IR SEDRC	SEDMON	
	SEDREC	II SEDRC	IR SEDRC	SUMMON	1
	SEDREC	II SEDRC	IR SEDRC	PSYMON2	1
	SEDREC	II SEDRC	IR SEDRC	MJOMON2	1
	SEDREC	II SEDRC	IR SEDRC	IEMMON	1
	SEDREC	II SEDRC	IR SEDRC	DEPSED	
	SEDREC	II2 SEDRC	IR SEDRC	SEDFLAG	
	SEDREC	II2 SEDRC	IR SEDRC	SUMFLAG	1
	SEDREC	II2 SEDRC	IR SEDRC	PSYFLAG2	1
	SEDREC	II2 SEDRC	IR SEDRC	MJOFLAG	1
	SEDREC	II2 SEDRC	IR SEDRC	IEMFLAG	1
	SEDREC	II2 SEDRC	IR SEDRC	SEDYR	
	SEDREC	II2 SEDRC	IR SEDRC	SUMYR	1
	SEDREC	II2 SEDRC	IR SEDRC	PSYYR2	1
	SEDREC	II2 SEDRC	IR SEDRC	MJOYR2	1
	SEDREC	II2 SEDRC	IR SEDRC	IEMYR	1
	SEDREC	II2 SEDRC	IR SEDRC	SEDMON	
	SEDREC	II2 SEDRC	IR SEDRC	SUMMON	1
	SEDREC	II2 SEDRC	IR SEDRC	PSYMON2	1
	SEDREC	II2 SEDRC	IR SEDRC	MJOMON2	1
	SEDREC	II2 SEDRC	IR SEDRC	IEMMON	1
	SEDREC	II2 SEDRC	IR SEDRC	DEPSED	
SV10	SVBSTWAY				
SV11	SVDAYPYR	SEDYRTOT	IRSEDFY	LEVEL2	
	SVDAYPYR	SEDYRTOT	IRSEDFY	TRMTNEED	2
	SVDAYPYR	SEDYRTOT	IRSEDFY	TRTNEED2	2
	SVDAYPYR	IISEDFY	IRSEDFY	LEVEL2	
	SVDAYPYR	IISEDFY	IRSEDFY	TRMTNEED	2
	SVDAYPYR	IISEDFY	IRSEDFY	TRTNEED2	2
	SVDAYPYR	II2SEDFY	IRSEDFY	LEVEL2	
	SVDAYPYR	II2SEDFY	IRSEDFY	TRMTNEED	2
	SVDAYPYR	II2SEDFY	IRSEDFY	TRTNEED2	2
SV12	SVDAYPMO	SEDYRTOT	IRSEDFY	LEVEL2	
	SVDAYPMO	SEDYRTOT	IRSEDFY	TRMTNEED	2
	SVDAYPMO	SEDYRTOT	IRSEDFY	TRTNEED2	2
	SVDAYPMO	IISEDFY	IRSEDFY	LEVEL2	
	SVDAYPMO	IISEDFY	IRSEDFY	TRMTNEED	2

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

	SVDAYPMO	IISEDFY	IRSEDFY	TRTNEED2	2
	SVDAYPMO	II2SEDFY	IRSEDFY	LEVEL2	
	SVDAYPMO	II2SEDFY	IRSEDFY	TRMTNEED	2
	SVDAYPMO	II2SEDFY	IRSEDFY	TRTNEED2	2
SV13	SVDAYPWK	SEDYRTOT	IRSEDFY	LEVEL2	
	SVDAYPWK	SEDYRTOT	IRSEDFY	TRMTNEED	2
	SVDAYPWK	SEDYRTOT	IRSEDFY	TRTNEED2	2
	SVDAYPWK	IISEDFY	IRSEDFY	LEVEL2	
	SVDAYPWK	IISEDFY	IRSEDFY	TRMTNEED	2
	SVDAYPWK	IISEDFY	IRSEDFY	TRTNEED2	2
	SVDAYPWK	II2SEDFY	IRSEDFY	LEVEL2	
	SVDAYPWK	II2SEDFY	IRSEDFY	TRMTNEED	2
	SVDAYPWK	II2SEDFY	IRSEDFY	TRTNEED2	2
		SVTOTFG			
		SVFQFLG			
SD02	HERSMOKE			HERSMOK2	
SD03	HRSMKREC			LEVEL2	1
SD03	HRSMKREC			TRMTNEED	2
SD03	HRSMKREC			TRTNEED2	2
SD04	HERSNIFF			HERSNIF2	
SD05	HRSNFREC			LEVEL2	1
SD05	HRSNFREC			TRMTNEED	2
SD05	HRSNFREC			TRTNEED2	2
SD06	GNNDLLIF			NEDLRECC	
SD06	GNNDLLIF			NEDFLAG4	
SD07	COCNEEDL				
SD08	CONDLREC			NEDLRECC	
SD08	CONDLREC			LEVEL2	1
SD08	CONDLREC			TRMTNEED	2
SD08	CONDLREC			TRTNEED2	2
SD09	HERNEEDL				
SD10	HRNDLREC			NEDLRECC	
SD10	HRNDLREC			LEVEL2	1
SD10	HRNDLREC			TRMTNEED	2
SD10	HRNDLREC			TRTNEED2	2
SD11	STNEEDLE				
SD12	STNDLREC			NEDLRECC	
SD12	STNDLREC			LEVEL2	1
SD12	STNDLREC			TRMTNEED	2
SD12	STNDLREC			TRTNEED2	2
SD13	GNNDREUS				
SD14	GNNDLSH1				
SD15	GNNDCLEN				
SD16	GNNDLSH2				
SD17	GNNDGET2				
SD1705SP	GNNDGET2				
RK01A	RSKPKCIG			GRSKPKCG	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

RK01B	RSKMJOCC			GRSKMOCC	
RK01C	RSKMJREG			GRSKMREG	
RK01D	RKTRYLSD			GRSKLTRY	
RK01E	RKLSDREG			GRSKLREG	
RK01F	RKTRYHER			GRSKHTRY	
RK01G	RKHERREG			GRSKHREG	
RK01H	RKCOCOCC			GRSKCOCC	
RK01I	RKCOCREG			GRSKCREG	
RK01J	RK5ALDLY			GRSKD4_5	
RK01K	RK5ALWK			GRSKD5WK	
RK02A	RSKDIFMJ			RDIFMJ	
RK02B	RKDIFLSD			RDIFLSD	
RK02C	RKDIFCOC			RDIFCOC	
RK02D	RKDIFCRK			RDIFCRK	
RK02E	RKDIFHER			RDIFHER	
RK03	RSKSELL			APPSELDG	
RK04A	RKFQDNGR				
RK04B	RKFQRSKY				
RK04C	RKFQPBLT				
RK04D	RKFQDBLT				
DR02A	GRTMCIG			DEPCIG	
DR03A	LAMTCIG			DEPCIG	
DR04A	BTOLCIG			DEPCIG	
DR05A	ACRDCIG			DEPCIG	
DR06A	EMPBCIG			DEPCIG	
DR07A	HLPRCIG			DEPCIG	
DR08A	UCDCIG			DEPCIG	
DR09A	WDRWCIG				
DR09B	DPRSCIG			DEPCIG	
DR09B	TRSLPCIG			DEPCIG	
DR09B	IRRITCIG			DEPCIG	
DR09B	ANXCIG			DEPCIG	
DR09B	CONCCIG			DEPCIG	
DR09B	HUNGRCIG			DEPCIG	
DR09B	RSTLSCIG			DEPCIG	
DR09B	SLHRTCIG			DEPCIG	
DR02B	GRTMALC			DEPALC	
DR03B	LAMTALC			DEPALC	
DR04B	BTOLALC			DEPALC	
DR05B	ACRDALC			DEPALC	
DR06B	EMPBALC			DEPALC	
DR07B	HLPRALC			DEPALC	
DR08B	UCDALC			DEPALC	
DR09D	WDRWALC				
DR09F	SWETALC			DEPALC	
DR09F	HSHAKALC			DEPALC	
DR09F	TRSLPALC			DEPALC	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DR09F	VOMITALC			DEPALC	
DR09F	HALUCALC			DEPALC	
DR09F	SITSTALC			DEPALC	
DR09F	ANXALC			DEPALC	
DR09F	SEIZALC			DEPALC	
DR09G	AVDWDALC			DEPALC	
DR02C	GRTMMRJ			DEPMRJ	
DR03C	LAMTMRJ			DEPMRJ	
DR04C	BTOLMRJ			DEPMRJ	
DR05C	ACRDMRJ			DEPMRJ	
DR06C	EMPBMRJ			DEPMRJ	
DR07C	HLPRMRJ			DEPMRJ	
DR08C	UCDMRJ			DEPMRJ	
DR02C	GRTMMRJ			LEVEL2	1
DR03C	LAMTMRJ			LEVEL2	1
DR04C	BTOLMRJ			LEVEL2	1
DR05C	ACRDMRJ			LEVEL2	1
DR06C	EMPBMRJ			LEVEL2	1
DR07C	HLPRMRJ			LEVEL2	1
DR08C	UCDMRJ			LEVEL2	1
DR02D	GRTMCOC			DEPCOC	
DR03D	LAMTCOC			DEPCOC	
DR04D	BTOLCOC			DEPCOC	
DR05D	ACRDCOC			DEPCOC	
DR06D	EMPBCOC			DEPCOC	
DR07D	HLPRCOC			DEPCOC	
DR08D	UCDCOC			DEPCOC	
DR09H	DPRSCOC			DEPCOC	
DR09I	WDRWCOC				
DR09J	TIREDCOC			DEPCOC	
DR09J	BDDRMCO			DEPCOC	
DR09J	SLPRBCOC			DEPCOC	
DR09J	HUNGRCOC			DEPCOC	
DR09J	SLODNCOC			DEPCOC	
DR09K	AVDWDCOC			DEPCOC	
DR02E	GRTMHER			DEPHER	
DR03E	LAMTHER			DEPHER	
DR04E	BTOLHER			DEPHER	
DR05E	ACRDHER			DEPHER	
DR06E	EMPBHER			DEPHER	
DR07E	HLPRHER			DEPHER	
DR08E	UCDHER			DEPHER	
DR09L	WDRWHER				
DR09M	DPRSHER			DEPHER	
DR09M	VOMITHER			DEPHER	
DR09M	CRAMPHER			DEPHER	
DR09M	EYNOSHER			DEPHER	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DR09M	DILATHER			DEPHER	
DR09M	DIARHER			DEPHER	
DR09M	YAWNHER			DEPHER	
DR09M	FEVERHER			DEPHER	
DR09M	TRSLPHER			DEPHER	
DR09N	AVDWDHER			DEPHER	
DR02F	GRTMHAL			DEPHAL	
DR03F	LAMTHAL			DEPHAL	
DR04F	BTOLHAL			DEPHAL	
DR05F	ACRDHAL			DEPHAL	
DR06F	EMPBHAL			DEPHAL	
DR07F	HLPRHAL			DEPHAL	
DR08F	UCDHAL			DEPHAL	
DR02G	GRTMINH			DEPINH	
DR03G	LAMTINH			DEPINH	
DR04G	BTOLINH			DEPINH	
DR05G	ACRDINH			DEPINH	
DR06G	EMPBINH			DEPINH	
DR07G	HLPRINH			DEPINH	
DR08G	UCDINH			DEPINH	
DR02H	GRTMANL			DEPANL	
DR03H	LAMTANL			DEPANL	
DR04H	BTOLANL			DEPANL	
DR05H	ACRDANL			DEPANL	
DR06H	EMPBANL			DEPANL	
DR07H	HLPRANL			DEPANL	
DR08H	UCDANL			DEPANL	
DR09O	WDRWANL				
DR09P	DPRSANL			DEPANL	
DR09P	VOMITANL			DEPANL	
DR09P	CRAMPANL			DEPANL	
DR09P	EYNOSANL			DEPANL	
DR09P	DILATANL			DEPANL	
DR09P	DIARANL			DEPANL	
DR09P	YAWNANL			DEPANL	
DR09P	FEVERANL			DEPANL	
DR09P	TRSLPANL			DEPANL	
DR09Q	AVDWDANL			DEPANL	
DR02H	GRTMANL			DEPPSYCH	1
DR03H	LAMTANL			DEPPSYCH	1
DR04H	BTOLANL			DEPPSYCH	1
DR05H	ACRDANL			DEPPSYCH	1
DR06H	EMPBANL			DEPPSYCH	1
DR07H	HLPRANL			DEPPSYCH	1
DR08H	UCDANL			DEPPSYCH	1
DR09P	DPRSANL			DEPPSYCH	1
DR09P	VOMITANL			DEPPSYCH	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DR09P	CRAMPANL			DEPPSYCH	1
DR09P	EYNOSANL			DEPPSYCH	1
DR09P	DILATANL			DEPPSYCH	1
DR09P	DIARANL			DEPPSYCH	1
DR09P	YAWNANL			DEPPSYCH	1
DR09P	FEVERANL			DEPPSYCH	1
DR09P	TRSLPANL			DEPPSYCH	1
DR09Q	AVDWDANL			DEPPSYCH	1
DR02I	GRTMTRN			DEPTRN	
DR03I	LAMTTRN			DEPTRN	
DR04I	BTOLTRN			DEPTRN	
DR05I	ACRDTRN			DEPTRN	
DR06I	EMPBTRN			DEPTRN	
DR07I	HLPRTRN			DEPTRN	
DR08I	UCDTRN			DEPTRN	
DR02I	GRTMTRN			DEPPSYCH	1
DR03I	LAMTTRN			DEPPSYCH	1
DR04I	BTOLTRN			DEPPSYCH	1
DR05I	ACRDTRN			DEPPSYCH	1
DR06I	EMPBTRN			DEPPSYCH	1
DR07I	HLPRTRN			DEPPSYCH	1
DR08I	UCDTRN			DEPPSYCH	1
DR02J	GRTMSTM			DEPSTM	
DR03J	LAMTSTM			DEPSTM	
DR04J	BTOLSTM			DEPSTM	
DR05J	ACRDSTM			DEPSTM	
DR06J	EMPBSTM			DEPSTM	
DR07J	HLPRSTM			DEPSTM	
DR08J	UCDSTM			DEPSTM	
DR09R	DPRSSTM			DEPSTM	
DR09S	WDRWSTM				
DR09T	TIREDDSTM			DEPSTM	
DR09T	BDDRMSTM			DEPSTM	
DR09T	SLPRBSTM			DEPSTM	
DR09T	HUNGRSTM			DEPSTM	
DR09T	SLODNSTM			DEPSTM	
DR09U	AVDWDSTM			DEPSTM	
DR02J	GRTMSTM			DEPPSYCH	1
DR03J	LAMTSTM			DEPPSYCH	1
DR04J	BTOLSTM			DEPPSYCH	1
DR05J	ACRDSTM			DEPPSYCH	1
DR06J	EMPBSTM			DEPPSYCH	1
DR07J	HLPRSTM			DEPPSYCH	1
DR08J	UCDSTM			DEPPSYCH	1
DR09R	DPRSSTM			DEPPSYCH	1
DR09T	TIREDDSTM			DEPPSYCH	1
DR09T	BDDRMSTM			DEPPSYCH	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DR09T	SLPRBSTM			DEPPSYCH	1
DR09T	HUNGRSTM			DEPPSYCH	1
DR09T	SLODNSTM			DEPPSYCH	1
DR09U	AVDWDSTM			DEPPSYCH	1
DR02K	GRTMSED			DEPSED	
DR03K	LAMTSED			DEPSED	
DR04K	BTOLSED			DEPSED	
DR05K	ACRDSED			DEPSED	
DR06K	EMPBSED			DEPSED	
DR07K	HLPRSED			DEPSED	
DR08K	UCDSED			DEPSED	
DR09V	WDRWSED				
DR09W	SWETSED			DEPSED	
DR09W	HSHAKSED			DEPSED	
DR09W	SLPRBSED			DEPSED	
DR09W	VOMITSED			DEPSED	
DR09W	HALUCSED			DEPSED	
DR09W	SITSTSED			DEPSED	
DR09W	ANXSED			DEPSED	
DR09W	SEIZSED			DEPSED	
DR09X	AVDWDSED			DEPSED	
DR02K	GRTMSED			DEPPSYCH	1
DR03K	LAMTSED			DEPPSYCH	1
DR04K	BTOLSED			DEPPSYCH	1
DR05K	ACRDSED			DEPPSYCH	1
DR06K	EMPBSED			DEPPSYCH	1
DR07K	HLPRSED			DEPPSYCH	1
DR08K	UCDSED			DEPPSYCH	1
DR09W	SWETSED			DEPPSYCH	1
DR09W	HSHAKSED			DEPPSYCH	1
DR09W	SLPRBSED			DEPPSYCH	1
DR09W	VOMITSED			DEPPSYCH	1
DR09W	HALUCSED			DEPPSYCH	1
DR09W	SITSTSED			DEPPSYCH	1
DR09W	ANXSED			DEPPSYCH	1
DR09W	SEIZSED			DEPPSYCH	1
DR09X	AVDWDSED			DEPILL	1
DR02K	GRTMSED			DEPILL	1
DR03K	LAMTSED			DEPILL	1
DR04K	BTOLSED			DEPILL	1
DR05K	ACRDSED			DEPILL	1
DR06K	EMPBSED			DEPILL	1
DR07K	HLPRSED			DEPILL	1
DR08K	UCDSED			DEPILL	1
DR09W	SWETSED			DEPILL	1
DR09W	HSHAKSED			DEPILL	1
DR09W	SLPRBSED			DEPILL	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DR09W	VOMITSED			DEPILL	1
DR09W	HALUCSED			DEPILL	1
DR09W	SITSTSED			DEPILL	1
DR09W	ANXSED			DEPILL	1
DR09W	SEIZSED			DEPILL	1
DR02J	GRTMSTM			DEPILL	1
DR03J	LAMTSTM			DEPILL	1
DR04J	BTOLSTM			DEPILL	1
DR05J	ACRDSTM			DEPILL	1
DR06J	EMPBSTM			DEPILL	1
DR07J	HLPRSTM			DEPILL	1
DR08J	UCDSTM			DEPILL	1
DR09R	DPRSSTM			DEPILL	1
DR09T	TIREDDSTM			DEPILL	1
DR09T	BDDRMSTM			DEPILL	1
DR09T	SLPRBSTM			DEPILL	1
DR09T	HUNGRSTM			DEPILL	1
DR09T	SLODNSTM			DEPILL	1
DR09U	AVDWDSTM			DEPILL	1
DR02I	GRTMTRN			DEPILL	1
DR03I	LAMTTRN			DEPILL	1
DR04I	BTOLTRN			DEPILL	1
DR05I	ACRDTRN			DEPILL	1
DR06I	EMPBTRN			DEPILL	1
DR07I	HLPRTRN			DEPILL	1
DR08I	UCDTRN			DEPILL	1
DR02H	GRTMANL			DEPILL	1
DR03H	LAMTANL			DEPILL	1
DR04H	BTOLANL			DEPILL	1
DR05H	ACRDANL			DEPILL	1
DR06H	EMPBANL			DEPILL	1
DR07H	HLPRANL			DEPILL	1
DR08H	UCDANL			DEPILL	1
DR09P	DPRSANL			DEPILL	1
DR09P	VOMITANL			DEPILL	1
DR09P	CRAMPANL			DEPILL	1
DR09P	EYNOSANL			DEPILL	1
DR09P	DILATANL			DEPILL	1
DR09P	DIARANL			DEPILL	1
DR09P	YAWNANL			DEPILL	1
DR09P	FEVERANL			DEPILL	1
DR09P	TRSLPANL			DEPILL	1
DR09Q	AVDWDANL			DEPILL	1
DR02C	GRTMMRJ			DEPILL	1
DR03C	LAMTMRJ			DEPILL	1
DR04C	BTOLMRJ			DEPILL	1
DR05C	ACRDMRJ			DEPILL	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DR06C	EMPBMRJ			DEPILL	1
DR07C	HLPRMRJ			DEPILL	1
DR08C	UCDMRJ			DEPILL	1
DR02D	GRTMCOC			DEPILL	1
DR03D	LAMTCOC			DEPILL	1
DR04D	BTOLCOC			DEPILL	1
DR05D	ACRDCOC			DEPILL	1
DR06D	EMPBCOC			DEPILL	1
DR07D	HLPRCOC			DEPILL	1
DR08D	UCDCOC			DEPILL	1
DR09H	DPRSCOC			DEPILL	1
DR09J	TIREDCOC			DEPILL	1
DR09J	BDDRMCO			DEPILL	1
DR09J	SLPRBCOC			DEPILL	1
DR09J	HUNGRCOC			DEPILL	1
DR09J	SLODNCOC			DEPILL	1
DR09K	AVDWDCOC			DEPILL	1
DR02G	GRTMINH			DEPILL	1
DR03G	LAMTINH			DEPILL	1
DR04G	BTOLINH			DEPILL	1
DR05G	ACRDINH			DEPILL	1
DR06G	EMPBINH			DEPILL	1
DR07G	HLPRINH			DEPILL	1
DR08G	UCDINH			DEPILL	1
DR02F	GRTMHAL			DEPILL	1
DR03F	LAMTHAL			DEPILL	1
DR04F	BTOLHAL			DEPILL	1
DR05F	ACRDHAL			DEPILL	1
DR06F	EMPBHAL			DEPILL	1
DR07F	HLPRHAL			DEPILL	1
DR08F	UCDHAL			DEPILL	1
DR02E	GRTMHER			DEPILL	1
DR03E	LAMTHER			DEPILL	1
DR04E	BTOLHER			DEPILL	1
DR05E	ACRDHER			DEPILL	1
DR06E	EMPBHER			DEPILL	1
DR07E	HLPRHER			DEPILL	1
DR08E	UCDHER			DEPILL	1
DR09M	DPRSHER			DEPILL	1
DR09M	VOMITHER			DEPILL	1
DR09M	CRAMPHER			DEPILL	1
DR09M	EYNOSHER			DEPILL	1
DR09M	DILATHER			DEPILL	1
DR09M	DIARHER			DEPILL	1
DR09M	YAWNHER			DEPILL	1
DR09M	FEVERHER			DEPILL	1
DR09M	TRSLPHER			DEPILL	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DR09N	AVDWDHER			DEPILL	1
DR02B	GRTMALC			DILORALC	2
DR03B	LAMTALC			DILORALC	2
DR04B	BTOLALC			DILORALC	2
DR05B	ACRDALC			DILORALC	2
DR06B	EMPBALC			DILORALC	2
DR07B	HLPRALC			DILORALC	2
DR08B	UCDALC			DILORALC	2
DR09F	SWETALC			DILORALC	2
DR09F	HSHAKALC			DILORALC	2
DR09F	TRSLPALC			DILORALC	2
DR09F	VOMITALC			DILORALC	2
DR09F	HALUCALC			DILORALC	2
DR09F	SITSTALC			DILORALC	2
DR09F	ANXALC			DILORALC	2
DR09F	SEIZALC			DILORALC	2
DR09G	AVDWDALC			DILORALC	2
DR02B	GRTMALC			DILANALC	2
DR03B	LAMTALC			DILANALC	2
DR04B	BTOLALC			DILANALC	2
DR05B	ACRDALC			DILANALC	2
DR06B	EMPBALC			DILANALC	2
DR07B	HLPRALC			DILANALC	2
DR08B	UCDALC			DILANALC	2
DR09F	SWETALC			DILANALC	2
DR09F	HSHAKALC			DILANALC	2
DR09F	TRSLPALC			DILANALC	2
DR09F	VOMITALC			DILANALC	2
DR09F	HALUCALC			DILANALC	2
DR09F	SITSTALC			DILANALC	2
DR09F	ANXALC			DILANALC	2
DR09F	SEIZALC			DILANALC	2
DR09G	AVDWDALC			DILANALC	2
DR09X	AVDWDSED			LEVEL2	1
DR02K	GRTMSED			LEVEL2	1
DR03K	LAMTSED			LEVEL2	1
DR04K	BTOLSED			LEVEL2	1
DR05K	ACRDSED			LEVEL2	1
DR06K	EMPBSED			LEVEL2	1
DR07K	HLPRSED			LEVEL2	1
DR08K	UCDSED			LEVEL2	1
DR09W	SWETSED			LEVEL2	1
DR09W	HSHAKSED			LEVEL2	1
DR09W	SLPRBSED			LEVEL2	1
DR09W	VOMITSED			LEVEL2	1
DR09W	HALUCSED			LEVEL2	1
DR09W	SITSTSED			LEVEL2	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DR09W	ANXSED			LEVEL2	1
DR09W	SEIZSED			LEVEL2	1
DR02J	GRTMSTM			LEVEL2	1
DR03J	LAMTSTM			LEVEL2	1
DR04J	BTOLSTM			LEVEL2	1
DR05J	ACRDSTM			LEVEL2	1
DR06J	EMPBSTM			LEVEL2	1
DR07J	HLPRSTM			LEVEL2	1
DR08J	UCDSTM			LEVEL2	1
DR09R	DPRSSTM			LEVEL2	1
DR09T	TIREDDSTM			LEVEL2	1
DR09T	BDDRMSTM			LEVEL2	1
DR09T	SLPRBSTM			LEVEL2	1
DR09T	HUNGRSTM			LEVEL2	1
DR09T	SLODNSTM			LEVEL2	1
DR09U	AVDWDSTM			LEVEL2	1
DR02I	GRTMTRN			LEVEL2	1
DR03I	LAMTTRN			LEVEL2	1
DR04I	BTOLTRN			LEVEL2	1
DR05I	ACRDTRN			LEVEL2	1
DR06I	EMPBTRN			LEVEL2	1
DR07I	HLPRTRN			LEVEL2	1
DR08I	UCDTRN			LEVEL2	1
DR02H	GRTMANL			LEVEL2	1
DR03H	LAMTANL			LEVEL2	1
DR04H	BTOLANL			LEVEL2	1
DR05H	ACRDANL			LEVEL2	1
DR06H	EMPBANL			LEVEL2	1
DR07H	HLPRANL			LEVEL2	1
DR08H	UCDANL			LEVEL2	1
DR09P	DPRSANL			LEVEL2	1
DR09P	VOMITANL			LEVEL2	1
DR09P	CRAMPANL			LEVEL2	1
DR09P	EYNOSANL			LEVEL2	1
DR09P	DILATANL			LEVEL2	1
DR09P	DIARANL			LEVEL2	1
DR09P	YAWNANL			LEVEL2	1
DR09P	FEVERANL			LEVEL2	1
DR09P	TRSLPANL			LEVEL2	1
DR09Q	AVDWDANL			LEVEL2	1
DR02D	GRTMCOC			LEVEL2	1
DR03D	LAMTCOC			LEVEL2	1
DR04D	BTOLCOC			LEVEL2	1
DR05D	ACRDCOC			LEVEL2	1
DR06D	EMPBCOC			LEVEL2	1
DR07D	HLPRCOC			LEVEL2	1
DR08D	UCDCOC			LEVEL2	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DR09H	DPRSCOC			LEVEL2	1
DR09J	TIREDCOC			LEVEL2	1
DR09J	BDDRMCO			LEVEL2	1
DR09J	SLPRBCOC			LEVEL2	1
DR09J	HUNGRCOC			LEVEL2	1
DR09J	SLODNCOC			LEVEL2	1
DR09K	AVDWDCOC			LEVEL2	1
DR02G	GRTMINH			LEVEL2	1
DR03G	LAMTINH			LEVEL2	1
DR04G	BTOLINH			LEVEL2	1
DR05G	ACRDINH			LEVEL2	1
DR06G	EMPBINH			LEVEL2	1
DR07G	HLPRINH			LEVEL2	1
DR08G	UCDINH			LEVEL2	1
DR02F	GRTMHAL			LEVEL2	1
DR03F	LAMTHAL			LEVEL2	1
DR04F	BTOLHAL			LEVEL2	1
DR05F	ACRDHAL			LEVEL2	1
DR06F	EMPBHAL			LEVEL2	1
DR07F	HLPRHAL			LEVEL2	1
DR08F	UCDHAL			LEVEL2	1
DR02E	GRTMHER			LEVEL2	1
DR03E	LAMTHER			LEVEL2	1
DR04E	BTOLHER			LEVEL2	1
DR05E	ACRDHER			LEVEL2	1
DR06E	EMPBHER			LEVEL2	1
DR07E	HLPRHER			LEVEL2	1
DR08E	UCDHER			LEVEL2	1
DR09M	DPRSHER			LEVEL2	1
DR09M	VOMITHER			LEVEL2	1
DR09M	CRAMPHER			LEVEL2	1
DR09M	EYNOSHER			LEVEL2	1
DR09M	DILATHER			LEVEL2	1
DR09M	DIARHER			LEVEL2	1
DR09M	YAWNHER			LEVEL2	1
DR09M	FEVERHER			LEVEL2	1
DR09M	TRSLPHER			LEVEL2	1
DR09N	AVDWDHER			LEVEL2	1
DR02B	GRTMALC			TRTNEED2	2
DR03B	LAMTALC			TRTNEED2	2
DR04B	BTOLALC			TRTNEED2	2
DR05B	ACRDALC			TRTNEED2	2
DR06B	EMPBALC			TRTNEED2	2
DR07B	HLPRALC			TRTNEED2	2
DR08B	UCDALC			TRTNEED2	2
DR09F	SWETALC			TRTNEED2	2
DR09F	HSHAKALC			TRTNEED2	2

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DR09F	TRSLPALC			TRTNEED2	2
DR09F	VOMITALC			TRTNEED2	2
DR09F	HALUCALC			TRTNEED2	2
DR09F	SITSTALC			TRTNEED2	2
DR09F	ANXALC			TRTNEED2	2
DR09F	SEIZALC			TRTNEED2	2
DR09G	AVDWDALC			TRTNEED2	2
SP06	BOOKED				
SP07	NOBOOKY2				
SP08A	BKLARCNY				
SP08B	BKBURGL				
SP08C	BKAGASLT				
SP08D	BKSMASLT				
SP08E	BKMVTHFT				
SP08F	BKROB				
SP08G	BKRAPE				
SP08H	BKMURDER				
SP08I	BKARSON				
SP08J	BKDRVINF				
SP08K	BKDRUNK				
SP08L	BKDRUG				
SP08M	BKPROS				
SP08N	BKVANDAL				
SP08O	BKOTH				
SP08OSP	BKOTHOF2				
SP09	PROBATON				
SP10	PAROLE				
SP11A	DRVALDR				
SP11B	DRIVEAL				
SP11C	DRIVEDR				
TX01	TXEVER			DRNKHHELP	
TX01	TXEVER			DRUGHELP	
TX01	TXEVER			SUBSHELP	1
TX02	TXYREVER			DRNKHHELP	
TX02	TXYREVER			DRUGHELP	
TX02	TXYREVER			SUBSHELP	1
TX02A	TXYRADG			DRNKHHELP	
TX02A	TXYRADG			DRUGHELP	
TX02A	TXYRADG			SUBSHELP	1
TX02A	TXYRADG			TRMTSPEC	
TX02A	TXYRADG			TRMTNEED	2
TX02A	TXYRADG			TRTNEED2	2
TX03A	TXYRHOSP			TRMTSPEC	
TX03A	TXYRHOSP			TRMTNEED	2
TX03A	TXYRHOSP			TRTNEED2	2
TX03B	TXYRRFIN			TRMTSPEC	
TX03B	TXYRRFIN			TRMTNEED	2

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

TX03B	TXYRRFIN			TRTNEED2	2
TX03C	TXYRRFOP			TRMTSPEC	
TX03C	TXYRRFOP			TRMTNEED	2
TX03C	TXYRRFOP			TRTNEED2	2
TX03D	TXYRMHC			TRMTSPEC	
TX03D	TXYRMHC			TRMTNEED	2
TX03D	TXYRMHC			TRTNEED2	2
TX02A	TXYRADG			LEVEL2	1
TX03A	TXYRHOSP			LEVEL2	1
TX03B	TXYRRFIN			LEVEL2	1
TX03C	TXYRRFOP			LEVEL2	1
TX03D	TXYRMHC			LEVEL2	1
TX03E	TXYRTXER			TRMTNEED	2
TX03E	TXYRTXER			TRTNEED2	2
TX03F	TXYRDOC			TRMTNEED	2
TX03F	TXYRDOC			TRTNEED2	2
TX03G	TXYRJAIL			TRMTNEED	2
TX03G	TXYRJAIL			TRTNEED2	2
TX03H	TXYRSHG			TRMTNEED	2
TX03H	TXYRSHG			TRTNEED2	2
TX03I	TXYRSOP			TRMTNEED	2
TX03I	TXYRSOP			TRTNEED2	2
TX03I1	TXYROTS2				
TX08A	TXYRVSER				
TX08B	TXYRNMER				
TX09	NDTXNEED				
TX10	NDTXALC				
TX11A	NDTXMJ				
TX11B	NDTXCOC				
TX11C	NDTXHER				
TX11D	NDTXHAL				
TX11E	NDTXINH				
TX11F	NDTXANL				
TX11G	NDTXTRAN				
TX11H	NDTXSTIM				
TX11I	NDTXSED				
TX11J	NDTXSOD				
TX11J1	NDTXDRG1				
TX11J2	NDTXDRG2				
TX11J3	NDTXDRG3				
TX11J4	NDTXDRG4				
TX11J5	NDTXDRG5				
TX12	NDTXEFRT				
TX16	TXADGREC				
TX17	TXLTMAI2				
TX17A	TXLTMAI2				
TX18A	TXLTALC				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

TX18B	TXLTMJ				
TX18C	TXLTCOC				
TX18D	TXLTHER				
TX18E	TXLTHAL				
TX18F	TXLTINH				
TX18G	TXLTANL				
TX18H	TXLTTRAN				
TX18I	TXLTSTIM				
TX18J	TXLTSED				
TX18K	TXLTSOD				
TX18K1	TXLTA				
TX18K2	TXLTB				
TX18K3	TXLTC				
TX18K4	TXLTD				
TX18K5	TXLTE				
TX19	TXLTPRIM				
TX20	TXOUTC2				
TX20A	TXOUTC2				
TX21	TXLTDUR2				
TX21DAY1	TXLTDUR2				
TX21DAY2	TXLTDUR2				
TX21MON1	TXLTDUR2				
TX21MON2	TXLTDUR2				
TX22A	TXPDINS				
TX22B	TXPDCARE				
TX22C	TXPDCAID				
TX22D	TXPDPUBP				
TX22E	TXPDSAVE				
TX22F	TXPDFMLY				
TX22G	TXPDCORT				
TX22H	TXPDMILC				
TX22I	TXPDEEMPL				
TX22J	TXPDFRE				
TX22K	TXPDSOS				
TX22K1	TXPDSP2				
TX23	TXENROLL				
SEN01	SNLIVNBR				
SEN02A	SNCRIME				
SEN02B	SNSELLDG				
SEN02C	SNPPVAL				
SEN02D	SNSTFGT				
SEN02E	SNEMTBLD				
SEN02F	SNPPHLP				
SEN02G	SNGRAFTI				
SEN02H	SNPPVSIT				
SEN02I	SNPPMOVE				
SEN03A	SNAPKCIG				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

SEN03B	SNAMJEVR				
SEN03C	SNAALDLY				
SEN03D	SNAALDRV				
SEN04	SNMOV5Y2				
SEN05	SNPPHLD				
SEN06A	SNINSULT				
SEN06B	SNSRARGU				
SEN06C	SNSMARGU				
SEN07	SNSPOUSE				
SEN08A	SNSPACTV				
SEN08B	SNSPANGR				
SEN08C	SNSPHITU				
SEN08D	SNYHITSP				
SEN09	SNSPCRIT				
SEN10	SNSPCONC				
SEN11A	SNFRCONC				
SEN11B	SNFRACTV				
SEN11C	SNFRCARE				
SEN12A	SNYSELL				
SEN12B	SNYSTOLE				
SEN12C	SNYATTAK				
SEN13A	SNFACIG				
SEN13B	SNFAMJEV				
SEN13C	SNFAALDY				
SEN13D	SNFAALDV				
SEN14A	SNFDCIG				
SEN14B	SNFDMJ				
SEN14C	SNFDALC				
SEN14D	SNFDDRNK				
YE01	YELIVNBR			LIVNBRHD	
YE02A	YECRIME			NGHDCRIM	
YE02B	YESELLDG			NGHDSELL	
YE02C	YEPPLP			NGHDHELP	
YE02D	YESTFGT			NGHDFGHT	
YE02E	YEEMTBLD			NGHDBLDG	
YE02F	YEPVSIT			NGHDVSIT	
YE02G	YEGRAFTI			NGHDGRAF	
YE02H	YEPMOVE			NGHDMOVE	
YE03A	YEAPKCIG			ADFLPKCG	
YE03B	YEAMJEVR			ADFLTMRJ	
YE03C	YEAALDLY			ADFLALDY	
YE04	YEMOV5Y2			MOVIN5YR	
YE05A	YEADOCIG			ADULTCIG	
YE05B	YEADOMRJ			ADULTMRJ	
YE05C	YEADOALC			ADULTALC	
YE05D	YEADODNK			ADULTDRK	
YE09	YEENRLYR				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

YE10	YESCHFLT				
YE11	YESCHWRK				
YE12	YESCHIMP				
YE13	YESCHINT				
YE14	YETCGJOB				
YE15	YELSTGRD				
YE16A	YESTSCIG				
YE16B	YESTSMJ				
YE16C	YESTSALC				
YE16D	YESTSDNK				
YE17A	YETRSCIG				
YE17B	YETRPDAL				
YE17C	YETRPUDG				
YE06A	YEPCHKHW				
YE06B	YEPHLPBW				
YE06C	YEPCHORE			PARCHORE	
YE06D	YEPLMTTV			PARLMTTV	
YE06E	YEPLMTSN				
YE06F	YEPGDJOB			PARGDJOB	
YE06G	YEPPROUD			PARPROUD	
YE18A	YEYARGUP			YTHARGUE	
YE18B	YEYFGTSW			YTHFIGHT	
YE18C	YEYFGTGP			YTHGRPFT	
YE18D	YEYHGUN			YTHHGUN	
YE18E	YEYSELL			YTHSELL	
YE18F	YEYSTOLE			YTHSTOLE	
YE18G	YEYATTAK			YTHATTAK	
YE07A	YEPKPCIG			PARPKCIG	
YE07B	YEPMJVR			PARMJVR	
YE07C	YEPALDLY			PARALDLY	
YE19A	YEGPKCIG			YTFLPKCG	
YE19B	YEGMJVR			YTFLTMRJ	
YE19C	YEGALDLY			YTFLADLY	
YE20A	YEFKPCIG			FRDPKCIG	
YE20B	YEFMJVR			FRDMJEVR	
YE20C	YEFALDLY			FRDALDLY	
YE21A	YEFDCIG			FRNDCIG	
YE21B	YEFDMJ			FRNDMJ	
YE21C	YEFDALC			FRNDALC	
YE21D	YEFDDNK			FRNDDNK	
YE22	YETLKNON			TLKNON	
YE22	YETLKMOM			TLKMOM	
YE22	YETLKDAD			TLKDAD	
YE22	YETLKGPR			TLKADULT	
YE22	YETLKBGF			TLKBGF	
YE22	YETLKSIB			TLKNONAD	
YE22	YETLKSOR			TLKOTHER	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

YE22	YETLKFRN			TLKNONAD	
YE22	YETLKNBR			TLKOTHER	
YE22	YETLK TCH			TLKADULT	
YE22	YETLKPSY			TLKADULT	
YE22	YETLKCLG			TLKADULT	
YE22	YETLKSOP			TLKOTHER	
YE22	YETLKSP				
YE08	YEPARDNG			PRTALK2	
YE23A	YEBIGBRO			ACTALL	
YE23B	YEPRBSLV			PRBSOLV	
YE23B	YEPRBSLV			ACTSEL	
YE23B	YEPRBSLV			ACTALL	
YE23C	YEVIOPRV			PREVIOL	
YE23C	YEVIOPRV			ACTALL	
YE23C	YEVIOPRV			ACTSEL	
YE23D	YEYMCA			ACTALL	
YE23E	YESCOUTS			ACTALL	
YE23F	YEPRVLES			ACTALL	
YE23G	YEDGPRGP			PRVDRGO	
YE23G	YEDGPRGP			ACTSEL	
YE23G	YEDGPRGP			ACTALL	
YE23H	YETEMSPT			ACTALL	
YE23I	YE4HCLUB			ACTALL	
YE23J	YESLFHLP			GRPCNSL	
YE23J	YESLFHLP			ACTSEL	
YE23J	YESLFHLP			ACTALL	
YE23K	YEBAND			ACTALL	
YE23L	YESCHCLB			ACTALL	
YE23M	YEVOLUNT			ACTALL	
YE23N	YESTGOVT			ACTALL	
YE23O	YEPRGSTD			PREGPGM	
YE23O	YEPRGSTD			ACTSEL	
YE23O	YEPRGSTD			ACTALL	
YE23P	YEJBSKIL			ACTALL	
YE23Q	YECHOIR			ACTALL	
YE24A	YEDECLAS			DRGSPCLS	
YE24A	YEDECLAS			ANYEDUC2	
YE24B	YEDERGLR			ANYEDUC2	
YE24B	YEDERGLR			DRGRGCLS	
YE24C	YEDESPCL			ANYEDUC2	
YE24C	YEDESPCL			DRUGLECT	
YE25	YEPVNTYR			DRPRVME2	
QD13	MOVESPY2				
QD14	BORNINUS				
QD16	LIVEDUSA				
QD17	ENROLED			COLLEGE2	1
QD17	ENROLED				1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

QD18	EDUCNOW2			COLLEGE2	1
QD18	EDUCNOW2				1
QD19	STUDNT			COLLEGE2	1
QD19	STUDNT				1
QD20	SCHDSICK				
QD21	SCHDSKIP				
QD22	HSDIPLMA				
QD23	HSGED				
QD24A	LFSCHRS2				
QD24B	LFSCHRS2				
QD25	LFTSCHA2				
QD26		JOBSTAT2	EMPSTAT3		
QD26		IIEMPST3	EMPSTAT3		
QD26		JBSTATR2	EMPSTAT4		
QD26		IIEMPST4	EMPSTAT4		
QD27	WRKHAVJB				
QD28	WRKHRSWK				
QD29		JOBSTAT2	EMPSTAT3		
QD29		JBSTATR2	EMPSTAT4		
QD29		IIEMPST4	EMPSTAT4		
QD30		JOBSTAT2	EMPSTAT3		
QD30		JBSTATR2	EMPSTAT4		
QD30		IIEMPST4	EMPSTAT4		
QD30A		JOBSTAT2	EMPSTAT3		
QD31A		JOBSTAT2	EMPSTAT3		
QD31A		JBSTATR2	EMPSTAT4		
QD31A		IIEMPST4	EMPSTAT4		
QD31B		JOBSTAT2	EMPSTAT3		
QD31B		JBSTATR2	EMPSTAT4		
QD31B		IIEMPST4	EMPSTAT4		
QD32	WRKEFFRT				
QD32	WRKEFFRT	JBSTATR2	EMPSTAT4		
QD32	WRKEFFRT	IIEMPST4	EMPSTAT4		
QD33	WRKEDYR				
QD33	WRKEDYR	JBSTATR2	EMPSTAT4		
QD33	WRKEDYR	IIEMPST4	EMPSTAT4		
QD35B	WRKJOBS2				
QD36	WRKUNEMP				
QD37	WRKUNWKS				
QD38	WRKLASY2				
NQ1	WORKDAYS				
NQ2	WORKBLAH				
QD39	LOCSIZE				
QD40	DRGPLCY				
QD41	PLCYCOV				
QD42	WKDRGED				
QD43	DRGPRGM				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

QD44A	USALCTST				
QD44B	USDRGTST				
QD45A	TSTHIRE				
QD45B	TSTRAND				
QD46	FIRSTPOS				
QD47	WRKHIRE				
QD48	WORKRAND				
RELATTEN	RLGSVCYR				
RELBELF1	RLGIMPRT				
RELBELF2	RLGDECSN				
RELBELF3	RLGFRNDS				
QD49		IIHHSIZ2	IRHHSIZ2		
PERAGEYR		IIKI17_2	IRKI17_2		
PERAGEYR		IIHH65_2	IRHH65_2		
MRELATON	IFATHER				
MRELATON				NRCH17_2	
FRELATON	IMOTHER				
FRELATON				NRCH17_2	
PERAGEY2		IIKI17_2	IRKI17_2		
PERAGEY2		IIHH65_2	IRHH65_2		
MRELATO2	IFATHER				
MRELATO2				NRCH17_2	
FRELATO2	IMOTHER				
FRELATO2				NRCH17_2	
PERAGEY3		IIKI17_2	IRKI17_2		
PERAGEY3		IIHH65_2	IRHH65_2		
MRELATO3	IFATHER				
MRELATO3				NRCH17_2	
FRELATO3	IFATHER				
FRELATO3				NRCH17_2	
PERAGEY4		IIKI17_2	IRKI17_2		
PERAGEY4		IIHH65_2	IRHH65_2		
MRELATO4	IFATHER				
MRELATO4				NRCH17_2	
FRELATO4	IFATHER				
FRELATO4				NRCH17_2	
PERAGEY5		IIKI17_2	IRKI17_2		
PERAGEY5		IIHH65_2	IRHH65_2		
MRELATO5	IFATHER				
MRELATO5				NRCH17_2	
FRELATO5	IFATHER				
FRELATO5				NRCH17_2	
PERAGEY6		IIKI17_2	IRKI17_2		
PERAGEY6		IIHH65_2	IRHH65_2		
MRELATO6	IFATHER				
MRELATO6				NRCH17_2	
FRELATO6	IFATHER				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

FRELATO6				NRCH17_2	
PERAGEY7		IIKI17_2	IRKI17_2		
PERAGEY7		IIHH65_2	IRHH65_2		
MRELATO7	IFATHER				
MRELATO7				NRCH17_2	
FRELATO7	IFATHER				
FRELATO7				NRCH17_2	
PERAGEY8		IIKI17_2	IRKI17_2		
PERAGEY8		IIHH65_2	IRHH65_2		
MRELATO8	IFATHER				
MRELATO8				NRCH17_2	
FRELATO8	IFATHER				
FRELATO8				NRCH17_2	
PERAGEY9		IIKI17_2	IRKI17_2		
PERAGEY9		IIHH65_2	IRHH65_2		
MRELATO9	IFATHER				
MRELATO9				NRCH17_2	
FRELATO9	IFATHER				
FRELATO9				NRCH17_2	
PERAGE10		IIKI17_2	IRKI17_2		
PERAGE10		IIHH65_2	IRHH65_2		
MRELAT10	IFATHER				
MRELAT10				NRCH17_2	
FRELAT10	IFATHER				
FRELAT10				NRCH17_2	
PERAGE11		IIKI17_2	IRKI17_2		
PERAGE11		IIHH65_2	IRHH65_2		
MRELAT11	IFATHER				
MRELAT11				NRCH17_2	
FRELAT11	IFATHER				
FRELAT11				NRCH17_2	
PERAGE12		IIKI17_2	IRKI17_2		
PERAGE12		IIHH65_2	IRHH65_2		
MRELAT12	IFATHER				
MRELAT12				NRCH17_2	
FRELAT12	IFATHER				
FRELAT12				NRCH17_2	
PERAGE13		IIKI17_2	IRKI17_2		
PERAGE13		IIHH65_2	IRHH65_2		
MRELAT13	IFATHER				
MRELAT13				NRCH17_2	
FRELAT13	IFATHER				
FRELAT13				NRCH17_2	
PERAGE14		IIKI17_2	IRKI17_2		
PERAGE14		IIHH65_2	IRHH65_2		
MRELAT14	IFATHER				
MRELAT14				NRCH17_2	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

FRELAT14	IFATHER				
FRELAT14				NRCH17_2	
PERAGE15		IIKI17_2	IRKI17_2		
PERAGE15		IIHH65_2	IRHH65_2		
MRELAT15	IFATHER				
MRELAT15				NRCH17_2	
FRELAT15	IFATHER				
FRELAT15				NRCH17_2	
PERAGE16		IIKI17_2	IRKI17_2		
PERAGE16		IIHH65_2	IRHH65_2		
MRELAT16	IFATHER				
MRELAT16				NRCH17_2	
FRELAT16	IFATHER				
FRELAT16				NRCH17_2	
PERAGE17		IIKI17_2	IRKI17_2		
PERAGE17		IIHH65_2	IRHH65_2		
MRELAT17	IFATHER				
MRELAT17				NRCH17_2	
FRELAT17	IFATHER				
FRELAT17				NRCH17_2	
PERAGE18		IIKI17_2	IRKI17_2		
PERAGE18		IIHH65_2	IRHH65_2		
MRELAT18	IFATHER				
MRELAT18				NRCH17_2	
FRELAT18	IFATHER				
FRELAT18				NRCH17_2	
PERAGE19		IIKI17_2	IRKI17_2		
PERAGE19		IIHH65_2	IRHH65_2		
MRELAT19	IFATHER				
MRELAT19				NRCH17_2	
FRELAT19	IFATHER				
FRELAT19				NRCH17_2	
PERAGE20		IIKI17_2	IRKI17_2		
PERAGE20		IIHH65_2	IRHH65_2		
MRELAT20	IFATHER				
MRELAT20				NRCH17_2	
FRELAT20	IFATHER				
FRELAT20				NRCH17_2	
PERAGE21		IIKI17_2	IRKI17_2		
PERAGE21		IIHH65_2	IRHH65_2		
MRELAT21	IFATHER				
MRELAT21				NRCH17_2	
FRELAT21	IFATHER				
FRELAT21				NRCH17_2	
PERAGE22		IIKI17_2	IRKI17_2		
PERAGE22		IIHH65_2	IRHH65_2		
MRELAT22	IFATHER				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

MRELAT22				NRCH17_2	
FRELAT22	IFATHER				
FRELAT22				NRCH17_2	
PERAGE23		IIKI17_2	IRKI17_2		
PERAGE23		IIHH65_2	IRHH65_2		
MRELAT23	IFATHER				
MRELAT23				NRCH17_2	
FRELAT23	IFATHER				
FRELAT23				NRCH17_2	
PERAGE24		IIKI17_2	IRKI17_2		
PERAGE24		IIHH65_2	IRHH65_2		
MRELAT24	IFATHER				
MRELAT24				NRCH17_2	
FRELAT24	IFATHER				
FRELAT24				NRCH17_2	
PERAGE25		IIKI17_2	IRKI17_2		
PERAGE25		IIHH65_2	IRHH65_2		
MRELAT25	IFATHER				
MRELAT25				NRCH17_2	
FRELAT25	IFATHER				
FRELAT25				NRCH17_2	
QD72	PREGNANT			PREG	
QD72	PREGNANT			PREG2	
QD72	PREGNANT			TRIMEST	1
QD73				TRIMEST	1
QHC01	NMERTMT2				
QHC02	NMHSPOV2				
QHC03	NMHSPPE2				
QHC04	OUTPEYR				
HASJOIN	PROXANS2				
		HLCALLFG			
QHI01	MEDICARE		IRINSUR		
	MEDICARE	IIINSUR	IRINSUR		
QHI02	MEDICAID		IRINSUR		
	MEDICAID	IIINSUR	IRINSUR		
QHI03	CHAMPUS		IRINSUR		
	CHAMPUS	IIINSUR	IRINSUR		
QHI04	PRVHLTIN		IRPINSUR		
	PRVHLTIN	IIPINSUR	IRPINSUR		
	PRVHLTIN		IRINSUR		
	PRVHLTIN	IIINSUR	IRINSUR		
QHI05	GRPHLTIN		IRPINSUR		
	GRPHLTIN	IIPINSUR	IRPINSUR		
	GRPHLTIN		IRINSUR		
	GRPHLTIN	IIINSUR	IRINSUR		
QHI06A	HLTINALC		IRPINSUR		
	HLTINALC	IIPINSUR	IRPINSUR		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

	HLTINALC		IRINSUR		
	HLTINALC	IIINSUR	IRINSUR		
QHI06B	HLTINDRG		IRPINSUR		
	HLTINDRG	IIPINSUR	IRPINSUR		
	HLTINDRG		IRINSUR		
	HLTINDRG	IIINSUR	IRINSUR		
QHI06C	HLTIMMNT		IRPINSUR		
	HLTIMMNT	IIPINSUR	IRPINSUR		
	HLTIMMNT		IRINSUR		
	HLTIMMNT	IIINSUR	IRINSUR		
QHI07	HLCNOTYR				
QHI08	HLCNOTMO				
QHI09	HLCLAST				
QHI10	HLCPRIVT				
QHI10	HLCMCAID				
QHI10	HLCMILT				
QHI10	HLCMCARE				
QHI10	HLCOGOV				
QHI10	HLCOTHER				
QHI10SP	HLCOTHS2				
QHI11A	HLLLOSJB				
QHI11A	HLLMAJOB				
QHI11A	HLLMASOR				
QHI11A	HLLCOST				
QHI11A	HLLINELG				
QHI11A	HLLNOFFR				
QHI11A	HLLDIVOR				
QHI11A	HLLDEATH				
QHI11A	HLLREFUS				
QHI11A	HLLNONED				
QHI11A	HLLSOR				
QHI11ASP	HLLSORS2				
QHI11B	HLNV COST				
QHI11B	HLNV OFFR				
QHI11B	HLNV REF				
QHI11B	HLNV NEED				
QHI11B	HLNV SOR				
QHI11BSP	HLNV SP2				
QI01		IIPSOC	IRPSOC		
QI01		IIFAMSOC	IRFAMSOC		
QI02			IRFAMSOC		
QI02		IIFAMSOC	IRFAMSOC		
QI03		IIPSSI	IRPSSI		
QI03		IIFAMSSI	IRFAMSSI		
QI04A		IIFAMSSI	IRFAMSSI		
QI04B		IIFAMSSI	IRFAMSSI		
QI05A		IIFSTAMP	IRFSTAMP		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

QI05B		IIFSTAMP	IRFSTAMP		
QI06		IIPPMT	IRPPMT		
QI06		IIFAMPMT	IRFAMPMT		
QI07A		IIFAMPMT	IRFAMPMT		
QI07B		IIFAMPMT	IRFAMPMT		
QI08		IIPSVC	IRPSVC		
QI08		IIFAMSV	IRFAMSV		
QI09A		IIFAMSV	IRFAMSV		
QI09B		IIFAMSV	IRFAMSV		
QI10A		IIWELMOS	IRWELMOS		
QI10B		IIWELMOS	IRWELMOS		
QI11		IIPINT	IRPINT		
QI11		IIFAMINT	IRFAMINT		
QI12A		IIFAMINT	IRFAMINT		
QI12B		IIFAMINT	IRFAMINT		
QI13		IIPCHD	IRPCHD		
QI13		IIFAMCHD	IRFAMCHD		
QI14A		IIFAMCHD	IRFAMCHD		
QI14B		IIFAMCHD	IRFAMCHD		
QI15		IIPWAG	IRPWAG		
QI15		IIFAMWAG	IRFAMWAG		
QI16A		IIFAMWAG	IRFAMWAG		
QI16B		IIFAMWAG	IRFAMWAG		
QI17		IIPOTH	IRPOTH		
QI17		IIFAMOTH	IRFAMOTH		
QI18A		IIFAMOTH	IRFAMOTH		
QI18B		IIFAMOTH	IRFAMOTH		
QI21A		IIPINC3	IRPINC3		
QI21A		IIFAMIN3	IRFAMIN3		
QI21B		IIPINC3	IRPINC3		
QI21B		IIFAMIN3	IRFAMIN3		
QI23A		IIFAMIN3	IRFAMIN3		
QI23B		IIFAMIN3	IRFAMIN3		
QI24	TELNO2				
		QUARTER			
		QTRFIELD			
		GQTYPE			
		PDEN			
		VEREP			
		VESTR			
		ANALWT_C			
		NEWSTR			
		LANGVER			