

TABLE OF CONTENTS

TABLE OF CONTENTS

IDENTIFICATION	3
SELF-ADMINISTERED SUBSTANCE USE SECTIONS	4
TOBACCO	4
ALCOHOL	29
MARIJUANA	34
COCAINE	38
CRACK	42
HEROIN	46
HALLUCINOGENS	49
INHALANTS	90
METHAMPHETAMINE	112
PAIN RELIEVERS SCREENER	116
TRANQUILIZERS SCREENER	117
STIMULANTS SCREENER	118
SEDATIVES SCREENER	119
PAIN RELIEVERS	120
TRANQUILIZERS	157
STIMULANTS	179
SEDATIVES	208
IMPUTED SUBSTANCE USE	228
RECENCY OF DRUG USE	228
PAST YEAR FREQUENCY OF USE	242
PAST MONTH FREQUENCY OF USE	248
AGE/DATE OF FIRST DRUG USE	255
RECODED DRUG USE	270
OTHER SELF-ADMINISTERED SECTIONS	337
SPECIAL DRUGS	337
RECODED SPECIAL DRUGS	372
SPECIALTY CIGARETTES	378
RECODED SPECIALTY CIGARETTES	380
RISK/AVAILABILITY	381
RECODED RISK/AVAILABILITY	391
BLUNTS	395
SUBSTANCE DEPENDENCE AND ABUSE	400
IMPUTED SUBSTANCE DEPENDENCE AND ABUSE	496
RECODED SUBSTANCE DEPENDENCE AND ABUSE	505
MARIJUANA PURCHASES	518
RECODED MARIJUANA PURCHASES	536
SPECIAL TOPICS	539
RECODED SPECIAL TOPICS	549
PRIOR SUBSTANCE USE	551
RECODED PRIOR SUBSTANCE USE	618
SUBSTANCE TREATMENT	642
RECODED SUBSTANCE TREATMENT	682
DRUG TREATMENT	703
RECODED DRUG TREATMENT	742
PREGNANCY AND HEALTH CARE	760
RECODED PREGNANCY AND HEALTH CARE	770
HEALTH	775
RECODED HEALTH	789
ADULT MENTAL HEALTH SERVICE UTILIZATION	790
RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION	808
SOCIAL AND NEIGHBORHOOD ENVIRONMENT	816
SOCIAL ENVIRONMENT	819
ADULT MENTAL HEALTH	822
RECODED ADULT MENTAL HEALTH	843
RECODED ADULT MENTAL HEALTH TREATMENT	845
PSYCHOLOGICAL DISTRESS	849
RECODED PSYCHOLOGICAL DISTRESS	851
YOUTH EXPERIENCES	854
RECODED YOUTH EXPERIENCES	869
MENTAL HEALTH	875
RECODED MENTAL HEALTH	888
ADULT DEPRESSION	896
RECODED ADULT DEPRESSION	916
YOUTH MENTAL HEALTH TREATMENT	923
RECODED YOUTH MENTAL HEALTH TREATMENT	927

TABLE OF CONTENTS

YOUTH MENTAL HEALTH SERVICE UTILIZATION	944
RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION	968
ADOLESCENT DEPRESSION.....	988
RECODED ADULT AND ADOLESCENT DEPRESSION	1008
RECODED ADOLESCENT DEPRESSION.....	1014
CONSUMPTION OF ALCOHOL	1021
RECODED CONSUMPTION OF ALCOHOL	1038
INCOME AND INSURANCE.....	1044
RECODED INCOME AND INSURANCE	1048
INTERVIEW INFORMATION	1049
DEMOGRAPHICS	1050
DEMOGRAPHICS	1050
IMPUTED DEMOGRAPHICS	1055
RECODED DEMOGRAPHICS.....	1057
NON-CORE DEMOGRAPHICS	1059
RECODED NON-CORE DEMOGRAPHICS	1066
EDUCATION.....	1067
RECODED EDUCATION.....	1071
EMPLOYMENT.....	1072
EMPLOYMENT AND WORKPLACE.....	1078
IMPUTED EMPLOYMENT	1087
IMPUTED EMPLOYMENT AND WORKPLACE.....	1088
HOUSEHOLD COMPOSITION (ROSTER).....	1089
PROXY INFORMATION	1091
HEALTH INSURANCE	1092
IMPUTED HEALTH INSURANCE	1097
RECODED HEALTH INSURANCE	1099
INCOME.....	1100
IMPUTED INCOME.....	1101
RECODED INCOME.....	1103
FI DEBRIEFING QUESTIONS	1104
GEOGRAPHIC	1105
COUNTY.....	1105
SEGMENT.....	1106
BLOCK.....	1108
SAMPLE WEIGHTING AND ESTIMATION VARS.....	1109
INDEX	1111

IDENTIFICATION

IDENTIFICATION

The following variable, QUESTID2, is a unique record identifier within a particular study year. The IDs may be repeated in other study years, so analysts should always consider the study year when using the QUESTID2. It should be noted that this variable was referred to as QUESTID in prior years.

[QUESTID2](#) Len : 7 RESPONDENT IDENTIFICATION

[YEAR](#) Len : 4 YEAR IN WHICH DATA WAS COLLECTED

The following variable, FILEDATE, represents the date the SAS data file was created.

[FILEDATE](#) Len : 10 CREATION DATE OF THE DATA FILE

TOBACCO

SELF-ADMINISTERED SUBSTANCE USE SECTIONS

TOBACCO

During the past 30 days, what type of cigarettes did you smoke most often?

CIG30TYP

Len : 2 WHAT TYPE OF CIG SMOKED MOST PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Lights	22023	2.32
2 = Ultra Lights	4195	0.44
3 = Full Flavor	18683	1.97
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED CIGARETTES	67026	7.06
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	52410	5.52
94 = DON'T KNOW	161	0.02
97 = REFUSED	15	0.00
98 = BLANK (NO ANSWER)	391	0.04

These next questions are about your use of snuff, sometimes called dip. Snuff is a finely ground form of tobacco that usually comes in a container called a tin. You can use snuff by placing a pinch or dip in your mouth between your lip and gum or between your cheek and gum. Snuff can also be inhaled through the nose. Snuff is sold in both loose form or in ready-to-use packets.

Have you ever used snuff, even once?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

SNFEVER

Len : 2 EVER USED SNUFF

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes	100372	10.57
2 = No	621933	65.52
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	319	0.03
97 = REFUSED	26	0.00

How old were you the first time you used snuff?

SNUFTRY

Len : 3 AGE WHEN FIRST USED SNUFF

	Freq	Pct
RANGE = 1 - 75	98200	10.34
-9 = Data not collected for this year	226632	23.87
985 = BAD DATA Logically assigned	1178	0.12
991 = NEVER USED SNUFF	621933	65.52
994 = DON'T KNOW	789	0.08
997 = REFUSED	234	0.02
998 = BLANK (NO ANSWER)	319	0.03

Did you first use snuff in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use snuff in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use snuff?

SNUFYFU

Len : 4 YEAR OF FIRST SNUFF USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014	11883	1.25
-9 = Data not collected for this year	226632	23.87
9985 = BAD DATA Logically assigned	1486	0.16
9989 = LEGITIMATE SKIP Logically assigned	687	0.07
9991 = NEVER USED SNUFF	621933	65.52
9994 = DON'T KNOW	824	0.09
9997 = REFUSED	241	0.03
9998 = BLANK (NO ANSWER)	1004	0.11
9999 = LEGITIMATE SKIP	84595	8.91

TOBACCO

In what month in [CURRENT YEAR] did you first use snuff?

In what month in [YEAR FROM CG26a or CG26b] did you first use snuff?

SNUFMFU

Len : 2 MONTH OF FIRST SNUFF USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = January.....	921	0.10
2 = February	757	0.08
3 = March.....	907	0.10
4 = April.....	811	0.09
5 = May.....	808	0.09
6 = June.....	1265	0.13
7 = July	1192	0.13
8 = August.....	926	0.10
9 = September.....	934	0.10
10 = October.....	980	0.10
11 = November	853	0.09
12 = December	674	0.07
85 = BAD DATA Logically assigned.....	1479	0.16
89 = LEGITIMATE SKIP Logically assigned	687	0.07
91 = NEVER USED SNUFF	621933	65.52
94 = DON'T KNOW	1660	0.17
97 = REFUSED	261	0.03
98 = BLANK (NO ANSWER).....	1010	0.11
99 = LEGITIMATE SKIP	84595	8.91

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days -- that is, from [DATEFILL] up to and including today. During the past 30 days, have you used snuff, even once?

How long has it been since you last used snuff?

SNFREC

Len : 2 TIME SINCE LAST USED SNUFF

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	24303	2.56
2 = More than 30 days ago but within the past 12 mos	13505	1.42
3 = More than 12 months ago but within the past 3 yrs.....	14101	1.49
4 = More than 3 years ago	46371	4.88
8 = Used at some point in the past 12 mos LOG ASSN	68	0.01
9 = Used at some point in the lifetime LOG ASSN	43	0.00
11 = Used in the past 30 days LOGICALLY ASSIGNED	10	0.00
14 = Used more than 12 months ago LOG ASSN	803	0.08
19 = Used more than 30 days ago LOG ASSN.....	627	0.07
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN.....	536	0.06
39 = Used within the past 3 years LOGICALLY ASSIGNED	5	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED SNUFF	621933	65.52
97 = REFUSED	26	0.00
98 = BLANK (NO ANSWER).....	319	0.03

During the past 30 days, that is since [DATEFILL], on how many days did you use snuff?

SNF30USE

Len : 2 HOW MANY DAYS USED SNUFF PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	24079	2.54
-9 = Data not collected for this year	226632	23.87
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED SNUFF	621933	65.52
93 = DID NOT USE SNUFF IN THE PAST 30 DAYS.....	75943	8.00
94 = DON'T KNOW	188	0.02
97 = REFUSED	62	0.01
98 = BLANK (NO ANSWER).....	446	0.05

TOBACCO

What is your best estimate of the number of days you used snuff during the past 30 days?

[SN30EST](#)

Len : 2 BEST EST. HOW MANY DAYS USED SNUFF PST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = 1 or 2 days	41	0.00
2 = 3 to 5 days	24	0.00
3 = 6 to 9 days	28	0.00
4 = 10 to 19 days	41	0.00
5 = 20 to 29 days	22	0.00
6 = All 30 days	29	0.00
91 = NEVER USED SNUFF	621933	65.52
93 = DID NOT USE SNUFF IN THE PAST 30 DAYS	75943	8.00
94 = DON'T KNOW	16	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER)	448	0.05
99 = LEGITIMATE SKIP	24079	2.54

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

[SNF30BR2](#)

Len : 4 SNUFF BRAND USED MOST OFTEN PAST MO - RECODE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
201 = Beech-Nut	3	0.00
206 = Levi Garrett	22	0.00
208 = Red Man chewing tobacco	45	0.00
216 = Blackbull	3	0.00
230 = Stoker chewing tobacco	17	0.00
301 = Copenhagen	6891	0.73
302 = Gold River	37	0.00
303 = Happy Days	32	0.00
304 = Hawken	142	0.01
305 = Kodiak	1108	0.12
306 = Redwood	34	0.00
307 = Silver Creek	84	0.01
308 = Skoal	7083	0.75
309 = Timber Wolf	831	0.09
312 = Cougar	48	0.01
313 = Dental	3	0.00
315 = Navy	3	0.00
316 = Red Seal	780	0.08
317 = Rooster	54	0.01
320 = Tube Rose	3	0.00
321 = Garrett snuff	14	0.00
326 = Kayak	46	0.00
332 = Grizzly	5452	0.57
337 = General snuff	4	0.00
338 = Longhorn	186	0.02
341 = Husky	87	0.01
349 = Camel Snus	360	0.04
351 = Red Man snuff	124	0.01
355 = Marlboro snus	61	0.01
363 = Stoker's snuff	36	0.00
1999 = Cigarette; brand otherwise unspecified	8	0.00
2999 = Chewing tobacco; brand otherwise unspecified	65	0.01
3999 = Snuff; brand otherwise unspecified	426	0.04
4999 = Cigar/Cigarillo; brand otherwise unspecified	4	0.00
5999 = Pipe tobacco; brand otherwise unspecified	1	0.00
6999 = Unknown tobacco or non-tobacco product	1	0.00
7999 = Not a tobacco product	9	0.00
8999 = Tobacco replacement or tobacco-like product	1	0.00
9000 = Did not confirm after 3 passes thru brand Qs	4	0.00
9900 = Not a brand	1	0.00
9985 = BAD DATA Logically assigned	3	0.00
9991 = NEVER USED SNUFF	621933	65.52
9993 = DID NOT USE SNUFF IN THE PAST 30 DAYS	75943	8.00
9994 = DON'T KNOW	148	0.02
9997 = REFUSED	67	0.01
9998 = BLANK (NO ANSWER)	446	0.05

TOBACCO

The next questions are only about chewing tobacco.

Chewing tobacco is coarsely shredded tobacco that is sold in pouches of loose tobacco leaves or in a "plug" or "twist" form. To use chewing tobacco, you either chew it or hold it in your cheek or inside your lower lip.

Have you ever used chewing tobacco, even once?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

CHEWEVER

Len : 2 EVER USED CHEW EVEN ONCE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	82735	8.72
2 = No	639802	67.40
85 = BAD DATA Logically assigned.....	5	0.00
94 = DON'T KNOW	95	0.01
97 = REFUSED	16	0.00

How old were you the first time you used chewing tobacco?

CHEWTRY

Len : 3 AGE WHEN FIRST USED CHEW

	Freq	Pct
RANGE = 1 - 80.....	80994	8.53
-9 = Data not collected for this year	226632	23.87
985 = BAD DATA Logically assigned.....	897	0.09
991 = NEVER USED CHEWING TOBACCO.....	639802	67.40
994 = DON'T KNOW	764	0.08
997 = REFUSED	101	0.01
998 = BLANK (NO ANSWER).....	95	0.01

Did you first use chewing tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use chewing tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use chewing tobacco?

CHEWYFU

Len : 4 YEAR OF FIRST CHEWING TOBACCO USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014.....	7446	0.78
-9 = Data not collected for this year	226632	23.87
9985 = BAD DATA Logically assigned	1061	0.11
9989 = LEGITIMATE SKIP Logically assigned.....	392	0.04
9991 = NEVER USED CHEWING TOBACCO	639802	67.40
9994 = DON'T KNOW.....	792	0.08
9997 = REFUSED	109	0.01
9998 = BLANK (NO ANSWER).....	631	0.07
9999 = LEGITIMATE SKIP.....	72420	7.63

TOBACCO

In what month in [CURRENT YEAR] did you first use chewing tobacco?

In what month in [YEAR FROM CG18a or CG18b] did you first use chewing tobacco?

CHEWMFU

Len : 2 MONTH OF FIRST CHEWING TOBACCO USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = January	605	0.06
2 = February	474	0.05
3 = March	602	0.06
4 = April	517	0.05
5 = May	510	0.05
6 = June	840	0.09
7 = July	773	0.08
8 = August	557	0.06
9 = September	565	0.06
10 = October	555	0.06
11 = November	516	0.05
12 = December	370	0.04
85 = BAD DATA Logically assigned	1056	0.11
89 = LEGITIMATE SKIP Logically assigned	392	0.04
91 = NEVER USED CHEWING TOBACCO	639802	67.40
94 = DON'T KNOW	1338	0.14
97 = REFUSED	125	0.01
98 = BLANK (NO ANSWER)	636	0.07
99 = LEGITIMATE SKIP	72420	7.63

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you used chewing tobacco, even once?

How long has it been since you last used chewing tobacco?

CHEWREC

Len : 2 TIME SINCE LAST USED CHEWING TOBACCO

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	11253	1.19
2 = More than 30 days ago but within the past 12 mos	10337	1.09
3 = More than 12 months ago but within the past 3 yrs	12398	1.31
4 = More than 3 years ago	47224	4.97
8 = Used at some point in the past 12 mos LOG ASSN	40	0.00
9 = Used at some point in the lifetime LOG ASSN	34	0.00
11 = Used in the past 30 days LOGICALLY ASSIGNED	6	0.00
14 = Used more than 12 months ago LOG ASSN	635	0.07
19 = Used more than 30 days ago LOG ASSN	450	0.05
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	351	0.04
39 = Used within the past 3 years LOGICALLY ASSIGNED	7	0.00
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED CHEWING TOBACCO	639802	67.40
97 = REFUSED	16	0.00
98 = BLANK (NO ANSWER)	95	0.01

During the past 30 days, that is since [DATEFILL], on how many days did you use chewing tobacco?

CHW30USE

Len : 2 HOW MANY DAYS USED CHEW IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	11119	1.17
-9 = Data not collected for this year	226632	23.87
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED CHEWING TOBACCO	639802	67.40
93 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS	71395	7.52
94 = DON'T KNOW	119	0.01
97 = REFUSED	31	0.00
98 = BLANK (NO ANSWER)	184	0.02

TOBACCO

What is your best estimate of the number of days you used chewing tobacco during the past 30 days?

[CH30EST](#)

Len : 2 PAST 30 DAY ESTIMATE OF CHEWING TOBACCO

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = 1 or 2 days	41	0.00
2 = 3 to 5 days	21	0.00
3 = 6 to 9 days	23	0.00
4 = 10 to 19 days	14	0.00
5 = 20 to 29 days	7	0.00
6 = All 30 days	12	0.00
91 = NEVER USED CHEWING TOBACCO	639802	67.40
93 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS	71395	7.52
94 = DON'T KNOW	9	0.00
97 = REFUSED	23	0.00
98 = BLANK (NO ANSWER)	187	0.02
99 = LEGITIMATE SKIP	11119	1.17

TOBACCO

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

CHW30BR2

Len : 4 CHEW BRAND USED MOST OFTEN PAST MO - RECODE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
201 = Beech-Nut.....	1111	0.12
202 = Chattanooga Chew	172	0.02
203 = Day's Work	116	0.01
204 = Granger.....	90	0.01
205 = H.B. Scott	23	0.00
206 = Levi Garrett.....	1743	0.18
207 = Red Fox	152	0.02
208 = Red Man chewing tobacco	3571	0.38
209 = Taylor's Pride	108	0.01
210 = Totems.....	3	0.00
211 = Work Horse.....	40	0.00
212 = Apple Jack	4	0.00
216 = Blackbull	20	0.00
218 = Cannonball.....	4	0.00
220 = Lancaster	30	0.00
222 = Morgan's	6	0.00
223 = Peachy Big Leaf	3	0.00
225 = Trophy	3	0.00
228 = Southern Pride.....	10	0.00
230 = Stoker chewing tobacco	32	0.00
241 = Tennessee Chew.....	9	0.00
248 = Star chewing tobacco	13	0.00
301 = Copenhagen	787	0.08
304 = Hawken	7	0.00
305 = Kodiak	138	0.01
308 = Skoal	1124	0.12
309 = Timber Wolf	46	0.00
316 = Red Seal	23	0.00
317 = Rooster	10	0.00
326 = Kayak	6	0.00
332 = Grizzly	711	0.07
338 = Longhorn	42	0.00
341 = Husky	14	0.00
349 = Camel Snus	154	0.02
355 = Marlboro snus	17	0.00
1999 = Cigarette; brand otherwise unspecified.....	8	0.00
2999 = Chewing tobacco; brand otherwise unspecified	593	0.06
3999 = Snuff; brand otherwise unspecified	111	0.01
4999 = Cigar/Cigarillo; brand otherwise unspecified.....	3	0.00
6999 = Unknown tobacco or non-tobacco product	1	0.00
7999 = Not a tobacco product.....	5	0.00
8999 = Tobacco replacement or tobacco-like product.....	2	0.00
9000 = Did not confirm after 3 passes thru brand Qs.....	1	0.00
9985 = BAD DATA Logically assigned	3	0.00
9991 = NEVER USED CHEWING TOBACCO	639802	67.40
9993 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS	71395	7.52
9994 = DON'T KNOW.....	150	0.02
9997 = REFUSED	53	0.01
9998 = BLANK (NO ANSWER).....	184	0.02

NOTE: The variables SLTTRY, SLTYFU, SLTMFU, SLTREC, and SLT30BR2 are recoded variables for the use of any smokeless tobacco product (either chewing tobacco or snuff). These variables were recoded from CHEWTRY, SNUFTRY, CHEWYFU, SNUFYFU, CHEWMFU, SNUFMFU, CHEWREC, SNFREC, CHW30BR2, and SNF30BR2. The variable SLT30FAV refers to the brand of smokeless tobacco used most often, and was recoded from Questions CG33a through CG33d.

SLTTRY

Len : 3 AGE WHEN FIRST USED ANY SMOKLESS TOB - RECODE

	Freq	Pct
RANGE = 1 - 80.....	121476	12.80
-9 = Data not collected for this year	226632	23.87
985 = BAD DATA Logically assigned.....	185	0.02
991 = NEVER USED SMOKELESS TOBACCO.....	597368	62.93
994 = DON'T KNOW	1254	0.13
997 = REFUSED	310	0.03
998 = BLANK (NO ANSWER).....	2060	0.22

TOBACCO

SLTYFU

Len : 4 YEAR OF FIRST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014.....	13400	1.41
-9 = Data not collected for this year	226632	23.87
9985 = BAD DATA Logically assigned	1357	0.14
9989 = LEGITIMATE SKIP Logically assigned.....	724	0.08
9991 = NEVER USED SMOKELESS TOBACCO.....	597368	62.93
9994 = DON'T KNOW.....	1298	0.14
9997 = REFUSED	319	0.03
9998 = BLANK (NO ANSWER).....	2186	0.23
9999 = LEGITIMATE SKIP.....	106001	11.17

SLTMFU

Len : 2 MONTH OF FIRST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = January.....	1037	0.11
2 = February	848	0.09
3 = March.....	1019	0.11
4 = April.....	923	0.10
5 = May.....	911	0.10
6 = June.....	1489	0.16
7 = July	1378	0.15
8 = August.....	1028	0.11
9 = September.....	1032	0.11
10 = October.....	1096	0.12
11 = November	956	0.10
12 = December	727	0.08
85 = BAD DATA Logically assigned.....	1357	0.14
89 = LEGITIMATE SKIP Logically assigned	724	0.08
91 = NEVER USED SMOKELESS TOBACCO.....	597368	62.93
94 = DON'T KNOW	2048	0.22
97 = REFUSED	346	0.04
98 = BLANK (NO ANSWER).....	2365	0.25
99 = LEGITIMATE SKIP	106001	11.17

SLTREC

Len : 2 TIME SINCE LAST USED ANY SMOKLESS TOB - RECODE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	28590	3.01
2 = More than 30 days ago but within the past 12 mos	15929	1.68
3 = More than 12 months ago but within the past 3 yrs.....	16944	1.78
4 = More than 3 years ago	60587	6.38
8 = Used at some point in the past 12 mos LOG ASSN	99	0.01
9 = Used at some point in the lifetime LOG ASSN	85	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED	15	0.00
14 = Used more than 12 months ago LOG ASSN	1079	0.11
19 = Used more than 30 days ago LOG ASSN.....	846	0.09
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN.....	747	0.08
39 = Used within the past 3 years LOGICALLY ASSIGNED	4	0.00
91 = NEVER USED SMOKELESS TOBACCO.....	597368	62.93
97 = REFUSED	29	0.00
98 = BLANK (NO ANSWER).....	331	0.03

TOBACCO

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

[SLT30BR2](#)

Len : 4 SMKLSS TOB BRAND USED MOST OFTEN PAST MO - RECODE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
201 = Beech-Nut.....	415	0.04
202 = Chattanooga Chew	78	0.01
203 = Day's Work	67	0.01
204 = Granger.....	36	0.00
205 = H.B. Scott	6	0.00
206 = Levi Garrett.....	676	0.07
207 = Red Fox	51	0.01
208 = Red Man chewing tobacco	1382	0.15
209 = Taylor's Pride	46	0.00
211 = Work Horse.....	9	0.00
212 = Apple Jack	3	0.00
216 = Blackbull	19	0.00
218 = Cannonball.....	4	0.00
220 = Lancaster	12	0.00
222 = Morgan's	3	0.00
225 = Trophy	3	0.00
228 = Southern Pride.....	10	0.00
230 = Stoker chewing tobacco	39	0.00
241 = Tennessee Chew.....	3	0.00
248 = Star chewing tobacco	10	0.00
255 = Iqmik	3	0.00
301 = Copenhagen	6987	0.74
302 = Gold River	28	0.00
303 = Happy Days	23	0.00
304 = Hawken	136	0.01
305 = Kodiak	1159	0.12
306 = Redwood.....	22	0.00
307 = Silver Creek	83	0.01
308 = Skoal	7560	0.80
309 = Timber Wolf	825	0.09
312 = Cougar.....	48	0.01
316 = Red Seal	766	0.08
317 = Rooster	60	0.01
320 = Tube Rose.....	3	0.00
321 = Garrett snuff.....	13	0.00
326 = Kayak	55	0.01
332 = Grizzly	5714	0.60
337 = General snuff.....	5	0.00
338 = Longhorn	217	0.02
341 = Husky	96	0.01
347 = Skruf.....	3	0.00
349 = Camel Snus	442	0.05
351 = Red Man snuff.....	51	0.01
355 = Marlboro snus	76	0.01
363 = Stoker's snuff	33	0.00
805 = Smokey Mountain (non-tobacco, herbal) snuff.....	3	0.00
1999 = Cigarette; brand otherwise unspecified.....	13	0.00
2999 = Chewing tobacco; brand otherwise unspecified	440	0.05
3999 = Snuff; brand otherwise unspecified	418	0.04
4999 = Cigar/Cigarillo; brand otherwise unspecified.....	7	0.00
5999 = Pipe tobacco; brand otherwise unspecified	1	0.00
6999 = Unknown tobacco or non-tobacco product	2	0.00
7999 = Not a tobacco product	9	0.00
8999 = Tobacco replacement or tobacco-like product.....	3	0.00
9000 = Did not confirm after 3 passes thru brand Qs.....	2	0.00
9900 = Not a brand	1	0.00
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED SMOKELESS TOBACCO.....	597368	62.93
9993 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS	96132	10.13
9994 = DON'T KNOW.....	206	0.02
9997 = REFUSED	81	0.01
9998 = BLANK (NO ANSWER)	686	0.07

TOBACCO

The computer recorded that the chewing tobacco you used most often during the past 30 days was [CG22/RCG22/RRCG22 FILL] and that the snuff you used most often during the past 30 days was [CG30/RCG30/RRCG30 FILL]. Which of these two brands did you use most often during the past 30 days?

SLT30FAV

Len : 2 WHICH BRAND CHEW OR SNUFF USED MOST

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Brand reported from CHW30BR2	5826	0.61
2 = Brand reported from SNF30BR2	22612	2.38
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED SMOKELESS TOBACCO	597368	62.93
93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS	96132	10.13
94 = DON'T KNOW	9	0.00
97 = REFUSED	31	0.00
98 = BLANK (NO ANSWER)	673	0.07

These questions are about your use of tobacco products. This includes cigarettes, chewing tobacco, snuff, cigars, and pipe tobacco. The first questions are about cigarettes only.

Have you ever smoked part or all of a cigarette?

CIGEVER

Len : 1 EVER SMOKED A CIGARETTE

	Freq	Pct
1 = Yes	504726	53.17
2 = No	444559	46.83

If one of your best friends offered you a cigarette, would you smoke it?

CIGOFRSM

Len : 2 IF BEST FRIEND OFFERED, WOULD YOU SMOKE CIG

	Freq	Pct
1 = Definitely Yes	301	0.03
2 = Probably Yes	2621	0.28
3 = Probably Not	30352	3.20
4 = Definitely Not	188103	19.82
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	98	0.01
97 = REFUSED	106	0.01
98 = BLANK (NO ANSWER)	9	0.00
99 = LEGITIMATE SKIP	727693	76.66

At any time during the next 12 months do you think you will smoke a cigarette?

CIGWILYR

Len : 2 DO YOU THINK YOU'LL SMOKE CIG IN NEXT 12 MOS

	Freq	Pct
1 = Definitely Yes	229	0.02
2 = Probably Yes	2060	0.22
3 = Probably Not	27160	2.86
4 = Definitely Not	191895	20.21
85 = BAD DATA Logically assigned	4	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	168	0.02
97 = REFUSED	65	0.01
98 = BLANK (NO ANSWER)	9	0.00
99 = LEGITIMATE SKIP	727693	76.66

How old were you the first time you smoked part or all of a cigarette?

CIGTRY

Len : 3 AGE WHEN FIRST SMOKED A CIGARETTE

	Freq	Pct
RANGE = 1 - 68	497969	52.46
985 = BAD DATA Logically assigned	3656	0.39
991 = NEVER USED CIGARETTES	444559	46.83
994 = DON'T KNOW	2611	0.28
997 = REFUSED	490	0.05

TOBACCO

Did you first smoke part or all of a cigarette in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigarette in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigarette?

CIGYFU

Len : 4 YEAR OF FIRST CIGARETTE USE - RECODE

	Freq	Pct
RANGE = 2000 - 2018.....	31825	3.35
9985 = BAD DATA Logically assigned.....	4099	0.43
9989 = LEGITIMATE SKIP Logically assigned.....	2156	0.23
9991 = NEVER USED CIGARETTES	444559	46.83
9994 = DON'T KNOW.....	2693	0.28
9997 = REFUSED	526	0.06
9998 = BLANK (NO ANSWER).....	2320	0.24
9999 = LEGITIMATE SKIP.....	461107	48.57

In what month in [CURRENT YEAR] did you first smoke part or all of a cigarette?

In what month in [YEAR FROM CG04a or CG04b] did you first smoke part or all of a cigarette?

CIGMFU

Len : 2 MONTH OF FIRST CIGARETTE USE - RECODE

	Freq	Pct
1 = January.....	2497	0.26
2 = February	1813	0.19
3 = March.....	2258	0.24
4 = April.....	2059	0.22
5 = May.....	2199	0.23
6 = June.....	3707	0.39
7 = July	3482	0.37
8 = August.....	2509	0.26
9 = September.....	2435	0.26
10 = October.....	2572	0.27
11 = November	2164	0.23
12 = December	1888	0.20
85 = BAD DATA Logically assigned.....	4073	0.43
89 = LEGITIMATE SKIP Logically assigned	2156	0.23
91 = NEVER USED CIGARETTES	444559	46.83
94 = DON'T KNOW	4847	0.51
97 = REFUSED	614	0.06
98 = BLANK (NO ANSWER).....	2346	0.25
99 = LEGITIMATE SKIP	461107	48.57

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, that is, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of a cigarette? How long has it been since you last smoked part or all of a cigarette?

CIGREC

Len : 2 TIME SINCE LAST SMOKED CIGARETTES

	Freq	Pct
1 = Within the past 30 days	221677	23.35
2 = More than 30 days ago but within the past 12 mos	52429	5.52
3 = More than 12 months ago but within the past 3 yrs.....	47351	4.99
4 = More than 3 years ago	177099	18.66
8 = Used at some point in the past 12 mos LOG ASSN	182	0.02
9 = Used at some point in the lifetime LOG ASSN	190	0.02
11 = Used in the past 30 days LOGICALLY ASSIGNED	32	0.00
14 = Used more than 12 months ago LOG ASSN	2792	0.29
19 = Used more than 30 days ago LOG ASSN.....	1554	0.16
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN.....	1393	0.15
39 = Used within the past 3 years LOGICALLY ASSIGNED	27	0.00
91 = NEVER USED CIGARETTES	444559	46.83

TOBACCO

During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigarette?

[CIG30USE](#)

Len : 2 HOW MANY DAYS SMOKED CIG IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	219655	23.14
85 = BAD DATA Logically assigned.....	10	0.00
91 = NEVER USED CIGARETTES	444559	46.83
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	282618	29.77
94 = DON'T KNOW	1737	0.18
97 = REFUSED	285	0.03
98 = BLANK (NO ANSWER).....	421	0.04

What is your best estimate of the number of days you smoked part or all of a cigarette during the past 30 days?

[CG30EST](#)

Len : 2 BEST EST. # DAYS SMOKED CIG PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days.....	236	0.02
2 = 3 to 5 days.....	226	0.02
3 = 6 to 9 days.....	243	0.03
4 = 10 to 19 days.....	332	0.03
5 = 20 to 29 days.....	218	0.02
6 = All 30 days	499	0.05
91 = NEVER USED CIGARETTES	444559	46.83
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	282618	29.77
94 = DON'T KNOW	174	0.02
97 = REFUSED	94	0.01
98 = BLANK (NO ANSWER).....	431	0.05
99 = LEGITIMATE SKIP	219655	23.14

On the [CG07 days / CIGDKRE] you smoked cigarettes during the past 30 days, how many cigarettes did you smoke per day, on average?

[CIG30AV](#)

Len : 2 AVG # CIGS SMOKED PER DAY/ON DAY SMOKED

	Freq	Pct
1 = Less than one cigarette per day	24041	2.53
2 = 1 cigarette per day.....	26184	2.76
3 = 2 to 5 cigarettes per day.....	61012	6.43
4 = 6 to 15 cigarettes per day (about 1/2 pack).....	58107	6.12
5 = 16 to 25 cigarettes per day (about 1 pack).....	39412	4.15
6 = 26 to 35 cigarettes per day (about 1 1/2 packs).....	8804	0.93
7 = More than 35 cigs per day (abt 2 packs or more).....	3625	0.38
85 = BAD DATA Logically assigned.....	9	0.00
91 = NEVER USED CIGARETTES	444559	46.83
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	282618	29.77
94 = DON'T KNOW	128	0.01
97 = REFUSED	190	0.02
98 = BLANK (NO ANSWER).....	596	0.06

TOBACCO

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

[CIG30BR2](#)

Len : 4 CIG BRAND USED MOST OFTEN PAST MO - RECODE

	Freq	Pct
101 = Basic.....	4315	0.45
102 = Benson & Hedges.....	862	0.09
103 = Cambridge	27	0.00
104 = Camel	26581	2.80
105 = Capri.....	677	0.07
106 = Carlton.....	147	0.02
107 = Doral	2404	0.25
109 = GPC.....	1059	0.11
110 = Kent.....	149	0.02
111 = Kool	4840	0.51
112 = Marlboro	99202	10.45
113 = Merit.....	347	0.04
114 = Misty	1202	0.13
115 = Monarch	315	0.03
116 = Montclair	55	0.01
117 = More.....	122	0.01
118 = Newport.....	38076	4.01
119 = Pall Mall	5402	0.57
120 = Parliament.....	3794	0.40
121 = Private Label	72	0.01
122 = Salem	1520	0.16
123 = Vantage	125	0.01
124 = Viceroy	95	0.01
125 = Virginia Slims	1766	0.19
126 = Winston	2234	0.24
127 = Alpine.....	19	0.00
130 = Best Value	127	0.01
132 = Bugler (roll-your-own).....	508	0.05
134 = Chesterfield.....	7	0.00
137 = Eve	44	0.00
141 = L & M	1523	0.16
142 = Lucky Strike.....	152	0.02
144 = Maverick.....	814	0.09
145 = Max	3	0.00
146 = Now.....	23	0.00
147 = Old Gold.....	373	0.04
148 = Players	31	0.00
149 = Pyramid	746	0.08
150 = Raleigh	3	0.00
152 = Saratoga.....	35	0.00
157 = Tareyton	14	0.00
158 = Top (roll-your-own).....	1032	0.11
160 = True	47	0.00
161 = American Spirit	4735	0.50
162 = Austin.....	8	0.00
163 = Bali Hai cigarettes	10	0.00
164 = Bali-Shag (roll-your-own).....	30	0.00
169 = Bronson	32	0.00
171 = Checkers	7	0.00
172 = Cimarron.....	8	0.00
173 = Clove; brand unspecified.....	76	0.01
174 = Dave's.....	4	0.00
175 = Djarum cigarettes, Djarum Splash	495	0.05
176 = Drum rolling tobacco.....	61	0.01
177 = Du Maurier	3	0.00
178 = Dunhill cigarettes	49	0.01
179 = Eagle	235	0.02
180 = Export A	6	0.00
183 = First Class.....	27	0.00
184 = Gauloises	8	0.00
185 = Generic cigarettes; brand unspecified.....	8	0.00
186 = Gold Coast.....	47	0.00
189 = Hi-Value	7	0.00
190 = Jacks.....	56	0.01
193 = Kamel Red.....	32	0.00
194 = Legend.....	3	0.00
196 = Mainstreet.....	10	0.00
199 = Meridian	9	0.00
402 = Backwoods	3	0.00
404 = Black & Mild	484	0.05

TOBACCO

419 = Phillies.....	19	0.00
423 = Swisher Sweets	214	0.02
428 = Winchester.....	6	0.00
429 = Al Capone.....	12	0.00
443 = Cohiba cigars	3	0.00
492 = Prime Time Little Cigars.....	147	0.02
507 = Red River.....	12	0.00
508 = Southern Steel.....	6	0.00
511 = Red Cap pipe tobacco.....	6	0.00
519 = Buoy pipe tobacco.....	4	0.00
521 = Bacco pipe tobacco.....	8	0.00
522 = Sparrow pipe tobacco	4	0.00
525 = 1839 pipe tobacco.....	3	0.00
538 = American Club pipe tobacco	5	0.00
701 = Marijuana.....	3	0.00
810 = Electronic/smokeless cigarette; otherwise unspcfd.....	35	0.00
814 = blu.....	8	0.00
815 = Real Deal.....	4	0.00
832 = JUUL.....	3	0.00
1001 = Nat Sherman cigarettes	103	0.01
1005 = Private Stock	4	0.00
1008 = Rave cigarettes	52	0.01
1010 = Rothman	3	0.00
1011 = Sampoerna	13	0.00
1012 = Seven Stars/Mild Sevens.....	8	0.00
1017 = Sundance.....	27	0.00
1018 = USA Gold	3030	0.32
1020 = Waves.....	123	0.01
1021 = Yours	7	0.00
1022 = Bailey	13	0.00
1023 = Sport.....	23	0.00
1025 = Ultra Buy	3	0.00
1027 = Mustang.....	6	0.00
1029 = Tourney	125	0.01
1035 = Cherokee.....	7	0.00
1037 = DTC	27	0.00
1038 = Samson rolling tobacco	3	0.00
1040 = Smokin Joes cigarettes.....	29	0.00
1041 = Sonoma.....	578	0.06
1044 = Worth	19	0.00
1048 = Carnival	138	0.01
1050 = USA	106	0.01
1051 = Belmont.....	3	0.00
1055 = Geranimo	3	0.00
1061 = Signature.....	7	0.00
1064 = Seneca, cigarette company brand unspcfd	659	0.07
1067 = Amsterdam Shag (roll-your-own)	3	0.00
1069 = Zig-Zag (roll-your-own).....	22	0.00
1073 = Grand.....	45	0.00
1076 = Highway	3	0.00
1082 = Tahoe.....	60	0.01
1083 = Liggett Select	552	0.06
1086 = Smoker Friendly cigarettes.....	25	0.00
1089 = Grand Prix.....	119	0.01
1091 = Dreams	13	0.00
1092 = Native	178	0.02
1093 = Roger.....	89	0.01
1094 = Shield	40	0.00
1097 = Winner.....	6	0.00
1100 = Kite (roll-your-own)	3	0.00
1106 = Niagara	10	0.00
1108 = Nobel cigarettes.....	9	0.00
1110 = Eclipse.....	7	0.00
1112 = Kentucky's Best.....	70	0.01
1120 = Durant.....	3	0.00
1121 = Quality.....	10	0.00
1123 = CT	31	0.00
1126 = GT-One.....	121	0.01
1128 = Double Diamond cigarettes	21	0.00
1134 = Bronco.....	129	0.01
1138 = Tucson	13	0.00
1139 = 305's cigarettes	401	0.04
1145 = Coronas cigarettes	4	0.00
1146 = Optiva.....	6	0.00
1147 = Westport	10	0.00

TOBACCO

1153 = Marathon.....	3	0.00
1165 = Scenic 101.....	5	0.00
1166 = Davidoff cigarettes	6	0.00
1168 = Jade	4	0.00
1170 = McClintock (roll-your-own)	6	0.00
1174 = Unify	3	0.00
1176 = Cowboys.....	3	0.00
1177 = Silvers.....	11	0.00
1178 = Charter.....	6	0.00
1179 = Quest	12	0.00
1180 = Berkeley.....	3	0.00
1182 = Golden Beach.....	10	0.00
1184 = Sky Dancer.....	62	0.01
1198 = Homer.....	4	0.00
1211 = Echo cigarettes	54	0.01
1212 = Euro	8	0.00
1214 = Midnight Special (roll-your-own)	8	0.00
1216 = Romy	4	0.00
1219 = Brave, The	20	0.00
1221 = Cheyenne cigarettes	122	0.01
1223 = Axis.....	3	0.00
1227 = Gambler (roll-your-own).....	182	0.02
1232 = Sandia.....	7	0.00
1238 = Way	5	0.00
1247 = Buffalo cigarettes	3	0.00
1268 = Decade.....	118	0.01
1269 = D Best One.....	4	0.00
1276 = Fortuna	100	0.01
1277 = Berley	12	0.00
1283 = Rouseco Golden Harvest (roll-your-own).....	49	0.01
1287 = Wild Horse cigarettes.....	69	0.01
1289 = 4Aces (roll-your-own)	7	0.00
1296 = King Mountain	46	0.00
1304 = Ace.....	4	0.00
1308 = Peter Stokkebye (roll-your own).....	13	0.00
1310 = Union.....	3	0.00
1313 = Criss cross (roll-your-own).....	37	0.00
1314 = Premier (roll-your-own)	9	0.00
1318 = Signal cigarettes	29	0.00
1320 = 1839 cigarettes	20	0.00
1324 = Kentucky Select (roll-your-own)	30	0.00
1326 = Exeter	50	0.01
1329 = Smoker's Choice cigarettes.....	19	0.00
1330 = Yu Xi.....	3	0.00
1335 = Good stuff (roll-your-own).....	78	0.01
1340 = Palermo.....	7	0.00
1341 = Galaxy Pro	3	0.00
1344 = Edgefield.....	41	0.00
1346 = Largo cigarette	6	0.00
1349 = Ohm rolling tobacco	24	0.00
1359 = Timeless Time.....	80	0.01
1361 = Time	97	0.01
1365 = Golden Deer.....	3	0.00
1372 = Wings	7	0.00
1376 = Crown.....	36	0.00
1377 = Cayuga.....	3	0.00
1391 = West	3	0.00
1409 = Mevius.....	3	0.00
1412 = Traffic.....	21	0.00
1420 = THIS (Korean)	5	0.00
1998 = Roll-your-own cigarette; brand unspecified.....	318	0.03
1999 = Cigarette; brand otherwise unspecified.....	2527	0.27
2999 = Chewing tobacco; brand otherwise unspecified	2	0.00
3999 = Snuff; brand otherwise unspecified	5	0.00
4192 = Smoker's Choice little cigars	16	0.00
4207 = Racer little cigars.....	3	0.00
4243 = Dean's Lil' Cigars	3	0.00
4287 = Dark Horse little cigars	6	0.00
4295 = Santa Fe little cigars.....	15	0.00
4306 = Red Buck little cigars.....	3	0.00
4328 = Remington little cigars	4	0.00
4455 = Talon	10	0.00
4999 = Cigar/Cigarillo; brand otherwise unspecified.....	287	0.03
5999 = Pipe tobacco; brand otherwise unspecified	158	0.02
6999 = Unknown tobacco or non-tobacco product	3	0.00

TOBACCO

7999 = Not a tobacco product.....	11	0.00
8999 = Tobacco replacement or tobacco-like product.....	35	0.00
9000 = Did not confirm after 3 passes thru brand Qs.....	25	0.00
9985 = BAD DATA Logically assigned.....	10	0.00
9991 = NEVER USED CIGARETTES	444559	46.83
9993 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	282618	29.77
9994 = DON'T KNOW.....	1456	0.15
9997 = REFUSED	231	0.02
9998 = BLANK (NO ANSWER).....	421	0.04

NOTE: The variable CIG30TPE corresponds to the variable CIG30TYP that existed prior to 2005. The name was changed due to the addition of a new level in 2005 for "Mediums." For this reason, data from CIG30TPE may not be comparable with data from CIG30TYP in prior years.

During the past 30 days, what type of cigarettes did you smoke most often?

CIG30TPE

Len : 2 WHAT TYPE OF CIG SMOKED MOST PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Lights	65929	6.95
2 = Ultra Lights	10629	1.12
3 = Mediums	16355	1.72
4 = Full Flavor.....	80154	8.44
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED CIGARETTES	377533	39.77
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	230208	24.25
94 = DON'T KNOW	1398	0.15
97 = REFUSED	163	0.02
98 = BLANK (NO ANSWER).....	2002	0.21

NOTE: Prior to 2004, the question corresponding to CIG30MEN asked whether respondents smoked menthol or regular cigarettes most often. In 2004, the question was changed to the yes/no question shown below, but the variable name stayed as CIG30MEN. This change in question content does not affect trend comparisons for 2004 onward. However, data in CIG30MEN for 2004 onward are not likely to be comparable with data in CIG30MEN for 2002 and 2003.

Were the cigarettes you smoked during the past 30 days menthol?

CIG30MEN

Len : 2 MENTHOL OR REG CIG SMOKED MOST PAST 30 DAYS

	Freq	Pct
1 = Yes.....	84566	8.91
2 = No.....	134001	14.12
85 = BAD DATA Logically assigned.....	10	0.00
91 = NEVER USED CIGARETTES	444559	46.83
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	282618	29.77
94 = DON'T KNOW	1086	0.11
97 = REFUSED	52	0.01
98 = BLANK (NO ANSWER).....	2393	0.25

What length were the Marlboro cigarettes you smoked most often during the past 30 days? Were they shorts, regulars (also known as king-sized), or 100s?

CIG30MLN

Len : 2 MARLBORO CIG SMOKED PAST 30 DAYS SHORT, REG, 100'S

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Shorts	27204	2.87
2 = Regulars or king-sized.....	33722	3.55
3 = 100s	16093	1.70
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED CIGARETTES	377533	39.77
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	230209	24.25
94 = DON'T KNOW	371	0.04
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER).....	1961	0.21
99 = LEGITIMATE SKIP	97269	10.25

TOBACCO

During the past 30 days, that is since DATEFILL, have you smoked part or all of a roll-your-own tobacco cigarette?

CIG30RO2

Len : 2 HAVE YOU SMOKED ROLL-OWN CIG IN PAST 30 DAYS

	Freq	Pct
1 = Yes.....	32906	3.47
2 = No.....	188564	19.86
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	72	0.01
85 = BAD DATA Logically assigned.....	10	0.00
91 = NEVER USED CIGARETTES	444559	46.83
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	282618	29.77
94 = DON'T KNOW	85	0.01
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER).....	422	0.04

Has there ever been a period in your life when you smoked cigarettes every day for at least 30 days?

CIGDLYMO

Len : 2 EVER SMOKED CIG EVERY DAY FOR 30 DAYS

	Freq	Pct
1 = Yes.....	137512	14.49
2 = No.....	248316	26.16
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	118651	12.50
91 = NEVER USED CIGARETTES	444559	46.83
94 = DON'T KNOW	162	0.02
97 = REFUSED	82	0.01
98 = BLANK (NO ANSWER).....	3	0.00

How old were you when you first started smoking cigarettes every day?

CIGAGE

Len : 3 AGE WHEN FIRST STARTED SMOKING CIGARETTES EVERYDAY

	Freq	Pct
RANGE = 1 - 77.....	254283	26.79
985 = BAD DATA Logically assigned.....	266	0.03
991 = NEVER USED CIGARETTES	444559	46.83
994 = DON'T KNOW	1425	0.15
997 = REFUSED	274	0.03
998 = BLANK (NO ANSWER).....	162	0.02
999 = LEGITIMATE SKIP (NEVER USED CIGS EVERYDAY)	248316	26.16

Did you first start smoking cigarettes every day in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first start smoking cigarettes every day in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first start smoking cigarettes every day?

CIGDLYFU

Len : 4 YEAR OF FIRST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
RANGE = 2000 - 2018.....	13052	1.37
9985 = BAD DATA Logically assigned.....	671	0.07
9989 = LEGITIMATE SKIP Logically assigned.....	1223	0.13
9991 = NEVER USED CIGARETTES	444559	46.83
9994 = DON'T KNOW.....	1486	0.16
9997 = REFUSED	293	0.03
9998 = BLANK (NO ANSWER).....	301	0.03
9999 = LEGITIMATE SKIP.....	487700	51.38

TOBACCO

In what month in [CURRENT YEAR] did you first start smoking cigarettes every day?

In what month in [YEAR FROM CG16y1 or CG16y2] did you first start smoking cigarettes every day?

[CIGDLMFU](#)

Len : 2 MONTH OF FIRST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
1 = January.....	1492	0.16
2 = February.....	931	0.10
3 = March.....	1022	0.11
4 = April.....	821	0.09
5 = May.....	997	0.11
6 = June.....	1453	0.15
7 = July.....	1063	0.11
8 = August.....	1075	0.11
9 = September.....	1049	0.11
10 = October.....	880	0.09
11 = November.....	821	0.09
12 = December.....	625	0.07
85 = BAD DATA Logically assigned.....	671	0.07
89 = LEGITIMATE SKIP Logically assigned.....	1223	0.13
91 = NEVER USED CIGARETTES.....	444559	46.83
94 = DON'T KNOW.....	2276	0.24
97 = REFUSED.....	324	0.03
98 = BLANK (NO ANSWER).....	303	0.03
99 = LEGITIMATE SKIP.....	487700	51.38

Have you smoked at least 100 cigarettes in your entire life?

[CIG100LF](#)

Len : 2 HAVE YOU SMOKED 100 CIGS IN YOUR LIFE

	Freq	Pct
1 = Yes.....	181215	19.09
2 = No.....	219566	23.13
3 = Yes LOGICALLY ASSIGNED.....	26	0.00
5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	102443	10.79
91 = NEVER USED CIGARETTES.....	444559	46.83
94 = DON'T KNOW.....	1370	0.14
97 = REFUSED.....	103	0.01
98 = BLANK (NO ANSWER).....	3	0.00

The next questions are about your use of "smokeless" tobacco such as snuff, dip, chewing tobacco, or "snus."

Have you ever used "smokeless" tobacco, even once?

[SMKLSSEVR](#)

Len : 2 EVER USED SMOKELESS TOBACCO

	Freq	Pct
-9 = Data not collected for this year.....	722653	76.13
1 = Yes.....	36355	3.83
2 = No.....	190122	20.03
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	144	0.02
97 = REFUSED.....	10	0.00

How old were you the first time you used "smokeless" tobacco?

[SMKLSSTRY](#)

Len : 3 AGE WHEN FIRST USED SMOKELESS TOBACCO

	Freq	Pct
RANGE = 1 - 78.....	35635	3.75
-9 = Data not collected for this year.....	722653	76.13
985 = BAD DATA Logically assigned.....	359	0.04
991 = NEVER USED SMOKELESS TOBACCO.....	190122	20.03
994 = DON'T KNOW.....	287	0.03
997 = REFUSED.....	85	0.01
998 = BLANK (NO ANSWER).....	144	0.02

TOBACCO

Did you first use "smokeless" tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use "smokeless" tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use "smokeless" tobacco?

SMKLSSYFU

Len : 4 YEAR OF FIRST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
RANGE = 2013 - 2018.....	2660	0.28
-9 = Data not collected for this year.....	722653	76.13
9985 = BAD DATA Logically assigned.....	424	0.04
9989 = LEGITIMATE SKIP Logically assigned.....	204	0.02
9991 = NEVER USED SMOKELESS TOBACCO.....	190122	20.03
9994 = DON'T KNOW.....	293	0.03
9997 = REFUSED.....	87	0.01
9998 = BLANK (NO ANSWER).....	355	0.04
9999 = LEGITIMATE SKIP.....	32487	3.42

In what month in [CURRENT YEAR] did you first use "smokeless" tobacco?

In what month in [YEAR FROM CG26a or CG26b] did you first use "smokeless" tobacco?

SMKLSSMFU

Len : 2 MONTH OF FIRST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	722653	76.13
1 = January.....	228	0.02
2 = February.....	182	0.02
3 = March.....	206	0.02
4 = April.....	171	0.02
5 = May.....	183	0.02
6 = June.....	295	0.03
7 = July.....	292	0.03
8 = August.....	233	0.02
9 = September.....	167	0.02
10 = October.....	214	0.02
11 = November.....	183	0.02
12 = December.....	151	0.02
85 = BAD DATA Logically assigned.....	420	0.04
89 = LEGITIMATE SKIP Logically assigned.....	204	0.02
91 = NEVER USED "smokeless" tobacco.....	190122	20.03
94 = DON'T KNOW.....	440	0.05
97 = REFUSED.....	95	0.01
98 = BLANK (NO ANSWER).....	359	0.04
99 = LEGITIMATE SKIP.....	32487	3.42

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days -- that is, from [DATEFILL] up to and including today. During the past 30 days, have you used "smokeless" tobacco, even once?

How long has it been since you last used "smokeless" tobacco?

SMKLSSREC

Len : 2 TIME SINCE LAST USED SMOKELESS TOBACCO

	Freq	Pct
-9 = Data not collected for this year.....	722653	76.13
1 = Within the past 30 days.....	8279	0.87
2 = More than 30 days ago but within the past 12 mos.....	3861	0.41
3 = More than 12 months ago but within the past 3 yrs.....	4630	0.49
4 = More than 3 years ago.....	18959	2.00
8 = Used at some point in the past 12 mos LOG ASSN.....	20	0.00
9 = Used at some point in the lifetime LOG ASSN.....	31	0.00
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	6	0.00
14 = Used more than 12 months ago LOG ASSN.....	254	0.03
19 = Used more than 30 days ago LOG ASSN.....	144	0.02
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN.....	170	0.02
39 = Used within the past 3 years LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED SMOKELESS TOBACCO.....	190122	20.03
97 = REFUSED.....	10	0.00
98 = BLANK (NO ANSWER).....	144	0.02

TOBACCO

During the past 30 days, that is since [DATEFILL], on how many days did you use "smokeless" tobacco?

[SMKLSS30N](#)

Len : 2 HOW MANY DAYS USED SMOKELESS TOBACCO PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	8211	0.86
-9 = Data not collected for this year	722653	76.13
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED SMOKELESS TOBACCO.....	190122	20.03
93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.....	28018	2.95
94 = DON'T KNOW	59	0.01
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER).....	202	0.02

What is your best estimate of the number of days you used "smokeless" tobacco during the past 30 days?

[SMKLSS30E](#)

Len : 2 BEST EST. HOW MANY DAYS USED SMKLSS TOB PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = 1 or 2 days.....	9	0.00
2 = 3 to 5 days	11	0.00
3 = 6 to 9 days	6	0.00
4 = 10 to 19 days.....	6	0.00
5 = 20 to 29 days.....	8	0.00
6 = All 30 days	14	0.00
91 = NEVER USED SMOKELESS TOBACCO.....	190122	20.03
93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.....	28018	2.95
94 = DON'T KNOW	9	0.00
97 = REFUSED	15	0.00
98 = BLANK (NO ANSWER).....	203	0.02
99 = LEGITIMATE SKIP	8211	0.86

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

The next questions are about smoking cigars. By cigars we mean any kind, including big cigars, cigarillos, and even little cigars that look like cigarettes.

Have you ever smoked part or all of any type of cigar?

[CIGAREVR](#)

Len : 2 EVER SMOKED PART OR ALL OF CIGAR

	Freq	Pct
1 = Yes.....	292874	30.85
2 = No.....	656242	69.13
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW	137	0.01
97 = REFUSED	29	0.00

How old were you the first time you smoked part or all of any type of cigar?

[CIGARTRY](#)

Len : 3 AGE WHEN FIRST SMOKED CIGAR

	Freq	Pct
RANGE = 1 - 80.....	286316	30.16
985 = BAD DATA Logically assigned.....	2816	0.30
991 = NEVER USED CIGARS	656242	69.13
994 = DON'T KNOW	3596	0.38
997 = REFUSED	178	0.02
998 = BLANK (NO ANSWER).....	137	0.01

TOBACCO

Did you first smoke part or all of a cigar in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigar in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar?

CIGARYFU

Len : 4 YEAR OF FIRST CIGAR USE - RECODE

	Freq	Pct
RANGE = 2000 - 2018.....	34461	3.63
9985 = BAD DATA Logically assigned.....	3909	0.41
9989 = LEGITIMATE SKIP Logically assigned.....	1857	0.20
9991 = NEVER USED CIGARS	656242	69.13
9994 = DON'T KNOW.....	3698	0.39
9997 = REFUSED	194	0.02
9998 = BLANK (NO ANSWER).....	1719	0.18
9999 = LEGITIMATE SKIP.....	247205	26.04

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar?

In what month in [YEAR FROM CG35a or CG35b] did you first smoke part or all of a cigar?

CIGARMFU

Len : 2 MONTH OF FIRST CIGAR USE - RECODE

	Freq	Pct
1 = January.....	2755	0.29
2 = February.....	1903	0.20
3 = March.....	2312	0.24
4 = April.....	2344	0.25
5 = May.....	2563	0.27
6 = June.....	4235	0.45
7 = July.....	4067	0.43
8 = August.....	2689	0.28
9 = September.....	2385	0.25
10 = October.....	2401	0.25
11 = November.....	2222	0.23
12 = December.....	2142	0.23
85 = BAD DATA Logically assigned.....	3885	0.41
89 = LEGITIMATE SKIP Logically assigned.....	1857	0.20
91 = NEVER USED CIGARS	656242	69.13
94 = DON'T KNOW.....	6063	0.64
97 = REFUSED	272	0.03
98 = BLANK (NO ANSWER).....	1743	0.18
99 = LEGITIMATE SKIP.....	247205	26.04

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of any type of cigar?

How long has it been since you last smoked part or all of any type of cigar?

CIGARREC

Len : 2 TIME SINCE LAST SMOKED CIGAR

	Freq	Pct
1 = Within the past 30 days	59663	6.29
2 = More than 30 days ago but within the past 12 mos	60137	6.33
3 = More than 12 months ago but within the past 3 yrs.....	57609	6.07
4 = More than 3 years ago	110563	11.65
8 = Used at some point in the past 12 mos LOG ASSN.....	148	0.02
9 = Used at some point in the lifetime LOG ASSN.....	150	0.02
11 = Used in the past 30 days LOGICALLY ASSIGNED	30	0.00
14 = Used more than 12 months ago LOG ASSN	1874	0.20
19 = Used more than 30 days ago LOG ASSN.....	1358	0.14
29 = Used more than 30 days ago but in pst 3 yr LOG ASSN.....	1323	0.14
39 = Used within the past 3 years LOGICALLY ASSIGNED	19	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED CIGARS	656242	69.13
97 = REFUSED	29	0.00
98 = BLANK (NO ANSWER).....	137	0.01

TOBACCO

During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigar?

CGR30USE

Len : 2 HOW MANY DAYS SMOKED CIGAR IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	59093	6.23
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED CIGARS	656242	69.13
93 = DID NOT USE CIGARS IN THE PAST 30 DAYS	232864	24.53
94 = DON'T KNOW	508	0.05
97 = REFUSED	91	0.01
98 = BLANK (NO ANSWER).....	484	0.05

What is your best estimate of the number of days you smoked part or all of a cigar during the past 30 days?

CI30EST

Len : 2 BEST EST. # DAYS SMOKED CIGAR PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days.....	171	0.02
2 = 3 to 5 days.....	111	0.01
3 = 6 to 9 days	79	0.01
4 = 10 to 19 days.....	66	0.01
5 = 20 to 29 days.....	24	0.00
6 = All 30 days	18	0.00
91 = NEVER USED CIGARS	656242	69.13
93 = DID NOT USE CIGARS IN THE PAST 30 DAYS	232864	24.53
94 = DON'T KNOW	73	0.01
97 = REFUSED	57	0.01
98 = BLANK (NO ANSWER).....	487	0.05
99 = LEGITIMATE SKIP	59093	6.23

TOBACCO

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

CGR30BR2

Len : 4 CIGAR BRAND USED MOST OFTEN PAST MO - RECODE

	Freq	Pct
104 = Camel	18	0.00
112 = Marlboro	455	0.05
118 = Newport	49	0.01
401 = Antonio y Cleopatra	239	0.03
402 = Backwoods	1988	0.21
403 = Bering	12	0.00
404 = Black & Mild	18812	1.98
405 = Captain Black	242	0.03
406 = Casa Silva	5	0.00
407 = Cuesta-Rey	68	0.01
408 = Dutch Masters	1979	0.21
409 = El Producto	104	0.01
410 = Erik Filter	4	0.00
411 = Garcia y Vega	1245	0.13
412 = Havatampa	225	0.02
413 = King Edward	319	0.03
414 = La Corona	266	0.03
415 = Little Nippers	65	0.01
416 = Macanudos	1052	0.11
417 = Muriel	71	0.01
418 = Partagas	185	0.02
419 = Phillies	2744	0.29
420 = Rigoletto	10	0.00
422 = Roi-Tan	11	0.00
423 = Swisher Sweets	10910	1.15
424 = Tijuana Smalls	113	0.01
425 = Universal	4	0.00
426 = White Owl	2297	0.24
427 = William Penn	4	0.00
428 = Winchester	238	0.03
429 = Al Capone	1195	0.13
431 = Arturo Fuente	701	0.07
432 = Ashton	85	0.01
434 = Baccarat	16	0.00
437 = Blackstone	184	0.02
439 = Blunts; brand unspecified	6	0.00
443 = Cohiba cigars	1295	0.14
444 = Cojimar	3	0.00
448 = Cuban cigars; brand unspecified	400	0.04
449 = Cubana; brand unspecified	27	0.00
451 = Davidoff cigars	26	0.00
452 = Don Diego	8	0.00
458 = Dunhill cigars	6	0.00
460 = El Rey del Mundo	3	0.00
462 = Grenadiers	7	0.00
464 = H. Upmann	16	0.00
465 = Habana/Havana cigars; brand unspecified	56	0.01
469 = Hoya De Monterrey	9	0.00
476 = La Gloria Cubana	20	0.00
479 = La Flor Dominicana	6	0.00
484 = Middleton; Black and Mild unspecified	4	0.00
486 = Montecristo	647	0.07
488 = Optimo	55	0.01
490 = Padron	67	0.01
492 = Prime Time Little Cigars	507	0.05
493 = Prince Albert cigars	7	0.00
494 = Punch	257	0.03
495 = Puros Indios	3	0.00
496 = Romeo y Julieta	1184	0.12
497 = Royal Jamaica	3	0.00
1221 = Cheyenne cigarettes	5	0.00
1999 = Cigarette; brand otherwise unspecified	116	0.01
4001 = Sweets; brand unspecified	3	0.00
4003 = Te Amo	5	0.00
4005 = Thompson	147	0.02
4006 = Tiparillo	4	0.00
4016 = Dominican cigars; brand unspecified	39	0.00
4018 = Nat Sherman cigars	4	0.00
4020 = Onyx	7	0.00
4022 = Excalibur	3	0.00

TOBACCO

4027 = Nicaraguan cigars; brand unspecified.....	3	0.00
4036 = La Finca.....	3	0.00
4045 = Havana Honey.....	31	0.00
4050 = Fuente.....	17	0.00
4051 = Avo.....	6	0.00
4054 = Acid.....	371	0.04
4060 = Honduran cigars; brand unspecified.....	3	0.00
4064 = Djarum cigarillos.....	171	0.02
4072 = K. Hansotia Gurhka.....	42	0.00
4083 = C.A.O.....	112	0.01
4084 = Tatiana.....	18	0.00
4110 = Drew Estates.....	53	0.01
4116 = Sosa.....	3	0.00
4130 = Smokin Joe's cigars.....	3	0.00
4135 = Sinatra.....	3	0.00
4136 = Markers Mark.....	18	0.00
4155 = Smoker Friendly cigars.....	10	0.00
4175 = Perdomo.....	23	0.00
4192 = Smoker's Choice little cigars.....	63	0.01
4203 = Omega little cigars.....	3	0.00
4207 = Racer little cigars.....	6	0.00
4209 = Heaven.....	3	0.00
4212 = Diesel.....	4	0.00
4236 = Hats Off.....	4	0.00
4237 = Rocky Patels.....	99	0.01
4242 = Pom Pom cigarillos.....	3	0.00
4243 = Dean's Lil' Cigars.....	16	0.00
4245 = Oliiva O.....	38	0.00
4265 = Cheyenne little cigars.....	247	0.03
4266 = Java.....	6	0.00
4282 = Vendetta little cigars.....	3	0.00
4283 = Supreme Blend little cigars.....	7	0.00
4295 = Santa Fe little cigars.....	46	0.00
4306 = Red Buck little cigars.....	15	0.00
4308 = Stampede little cigars.....	3	0.00
4311 = Kahlua.....	11	0.00
4312 = Golden Harvest little cigars.....	10	0.00
4313 = Richwood little cigars.....	3	0.00
4328 = Remington little cigars.....	12	0.00
4344 = Kristoff.....	3	0.00
4347 = Game.....	87	0.01
4350 = Double Diamond cigars.....	8	0.00
4357 = NUb.....	11	0.00
4360 = Director's Club little cigars.....	3	0.00
4361 = Good Times.....	26	0.00
4366 = Wrangler little cigars.....	3	0.00
4367 = Clipper little cigars.....	17	0.00
4375 = 1839 cigars.....	12	0.00
4376 = Smoker's Best cigars.....	6	0.00
4391 = Zig Zag cigarillos.....	62	0.01
4410 = Wild Horse cigars.....	3	0.00
4411 = Alec Bradley.....	10	0.00
4419 = Room101 305s.....	9	0.00
4420 = Entourage.....	3	0.00
4434 = 38 Special little cigars.....	3	0.00
4454 = Criss Cross cigars.....	7	0.00
4455 = Talon.....	17	0.00
4458 = 305's cigars.....	38	0.00
4465 = Tatuaje.....	3	0.00
4476 = Seneca cigar.....	10	0.00
4484 = Show.....	8	0.00
4496 = Jackpot cigars.....	16	0.00
4513 = My Father.....	3	0.00
4998 = Homemade cigars.....	11	0.00
4999 = Cigar/Cigarillo; brand otherwise unspecified.....	4259	0.45
5999 = Pipe tobacco; brand otherwise unspecified.....	4	0.00
6999 = Unknown tobacco or non-tobacco product.....	3	0.00
7999 = Not a tobacco product.....	4	0.00
8999 = Tobacco replacement or tobacco-like product.....	3	0.00
9000 = Did not confirm after 3 passes thru brand Qs.....	3	0.00
9985 = BAD DATA Logically assigned.....	3	0.00
9991 = NEVER USED CIGARS.....	656242	69.13
9993 = DID NOT USE CIGARS IN THE PAST 30 DAYS.....	232864	24.53
9994 = DON'T KNOW.....	2498	0.26
9997 = REFUSED.....	177	0.02

TOBACCO

9998 = BLANK (NO ANSWER)..... 484 0.05

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

These last questions on tobacco products are about using a pipe to smoke tobacco. Have you ever smoked tobacco in a pipe, even once?

PIPEVER

Len : 2 EVER SMOKED PIPE TOBACCO

	Freq	Pct
1 = Yes.....	84349	8.89
2 = No.....	864763	91.10
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	146	0.02
97 = REFUSED	26	0.00

During the past 30 days, that is since [DATEFILL], have you smoked tobacco in a pipe, even once?

PIPE30DY

Len : 2 HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS

	Freq	Pct
1 = Yes.....	9211	0.97
2 = No.....	75108	7.91
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED PIPE TOBACCO.....	864763	91.10
94 = DON'T KNOW	19	0.00
97 = REFUSED	32	0.00
98 = BLANK (NO ANSWER).....	146	0.02

ALCOHOL

ALCOHOL

On the ALC30DAY/ALCESTFL days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

NODR30A

Len : 3 USUAL # OF DRINKS PER DAY PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 90.....	303209	31.94
-9 = Data not collected for this year.....	226632	23.87
975 = AT LEAST 5 Logically assigned.....	12690	1.34
985 = BAD DATA Logically assigned.....	3018	0.32
991 = NEVER USED ALCOHOL	201569	21.23
993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	190993	20.12
994 = DON'T KNOW	1377	0.15
997 = REFUSED	499	0.05
998 = BLANK (NO ANSWER).....	9298	0.98

During the past 30 days, that is since [DATEFILL], on how many days did you have 5 or more drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.

DR5DAY

Len : 2 # DAYS HAD FIVE OR MORE DRINKS PAST 30 DAYS

	Freq	Pct
RANGE = 0 - 30.....	313030	32.98
-9 = Data not collected for this year.....	226632	23.87
80 = NO OCCAS OF 5+ DRINKS PST 30 DAYS Log assn.....	652	0.07
85 = BAD DATA Logically assigned.....	3019	0.32
91 = NEVER USED ALCOHOL	201569	21.23
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	190993	20.12
94 = DON'T KNOW	3164	0.33
97 = REFUSED	928	0.10
98 = BLANK (NO ANSWER).....	9298	0.98

These questions are about drinks of alcoholic beverages. Throughout these questions, by a "drink" we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink.

Have you ever, even once, had a drink of any type of alcoholic beverage? Please do not include times when you only had a sip or two from a drink.

ALCEVER

Len : 2 EVER HAD DRINK OF ALCOHOLIC BEVERAGE

	Freq	Pct
1 = Yes.....	683917	72.05
2 = No.....	265078	27.92
85 = BAD DATA Logically assigned.....	27	0.00
94 = DON'T KNOW	166	0.02
97 = REFUSED	97	0.01

Think about the first time you had a drink of an alcoholic beverage. How old were you the first time you had a drink of an alcoholic beverage? Please do not include any time when you only had a sip or two from a drink.

ALCTRY

Len : 3 AGE WHEN FIRST DRANK ALCOHOLIC BEVERAGE

	Freq	Pct
RANGE = 1 - 90.....	673925	70.99
985 = BAD DATA Logically assigned.....	2226	0.23
991 = NEVER USED ALCOHOL	265078	27.92
994 = DON'T KNOW	6548	0.69
997 = REFUSED	1342	0.14
998 = BLANK (NO ANSWER).....	166	0.02

ALCOHOL

Did you first have a drink of an alcoholic beverage in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have a drink of an alcoholic beverage in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have a drink of an alcoholic beverage?

ALCYFU

Len : 4 YEAR OF FIRST ALCOHOL USE - RECODE

	Freq	Pct
RANGE = 2000 - 2018.....	67515	7.11
9985 = BAD DATA Logically assigned.....	6348	0.67
9989 = LEGITIMATE SKIP Logically assigned.....	3416	0.36
9991 = NEVER USED ALCOHOL	265078	27.92
9994 = DON'T KNOW.....	6754	0.71
9997 = REFUSED	1406	0.15
9998 = BLANK (NO ANSWER).....	302	0.03
9999 = LEGITIMATE SKIP.....	598466	63.04

In what month in [CURRENT YEAR] did you first have a drink of an alcoholic beverage?

In what month in [YEAR FROM AL02a or AL02b] did you first have a drink of an alcoholic beverage?

ALCMFU

Len : 2 MONTH OF FIRST ALCOHOL USE - RECODE

	Freq	Pct
1 = January.....	7330	0.77
2 = February	3282	0.35
3 = March.....	4121	0.43
4 = April.....	3662	0.39
5 = May.....	4421	0.47
6 = June.....	7542	0.79
7 = July	8185	0.86
8 = August.....	4932	0.52
9 = September.....	4038	0.43
10 = October.....	4547	0.48
11 = November	4161	0.44
12 = December	7083	0.75
85 = BAD DATA Logically assigned.....	6329	0.67
89 = LEGITIMATE SKIP Logically assigned	3416	0.36
91 = NEVER USED ALCOHOL	265078	27.92
94 = DON'T KNOW	10787	1.14
97 = REFUSED	1584	0.17
98 = BLANK (NO ANSWER).....	321	0.03
99 = LEGITIMATE SKIP	598466	63.04

How long has it been since you last drank an alcoholic beverage?

ALCREC

Len : 2 TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE

	Freq	Pct
1 = Within the past 30 days	422760	44.53
2 = More than 30 days ago but within the past 12 mos	144760	15.25
3 = More than 12 months ago	104565	11.02
8 = Used at some point in the past 12 mos LOG ASSN	6130	0.65
9 = Used at some point in the lifetime LOG ASSN	5541	0.58
11 = Used in the past 30 days LOGICALLY ASSIGNED	161	0.02
85 = BAD DATA Logically assigned.....	27	0.00
91 = NEVER USED ALCOHOL	265078	27.92
97 = REFUSED	97	0.01
98 = BLANK (NO ANSWER).....	166	0.02

ALCYRTOT

Len : 3 TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365	566729	59.70
985 = BAD DATA Logically assigned.....	1990	0.21
991 = NEVER USED ALCOHOL	265078	27.92
993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	104565	11.02
994 = DON'T KNOW	4077	0.43
997 = REFUSED	1167	0.12
998 = BLANK (NO ANSWER).....	5679	0.60

ALCOHOL

ALTOTFG

Len : 2 TRIMMING INDICATOR FOR ALCYRTOT

	Freq	Pct
1 = Trimmed to 365 days (no further editing)	113	0.01
2 = Trimmed relative to the 30-day freq	5251	0.55
3 = Trimmed relative to estimated 30-day freq.....	17	0.00
98 = BLANK (NO ANSWER).....	943904	99.43

ALFQFLG

Len : 2 TRIMMED ALCYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	13390	1.41
98 = BLANK (NO ANSWER).....	935895	98.59

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.

What would be the easiest way for you to tell us how many days you drank alcoholic beverages?

ALBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL

	Freq	Pct
1 = Prefer to answer in days per week	188975	19.91
2 = Prefer to answer in days per month.....	203047	21.39
3 = Prefer to answer in days per year.....	169871	17.89
11 = Prefer to ans in days per wk LOG ASSN	879	0.09
12 = Prefer to ans in days per mo LOG ASSN	1461	0.15
13 = Prefer to ans in days per yr LOG ASSN.....	5659	0.60
85 = BAD DATA Logically assigned.....	1944	0.20
91 = NEVER USED ALCOHOL	265078	27.92
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS	104565	11.02
94 = DON'T KNOW	1503	0.16
97 = REFUSED	624	0.07
98 = BLANK (NO ANSWER).....	5679	0.60

On how many days in the past 12 months did you drink an alcoholic beverage?

ALDAYPYR

Len : 3 NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 366	174897	18.42
985 = BAD DATA Logically assigned.....	1028	0.11
989 = LEGITIMATE SKIP Logically assigned.....	2626	0.28
991 = NEVER USED ALCOHOL	265078	27.92
993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS	104565	11.02
994 = DON'T KNOW	2107	0.22
997 = REFUSED	610	0.06
998 = BLANK (NO ANSWER).....	6638	0.70
999 = LEGITIMATE SKIP	391736	41.27

On average, how many days did you drink an alcoholic beverage each month during the past 12 months?

ALDAYPMO

Len : 2 # DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31.....	203507	21.44
85 = BAD DATA Logically assigned.....	537	0.06
89 = LEGITIMATE SKIP Logically assigned	931	0.10
91 = NEVER USED ALCOHOL	265078	27.92
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS	104565	11.02
94 = DON'T KNOW	2860	0.30
97 = REFUSED	786	0.08
98 = BLANK (NO ANSWER).....	7201	0.76
99 = LEGITIMATE SKIP	363820	38.33

ALCOHOL

On average, how many days did you drink an alcoholic beverage each week during the past 12 months?

ALDAYPWK

Len : 2 # DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7.....	188327	19.84
85 = BAD DATA Logically assigned.....	446	0.05
91 = NEVER USED ALCOHOL	265078	27.92
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS	104565	11.02
94 = DON'T KNOW	4012	0.42
97 = REFUSED	1139	0.12
98 = BLANK (NO ANSWER).....	7316	0.77
99 = LEGITIMATE SKIP	378402	39.86

Think specifically about the past 30 days, from [DATEFILL], up to and including today. During the past 30 days, on how many days did you drink one or more drinks of an alcoholic beverage?

ALCDAYS

Len : 2 # DAYS HAD ONE OR MORE DRINKS PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	416885	43.92
85 = BAD DATA Logically assigned.....	8156	0.86
91 = NEVER USED ALCOHOL	265078	27.92
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	249325	26.26
94 = DON'T KNOW	2239	0.24
97 = REFUSED	735	0.08
98 = BLANK (NO ANSWER).....	6867	0.72

What is your best estimate of the number of days you drank alcohol during the past 30 days?

ALC30EST

Len : 2 BEST ESTIMATE # DAYS HAD ONE OR MORE DRINKS

	Freq	Pct
1 = 1 or 2 days.....	926	0.10
2 = 3 to 5 days	565	0.06
3 = 6 to 9 days	450	0.05
4 = 10 to 19 days.....	349	0.04
5 = 20 to 29 days.....	103	0.01
6 = All 30 days	46	0.00
85 = BAD DATA Logically assigned.....	26	0.00
91 = NEVER USED ALCOHOL	265078	27.92
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	249325	26.26
94 = DON'T KNOW	270	0.03
97 = REFUSED	296	0.03
98 = BLANK (NO ANSWER).....	15147	1.60
99 = LEGITIMATE SKIP	416704	43.90

ALDYSEFG

Len : 2 REVISION INDICATOR FOR ALCDAYS

	Freq	Pct
1 = Edited for consistency with ALCYRTOT or ALCBNG30D.....	287	0.03
98 = BLANK (NO ANSWER).....	948998	99.97

NOTE: Beginning in 2015, level 975 was updated to "AT LEAST 4 or 5 Logically assigned" to reflect the change in the threshold for binge alcohol use among female respondents from 5 or more drinks on an occasion prior to 2015 to 4 or more drinks on an occasion in 2015. See the note below for ALCBNG30D.

On the ALC30DAY/ALCESTFL days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

ALCUS30D

Len : 3 USUAL # OF DRINKS PER DAY PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 90.....	96547	10.17
-9 = Data not collected for this year	722653	76.13
975 = AT LEAST 4 OR 5 Logically assigned.....	4207	0.44
985 = BAD DATA Logically assigned.....	853	0.09
991 = NEVER USED ALCOHOL	63509	6.69
993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	58332	6.14
994 = DON'T KNOW	374	0.04
997 = REFUSED	167	0.02
998 = BLANK (NO ANSWER).....	2643	0.28

ALCOHOL

NOTE: Beginning in 2015, female respondents were asked ALCBNG30D to report the number of days that they had 4 or more drinks on the same occasion in the past 30 days. As in prior years, male respondents in 2015 were asked for ALCBNG30D to report the number of days that they had 5 or more drinks on the same occasion in the past 30 days.

During the past 30 days, that is since [DATEFILL], on how many days did you have [4 or more]/[5 or more] drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.

ALCBNG30D

Len : 2 # DAYS HAD FOUR/FIVE OR MORE DRINKS PAST 30 DYS

	Freq	Pct
RANGE = 0 - 30.....	100029	10.54
-9 = Data not collected for this year.....	722653	76.13
80 = NO OCCAS OF 4+ or 5+ DRINKS PST 30 DAYS Log assn.....	176	0.02
85 = BAD DATA Logically assigned.....	854	0.09
91 = NEVER USED ALCOHOL.....	63509	6.69
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	58332	6.14
94 = DON'T KNOW	797	0.08
97 = REFUSED	292	0.03
98 = BLANK (NO ANSWER).....	2643	0.28

MARIJUANA

MARIJUANA

The next questions are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked, either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.

Have you ever, even once, used marijuana or hashish?

MJEVER

Len : 2 EVER USED MARIJUANA/HASHISH

	Freq	Pct
1 = Yes.....	386498	40.71
2 = No.....	562184	59.22
85 = BAD DATA Logically assigned.....	8	0.00
94 = DON'T KNOW	194	0.02
97 = REFUSED	401	0.04

How old were you the first time you used marijuana or hashish?

MJAGE

Len : 3 AGE WHEN FIRST USED MARIJUANA/HASHISH

	Freq	Pct
RANGE = 1 - 81.....	383521	40.40
985 = BAD DATA Logically assigned.....	990	0.10
991 = NEVER USED MARIJUANA	562184	59.22
994 = DON'T KNOW	1593	0.17
997 = REFUSED	803	0.08
998 = BLANK (NO ANSWER).....	194	0.02

Did you first use marijuana or hashish in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use marijuana or hashish in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use marijuana or hashish?

MJYFU

Len : 4 YEAR OF FIRST MARIJUANA/HASHISH USE - RECODE

	Freq	Pct
RANGE = 2000 - 2018.....	34863	3.67
9985 = BAD DATA Logically assigned.....	3206	0.34
9989 = LEGITIMATE SKIP Logically assigned.....	1946	0.20
9991 = NEVER USED MARIJUANA	562184	59.22
9994 = DON'T KNOW	1728	0.18
9997 = REFUSED	825	0.09
9998 = BLANK (NO ANSWER).....	250	0.03
9999 = LEGITIMATE SKIP.....	344283	36.27

In what month in [CURRENT YEAR] did you first use marijuana or hashish?

In what month in [YEAR FROM MJ03a or MJ03b] did you first use marijuana or hashish?

MJMFU

Len : 2 MONTH OF FIRST MARIJUANA/HASHISH USE - RECODE

	Freq	Pct
1 = January.....	2965	0.31
2 = February	2212	0.23
3 = March.....	2539	0.27
4 = April.....	2711	0.29
5 = May.....	2411	0.25
6 = June.....	3858	0.41
7 = July	3468	0.37
8 = August.....	2651	0.28
9 = September.....	2435	0.26
10 = October.....	2747	0.29
11 = November	2267	0.24
12 = December	2196	0.23
85 = BAD DATA Logically assigned.....	3198	0.34
89 = LEGITIMATE SKIP Logically assigned	1946	0.20
91 = NEVER USED MARIJUANA	562184	59.22
94 = DON'T KNOW	4019	0.42
97 = REFUSED	937	0.10
98 = BLANK (NO ANSWER).....	258	0.03
99 = LEGITIMATE SKIP	344283	36.27

MARIJUANA

How long has it been since you last used marijuana or hashish?

MJREC

Len : 2 TIME SINCE LAST USED MARIJUANA/HASHISH

	Freq	Pct
1 = Within the past 30 days	98723	10.40
2 = More than 30 days ago but within the past 12 mos	66874	7.04
3 = More than 12 months ago	214707	22.62
8 = Used at some point in the past 12 mos LOG ASSN	3046	0.32
9 = Used at some point in the lifetime LOG ASSN	3080	0.32
11 = Used in the past 30 days LOGICALLY ASSIGNED	68	0.01
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED MARIJUANA	562184	59.22
97 = REFUSED	401	0.04
98 = BLANK (NO ANSWER).....	194	0.02

MJYRTOT

Len : 3 TOTAL # OF DAYS USED MARIJUANA IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365	164948	17.38
985 = BAD DATA Logically assigned.....	1934	0.20
991 = NEVER USED MARIJUANA	562184	59.22
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	214707	22.62
994 = DON'T KNOW	1377	0.15
997 = REFUSED	869	0.09
998 = BLANK (NO ANSWER).....	3266	0.34

MRTOTFG

Len : 2 TRIMMING INDICATOR FOR MJYRTOT

	Freq	Pct
1 = Trimmed to 365 days (no further editing)	193	0.02
2 = Trimmed relative to the 30-day freq	4416	0.47
3 = Trimmed relative to estimated 30-day freq.....	12	0.00
98 = BLANK (NO ANSWER).....	944664	99.51

MJFQFLG

Len : 2 TRIMMED MJYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	7308	0.77
98 = BLANK (NO ANSWER).....	941977	99.23

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used marijuana or hashish during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

MRBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED MARIJUANA/HASH

	Freq	Pct
1 = Prefer to answer in days per week	58993	6.21
2 = Prefer to answer in days per month.....	42141	4.44
3 = Prefer to answer in days per year.....	63014	6.64
11 = Prefer to ans in days per wk LOG ASSN	294	0.03
12 = Prefer to ans in days per mo LOG ASSN	392	0.04
13 = Prefer to ans in days per yr LOG ASSN.....	1276	0.13
85 = BAD DATA Logically assigned.....	1930	0.20
91 = NEVER USED MARIJUANA	562184	59.22
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	214707	22.62
94 = DON'T KNOW	448	0.05
97 = REFUSED	640	0.07
98 = BLANK (NO ANSWER).....	3266	0.34

MARIJUANA

On how many days in the past 12 months did you use marijuana or hashish?

MRDAYPYR

Len : 3 # DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 366	64090	6.75
985 = BAD DATA Logically assigned.....	286	0.03
989 = LEGITIMATE SKIP Logically assigned.....	776	0.08
991 = NEVER USED MARIJUANA	562184	59.22
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	214707	22.62
994 = DON'T KNOW	633	0.07
997 = REFUSED	663	0.07
998 = BLANK (NO ANSWER).....	4902	0.52
999 = LEGITIMATE SKIP	101044	10.64

On average, how many days did you use marijuana or hashish each month during the past 12 months?

MRDAYPMO

Len : 2 # DAYS PER MO USED MARIJUANA/HASHISH PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31	42197	4.45
85 = BAD DATA Logically assigned.....	510	0.05
89 = LEGITIMATE SKIP Logically assigned	308	0.03
91 = NEVER USED MARIJUANA	562184	59.22
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	214707	22.62
94 = DON'T KNOW	888	0.09
97 = REFUSED	723	0.08
98 = BLANK (NO ANSWER).....	4699	0.50
99 = LEGITIMATE SKIP	123069	12.96

On average, how many days did you use marijuana or hashish each week during the past 12 months?

MRDAYPWK

Len : 2 # DAYS PER WEEK USED MARIJUANA/HASHISH PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7	58661	6.18
85 = BAD DATA Logically assigned.....	1143	0.12
91 = NEVER USED MARIJUANA	562184	59.22
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	214707	22.62
94 = DON'T KNOW	1365	0.14
97 = REFUSED	864	0.09
98 = BLANK (NO ANSWER).....	4074	0.43
99 = LEGITIMATE SKIP	106287	11.20

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?

MJDAY30A

Len : 2 # DAYS USED MARIJUANA/HASHISH PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	97739	10.30
85 = BAD DATA Logically assigned.....	1376	0.14
91 = NEVER USED MARIJUANA	562184	59.22
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	281581	29.66
94 = DON'T KNOW	712	0.08
97 = REFUSED	673	0.07
98 = BLANK (NO ANSWER).....	5020	0.53

MARIJUANA

What is your best estimate of the number of days you used marijuana or hashish during the past 30 days?

[MR30EST](#)

Len : 2 BEST EST. # DAYS USED MARIJUANA PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days.....	158	0.02
2 = 3 to 5 days	144	0.02
3 = 6 to 9 days	123	0.01
4 = 10 to 19 days.....	167	0.02
5 = 20 to 29 days.....	93	0.01
6 = All 30 days	88	0.01
91 = NEVER USED MARIJUANA	562184	59.22
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	281581	29.66
94 = DON'T KNOW	80	0.01
97 = REFUSED	542	0.06
98 = BLANK (NO ANSWER).....	6401	0.67
99 = LEGITIMATE SKIP	97724	10.29

COCAINE

COCAINE

These questions are about cocaine, including all the different forms of cocaine such as powder, "crack," free base, and coca paste.

Have you ever, even once, used any form of cocaine?

COCEVER

Len : 2 EVER USED COCAINE

	Freq	Pct
1 = Yes.....	110992	11.69
2 = No.....	837903	88.27
85 = BAD DATA Logically assigned.....	7	0.00
94 = DON'T KNOW	183	0.02
97 = REFUSED	200	0.02

How old were you the first time you used cocaine, in any form?

COCAFE

Len : 3 AGE WHEN FIRST USED COCAINE

	Freq	Pct
RANGE = 1 - 71.....	110031	11.59
985 = BAD DATA Logically assigned.....	307	0.03
991 = NEVER USED COCAINE	837903	88.27
994 = DON'T KNOW	527	0.06
997 = REFUSED	334	0.04
998 = BLANK (NO ANSWER).....	183	0.02

Did you first use cocaine in any form in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use cocaine in any form in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use cocaine in any form?

COCYFU

Len : 4 YEAR OF FIRST COCAINE USE - RECODE

	Freq	Pct
RANGE = 2000 - 2018.....	10195	1.07
9985 = BAD DATA Logically assigned.....	1126	0.12
9989 = LEGITIMATE SKIP Logically assigned.....	969	0.10
9991 = NEVER USED COCAINE.....	837903	88.27
9994 = DON'T KNOW.....	574	0.06
9997 = REFUSED	359	0.04
9998 = BLANK (NO ANSWER).....	212	0.02
9999 = LEGITIMATE SKIP.....	97947	10.32

In what month in [CURRENT YEAR] did you first use cocaine in any form?

In what month in [YEAR FROM CC03a or CC03b] did you first use cocaine?

COCMFU

Len : 2 MONTH OF FIRST COCAINE USE - RECODE

	Freq	Pct
1 = January.....	1043	0.11
2 = February	760	0.08
3 = March.....	840	0.09
4 = April.....	694	0.07
5 = May.....	677	0.07
6 = June.....	970	0.10
7 = July	922	0.10
8 = August.....	681	0.07
9 = September.....	699	0.07
10 = October.....	827	0.09
11 = November	753	0.08
12 = December	693	0.07
85 = BAD DATA Logically assigned.....	1127	0.12
89 = LEGITIMATE SKIP Logically assigned	969	0.10
91 = NEVER USED COCAINE	837903	88.27
94 = DON'T KNOW	1169	0.12
97 = REFUSED	400	0.04
98 = BLANK (NO ANSWER).....	211	0.02
99 = LEGITIMATE SKIP	97947	10.32

COCAINE

How long has it been since you last used cocaine?

COCREC

Len : 2 TIME SINCE LAST USED COCAINE

	Freq	Pct
1 = Within the past 30 days	7944	0.84
2 = More than 30 days ago but within the past 12 mos	16806	1.77
3 = More than 12 months ago	83928	8.84
8 = Used at some point in the past 12 mos LOG ASSN	543	0.06
9 = Used at some point in the lifetime LOG ASSN	1160	0.12
11 = Used in the past 30 days LOGICALLY ASSIGNED	301	0.03
12 = Used >30 days ago but within pst 12 mos LOG ASSN	310	0.03
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED COCAINE	837903	88.27
97 = REFUSED	200	0.02
98 = BLANK (NO ANSWER).....	183	0.02

COCYRTOT

Len : 3 TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	25087	2.64
985 = BAD DATA Logically assigned.....	208	0.02
991 = NEVER USED COCAINE	837903	88.27
993 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83928	8.84
994 = DON'T KNOW	132	0.01
997 = REFUSED	244	0.03
998 = BLANK (NO ANSWER).....	1783	0.19

CCTOTFG

Len : 2 TRIMMING INDICATOR FOR COCYRTOT

	Freq	Pct
1 = Trimmed to 365 days (no further editing)	5	0.00
2 = Trimmed relative to the 30-day freq	105	0.01
98 = BLANK (NO ANSWER).....	949175	99.99

CCFQFLG

Len : 2 TRIMMED COCYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	1485	0.16
98 = BLANK (NO ANSWER).....	947800	99.84

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used cocaine during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

CCBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED COCAINE

	Freq	Pct
1 = Prefer to answer in days per week	3258	0.34
2 = Prefer to answer in days per month.....	5224	0.55
3 = Prefer to answer in days per year.....	15697	1.65
11 = Prefer to ans in days per wk LOG ASSN	17	0.00
12 = Prefer to ans in days per mo LOG ASSN	34	0.00
13 = Prefer to ans in days per yr LOG ASSN.....	162	0.02
21 = Prefer to ans in days per wk (CRBSTWAY=1,11).....	347	0.04
22 = Prefer to ans in days per mo (CRBSTWAY=2,12).....	271	0.03
23 = Prefer to ans in days per yr (CRBSTWAY=3,13)	206	0.02
85 = BAD DATA Logically assigned.....	205	0.02
91 = NEVER USED COCAINE	837903	88.27
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83928	8.84
94 = DON'T KNOW	34	0.00
97 = REFUSED	216	0.02
98 = BLANK (NO ANSWER).....	1783	0.19

COCAINE

On how many days in the past 12 months did you use cocaine?

CCDAYPYR

Len : 3 # DAYS USED COCAINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	16040	1.69
985 = BAD DATA Logically assigned.....	60	0.01
989 = LEGITIMATE SKIP Logically assigned.....	251	0.03
991 = NEVER USED COCAINE	837903	88.27
993 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83928	8.84
994 = DON'T KNOW	51	0.01
997 = REFUSED	223	0.02
998 = BLANK (NO ANSWER).....	1929	0.20
999 = LEGITIMATE SKIP	8900	0.94

On average, how many days did you use cocaine each month during the past 12 months?

CCDAYPMO

Len : 2 # DAYS PER MONTH USED COCAINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 31.....	5492	0.58
85 = BAD DATA Logically assigned.....	59	0.01
89 = LEGITIMATE SKIP Logically assigned	139	0.01
91 = NEVER USED COCAINE	837903	88.27
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83928	8.84
94 = DON'T KNOW	80	0.01
97 = REFUSED	229	0.02
98 = BLANK (NO ANSWER).....	1932	0.20
99 = LEGITIMATE SKIP	19523	2.06

On average, how many days did you use cocaine each week during the past 12 months?

CCDAYPWK

Len : 2 # DAYS PER WEEK USED COCAINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7.....	3555	0.37
85 = BAD DATA Logically assigned.....	89	0.01
89 = LEGITIMATE SKIP Logically assigned	28	0.00
91 = NEVER USED COCAINE	837903	88.27
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83928	8.84
94 = DON'T KNOW	131	0.01
97 = REFUSED	244	0.03
98 = BLANK (NO ANSWER).....	1903	0.20
99 = LEGITIMATE SKIP	21504	2.27

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use cocaine?

COCUS30A

Len : 2 # DAYS USED COCAINE PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	7905	0.83
85 = BAD DATA Logically assigned.....	280	0.03
91 = NEVER USED COCAINE	837903	88.27
93 = DID NOT USE COCAINE IN THE PAST 30 DAYS.....	101044	10.64
94 = DON'T KNOW	28	0.00
97 = REFUSED	217	0.02
98 = BLANK (NO ANSWER).....	1908	0.20

COCAINE

What is your best estimate of the number of days you used cocaine during the past 30 days?

[CC30EST](#)

Len : 2 BEST ESTIMATE # DAYS USED COCAINE PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	14	0.00
2 = 3 to 5 days	2	0.00
3 = 6 to 9 days	3	0.00
4 = 10 to 19 days.....	3	0.00
5 = 20 to 29 days.....	1	0.00
12 = 3 to 5 days (from CR30EST).....	2	0.00
91 = NEVER USED COCAINE	837903	88.27
93 = DID NOT USE COCAINE IN THE PAST 30 DAYS.....	101044	10.64
94 = DON'T KNOW	9	0.00
97 = REFUSED	211	0.02
98 = BLANK (NO ANSWER).....	2190	0.23
99 = LEGITIMATE SKIP	7903	0.83

CRACK

CRACK

The next questions are about 'crack', that is cocaine in rock or chunk form, and not the other forms of cocaine.

Have you ever, even once, used 'crack'?

CRKEVER

Len : 2 EVER USED CRACK

	Freq	Pct
1 = Yes.....	26949	2.84
2 = No.....	84001	8.85
81 = NEVER USED COCAINE Logically assigned	8	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED COCAINE (COCEVER=2).....	837895	88.27
94 = DON'T KNOW	35	0.00
97 = REFUSED	210	0.02
98 = BLANK (NO ANSWER).....	183	0.02

How old were you the first time you used 'crack'?

CRKAGE

Len : 3 AGE WHEN FIRST USED CRACK

	Freq	Pct
RANGE = 1 - 75.....	26691	2.81
981 = NEVER USED CRACK Logically assigned	8	0.00
985 = BAD DATA Logically assigned.....	64	0.01
991 = NEVER USED CRACK	921896	97.11
994 = DON'T KNOW	171	0.02
997 = REFUSED	237	0.02
998 = BLANK (NO ANSWER).....	218	0.02

Did you first use 'crack' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'crack' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'crack'?

CRKYFU

Len : 4 YEAR OF FIRST CRACK USE - RECODE

	Freq	Pct
RANGE = 2000 - 2018.....	1842	0.19
9981 = NEVER USED CRACK Logically assigned	8	0.00
9985 = BAD DATA Logically assigned	235	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	161	0.02
9991 = NEVER USED CRACK	921896	97.11
9994 = DON'T KNOW.....	182	0.02
9997 = REFUSED	246	0.03
9998 = BLANK (NO ANSWER).....	226	0.02
9999 = LEGITIMATE SKIP.....	24489	2.58

CRACK

In what month in [CURRENT YEAR] did you first use 'crack'?

In what month in [YEAR FROM CK03a or CK03b] did you first use 'crack'?

CRKMFU

Len : 2 MONTH OF FIRST CRACK USE - RECODE

	Freq	Pct
1 = January.....	199	0.02
2 = February.....	142	0.01
3 = March.....	161	0.02
4 = April.....	112	0.01
5 = May.....	153	0.02
6 = June.....	165	0.02
7 = July.....	178	0.02
8 = August.....	128	0.01
9 = September.....	134	0.01
10 = October.....	157	0.02
11 = November.....	112	0.01
12 = December.....	90	0.01
81 = NEVER USED CRACK Logically assigned.....	8	0.00
85 = BAD DATA Logically assigned.....	235	0.02
89 = LEGITIMATE SKIP Logically assigned.....	161	0.02
91 = NEVER USED CRACK.....	921896	97.11
94 = DON'T KNOW.....	286	0.03
97 = REFUSED.....	253	0.03
98 = BLANK (NO ANSWER).....	226	0.02
99 = LEGITIMATE SKIP.....	24489	2.58

How long has it been since you last used 'crack'?

CRAKREC

Len : 2 TIME SINCE LAST USED CRACK

	Freq	Pct
1 = Within the past 30 days.....	1494	0.16
2 = More than 30 days ago but within the past 12 mos.....	2626	0.28
3 = More than 12 months ago.....	22461	2.37
8 = Used at some point in the past 12 mos LOG ASSN.....	131	0.01
9 = Used at some point in the lifetime LOG ASSN.....	231	0.02
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	6	0.00
81 = NEVER USED CRACK Logically assigned.....	8	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED CRACK.....	921896	97.11
97 = REFUSED.....	210	0.02
98 = BLANK (NO ANSWER).....	218	0.02

CRKYRTOT

Len : 3 TOTAL # DAYS USED CRACK IN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365.....	4123	0.43
981 = NEVER USED CRACK Logically assigned.....	8	0.00
985 = BAD DATA Logically assigned.....	61	0.01
991 = NEVER USED CRACK.....	921896	97.11
993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	22461	2.37
994 = DON'T KNOW.....	33	0.00
997 = REFUSED.....	224	0.02
998 = BLANK (NO ANSWER).....	479	0.05

CRTOTFG

Len : 2 TRIMMING INDICATOR FOR CRKYRTOT

	Freq	Pct
1 = Trimmed to 365 days (no further editing).....	7	0.00
2 = Trimmed relative to the 30-day freq.....	41	0.00
98 = BLANK (NO ANSWER).....	949237	99.99

CRFQFLG

Len : 2 TRIMMED CRKYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use.....	318	0.03
98 = BLANK (NO ANSWER).....	948967	99.97

CRACK

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used 'crack' during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

CRBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED CRACK

	Freq	Pct
1 = Prefer to answer in days per week.....	1014	0.11
2 = Prefer to answer in days per month.....	1034	0.11
3 = Prefer to answer in days per year.....	2080	0.22
11 = Prefer to ans in days per wk LOG ASSN	5	0.00
12 = Prefer to ans in days per mo LOG ASSN	4	0.00
13 = Prefer to ans in days per yr LOG ASSN.....	18	0.00
81 = NEVER USED CRACK Logically assigned	8	0.00
85 = BAD DATA Logically assigned.....	61	0.01
91 = NEVER USED CRACK	921896	97.11
93 = DID NOT USE CRACK IN THE PAST 12 MOS	22461	2.37
94 = DON'T KNOW	10	0.00
97 = REFUSED	215	0.02
98 = BLANK (NO ANSWER).....	479	0.05

On how many days in the past 12 months did you use 'crack'?

CRDAYPYR

Len : 3 # DAYS USED CRACK PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	2091	0.22
981 = NEVER USED CRACK Logically assigned	8	0.00
985 = BAD DATA Logically assigned.....	5	0.00
989 = LEGITIMATE SKIP Logically assigned.....	14	0.00
991 = NEVER USED CRACK	921896	97.11
993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	22461	2.37
994 = DON'T KNOW	13	0.00
997 = REFUSED	219	0.02
998 = BLANK (NO ANSWER).....	535	0.06
999 = LEGITIMATE SKIP	2043	0.22

On average, how many days did you use 'crack' each month during the past 12 months?

CRDAYPMO

Len : 2 # DAYS PER MONTH USED CRACK PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 31	1033	0.11
81 = NEVER USED CRACK Logically assigned	8	0.00
85 = BAD DATA Logically assigned.....	27	0.00
89 = LEGITIMATE SKIP Logically assigned	7	0.00
91 = NEVER USED CRACK	921896	97.11
93 = DID NOT USE CRACK IN THE PAST 12 MOS	22461	2.37
94 = DON'T KNOW	16	0.00
97 = REFUSED	220	0.02
98 = BLANK (NO ANSWER).....	514	0.05
99 = LEGITIMATE SKIP	3103	0.33

On average, how many days did you use 'crack' each week during the past 12 months?

CRDAYPWK

Len : 2 # DAYS PER WEEK USED CRACK PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	998	0.11
81 = NEVER USED CRACK Logically assigned	8	0.00
85 = BAD DATA Logically assigned.....	30	0.00
91 = NEVER USED CRACK	921896	97.11
93 = DID NOT USE CRACK IN THE PAST 12 MOS	22461	2.37
94 = DON'T KNOW	33	0.00
97 = REFUSED	224	0.02
98 = BLANK (NO ANSWER).....	511	0.05
99 = LEGITIMATE SKIP	3124	0.33

CRACK

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use 'crack'?

CRKUS30A

Len : 2 # DAYS USED CRACK PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	1483	0.16
81 = NEVER USED CRACK Logically assigned	8	0.00
85 = BAD DATA Logically assigned.....	51	0.01
91 = NEVER USED CRACK	921896	97.11
93 = DID NOT USE CRACK IN THE PAST 30 DAYS	25087	2.64
94 = DON'T KNOW	7	0.00
97 = REFUSED	214	0.02
98 = BLANK (NO ANSWER).....	539	0.06

What is your best estimate of the number of days you used 'crack' during the past 30 days?

CR30EST

Len : 2 BEST ESTIMATE # DAYS USED CRACK PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days.....	3	0.00
2 = 3 to 5 days	4	0.00
81 = NEVER USED CRACK Logically assigned	8	0.00
91 = NEVER USED CRACK	921896	97.11
93 = DID NOT USE CRACK IN THE PAST 30 DAYS	25087	2.64
97 = REFUSED	215	0.02
98 = BLANK (NO ANSWER).....	590	0.06
99 = LEGITIMATE SKIP	1482	0.16

HEROIN

HEROIN

These next questions are about heroin.

Have you ever, even once, used heroin?

HEREVER

Len : 2 EVER USED HEROIN

	Freq	Pct
1 = Yes.....	13885	1.46
2 = No.....	934849	98.48
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW	481	0.05
97 = REFUSED	68	0.01

How old were you the first time you used heroin?

HERAGE

Len : 3 AGE WHEN FIRST USED HEROIN

	Freq	Pct
RANGE = 1 - 59.....	13724	1.45
985 = BAD DATA Logically assigned.....	56	0.01
991 = NEVER USED HEROIN	934849	98.48
994 = DON'T KNOW	80	0.01
997 = REFUSED	95	0.01
998 = BLANK (NO ANSWER).....	481	0.05

Did you first use heroin in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use heroin in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use heroin?

HERYFU

Len : 4 YEAR OF FIRST HEROIN USE - RECODE

	Freq	Pct
RANGE = 2000 - 2018.....	1527	0.16
9985 = BAD DATA Logically assigned	180	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	164	0.02
9991 = NEVER USED HEROIN	934849	98.48
9994 = DON'T KNOW.....	83	0.01
9997 = REFUSED	97	0.01
9998 = BLANK (NO ANSWER)	485	0.05
9999 = LEGITIMATE SKIP.....	11900	1.25

In what month in [CURRENT YEAR] did you first use heroin?

In what month in [YEAR FROM HE03a or HE03b] did you first use heroin?

HERMFU

Len : 2 MONTH OF FIRST HEROIN USE - RECODE

	Freq	Pct
1 = January.....	155	0.02
2 = February	123	0.01
3 = March.....	119	0.01
4 = April.....	114	0.01
5 = May.....	121	0.01
6 = June.....	118	0.01
7 = July	151	0.02
8 = August.....	132	0.01
9 = September.....	103	0.01
10 = October.....	114	0.01
11 = November	99	0.01
12 = December	103	0.01
85 = BAD DATA Logically assigned.....	180	0.02
89 = LEGITIMATE SKIP Logically assigned	164	0.02
91 = NEVER USED HEROIN.....	934849	98.48
94 = DON'T KNOW	152	0.02
97 = REFUSED	103	0.01
98 = BLANK (NO ANSWER).....	485	0.05
99 = LEGITIMATE SKIP	11900	1.25

HEROIN

How long has it been since you last used heroin?

HERREC

Len : 2 TIME SINCE LAST USED HEROIN

	Freq	Pct
1 = Within the past 30 days	1201	0.13
2 = More than 30 days ago but within the past 12 mos	1723	0.18
3 = More than 12 months ago	10583	1.11
8 = Used at some point in the past 12 mos LOG ASSN	194	0.02
9 = Used at some point in the lifetime LOG ASSN	174	0.02
11 = Used in the past 30 days LOGICALLY ASSIGNED	10	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED HEROIN	934849	98.48
97 = REFUSED	68	0.01
98 = BLANK (NO ANSWER).....	481	0.05

HERYRTOT

Len : 3 TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	2924	0.31
985 = BAD DATA Logically assigned.....	170	0.02
991 = NEVER USED HEROIN	934849	98.48
993 = DID NOT USE HEROIN IN THE PAST 12 MOS	10583	1.11
994 = DON'T KNOW	25	0.00
997 = REFUSED	78	0.01
998 = BLANK (NO ANSWER).....	656	0.07

HRTOTFG

Len : 2 TRIMMING INDICATOR FOR HERYRTOT

	Freq	Pct
1 = Trimmed to 365 days (no further editing)	8	0.00
2 = Trimmed relative to the 30-day freq	96	0.01
98 = BLANK (NO ANSWER).....	949181	99.99

HRFQFLG

Len : 2 TRIMMED HERYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	303	0.03
98 = BLANK (NO ANSWER).....	948982	99.97

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used heroin during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

HRBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED HEROIN

	Freq	Pct
1 = Prefer to answer in days per week	850	0.09
2 = Prefer to answer in days per month.....	661	0.07
3 = Prefer to answer in days per year.....	1411	0.15
11 = Prefer to ans in days per wk LOG ASSN	2	0.00
12 = Prefer to ans in days per mo LOG ASSN	4	0.00
13 = Prefer to ans in days per yr LOG ASSN.....	16	0.00
85 = BAD DATA Logically assigned.....	169	0.02
91 = NEVER USED HEROIN	934849	98.48
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	10583	1.11
94 = DON'T KNOW	12	0.00
97 = REFUSED	72	0.01
98 = BLANK (NO ANSWER).....	656	0.07

HEROIN

On how many days in the past 12 months did you use heroin?

HRDAYPYR	Len : 3 # DAYS USED HEROIN PAST 12 MONTHS		
	RANGE = 1 - 365	Freq	Pct
	985 = BAD DATA Logically assigned.....	1418	0.15
	989 = LEGITIMATE SKIP Logically assigned.....	17	0.00
	991 = NEVER USED HEROIN	8	0.00
	993 = DID NOT USE HEROIN IN THE PAST 12 MOS	934849	98.48
	994 = DON'T KNOW	10583	1.11
	997 = REFUSED	19	0.00
	998 = BLANK (NO ANSWER).....	74	0.01
	999 = LEGITIMATE SKIP	808	0.09
		1509	0.16

On average, how many days did you use heroin each month during the past 12 months?

HRDAYPMO	Len : 2 # DAYS PER MONTH USED HEROIN PAST 12 MONTHS		
	RANGE = 1 - 31.....	Freq	Pct
	85 = BAD DATA Logically assigned.....	663	0.07
	89 = LEGITIMATE SKIP Logically assigned	51	0.01
	91 = NEVER USED HEROIN.....	3	0.00
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS	934849	98.48
	94 = DON'T KNOW	10583	1.11
	97 = REFUSED	16	0.00
	98 = BLANK (NO ANSWER).....	79	0.01
	99 = LEGITIMATE SKIP	774	0.08
		2267	0.24

On average, how many days did you use heroin each week during the past 12 months?

HRDAYPWK	Len : 2 # DAYS PER WEEK USED HEROIN PAST 12 MONTHS		
	RANGE = 1 - 7.....	Freq	Pct
	85 = BAD DATA Logically assigned.....	843	0.09
	91 = NEVER USED HEROIN	102	0.01
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS	934849	98.48
	94 = DON'T KNOW	10583	1.11
	97 = REFUSED	25	0.00
	98 = BLANK (NO ANSWER).....	77	0.01
	99 = LEGITIMATE SKIP	725	0.08
		2081	0.22

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use heroin?

HER30USE	Len : 2 # DAYS USED HEROIN PAST 30 DAYS		
	RANGE = 1 - 30.....	Freq	Pct
	85 = BAD DATA Logically assigned.....	1189	0.13
	91 = NEVER USED HEROIN	36	0.00
	93 = DID NOT USE HEROIN IN THE PAST 30 DAYS	934849	98.48
	94 = DON'T KNOW	12306	1.30
	97 = REFUSED	9	0.00
	98 = BLANK (NO ANSWER).....	71	0.01
		825	0.09

What is your best estimate of the number of days you used heroin during the past 30 days?

HER30EST	Len : 2 BEST EST. # DAYS USED HEROIN PAST 30 DAYS		
	1 = 1 or 2 days.....	Freq	Pct
	2 = 3 to 5 days	5	0.00
	3 = 6 to 9 days	2	0.00
	4 = 10 to 19 days.....	2	0.00
	91 = NEVER USED HEROIN	2	0.00
	93 = DID NOT USE HEROIN IN THE PAST 30 DAYS	934849	98.48
	94 = DON'T KNOW	12306	1.30
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER).....	68	0.01
	99 = LEGITIMATE SKIP	861	0.09
		1188	0.13

HALLUCINOGENS

HALLUCINOGENS

Have you ever, even once, used 'Ecstasy,' also known as MDMA?

ECSTASY

Len : 2 EVER USED "ECSTASY" (MDMA)

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	49999	5.27
2 = No.....	52546	5.54
3 = Yes LOGICALLY ASSIGNED	17	0.00
85 = BAD DATA Logically assigned.....	9	0.00
91 = NEVER USED HALLUCINOGENS	619338	65.24
94 = DON'T KNOW	673	0.07
97 = REFUSED	71	0.01

Have you ever, even once used any other hallucinogens besides the ones that have been listed?

HALNOLST

Len : 2 EVER USED OTHER HALLUCINOGEN

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	13977	1.47
2 = No.....	88368	9.31
85 = BAD DATA Logically assigned.....	9	0.00
91 = NEVER USED HALLUCINOGENS	619338	65.24
94 = DON'T KNOW	848	0.09
97 = REFUSED	113	0.01

HALLUCINOGENS

HALNEWA

Len : 4 OTHER HALLUCINOGEN - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
105 = Placidyl, Ethchlorvynol.....	1	0.00
110 = Tuinal	1	0.00
112 = Restoril	2	0.00
113 = Halcion	1	0.00
116 = Methaqualone, Sopor, Quaalude.....	27	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	10	0.00
123 = Unisom <OTC>.....	7	0.00
124 = Yellow jackets.....	6	0.00
129 = Reds	1	0.00
130 = Promethazine	9	0.00
140 = Seldane	1	0.00
142 = Belladona.....	25	0.00
145 = Red devil(s).....	7	0.00
157 = Barbiturates.....	2	0.00
171 = NyQuil <OTC>	10	0.00
174 = Ambien.....	26	0.00
177 = Bean	5	0.00
178 = Quetiapine, Seroquel	2	0.00
180 = Tylenol P.M. <OTC>.....	1	0.00
187 = Belladona plant/flower/root, deadly nightshade	4	0.00
197 = Topamax	1	0.00
201 = Valium.....	14	0.00
206 = Tranxene	1	0.00
207 = Ativan.....	1	0.00
209 = Xanax	52	0.01
216 = Atarax	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	1	0.00
225 = Desyrel, Trazodone hydrochloride	1	0.00
227 = Thorazine	1	0.00
240 = Lithium carbonate, Lithonate	1	0.00
246 = Klonopin	5	0.00
267 = Marezine.....	10	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies.....	14	0.00
271 = Sertraline hydrochloride, Zoloft.....	1	0.00
278 = Benzodiazepines.....	1	0.00
280 = Ketaset.....	2	0.00
291 = Celexa, Citalopram.....	1	0.00
318 = Ritalin.....	8	0.00
320 = Dextroamphetamine.....	2	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	190	0.02
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	1	0.00
326 = White cross	3	0.00
327 = Black beauties, black beauty	8	0.00
328 = Pink hearts	2	0.00
332 = Ephedrine.....	1	0.00
334 = Crossroads, cross tops.....	1	0.00
339 = Amphetamines, otherwise unspecified	2	0.00
345 = Black molly.....	1	0.00
348 = Crystal	24	0.00
351 = Cathinone, cat, khat, Q'at	1	0.00
354 = Vivarin <OTC>	1	0.00
355 = Crystal meth, crystal methamphetamine.....	71	0.01
363 = Bam(s).....	1	0.00
374 = Christmas tree(s)	1	0.00
376 = TAC	2	0.00
377 = Albuterol.....	2	0.00
386 = Herbal ecstasy.....	2	0.00
395 = Black cats	1	0.00
407 = Demerol.....	2	0.00
408 = Dilaudid, Hydromorphone	2	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	3	0.00
411 = Talwin	1	0.00
415 = Codeine pills	19	0.00
417 = Morphine	22	0.00
418 = Methadone	10	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	9	0.00
423 = Percocet	15	0.00
427 = Darvocet, Davocet-N	2	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	2	0.00
434 = Vicodin.....	51	0.01
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	4	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>	1	0.00

HALLUCINOGENS

465 = Fentanyl.....	3	0.00
501 = Gasoline or lighter fluids.....	108	0.01
502 = Spray paints	44	0.00
503 = Other aerosol sprays	41	0.00
504 = Shoeshine liquid, glue, or toluene	58	0.01
505 = Lacquer thinner or other paint solvents	17	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	44	0.00
507 = Halothane, ether, or other anesthetics; chloroform	27	0.00
508 = Nitrous oxide, "whippits," dentist gas	179	0.02
509 = Correction fluids, degreasers, cleaning fluids	3	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	68	0.01
511 = Markers, felt-tip pens, ink pens	23	0.00
512 = Incense	11	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	23	0.00
517 = Tolyol	1	0.00
518 = Acetone, nail polish remover.....	3	0.00
519 = Helium.....	11	0.00
520 = Old paint, paint.....	37	0.00
524 = White-Out.....	7	0.00
525 = Butane	7	0.00
528 = Whipped-cream can.....	4	0.00
531 = Candy, powdered candy, sugar.....	2	0.00
540 = PAM.....	3	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	3	0.00
554 = Insect killer (e.g., Raid).....	1	0.00
566 = Smoked tea from Lipton tea bag.....	12	0.00
568 = Tally	1	0.00
569 = Peganento	2	0.00
590 = Canned air, compressed air	5	0.00
592 = Computer air duster, computer cleaner, dust-off	134	0.01
599 = Potpourri	3	0.00
601 = LSD ("acid")	665	0.07
602 = Peyote.....	14	0.00
603 = Mescaline.....	48	0.01
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	673	0.07
605 = PCP ("angel dust," phencyclidine).....	35	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	81	0.01
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	1043	0.11
609 = Jimson weed.....	64	0.01
610 = Crystal T.....	4	0.00
611 = Greens	1	0.00
612 = Happy stick, sherm, sherman, shernstick.....	23	0.00
614 = MDA, Methylenedioxy amphetamine	72	0.01
615 = Homemade drugs.....	5	0.00
616 = DET, Dimethyltryptamine, DMT.....	702	0.07
617 = Morning glory seeds, morning glory tendrils, ricea.....	101	0.01
618 = Acid paper, blotter (acid)	41	0.00
621 = Red dragon.....	1	0.00
622 = Microdot(s), green microdot, purple microdot	87	0.01
624 = Orange sunshine, sunshine, yellow sunshine	18	0.00
625 = Window, window pane, 4-way pane, 4-way	38	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds.....	40	0.00
629 = Rocket Fuel.....	1	0.00
633 = Mr. Natural	2	0.00
635 = Ginseng seeds, ginseng weed	2	0.00
636 = DOM, STP	18	0.00
637 = Purple haze	18	0.00
639 = Nutmeg, Mace.....	41	0.00
640 = Purple pyramid.....	2	0.00
645 = Thai stick	1	0.00
648 = Designer drugs	2	0.00
650 = Datura stramonium, daytura, thorn apple	32	0.00
651 = Mellow Yellow	1	0.00
654 = Eve	2	0.00
658 = Special K, Ketamine	381	0.04
659 = Boat.....	3	0.00
660 = Bufotenin, toad, toad licking	7	0.00
663 = Animal tranquilizer, horse tranquilizer.....	11	0.00
678 = Banana peels	5	0.00
679 = Hell bells	17	0.00
683 = Yage.....	3	0.00
691 = Maximum impact	2	0.00
695 = Angel's trumpet	29	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	180	0.02
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED	5	0.00

HALLUCINOGENS

703 = Opium, otherwise unspecified	128	0.01
705 = Speed Ball (heroin + cocaine).....	1	0.00
707 = Black tar heroin.....	1	0.00
709 = Poppy	9	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	10	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	56	0.01
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	135	0.01
804 = Hashish.....	8	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	6	0.00
806 = Crack, rock	5	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.00
809 = Pills	23	0.00
810 = Freebase.....	1	0.00
814 = Caffeine <OTC>	1	0.00
815 = Coffee <OTC>	2	0.00
824 = Steroids.....	1	0.00
829 = Robitussin DM <OTC>.....	169	0.02
834 = Loveboat.....	2	0.00
840 = Over-the-counter-cough med(contnts unspec)	4	0.00
843 = Cold medicine, cold tablets <OTC>.....	15	0.00
844 = Blood pressure medication.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	74	0.01
852 = Formaldehyde, wak, whack (embalming fluid).....	15	0.00
857 = Wicki stick.....	4	0.00
866 = Boomers	2	0.00
875 = Buds.....	1	0.00
876 = Glass.....	4	0.00
883 = Dextromethorphan hydrobromide <OTC>	174	0.02
900 = Not a drug.....	12	0.00
1001 = Benadryl, Diphenhydramine <OTC>	31	0.00
1002 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	175	0.02
1007 = Robitussin PM <OTC>	2	0.00
1010 = Diprivan.....	1	0.00
1011 = Eszopiclone, Lunesta	1	0.00
1013 = Ambien CR	2	0.00
1020 = Hyoscine, Levo-duboisine, Scopolamine.....	1	0.00
2001 = Soma	2	0.00
2002 = Muscle relaxers	2	0.00
2003 = Zanies, zannies, zans, zany bars.....	4	0.00
2007 = R2.....	2	0.00
3023 = Adderall	26	0.00
3024 = Yohimbe	1	0.00
3026 = Bupropion, Wellbutrin, Zyban.....	2	0.00
3044 = Caffeine pills <OTC>	2	0.00
3047 = Sudafed <OTC>	3	0.00
3050 = Mini thins.....	2	0.00
3051 = Betel nut, beetlenut.....	1	0.00
3052 = Speed, otherwise unspecified.....	81	0.01
3064 = Ephedra, Ma Huang.....	2	0.00
3077 = Concerta.....	1	0.00
3081 = P2P, Phenyl-2-propanone.....	1	0.00
3089 = Christina, Tina.....	2	0.00
3116 = MCAT, Mephedrone.....	9	0.00
3117 = Methedrone	2	0.00
3119 = MDPV, Methylenedioxyprovalerone.....	3	0.00
3127 = 4-FMA, 4-Fluoromethamphetamine.....	1	0.00
4007 = Happy pills.....	1	0.00
4043 = Tramadol.....	1	0.00
4044 = Hydrocodone.....	19	0.00
4046 = Oxycodone.....	7	0.00
4067 = OxyContin	42	0.00
4077 = Tee's	2	0.00
5001 = Bleach.....	1	0.00
5004 = Ink print, paper	1	0.00
5006 = Brake fluid	1	0.00
5009 = Robo.....	2	0.00
5017 = Oil, lubricant, otherwise unspecified.....	1	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank.....	5	0.00
5028 = Carburetor cleaner, engine cleaner.....	5	0.00
5032 = Nitrogen.....	1	0.00
5035 = Brake cleaner	1	0.00
5045 = Cleaner, not otherwise specified	1	0.00
5049 = Hand sanitizer/cleaner, contents unspecified.....	1	0.00
5053 = Electrical parts cleaner, electronics cleaner	6	0.00
5055 = PVC.....	3	0.00

HALLUCINOGENS

5077 = Resistol	5	0.00
5083 = Ethyl chloride	2	0.00
5088 = Jungle juice	1	0.00
5090 = PVC Cleaner	1	0.00
5091 = Germ-X	2	0.00
5098 = Axe/Axe deodorant, aerosol unspecified	2	0.00
5100 = TCE, Trichlorethylene	2	0.00
5174 = Belt dressing	1	0.00
5175 = Acetylene chloride	1	0.00
6005 = Sassafras, sassafras tea	7	0.00
6016 = Nas	3	0.00
6019 = Black dust, black duct	1	0.00
6026 = KJ	2	0.00
6029 = DXM	344	0.04
6031 = Strychnine	1	0.00
6035 = Campana (flower)	1	0.00
6037 = Fry	3	0.00
6043 = Diviner's sage, Salvia divinorum	2034	0.21
6044 = Gel caps, gel tabs	22	0.00
6047 = Water	4	0.00
6048 = Dex	15	0.00
6051 = Tryptamine, not otherwise specified	2	0.00
6054 = Spiny apples	1	0.00
6055 = Liberty caps	1	0.00
6056 = Wet	19	0.00
6061 = 5-MeO-DMT	13	0.00
6062 = Madderwort, wormwood	12	0.00
6064 = Marigold buttons	4	0.00
6070 = DTP	1	0.00
6073 = Rolls	3	0.00
6074 = LSA	106	0.01
6077 = San Pedro	9	0.00
6078 = Trumpet flowers/seeds, type unspecified	3	0.00
6079 = Sugar cubes	3	0.00
6082 = Ammonia	1	0.00
6083 = CCC, "Triple C," C3 <OTC>	127	0.01
6086 = Flakes	1	0.00
6087 = Ibogaine	1	0.00
6091 = Ergot, rye mold	3	0.00
6092 = TCP	4	0.00
6094 = Mushrooms, specifically not psilocybin	2	0.00
6095 = Super cool, super kool	1	0.00
6096 = Bananadine	2	0.00
6098 = Dust, not otherwise specified	1	0.00
6100 = 2C-T-7, T7, blue mystic	14	0.00
6102 = Absinthe	86	0.01
6103 = Ayahuasca, Yahe	45	0.00
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT	48	0.01
6109 = 2, 5-Dimethoxyamphetamine, DMA	5	0.00
6110 = Mad dog	1	0.00
6112 = 2C-T-2	9	0.00
6113 = Candy flip	2	0.00
6114 = Molly, not otherwise specified	174	0.02
6115 = Foxy	19	0.00
6116 = Nepenthes	1	0.00
6118 = Adrenochrome	4	0.00
6119 = Scoop	3	0.00
6120 = Lucky seven	1	0.00
6121 = Cactus, specifically not peyote	2	0.00
6122 = MMDA	1	0.00
6125 = MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	192	0.02
6127 = Skittles	12	0.00
6130 = 5-MeO-DiPT, foxy methoxy	11	0.00
6132 = Amanita mushrooms, fly agaric, muscimol	9	0.00
6134 = Anadenanthera colubrina, cohoba, vilca	3	0.00
6135 = 5-MeO-AMT	7	0.00
6136 = Spook	2	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	114	0.01
6139 = 2c-c, 2-5-Dimethoxy-4-chlorophenethylamine	1	0.00
6140 = MIPT, N-methyl-N-isopropyltryptamine	1	0.00
6141 = DPT, Dipropyltryptamine	3	0.00
6143 = 2C-X	1	0.00
6144 = DiPT, Di-isopropyl-tryptamine	3	0.00
6145 = Scooby snacks	1	0.00

HALLUCINOGENS

6146 = 5-MeO, otherwise unspecified.....	1	0.00
6147 = Phenethylamines, otherwise unspecified	2	0.00
6153 = Asthmador	1	0.00
6154 = 2,5-Dimethoxy-4-methylphenethylamine, 2C-D	1	0.00
6155 = 5-MeO-T, 5-methoxytryptamine	1	0.00
6157 = Taters.....	1	0.00
6160 = Wacky Weed.....	1	0.00
6163 = Devil's trumpet	1	0.00
6165 = PMMA, Paramethoxymethamphetamine	1	0.00
6166 = BZP, Benzylpiperazine	2	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI	3	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC.....	10	0.00
6170 = Moonflower/pod, otherwise unspecified.....	12	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	3	0.00
6172 = 2,5-dimethoxy-4-(2-fluoroethylthio)phenethylamine	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB.....	11	0.00
6174 = bk-MDMA, Methylone	3	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly	2	0.00
6180 = 2C-BCB, TCB-2.....	1	0.00
6181 = 4-HO-MET, N-Ethyl-4-hydroxy-N-methyltryptamine.....	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine	5	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	33	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	4	0.00
6188 = 25B-NBOMe, NBOMe-2C-B.....	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	7	0.00
6190 = 2,5-dimethoxy-4-fluorobenzaldehyde, 2C-F	1	0.00
6191 = CI-400, Eticyclidine, PCE.....	1	0.00
6192 = 5-MeO-MiPT	1	0.00
6193 = Fungus, otherwise unspecified.....	1	0.00
6194 = MDMA derivative, otherwise unspecified.....	2	0.00
6196 = Changa.....	1	0.00
6197 = 2C-C, 4-chloro-2,5-dimethoxyphenethylamine	1	0.00
6199 = LAH, LSH, Lysergic acid hydroxyethylamide	1	0.00
8007 = Gabapentin, Neurontin	2	0.00
8008 = Antidepressant, type unspecified	3	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd	3	0.00
8011 = Herb, flower, plant; type unspecified	49	0.01
8012 = Coriciden <OTC>.....	200	0.02
8024 = Asthma inhaler,asthma medication,bronchial dilator	1	0.00
8058 = Cough medicine/syrup, type unspecified	113	0.01
8085 = Anti-psychotics/schizophrenic, type unspcfd	1	0.00
8093 = Stackex 2/Stackex 3 <OTC>.....	1	0.00
8094 = Pepto Bismol <OTC>	1	0.00
8097 = Tizanidine, Zanaflex	1	0.00
8100 = Kava Kava <OTC>.....	5	0.00
8105 = Sustiva	1	0.00
8110 = Over-the-counter drug/pills, type unspecified	12	0.00
8115 = Vicks 44 <OTC>	2	0.00
8118 = Smoke/smoking, not otherwise specified.....	4	0.00
8127 = Damiana <OTC>	2	0.00
8157 = Colirio	1	0.00
8163 = Ditropan.....	1	0.00
8172 = Cortisone.....	1	0.00
8179 = Artemesia.....	1	0.00
8191 = L-Dopa	1	0.00
8192 = Delsym, Dextromethorphan polistirex <OTC>	10	0.00
8197 = Chronic	2	0.00
8203 = Bar, otherwise unspecified	7	0.00
8214 = Robo, robo tripping.....	7	0.00
8216 = Red Dawn GHR Release <OTC>	1	0.00
8223 = Chocolate	1	0.00
8227 = Sativa, otherwise unspecified	9	0.00
8231 = Tussin medication, no other information	2	0.00
8232 = Rat/rodent poison, contents unspecified	2	0.00
8237 = Kratom.....	1	0.00
8241 = Chemotherapy, drug unspecified	1	0.00
8249 = DMG, N,N-Dimethylglycine HCl <OTC>	1	0.00
8254 = Green hornet	1	0.00
8260 = Dextromine	1	0.00
8271 = Catnip <OTC>.....	1	0.00
8276 = Bitter grass, Calea zacatechichi, Dream herb.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018).....	104	0.01
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	5	0.00
8294 = Stevia <OTC>	3	0.00
8298 = Jack3d <OTC>.....	1	0.00

HALLUCINOGENS

8301 = Bath salts, otherwise unspecified	16	0.00
8306 = Flu medication, no other information	1	0.00
8309 = Mucinex <OTC>	1	0.00
8315 = Synthetic cannabis, otherwise unspecified.....	4	0.00
8324 = Lamb's ear.....	1	0.00
8327 = 7H	1	0.00
8328 = Metamine	1	0.00
8329 = Artane, Parkopan	1	0.00
8351 = 6-APB, Benzo Fury	1	0.00
8358 = Kanna powder, sceletium tortuosom	1	0.00
9985 = BAD DATA Logically assigned	105	0.01
9991 = NEVER USED HALLUCINOGENS.....	619338	65.24
9997 = REFUSED	510	0.05
9998 = BLANK (NO ANSWER)	2610	0.27
9999 = LEGITIMATE SKIP.....	88368	9.31

HALLUCINOGENS

HALNEWB

Len : 4 OTHER HALLUCINOGEN - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
110 = Tuinal	2	0.00
116 = Methaqualone, Sopor, Quaalude	1	0.00
118 = Pentobarbital, Pentothal, Sodium pentothal	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	6	0.00
123 = Unisom <OTC>	1	0.00
124 = Yellow jackets	3	0.00
129 = Reds	1	0.00
130 = Promethazine	1	0.00
142 = Belladonna	7	0.00
157 = Barbiturates	1	0.00
171 = NyQuil <OTC>	5	0.00
174 = Ambien	5	0.00
176 = Melatonin <OTC>	1	0.00
178 = Quetiapine, Seroquel	1	0.00
180 = Tylenol P.M. <OTC>	1	0.00
187 = Belladonna plant/flower/root, deadly nightshade	2	0.00
201 = Valium	6	0.00
209 = Xanax	7	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	1	0.00
237 = Midazolam	1	0.00
240 = Lithium carbonate, Lithonate	1	0.00
245 = Tryptophan	1	0.00
246 = Klonopin	2	0.00
267 = Marezine	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies	1	0.00
280 = Ketaset	1	0.00
301 = Dexedrine	1	0.00
318 = Ritalin	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	21	0.00
327 = Black beauties, black beauty	4	0.00
339 = Amphetamines, otherwise unspecified	1	0.00
345 = Black molly	1	0.00
348 = Crystal	2	0.00
355 = Crystal meth, crystal methamphetamine	9	0.00
374 = Christmas tree(s)	2	0.00
382 = Footballs, purple footballs	1	0.00
386 = Herbal ecstasy	1	0.00
407 = Demerol	1	0.00
408 = Dilaudid, Hydromorphone	1	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	2	0.00
415 = Codeine pills	4	0.00
417 = Morphine	2	0.00
418 = Methadone	3	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	3	0.00
423 = Percocet	4	0.00
424 = Fioricet	1	0.00
434 = Vicodin	15	0.00
473 = Pyridium	1	0.00
496 = Ultram	1	0.00
501 = Gasoline or lighter fluids	16	0.00
502 = Spray paints	6	0.00
503 = Other aerosol sprays	9	0.00
504 = Shoeshine liquid, glue, or toluene	11	0.00
505 = Lacquer thinner or other paint solvents	5	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	3	0.00
507 = Halothane, ether, or other anesthetics; chloroform	6	0.00
508 = Nitrous oxide, "whippits," dentist gas	22	0.00
509 = Correction fluids, degreasers, cleaning fluids	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	10	0.00
511 = Markers, felt-tip pens, ink pens	9	0.00
512 = Incense	2	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant	7	0.00
519 = Helium	1	0.00
520 = Old paint, paint	10	0.00
524 = White-Out	4	0.00
525 = Butane	2	0.00
526 = Nail polish	2	0.00
528 = Whipped-cream can	3	0.00
531 = Candy, powdered candy, sugar	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol	1	0.00
566 = Smoked tea from Lipton tea bag	1	0.00
571 = Black jack	2	0.00

HALLUCINOGENS

592 = Computer air duster, computer cleaner, dust-off	21	0.00
601 = LSD ("acid")	81	0.01
602 = Peyote.....	4	0.00
603 = Mescaline.....	12	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	49	0.01
605 = PCP ("angel dust," phencyclidine).....	4	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	17	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	141	0.01
609 = Jimson weed.....	11	0.00
612 = Happy stick, sherm, sherman, shernstick.....	2	0.00
614 = MDA, Methylenedioxy amphetamine	27	0.00
615 = Homemade drugs.....	1	0.00
616 = DET, Dimethyltryptamine, DMT.....	135	0.01
617 = Morning glory seeds, morning glory tendrils, ricea.....	34	0.00
618 = Acid paper, blotter (acid)	13	0.00
622 = Microdot(s), green microdot, purple microdot	16	0.00
624 = Orange sunshine, sunshine, yellow sunshine	5	0.00
625 = Window, window pane, 4-way pane, 4-way	11	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds.....	10	0.00
635 = Ginseng seeds, ginseng weed	1	0.00
636 = DOM, STP.....	7	0.00
637 = Purple haze	2	0.00
639 = Nutmeg, Mace.....	18	0.00
648 = Designer drugs	1	0.00
650 = Datura stramonium, daytura, thorn apple	15	0.00
654 = Eve	1	0.00
658 = Special K, Ketamine	67	0.01
659 = Boat.....	1	0.00
660 = Bufotenin, toad, toad licking	3	0.00
663 = Animal tranquilizer, horse tranquilizer.....	3	0.00
679 = Hell bells	2	0.00
695 = Angel's trumpet	3	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	75	0.01
702 = Heroin	1	0.00
703 = Opium, otherwise unspecified	21	0.00
705 = Speed Ball (heroin + cocaine).....	1	0.00
707 = Black tar heroin.....	2	0.00
709 = Poppy	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	3	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	7	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	24	0.00
804 = Hashish.....	1	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	2	0.00
806 = Crack, rock	2	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	4	0.00
809 = Pills	4	0.00
813 = Cigarettes, tobacco (type unspecified).....	1	0.00
824 = Steroids.....	1	0.00
829 = Robitussin DM <OTC>.....	39	0.00
834 = Loveboat.....	1	0.00
843 = Cold medicine, cold tablets <OTC>.....	21	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	14	0.00
852 = Formaldehyde, wak, whack (embalming fluid).....	8	0.00
875 = Buds.....	1	0.00
876 = Glass.....	3	0.00
883 = Dextromethorphan hydrobromide <OTC>	31	0.00
900 = Not a drug.....	3	0.00
1001 = Benadryl, Diphenhydramine <OTC>	8	0.00
1002 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	34	0.00
2001 = Soma	1	0.00
2003 = Zanies, zannies, zans, zany bars.....	2	0.00
3017 = Dayquil <OTC>	1	0.00
3023 = Adderall	3	0.00
3026 = Bupropion, Wellbutrin, Zyban.....	1	0.00
3037 = Effexor.....	1	0.00
3052 = Speed, otherwise unspecified.....	12	0.00
3090 = Provigil	1	0.00
3107 = Guarana <OTC>.....	1	0.00
3116 = MCAT, Mephedrone.....	2	0.00
3119 = MDPV, Methylenedioxypropylone.....	2	0.00
4007 = Happy pills.....	1	0.00
4044 = Hydrocodone.....	4	0.00
4046 = Oxycodone.....	3	0.00
4047 = Roxicet	1	0.00
4067 = OxyContin	12	0.00

HALLUCINOGENS

4116 = Phenergan with codeine, promethazine with codeine	1	0.00
5017 = Oil, lubricant, otherwise unspecified	1	0.00
5035 = Brake cleaner	1	0.00
5045 = Cleaner, not otherwise specified	1	0.00
5053 = Electrical parts cleaner, electronics cleaner	1	0.00
5055 = PVC	1	0.00
5077 = Resistol	1	0.00
5078 = Axe body spray	1	0.00
5083 = Ethyl chloride	1	0.00
5091 = Germ-X	1	0.00
5097 = Lysol, aerosol unspecified	1	0.00
5098 = Axe/Axe deodorant, aerosol unspecified	1	0.00
6005 = Sassafras, sassafras tea	5	0.00
6010 = Atrepabelladona (flower)	1	0.00
6015 = Crysta	1	0.00
6016 = Nas	1	0.00
6020 = Chocolate	1	0.00
6029 = DXM	93	0.01
6043 = Diviner's sage, Salvia divinorum	199	0.02
6044 = Gel caps, gel tabs	9	0.00
6047 = Water	2	0.00
6048 = Dex	4	0.00
6049 = Locoseeds, locoweed seeds	1	0.00
6051 = Tryptamine, not otherwise specified	3	0.00
6055 = Liberty caps	1	0.00
6056 = Wet	1	0.00
6060 = Ololiuhqui	1	0.00
6061 = 5-MeO-DMT	7	0.00
6062 = Maddewort, wormwood	5	0.00
6064 = Marigold buttons	1	0.00
6070 = DTP	1	0.00
6074 = LSA	43	0.00
6077 = San Pedro	6	0.00
6078 = Trumpet flowers/seeds, type unspecified	1	0.00
6079 = Sugar cubes	1	0.00
6083 = CCC, "Triple C," C3 <OTC>	16	0.00
6087 = Ibogaine	1	0.00
6088 = Brugmansia	2	0.00
6091 = Ergot, rye mold	1	0.00
6094 = Mushrooms, specifically not psilocybin	1	0.00
6096 = Bananadine	1	0.00
6100 = 2C-T-7, T7, blue mystic	6	0.00
6102 = Absinthe	13	0.00
6103 = Ayahuasca, Yahe	16	0.00
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT	12	0.00
6106 = Paramethoxyamphetamine, PMA	1	0.00
6109 = 2, 5-Dimethoxyamphetamine, DMA	1	0.00
6111 = Syrian rue	1	0.00
6112 = 2C-T-2	10	0.00
6114 = Molly, not otherwise specified	23	0.00
6115 = Foxy	12	0.00
6117 = Dragon (with color, not blue/red)	1	0.00
6121 = Cactus, specifically not peyote	2	0.00
6123 = Mighty Quinn	1	0.00
6124 = Mormon tea	1	0.00
6125 = MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	65	0.01
6127 = Skittles	3	0.00
6130 = 5-MeO-DIPT, foxy methoxy	3	0.00
6132 = Amanita mushrooms, fly agaric, muscimol	12	0.00
6133 = Acorus calamus, sweet flag	1	0.00
6134 = Anadenanthera colubrina, cohoba, vilca	1	0.00
6135 = 5-MeO-AMT	7	0.00
6138 = 2C-E, 2,5-Dimethoxy-4-ethyl-phenethylamine	51	0.01
6139 = 2c-c, 2,5-Dimethoxy-4-chlorophenethylamine	1	0.00
6144 = DiPT, Di-isopropyl-tryptamine	4	0.00
6146 = 5-MeO, otherwise unspecified	1	0.00
6147 = Phenethylamines, otherwise unspecified	1	0.00
6152 = Cigarette dipped in embalming fluid	1	0.00
6159 = 2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T	2	0.00
6162 = 4-MeO-DMT	1	0.00
6166 = BZP, Benzylpiperazine	1	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC	5	0.00
6170 = Moonflower/pod, otherwise unspecified	1	0.00

HALLUCINOGENS

6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	4	0.00
6172 = 2,5-dimethoxy-4-(2-fluoroethylthio)phenethylamine	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB	3	0.00
6174 = bk-MDMA, Methylone	1	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly	1	0.00
6180 = 2C-BCB, TCB-2	2	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine	2	0.00
6183 = 5-MeO-DALT, N,N-diallyl-5-methoxytryptamine	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	14	0.00
6187 = Mugwort	1	0.00
6188 = 25B-NBOMe, NBOMe-2C-B	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	1	0.00
6193 = Fungus, otherwise unspecified	1	0.00
6195 = LSZ, Lysergic acid 2,4-dimethylazetidine	1	0.00
6197 = 2C-C, 4-chloro-2,5-dimethoxyphenethylamine	1	0.00
8002 = Zantac	1	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd	1	0.00
8011 = Herb, flower, plant; type unspecified	8	0.00
8012 = Coriciden <OTC>	44	0.00
8058 = Cough medicine/syrup, type unspecified	28	0.00
8085 = Anti-psychotics/schizophrenic, type unspcfd	1	0.00
8100 = Kava Kava <OTC>	2	0.00
8132 = Liquid D-bol	1	0.00
8141 = Gamma butyrolactone, GBL	1	0.00
8203 = Bar, otherwise unspecified	3	0.00
8214 = Robo, robo tripping	4	0.00
8223 = Chocolate	1	0.00
8227 = Sativa, otherwise unspecified	2	0.00
8273 = Goofballs	1	0.00
8280 = Mucinex-DM <OTC>	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	33	0.00
8287 = CP 55,940	1	0.00
8293 = Lean (Promethazine w/codeine mixed w/Sprite)	1	0.00
8294 = Stevia <OTC>	1	0.00
8301 = Bath salts, otherwise unspecified	1	0.00
8314 = Cloud 10 Ultra	1	0.00
8318 = AM-2201	1	0.00
8359 = Sarsaparilla	1	0.00
9985 = BAD DATA Logically assigned	48	0.01
9991 = NEVER USED HALLUCINOGENS	619338	65.24
9997 = REFUSED	125	0.01
9998 = BLANK (NO ANSWER)	12559	1.32
9999 = LEGITIMATE SKIP	88368	9.31

HALLUCINOGENS

HALNEWC

Len : 4 OTHER HALLUCINOGEN - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
130 = Promethazine	1	0.00
142 = Belladonna.....	2	0.00
145 = Red devil(s).....	1	0.00
174 = Ambien.....	3	0.00
178 = Quetiapine, Seroquel	1	0.00
180 = Tylenol P.M. <OTC>.....	1	0.00
187 = Belladonna plant/flower/root, deadly nightshade	2	0.00
201 = Valium.....	1	0.00
209 = Xanax	3	0.00
234 = Flexeril	1	0.00
246 = Klonopin.....	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies.....	1	0.00
280 = Ketaset.....	1	0.00
318 = Ritalin.....	2	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	3	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	1	0.00
382 = Footballs, purple footballs	1	0.00
407 = Demerol.....	1	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
415 = Codeine pills	2	0.00
423 = Percocet.....	1	0.00
434 = Vicodin.....	2	0.00
442 = Ibuprofen	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>	1	0.00
501 = Gasoline or lighter fluids.....	1	0.00
503 = Other aerosol sprays	2	0.00
504 = Shoeshine liquid, glue, or toluene	3	0.00
505 = Lacquer thinner or other paint solvents	1	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	1	0.00
507 = Halothane, ether, or other anesthetics; chloroform	2	0.00
508 = Nitrous oxide, "whippits," dentist gas	3	0.00
511 = Markers, felt-tip pens, ink pens	2	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	1	0.00
518 = Acetone, nail polish remover.....	1	0.00
520 = Old paint, paint.....	1	0.00
524 = White-Out.....	1	0.00
525 = Butane	1	0.00
526 = Nail polish	1	0.00
531 = Candy, powdered candy, sugar.....	1	0.00
566 = Smoked tea from Lipton tea bag.....	1	0.00
592 = Computer air duster, computer cleaner, dust-off	5	0.00
601 = LSD ("acid")	20	0.00
603 = Mescaline.....	2	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	11	0.00
605 = PCP ("angel dust," phencyclidine)	2	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	5	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	47	0.00
609 = Jimson weed.....	2	0.00
612 = Happy stick, sherm, sherman, shermstick.....	2	0.00
614 = MDA, Methylenedioxy amphetamine	12	0.00
616 = DET, Dimethyltryptamine, DMT.....	35	0.00
617 = Morning glory seeds, morning glory tendrils, ricea.....	5	0.00
618 = Acid paper, blotter (acid)	5	0.00
622 = Microdot(s), green microdot, purple microdot	3	0.00
623 = Mickey, mickey mouse club, mickey mousers.....	1	0.00
624 = Orange sunshine, sunshine, yellow sunshine	3	0.00
625 = Window, window pane, 4-way pane, 4-way	2	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds.....	3	0.00
636 = DOM, STP	4	0.00
637 = Purple haze	1	0.00
639 = Nutmeg, Mace.....	7	0.00
645 = Thai stick	1	0.00
648 = Designer drugs	1	0.00
650 = Datura stramonium, daytura, thorn apple	8	0.00
652 = ALD-52	2	0.00
658 = Special K, Ketamine	17	0.00
660 = Bufotenin, toad, toad licking	3	0.00
663 = Animal tranquilizer, horse tranquilizer.....	1	0.00
679 = Hell bells	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	19	0.00
703 = Opium, otherwise unspecified	3	0.00

HALLUCINOGENS

705 = Speed Ball (heroin + cocaine).....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	2	0.00
802 = THC, cannabinol, marinol, tetrahydrocannabinol.....	3	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	4	0.00
805 = Cocaine, coca, cocaína, coke, perico.....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
809 = Pills	1	0.00
829 = Robitussin DM <OTC>.....	8	0.00
843 = Cold medicine, cold tablets <OTC>.....	2	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	7	0.00
852 = Formaldehyde, wak, whack (embalming fluid).....	2	0.00
883 = Dextromethorphan hydrobromide <OTC>	9	0.00
900 = Not a drug.....	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>	3	0.00
1002 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	12	0.00
2001 = Soma	1	0.00
3023 = Adderall	5	0.00
3037 = Effexor.....	1	0.00
3052 = Speed, otherwise unspecified.....	3	0.00
4044 = Hydrocodone.....	1	0.00
4067 = OxyContin	2	0.00
5028 = Carburetor cleaner, engine cleaner.....	2	0.00
5077 = Resistol.....	2	0.00
5100 = TCE, Trichlorethylene	1	0.00
6020 = Chocolate	1	0.00
6029 = DXM	37	0.00
6043 = Diviner's sage, Salvia divinorum.....	57	0.01
6044 = Gel caps, gel tabs.....	2	0.00
6048 = Dex.....	2	0.00
6061 = 5-MeO-DMT.....	5	0.00
6062 = Madderwort, wormwood	2	0.00
6064 = Marigold buttons	1	0.00
6071 = Sinicuichi	1	0.00
6074 = LSA	20	0.00
6077 = San Pedro	4	0.00
6083 = CCC, "Triple C," C3 <OTC>	4	0.00
6087 = Ibogaine	1	0.00
6094 = Mushrooms, specifically not psilocybin	1	0.00
6100 = 2C-T-7, T7, blue mystic.....	5	0.00
6102 = Absinthe.....	4	0.00
6103 = Ayahuasca, Yahe.....	5	0.00
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	11	0.00
6106 = Paramethoxyamphetamine, PMA.....	1	0.00
6112 = 2C-T-2	7	0.00
6113 = Candy flip	1	0.00
6114 = Molly, not otherwise specified.....	8	0.00
6115 = Foxy	1	0.00
6117 = Dragon (with color, not blue/red).....	1	0.00
6122 = MDMA	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....	25	0.00
6130 = 5-MeO-DiPT, foxy methoxy	2	0.00
6132 = Amanita mushrooms, fly agaric, muscimol.....	5	0.00
6133 = Acorus calamus, sweet flag.....	1	0.00
6134 = Anadenanthera colubrina, cohoba, vilca.....	1	0.00
6135 = 5-MeO-AMT.....	4	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	20	0.00
6139 = 2c-c, 2-5-Dimethoxy-4-chlorophenethylamine	1	0.00
6148 = Mimosa tree bark.....	1	0.00
6154 = 2,5-Dimethoxy-4-methylphenethylamine, 2C-D	2	0.00
6159 = 2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T.....	1	0.00
6161 = Thujone.....	1	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI.....	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC.....	3	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	1	0.00
6172 = 2,5-dimethoxy-4-(2-fluoroethylthio)phenethylamine	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB.....	2	0.00
6174 = bk-MDMA, Methylone	2	0.00
6175 = 4-Hydroxy-N,N-diisopropyltryptamine, 4-HO-DiPT	1	0.00
6179 = 4-Hydroxy-MIPT.....	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine	4	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5.....	3	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	1	0.00
6188 = 25B-NBOMe, NBOMe-2C-B.....	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	2	0.00
6192 = 5-MeO-MiPT	1	0.00

HALLUCINOGENS

8011 = Herb, flower, plant; type unspecified	2	0.00
8012 = Coriciden <OTC>.....	4	0.00
8058 = Cough medicine/syrup, type unspecified	7	0.00
8082 = Robinul	1	0.00
8166 = White girl.....	1	0.00
8192 = Delsym, Dextromethorphan polistirex <OTC>	2	0.00
8203 = Bar, otherwise unspecified	1	0.00
8214 = Robo, robo tripping.....	1	0.00
8223 = Chocolate	1	0.00
8278 = Bufotoxin	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018).....	3	0.00
8301 = Bath salts, otherwise unspecified	1	0.00
8310 = DMAA, Methylhexanamine	1	0.00
8315 = Synthetic cannabis, otherwise unspecified.....	1	0.00
8318 = AM-2201	1	0.00
9985 = BAD DATA Logically assigned	15	0.00
9991 = NEVER USED HALLUCINOGENS.....	619338	65.24
9997 = REFUSED	117	0.01
9998 = BLANK (NO ANSWER)	14149	1.49
9999 = LEGITIMATE SKIP.....	88368	9.31

HALLUCINOGENS

HALNEW

Len : 4 OTHER HALLUCINOGEN - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
174 = Ambien	1	0.00
209 = Xanax	2	0.00
245 = Tryptophan	1	0.00
415 = Codeine pills	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	2	0.00
423 = Percocet	1	0.00
434 = Vicodin	2	0.00
501 = Gasoline or lighter fluids	2	0.00
502 = Spray paints	1	0.00
503 = Other aerosol sprays	2	0.00
504 = Shoeshine liquid, glue, or toluene	4	0.00
508 = Nitrous oxide, "whippits," dentist gas	3	0.00
526 = Nail polish	1	0.00
592 = Computer air duster, computer cleaner, dust-off	1	0.00
601 = LSD ("acid")	7	0.00
603 = Mescaline	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms	5	0.00
605 = PCP ("angel dust," phencyclidine)	2	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	3	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	21	0.00
614 = MDA, Methylenedioxy amphetamine	6	0.00
616 = DET, Dimethyltryptamine, DMT	18	0.00
617 = Morning glory seeds, morning glory tendrils, ricea	3	0.00
622 = Microdot(s), green microdot, purple microdot	2	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds	2	0.00
636 = DOM, STP	2	0.00
637 = Purple haze	1	0.00
639 = Nutmeg, Mace	2	0.00
650 = Datura stramonium, daytura, thorn apple	1	0.00
658 = Special K, Ketamine	6	0.00
695 = Angel's trumpet	3	0.00
698 = 2C-B, Bromo mescaline, Nexus	17	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	2	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
829 = Robitussin DM <OTC>	3	0.00
883 = Dextromethorphan hydrobromide <OTC>	2	0.00
900 = Not a drug	2	0.00
1001 = Benadryl, Diphenhydramine <OTC>	2	0.00
1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	2	0.00
2012 = Geodon, Ziprasidone	1	0.00
2024 = Muscoril, Myoril, Neoflax, Thiocolchicoside	1	0.00
3023 = Adderall	2	0.00
6005 = Sassafras, sassafras tea	2	0.00
6023 = Euphoria	1	0.00
6029 = DXM	12	0.00
6043 = Diviner's sage, Salvia divinorum	17	0.00
6048 = Dex	1	0.00
6060 = Ololiuhqui	1	0.00
6061 = 5-MeO-DMT	7	0.00
6074 = LSA	7	0.00
6077 = San Pedro	1	0.00
6083 = CCC, "Triple C," C3 <OTC>	5	0.00
6087 = Ibogaine	1	0.00
6100 = 2C-T-7, T7, blue mystic	2	0.00
6103 = Ayahuasca, Yahe	2	0.00
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT	4	0.00
6112 = 2C-T-2	1	0.00
6114 = Molly, not otherwise specified	1	0.00
6115 = Foxy	4	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	18	0.00
6130 = 5-MeO-DIPT, foxy methoxy	1	0.00
6132 = Amanita mushrooms, fly agaric, muscimol	2	0.00
6134 = Anadenanthera colubrina, cohoba, vilca	1	0.00
6135 = 5-MeO-AMT	1	0.00
6137 = Harmaline	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	6	0.00
6156 = TMA, Trimethoxyamphetamine	2	0.00
6158 = Mulberry seeds/plant	1	0.00
6167 = 4-HO-DMT, Psilocin	1	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI	1	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	1	0.00

HALLUCINOGENS

6174 = bk-MDMA, Methylone	2	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	2	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	1	0.00
8012 = Coriciden <OTC>	1	0.00
8058 = Cough medicine/syrup, type unspecified	3	0.00
8100 = Kava Kava <OTC>	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	2	0.00
9985 = BAD DATA Logically assigned	3	0.00
9991 = NEVER USED HALLUCINOGENS	619338	65.24
9997 = REFUSED	117	0.01
9998 = BLANK (NO ANSWER)	14563	1.53
9999 = LEGITIMATE SKIP	88368	9.31

HALLUCINOGENS

HALNEWE

Len : 4 OTHER HALLUCINOGEN - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
209 = Xanax	1	0.00
215 = Vistaril	1	0.00
246 = Klonopin	1	0.00
351 = Cathinone, cat, khat, Q'at	1	0.00
414 = Propoxyphene	1	0.00
501 = Gasoline or lighter fluids	1	0.00
502 = Spray paints	1	0.00
508 = Nitrous oxide, "whippits," dentist gas	1	0.00
511 = Markers, felt-tip pens, ink pens	1	0.00
524 = White-Out	1	0.00
601 = LSD ("acid")	2	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms	1	0.00
605 = PCP ("angel dust," phencyclidine)	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	11	0.00
609 = Jimson weed	1	0.00
614 = MDA, Methylenedioxy amphetamine	1	0.00
616 = DET, Dimethyltryptamine, DMT	13	0.00
617 = Morning glory seeds, morning glory tendrils, ricea	3	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds	1	0.00
639 = Nutmeg, Mace	1	0.00
658 = Special K, Ketamine	7	0.00
698 = 2C-B, Bromo mescaline, Nexus	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
829 = Robitussin DM <OTC>	1	0.00
1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	2	0.00
3023 = Adderall	1	0.00
3024 = Yohimbe	1	0.00
3052 = Speed, otherwise unspecified	1	0.00
6029 = DXM	3	0.00
6043 = Diviner's sage, Salvia divinorum	12	0.00
6061 = 5-MeO-DMT	1	0.00
6074 = LSA	7	0.00
6077 = San Pedro	1	0.00
6083 = CCC, "Triple C," C3 <OTC>	1	0.00
6102 = Absinthe	1	0.00
6103 = Ayahuasca, Yahe	3	0.00
6115 = Foxy	1	0.00
6118 = Adrenochrome	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	4	0.00
6130 = 5-MeO-DIPT, foxy methoxy	4	0.00
6138 = 2C-E, 2,5-Dimethoxy-4-ethyl-phenethylamine	7	0.00
6139 = 2c-c, 2,5-Dimethoxy-4-chlorophenethylamine	1	0.00
6141 = DPT, Dipropyltryptamine	1	0.00
6146 = 5-MeO, otherwise unspecified	3	0.00
6159 = 2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T	1	0.00
6172 = 2,5-dimethoxy-4-(2-fluoroethylthio)phenethylamine	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB	1	0.00
6174 = bk-MDMA, Methylone	1	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly	1	0.00
6182 = 2C-P, 4-propyl-2,5-dimethoxyphenethylamine	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	1	0.00
8011 = Herb, flower, plant; type unspecified	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	1	0.00
8343 = Agapanthus, Lily of the Nile	1	0.00
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED HALLUCINOGENS	619338	65.24
9997 = REFUSED	113	0.01
9998 = BLANK (NO ANSWER)	14710	1.55
9999 = LEGITIMATE SKIP	88368	9.31

HALLUCINOGENS

How old were you the first time you used [LSFILL]?

HALLAGE

Len : 3 AGE WHEN FIRST USED HALLUCINOGENS

	Freq	Pct
RANGE = 1 - 74.....	99643	10.50
-9 = Data not collected for this year	226632	23.87
985 = BAD DATA Logically assigned.....	408	0.04
991 = NEVER USED HALLUCINOGENS.....	619338	65.24
994 = DON'T KNOW	688	0.07
997 = REFUSED	309	0.03
998 = BLANK (NO ANSWER).....	2267	0.24

Did you first use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use [LSFILL]?

HALYFU

Len : 4 YEAR OF FIRST HALLUCINOGEN USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014.....	11980	1.26
-9 = Data not collected for this year	226632	23.87
9985 = BAD DATA Logically assigned	1440	0.15
9989 = LEGITIMATE SKIP Logically assigned.....	1463	0.15
9991 = NEVER USED HALLUCINOGENS.....	619338	65.24
9994 = DON'T KNOW.....	753	0.08
9997 = REFUSED	323	0.03
9998 = BLANK (NO ANSWER)	2289	0.24
9999 = LEGITIMATE SKIP.....	85067	8.96

In what month in [CURRENT YEAR] did you first use [LSFILL]?

In what month in [YEAR FROM LS03a or LS03b] did you first use [LSFILL]?

HALMFU

Len : 2 MONTH OF FIRST HALLUCINOGEN USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = January.....	1090	0.11
2 = February	839	0.09
3 = March.....	991	0.10
4 = April.....	926	0.10
5 = May.....	843	0.09
6 = June.....	1244	0.13
7 = July	1262	0.13
8 = August.....	863	0.09
9 = September.....	766	0.08
10 = October.....	1011	0.11
11 = November	794	0.08
12 = December	677	0.07
85 = BAD DATA Logically assigned.....	1437	0.15
89 = LEGITIMATE SKIP Logically assigned	1463	0.15
91 = NEVER USED HALLUCINOGENS	619338	65.24
94 = DON'T KNOW	1386	0.15
97 = REFUSED	362	0.04
98 = BLANK (NO ANSWER).....	2294	0.24
99 = LEGITIMATE SKIP	85067	8.96

HALLUCINOGENS

How long has it been since you last used [LSFILL]?

HALLREC

Len : 2 TIME SINCE LAST USED HALLUCINOGENS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	5748	0.61
2 = More than 30 days ago but within the past 12 mos	16656	1.75
3 = More than 12 months ago	75282	7.93
8 = Used at some point in the past 12 mos LOG ASSN	764	0.08
9 = Used at some point in lifetime LOG ASSN	2006	0.21
11 = Used in the past 30 days LOGICALLY ASSIGNED	294	0.03
12 = Used >30 days ago but within pst 12 mos LOG ASSN	251	0.03
85 = BAD DATA Logically assigned.....	9	0.00
91 = NEVER USED HALLUCINOGENS	619338	65.24
97 = REFUSED	38	0.00
98 = BLANK (NO ANSWER).....	2267	0.24

HALYRTOT

Len : 3 TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365	23076	2.43
-9 = Data not collected for this year	226632	23.87
983 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn.....	1	0.00
985 = BAD DATA Logically assigned.....	214	0.02
991 = NEVER USED HALLUCINOGENS.....	619338	65.24
993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	75281	7.93
994 = DON'T KNOW	161	0.02
997 = REFUSED	78	0.01
998 = BLANK (NO ANSWER).....	4504	0.47

HLTOTFG

Len : 2 TRIMMING INDICATOR FOR HALYRTOT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Trimmed to 365 days (no further editing)	2	0.00
2 = Trimmed relative to the 30-day freq	40	0.00
98 = BLANK (NO ANSWER).....	722611	76.12

HLFQFLG

Len : 2 TRIMMED HALYRTOT IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Trimmed to be consistent with mo/yr of 1st use	1587	0.17
98 = BLANK (NO ANSWER).....	721066	75.96

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used [LSFILL] during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

HLBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Prefer to answer in days per week	2350	0.25
2 = Prefer to answer in days per month.....	3685	0.39
3 = Prefer to answer in days per year.....	16914	1.78
11 = Prefer to ans in days per wk LOG ASSN	18	0.00
12 = Prefer to ans in days per mo LOG ASSN	29	0.00
13 = Prefer to ans in days per yr LOG ASSN.....	203	0.02
83 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn	1	0.00
85 = BAD DATA Logically assigned.....	214	0.02
91 = NEVER USED HALLUCINOGENS	619338	65.24
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	75281	7.93
94 = DON'T KNOW	56	0.01
97 = REFUSED	60	0.01
98 = BLANK (NO ANSWER).....	4504	0.47

HALLUCINOGENS

On how many days in the past 12 months did you use [LSFILL]?

[HLDAYPYR](#)

Len : 3 # DAYS USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	17128	1.80
-9 = Data not collected for this year	226632	23.87
985 = BAD DATA Logically assigned.....	161	0.02
989 = LEGITIMATE SKIP Logically assigned.....	58	0.01
991 = NEVER USED HALLUCINOGENS.....	619338	65.24
993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	75282	7.93
994 = DON'T KNOW	83	0.01
997 = REFUSED	65	0.01
998 = BLANK (NO ANSWER).....	4514	0.48
999 = LEGITIMATE SKIP	6024	0.63

On average, how many days did you use [LSFILL] each month during the past 12 months?

[HLDAYPMO](#)

Len : 2 # DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 31.....	3675	0.39
-9 = Data not collected for this year	226632	23.87
83 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn	1	0.00
85 = BAD DATA Logically assigned.....	33	0.00
89 = LEGITIMATE SKIP Logically assigned	18	0.00
91 = NEVER USED HALLUCINOGENS	619338	65.24
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	75281	7.93
94 = DON'T KNOW	114	0.01
97 = REFUSED	73	0.01
98 = BLANK (NO ANSWER).....	4685	0.49
99 = LEGITIMATE SKIP	19435	2.05

On average, how many days did you use [LSFILL] each week during the past 12 months?

[HLDAYPWK](#)

Len : 2 # DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7.....	2316	0.24
-9 = Data not collected for this year	226632	23.87
85 = BAD DATA Logically assigned.....	40	0.00
91 = NEVER USED HALLUCINOGENS	619338	65.24
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	75282	7.93
94 = DON'T KNOW	160	0.02
97 = REFUSED	78	0.01
98 = BLANK (NO ANSWER).....	4679	0.49
99 = LEGITIMATE SKIP	20760	2.19

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use [LSFILL]?

[HAL30USE](#)

Len : 2 # DAYS USED HALLUCINOGEN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	5748	0.61
-9 = Data not collected for this year	226632	23.87
85 = BAD DATA Logically assigned.....	310	0.03
90 = NOT ASKED THE QUESTION Logically assigned	24	0.00
91 = NEVER USED HALLUCINOGENS	619338	65.24
93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	92189	9.71
94 = DON'T KNOW	49	0.01
97 = REFUSED	51	0.01
98 = BLANK (NO ANSWER).....	4944	0.52

HALLUCINOGENS

What is your best estimate of the number of days you used [LSFILL] during the past 30 days?

[HL30EST](#)

Len : 2 BEST EST. # DAYS USED HALLUCINOGENS PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = 1 or 2 days	23	0.00
2 = 3 to 5 days	8	0.00
3 = 6 to 9 days	5	0.00
4 = 10 to 19 days	5	0.00
5 = 20 to 29 days	2	0.00
6 = All 30 days	5	0.00
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED HALLUCINOGENS	619338	65.24
93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	92189	9.71
94 = DON'T KNOW	11	0.00
97 = REFUSED	42	0.00
98 = BLANK (NO ANSWER)	5272	0.56
99 = LEGITIMATE SKIP	5745	0.61

Now think only about 'Ecstasy.' How old were you the first time you used 'Ecstasy,' also known as MDMA?

[ECSAGE](#)

Len : 3 AGE WHEN FIRST USED ECSTASY

	Freq	Pct
RANGE = 1 - 67	49423	5.21
-9 = Data not collected for this year	226632	23.87
985 = BAD DATA Logically assigned	150	0.02
991 = NEVER USED ECSTASY	671884	70.78
994 = DON'T KNOW	187	0.02
997 = REFUSED	126	0.01
998 = BLANK (NO ANSWER)	883	0.09

Did you first use 'Ecstasy' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'Ecstasy' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'Ecstasy'?

[ECSYFU](#)

Len : 4 YEAR OF FIRST ECSTASY USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014	8617	0.91
-9 = Data not collected for this year	226632	23.87
9985 = BAD DATA Logically assigned	529	0.06
9989 = LEGITIMATE SKIP Logically assigned	305	0.03
9991 = NEVER USED ECSTASY	671884	70.78
9994 = DON'T KNOW	217	0.02
9997 = REFUSED	132	0.01
9998 = BLANK (NO ANSWER)	1223	0.13
9999 = LEGITIMATE SKIP	39746	4.19

HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use 'Ecstasy'?

In what month in [YEAR FROM LS18 or LS19] did you first use 'Ecstasy'?

[ECSMFU](#)

Len : 2 MONTH OF FIRST ECSTASY USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = January	790	0.08
2 = February	584	0.06
3 = March	724	0.08
4 = April	622	0.07
5 = May	628	0.07
6 = June	873	0.09
7 = July	903	0.10
8 = August	637	0.07
9 = September	614	0.06
10 = October	727	0.08
11 = November	557	0.06
12 = December	507	0.05
85 = BAD DATA Logically assigned	551	0.06
89 = LEGITIMATE SKIP Logically assigned	305	0.03
91 = NEVER USED ECSTASY	671884	70.78
94 = DON'T KNOW	614	0.06
97 = REFUSED	158	0.02
98 = BLANK (NO ANSWER)	1229	0.13
99 = LEGITIMATE SKIP	39746	4.19

How long has it been since you last used 'Ecstasy,' also known as MDMA?

[ECSREC](#)

Len : 2 TIME SINCE LAST USED ECSTASY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	2924	0.31
2 = More than 30 days ago but within the past 12 mos	9656	1.02
3 = More than 12 months ago	36281	3.82
8 = Used at some point in the past 12 mos LOG ASSN	163	0.02
9 = Used at some point in the lifetime LOG ASSN	986	0.10
11 = Used in the past 30 days LOGICALLY ASSIGNED	6	0.00
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED ECSTASY	671884	70.78
97 = REFUSED	71	0.01
98 = BLANK (NO ANSWER)	679	0.07

HALLUCINOGENS

The next questions are about substances called hallucinogens. These drugs often cause people to see or experience things that are not real.

A list of some common hallucinogens is shown below. These and many other substances that people use as hallucinogens are often known by street names, and we can't list them all. Please take a moment to look at the substances listed below so you know what kind of drugs the next questions are about.

LSD, also called 'acid'
 PCP, also called 'angel dust' or phencyclidine
 Peyote
 Mescaline
 Psilocybin
 'Ecstasy' or 'Molly', also called MDMA
 Ketamine, also called 'Special K' or 'Super K'
 DMT, also called dimethyltryptamine
 AMT, also called alpha-methyltryptamine
 Foxy, also called 5-MeO-DIPT
 Salvia divinorum

Have you ever, even once, used LSD, also called 'acid'?

LSD	Len : 2 EVER USED LSD ("ACID")		
		Freq	Pct
	1 = Yes.....	74488	7.85
	2 = No.....	61676	6.50
	3 = Yes LOGICALLY ASSIGNED	57	0.01
	85 = BAD DATA Logically assigned.....	10	0.00
	91 = NEVER USED HALLUCINOGENS	812231	85.56
	94 = DON'T KNOW	715	0.08
	97 = REFUSED	108	0.01

Have you ever, even once, used PCP, also called 'angel dust' or phencyclidine?

PCP	Len : 2 EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)		
		Freq	Pct
	1 = Yes.....	17158	1.81
	2 = No.....	119070	12.54
	3 = Yes LOGICALLY ASSIGNED	15	0.00
	85 = BAD DATA Logically assigned.....	10	0.00
	91 = NEVER USED HALLUCINOGENS	812231	85.56
	94 = DON'T KNOW	725	0.08
	97 = REFUSED	76	0.01

Have you ever, even once, used peyote?

PEYOTE	Len : 2 EVER USED PEYOTE		
		Freq	Pct
	1 = Yes.....	13966	1.47
	2 = No.....	121948	12.85
	3 = Yes LOGICALLY ASSIGNED	6	0.00
	85 = BAD DATA Logically assigned.....	10	0.00
	91 = NEVER USED HALLUCINOGENS	812231	85.56
	94 = DON'T KNOW	1021	0.11
	97 = REFUSED	103	0.01

Have you ever, even once, used mescaline?

MESC	Len : 2 EVER USED Mescaline		
		Freq	Pct
	1 = Yes.....	18356	1.93
	2 = No.....	117413	12.37
	3 = Yes LOGICALLY ASSIGNED	11	0.00
	85 = BAD DATA Logically assigned.....	10	0.00
	91 = NEVER USED HALLUCINOGENS	812231	85.56
	94 = DON'T KNOW	1161	0.12
	97 = REFUSED	103	0.01

HALLUCINOGENS

Have you ever, even once, used psilocybin, found in mushrooms?

PSILCY

Len : 2 EVER USED PSILOCYBIN (MUSHROOMS)

	Freq	Pct
1 = Yes.....	75545	7.96
2 = No.....	59158	6.23
3 = Yes LOGICALLY ASSIGNED	650	0.07
85 = BAD DATA Logically assigned.....	10	0.00
91 = NEVER USED HALLUCINOGENS	812231	85.56
94 = DON'T KNOW	1550	0.16
97 = REFUSED	141	0.01

Have you ever, even once, used 'Ecstasy' or 'Molly,' also known as MDMA?

ECSTMOLLY

Len : 2 EVER USED 'ECSTASY' OR 'MOLLY' (MDMA)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	17594	1.85
2 = No.....	15897	1.67
3 = Yes LOGICALLY ASSIGNED	6	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	192893	20.32
94 = DON'T KNOW	224	0.02
97 = REFUSED	17	0.00

Have you ever, even once, used Ketamine, also called 'Special K' or 'Super K'?

KETMINESK

Len : 2 EVER USED KETAMINE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	2963	0.31
2 = No.....	30441	3.21
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED KETAMINE	192893	20.32
94 = DON'T KNOW	317	0.03
97 = REFUSED	17	0.00

Have you ever, even once, used any of the following:

DMT, also called dimethyltryptamine,
AMT, also called alpha-methyltryptamine, or
Foxy, also called 5-MeO-DIPT?

DMTAMTFXY

Len : 2 EVER USED DMT, AMT, FOXY

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	2509	0.26
2 = No.....	30847	3.25
3 = Yes LOGICALLY ASSIGNED	7	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED DMT, AMT, FOXY	192893	20.32
94 = DON'T KNOW	356	0.04
97 = REFUSED	19	0.00

Have you ever, even once, used Salvia divinorum?

SALVIADIV

Len : 2 EVER USED SALVIA DIVINORUM

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	5261	0.55
2 = No.....	28051	2.95
3 = Yes LOGICALLY ASSIGNED	9	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED SALVIA DIVINORUM.....	192893	20.32
94 = DON'T KNOW	393	0.04
97 = REFUSED	24	0.00

HALLUCINOGENS

NOTE: HALLUCOTH was assigned a code of 5 (see documentation below) when either of the following occurred: (a) the only hallucinogens that were used in the respondent's lifetime were LSD, PCP, Ecstasy, ketamine, DMT/AMT/Foxy, or Salvia divinorum but the respondent reported more recent use of any hallucinogen than was reported for these six hallucinogens; or (b) the only hallucinogens that were used in the respondent's lifetime were LSD, PCP, Ecstasy but the respondent reported earlier initiation of any hallucinogen than was reported for these three hallucinogens.

Have you ever, even once used any other hallucinogens besides the ones that have been listed?

HALLUCOTH

Len : 2 EVER USED OTHER HALLUCINOGEN

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	2599	0.27
2 = No.....	30582	3.22
5 = Yes (specific hallucinogen unknown) LOG ASSN	220	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	192893	20.32
94 = DON'T KNOW	310	0.03
97 = REFUSED	27	0.00

HALLUCINOGENS

HALLUCOT1

Len : 4 OTHER HALLUCINOGEN - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
115 = Phenobarbital	1	0.00
116 = Methaqualone, Sopor, Quaalude	3	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
123 = Unisom <OTC>	1	0.00
130 = Promethazine	2	0.00
142 = Belladonna	8	0.00
171 = NyQuil <OTC>	1	0.00
174 = Ambien	15	0.00
209 = Xanax	26	0.00
246 = Klonopin	1	0.00
319 = Cylert	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	52	0.01
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	1	0.00
327 = Black beauties, black beauty	2	0.00
345 = Black molly	1	0.00
348 = Crystal	2	0.00
355 = Crystal meth, crystal methamphetamine	7	0.00
407 = Demerol	1	0.00
415 = Codeine pills	4	0.00
417 = Morphine	6	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	1	0.00
423 = Percocet	3	0.00
434 = Vicodin	2	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>	1	0.00
501 = Gasoline or lighter fluids	17	0.00
502 = Spray paints	2	0.00
503 = Other aerosol sprays	3	0.00
504 = Shoeshine liquid, glue, or toluene	7	0.00
505 = Lacquer thinner or other paint solvents	3	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	4	0.00
507 = Halothane, ether, or other anesthetics; chloroform	3	0.00
508 = Nitrous oxide, "whippits," dentist gas	36	0.00
509 = Correction fluids, degreasers, cleaning fluids	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	10	0.00
511 = Markers, felt-tip pens, ink pens	2	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant	2	0.00
519 = Helium	1	0.00
520 = Old paint, paint	2	0.00
525 = Butane	1	0.00
528 = Whipped-cream can	1	0.00
531 = Candy, powdered candy, sugar	1	0.00
540 = PAM	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol	1	0.00
566 = Smoked tea from Lipton tea bag	1	0.00
590 = Canned air, compressed air	1	0.00
592 = Computer air duster, computer cleaner, dust-off	31	0.00
599 = Potpourri	1	0.00
601 = LSD ("acid")	206	0.02
602 = Peyote	7	0.00
603 = Mescaline	6	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms	209	0.02
605 = PCP ("angel dust," phencyclidine)	9	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	24	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	325	0.03
609 = Jimson weed	11	0.00
610 = Crystal T	1	0.00
612 = Happy stick, sherm, sherman, shermstick	3	0.00
614 = MDA, Methylenedioxy amphetamine	13	0.00
616 = DET, Dimethyltryptamine, DMT	18	0.00
617 = Morning glory seeds, morning glory tendrils, ricea	19	0.00
618 = Acid paper, blotter (acid)	10	0.00
622 = Microdot(s), green microdot, purple microdot	13	0.00
623 = Mickey, mickey mouse club, mickey mousers	1	0.00
624 = Orange sunshine, sunshine, yellow sunshine	2	0.00
625 = Window, window pane, 4-way pane, 4-way	4	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds	12	0.00
635 = Ginseng seeds, ginseng weed	1	0.00
636 = DOM, STP	3	0.00
637 = Purple haze	4	0.00
639 = Nutmeg, Mace	10	0.00
640 = Purple pyramid	1	0.00
648 = Designer drugs	1	0.00

HALLUCINOGENS

650 = Datura stramonium, daytura, thorn apple	5	0.00
658 = Special K, Ketamine	2	0.00
659 = Boat	2	0.00
660 = Bufotenin, toad, toad licking	1	0.00
663 = Animal tranquilizer, horse tranquilizer	4	0.00
678 = Banana peels	1	0.00
679 = Hell bells	3	0.00
695 = Angel's trumpet	4	0.00
698 = 2C-B, Bromo mescaline, Nexus	107	0.01
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED	1	0.00
703 = Opium, otherwise unspecified	15	0.00
707 = Black tar heroin	1	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol	5	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	31	0.00
805 = Cocaine, coca, cocaina, coke, perico	1	0.00
806 = Crack, rock	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
809 = Pills	1	0.00
812 = Cigars	1	0.00
829 = Robitussin DM <OTC>	22	0.00
843 = Cold medicine, cold tablets <OTC>	3	0.00
847 = GHB, NSC, gamma hydroxybutyrate	7	0.00
852 = Formaldehyde, wak, whack (embalming fluid)	5	0.00
883 = Dextromethorphan hydrobromide <OTC>	46	0.00
894 = Depakene, Depakote, Valproic acid	1	0.00
900 = Not a drug	4	0.00
1001 = Benadryl, Diphenhydramine <OTC>	21	0.00
1022 = Atropine	1	0.00
1501 = Zolpidem	1	0.00
2003 = Zanies, zannies, zans, zany bars	5	0.00
2501 = Alprazolam	1	0.00
2504 = Clonazepam	1	0.00
3023 = Adderall	7	0.00
3052 = Speed, otherwise unspecified	9	0.00
3081 = P2P, Phenyl-2-propanone	1	0.00
3096 = Yaba	1	0.00
3103 = RedLine <OTC>	1	0.00
3116 = MCAT, Mephedrone	1	0.00
3119 = MDPV, Methylenedioxypyrovalerone	2	0.00
3132 = 4-FA, 4-Fluoroamphetamine	1	0.00
3138 = 2-CA, 2-Chloroamphetamine	1	0.00
4044 = Hydrocodone	3	0.00
4046 = Oxycodone	3	0.00
4067 = OxyContin	4	0.00
4109 = Suboxone	1	0.00
4116 = Phenergan with codeine, promethazine with codeine	1	0.00
5004 = Ink print, paper	2	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank	1	0.00
5045 = Cleaner, not otherwise specified	2	0.00
5055 = PVC	1	0.00
5077 = Resistol	1	0.00
5098 = Axe/Axe deodorant, aerosol unspecified	1	0.00
5100 = TCE, Trichlorethylene	1	0.00
5104 = Shoe cleaner, otherwise unspecified	1	0.00
5171 = Mouthwash	1	0.00
6005 = Sassafras, sassafras tea	19	0.00
6029 = DXM	73	0.01
6030 = Root	1	0.00
6043 = Diviner's sage, Salvia divinorum	12	0.00
6044 = Gel caps, gel tabs	3	0.00
6048 = Dex	1	0.00
6049 = Locoseeds, locoweed seeds	1	0.00
6056 = Wet	2	0.00
6061 = 5-MeO-DMT	3	0.00
6062 = Madderwort, wormwood	4	0.00
6074 = LSA	45	0.00
6077 = San Pedro	10	0.00
6081 = Shabu	1	0.00
6083 = CCC, "Triple C," C3 <OTC>	21	0.00
6087 = Ibogaine	3	0.00
6092 = TCP	1	0.00
6100 = 2C-T-7, T7, blue mystic	2	0.00
6102 = Absinthe	11	0.00
6103 = Ayahuasca, Yahe	65	0.01
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT	1	0.00

HALLUCINOGENS

6112 = 2C-T-2	1	0.00
6114 = Molly, not otherwise specified.....	9	0.00
6121 = Cactus, specifically not peyote	1	0.00
6125 = MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	85	0.01
6132 = Amanita mushrooms, fly agaric, muscimol.....	6	0.00
6135 = 5-MeO-AMT	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	40	0.00
6145 = Scooby snacks	1	0.00
6146 = 5-MeO, otherwise unspecified.....	2	0.00
6159 = 2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T	1	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC	6	0.00
6170 = Moonflower/pod, otherwise unspecified.....	3	0.00
6171 = 4-acetoxo-N,N-dimethyltryptamine, 4-AcO-DMT	17	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB.....	4	0.00
6174 = bk-MDMA, Methylone	4	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly	1	0.00
6179 = 4-Hydroxy-MIPT.....	2	0.00
6181 = 4-HO-MET, N-Ethyl-4-hydroxy-N-methyltryptamine	3	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine	8	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	54	0.01
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	13	0.00
6188 = 25B-NBOMe, NBOMe-2C-B.....	5	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	6	0.00
6192 = 5-MeO-MiPT	1	0.00
6195 = LSZ, Lysergic acid 2,4-dimethylazetidine	1	0.00
6196 = Changa.....	1	0.00
6197 = 2C-C, 4-chloro-2,5-dimethoxyphenethylamine	2	0.00
6200 = AL-LAD, 6-allyl-6-nor-LSD	2	0.00
6203 = NBOMe; otherwise unspecified.....	10	0.00
6204 = Hallucinogen from toothpaste.....	1	0.00
6205 = Owsley, white owsley.....	1	0.00
6206 = Blue Egyptian lotus, blue lotus	2	0.00
6207 = 2C-B-Fly, 2C-Bromo-Fly	1	0.00
6208 = 3-MeO-PCP, 3-Methoxyphencyclidine	1	0.00
6209 = 1P-LSD	1	0.00
6210 = Beta-keto 2C-B, Bk-2C-B.....	1	0.00
6213 = Synthetic LSD/acid; otherwise unspecified	1	0.00
6217 = 25D-NBOMe.....	1	0.00
6219 = Hallucinogenic honey; type unspecified.....	1	0.00
6221 = Amatoxin-containing mushrooms; otherwise unspcfd	1	0.00
6222 = Jekem, Jenkem	1	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd	1	0.00
8011 = Herb, flower, plant; type unspecified	3	0.00
8012 = Coriciden <OTC>.....	11	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator	1	0.00
8028 = Bactine <OTC>	1	0.00
8058 = Cough medicine/syrup, type unspecified	20	0.00
8100 = Kava Kava <OTC>.....	2	0.00
8118 = Smoke/smoking, not otherwise specified.....	4	0.00
8127 = Damiana <OTC>	1	0.00
8166 = White girl.....	1	0.00
8203 = Bar, otherwise unspecified	4	0.00
8214 = Robo, robo tripping.....	2	0.00
8216 = Red Dawn GHR Release <OTC>	1	0.00
8237 = Kratom.....	5	0.00
8280 = Mucinex-DM <OTC>	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018).....	94	0.01
8293 = Lean (Promethazine w/codeine mixed w/Sprite)	18	0.00
8301 = Bath salts, otherwise unspecified	14	0.00
8315 = Synthetic cannabis, otherwise unspecified.....	7	0.00
8329 = Artane, Parkopan	1	0.00
8351 = 6-APB, Benzo Fury	1	0.00
8368 = alpha-PVP, alpha-Pyrolidinopentiophenone	3	0.00
8379 = Dabs/dabbing	4	0.00
8381 = Vapor/vape juice; route of use unspcfd	2	0.00
8386 = Acyclovir	1	0.00
8398 = Tea tree oil <OTC>.....	1	0.00
8405 = Mytocin, Mytomycin	1	0.00
8513 = Amitriptyline, Elavil	1	0.00
8518 = Lithium carbonate, Lithonate.....	1	0.00
8535 = Risperdal, Risperdol, Risperidone	1	0.00
8545 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	18	0.00
9985 = BAD DATA Logically assigned	48	0.01

HALLUCINOGENS

9991 = NEVER USED HALLUCINOGENS.....	192893	20.32
9997 = REFUSED	124	0.01
9998 = BLANK (NO ANSWER).....	635	0.07
9999 = LEGITIMATE SKIP.....	30582	3.22

HALLUCINOGENS

HALLUCOT2

Len : 4 OTHER HALLUCINOGEN - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
130 = Promethazine	1	0.00
142 = Belladonna.....	1	0.00
171 = NyQuil <OTC>	2	0.00
174 = Ambien.....	1	0.00
209 = Xanax	9	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	5	0.00
407 = Demerol.....	1	0.00
415 = Codeine pills	1	0.00
501 = Gasoline or lighter fluids.....	4	0.00
503 = Other aerosol sprays	4	0.00
504 = Shoeshine liquid, glue, or toluene	2	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	2	0.00
507 = Halothane, ether, or other anesthetics; chloroform	4	0.00
508 = Nitrous oxide, "whippits," dentist gas	6	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	1	0.00
528 = Whipped-cream can.....	1	0.00
566 = Smoked tea from Lipton tea bag	1	0.00
592 = Computer air duster, computer cleaner, dust-off	2	0.00
601 = LSD ("acid")	23	0.00
602 = Peyote.....	1	0.00
603 = Mescaline.....	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	12	0.00
605 = PCP ("angel dust," phencyclidine).....	2	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	52	0.01
609 = Jimson weed.....	2	0.00
612 = Happy stick, sherm, sherman, shermstick.....	2	0.00
614 = MDA, Methylenedioxy amphetamine	2	0.00
616 = DET, Dimethyltryptamine, DMT.....	5	0.00
617 = Morning glory seeds, morning glory tendrils, ricea	10	0.00
618 = Acid paper, blotter (acid)	2	0.00
622 = Microdot(s), green microdot, purple microdot	3	0.00
625 = Window, window pane, 4-way pane, 4-way	1	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds.....	2	0.00
636 = DOM, STP.....	2	0.00
639 = Nutmeg, Mace.....	4	0.00
650 = Datura stramonium, daytura, thorn apple	2	0.00
679 = Hell bells	1	0.00
695 = Angel's trumpet	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	32	0.00
703 = Opium, otherwise unspecified	6	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	3	0.00
809 = Pills	1	0.00
829 = Robitussin DM <OTC>.....	5	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
883 = Dextromethorphan hydrobromide <OTC>	7	0.00
1001 = Benadryl, Diphenhydramine <OTC>	1	0.00
3023 = Adderall	2	0.00
3052 = Speed, otherwise unspecified.....	2	0.00
3132 = 4-FA, 4-Fluoroamphetamine	1	0.00
3133 = 5-APB.....	1	0.00
4046 = Oxycodone	1	0.00
4067 = OxyContin	1	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank.....	1	0.00
5055 = PVC.....	1	0.00
5098 = Axe/Axe deodorant, aerosol unspecified	1	0.00
6005 = Sassafras, sassafras tea.....	3	0.00
6029 = DXM	16	0.00
6044 = Gel caps, gel tabs.....	2	0.00
6051 = Tryptamine, not otherwise specified	1	0.00
6056 = Wet.....	1	0.00
6061 = 5-MeO-DMT.....	1	0.00
6074 = LSA	10	0.00
6077 = San Pedro	2	0.00
6083 = CCC, "Triple C," C3 <OTC>	3	0.00
6100 = 2C-T-7, T7, blue mystic.....	3	0.00
6103 = Ayahuasca, Yahe.....	5	0.00
6112 = 2C-T-2	2	0.00
6113 = Candy flip	1	0.00
6114 = Molly, not otherwise specified.....	2	0.00
6121 = Cactus, specifically not peyote	1	0.00
6125 = MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine.....	1	0.00

HALLUCINOGENS

6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	40	0.00
6127 = Skittles	1	0.00
6135 = 5-MeO-AMT	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	16	0.00
6141 = DPT, Dipropyltryptamine	1	0.00
6159 = 2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T	2	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC	3	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	3	0.00
6174 = bk-MDMA, Methylone	1	0.00
6175 = 4-Hydroxy-N,N-diisopropyltryptamine, 4-HO-DiPT	1	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly	2	0.00
6180 = 2C-BCB, TCB-2	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine	4	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	18	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	6	0.00
6188 = 25B-NBOMe, NBOMe-2C-B	3	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	2	0.00
6192 = 5-MeO-MiPT	1	0.00
6195 = LSZ, Lysergic acid 2,4-dimethylazetidine	1	0.00
6202 = 4-Acetoxy-MET, 4-AcO-MET, Metacetin	2	0.00
6203 = NBOMe; otherwise unspecified	1	0.00
6209 = 1P-LSD	1	0.00
6213 = Synthetic LSD/acid; otherwise unspecified	1	0.00
6215 = Synthetic mushrooms; otherwise unspecified	1	0.00
8011 = Herb, flower, plant; type unspecified	1	0.00
8012 = Coriciden <OTC>	2	0.00
8058 = Cough medicine/syrup, type unspecified	8	0.00
8085 = Anti-psychotics/schizophrenic, type unspcfd	1	0.00
8118 = Smoke/smoking, not otherwise specified	1	0.00
8203 = Bar, otherwise unspecified	1	0.00
8214 = Robo, robo tripping	1	0.00
8231 = Tussin medication, no other information	1	0.00
8237 = Kratom	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	14	0.00
8293 = Lean (Promethazine w/codeine mixed w/Sprite)	1	0.00
8301 = Bath salts, otherwise unspecified	2	0.00
8315 = Synthetic cannabis, otherwise unspecified	5	0.00
8514 = Compazine, Prochlorperazine	1	0.00
8545 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	3	0.00
8550 = Geodon, Ziprasidone	1	0.00
9985 = BAD DATA Logically assigned	15	0.00
9991 = NEVER USED HALLUCINOGENS	192893	20.32
9997 = REFUSED	33	0.00
9998 = BLANK (NO ANSWER)	2651	0.28
9999 = LEGITIMATE SKIP	30582	3.22

HALLUCINOGENS

HALLUCOT3

Len : 4 OTHER HALLUCINOGEN - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
209 = Xanax	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	1	0.00
504 = Shoeshine liquid, glue, or toluene	1	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant	1	0.00
531 = Candy, powdered candy, sugar	1	0.00
601 = LSD ("acid")	2	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms	3	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	16	0.00
609 = Jimson weed	1	0.00
614 = MDA, Methylenedioxy amphetamine	3	0.00
616 = DET, Dimethyltryptamine, DMT	1	0.00
617 = Morning glory seeds, morning glory tendrils, ricea	1	0.00
618 = Acid paper, blotter (acid)	1	0.00
622 = Microdot(s), green microdot, purple microdot	1	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds	1	0.00
636 = DOM, STP	2	0.00
650 = Datura stramonium, daytura, thorn apple	1	0.00
679 = Hell bells	1	0.00
698 = 2C-B, Bromo mescaline, Nexus	8	0.00
702 = Heroin	1	0.00
709 = Poppy	1	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
829 = Robitussin DM <OTC>	2	0.00
843 = Cold medicine, cold tablets <OTC>	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate	1	0.00
883 = Dextromethorphan hydrobromide <OTC>	3	0.00
900 = Not a drug	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>	1	0.00
3052 = Speed, otherwise unspecified	1	0.00
3116 = MCAT, Mephedrone	1	0.00
3131 = 5-MAPB	2	0.00
3132 = 4-FA, 4-Fluoroamphetamine	2	0.00
4043 = Tramadol	1	0.00
6029 = DXM	4	0.00
6038 = Triplets, trips	1	0.00
6044 = Gel caps, gel tabs	1	0.00
6061 = 5-MeO-DMT	1	0.00
6074 = LSA	3	0.00
6103 = Ayahuasca, Yahe	1	0.00
6112 = 2C-T-2	1	0.00
6125 = MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine	2	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	5	0.00
6130 = 5-MeO-DiPT, foxy methoxy	1	0.00
6138 = 2C-E, 2,5-Dimethoxy-4-ethyl-phenethylamine	15	0.00
6146 = 5-MeO, otherwise unspecified	1	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC	1	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	1	0.00
6174 = bk-MDMA, Methylone	1	0.00
6182 = 2C-P, 4-propyl-2,5-dimethoxyphenethylamine	3	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	4	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	1	0.00
6188 = 25B-NBOMe, NBOMe-2C-B	2	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	4	0.00
6197 = 2C-C, 4-chloro-2,5-dimethoxyphenethylamine	1	0.00
6200 = AL-LAD, 6-allyl-6-nor-LSD	1	0.00
6201 = 4-HO-DET, CZ-74, Ethocin	1	0.00
6203 = NBOMe; otherwise unspecified	4	0.00
6218 = 2,3,4-Trimethoxyamphetamine, TMA-2	1	0.00
6220 = ETH-LAD	1	0.00
8012 = Coriciden <OTC>	1	0.00
8058 = Cough medicine/syrup, type unspecified	3	0.00
8118 = Smoke/smoking, not otherwise specified	1	0.00
8237 = Kratom	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	4	0.00
8505 = Quetiapine, Seroquel	1	0.00
8545 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	2	0.00
9985 = BAD DATA Logically assigned	5	0.00
9991 = NEVER USED HALLUCINOGENS	192893	20.32
9997 = REFUSED	28	0.00
9998 = BLANK (NO ANSWER)	2981	0.31

HALLUCINOGENS

9999 = LEGITIMATE SKIP..... 30582 3.22

HALLUCOT4

Len : 4 OTHER HALLUCINOGEN - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
351 = Cathinone, cat, khat, Q'at	1	0.00
501 = Gasoline or lighter fluids	1	0.00
508 = Nitrous oxide, "whippits," dentist gas	2	0.00
601 = LSD ("acid")	1	0.00
603 = Mescaline.....	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	2	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	3	0.00
614 = MDA, Methylenedioxy amphetamine	1	0.00
617 = Morning glory seeds, morning glory tendrils, ricea	1	0.00
618 = Acid paper, blotter (acid)	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	3	0.00
802 = THC, cannabinol, marinol, tetrahydrocannabinol.....	1	0.00
883 = Dextromethorphan hydrobromide <OTC>	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>	1	0.00
3125 = 3,4-Ethylenedioxy-N-methylamphetamine, EDMA, MDMC.....	1	0.00
6029 = DXM	1	0.00
6074 = LSA	2	0.00
6112 = 2C-T-2	1	0.00
6115 = Foxy	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	7	0.00
6135 = 5-MeO-AMT.....	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	2	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	2	0.00
6174 = bk-MDMA, Methylone	2	0.00
6181 = 4-HO-MET, N-Ethyl-4-hydroxy-N-methyltryptamine.....	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	1	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	2	0.00
6195 = LSZ, Lysergic acid 2,4-dimethylazetidine	1	0.00
6197 = 2C-C, 4-chloro-2,5-dimethoxyphenethylamine	1	0.00
6200 = AL-LAD, 6-allyl-6-nor-LSD	1	0.00
6203 = NBOMe; otherwise unspecified.....	1	0.00
6209 = 1P-LSD.....	1	0.00
6211 = 6-MAPB	1	0.00
6217 = 25D-NBOMe.....	1	0.00
8012 = Coriciden <OTC>.....	2	0.00
8214 = Robo, robo tripping.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018).....	2	0.00
8301 = Bath salts, otherwise unspecified	1	0.00
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED HALLUCINOGENS.....	192893	20.32
9997 = REFUSED	27	0.00
9998 = BLANK (NO ANSWER)	3069	0.32
9999 = LEGITIMATE SKIP.....	30582	3.22

HALLUCINOGENS

[HALLUCOTS](#)

Len : 4 OTHER HALLUCINOGEN - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
171 = NyQuil <OTC>	1	0.00
508 = Nitrous oxide, "whippits," dentist gas	1	0.00
602 = Peyote.....	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	1	0.00
614 = MDA, Methylenedioxy amphetamine	1	0.00
636 = DOM, STP	1	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	1	0.00
3051 = Betel nut, beetlenut.....	1	0.00
3119 = MDPV, Methylenedioxypyrovalerone.....	1	0.00
4009 = Smilies	1	0.00
6029 = DXM	2	0.00
6074 = LSA	1	0.00
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	1	0.00
6138 = 2C-E, 2,5-Dimethoxy-4-ethyl-phenethylamine	1	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB.....	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	1	0.00
6202 = 4-Acetoxy-MET, 4-AcO-MET, Metacetin.....	1	0.00
8389 = CBD oil, Hemp oil (not marijuana) <OTC>	1	0.00
9991 = NEVER USED HALLUCINOGENS	192893	20.32
9997 = REFUSED	27	0.00
9998 = BLANK (NO ANSWER)	3107	0.33
9999 = LEGITIMATE SKIP.....	30582	3.22

How old were you the first time you used [LSFILL]?

[HALLUCAGE](#)

Len : 3 AGE WHEN FIRST USED HALLUCINOGENS

	Freq	Pct
RANGE = 1 - 72.....	32339	3.41
-9 = Data not collected for this year	722653	76.13
985 = BAD DATA Logically assigned.....	93	0.01
991 = NEVER USED HALLUCINOGENS.....	192893	20.32
994 = DON'T KNOW	276	0.03
997 = REFUSED	118	0.01
998 = BLANK (NO ANSWER).....	913	0.10

[HALLUCEVR](#)

Len : 2 RC - EVER USED HALLUCINOGENS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	32819	3.46
91 = NEVER USED HALLUCINOGENS	192893	20.32
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER).....	914	0.10

Did you first use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use [LSFILL]?

[HALLUCYFU](#)

Len : 4 YEAR OF FIRST HALLUCINOGEN USE - RECODE

	Freq	Pct
RANGE = 2013 - 2018.....	2722	0.29
-9 = Data not collected for this year	722653	76.13
9985 = BAD DATA Logically assigned	303	0.03
9989 = LEGITIMATE SKIP Logically assigned.....	389	0.04
9991 = NEVER USED HALLUCINOGENS	192893	20.32
9994 = DON'T KNOW	284	0.03
9997 = REFUSED	122	0.01
9998 = BLANK (NO ANSWER)	922	0.10
9999 = LEGITIMATE SKIP.....	28997	3.05

HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use [LSFILL]?

In what month in [YEAR FROM LS03a or LS03b] did you first use [LSFILL]?

HALLUCMFU

Len : 2 MONTH OF FIRST HALLUCINOGEN USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = January.....	215	0.02
2 = February	178	0.02
3 = March.....	232	0.02
4 = April.....	185	0.02
5 = May.....	190	0.02
6 = June.....	341	0.04
7 = July	285	0.03
8 = August.....	222	0.02
9 = September.....	174	0.02
10 = October.....	212	0.02
11 = November	176	0.02
12 = December	158	0.02
85 = BAD DATA Logically assigned.....	302	0.03
89 = LEGITIMATE SKIP Logically assn.....	389	0.04
91 = NEVER USED HALLUCINOGENS	192893	20.32
94 = DON'T KNOW	423	0.04
97 = REFUSED	137	0.01
98 = BLANK (NO ANSWER).....	923	0.10
99 = LEGITIMATE SKIP	28997	3.05

How long has it been since you last used [LSFILL]?

HALLUCREC

Len : 2 TIME SINCE LAST USED HALLUCINOGENS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	1530	0.16
2 = More than 30 days ago but within the past 12 mos	4251	0.45
3 = More than 12 months ago	26054	2.74
8 = Used at some point in the past 12 mos LOG ASSN	186	0.02
9 = Used at some point in lifetime LOG ASSN.....	615	0.06
11 = Used in the past 30 days LOGICALLY ASSIGNED	83	0.01
12 = Used >30 days ago but within pst 12 mos LOG ASSN	96	0.01
13 = More than 12 months ago LOGICALLY ASSIGNED	4	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	192893	20.32
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER).....	913	0.10

HALLUCYFQ

Len : 3 TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365	5973	0.63
-9 = Data not collected for this year	722653	76.13
985 = BAD DATA Logically assigned.....	61	0.01
991 = NEVER USED HALLUCINOGENS.....	192893	20.32
993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
994 = DON'T KNOW	40	0.00
997 = REFUSED	19	0.00
998 = BLANK (NO ANSWER).....	1588	0.17

HALTOTFG

Len : 2 TRIMMING INDICATOR FOR HALLUCYFQ

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
2 = Trimmed relative to the 30-day freq	20	0.00
98 = BLANK (NO ANSWER).....	226612	23.87

HALFQFLG

Len : 2 TRIMMED HALLUCYFQ IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Trimmed to be consistent with mo/yr of 1st use	308	0.03
98 = BLANK (NO ANSWER).....	226324	23.84

HALLUCINOGENS

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used [LSFILL] during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

HALLEASWY

Len : 2 EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Prefer to answer in days per week	545	0.06
2 = Prefer to answer in days per month	826	0.09
3 = Prefer to answer in days per year	4584	0.48
11 = Prefer to ans in days per wk LOG ASSN	4	0.00
12 = Prefer to ans in days per mo LOG ASSN	5	0.00
13 = Prefer to ans in days per yr LOG ASSN	47	0.00
85 = BAD DATA Logically assigned	61	0.01
91 = NEVER USED HALLUCINOGENS	192893	20.32
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
94 = DON'T KNOW	14	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER)	1588	0.17

On how many days in the past 12 months did you use [LSFILL]?

HALLDYSYR

Len : 3 # DAYS USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	4632	0.49
-9 = Data not collected for this year	722653	76.13
985 = BAD DATA Logically assigned	54	0.01
989 = LEGITIMATE SKIP Logically assigned	9	0.00
991 = NEVER USED HALLUCINOGENS	192893	20.32
993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
994 = DON'T KNOW	19	0.00
997 = REFUSED	8	0.00
998 = BLANK (NO ANSWER)	1588	0.17
999 = LEGITIMATE SKIP	1371	0.14

On average, how many days did you use [LSFILL] each month during the past 12 months?

HALLDYPMO

Len : 2 # DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30	822	0.09
-9 = Data not collected for this year	722653	76.13
85 = BAD DATA Logically assigned	10	0.00
89 = LEGITIMATE SKIP Logically assigned	4	0.00
91 = NEVER USED HALLUCINOGENS	192893	20.32
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
94 = DON'T KNOW	24	0.00
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER)	1640	0.17
99 = LEGITIMATE SKIP	5170	0.54

On average, how many days did you use [LSFILL] each week during the past 12 months?

HALLDYPWK

Len : 2 # DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	526	0.06
-9 = Data not collected for this year	722653	76.13
85 = BAD DATA Logically assigned	9	0.00
91 = NEVER USED HALLUCINOGENS	192893	20.32
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
94 = DON'T KNOW	39	0.00
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER)	1641	0.17
99 = LEGITIMATE SKIP	5447	0.57

HALLUCINOGENS

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use [LSFILL]?

HALLUC30N

Len : 2 # DAYS USED HALLUCINOGEN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	1534	0.16
-9 = Data not collected for this year	722653	76.13
83 = DID NOT USE HALLUCINOGENS IN PAST 30 DAYS Log assn.....	3	0.00
85 = BAD DATA Logically assigned.....	85	0.01
91 = NEVER USED HALLUCINOGENS	192893	20.32
93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	30402	3.20
94 = DON'T KNOW	12	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER).....	1697	0.18

What is your best estimate of the number of days you used [LSFILL] during the past 30 days?

HALLUC30E

Len : 2 BEST EST. # DAYS USED HALLUCINOGENS PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = 1 or 2 days	6	0.00
2 = 3 to 5 days	1	0.00
3 = 6 to 9 days	1	0.00
4 = 10 to 19 days.....	2	0.00
6 = All 30 days	1	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED HALLUCINOGENS	192893	20.32
93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	30405	3.20
94 = DON'T KNOW	6	0.00
97 = REFUSED	4	0.00
98 = BLANK (NO ANSWER).....	1776	0.19
99 = LEGITIMATE SKIP	1531	0.16

Now think only about LSD. How old were you the first time you used LSD?

LSDAGE

Len : 3 AGE WHEN FIRST USED LSD

	Freq	Pct
RANGE = 1 - 67.....	73240	7.72
985 = BAD DATA Logically assigned.....	133	0.01
991 = NEVER USED LSD	873907	92.06
994 = DON'T KNOW	710	0.07
997 = REFUSED	431	0.05
998 = BLANK (NO ANSWER).....	864	0.09

Did you first use LSD in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use LSD in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use LSD?

LSDYFU

Len : 4 YEAR OF FIRST LSD USE - RECODE

	Freq	Pct
RANGE = 2000 - 2018.....	5496	0.58
9985 = BAD DATA Logically assigned.....	510	0.05
9989 = LEGITIMATE SKIP Logically assigned.....	195	0.02
9991 = NEVER USED LSD	873907	92.06
9994 = DON'T KNOW	740	0.08
9997 = REFUSED	446	0.05
9998 = BLANK (NO ANSWER).....	964	0.10
9999 = LEGITIMATE SKIP.....	67027	7.06

HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use LSD?

In what month in [YEAR FROM LS06 or LS07] did you first use LSD?

LSDMFU

Len : 2 MONTH OF FIRST LSD USE - RECODE

	Freq	Pct
1 = January.....	466	0.05
2 = February.....	344	0.04
3 = March.....	420	0.04
4 = April.....	373	0.04
5 = May.....	380	0.04
6 = June.....	623	0.07
7 = July.....	614	0.06
8 = August.....	419	0.04
9 = September.....	360	0.04
10 = October.....	446	0.05
11 = November.....	386	0.04
12 = December.....	293	0.03
85 = BAD DATA Logically assigned.....	534	0.06
89 = LEGITIMATE SKIP Logically assigned.....	195	0.02
91 = NEVER USED LSD.....	873907	92.06
94 = DON'T KNOW.....	1045	0.11
97 = REFUSED.....	484	0.05
98 = BLANK (NO ANSWER).....	969	0.10
99 = LEGITIMATE SKIP.....	67027	7.06

How long has it been since you last used LSD?

LSDREC

Len : 2 TIME SINCE LAST USED LSD

	Freq	Pct
1 = Within the past 30 days.....	1565	0.16
2 = More than 30 days ago but within the past 12 mos.....	6118	0.64
3 = More than 12 months ago.....	65675	6.92
8 = Used at some point in the past 12 mos LOG ASSN.....	204	0.02
9 = Used at some point in the lifetime LOG ASSN.....	973	0.10
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	10	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED LSD.....	873907	92.06
97 = REFUSED.....	108	0.01
98 = BLANK (NO ANSWER).....	723	0.08

Now think only about PCP. How old were you the first time you used PCP?

PCPAGE

Len : 3 AGE WHEN FIRST USED PCP

	Freq	Pct
RANGE = 1 - 63.....	16577	1.75
985 = BAD DATA Logically assigned.....	58	0.01
991 = NEVER USED PCP.....	931301	98.11
994 = DON'T KNOW.....	356	0.04
997 = REFUSED.....	226	0.02
998 = BLANK (NO ANSWER).....	767	0.08

Did you first use PCP in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use PCP in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use PCP?

PCPYFU

Len : 4 YEAR OF FIRST PCP USE - RECODE

	Freq	Pct
RANGE = 2000 - 2018.....	974	0.10
9985 = BAD DATA Logically assigned.....	163	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	48	0.01
9991 = NEVER USED PCP.....	931301	98.11
9994 = DON'T KNOW.....	366	0.04
9997 = REFUSED.....	229	0.02
9998 = BLANK (NO ANSWER).....	803	0.08
9999 = LEGITIMATE SKIP.....	15401	1.62

HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use PCP?

In what month in [YEAR FROM LS12 or LS13] did you first use PCP?

[PCPMFU](#)

Len : 2 MONTH OF FIRST PCP USE - RECODE

	Freq	Pct
1 = January.....	104	0.01
2 = February.....	71	0.01
3 = March.....	81	0.01
4 = April.....	75	0.01
5 = May.....	63	0.01
6 = June.....	96	0.01
7 = July.....	97	0.01
8 = August.....	73	0.01
9 = September.....	44	0.00
10 = October.....	67	0.01
11 = November.....	69	0.01
12 = December.....	55	0.01
85 = BAD DATA Logically assigned.....	170	0.02
89 = LEGITIMATE SKIP Logically assigned.....	48	0.01
91 = NEVER USED PCP.....	931301	98.11
94 = DON'T KNOW.....	431	0.05
97 = REFUSED.....	234	0.02
98 = BLANK (NO ANSWER).....	805	0.08
99 = LEGITIMATE SKIP.....	15401	1.62

How long has it been since you last used PCP?

[PCPREC](#)

Len : 2 TIME SINCE LAST USED PCP

	Freq	Pct
1 = Within the past 30 days.....	253	0.03
2 = More than 30 days ago but within the past 12 mos.....	871	0.09
3 = More than 12 months ago.....	15600	1.64
8 = Used at some point in the past 12 mos LOG ASSN.....	47	0.00
9 = Used at some point in the lifetime LOG ASSN.....	399	0.04
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	3	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PCP.....	931301	98.11
97 = REFUSED.....	76	0.01
98 = BLANK (NO ANSWER).....	733	0.08

Now think only about 'Ecstasy' or 'Molly.' How old were you the first time you used 'Ecstasy' or 'Molly,' also known as MDMA?

[ECSTMOAGE](#)

Len : 3 AGE WHEN FIRST USED ECSTASY OR MOLLY

	Freq	Pct
RANGE = 2 - 66.....	17399	1.83
-9 = Data not collected for this year.....	722653	76.13
985 = BAD DATA Logically assigned.....	38	0.00
991 = NEVER USED ECSTASY OR MOLLY.....	208790	21.99
994 = DON'T KNOW.....	82	0.01
997 = REFUSED.....	46	0.00
998 = BLANK (NO ANSWER).....	277	0.03

HALLUCINOGENS

Did you first use 'Ecstasy' or 'Molly' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'Ecstasy' or 'Molly' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'Ecstasy' or 'Molly'?

ECSTMOYFU

Len : 4 YEAR OF FIRST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
RANGE = 2013 - 2018.....	1710	0.18
-9 = Data not collected for this year	722653	76.13
9985 = BAD DATA Logically assigned	131	0.01
9989 = LEGITIMATE SKIP Logically assn	64	0.01
9991 = NEVER USED ECSTASY OR MOLLY	208790	21.99
9994 = DON'T KNOW.....	85	0.01
9997 = REFUSED	48	0.01
9998 = BLANK (NO ANSWER)	353	0.04
9999 = LEGITIMATE SKIP.....	15451	1.63

In what month in [CURRENT YEAR] did you first use 'Ecstasy' or 'Molly'?

In what month in [YEAR FROM LS18 or LS19] did you first use 'Ecstasy' or 'Molly'?

ECSTMOMFU

Len : 2 MONTH OF FIRST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = January.....	131	0.01
2 = February	95	0.01
3 = March.....	179	0.02
4 = April.....	139	0.01
5 = May.....	116	0.01
6 = June.....	218	0.02
7 = July	177	0.02
8 = August.....	112	0.01
9 = September.....	111	0.01
10 = October.....	146	0.02
11 = November	91	0.01
12 = December	109	0.01
85 = BAD DATA Logically assigned.....	137	0.01
89 = LEGITIMATE SKIP Logically assn.....	64	0.01
91 = NEVER USED ECSTASY OR MOLLY	208790	21.99
94 = DON'T KNOW	158	0.02
97 = REFUSED	54	0.01
98 = BLANK (NO ANSWER).....	354	0.04
99 = LEGITIMATE SKIP	15451	1.63

How long has it been since you last used 'Ecstasy' or 'Molly,' also known as MDMA?

ECSTMOREC

Len : 2 TIME SINCE LAST USED ECSTASY OR MOLLY

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	648	0.07
2 = More than 30 days ago but within the past 12 mos	2254	0.24
3 = More than 12 months ago	14378	1.51
8 = Used at some point in the past 12 mos LOG ASSN	41	0.00
9 = Used at some point in the lifetime LOG ASSN	275	0.03
11 = Used in the past 30 days LOGICALLY ASSIGNED	4	0.00
91 = NEVER USED ECSTASY OR MOLLY	208790	21.99
97 = REFUSED	17	0.00
98 = BLANK (NO ANSWER).....	225	0.02

HALLUCINOGENS

How long has it been since you last used Ketamine?

KETMINREC

Len : 2 TIME SINCE LAST USED KETAMINE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	80	0.01
2 = More than 30 days ago but within the past 12 mos	260	0.03
3 = More than 12 months ago	2583	0.27
8 = Used at some point in the past 12 mos LOG ASSN	8	0.00
9 = Used at some point in the lifetime LOG ASSN	29	0.00
12 = Used >30 days ago but within pst 12 mos LOG ASSN	3	0.00
91 = NEVER USED KETAMINE	223334	23.53
97 = REFUSED	17	0.00
98 = BLANK (NO ANSWER).....	318	0.03

How long has it been since you last used DMT, AMT or Foxy?

DAMTFXREC

Len : 2 TIME SINCE LAST USED DMT/AMT/FOXY

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	89	0.01
2 = More than 30 days ago but within the past 12 mos	323	0.03
3 = More than 12 months ago	2045	0.22
8 = Used at some point in the past 12 mos LOG ASSN	7	0.00
9 = Used at some point in the lifetime LOG ASSN	45	0.00
12 = Used >30 days ago but within pst 12 mos LOG ASSN	7	0.00
91 = NEVER USED DMT/AMT/FOXY	223740	23.57
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER).....	357	0.04

How long has it been since you last used Salvia divinorum?

SALVIAREC

Len : 2 TIME SINCE LAST USED SALVIA DIVINORUM

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	33	0.00
2 = More than 30 days ago but within the past 12 mos	166	0.02
3 = More than 12 months ago	5012	0.53
8 = Used at some point in the past 12 mos LOG ASSN	10	0.00
9 = Used at some point in the lifetime LOG ASSN	32	0.00
11 = Used in the past 30 days LOGICALLY ASSIGNED	2	0.00
12 = Used >30 days ago but within pst 12 mos LOG ASSN	15	0.00
91 = NEVER USED SALVIA DIVINORUM.....	220944	23.27
97 = REFUSED	24	0.00
98 = BLANK (NO ANSWER).....	394	0.04

INHALANTS

INHALANTS

Have you ever, even once, inhaled some other aerosol spray for kicks or to get high?

AEROS

Len : 2 EVER INHALED OTHER AEROSOL SPRAYS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	10855	1.14
2 = No.....	63802	6.72
3 = Yes LOGICALLY ASSIGNED	153	0.02
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED INHALANTS.....	647483	68.21
94 = DON'T KNOW	272	0.03
97 = REFUSED	71	0.01
98 = BLANK (NO ANSWER).....	5	0.00

Have you ever, even once used any other inhalants for kicks or to get high besides the ones that have been listed?

INHNOIST

Len : 2 EVER USED OTHER INHALANTS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	7307	0.77
2 = No.....	67396	7.10
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED INHALANTS.....	647483	68.21
94 = DON'T KNOW	359	0.04
97 = REFUSED	91	0.01
98 = BLANK (NO ANSWER).....	5	0.00

INHALANTS

INHNEWSA

Len : 4 OTHER INHALANT - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
112 = Restoril	1	0.00
209 = Xanax	1	0.00
304 = Benzedrine	1	0.00
318 = Ritalin	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	8	0.00
348 = Crystal	1	0.00
355 = Crystal meth, crystal methamphetamine	1	0.00
377 = Albuterol	64	0.01
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
434 = Vicodin	2	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>	1	0.00
501 = Gasoline or lighter fluids	52	0.01
502 = Spray paints	11	0.00
503 = Other aerosol sprays	374	0.04
504 = Shoeshine liquid, glue, or toluene	116	0.01
505 = Lacquer thinner or other paint solvents	16	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	77	0.01
507 = Halothane, ether, or other anesthetics; chloroform	11	0.00
508 = Nitrous oxide, "whippits," dentist gas	85	0.01
509 = Correction fluids, degreasers, cleaning fluids	13	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	302	0.03
511 = Markers, felt-tip pens, ink pens	1605	0.17
512 = Incense	4	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant	214	0.02
518 = Acetone, nail polish remover	136	0.01
519 = Helium	305	0.03
520 = Old paint, paint	16	0.00
521 = Propane	5	0.00
522 = Liquid TV (MTV), TV tuner, TV11Y	1	0.00
523 = Matches	1	0.00
524 = White-Out	198	0.02
525 = Butane	1	0.00
526 = Nail polish	153	0.02
528 = Whipped-cream can	161	0.02
529 = Moth balls	1	0.00
531 = Candy, powdered candy, sugar	15	0.00
534 = Deodorant	18	0.00
537 = Air horn, canned air horn, condensed horn	4	0.00
539 = Scotch-Gard	16	0.00
540 = PAM	50	0.01
542 = Brasso, lens cleaner, spirits of ammonia	4	0.00
543 = Liquid oxygen, oxygen	11	0.00
545 = Car tailpipe exhaust fumes, Carbon monoxide, CO	2	0.00
546 = Leather or suede protector, aerosol unspecified	4	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol	63	0.01
551 = Oven cleaner	1	0.00
553 = Pixie sticks	7	0.00
554 = Insect killer (e.g., Raid)	3	0.00
558 = Kool Aid	2	0.00
560 = Dishwashing detergent, laundry detergent, soap	7	0.00
563 = Acetylene	1	0.00
567 = Pertussin spray <OTC>	2	0.00
569 = Peganento	2	0.00
571 = Black jack	1	0.00
573 = Furniture polish	2	0.00
580 = Medusa	1	0.00
582 = WD-40	6	0.00
586 = Carbon from empty soft drink bottle	4	0.00
587 = Mineral ice	1	0.00
588 = Antifreeze	1	0.00
589 = Tire shine/tire cleaner	1	0.00
590 = Canned air, compressed air	44	0.00
591 = Air brush propellant, air brush cartridge	4	0.00
592 = Computer air duster, computer cleaner, dust-off	1262	0.13
594 = Starting fluid	12	0.00
595 = Chlorine	2	0.00
598 = Ethylene dichloride	1	0.00
599 = Potpourri	7	0.00
601 = LSD ("acid")	1	0.00
616 = DET, Dimethyltryptamine, DMT	1	0.00
626 = Jet fuel	1	0.00

INHALANTS

637 = Purple haze	1	0.00
639 = Nutmeg, Mace.....	2	0.00
658 = Special K, Ketamine	4	0.00
691 = Maximum impact	4	0.00
702 = Heroin	2	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	51	0.01
805 = Cocaine, coca, cocaina, coke, perico.....	2	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	41	0.00
809 = Pills	5	0.00
813 = Cigarettes, tobacco (type unspecified).....	3	0.00
816 = Smokeless tobacco, snuff, chewing tobacco	2	0.00
829 = Robitussin DM <OTC>.....	1	0.00
852 = Formaldehyde, wak, whack (embalming fluid).....	1	0.00
900 = Not a drug.....	2	0.00
3007 = Nasal inhalant.....	4	0.00
3023 = Adderall	3	0.00
3047 = Sudafed <OTC>	1	0.00
3052 = Speed, otherwise unspecified.....	1	0.00
3190 = Primatene Mist <OTC>.....	1	0.00
4046 = Oxycodone.....	1	0.00
5001 = Bleach.....	8	0.00
5003 = Methane	1	0.00
5004 = Ink print, paper	4	0.00
5006 = Brake fluid	2	0.00
5017 = Oil, lubricant, otherwise unspecified	2	0.00
5020 = Wet cement	1	0.00
5021 = Octane booster.....	6	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank.....	16	0.00
5024 = Candle, citronella candle.....	2	0.00
5028 = Carburetor cleaner, engine cleaner.....	16	0.00
5032 = Nitrogen.....	4	0.00
5035 = Brake cleaner	6	0.00
5036 = Wart remover	1	0.00
5037 = Wood filler, wood putty	2	0.00
5042 = Fuels other than gasoline.....	5	0.00
5043 = Carbona	3	0.00
5044 = Powdered cleansers; e.g. Ajax, Comet, Boraxo.....	4	0.00
5045 = Cleaner, not otherwise specified	15	0.00
5046 = Glass/window cleaner.....	2	0.00
5049 = Hand sanitizer/cleaner, contents unspecified.....	53	0.01
5050 = Burned rubber	1	0.00
5051 = Hair chemicals.....	3	0.00
5052 = Silly String.....	4	0.00
5053 = Electrical parts cleaner, electronics cleaner	16	0.00
5054 = Gum freezer, gum remover.....	2	0.00
5057 = Argon	1	0.00
5062 = Amazing Elastic Plastic.....	2	0.00
5063 = Drano/drain cleaner, aerosol unspecified.....	3	0.00
5064 = Erasers	2	0.00
5065 = Nail polish dryer, quick drying treatment for nail.....	2	0.00
5066 = Simply Green	1	0.00
5067 = Wet Ones wipes.....	1	0.00
5069 = Febreze	3	0.00
5070 = Silicone.....	2	0.00
5071 = Purell	3	0.00
5073 = Goof off	1	0.00
5074 = Floor wax stripper.....	2	0.00
5075 = Pine-sol.....	5	0.00
5076 = Water/stain repellant, type unspecified.....	5	0.00
5077 = Resistol	4	0.00
5078 = Axe body spray	22	0.00
5079 = Shellac	1	0.00
5082 = Chalk dust.....	1	0.00
5083 = Ethyl chloride	2	0.00
5084 = Dry cleaning fluid/solvent	4	0.00
5085 = Toilet bowl hook-ons	2	0.00
5087 = Tennis balls, ping pong balls	1	0.00
5088 = Jungle juice	4	0.00
5089 = Tattoo Goo Color Guard Spray	1	0.00
5090 = PVC Cleaner	2	0.00
5091 = Germ-X.....	12	0.00
5093 = Goo Gone.....	1	0.00
5095 = "The Works" shower cleaner	1	0.00
5097 = Lysol, aerosol unspecified.....	6	0.00

INHALANTS

5098 = Axe/Axe deodorant, aerosol unspecified	30	0.00
5101 = Difluoroethane	1	0.00
5102 = Xylene, otherwise unspecified	2	0.00
5103 = Shoe dye	1	0.00
5104 = Shoe cleaner, otherwise unspecified	2	0.00
5105 = Sulfur, otherwise unspecified	1	0.00
5106 = Carbon tetrachloride	1	0.00
5107 = Alcanfor, camphor	1	0.00
5108 = Tag body spray	1	0.00
5110 = Graffiti eraser	1	0.00
5111 = Homemade napalm	1	0.00
5112 = Lotion (body, hand), contents unspecified	1	0.00
5114 = Green gas propellant	1	0.00
5117 = Turpentine	1	0.00
5118 = Spray adhesive	1	0.00
5119 = Battery acid	1	0.00
5120 = Ignition spray	1	0.00
5121 = Tetrafluoroethane	1	0.00
5122 = Leather cleaner	1	0.00
5123 = Fixative	1	0.00
5126 = Rubber rejuvenator	1	0.00
5129 = Smoke bomb	1	0.00
5130 = Glow stick	1	0.00
5170 = Baby powder	1	0.00
5171 = Mouthwash	1	0.00
5172 = Shampoo	1	0.00
5173 = Tire inflator/sealer, aerosol unspecified	1	0.00
5174 = Belt dressing	1	0.00
6009 = Sulfur match smoke	1	0.00
6016 = Nas	2	0.00
6018 = Air horn	2	0.00
6043 = Diviner's sage, Salvia divinorum	1	0.00
6052 = Acrylic resin	1	0.00
6082 = Ammonia	1	0.00
6089 = Cake	1	0.00
6098 = Dust, not otherwise specified	1	0.00
6127 = Skittles	1	0.00
6136 = Spook	1	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd	1	0.00
8011 = Herb, flower, plant; type unspecified	4	0.00
8016 = Icy Hot <OTC>	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator	118	0.01
8028 = Bactine <OTC>	3	0.00
8056 = Vicks VapoRub/inhaler <OTC>	12	0.00
8091 = Benzedrex <OTC>	1	0.00
8118 = Smoke/smoking, not otherwise specified	9	0.00
8127 = Damiana <OTC>	1	0.00
8170 = Muscle stimulator spray, contents unspecified	1	0.00
8174 = Betadine, Efodine, Iodine <OTC>	1	0.00
8177 = Face/body cleanser, contents unspecified	2	0.00
8194 = Afrin <OTC>	1	0.00
8202 = Intal, Nasalcrom	1	0.00
8227 = Sativa, otherwise unspecified	1	0.00
8229 = ADHD/ADD medication, otherwise unspfd	1	0.00
8251 = Orange oil	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	5	0.00
8292 = Cigarettes baked/smoked with toothpaste	1	0.00
8301 = Bath salts, otherwise unspecified	1	0.00
8315 = Synthetic cannabis, otherwise unspecified	1	0.00
9985 = BAD DATA Logically assigned	40	0.00
9991 = NEVER USED INHALANTS	647483	68.21
9997 = REFUSED	285	0.03
9998 = BLANK (NO ANSWER)	1296	0.14
9999 = LEGITIMATE SKIP	67396	7.10

INHALANTS

INHNEWB

Len : 4 OTHER INHALANT - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
209 = Xanax	1	0.00
318 = Ritalin	1	0.00
351 = Cathinone, cat, khat, Q'at	1	0.00
377 = Albuterol	6	0.00
501 = Gasoline or lighter fluids	9	0.00
502 = Spray paints	2	0.00
503 = Other aerosol sprays	56	0.01
504 = Shoeshine liquid, glue, or toluene	15	0.00
505 = Lacquer thinner or other paint solvents	1	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	3	0.00
507 = Halothane, ether, or other anesthetics; chloroform	2	0.00
508 = Nitrous oxide, "whippits," dentist gas	8	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	53	0.01
511 = Markers, felt-tip pens, ink pens	161	0.02
512 = Incense	1	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant	13	0.00
518 = Acetone, nail polish remover	31	0.00
519 = Helium	18	0.00
520 = Old paint, paint	6	0.00
521 = Propane	1	0.00
524 = White-Out	40	0.00
525 = Butane	2	0.00
526 = Nail polish	38	0.00
528 = Whipped-cream can	15	0.00
531 = Candy, powdered candy, sugar	3	0.00
534 = Deodorant	1	0.00
537 = Air horn, canned air horn, condensed horn	2	0.00
540 = PAM	3	0.00
542 = Brasso, lens cleaner, spirits of ammonia	1	0.00
543 = Liquid oxygen, oxygen	1	0.00
545 = Car tailpipe exhaust fumes, Carbon monoxide, CO	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol	11	0.00
553 = Pixie sticks	1	0.00
554 = Insect killer (e.g., Raid)	1	0.00
560 = Diswashing detergent, laundry detergent, soap	3	0.00
582 = WD-40	1	0.00
586 = Carbon from empty soft drink bottle	1	0.00
590 = Canned air, compressed air	5	0.00
592 = Computer air duster, computer cleaner, dust-off	77	0.01
601 = LSD ("acid")	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms	1	0.00
637 = Purple haze	1	0.00
691 = Maximum impact	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	6	0.00
805 = Cocaine, coca, cocaine, coke, perico	2	0.00
806 = Crack, rock	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	6	0.00
809 = Pills	1	0.00
900 = Not a drug	2	0.00
3051 = Betel nut, beetlenut	1	0.00
5001 = Bleach	1	0.00
5003 = Methane	1	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank	3	0.00
5024 = Candle, citronella candle	2	0.00
5028 = Carburetor cleaner, engine cleaner	3	0.00
5035 = Brake cleaner	1	0.00
5045 = Cleaner, not otherwise specified	5	0.00
5049 = Hand sanitizer/cleaner, contents unspecified	7	0.00
5051 = Hair chemicals	1	0.00
5053 = Electrical parts cleaner, electronics cleaner	3	0.00
5055 = PVC	1	0.00
5060 = Crayons	1	0.00
5061 = Lip balm, lip gloss	1	0.00
5064 = Erasers	2	0.00
5068 = Smoke from a fire	1	0.00
5069 = Febreze	2	0.00
5071 = Purell	1	0.00
5075 = Pine-sol	3	0.00
5077 = Resistol	1	0.00
5078 = Axe body spray	2	0.00
5082 = Chalk dust	1	0.00
5087 = Tennis balls, ping pong balls	1	0.00

INHALANTS

5091 = Germ-X.....	4	0.00
5097 = Lysol, aerosol unspecified.....	1	0.00
5098 = Axe/Axe deodorant, aerosol unspecified	7	0.00
5108 = Tag body spray.....	1	0.00
5109 = Antifungal product, aerosol unspecified	1	0.00
5110 = Graffiti eraser	1	0.00
5112 = Lotion (body, hand), contents unspecified.....	1	0.00
5113 = Disinfectant, contents unspecified.....	1	0.00
5124 = Bromine	1	0.00
6009 = Sulfur match smoke	1	0.00
8011 = Herb, flower, plant; type unspecified	1	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator.....	10	0.00
8056 = Vicks VapoRub/inhaler <OTC>	2	0.00
8058 = Cough medicine/syrup, type unspecified	1	0.00
8118 = Smoke/smoking, not otherwise specified.....	3	0.00
8127 = Damiana <OTC>	1	0.00
8177 = Face/body cleanser, contents unspecified	1	0.00
9985 = BAD DATA Logically assigned	35	0.00
9991 = NEVER USED INHALANTS	647483	68.21
9997 = REFUSED	115	0.01
9998 = BLANK (NO ANSWER).....	6923	0.73
9999 = LEGITIMATE SKIP.....	67396	7.10

INHALANTS

INHNEWC

Len : 4 OTHER INHALANT - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
434 = Vicodin	1	0.00
501 = Gasoline or lighter fluids	3	0.00
502 = Spray paints	2	0.00
503 = Other aerosol sprays	8	0.00
504 = Shoeshine liquid, glue, or toluene	2	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	1	0.00
508 = Nitrous oxide, "whippits," dentist gas	2	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	16	0.00
511 = Markers, felt-tip pens, ink pens	22	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant	1	0.00
518 = Acetone, nail polish remover	9	0.00
519 = Helium	2	0.00
520 = Old paint, paint	1	0.00
521 = Propane	1	0.00
524 = White-Out	4	0.00
526 = Nail polish	9	0.00
528 = Whipped-cream can	1	0.00
531 = Candy, powdered candy, sugar	2	0.00
540 = PAM	1	0.00
545 = Car tailpipe exhaust fumes, Carbon monoxide, CO	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol	1	0.00
551 = Oven cleaner	1	0.00
568 = Tally	1	0.00
582 = WD-40	1	0.00
590 = Canned air, compressed air	1	0.00
592 = Computer air duster, computer cleaner, dust-off	10	0.00
594 = Starting fluid	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	4	0.00
809 = Pills	1	0.00
5004 = Ink print, paper	1	0.00
5017 = Oil, lubricant, otherwise unspecified	1	0.00
5035 = Brake cleaner	1	0.00
5045 = Cleaner, not otherwise specified	1	0.00
5049 = Hand sanitizer/cleaner, contents unspecified	1	0.00
5053 = Electrical parts cleaner, electronics cleaner	1	0.00
5069 = Febreze	1	0.00
5080 = Tetrachloroethene	1	0.00
5082 = Chalk dust	1	0.00
5097 = Lysol, aerosol unspecified	1	0.00
6082 = Ammonia	1	0.00
8016 = Icy Hot <OTC>	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator	2	0.00
8056 = Vicks VapoRub/inhaler <OTC>	1	0.00
9985 = BAD DATA Logically assigned	8	0.00
9991 = NEVER USED INHALANTS	647483	68.21
9997 = REFUSED	96	0.01
9998 = BLANK (NO ANSWER)	7545	0.79
9999 = LEGITIMATE SKIP	67396	7.10

INHALANTS

[INHNEWD](#)

Len : 4 OTHER INHALANT - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
123 = Unisom <OTC>.....	1	0.00
501 = Gasoline or lighter fluids.....	1	0.00
503 = Other aerosol sprays	1	0.00
504 = Shoeshine liquid, glue, or toluene	1	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	1	0.00
508 = Nitrous oxide, "whippits," dentist gas	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	3	0.00
511 = Markers, felt-tip pens, ink pens	5	0.00
519 = Helium.....	2	0.00
520 = Old paint, paint.....	1	0.00
521 = Propane.....	1	0.00
526 = Nail polish	3	0.00
573 = Furniture polish	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
809 = Pills	1	0.00
5035 = Brake cleaner	1	0.00
5064 = Erasers	1	0.00
5071 = Purell	1	0.00
8282 = Salt, sodium chloride <OTC>.....	1	0.00
9985 = BAD DATA Logically assigned	4	0.00
9991 = NEVER USED INHALANTS	647483	68.21
9997 = REFUSED	91	0.01
9998 = BLANK (NO ANSWER).....	7651	0.81
9999 = LEGITIMATE SKIP.....	67396	7.10

[INHNEW](#)

Len : 4 OTHER INHALANT - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
504 = Shoeshine liquid, glue, or toluene	1	0.00
508 = Nitrous oxide, "whippits," dentist gas	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	2	0.00
511 = Markers, felt-tip pens, ink pens	3	0.00
518 = Acetone, nail polish remover.....	1	0.00
519 = Helium.....	1	0.00
573 = Furniture polish	1	0.00
5035 = Brake cleaner	1	0.00
8118 = Smoke/smoking, not otherwise specified.....	1	0.00
9985 = BAD DATA Logically assigned	2	0.00
9991 = NEVER USED INHALANTS	647483	68.21
9997 = REFUSED	91	0.01
9998 = BLANK (NO ANSWER).....	7669	0.81
9999 = LEGITIMATE SKIP.....	67396	7.10

The answers that people give us about their use of inhalants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of inhalant for kicks or to get high?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: AMYLNIT, CLEFLU, GAS, GLUE, ETHER, SOLVENT, LGAS, NITOXID, SPPAINT, AEROS, or INHNOLST. This variable also was coded as 91 if all of the above variables were coded as 91.

[INHEVER](#)

Len : 2 EVER USED INHALANTS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	73944	7.79
91 = NEVER USED INHALANTS.....	647483	68.21
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER).....	1215	0.13

INHALANTS

How old were you the first time you used any inhalant for kicks or to get high?

INHAGE

Len : 3 AGE WHEN FIRST USED INHALANTS

	Freq	Pct
RANGE = 1 - 66.....	70073	7.38
-9 = Data not collected for this year	226632	23.87
985 = BAD DATA Logically assigned.....	679	0.07
991 = NEVER USED INHALANTS.....	647483	68.21
994 = DON'T KNOW	2222	0.23
997 = REFUSED	992	0.10
998 = BLANK (NO ANSWER).....	1204	0.13

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

INHYFU

Len : 4 YEAR OF FIRST INHALANT USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014.....	9161	0.97
-9 = Data not collected for this year	226632	23.87
9985 = BAD DATA Logically assigned	1831	0.19
9989 = LEGITIMATE SKIP Logically assigned.....	606	0.06
9991 = NEVER USED INHALANTS	647483	68.21
9994 = DON'T KNOW.....	2289	0.24
9997 = REFUSED	1030	0.11
9998 = BLANK (NO ANSWER)	1221	0.13
9999 = LEGITIMATE SKIP.....	59032	6.22

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

In what month in [YEAR FROM IN03a or IN03b] did you first use an inhalant of any kind for kicks or to get high?

INHMFU

Len : 2 MONTH OF FIRST INHALANT USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = January.....	820	0.09
2 = February	608	0.06
3 = March.....	737	0.08
4 = April.....	650	0.07
5 = May.....	594	0.06
6 = June.....	811	0.09
7 = July	856	0.09
8 = August.....	608	0.06
9 = September.....	656	0.07
10 = October.....	689	0.07
11 = November	585	0.06
12 = December	485	0.05
85 = BAD DATA Logically assigned.....	1807	0.19
89 = LEGITIMATE SKIP Logically assigned	606	0.06
91 = NEVER USED INHALANTS.....	647483	68.21
94 = DON'T KNOW	3292	0.35
97 = REFUSED	1089	0.11
98 = BLANK (NO ANSWER).....	1245	0.13
99 = LEGITIMATE SKIP	59032	6.22

INHALANTS

How long has it been since you last used any inhalant for kicks or to get high?

INHREC

Len : 2 TIME SINCE LAST USED INHALANTS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	3321	0.35
2 = More than 30 days ago but within the past 12 mos	9083	0.96
3 = More than 12 months ago	58592	6.17
8 = Used at some point in the past 12 mos LOG ASSN	301	0.03
9 = Used at some point in lifetime LOG ASSN	2628	0.28
11 = Used in the past 30 days LOGICALLY ASSIGNED	19	0.00
85 = BAD DATA Logically assigned	12	0.00
91 = NEVER USED INHALANTS	647483	68.21
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER)	1203	0.13

INHYRTOT

Len : 3 TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	12189	1.28
-9 = Data not collected for this year	226632	23.87
985 = BAD DATA Logically assigned	132	0.01
991 = NEVER USED INHALANTS	647483	68.21
993 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	6.17
994 = DON'T KNOW	307	0.03
997 = REFUSED	120	0.01
998 = BLANK (NO ANSWER)	3830	0.40

INTOTFG

Len : 2 TRIMMING INDICATOR FOR INHYRTOT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Trimmed to 365 days (no further editing)	3	0.00
2 = Trimmed relative to the 30-day freq	35	0.00
98 = BLANK (NO ANSWER)	722615	76.12

INFQFLG

Len : 2 TRIMMED INHYRTOT IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Trimmed to be consistent with mo/yr of 1st use	1483	0.16
98 = BLANK (NO ANSWER)	721170	75.97

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.

What would be the easiest way for you to tell us how many days you've done this?

INBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED INHALANTS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Prefer to answer in days per week	1875	0.20
2 = Prefer to answer in days per month	2541	0.27
3 = Prefer to answer in days per year	7542	0.79
11 = Prefer to ans in days per wk LOG ASSN	35	0.00
12 = Prefer to ans in days per mo LOG ASSN	93	0.01
13 = Prefer to ans in days per yr LOG ASSN	308	0.03
85 = BAD DATA Logically assigned	131	0.01
91 = NEVER USED INHALANTS	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	6.17
94 = DON'T KNOW	152	0.02
97 = REFUSED	71	0.01
98 = BLANK (NO ANSWER)	3830	0.40

INHALANTS

On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?

[INDAYPYR](#)

Len : 3 # DAYS USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	7782	0.82
-9 = Data not collected for this year	226632	23.87
985 = BAD DATA Logically assigned.....	88	0.01
989 = LEGITIMATE SKIP Logically assigned.....	134	0.01
991 = NEVER USED INHALANTS	647483	68.21
993 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	6.17
994 = DON'T KNOW	211	0.02
997 = REFUSED	79	0.01
998 = BLANK (NO ANSWER).....	3874	0.41
999 = LEGITIMATE SKIP	4410	0.46

On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?

[INDAYPMO](#)

Len : 2 # DAYS PER MONTH USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 31.....	2570	0.27
-9 = Data not collected for this year	226632	23.87
85 = BAD DATA Logically assigned.....	18	0.00
89 = LEGITIMATE SKIP Logically assigned	35	0.00
91 = NEVER USED INHALANTS.....	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	6.17
94 = DON'T KNOW	260	0.03
97 = REFUSED	95	0.01
98 = BLANK (NO ANSWER).....	3943	0.42
99 = LEGITIMATE SKIP	9657	1.02

On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?

[INDAYPWK](#)

Len : 2 # DAYS PER WEEK USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7.....	1837	0.19
-9 = Data not collected for this year	226632	23.87
85 = BAD DATA Logically assigned.....	27	0.00
91 = NEVER USED INHALANTS.....	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	6.17
94 = DON'T KNOW	306	0.03
97 = REFUSED	120	0.01
98 = BLANK (NO ANSWER).....	3936	0.41
99 = LEGITIMATE SKIP	10352	1.09

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?

[INH30A](#)

Len : 2 # DAYS USED INHALANT PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	3132	0.33
-9 = Data not collected for this year	226632	23.87
85 = BAD DATA Logically assigned.....	248	0.03
91 = NEVER USED INHALANTS.....	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	67675	7.13
94 = DON'T KNOW	146	0.02
97 = REFUSED	54	0.01
98 = BLANK (NO ANSWER).....	3915	0.41

INHALANTS

What is your best estimate of the number of days you used any inhalant for kicks or to get high during the past 30 days?

IN30EST

Len : 2 BEST ESTIMATE # DAYS USED INHALANTS PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = 1 or 2 days	79	0.01
2 = 3 to 5 days	27	0.00
3 = 6 to 9 days	18	0.00
4 = 10 to 19 days	13	0.00
5 = 20 to 29 days	5	0.00
6 = All 30 days	5	0.00
91 = NEVER USED INHALANTS	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	67675	7.13
94 = DON'T KNOW	30	0.00
97 = REFUSED	31	0.00
98 = BLANK (NO ANSWER)	4166	0.44
99 = LEGITIMATE SKIP	3121	0.33

These next questions are about liquids, sprays, and gases that people sniff or inhale to get high or to make them feel good.

We are not interested in times when you inhaled a substance accidentally — such as when painting, cleaning an oven, or filling a car with gasoline. The questions use the word 'inhalant' to include all the things listed below, as well as any other substances that people sniff or inhale for kicks or to get high. Take a moment to look at the substances listed below so you know what kinds of liquids, sprays, and gases these questions are about.

Amyl nitrite, 'poppers,' locker room odorizers, or 'rush'
 Correction fluid, degreaser, or cleaning fluid
 Gasoline or lighter fluid
 Glue, shoe polish, or toluene
 Halothane, ether, or other anesthetics
 Lacquer thinner, or other paint solvents
 Lighter gases, such as butane or propane
 Nitrous oxide or 'whippits'
 Felt-tip pens, felt-tip markers, or magic markers
 Spray paints
 Computer keyboard cleaner, also known as air duster
 Other aerosol sprays

Have you ever, even once, inhaled amyl nitrite, 'poppers,' locker room odorizers, or 'rush' for kicks or to get high?

AMYLNIT

Len : 2 EVER INHALED AMYL NITRITE, 'POPPERS,' RUSH, ETC.

	Freq	Pct
1 = Yes	22358	2.36
2 = No	75236	7.93
3 = Yes LOGICALLY ASSIGNED	28	0.00
85 = BAD DATA Logically assigned	19	0.00
91 = NEVER USED INHALANTS	850979	89.64
94 = DON'T KNOW	559	0.06
97 = REFUSED	106	0.01

Have you ever, even once, inhaled correction fluid, degreaser, or cleaning fluid for kicks or to get high?

CLEFLU

Len : 2 EVER INHALED CORRECTION FLUID, DEGREASER, ETC.

	Freq	Pct
1 = Yes	10074	1.06
2 = No	87520	9.22
3 = Yes LOGICALLY ASSIGNED	208	0.02
85 = BAD DATA Logically assigned	19	0.00
91 = NEVER USED INHALANTS	850979	89.64
94 = DON'T KNOW	384	0.04
97 = REFUSED	100	0.01
98 = BLANK (NO ANSWER)	1	0.00

INHALANTS

Have you ever, even once, inhaled gasoline or lighter fluid for kicks or to get high?

GAS

Len : 2 EVER INHALED GASOLINE OR LIGHTER FLUID

	Freq	Pct
1 = Yes.....	18804	1.98
2 = No.....	78970	8.32
3 = Yes LOGICALLY ASSIGNED	32	0.00
85 = BAD DATA Logically assigned.....	19	0.00
91 = NEVER USED INHALANTS.....	850979	89.64
94 = DON'T KNOW	348	0.04
97 = REFUSED	130	0.01
98 = BLANK (NO ANSWER).....	3	0.00

Have you ever, even once, inhaled glue, shoe polish, or toluene for kicks or to get high?

GLUE

Len : 2 EVER INHALED GLUE, SHOE POLISH, OR TOLUENE

	Freq	Pct
1 = Yes.....	19101	2.01
2 = No.....	78618	8.28
3 = Yes LOGICALLY ASSIGNED	73	0.01
85 = BAD DATA Logically assigned.....	19	0.00
91 = NEVER USED INHALANTS.....	850979	89.64
94 = DON'T KNOW	361	0.04
97 = REFUSED	131	0.01
98 = BLANK (NO ANSWER).....	3	0.00

Have you ever, even once, inhaled halothane, ether, or other anesthetics for kicks or to get high?

ETHER

Len : 2 EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC

	Freq	Pct
1 = Yes.....	4278	0.45
2 = No.....	93447	9.84
3 = Yes LOGICALLY ASSIGNED	13	0.00
85 = BAD DATA Logically assigned.....	19	0.00
91 = NEVER USED INHALANTS.....	850979	89.64
94 = DON'T KNOW	469	0.05
97 = REFUSED	77	0.01
98 = BLANK (NO ANSWER).....	3	0.00

Have you ever, even once, inhaled lacquer thinner or other paint solvents for kicks or to get high?

SOLVENT

Len : 2 EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS

	Freq	Pct
1 = Yes.....	8856	0.93
2 = No.....	88984	9.37
3 = Yes LOGICALLY ASSIGNED	4	0.00
85 = BAD DATA Logically assigned.....	19	0.00
91 = NEVER USED INHALANTS.....	850979	89.64
94 = DON'T KNOW	358	0.04
97 = REFUSED	82	0.01
98 = BLANK (NO ANSWER).....	3	0.00

Have you ever, even once, inhaled lighter gases, such as butane or propane for kicks or to get high?

LGAS

Len : 2 EVER INHALED LIGHTER GASES (BUTANE, PROPANE)

	Freq	Pct
1 = Yes.....	5439	0.57
2 = No.....	92405	9.73
3 = Yes LOGICALLY ASSIGNED	4	0.00
85 = BAD DATA Logically assigned.....	19	0.00
91 = NEVER USED INHALANTS.....	850979	89.64
94 = DON'T KNOW	348	0.04
97 = REFUSED	87	0.01
98 = BLANK (NO ANSWER).....	4	0.00

INHALANTS

Have you ever, even once, inhaled nitrous oxide or 'whippits' for kicks or to get high?

NITOXID

Len : 2 EVER INHALED NITROUS OXIDE OR 'WHIPPITS'

	Freq	Pct
1 = Yes.....	45131	4.75
2 = No.....	52541	5.53
3 = Yes LOGICALLY ASSIGNED	62	0.01
85 = BAD DATA Logically assigned.....	19	0.00
91 = NEVER USED INHALANTS.....	850979	89.64
94 = DON'T KNOW	467	0.05
97 = REFUSED	82	0.01
98 = BLANK (NO ANSWER).....	4	0.00

Have you ever, even once, inhaled felt-tip pens, felt-tip markers, or magic markers for kicks or to get high?

FELTMARKR

Len : 2 EVER INHALED FELT-TIP PENS/MARKERS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	8467	0.89
2 = No.....	14392	1.52
3 = Yes LOGICALLY ASSIGNED	15	0.00
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED INHALANTS.....	203496	21.44
94 = DON'T KNOW	206	0.02
97 = REFUSED	49	0.01

Have you ever, even once, inhaled spray paints for kicks or to get high?

SPPAINT

Len : 2 EVER INHALED SPRAY PAINTS

	Freq	Pct
1 = Yes.....	13057	1.38
2 = No.....	84769	8.93
3 = Yes LOGICALLY ASSIGNED	7	0.00
85 = BAD DATA Logically assigned.....	19	0.00
91 = NEVER USED INHALANTS.....	850979	89.64
94 = DON'T KNOW	334	0.04
97 = REFUSED	115	0.01
98 = BLANK (NO ANSWER).....	5	0.00

Have you ever, even once, inhaled computer keyboard cleaner, also known as air duster, for kicks or to get high?

AIRDUSTER

Len : 2 EVER INHALED COMPUTER KEYBOARD CLEANER/AIR DUSTER

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	3297	0.35
2 = No.....	19711	2.08
3 = Yes LOGICALLY ASSIGNED	4	0.00
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED INHALANTS.....	203496	21.44
94 = DON'T KNOW	91	0.01
97 = REFUSED	26	0.00

Have you ever, even once, inhaled some other aerosol spray for kicks or to get high?

OTHAEROS

Len : 2 EVER INHALED OTHER AEROSOL SPRAYS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1341	0.14
2 = No.....	21649	2.28
3 = Yes LOGICALLY ASSIGNED	18	0.00
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED INHALANTS.....	203496	21.44
94 = DON'T KNOW	97	0.01
97 = REFUSED	24	0.00

INHALANTS

Have you ever, even once used any other inhalants for kicks or to get high besides the ones that have been listed?

[INHALOTH](#)

Len : 2 EVER USED OTHER INHALANTS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	769	0.08
2 = No.....	22187	2.34
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED INHALANTS.....	203496	21.44
94 = DON'T KNOW	146	0.02
97 = REFUSED	27	0.00

INHALANTS

INHALOTI

Len : 4 OTHER INHALANT - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
355 = Crystal meth, crystal methamphetamine	1	0.00
377 = Albuterol	9	0.00
501 = Gasoline or lighter fluids	13	0.00
502 = Spray paints	4	0.00
503 = Other aerosol sprays	65	0.01
504 = Shoeshine liquid, glue, or toluene	17	0.00
505 = Lacquer thinner or other paint solvents	2	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	12	0.00
507 = Halothane, ether, or other anesthetics; chloroform	5	0.00
508 = Nitrous oxide, "whippits," dentist gas	28	0.00
509 = Correction fluids, degreasers, cleaning fluids	6	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	78	0.01
511 = Markers, felt-tip pens, ink pens	30	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant	44	0.00
518 = Acetone, nail polish remover	15	0.00
519 = Helium	61	0.01
520 = Old paint, paint	1	0.00
523 = Matches	1	0.00
524 = White-Out	11	0.00
526 = Nail polish	18	0.00
528 = Whipped-cream can	32	0.00
531 = Candy, powdered candy, sugar	3	0.00
534 = Deodorant	4	0.00
537 = Air horn, canned air horn, condensed horn	1	0.00
539 = Scotch-Gard	4	0.00
540 = PAM	13	0.00
542 = Brasso, lens cleaner, spirits of ammonia	5	0.00
543 = Liquid oxygen, oxygen	1	0.00
545 = Car tailpipe exhaust fumes, Carbon monoxide, CO	2	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol	13	0.00
550 = Methyl chloride	1	0.00
560 = Diswashing detergent, laundry detergent, soap	1	0.00
582 = WD-40	2	0.00
586 = Carbon from empty soft drink bottle	1	0.00
588 = Antifreeze	1	0.00
590 = Canned air, compressed air	1	0.00
591 = Air brush propellant, air brush cartridge	1	0.00
592 = Computer air duster, computer cleaner, dust-off	9	0.00
599 = Potpourri	1	0.00
639 = Nutmeg, Mace	1	0.00
691 = Maximum impact	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	12	0.00
804 = Hashish	1	0.00
805 = Cocaine, coca, cocaína, coke, perico	2	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	4	0.00
815 = Coffee <OTC>	1	0.00
818 = Nicotine	1	0.00
2002 = Muscle relaxers	1	0.00
3052 = Speed, otherwise unspecified	1	0.00
3055 = Clenbuterol	1	0.00
5001 = Bleach	2	0.00
5004 = Ink print, paper	1	0.00
5017 = Oil, lubricant, otherwise unspecified	3	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank	4	0.00
5027 = Benzene	1	0.00
5028 = Carburetor cleaner, engine cleaner	3	0.00
5035 = Brake cleaner	1	0.00
5040 = Methanol	1	0.00
5043 = Carbona	3	0.00
5045 = Cleaner, not otherwise specified	5	0.00
5046 = Glass/window cleaner	3	0.00
5049 = Hand sanitizer/cleaner, contents unspecified	21	0.00
5053 = Electrical parts cleaner, electronics cleaner	6	0.00
5069 = Febreze	4	0.00
5076 = Water/stain repellent, type unspecified	2	0.00
5078 = Axe body spray	3	0.00
5081 = Photographic development fluid	1	0.00
5091 = Germ-X	1	0.00
5097 = Lysol, aerosol unspecified	1	0.00
5098 = Axe/Axe deodorant, aerosol unspecified	3	0.00
5104 = Shoe cleaner, otherwise unspecified	1	0.00

INHALANTS

5131 = Hunting/fishing deodorizer.....	1	0.00
5132 = Chewing gum remover.....	1	0.00
5133 = Air conditioner cleaner, aerosol unspecified.....	1	0.00
5135 = Rubber roof remover.....	1	0.00
5136 = WariActiv	1	0.00
5137 = Handi Wipes	1	0.00
5138 = Glade PlugIns	1	0.00
5140 = Rat Shampoo.....	1	0.00
5141 = Gun smoke, gun powder	1	0.00
5143 = Toilet bowl cleaner	1	0.00
5144 = Tires	1	0.00
6012 = Cloud 9, cloud 13	1	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator	20	0.00
8028 = Bactine <OTC>	2	0.00
8054 = Beclovent, Beconase.....	1	0.00
8056 = Vicks VapoRub/inhaler <OTC>	5	0.00
8091 = Benzedrex <OTC>.....	1	0.00
8118 = Smoke/smoking, not otherwise specified.....	7	0.00
8131 = Acacia Gum, carbisol <OTC>	1	0.00
8177 = Face/body cleanser, contents unspecified	1	0.00
8193 = Pertussin <OTC>.....	1	0.00
8209 = Red Bull Energy Drink <OTC>	1	0.00
8257 = Hoodia product/supplement <OTC>	2	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018).....	1	0.00
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8365 = Pen vaporizer; contents unspecified	1	0.00
8373 = Electronic cigarette	3	0.00
8377 = New Skin <OTC>.....	1	0.00
8381 = Vapor/vape juice; route of use unspcfd	9	0.00
8395 = Olbas oil <OTC>	1	0.00
8407 = Campho-Phenique <OTC>.....	1	0.00
9985 = BAD DATA Logically assigned	38	0.00
9991 = NEVER USED INHALANTS	203496	21.44
9997 = REFUSED	71	0.01
9998 = BLANK (NO ANSWER)	154	0.02
9999 = LEGITIMATE SKIP.....	22187	2.34

INHALANTS

INHALOT2

Len : 4 OTHER INHALANT - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
501 = Gasoline or lighter fluids.....	2	0.00
503 = Other aerosol sprays	3	0.00
508 = Nitrous oxide, "whippits," dentist gas	2	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	13	0.00
511 = Markers, felt-tip pens, ink pens	2	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	3	0.00
518 = Acetone, nail polish remover.....	4	0.00
519 = Helium.....	2	0.00
520 = Old paint, paint.....	1	0.00
524 = White-Out.....	2	0.00
526 = Nail polish	1	0.00
528 = Whipped-cream can.....	2	0.00
531 = Candy, powdered candy, sugar.....	2	0.00
534 = Deodorant	2	0.00
543 = Liquid oxygen, oxygen	2	0.00
545 = Car tailpipe exhaust fumes, Carbon monoxide, CO.....	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol	3	0.00
586 = Carbon from empty soft drink bottle	1	0.00
592 = Computer air duster, computer cleaner, dust-off	1	0.00
626 = Jet fuel.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
900 = Not a drug.....	1	0.00
5045 = Cleaner, not otherwise specified	1	0.00
5049 = Hand sanitizer/cleaner, contents unspecified.....	2	0.00
5075 = Pine-sol.....	1	0.00
5078 = Axe body spray	1	0.00
5091 = Germ-X.....	1	0.00
5098 = Axe/Axe deodorant, aerosol unspecified	2	0.00
5145 = Phosphorus.....	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator	3	0.00
8058 = Cough medicine/syrup, type unspecified	1	0.00
8193 = Pertussin <OTC>.....	1	0.00
8373 = Electronic cigarette	2	0.00
8381 = Vapor/vape juice; route of use unspcfd	1	0.00
9985 = BAD DATA Logically assigned	12	0.00
9991 = NEVER USED INHALANTS	203496	21.44
9997 = REFUSED	29	0.00
9998 = BLANK (NO ANSWER).....	839	0.09
9999 = LEGITIMATE SKIP.....	22187	2.34

INHALOT3

Len : 4 OTHER INHALANT - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
503 = Other aerosol sprays	2	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	2	0.00
520 = Old paint, paint.....	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
5077 = Resistol.....	1	0.00
5091 = Germ-X.....	1	0.00
5108 = Tag body spray	1	0.00
5172 = Shampoo	1	0.00
8373 = Electronic cigarette	1	0.00
9985 = BAD DATA Logically assigned	6	0.00
9991 = NEVER USED INHALANTS	203496	21.44
9997 = REFUSED	27	0.00
9998 = BLANK (NO ANSWER).....	904	0.10
9999 = LEGITIMATE SKIP.....	22187	2.34

INHALOT4

Len : 4 OTHER INHALANT - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	2	0.00
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED INHALANTS	203496	21.44
9997 = REFUSED	27	0.00
9998 = BLANK (NO ANSWER).....	919	0.10
9999 = LEGITIMATE SKIP.....	22187	2.34

INHALANTS

INHALOTS

Len : 4 OTHER INHALANT - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
9991 = NEVER USED INHALANTS	203496	21.44
9997 = REFUSED	27	0.00
9998 = BLANK (NO ANSWER)	921	0.10
9999 = LEGITIMATE SKIP	22187	2.34

The answers that people give us about their use of inhalants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of inhalant for kicks or to get high?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: AMYLNIT, CLEFLU, GAS, GLUE, ETHER, SOLVENT, LGAS, NITOXID, FELTMARKR, SPPAINT, AIRDUSTER, OTHAEROS, or INHALOTH. This variable also was coded as 91 if all of the above variables were coded as 91.

INHALEVER

Len : 2 EVER USED INHALANTS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes	22567	2.38
91 = NEVER USED INHALANTS	203496	21.44
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	566	0.06

How old were you the first time you used any inhalant for kicks or to get high?

INHALAGE

Len : 3 AGE WHEN FIRST USED INHALANTS

	Freq	Pct
RANGE = 1 - 66	20950	2.21
-9 = Data not collected for this year	722653	76.13
985 = BAD DATA Logically assigned	157	0.02
991 = NEVER USED INHALANTS	203496	21.44
994 = DON'T KNOW	1023	0.11
997 = REFUSED	447	0.05
998 = BLANK (NO ANSWER)	559	0.06

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

INHALYFU

Len : 4 YEAR OF FIRST INHALANT USE - RECODE

	Freq	Pct
RANGE = 2013 - 2018	1548	0.16
-9 = Data not collected for this year	722653	76.13
9985 = BAD DATA Logically assigned	358	0.04
9989 = LEGITIMATE SKIP Logically assn	120	0.01
9991 = NEVER USED INHALANTS	203496	21.44
9994 = DON'T KNOW	1036	0.11
9997 = REFUSED	454	0.05
9998 = BLANK (NO ANSWER)	576	0.06
9999 = LEGITIMATE SKIP	19044	2.01

INHALANTS

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

In what month in [YEAR FROM IN03a or IN03b] did you first use an inhalant of any kind for kicks or to get high?

INHALMFU

Len : 2 MONTH OF FIRST INHALANT USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = January	145	0.02
2 = February	85	0.01
3 = March	124	0.01
4 = April	115	0.01
5 = May	105	0.01
6 = June	125	0.01
7 = July	113	0.01
8 = August	91	0.01
9 = September	116	0.01
10 = October	116	0.01
11 = November	122	0.01
12 = December	91	0.01
85 = BAD DATA Logically assigned	348	0.04
89 = LEGITIMATE SKIP Logically assn	120	0.01
91 = NEVER USED INHALANTS	203496	21.44
94 = DON'T KNOW	1229	0.13
97 = REFUSED	461	0.05
98 = BLANK (NO ANSWER)	586	0.06
99 = LEGITIMATE SKIP	19044	2.01

How long has it been since you last used any inhalant for kicks or to get high?

INHALREC

Len : 2 TIME SINCE LAST USED INHALANTS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	705	0.07
2 = More than 30 days ago but within the past 12 mos	1698	0.18
3 = More than 12 months ago	19337	2.04
8 = Used at some point in the past 12 mos LOG ASSN	71	0.01
9 = Used at some point in lifetime LOG ASSN	749	0.08
11 = Used in the past 30 days LOGICALLY ASSIGNED	7	0.00
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED INHALANTS	203496	21.44
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	559	0.06

INHALYFQ

Len : 3 TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	2319	0.24
-9 = Data not collected for this year	722653	76.13
985 = BAD DATA Logically assigned	37	0.00
991 = NEVER USED INHALANTS	203496	21.44
993 = DID NOT USE INHALANTS IN THE PAST 12 MOS	19337	2.04
994 = DON'T KNOW	107	0.01
997 = REFUSED	29	0.00
998 = BLANK (NO ANSWER)	1307	0.14

INHTOTFG

Len : 2 TRIMMING INDICATOR FOR INHALYFQ

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Trimmed to 365 days (no further editing)	1	0.00
2 = Trimmed relative to the 30-day freq	10	0.00
3 = Trimmed relative to estimated 30-day freq	2	0.00
98 = BLANK (NO ANSWER)	226619	23.87

INHFOFLG

Len : 2 TRIMMED INHALYFQ IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Trimmed to be consistent with mo/yr of 1st use	220	0.02
98 = BLANK (NO ANSWER)	226412	23.85

INHALANTS

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.

What would be the easiest way for you to tell us how many days you've done this?

INHEASWY

Len : 2 EASIEST WAY TO TELL US # DAYS USED INHALANTS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Prefer to answer in days per week	375	0.04
2 = Prefer to answer in days per month.....	442	0.05
3 = Prefer to answer in days per year.....	1474	0.16
11 = Prefer to ans in days per wk LOG ASSN	16	0.00
12 = Prefer to ans in days per mo LOG ASSN	12	0.00
13 = Prefer to ans in days per yr LOG ASSN.....	68	0.01
85 = BAD DATA Logically assigned.....	36	0.00
91 = NEVER USED INHALANTS.....	203496	21.44
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	19337	2.04
94 = DON'T KNOW	52	0.01
97 = REFUSED	17	0.00
98 = BLANK (NO ANSWER).....	1307	0.14

On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?

INHDSYR

Len : 3 # DAYS USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 300	1516	0.16
-9 = Data not collected for this year	722653	76.13
985 = BAD DATA Logically assigned.....	17	0.00
989 = LEGITIMATE SKIP Logically assigned.....	24	0.00
991 = NEVER USED INHALANTS.....	203496	21.44
993 = DID NOT USE INHALANTS IN THE PAST 12 MOS	19337	2.04
994 = DON'T KNOW	72	0.01
997 = REFUSED	23	0.00
998 = BLANK (NO ANSWER).....	1326	0.14
999 = LEGITIMATE SKIP	821	0.09

On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?

INHDPMO

Len : 2 # DAYS PER MONTH USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 31	437	0.05
-9 = Data not collected for this year	722653	76.13
85 = BAD DATA Logically assigned.....	11	0.00
89 = LEGITIMATE SKIP Logically assigned	16	0.00
91 = NEVER USED INHALANTS.....	203496	21.44
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	19337	2.04
94 = DON'T KNOW	84	0.01
97 = REFUSED	28	0.00
98 = BLANK (NO ANSWER).....	1332	0.14
99 = LEGITIMATE SKIP	1891	0.20

On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?

INHDPWK

Len : 2 # DAYS PER WEEK USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	367	0.04
-9 = Data not collected for this year	722653	76.13
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED INHALANTS.....	203496	21.44
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	19337	2.04
94 = DON'T KNOW	107	0.01
97 = REFUSED	29	0.00
98 = BLANK (NO ANSWER).....	1335	0.14
99 = LEGITIMATE SKIP	1953	0.21

INHALANTS

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?

INHAL30N

Len : 2 # DAYS USED INHALANT PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	655	0.07
-9 = Data not collected for this year	722653	76.13
85 = BAD DATA Logically assigned.....	60	0.01
91 = NEVER USED INHALANTS.....	203496	21.44
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	21035	2.22
94 = DON'T KNOW	39	0.00
97 = REFUSED	14	0.00
98 = BLANK (NO ANSWER).....	1333	0.14

What is your best estimate of the number of days you used any inhalant for kicks or to get high during the past 30 days?

INHAL30ES

Len : 2 BEST ESTIMATE # DAYS USED INHALANTS PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = 1 or 2 days.....	28	0.00
2 = 3 to 5 days	2	0.00
3 = 6 to 9 days	2	0.00
5 = 20 to 29 days.....	1	0.00
6 = All 30 days	3	0.00
91 = NEVER USED INHALANTS.....	203496	21.44
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	21035	2.22
94 = DON'T KNOW	7	0.00
97 = REFUSED	12	0.00
98 = BLANK (NO ANSWER).....	1394	0.15
99 = LEGITIMATE SKIP	652	0.07

METHAMPHETAMINE

METHAMPHETAMINE

Methamphetamine, also known as crank, ice, crystal meth, speed, glass, and many other names, is a stimulant that usually comes in crystal or powder forms. It can be smoked, "snorted," swallowed or injected.

Have you ever, even once, used methamphetamine?

METHAMEVR

Len : 2 EVER USED METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	10202	1.07
2 = No.....	216136	22.77
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	271	0.03
97 = REFUSED	22	0.00

How old were you the first time you used methamphetamine?

METHAMAGE

Len : 3 AGE 1ST USED METHAMPHETAMINE

	Freq	Pct
RANGE = 1 - 72.....	10107	1.06
-9 = Data not collected for this year	722653	76.13
985 = BAD DATA Logically assigned.....	18	0.00
991 = NEVER USED METHAMPHETAMINE	216136	22.77
994 = DON'T KNOW	72	0.01
997 = REFUSED	28	0.00
998 = BLANK (NO ANSWER).....	271	0.03

Did you first use methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use methamphetamine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use methamphetamine?

METHAMYFU

Len : 4 YEAR 1ST USED METHAMPHETAMINE

	Freq	Pct
RANGE = 2013 - 2018.....	447	0.05
-9 = Data not collected for this year	722653	76.13
9985 = BAD DATA Logically assigned.....	59	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	36	0.00
9991 = NEVER USED METHAMPHETAMINE	216136	22.77
9994 = DON'T KNOW	72	0.01
9997 = REFUSED	28	0.00
9998 = BLANK (NO ANSWER).....	275	0.03
9999 = LEGITIMATE SKIP.....	9579	1.01

METHAMPHETAMINE

In what month in [CURRENT YEAR] did you first use methamphetamine?

In what month in [YEAR FROM ME03a or ME03b] did you first use methamphetamine?

METHAMMFU

Len : 2 MONTH 1ST USED METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = January	39	0.00
2 = February	34	0.00
3 = March	32	0.00
4 = April	32	0.00
5 = May	33	0.00
6 = June	52	0.01
7 = July	37	0.00
8 = August	25	0.00
9 = September	39	0.00
10 = October	39	0.00
11 = November	35	0.00
12 = December	28	0.00
85 = BAD DATA Logically assigned	59	0.01
89 = LEGITIMATE SKIP Logically assn	36	0.00
91 = NEVER USED METHAMPHETAMINE	216136	22.77
94 = DON'T KNOW	94	0.01
97 = REFUSED	28	0.00
98 = BLANK (NO ANSWER)	275	0.03
99 = LEGITIMATE SKIP	9579	1.01

How long has it been since you last used methamphetamine?

METHAMREC

Len : 2 TIME SINCE LAST USED METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	670	0.07
2 = More than 30 days ago but within the past 12 mos	855	0.09
3 = More than 12 months ago	8570	0.90
8 = Used at some point in the past 12 mos LOG ASSN	43	0.00
9 = Used at some point in lifetime LOG ASSN	60	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED	4	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	216136	22.77
97 = REFUSED	22	0.00
98 = BLANK (NO ANSWER)	271	0.03

METHAMYFQ

Len : 3 TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	1506	0.16
-9 = Data not collected for this year	722653	76.13
985 = BAD DATA Logically assigned	39	0.00
991 = NEVER USED METHAMPHETAMINE	216136	22.77
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8570	0.90
994 = DON'T KNOW	21	0.00
997 = REFUSED	29	0.00
998 = BLANK (NO ANSWER)	331	0.03

METOTFG

Len : 2 TRIMMING INDICATOR FOR METHAMYFQ

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Trimmed to 365 days (no further editing)	2	0.00
2 = Trimmed relative to the 30-day freq	30	0.00
98 = BLANK (NO ANSWER)	226600	23.87

MEFQFLG

Len : 2 TRIMMED METHAMYFQ IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Trimmed to be consistent with mo/yr of 1st use	81	0.01
98 = BLANK (NO ANSWER)	226551	23.87

METHAMPHETAMINE

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used methamphetamine during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

METHEASWY

Len : 2 EASIEST WAY TO TELL # DAYS USED METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Prefer to answer in days per week	451	0.05
2 = Prefer to answer in days per month.....	398	0.04
3 = Prefer to answer in days per year.....	669	0.07
11 = Prefer to ans in days per wk LOG ASSN	5	0.00
13 = Prefer to ans in days per yr LOG ASSN.....	4	0.00
85 = BAD DATA Logically assigned.....	38	0.00
91 = NEVER USED METHAMPHETAMINE.....	216136	22.77
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8570	0.90
94 = DON'T KNOW	7	0.00
97 = REFUSED	23	0.00
98 = BLANK (NO ANSWER).....	331	0.03

On how many days in the past 12 months did you use methamphetamine?

METHDYSYR

Len : 3 # DAYS USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	667	0.07
-9 = Data not collected for this year	722653	76.13
985 = BAD DATA Logically assigned.....	4	0.00
989 = LEGITIMATE SKIP Logically assigned.....	5	0.00
991 = NEVER USED METHAMPHETAMINE	216136	22.77
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8570	0.90
994 = DON'T KNOW	10	0.00
997 = REFUSED	26	0.00
998 = BLANK (NO ANSWER).....	365	0.04
999 = LEGITIMATE SKIP	849	0.09

On average, how many days did you use methamphetamine each month during the past 12 months?

METHDYPMO

Len : 2 # DAYS PER MO USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 31	395	0.04
-9 = Data not collected for this year	722653	76.13
85 = BAD DATA Logically assigned.....	14	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED METHAMPHETAMINE.....	216136	22.77
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8570	0.90
94 = DON'T KNOW	11	0.00
97 = REFUSED	28	0.00
98 = BLANK (NO ANSWER).....	355	0.04
99 = LEGITIMATE SKIP	1118	0.12

On average, how many days did you use methamphetamine each week during the past 12 months?

METHDYPWK

Len : 2 # DAYS PER WK USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7.....	445	0.05
-9 = Data not collected for this year	722653	76.13
85 = BAD DATA Logically assigned.....	20	0.00
91 = NEVER USED METHAMPHETAMINE.....	216136	22.77
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8570	0.90
94 = DON'T KNOW	21	0.00
97 = REFUSED	29	0.00
98 = BLANK (NO ANSWER).....	349	0.04
99 = LEGITIMATE SKIP	1062	0.11

METHAMPHETAMINE

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use methamphetamine?

METHAM30N

Len : 2 # DAYS USED METHAMPHETAMINE PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	662	0.07
-9 = Data not collected for this year	722653	76.13
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED METHAMPHETAMINE	216136	22.77
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	9425	0.99
94 = DON'T KNOW	3	0.00
97 = REFUSED	27	0.00
98 = BLANK (NO ANSWER).....	367	0.04

What is your best estimate of the number of days you used methamphetamine during the past 30 days?

METHAM30E

Len : 2 BEST ESTIMATE # DAYS USED METH PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = 1 or 2 days	3	0.00
2 = 3 to 5 days	1	0.00
3 = 6 to 9 days	1	0.00
5 = 20 to 29 days.....	1	0.00
6 = All 30 days	1	0.00
91 = NEVER USED METHAMPHETAMINE	216136	22.77
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	9425	0.99
97 = REFUSED	23	0.00
98 = BLANK (NO ANSWER).....	379	0.04
99 = LEGITIMATE SKIP	662	0.07

PAIN RELIEVERS SCREENER

PAIN RELIEVERS SCREENER

Please look at the names and pictures of the pain relievers shown below.

In the **past 12 months**, which, if any, of these pain relievers have you used?

<u>OXCNANYR</u>	Len : 2 ANY OXYCONTIN USE PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	7346	0.77
	2 = No (not entered)	8749	0.92
	5 = Yes LOGICALLY ASSIGNED	4	0.00
	81 = NEVER USED PAIN RLVRs Logically assigned	817	0.09
	85 = BAD DATA Logically assigned.....	26	0.00
	91 = NEVER USED PAIN RELIEVERS	101726	10.72
	93 = DID NOT USE IN THE PAST 12 MONTHS	53634	5.65
	94 = DON'T KNOW	712	0.08
	95 = I have not used any of these Pain Relievers in the past 12 months	53335	5.62
	97 = REFUSED	173	0.02
	98 = BLANK (NO ANSWER).....	110	0.01

Have you **ever**, even once, used **any prescription pain reliever**?

Remember, do **not** report your use of "over-the-counter" pain relievers such as aspirin, Tylenol, Advil, or Aleve.

<u>PNRANYLIF</u>	Len : 2 ANY PAIN RELIEVER USE IN LIFETIME		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	53042	5.59
	2 = No.....	102543	10.80
	5 = Yes LOGICALLY ASSIGNED (from skip pattern)	69108	7.28
	94 = DON'T KNOW	1733	0.18
	97 = REFUSED	91	0.01
	98 = BLANK (NO ANSWER).....	115	0.01

NOTE: PNRANYREC was created from responses of any use in the past 12 months for specific pain relievers and from PNRANYLIF for any lifetime use of pain relievers.

<u>PNRANYREC</u>	Len : 2 RC - MOST RECENT ANY PAIN RELIEVER USE (RECODE)		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Within the past 12 months	69108	7.28
	2 = More than 12 months ago	52423	5.52
	9 = Used at some point in the lifetime LOG ASSN	619	0.07
	83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	1211	0.13
	91 = NEVER USED PAIN RELIEVERS	102543	10.80
	98 = BLANK (NO ANSWER).....	728	0.08

TRANQUILIZERS SCREENER

TRANQUILIZERS SCREENER

Have you **ever**, even once, used **any** **prescription tranquilizer**?

TRQANYLIF

Len : 2 ANY TRANQUILIZER USE IN LIFETIME

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	15592	1.64
2 = No.....	182650	19.24
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	26738	2.82
94 = DON'T KNOW	1388	0.15
97 = REFUSED	101	0.01
98 = BLANK (NO ANSWER).....	163	0.02

NOTE: TRQANYREC was created from responses of any use in the past 12 months for specific tranquilizers and from TRQANYLIF for any lifetime use of tranquilizers.

TRQANYREC

Len : 2 RC - MOST RECENT ANY TRANQUILIZER USE (RECODE)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 12 months	26738	2.82
2 = More than 12 months ago	15492	1.63
9 = Used at some point in the lifetime LOG ASSN	100	0.01
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	995	0.10
91 = NEVER USED TRANQUILIZERS.....	182650	19.24
98 = BLANK (NO ANSWER).....	657	0.07

STIMULANTS SCREENER

STIMULANTS SCREENER

Have you **ever**, even once, used **any prescription stimulant**?

Remember, do not include "over-the-counter" stimulants such as Dexatrim, No-Doz, Hydroxycut, or 5-Hour Energy.

STMANYLIF

Len : 2 ANY STIMULANT USE IN LIFETIME

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	11142	1.17
2 = No.....	195408	20.58
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	19048	2.01
94 = DON'T KNOW	809	0.09
97 = REFUSED	100	0.01
98 = BLANK (NO ANSWER).....	125	0.01

NOTE: STMANYREC was created from responses of any use in the past 12 months for specific stimulants and from STMANYLIF for any lifetime use of stimulants.

STMANYREC

Len : 2 RC - MOST RECENT ANY STIMULANT USE (RECODE)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 12 months	19048	2.01
2 = More than 12 months ago	11094	1.17
9 = Used at some point in the lifetime LOG ASSN	48	0.01
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	505	0.05
91 = NEVER USED STIMULANTS	195408	20.58
98 = BLANK (NO ANSWER).....	529	0.06

SEDATIVES SCREENER

SEDATIVES SCREENER

Have you **ever**, even once, used **any prescription sedative**?

Remember, do not include "over-the-counter" sedatives such as Sominex, Unisom, Nytol, or Benadryl.

SEDANYLIF

Len : 2 ANY SEDATIVE USE IN LIFETIME

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	12576	1.32
2 = No.....	201348	21.21
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	11380	1.20
94 = DON'T KNOW	1098	0.12
97 = REFUSED	104	0.01
98 = BLANK (NO ANSWER).....	126	0.01

NOTE: SEDANYREC was created from responses of any use in the past 12 months for specific sedatives and from SEDANYLIF for any lifetime use of sedatives.

SEDANYREC

Len : 2 RC - MOST RECENT ANY SEDATIVE USE (RECODE)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 12 months	11380	1.20
2 = More than 12 months ago	12513	1.32
9 = Used at some point in the lifetime LOG ASSN	63	0.01
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	716	0.08
91 = NEVER USED SEDATIVES.....	201348	21.21
98 = BLANK (NO ANSWER).....	612	0.06

PAIN RELIEVERS

PAIN RELIEVERS

Now we have some questions about drugs that people are supposed to take only if they have a prescription from a doctor. We are only interested in your use of a drug if:

- the drug was not prescribed for you, or
- you took the drug only for the experience or feeling it caused.

These questions are about the use of pain relievers. We are not interested in your use of "over-the-counter" pain relievers such as aspirin, Tylenol, or Advil that can be bought in drug stores or grocery stores without a doctor's prescription.

Card A shows pictures of some different kinds of prescription pain relievers and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused. Please look at Card A carefully as you answer the next questions.

Have you ever, even once, used Darvocet, Darvon, or Tylenol with codeine that was not prescribed for you or that you took only for the experience or feeling it caused?

DARVTYLC

Len : 2 EVER USED DARVOCET, DARVON, OR TYLENOL W/ CODEINE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	57076	6.01
2 = No.....	58717	6.19
3 = Yes LOGICALLY ASSIGNED	80	0.01
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	1452	0.15
97 = REFUSED	156	0.02
98 = BLANK (NO ANSWER).....	19	0.00

Have you ever, even once, used Percocet, Percodan, or Tylox that was not prescribed for you or that you took only for the experience or feeling it caused?

PERCTYLX

Len : 2 EVER USED PERCOCET, PERCODAN, OR TYLOX

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	40231	4.24
2 = No.....	76310	8.04
3 = Yes LOGICALLY ASSIGNED	198	0.02
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	635	0.07
97 = REFUSED	107	0.01
98 = BLANK (NO ANSWER).....	19	0.00

Have you ever, even once, used Vicodin, Lortab, or Lorcet that was not prescribed for you or that you took only for the experience or feeling it caused?

VICOLOR

Len : 2 EVER USED VICODIN, LORTAB, OR LORCET

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	70120	7.39
2 = No.....	46264	4.87
3 = Yes LOGICALLY ASSIGNED	308	0.03
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	671	0.07
97 = REFUSED	117	0.01
98 = BLANK (NO ANSWER).....	20	0.00

PAIN RELIEVERS

Please look at the pain relievers shown below the red line on Card A.

Have you ever, even once, used any of these pain relievers when they were not prescribed for you or that you took only for the experience or feeling they caused?

ANLCARD

Len : 2 EVER USED PAIN RELIEVER BELOW RED LINE ON CARD A

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	52359	5.52
2 = No.....	63355	6.67
3 = Yes LOGICALLY ASSIGNED	777	0.08
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	840	0.09
97 = REFUSED	147	0.02
98 = BLANK (NO ANSWER).....	22	0.00

Which of the pain relievers shown below the red line on Card A have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?

CODEINE

Len : 2 EVER USED CODEINE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	24355	2.57
3 = Response entered LOGICALLY ASSIGNED	120	0.01
6 = Response not entered.....	27612	2.91
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	681	0.07
97 = REFUSED	515	0.05
98 = BLANK (NO ANSWER).....	876	0.09
99 = LEGITIMATE SKIP	63355	6.67

DEMEROL

Len : 2 EVER USED DEMEROL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	7011	0.74
3 = Response entered LOGICALLY ASSIGNED	67	0.01
6 = Response not entered.....	45009	4.74
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	681	0.07
97 = REFUSED	515	0.05
98 = BLANK (NO ANSWER).....	876	0.09
99 = LEGITIMATE SKIP	63355	6.67

DILAUD

Len : 2 EVER USED DILAUDID NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	3213	0.34
3 = Response entered LOGICALLY ASSIGNED	80	0.01
6 = Response not entered.....	48794	5.14
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	681	0.07
97 = REFUSED	515	0.05
98 = BLANK (NO ANSWER).....	876	0.09
99 = LEGITIMATE SKIP	63355	6.67

PAIN RELIEVERS

[FIORICET](#)

Len : 2 EVER USED FIORICET NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	1307	0.14
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered.....	50769	5.35
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	681	0.07
97 = REFUSED	515	0.05
98 = BLANK (NO ANSWER).....	876	0.09
99 = LEGITIMATE SKIP	63355	6.67

[FIORINAL](#)

Len : 2 EVER USED FIORINAL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	889	0.09
3 = Response entered LOGICALLY ASSIGNED	6	0.00
6 = Response not entered.....	51192	5.39
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	681	0.07
97 = REFUSED	515	0.05
98 = BLANK (NO ANSWER).....	876	0.09
99 = LEGITIMATE SKIP	63355	6.67

[HYDROCOD](#)

Len : 2 EVER USED HYDROCODONE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	31113	3.28
3 = Response entered LOGICALLY ASSIGNED	327	0.03
6 = Response not entered.....	20647	2.18
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	681	0.07
97 = REFUSED	515	0.05
98 = BLANK (NO ANSWER).....	874	0.09
99 = LEGITIMATE SKIP	63355	6.67

[METHDON](#)

Len : 2 EVER USED METHADONE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	7739	0.82
3 = Response entered LOGICALLY ASSIGNED	92	0.01
6 = Response not entered.....	44256	4.66
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	681	0.07
97 = REFUSED	515	0.05
98 = BLANK (NO ANSWER).....	876	0.09
99 = LEGITIMATE SKIP	63355	6.67

[MORPHINE](#)

Len : 2 EVER USED MORPHINE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	11472	1.21
3 = Response entered LOGICALLY ASSIGNED	189	0.02
6 = Response not entered.....	40426	4.26
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	681	0.07
97 = REFUSED	515	0.05
98 = BLANK (NO ANSWER).....	876	0.09
99 = LEGITIMATE SKIP	63355	6.67

PAIN RELIEVERS

[OXYCONTN](#)

Len : 2 EVER USED OXYCONTIN NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	20587	2.17
3 = Response entered LOGICALLY ASSIGNED	344	0.04
6 = Response not entered.....	31158	3.28
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	681	0.07
97 = REFUSED	513	0.05
98 = BLANK (NO ANSWER).....	875	0.09
99 = LEGITIMATE SKIP	63355	6.67

[PHENCOD](#)

Len : 2 EVER USED PHENAPHEN WITH CODEINE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	2520	0.27
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered.....	49564	5.22
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	681	0.07
97 = REFUSED	515	0.05
98 = BLANK (NO ANSWER).....	876	0.09
99 = LEGITIMATE SKIP	63355	6.67

[PROPOXY](#)

Len : 2 EVER USED PROPOXYPHENE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	1163	0.12
3 = Response entered LOGICALLY ASSIGNED	9	0.00
6 = Response not entered.....	50915	5.36
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	681	0.07
97 = REFUSED	515	0.05
98 = BLANK (NO ANSWER).....	875	0.09
99 = LEGITIMATE SKIP	63355	6.67

[SK65A](#)

Len : 2 EVER USED SK65 NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	285	0.03
3 = Response entered LOGICALLY ASSIGNED	6	0.00
6 = Response not entered.....	51796	5.46
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	681	0.07
97 = REFUSED	515	0.05
98 = BLANK (NO ANSWER).....	876	0.09
99 = LEGITIMATE SKIP	63355	6.67

[STADOL](#)

Len : 2 EVER USED STADOL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	396	0.04
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered.....	51680	5.44
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	681	0.07
97 = REFUSED	515	0.05
98 = BLANK (NO ANSWER).....	876	0.09
99 = LEGITIMATE SKIP	63355	6.67

PAIN RELIEVERS

[TALACEN](#)

Len : 2 EVER USED TALACEN NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	244	0.03
3 = Response entered LOGICALLY ASSIGNED	6	0.00
6 = Response not entered.....	51837	5.46
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	681	0.07
97 = REFUSED	515	0.05
98 = BLANK (NO ANSWER).....	876	0.09
99 = LEGITIMATE SKIP	63355	6.67

[TALWIN](#)

Len : 2 EVER USED TALWIN NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	625	0.07
3 = Response entered LOGICALLY ASSIGNED	14	0.00
6 = Response not entered.....	51448	5.42
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	681	0.07
97 = REFUSED	515	0.05
98 = BLANK (NO ANSWER).....	876	0.09
99 = LEGITIMATE SKIP	63355	6.67

[TALWINNX](#)

Len : 2 EVER USED TALWINNX NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	261	0.03
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	51825	5.46
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	680	0.07
97 = REFUSED	515	0.05
98 = BLANK (NO ANSWER).....	876	0.09
99 = LEGITIMATE SKIP	63355	6.67

[TRAMADOL](#)

Len : 2 EVER USED TRAMADOL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	5277	0.56
3 = Response entered LOGICALLY ASSIGNED	81	0.01
6 = Response not entered.....	46729	4.92
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	681	0.07
97 = REFUSED	515	0.05
98 = BLANK (NO ANSWER).....	875	0.09
99 = LEGITIMATE SKIP	63355	6.67

[ULTRAM](#)

Len : 2 EVER USED ULTRAM NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	4252	0.45
3 = Response entered LOGICALLY ASSIGNED	29	0.00
6 = Response not entered.....	47806	5.04
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	681	0.07
97 = REFUSED	515	0.05
98 = BLANK (NO ANSWER).....	876	0.09
99 = LEGITIMATE SKIP	63355	6.67

PAIN RELIEVERS

Have you ever, even once, used any other prescription pain reliever, besides the ones shown on Card A, when it was not prescribed for you or that you took only for the experience or feeling it caused?

[ANLNOLST](#)

Len : 2 EVER USED ANY OTHER PAIN RELIEVER NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	19937	2.10
2 = No	95244	10.03
4 = No LOGICALLY ASSIGNED.....	791	0.08
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	1306	0.14
97 = REFUSED	199	0.02
98 = BLANK (NO ANSWER).....	23	0.00

PAIN RELIEVERS

ANALNEWA

Len : 4 OTHER PAIN RELIEVER - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
105 = Placidyl, Ethchlorvynol.....	16	0.00
108 = Nembutal	5	0.00
109 = Seconal	29	0.00
110 = Tuinal	17	0.00
112 = Restoril	6	0.00
113 = Halcion	4	0.00
115 = Phenobarbital	9	0.00
116 = Methaqualone, Sopor, Quaalude.....	216	0.02
118 = Pentobarbital, Pentothal, Sodium pentothal	2	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	34	0.00
124 = Yellow jackets.....	6	0.00
129 = Reds	9	0.00
130 = Promethazine	42	0.00
131 = Haldol, Haloperidol	4	0.00
137 = 7-14	2	0.00
138 = Mandrax, Mandrix [see also 116]	2	0.00
140 = Seldane	1	0.00
141 = Dilantin.....	2	0.00
142 = Belladonna.....	1	0.00
146 = Bentyl, Dicyclomine	2	0.00
157 = Barbiturates.....	2	0.00
171 = NyQuil <OTC>	3	0.00
173 = Wafers	1	0.00
174 = Ambien.....	74	0.01
176 = Melatonin <OTC>	1	0.00
177 = Bean	1	0.00
178 = Quetiapine, Seroquel	59	0.01
180 = Tylenol P.M. <OTC>.....	5	0.00
186 = Butalbital	6	0.00
189 = Sonata, Zaleplon.....	1	0.00
191 = Blues	3	0.00
197 = Topamax	6	0.00
201 = Valium.....	960	0.10
202 = Librium.....	4	0.00
206 = Tranxene.....	1	0.00
207 = Ativan.....	58	0.01
209 = Xanax	1677	0.18
211 = BuSpar.....	9	0.00
216 = Atarax.....	4	0.00
220 = Meprobamate	2	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	4	0.00
223 = Methocarbamol	15	0.00
225 = Desyrel, Trazodone hydrochloride	32	0.00
227 = Thorazine	7	0.00
228 = Amitriptyline, Elavil	24	0.00
230 = Compazine, Prochlorperazine.....	2	0.00
234 = Flexeril	251	0.03
240 = Lithium carbonate, Lithonate	10	0.00
241 = Prozac, Fluoxetine	37	0.00
246 = Klonopin.....	210	0.02
247 = Adapin, Doxepin, Sinequan.....	1	0.00
250 = Aventyl, Nortab, Nortriptyline, Pamelor	4	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies.....	32	0.00
271 = Sertraline hydrochloride, Zoloft.....	33	0.00
278 = Benzodiazepines.....	4	0.00
282 = Clozapine, Clozaril.....	2	0.00
283 = Paroxetine, Paxil	11	0.00
285 = Risperdal, Risperdol, Risperidone	1	0.00
288 = Baclofen	6	0.00
289 = Olanzapine, Zyprexa	2	0.00
290 = Metaxolone, Skelaxin	28	0.00
291 = Celexa, Citalopram	6	0.00
295 = Mirtazapine, Remeron	2	0.00
298 = Acepromazine, PromAce	1	0.00
301 = Dexedrine	6	0.00
304 = Benzedrine	2	0.00
307 = Tenuate	1	0.00
309 = Didrex	1	0.00
313 = Adipex-P.....	3	0.00
318 = Ritalin.....	130	0.01
322 = Methamphetamine ("ice" or "crank"), Meth	5	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	1	0.00

PAIN RELIEVERS

326 = White cross	1	0.00
327 = Black beauties, black beauty	11	0.00
332 = Ephedrine	4	0.00
336 = Diet pills/medications/drugs, otherwise unspfd.....	6	0.00
339 = Amphetamines, otherwise unspecified	6	0.00
343 = Nitroglycerine	1	0.00
344 = Bennies	2	0.00
345 = Black molly.....	2	0.00
352 = Lemons	1	0.00
369 = Artane.....	1	0.00
377 = Albuterol.....	2	0.00
380 = Pink ladies	2	0.00
382 = Footballs, purple footballs	3	0.00
385 = Little pink one	1	0.00
401 = Darvon.....	18	0.00
403 = SK-65	4	0.00
405 = Levo-Dromoran	2	0.00
406 = Percodan	13	0.00
407 = Demerol	67	0.01
408 = Dilaudid, Hydromorphone	75	0.01
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	130	0.01
410 = Phenaphen with Codeine, Phenaphen 3.....	3	0.00
411 = Talwin	10	0.00
412 = Talwin NX	2	0.00
413 = Talacen	3	0.00
414 = Propoxyphene	9	0.00
415 = Codeine pills	130	0.01
417 = Morphine	185	0.02
418 = Methadone	80	0.01
419 = Stadol, Stadol NS	9	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	435	0.05
421 = USED ANALGESIC, DON'T KNOW NAME.....	1916	0.20
422 = Motrin	358	0.04
423 = Percocet	372	0.04
424 = Fioricet	8	0.00
425 = Advil <OTC>.....	87	0.01
426 = Fiorinal	4	0.00
427 = Darvocet, Davocet-N	55	0.01
430 = Aspirin, Ecotrin, Empirin <OTC>	21	0.00
431 = Tylox	27	0.00
433 = Paregoric.....	1	0.00
434 = Vicodin.....	1044	0.11
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	95	0.01
438 = Anaprox, Naprosyn, Naproxen, Naxen.....	209	0.02
439 = 222, Canadian 222.....	5	0.00
442 = Ibuprofen	941	0.10
443 = Dolobid.....	1	0.00
444 = Aspirin with Codeine, Empirin 3, Empirin 4	2	0.00
445 = Norgesic Forte.....	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>	7	0.00
454 = Novocain, Procaine.....	1	0.00
455 = Fiorinal with Codeine	2	0.00
458 = Mepergan, Mepergan Fortis	39	0.00
462 = Norflex	1	0.00
465 = Fentanyl.....	172	0.02
466 = Midol <OTC>	7	0.00
468 = Excedrin <OTC>	7	0.00
470 = Cafergot.....	3	0.00
472 = Indocin, Indomethacin	5	0.00
476 = Duradrin, Isocom, Midrin	15	0.00
477 = Melumbrina, Neo-Melumbrina	8	0.00
480 = Robitussin AC (with Codeine), Cheratussin AC	2	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol	18	0.00
490 = Nalbuphine, Nubain.....	5	0.00
496 = Ultram	19	0.00
498 = Mefenamic acid, Ponstan, Ponstel	1	0.00
499 = Aleve <OTC>	12	0.00
507 = Halothane, ether, or other anesthetics; chloroform	1	0.00
603 = Mescaline.....	1	0.00
605 = PCP ("angel dust," phencyclidine).....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	5	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	2	0.00
640 = Purple pyramid.....	1	0.00
651 = Mellow Yellow	1	0.00
658 = Special K, Ketamine	9	0.00

PAIN RELIEVERS

662 = Kanepolin	1	0.00
663 = Animal tranquilizer, horse tranquilizer.....	7	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED	3	0.00
702 = Heroin	3	0.00
703 = Opium, otherwise unspecified	5	0.00
704 = Dope.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	9	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	23	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	11	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	2	0.00
809 = Pills	1	0.00
819 = Inderal, Propranolol.....	2	0.00
820 = Penicillin.....	35	0.00
821 = Amoxicillin, Ampicillin, Pentrexly.....	48	0.01
824 = Steroids.....	3	0.00
828 = Tetracycline	3	0.00
829 = Robitussin DM <OTC>.....	2	0.00
837 = Paris 400.....	1	0.00
843 = Cold medicine, cold tablets <OTC>.....	2	0.00
844 = Blood pressure medication	1	0.00
848 = Liquid vitamin, vitamin pills <OTC>.....	3	0.00
858 = Antibiotic	17	0.00
883 = Dextromethorphan hydrobromide <OTC>	1	0.00
894 = Depakene, Depakote, Valproic acid.....	2	0.00
895 = Tagamet, Cimetidine	1	0.00
896 = Catapres, Clonidine	6	0.00
900 = Not a drug.....	2	0.00
1001 = Benadryl, Diphenhydramine <OTC>	6	0.00
1002 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	4	0.00
1003 = Donnatal	1	0.00
1006 = Trileptal, Oxcarbazepine	2	0.00
1008 = Rohr 714, Rorer 714	4	0.00
1010 = Diprivan.....	1	0.00
1016 = Phenazepam	1	0.00
1018 = Advil PM <OTC>.....	2	0.00
1021 = Seroquel XR.....	1	0.00
2001 = Soma	375	0.04
2002 = Muscle relaxers	135	0.01
2003 = Zanies, zannies, zans, zany bars.....	41	0.00
2007 = R2.....	1	0.00
2010 = Buscopan, Espacil.....	1	0.00
2011 = Lexapro.....	7	0.00
2012 = Geodon, Ziprasidone.....	2	0.00
2013 = Levsin, Hyoscyamine.....	1	0.00
2014 = Robaxisal	1	0.00
2015 = Flexodin	1	0.00
2016 = Xanax XR	2	0.00
2018 = 4 Bar, Quad Bar.....	2	0.00
2019 = Soma Compound	1	0.00
2023 = Tandrilax.....	1	0.00
3004 = Black cadillac.....	1	0.00
3015 = Fen-Phen (fenfluramine and phentermine)	1	0.00
3018 = Up-johns	1	0.00
3023 = Adderall	422	0.04
3026 = Bupropion, Wellbutrin, Zyban.....	7	0.00
3037 = Effexor.....	3	0.00
3040 = Hyper pills	1	0.00
3046 = Adrenalin, Epinephrine	1	0.00
3050 = Mini thins.....	1	0.00
3052 = Speed, otherwise unspecified.....	19	0.00
3077 = Concerta.....	8	0.00
3087 = Strattera	1	0.00
3090 = Provigil	4	0.00
3094 = Dexmethylphenidate, Focalin	2	0.00
3099 = Asenlix, Clobenzorex.....	1	0.00
3102 = Methylin	1	0.00
3106 = Sedalmerk	1	0.00
3111 = Vyvanse.....	11	0.00
3115 = Isometheptene	1	0.00
3118 = alli weight loss pills <OTC>.....	1	0.00
4001 = Actron, Ketoprofen, Orudis, Oruvail.....	3	0.00
4002 = Imitrex	17	0.00
4005 = Etodolac, Lodine	3	0.00
4007 = Happy pills.....	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Eptitol,Tegretol	5	0.00

PAIN RELIEVERS

4022 = Buprenex.....	2	0.00
4029 = Feldine, Piroxicam.....	1	0.00
4031 = Cough medicine with Codeine.....	30	0.00
4033 = Vicoprofen.....	17	0.00
4035 = Nabumetone, Relafen.....	10	0.00
4037 = MS Contin.....	10	0.00
4038 = Propacet.....	1	0.00
4039 = Daypro.....	4	0.00
4041 = Maxalt, Rizatriptan.....	5	0.00
4043 = Tramadol.....	69	0.01
4044 = Hydrocodone.....	333	0.04
4045 = Dolgic, Phrenillin Forte, Sedapap.....	2	0.00
4046 = Oxycodone.....	477	0.05
4047 = Roxicet.....	98	0.01
4048 = Motrin IB <OTC>.....	1	0.00
4049 = Headache power <OTC>.....	1	0.00
4051 = Celebrex.....	22	0.00
4052 = Endocet.....	21	0.00
4054 = Zomax.....	1	0.00
4055 = Vioxx.....	44	0.00
4056 = Cataflam, Diclofenac, Voltaren.....	21	0.00
4057 = Mevorin.....	2	0.00
4058 = Totem poles.....	2	0.00
4059 = Zomig, Zolmitriptan.....	4	0.00
4061 = Oramorph SR.....	1	0.00
4064 = Epidrin.....	1	0.00
4065 = Roxicodone.....	58	0.01
4067 = OxyContin.....	339	0.04
4069 = Benflogin.....	1	0.00
4071 = Syncol.....	1	0.00
4073 = Temgesic.....	1	0.00
4076 = OTC Pain reliever, not otherwise specified.....	1	0.00
4078 = Spasmoproxylin.....	1	0.00
4080 = Morphidex.....	1	0.00
4081 = Avamigran.....	1	0.00
4082 = Analgin, Dipyrone, Metamizol, Metamizole, Prodolin.....	3	0.00
4083 = Ultracet.....	26	0.00
4086 = Parafon Forte.....	3	0.00
4087 = Torbugesic/Torbutrol (veterinary butorphanol).....	1	0.00
4088 = Synthetic heroin; otherwise unspecified.....	1	0.00
4089 = Brompton's solution/mixture.....	1	0.00
4091 = K4.....	3	0.00
4092 = Pain reliever lotion, rub; not specified.....	3	0.00
4093 = Tylenol, Solpadeine.....	4	0.00
4094 = Tombstones.....	1	0.00
4095 = Dihydrocodeine.....	2	0.00
4096 = Bextra, Valdecocib.....	6	0.00
4097 = Tussionex.....	11	0.00
4100 = Excedrin Migraine <OTC>.....	1	0.00
4101 = Myprodol.....	2	0.00
4102 = Mobic, Meloxicam.....	2	0.00
4103 = Terpin Hydrate with Codeine.....	1	0.00
4104 = Dolo-Neurobion.....	1	0.00
4105 = Hydrocodone with APAP, otherwise unspecified.....	2	0.00
4108 = Homemade analgesics.....	2	0.00
4109 = Suboxone.....	107	0.01
4110 = Avinza.....	4	0.00
4111 = Clinoril, Sulinac.....	2	0.00
4114 = Nimesulide.....	1	0.00
4115 = Pantopon.....	1	0.00
4116 = Phenergan with codeine, promethazine with codeine.....	16	0.00
4117 = Oxy-IR.....	4	0.00
4118 = Sufenta, Sufentanil.....	1	0.00
4119 = Buprenorphine.....	18	0.00
4120 = Opana.....	143	0.02
4121 = Dorflex.....	2	0.00
4122 = Combiflam.....	4	0.00
4123 = Dolorex.....	1	0.00
4124 = Relpax.....	2	0.00
4125 = Hycodan, Hydromet, Tussion.....	3	0.00
4126 = Panafen Plus.....	1	0.00
4127 = Panadeine.....	1	0.00
4132 = Embeda.....	1	0.00
4135 = Arcoxia, Etoricoxib.....	1	0.00
4136 = Sedalmex <OTC>.....	1	0.00

PAIN RELIEVERS

4137 = Nucynta	3	0.00
4143 = Vicotuss	2	0.00
4145 = Daprisal	1	0.00
5105 = Sulfur, otherwise unspecified	1	0.00
6029 = DXM	6	0.00
6044 = Gel caps, gel tabs.....	1	0.00
6048 = Dex.....	1	0.00
6083 = CCC, "Triple C," C3 <OTC>	3	0.00
6114 = Molly, not otherwise specified.....	3	0.00
6127 = Skittles.....	3	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	2	0.00
8002 = Zantac	43	0.00
8007 = Gabapentin, Neurontin	39	0.00
8008 = Antidepressant, type unspecified	9	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd	10	0.00
8010 = Zyrtec, Cetirizine <OTC>	8	0.00
8012 = Coriciden <OTC>	6	0.00
8015 = Bengay <OTC>	1	0.00
8017 = Buscapina	2	0.00
8018 = Claritromicina	1	0.00
8019 = Azithromycin, Z-pack, Zithromax.....	1	0.00
8020 = Allegra, Altiva.....	7	0.00
8021 = Cipro, Ciprofloxacin, Ciloxam	2	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator	3	0.00
8025 = Alavert D, Claritin D, or similar	4	0.00
8029 = Flexall <OTC>	2	0.00
8030 = Tums <OTC>	2	0.00
8032 = Prilosec, Mopral	4	0.00
8033 = Heart medication, type unspecified	1	0.00
8035 = Prednisone	6	0.00
8044 = Cephelaxin, Keflex	4	0.00
8045 = Gas-X , Mylicon <OTC>	1	0.00
8052 = Bactrim, Septra.....	2	0.00
8058 = Cough medicine/syrup, type unspecified	26	0.00
8062 = Mylanta <OTC>	1	0.00
8065 = Tylenol Cold Medication <OTC>	1	0.00
8066 = Viagra.....	1	0.00
8071 = Augmentin	2	0.00
8085 = Anti-psychotics/schizophrenic, type unspcfd	4	0.00
8094 = Pepto Bismol <OTC>	2	0.00
8097 = Tizanidine, Zanaflex	3	0.00
8114 = Lidocaine	8	0.00
8117 = Hydrocortisone.....	4	0.00
8119 = Regal medicated oil	1	0.00
8120 = Difulcan	1	0.00
8126 = Valtrex.....	1	0.00
8134 = Glucophage, Metformin	2	0.00
8135 = Verapamil	1	0.00
8136 = Montekulast, Singulair	2	0.00
8140 = Anamine	1	0.00
8142 = Conex Plus.....	1	0.00
8144 = Clarinex, Desloratadine.....	1	0.00
8150 = Biolex wound gel <OTC>	1	0.00
8153 = Nexium	2	0.00
8156 = Flumethasone	1	0.00
8162 = Prevacid.....	2	0.00
8168 = Fluoride	1	0.00
8172 = Cortisone.....	1	0.00
8182 = Clindamycin	1	0.00
8184 = Ondansetron, Periset, Zofran	1	0.00
8186 = Lomotil	2	0.00
8190 = Benegal.....	1	0.00
8196 = Hirudoid.....	1	0.00
8198 = Handle bars, handlebars	4	0.00
8199 = Neurobion	1	0.00
8200 = Dan(s), Dan Dan(s), no other information	2	0.00
8201 = Watson(s), no other information	4	0.00
8203 = Bar, otherwise unspecified	17	0.00
8205 = Tylenol Allergy <OTC>.....	1	0.00
8210 = Mylan(s), no other information.....	1	0.00
8213 = Ranitidine	1	0.00
8217 = Anti-diarrhea medication, type unspecified	1	0.00
8218 = Attention deficit disorder meds; type unspcfd.....	1	0.00
8225 = Cymbalta, Duloxetine	5	0.00
8229 = ADHD/ADD medication, otherwise unspfd.....	5	0.00

PAIN RELIEVERS

8230 = Advair.....	1	0.00
8235 = Benzonatate, Tessalon.....	1	0.00
8236 = Lyrica, Pregabalin.....	8	0.00
8242 = Albucid	1	0.00
8243 = Guaifenes	1	0.00
8245 = Human growth hormone (HGH)	1	0.00
8246 = Phenoxyl.....	1	0.00
8247 = Abilify, Aripiprazole.....	1	0.00
8255 = Sulfuride	1	0.00
8274 = Terramycin.....	1	0.00
8281 = Antiseptic, type unspecified	1	0.00
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	3	0.00
8296 = Acetazolamide, Diamox.....	1	0.00
8297 = TussiCaps	1	0.00
8306 = Flu medication, no other information	1	0.00
8323 = Benzathine benzylpenicillin, Penadur	1	0.00
8330 = Bipolar disorder medication, type unspecified	1	0.00
8333 = Moringa	1	0.00
8342 = Nalone, Naloxone, Narcan	1	0.00
8345 = Dolo-Doceplex D	1	0.00
8346 = Duralex	1	0.00
8356 = Tigan, Trimethobenzamide.....	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.11
9985 = BAD DATA Logically assigned	204	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	791	0.08
9991 = NEVER USED PAIN RELIEVERS.....	604055	63.63
9997 = REFUSED	745	0.08
9998 = BLANK (NO ANSWER).....	6048	0.64
9999 = LEGITIMATE SKIP.....	95244	10.03

PAIN RELIEVERS

ANALNEWB

Len : 4 OTHER PAIN RELIEVER - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
105 = Placidyl, Ethchlorvynol.....	6	0.00
106 = Doriden.....	1	0.00
109 = Seconal	8	0.00
110 = Tuinal	5	0.00
112 = Restoril	2	0.00
113 = Halcion	1	0.00
114 = Amobarbital	1	0.00
115 = Phenobarbital	4	0.00
116 = Methaqualone, Sopor, Quaalude.....	31	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	8	0.00
124 = Yellow jackets.....	3	0.00
129 = Reds	5	0.00
130 = Promethazine	10	0.00
137 = 7-14	3	0.00
138 = Mandrax, Mandrix [see also 116]	2	0.00
141 = Dilantin.....	1	0.00
146 = Bentyl, Dicyclomine	1	0.00
157 = Barbiturates.....	2	0.00
171 = NyQuil <OTC>	3	0.00
174 = Ambien.....	17	0.00
178 = Quetiapine, Seroquel	19	0.00
180 = Tylenol P.M. <OTC>.....	5	0.00
191 = Blues	1	0.00
195 = Lotusate, Talbutal.....	1	0.00
197 = Topamax.....	4	0.00
201 = Valium.....	203	0.02
202 = Librium.....	1	0.00
207 = Ativan.....	18	0.00
209 = Xanax	264	0.03
211 = BuSpar.....	2	0.00
215 = Vistaril.....	1	0.00
216 = Atarax.....	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	2	0.00
223 = Methocarbamol	1	0.00
224 = Triavil.....	1	0.00
225 = Desyrel, Trazodone hydrochloride	9	0.00
227 = Thorazine	1	0.00
228 = Amitriptyline, Elavil	8	0.00
234 = Flexeril	57	0.01
241 = Prozac, Fluoxetine	5	0.00
246 = Klonopin	77	0.01
250 = Aventyl, Nortab, Nortriptyline, Pamelor	1	0.00
262 = Prolixin	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies.....	8	0.00
271 = Sertraline hydrochloride, Zoloft.....	6	0.00
283 = Paroxetine, Paxil	1	0.00
290 = Metaxalone, Skelaxin	2	0.00
291 = Celexa, Citalopram.....	2	0.00
295 = Mirtazapine, Remeron	1	0.00
309 = Didrex	1	0.00
313 = Adipex-P.....	1	0.00
318 = Ritalin.....	37	0.00
327 = Black beauties, black beauty	4	0.00
331 = Blancs, whites.....	2	0.00
334 = Crossroads, cross tops.....	1	0.00
336 = Diet pills/medications/drugs, otherwise unspfd.....	2	0.00
339 = Amphetamines, otherwise unspecified	2	0.00
364 = Pseudoephedrine <OTC>	1	0.00
377 = Albuterol.....	2	0.00
382 = Footballs, purple footballs	1	0.00
401 = Darvon.....	3	0.00
403 = SK-65	1	0.00
406 = Percodan	7	0.00
407 = Demerol.....	8	0.00
408 = Dilaudid, Hydromorphone	14	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	27	0.00
411 = Talwin	2	0.00
413 = Talacen	2	0.00
414 = Propoxyphene	1	0.00
415 = Codeine pills	35	0.00
417 = Morphine	46	0.00
418 = Methadone	22	0.00

PAIN RELIEVERS

419 = Stadol, Stadol NS	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	86	0.01
421 = USED ANALGESIC, DON'T KNOW NAME	201	0.02
422 = Motrin	58	0.01
423 = Percocet	83	0.01
424 = Fioricet	2	0.00
425 = Advil <OTC>	53	0.01
426 = Fiorinal	1	0.00
427 = Darvocet, Davocet-N	14	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	12	0.00
431 = Tylox	5	0.00
434 = Vicodin	248	0.03
435 = Tylenol, Tylenol Extra-Strength <OTC>	71	0.01
438 = Anaprox, Naprosyn, Naproxen, Naxen	17	0.00
439 = 222, Canadian 222	1	0.00
442 = Ibuprofen	122	0.01
447 = Synalgos, Synalgos DC	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>	4	0.00
454 = Novocain, Procaine	1	0.00
458 = Mepergan, Mepergan Fortis	2	0.00
465 = Fentanyl	31	0.00
466 = Midol <OTC>	8	0.00
468 = Excedrin <OTC>	4	0.00
470 = Cafergot	1	0.00
476 = Duradrin, Isocom, Midrin	1	0.00
477 = Melumbrina, Neo-Melumbrina	2	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol	4	0.00
490 = Nalbuphine, Nubain	2	0.00
496 = Ultram	6	0.00
498 = Mefenamic acid, Ponstan, Ponstel	2	0.00
499 = Aleve <OTC>	11	0.00
658 = Special K, Ketamine	3	0.00
673 = Orange	1	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED	1	0.00
703 = Opium, otherwise unspecified	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	5	0.00
802 = THC, cannabinol, marinol, tetrahydrocannabinol	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	3	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
820 = Penicillin	6	0.00
821 = Amoxicillin, Ampicillin, Pentrexly	5	0.00
829 = Robitussin DM <OTC>	3	0.00
843 = Cold medicine, cold tablets <OTC>	2	0.00
848 = Liquid vitamin, vitamin pills <OTC>	1	0.00
858 = Antibiotic	1	0.00
865 = Diuretics, water pills	2	0.00
894 = Depakene, Depakote, Valproic acid	2	0.00
896 = Catapres, Clonidine	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>	7	0.00
1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	1	0.00
1008 = Rohr 714, Rorer 714	1	0.00
1011 = Eszopiclone, Lunesta	2	0.00
2001 = Soma	90	0.01
2002 = Muscle relaxers	27	0.00
2003 = Zanies, zannies, zans, zany bars	10	0.00
2010 = Buscopan, Espacil	1	0.00
2011 = Lexapro	3	0.00
2016 = Xanax XR	1	0.00
2018 = 4 Bar, Quad Bar	1	0.00
2025 = Clobazam	1	0.00
3007 = Nasal inhalant	1	0.00
3023 = Adderall	73	0.01
3026 = Bupropion, Wellbutrin, Zyban	4	0.00
3037 = Effexor	2	0.00
3044 = Caffeine pills <OTC>	1	0.00
3047 = Sudafed <OTC>	1	0.00
3050 = Mini thins	1	0.00
3052 = Speed, otherwise unspecified	3	0.00
3077 = Concerta	3	0.00
3086 = Adderall XR	1	0.00
3111 = Vyvanse	3	0.00
4002 = Imitrex	4	0.00
4007 = Happy pills	2	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Eptol, Tegretol	1	0.00
4023 = Pamprin <OTC>	2	0.00

PAIN RELIEVERS

4031 = Cough medicine with Codeine.....	3	0.00
4033 = Vicoprofen	3	0.00
4034 = Lilly red	1	0.00
4035 = Nabumetone, Relafen.....	1	0.00
4037 = MS Contin.....	3	0.00
4039 = Daypro.....	1	0.00
4041 = Maxalt, Rizatriptan	1	0.00
4043 = Tramadol.....	10	0.00
4044 = Hydrocodone	57	0.01
4046 = Oxycodone	62	0.01
4047 = Roxicet	15	0.00
4048 = Motrin IB <OTC>	2	0.00
4049 = Headache power <OTC>.....	2	0.00
4051 = Celebrex.....	2	0.00
4052 = Endocet.....	6	0.00
4055 = Vioxx.....	4	0.00
4056 = Cataflam, Diclofenac, Voltaren	3	0.00
4057 = Mevorin	1	0.00
4058 = Totem poles	2	0.00
4060 = Ansaïd, Flurbiprofen, Majezik.....	1	0.00
4065 = Roxicodone	8	0.00
4067 = OxyContin	76	0.01
4076 = OTC Pain reliever, not otherwise specified.....	1	0.00
4082 = Analgin, Dipyrone, Metamizol, Metamizole, Prodolin	1	0.00
4083 = Ultracet	5	0.00
4091 = K4	1	0.00
4093 = Tylenol, Solpadeine	1	0.00
4096 = Bextra, Valdecoxib	1	0.00
4097 = Tussionex.....	3	0.00
4104 = Dolo-Neurobion	1	0.00
4106 = Atroveran	1	0.00
4109 = Suboxone	22	0.00
4114 = Nimesulide.....	1	0.00
4116 = Phenergan with codeine, promethazine with codeine	1	0.00
4119 = Buprenorphine.....	7	0.00
4120 = Opana	32	0.00
4122 = Combiflam	1	0.00
4129 = Naproxen Sodium 220 mg <OTC>	1	0.00
4133 = Tramadol extended release	1	0.00
4140 = Opana ER (extended release).....	1	0.00
4144 = Bancap HC.....	1	0.00
6029 = DXM	2	0.00
6044 = Gel caps, gel tabs.....	1	0.00
6048 = Dex.....	1	0.00
6076 = Lemon 714.....	3	0.00
6083 = CCC, "Triple C," C3 <OTC>	4	0.00
6114 = Molly, not otherwise specified.....	4	0.00
6127 = Skittles	1	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	1	0.00
8002 = Zantac	10	0.00
8004 = Guaifenesin	1	0.00
8007 = Gabapentin, Neurontin	8	0.00
8008 = Antidepressant, type unspecified	3	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd	3	0.00
8010 = Zyrtec, Cetirizine <OTC>	2	0.00
8012 = Coriciden <OTC>.....	8	0.00
8013 = Maalox <OTC>	1	0.00
8014 = Throat spray/lozenge, type unspecified <OTC>.....	1	0.00
8020 = Allegra, Altiva.....	3	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator	1	0.00
8025 = Alavert D, Claritin D, or similar	1	0.00
8027 = Alavert, Claritin, Loratadine <OTC>	2	0.00
8029 = Flexall <OTC>	1	0.00
8030 = Tums <OTC>	1	0.00
8035 = Prednisone	2	0.00
8055 = Flonase	1	0.00
8058 = Cough medicine/syrup, type unspecified	6	0.00
8067 = Testosterone	1	0.00
8068 = Hemorrhoid cream.....	1	0.00
8094 = Pepto Bismol <OTC>	1	0.00
8097 = Tizanidine, Zanaflex	4	0.00
8107 = Diovan, Valsartan.....	1	0.00
8114 = Lidocaine	1	0.00
8135 = Verapamil	1	0.00
8136 = Montelukast, Singulair.....	3	0.00

PAIN RELIEVERS

8155 = Telithromycin.....	1	0.00
8169 = TheraFlu <OTC>.....	1	0.00
8173 = Chlorhexidine, Exidine	1	0.00
8184 = Ondansetron, Periset, Zofran	2	0.00
8198 = Handle bars, handlebars	1	0.00
8203 = Bar, otherwise unspecified	3	0.00
8210 = Mylan(s), no other information.....	1	0.00
8213 = Ranitidine	1	0.00
8233 = Keppra, Levetiracetam	1	0.00
8234 = Lamisil.....	1	0.00
8239 = Drotaverine, Drotin.....	1	0.00
8267 = Quinine	1	0.00
8274 = Terramycin.....	1	0.00
8280 = Mucinex-DM <OTC>	1	0.00
8290 = Dependal-M, Furazolidone, Furoxone.....	1	0.00
8305 = Anti-anxiety medications, type unspecified.....	2	0.00
8306 = Flu medication, no other information	1	0.00
8320 = Abraxane.....	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.11
9985 = BAD DATA Logically assigned	121	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	186	0.02
9991 = NEVER USED PAIN RELIEVERS.....	604055	63.63
9997 = REFUSED	269	0.03
9998 = BLANK (NO ANSWER).....	18257	1.92
9999 = LEGITIMATE SKIP.....	95849	10.10

PAIN RELIEVERS

ANALNEWC

Len : 4 OTHER PAIN RELIEVER - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
105 = Placidyl, Ethchlorvynol.....	3	0.00
108 = Nembutal	1	0.00
109 = Seconal	4	0.00
110 = Tuinal	4	0.00
113 = Halcion	1	0.00
116 = Methaqualone, Sopor, Quaalude.....	9	0.00
117 = Chloral hydrate, Noctec	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
130 = Promethazine	2	0.00
137 = 7-14	4	0.00
145 = Red devil(s).....	1	0.00
146 = Bentyl, Dicyclomine	1	0.00
171 = NyQuil <OTC>	1	0.00
174 = Ambien.....	7	0.00
176 = Melatonin <OTC>	1	0.00
178 = Quetiapine, Seroquel	2	0.00
191 = Blues	1	0.00
201 = Valium.....	52	0.01
202 = Librium.....	2	0.00
207 = Ativan.....	8	0.00
209 = Xanax	82	0.01
212 = Miltown	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	2	0.00
223 = Methocarbamol	1	0.00
225 = Desyrel, Trazodone hydrochloride	3	0.00
228 = Amitriptyline, Elavil	1	0.00
234 = Flexeril	8	0.00
241 = Prozac, Fluoxetine	1	0.00
246 = Klonopin.....	24	0.00
250 = Aventyl, Nortab, Nortriptyline, Pamelor	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies.....	2	0.00
271 = Sertraline hydrochloride, Zoloft.....	6	0.00
278 = Benzodiazepines.....	1	0.00
283 = Paroxetine, Paxil	1	0.00
298 = Acepromazine, PromAce	1	0.00
301 = Dexedrine	1	0.00
318 = Ritalin.....	12	0.00
326 = White cross	1	0.00
327 = Black beauties, black beauty	2	0.00
332 = Ephedrine.....	1	0.00
377 = Albuterol.....	1	0.00
382 = Footballs, purple footballs	1	0.00
403 = SK-65	1	0.00
406 = Percodan	3	0.00
407 = Demerol.....	6	0.00
408 = Dilaudid, Hydromorphone	3	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	9	0.00
411 = Talwin	1	0.00
413 = Talacen	1	0.00
414 = Propoxyphene	1	0.00
415 = Codeine pills	20	0.00
417 = Morphine	15	0.00
418 = Methadone	9	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	30	0.00
421 = USED ANALGESIC, DON'T KNOW NAME.....	60	0.01
422 = Motrin	17	0.00
423 = Percocet.....	25	0.00
424 = Fioricet	1	0.00
425 = Advil <OTC>.....	17	0.00
426 = Fiorinal	2	0.00
427 = Darvocet, Davocet-N	6	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	5	0.00
431 = Tylox	5	0.00
434 = Vicodin.....	49	0.01
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	29	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen.....	8	0.00
442 = Ibuprofen	24	0.00
458 = Mepergan, Mepergan Fortis	2	0.00
465 = Fentanyl.....	8	0.00
466 = Midol <OTC>	5	0.00
468 = Excedrin <OTC>	1	0.00
476 = Duradrin, Isocom, Midrin	1	0.00

PAIN RELIEVERS

496 = Ultram	2	0.00
499 = Aleve <OTC>	6	0.00
820 = Penicillin	2	0.00
821 = Amoxicillin, Ampicillin, Pentrexly	1	0.00
829 = Robitussin DM <OTC>	2	0.00
843 = Cold medicine, cold tablets <OTC>	1	0.00
848 = Liquid vitamin, vitamin pills <OTC>	2	0.00
1001 = Benadryl, Diphenhydramine <OTC>	1	0.00
2001 = Soma	24	0.00
2002 = Muscle relaxers	3	0.00
2003 = Zanies, zannies, zans, zany bars	7	0.00
3007 = Nasal inhalant	1	0.00
3017 = Dayquil <OTC>	1	0.00
3023 = Adderall	23	0.00
3026 = Bupropion, Wellbutrin, Zyban	3	0.00
3052 = Speed, otherwise unspecified	2	0.00
3086 = Adderall XR	1	0.00
3111 = Vyvanse	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Eptol, Tegretol	1	0.00
4027 = Rorer	2	0.00
4037 = MS Contin	1	0.00
4043 = Tramadol	4	0.00
4044 = Hydrocodone	17	0.00
4046 = Oxycodone	18	0.00
4047 = Roxicet	1	0.00
4048 = Motrin IB <OTC>	1	0.00
4052 = Endocet	1	0.00
4057 = Mevorin	1	0.00
4058 = Totem poles	1	0.00
4065 = Roxicodone	1	0.00
4067 = OxyContin	23	0.00
4082 = Analgin, Dipyrone, Metamizol, Metamizole, Prodolin	1	0.00
4083 = Ultracet	1	0.00
4088 = Synthetic heroin; otherwise unspecified	1	0.00
4099 = Anacin <OTC>	1	0.00
4109 = Suboxone	2	0.00
4119 = Buprenorphine	3	0.00
4120 = Opana	8	0.00
4141 = Alfenta, Alfentanil	1	0.00
4145 = Daprisal	1	0.00
6029 = DXM	1	0.00
6083 = CCC, "Triple C," C3 <OTC>	1	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	1	0.00
8002 = Zantac	3	0.00
8010 = Zyrtec, Cetirizine <OTC>	1	0.00
8012 = Coriciden <OTC>	2	0.00
8019 = Azithromycin, Z-pack, Zithromax	1	0.00
8020 = Allegra, Altiva	6	0.00
8027 = Alavert, Claritin, Loratadine <OTC>	1	0.00
8033 = Heart medication, type unspecified	1	0.00
8035 = Prednisone	1	0.00
8055 = Flonase	1	0.00
8058 = Cough medicine/syrup, type unspecified	2	0.00
8153 = Nexium	1	0.00
8172 = Cortisone	1	0.00
8182 = Clindamycin	1	0.00
8189 = Furosemide, Lasix	1	0.00
8198 = Handle bars, handlebars	1	0.00
8203 = Bar, otherwise unspecified	1	0.00
8245 = Human growth hormone (HGH)	1	0.00
8274 = Terramycin	1	0.00
8299 = Broncolin <OTC>	1	0.00
8313 = Medithane	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
9985 = BAD DATA Logically assigned	40	0.00
9989 = LEGITIMATE SKIP Logically assigned	46	0.00
9991 = NEVER USED PAIN RELIEVERS	604055	63.63
9997 = REFUSED	230	0.02
9998 = BLANK (NO ANSWER)	20381	2.15
9999 = LEGITIMATE SKIP	95989	10.11

PAIN RELIEVERS

ANALNEWD

Len : 4 OTHER PAIN RELIEVER - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
109 = Seconal	1	0.00
110 = Tuinal	1	0.00
116 = Methaqualone, Sopor, Quaalude.....	2	0.00
137 = 7-14	1	0.00
171 = NyQuil <OTC>	1	0.00
174 = Ambien.....	2	0.00
178 = Quetiapine, Seroquel	1	0.00
201 = Valium.....	17	0.00
207 = Ativan.....	3	0.00
209 = Xanax	24	0.00
215 = Vistaril.....	1	0.00
225 = Desyrel, Trazodone hydrochloride	1	0.00
234 = Flexeril	4	0.00
241 = Prozac, Fluoxetine	1	0.00
246 = Klonopin	10	0.00
288 = Baclofen	1	0.00
318 = Ritalin.....	5	0.00
407 = Demerol.....	2	0.00
408 = Dilaudid, Hydromorphone	3	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	4	0.00
411 = Talwin	2	0.00
414 = Propoxyphene	1	0.00
415 = Codeine pills	7	0.00
417 = Morphine	5	0.00
418 = Methadone	2	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	12	0.00
421 = USED ANALGESIC, DON'T KNOW NAME.....	16	0.00
422 = Motrin	5	0.00
423 = Percocet.....	7	0.00
425 = Advil <OTC>.....	10	0.00
427 = Darvocet, Davocet-N	4	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	3	0.00
434 = Vicodin.....	19	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	6	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen.....	1	0.00
442 = Ibuprofen	12	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>	1	0.00
465 = Fentanyl.....	1	0.00
466 = Midol <OTC>	1	0.00
496 = Ultram	4	0.00
499 = Aleve <OTC>	1	0.00
605 = PCP ("angel dust," phencyclidine).....	1	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED	1	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
821 = Amoxicillin, Ampicillin, Pentrexly.....	1	0.00
848 = Liquid vitamin, vitamin pills <OTC>.....	1	0.00
1008 = Rohr 714, Rorer 714	1	0.00
2001 = Soma	7	0.00
2002 = Muscle relaxers	1	0.00
2003 = Zanies, zannies, zans, zany bars.....	1	0.00
3023 = Adderall	4	0.00
3026 = Bupropion, Wellbutrin, Zyban.....	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol	1	0.00
4033 = Vicoprofen	1	0.00
4043 = Tramadol.....	3	0.00
4044 = Hydrocodone.....	7	0.00
4046 = Oxycodone.....	3	0.00
4048 = Motrin IB <OTC>	1	0.00
4052 = Endocet.....	2	0.00
4056 = Cataflam, Diclofenac, Voltaren	1	0.00
4067 = OxyContin	7	0.00
4082 = Analgin, Dipyrone, Metamizol, Metamizole, Prodolin	1	0.00
4083 = Ultracet	1	0.00
4116 = Phenergan with codeine, promethazine with codeine	1	0.00
4118 = Sufenta, Sufentanil.....	1	0.00
4119 = Buprenorphine.....	1	0.00
4120 = Opana	2	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	1	0.00
8007 = Gabapentin, Neurontin	1	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd	1	0.00
8020 = Allegra, Altiva.....	1	0.00

PAIN RELIEVERS

8030 = Tums <OTC>	1	0.00
8035 = Prednisone	1	0.00
8047 = Pepcid AC <OTC>	1	0.00
8094 = Pepto Bismol <OTC>	1	0.00
8114 = Lidocaine	1	0.00
8200 = Dan(s), Dan Dan(s), no other information	1	0.00
8225 = Cymbalta, Duloxetine	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.11
9985 = BAD DATA Logically assigned	19	0.00
9989 = LEGITIMATE SKIP Logically assigned.....	14	0.00
9991 = NEVER USED PAIN RELIEVERS.....	604055	63.63
9997 = REFUSED	208	0.02
9998 = BLANK (NO ANSWER).....	20984	2.21
9999 = LEGITIMATE SKIP.....	96021	10.12

PAIN RELIEVERS

ANALNEW

Len : 4 OTHER PAIN RELIEVER - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
110 = Tuinal	1	0.00
116 = Methaqualone, Sopor, Quaalude	2	0.00
129 = Reds	1	0.00
174 = Ambien	2	0.00
201 = Valium	11	0.00
207 = Ativan	1	0.00
209 = Xanax	9	0.00
225 = Desyrel, Trazodone hydrochloride	1	0.00
234 = Flexeril	3	0.00
241 = Prozac, Fluoxetine	1	0.00
318 = Ritalin	1	0.00
406 = Percodan	1	0.00
408 = Dilaudid, Hydromorphone	1	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
415 = Codeine pills	3	0.00
417 = Morphine	4	0.00
418 = Methadone	1	0.00
419 = Stadol, Stadol NS	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	6	0.00
421 = USED ANALGESIC, DON'T KNOW NAME	4	0.00
422 = Motrin	1	0.00
423 = Percocet	3	0.00
425 = Advil <OTC>	3	0.00
426 = Fiorinal	1	0.00
427 = Darvocet, Davocet-N	1	0.00
434 = Vicodin	6	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>	4	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen	2	0.00
442 = Ibuprofen	2	0.00
465 = Fentanyl	1	0.00
466 = Midol <OTC>	2	0.00
496 = Ultram	1	0.00
658 = Special K, Ketamine	1	0.00
806 = Crack, rock	1	0.00
2001 = Soma	5	0.00
3023 = Adderall	3	0.00
4044 = Hydrocodone	9	0.00
4046 = Oxycodone	1	0.00
4065 = Roxicodone	1	0.00
4067 = OxyContin	1	0.00
4109 = Suboxone	3	0.00
4139 = Bute tabs, Phenylbutazone	1	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	1	0.00
8007 = Gabapentin, Neurontin	1	0.00
8025 = Alavert D, Claritin D, or similar	1	0.00
8042 = Alka Seltzer <OTC>	1	0.00
8097 = Tizanidine, Zanaflex	2	0.00
8201 = Watson(s), no other information	1	0.00
8313 = Medithane	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
9985 = BAD DATA Logically assigned	12	0.00
9989 = LEGITIMATE SKIP Logically assigned	8	0.00
9991 = NEVER USED PAIN RELIEVERS	604055	63.63
9997 = REFUSED	203	0.02
9998 = BLANK (NO ANSWER)	21150	2.23
9999 = LEGITIMATE SKIP	96027	10.12

PAIN RELIEVERS

The answers that people give us about their use of prescription pain relievers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: DARVTYLC, PERCTYLX, VICOLOR, ANLCARD, or ANLNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.

ANLEVER

Len : 2 EVER USED PAIN RELIEVERS NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	114943	12.11
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
91 = NEVER USED PAIN RELIEVERS	604055	63.63
97 = REFUSED	25	0.00
98 = BLANK (NO ANSWER).....	2548	0.27

How old were you the first time you used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

ANALAGE

Len : 3 AGE WHEN FIRST USED PAIN RELIEVERS NONMEDICALLY

	Freq	Pct
RANGE = 1 - 82.....	108539	11.43
-9 = Data not collected for this year	226632	23.87
981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.11
985 = BAD DATA Logically assigned.....	850	0.09
991 = NEVER USED PAIN RELIEVERS	604055	63.63
994 = DON'T KNOW	4238	0.45
997 = REFUSED	1377	0.15
998 = BLANK (NO ANSWER).....	2512	0.26

Did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

ANALYFU

Len : 4 YEAR OF FIRST PAIN RELIEVER USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014.....	18771	1.98
-9 = Data not collected for this year	226632	23.87
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.11
9985 = BAD DATA Logically assigned	2361	0.25
9989 = LEGITIMATE SKIP Logically assigned.....	1139	0.12
9991 = NEVER USED PAIN RELIEVERS.....	604055	63.63
9994 = DON'T KNOW.....	4338	0.46
9997 = REFUSED	1419	0.15
9998 = BLANK (NO ANSWER).....	2591	0.27
9999 = LEGITIMATE SKIP.....	86897	9.15

PAIN RELIEVERS

In what month in [CURRENT YEAR] did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM PR07a or PR07b] did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

ANALMFU

Len : 2 MONTH OF FIRST PAIN RELIEVER USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = January	1776	0.19
2 = February	1334	0.14
3 = March	1504	0.16
4 = April	1326	0.14
5 = May	1218	0.13
6 = June	1671	0.18
7 = July	1461	0.15
8 = August	1374	0.14
9 = September	1405	0.15
10 = October	1542	0.16
11 = November	1389	0.15
12 = December	1169	0.12
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned	2352	0.25
89 = LEGITIMATE SKIP Logically assigned	1139	0.12
91 = NEVER USED PAIN RELIEVERS	604055	63.63
94 = DON'T KNOW	5863	0.62
97 = REFUSED	1496	0.16
98 = BLANK (NO ANSWER)	2600	0.27
99 = LEGITIMATE SKIP	86897	9.15

How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

ANALREC

Len : 2 TIME SINCE LAST USED PAIN RELIEVER NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	19302	2.03
2 = More than 30 days ago but within the past 12 mos	29859	3.15
3 = More than 12 months ago	61569	6.49
8 = Used at some point in the past 12 mos LOG ASSN	547	0.06
9 = Used at some point in lifetime LOG ASSN	3546	0.37
11 = Used in the past 30 days LOGICALLY ASSIGNED	104	0.01
12 = Used >30 days ago but within pst 12 mos LOG ASSN	16	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned	40	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
97 = REFUSED	25	0.00
98 = BLANK (NO ANSWER)	2508	0.26

NOTE: The variables ANLYRTOT, PRBSTWAY, PRDAYPYR, PRDAYPMO, and PRDAYPWK incorporate values from follow-up questions that were asked if respondents previously reported that they last used any pain reliever more than 12 months ago but subsequently reported more recent use of any pain reliever or OxyContin.

ANLYRTOT

Len : 3 TOTAL # DAYS USED PAIN RELIEVER PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	48269	5.08
-9 = Data not collected for this year	226632	23.87
981 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
985 = BAD DATA Logically assigned	412	0.04
991 = NEVER USED PAIN RELIEVERS	604055	63.63
993 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	6.49
994 = DON'T KNOW	908	0.10
997 = REFUSED	265	0.03
998 = BLANK (NO ANSWER)	6093	0.64

PAIN RELIEVERS

[PRTOTFG](#)

Len : 2 TRIMMING INDICATOR FOR ANLYRTOT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Trimmed to 365 days (no further editing)	5	0.00
98 = BLANK (NO ANSWER).....	722648	76.13

[PRFQFLG](#)

Len : 2 TRIMMED ANLYRTOT IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Trimmed to be consistent with mo/yr of 1st use	3409	0.36
98 = BLANK (NO ANSWER).....	719244	75.77

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used a prescription pain reliever in either of these ways?

[PRBSTWAY](#)

Len : 2 EASIEST WAY TO TELL US # DAYS USED PAIN RELIEVER

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Prefer to answer in days per week.....	8929	0.94
2 = Prefer to answer in days per month.....	12996	1.37
3 = Prefer to answer in days per year.....	25639	2.70
11 = Prefer to ans in days per wk LOG ASSN	126	0.01
12 = Prefer to ans in days per mo LOG ASSN	185	0.02
13 = Prefer to ans in days per yr LOG ASSN.....	574	0.06
21 = Prefer to ans in days per wk (OXBSTWAY=1,11)	187	0.02
22 = Prefer to ans in days per mo (OXBSTWAY=2,12)	199	0.02
23 = Prefer to ans in days per yr (OXBSTWAY=3,13).....	95	0.01
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	410	0.04
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	392	0.04
97 = REFUSED	122	0.01
98 = BLANK (NO ANSWER).....	6093	0.64

On how many days in the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

[PRDAYPYR](#)

Len : 3 # DAYS USED PAIN RELIEVER "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	26131	2.75
-9 = Data not collected for this year	226632	23.87
981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.11
985 = BAD DATA Logically assigned.....	113	0.01
989 = LEGITIMATE SKIP Logically assigned.....	371	0.04
991 = NEVER USED PAIN RELIEVERS	604055	63.63
993 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
994 = DON'T KNOW	538	0.06
997 = REFUSED	153	0.02
998 = BLANK (NO ANSWER).....	6390	0.67
999 = LEGITIMATE SKIP	22251	2.34

PAIN RELIEVERS

On average, how many days each month during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

PRDAYPMO

Len : 2 # DAYS PER MO USED PAIN RELIEVER "NM" PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31.....	13152	1.39
-9 = Data not collected for this year	226632	23.87
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	110	0.01
89 = LEGITIMATE SKIP Logically assigned	213	0.02
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	723	0.08
97 = REFUSED	197	0.02
98 = BLANK (NO ANSWER).....	6392	0.67
99 = LEGITIMATE SKIP	35160	3.70

On average, how many days each week during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

PRDAYPWK

Len : 2 # DAYS PER WK USED PAIN RELIEVER "NM" PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7.....	8986	0.95
-9 = Data not collected for this year	226632	23.87
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	206	0.02
89 = LEGITIMATE SKIP Logically assigned	32	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	908	0.10
97 = REFUSED	265	0.03
98 = BLANK (NO ANSWER).....	6299	0.66
99 = LEGITIMATE SKIP	39251	4.13

NOTE: Although the Food and Drug Administration (FDA) did not approve OxyContin for medical use in the United States until late 1995, no editing was done to OXYCAGE when respondents reported first using OxyContin at ages that would indicate nonmedical use prior to FDA approval. Although no editing was done for these cases, caution is advised in interpreting data from these respondents, and particularly the farther that OXYCAGE would be from first use in 1995.

Now think only about your use of Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused. How old were you the first time you used Oxycontin in either of these ways?

How old were you the first time you used Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCAGE

Len : 3 AGE WHEN FIRST USED OXYCONTIN NONMEDICALLY

	Freq	Pct
RANGE = 1 - 66.....	18501	1.95
-9 = Data not collected for this year	335941	35.39
981 = NEVER USED OXYCONTIN Logically assigned	26891	2.83
985 = BAD DATA Logically assigned.....	85	0.01
991 = NEVER USED OXYCONTIN	565663	59.59
994 = DON'T KNOW	194	0.02
997 = REFUSED	446	0.05
998 = BLANK (NO ANSWER).....	1564	0.16

PAIN RELIEVERS

Did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCYFU

Len : 4 YEAR OF FIRST OXYCONTIN USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014.....	3799	0.40
-9 = Data not collected for this year	335941	35.39
9981 = NEVER USED OXYCONTIN Logically assigned	26891	2.83
9985 = BAD DATA Logically assigned	378	0.04
9989 = LEGITIMATE SKIP Logically assigned.....	166	0.02
9991 = NEVER USED OXYCONTIN	565663	59.59
9994 = DON'T KNOW.....	208	0.02
9997 = REFUSED	447	0.05
9998 = BLANK (NO ANSWER).....	1569	0.17
9999 = LEGITIMATE SKIP.....	14223	1.50

In what month in [CURRENT YEAR] did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM PR15 or PR16] did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCMFU

Len : 2 MONTH OF FIRST OXYCONTIN USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = January.....	370	0.04
2 = February	281	0.03
3 = March.....	286	0.03
4 = April.....	247	0.03
5 = May.....	236	0.02
6 = June.....	327	0.03
7 = July	339	0.04
8 = August.....	273	0.03
9 = September.....	296	0.03
10 = October.....	296	0.03
11 = November	283	0.03
12 = December	223	0.02
81 = NEVER USED OXYCONTIN Logically assigned.....	26891	2.83
85 = BAD DATA Logically assigned.....	390	0.04
89 = LEGITIMATE SKIP Logically assigned	166	0.02
91 = NEVER USED OXYCONTIN.....	565663	59.59
94 = DON'T KNOW	515	0.05
97 = REFUSED	461	0.05
98 = BLANK (NO ANSWER).....	1578	0.17
99 = LEGITIMATE SKIP	14223	1.50

PAIN RELIEVERS

How long has it been since you last used OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCREC

Len : 2 TIME SINCE LAST USED OXYCONTIN NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Within the past 30 days	1588	0.17
2 = More than 30 days ago but within the past 12 mos	4373	0.46
3 = More than 12 months ago	12313	1.30
8 = Used at some point in the past 12 mos LOG ASSN	166	0.02
9 = Used at some point in lifetime LOG ASSN	583	0.06
11 = Used in the past 30 days LOGICALLY ASSIGNED	18	0.00
81 = NEVER USED OXYCONTIN Logically assigned	26891	2.83
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED OXYCONTIN	565663	59.59
97 = REFUSED	421	0.04
98 = BLANK (NO ANSWER)	1326	0.14

OXYRTOT

Len : 3 TOTAL # DAYS USED OXYCONTIN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	5910	0.62
-9 = Data not collected for this year	335941	35.39
981 = NEVER USED OXYCONTIN Logically assigned	26891	2.83
985 = BAD DATA Logically assigned	99	0.01
991 = NEVER USED OXYCONTIN	565663	59.59
993 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS	12313	1.30
994 = DON'T KNOW	43	0.00
997 = REFUSED	438	0.05
998 = BLANK (NO ANSWER)	1987	0.21

OXTOTFG

Len : 2 TRIMMING INDICATOR FOR OXYRTOT

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Trimmed to 365 days (no further editing)	1	0.00
98 = BLANK (NO ANSWER)	613343	64.61

OXFQFLG

Len : 2 TRIMMED OXYRTOT IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Trimmed to be consistent with mo/yr of 1st use	659	0.07
98 = BLANK (NO ANSWER)	612685	64.54

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used OxyContin in either of these ways?

OXBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED OXYCONTIN

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Prefer to answer in days per week	1042	0.11
2 = Prefer to answer in days per month	1522	0.16
3 = Prefer to answer in days per year	3329	0.35
11 = Prefer to ans in days per wk LOG ASSN	3	0.00
12 = Prefer to ans in days per mo LOG ASSN	9	0.00
13 = Prefer to ans in days per yr LOG ASSN	31	0.00
22 = Prefer to ans in days per mo (PRBSTWAY=2,12)	1	0.00
23 = Prefer to ans in days per yr (PRBSTWAY=3,13)	4	0.00
81 = NEVER USED OXYCONTIN Logically assigned	26891	2.83
85 = BAD DATA Logically assigned	99	0.01
91 = NEVER USED OXYCONTIN	565663	59.59
93 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS	12313	1.30
94 = DON'T KNOW	22	0.00
97 = REFUSED	428	0.05
98 = BLANK (NO ANSWER)	1987	0.21

PAIN RELIEVERS

On how many days in the past 12 months did you use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXDAYPYR

Len : 3 # DAYS USED OXYCONTIN "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	3355	0.35
-9 = Data not collected for this year	335941	35.39
981 = NEVER USED OXYCONTIN Logically assigned	26891	2.83
985 = BAD DATA Logically assigned	28	0.00
989 = LEGITIMATE SKIP Logically assigned	12	0.00
991 = NEVER USED OXYCONTIN	565663	59.59
993 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS	12313	1.30
994 = DON'T KNOW	30	0.00
997 = REFUSED	429	0.05
998 = BLANK (NO ANSWER)	2058	0.22
999 = LEGITIMATE SKIP	2565	0.27

On average, how many days each month during the past 12 months did you use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXDAYPMO

Len : 2 # DAYS PER MO USED OXYCONTIN "NM" PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31	1525	0.16
-9 = Data not collected for this year	335941	35.39
81 = NEVER USED OXYCONTIN Logically assigned	26891	2.83
85 = BAD DATA Logically assigned	21	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.00
91 = NEVER USED OXYCONTIN	565663	59.59
93 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS	12313	1.30
94 = DON'T KNOW	34	0.00
97 = REFUSED	432	0.05
98 = BLANK (NO ANSWER)	2065	0.22
99 = LEGITIMATE SKIP	4397	0.46

On average, how many days each week during the past 12 months did you use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXDAYPWK

Len : 2 # DAYS PER WK USED OXYCONTIN "NM" PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7	1030	0.11
-9 = Data not collected for this year	335941	35.39
81 = NEVER USED OXYCONTIN Logically assigned	26891	2.83
85 = BAD DATA Logically assigned	50	0.01
91 = NEVER USED OXYCONTIN	565663	59.59
93 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS	12313	1.30
94 = DON'T KNOW	43	0.00
97 = REFUSED	438	0.05
98 = BLANK (NO ANSWER)	2036	0.21
99 = LEGITIMATE SKIP	4880	0.51

PAIN RELIEVERS

The next question asks about using **prescription pain relievers** in any way **a doctor did not direct you to use them**.

When you answer these questions, please think only about your use of the drug in any way **a doctor did not direct you to use it**, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in **any other way** a doctor did not direct you to use it

Have you ever, even once, used any prescription pain reliever in any way a doctor did not direct you to use it?

[PNRNMLIE](#)

Len : 2 EVER USED PAIN RELIEVER NOT DIRECTED BY DR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	12631	1.33
2 = No.....	97977	10.32
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	10983	1.16
85 = BAD DATA Logically assigned.....	90	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS	102543	10.80
94 = DON'T KNOW	126	0.01
97 = REFUSED	51	0.01
98 = BLANK (NO ANSWER).....	2231	0.24

In the past 12 months, did you use OxyContin in any way a doctor did not direct you to use it?

[OXCNNMYR](#)

Len : 2 USED OXYCONTIN NOT DIRECTED BY DR PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1727	0.18
2 = No.....	1467	0.15
5 = Yes LOGICALLY ASSIGNED (OXCNNYYR NE 1).....	4	0.00
81 = NEVER MISUSED PAIN RLVRs Logically assigned.....	9	0.00
85 = BAD DATA Logically assigned.....	20	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200511	21.12
93 = DID NOT USE IN THE PAST 12 MONTHS	22443	2.36
94 = DON'T KNOW	11	0.00
97 = REFUSED	16	0.00
98 = BLANK (NO ANSWER).....	424	0.04

Please think about the first time you ever used OxyContin in a way a doctor did not direct you to use it.

How old were you when you first used OxyContin in a way a doctor did not direct you to use it?

[OXCNNMAGE](#)

Len : 3 AGE 1ST USED OXYCONTIN NOT DIRECTED BY DR

	Freq	Pct
RANGE = 1 - 65.....	1682	0.18
-9 = Data not collected for this year	722653	76.13
981 = NEVER USED PAIN RLVRs Logically assigned.....	9	0.00
985 = BAD DATA Logically assigned.....	6	0.00
991 = NEVER USED/MISUSED PAIN RELIEVERS	200511	21.12
993 = DID NOT USE IN THE PAST 12 MONTHS	23910	2.52
994 = DON'T KNOW	27	0.00
997 = REFUSED	18	0.00
998 = BLANK (NO ANSWER).....	469	0.05

Did you first use OxyContin in a way a doctor did not direct you to use it in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use OxyContin in a way a doctor did not direct you to use it in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

[OXCNNMYFU](#)

Len : 4 YEAR 1ST USED OXYCONTIN NOT DIRECTED BY DR

	Freq	Pct
RANGE = 2013 - 2018.....	480	0.05
-9 = Data not collected for this year	722653	76.13
9981 = NEVER USED PAIN RLVRs Logically assigned.....	9	0.00
9985 = BAD DATA Logically assigned.....	10	0.00
9989 = LEGITIMATE SKIP Logically assigned.....	9	0.00
9991 = NEVER USED/MISUSED PAIN RELIEVERS	200511	21.12
9993 = DID NOT USE IN THE PAST 12 MONTHS	23910	2.52
9994 = DON'T KNOW.....	1	0.00
9998 = BLANK (NO ANSWER).....	520	0.05
9999 = LEGITIMATE SKIP.....	1182	0.12

PAIN RELIEVERS

Earlier, you reported that you first used OxyContin in a way a doctor did not direct you to use it when you were [FILL] years old. Based on your date of birth, you turned [FILL] in [FILL].

In what month in [FILL] did you first use OxyContin in a way a doctor did not direct you to use it?

OXCNNMMFU

Len : 2 MONTH 1ST USED OXYCONTIN NOT DIRECTED BY DR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = January	49	0.01
2 = February	35	0.00
3 = March	39	0.00
4 = April	34	0.00
5 = May	40	0.00
6 = June	41	0.00
7 = July	39	0.00
8 = August	42	0.00
9 = September	33	0.00
10 = October	39	0.00
11 = November	23	0.00
12 = December	36	0.00
81 = NEVER USED PAIN RLVRs Logically assigned	9	0.00
85 = BAD DATA Logically assigned	10	0.00
89 = LEGITIMATE SKIP Logically assigned	9	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200511	21.12
93 = DID NOT USE IN THE PAST 12 MONTHS	23910	2.52
94 = DON'T KNOW	29	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	521	0.05
99 = LEGITIMATE SKIP	1182	0.12

NOTE: The variable PNRNMREC is a recoded variable that was created from PNRNMLIF, the 12-month misuse variables of specific pain relievers, and PNRLVNM30DY.

PNRNMREC

Len : 2 RC - MOST RECENT PAIN RELIEVER MISUSE (RECODE)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	3170	0.33
2 = More than 30 days ago but within the past 12 mos	7752	0.82
3 = More than 12 months ago	12472	1.31
8 = Misused at some point in past 12 mos LOG ASSN	60	0.01
9 = Misused at some point in lifetime LOG ASSN	159	0.02
11 = Used in the past 30 days LOGICALLY ASSIGNED	1	0.00
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	1645	0.17
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
98 = BLANK (NO ANSWER)	853	0.09

NOTE: PNRNMINIT is "reverse coded" from the answers in PRL03. PRL03=1 (yes) was recoded to 2 in PNRNMINIT because this answer means that the respondent misused pain relievers before the past 12 months (and therefore is not a past year initiate for misuse of pain relievers). PRL03=2 (no) was recoded to 1 in PNRNMINIT because this answer means that the respondent did not misuse pain relievers before the past 12 months (and therefore is a past year initiate for misuse of pain relievers).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription pain reliever in a way a doctor did not direct you to use it?

PNRNMINIT

Len : 2 PAST YEAR INITIATE FOR ANY PAIN RELIEVER MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Past year initiate	2323	0.24
2 = Not a past year initiate	777	0.08
4 = Not past yr initiate LOG ASSN (from skip pattern)	7806	0.82
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	1645	0.17
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
94 = DON'T KNOW	45	0.00
97 = REFUSED	31	0.00
98 = BLANK (NO ANSWER)	1013	0.11

PAIN RELIEVERS

NOTE: The variables PNRNIMAGE, PNRNMYFU, and PNRNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of pain relievers in the 12 months prior to being interviewed (PNRNMINIT=1).

<u>PNRNIMAGE</u>	Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR PNRLV INITIATES		
		Freq	Pct
	RANGE = 11 - 90	1898	0.20
	-9 = Data not collected for this year	722653	76.13
	983 = NOT A PAST YEAR INITIATE Log assn.....	1645	0.17
	991 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
	993 = NOT A PAST YEAR INITIATE.....	21055	2.22
	998 = BLANK (NO ANSWER).....	1514	0.16

<u>PNRNMYFU</u>	Len : 4 RC - YR 1ST MISUSED FOR PAST YR PAIN RLVR INITIATES		
		Freq	Pct
	RANGE = 2014 - 2018.....	1892	0.20
	-9 = Data not collected for this year	722653	76.13
	9983 = NOT A PAST YEAR INITIATE Logically assigned.....	1645	0.17
	9991 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
	9993 = NOT A PAST YEAR INITIATE.....	21055	2.22
	9998 = BLANK (NO ANSWER).....	1520	0.16

<u>PNRNMMFU</u>	Len : 2 RC - MO 1ST MISUSED FOR PAST YR PAIN RLVR INITIATES		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = January.....	164	0.02
	2 = February	137	0.01
	3 = March.....	165	0.02
	4 = April.....	149	0.02
	5 = May.....	152	0.02
	6 = June.....	146	0.02
	7 = July	137	0.01
	8 = August.....	148	0.02
	9 = September.....	139	0.01
	10 = October.....	164	0.02
	11 = November	155	0.02
	12 = December	148	0.02
	83 = NOT A PAST YEAR INITIATE Logically assigned.....	1645	0.17
	91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
	93 = NOT A PAST YEAR INITIATE.....	21055	2.22
	98 = BLANK (NO ANSWER).....	1608	0.17

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL]?

<u>PNRNM30D</u>	Len : 2 USED PAIN RLVR NOT DIRECTED BY DR PAST 30 DAYS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	2919	0.31
	2 = No.....	7752	0.82
	3 = Yes LOGICALLY ASSIGNED	1	0.00
	5 = Yes LOGICALLY ASSIGNED (from PR30ANYINIT=1)	251	0.03
	83 = DID NOT MISUSE PAIN RELIEVERS PST 30 DYS Log assn	365	0.04
	85 = BAD DATA Logically assigned.....	25	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS.....	13752	1.45
	94 = DON'T KNOW	22	0.00
	97 = REFUSED	38	0.00
	98 = BLANK (NO ANSWER).....	987	0.10

PAIN RELIEVERS

During the past 30 days, on how many days did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL]?

[PNRNM30FQ](#)

Len : 2 # DAYS USED PAIN RLVR NOT DIRECTD BY DR PST 30 DYS

	Freq	Pct
RANGE = 1 - 30.....	3100	0.33
-9 = Data not collected for this year	722653	76.13
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn	117	0.01
85 = BAD DATA Logically assigned.....	10	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS.....	21752	2.29
94 = DON'T KNOW	52	0.01
97 = REFUSED	18	0.00
98 = BLANK (NO ANSWER).....	1063	0.11

What is your best estimate of the number of days you used [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL] during the past 30 days?

[PNRNM30ES](#)

Len : 2 EST # DAYS USED PAIN RLVR NOT DIRECTED PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = 1 or 2 days.....	12	0.00
2 = 3 to 5 days	15	0.00
3 = 6 to 9 days	14	0.00
4 = 10 to 19 days.....	5	0.00
5 = 20 to 29 days.....	2	0.00
6 = All 30 days	5	0.00
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn	2	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS.....	21867	2.30
94 = DON'T KNOW	8	0.00
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	1072	0.11
99 = LEGITIMATE SKIP	3100	0.33

NOTE: Responses of "yes" in PNRNM30AL were assigned a code of 11 when respondents reported that they misused pain relievers with alcohol in the past 30 days but there was some question from the edited alcohol data about whether they used alcohol in the past 30 days. Analysts are encouraged to check the value of the final imputed alcohol recency IRALCRC when PNRNM30AL=11 to determine whether IRALCRC was assigned a value to indicate that the most recent use of alcohol was within the past 30 days or was more than 30 days ago but within the past 12 months.

During the past 30 days, did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

[PNRNM30AL](#)

Len : 2 USED PAIN RLVR NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	978	0.10
2 = No.....	1177	0.12
11 = Yes (ALCREC=8).....	1	0.00
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn	46	0.00
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS.....	21823	2.30
94 = DON'T KNOW	3	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	1100	0.12
99 = LEGITIMATE SKIP	976	0.10

PAIN RELIEVERS

Which of these statements describe your use of it/them at **any** time in the past 12 months?

To select more than one statement, press the space bar between the numbers. When you have finished, press [ENTER].

PNRWYNORX

Len : 2 USED PAIN RLVR W/O OWN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	6764	0.71
2 = No (not entered)	3750	0.40
83 = DID NOT MISUSE PAIN RELIEVERS IN PST 30 days Log assn.....	217	0.02
85 = BAD DATA Logically assigned.....	11	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	13900	1.46
94 = DON'T KNOW	232	0.02
97 = REFUSED	241	0.03
98 = BLANK (NO ANSWER).....	997	0.11

PNRWYGAMT

Len : 2 USED PAIN RLVR IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	2210	0.23
2 = No (not entered)	8304	0.87
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn	75	0.01
85 = BAD DATA Logically assigned.....	10	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	14042	1.48
94 = DON'T KNOW	232	0.02
97 = REFUSED	241	0.03
98 = BLANK (NO ANSWER).....	998	0.11

PNRWYOFTN

Len : 2 USED PAIN RLVR MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1548	0.16
2 = No (not entered)	8965	0.94
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS logically assigned.....	70	0.01
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	14047	1.48
94 = DON'T KNOW	232	0.02
97 = REFUSED	241	0.03
98 = BLANK (NO ANSWER).....	1004	0.11

PNRWYLNGR

Len : 2 USED PAIN RLVR LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1360	0.14
2 = No (not entered)	9152	0.96
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	83	0.01
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	14034	1.48
94 = DON'T KNOW	232	0.02
97 = REFUSED	241	0.03
98 = BLANK (NO ANSWER).....	1003	0.11

PNRWYOTWY

Len : 2 USED PAIN RLVR OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	2460	0.26
2 = No (not entered)	8053	0.85
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	138	0.01
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	13979	1.47
94 = DON'T KNOW	232	0.02
97 = REFUSED	241	0.03
98 = BLANK (NO ANSWER).....	1003	0.11

PAIN RELIEVERS

Now think about the last time you used a prescription pain reliever in any way a doctor did not direct you to use it.

Which of these pain relievers did you use the last time? If you used more than one pain reliever the last time, please choose one pain reliever as your best answer.

[PNRNMLAS1](#)

Len : 2 LAST PAIN RLVR USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = Vicodin.....	836	0.09
2 = Lortab.....	258	0.03
3 = Norco	387	0.04
4 = Zohydro ER	3	0.00
5 = Hydrocodone (generic)	1403	0.15
6 = OxyContin	349	0.04
7 = Percocet.....	782	0.08
8 = Percodan.....	22	0.00
9 = Roxicodone.....	100	0.01
10 = Oxycodone (generic)	542	0.06
11 = Ultram	49	0.01
12 = Ultram ER	2	0.00
13 = Ultracet.....	5	0.00
14 = Tramadol (generic).....	509	0.05
15 = Extended-release tramadol (generic).....	13	0.00
16 = Tylenol with codeine 3 or 4 (NOT over-the-counter Tylenol).....	1119	0.12
17 = Codeine pills (generic).....	161	0.02
18 = Avinza	1	0.00
19 = Kadian	1	0.00
20 = MS Contin	3	0.00
21 = Morphine (generic).....	74	0.01
22 = Extended-release morphine (generic).....	26	0.00
23 = Duragesic.....	2	0.00
24 = Fentora	3	0.00
25 = Fentanyl (generic)	55	0.01
26 = Suboxone	222	0.02
27 = Buprenorphine (generic)	40	0.00
28 = Buprenorphine plus naloxone (generic).....	12	0.00
29 = Opana.....	32	0.00
30 = Opana ER	9	0.00
31 = Oxymorphone (generic).....	7	0.00
32 = Extended-release oxymorphone (generic)	6	0.00
33 = Demerol.....	6	0.00
34 = Dilaudid or hydromorphone	46	0.00
35 = Exalgo or extended-release hydromorphone.....	2	0.00
36 = Methadone	67	0.01
37 = Some other pain reliever	582	0.06
83 = DID NOT MISUSE IN THE PST 12 MOS Logically assigned	324	0.03
85 = BAD DATA Logically assigned.....	32	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	150293	15.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	10369	1.09
94 = DON'T KNOW	33	0.00
97 = REFUSED	22	0.00
98 = BLANK (NO ANSWER).....	677	0.07

Now think about the last time you used [PRLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [PRLASTFILL2] the last time?

[PNRRSPAIN](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO RLV PAIN

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	6971	0.73
2 = No (not entered)	3712	0.39
3 = Yes LOGICALLY ASSIGNED	111	0.01
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	322	0.03
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	13795	1.45
94 = DON'T KNOW	98	0.01
97 = REFUSED	92	0.01
98 = BLANK (NO ANSWER).....	997	0.11

PAIN RELIEVERS

[PNRRSRELX](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO RELAX

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	2971	0.31
2 = No (not entered)	7821	0.82
3 = Yes LOGICALLY ASSIGNED	4	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	49	0.01
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	14068	1.48
94 = DON'T KNOW	98	0.01
97 = REFUSED	92	0.01
98 = BLANK (NO ANSWER).....	1001	0.11

[PNRRSEXPT](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	928	0.10
2 = No (not entered)	9859	1.04
3 = Yes LOGICALLY ASSIGNED	11	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	21	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	14096	1.48
94 = DON'T KNOW	98	0.01
97 = REFUSED	92	0.01
98 = BLANK (NO ANSWER).....	1005	0.11

[PNRRSHIGH](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO GET HIGH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	2662	0.28
2 = No (not entered)	8123	0.86
3 = Yes LOGICALLY ASSIGNED	13	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	20	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	14097	1.49
94 = DON'T KNOW	98	0.01
97 = REFUSED	92	0.01
98 = BLANK (NO ANSWER).....	1004	0.11

[PNRRSSLEP](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) FOR SLEEP

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1709	0.18
2 = No (not entered)	9080	0.96
3 = Yes LOGICALLY ASSIGNED	9	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	62	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	14055	1.48
94 = DON'T KNOW	98	0.01
97 = REFUSED	92	0.01
98 = BLANK (NO ANSWER).....	1005	0.11

[PNRRSEMOT](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) FOR EMOTIONS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1370	0.14
2 = No (not entered)	9419	0.99
3 = Yes LOGICALLY ASSIGNED	9	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	26	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	14091	1.48
94 = DON'T KNOW	98	0.01
97 = REFUSED	92	0.01
98 = BLANK (NO ANSWER).....	1004	0.11

PAIN RELIEVERS

[PNRRSDGFX](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	292	0.03
2 = No (not entered)	10505	1.11
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	18	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	14099	1.49
94 = DON'T KNOW	98	0.01
97 = REFUSED	92	0.01
98 = BLANK (NO ANSWER).....	1005	0.11

[PNRRSHOOK](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	393	0.04
2 = No (not entered)	10400	1.10
3 = Yes LOGICALLY ASSIGNED	5	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	20	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	14097	1.49
94 = DON'T KNOW	98	0.01
97 = REFUSED	92	0.01
98 = BLANK (NO ANSWER).....	1005	0.11

[PNRRSSOR](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) OTHER REASON

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	496	0.05
2 = No (not entered)	10302	1.09
83 = DID NOT MISUSE PAIN RELEIVERS IN PAST 12 mos Log assn.....	59	0.01
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	14058	1.48
94 = DON'T KNOW	98	0.01
97 = REFUSED	92	0.01
98 = BLANK (NO ANSWER).....	1004	0.11

PAIN RELIEVERS

Please type in the other reason you used [PRLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

PNRRSOTRS2

Len : 3 REASON USED LAST PAIN RLVR (NOT DIRECTED)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = To relieve physical pain.....	136	0.01
2 = To relax or relieve tension	10	0.00
3 = To experiment or to see what it's/they're like.....	12	0.00
4 = To feel good or get high.....	22	0.00
5 = To help with my sleep	11	0.00
6 = To help me with my feelings or emotions	18	0.00
7 = To increase/decrease effects of some other drug.....	1	0.00
8 = Because I am "hooked" or I have to have it/them	9	0.00
10 = To help me concentrate.....	4	0.00
11 = To help me be alert or stay awake.....	4	0.00
13 = I used it/them for some other reason	59	0.01
14 = For cold/flu/fever/sick; pain not specified	12	0.00
16 = Suicide attempt/suicidal thoughts	34	0.00
18 = Peer pressure/friends/feel cool.....	10	0.00
19 = To increase my energy level.....	16	0.00
26 = To replace another/other drug(s) I am addicted to.....	39	0.00
34 = Symptom relief, otherwise unspecified	3	0.00
72 = OTC use reported	1	0.00
983 = DID NOT USE PAIN REL IN THE PAST 12 MOS Logically assigned.....	41	0.00
985 = BAD DATA (logically assigned).....	47	0.00
991 = NEVER USED PAIN RELIEVERS	200520	21.12
993 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	14076	1.48
994 = DON'T KNOW	20	0.00
997 = REFUSED	30	0.00
998 = BLANK (no answer)	1195	0.13
999 = LEGITIMATE SKIP	10302	1.09

Which was the main reason you used [PRLASTFILL2] the last time?

PNRRSMAIN

Len : 2 MAIN REASON USED LAST PAIN RLVR (NOT DIRECTED)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = To relieve physical pain.....	1481	0.16
2 = To relax or relieve tension	510	0.05
3 = To experiment or to see what it was/they were like	146	0.02
4 = To feel good or get high.....	727	0.08
5 = To help with my sleep	197	0.02
6 = To help me with my feelings or emotions	309	0.03
7 = To increase or decrease the effect(s) of some other drug.....	42	0.00
8 = Because I am 'hooked' or I have to have it/them	139	0.01
9 = The other reason I reported	35	0.00
11 = To relieve physical pain LOGICALLY ASSIGNED.....	10	0.00
13 = To experiment/see what it was like LOG ASSN.....	2	0.00
14 = To feel good or get high LOGICALLY ASSIGNED	2	0.00
15 = To help with my sleep LOGICALLY ASSIGNED	2	0.00
16 = To help with feelings/emotions LOGICALLY ASSIGNED	5	0.00
18 = Because 'hooked'/have to have it LOG ASSN	1	0.00
83 = DID NOT MISUSE PAIN RELIEVERS IN PAST 12 mos Log assn.....	41	0.00
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	14076	1.48
94 = DON'T KNOW	5	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	1195	0.13
99 = LEGITIMATE SKIP	7178	0.76

NOTE: PNRNORXFG is set to 1 when respondents reported that the only way they misused pain relievers in the past year was without a prescription. These respondents also reported that the last pain reliever they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

PNRNORXFG

Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST PNR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Only misuse w/o Rx but reported last drug gotten with Rx	588	0.06
98 = BLANK (NO ANSWER).....	226044	23.81

TRANQUILIZERS

TRANQUILIZERS

These next questions ask about the use of tranquilizers. Tranquilizers are usually prescribed to relax people, to calm people down, to relieve anxiety, or to relax muscle spasms. Some people call tranquilizers "nerve pills."

Card B shows pictures of some different kinds of prescription tranquilizers. These pictures show only pills, but we are interested in your use of any form of prescription tranquilizers that were not prescribed for you, or that you took only for the experience or feeling they caused.

Please look at Card B carefully as you answer the next questions.

Have you ever, even once, used Klonopin or Clonazepam that was not prescribed for you or that you took only for the experience or feeling it caused?

KLONOPIN

Len : 2 EVER USED KLONOPIN OR CLONAZEPAM

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	15639	1.65
2 = No.....	45798	4.82
3 = Yes LOGICALLY ASSIGNED	15	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	509	0.05
97 = REFUSED	116	0.01
98 = BLANK (NO ANSWER).....	30	0.00

Have you ever, even once, used Xanax, Alprazolam, Ativan, or Lorazepam that was not prescribed for you or that you took only for the experience or feeling it caused?

XNAXATVN

Len : 2 EVER USED XANAX, ALPRAZOLAM, ATIVAN, OR LORAZEPAM

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	39362	4.15
2 = No.....	22004	2.32
3 = Yes LOGICALLY ASSIGNED	41	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	554	0.06
97 = REFUSED	115	0.01
98 = BLANK (NO ANSWER).....	31	0.00

Have you ever, even once, used Valium or Diazepam that was not prescribed for you or that you took only for the experience or feeling it caused?

VALMDIAZ

Len : 2 EVER USED VALIUM OR DIAZEPAM

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	34195	3.60
2 = No.....	27229	2.87
3 = Yes LOGICALLY ASSIGNED	30	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	517	0.05
97 = REFUSED	104	0.01
98 = BLANK (NO ANSWER).....	32	0.00

TRANQUILIZERS

Please look at the tranquilizers shown below the red line on Card B.

Have you ever, even once, used any of these tranquilizers when they were not prescribed for you or that you took only for the experience or feeling they caused?

TRNCARD

Len : 2 EVER USED ANY TRANQ BELOW RED LINE ON CARD B

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	18039	1.90
2 = No.....	43250	4.56
3 = Yes LOGICALLY ASSIGNED	129	0.01
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	552	0.06
97 = REFUSED	105	0.01
98 = BLANK (NO ANSWER).....	32	0.00

Which of the tranquilizers shown below the red line on Card B have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?

ATARAX

Len : 2 EVER USED ATARAX NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	760	0.08
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	16835	1.77
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	398	0.04
97 = REFUSED	278	0.03
98 = BLANK (NO ANSWER).....	592	0.06
99 = LEGITIMATE SKIP	43250	4.56

BUSPAR

Len : 2 EVER USED BUSPAR NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	2332	0.25
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered.....	15254	1.61
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	398	0.04
97 = REFUSED	278	0.03
98 = BLANK (NO ANSWER).....	594	0.06
99 = LEGITIMATE SKIP	43250	4.56

EQUANIL

Len : 2 EVER USED EQUANIL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	262	0.03
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered.....	17332	1.83
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	398	0.04
97 = REFUSED	278	0.03
98 = BLANK (NO ANSWER).....	595	0.06
99 = LEGITIMATE SKIP	43250	4.56

TRANQUILIZERS

[FLEXERIL](#)

Len : 2 EVER USED FLEXERIL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	7417	0.78
3 = Response entered LOGICALLY ASSIGNED	46	0.00
6 = Response not entered.....	10134	1.07
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	398	0.04
97 = REFUSED	278	0.03
98 = BLANK (NO ANSWER).....	595	0.06
99 = LEGITIMATE SKIP	43250	4.56

[LIBRIUM](#)

Len : 2 EVER USED LIBRIUM NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	1444	0.15
3 = Response entered LOGICALLY ASSIGNED	14	0.00
6 = Response not entered.....	16139	1.70
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	398	0.04
97 = REFUSED	278	0.03
98 = BLANK (NO ANSWER).....	595	0.06
99 = LEGITIMATE SKIP	43250	4.56

[LIMBTROL](#)

Len : 2 EVER USED LIMBTROL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	309	0.03
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered.....	17285	1.82
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	398	0.04
97 = REFUSED	278	0.03
98 = BLANK (NO ANSWER).....	595	0.06
99 = LEGITIMATE SKIP	43250	4.56

[MEPROB](#)

Len : 2 EVER USED MEPROBAMATE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	391	0.04
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered.....	17203	1.81
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	398	0.04
97 = REFUSED	278	0.03
98 = BLANK (NO ANSWER).....	595	0.06
99 = LEGITIMATE SKIP	43250	4.56

[MILTOWN](#)

Len : 2 EVER USED MILTOWN NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	220	0.02
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	17376	1.83
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	398	0.04
97 = REFUSED	278	0.03
98 = BLANK (NO ANSWER).....	595	0.06
99 = LEGITIMATE SKIP	43250	4.56

TRANQUILIZERS

[ROHYPNOL](#)

Len : 2 EVER USED ROHYPNOL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	1158	0.12
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered.....	16428	1.73
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	398	0.04
97 = REFUSED	278	0.03
98 = BLANK (NO ANSWER).....	595	0.06
99 = LEGITIMATE SKIP	43250	4.56

[SERAX](#)

Len : 2 EVER USED SERAX NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	355	0.04
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	17240	1.82
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	398	0.04
97 = REFUSED	278	0.03
98 = BLANK (NO ANSWER).....	595	0.06
99 = LEGITIMATE SKIP	43250	4.56

[SOMA](#)

Len : 2 EVER USED SOMA NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	9652	1.02
3 = Response entered LOGICALLY ASSIGNED	70	0.01
6 = Response not entered.....	7875	0.83
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	398	0.04
97 = REFUSED	278	0.03
98 = BLANK (NO ANSWER).....	595	0.06
99 = LEGITIMATE SKIP	43250	4.56

[TRANXENE](#)

Len : 2 EVER USED TRANXENE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	407	0.04
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered.....	17187	1.81
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	398	0.04
97 = REFUSED	278	0.03
98 = BLANK (NO ANSWER).....	595	0.06
99 = LEGITIMATE SKIP	43250	4.56

[VISTAR](#)

Len : 2 EVER USED VISTARIL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	909	0.10
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered.....	16677	1.76
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	398	0.04
97 = REFUSED	278	0.03
98 = BLANK (NO ANSWER).....	595	0.06
99 = LEGITIMATE SKIP	43250	4.56

TRANQUILIZERS

Have you ever, even once, used any other prescription tranquilizer, besides the ones shown on Card B, when it was not prescribed for you or that you took only for the experience or feeling it caused?

[TRNOLST](#)

Len : 2 EVER USED ANY OTHER TRANQUILIZER NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	4006	0.42
2 = No	57064	6.01
4 = No LOGICALLY ASSIGNED.....	14	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	850	0.09
97 = REFUSED	140	0.01
98 = BLANK (NO ANSWER).....	33	0.00

TRANQUILIZERS

TRNEWA

Len : 4 OTHER TRANQUILIZER - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
101 = Butisol	1	0.00
105 = Placidyl, Ethchlorvynol	9	0.00
108 = Nembutal	2	0.00
109 = Seconal	26	0.00
110 = Tuinal	10	0.00
111 = Dalmane	3	0.00
112 = Restoril	20	0.00
113 = Halcion	13	0.00
115 = Phenobarbital	18	0.00
116 = Methaqualone, Sopor, Quaalude	207	0.02
117 = Chloral hydrate, Noctec	2	0.00
118 = Pentobarbital, Pentothal, Sodium pentothal	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	7	0.00
121 = USED SEDATIVE, DON'T KNOW NAME	1	0.00
122 = Over-the-counter sleep aid, not specified <OTC>	1	0.00
124 = Yellow jackets	1	0.00
129 = Reds	10	0.00
130 = Promethazine	3	0.00
131 = Haldol, Haloperidol	6	0.00
137 = 7-14	4	0.00
138 = Mandrax, Mandrix [see also 116]	8	0.00
142 = Belladonna	1	0.00
156 = Sodium barbital	1	0.00
157 = Barbiturates	5	0.00
174 = Ambien	87	0.01
178 = Quetiapine, Seroquel	114	0.01
180 = Tylenol P.M. <OTC>	1	0.00
186 = Butalbital	1	0.00
189 = Sonata, Zaleplon	3	0.00
191 = Blues	1	0.00
201 = Valium	117	0.01
202 = Librium	14	0.00
203 = Limbitrol	3	0.00
205 = Serax	3	0.00
206 = Tranxene	3	0.00
207 = Ativan	36	0.00
209 = Xanax	214	0.02
211 = BuSpar	10	0.00
212 = Miltown	1	0.00
213 = Equanil	3	0.00
214 = Deprol	1	0.00
215 = Vistaril	8	0.00
216 = Atarax	2	0.00
220 = Meprobamate	4	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	72	0.01
222 = USED TRANQUILIZER, DON'T KNOW NAME	476	0.05
223 = Methocarbamol	11	0.00
225 = Desyrel, Trazodone hydrochloride	76	0.01
226 = Stelazine, Trifluoperazine HCl	3	0.00
227 = Thorazine	27	0.00
228 = Amitriptyline, Elavil	22	0.00
229 = Librax	3	0.00
232 = Mellaril	3	0.00
234 = Flexeril	49	0.01
237 = Midazolam	1	0.00
240 = Lithium carbonate, Lithonate	7	0.00
241 = Prozac, Fluoxetine	21	0.00
245 = Tryptophan	1	0.00
246 = Klonopin	34	0.00
247 = Adapin, Doxepin, Sinequan	2	0.00
250 = Aventyl, Nortab, Nortriptyline, Pamelor	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies	10	0.00
271 = Sertraline hydrochloride, Zoloft	20	0.00
278 = Benzodiazepines	1	0.00
280 = Ketaset	3	0.00
282 = Clozapine, Clozaril	1	0.00
283 = Paroxetine, Paxil	8	0.00
285 = Risperdal, Risperdol, Risperidone	12	0.00
288 = Baclofen	5	0.00
289 = Olanzapine, Zyprexa	3	0.00
290 = Metaxalone, Skelaxin	16	0.00
291 = Celexa, Citalopram	2	0.00

TRANQUILIZERS

293 = Anafranil, Clomipramine	1	0.00
295 = Mirtazapine, Remeron	4	0.00
298 = Acepromazine, PromAce	2	0.00
301 = Dexedrine	3	0.00
305 = Biphphetamine	1	0.00
311 = Preludin	1	0.00
318 = Ritalin	13	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	1	0.00
327 = Black beauties, black beauty	4	0.00
329 = Bird's eggs, robin's eggs, speckled eggs	1	0.00
351 = Cathinone, cat, khat, Q'at	3	0.00
374 = Christmas tree(s)	2	0.00
377 = Albuterol	1	0.00
406 = Percodan	2	0.00
407 = Demerol	2	0.00
408 = Dilaudid, Hydromorphone	3	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
413 = Talacen	1	0.00
415 = Codeine pills	3	0.00
417 = Morphine	4	0.00
418 = Methadone	2	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	4	0.00
422 = Motrin	4	0.00
423 = Percocet	3	0.00
425 = Advil <OTC>	1	0.00
427 = Darvocet, Davocet-N	3	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
431 = Tylox	2	0.00
434 = Vicodin	19	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>	6	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen	5	0.00
442 = Ibuprofen	11	0.00
462 = Norflex	1	0.00
465 = Fentanyl	1	0.00
477 = Melumbrina, Neo-Melumbrina	2	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol	1	0.00
496 = Ultram	1	0.00
507 = Halothane, ether, or other anesthetics; chloroform	1	0.00
603 = Mescaline	1	0.00
658 = Special K, Ketamine	388	0.04
663 = Animal tranquilizer, horse tranquilizer	41	0.00
703 = Opium, otherwise unspecified	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	3	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
820 = Penicillin	4	0.00
821 = Amoxicillin, Ampicillin, Pentrexly	2	0.00
828 = Tetracycline	4	0.00
844 = Blood pressure medication	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate	2	0.00
848 = Liquid vitamin, vitamin pills <OTC>	1	0.00
873 = Contraceptives, Ferutal, Ortho Novum	1	0.00
894 = Depakene, Depakote, Valproic acid	2	0.00
896 = Catapres, Clonidine	4	0.00
1006 = Trileptal, Oxcarbazepine	2	0.00
1008 = Rohr 714, Rorer 714	2	0.00
1009 = Mogadon	1	0.00
1011 = Eszopiclone, Lunesta	3	0.00
1013 = Ambien CR	2	0.00
1018 = Advil PM <OTC>	1	0.00
1021 = Seroquel XR	1	0.00
2001 = Soma	75	0.01
2002 = Muscle relaxers	28	0.00
2003 = Zanies, zannies, zans, zany bars	3	0.00
2004 = Bromazepam, Lexillum, Lexomil, Lexotan, Lexotanil	9	0.00
2005 = Insidon, Opipramol	1	0.00
2007 = R2	1	0.00
2008 = 747	2	0.00
2010 = Buscopan, Espacil	1	0.00
2011 = Lexapro	8	0.00
2012 = Geodon, Ziprasidone	1	0.00
2018 = 4 Bar, Quad Bar	1	0.00
2021 = Lidone, Moban, Molindone	1	0.00
2022 = Tetrazepam	1	0.00
2026 = Sedoxil	1	0.00

TRANQUILIZERS

2027 = Homemade tranquilizers	1	0.00
2029 = Etizolam.....	1	0.00
3023 = Adderall	53	0.01
3026 = Bupropion, Wellbutrin, Zyban	1	0.00
3037 = Effexor.....	4	0.00
3052 = Speed, otherwise unspecified.....	2	0.00
3077 = Concerta.....	1	0.00
3111 = Vyvanse.....	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol	3	0.00
4024 = Reynol	1	0.00
4027 = Rorer	2	0.00
4033 = Vicoprofen	1	0.00
4035 = Nabumetone, Relafen.....	2	0.00
4043 = Tramadol.....	6	0.00
4044 = Hydrocodone.....	3	0.00
4046 = Oxycodone.....	1	0.00
4051 = Celebrex.....	2	0.00
4056 = Cataflam, Diclofenac, Voltaren	1	0.00
4057 = Mejoral	1	0.00
4067 = OxyContin	8	0.00
4077 = Tee's	1	0.00
4082 = Analgin, Dipyrone, Metamizol, Metamizole, Prodolin	4	0.00
4091 = K4	1	0.00
4098 = Banamine	1	0.00
4104 = Dolo-Neurobion	2	0.00
4109 = Suboxone	2	0.00
4120 = Opana	2	0.00
6076 = Lemon 714.....	2	0.00
6083 = CCC, "Triple C," C3 <OTC>	1	0.00
6114 = Molly, not otherwise specified.....	2	0.00
8002 = Zantac	1	0.00
8007 = Gabapentin, Neurontin	10	0.00
8008 = Antidepressant, type unspecified	2	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd	1	0.00
8011 = Herb, flower, plant; type unspecified	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator	1	0.00
8035 = Prednisone	1	0.00
8052 = Bactrim, Septra.....	1	0.00
8066 = Viagra.....	1	0.00
8085 = Anti-psychotics/schizophrenic, type unspcfd	1	0.00
8097 = Tizanidine, Zanaflex	12	0.00
8117 = Hydrocortisone	1	0.00
8141 = Gamma butyrolactone, GBL.....	1	0.00
8144 = Clarinex, Desloratadine.....	1	0.00
8172 = Cortisone.....	1	0.00
8195 = Anti-seizures, type unspecified.....	1	0.00
8198 = Handle bars, handlebars	2	0.00
8203 = Bar, otherwise unspecified	5	0.00
8225 = Cymbalta, Duloxetine	2	0.00
8228 = Boldo.....	1	0.00
8229 = ADHD/ADD medication, otherwise unspfd.....	1	0.00
8233 = Keppra, Levetiracetam	1	0.00
8236 = Lyrica, Pregabalin.....	1	0.00
8247 = Abilify, Aripiprazole.....	3	0.00
8279 = Coumadin, Warfarin	1	0.00
8284 = Desvenlafaxine, Prestiq.....	1	0.00
8317 = Namenda.....	1	0.00
8326 = Dalay	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
9985 = BAD DATA Logically assigned.....	48	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	14	0.00
9991 = NEVER USED TRANQUILIZERS.....	660447	69.57
9997 = REFUSED	235	0.02
9998 = BLANK (NO ANSWER)	1990	0.21
9999 = LEGITIMATE SKIP.....	57064	6.01

TRANQUILIZERS

TRNEWB

Len : 4 OTHER TRANQUILIZER - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
105 = Placidyl, Ethchlorvynol.....	5	0.00
108 = Nembutal	3	0.00
109 = Seconal	7	0.00
110 = Tuinal	3	0.00
112 = Restoril	1	0.00
113 = Halcion	1	0.00
115 = Phenobarbital	2	0.00
116 = Methaqualone, Sopor, Quaalude.....	13	0.00
117 = Chloral hydrate, Noctec	1	0.00
119 = Secobarbital	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
124 = Yellow jackets.....	2	0.00
129 = Reds	3	0.00
130 = Promethazine	1	0.00
131 = Haldol, Haloperidol	1	0.00
137 = 7-14	6	0.00
138 = Mandrax, Mandrix [see also 116]	2	0.00
174 = Ambien	5	0.00
178 = Quetiapine, Seroquel	9	0.00
188 = Prosom	1	0.00
189 = Sonata, Zaleplon.....	1	0.00
201 = Valium.....	31	0.00
202 = Librium.....	1	0.00
205 = Serax	1	0.00
207 = Ativan.....	5	0.00
209 = Xanax	18	0.00
211 = BuSpar.....	2	0.00
212 = Miltown	1	0.00
215 = Vistaril.....	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	10	0.00
222 = USED TRANQUILIZER, DON'T KNOW NAME.....	36	0.00
223 = Methocarbamol	1	0.00
225 = Desyrel, Trazodone hydrochloride	10	0.00
227 = Thorazine	3	0.00
228 = Amitriptyline, Elavil	1	0.00
234 = Flexeril	10	0.00
237 = Midazolam	1	0.00
241 = Prozac, Fluoxetine	5	0.00
246 = Klonopin	14	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies.....	1	0.00
271 = Sertraline hydrochloride, Zoloft.....	2	0.00
278 = Benzodiazepines.....	2	0.00
280 = Ketaset.....	5	0.00
283 = Paroxetine, Paxil	1	0.00
285 = Risperdal, Risperdol, Risperidone	2	0.00
289 = Olanzapine, Zyprexa.....	2	0.00
291 = Celexa, Citalopram	2	0.00
296 = Novoxapam.....	1	0.00
312 = Ionamin	1	0.00
318 = Ritalin.....	5	0.00
374 = Christmas tree(s)	1	0.00
401 = Darvon.....	1	0.00
407 = Demerol.....	1	0.00
411 = Talwin	1	0.00
415 = Codeine pills	1	0.00
417 = Morphine	1	0.00
418 = Methadone	1	0.00
422 = Motrin	3	0.00
423 = Percocet.....	2	0.00
425 = Advil <OTC>	1	0.00
434 = Vicodin.....	3	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen.....	1	0.00
442 = Ibuprofen	1	0.00
465 = Fentanyl.....	1	0.00
658 = Special K, Ketamine	22	0.00
663 = Animal tranquilizer, horse tranquilizer	17	0.00
703 = Opium, otherwise unspecified	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
821 = Amoxicillin, Ampicillin, Pentrexly	1	0.00
852 = Formaldehyde, wak, whack (embalming fluid).....	1	0.00
896 = Catapres, Clonidine	1	0.00

TRANQUILIZERS

1006 = Trileptal, Oxcarbazepine	1	0.00
1009 = Mogadon.....	1	0.00
1011 = Eszopiclone, Lunesta	2	0.00
2001 = Soma	8	0.00
2002 = Muscle relaxers	1	0.00
2004 = Bromazepam, Lexillum, Lexomil, Lexotan, Lexotamil	1	0.00
2008 = 747	1	0.00
2011 = Lexapro.....	2	0.00
2017 = Motival	1	0.00
3017 = Dayquil <OTC>	1	0.00
3023 = Adderall	5	0.00
3026 = Bupropion, Wellbutrin, Zyban	1	0.00
3052 = Speed, otherwise unspecified.....	1	0.00
3086 = Adderall XR	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol	1	0.00
4043 = Tramadol.....	1	0.00
4047 = Roxicet	1	0.00
4058 = Totem poles	1	0.00
4067 = OxyContin	1	0.00
6083 = CCC, "Triple C," C3 <OTC>	1	0.00
6149 = Tiletamine	1	0.00
8007 = Gabapentin, Neurontin	2	0.00
8012 = Coriciden <OTC>.....	1	0.00
8017 = Buscapina	1	0.00
8097 = Tizanidine, Zanaflex	1	0.00
8098 = Potassium chloride.....	1	0.00
8203 = Bar, otherwise unspecified	1	0.00
8210 = Mylan(s), no other information.....	1	0.00
8247 = Abilify, Aripiprazole.....	1	0.00
8289 = Ear drops, contents unspecified	1	0.00
8326 = Dalay	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
9985 = BAD DATA Logically assigned	31	0.00
9989 = LEGITIMATE SKIP Logically assigned.....	4	0.00
9991 = NEVER USED TRANQUILIZERS.....	660447	69.57
9997 = REFUSED	148	0.02
9998 = BLANK (NO ANSWER).....	4510	0.48
9999 = LEGITIMATE SKIP.....	57074	6.01

TRANQUILIZERS

TRNEWC

Len : 4 OTHER TRANQUILIZER - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
108 = Nembutal	1	0.00
109 = Seconal	2	0.00
110 = Tuinal	1	0.00
115 = Phenobarbital	1	0.00
116 = Methaqualone, Sopor, Quaalude.....	3	0.00
118 = Pentobarbital, Pentothal, Sodium pentothal	1	0.00
129 = Reds	1	0.00
171 = NyQuil <OTC>	1	0.00
174 = Ambien	4	0.00
201 = Valium.....	12	0.00
202 = Librium.....	2	0.00
205 = Serax	1	0.00
207 = Ativan.....	3	0.00
209 = Xanax	5	0.00
215 = Vistaril.....	1	0.00
222 = USED TRANQUILIZER, DON'T KNOW NAME.....	17	0.00
223 = Methocarbamol	1	0.00
227 = Thorazine.....	1	0.00
234 = Flexeril	3	0.00
241 = Prozac, Fluoxetine	1	0.00
246 = Klonopin.....	4	0.00
271 = Sertraline hydrochloride, Zoloft.....	1	0.00
289 = Olanzapine, Zyprexa.....	1	0.00
417 = Morphine	1	0.00
418 = Methadone	1	0.00
422 = Motrin	1	0.00
425 = Advil <OTC>.....	2	0.00
431 = Tylox	1	0.00
434 = Vicodin.....	1	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen.....	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>	1	0.00
658 = Special K, Ketamine	8	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
896 = Catapres, Clonidine	1	0.00
2001 = Soma	3	0.00
2002 = Muscle relaxers	1	0.00
2017 = Motival	1	0.00
3023 = Adderall	2	0.00
6083 = CCC, "Triple C," C3 <OTC>	1	0.00
8203 = Bar, otherwise unspecified	1	0.00
8285 = Mirapex, Pramipexole.....	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
9985 = BAD DATA Logically assigned.....	14	0.00
9991 = NEVER USED TRANQUILIZERS.....	660447	69.57
9997 = REFUSED	145	0.02
9998 = BLANK (NO ANSWER).....	4785	0.50
9999 = LEGITIMATE SKIP.....	57078	6.01

TRANQUILIZERS

TRNEWD

Len : 4 OTHER TRANQUILIZER - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
110 = Tuinal	2	0.00
113 = Halcion	1	0.00
116 = Methaqualone, Sopor, Quaalude.....	4	0.00
174 = Ambien.....	1	0.00
201 = Valium.....	3	0.00
207 = Ativan.....	2	0.00
209 = Xanax	2	0.00
211 = BuSpar.....	1	0.00
215 = Vistaril.....	1	0.00
216 = Atarax.....	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	2	0.00
222 = USED TRANQUILIZER, DON'T KNOW NAME.....	3	0.00
234 = Flexeril	1	0.00
246 = Klonopin.....	2	0.00
290 = Metaxolone, Skelaxin	1	0.00
434 = Vicodin.....	1	0.00
658 = Special K, Ketamine	4	0.00
8012 = Coriciden <OTC>.....	2	0.00
8309 = Mucinex <OTC>	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
9985 = BAD DATA Logically assigned	8	0.00
9991 = NEVER USED TRANQUILIZERS.....	660447	69.57
9997 = REFUSED	143	0.02
9998 = BLANK (NO ANSWER).....	4856	0.51
9999 = LEGITIMATE SKIP.....	57078	6.01

TRNEWE

Len : 4 OTHER TRANQUILIZER - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
112 = Restoril	1	0.00
113 = Halcion	1	0.00
116 = Methaqualone, Sopor, Quaalude.....	2	0.00
201 = Valium.....	1	0.00
209 = Xanax	2	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	2	0.00
222 = USED TRANQUILIZER, DON'T KNOW NAME.....	2	0.00
246 = Klonopin.....	1	0.00
658 = Special K, Ketamine	2	0.00
663 = Animal tranquilizer, horse tranquilizer.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
8097 = Tizanidine, Zanaflex	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
9985 = BAD DATA Logically assigned	4	0.00
9991 = NEVER USED TRANQUILIZERS.....	660447	69.57
9997 = REFUSED	140	0.01
9998 = BLANK (NO ANSWER).....	4881	0.51
9999 = LEGITIMATE SKIP.....	57078	6.01

The answers that people give us about their use of prescription tranquilizers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: KLONOPIN, XNAXATVN, VALMDIAZ, TRNCARD, or TRNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.

TRNEVER

Len : 2 EVER USED TRANQUILIZERS NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	60708	6.40
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
97 = REFUSED	39	0.00
98 = BLANK (NO ANSWER).....	1373	0.14

TRANQUILIZERS

How old were you the first time you used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANAGE

Len : 3 AGE WHEN FIRST USED TRANQUILIZERS NONMEDICALLY

	Freq	Pct
RANGE = 1 - 85.....	58912	6.21
-9 = Data not collected for this year	226632	23.87
981 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
985 = BAD DATA Logically assigned.....	334	0.04
991 = NEVER USED TRANQUILIZERS.....	660447	69.57
994 = DON'T KNOW	1145	0.12
997 = REFUSED	369	0.04
998 = BLANK (NO ANSWER).....	1360	0.14

Did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANFYU

Len : 4 YEAR OF FIRST TRANQUILIZER USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014.....	9242	0.97
-9 = Data not collected for this year	226632	23.87
9981 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
9985 = BAD DATA Logically assigned	942	0.10
9989 = LEGITIMATE SKIP Logically assigned.....	460	0.05
9991 = NEVER USED TRANQUILIZERS.....	660447	69.57
9994 = DON'T KNOW.....	1183	0.12
9997 = REFUSED	380	0.04
9998 = BLANK (NO ANSWER).....	1393	0.15
9999 = LEGITIMATE SKIP.....	48520	5.11

In what month in [CURRENT YEAR] did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM TR07a or TR07b] did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANMFU

Len : 2 MONTH OF FIRST TRANQUILIZER USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = January.....	818	0.09
2 = February	697	0.07
3 = March.....	792	0.08
4 = April.....	666	0.07
5 = May.....	691	0.07
6 = June.....	849	0.09
7 = July	807	0.09
8 = August.....	659	0.07
9 = September.....	667	0.07
10 = October.....	714	0.08
11 = November	632	0.07
12 = December	554	0.06
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	939	0.10
89 = LEGITIMATE SKIP Logically assigned	460	0.05
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
94 = DON'T KNOW	1857	0.20
97 = REFUSED	402	0.04
98 = BLANK (NO ANSWER).....	1396	0.15
99 = LEGITIMATE SKIP	48520	5.11

TRANQUILIZERS

How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANREC

Len : 2 TIME SINCE LAST USED TRANQUILIZERS NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	6767	0.71
2 = More than 30 days ago but within the past 12 mos	13368	1.41
3 = More than 12 months ago	39324	4.14
8 = Used at some point in the past 12 mos LOG ASSN	125	0.01
9 = Used at some point in lifetime LOG ASSN	1112	0.12
11 = Used in the past 30 days LOGICALLY ASSIGNED	12	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
97 = REFUSED	39	0.00
98 = BLANK (NO ANSWER).....	1359	0.14

TRNYRTOT

Len : 3 TOTAL # DAYS USED TRANQUILIZERS PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	19902	2.10
-9 = Data not collected for this year	226632	23.87
981 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
985 = BAD DATA Logically assigned.....	153	0.02
991 = NEVER USED TRANQUILIZERS.....	660447	69.57
993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	39324	4.14
994 = DON'T KNOW	179	0.02
997 = REFUSED	91	0.01
998 = BLANK (NO ANSWER).....	2471	0.26

TRTOTFG

Len : 2 TRIMMING INDICATOR FOR TRNYRTOT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Trimmed to 365 days (no further editing)	1	0.00
98 = BLANK (NO ANSWER).....	722652	76.13

TRFQFLG

Len : 2 TRIMMED TRNYRTOT IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Trimmed to be consistent with mo/yr of 1st use	1502	0.16
98 = BLANK (NO ANSWER).....	721151	75.97

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used a prescription tranquilizer in either of these ways?

TRBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED TRANQUILIZER

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Prefer to answer in days per week.....	3060	0.32
2 = Prefer to answer in days per month.....	5295	0.56
3 = Prefer to answer in days per year.....	11491	1.21
11 = Prefer to ans in days per wk LOG ASSN	21	0.00
12 = Prefer to ans in days per mo LOG ASSN	45	0.00
13 = Prefer to ans in days per yr LOG ASSN.....	136	0.01
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	153	0.02
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	62	0.01
97 = REFUSED	62	0.01
98 = BLANK (NO ANSWER).....	2471	0.26

TRANQUILIZERS

On how many days in the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRDAYPYR

Len : 3 # DAYS USED TRANQUILIZERS "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	11591	1.22
-9 = Data not collected for this year	226632	23.87
981 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
985 = BAD DATA Logically assigned.....	37	0.00
989 = LEGITIMATE SKIP Logically assigned.....	56	0.01
991 = NEVER USED TRANQUILIZERS	660447	69.57
993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	39324	4.14
994 = DON'T KNOW	95	0.01
997 = REFUSED	65	0.01
998 = BLANK (NO ANSWER).....	2587	0.27
999 = LEGITIMATE SKIP	8365	0.88

On average, how many days each month during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRDAYPMO

Len : 2 # DAYS PER MO USED TRANQUILIZERS "NM" PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31	5284	0.56
-9 = Data not collected for this year	226632	23.87
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	46	0.00
89 = LEGITIMATE SKIP Logically assigned	21	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	136	0.01
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER).....	2578	0.27
99 = LEGITIMATE SKIP	14651	1.54

On average, how many days each week during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRDAYPWK

Len : 2 # DAYS PER WK USED TRANQUILIZERS "NM" PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7	3027	0.32
-9 = Data not collected for this year	226632	23.87
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	70	0.01
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	179	0.02
97 = REFUSED	91	0.01
98 = BLANK (NO ANSWER).....	2554	0.27
99 = LEGITIMATE SKIP	16875	1.78

TRANQUILIZERS

The next question asks about using **prescription tranquilizers** in any way **a doctor did not direct you to use them**.

When you answer these questions, please think only about your use of the drug in any way **a doctor did not direct you to use it**, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in **any other way** a doctor did not direct you to use it

Have you ever, even once, used any prescription tranquilizer in any way **a doctor did not direct you to use it?**

TRQNMLIF

Len : 2 EVER USED TRANQUILIZER NOT DIRECTED BY DR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	4121	0.43
2 = No.....	31945	3.37
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	6180	0.65
85 = BAD DATA Logically assigned.....	135	0.01
91 = NEVER USED/MISUSED TRANQUILIZERS	182650	19.24
94 = DON'T KNOW	46	0.00
97 = REFUSED	30	0.00
98 = BLANK (NO ANSWER).....	1525	0.16

NOTE: The variable TRQNMREC is a recoded variable that was created from TRQNMLIF, the 12-month misuse variables of specific tranquilizers, and TRANQNM30DY.

TRQNMREC

Len : 2 RC - MOST RECENT TRANQUILIZER MISUSE (RECODE)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	1846	0.19
2 = More than 30 days ago but within the past 12 mos	4312	0.45
3 = More than 12 months ago	4108	0.43
8 = Misused at some point in past 12 mos LOG ASSN.....	22	0.00
9 = Misused at some point in lifetime LOG ASSN.....	13	0.00
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn.....	1040	0.11
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
98 = BLANK (NO ANSWER).....	696	0.07

NOTE: TRQNMINIT is "reverse coded" from the answers in TRL03. TRL03=1 (yes) was recoded to 2 in TRQNMINIT because this answer means that the respondent misused tranquilizers before the past 12 months (and therefore is not a past year initiate for misuse of tranquilizers). TRL03=2 (no) was recoded to 1 in TRQNMINIT because this answer means that the respondent did not misuse tranquilizers before the past 12 months (and therefore is a past year initiate for misuse of tranquilizers).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription tranquilizer in a way a doctor did not direct you to use it?

TRQNMINIT

Len : 2 PAST YEAR INITIATE FOR ANY TRANQUILIZER MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Past year initiate.....	1704	0.18
2 = Not a past year initiate.....	343	0.04
4 = Not past yr initiate LOG ASSN (from skip pattern)	4102	0.43
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN).....	1040	0.11
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
94 = DON'T KNOW	16	0.00
97 = REFUSED	15	0.00
98 = BLANK (NO ANSWER).....	709	0.07

NOTE: The variables TRQNMAGE, TRQNMIFU, and TRQNMIFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of tranquilizers in the 12 months prior to being interviewed (TRQNMINIT=1).

TRQNMAGE

Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR TRANQ INITIATES

	Freq	Pct
RANGE = 12 - 80	1626	0.17
-9 = Data not collected for this year	722653	76.13
983 = NOT A PAST YEAR INITIATE Log assn.....	1040	0.11
991 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
993 = NOT A PAST YEAR INITIATE.....	8553	0.90
998 = BLANK (NO ANSWER).....	818	0.09

TRANQUILIZERS

[TRQNMUFU](#)

Len : 4 RC - YR 1ST MISUSED FOR PAST YR TRANQ INITIATES

	Freq	Pct
RANGE = 2014 - 2018.....	1619	0.17
-9 = Data not collected for this year	722653	76.13
9983 = NOT A PAST YEAR INITIATE Logically assigned.....	1040	0.11
9991 = NEVER USED/MISUSED TRANQUILIZERS.....	214595	22.61
9993 = NOT A PAST YEAR INITIATE.....	8553	0.90
9998 = BLANK (NO ANSWER).....	825	0.09

[TRQNMUFU](#)

Len : 2 RC - MO 1ST MISUSED FOR PAST YR TRANQ INITIATES

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = January.....	138	0.01
2 = February	106	0.01
3 = March.....	120	0.01
4 = April.....	127	0.01
5 = May.....	114	0.01
6 = June.....	153	0.02
7 = July	137	0.01
8 = August.....	125	0.01
9 = September.....	120	0.01
10 = October.....	163	0.02
11 = November	136	0.01
12 = December	108	0.01
83 = NOT A PAST YEAR INITIATE Logically assigned.....	1040	0.11
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = NOT A PAST YEAR INITIATE.....	8553	0.90
98 = BLANK (NO ANSWER).....	897	0.09

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL]?

[TRQNM30D](#)

Len : 2 USED TRANQ NOT DIRECTED BY DR PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1718	0.18
2 = No.....	4312	0.45
5 = Yes LOGICALLY ASSIGNED	128	0.01
83 = DID NOT MISUSE TRAN IN THE PST 30 DAYS LOG ASSN	11	0.00
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS	5137	0.54
94 = DON'T KNOW	6	0.00
97 = REFUSED	16	0.00
98 = BLANK (NO ANSWER).....	695	0.07

During the past 30 days, on how many days did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL]?

[TRQNM30FQ](#)

Len : 2 # DAYS USED TRANQ NOT DIRECTD BY DR PST 30 DYS

	Freq	Pct
RANGE = 1 - 30.....	1818	0.19
-9 = Data not collected for this year	722653	76.13
83 = DID NOT MISUSE TRAN IN THE PST 30 DAYS LOG ASSN	4	0.00
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS	9456	1.00
94 = DON'T KNOW	16	0.00
97 = REFUSED	12	0.00
98 = BLANK (NO ANSWER).....	724	0.08

TRANQUILIZERS

What is your best estimate of the number of days you used [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL] during the past 30 days?

TRQNM30ES

Len : 2 EST # DAYS USED TRANQ NOT DIRECTED PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = 1 or 2 days	6	0.00
2 = 3 to 5 days	5	0.00
3 = 6 to 9 days	1	0.00
4 = 10 to 19 days.....	3	0.00
6 = All 30 days	3	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS	9460	1.00
94 = DON'T KNOW	6	0.00
97 = REFUSED	4	0.00
98 = BLANK (NO ANSWER).....	731	0.08
99 = LEGITIMATE SKIP	1818	0.19

NOTE: Responses of "yes" in TRQNM30AL were assigned a code of 11 when respondents reported that they misused tranquilizers with alcohol in the past 30 days but there was some question from the edited alcohol data about whether they used alcohol in the past 30 days. Analysts are encouraged to check the value of the final imputed alcohol recency IRALCRC when TRQNM30AL=11 to determine whether IRALCRC was assigned a value to indicate that the most recent use of alcohol was within the past 30 days or was more than 30 days ago but within the past 12 months.

During the past 30 days, did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

TRQNM30AL

Len : 2 USED TRANQ NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	713	0.08
2 = No.....	702	0.07
11 = Yes (ALCREC=8)	2	0.00
83 = DID NOT MISUSE TRAN IN THE PST 30 DAYS LOG ASSN	2	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS	9458	1.00
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	740	0.08
99 = LEGITIMATE SKIP	414	0.04

Which of these statements describe your use of [TRNAMEFILL] at any time in the past 12 months?

TRQWYNORX

Len : 2 USED TRANQ W/O OWN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	4520	0.48
2 = No (not entered)	1524	0.16
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN	5	0.00
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	5143	0.54
94 = DON'T KNOW	60	0.01
97 = REFUSED	76	0.01
98 = BLANK (NO ANSWER).....	701	0.07

TRQWYGAMT

Len : 2 USED TRANQ IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	861	0.09
2 = No (not entered)	5183	0.55
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	3	0.00
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	5145	0.54
94 = DON'T KNOW	60	0.01
97 = REFUSED	76	0.01
98 = BLANK (NO ANSWER).....	701	0.07

TRANQUILIZERS

[TRQWYOFTN](#)

Len : 2 USED TRANQ MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	463	0.05
2 = No (not entered)	5581	0.59
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	5147	0.54
94 = DON'T KNOW	60	0.01
97 = REFUSED	76	0.01
98 = BLANK (NO ANSWER).....	706	0.07

[TRQWYLNGR](#)

Len : 2 USED TRANQ LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	275	0.03
2 = No (not entered)	5769	0.61
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN	2	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	5146	0.54
94 = DON'T KNOW	60	0.01
97 = REFUSED	76	0.01
98 = BLANK (NO ANSWER).....	707	0.07

[TRQWYOTWY](#)

Len : 2 USED TRANQ OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1166	0.12
2 = No (not entered)	4878	0.51
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN	4	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	5144	0.54
94 = DON'T KNOW	60	0.01
97 = REFUSED	76	0.01
98 = BLANK (NO ANSWER).....	705	0.07

Now think about the last time you used a prescription tranquilizer in any way a doctor did not direct you to use it.

Which of these tranquilizers did you use the last time? If you used more than one tranquilizer the last time, please choose one tranquilizer as your best answer.

[TRQNMLAS1](#)

Len : 2 LAST TRANQ USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = Xanax.....	2882	0.30
2 = Xanax XR.....	44	0.00
3 = Alprazolam (generic).....	282	0.03
4 = Extended-release alprazolam (generic)	17	0.00
5 = Ativan	112	0.01
6 = Klonopin	200	0.02
7 = Lorazepam (generic).....	172	0.02
8 = Clonazepam (generic).....	239	0.03
9 = Valium	221	0.02
10 = Diazepam (generic)	92	0.01
11 = Cyclobenzaprine (generic), also known as Flexeril.....	140	0.01
12 = Soma	87	0.01
13 = Some other tranquilizer.....	92	0.01
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN	8	0.00
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	160475	16.90
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	3907	0.41
94 = DON'T KNOW	8	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	487	0.05

TRANQUILIZERS

Now think about the last time you used [TRLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [TRLASTFILL2] the last time?

TRQRSRELX

Len : 2 USED LAST TRANQ (NOT DIRECTED) TO RELAX

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	3563	0.38
2 = No (not entered)	2526	0.27
3 = Yes LOGICALLY ASSIGNED	36	0.00
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN	6	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	5142	0.54
94 = DON'T KNOW	18	0.00
97 = REFUSED	36	0.00
98 = BLANK (NO ANSWER).....	704	0.07

TRQRSEXPT

Len : 2 USED LAST TRANQ (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	906	0.10
2 = No (not entered)	5210	0.55
3 = Yes LOGICALLY ASSIGNED	9	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	5147	0.54
94 = DON'T KNOW	18	0.00
97 = REFUSED	36	0.00
98 = BLANK (NO ANSWER).....	706	0.07

TRQRSHIGH

Len : 2 USED LAST TRANQ (NOT DIRECTED) TO GET HIGH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1649	0.17
2 = No (not entered)	4459	0.47
3 = Yes LOGICALLY ASSIGNED	17	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	5147	0.54
94 = DON'T KNOW	18	0.00
97 = REFUSED	36	0.00
98 = BLANK (NO ANSWER).....	705	0.07

TRQRSSLEP

Len : 2 USED LAST TRANQ (NOT DIRECTED) FOR SLEEP

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1898	0.20
2 = No (not entered)	4222	0.44
3 = Yes LOGICALLY ASSIGNED	5	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	4	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	5144	0.54
94 = DON'T KNOW	18	0.00
97 = REFUSED	36	0.00
98 = BLANK (NO ANSWER).....	708	0.07

TRANQUILIZERS

[TRQRSEMOT](#)

Len : 2 USED LAST TRANQ (NOT DIRECTED) FOR EMOTIONS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1548	0.16
2 = No (not entered)	4569	0.48
3 = Yes LOGICALLY ASSIGNED	8	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	5147	0.54
94 = DON'T KNOW	18	0.00
97 = REFUSED	36	0.00
98 = BLANK (NO ANSWER).....	708	0.07

[TRQRSDGFX](#)

Len : 2 USED LAST TRANQ (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	298	0.03
2 = No (not entered)	5825	0.61
3 = Yes LOGICALLY ASSIGNED	2	0.00
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	5147	0.54
94 = DON'T KNOW	18	0.00
97 = REFUSED	36	0.00
98 = BLANK (NO ANSWER).....	710	0.07

[TRQRSHOOK](#)

Len : 2 USED LAST TRANQ (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	71	0.01
2 = No (not entered)	6053	0.64
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	5147	0.54
94 = DON'T KNOW	18	0.00
97 = REFUSED	36	0.00
98 = BLANK (NO ANSWER).....	709	0.07

[TRQRSSOR](#)

Len : 2 USED LAST TRANQ (NOT DIRECTED) OTHER REASON

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	320	0.03
2 = No (not entered)	5805	0.61
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN	3	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	5145	0.54
94 = DON'T KNOW	18	0.00
97 = REFUSED	36	0.00
98 = BLANK (NO ANSWER).....	707	0.07

TRANQUILIZERS

Please type in the other reason you used [TRLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

TRQRSOTRS2

Len : 3 REASON USED LAST TRANQ (NOT DIRECTED)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = To relieve physical pain.....	76	0.01
2 = To relax or relieve tension	62	0.01
3 = To experiment or to see what it's/they're like.....	9	0.00
4 = To feel good or get high.....	20	0.00
5 = To help with my sleep	7	0.00
6 = To help me with my feelings or emotions	16	0.00
7 = To increase/decrease effects of some other drug.....	2	0.00
8 = Because I am "hooked" or I have to have it/them	1	0.00
13 = I used it/them for some other reason.....	52	0.01
14 = For cold/flu/fever/sick; pain not specified	3	0.00
16 = Suicide attempt/suicidal thoughts	25	0.00
18 = Peer pressure/friends/feel cool.....	4	0.00
22 = To prevent/treat anxiety/panic attacks.....	14	0.00
26 = To replace another/other drug(s) I am addicted to.....	6	0.00
983 = DID NOT USE TRANQ IN THE PAST 12 MOS Logically assigned.....	2	0.00
985 = BAD DATA (logically assigned).....	13	0.00
991 = NEVER USED TRANQUILIZERS	214595	22.61
993 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS	5146	0.54
994 = DON'T KNOW	5	0.00
997 = REFUSED	8	0.00
998 = BLANK (no answer)	761	0.08
999 = LEGITIMATE SKIP	5805	0.61

Which was the main reason you used [TRLASTFILL2] the last time?

TRQRSMAN

Len : 2 MAIN REASON USED LAST TRANQ (NOT DIRECTED)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = To relax or relieve tension	882	0.09
2 = To experiment or to see what it was/they were like	136	0.01
3 = To feel good or get high.....	371	0.04
4 = To help with my sleep	360	0.04
5 = To help me with my feelings or emotions	429	0.05
6 = To increase or decrease the effect(s) of some other drug.....	60	0.01
7 = Because I am 'hooked' or I have to have it/them	13	0.00
8 = The other reason I reported	46	0.00
11 = To relax or relieve tension LOGICALLY ASSIGNED	21	0.00
13 = To feel good or get high LOGICALLY ASSIGNED	1	0.00
14 = To help with my sleep LOGICALLY ASSIGNED	2	0.00
15 = To help with feelings/emotions LOGICALLY ASSIGNED	3	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	5148	0.54
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	761	0.08
99 = LEGITIMATE SKIP	3798	0.40

NOTE: TRQNORXFG is set to 1 when respondents reported that the only way they misused tranquilizers in the past year was without a prescription. These respondents also reported that the last tranquilizer they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

TRQNORXFG

Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST TRANQ

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Only misuse w/o Rx but reported last drug gotten with Rx	119	0.01
98 = BLANK (NO ANSWER).....	226513	23.86

STIMULANTS

STIMULANTS

These next questions ask about the use of drugs such as amphetamines that are known as stimulants, "uppers," or "speed." People sometimes take these drugs to lose weight, to stay awake, or for attention deficit disorders. We are not interested in the use of "over-the-counter" stimulants such as Dexatrim or No-Doz that can be bought in drug stores or grocery stores without a doctor's prescription.

Card C shows pictures of some different kinds of prescription stimulants and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription stimulants that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card C carefully as you answer the next questions.

Have you ever, even once, used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused? Methamphetamine is also known as crank, crystal, ice, or speed.

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

METHDES

Len : 2 EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	25557	2.69
2 = No.....	29040	3.06
3 = Yes LOGICALLY ASSIGNED	15	0.00
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	501	0.05
97 = REFUSED	85	0.01
98 = BLANK (NO ANSWER).....	37	0.00

Have you ever, even once, used prescription diet pills, such as Amphetamines, Benzedrine, Biphetamine, Fastin, or Phentermine, that was not prescribed for you or that you took only for the experience or feeling it caused?

DIETPILS

Len : 2 EVER USED DIET PILLS SUCH AS AMPHETAMINES, ETC

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	15708	1.65
2 = No.....	38813	4.09
3 = Yes LOGICALLY ASSIGNED	84	0.01
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	478	0.05
97 = REFUSED	115	0.01
98 = BLANK (NO ANSWER).....	37	0.00

Have you ever, even once, used Ritalin or Methylphenidate that was not prescribed for you or that you took only for the experience or feeling it caused?

RITMPHEN

Len : 2 EVER USED RITALIN OR METHYLPHENIDATE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	21596	2.27
2 = No.....	32980	3.47
3 = Yes LOGICALLY ASSIGNED	15	0.00
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	484	0.05
97 = REFUSED	123	0.01
98 = BLANK (NO ANSWER).....	37	0.00

STIMULANTS

Please look at the stimulants shown below the red line on Card C.

Have you ever, even once, used any of these stimulants when they were not prescribed for you or that you took only for the experience or feeling they caused?

STM CARD

Len : 2 EVER USED ANY STIMULANT BELOW RED LINE ON CARD C

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	7991	0.84
2 = No.....	46472	4.90
3 = Yes LOGICALLY ASSIGNED	49	0.01
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	569	0.06
97 = REFUSED	115	0.01
98 = BLANK (NO ANSWER).....	39	0.00

Which of the stimulants shown below the red line on Card C have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?

CYLERT

Len : 2 EVER USED CYLERT NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	576	0.06
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	6899	0.73
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	408	0.04
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER).....	618	0.07
99 = LEGITIMATE SKIP	46472	4.90

DEXED

Len : 2 EVER USED DEXEDRINE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	4176	0.44
3 = Response entered LOGICALLY ASSIGNED	19	0.00
6 = Response not entered.....	3282	0.35
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	408	0.04
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER).....	620	0.07
99 = LEGITIMATE SKIP	46472	4.90

DETAMP

Len : 2 EVER USED DEXTROAMPHETAMINE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	2032	0.21
3 = Response entered LOGICALLY ASSIGNED	8	0.00
6 = Response not entered.....	5437	0.57
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	408	0.04
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER).....	619	0.07
99 = LEGITIMATE SKIP	46472	4.90

STIMULANTS

[DIDREX](#)

Len : 2 EVER USED DIDREX NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	436	0.05
6 = Response not entered.....	7041	0.74
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	408	0.04
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER).....	620	0.07
99 = LEGITIMATE SKIP	46472	4.90

[ESKAT](#)

Len : 2 EVER USED ESKATROL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	325	0.03
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered.....	7149	0.75
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	408	0.04
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER).....	620	0.07
99 = LEGITIMATE SKIP	46472	4.90

[IONAMIN](#)

Len : 2 EVER USED IONAMIN NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	603	0.06
3 = Response entered LOGICALLY ASSIGNED	6	0.00
6 = Response not entered.....	6868	0.72
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	408	0.04
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER).....	620	0.07
99 = LEGITIMATE SKIP	46472	4.90

[MAZANOR](#)

Len : 2 EVER USED MAZANOR NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	200	0.02
6 = Response not entered.....	7277	0.77
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	408	0.04
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER).....	619	0.07
99 = LEGITIMATE SKIP	46472	4.90

[OBLA](#)

Len : 2 EVER USED OBEDRIN-LA NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	86	0.01
6 = Response not entered.....	7391	0.78
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	408	0.04
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER).....	620	0.07
99 = LEGITIMATE SKIP	46472	4.90

STIMULANTS

[PLEGINE](#)

Len : 2 EVER USED PLEGINE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	159	0.02
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	7316	0.77
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	408	0.04
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER).....	619	0.07
99 = LEGITIMATE SKIP	46472	4.90

[PRELUDIN](#)

Len : 2 EVER USED PRELUDIN NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	730	0.08
3 = Response entered LOGICALLY ASSIGNED	12	0.00
6 = Response not entered.....	6735	0.71
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	408	0.04
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER).....	619	0.07
99 = LEGITIMATE SKIP	46472	4.90

[SANOREX](#)

Len : 2 EVER USED SANOREX NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	363	0.04
3 = Response entered LOGICALLY ASSIGNED	4	0.00
6 = Response not entered.....	7110	0.75
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	408	0.04
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER).....	620	0.07
99 = LEGITIMATE SKIP	46472	4.90

[TENUATE](#)

Len : 2 EVER USED TENUATE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	315	0.03
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered.....	7159	0.75
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	408	0.04
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER).....	620	0.07
99 = LEGITIMATE SKIP	46472	4.90

STIMULANTS

Have you ever, even once, used any other prescription stimulant, besides the ones shown on Card C when it was not prescribed for you or that you took only for the experience or feeling it caused?

[STMNOLST](#)

Len : 2 EVER USED ANY OTHER STIMULANT NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	8831	0.93
2 = No	45377	4.78
4 = No LOGICALLY ASSIGNED.....	69	0.01
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	777	0.08
97 = REFUSED	141	0.01
98 = BLANK (NO ANSWER).....	40	0.00

STIMULANTS

STIMNEWA

Len : 4 OTHER STIMULANT - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
105 = Placidyl, Ethchlorvynol.....	1	0.00
109 = Seconal	1	0.00
111 = Dalmane	1	0.00
116 = Methaqualone, Sopor, Quaalude.....	7	0.00
124 = Yellow jackets.....	50	0.01
129 = Reds	4	0.00
137 = 7-14	1	0.00
139 = Black widows.....	4	0.00
142 = Belladonna.....	1	0.00
157 = Barbiturates.....	1	0.00
174 = Ambien	4	0.00
178 = Quetiapine, Seroquel	8	0.00
201 = Valium.....	7	0.00
207 = Ativan.....	5	0.00
209 = Xanax	20	0.00
213 = Equanil	1	0.00
216 = Atarax.....	1	0.00
225 = Desyrel, Trazodone hydrochloride	3	0.00
227 = Thorazine.....	1	0.00
234 = Flexeril	2	0.00
235 = Imipramine	1	0.00
240 = Lithium carbonate, Lithonate	8	0.00
241 = Prozac, Fluoxetine	10	0.00
246 = Klonopin	2	0.00
271 = Sertraline hydrochloride, Zoloft.....	11	0.00
283 = Paroxetine, Paxil	1	0.00
285 = Risperdal, Risperdol, Risperidone.....	1	0.00
291 = Celexa, Citalopram.....	2	0.00
295 = Mirtazapine, Remeron	1	0.00
301 = Dexedrine	22	0.00
302 = Dexamyl	3	0.00
303 = Eskatrol	3	0.00
304 = Benzedrine.....	5	0.00
305 = Biphphetamine.....	3	0.00
306 = Desoxyn.....	3	0.00
307 = Tenuate.....	3	0.00
310 = Plegine.....	2	0.00
311 = Preludin	11	0.00
312 = Ionamin	6	0.00
313 = Adipex-P.....	106	0.01
314 = Pondimin, Fenfluramine.....	1	0.00
316 = Sanorex.....	4	0.00
317 = Mazanor.....	1	0.00
318 = Ritalin.....	72	0.01
319 = Cylert	3	0.00
320 = Dextroamphetamine.....	7	0.00
321 = Methedrine.....	5	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	70	0.01
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	128	0.01
325 = USED STIMULANT, DON'T KNOW NAME.....	656	0.07
326 = White cross	152	0.02
327 = Black beauties, black beauty	174	0.02
328 = Pink hearts	22	0.00
329 = Bird's eggs, robin's eggs, speckled eggs	31	0.00
330 = Blue birds, blue jays, blue robins, speckled bird	5	0.00
331 = Blancs, whites.....	19	0.00
332 = Ephedrine.....	82	0.01
333 = 357 Magnum, Magnum 44 <OTC>.....	2	0.00
334 = Crossroads, cross tops.....	76	0.01
336 = Diet pills/medications/drugs, otherwise unspfd.....	29	0.00
339 = Amphetamines, otherwise unspecified	15	0.00
342 = Purple hearts	1	0.00
344 = Bennies.....	7	0.00
345 = Black molly.....	33	0.00
346 = Marax	1	0.00
347 = Phenylpropanolamine	2	0.00
348 = Crystal	4	0.00
349 = Phendimetrazine	3	0.00
351 = Cathinone, cat, khat, Q'at	1	0.00
352 = Lemons.....	1	0.00
353 = No-Doz <OTC>	1	0.00
354 = Vivarin <OTC>.....	1	0.00

STIMULANTS

355 = Crystal meth, crystal methamphetamine	16	0.00
356 = Dexies	1	0.00
358 = 20/20	1	0.00
359 = Criss cross.....	1	0.00
374 = Christmas tree(s)	17	0.00
377 = Albuterol.....	8	0.00
380 = Pink ladies	4	0.00
382 = Footballs, purple footballs.....	3	0.00
396 = Black RJs, RJ8	1	0.00
406 = Percodan	1	0.00
407 = Demerol.....	1	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	2	0.00
415 = Codeine pills	2	0.00
417 = Morphine	4	0.00
418 = Methadone	3	0.00
419 = Stadol, Stadol NS	1	0.00
422 = Motrin	2	0.00
423 = Percocet.....	5	0.00
427 = Darvocet, Davocet-N.....	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
434 = Vicodin.....	10	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	3	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen.....	1	0.00
442 = Ibuprofen	7	0.00
458 = Mepergan, Mepergan Fortis	2	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol	1	0.00
496 = Ultram	1	0.00
601 = LSD ("acid")	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	6	0.00
614 = MDA, Methylenedioxy amphetamine	1	0.00
629 = Rocket Fuel.....	1	0.00
635 = Ginseng seeds, ginseng weed	1	0.00
637 = Purple haze	1	0.00
650 = Datura stramonium, daytura, thorn apple	1	0.00
658 = Special K, Ketamine	4	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	2	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	1	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	12	0.00
806 = Crack, rock	1	0.00
809 = Pills	1	0.00
814 = Caffeine <OTC>	2	0.00
824 = Steroids.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
858 = Antibiotic	1	0.00
873 = Contraceptives, Ferutal, Ortho Novum.....	1	0.00
876 = Glass.....	4	0.00
894 = Depakene, Depakote, Valproic acid.....	2	0.00
896 = Catapres, Clonidine	1	0.00
1002 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	1	0.00
2001 = Soma	2	0.00
2002 = Muscle relaxers	2	0.00
2011 = Lexapro.....	2	0.00
3001 = Brown and clear	3	0.00
3004 = Black cadillac.....	3	0.00
3006 = Green amps	1	0.00
3007 = Nasal inhalant.....	1	0.00
3008 = Miniwhites	1	0.00
3009 = Ephedrone, Methcathinone	1	0.00
3015 = Fen-Phen (fenfluramine and phentermine)	12	0.00
3018 = Up-johns	1	0.00
3023 = Adderall	4877	0.51
3026 = Bupropion, Wellbutrin, Zyban.....	4	0.00
3027 = Energy pills	4	0.00
3028 = Blackbirds	1	0.00
3030 = Red hearts	1	0.00
3035 = Blacks.....	1	0.00
3036 = Ripped fuel <OTC>	1	0.00
3037 = Effexor.....	2	0.00
3041 = Desbutal.....	3	0.00
3042 = 30-30	1	0.00
3044 = Caffeine pills <OTC>	1	0.00
3046 = Adrenalin, Epinephrine	3	0.00
3049 = Truck driver's speed.....	1	0.00
3050 = Mini thins.....	17	0.00
3052 = Speed, otherwise unspecified.....	127	0.01

STIMULANTS

3055 = Clenbuterol	3	0.00
3060 = Hydroxycut <OTC>	2	0.00
3064 = Ephedra, Ma Huang	12	0.00
3069 = DextroStat	3	0.00
3077 = Concerta	135	0.01
3078 = Blue and clears	4	0.00
3079 = Orlistat, Xenical	1	0.00
3080 = Meridia, Sibutramine	4	0.00
3082 = Fat burner, not otherwise specified	1	0.00
3083 = Redotex	2	0.00
3084 = Cartwheels	1	0.00
3086 = Adderall XR	19	0.00
3087 = Strattera	11	0.00
3088 = Super Stingers <OTC>	1	0.00
3089 = Christina, Tina	1	0.00
3090 = Provigil	29	0.00
3092 = Metadate CD	1	0.00
3093 = Supercaps	1	0.00
3094 = Dexmethylphenidate, Focalin	37	0.00
3096 = Yaba	1	0.00
3097 = Bamadex	1	0.00
3099 = Asenlix, Clobenzorex	2	0.00
3102 = Methylin	4	0.00
3103 = RedLine <OTC>	1	0.00
3104 = Slimquick <OTC>	1	0.00
3105 = Affinato	1	0.00
3110 = Dexfenfluramine, Redux	1	0.00
3111 = Vyvanse	188	0.02
3112 = Metadate, not otherwise specified	3	0.00
3114 = Ritalin LA	2	0.00
3116 = MCAT, Mephedrone	3	0.00
3119 = MDPV, Methylenedioxypyrovalerone	2	0.00
3121 = Obitrol	1	0.00
3122 = Armodafinil, Nuvigil	3	0.00
3124 = Focalin XR	1	0.00
3127 = 4-FMA, 4-Fluoromethamphetamine	1	0.00
3130 = IFA-Norex	1	0.00
3187 = Greenies	1	0.00
4007 = Happy pills	1	0.00
4044 = Hydrocodone	2	0.00
4046 = Oxycodone	1	0.00
4047 = Roxicet	1	0.00
4057 = Mejoral	1	0.00
4064 = Epidrin	1	0.00
4067 = OxyContin	4	0.00
4069 = Benflogin	1	0.00
4102 = Mobic, Meloxicam	1	0.00
4116 = Phenergan with codeine, promethazine with codeine	1	0.00
4138 = Sprix	1	0.00
6029 = DXM	1	0.00
6048 = Dex	1	0.00
6076 = Lemon 714	1	0.00
6083 = CCC, "Triple C," C3 <OTC>	1	0.00
6113 = Candy flip	1	0.00
6114 = Molly, not otherwise specified	4	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	1	0.00
8002 = Zantac	2	0.00
8008 = Antidepressant, type unspecified	4	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd	1	0.00
8010 = Zyrtec, Cetirizine <OTC>	1	0.00
8011 = Herb, flower, plant; type unspecified	1	0.00
8012 = Coriciden <OTC>	2	0.00
8020 = Allegra, Altiva	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator	8	0.00
8025 = Alavert D, Claritin D, or similar	1	0.00
8026 = Powder	1	0.00
8031 = Sugar pills <OTC>	1	0.00
8058 = Cough medicine/syrup, type unspecified	1	0.00
8061 = Entex LA	1	0.00
8066 = Viagra	6	0.00
8093 = Stacker 2/Stacker 3 <OTC>	3	0.00
8108 = Atenonol	1	0.00
8113 = Test 250, Test 400 <OTC>	1	0.00
8132 = Liquid D-bol	1	0.00
8136 = Montekulast, Singulair	3	0.00

STIMULANTS

8149 = Desenfriol <OTC>.....	1	0.00
8171 = Dietary supplements, otherwise unspecified	1	0.00
8180 = Avonex	1	0.00
8203 = Bar, otherwise unspecified	1	0.00
8229 = ADHD/ADD medication, otherwise unspfd.....	16	0.00
8238 = Decongestant, type unspecified.....	1	0.00
8247 = Abilify, Aripiprazole.....	1	0.00
8252 = Humatrope	1	0.00
8262 = Green tea/green tea supplement <OTC>.....	1	0.00
8288 = Azor.....	1	0.00
8295 = Tenex.....	1	0.00
8301 = Bath salts, otherwise unspecified	2	0.00
8322 = Horny goat weed	1	0.00
8331 = Diophenyl-T.....	1	0.00
8334 = OxyElite Pro	1	0.00
8335 = Metatabs	1	0.00
8345 = Dolo-Doceplex D	1	0.00
8350 = Maqui	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
9985 = BAD DATA Logically assigned	46	0.00
9989 = LEGITIMATE SKIP Logically assigned.....	69	0.01
9991 = NEVER USED STIMULANTS.....	667239	70.29
9997 = REFUSED	246	0.03
9998 = BLANK (NO ANSWER).....	1770	0.19
9999 = LEGITIMATE SKIP.....	45377	4.78

STIMULANTS

STIMNEWB

Len : 4 OTHER STIMULANT - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
115 = Phenobarbital	1	0.00
116 = Methaqualone, Sopor, Quaalude	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	2	0.00
124 = Yellow jackets	19	0.00
129 = Reds	3	0.00
145 = Red devil(s)	1	0.00
171 = NyQuil <OTC>	2	0.00
174 = Ambien	1	0.00
177 = Bean	1	0.00
201 = Valium	3	0.00
209 = Xanax	5	0.00
234 = Flexeril	1	0.00
241 = Prozac, Fluoxetine	2	0.00
271 = Sertraline hydrochloride, Zoloft	1	0.00
285 = Risperdal, Risperdol, Risperidone	2	0.00
290 = Metaxalone, Skelaxin	1	0.00
291 = Celexa, Citalopram	1	0.00
301 = Dexedrine	5	0.00
304 = Benzedrine	1	0.00
306 = Desoxyn	2	0.00
307 = Tenuate	1	0.00
311 = Preludin	1	0.00
313 = Adipex-P	14	0.00
318 = Ritalin	16	0.00
319 = Cylert	1	0.00
320 = Dextroamphetamine	3	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	8	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	21	0.00
325 = USED STIMULANT, DON'T KNOW NAME	56	0.01
326 = White cross	22	0.00
327 = Black beauties, black beauty	31	0.00
328 = Pink hearts	6	0.00
329 = Bird's eggs, robin's eggs, speckled eggs	5	0.00
331 = Blancs, whites	3	0.00
332 = Ephedrine	12	0.00
333 = 357 Magnum, Magnum 44 <OTC>	5	0.00
334 = Crossroads, cross tops	13	0.00
335 = Dexatrim <OTC>	1	0.00
336 = Diet pills/medications/drugs, otherwise unspfd	6	0.00
339 = Amphetamines, otherwise unspecified	14	0.00
345 = Black molly	3	0.00
348 = Crystal	2	0.00
349 = Phendimetrazine	1	0.00
352 = Lemons	1	0.00
353 = No-Doz <OTC>	2	0.00
355 = Crystal meth, crystal methamphetamine	4	0.00
358 = 20/20	3	0.00
359 = Criss cross	1	0.00
364 = Pseudoephedrine <OTC>	2	0.00
374 = Christmas tree(s)	12	0.00
379 = Hearts	1	0.00
380 = Pink ladies	1	0.00
385 = Little pink one	1	0.00
415 = Codeine pills	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	1	0.00
434 = Vicodin	2	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>	2	0.00
442 = Ibuprofen	1	0.00
458 = Mepergan, Mepergan Fortis	1	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol	1	0.00
603 = Mescaline	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	1	0.00
614 = MDA, Methylenedioxy amphetamine	1	0.00
805 = Cocaine, coca, cocaína, coke, perico	1	0.00
815 = Coffee <OTC>	1	0.00
876 = Glass	1	0.00
894 = Depakene, Depakote, Valproic acid	1	0.00
1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	1	0.00
1013 = Ambien CR	1	0.00
2003 = Zanies, zannies, zans, zany bars	1	0.00
3001 = Brown and clear	4	0.00
3004 = Black cadillac	1	0.00

STIMULANTS

3008 = Miniwhites	1	0.00
3018 = Up-johns	1	0.00
3023 = Adderall	295	0.03
3028 = Blackbirds	1	0.00
3041 = Desbutal	1	0.00
3044 = Caffeine pills <OTC>	2	0.00
3046 = Adrenalin, Epinephrine	1	0.00
3050 = Mini thins	5	0.00
3052 = Speed, otherwise unspecified	17	0.00
3055 = Clenbuterol	1	0.00
3056 = Xenadrine <OTC>	2	0.00
3060 = Hydroxycut <OTC>	2	0.00
3077 = Concerta	102	0.01
3086 = Adderall XR	4	0.00
3087 = Strattera	10	0.00
3090 = Provigil	5	0.00
3094 = Dexmethylphenidate, Focalin	18	0.00
3105 = Affinato	1	0.00
3108 = Wellbutrin XL	1	0.00
3110 = Dexfenfluramine, Redux	1	0.00
3111 = Vyvanse	130	0.01
3112 = Metadate, not otherwise specified	1	0.00
3119 = MDPV, Methylenedioxypyrovalerone	1	0.00
3122 = Armodafinil, Nuvigil	1	0.00
3123 = Adrafinil, Olmifon	1	0.00
4044 = Hydrocodone	1	0.00
4056 = Cataflam, Diclofenac, Voltaren	1	0.00
4067 = OxyContin	1	0.00
4104 = Dolo-Neurobion	1	0.00
4107 = Panlor	1	0.00
4109 = Suboxone	1	0.00
6029 = DXM	1	0.00
6048 = Dex	1	0.00
6114 = Molly, not otherwise specified	2	0.00
8009 = Allergy pills/shot/antihistamine, type unspcd	1	0.00
8012 = Coriciden <OTC>	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator	2	0.00
8058 = Cough medicine/syrup, type unspecified	1	0.00
8066 = Viagra	2	0.00
8093 = Stacker 2/Stacker 3 <OTC>	5	0.00
8132 = Liquid D-bol	1	0.00
8137 = 5-HTP, 5-hydroxytryptophan <OTC>	1	0.00
8152 = Thermogenics, otherwise unspecified <OTC>	1	0.00
8176 = TrimSpa <OTC>	1	0.00
8194 = Afrin <OTC>	1	0.00
8203 = Bar, otherwise unspecified	1	0.00
8229 = ADHD/ADD medication, otherwise unspfd	1	0.00
8247 = Abilify, Aripiprazole	1	0.00
8252 = Humatrope	1	0.00
8273 = Goofballs	1	0.00
8316 = Piracetam	1	0.00
8350 = Maqui	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned	165	0.02
9985 = BAD DATA Logically assigned	38	0.00
9989 = LEGITIMATE SKIP Logically assigned	12	0.00
9991 = NEVER USED STIMULANTS	667239	70.29
9997 = REFUSED	157	0.02
9998 = BLANK (NO ANSWER)	8617	0.91
9999 = LEGITIMATE SKIP	45434	4.79

STIMULANTS

STIMNEWC

Len : 4 OTHER STIMULANT - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
124 = Yellow jackets.....	1	0.00
129 = Reds	2	0.00
171 = NyQuil <OTC>	1	0.00
209 = Xanax	2	0.00
240 = Lithium carbonate, Lithonate	1	0.00
241 = Prozac, Fluoxetine	1	0.00
313 = Adipex-P.....	1	0.00
318 = Ritalin.....	2	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	3	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	5	0.00
325 = USED STIMULANT, DON'T KNOW NAME.....	9	0.00
326 = White cross	6	0.00
327 = Black beauties, black beauty	7	0.00
328 = Pink hearts	4	0.00
329 = Bird's eggs, robin's eggs, speckled eggs	1	0.00
332 = Ephedrine.....	4	0.00
334 = Crossroads, cross tops.....	1	0.00
336 = Diet pills/medications/drugs, otherwise unspfd.....	1	0.00
337 = White molly	1	0.00
339 = Amphetamines, otherwise unspecified	1	0.00
344 = Bennies.....	1	0.00
348 = Crystal	1	0.00
355 = Crystal meth, crystal methamphetamine.....	1	0.00
374 = Christmas tree(s)	4	0.00
379 = Hearts	1	0.00
396 = Black RJs, RJ8	1	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	2	0.00
434 = Vicodin.....	1	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
531 = Candy, powdered candy, sugar.....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	2	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	1	0.00
814 = Caffeine <OTC>	1	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
883 = Dextromethorphan hydrobromide <OTC>	1	0.00
3015 = Fen-Phen (fenfluramine and phentermine)	1	0.00
3023 = Adderall	67	0.01
3024 = Yohimbe	1	0.00
3036 = Ripped fuel <OTC>	1	0.00
3037 = Effexor.....	1	0.00
3052 = Speed, otherwise unspecified.....	1	0.00
3060 = Hydroxycut <OTC>.....	1	0.00
3069 = DextroStat	1	0.00
3077 = Concerta.....	15	0.00
3087 = Strattera	6	0.00
3090 = Provigil	1	0.00
3094 = Dexmethylphenidate, Focalin	3	0.00
3102 = Methylin	1	0.00
3111 = Vyvanse.....	20	0.00
3112 = Metadate, not otherwise specified.....	3	0.00
3187 = Greenies.....	1	0.00
4067 = OxyContin	1	0.00
6069 = Peach	1	0.00
6083 = CCC, "Triple C," C3 <OTC>	1	0.00
8066 = Viagra.....	1	0.00
8093 = Stacker 2/Stacker 3 <OTC>.....	1	0.00
8132 = Liquid D-bol	1	0.00
8140 = Anamine	1	0.00
8229 = ADHD/ADD medication, otherwise unspfd.....	1	0.00
8258 = Vivonex <OTC>.....	1	0.00
8280 = Mucinex-DM <OTC>	1	0.00
8310 = DMAA, Methylhexanamine	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
9985 = BAD DATA Logically assigned	14	0.00
9989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
9991 = NEVER USED STIMULANTS.....	667239	70.29
9997 = REFUSED	144	0.02
9998 = BLANK (NO ANSWER).....	9435	0.99
9999 = LEGITIMATE SKIP.....	45444	4.79

STIMULANTS

STIMNEWD

Len : 4 OTHER STIMULANT - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
124 = Yellow jackets.....	2	0.00
209 = Xanax	1	0.00
305 = Biphedamine.....	1	0.00
309 = Didrex	1	0.00
318 = Ritalin.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	1	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	2	0.00
325 = USED STIMULANT, DON'T KNOW NAME.....	4	0.00
326 = White cross	1	0.00
327 = Black beauties, black beauty	2	0.00
329 = Bird's eggs, robin's eggs, speckled eggs	1	0.00
330 = Blue birds, blue jays, blue robins, speckled bird	1	0.00
332 = Ephedrine.....	1	0.00
349 = Phendimetrazine	1	0.00
353 = No-Doz <OTC>	1	0.00
356 = Dexies	1	0.00
417 = Morphine	1	0.00
423 = Percocet.....	1	0.00
883 = Dextromethorphan hydrobromide <OTC>	1	0.00
3023 = Adderall	23	0.00
3050 = Mini thins.....	1	0.00
3052 = Speed, otherwise unspecified.....	1	0.00
3055 = Clenbuterol	1	0.00
3060 = Hydroxycut <OTC>.....	1	0.00
3077 = Concerta.....	3	0.00
3086 = Adderall XR.....	1	0.00
3087 = Strattera	1	0.00
3094 = Dexmethylphenidate, Focalin	2	0.00
3102 = Methylin	1	0.00
3111 = Vyvanse.....	6	0.00
3128 = Jet-Alert <OTC>	1	0.00
8091 = Benzedrex <OTC>.....	1	0.00
8093 = Stacker 2/Stacker 3 <OTC>.....	1	0.00
8117 = Hydrocortisone.....	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
9985 = BAD DATA Logically assigned	9	0.00
9989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
9991 = NEVER USED STIMULANTS.....	667239	70.29
9997 = REFUSED	142	0.01
9998 = BLANK (NO ANSWER)	9582	1.01
9999 = LEGITIMATE SKIP.....	45444	4.79

STIMNEWU

Len : 4 OTHER STIMULANT - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
201 = Valium.....	1	0.00
313 = Adipex-P.....	1	0.00
318 = Ritalin.....	1	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	3	0.00
327 = Black beauties, black beauty	1	0.00
328 = Pink hearts	1	0.00
332 = Ephedrine.....	1	0.00
374 = Christmas tree(s)	2	0.00
411 = Talwin	1	0.00
415 = Codeine pills	1	0.00
3023 = Adderall	11	0.00
3046 = Adrenalin, Epinephrine	1	0.00
3064 = Ephedra, Ma Huang.....	1	0.00
3111 = Vyvanse.....	3	0.00
6083 = CCC, "Triple C," C3 <OTC>	1	0.00
8093 = Stacker 2/Stacker 3 <OTC>.....	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
9985 = BAD DATA Logically assigned	3	0.00
9991 = NEVER USED STIMULANTS.....	667239	70.29
9997 = REFUSED	141	0.01
9998 = BLANK (NO ANSWER)	9628	1.01
9999 = LEGITIMATE SKIP.....	45446	4.79

STIMULANTS

The answers that people give us about their use of prescription stimulants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: METHDES, DIETPILS, RITMPHEN, STMCARD, or STMNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.

STMEVER

Len : 2 EVER USED STIMULANTS NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	53825	5.67
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	1	0.00
97 = REFUSED	41	0.00
98 = BLANK (NO ANSWER).....	1382	0.15

How old were you the first time you used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMAGE

Len : 3 AGE WHEN FIRST USED STIMULANTS NONMEDICALLY

	Freq	Pct
RANGE = 1 - 76.....	52364	5.52
-9 = Data not collected for this year	226632	23.87
981 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
985 = BAD DATA Logically assigned.....	233	0.02
991 = NEVER USED STIMULANTS	667239	70.29
994 = DON'T KNOW	893	0.09
997 = REFUSED	338	0.04
998 = BLANK (NO ANSWER).....	1421	0.15

Did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMYFU

Len : 4 YEAR OF FIRST STIMULANT USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014.....	6415	0.68
-9 = Data not collected for this year	226632	23.87
9981 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
9985 = BAD DATA Logically assigned.....	714	0.08
9989 = LEGITIMATE SKIP Logically assigned.....	441	0.05
9991 = NEVER USED STIMULANTS.....	667239	70.29
9994 = DON'T KNOW.....	922	0.10
9997 = REFUSED	345	0.04
9998 = BLANK (NO ANSWER).....	1442	0.15
9999 = LEGITIMATE SKIP.....	44970	4.74

STIMULANTS

In what month in [CURRENT YEAR] did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM ST07a or ST07b] did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMMFU

Len : 2 MONTH OF FIRST STIMULANT USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = January	570	0.06
2 = February	464	0.05
3 = March	538	0.06
4 = April	492	0.05
5 = May	561	0.06
6 = June	518	0.05
7 = July	460	0.05
8 = August	429	0.05
9 = September	486	0.05
10 = October	496	0.05
11 = November	490	0.05
12 = December	472	0.05
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	712	0.08
89 = LEGITIMATE SKIP Logically assigned	441	0.05
91 = NEVER USED STIMULANTS	667239	70.29
94 = DON'T KNOW	1339	0.14
97 = REFUSED	367	0.04
98 = BLANK (NO ANSWER)	1444	0.15
99 = LEGITIMATE SKIP	44970	4.74

NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.

How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMREC

Len : 2 TIME SINCE LAST USED STIMULANTS NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	4843	0.51
2 = More than 30 days ago but within the past 12 mos	8791	0.93
3 = More than 12 months ago	38706	4.08
8 = Used at some point in the past 12 mos LOG ASSN	223	0.02
9 = Used at some point in lifetime LOG ASSN	1073	0.11
11 = Used in the past 30 days LOGICALLY ASSIGNED	123	0.01
12 = Used >30 days ago but within pst 12 mos LOG ASSN	66	0.01
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	14	0.00
91 = NEVER USED STIMULANTS	667239	70.29
97 = REFUSED	42	0.00
98 = BLANK (NO ANSWER)	1368	0.14

NOTE: The variables STMYRTOT, STBSTWAY, STDAYPYR, STDAYPMO, and STDAYPWK incorporate values from follow-up questions that were asked if respondents previously reported that they last used any stimulant more than 12 months ago but subsequently reported more recent use of any stimulant or methamphetamine.

STMYRTOT

Len : 3 TOTAL # DAYS USED STIMULANTS PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	13625	1.44
-9 = Data not collected for this year	226632	23.87
981 = NEVER USED STIMULANTS Logically assigned	165	0.02
985 = BAD DATA Logically assigned	151	0.02
990 = NOT ASKED THE QUESTION Logically assigned	4	0.00
991 = NEVER USED STIMULANTS	667239	70.29
993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	38706	4.08
994 = DON'T KNOW	163	0.02
997 = REFUSED	75	0.01
998 = BLANK (NO ANSWER)	2525	0.27

STIMULANTS

STTOTFG

Len : 2 TRIMMING INDICATOR FOR STMYRTOT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Trimmed to 365 days (no further editing)	4	0.00
98 = BLANK (NO ANSWER).....	722649	76.13

STFQFLG

Len : 2 TRIMMED STMYRTOT IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Trimmed to be consistent with mo/yr of 1st use	1218	0.13
98 = BLANK (NO ANSWER).....	721435	76.00

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used a prescription stimulant in either of these ways?

STBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED STIMULANT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Prefer to answer in days per week.....	2272	0.24
2 = Prefer to answer in days per month.....	3404	0.36
3 = Prefer to answer in days per year.....	7385	0.78
11 = Prefer to ans in days per wk LOG ASSN	19	0.00
12 = Prefer to ans in days per mo LOG ASSN	37	0.00
13 = Prefer to ans in days per yr LOG ASSN.....	78	0.01
21 = Prefer to ans in days per wk (MTBSTWAY=1,11)	180	0.02
22 = Prefer to ans in days per mo (MTBSTWAY=2,12)	192	0.02
23 = Prefer to ans in days per yr (MTBSTWAY=3,13).....	172	0.02
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	151	0.02
90 = NOT ASKED THE QUESTION Logically assigned	4	0.00
91 = NEVER USED STIMULANTS	667239	70.29
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	38706	4.08
94 = DON'T KNOW	71	0.01
97 = REFUSED	53	0.01
98 = BLANK (NO ANSWER).....	2525	0.27

On how many days in the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STDAYPYR

Len : 3 # DAYS USED STIMULANT "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	7595	0.80
-9 = Data not collected for this year	226632	23.87
981 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
985 = BAD DATA Logically assigned.....	36	0.00
989 = LEGITIMATE SKIP Logically assigned.....	181	0.02
990 = NOT ASKED THE QUESTION Logically assigned.....	4	0.00
991 = NEVER USED STIMULANTS	667239	70.29
993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	38706	4.08
994 = DON'T KNOW	103	0.01
997 = REFUSED	61	0.01
998 = BLANK (NO ANSWER).....	2640	0.28
999 = LEGITIMATE SKIP	5923	0.62

STIMULANTS

On average, how many days each month during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STDAYPMO

Len : 2 # DAYS PER MO USED STIMULANT "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 31.....	3603	0.38
-9 = Data not collected for this year.....	226632	23.87
81 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
85 = BAD DATA Logically assigned.....	53	0.01
89 = LEGITIMATE SKIP Logically assigned.....	93	0.01
90 = NOT ASKED THE QUESTION Logically assigned.....	4	0.00
91 = NEVER USED STIMULANTS.....	667239	70.29
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	38706	4.08
94 = DON'T KNOW.....	127	0.01
97 = REFUSED.....	67	0.01
98 = BLANK (NO ANSWER).....	2623	0.28
99 = LEGITIMATE SKIP.....	9973	1.05

On average, how many days each week during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STDAYPWK

Len : 2 # DAYS PER WEEK USED STIMULANT "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7.....	2427	0.26
-9 = Data not collected for this year.....	226632	23.87
81 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
85 = BAD DATA Logically assigned.....	80	0.01
89 = LEGITIMATE SKIP Logically assigned.....	20	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	4	0.00
91 = NEVER USED STIMULANTS.....	667239	70.29
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	38706	4.08
94 = DON'T KNOW.....	163	0.02
97 = REFUSED.....	75	0.01
98 = BLANK (NO ANSWER).....	2596	0.27
99 = LEGITIMATE SKIP.....	11178	1.18

Now think only about your use of Methamphetamine, Desoxyn, or Methedrine. How old were you the first time you used Methamphetamine, Desoxyn, or Methedrine?

METHAGE

Len : 3 AGE WHEN 1ST USED METHAMPH, DESOXYN, METHEDRINE

	Freq	Pct
RANGE = 1 - 60.....	24991	2.63
-9 = Data not collected for this year.....	226632	23.87
981 = NEVER USED METHAMPHETAMINE Logically assigned.....	165	0.02
985 = BAD DATA Logically assigned.....	97	0.01
991 = NEVER USED METHAMPHETAMINE.....	696279	73.35
994 = DON'T KNOW.....	380	0.04
997 = REFUSED.....	189	0.02
998 = BLANK (NO ANSWER).....	552	0.06

STIMULANTS

Did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

METHYFU

Len : 4 YEAR OF FIRST METHAMPHETAMINE USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014.....	1858	0.20
-9 = Data not collected for this year.....	226632	23.87
9981 = NEVER USED METHAMPHETAMINE Logically assigned	165	0.02
9985 = BAD DATA Logically assigned	248	0.03
9989 = LEGITIMATE SKIP Logically assigned.....	92	0.01
9991 = NEVER USED METHAMPHETAMINE	696279	73.35
9994 = DON'T KNOW.....	397	0.04
9997 = REFUSED	197	0.02
9998 = BLANK (NO ANSWER).....	565	0.06
9999 = LEGITIMATE SKIP.....	22852	2.41

In what month in [CURRENT YEAR] did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM ST15 or ST16] did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

METHMFU

Len : 2 MONTH OF FIRST METHAMPHETAMINE USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	226632	23.87
1 = January.....	177	0.02
2 = February.....	120	0.01
3 = March.....	163	0.02
4 = April.....	130	0.01
5 = May.....	149	0.02
6 = June.....	173	0.02
7 = July	169	0.02
8 = August.....	169	0.02
9 = September.....	127	0.01
10 = October.....	155	0.02
11 = November	121	0.01
12 = December	87	0.01
81 = NEVER USED METHAMPHETAMINE Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	248	0.03
89 = LEGITIMATE SKIP Logically assigned	92	0.01
91 = NEVER USED METHAMPHETAMINE.....	696279	73.35
94 = DON'T KNOW	504	0.05
97 = REFUSED	206	0.02
98 = BLANK (NO ANSWER).....	567	0.06
99 = LEGITIMATE SKIP	22852	2.41

STIMULANTS

How long has it been since you last used Methamphetamine, Desoxyn, or Methedrine?

METHREC

Len : 2 TIME SINCE LAST USED METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	1587	0.17
2 = More than 30 days ago but within the past 12 mos	2806	0.30
3 = More than 12 months ago	20628	2.17
8 = Used at some point in the past 12 mos LOG ASSN	106	0.01
9 = Used at some point in lifetime LOG ASSN	441	0.05
11 = Used in the past 30 days LOGICALLY ASSIGNED	4	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	165	0.02
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED METHAMPHETAMINE	696279	73.35
97 = REFUSED	85	0.01
98 = BLANK (NO ANSWER)	544	0.06

MTHYRTOT

Len : 3 TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	4351	0.46
-9 = Data not collected for this year	226632	23.87
981 = NEVER USED METHAMPHETAMINE Logically assigned	165	0.02
985 = BAD DATA Logically assigned	76	0.01
991 = NEVER USED METHAMPHETAMINE	696279	73.35
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	20628	2.17
994 = DON'T KNOW	44	0.00
997 = REFUSED	97	0.01
998 = BLANK (NO ANSWER)	1013	0.11

MTTOTFG

Len : 2 TRIMMING INDICATOR FOR MTHYRTOT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Trimmed to 365 days (no further editing)	1	0.00
98 = BLANK (NO ANSWER)	722652	76.13

MTFQFLG

Len : 2 TRIMMED MTHYRTOT IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Trimmed to be consistent with mo/yr of 1st use	394	0.04
98 = BLANK (NO ANSWER)	722259	76.08

Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used Methamphetamine, Desoxyn, or Methedrine in either of these ways?

MTBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Prefer to answer in days per week	979	0.10
2 = Prefer to answer in days per month	1242	0.13
3 = Prefer to answer in days per year	2111	0.22
11 = Prefer to ans in days per wk LOG ASSN	6	0.00
12 = Prefer to ans in days per mo LOG ASSN	6	0.00
13 = Prefer to ans in days per yr LOG ASSN	25	0.00
23 = Prefer to ans in days per yr (STBSTWAY=3,13)	3	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	165	0.02
85 = BAD DATA Logically assigned	76	0.01
91 = NEVER USED METHAMPHETAMINE	696279	73.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	20628	2.17
94 = DON'T KNOW	26	0.00
97 = REFUSED	94	0.01
98 = BLANK (NO ANSWER)	1013	0.11

STIMULANTS

On how many days in the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

MTDAYPYR

Len : 3 # DAYS USED METHAMPHETAMINE "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	2129	0.22
-9 = Data not collected for this year	226632	23.87
981 = NEVER USED METHAMPHETAMINE Logically assigned	165	0.02
985 = BAD DATA Logically assigned	16	0.00
989 = LEGITIMATE SKIP Logically assigned	12	0.00
991 = NEVER USED METHAMPHETAMINE	696279	73.35
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	20628	2.17
994 = DON'T KNOW	34	0.00
997 = REFUSED	96	0.01
998 = BLANK (NO ANSWER)	1073	0.11
999 = LEGITIMATE SKIP	2221	0.23

On average, how many days each month during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

MTDAYPMO

Len : 2 # DAYS PER MO USED METHAMPHETAMINE "NM" PST 12 MOS

	Freq	Pct
RANGE = 1 - 31	1241	0.13
-9 = Data not collected for this year	226632	23.87
81 = NEVER USED METHAMPHETAMINE Logically assigned	165	0.02
85 = BAD DATA Logically assigned	25	0.00
89 = LEGITIMATE SKIP Logically assigned	6	0.00
91 = NEVER USED METHAMPHETAMINE	696279	73.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	20628	2.17
94 = DON'T KNOW	40	0.00
97 = REFUSED	97	0.01
98 = BLANK (NO ANSWER)	1064	0.11
99 = LEGITIMATE SKIP	3108	0.33

On average, how many days each week during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

MTDAYPWK

Len : 2 # DAYS PER WK USED METHAMPHETAMINE "NM" PST 12 MOS

	Freq	Pct
RANGE = 1 - 7	981	0.10
-9 = Data not collected for this year	226632	23.87
81 = NEVER USED METHAMPHETAMINE Logically assigned	165	0.02
85 = BAD DATA Logically assigned	35	0.00
91 = NEVER USED METHAMPHETAMINE	696279	73.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	20628	2.17
94 = DON'T KNOW	44	0.00
97 = REFUSED	97	0.01
98 = BLANK (NO ANSWER)	1054	0.11
99 = LEGITIMATE SKIP	3370	0.36

STIMULANTS

The next question asks about using **prescription stimulants** in any way **a doctor did not direct you to use them**.

When you answer these questions, please think only about your use of the drug in any way **a doctor did not direct you to use it**, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in **any other way** a doctor did not direct you to use it

Have you ever, even once, used any prescription stimulant in any way a doctor did not direct you to use it?

STMNMLIF

Len : 2 EVER USED STIMULANT NOT DIRECTED BY DR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	4662	0.49
2 = No.....	18722	1.97
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	6710	0.71
85 = BAD DATA Logically assigned.....	95	0.01
91 = NEVER USED/MISUSED STIMULANTS	195408	20.58
94 = DON'T KNOW	47	0.00
97 = REFUSED	28	0.00
98 = BLANK (NO ANSWER).....	960	0.10

NOTE: The variable STMNMREC is a recoded variable that was created from STMNMLIF, the 12-month misuse variables of specific stimulants, and STMNM30DY.

STMNMREC

Len : 2 RC - MOST RECENT STIMULANT MISUSE (RECODE)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	1998	0.21
2 = More than 30 days ago but within the past 12 mos	4689	0.49
3 = More than 12 months ago	4632	0.49
8 = Misused at some point in past 12 mos LOG ASSN.....	23	0.00
9 = Misused at some point in lifetime LOG ASSN.....	30	0.00
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn.....	553	0.06
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
98 = BLANK (NO ANSWER).....	577	0.06

NOTE: STMNMINIT is "reverse coded" from the answers in STL03. STL03=1 (yes) was recoded to 2 in STMNMINIT because this answer means that the respondent misused stimulants before the past 12 months (and therefore is not a past year initiate for misuse of stimulants). STL03=2 (no) was recoded to 1 in STMNMINIT because this answer means that the respondent did not misuse stimulants before the past 12 months (and therefore is a past year initiate for misuse of stimulants).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription stimulant in a way a doctor did not direct you to use it?

STMNMINIT

Len : 2 PAST YEAR INITIATE FOR ANY STIMULANT MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Past year initiate.....	1700	0.18
2 = Not a past year initiate.....	406	0.04
4 = Not past yr initiate LOG ASSN (from skip pattern).....	4578	0.48
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN).....	553	0.06
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
94 = DON'T KNOW	15	0.00
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER).....	607	0.06

NOTE: The variables STMNIMAGE, STMNMYFU, and STMNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of stimulants in the 12 months prior to being interviewed (STMNMINIT=1).

STMNIMAGE

Len : 3 RC - AGE 1ST MISUSED FOR PAST YR STIM INITIATES

	Freq	Pct
RANGE = 11 - 64	1640	0.17
-9 = Data not collected for this year	722653	76.13
983 = NOT A PAST YEAR INITIATE Log assn.....	553	0.06
991 = NEVER USED/MISUSED STIMULANTS	214130	22.56
993 = NOT A PAST YEAR INITIATE.....	9616	1.01
998 = BLANK (NO ANSWER).....	693	0.07

STIMULANTS

[STMNMYFU](#)

Len : 4 RC - YR 1ST MISUSED FOR PAST YR STIM INITIATES

	Freq	Pct
RANGE = 2014 - 2018.....	1638	0.17
-9 = Data not collected for this year	722653	76.13
9983 = NOT A PAST YEAR INITIATE Logically assigned.....	553	0.06
9991 = NEVER USED/MISUSED STIMULANTS	214130	22.56
9993 = NOT A PAST YEAR INITIATE.....	9616	1.01
9998 = BLANK (NO ANSWER).....	695	0.07

[STMNMMFU](#)

Len : 2 RC - MONTH 1ST MISUSED FOR PAST YR STIM INITIATES

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = January.....	131	0.01
2 = February	111	0.01
3 = March.....	148	0.02
4 = April.....	135	0.01
5 = May.....	181	0.02
6 = June.....	122	0.01
7 = July	113	0.01
8 = August.....	98	0.01
9 = September.....	132	0.01
10 = October.....	134	0.01
11 = November	125	0.01
12 = December	151	0.02
83 = NOT A PAST YEAR INITIATE Logically assigned.....	553	0.06
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = NOT A PAST YEAR INITIATE.....	9616	1.01
98 = BLANK (NO ANSWER).....	752	0.08

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL]?

[STMNM30D](#)

Len : 2 USED STIMULANT NOT DIRECTED BY DR PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1839	0.19
2 = No.....	4689	0.49
5 = Yes LOGICALLY ASSIGNED	159	0.02
83 = DID NOT MISUSE STIM IN THE PST 30 DAYS LOG ASSN	21	0.00
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	5164	0.54
94 = DON'T KNOW	10	0.00
97 = REFUSED	13	0.00
98 = BLANK (NO ANSWER).....	591	0.06

During the past 30 days, on how many days did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL]?

[STMNM30FQ](#)

Len : 2 # DAYS USED STIMULANT NOT DIRECTD BY DR PST 30 DYS

	Freq	Pct
RANGE = 1 - 30.....	1977	0.21
-9 = Data not collected for this year	722653	76.13
83 = DID NOT MISUSE STIM IN THE PST 30 DAYS LOG ASSN	5	0.00
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	9869	1.04
94 = DON'T KNOW	15	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER).....	622	0.07

STIMULANTS

What is your best estimate of the number of days you used [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL] during the past 30 days?

STMNM30ES

Len : 2 EST # DAYS USED STIMULANT NOT DIRECTED PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = 1 or 2 days	9	0.00
2 = 3 to 5 days	1	0.00
3 = 6 to 9 days	1	0.00
4 = 10 to 19 days.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS	9874	1.04
94 = DON'T KNOW	5	0.00
97 = REFUSED	4	0.00
98 = BLANK (NO ANSWER).....	629	0.07
99 = LEGITIMATE SKIP	1977	0.21

During the past 30 days, did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

STMNM30AL

Len : 2 USED STIMULANT NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	797	0.08
2 = No	881	0.09
83 = DID NOT MISUSE PAST 30 DAYS Logically assigned.....	5	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS	9869	1.04
94 = DON'T KNOW	2	0.00
98 = BLANK (NO ANSWER).....	638	0.07
99 = LEGITIMATE SKIP	306	0.03

Which of these statements describe your use of it/them at **any** time in the past 12 months?

To select more than one statement, press the space bar between the numbers. When you have finished, press [ENTER].

STMWYNORX

Len : 2 USED STIMULANT W/O OWN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	5309	0.56
2 = No (not entered)	1272	0.13
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	15	0.00
85 = BAD DATA Logically assigned.....	9	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	5170	0.54
94 = DON'T KNOW	55	0.01
97 = REFUSED	75	0.01
98 = BLANK (NO ANSWER).....	597	0.06

STMWYGAMT

Len : 2 USED STIMULANT IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	755	0.08
2 = No (not entered)	5825	0.61
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	5	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	5180	0.55
94 = DON'T KNOW	55	0.01
97 = REFUSED	75	0.01
98 = BLANK (NO ANSWER).....	603	0.06

STIMULANTS

[STMWYOFTN](#)

Len : 2 USED STIMULANT MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	428	0.05
2 = No (not entered)	6153	0.65
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	4	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	5181	0.55
94 = DON'T KNOW	55	0.01
97 = REFUSED	75	0.01
98 = BLANK (NO ANSWER).....	603	0.06

[STMWYLNGR](#)

Len : 2 USED STIMULANT LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	213	0.02
2 = No (not entered)	6368	0.67
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	4	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	5181	0.55
94 = DON'T KNOW	55	0.01
97 = REFUSED	75	0.01
98 = BLANK (NO ANSWER).....	602	0.06

[STMWYOTWY](#)

Len : 2 USED STIMULANT OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1163	0.12
2 = No (not entered)	5418	0.57
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	4	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	5181	0.55
94 = DON'T KNOW	55	0.01
97 = REFUSED	75	0.01
98 = BLANK (NO ANSWER).....	602	0.06

At any time in the past 12 months, did you ever use a needle to inject [STNAMEFILL] ?

[STMNDLYR](#)

Len : 2 USED STIMULANT WITH A NEEDLE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	104	0.01
2 = No	6598	0.70
83 = DID NOT MISUSE STIM IN THE PST 12M LOG ASSN	21	0.00
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	5164	0.54
94 = DON'T KNOW	1	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	591	0.06

[STMNDLREC](#)

Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT STIMULANT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	28	0.00
2 = More than 30 days ago but within the past 12 months.....	26	0.00
8 = Misused at some point in past 12 mos LOG ASSN.....	1	0.00
12 = More than 30 dys ago but in pst 12 mo (STMNMREC=2)	48	0.01
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	5185	0.55
98 = BLANK (NO ANSWER).....	615	0.06
99 = LEGITIMATE SKIP	6593	0.69

STIMULANTS

Now think about the last time you used a prescription stimulant in any way a doctor did not direct you to use it.

Which of these stimulants did you use the last time? If you used more than one stimulant the last time, please choose one stimulant as your best answer.

STMNMLAS1

Len : 2 LAST STIMULANT USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = Adderall.....	3017	0.32
2 = Adderall XR	815	0.09
3 = Dexedrine	19	0.00
4 = Dextroamphetamine (generic).....	42	0.00
5 = Mixed amphetamine-dextroamphetamine pills (generic).....	82	0.01
6 = Extend-rel amphet-dextroamp oth than Adderall XR (generic).....	40	0.00
7 = Ritalin	184	0.02
8 = Ritalin LA.....	16	0.00
9 = Concerta	100	0.01
10 = Daytrana	6	0.00
11 = Metadate CD.....	2	0.00
12 = Metadate ER	4	0.00
13 = Methylphenidate (generic)	34	0.00
14 = Extended-release methylphenidate (generic)	9	0.00
15 = Focalin	17	0.00
16 = Focalin XR	27	0.00
17 = Dexmethylphenidate (generic)	9	0.00
18 = Extended-release dexmethylphenidate (generic).....	1	0.00
19 = Benzphetamine.....	25	0.00
20 = Didrex	2	0.00
21 = Diethylpropion	1	0.00
22 = Phendimetrazine	1	0.00
23 = Phentermine	47	0.00
24 = Provigil	42	0.00
25 = Tenuate.....	2	0.00
26 = Vyvanse.....	364	0.04
27 = Some other stimulant	60	0.01
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	19	0.00
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED/MISUSED STIMULANTS	160116	16.87
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	3939	0.41
94 = DON'T KNOW	8	0.00
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER).....	415	0.04

Now think about the last time you used [STLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [STLASTFILL2] the last time?

STMRSWGHT

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO LOSE WEIGHT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	513	0.05
2 = No (not entered)	6140	0.65
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	9	0.00
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	5176	0.55
94 = DON'T KNOW	33	0.00
97 = REFUSED	24	0.00
98 = BLANK (NO ANSWER).....	599	0.06

STIMULANTS

[STMRSCONC](#)

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO CONCENTRATE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	3500	0.37
2 = No (not entered)	3147	0.33
3 = Yes LOGICALLY ASSIGNED	6	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	6	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	5179	0.55
94 = DON'T KNOW	33	0.00
97 = REFUSED	24	0.00
98 = BLANK (NO ANSWER).....	602	0.06

[STMRSALRT](#)

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO BE ALERT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	3194	0.34
2 = No (not entered)	3456	0.36
3 = Yes LOGICALLY ASSIGNED	4	0.00
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	10	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	5175	0.55
94 = DON'T KNOW	33	0.00
97 = REFUSED	24	0.00
98 = BLANK (NO ANSWER).....	603	0.06

[STMRSSTDY](#)

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO STUDY

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	2407	0.25
2 = No (not entered)	4241	0.45
3 = Yes LOGICALLY ASSIGNED	6	0.00
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	2	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	5183	0.55
94 = DON'T KNOW	33	0.00
97 = REFUSED	24	0.00
98 = BLANK (NO ANSWER).....	604	0.06

[STMRSExPT](#)

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	755	0.08
2 = No (not entered)	5888	0.62
3 = Yes LOGICALLY ASSIGNED	11	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	5185	0.55
94 = DON'T KNOW	33	0.00
97 = REFUSED	24	0.00
98 = BLANK (NO ANSWER).....	604	0.06

[STMRSHIGH](#)

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO GET HIGH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1183	0.12
2 = No (not entered)	5458	0.57
3 = Yes LOGICALLY ASSIGNED	13	0.00
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	1	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	5184	0.55
94 = DON'T KNOW	33	0.00
97 = REFUSED	24	0.00
98 = BLANK (NO ANSWER).....	601	0.06

STIMULANTS

[STMRSDGFX](#)

Len : 2 USED LAST STIMULANT (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	226	0.02
2 = No (not entered)	6422	0.68
3 = Yes LOGICALLY ASSIGNED	6	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	5184	0.55
94 = DON'T KNOW	33	0.00
97 = REFUSED	24	0.00
98 = BLANK (NO ANSWER).....	604	0.06

[STMRSHOOK](#)

Len : 2 USED LAST STIMULANT (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	70	0.01
2 = No (not entered)	6583	0.69
3 = Yes LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	5185	0.55
94 = DON'T KNOW	33	0.00
97 = REFUSED	24	0.00
98 = BLANK (NO ANSWER).....	603	0.06

[STMRSSOR](#)

Len : 2 USED LAST STIMULANT (NOT DIRECTED) OTHER REASON

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	280	0.03
2 = No (not entered)	6374	0.67
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	3	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	5182	0.55
94 = DON'T KNOW	33	0.00
97 = REFUSED	24	0.00
98 = BLANK (NO ANSWER).....	601	0.06

STIMULANTS

Please type in the other reason you used [STLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

STMRSOTRS2

Len : 3 REASON USED LAST STIMULANT (NOT DIRECTED)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = To relieve physical pain.....	14	0.00
2 = To relax or relieve tension	6	0.00
3 = To experiment or to see what it's/they're like.....	12	0.00
4 = To feel good or get high.....	19	0.00
5 = To help with my sleep	3	0.00
6 = To help me with my feelings or emotions	12	0.00
7 = To increase/decrease effects of some other drug.....	7	0.00
8 = Because I am "hooked" or I have to have it/them	4	0.00
9 = To help me lose weight.....	2	0.00
10 = To help me concentrate.....	10	0.00
11 = To help me be alert or stay awake.....	6	0.00
12 = To help me study.....	7	0.00
13 = I used it/them for some other reason.....	73	0.01
15 = To get work/chores done, not studying	24	0.00
16 = Suicide attempt/suicidal thoughts	5	0.00
18 = Peer pressure/friends/feel cool.....	4	0.00
19 = To increase my energy level.....	16	0.00
20 = To try out for medical condition	4	0.00
25 = To make sex more pleasurable	3	0.00
31 = To gain physical strength	3	0.00
34 = Symptom relief, otherwise unspecified	3	0.00
38 = To replace another/other drug(s); otherwise unspd	8	0.00
41 = To increase the effect(s) of alcohol.....	3	0.00
983 = DID NOT USE STIM IN THE PAST 12 MOS Logically assigned.....	3	0.00
985 = BAD DATA (logically assigned).....	13	0.00
991 = NEVER USED STIMULANTS	214130	22.56
993 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	5182	0.55
994 = DON'T KNOW	10	0.00
997 = REFUSED	10	0.00
998 = BLANK (no answer)	662	0.07
999 = LEGITIMATE SKIP	6374	0.67

Which was the main reason you used [STLASTFILL2] the last time?

STMRSMAIN

Len : 2 MAIN REASON USED LAST STIMULANT (NOT DIRECTED)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = To help me lose weight.....	92	0.01
2 = To help me concentrate.....	867	0.09
3 = To help me be alert or stay awake	766	0.08
4 = To help me study.....	933	0.10
5 = To experiment or to see what it was/they were like	112	0.01
6 = To feel good or get high.....	288	0.03
7 = To increase or decrease the effect(s) of some other drug.....	38	0.00
8 = Because I am 'hooked' or I have to have it/them	7	0.00
9 = The other reason I reported	33	0.00
11 = To help me lose weight LOGICALLY ASSIGNED	1	0.00
12 = To help me concentrate LOGICALLY ASSIGNED	4	0.00
15 = To experiment or to see what it was/they were like LOG ASSN.....	2	0.00
16 = To feel good or get high LOGICALLY ASSIGNED	2	0.00
17 = To increase/ decrease the effect(s) of other drug LOG ASSN.....	2	0.00
83 = DID NOT USE STIM IN THE PAST 12 MOS Logically assigned	6	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	5179	0.55
98 = BLANK (NO ANSWER).....	661	0.07
99 = LEGITIMATE SKIP	3504	0.37

STIMULANTS

NOTE: STMNORXFG is set to 1 when respondents reported that the only way they misused stimulants in the past year was without a prescription. These respondents also reported that the last stimulant they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

[STMNORXFG](#)

Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST STIM

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Only misuse w/o Rx but reported last drug gotten with Rx	91	0.01
98 = BLANK (NO ANSWER).....	226541	23.86

SEDATIVES

SEDATIVES

These next questions ask about the use of sedatives or barbiturates. These drugs are also called "downers," or "sleeping pills." People take these drugs to help them relax or to help them sleep. We are not interested in the use of "over-the-counter" sedatives such as Sominex, Unisom, Nytol, or Benadryl that can be bought in drug stores or grocery stores without a doctor's prescription.

Card D shows pictures of some different kinds of prescription sedatives and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription sedatives that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card D carefully as you answer the next questions.

Have you ever, even once, used Methaqualone, Sopor, or Quaalude that was not prescribed for you or that you took only for the experience or feeling it caused?

METHAQ

Len : 2 EVER USED METHAQUALONE, SOPOR, OR QUAALUDE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	8178	0.86
2 = No.....	8079	0.85
3 = Yes LOGICALLY ASSIGNED	20	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED SEDATIVES.....	705266	74.29
94 = DON'T KNOW	651	0.07
97 = REFUSED	137	0.01
98 = BLANK (NO ANSWER).....	43	0.00

Have you ever, even once, used barbiturates such as Nembutal, Pentobarbital, Seconal, Secobarbital, or Butalbital that were not prescribed for you or that you took only for the experience or feeling they caused?

NEMBBARB

Len : 2 EVER USED BARBITURATES SUCH AS NEMBUTAL, ETC

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	3664	0.39
2 = No.....	12668	1.33
3 = Yes LOGICALLY ASSIGNED	5	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED SEDATIVES.....	705266	74.29
94 = DON'T KNOW	598	0.06
97 = REFUSED	130	0.01
98 = BLANK (NO ANSWER).....	43	0.00

Have you ever, even once, used Restoril or Temazepam that was not prescribed for you or that you took only for the experience or feeling it caused?

RESTTMAZ

Len : 2 EVER USED RESTORIL OR TEMAZEPAM

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	2523	0.27
2 = No.....	13818	1.46
3 = Yes LOGICALLY ASSIGNED	2	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED SEDATIVES.....	705266	74.29
94 = DON'T KNOW	599	0.06
97 = REFUSED	122	0.01
98 = BLANK (NO ANSWER).....	44	0.00

SEDATIVES

Please look at the sedatives shown below the red line on Card D.

Have you ever, even once, used any of these sedatives when they were not prescribed for you or that you took only for the experience or feeling they caused?

SEDCARD

Len : 2 EVER USED ANY SEDATIVES BELOW RED LINE ON CARD D

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	4688	0.49
2 = No.....	11541	1.22
3 = Yes LOGICALLY ASSIGNED	42	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED SEDATIVES.....	705266	74.29
94 = DON'T KNOW	664	0.07
97 = REFUSED	128	0.01
98 = BLANK (NO ANSWER).....	45	0.00

Which of the sedatives shown below the red line on Card D have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?

AMYTAL

Len : 2 EVER USED AMYTAL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	469	0.05
3 = Response entered LOGICALLY ASSIGNED	4	0.00
6 = Response not entered.....	4058	0.43
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED SEDATIVES.....	705266	74.29
94 = DON'T KNOW	147	0.02
97 = REFUSED	180	0.02
98 = BLANK (NO ANSWER).....	714	0.08
99 = LEGITIMATE SKIP	11541	1.22

BUTISOL

Len : 2 EVER USED BUTISOL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	307	0.03
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	4223	0.44
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED SEDATIVES.....	705266	74.29
94 = DON'T KNOW	147	0.02
97 = REFUSED	180	0.02
98 = BLANK (NO ANSWER).....	715	0.08
99 = LEGITIMATE SKIP	11541	1.22

CHHYD

Len : 2 EVER USED CHLORAL HYDRATE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	335	0.04
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	4194	0.44
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED SEDATIVES.....	705266	74.29
94 = DON'T KNOW	147	0.02
97 = REFUSED	180	0.02
98 = BLANK (NO ANSWER).....	714	0.08
99 = LEGITIMATE SKIP	11541	1.22

SEDATIVES

[DALMANE](#)

Len : 2 EVER USED DALMANE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	622	0.07
3 = Response entered LOGICALLY ASSIGNED	13	0.00
6 = Response not entered.....	3896	0.41
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED SEDATIVES.....	705266	74.29
94 = DON'T KNOW	147	0.02
97 = REFUSED	180	0.02
98 = BLANK (NO ANSWER).....	714	0.08
99 = LEGITIMATE SKIP	11541	1.22

[HALCION](#)

Len : 2 EVER USED HALCION NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	1067	0.11
3 = Response entered LOGICALLY ASSIGNED	14	0.00
6 = Response not entered.....	3450	0.36
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED SEDATIVES.....	705266	74.29
94 = DON'T KNOW	147	0.02
97 = REFUSED	180	0.02
98 = BLANK (NO ANSWER).....	715	0.08
99 = LEGITIMATE SKIP	11541	1.22

[PHENOBAR](#)

Len : 2 EVER USED PHENOBARBITAL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	1880	0.20
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered.....	2640	0.28
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED SEDATIVES.....	705266	74.29
94 = DON'T KNOW	147	0.02
97 = REFUSED	180	0.02
98 = BLANK (NO ANSWER).....	715	0.08
99 = LEGITIMATE SKIP	11541	1.22

[PLACIDYL](#)

Len : 2 EVER USED PLACIDYL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	904	0.10
3 = Response entered LOGICALLY ASSIGNED	7	0.00
6 = Response not entered.....	3620	0.38
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED SEDATIVES.....	705266	74.29
94 = DON'T KNOW	147	0.02
97 = REFUSED	180	0.02
98 = BLANK (NO ANSWER).....	715	0.08
99 = LEGITIMATE SKIP	11541	1.22

[TUINAL](#)

Len : 2 EVER USED TUINAL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	1051	0.11
3 = Response entered LOGICALLY ASSIGNED	5	0.00
6 = Response not entered.....	3475	0.37
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED SEDATIVES.....	705266	74.29
94 = DON'T KNOW	147	0.02
97 = REFUSED	180	0.02
98 = BLANK (NO ANSWER).....	716	0.08
99 = LEGITIMATE SKIP	11541	1.22

SEDATIVES

Have you ever, even once, used any other prescription sedative, besides the ones shown on Card D when it was not prescribed for you or that you took only for the experience or feeling it caused?

[SEDNOLST](#)

Len : 2 EVER USED ANY OTHER SEDATIVE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	3521	0.37
2 = No	12514	1.32
4 = No LOGICALLY ASSIGNED.....	14	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED SEDATIVES.....	705266	74.29
94 = DON'T KNOW	883	0.09
97 = REFUSED	130	0.01
98 = BLANK (NO ANSWER).....	46	0.00

SEDATIVES

SEDNEWA

Len : 4 OTHER SEDATIVES - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
101 = Butisol.....	2	0.00
103 = Amytal.....	3	0.00
105 = Placidyl, Ethchlorvynol.....	7	0.00
106 = Doriden.....	4	0.00
107 = Noludar.....	1	0.00
108 = Nembutal	2	0.00
109 = Seconal	13	0.00
110 = Tuinal	4	0.00
111 = Dalmane	10	0.00
112 = Restoril	6	0.00
113 = Halcion	14	0.00
115 = Phenobarbital	11	0.00
116 = Methaqualone, Sopor, Quaalude.....	36	0.00
117 = Chloral hydrate, Noctec.....	2	0.00
118 = Pentobarbital, Pentothal, Sodium pentothal	2	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	94	0.01
121 = USED SEDATIVE, DON'T KNOW NAME.....	601	0.06
123 = Unisom <OTC>.....	2	0.00
124 = Yellow jackets.....	4	0.00
129 = Reds	7	0.00
130 = Promethazine	4	0.00
131 = Haldol, Haloperidol.....	1	0.00
137 = 7-14	3	0.00
138 = Mandrax, Mandrix [see also 116]	4	0.00
145 = Red devil(s).....	2	0.00
153 = Luminal	1	0.00
156 = Sodium barbital.....	1	0.00
157 = Barbiturates.....	2	0.00
171 = NyQuil <OTC>	1	0.00
174 = Ambien.....	990	0.10
176 = Melatonin <OTC>	2	0.00
178 = Quetiapine, Seroquel	191	0.02
180 = Tylenol P.M. <OTC>.....	1	0.00
186 = Butalbital	4	0.00
188 = Prosom	2	0.00
189 = Sonata, Zaleplon.....	14	0.00
195 = Lotusate, Talbutal.....	1	0.00
197 = Topamax.....	1	0.00
198 = Seducaps.....	1	0.00
201 = Valium.....	57	0.01
202 = Librium.....	1	0.00
205 = Serax	1	0.00
206 = Tranxene	2	0.00
207 = Ativan.....	19	0.00
209 = Xanax	64	0.01
211 = BuSpar.....	1	0.00
216 = Atarax.....	3	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	2	0.00
225 = Desyrel, Trazodone hydrochloride	162	0.02
227 = Thorazine.....	4	0.00
228 = Amitriptyline, Elavil	34	0.00
232 = Mellaril.....	4	0.00
234 = Flexeril	6	0.00
237 = Midazolam.....	1	0.00
246 = Klonopin.....	14	0.00
247 = Adapin, Doxepin, Sinequan.....	4	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies.....	11	0.00
271 = Sertraline hydrochloride, Zoloft.....	11	0.00
278 = Benzodiazepines.....	3	0.00
280 = Ketaset.....	1	0.00
282 = Clozapine, Clozaril.....	1	0.00
283 = Paroxetine, Paxil	3	0.00
285 = Risperdal, Risperdol, Risperidone.....	1	0.00
289 = Olanzapine, Zyprexa.....	2	0.00
290 = Metaxolone, Skelaxin	1	0.00
291 = Celexa, Citalopram.....	3	0.00
295 = Mirtazapine, Remeron	11	0.00
298 = Acepromazine, PromAce	1	0.00
313 = Adipex-P.....	1	0.00
318 = Ritalin.....	2	0.00
319 = Cylert	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	1	0.00

SEDATIVES

326 = White cross	1	0.00
327 = Black beauties, black beauty	5	0.00
339 = Amphetamines, otherwise unspecified	1	0.00
345 = Black molly.....	1	0.00
352 = Lemons	1	0.00
380 = Pink ladies	1	0.00
396 = Black RJs, RJ8	1	0.00
401 = Darvon.....	2	0.00
406 = Percodan	1	0.00
407 = Demerol.....	2	0.00
408 = Dilaudid, Hydromorphone	1	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	4	0.00
411 = Talwin	1	0.00
415 = Codeine pills	11	0.00
417 = Morphine	8	0.00
418 = Methadone	3	0.00
419 = Stadol, Stadol NS	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	7	0.00
422 = Motrin	1	0.00
423 = Percocet	2	0.00
427 = Darvocet, Davocet-N	2	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	4	0.00
434 = Vicodin.....	19	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	2	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen.....	1	0.00
442 = Ibuprofen	4	0.00
444 = Aspirin with Codeine, Empirin 3, Empirin 4	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>	1	0.00
458 = Mepergan, Mepergan Fortis	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	2	0.00
618 = Acid paper, blotter (acid)	1	0.00
658 = Special K, Ketamine	32	0.00
663 = Animal tranquilizer, horse tranquilizer.....	1	0.00
702 = Heroin	1	0.00
703 = Opium, otherwise unspecified	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
820 = Penicillin.....	1	0.00
824 = Steroids.....	1	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	3	0.00
858 = Antibiotic	1	0.00
894 = Depakene, Depakote, Valproic acid.....	1	0.00
896 = Catapres, Clonidine	6	0.00
1001 = Benadryl, Diphenhydramine <OTC>	6	0.00
1004 = Valerian <OTC>.....	1	0.00
1005 = Imovane, Zopiclone	2	0.00
1006 = Trileptal, Oxcarbazepine	1	0.00
1008 = Rohr 714, Rorer 714	1	0.00
1009 = Mogadon.....	1	0.00
1011 = Eszopiclone, Lunesta	49	0.01
1012 = Brevital	1	0.00
1013 = Ambien CR	15	0.00
1017 = Rozerem.....	1	0.00
1018 = Advil PM <OTC>.....	4	0.00
1020 = Hyoscine, Levo-duboisine, Scopolamine.....	1	0.00
1028 = Dormidina	1	0.00
2001 = Soma	12	0.00
2002 = Muscle relaxers	8	0.00
2003 = Zanies, zannies, zans, zany bars.....	4	0.00
2004 = Bromazepam, Lexillum, Lexomil, Lexotan, Lexotanil	3	0.00
2011 = Lexapro.....	1	0.00
2012 = Geodon, Ziprasidone.....	2	0.00
2019 = Soma Compound	2	0.00
3004 = Black cadillac	1	0.00
3023 = Adderall	11	0.00
3026 = Bupropion, Wellbutrin, Zyban	4	0.00
3052 = Speed, otherwise unspecified.....	2	0.00
3077 = Concerta.....	1	0.00
3082 = Fat burner, not otherwise specified	1	0.00
3091 = Black bombers.....	1	0.00
3106 = Sedalmerk	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Eptol, Tegretol	3	0.00
4024 = Reynol	1	0.00
4031 = Cough medicine with Codeine.....	3	0.00

SEDATIVES

4043 = Tramadol.....	6	0.00
4044 = Hydrocodone.....	7	0.00
4045 = Dolgic, Phrenillin Forte, Sedapap.....	2	0.00
4046 = Oxycodone.....	5	0.00
4054 = Zomax.....	1	0.00
4055 = Vioxx.....	1	0.00
4058 = Totem poles.....	1	0.00
4067 = OxyContin.....	1	0.00
4083 = Ultracet.....	1	0.00
4109 = Suboxone.....	2	0.00
4112 = Saridone.....	1	0.00
4125 = Hycodan, Hydromet, Tussigon.....	1	0.00
6029 = DXM.....	1	0.00
6114 = Molly, not otherwise specified.....	1	0.00
6131 = Mandrakes.....	1	0.00
8002 = Zantac.....	3	0.00
8007 = Gabapentin, Neurontin.....	4	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd.....	3	0.00
8011 = Herb, flower, plant; type unspecified.....	1	0.00
8020 = Allegra, Altiva.....	1	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator.....	1	0.00
8058 = Cough medicine/syrup, type unspecified.....	5	0.00
8094 = Pepto Bismol <OTC>.....	1	0.00
8117 = Hydrocortisone.....	1	0.00
8211 = Precose.....	1	0.00
8213 = Ranitidine.....	1	0.00
8237 = Kratom.....	1	0.00
8247 = Abilify, Aripiprazole.....	1	0.00
8338 = Bumex, Bumetanide, Burinex.....	1	0.00
8341 = Apokyn, Apomorphine, Ixense, Spontane, Uprima.....	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
9985 = BAD DATA Logically assigned.....	45	0.00
9989 = LEGITIMATE SKIP Logically assigned.....	14	0.00
9991 = NEVER USED SEDATIVES.....	705266	74.29
9997 = REFUSED.....	211	0.02
9998 = BLANK (NO ANSWER).....	1501	0.16
9999 = LEGITIMATE SKIP.....	12514	1.32

SEDATIVES

SEDNEWB

Len : 4 OTHER SEDATIVES - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
103 = Amytal.....	1	0.00
109 = Seconal.....	1	0.00
110 = Tuinal.....	1	0.00
111 = Dalmane.....	4	0.00
112 = Restoril.....	1	0.00
113 = Halcion.....	3	0.00
115 = Phenobarbital.....	3	0.00
116 = Methaqualone, Sopor, Quaalude.....	3	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	12	0.00
121 = USED SEDATIVE, DON'T KNOW NAME.....	27	0.00
123 = Unisom <OTC>.....	1	0.00
127 = Nytol <OTC>.....	1	0.00
129 = Reds.....	1	0.00
130 = Promethazine.....	2	0.00
131 = Haldol, Haloperidol.....	2	0.00
137 = 7-14.....	1	0.00
171 = NyQuil <OTC>.....	2	0.00
174 = Ambien.....	65	0.01
178 = Quetiapine, Seroquel.....	24	0.00
180 = Tylenol P.M. <OTC>.....	1	0.00
189 = Sonata, Zaleplon.....	9	0.00
201 = Valium.....	9	0.00
207 = Ativan.....	2	0.00
209 = Xanax.....	8	0.00
225 = Desyrel, Trazodone hydrochloride.....	26	0.00
228 = Amitriptyline, Elavil.....	2	0.00
234 = Flexeril.....	1	0.00
240 = Lithium carbonate, Lithonate.....	1	0.00
246 = Klonopin.....	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies.....	1	0.00
271 = Sertraline hydrochloride, Zoloft.....	2	0.00
285 = Risperdal, Risperdol, Risperidone.....	2	0.00
289 = Olanzapine, Zyprexa.....	1	0.00
295 = Mirtazapine, Remeron.....	1	0.00
327 = Black beauties, black beauty.....	2	0.00
401 = Darvon.....	1	0.00
408 = Dilaudid, Hydromorphone.....	1	0.00
415 = Codeine pills.....	2	0.00
417 = Morphine.....	1	0.00
418 = Methadone.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
423 = Percocet.....	1	0.00
424 = Fioricet.....	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>.....	1	0.00
434 = Vicodin.....	2	0.00
601 = LSD ("acid").....	1	0.00
658 = Special K, Ketamine.....	1	0.00
821 = Amoxicillin, Ampicillin, Pentrexly.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
858 = Antibiotic.....	1	0.00
896 = Catapres, Clonidine.....	1	0.00
900 = Not a drug.....	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	2	0.00
1006 = Trileptal, Oxcarbazepine.....	1	0.00
1011 = Eszopiclone, Lunesta.....	19	0.00
1013 = Ambien CR.....	4	0.00
1018 = Advil PM <OTC>.....	1	0.00
2001 = Soma.....	2	0.00
2002 = Muscle relaxers.....	3	0.00
2011 = Lexapro.....	1	0.00
3023 = Adderall.....	1	0.00
4046 = Oxycodone.....	1	0.00
8002 = Zantac.....	1	0.00
8007 = Gabapentin, Neurontin.....	1	0.00
8011 = Herb, flower, plant; type unspecified.....	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator.....	1	0.00
8094 = Pepto Bismol <OTC>.....	1	0.00
8136 = Montekulast, Singulair.....	1	0.00
8211 = Precose.....	1	0.00
8247 = Abilify, Aripiprazole.....	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
9985 = BAD DATA Logically assigned.....	24	0.00

SEDATIVES

9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
9991 = NEVER USED SEDATIVES	705266	74.29
9997 = REFUSED	140	0.01
9998 = BLANK (NO ANSWER)	4138	0.44
9999 = LEGITIMATE SKIP.....	12527	1.32

[SEDNEWC](#)

Len : 4 OTHER SEDATIVES - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
111 = Dalmane	1	0.00
112 = Restoril	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	3	0.00
121 = USED SEDATIVE, DON'T KNOW NAME.....	5	0.00
174 = Ambien.....	18	0.00
178 = Quetiapine, Seroquel	8	0.00
180 = Tylenol P.M. <OTC>.....	1	0.00
186 = Butalbital	1	0.00
188 = Prosom	1	0.00
189 = Sonata, Zaleplon.....	1	0.00
201 = Valium.....	4	0.00
207 = Ativan.....	1	0.00
209 = Xanax	2	0.00
225 = Desyrel, Trazodone hydrochloride	1	0.00
246 = Klonopin	2	0.00
247 = Adapin, Doxepin, Sinequan.....	1	0.00
285 = Risperdal, Risperdol, Risperidone	3	0.00
289 = Olanzapine, Zyprexa.....	1	0.00
415 = Codeine pills	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
423 = Percocet.....	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>	1	0.00
900 = Not a drug.....	1	0.00
1011 = Eszopiclone, Lunesta	4	0.00
4043 = Tramadol.....	1	0.00
4067 = OxyContin	1	0.00
8007 = Gabapentin, Neurontin	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
9985 = BAD DATA Logically assigned.....	9	0.00
9991 = NEVER USED SEDATIVES	705266	74.29
9997 = REFUSED	132	0.01
9998 = BLANK (NO ANSWER).....	4380	0.46
9999 = LEGITIMATE SKIP.....	12528	1.32

[SEDNEWD](#)

Len : 4 OTHER SEDATIVES - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
111 = Dalmane	1	0.00
116 = Methaqualone, Sopor, Quaalude.....	3	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	2	0.00
121 = USED SEDATIVE, DON'T KNOW NAME.....	3	0.00
174 = Ambien.....	10	0.00
189 = Sonata, Zaleplon.....	1	0.00
201 = Valium.....	1	0.00
225 = Desyrel, Trazodone hydrochloride	2	0.00
1011 = Eszopiclone, Lunesta	1	0.00
2019 = Soma Compound	1	0.00
8010 = Zyrtec, Cetirizine <OTC>	1	0.00
8338 = Bumex, Bumetanide, Burinex.....	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
9985 = BAD DATA Logically assigned.....	5	0.00
9991 = NEVER USED SEDATIVES	705266	74.29
9997 = REFUSED	131	0.01
9998 = BLANK (NO ANSWER).....	4425	0.47
9999 = LEGITIMATE SKIP.....	12528	1.32

SEDATIVES

[SEDNEWE](#)

Len : 4 OTHER SEDATIVES - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
110 = Tuinal	1	0.00
121 = USED SEDATIVE, DON'T KNOW NAME.....	1	0.00
174 = Ambien.....	5	0.00
189 = Sonata, Zaleplon.....	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>	1	0.00
3023 = Adderall.....	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
9985 = BAD DATA Logically assigned	6	0.00
9991 = NEVER USED SEDATIVES	705266	74.29
9997 = REFUSED	130	0.01
9998 = BLANK (NO ANSWER)	4441	0.47
9999 = LEGITIMATE SKIP.....	12528	1.32

The answers that people give us about their use of prescription sedatives are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: METHAQ, NEMBBARB, RESTTMAZ, SEDCARD, or SEDNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.

[SEDEVER](#)

Len : 2 EVER USED SEDATIVES NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	15394	1.62
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
91 = NEVER USED SEDATIVES.....	705266	74.29
94 = DON'T KNOW	2	0.00
97 = REFUSED	46	0.00
98 = BLANK (NO ANSWER).....	1674	0.18

How old were you the first time you used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

[SEDAGE](#)

Len : 3 AGE WHEN FIRST USED SEDATIVES NONMEDICALLY

	Freq	Pct
RANGE = 1 - 80.....	14744	1.55
-9 = Data not collected for this year	226632	23.87
981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
985 = BAD DATA Logically assigned.....	79	0.01
991 = NEVER USED SEDATIVES.....	705266	74.29
994 = DON'T KNOW	453	0.05
997 = REFUSED	175	0.02
998 = BLANK (NO ANSWER).....	1665	0.18

SEDATIVES

Did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDYFU

Len : 4 YEAR OF FIRST SEDATIVE USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014.....	1512	0.16
-9 = Data not collected for this year.....	226632	23.87
9981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
9985 = BAD DATA Logically assigned.....	193	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	80	0.01
9991 = NEVER USED SEDATIVES.....	705266	74.29
9994 = DON'T KNOW.....	459	0.05
9997 = REFUSED.....	176	0.02
9998 = BLANK (NO ANSWER).....	1681	0.18
9999 = LEGITIMATE SKIP.....	13015	1.37

In what month in [CURRENT YEAR] did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM SV07a or SV07b] did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDMFU

Len : 2 MONTH OF FIRST SEDATIVE USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	226632	23.87
1 = January.....	152	0.02
2 = February.....	107	0.01
3 = March.....	120	0.01
4 = April.....	120	0.01
5 = May.....	103	0.01
6 = June.....	113	0.01
7 = July.....	107	0.01
8 = August.....	113	0.01
9 = September.....	111	0.01
10 = October.....	106	0.01
11 = November.....	115	0.01
12 = December.....	104	0.01
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	192	0.02
89 = LEGITIMATE SKIP Logically assigned.....	80	0.01
91 = NEVER USED SEDATIVES.....	705266	74.29
94 = DON'T KNOW.....	596	0.06
97 = REFUSED.....	180	0.02
98 = BLANK (NO ANSWER).....	1682	0.18
99 = LEGITIMATE SKIP.....	13015	1.37

SEDATIVES

NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.

How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDREC

Len : 2 TIME SINCE LAST USED SEDATIVES NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	992	0.10
2 = More than 30 days ago but within the past 12 mos	1818	0.19
3 = More than 12 months ago	12252	1.29
8 = Used at some point in the past 12 mos LOG ASSN	17	0.00
9 = Used at some point in lifetime LOG ASSN	312	0.03
11 = Used in the past 30 days LOGICALLY ASSIGNED	3	0.00
81 = NEVER USED SEDATIVES Logically assigned	271	0.03
85 = BAD DATA Logically assigned	10	0.00
91 = NEVER USED SEDATIVES	705266	74.29
97 = REFUSED	48	0.01
98 = BLANK (NO ANSWER)	1664	0.18

SEDYRTOT

Len : 3 TOTAL # OF DAYS USED SEDATIVES PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 364	2738	0.29
-9 = Data not collected for this year	226632	23.87
981 = NEVER USED SEDATIVES Logically assigned	271	0.03
985 = BAD DATA Logically assigned	30	0.00
991 = NEVER USED SEDATIVES	705266	74.29
993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	12252	1.29
994 = DON'T KNOW	60	0.01
997 = REFUSED	56	0.01
998 = BLANK (NO ANSWER)	1980	0.21

SVTOTFG

Len : 2 TRIMMING INDICATOR FOR SEDYRTOT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
98 = BLANK (NO ANSWER)	722653	76.13

SVFQFLG

Len : 2 TRIMMED SEDYRTOT IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Trimmed to be consistent with mo/yr of 1st use	264	0.03
98 = BLANK (NO ANSWER)	722389	76.10

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used a prescription sedative in either of these ways?

SVBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED SEDATIVE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Prefer to answer in days per week	510	0.05
2 = Prefer to answer in days per month	730	0.08
3 = Prefer to answer in days per year	1490	0.16
11 = Prefer to ans in days per wk LOG ASSN	9	0.00
12 = Prefer to ans in days per mo LOG ASSN	13	0.00
13 = Prefer to ans in days per yr LOG ASSN	33	0.00
81 = NEVER USED SEDATIVES Logically assigned	271	0.03
85 = BAD DATA Logically assigned	30	0.00
91 = NEVER USED SEDATIVES	705266	74.29
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	12252	1.29
94 = DON'T KNOW	19	0.00
97 = REFUSED	50	0.01
98 = BLANK (NO ANSWER)	1980	0.21

SEDATIVES

On how many days in the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SVDAYPYR

Len : 3 # DAYS USED SEDATIVE "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 270	1511	0.16
-9 = Data not collected for this year	226632	23.87
981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
985 = BAD DATA Logically assigned.....	11	0.00
989 = LEGITIMATE SKIP Logically assigned.....	20	0.00
991 = NEVER USED SEDATIVES.....	705266	74.29
993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	12252	1.29
994 = DON'T KNOW	28	0.00
997 = REFUSED	53	0.01
998 = BLANK (NO ANSWER).....	1999	0.21
999 = LEGITIMATE SKIP	1242	0.13

On average, how many days each month during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SVDAYPMO

Len : 2 # DAYS PER MONTH USED SEDATIVE "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30.....	728	0.08
-9 = Data not collected for this year	226632	23.87
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned	9	0.00
91 = NEVER USED SEDATIVES.....	705266	74.29
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	12252	1.29
94 = DON'T KNOW	44	0.00
97 = REFUSED	52	0.01
98 = BLANK (NO ANSWER).....	2004	0.21
99 = LEGITIMATE SKIP	2021	0.21

On average, how many days each week during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SVDAYPWK

Len : 2 # DAYS PER WEEK USED SEDATIVE "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7.....	499	0.05
-9 = Data not collected for this year	226632	23.87
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED SEDATIVES.....	705266	74.29
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	12252	1.29
94 = DON'T KNOW	60	0.01
97 = REFUSED	56	0.01
98 = BLANK (NO ANSWER).....	1997	0.21
99 = LEGITIMATE SKIP	2239	0.24

SEDATIVES

The next question asks about using **prescription sedatives** in any way **a doctor did not direct you to use them**.

When you answer these questions, please think only about your use of the drug in any way **a doctor did not direct you to use it**, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it/li>
- Using it in **any other way** a doctor did not direct you to use it

Have you ever, even once, used any prescription sedative in any way a doctor did not direct you to use it?

SEDNMLIF

Len : 2 EVER USED SEDATIVE NOT DIRECTED BY DR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	3363	0.35
2 = No.....	19292	2.03
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	1180	0.12
85 = BAD DATA Logically assigned.....	100	0.01
91 = NEVER USED/MISUSED SEDATIVES	201348	21.21
94 = DON'T KNOW	50	0.01
97 = REFUSED	14	0.00
98 = BLANK (NO ANSWER).....	1285	0.14

NOTE: The variable SEDNMREC is a recoded variable that was created from SEDNMLIF, the 12-month misuse variables of specific sedatives, and SEDTVNM30DY.

SEDNMREC

Len : 2 RC - MOST RECENT SEDATIVE MISUSE (RECODE)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	329	0.03
2 = More than 30 days ago but within the past 12 mos	847	0.09
3 = More than 12 months ago	3345	0.35
8 = Misused at some point in past 12 mos LOG ASSN.....	4	0.00
9 = Misused at some point in lifetime LOG ASSN.....	18	0.00
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn.....	805	0.08
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
98 = BLANK (NO ANSWER).....	644	0.07

NOTE: SEDNMINIT is "reverse coded" from the answers in SVL03. SVL03=1 (yes) was recoded to 2 in SEDNMINIT because this answer means that the respondent misused sedatives before the past 12 months (and therefore is not a past year initiate for misuse of sedatives). SVL03=2 (no) was recoded to 1 in SEDNMINIT because this answer means that the respondent did not misuse sedatives before the past 12 months (and therefore is a past year initiate for misuse of sedatives).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription sedative in a way a doctor did not direct you to use it?

SEDNMINIT

Len : 2 PAST YEAR INITIATE FOR ANY SEDATIVE MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Past year initiate.....	321	0.03
2 = Not a past year initiate.....	90	0.01
4 = Not past yr initiate LOG ASSN (from skip pattern).....	763	0.08
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN).....	805	0.08
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MOS	3345	0.35
94 = DON'T KNOW	5	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	662	0.07

NOTE: The variables SEDNIMAGE, SEDNMYFU, and SEDNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of sedatives in the 12 months prior to being interviewed (SEDNMINIT=1).

SEDNIMAGE

Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR SED INITIATES

	Freq	Pct
RANGE = 12 - 94	291	0.03
-9 = Data not collected for this year	722653	76.13
983 = NOT A PAST YEAR INITIATE Log assn.....	805	0.08
991 = NEVER USED/MISUSED SEDATIVES	220640	23.24
993 = NOT A PAST YEAR INITIATE.....	4198	0.44
998 = BLANK (NO ANSWER).....	698	0.07

SEDATIVES

[SEDNMYFU](#)

Len : 4 RC - YR 1ST MISUSED FOR PAST YR SED INITIATES

	Freq	Pct
RANGE = 2014 - 2018.....	291	0.03
-9 = Data not collected for this year	722653	76.13
9983 = NOT A PAST YEAR INITIATE Logically assigned.....	805	0.08
9991 = NEVER USED/MISUSED SEDATIVES.....	220640	23.24
9993 = NOT A PAST YEAR INITIATE.....	4198	0.44
9998 = BLANK (NO ANSWER).....	698	0.07

[SEDNMMFU](#)

Len : 2 RC - MO 1ST MISUSED FOR PAST YR SED INITIATES

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = January.....	25	0.00
2 = February	22	0.00
3 = March.....	28	0.00
4 = April.....	20	0.00
5 = May.....	22	0.00
6 = June.....	19	0.00
7 = July	20	0.00
8 = August.....	24	0.00
9 = September.....	25	0.00
10 = October.....	21	0.00
11 = November	32	0.00
12 = December	17	0.00
83 = NOT A PAST YEAR INITIATE Logically assigned.....	805	0.08
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = NOT A PAST YEAR INITIATE.....	4198	0.44
98 = BLANK (NO ANSWER).....	714	0.08

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL]?

[SEDNM30D](#)

Len : 2 USED SEDATIVE NOT DIRECTED BY DR PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	306	0.03
2 = No.....	847	0.09
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	23	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	57	0.01
85 = BAD DATA Logically assigned.....	11	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	4093	0.43
94 = DON'T KNOW	4	0.00
98 = BLANK (NO ANSWER).....	651	0.07

During the past 30 days, on how many days did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL]?

[SEDNM30FQ](#)

Len : 2 # DAYS USED SEDATIVE NOT DIRECTD BY DR PST 30 DYS

	Freq	Pct
RANGE = 1 - 30.....	319	0.03
-9 = Data not collected for this year	722653	76.13
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	18	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	4979	0.52
94 = DON'T KNOW	5	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER).....	663	0.07

SEDATIVES

What is your best estimate of the number of days you used [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL] during the past 30 days?

SEDNM30ES

Len : 2 EST # DAYS USED SEDATIVE NOT DIRECTED PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = 1 or 2 days	2	0.00
2 = 3 to 5 days	2	0.00
4 = 10 to 19 days	1	0.00
5 = 20 to 29 days	1	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	4996	0.53
97 = REFUSED	4	0.00
98 = BLANK (NO ANSWER)	666	0.07
99 = LEGITIMATE SKIP	319	0.03

During the past 30 days, did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

SEDNM30AL

Len : 2 USED SEDATIVE NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes	91	0.01
2 = No	126	0.01
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	8	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	4989	0.53
98 = BLANK (NO ANSWER)	666	0.07
99 = LEGITIMATE SKIP	110	0.01

Which of these statements describe your use of [SVNAMEFILL] at any time in the past 12 months?

SEDWYNORX

Len : 2 USED SEDATIVE W/O OWN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes	765	0.08
2 = No (not entered)	373	0.04
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	33	0.00
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	4117	0.43
94 = DON'T KNOW	24	0.00
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER)	654	0.07

SEDWYGAMT

Len : 2 USED SEDATIVE IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes	238	0.03
2 = No (not entered)	899	0.09
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	19	0.00
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	4131	0.44
94 = DON'T KNOW	24	0.00
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER)	659	0.07

SEDATIVES

[SEDWYOFTN](#)

Len : 2 USED SEDATIVE MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	104	0.01
2 = No (not entered)	1034	0.11
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	12	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	4138	0.44
94 = DON'T KNOW	24	0.00
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER).....	660	0.07

[SEDWYLNGR](#)

Len : 2 USED SEDATIVE LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	64	0.01
2 = No (not entered)	1074	0.11
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	12	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	4138	0.44
94 = DON'T KNOW	24	0.00
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER).....	659	0.07

[SEDWYOTWY](#)

Len : 2 USED SEDATIVE OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	157	0.02
2 = No (not entered)	981	0.10
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	16	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	4134	0.44
94 = DON'T KNOW	24	0.00
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER).....	658	0.07

Now think about the last time you used a prescription sedative in any way a doctor did not direct you to use it.

Which of these sedatives did you use the last time? If you used more than one sedative the last time, please choose one sedative as your best answer.

[SEDNMLAST](#)

Len : 2 LAST SEDATIVE USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Ambien.....	592	0.06
2 = Ambien CR.....	48	0.01
3 = Zolpidem (generic).....	144	0.02
4 = Extended-release zolpidem (generic)	11	0.00
5 = Lunesta or eszopiclone	39	0.00
6 = Sonata or zaleplon.....	13	0.00
7 = Halcion.....	6	0.00
8 = Restoril.....	18	0.00
9 = Flurazepam (generic), also known as Dalmane.....	4	0.00
10 = Temazepam (generic)	33	0.00
11 = Triazolam (generic)	32	0.00
12 = Butisol	3	0.00
13 = Seconal	3	0.00
14 = Phenobarbital (generic).....	22	0.00
15 = Some other sedative.....	208	0.02
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	58	0.01
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	4092	0.43
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	651	0.07

SEDATIVES

Now think about the last time you used [SVLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [SVLASTFILL2] the last time?

SEDRSRELX

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO RELAX

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	333	0.04
2 = No (not entered)	832	0.09
3 = Yes LOGICALLY ASSIGNED	2	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	23	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	4127	0.43
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	656	0.07

SEDRSEXPT

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	98	0.01
2 = No (not entered)	1067	0.11
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	2	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	4148	0.44
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	656	0.07

SEDRSHIGH

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO GET HIGH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	169	0.02
2 = No (not entered)	997	0.11
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	5	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	4145	0.44
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	658	0.07

SEDRSSLEP

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) FOR SLEEP

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	838	0.09
2 = No (not entered)	322	0.03
3 = Yes LOGICALLY ASSIGNED	7	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	36	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	4114	0.43
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	658	0.07

SEDATIVES

[SEDRSEMOT](#)

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) FOR EMOTIONS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	134	0.01
2 = No (not entered)	1032	0.11
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	10	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	4140	0.44
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	660	0.07

[SEDRSDGFX](#)

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	23	0.00
2 = No (not entered)	1142	0.12
3 = Yes LOGICALLY ASSIGNED	2	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	2	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	4148	0.44
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	660	0.07

[SEDRSHOOK](#)

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	6	0.00
2 = No (not entered)	1161	0.12
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	2	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	4148	0.44
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	659	0.07

[SEDRSSOR](#)

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) OTHER REASON

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	63	0.01
2 = No (not entered)	1104	0.12
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	12	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	4138	0.44
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	660	0.07

SEDATIVES

Please type in the other reason you used [SVLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

SEDRSOTRS2

Len : 3 REASON USED LAST SEDATIVE (NOT DIRECTED)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
2 = To relax or relieve tension	2	0.00
3 = To experiment or to see what it's/they're like.....	1	0.00
4 = To feel good or get high.....	1	0.00
5 = To help with my sleep	8	0.00
6 = To help me with my feelings or emotions	1	0.00
7 = To increase/decrease effects of some other drug.....	2	0.00
13 = I used it/them for some other reason	22	0.00
16 = Suicide attempt/suicidal thoughts	17	0.00
983 = DID NOT USE SEDATIVES IN THE PAST 12 MOS Logically assigned	11	0.00
985 = BAD DATA (logically assigned).....	4	0.00
991 = NEVER USED SEDATIVES.....	220640	23.24
993 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	4139	0.44
994 = DON'T KNOW	2	0.00
997 = REFUSED	3	0.00
998 = BLANK (no answer)	675	0.07
999 = LEGITIMATE SKIP	1104	0.12

Which was the main reason you used [SVLASTFILL2] the last time?

SEDRSMAIN

Len : 2 MAIN REASON USED LAST SEDATIVE (NOT DIRECTED)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = To relax or relieve tension	55	0.01
2 = To experiment or to see what it was/they were like	18	0.00
3 = To feel good or get high.....	45	0.00
4 = To help with my sleep	129	0.01
5 = To help me with my feelings or emotions	28	0.00
6 = To increase or decrease the effect(s) of some other drug.....	4	0.00
7 = Because I am 'hooked' or I have to have it/them	1	0.00
8 = The other reason I reported	7	0.00
14 = To help with my sleep LOGICALLY ASSIGNED	1	0.00
16 = To increase or decrease the effect(s) of other drug LOG ASSN	1	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	18	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	4132	0.44
98 = BLANK (NO ANSWER).....	674	0.07
99 = LEGITIMATE SKIP	877	0.09

NOTE: STMNORXFG is set to 1 when respondents reported that the only way they misused sedatives in the past year was without a prescription. These respondents also reported that the last sedative they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

SEDNORXFG

Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST SED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Only misuse w/o Rx but reported last drug gotten with Rx	40	0.00
98 = BLANK (NO ANSWER).....	226592	23.87

RECENCY OF DRUG USE

IMPUTED SUBSTANCE USE

RECENCY OF DRUG USE

IRSLTRC

Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	28669	3.02
2 = More than 30 days ago but within the past 12 mos	16724	1.76
3 = More than 12 months ago but within the past 3 yrs.....	18153	1.91
4 = More than 3 years ago	61398	6.47
9 = Never used smokeless tobacco.....	597709	62.96

IISLTRC

Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	719424	75.79
2 = Logically assigned data	20	0.00
3 = Statistically imputed data.....	3209	0.34

IISLTRC

Len : 1 SMOKELESS TOBACCO RECENCY - DETAILED IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	719424	75.79
2 = Logically assigned data	20	0.00
3 = Statistically imputed data - lifetime use imputed	366	0.04
4 = Statistically imputed data - edited recency = 9	78	0.01
5 = Statistically imputed data - edited recency = 8	89	0.01
6 = Statistically imputed data - edited recency = 19.....	845	0.09
7 = Statistically imputed data - edited recency = 14.....	1080	0.11
8 = Statistically imputed data - edited recency = 29.....	747	0.08
9 = Statistically imputed data - edited recency = 39.....	4	0.00

IRCHWRC

Len : 1 CHEWING TOBACCO RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	11292	1.19
2 = More than 30 days ago but within the past 12 mos	10739	1.13
3 = More than 12 months ago but within the past 3 yrs.....	13045	1.37
4 = More than 3 years ago	47679	5.02
9 = Never used chewing tobacco.....	639898	67.41

IICHWRC

Len : 1 CHEWING TOBACCO RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	721014	75.95
2 = Logically assigned data	8	0.00
3 = Statistically imputed data.....	1631	0.17

IICHWRC

Len : 1 CHEWING TOBACCO RECENCY - DETAILED IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	721014	75.95
2 = Logically assigned data	8	0.00
3 = Statistically imputed data - lifetime use imputed	116	0.01
4 = Statistically imputed data - edited recency = 9	34	0.00
5 = Statistically imputed data - edited recency = 8	38	0.00
6 = Statistically imputed data - edited recency = 19.....	450	0.05
7 = Statistically imputed data - edited recency = 14.....	635	0.07
8 = Statistically imputed data - edited recency = 29.....	351	0.04
9 = Statistically imputed data - edited recency = 39.....	7	0.00

RECENCY OF DRUG USE

[IRSNFRC](#)

Len : 1 SNUFF RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	24372	2.57
2 = More than 30 days ago but within the past 12 mos	14105	1.49
3 = More than 12 months ago but within the past 3 yrs.....	15020	1.58
4 = More than 3 years ago	46907	4.94
9 = Never used snuff.....	622249	65.55

[IISNFRC](#)

Len : 1 SNUFF RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	720213	75.87
2 = Logically assigned data	14	0.00
3 = Statistically imputed data.....	2426	0.26

[II2SNFRC](#)

Len : 1 SNUFF RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	720213	75.87
2 = Logically assigned data	14	0.00
3 = Statistically imputed data - lifetime use imputed	348	0.04
4 = Statistically imputed data - edited recency = 9	43	0.00
5 = Statistically imputed data - edited recency = 8	65	0.01
6 = Statistically imputed data - edited recency = 19.....	626	0.07
7 = Statistically imputed data - edited recency = 14.....	803	0.08
8 = Statistically imputed data - edited recency = 29.....	536	0.06
9 = Statistically imputed data - edited recency = 39.....	5	0.00

[IRHALRC](#)

Len : 1 HALLUCINOGEN RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	6459	0.68
2 = More than 30 days ago but within the past 12 mos	17998	1.90
3 = More than 12 months ago	76603	8.07
9 = Never used hallucinogens	621593	65.48

[IIHALRC](#)

Len : 1 HALLUCINOGEN RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	717024	75.53
2 = Logically assigned data	562	0.06
3 = Statistically imputed data	5067	0.53

[II2HALRC](#)

Len : 1 HALLUCINOGEN RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	717024	75.53
2 = Logically assigned data	562	0.06
3 = Statistically imputed data - lifetime use imputed	2314	0.24
4 = Statistically imputed data - edited recency = 9	2003	0.21
5 = Statistically imputed data - edited recency = 8	750	0.08

[IRECSRC](#)

Len : 1 ECSTASY RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	3108	0.33
2 = More than 30 days ago but within the past 12 mos	10102	1.06
3 = More than 12 months ago	36828	3.88
9 = Never used ecstasy	672615	70.85

RECENCY OF DRUG USE

[IIECSRC](#)

Len : 1 ECSTASY RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	720745	75.93
2 = Logically assigned data	9	0.00
3 = Statistically imputed data.....	1899	0.20

[I2ECSRC](#)

Len : 1 ECSTASY RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	720745	75.93
2 = Logically assigned data	9	0.00
3 = Statistically imputed data - lifetime use imputed	753	0.08
4 = Statistically imputed data - edited recency = 9	984	0.10
5 = Statistically imputed data - edited recency = 8	162	0.02

[IRINHRC](#)

Len : 1 INHALANT RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	3671	0.39
2 = More than 30 days ago but within the past 12 mos	9994	1.05
3 = More than 12 months ago	60350	6.36
9 = Never used inhalants	648638	68.33

[I2INHRC](#)

Len : 1 INHALANT RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	718479	75.69
2 = Logically assigned data	25	0.00
3 = Statistically imputed data.....	4149	0.44

[I22INHRC](#)

Len : 1 INHALANT RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	718479	75.69
2 = Logically assigned data	25	0.00
3 = Statistically imputed data - lifetime use imputed	1226	0.13
4 = Statistically imputed data - edited recency = 9	2628	0.28
5 = Statistically imputed data - edited recency = 8	295	0.03

[IRANLRC](#)

Len : 1 PAIN RELIEVER RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	20385	2.15
2 = More than 30 days ago but within the past 12 mos	31334	3.30
3 = More than 12 months ago	63392	6.68
9 = Never used pain relievers.....	607542	64.00

[I2ANLRC](#)

Len : 1 PAIN RELIEVER RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	714785	75.30
2 = Logically assigned data	1215	0.13
3 = Statistically imputed data.....	6653	0.70

[I22ANLRC](#)

Len : 1 PAIN RELIEVER RECENCY - DETAILED IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	714785	75.30
2 = Logically assigned data	1215	0.13
3 = Statistically imputed data - lifetime use imputed	2573	0.27
4 = Statistically imputed data - edited recency = 9	3545	0.37
5 = Statistically imputed data - edited recency = 8	535	0.06

RECENCY OF DRUG USE

[IROXYRC](#)

Len : 1 OXYCONTIN RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Within the past 30 days	1721	0.18
2 = More than 30 days ago but within the past 12 mos	4664	0.49
3 = More than 12 months ago	12784	1.35
9 = Never used OxyContin	594175	62.59

[IIOXYRC](#)

Len : 1 OXYCONTIN RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Questionnaire data.....	609915	64.25
2 = Logically assigned data	933	0.10
3 = Statistically imputed data.....	2496	0.26

[II2OXYRC](#)

Len : 1 OXYCONTIN RECENCY - DETAILED IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Questionnaire data.....	609915	64.25
2 = Logically assigned data	933	0.10
3 = Statistically imputed data - lifetime use imputed	1748	0.18
4 = Statistically imputed data - edited recency = 9	583	0.06
5 = Statistically imputed data - edited recency = 8	165	0.02

[IRTRNRC](#)

Len : 1 TRANQUILIZER RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	6998	0.74
2 = More than 30 days ago but within the past 12 mos	13849	1.46
3 = More than 12 months ago	39938	4.21
9 = Never used tranquilizers	661868	69.72

[IITRNRC](#)

Len : 1 TRANQUILIZER RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	719906	75.84
2 = Logically assigned data	104	0.01
3 = Statistically imputed data.....	2643	0.28

[II2TRNRC](#)

Len : 1 TRANQUILIZER RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	719906	75.84
2 = Logically assigned data	104	0.01
3 = Statistically imputed data - lifetime use imputed	1412	0.15
4 = Statistically imputed data - edited recency = 9	1112	0.12
5 = Statistically imputed data - edited recency = 8	119	0.01

[IRSTMRC](#)

Len : 1 STIMULANT RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	5189	0.55
2 = More than 30 days ago but within the past 12 mos	9297	0.98
3 = More than 12 months ago	39401	4.15
9 = Never used stimulants.....	668766	70.45

[IISTMRC](#)

Len : 1 STIMULANT RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	719579	75.80
2 = Logically assigned data	359	0.04
3 = Statistically imputed data.....	2715	0.29

RECENCY OF DRUG USE

I2STMRC

Len : 1 STIMULANT RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	719579	75.80
2 = Logically assigned data	359	0.04
3 = Statistically imputed data - lifetime use imputed	1425	0.15
4 = Statistically imputed data - edited recency = 9	1071	0.11
5 = Statistically imputed data - edited recency = 8	219	0.02

IRMTHRC

Len : 1 METHAMPHETAMINE RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	1674	0.18
2 = More than 30 days ago but within the past 12 mos	2982	0.31
3 = More than 12 months ago	20945	2.21
9 = NEVER USED METHAMPHETAMINE.....	697052	73.43

IMTHRC

Len : 1 METHAMPHETAMINE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	721301	75.98
2 = Logically assigned data	171	0.02
3 = Statistically imputed data.....	1181	0.12

I2MTHRC

Len : 1 METHAMPHETAMINE RECENCY - DETAILED IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	721300	75.98
2 = Logically assigned data	171	0.02
3 = Statistically imputed data - lifetime use imputed	637	0.07
4 = Statistically imputed data - edited recency = 9	440	0.05
5 = Statistically imputed data - edited recency = 8	105	0.01

IRSEDRC

Len : 1 SEDATIVE RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	1043	0.11
2 = More than 30 days ago but within the past 12 mos	1915	0.20
3 = More than 12 months ago	12480	1.31
9 = Never used sedatives	707215	74.50

IISEDRC

Len : 1 SEDATIVE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	720328	75.88
2 = Logically assigned data	274	0.03
3 = Statistically imputed data.....	2051	0.22

I2SEDRC

Len : 1 SEDATIVE RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	720328	75.88
2 = Logically assigned data	274	0.03
3 = Statistically imputed data - lifetime use imputed	1722	0.18
4 = Statistically imputed data - edited recency = 9	312	0.03
5 = Statistically imputed data - edited recency = 8	17	0.00

IRCIGRC

Len : 1 CIGARETTE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	221872	23.37
2 = More than 30 days ago but within the past 12 mos	53964	5.68
3 = More than 12 months ago but within the past 3 yrs.....	49915	5.26
4 = More than 3 years ago	178975	18.85
9 = NEVER SMOKED CIGARETTES	444559	46.83

RECENCY OF DRUG USE

[IICIGRC](#)

Len : 1 CIGARETTE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	943115	99.35
2 = Logically assigned data	42	0.00
3 = Statistically imputed data.....	6128	0.65

[I2CIGRC](#)

Len : 1 CIGARETTE RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	943115	99.35
2 = Logically assigned data	42	0.00
4 = Statistically imputed data - edited recency = 9	190	0.02
5 = Statistically imputed data - edited recency = 8	174	0.02
6 = Statistically imputed data - edited recency = 19.....	1552	0.16
7 = Statistically imputed data - edited recency = 14.....	2792	0.29
8 = Statistically imputed data - edited recency = 29.....	1393	0.15
9 = Statistically imputed data - edited recency = 39.....	27	0.00

[IRCGRRC](#)

Len : 1 CIGAR RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	59817	6.30
2 = More than 30 days ago but within the past 12 mos	61768	6.51
3 = More than 12 months ago but within the past 3 yrs.....	59773	6.30
4 = More than 3 years ago	111569	11.75
9 = NEVER SMOKED CIGARS	656358	69.14

[IICGRRC](#)

Len : 1 CIGAR RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	944214	99.47
2 = Logically assigned data	38	0.00
3 = Statistically imputed data.....	5033	0.53

[I2CGRRC](#)

Len : 1 CIGAR RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	944214	99.47
2 = Logically assigned data	38	0.00
3 = Statistically imputed data - lifetime use imputed	169	0.02
4 = Statistically imputed data - edited recency = 9	150	0.02
5 = Statistically imputed data - edited recency = 8	142	0.01
6 = Statistically imputed data - edited recency = 19.....	1356	0.14
7 = Statistically imputed data - edited recency = 14.....	1874	0.20
8 = Statistically imputed data - edited recency = 29.....	1323	0.14
9 = Statistically imputed data - edited recency = 39.....	19	0.00

[IRPIPLF](#)

Len : 1 LIFETIME PIPE USE - IMPUTATION REVISED

	Freq	Pct
1 = Ever used pipes.....	84370	8.89
9 = NEVER SMOKED PIPES	864915	91.11

[IIPILF](#)

Len : 1 LIFETIME PIPE USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	949110	99.98
3 = Statistically imputed data.....	175	0.02

[IRPIPMN](#)

Len : 1 PAST MONTH PIPE USE - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	9216	0.97
2 = More than 30 days ago but within lifetime	75154	7.92
9 = NEVER SMOKED PIPES	864915	91.11

[IIPIMN](#)

Len : 1 PAST MONTH PIPE USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	133056	14.02
3 = Statistically imputed data.....	203	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	816026	85.96

RECENCY OF DRUG USE

[IRSMKLSREC](#)

Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	8301	0.87
2 = More than 30 days ago but within the past 12 mos	4028	0.42
3 = More than 12 months ago but within the past 3 yrs.....	4876	0.51
4 = More than 3 years ago	19164	2.02
9 = NEVER USED SMOKELESS TOBACCO	190263	20.04

[IISMKLSREC](#)

Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	225851	23.79
2 = Logically assigned data	6	0.00
3 = Statistically imputed data - lifetime use imputed	155	0.02
4 = Statistically imputed data - edited recency = 9	31	0.00
5 = Statistically imputed data - edited recency = 8	20	0.00
6 = Statistically imputed data - edited recency = 19.....	144	0.02
7 = Statistically imputed data - edited recency = 14.....	254	0.03
8 = Statistically imputed data - edited recency = 29.....	170	0.02
9 = Statistically imputed data - edited recency = 39.....	1	0.00

[IRALCRC](#)

Len : 1 ALCOHOL RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	428488	45.14
2 = More than 30 days ago but within the past 12 mos	149468	15.75
3 = More than 12 months ago	106092	11.18
9 = NEVER USED ALCOHOL.....	265237	27.94

[IIALCRC](#)

Len : 1 ALCOHOL RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	937163	98.72
2 = Logically assigned data	186	0.02
3 = Statistically imputed data.....	11936	1.26

[I2ALCRC](#)

Len : 1 ALCOHOL RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	937163	98.72
2 = Logically assigned data	186	0.02
3 = Statistically imputed data - lifetime use imputed	290	0.03
4 = Statistically imputed data - edited recency = 9	5540	0.58
5 = Statistically imputed data - edited recency = 8	6106	0.64

[IRMJRC](#)

Len : 1 MARIJUANA RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	101327	10.67
2 = More than 30 days ago but within the past 12 mos	69307	7.30
3 = More than 12 months ago	216130	22.77
9 = NEVER USED MARIJUANA.....	562521	59.26

[IIMJRC](#)

Len : 1 MARIJUANA RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	942488	99.28
2 = Logically assigned data	79	0.01
3 = Statistically imputed data.....	6718	0.71

[I2MJRC](#)

Len : 1 MARIJUANA RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	942488	99.28
2 = Logically assigned data	79	0.01
3 = Statistically imputed data - lifetime use imputed	603	0.06
4 = Statistically imputed data - edited recency = 9	3077	0.32
5 = Statistically imputed data - edited recency = 8	3038	0.32

RECENCY OF DRUG USE

[IRCOCRC](#)

Len : 1 COCAINE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	8599	0.91
2 = More than 30 days ago but within the past 12 mos	17859	1.88
3 = More than 12 months ago	84591	8.91
9 = NEVER USED COCAINE	838236	88.30

[IICOCRC](#)

Len : 1 COCAINE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	946581	99.72
2 = Logically assigned data	617	0.06
3 = Statistically imputed data.....	2087	0.22

[II2COCRC](#)

Len : 1 COCAINE RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	946581	99.72
2 = Logically assigned data	617	0.06
3 = Statistically imputed data - lifetime use imputed	390	0.04
4 = Statistically imputed data - edited recency = 9	1159	0.12
5 = Statistically imputed data - edited recency = 8	538	0.06

[IRCRKRC](#)

Len : 1 CRACK RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	1552	0.16
2 = More than 30 days ago but within the past 12 mos	2767	0.29
3 = More than 12 months ago	22649	2.39
9 = NEVER USED CRACK.....	922317	97.16

[IICRKRC](#)

Len : 1 CRACK RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	948477	99.91
2 = Logically assigned data	14	0.00
3 = Statistically imputed data.....	794	0.08

[II2CRKRC](#)

Len : 1 CRACK RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	948477	99.91
2 = Logically assigned data	14	0.00
3 = Statistically imputed data - lifetime use imputed	432	0.05
4 = Statistically imputed data - edited recency = 9	231	0.02
5 = Statistically imputed data - edited recency = 8	131	0.01

[IRHERRC](#)

Len : 1 HEROIN RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	1305	0.14
2 = More than 30 days ago but within the past 12 mos	1875	0.20
3 = More than 12 months ago	10712	1.13
9 = NEVER USED HEROIN.....	935393	98.54

[IIHERRC](#)

Len : 1 HEROIN RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	948356	99.90
2 = Logically assigned data	11	0.00
3 = Statistically imputed data.....	918	0.10

[II2HERRC](#)

Len : 1 HEROIN RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	948356	99.90
2 = Logically assigned data	11	0.00
3 = Statistically imputed data - lifetime use imputed	551	0.06
4 = Statistically imputed data - edited recency = 9	174	0.02
5 = Statistically imputed data - edited recency = 8	193	0.02

RECENCY OF DRUG USE

[IRHALLUCREC](#)

Len : 1 HALLUCINOGEN RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	1721	0.18
2 = More than 30 days ago but within the past 12 mos	4660	0.49
3 = More than 12 months ago	26482	2.79
9 = NEVER USED HALLUCINOGENS	193769	20.41

[IIHALLUCREC](#)

Len : 1 HALLUCINOGEN RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	224728	23.67
2 = Logically assigned data	183	0.02
3 = Statistically imputed data - lifetime use imputed	920	0.10
4 = Statistically imputed data - edited recency = 9	615	0.06
5 = Statistically imputed data - edited recency = 8	186	0.02

[IRLSDRC](#)

Len : 1 LSD RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	1700	0.18
2 = More than 30 days ago but within the past 12 mos	6507	0.69
3 = More than 12 months ago	66383	6.99
9 = NEVER USED LSD.....	874695	92.14

[IILSDRC](#)

Len : 1 LSD RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	947265	99.79
2 = Logically assigned data	14	0.00
3 = Statistically imputed data.....	2006	0.21

[II2LSDRC](#)

Len : 1 LSD RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	947265	99.79
2 = Logically assigned data	14	0.00
3 = Statistically imputed data - lifetime use imputed	833	0.09
4 = Statistically imputed data - edited recency = 9	972	0.10
5 = Statistically imputed data - edited recency = 8	201	0.02

[IRPCPRC](#)

Len : 1 PCP RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	285	0.03
2 = More than 30 days ago but within the past 12 mos	966	0.10
3 = More than 12 months ago	15947	1.68
9 = NEVER USED PCP	932087	98.19

[IIPCPRC](#)

Len : 1 PCP RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	948025	99.87
2 = Logically assigned data	3	0.00
3 = Statistically imputed data.....	1257	0.13

[II2PCPRC](#)

Len : 1 PCP RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	948025	99.87
2 = Logically assigned data	3	0.00
3 = Statistically imputed data - lifetime use imputed	811	0.09
4 = Statistically imputed data - edited recency = 9	399	0.04
5 = Statistically imputed data - edited recency = 8	47	0.00

RECENCY OF DRUG USE

IRECSTMOREC

Len : 1 ECSTASY RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	684	0.07
2 = More than 30 days ago but within the past 12 mos	2345	0.25
3 = More than 12 months ago	14582	1.54
9 = NEVER USED ECSTASY	209021	22.02

IIECSTMOREC

Len : 1 ECSTASY RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	226070	23.81
2 = Logically assigned data	4	0.00
3 = Statistically imputed data - lifetime use imputed	242	0.03
4 = Statistically imputed data - edited recency = 9	275	0.03
5 = Statistically imputed data - edited recency = 8	41	0.00

IRKETMINREC

Len : 1 KETAMINE RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	85	0.01
2 = More than 30 days ago but within the past 12 mos	278	0.03
3 = More than 12 months ago	2605	0.27
9 = NEVER USED KETAMINE	223664	23.56

IIKETMINREC

Len : 1 KETAMINE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	226257	23.83
2 = Logically assigned data	3	0.00
3 = Statistically imputed data - lifetime use imputed	335	0.04
4 = Statistically imputed data - edited recency = 9	29	0.00
5 = Statistically imputed data - edited recency = 8	8	0.00

IRDAMTFXREC

Len : 1 DMT/AMT/FOXY RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	92	0.01
2 = More than 30 days ago but within the past 12 mos	343	0.04
3 = More than 12 months ago	2093	0.22
9 = NEVER USED DMT/AMT/FOXY	224104	23.61

IIDAMTFXREC

Len : 1 DMT/AMT/FOXY RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	226197	23.83
2 = Logically assigned data	7	0.00
3 = Statistically imputed data - lifetime use imputed	376	0.04
4 = Statistically imputed data - edited recency = 9	45	0.00
5 = Statistically imputed data - edited recency = 8	7	0.00

IRSALVIAREC

Len : 1 SALVIA RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	38	0.00
2 = More than 30 days ago but within the past 12 mos	194	0.02
3 = More than 12 months ago	5050	0.53
9 = NEVER USED SALVIA	221350	23.32

RECENCY OF DRUG USE

IISALVIAREC

Len : 1 SALVIA RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	226155	23.82
2 = Logically assigned data	17	0.00
3 = Statistically imputed data - lifetime use imputed	418	0.04
4 = Statistically imputed data - edited recency = 9	32	0.00
5 = Statistically imputed data - edited recency = 8	10	0.00

IRINHALREC

Len : 1 INHALANT RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	790	0.08
2 = More than 30 days ago but within the past 12 mos	1887	0.20
3 = More than 12 months ago	19929	2.10
9 = NEVER USED INHALANTS	204026	21.49

IIINHALREC

Len : 1 INHALANT RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	225236	23.73
2 = Logically assigned data	7	0.00
3 = Statistically imputed data - lifetime use imputed	569	0.06
4 = Statistically imputed data - edited recency = 9	749	0.08
5 = Statistically imputed data - edited recency = 8	71	0.01

IRMETHAMREC

Len : 1 METHAMPHETAMINE RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	699	0.07
2 = More than 30 days ago but within the past 12 mos	897	0.09
3 = More than 12 months ago	8612	0.91
9 = NEVER USED METHAMPHETAMINE.....	216424	22.80

IIMETHAMREC

Len : 1 METHAMPHETAMINE USE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	226231	23.83
2 = Logically assigned data	4	0.00
3 = Statistically imputed data - lifetime use imputed	294	0.03
4 = Statistically imputed data - edited recency = 9	60	0.01
5 = Statistically imputed data - edited recency = 8	43	0.00

NOTE: The following 10 variables refer to any use of prescription drugs. Any Use of prescription drugs is defined as either the use of one's own prescription medication as directed by a doctor or the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor. Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the levels 'More than 12 months ago' and 'NEVER USED XXX' in analysis for the following variables: IRPNRANYREC, IRTRQANYREC, IRSTMANYREC, and IRSEDANYREC.

IRPNRANYREC

Len : 1 ANY PAIN RELIEVER RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 12 months	69693	7.34
2 = More than 12 months ago	52943	5.58
9 = NEVER USED PAIN RELIEVERS	103996	10.96

IIPNRANYREC

Len : 1 ANY PAIN RELIEVER RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	224074	23.60
3 = Statistically imputed data - lifetime use imputed	1939	0.20
4 = Statistically imputed data - edited recency = 9	619	0.07

RECENCY OF DRUG USE

<u>IROXCNANYR</u>	Len : 1 ANY OXYCONTIN RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Within the past 12 months	7412	0.78
	9 = Did not use in the past 12 months.....	219220	23.09
<u>IIOXCNANYR</u>	Len : 1 ANY OXYCONTIN RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	224790	23.68
	2 = Logically assigned data	821	0.09
	3 = Statistically imputed data - any use imputed	1021	0.11
<u>IITRQANYREC</u>	Len : 1 ANY TRANQUILIZERS RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Within the past 12 months	26873	2.83
	2 = More than 12 months ago	15613	1.64
	9 = NEVER USED TRANQUILIZERS	184146	19.40
<u>IITRQANYREC</u>	Len : 1 ANY TRANQUILIZERS RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	224880	23.69
	3 = Statistically imputed data - lifetime use imputed	1652	0.17
	4 = Statistically imputed data - edited recency = 9	100	0.01
<u>IIRSTMANYREC</u>	Len : 1 ANY STIMULANTS RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Within the past 12 months	19119	2.01
	2 = More than 12 months ago	11150	1.17
	9 = NEVER USED STIMULANTS	196363	20.69
<u>IIRSTMANYREC</u>	Len : 1 ANY STIMULANTS RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	225550	23.76
	3 = Statistically imputed data - lifetime use imputed	1034	0.11
	4 = Statistically imputed data - edited recency = 9	48	0.01
<u>IIRSEDANYREC</u>	Len : 1 ANY SEDATIVES RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Within the past 12 months	11443	1.21
	2 = More than 12 months ago	12616	1.33
	9 = NEVER USED SEDATIVES	202573	21.34
<u>IIRSEDANYREC</u>	Len : 1 ANY SEDATIVES RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	225241	23.73
	3 = Statistically imputed data - lifetime use imputed	1328	0.14
	4 = Statistically imputed data - edited recency = 9	63	0.01

RECENCY OF DRUG USE

NOTE: The following 10 variables refer to the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor. Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the levels 'More than 12 months ago' and 'NEVER MISUSED XXX' in analysis for the following variables: IRPNRMREC, IRTQNMREC, IRSTMNREC, and IRSEDNMREC.

<u>IRPNRMREC</u>	Len : 1 PAIN RELIEVER MISUSE RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Within the past 30 days	3224	0.34
	2 = More than 30 days ago but within the past 12 mos	7855	0.83
	3 = More than 12 months ago	12650	1.33
	9 = NEVER MISUSED PAIN RELIEVERS	202903	21.37

<u>IIPNRNMREC</u>	Len : 1 PAIN RELIEVER MISUSE RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	223914	23.59
	2 = Logically assigned data	1	0.00
	3 = Statistically imputed data - any use rec imputed.....	750	0.08
	4 = Stat imp data - any use rec known, misuse unknown	103	0.01
	5 = Statistically imputed data - edited recency = 9	159	0.02
	6 = Statistically imputed data - edited recency = 8	60	0.01
	7 = Stat imp data - did not misuse py, life unknown	1645	0.17

<u>IROXCNNMYR</u>	Len : 1 OXYCONTIN PAST YEAR MISUSE - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Misused in the past 12 months	1745	0.18
	9 = Did not misuse in the past 12 months	224887	23.69

<u>IIOXCNNMYR</u>	Len : 1 OXYCONTIN PAST YEAR MISUSE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	226148	23.82
	2 = Logically assigned data	13	0.00
	3 = Statistically imputed data.....	471	0.05

<u>IRTRQNMREC</u>	Len : 1 TRANQUILIZER MISUSE RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Within the past 30 days	1863	0.20
	2 = More than 30 days ago but within the past 12 mos	4350	0.46
	3 = More than 12 months ago	4135	0.44
	9 = NEVER MISUSED TRANQUILIZERS	216284	22.78

<u>IITRQNMREC</u>	Len : 1 TRANQUILIZER MISUSE RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	224861	23.69
	3 = Statistically imputed data - any use rec imputed.....	660	0.07
	4 = Stat imp data - any use rec known, misuse unknown	36	0.00
	5 = Statistically imputed data - edited recency = 9	13	0.00
	6 = Statistically imputed data - edited recency = 8	22	0.00
	7 = Stat imp data - did not misuse py, life unknown	1040	0.11

<u>IRSTMNMREC</u>	Len : 1 STIMULANT MISUSE RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Within the past 30 days	2032	0.21
	2 = More than 30 days ago but within the past 12 mos	4722	0.50
	3 = More than 12 months ago	4676	0.49
	9 = NEVER MISUSED STIMULANTS.....	215202	22.67

RECENCY OF DRUG USE

IISTMNMREC

Len : 1 STIMULANT MISUSE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	225449	23.75
3 = Statistically imputed data - any use rec imputed.....	531	0.06
4 = Stat imp data - any use rec known, misuse unknown	46	0.00
5 = Statistically imputed data - edited recency = 9	30	0.00
6 = Statistically imputed data - edited recency = 8	23	0.00
7 = Stat imp data - did not misuse py, life unknown	553	0.06

IRSEDNMREC

Len : 1 SEDATIVE MISUSE RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within the past 30 days	332	0.03
2 = More than 30 days ago but within the past 12 mos	851	0.09
3 = More than 12 months ago	3397	0.36
9 = NEVER MISUSED SEDATIVES	222052	23.39

IISEDNMREC

Len : 1 SEDATIVE MISUSE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	225161	23.72
3 = Statistically imputed data - any use rec imputed.....	615	0.06
4 = Stat imp data - any use rec known, misuse unknown	29	0.00
5 = Statistically imputed data - edited recency = 9	18	0.00
6 = Statistically imputed data - edited recency = 8	4	0.00
7 = Stat imp data - did not misuse py, life unknown	805	0.08

PAST YEAR FREQUENCY OF USE

PAST YEAR FREQUENCY OF USE

<u>IRHALFY</u>	Len : 3 HALL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365	24457	2.58
	-9 = Data not collected for this year	226632	23.87
	991 = NEVER USED HALLUCINOGENS.....	621593	65.48
	993 = DID NOT USE HALLUCINOGENS PAST YEAR.....	76603	8.07

<u>IIHALFY</u>	Len : 1 HALL FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Questionnaire data.....	73158	7.71
	2 = Logically assigned data	1353	0.14
	3 = Statistically imputed data.....	4954	0.52
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	643188	67.75

<u>II2HALFY</u>	Len : 1 HALL FREQ PAST YEAR - DETAILED IMP INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Questionnaire data.....	73158	7.71
	2 = Logically assigned data	1354	0.14
	3 = Statistically imputed data - lifetime use imputed	2314	0.24
	4 = Statistically imputed data - lifetime use known	2639	0.28
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	643188	67.75

<u>IRINHFY</u>	Len : 3 INHALANT FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365	13665	1.44
	-9 = Data not collected for this year	226632	23.87
	991 = NEVER USED INHALANTS	648638	68.33
	993 = DID NOT USE INHALANTS PAST YEAR.....	60350	6.36

<u>IIINHFY</u>	Len : 1 INHALANT FREQUENCY PAST YEAR - IMP INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Questionnaire data.....	63547	6.69
	2 = Logically assigned data	1268	0.13
	3 = Statistically imputed data	4389	0.46
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	653449	68.84

<u>II2INHFY</u>	Len : 1 INHALANT FREQ PAST YEAR - DETAILED IMP INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Questionnaire data.....	63547	6.69
	2 = Logically assigned data	1268	0.13
	3 = Statistically imputed data - lifetime use imputed	1226	0.13
	4 = Statistically imputed data - lifetime use known	3163	0.33
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	653449	68.84

<u>IRANLFY</u>	Len : 3 PAIN RELIEVER FREQ PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365	51719	5.45
	-9 = Data not collected for this year	226632	23.87
	991 = NEVER USED PAIN RELIEVERS	607542	64.00
	993 = DID NOT USE PAIN RELIEVERS PAST YEAR	63392	6.68

<u>IIANLFY</u>	Len : 1 PAIN RELIEVER FREQ PAST YEAR - IMP INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Questionnaire data.....	94698	9.98
	2 = Logically assigned data	3346	0.35
	3 = Statistically imputed data.....	7678	0.81
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	616931	64.99

PAST YEAR FREQUENCY OF USE

II2ANLFY

Len : 1 PAIN RELIEVER FREQ PAST YR-DETAILED IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	94698	9.98
2 = Logically assigned data	3346	0.35
3 = Statistically imputed data - lifetime use imputed	2573	0.27
4 = Statistically imputed data - lifetime use known	5105	0.54
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	616931	64.99

IIROXYFY

Len : 3 OXYCONTIN FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	6385	0.67
-9 = Data not collected for this year	335941	35.39
991 = NEVER USED OXYCONTIN	594175	62.59
993 = DID NOT USE OXYCONTIN PAST YEAR	12784	1.35

IIOXYFY

Len : 1 OXYCONTIN FREQ PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Questionnaire data.....	5251	0.55
2 = Logically assigned data	659	0.07
3 = Statistically imputed data	2567	0.27
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	604867	63.72

II2OXYFY

Len : 1 OXYCONTIN FREQ PAST YEAR - DETAILED IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Questionnaire data.....	5251	0.55
2 = Logically assigned data	659	0.07
3 = Statistically imputed data - lifetime use imputed	1749	0.18
4 = Statistically imputed data - lifetime use known	818	0.09
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	604867	63.72

IIRTRNFY

Len : 3 TRANQUILIZER FREQ PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	20847	2.20
-9 = Data not collected for this year	226632	23.87
991 = NEVER USED TRANQUILIZERS	661868	69.72
993 = DID NOT USE TRANQUILIZERS PAST YEAR	39938	4.21

IITRNFY

Len : 1 TRANQUILIZER FREQ PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	71055	7.49
2 = Logically assigned data	1261	0.13
3 = Statistically imputed data	2894	0.30
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	647443	68.20

II2TRNFY

Len : 1 TRAN FREQ PAST YEAR - DETAILED IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	71055	7.49
2 = Logically assigned data	1261	0.13
3 = Statistically imputed data - lifetime use imputed	1412	0.15
4 = Statistically imputed data - lifetime use known	1482	0.16
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	647443	68.20

IRSTMFY

Len : 3 STIMULANT FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	14486	1.53
-9 = Data not collected for this year	226632	23.87
991 = NEVER USED STIMULANTS	668766	70.45
993 = DID NOT USE STIMULANTS PAST YEAR	39401	4.15

PAST YEAR FREQUENCY OF USE

[IISTMFY](#)

Len : 1 STIM FREQUENCY PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	64796	6.83
2 = Logically assigned data	1432	0.15
3 = Statistically imputed data.....	2917	0.31
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	653508	68.84

[IISTMFY](#)

Len : 1 STIM FREQ PAST YEAR - DETAILED IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	64796	6.83
2 = Logically assigned data	1432	0.15
3 = Statistically imputed data - lifetime use imputed	1425	0.15
4 = Statistically imputed data - lifetime use known	1492	0.16
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	653508	68.84

[IRMTIFY](#)

Len : 3 METH FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	4656	0.49
-9 = Data not collected for this year	226632	23.87
991 = NEVER USED METHAMPHETAMINE	697052	73.43
993 = DID NOT USE METHAMPHETAMINE PAST YEAR	20945	2.21

[IIMTHFY](#)

Len : 1 METH FREQUENCY PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	57475	6.05
2 = Logically assigned data	314	0.03
3 = Statistically imputed data.....	1229	0.13
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	663635	69.91

[IIMTHFY](#)

Len : 1 METH FREQ PAST YEAR - DETAILED IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	57474	6.05
2 = Logically assigned data	314	0.03
3 = Statistically imputed data - lifetime use imputed	637	0.07
4 = Statistically imputed data - lifetime use known	593	0.06
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	663635	69.91

[IRSEDFY](#)

Len : 3 SEDATIVE FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 364	2958	0.31
-9 = Data not collected for this year	226632	23.87
991 = NEVER USED SEDATIVES.....	707215	74.50
993 = DID NOT USE SEDATIVES PAST YEAR.....	12480	1.31

[IISEDFY](#)

Len : 1 SEDATIVE FREQUENCY PAST YEAR - IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	56195	5.92
2 = Logically assigned data	228	0.02
3 = Statistically imputed data.....	2126	0.22
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	664104	69.96

[IISSEDFY](#)

Len : 1 SEDATIVE FREQ PAST YEAR - DETAILED IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	56195	5.92
2 = Logically assigned data	228	0.02
3 = Statistically imputed data - lifetime use imputed	1722	0.18
4 = Statistically imputed data - lifetime use known	404	0.04
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	664104	69.96

PAST YEAR FREQUENCY OF USE

NOTE: The term "Past Year Frequency" is interchangeable with the term "12-Month Frequency".

<u>IRALCFY</u>	Len : 3 ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365	577956	60.88
	991 = NEVER USED ALCOHOL	265237	27.94
	993 = DID NOT USE ALCOHOL PAST YEAR	106092	11.18

<u>IIALCFY</u>	Len : 1 ALCOHOL FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	570648	60.11
	2 = Logically assigned data	16490	1.74
	3 = Statistically imputed data.....	12913	1.36
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	349234	36.79

<u>II2ALCFY</u>	Len : 1 ALCOHOL FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	570648	60.11
	2 = Logically assigned data	16490	1.74
	3 = Statistically imputed data - lifetime use imputed	290	0.03
	4 = Statistically imputed data - lifetime use known	12623	1.33
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	349234	36.79

<u>IRMJFY</u>	Len : 3 MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365	170634	17.98
	991 = NEVER USED MARIJUANA	562521	59.26
	993 = DID NOT USE MARIJUANA PAST YEAR	216130	22.77

<u>IIMJFY</u>	Len : 1 MARIJUANA FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	198711	20.93
	2 = Logically assigned data	10354	1.09
	3 = Statistically imputed data.....	7446	0.78
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	732774	77.19

<u>II2MJFY</u>	Len : 1 MARIJUANA FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	198711	20.93
	2 = Logically assigned data	10354	1.09
	3 = Statistically imputed data - lifetime use imputed	603	0.06
	4 = Statistically imputed data - lifetime use known	6843	0.72
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	732774	77.19

<u>IRCOCFY</u>	Len : 3 COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365	26458	2.79
	991 = NEVER USED COCAINE	838236	88.30
	993 = DID NOT USE COCAINE PAST YEAR	84591	8.91

<u>IICOCFY</u>	Len : 1 COCAINE FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	75091	7.91
	2 = Logically assigned data	2042	0.22
	3 = Statistically imputed data.....	2367	0.25
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	869785	91.63

<u>II2COCFY</u>	Len : 1 COCAINE FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	75091	7.91
	2 = Logically assigned data	2042	0.22
	3 = Statistically imputed data - lifetime use imputed	390	0.04
	4 = Statistically imputed data - lifetime use known	1977	0.21
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	869785	91.63

PAST YEAR FREQUENCY OF USE

IRCRKFY	Len : 3 CRACK FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365	4319	0.45
	991 = NEVER USED CRACK	922317	97.16
	993 = DID NOT USE CRACK PAST YEAR	22649	2.39
IICRKFY	Len : 1 CRACK FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	57487	6.06
	2 = Logically assigned data	280	0.03
	3 = Statistically imputed data	796	0.08
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	890722	93.83
II2CRKFY	Len : 1 CRACK FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	57487	6.06
	2 = Logically assigned data	280	0.03
	3 = Statistically imputed data - lifetime use imputed	432	0.05
	4 = Statistically imputed data - lifetime use known	364	0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	890722	93.83
IRHERFY	Len : 3 HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365	3180	0.33
	991 = NEVER USED HEROIN	935393	98.54
	993 = DID NOT USE HEROIN PAST YEAR	10712	1.13
IIHERFY	Len : 1 HEROIN FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	56481	5.95
	2 = Logically assigned data	352	0.04
	3 = Statistically imputed data	929	0.10
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	891523	93.92
II2HERFY	Len : 1 HEROIN FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	56481	5.95
	2 = Logically assigned data	352	0.04
	3 = Statistically imputed data - lifetime use imputed	551	0.06
	4 = Statistically imputed data - lifetime use known	378	0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	891523	93.92
IRHALLUCYFQ	Len : 3 HALL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365	6381	0.67
	-9 = Data not collected for this year	722653	76.13
	991 = NEVER USED HALLUCINOGENS	193769	20.41
	993 = DID NOT USE HALLUCINOGENS PAST YEAR	26482	2.79
IIHALLUCYFQ	Len : 1 HALL FREQ PAST YEAR - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data	5645	0.59
	2 = Logically assigned data	328	0.03
	3 = Statistically imputed data - lifetime use imputed	920	0.10
	4 = Statistically imputed data - lifetime use known	788	0.08
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	218951	23.06
IRINHALYFQ	Len : 3 INHALANT FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365	2677	0.28
	-9 = Data not collected for this year	722653	76.13
	991 = NEVER USED INHALANTS	204026	21.49
	993 = DID NOT USE INHALANTS PAST YEAR	19929	2.10

PAST YEAR FREQUENCY OF USE

[IIINHALYFQ](#)

Len : 1 INHALANT FREQ PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	2081	0.22
2 = Logically assigned data	238	0.03
3 = Statistically imputed data - lifetime use imputed	569	0.06
4 = Statistically imputed data - lifetime use known	911	0.10
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	222833	23.47

[IRMETHAMYFQ](#)

Len : 3 METH FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	1596	0.17
-9 = Data not collected for this year	722653	76.13
991 = NEVER USED METHAMPHETAMINE	216424	22.80
993 = DID NOT USE METHAMPHETAMINE PAST YEAR	8612	0.91

[IIMETHAMYFQ](#)

Len : 1 METH FREQ PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	1396	0.15
2 = Logically assigned data	111	0.01
3 = Statistically imputed data - lifetime use imputed	294	0.03
4 = Statistically imputed data - lifetime use known	125	0.01
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	224706	23.67

PAST MONTH FREQUENCY OF USE

PAST MONTH FREQUENCY OF USE

<u>IIRCHWFM</u>	Len : 2 CHEWING TOB FREQUENCY PST MON - IMPUTATION REVISED		
	RANGE = 1 - 30.....	Freq	Pct
	-9 = Data not collected for this year	11292	1.19
	91 = NEVER USED CHEWING TOBACCO.....	226632	23.87
	93 = DID NOT USE CHEWING TOBACCO PAST MONTH	639898	67.41
		71463	7.53
<u>IICHWFM</u>	Len : 1 CHEWING TOB FREQ PAST MONTH - IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data.....	226632	23.87
	2 = Logically assigned data	64429	6.79
	3 = Statistically imputed data.....	118	0.01
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	219	0.02
		657887	69.30
<u>I12CHWFM</u>	Len : 1 CHEWING TOB FREQ PST MONTH-DETAILED IMP INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data.....	226632	23.87
	2 = Logically assigned data	64429	6.79
	3 = Statistically imputed data - lifetime use imputed	118	0.01
	4 = Statistically imputed data - lifetime use known	116	0.01
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	103	0.01
		657887	69.30
<u>IIRSFFM</u>	Len : 2 SNUFF FREQUENCY PAST MONTH - IMPUTATION REVISED		
	RANGE = 1 - 30.....	Freq	Pct
	-9 = Data not collected for this year	24372	2.57
	91 = NEVER USED SNUFF	226632	23.87
	93 = DID NOT USE SNUFF PAST MONTH.....	622249	65.55
		76032	8.01
<u>IISNFFM</u>	Len : 1 SNUFF FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data.....	226632	23.87
	2 = Logically assigned data	76424	8.05
	3 = Statistically imputed data	185	0.02
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	513	0.05
		645531	68.00
<u>I12SNFFM</u>	Len : 1 SNUFF FREQUENCY PST MONTH - DETAILED IMP INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data.....	226632	23.87
	2 = Logically assigned data	76424	8.05
	3 = Statistically imputed data - lifetime use imputed	185	0.02
	4 = Statistically imputed data - lifetime use known	348	0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	165	0.02
		645531	68.00
<u>IIRALCD5</u>	Len : 2 5+ ALC DRNKS PAST MONTH - IMP REVISED (DR5DAY)		
	RANGE = 0 - 30.....	Freq	Pct
	-9 = Data not collected for this year	325063	34.24
	91 = NEVER USED ALCOHOL	226632	23.87
	93 = DID NOT USE ALCOHOL PAST MONTH	201698	21.25
		195892	20.64
<u>I1ALCD5</u>	Len : 1 5+ ALC DRNKS PAST MONTH - IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data.....	226632	23.87
	2 = Logically assigned data	341787	36.00
	3 = Statistically imputed data.....	825	0.09
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	16408	1.73
		363633	38.31

PAST MONTH FREQUENCY OF USE

II2ALCD5

Len : 1 5+ ALC DRINKS PAST MONTH - DETAILED IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	341787	36.00
2 = Logically assigned data	825	0.09
3 = Statistically imputed data - lifetime use imputed	220	0.02
4 = Statistically imputed data - lifetime use known	16188	1.71
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	363633	38.31

IRHALFM

Len : 2 HALLUCINOGEN FREQ PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	6459	0.68
-9 = Data not collected for this year	226632	23.87
91 = NEVER USED HALLUCINOGENS	621593	65.48
93 = DID NOT USE HALLUCINOGENS PAST MONTH.....	94601	9.97

IIHALFM

Len : 1 HALL FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	58834	6.20
2 = Logically assigned data	67	0.01
3 = Statistically imputed data.....	5306	0.56
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	658446	69.36

II2HALFM

Len : 1 HALL FREQ PAST MONTH - DETAILED IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	58834	6.20
2 = Logically assigned data	67	0.01
3 = Statistically imputed data - lifetime use imputed	2314	0.24
4 = Statistically imputed data - lifetime use known	2992	0.32
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	658446	69.36

IRINHFM

Len : 2 INHALANT FREQUENCY PAST MONTH - IMP REVISED

	Freq	Pct
RANGE = 1 - 30.....	3671	0.39
-9 = Data not collected for this year	226632	23.87
91 = NEVER USED INHALANTS.....	648638	68.33
93 = DID NOT USE INHALANTS PAST MONTH.....	70344	7.41

IIINHFM

Len : 1 INHALANT FREQUENCY PAST MONTH - IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	56597	5.96
2 = Logically assigned data	158	0.02
3 = Statistically imputed data.....	4225	0.45
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	661673	69.70

II2INHFM

Len : 1 INHALANT FREQ PAST MONTH - DETAILED IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	56597	5.96
2 = Logically assigned data	158	0.02
3 = Statistically imputed data - lifetime use imputed	1226	0.13
4 = Statistically imputed data - lifetime use known	2999	0.32
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	661673	69.70

NOTE: The term "Past Month Frequency" is interchangeable with the term "30-Day Frequency".

IRICIGFM

Len : 2 CIG FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	221872	23.37
91 = NEVER USED CIGARETTES	444559	46.83
93 = DID NOT USE CIGARETTES PAST MONTH.....	282854	29.80

PAST MONTH FREQUENCY OF USE

[IICIGFM](#)

Len : 1 CIG FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	258718	27.25
2 = Logically assigned data	1754	0.18
3 = Statistically imputed data	699	0.07
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	688114	72.49

[I2CIGFM](#)

Len : 1 CIG FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	258718	27.25
2 = Logically assigned data	1754	0.18
4 = Statistically imputed data - lifetime use known	699	0.07
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	688114	72.49

[IRCGRFM](#)

Len : 2 CIGAR FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	59817	6.30
91 = NEVER USED CIGARS	656358	69.14
93 = DID NOT USE CIGARS PAST MONTH.....	233110	24.56

[IICGRFM](#)

Len : 1 CIGAR FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	109486	11.53
2 = Logically assigned data	469	0.05
3 = Statistically imputed data	617	0.06
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	838713	88.35

[I2CGRFM](#)

Len : 1 CIGAR FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	109486	11.53
2 = Logically assigned data	469	0.05
3 = Statistically imputed data - lifetime use imputed	169	0.02
4 = Statistically imputed data - lifetime use known	448	0.05
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	838713	88.35

[IRSMKLSS30N](#)

Len : 2 SMOKELESS TOBACCO FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	8301	0.87
-9 = Data not collected for this year	722653	76.13
91 = NEVER USED SMOKELESS TOBACCO.....	190263	20.04
93 = DID NOT USE SMOKELESS TOBACCO PAST MONTH	28068	2.96

[IISMKLSS30N](#)

Len : 1 SMOKELESS TOBACCO FREQUENCY PST MONTH - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	8211	0.86
2 = Logically assigned data	54	0.01
3 = Statistically imputed data - lifetime use imputed	155	0.02
4 = Statistically imputed data - lifetime use known	72	0.01
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	218140	22.98

[IRALCFM](#)

Len : 2 ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	428488	45.14
91 = NEVER USED ALCOHOL	265237	27.94
93 = DID NOT USE ALCOHOL PAST MONTH	255560	26.92

[IIALCFM](#)

Len : 1 ALCOHOL FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	445428	46.92
2 = Logically assigned data	2668	0.28
3 = Statistically imputed data	15715	1.66
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	485474	51.14

PAST MONTH FREQUENCY OF USE

I2ALCFM

Len : 1 ALCOHOL FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	445428	46.92
2 = Logically assigned data	2668	0.28
3 = Statistically imputed data - lifetime use imputed	290	0.03
4 = Statistically imputed data - lifetime use known	15425	1.62
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	485474	51.14

"Binge" Alcohol Frequency, IRALCBNG30D, is defined as the number of days in the past month on which the respondent reported drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females. For this variable, "occasion" means at the same time or within a couple hours of each other. Prior to 2015, "binge" alcohol frequency was defined as the number of days in the past month on which the respondent reported drinking five or more drinks on the same occasion for everyone, regardless of sex. Therefore, IRALCBNG30D is comparable to the version of this variable created from 2002-2014, IRALCD5, among males but not overall or among females.

IRALCBNG30D

Len : 2 BINGE ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 0 - 30.....	103425	10.90
-9 = Data not collected for this year	722653	76.13
91 = NEVER USED ALCOHOL	63539	6.69
93 = DID NOT USE ALCOHOL PAST MONTH	59668	6.29

IIALCBNG30D

Len : 1 BINGE ALCOHOL FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	99954	10.53
2 = Logically assigned data	251	0.03
3 = Statistically imputed data - recency of use imputed	2694	0.28
4 = Statistically imputed data - recency of use known	1892	0.20
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	121841	12.84

IRMJFM

Len : 2 MARIJUANA FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	101327	10.67
91 = NEVER USED MARIJUANA	562521	59.26
93 = DID NOT USE MARIJUANA PAST MONTH	285437	30.07

IIMJFM

Len : 1 MARIJUANA FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	145876	15.37
2 = Logically assigned data	810	0.09
3 = Statistically imputed data	7022	0.74
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	795577	83.81

I2MJFM

Len : 1 MARIJUANA FREQ PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	145876	15.37
2 = Logically assigned data	810	0.09
3 = Statistically imputed data - lifetime use imputed	603	0.06
4 = Statistically imputed data - lifetime use known	6419	0.68
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	795577	83.81

IRCOCFM

Len : 2 COCAINE FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	8599	0.91
91 = NEVER USED COCAINE	838236	88.30
93 = DID NOT USE COCAINE PAST MONTH.....	102450	10.79

IICOCFM

Len : 1 COCAINE FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	60934	6.42
2 = Logically assigned data	291	0.03
3 = Statistically imputed data.....	2409	0.25
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	885651	93.30

PAST MONTH FREQUENCY OF USE

[II2COCFM](#)

Len : 1 COCAINE FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	60934	6.42
2 = Logically assigned data	291	0.03
3 = Statistically imputed data - lifetime use imputed	390	0.04
4 = Statistically imputed data - lifetime use known	2019	0.21
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	885651	93.30

[IRCRKFM](#)

Len : 2 CRACK FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	1552	0.16
91 = NEVER USED CRACK	922317	97.16
93 = DID NOT USE CRACK PAST MONTH	25416	2.68

[IICRKFM](#)

Len : 1 CRACK FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	55372	5.83
2 = Logically assigned data	12	0.00
3 = Statistically imputed data	803	0.08
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	893098	94.08

[II2CRKFM](#)

Len : 1 CRACK FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	55372	5.83
2 = Logically assigned data	12	0.00
3 = Statistically imputed data - lifetime use imputed	432	0.05
4 = Statistically imputed data - lifetime use known	371	0.04
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	893098	94.08

[IRHERFM](#)

Len : 2 HEROIN FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	1305	0.14
91 = NEVER USED HEROIN	935393	98.54
93 = DID NOT USE HEROIN PAST MONTH	12587	1.33

[IIHERFM](#)

Len : 1 HEROIN FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	55181	5.81
2 = Logically assigned data	14	0.00
3 = Statistically imputed data	930	0.10
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	893160	94.09

[II2HERFM](#)

Len : 1 HEROIN FREQ PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	55181	5.81
2 = Logically assigned data	14	0.00
3 = Statistically imputed data - lifetime use imputed	551	0.06
4 = Statistically imputed data - lifetime use known	379	0.04
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	893160	94.09

[IRHALLUC30N](#)

Len : 2 HALLUCINOGEN FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	1721	0.18
-9 = Data not collected for this year	722653	76.13
91 = NEVER USED HALLUCINOGENS	193769	20.41
93 = DID NOT USE HALLUCINOGENS PAST MONTH	31142	3.28

[IIHALLUC30N](#)

Len : 1 HALLUCINOGEN FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	1530	0.16
2 = Logically assigned data	14	0.00
3 = Statistically imputed data - lifetime use imputed	920	0.10
4 = Statistically imputed data - lifetime use known	870	0.09
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	223298	23.52

PAST MONTH FREQUENCY OF USE

[IRINHAL30N](#)

Len : 2 INHALANT FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	790	0.08
-9 = Data not collected for this year	722653	76.13
91 = NEVER USED INHALANTS.....	204026	21.49
93 = DID NOT USE INHALANTS PAST MONTH.....	21816	2.30

[IINHAL30N](#)

Len : 1 INHALANT FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	647	0.07
2 = Logically assigned data	41	0.00
3 = Statistically imputed data - lifetime use imputed	569	0.06
4 = Statistically imputed data - lifetime use known	844	0.09
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	224531	23.65

[IRMETHAM30N](#)

Len : 2 METHAMPHETAMINE FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	699	0.07
-9 = Data not collected for this year	722653	76.13
91 = NEVER USED METHAMPHETAMINE.....	216424	22.80
93 = DID NOT USE METHAMPHETAMINE PAST MONTH	9509	1.00

[IIRMETHAM30N](#)

Len : 1 METHAMPHETAMINE FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	662	0.07
2 = Logically assigned data	7	0.00
3 = Statistically imputed data - lifetime use imputed	294	0.03
4 = Statistically imputed data - lifetime use known	108	0.01
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	225561	23.76

[IRPNRNM30FQ](#)

Len : 2 PAIN RELIEVERS MISUSE FREQ PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	3224	0.34
-9 = Data not collected for this year	722653	76.13
91 = NEVER MISUSED PAIN RELIEVERS.....	202903	21.37
93 = DID NOT MISUSE PAIN RELIEVERS PAST MONTH	20505	2.16

[IIPNRNM30FQ](#)

Len : 1 PAIN RELIEVERS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	3097	0.33
2 = Logically assigned data	56	0.01
3 = Statistically imputed data - lifetime misuse imputed	853	0.09
4 = Statistically imputed data - lifetime misuse known	237	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER	222389	23.43

[IRTRQNM30FQ](#)

Len : 2 TRANQUILIZERS MISUSE FREQ PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	1863	0.20
-9 = Data not collected for this year	722653	76.13
91 = NEVER MISUSED TRANQUILIZERS.....	216284	22.78
93 = DID NOT MISUSE TRANQUILIZERS PAST MONTH	8485	0.89

[IITRQNM30FQ](#)

Len : 1 TRANQUILIZERS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	1818	0.19
2 = Logically assigned data	18	0.00
3 = Statistically imputed data - lifetime misuse imputed	696	0.07
4 = Statistically imputed data - lifetime misuse known	45	0.00
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER	224055	23.60

PAST MONTH FREQUENCY OF USE

IRSTMNM30FQ	Len : 2	STIMULANTS MISUSE FREQUENCY PAST MONTH - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 1 - 30.....	2032	0.21
		-9 = Data not collected for this year	722653	76.13
		91 = NEVER MISUSED STIMULANTS.....	215202	22.67
		93 = DID NOT MISUSE STIMULANTS PAST MONTH	9398	0.99

IISTMNM30FQ	Len : 1	STIMULANTS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Questionnaire data.....	1977	0.21
		2 = Logically assigned data	12	0.00
		3 = Statistically imputed data - lifetime misuse imputed	577	0.06
		4 = Statistically imputed data - lifetime misuse known	62	0.01
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER	224004	23.60

IRSEDNM30FQ	Len : 2	SEDATIVES MISUSE FREQUENCY PAST MONTH - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 1 - 30.....	332	0.03
		-9 = Data not collected for this year	722653	76.13
		91 = NEVER MISUSED SEDATIVES.....	222052	23.39
		93 = DID NOT MISUSE SEDATIVES PAST MONTH	4248	0.45

IISEDNM30FQ	Len : 1	SEDATIVES MISUSE FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Questionnaire data.....	318	0.03
		2 = Logically assigned data	7	0.00
		3 = Statistically imputed data - lifetime misuse imputed	644	0.07
		4 = Statistically imputed data - lifetime misuse known	26	0.00
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER	225637	23.77

AGE/DATE OF FIRST DRUG USE

AGE/DATE OF FIRST DRUG USE

<u>IRSLTAGE</u>	Len : 3	IMPUTATION-REVISED SMOKELESS TOB AGE FIRST USE		
		RANGE = 1 - 80.....	Freq	Pct
		-9 = Data not collected for this year	124944	13.16
		991 = NEVER USED	226632	23.87
			597709	62.96
<u>IISLTAGE</u>	Len : 1	IRSLTAGE IMPUTATION INDICATOR		
		-9 = Data not collected for this year	Freq	Pct
		1 = Questionnaire data.....	226632	23.87
		3 = Statistically imputed data.....	165269	17.41
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	3809	0.40
			553575	58.31
<u>IRSLTYFU</u>	Len : 4	IMPUTATION-REVISED SMOKELESS TOB YEAR OF FIRST USE		
		RANGE = 1916 - 2014.....	Freq	Pct
		-9 = Data not collected for this year	124944	13.16
		9999 = NEVER USED	226632	23.87
			597709	62.96
<u>IISLTYFU</u>	Len : 1	IRSLTYFU IMPUTATION INDICATOR		
		-9 = Data not collected for this year	Freq	Pct
		1 = Questionnaire data.....	226632	23.87
		3 = Statistically imputed data.....	56501	5.95
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	107203	11.29
			558949	58.88
<u>IRCHWAGE</u>	Len : 3	IMPUTATION-REVISED CHEWING TOB AGE FIRST USE		
		RANGE = 1 - 80.....	Freq	Pct
		-9 = Data not collected for this year	82755	8.72
		991 = NEVER USED	226632	23.87
			639898	67.41
<u>IICHWAGE</u>	Len : 1	IRCHWAGE IMPUTATION INDICATOR		
		-9 = Data not collected for this year	Freq	Pct
		1 = Questionnaire data.....	226632	23.87
		3 = Statistically imputed data.....	128112	13.50
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	1857	0.20
			592684	62.43
<u>IRCHWYFU</u>	Len : 4	IMPUTATION-REVISED CHEWING TOB YEAR FIRST USE		
		RANGE = 1917 - 2014.....	Freq	Pct
		-9 = Data not collected for this year	82755	8.72
		9999 = NEVER USED	226632	23.87
			639898	67.41
<u>IICHWYFU</u>	Len : 1	IRCHWYFU IMPUTATION INDICATOR		
		-9 = Data not collected for this year	Freq	Pct
		1 = Questionnaire data.....	226632	23.87
		3 = Statistically imputed data.....	54564	5.75
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	75405	7.94
			592684	62.43
<u>IRSNFAGE</u>	Len : 3	IMPUTATION-REVISED SNUFF AGE OF FIRST USE		
		RANGE = 1 - 75.....	Freq	Pct
		-9 = Data not collected for this year	100404	10.58
		991 = NEVER USED	226632	23.87
			622249	65.55

AGE/DATE OF FIRST DRUG USE

[IISNFAGE](#)

Len : 1 IRSNFAGE IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	144277	15.20
3 = Statistically imputed data.....	2520	0.27
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	575856	60.66

[IRSNFYFU](#)

Len : 4 IMPUTATION-REVISED SNUFF YEAR OF FIRST USE

	Freq	Pct
RANGE = 1916 - 2014.....	100404	10.58
-9 = Data not collected for this year	226632	23.87
9999 = NEVER USED	622249	65.55

[IISNFYFU](#)

Len : 1 IRSNFYFU IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	57960	6.11
3 = Statistically imputed data.....	88837	9.36
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	575856	60.66

[IRHALAGE](#)

Len : 3 IMPUTATION-REVISED HALLUCINOGEN AGE OF FIRST USE

	Freq	Pct
RANGE = 1 - 74.....	101060	10.65
-9 = Data not collected for this year	226632	23.87
991 = NEVER USED	621593	65.48

[IIHALAGE](#)

Len : 1 IRHALAGE IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	144120	15.18
2 = Logically assigned data	990	0.10
3 = Statistically imputed data.....	3516	0.37
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	574027	60.47

[IRHALYFU](#)

Len : 4 IMPUTATION-REVISED HALLUCINOGEN YEAR OF FIRST USE

	Freq	Pct
RANGE = 1935 - 2014.....	101060	10.65
-9 = Data not collected for this year	226632	23.87
9999 = NEVER USED	621593	65.48

[IIHALYFU](#)

Len : 1 IRHALYFU IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	57287	6.03
2 = Logically assigned data	165	0.02
3 = Statistically imputed data.....	91174	9.60
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	574027	60.47

[IRECSAGE](#)

Len : 3 IMPUTATION-REVISED ECSTASY AGE OF FIRST USE

	Freq	Pct
RANGE = 1 - 67.....	50038	5.27
-9 = Data not collected for this year	226632	23.87
991 = NEVER USED	672615	70.85

[IIECSAGE](#)

Len : 1 IRECSAGE IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	99692	10.50
2 = Logically assigned data	15	0.00
3 = Statistically imputed data.....	1280	0.13
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	621666	65.49

AGE/DATE OF FIRST DRUG USE

[IRECSYFU](#)

Len : 4 IMPUTATION-REVISED ECSTASY YEAR OF FIRST USE

	Freq	Pct
RANGE = 1956 - 2014.....	50038	5.27
-9 = Data not collected for this year	226632	23.87
9999 = NEVER USED	672615	70.85

[IIECSYFU](#)

Len : 1 IRECSYFU IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	58831	6.20
2 = Logically assigned data	4	0.00
3 = Statistically imputed data.....	42152	4.44
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	621666	65.49

[IRINHAGE](#)

Len : 3 IMPUTATION-REVISED INHALANTS AGE OF FIRST USE

	Freq	Pct
RANGE = 1 - 66.....	74015	7.80
-9 = Data not collected for this year	226632	23.87
991 = NEVER USED	648638	68.33

[IIRINHAGE](#)

Len : 1 IRINHAGE IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	117299	12.36
3 = Statistically imputed data.....	5097	0.54
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	600257	63.23

[IRINHYFU](#)

Len : 4 IMPUTATION-REVISED INHALANTS YEAR OF FIRST USE

	Freq	Pct
RANGE = 1920 - 2014.....	74015	7.80
-9 = Data not collected for this year	226632	23.87
9999 = NEVER USED	648638	68.33

[IIRINHYFU](#)

Len : 1 IRINHYFU IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	56387	5.94
3 = Statistically imputed data.....	66009	6.95
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	600257	63.23

[IRANLAGE](#)

Len : 3 IMPUTATION-REVISED PAIN RELIEVERS AGE OF FIRST USE

	Freq	Pct
RANGE = 1 - 82.....	115111	12.13
-9 = Data not collected for this year	226632	23.87
991 = NEVER USED	607542	64.00

[IIRANLAGE](#)

Len : 1 IRANLAGE IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	153995	16.22
2 = Logically assigned data	171	0.02
3 = Statistically imputed data.....	8977	0.95
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	559510	58.94

[IRANLYFU](#)

Len : 4 IMPUTATION-REVISED PAIN RELIEVER YEAR OF FIRST USE

	Freq	Pct
RANGE = 1921 - 2014.....	115111	12.13
-9 = Data not collected for this year	226632	23.87
9999 = NEVER USED	607542	64.00

AGE/DATE OF FIRST DRUG USE

IIRANLYFU

Len : 1 IIRANLYFU IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	64264	6.77
2 = Logically assigned data	134	0.01
3 = Statistically imputed data.....	98745	10.40
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	559510	58.94

NOTE: See the note preceding the OXYCAGE variable. No special editing or imputation procedures were done to prevent IROXYFFU from having a value earlier than 1995, even though OxyContin was not approved for medical use by the US Food and Drug Administration until 1995. Caution is advised in interpreting OxyContin age/date of first use data from respondents with IROXYFFU<1995.

IROXYAGE

Len : 3 IMPUTATION-REVISED OXYCONTIN AGE FIRST USE

	Freq	Pct
RANGE = 1 - 66.....	19169	2.02
-9 = Data not collected for this year	335941	35.39
991 = NEVER USED.....	594175	62.59

IIOXYAGE

Len : 1 IIOXYAGE IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Questionnaire data.....	18483	1.95
2 = Logically assigned data	25	0.00
3 = Statistically imputed data.....	2282	0.24
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	592554	62.42

IROXYFFU

Len : 4 IMPUTATION-REVISED OXYCONTIN YEAR FIRST USE

	Freq	Pct
RANGE = 1948 - 2014.....	19169	2.02
-9 = Data not collected for this year	335941	35.39
9999 = NEVER USED.....	594175	62.59

IIOXYFFU

Len : 1 IIOXYFFU IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Questionnaire data.....	3788	0.40
2 = Logically assigned data	11	0.00
3 = Statistically imputed data.....	16991	1.79
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	592554	62.42

IIRTRNAGE

Len : 3 IMPUTATION-REVISED TRANQUILIZER AGE OF FIRST USE

	Freq	Pct
RANGE = 1 - 85.....	60785	6.40
-9 = Data not collected for this year	226632	23.87
991 = NEVER USED.....	661868	69.72

IIRTRNAGE

Len : 1 IIRTRNAGE IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	108598	11.44
2 = Logically assigned data	5	0.00
3 = Statistically imputed data.....	3208	0.34
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	610842	64.35

IIRTRNYFU

Len : 4 IMPUTATION-REVISED TRANQUILIZER YEAR OF FIRST USE

	Freq	Pct
RANGE = 1918 - 2014.....	60785	6.40
-9 = Data not collected for this year	226632	23.87
9999 = NEVER USED.....	661868	69.72

AGE/DATE OF FIRST DRUG USE

[IITRNYFU](#)

Len : 1 IITRNYFU IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	58928	6.21
2 = Logically assigned data	5	0.00
3 = Statistically imputed data.....	52878	5.57
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	610842	64.35

[IRSTMAGE](#)

Len : 3 IMPUTATION-REVISED STIMULANTS AGE OF FIRST USE

	Freq	Pct
RANGE = 1 - 76.....	53887	5.68
-9 = Data not collected for this year	226632	23.87
991 = NEVER USED	668766	70.45

[IISTMAGE](#)

Len : 1 IISTMAGE IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	101364	10.68
2 = Logically assigned data	285	0.03
3 = Statistically imputed data.....	2884	0.30
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	618120	65.11

[IRSTMYFU](#)

Len : 4 IMPUTATION-REVISED STIMULANTS YEAR OF FIRST USE

	Freq	Pct
RANGE = 1923 - 2014.....	53887	5.68
-9 = Data not collected for this year	226632	23.87
9999 = NEVER USED	668766	70.45

[IRSTMYFU](#)

Len : 1 IRSTMYFU IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	55660	5.86
2 = Logically assigned data	20	0.00
3 = Statistically imputed data.....	48853	5.15
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	618120	65.11

[IRMTHAGE](#)

Len : 3 IMPUTATION-REVISED METHAMPHETAMINE AGE FIRST USE

	Freq	Pct
RANGE = 1 - 60.....	25601	2.70
-9 = Data not collected for this year	226632	23.87
991 = NEVER USED	697052	73.43

[IIMTHAGE](#)

Len : 1 IIMTHAGE IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	76465	8.06
2 = Logically assigned data	38	0.00
3 = Statistically imputed data.....	1212	0.13
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	644938	67.94

[IRMTHYFU](#)

Len : 4 IMPUTATION-REVISED METHAMPHETAMINE YEAR FIRST USE

	Freq	Pct
RANGE = 1936 - 2014.....	25601	2.70
-9 = Data not collected for this year	226632	23.87
9999 = NEVER USED	697052	73.43

[IIMTHYFU](#)

Len : 1 IIMTHYFU IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	53341	5.62
2 = Logically assigned data	23	0.00
3 = Statistically imputed data.....	24351	2.57
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	644938	67.94

AGE/DATE OF FIRST DRUG USE

[IRSEDAGE](#)

Len : 3 IMPUTATION-REVISED SEDATIVES AGE OF FIRST USE

	Freq	Pct
RANGE = 1 - 80.....	15438	1.63
-9 = Data not collected for this year	226632	23.87
991 = NEVER USED	707215	74.50

[IISEDAGE](#)

Len : 1 IRSEDAGE IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	67176	7.08
2 = Logically assigned data	13	0.00
3 = Statistically imputed data.....	2372	0.25
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	653092	68.80

[IRSEDYFU](#)

Len : 4 IMPUTATION-REVISED SEDATIVES YEAR OF FIRST USE

	Freq	Pct
RANGE = 1919 - 2014.....	15438	1.63
-9 = Data not collected for this year	226632	23.87
9999 = NEVER USED	707215	74.50

[IISEDYFU](#)

Len : 1 IRSEDYFU IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Questionnaire data.....	53944	5.68
2 = Logically assigned data	13	0.00
3 = Statistically imputed data.....	15604	1.64
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	653092	68.80

[IRCIGAGE](#)

Len : 3 CIGARETTE AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 68.....	504726	53.17
991 = NEVER USED	444559	46.83

[IICIGAGE](#)

Len : 1 CIGARETTE AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	519014	54.67
2 = Logically assigned data	271	0.03
3 = Statistically imputed data.....	6756	0.71
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	423244	44.59

[IRCIGYFU](#)

Len : 4 CIGARETTE YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1913 - 2018.....	504726	53.17
9999 = NEVER USED	444559	46.83

[IICIGYFU](#)

Len : 1 CIGARETTE YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	53090	5.59
2 = Logically assigned data	50	0.01
3 = Statistically imputed data.....	472901	49.82
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	423244	44.59

[IRCDUAGE](#)

Len : 3 DAILY CIGARETTE AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 77.....	256248	26.99
991 = NEVER USED	444559	46.83
993 = NEVER A DAILY USER	248478	26.18

[IICDUAGE](#)

Len : 1 DAILY CIGARETTE AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	291623	30.72
2 = Logically assigned data	11	0.00
3 = Statistically imputed data.....	2123	0.22
9 = LEGITIMATE SKIP - NOT A LIFETIME/DAILY CIG USER.....	655528	69.05

AGE/DATE OF FIRST DRUG USE

<u>IRCD2YFU</u>	Len : 4 DAILY CIGARETTE YFU - USING CIGDLYFU - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1917 - 2018.....	256248	26.99
	9993 = NEVER A DAILY USER	248478	26.18
	9999 = NEVER USED	444559	46.83
<u>IICD2YFU</u>	Len : 1 DAILY CIGARETTE YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	50391	5.31
	2 = Logically assigned data	8	0.00
	3 = Statistically imputed data.....	243358	25.64
	9 = LEGITIMATE SKIP - NOT A LIFETIME/DAILY CIG USER.....	655528	69.05
<u>IRCGRAGE</u>	Len : 3 CIGAR AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 80.....	292927	30.86
	991 = NEVER USED	656358	69.14
<u>IICGRAGE</u>	Len : 1 CIGAR AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	321701	33.89
	3 = Statistically imputed data.....	6727	0.71
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	620857	65.40
<u>IRCGRYFU</u>	Len : 4 CIGAR YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1908 - 2018.....	292927	30.86
	9999 = NEVER USED	656358	69.14
<u>IICGRYFU</u>	Len : 1 CIGAR YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	69846	7.36
	3 = Statistically imputed data.....	258582	27.24
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	620857	65.40
<u>IRSMKLSSTRY</u>	Len : 3 SMOKELESS TOBACCO AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 78.....	36369	3.83
	-9 = Data not collected for this year	722653	76.13
	991 = NEVER USED	190263	20.04
<u>IISMKLSSTRY</u>	Len : 1 SMOKELESS TOBACCO AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	35634	3.75
	2 = Logically assigned data	1	0.00
	3 = Statistically imputed data.....	875	0.09
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	190122	20.03
<u>IRSMKLSSYFU</u>	Len : 4 SMOKELESS TOBACCO YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1932 - 2018.....	36369	3.83
	-9 = Data not collected for this year	722653	76.13
	9999 = NEVER USED	190263	20.04
<u>IISMKLSSYFU</u>	Len : 1 SMOKELESS TOBACCO YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	2660	0.28
	3 = Statistically imputed data.....	33850	3.57
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	190122	20.03

AGE/DATE OF FIRST DRUG USE

[IRALCAGE](#)

Len : 3 ALCOHOL AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 90.....	684048	72.06
991 = NEVER USED.....	265237	27.94

[IICALCAGE](#)

Len : 1 ALCOHOL AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	687959	72.47
3 = Statistically imputed data.....	10282	1.08
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	251044	26.45

[IRALCYFU](#)

Len : 4 ALCOHOL YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1911 - 2018.....	684048	72.06
9999 = NEVER USED.....	265237	27.94

[IICALCYFU](#)

Len : 1 ALCOHOL YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	81549	8.59
3 = Statistically imputed data.....	616692	64.96
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	251044	26.45

[IRMJAGE](#)

Len : 3 MARIJUANA AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 81.....	386764	40.74
991 = NEVER USED.....	562521	59.26

[IIMJAGE](#)

Len : 1 MARIJUANA AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	415202	43.74
3 = Statistically imputed data.....	3580	0.38
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	530503	55.88

[IRMJYFU](#)

Len : 4 MARIJUANA YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1933 - 2018.....	386764	40.74
9999 = NEVER USED.....	562521	59.26

[IIMJYFU](#)

Len : 1 MARIJUANA YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	66544	7.01
3 = Statistically imputed data.....	352238	37.11
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	530503	55.88

[IRCOAGE](#)

Len : 3 COCAINE AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 71.....	111049	11.70
991 = NEVER USED.....	838236	88.30

[IICOAGE](#)

Len : 1 COCAINE AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	155896	16.42
2 = Logically assigned data.....	1499	0.16
3 = Statistically imputed data.....	1351	0.14
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	790539	83.28

[IRCOCYFU](#)

Len : 4 COCAINE YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1941 - 2018.....	111049	11.70
9999 = NEVER USED.....	838236	88.30

AGE/DATE OF FIRST DRUG USE

<u>IICOCYFU</u>	Len : 1 COCAINE YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	57540	6.06
	2 = Logically assigned data	19	0.00
	3 = Statistically imputed data.....	101187	10.66
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	790539	83.28
<u>IRCRKAGE</u>	Len : 3 CRACK AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 75.....	26968	2.84
	991 = NEVER USED.....	922317	97.16
<u>IICRKAGE</u>	Len : 1 CRACK AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	79034	8.33
	2 = Logically assigned data	2	0.00
	3 = Statistically imputed data.....	689	0.07
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	869560	91.60
<u>IRCRKYFU</u>	Len : 4 CRACK YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1941 - 2018.....	26968	2.84
	9999 = NEVER USED.....	922317	97.16
<u>IICRKYFU</u>	Len : 1 CRACK YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	54185	5.71
	2 = Logically assigned data	1	0.00
	3 = Statistically imputed data.....	25539	2.69
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	869560	91.60
<u>IRHERAGE</u>	Len : 3 HEROIN AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 59.....	13892	1.46
	991 = NEVER USED.....	935393	98.54
<u>IIHERAGE</u>	Len : 1 HEROIN AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	67063	7.06
	3 = Statistically imputed data.....	712	0.08
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	881510	92.86
<u>IRHERYFU</u>	Len : 4 HEROIN YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1947 - 2018.....	13892	1.46
	9999 = NEVER USED.....	935393	98.54
<u>IIHERYFU</u>	Len : 1 HEROIN YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	54866	5.78
	3 = Statistically imputed data.....	12909	1.36
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	881510	92.86
<u>IRHALLUCAGE</u>	Len : 3 HALLUCINOGEN AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 72.....	32863	3.46
	-9 = Data not collected for this year	722653	76.13
	991 = NEVER USED.....	193769	20.41

AGE/DATE OF FIRST DRUG USE

<u>IIHALLUCAGE</u>	Len : 1 HALLUCINOGEN AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	31903	3.36
	2 = Logically assigned data	438	0.05
	3 = Statistically imputed data.....	1398	0.15
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	192893	20.32
<u>IRHALLUCYFU</u>	Len : 4 HALLUCINOGEN YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1937 - 2018.....	32863	3.46
	-9 = Data not collected for this year	722653	76.13
	9999 = NEVER USED	193769	20.41
<u>IIHALLUCYFU</u>	Len : 1 HALLUCINOGEN YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	2683	0.28
	2 = Logically assigned data	41	0.00
	3 = Statistically imputed data.....	31015	3.27
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	192893	20.32
<u>IRLSDAGE</u>	Len : 3 LSD AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 67.....	74590	7.86
	991 = NEVER USED	874695	92.14
<u>IILSDAGE</u>	Len : 1 LSD AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	121468	12.80
	2 = Logically assigned data	80	0.01
	3 = Statistically imputed data.....	2046	0.22
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	825691	86.98
<u>IRLSDYFU</u>	Len : 4 LSD YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1936 - 2018.....	74590	7.86
	9999 = NEVER USED	874695	92.14
<u>IILSDYFU</u>	Len : 1 LSD YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	53707	5.66
	2 = Logically assigned data	5	0.00
	3 = Statistically imputed data.....	69882	7.36
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	825691	86.98
<u>IRPCPAGE</u>	Len : 3 PCP AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 63.....	17198	1.81
	991 = NEVER USED	932087	98.19
<u>IIPCAGE</u>	Len : 1 PCP AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	69166	7.29
	2 = Logically assigned data	24	0.00
	3 = Statistically imputed data.....	1359	0.14
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	878736	92.57
<u>IRPCPYFU</u>	Len : 4 PCP YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1937 - 2018.....	17198	1.81
	9999 = NEVER USED	932087	98.19

AGE/DATE OF FIRST DRUG USE

IIPCPYFU	Len : 1 PCP YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	53539	5.64
	3 = Statistically imputed data.....	17010	1.79
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	878736	92.57
IRECSTMOAGE	Len : 3 ECSTASY AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 2 - 66.....	17611	1.86
	-9 = Data not collected for this year.....	722653	76.13
	991 = NEVER USED.....	209021	22.02
IIECSTMOAGE	Len : 1 ECSTASY AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	76.13
	1 = Questionnaire data.....	17398	1.83
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data.....	443	0.05
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	208790	21.99
IRECSTMOYFU	Len : 4 ECSTASY YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1957 - 2018.....	17611	1.86
	-9 = Data not collected for this year.....	722653	76.13
	9999 = NEVER USED.....	209021	22.02
IIECSTMOYFU	Len : 1 ECSTASY YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	76.13
	1 = Questionnaire data.....	1710	0.18
	3 = Statistically imputed data.....	16132	1.70
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	208790	21.99
IRINHALAGE	Len : 3 INHALANTS AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 66.....	22606	2.38
	-9 = Data not collected for this year.....	722653	76.13
	991 = NEVER USED.....	204026	21.49
IINHALAGE	Len : 1 INHALANTS AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	76.13
	1 = Questionnaire data.....	20950	2.21
	3 = Statistically imputed data.....	2186	0.23
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	203496	21.44
IRINHALYFU	Len : 4 INHALANTS YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1936 - 2018.....	22606	2.38
	-9 = Data not collected for this year.....	722653	76.13
	9999 = NEVER USED.....	204026	21.49
IINHALYFU	Len : 1 INHALANTS YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	76.13
	1 = Questionnaire data.....	1548	0.16
	3 = Statistically imputed data.....	21588	2.27
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	203496	21.44
IRMETHAMAGE	Len : 3 METHAMPHETAMINE AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 72.....	10208	1.08
	-9 = Data not collected for this year.....	722653	76.13
	991 = NEVER USED.....	216424	22.80

AGE/DATE OF FIRST DRUG USE

<u>IIMETHAMAGE</u>	Len : 1	METHAMPHETAMINE AGE OF FIRST USE - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Questionnaire data.....	10107	1.06
		3 = Statistically imputed data.....	389	0.04
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	216136	22.77

<u>IRMETHAMYFU</u>	Len : 4	METHAMPHETAMINE YEAR OF FIRST USE - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 1946 - 2018.....	10208	1.08
		-9 = Data not collected for this year	722653	76.13
		9999 = NEVER USED	216424	22.80

<u>IIMETHAMYFU</u>	Len : 1	METHAMPHETAMINE YEAR OF FIRST USE - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Questionnaire data.....	447	0.05
		3 = Statistically imputed data.....	10049	1.06
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	216136	22.77

The following eight variables pertain to past year initiation of prescription drugs. Past year initiation of prescription drugs is defined as the misuse of the drug for the first time in the 12 months prior to the date of the interview.

<u>IRPNRNMINIT</u>	Len : 2	PAST YR INITIATE PAIN RELIEVERS MISUSE - IMPUTATION REVISED		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Past year initiate.....	2391	0.25
		2 = Not a past year initiate.....	8688	0.92
		91 = NEVER MISUSED	202903	21.37
		93 = NO PAST YEAR MISUSE.....	12650	1.33

<u>IIPNRNMINIT</u>	Len : 2	PAST YR INITIATE PAIN RELIEVER MISUSE - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Questionnaire Data.....	225543	23.76
		3 = Statistically imputed - recency known	42	0.00
		4 = Statistically imputed - recency imputed	1047	0.11

<u>IRTRQNMINIT</u>	Len : 2	PAST YR INITIATE TRANQUILIZER MISUSE - IMPUTATION REVISED		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Past year initiate.....	1726	0.18
		2 = Not a past year initiate.....	4487	0.47
		91 = NEVER MISUSED	216284	22.78
		93 = NO PAST YEAR MISUSE.....	4135	0.44

<u>IITRQNMINIT</u>	Len : 2	PAST YR INITIATE TRANQUILIZER MISUSE - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Questionnaire Data.....	225892	23.80
		3 = Statistically imputed - recency known	19	0.00
		4 = Statistically imputed - recency imputed	721	0.08

<u>IRSTMNMINIT</u>	Len : 2	PAST YR INITIATE STIMULANT MISUSE - IMPUTATION REVISED		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Past year initiate.....	1724	0.18
		2 = Not a past year initiate.....	5030	0.53
		91 = NEVER MISUSED	215202	22.67
		93 = NO PAST YEAR MISUSE.....	4676	0.49

AGE/DATE OF FIRST DRUG USE

<u>IISTMNMINT</u>	Len : 2 PAST YR INITIATE STIMULANT MISUSE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire Data.....	225999	23.81
	3 = Statistically imputed - recency known	17	0.00
	4 = Statistically imputed - recency imputed	616	0.06

<u>IRSEDNMINT</u>	Len : 2 PAST YR INITIATE SEDATIVE MISUSE - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Past year initiate.....	325	0.03
	2 = Not a past year initiate.....	858	0.09
	91 = NEVER MISUSED	222052	23.39
	93 = NO PAST YEAR MISUSE.....	3397	0.36

<u>IISEDNMINT</u>	Len : 2 PAST YR INITIATE SEDATIVE MISUSE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire Data.....	225964	23.80
	3 = Statistically imputed - recency known	4	0.00
	4 = Statistically imputed - recency imputed	664	0.07

NOTE: The following four variables pertain to the age and date of first misuse of pain relievers. Respondents who were past year initiates (IRPNRNMINT=1), that is respondents who misused pain relievers for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRPNRNMINT ne 1) receive an appropriate skip code.

<u>IRPNRNMIFU</u>	Len : 4 PAIN RELIEVER YEAR OF FIRST MISUSE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 2014 - 2018.....	2391	0.25
	-9 = Data not collected for this year	722653	76.13
	9993 = NOT A PAST YEAR INITIATE.....	21338	2.25
	9999 = NEVER MISUSED	202903	21.37

<u>IIPNRNMIFU</u>	Len : 1 PAIN RELIEVER YEAR OF FIRST MISUSE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	1892	0.20
	3 = Statistically imputed data - Past year initiation imputed	1089	0.11
	4 = Statistically imputed data - Past year initiation known	431	0.05
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	223220	23.51

<u>IRPNRNMAGE</u>	Len : 3 PAIN RELIEVER AGE OF FIRST MISUSE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 11 - 90	2391	0.25
	-9 = Data not collected for this year	722653	76.13
	993 = NOT A PAST YEAR INITIATE.....	21338	2.25
	999 = NEVER MISUSED	202903	21.37

<u>IIPNRNMAGE</u>	Len : 1 PAIN RELIEVER AGE OF FIRST MISUSE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	1898	0.20
	3 = Statistically imputed data - Past year initiation imputed	1089	0.11
	4 = Statistically imputed data - Past year initiation known	425	0.04
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	223220	23.51

AGE/DATE OF FIRST DRUG USE

NOTE: The following four variables pertain to the age and date of first misuse of tranquilizers. Respondents who were past year initiates (IRTRQNMNIT=1), that is respondents who misused tranquilizers for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRTRQNMNIT ne 1) receive an appropriate skip code.

<u>IRTRQNMVU</u>	Len : 4	TRANQUILIZER YEAR OF FIRST MISUSE - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 2014 - 2018.....	1726	0.18
		-9 = Data not collected for this year.....	722653	76.13
		9993 = NOT A PAST YEAR INITIATE.....	8622	0.91
		9999 = NEVER MISUSED	216284	22.78

<u>IIRTRQNMVU</u>	Len : 1	TRANQUILIZER YEAR OF FIRST MISUSE - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year.....	722653	76.13
		1 = Questionnaire data.....	1619	0.17
		3 = Statistically imputed data - Past year initiation imputed.....	740	0.08
		4 = Statistically imputed data - Past year initiation known.....	85	0.01
		9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE.....	224188	23.62

<u>IRTRQNMAGE</u>	Len : 3	TRANQUILIZER AGE OF FIRST MISUSE - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 11 - 80.....	1726	0.18
		-9 = Data not collected for this year.....	722653	76.13
		993 = NOT A PAST YEAR INITIATE.....	8622	0.91
		999 = NEVER MISUSED	216284	22.78

<u>IIRTRQNMAGE</u>	Len : 1	TRANQUILIZER AGE OF FIRST MISUSE - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year.....	722653	76.13
		1 = Questionnaire data.....	1626	0.17
		3 = Statistically imputed data - Past year initiation imputed.....	740	0.08
		4 = Statistically imputed data - Past year initiation known.....	78	0.01
		9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE.....	224188	23.62

NOTE: The following four variables pertain to the age and date of first misuse of stimulants. Respondents who were past year initiates (IRSTMNMNIT=1), that is respondents who misused stimulants for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRSTMNMNIT ne 1) receive an appropriate skip code.

<u>IRSTMNMVU</u>	Len : 4	STIMULANTS YEAR OF FIRST MISUSE - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 2014 - 2018.....	1724	0.18
		-9 = Data not collected for this year.....	722653	76.13
		9993 = NOT A PAST YEAR INITIATE.....	9706	1.02
		9999 = NEVER MISUSED	215202	22.67

<u>IIRSTMNMVU</u>	Len : 1	STIMULANTS YEAR OF FIRST MISUSE - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year.....	722653	76.13
		1 = Questionnaire data.....	1638	0.17
		3 = Statistically imputed data - Past year initiation imputed.....	633	0.07
		4 = Statistically imputed data - Past year initiation known.....	62	0.01
		9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE.....	224299	23.63

<u>IRSTMNMAGE</u>	Len : 3	STIMULANTS AGE OF FIRST MISUSE - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 11 - 80.....	1724	0.18
		-9 = Data not collected for this year.....	722653	76.13
		993 = NOT A PAST YEAR INITIATE.....	9706	1.02
		999 = NEVER MISUSED	215202	22.67

AGE/DATE OF FIRST DRUG USE

IISTMNMAGE

Len : 1 STIMULANTS AGE OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	1640	0.17
3 = Statistically imputed data - Past year initiation imputed	633	0.07
4 = Statistically imputed data - Past year initiation known	60	0.01
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	224299	23.63

NOTE: The following four variables pertain to the age and date of first misuse of sedatives. Respondents who were past year initiates (IRSEDNMINIT=1), that is respondents who misused sedatives for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRSEDNMINIT ne 1) receive an appropriate skip code.

IRSEDNMYFU

Len : 4 SEDATIVES YEAR OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 2014 - 2018.....	325	0.03
-9 = Data not collected for this year	722653	76.13
9993 = NOT A PAST YEAR INITIATE	4255	0.45
9999 = NEVER MISUSED	222052	23.39

IISEDNMYFU

Len : 1 SEDATIVES YEAR OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	291	0.03
3 = Statistically imputed data - Past year initiation imputed	668	0.07
4 = Statistically imputed data - Past year initiation known	30	0.00
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	225643	23.77

IRSEDNMAGE

Len : 3 SEDATIVES AGE OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 11 - 94	325	0.03
-9 = Data not collected for this year	722653	76.13
993 = NOT A PAST YEAR INITIATE	4255	0.45
999 = NEVER MISUSED	222052	23.39

IISEDNMAGE

Len : 1 SEDATIVES AGE OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	291	0.03
3 = Statistically imputed data - Past year initiation imputed	668	0.07
4 = Statistically imputed data - Past year initiation known	30	0.00
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	225643	23.77

RECODED DRUG USE

RECODED DRUG USE

<u>OXYCONT2</u>	Len : 1	EVER USED OXYCONTIN		
			Freq	Pct
		-9 = Data not collected for this year	784374	82.63
		0 = No/Unknown (OXYCONTN=6,81,91,94,97,98,99)	161791	17.04
		1 = Yes (OXYCONTN=1,3).....	3120	0.33

The following variable, OXYCODOP, was assigned a positive response if a respondent indicated ever using percocet, percodan or tylox (PERCTYL2=1), OxyContin (OXYCONT2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4046,4047,4052,4065,4068,4072)).

<u>OXYCODOP</u>	Len : 1	OXYCODONE PRODUCTS		
			Freq	Pct
		-9 = Data not collected for this year	784374	82.63
		0 = No/Unknown (Otherwise).....	155446	16.38
		1 = Yes (See comment above)	9465	1.00

<u>NOUSEFL</u>	Len : 1	NO LIFETIME USE OF MRJ/IEM/CIG/ALC		
			Freq	Pct
		-9 = Data not collected for this year	728469	76.74
		0 = No (Otherwise)	174699	18.40
		1 = Yes (MRJFLAG, IEMFLAG, CIGFLAG, & ALCFLAG=0).....	46117	4.86

<u>NOUSEYR</u>	Len : 1	NO PAST YEAR USE OF MRJ/IEM/CIG/ALC		
			Freq	Pct
		-9 = Data not collected for this year	728469	76.74
		0 = No (Otherwise)	150182	15.82
		1 = Yes (MRJYR=0 & IEMYR=0 & CIGYR=0 & ALCYR=0).....	70634	7.44

<u>NOUSEMO</u>	Len : 1	NO PAST MONTH USE OF MRJ/IEM/CIG/ALC		
			Freq	Pct
		-9 = Data not collected for this year	728469	76.74
		0 = No (Otherwise)	120690	12.71
		1 = Yes (MRJMON=0 & IEMMON=0 & CIGMON=0 & ALCMON=0).....	100126	10.55

<u>CIGONFL</u>	Len : 1	LIFETIME CIGARETTE USE ONLY		
			Freq	Pct
		-9 = Data not collected for this year	728469	76.74
		0 = No (Otherwise)	214794	22.63
		1 = Yes (MRJFLAG, IEMFLAG, & ALCFLAG=0 AND CIGFLAG=1).....	6022	0.63

<u>CIGONYR</u>	Len : 1	PAST YEAR CIGARETTE USE ONLY		
			Freq	Pct
		-9 = Data not collected for this year	728469	76.74
		0 = No (Otherwise)	212518	22.39
		1 = Yes (MRJYR=0 & IEMYR=0 & CIGYR=1 & ALCYR=0).....	8298	0.87

<u>CIGONMO</u>	Len : 1	PAST MONTH CIGARETTE USE ONLY		
			Freq	Pct
		-9 = Data not collected for this year	728469	76.74
		0 = No (Otherwise)	206134	21.71
		1 = Yes (MRJMON=0 & IEMMON=0 & CIGMON=1 & ALCMON=0).....	14682	1.55

<u>ALCONFL</u>	Len : 1	LIFETIME ALCOHOL USE ONLY		
			Freq	Pct
		-9 = Data not collected for this year	728469	76.74
		0 = No (Otherwise)	192200	20.25
		1 = Yes (MRJFLAG, IEMFLAG, & CIGFLAG=0 AND ALCFLAG=1).....	28616	3.01

RECODED DRUG USE

<u>ALCONYR</u>	Len : 1 PAST YEAR ALCOHOL USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	161663	17.03
	1 = Yes (MRJYR=0 & IEMYR=0 & CIGYR=0 & ALCYR=1)	59153	6.23
<u>ALCONMO</u>	Len : 1 PAST MONTH ALCOHOL USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	170593	17.97
	1 = Yes (MRJMON=0 & IEMMON=0 & CIGMON=0 & ALCMON=1)	50223	5.29
<u>MRJONFL</u>	Len : 1 LIFETIME MARIJUANA USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	220365	23.21
	1 = Yes (MRJFLAG=1 AND IEMFLAG, CIGFLAG, & ALCFLAG=0).....	451	0.05
<u>MRJONYR</u>	Len : 1 PAST YEAR MARIJUANA USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	219994	23.17
	1 = Yes (MRJYR=1 & IEMYR=0 & CIGYR=0 & ALCYR=0).....	822	0.09
<u>MRJONMO</u>	Len : 1 PAST MONTH MARIJUANA USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	219554	23.13
	1 = Yes (MRJMON=1 & IEMMON=0 & CIGMON=0 & ALCMON=0)	1262	0.13
<u>IEMONFL</u>	Len : 1 LIFETIME ILLICIT DRG OTHER THAN MRJ USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	217178	22.88
	1 = Yes (IEMFLAG=1 AND CIGFLAG, ALCFLAG, & MRJFLAG=0).....	3638	0.38
<u>IEMONYR</u>	Len : 1 PAST YEAR ILLICIT DRG OTHER THAN MRJ USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	218057	22.97
	1 = Yes (MRJYR=0 & IEMYR=1 & CIGYR=0 & ALCYR=0).....	2759	0.29
<u>IEMONMO</u>	Len : 1 PAST MONTH ILLICIT DRG OTHER THAN MRJ USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	218945	23.06
	1 = Yes (MRJMON=0 & IEMMON=1 & CIGMON=0 & ALCMON=0)	1871	0.20
<u>CGALONFL</u>	Len : 1 LIFETIME USE OF CIG & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	186490	19.65
	1 = Yes (CIGFLAG & ALCFLAG=1 AND MRJFLAG & IEMFLAG=0).....	34326	3.62
<u>CGALONYR</u>	Len : 1 PAST YEAR USE OF CIG & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	188993	19.91
	1 = Yes (MRJYR=0 & IEMYR=0 & CIGYR=1 & ALCYR=1).....	31823	3.35

RECODED DRUG USE

CGALONMO

Len : 1 PAST MONTH USE OF CIG & ALC ONLY

	Freq	Pct
-9 = Data not collected for this year	728469	76.74
0 = No (Otherwise)	193280	20.36
1 = Yes (MRJMON=0 & IEMMON=0 & CIGMON=1 & ALCMON=1)	27536	2.90

MJCGONFL

Len : 1 LIFETIME USE OF MRJ & CIG ONLY

	Freq	Pct
-9 = Data not collected for this year	728469	76.74
0 = No (Otherwise)	219874	23.16
1 = Yes (MRJFLAG & CIGFLAG=1 AND IEMFLAG & ALCFLAG=0).....	942	0.10

MJCGONYR

Len : 1 PAST YEAR USE OF MRJ & CIG ONLY

	Freq	Pct
-9 = Data not collected for this year	728469	76.74
0 = No (Otherwise)	219883	23.16
1 = Yes (MRJYR=1 & IEMYR=0 & CIGYR=1 & ALCYR=0)	933	0.10

MJCGONMO

Len : 1 PAST MONTH USE OF MRJ & CIG ONLY

	Freq	Pct
-9 = Data not collected for this year	728469	76.74
0 = No (Otherwise)	219091	23.08
1 = Yes (MRJMON=1 & IEMMON=0 & CIGMON=1 & ALCMON=0)	1725	0.18

MJALONFL

Len : 1 LIFETIME USE OF MRJ & ALC ONLY

	Freq	Pct
-9 = Data not collected for this year	728469	76.74
0 = No (Otherwise)	216115	22.77
1 = Yes (MRJFLAG & ALCFLAG=1 AND IEMFLAG & CIGFLAG=0).....	4701	0.50

MJALONYR

Len : 1 PAST YEAR USE OF MRJ & ALC ONLY

	Freq	Pct
-9 = Data not collected for this year	728469	76.74
0 = No (Otherwise)	214293	22.57
1 = Yes (MRJYR=1 & IEMYR=0 & CIGYR=0 & ALCYR=1)	6523	0.69

MJALONMO

Len : 1 PAST MONTH USE OF MRJ & ALC ONLY

	Freq	Pct
-9 = Data not collected for this year	728469	76.74
0 = No (Otherwise)	216546	22.81
1 = Yes (MRJMON=1 & IEMMON=0 & CIGMON=0 & ALCMON=1)	4270	0.45

MJIEONFL

Len : 1 LIFETIME USE OF MRJ & ILL DRG OTH THAN MRJ ONLY

	Freq	Pct
-9 = Data not collected for this year	728469	76.74
0 = No (Otherwise)	220691	23.25
1 = Yes (MRJFLAG & IEMFLAG=1 AND CIGFLAG & ALCFLAG=0).....	125	0.01

MJIEONYR

Len : 1 PAST YEAR USE OF MRJ & ILL DRG OTH THAN MRJ ONLY

	Freq	Pct
-9 = Data not collected for this year	728469	76.74
0 = No (Otherwise)	220627	23.24
1 = Yes (MRJYR=1 & IEMYR=1 & CIGYR=0 & ALCYR=0)	189	0.02

MJIEONMO

Len : 1 PAST MONTH USE OF MRJ & ILL DRG OTH THAN MRJ ONLY

	Freq	Pct
-9 = Data not collected for this year	728469	76.74
0 = No (Otherwise)	220643	23.24
1 = Yes (MRJMON=1 & IEMMON=1 & CIGMON=0 & ALCMON=0)	173	0.02

RECODED DRUG USE

IECGONFL	Len : 1 LIFETIME USE OF ILL DRG OTH THAN MRJ & CIG ONLY		
	-9 = Data not collected for this year	Freq 728469	Pct 76.74
	0 = No (Otherwise)	219915	23.17
	1 = Yes (IEMFLAG & CIGFLAG=1 AND ALCFLAG & MRJFLAG=0).....	901	0.09
IECGONYR	Len : 1 PAST YEAR USE OF ILL DRG OTH THAN MRJ & CIG ONLY		
	-9 = Data not collected for this year	Freq 728469	Pct 76.74
	0 = No (Otherwise)	220189	23.20
	1 = Yes (MRJYR=0 & IEMYR=1 & CIGYR=1 & ALCYR=0).....	627	0.07
IECGONMO	Len : 1 PAST MONTH USE OF ILL DRG OTH THAN MRJ & CIG ONLY		
	-9 = Data not collected for this year	Freq 728469	Pct 76.74
	0 = No (Otherwise)	220227	23.20
	1 = Yes (MRJMON=0 & IEMMON=1 & CIGMON=1 & ALCMON=0)	589	0.06
IEALONFL	Len : 1 LIFETIME USE OF ILL DRG OTH THAN MRJ & ALC ONLY		
	-9 = Data not collected for this year	Freq 728469	Pct 76.74
	0 = No (Otherwise)	216250	22.78
	1 = Yes (ALCFLAG & IEMFLAG=1 AND CIGFLAG & MRJFLAG=0).....	4566	0.48
IEALONYR	Len : 1 PAST YEAR USE OF ILL DRG OTH THAN MRJ & ALC ONLY		
	-9 = Data not collected for this year	Freq 728469	Pct 76.74
	0 = No (Otherwise)	216729	22.83
	1 = Yes (MRJYR=0 & IEMYR=1 & CIGYR=0 & ALCYR=1).....	4087	0.43
IEALONMO	Len : 1 PAST MONTH USE OF ILL DRG OTH THAN MRJ & ALC ONLY		
	-9 = Data not collected for this year	Freq 728469	Pct 76.74
	0 = No (Otherwise)	219352	23.11
	1 = Yes (MRJMON=0 & IEMMON=1 & CIGMON=0 & ALCMON=1)	1464	0.15
MCAONFL	Len : 1 LIFETIME USE OF MRJ & CIG & ALC ONLY		
	-9 = Data not collected for this year	Freq 728469	Pct 76.74
	0 = No (Otherwise)	191245	20.15
	1 = Yes (CIGFLAG, ALCFLAG, & MRJFLAG=1 AND IEMFLAG=0).....	29571	3.12
MCAONYR	Len : 1 PAST YEAR USE OF MRJ & CIG & ALC ONLY		
	-9 = Data not collected for this year	Freq 728469	Pct 76.74
	0 = No (Otherwise)	207654	21.87
	1 = Yes (MRJYR=1 & IEMYR=0 & CIGYR=1 & ALCYR=1).....	13162	1.39
MCAONMO	Len : 1 PAST MONTH USE OF MRJ & CIG & ALC ONLY		
	-9 = Data not collected for this year	Freq 728469	Pct 76.74
	0 = No (Otherwise)	212108	22.34
	1 = Yes (MRJMON=1 & IEMMON=0 & CIGMON=1 & ALCMON=1).....	8708	0.92
MICONFL	Len : 1 LIFETIME USE OF MRJ & ILL DRG OTH MRJ & CIG ONLY		
	-9 = Data not collected for this year	Freq 728469	Pct 76.74
	0 = No (Otherwise)	220328	23.21
	1 = Yes (MRJFLAG, IEMFLAG, & CIGFLAG=1 AND ALCFLAG=0).....	488	0.05

RECODED DRUG USE

MICONYR	Len : 1 PAST YEAR USE OF MRJ & ILL DRG OTH MRJ & CIG ONLY		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	220425	23.22
	1 = Yes (MRJYR=1 & IEMYR=1 & CIGYR=1 & ALCYR=0)	391	0.04
MICONMO	Len : 1 PAST MONTH USE OF MRJ & ILL DRG OTH MRJ & CIG ONLY		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	220353	23.21
	1 = Yes (MRJMON=1 & IEMMON=1 & CIGMON=1 & ALCMON=0)	463	0.05
MIAONFL	Len : 1 LIFETIME USE OF MRJ & ILL DRG OTH MRJ & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	217772	22.94
	1 = Yes (MRJFLAG, IEMFLAG, & ALCFLAG=1 AND CIGFLAG=0).....	3044	0.32
MIAONYR	Len : 1 PAST YEAR USE OF MRJ & ILL DRG OTH MRJ & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	217945	22.96
	1 = Yes (MRJYR=1 & IEMYR=1 & CIGYR=0 & ALCYR=1).....	2871	0.30
MIAONMO	Len : 1 PAST MONTH USE OF MRJ & ILL DRG OTH MRJ & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	219753	23.15
	1 = Yes (MRJMON=1 & IEMMON=1 & CIGMON=0 & ALCMON=1)	1063	0.11
ICAONFL	Len : 1 LIFETIME USE OF ILL DRG OTH MRJ & CIG & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	213797	22.52
	1 = Yes (IEMFLAG, CIGFLAG, & ALCFLAG=1 AND MRJFLAG=0).....	7019	0.74
ICAONYR	Len : 1 PAST YEAR USE OF ILL DRG OTH MRJ & CIG & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	216310	22.79
	1 = Yes (MRJYR=0 & IEMYR=1 & CIGYR=1 & ALCYR=1).....	4506	0.47
ICAONMO	Len : 1 PAST MONTH USE OF ILL DRG OTH MRJ & CIG & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	218696	23.04
	1 = Yes (MRJMON=0 & IEMMON=1 & CIGMON=1 & ALCMON=1)	2120	0.22
ALLUSEFL	Len : 1 LIFETIME USE OF MRJ, ILL DRG OTH MRJ, CIG, & ALC		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	170527	17.96
	1 = Yes (MRJFLAG, IEMFLAG, CIGFLAG, & ALCFLAG=1).....	50289	5.30
ALLUSEYR	Len : 1 PAST YEAR USE OF MRJ, ILL DRG OTH MRJ, CIG, & ALC		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No (Otherwise)	206778	21.78
	1 = Yes (MRJYR=1 & IEMYR=1 & CIGYR=1 & ALCYR=1).....	14038	1.48

RECODED DRUG USE

[ALLUSEMO](#)

Len : 1 PAST MONTH USE OF MRJ, ILL DRG OTH MRJ, CIG, & ALC

	Freq	Pct
-9 = Data not collected for this year	728469	76.74
0 = No (Otherwise)	216275	22.78
1 = Yes (MRJMON=1 & IEMMON=1 & CIGMON=1 & ALCMON=1)	4541	0.48

The variable CIGCMPNY indicates the companies that owned the labels of the cigarette brands that respondents reported using most often in the past 30 days. For brands that were sold to another company during the survey year, CIGCMPNY reflects which company owned the brand label for the majority of the year.

[CIGCMPNY](#)

Len : 2 CIG COMPANY FOR BRAND PAST 30 DYS - RECODE

	Freq	Pct
-9 = Data not collected for this year	728469	76.74
1 = Philip Morris.....	33401	3.52
2 = R.J. Reynolds (subsidiary Reynolds American, Inc.).....	11507	1.21
3 = Lorillard	9786	1.03
4 = Brown and Williamson.....	1641	0.17
5 = Liggett.....	291	0.03
6 = Commonwealth Brands	715	0.08
7 = Santa Fe Natural Tob Co (of Reynolds American).....	355	0.04
8 = Forsyth Tobacco Co (a division of R.J. Reynolds).....	56	0.01
9 = Top Tobacco, L.P.....	67	0.01
70 = SOME OTHER BRAND/COMPANY.....	1564	0.16
80 = CIG BRAND/COMPANY NOT SPECIFIED	286	0.03
85 = BAD DATA Log assn	7	0.00
90 = NOT A CIGARETTE BRAND	246	0.03
91 = NEVER USED CIGARETTES	91258	9.61
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	69133	7.28
94 = DON'T KNOW	325	0.03
97 = REFUSED	50	0.01
98 = BLANK (NO ANSWER).....	128	0.01

[MTHYDAYS](#)

Len : 1 # OF DAYS USED METHAMPHETAMINE IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	728469	76.74
1 = 1-11 Days (IRMTHFY=1-11)	857	0.09
2 = 12-49 Days (IRMTHFY=12-49)	514	0.05
3 = 50-99 Days (IRMTHFY=50-99)	241	0.03
4 = 100-299 Days (IRMTHFY=100-299)	439	0.05
5 = 300-365 Days (IRMTHFY=300-365)	61	0.01
6 = Non User or No Past Year Use (IRMTHFY=991,993).....	218704	23.04

[SMKFLAG](#)

Len : 1 SMOKELESS TOBACCO - EVER USED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Never used (IRSLTRC = 9)	597709	62.96
1 = Ever used (IRSLTRC = 1-4)	124944	13.16

[SMKYR](#)

Len : 1 SMOKELESS TOBACCO - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Did not use in the past year (IRSLTRC = 3,4,9).....	677260	71.34
1 = Used within the past year (IRSLTRC = 1,2).....	45393	4.78

[SMKMON](#)

Len : 1 SMOKELESS TOBACCO - PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Did not use in the past month (IRSLTRC = 2-4,9).....	693984	73.11
1 = Used within the past month (IRSLTRC = 1)	28669	3.02

[CHWFLAG](#)

Len : 1 CHEWING TOBACCO - EVER USED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Never Used (IRCHWRC = 9)	639898	67.41
1 = Ever Used (IRCHWRC = 1-4)	82755	8.72

RECODED DRUG USE

[CHWYR](#)

Len : 1 CHEWING TOBACCO - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Did not use in the past year (IRCHWRC = 3,4,9).....	700622	73.81
1 = Used within the past year (IRCHWRC = 1,2).....	22031	2.32

[CHWMON](#)

Len : 1 CHEWING TOBACCO - PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Did not use in the past month (IRCHWRC = 2-4,9).....	711361	74.94
1 = Used within the past month (IRCHWRC = 1)	11292	1.19

[SNFFLAG](#)

Len : 1 SNUFF - EVER USED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Never used (IRSNFRC = 9).....	622249	65.55
1 = Ever used (IRSNFRC = 1-4)	100404	10.58

[SNFYR](#)

Len : 1 SNUFF - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Did not use in the past year (IRSNFRC = 3,4,9).....	684176	72.07
1 = Used within the past year (IRSNFRC = 1,2)	38477	4.05

[SNFMON](#)

Len : 1 SNUFF - PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Did not use in the past month (IRSNFRC = 2-4,9)	698281	73.56
1 = Used within the past month (IRSNFRC = 1)	24372	2.57

[HALFLAG](#)

Len : 1 HALLUCINOGENS - EVER USED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Never used (IRHALRC = 9).....	621593	65.48
1 = Ever used (IRHALRC = 1-3)	101060	10.65

[HALYR](#)

Len : 1 HALLUCINOGENS - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Did not use in the past year (IRHALRC = 3,9).....	698196	73.55
1 = Used within the past year (IRHALRC = 1,2).....	24457	2.58

[HALMON](#)

Len : 1 HALLUCINOGENS - PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Did not use in the past month (IRHALRC = 2-3,9).....	716194	75.45
1 = Used within the past month (IRHALRC = 1)	6459	0.68

[ECSFLAG](#)

Len : 1 ECSTASY - EVER USED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Never used (IRECSRC = 9).....	672615	70.85
1 = Ever used (IRECSRC = 1-3)	50038	5.27

[ECSYR](#)

Len : 1 ECSTASY - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Did not use in the past year (IRECSRC = 3,9).....	709443	74.73
1 = Used within the past year (IRECSRC = 1,2)	13210	1.39

RECODED DRUG USE

[ECSMON](#)

Len : 1 ECSTASY - PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Did not use in the past month (IRECSRC = 2-3,9)	719545	75.80
1 = Used within the past month (IRECSRC = 1)	3108	0.33

[INHFLAG](#)

Len : 1 INHALANTS - EVER USED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Never used (IRINHRC = 9)	648638	68.33
1 = Ever used (IRINHRC = 1-3)	74015	7.80

[INHYR](#)

Len : 1 INHALANTS - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Did not use in the past year (IRINHRC = 3,9)	708988	74.69
1 = Used within the past year (IRINHRC = 1,2)	13665	1.44

[INHMON](#)

Len : 1 INHALANTS - PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Did not use in the past month (IRINHRC = 2-3,9)	718982	75.74
1 = Used within the past month (IRINHRC = 1)	3671	0.39

[ANLFLAG](#)

Len : 1 PAIN RELIEVERS - EVER USED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Never used (IRANLRC = 9)	607542	64.00
1 = Ever used (IRANLRC = 1-3)	115111	12.13

[ANLYR](#)

Len : 1 PAIN RELIEVERS - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Did not use in the past year (IRANLRC = 3,9)	670934	70.68
1 = Used within the past year (IRANLRC = 1,2)	51719	5.45

[ANLMON](#)

Len : 1 PAIN RELIEVERS - PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Did not use in the past month (IRANLRC = 2-3,9)	702268	73.98
1 = Used within the past month (IRANLRC = 1)	20385	2.15

[OXYFLAG](#)

Len : 1 OXYCONTIN - EVER USED

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
0 = Never Used (IROXYRC = 9)	594175	62.59
1 = Ever Used (IROXYRC = 1-3)	19169	2.02

[OXYR](#)

Len : 1 OXYCONTIN - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
0 = Did not use in the past year (IROXYRC = 3,9)	606959	63.94
1 = Used within the past year (IROXYRC = 1,2)	6385	0.67

[OXYMON](#)

Len : 1 OXYCONTIN - PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
0 = Did not use in the past month (IROXYRC = 2-3,9)	611623	64.43
1 = Used within the past month (IROXYRC = 1)	1721	0.18

RECODED DRUG USE

TRQFLAG	Len : 1 TRANQUILIZERS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Never used (IRTRNRC = 9)	661868	69.72
	1 = Ever used (IRTRNRC = 1-3)	60785	6.40

TRQYR	Len : 1 TRANQUILIZERS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Did not use in the past year (IRTRNRC = 3,9).....	701806	73.93
	1 = Used within the past year (IRTRNRC = 1,2).....	20847	2.20

TRQMON	Len : 1 TRANQUILIZERS - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Did not use in the past month (IRTRNRC = 2-3,9).....	715655	75.39
	1 = Used within the past month (IRTRNRC = 1)	6998	0.74

STMFLAG	Len : 1 STIMULANTS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Never used (IRSTMRC = 9)	668766	70.45
	1 = Ever used (IRSTMRC = 1-3)	53887	5.68

STMYR	Len : 1 STIMULANTS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Did not use in the past year (IRSTMRC = 3,9).....	708167	74.60
	1 = Used within the past year (IRSTMRC = 1,2).....	14486	1.53

STMMON	Len : 1 STIMULANTS - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Did not use in the past month (IRSTMRC = 2-3,9).....	717464	75.58
	1 = Used within the past month (IRSTMRC = 1)	5189	0.55

The following three variables (CPNSTMFG, CPNSTMYR, CPNSTMMN), like the preceding three variables (STMFLAG, STMYR, STMMON), report lifetime, past year, and past month stimulant use. However, whereas STMFLAG, STMYR, and STMMON used the core-only methamphetamine variables MTHFLAG, MTHYR, and MTHMON in their construction, these three variables use the core-plus-noncore methamphetamine variables CPNMTHFG, CPNMTHYR, and CPNMTHMN. For details on the core-plus-noncore methamphetamine variables, please see Appendix B.4.8 of the 2008 Summary of Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)

CPNSTMFG	Len : 1 CPN STIMULANTS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Never Used.....	662979	69.84
	1 = Ever Used.....	59674	6.29

CPNSTMYR	Len : 1 CPN STIMULANTS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Did not use in the past year.....	707175	74.50
	1 = Used within the past year.....	15478	1.63

CPNSTMMN	Len : 1 CPN STIMULANTS - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Did not use in the past month.....	717102	75.54
	1 = Used within the past month.....	5551	0.58

RECODED DRUG USE

The following three variables (MTHFLAG, MTHYR, MTHMON), report recency of use for methamphetamine using only core data from the Stimulants module of the questionnaire, unlike the next three variables (CPNMTHFG, CPNMTHYR, CPNMTHMN), which use additional methamphetamine use data from the Special Drugs module. Methamphetamine use data were first added to the Special Drugs module in 2005, then were augmented in 2006 to include further clarifications. For details, please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings Report.

<u>MTHFLAG</u>	Len : 1 METHAMPHETAMINE - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Never Used (IRMTHRC = 9).....	697052	73.43
	1 = Ever Used (IRMTHRC = 1-3).....	25601	2.70

<u>MTHYR</u>	Len : 1 METHAMPHETAMINE - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Did not use in the past year (IRMTHRC = 3,9).....	717997	75.64
	1 = Used within the past year (IRMTHRC = 1,2).....	4656	0.49

<u>MTHMON</u>	Len : 1 METHAMPHETAMINE - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Did not use in the past month (IRMTHRC = 2-3,9).....	720979	75.95
	1 = Used within the past month (IRMTHRC = 1).....	1674	0.18

The following three variables (CPNMTHFG, CPNMTHYR, CPNMTHMN), like the preceding three variables (MTHFLAG, MTHYR, MTHMON), report lifetime, past year, and past month methamphetamine use. However, MTHFLAG, MTHYR, and MTHMON are based only on data from the methamphetamine questions in the stimulants section of the prescription drug module of the core questionnaire. In 2005 new methamphetamine items were added to the noncore Special Drugs module to capture methamphetamine users who failed to report the drug in the prescription stimulants module. These were augmented in 2006 to include clarifications. The new noncore Special Drugs items were used to construct the final CPNMTHFG, CPNMTHYR, and CPNMTHMN variables. For details, please see Appendix B.4.8 of the 2008 Summary of Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)

<u>CPNMTHFG</u>	Len : 1 CPN METHAMPHETAMINE - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Never Used.....	689929	72.68
	1 = Ever Used.....	32724	3.45

<u>CPNMTHYR</u>	Len : 1 CPN METHAMPHETAMINE - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Did not use in the past year.....	716954	75.53
	1 = Used within the past year.....	5699	0.60

<u>CPNMTHMN</u>	Len : 1 CPN METHAMPHETAMINE - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Did not use in the past month.....	720634	75.91
	1 = Used within the past month.....	2019	0.21

<u>SEDFLAG</u>	Len : 1 SEDATIVES - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Never used (IRSEDRC = 9).....	707215	74.50
	1 = Ever used (IRSEDRC = 1-3).....	15438	1.63

<u>SEDYR</u>	Len : 1 SEDATIVES - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Did not use in the past year (IRSEDRC = 3,9)	719695	75.81
	1 = Used within the past year (IRSEDRC = 1,2)	2958	0.31

RECODED DRUG USE

SEDMON	Len : 1 SEDATIVES - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Did not use in the past month (IRSEDRC = 2-3,9)	721610	76.02
	1 = Used within the past month (IRSEDRC = 1)	1043	0.11

PSYFLAG2	Len : 1 ANY PSYCHOTHERAPEUTICS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Never used (ALL SOURCE VARIABLES = 0)	571787	60.23
	1 = Ever used (ANY SOURCE VARIABLE = 1)	150866	15.89

PSYYR2	Len : 1 ANY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Did not use within past year (ALL SOURCE VARS = 0)	657370	69.25
	1 = Used in past year (ANY SOURCE VARIABLE = 1)	65283	6.88

PSYMON2	Len : 1 ANY PSYCHOTHERAPEUTICS - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Did not use in past month (ALL SOURCE VARS = 0)	695876	73.31
	1 = Used in past month (ANY SOURCE VARIABLE = 1)	26777	2.82

The following two "any psychotherapeutics" variables were created by examination of the age and date of first use variables for sedatives, tranquilizers, stimulants, and analgesics.

PSYAGE2	Len : 3 ANY PSYCHOTHERAPEUTICS - AGE FIRST USE		
		Freq	Pct
	RANGE = 1 - 85	150866	15.89
	-9 = Data not collected for this year	226632	23.87
	991 = NEVER USED	571787	60.23

PSYYFU2	Len : 4 ANY PSYCHOTHERAPEUTICS - YEAR FIRST USE		
		Freq	Pct
	RANGE = 1918 - 2014	150866	15.89
	-9 = Data not collected for this year	226632	23.87
	9999 = NEVER USED	571787	60.23

The following three variables (CPNPSYFG, CPNPSYYR, CPNPSYMN), like the preceding three variables (PSYFLAG2, PSYYR2, PSYMON2), report lifetime, past year, and past month psychotherapeutic use. However, whereas PSYFLAG2, PSYYR2, and PSYMON2 use only core data, CPNPSYFG, CPNPSYYR, CPNPSYMN use core plus noncore data.

CPNPSYFG	Len : 1 CPN PSYCHOTHERAPEUTIC - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Never Used (ALL SOURCE VARS = 0)	569340	59.98
	1 = Ever Used (ANY SOURCE VARIABLE = 1)	153313	16.15

CPNPSYYR	Len : 1 CPN PSYCHOTHERAPEUTIC - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Did not use in the past year (ALL SOURCE VARS = 0)	656869	69.20
	1 = Used within the past year (ANY SOURCE VAR = 1)	65784	6.93

CPNPSYMN	Len : 1 CPN PSYCHOTHERAPEUTIC - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Did not use in the past month (ALL SOURCE VARS=0)	695628	73.28
	1 = Used within the past month (ANY SOURCE VAR=1)	27025	2.85

RECODED DRUG USE

<u>SUMFLAG</u>	Len : 1 ANY ILLICIT DRUG - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Never used (ALL SOURCE VARIABLES = 0)	384012	40.45
	1 = Ever used (ANY SOURCE VARIABLE = 1)	338641	35.67

<u>SUMYR</u>	Len : 1 ANY ILLICIT DRUG - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Did not use in past year (ALL SOURCE VARS = 0).....	559063	58.89
	1 = Used in past year (ANY SOURCE VARIABLE = 1)	163590	17.23

<u>SUMMON</u>	Len : 1 ANY ILLICIT DRUG - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Did not use in past month (ALL SOURCE VARS = 0).....	629663	66.33
	1 = Used in past month (ANY SOURCE VARIABLE = 1)	92990	9.80

The following two "any illicit drug" variables were created by examination of the age and date of first use variables for hallucinogens, heroin, marijuana, cocaine, inhalants, sedatives, tranquilizers, stimulants, and analgesics.

<u>SUMAGE</u>	Len : 3 ANY ILLICIT DRUG - AGE FIRST USE		
		Freq	Pct
	RANGE = 1 - 85.....	338641	35.67
	-9 = Data not collected for this year	226632	23.87
	991 = NEVER USED	384012	40.45

<u>SUMYFU</u>	Len : 4 ANY ILLICIT DRUG - YEAR FIRST USE		
		Freq	Pct
	RANGE = 1918 - 2014.....	338641	35.67
	-9 = Data not collected for this year	226632	23.87
	9999 = NEVER USED	384012	40.45

<u>MJOFLAG</u>	Len : 1 MARIJUANA ONLY - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Never used MJ/has used both MJ & anothr ilclt drug.....	602006	63.42
	1 = Marijuana is only (illicit) drug ever used	120647	12.71

<u>MJOYR2</u>	Len : 1 MARIJUANA ONLY - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = MJ not used past yr/Used MJ & othr drug past yr.....	648169	68.28
	1 = Marijuana is only (illicit) drug in past year	74484	7.85

<u>MJOMON2</u>	Len : 1 MARIJUANA ONLY - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = MJ not used past mnth/Used MJ & othr drug past mo.....	666807	70.24
	1 = Marijuana only (illicit) drug in past month.....	55846	5.88

<u>IEMFLAG</u>	Len : 1 ILLICIT DRUG OTHER THAN MARIJUANA - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Never used drug/used only marijuana.....	504659	53.16
	1 = Illicit drug except for marijuana are ever used.....	217994	22.96

<u>IEMYR</u>	Len : 1 ILLICIT DRUG OTHER THAN MARIJUANA - PAST YEAR USED		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = Never used drug/used only marijuana past year.....	633547	66.74
	1 = Illicit drug except for marijuana used past year.....	89106	9.39

RECODED DRUG USE

[IEMMON](#)

Len : 1 ILLICIT DRUG OTHER THAN MARIJUANA-PAST MONTH USED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Never used drug/used only marijuana past month.....	685509	72.21
1 = Illicit drug except for marijuana used past month.....	37144	3.91

The following two "any illicit drug except for marijuana" variables were created by examination of the age and date of first use variables for inhalants, hallucinogens, cocaine, heroin, and "any psychotherapeutics."

[IEMAGE](#)

Len : 3 ILLICIT DRUG EXCEPT FOR MARIJUANA - AGE FIRST USE

	Freq	Pct
RANGE = 1 - 85.....	217994	22.96
-9 = Data not collected for this year	226632	23.87
991 = NEVER USED	504659	53.16

[IEMYFU](#)

Len : 4 ILLICIT DRUG OTHER THAN MARIJUANA - YEAR FIRST USE

	Freq	Pct
RANGE = 1918 - 2014.....	217994	22.96
-9 = Data not collected for this year	226632	23.87
9999 = NEVER USED	504659	53.16

"Binge" Alcohol Use, BINGEDRK, is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other.

[BINGEDRK](#)

Len : 1 BINGE ALCOHOL USE PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Never/No "Binge" alcohol use (IRALCD5 = 0,91,93)	540072	56.89
1 = "Binge" alcohol use (IRALCD5 = 1-30)	182581	19.23

Heavy Alcohol Use, HVYDRK2, is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users.

[HVYDRK2](#)

Len : 1 HEAVY ALCOHOL USE PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Never/No heavy alcohol use (IRALCD5 = 0-4,91,93)	667206	70.29
1 = Heavy alcohol use (IRALCD5 = 5-30)	55447	5.84

The following variable, BINGEHVY, was created by examination of past month binge alcohol use (BINGEDRK), past month heavy alcohol use (HVYDRK2), and past month alcohol use (ALCMON). To be considered a past month "binge" or heavy alcohol user, a respondent must have used alcohol in the past month. Further, to be a past month heavy alcohol user, a respondent must also be a past month "binge" alcohol user.

[BINGEHVY](#)

Len : 1 LEVEL OF ALCOHOL USE IN PAST MONTH

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Heavy Alcohol Use (HVYDRK2=1)	55447	5.84
2 = "Binge" But Not Heavy Use (BINGEDRK=1 & HVYDRK2=0).....	127134	13.39
3 = Past Month But Not "Binge" (ALCMON=1 & BINGEDRK=0).....	142482	15.01
4 = Did Not Use Alcohol in Past Month (All source=0).....	397590	41.88

[ILTOALMN](#)

Len : 1 ILLICIT DRUG, TOBACCO PRD, OR ALC PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year	667876	70.36
0 = No Drug, Tob, or Alc Past Mon Use (Otherwise).....	127991	13.48
1 = Drg/Tob or Alc PM Use (SUMMON, TOBMON or ALCMON=1).....	153418	16.16

[ILALMON](#)

Len : 1 ILLICIT DRUG OR ALCOHOL PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year	667876	70.36
0 = No Drug or Alc Past Mon Use (Otherwise).....	146352	15.42
1 = Drug or Alc Past Mon Use (SUMMON=1 or ALCMON=1)	135057	14.23

RECODED DRUG USE

NILALMON

Len : 1 NO ILLICIT DRUG OR ALCOHOL USE IN THE PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Alc or Drg Use (Otherwise).....	346195	36.47
1 = No Alc or Drg Use (ALCMON=0 & SUMMON=0).....	376458	39.66

ILANDALC

Len : 1 ILLICIT DRUG AND ALCOHOL USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	838854	88.37
0 = No/Unknown (SUMYR=0 or ALCYR=0)	89334	9.41
1 = Yes (SUMYR=1 and ALCYR=1).....	21097	2.22

ILORALC

Len : 1 ILLICIT DRUG OR ALCOHOL USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	838854	88.37
0 = No/Unknown (SUMYR=0 and ALCYR=0)	40339	4.25
1 = Yes (SUMYR=1 or ALCYR=1).....	70092	7.38

AEROS2

Len : 1 EVER INHALED OTHER AEROSOL SPRAYS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	711645	74.97
1 = Yes (AEROS=1,3)	11008	1.16

DARVTYL2

Len : 1 EVER USED DARVOCET, DARVON, TYLENOL W/CODEINE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	665497	70.11
1 = Yes (DARVTYLC=1,3)	57156	6.02

PERCTYL2

Len : 1 EVER USED PERCOCET, PERCODAN, TYLOX

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	682224	71.87
1 = Yes (PERCTYLX=1,3)	40429	4.26

VICOLOR2

Len : 1 EVER USED VICODIN, LORTAB, LORCET

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	652225	68.71
1 = Yes (VICOLOR=1,3)	70428	7.42

CODEINE2

Len : 1 EVER USED CODEINE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	698178	73.55
1 = Yes (ANLCARD and CODEINE=1,3)	24475	2.58

DEMEROL2

Len : 1 EVER USED DEMEROL

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	715575	75.38
1 = Yes (ANLCARD and DEMEROL=1,3).....	7078	0.75

DILAUD2

Len : 1 EVER USED DILAUDID

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	719360	75.78
1 = Yes (ANLCARD and DILAUD=1,3)	3293	0.35

RECODED DRUG USE

FIORICT2	Len : 1 EVER USED FIORICET		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721335	75.99
	1 = Yes (ANLCARD and FIORICET=1,3).....	1318	0.14
FIORINL2	Len : 1 EVER USED FIORINAL		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721758	76.03
	1 = Yes (ANLCARD and FIORINAL=1,3)	895	0.09
HYDROCD2	Len : 1 EVER USED HYDROCODONE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	691213	72.81
	1 = Yes (ANLCARD and HYDROCOD=1,3).....	31440	3.31
METHDON2	Len : 1 EVER USED METHADONE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	714822	75.30
	1 = Yes (ANLCARD and METHDON=1,3).....	7831	0.82
MORPHIN2	Len : 1 EVER USED MORPHINE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	710992	74.90
	1 = Yes (ANLCARD and MORPHINE=1,3)	11661	1.23
PHENCOD2	Len : 1 EVER USED PHENAPHEN WITH CODEINE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	720130	75.86
	1 = Yes (ANLCARD and PHENCOD=1,3).....	2523	0.27
PROPOXY2	Len : 1 EVER USED PROPOXYPHENE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721481	76.00
	1 = Yes (ANLCARD and PROPOXY=1,3)	1172	0.12
SK65A2	Len : 1 EVER USED SK65		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722362	76.10
	1 = Yes (ANLCARD and SK65A=1,3)	291	0.03
STADOL2	Len : 1 EVER USED STADOL		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722246	76.08
	1 = Yes (ANLCARD and STADOL=1,3).....	407	0.04
TALACEN2	Len : 1 EVER USED TALACEN		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722403	76.10
	1 = Yes (ANLCARD and TALACEN=1,3)	250	0.03

RECODED DRUG USE

TALWIN2	Len : 1	EVER USED TALWIN		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		0 = No/Unknown (Otherwise).....	722014	76.06
		1 = Yes (ANLCARD and TALWIN=1,3).....	639	0.07

TALWINX2	Len : 1	EVER USED TALWIN NX		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		0 = No/Unknown (Otherwise).....	722390	76.10
		1 = Yes (ANLCARD and TALWINX=1,3).....	263	0.03

TRAMADL2	Len : 1	EVER USED TRAMADOL		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		0 = No/Unknown (Otherwise).....	717295	75.56
		1 = Yes (ANLCARD and TRAMADOL=1,3).....	5358	0.56

ULTRAM2	Len : 1	EVER USED ULTRAM		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		0 = No/Unknown (Otherwise).....	718372	75.68
		1 = Yes (ANLCARD and ULTRAM=1,3).....	4281	0.45

OTHANL	Len : 1	EVER USED OTHER PAIN RELIEVERS		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		0 = No/Unknown (Otherwise).....	660205	69.55
		1 = Yes (ANLCARD or ANLNOLST=1,3)	62448	6.58

The following variable, PROCODNP, was assigned a positive response if a respondent indicated ever using darvocet, darvon, or tylenol with codeine (DARVTYL2=1), codeine (CODEINE2=1), phenaphen with codeine (PHENCOD2=1), propoxyphene (PROPOXY2=1), SK-65 (SK65A2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (404, 439, 444, 447, 455, 480, 4031, 4038, 4078, 4093, 4095, 4101, 4103, 4116, 4126, 4127, 8293)).

PROCODNP	Len : 1	PROPOXYPHENE/CODEINE PRODUCTS		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		0 = No/Unknown (Otherwise).....	657808	69.30
		1 = Yes (See comment above)	64845	6.83

The following variable, OXYCODP2, is similar to the variable OXYCODOP which was created in previous NSDUHs. The only difference is the use of the imputed variable OXYFLAG instead of the edited variable OXYCONT2 in determining lifetime use of OxyContin. OXYCODP2 was assigned a positive response if a respondent indicated ever using percocet, percodan or tylox (PERCTYL2=1), OxyContin (OXYFLAG=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4046, 4047, 4052, 4065, 4072, 4117)).

OXYCODP2	Len : 1	OXYCODONE PRODUCTS		
			Freq	Pct
		-9 = Data not collected for this year	335941	35.39
		0 = No/Unknown (Otherwise).....	571587	60.21
		1 = Yes (See comment above)	41757	4.40

The following variable, HYDCODOP, was assigned a positive response if a respondent indicated ever using vicodin, lortab, or lorcet (VICOLOR2=1), hydrocodone (HYDROCD2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4033, 4097, 4105, 4125, 4143, 4144)).

HYDCODOP	Len : 1	HYDROCODONE PRODUCTS		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		0 = No/Unknown (Otherwise).....	646329	68.09
		1 = Yes (See comment above)	76324	8.04

RECODED DRUG USE

The following variable, TRAMADP, was assigned a positive response if a respondent indicated ever using tramadol (TRAMADL2=1), ultram (ULTRAM2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4083, 4133)).

<u>TRAMADP</u>	Len : 1 TRAMADOL PRODUCTS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	714693	75.29
	1 = Yes (See comment above)	7960	0.84

<u>KLONOP12</u>	Len : 1 EVER USED KLONOPIN OR CLONAZEPAM		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	706999	74.48
	1 = Yes (KLONOPIN=1,3).....	15654	1.65

<u>XNAXATV2</u>	Len : 1 EVER USED XANAX, ALPRAZOLAM, ATIVAN		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	683250	71.98
	1 = Yes (XNAXATVN=1,3).....	39403	4.15

<u>VALMDIA2</u>	Len : 1 EVER USED VALIUM OR DIAZEPAM		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	688428	72.52
	1 = Yes (VALMDIAZ=1,3).....	34225	3.61

<u>ATARAX2</u>	Len : 1 EVER USED ATARAX		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721891	76.05
	1 = Yes (TRNCARD and ATARAX=1,3)	762	0.08

<u>BUSPAR2</u>	Len : 1 EVER USED BUSPAR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	720310	75.88
	1 = Yes (TRNCARD and BUSPAR=1,3)	2343	0.25

<u>EQUANIL2</u>	Len : 1 EVER USED EQUANIL		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722388	76.10
	1 = Yes (TRNCARD and EQUANIL=1,3)	265	0.03

<u>FLEXERL2</u>	Len : 1 EVER USED FLEXERIL		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	715190	75.34
	1 = Yes (TRNCARD and FLEXERIL=1,3)	7463	0.79

<u>LIBRIUM2</u>	Len : 1 EVER USED LIBRIUM		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721195	75.97
	1 = Yes (TRNCARD and LIBRIUM=1,3)	1458	0.15

<u>LIMBTRL2</u>	Len : 1 EVER USED LIMBITROL		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722341	76.09
	1 = Yes (TRNCARD and LIMBTROL=1,3)	312	0.03

RECODED DRUG USE

MEPROB2	Len : 1 EVER USED MEPROBAMATE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722259	76.08
	1 = Yes (TRNCARD and MEPROB=1,3)	394	0.04
MILTOWN2	Len : 1 EVER USED MILTOWN		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722432	76.10
	1 = Yes (TRNCARD and MILTOWN=1,3).....	221	0.02
ROHYPNL2	Len : 1 EVER USED ROHYPNOL		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721484	76.00
	1 = Yes (TRNCARD and ROHYPNL=1,3).....	1169	0.12
SERAX2	Len : 1 EVER USED SERAX		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722296	76.09
	1 = Yes (TRNCARD and SERAX=1,3).....	357	0.04
SOMA2	Len : 1 EVER USED SOMA		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	712931	75.10
	1 = Yes (TRNCARD and SOMA=1,3).....	9722	1.02
TRANXEN2	Len : 1 EVER USED TRANXENE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722243	76.08
	1 = Yes (TRNCARD and TRANXENE=1,3).....	410	0.04
VISTAR2	Len : 1 EVER USED VISTARIL		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721733	76.03
	1 = Yes (TRNCARD and VISTAR=1,3)	920	0.10
OTHTRN	Len : 1 EVER USED OTHER TRANQUILIZERS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	702205	73.97
	1 = Yes (TRNCARD or TRNOLST=1,3)	20448	2.15

The following variable, BENZOS, was assigned a positive response if a respondent indicated ever using klonopin or clonazepam (KLONOP12=1), xanax, alprazolam, ativan, or lorazepam (XNAXATV2=1), valium or diazepam (VALMDIA2=1), librium (LIBRIUM2=1), limbitrol (LIMBTRL2=1), rohypnol (ROHYPNL2=1), serax (SERAX2=1), tranxene (TRANXEN2=1), or other-specify drug responses that are not asked about explicitly in the Tranquilizers module but fall into this category (TRNEWA, TRNEWB, TRNEWC, TRNEWD, or TRNEWE in (229, 237, 278, 296, 2004, 2022, 2026)).

BENZOS	Len : 1 BENZODIAZEPINE PRODUCTS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	665771	70.13
	1 = Yes (See comment above)	56882	5.99

RECODED DRUG USE

The following variable, MEPROBPD, was assigned a positive response if a respondent indicated ever using equanil (EQUANIL2=1), meprobamate (MEPROB2=1), or miltown (MILTOWN2=1), or other-specify drug responses that are not asked about explicitly in the Tranquilizers module but fall into this category (TRNEWA, TRNEWB, TRNEWC, TRNEWD, or TRNEWE in (214)).

<u>MEPROBPD</u>	Len : 1 MEPROBAMATE PRODUCTS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721914	76.05
	1 = Yes (See comment above)	739	0.08

The following variable, MUSCRELX, was assigned a positive response if a respondent indicated ever using flexeril (FLEXERL2=1), soma (SOMA2=1), or other-specify drug responses that are not asked about explicitly in the Tranquilizers module but fall into this category (TRNEWA, TRNEWB, TRNEWC, TRNEWD, or TRNEWE in (223, 288, 290, 462, 2002, 2006)).

<u>MUSCRELX</u>	Len : 1 MUSCLE RELAXANTS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	708436	74.63
	1 = Yes (See comment above)	14217	1.50

<u>METHDES2</u>	Len : 1 EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	697081	73.43
	1 = Yes (METHDES=1,3).....	25572	2.69

<u>DIETPIL2</u>	Len : 1 EVER USED DIET PILLS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	706861	74.46
	1 = Yes (DIETPILS=1,3).....	15792	1.66

<u>RITMPHE2</u>	Len : 1 EVER USED RITALIN/METHYLPHENIDATE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	701042	73.85
	1 = Yes (RITMPHEN=1,3).....	21611	2.28

<u>CYLERT2</u>	Len : 1 EVER USED CYLERT		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722075	76.07
	1 = Yes (STMCARD and CYLERT=1,3).....	578	0.06

<u>DEXED2</u>	Len : 1 EVER USED DEXEDRINE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	718458	75.68
	1 = Yes (STMCARD and DEXED=1,3).....	4195	0.44

<u>DETAMP2</u>	Len : 1 EVER USED DEXTROAMPHETAMINE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	720613	75.91
	1 = Yes (STMCARD and DETAMP=1,3)	2040	0.21

<u>DIDREX2</u>	Len : 1 EVER USED DIDREX		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722217	76.08
	1 = Yes (STMCARD and DIDREX=1,3).....	436	0.05

RECODED DRUG USE

ESKAT2	Len : 1 EVER USED ESKATROL		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722325	76.09
	1 = Yes (STMCARD and ESKAT=1,3).....	328	0.03
IONAMIN2	Len : 1 EVER USED IONAMIN		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722044	76.06
	1 = Yes (STMCARD and IONAMIN=1,3)	609	0.06
MAZANOR2	Len : 1 EVER USED MAZANOR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722453	76.10
	1 = Yes (STMCARD and MAZANOR=1,3).....	200	0.02
OBLA2	Len : 1 EVER USED OBEDRIN-LA		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722567	76.12
	1 = Yes (STMCARD and OBLA=1,3)	86	0.01
PLEGINE2	Len : 1 EVER USED PLEGINE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722492	76.11
	1 = Yes (STMCARD and PLEGINE=1,3)	161	0.02
PRELUDN2	Len : 1 EVER USED PRELUDIN		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721911	76.05
	1 = Yes (STMCARD and PRELUDIN=1,3)	742	0.08
SANOREX2	Len : 1 EVER USED SANOREX		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722286	76.09
	1 = Yes (STMCARD and SANOREX=1,3)	367	0.04
TENUATE2	Len : 1 EVER USED TENUATE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722335	76.09
	1 = Yes (STMCARD and TENUATE=1,3)	318	0.03
OTHSTM	Len : 1 EVER USED OTHER STIMULANTS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	707317	74.51
	1 = Yes (STMCARD or STMNOLST=1,3)	15336	1.62

The following variable, AMDXPHEN, was assigned a positive response if a respondent indicated ever using prescription diet pills (DIETPIL2=1), dexedrine (DEXED2=1), dextroamphetamine (DETAMP2=1), ionamin (IONAMIN2=1), or other-specify drug responses that are not asked about explicitly in the Stimulants module but fall into this category (STIMNEWA, STIMNEWB, STIMNEWC, STIMNEWD, or STIMNEWE in (302, 309, 3015, 3023, 3069, 3086, 3097, 3111)).

AMDXPHEN	Len : 1 AMPHETAMINE, DEXTROAMPHETAMINE, & PHENTERMINE PROD		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	699749	73.71
	1 = Yes (See comment above)	22904	2.41

RECODED DRUG USE

The following variable, MAZINDOL, was assigned a positive response if a respondent indicated ever using mazanor (MAZANOR2=1), sanorex (SANOREX2=1), or other-specify drug responses that are not asked about explicitly in the Stimulants module but fall into this category (STIMNEWA, STIMNEWB, STIMNEWC, STIMNEWD, or STIMNEWE in (317)).

<u>MAZINDOL</u>	Len : 1 MAZINDOL PRODUCTS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722145	76.07
	1 = Yes (See comment above)	508	0.05

The following variable, METHDEXM, was assigned a positive response if a respondent indicated ever using ritalin (RITMPHE2=1) or other-specify drug responses that are not asked about explicitly in the Stimulants module but fall into this category (STIMNEWA, STIMNEWB, STIMNEWC, STIMNEWD, or STIMNEWE in (3077, 3092, 3094, 3102, 3112, 3114, 3124)).

<u>METHDEXM</u>	Len : 1 METHYLPHENIDATE/DEXMETHYLPHENIDATE PRODUCTS		
		Freq	Pct
	-9 = Data not collected for this year	391543	41.25
	0 = No/Unknown (Otherwise).....	541229	57.01
	1 = Yes (See comment above)	16513	1.74

<u>METHAQ2</u>	Len : 1 EVER USED METHAQUALONE, SOPOR, QUALLUDE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	714455	75.26
	1 = Yes (METHAQ=1,3).....	8198	0.86

<u>NEMBBAR2</u>	Len : 1 EVER USED BARBITURATES		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	718984	75.74
	1 = Yes (NEMBBARB=1,3).....	3669	0.39

<u>RESTTMA2</u>	Len : 1 EVER USED RESTORIL OR TEMAZEPAM		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	720128	75.86
	1 = Yes (RESTTMAZ=1,3)	2525	0.27

<u>AMYTAL2</u>	Len : 1 EVER USED AMYTAL		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722180	76.08
	1 = Yes (SEDCARD and AMYTAL=1,3)	473	0.05

<u>BUTISOL2</u>	Len : 1 EVER USED BUTISOL		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722345	76.09
	1 = Yes (SEDCARD and BUTISOL=1,3)	308	0.03

<u>CHHYD2</u>	Len : 1 EVER USED CHLORAL HYDRATE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722316	76.09
	1 = Yes (SEDCARD and CHHYD=1,3).....	337	0.04

<u>DALMANE2</u>	Len : 1 EVER USED DALMANE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722018	76.06
	1 = Yes (SEDCARD and DALMANE=1,3).....	635	0.07

RECODED DRUG USE

HALCION2

Len : 1 EVER USED HALCION

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	721572	76.01
1 = Yes (SEDCARD and HALCION=1,3)	1081	0.11

PHENOBR2

Len : 1 EVER USED PHENOBARBITAL

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	720762	75.93
1 = Yes (SEDCARD and PHENOBAR=1,3)	1891	0.20

PLACIDY2

Len : 1 EVER USED PLACIDYL

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	721742	76.03
1 = Yes (SEDCARD and PLACIDYL=1,3).....	911	0.10

TUINAL2

Len : 1 EVER USED TUINAL

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	721597	76.01
1 = Yes (SEDCARD and TUINAL=1,3)	1056	0.11

OTHSED

Len : 1 EVER USED OTHER SEDATIVES

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	714976	75.32
1 = Yes (SEDCARD or SEDNOLST=1,3)	7677	0.81

RTDALHAL

Len : 1 TEMAZEPAM, FLURAZEPAM, OR TRIAZOLAM

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	718994	75.74
1 = Yes (RESTTMA2=1 or DALMANE2=1 or HALCION2=1).....	3659	0.39

The following variable, ANYBARB, was assigned a positive response if a respondent indicated ever using barbiturates (NEMBBAR2=1), amytal (AMYTAL2=1), butisol (BUTISOL2=1), phenobarbital (PHENOBR2=1), tuinal (TUINAL2=1), or other-specify drug responses that are not asked about explicitly in the Sedatives module but fall into this category (SEDNEWA, SEDNEWB, SEDNEWC, SEDNEWD, or SEDNEWE in (153, 156, 186, 195, 1012)).

ANYBARB

Len : 1 ANY BARBITURATES

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	717491	75.58
1 = Yes (See comment above)	5162	0.54

HALYDAYS

Len : 1 # OF DAYS USED HALLUCINOGENS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = 1-11 Days (IRHALFY=1-11).....	17791	1.87
2 = 12-49 Days (IRHALFY=12-49)	4020	0.42
3 = 50-99 Days (IRHALFY=50-99)	1550	0.16
4 = 100-299 Days (IRHALFY=100-299).....	972	0.10
5 = 300-365 Days (IRHALFY=300-365).....	124	0.01
6 = Non User or No Past Year Use (IRHALFY=991,993)	698196	73.55

RECODED DRUG USE

INHSDAYS

Len : 1 # OF DAYS USED INHALANTS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = 1-11 Days (IRINHFI=1-11)	8707	0.92
2 = 12-49 Days (IRINHFI=12-49)	2821	0.30
3 = 50-99 Days (IRINHFI=50-99)	1113	0.12
4 = 100-299 Days (IRINHFI=100-299)	926	0.10
5 = 300-365 Days (IRINHFI=300-365)	98	0.01
6 = Non User or No Past Year Use (IRINHFI=991,993)	708988	74.69

STMYDAYS

Len : 1 # OF DAYS USED STIMULANTS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = 1-11 Days (IRSTMYFI=1-11)	6838	0.72
2 = 12-49 Days (IRSTMYFI=12-49)	3531	0.37
3 = 50-99 Days (IRSTMYFI=50-99)	1480	0.16
4 = 100-299 Days (IRSTMYFI=100-299)	2255	0.24
5 = 300-365 Days (IRSTMYFI=300-365)	382	0.04
6 = Non User or No Past Year Use (IRSTMYFI=991,993)	708167	74.60

HALMDAYS

Len : 1 # OF DAYS USED HALLUCINOGENS IN PAST MONTH

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = 1-2 Days (IRHALFI=1-2)	4685	0.49
2 = 3-5 Days (IRHALFI=3-5)	1106	0.12
3 = 6-19 Days (IRHALFI=6-19)	508	0.05
4 = 20-30 Days (IRHALFI=20-30)	160	0.02
5 = Non User or No Past Month Use (IRHALFI=91,93)	716194	75.45

INHMDAYS

Len : 1 # OF DAYS USED INHALANTS IN PAST MONTH

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = 1-2 Days (IRINHFI=1-2)	2256	0.24
2 = 3-5 Days (IRINHFI=3-5)	754	0.08
3 = 6-19 Days (IRINHFI=6-19)	494	0.05
4 = 20-30 Days (IRINHFI=20-30)	167	0.02
5 = Non User or No Past Month Use (IRINHFI=91,93)	718982	75.74

The following variable, ALCAVGM, was defined as the product of the number of days a user consumed alcohol in the past month (IRALCFM) and the average number of drinks consumed per day on the days alcohol was used in the past month (NODR30A). A value of missing was assigned whenever a respondent said that they had not used alcohol in the past month (IRALCFM=91, 93 or NODR30A=991, 993) or the average number of drinks consumed per day on the days alcohol was used in the past month was unknown (NODR30A=985, 994, 997, 998) or logically assigned to 5 or more (NODR30A=975).

ALCAVGM

Len : 4 NUMBER OF ALC BEVS DRANK PER USER IN PAST MONTH

	Freq	Pct
RANGE = 1 - 2700	303209	31.94
. = Not Used/Unknown (See comment above)	419444	44.19
-9 = Data not collected for this year	226632	23.87

FUSLT18

Len : 1 FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 18

	Freq	Pct
-9 = Data not collected for this year	280711	29.57
1 = Yes (IRSLTAGE<18)	79470	8.37
2 = No (IRSLTAGE>=18)	589104	62.06

FUSLT21

Len : 1 FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 21

	Freq	Pct
-9 = Data not collected for this year	280711	29.57
1 = Yes (IRSLTAGE<21)	102047	10.75
2 = No (IRSLTAGE>=21)	566527	59.68

RECODED DRUG USE

FUHAL18	Len : 1 FIRST USED HALLUCINOGENS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (IRHALAGE<18).....	47082	4.96
	2 = No (IRHALAGE>=18).....	621492	65.47
FUHAL21	Len : 1 FIRST USED HALLUCINOGENS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (IRHALAGE<21).....	76199	8.03
	2 = No (IRHALAGE>=21).....	592375	62.40
FUECS18	Len : 1 FIRST USED ECSTASY PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (IRECSAGE<18)	16707	1.76
	2 = No (IRECSAGE>=18).....	651867	68.67
FUECS21	Len : 1 FIRST USED ECSTASY PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (IRECSAGE<21)	33351	3.51
	2 = No (IRECSAGE>=21).....	635223	66.92
FUINH18	Len : 1 FIRST USED INHALANTS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (IRINHAGE<18).....	48934	5.15
	2 = No (IRINHAGE>=18).....	619640	65.27
FUINH21	Len : 1 FIRST USED INHALANTS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (IRINHAGE<21).....	60590	6.38
	2 = No (IRINHAGE>=21).....	607984	64.05
FUANL18	Len : 1 FIRST USED PAIN RELIEVERS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (IRANLAGE<18).....	54287	5.72
	2 = No (IRANLAGE>=18).....	614287	64.71
FUANL21	Len : 1 FIRST USED PAIN RELIEVERS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (IRANLAGE<21).....	79975	8.42
	2 = No (IRANLAGE>=21).....	588599	62.00
FUOXY18	Len : 1 FIRST USED OXYCONTIN PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	335941	35.39
	1 = Yes (IROXYAGE<18)	8178	0.86
	2 = No (IROXYAGE>=18)	605166	63.75
FUOXY21	Len : 1 FIRST USED OXYCONTIN PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	335941	35.39
	1 = Yes (IROXYAGE<21)	13526	1.42
	2 = No (IROXYAGE>=21)	599818	63.19

RECODED DRUG USE

FUTRN18	Len : 1 FIRST USED TRANQUILIZERS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (IRTRNAGE<18).....	23332	2.46
	2 = No (IRTRNAGE>=18).....	645242	67.97
FUTRN21	Len : 1 FIRST USED TRANQUILIZERS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (IRTRNAGE<21).....	38045	4.01
	2 = No (IRTRNAGE>=21).....	630529	66.42
FUSTM18	Len : 1 FIRST USED STIMULANTS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (IRSTMAGE<18).....	24584	2.59
	2 = No (IRSTMAGE>=18).....	643990	67.84
FUSTM21	Len : 1 FIRST USED STIMULANTS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (IRSTMAGE<21).....	38318	4.04
	2 = No (IRSTMAGE>=21).....	630256	66.39
FUMTH18	Len : 1 FIRST USED METHAMPHETAMINE PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (IRMTHAGE<18).....	10650	1.12
	2 = No (IRMTHAGE>=18).....	657924	69.31
FUMTH21	Len : 1 FIRST USED METHAMPHETAMINE PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (IRMTHAGE<21).....	17089	1.80
	2 = No (IRMTHAGE>=21).....	651485	68.63
FUSED18	Len : 1 FIRST USED SEDATIVES PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (IRSEDAGE<18).....	6563	0.69
	2 = No (IRSEDAGE>=18).....	662011	69.74
FUSED21	Len : 1 FIRST USED SEDATIVES PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (IRSEDAGE<21).....	10047	1.06
	2 = No (IRSEDAGE>=21).....	658527	69.37
FUPSY18	Len : 1 FIRST USED PSYCHOTHERAPEUTICS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (PSYAGE2<18).....	72221	7.61
	2 = No (PSYAGE2>=18).....	596353	62.82
FUPSY21	Len : 1 FIRST USED PSYCHOTHERAPEUTICS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (PSYAGE2<21).....	105950	11.16
	2 = No (PSYAGE2>=21).....	562624	59.27

RECODED DRUG USE

FUSUM18	Len : 1 FIRST USED ILLICIT DRUGS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (SUMAGE<18)	223639	23.56
	2 = No (SUMAGE>=18)	444935	46.87

FUSUM21	Len : 1 FIRST USED ILLICIT DRUGS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (SUMAGE<21)	280256	29.52
	2 = No (SUMAGE>=21)	388318	40.91

FUIEM18	Len : 1 FIRST USED ILL DRG OTH THAN MJ PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (IEMAGE<18)	120050	12.65
	2 = No (IEMAGE>=18)	548524	57.78

FUIEM21	Len : 1 FIRST USED ILL DRG OTH THAN MJ PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	280711	29.57
	1 = Yes (IEMAGE<21)	165062	17.39
	2 = No (IEMAGE>=21)	503512	53.04

Note: The following variable for past year misuse of other pain reliever products, PNROTMYR3, was based only on the edited misuse of any other pain reliever variable. PNROTMYR3 will not be available starting with the 2017 NSDUH but has been retained on this data file. Starting with 2017, past year misuse of any other pain reliever estimates are based on a revised variable, PNROTHPYMU2, which took into account the other-specify write-in data.

PNROTMYR3	Len : 1 RC-OTHER PAIN RELIEVER- PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	835242	87.99
	0 = No/Unknown (Otherwise)	113556	11.96
	1 = Yes	487	0.05

Note: The following variable for past year misuse of other tranquilizer products, TRQOTMYR3, was based only on the edited misuse of any other tranquilizer variable. TRQOTMYR3 will not be available starting with the 2017 NSDUH but has been retained on this data file. Starting with 2017, past year misuse of any other tranquilizer estimates are based on a revised variable, TRQOTHPYMU2, which took into account the other-specify write-in data.

TRQOTMYR3	Len : 1 RC-OTHER TRANQUILIZER- PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	835242	87.99
	0 = No/Unknown (Otherwise)	113945	12.00
	1 = Yes	98	0.01

Note: The following variable for past year misuse of other stimulant products, STMOTMYR3, was based only on the edited misuse of any other stimulant variable. STMOTMYR3 will not be available starting with the 2017 NSDUH but has been retained on this data file. Starting with 2017, past year misuse of any other stimulant estimates are based on a revised variable, STMOTHPYMU2, which took into account the other-specify write-in data.

STMOTMYR3	Len : 1 RC-OTHER STIMULANT - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	835242	87.99
	0 = No/Unknown	113993	12.01
	1 = Yes	50	0.01

RECODED DRUG USE

Note: The following variable for past year misuse of other sedative products, SEDOTNMYR3, was based only on the edited misuse of any other sedative variable. SEDOTNMYR3 will not be available starting with the 2017 NSDUH but has been retained on this data file. Starting with 2017, past year misuse of any other sedative estimates are based on a revised variable, SEDOTHPYMU2, which took into account the other-specify write-in data.

<u>SEDOTNMYR3</u>	Len : 1	RC-OTHER SEDATIVE - PAST YEAR MISUSE		
			Freq	Pct
		-9 = Data not collected for this year	835242	87.99
		0 = No/Unknown	113913	12.00
		1 = Yes.....	130	0.01

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

<u>CIGFLAG</u>	Len : 1	RC-CIGARETTES - EVER USED		
			Freq	Pct
		0 = Never used (IRCIGRC = 9)	444559	46.83
		1 = Ever used (IRCIGRC = 1-4)	504726	53.17

<u>CIGYR</u>	Len : 1	RC-CIGARETTES - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year (IRCIGRC = 3,4,9)	673449	70.94
		1 = Used within the past year (IRCIGRC = 1,2).....	275836	29.06

<u>CIGMON</u>	Len : 1	RC-CIGARETTES - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in the past month (IRCIGRC = 2-4,9).....	727413	76.63
		1 = Used within the past month (IRCIGRC = 1).....	221872	23.37

<u>CGRFLAG</u>	Len : 1	RC-CIGARS - EVER USED		
			Freq	Pct
		0 = Never used (IRCGRRRC = 9)	656358	69.14
		1 = Ever used (IRCGRRRC = 1-4)	292927	30.86

<u>CGRYR</u>	Len : 1	RC-CIGARS - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year (IRCGRRRC = 3,4,9).....	827700	87.19
		1 = Used within the past year (IRCGRRRC = 1,2).....	121585	12.81

<u>CGRMON</u>	Len : 1	RC-CIGARS - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in the past month (IRCGRRRC = 2-4,9).....	889468	93.70
		1 = Used within the past month (IRCGRRRC = 1)	59817	6.30

<u>PIPFLAG</u>	Len : 1	RC-PIPES - EVER USED		
			Freq	Pct
		0 = Never Used (IRPIPLF = 9)	864915	91.11
		1 = Ever Used (IRPIPLF = 1)	84370	8.89

<u>PIPMON</u>	Len : 1	RC-PIPES - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in the past month (IRPIPMN = 2,9).....	940069	99.03
		1 = Used within the past month (IRPIPMN = 1).....	9216	0.97

<u>SMKLSSFLAG</u>	Len : 1	RC-SMOKELESS TOBACCO - EVER USED		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = Never Used (IRSMKLSSREC = 9)	190263	20.04
		1 = Ever Used (IRSMKLSSREC = 1-4)	36369	3.83

RECODED DRUG USE

[SMKLSSYR](#)

Len : 1 RC-SMOKELESS TOBACCO - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = Did not use in the past year (IRSMKLSSREC = 3,4,9).....	214303	22.58
1 = Used within the past year (IRSMKLSSREC = 1,2).....	12329	1.30

[SMKLSSMON](#)

Len : 1 RC-SMOKELESS TOBACCO - PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = Did not use in the past month (IRSMKLSSREC= 2-4,9)	218331	23.00
1 = Used within the past month (IRSMKLSSREC = 1)	8301	0.87

[TOBFLAG](#)

Len : 1 RC-ANY TOBACCO - EVER USED

	Freq	Pct
0 = Never Used (All source variables = 0)	396729	41.79
1 = Ever Used (Any source variable = 1).....	552556	58.21

[TOBYR](#)

Len : 1 RC-ANY TOBACCO - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (All source variables = 0)	617874	65.09
1 = Used within the past year (Any source variable = 1).....	331411	34.91

[TOBMON](#)

Len : 1 RC-ANY TOBACCO - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (All source variables = 0).....	685848	72.25
1 = Used within the past month (Any source variable = 1).....	263437	27.75

[ALCFLAG](#)

Len : 1 RC-ALCOHOL - EVER USED

	Freq	Pct
0 = Never used (IRALCRC = 9)	265237	27.94
1 = Ever used (IRALCRC = 1-3)	684048	72.06

[ALCYR](#)

Len : 1 RC-ALCOHOL - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRALCRC = 3,9).....	371329	39.12
1 = Used within the past year (IRALCRC = 1,2).....	577956	60.88

[ALCMON](#)

Len : 1 RC-ALCOHOL - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRALCRC = 2-3,9).....	520797	54.86
1 = Used within the past month (IRALCRC = 1)	428488	45.14

[MRJFLAG](#)

Len : 1 RC-MARIJUANA - EVER USED

	Freq	Pct
0 = Never used (IRMJRC = 9).....	562521	59.26
1 = Ever used (IRMJRC = 1-3).....	386764	40.74

[MRJYR](#)

Len : 1 RC-MARIJUANA - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMJRC = 3,9).....	778651	82.02
1 = Used within the past year (IRMJRC = 1,2)	170634	17.98

[MRJMON](#)

Len : 1 RC-MARIJUANA - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMJRC = 2-3,9)	847958	89.33
1 = Used within the past month (IRMJRC = 1).....	101327	10.67

[COCFLAG](#)

Len : 1 RC-COCAINE - EVER USED

	Freq	Pct
0 = Never used (IRCOCRC = 9)	838236	88.30
1 = Ever used (IRCOCRC = 1-3)	111049	11.70

RECODED DRUG USE

COCYR	Len : 1 RC-COCAINE - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRCOCRC = 3,9).....	922827	97.21
	1 = Used within the past year (IRCOCRC = 1,2).....	26458	2.79
COCMON	Len : 1 RC-COCAINE - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRCOCRC = 2-3,9).....	940686	99.09
	1 = Used within the past month (IRCOCRC = 1).....	8599	0.91
CRKFLAG	Len : 1 RC-"CRACK" - EVER USED		
		Freq	Pct
	0 = Never used (IRCKRC = 9).....	922317	97.16
	1 = Ever used (IRCKRC = 1-3).....	26968	2.84
CRKYR	Len : 1 RC-"CRACK" - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRCKRC = 3,9).....	944966	99.55
	1 = Used within the past year (IRCKRC = 1,2).....	4319	0.45
CRKMON	Len : 1 RC-"CRACK" - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRCKRC = 2-3,9).....	947733	99.84
	1 = Used within the past month (IRCKRC = 1).....	1552	0.16
HERFLAG	Len : 1 RC-HEROIN - EVER USED		
		Freq	Pct
	0 = Never used (IRHERRC = 9).....	935393	98.54
	1 = Ever used (IRHERRC = 1-3).....	13892	1.46
HERYR	Len : 1 RC-HEROIN - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRHERRC = 3,9).....	946105	99.67
	1 = Used within the past year (IRHERRC = 1,2).....	3180	0.33
HERMON	Len : 1 RC-HEROIN - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRHERRC = 2-3,9).....	947980	99.86
	1 = Used within the past month (IRHERRC = 1).....	1305	0.14
HALLUCFLAG	Len : 1 RC-HALLUCINOGENS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	76.13
	0 = Never used (IRHALLUCREC = 9).....	193769	20.41
	1 = Ever used (IRHALLUCREC = 1-3).....	32863	3.46
HALLUCYR	Len : 1 RC-HALLUCINOGENS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	76.13
	0 = Did not use in the past year (IRHALLUCREC = 3,9).....	220251	23.20
	1 = Used within the past year (IRHALLUCREC = 1,2).....	6381	0.67
HALLUCMON	Len : 1 RC-HALLUCINOGENS - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	76.13
	0 = Did not use in the past month (IRHALLUCREC = 2-3,9).....	224911	23.69
	1 = Used within the past month (IRHALLUCREC = 1).....	1721	0.18
LSDFLAG	Len : 1 RC-LSD - EVER USED		
		Freq	Pct
	0 = Never used (IRLSDRC = 9).....	874695	92.14
	1 = Ever used (IRLSDRC = 1-3).....	74590	7.86

RECODED DRUG USE

LSDYR	Len : 1 RC-LSD - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRLSDRC = 3,9)	941078	99.14
	1 = Used within the past year (IRLSDRC = 1,2)	8207	0.86
LSDMON	Len : 1 RC-LSD - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRLSDRC = 2-3,9)	947585	99.82
	1 = Used within the past month (IRLSDRC = 1)	1700	0.18
PCPFLAG	Len : 1 RC-PCP - EVER USED		
		Freq	Pct
	0 = Never used (IRPCPRC = 9)	932087	98.19
	1 = Ever used (IRPCPRC = 1-3)	17198	1.81
PCPYR	Len : 1 RC-PCP - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRPCPRC = 3,9)	948034	99.87
	1 = Used within the past year (IRPCPRC = 1,2)	1251	0.13
PCPMON	Len : 1 RC-PCP - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRPCPRC = 2-3,9)	949000	99.97
	1 = Used within the past month (IRPCPRC = 1)	285	0.03
ECSTMOFLAG	Len : 1 RC-ECSTASY - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never used (IRECSTMOREC = 9)	209021	22.02
	1 = Ever used (IRECSTMOREC = 1-3)	17611	1.86
ECSTMOYR	Len : 1 RC-ECSTASY - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not use in the past year (IRECSTMOREC = 3,9)	223603	23.55
	1 = Used within the past year (IRECSTMOREC = 1,2)	3029	0.32
ECSTMOMON	Len : 1 RC-ECSTASY - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not use in the past month (IRECSTMOREC = 2-3,9)	225948	23.80
	1 = Used within the past month (IRECSTMOREC = 1)	684	0.07
DAMTFXFLAG	Len : 1 RC-DMT/AMT/FOXY - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never used (IRDAMTFXREC = 9)	224104	23.61
	1 = Ever used (IRDAMTFXREC = 1-3)	2528	0.27
DAMTFXYR	Len : 1 RC-DMT/AMT/FOXY - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not use in the past year (IRDAMTFXREC = 3,9)	226197	23.83
	1 = Used within the past year (IRDAMTFXREC = 1,2)	435	0.05
DAMTFXMON	Len : 1 RC-DMT/AMT/FOXY - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not use in the past month (IRDAMTFXREC = 2-3,9)	226540	23.86
	1 = Used within the past month (IRDAMTFXREC = 1)	92	0.01

RECODED DRUG USE

KETMINFLAG	Len : 1 RC-KETAMINE - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never used (IRKETMINREC = 9)	223664	23.56
	1 = Ever used (IRKETMINREC = 1-3)	2968	0.31
KETMINYR	Len : 1 RC-KETAMINE - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not use in the past year (IRKETMINREC = 3,9)	226269	23.84
	1 = Used within the past year (IRKETMINREC = 1,2)	363	0.04
KETMINMON	Len : 1 RC-KETAMINE - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not use in the past month (IRKETMINREC = 2-3,9)	226547	23.87
	1 = Used within the past month (IRKETMINREC = 1)	85	0.01
SALVIAFLAG	Len : 1 RC-SALVIA - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never used (IRSALVIAREC = 9)	221350	23.32
	1 = Ever used (IRSALVIAREC = 1-3)	5282	0.56
SALVIAYR	Len : 1 RC-SALVIA - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not use in the past year (IRSALVIAREC = 3,9)	226400	23.85
	1 = Used within the past year (IRSALVIAREC = 1,2)	232	0.02
SALVIAMON	Len : 1 RC-SALVIA - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not use in the past month (IRSALVIAREC = 2-3,9)	226594	23.87
	1 = Used within the past month (IRSALVIAREC = 1)	38	0.00
INHALFLAG	Len : 1 RC-INHALANTS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never used (IRINHALREC = 9)	204026	21.49
	1 = Ever used (IRINHALREC = 1-3)	22606	2.38
INHALYR	Len : 1 RC-INHALANTS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not use in the past year (IRINHALREC = 3,9)	223955	23.59
	1 = Used within the past year (IRINHALREC = 1,2)	2677	0.28
INHALMON	Len : 1 RC-INHALANTS - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not use in the past month (IRINHALREC = 2-3,9)	225842	23.79
	1 = Used within the past month (IRINHALREC = 1)	790	0.08
METHAMFLAG	Len : 1 RC-METHAMPHETAMINE - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never used (IRMETHAMREC = 9)	216424	22.80
	1 = Ever used (IRMETHAMREC = 1-3)	10208	1.08

RECODED DRUG USE

METHAMMYR

Len : 1 RC-METHAMPHETAMINE - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = Did not use in the past year (IRMETHAMREC = 3,9).....	225036	23.71
1 = Used within the past year (IRMETHAMREC = 1,2)	1596	0.17

METHAMMON

Len : 1 RC-METHAMPHETAMINE - PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = Did not use in the past month (IRMETHAMREC= 2-3,9)	225933	23.80
1 = Used within the past month (IRMETHAMREC = 1)	699	0.07

NOTE: The following 13 variables refer to any use of prescription drugs. Any Use of prescription drugs is defined as either the use of one's own prescription medication as directed by a doctor or the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor. Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of prescription drug variables (ever used/ever misused) in analysis. These include PNRANYFLAG, TRQANYFLAG, STMANYFLAG, SEDANYFLAG, TQSDANYFLG, AND PSYANYFLAG.

PNRANYFLAG

Len : 1 RC-ANY PAIN RELIEVER - EVER USED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = Never used (IRPNRANYREC = 9)	103996	10.96
1 = Ever used (IRPNRANYREC = 1-2)	122636	12.92

PNRANYR

Len : 1 RC-ANY PAIN RELIEVER - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = Did not use in the past year (IRPNRANYREC = 2,9).....	156939	16.53
1 = Used within the past year (IRPNRANYREC = 1).....	69693	7.34

OXYCNANYR

Len : 1 RC-OXYCONTIN - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = Did not use in the past year (IROXCNANYR = 9)	219220	23.09
1 = Used within the past year (IROXCNANYR = 1)	7412	0.78

TRQANYFLAG

Len : 1 RC-ANY TRANQUILIZERS - EVER USED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = Never used (IRTRQANYREC = 9)	184146	19.40
1 = Ever used (IRTRQANYREC = 1-2)	42486	4.48

TRQANYR

Len : 1 RC-ANY TRANQUILIZERS - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = Did not use in the past year (IRTRQANYREC = 2,9).....	199759	21.04
1 = Used within the past year (IRTRQANYREC = 1)	26873	2.83

STMANYFLAG

Len : 1 RC-ANY STIMULANTS - EVER USED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = Never used (IRSTMANYREC = 9).....	196363	20.69
1 = Ever used (IRSTMANYREC = 1-2)	30269	3.19

STMANYR

Len : 1 RC-ANY STIMULANTS - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = Did not use in the past year (IRSTMANYREC = 2,9)	207513	21.86
1 = Used within the past year (IRSTMANYREC = 1)	19119	2.01

RECODED DRUG USE

<u>SEDANYFLAG</u>	Len : 1 RC-ANY SEDATIVES - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never used (IRSEDANYREC = 9).....	202573	21.34
	1 = Ever used (IRSEDANYREC = 1-2).....	24059	2.53

<u>SEDANYR</u>	Len : 1 RC-ANY SEDATIVES - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not use in the past year (IRSEDANYREC = 2,9).....	215189	22.67
	1 = Used within the past year (IRSEDANYREC = 1).....	11443	1.21

<u>PSYANYFLAG</u>	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never used (All source variables = 0).....	92345	9.73
	1 = Ever used (Any source variable = 1).....	134287	14.15

<u>PSYANYR</u>	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not use within pst year (All source variables =0).....	137944	14.53
	1 = Used in past year (Any source variable = 1).....	88688	9.34

NOTE: The following 22 variables refer to the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor. Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of prescription drug variables (ever misused) in analysis. These include PNRNMFLAG, TRQNMFLAG, STMNMFLAG, SEDNMFLAG, TQSDNMFLAG, AND PSYCHFLAG.

<u>PNRNMFLAG</u>	Len : 1 RC-PAIN RELIEVERS - EVER MISUSED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never misused (IRPNRNMREC = 9).....	202903	21.37
	1 = Ever misused (IRPNRNMREC = 1-3).....	23729	2.50

<u>PNRNMRYR</u>	Len : 1 RC-PAIN RELIEVERS - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not misuse in the past year (IRPNRNMREC = 3,9).....	215553	22.71
	1 = Misused within the past year (IRPNRNMREC = 1,2).....	11079	1.17

<u>PNRNMMON</u>	Len : 1 RC-PAIN RELIEVERS - PAST MONTH MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not misuse in the pst mon (IRPNRNMREC = 2-3,9).....	223408	23.53
	1 = Misused within the past month (IRPNRNMREC = 1).....	3224	0.34

<u>OXYCNNMYR</u>	Len : 1 RC-OXYCONTIN - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not misuse in the past year (IROXCNNMYR = 9).....	224887	23.69
	1 = Misused within the past year (IROXCNNMYR = 1).....	1745	0.18

<u>TRQNMFLAG</u>	Len : 1 RC-TRANQUILIZERS - EVER MISUSED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never misused (IRTRQNMREC = 9).....	216284	22.78
	1 = Ever misused (IRTRQNMREC = 1-3).....	10348	1.09

RECODED DRUG USE

TRQNMYR	Len : 1 RC-TRANQUILIZERS - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not misuse in the past year (IRTRQNMREC = 3,9)	220419	23.22
	1 = Misused within the past year (IRTRQNMREC = 1,2)	6213	0.65
TRQNMMON	Len : 1 RC-TRANQUILIZERS - PAST MONTH MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not misuse in the pst mon (IRTRQNMREC = 2-3,9)	224769	23.68
	1 = Misused within the past month (IRTRQNMREC = 1)	1863	0.20
STMNFLAG	Len : 1 RC-STIMULANTS - EVER MISUSED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never misused (IRSTMNMREC = 9)	215202	22.67
	1 = Ever misused (IRSTMNMREC = 1-3)	11430	1.20
STMNMYR	Len : 1 RC-STIMULANTS - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not misuse in the past year (IRSTMNMREC = 3,9)	219878	23.16
	1 = Misused within the past year (IRSTMNMREC = 1,2)	6754	0.71
STMNMMON	Len : 1 RC-STIMULANTS - PAST MONTH MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not misuse in the pst mon (IRSTMNMREC = 2-3,9)	224600	23.66
	1 = Misused within the past month (IRSTMNMREC = 1)	2032	0.21
SEDNFLAG	Len : 1 RC-SEDATIVES - EVER MISUSED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never misused (IRSEDNMREC = 9)	222052	23.39
	1 = Ever misused (IRSEDNMREC = 1-3)	4580	0.48
SEDNMYR	Len : 1 RC-SEDATIVES - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not misuse in the past year (IRSEDNMREC = 3,9)	225449	23.75
	1 = Misused within the past year (IRSEDNMREC = 1,2)	1183	0.12
SEDNMMON	Len : 1 RC-SEDATIVES - PAST MONTH MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not misuse in the pst mon (IRSEDNMREC = 2-3,9)	226300	23.84
	1 = Misused within the past month (IRSEDNMREC = 1)	332	0.03
PSYCHFLAG	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - EVER MISUSED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never misused (All source variables = 0)	195074	20.55
	1 = Ever misused (Any source variable = 1)	31558	3.32
PSYCHYR	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not misuse within pst year (All source variables = 0)	208121	21.92
	1 = Misused in past year (Any source variable = 1)	18511	1.95

RECODED DRUG USE

PSYCHMON	Len : 1 RC-ANY PSYCHOTHEAPEUTICS - PAST MONTH MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not misuse in past month (All source variables = 0)	220599	23.24
	1 = Misused in past month (Any source variable = 1)	6033	0.64

OPINMYR	Len : 1 RC-OPIOIDS - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (HERYR=0 and PNRNMYR=0)	215288	22.68
	1 = Yes (HERYR=1 or PNRNMYR=1)	11344	1.20

OPINMMON	Len : 1 RC-OPIOIDS - PAST MONTH MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (HERMON=0 and PNRNMMON=0)	223166	23.51
	1 = Yes (HERMON=1 or PNRNMMON=1)	3466	0.37

HERPNRYR	Len : 1 RC-HEROIN USE AND/OR PAIN RELIEVER MISUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Heroin use and no pain rel misuse (HERYR=1 and PNRNMYR=0)	265	0.03
	2 = Pain rel misuse and no heroin use (HERYR=0 and PNRNMYR=1)	10443	1.10
	3 = Heroin use and pain rel misuse (HERYR=1 and PNRNMYR=1)	636	0.07
	4 = No heroin use and no pain rel misuse (HERYR=0 and PNRNMYR=0)	215288	22.68

ILLFLAG	Len : 1 RC-ANY ILLICIT DRUG - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never used (All source variables = 0)	118025	12.43
	1 = Ever used (Any source variable = 1)	108607	11.44

ILLYR	Len : 1 RC-ANY ILLICIT DRUG - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not use in past year (All source variables = 0)	174316	18.36
	1 = Used in past year (Any source variable = 1)	52316	5.51

ILLMON	Len : 1 RC-ANY ILLICIT DRUG - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not use in past month (All source variables = 0)	196054	20.65
	1 = Used in past month (Any source variable = 1)	30578	3.22

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use of marijuana only variable in analysis. This variable may overestimate lifetime users of only marijuana.

MJONLYFLAG	Len : 1 RC-MARIJUANA ONLY - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never used MJ/has used both MJ & anothr illct drug	181448	19.11
	1 = Marijuana is only (illicit) drug ever used	45184	4.76

MJONLYYR	Len : 1 RC-MARIJUANA ONLY - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = MJ not used past yr/Used MJ & othr drug past yr	199386	21.00
	1 = Marijuana is only (illicit) drug in past year	27246	2.87

MJONLYMON	Len : 1 RC-MARIJUANA ONLY - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = MJ not used past mnth/Used MJ & othr drug past mo	205183	21.61
	1 = Marijuana only (illicit) drug in past month	21449	2.26

RECODED DRUG USE

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use of illicit drugs other than marijuana variable in analysis. This caution does not apply to lifetime use of any illicit drug variable given it is dominated by lifetime marijuana use.

<u>ILLEMFLAG</u>	Len : 1 RC-ILLCIT DRUG OTHER THAN MARIJUANA - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never used drug/used only marijuana.....	163209	17.19
	1 = Illicit drug except for marijuana are ever used.....	63423	6.68

<u>ILLEMYR</u>	Len : 1 RC-ILLCIT DRUG OTHER THAN MARIJUANA - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never used drug/used only marijuana past year.....	201562	21.23
	1 = Illicit drug except for marijuana used past year.....	25070	2.64

<u>ILLEMMON</u>	Len : 1 RC-ILLCIT DRUG OTHER THAN MARIJUANA-PAST MONTH		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never used drug/used only marijuana past month.....	217503	22.91
	1 = Illicit drug except for marijuana used past month.....	9129	0.96

<u>CDUFLAG</u>	Len : 1 RC-CIGARETTES DAILY - EVER USED		
		Freq	Pct
	0 = Never Used/Never Used Daily (Otherwise)	693037	73.01
	1 = Ever Used (IRCDUAGE=1-90).....	256248	26.99

<u>DCIGMON</u>	Len : 1 RC-PAST MONTH DAILY CIGARETTE USE		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	0 = Did Not Use Daily in Past Mon (IRCIGFM=1-29,91,93).....	738042	77.75
	1 = Used Daily in the Past Month (IRCIGFM=30).....	101934	10.74

<u>CDCGMO</u>	Len : 1 RC-EVER USED CIG DAILY AND PAST MONTH CIG USE		
		Freq	Pct
	0 = No (Otherwise)	779947	82.16
	1 = Yes (CDUFLAG=1 and CIGMON=1).....	169338	17.84

<u>CDNOCGMO</u>	Len : 1 RC-EVER USED CIG DAILY AND NO PAST MONTH CIG USE		
		Freq	Pct
	0 = No (Otherwise)	862375	90.84
	1 = Yes (CDUFLAG=1 and CIGMON=0).....	86910	9.16

<u>CIGALCMO</u>	Len : 1 RC-PAST MONTH CIGARETTE/ALCOHOL USE		
		Freq	Pct
	-9 = Data not collected for this year	56313	5.93
	1 = Past Mon Use of Cig & Alc (CIGMON=1 & ALCMON=1)	147848	15.57
	2 = Past Mon Use of Cig & No Alc (CIGMON=1 & ALCMON=0).....	64406	6.78
	3 = Past Mon Use of Alc & No Cig (CIGMON=0 & ALCMON=1).....	255092	26.87
	4 = No Past Mon Use of Cig/Alc (CIGMON=0 & ALCMON=0)	425626	44.84

"Binge" Alcohol Use, BNGDRKMON, is defined as drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females on at least one day in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. Prior to 2015, "binge" alcohol use was defined as drinking five or more drinks on the same occasion for everyone, regardless of sex. Therefore, BNGDRKMON is comparable to the version of this variable created from 2002-2014, BINGEDRK, among males but not overall or among females.

<u>BNGDRKMON</u>	Len : 1 RC-BINGE ALCOHOL USE PAST 30 DAYS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never/No "Binge" alc use (IRALCBNG30D = 0,91,93)	169869	17.89
	1 = "Binge" alcohol use (IRALCBNG30D = 1-30)	56763	5.98

RECODED DRUG USE

Heavy Alcohol Use, HVYDRKMON, is defined as drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females on each of 5 or more days in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users. Prior to 2015, heavy alcohol use was defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days for everyone, regardless of sex. Therefore, HVYDRKMON is comparable to the version of this variable created from 2002-2014, HVYDRK2, among males but not overall or among females.

<u>HVYDRKMON</u>	Len : 1 RC-HEAVY ALCOHOL USE PAST 30 DAYS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never/No heavy alc use (IRALCBNG30D = 0-4,91,93)	212403	22.38
	1 = Heavy alcohol use (IRALCBNG30D = 5-30)	14229	1.50

The following variable, BNGHVYMON, was created by examination of past month binge alcohol use (BNGDRKMON), past month heavy alcohol use (HVYDRKMON), and past month alcohol use (ALCMON). To be considered a past month "binge" or heavy alcohol user, a respondent must have used alcohol in the past month. Further, to be a past month heavy alcohol user, a respondent must also be a past month "binge" alcohol user.

<u>BNGHVYMON</u>	Len : 1 RC-LEVEL OF ALCOHOL USE IN PAST MONTH		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Heavy alcohol use (HVYDRKMON=1)	10822	1.14
	2 = "Binge" but not heavy use (BNGDRKMON=1 & HVYDRKMON=0)	32108	3.38
	3 = Past month but not "binge" (ALCMON=1 & BNGDRKMON=0)	34947	3.68
	4 = Did not use alcohol in past month (All source=0)	92442	9.74

<u>ILTOBALCMN</u>	Len : 1 RC-ILLCIT DRUG, TOBACCO PRD, OR ALC PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No drug, tob, or alc past mon use (Otherwise)	101906	10.74
	1 = Drug, tob, or alc past mon use (ILLMON, TOBMON or ALCMON=1)	124726	13.14

<u>ILLALCMON</u>	Len : 1 RC-ILLCIT DRUG OR ALCOHOL PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No Drug or Alc Past Mon Use (Otherwise)	115244	12.14
	1 = Drug or Alc Past Mon Use (ILLMON=1 or ALCMON=1)	111388	11.73

<u>TOBALCMN</u>	Len : 1 RC-TOBACCO PRODUCT OR ALCOHOL PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	441244	46.48
	0 = No Tob or Alc Past Mon Use (Otherwise)	238511	25.13
	1 = Tob or Alc Past Mon Use (TOBMON=1 or ALCMON=1)	269530	28.39

<u>ILLANDALC</u>	Len : 1 RC-ILLCIT DRUG AND ALCOHOL USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No drug or alc past year use (Otherwise)	181712	19.14
	1 = Drug and alc past year use (ILLYR=1 and ALCYR=1)	44920	4.73

<u>ILLORALC</u>	Len : 1 RC-ILLCIT DRUG OR ALCOHOL USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No drug and alc past year use (Otherwise)	81809	8.62
	1 = Drug or alc past year use (ILLYR=1 or ALCYR=1)	144823	15.26

<u>ILLALCFLG</u>	Len : 1 RC-ILLCIT DRUG OR ALCOHOL - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No drug or alc lifetime use (Otherwise)	55953	5.89
	1 = Drug or alc lifetime use (ILLFLAG=1 or ALCFLAG=1)	170679	17.98

<u>PEYOTE2</u>	Len : 1 RC-EVER USED PEYOTE		
		Freq	Pct
	0 = No/Unknown (Otherwise)	935313	98.53
	1 = Yes (PEYOTE=1,3)	13972	1.47

RECODED DRUG USE

MESC2	Len : 1 RC-EVER USED MESCALINE		
	0 = No/Unknown (Otherwise).....	Freq 930918	Pct 98.07
	1 = Yes (MESC=1,3).....	18367	1.93
PSILCY2	Len : 1 RC-EVER USED PSILOCYBIN (MUSHROOMS)		
	0 = No/Unknown (Otherwise).....	Freq 873090	Pct 91.97
	1 = Yes (PSILCY=1,3).....	76195	8.03
AMYLNIT2	Len : 1 RC-EVER INHALED AMYL NITRITE, "POPPERS", RUSH, ETC.		
	0 = No/Unknown (Otherwise).....	Freq 926899	Pct 97.64
	1 = Yes (AMYLNIT=1,3).....	22386	2.36
CLEFLU2	Len : 1 RC-EVER INHALED CORRECTION FLUID, DEGREASER, ETC.		
	0 = No/Unknown (Otherwise).....	Freq 939003	Pct 98.92
	1 = Yes (CLEFLU=1,3).....	10282	1.08
GAS2	Len : 1 RC-EVER INHALED GASOLINE OR LIGHTER FLUID		
	0 = No/Unknown (Otherwise).....	Freq 930449	Pct 98.02
	1 = Yes (GAS=1,3).....	18836	1.98
GLUE2	Len : 1 RC-EVER INHALED GLUE, SHOE POLISH, OR TOLUENE		
	0 = No/Unknown (Otherwise).....	Freq 930111	Pct 97.98
	1 = Yes (GLUE=1,3).....	19174	2.02
ETHER2	Len : 1 RC-EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC		
	0 = No/Unknown (Otherwise).....	Freq 944994	Pct 99.55
	1 = Yes (ETHER=1,3).....	4291	0.45
SOLVENT2	Len : 1 RC-EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS		
	0 = No/Unknown (Otherwise).....	Freq 940425	Pct 99.07
	1 = Yes (SOLVENT=1,3).....	8860	0.93
LGAS2	Len : 1 RC-EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
	0 = No/Unknown (Otherwise).....	Freq 943842	Pct 99.43
	1 = Yes (LGAS=1,3).....	5443	0.57
NITOXID2	Len : 1 RC-EVER INHALED NITROUS OXIDE OR "WHIPPITS"		
	0 = No/Unknown (Otherwise).....	Freq 904092	Pct 95.24
	1 = Yes (NITOXID=1,3).....	45193	4.76
FELTMARKR2	Len : 1 RC-EVER USED FELT-TIP PENS/MARKERS TO GET HIGH		
	-9 = Data not collected for this year	Freq 722653	Pct 76.13
	0 = No/Unknown (Otherwise).....	218150	22.98
	1 = Yes (FELTMARKR=1,3)	8482	0.89
SPPAINT2	Len : 1 RC-EVER INHALED SPRAY PAINTS		
	0 = No/Unknown (Otherwise).....	Freq 936221	Pct 98.62
	1 = Yes (SPPAINT=1,3).....	13064	1.38

RECODED DRUG USE

AIRDUSTER2	Len : 1	RC-EVER USED COMPUTER CLEANER/AIR DUSTER TO GET HIGH		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	223331	23.53
		1 = Yes (AIRDUSTER=1,3).....	3301	0.35

OTHAEROS2	Len : 1	RC-EVER USED OTHER AEROSOL SPRAY		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	225273	23.73
		1 = Yes (OTHAEROS=1,3).....	1359	0.14

The following variable for any past year use of Hydrocodone Products, HYDCPDAPYU, was assigned a positive response if a respondent indicated any past year use of Vicodin, Lortab, Norco, Zohydro ER, generic hydrocodone, or past year misuse of other pain relievers that contain hydrocodone.

HYDCPDAPYU	Len : 1	RC-HYDROCODONE PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	188855	19.89
		1 = Yes (See comment above)	37777	3.98

ZOHYANYR2	Len : 1	RC-ZOXYHYDRO ER - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown	226264	23.84
		1 = Yes.....	368	0.04

The following variable for any past year use of Oxycodone Products, OXYCPDAPYU, was assigned a positive response if a respondent indicated any past year use of OxyContin (OXCNANYR=1, 3, 5), Percocet, Percodan, Roxicet, Roxicodone, or generic oxycodone, or past year misuse of other pain relievers that contain oxycodone.

OXCOPDAPYU	Len : 1	RC-OXYCODONE PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	205504	21.65
		1 = Yes (See comment above)	21128	2.23

The following variable for any past year use of Tramadol Products, TRAMPDAPYU, was assigned a positive response if a respondent indicated any past year use of Ultram, Ultram ER, Ultracet, generic tramadol, or generic extended-release tramadol, or past year misuse of other pain relievers that contain tramadol.

TRAMPDAPYU	Len : 1	RC-TRAMADOL PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	214225	22.57
		1 = Yes (See comment above)	12407	1.31

The following variable for any past year use of Codeine Products, CODEPDAPYU, was assigned a positive response if a respondent indicated any past year use of Codeine, Tylenol with Codeine 3 or 4, or past year misuse of other pain relievers that contain codeine.

CODEPDAPYU	Len : 1	RC-CODEINE PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	779799	82.15
		0 = No/Unknown (Otherwise).....	154367	16.26
		1 = Yes (See comment above)	15119	1.59

RECODED DRUG USE

The following variable for any past year use of Morphine Products, MORPPDAPYU, was assigned a positive response if a respondent indicated any past year use of Avinza, Kadian, MS Contin, generic morphine, or generic extended-release morphine, or past year misuse of other pain relievers that contain morphine.

<u>MORPPDAPYU</u>	Len : 1	RC-MORPHINE PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	221329	23.32
		1 = Yes (See comment above)	5303	0.56

The following variable for any past year use of Fentanyl Products, FENTPDAPYU, was assigned a positive response if a respondent indicated any past year use of Actiq, Duragesic, Fentora, or generic fentanyl, or past year misuse of other pain relievers that contain fentanyl.

<u>FENTPDAPYU</u>	Len : 1	RC-FENTANYL PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	225043	23.71
		1 = Yes (See comment above)	1589	0.17

The following variable for any past year use of Buprenorphine Products, BUPRPDAPYU, was assigned a positive response if a respondent indicated any past year use of Suboxone, generic buprenorphine, or past year misuse of other pain relievers that contain buprenorphine.

<u>BUPRPDAPYU</u>	Len : 1	RC-BUPRENORPHINE PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	224427	23.64
		1 = Yes (See comment above)	2205	0.23

The following variable for any past year use of Oxymorphone Products, OXYMPDAPYU, was assigned a positive response if a respondent indicated any past year use of Opana, Opana ER, generic oxymorphone, generic extended-release oxymorphone, or past year misuse of other pain relievers that contain oxymorphone.

<u>OXYMPDAPYU</u>	Len : 1	RC-OXYMORPHONE PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	225674	23.77
		1 = Yes (See comment above)	958	0.10

The following variable for any past year use of Demerol Products, DEMEPDAPYU, was assigned a positive response if a respondent indicated any past year use of Demerol, or past year misuse of other pain relievers that contain Demerol.

<u>DEMEPDAPYU</u>	Len : 1	RC-DEMEROL PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	225747	23.78
		1 = Yes (See comment above)	885	0.09

The following variable for any past year use of Hydromorphone Products, HYDMPDAPYU, was assigned a positive response if a respondent indicated any past year use of Dilaudid or generic hydromorphone, Exalgo or generic extended-release hydromorphone, or past year misuse of other pain relievers that contain hydromorphone.

<u>HYDMPDAPYU</u>	Len : 1	RC-HYDROMORPHONE PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	225131	23.72
		1 = Yes (See comment above)	1501	0.16

RECODED DRUG USE

The following variable for any past year use of Methadone Products, MTDNPDAPYU, was assigned a positive response if a respondent indicated any past year use of Methadone, or past year misuse of other pain relievers that contain methadone.

<u>MTDNPDAPYU</u>	Len : 1	RC-METHADONE PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	225529	23.76
		1 = Yes (See comment above)	1103	0.12

<u>PNROTANYR2</u>	Len : 1	RC-OTHER PAIN RELIEVER- ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown	206766	21.78
		1 = Yes.....	19866	2.09

The following variable for any past year use of Benzodiazepine Tranquilizers, TRBENZAPYU, was assigned a positive response if a respondent indicated any past year use of *alprazolam products* (Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam), *lorazepam products* (Ativan, generic lorazepam), *clonazepam products* (Klonopin, generic clonazepam), *diazepam products* (Valium, or generic diazepam), or past year misuse of other benzodiazepine tranquilizers.

<u>TRBENZAPYU</u>	Len : 1	RC-BENZODIAZEPINE TRANQUILIZERS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	205275	21.62
		1 = Yes (See comment above)	21357	2.25

The following variable for any past year use of Alprazolam Products, ALPRPDAPYU, was assigned a positive response if a respondent indicated any past year use of Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam, or past year misuse of other tranquilizers that contain alprazolam.

<u>ALPRPDAPYU</u>	Len : 1	RC-ALPRAZOLEM PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	212968	22.43
		1 = Yes (See comment above)	13664	1.44

The following variable for any past year use of Lorazepam Products, LORAPDAPYU, was assigned a positive response if a respondent indicated any past year use of Ativan, or generic lorazepam, or past year misuse of other tranquilizers that contain lorazepam.

<u>LORAPDAPYU</u>	Len : 1	RC-LORAZEPAM PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	221417	23.32
		1 = Yes (See comment above)	5215	0.55

The following variable for any past year use of Clonazepam Products, CLONPDAPYU, was assigned a positive response if a respondent indicated any past year use of Klonopin or generic clonazepam, or past year misuse of other tranquilizers that contain clonazepam.

<u>CLONPDAPYU</u>	Len : 1	RC-CLONAZEP AM PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	221742	23.36
		1 = Yes (See comment above)	4890	0.52

The following variable for any past year use of Diazepam Products, DIAZPDAPYU, was assigned a positive response if a respondent indicated any past year use of Valium, or generic diazepam, or past year misuse of other tranquilizers that contain diazepam.

<u>DIAZPDAPYU</u>	Len : 1	RC-DIAZEPAM PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	221901	23.38
		1 = Yes (See comment above)	4731	0.50

RECODED DRUG USE

The following variable for any past year use of Muscle Relaxants, MUSRLXAPYU, was assigned a positive response if a respondent indicated any past year use of cyclobenzaprine [also known as Flexeril], Soma, or past year misuse of other muscle relaxants.

<u>MUSRLXAPYU</u>	Len : 1 RC-MUSCLE RELAXANTS - ANY PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	222014	23.39
	1 = Yes (See comment above)	4618	0.49

The following variable for any past year use of Cyclobenzaprine Products, CYCLPDAPYU, was assigned a positive response if a respondent indicated any past year use of Flexeril, or past year misuse of other muscle relaxants that contain cyclobenzaprine.

<u>CYCLPDAPYU</u>	Len : 1 RC-CYCLOBENZAPRINE PRODUCTS - ANY PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	223142	23.51
	1 = Yes (See comment above)	3490	0.37

The following variable for any past year use of Carisoprodol Products, SOMAPDAPYU, was assigned a positive response if a respondent indicated any past year use of Soma, or past year misuse of other muscle relaxants that contain carisoprodol.

<u>SOMAPDAPYU</u>	Len : 1 RC-SOMA PRODUCTS - ANY PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225340	23.74
	1 = Yes (See comment above)	1292	0.14

<u>TRQOTANYR2</u>	Len : 1 RC-OTHER TRANQUILIZER- ANY PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown	222467	23.44
	1 = Yes.....	4165	0.44

The following variable for any past year use of Amphetamine or Methylphenidate Products, AMMEPDAPYU, was assigned a positive response if a respondent indicated any past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin SR/LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, or generic extended-release dexmethylphenidate, or past year misuse of other amphetamines that are prescribed for attention-deficit/hyperactivity disorder (ADHD) or other stimulants that contain methylphenidate. Amphetamine and methylphenidate products are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

<u>AMMEPDAPYU</u>	Len : 1 RC-AMPHETAMINE OR METHYLPHENIDATE PRODS - ANY PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	210720	22.20
	1 = Yes (See comment above)	15912	1.68

The following variable for any past year use of Amphetamine Products, AMPHETAPYU, was assigned a positive response if a respondent indicated any past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, or generic extended-release amphetamine-dextroamphetamine combinations, or past year misuse of other amphetamine that are prescribed for attention-deficit/hyperactivity disorder (ADHD). Amphetamines are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

<u>AMPHETAPYU</u>	Len : 1 RC-AMPHETAMINE - ANY PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	212719	22.41
	1 = Yes (See comment above)	13913	1.47

RECODED DRUG USE

The following variable for any past year use of Methylphenidate Products, METHPDAPYU, was assigned a positive response if a respondent indicated any past year use of Ritalin, Ritalin SR/LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dextmethylphenidate, or generic extended-release dextmethylphenidate, or past year misuse of other stimulants that contain methylphenidate.

<u>METHPDAPYU</u>	Len : 1	RC-METHYLPHENIDATE PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	222189	23.41
		1 = Yes (See comment above)	4443	0.47

The following variable for any past year use of Anorectic (weight loss) stimulants, ANOSTMAPYU, was assigned a positive response if a respondent indicated any past year use of Didrex, benzphetamine, Tenuate, diethylpropion, phendimetrazine, or phentermine, or past year misuse of other stimulants that are prescribed for weight loss.

<u>ANOSTMAPYU</u>	Len : 1	RC-ANORECTIC STIMULANTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	224734	23.67
		1 = Yes (See comment above)	1898	0.20

The following variable for any past year use of Provigil Products, PROVDPAPYU, was assigned a positive response if a respondent indicated any past year use of Provigil, or past year misuse of other stimulants that contain Provigil.

<u>PROVDPAPYU</u>	Len : 1	RC-PROVIGIL PRODUCTS- ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	226273	23.84
		1 = Yes (See comment above)	359	0.04

<u>STMOTANYR2</u>	Len : 1	RC-OTHER STIMULANT - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown	224083	23.61
		1 = Yes.....	2549	0.27

The following variable for any past year use of Zolpidem Products, ZOLPPDAPYU, was assigned a positive response if a respondent indicated any past year use of Ambien, Ambien CR, generic zolpidem, or extended-release generic zolpidem, or past year misuse of other sedatives that contain zolpidem.

<u>ZOLPPDAPYU</u>	Len : 1	RC-ZOLPIDEM PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	220313	23.21
		1 = Yes (See comment above)	6319	0.67

The following variable for any past year use of Eszopiclone Products, ESZOPDAPYU, was assigned a positive response if a respondent indicated any past year use of Lunesta or generic eszopiclone, or past year misuse of other sedatives that contain eszopiclone.

<u>ESZOPDAPYU</u>	Len : 1	RC-ESZOPICLONE PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	225952	23.80
		1 = Yes (See comment above)	680	0.07

The following variable for any past year use of Zaleplon Products, ZALEPDAPYU, was assigned a positive response if a respondent indicated any past year use of Sonata or generic zaleplon, or past year misuse of other sedatives that contain zaleplon.

<u>ZALEPDAPYU</u>	Len : 1	RC-ZALEPLON PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	226387	23.85
		1 = Yes (See comment above)	245	0.03

RECODED DRUG USE

The following variable for any past year use of Benzodiazepine Sedatives, SVBENZAPYU, was assigned a positive response if a respondent indicated any past year use of flurazepam [also known as Dalmane], temazepam products [Restoril or generic temazepam], or triazolam [Halcion or generic triazolam], or past year misuse of other benzodiazepine sedatives.

<u>SVBENZAPYU</u>	Len : 1	RC-BENZODIAZEPINE SEDATIVES - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	225355	23.74
		1 = Yes (See comment above)	1277	0.13

The following variable for any past year use of Triazolam Products, TRIAPDAPYU, was assigned a positive response if a respondent indicated any past year use of Halcion, or generic triazolam, or past year misuse of other sedatives that contain tirazolam.

<u>TRIAPDAPYU</u>	Len : 1	RC-TRIAZOLAM PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	226143	23.82
		1 = Yes (See comment above)	489	0.05

The following variable for any past year use of Temazepam Products, TEMAPDAPYU, was assigned a positive response if a respondent indicated any past year use of Restoril, or generic temazepam, or past year misuse of other sedatives that contain temazepam.

<u>TEMAPDAPYU</u>	Len : 1	RC-TEMAZEP AM PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	225887	23.80
		1 = Yes (See comment above)	745	0.08

The following variable for any past year use of Flurazepam Products, FLURPDAPYU, was assigned a positive response if a respondent indicated any past year use of flurazepam [also known as Dalmane], or past year misuse of other sedatives that contain flurazepam.

<u>FLURPDAPYU</u>	Len : 1	RC-FLURAZEPAM PRODUCTS - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	226535	23.86
		1 = Yes (See comment above)	97	0.01

The following variable for any past year use of Barbiturates, BARBITAPYU, was assigned a positive response if a respondent indicated any past year use of Butisol, Seconal, or phenobarbital, or past year misuse of other barbiturates.

<u>BARBITAPYU</u>	Len : 1	RC-BARBITUATES - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	226319	23.84
		1 = Yes (See comment above)	313	0.03

<u>SEDOTANYR2</u>	Len : 1	RC-OTHER SEDATIVE - ANY PAST YEAR USE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown	222335	23.42
		1 = Yes.....	4297	0.45

The following variable for past year misuse of Hydrocodone Products, HYDCPDYMU, was assigned a positive response if a respondent indicated past year misuse of Vicodin, Lortab, Norco, Zohydro ER, generic hydrocodone, or other pain relievers that contain hydrocodone.

<u>HYDCPDYMU</u>	Len : 1	RC-HYDROCODONE PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	220526	23.23
		1 = Yes (See comment above)	6106	0.64

RECODED DRUG USE

The following variable for past year misuse of Oxycodone Products, OXCPDPYMU, was assigned a positive response if a respondent indicated past year misuse of OxyContin (OXCNNMYR=1, 3, 5), Percocet, Percodan, Roxicet, Roxicodone, generic oxycodone, or other pain relievers that contain oxycodone.

OXCPDPYMU Len : 1 RC-OXYCODONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	222443	23.43
1 = Yes (See comment above)	4189	0.44

The following variable for past year misuse of Tramadol Products, TRAMPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Ultram, Ultram ER, Ultracet, generic tramadol, generic extended-release tramadol, or other pain relievers that contain tramadol.

TRAMPDPYMU Len : 1 RC-TRAMADOL PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	225077	23.71
1 = Yes (See comment above)	1555	0.16

The following variable for past year misuse of Codeine Products, CODEPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Codeine, Tylenol with Codeine 3 or 4, or other pain relievers that contain codeine.

CODEPDPYMU Len : 1 RC-CODEINE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
0 = No/Unknown (Otherwise).....	167521	17.65
1 = Yes (See comment above)	1965	0.21

The following variable for past year misuse of Morphine Products, MORPPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Avinza, Kadian, MS Contin, generic morphine, generic extended-release morphine, or other pain relievers that contain morphine.

MORPPDPYMU Len : 1 RC-MORPHINE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	225989	23.81
1 = Yes (See comment above)	643	0.07

The following variable for past year misuse of Fentanyl Products, FENTPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Actiq, Duragesic, Fentora, generic fentanyl, or other pain relievers that contain fentanyl.

FENTPDPYMU Len : 1 RC-FENTANYL PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	226330	23.84
1 = Yes (See comment above)	302	0.03

The following variable for past year misuse of Buprenorphine Products, BUPRPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Suboxone, generic buprenorphine, or other pain relievers that contain buprenorphine.

BUPRPDPYMU Len : 1 RC-BUPRENORPHINE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	225847	23.79
1 = Yes (See comment above)	785	0.08

The following variable for past year misuse of Oxymorphone Products, OXYMPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Opana, Opana ER, generic oxymorphone, generic extended-release oxymorphone, or other pain relievers that contain oxymorphone.

OXYMPDPYMU Len : 1 RC-OXYMORPHONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	226275	23.84
1 = Yes (See comment above)	357	0.04

RECODED DRUG USE

The following variable for past year misuse of Demerol Products, DEMEPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Demerol, or other pain relievers that contain Demerol.

<u>DEMEPDYMU</u>	Len : 1	RC-DEMEROL PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	226542	23.86
		1 = Yes (See comment above)	90	0.01

The following variable for past year misuse of Hydromorphone Products, HYDMPPYMU, was assigned a positive response if a respondent indicated past year misuse of Dilaudid or generic hydromorphone, Exalgo or generic extended-release hydromorphone, or other pain relievers that contain hydromorphone.

<u>HYDMPPYMU</u>	Len : 1	RC-HYDROMORPHONE PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	226383	23.85
		1 = Yes (See comment above)	249	0.03

The following variable for past year misuse of Methadone Products, MTDNPPYMU, was assigned a positive response if a respondent indicated past year misuse of Methadone, or other pain relievers that contain methadone.

<u>MTDNPPYMU</u>	Len : 1	RC-METHADONE PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	226285	23.84
		1 = Yes (See comment above)	347	0.04

Note: Starting in 2017, the following variable for the past year misuse of any other pain reliever, PNROTHPYMU2, is based on the edited variable for the misuse of any other pain reliever as well as the write-in data for the specific other pain relievers that respondents specified that they misused in the past year. Respondents are excluded from PNROTHPYMU2 if the only pain relievers that they specified in their write-in responses corresponded to other pain reliever subtypes(e.g., hydrocodone products) or was an over-the-counter product. Thus, PNROTHPYMU2 does not count these respondents as past year misusers of "any other" pain reliever. The variable in 2015 and 2016 for past year misuse of any other pain reliever products, PNROTNMYR3, was based only on the edited misuse of any other pain reliever variable.

<u>PNROTHPYMU2</u>	Len : 1	RC-OTHER PAIN RELIEVER PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	225730	23.78
		1 = Yes (See comment above)	902	0.10

The following variable for past year misuse of Benzodiazepine Tranquilizers, TRBENZPYMU, was assigned a positive response if a respondent indicated past year misuse of alprazolam products (Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam), lorazepam products (Ativan or generic lorazepam), clonazepam products (Klonopin, generic clonazepam), or diazepam products (Valium, generic diazepam), or other benzodiazepine tranquilizers.

<u>TRBENZPYMU</u>	Len : 1	RC-BENZODIAZEPINE TRANQUILIZERS - PAST YEAR MISUSE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	220829	23.26
		1 = Yes (See comment above)	5803	0.61

The following variable for past year misuse of Alprazolam Products, ALPRDPYMU, was assigned a positive response if a respondent indicated past year misuse of Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam, or other tranquilizers that contain alprazolam.

<u>ALPRDPYMU</u>	Len : 1	RC-ALPRAZOLEM PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	221884	23.37
		1 = Yes (See comment above)	4748	0.50

RECODED DRUG USE

The following variable for past year misuse of Lorazepam Products, LORAPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Ativan, generic lorazepam, or other tranquilizers that contain lorazepam.

<u>LORAPDPYMU</u>	Len : 1	RC-LORAZEPAM PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	225910	23.80
		1 = Yes (See comment above)	722	0.08

The following variable for past year misuse of Clonazepam Products, CLONPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Klonopin, generic clonazepam, or other tranquilizers that contain clonazepam.

<u>CLONPDPYMU</u>	Len : 1	RC-CLONAZEPAM PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	225443	23.75
		1 = Yes (See comment above)	1189	0.13

The following variable for past year misuse of Diazepam Products, DIAZPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Valium, generic diazepam, or other tranquilizers that contain diazepam.

<u>DIAZPDPYMU</u>	Len : 1	RC-DIAZEPAM PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	225670	23.77
		1 = Yes (See comment above)	962	0.10

The following variable for past year misuse of Muscle Relaxants, MUSRLXPYMU, was assigned a positive response if a respondent indicated past year misuse of cyclobenzaprine [also known as Flexeril], Soma, or other muscle relaxants.

<u>MUSRLXPYMU</u>	Len : 1	RC-MUSCLE RELAXANTS - PAST YEAR MISUSE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	226054	23.81
		1 = Yes (See comment above)	578	0.06

The following variable for past year misuse of Cyclobenzaprine Products, CYCLPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Flexeril, or other muscle relaxants that contain cyclobenzaprine.

<u>CYCLPDPYMU</u>	Len : 1	RC-CYCLOBENZAPRINE PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	226358	23.85
		1 = Yes (See comment above)	274	0.03

The following variable for past year misuse of Carisoprodol Products, SOMAPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Soma, or other muscle relaxants that contain carisoprodol.

<u>SOMAPDPYMU</u>	Len : 1	RC-SOMA PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	226308	23.84
		1 = Yes (See comment above)	324	0.03

Note: Starting in 2017, the following variable for the past year misuse of any other tranquilizer, TRQOTHPYMU2, is based on the edited variable for the misuse of any other tranquilizer as well as the write-in data for the specific other tranquilizers that respondents specified that they misused in the past year. Respondents are excluded from TRQOTHPYMU2 if the only tranquilizers that they specified in their write-in responses corresponded to other tranquilizer subtypes(e.g., benzodiazepine tranquilizers) or was an over-the-counter product. Thus, TRQOTHPYMU2 does not count these respondents as past year misusers of "any other" tranquilizer. The variable in 2015 and 2016 for past year misuse of any other tranquilizer products, TRQOTNMYR3, was based only on the edited misuse of any other tranquilizer variable.

<u>TRQOTHPYMU2</u>	Len : 1	RC-OTHER TRANQUILIZER PRODUCTS - PAST YEAR MISUSE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	226483	23.86
		1 = Yes (See comment above)	149	0.02

RECODED DRUG USE

The following variable for past year misuse of Amphetamine or Methylphenidate Products, AMMEPDAPYU, was assigned a positive response if a respondent indicated past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin SR/LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, or generic extended-release dexmethylphenidate, or other amphetamine that are prescribed for attention-deficit/hyperactivity disorder (ADHD) or other stimulants that contain methylphenidate. Amphetamine and methylphenidate products are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

AMMEPDAPYU Len : 1 RC-AMPHETAMINE OR METHYLPHENIDATE PRODS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	220116	23.19
1 = Yes (See comment above)	6516	0.69

The following variable for past year misuse of Amphetamine Products, AMPHETPYMU, was assigned a positive response if a respondent indicated past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, or other amphetamine that are prescribed for attention-deficit/hyperactivity disorder (ADHD). Amphetamines are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

AMPHETPYMU Len : 1 RC-AMPHETAMINE - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	220442	23.22
1 = Yes (See comment above)	6190	0.65

The following variable for past year misuse of Methylphenidate Products, METHDPYMU, was assigned a positive response if a respondent indicated past year misuse of Ritalin, Ritalin SR/LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, generic extended-release dexmethylphenidate, or other stimulants that contain methylphenidate.

METHDPYMU Len : 1 RC-METHYLPHENIDATE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	225447	23.75
1 = Yes (See comment above)	1185	0.12

The following variable for past year misuse of Anorectic (weight loss) stimulants, ANOSTMPYMU, was assigned a positive response if a respondent indicated past year misuse of Didrex, benzphetamine, Tenuate, diethylpropion, phendimetrazine, phentermine, or other stimulants that are prescribed for weight loss.

ANOSTMPYMU Len : 1 RC-ANORECTIC STIMULANTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	226467	23.86
1 = Yes (See comment above)	165	0.02

The following variable for past year misuse of Provigil Products, PROVPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Provigil, or other stimulants that contain Provigil.

PROVPDPYMU Len : 1 RC-PROVIGIL PRODUCTS- PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	226552	23.87
1 = Yes (See comment above)	80	0.01

RECODED DRUG USE

Note: Starting in 2017, the following variable for the past year misuse of any other stimulant, STMOTHPYMU2, is based on the edited variable for the misuse of any other stimulant as well as the write-in data for the specific other stimulants that respondents specified that they misused in the past year. Respondents are excluded from STMOTHPYMU2 if the only stimulants that they specified in their write-in responses corresponded to other stimulant subtypes(e.g., amphetamine or methylphenidate products) STMOTHPYMU2. Thus, STMOTHPYMU2 does not count these respondents as past year misusers of "any other" stimulant. The variable in 2015 and 2016 for past year misuse of any other stimulant products, STMOTNMYR3, was based only on the edited misuse of any other stimulant variable.

STMOTHPYMU2 Len : 1 RC-OTHER STIMULANT PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	226541	23.86
1 = Yes (See comment above)	91	0.01

The following variable for past year misuse of Zolpidem Products, ZOLPPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Ambien, Ambien CR, generic zolpidem, extended-release generic zolpidem, or other sedatives that contain zolpidem.

ZOLPPDPYMU Len : 1 RC-ZOLPIDEM PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown	225800	23.79
1 = Yes (See comment above)	832	0.09

The following variable for past year misuse of Eszopiclone Products, ESZOPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Lunesta or generic eszopiclone, or other sedatives that contain eszopiclone.

ESZOPDPYMU Len : 1 RC-ESZOPICLONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	226563	23.87
1 = Yes (See comment above)	69	0.01

The following variable for past year misuse of Benzodiazepine Sedatives, SVBENZPYMU, was assigned a positive response if a respondent indicated past year misuse of flurazepam [also known as Dalmane], temazepam products [Restoril or generic temazepam], or triazolam [Halcion or generic triazolam], or other benzodiazepine sedatives.

SVBENZPYMU Len : 1 RC-BENZODIAZEPINE SEDATIVES - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	226519	23.86
1 = Yes (See comment above)	113	0.01

Note: Starting in 2017, the following variable for the past year misuse of any other sedative, SEDOTHPYMU2, is based on the edited variable for the misuse of any other sedative as well as the write-in data for the specific other sedatives that respondents specified that they misused in the past year. Respondents are excluded from SEDOTHPYMU2 if the only sedatives that they specified in their write-in responses corresponded to other sedative subtypes(e.g., zolpidem products) or was an over-the-counter product. Thus, SEDOTHPYMU2 does not count these respondents as past year misusers of "any other" sedative. The variable in 2015 and 2016 for past year misuse of any other sedative products, SEDOTNMYR3, was based only on the edited misuse of any other sedative variable.

SEDOTHPYMU2 Len : 1 RC-OTHER SEDATIVE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	226364	23.85
1 = Yes (See comment above)	268	0.03

CIGAFU Len : 1 RC-CIGARETTE AGE OF FIRST USE - CATEGORIZED RECODE

	Freq	Pct
-9 = Data not collected for this year	56313	5.93
1 = 14 Years or Younger (IRCIGAGE=1-14)	204285	21.52
2 = 15-17 Years Old (IRCIGAGE=15-17).....	162931	17.16
3 = 18 Years or Older (IRCIGAGE=18+).....	110883	11.68
4 = Never Used (IRCIGAGE=991)	414873	43.70

RECODED DRUG USE

[DCIGAFU](#)

Len : 1 RC-DAILY CIG AGE OF FIRST USE - CATEGORIZED RECODE

	Freq	Pct
-9 = Data not collected for this year	56313	5.93
1 = 14 Years or Younger (IRCDUAGE=1-14)	44844	4.72
2 = 15-17 Years Old (IRCDUAGE=15-17).....	91700	9.66
3 = 18 Years or Older (IRCDUAGE=18+)	106203	11.19
4 = Never Used or Never Used Daily (IRCDUAGE=991,993).....	650225	68.50

[ALCAFU](#)

Len : 1 RC-ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE

	Freq	Pct
-9 = Data not collected for this year	56313	5.93
1 = 14 Years or Younger (IRALCAGE=1-14)	192495	20.28
2 = 15-17 Years Old (IRALCAGE=15-17)	250208	26.36
3 = 18 Years or Older (IRALCAGE=18+)	200895	21.16
4 = Never Used (IRALCAGE=991)	249374	26.27

[ALCAFU2](#)

Len : 1 RC-ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE 2

	Freq	Pct
-9 = Data not collected for this year	56313	5.93
1 = 13 Years or Younger (IRALCAGE=1-13)	126047	13.28
2 = 14-17 Years Old (IRALCAGE=14-17)	316656	33.36
3 = 18-20 Years Old (IRALCAGE=18-20)	128576	13.54
4 = 21 Years or Older (IRALCAGE=21+)	72319	7.62
5 = Never Used (IRALCAGE=991)	249374	26.27

[ALCAFU3](#)

Len : 1 RC-ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE 3

	Freq	Pct
-9 = Data not collected for this year	165622	17.45
1 = 14 Years or Younger (IRALCAGE=1-14)	163819	17.26
2 = 15-17 Years Old (IRALCAGE=15-17)	218515	23.02
3 = 18-20 Years Old (IRALCAGE=18-20)	114576	12.07
4 = 21 Years or Older (IRALCAGE=21+)	65859	6.94
5 = Never Used (IRALCAGE=991)	220894	23.27

[MJAFU](#)

Len : 1 RC-MARIJUANA AGE OF FIRST USE - CATEGORIZED RECODE

	Freq	Pct
-9 = Data not collected for this year	56313	5.93
1 = 14 Years or Younger (IRMJAGE=1-14)	101851	10.73
2 = 15-17 Years Old (IRMJAGE=15-17)	147791	15.57
3 = 18 Years or Older (IRMJAGE=18+)	112842	11.89
4 = Never Used (IRMJAGE=991)	530488	55.88

[ALCYDAYS](#)

Len : 1 RC-# OF DAYS USED ALCOHOL IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRALCFY=1-11)	145847	15.36
2 = 12-49 Days (IRALCFY=12-49)	156773	16.51
3 = 50-99 Days (IRALCFY=50-99)	92126	9.70
4 = 100-299 Days (IRALCFY=100-299)	160034	16.86
5 = 300-365 Days (IRALCFY=300-365)	23176	2.44
6 = Non User or No Past Year Use (IRALCFY=991,993)	371329	39.12

[MRJYDAYS](#)

Len : 1 RC-# OF DAYS USED MARIJUANA IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRMJFY=1-11)	53601	5.65
2 = 12-49 Days (IRMJFY=12-49)	31908	3.36
3 = 50-99 Days (IRMJFY=50-99)	16899	1.78
4 = 100-299 Days (IRMJFY=100-299)	41254	4.35
5 = 300-365 Days (IRMJFY=300-365)	26972	2.84
6 = Non User or No Past Year Use (IRMJFY=991,993)	778651	82.02

RECODED DRUG USE

COCYDAYS

Len : 1 RC-# OF DAYS USED COCAINE IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRCOCFY=1-11).....	15491	1.63
2 = 12-49 Days (IRCOCFY=12-49).....	5744	0.61
3 = 50-99 Days (IRCOCFY=50-99).....	2412	0.25
4 = 100-299 Days (IRCOCFY=100-299).....	2417	0.25
5 = 300-365 Days (IRCOCFY=300-365).....	394	0.04
6 = Non User or No Past Year Use (IRCOCFY=991,993).....	922827	97.21

HALLNDAYYR

Len : 1 RC-# OF DAYS USED HALLUCINOGENS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year.....	722653	76.13
1 = 1-11 Days (IRHALLUCYFQ=1-11).....	4819	0.51
2 = 12-49 Days (IRHALLUCYFQ=12-49).....	916	0.10
3 = 50-99 Days (IRHALLUCYFQ=50-99).....	379	0.04
4 = 100-299 Days (IRHALLUCYFQ=100-299).....	223	0.02
5 = 300-365 Days (IRHALLUCYFQ=300-365).....	44	0.00
6 = Non User or No Past Year Use (IRHALLUCYFQ=991,993).....	220251	23.20

INHNDAYYR

Len : 1 RC-# OF DAYS USED INHALANTS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year.....	722653	76.13
1 = 1-11 Days (IRINHALYFQ=1-11).....	1671	0.18
2 = 12-49 Days (IRINHALYFQ=12-49).....	523	0.06
3 = 50-99 Days (IRINHALYFQ=50-99).....	276	0.03
4 = 100-299 Days (IRINHALYFQ=100-299).....	180	0.02
5 = 300-365 Days (IRINHALYFQ=300-365).....	27	0.00
6 = Non User or No Past Year Use (IRINHALYFQ=991,993).....	223955	23.59

METHNDAYYR

Len : 1 RC-# OF DAYS USED METHAMPHETAMINE IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year.....	722653	76.13
1 = 1-11 Days (IRMETHAMYFQ=1-11).....	504	0.05
2 = 12-49 Days (IRMETHAMYFQ=12-49).....	293	0.03
3 = 50-99 Days (IRMETHAMYFQ=50-99).....	177	0.02
4 = 100-299 Days (IRMETHAMYFQ=100-299).....	453	0.05
5 = 300-365 Days (IRMETHAMYFQ=300-365).....	169	0.02
6 = Non User or No Past Year Use (IRMETHAMYFQ=991,993).....	225036	23.71

CIGMDAYS

Len : 1 RC-# OF DAYS USED CIGARETTES IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCIGFM=1-2).....	27447	2.89
2 = 3-5 Days (IRCIGFM=3-5).....	20202	2.13
3 = 6-19 Days (IRCIGFM=6-19).....	28994	3.05
4 = 20-29 Days (IRCIGFM=20-29).....	26497	2.79
5 = 30 Days (IRCIGFM=30).....	118732	12.51
6 = Non User or No Past Month Use (IRCIGFM=91,93).....	727413	76.63

ALCMDAYS

Len : 1 RC-# OF DAYS USED ALCOHOL IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRALCFM=1-2).....	131293	13.83
2 = 3-5 Days (IRALCFM=3-5).....	120322	12.68
3 = 6-19 Days (IRALCFM=6-19).....	127295	13.41
4 = 20-30 Days (IRALCFM=20-30).....	49578	5.22
5 = Non User or No Past Month Use (IRALCFM=91,93).....	520797	54.86

MRJMDAYS

Len : 1 RC-# OF DAYS USED MARIJUANA IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRMJFM=1-2).....	24085	2.54
2 = 3-5 Days (IRMJFM=3-5).....	16631	1.75
3 = 6-19 Days (IRMJFM=6-19).....	22024	2.32
4 = 20-30 Days (IRMJFM=20-30).....	38587	4.06
5 = Non User or No Past Month Use (IRMJFM=91,93).....	847958	89.33

RECODED DRUG USE

COCMDAYS

Len : 1 RC-# OF DAYS USED COCAINE IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCOCFM=1-2)	4727	0.50
2 = 3-5 Days (IRCOCFM=3-5)	1941	0.20
3 = 6-19 Days (IRCOCFM=6-19)	1339	0.14
4 = 20-30 Days (IRCOCFM=20-30)	592	0.06
5 = Non User or No Past Month Use (IRCOCFM=91,93)	940686	99.09

HALLNDAYPM

Len : 1 RC-# OF DAYS USED HALLUCINOGENS IN PAST MONTH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = 1-2 Days (IRHALLUC30N=1-2)	1320	0.14
2 = 3-5 Days (IRHALLUC30N=3-5)	232	0.02
3 = 6-19 Days (IRHALLUC30N=6-19)	128	0.01
4 = 20-30 Days (IRHALLUC30N=20-30)	41	0.00
5 = Non User or No Past Month Use (IRHALLUC30N=91,93)	224911	23.69

INHNDAYPM

Len : 1 RC-# OF DAYS USED INHALANTS IN PAST MONTH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = 1-2 Days (IRINHAL30N=1-2)	497	0.05
2 = 3-5 Days (IRINHAL30N=3-5)	165	0.02
3 = 6-19 Days (IRINHAL30N=6-19)	84	0.01
4 = 20-30 Days (IRINHAL30N=20-30)	44	0.00
5 = Non User or No Past Month Use (IRINHAL30N=91,93)	225842	23.79

METHNDAYPM

Len : 1 RC-# OF DAYS USED METHAMPHETAMINE IN PAST MONTH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = 1-2 Days (IRMETHAM30N=1-2)	143	0.02
2 = 3-5 Days (IRMETHAM30N=3-5)	138	0.01
3 = 6-19 Days (IRMETHAM30N=6-19)	168	0.02
4 = 20-30 Days (IRMETHAM30N=20-30)	250	0.03
5 = Non User or No Past Month Use (IRMETHAM30N=91,93)	225933	23.80

PNRNDAYPM

Len : 1 RC-# OF DAYS MISUSED PAIN RELIEVERS IN PAST MONTH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = 1-2 Days (IRPNRNM30FQ=1-2)	1419	0.15
2 = 3-5 Days (IRPNRNM30FQ=3-5)	796	0.08
3 = 6-19 Days (IRPNRNM30FQ=6-19)	641	0.07
4 = 20-30 Days (IRPNRNM30FQ=20-30)	368	0.04
5 = Non User or No Past Month Misuser (IRPNRNM30FQ=91,93)	223408	23.53

TRQNDAYPM

Len : 1 RC-# OF DAYS MISUSED TRANQUILIZERS IN PAST MONTH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = 1-2 Days (IRTRQNM30FQ=1-2)	971	0.10
2 = 3-5 Days (IRTRQNM30FQ=3-5)	456	0.05
3 = 6-19 Days (IRTRQNM30FQ=6-19)	327	0.03
4 = 20-30 Days (IRTRQNM30FQ=20-30)	109	0.01
5 = Non User or No Past Month Misuser (IRTRQNM30FQ=91,93)	224769	23.68

STMNDAYPM

Len : 1 RC-# OF DAYS MISUSED STIMULANTS IN PAST MONTH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = 1-2 Days (IRSTMNM30FQ=1-2)	1067	0.11
2 = 3-5 Days (IRSTMNM30FQ=3-5)	534	0.06
3 = 6-19 Days (IRSTMNM30FQ=6-19)	342	0.04
4 = 20-30 Days (IRSTMNM30FQ=20-30)	89	0.01
5 = Non User or No Past Month Misuser (IRSTMNM30FQ=91,93)	224600	23.66

RECODED DRUG USE

SEDNDAYPM

Len : 1 RC-# OF DAYS MISUSED SEDATIVES IN PAST MONTH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = 1-2 Days (IRSEDNM30FQ=1-2)	156	0.02
2 = 3-5 Days (IRSEDNM30FQ=3-5)	83	0.01
3 = 6-19 Days (IRSEDNM30FQ=6-19).....	71	0.01
4 = 20-30 Days (IRSEDNM30FQ=20-30)	22	0.00
5 = Non User or No Past Month Misuser (IRSEDNM30FQ=91,93)	226300	23.84

CIGPDAY

Len : 1 RC-# OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS

	Freq	Pct
1 = Fewer Than 6 (CIG30AV=1,2,3 and IRCIGFM=30)	25983	2.74
2 = 6-15 (CIG30AV=4 and IRCIGFM=30)	46143	4.86
3 = 16-25 (CIG30AV=5 and IRCIGFM=30).....	35653	3.76
4 = 26 or More (CIG30AV=6,7 and IRCIGFM=30).....	10776	1.14
5 = Not Reported (CIG30AV=85,94,97,98 and IRCIGFM=30)	177	0.02
6 = No Daily Use (CIG30AV=91,93 or IRCIGFM=1-29,91,93)	830553	87.49

CIG1PACK

Len : 1 RC-SMKED 1+ PCK OF CIGS PER DAY AMNG DLY SMKERS (1/0)

	Freq	Pct
. = No daily use/not reported (CIGPDAY=5,6)	302332	31.85
-9 = Data not collected for this year	612222	64.49
0 = Smoked <1 pack per day (CIGPDAY=1,2)	22331	2.35
1 = Smoked 1+ pack per day (CIGPDAY=3,4)	12400	1.31

The following variable, CIGAVGD, was defined as the midpoint of the range the respondent reported as the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIG30AV).

CIGAVGD

Len : 4 RC-AVG NUMBER OF CIGARETTES SMOKED PER DAY

	Freq	Pct
. = Not Used/Unknown (Otherwise)	728100	76.70
0.5 = Less than 1 cigarette (CIG30AV=1)	24041	2.53
1 = 1 cigarette (CIG30AV=2)	26184	2.76
3.5 = 2 to 5 cigarettes (CIG30AV=3)	61012	6.43
10.5 = 6 to 15 cigarettes (CIG30AV=4).....	58107	6.12
20.5 = 16 to 25 cigarettes (CIG30AV=5).....	39412	4.15
30.5 = 26 to 35 cigarettes (CIG30AV=6).....	8804	0.93
50 = More than 35 cigarettes (CIG30AV=7).....	3625	0.38

The following variable, CIGAVGM, was defined as the product of the number of days a user smoked cigarettes in the past month (IRCIGFM) and the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIGAVGD).

CIGAVGM

Len : 6 RC-NUMBER OF CIGARETTES SMOKED PER USER IN PAST MONTH

	Freq	Pct
RANGE = 0.5 - 1500	221185	23.30
. = Not Used/Unknown (CIGAVGD=. or IRCIGFM=91,93)	728100	76.70

The following variable, ALCNUMDKPM, was defined as the product of the number of days a user consumed alcohol in the past month (IRALCFM) and the average number of drinks consumed per day on the days alcohol was used in the past month (ALCUS30D). A value of missing was assigned whenever a respondent said that they had not used alcohol in the past month (IRALCFM=91, 93 or ALCUS30D=991, 993) or the average number of drinks consumed per day on the days alcohol was used in the past month was unknown (ALCUS30D=985, 994, 997, 998) or logically assigned to 5 or more (ALCUS30D=975).

ALCNUMDKPM

Len : 4 RC-NUMBER OF ALC BEVS DRANK PER USER IN PAST MONTH

	Freq	Pct
RANGE = 1 - 2700	96547	10.17
. = Not Used/Unknown (See comment above)	130085	13.70
-9 = Data not collected for this year	722653	76.13

FUCIG18

Len : 1 RC-FIRST USED CIGARETTES PRIOR TO AGE 18

	Freq	Pct
-9 = Data not collected for this year	110392	11.63
1 = Yes (IRCIGAGE<18).....	340057	35.82
2 = No (IRCIGAGE>=18).....	498836	52.55

RECODED DRUG USE

FUCIG21	Len : 1 RC-FIRST USED CIGARETTES PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRCIGAGE<21)	417099	43.94
	2 = No (IRCIGAGE>=21)	421794	44.43
FUCD218	Len : 1 RC-FIRST USED CIGARETTES DAILY PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRCDUAGE<18)	126128	13.29
	2 = No (IRCDUAGE>=18)	712765	75.08
FUCD221	Len : 1 RC-FIRST USED CIGARETTES DAILY PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRCDUAGE<21)	194435	20.48
	2 = No (IRCDUAGE>=21)	644458	67.89
FUCGR18	Len : 1 RC-FIRST USED CIGARS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRCGRAGE<18)	117137	12.34
	2 = No (IRCGRAGE>=18)	721756	76.03
FUCGR21	Len : 1 RC-FIRST USED CIGARS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRCGRAGE<21)	193309	20.36
	2 = No (IRCGRAGE>=21)	645584	68.01
FUSMKLSS18	Len : 1 RC-FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Yes (IRSMKLSSTRY<18)	16371	1.72
	2 = No (IRSMKLSSTRY>=18)	153948	16.22
FUSMKLSS21	Len : 1 RC-FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Yes (IRSMKLSSTRY<21)	22811	2.40
	2 = No (IRSMKLSSTRY>=21)	147508	15.54
FUALC18	Len : 1 RC-FIRST USED ALCOHOL PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRALCAGE<18)	412758	43.48
	2 = No (IRALCAGE>=18)	426135	44.89
FUALC21	Len : 1 RC-FIRST USED ALCOHOL PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRALCAGE<21)	534404	56.30
	2 = No (IRALCAGE>=21)	304489	32.08
FUMJ18	Len : 1 RC-FIRST USED MARIJUANA PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRMJAGE<18)	233820	24.63
	2 = No (IRMJAGE>=18)	605073	63.74

RECODED DRUG USE

FUMJ21	Len : 1 RC-FIRST USED MARIJUANA PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRMJAGE<21)	304251	32.05
	2 = No (IRMJAGE>=21)	534642	56.32
FUCOC18	Len : 1 RC-FIRST USED COCAINE PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRCOCAGE<18)	30487	3.21
	2 = No (IRCOCAGE>=18)	808406	85.16
FUCOC21	Len : 1 RC-FIRST USED COCAINE PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRCOCAGE<21)	63361	6.67
	2 = No (IRCOCAGE>=21)	775532	81.70
FUCRK18	Len : 1 RC-FIRST USED CRACK PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRCRKAGE<18)	5704	0.60
	2 = No (IRCRKAGE>=18)	833189	87.77
FUCRK21	Len : 1 RC-FIRST USED CRACK PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRCRKAGE<21)	11997	1.26
	2 = No (IRCRKAGE>=21)	826896	87.11
FUHER18	Len : 1 RC-FIRST USED HEROIN PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRHERAGE<18)	3390	0.36
	2 = No (IRHERAGE>=18)	835503	88.01
FUHER21	Len : 1 RC-FIRST USED HEROIN PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRHERAGE<21)	7021	0.74
	2 = No (IRHERAGE>=21)	831872	87.63
FUHALLUC18	Len : 1 RC-FIRST USED HALLUCINOGENS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Yes (IRHALLUCAGE<18)	10248	1.08
	2 = No (IRHALLUCAGE>=18)	160071	16.86
FUHALLUC21	Len : 1 RC-FIRST USED HALLUCINOGENS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Yes (IRHALLUCAGE<21)	18613	1.96
	2 = No (IRHALLUCAGE>=21)	151706	15.98
FULSD18	Len : 1 RC-FIRST USED LSD PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRLSDAGE<18)	31640	3.33
	2 = No (IRLSDAGE>=18)	807253	85.04

RECODED DRUG USE

FULSD21	Len : 1 RC-FIRST USED LSD PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRLSDAGE<21)	52280	5.51
	2 = No (IRLSDAGE>=21)	786613	82.86
FUPCP18	Len : 1 RC-FIRST USED PCP PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRPCPAGE<18)	7977	0.84
	2 = No (IRPCPAGE>=18)	830916	87.53
FUPCP21	Len : 1 RC-FIRST USED PCP PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	110392	11.63
	1 = Yes (IRPCPAGE<21)	12045	1.27
	2 = No (IRPCPAGE>=21)	826848	87.10
FUECSTMO18	Len : 1 RC-FIRST USED ECSTASY PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Yes (IRECSTMOAGE<18)	3521	0.37
	2 = No (IRECSTMOAGE>=18)	166798	17.57
FUECSTMO21	Len : 1 RC-FIRST USED ECSTASY PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Yes (IRECSTMOAGE<21)	8131	0.86
	2 = No (IRECSTMOAGE>=21)	162188	17.09
FUINHAL18	Len : 1 RC-FIRST USED INHALANTS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Yes (IRINHALAGE<18)	12049	1.27
	2 = No (IRINHALAGE>=18)	158270	16.67
FUINHAL21	Len : 1 RC-FIRST USED INHALANTS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Yes (IRINHALAGE<21)	15029	1.58
	2 = No (IRINHALAGE>=21)	155290	16.36
FUMETHAM18	Len : 1 RC-FIRST USED METHAMPHETAMINE PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Yes (IRMETHAMAGE<18)	2487	0.26
	2 = No (IRMETHAMAGE>=18)	167832	17.68
FUMETHAM21	Len : 1 RC-FIRST USED METHAMPHETAMINE PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Yes (IRMETHAMAGE<21)	4546	0.48
	2 = No (IRMETHAMAGE>=21)	165773	17.46
FUPNRNM18	Len : 1 RC-FIRST MISUSED PAIN RELIEVERS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Yes (IRPNRNMAGE<18)	707	0.07
	2 = No (IRPNRNMAGE>=18)	169612	17.87

RECODED DRUG USE

FUPNRNM21	Len : 1 RC-FIRST MISUSED PAIN RELIEVERS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Yes (IRPNRNMAGE<21)	994	0.10
	2 = No (IRPNRNMAGE>=21)	169325	17.84
FUTRQNM18	Len : 1 RC-FIRST MISUSED TRANQUILIZERS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Yes (IRTRQNMAGE<18)	443	0.05
	2 = No (IRTRQNMAGE>=18)	169876	17.90
FUTRQNM21	Len : 1 RC-FIRST MISUSED TRANQUILIZERS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Yes (IRTRQNMAGE<21)	737	0.08
	2 = No (IRTRQNMAGE>=21)	169582	17.86
FUSTMNM18	Len : 1 RC-FIRST MISUSED STIMULANTS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Yes (IRSTMNMAGE<18)	470	0.05
	2 = No (IRSTMNMAGE>=18)	169849	17.89
FUSTMNM21	Len : 1 RC-FIRST MISUSED STIMULANTS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Yes (IRSTMNMAGE<21)	865	0.09
	2 = No (IRSTMNMAGE>=21)	169454	17.85
FUSEDNM18	Len : 1 RC-FIRST MISUSED SEDATIVES PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Yes (IRSEDNMAGE<18)	80	0.01
	2 = No (IRSEDNMAGE>=18)	170239	17.93
FUSEDNM21	Len : 1 RC-FIRST MISUSED SEDATIVES PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	1 = Yes (IRSEDNMAGE<21)	117	0.01
	2 = No (IRSEDNMAGE>=21)	170202	17.93

RECODED DRUG USE

The following main reason for misusing pain relievers, PNRRMAINRSN, is defined based on answers to questions about respondents' reasons for misusing pain relievers for their last misuse. Respondents could report more than one reason for misusing pain relievers the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-18 in PNRRSMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the eight categories below.

1. Main reason is to relieve physical pain (PNRRSMAIN=1,11), reported only one reason which was to relieve physical pain (PNRRSMAIN=99 and PNRRSPAIN=1), or reported some other reason as their only reason but specified that this other reason was to relieve physical pain (PNRRSMAIN=99 and PNRRSPAIN=3).
2. Main reason is to relax or relieve tension (PNRRSMAIN=2,12), reported only one reason which was to relax or relieve tension (PNRRSMAIN=99 and PNRRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (PNRRSMAIN=99 and PNRRSRELX=3).
3. Main reason is to experiment or see what it's like (PNRRSMAIN=3,13), reported only one reason which was to experiment or see what it's like (PNRRSMAIN=99 and PNRRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (PNRRSMAIN=99 and PNRRSEXPT=3).
4. Main reason is to feel good or get high (PNRRSMAIN=4,14), reported only one reason which was to feel good or get high (PNRRSMAIN=99 and PNRRHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (PNRRSMAIN=99 and PNRRSHIGH=3).
5. Main reason is to help with sleep (PNRRSMAIN=5,15), reported only one reason which was to help with sleep (PNRRSMAIN=99 and PNRRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (PNRRSMAIN=99 and PNRRSSLEP=3).
6. Main reason is to help with feelings or emotions (PNRRSMAIN=6,16), reported only one reason which was to help with feelings or emotions (PNRRSMAIN=99 and PNRRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (PNRRSMAIN=99 and PNRRSEMOT=3).
7. Main reason is to increase/decrease effects of other drugs (PNRRSMAIN=7,17), reported only one reason which was to increase/decrease the effects of other drugs (PNRRSMAIN=99 and PNRRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (PNRRSMAIN=99 and PNRRSDGFX=3).
8. Main reason is because hooked or have to have drug (PNRRSMAIN=8,18), reported only one reason which was because they were hooked or had to have the drug (PNRRSMAIN=99 and PNRRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (PNRRSMAIN=99 and PNRRSHOOK=3).
9. Main reason is some other reason (PNRRSMAIN=9), or reported only one reason which was a valid other reason listed for pain relievers other than those defined above based on the write in data (PNRRSMAIN=99 and PNRRSSOR=1 and PNRRSOTRS2=9-71). Values of 1-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for pain relievers but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (PNRRSMAIN=85,94,98) or reported only one reason and the other pain reliever reason was not a valid reason (PNRRSMAIN=99 and PNRRSSOR=1 and PNRRSOTRS2=985,994,997).

PNRRMAINRSN

Len : 1 RC-MAIN REASON FOR MISUSING PAIN RELIEVERS LAST EPISODE

	Freq	Pct
. = Unknown (See comment above).....	1282	0.14
-9 = Data not collected for this year	722653	76.13
1 = Relieve physical pain (see comment above).....	6087	0.64
2 = Relax or relieve tension (see comment above).....	1108	0.12
3 = Experiment/see what like (see comment above)	447	0.05
4 = Feel good/get high (see comment above)	1639	0.17
5 = Help with sleep (see comment above).....	441	0.05
6 = Help with feelings or emotions (see comment above).....	486	0.05
7 = Inc/dec effects oth drg (see comment above).....	104	0.01
8 = Hooked or have to have drug (see comment above).....	263	0.03
9 = Some other reason (see comment above)	138	0.01
10 = Did not misuse in pst 12 mos (PNRRSMAIN=83,91,93)	214637	22.61

RECODED DRUG USE

The following main reason for misusing tranquilizers, TRQMAINRSN, is defined based on answers to questions about respondents' reasons for misusing tranquilizers for their last misuse. Respondents could report more than one reason for misusing tranquilizers the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-17 in TRQSRMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the seven categories below.

1. Main reason is to relax or relieve tension (TRQSRMAIN=1,11), reported only one reason which was to relax or relieve tension (TRQSRMAIN=99 and TRQSRRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (TRQSRMAIN=99 and TRQSRRELX=3).
2. Main reason is to experiment or see what it's like (TRQSRMAIN=2,12), reported only one reason which was to experiment or see what it's like (TRQSRMAIN=99 and TRQSRSEXT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (TRQSRMAIN=99 and TRQSRSEXT=3).
3. Main reason is to feel good or get high (TRQSRMAIN=3,13), reported only one reason which was to feel good or get high (TRQSRMAIN=99 and TRQSRHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (TRQSRMAIN=99 and TRQSRHIGH=3).
4. Main reason is to help with sleep (TRQSRMAIN=4,14), reported only one reason which was to help with sleep (TRQSRMAIN=99 and TRQSRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (TRQSRMAIN=99 and TRQSRSSLEP=3).
5. Main reason is to help with feelings or emotions (TRQSRMAIN=5,15), reported only one reason which was to help with feelings or emotions (TRQSRMAIN=99 and TRQSRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (TRQSRMAIN=99 and TRQSRSEMOT=3).
6. Main reason is to increase/decrease effects of other drugs (TRQSRMAIN=6,16), reported only one reason which was to increase/decrease the effects of other drugs (TRQSRMAIN=99 and TRQSRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (TRQSRMAIN=99 and TRQSRSDGFX=3).
7. Main reason is because hooked or have to have drug (TRQSRMAIN=7,17), reported only one reason which was because they were hooked or had to have the drug (TRQSRMAIN=99 and TRQSRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (TRQSRMAIN=99 and TRQSRSHOOK=3).
8. Main reason is some other reason (TRQSRMAIN=8), or reported only one reason which was a valid other reason listed for tranquilizer other than those defined above based on the write in data (TRQSRMAIN=99 and TRQSRSSOR=1 and TRQSRLOTS2=1, 9-72). Values of 2-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for tranquilizers but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (TRQSRMAIN=85,94,98) or reported only one reason and the other tranquilizer reason was not a valid reason (TRQSRMAIN=99 and TRQSRSSOR=1 and TRQSRLOTS2=985,994,997).

TRQMAINRSN

Len : 1 RC-MAIN REASON FOR MISUSING TRANQUILIZERS LAST EPISODE

	Freq	Pct
. = Unknown (see comment above).....	787	0.08
-9 = Data not collected for this year	722653	76.13
1 = Relax or relieve tension (see comment above).....	2532	0.27
2 = Experiment/see what like (see comment above)	524	0.06
3 = Feel good/get high (see comment above).....	1003	0.11
4 = Help with sleep (see comment above).....	994	0.10
5 = Help with feelings or emotions (see comment above).....	756	0.08
6 = Inc/dec effects oth drg (see comment above).....	105	0.01
7 = Hooked or have to have drug (see comment above).....	27	0.00
8 = Some other reason (see comment above)	161	0.02
9 = Did not misuse in pst 12 mos (TRQSRMAIN=83,91,93).....	219743	23.15

RECODED DRUG USE

The following main reason for misusing stimulants, STMMAINRSN, is defined based on answers to questions about respondents' reasons for misusing stimulants for their last misuse. Respondents could report more than one reason for misusing stimulants the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-18 in STMRSMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the eight categories below.

1. Main reason is to help lose weight (STMRSMAIN=1,11), reported only one reason which was to help lose weight (STMRSMAIN=99 and STMRSWGHT=1), or reported some other reason as their only reason but specified that this other reason was to help lose weight (STMRSMAIN=99 and STMRSWGHT=3).
2. Main reason is to help concentrate (STMRSMAIN=2,12), reported only one reason which was to help concentrate (STMRSMAIN=99 and STMRS CONC=1), or reported some other reason as their only reason but specified that this other reason was to help concentrate (STMRSMAIN=99 and STMRS CONC=3).
3. Main reason is to help be alert or stay awake (STMRSMAIN=3,13), reported only one reason which was to help be alert or stay awake (STMRSMAIN=99 and STMRSALRT=1), or reported some other reason as their only reason but specified that this other reason was to help be alert or stay awake (STMRSMAIN=99 and STMRSALRT=3).
4. Main reason is to help study (STMRSMAIN=4,14), reported only one reason which was to help study (STMRSMAIN=99 and STMRSSTDY=1), or reported some other reason as their only reason but specified that this other reason was to help study (STMRSMAIN=99 and STMRSSTDY=3).
5. Main reason is to experiment or see what it's like (STMRSMAIN=5,15), reported only one reason which was to experiment or see what it's like (STMRSMAIN=99 and STMRS EXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (STMRSMAIN=99 and STMRS EXPT=3).
6. Main reason is to feel good or get high (STMRSMAIN=6,16), reported only one reason which was to feel good or get high (STMRSMAIN=99 and STMRS HIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (STMRSMAIN=99 and STMRS HIGH=3).
7. Main reason is to increase/decrease effects of other drugs (STMRSMAIN=7,17), reported only one reason which was to increase/decrease the effects of other drugs (STMRSMAIN=99 and STMRS DGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (STMRSMAIN=99 and STMRS DGFX=3).
8. Main reason is because hooked or have to have the drug (STMRSMAIN=8,18), reported only one reason which was because they were hooked or had to have the drug (STMRSMAIN=99 and STMRS HOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (STMRSMAIN=99 and STMRS HOOK=3).
9. Main reason is some other reason (STMRSMAIN=9), or reported only one reason which was a valid other reason listed for stimulant other than those defined above based on the write in data (STMRSMAIN=99 and STMRS SOR=1 and STMRSOTRS2=1,2,6,14-35). Values of 3,4, and 7-12 that are in the specific other reason level are write in responses that do not correspond to reasons listed for stimulants but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (STMRSMAIN=85,94,98) or reported only one reason and the other reason was not a valid reason (STMRSMAIN=99 and STMRS SOR=1 and STMRSOTRS2= 985,994,997).

STMMAINRSN

Len : 1 RC-MAIN REASON FOR MISUSING STIMULANTS LAST EPISODE

	Freq	Pct
. = Unknown (see comment above).....	692	0.07
-9 = Data not collected for this year	722653	76.13
1 = Help lose weight (see comment above).....	226	0.02
2 = Help concentrate (see comment above).....	1796	0.19
3 = Help be alert or stay awake (see comment above)	1766	0.19
4 = Help study (see comment above).....	1504	0.16
5 = Experiment/see what like (see comment above)	355	0.04
6 = Feel good/get high (see comment above).....	725	0.08
7 = Inc/dec effects oth drg (see comment above).....	94	0.01
8 = Hooked or have to have drug (see comment above).....	18	0.00
9 = Some other reason (see comment above).....	141	0.01
10 = Did not misuse in pst 12 mos (STMRSMAIN=83,91,93).....	219315	23.10

RECODED DRUG USE

The following main reason for misusing sedatives, SEDRMAINRSN, is defined based on answers to questions about respondents' reasons for misusing sedatives for their last misuse. Respondents could report more than one reason for misusing sedatives the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-17 in SEDRMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the seven categories below.

1. Main reason is to relax or relieve tension (SEDRSMAIN=1,11), reported only one reason which was to relax or relieve tension (SEDRSMAIN=99 and SEDRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (SEDRSMAIN=99 and SEDRSRELX=3).
2. Main reason is to experiment or see what it's like (SEDRSMAIN=2,12), reported only one reason which was to experiment or see what it's like (SEDRSMAIN=99 and SEDRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (SEDRSMAIN=99 and SEDRSEXPT=3).
3. Main reason is to feel good or get high (SEDRSMAIN=3,13), reported only one reason which was to feel good or get high (SEDRSMAIN=99 and SEDRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (SEDRSMAIN=99 and SEDRSHIGH=3).
4. Main reason is to help with sleep (SEDRSMAIN=4,14), reported only one reason which was to help with sleep (SEDRSMAIN=99 and SEDRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (SEDRSMAIN=99 and SEDRSSLEP=3).
5. Main reason is to help with feelings or emotions (SEDRSMAIN=5,15), reported only one reason which was to help with feelings or emotions (SEDRSMAIN=99 and SEDRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (SEDRSMAIN=99 and SEDRSEMOT=3).
6. Main reason is to increase/decrease effects of other drugs (SEDRSMAIN=6,16), reported only one reason which was to increase/decrease the effects of other drugs (SEDRSMAIN=99 and SEDRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (SEDRSMAIN=99 and SEDRSDGFX=3).
7. Main reason is because hooked or have to have the drug (SEDRSMAIN=7,17), reported only one reason which was because they were hooked or had to have the drug (SEDRSMAIN=99 and SEDRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (SEDRSMAIN=99 and SEDRSHOOK=3).
8. Main reason is some other reason (SEDRSMAIN=8), or reported only one reason which was a valid other reason listed for sedative other than those defined above based on the write in data (SEDRSMAIN=99 and SEDRSSOR=1 and SEDRSOTRS2=1, 9-33). Values of 2-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for sedatives but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (SEDRSMAIN=85,94,98) or reported only one reason and the other reason was not a valid reason (SEDRSMAIN=99 and SEDRSSOR=1 and SEDRSOTRS2=985,994,997).

SEDRMAINRSN Len : 1 RC-MAIN REASON FOR MISUSING SEDATIVES LAST EPISODE

	Freq	Pct
. = Unknown (see comment above).....	683	0.07
-9 = Data not collected for this year	722653	76.13
1 = Relax or relieve tension (see comment above).....	175	0.02
2 = Experiment/see what like (see comment above).....	54	0.01
3 = Feel good/get high (see comment above).....	101	0.01
4 = Help with sleep (see comment above).....	737	0.08
5 = Help with feelings or emotions (see comment above).....	47	0.00
6 = Inc/dec effects oth drg (see comment above).....	10	0.00
7 = Hooked or have to have drug (see comment above).....	2	0.00
8 = Some other reason (see comment above)	33	0.00
9 = Did not misuse in pst 12 mos (SEDRSMAIN=83,91,93)	224790	23.68

RECODED DRUG USE

NOTE: Due to the 2015 questionnaire redesign, measures of the source of respondent's most recent misuse of prescription drugs were either removed due to data availability issues or were created differently and renamed due to a break in trend.

The variable for the source of last use of methamphetamine (MTHLTSC4) will not be created since methamphetamine is no longer included with the other prescription drugs and the source questions were removed. Additionally, questions asking about the sources of each prescription drug in the past 30 days were removed, resulting in a change in the creation method of the remaining source of last use variables: SRCPNRNM2 (previously ANLLTS2), SRCTRQNM2 (previously TRNLTS2), SRCSTMNM2 (previously STMLTS2), and SRCSEDNM2 (SEDLT2). Other questionnaire changes that contributed to a trend break for the source of a respondent's most recent misuse of prescription drugs were that the questions were relocated from the Prior Substance Use module to modules pertaining to the use of the specific drug and two response options were removed.

In 2015 and later years, four variables pertain to the source of a respondent's most recent misuse of prescription pain relievers (SRCPNRNM2), prescription tranquilizers (SRCTRQNM2), prescription stimulants (SRCSTMNM2), and prescription sedatives (SRCSEDNM2) within the past year.

For each variable there are 8 mutually exclusive categories for specific sources, and a missing category for respondents with no past year misuse or unknown responses to the source questions. The categories for the specific sources take into account responses from a single question asking about a single, most recent source of misuse among respondents who misused in the past year.

Based on the following conditions, a respondent was classified in one of the following 9 categories (including System missing) for the source of most recent prescription drug misuse in the past year for the variables, SRCPNRNM2, SRCTRQNM2, SRCSTMNM2, and SRCSEDNM2:

1. Got From One Doctor
2. Got From More Than One Doctor
3. Stole from Dr Office, Clinic, Hospital, or Pharmacy
4. Got From Friend or Relative for Free
5. Bought from Friend or Relative
6. Took from Friend or Relative without Asking
7. Bought from Drug Dealer or Other Stranger
8. Got Some Other Way

(System Missing) No Past Year Misuse/Unknown/Invalid Source

SRCPNRNM2

Len : 2 RC-SOURCE OF PAIN RELIEVERS FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source.....	216257	22.78
-9 = Data not collected for this year	722653	76.13
1 = Got From One Doctor.....	3102	0.33
2 = Got From More Than One Doctor	164	0.02
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy.....	83	0.01
4 = Got From Friend or Relative for Free	4186	0.44
5 = Bought from Friend or Relative.....	1106	0.12
6 = Took from Friend or Relative without Asking.....	470	0.05
7 = Bought from Drug Dealer or Other Stranger	748	0.08
8 = Got Some Other Way	516	0.05

SRCTRQNM2

Len : 2 RC-SOURCE OF TRANQUILIZERS FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source.....	220676	23.25
-9 = Data not collected for this year	722653	76.13
1 = Got From One Doctor.....	915	0.10
2 = Got From More Than One Doctor	42	0.00
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	22	0.00
4 = Got From Friend or Relative for Free	2898	0.31
5 = Bought from Friend or Relative.....	911	0.10
6 = Took from Friend or Relative without Asking.....	242	0.03
7 = Bought from Drug Dealer or Other Stranger	682	0.07
8 = Got Some Other Way	244	0.03

SRCSTMNM2

Len : 2 RC-SOURCE OF STIMULANTS FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source.....	220155	23.19
-9 = Data not collected for this year	722653	76.13
1 = Got From One Doctor.....	696	0.07
2 = Got From More Than One Doctor	54	0.01
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	21	0.00
4 = Got From Friend or Relative for Free	3455	0.36
5 = Bought from Friend or Relative.....	1471	0.15
6 = Took from Friend or Relative without Asking.....	229	0.02
7 = Bought from Drug Dealer or Other Stranger	382	0.04
8 = Got Some Other Way	169	0.02

RECODED DRUG USE

[SRCSEDNM2](#)

Len : 2 RC-SOURCE OF SEDATIVES FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source.....	225488	23.75
-9 = Data not collected for this year	722653	76.13
1 = Got From One Doctor.....	301	0.03
2 = Got From More Than One Doctor	22	0.00
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	6	0.00
4 = Got From Friend or Relative for Free	583	0.06
5 = Bought from Friend or Relative.....	73	0.01
6 = Took from Friend or Relative without Asking.....	77	0.01
7 = Bought from Drug Dealer or Other Stranger	41	0.00
8 = Got Some Other Way	41	0.00

NOTE: Due to the 2015 questionnaire redesign, measures of the source of a friend's or relative's most recent misuse of prescription drugs were either removed due to data availability or were created differently and renamed due to a break in trend.

The variable for the source of last use of methamphetamine (MTHSRCF2) will not be created since methamphetamine is no longer included with the other prescription drugs and the source questions were removed. Additionally, questions asking about friends' or relatives' sources of each prescription drug in the past 30 days were removed, resulting in a change in the creation method of the remaining source of last use variables: SRCFRPNRNM (previously ANLSRCF2), SRCFRTRQNM (previously TRNSRCF2), SRCFRSTMNM (previously STMSRCF2), and SRCFRSEDNM (SEDSRCF2). Other questionnaire changes that contributed to a trend break for the source of a friend's or relative's most recent misuse of prescription drugs were that the questions were relocated from the Prior Substance Use module to modules pertaining to the use of the specific drug and two response options were removed.

In the 2015 and later years questionnaire, a respondent who misused prescription drugs in the past year was administered a question regarding the source of the drug during their most recent use. If they indicated that their most recent source was a 'friend or relative for free' from either of these questions, then a respondent was administered a follow-up question that asked the source the friend/relative had obtained the drug from. The following four variables pertain to the source from which a respondent's friend or relative obtained the drug for prescription pain relievers (SRCFRPNRNM), prescription tranquilizers (SRCFRTRQNM), prescription stimulants (SRCFRSTMNM), and prescription sedatives (SRCFRSEDNM) within the past year.

For each variable there are eight mutually exclusive categories for specific sources that the friend/relative obtained the drug from and a missing category for respondents who did not indicate using the drug in the past year (or lifetime) or a respondent that indicated in one of the previous questions that they had obtained the drug for most recent use from a valid source other than a friend or relative for free and respondents with unknown or invalid values.

Based on the following conditions, a respondent was classified in one of the following nine categories (including System Missing) for the source of most recent prescription drug use in the past year for the variables, SRCFRPNRNM, SRCFRTRQNM, SRCFRSTMNM, and SRCFRSEDNM:

1. Got from One Doctor (XXXGOTLAS=4 and XXXFFGOT=1, 11)
2. Got from More Than One Doctor (XXXGOTLAS=4 and XXXFFGOT=2, 12)
3. Stole from Dr Office, Clinic, Hospital, or Pharmacy(XXXGOTLAS=4 and XXXFFGOT=3, 13)
4. Got From Friend or Relative for Free (XXXGOTLAS=4 and XXXFFGOT=4, 14)
5. Bought from Friend or Relative (XXXGOTLAS=4 and XXXFFGOT=5, 15)
6. Took from Friend or Relative without Asking (XXXGOTLAS=4 and XXXFFGOT=6, 16)
7. Bought from Drug Dealer or Other Stranger (XXXGOTLAS=4 and XXXFFGOT=7, 17)
8. Got Some Other Way (XXXGOTLAS=4 and XXXFFGOT=8 and XXXFFGTSP=valid "other" response, levels 9-38, 71)

(System Missing): No Past Year Misuse or Valid Source of Most Recent Misuse Not from Friend or Relative for Free /Unknown/Invalid Source (XXXGOTLAS not=4 or [XXXGOTLAS=4 and XXXFFGOT=94, 97, 98]) or [XXXGOTLAS=4 and XXXFFGOT=8 and XXXFFGTSP=70, 72-75, 85, 94, 97, 98])

[SRCFRPNRNM](#)

Len : 2 RC-SOURCE OF FRIEND/RELATIVE PAIN RELIEVERS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unkwn/Invalid Source	222821	23.47
-9 = Data not collected for this year	722653	76.13
1 = Got from One Doctor	3056	0.32
2 = Got from More Than One Doctor	80	0.01
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	34	0.00
4 = Got from Friend or Relative for Free	234	0.02
5 = Bought from Friend or Relative.....	153	0.02
6 = Took from Friend or Relative without Asking.....	69	0.01
7 = Bought from Drug Dealer or Other Stranger	107	0.01
8 = Got Some Other Way	78	0.01

RECODED DRUG USE

SRCFRTRQNM

Len : 2 RC-SOURCE OF FRIEND/RELATIVE TRANQUILIZERS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	224003	23.60
-9 = Data not collected for this year	722653	76.13
1 = Got from One Doctor	1974	0.21
2 = Got from More Than One Doctor	41	0.00
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	6	0.00
4 = Got from Friend or Relative for Free	215	0.02
5 = Bought from Friend or Relative.....	189	0.02
6 = Took from Friend or Relative without Asking.....	25	0.00
7 = Bought from Drug Dealer or Other Stranger	145	0.02
8 = Got Some Other Way	34	0.00

SRCFRSTMNM

Len : 2 RC-SOURCE OF FRIEND/RELATIVE STIMULANTS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	223415	23.54
-9 = Data not collected for this year	722653	76.13
1 = Got from One Doctor	2606	0.27
2 = Got from More Than One Doctor	88	0.01
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	4	0.00
4 = Got from Friend or Relative for Free	221	0.02
5 = Bought from Friend or Relative.....	177	0.02
6 = Took from Friend or Relative without Asking.....	21	0.00
7 = Bought from Drug Dealer or Other Stranger	77	0.01
8 = Got Some Other Way	23	0.00

SRCFRSEDNM

Len : 2 RC-SOURCE OF FRIEND/RELATIVE SEDATIVES FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	226089	23.82
-9 = Data not collected for this year	722653	76.13
1 = Got from One Doctor	465	0.05
2 = Got from More Than One Doctor.....	17	0.00
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	3	0.00
4 = Got from Friend or Relative for Free	25	0.00
5 = Bought from Friend or Relative.....	10	0.00
6 = Took from Friend or Relative without Asking.....	6	0.00
7 = Bought from Drug Dealer or Other Stranger	11	0.00
8 = Got Some Other Way	6	0.00

NOTE: The following four variables show collapsed levels for the source of friend or relative's most recent misuse of prescription pain relievers (SRCCLFRPNR), prescription tranquilizers (SRCCLFRTRQ), prescription stimulants (SRCCLFRSTM), and prescription sedatives (SRCCLFRSED) within the past year.

SRCCLFRPNR

Len : 1 RC-COLLAPSED SOURCE OF FRND/REL PAIN RLVRs FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	222821	23.47
-9 = Data not collected for this year	722653	76.13
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRPNRNM=1,2,3)	3170	0.33
2 = Got From Friend/Relative (SRCFRPNRNM=4,5,6)	456	0.05
3 = Got From Another Source (SRCFRPNRNM=7,8)	185	0.02

SRCCLFRTRQ

Len : 1 RC-COLLAPSED SOURCE OF FRND/REL TRANQLZRS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	224003	23.60
-9 = Data not collected for this year	722653	76.13
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRTRQNM=1,2,3)	2021	0.21
2 = Got From Friend/Relative (SRCFRTRQNM=4,5,6)	429	0.05
3 = Got From Another Source (SRCFRTRQNM=7,8)	179	0.02

SRCCLFRSTM

Len : 1 RC-COLLAPSED SOURCE OF FRND/REL STIMULANTS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	223415	23.54
-9 = Data not collected for this year	722653	76.13
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRSTMNM=1,2,3)	2698	0.28
2 = Got From Friend/Relative (SRCFRSTMNM=4,5,6)	419	0.04
3 = Got From Another Source (SRCFRSTMNM=7,8)	100	0.01

RECODED DRUG USE

[SRCCLFRSED](#) Len : 1 RC-COLLAPSED SOURCE OF FRND/REL SEDATIVES FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	226089	23.82
-9 = Data not collected for this year	722653	76.13
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRSEDNM=1,2,3)	485	0.05
2 = Got From Friend/Relative (SRCFRSEDNM=4,5,6).....	41	0.00
3 = Got From Another Source (SRCFRSEDNM=7,8)	17	0.00

The following variable for any past year use of Any Benzodiazepines, BENZOSAPYU, was assigned a positive response if a respondent indicated any past year use of Benzodiazepine Tranquilizers (TRBENZAPYU=1), any past year use of Benzodiazepine Sedatives (SVBENZAPYU=1), past year misuse of Benzodiazepine Tranquilizers that were specified as other Sedatives, or past year misuse of Benzodiazepine Sedatives that were specified as other tranquilizers.

[BENZOSAPYU](#) Len : 1 RC-ANY BENZODIAZEPINES - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	836696	88.14
0 = No/Unknown (Otherwise).....	101800	10.72
1 = Yes (See comment above)	10789	1.14

The following variable for past year misuse of Any Benzodiazepines, BENZOSPYMU, was assigned a positive response if a respondent indicated past year misuse of Benzodiazepine Tranquilizers (TRBENZPYMU=1), past year misuse of Benzodiazepine Sedatives (SVBENZPYMU=1), past year misuse of Benzodiazepine Tranquilizers that were specified as other Sedatives, or past year misuse of Benzodiazepine Sedatives that were specified as other Tranquilizers.

[BENZOSPYMU](#) Len : 1 RC-ANY BENZODIAZEPINES - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	220756	23.25
1 = Yes (See comment above)	5876	0.62

[BNGDRMDAYS](#) Len : 1 RC-# OF DAYS BINGE USED ALCOHOL IN PAST MONTH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = 1-2 Days (IRALCBNG30D=1-2)	31360	3.30
2 = 3-5 Days (IRALCBNG30D=3-5)	15295	1.61
3 = 6-19 Days (IRALCBNG30D=6-19).....	8135	0.86
4 = 20-30 Days (IRALCBNG30D=20-30).....	1973	0.21
5 = Non User or No Past Month Use (IRALCBNG30D=91,93).....	169869	17.89

[CGRMDAYS](#) Len : 1 RC-# OF DAYS USED CIGARS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCGRFM=1-2)	29689	3.13
2 = 3-5 Days (IRCGRFM=3-5)	13546	1.43
3 = 6-19 Days (IRCGRFM=6-19)	9703	1.02
4 = 20-30 Days (IRCGRFM=20-30)	6879	0.72
5 = Non User or No Past Month Use (IRCGRFM=91,93).....	889468	93.70

[CRKMDAYS](#) Len : 1 RC-# OF DAYS USED CRACK IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCCKFM=1-2)	557	0.06
2 = 3-5 Days (IRCCKFM=3-5)	381	0.04
3 = 6-19 Days (IRCCKFM=6-19)	379	0.04
4 = 20-30 Days (IRCCKFM=20-30)	235	0.02
5 = Non User or No Past Month Use (IRCCKFM=91,93).....	947733	99.84

[CRKYDAYS](#) Len : 1 RC-# OF DAYS USED CRACK IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRCCKFY=1-11).....	1953	0.21
2 = 12-49 Days (IRCCKFY=12-49)	951	0.10
3 = 50-99 Days (IRCCKFY=50-99)	493	0.05
4 = 100-299 Days (IRCCKFY=100-299).....	782	0.08
5 = 300-365 Days (IRCCKFY=300-365).....	140	0.01
6 = Non User or No Past Year Use (IRCCKFY=991,993)	944966	99.55

RECODED DRUG USE

HERMDAYS

Len : 1 RC-# OF DAYS USED HEROIN IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRHERFM=1-2)	305	0.03
2 = 3-5 Days (IRHERFM=3-5)	190	0.02
3 = 6-19 Days (IRHERFM=6-19)	301	0.03
4 = 20-30 Days (IRHERFM=20-30).....	509	0.05
5 = Non User or No Past Month Use (IRHERFM=91,93).....	947980	99.86

HERYDAYS

Len : 1 RC-# OF DAYS USED HEROIN IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRHERFY=1-11)	1176	0.12
2 = 12-49 Days (IRHERFY=12-49)	576	0.06
3 = 50-99 Days (IRHERFY=50-99)	327	0.03
4 = 100-299 Days (IRHERFY=100-299)	714	0.08
5 = 300-365 Days (IRHERFY=300-365)	387	0.04
6 = Non User or No Past Year Use (IRHERFY=991,993)	946105	99.67

ILTOBALCFG

Len : 1 RC-ILLICIT DRUG, TOBACCO PRD, OR ALCOHOL - EVER USED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No drug, tob, or alcohol lifetime use (Otherwise).....	51202	5.39
1 = Drug tob or alc lifetime use (ILLFLAG, TOBFLAG or ALCFLAG=1).....	175430	18.48

ILTOBALCYR

Len : 1 RC-ILLICIT DRUG, TOBACCO PRD, OR ALCOHOL - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No drug, tob, or alcohol past yr use (Otherwise)	73752	7.77
1 = Drug, tob, or alcohol past yr use (ILLYR, TOBYR or ALCYR=1).....	152880	16.10

SMKLSMDAYS

Len : 1 RC-# OF DAYS USED SMOKELESS TOBACCO IN PAST MONTH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = 1-2 Days (IRSMKLSS30N=1-2)	1315	0.14
2 = 3-5 Days (IRSMKLSS30N=3-5)	970	0.10
3 = 6-19 Days (IRSMKLSS30N=6-19)	1457	0.15
4 = 20-30 Days (IRSMKLSS30N=20-30).....	4559	0.48
5 = Non User or No Past Month Use (IRSMKLSS30N=91,93).....	218331	23.00

TOBALCFG

Len : 1 RC-TOBACCO PRODUCT OR ALCOHOL - EVER USED

	Freq	Pct
0 = No tobacco or alcohol lifetime use (Otherwise).....	228970	24.12
1 = Tobacco or alcohol lifetime use (TOBFLAG=1 or ALCFLAG=1)	720315	75.88

TOBALCYR

Len : 1 RC-TOBACCO PRODUCT OR ALCOHOL - PAST YEAR USE

	Freq	Pct
0 = No tobacco or alcohol past yr use (Otherwise)	322083	33.93
1 = Tobacco or alcohol past yr use (TOBYR=1 or ALCYR=1).....	627202	66.07

TQSDANYFLG

Len : 1 RC-ANY TRANQUILIZERS OR SEDATIVES - EVER USED

	Freq	Pct
-9 = Data not collected for this year	836696	88.14
0 = Never used (Otherwise).....	87145	9.18
1 = Ever used (TRQANYFLAG=1 OR SEDANYFLAG=1).....	25444	2.68

TQSDANYR

Len : 1 RC-ANY TRANQUILIZERS OR SEDATIVES - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	836696	88.14
0 = Did not use in the past year (Otherwise)	96716	10.19
1 = Used in the past year (TRQANYR=1 OR SEDANYR=1)	15873	1.67

RECODED DRUG USE

TQSDNMFLAG	Len : 1 RC-TRANQUILIZERS OR SEDATIVES - EVER MISUSED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Never misused (Otherwise).....	214492	22.60
	1 = Ever misused (TRQNMFLAG=1 OR SEDNMFLAG=1).....	12140	1.28

TQSDNMMON	Len : 1 RC-TRANQUILIZERS OR SEDATIVES - PAST MONTH MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not misuse in the past month (Otherwise).....	224550	23.65
	1 = Misused in the past month (TRQNMMON OR SEDNMMON=1)	2082	0.22

TQSDNMYR	Len : 1 RC-TRANQUILIZERS OR SEDATIVES - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = Did not misuse in the past year (Otherwise).....	219740	23.15
	1 = Misused in the past year (TRQNMYR=1 OR SEDNMYR=1).....	6892	0.73

SPECIAL DRUGS

OTHER SELF-ADMINISTERED SECTIONS

SPECIAL DRUGS

This note applies to variables in this section marked by a¹.

NOTE: MTHNEEDL and MTNDLREC were edited in a manner that was consistent with how these variables were created prior to 2005.

Have you ever, even once, used a needle to inject Methamphetamine, Desoxyn, or Methedrine when it was not prescribed for you or that you took only for the experience or feeling it caused?

<u>MTHNEEDL</u> ¹	Len : 2	EVER USED NEEDLE TO INJECT METHAMPHETAMINE	Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Yes.....	2919	0.31
		2 = No.....	22596	2.38
		3 = Yes LOGICALLY ASSIGNED	214	0.02
		4 = No LOGICALLY ASSIGNED.....	12	0.00
		81 = NEVER USED METHAMPHETAMINE Log assn.....	165	0.02
		85 = BAD DATA Logically assigned.....	8	0.00
		91 = NEVER USED METHAMPHETAMINE.....	696090	73.33
		94 = DON'T KNOW	6	0.00
		97 = REFUSED	95	0.01
		98 = BLANK (NO ANSWER).....	548	0.06

How long has it been since you last used a needle to inject Methamphetamine, Desoxyn, or Methedrine when it was not prescribed for you or that you took only for the experience or feeling it caused?

<u>MTNDLREC</u> ¹	Len : 2	TIME SINCE LAST USED NEEDLE TO INJECT METH	Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Within the past 30 days	236	0.02
		2 = More than 30 days ago but within the past 12 mos	376	0.04
		3 = More than 12 months ago	2299	0.24
		9 = At some point in the lifetime LOG ASSN.....	201	0.02
		13 = More than 12 months ago LOGICALLY ASSIGNED	21	0.00
		81 = NEVER USED METHAMPHETAMINE Logically assigned	165	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED METHAMPHETAMINE.....	696090	73.33
		93 = USED METHAMPH BUT NEVER WITH A NEEDLE.....	22608	2.38
		97 = REFUSED	95	0.01
		98 = BLANK (NO ANSWER).....	560	0.06

NOTE: Questions corresponding to MTHAMP through MTADYPWK were follow-up questions that were asked only of respondents who had not previously reported lifetime nonmedical use of methamphetamine in the core STIMULANTS module.

Methamphetamine, also known as crank, ice, crystal meth, speed, glass, and many other names, is a stimulant that usually comes in crystal or powder forms. It can be smoked, "snorted," swallowed or injected. Have you ever, even once, used methamphetamine?

<u>MTHAMP</u> ¹	Len : 2	EVER USED METHAMPHETAMINE	Freq	Pct
		-9 = Data not collected for this year	391543	41.25
		1 = Yes.....	8070	0.85
		2 = No.....	528963	55.72
		3 = Yes LOGICALLY ASSIGNED	11	0.00
		4 = No LOGICALLY ASSIGNED.....	2038	0.21
		85 = BAD DATA Logically assigned.....	20	0.00
		94 = DON'T KNOW	371	0.04
		97 = REFUSED	120	0.01
		98 = BLANK (NO ANSWER).....	118	0.01
		99 = LEGITIMATE SKIP (METHDES=1)	18031	1.90

SPECIAL DRUGS

How long has it been since you last used methamphetamine?

MTHAREC¹

Len : 2 TIME SINCE LAST USED METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Within the past 30 days	342	0.04
2 = More than 30 days ago but within the past 12 mos	811	0.09
3 = More than 12 months ago	6887	0.73
8 = At some point in the past 12 months LOG ASN	10	0.00
9 = At some point in the lifetime LOG ASN	28	0.00
11 = Used in the past 30 days LOGICALLY ASSIGNED	3	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	2038	0.21
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED METHAMPHETAMINE (MTHAMP=2)	528963	55.72
97 = REFUSED	120	0.01
98 = BLANK (NO ANSWER)	496	0.05
99 = LEGITIMATE SKIP (METHDES=1)	18031	1.90

Have you ever, even once, used a needle to inject methamphetamine?

MTHANEDL¹

Len : 2 EVER USED NEEDLE TO INJECT METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Yes	772	0.08
2 = No	7291	0.77
3 = Yes LOGICALLY ASSIGNED	15	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	2038	0.21
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED METHAMPHETAMINE (MTHAMP=2)	528963	55.72
94 = DON'T KNOW	2	0.00
97 = REFUSED	121	0.01
98 = BLANK (NO ANSWER)	496	0.05
99 = LEGITIMATE SKIP (METHDES=1)	18031	1.90

How long has it been since you last used a needle to inject methamphetamine?

MTHANDLRC¹

Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT METHAMP

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Within the past 30 days	45	0.00
2 = More than 30 days ago but within the past 12 mos	75	0.01
3 = More than 12 months ago	646	0.07
9 = At some point in the lifetime LOG ASN	15	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED	6	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	2038	0.21
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED METHAMPHETAMINE (MTHAMP=2)	528963	55.72
93 = USED METH BUT NEVER W/NEEDLE (MTHANEDL=2)	7291	0.77
97 = REFUSED	121	0.01
98 = BLANK (NO ANSWER)	498	0.05
99 = LEGITIMATE SKIP (METHDES=1)	18031	1.90

Earlier, the computer recorded that you have never used Methamphetamine, Desoxyn or Methedrine. Which answer is correct?

MTHEVCK¹

Len : 2 COMPUTER RECORDED NEVER USED METH, CORRECT

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = I have never used Methamp/Desoxyn/Meth	2038	0.21
2 = I last used Methamphetamine [SD17B FILL]	6669	0.70
85 = BAD DATA Logically assigned	109	0.01
89 = LEGITIMATE SKIP Logically assigned	13	0.00
94 = DON'T KNOW	1	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	462	0.05
99 = LEGITIMATE SKIP	492543	51.89

SPECIAL DRUGS

Why did you report earlier that you had never used Methamphetamine?

[MTHNORSN](#)¹

Len : 2 REASON REPORTED NEVER USED METHAMP

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Didnt think of Methamphetamine as prescrip drug	4319	0.45
2 = Made a mistake when I answered the earlier quest	2034	0.21
3 = Some other reason.....	264	0.03
11 = Didnt think of Methamphetamine as Rx drug LOG ASSN	7	0.00
12 = Made a mistake when answered earlier ques LOG ASSN	30	0.00
94 = DON'T KNOW	6	0.00
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	574	0.06
99 = LEGITIMATE SKIP	494594	52.10

[MTHNOSP](#)¹

Len : 2 OTHER REASON NEVER USED METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Didnt think of Methamphetamine as prescrip drug	7	0.00
2 = Made a mistake when I answered the earlier quest	30	0.00
4 = Didnt recognize crank/crystal/ice/speed as mthamp.....	63	0.01
5 = Didnt recognize earlier names/knew mth by another.....	22	0.00
6 = Didnt think of mthamp as a pill/powder; Rx unspcfd.....	40	0.00
7 = Got scared/didn't want to admit use earlier.....	4	0.00
8 = Thought the question related to injection	3	0.00
9 = Misunderstood earlier quest; reason unspecified.....	29	0.00
10 = Used methamphetamine only rarely/long time ago	8	0.00
11 = Used it without my knowledge/was forced to use.....	3	0.00
12 = It was combined with another drug	3	0.00
13 = Used someone else's pill/drug	1	0.00
70 = Reported use of a prescribed stimulant.....	14	0.00
85 = BAD DATA Logically assigned.....	39	0.00
94 = DON'T KNOW	12	0.00
97 = REFUSED	31	0.00
98 = BLANK (NO ANSWER).....	581	0.06
99 = LEGITIMATE SKIP	500947	52.77

NOTE: A small number of respondents who reported in the core STIMULANTS module that did not know whether they ever used methamphetamine nonmedically were not asked the question corresponding to MTHAAGE. These cases were assigned a code of 990 (see below).

How old were you the first time you used Methamphetamine?

[MTHAAGE](#)¹

Len : 3 AGE WHEN FIRST USED METHAMPHETAMINE

	Freq	Pct
RANGE = 1 - 60.....	5733	0.60
-9 = Data not collected for this year	502483	52.93
981 = NEVER USED METHAMPHETAMINE Logically assigned	1769	0.19
985 = BAD DATA Logically assigned.....	2	0.00
990 = NOT ASKED THE QUESTION Logically assigned.....	14	0.00
991 = NEVER USED METHAMPHETAMINE	424932	44.76
994 = DON'T KNOW	42	0.00
997 = REFUSED	105	0.01
998 = BLANK (NO ANSWER).....	510	0.05
999 = LEGITIMATE SKIP	13695	1.44

SPECIAL DRUGS

Did you first use Methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use Methamphetamine in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use Methamphetamine?

<u>MTHAYFU</u> ¹	Len : 4 YEAR OF FIRST METHAMPHETAMINE USE - RECODE		
		Freq	Pct
	RANGE = 2005 - 2014.....	424	0.04
	-9 = Data not collected for this year.....	502483	52.93
	9981 = NEVER USED METHAMPHETAMINE Logically assigned.....	1769	0.19
	9985 = BAD DATA Logically assigned.....	10	0.00
	9989 = LEGITIMATE SKIP Logically assigned.....	20	0.00
	9991 = NEVER USED METHAMPHETAMINE.....	424932	44.76
	9994 = DON'T KNOW.....	43	0.00
	9997 = REFUSED.....	106	0.01
	9998 = BLANK (NO ANSWER).....	526	0.06
	9999 = LEGITIMATE SKIP.....	18972	2.00

In what month in [CURRENT YEAR] did you first use Methamphetamine?

In what month in [YEAR FROM SDME02 or SDME03] did you first use Methamphetamine?

<u>MTHAMFU</u> ¹	Len : 2 MONTH OF FIRST METHAMPHETAMINE USE - RECODE		
		Freq	Pct
	-9 = Data not collected for this year.....	502483	52.93
	1 = January.....	33	0.00
	2 = February.....	27	0.00
	3 = March.....	35	0.00
	4 = April.....	33	0.00
	5 = May.....	26	0.00
	6 = June.....	40	0.00
	7 = July.....	40	0.00
	8 = August.....	33	0.00
	9 = September.....	31	0.00
	10 = October.....	36	0.00
	11 = November.....	31	0.00
	12 = December.....	32	0.00
	81 = NEVER USED METHAMPHETAMINE Logically assigned.....	1769	0.19
	85 = BAD DATA Logically assigned.....	10	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	20	0.00
	91 = NEVER USED METHAMPHETAMINE.....	424932	44.76
	94 = DON'T KNOW.....	68	0.01
	97 = REFUSED.....	108	0.01
	98 = BLANK (NO ANSWER).....	526	0.06
	99 = LEGITIMATE SKIP.....	18972	2.00

<u>MTHAYTOT</u> ¹	Len : 3 TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 365.....	708	0.07
	-9 = Data not collected for this year.....	502483	52.93
	981 = NEVER USED METHAMPHETAMINE Logically assigned.....	1769	0.19
	991 = NEVER USED METHAMPHETAMINE.....	424932	44.76
	993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	5151	0.54
	994 = DON'T KNOW.....	11	0.00
	997 = REFUSED.....	100	0.01
	998 = BLANK (NO ANSWER).....	436	0.05
	999 = LEGITIMATE SKIP.....	13695	1.44

<u>MTAFQFLG</u>	Len : 2 TRIMMED MTHAYTOT IF R USED < 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year.....	502483	52.93
	1 = Trimmed to be consistent with mo/yr of 1st use.....	72	0.01
	98 = BLANK (NO ANSWER).....	446730	47.06

SPECIAL DRUGS

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used Methamphetamine during the past 12 months.

What would be the easiest way for you to tell us how many days you used Methamphetamine?

[MTABSTWY](#)¹

Len : 2 EASIEST WAY TO TELL US # DAYS USED METH

	Freq	Pct
-9 = Data not collected for this year	502483	52.93
1 = Prefer to answer in days per week	134	0.01
2 = Prefer to answer in days per month.....	169	0.02
3 = Prefer to answer in days per year.....	400	0.04
11 = Prefer to ans in days per wk LOG ASSN	2	0.00
12 = Prefer to ans in days per mo LOG ASSN	1	0.00
13 = Prefer to ans in days per yr LOG ASSN.....	7	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	1769	0.19
91 = NEVER USED METHAMPHETAMINE	424932	44.76
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	5151	0.54
94 = DON'T KNOW	9	0.00
97 = REFUSED	97	0.01
98 = BLANK (NO ANSWER).....	436	0.05
99 = LEGITIMATE SKIP	13695	1.44

On how many days in the past 12 months did you use Methamphetamine?

[MTADYPYR](#)¹

Len : 3 # DAYS USED METHAMPHETAMINE PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365	405	0.04
-9 = Data not collected for this year	502483	52.93
981 = NEVER USED METHAMPHETAMINE Logically assigned	1769	0.19
989 = LEGITIMATE SKIP Logically assigned.....	3	0.00
991 = NEVER USED METHAMPHETAMINE	424932	44.76
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	5151	0.54
994 = DON'T KNOW	9	0.00
997 = REFUSED	99	0.01
998 = BLANK (NO ANSWER).....	438	0.05
999 = LEGITIMATE SKIP	13996	1.47

On average, how many days each month during the past 12 months did you use Methamphetamine?

[MTADYPMO](#)¹

Len : 2 # DAYS PER MO USED METHAMPHETAMINE PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31.....	169	0.02
-9 = Data not collected for this year	502483	52.93
81 = NEVER USED METHAMPHETAMINE Logically assigned	1769	0.19
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED METHAMPHETAMINE	424932	44.76
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	5151	0.54
94 = DON'T KNOW	10	0.00
97 = REFUSED	99	0.01
98 = BLANK (NO ANSWER).....	438	0.05
99 = LEGITIMATE SKIP	14232	1.50

On average, how many days each week during the past 12 months did you use Methamphetamine?

[MTADYPWK](#)¹

Len : 2 # DAYS PER WK USED METHAMPHETAMINE PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7.....	134	0.01
-9 = Data not collected for this year	502483	52.93
81 = NEVER USED METHAMPHETAMINE Logically assigned	1769	0.19
91 = NEVER USED METHAMPHETAMINE	424932	44.76
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	5151	0.54
94 = DON'T KNOW	12	0.00
97 = REFUSED	99	0.01
98 = BLANK (NO ANSWER).....	436	0.05
99 = LEGITIMATE SKIP	14269	1.50

SPECIAL DRUGS

NOTE: OSTNEEDL and OSTNLREC were edited in a manner that was consistent with how these variables were created prior to 2005.

Have you ever, even once, used a needle to inject (any other stimulant / a stimulant) when it was not prescribed for you or that you took only for the experience or feeling it caused?

[OSTNEEDL](#)¹

Len : 2 EVER USED NEEDLE TO INJECT (OTHER) STIMULANT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1662	0.18
2 = No.....	38009	4.00
3 = Yes LOGICALLY ASSIGNED	68	0.01
81 = NEVER USED STIMULANTS Log assn	165	0.02
85 = BAD DATA Logically assigned.....	13	0.00
89 = LEGITIMATE SKIP Logically assigned	48	0.01
91 = NEVER USED STIMULANTS	667057	70.27
94 = DON'T KNOW	20	0.00
97 = REFUSED	53	0.01
98 = BLANK (NO ANSWER).....	1584	0.17
99 = LEGITIMATE SKIP	13974	1.47

How long has it been since you last used a needle to inject (any other stimulant / any stimulant) when it was not prescribed for you or that you took only for the experience or feeling it caused?

[OSTNLREC](#)¹

Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT (OTH) STIM

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within the past 30 days	152	0.02
2 = More than 30 days ago but within the past 12 mos	222	0.02
3 = More than 12 months ago	1278	0.13
9 = At some point in the lifetime LOG ASSN.....	43	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED	35	0.00
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.00
91 = NEVER USED STIMULANTS	667057	70.27
93 = USED STIM/OTHR STIMULANT BUT NEVER WITH A NEEDLE.....	38008	4.00
97 = REFUSED	53	0.01
98 = BLANK (NO ANSWER).....	1615	0.17
99 = LEGITIMATE SKIP	14019	1.48

Adderall is a prescription stimulant that comes in tablet or capsule form. Adderall tablets and capsules are shown below. Have you ever, even once, used Adderall that was not prescribed for you or that you took only for the experience or feeling it caused?

[ADDERALL](#)¹

Len : 2 EVER USED ADDERALL THAT WAS NOT PRESCRIBED

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Yes.....	26362	2.78
2 = No.....	475006	50.04
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	345	0.04
97 = REFUSED	85	0.01
98 = BLANK (NO ANSWER).....	38	0.00

Ambien is a prescription sedative or sleeping pill that comes in tablet form. Ambien tablets are shown below. Have you ever, even once, used Ambien that was not prescribed for you or that you took only for the experience or feeling it caused?

[AMBIEN](#)¹

Len : 2 EVER USED AMBIEN THAT WAS NOT PRESCRIBED

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Yes.....	11842	1.25
2 = No.....	489522	51.57
3 = Yes LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	363	0.04
97 = REFUSED	70	0.01
98 = BLANK (NO ANSWER).....	38	0.00

SPECIAL DRUGS

Earlier, the computer asked you questions about your use of hallucinogens. These drugs often cause people to see or experience things that are not real. The next questions are about hallucinogens you were not specifically asked about earlier.

Have you ever, even once, used Ketamine, also called "Special K" or "Super K"?

KETAMINE¹

Len : 2 EVER USED KETAMINE

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Yes.....	5590	0.59
2 = No.....	495462	52.19
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	677	0.07
97 = REFUSED	68	0.01
98 = BLANK (NO ANSWER).....	39	0.00

Have you ever, even once, used any of the following: DMT, also called dimethyltryptamine, AMT, also called alpha-methyltryptamine, or Foxy, also called 5-MeO-DIPT?

TRYPTMN¹

Len : 2 EVER USED DMT, AMT, FOXY

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Yes.....	3448	0.36
2 = No.....	497460	52.40
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	811	0.09
97 = REFUSED	78	0.01
98 = BLANK (NO ANSWER).....	39	0.00

Have you ever, even once, used Salvia divinorum?

SALVDIV¹

Len : 2 EVER USED SALVIA DIVINORUM

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Yes.....	15135	1.59
2 = No.....	485572	51.15
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	1011	0.11
97 = REFUSED	79	0.01
98 = BLANK (NO ANSWER).....	39	0.00

Earlier, the computer recorded that you have used Adderall that was not prescribed for you or that you took only for the experience or feeling it caused. How long has it been since you last used Adderall in either of these ways?

ADDEREC¹

Len : 2 TIME SINCE LAST USED ADDERALL

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Within the past 30 days	3334	0.35
2 = More than 30 days ago but within the past 12 mos	7877	0.83
3 = More than 12 months ago	15084	1.59
8 = Used at some point in the past 12 mos LOG ASSN	2	0.00
9 = At some point in the lifetime LOG ASSN.....	65	0.01
91 = NEVER USED ADDERALL.....	475006	50.04
97 = REFUSED	85	0.01
98 = BLANK (NO ANSWER).....	384	0.04

Earlier the computer recorded that you have used Ambien that was not prescribed for you or that you took only for the experience or feeling it caused. How long has it been since you last used Ambien in either of these ways?

AMBIREC¹

Len : 2 TIME SINCE LAST USED AMBIEN

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Within the past 30 days	1027	0.11
2 = More than 30 days ago but within the past 12 mos	3180	0.33
3 = More than 12 months ago	7573	0.80
8 = Used at some point in the past 12 mos LOG ASSN	1	0.00
9 = At some point in the lifetime LOG ASSN.....	62	0.01
91 = NEVER USED AMBIEN	489522	51.57
97 = REFUSED	70	0.01
98 = BLANK (NO ANSWER).....	402	0.04

SPECIAL DRUGS

Earlier, the computer recorded that you have used Ketamine. How long has it been since you last used Ketamine?

KETAREC ¹	Len : 2	TIME SINCE LAST USED KETAMINE		
			Freq	Pct
		-9 = Data not collected for this year	447448	47.14
		1 = Within the past 30 days	190	0.02
		2 = More than 30 days ago but within the past 12 mos	628	0.07
		3 = More than 12 months ago	4729	0.50
		9 = Used at some point in the lifetime LOG ASSN	43	0.00
		91 = NEVER USED KETAMINE	495462	52.19
		97 = REFUSED	68	0.01
		98 = BLANK (NO ANSWER).....	717	0.08

Earlier, the computer recorded that you have used DMT, AMT, or Foxy. How long has it been since you last used any of these drugs?

TRYPREC ¹	Len : 2	TIME SINCE LAST USED DMT/AMT/FOXY		
			Freq	Pct
		-9 = Data not collected for this year	447448	47.14
		1 = Within the past 30 days	198	0.02
		2 = More than 30 days ago but within the past 12 mos	764	0.08
		3 = More than 12 months ago	2467	0.26
		9 = Used at some point in the lifetime LOG ASSN	19	0.00
		91 = NEVER USED DMT/AMT/FOXY	497460	52.40
		97 = REFUSED	78	0.01
		98 = BLANK (NO ANSWER).....	851	0.09

Earlier, the computer recorded that you have used Salvia divinorum. How long has it been since you last used Salvia divinorum?

SALVREC ¹	Len : 2	TIME SINCE LAST USED SALVIA DIVINORUM		
			Freq	Pct
		-9 = Data not collected for this year	447448	47.14
		1 = Within the past 30 days	655	0.07
		2 = More than 30 days ago but within the past 12 mos	3206	0.34
		3 = More than 12 months ago	11244	1.18
		9 = Used at some point in the lifetime LOG ASSN	30	0.00
		91 = NEVER USED SALVIA DIVINORUM.....	485572	51.15
		97 = REFUSED	79	0.01
		98 = BLANK (NO ANSWER).....	1051	0.11

The last questions were about prescription drugs. The next question is about non-prescription cough or cold medicines, also known as over the counter medicines. Have you ever, even once, taken a non-prescription cough or cold medicine just to get high?

COLDMEDS ¹	Len : 2	TAKEN A NONPRESCRIPTION COUGH MED TO GET HIGH		
			Freq	Pct
		-9 = Data not collected for this year	220816	23.26
		1 = Yes.....	30466	3.21
		2 = No.....	697236	73.45
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW	497	0.05
		97 = REFUSED	215	0.02
		98 = BLANK (NO ANSWER).....	54	0.01

How long has it been since you last took one of these cough or cold medicines to get high?

COLDREC ¹	Len : 2	TIME SINCE LAST USED COUGH/COLD MED		
			Freq	Pct
		-9 = Data not collected for this year	220816	23.26
		1 = Within the past 30 days	2358	0.25
		2 = More than 30 days ago but within the past 12 mos	6086	0.64
		3 = More than 12 months ago	21391	2.25
		9 = At some point in the lifetime LOG ASSN.....	630	0.07
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COUGH/COLD MED	697236	73.45
		97 = REFUSED	215	0.02
		98 = BLANK (NO ANSWER).....	552	0.06

SPECIAL DRUGS

COLDYR1¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 1

	Freq	Pct
-9.0 = Data not collected for this year.....	220816	23.26
122.0 = Over-the-counter sleep aid; not specified <OTC>.....	25	0.00
123.0 = Unisom <OTC>.....	2	0.00
127.0 = Nytol, no other information <OTC>.....	2	0.00
130.0 = Phenergan, Promethazine.....	146	0.02
136.0 = Dimetapp, no other information <OTC>.....	11	0.00
148.0 = Actifed <OTC>.....	1	0.00
171.0 = NyQuil, no other information <OTC>.....	1930	0.20
171.1 = NyQuil cold medicine; no other information <OTC>.....	3	0.00
171.2 = NyQuil D <OTC>.....	1	0.00
171.3 = NyQuil Cold and Flu <OTC>.....	3	0.00
171.4 = NyQuil with Mountain Dew.....	1	0.00
171.5 = ZzzQuil <OTC>.....	18	0.00
171.6 = NyQuil Cough <OTC>.....	1	0.00
174.0 = Ambien, Zolpidem.....	3	0.00
178.0 = Quetiapine, Seroquel.....	3	0.00
180.0 = Tylenol P.M. <OTC>.....	59	0.01
181.0 = Excedrin P.M. <OTC>.....	2	0.00
185.0 = Tylenol Simply Sleep <OTC>.....	1	0.00
209.0 = Xanax, Alprazolam, Tafil, Xanax bars.....	2	0.00
246.0 = Klonopin, Clonazepam, Rivotril.....	1	0.00
285.0 = Risperdal, Risperdol, Risperidone.....	1	0.00
301.0 = Dexedrine.....	1	0.00
320.0 = Dextroamphetamine.....	1	0.00
332.0 = Ephedrine.....	2	0.00
335.0 = Dexatrim <OTC>.....	1	0.00
353.0 = No-Doz <OTC>.....	1	0.00
364.0 = Pseudoephedrine <OTC>.....	5	0.00
409.0 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	12	0.00
415.0 = Codeine.....	311	0.03
422.0 = Motrin, no other information <OTC>.....	16	0.00
422.1 = Children's Motrin <OTC>.....	1	0.00
425.0 = Advil, no other information <OTC>.....	118	0.01
430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	23	0.00
432.0 = Rufen.....	1	0.00
434.0 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	8	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>.....	361	0.04
436.0 = Bufferin <OTC>.....	1	0.00
438.0 = Anaprox, Naprosyn, Naproxen, Naxen.....	2	0.00
442.0 = Ibuprofen.....	40	0.00
450.0 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	13	0.00
466.0 = Midol <OTC>.....	3	0.00
468.0 = Excedrin; no other information <OTC>.....	11	0.00
477.0 = Melumbrina, Neo-Melumbrina.....	2	0.00
480.0 = Robitussin AC with Codeine (Schedule V).....	3	0.00
499.0 = Aleve <OTC>.....	9	0.00
501.0 = Gasoline or lighter fluids.....	1	0.00
505.0 = Lacquer thinner or other paint solvents.....	1	0.00
511.0 = Markers, felt-tip pens, ink pens.....	1	0.00
616.0 = DET, Dimethyltryptamine, DMT.....	2	0.00
801.0 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
803.0 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	1	0.00
807.0 = Alcohol, beer, ethanol, EtOH, pink champagne.....	2	0.00
815.0 = Coffee <OTC>.....	1	0.00
821.0 = Amoxicillin, Ampicillin.....	10	0.00
828.0 = Tetracycline.....	1	0.00
829.0 = Robitussin, no other information <OTC>.....	826	0.09
829.1 = Robitussin DM <OTC>.....	24	0.00
829.2 = Robitussin Maximum Strength <OTC>.....	5	0.00
829.3 = Robotussin Cough and Cold <OTC>.....	1	0.00
829.4 = Robitussin PM <OTC>.....	3	0.00
829.5 = Robotussin Cough, no other information <OTC>.....	8	0.00
829.6 = Robotussin CoughGels <OTC>.....	5	0.00
829.8 = Robitussin Long-acting Cough.....	1	0.00
840.0 = Cough med, generic/unspec, contents unspc <OTC>.....	204	0.02
840.1 = Night cough med/syrup/drops; brand unspcfd.....	2	0.00
841.0 = Allerest, Contact <OTC>.....	3	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>.....	65	0.01
843.1 = Nighttime cold medication; brand unspecified <OTC>.....	7	0.00
847.0 = GHB, NSC.....	1	0.00
848.0 = Liquid vitamin, vitamin pills <OTC>.....	3	0.00
858.0 = Antibiotic.....	1	0.00
883.0 = Dextromethorphan Hydrobromide <OTC>.....	25	0.00

SPECIAL DRUGS

899.0 = Bromophen	1	0.00
900.0 = Not a drug	1	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>	212	0.02
1002.0 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	8	0.00
1013.0 = Sleepinal <OTC>	1	0.00
1014.0 = Advil PM <OTC>	6	0.00
1015.0 = Motrin PM <OTC>	1	0.00
2016.0 = Tandene	1	0.00
3017.0 = Dayquil medication, no other information <OTC>	135	0.01
3017.1 = DayQuil Cough <OTC>	1	0.00
3017.2 = DayQuil Cold & Flu <OTC>	1	0.00
3023.0 = Adderall	7	0.00
3047.0 = Sudafed, no other information <OTC>	49	0.01
3047.1 = Sudafed PE <OTC>	2	0.00
3052.0 = Speed; otherwise unspecified	1	0.00
3101.0 = Sedalmerck	1	0.00
4023.0 = Pamprin <OTC>	1	0.00
4031.0 = Cough medicine with Codeine <OTC>	23	0.00
4044.0 = Hydrocodone	62	0.01
4046.0 = Oxycodone	2	0.00
4067.0 = Oxycontin	2	0.00
4076.0 = OTC Pain reliever; not otherwise specified <OTC>	6	0.00
4097.0 = Tussionex	16	0.00
4100.0 = Excedrin Migraine <OTC>	2	0.00
4111.0 = Histinex; no other information	1	0.00
4111.1 = Histinex HC	1	0.00
4112.0 = Atuss	1	0.00
4113.0 = Hydrotussin	1	0.00
4113.1 = Hydro-Tussin HC	1	0.00
4114.0 = Phenergan w/Codeine, Promethazine w/Codeine	118	0.01
4114.1 = Promethazine VC with Codeine	4	0.00
4116.0 = Hycodan, Hydromet, Tussion	2	0.00
4117.0 = Biogrip	1	0.00
4118.0 = Calpol	1	0.00
5171.0 = Mouthwash	1	0.00
6029.0 = DXM <OTC>	46	0.00
6042.0 = Super K	1	0.00
6043.0 = Diviner's sage, salvia divinorum	2	0.00
6048.0 = Dex	3	0.00
6066.0 = Purple rain	1	0.00
6083.0 = CCC, "Triple C," C3 <OTC>	193	0.02
6115.0 = Foxy	1	0.00
6127.0 = Skittles <OTC>	5	0.00
8004.0 = Guaifenesin	2	0.00
8006.0 = Laxative <OTC>	1	0.00
8009.0 = Allergy pills/antihistamine; type unspfd <OTC>	9	0.00
8010.0 = Zyrtec, Cetirizine <OTC>	15	0.00
8011.0 = Herb, flower, plant; type unspecified <OTC>	3	0.00
8012.0 = Coriciden, no other information <OTC>	312	0.03
8012.1 = Coricidin Cough and Cold <OTC>	126	0.01
8012.3 = Coricidin HBP Cold & Flu <OTC>	1	0.00
8012.4 = Coricidin HBP Cough & Cold <OTC>	3	0.00
8014.0 = Throat spray; type unspecified <OTC>	3	0.00
8019.0 = Azithromycin, Z-pack, Zithromax	1	0.00
8020.0 = Allegra, Altiva	4	0.00
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>	6	0.00
8025.1 = Alavert D, Claritin D <OTC>	8	0.00
8027.0 = Loratadine, including house brands <OTC>	1	0.00
8030.0 = Tums <OTC>	2	0.00
8038.0 = Coldact	4	0.00
8042.0 = Alka Seltzer, no other information <OTC>	11	0.00
8042.1 = Alka-Seltzer Plus Cold, no other information <OTC>	5	0.00
8042.3 = Alka-Seltzer Plus Flu <OTC>	1	0.00
8042.4 = Alka-Seltzer Plus; no other information	4	0.00
8042.6 = Alka-Seltzer Plus Cold and Flu <OTC>	1	0.00
8052.0 = Bactrim, Septra	1	0.00
8056.0 = Vicks, no other information <OTC>	47	0.00
8056.1 = Vicks 44 <OTC>	16	0.00
8056.2 = Vicks VapoRub <OTC>	3	0.00
8056.4 = Vicks throat spray <OTC>	1	0.00
8056.5 = Vicks cough medication, no other info <OTC>	5	0.00
8056.6 = Vicks 44D <OTC>	4	0.00
8056.7 = Vicks Formula 44 Custom Care Dry Cough	4	0.00
8058.0 = Cough medicine/syrup; type unspecified	1	0.00
8064.0 = Triaminic, no other information <OTC>	3	0.00

SPECIAL DRUGS

8065.0 = Tylenol Cold medication, no other info <OTC>.....	41	0.00
8070.0 = Advil Cold and Sinus <OTC>.....	8	0.00
8071.0 = Augmentin	1	0.00
8076.0 = Winstrol	1	0.00
8091.0 = Benzedrex <OTC>.....	2	0.00
8094.0 = Pepto Bismol <OTC>.....	6	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>.....	178	0.02
8123.0 = Tylenol Sinus medication, no other info <OTC>.....	2	0.00
8125.0 = Comtrex <OTC>.....	1	0.00
8138.0 = Chlorphenamine maleate, Chlorpheniramine <OTC>.....	1	0.00
8146.0 = Tabcin <OTC>	3	0.00
8147.0 = Tylenol Flu medication, no other info <OTC>	2	0.00
8169.0 = TheraFlu <OTC>	65	0.01
8169.1 = Theraflu Warming <OTC>	1	0.00
8172.0 = Cortisone.....	1	0.00
8192.0 = Delsym <OTC>	127	0.01
8194.0 = Afrin <OTC>.....	2	0.00
8200.0 = Tylenol Cold and Flu medication,no othr info <OTC>	17	0.00
8201.0 = Tylenol Cough medication, no othr info <OTC>.....	15	0.00
8201.1 = Tylenol Cough and Sore Throat Nighttime <OTC>.....	1	0.00
8201.2 = Tylenol Cough and Cold medication; no other info	3	0.00
8202.0 = Tussin, no other information.....	51	0.01
8202.2 = Wal-Tussin, no other information <OTC>	6	0.00
8202.3 = Tussin with hydrocodone	1	0.00
8202.5 = Co-Tussin.....	1	0.00
8202.6 = Tussin DM, no other information <OTC>	7	0.00
8202.7 = Q-Tussin CF <OTC>	1	0.00
8202.8 = Tussin with codeine; no other information	2	0.00
8202.9 = HC Tussin, no other information	1	0.00
8203.0 = Sinus medication, no other information <OTC>.....	1	0.00
8204.0 = Flu medication, no other information <OTC>.....	2	0.00
8205.0 = Mucinex, no other information <OTC>	78	0.01
8205.1 = Mucinex DM <OTC>.....	14	0.00
8206.1 = Advil Allergy, no other information <OTC>	1	0.00
8208.0 = Robo, robo tripping.....	7	0.00
8209.0 = Ricola <OTC>.....	1	0.00
8210.0 = Chloraseptic medication, no other info <OTC>.....	2	0.00
8211.0 = Halls drops/lozenges, no other info <OTC>.....	17	0.00
8212.0 = Zicam medication, no other information <OTC>	4	0.00
8212.2 = Zicam Cough Max <OTC>.....	2	0.00
8213.0 = Bromaxefed/Bromfed, no other information	1	0.00
8214.0 = Tylenol Nighttime, no other information <OTC>.....	6	0.00
8215.0 = CVS Cough & Cold <OTC>.....	2	0.00
8216.0 = Advil Cold, no other information <OTC>.....	1	0.00
8216.2 = Advil Cold and Flu <OTC>	1	0.00
8217.0 = Broncolin <OTC>.....	10	0.00
8221.0 = D'Cold; otherwise unspecified <OTC>.....	1	0.00
8222.0 = Dexalone <OTC>	2	0.00
8223.0 = Afrinex <OTC>	1	0.00
8225.0 = Tylenol Cold Multi-symptom; no other info	1	0.00
8227.0 = Bronkaid	3	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite)	52	0.01
8231.0 = Mar-Cof	1	0.00
8232.1 = CareOne Tussin Maximum Strength	1	0.00
8233.0 = Galcodine	1	0.00
8234.0 = Pancof.....	1	0.00
8235.0 = Aleve Sinus and Cold <OTC>	1	0.00
8236.0 = Sucrets; no other information <OTC>	1	0.00
8238.0 = Cheratussin <OTC>	6	0.00
8240.0 = Lagundi.....	1	0.00
8241.0 = Wal-Tussin Cough Softgels <OTC>.....	1	0.00
8242.0 = Metamucil <OTC>.....	1	0.00
8245.0 = Advair.....	1	0.00
8248.0 = Bromhexin	1	0.00
8249.0 = XL-3	6	0.00
8250.0 = Coldarin <OTC>.....	2	0.00
8251.0 = DMC, Dimethocaine, Larocaine	1	0.00
8253.0 = Tamiflu	1	0.00
8254.0 = Flanax; no other information <OTC>	3	0.00
8256.0 = Dexomine	1	0.00
8257.0 = Histiacyl NF.....	1	0.00
8258.0 = Tukol <OTC>.....	8	0.00
8259.0 = Viro-Grip	1	0.00
8260.0 = Tylenol Allergy; no other information <OTC>	1	0.00
8261.0 = Rompe Pecho <OTC>.....	2	0.00

SPECIAL DRUGS

8264.0 = Nurofen	1	0.00
8265.0 = Codral	1	0.00
8266.0 = Tobacco; type or form unspecified	1	0.00
8267.0 = Hyland's Defend; otherwise unspecified <OTC>	1	0.00
8268.0 = Broncomax	1	0.00
8269.0 = Prednisolone	1	0.00
8272.0 = Banlangen Keli <OTC>	1	0.00
8273.0 = Q-Tussin <OTC>	1	0.00
8274.0 = Terpin hydrate	1	0.00
8275.0 = Vaseline <OTC>	1	0.00
8276.0 = 5-Hour Energy <OTC>	1	0.00
8278.0 = Coristina	1	0.00
8279.0 = Decongestant; contents unspfd <OTC>	1	0.00
8280.0 = Dextrose <OTC>	1	0.00
8282.0 = Chestal	1	0.00
8283.0 = Zarbee's; no other information <OTC>	1	0.00
8286.0 = Promethazine VC	1	0.00
9985.0 = BAD DATA Logically assigned	655	0.07
9991.0 = NEVER USED COUGH/COLD MED	697236	73.45
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	21391	2.25
9994.0 = DON'T KNOW	742	0.08
9997.0 = REFUSED	533	0.06
9998.0 = BLANK (NO ANSWER)	1192	0.13

SPECIAL DRUGS

COLDYR2¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 2

	Freq	Pct
-9.0 = Data not collected for this year.....	220816	23.26
101.0 = Butisol	1	0.00
122.0 = Over-the-counter sleep aid; not specified <OTC>	8	0.00
130.0 = Phenergan, Promethazine	30	0.00
136.0 = Dimetapp, no other information <OTC>	6	0.00
171.0 = NyQuil, no other information <OTC>	288	0.03
171.5 = ZzzQuil <OTC>	5	0.00
171.6 = NyQuil Cough <OTC>.....	1	0.00
174.0 = Ambien, Zolpidem.....	1	0.00
176.0 = Melatonin <OTC>	2	0.00
178.0 = Quetiapine, Seroquel.....	4	0.00
180.0 = Tylenol P.M. <OTC>.....	26	0.00
185.0 = Tylenol Simply Sleep <OTC>	1	0.00
209.0 = Xanax, Alprazolam, Tafil, Xanax bars	2	0.00
332.0 = Ephedrine.....	1	0.00
335.0 = Dexatrim <OTC>	1	0.00
364.0 = Pseudoephedrine <OTC>	1	0.00
377.0 = Albuterol, Proventil, Ventolin.....	1	0.00
409.0 = Tylenol with Codeine, Tylenol 3, Tylenol 4	3	0.00
415.0 = Codeine.....	58	0.01
417.0 = Morphine, Roxanol.....	1	0.00
422.0 = Motrin, no other information <OTC>.....	12	0.00
425.0 = Advil, no other information <OTC>.....	49	0.01
430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	5	0.00
434.0 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	1	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	96	0.01
435.1 = Tylenol Arthritis Pain <OTC>	1	0.00
435.2 = Tylenol Meltaways <OTC>.....	1	0.00
442.0 = Ibuprofen	18	0.00
450.0 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	4	0.00
466.0 = Midol <OTC>	1	0.00
468.0 = Excedrin; no other information <OTC>.....	4	0.00
477.0 = Melumbrina, Neo-Melumbrina	1	0.00
480.0 = Robitussin AC with Codeine (Schedule V).....	1	0.00
499.0 = Aleve <OTC>.....	8	0.00
658.0 = Special K, Ketamine	1	0.00
807.0 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
820.0 = Penicillin	1	0.00
821.0 = Amoxicillin, Ampicillin	3	0.00
828.0 = Tetracycline	1	0.00
829.0 = Robitussin, no other information <OTC>	227	0.02
829.1 = Robitussin DM <OTC>.....	4	0.00
829.3 = Robotussin Cough and Cold <OTC>.....	1	0.00
829.4 = Robitussin PM <OTC>	2	0.00
829.5 = Robotussin Cough, no other information <OTC>.....	1	0.00
829.6 = Robotussin CoughGels <OTC>	1	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC>.....	55	0.01
840.1 = Night cough med/syrup/drops; brand unspcfd.....	4	0.00
841.0 = Allerest, Contact <OTC>	1	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>.....	67	0.01
843.1 = Nighttime cold medication; brand unspecified <OTC>	3	0.00
848.0 = Liquid vitamin, vitamin pills <OTC>.....	2	0.00
883.0 = Dextromethorphan Hydrobromide <OTC>.....	4	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>	79	0.01
1002.0 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>.....	3	0.00
1014.0 = Advil PM <OTC>	3	0.00
3017.0 = Dayquil medication, no other information <OTC>.....	67	0.01
3017.1 = DayQuil Cough <OTC>	1	0.00
3047.0 = Sudafed, no other information <OTC>	15	0.00
3047.1 = Sudafed PE <OTC>	2	0.00
3101.0 = Sedalmerck.....	1	0.00
4031.0 = Cough medicine with Codeine <OTC>	5	0.00
4044.0 = Hydrocodone	10	0.00
4046.0 = Oxycodone	1	0.00
4076.0 = OTC Pain reliever; not otherwise specified <OTC>	3	0.00
4077.0 = Tee's	1	0.00
4097.0 = Tussionex	1	0.00
4113.0 = Hydrotussin	1	0.00
4114.0 = Phenergan w/Codeine, Promethazine w/Codeine	22	0.00
4116.0 = Hycodan, Hydromet, Tussion	2	0.00
4117.0 = Biogrip.....	1	0.00
5061.0 = Lip balm, lip gloss	1	0.00
6029.0 = DXM <OTC>	13	0.00

SPECIAL DRUGS

6048.0 = Dex	1	0.00
6083.0 = CCC, "Triple C," C3 <OTC>	31	0.00
6127.0 = Skittles <OTC>	2	0.00
8009.0 = Allergy pills/antihistamine; type unspfd <OTC>	5	0.00
8010.0 = Zyrtec, Cetirizine <OTC>	4	0.00
8010.1 = Zyrtec-D	1	0.00
8012.0 = Coriciden, no other information <OTC>	42	0.00
8012.1 = Coricidin Cough and Cold <OTC>	17	0.00
8013.0 = Maalox <OTC>	1	0.00
8014.0 = Throat spray; type unspecified <OTC>	1	0.00
8020.0 = Allegra, Altiva	1	0.00
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>	4	0.00
8038.0 = Coldact	1	0.00
8042.0 = Alka Seltzer, no other information <OTC>	1	0.00
8042.2 = Alka-Seltzer Plus Night-Time Cold <OTC>	1	0.00
8042.4 = Alka-Seltzer Plus; no other information	1	0.00
8051.1 = Sinex Severe nasal spray <OTC>	1	0.00
8056.0 = Vicks, no other information <OTC>	21	0.00
8056.1 = Vicks 44 <OTC>	8	0.00
8056.7 = Vicks Formula 44 Custom Care Dry Cough	1	0.00
8058.0 = Cough medicine/syrup; type unspecified	1	0.00
8065.0 = Tylenol Cold medication, no other info <OTC>	12	0.00
8065.1 = Tylenol Cold Relief Nighttime <OTC>	1	0.00
8070.0 = Advil Cold and Sinus <OTC>	1	0.00
8091.0 = Benzedrex <OTC>	1	0.00
8094.0 = Pepto Bismol <OTC>	1	0.00
8098.0 = Potassium chloride	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>	55	0.01
8123.0 = Tylenol Sinus medication, no other info <OTC>	8	0.00
8123.1 = Tylenol Congestion medication, no other info <OTC>	1	0.00
8125.0 = Comtrex <OTC>	2	0.00
8146.0 = Tabcin <OTC>	1	0.00
8169.0 = TheraFlu <OTC>	19	0.00
8169.1 = Theraflu Warming <OTC>	1	0.00
8192.0 = Delsym <OTC>	33	0.00
8200.0 = Tylenol Cold and Flu medication, no othr info <OTC>	1	0.00
8201.0 = Tylenol Cough medication, no othr info <OTC>	5	0.00
8202.0 = Tussin, no other information	16	0.00
8202.1 = Hy-vee brand Tussin <OTC>	1	0.00
8202.2 = Wal-Tussin, no other information <OTC>	2	0.00
8202.4 = CVS Tussin, no other information <OTC>	1	0.00
8202.6 = Tussin DM, no other information <OTC>	2	0.00
8203.0 = Sinus medication, no other information <OTC>	3	0.00
8204.0 = Flu medication, no other information <OTC>	12	0.00
8205.0 = Mucinex, no other information <OTC>	28	0.00
8205.1 = Mucinex DM <OTC>	5	0.00
8205.2 = Mucinex expectorant, extended-release <OTC>	1	0.00
8205.3 = Mucinex DM Maximum Strength <OTC>	1	0.00
8206.0 = Advil Allergy Sinus <OTC>	1	0.00
8206.1 = Advil Allergy, no other information <OTC>	1	0.00
8207.0 = Vita-Grip <OTC>	1	0.00
8208.0 = Robo, robo tripping	3	0.00
8209.0 = Ricola <OTC>	1	0.00
8211.0 = Halls drops/lozenges, no other info <OTC>	4	0.00
8212.0 = Zicam medication, no other information <OTC>	3	0.00
8214.0 = Tylenol Nighttime, no other information <OTC>	3	0.00
8216.0 = Advil Cold, no other information <OTC>	2	0.00
8217.0 = Broncolin <OTC>	5	0.00
8221.0 = D'Cold; otherwise unspecified <OTC>	2	0.00
8222.0 = Dexalone <OTC>	1	0.00
8225.0 = Tylenol Cold Multi-symptom; no other info	1	0.00
8227.0 = Bronkaid	1	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite)	24	0.00
8229.0 = Tri-Vent; no other information	1	0.00
8231.0 = Mar-Cof	1	0.00
8234.0 = Pancof	1	0.00
8237.0 = 666 Cold Preparation <OTC>	1	0.00
8239.0 = Dilotab <OTC>	1	0.00
8241.1 = Wal-Tussin Cough and Cold <OTC>	1	0.00
8243.0 = Prescription Tussin; no other information	1	0.00
8244.0 = Wal-Flu <OTC>	2	0.00
8247.0 = Olynth	1	0.00
8249.0 = XL-3	2	0.00
8252.0 = Walgreens Cold and Flu; no other information <OTC>	1	0.00
8253.0 = Tamiflu	1	0.00

SPECIAL DRUGS

8255.0 = Dallery <OTC>.....	1	0.00
8258.0 = Tukol <OTC>.....	4	0.00
8263.0 = Bio Electro Day <OTC>.....	1	0.00
8270.0 = Flovent.....	1	0.00
8271.0 = Benzonatate.....	1	0.00
8276.0 = 5-Hour Energy <OTC>	1	0.00
8279.0 = Decongestant; contents unspfd <OTC>	1	0.00
8285.0 = NeoCitran; no other information <OTC>.....	1	0.00
8287.0 = Vitapirena	1	0.00
8288.0 = Panadol Cold and Flu <OTC>	1	0.00
9985.0 = BAD DATA Logically assigned	208	0.02
9991.0 = NEVER USED COUGH/COLD MED	697236	73.45
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	21391	2.25
9994.0 = DON'T KNOW	119	0.01
9997.0 = REFUSED.....	249	0.03
9998.0 = BLANK (NO ANSWER)	7571	0.80

SPECIAL DRUGS

COLDYR3¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 3

	Freq	Pct
-9.0 = Data not collected for this year.....	220816	23.26
122.0 = Over-the-counter sleep aid; not specified <OTC>	2	0.00
130.0 = Phenergan, Promethazine	10	0.00
171.0 = NyQuil, no other information <OTC>	58	0.01
171.5 = ZzzQuil <OTC>	2	0.00
176.0 = Melatonin <OTC>	1	0.00
180.0 = Tylenol P.M. <OTC>	2	0.00
364.0 = Pseudoephedrine <OTC>	1	0.00
377.0 = Albuterol, Proventil, Ventolin.....	1	0.00
409.0 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
415.0 = Codeine.....	20	0.00
422.0 = Motrin, no other information <OTC>.....	1	0.00
425.0 = Advil, no other information <OTC>.....	14	0.00
430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	5	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	26	0.00
435.2 = Tylenol Meltaways <OTC>.....	1	0.00
442.0 = Ibuprofen	6	0.00
450.0 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	4	0.00
466.0 = Midol <OTC>	2	0.00
468.0 = Excedrin; no other information <OTC>.....	2	0.00
499.0 = Aleve <OTC>.....	5	0.00
605.0 = PCP ("angel dust," phencyclidine)	1	0.00
807.0 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
820.0 = Penicillin	1	0.00
828.0 = Tetracycline	1	0.00
829.0 = Robitussin, no other information <OTC>	34	0.00
829.3 = Robotussin Cough and Cold <OTC>.....	1	0.00
829.6 = Robotussin CoughGels <OTC>	1	0.00
840.0 = Cough med, generic/unspec, contents unspc <OTC>.....	17	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>.....	17	0.00
900.0 = Not a drug	2	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>	15	0.00
3017.0 = Dayquil medication, no other information <OTC>.....	18	0.00
3047.0 = Sudafed, no other information <OTC>	6	0.00
3101.0 = Sedalmerck.....	1	0.00
4067.0 = Oxycontin	1	0.00
4077.0 = Tee's	1	0.00
4097.0 = Tussionex	1	0.00
4114.0 = Phenergan w/Codeine, Promethazine w/Codeine	3	0.00
6029.0 = DXM <OTC>	3	0.00
6083.0 = CCC, "Triple C," C3 <OTC>.....	8	0.00
8010.0 = Zyrtec, Cetirizine <OTC>.....	3	0.00
8012.0 = Coriciden, no other information <OTC>.....	13	0.00
8012.1 = Coricidin Cough and Cold <OTC>	4	0.00
8012.3 = Coricidin HBP Cold & Flu <OTC>.....	1	0.00
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>	1	0.00
8038.0 = Coldact.....	1	0.00
8042.0 = Alka Seltzer, no other information <OTC>.....	2	0.00
8042.5 = Alka-Seltzer Plus Sinus <OTC>	1	0.00
8050.0 = Tavist, no other information <OTC>	1	0.00
8056.0 = Vicks, no other information <OTC>	3	0.00
8056.1 = Vicks 44 <OTC>	2	0.00
8056.2 = Vicks VapoRub <OTC>.....	1	0.00
8056.5 = Vicks cough medication, no other info <OTC>.....	1	0.00
8065.0 = Tylenol Cold medication, no other info <OTC>.....	5	0.00
8069.0 = Decadron, Dexameth, Dexamethasone	1	0.00
8070.0 = Advil Cold and Sinus <OTC>.....	1	0.00
8094.0 = Pepto Bismol <OTC>.....	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>.....	20	0.00
8123.0 = Tylenol Sinus medication, no other info <OTC>.....	2	0.00
8169.0 = TheraFlu <OTC>	5	0.00
8192.0 = Delsym <OTC>	14	0.00
8201.0 = Tylenol Cough medication, no othr info <OTC>.....	1	0.00
8202.0 = Tussin, no other information.....	4	0.00
8203.0 = Sinus medication, no other information <OTC>.....	2	0.00
8204.0 = Flu medication, no other information <OTC>.....	4	0.00
8205.0 = Mucinex, no other information <OTC>	7	0.00
8205.1 = Mucinex DM <OTC>.....	2	0.00
8205.3 = Mucinex DM Maximum Strength <OTC>.....	1	0.00
8208.0 = Robo, robo tripping.....	2	0.00
8212.0 = Zicam medication, no other information <OTC>	1	0.00
8214.0 = Tylenol Nighttime, no other information <OTC>.....	1	0.00
8216.0 = Advil Cold, no other information <OTC>.....	2	0.00

SPECIAL DRUGS

8217.0 = Broncolin <OTC>.....	1	0.00
8220.0 = Cola soft drinks	1	0.00
8226.0 = Hydro-DP.....	1	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite)	3	0.00
8238.0 = Cheratussin <OTC>	1	0.00
8246.0 = Orofar	1	0.00
8249.0 = XL-3	1	0.00
8258.0 = Tukol <OTC>.....	2	0.00
8262.0 = St. Joseph Cough and Cold <OTC>	1	0.00
8279.0 = Decongestant; contents unspfd <OTC>	2	0.00
8281.0 = Honey	1	0.00
9985.0 = BAD DATA Logically assigned	99	0.01
9991.0 = NEVER USED COUGH/COLD MED	697236	73.45
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	21391	2.25
9994.0 = DON'T KNOW	23	0.00
9997.0 = REFUSED.....	233	0.02
9998.0 = BLANK (NO ANSWER)	9065	0.95

SPECIAL DRUGS

COLDYR4¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 4

	Freq	Pct
-9.0 = Data not collected for this year.....	220816	23.26
130.0 = Phenergan, Promethazine	1	0.00
171.0 = NyQuil, no other information <OTC>	11	0.00
171.5 = ZzzQuil <OTC>	1	0.00
180.0 = Tylenol P.M. <OTC>	1	0.00
301.0 = Dexedrine.....	1	0.00
377.0 = Albuterol, Proventil, Ventolin.....	1	0.00
415.0 = Codeine.....	3	0.00
425.0 = Advil, no other information <OTC>.....	4	0.00
430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	1	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	7	0.00
442.0 = Ibuprofen	3	0.00
468.0 = Excedrin; no other information <OTC>.....	1	0.00
499.0 = Aleve <OTC>.....	1	0.00
821.0 = Amoxicillin, Ampicillin	1	0.00
829.0 = Robitussin, no other information <OTC>	7	0.00
829.1 = Robitussin DM <OTC>.....	1	0.00
829.6 = Robotussin CoughGels <OTC>	1	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC>.....	7	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>.....	4	0.00
843.1 = Nighttime cold medication; brand unspecified <OTC>	1	0.00
900.0 = Not a drug.....	1	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>	7	0.00
3017.0 = Dayquil medication, no other information <OTC>.....	5	0.00
3023.0 = Adderall	1	0.00
3047.0 = Sudafed, no other information <OTC>	1	0.00
3060.0 = Hydroxycut <OTC>	1	0.00
4044.0 = Hydrocodone	1	0.00
4046.0 = Oxycodone	1	0.00
6029.0 = DXM <OTC>	1	0.00
6083.0 = CCC, "Triple C," C3 <OTC>.....	5	0.00
8009.0 = Allergy pills/antihistamine; type unspfd <OTC>.....	1	0.00
8012.0 = Coriciden, no other information <OTC>	4	0.00
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>	1	0.00
8050.0 = Tavist, no other information <OTC>	1	0.00
8056.0 = Vicks, no other information <OTC>	2	0.00
8056.2 = Vicks VapoRub <OTC>.....	1	0.00
8065.0 = Tylenol Cold medication, no other info <OTC>.....	2	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>.....	10	0.00
8169.0 = TheraFlu <OTC>	4	0.00
8192.0 = Delsym <OTC>	1	0.00
8202.0 = Tussin, no other information.....	2	0.00
8203.0 = Sinus medication, no other information <OTC>.....	1	0.00
8204.0 = Flu medication, no other information <OTC>.....	1	0.00
8205.0 = Mucinex, no other information <OTC>	5	0.00
8206.0 = Advil Allergy Sinus <OTC>.....	1	0.00
8206.2 = Advil Sinus, no other information <OTC>.....	1	0.00
8210.0 = Chloraseptic medication, no other info <OTC>.....	1	0.00
8211.0 = Halls drops/lozenges, no other info <OTC>.....	2	0.00
8212.0 = Zicam medication, no other information <OTC>	1	0.00
8212.1 = Zicam Cough medication, no other info <OTC>	1	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite)	1	0.00
8249.0 = XL-3	1	0.00
8258.0 = Tukol <OTC>.....	1	0.00
9985.0 = BAD DATA Logically assigned	56	0.01
9991.0 = NEVER USED COUGH/COLD MED	697236	73.45
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	21391	2.25
9994.0 = DON'T KNOW	6	0.00
9997.0 = REFUSED.....	220	0.02
9998.0 = BLANK (NO ANSWER)	9432	0.99

SPECIAL DRUGS

[COLDYR5](#)¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 5

	Freq	Pct
-9.0 = Data not collected for this year.....	220816	23.26
171.0 = NyQuil, no other information <OTC>	6	0.00
415.0 = Codeine.....	2	0.00
425.0 = Advil, no other information <OTC>.....	1	0.00
430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	2	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	1	0.00
499.0 = Aleve <OTC>.....	2	0.00
821.0 = Amoxicillin, Ampicillin	1	0.00
829.0 = Robitussin, no other information <OTC>	4	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC>.....	3	0.00
840.1 = Night cough med/syrup/drops; brand unspcfd.....	1	0.00
843.0 = Cold medicine/tabs, brand unspcfd or generic <OTC>.....	2	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>	1	0.00
3017.0 = Dayquil medication, no other information <OTC>.....	3	0.00
3047.0 = Sudafed, no other information <OTC>	1	0.00
3047.1 = Sudafed PE <OTC>	1	0.00
6044.0 = Gel caps, gel tabs	1	0.00
6083.0 = CCC, "Triple C," C3 <OTC>.....	1	0.00
8010.0 = Zyrtec, Cetirizine <OTC>.....	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>.....	5	0.00
8169.0 = TheraFlu <OTC>	1	0.00
8192.0 = Delsym <OTC>	1	0.00
8201.0 = Tylenol Cough medication, no othr info <OTC>.....	1	0.00
8202.0 = Tussin, no other information.....	3	0.00
9985.0 = BAD DATA Logically assigned	31	0.00
9991.0 = NEVER USED COUGH/COLD MED	697236	73.45
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	21391	2.25
9994.0 = DON'T KNOW	1	0.00
9997.0 = REFUSED.....	215	0.02
9998.0 = BLANK (NO ANSWER)	9550	1.01

NOTE: OTCFLAG is a "flag" variable that has a value of 1 when respondents reported use of an over-the-counter (OTC) cold medication to get high in the past year, but the only drugs that they specified were prescription- type ones. OTCFLAG has a value of 2 when respondents reported use of OTC cold medications to get high but their "OTHER, Specify" variables COLDYR1 through COLDYR5 all had codes of "bad data" or "blank."

[OTCFLAG](#)¹

Len : 2 INCONSISTENCY FLAG FOR REPORT OF OTC COLD MEDS

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = Specified use only of prescrip-type drugs, past yr.....	768	0.08
2 = Bad data or blank in COLDYR1-COLDYR5	438	0.05
98 = BLANK (OTHERWISE)	727263	76.61

The next question is about GHB, also called "G," "Georgia Home Boy," "Grievous Bodily Harm," "Liquid G," or gamma hydroxybutyrate. Have you ever, even once, used GHB?

[GHB](#)¹

Len : 2 EVER USED GHB

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = Yes.....	3564	0.38
2 = No.....	723585	76.22
3 = Yes LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	1068	0.11
97 = REFUSED	195	0.02
98 = BLANK (NO ANSWER).....	55	0.01

SPECIAL DRUGS

How long has it been since you last used GHB?

GHBREC ¹	Len : 2	TIME SINCE LAST USED GHB		
			Freq	Pct
		-9 = Data not collected for this year	220816	23.26
		1 = Within the past 30 days	98	0.01
		2 = More than 30 days ago but within the past 12 mos	271	0.03
		3 = More than 12 months ago	3173	0.33
		8 = Used at some point in the past 12 mos LOG ASSN	1	0.00
		9 = At some point in the lifetime LOG ASSN.....	22	0.00
		91 = NEVER USED GHB	723585	76.22
		97 = REFUSED	195	0.02
		98 = BLANK (NO ANSWER).....	1124	0.12

The next questions are about the different ways that certain drugs can be used.

Have you ever, even once, used a needle to inject cocaine?

COCNEEDL ¹	Len : 2	EVER USED NEEDLE TO INJECT COCAINE		
			Freq	Pct
		1 = Yes.....	5958	0.63
		2 = No.....	104949	11.06
		3 = Yes LOGICALLY ASSIGNED	71	0.01
		85 = BAD DATA Logically assigned.....	8	0.00
		91 = NEVER USED COCAINE	837864	88.26
		94 = DON'T KNOW	11	0.00
		97 = REFUSED	236	0.02
		98 = BLANK (NO ANSWER).....	188	0.02

How long has it been since you last used a needle to inject cocaine?

CONDLREC ¹	Len : 2	TIME SINCE LAST USED NEEDLE TO INJECT COCAINE		
			Freq	Pct
		1 = Within the past 30 days	246	0.03
		2 = More than 30 days ago but within the past 12 mos	586	0.06
		3 = More than 12 months ago	5107	0.54
		9 = At some point in the lifetime LOG ASSN.....	55	0.01
		11 = Within the past 30 days LOGICALLY ASSIGNED	2	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED	33	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE	837864	88.26
		93 = USED COCAINE BUT NEVER WITH A NEEDLE	104949	11.06
		97 = REFUSED	236	0.02
		98 = BLANK (NO ANSWER).....	206	0.02

Have you ever, even once, smoked heroin?

HERSMOKE ¹	Len : 2	EVER SMOKED HEROIN		
			Freq	Pct
		1 = Yes.....	5154	0.54
		2 = No.....	8558	0.90
		3 = Yes LOGICALLY ASSIGNED	153	0.02
		85 = BAD DATA Logically assigned.....	3	0.00
		91 = NEVER USED HEROIN	934810	98.48
		94 = DON'T KNOW	10	0.00
		97 = REFUSED	76	0.01
		98 = BLANK (NO ANSWER).....	521	0.05

SPECIAL DRUGS

How long has it been since you last smoked heroin?

HRSMKREC ¹	Len : 2	TIME SINCE LAST SMOKED HEROIN		
			Freq	Pct
		1 = Within the past 30 days	264	0.03
		2 = More than 30 days ago but within the past 12 mos	589	0.06
		3 = More than 12 months ago	4434	0.47
		9 = At some point in the lifetime LOG ASSN.....	11	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED	9	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	934810	98.48
		93 = USED HEROIN BUT NEVER SMOKED IT	8558	0.90
		97 = REFUSED	76	0.01
		98 = BLANK (NO ANSWER).....	533	0.06

Have you ever, even once, sniffed or "snorted" heroin powder through your nose?

HERSNIFE ¹	Len : 2	EVER SNIFFED HEROIN		
			Freq	Pct
		1 = Yes.....	9568	1.01
		2 = No.....	4037	0.43
		3 = Yes LOGICALLY ASSIGNED	265	0.03
		85 = BAD DATA Logically assigned.....	3	0.00
		91 = NEVER USED HEROIN.....	934810	98.48
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	79	0.01
		98 = BLANK (NO ANSWER).....	521	0.05

How long has it been since you last sniffed or "snorted" heroin powder through your nose?

HRSNFREC ¹	Len : 2	TIME SINCE LAST SNIFFED HEROIN		
			Freq	Pct
		1 = Within the past 30 days	670	0.07
		2 = More than 30 days ago but within the past 12 mos	1333	0.14
		3 = More than 12 months ago	7801	0.82
		9 = At some point in the lifetime LOG ASSN.....	15	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED	14	0.00
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED HEROIN.....	934810	98.48
		93 = USED HEROIN BUT NEVER SNIFFED IT	4037	0.43
		97 = REFUSED	79	0.01
		98 = BLANK (NO ANSWER).....	524	0.06

Have you ever, even once, used a needle to inject heroin?

HERNEEDL ¹	Len : 2	EVER USED NEEDLE TO INJECT HEROIN		
			Freq	Pct
		1 = Yes.....	6011	0.63
		2 = No.....	7758	0.82
		3 = Yes LOGICALLY ASSIGNED	136	0.01
		85 = BAD DATA Logically assigned.....	3	0.00
		91 = NEVER USED HEROIN.....	934810	98.48
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	84	0.01
		98 = BLANK (NO ANSWER).....	482	0.05

Earlier the computer recorded that you had used heroin. In what way have you used heroin?

HEOTSMK ¹	Len : 2	HOW USED HEROIN: SMOKED IT		
			Freq	Pct
		1 = Response entered	151	0.02
		3 = Response entered LOGICALLY ASSIGNED	2	0.00
		6 = Response not entered.....	642	0.07
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	934810	98.48
		94 = DON'T KNOW	18	0.00
		97 = REFUSED	99	0.01
		98 = BLANK (NO ANSWER).....	529	0.06
		99 = LEGITIMATE SKIP	13033	1.37

SPECIAL DRUGS

[HEOTSNE](#)¹

Len : 2 HOW USED HEROIN: SNIFFED IT

	Freq	Pct
1 = Response entered	264	0.03
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	530	0.06
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN	934810	98.48
94 = DON'T KNOW	18	0.00
97 = REFUSED	99	0.01
98 = BLANK (NO ANSWER).....	529	0.06
99 = LEGITIMATE SKIP	13033	1.37

[HEOTNDL](#)¹

Len : 2 HOW USED HEROIN: INJECTED IT WITH A NEEDLE

	Freq	Pct
1 = Response entered	88	0.01
3 = Response entered LOGICALLY ASSIGNED	5	0.00
6 = Response not entered.....	702	0.07
91 = NEVER USED HEROIN.....	934810	98.48
94 = DON'T KNOW	18	0.00
97 = REFUSED	99	0.01
98 = BLANK (NO ANSWER).....	530	0.06
99 = LEGITIMATE SKIP	13033	1.37

[HEOTOTH](#)¹

Len : 2 HOW USED HEROIN: SOME OTHER WAY

	Freq	Pct
1 = Response entered	314	0.03
6 = Response not entered.....	481	0.05
91 = NEVER USED HEROIN.....	934810	98.48
94 = DON'T KNOW	18	0.00
97 = REFUSED	99	0.01
98 = BLANK (NO ANSWER).....	530	0.06
99 = LEGITIMATE SKIP	13033	1.37

[HEOTSP](#)¹

Len : 2 HOW USED HEROIN: SPECIFY

	Freq	Pct
1 = You smoked heroin	2	0.00
2 = You sniffed or "snorted" heroin.....	1	0.00
3 = You injected heroin with a needle	5	0.00
5 = You took it orally/by mouth/in pill form	154	0.02
6 = You sniffed or "snorted" in liquid/melted form	38	0.00
7 = You took it ocularly; form unspecified	1	0.00
10 = You combined it w/Ecstasy (no othr drug mentioned).....	47	0.00
13 = You combined it w/marijuana (no othr drg mentiond).....	3	0.00
15 = You combined it w/some other drug; not specified	4	0.00
16 = You sniffed/snorted/huffed it; pwdr/liquid unspfd	7	0.00
17 = You combined it with OxyContin	3	0.00
18 = You combined w/an analgesic; not otherwise spcfd.....	1	0.00
19 = Another analgesic mentiond; combo w/heroin unspcfd	5	0.00
21 = You combined it with cocaine.....	1	0.00
22 = You combined w/Ecstasy & analgesic; not othrws spd	1	0.00
23 = You took it rectally.....	1	0.00
24 = Acknowledged use; how unspecified.....	6	0.00
27 = You combined it w/Molly	1	0.00
85 = BAD DATA Logically assigned.....	18	0.00
91 = NEVER USED HEROIN.....	934810	98.48
94 = DON'T KNOW	3	0.00
97 = REFUSED	106	0.01
98 = BLANK (NO ANSWER).....	553	0.06
99 = LEGITIMATE SKIP	13514	1.42

SPECIAL DRUGS

How long has it been since you last used a needle to inject heroin?

<u>HRNDLREC</u> ¹	Len : 2	TIME SINCE LAST USED NEEDLE TO INJECT HEROIN	Freq	Pct
		1 = Within the past 30 days	664	0.07
		2 = More than 30 days ago but within the past 12 mos	849	0.09
		3 = More than 12 months ago	4572	0.48
		9 = At some point in the lifetime LOG ASSN.....	46	0.00
		12 = More than 30 days ago but within the past 12 mos LOG ASSN.....	1	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED	15	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN	934810	98.48
		93 = USED HEROIN BUT NEVER WITH A NEEDLE.....	7758	0.82
		97 = REFUSED	84	0.01
		98 = BLANK (NO ANSWER).....	485	0.05

Have you ever, even once, used a needle to inject Methamphetamine?

<u>METHNEEDL</u> ¹	Len : 2	EVER USED NEEDLE TO INJECT METHAMPHETAMINE	Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	1490	0.16
		2 = No.....	8689	0.92
		3 = Yes LOGICALLY ASSIGNED	14	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED METHAMPHETAMINE.....	216130	22.77
		94 = DON'T KNOW	6	0.00
		97 = REFUSED	29	0.00
		98 = BLANK (NO ANSWER).....	273	0.03

How long has it been since you last used a needle to inject Methamphetamine?

<u>METHNDLRC</u> ¹	Len : 2	TIME SINCE LAST USED NEEDLE TO INJECT METH	Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Within the past 30 days	181	0.02
		2 = More than 30 days ago but within the past 12 mos	197	0.02
		3 = More than 12 months ago	1108	0.12
		9 = At some point in the lifetime LOG ASSN.....	3	0.00
		12 = Used >30 days ago but within pst 12 mos LOG ASSN	1	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED	14	0.00
		91 = NEVER USED METHAMPHETAMINE.....	216130	22.77
		93 = USED METHAMPH BUT NEVER WITH A NEEDLE.....	8689	0.92
		97 = REFUSED	29	0.00
		98 = BLANK (NO ANSWER).....	280	0.03

Have you ever, even once, used a needle to inject any other drug/any drug that was not prescribed for you?

<u>OTDGNEDL</u> ¹	Len : 2	EVER USED NEEDLE TO INJECT ANY OTHER DRUG	Freq	Pct
		1 = Yes.....	5022	0.53
		2 = No.....	943655	99.41
		4 = No LOGICALLY ASSIGNED.....	11	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW	309	0.03
		97 = REFUSED	220	0.02
		98 = BLANK (NO ANSWER).....	67	0.01

SPECIAL DRUGS

OTDGNDLA¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 1

	Freq	Pct
105 = Placidyl, Ethchlorvynol.....	8	0.00
108 = Nembutal	3	0.00
109 = Seconal	25	0.00
110 = Tuinal	19	0.00
111 = Dalmane	1	0.00
112 = Restoril	1	0.00
115 = Phenobarbital	5	0.00
116 = Methaqualone, Sopor, Quaalude.....	12	0.00
117 = Chloral hydrate, Noctec	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	6	0.00
121 = USED SEDATIVE, DON'T KNOW NAME.....	1	0.00
123 = Unisom <OTC>.....	1	0.00
124 = Yellow jackets.....	2	0.00
129 = Reds	3	0.00
130 = Promethazine	3	0.00
131 = Haldol, Haloperidol	2	0.00
141 = Dilantin.....	1	0.00
145 = Red devil(s).....	1	0.00
157 = Barbiturates.....	6	0.00
174 = Ambien.....	6	0.00
176 = Melatonin <OTC>	1	0.00
193 = Meclizine.....	1	0.00
201 = Valium.....	32	0.00
202 = Librium.....	1	0.00
207 = Ativan.....	10	0.00
209 = Xanax	52	0.01
211 = BuSpar.....	1	0.00
215 = Vistaril.....	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	5	0.00
227 = Thorazine	2	0.00
228 = Amitriptyline, Elavil	1	0.00
237 = Midazolam	1	0.00
246 = Klonopin.....	23	0.00
271 = Sertraline hydrochloride, Zoloft.....	1	0.00
280 = Ketaset.....	2	0.00
301 = Dexedrine	2	0.00
306 = Desoxyn.....	4	0.00
311 = Preludin	24	0.00
313 = Adipex-P.....	1	0.00
318 = Ritalin.....	47	0.00
320 = Dextroamphetamine.....	1	0.00
321 = Methedrine.....	2	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	363	0.04
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	2	0.00
325 = USED STIMULANT, DON'T KNOW NAME.....	1	0.00
326 = White cross	3	0.00
331 = Blancs, whites.....	1	0.00
332 = Ephedrine.....	2	0.00
334 = Crossroads, cross tops.....	1	0.00
335 = Dexatrim <OTC>	1	0.00
339 = Amphetamines, otherwise unspecified	5	0.00
345 = Black molly.....	1	0.00
348 = Crystal	17	0.00
355 = Crystal meth, crystal methamphetamine.....	48	0.01
363 = Bam(s).....	2	0.00
380 = Pink ladies	1	0.00
401 = Darvon.....	3	0.00
406 = Percodan	11	0.00
407 = Demerol.....	59	0.01
408 = Dilaudid, Hydromorphone	284	0.03
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	3	0.00
411 = Talwin	14	0.00
415 = Codeine pills	9	0.00
417 = Morphine	364	0.04
418 = Methadone	35	0.00
419 = Stadol, Stadol NS	4	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	6	0.00
423 = Percocet.....	62	0.01
426 = Fiorinal	1	0.00
427 = Darvocet, Davocet-N.....	2	0.00
431 = Tylox	2	0.00

SPECIAL DRUGS

433 = Paregoric.....	2	0.00
434 = Vicodin.....	10	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	5	0.00
442 = Ibuprofen.....	2	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	1	0.00
454 = Novocain, Procaine.....	2	0.00
457 = T's and blues, tee's and b's, tops and bottoms.....	9	0.00
458 = Mepergan, Mepergan Fortis.....	4	0.00
465 = Fentanyl.....	30	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol.....	1	0.00
490 = Nalbuphine, Nubain.....	17	0.00
501 = Gasoline or lighter fluids.....	1	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	3	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	1	0.00
566 = Smoked tea from Lipton tea bag.....	1	0.00
601 = LSD ("acid").....	46	0.00
603 = Mescaline.....	6	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	1	0.00
605 = PCP ("angel dust," phencyclidine).....	35	0.00
606 = "Ecstasy" (MDMA), X-TC, "X".....	34	0.00
614 = MDA, Methylenedioxy amphetamine.....	17	0.00
616 = DET, Dimethyltryptamine, DMT.....	1	0.00
658 = Special K, Ketamine.....	81	0.01
663 = Animal tranquilizer, horse tranquilizer.....	3	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	6	0.00
702 = Heroin.....	424	0.04
703 = Opium, otherwise unspecified.....	6	0.00
704 = Dope.....	3	0.00
705 = Speed Ball (heroin + cocaine).....	5	0.00
706 = Smack.....	1	0.00
707 = Black tar heroin.....	2	0.00
709 = Poppy.....	1	0.00
711 = Shirka.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	102	0.01
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	15	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	3	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	254	0.03
806 = Crack, rock.....	38	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	16	0.00
809 = Pills.....	3	0.00
813 = Cigarettes, tobacco (type unspecified).....	1	0.00
814 = Caffeine <OTC>.....	1	0.00
818 = Nicotine.....	2	0.00
820 = Penicillin.....	11	0.00
821 = Amoxicillin, Ampicillin, Pentrexly.....	1	0.00
824 = Steroids.....	276	0.03
829 = Robitussin DM <OTC>.....	1	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
848 = Liquid vitamin, vitamin pills <OTC>.....	14	0.00
858 = Antibiotic.....	1	0.00
876 = Glass.....	4	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	1	0.00
893 = Estrogen.....	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	2	0.00
1010 = Diprivan.....	1	0.00
1501 = Zolpidem.....	1	0.00
2001 = Soma.....	2	0.00
2002 = Muscle relaxers.....	1	0.00
2010 = Buscopan, Espacil.....	1	0.00
2501 = Alprazolam.....	2	0.00
3023 = Adderall.....	25	0.00
3046 = Adrenalin, Epinephrine.....	5	0.00
3052 = Speed, otherwise unspecified.....	71	0.01
3086 = Adderall XR.....	1	0.00
3094 = Dexmethylphenidate, Focalin.....	3	0.00
3102 = Methylin.....	1	0.00
3111 = Vyvanse.....	2	0.00
3112 = Metadate, not otherwise specified.....	1	0.00
3502 = Methylphenidate.....	1	0.00
4002 = Imitrex.....	4	0.00
4037 = MS Contin.....	2	0.00
4043 = Tramadol.....	5	0.00
4044 = Hydrocodone.....	6	0.00
4046 = Oxycodone.....	148	0.02

SPECIAL DRUGS

4047 = Roxicet	9	0.00
4056 = Cataflam, Diclofenac, Voltaren	1	0.00
4065 = Roxicodone	36	0.00
4067 = OxyContin	625	0.07
4073 = Temgesic.....	2	0.00
4077 = Tee's	1	0.00
4091 = K4	1	0.00
4098 = Banamine.....	1	0.00
4109 = Suboxone	86	0.01
4119 = Buprenorphine.....	7	0.00
4120 = Opana	41	0.00
4131 = Diconal, Dipipanone	1	0.00
4150 = Subutex.....	12	0.00
4501 = Lortab	2	0.00
4503 = Lorcet, Lorcet Plus, Lorcet-HD	1	0.00
4505 = Oxycodone product, unspecified.....	25	0.00
4510 = Oxymorphone.....	1	0.00
5001 = Bleach.....	1	0.00
5018 = B-12 (Spanish)	1	0.00
5042 = Fuels other than gasoline.....	1	0.00
5171 = Mouthwash	1	0.00
6029 = DXM	1	0.00
6044 = Gel caps, gel tabs.....	1	0.00
6076 = Lemon 714.....	1	0.00
6081 = Shabu.....	1	0.00
6114 = Molly, not otherwise specified.....	6	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd	1	0.00
8058 = Cough medicine/syrup, type unspecified	1	0.00
8066 = Viagra.....	1	0.00
8067 = Testosterone	117	0.01
8069 = Decadron, Dexamethasone	1	0.00
8072 = Deca-Durabolin, Nandrolone decanoate	19	0.00
8076 = Winstrol	11	0.00
8079 = Insulin.....	13	0.00
8081 = Primobolan.....	2	0.00
8083 = Testosterone cyprionate	6	0.00
8088 = Dianabol	11	0.00
8090 = Sustanon, Sostanon	15	0.00
8091 = Benzedrex <OTC>.....	1	0.00
8097 = Tizanidine, Zanaflex	1	0.00
8103 = Testosterona 200, Testosterone 300	4	0.00
8110 = Over-the-counter drug/pills, type unspecified	1	0.00
8112 = hCG, Human Chorionic Gonadotropin	6	0.00
8113 = Test 250, Test 400 <OTC>.....	4	0.00
8114 = Lidocaine	4	0.00
8124 = Deca-diabolin	2	0.00
8129 = Equipoise, Equipose	2	0.00
8132 = Liquid D-bol	3	0.00
8134 = Glucophage, Metformin	1	0.00
8151 = Flu shot, otherwise unspecified.....	3	0.00
8158 = Lipitor.....	1	0.00
8164 = Testosterone propionate	2	0.00
8165 = Anavar	1	0.00
8167 = Triiodothyronine, Triiodothyronine, T3.....	1	0.00
8172 = Cortisone.....	1	0.00
8184 = Ondansetron, Periset, Zofran	2	0.00
8187 = Xylocaine.....	2	0.00
8188 = Anadrol.....	2	0.00
8189 = Furosemide, Lasix	1	0.00
8199 = Neurobion	2	0.00
8206 = Delatestryl, Testosterone enanthate.....	13	0.00
8212 = Finaplix Gold, Trembolona QV75, Trenbolone	5	0.00
8213 = Ranitidine	1	0.00
8221 = Omnadren	2	0.00
8236 = Lyrica, Pregabalin.....	1	0.00
8244 = Superdrol <OTC>.....	1	0.00
8245 = Human growth hormone (HGH)	7	0.00
8252 = Humatrope	1	0.00
8272 = Tri Tren 150, Triple Trenbolone Blend	1	0.00
8282 = Salt, sodium chloride <OTC>.....	2	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018).....	1	0.00
8291 = Ritz and Ts, Ts and rits, Ts and Rs.....	1	0.00
8301 = Bath salts, otherwise unspecified	8	0.00
8306 = Flu medication, no other information	1	0.00
8336 = Peridan.....	2	0.00

SPECIAL DRUGS

8353 = Hormone, otherwise unspecified.....	1	0.00
8355 = EPO, Erythropoietin	1	0.00
8367 = Peptides	1	0.00
8383 = Edex	1	0.00
8388 = BPC-157	1	0.00
8392 = Cerebrolysin	1	0.00
8510 = Desyrel, Trazodone hydrochloride	1	0.00
8541 = Mirtazapine, Remeron.....	1	0.00
8553 = Bupropion, Wellbutrin, Zyban	1	0.00
9985 = BAD DATA Logically assigned	129	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	11	0.00
9994 = DON'T KNOW	188	0.02
9997 = REFUSED	333	0.04
9998 = BLANK (NO ANSWER)	379	0.04
9999 = LEGITIMATE SKIP	943655	99.41

SPECIAL DRUGS

OTDGNL¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 2

	Freq	Pct
103 = Amytal.....	1	0.00
105 = Placidyl, Ethchlorvynol.....	3	0.00
108 = Nembutal	2	0.00
109 = Seconal	8	0.00
110 = Tuinal	7	0.00
115 = Phenobarbital	1	0.00
116 = Methaqualone, Sopor, Quaalude.....	1	0.00
118 = Pentobarbital, Pentothal, Sodium pentothal	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
123 = Unisom <OTC>.....	1	0.00
129 = Reds	1	0.00
130 = Promethazine	1	0.00
157 = Barbiturates.....	1	0.00
174 = Ambien	2	0.00
177 = Bean	1	0.00
178 = Quetiapine, Seroquel	1	0.00
201 = Valium.....	21	0.00
207 = Ativan.....	2	0.00
209 = Xanax	29	0.00
215 = Vistaril.....	1	0.00
216 = Atarax.....	1	0.00
225 = Desyrel, Trazodone hydrochloride	1	0.00
234 = Flexeril	1	0.00
246 = Klonopin.....	3	0.00
301 = Dexedrine	1	0.00
304 = Benzedrine	1	0.00
306 = Desoxyn.....	4	0.00
309 = Didrex	1	0.00
311 = Preludin	1	0.00
313 = Adipex-P.....	1	0.00
318 = Ritalin.....	29	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	90	0.01
327 = Black beauties, black beauty	1	0.00
332 = Ephedrine.....	1	0.00
339 = Amphetamines, otherwise unspecified	2	0.00
348 = Crystal	7	0.00
355 = Crystal meth, crystal methamphetamine.....	7	0.00
363 = Bam(s).....	1	0.00
377 = Albuterol.....	1	0.00
406 = Percodan	2	0.00
407 = Demerol.....	16	0.00
408 = Dilaudid, Hydromorphone	118	0.01
411 = Talwin	3	0.00
415 = Codeine pills	6	0.00
417 = Morphine	158	0.02
418 = Methadone	22	0.00
419 = Stadol, Stadol NS	3	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	3	0.00
423 = Percocet.....	16	0.00
427 = Darvocet, Davocet-N	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
434 = Vicodin.....	6	0.00
458 = Mepergan, Mepergan Fortis	4	0.00
465 = Fentanyl.....	20	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol	4	0.00
490 = Nalbuphine, Nubain.....	1	0.00
496 = Ultram	1	0.00
511 = Markers, felt-tip pens, ink pens	1	0.00
601 = LSD ("acid")	13	0.00
603 = Mescaline.....	1	0.00
605 = PCP ("angel dust," phencyclidine).....	4	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	14	0.00
614 = MDA, Methylenedioxy amphetamine	2	0.00
616 = DET, Dimethyltryptamine, DMT.....	1	0.00
658 = Special K, Ketamine	7	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED	4	0.00
702 = Heroin	101	0.01
703 = Opium, otherwise unspecified	2	0.00
704 = Dope.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	32	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	3	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	142	0.01

SPECIAL DRUGS

806 = Crack, rock	13	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	6	0.00
816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
820 = Penicillin.....	2	0.00
824 = Steroids.....	30	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
848 = Liquid vitamin, vitamin pills <OTC>.....	1	0.00
876 = Glass.....	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>	2	0.00
2002 = Muscle relaxers	1	0.00
3009 = Ephedrone, Methcathinone	1	0.00
3023 = Adderall.....	13	0.00
3035 = Blacks.....	1	0.00
3052 = Speed, otherwise unspecified.....	17	0.00
3055 = Clenbuterol	1	0.00
3094 = Dexmethylphenidate, Focalin	1	0.00
3111 = Vyvanse.....	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Eptol, Tegretol	1	0.00
4037 = MS Contin.....	1	0.00
4043 = Tramadol.....	2	0.00
4044 = Hydrocodone.....	2	0.00
4046 = Oxycodone.....	37	0.00
4047 = Roxicet	7	0.00
4065 = Roxicodone	14	0.00
4067 = OxyContin	152	0.02
4073 = Temgesic.....	1	0.00
4091 = K4	1	0.00
4095 = Dihydrocodeine	1	0.00
4109 = Suboxone	32	0.00
4118 = Sufenta, Sufentanil.....	1	0.00
4119 = Buprenorphine.....	4	0.00
4120 = Opana	25	0.00
4150 = Subutex.....	8	0.00
4505 = Oxycodone product, unspecified.....	13	0.00
4507 = Kadian	1	0.00
4510 = Oxymorphone.....	2	0.00
5048 = MEK, Methyl ethyl ketone	1	0.00
6015 = Crysta	1	0.00
6114 = Molly, not otherwise specified.....	3	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	1	0.00
6141 = DPT, Dipropyltryptamine.....	1	0.00
8007 = Gabapentin, Neurontin	1	0.00
8026 = Powder.....	1	0.00
8067 = Testosterone	8	0.00
8072 = Deca-Durabolin, Nandrolone decanoate.....	7	0.00
8076 = Winstrol	5	0.00
8079 = Insulin.....	2	0.00
8083 = Testosterone cyprionate	3	0.00
8090 = Sustanon, Sustenon	6	0.00
8113 = Test 250, Test 400 <OTC>.....	3	0.00
8122 = Trenbol	2	0.00
8129 = Equipoise, Equipoise	2	0.00
8132 = Liquid D-bol	2	0.00
8138 = Chlorphenamine maleate, Chlorpheniramine <OTC>	1	0.00
8151 = Flu shot, otherwise unspecified.....	2	0.00
8160 = Teveten, Eprosartan	1	0.00
8164 = Testosterone propionate	1	0.00
8172 = Cortisone.....	1	0.00
8188 = Anadrol.....	1	0.00
8206 = Delatestryl, Testosterone enanthate.....	2	0.00
8212 = Finaplix Gold, Trembolona QV75, Trenbolone	12	0.00
8245 = Human growth hormone (HGH)	3	0.00
8250 = Boldenone.....	1	0.00
8301 = Bath salts, otherwise unspecified.....	2	0.00
8325 = Drostanolone propionate, Masteron	1	0.00
8503 = Dilantin.....	1	0.00
9985 = BAD DATA Logically assigned.....	71	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
9994 = DON'T KNOW.....	45	0.00
9997 = REFUSED	249	0.03
9998 = BLANK (NO ANSWER).....	3824	0.40
9999 = LEGITIMATE SKIP.....	943665	99.41

SPECIAL DRUGS

OTDGNLDC¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 3

	Freq	Pct
105 = Placidyl, Ethchlorvynol.....	1	0.00
108 = Nembutal	2	0.00
109 = Seconal	2	0.00
110 = Tuinal	3	0.00
115 = Phenobarbital	2	0.00
119 = Secobarbital	1	0.00
130 = Promethazine	3	0.00
157 = Barbiturates.....	1	0.00
174 = Ambien.....	3	0.00
178 = Quetiapine, Seroquel	1	0.00
201 = Valium.....	9	0.00
207 = Ativan.....	2	0.00
209 = Xanax	11	0.00
234 = Flexeril	1	0.00
246 = Klonopin	3	0.00
278 = Benzodiazepines.....	1	0.00
280 = Ketaset.....	1	0.00
301 = Dexedrine	1	0.00
306 = Desoxyn.....	1	0.00
311 = Preludin	6	0.00
318 = Ritalin.....	7	0.00
320 = Dextroamphetamine.....	1	0.00
321 = Methedrine	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	37	0.00
339 = Amphetamines, otherwise unspecified	1	0.00
348 = Crystal	2	0.00
355 = Crystal meth, crystal methamphetamine	1	0.00
382 = Footballs, purple footballs	1	0.00
406 = Percodan	1	0.00
407 = Demerol.....	17	0.00
408 = Dilaudid, Hydromorphone	58	0.01
411 = Talwin	3	0.00
415 = Codeine pills	6	0.00
417 = Morphine	65	0.01
418 = Methadone	16	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	2	0.00
423 = Percocet.....	10	0.00
434 = Vicodin.....	1	0.00
465 = Fentanyl.....	11	0.00
490 = Nalbuphine, Nubain.....	2	0.00
601 = LSD ("acid")	6	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	4	0.00
658 = Special K, Ketamine	5	0.00
702 = Heroin	24	0.00
703 = Opium, otherwise unspecified	1	0.00
704 = Dope.....	1	0.00
705 = Speed Ball (heroin + cocaine).....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	14	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	3	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	52	0.01
806 = Crack, rock	9	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	4	0.00
814 = Caffeine <OTC>	1	0.00
820 = Penicillin.....	1	0.00
824 = Steroids.....	3	0.00
1001 = Benadryl, Diphenhydramine <OTC>	1	0.00
1022 = Atropine.....	1	0.00
1501 = Zolpidem.....	1	0.00
2001 = Soma	1	0.00
3023 = Adderall	6	0.00
3052 = Speed, otherwise unspecified.....	5	0.00
3116 = MCAT, Mephedrone.....	1	0.00
4037 = MS Contin.....	2	0.00
4044 = Hydrocodone.....	1	0.00
4046 = Oxycodone	17	0.00
4065 = Roxicodone	5	0.00
4067 = OxyContin	52	0.01
4109 = Suboxone	8	0.00
4119 = Buprenorphine.....	3	0.00
4120 = Opana	9	0.00
4130 = Dalgan, Dezocine	1	0.00
4140 = Opana ER (extended release).....	1	0.00

SPECIAL DRUGS

4505 = Oxycodone product, unspecified.....	4	0.00
6044 = Gel caps, gel tabs.....	1	0.00
6114 = Molly, not otherwise specified.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....	1	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd	1	0.00
8067 = Testosterone	2	0.00
8072 = Deca-Durabolin, Nandrolone decanoate	3	0.00
8076 = Winstrol	1	0.00
8083 = Testosterone cyprionate	1	0.00
8088 = Dianabol	1	0.00
8090 = Sustanon, Sostanon.....	2	0.00
8129 = Equipoise, Equipoise	2	0.00
8153 = Nexium.....	1	0.00
8164 = Testosterone propionate	1	0.00
8165 = Anavar.....	1	0.00
8206 = Delatestryl, Testosterone enanthate.....	1	0.00
8212 = Finaplix Gold, Trembolona QV75, Trenbolone	1	0.00
8245 = Human growth hormone (HGH)	1	0.00
8325 = Drostanolone propionate, Masteron	2	0.00
8503 = Dilantin	1	0.00
9985 = BAD DATA Logically assigned.....	34	0.00
9994 = DON'T KNOW.....	9	0.00
9997 = REFUSED	224	0.02
9998 = BLANK (NO ANSWER).....	4780	0.50
9999 = LEGITIMATE SKIP.....	943666	99.41

SPECIAL DRUGS

OTDGNLDL¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 4

	Freq	Pct
110 = Tuinal	1	0.00
116 = Methaqualone, Sopor, Quaalude.....	1	0.00
130 = Promethazine	1	0.00
174 = Ambien.....	1	0.00
201 = Valium.....	5	0.00
207 = Ativan.....	4	0.00
209 = Xanax	4	0.00
246 = Klonopin.....	1	0.00
280 = Ketaset.....	1	0.00
311 = Preludin	1	0.00
318 = Ritalin.....	3	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	15	0.00
406 = Percodan	1	0.00
407 = Demerol.....	6	0.00
408 = Dilaudid, Hydromorphone	19	0.00
415 = Codeine pills	3	0.00
417 = Morphine	28	0.00
418 = Methadone	6	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
423 = Percocet	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
434 = Vicodin.....	1	0.00
458 = Mepergan, Mepergan Fortis	1	0.00
465 = Fentanyl.....	12	0.00
601 = LSD ("acid")	1	0.00
605 = PCP ("angel dust," phencyclidine)	4	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	2	0.00
616 = DET, Dimethyltryptamine, DMT.....	1	0.00
658 = Special K, Ketamine	1	0.00
702 = Heroin	14	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	4	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	1	0.00
805 = Cocaine, coca, cocaína, coke, perico.....	11	0.00
806 = Crack, rock	9	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
820 = Penicillin.....	1	0.00
824 = Steroids.....	1	0.00
2030 = Versed	1	0.00
3023 = Adderall	2	0.00
3035 = Blacks.....	1	0.00
3046 = Adrenalin, Epinephrine	1	0.00
3052 = Speed, otherwise unspecified.....	3	0.00
3121 = Obitol	1	0.00
4037 = MS Contin.....	1	0.00
4043 = Tramadol.....	1	0.00
4046 = Oxycodone	7	0.00
4065 = Roxicodone	6	0.00
4067 = OxyContin	19	0.00
4109 = Suboxone	8	0.00
4119 = Buprenorphine.....	1	0.00
4120 = Opana	4	0.00
4137 = Nucynta	1	0.00
4505 = Oxycodone product, unspecified.....	1	0.00
4507 = Kadian	1	0.00
4510 = Oxymorphone.....	2	0.00
6174 = bk-MDMA, Methylone	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine	1	0.00
8076 = Winstrol	1	0.00
8113 = Test 250, Test 400 <OTC>.....	1	0.00
8164 = Testosterone propionate	1	0.00
8212 = Finaplix Gold, Trembolona QV75, Trenbolone	2	0.00
8245 = Human growth hormone (HGH)	1	0.00
8503 = Dilantin	1	0.00
9985 = BAD DATA Logically assigned	18	0.00
9994 = DON'T KNOW.....	2	0.00
9997 = REFUSED	224	0.02
9998 = BLANK (NO ANSWER).....	5136	0.54
9999 = LEGITIMATE SKIP.....	943666	99.41

SPECIAL DRUGS

OTDGNLLE¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 5

	Freq	Pct
105 = Placidyl, Ethchlorvynol.....	1	0.00
201 = Valium.....	2	0.00
209 = Xanax.....	2	0.00
228 = Amitriptyline, Elavil.....	1	0.00
237 = Midazolam.....	1	0.00
246 = Klonopin.....	1	0.00
318 = Ritalin.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	2	0.00
407 = Demerol.....	7	0.00
408 = Dilaudid, Hydromorphone.....	5	0.00
415 = Codeine pills.....	1	0.00
417 = Morphine.....	13	0.00
418 = Methadone.....	1	0.00
419 = Stadol, Stadol NS.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
423 = Percocet.....	4	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
465 = Fentanyl.....	4	0.00
601 = LSD ("acid").....	1	0.00
605 = PCP ("angel dust," phencyclidine).....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X".....	2	0.00
658 = Special K, Ketamine.....	2	0.00
704 = Dope.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	4	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	6	0.00
806 = Crack, rock.....	1	0.00
820 = Penicillin.....	1	0.00
3023 = Adderall.....	2	0.00
3052 = Speed, otherwise unspecified.....	2	0.00
4044 = Hydrocodone.....	3	0.00
4046 = Oxycodone.....	4	0.00
4065 = Roxicodone.....	2	0.00
4067 = OxyContin.....	9	0.00
4109 = Suboxone.....	6	0.00
4119 = Buprenorphine.....	1	0.00
4120 = Opana.....	2	0.00
4142 = Remifentanyl.....	1	0.00
4505 = Oxycodone product, unspecified.....	2	0.00
8079 = Insulin.....	2	0.00
9985 = BAD DATA Logically assigned.....	11	0.00
9994 = DON'T KNOW.....	2	0.00
9997 = REFUSED.....	221	0.02
9998 = BLANK (NO ANSWER).....	5281	0.56
9999 = LEGITIMATE SKIP.....	943666	99.41

How long has it been since you last used a needle to inject [any other drug / any drug] that was not prescribed for you?

OTDGNLRC¹

Len : 2 TIME SINCE LAST USED A NEEDLE TO INJECT OTHER DRUG

	Freq	Pct
-9 = Data not collected for this year.....	722653	76.13
1 = Within the past 30 days.....	184	0.02
2 = More than 30 days ago but within the past 12 months.....	165	0.02
3 = More than 12 months ago.....	984	0.10
9 = At some point in the lifetime LOG ASSN.....	16	0.00
11 = Within the past 30 days LOGICALLY ASSIGNED.....	2	0.00
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	7	0.00
81 = NEVER USED ANY (OTHER) DRUG Logically assigned.....	3	0.00
91 = NEVER USED ANY (OTHER) DRUG.....	225038	23.71
97 = REFUSED.....	95	0.01
98 = BLANK (NO ANSWER).....	138	0.01

SPECIAL DRUGS

Think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?

[GNNDREUS](#)

Len : 2 LAST TIME REUSED NEEDLE USED BEFORE

	Freq	Pct
1 = Yes.....	4353	0.46
2 = No.....	7968	0.84
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	22	0.00
94 = DON'T KNOW	71	0.01
97 = REFUSED	249	0.03
98 = BLANK (NO ANSWER).....	395	0.04
99 = LEGITIMATE SKIP	936213	98.62

The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?

[GNNDLSH1](#)¹

Len : 2 LAST NEEDLE HAD BEEN USED BY SOMEONE ELSE

	Freq	Pct
1 = Yes.....	2162	0.23
2 = No.....	10181	1.07
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	22	0.00
94 = DON'T KNOW	56	0.01
97 = REFUSED	242	0.03
98 = BLANK (NO ANSWER).....	395	0.04
99 = LEGITIMATE SKIP	936213	98.62

The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?

[GNNDCLLEN](#)¹

Len : 2 USED BLEACH TO CLEAN LAST NEEDLE BEFORE USE

	Freq	Pct
1 = Yes.....	2974	0.31
2 = No.....	9339	0.98
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	22	0.00
94 = DON'T KNOW	68	0.01
97 = REFUSED	260	0.03
98 = BLANK (NO ANSWER).....	395	0.04
99 = LEGITIMATE SKIP	936213	98.62

The last time you used a needle for injecting drugs, did someone else use the needle after you?

[GNNDLSH2](#)¹

Len : 2 SOMEONE ELSE USED LAST NEEDLE AFTER YOU

	Freq	Pct
1 = Yes.....	2295	0.24
2 = No.....	9951	1.05
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	22	0.00
94 = DON'T KNOW	150	0.02
97 = REFUSED	245	0.03
98 = BLANK (NO ANSWER).....	395	0.04
99 = LEGITIMATE SKIP	936213	98.62

SPECIAL DRUGS

NOTE: In situations where respondents reported getting their last needle "some other way" and specified where they got the needle, the variable GNNDGET2 incorporates these "OTHER, Specify" data.

The last time you used a needle for injecting drugs, how did you get the needle?

GNNDGET2¹

Len : 2 HOW DID YOU GET THE NEEDLE LAST TIME

	Freq	Pct
1 = Bought the needle from a pharmacy	6209	0.65
2 = Got the needle from a needle exchange.....	742	0.08
3 = Bought the needle on the street	1066	0.11
4 = Got the needle in a shooting gallery.....	111	0.01
5 = Got the needle some other way	525	0.06
41 = Given by/stole frm friend/acquaint of frnd/nonrel.....	2018	0.21
42 = Given by, stolen from a relative.....	252	0.03
43 = Given by, stolen from someone, relation unspecifd.....	547	0.06
44 = From drug dealer/came with drugs	98	0.01
45 = Found it/got from a waste can/trash.....	16	0.00
46 = Given by, stolen frm med facility/professionl/lab	213	0.02
47 = Given by, stolen from work.....	64	0.01
48 = Given by, stolen from a pharmacy or store.....	21	0.00
49 = Bought, given, stolen from place/location unspecfd.....	170	0.02
52 = Given by, stolen from vet facility/professional	14	0.00
54 = Shared needle with friends/other acquaintances.....	20	0.00
56 = Given/stolen/bought from farm/pet store/supplier.....	32	0.00
58 = Got it at a party	3	0.00
59 = Bought it online/on the Internet	61	0.01
60 = Got it at home; no other information.....	13	0.00
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	22	0.00
94 = DON'T KNOW	121	0.01
97 = REFUSED	325	0.03
98 = BLANK (NO ANSWER).....	395	0.04
99 = LEGITIMATE SKIP	936213	98.62

RECODED SPECIAL DRUGS

RECODED SPECIAL DRUGS

This note applies to variables in this section marked by a¹.

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The variables STNEEDLR, STNLRECR, and NEDLRECR were created to be consistent with data from corresponding variables prior to 2005. STNEEDLR was derived from the variables MTHNEEDL and OSTNEEDL. STNLRECR was derived from the variables MTNDLREC and OSTNLREC. NEDLRECR was derived from the variables HRNDLREC, CONDLREC, and STNLRECR. The variables STNEDL06, STNLRC06, and NDLREC06 also took into account data from the methamphetamine variables MTHANEDL, MTANDLRC, and MTHEVCK from the SPECIAL DRUGS module. STNEDL06 was derived from STNEEDLR and MTHANEDL. STNLRC06 was derived from STNLRECR and MTANDLRC. NDLREC06 was derived from NEDLRECR and STNLRC06.

<u>STNEEDLR</u> ¹	Len : 2	EVER USED NEEDLE TO INJECT STIMULANT - RECODE		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Yes.....	4020	0.42
		2 = No.....	49905	5.26
		81 = NEVER USED STIMULANTS Logically assigned	165	0.02
		91 = NEVER USED STIMULANTS	667057	70.27
		97 = REFUSED	102	0.01
		98 = MISSING (BUT NOT REFUSED).....	1404	0.15

<u>STNLRECR</u> ¹	Len : 2	MOST RECENT TIME USED STIMULANT W/NEEDLE - RECODE		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Within the past 30 days	313	0.03
		2 = More than 30 days ago but within the past 12 mos	502	0.05
		3 = More than 12 months ago	2904	0.31
		8 = At some point in the past 12 months LOG ASSN.....	9	0.00
		9 = At some point in the lifetime LOG ASSN.....	246	0.03
		13 = More than 12 months ago LOGICALLY ASSIGNED	46	0.00
		81 = NEVER USED STIMULANTS Logically assigned	165	0.02
		91 = NEVER USED STIMULANTS	667057	70.27
		93 = USED STIMULANTS BUT NEVER WITH A NEEDLE	49904	5.26
		97 = REFUSED	102	0.01
		98 = MISSING (BUT NOT REFUSED).....	1405	0.15

<u>NEDLRECR</u> ¹	Len : 2	MOST RECENT TIME USED COC/HER/STM WITH A NEEDLE		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Within the past 30 days	724	0.08
		2 = More than 30 days ago but within the past 12 mos	997	0.11
		3 = More than 12 months ago	5806	0.61
		8 = At some point in the past 12 months LOG ASSN.....	30	0.00
		9 = At some point in the lifetime LOG ASSN.....	332	0.03
		13 = More than 12 months ago LOGICALLY ASSIGNED	27	0.00
		81 = NEVER USED COC/HER/STM W/NEEDLE Log assn.....	163	0.02
		91 = NEVER USED COC/HER/STM WITH A NEEDLE.....	712539	75.06
		97 = REFUSED	274	0.03
		98 = MISSING (BUT NOT REFUSED).....	1761	0.19

<u>STNEDL06</u> ¹	Len : 2	EVER USE NEEDL TO INJECT STIM (INCL METH 06 DATA)		
			Freq	Pct
		-9 = Data not collected for this year	447448	47.14
		1 = Yes.....	3082	0.32
		2 = No.....	35899	3.78
		81 = NEVER USED STIMULANTS Logically assigned	89	0.01
		91 = NEVER USED STIMULANTS	461719	48.64
		97 = REFUSED	66	0.01
		98 = MISSING (BUT NOT REFUSED).....	982	0.10

RECODED SPECIAL DRUGS

[STNLRC06](#)¹

Len : 2 MOST RECENT USE STIM W/NEEDLE (INCL METH 06 DATA)

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Within the past 30 days	235	0.02
2 = More than 30 days ago but within the past 12 mos	376	0.04
3 = More than 12 months ago	2304	0.24
8 = At some point in the past 12 months LOG ASSN.....	14	0.00
9 = At some point in the lifetime LOG ASSN.....	122	0.01
13 = More than 12 months ago LOGICALLY ASSIGNED	31	0.00
81 = NEVER USED STIMULANTS Logically assigned	89	0.01
91 = NEVER USED STIMULANTS (AND MTHAMP=2).....	461719	48.64
93 = USED STIMULANTS BUT NEVER WITH A NEEDLE	35899	3.78
97 = REFUSED	66	0.01
98 = MISSING (BUT NOT REFUSED).....	982	0.10

[NDLREC06](#)¹

Len : 2 MOST RECENT COC/HER/STM W/NEDL (INC METH 06 DATA)

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Within the past 30 days	541	0.06
2 = More than 30 days ago but within the past 12 mos	716	0.08
3 = More than 12 months ago	4172	0.44
8 = At some point in the past 12 months LOG ASSN.....	24	0.00
9 = At some point in the lifetime LOG ASSN.....	185	0.02
13 = More than 12 months ago LOGICALLY ASSIGNED	24	0.00
81 = NEVER USED COC/HER/STM W/NEEDLE Log assn.....	90	0.01
91 = NEVER USED COC/HER/STM WITH A NEEDLE.....	494650	52.11
97 = REFUSED	191	0.02
98 = MISSING (BUT NOT REFUSED).....	1244	0.13

NOTE: The following eight variables indicate whether a respondent has ever used a needle to inject any drug, heroin, cocaine, stimulants, or methamphetamine.

NOTE: NEDFLG01, NEDSTM, and NEDMTH are based only on data from the methamphetamine questions in the Stimulants module of the core questionnaire. In 2005, new methamphetamine items were added to the non-core Special Drugs module to capture methamphetamine users who failed to report the drug in the prescription Stimulants module. These were augmented in 2006 to include clarifications. The new non-core Special Drugs items were used to create CPNNDFLG, CPNNDSTM, and CPNNDMTH. For details, please see Appendix B.4.8 of the 2008 National Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)

A respondent was defined as having used a needle to inject drugs based on the core questions, NEDFLG01, if they indicated at least one of the following: using a needle to inject heroin (HERNEEDL), cocaine (COCNEEDL), stimulants in the Stimulants module (STNEEDLR), or any other drug (OTDGNEDL). Otherwise, a respondent was defined as never using needles to inject drugs.

[NEDFLG01](#)

Len : 1 EVER USED A NEEDLE TO INJECT ANY DRUG

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = Never Used/Unknown (Otherwise).....	713803	75.19
1 = Ever Used (Any source variable=1,3).....	8850	0.93

A respondent was defined as having used a needle to inject drugs based on the core-plus-noncore questions, CPNNDFLG, if they indicated at least one of the following: using a needle to inject heroin (HERNEEDL), cocaine (COCNEEDL), stimulants in the stimulants or special drugs module (STNEEDLR), or any other drug (OTDGNEDL). Otherwise, a respondent was defined as never using needles to inject drugs.

[CPNNDFLG](#)

Len : 1 CPN: EVER USED A NEEDLE TO INJECT ANY DRUG

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = Never Used/Unknown (Otherwise).....	495602	52.21
1 = Ever Used (Any source variable=1,3).....	6235	0.66

[NEDSTM](#)

Len : 1 EVER USED A NEEDLE TO INJECT STIMULANT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	718633	75.70
1 = Yes (STNEEDLR=1,3).....	4020	0.42

RECODED SPECIAL DRUGS

CPNNDSTM

Len : 1 CPN: EVER USED A NEEDLE TO INJECT STIMULANT

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = No/Unknown (Otherwise).....	498755	52.54
1 = Yes (STNEDL06=1)	3082	0.32

NEDMTH

Len : 1 EVER USED A NEEDLE TO INJECT METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	719520	75.80
1 = Yes (MTHNEEDL=1,3)	3133	0.33

The following variable, CPNNDMTH, was defined as ever using a needle to inject methamphetamine if a respondent reported methamphetamine use in the core stimulant module (MTHNEEDL in (1, 3)) or if they reported methamphetamine use in the noncore special drugs module because they did not consider methamphetamine to be a prescription drug, and they reported using a needle to inject methamphetamine (MTHANEDL in (1, 3)).

CPNNDMTH

Len : 1 CPN: EVER USED A NEEDLE TO INJECT METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = No/Unknown (Otherwise).....	499299	52.60
1 = Yes (See comment above)	2538	0.27

ADDEFLGR

Len : 1 LIFETIME NONMEDICAL USE OF ADDERALL

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = No (Otherwise)	475475	50.09
1 = Yes (ADDEREC=1,2,3,8,9).....	26362	2.78

ADDEYRR

Len : 1 PAST YEAR NONMEDICAL USE OF ADDERALL

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = No (Otherwise)	490624	51.68
1 = Yes (ADDEREC=1,2,8)	11213	1.18

ADDEMONR

Len : 1 PAST MONTH NONMEDICAL USE OF ADDERALL

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = No (Otherwise)	498503	52.51
1 = Yes (ADDEREC=1).....	3334	0.35

AMBIFLGR

Len : 1 LIFETIME NONMEDICAL USE OF AMBIEN

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = No (Otherwise)	489994	51.62
1 = Yes (AMBIREC=1,2,3,8,9)	11843	1.25

AMBIYRR

Len : 1 PAST YEAR NONMEDICAL USE OF AMBIEN

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = No (Otherwise)	497629	52.42
1 = Yes (AMBIREC=1,2,8).....	4208	0.44

AMBIMONR

Len : 1 PAST MONTH NONMEDICAL USE OF AMBIEN

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = No (Otherwise)	500810	52.76
1 = Yes (AMBIREC=1)	1027	0.11

KETAFLGR

Len : 1 LIFETIME USE OF KETAMINE

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = No (Otherwise)	496247	52.28
1 = Yes (KETAREC=1,2,3,8,9)	5590	0.59

RECODED SPECIAL DRUGS

[KETAYRR](#)

Len : 1 PAST YEAR USE OF KETAMINE

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = No (Otherwise)	501019	52.78
1 = Yes (KETAREC=1,2,8).....	818	0.09

[KETAMONR](#)

Len : 1 PAST MONTH USE OF KETAMINE

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = No (Otherwise)	501647	52.84
1 = Yes (KETAREC=1)	190	0.02

[SALVFLGR](#)

Len : 1 LIFETIME USE OF SALVIA DIVINORUM

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = No (Otherwise)	486702	51.27
1 = Yes (SALVREC=1,2,3,8,9)	15135	1.59

[SALVYRR](#)

Len : 1 PAST YEAR USE OF SALVIA DIVINORUM

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = No (Otherwise)	497976	52.46
1 = Yes (SALVREC=1,2,8)	3861	0.41

[SALVMONR](#)

Len : 1 PAST MONTH USE OF SALVIA DIVINORUM

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = No (Otherwise)	501182	52.80
1 = Yes (SALVREC=1)	655	0.07

[TRYPFLGR](#)

Len : 1 LIFETIME USE OF DMT, AMT, FOXY

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = No (Otherwise)	498389	52.50
1 = Yes (TRYPREC=1,2,3,8,9).....	3448	0.36

[TRYPYRR](#)

Len : 1 PAST YEAR USE OF DMT, AMT, FOXY

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = No (Otherwise)	500875	52.76
1 = Yes (TRYPREC=1,2,8)	962	0.10

[TRYPMONR](#)

Len : 1 PAST MONTH USE OF DMT, AMT, FOXY

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = No (Otherwise)	501639	52.84
1 = Yes (TRYPREC=1).....	198	0.02

RECODED SPECIAL DRUGS

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

<u>ANYNDLREC¹</u>	Len : 2 RC-MOST RECENT USE OF ANY DRUG WITH A NEEDLE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Within the past 30 days	427	0.04
	2 = More than 30 days ago but within the past 12 mos	384	0.04
	3 = More than 12 months ago	2464	0.26
	8 = At some point in the past 12 months LOG ASSN.....	3	0.00
	9 = At some point in the lifetime LOG ASSN.....	27	0.00
	13 = More than 12 months ago LOGICALLY ASSIGNED	3	0.00
	81 = NEVER USED COC/HER/STM W/NEEDLE Log assn.....	3	0.00
	91 = NEVER USED COC/HER/STM WITH A NEEDLE.....	223037	23.50
	97 = REFUSED	146	0.02
	98 = MISSING (BUT NOT REFUSED).....	138	0.01

<u>CHMNDLREC¹</u>	Len : 2 RC-MOST RECENT USE OF COC/HER/METH WITH A NEEDLE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Within the past 30 days	374	0.04
	2 = More than 30 days ago but within the past 12 mos	347	0.04
	3 = More than 12 months ago	2211	0.23
	8 = At some point in the past 12 months LOG ASSN.....	1	0.00
	9 = At some point in the lifetime LOG ASSN.....	12	0.00
	13 = More than 12 months ago LOGICALLY ASSIGNED	24	0.00
	91 = NEVER USED COC/HER/STM WITH A NEEDLE.....	223178	23.51
	97 = REFUSED	78	0.01
	98 = MISSING (BUT NOT REFUSED).....	407	0.04

<u>ANYNEEDL</u>	Len : 1 RC-EVER USED NEEDLE TO INJECT DRUGS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	223324	23.53
	1 = Yes (ANYNDLREC=1,2,3,8,9,13).....	3308	0.35

<u>NEDHER</u>	Len : 1 RC-EVER USED A NEEDLE TO INJECT HEROIN		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	943138	99.35
	1 = Yes (HERNEEDL=1,3)	6147	0.65

<u>NEDCOC</u>	Len : 1 RC-EVER USED A NEEDLE TO INJECT COCAINE		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	943256	99.36
	1 = Yes (COCNEEDL=1,3)	6029	0.64

<u>METHNEEDL2</u>	Len : 1 RC-EVER USED NEEDLE TO INJECT METHAMPHETAMINE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225128	23.72
	1 = Yes (METHNEEDL=1,3).....	1504	0.16

<u>HERSMOK2</u>	Len : 1 RC-EVER SMOKED HEROIN		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	943978	99.44
	1 = Yes (HERSMOKE=1,3)	5307	0.56

<u>HERSNIF2</u>	Len : 1 RC-EVER SNIFFED HEROIN		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	939452	98.96
	1 = Yes (HERSNIFF=1,3)	9833	1.04

RECODED SPECIAL DRUGS

COLDFLGR

Len : 1 RC-LIFETIME USE OF NON-RX COUGH OR COLD MEDICINES

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
0 = No (Otherwise)	698004	73.53
1 = Yes (COLDREC=1,2,3,8,9).....	30465	3.21

COLDYRR

Len : 1 RC-PAST YEAR USE OF NON-RX COUGH OR COLD MEDICINES

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
0 = No (Otherwise)	721231	75.98
1 = Yes (COLDREC=1,2,8 and OTCFLAG=98)	7238	0.76

COLDMONR

Len : 1 RC-PAST MONTH USE OF NON-RX COUGH OR COLD MEDICINES

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
0 = No (Otherwise)	726487	76.53
1 = Yes (COLDREC=1 and OTCFLAG=98)	1982	0.21

GHBFLGR

Len : 1 RC-LIFETIME USE OF GHB

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
0 = No (Otherwise)	724904	76.36
1 = Yes (GHBREC=1,2,3,8,9).....	3565	0.38

GHBYRR

Len : 1 RC-PAST YEAR USE OF GHB

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
0 = No (Otherwise)	728099	76.70
1 = Yes (GHBREC=1,2,8).....	370	0.04

GHBMONR

Len : 1 RC-PAST MONTH USE OF GHB

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
0 = No (Otherwise)	728371	76.73
1 = Yes (GHBREC=1)	98	0.01

SPECIALTY CIGARETTES

SPECIALTY CIGARETTES

The next questions are about bidis, or "beedies," which are small brown cigarettes from India consisting of tobacco wrapped in a leaf and tied with a thread.

Have you ever smoked part or all of a bidi?

BIDIEVER¹

Len : 2 EVER SMOKED A BIDI

	Freq	Pct
-9 = Data not collected for this year	839976	88.49
1 = Yes.....	8069	0.85
2 = No.....	101106	10.65
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	104	0.01
97 = REFUSED	18	0.00
98 = BLANK (NO ANSWER).....	11	0.00

NOTE: BIDIREC was created from the two questions shown below.

Now think about the past 30 days, from [DATE FILL] up to and including today. During the past 30 days, have you smoked part or all of a bidi?

How long has it been since you last smoked part or all of a bidi?

BIDIREC¹

Len : 2 TIME SINCE LAST SMOKED BIDI

	Freq	Pct
-9 = Data not collected for this year	839976	88.49
1 = Within the past 30 days	608	0.06
2 = More than 30 days ago but within the past 12 mos	824	0.09
3 = More than 12 months ago but within the past 3 yrs.....	2313	0.24
4 = More than 3 years ago	4211	0.44
9 = Used at some point in the lifetime LOG ASSN	15	0.00
19 = Used more than 30 days ago LOG ASSN.....	98	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED BIDIS	101106	10.65
97 = REFUSED	18	0.00
98 = BLANK (NO ANSWER).....	115	0.01

During the past 30 days, that is, since [DATE FILL], on how many days did you smoke part or all of a bidi?

BIDI30US¹

Len : 2 HOW MANY DAYS SMOKED BIDI PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	590	0.06
-9 = Data not collected for this year	839976	88.49
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED BIDIS	101106	10.65
93 = DID NOT USE BIDIS IN THE PAST 30 DAYS	7446	0.78
94 = DON'T KNOW	8	0.00
97 = REFUSED	28	0.00
98 = BLANK (NO ANSWER).....	130	0.01

The next questions are about clove cigarettes, which are cigarettes containing tobacco and clove flavoring. Some common brands of clove cigarettes are Djarum, Gudang Garam, and Sampoerna.

Have you ever smoked part or all of a clove cigarette?

CLOVEVER¹

Len : 2 EVER SMOKED A CLOVE CIGARETTE

	Freq	Pct
-9 = Data not collected for this year	839976	88.49
1 = Yes.....	13348	1.41
2 = No.....	95828	10.09
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	102	0.01
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER).....	11	0.00

SPECIALTY CIGARETTES

NOTE: CLOVREC was created from the two questions shown below.

Now think about the past 30 days, from [DATE FILL] up to and including today. During the past 30 days, have you smoked part or all of a clove cigarette?

How long has it been since you last smoked part or all of a clove cigarette?

[CLOVREC](#)¹

Len : 2 TIME SINCE LAST SMOKED CLOVE CIGARETTE

	Freq	Pct
-9 = Data not collected for this year	839976	88.49
1 = Within the past 30 days	1350	0.14
2 = More than 30 days ago but within the past 12 mos	1870	0.20
3 = More than 12 months ago but within the past 3 yrs.....	3543	0.37
4 = More than 3 years ago	6554	0.69
9 = Used at some point in the lifetime LOG ASSN	9	0.00
19 = Used more than 30 days ago LOG ASSN.....	22	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED CLOVE CIGARETTES.....	95828	10.09
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER).....	113	0.01

During the past 30 days, that is, since [DATE FILL], on how many days did you smoke part or all of a clove cigarette?

[CLOV30US](#)¹

Len : 2 HOW MANY DAYS SMOKE CLOVE CIGARETTE PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	1343	0.14
-9 = Data not collected for this year	839976	88.49
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED CLOVE CIGARETTES.....	95828	10.09
93 = DID NOT USE CLOVE CIGARETTES IN THE PAST 30 DAYS	11989	1.26
94 = DON'T KNOW	7	0.00
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER).....	122	0.01

RECODED SPECIALTY CIGARETTES

RECODED SPECIALTY CIGARETTES

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

<u>BIDIMONR</u>	Len : 1 BIDIS - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	839976	88.49
	0 = No Use Pst Mon/Unk (BIDIREC=2-4,9,19,85,91,97,98)	108701	11.45
	1 = Used in Past Month (BIDIREC=1)	608	0.06
<u>BIDIYRR</u>	Len : 1 BIDIS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	839976	88.49
	0 = No Use Pst Yr/Unk (BIDIREC=3,4,9,19,85,91,97,98)	107877	11.36
	1 = Used in Past Year (BIDIREC=1,2)	1432	0.15
<u>BIDIFLGR</u>	Len : 1 BIDIS - LIFETIME USE		
		Freq	Pct
	-9 = Data not collected for this year	839976	88.49
	0 = Never Used/Unknown (BIDIREC=85,91,97,98)	101240	10.66
	1 = Ever used (BIDIREC=1,2,3,4,9,19)	8069	0.85
<u>CLOVMONR</u>	Len : 1 CLOVES - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	839976	88.49
	0 = No Use Pst Mon/Unk (CLOVREC=2-4,9,19,85,91,97,98)	107959	11.37
	1 = Used in Past Month (CLOVREC=1)	1350	0.14
<u>CLOVYRR</u>	Len : 1 CLOVES - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	839976	88.49
	0 = No Use Pst Yr/Unk (CLOVREC=3,4,9,19,85,91,97,98)	106089	11.18
	1 = Used in Past Year (CLOVREC=1,2)	3220	0.34
<u>CLOVFLGR</u>	Len : 1 CLOVES - LIFETIME USE		
		Freq	Pct
	-9 = Data not collected for this year	839976	88.49
	0 = Never Used/Unknown (CLOVREC=85,91,97,98)	95961	10.11
	1 = Ever used (CLOVREC=1,2,3,4,9,19)	13348	1.41
<u>SPCGMONR</u>	Len : 1 SPECIALTY CIGARETTES - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	839976	88.49
	0 = No use Pst Mon/Unknown (BIDIMONR=0 and CLOVMONR=0)	107488	11.32
	1 = Used in Past Month (BIDIMONR=1 or CLOVMONR=1)	1821	0.19
<u>SPCGYRR</u>	Len : 1 SPECIALTY CIGARETTES - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	839976	88.49
	0 = No use Pst Yr/Unknown (BIDIYRR=0 and CLOVYRR=0)	105160	11.08
	1 = Used in Past Year (BIDIYRR=1 or CLOVYRR=1)	4149	0.44
<u>SPCGFLGR</u>	Len : 1 SPECIALTY CIGARETTES - LIFETIME USE		
		Freq	Pct
	-9 = Data not collected for this year	839976	88.49
	0 = Never Used/Unknown (BIDIFLGR=0 and CLOVFLGR=0)	92070	9.70
	1 = Ever used (BIDIFLGR=1 or CLOVFLGR=1)	17239	1.82

RISK/AVAILABILITY

RISK/AVAILABILITY

This note applies to variables in this section marked by a¹.

We are interested in your opinion about the effects of using certain drugs and other substances, about whether it's difficult or easy to get drugs, and the extent to which drugs are available in your neighborhood.

Please indicate how much you think people risk harming themselves physically and in other ways when they do each of the following activities.

If you're not sure, choose an answer for the amount of risk that comes closest to what you think might be true for that activity.

How much do people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day?

[RSKPKCIG](#)¹

Len : 2 RISK SMOKING 1 OR MORE PACKS CIGARETTES PER DAY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = No risk	14191	1.49
2 = Slight risk	39788	4.19
3 = Moderate risk.....	171906	18.11
4 = Great risk.....	491919	51.82
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW	4005	0.42
97 = REFUSED	788	0.08
98 = BLANK (NO ANSWER).....	53	0.01

How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month?

[RSKMJOCC](#)¹

Len : 2 RISK SMOKING MARIJUANA ONCE A MONTH

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = No risk	110548	11.65
2 = Slight risk	205312	21.63
3 = Moderate risk.....	190175	20.03
4 = Great risk.....	207330	21.84
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW	8553	0.90
97 = REFUSED	679	0.07
98 = BLANK (NO ANSWER).....	53	0.01

How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?

[RSKMJREG](#)¹

Len : 2 RISK SMOKING MARIJUANA ONCE OR TWICE A WEEK

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = No risk	74923	7.89
2 = Slight risk	146731	15.46
3 = Moderate risk.....	193445	20.38
4 = Great risk.....	298617	31.46
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW	8215	0.87
97 = REFUSED	665	0.07
98 = BLANK (NO ANSWER).....	54	0.01

How much do people risk harming themselves physically and in other ways when they try LSD once or twice?

[RKTRYLSD](#)¹

Len : 2 RISK TRYING LSD ONCE OR TWICE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = No risk	18261	1.92
2 = Slight risk	88917	9.37
3 = Moderate risk.....	157369	16.58
4 = Great risk.....	436044	45.93
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW	21069	2.22
97 = REFUSED	934	0.10
98 = BLANK (NO ANSWER).....	56	0.01

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they use LSD once or twice a week?

RKLSDREG¹	Len : 2 RISK USING LSD ONCE OR TWICE A WEEK		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = No risk	7806	0.82
	2 = Slight risk	22458	2.37
	3 = Moderate risk	95835	10.10
	4 = Great risk	575144	60.59
	85 = BAD DATA Logically assigned.....	3	0.00
	94 = DON'T KNOW	20422	2.15
	97 = REFUSED	929	0.10
	98 = BLANK (NO ANSWER).....	56	0.01

How much do people risk harming themselves physically and in other ways when they try heroin once or twice?

RKTRYHER¹	Len : 2 RISK TRYING HEROIN ONCE OR TWICE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = No risk	10254	1.08
	2 = Slight risk	53737	5.66
	3 = Moderate risk	119207	12.56
	4 = Great risk	526938	55.51
	85 = BAD DATA Logically assigned.....	3	0.00
	94 = DON'T KNOW	11670	1.23
	97 = REFUSED	787	0.08
	98 = BLANK (NO ANSWER).....	57	0.01

How much do people risk harming themselves physically and in other ways when they use heroin once or twice a week?

RKHHERREG¹	Len : 2 RISK USING HEROIN ONCE OR TWICE A WEEK		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = No risk	6273	0.66
	2 = Slight risk	11810	1.24
	3 = Moderate risk	52296	5.51
	4 = Great risk	640534	67.48
	85 = BAD DATA Logically assigned.....	3	0.00
	94 = DON'T KNOW	10936	1.15
	97 = REFUSED	744	0.08
	98 = BLANK (NO ANSWER).....	57	0.01

How much do people risk harming themselves physically and in other ways when they use cocaine once a month?

RKCOCOC¹	Len : 2 RISK USING COCAINE ONCE A MONTH		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = No risk	14006	1.48
	2 = Slight risk	79462	8.37
	3 = Moderate risk	173504	18.28
	4 = Great risk	444640	46.84
	85 = BAD DATA Logically assigned.....	3	0.00
	94 = DON'T KNOW	10312	1.09
	97 = REFUSED	668	0.07
	98 = BLANK (NO ANSWER).....	58	0.01

How much do people risk harming themselves physically and in other ways when they use cocaine once or twice a week?

RKCOCREG¹	Len : 2 RISK USING COCAINE ONCE OR TWICE A WEEK		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = No risk	6700	0.71
	2 = Slight risk	18898	1.99
	3 = Moderate risk	81217	8.56
	4 = Great risk	605580	63.79
	85 = BAD DATA Logically assigned.....	3	0.00
	94 = DON'T KNOW	9520	1.00
	97 = REFUSED	677	0.07
	98 = BLANK (NO ANSWER).....	58	0.01

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they have four or five drinks of an alcoholic beverage nearly every day?

[RK5ALDLY](#)¹

Len : 2 RISK HAVING 4 OR 5 DRINKS NEARLY EVERY DAY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = No risk	9937	1.05
2 = Slight risk	57772	6.09
3 = Moderate risk	187157	19.72
4 = Great risk	462782	48.75
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	4330	0.46
97 = REFUSED	614	0.06
98 = BLANK (NO ANSWER)	58	0.01

How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?

[RK5ALWK](#)¹

Len : 2 RISK HAVING 5 OR MORE DRINKS ONCE OR TWICE A WEEK

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = No risk	26538	2.80
2 = Slight risk	145196	15.30
3 = Moderate risk	272464	28.70
4 = Great risk	273042	28.76
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	4802	0.51
97 = REFUSED	550	0.06
98 = BLANK (NO ANSWER)	58	0.01

The next questions ask how difficult you think it would be for you to get each of the following types of drugs, if you wanted some.

How difficult or easy would it be for you to get some marijuana, if you wanted some?

[RKSDIFMJ](#)¹

Len : 2 HOW DIFFICULT TO GET MARIJUANA

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Probably impossible	99192	10.45
2 = Very difficult	74570	7.86
3 = Fairly difficult	91070	9.59
4 = Fairly easy	202080	21.29
5 = Very easy	234762	24.73
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	18671	1.97
97 = REFUSED	2241	0.24
98 = BLANK (NO ANSWER)	64	0.01

How difficult or easy would it be for you to get some LSD, if you wanted some?

[RKDIFLSD](#)¹

Len : 2 HOW DIFFICULT TO GET LSD

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Probably impossible	245086	25.82
2 = Very difficult	165839	17.47
3 = Fairly difficult	151967	16.01
4 = Fairly easy	85895	9.05
5 = Very easy	31638	3.33
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	39927	4.21
97 = REFUSED	2233	0.24
98 = BLANK (NO ANSWER)	65	0.01

RISK/AVAILABILITY

How difficult or easy would it be for you to get some cocaine, if you wanted some?

[RKDIFCOC](#)¹

Len : 2 HOW DIFFICULT TO GET COCAINE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Probably impossible	203510	21.44
2 = Very difficult	149535	15.75
3 = Fairly difficult	135360	14.26
4 = Fairly easy	126534	13.33
5 = Very easy	74181	7.81
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	31342	3.30
97 = REFUSED	2122	0.22
98 = BLANK (NO ANSWER)	66	0.01

How difficult or easy would it be for you to get some 'crack', if you wanted some?

[RKDIFCRK](#)¹

Len : 2 HOW DIFFICULT TO GET "CRACK"

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Probably impossible	224278	23.63
2 = Very difficult	157957	16.64
3 = Fairly difficult	126073	13.28
4 = Fairly easy	106250	11.19
5 = Very easy	72966	7.69
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	32957	3.47
97 = REFUSED	2103	0.22
98 = BLANK (NO ANSWER)	66	0.01

How difficult or easy would it be for you to get some heroin, if you wanted some?

[RKDIFHER](#)¹

Len : 2 HOW DIFFICULT TO GET HEROIN

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Probably impossible	274544	28.92
2 = Very difficult	177273	18.67
3 = Fairly difficult	120504	12.69
4 = Fairly easy	70885	7.47
5 = Very easy	41645	4.39
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	35664	3.76
97 = REFUSED	2069	0.22
98 = BLANK (NO ANSWER)	66	0.01

In the past 30 days, has anyone approached you to sell you an illegal drug?

[RSKSELL](#)¹

Len : 2 APPROACHED BY SOMEONE SELLING ILL DRUG PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes	90350	9.52
2 = No	631257	66.50
85 = BAD DATA Logically assigned	17	0.00
94 = DON'T KNOW	590	0.06
97 = REFUSED	373	0.04
98 = BLANK (NO ANSWER)	66	0.01

RISK/AVAILABILITY

How often do you get a real kick out of doing things that are a little dangerous?

[RKQDNGR](#)¹

Len : 2 GET A REAL KICK OUT OF DOING DANGEROUS THINGS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Never	283223	29.84
2 = Seldom	225913	23.80
3 = Sometimes	175336	18.47
4 = Always	32822	3.46
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW	4041	0.43
97 = REFUSED	1249	0.13
98 = BLANK (NO ANSWER).....	66	0.01

How often do you like to test yourself by doing something a little risky?

[RKQFSKY](#)¹

Len : 2 LIKE TO TEST YOURSELF BY DOING RISKY THINGS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Never	281880	29.69
2 = Seldom	261560	27.55
3 = Sometimes	152299	16.04
4 = Always	23882	2.52
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW	2175	0.23
97 = REFUSED	787	0.08
98 = BLANK (NO ANSWER).....	67	0.01

NOTE: The variables in this section are considered to be comparable between 2015 and later years but are not comparable with variables in the 2014 NSDUH or prior years

We are interested in your opinion about the effects of using certain drugs and other substances, about whether it's difficult or easy to get drugs, and the extent to which drugs are available in your neighborhood.

Please indicate how much you think people risk harming themselves physically and in other ways when they do each of the following activities.

If you're not sure, choose an answer for the amount of risk that comes closest to what you think might be true for that activity.

How much do people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day?

[RKCIGPKD](#)¹

Len : 2 RISK SMOKING 1 OR MORE PACKS CIGARETTES PER DAY

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = No risk	7577	0.80
2 = Slight risk	12719	1.34
3 = Moderate risk.....	49145	5.18
4 = Great risk.....	155205	16.35
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	1670	0.18
97 = REFUSED	291	0.03
98 = BLANK (NO ANSWER).....	19	0.00

How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month?

[RSKMRJMON](#)¹

Len : 2 RISK SMOKING MARIJUANA ONCE A MONTH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = No risk	60966	6.42
2 = Slight risk	65613	6.91
3 = Moderate risk.....	46635	4.91
4 = Great risk.....	50059	5.27
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	3007	0.32
97 = REFUSED	327	0.03
98 = BLANK (NO ANSWER).....	19	0.00

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?

RSKMRJWK ¹	Len : 2 RISK SMOKING MARIJUANA ONCE OR TWICE A WEEK		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = No risk	49965	5.26
	2 = Slight risk	57090	6.01
	3 = Moderate risk	51094	5.38
	4 = Great risk	65062	6.85
	85 = BAD DATA Logically assigned.....	6	0.00
	94 = DON'T KNOW	3089	0.33
	97 = REFUSED	307	0.03
	98 = BLANK (NO ANSWER).....	19	0.00

How much do people risk harming themselves physically and in other ways when they try LSD once or twice?

RSKLSDDTRY ¹	Len : 2 RISK TRYING LSD ONCE OR TWICE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = No risk	8924	0.94
	2 = Slight risk	28692	3.02
	3 = Moderate risk	46863	4.94
	4 = Great risk	135109	14.23
	85 = BAD DATA Logically assigned.....	6	0.00
	94 = DON'T KNOW	6609	0.70
	97 = REFUSED	410	0.04
	98 = BLANK (NO ANSWER).....	19	0.00

How much do people risk harming themselves physically and in other ways when they use LSD once or twice a week?

RSKLSDDWK ¹	Len : 2 RISK USING LSD ONCE OR TWICE A WEEK		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = No risk	4152	0.44
	2 = Slight risk	9597	1.01
	3 = Moderate risk	33771	3.56
	4 = Great risk	172066	18.13
	85 = BAD DATA Logically assigned.....	6	0.00
	94 = DON'T KNOW	6610	0.70
	97 = REFUSED	411	0.04
	98 = BLANK (NO ANSWER).....	19	0.00

How much do people risk harming themselves physically and in other ways when they try heroin once or twice?

RSKHERTRY ¹	Len : 2 RISK TRYING HEROIN ONCE OR TWICE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = No risk	3567	0.38
	2 = Slight risk	10808	1.14
	3 = Moderate risk	27362	2.88
	4 = Great risk	180725	19.04
	85 = BAD DATA Logically assigned.....	6	0.00
	94 = DON'T KNOW	3818	0.40
	97 = REFUSED	326	0.03
	98 = BLANK (NO ANSWER).....	20	0.00

How much do people risk harming themselves physically and in other ways when they use heroin once or twice a week?

RSKHERWK ¹	Len : 2 RISK USING HEROIN ONCE OR TWICE A WEEK		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = No risk	2744	0.29
	2 = Slight risk	2889	0.30
	3 = Moderate risk	12126	1.28
	4 = Great risk	204879	21.58
	85 = BAD DATA Logically assigned.....	6	0.00
	94 = DON'T KNOW	3647	0.38
	97 = REFUSED	321	0.03
	98 = BLANK (NO ANSWER).....	20	0.00

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they use cocaine once a month?

[RSKCOCMON](#)¹

Len : 2 RISK USING COCAINE ONCE A MONTH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = No risk	5183	0.55
2 = Slight risk	21926	2.31
3 = Moderate risk	46471	4.90
4 = Great risk	149066	15.70
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	3652	0.38
97 = REFUSED	308	0.03
98 = BLANK (NO ANSWER).....	20	0.00

How much do people risk harming themselves physically and in other ways when they use cocaine once or twice a week?

[RSKCOCWK](#)¹

Len : 2 RISK USING COCAINE ONCE OR TWICE A WEEK

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = No risk	2984	0.31
2 = Slight risk	6149	0.65
3 = Moderate risk	24615	2.59
4 = Great risk	189068	19.92
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	3492	0.37
97 = REFUSED	298	0.03
98 = BLANK (NO ANSWER).....	20	0.00

How much do people risk harming themselves physically and in other ways when they have four or five drinks of an alcoholic beverage nearly every day?

[RSKBNGDLY](#)¹

Len : 2 RISK HAVING 4 OR 5 DRINKS NEARLY EVERY DAY

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = No risk	3674	0.39
2 = Slight risk	17458	1.84
3 = Moderate risk	56834	5.99
4 = Great risk	146471	15.43
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	1912	0.20
97 = REFUSED	257	0.03
98 = BLANK (NO ANSWER).....	20	0.00

How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?

[RSKBNGWK](#)¹

Len : 2 RISK HAVING 5 OR MORE DRINKS ONCE OR TWICE A WEEK

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = No risk	8145	0.86
2 = Slight risk	41677	4.39
3 = Moderate risk	80082	8.44
4 = Great risk	94427	9.95
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	2018	0.21
97 = REFUSED	257	0.03
98 = BLANK (NO ANSWER).....	20	0.00

RISK/AVAILABILITY

The next questions ask how difficult you think it would be for you to get each of the following types of drugs, if you wanted some.

How difficult or easy would it be for you to get some marijuana, if you wanted some?

[DIFGETMRJ](#)¹

Len : 2 HOW DIFFICULT TO GET MARIJUANA

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Probably impossible	33387	3.52
2 = Very difficult	22928	2.42
3 = Fairly difficult.....	27612	2.91
4 = Fairly easy	61216	6.45
5 = Very easy.....	74492	7.85
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	5944	0.63
97 = REFUSED	1024	0.11
98 = BLANK (NO ANSWER).....	23	0.00

How difficult or easy would it be for you to get some LSD, if you wanted some?

[DIFGETLSD](#)¹

Len : 2 HOW DIFFICULT TO GET LSD

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Probably impossible	87463	9.21
2 = Very difficult	53112	5.59
3 = Fairly difficult.....	42186	4.44
4 = Fairly easy	22288	2.35
5 = Very easy.....	8900	0.94
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	11635	1.23
97 = REFUSED	1019	0.11
98 = BLANK (NO ANSWER).....	23	0.00

How difficult or easy would it be for you to get some cocaine, if you wanted some?

[DIFGETCOC](#)¹

Len : 2 HOW DIFFICULT TO GET COCAINE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Probably impossible	79364	8.36
2 = Very difficult	50230	5.29
3 = Fairly difficult.....	39207	4.13
4 = Fairly easy	30945	3.26
5 = Very easy.....	16043	1.69
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	9811	1.03
97 = REFUSED	1003	0.11
98 = BLANK (NO ANSWER).....	23	0.00

How difficult or easy would it be for you to get some 'crack', if you wanted some?

[DIFGETCRK](#)¹

Len : 2 HOW DIFFICULT TO GET "CRACK"

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Probably impossible	89554	9.43
2 = Very difficult	53576	5.64
3 = Fairly difficult.....	34270	3.61
4 = Fairly easy	23536	2.48
5 = Very easy.....	14220	1.50
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	10438	1.10
97 = REFUSED	1009	0.11
98 = BLANK (NO ANSWER).....	23	0.00

RISK/AVAILABILITY

How difficult or easy would it be for you to get some heroin, if you wanted some?

[DIFGETHER](#)¹

Len : 2 HOW DIFFICULT TO GET HEROIN

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Probably impossible	96179	10.13
2 = Very difficult	53205	5.60
3 = Fairly difficult	31354	3.30
4 = Fairly easy	20822	2.19
5 = Very easy	13516	1.42
85 = BAD DATA Logically assigned	6	0.00
94 = DON'T KNOW	10521	1.11
97 = REFUSED	1006	0.11
98 = BLANK (NO ANSWER)	23	0.00

In the past 30 days, has anyone approached you to sell you an illegal drug?

[APPDRGMON](#)¹

Len : 2 APPROACHED BY SOMEONE SELLING ILL DRUG PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes	19006	2.00
2 = No	207140	21.82
85 = BAD DATA Logically assigned	34	0.00
94 = DON'T KNOW	206	0.02
97 = REFUSED	222	0.02
98 = BLANK (NO ANSWER)	24	0.00

How often do you get a real kick out of doing things that are a little dangerous?

[RSKYFQDGR](#)¹

Len : 2 GET A REAL KICK OUT OF DOING DANGEROUS THINGS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Never	104088	10.96
2 = Seldom	66577	7.01
3 = Sometimes	45006	4.74
4 = Always	8174	0.86
85 = BAD DATA Logically assigned	6	0.00
94 = DON'T KNOW	2092	0.22
97 = REFUSED	665	0.07
98 = BLANK (NO ANSWER)	24	0.00

How often do you like to test yourself by doing something a little risky?

[RSKYFQTES](#)¹

Len : 2 LIKE TO TEST YOURSELF BY DOING RISKY THINGS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Never	104917	11.05
2 = Seldom	76305	8.04
3 = Sometimes	38228	4.03
4 = Always	5680	0.60
85 = BAD DATA Logically assigned	6	0.00
94 = DON'T KNOW	986	0.10
97 = REFUSED	486	0.05
98 = BLANK (NO ANSWER)	24	0.00

How often do you wear a seatbelt when you ride in the front passenger seat of a car?

[RKFPBLT](#)¹

Len : 2 WEAR A SEATBELT WHEN RIDE FRONT PASS SEAT OF CAR

	Freq	Pct
1 = Never	32636	3.44
2 = Seldom	48146	5.07
3 = Sometimes	129959	13.69
4 = Always	737400	77.68
85 = BAD DATA Logically assigned	9	0.00
94 = DON'T KNOW	573	0.06
97 = REFUSED	471	0.05
98 = BLANK (NO ANSWER)	91	0.01

RISK/AVAILABILITY

How often do you wear a seatbelt when you drive a car?

[RKFQDBLT¹](#)

Len : 2 WEAR A SEATBELT WHEN YOU DRIVE A CAR

	Freq	Pct
1 = Never	27605	2.91
2 = Seldom	29941	3.15
3 = Sometimes	69084	7.28
4 = Always	603698	63.60
5 = I don't drive.....	217279	22.89
85 = BAD DATA Logically assigned.....	9	0.00
94 = DON'T KNOW	889	0.09
97 = REFUSED	688	0.07
98 = BLANK (NO ANSWER).....	92	0.01

RECODED RISK/AVAILABILITY

RECODED RISK/AVAILABILITY

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

<u>GRSKPKCG</u>	Len : 1 GREAT RISK: SMOKE 1+ PACKS CIGARETTES PER DAY		
		Freq	Pct
	. = Unknown (Otherwise)	4849	0.51
	-9 = Data not collected for this year	226632	23.87
	0 = Otherwise (RSKPKCIG=1,2,3)	225885	23.80
	1 = Great Risk (RSKPKCIG=4)	491919	51.82
<u>GRSKMOCC</u>	Len : 1 GREAT RISK: USE MARIJUANA ONCE A MONTH		
		Freq	Pct
	. = Unknown (Otherwise)	9288	0.98
	-9 = Data not collected for this year	226632	23.87
	0 = Otherwise (RSKMJOCC=1,2,3)	506035	53.31
	1 = Great Risk (RSKMJOCC=4)	207330	21.84
<u>GRSKMREG</u>	Len : 1 GREAT RISK: USE MARIJUANA 1-2 TIMES PER WEEK		
		Freq	Pct
	. = Unknown (Otherwise)	8937	0.94
	-9 = Data not collected for this year	226632	23.87
	0 = Otherwise (RSKMJREG=1,2,3)	415099	43.73
	1 = Great Risk (RSKMJREG=4)	298617	31.46
<u>GRSKCOCC</u>	Len : 1 GREAT RISK: USE COCAINE ONCE A MONTH		
		Freq	Pct
	. = Unknown (Otherwise)	11041	1.16
	-9 = Data not collected for this year	226632	23.87
	0 = Otherwise (RKCOCOCC=1,2,3)	266972	28.12
	1 = Great Risk (RKCOCOCC=4)	444640	46.84
<u>GRSKCREG</u>	Len : 1 GREAT RISK: USE COCAINE 1-2 TIMES PER WEEK		
		Freq	Pct
	. = Unknown (Otherwise)	10258	1.08
	-9 = Data not collected for this year	226632	23.87
	0 = Otherwise (RKCOCREG=1,2,3)	106815	11.25
	1 = Great Risk (RKCOCREG=4)	605580	63.79
<u>GRSKHTRY</u>	Len : 1 GREAT RISK: TRYING HEROIN ONCE OR TWICE		
		Freq	Pct
	. = Unknown (Otherwise)	12517	1.32
	-9 = Data not collected for this year	226632	23.87
	0 = Otherwise (RKTRYHER=1,2,3)	183198	19.30
	1 = Great Risk (RKTRYHER=4)	526938	55.51
<u>GRSKHREG</u>	Len : 1 GREAT RISK: USE HEROIN 1-2 TIMES PER WEEK		
		Freq	Pct
	. = Unknown (Otherwise)	11740	1.24
	-9 = Data not collected for this year	226632	23.87
	0 = Otherwise (RKHERREG=1,2,3)	70379	7.41
	1 = Great Risk (RKHERREG=4)	640534	67.48
<u>GRSKLTRY</u>	Len : 1 GREAT RISK: TRYING LSD ONCE OR TWICE		
		Freq	Pct
	. = Unknown (Otherwise)	22062	2.32
	-9 = Data not collected for this year	226632	23.87
	0 = Otherwise (RKTRYLSD=1,2,3)	264547	27.87
	1 = Great Risk (RKTRYLSD=4)	436044	45.93

RECODED RISK/AVAILABILITY

[GRSKLREG](#)

Len : 1 GREAT RISK: USE LSD 1-2 TIMES PER WEEK

	Freq	Pct
. = Unknown (Otherwise)	21410	2.26
-9 = Data not collected for this year	226632	23.87
0 = Otherwise (RKLSDREG=1,2,3).....	126099	13.28
1 = Great Risk (RKLSDREG=4).....	575144	60.59

[GRSKD4_5](#)

Len : 1 GREAT RISK: HAVE 4-5 ALC DRINKS PER DAY

	Freq	Pct
. = Unknown (Otherwise)	5005	0.53
-9 = Data not collected for this year	226632	23.87
0 = Otherwise (RK5ALDLY=1,2,3).....	254866	26.85
1 = Great Risk (RK5ALDLY=4).....	462782	48.75

[GRSKD5WK](#)

Len : 1 GREAT RISK: HAVE 5+ ALC DRINKS 1-2 TIMES PER WEEK

	Freq	Pct
. = Unknown (Otherwise)	5413	0.57
-9 = Data not collected for this year	226632	23.87
0 = Otherwise (RK5ALWK=1,2,3)	444198	46.79
1 = Great Risk (RK5ALWK=4)	273042	28.76

[RDIFMJ](#)

Len : 1 MARIJUANA FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise)	20979	2.21
-9 = Data not collected for this year	226632	23.87
0 = Otherwise (RSKDIFMJ=1,2,3)	264832	27.90
1 = Fairly or Very Easy (RSKDIFMJ=4,5)	436842	46.02

[RDIFCOC](#)

Len : 1 COCAINE FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise)	33533	3.53
-9 = Data not collected for this year	226632	23.87
0 = Otherwise (RKDIFCOC=1,2,3).....	488405	51.45
1 = Fairly or Very Easy (RKDIFCOC=4,5)	200715	21.14

[RDIFCRK](#)

Len : 1 CRACK FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise)	35129	3.70
-9 = Data not collected for this year	226632	23.87
0 = Otherwise (RKDIFCRK=1,2,3).....	508308	53.55
1 = Fairly or Very Easy (RKDIFCRK=4,5)	179216	18.88

[RDIFHER](#)

Len : 1 HEROIN FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise)	37802	3.98
-9 = Data not collected for this year	226632	23.87
0 = Otherwise (RKDIFHER=1,2,3).....	572321	60.29
1 = Fairly or Very Easy (RKDIFHER=4,5).....	112530	11.85

[RDIFLSD](#)

Len : 1 LSD FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise)	42228	4.45
-9 = Data not collected for this year	226632	23.87
0 = Otherwise (RKDIFLSD=1,2,3)	562892	59.30
1 = Fairly or Very Easy (RKDIFLSD=4,5)	117533	12.38

[APPSELDQ](#)

Len : 1 APPROACHED BY SOMEONE SELLING DRUGS

	Freq	Pct
. = Unknown (Otherwise)	1046	0.11
-9 = Data not collected for this year	226632	23.87
0 = No (RSKSELL=2).....	631257	66.50
1 = Yes (RSKSELL=1,3).....	90350	9.52

RECODED RISK/AVAILABILITY

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: The variables in this section are considered to be comparable between 2015 and later years but are not comparable with variables in the 2014 NSDUH or prior years.

<u>GRSKCIGPKD</u>	Len : 1	RC-GREAT RISK: SMOKE 1+ PACKS CIGARETTES PER DAY		
			Freq	Pct
	.	= Unknown (Otherwise)	1986	0.21
	-9	= Data not collected for this year	722653	76.13
	0	= Otherwise (RSKCIGPKD=1,2,3)	69441	7.32
	1	= Great Risk (RSKCIGPKD=4)	155205	16.35

<u>GRSKMRJMON</u>	Len : 1	RC-GREAT RISK: USE MARIJUANA ONCE A MONTH		
			Freq	Pct
	.	= Unknown (Otherwise)	3359	0.35
	-9	= Data not collected for this year	722653	76.13
	0	= Otherwise (RSKMRJMON=1,2,3)	173214	18.25
	1	= Great Risk (RSKMRJMON=4)	50059	5.27

<u>GRSKMRJWK</u>	Len : 1	RC-GREAT RISK: USE MARIJUANA 1-2 TIMES PER WEEK		
			Freq	Pct
	.	= Unknown (Otherwise)	3421	0.36
	-9	= Data not collected for this year	722653	76.13
	0	= Otherwise (RSKMRJWK=1,2,3)	158149	16.66
	1	= Great Risk (RSKMRJWK=4)	65062	6.85

<u>GRSKCOCMON</u>	Len : 1	RC-GREAT RISK: USE COCAINE ONCE A MONTH		
			Freq	Pct
	.	= Unknown (Otherwise)	3986	0.42
	-9	= Data not collected for this year	722653	76.13
	0	= Otherwise (RSKCOCMON=1,2,3)	73580	7.75
	1	= Great Risk (RSKCOCMON=4)	149066	15.70

<u>GRSKCOCWK</u>	Len : 1	RC-GREAT RISK: USE COCAINE 1-2 TIMES PER WEEK		
			Freq	Pct
	.	= Unknown (Otherwise)	3816	0.40
	-9	= Data not collected for this year	722653	76.13
	0	= Otherwise (RSKCOCWK=1,2,3)	33748	3.56
	1	= Great Risk (RSKCOCWK=4)	189068	19.92

<u>GRSKHERTRY</u>	Len : 1	RC-GREAT RISK: TRYING HEROIN ONCE OR TWICE		
			Freq	Pct
	.	= Unknown (Otherwise)	4170	0.44
	-9	= Data not collected for this year	722653	76.13
	0	= Otherwise (RSKHERTRY=1,2,3)	41737	4.40
	1	= Great Risk (RSKHERTRY=4)	180725	19.04

<u>GRSKHERWK</u>	Len : 1	RC-GREAT RISK: USE HEROIN 1-2 TIMES PER WEEK		
			Freq	Pct
	.	= Unknown (Otherwise)	3994	0.42
	-9	= Data not collected for this year	722653	76.13
	0	= Otherwise (RSKHERWK=1,2,3)	17759	1.87
	1	= Great Risk (RSKHERWK=4)	204879	21.58

<u>GRSKLSDTRY</u>	Len : 1	RC-GREAT RISK: TRYING LSD ONCE OR TWICE		
			Freq	Pct
	.	= Unknown (Otherwise)	7044	0.74
	-9	= Data not collected for this year	722653	76.13
	0	= Otherwise (RSKLSLSDTRY=1,2,3)	84479	8.90
	1	= Great Risk (RSKLSLSDTRY=4)	135109	14.23

RECODED RISK/AVAILABILITY

GRSKLSDWK	Len : 1 RC-GREAT RISK: USE LSD 1-2 TIMES PER WEEK		
		Freq	Pct
	. = Unknown (Otherwise)	7046	0.74
	-9 = Data not collected for this year	722653	76.13
	0 = Otherwise (RSKLSWDK=1,2,3)	47520	5.01
	1 = Great Risk (RSKLSWDK=4)	172066	18.13
GRSKBNGDLY	Len : 1 RC-GREAT RISK: HAVE 4-5 ALC DRINKS PER DAY		
		Freq	Pct
	. = Unknown (Otherwise)	2195	0.23
	-9 = Data not collected for this year	722653	76.13
	0 = Otherwise (RSKBNGDLY=1,2,3)	77966	8.21
	1 = Great Risk (RSKBNGDLY=4)	146471	15.43
GRSKBNGWK	Len : 1 RC-GREAT RISK: HAVE 5+ ALC DRINKS 1-2 TIMES PER WEEK		
		Freq	Pct
	. = Unknown (Otherwise)	2301	0.24
	-9 = Data not collected for this year	722653	76.13
	0 = Otherwise (RSKBNGWK=1,2,3)	129904	13.68
	1 = Great Risk (RSKBNGWK=4)	94427	9.95
DIFOBTRMJ	Len : 1 RC-MARIJUANA FAIRLY OR VERY EASY TO OBTAIN		
		Freq	Pct
	. = Unknown (Otherwise)	6997	0.74
	-9 = Data not collected for this year	722653	76.13
	0 = Otherwise (DIFGETMRJ=1,2,3)	83927	8.84
	1 = Fairly or Very Easy (DIFGETMRJ=4,5)	135708	14.30
DIFOBTCCOC	Len : 1 RC-COCAINE FAIRLY OR VERY EASY TO OBTAIN		
		Freq	Pct
	. = Unknown (Otherwise)	10843	1.14
	-9 = Data not collected for this year	722653	76.13
	0 = Otherwise (DIFGETCCOC=1,2,3)	168801	17.78
	1 = Fairly or Very Easy (DIFGETCCOC=4,5)	46988	4.95
DIFOBTCKK	Len : 1 RC-CRACK FAIRLY OR VERY EASY TO OBTAIN		
		Freq	Pct
	. = Unknown (Otherwise)	11476	1.21
	-9 = Data not collected for this year	722653	76.13
	0 = Otherwise (DIFGETCKK=1,2,3)	177400	18.69
	1 = Fairly or Very Easy (DIFGETCKK=4,5)	37756	3.98
DIFOBTHER	Len : 1 RC-HEROIN FAIRLY OR VERY EASY TO OBTAIN		
		Freq	Pct
	. = Unknown (Otherwise)	11556	1.22
	-9 = Data not collected for this year	722653	76.13
	0 = Otherwise (DIFGETHER=1,2,3)	180738	19.04
	1 = Fairly or Very Easy (DIFGETHER=4,5)	34338	3.62
DIFOBTLSL	Len : 1 RC-LSD FAIRLY OR VERY EASY TO OBTAIN		
		Freq	Pct
	. = Unknown (Otherwise)	12683	1.34
	-9 = Data not collected for this year	722653	76.13
	0 = Otherwise (DIFGETLSL=1,2,3)	182761	19.25
	1 = Fairly or Very Easy (DIFGETLSL=4,5)	31188	3.29
APPDRGMON2	Len : 1 RC-APPROACHED BY SOMEONE SELLING DRUGS		
		Freq	Pct
	. = Unknown (Otherwise)	486	0.05
	-9 = Data not collected for this year	722653	76.13
	0 = No (APPDRGMON=2)	207140	21.82
	1 = Yes (APPDRGMON=1,3)	19006	2.00

BLUNTS

BLUNTS

This note applies to variables in this section marked by a¹.

NOTE: When respondents previously reported never using marijuana but reported lifetime use of cigars with marijuana in them (i.e., "blunts"), a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTEVER was assigned a code of 11 when respondents reported using blunts but they did not report use in the past 30 days, and they previously had reported never using marijuana.

Sometimes people take some tobacco out of a cigar and replace it with marijuana. This is sometimes called a "blunt".

Have you ever smoked part or all of a cigar with marijuana in it?

<u>BLNTEVER</u> ¹	Len : 2	EVER SMOKED CIGAR WITH MARIJUANA IN IT		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	183005	19.28
		2 = No.....	650551	68.53
		4 = No LOGICALLY ASSIGNED.....	296	0.03
		11 = Yes (see note)	4784	0.50
		85 = BAD DATA Logically assigned.....	6	0.00
		94 = DON'T KNOW	619	0.07
		97 = REFUSED	629	0.07
		98 = BLANK (NO ANSWER).....	86	0.01

How old were you the first time you smoked part or all of a cigar with marijuana in it?

<u>BLNTAGE</u> ¹	Len : 3	AGE WHEN FIRST SMOKED CIGAR WITH MJ IN IT		
			Freq	Pct
		RANGE = 1 - 76.....	174292	18.36
		-9 = Data not collected for this year	164911	17.37
		981 = NEVER USED BLUNTS Logically assigned.....	267	0.03
		985 = BAD DATA Logically assigned.....	70	0.01
		991 = NEVER USED BLUNTS	606324	63.87
		994 = DON'T KNOW	1697	0.18
		997 = REFUSED	1048	0.11
		998 = BLANK (NO ANSWER).....	676	0.07

Did you first smoke part or all of a cigar with marijuana in it in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigar with marijuana in it in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar with marijuana in it?

<u>BLNTYFU</u> ¹	Len : 4	YEAR OF FIRST USE OF CIGAR WITH MJ IN IT - RECODE		
			Freq	Pct
		RANGE = 2003 - 2018.....	24635	2.60
		-9 = Data not collected for this year	164911	17.37
		9981 = NEVER USED BLUNTS Logically assigned.....	267	0.03
		9985 = BAD DATA Logically assigned	519	0.05
		9989 = LEGITIMATE SKIP Logically assigned.....	905	0.10
		9991 = NEVER USED BLUNTS.....	606324	63.87
		9994 = DON'T KNOW.....	1816	0.19
		9997 = REFUSED	1074	0.11
		9998 = BLANK (NO ANSWER).....	748	0.08
		9999 = LEGITIMATE SKIP.....	148086	15.60

BLUNTS

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar with marijuana in it?

In what month in [YEAR FROM BL08a or BL08b] did you first smoke part or all of a cigar with marijuana in it?

[BLNTMFU¹](#)

Len : 2 MONTH OF FIRST USE OF CIGAR W/MJ IN IT - RECODE

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = January.....	2132	0.22
2 = February	1552	0.16
3 = March.....	1741	0.18
4 = April.....	1889	0.20
5 = May.....	1648	0.17
6 = June.....	2803	0.30
7 = July	2555	0.27
8 = August.....	1887	0.20
9 = September.....	1664	0.18
10 = October.....	1886	0.20
11 = November	1688	0.18
12 = December	1482	0.16
81 = NEVER USED BLUNTS Logically assigned.....	267	0.03
85 = BAD DATA Logically assigned.....	519	0.05
89 = LEGITIMATE SKIP Logically assigned	905	0.10
91 = NEVER USED BLUNTS	606324	63.87
94 = DON'T KNOW	3321	0.35
97 = REFUSED	1132	0.12
98 = BLANK (NO ANSWER).....	893	0.09
99 = LEGITIMATE SKIP	148086	15.60

NOTE: When respondents previously reported using marijuana but reported less recent use of marijuana than they reported for blunts, a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTREC was assigned a code of 12 when respondents reported last using marijuana more than 12 months ago but reported using blunts more than 30 days ago but within the past 12 months.

How long has it been since you last smoked part or all of a cigar with marijuana in it?

[BLNTREC¹](#)

Len : 2 TIME SINCE LAST SMOKED CIGAR WITH MJ IN IT

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Within the past 30 days	45159	4.76
2 = More than 30 days ago but within the past 12 mos	40145	4.23
3 = More than 12 months ago	97243	10.24
9 = Used at some point in lifetime LOG ASSN.....	1255	0.13
12 = More than 30 dys ago but in pst 12 mos (see note)	2533	0.27
19 = More than 30 days ago LOGICALLY ASSIGNED	1445	0.15
81 = NEVER USED BLUNTS Logically assigned.....	296	0.03
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED BLUNTS	650551	68.53
97 = REFUSED	629	0.07
98 = BLANK (NO ANSWER).....	706	0.07

NOTE: BLRECFL2 has nonblank values when data on initiation of use from BLNTAGE, BLNTYFU, or BLNTMFU indicate more recent use of blunts than was reported in BLNTREC.

[BLRECFL2¹](#)

Len : 2 INCONSISTENCY BETW BLNTREC AND INCIDENCE DATA

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Incidence data suggest more recent use.....	2141	0.23
98 = BLANK (NO ANSWER).....	782233	82.40

On how many of the past 30 days, that is, since [DATEFILL], did you smoke part or all of a cigar with marijuana in it?

[BLNT30DY¹](#)

Len : 2 # DAYS USED CIGAR WITH MJ IN IT PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	44528	4.69
-9 = Data not collected for this year	109309	11.51
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED BLUNTS	650847	68.56
93 = DID NOT USE BLUNTS IN THE PAST 30 DAYS.....	141366	14.89
94 = DON'T KNOW	392	0.04
97 = REFUSED	728	0.08
98 = BLANK (NO ANSWER).....	2112	0.22

BLUNTS

The answer to the last question and an earlier question disagree. Which is correct?

BLNT30C1 ¹	Len : 2	BL02/MJ01 DISAGREE, WHICH IS CORRECT		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = I have never used marijuana or hashish.....	296	0.03
		2 = I smoked cigar w/mj in it during the past 30 days.....	547	0.06
		85 = BAD DATA Logically assigned.....	3	0.00
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	4	0.00
		98 = BLANK (NO ANSWER).....	1353	0.14
		99 = LEGITIMATE SKIP	837771	88.25

The answer to the last question and an earlier question disagree. Which answer is correct?

BLNT30C2 ¹	Len : 2	BL02 AND MJ RECENCY DISAGREE, WHICH IS CORRECT		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = I last used marijuana or hashish [MJREC FILL].....	1527	0.16
		2 = I smoked cigar w/mj in it during the past 30 days.....	1609	0.17
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW	6	0.00
		97 = REFUSED	3	0.00
		98 = BLANK (NO ANSWER).....	2368	0.25
		99 = LEGITIMATE SKIP	834461	87.90

Why did you report earlier that you had never used marijuana or hashish?

RSNOMRJ ¹	Len : 2	WHY REPORT EARLIER THAT NEVER USED MJ OR HASHISH		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = I didn't consider a "blunt" to be mj or hashish	188	0.02
		2 = I made mistake answering earlier question about mj.....	307	0.03
		3 = Some other reason.....	45	0.00
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	9	0.00
		98 = BLANK (NO ANSWER).....	1358	0.14
		99 = LEGITIMATE SKIP	838067	88.28

Why did you report earlier that you did not use marijuana or hashish during the past 30 days?

RSNMRJMO ¹	Len : 2	WHY REPRT EARLIER NOT USE MJ OR HASH PAST 30 DAYS		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = I didn't consider a "blunt" to be mj or hashish	296	0.03
		2 = I made mistake answering earlier question about mj.....	1177	0.12
		3 = Some other reason.....	119	0.01
		94 = DON'T KNOW	9	0.00
		97 = REFUSED	11	0.00
		98 = BLANK (NO ANSWER).....	2376	0.25
		99 = LEGITIMATE SKIP	835988	88.07

BLUNTS

NOTE: The variable BLNTNOMJ was assigned a code of 5 if respondents were not asked this question because they reported in the TOBACCO module that they smoked cigars in the past 30 days but reported in the BLUNTS module that they did not smoke cigars with marijuana in them in the past 30 days. It could be logically inferred that all of the cigars that these respondents smoked in the past 30 days did not have marijuana in them. BLNTNOMJ was assigned codes of 14 or 24 if respondents were not asked this question and they reported in the BLUNTS module that they smoked a cigar with marijuana in it in the past 30 days. A code of 14 was assigned if respondents reported in the TOBACCO module that they had smoked cigars but not in the past 30 days. A code of 24 was assigned if respondents reported in the TOBACCO module that they had never smoked part or all of a cigar.

Earlier, you reported that you had smoked part or all of a cigar during the past 30 days. During the past 30 days, did you smoke any cigars that did not have marijuana in them?

<u>BLNTNOMJ</u> ¹	Len : 2 SMOKE CIGARS WITH NO MARIJUANA PAST 30 DAYS	Freq	Pct
-9 = Data not collected for this year		109309	11.51
1 = Yes.....		7959	0.84
2 = No.....		6558	0.69
3 = Yes LOGICALLY ASSIGNED		15	0.00
5 = Yes LOGICALLY ASSIGNED (from skip pattern)		37371	3.94
14 = USED BLUNTS PST 30 DY/DIDNT USE CIGARS PST 30 DY		14646	1.54
24 = USED BLUNTS PST 30 DY/NEVER USED CIGARS		15789	1.66
85 = BAD DATA Logically assigned.....		1	0.00
91 = NEVER USED CIGARS/BLUNTS		511608	53.89
93 = DID NOT USE CIGARS/BLUNTS IN THE PAST 30 DAYS		241718	25.46
94 = DON'T KNOW		6	0.00
97 = REFUSED		3	0.00
98 = BLANK (NO ANSWER).....		4302	0.45

NOTE: Past year marijuana users could answer MEDMJYR and MEDMJALL as "yes," regardless of whether they were living in a State in which marijuana was approved for medical use. For more information, please see the appendix titled "Medical Marijuana Variables".

Earlier, you reported using marijuana in the past year. Was any of your marijuana use in the past 12 months recommended by a doctor or other health care professional?

<u>MEDMJYR</u> ¹	Len : 2 ANY MJ USE RECMDED BY DR IN PAST 12 MONTHS	Freq	Pct
-9 = Data not collected for this year		612222	64.49
1 = Yes.....		5042	0.53
2 = No.....		58361	6.15
83 = DID NOT USE MJ OR BLUNT IN THE PST 12 MOS Logically assigned.....		1	0.00
85 = BAD DATA Logically assigned.....		9	0.00
91 = NEVER USED MARIJUANA OR BLUNTS.....		192550	20.28
93 = DID NOT USE MJ OR BLUNTS PST 12 MOS.....		79273	8.35
94 = DON'T KNOW		40	0.00
97 = REFUSED		140	0.01
98 = BLANK (NO ANSWER).....		1647	0.17

Was all of your marijuana use in the past 12 months recommended by a doctor or other health care professional?

<u>MEDMJALL</u> ¹	Len : 2 ALL MJ USE RECMDED BY DR IN PAST 12 MONTHS	Freq	Pct
-9 = Data not collected for this year		612222	64.49
1 = Yes.....		2837	0.30
2 = No.....		2191	0.23
83 = DID NOT USE MJ OR BLUNT IN THE PST 12 MOS Logically assigned.....		1	0.00
85 = BAD DATA Logically assigned.....		4	0.00
91 = NEVER USED MARIJUANA OR BLUNTS.....		192550	20.28
93 = DID NOT USE MJ OR BLUNTS PST 12 MOS.....		79273	8.35
94 = DON'T KNOW		8	0.00
97 = REFUSED		143	0.02
98 = BLANK (NO ANSWER).....		1695	0.18
99 = LEGITIMATE SKIP		58361	6.15

BLUNTS

NOTE: Medical marijuana variable MEDMJP2 replaces variable MEDMJST2 that was created for the 2013 through 2017 NSDUH. MEDMJP2 is based on the date that a medical marijuana bill was signed into law or an initiative was approved by voters. MEDMJST2 was based on an interpretation of the date when a state's law took effect.

NOTE: MEDMJP2 indicates whether respondents were living in a State in which a law allowing use of marijuana for medical reasons had been passed at the time of the interview. The entire sample was classified into one of the following two categories: MEDMJP2 was coded as 1 if the respondent was in a State where a law or initiative allowing the use of marijuana for medical reasons had been passed on or before the interview date; MEDMJP2 was coded as 2 if (a) the respondent was in a State in which a law or initiative allowing the use of marijuana for medical reasons had not been passed at any time during the survey year; or (b) the respondent was in a State where a law or initiative allowing the use of marijuana for medical reasons had been passed during the survey year but after the interview date.

MEDMJP2

Len : 1 STATE MEDICAL MJ LAW PASSED AT TIME OF INTERVIEW

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
1 = In State where medical MJ law passed before intvw	176779	18.62
2 = Not in State where medical MJ law passed by Intvw date	160284	16.88

SUBSTANCE DEPENDENCE AND ABUSE

SUBSTANCE DEPENDENCE AND ABUSE

This note applies to variables in this section marked by a¹.

NOTE: HALDAFLG is a flag variable that indicates differences in how the hallucinogen variables in the SUBSTANCE DEPENDENCE AND ABUSE MODULE would have been edited based on the logic in 2007, when only past year users from the core HALLUCINOGENS module were routed into the corresponding questions, and how these hallucinogen variables were edited this year. Editing this year took into account logic that routed past year users of ketamine (from KETAREC), the tryptamines DMT, AMT, and 5-MeO-DIPT/"Foxy" (from TRYPREC), and Salvia divinorum (from SALVREC) into these dependence and abuse questions for hallucinogens.

HALDAFLG¹

Len : 2 EDITING FLAG FOR HALLUC DEPENDENCE & ABUSE VARS

	Freq	Pct
-9 = Data not collected for this year	557532	58.73
1 = Never used based on 07/Now: Not past yr user	2470	0.26
2 = Not past yr user based on 07/Now: Blank	5	0.00
3 = Never used based on 07/Now: Blank	850	0.09
4 = Blank based on 07/Now: Past yr user	54	0.01
5 = Not past yr user based on 07/Now: Past yr user	649	0.07
6 = Never used based on 07/Now: Past yr user	893	0.09
98 = BLANK (NO DIFF BETWEEN 07 VARIABLES & NOW)	386832	40.75

Think about your use of hallucinogens, such as LSD, "acid", PCP, "Ecstasy", psilocybin (mushrooms), mescaline, or peyote during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using hallucinogens?

HALLOTTM¹

Len : 2 SPENT MON/MORE GETTING/USING HALLUC PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes	1888	0.20
2 = No	23343	2.46
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED HALLUCINOGENS	615125	64.80
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	77098	8.12
94 = DON'T KNOW	35	0.00
97 = REFUSED	62	0.01
98 = BLANK (NO ANSWER)	5095	0.54

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the hallucinogens you used?

HALGTOVR¹

Len : 2 MONTH+ SPENT GETTING OVR HALLUC EFFECTS PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes	627	0.07
2 = No	22696	2.39
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED HALLUCINOGENS	615125	64.80
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	77098	8.12
94 = DON'T KNOW	48	0.01
97 = REFUSED	69	0.01
98 = BLANK (NO ANSWER)	5096	0.54
99 = LEGITIMATE SKIP	1888	0.20

During the past 12 months, did you try to set limits on how often or how much hallucinogens you would use?

HALLIMIT¹

Len : 2 SET LIMITS ON HALLUCINOGEN USE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes	5564	0.59
2 = No	19564	2.06
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED HALLUCINOGENS	615125	64.80
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	77098	8.12
94 = DON'T KNOW	90	0.01
97 = REFUSED	110	0.01
98 = BLANK (NO ANSWER)	5095	0.54

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often use hallucinogens more than you intended to?

HALKPLMT¹	Len : 2 ABLE TO KEEP LIMT OR USE MORE HALLUC PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Usually kept to the limits set.....	5213	0.55
	2 = Often used more than intended.....	345	0.04
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED HALLUCINOGENS	615125	64.80
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.12
	94 = DON'T KNOW	4	0.00
	97 = REFUSED	112	0.01
	98 = BLANK (NO ANSWER).....	5191	0.55
	99 = LEGITIMATE SKIP	19564	2.06

During the past 12 months, did you need to use more hallucinogens than you used to in order to get the effect you wanted?

HALNDMOR¹	Len : 2 NEEDED MORE HALLUC TO GET SME EFFECT PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Yes.....	1697	0.18
	2 = No.....	23434	2.47
	85 = BAD DATA Logically assigned.....	7	0.00
	91 = NEVER USED HALLUCINOGENS	615125	64.80
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.12
	94 = DON'T KNOW	83	0.01
	97 = REFUSED	114	0.01
	98 = BLANK (NO ANSWER).....	5095	0.54

During the past 12 months, did you notice that using the same amount of hallucinogens had less effect on you than it used to?

HALLSEFX¹	Len : 2 USING SME AMT HALLUC HAD LESS EFFECT PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Yes.....	1008	0.11
	2 = No.....	22349	2.35
	85 = BAD DATA Logically assigned.....	4	0.00
	91 = NEVER USED HALLUCINOGENS	615125	64.80
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.12
	94 = DON'T KNOW	133	0.01
	97 = REFUSED	141	0.01
	98 = BLANK (NO ANSWER).....	5098	0.54
	99 = LEGITIMATE SKIP	1697	0.18

During the past 12 months, did you want to or try to cut down or stop using hallucinogens?

HALCUTDN¹	Len : 2 WANT/TRY CUT DOWN/STOP USING HALLUC PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Yes.....	6847	0.72
	2 = No.....	18172	1.91
	85 = BAD DATA Logically assigned.....	7	0.00
	91 = NEVER USED HALLUCINOGENS	615125	64.80
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.12
	94 = DON'T KNOW	138	0.01
	97 = REFUSED	171	0.02
	98 = BLANK (NO ANSWER).....	5095	0.54

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, were you able to cut down or stop using hallucinogens every time you wanted to or tried to?

[HALCUTEV](#)¹

Len : 2 ABLE TO CUT/STOP USING HALLUC EVRY TIME PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	6489	0.68
2 = No.....	345	0.04
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	615125	64.80
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.12
94 = DON'T KNOW	9	0.00
97 = REFUSED	175	0.02
98 = BLANK (NO ANSWER).....	5239	0.55
99 = LEGITIMATE SKIP	18172	1.91

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of hallucinogens?

[HALEMOPB](#)¹

Len : 2 HALLUC CAUSE PRBS W/EMOT/NERVES PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	2170	0.23
2 = No.....	22919	2.41
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED HALLUCINOGENS	615125	64.80
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.12
94 = DON'T KNOW	107	0.01
97 = REFUSED	132	0.01
98 = BLANK (NO ANSWER).....	5095	0.54

Did you continue to use hallucinogens even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

[HALEMCTD](#)¹

Len : 2 CONTD TO USE HALLUC DESPITE EMOT PRBS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	975	0.10
2 = No.....	1193	0.13
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED HALLUCINOGENS	615125	64.80
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.12
94 = DON'T KNOW	2	0.00
97 = REFUSED	132	0.01
98 = BLANK (NO ANSWER).....	5207	0.55
99 = LEGITIMATE SKIP	22919	2.41

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of hallucinogens?

[HALPHLPB](#)¹

Len : 2 ANY PHYS PRBS CAUSED/WORSND BY HALLUC PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	492	0.05
2 = No.....	23636	2.49
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED HALLUCINOGENS	615125	64.80
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.12
94 = DON'T KNOW	104	0.01
97 = REFUSED	121	0.01
98 = BLANK (NO ANSWER).....	5097	0.54
99 = LEGITIMATE SKIP	975	0.10

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use hallucinogens even though you thought this was causing you to have physical problems?

[HALPHCTD](#)¹

Len : 2 CONTD TO USE HALLUC DESPITE PHYS PRBS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	120	0.01
2 = No.....	370	0.04
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED HALLUCINOGENS	615125	64.80
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.12
94 = DON'T KNOW	2	0.00
97 = REFUSED	121	0.01
98 = BLANK (NO ANSWER).....	5204	0.55
99 = LEGITIMATE SKIP	24611	2.59

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using hallucinogens cause you to give up or spend less time doing these types of important activities?

[HALLSACT](#)¹

Len : 2 LESS ACTIVITES B/C OF HALLUC USE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1107	0.12
2 = No.....	23991	2.53
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED HALLUCINOGENS	615125	64.80
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.12
94 = DON'T KNOW	90	0.01
97 = REFUSED	140	0.01
98 = BLANK (NO ANSWER).....	5095	0.54

Sometimes people who use hallucinogens have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using hallucinogens cause you to have serious problems like this either at home, work, or school?

[HALSERPB](#)¹

Len : 2 HALLUC CAUSE SER PRBS AT HOM/WRK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1030	0.11
2 = No.....	24086	2.54
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED HALLUCINOGENS	615125	64.80
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.12
94 = DON'T KNOW	87	0.01
97 = REFUSED	125	0.01
98 = BLANK (NO ANSWER).....	5095	0.54

During the past 12 months, did you regularly use hallucinogens and then do something where using hallucinogens put you in physical danger?

[HALPDANG](#)¹

Len : 2 USING HALLUC & DO DANGEROUS ACTIVS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1409	0.15
2 = No.....	23731	2.50
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED HALLUCINOGENS	615125	64.80
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.12
94 = DON'T KNOW	80	0.01
97 = REFUSED	108	0.01
98 = BLANK (NO ANSWER).....	5095	0.54

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did using hallucinogens cause you to do things that repeatedly got you in trouble with the law?

[HALLAWTR](#)¹

Len : 2 USING HALLUC CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	417	0.04
2 = No.....	24724	2.60
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED HALLUCINOGENS	615125	64.80
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.12
94 = DON'T KNOW	77	0.01
97 = REFUSED	110	0.01
98 = BLANK (NO ANSWER).....	5095	0.54

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of hallucinogens?

[HALFMFPB](#)¹

Len : 2 USING HALLUC CAUSE PRBS W/FAM/FRNDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1077	0.11
2 = No.....	24061	2.53
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED HALLUCINOGENS	615125	64.80
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.12
94 = DON'T KNOW	76	0.01
97 = REFUSED	114	0.01
98 = BLANK (NO ANSWER).....	5095	0.54

Did you continue to use hallucinogens even though you thought this caused problems with family or friends?

[HALFMCTD](#)¹

Len : 2 CONTD TO USE HALLUC DESPITE PRBS W/FAM/FRNDS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	588	0.06
2 = No.....	489	0.05
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED HALLUCINOGENS	615125	64.80
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.12
97 = REFUSED	114	0.01
98 = BLANK (NO ANSWER).....	5175	0.55
99 = LEGITIMATE SKIP	24061	2.53

Think about your use of inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints or correction fluids during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using inhalants?

[INHLOTTM](#)¹

Len : 2 SPENT MONTH/MORE GETTING/USING INH PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	787	0.08
2 = No.....	11866	1.25
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED INHALANTS.....	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	58592	6.17
94 = DON'T KNOW	36	0.00
97 = REFUSED	45	0.00
98 = BLANK (NO ANSWER).....	3831	0.40

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the inhalants you used?

[INHGTOVR](#)¹

Len : 2 MONTH+ SPENT GETTING OVER INH EFFECTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	275	0.03
2 = No.....	11559	1.22
85 = BAD DATA Logically assigned.....	11	0.00
91 = NEVER USED INHALANTS.....	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	58592	6.17
94 = DON'T KNOW	60	0.01
97 = REFUSED	53	0.01
98 = BLANK (NO ANSWER).....	3833	0.40
99 = LEGITIMATE SKIP	787	0.08

During the past 12 months, did you try to set limits on how often or how much inhalants you would use?

[INHLIMIT](#)¹

Len : 2 SET LIMITS ON INHALANT USE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	2937	0.31
2 = No.....	9544	1.01
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED INHALANTS.....	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	58592	6.17
94 = DON'T KNOW	138	0.01
97 = REFUSED	115	0.01
98 = BLANK (NO ANSWER).....	3831	0.40

Were you able to keep to the limits you set, or did you often use inhalants more than you intended to?

[INHKPLMT](#)¹

Len : 2 ABLE TO KEEP LIMITS OR USE MORE INH PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Usually kept to the limits set.....	2709	0.29
2 = Often used more than intended.....	213	0.02
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED INHALANTS.....	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	58592	6.17
94 = DON'T KNOW	10	0.00
97 = REFUSED	120	0.01
98 = BLANK (NO ANSWER).....	3980	0.42
99 = LEGITIMATE SKIP	9544	1.01

During the past 12 months, did you need to use more inhalants than you used to in order to get the effect you wanted?

[INHNDMOR](#)¹

Len : 2 NEEDED MORE INH TO GET SAME EFFECT PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	779	0.08
2 = No.....	11753	1.24
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED INHALANTS.....	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	58592	6.17
94 = DON'T KNOW	93	0.01
97 = REFUSED	109	0.01
98 = BLANK (NO ANSWER).....	3831	0.40

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you notice that using the same amount of inhalants had less effect on you than it used to?

[INHLSEFX](#)¹

Len : 2 USING SAME AMT INH HAD LESS EFFECT PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	914	0.10
2 = No.....	10676	1.12
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED INHALANTS.....	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	58592	6.17
94 = DON'T KNOW	224	0.02
97 = REFUSED	141	0.01
98 = BLANK (NO ANSWER).....	3832	0.40
99 = LEGITIMATE SKIP	779	0.08

During the past 12 months, did you want to or try to cut down or stop using inhalants?

[INHCUTDN](#)¹

Len : 2 WANT/TRY TO CUT DOWN/STOP USING INH PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	4875	0.51
2 = No.....	7397	0.78
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED INHALANTS.....	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	58592	6.17
94 = DON'T KNOW	232	0.02
97 = REFUSED	230	0.02
98 = BLANK (NO ANSWER).....	3831	0.40

During the past 12 months, were you able to cut down or stop using inhalants every time you wanted to or tried to?

[INHCUTEV](#)¹

Len : 2 ABLE TO CUT/STOP USING INH EVERY TIME PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	4543	0.48
2 = No.....	305	0.03
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED INHALANTS.....	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	58592	6.17
94 = DON'T KNOW	15	0.00
97 = REFUSED	242	0.03
98 = BLANK (NO ANSWER).....	4069	0.43
99 = LEGITIMATE SKIP	7397	0.78

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of inhalants?

[INHEMOPB](#)¹

Len : 2 INH CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	865	0.09
2 = No.....	11607	1.22
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED INHALANTS.....	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	58592	6.17
94 = DON'T KNOW	128	0.01
97 = REFUSED	134	0.01
98 = BLANK (NO ANSWER).....	3831	0.40

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use inhalants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

[INHEMCTD](#)¹

Len : 2 CONTD TO USE INHALANTS DESPITE EMOT PRBS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	371	0.04
2 = No.....	488	0.05
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED INHALANTS.....	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	58592	6.17
94 = DON'T KNOW	3	0.00
97 = REFUSED	137	0.01
98 = BLANK (NO ANSWER).....	3968	0.42
99 = LEGITIMATE SKIP	11607	1.22

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of inhalants?

[INHPHLPB](#)¹

Len : 2 ANY PHYS PRBS CAUSED/WORSND BY INH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	347	0.04
2 = No.....	11789	1.24
85 = BAD DATA Logically assigned.....	10	0.00
91 = NEVER USED INHALANTS.....	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	58592	6.17
94 = DON'T KNOW	115	0.01
97 = REFUSED	112	0.01
98 = BLANK (NO ANSWER).....	3834	0.40
99 = LEGITIMATE SKIP	371	0.04

Did you continue to use inhalants even though you thought this was causing you to have physical problems?

[INHPHCTD](#)¹

Len : 2 CONTD TO USE INHALANTS DESPITE PHYS PRBS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	75	0.01
2 = No.....	268	0.03
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED INHALANTS.....	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	58592	6.17
94 = DON'T KNOW	3	0.00
97 = REFUSED	113	0.01
98 = BLANK (NO ANSWER).....	3958	0.42
99 = LEGITIMATE SKIP	12160	1.28

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using inhalants cause you to give up or spend less time doing these types of important activities?

[INHLSACT](#)¹

Len : 2 LESS ACTIVITIES B/C OF INH USE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	517	0.05
2 = No.....	11993	1.26
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED INHALANTS.....	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	58592	6.17
94 = DON'T KNOW	111	0.01
97 = REFUSED	113	0.01
98 = BLANK (NO ANSWER).....	3831	0.40

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use inhalants have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using inhalants cause you to have serious problems like this either at home, work, or school?

INHSERP ¹	Len : 2 INH CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Yes.....	608	0.06
	2 = No.....	11917	1.26
	85 = BAD DATA Logically assigned.....	13	0.00
	91 = NEVER USED INHALANTS.....	647483	68.21
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	58592	6.17
	94 = DON'T KNOW	98	0.01
	97 = REFUSED	111	0.01
	98 = BLANK (NO ANSWER).....	3831	0.40

During the past 12 months, did you regularly use inhalants and then do something where using inhalants might have put you in physical danger?

INHPDANG ¹	Len : 2 USING INH AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Yes.....	623	0.07
	2 = No.....	11932	1.26
	85 = BAD DATA Logically assigned.....	13	0.00
	91 = NEVER USED INHALANTS.....	647483	68.21
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	58592	6.17
	94 = DON'T KNOW	77	0.01
	97 = REFUSED	102	0.01
	98 = BLANK (NO ANSWER).....	3831	0.40

During the past 12 months, did using inhalants cause you to do things that repeatedly got you in trouble with the law?

INHLOWTR ¹	Len : 2 USING INH CAUSE PRBS WITH LAW PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Yes.....	218	0.02
	2 = No.....	12342	1.30
	85 = BAD DATA Logically assigned.....	13	0.00
	91 = NEVER USED INHALANTS.....	647483	68.21
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	58592	6.17
	94 = DON'T KNOW	79	0.01
	97 = REFUSED	95	0.01
	98 = BLANK (NO ANSWER).....	3831	0.40

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of inhalants?

INHMFPP ¹	Len : 2 USING INH CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Yes.....	571	0.06
	2 = No.....	11995	1.26
	85 = BAD DATA Logically assigned.....	13	0.00
	91 = NEVER USED INHALANTS.....	647483	68.21
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	58592	6.17
	94 = DON'T KNOW	79	0.01
	97 = REFUSED	89	0.01
	98 = BLANK (NO ANSWER).....	3831	0.40

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use inhalants even though you thought this caused problems with family or friends?

[INHFMCCTD](#)¹

Len : 2 CONTD TO USE INH DESPITE PRBS W/ FAM/FRNDS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	249	0.03
2 = No.....	318	0.03
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED INHALANTS.....	647483	68.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	58592	6.17
94 = DON'T KNOW	1	0.00
97 = REFUSED	92	0.01
98 = BLANK (NO ANSWER).....	3919	0.41
99 = LEGITIMATE SKIP	11995	1.26

Think about your use of prescription pain relievers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription pain relievers that were not prescribed for you or that you used only for the experience or feeling they caused.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription pain relievers?

[ANLLOTTM](#)¹

Len : 2 SPENT MON/MORE GETTING/USNG PN RLVR PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	8010	0.84
2 = No.....	41654	4.39
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	18	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	98	0.01
97 = REFUSED	96	0.01
98 = BLANK (NO ANSWER).....	6071	0.64

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription pain relievers you used?

[ANLGTQVR](#)¹

Len : 2 MON+ SPNT GETTING OVER PN RLVR EFFECTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	906	0.10
2 = No.....	40750	4.29
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	94	0.01
97 = REFUSED	98	0.01
98 = BLANK (NO ANSWER).....	6076	0.64
99 = LEGITIMATE SKIP	8010	0.84

During the past 12 months, did you try to set limits on how often or how much prescription pain relievers you would use?

[ANLLIMIT](#)¹

Len : 2 SET LIMITS ON PAIN RELIEVER USE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	12725	1.34
2 = No.....	36709	3.87
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	18	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	231	0.02
97 = REFUSED	193	0.02
98 = BLANK (NO ANSWER).....	6071	0.64

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often use prescription pain relievers more than you intended to?

ANLKPLMT¹	Len : 2 ABLE TO KEEP LIMT/USE MORE PN RLVR PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Usually kept to the limits set.....	10285	1.08
	2 = Often used more than intended.....	2414	0.25
	81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
	85 = BAD DATA Logically assigned.....	4	0.00
	91 = NEVER USED PAIN RELIEVERS	604055	63.63
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
	94 = DON'T KNOW	20	0.00
	97 = REFUSED	199	0.02
	98 = BLANK (NO ANSWER).....	6316	0.67
	99 = LEGITIMATE SKIP	36709	3.87

During the past 12 months, did you need to use more prescription pain relievers than you used to in order to get the effect you wanted?

ANLNDMOR¹	Len : 2 NEEDED MORE PN RLVR TO GET SME EFFECT PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Yes.....	7937	0.84
	2 = No.....	41570	4.38
	81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
	85 = BAD DATA Logically assigned.....	18	0.00
	91 = NEVER USED PAIN RELIEVERS	604055	63.63
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
	94 = DON'T KNOW	174	0.02
	97 = REFUSED	177	0.02
	98 = BLANK (NO ANSWER).....	6071	0.64

During the past 12 months, did you notice that using the same amount of prescription pain relievers had less effect on you than it used to?

ANLLSEFX¹	Len : 2 USING SME AMT PN RLVR HAD LESS EFFECT PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Yes.....	2957	0.31
	2 = No.....	38399	4.05
	81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
	85 = BAD DATA Logically assigned.....	14	0.00
	91 = NEVER USED PAIN RELIEVERS	604055	63.63
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
	94 = DON'T KNOW	352	0.04
	97 = REFUSED	213	0.02
	98 = BLANK (NO ANSWER).....	6075	0.64
	99 = LEGITIMATE SKIP	7937	0.84

During the past 12 months, did you want to or try to cut down or stop using prescription pain relievers?

ANLCUTDN¹	Len : 2 WANT/TRY CUT DOWN/STOP USNG PN RLVR PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Yes.....	16151	1.70
	2 = No.....	32921	3.47
	81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
	85 = BAD DATA Logically assigned.....	18	0.00
	91 = NEVER USED PAIN RELIEVERS	604055	63.63
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
	94 = DON'T KNOW	426	0.04
	97 = REFUSED	360	0.04
	98 = BLANK (NO ANSWER).....	6071	0.64

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, were you able to cut down or stop using prescription pain relievers every time you wanted to or tried to?

[ANLCUTEV¹](#)

Len : 2 ABLE TO CUT/STOP USNG PN RLVR EVRY TIME PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	13922	1.47
2 = No.....	2175	0.23
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	33	0.00
97 = REFUSED	381	0.04
98 = BLANK (NO ANSWER).....	6511	0.69
99 = LEGITIMATE SKIP	32921	3.47

During the past 12 months, did you cut down or stop using prescription pain relievers at least one time?

[ANLCUTIX¹](#)

Len : 2 CUT DOWN/STOP USNG PN RLVR AT LEAST 1X PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	10413	1.10
2 = No.....	24734	2.61
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	435	0.05
97 = REFUSED	354	0.04
98 = BLANK (NO ANSWER).....	6075	0.64
99 = LEGITIMATE SKIP	13922	1.47

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using prescription pain relievers?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

[ANLWD3SX¹](#)

Len : 2 HAD 3+ PN RLVR WITHDRAWAL SYMPTOMS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	7441	0.78
2 = No.....	16837	1.77
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	42	0.00
97 = REFUSED	369	0.04
98 = BLANK (NO ANSWER).....	6517	0.69
99 = LEGITIMATE SKIP	24734	2.61

SUBSTANCE DEPENDENCE AND ABUSE

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription pain relievers?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

[ANLWDSMT](#)¹

Len : 2 HAD 3+ PN RLVR WDRAW SYM SAME TIME PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	4810	0.51
2 = No.....	2619	0.28
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	10	0.00
97 = REFUSED	371	0.04
98 = BLANK (NO ANSWER).....	6561	0.69
99 = LEGITIMATE SKIP	41571	4.38

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription pain relievers?

[ANLEMOPB](#)¹

Len : 2 PN RLVR CAUSE PRBS W/EMOT/NERVES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	5208	0.55
2 = No.....	44216	4.66
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	18	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	216	0.02
97 = REFUSED	218	0.02
98 = BLANK (NO ANSWER).....	6071	0.64

Did you continue to use prescription pain relievers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

[ANLEMCTD](#)¹

Len : 2 CONTD TO USE PN RLVR DESPITE EMOT PRBS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	3256	0.34
2 = No.....	1942	0.20
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	7	0.00
97 = REFUSED	221	0.02
98 = BLANK (NO ANSWER).....	6303	0.66
99 = LEGITIMATE SKIP	44216	4.66

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription pain relievers?

[ANLPHLPB](#)¹

Len : 2 ANY PHYS PRBS CAUSD/WORSND BY PN RLVR PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1076	0.11
2 = No.....	45129	4.75
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	198	0.02
97 = REFUSED	199	0.02
98 = BLANK (NO ANSWER).....	6073	0.64
99 = LEGITIMATE SKIP	3256	0.34

Did you continue to use prescription pain relievers even though you thought this was causing you to have physical problems?

[ANLPHCTD](#)¹

Len : 2 CONTD TO USE PN RLVR DESPITE PHYS PRBS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	387	0.04
2 = No.....	687	0.07
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
97 = REFUSED	201	0.02
98 = BLANK (NO ANSWER).....	6286	0.66
99 = LEGITIMATE SKIP	48385	5.10

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription pain relievers cause you to give up or spend less time doing these types of important activities?

[ANLLSACT](#)¹

Len : 2 LESS ACTIVITIES B/C OF PN RLVR USE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	3513	0.37
2 = No.....	45969	4.84
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	18	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	168	0.02
97 = REFUSED	208	0.02
98 = BLANK (NO ANSWER).....	6071	0.64

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use prescription pain relievers have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription pain relievers cause you to have serious problems like this either at home, work, or school?

[ANLSERP¹](#)

Len : 2 PN RLVR CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	3104	0.33
2 = No.....	46410	4.89
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	18	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	144	0.02
97 = REFUSED	200	0.02
98 = BLANK (NO ANSWER).....	6071	0.64

During the past 12 months, did you regularly use prescription pain relievers and then do something where using prescription pain relievers might have put you in physical danger?

[ANLPDANG¹](#)

Len : 2 USING PN RLVR & DO DANGEROUS ACTIVS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	3188	0.34
2 = No.....	46341	4.88
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	18	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	148	0.02
97 = REFUSED	181	0.02
98 = BLANK (NO ANSWER).....	6071	0.64

During the past 12 months, did using prescription pain relievers cause you to do things that repeatedly got you in trouble with the law?

[ANLLAWTR¹](#)

Len : 2 USING PN RLVR CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1020	0.11
2 = No.....	48546	5.11
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	18	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	116	0.01
97 = REFUSED	176	0.02
98 = BLANK (NO ANSWER).....	6071	0.64

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription pain relievers?

[ANLFMFPB¹](#)

Len : 2 USING PN RLVR CAUSE PRBS W/FAM/FRNDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	3255	0.34
2 = No.....	46325	4.88
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	18	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	117	0.01
97 = REFUSED	161	0.02
98 = BLANK (NO ANSWER).....	6071	0.64

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription pain relievers even though you thought this caused problems with family or friends?

[ANLFMCTD](#)¹

Len : 2 CONTD TO USE PN RLVR DESPITE PRBS W/FAM/FRNDS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	2210	0.23
2 = No.....	1038	0.11
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.11
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED PAIN RELIEVERS	604055	63.63
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	6.49
94 = DON'T KNOW	7	0.00
97 = REFUSED	161	0.02
98 = BLANK (NO ANSWER).....	6203	0.65
99 = LEGITIMATE SKIP	46325	4.88

Think about your use of prescription tranquilizers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription tranquilizers that were not prescribed for you or that you used only for the experience or feeling they caused.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription tranquilizers?

[TRNLOTTM](#)¹

Len : 2 SPENT MONTH/MORE GETTING/USING TRN PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1418	0.15
2 = No.....	18779	1.98
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	34	0.00
97 = REFUSED	78	0.01
98 = BLANK (NO ANSWER).....	2473	0.26

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription tranquilizers you used?

[TRNGTOVR](#)¹

Len : 2 MONTH+ SPENT GETTING OVER TRN EFFECTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	281	0.03
2 = No.....	18494	1.95
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	33	0.00
97 = REFUSED	83	0.01
98 = BLANK (NO ANSWER).....	2475	0.26
99 = LEGITIMATE SKIP	1418	0.15

During the past 12 months, did you try to set limits on how often or how much prescription tranquilizers you would use?

[TRNLIMIT](#)¹

Len : 2 SET LIMITS ON TRANQUILIZER USE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	3711	0.39
2 = No.....	16403	1.73
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	80	0.01
97 = REFUSED	115	0.01
98 = BLANK (NO ANSWER).....	2473	0.26

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often use prescription tranquilizers more than you intended to?

[TRNKPLMT](#)¹

Len : 2 ABLE TO KEEP LIMITS OR USE MORE TRN PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Usually kept to the limits set.....	3283	0.35
2 = Often used more than intended.....	421	0.04
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	4	0.00
97 = REFUSED	118	0.01
98 = BLANK (NO ANSWER).....	2564	0.27
99 = LEGITIMATE SKIP	16403	1.73

During the past 12 months, did you need to use more prescription tranquilizers than you used to in order to get the effect you wanted?

[TRNNDMOR](#)¹

Len : 2 NEEDED MORE TRN TO GET SAME EFFECT PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1636	0.17
2 = No.....	18505	1.95
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	60	0.01
97 = REFUSED	108	0.01
98 = BLANK (NO ANSWER).....	2473	0.26

During the past 12 months, did you notice that using the same amount of prescription tranquilizers had less effect on you than it used to?

[TRNLSEFX](#)¹

Len : 2 USING SAME AMT TRN HAD LESS EFFECT PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	705	0.07
2 = No.....	17755	1.87
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	89	0.01
97 = REFUSED	124	0.01
98 = BLANK (NO ANSWER).....	2475	0.26
99 = LEGITIMATE SKIP	1636	0.17

During the past 12 months, did you want to or try to cut down or stop using prescription tranquilizers?

[TRNCUTDN](#)¹

Len : 2 WANT/TRY TO CUT DOWN/STOP USING TRN PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	5261	0.55
2 = No.....	14784	1.56
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	114	0.01
97 = REFUSED	150	0.02
98 = BLANK (NO ANSWER).....	2473	0.26

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, were you able to cut down or stop using prescription tranquilizers every time you wanted to or tried to?

[TRNCUTEV](#)¹

Len : 2 ABLE TO CUT/STOP USING TRN EVERY TIME PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	4821	0.51
2 = No.....	436	0.05
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	3	0.00
97 = REFUSED	151	0.02
98 = BLANK (NO ANSWER).....	2597	0.27
99 = LEGITIMATE SKIP	14784	1.56

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription tranquilizers?

[TRNEMOPB](#)¹

Len : 2 TRN CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1453	0.15
2 = No.....	18670	1.97
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	74	0.01
97 = REFUSED	112	0.01
98 = BLANK (NO ANSWER).....	2473	0.26

Did you continue to use prescription tranquilizers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

[TRNEMCTD](#)¹

Len : 2 CONTD TO USE TRN DESPITE EMOT PRBS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	862	0.09
2 = No.....	588	0.06
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	3	0.00
97 = REFUSED	112	0.01
98 = BLANK (NO ANSWER).....	2558	0.27
99 = LEGITIMATE SKIP	18670	1.97

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription tranquilizers?

[TRNPHLPB](#)¹

Len : 2 ANY PHYS PRBS CAUSED/WORSND BY TRN PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	277	0.03
2 = No.....	18988	2.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	11	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	72	0.01
97 = REFUSED	110	0.01
98 = BLANK (NO ANSWER).....	2476	0.26
99 = LEGITIMATE SKIP	862	0.09

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription tranquilizers even though you thought this was causing you to have physical problems?

[TRNPHCTD](#)¹

Len : 2 CONTD TO USE TRN DESPITE PHYS PRBS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	86	0.01
2 = No.....	190	0.02
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	1	0.00
97 = REFUSED	110	0.01
98 = BLANK (NO ANSWER).....	2559	0.27
99 = LEGITIMATE SKIP	19850	2.09

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription tranquilizers cause you to give up or spend less time doing these types of important activities?

[TRNLSACT](#)¹

Len : 2 LESS ACTIVITIES B/C OF TRN USE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1017	0.11
2 = No.....	19122	2.01
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	59	0.01
97 = REFUSED	111	0.01
98 = BLANK (NO ANSWER).....	2473	0.26

Sometimes people who use prescription tranquilizers have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription tranquilizers cause you to have serious problems like this either at home, work, or school?

[TRNSERP](#)¹

Len : 2 TRN CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	952	0.10
2 = No.....	19187	2.02
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	61	0.01
97 = REFUSED	109	0.01
98 = BLANK (NO ANSWER).....	2473	0.26

During the past 12 months, did you regularly use prescription tranquilizers and then do something where using prescription tranquilizers might have put you in physical danger?

[TRNPDANG](#)¹

Len : 2 USING TRN AND DO DANGEROUS ACTIVITIES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1164	0.12
2 = No.....	18992	2.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	48	0.01
97 = REFUSED	105	0.01
98 = BLANK (NO ANSWER).....	2473	0.26

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did using prescription tranquilizers cause you to do things that repeatedly got you in trouble with the law?

[TRNLAWTR](#)¹

Len : 2 USING TRN CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	399	0.04
2 = No.....	19766	2.08
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	45	0.00
97 = REFUSED	99	0.01
98 = BLANK (NO ANSWER).....	2473	0.26

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription tranquilizers?

[TRNFMFPB](#)¹

Len : 2 USING TRN CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1043	0.11
2 = No.....	19117	2.01
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
94 = DON'T KNOW	51	0.01
97 = REFUSED	97	0.01
98 = BLANK (NO ANSWER).....	2474	0.26

Did you continue to use prescription tranquilizers even though you thought this caused problems with family or friends?

[TRNFMCTD](#)¹

Len : 2 CONTD TO USE TRN DESPITE PRBS W/ FAM/FRNDS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	664	0.07
2 = No.....	379	0.04
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	69.57
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.14
97 = REFUSED	97	0.01
98 = BLANK (NO ANSWER).....	2537	0.27
99 = LEGITIMATE SKIP	19117	2.01

NOTE: The logic for asking the stimulant dependence and abuse questions was updated in 2003 to administer these questions to lifetime stimulant users who reported past year use of methamphetamine with a needle but had not already reported past year stimulant use anywhere else in the interview.

Think about your use of prescription stimulants during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription stimulants that were not prescribed for you or that you used only for the experience or feeling they caused.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription stimulants?

[STMLOTTM](#)¹

Len : 2 SPENT MONTH/MORE GETTING/USING STM PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	2011	0.21
2 = No.....	18155	1.91
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	42	0.00
97 = REFUSED	73	0.01
98 = BLANK (NO ANSWER).....	3126	0.33

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription stimulants you used?

[STMGTQVR¹](#)

Len : 2 MONTH+ SPENT GETTING OVER STM EFFECTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	373	0.04
2 = No.....	17771	1.87
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	8	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	51	0.01
97 = REFUSED	75	0.01
98 = BLANK (NO ANSWER).....	3129	0.33
99 = LEGITIMATE SKIP	2011	0.21

During the past 12 months, did you try to set limits on how often or how much prescription stimulants you would use?

[STMLIMIT¹](#)

Len : 2 SET LIMITS ON STIMULANT USE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	3979	0.42
2 = No.....	16101	1.70
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	92	0.01
97 = REFUSED	108	0.01
98 = BLANK (NO ANSWER).....	3127	0.33

Were you able to keep to the limits you set, or did you often use prescription stimulants more than you intended to?

[STMKPLMT¹](#)

Len : 2 ABLE TO KEEP LIMITS OR USE MORE STM PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Usually kept to the limits set.....	3364	0.35
2 = Often used more than intended.....	609	0.06
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	3	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	4	0.00
97 = REFUSED	110	0.01
98 = BLANK (NO ANSWER).....	3227	0.34
99 = LEGITIMATE SKIP	16101	1.70

During the past 12 months, did you need to use more prescription stimulants than you used to in order to get the effect you wanted?

[STMNDMOR¹](#)

Len : 2 NEEDED MORE STM TO GET SAME EFFECT PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	2070	0.22
2 = No.....	18021	1.90
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	81	0.01
97 = REFUSED	108	0.01
98 = BLANK (NO ANSWER).....	3127	0.33

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you notice that using the same amount of prescription stimulants had less effect on you than it used to?

[STMLSEFX¹](#)

Len : 2 USING SAME AMT STM HAD LESS EFFECT PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	835	0.09
2 = No.....	17136	1.81
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	9	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	118	0.01
97 = REFUSED	120	0.01
98 = BLANK (NO ANSWER).....	3130	0.33
99 = LEGITIMATE SKIP	2070	0.22

During the past 12 months, did you want to or try to cut down or stop using prescription stimulants?

[STMCTDND¹](#)

Len : 2 WANT/TRY TO CUT DOWN/STOP USING STM PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	5416	0.57
2 = No.....	14584	1.54
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	133	0.01
97 = REFUSED	146	0.02
98 = BLANK (NO ANSWER).....	3128	0.33

During the past 12 months, were you able to cut down or stop using prescription stimulants every time you wanted to or tried to?

[STMCTEVD¹](#)

Len : 2 ABLE TO CUT/STOP USING STM EVERY TIME PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	4827	0.51
2 = No.....	579	0.06
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	3	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	5	0.00
97 = REFUSED	151	0.02
98 = BLANK (NO ANSWER).....	3269	0.34
99 = LEGITIMATE SKIP	14584	1.54

During the past 12 months, did you cut down or stop using prescription stimulants at least one time?

[STMCT1X¹](#)

Len : 2 CUT DOWN OR STOP USING STM AT LEAST 1X PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	3192	0.34
2 = No.....	11968	1.26
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	9	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	142	0.01
97 = REFUSED	150	0.02
98 = BLANK (NO ANSWER).....	3130	0.33
99 = LEGITIMATE SKIP	4827	0.51

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, have you felt kind of blue or down when you cut down or stopped using prescription stimulants?

STMFLBLU¹

Len : 2 WHEN CUT DOWN ON STM, FELT BLUE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	2040	0.21
2 = No.....	5956	0.63
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	3	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	14	0.00
97 = REFUSED	159	0.02
98 = BLANK (NO ANSWER).....	3278	0.35
99 = LEGITIMATE SKIP	11968	1.26

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using prescription stimulants?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

STMWD2SX¹

Len : 2 HAD 2+ STM WITHDRAWAL SYMPTOMS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1724	0.18
2 = No.....	314	0.03
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	2	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	2	0.00
97 = REFUSED	159	0.02
98 = BLANK (NO ANSWER).....	3293	0.35
99 = LEGITIMATE SKIP	17924	1.89

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription stimulants?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

STMWD5MT¹

Len : 2 HAD 2+ STM WDRAW SYM AT SAME TIME PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1473	0.16
2 = No.....	250	0.03
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	2	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	1	0.00
97 = REFUSED	159	0.02
98 = BLANK (NO ANSWER).....	3295	0.35
99 = LEGITIMATE SKIP	18238	1.92

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription stimulants?

STMEMOPB¹

Len : 2 STM CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	2225	0.23
2 = No.....	17815	1.88
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	103	0.01
97 = REFUSED	136	0.01
98 = BLANK (NO ANSWER).....	3128	0.33

Did you continue to use prescription stimulants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

STMEMCTD¹

Len : 2 CONTD TO USE STM DESPITE EMOT PRBS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1347	0.14
2 = No.....	877	0.09
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	4	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	1	0.00
97 = REFUSED	136	0.01
98 = BLANK (NO ANSWER).....	3238	0.34
99 = LEGITIMATE SKIP	17815	1.88

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription stimulants?

STMPHLPB¹

Len : 2 ANY PHYS PRBS CAUSED/WORSND BY STM PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	407	0.04
2 = No.....	18296	1.93
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	8	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	100	0.01
97 = REFUSED	129	0.01
98 = BLANK (NO ANSWER).....	3131	0.33
99 = LEGITIMATE SKIP	1347	0.14

Did you continue to use prescription stimulants even though this was causing you to have physical problems?

STMPHCTD¹

Len : 2 CONTD TO USE STM DESPITE PHYS PRBS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	131	0.01
2 = No.....	275	0.03
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	1	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	1	0.00
97 = REFUSED	129	0.01
98 = BLANK (NO ANSWER).....	3238	0.34
99 = LEGITIMATE SKIP	19643	2.07

SUBSTANCE DEPENDENCE AND ABUSE

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription stimulants cause you to give up or spend less time doing these types of important activities?

[STMLSACT](#)¹

Len : 2 LESS ACTIVITIES B/C OF STM USE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1183	0.12
2 = No.....	18888	1.99
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	84	0.01
97 = REFUSED	124	0.01
98 = BLANK (NO ANSWER).....	3128	0.33

Sometimes people who use prescription stimulants have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription stimulants cause you to have serious problems like this either at home, work, or school?

[STMSERP](#)¹

Len : 2 STM CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1095	0.12
2 = No.....	18986	2.00
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	84	0.01
97 = REFUSED	114	0.01
98 = BLANK (NO ANSWER).....	3128	0.33

During the past 12 months, did you regularly use prescription stimulants and then do something where using prescription stimulants might have put you in physical danger?

[STMPDANG](#)¹

Len : 2 USING STM AND DO DANGEROUS ACTIVITIES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1046	0.11
2 = No.....	19057	2.01
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	64	0.01
97 = REFUSED	112	0.01
98 = BLANK (NO ANSWER).....	3128	0.33

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did using prescription stimulants cause you to do things that repeatedly got you in trouble with the law?

[STMLAWTR](#)¹

Len : 2 USING STM CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	437	0.05
2 = No.....	19671	2.07
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	59	0.01
97 = REFUSED	112	0.01
98 = BLANK (NO ANSWER).....	3128	0.33

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription stimulants?

[STMFMFPB](#)¹

Len : 2 USING STM CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1214	0.13
2 = No.....	18893	1.99
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	64	0.01
97 = REFUSED	108	0.01
98 = BLANK (NO ANSWER).....	3128	0.33

Did you continue to use prescription stimulants even though you thought this caused problems with family or friends?

[STMFMCTD](#)¹

Len : 2 CONTD TO USE STM DESPITE PRBS W/ FAM/FRNDS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	837	0.09
2 = No.....	376	0.04
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned.....	7	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	68.53
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.12
94 = DON'T KNOW	1	0.00
97 = REFUSED	108	0.01
98 = BLANK (NO ANSWER).....	3196	0.34
99 = LEGITIMATE SKIP	18893	1.99

SUBSTANCE DEPENDENCE AND ABUSE

NOTE: STMDAFLG is a flag variable that indicates differences in how the stimulant variables in the SUBSTANCE DEPENDENCE AND ABUSE MODULE would have been edited based on logic in earlier years and how these stimulant variables were edited this year. In 2004, past year users were routed into the corresponding questions if they reported past year nonmedical use of prescription stimulants or methamphetamine in the core stimulants module or if they reported in the SPECIAL DRUGS module that they used methamphetamine or other stimulants with a needle (from MTNDLREC and OSTLNREC, respectively). Beginning in 2005 (and continuing this year), past year methamphetamine users from the SPECIAL DRUGS variables MTHAREC and MTANDLRC also were asked about stimulant dependence or abuse. STMDAFLG is coded as 1 through 6 if the inclusion of MTHAREC and MTANDLRC changed the outcome for editing of the stimulant dependence or abuse variables. This year, respondents who reported past year nonmedical use of Adderall (from ADDEREC) were eligible to be asked these questions as well. STMDAFLG is coded as 11 through 16 if the inclusion of ADDEREC changed the outcome for editing of these variables.

STMDAFLG¹

Len : 2 EDITING FLAG FOR STIM DEPENDENCE & ABUSE VARS

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Never used based on 04/Now: Not past yr user	5381	0.57
2 = Not past yr user based on 04/Now: Blank	1	0.00
3 = Never used based on 04/Now: Blank	371	0.04
4 = Blank based on 04/Now: Past yr user.....	40	0.00
5 = Not past yr user based on 04/Now: Past yr user.....	120	0.01
6 = Never used based on 04/Now: Past yr user.....	846	0.09
11 = Never used based on 07/Now: Not past yr user	5654	0.60
12 = Not past yr user based on 07/Now: Blank	2	0.00
13 = Never used based on 07/Now: Blank	197	0.02
14 = Blank based on 07/Now: Past yr user.....	62	0.01
15 = Not past yr user based on 07/Now: Past yr user.....	876	0.09
16 = Never used based on 07/Now: Past yr user.....	4103	0.43
98 = BLANK (NO DIFF BETWEEN 04 VARIABLES & NOW).....	540089	56.89

NOTE: SEDDAFLG is a flag variable that indicates differences in how the sedative variables in the SUBSTANCE DEPENDENCE AND ABUSE MODULE would have been edited based on the logic in 2007, when only past year nonmedical users from the core SEDATIVES module were routed into the corresponding questions, and how these sedative variables were edited this year. Editing this year took into account logic that routed past year nonmedical users of Ambien (from AMBIREC) into these dependence and abuse questions for sedatives.

SEDDAFLG¹

Len : 2 EDITING FLAG FOR SEDATIVE DEPENDENCE & ABUSE VARS

	Freq	Pct
-9 = Data not collected for this year	557532	58.73
1 = Never used based on 07/Now: Not past yr user	4947	0.52
2 = Not past yr user based on 07/Now: Blank	1	0.00
3 = Never used based on 07/Now: Blank	196	0.02
4 = Blank based on 07/Now: Past yr user.....	26	0.00
5 = Not past yr user based on 07/Now: Past yr user.....	260	0.03
6 = Never used based on 07/Now: Past yr user.....	2394	0.25
98 = BLANK (NO DIFF BETWEEN 07 VARIABLES & NOW).....	383929	40.44

Think about your use of prescription sedatives during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription sedatives that were not prescribed for you or that you used only for the experience or feeling they caused.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription sedatives?

SEDL0TTM¹

Len : 2 SPENT MONTH/MORE GETTING/USING SED PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	458	0.05
2 = No	5018	0.53
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	1	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED SEDATIVES	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	1.78
94 = DON'T KNOW	20	0.00
97 = REFUSED	40	0.00
98 = BLANK (NO ANSWER).....	2172	0.23

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription sedatives you used?

[SEDGTOVR](#)¹

Len : 2 MONTH+ SPENT GETTING OVER SED EFFECTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	137	0.01
2 = No.....	4879	0.51
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	1	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	1.78
94 = DON'T KNOW	17	0.00
97 = REFUSED	45	0.00
98 = BLANK (NO ANSWER).....	2174	0.23
99 = LEGITIMATE SKIP	458	0.05

During the past 12 months, did you try to set limits on how often or how much prescription sedatives you would use?

[SEDLIMIT](#)¹

Len : 2 SET LIMITS ON SEDATIVE USE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1086	0.11
2 = No.....	4361	0.46
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	1	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	1.78
94 = DON'T KNOW	36	0.00
97 = REFUSED	53	0.01
98 = BLANK (NO ANSWER).....	2172	0.23

Were you able to keep to the limits you set, or did you often use prescription sedatives more than you intended to?

[SEDKPLMT](#)¹

Len : 2 ABLE TO KEEP LIMITS OR USE MORE SED PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Usually kept to the limits set.....	928	0.10
2 = Often used more than intended.....	154	0.02
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16939	1.78
94 = DON'T KNOW	2	0.00
97 = REFUSED	55	0.01
98 = BLANK (NO ANSWER).....	2213	0.23
99 = LEGITIMATE SKIP	4361	0.46

During the past 12 months, did you need to use more prescription sedatives than you used to in order to get the effect you wanted?

[SEDNDMOR](#)¹

Len : 2 NEEDED MORE SED TO GET SAME EFFECT PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	584	0.06
2 = No.....	4877	0.51
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	1	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	1.78
94 = DON'T KNOW	28	0.00
97 = REFUSED	47	0.00
98 = BLANK (NO ANSWER).....	2172	0.23

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you notice that using the same amount of prescription sedatives had less effect on you than it used to?

[SEDLSEFX](#)¹

Len : 2 USING SAME AMT SED HAD LESS EFFECT PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	262	0.03
2 = No.....	4584	0.48
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	1	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	1.78
94 = DON'T KNOW	50	0.01
97 = REFUSED	56	0.01
98 = BLANK (NO ANSWER).....	2174	0.23
99 = LEGITIMATE SKIP	584	0.06

During the past 12 months, did you want to or try to cut down or stop using prescription sedatives?

[SEDCUTDN](#)¹

Len : 2 WANT/TRY TO CUT DOWN/STOP USING SED PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1503	0.16
2 = No.....	3914	0.41
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	1	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	1.78
94 = DON'T KNOW	52	0.01
97 = REFUSED	67	0.01
98 = BLANK (NO ANSWER).....	2172	0.23

During the past 12 months, were you able to cut down or stop using prescription sedatives every time you wanted to or tried to?

[SEDCUTEV](#)¹

Len : 2 ABLE TO CUT/STOP USING SED EVERY TIME PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1330	0.14
2 = No.....	166	0.02
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16939	1.78
94 = DON'T KNOW	5	0.00
97 = REFUSED	69	0.01
98 = BLANK (NO ANSWER).....	2229	0.23
99 = LEGITIMATE SKIP	3914	0.41

During the past 12 months, did you cut down or stop using prescription sedatives at least one time?

[SEDCUT1X](#)¹

Len : 2 CUT DOWN OR STOP USING SED AT LEAST 1X PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	810	0.09
2 = No.....	3275	0.34
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	1	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	1.78
94 = DON'T KNOW	52	0.01
97 = REFUSED	69	0.01
98 = BLANK (NO ANSWER).....	2173	0.23
99 = LEGITIMATE SKIP	1330	0.14

SUBSTANCE DEPENDENCE AND ABUSE

Please look at the symptoms listed below. During the past 12 months, did you have 1 or more of these symptoms after you cut back or stopped using prescription sedatives?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping or sleeping more than you normally do
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

SEDWD1SX¹

Len : 2 HAD 1+ SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	706	0.07
2 = No.....	1428	0.15
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16939	1.78
94 = DON'T KNOW	4	0.00
97 = REFUSED	71	0.01
98 = BLANK (NO ANSWER).....	2226	0.23
99 = LEGITIMATE SKIP	3275	0.34

Please look at the symptoms listed below. During the past 12 months, did you have 1 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription sedatives?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping or sleeping more than you normally do
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

SEDWDSMT¹

Len : 2 HAD 1+ SED WDRAW SYM AT SAME TIME PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	511	0.05
2 = No.....	194	0.02
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16939	1.78
94 = DON'T KNOW	1	0.00
97 = REFUSED	71	0.01
98 = BLANK (NO ANSWER).....	2231	0.24
99 = LEGITIMATE SKIP	4703	0.50

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription sedatives?

SEDEMOPB¹

Len : 2 SED CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	578	0.06
2 = No.....	4860	0.51
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	1	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	1.78
94 = DON'T KNOW	45	0.00
97 = REFUSED	53	0.01
98 = BLANK (NO ANSWER).....	2172	0.23

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription sedatives even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

[SEDEMCTD](#)¹

Len : 2 CONTD TO USE SED DESPITE EMOT PRBS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	330	0.03
2 = No.....	245	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16939	1.78
94 = DON'T KNOW	1	0.00
97 = REFUSED	55	0.01
98 = BLANK (NO ANSWER).....	2220	0.23
99 = LEGITIMATE SKIP	4860	0.51

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription sedatives?

[SEDPHLPB](#)¹

Len : 2 ANY PHYS PRBS CAUSED/WORSND BY SED PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	134	0.01
2 = No.....	4985	0.53
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	1	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	1.78
94 = DON'T KNOW	36	0.00
97 = REFUSED	51	0.01
98 = BLANK (NO ANSWER).....	2175	0.23
99 = LEGITIMATE SKIP	330	0.03

Did you continue to use prescription sedatives even though you thought this was causing you to have physical problems?

[SEDPHCTD](#)¹

Len : 2 CONTD TO USE SED DESPITE PHYS PRBS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	38	0.00
2 = No.....	96	0.01
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16939	1.78
97 = REFUSED	51	0.01
98 = BLANK (NO ANSWER).....	2214	0.23
99 = LEGITIMATE SKIP	5315	0.56

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription sedatives cause you to give up or spend less time doing these types of important activities?

[SEDLFACT](#)¹

Len : 2 LESS ACTIVITIES B/C OF SED USE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	412	0.04
2 = No.....	5042	0.53
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	1	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	1.78
94 = DON'T KNOW	30	0.00
97 = REFUSED	52	0.01
98 = BLANK (NO ANSWER).....	2172	0.23

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use prescription sedatives have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription sedatives cause you to have serious problems like this either at home, work, or school?

[SEDSERPB](#)¹

Len : 2 SED CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	401	0.04
2 = No	5061	0.53
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	1	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	1.78
94 = DON'T KNOW	22	0.00
97 = REFUSED	52	0.01
98 = BLANK (NO ANSWER).....	2172	0.23

During the past 12 months, did you regularly use prescription sedatives and then do something where using prescription sedatives might have put you in physical danger?

[SEDPDANG](#)¹

Len : 2 USING SED AND DO DANGEROUS ACTIVITIES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	370	0.04
2 = No	5088	0.54
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	1	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	1.78
94 = DON'T KNOW	25	0.00
97 = REFUSED	53	0.01
98 = BLANK (NO ANSWER).....	2172	0.23

During the past 12 months, did using prescription sedatives cause you to do things that repeatedly got you in trouble with the law?

[SEDLAWTR](#)¹

Len : 2 USING SED CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	165	0.02
2 = No	5298	0.56
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	1	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	1.78
94 = DON'T KNOW	21	0.00
97 = REFUSED	52	0.01
98 = BLANK (NO ANSWER).....	2172	0.23

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription sedatives?

[SEDFMFPB](#)¹

Len : 2 USING SED CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	378	0.04
2 = No.....	5084	0.54
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	1	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	1.78
94 = DON'T KNOW	28	0.00
97 = REFUSED	46	0.00
98 = BLANK (NO ANSWER).....	2172	0.23

Did you continue to use prescription sedatives even though you thought this caused problems with family or friends?

[SEDFMCTD](#)¹

Len : 2 CONTD TO USE SED DESPITE PRBS W/ FAM/FRNDS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	251	0.03
2 = No.....	125	0.01
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED SEDATIVES.....	697742	73.50
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16939	1.78
94 = DON'T KNOW	1	0.00
97 = REFUSED	47	0.00
98 = BLANK (NO ANSWER).....	2203	0.23
99 = LEGITIMATE SKIP	5084	0.54

Think about your use of cigarettes during the past 30 days as you answer these next questions.

Please think about how true each statement is of you.

After not smoking for a while, you need to smoke in order to feel less restless and irritable.

[CIGIRTBL](#)¹

Len : 2 NEED TO SMOKE TO FEEL LESS IRRITABLE

	Freq	Pct
1 = Not at all true.....	64442	6.79
2 = Somewhat true	54068	5.70
3 = Moderately true.....	40763	4.29
4 = Very true	39360	4.15
5 = Extremely true	22582	2.38
85 = BAD DATA Logically assigned.....	17	0.00
91 = NEVER USED CIGARETTES	443665	46.74
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
94 = DON'T KNOW	552	0.06
97 = REFUSED	241	0.03
98 = BLANK (NO ANSWER).....	559	0.06

When you don't smoke for a few hours, you start to crave cigarettes.

[CIGCRAVE](#)¹

Len : 2 START TO CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS

	Freq	Pct
1 = Not at all true.....	70974	7.48
2 = Somewhat true	46118	4.86
3 = Moderately true.....	30545	3.22
4 = Very true	45507	4.79
5 = Extremely true	28401	2.99
85 = BAD DATA Logically assigned.....	17	0.00
91 = NEVER USED CIGARETTES	443665	46.74
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
94 = DON'T KNOW	271	0.03
97 = REFUSED	191	0.02
98 = BLANK (NO ANSWER).....	560	0.06

SUBSTANCE DEPENDENCE AND ABUSE

You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control.

<u>CIGCRAGP</u> ¹	Len : 2	CRAVING OF CIGS LIKE STRONG FORCE CAN'T CONTROL		
			Freq	Pct
		1 = Not at all true	97730	10.30
		2 = Somewhat true	42956	4.53
		3 = Moderately true	31412	3.31
		4 = Very true	30246	3.19
		5 = Extremely true	19111	2.01
		85 = BAD DATA Logically assigned.....	17	0.00
		91 = NEVER USED CIGARETTES	443665	46.74
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
		94 = DON'T KNOW	343	0.04
		97 = REFUSED	209	0.02
		98 = BLANK (NO ANSWER).....	560	0.06

You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time.

<u>CIGINCTL</u> ¹	Len : 2	FEEL A SENSE OF CONTROL OVER YOUR SMOKING		
			Freq	Pct
		1 = Not at all true	56928	6.00
		2 = Somewhat true	57807	6.09
		3 = Moderately true	33190	3.50
		4 = Very true	31924	3.36
		5 = Extremely true	41506	4.37
		85 = BAD DATA Logically assigned.....	17	0.00
		91 = NEVER USED CIGARETTES	443665	46.74
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
		94 = DON'T KNOW	421	0.04
		97 = REFUSED	231	0.02
		98 = BLANK (NO ANSWER).....	560	0.06

You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them.

<u>CIGAVOID</u> ¹	Len : 2	TEND TO AVOID PLACES THAT DON'T ALLOW SMOKING		
			Freq	Pct
		1 = Not at all true	146273	15.41
		2 = Somewhat true	31933	3.36
		3 = Moderately true	20403	2.15
		4 = Very true	13515	1.42
		5 = Extremely true	8938	0.94
		85 = BAD DATA Logically assigned.....	17	0.00
		91 = NEVER USED CIGARETTES	443665	46.74
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
		94 = DON'T KNOW	689	0.07
		97 = REFUSED	256	0.03
		98 = BLANK (NO ANSWER).....	560	0.06

Do you have any friends who do not smoke cigarettes?

<u>CIGFNSMK</u> ¹	Len : 2	HAVE FRIENDS WHO DO NOT SMOKE CIGARETTES		
			Freq	Pct
		1 = Yes.....	207174	21.82
		2 = No.....	14639	1.54
		85 = BAD DATA Logically assigned.....	17	0.00
		91 = NEVER USED CIGARETTES	443665	46.74
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
		94 = DON'T KNOW	96	0.01
		97 = REFUSED	98	0.01
		98 = BLANK (NO ANSWER).....	560	0.06

SUBSTANCE DEPENDENCE AND ABUSE

Think about your use of cigarettes during the past 30 days as you answer these next questions.

There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke.

[CIGFNLKE](#)¹

Len : 2 CHOOSE NOT TO BE AROUND FRIENDS WHO DON'T SMOKE

	Freq	Pct
1 = Not at all true	159057	16.76
2 = Somewhat true	23514	2.48
3 = Moderately true	12532	1.32
4 = Very true	7207	0.76
5 = Extremely true	4393	0.46
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED CIGARETTES	443665	46.74
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
94 = DON'T KNOW	305	0.03
97 = REFUSED	263	0.03
98 = BLANK (NO ANSWER).....	660	0.07
99 = LEGITIMATE SKIP	14639	1.54

Think about your use of cigarettes during the past 30 days as you answer these next questions.

Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke.

[CIGPLANE](#)¹

Len : 2 RATHER NOT TRAVEL BY AIRPLANE B/C NO SMOKING

	Freq	Pct
1 = Not at all true	185608	19.55
2 = Somewhat true	15122	1.59
3 = Moderately true	8179	0.86
4 = Very true	6515	0.69
5 = Extremely true	5676	0.60
85 = BAD DATA Logically assigned.....	17	0.00
91 = NEVER USED CIGARETTES	443665	46.74
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
94 = DON'T KNOW	628	0.07
97 = REFUSED	278	0.03
98 = BLANK (NO ANSWER).....	561	0.06

You sometimes worry that you will run out of cigarettes.

[CIGRNOUT](#)¹

Len : 2 SOMETIMES WORRY THAT YOU WILL RUN OUT OF CIGS

	Freq	Pct
1 = Not at all true	114273	12.04
2 = Somewhat true	46447	4.89
3 = Moderately true	23382	2.46
4 = Very true	22631	2.38
5 = Extremely true	14835	1.56
85 = BAD DATA Logically assigned.....	17	0.00
91 = NEVER USED CIGARETTES	443665	46.74
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
94 = DON'T KNOW	234	0.02
97 = REFUSED	203	0.02
98 = BLANK (NO ANSWER).....	562	0.06

You smoke cigarettes fairly regularly throughout the day.

[CIGREGDY](#)¹

Len : 2 SMOKE CIGS FAIRLY REGULARLY THROUGHOUT THE DAY

	Freq	Pct
1 = Not at all true	76405	8.05
2 = Somewhat true	39229	4.13
3 = Moderately true	28832	3.04
4 = Very true	44892	4.73
5 = Extremely true	32211	3.39
85 = BAD DATA Logically assigned.....	17	0.00
91 = NEVER USED CIGARETTES	443665	46.74
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
94 = DON'T KNOW	215	0.02
97 = REFUSED	221	0.02
98 = BLANK (NO ANSWER).....	562	0.06

SUBSTANCE DEPENDENCE AND ABUSE

You smoke about the same amount on weekends as on weekdays.

<u>CIGREGWK</u> ¹	Len : 2	SMOKE SAME AMOUNT ON WEEKENDS AS ON WEEKDAYS		
			Freq	Pct
		1 = Not at all true	79222	8.35
		2 = Somewhat true	40347	4.25
		3 = Moderately true	29409	3.10
		4 = Very true	43377	4.57
		5 = Extremely true	28910	3.05
		85 = BAD DATA Logically assigned.....	17	0.00
		91 = NEVER USED CIGARETTES	443665	46.74
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
		94 = DON'T KNOW	471	0.05
		97 = REFUSED	269	0.03
		98 = BLANK (NO ANSWER).....	562	0.06

You smoke just about the same number of cigarettes from day to day.

<u>CIGREGNM</u> ¹	Len : 2	SMOKE SAME NUMBER OF CIGS FROM DAY TO DAY		
			Freq	Pct
		1 = Not at all true	67206	7.08
		2 = Somewhat true	38564	4.06
		3 = Moderately true	32270	3.40
		4 = Very true	51600	5.44
		5 = Extremely true	31657	3.33
		85 = BAD DATA Logically assigned.....	17	0.00
		91 = NEVER USED CIGARETTES	443665	46.74
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
		94 = DON'T KNOW	418	0.04
		97 = REFUSED	290	0.03
		98 = BLANK (NO ANSWER).....	562	0.06

It's hard to say how many cigarettes you smoke per day because the number often changes.

<u>CIGNMCHG</u> ¹	Len : 2	NUMBER OF CIGS SMOKE PER DAY OFTEN CHANGES		
			Freq	Pct
		1 = Not at all true	81319	8.57
		2 = Somewhat true	54538	5.75
		3 = Moderately true	29927	3.15
		4 = Very true	33029	3.48
		5 = Extremely true	22311	2.35
		85 = BAD DATA Logically assigned.....	17	0.00
		91 = NEVER USED CIGARETTES	443665	46.74
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
		94 = DON'T KNOW	548	0.06
		97 = REFUSED	333	0.04
		98 = BLANK (NO ANSWER).....	562	0.06

It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later.

<u>CIGSVLHR</u> ¹	Len : 2	HAVE MANY CIGS IN HR, THEN NO CIGS TIL HRS LATER		
			Freq	Pct
		1 = Not at all true	113658	11.97
		2 = Somewhat true	42805	4.51
		3 = Moderately true	28797	3.03
		4 = Very true	23123	2.44
		5 = Extremely true	12543	1.32
		85 = BAD DATA Logically assigned.....	17	0.00
		91 = NEVER USED CIGARETTES	443665	46.74
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
		94 = DON'T KNOW	702	0.07
		97 = REFUSED	377	0.04
		98 = BLANK (NO ANSWER).....	562	0.06

SUBSTANCE DEPENDENCE AND ABUSE

The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example.

[CIGINFLU](#)¹

Len : 2 # OF CIGS SMOKE PER DAY INFLUENCED BY OTHER THINGS

	Freq	Pct
1 = Not at all true	42077	4.43
2 = Somewhat true	40634	4.28
3 = Moderately true	40293	4.24
4 = Very true	55612	5.86
5 = Extremely true	42509	4.48
85 = BAD DATA Logically assigned.....	17	0.00
91 = NEVER USED CIGARETTES	443665	46.74
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
94 = DON'T KNOW	535	0.06
97 = REFUSED	344	0.04
98 = BLANK (NO ANSWER).....	563	0.06

Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others.

[CIGNOINF](#)¹

Len : 2 SMOKING NOT AFFECTED BY OTHER THINGS

	Freq	Pct
1 = Not at all true	85472	9.00
2 = Somewhat true	55226	5.82
3 = Moderately true	38055	4.01
4 = Very true	26774	2.82
5 = Extremely true	15376	1.62
85 = BAD DATA Logically assigned.....	17	0.00
91 = NEVER USED CIGARETTES	443665	46.74
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
94 = DON'T KNOW	705	0.07
97 = REFUSED	396	0.04
98 = BLANK (NO ANSWER).....	563	0.06

Since you started smoking, the amount you smoke has increased.

[CIGINCRS](#)¹

Len : 2 AMOUNT OF SMOKING HAS INCR. SINCE STARTED SMOKING

	Freq	Pct
1 = Not at all true	79053	8.33
2 = Somewhat true	43094	4.54
3 = Moderately true	30554	3.22
4 = Very true	37916	3.99
5 = Extremely true	30670	3.23
85 = BAD DATA Logically assigned.....	17	0.00
91 = NEVER USED CIGARETTES	443665	46.74
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
94 = DON'T KNOW	400	0.04
97 = REFUSED	317	0.03
98 = BLANK (NO ANSWER).....	563	0.06

Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied.

[CIGSATIS](#)¹

Len : 2 NEED TO SMOKE A LOT MORE TO BE SATISFIED

	Freq	Pct
1 = Not at all true	116016	12.22
2 = Somewhat true	39700	4.18
3 = Moderately true	27496	2.90
4 = Very true	22193	2.34
5 = Extremely true	15906	1.68
85 = BAD DATA Logically assigned.....	17	0.00
91 = NEVER USED CIGARETTES	443665	46.74
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
94 = DON'T KNOW	371	0.04
97 = REFUSED	322	0.03
98 = BLANK (NO ANSWER).....	563	0.06

SUBSTANCE DEPENDENCE AND ABUSE

Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything.

[CIGLOTMR¹](#)

Len : 2 SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING

	Freq	Pct
1 = Not at all true	116782	12.30
2 = Somewhat true	43569	4.59
3 = Moderately true	27958	2.95
4 = Very true	19058	2.01
5 = Extremely true	13232	1.39
85 = BAD DATA Logically assigned.....	17	0.00
91 = NEVER USED CIGARETTES	443665	46.74
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
94 = DON'T KNOW	989	0.10
97 = REFUSED	416	0.04
98 = BLANK (NO ANSWER).....	563	0.06

How soon after you wake up do you have your first cigarette?

On the days that you smoke, how soon after you wake up do you have your first cigarette?

[CIGWAKE¹](#)

Len : 2 HOW SOON AFTER WAKING DO YOU HAVE YOUR FIRST CIG

	Freq	Pct
1 = Within the first 5 minutes after you wake up.....	38106	4.01
2 = Between 6 and 30 minutes after you wake up.....	55213	5.82
3 = Between 31 and 60 minutes after you wake up.....	35618	3.75
4 = More than 60 minutes after you wake up	86089	9.07
85 = BAD DATA Logically assigned.....	17	0.00
91 = NEVER USED CIGARETTES	443665	46.74
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	283036	29.82
94 = DON'T KNOW	3584	0.38
97 = REFUSED	3195	0.34
98 = BLANK (NO ANSWER).....	762	0.08

Think about your use of alcohol during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or drinking alcohol?

[ALCLOTTM¹](#)

Len : 2 SPENT MONTH/MORE GETTING/DRNKG ALC PAST 12 MOS

	Freq	Pct
1 = Yes.....	93421	9.84
2 = No.....	378268	39.85
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
85 = BAD DATA Logically assigned.....	58	0.01
91 = NEVER USED ALCOHOL	265078	27.92
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS	202829	21.37
94 = DON'T KNOW	386	0.04
97 = REFUSED	374	0.04
98 = BLANK (NO ANSWER).....	6509	0.69

During the past 12 months, was there a month or more when you spent a lot of time getting over the effects of the alcohol you drank?

[ALCGTOVR¹](#)

Len : 2 MONTH+ SPENT GETTING OVER ALC EFFECTS PST 12 MOS

	Freq	Pct
1 = Yes.....	9853	1.04
2 = No.....	368478	38.82
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
85 = BAD DATA Logically assigned.....	44	0.00
91 = NEVER USED ALCOHOL	265078	27.92
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS	202829	21.37
94 = DON'T KNOW	326	0.03
97 = REFUSED	370	0.04
98 = BLANK (NO ANSWER).....	6524	0.69
99 = LEGITIMATE SKIP	93421	9.84

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you try to set limits on how often or how much alcohol you would drink?

ALCLIMIT¹	Len : 2 SET LIMITS ON ALCOHOL USE PAST 12 MONTHS		
		Freq	Pct
	1 = Yes.....	172763	18.20
	2 = No.....	298252	31.42
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
	85 = BAD DATA Logically assigned.....	58	0.01
	91 = NEVER USED ALCOHOL.....	265078	27.92
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS	202829	21.37
	94 = DON'T KNOW	788	0.08
	97 = REFUSED	644	0.07
	98 = BLANK (NO ANSWER).....	6511	0.69

Were you able to keep to the limits you set, or did you often drink more than you intended to?

ALCKPLMT¹	Len : 2 ABLE TO KEEP LIMITS OR DRANK MORE PAST 12 MOS		
		Freq	Pct
	1 = Usually kept to the limits set.....	148599	15.65
	2 = Often drank more than intended	24030	2.53
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
	85 = BAD DATA Logically assigned.....	25	0.00
	91 = NEVER USED ALCOHOL.....	265078	27.92
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS	202829	21.37
	94 = DON'T KNOW	79	0.01
	97 = REFUSED	699	0.07
	98 = BLANK (NO ANSWER).....	7332	0.77
	99 = LEGITIMATE SKIP	298252	31.42

During the past 12 months, did you need to drink more alcohol than you used to in order to get the effect you wanted?

ALCNDMOR¹	Len : 2 NEEDED MORE ALC TO GET SAME EFFECT PST 12 MOS		
		Freq	Pct
	1 = Yes.....	55754	5.87
	2 = No.....	415607	43.78
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
	85 = BAD DATA Logically assigned.....	58	0.01
	91 = NEVER USED ALCOHOL.....	265078	27.92
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS	202829	21.37
	94 = DON'T KNOW	555	0.06
	97 = REFUSED	530	0.06
	98 = BLANK (NO ANSWER).....	6512	0.69

During the past 12 months, did you notice that drinking the same amount of alcohol had less effect on you than it used to?

ALCLSEFX¹	Len : 2 DRNKG SAME AMT ALC HAD LESS EFFECT PAST 12 MOS		
		Freq	Pct
	1 = Yes.....	47638	5.02
	2 = No.....	366357	38.59
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
	85 = BAD DATA Logically assigned.....	45	0.00
	91 = NEVER USED ALCOHOL.....	265078	27.92
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS	202829	21.37
	94 = DON'T KNOW	1936	0.20
	97 = REFUSED	761	0.08
	98 = BLANK (NO ANSWER).....	6525	0.69
	99 = LEGITIMATE SKIP	55754	5.87

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you want to or try to cut down or stop drinking alcohol?

ALCCUTDN¹	Len : 2	WANT/TRY TO CUT DOWN/STOP DRNGK PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	144680	15.24
		2 = No.....	325220	34.26
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
		85 = BAD DATA Logically assigned.....	58	0.01
		91 = NEVER USED ALCOHOL.....	265078	27.92
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	202829	21.37
		94 = DON'T KNOW.....	1345	0.14
		97 = REFUSED.....	1201	0.13
		98 = BLANK (NO ANSWER).....	6512	0.69

During the past 12 months, were you able to cut down or stop drinking alcohol every time you wanted to or tried to?

ALCCUTEV¹	Len : 2	ABLE TO CUT/STOP DRNGK EVERY TIME PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	124123	13.08
		2 = No.....	20344	2.14
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
		85 = BAD DATA Logically assigned.....	23	0.00
		91 = NEVER USED ALCOHOL.....	265078	27.92
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	202829	21.37
		94 = DON'T KNOW.....	134	0.01
		97 = REFUSED.....	1280	0.13
		98 = BLANK (NO ANSWER).....	7892	0.83
		99 = LEGITIMATE SKIP.....	325220	34.26

During the past 12 months, did you cut down or stop drinking at least one time?

ALCCUTIX¹	Len : 2	CUT DOWN OR STOP DRNGK AT LEAST ONCE PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	116910	12.32
		2 = No.....	228413	24.06
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
		85 = BAD DATA Logically assigned.....	36	0.00
		91 = NEVER USED ALCOHOL.....	265078	27.92
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	202829	21.37
		94 = DON'T KNOW.....	1691	0.18
		97 = REFUSED.....	1309	0.14
		98 = BLANK (NO ANSWER).....	6534	0.69
		99 = LEGITIMATE SKIP.....	124123	13.08

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped drinking alcohol?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

ALCWD2SX¹	Len : 2	HAD 2+ ALC WITHDRAWAL SYMPTOMS PST 12 MOS		
			Freq	Pct
		1 = Yes.....	29801	3.14
		2 = No.....	210654	22.19
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
		85 = BAD DATA Logically assigned.....	32	0.00
		91 = NEVER USED ALCOHOL.....	265078	27.92
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	202829	21.37
		94 = DON'T KNOW.....	358	0.04
		97 = REFUSED.....	1529	0.16
		98 = BLANK (NO ANSWER).....	8229	0.87
		99 = LEGITIMATE SKIP.....	228413	24.06

SUBSTANCE DEPENDENCE AND ABUSE

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped drinking alcohol?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

ALCWDSMT¹ Len : 2 HAD 2+ ALC WDRAW SYM AT SAME TIME PST 12 MOS

	Freq	Pct
1 = Yes.....	15007	1.58
2 = No.....	14749	1.55
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED ALCOHOL.....	265078	27.92
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	202829	21.37
94 = DON'T KNOW.....	30	0.00
97 = REFUSED.....	1544	0.16
98 = BLANK (NO ANSWER).....	8605	0.91
99 = LEGITIMATE SKIP.....	439067	46.25

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by drinking alcohol?

ALCEMOPB¹ Len : 2 ALC CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS

	Freq	Pct
1 = Yes.....	38923	4.10
2 = No.....	432201	45.53
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
85 = BAD DATA Logically assigned.....	58	0.01
91 = NEVER USED ALCOHOL.....	265078	27.92
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	202829	21.37
94 = DON'T KNOW.....	680	0.07
97 = REFUSED.....	642	0.07
98 = BLANK (NO ANSWER).....	6512	0.69

Did you continue to drink alcohol even though you thought drinking was causing you to have problems with your emotions, nerves, or mental health?

ALCEMCTD¹ Len : 2 CONTD TO DRINK ALC DESPITE EMOT PRBS

	Freq	Pct
1 = Yes.....	23505	2.48
2 = No.....	15367	1.62
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
85 = BAD DATA Logically assigned.....	9	0.00
91 = NEVER USED ALCOHOL.....	265078	27.92
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	202829	21.37
94 = DON'T KNOW.....	33	0.00
97 = REFUSED.....	660	0.07
98 = BLANK (NO ANSWER).....	7241	0.76
99 = LEGITIMATE SKIP.....	432201	45.53

During the past 12 months, did you have any physical health problems that were probably caused or made worse by drinking alcohol?

ALCPHLPB¹ Len : 2 ANY PHYS PRBS CAUSED/WORSND BY ALC PST 12 MOS

	Freq	Pct
1 = Yes.....	12896	1.36
2 = No.....	434945	45.82
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
85 = BAD DATA Logically assigned.....	49	0.01
91 = NEVER USED ALCOHOL.....	265078	27.92
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	202829	21.37
94 = DON'T KNOW.....	554	0.06
97 = REFUSED.....	546	0.06
98 = BLANK (NO ANSWER).....	6521	0.69
99 = LEGITIMATE SKIP.....	23505	2.48

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to drink alcohol even though you thought drinking was causing you to have physical problems?

[ALCPHCTD](#)¹

Len : 2 CONTD TO DRINK ALC DESPITE PHYS PRBS

	Freq	Pct
1 = Yes.....	5492	0.58
2 = No.....	7387	0.78
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL.....	265078	27.92
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	202829	21.37
94 = DON'T KNOW.....	12	0.00
97 = REFUSED.....	551	0.06
98 = BLANK (NO ANSWER).....	7122	0.75
99 = LEGITIMATE SKIP.....	458450	48.29

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did drinking alcohol cause you to give up or spend less time doing these types of important activities?

[ALCLSACT](#)¹

Len : 2 LESS ACTIVITIES B/C OF ALC USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	26719	2.81
2 = No.....	444673	46.84
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
85 = BAD DATA Logically assigned.....	58	0.01
91 = NEVER USED ALCOHOL.....	265078	27.92
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	202829	21.37
94 = DON'T KNOW.....	439	0.05
97 = REFUSED.....	613	0.06
98 = BLANK (NO ANSWER).....	6514	0.69

Sometimes people who drink alcohol have serious problems at home, work or school - such as:

- Neglecting their children
- Missing work or school
- Doing a poor job at work or school
- Losing a job or dropping out of school

During the past 12 months, did drinking alcohol cause you to have serious problems like this either at home, work, or school?

[ALCSERPB](#)¹

Len : 2 ALC CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	19584	2.06
2 = No.....	451869	47.60
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
85 = BAD DATA Logically assigned.....	58	0.01
91 = NEVER USED ALCOHOL.....	265078	27.92
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	202829	21.37
94 = DON'T KNOW.....	385	0.04
97 = REFUSED.....	605	0.06
98 = BLANK (NO ANSWER).....	6515	0.69

During the past 12 months, did you regularly drink alcohol and then do something where being drunk might have put you in physical danger?

[ALCPDANG](#)¹

Len : 2 DRNK ALC AND DO DANGEROUS ACTIVITIES PST 12 MOS

	Freq	Pct
1 = Yes.....	52814	5.56
2 = No.....	418668	44.10
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
85 = BAD DATA Logically assigned.....	58	0.01
91 = NEVER USED ALCOHOL.....	265078	27.92
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	202829	21.37
94 = DON'T KNOW.....	388	0.04
97 = REFUSED.....	573	0.06
98 = BLANK (NO ANSWER).....	6515	0.69

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did drinking alcohol cause you to do things that repeatedly got you in trouble with the law?

[ALCLAWTR](#)¹

Len : 2 DRNK ALC CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
1 = Yes.....	10103	1.06
2 = No.....	461530	48.62
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
85 = BAD DATA Logically assigned.....	58	0.01
91 = NEVER USED ALCOHOL.....	265078	27.92
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	202829	21.37
94 = DON'T KNOW.....	275	0.03
97 = REFUSED.....	535	0.06
98 = BLANK (NO ANSWER).....	6515	0.69

During the past 12 months, did you have any problems with family or friends that were probably caused by your drinking?

[ALCFMFPB](#)¹

Len : 2 DRNK ALC CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	32314	3.40
2 = No.....	439348	46.28
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
85 = BAD DATA Logically assigned.....	58	0.01
91 = NEVER USED ALCOHOL.....	265078	27.92
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	202829	21.37
94 = DON'T KNOW.....	268	0.03
97 = REFUSED.....	512	0.05
98 = BLANK (NO ANSWER).....	6516	0.69

Did you continue to drink alcohol even though you thought your drinking caused problems with family or friends?

[ALCFMCTD](#)¹

Len : 2 CONTD TO DRINK ALC DESPITE PRBS W/ FAM/FRNDS

	Freq	Pct
1 = Yes.....	20515	2.16
2 = No.....	11756	1.24
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	2362	0.25
85 = BAD DATA Logically assigned.....	10	0.00
91 = NEVER USED ALCOHOL.....	265078	27.92
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	202829	21.37
94 = DON'T KNOW.....	22	0.00
97 = REFUSED.....	533	0.06
98 = BLANK (NO ANSWER).....	6832	0.72
99 = LEGITIMATE SKIP.....	439348	46.28

Think about your use of marijuana or hashish during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using marijuana or hashish?

[MRJLOTTM](#)¹

Len : 2 SPENT MONTH/MORE GETTING/USING MJ PAST 12 MOS

	Freq	Pct
1 = Yes.....	57638	6.07
2 = No.....	69122	7.28
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS Log asn.....	928	0.10
85 = BAD DATA Logically assigned.....	22	0.00
91 = NEVER USED MARIJUANA.....	562184	59.22
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	255224	26.89
94 = DON'T KNOW.....	101	0.01
97 = REFUSED.....	589	0.06
98 = BLANK (NO ANSWER).....	3477	0.37

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the marijuana or hashish you used?

[MRJGTOVR](#)¹

Len : 2 MONTH+ SPENT GETTING OVER MJ EFFECTS PST 12 MOS

	Freq	Pct
1 = Yes.....	1965	0.21
2 = No.....	67172	7.08
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	928	0.10
85 = BAD DATA Logically assigned.....	15	0.00
91 = NEVER USED MARIJUANA.....	562184	59.22
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	255224	26.89
94 = DON'T KNOW.....	109	0.01
97 = REFUSED.....	566	0.06
98 = BLANK (NO ANSWER).....	3484	0.37
99 = LEGITIMATE SKIP.....	57638	6.07

During the past 12 months, did you try to set limits on how often or how much marijuana or hashish you would use?

[MRJLIMIT](#)¹

Len : 2 SET LIMITS ON MARIJUANA USE PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	46161	4.86
2 = No.....	80542	8.48
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	928	0.10
85 = BAD DATA Logically assigned.....	22	0.00
91 = NEVER USED MARIJUANA.....	562184	59.22
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	255224	26.89
94 = DON'T KNOW.....	146	0.02
97 = REFUSED.....	601	0.06
98 = BLANK (NO ANSWER).....	3477	0.37

Were you able to keep to the limits you set, or did you often use marijuana or hashish more than you intended to?

[MRJKPLMT](#)¹

Len : 2 ABLE TO KEEP LIMITS OR USE MORE MJ PAST 12 MOS

	Freq	Pct
1 = Usually kept to the limits set.....	36435	3.84
2 = Often used more than intended.....	9663	1.02
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	928	0.10
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED MARIJUANA.....	562184	59.22
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	255224	26.89
94 = DON'T KNOW.....	39	0.00
97 = REFUSED.....	625	0.07
98 = BLANK (NO ANSWER).....	3637	0.38
99 = LEGITIMATE SKIP.....	80542	8.48

During the past 12 months, did you need to use more marijuana or hashish than you used to in order to get the effect you wanted?

[MRJNDMOR](#)¹

Len : 2 NEEDED MORE MJ TO GET SAME EFFECT PST 12 MOS

	Freq	Pct
1 = Yes.....	31905	3.36
2 = No.....	94799	9.99
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	928	0.10
85 = BAD DATA Logically assigned.....	22	0.00
91 = NEVER USED MARIJUANA.....	562184	59.22
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	255224	26.89
94 = DON'T KNOW.....	139	0.01
97 = REFUSED.....	607	0.06
98 = BLANK (NO ANSWER).....	3477	0.37

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you notice that using the same amount of marijuana or hashish had less effect on you than it used to?

[MRJLSEFX](#)¹

Len : 2 USING SAME AMT MJ HAD LESS EFFECT PAST 12 MOS

	Freq	Pct
1 = Yes.....	11515	1.21
2 = No.....	83087	8.75
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	928	0.10
85 = BAD DATA Logically assigned.....	15	0.00
91 = NEVER USED MARIJUANA.....	562184	59.22
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	255224	26.89
94 = DON'T KNOW.....	314	0.03
97 = REFUSED.....	629	0.07
98 = BLANK (NO ANSWER).....	3484	0.37
99 = LEGITIMATE SKIP.....	31905	3.36

During the past 12 months, did you want to or try to cut down or stop using marijuana or hashish?

[MRJCUTDN](#)¹

Len : 2 WANT/TRY TO CUT DOWN/STOP USING MJ PST 12 MOS

	Freq	Pct
1 = Yes.....	52185	5.50
2 = No.....	74393	7.84
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	928	0.10
85 = BAD DATA Logically assigned.....	22	0.00
91 = NEVER USED MARIJUANA.....	562184	59.22
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	255224	26.89
94 = DON'T KNOW.....	204	0.02
97 = REFUSED.....	668	0.07
98 = BLANK (NO ANSWER).....	3477	0.37

During the past 12 months, were you able to cut down or stop using marijuana or hashish every time you wanted to or tried to?

[MRJCUTEV](#)¹

Len : 2 ABLE TO CUT/STOP USING MJ EVERY TIME PST 12 MOS

	Freq	Pct
1 = Yes.....	44081	4.64
2 = No.....	8064	0.85
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	928	0.10
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED MARIJUANA.....	562184	59.22
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	255224	26.89
94 = DON'T KNOW.....	23	0.00
97 = REFUSED.....	685	0.07
98 = BLANK (NO ANSWER).....	3695	0.39
99 = LEGITIMATE SKIP.....	74393	7.84

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of marijuana or hashish?

[MRJEMOPB](#)¹

Len : 2 MJ CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS

	Freq	Pct
1 = Yes.....	13582	1.43
2 = No.....	113057	11.91
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	928	0.10
85 = BAD DATA Logically assigned.....	22	0.00
91 = NEVER USED MARIJUANA.....	562184	59.22
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	255224	26.89
94 = DON'T KNOW.....	207	0.02
97 = REFUSED.....	604	0.06
98 = BLANK (NO ANSWER).....	3477	0.37

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use marijuana or hashish even though you thought it was causing you to have problems with your emotions, nerves, or mental health?

[MRJEMCTD](#)¹

Len : 2 CONTD USING MARIJUANA DESPITE EMOT PRBS

	Freq	Pct
1 = Yes.....	8847	0.93
2 = No.....	4716	0.50
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	928	0.10
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED MARIJUANA.....	562184	59.22
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	255224	26.89
94 = DON'T KNOW.....	11	0.00
97 = REFUSED.....	612	0.06
98 = BLANK (NO ANSWER).....	3698	0.39
99 = LEGITIMATE SKIP.....	113057	11.91

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of marijuana or hashish?

[MRJPHLPB](#)¹

Len : 2 ANY PHYS PRBS CAUSED/WORSND BY MJ PST 12 MOS

	Freq	Pct
1 = Yes.....	3658	0.39
2 = No.....	114191	12.03
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	928	0.10
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED MARIJUANA.....	562184	59.22
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	255224	26.89
94 = DON'T KNOW.....	164	0.02
97 = REFUSED.....	590	0.06
98 = BLANK (NO ANSWER).....	3485	0.37
99 = LEGITIMATE SKIP.....	8847	0.93

Did you continue to use marijuana or hashish even though you thought it was causing you to have physical problems?

[MRJPHCTD](#)¹

Len : 2 CONTD TO USE MARIJUANA DESPITE PHYS PRBS

	Freq	Pct
1 = Yes.....	1934	0.20
2 = No.....	1722	0.18
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	928	0.10
91 = NEVER USED MARIJUANA.....	562184	59.22
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	255224	26.89
97 = REFUSED.....	592	0.06
98 = BLANK (NO ANSWER).....	3663	0.39
99 = LEGITIMATE SKIP.....	123038	12.96

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using marijuana or hashish cause you to give up or spend less time doing these types of important activities?

[MRJLSACT](#)¹

Len : 2 LESS ACTIVITIES B/C OF MJ USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	14971	1.58
2 = No.....	111779	11.78
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	928	0.10
85 = BAD DATA Logically assigned.....	22	0.00
91 = NEVER USED MARIJUANA.....	562184	59.22
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	255224	26.89
94 = DON'T KNOW.....	123	0.01
97 = REFUSED.....	576	0.06
98 = BLANK (NO ANSWER).....	3478	0.37

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use marijuana or hashish have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using marijuana or hashish cause you to have serious problems like this either at home, work, or school?

[MRJSERP¹](#)

Len : 2 MJ CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	10093	1.06
2 = No.....	116657	12.29
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	928	0.10
85 = BAD DATA Logically assigned.....	22	0.00
91 = NEVER USED MARIJUANA.....	562184	59.22
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	255224	26.89
94 = DON'T KNOW.....	108	0.01
97 = REFUSED.....	591	0.06
98 = BLANK (NO ANSWER).....	3478	0.37

During the past 12 months, did you regularly use marijuana or hashish and then do something where using marijuana or hashish might have put you in physical danger?

[MRJPDANG¹](#)

Len : 2 USING MJ AND DO DANGEROUS ACTIVITIES PST 12 MOS

	Freq	Pct
1 = Yes.....	9556	1.01
2 = No.....	117193	12.35
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	928	0.10
85 = BAD DATA Logically assigned.....	22	0.00
91 = NEVER USED MARIJUANA.....	562184	59.22
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	255224	26.89
94 = DON'T KNOW.....	118	0.01
97 = REFUSED.....	581	0.06
98 = BLANK (NO ANSWER).....	3479	0.37

During the past 12 months, did using marijuana or hashish cause you to do things that repeatedly got you in trouble with the law?

[MRJLAWTR¹](#)

Len : 2 USING MJ CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
1 = Yes.....	4508	0.47
2 = No.....	122279	12.88
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	928	0.10
85 = BAD DATA Logically assigned.....	22	0.00
91 = NEVER USED MARIJUANA.....	562184	59.22
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	255224	26.89
94 = DON'T KNOW.....	90	0.01
97 = REFUSED.....	571	0.06
98 = BLANK (NO ANSWER).....	3479	0.37

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of marijuana or hashish?

[MRJFMFPB¹](#)

Len : 2 USING MJ CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	10975	1.16
2 = No.....	115803	12.20
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	928	0.10
85 = BAD DATA Logically assigned.....	22	0.00
91 = NEVER USED MARIJUANA.....	562184	59.22
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	255224	26.89
94 = DON'T KNOW.....	106	0.01
97 = REFUSED.....	564	0.06
98 = BLANK (NO ANSWER).....	3479	0.37

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use marijuana or hashish even though you thought it caused problems with family or friends?

[MRJFMCTD](#)¹

Len : 2 CONTD TO USE MJ DESPITE PRBS W/ FAM/FRNDS

	Freq	Pct
1 = Yes.....	8086	0.85
2 = No.....	2867	0.30
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	928	0.10
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED MARIJUANA.....	562184	59.22
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	255224	26.89
94 = DON'T KNOW.....	9	0.00
97 = REFUSED.....	577	0.06
98 = BLANK (NO ANSWER).....	3600	0.38
99 = LEGITIMATE SKIP.....	115803	12.20

Think about your use of cocaine, (including the form of cocaine called "crack") during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using [COKEFILL]?

[COCLOTTM](#)¹

Len : 2 SPENT MONTH/MORE GETTING/USING COC PAST 12 MOS

	Freq	Pct
1 = Yes.....	4164	0.44
2 = No.....	21783	2.29
85 = BAD DATA Logically assigned.....	9	0.00
91 = NEVER USED COCAINE.....	837864	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83819	8.83
94 = DON'T KNOW.....	22	0.00
97 = REFUSED.....	242	0.03
98 = BLANK (NO ANSWER).....	1382	0.15

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the [COKEFILL] you used?

[COCGTOVR](#)¹

Len : 2 MONTH+ SPENT GETTING OVER COC EFFECTS PST 12 MOS

	Freq	Pct
1 = Yes.....	840	0.09
2 = No.....	20931	2.20
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED COCAINE.....	837864	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83819	8.83
94 = DON'T KNOW.....	26	0.00
97 = REFUSED.....	250	0.03
98 = BLANK (NO ANSWER).....	1385	0.15
99 = LEGITIMATE SKIP.....	4164	0.44

During the past 12 months, did you try to set limits on how often or how much [COKEFILL] you would use?

[COCLIMIT](#)¹

Len : 2 SET LIMITS ON COCAINE USE PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	9066	0.96
2 = No.....	16824	1.77
85 = BAD DATA Logically assigned.....	9	0.00
91 = NEVER USED COCAINE.....	837864	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83819	8.83
94 = DON'T KNOW.....	46	0.00
97 = REFUSED.....	275	0.03
98 = BLANK (NO ANSWER).....	1382	0.15

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often use [COKEFILL] more than you intended to?

COCKPLMT ¹	Len : 2	ABLE TO KEEP LIMITS OR USED MORE COC PST 12 MOS		
			Freq	Pct
		1 = Usually kept to the limits set.....	6897	0.73
		2 = Often used more than intended.....	2167	0.23
		85 = BAD DATA Logically assigned.....	3	0.00
		91 = NEVER USED COCAINE	837864	88.26
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83819	8.83
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	276	0.03
		98 = BLANK (NO ANSWER).....	1434	0.15
		99 = LEGITIMATE SKIP	16824	1.77

During the past 12 months, did you need to use more [COKEFILL] than you used to in order to get the effect you wanted?

COCNDMOR ¹	Len : 2	NEEDED MORE COC TO GET SAME EFFECT PST 12 MOS		
			Freq	Pct
		1 = Yes.....	3936	0.41
		2 = No.....	21959	2.31
		85 = BAD DATA Logically assigned.....	9	0.00
		91 = NEVER USED COCAINE	837864	88.26
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83819	8.83
		94 = DON'T KNOW	46	0.00
		97 = REFUSED	270	0.03
		98 = BLANK (NO ANSWER).....	1382	0.15

During the past 12 months, did you notice that using the same amount of [COKEFILL] had less effect on you than it used to?

COCLSEFX ¹	Len : 2	USING SAME AMT COC HAD LESS EFFECT PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	1391	0.15
		2 = No.....	20495	2.16
		85 = BAD DATA Logically assigned.....	6	0.00
		91 = NEVER USED COCAINE	837864	88.26
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83819	8.83
		94 = DON'T KNOW	100	0.01
		97 = REFUSED	289	0.03
		98 = BLANK (NO ANSWER).....	1385	0.15
		99 = LEGITIMATE SKIP	3936	0.41

During the past 12 months, did you want to or try to cut down or stop using [COKEFILL]?

COCCUTDN ¹	Len : 2	WANT/TRY TO CUT DOWN/STOP USING COC PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	11847	1.25
		2 = No.....	13987	1.47
		85 = BAD DATA Logically assigned.....	9	0.00
		91 = NEVER USED COCAINE	837864	88.26
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83819	8.83
		94 = DON'T KNOW	75	0.01
		97 = REFUSED	302	0.03
		98 = BLANK (NO ANSWER).....	1382	0.15

During the past 12 months, were you able to cut down or stop using [COKEFILL] every time you wanted to or tried to?

COCCUTEV ¹	Len : 2	ABLE TO CUT/STOP USING COC EVERY TIME PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	10267	1.08
		2 = No.....	1569	0.17
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED COCAINE	837864	88.26
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83819	8.83
		94 = DON'T KNOW	5	0.00
		97 = REFUSED	308	0.03
		98 = BLANK (NO ANSWER).....	1464	0.15
		99 = LEGITIMATE SKIP	13987	1.47

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you cut down or stop using [COKEFILL] at least one time?

<u>COCCUT1X</u> ¹	Len : 2	CUT DOWN/STOP USING COC AT LEAST 1X PST 12 MOS		
			Freq	Pct
	1 = Yes.....		5694	0.60
	2 = No.....		9853	1.04
	85 = BAD DATA Logically assigned.....		7	0.00
	91 = NEVER USED COCAINE		837864	88.26
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		83819	8.83
	94 = DON'T KNOW		90	0.01
	97 = REFUSED		307	0.03
	98 = BLANK (NO ANSWER).....		1384	0.15
	99 = LEGITIMATE SKIP		10267	1.08

During the past 12 months, have you felt kind of blue or down when you cut down or stopped using [COKEFILL]?

<u>COCFBLU</u> ¹	Len : 2	WHEN CUT DOWN ON COC, FELT BLUE PAST 12 MONTHS		
			Freq	Pct
	1 = Yes.....		3619	0.38
	2 = No.....		12327	1.30
	85 = BAD DATA Logically assigned.....		3	0.00
	91 = NEVER USED COCAINE		837864	88.26
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		83819	8.83
	94 = DON'T KNOW		10	0.00
	97 = REFUSED		312	0.03
	98 = BLANK (NO ANSWER).....		1478	0.16
	99 = LEGITIMATE SKIP		9853	1.04

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using [COKEFILL]?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

<u>COCWD2SX</u> ¹	Len : 2	HAD 2+ COC WITHDRAWAL SYMPTOMS PST 12 MOS		
			Freq	Pct
	1 = Yes.....		2919	0.31
	2 = No.....		697	0.07
	85 = BAD DATA Logically assigned.....		3	0.00
	91 = NEVER USED COCAINE		837864	88.26
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		83819	8.83
	97 = REFUSED		315	0.03
	98 = BLANK (NO ANSWER).....		1488	0.16
	99 = LEGITIMATE SKIP		22180	2.34

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using [COKEFILL]?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

<u>COCWDSMT</u> ¹	Len : 2	HAD 2+ COC WDRAW SYM AT SAME TIME PAST 12 MOS		
			Freq	Pct
	1 = Yes.....		2298	0.24
	2 = No.....		621	0.07
	85 = BAD DATA Logically assigned.....		2	0.00
	91 = NEVER USED COCAINE		837864	88.26
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		83819	8.83
	97 = REFUSED		312	0.03
	98 = BLANK (NO ANSWER).....		1492	0.16
	99 = LEGITIMATE SKIP		22877	2.41

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of [COKEFILL]?

<u>COCEMOPB</u> ¹	Len : 2	COC CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	4116	0.43
		2 = No.....	21757	2.29
		85 = BAD DATA Logically assigned.....	9	0.00
		91 = NEVER USED COCAINE	837864	88.26
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83819	8.83
		94 = DON'T KNOW	58	0.01
		97 = REFUSED	280	0.03
		98 = BLANK (NO ANSWER).....	1382	0.15

Did you continue to use [COKEFILL] even though you thought it was causing you to have problems with your emotions, nerves, or mental health?

<u>COCEMCTD</u> ¹	Len : 2	CONTD TO USE COC DESPITE EMOT PRBS		
			Freq	Pct
		1 = Yes.....	2378	0.25
		2 = No.....	1733	0.18
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED COCAINE	837864	88.26
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83819	8.83
		94 = DON'T KNOW	3	0.00
		97 = REFUSED	282	0.03
		98 = BLANK (NO ANSWER).....	1447	0.15
		99 = LEGITIMATE SKIP	21757	2.29

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of [COKEFILL]?

<u>COCPHLPB</u> ¹	Len : 2	ANY PHYS PRBS CAUSED/WORSND BY COC PST 12 MOS		
			Freq	Pct
		1 = Yes.....	932	0.10
		2 = No.....	22577	2.38
		85 = BAD DATA Logically assigned.....	7	0.00
		91 = NEVER USED COCAINE	837864	88.26
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83819	8.83
		94 = DON'T KNOW	52	0.01
		97 = REFUSED	272	0.03
		98 = BLANK (NO ANSWER).....	1384	0.15
		99 = LEGITIMATE SKIP	2378	0.25

Did you continue to use [COKEFILL] even though you thought it was causing you to have physical problems?

<u>COCPHCTD</u> ¹	Len : 2	CONTD TO USE COC DESPITE PHYS PRBS		
			Freq	Pct
		1 = Yes.....	337	0.04
		2 = No.....	595	0.06
		91 = NEVER USED COCAINE	837864	88.26
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83819	8.83
		97 = REFUSED	272	0.03
		98 = BLANK (NO ANSWER).....	1443	0.15
		99 = LEGITIMATE SKIP	24955	2.63

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using [COKEFILL] cause you to give up or spend less time doing these types of important activities?

<u>COCLSACT</u> ¹	Len : 2	LESS ACTIVITIES B/C OF COC USE PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	3197	0.34
		2 = No.....	22681	2.39
		85 = BAD DATA Logically assigned.....	9	0.00
		91 = NEVER USED COCAINE	837864	88.26
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83819	8.83
		94 = DON'T KNOW	46	0.00
		97 = REFUSED	287	0.03
		98 = BLANK (NO ANSWER).....	1382	0.15

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use [COKEFILL] have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using [COKEFILL] cause you to have serious problems like this either at home, work, or school?

<u>COCSERP</u> ¹	Len : 2	COC CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
			Freq	Pct
		1 = Yes.....	2770	0.29
		2 = No.....	23115	2.43
		85 = BAD DATA Logically assigned.....	9	0.00
		91 = NEVER USED COCAINE	837864	88.26
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83819	8.83
		94 = DON'T KNOW	47	0.00
		97 = REFUSED	279	0.03
		98 = BLANK (NO ANSWER).....	1382	0.15

During the past 12 months, did you regularly use [COKEFILL] and then do something where using [COKEFILL] might have put you in physical danger?

<u>COCPDANG</u> ¹	Len : 2	USING COC AND DO DANGEROUS ACTIVITIES PST 12 MOS		
			Freq	Pct
		1 = Yes.....	2784	0.29
		2 = No.....	23112	2.43
		85 = BAD DATA Logically assigned.....	9	0.00
		91 = NEVER USED COCAINE	837864	88.26
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83819	8.83
		94 = DON'T KNOW	43	0.00
		97 = REFUSED	272	0.03
		98 = BLANK (NO ANSWER).....	1382	0.15

During the past 12 months, did using [COKEFILL] cause you to do things that repeatedly got you in trouble with the law?

<u>COCLAWTR</u> ¹	Len : 2	USING COC CAUSE PRBS WITH LAW PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	1062	0.11
		2 = No.....	24836	2.62
		85 = BAD DATA Logically assigned.....	9	0.00
		91 = NEVER USED COCAINE	837864	88.26
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83819	8.83
		94 = DON'T KNOW	41	0.00
		97 = REFUSED	272	0.03
		98 = BLANK (NO ANSWER).....	1382	0.15

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of [COKEFILL]?

<u>COCFMFPB</u> ¹	Len : 2	USING COC CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
			Freq	Pct
		1 = Yes.....	3092	0.33
		2 = No.....	22809	2.40
		85 = BAD DATA Logically assigned.....	9	0.00
		91 = NEVER USED COCAINE	837864	88.26
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83819	8.83
		94 = DON'T KNOW	41	0.00
		97 = REFUSED	269	0.03
		98 = BLANK (NO ANSWER).....	1382	0.15

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use [COKEFILL] even though you thought it caused problems with family or friends?

[COCFMCTD](#)¹

Len : 2 CONTD TO USE COC DESPITE PRBS W/ FAM/FRNDS

	Freq	Pct
1 = Yes.....	2108	0.22
2 = No.....	983	0.10
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED COCAINE	837864	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	83819	8.83
94 = DON'T KNOW	1	0.00
97 = REFUSED	269	0.03
98 = BLANK (NO ANSWER).....	1430	0.15
99 = LEGITIMATE SKIP	22809	2.40

NOTE: The heroin variables in the SUBSTANCE DEPENDENCE AND ABUSE module take into account information from follow-up questions that were added to the SPECIAL DRUGS module in 2002 for the variables HRSMKREC and HRSNFREC. Respondents who had not previously reported heroin use in the past 12 months but who reported on follow-up that they smoked or sniffed heroin in the past 12 months were asked the heroin questions in the SUBSTANCE DEPENDENCE AND ABUSE module.

Think about your use of heroin during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using heroin?

[HERLOTTM](#)¹

Len : 2 SPENT MON/MORE GETTING/USING HEROIN PST 12 MOS

	Freq	Pct
1 = Yes.....	1588	0.17
2 = No.....	1937	0.20
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	934810	98.48
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	10188	1.07
94 = DON'T KNOW	5	0.00
97 = REFUSED	85	0.01
98 = BLANK (NO ANSWER).....	671	0.07

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the heroin you used?

[HERGTOVR](#)¹

Len : 2 MONTH+ SPENT GETTING OVR HEROIN EFFECTS PST 12 MO

	Freq	Pct
1 = Yes.....	187	0.02
2 = No.....	1748	0.18
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	934810	98.48
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	10188	1.07
94 = DON'T KNOW	8	0.00
97 = REFUSED	84	0.01
98 = BLANK (NO ANSWER).....	671	0.07
99 = LEGITIMATE SKIP	1588	0.17

During the past 12 months, did you try to set limits on how often or how much heroin you would use?

[HERLIMIT](#)¹

Len : 2 SET LIMITS ON HEROIN USE PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	1814	0.19
2 = No.....	1703	0.18
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	934810	98.48
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	10188	1.07
94 = DON'T KNOW	9	0.00
97 = REFUSED	89	0.01
98 = BLANK (NO ANSWER).....	671	0.07

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often use heroin more than you intended to?

HERKPLMT¹	Len : 2	ABLE TO KEEP LIMT OR USE MORE HEROIN PST 12 MOS		
			Freq	Pct
		1 = Usually kept to the limits set.....	817	0.09
		2 = Often used more than intended.....	996	0.10
		91 = NEVER USED HEROIN	934810	98.48
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	10188	1.07
		97 = REFUSED	90	0.01
		98 = BLANK (NO ANSWER).....	681	0.07
		99 = LEGITIMATE SKIP	1703	0.18

During the past 12 months, did you need to use more heroin than you used to in order to get the effect you wanted?

HERNDMOR¹	Len : 2	NEEDED MORE HEROIN TO GET SME EFFECT PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1566	0.16
		2 = No.....	1948	0.21
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	934810	98.48
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	10188	1.07
		94 = DON'T KNOW	11	0.00
		97 = REFUSED	90	0.01
		98 = BLANK (NO ANSWER).....	671	0.07

During the past 12 months, did you notice that using the same amount of heroin had less effect on you than it used to?

HERLSEFX¹	Len : 2	USING SME AMT HEROIN HAD LESS EFFECT PST 12 MOS		
			Freq	Pct
		1 = Yes.....	216	0.02
		2 = No.....	1724	0.18
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN	934810	98.48
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	10188	1.07
		94 = DON'T KNOW	16	0.00
		97 = REFUSED	93	0.01
		98 = BLANK (NO ANSWER).....	671	0.07
		99 = LEGITIMATE SKIP	1566	0.16

During the past 12 months, did you want to or try to cut down or stop using heroin?

HERCUTDN¹	Len : 2	WANT/TRY CUT DOWN/STOP USNG HEROIN PST 12 MOS		
			Freq	Pct
		1 = Yes.....	2254	0.24
		2 = No.....	1264	0.13
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN	934810	98.48
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	10188	1.07
		94 = DON'T KNOW	9	0.00
		97 = REFUSED	88	0.01
		98 = BLANK (NO ANSWER).....	671	0.07

During the past 12 months, were you able to cut down or stop using heroin every time you wanted to or tried to?

HERCUTEV¹	Len : 2	ABLE TO CUT/STOP USNG HEROIN EVRY TIME PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1383	0.15
		2 = No.....	869	0.09
		91 = NEVER USED HEROIN	934810	98.48
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	10188	1.07
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	89	0.01
		98 = BLANK (NO ANSWER).....	681	0.07
		99 = LEGITIMATE SKIP	1264	0.13

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you cut down or stop using heroin at least one time?

HERCUTIX¹	Len : 2 CUT DOWN/STOP USNG HEROIN AT LEAST 1X PST 12 MOS		
		Freq	Pct
	1 = Yes.....	1095	0.12
	2 = No.....	1039	0.11
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED HEROIN.....	934810	98.48
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS	10188	1.07
	94 = DON'T KNOW	9	0.00
	97 = REFUSED	89	0.01
	98 = BLANK (NO ANSWER).....	671	0.07
	99 = LEGITIMATE SKIP	1383	0.15

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using heroin?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

HERWD3SX¹	Len : 2 HAD 3+ HEROIN WITHDRAWAL SYMPTOMS PST 12 MOS		
		Freq	Pct
	1 = Yes.....	1738	0.18
	2 = No.....	734	0.08
	91 = NEVER USED HEROIN.....	934810	98.48
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS	10188	1.07
	94 = DON'T KNOW	6	0.00
	97 = REFUSED	89	0.01
	98 = BLANK (NO ANSWER).....	681	0.07
	99 = LEGITIMATE SKIP	1039	0.11

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using heroin?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

HERWDSMT¹	Len : 2 HAD 3+ HEROIN WDRAW SYM SAME TIME PST 12 MOS		
		Freq	Pct
	1 = Yes.....	1542	0.16
	2 = No.....	196	0.02
	91 = NEVER USED HEROIN.....	934810	98.48
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS	10188	1.07
	97 = REFUSED	89	0.01
	98 = BLANK (NO ANSWER).....	687	0.07
	99 = LEGITIMATE SKIP	1773	0.19

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of heroin?

[HEREMOPB¹](#)

Len : 2 HEROIN CAUSE PRBS W/EMOT/NERVES PAST 12 MOS

	Freq	Pct
1 = Yes.....	1548	0.16
2 = No.....	1969	0.21
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	934810	98.48
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	10188	1.07
94 = DON'T KNOW.....	14	0.00
97 = REFUSED.....	84	0.01
98 = BLANK (NO ANSWER).....	671	0.07

Did you continue to use heroin even though you thought it was causing you to have problems with your emotions, nerves, or mental health?

[HEREMCTD¹](#)

Len : 2 CONTD TO USE HEROIN DESPITE EMOT PRBS

	Freq	Pct
1 = Yes.....	1237	0.13
2 = No.....	310	0.03
91 = NEVER USED HEROIN.....	934810	98.48
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	10188	1.07
97 = REFUSED.....	85	0.01
98 = BLANK (NO ANSWER).....	686	0.07
99 = LEGITIMATE SKIP.....	1969	0.21

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of heroin?

[HERPHLPB¹](#)

Len : 2 ANY PHYS PRBS CAUSED/WORSND BY HEROIN PST 12 MOS

	Freq	Pct
1 = Yes.....	190	0.02
2 = No.....	2088	0.22
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	934810	98.48
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	10188	1.07
94 = DON'T KNOW.....	13	0.00
97 = REFUSED.....	87	0.01
98 = BLANK (NO ANSWER).....	671	0.07
99 = LEGITIMATE SKIP.....	1237	0.13

Did you continue to use heroin even though you thought it was causing you to have physical problems?

[HERPHCTD¹](#)

Len : 2 CONTD TO USE HEROIN DESPITE PHYS PRBS

	Freq	Pct
1 = Yes.....	82	0.01
2 = No.....	108	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	934810	98.48
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	10188	1.07
97 = REFUSED.....	87	0.01
98 = BLANK (NO ANSWER).....	684	0.07
99 = LEGITIMATE SKIP.....	3325	0.35

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using heroin cause you to give up or spend less time doing these types of important activities?

[HERLSACT¹](#)

Len : 2 LESS ACTIVITIES B/C OF HEROIN USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	1412	0.15
2 = No.....	2107	0.22
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	934810	98.48
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	10188	1.07
94 = DON'T KNOW.....	11	0.00
97 = REFUSED.....	85	0.01
98 = BLANK (NO ANSWER).....	671	0.07

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use heroin have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using heroin cause you to have serious problems like this either at home, work, or school?

HERSERPB ¹	Len : 2	HEROIN CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1235	0.13
		2 = No.....	2288	0.24
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	934810	98.48
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	10188	1.07
		94 = DON'T KNOW	9	0.00
		97 = REFUSED	83	0.01
		98 = BLANK (NO ANSWER).....	671	0.07

During the past 12 months, did you regularly use heroin and then do something where using heroin might have put you in physical danger?

HERPDANG ¹	Len : 2	USING HEROIN & DO DANGEROUS ACTVPS PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1091	0.11
		2 = No.....	2428	0.26
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	934810	98.48
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	10188	1.07
		94 = DON'T KNOW	12	0.00
		97 = REFUSED	84	0.01
		98 = BLANK (NO ANSWER).....	671	0.07

During the past 12 months, did using heroin cause you to do things that repeatedly got you in trouble with the law?

HERLAWTR ¹	Len : 2	USING HEROIN CAUSE PRBS WITH LAW PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	608	0.06
		2 = No.....	2912	0.31
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	934810	98.48
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	10188	1.07
		94 = DON'T KNOW	11	0.00
		97 = REFUSED	84	0.01
		98 = BLANK (NO ANSWER).....	671	0.07

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of heroin?

HERFMFPB ¹	Len : 2	USING HEROIN CAUSE PRBS W/FAM/FRNDS PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1378	0.15
		2 = No.....	2143	0.23
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	934810	98.48
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	10188	1.07
		94 = DON'T KNOW	8	0.00
		97 = REFUSED	86	0.01
		98 = BLANK (NO ANSWER).....	671	0.07

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use heroin even though you thought it caused problems with family or friends?

[HERFMCTD](#)¹

Len : 2 CONTD TO USE HEROIN DESPITE PRBS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	1163	0.12
2 = No.....	215	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	934810	98.48
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	10188	1.07
97 = REFUSED	86	0.01
98 = BLANK (NO ANSWER).....	679	0.07
99 = LEGITIMATE SKIP	2143	0.23

Think about your use of hallucinogens, such as LSD, "acid", PCP, "Ecstasy" or "Molly", psilocybin (mushrooms), mescaline, or peyote during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using hallucinogens?

[HALULOTTM](#)¹

Len : 2 SPENT MON/MORE GETTING/USING HALLUC PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	386	0.04
2 = No.....	5732	0.60
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	192893	20.32
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
94 = DON'T KNOW	7	0.00
97 = REFUSED	26	0.00
98 = BLANK (NO ANSWER).....	1529	0.16

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the hallucinogens you used?

[HALUGTOVR](#)¹

Len : 2 MONTH+ SPENT GETTING OVR HALLUC EFFECTS PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	158	0.02
2 = No.....	5573	0.59
91 = NEVER USED HALLUCINOGENS	192893	20.32
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
94 = DON'T KNOW	12	0.00
97 = REFUSED	22	0.00
98 = BLANK (NO ANSWER).....	1530	0.16
99 = LEGITIMATE SKIP	386	0.04

During the past 12 months, did you try to set limits on how often or how much hallucinogens you would use?

[HALULIMIT](#)¹

Len : 2 SET LIMITS ON HALLUCINOGEN USE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1339	0.14
2 = No.....	4766	0.50
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	192893	20.32
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
94 = DON'T KNOW	16	0.00
97 = REFUSED	30	0.00
98 = BLANK (NO ANSWER).....	1529	0.16

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often use hallucinogens more than you intended to?

HALUKPLMT¹	Len : 2	ABLE TO KEEP LIMT OR USE MORE HALLUC PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Usually kept to the limits set.....	1289	0.14
		2 = Often used more than intended.....	48	0.01
		91 = NEVER USED HALLUCINOGENS	192893	20.32
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	31	0.00
		98 = BLANK (NO ANSWER).....	1546	0.16
		99 = LEGITIMATE SKIP	4766	0.50

During the past 12 months, did you need to use more hallucinogens than you used to in order to get the effect you wanted?

HALUNDMOR¹	Len : 2	NEEDED MORE HALLUC TO GET SME EFFECT PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	339	0.04
		2 = No.....	5770	0.61
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS	192893	20.32
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
		94 = DON'T KNOW	15	0.00
		97 = REFUSED	27	0.00
		98 = BLANK (NO ANSWER).....	1529	0.16

During the past 12 months, did you notice that using the same amount of hallucinogens had less effect on you than it used to?

HALULSEFX¹	Len : 2	USING SME AMT HALLUC HAD LESS EFFECT PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	217	0.02
		2 = No.....	5539	0.58
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS	192893	20.32
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
		94 = DON'T KNOW	24	0.00
		97 = REFUSED	32	0.00
		98 = BLANK (NO ANSWER).....	1529	0.16
		99 = LEGITIMATE SKIP	339	0.04

During the past 12 months, did you want to or try to cut down or stop using hallucinogens?

HALUCUTDN¹	Len : 2	WANT/TRY CUT DOWN/STOP USING HALLUC PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	1327	0.14
		2 = No.....	4762	0.50
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS	192893	20.32
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
		94 = DON'T KNOW	24	0.00
		97 = REFUSED	38	0.00
		98 = BLANK (NO ANSWER).....	1529	0.16

During the past 12 months, were you able to cut down or stop using hallucinogens every time you wanted to or tried to?

HALUCUTEV¹	Len : 2	ABLE TO CUT/STOP USING HALLUC EVRY TIME PST 12 MO		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	1278	0.13
		2 = No.....	49	0.01
		91 = NEVER USED HALLUCINOGENS	192893	20.32
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
		97 = REFUSED	38	0.00
		98 = BLANK (NO ANSWER).....	1554	0.16
		99 = LEGITIMATE SKIP	4762	0.50

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of hallucinogens?

<u>HALUEMOPB</u> ¹	Len : 2	HALLUC CAUSE PRBS W/EMOT/NERVES PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	498	0.05
		2 = No.....	5611	0.59
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS	192893	20.32
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	26058	2.75
		94 = DON'T KNOW	15	0.00
		97 = REFUSED	27	0.00
		98 = BLANK (NO ANSWER).....	1529	0.16

Did you continue to use hallucinogens even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

<u>HALUEMCTD</u> ¹	Len : 2	CONTD TO USE HALLUC DESPITE EMOT PRBS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	198	0.02
		2 = No.....	297	0.03
		91 = NEVER USED HALLUCINOGENS	192893	20.32
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	26058	2.75
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	28	0.00
		98 = BLANK (NO ANSWER).....	1545	0.16
		99 = LEGITIMATE SKIP	5611	0.59

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of hallucinogens?

<u>HALUPHLPB</u> ¹	Len : 2	ANY PHYS PRBS CAUSED/WORSND BY HALLUC PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	90	0.01
		2 = No.....	5819	0.61
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS	192893	20.32
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	26058	2.75
		94 = DON'T KNOW	14	0.00
		97 = REFUSED	30	0.00
		98 = BLANK (NO ANSWER).....	1529	0.16
		99 = LEGITIMATE SKIP	198	0.02

Did you continue to use hallucinogens even though you thought this was causing you to have physical problems?

<u>HALUPHCTD</u> ¹	Len : 2	CONTD TO USE HALLUC DESPITE PHYS PRBS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	18	0.00
		2 = No.....	72	0.01
		91 = NEVER USED HALLUCINOGENS	192893	20.32
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	26058	2.75
		97 = REFUSED	30	0.00
		98 = BLANK (NO ANSWER).....	1544	0.16
		99 = LEGITIMATE SKIP	6017	0.63

SUBSTANCE DEPENDENCE AND ABUSE

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using hallucinogens cause you to give up or spend less time doing these types of important activities?

[HALULSACT](#)¹

Len : 2 LESS ACTIVITES B/C OF HALLUC USE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	204	0.02
2 = No.....	5901	0.62
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	192893	20.32
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
94 = DON'T KNOW	14	0.00
97 = REFUSED	32	0.00
98 = BLANK (NO ANSWER).....	1529	0.16

Sometimes people who use hallucinogens have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using hallucinogens cause you to have serious problems like this either at home, work, or school?

[HALUSERPB](#)¹

Len : 2 HALLUC CAUSE SER PRBS AT HOM/WRK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	188	0.02
2 = No.....	5923	0.62
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	192893	20.32
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
94 = DON'T KNOW	12	0.00
97 = REFUSED	28	0.00
98 = BLANK (NO ANSWER).....	1529	0.16

During the past 12 months, did you regularly use hallucinogens and then do something where using hallucinogens put you in physical danger?

[HALUPDANG](#)¹

Len : 2 USING HALLUC & DO DANGEROUS ACTIVS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	220	0.02
2 = No.....	5892	0.62
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	192893	20.32
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
94 = DON'T KNOW	10	0.00
97 = REFUSED	29	0.00
98 = BLANK (NO ANSWER).....	1529	0.16

During the past 12 months, did using hallucinogens cause you to do things that repeatedly got you in trouble with the law?

[HALULAWTR](#)¹

Len : 2 USING HALLUC CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	93	0.01
2 = No.....	6016	0.63
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	192893	20.32
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
94 = DON'T KNOW	13	0.00
97 = REFUSED	29	0.00
98 = BLANK (NO ANSWER).....	1529	0.16

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of hallucinogens?

HALUFMPBP ¹	Len : 2 USING HALLUC CAUSE PRBS W/FAM/FRNDS PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	186	0.02
	2 = No.....	5927	0.62
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED HALLUCINOGENS	192893	20.32
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
	94 = DON'T KNOW	11	0.00
	97 = REFUSED	27	0.00
	98 = BLANK (NO ANSWER).....	1529	0.16

Did you continue to use hallucinogens even though you thought this caused problems with family or friends?

HALUFMCTD ¹	Len : 2 CONTD TO USE HALLUC DESPITE PRBS W/FAM/FRNDS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	94	0.01
	2 = No.....	92	0.01
	91 = NEVER USED HALLUCINOGENS	192893	20.32
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	26058	2.75
	97 = REFUSED	27	0.00
	98 = BLANK (NO ANSWER).....	1541	0.16
	99 = LEGITIMATE SKIP	5927	0.62

Think about your use of inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints or correction fluids during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using inhalants?

INHLLOTTM ¹	Len : 2 SPENT MONTH/MORE GETTING/USING INH PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	120	0.01
	2 = No.....	2339	0.25
	85 = BAD DATA Logically assigned.....	8	0.00
	91 = NEVER USED INHALANTS.....	203496	21.44
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	19337	2.04
	94 = DON'T KNOW	11	0.00
	97 = REFUSED	13	0.00
	98 = BLANK (NO ANSWER).....	1308	0.14

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the inhalants you used?

INHLGTOVR ¹	Len : 2 MONTH+ SPENT GETTING OVER INH EFFECTS PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	45	0.00
	2 = No.....	2284	0.24
	85 = BAD DATA Logically assigned.....	8	0.00
	91 = NEVER USED INHALANTS.....	203496	21.44
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	19337	2.04
	94 = DON'T KNOW	18	0.00
	97 = REFUSED	16	0.00
	98 = BLANK (NO ANSWER).....	1308	0.14
	99 = LEGITIMATE SKIP	120	0.01

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you try to set limits on how often or how much inhalants you would use?

INHLLIMIT¹	Len : 2 SET LIMITS ON INHALANT USE PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	479	0.05
	2 = No.....	1925	0.20
	85 = BAD DATA Logically assigned.....	8	0.00
	91 = NEVER USED INHALANTS.....	203496	21.44
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	19337	2.04
	94 = DON'T KNOW	46	0.00
	97 = REFUSED	33	0.00
	98 = BLANK (NO ANSWER).....	1308	0.14

Were you able to keep to the limits you set, or did you often use inhalants more than you intended to?

INHLKPLMT¹	Len : 2 ABLE TO KEEP LIMITS OR USE MORE INH PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Usually kept to the limits set.....	434	0.05
	2 = Often used more than intended.....	42	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED INHALANTS.....	203496	21.44
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	19337	2.04
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	35	0.00
	98 = BLANK (NO ANSWER).....	1361	0.14
	99 = LEGITIMATE SKIP	1925	0.20

During the past 12 months, did you need to use more inhalants than you used to in order to get the effect you wanted?

INHLNDMOR¹	Len : 2 NEEDED MORE INH TO GET SAME EFFECT PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	137	0.01
	2 = No.....	2293	0.24
	85 = BAD DATA Logically assigned.....	8	0.00
	91 = NEVER USED INHALANTS.....	203496	21.44
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	19337	2.04
	94 = DON'T KNOW	27	0.00
	97 = REFUSED	26	0.00
	98 = BLANK (NO ANSWER).....	1308	0.14

During the past 12 months, did you notice that using the same amount of inhalants had less effect on you than it used to?

INHLSEFX¹	Len : 2 USING SAME AMT INH HAD LESS EFFECT PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	129	0.01
	2 = No.....	2118	0.22
	85 = BAD DATA Logically assigned.....	6	0.00
	91 = NEVER USED INHALANTS.....	203496	21.44
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	19337	2.04
	94 = DON'T KNOW	61	0.01
	97 = REFUSED	38	0.00
	98 = BLANK (NO ANSWER).....	1310	0.14
	99 = LEGITIMATE SKIP	137	0.01

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you want to or try to cut down or stop using inhalants?

<u>INHLCUTDN</u> ¹	Len : 2	WANT/TRY TO CUT DOWN/STOP USING INH PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	796	0.08
		2 = No.....	1560	0.16
		85 = BAD DATA Logically assigned.....	8	0.00
		91 = NEVER USED INHALANTS.....	203496	21.44
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	19337	2.04
		94 = DON'T KNOW	79	0.01
		97 = REFUSED	48	0.01
		98 = BLANK (NO ANSWER).....	1308	0.14

During the past 12 months, were you able to cut down or stop using inhalants every time you wanted to or tried to?

<u>INHLCUTEV</u> ¹	Len : 2	ABLE TO CUT/STOP USING INH EVERY TIME PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	751	0.08
		2 = No.....	40	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	203496	21.44
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	19337	2.04
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	51	0.01
		98 = BLANK (NO ANSWER).....	1394	0.15
		99 = LEGITIMATE SKIP	1560	0.16

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of inhalants?

<u>INHLEMOPB</u> ¹	Len : 2	INH CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	153	0.02
		2 = No.....	2261	0.24
		85 = BAD DATA Logically assigned.....	8	0.00
		91 = NEVER USED INHALANTS.....	203496	21.44
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	19337	2.04
		94 = DON'T KNOW	33	0.00
		97 = REFUSED	36	0.00
		98 = BLANK (NO ANSWER).....	1308	0.14

Did you continue to use inhalants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

<u>INHLEMCTD</u> ¹	Len : 2	CONTD TO USE INHALANTS DESPITE EMOT PRBS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	63	0.01
		2 = No.....	90	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	203496	21.44
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	19337	2.04
		97 = REFUSED	36	0.00
		98 = BLANK (NO ANSWER).....	1348	0.14
		99 = LEGITIMATE SKIP	2261	0.24

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of inhalants?

INHLPHPB ¹	Len : 2 ANY PHYS PRBS CAUSED/WORSND BY INH PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	55	0.01
	2 = No.....	2298	0.24
	85 = BAD DATA Logically assigned.....	8	0.00
	91 = NEVER USED INHALANTS.....	203496	21.44
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	19337	2.04
	94 = DON'T KNOW	37	0.00
	97 = REFUSED	30	0.00
	98 = BLANK (NO ANSWER).....	1308	0.14
	99 = LEGITIMATE SKIP	63	0.01

Did you continue to use inhalants even though you thought this was causing you to have physical problems?

INHLPHCTD ¹	Len : 2 CONTD TO USE INHALANTS DESPITE PHYS PRBS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	16	0.00
	2 = No.....	38	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED INHALANTS.....	203496	21.44
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	19337	2.04
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	30	0.00
	98 = BLANK (NO ANSWER).....	1352	0.14
	99 = LEGITIMATE SKIP	2361	0.25

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using inhalants cause you to give up or spend less time doing these types of important activities?

INHLLSACT ¹	Len : 2 LESS ACTIVITIES B/C OF INH USE PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	92	0.01
	2 = No.....	2329	0.25
	85 = BAD DATA Logically assigned.....	8	0.00
	91 = NEVER USED INHALANTS.....	203496	21.44
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	19337	2.04
	94 = DON'T KNOW	31	0.00
	97 = REFUSED	31	0.00
	98 = BLANK (NO ANSWER).....	1308	0.14

Sometimes people who use inhalants have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using inhalants cause you to have serious problems like this either at home, work, or school?

INHLSERP ¹	Len : 2 INH CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	86	0.01
	2 = No.....	2346	0.25
	85 = BAD DATA Logically assigned.....	8	0.00
	91 = NEVER USED INHALANTS.....	203496	21.44
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	19337	2.04
	94 = DON'T KNOW	24	0.00
	97 = REFUSED	27	0.00
	98 = BLANK (NO ANSWER).....	1308	0.14

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you regularly use inhalants and then do something where using inhalants might have put you in physical danger?

[INHLPDANG](#)¹

Len : 2 USING INH AND DO DANGEROUS ACTIVITIES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	84	0.01
2 = No.....	2354	0.25
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED INHALANTS.....	203496	21.44
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	19337	2.04
94 = DON'T KNOW	19	0.00
97 = REFUSED	26	0.00
98 = BLANK (NO ANSWER).....	1308	0.14

During the past 12 months, did using inhalants cause you to do things that repeatedly got you in trouble with the law?

[INHLLAWTR](#)¹

Len : 2 USING INH CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	25	0.00
2 = No.....	2417	0.25
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED INHALANTS.....	203496	21.44
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	19337	2.04
94 = DON'T KNOW	20	0.00
97 = REFUSED	21	0.00
98 = BLANK (NO ANSWER).....	1308	0.14

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of inhalants?

[INHLEMFPPB](#)¹

Len : 2 USING INH CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	73	0.01
2 = No.....	2371	0.25
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED INHALANTS.....	203496	21.44
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	19337	2.04
94 = DON'T KNOW	18	0.00
97 = REFUSED	21	0.00
98 = BLANK (NO ANSWER).....	1308	0.14

Did you continue to use inhalants even though you thought this caused problems with family or friends?

[INHLEFMCTD](#)¹

Len : 2 CONTD TO USE INH DESPITE PRBS W/ FAM/FRNDS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	34	0.00
2 = No.....	38	0.00
91 = NEVER USED INHALANTS.....	203496	21.44
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	19337	2.04
97 = REFUSED	22	0.00
98 = BLANK (NO ANSWER).....	1334	0.14
99 = LEGITIMATE SKIP	2371	0.25

SUBSTANCE DEPENDENCE AND ABUSE

Think about your use of methamphetamine during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using methamphetamine?

[METHLOTTM](#)¹

Len : 2 SPENT MONTH/MORE GETTING/USING METH PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	683	0.07
2 = No.....	923	0.10
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	216130	22.77
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
94 = DON'T KNOW	2	0.00
97 = REFUSED	27	0.00
98 = BLANK (NO ANSWER).....	330	0.03

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the methamphetamine you used?

[METHGTOVR](#)¹

Len : 2 MONTH+ SPENT GETTING OVER METH EFFECTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	96	0.01
2 = No.....	821	0.09
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	216130	22.77
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
94 = DON'T KNOW	6	0.00
97 = REFUSED	29	0.00
98 = BLANK (NO ANSWER).....	330	0.03
99 = LEGITIMATE SKIP	683	0.07

During the past 12 months, did you try to set limits on how often or how much methamphetamine you would use?

[METHLIMIT](#)¹

Len : 2 SET LIMITS ON METH USE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	745	0.08
2 = No.....	849	0.09
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	216130	22.77
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
94 = DON'T KNOW	9	0.00
97 = REFUSED	32	0.00
98 = BLANK (NO ANSWER).....	330	0.03

Were you able to keep to the limits you set, or did you often use methamphetamine more than you intended to?

[METHKPLMT](#)¹

Len : 2 ABLE TO KEEP LIMITS OR USED MORE METH PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Usually kept to the limits set.....	446	0.05
2 = Often used more than intended.....	296	0.03
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	216130	22.77
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
94 = DON'T KNOW	2	0.00
97 = REFUSED	33	0.00
98 = BLANK (NO ANSWER).....	339	0.04
99 = LEGITIMATE SKIP	849	0.09

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you need to use more methamphetamine than you used to in order to get the effect you wanted?

<u>METHNDMOR</u> ¹	Len : 2	NEEDED MORE METH TO GET SAME EFFECT PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	580	0.06
		2 = No.....	1018	0.11
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED METHAMPHETAMINE	216130	22.77
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
		94 = DON'T KNOW	6	0.00
		97 = REFUSED	31	0.00
		98 = BLANK (NO ANSWER).....	330	0.03

During the past 12 months, did you notice that using the same amount of methamphetamine had less effect on you than it used to?

<u>METHLSEFX</u> ¹	Len : 2	USING SAME AMT METH HAD LESS EFFECT PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	129	0.01
		2 = No.....	891	0.09
		91 = NEVER USED METHAMPHETAMINE	216130	22.77
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
		94 = DON'T KNOW	5	0.00
		97 = REFUSED	30	0.00
		98 = BLANK (NO ANSWER).....	331	0.03
		99 = LEGITIMATE SKIP	580	0.06

During the past 12 months, did you want to or try to cut down or stop using methamphetamine?

<u>METHCUTDN</u> ¹	Len : 2	WANT/TRY TO CUT DOWN/STOP USING METH PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	980	0.10
		2 = No.....	616	0.06
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED METHAMPHETAMINE	216130	22.77
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
		94 = DON'T KNOW	8	0.00
		97 = REFUSED	31	0.00
		98 = BLANK (NO ANSWER).....	330	0.03

During the past 12 months, were you able to cut down or stop using methamphetamine every time you wanted to or tried to?

<u>METHCUTEV</u> ¹	Len : 2	ABLE TO CUT/STOP USING METH EVERY TIME PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	730	0.08
		2 = No.....	249	0.03
		91 = NEVER USED METHAMPHETAMINE	216130	22.77
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
		97 = REFUSED	32	0.00
		98 = BLANK (NO ANSWER).....	339	0.04
		99 = LEGITIMATE SKIP	616	0.06

During the past 12 months, did you cut down or stop using methamphetamine at least one time?

<u>METHCUT1X</u> ¹	Len : 2	CUT DOWN OR STOP USING METH AT LEAST 1X PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	405	0.04
		2 = No.....	460	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED METHAMPHETAMINE	216130	22.77
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
		94 = DON'T KNOW	7	0.00
		97 = REFUSED	33	0.00
		98 = BLANK (NO ANSWER).....	330	0.03
		99 = LEGITIMATE SKIP	730	0.08

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, have you felt kind of blue or down when you cut down or stopped using methamphetamine?

<u>METHFLBLU</u> ¹	Len : 2	WHEN CUT DOWN ON METH, FELT BLUE PAST 12 MONTHS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	583	0.06
		2 = No.....	549	0.06
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED METHAMPHETAMINE.....	216130	22.77
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
		94 = DON'T KNOW	3	0.00
		97 = REFUSED	33	0.00
		98 = BLANK (NO ANSWER).....	337	0.04
		99 = LEGITIMATE SKIP	460	0.05

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using methamphetamine?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

<u>METHWD2SX</u> ¹	Len : 2	HAD 2+ METH WITHDRAWAL SYMPTOMS PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	554	0.06
		2 = No.....	29	0.00
		91 = NEVER USED METHAMPHETAMINE.....	216130	22.77
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
		97 = REFUSED	33	0.00
		98 = BLANK (NO ANSWER).....	341	0.04
		99 = LEGITIMATE SKIP	1009	0.11

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using methamphetamine?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

<u>METHWDSMT</u> ¹	Len : 2	HAD 2+ METH WDRAW SYM AT SAME TIME PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	517	0.05
		2 = No.....	36	0.00
		91 = NEVER USED METHAMPHETAMINE.....	216130	22.77
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	33	0.00
		98 = BLANK (NO ANSWER).....	341	0.04
		99 = LEGITIMATE SKIP	1038	0.11

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of methamphetamine?

<u>METHEMOPB</u> ¹	Len : 2	METH CAUSE PROBS WITH EMOT/NERVES PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	721	0.08
		2 = No.....	876	0.09
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED METHAMPHETAMINE.....	216130	22.77
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
		94 = DON'T KNOW	6	0.00
		97 = REFUSED	32	0.00
		98 = BLANK (NO ANSWER).....	330	0.03

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use methamphetamine even though you thought it was causing you to have problems with your emotions, nerves, or mental health?

[METHEMCTD](#)¹

Len : 2 CONTD TO USE METH DESPITE EMOT PROBS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	523	0.06
2 = No.....	198	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	216130	22.77
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
97 = REFUSED	32	0.00
98 = BLANK (NO ANSWER).....	336	0.04
99 = LEGITIMATE SKIP	876	0.09

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of methamphetamine?

[METHPLPB](#)¹

Len : 2 ANY PHYS PROBS CAUSED/WORSND BY METH PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	109	0.01
2 = No.....	967	0.10
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	216130	22.77
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
94 = DON'T KNOW	5	0.00
97 = REFUSED	31	0.00
98 = BLANK (NO ANSWER).....	330	0.03
99 = LEGITIMATE SKIP	523	0.06

Did you continue to use methamphetamine even though you thought it was causing you to have physical problems?

[METHPHCTD](#)¹

Len : 2 CONTD TO USE METH DESPITE PHYS PROBS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	46	0.00
2 = No.....	63	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	216130	22.77
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
97 = REFUSED	31	0.00
98 = BLANK (NO ANSWER).....	335	0.04
99 = LEGITIMATE SKIP	1490	0.16

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using methamphetamine cause you to give up or spend less time doing these types of important activities?

[METHLSACT](#)¹

Len : 2 LESS ACTIVITIES B/C OF METH USE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	586	0.06
2 = No.....	1013	0.11
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	216130	22.77
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
94 = DON'T KNOW	5	0.00
97 = REFUSED	31	0.00
98 = BLANK (NO ANSWER).....	330	0.03

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use methamphetamine have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using methamphetamine cause you to have serious problems like this either at home, work, or school?

METHSERPB¹

Len : 2 METH CAUSE SERS PROBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	518	0.05
2 = No.....	1082	0.11
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	216130	22.77
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
94 = DON'T KNOW	5	0.00
97 = REFUSED	30	0.00
98 = BLANK (NO ANSWER).....	330	0.03

During the past 12 months, did you regularly use methamphetamine and then do something where using methamphetamine might have put you in physical danger?

METHPDANG¹

Len : 2 USING METH AND DO DANGEROUS ACTIVITIES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	429	0.05
2 = No.....	1171	0.12
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	216130	22.77
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
94 = DON'T KNOW	6	0.00
97 = REFUSED	29	0.00
98 = BLANK (NO ANSWER).....	330	0.03

During the past 12 months, did using methamphetamine cause you to do things that repeatedly got you in trouble with the law?

METHLAWTR¹

Len : 2 USING METH CAUSE PROBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	241	0.03
2 = No.....	1359	0.14
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	216130	22.77
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
94 = DON'T KNOW	5	0.00
97 = REFUSED	30	0.00
98 = BLANK (NO ANSWER).....	330	0.03

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of methamphetamine?

METHFMFPB¹

Len : 2 USING METH CAUSE PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	568	0.06
2 = No.....	1032	0.11
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	216130	22.77
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
94 = DON'T KNOW	6	0.00
97 = REFUSED	29	0.00
98 = BLANK (NO ANSWER).....	330	0.03

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use methamphetamine even though you thought it caused problems with family or friends?

[METHFMCTD](#)¹

Len : 2 CONTD TO USE METH DESPITE PROBS W/FAMILY/FRIENDS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	431	0.05
2 = No.....	137	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	216130	22.77
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	8536	0.90
97 = REFUSED	29	0.00
98 = BLANK (NO ANSWER).....	336	0.04
99 = LEGITIMATE SKIP	1032	0.11

Think about your use of prescription pain relievers during the past 12 months as you answer these next questions. Remember, we are only interested in prescription pain relievers that you used in a way a doctor did not direct you to.

Earlier the computer recorded that in the past 12 months you used [PRFILL2] in a way a doctor did not direct you to use [PRNUMFILL]?

During the past 12 months, was there a month or more when you spent a lot of time getting or using prescription pain relievers?

[PNRLLOTM](#)¹

Len : 2 SPENT MON/MORE GETTNG/USNG PN RLVR PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1510	0.16
2 = No.....	9405	0.99
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
85 = BAD DATA Logically assigned.....	25	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
94 = DON'T KNOW	29	0.00
97 = REFUSED	39	0.00
98 = BLANK (NO ANSWER).....	987	0.10

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription pain relievers you used?

[PNRLGTOVR](#)¹

Len : 2 MON+ SPNT GETTING OVER PN RLVR EFFECTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	286	0.03
2 = No.....	9119	0.96
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
85 = BAD DATA Logically assigned.....	19	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
94 = DON'T KNOW	30	0.00
97 = REFUSED	38	0.00
98 = BLANK (NO ANSWER).....	993	0.10
99 = LEGITIMATE SKIP	1510	0.16

During the past 12 months, did you try to set limits on how often or how much prescription pain relievers you would use?

[PNRLLIMIT](#)¹

Len : 2 SET LIMITS ON PAIN RELIEVER USE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	3102	0.33
2 = No.....	7764	0.82
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
85 = BAD DATA Logically assigned.....	25	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
94 = DON'T KNOW	56	0.01
97 = REFUSED	61	0.01
98 = BLANK (NO ANSWER).....	987	0.10

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often use prescription pain relievers more than you intended to?

PNRLKPLMT ¹	Len : 2	ABLE TO KEEP LIMT/USE MORE PN RLVR PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Usually kept to the limits set.....	2433	0.26
		2 = Often used more than intended.....	665	0.07
		83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
		85 = BAD DATA Logically assigned.....	6	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
		93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	63	0.01
		98 = BLANK (NO ANSWER).....	1062	0.11
		99 = LEGITIMATE SKIP	7764	0.82

During the past 12 months, did you need to use more prescription pain relievers than you used to in order to get the effect you wanted?

PNRLNDMOR ¹	Len : 2	NEEDED MORE PN RLVR TO GET SME EFFECT PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	1842	0.19
		2 = No.....	9045	0.95
		83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
		85 = BAD DATA Logically assigned.....	25	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
		93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
		94 = DON'T KNOW	42	0.00
		97 = REFUSED	54	0.01
		98 = BLANK (NO ANSWER).....	987	0.10

During the past 12 months, did you notice that using the same amount of prescription pain relievers had less effect on you than it used to?

PNRLLEFX ¹	Len : 2	USING SME AMT PN RLVR HAD LESS EFFECT PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	701	0.07
		2 = No.....	8322	0.88
		83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
		85 = BAD DATA Logically assigned.....	18	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
		93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
		94 = DON'T KNOW	58	0.01
		97 = REFUSED	60	0.01
		98 = BLANK (NO ANSWER).....	994	0.10
		99 = LEGITIMATE SKIP	1842	0.19

During the past 12 months, did you want to or try to cut down or stop using prescription pain relievers?

PNRLCUTDN ¹	Len : 2	WANT/TRY CUT DOWN/STOP USNG PN RLVR PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	3808	0.40
		2 = No.....	6999	0.74
		83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
		85 = BAD DATA Logically assigned.....	25	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
		93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
		94 = DON'T KNOW	84	0.01
		97 = REFUSED	92	0.01
		98 = BLANK (NO ANSWER).....	987	0.10

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, were you able to cut down or stop using prescription pain relievers every time you wanted to or tried to?

PNRLCUTEV ¹	Len : 2	ABLE TO CUT/STOP USNG PN RLVR EVRY TIME PST 12 MO		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	3214	0.34
		2 = No.....	588	0.06
		83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
		85 = BAD DATA Logically assigned.....	5	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
		93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
		94 = DON'T KNOW	5	0.00
		97 = REFUSED	93	0.01
		98 = BLANK (NO ANSWER).....	1091	0.11
		99 = LEGITIMATE SKIP	6999	0.74

During the past 12 months, did you cut down or stop using prescription pain relievers at least one time?

PNRLCUTIX ¹	Len : 2	CUT DOWN/STOP USNG PN RLVR AT LEAST 1X PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	2258	0.24
		2 = No.....	5359	0.56
		83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
		85 = BAD DATA Logically assigned.....	20	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
		93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
		94 = DON'T KNOW	74	0.01
		97 = REFUSED	78	0.01
		98 = BLANK (NO ANSWER).....	992	0.10
		99 = LEGITIMATE SKIP	3214	0.34

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using prescription pain relievers?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

PNRLWD3SX ¹	Len : 2	HAD 3+ PN RLVR WITHDRAWAL SYMPTOMS PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	1776	0.19
		2 = No.....	3682	0.39
		83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
		85 = BAD DATA Logically assigned.....	6	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
		93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
		94 = DON'T KNOW	10	0.00
		97 = REFUSED	82	0.01
		98 = BLANK (NO ANSWER).....	1080	0.11
		99 = LEGITIMATE SKIP	5359	0.56

SUBSTANCE DEPENDENCE AND ABUSE

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription pain relievers?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

[PNRLWDSMT¹](#) Len : 2 HAD 3+ PN RLVR WDRAW SYM SAME TIME PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1316	0.14
2 = No.....	458	0.05
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
94 = DON'T KNOW	2	0.00
97 = REFUSED	82	0.01
98 = BLANK (NO ANSWER).....	1090	0.11
99 = LEGITIMATE SKIP	9041	0.95

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription pain relievers?

[PNRLEMOBP¹](#) Len : 2 PN RLVR CAUSE PRBS W/EMOT/NERVES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1362	0.14
2 = No.....	9513	1.00
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
85 = BAD DATA Logically assigned.....	25	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
94 = DON'T KNOW	45	0.00
97 = REFUSED	63	0.01
98 = BLANK (NO ANSWER).....	987	0.10

Did you continue to use prescription pain relievers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

[PNRLEMCTD¹](#) Len : 2 CONTD TO USE PN RLVR DESPITE EMOT PRBS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	894	0.09
2 = No.....	465	0.05
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
94 = DON'T KNOW	1	0.00
97 = REFUSED	65	0.01
98 = BLANK (NO ANSWER).....	1051	0.11
99 = LEGITIMATE SKIP	9513	1.00

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription pain relievers?

[PNRLPHLPB](#)¹

Len : 2 ANY PHYS PRBS CAUSD/WORSND BY PN RLVR PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	259	0.03
2 = No.....	9727	1.02
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
85 = BAD DATA Logically assigned.....	20	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
94 = DON'T KNOW	45	0.00
97 = REFUSED	58	0.01
98 = BLANK (NO ANSWER).....	992	0.10
99 = LEGITIMATE SKIP	894	0.09

Did you continue to use prescription pain relievers even though you thought this was causing you to have physical problems?

[PNRLPHCTD](#)¹

Len : 2 CONTD TO USE PN RLVR DESPITE PHYS PRBS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	96	0.01
2 = No.....	163	0.02
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
97 = REFUSED	58	0.01
98 = BLANK (NO ANSWER).....	1055	0.11
99 = LEGITIMATE SKIP	10621	1.12

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription pain relievers cause you to give up or spend less time doing these types of important activities?

[PNRLLSACT](#)¹

Len : 2 LESS ACTIVITIES B/C OF PN RLVR USE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	961	0.10
2 = No.....	9924	1.05
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
85 = BAD DATA Logically assigned.....	25	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
94 = DON'T KNOW	39	0.00
97 = REFUSED	59	0.01
98 = BLANK (NO ANSWER).....	987	0.10

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use prescription pain relievers have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription pain relievers cause you to have serious problems like this either at home, work, or school?

[PNRLSERPB](#)¹

Len : 2 PN RLVR CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	782	0.08
2 = No.....	10112	1.07
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
85 = BAD DATA Logically assigned.....	25	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
94 = DON'T KNOW	32	0.00
97 = REFUSED	56	0.01
98 = BLANK (NO ANSWER).....	988	0.10

During the past 12 months, did you regularly use prescription pain relievers and then do something where using prescription pain relievers might have put you in physical danger?

[PNRLPDANG](#)¹

Len : 2 USING PN RLVR & DO DANGEROUS ACTIVS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	638	0.07
2 = No.....	10266	1.08
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
85 = BAD DATA Logically assigned.....	25	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
94 = DON'T KNOW	29	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER).....	988	0.10

During the past 12 months, did using prescription pain relievers cause you to do things that repeatedly got you in trouble with the law?

[PNRLLAWTR](#)¹

Len : 2 USING PN RLVR CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	270	0.03
2 = No.....	10632	1.12
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
85 = BAD DATA Logically assigned.....	25	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
94 = DON'T KNOW	28	0.00
97 = REFUSED	52	0.01
98 = BLANK (NO ANSWER).....	988	0.10

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription pain relievers?

[PNRLFMFPB](#)¹

Len : 2 USING PN RLVR CAUSE PRBS W/FAM/FRNDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	773	0.08
2 = No.....	10129	1.07
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
85 = BAD DATA Logically assigned.....	25	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	200520	21.12
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
94 = DON'T KNOW	27	0.00
97 = REFUSED	53	0.01
98 = BLANK (NO ANSWER).....	988	0.10

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription pain relievers even though you thought this caused problems with family or friends?

PNRLEFMCTD ¹	Len : 2	CONTD TO USE PN RLVR DESPITE PRBS W/FAM/FRNDS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	568	0.06
		2 = No.....	204	0.02
		83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn	1645	0.17
		85 = BAD DATA Logically assigned.....	5	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS	200520	21.12
		93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	12472	1.31
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	53	0.01
		98 = BLANK (NO ANSWER).....	1035	0.11
		99 = LEGITIMATE SKIP	10129	1.07

Think about your use of prescription tranquilizers during the past 12 months as you answer these next questions. Remember, we are only interested in prescription tranquilizers that you used in any way a doctor did not direct you to.

Earlier the computer recorded that in the past 12 months you used [TRFILL2] in a way a doctor did not direct you to use [TRNUMFILL]?

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription tranquilizers?

TRQLLOTTM ¹	Len : 2	SPENT MONTH/MORE GETTING/USING TRN PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	550	0.06
		2 = No.....	5598	0.59
		83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn.....	1040	0.11
		85 = BAD DATA Logically assigned.....	14	0.00
		91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
		93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
		94 = DON'T KNOW	9	0.00
		97 = REFUSED	22	0.00
		98 = BLANK (NO ANSWER).....	696	0.07

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription tranquilizers you used?

TRQLGTOVR ¹	Len : 2	MONTH+ SPENT GETTING OVER TRN EFFECTS PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	124	0.01
		2 = No.....	5475	0.58
		83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn.....	1040	0.11
		85 = BAD DATA Logically assigned.....	8	0.00
		91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
		93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
		94 = DON'T KNOW	8	0.00
		97 = REFUSED	22	0.00
		98 = BLANK (NO ANSWER).....	702	0.07
		99 = LEGITIMATE SKIP	550	0.06

During the past 12 months, did you try to set limits on how often or how much prescription tranquilizers you would use?

TRQLLIMIT ¹	Len : 2	SET LIMITS ON TRANQUILIZER USE PAST 12 MONTHS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	1441	0.15
		2 = No.....	4696	0.49
		83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn.....	1040	0.11
		85 = BAD DATA Logically assigned.....	14	0.00
		91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
		93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
		94 = DON'T KNOW	16	0.00
		97 = REFUSED	26	0.00
		98 = BLANK (NO ANSWER).....	696	0.07

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often use prescription tranquilizers more than you intended to?

TRQLKPLMT¹	Len : 2 ABLE TO KEEP LIMITS OR USE MORE TRN PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Usually kept to the limits set.....	1263	0.13
	2 = Often used more than intended.....	177	0.02
	83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn.....	1040	0.11
	85 = BAD DATA Logically assigned.....	5	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	26	0.00
	98 = BLANK (NO ANSWER).....	721	0.08
	99 = LEGITIMATE SKIP	4696	0.49

During the past 12 months, did you need to use more prescription tranquilizers than you used to in order to get the effect you wanted?

TRQLNDMOR¹	Len : 2 NEEDED MORE TRN TO GET SAME EFFECT PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	674	0.07
	2 = No.....	5472	0.58
	83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn.....	1040	0.11
	85 = BAD DATA Logically assigned.....	14	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
	94 = DON'T KNOW	11	0.00
	97 = REFUSED	22	0.00
	98 = BLANK (NO ANSWER).....	696	0.07

During the past 12 months, did you notice that using the same amount of prescription tranquilizers had less effect on you than it used to?

TRQLLSEFT¹	Len : 2 USING SAME AMT TRN HAD LESS EFFECT PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	241	0.03
	2 = No.....	5215	0.55
	83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn.....	1040	0.11
	85 = BAD DATA Logically assigned.....	9	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
	94 = DON'T KNOW	23	0.00
	97 = REFUSED	26	0.00
	98 = BLANK (NO ANSWER).....	701	0.07
	99 = LEGITIMATE SKIP	674	0.07

During the past 12 months, did you want to or try to cut down or stop using prescription tranquilizers?

TRQLCUTDN¹	Len : 2 WANT/TRY TO CUT DOWN/STOP USING TRN PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	1841	0.19
	2 = No.....	4278	0.45
	83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn.....	1040	0.11
	85 = BAD DATA Logically assigned.....	14	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
	94 = DON'T KNOW	25	0.00
	97 = REFUSED	35	0.00
	98 = BLANK (NO ANSWER).....	696	0.07

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, were you able to cut down or stop using prescription tranquilizers every time you wanted to or tried to?

TRQLCUTEV ¹	Len : 2	ABLE TO CUT/STOP USING TRN EVERY TIME PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	1663	0.18
		2 = No.....	178	0.02
		83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn.....	1040	0.11
		85 = BAD DATA Logically assigned.....	6	0.00
		91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
		93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
		97 = REFUSED	35	0.00
		98 = BLANK (NO ANSWER).....	729	0.08
		99 = LEGITIMATE SKIP	4278	0.45

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription tranquilizers?

TRQLEMOPB ¹	Len : 2	TRN CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	616	0.06
		2 = No.....	5518	0.58
		83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn.....	1040	0.11
		85 = BAD DATA Logically assigned.....	14	0.00
		91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
		93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
		94 = DON'T KNOW	19	0.00
		97 = REFUSED	26	0.00
		98 = BLANK (NO ANSWER).....	696	0.07

Did you continue to use prescription tranquilizers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

TRQLEMCTD ¹	Len : 2	CONTD TO USE TRN DESPITE EMOT PRBS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	356	0.04
		2 = No.....	259	0.03
		83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn.....	1040	0.11
		85 = BAD DATA Logically assigned.....	6	0.00
		91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
		93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
		97 = REFUSED	27	0.00
		98 = BLANK (NO ANSWER).....	723	0.08
		99 = LEGITIMATE SKIP	5518	0.58

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription tranquilizers?

TRQLPHLPB ¹	Len : 2	ANY PHYS PRBS CAUSED/WORSND BY TRN PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	95	0.01
		2 = No.....	5685	0.60
		83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn.....	1040	0.11
		85 = BAD DATA Logically assigned.....	9	0.00
		91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
		93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
		94 = DON'T KNOW	16	0.00
		97 = REFUSED	27	0.00
		98 = BLANK (NO ANSWER).....	701	0.07
		99 = LEGITIMATE SKIP	356	0.04

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription tranquilizers even though you thought this was causing you to have physical problems?

<u>TRQLPHCTD</u> ¹	Len : 2 CONTD TO USE TRN DESPITE PHYS PRBS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	27	0.00
	2 = No.....	68	0.01
	83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn.....	1040	0.11
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
	97 = REFUSED	27	0.00
	98 = BLANK (NO ANSWER).....	725	0.08
	99 = LEGITIMATE SKIP	6041	0.64

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription tranquilizers cause you to give up or spend less time doing these types of important activities?

<u>TRQLLSACT</u> ¹	Len : 2 LESS ACTIVITIES B/C OF TRN USE PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	403	0.04
	2 = No.....	5735	0.60
	83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn.....	1040	0.11
	85 = BAD DATA Logically assigned.....	14	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
	94 = DON'T KNOW	14	0.00
	97 = REFUSED	27	0.00
	98 = BLANK (NO ANSWER).....	696	0.07

Sometimes people who use prescription tranquilizers have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription tranquilizers cause you to have serious problems like this either at home, work, or school?

<u>TRQLSERPB</u> ¹	Len : 2 TRN CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	368	0.04
	2 = No.....	5781	0.61
	83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn.....	1040	0.11
	85 = BAD DATA Logically assigned.....	14	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
	94 = DON'T KNOW	7	0.00
	97 = REFUSED	23	0.00
	98 = BLANK (NO ANSWER).....	696	0.07

During the past 12 months, did you regularly use prescription tranquilizers and then do something where using prescription tranquilizers might have put you in physical danger?

<u>TRQLPDANG</u> ¹	Len : 2 USING TRN AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	368	0.04
	2 = No.....	5777	0.61
	83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn.....	1040	0.11
	85 = BAD DATA Logically assigned.....	14	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
	94 = DON'T KNOW	11	0.00
	97 = REFUSED	23	0.00
	98 = BLANK (NO ANSWER).....	696	0.07

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did using prescription tranquilizers cause you to do things that repeatedly got you in trouble with the law?

<u>TRQLLAWTR</u> ¹	Len : 2 USING TRN CAUSE PRBS WITH LAW PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	158	0.02
	2 = No.....	5993	0.63
	83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn.....	1040	0.11
	85 = BAD DATA Logically assigned.....	14	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
	94 = DON'T KNOW	5	0.00
	97 = REFUSED	23	0.00
	98 = BLANK (NO ANSWER).....	696	0.07

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription tranquilizers?

<u>TRQLFMFPB</u> ¹	Len : 2 USING TRN CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	367	0.04
	2 = No.....	5780	0.61
	83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn.....	1040	0.11
	85 = BAD DATA Logically assigned.....	14	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
	94 = DON'T KNOW	8	0.00
	97 = REFUSED	24	0.00
	98 = BLANK (NO ANSWER).....	696	0.07

Did you continue to use prescription tranquilizers even though you thought this caused problems with family or friends?

<u>TRQLFMCTD</u> ¹	Len : 2 CONTD TO USE TRN DESPITE PRBS W/ FAM/FRNDS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	231	0.02
	2 = No.....	136	0.01
	83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn.....	1040	0.11
	85 = BAD DATA Logically assigned.....	4	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	214595	22.61
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	4108	0.43
	97 = REFUSED	24	0.00
	98 = BLANK (NO ANSWER).....	714	0.08
	99 = LEGITIMATE SKIP	5780	0.61

Think about your use of prescription stimulants during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription stimulants that you used in a way a doctor did not direct you to.

Earlier the computer recorded that in the past 12 months you used [STFILL2] in a way a doctor did not direct you to use [STNUMFILL]?

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription stimulants?

<u>STIMLOTTM</u> ¹	Len : 2 SPENT MONTH/MORE GETTING/USING STM PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	729	0.08
	2 = No.....	5960	0.63
	83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
	85 = BAD DATA Logically assigned.....	16	0.00
	91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
	94 = DON'T KNOW	8	0.00
	97 = REFUSED	13	0.00
	98 = BLANK (NO ANSWER).....	591	0.06

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription stimulants you used?

[STIMGTOVR¹](#)

Len : 2 MONTH+ SPENT GETTING OVER STM EFFECTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	106	0.01
2 = No.....	5854	0.62
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
94 = DON'T KNOW	6	0.00
97 = REFUSED	15	0.00
98 = BLANK (NO ANSWER).....	595	0.06
99 = LEGITIMATE SKIP	729	0.08

During the past 12 months, did you try to set limits on how often or how much prescription stimulants you would use?

[STIMLIMIT¹](#)

Len : 2 SET LIMITS ON STIMULANT USE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1507	0.16
2 = No.....	5170	0.54
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
94 = DON'T KNOW	17	0.00
97 = REFUSED	16	0.00
98 = BLANK (NO ANSWER).....	591	0.06

Were you able to keep to the limits you set, or did you often use prescription stimulants more than you intended to?

[STIMKPLMT¹](#)

Len : 2 ABLE TO KEEP LIMITS OR USE MORE STM PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Usually kept to the limits set.....	1314	0.14
2 = Often used more than intended.....	192	0.02
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
94 = DON'T KNOW	1	0.00
97 = REFUSED	16	0.00
98 = BLANK (NO ANSWER).....	623	0.07
99 = LEGITIMATE SKIP	5170	0.54

During the past 12 months, did you need to use more prescription stimulants than you used to in order to get the effect you wanted?

[STIMNDMOR¹](#)

Len : 2 NEEDED MORE STM TO GET SAME EFFECT PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	731	0.08
2 = No.....	5948	0.63
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
94 = DON'T KNOW	12	0.00
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER).....	591	0.06

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you notice that using the same amount of prescription stimulants had less effect on you than it used to?

STIMLSEFX ¹	Len : 2 USING SAME AMT STM HAD LESS EFFECT PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	268	0.03
	2 = No.....	5672	0.60
	83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
	85 = BAD DATA Logically assigned.....	13	0.00
	91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
	94 = DON'T KNOW	18	0.00
	97 = REFUSED	21	0.00
	98 = BLANK (NO ANSWER).....	594	0.06
	99 = LEGITIMATE SKIP	731	0.08

During the past 12 months, did you want to or try to cut down or stop using prescription stimulants?

STIMCUTDN ¹	Len : 2 WANT/TRY TO CUT DOWN/STOP USING STM PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	1777	0.19
	2 = No.....	4891	0.52
	83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
	85 = BAD DATA Logically assigned.....	16	0.00
	91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
	94 = DON'T KNOW	19	0.00
	97 = REFUSED	23	0.00
	98 = BLANK (NO ANSWER).....	591	0.06

During the past 12 months, were you able to cut down or stop using prescription stimulants every time you wanted to or tried to?

STIMCUTEV ¹	Len : 2 ABLE TO CUT/STOP USING STM EVERY TIME PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	1605	0.17
	2 = No.....	171	0.02
	83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
	85 = BAD DATA Logically assigned.....	3	0.00
	91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
	97 = REFUSED	24	0.00
	98 = BLANK (NO ANSWER).....	623	0.07
	99 = LEGITIMATE SKIP	4891	0.52

During the past 12 months, did you cut down or stop using prescription stimulants at least one time?

STIMCUTIX ¹	Len : 2 CUT DOWN OR STOP USING STM AT LEAST 1X PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	1284	0.14
	2 = No.....	3779	0.40
	83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
	85 = BAD DATA Logically assigned.....	15	0.00
	91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
	94 = DON'T KNOW	20	0.00
	97 = REFUSED	22	0.00
	98 = BLANK (NO ANSWER).....	592	0.06
	99 = LEGITIMATE SKIP	1605	0.17

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, have you felt kind of blue or down when you cut down or stopped using prescription stimulants?

STIMFLBLU¹

Len : 2 WHEN CUT DOWN ON STM, FELT BLUE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	645	0.07
2 = No.....	2240	0.24
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
94 = DON'T KNOW	3	0.00
97 = REFUSED	23	0.00
98 = BLANK (NO ANSWER).....	625	0.07
99 = LEGITIMATE SKIP	3779	0.40

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using prescription stimulants?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

STIMWD2SX¹

Len : 2 HAD 2+ STM WITHDRAWAL SYMPTOMS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	542	0.06
2 = No.....	103	0.01
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
97 = REFUSED	23	0.00
98 = BLANK (NO ANSWER).....	629	0.07
99 = LEGITIMATE SKIP	6019	0.63

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription stimulants?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

STIMWDSMT¹

Len : 2 HAD 2+ STM WDRAW SYM AT SAME TIME PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	433	0.05
2 = No.....	108	0.01
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
94 = DON'T KNOW	1	0.00
97 = REFUSED	23	0.00
98 = BLANK (NO ANSWER).....	629	0.07
99 = LEGITIMATE SKIP	6122	0.64

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription stimulants?

<u>STIMEMOPB</u> ¹	Len : 2 STM CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	695	0.07
	2 = No.....	5979	0.63
	83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
	85 = BAD DATA Logically assigned.....	16	0.00
	91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
	94 = DON'T KNOW	18	0.00
	97 = REFUSED	18	0.00
	98 = BLANK (NO ANSWER).....	591	0.06

Did you continue to use prescription stimulants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

<u>STIMEMCTD</u> ¹	Len : 2 CONTD TO USE STM DESPITE EMOT PRBS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	436	0.05
	2 = No.....	259	0.03
	83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
	85 = BAD DATA Logically assigned.....	3	0.00
	91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
	97 = REFUSED	18	0.00
	98 = BLANK (NO ANSWER).....	622	0.07
	99 = LEGITIMATE SKIP	5979	0.63

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription stimulants?

<u>STIMPHLPB</u> ¹	Len : 2 ANY PHYS PRBS CAUSED/WORSND BY STM PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	128	0.01
	2 = No.....	6111	0.64
	83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
	85 = BAD DATA Logically assigned.....	14	0.00
	91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
	94 = DON'T KNOW	18	0.00
	97 = REFUSED	17	0.00
	98 = BLANK (NO ANSWER).....	593	0.06
	99 = LEGITIMATE SKIP	436	0.05

Did you continue to use prescription stimulants even though this was causing you to have physical problems?

<u>STIMPHCTD</u> ¹	Len : 2 CONTD TO USE STM DESPITE PHYS PRBS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	43	0.00
	2 = No.....	85	0.01
	83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
	97 = REFUSED	17	0.00
	98 = BLANK (NO ANSWER).....	624	0.07
	99 = LEGITIMATE SKIP	6547	0.69

SUBSTANCE DEPENDENCE AND ABUSE

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription stimulants cause you to give up or spend less time doing these types of important activities?

[STIMLSACT¹](#)

Len : 2 LESS ACTIVITIES B/C OF STM USE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	248	0.03
2 = No.....	6431	0.68
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
94 = DON'T KNOW	15	0.00
97 = REFUSED	16	0.00
98 = BLANK (NO ANSWER).....	591	0.06

Sometimes people who use prescription stimulants have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription stimulants cause you to have serious problems like this either at home, work, or school?

[STIMSERPB¹](#)

Len : 2 STM CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	215	0.02
2 = No.....	6468	0.68
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
94 = DON'T KNOW	12	0.00
97 = REFUSED	15	0.00
98 = BLANK (NO ANSWER).....	591	0.06

During the past 12 months, did you regularly use prescription stimulants and then do something where using prescription stimulants might have put you in physical danger?

[STIMPDANG¹](#)

Len : 2 USING STM AND DO DANGEROUS ACTIVITIES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	172	0.02
2 = No.....	6513	0.69
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
94 = DON'T KNOW	10	0.00
97 = REFUSED	15	0.00
98 = BLANK (NO ANSWER).....	591	0.06

During the past 12 months, did using prescription stimulants cause you to do things that repeatedly got you in trouble with the law?

[STIMLAWTR¹](#)

Len : 2 USING STM CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	65	0.01
2 = No.....	6621	0.70
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
94 = DON'T KNOW	10	0.00
97 = REFUSED	14	0.00
98 = BLANK (NO ANSWER).....	591	0.06

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription stimulants?

<u>STIMFMFPB</u> ¹	Len : 2 USING STM CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	234	0.02
	2 = No.....	6452	0.68
	83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
	85 = BAD DATA Logically assigned.....	16	0.00
	91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
	94 = DON'T KNOW	9	0.00
	97 = REFUSED	15	0.00
	98 = BLANK (NO ANSWER).....	591	0.06

Did you continue to use prescription stimulants even though you thought this caused problems with family or friends?

<u>STIMFMCTD</u> ¹	Len : 2 CONTD TO USE STM DESPITE PRBS W/ FAM/FRNDS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	169	0.02
	2 = No.....	65	0.01
	83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn.....	553	0.06
	85 = BAD DATA Logically assigned.....	3	0.00
	91 = NEVER USED/MISUSED STIMULANTS	214130	22.56
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	4632	0.49
	97 = REFUSED	15	0.00
	98 = BLANK (NO ANSWER).....	613	0.06
	99 = LEGITIMATE SKIP	6452	0.68

Think about your use of prescription sedatives during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription sedatives that you used in a way a doctor did not direct you to.

Earlier the computer recorded that in the past 12 months you used [SVFILL2] in a way a doctor did not direct you to use [SVNUMFILL]?

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription sedatives?

<u>SEDVLOTM</u> ¹	Len : 2 SPENT MONTH/MORE GETTING/USING SED PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	92	0.01
	2 = No.....	1083	0.11
	83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
	85 = BAD DATA Logically assigned.....	11	0.00
	91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
	93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER).....	651	0.07

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription sedatives you used?

<u>SEDVGTOVR</u> ¹	Len : 2 MONTH+ SPENT GETTING OVER SED EFFECTS PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	29	0.00
	2 = No.....	1054	0.11
	83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
	85 = BAD DATA Logically assigned.....	11	0.00
	91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
	93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
	97 = REFUSED	5	0.00
	98 = BLANK (NO ANSWER).....	651	0.07
	99 = LEGITIMATE SKIP	92	0.01

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you try to set limits on how often or how much prescription sedatives you would use?

[SEDRVLIMIT¹](#)

Len : 2 SET LIMITS ON SEDATIVE USE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	284	0.03
2 = No.....	889	0.09
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
85 = BAD DATA Logically assigned.....	11	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
94 = DON'T KNOW	2	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER).....	651	0.07

Were you able to keep to the limits you set, or did you often use prescription sedatives more than you intended to?

[SEDRVKPLMT¹](#)

Len : 2 ABLE TO KEEP LIMITS OR USE MORE SED PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Usually kept to the limits set.....	240	0.03
2 = Often used more than intended.....	43	0.00
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER).....	664	0.07
99 = LEGITIMATE SKIP	889	0.09

During the past 12 months, did you need to use more prescription sedatives than you used to in order to get the effect you wanted?

[SEDRVNDMOR¹](#)

Len : 2 NEEDED MORE SED TO GET SAME EFFECT PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	147	0.02
2 = No.....	1027	0.11
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
85 = BAD DATA Logically assigned.....	11	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
94 = DON'T KNOW	1	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER).....	651	0.07

During the past 12 months, did you notice that using the same amount of prescription sedatives had less effect on you than it used to?

[SEDRVLSFX¹](#)

Len : 2 USING SAME AMT SED HAD LESS EFFECT PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	69	0.01
2 = No.....	956	0.10
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
85 = BAD DATA Logically assigned.....	9	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
94 = DON'T KNOW	3	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER).....	653	0.07
99 = LEGITIMATE SKIP	147	0.02

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you want to or try to cut down or stop using prescription sedatives?

SEDVCUTDN ¹	Len : 2	WANT/TRY TO CUT DOWN/STOP USING SED PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	325	0.03
		2 = No.....	847	0.09
		83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
		85 = BAD DATA Logically assigned.....	11	0.00
		91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
		93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	7	0.00
		98 = BLANK (NO ANSWER).....	651	0.07

During the past 12 months, were you able to cut down or stop using prescription sedatives every time you wanted to or tried to?

SEDVCUTEV ¹	Len : 2	ABLE TO CUT/STOP USING SED EVERY TIME PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	274	0.03
		2 = No.....	50	0.01
		83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
		93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	7	0.00
		98 = BLANK (NO ANSWER).....	662	0.07
		99 = LEGITIMATE SKIP	847	0.09

During the past 12 months, did you cut down or stop using prescription sedatives at least one time?

SEDVCUTIX ¹	Len : 2	CUT DOWN OR STOP USING SED AT LEAST 1X PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	220	0.02
		2 = No.....	673	0.07
		83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
		85 = BAD DATA Logically assigned.....	10	0.00
		91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
		93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
		94 = DON'T KNOW	5	0.00
		97 = REFUSED	8	0.00
		98 = BLANK (NO ANSWER).....	652	0.07
		99 = LEGITIMATE SKIP	274	0.03

SUBSTANCE DEPENDENCE AND ABUSE

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using prescription sedatives?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping or sleeping more than you normally do
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

SEDVWD1SX¹ Len : 2 HAD 2+ SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	128	0.01
2 = No.....	366	0.04
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER).....	664	0.07
99 = LEGITIMATE SKIP	673	0.07

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription sedatives?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping or sleeping more than you normally do
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

SEDVWDSMT¹ Len : 2 HAD 2+ SED WDRAW SYM AT SAME TIME PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	92	0.01
2 = No.....	36	0.00
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER).....	666	0.07
99 = LEGITIMATE SKIP	1039	0.11

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription sedatives?

SEDEVEMOPB¹ Len : 2 SED CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	125	0.01
2 = No.....	1045	0.11
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
85 = BAD DATA Logically assigned.....	11	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
94 = DON'T KNOW	2	0.00
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER).....	651	0.07

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription sedatives even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

[SEDVEMCTD](#)¹

Len : 2 CONTD TO USE SED DESPITE EMOT PRBS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	79	0.01
2 = No.....	46	0.00
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER).....	662	0.07
99 = LEGITIMATE SKIP	1045	0.11

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription sedatives?

[SEDVPHLPB](#)¹

Len : 2 ANY PHYS PRBS CAUSED/WORSND BY SED PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	25	0.00
2 = No.....	1067	0.11
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
85 = BAD DATA Logically assigned.....	10	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
94 = DON'T KNOW	2	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	652	0.07
99 = LEGITIMATE SKIP	79	0.01

Did you continue to use prescription sedatives even though you thought this was causing you to have physical problems?

[SEDVPHCTD](#)¹

Len : 2 CONTD TO USE SED DESPITE PHYS PRBS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	8	0.00
2 = No.....	17	0.00
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	663	0.07
99 = LEGITIMATE SKIP	1146	0.12

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription sedatives cause you to give up or spend less time doing these types of important activities?

[SEDVLSACT](#)¹

Len : 2 LESS ACTIVITIES B/C OF SED USE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	80	0.01
2 = No.....	1090	0.11
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
85 = BAD DATA Logically assigned.....	11	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
94 = DON'T KNOW	2	0.00
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER).....	651	0.07

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use prescription sedatives have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription sedatives cause you to have serious problems like this either at home, work, or school?

[SEDVSRPB](#)¹

Len : 2 SED CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	72	0.01
2 = No.....	1101	0.12
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
85 = BAD DATA Logically assigned.....	11	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	651	0.07

During the past 12 months, did you regularly use prescription sedatives and then do something where using prescription sedatives might have put you in physical danger?

[SEDVPDANG](#)¹

Len : 2 USING SED AND DO DANGEROUS ACTIVITIES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	68	0.01
2 = No.....	1104	0.12
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
85 = BAD DATA Logically assigned.....	11	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
94 = DON'T KNOW	2	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER).....	651	0.07

During the past 12 months, did using prescription sedatives cause you to do things that repeatedly got you in trouble with the law?

[SEDVLAWTR](#)¹

Len : 2 USING SED CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	20	0.00
2 = No.....	1151	0.12
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
85 = BAD DATA Logically assigned.....	11	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
94 = DON'T KNOW	2	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	651	0.07

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription sedatives?

[SEDVFMFPB](#)¹

Len : 2 USING SED CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	68	0.01
2 = No.....	1104	0.12
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
85 = BAD DATA Logically assigned.....	11	0.00
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
94 = DON'T KNOW	3	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER).....	651	0.07

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription sedatives even though you thought this caused problems with family or friends?

[SEDVFMCTD](#)¹

Len : 2 CONTD TO USE SED DESPITE PRBS W/ FAM/FRNDS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	38	0.00
2 = No.....	30	0.00
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	805	0.08
91 = NEVER USED/MISUSED SEDATIVES	220640	23.24
93 = DID NOT MISUSE SEDATIVES PST 12 MOS	3345	0.35
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER).....	665	0.07
99 = LEGITIMATE SKIP	1104	0.12

The next set of variables (through the end of this section) are summary dependence and abuse measures for the drugs and drug families for which trends were broken for recency in the 2015 survey. These drugs / drug families are: hallucinogens, inhalants, methamphetamine, prescription pain relievers, prescription tranquilizers, prescription stimulants, and prescription sedatives. These variables include missing values, while the imputation-revised versions of these variables in which missing values are replaced with valid response categories are described in the "Imputed Substance Dependence and Abuse" section. Analogous versions of these variables for alcohol, marijuana, cocaine, and heroin appear in the "Recoded Substance Dependence and Abuse" section; those variables are presented in that section instead of in this one because they do not have missing values. Instead, respondents with missing values are classified as not having dependence and/or not having abuse. The construction of all dependence and abuse variables is described in more detail in the Recoded Substance Dependence and Abuse Variable Documentation appendix.

[DEPENDHAL](#)

Len : 2 RC-HALLUCINOGEN DEPENDENCE IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	284	0.03
-9 = Data not collected for this year	722653	76.13
0 = No.....	5945	0.63
1 = Yes.....	152	0.02
91 = NEVER USED HALLUCINOGENS	193769	20.41
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS	26482	2.79

[DEPENDINH](#)

Len : 2 RC-INHALANT DEPENDENCE IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	280	0.03
-9 = Data not collected for this year	722653	76.13
0 = No.....	2331	0.25
1 = Yes.....	66	0.01
91 = NEVER USED INHALANTS.....	204026	21.49
93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS	19929	2.10

Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine dependence and abuse. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year dependence or abuse of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered missing for DEPENDMTH and ABUPOSMTH, but were considered past year nonusers for their imputation-revised counterparts.

[DEPENDMTH](#)

Len : 2 RC-METHAMPHETAMINE DEPENDENCE IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	63	0.01
-9 = Data not collected for this year	722653	76.13
0 = No.....	922	0.10
1 = Yes.....	669	0.07
91 = NEVER USED METHAMPHETAMINE.....	216424	22.80
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS.....	8554	0.90

[DEPENDPNR](#)

Len : 2 RC-PRESCRIPTION PAIN RELIEVER DEPENDENCE IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	247	0.03
-9 = Data not collected for this year	722653	76.13
0 = No.....	9484	1.00
1 = Yes.....	1348	0.14
91 = NEVER MISUSED PRESCRIPTION PAIN RELIEVERS.....	202903	21.37
93 = DID NOT MISUSE PRESCRIPTION PAIN RELIEVERS IN PAST 12 MOS	12650	1.33

SUBSTANCE DEPENDENCE AND ABUSE

DEPENDTRQ	Len : 2 RC-PRESCRIPTION TRANQUILIZER DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	. = Missing: Past year use known or imputed	86	0.01
	-9 = Data not collected for this year	722653	76.13
	0 = No.....	5723	0.60
	1 = Yes.....	404	0.04
	91 = NEVER MISUSED PRESCRIPTION TRANQUILIZERS	216284	22.78
	93 = DID NOT MISUSE PRESCRIPTION TRANQUILIZERS IN PAST 12 MOS.....	4135	0.44

DEPENDSTM	Len : 2 RC-PRESCRIPTION STIMULANT DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	. = Missing: Past year use known or imputed	84	0.01
	-9 = Data not collected for this year	722653	76.13
	0 = No.....	6174	0.65
	1 = Yes.....	496	0.05
	91 = NEVER MISUSED PRESCRIPTION STIMULANTS	215202	22.67
	93 = DID NOT MISUSE PRESCRIPTION STIMULANTS IN THE PAST 12 MOS	4676	0.49

DEPENDSED	Len : 2 RC-PRESCRIPTION SEDATIVE DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	. = Missing: Past year use known or imputed	15	0.00
	-9 = Data not collected for this year	722653	76.13
	0 = No.....	1063	0.11
	1 = Yes.....	105	0.01
	91 = NEVER MISUSED PRESCRIPTION SEDATIVES	222052	23.39
	93 = DID NOT MISUSE PRESCRIPTION SEDATIVES IN THE PAST 12 MOS.....	3397	0.36

Please note that these abuse variables are unaffected by whether the respondent was defined with dependence (the DEPENDxxx variables), and therefore they do not follow the 4th edition of the Diagnostic and Statistical Manual of Mental Disorders (DSM-IV). They simply indicate whether the respondent met one or more of the four abuse criteria (i.e., whether they "test positive" for abuse). Details can be found in the Recorded Substance Dependence and Abuse Variable Documentation appendix.

ABUPOSHAL	Len : 2 RC-HALLUCINOGEN ABUSE IN THE PAST YEAR		
		Freq	Pct
	. = Missing: Past year use known or imputed	274	0.03
	-9 = Data not collected for this year	722653	76.13
	0 = No.....	5738	0.60
	1 = Yes.....	369	0.04
	91 = NEVER USED HALLUCINOGENS	193769	20.41
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS	26482	2.79

ABUPOSINH	Len : 2 RC-INHALANT ABUSE IN THE PAST YEAR		
		Freq	Pct
	. = Missing: Past year use known or imputed	256	0.03
	-9 = Data not collected for this year	722653	76.13
	0 = No.....	2274	0.24
	1 = Yes.....	147	0.02
	91 = NEVER USED INHALANTS.....	204026	21.49
	93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS	19929	2.10

Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine dependence and abuse. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year dependence or abuse of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered missing for DEPENDMTH and ABUPOSMTH, but were considered past year nonusers for their imputation-revised counterparts.

ABUPOSMTH	Len : 2 RC-METHAMPHETAMINE ABUSE IN THE PAST YEAR		
		Freq	Pct
	. = Missing: Past year use known or imputed	57	0.01
	-9 = Data not collected for this year	722653	76.13
	0 = No.....	892	0.09
	1 = Yes.....	705	0.07
	91 = NEVER USED METHAMPHETAMINE.....	216424	22.80
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTH.....	8554	0.90

SUBSTANCE DEPENDENCE AND ABUSE

[ABUPOSPNR](#)

Len : 2 RC-PRESCRIPTION PAIN RELIEVER ABUSE IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	197	0.02
-9 = Data not collected for this year	722653	76.13
0 = No.....	9681	1.02
1 = Yes.....	1201	0.13
91 = NEVER MISUSED PRESCRIPTION PAIN RELIEVERS.....	202903	21.37
93 = DID NOT MISUSE PRESCRIPTION PAIN RELIEVERS IN PAST 12 MOS	12650	1.33

[ABUPOSTRQ](#)

Len : 2 RC-PRESCRIPTION TRANQUILIZER ABUSE IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	73	0.01
-9 = Data not collected for this year	722653	76.13
0 = No.....	5518	0.58
1 = Yes.....	622	0.07
91 = NEVER MISUSED PRESCRIPTION TRANQUILIZERS	216284	22.78
93 = DID NOT MISUSE PRESCRIPTION TRANQUILIZERS IN PAST 12 MOS.....	4135	0.44

[ABUPOSSTM](#)

Len : 2 RC-PRESCRIPTION STIMULANT ABUSE IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	74	0.01
-9 = Data not collected for this year	722653	76.13
0 = No.....	6314	0.67
1 = Yes.....	366	0.04
91 = NEVER MISUSED PRESCRIPTION STIMULANTS	215202	22.67
93 = DID NOT MISUSE PRESCRIPTION STIMULANTS IN THE PAST 12 MOS	4676	0.49

[ABUPOSSED](#)

Len : 2 RC-PRESCRIPTION SEDATIVE ABUSE IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	14	0.00
-9 = Data not collected for this year	722653	76.13
0 = No.....	1049	0.11
1 = Yes.....	120	0.01
91 = NEVER MISUSED PRESCRIPTION SEDATIVES.....	222052	23.39
93 = DID NOT MISUSE PRESCRIPTION SEDATIVES IN THE PAST 12 MOS.....	3397	0.36

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

NOTE: The following 17 variables are the imputation-revised versions of the nicotine dependence variables that make up the Nicotine Dependence Syndrome Scale (NDSS). Missing values were only imputed if only one of the 17 variables had a missing value. Users should note that the imputed values for these variables are predicted values from regression models. These predicted values are not integers, and do not correspond directly to the integer responses from the questionnaire. It would be advisable to make the necessary adjustments (such as rounding or otherwise making the non-integer values into integers) when doing cross-tabulations.

IRCGIRTB

Len : 12 NEED TO SMOKE TO FEEL LESS IRRITABLE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 5.....	221457	23.33
85 = BAD DATA.....	17	0.00
91 = NEVER USED.....	443665	46.74
93 = DID NOT USE CIGARETTES PAST MONTH.....	283036	29.82
94 = DON'T KNOW.....	358	0.04
97 = REFUSED.....	193	0.02
98 = BLANK/ DID NOT ANSWER.....	559	0.06

IICGIRTB

Len : 2 NEED TO SMOKE TO FEEL LESS IRRITABLE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	221215	23.30
2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	17	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	242	0.03
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	726701	76.55
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	1110	0.12

IRCGCRV

Len : 12 CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS - IMPUTATION REVISED

	Freq	Pct
RANGE = 0.9478157963 - 5.....	221573	23.34
85 = BAD DATA.....	17	0.00
91 = NEVER USED.....	443665	46.74
93 = DID NOT USE CIGARETTES PAST MONTH.....	283036	29.82
94 = DON'T KNOW.....	252	0.03
97 = REFUSED.....	182	0.02
98 = BLANK/ DID NOT ANSWER.....	560	0.06

IICGCRV

Len : 2 CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS - IMP IND

	Freq	Pct
1 = Questionnaire data.....	221545	23.34
2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	17	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	28	0.00
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	726701	76.55
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	994	0.10

IRCGCRGP

Len : 12 CRAVINGS OF CIGS LIKE FORCE CAN'T CNTRL - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 5.....	221518	23.34
85 = BAD DATA.....	17	0.00
91 = NEVER USED.....	443665	46.74
93 = DID NOT USE CIGARETTES PAST MONTH.....	283036	29.82
94 = DON'T KNOW.....	294	0.03
97 = REFUSED.....	195	0.02
98 = BLANK/ DID NOT ANSWER.....	560	0.06

IICGCRGP

Len : 2 CRAVINGS OF CIGS LIKE FORCE CAN'T CNTRL - IMP IND

	Freq	Pct
1 = Questionnaire data.....	221455	23.33
2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	17	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	63	0.01
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	726701	76.55
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	1049	0.11

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IRCGNCTL

Len : 12 FEEL A SENSE OF CNTRL OVER SMOKING - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 5.....	221468	23.33
85 = BAD DATA.....	17	0.00
91 = NEVER USED.....	443665	46.74
93 = DID NOT USE CIGARETTES PAST MONTH.....	283036	29.82
94 = DON'T KNOW.....	328	0.03
97 = REFUSED.....	211	0.02
98 = BLANK/ DID NOT ANSWER.....	560	0.06

IICGNCTL

Len : 2 FEEL A SENSE OF CNTRL OVER SMOKING - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	221355	23.32
2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	17	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	113	0.01
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	726701	76.55
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	1099	0.12

IRCGAVD

Len : 12 TEND TO AVOID PLACES DON'T ALLOW SMOKING - IMP REV

	Freq	Pct
RANGE = 1 - 5.....	221343	23.32
85 = BAD DATA.....	17	0.00
91 = NEVER USED.....	443665	46.74
93 = DID NOT USE CIGARETTES PAST MONTH.....	283036	29.82
94 = DON'T KNOW.....	444	0.05
97 = REFUSED.....	220	0.02
98 = BLANK/ DID NOT ANSWER.....	560	0.06

IICGAVD

Len : 2 TEND TO AVOID PLACES DON'T ALLOW SMOKING - IMP IND

	Freq	Pct
1 = Questionnaire data.....	221062	23.29
2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	17	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	281	0.03
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	726701	76.55
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	1224	0.13

IRCGPLN

Len : 12 NO TRAVEL BY AIRPLANE B/C NO SMOKING - IMPUTATION REVISED

	Freq	Pct
RANGE = 0.7332307667 - 5.....	221439	23.33
85 = BAD DATA.....	17	0.00
91 = NEVER USED.....	443665	46.74
93 = DID NOT USE CIGARETTES PAST MONTH.....	283036	29.82
94 = DON'T KNOW.....	342	0.04
97 = REFUSED.....	225	0.02
98 = BLANK/ DID NOT ANSWER.....	561	0.06

IICGPLN

Len : 2 NO TRAVEL BY AIRPLANE B/C NO SMOKING - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	221100	23.29
2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	17	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	339	0.04
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	726701	76.55
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	1128	0.12

IRCGROUT

Len : 12 WORRY THAT YOU WILL RUN OUT OF CIGS - IMPUTATION REVISED

	Freq	Pct
RANGE = 0.8572766252 - 5.....	221588	23.34
85 = BAD DATA.....	17	0.00
91 = NEVER USED.....	443665	46.74
93 = DID NOT USE CIGARETTES PAST MONTH.....	283036	29.82
94 = DON'T KNOW.....	221	0.02
97 = REFUSED.....	196	0.02
98 = BLANK/ DID NOT ANSWER.....	562	0.06

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IICGROUT

Len : 2 WORRY THAT YOU WILL RUN OUT OF CIGS - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	221568	23.34
2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	17	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	20	0.00
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	726701	76.55
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	979	0.10

IRCGRGDY

Len : 12 SMOKE CIGS REGULARLY THROUGH DAY - IMPUTATION REVISED

	Freq	Pct
RANGE = 0.7421446555 - 5	221589	23.34
85 = BAD DATA.....	17	0.00
91 = NEVER USED.....	443665	46.74
93 = DID NOT USE CIGARETTES PAST MONTH.....	283036	29.82
94 = DON'T KNOW	203	0.02
97 = REFUSED	213	0.02
98 = BLANK/ DID NOT ANSWER	562	0.06

IICGRGDY

Len : 2 SMOKE CIGS REGULARLY THROUGH DAY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	221569	23.34
2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	17	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	20	0.00
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	726701	76.55
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	978	0.10

IRCGRGWK

Len : 12 SMOKE SAME ON WEEKENDS AND WEEKDAYS - IMPUTATION REVISED

	Freq	Pct
RANGE = 0.9783341594 - 5	221392	23.32
85 = BAD DATA.....	17	0.00
91 = NEVER USED.....	443665	46.74
93 = DID NOT USE CIGARETTES PAST MONTH.....	283036	29.82
94 = DON'T KNOW	362	0.04
97 = REFUSED	251	0.03
98 = BLANK/ DID NOT ANSWER	562	0.06

IICGRGWK

Len : 2 SMOKE SAME ON WEEKENDS AND WEEKDAYS - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	221265	23.31
2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	17	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	127	0.01
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	726701	76.55
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1175	0.12

IICGRGNM

Len : 12 SMOKE SAME # OF CIGS FROM DAY TO DAY - IMPUTATION REVISED

	Freq	Pct
RANGE = 0.8693181775 - 5	221396	23.32
85 = BAD DATA.....	17	0.00
91 = NEVER USED.....	443665	46.74
93 = DID NOT USE CIGARETTES PAST MONTH.....	283036	29.82
94 = DON'T KNOW	342	0.04
97 = REFUSED	267	0.03
98 = BLANK/ DID NOT ANSWER	562	0.06

IICGRGNM

Len : 2 SMOKE SAME # OF CIGS FROM DAY TO DAY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	221297	23.31
2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	17	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	99	0.01
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	726701	76.55
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1171	0.12

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IRCGNCG

Len : 12 # CIGS SMOKE PER DAY OFTEN CHANGES - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 5.....	221276	23.31
85 = BAD DATA.....	17	0.00
91 = NEVER USED.....	443665	46.74
93 = DID NOT USE CIGARETTES PAST MONTH.....	283036	29.82
94 = DON'T KNOW.....	424	0.04
97 = REFUSED.....	305	0.03
98 = BLANK/ DID NOT ANSWER.....	562	0.06

IICGNCG

Len : 2 # CIGS SMOKE PER DAY OFTEN CHANGES - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	221124	23.29
2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	17	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	152	0.02
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	726701	76.55
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	1291	0.14

IRCGSLHR

Len : 12 HAVE LOT CIGS IN HR, NO CIGS TIL LATER - IMPUTATION REVISED

	Freq	Pct
RANGE = 0.9097778459 - 5.....	221184	23.30
85 = BAD DATA.....	17	0.00
91 = NEVER USED.....	443665	46.74
93 = DID NOT USE CIGARETTES PAST MONTH.....	283036	29.82
94 = DON'T KNOW.....	491	0.05
97 = REFUSED.....	330	0.03
98 = BLANK/ DID NOT ANSWER.....	562	0.06

IICGSLHR

Len : 2 HAVE LOT CIGS IN HR, NO CIGS TIL LATER -IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	220926	23.27
2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	17	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	258	0.03
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	726701	76.55
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	1383	0.15

IRCGINFL

Len : 12 # CIGS SMOKE A DAY INFLU BY OTH THINGS - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 5.4834387735.....	221213	23.30
85 = BAD DATA.....	17	0.00
91 = NEVER USED.....	443665	46.74
93 = DID NOT USE CIGARETTES PAST MONTH.....	283036	29.82
94 = DON'T KNOW.....	465	0.05
97 = REFUSED.....	326	0.03
98 = BLANK/ DID NOT ANSWER.....	563	0.06

IICGINFL

Len : 2 # CIGS SMOKE A DAY INFLU BY OTH THINGS - IMP IND

	Freq	Pct
1 = Questionnaire data.....	221125	23.29
2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	17	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	88	0.01
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	726701	76.55
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	1354	0.14

IRCGNINF

Len : 12 SMOKING NOT AFFECTED BY OTH THINGS - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 5.....	221086	23.29
85 = BAD DATA.....	17	0.00
91 = NEVER USED.....	443665	46.74
93 = DID NOT USE CIGARETTES PAST MONTH.....	283036	29.82
94 = DON'T KNOW.....	557	0.06
97 = REFUSED.....	361	0.04
98 = BLANK/ DID NOT ANSWER.....	563	0.06

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

[IICGNINF](#)

Len : 2 SMOKING NOT AFFECTED BY OTH THINGS - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	220903	23.27
2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	17	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	183	0.02
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	726701	76.55
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1481	0.16

[IRCGINCR](#)

Len : 12 AMT OF SMOKING INCR. SINCE START SMOKING - IMP REV

	Freq	Pct
RANGE = 0.9633297384 - 5	221370	23.32
85 = BAD DATA.....	17	0.00
91 = NEVER USED.....	443665	46.74
93 = DID NOT USE CIGARETTES PAST MONTH.....	283036	29.82
94 = DON'T KNOW	331	0.03
97 = REFUSED	303	0.03
98 = BLANK/ DID NOT ANSWER	563	0.06

[IICGINCR](#)

Len : 2 AMT OF SMOKING INCR. SINCE START SMOKING - IMP IND

	Freq	Pct
1 = Questionnaire data.....	221287	23.31
2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	17	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	83	0.01
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	726701	76.55
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1197	0.13

[IICGSAT](#)

Len : 12 NEED TO SMOKE A LOT MORE TO BE SATISFIED - IMP REV

	Freq	Pct
RANGE = 0.7829261033 - 5	221368	23.32
85 = BAD DATA.....	17	0.00
91 = NEVER USED.....	443665	46.74
93 = DID NOT USE CIGARETTES PAST MONTH.....	283036	29.82
94 = DON'T KNOW	326	0.03
97 = REFUSED	310	0.03
98 = BLANK/ DID NOT ANSWER	563	0.06

[IICGSAT](#)

Len : 2 NEED TO SMOKE A LOT MORE TO BE SATISFIED - IMP IND

	Freq	Pct
1 = Questionnaire data.....	221311	23.31
2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	17	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	57	0.01
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	726701	76.55
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1199	0.13

[IICGLMR](#)

Len : 12 SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING - IMP REV

	Freq	Pct
RANGE = 0.9249015017 - 5	221145	23.30
85 = BAD DATA.....	17	0.00
91 = NEVER USED.....	443665	46.74
93 = DID NOT USE CIGARETTES PAST MONTH.....	283036	29.82
94 = DON'T KNOW	514	0.05
97 = REFUSED	345	0.04
98 = BLANK/ DID NOT ANSWER	563	0.06

[IICGLMR](#)

Len : 2 SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING - IMP IND

	Freq	Pct
1 = Questionnaire data.....	220599	23.24
2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	17	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	546	0.06
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	726701	76.55
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1422	0.15

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

The next set of variables (through the end of this section) are imputation-revised summary dependence and abuse measures for the drugs and drug families for which trends were broken for recency in the 2015 survey. These drugs / drug families are: hallucinogens, inhalants, methamphetamine, prescription pain relievers, prescription tranquilizers, prescription stimulants, and prescription sedatives. The analogous versions of these variables that include missing values are described in the "Substance Dependence and Abuse" section. Analogous versions of these variables for alcohol, marijuana, cocaine, and heroin appear in the "Recoded Substance Dependence and Abuse" section; those variables are presented in that section instead of in this one because respondents with missing values are classified as not having dependence and/or not having abuse. The construction of all dependence and abuse variables is described in more detail in the Recoded Substance Dependence and Abuse Variable Documentation appendix.

IRDEPENDHAL Len : 2 HALLUCINOGEN DEPENDENCE IN THE PAST YEAR - IMP REV

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No.....	6214	0.65
1 = Yes.....	167	0.02
91 = NEVER USED HALLUCINOGENS	193769	20.41
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS	26482	2.79

IDEPENDHAL Len : 2 HALLUCINOGEN DEPENDENCE IN THE PAST YEAR - IMP IND

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	6097	0.64
3 = Statistically imputed data.....	284	0.03
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	220251	23.20

IRDEPENDINH Len : 2 INHALANT DEPENDENCE IN THE PAST YEAR - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No.....	2599	0.27
1 = Yes.....	78	0.01
91 = NEVER USED INHALANTS.....	204026	21.49
93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS	19929	2.10

IDEPENDINH Len : 2 INHALANT DEPENDENCE IN THE PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	2397	0.25
3 = Statistically imputed data.....	280	0.03
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	223955	23.59

Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine dependence and abuse. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year dependence or abuse of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

IRDEPENDMTH Len : 2 METHAMPHETAMINE DEPENDENCE IN THE PAST YEAR - IMP REV

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No.....	952	0.10
1 = Yes.....	685	0.07
91 = NEVER USED METHAMPHETAMINE.....	216424	22.80
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS.....	8571	0.90

IDEPENDMTH Len : 2 METHAMPHETAMINE DEPENDENCE IN THE PAST YEAR - IMP IND

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Questionnaire data.....	1591	0.17
3 = Statistically imputed data: past year user of meth.....	46	0.00
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	224995	23.70

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IRDEPENDPNR	Len : 2 PRESCRIP PAIN RELIEVER DEPENDENCE IN THE PAST YEAR - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No	9705	1.02
	1 = Yes.....	1374	0.14
	91 = NEVER MISUSED PRESCRIPTION PAIN RELIEVERS	202903	21.37
	93 = DID NOT MISUSE PRESCRIPTION PAIN RELIEVERS IN PAST 12 MOS	12650	1.33
IDEPENDPNR	Len : 2 PRESCRIP PAIN RELIEVER DEPENDENCE IN PAST YR - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	10832	1.14
	3 = Statistically imputed data.....	247	0.03
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER	215553	22.71
IRDEPENDTRQ	Len : 2 PRESCRIP TRANQUILIZER DEPENDENCE IN PAST YEAR - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No	5801	0.61
	1 = Yes.....	412	0.04
	91 = NEVER MISUSED PRESCRIPTION TRANQUILIZERS	216284	22.78
	93 = DID NOT MISUSE PRESCRIPTION TRANQUILIZERS IN PAST 12 MOS.....	4135	0.44
IDEPENDTRQ	Len : 2 PRESCRIP TRANQUILIZER DEPENDENCE IN PAST YR - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	6127	0.65
	3 = Statistically imputed data.....	86	0.01
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER	220419	23.22
IRDEPENDSTM	Len : 2 PRESCRIP STIMULANT DEPENDENCE IN PAST YEAR - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No	6250	0.66
	1 = Yes.....	504	0.05
	91 = NEVER MISUSED PRESCRIPTION STIMULANTS	215202	22.67
	93 = DID NOT MISUSE PRESCRIPTION STIMULANTS IN THE PAST 12 MOS	4676	0.49
IDEPENDSTM	Len : 2 PRESCRIP STIMULANT DEPENDENCE IN PAST YEAR - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	6670	0.70
	3 = Statistically imputed data.....	84	0.01
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER	219878	23.16
IRDEPENDSED	Len : 2 PRESCRIP SEDATIVE DEPENDENCE IN PAST YEAR - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No	1073	0.11
	1 = Yes.....	110	0.01
	91 = NEVER MISUSED PRESCRIPTION SEDATIVES	222052	23.39
	93 = DID NOT MISUSE PRESCRIPTION SEDATIVES IN THE PAST 12 MOS.....	3397	0.36
IDEPENDSED	Len : 2 PRESCRIP SEDATIVE DEPENDENCE IN PAST YEAR - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	1168	0.12
	3 = Statistically imputed data.....	15	0.00
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER	225449	23.75

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

Please note that these abuse variables are unaffected by whether the respondent was defined with dependence (the IRDEPENDxxx variables), and therefore they do not follow the 4th edition of the Diagnostic and Statistical Manual of Mental Disorders (DSM-IV). They simply indicate whether the respondent met one or more of the four abuse criteria (i.e., whether they "test positive" for abuse). Details can be found in the Recorded Substance Dependence and Abuse Variable Documentation appendix.

<u>IRABUPOSHAL</u>	Len : 2	HALLUCINOGEN ABUSE IN THE PAST YEAR - IMPUTATION REVISED		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No.....	5988	0.63
		1 = Yes.....	393	0.04
		91 = NEVER USED HALLUCINOGENS	193769	20.41
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS	26482	2.79

<u>IIABUPOSHAL</u>	Len : 2	HALLUCINOGEN ABUSE IN THE PAST YEAR - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Questionnaire data.....	6107	0.64
		3 = Statistically imputed data.....	274	0.03
		9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	220251	23.20

<u>IRABUPOSINH</u>	Len : 2	INHALANT ABUSE IN THE PAST YEAR - IMPUTATION REVISED		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No.....	2507	0.26
		1 = Yes.....	170	0.02
		91 = NEVER USED INHALANTS.....	204026	21.49
		93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS	19929	2.10

<u>IIABUPOSINH</u>	Len : 2	INHALANT ABUSE IN THE PAST YEAR - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Questionnaire data.....	2421	0.26
		3 = Statistically imputed data.....	256	0.03
		9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	223955	23.59

Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine dependence and abuse. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year dependence or abuse of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

<u>IRABUPOSMTH</u>	Len : 2	METHAMPHETAMINE ABUSE IN THE PAST YEAR - IMPUTATION REVISED		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No.....	916	0.10
		1 = Yes.....	721	0.08
		91 = NEVER USED METHAMPHETAMINE.....	216424	22.80
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS.....	8571	0.90

<u>IIABUPOSMTH</u>	Len : 2	METHAMPHETAMINE ABUSE IN THE PAST YEAR - IMP IND		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Questionnaire data.....	1597	0.17
		3 = Statistically imputed data: past year user of meth.....	40	0.00
		9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	224995	23.70

<u>IRABUPOSPNR</u>	Len : 2	PRESCRIP PAIN RELIEVER ABUSE IN PAST YEAR - IMP REV		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No.....	9849	1.04
		1 = Yes.....	1230	0.13
		91 = NEVER MISUSED PRESCRIPTION PAIN RELIEVERS.....	202903	21.37
		93 = DID NOT MISUSE PRESCRIPTION PAIN RELIEVERS IN PAST 12 MOS	12650	1.33

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

<u>IIABUPOSPNR</u>	Len : 2 PRESCRIP PAIN RELIEVER ABUSE IN PAST YEAR - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	10882	1.15
	3 = Statistically imputed data.....	197	0.02
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER	215553	22.71
<u>IRABUPOSTRQ</u>	Len : 2 PRESCRIP TRANQUILIZER ABUSE IN PAST YEAR - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No.....	5584	0.59
	1 = Yes.....	629	0.07
	91 = NEVER MISUSED PRESCRIPTION TRANQUILIZERS	216284	22.78
	93 = DID NOT MISUSE PRESCRIPTION TRANQUILIZERS IN PAST 12 MOS.....	4135	0.44
<u>IIABUPOSTRQ</u>	Len : 2 PRESCRIP TRANQUILIZER ABUSE IN THE PAST YEAR - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	6140	0.65
	3 = Statistically imputed data.....	73	0.01
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER	220419	23.22
<u>IRABUPOSSTM</u>	Len : 2 PRESCRIPTION STIMULANT ABUSE IN THE PAST YEAR - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No.....	6381	0.67
	1 = Yes.....	373	0.04
	91 = NEVER MISUSED PRESCRIPTION STIMULANTS	215202	22.67
	93 = DID NOT MISUSE PRESCRIPTION STIMULANTS IN THE PAST 12 MOS	4676	0.49
<u>IIABUPOSSTM</u>	Len : 2 PRESCRIP STIMULANT ABUSE IN THE PAST YEAR - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	6680	0.70
	3 = Statistically imputed data.....	74	0.01
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER	219878	23.16
<u>IRABUPOSSED</u>	Len : 2 PRESCRIPTION SEDATIVE ABUSE IN THE PAST YEAR - IMP REV		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No.....	1061	0.11
	1 = Yes.....	122	0.01
	91 = NEVER MISUSED PRESCRIPTION SEDATIVES	222052	23.39
	93 = DID NOT MISUSE PRESCRIPTION SEDATIVES IN THE PAST 12 MOS.....	3397	0.36
<u>IIABUPOSSED</u>	Len : 2 PRESCRIPTION SEDATIVE ABUSE IN THE PAST YEAR - IMP IND		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Questionnaire data.....	1169	0.12
	3 = Statistically imputed data.....	14	0.00
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER	225449	23.75

RECODED SUBSTANCE DEPENDENCE AND ABUSE

RECODED SUBSTANCE DEPENDENCE AND ABUSE

DEPNDANL

Len : 1 PAIN RELIEVER DEPENDENCE IN THE PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	717308	75.56
1 = Yes (See comment above DEPNDALC).....	5345	0.56

A respondent was defined with dependence on hallucinogens, DEPNDHAL, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on hallucinogens and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2007 skip logic (HALDAFLG=98). Respondents who only reported hallucinogen dependence based on the Special Drugs module questions added in 2008 were defined as not having dependence on hallucinogens. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

DEPNDHAL

Len : 1 HALLUCINOGEN DEPENDENCE IN THE PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	721755	76.03
1 = Yes (See comment above)	898	0.09

DEPNDINH

Len : 1 INHALANT DEPENDENCE IN THE PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	722236	76.08
1 = Yes (See comment above DEPNDALC).....	417	0.04

A respondent was defined with dependence on sedatives, DEPNDSED, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on sedatives and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2007 skip logic (SEDDAFLG=98). Respondents who only reported sedative dependence based on the Special Drugs module questions added in 2008 were defined as not having dependence on sedatives. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

DEPNDSED

Len : 1 SEDATIVE DEPENDENCE IN THE PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	722307	76.09
1 = Yes (See comment above)	346	0.04

A respondent was defined with dependence on stimulants, DEPNDSTM, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on stimulants and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2004 skip logic (STMDAFLG=98). Respondents who only reported stimulant dependence based on the Special Drugs module questions added in 2005, 2006, and 2008 were defined as not having dependence on stimulants. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

DEPNDSTM

Len : 1 STIMULANT DEPENDENCE IN THE PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	721274	75.98
1 = Yes (See comment above)	1379	0.15

DEPNDTRN

Len : 1 TRANQUILIZER DEPENDENCE IN THE PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	721721	76.03
1 = Yes (See comment above DEPNDALC).....	932	0.10

A respondent was defined as having illicit drug dependence, DEPNDILL=1, if the respondent was classified as dependent (see dependence criteria listed above DEPNDALC) on any of these following substances: marijuana (DEPNDRMJ), hallucinogens (DEPNDHAL), inhalants (DEPNDINH), tranquilizers (DEPNDTRN), cocaine (DEPNDCCOC), heroin (DEPNDRHER), pain relievers (DEPNDANL), stimulants (DEPNDSTM), or sedatives (DEPNDSED).

DEPNDILL

Len : 1 ILLICIT DRUG DEPENDENCE IN THE PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	699677	73.71
1 = Yes (Any source variable listed above=1).....	22976	2.42

RECODED SUBSTANCE DEPENDENCE AND ABUSE

A respondent was defined with dependence on any illicit drug other than marijuana, DEPNDIEM=1, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on any one of these following substances: hallucinogens (DEPNDHAL), inhalants (DEPNDINH), tranquilizers (DEPNDTRN), cocaine (DEPNDcoc), heroin (DEPNDHER), pain relievers (DEPNDANL), stimulants (DEPNDSTM), or sedatives (DEPNSED). A respondent's marijuana dependency status is not considered in the creation of this variable.

<u>DEPNDIEM</u>	Len : 1	ILLICIT DRUG OTHER THAN MARIJUANA DEP IN PAST YR		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		0 = No/Unknown (Otherwise).....	712395	75.05
		1 = Yes (Any source variable listed above=1).....	10258	1.08

A respondent was defined with dependence on any illicit drug excluding marijuana and not dependent on marijuana, DEPNDXMJ=1, if the respondent was classified as being not marijuana dependent (DEPNDMRJ=0), but being dependent (see dependence criteria listed above DEPNDALC) on any one of these following substances: hallucinogens (DEPNDHAL), inhalants (DEPNDINH), tranquilizers (DEPNDTRN), cocaine (DEPNDcoc), heroin (DEPNDHER), pain relievers (DEPNDANL), stimulants (DEPNDSTM), or sedatives (DEPNSED).

<u>DEPNDXMJ</u>	Len : 1	ILLICIT DRUG EXCLUDING MARIJUANA DEP IN PAST YR		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		0 = No/Unknown (Otherwise).....	714559	75.27
		1 = Yes (DEPNDMRJ=0 & any other source variable=1).....	8094	0.85

<u>DEPNDPsy</u>	Len : 1	PSYCHOTHERAPEUTIC DEPENDENCE IN THE PAST YR		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		0 = No/Unknown (Otherwise).....	715943	75.42
		1 = Yes (DEPNDTRN, DEPNDANL, DEPNDSTM, or DEPNDSED=1).....	6710	0.71

<u>DPILLALC</u>	Len : 1	ILLICIT DRUG OR ALCOHOL DEPENDENCE IN PAST YR		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		0 = No/Unknown (DEPNDILL=0 and DEPNDALC=0)	676192	71.23
		1 = Yes (DEPNDILL=1 or DEPNDALC=1).....	46461	4.89

<u>DPILANAL</u>	Len : 1	ILLICIT DRUG AND ALCOHOL DEPENDENCE IN PAST YR		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		0 = No/Unknown (DEPNDILL=0 or DEPNDALC=0)	716643	75.49
		1 = Yes (DEPNDILL=1 and DEPNDALC=1)	6010	0.63

<u>ABUSEANL</u>	Len : 1	PRESCRIPTION PAIN RELIEVER ABUSE - PAST YEAR		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		0 = No/Unknown (Otherwise).....	720336	75.88
		1 = Yes (Any one of above criteria and DEPNDANL=0)	2317	0.24

A respondent was defined with abuse of hallucinogens, ABUSEHAL, if the respondent was classified as abusing (see criteria listed above ABUSEALC) hallucinogens and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2007 skip logic (HALDAFLG=98). Respondents who only reported abusing hallucinogens based on the Special Drugs module questions added in 2008 were defined as not abusing hallucinogens. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

<u>ABUSEHAL</u>	Len : 1	HALLUCINOGEN ABUSE - PAST YEAR		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		0 = No/Unknown (Otherwise).....	721203	75.97
		1 = Yes (Any one of above criteria and DEPNDHAL=0)	1450	0.15

<u>ABUSEINH</u>	Len : 1	INHALANT ABUSE - PAST YEAR		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		0 = No/Unknown (Otherwise).....	721808	76.04
		1 = Yes (Any one of above criteria and DEPNDINH=0)	845	0.09

RECODED SUBSTANCE DEPENDENCE AND ABUSE

A respondent was defined with abuse of sedatives, ABUSESED, if the respondent was classified as abusing (see criteria listed above ABUSEALC) sedatives and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2007 skip logic (SEDDAFLG=98). Respondents who only reported abusing sedatives based on the Special Drugs module questions added in 2008 were defined as not abusing sedatives. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

<u>ABUSESED</u>	Len : 1 SEDATIVE ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722467	76.11
	1 = Yes (Any one of above criteria and DEPNDSED=0).....	186	0.02

A respondent was defined with abuse of stimulants, ABUSESTM, if the respondent was classified as abusing (see criteria listed above ABUSEALC) stimulants and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2004 skip logic (STMDAFLG=98). Respondents who only reported abusing stimulants based on the Special Drugs module questions added in 2005, 2006, and 2008 were defined as not abusing stimulants. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

<u>ABUSESTM</u>	Len : 1 STIMULANT ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722020	76.06
	1 = Yes (Any one of above criteria and DEPNDSTM=0)	633	0.07

<u>ABUSETRN</u>	Len : 1 TRANQUILIZER ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721537	76.01
	1 = Yes (Any one of above criteria and DEPNDTRN=0).....	1116	0.12

Any illicit drug abuse, ABUSEILL, is defined as abusing (see abuse criteria listed above ABUSEALC) any of the following substances: marijuana (ABUSEMRJ), hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED).

<u>ABUSEILL</u>	Len : 1 ILLICIT DRUG ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	710571	74.85
	1 = Yes (Any source variable above=1 & DEPNDILL=0)	12082	1.27

Any illicit drug abuse other than marijuana abuse, ABUSEIEM, is defined as abusing (see abuse criteria listed above ABUSEALC) any one of the following illicit drugs: hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED). A respondent's marijuana abuse status is not considered in the creation of this variable.

<u>ABUSEIEM</u>	Len : 1 ILLICIT DRUG OTHER THAN MARIJUANA ABUSE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	717407	75.57
	1 = Yes (Any source variable above=1 & DEPNDIEM=0).....	5246	0.55

Any illicit drug excluding marijuana abuse, ABUSEXMJ, is defined as not abusing marijuana (ABUSEMRJ=0), but abusing (see abuse criteria listed above ABUSEALC) any one of the following illicit drugs: hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED).

<u>ABUSEXMJ</u>	Len : 1 ILLICIT DRUG EXCLUDING MARIJUANA ABUSE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	717712	75.61
	1 = Yes (Any above var=1 & ABUSEMRJ=0 & DEPNDXMJ=0)	4941	0.52

RECODED SUBSTANCE DEPENDENCE AND ABUSE

Non-medical prescription psychotherapeutic drug abuse, ABUSEPSY, is defined as abusing (see abuse criteria listed above ABUSEALC) any one of the following drugs: pain relievers (ABUSEANL), tranquilizers (ABUSETRN), stimulants (ABUSESTM), or sedatives (ABUSESED).

<u>ABUSEPSY</u>	Len : 1 NON-MEDICAL PSYCHOTHERAPEUTIC DRUG ABUSE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	719551	75.80
	1 = Yes (Any source variable above=1 & DEPNDPSY=0).....	3102	0.33
<u>ABILLALC</u>	Len : 1 ILLICIT DRUG OR ALCOHOL ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (ABUSEILL=0 and ABUSEALC=0)	675032	71.11
	1 = Yes (ABUSEILL=1 or ABUSEALC=1)	47621	5.02
<u>ABILANAL</u>	Len : 1 ILLICIT DRUG AND ALCOHOL ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	719344	75.78
	1 = Yes (ABUSEILL=1 & ABUSEALC=1 & DPILLALC=0).....	3309	0.35
<u>ABODANL</u>	Len : 1 PAIN RELIEVER ABUSE OR DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (ABUSEANL=0 and DEPNDANL=0)	714991	75.32
	1 = Yes (ABUSEANL=1 or DEPNDANL=1).....	7662	0.81
<u>ABODHAL</u>	Len : 1 HALLUCINOGEN ABUSE OR DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (ABUSEHAL=0 and DEPNDHAL=0)	720305	75.88
	1 = Yes (ABUSEHAL=1 or DEPNDHAL=1).....	2348	0.25
<u>ABODINH</u>	Len : 1 INHALANT ABUSE OR DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (ABUSEINH=0 and DEPNDINH=0)	721391	75.99
	1 = Yes (ABUSEINH=1 or DEPNDINH=1).....	1262	0.13
<u>ABODSED</u>	Len : 1 SEDATIVE ABUSE OR DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (ABUSESED=0 and DEPNDSED=0)	722121	76.07
	1 = Yes (ABUSESED=1 or DEPNDSED=1)	532	0.06
<u>ABODSTM</u>	Len : 1 STIMULANT ABUSE OR DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (ABUSESTM=0 and DEPNDSTM=0)	720641	75.91
	1 = Yes (ABUSESTM=1 or DEPNDSTM=1).....	2012	0.21
<u>ABODTRN</u>	Len : 1 TRANQUILIZER ABUSE OR DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (ABUSETRN=0 and DEPNDTRN=0).....	720605	75.91
	1 = Yes (ABUSETRN=1 or DEPNDTRN=1)	2048	0.22
<u>ABODILL</u>	Len : 1 ILLICIT DRUG ABUSE OR DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (ABUSEILL=0 and DEPNDILL=0).....	687595	72.43
	1 = Yes (ABUSEILL=1 or DEPNDILL=1)	35058	3.69

RECODED SUBSTANCE DEPENDENCE AND ABUSE

ABODIEM

Len : 1 ILLICIT DRUG OTHER THAN MRJ ABUSE OR DEP - PST YR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (ABUSEIEM=0 and DEPNDIEM=0).....	707149	74.49
1 = Yes (ABUSEIEM=1 or DEPNDIEM=1)	15504	1.63

ABODPSY

Len : 1 PSYCHOTHERAPEUTIC ABUSE OR DEPENDENCE - PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (ABUSEPSY=0 and DEPNDPSY=0).....	712841	75.09
1 = Yes (ABUSEPSY=1 or DEPNDPSY=1)	9812	1.03

ABODILAL

Len : 1 ILLICIT DRUG OR ALCOHOL ABUSE OR DEP - PST YR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (ABILLALC=0 and DPILLALC=0).....	635004	66.89
1 = Yes (ABILLALC=1 or DPILLALC=1)	87649	9.23

ABDILAAAL

Len : 1 ILLICIT DRUG AND ALCOHOL ABUSE OR DEP - PST YR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (ABODILL=0 or ABODALC=0).....	706901	74.47
1 = Yes (ABODILL=1 and ABODALC=1)	15752	1.66

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Substance Dependence and Abuse or Imputed Substance Dependence and Abuse.

NOTE: The following recoded dependence variables were defined based on the dependence criteria according to the Nicotine Dependence Syndrome Scale (NDSS) and the Fagerstrom Test of Nicotine Dependence (FTND) for respondents who reported smoking cigarettes in the past month. The NDSS score, NDSSANSP, is calculated as the average score over 17 questions pertaining to five aspects of dependence. This average score was only computed for those respondents who had a valid response (based on actual reporting and imputation) to all 17 questions. Respondents who did not have valid responses (based on actual reporting and imputation) for all 17 questions were coded as system missing. Based on the NDSS score, a respondent was defined as having nicotine dependence, NDSSDNSP=1, if their average score was greater than or equal to 2.75. The FTND measure is defined by assessing how soon after waking a respondent had their first cigarette (CIGWAKE). Based on the FTND scale, a respondent was defined as having nicotine dependence, FTNDDNSP=1, if the first cigarette was smoked within 30 minutes of waking up on the days they smoked (CIGWAKE=1 or 2) and the respondent reported smoking cigarettes in the past month. Based on the NDSS and the FTND, a respondent who reported smoking cigarettes was defined as having nicotine dependence in the past month, DNICNSP=1, if they met either the NDSS or the FTND criteria for dependence. Specific details for each of the nicotine dependence related variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

NDSSANSP

Len : 12 RC-NDSS SCORE

	Freq	Pct
RANGE = 1 - 5.....	219768	23.15
. = Unknown (See comment above).....	729517	76.85

NDSSDNSP

Len : 1 RC-NICOTINE DEPENDENCE BASED ON NDSS SCORE

	Freq	Pct
0 = No/Unknown (NDSSANSP<2.75 or missing).....	869356	91.58
1 = Yes (NDSSANSP>=2.75).....	79929	8.42

FTNDDNSP

Len : 1 RC-NICOTINE DEPENDENCE BASED ON FTND SCALE

	Freq	Pct
0 = No (Otherwise)	856049	90.18
1 = Yes (CIGWAKE=1 or 2)	93236	9.82

DNICNSP

Len : 1 RC-NICOTINE DEPENDENCE IN PAST MONTH

	Freq	Pct
0 = No (NDSSDNSP=0 and FTNDDNSP=0)	835244	87.99
1 = Yes (NDSSDNSP=1 or FTNDDNSP=1)	114041	12.01

RECODED SUBSTANCE DEPENDENCE AND ABUSE

NOTE: The 2018 NSDUH CAI instrument included questions that were designed to measure illicit drug or alcohol dependence or abuse (i.e., substance use disorders [SUDs]). The SUD questions were based on the criteria in the American Psychiatric Association (APA) Diagnostic and Statistical Manual of Mental Disorders, 4th edition (DSM IV). Methamphetamine questions were added new to the dependence or abuse module in 2015 and the methamphetamine questions were patterned after questions for cocaine dependence or abuse and were separate from questions for symptoms of dependence or abuse that were related to the misuse of prescription stimulants. Specific details for each of the individual variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

Starting with the 2015 NSDUH, changes to the questions in the main modules for hallucinogens, inhalants, methamphetamine, and prescription pain relievers, tranquilizers, stimulants, and sedatives has prompted the start of a new baseline for these measures. These changes also impacted the dependence or abuse questions, prompting a new baseline for the corresponding dependence measures. Additionally beginning in 2015, the dependence measures for these seven substances have been imputed and given new variable names; therefore, they are considered not comparable to similar dependence measures from past years. For all other individual substance measures (marijuana, alcohol, cocaine, and heroin), no changes were applied in 2015 and therefore these measures are considered comparable and have no variable name changes. Summary measures (psychotherapeutics, illicit drugs, or illicit drugs other than marijuana) that include any of the non-comparable measures are also considered not comparable and have new variable names, including the combination dependence or abuse (SUD) measures.

The dependence measures for inhalants, hallucinogens, pain relievers, tranquilizer, stimulants and sedatives were imputed using the modified predictive mean neighborhoods (modified PMN) procedure (see the MRB Imputation report for more info). The SUD measures for alcohol, marijuana, cocaine, and heroin that remained comparable to prior years had respondents who did not meet the relevant criteria treated the same as a response of "no." In the specific drug documentation, the source variables whether edited or imputed are noted in the variable mapping shown above the variable name.

DEPENDENCE:

A respondent was defined as having marijuana (DEPNDRMJ), inhalant (DEPNDRYINH), hallucinogen (DEPNDRYHAL), or tranquilizer (DEPNDRYTRQ) dependence if the respondent reported a positive response to three or more of the following six dependence criteria:

1. Spent a great deal of time over a period of a month getting, using, or getting over the effects of the substance.
2. Unable to keep set limits on substance use or used more often than intended.
3. Needed to use substance more than before to get desired effects or noticed that using the same amount had less effect than before.
4. Unable to cut down or stop using the substance every time he or she tried or wanted to.
5. Continued to use substance even though it was causing problems with emotions, nerves, mental health, or physical problems.
6. Reduced or gave up participation in important activities due to substance use.

An additional question pertaining to withdrawal symptoms was asked for the following drugs: alcohol, pain relievers, cocaine, heroin, sedatives, stimulants, and methamphetamine. The withdrawal question asked the respondent if they had experienced substance specific withdrawal symptoms at one time that lasted for longer than a day after they cut back or stopped using. The specific number and type of listed withdrawal symptoms varied by substance. A respondent was defined as having alcohol, pain reliever, cocaine, heroin, sedative, stimulant, or methamphetamine dependence (DEPNDRALC, DEPNDRYPNR, DEPNDRCOC, DEPNDRHER, DEPNDRPYSED, DEPNDRPYSTM, DEPNDRPYMTH) if the respondent reported a positive response to three or more of the seven dependence criteria (including the six standard criteria listed above plus a seventh withdrawal symptom criteria).

Given the current editing and imputation procedures, along with the use of questions in multiple sections of the questionnaire to determine whether or not a respondent was asked the substance dependence and withdrawal questions, it is possible for these dependence recode variables to be inconsistent with the imputed substance use and frequency of use variables. The types of inconsistencies that can occur differ by substance since different combinations of the skip logic criteria were used for each substance. Specific details about these inconsistencies are included in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

<u>DEPNDRALC</u>	Len : 1 RC-ALCOHOL DEPENDENCE - PAST YEAR		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	912585	96.13
	1 = Yes (See comment above)	36700	3.87

<u>DEPNDRMJ</u>	Len : 1 RC-MARIJUANA DEPENDENCE - PAST YEAR		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	930852	98.06
	1 = Yes (See comment above DEPNDRALC).....	18433	1.94

<u>DEPNDRCOC</u>	Len : 1 RC-COCAINE DEPENDENCE - PAST YEAR		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	945712	99.62
	1 = Yes (See comment above DEPNDRALC).....	3573	0.38

<u>DEPNDRHER</u>	Len : 1 RC-HEROIN DEPENDENCE - PAST YEAR		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	947587	99.82
	1 = Yes (See comment above DEPNDRALC).....	1698	0.18

RECODED SUBSTANCE DEPENDENCE AND ABUSE

<u>DEPNDPYHAL</u>	Len : 1 RC-HALLUCINOGEN DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (IRDEPENDHAL=0,91,93)	226465	23.86
	1 = Yes (IRDEPENDHAL=1)	167	0.02
<u>DEPNDPYINH</u>	Len : 1 RC-INHALANT DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (IRDEPENDINH=0,91,93)	226554	23.87
	1 = Yes (IRDEPENDINH=1)	78	0.01
<u>DEPNDPYMTH</u>	Len : 1 RC-METHAMPHETAMINE DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (IRDEPENDMTH=0,91,93)	225947	23.80
	1 = Yes (IRDEPENDMTH=1)	685	0.07
<u>DEPNDPYPNR</u>	Len : 1 RC-PAIN RELIEVER DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (IRDEPENDPNR=0,91,93)	225258	23.73
	1 = Yes (IRDEPENDPNR=1)	1374	0.14
<u>DEPNDPYTRQ</u>	Len : 1 RC-TRANQUILIZER DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (IRDEPENDTRQ=0,91,93)	226220	23.83
	1 = Yes (IRDEPENDTRQ=1)	412	0.04
<u>DEPNDPYSTM</u>	Len : 1 RC-STIMULANT DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (IRDEPENDSTM=0,91,93)	226128	23.82
	1 = Yes (IRDEPENDSTM=1)	504	0.05
<u>DEPNDPYSED</u>	Len : 1 RC-SEDATIVE DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (IRDEPENDSED=0,91,93)	226522	23.86
	1 = Yes (IRDEPENDSED=1)	110	0.01
<u>DEPNDPYPSY</u>	Len : 1 RC-PSYCHOTHERAPEUTIC DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (Otherwise)	224628	23.66
	1 = Yes (DEPNDPYTRQ, DEPNDPYPNR, DEPNDPYSTM, or DEPNDPYSED=1)	2004	0.21

A respondent was defined as having illicit drug dependence, DEPNDPYILL, if the respondent was classified as dependent (see dependence criteria listed above DEPNDAALC) on any of these following substances: marijuana (DEPNDMRJ), hallucinogens (DEPNDPYHAL), inhalants (DEPNDPYINH), methamphetamine (DEPNDPYMTH), tranquilizers (DEPNDPYTRQ), cocaine (DEPNDCOC), heroin (DEPNDDHER), pain relievers (DEPNDPYPNR), stimulants (DEPNDPYSTM), or sedatives (DEPNDPYSED).

<u>DEPNDPYILL</u>	Len : 1 RC-ILLCIT DRUG DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise)	220254	23.20
	1 = Yes (Any source variable listed above=1)	6378	0.67

RECODED SUBSTANCE DEPENDENCE AND ABUSE

A respondent was defined as having illicit drug other than marijuana dependence, DEPNDPYIEM, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on any one of these following substances: hallucinogens (DEPNDPYHAL), inhalants (DEPNDPYINH), methamphetamine (DEPNDPYMTH), tranquilizers (DEPNDPYTRQ), cocaine (DEPNDCCOC), heroin (DEPNDHER), pain relievers (DEPNDPYPNR), stimulants (DEPNDPYSTM), or sedatives (DEPNDPYSED). A respondent's marijuana dependency status is not considered in the creation of this variable.

<u>DEPNDPYIEM</u>	Len : 1	RC-ILLCIT DRUG OTHER THAN MARIJUANA DEP - PAST YEAR		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (Otherwise).....	223318	23.52
		1 = Yes (Any source variable listed above=1).....	3314	0.35

<u>DPPYILLALC</u>	Len : 1	RC-ILLCIT DRUG OR ALCOHOL DEPENDENCE - PAST YEAR		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		0 = No/Unknown (DEPNDPYILL=0 and DEPNDALC=0)	214362	22.58
		1 = Yes (DEPNDPYILL=1 or DEPNDALC=1).....	12270	1.29

<u>DPPYILANAL</u>	Len : 1	RC-ILLCIT DRUG AND ALCOHOL DEPENDENCE - PAST YEAR		
			Freq	Pct
		-9 = Data not collected for this year	778966	82.06
		0 = No/Unknown (DEPNDPYILL=0 or DEPNDALC=0).....	169350	17.84
		1 = Yes (DEPNDPYILL=1 and DEPNDALC=1).....	969	0.10

RECODED SUBSTANCE DEPENDENCE AND ABUSE

NOTE: The 2018 NSDUH CAI instrument included questions that were designed to measure illicit drug or alcohol dependence or abuse (i.e., substance use disorders [SUDs]). The SUD questions were based on the criteria in the American Psychiatric Association (APA) Diagnostic and Statistical Manual of Mental Disorders, 4th edition (DSM IV). Methamphetamine questions were added new to the dependence or abuse module in 2015 and the methamphetamine questions were patterned after questions for cocaine dependence or abuse and were separate from questions for symptoms of dependence or abuse that were related to the misuse of prescription stimulants. Specific details for each of the individual variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

Starting with the 2015 NSDUH, changes to the questions in the main modules for hallucinogens, inhalants, methamphetamine, and prescription pain relievers, tranquilizers, stimulants, and sedatives has prompted the start of a new baseline for these measures. These changes also impacted the dependence or abuse questions, prompting a new baseline for the corresponding abuse measures. Additionally beginning in 2015, the abuse measures for these seven substances have been imputed and given new variable names; therefore, they are considered not comparable to similar abuse measures from past years. For all other individual substance measures (marijuana, alcohol, cocaine, and heroin), no changes were applied in 2015 and therefore these measures are considered comparable and have no variable name changes. Summary measures (psychotherapeutics, illicit drugs, or illicit drugs other than marijuana) that include any of the non-comparable measures are also considered not comparable and have new variable names, including the combination dependence or abuse (SUD) measures.

The abuse measures for inhalants, hallucinogens, pain relievers, tranquilizer, stimulants, and sedatives were imputed using the modified predictive mean neighborhoods (modified PMN) procedure (see the MRB Imputation report for more info). The abuse measures for alcohol, marijuana, cocaine, and heroin that remained comparable to prior years had respondents who did not meet the relevant criteria treated the same as a response of "no." In the specific drug documentation, the source variables whether edited or imputed are noted in the variable mapping shown above the variable name.

ABUSE:

A respondent was defined as having alcohol, marijuana, cocaine, heroin, hallucinogen, inhalant, methamphetamine, pain reliever, tranquilizer, stimulant, or sedative abuse (ABUSEALC, ABUSEMRJ, ABUSECOC, ABUSEHER, ABUSEPYHAL, ABUSEPYINH, ABUSEPYMTH, ABUSEPPNR, ABUSEPYTRQ, ABUSEPYSTM, ABUSEPYSED) if they reported a positive response to one or more of the following four abuse criteria and was determined not to be dependent upon the substance of interest:

1. Respondent reported having serious problems due to substance use at home, work or school.
2. Respondent reported using substance regularly and then did something where substance use might have put them in physical danger.
3. Respondent reported substance use causing actions that repeatedly got them in trouble with the law.
4. Respondent reported having problems caused by substance use with family or friends and continued to use substance even though it was thought to be causing problems with family and friends.

The abuse measures found in this section of the codebook follow the DSM-IV definition of abuse which take into consideration the respondent's dependence criteria as well. A second set of abuse variables that do not take into account dependence but rather simply indicate if the respondent met one or more of the four abuse criteria are available (ABUPOSXX) in the Substance Dependence or Abuse section as well as an imputed version of these variables (IRABUPOSXXX) found in the Imputed Substance Dependence or Abuse section.

Given the current editing and imputation procedures, along with the use of questions in multiple sections of the questionnaire to determine whether or not a respondent was asked the abuse questions, it is possible for these abuse recode variables to be inconsistent with the imputed substance use and frequency of use variables. The types of inconsistencies that can occur differ by substance since different combinations of the skip logic criteria were used for each substance. Specific details about these inconsistencies are included in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

In addition, because the dependence and abuse variables are mutually exclusive with dependence taking precedence (i.e., dependence is determined first and respondents are only classified as having abused if they are not already classified as dependent, regardless of responses to the abuse questions), it is possible for the variables showing abuse of a combination of substances to not correspond with the abuse status of those individual substances. For example, a respondent who is classified as having abused cocaine in the past year may be classified as not having abused illicit drugs because they were dependent on marijuana and already classified as being dependent on illicit drugs.

<u>ABUSEALC</u> Len : 1 RC-ALCOHOL ABUSE - PAST YEAR			
		Freq	Pct
0 = No/Unknown (Otherwise).....		903377	95.16
1 = Yes (Any one of above criteria and DEPNDALC=0).....		45908	4.84
 <u>ABUSEMRJ</u> Len : 1 RC-MARIJUANA ABUSE - PAST YEAR			
		Freq	Pct
0 = No/Unknown (Otherwise).....		937954	98.81
1 = Yes (Any one of above criteria and DEPNDMRJ=0).....		11331	1.19
 <u>ABUSECOC</u> Len : 1 RC-COCAINE ABUSE - PAST YEAR			
		Freq	Pct
0 = No/Unknown (Otherwise).....		947550	99.82
1 = Yes (Any one of above criteria and DEPNDCCOC=0)		1735	0.18

RECODED SUBSTANCE DEPENDENCE AND ABUSE

<u>ABUSEHER</u>	Len : 1 RC-HEROIN ABUSE - PAST YEAR		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	949063	99.98
	1 = Yes (Any one of above criteria and DEPNDHER=0).....	222	0.02

<u>ABUSEPYHAL</u>	Len : 1 RC-HALLUCINOGEN ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (IRABUPOSHAL=0,91,93 or DEPNDPYHAL=1).....	226346	23.84
	1 = Yes (IRABUPOSHAL=1 and DEPNDPYHAL=0).....	286	0.03

<u>ABUSEPYINH</u>	Len : 1 RC-INHALANT ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (IRABUPOSINH=0,91,93 or DEPNDPYINH=1).....	226515	23.86
	1 = Yes (IRABUPOSINH=1 and DEPNDPYINH=0).....	117	0.01

<u>ABUSEPYMTH</u>	Len : 1 RC-METHAMPHETAMINE ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (IRABUPOSMTH=0,91,93 or DEPNDPYMTH=1).....	226487	23.86
	1 = Yes (IRABUPOSMTH=1 and DEPNDPYMTH=0)	145	0.02

<u>ABUSEPYPNR</u>	Len : 1 RC-PAIN RELIEVER ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (IRABUPOSPNR=0,91,93 or DEPNDPYPNR=1).....	226231	23.83
	1 = Yes (IRABUPOSPNR=1 and DEPNDPYPNR=0)	401	0.04

<u>ABUSEPYTRQ</u>	Len : 1 RC-TRANQUILIZER ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (IRABUPOSTRQ=0,91,93 or DEPNDPYTRQ=1)	226295	23.84
	1 = Yes (IRABUPOSTRQ=1 and DEPNDPYTRQ=0)	337	0.04

<u>ABUSEPYSTM</u>	Len : 1 RC-STIMULANT ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (IRABUPOSSTM=0,91,93 or DEPNDPYSTM=1).....	226486	23.86
	1 = Yes (IRABUPOSSTM=1 and DEPNDPYSTM=0).....	146	0.02

<u>ABUSEPYSED</u>	Len : 1 RC-SEDATIVE ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (IRABUPOSED=0,91,93 or DEPNDPYSED=1)	226579	23.87
	1 = Yes (IRABUPOSED=1 and DEPNDPYSED=0).....	53	0.01

A respondent was defined as having psychotherapeutic drug abuse, ABUSEPYPSY, if the respondent was classified as abusing (see abuse criteria listed above ABUSEALC) any one of the following drugs: pain relievers (ABUSEPYPNR), tranquilizers (ABUSEPYTRQ), stimulants (ABUSEPYSTM), or sedatives (ABUSEPYSED).

<u>ABUSEPYPSY</u>	Len : 1 RC-PSYCHOTHERAPEUTIC ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (Otherwise)	225919	23.80
	1 = Yes (Any source variable above=1 and DEPNDPSY=0).....	713	0.08

RECODED SUBSTANCE DEPENDENCE AND ABUSE

A respondent is defined as having illicit drug abuse, ABUSEPYILL, if the respondent was classified as abusing (see abuse criteria listed above ABUSEALC) any of the following substances: marijuana (ABUSEMRJ), hallucinogens (ABUSEPYHAL), inhalants (ABUSEPYINH), methamphetamine (ABUSEPYMTH), tranquilizers (ABUSEPYTRQ), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEPYPNR), stimulants (ABUSEPYSTM), or sedatives (ABUSEPYSED); and was not dependent on any of these substances (DEPNDPYILL=0).

<u>ABUSEPYILL</u>	Len : 1 RC-ILLCIT DRUG ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	224078	23.60
	1 = Yes (Any source variable above=1 and DEPNDPYILL=0).....	2554	0.27

A respondent was defined as having illicit drug other than marijuana abuse, ABUSEPYIEM, if the respondent was classified as abusing (see abuse criteria listed above ABUSEALC) any one of the following illicit drugs: hallucinogens (ABUSEPYHAL), inhalants (ABUSEPYINH), methamphetamine (ABUSEPYMTH), tranquilizers (ABUSEPYTRQ), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEPYPNR), stimulants (ABUSEPYSTM), or sedatives (ABUSEPYSED); and was not dependent on any of these substances (DEPNDPYIEM=0). A respondent's marijuana abuse status is not considered in the creation of this variable.

<u>ABUSEPYIEM</u>	Len : 1 RC-ILLCIT DRUG OTHER THAN MARIJUANA ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225540	23.76
	1 = Yes (Any source variable above=1 and DEPNDPYIEM=0).....	1092	0.12

<u>ABPYILLALC</u>	Len : 1 RC-ILLCIT DRUG OR ALCOHOL ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	218613	23.03
	1 = Yes (ABUSEPYILL=1 or ABUSEALC=1 and DPPYILLALC=0).....	8019	0.84

<u>ABPYILANAL</u>	Len : 1 RC-ILLCIT DRUG AND ALCOHOL ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	778966	82.06
	0 = No/Unknown (Otherwise).....	169954	17.90
	1 = Yes (ABUSEPYILL=1 and ABUSEALC=1 and DPPYILANAL=0).....	365	0.04

NOTE: The following variables were created by using a combination of the abuse and dependence variables. Specifications on how the individual abuse and dependence variables were defined can be found on the previous pages and in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

<u>ABODALC</u>	Len : 1 RC-ALCOHOL DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	0 = No/Unknown (ABUSEALC=0 and DEPNDALC=0).....	866677	91.30
	1 = Yes (ABUSEALC=1 or DEPNDALC=1)	82608	8.70

<u>ABODMRJ</u>	Len : 1 RC-MARIJUANA DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	0 = No/Unknown (ABUSEMRJ=0 and DEPNDMRJ=0).....	919521	96.86
	1 = Yes (ABUSEMRJ=1 or DEPNDMRJ=1).....	29764	3.14

<u>ABODCOC</u>	Len : 1 RC-COCAINE DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	0 = No/Unknown (ABUSECOC=0 and DEPNDCOC=0)	943977	99.44
	1 = Yes (ABUSECOC=1 or DEPNDCOC=1).....	5308	0.56

<u>ABODHER</u>	Len : 1 RC-HEROIN DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	0 = No/Unknown (ABUSEHER=0 and DEPNDHER=0).....	947365	99.80
	1 = Yes (ABUSEHER=1 or DEPNDHER=1)	1920	0.20

<u>UDPYHAL</u>	Len : 1 RC-HALLUCINOGEN DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (ABUSEPYHAL=0 and DEPNDPYHAL=0)	226179	23.83
	1 = Yes (ABUSEPYHAL=1 or DEPNDPYHAL=1)	453	0.05

RECODED SUBSTANCE DEPENDENCE AND ABUSE

<u>UDPYINH</u>	Len : 1 RC-INHALANT DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (ABUSEPYINH=0 and DEPNDPYINH=0)	226437	23.85
	1 = Yes (ABUSEPYINH=1 or DEPNDPYINH=1)	195	0.02
<u>UDPYMTH</u>	Len : 1 RC-METHAMPHETAMINE DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (ABUSEPYMTH=0 and DEPNDPYMTH=0)	225802	23.79
	1 = Yes (ABUSEPYMTH=1 or DEPNDPYMTH=1)	830	0.09
<u>UDPYPNR</u>	Len : 1 RC-PAIN RELIEVER DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (ABUSEPPNR=0 and DEPNDPPNR=0)	224857	23.69
	1 = Yes (ABUSEPPNR=1 or DEPNDPPNR=1)	1775	0.19
<u>UDPYTRQ</u>	Len : 1 RC-TRANQUILIZER DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (ABUSEPYTRQ=0 and DEPNDPYTRQ=0)	225883	23.80
	1 = Yes (ABUSEPYTRQ=1 or DEPNDPYTRQ=1)	749	0.08
<u>UDPYSTM</u>	Len : 1 RC-STIMULANT DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (ABUSEPYSTM=0 and DEPNDPYSTM=0)	225982	23.81
	1 = Yes (ABUSEPYSTM=1 or DEPNDPYSTM=1)	650	0.07
<u>UDPYSED</u>	Len : 1 RC-SEDATIVE DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (ABUSEPYSED=0 and DEPNDPYSED=0)	226469	23.86
	1 = Yes (ABUSEPYSED=1 or DEPNDPYSED=1)	163	0.02
<u>UDPYPSY</u>	Len : 1 RC-PSYCHOTHERAPEUTIC DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (ABUSEPYPSY=0 and DEPNDPYPSY=0)	223915	23.59
	1 = Yes (ABUSEPYPSY=1 or DEPNDPYPSY=1)	2717	0.29
<u>UDPYOPI</u>	Len : 1 RC-OPIOID DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (ABODHER=0 and UDPYPNR=0)	224487	23.65
	1 = Yes (ABODHER=1 or UDPYPNR=1)	2145	0.23
<u>UDPYHRPNR</u>	Len : 1 RC-HEROIN AND/OR PAIN RELIEVER DEPENDENCE OR ABUSE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Heroin only (ABODHER=1 and UDPYPNR=0)	370	0.04
	2 = Pain reliever only (ABODHER=0 and UDPYPNR=1)	1528	0.16
	3 = Heroin and pain reliever (ABODHER=1 and UDPYPNR=1)	247	0.03
	4 = Neither (ABODHER=0 and UDPYPNR=0)	224487	23.65
<u>UDPYILL</u>	Len : 1 RC-ILLCIT DRUG DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (ABUSEPYILL=0 and DEPNDPYILL=0)	217700	22.93
	1 = Yes (ABUSEPYILL=1 or DEPNDPYILL=1)	8932	0.94

RECODED SUBSTANCE DEPENDENCE AND ABUSE

UDPYIEM	Len : 1 RC-ILLCIT DRUG OTHER THAN MRJ DEP OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (ABUSEPYIEM=0 and DEPNDPYIEM=0)	222226	23.41
	1 = Yes (ABUSEPYIEM=1 or DEPNDPYIEM=1)	4406	0.46
UDPYILAL	Len : 1 RC-ILLCIT DRUG OR ALCOHOL DEP OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (ABPYILLALC=0 and DPPYILLALC=0)	206343	21.74
	1 = Yes (ABPYILLALC=1 or DPPYILLALC=1)	20289	2.14
UDPYILAAAL	Len : 1 RC-ILLCIT DRUG AND ALCOHOL DEP OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (UDPYILL=0 or ABODALC=0)	223724	23.57
	1 = Yes (UDPYILL=1 and ABODALC=1)	2908	0.31
AUDNODUD	Len : 1 RC-ALC DEP OR ABUSE, NO ILL DRUG DEP OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (ABODALC=0 or UDPYILL=1)	215275	22.68
	1 = Yes (ABODALC=1 and UDPYILL=0)	11357	1.20
DUDNOAUD	Len : 1 RC-ILL DRUG DEP OR ABUSE, NO ALC DEP OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (ABODALC=1 or UDPYILL=0)	220608	23.24
	1 = Yes (ABODALC=0 and UDPYILL=1)	6024	0.63
UDPYTRQSED	Len : 1 RC-TRANQUILIZER OR SEDATIVE DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No (UDPYTRQ=0 and UDPYSED=0)	225783	23.78
	1 = Yes (UDPYTRQ=1 or UDPYSED=1)	849	0.09

MARIJUANA PURCHASES

MARIJUANA PURCHASES

This note applies to variables in this section marked by a¹.

NOTE: The same names are used for the Marijuana Purchases variables in 2018 that were last used in 2014. Because of the break in years, data users are cautioned about comparing estimates from these variables between 2018 and 2014 or earlier years. Data users also are advised not to pool data for these variables from 2018 with corresponding data from 2014 or earlier years.

Now think about the last time you used marijuana. How did you get this marijuana?

MMGETMJ¹

Len : 2 HOW DID YOU GET LAST MARIJUANA USED

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = You bought it.....	58023	6.11
2 = You traded something else for it.....	1722	0.18
3 = You got it for free or shared someone else's.....	74918	7.89
4 = You grew it yourself.....	1277	0.13
85 = BAD DATA Logically assigned.....	35	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	580	0.06
97 = REFUSED	1513	0.16
98 = BLANK (NO ANSWER).....	2729	0.29

How long has it been since you last bought any marijuana?

MMBTREC1¹

Len : 2 TIME SINCE YOU LAST BOUGHT MARIJUANA

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Within past 30 days -- that is, since [DATEFILL]	35804	3.77
2 = More than 30 days ago, but within the past 12 mos	16635	1.75
3 = More than 12 months ago	5362	0.56
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	91	0.01
97 = REFUSED	1027	0.11
98 = BLANK (NO ANSWER).....	3736	0.39
99 = LEGITIMATE SKIP	78126	8.23

During the past 12 months, that is, since [DATEFILL], did you buy any marijuana?

MMBTPLYR¹

Len : 2 BOUGHT MARIJUANA PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Yes.....	21586	2.27
2 = No.....	57291	6.04
85 = BAD DATA Logically assigned.....	19	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	156	0.02
97 = REFUSED	977	0.10
98 = BLANK (NO ANSWER).....	2745	0.29
99 = LEGITIMATE SKIP	58023	6.11

How long has it been since you last bought any marijuana?

MMBTREC2¹

Len : 2 TIME SINCE YOU LAST BOUGHT MARIJUANA

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Within past 30 days -- that is, since [DATEFILL]	7974	0.84
2 = More than 30 days ago, but within the past 12 mos	13483	1.42
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	52	0.01
97 = REFUSED	973	0.10
98 = BLANK (NO ANSWER).....	3001	0.32
99 = LEGITIMATE SKIP	115314	12.15

MARIJUANA PURCHASES

During the past 30 days, that is, since [DATEFILL], on how many days did you buy marijuana?

[MMBT30DY](#)¹

Len : 2 # DAYS BOUGHT MARIJUANA PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	43242	4.56
-9 = Data not collected for this year	170319	17.94
85 = BAD DATA Logically assigned.....	15	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	433	0.05
97 = REFUSED	1130	0.12
98 = BLANK (NO ANSWER).....	3206	0.34
99 = LEGITIMATE SKIP	92771	9.77

Think about the last time you bought marijuana. Did you buy marijuana that had already been rolled into joints or did you buy the marijuana in loose form?

[MMJNTLOO](#)¹

Len : 2 LAST MARIJUANA BOUGHT IN JOINTS OR LOOSE

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = You bought joints.....	3163	0.33
2 = You bought the marijuana in loose form	75879	7.99
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	160	0.02
97 = REFUSED	1212	0.13
98 = BLANK (NO ANSWER).....	3917	0.41
99 = LEGITIMATE SKIP	56450	5.95

How many joints did you buy the last time you bought marijuana?

[MMJNTNUM](#)¹

Len : 3 # MARIJUANA JOINTS BOUGHT LAST TIME

	Freq	Pct
RANGE = 1 - 500.....	3139	0.33
-9 = Data not collected for this year	170319	17.94
985 = BAD DATA Logically assigned.....	11	0.00
991 = NEVER USED MARIJUANA	464251	48.91
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
994 = DON'T KNOW	18	0.00
997 = REFUSED	1218	0.13
998 = BLANK (NO ANSWER).....	4082	0.43
999 = LEGITIMATE SKIP	132329	13.94

How much did you pay for the joints/joint you bought this last time?

[MMJNPCTB](#)¹

Len : 2 AMOUNT PAID FOR LAST MARIJUANA JOINTS BOUGHT

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Less than \$5.00.....	924	0.10
2 = \$5.00 to \$10.99	1234	0.13
3 = \$11.00 to \$20.99	519	0.05
4 = \$21.00 to \$50.99	286	0.03
5 = \$51.00 to \$100.99.....	70	0.01
6 = \$101.00 to \$150.99.....	22	0.00
7 = \$151.00 to \$200.99.....	15	0.00
8 = \$201.00 to \$250.99.....	11	0.00
9 = \$251.00 to \$300.99.....	3	0.00
10 = \$301.00 to \$500.99.....	10	0.00
11 = \$501.00 to \$1000.99	16	0.00
12 = More than \$1000.99	20	0.00
85 = BAD DATA Logically assigned.....	11	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	23	0.00
97 = REFUSED	1222	0.13
98 = BLANK (NO ANSWER).....	4082	0.43
99 = LEGITIMATE SKIP	132329	13.94

MARIJUANA PURCHASES

More specifically, which of these categories includes the price you paid for the joint/joints you bought this last time?

[MMJNPCAT¹](#)

Len : 3 PRICE CATEGORY OF LAST MARIJUANA JOINTS BOUGHT

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Less than \$5.00	924	0.10
2 = \$5.00 to \$10.99	1234	0.13
3 = \$11.00 to \$20.99	519	0.05
41 = \$21.00 to \$30.99	163	0.02
42 = \$31.00 to \$40.99	72	0.01
43 = \$41.00 to \$50.99	51	0.01
50 = \$51.00 to \$100.99 (No further detail)	2	0.00
51 = \$51.00 to \$60.99	41	0.00
52 = \$61.00 to \$70.99	7	0.00
53 = \$71.00 to \$80.99	10	0.00
54 = \$81.00 to \$90.99	4	0.00
55 = \$91.00 to \$100.99	6	0.00
61 = \$101.00 to \$110.99	8	0.00
62 = \$111.00 to \$120.99	4	0.00
63 = \$121.00 to \$130.99	7	0.00
64 = \$131.00 to \$140.99	1	0.00
65 = \$141.00 to \$150.99	2	0.00
70 = \$151.00 to \$200.99	15	0.00
80 = \$201.00 to \$250.99	11	0.00
90 = \$251.00 to \$300.99	3	0.00
101 = \$301.00 to \$350.99	6	0.00
102 = \$351.00 to \$400.99	1	0.00
104 = \$451.00 to \$500.99	3	0.00
111 = \$501.00 to \$550.99	6	0.00
112 = \$551.00 to \$600.99	1	0.00
113 = \$601.00 to \$650.99	1	0.00
115 = \$701.00 to \$750.99	2	0.00
116 = \$751.00 to \$800.99	1	0.00
119 = \$901.00 to \$950.99	1	0.00
120 = \$951.00 to \$1000.99	4	0.00
121 = More than \$1000.99	20	0.00
985 = BAD DATA Logically assigned	11	0.00
991 = NEVER USED MARIJUANA	464251	48.91
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
994 = DON'T KNOW	23	0.00
997 = REFUSED	1222	0.13
998 = BLANK (NO ANSWER)	4082	0.43
999 = LEGITIMATE SKIP	132329	13.94

Now we want to know how much marijuana you bought the last time you bought marijuana.

Do you want to give your answer in grams, ounces, or pounds?

[MMLSUNIT¹](#)

Len : 2 AMT OF MARIJUANA BOUGHT LAST TIME: GRMS,OZ,LBS

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Grams	55283	5.82
2 = Ounces	17538	1.85
3 = Pounds	1257	0.13
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	1027	0.11
97 = REFUSED	1986	0.21
98 = BLANK (NO ANSWER)	4088	0.43
99 = LEGITIMATE SKIP	59613	6.28

MARIJUANA PURCHASES

The last time you bought marijuana, how many grams did you buy?

[MMLSGMS¹](#)

Len : 2 AMT OF MARIJUANA BOUGHT LAST TIME - GRAMS

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = At least 1 but less than 5 grams	35539	3.74
2 = At least 5 but less than 10 grams	14918	1.57
3 = 10 grams or more	4397	0.46
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	343	0.04
97 = REFUSED	2072	0.22
98 = BLANK (NO ANSWER).....	5116	0.54
99 = LEGITIMATE SKIP	78408	8.26

How many grams of marijuana did you buy?

[MMLS10GM¹](#)

Len : 3 AMT OF MARIJUANA BOUGHT LAST TIME - OVER 10 GRAMS

	Freq	Pct
RANGE = 10 - 99	4283	0.45
-9 = Data not collected for this year	170319	17.94
985 = BAD DATA Logically assigned.....	1	0.00
991 = NEVER USED MARIJUANA	464251	48.91
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
994 = DON'T KNOW	82	0.01
997 = REFUSED	2104	0.22
998 = BLANK (NO ANSWER).....	5462	0.58
999 = LEGITIMATE SKIP	128865	13.57

The last time you bought marijuana, how many ounces did you buy?

[MMLSOZS¹](#)

Len : 2 AMT OF MARIJUANA BOUGHT LAST TIME - OUNCES

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = At least 1/8, but less than 1/4 of an ounce	4575	0.48
2 = At least 1/4 but less than 1/3 of an ounce	2487	0.26
3 = At least 1/3 but less than 1/2 of an ounce	922	0.10
4 = At least 1/2 but less than 1 ounce	3628	0.38
5 = At least 1 but less than 5 ounces	4815	0.51
6 = At least 5 but less than 10 ounces	570	0.06
7 = At least 10 but less than 16 ounces	345	0.04
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	150	0.02
97 = REFUSED	2032	0.21
98 = BLANK (NO ANSWER).....	5120	0.54
99 = LEGITIMATE SKIP	116153	12.24

The last time you bought marijuana, how many pounds did you buy?

[MMLSLBS¹](#)

Len : 2 AMT OF MARIJUANA BOUGHT LAST TIME - POUNDS

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = At least 1 but less than 2 pounds	565	0.06
2 = At least 2 but less than 3 pounds	179	0.02
3 = At least 3 but less than 4 pounds	91	0.01
4 = At least 4 but less than 5 pounds	61	0.01
5 = 5 or more pounds	348	0.04
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	8	0.00
97 = REFUSED	1991	0.21
98 = BLANK (NO ANSWER).....	5120	0.54
99 = LEGITIMATE SKIP	132434	13.95

MARIJUANA PURCHASES

How many pounds of marijuana did you buy?

[MMLS5LBS¹](#)

Len : 3 AMT OF MARIJUANA BOUGHT LAST TIME - OVER 5 POUNDS

	Freq	Pct
RANGE = 5 - 99.....	326	0.03
-9 = Data not collected for this year	226632	23.87
991 = NEVER USED MARIJUANA	432250	45.53
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	160987	16.96
994 = DON'T KNOW	2	0.00
997 = REFUSED	1712	0.18
998 = BLANK (NO ANSWER).....	4640	0.49
999 = LEGITIMATE SKIP	122736	12.93

How much did you pay for the marijuana you bought this last time?

[MMLSPCTB¹](#)

Len : 2 AMOUNT PAID FOR MARIJUANA BOUGHT LAST TIME

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Less than \$5.00.....	3153	0.33
2 = \$5.00 to \$10.99.....	14216	1.50
3 = \$11.00 to \$20.99	16761	1.77
4 = \$21.00 to \$50.99.....	23021	2.43
5 = \$51.00 to \$100.99.....	9650	1.02
6 = \$101.00 to \$150.99.....	2828	0.30
7 = \$151.00 to \$200.99.....	1440	0.15
8 = \$201.00 to \$250.99.....	890	0.09
9 = \$251.00 to \$300.99.....	672	0.07
10 = \$301.00 to \$500.99.....	946	0.10
11 = \$501.00 to \$1000.99.....	587	0.06
12 = More than \$1000.99	540	0.06
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	434	0.05
97 = REFUSED	1953	0.21
98 = BLANK (NO ANSWER).....	4088	0.43
99 = LEGITIMATE SKIP	59613	6.28

MARIJUANA PURCHASES

More specifically, which of these categories includes the price you paid for the marijuana you bought this last time?

[MMLSPCAT¹](#)

Len : 3 PRICE CATEGORY OF LAST LOOSE MARIJUANA BOUGHT

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Less than \$5.00	3153	0.33
2 = \$5.00 to \$10.99	14216	1.50
3 = \$11.00 to \$20.99	16761	1.77
40 = \$21.00 to \$50.99 (No further detail)	36	0.00
41 = \$21.00 to \$30.99	9506	1.00
42 = \$31.00 to \$40.99	6512	0.69
43 = \$41.00 to \$50.99	6967	0.73
50 = \$51.00 to \$100.99 (No further detail)	23	0.00
51 = \$51.00 to \$60.99	4833	0.51
52 = \$61.00 to \$70.99	1193	0.13
53 = \$71.00 to \$80.99	1235	0.13
54 = \$81.00 to \$90.99	677	0.07
55 = \$91.00 to \$100.99	1689	0.18
60 = \$101.00 to \$150.99 (No further detail)	13	0.00
61 = \$101.00 to \$110.99	788	0.08
62 = \$111.00 to \$120.99	721	0.08
63 = \$121.00 to \$130.99	443	0.05
64 = \$131.00 to \$140.99	257	0.03
65 = \$141.00 to \$150.99	606	0.06
70 = \$151.00 to \$200.99	1440	0.15
80 = \$201.00 to \$250.99	890	0.09
90 = \$251.00 to \$300.99	672	0.07
100 = \$301.00 to \$500.99 (No further detail)	6	0.00
101 = \$301.00 to \$350.99	368	0.04
102 = \$351.00 to \$400.99	269	0.03
103 = \$401.00 to \$450.99	159	0.02
104 = \$451.00 to \$500.99	144	0.02
110 = \$501.00 to \$1000.99 (No further detail)	2	0.00
111 = \$501.00 to \$550.99	128	0.01
112 = \$551.00 to \$600.99	49	0.01
113 = \$601.00 to \$650.99	44	0.00
114 = \$651.00 to \$700.99	31	0.00
115 = \$701.00 to \$750.99	39	0.00
116 = \$751.00 to \$800.99	34	0.00
117 = \$801.00 to \$850.99	34	0.00
118 = \$851.00 to \$900.99	42	0.00
119 = \$901.00 to \$950.99	47	0.00
120 = \$951.00 to \$1000.99	137	0.01
121 = More than \$1000.99	540	0.06
985 = BAD DATA Logically assigned	5	0.00
991 = NEVER USED MARIJUANA	464251	48.91
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
994 = DON'T KNOW	434	0.05
997 = REFUSED	1953	0.21
998 = BLANK (NO ANSWER)	4088	0.43
999 = LEGITIMATE SKIP	59613	6.28

The last time you bought marijuana, who did you buy it from?

[MMBUYWHO¹](#)

Len : 2 WHO SOLD YOU LAST MARIJUANA BOUGHT

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = A friend	59717	6.29
2 = A relative or family member	3303	0.35
3 = Someone I had just met or didn't know well	13302	1.40
85 = BAD DATA Logically assigned	16	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	697	0.07
97 = REFUSED	3395	0.36
98 = BLANK (NO ANSWER)	3917	0.41
99 = LEGITIMATE SKIP	56450	5.95

MARIJUANA PURCHASES

The last time you bought marijuana, where were you when you bought it?

MMBPLACE¹

Len : 2 WHERE YOU WERE LAST TIME BOUGHT MARIJUANA

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Inside a public bldg, such as a store, restaurant	4163	0.44
2 = Inside a school building	1861	0.20
3 = Outside on school property	1294	0.14
4 = Inside a home, apartment, or dorm	39052	4.11
5 = Outside in a public area, such as a parking lot	15769	1.66
6 = Some other place	8788	0.93
11 = Inside a public building LOGICALLY ASSIGNED	664	0.07
12 = Inside a school building LOGICALLY ASSIGNED	1	0.00
13 = Outside on school property LOGICALLY ASSIGNED	2	0.00
14 = Inside a home, apartment, or dorm LOG ASSN	2568	0.27
15 = Outside in a public area LOGICALLY ASSIGNED	2523	0.27
85 = BAD DATA Logically assigned	16	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	566	0.06
97 = REFUSED	3163	0.33
98 = BLANK (NO ANSWER)	3917	0.41
99 = LEGITIMATE SKIP	56450	5.95

MMBPLOS²¹

Len : 2 OTHER PLACE BOUGHT MJ THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year	335230	35.31
1 = Inside a public bldg (eg store/restaurant/arena)	665	0.07
2 = Inside a school building	1	0.00
3 = Outside on school property	2	0.00
4 = Inside a home, apartment, or dorm	2568	0.27
5 = Outside in public area (eg parkng lot/street/park)	2523	0.27
6 = Some other place	79	0.01
7 = At respondent's workplace	197	0.02
8 = At a party, location not specified	96	0.01
9 = From friend(s)/family; no other information	176	0.02
10 = In respondent's car/motor vhcle; location not spfd	71	0.01
11 = In someone else's car/mtr vhcle; location not spfd	32	0.00
12 = In a car/motor vehicle; owner or location unspcfd	517	0.05
13 = At school, no other information	44	0.00
14 = Outside on private property (home, yard, apt)	351	0.04
15 = Medical marijuana dispensary/club	757	0.08
16 = In a private/designtd locatn/place; otherwise unspd	65	0.01
19 = Restroom/bathroom, location unspecified	10	0.00
20 = At a workplace; otherwise unspecified	9	0.00
21 = In/on a bus/train/plane/pub transport	17	0.00
22 = At concert/festival/sports event; location unspec	43	0.00
23 = A building; otherwise unspecified	72	0.01
24 = Individual/person; otherwise unspecified	90	0.01
25 = In a hotel/motel room (or public area unspcfd)	14	0.00
28 = In public; outside or inside unspecified	7	0.00
70 = Specific city/state/country or vacation	842	0.09
85 = BAD DATA Logically assigned	576	0.06
91 = NEVER USED MARIJUANA	367003	38.66
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	136063	14.33
94 = DON'T KNOW	531	0.06
97 = REFUSED	3896	0.41
98 = BLANK (NO ANSWER)	3596	0.38
99 = LEGITIMATE SKIP	93142	9.81

MARIJUANA PURCHASES

The last time you bought marijuana were you at work at your job or business?

[MMBATJOB](#)¹

Len : 2 AT JOB OR BUSINESS LAST TIME BOUGHT MARIJUANA

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Yes.....	2262	0.24
2 = No.....	62643	6.60
3 = Do not work at a job or business	10997	1.16
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	202	0.02
97 = REFUSED	1908	0.20
98 = BLANK (NO ANSWER).....	3865	0.41
99 = LEGITIMATE SKIP	58907	6.21

The last time you bought marijuana, where did you buy it?

[MMBCLOSE](#)¹

Len : 2 HOW NEAR YOU WHEN BOUGHT MARIJUANA LAST TIME

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Near where you are now living	32530	3.43
2 = Somewhere else	44803	4.72
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	314	0.03
97 = REFUSED	2767	0.29
98 = BLANK (NO ANSWER).....	3917	0.41
99 = LEGITIMATE SKIP	56450	5.95

Did you sell any of the marijuana you bought this last time?

[MMBSELL](#)¹

Len : 2 SELL ANY MARIJUANA BOUGHT LAST TIME

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Yes.....	7297	0.77
2 = No.....	71291	7.51
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	93	0.01
97 = REFUSED	1733	0.18
98 = BLANK (NO ANSWER).....	3917	0.41
99 = LEGITIMATE SKIP	56450	5.95

Did you give away or share any of the marijuana you bought this last time?

[MMBGIVE](#)¹

Len : 2 GIVE AWAY/SHARE MARIJUANA BOUGHT LAST TIME

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Yes.....	52371	5.52
2 = No.....	26380	2.78
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	91	0.01
97 = REFUSED	1572	0.17
98 = BLANK (NO ANSWER).....	3917	0.41
99 = LEGITIMATE SKIP	56450	5.95

MARIJUANA PURCHASES

During the past 12 months, that is, since [DATEFILL], did you trade something for marijuana?

[MMTRADE¹](#)

Len : 2 TRADED SOMETHING FOR MARIJUANA PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Yes.....	879	0.09
2 = No.....	55296	5.83
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED MARIJUANA.....	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	10	0.00
97 = REFUSED	908	0.10
98 = BLANK (NO ANSWER).....	3152	0.33
99 = LEGITIMATE SKIP	80545	8.48

During the past 30 days, that is, since [DATEFILL], did you trade something for marijuana?

[MMTRD30D¹](#)

Len : 2 TRADED SOMETHING FOR MARIJUANA PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Yes.....	308	0.03
2 = No.....	570	0.06
91 = NEVER USED MARIJUANA.....	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
97 = REFUSED	897	0.09
98 = BLANK (NO ANSWER).....	3777	0.40
99 = LEGITIMATE SKIP	135245	14.25

How long has it been since you last traded something for marijuana?

[MMTRDREC¹](#)

Len : 2 TIME SINCE LAST TRADED SOMETHING FOR MARIJUANA

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Within past 30 days -- that is, since [DATEFILL]	154	0.02
2 = More than 30 days ago, but within the past 12 mos	552	0.06
3 = More than 12 months ago	205	0.02
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED MARIJUANA.....	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	15	0.00
97 = REFUSED	906	0.10
98 = BLANK (NO ANSWER).....	3836	0.40
99 = LEGITIMATE SKIP	135117	14.23

During the past 30 days, that is, since [DATEFILL], on how many days did you trade something for marijuana?

[MMT30FRQ¹](#)

Len : 2 # DAYS TRADED FOR MARIJUANA PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	455	0.05
-9 = Data not collected for this year	170319	17.94
91 = NEVER USED MARIJUANA.....	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	4	0.00
97 = REFUSED	899	0.09
98 = BLANK (NO ANSWER).....	3876	0.41
99 = LEGITIMATE SKIP	135563	14.28

MARIJUANA PURCHASES

Think about the last time you traded something for marijuana. Did you get marijuana that had already been rolled into joints or did you get the marijuana in loose form?

[MMTJNTLS](#)¹

Len : 2 LAST MARIJUANA TRADED FOR IN JOINTS OR LOOSE

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = You got joints	231	0.02
2 = You got the marijuana in loose form.....	1340	0.14
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	8	0.00
97 = REFUSED	902	0.10
98 = BLANK (NO ANSWER).....	3863	0.41
99 = LEGITIMATE SKIP	134441	14.16

How many joints did you get the last time you traded something for marijuana?

[MMTJNTNM](#)¹

Len : 3 # MARIJUANA JOINTS TRADED FOR LAST TIME

	Freq	Pct
RANGE = 1 - 500	231	0.02
-9 = Data not collected for this year	170319	17.94
991 = NEVER USED MARIJUANA	464251	48.91
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
997 = REFUSED	896	0.09
998 = BLANK (NO ANSWER).....	3889	0.41
999 = LEGITIMATE SKIP	135781	14.30

How much do you think the marijuana in these joints/this joint was worth?

[MMTJWRCB](#)¹

Len : 2 AMOUNT WORTH LAST MARIJUANA JOINTS TRADED FOR

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Less than \$5.00.....	67	0.01
2 = \$5.00 to \$10.99	84	0.01
3 = \$11.00 to \$20.99	30	0.00
4 = \$21.00 to \$50.99	27	0.00
5 = \$51.00 to \$100.99.....	7	0.00
6 = \$101.00 to \$150.99.....	2	0.00
7 = \$151.00 to \$200.99.....	1	0.00
8 = \$201.00 to \$250.99.....	1	0.00
10 = \$301.00 to \$500.99.....	1	0.00
11 = \$501.00 to \$1000.99	2	0.00
12 = More than \$1000.99	3	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	5	0.00
97 = REFUSED	897	0.09
98 = BLANK (NO ANSWER).....	3889	0.41
99 = LEGITIMATE SKIP	135781	14.30

MARIJUANA PURCHASES

More specifically, which of these categories includes the price you think the marijuana in these joints/this joint was worth?

[MMTJWRTH](#)¹

Len : 3 PRICE CATEGORY OF LAST MARIJUANA JOINTS TRADED FOR

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Less than \$5.00	67	0.01
2 = \$5.00 to \$10.99	84	0.01
3 = \$11.00 to \$20.99	30	0.00
40 = \$21.00 to \$50.99 (No further detail)	1	0.00
41 = \$21.00 to \$30.99	11	0.00
42 = \$31.00 to \$40.99	8	0.00
43 = \$41.00 to \$50.99	7	0.00
51 = \$51.00 to \$60.99	6	0.00
52 = \$61.00 to \$70.99	1	0.00
61 = \$101.00 to \$110.99	1	0.00
62 = \$111.00 to \$120.99	1	0.00
70 = \$151.00 to \$200.99	1	0.00
80 = \$201.00 to \$250.99	1	0.00
103 = \$401.00 to \$450.99	1	0.00
113 = \$601.00 to \$650.99	1	0.00
120 = \$951.00 to \$1000.99	1	0.00
121 = More than \$1000.99	3	0.00
991 = NEVER USED MARIJUANA	464251	48.91
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
994 = DON'T KNOW	5	0.00
997 = REFUSED	897	0.09
998 = BLANK (NO ANSWER)	3889	0.41
999 = LEGITIMATE SKIP	135781	14.30

Now we want to know how much marijuana you got the last time you traded something for marijuana.

Do you want to give your answer in grams, ounces, or pounds?

[MMTLUNIT](#)¹

Len : 2 AMT OF MARIJUANA TRADED FOR LAST TIME: GRMS,OZ,LBS

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Grams	764	0.08
2 = Ounces	484	0.05
3 = Pounds	44	0.00
85 = BAD DATA Logically assigned	12	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	28	0.00
97 = REFUSED	916	0.10
98 = BLANK (NO ANSWER)	3877	0.41
99 = LEGITIMATE SKIP	134672	14.19

The last time you traded something for marijuana, how many grams did you get?

[MMTLGMS](#)¹

Len : 2 AMT OF MARIJUANA TRADED FOR LAST TIME - GRAMS

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = At least 1 but less than 5 grams	539	0.06
2 = At least 5 but less than 10 grams	164	0.02
3 = 10 grams or more	45	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	9	0.00
97 = REFUSED	923	0.10
98 = BLANK (NO ANSWER)	3917	0.41
99 = LEGITIMATE SKIP	135200	14.24

MARIJUANA PURCHASES

The last time you traded something for marijuana, how many ounces did you get?

[MMTLOZS](#)¹

Len : 2 AMT OF MARIJUANA TRADED FOR LAST TIME - OUNCES

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = At least 1/8, but less than 1/4 of an ounce	82	0.01
2 = At least 1/4 but less than 1/3 of an ounce	269	0.03
3 = At least 1/3 but less than 1/2 of an ounce	12	0.00
4 = At least 1/2 but less than 1 ounce	40	0.00
5 = At least 1 but less than 5 ounces	52	0.01
6 = At least 5 but less than 10 ounces	9	0.00
7 = At least 10 but less than 16 ounces	13	0.00
85 = BAD DATA Logically assigned	12	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	6	0.00
97 = REFUSED	917	0.10
98 = BLANK (NO ANSWER)	3905	0.41
99 = LEGITIMATE SKIP	135480	14.27

How much do you think the marijuana you got this last time was worth?

[MMTLWRCB](#)¹

Len : 2 AMOUNT THE LAST MARIJUANA TRADED FOR WAS WORTH

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Less than \$5.00	169	0.02
2 = \$5.00 to \$10.99	404	0.04
3 = \$11.00 to \$20.99	214	0.02
4 = \$21.00 to \$50.99	236	0.02
5 = \$51.00 to \$100.99	118	0.01
6 = \$101.00 to \$150.99	30	0.00
7 = \$151.00 to \$200.99	24	0.00
8 = \$201.00 to \$250.99	21	0.00
9 = \$251.00 to \$300.99	10	0.00
10 = \$301.00 to \$500.99	18	0.00
11 = \$501.00 to \$1000.99	19	0.00
12 = More than \$1000.99	29	0.00
85 = BAD DATA Logically assigned	12	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	33	0.00
97 = REFUSED	911	0.10
98 = BLANK (NO ANSWER)	3877	0.41
99 = LEGITIMATE SKIP	134672	14.19

MARIJUANA PURCHASES

More specifically, which of these categories includes the price you think the marijuana you got this last time was worth?

[MMTLWRTH](#)¹

Len : 3 PRICE CATEGORY OF LAST LOOSE MARIJUANA TRADED FOR

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Less than \$5.00	169	0.02
2 = \$5.00 to \$10.99	404	0.04
3 = \$11.00 to \$20.99	214	0.02
41 = \$21.00 to \$30.99	113	0.01
42 = \$31.00 to \$40.99	61	0.01
43 = \$41.00 to \$50.99	62	0.01
51 = \$51.00 to \$60.99	59	0.01
52 = \$61.00 to \$70.99	18	0.00
53 = \$71.00 to \$80.99	18	0.00
54 = \$81.00 to \$90.99	9	0.00
55 = \$91.00 to \$100.99	14	0.00
60 = \$101.00 to \$150.99 (No further detail)	2	0.00
61 = \$101.00 to \$110.99	6	0.00
62 = \$111.00 to \$120.99	4	0.00
63 = \$121.00 to \$130.99	4	0.00
64 = \$131.00 to \$140.99	4	0.00
65 = \$141.00 to \$150.99	10	0.00
70 = \$151.00 to \$200.99	24	0.00
80 = \$201.00 to \$250.99	21	0.00
90 = \$251.00 to \$300.99	10	0.00
101 = \$301.00 to \$350.99	10	0.00
102 = \$351.00 to \$400.99	3	0.00
103 = \$401.00 to \$450.99	2	0.00
104 = \$451.00 to \$500.99	3	0.00
111 = \$501.00 to \$550.99	3	0.00
112 = \$551.00 to \$600.99	2	0.00
113 = \$601.00 to \$650.99	1	0.00
114 = \$651.00 to \$700.99	1	0.00
116 = \$751.00 to \$800.99	2	0.00
117 = \$801.00 to \$850.99	1	0.00
119 = \$901.00 to \$950.99	1	0.00
120 = \$951.00 to \$1000.99	8	0.00
121 = More than \$1000.99	29	0.00
985 = BAD DATA Logically assigned	12	0.00
991 = NEVER USED MARIJUANA	464251	48.91
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
994 = DON'T KNOW	33	0.00
997 = REFUSED	911	0.10
998 = BLANK (NO ANSWER)	3877	0.41
999 = LEGITIMATE SKIP	134672	14.19

The last time you traded something for marijuana, who did you get it from?

[MMTRDWHO](#)¹

Len : 2 WHO GAVE YOU LAST MARIJUANA TRADED FOR

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = A friend	1179	0.12
2 = A relative or family member	302	0.03
3 = Someone I had just met or didn't know well	262	0.03
85 = BAD DATA Logically assigned	12	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	22	0.00
97 = REFUSED	946	0.10
98 = BLANK (NO ANSWER)	3838	0.40
99 = LEGITIMATE SKIP	134236	14.14

MARIJUANA PURCHASES

The last time you traded something for marijuana, where were you when you got it?

MMTPPLACE¹

Len : 2 WHERE YOU WERE LAST TIME TRADED FOR MARIJUANA

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Inside a public bldg, such as a store, restaurant	156	0.02
2 = Inside a school building	266	0.03
3 = Outside on school property	59	0.01
4 = Inside a home, apartment, or dorm	645	0.07
5 = Outside in a public area, such as a parking lot	240	0.03
6 = Some other place	232	0.02
11 = Inside a public building LOGICALLY ASSIGNED	14	0.00
14 = Inside a home, apartment, or dorm LOG ASSN	57	0.01
15 = Outside in a public area LOGICALLY ASSIGNED	65	0.01
85 = BAD DATA Logically assigned	12	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	26	0.00
97 = REFUSED	951	0.10
98 = BLANK (NO ANSWER)	3838	0.40
99 = LEGITIMATE SKIP	134236	14.14

MMTPLOS2¹

Len : 2 OTHER PLACE TRADED FOR MJ THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year	335230	35.31
1 = Inside a public bldg (eg store/restaurant/arena)	14	0.00
4 = Inside a home, apartment, or dorm	57	0.01
5 = Outside in public area (eg parkng lot/street/park)	65	0.01
6 = Some other place	48	0.01
12 = In a car/motor vehicle; owner or location unspcfd	3	0.00
70 = Specific city/state/country or vacation	17	0.00
85 = BAD DATA Logically assigned	29	0.00
91 = NEVER USED MARIJUANA	367003	38.66
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	136063	14.33
94 = DON'T KNOW	25	0.00
97 = REFUSED	798	0.08
98 = BLANK (NO ANSWER)	3060	0.32
99 = LEGITIMATE SKIP	106873	11.26

The last time you traded something for marijuana, where did you get it?

MMTCLOSE¹

Len : 2 HOW NEAR YOU WHEN TRADED FOR MARIJUANA LAST TIME

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Near where you are now living	611	0.06
2 = Somewhere else	1120	0.12
85 = BAD DATA Logically assigned	12	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	25	0.00
97 = REFUSED	955	0.10
98 = BLANK (NO ANSWER)	3838	0.40
99 = LEGITIMATE SKIP	134236	14.14

The last time you traded something for marijuana, did you keep it all for yourself?

MMTKEEP¹

Len : 2 KEEP ALL OF LAST MARIJUANA TRADED FOR

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Yes	598	0.06
2 = No	1155	0.12
85 = BAD DATA Logically assigned	12	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	20	0.00
97 = REFUSED	938	0.10
98 = BLANK (NO ANSWER)	3838	0.40
99 = LEGITIMATE SKIP	134236	14.14

MARIJUANA PURCHASES

Did you sell any of the marijuana you got this last time?

[MMTSELL](#)¹

Len : 2 SELL ANY MARIJUANA YOU TRADED FOR LAST TIME

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Yes.....	107	0.01
2 = No.....	1045	0.11
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	1	0.00
97 = REFUSED	940	0.10
98 = BLANK (NO ANSWER).....	3858	0.41
99 = LEGITIMATE SKIP	134834	14.20

Did you give away any of the marijuana you got this last time?

[MMTGIVE](#)¹

Len : 2 GIVE AWAY ANY MARIJUANA YOU TRADED FOR LAST TIME

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Yes.....	540	0.06
2 = No.....	606	0.06
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	3	0.00
97 = REFUSED	944	0.10
98 = BLANK (NO ANSWER).....	3858	0.41
99 = LEGITIMATE SKIP	134834	14.20

The last time you grew marijuana, did you keep it all for yourself?

[MMGKEEP](#)¹

Len : 2 KEEP ALL MARIJUANA LAST TIME YOU GREW IT

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Yes.....	371	0.04
2 = No.....	251	0.03
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
97 = REFUSED	899	0.09
98 = BLANK (NO ANSWER).....	3758	0.40
99 = LEGITIMATE SKIP	135518	14.28

Did you sell any of the marijuana you grew this last time?

[MMGSELL](#)¹

Len : 2 SELL ANY MARIJUANA LAST TIME YOU GREW IT

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Yes.....	78	0.01
2 = No.....	173	0.02
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
97 = REFUSED	899	0.09
98 = BLANK (NO ANSWER).....	3758	0.40
99 = LEGITIMATE SKIP	135889	14.31

The last time you grew marijuana, did you give any of it away for free?

[MMGGIVE](#)¹

Len : 2 GIVE AWAY ANY MARIJUANA LAST TIME YOU GREW IT

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Yes.....	142	0.01
2 = No.....	107	0.01
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
97 = REFUSED	901	0.09
98 = BLANK (NO ANSWER).....	3758	0.40
99 = LEGITIMATE SKIP	135889	14.31

MARIJUANA PURCHASES

The last time you got marijuana for free, who did you get it from?

[MMFREWHO¹](#)

Len : 2 WHO GAVE YOU LAST FREE MARIJUANA

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = A friend	44429	4.68
2 = A relative or family member	5636	0.59
3 = Someone I had just met or didn't know well.....	3053	0.32
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	174	0.02
97 = REFUSED	1606	0.17
98 = BLANK (NO ANSWER).....	3838	0.40
99 = LEGITIMATE SKIP	82055	8.64

The last time you got marijuana for free, where were you when you got it?

[MMFPLACE¹](#)

Len : 2 WHERE WERE YOU LAST TIME GOT FREE MARIJUANA

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Inside a public bldg, such as a store, restaurant.....	1389	0.15
2 = Inside a school building	665	0.07
3 = Outside on school property	888	0.09
4 = Inside a home, apartment, or dorm	34014	3.58
5 = Outside in a public area, such as a parking lot.....	6579	0.69
6 = Some other place.....	6077	0.64
11 = Inside a public building LOGICALLY ASSIGNED	206	0.02
12 = Inside a school building LOGICALLY ASSIGNED.....	1	0.00
13 = Outside on school property LOGICALLY ASSIGNED	5	0.00
14 = Inside a home, apartment, or dorm LOG ASSN.....	1877	0.20
15 = Outside in a public area LOGICALLY ASSIGNED	1339	0.14
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	339	0.04
97 = REFUSED	1519	0.16
98 = BLANK (NO ANSWER).....	3838	0.40
99 = LEGITIMATE SKIP	82055	8.64

MARIJUANA PURCHASES

MMFPLOS2¹

Len : 2 OTHER PLACE GOT MJ FOR FREE THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year	335230	35.31
1 = Inside a public bldg (eg store/restaurant/arena)	206	0.02
2 = Inside a school building	1	0.00
3 = Outside on school property	5	0.00
4 = Inside a home, apartment, or dorm	1877	0.20
5 = Outside in public area (eg parkng lot/street/park)	1339	0.14
6 = Some other place.....	71	0.01
7 = At respondent's workplace	130	0.01
8 = At a party, location not specified.....	425	0.04
9 = From friend(s)/family; no other information.....	182	0.02
10 = In respondent's car/motor vhcle;location not spfd	14	0.00
11 = In someone else's car/mtr vhcle;location not spfd	128	0.01
12 = In a car/motor vehicle; owner or location unspcfd	545	0.06
13 = At school, no other information	39	0.00
14 = Outside on private property (home, yard, apt)	350	0.04
15 = Medical marijuana dispensary/club.....	3	0.00
16 = In a private/designtd locatn/place; otherwise unspd	11	0.00
17 = On a boat/raft/yacht/water vessel.....	23	0.00
22 = At concert/festival/sports event; location unspec	104	0.01
23 = A building; otherwise unspecified	56	0.01
24 = Individual/person; otherwise unspecified	51	0.01
25 = In a hotel/motel room (or public area unspcfd)	95	0.01
28 = In public; outside or inside unspecified	7	0.00
70 = Specific city/state/country or vacation	341	0.04
85 = BAD DATA Logically assigned.....	209	0.02
91 = NEVER USED MARIJUANA	367003	38.66
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	136063	14.33
94 = DON'T KNOW	389	0.04
97 = REFUSED	1733	0.18
98 = BLANK (NO ANSWER).....	3312	0.35
99 = LEGITIMATE SKIP	99343	10.47

The last time you got marijuana for free, where did you get it?

MMFCLOSE¹

Len : 2 HOW NEAR YOU WHEN YOU GOT LAST FREE MARIJUANA

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Near where you are now living	21351	2.25
2 = Somewhere else	31647	3.33
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	350	0.04
97 = REFUSED	1550	0.16
98 = BLANK (NO ANSWER).....	3838	0.40
99 = LEGITIMATE SKIP	82055	8.64

The last time you got marijuana for free, did you keep it all for yourself?

MMFKEEP¹

Len : 2 KEEP ALL MARIJUANA GOT LAST TIME FOR FREE

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Yes.....	5133	0.54
2 = No.....	48454	5.10
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	112	0.01
97 = REFUSED	1199	0.13
98 = BLANK (NO ANSWER).....	3838	0.40
99 = LEGITIMATE SKIP	82055	8.64

MARIJUANA PURCHASES

Did you sell any of the marijuana you got this last time?

[MMFSELL](#)¹

Len : 2 SELL ANY MARIJUANA GOT LAST TIME FOR FREE

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Yes.....	655	0.07
2 = No.....	47767	5.03
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	7	0.00
97 = REFUSED	1224	0.13
98 = BLANK (NO ANSWER).....	3950	0.42
99 = LEGITIMATE SKIP	87188	9.18

Did you give away any of the marijuana you got this last time?

[MMFGIVE](#)¹

Len : 2 GIVE AWAY ANY MARIJUANA GOT LAST TIME FOR FREE

	Freq	Pct
-9 = Data not collected for this year	170319	17.94
1 = Yes.....	17024	1.79
2 = No.....	31201	3.29
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED MARIJUANA	464251	48.91
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	173918	18.32
94 = DON'T KNOW	109	0.01
97 = REFUSED	1319	0.14
98 = BLANK (NO ANSWER).....	3950	0.42
99 = LEGITIMATE SKIP	87188	9.18

RECODED MARIJUANA PURCHASES

RECODED MARIJUANA PURCHASES

For more information on the following variable, MJPBTPLC, see note above MJPBTFRM.

MJPBTPLC

Len : 1 LOCATION WHERE LAST USED MARIJUANA WAS BOUGHT

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Inside a Public Building (MMBPLACE=1)	812	0.09
2 = Outside in Public Area (MMBPLACE=5)	2881	0.30
3 = Inside School (MMBPLACE=2)	459	0.05
4 = Outside on School Property (MMBPLACE=3)	281	0.03
5 = Inside Home/Apt/Dorm (MMBPLACE=4)	8334	0.88
6 = Some Other Place (MMBPLACE=6)	2927	0.31
7 = Location Unspecified (MMBPLACE=94,97,98)	1434	0.15
8 = Nev'r Use MJ/Didn't Buy Last MJ (MMBPLACE=91,93,99)	147783	15.57

For more information on the following variable, MJPFREPL, see note above MJPFREGT.

MJPFREPL

Len : 1 LOCATION WHERE LAST USED FREE MRJ WAS RECEIVED

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Inside a Public Building (MMFPLACE=1)	333	0.04
2 = Outside in Public Area (MMFPLACE=5)	1342	0.14
3 = Inside School (MMFPLACE=2)	165	0.02
4 = Outside on School Property (MMFPLACE=3)	197	0.02
5 = Inside Home/Apt/Dorm (MMFPLACE=4)	7571	0.80
6 = Some Other Place (MMFPLACE=6)	2412	0.25
7 = Location Unspecified (MMFPLACE=94,97,98)	1149	0.12
8 = Nev'r Use MJ/Didn't Get Free MJ (MMFPLACE=91,93,99)	151742	15.98

The following variable, MJPBTPL2, was assigned a positive response if the respondent reported buying their last used marijuana or buying marijuana in the past 12 months (MMGETMJ=1 OR MMBTPYR=1) and reported the corresponding location of buying the marijuana as noted in the level statements below (MMBPLACE/MMBPLOS2). A respondent was defined as buying last used marijuana from "Some Other Place", MJPBTPL2=6, if the location where the respondent reported being the last time he or she bought marijuana was some other place (MMBPLACE=6) and their write in response was classified as a valid other-specify source (MMBPLOS2=7, 14, 15, 17, 18, 21, 25, 26). MJPBTPL2 was assigned missing if a respondent did not report buying their last used marijuana (MMGETMJ=2, 3, 4, 85, 91, 93, 94, 97, 98) and the respondent did not report buying marijuana in the past year (MMBTPYR=2, 85, 91, 93, 94, 97, 98), and the location where the respondent reported being the last time he or she bought marijuana was unknown (MMBPLACE=85, 91, 93, 97, 98, 99).

MJPBTPL2

Len : 1 LOCATION WHERE LAST USED MARIJUANA WAS BOUGHT

	Freq	Pct
. = Didn't Buy Last MJ or MJ in PY (See comment above)	451465	47.56
-9 = Data not collected for this year	446814	47.07
1 = Inside a Public Building (MMBPLACE=1,11)	2759	0.29
2 = Outside in Public Area (MMBPLACE=5,15)	12819	1.35
3 = Inside School (MMBPLACE=2,12)	1235	0.13
4 = Outside on School Property (MMBPLACE=3,13)	849	0.09
5 = Inside Home/Apt/Dorm (MMBPLACE=4,14)	27243	2.87
6 = Some Other Place (See comment above)	665	0.07
7 = Location Unspecified (Otherwise)	5436	0.57

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

MJPGOT

Len : 1 METHOD OF OBTAINING LAST USED MARIJUANA

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Bought it (MMGETMJ=1)	52533	5.53
2 = Traded for it (MMGETMJ=2)	1560	0.16
3 = Got it for Free/Shared (MMGETMJ=3)	69882	7.36
4 = Grew it Yourself (MMGETMJ=4)	1091	0.11
5 = Method Unspecified (Otherwise)	4350	0.46
6 = Never Used MJ (MMGETMJ=91,93)	593237	62.49

RECODED MARIJUANA PURCHASES

The following "source of last used marijuana bought" variable, MJPBTFRM, is defined so that respondents with unknown data for how they got their last used marijuana (MMGETMJ) or whether they bought marijuana (MMBTPYR) in the past year are included in the "Source Unspecified" level, MJPBTFRM=4. To produce estimates among respondents who reported last obtaining marijuana by buying it or buying marijuana in the past year, the analysis should be restricted to MMGETMJ=1 or MMBTPYR=1.

MJPBTFRM

Len : 1 SOURCE OF LAST USED MARIJUANA BOUGHT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Friend (MMBUYWHO=1)	55390	5.83
2 = Relative or Family Member (MMBUYWHO=2).....	2922	0.31
3 = Someone Just Met/Did Not Know (MMBUYWHO=3)	11960	1.26
4 = Source Unspecified (Otherwise).....	6929	0.73
5 = Nev'r Use MJ/Didn't Buy Last MJ (MMBUYWHO=91,93,99).....	645452	67.99

The following variable, MJPBTPL3, was assigned a positive response if the respondent reported buying their last used marijuana or buying marijuana in the past 12 months (MMGETMJ=1 OR MMBTPYR=1) and reported the corresponding location of buying the marijuana as noted in the level statements below (MMBPLACE/MMBPLOS2). A respondent was defined as buying last used marijuana from "Some Other Place", MJPBTPL3=7, if the location where the respondent reported being the last time he or she bought marijuana was some other place (MMBPLACE=6) and their write-in response was classified as a valid other-specify source other than "Medical Marijuana Dispensary/Club" (MMBPLOS2=7, 14, 17, 18, 21, 25, 26). MJPBTPL3 was assigned missing if a respondent did not report buying their last used marijuana (MMGETMJ=2, 3, 4, 85, 91, 93, 94, 97, 98) and the respondent did not report buying marijuana in the past year (MMBTPYR=2, 85, 91, 93, 94, 97, 98), and the location where the respondent reported being the last time he or she bought marijuana was unknown (MMBPLACE=85, 91, 93, 97, 98, 99).

MJPBTPL3

Len : 1 LOCATION WHERE LAST USED MRJ WAS BOUGHT (8 LEVELS)

	Freq	Pct
. = Didn't Buy Last MJ or MJ in PY (See comment above).....	147755	15.56
-9 = Data not collected for this year	783586	82.54
1 = Inside a Public Building (MMBPLACE=1,11).....	1079	0.11
2 = Outside in Public Area (MMBPLACE=5,15).....	4403	0.46
3 = Inside School (MMBPLACE=2,12)	308	0.03
4 = Outside on School Property (MMBPLACE=3,13).....	254	0.03
5 = Inside Home/Apt/Dorm (MMBPLACE=4,14)	9541	1.01
6 = Medical Mrj Dispensary (MMBPLACE=6 & MMBPLOS2=15).....	200	0.02
7 = Some Other Place (See comment above).....	173	0.02
8 = Location Unspecified (Otherwise).....	1986	0.21

The following "source of last used free marijuana" variable, MJPFREGT, is defined so that respondents with unknown data for how they got their last used marijuana (MMGETMJ) or whether they bought (MMBTPYR) or traded something (MMTRADE) for marijuana in the past year are included in the "Source Unspecified" level, MJPFREGT=4. This differs from the "location where last used free marijuana was received" variable, MJPFRL2, where these unknown cases are defined as SAS missing (MJPFRL2=.). To produce estimates among respondents who reported obtaining their last used marijuana for free and reported not buying or not trading something for marijuana in the past year, the analysis should be restricted to MMGETMJ=3 and MMBTPYR=2 and MMTRADE=2.

MJPFREGT

Len : 1 SOURCE OF LAST USED FREE MARIJUANA

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Friend (MMFREWHO=1)	41436	4.36
2 = Relative or Family Member (MMFREWHO=2).....	4982	0.52
3 = Someone Just Met/Did Not Know (MMFREWHO=3).....	2854	0.30
4 = Source Unspecified (Otherwise).....	5039	0.53
5 = Nev'r Use MJ/Didn't Get Free MJ (MMFREWHO=91,93,99)	668342	70.40

RECODED MARIJUANA PURCHASES

The following variable, MJPFRPL2, was assigned a positive response if the respondent reported getting their last used marijuana for free and reported not buying or trading something for marijuana in the past 12 months (MMGETMJ=3 and MMBTPYR=2 and MMTRADE=2) and reported the corresponding location of getting the marijuana for free as noted in the level statements below (MMFPLACE/MMFPLOS2). MJPFRPL2 was assigned missing if at least one of the three criteria mentioned above was not met. A respondent was defined as getting their last used marijuana for free from "Some Other Place", MJPFRPL2=6, if the location where the respondent reported being the last time he or she got marijuana for free was some other place (MMFPLACE=6) and their write in response was classified as a valid other-specify source (MMFPLOS2=7, 14, 15, 17, 18, 21, 25, 26).

[MJPFRPL2](#)

Len : 1 LOCATION WHERE LAST USED FREE MRJ WAS RECEIVED

	Freq	Pct
. = Didn't Get Free MJ (See comment above).....	519876	54.77
-9 = Data not collected for this year	391543	41.25
1 = Inside a Public Building (MMFPLACE=1,11)	1127	0.12
2 = Outside in Public Area (MMFPLACE=5,15)	6042	0.64
3 = Inside School (MMFPLACE=2,12)	452	0.05
4 = Outside on School Property (MMFPLACE=3,13)	643	0.07
5 = Inside Home/Apt/Dorm (MMFPLACE=4,14)	25652	2.70
6 = Some Other Place (See comment above).....	560	0.06
7 = Location Unspecified (Otherwise).....	3390	0.36

SPECIAL TOPICS

SPECIAL TOPICS

This note applies to variables in this section marked by a¹.

In the past 12 months, were you arrested and booked for aggravated assault?

BKAGASLT¹

Len : 2 ARRSTD & BOOKED FOR AGGRAVATED ASSAULT PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Yes.....	1492	0.16
2 = No.....	14010	1.48
3 = Yes LOGICALLY ASSIGNED	30	0.00
85 = BAD DATA Logically assigned.....	34	0.00
89 = LEGITIMATE SKIP Logically assigned	1640	0.17
94 = DON'T KNOW	25	0.00
97 = REFUSED	601	0.06
98 = BLANK (NO ANSWER).....	4093	0.43
99 = LEGITIMATE SKIP	308975	32.55

In the past 12 months, were you arrested and booked for forcible rape?

BKRAPE¹

Len : 2 ARRSTD & BOOKED FOR FORCIBLE RAPE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Yes.....	81	0.01
2 = No.....	15475	1.63
3 = Yes LOGICALLY ASSIGNED	3	0.00
85 = BAD DATA Logically assigned.....	34	0.00
89 = LEGITIMATE SKIP Logically assigned	1640	0.17
94 = DON'T KNOW	5	0.00
97 = REFUSED	594	0.06
98 = BLANK (NO ANSWER).....	4093	0.43
99 = LEGITIMATE SKIP	308975	32.55

In the past 12 months, were you arrested and booked for murder, homicide, or nonnegligent manslaughter?

BKMURDER¹

Len : 2 ARRSTD & BOOKED FOR MURDER/HOMICIDE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Yes.....	89	0.01
2 = No.....	15464	1.63
3 = Yes LOGICALLY ASSIGNED	4	0.00
85 = BAD DATA Logically assigned.....	34	0.00
89 = LEGITIMATE SKIP Logically assigned	1640	0.17
94 = DON'T KNOW	6	0.00
97 = REFUSED	595	0.06
98 = BLANK (NO ANSWER).....	4093	0.43
99 = LEGITIMATE SKIP	308975	32.55

In the past 12 months, were you arrested and booked for prostitution or commercialized sex?

BKPROS¹

Len : 2 ARRSTD & BOOKED FOR PROSTITUTION PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Yes.....	111	0.01
2 = No.....	15442	1.63
3 = Yes LOGICALLY ASSIGNED	3	0.00
85 = BAD DATA Logically assigned.....	34	0.00
89 = LEGITIMATE SKIP Logically assigned	1640	0.17
94 = DON'T KNOW	5	0.00
97 = REFUSED	597	0.06
98 = BLANK (NO ANSWER).....	4093	0.43
99 = LEGITIMATE SKIP	308975	32.55

SPECIAL TOPICS

In the past 12 months, were you arrested and booked for any other sexual offense, not including rape or prostitution?

<u>BKSEXOFF</u> ¹	Len : 2	ARRSTD & BOOKED FOR OTH SEX OFFENSE PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	618385	65.14
		1 = Yes.....	164	0.02
		2 = No.....	15383	1.62
		3 = Yes LOGICALLY ASSIGNED	6	0.00
		85 = BAD DATA Logically assigned.....	34	0.00
		89 = LEGITIMATE SKIP Logically assigned	1640	0.17
		94 = DON'T KNOW	6	0.00
		97 = REFUSED	599	0.06
		98 = BLANK (NO ANSWER).....	4093	0.43
		99 = LEGITIMATE SKIP	308975	32.55

NOTE: The variables DRVALDR, DRVAONLY, and DRVDONLY take into account data from the methamphetamine questions that were added to the Special Drugs module in 2005.

During the past 12 months, have you driven a vehicle while you were under the influence of a combination of alcohol and illegal drugs used together?

<u>DRVALDR</u> ¹	Len : 2	DROVE UNDER INFLU OF ALC & ILL DRUGS PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Yes.....	29596	3.12
		2 = No.....	113648	11.97
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	400	0.04
		85 = BAD DATA Logically assigned.....	36	0.00
		89 = LEGITIMATE SKIP Logically assigned	226	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	175673	18.51
		94 = DON'T KNOW	56	0.01
		97 = REFUSED	183	0.02
		98 = BLANK (NO ANSWER).....	5994	0.63
		99 = LEGITIMATE SKIP	396841	41.80

During the past 12 months, have you driven a vehicle while you were under the influence of alcohol/alcohol only?

<u>DRVAONLY</u> ¹	Len : 2	DROVE UNDER INFLU OF ALC/ALC ONLY PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Yes.....	90306	9.51
		2 = No.....	346258	36.48
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	400	0.04
		85 = BAD DATA Logically assigned.....	37	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	175673	18.51
		94 = DON'T KNOW	169	0.02
		97 = REFUSED	427	0.04
		98 = BLANK (NO ANSWER).....	4669	0.49
		99 = LEGITIMATE SKIP	104714	11.03

During the past 12 months, have you driven a vehicle while you were under the influence of illegal drugs/ illegal drugs only?

<u>DRVDONLY</u> ¹	Len : 2	DROVE UNDER INFLU OF DRUGS/DRUGS ONLY PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Yes.....	38251	4.03
		2 = No.....	123806	13.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	400	0.04
		85 = BAD DATA Logically assigned.....	84	0.01
		89 = LEGITIMATE SKIP Logically assigned	333	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	175673	18.51
		94 = DON'T KNOW	87	0.01
		97 = REFUSED	223	0.02
		98 = BLANK (NO ANSWER).....	12746	1.34
		99 = LEGITIMATE SKIP	371050	39.09

SPECIAL TOPICS

NOTE: DRVFLAG identifies those respondents (Rs) who were routed to the questions corresponding to DRVALDR or DRVDONLY (or both) solely because they reported use of methamphetamine (from MTHAREC), Adderall (from ADDEREC), Ambien (from AMBIREC), or hallucinogens (from KETAREC, TRYPREC, or SALVREC) in the past year in the SPECIAL DRUGS module. DRVFLAG was coded as 5 if the only indication of past year use came from MTHAREC through SALVREC and Rs reported past year use for more than one of these drugs. Rs for whom DRVFLAG had values of 1 through 5 were not counted in the creation of the RECODED SPECIAL TOPICS variables pertaining to substance use and driving, for consistency with how substance use and driving variables were created prior to the changes in logic that asked these questions of these additional noncore past year users.

<u>DRVFLAG</u> ¹	Len : 2 ONLY PAST YEAR USER FROM NONCORE SPECIAL DRUGS		
		Freq	Pct
	-9 = Data not collected for this year	391543	41.25
	1 = Only methamphet user from Special Drugs (see note)	126	0.01
	2 = Only past yr Adderall user (from ADDEREC)	835	0.09
	3 = Only past yr Ambien user (from AMBIREC).....	706	0.07
	4 = Only past yr halluc from Special Drugs (see note).....	226	0.02
	5 = >1 pst yr drug from Special Drugs (see note).....	59	0.01
	98 = BLANK (NO ANSWER).....	555790	58.55

The next questions are about encounters with the police or the court system.

Not counting minor traffic violations, have you ever been arrested and booked for breaking the law?

Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.

<u>BOOKED</u> ¹	Len : 2 EVER ARRESTED AND BOOKED FOR BREAKING THE LAW		
		Freq	Pct
	1 = Yes.....	136209	14.35
	2 = No.....	801483	84.43
	3 = Yes LOGICALLY ASSIGNED	8602	0.91
	85 = BAD DATA Logically assigned.....	19	0.00
	94 = DON'T KNOW	962	0.10
	97 = REFUSED	1890	0.20
	98 = BLANK (NO ANSWER).....	120	0.01

Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking a law?

<u>NOBOOKY</u> ²	Len : 3 # TIMES ARRESTED AND BOOKED PAST 12 MONTHS		
		Freq	Pct
	0 = None	98170	10.34
	1 = One time.....	26811	2.82
	2 = Two times.....	6203	0.65
	3 = Three or more times	3849	0.41
	985 = BAD DATA Logically assigned.....	59	0.01
	994 = DON'T KNOW	623	0.07
	997 = REFUSED	2402	0.25
	998 = BLANK (NO ANSWER).....	9685	1.02
	999 = LEGITIMATE SKIP (BOOKED=2).....	801483	84.43

The next questions are about offenses that are against the law. As you read each question, please answer whether you were arrested and booked for that offense during the past 12 months.

In the past 12 months, were you arrested and booked for motor vehicle theft?

<u>BKMTVTHFT</u> ¹	Len : 2 ARRTD & BOOKED FOR MOT VEH THEFT PAST 12 MONTHS		
		Freq	Pct
	1 = Yes.....	1322	0.14
	2 = No.....	36564	3.85
	3 = Yes LOGICALLY ASSIGNED	20	0.00
	85 = BAD DATA Logically assigned.....	87	0.01
	89 = LEGITIMATE SKIP Logically assigned	5063	0.53
	94 = DON'T KNOW	19	0.00
	97 = REFUSED	1930	0.20
	98 = BLANK (NO ANSWER).....	9690	1.02
	99 = LEGITIMATE SKIP	894590	94.24

SPECIAL TOPICS

In the past 12 months, were you arrested and booked for larceny or theft? Do not include motor vehicle theft.

BKLARCNY ¹	Len : 2	ARRSTD & BOOKED FOR LARCENY/THEFT PAST 12 MONTHS		
			Freq	Pct
		1 = Yes.....	4943	0.52
		2 = No.....	32622	3.44
		3 = Yes LOGICALLY ASSIGNED	311	0.03
		85 = BAD DATA Logically assigned.....	87	0.01
		89 = LEGITIMATE SKIP Logically assigned	5063	0.53
		94 = DON'T KNOW	36	0.00
		97 = REFUSED	1943	0.20
		98 = BLANK (NO ANSWER).....	9690	1.02
		99 = LEGITIMATE SKIP	894590	94.24

In the past 12 months, were you arrested and booked for burglary or breaking and entering?

BKBURGL ¹	Len : 2	ARRSTD & BOOKED FOR BURGLARY/B & E PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	2272	0.24
		2 = No.....	35577	3.75
		3 = Yes LOGICALLY ASSIGNED	40	0.00
		85 = BAD DATA Logically assigned.....	87	0.01
		89 = LEGITIMATE SKIP Logically assigned	5063	0.53
		94 = DON'T KNOW	19	0.00
		97 = REFUSED	1947	0.21
		98 = BLANK (NO ANSWER).....	9690	1.02
		99 = LEGITIMATE SKIP	894590	94.24

NOTE: BKSRLVIOL was created from answers to the following questions:

In the past 12 months, were you arrested and booked for aggravated assault?

In the past 12 months, were you arrested and booked for forcible rape?

In the past 12 months, were you arrested and booked for murder, homicide, or nonnegligent manslaughter?

BKSRVIOL ¹	Len : 2	ARRSTD & BOOKED SERIOUS VIOL OFFENSE PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	330900	34.86
		1 = Yes.....	2074	0.22
		2 = No.....	20204	2.13
		3 = Yes LOGICALLY ASSIGNED	38	0.00
		85 = BAD DATA Logically assigned.....	53	0.01
		89 = LEGITIMATE SKIP Logically assigned	3423	0.36
		94 = DON'T KNOW	30	0.00
		97 = REFUSED	1351	0.14
		98 = BLANK (NO ANSWER).....	5597	0.59
		99 = LEGITIMATE SKIP	585615	61.69

In the past 12 months, were you arrested and booked for other assault, such as simple assault or battery?

BKSMASLT ¹	Len : 2	ARRSTD & BOOKED FOR OTHER ASSAULT PAST 12 MONTHS		
			Freq	Pct
		1 = Yes.....	6049	0.64
		2 = No.....	31244	3.29
		3 = Yes LOGICALLY ASSIGNED	579	0.06
		85 = BAD DATA Logically assigned.....	87	0.01
		89 = LEGITIMATE SKIP Logically assigned	5063	0.53
		94 = DON'T KNOW	34	0.00
		97 = REFUSED	1949	0.21
		98 = BLANK (NO ANSWER).....	9690	1.02
		99 = LEGITIMATE SKIP	894590	94.24

SPECIAL TOPICS

In the past 12 months, were you arrested and booked for robbery?

BKROB ¹	Len : 2 ARRSTD & BOOKED FOR ROBBERY PAST 12 MONTHS		
		Freq	Pct
	1 = Yes.....	1306	0.14
	2 = No.....	36574	3.85
	3 = Yes LOGICALLY ASSIGNED	16	0.00
	85 = BAD DATA Logically assigned.....	87	0.01
	89 = LEGITIMATE SKIP Logically assigned	5063	0.53
	94 = DON'T KNOW	20	0.00
	97 = REFUSED	1939	0.20
	98 = BLANK (NO ANSWER).....	9690	1.02
	99 = LEGITIMATE SKIP	894590	94.24

In the past 12 months, were you arrested and booked for arson?

BKARSON ¹	Len : 2 ARRSTD & BOOKED FOR ARSON PAST 12 MONTHS		
		Freq	Pct
	1 = Yes.....	326	0.03
	2 = No.....	37538	3.95
	3 = Yes LOGICALLY ASSIGNED	8	0.00
	85 = BAD DATA Logically assigned.....	87	0.01
	89 = LEGITIMATE SKIP Logically assigned	5063	0.53
	94 = DON'T KNOW	52	0.01
	97 = REFUSED	1931	0.20
	98 = BLANK (NO ANSWER).....	9690	1.02
	99 = LEGITIMATE SKIP	894590	94.24

In the past 12 months, were you arrested and booked for driving under the influence of alcohol or drugs?

BKDRVINF ¹	Len : 2 ARRSTD & BOOKED FOR DUI PAST 12 MONTHS		
		Freq	Pct
	1 = Yes.....	6372	0.67
	2 = No.....	31416	3.31
	3 = Yes LOGICALLY ASSIGNED	108	0.01
	85 = BAD DATA Logically assigned.....	87	0.01
	89 = LEGITIMATE SKIP Logically assigned	5063	0.53
	94 = DON'T KNOW	13	0.00
	97 = REFUSED	1946	0.20
	98 = BLANK (NO ANSWER).....	9690	1.02
	99 = LEGITIMATE SKIP	894590	94.24

In the past 12 months, were you arrested and booked for drunkenness or other liquor law violations?

BKDRUNK ¹	Len : 2 ARRSTD & BOOKED FOR DRUNKENNESS PAST 12 MONTHS		
		Freq	Pct
	1 = Yes.....	5944	0.63
	2 = No.....	31643	3.33
	3 = Yes LOGICALLY ASSIGNED	304	0.03
	85 = BAD DATA Logically assigned.....	87	0.01
	89 = LEGITIMATE SKIP Logically assigned	5063	0.53
	94 = DON'T KNOW	20	0.00
	97 = REFUSED	1944	0.20
	98 = BLANK (NO ANSWER).....	9690	1.02
	99 = LEGITIMATE SKIP	894590	94.24

In the past 12 months, were you arrested and booked for possession of tobacco?

BKPOSTOB ¹	Len : 2 ARRSTD & BOOKED FOR POSSES OF TOB PAST 12 MOS		
		Freq	Pct
	1 = Yes.....	683	0.07
	2 = No.....	8851	0.93
	3 = Yes LOGICALLY ASSIGNED	6	0.00
	85 = BAD DATA Logically assigned.....	39	0.00
	89 = LEGITIMATE SKIP Logically assigned	387	0.04
	94 = DON'T KNOW	9	0.00
	97 = REFUSED	379	0.04
	98 = BLANK (NO ANSWER).....	4555	0.48
	99 = LEGITIMATE SKIP	934376	98.43

SPECIAL TOPICS

In the past 12 months, were you arrested and booked for possession, manufacture, or sale of drugs?

BKDRUG¹	Len : 2	ARRSTD & BOOKED FOR POSSES/SALE DRUGS PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	5905	0.62
		2 = No.....	31629	3.33
		3 = Yes LOGICALLY ASSIGNED	352	0.04
		85 = BAD DATA Logically assigned.....	87	0.01
		89 = LEGITIMATE SKIP Logically assigned	5063	0.53
		94 = DON'T KNOW	19	0.00
		97 = REFUSED	1950	0.21
		98 = BLANK (NO ANSWER).....	9690	1.02
		99 = LEGITIMATE SKIP	894590	94.24

NOTE: BKSEXNR was created from answers to the following questions:

In the past 12 months, were you arrested and booked for prostitution or commercialized sex?

In the past 12 months, were you arrested and booked for any other sexual offense, not including rape or prostitution?

BKSEXNR¹	Len : 2	ARRSTD & BOOKED SEX OFFENSE EXCL RAPE PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	330900	34.86
		1 = Yes.....	323	0.03
		2 = No.....	22018	2.32
		3 = Yes LOGICALLY ASSIGNED	8	0.00
		85 = BAD DATA Logically assigned.....	53	0.01
		89 = LEGITIMATE SKIP Logically assigned	3423	0.36
		94 = DON'T KNOW	9	0.00
		97 = REFUSED	1339	0.14
		98 = BLANK (NO ANSWER).....	5597	0.59
		99 = LEGITIMATE SKIP	585615	61.69

In the past 12 months, were you arrested and booked for fraud, possessing stolen goods, or vandalism?

BKFRAUD¹	Len : 2	ARRSTD & BOOKED FOR FRAUD/STOL GOODS PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	2119	0.22
		2 = No.....	35343	3.72
		3 = Yes LOGICALLY ASSIGNED	437	0.05
		85 = BAD DATA Logically assigned.....	86	0.01
		89 = LEGITIMATE SKIP Logically assigned	5063	0.53
		94 = DON'T KNOW	21	0.00
		97 = REFUSED	1936	0.20
		98 = BLANK (NO ANSWER).....	9690	1.02
		99 = LEGITIMATE SKIP	894590	94.24

NOTE: For the variable BKOTH, a code of 3 indicates that respondents did not originally answer "yes" to any of the questions about specific offenses for which they were arrested/booked in the past 12 months, including the question about "some other offense." However, these respondents subsequently specified a valid response for an offense in the past 12 months. A code of 5 in BKOTH indicates that respondents reported being arrested/booked at least once in the past 12 months but did not indicate at least one offense for which they were arrested in that period.

In the past 12 months, were you arrested and booked for some other offense besides these that have been named? Please do not include minor traffic violations.

BKOTH¹	Len : 2	ARRSTD & BOOKED FOR SOME OTHER OFF PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	8602	0.91
		2 = No.....	24757	2.61
		3 = Yes LOGICALLY ASSIGNED	2170	0.23
		5 = Offense unknown	2378	0.25
		85 = BAD DATA Logically assigned.....	74	0.01
		89 = LEGITIMATE SKIP Logically assigned	5063	0.53
		94 = DON'T KNOW	29	0.00
		97 = REFUSED	1932	0.20
		98 = BLANK (NO ANSWER).....	9690	1.02
		99 = LEGITIMATE SKIP	894590	94.24

SPECIAL TOPICS

[BKOTHOF2](#)¹

Len : 2 OTHER OFFENSE PAST 12 MONTHS - SPECIFY

	Freq	Pct
1 = Motor vehicle theft.....	25	0.00
2 = Larceny or theft.....	388	0.04
3 = Burglary or breaking and entering.....	49	0.01
4 = Serious violent offense.....	72	0.01
5 = Other assault, such as simple assault or battery.....	711	0.07
6 = Robbery.....	20	0.00
7 = Forcible rape.....	4	0.00
8 = Murder, homicide, or nonnegligent manslaughter.....	4	0.00
9 = Arson.....	8	0.00
10 = Driving under the influence of alcohol or drugs.....	146	0.02
11 = Drunkenness or other liquor law violation.....	407	0.04
12 = Possession of tobacco.....	14	0.00
13 = Possession, manufacture, or sale of drugs.....	413	0.04
14 = Sexual offense, not including rape.....	12	0.00
15 = Any other sexual offense, exc rape/prostitution.....	8	0.00
16 = Fraud, possessing stolen goods, vandalism.....	467	0.05
17 = Some other offense.....	119	0.01
18 = Weapons law violations.....	400	0.04
19 = Counterfeiting/Forgery.....	56	0.01
20 = Viol of court order/probation/parole, perjury.....	1286	0.14
21 = Disorderly conduct.....	792	0.08
22 = Juvenile status offenses.....	107	0.01
23 = All oth offns: crimes agnst persons/prprty/society.....	248	0.03
24 = Traffic violations.....	1139	0.12
25 = Bad checks.....	171	0.02
26 = Curfew/loitering/vagrancy violations.....	301	0.03
27 = Trespass of real property.....	449	0.05
28 = Runaway.....	188	0.02
29 = Family offenses, nonviolent.....	167	0.02
31 = Intimidation.....	161	0.02
33 = Organized criminal activity; unspecified.....	4	0.00
36 = Possession of drug paraphernalia.....	100	0.01
37 = Fireworks law/code violation.....	10	0.00
38 = Evading/hindering/obstructing police.....	438	0.05
39 = False report/statement/alarm.....	57	0.01
43 = Kidnapping/abduction.....	4	0.00
45 = Child endangermnt/neglect/abandonmnt; abuse unspcfd.....	41	0.00
46 = Theft of/nonpayment for services.....	27	0.00
47 = Harassment; intimidation not specified.....	68	0.01
85 = BAD DATA Logically assigned.....	1027	0.11
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW.....	178	0.02
97 = REFUSED.....	2335	0.25
98 = BLANK (NO ANSWER).....	12254	1.29
99 = LEGITIMATE SKIP.....	924408	97.38

Were you on probation at any time during the past 12 months?

[PROBATON](#)¹

Len : 2 ON PROBATION AT ANY TIME PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	30608	3.22
2 = No.....	915502	96.44
85 = BAD DATA Logically assigned.....	61	0.01
94 = DON'T KNOW.....	1720	0.18
97 = REFUSED.....	1272	0.13
98 = BLANK (NO ANSWER).....	122	0.01

Were you on parole, supervised release, or other conditional release from prison at any time during the past 12 months?

[PAROLREL](#)¹

Len : 2 ON PAROLE/SUPRV RELEASE PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	8985	0.95
2 = No.....	937925	98.80
85 = BAD DATA Logically assigned.....	67	0.01
94 = DON'T KNOW.....	1034	0.11
97 = REFUSED.....	1151	0.12
98 = BLANK (NO ANSWER).....	123	0.01

SPECIAL TOPICS

During the past 12 months, have you driven a vehicle while you were under the influence of alcohol?

DRVINALCO

Len : 2 DROVE UNDER INFLUENCE OF ALCOHOL PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = Yes.....	12834	1.35
2 = No.....	88681	9.34
85 = BAD DATA Logically assigned.....	28	0.00
91 = NEVER USED ALCOHOL	47973	5.05
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	18908	1.99
94 = DON'T KNOW	50	0.01
97 = REFUSED	143	0.02
98 = BLANK (NO ANSWER).....	869	0.09

During the past 12 months, have you driven a vehicle while you were under the influence of marijuana?

DRVINMARJ

Len : 2 DROVE UNDER INFLUENCE OF MARIJUANA PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = Yes.....	9684	1.02
2 = No.....	22366	2.36
85 = BAD DATA Logically assigned.....	9	0.00
91 = NEVER USED MARIJUANA	97115	10.23
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	39597	4.17
94 = DON'T KNOW	19	0.00
97 = REFUSED	67	0.01
98 = BLANK (NO ANSWER).....	629	0.07

During the past 12 months, have you driven a vehicle while you were under the influence of [COKEFILL]?

DRVINCOCN

Len : 2 DROVE UNDER INFLU OF COCAINE PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = Yes.....	888	0.09
2 = No.....	3203	0.34
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED COCAINE	149445	15.74
93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS	15674	1.65
94 = DON'T KNOW	2	0.00
97 = REFUSED	13	0.00
98 = BLANK (NO ANSWER).....	258	0.03

During the past 12 months, have you driven a vehicle while you were under the influence of heroin?

DRVINHERN

Len : 2 DROVE UNDER INFLUENCE OF HEROIN PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = Yes.....	315	0.03
2 = No.....	437	0.05
91 = NEVER USED HEROIN	166440	17.53
93 = DID NOT USE HEROIN IN THE PAST 12 MONTHS.....	2174	0.23
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	117	0.01

SPECIAL TOPICS

During the past 12 months, have you driven a vehicle while you were under the influence of [LSFILL]?

DRVINHALL

Len : 2 DROVE UNDER INFLU OF HALLUCINOGENS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = Yes.....	421	0.04
2 = No.....	4152	0.44
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	144419	15.21
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS	19325	2.04
94 = DON'T KNOW	3	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	1158	0.12

During the past 12 months, have you driven a vehicle while you were under the influence of any inhalant?

DRVININHL

Len : 2 DROVE UNDER INFLUENCE OF INHALANTS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = Yes.....	59	0.01
2 = No.....	1776	0.19
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED INHALANTS.....	152378	16.05
93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS	14242	1.50
94 = DON'T KNOW	4	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	1018	0.11

During the past 12 months, have you driven a vehicle while you were under the influence of methamphetamine?

DRVINMETH

Len : 2 DROVE UNDER INFLU OF METHAMPHETAMINE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = Yes.....	532	0.06
2 = No.....	679	0.07
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED METHAMPHETAMINE.....	161672	17.03
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS.....	6321	0.67
94 = DON'T KNOW	3	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER).....	272	0.03

During the past 12 months, have you driven a vehicle while you were under the influence of alcohol only?

DRVINALON

Len : 2 DROVE UNDER INFLUENCE OF ONLY ALCOHOL PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = Yes.....	3628	0.38
2 = No.....	341	0.04
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL	47973	5.05
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	18908	1.99
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER).....	1049	0.11
99 = LEGITIMATE SKIP	97584	10.28

SPECIAL TOPICS

NOTE: MXMJPNLT is a renamed version of the variable MXMJPENL from prior years. In 2006 a new level (6 - No penalty) was added to the answer categories. Therefore, data from the previous variable MXMJPENL may not be comparable to data from the current variable MXMJPNLT.

What is the maximum legal penalty in [STATE FILL FROM FIPE4] for first offense possession of an ounce or less of marijuana for your own use?

[MXMJPNLT](#)¹

Len : 2 MAX PENALTY FOR 1ST MJ POSS < OUNCE IN YOUR STATE

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = A fine	155873	16.42
2 = Probation	97900	10.31
3 = Community service	43786	4.61
4 = Possible prison sentence	155602	16.39
5 = Mandatory prison sentence	35944	3.79
6 = No penalty	31386	3.31
85 = BAD DATA Logically assigned.....	441	0.05
94 = DON'T KNOW	203152	21.40
97 = REFUSED	4290	0.45
98 = BLANK (NO ANSWER).....	95	0.01

RECODED SPECIAL TOPICS

RECODED SPECIAL TOPICS

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

<u>DRIVALC2</u>	Len : 1	DROVE VEHICLE WHILE UNDER INFLUENCE OF ALCOHOL PY		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Yes (DRVALDR=1 or DRVAONLY=1).....	94502	9.96
		2 = No (DRVALDR=2,89,99 and DRVAONLY=2).....	337740	35.58
		3 = Unknown (Otherwise)	9624	1.01
		4 = Never/No Use (DRVALDR and DRVAONLY=81,89,91,99)	280787	29.58

<u>DRIVDRG2</u>	Len : 1	DROVE VEHICLE UNDER INFLUENCE OF ILLICIT DRUGS PY		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Yes (DRVFLAG=98 & {DRVALDR=1 or DRVDONLY=1})	46557	4.90
		2 = No (DRVFLAG<=5 or {DRVALDR=2,89,99 & DRVDONLY=2})	114941	12.11
		3 = Unknown (Otherwise)	13699	1.44
		4 = Never/No Use (DRVALDR and DRVDONLY=81,89,91,99)	547456	57.67

<u>DRIVALD2</u>	Len : 1	DROVE VEHICLE UNDER INFLUENCE OF ALC/ILL DRUGS PY		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Yes (DRIVALC2=1 or DRIVDRG2=1)	106319	11.20
		2 = No (Otherwise)	344170	36.26
		3 = Unknown (DRIVALC2=3 or DRIVDRG2=3).....	17061	1.80
		4 = Never/No Use (DRIVALC2=4 and DRIVDRG2=4).....	255103	26.87

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: Starting in 2016, the DUI questions were revised to ask about individual substances instead of illicit drugs or alcohol overall. The driving under the influence variables in this section are not comparable between 2016 and previous years and have been renamed.

<u>DRVINALCO2</u>	Len : 1	RC-DROVE UNDER INFLUENCE OF ALCOHOL IN PAST YEAR		
			Freq	Pct
		. = Unknown (Otherwise)	1090	0.11
		-9 = Data not collected for this year	779799	82.15
		0 = No (DRVINALCO=2,91,93,99).....	155562	16.39
		1 = Yes (DRVINALCO=1).....	12834	1.35

<u>DRVINMARJ2</u>	Len : 1	RC-DROVE UNDER INFLUENCE OF MARIJUANA IN PAST YEAR		
			Freq	Pct
		. = Unknown (Otherwise)	724	0.08
		-9 = Data not collected for this year	779799	82.15
		0 = No (DRVINMARJ=2,91,93,99).....	159078	16.76
		1 = Yes (DRVINMARJ=1).....	9684	1.02

The following variable, DRVINDRG, was created by examination of this driving under the influence list of selected drugs: marijuana (DRVINMARJ), cocaine or crack (DRVINCOCN), heroin (DRVINHERN), hallucinogens (DRVINHALL), inhalants (DRVININHL), and methamphetamine (DRVINMETH).

<u>DRVINDRG</u>	Len : 1	RC-DROVE UNDER INFLUENCE OF SELECTED ILL DRUGS IN PAST YR		
			Freq	Pct
		. = Unknown (Otherwise)	2738	0.29
		-9 = Data not collected for this year	779799	82.15
		0 = No (All source variables=2,91,93,99).....	156495	16.49
		1 = Yes (Any source variable=1).....	10253	1.08

RECODED SPECIAL TOPICS

The following variable, DRVINDROTMJ, was created by examination of this driving under the influence list of selected drugs: cocaine or crack (DRVINCOCN), heroin (DRVINHERN), hallucinogens (DRVINHALL), inhalants (DRVININHL), and methamphetamine (DRVINMETH).

<u>DRVINDROTMJ</u>	Len : 1	RC-DROVE UNDER INFLUENCE OF SELECTED ILL DRG OTH MRJ IN PY		
			Freq	Pct
		. = Unknown (Otherwise)	2325	0.24
		-9 = Data not collected for this year	779799	82.15
		0 = No (All source variables=2,91,93,99)	165427	17.43
		1 = Yes (Any source variable=1)	1734	0.18

<u>DRVINALDRG</u>	Len : 1	RC-DROVE UNDER INFLUENCE OF ALC OR SELECTED ILL DRG IN PY		
			Freq	Pct
		. = Unknown (Otherwise)	3524	0.37
		-9 = Data not collected for this year	779799	82.15
		0 = No (DRVINDRG=0 and DRVINALCO2=0)	146845	15.47
		1 = Yes (DRVINDRG=1 or DRVINALCO2=1)	19117	2.01

<u>PAROL</u>	Len : 1	RC-PAROLE/SUPERVISED RELEASE STATUS IN THE PAST YEAR		
			Freq	Pct
		. = Unknown Parole/Supervised Rel Status (Otherwise)	2375	0.25
		1 = On Parole/Supervised Release (PAROLREL=1)	8985	0.95
		2 = Not on Parole/Supervised Release (PAROLREL=2)	937925	98.80

<u>PROB</u>	Len : 1	RC-PROBATION STATUS IN THE PAST YEAR		
			Freq	Pct
		. = Unknown Probation Status (Otherwise)	3175	0.33
		1 = On Probation (PROBATON=1)	30608	3.22
		2 = Not on Probation (PROBATON=2)	915502	96.44

PRIOR SUBSTANCE USE

PRIOR SUBSTANCE USE

This note applies to variables in this section marked by a¹.

Earlier, the computer recorded that, during the past 12 months, you used prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription pain reliever?

ANLGTLAS¹	Len : 2	HOW GOT PRSCRIP PAIN RLVR PAST 12 MOS/LAST TIME	Freq	Pct
		-9 = Data not collected for this year	728186	76.71
		1 = I got a prescription from just one doctor	1721	0.18
		2 = I got prescriptions from more than one doctor.....	156	0.02
		3 = I wrote a fake prescription	19	0.00
		4 = I stole it from dr's office/clinic/hosp/pharmacy.....	42	0.00
		5 = I got it from a friend or relative for free	6264	0.66
		6 = I bought it from a friend or relative.....	1179	0.12
		7 = I took it from friend/relative without asking	803	0.08
		8 = I bought it from a drug dealer or other stranger	584	0.06
		9 = I bought it on the Internet.....	26	0.00
		10 = I got it in some other way.....	570	0.06
		11 = I got a prescription from just one doctor LOG ASSN.....	3	0.00
		14 = I stole it from dr's ofc/clin/hosp/pharm LOG ASSN.....	1	0.00
		15 = I got it from friend/relative for free LOG ASSN.....	78	0.01
		16 = I bought it from a friend or relative LOG ASSN.....	2	0.00
		17 = I took it from friend/relative w/o asking LOG ASSN	3	0.00
		18 = I bought it from drug dealer/oth stranger LOG ASSN.....	8	0.00
		81 = NEVER USED PAIN RELIEVERS Logically assigned	368	0.04
		85 = BAD DATA Logically assigned.....	12	0.00
		89 = LEGITIMATE SKIP Logically assigned	73	0.01
		91 = NEVER USED PAIN RELIEVERS	183522	19.33
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	18724	1.97
		94 = DON'T KNOW	238	0.03
		97 = REFUSED	252	0.03
		98 = BLANK (NO ANSWER).....	2290	0.24
		99 = LEGITIMATE SKIP	4161	0.44

Earlier, the computer recorded that, during the past 12 months, you used methamphetamine.

Now think about the last time you used methamphetamine. How did you get this methamphetamine?

MTHGTLAS¹	Len : 2	HOW GOT METHAMPHETAMINE PAST 12 MOS/LAST TIME	Freq	Pct
		-9 = Data not collected for this year	615639	64.85
		5 = I got it from a friend or relative for free	981	0.10
		6 = I bought it from a friend or relative.....	399	0.04
		7 = I took it from friend/relative without asking	59	0.01
		8 = I bought it from a drug dealer or other stranger	329	0.03
		9 = I bought it on the Internet.....	19	0.00
		10 = I got it in some other way.....	86	0.01
		15 = I got it from a friend/relative for free LOG ASSN	6	0.00
		16 = I bought it from a friend/relative LOG ASSN.....	2	0.00
		17 = I took it from friend/relative w/o asking LOG	1	0.00
		18 = I bought it from drug dealer/oth stranger LOG ASSN.....	6	0.00
		81 = NEVER USED METHAMPHETAMINE Logically assigned	109	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED METHAMPHETAMINE.....	315909	33.28
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	14124	1.49
		94 = DON'T KNOW	31	0.00
		97 = REFUSED	184	0.02
		98 = BLANK (NO ANSWER).....	718	0.08
		99 = LEGITIMATE SKIP	682	0.07

PRIOR SUBSTANCE USE

The computer recorded that you last used snuff [CGSNREC FILL]. How old were you the last time you used snuff?

[SNEAGLST](#)¹

Len : 3 HOW OLD WERE YOU LAST THE TIME USED SNUFF

	Freq	Pct
RANGE = 1 - 83.....	56416	5.94
-9 = Data not collected for this year	335941	35.39
985 = BAD DATA Logically assigned.....	4888	0.51
989 = LEGITIMATE SKIP Logically assigned.....	10	0.00
991 = NEVER USED SNUFF	528547	55.68
994 = DON'T KNOW	1765	0.19
997 = REFUSED	342	0.04
998 = BLANK (NO ANSWER).....	450	0.05
999 = LEGITIMATE SKIP	20926	2.20

Did you last use snuff in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use snuff in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use snuff?

[SNUFYLU](#)¹

Len : 4 YEAR OF LAST SNUFF USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014.....	13814	1.46
-9 = Data not collected for this year	335941	35.39
9985 = BAD DATA Logically assigned	578	0.06
9989 = LEGITIMATE SKIP Logically assigned.....	321	0.03
9991 = NEVER USED SNUFF.....	528547	55.68
9994 = DON'T KNOW.....	1816	0.19
9997 = REFUSED	350	0.04
9998 = BLANK (NO ANSWER)	5286	0.56
9999 = LEGITIMATE SKIP.....	62632	6.60

In what month in [CURRENT YEAR] did you last use snuff?

In what month in [YEAR FROM LU05a or LU05b] did you last use snuff?

[SNUFMLU](#)¹

Len : 2 MONTH OF LAST SNUFF USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = January.....	1039	0.11
2 = February	905	0.10
3 = March.....	949	0.10
4 = April.....	870	0.09
5 = May.....	940	0.10
6 = June.....	1186	0.12
7 = July	1220	0.13
8 = August.....	1067	0.11
9 = September.....	975	0.10
10 = October.....	1006	0.11
11 = November	989	0.10
12 = December	864	0.09
85 = BAD DATA Logically assigned.....	1229	0.13
89 = LEGITIMATE SKIP Logically assigned	321	0.03
91 = NEVER USED SNUFF	528547	55.68
94 = DON'T KNOW	2857	0.30
97 = REFUSED	393	0.04
98 = BLANK (NO ANSWER).....	5355	0.56
99 = LEGITIMATE SKIP	62632	6.60

PRIOR SUBSTANCE USE

The computer recorded that you last used chewing tobacco [CG20REC FILL]. How old were you the last time you used chewing tobacco?

[CHWAGLST](#)¹

Len : 3 HOW OLD WERE YOU LAST TIME USED CHEWING TOBACCO

	Freq	Pct
RANGE = 1 - 84.....	53743	5.66
-9 = Data not collected for this year	335941	35.39
985 = BAD DATA Logically assigned.....	3472	0.37
989 = LEGITIMATE SKIP Logically assigned.....	6	0.00
991 = NEVER USED CHEWING TOBACCO.....	544304	57.34
994 = DON'T KNOW	1676	0.18
997 = REFUSED	239	0.03
998 = BLANK (NO ANSWER).....	200	0.02
999 = LEGITIMATE SKIP	9704	1.02

Did you last use chewing tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use chewing tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use chewing tobacco?

[CHEWYLU](#)¹

Len : 4 YEAR OF LAST CHEWING TOBACCO USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014.....	12214	1.29
-9 = Data not collected for this year	335941	35.39
9985 = BAD DATA Logically assigned	456	0.05
9989 = LEGITIMATE SKIP Logically assigned.....	235	0.02
9991 = NEVER USED CHEWING TOBACCO	544304	57.34
9994 = DON'T KNOW.....	1704	0.18
9997 = REFUSED	238	0.03
9998 = BLANK (NO ANSWER).....	3646	0.38
9999 = LEGITIMATE SKIP.....	50547	5.32

In what month in [CURRENT YEAR] did you last use chewing tobacco?

In what month in [YEAR FROM LU06a or LU06b] did you last use chewing tobacco?

[CHEWMLU](#)¹

Len : 2 MONTH OF LAST CHEWING TOBACCO USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = January.....	1050	0.11
2 = February	868	0.09
3 = March.....	858	0.09
4 = April.....	905	0.10
5 = May.....	819	0.09
6 = June.....	997	0.11
7 = July	1187	0.13
8 = August.....	917	0.10
9 = September.....	843	0.09
10 = October.....	1007	0.11
11 = November	852	0.09
12 = December	692	0.07
85 = BAD DATA Logically assigned.....	801	0.08
89 = LEGITIMATE SKIP Logically assigned	235	0.02
91 = NEVER USED CHEWING TOBACCO.....	544304	57.34
94 = DON'T KNOW	2505	0.26
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER).....	3687	0.39
99 = LEGITIMATE SKIP	50547	5.32

PRIOR SUBSTANCE USE

The computer recorded that you last used [LSFILL] [HALLREC FILL]. How old were you the last time you used [LSFILL]?

[HALAGLST](#)¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED HALLUCINOGEN

	Freq	Pct
RANGE = 1 - 80.....	71232	7.50
-9 = Data not collected for this year	335941	35.39
985 = BAD DATA Logically assigned.....	4889	0.52
989 = LEGITIMATE SKIP Logically assigned.....	219	0.02
991 = NEVER USED HALLUCINOGENS.....	527544	55.57
994 = DON'T KNOW	1780	0.19
997 = REFUSED	473	0.05
998 = BLANK (NO ANSWER).....	2410	0.25
999 = LEGITIMATE SKIP	4797	0.51

Did you last use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use [LSFILL]?

[HALYLU](#)¹

Len : 4 YEAR OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014.....	17608	1.85
-9 = Data not collected for this year	335941	35.39
9985 = BAD DATA Logically assigned	652	0.07
9989 = LEGITIMATE SKIP Logically assigned.....	471	0.05
9991 = NEVER USED HALLUCINOGENS.....	527544	55.57
9994 = DON'T KNOW.....	1825	0.19
9997 = REFUSED	481	0.05
9998 = BLANK (NO ANSWER).....	8493	0.89
9999 = LEGITIMATE SKIP.....	56270	5.93

In what month in [CURRENT YEAR] did you last use [LSFILL]?

In what month in [YEAR FROM LU12a or LU12b] did you last use [LSFILL]?

[HALMLU](#)¹

Len : 2 MONTH OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = January.....	1293	0.14
2 = February	1196	0.13
3 = March.....	1242	0.13
4 = April.....	1093	0.12
5 = May.....	1237	0.13
6 = June.....	1595	0.17
7 = July	1828	0.19
8 = August.....	1484	0.16
9 = September.....	1118	0.12
10 = October.....	1313	0.14
11 = November	1186	0.12
12 = December	1115	0.12
85 = BAD DATA Logically assigned.....	1441	0.15
89 = LEGITIMATE SKIP Logically assigned	470	0.05
91 = NEVER USED HALLUCINOGENS	527544	55.57
94 = DON'T KNOW	2793	0.29
97 = REFUSED	555	0.06
98 = BLANK (NO ANSWER).....	8570	0.90
99 = LEGITIMATE SKIP	56271	5.93

PRIOR SUBSTANCE USE

The computer recorded that you last used "Ecstasy" also known as MDMA [ECSTREC FILL]. How old were you the last time you used "Ecstasy"?

[ECSAGLST](#)¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED ECSTASY

	Freq	Pct
RANGE = 1 - 72.....	35873	3.78
-9 = Data not collected for this year	335941	35.39
985 = BAD DATA Logically assigned.....	1947	0.21
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
991 = NEVER USED ECSTASY	570299	60.08
994 = DON'T KNOW	511	0.05
997 = REFUSED	180	0.02
998 = BLANK (NO ANSWER).....	2081	0.22
999 = LEGITIMATE SKIP	2452	0.26

Did you last use "Ecstasy" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "Ecstasy" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "Ecstasy"?

[ECSYLU](#)¹

Len : 4 YEAR OF LAST ECSTASY USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014.....	10859	1.14
-9 = Data not collected for this year	335941	35.39
9985 = BAD DATA Logically assigned	250	0.03
9989 = LEGITIMATE SKIP Logically assigned.....	162	0.02
9991 = NEVER USED ECSTASY.....	570299	60.08
9994 = DON'T KNOW.....	521	0.05
9997 = REFUSED	180	0.02
9998 = BLANK (NO ANSWER)	4136	0.44
9999 = LEGITIMATE SKIP.....	26937	2.84

In what month in [CURRENT YEAR] did you last use "Ecstasy"?

In what month in [YEAR FROM LU15a or LU15b] did you last use "Ecstasy"?

[ECSMLU](#)¹

Len : 2 MONTH OF LAST ECSTASY USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = January.....	922	0.10
2 = February	761	0.08
3 = March.....	850	0.09
4 = April.....	680	0.07
5 = May.....	794	0.08
6 = June.....	954	0.10
7 = July	1035	0.11
8 = August.....	860	0.09
9 = September.....	672	0.07
10 = October.....	828	0.09
11 = November	669	0.07
12 = December	734	0.08
85 = BAD DATA Logically assigned.....	521	0.05
89 = LEGITIMATE SKIP Logically assigned	162	0.02
91 = NEVER USED ECSTASY	570299	60.08
94 = DON'T KNOW	899	0.09
97 = REFUSED	200	0.02
98 = BLANK (NO ANSWER).....	4567	0.48
99 = LEGITIMATE SKIP	26937	2.84

PRIOR SUBSTANCE USE

The computer recorded that you last used any inhalants for kicks or to get high [INREC FILL]. How old were you the last time you used any inhalants for kicks or to get high?

[INHAGLST¹](#)

Len : 3 HOW OLD WERE YOU THE LAST TIME USED INHALANTS

	Freq	Pct
RANGE = 1 - 65.....	47465	5.00
-9 = Data not collected for this year	335941	35.39
985 = BAD DATA Logically assigned.....	5610	0.59
989 = LEGITIMATE SKIP Logically assigned.....	15	0.00
991 = NEVER USED INHALANTS.....	551932	58.14
994 = DON'T KNOW	2432	0.26
997 = REFUSED	869	0.09
998 = BLANK (NO ANSWER).....	2261	0.24
999 = LEGITIMATE SKIP	2760	0.29

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

[INHLYLU¹](#)

Len : 4 YEAR OF LAST INHALANT USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014.....	10588	1.12
-9 = Data not collected for this year	335941	35.39
9985 = BAD DATA Logically assigned.....	649	0.07
9989 = LEGITIMATE SKIP Logically assigned.....	287	0.03
9991 = NEVER USED INHALANTS.....	551932	58.14
9994 = DON'T KNOW.....	2499	0.26
9997 = REFUSED	905	0.10
9998 = BLANK (NO ANSWER).....	7791	0.82
9999 = LEGITIMATE SKIP.....	38693	4.08

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

In what month in [YEAR FROM LU16a or LU16b] did you last use an inhalant for kicks or to get high?

[INHMLU¹](#)

Len : 2 MONTH OF LAST INHALANT USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = January.....	792	0.08
2 = February	664	0.07
3 = March.....	781	0.08
4 = April.....	668	0.07
5 = May.....	708	0.07
6 = June.....	884	0.09
7 = July	868	0.09
8 = August.....	719	0.08
9 = September.....	651	0.07
10 = October.....	693	0.07
11 = November	691	0.07
12 = December	641	0.07
85 = BAD DATA Logically assigned.....	1200	0.13
89 = LEGITIMATE SKIP Logically assigned	287	0.03
91 = NEVER USED INHALANTS.....	551932	58.14
94 = DON'T KNOW	3574	0.38
97 = REFUSED	982	0.10
98 = BLANK (NO ANSWER).....	7916	0.83
99 = LEGITIMATE SKIP	38693	4.08

PRIOR SUBSTANCE USE

The computer recorded that you last used a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused [PRREC FILL]. How old were you the last time you used any prescription pain reliever in either of these ways?

[ANLAGLST](#)¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED PAIN RELIEVER

	Freq	Pct
RANGE = 1 - 90.....	71270	7.51
-9 = Data not collected for this year	335941	35.39
981 = NEVER USED PAIN RELIEVERS Logically assigned.....	914	0.10
985 = BAD DATA Logically assigned.....	4716	0.50
989 = LEGITIMATE SKIP Logically assigned.....	104	0.01
991 = NEVER USED PAIN RELIEVERS	512439	53.98
994 = DON'T KNOW	3053	0.32
997 = REFUSED	978	0.10
998 = BLANK (NO ANSWER).....	3660	0.39
999 = LEGITIMATE SKIP	16210	1.71

Did you last use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

[ANALYLU](#)¹

Len : 4 YEAR OF LAST PAIN RELIEVER USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014.....	32292	3.40
-9 = Data not collected for this year	335941	35.39
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	914	0.10
9985 = BAD DATA Logically assigned	1383	0.15
9989 = LEGITIMATE SKIP Logically assigned.....	841	0.09
9991 = NEVER USED PAIN RELIEVERS.....	512439	53.98
9994 = DON'T KNOW.....	3187	0.34
9997 = REFUSED	1060	0.11
9998 = BLANK (NO ANSWER).....	8454	0.89
9999 = LEGITIMATE SKIP.....	52774	5.56

In what month in [CURRENT YEAR] did you last use a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU17a or LU17b] did you last use a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

[ANALMLU](#)¹

Len : 2 MONTH OF LAST PAIN RELIEVER USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = January.....	2782	0.29
2 = February	2412	0.25
3 = March.....	2492	0.26
4 = April.....	2179	0.23
5 = May.....	2281	0.24
6 = June.....	2474	0.26
7 = July	2460	0.26
8 = August.....	2345	0.25
9 = September.....	2173	0.23
10 = October.....	2291	0.24
11 = November	2364	0.25
12 = December	2386	0.25
81 = NEVER USED PAIN RELIEVERS Logically assigned	914	0.10
85 = BAD DATA Logically assigned.....	2313	0.24
89 = LEGITIMATE SKIP Logically assigned	841	0.09
91 = NEVER USED PAIN RELIEVERS	512439	53.98
94 = DON'T KNOW	5575	0.59
97 = REFUSED	1207	0.13
98 = BLANK (NO ANSWER).....	8642	0.91
99 = LEGITIMATE SKIP	52774	5.56

PRIOR SUBSTANCE USE

The computer recorded that you last used OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused [OXYREC FILL]. How old were you the last time you used OxyContin in either of these ways?

OXYAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED OXYCONTIN

	Freq	Pct
RANGE = 5 - 74.....	15169	1.60
-9 = Data not collected for this year	335941	35.39
981 = NEVER USED OXYCONTIN Logically assigned	26891	2.83
985 = BAD DATA Logically assigned.....	1307	0.14
989 = LEGITIMATE SKIP Logically assigned.....	16	0.00
991 = NEVER USED OXYCONTIN	565663	59.59
994 = DON'T KNOW	458	0.05
997 = REFUSED	513	0.05
998 = BLANK (NO ANSWER).....	1737	0.18
999 = LEGITIMATE SKIP	1590	0.17

Did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCYLU¹

Len : 4 YEAR OF LAST OXYCONTIN USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014.....	6042	0.64
-9 = Data not collected for this year	335941	35.39
9981 = NEVER USED OXYCONTIN Logically assigned	26891	2.83
9985 = BAD DATA Logically assigned	269	0.03
9989 = LEGITIMATE SKIP Logically assigned.....	144	0.02
9991 = NEVER USED OXYCONTIN	565663	59.59
9994 = DON'T KNOW.....	470	0.05
9997 = REFUSED	514	0.05
9998 = BLANK (NO ANSWER).....	3029	0.32
9999 = LEGITIMATE SKIP.....	10322	1.09

In what month in [CURRENT YEAR] did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU17f or LU17g] did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCMLU¹

Len : 2 MONTH OF LAST OXYCONTIN USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = January.....	496	0.05
2 = February	439	0.05
3 = March.....	445	0.05
4 = April.....	383	0.04
5 = May.....	437	0.05
6 = June.....	478	0.05
7 = July	461	0.05
8 = August.....	465	0.05
9 = September.....	414	0.04
10 = October.....	419	0.04
11 = November	434	0.05
12 = December	393	0.04
81 = NEVER USED OXYCONTIN Logically assigned	26891	2.83
85 = BAD DATA Logically assigned.....	557	0.06
89 = LEGITIMATE SKIP Logically assigned	144	0.02
91 = NEVER USED OXYCONTIN	565663	59.59
94 = DON'T KNOW	902	0.10
97 = REFUSED	538	0.06
98 = BLANK (NO ANSWER).....	3063	0.32
99 = LEGITIMATE SKIP	10322	1.09

PRIOR SUBSTANCE USE

The computer recorded that you last used a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused [TRREC FILL]. How old were you the last time you used any prescription tranquilizer in either of those ways?

[TRNAGLST](#)¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED TRANQUILIZERS

	Freq	Pct
RANGE = 1 - 85.....	39463	4.16
-9 = Data not collected for this year	335941	35.39
981 = NEVER USED TRANQUILIZERS Logically assigned.....	69	0.01
985 = BAD DATA Logically assigned.....	3661	0.39
989 = LEGITIMATE SKIP Logically assigned.....	12	0.00
991 = NEVER USED TRANQUILIZERS.....	560249	59.02
994 = DON'T KNOW	2046	0.22
997 = REFUSED	575	0.06
998 = BLANK (NO ANSWER).....	1501	0.16
999 = LEGITIMATE SKIP	5768	0.61

Did you last use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

[TRANLU](#)¹

Len : 4 YEAR OF LAST TRANQUILIZER USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014.....	13976	1.47
-9 = Data not collected for this year	335941	35.39
9981 = NEVER USED TRANQUILIZERS Logically assigned.....	69	0.01
9985 = BAD DATA Logically assigned.....	589	0.06
9989 = LEGITIMATE SKIP Logically assigned.....	306	0.03
9991 = NEVER USED TRANQUILIZERS.....	560249	59.02
9994 = DON'T KNOW.....	2105	0.22
9997 = REFUSED	591	0.06
9998 = BLANK (NO ANSWER).....	5117	0.54
9999 = LEGITIMATE SKIP.....	30342	3.20

In what month in [CURRENT YEAR] did you last use a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU18a or LU18b] did you last use a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

[TRANMLU](#)¹

Len : 2 MONTH OF LAST TRANQUILIZER USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = January.....	1043	0.11
2 = February	973	0.10
3 = March.....	1121	0.12
4 = April.....	951	0.10
5 = May.....	1037	0.11
6 = June.....	1139	0.12
7 = July	1153	0.12
8 = August.....	941	0.10
9 = September.....	987	0.10
10 = October.....	941	0.10
11 = November	929	0.10
12 = December	1020	0.11
81 = NEVER USED TRANQUILIZERS Logically assigned.....	69	0.01
85 = BAD DATA Logically assigned.....	1149	0.12
89 = LEGITIMATE SKIP Logically assigned	306	0.03
91 = NEVER USED TRANQUILIZERS.....	560249	59.02
94 = DON'T KNOW	3095	0.33
97 = REFUSED	648	0.07
98 = BLANK (NO ANSWER).....	5251	0.55
99 = LEGITIMATE SKIP	30342	3.20

PRIOR SUBSTANCE USE

NOTE: Data for STMAGLST, STIMYLU, and STIMMLU were edited for consistency with data for MTHAGLST, METHYLU, and METHMLU (see below) if respondents reported nonmedical use of methamphetamine in the core STIMULANTS module. In that context, nonmedical use of methamphetamine could include the prescription forms Desoxyn or Methedrine. Respondents in this survey year who reported methamphetamine use in the noncore SPECIAL DRUGS module also were asked questions about their last use of methamphetamine, without reference to prescription forms of the drug. STMAGLST, STIMYLU, and STIMMLU were not edited for consistency with data on the last use of methamphetamine for these additional noncore methamphetamine users. Consequently, STMAGLST, STIMYLU, and STIMMLU could indicate lifetime nonuse of "prescription" stimulants when the corresponding methamphetamine data in MTHAGLST, METHYLU, and METHMLU indicate that respondents were methamphetamine users. Therefore, documentation of codes for 81, 981, 9981, 91, 991, and 9991 in STMAGLST, STIMYLU, and STIMMLU specifically indicates that respondents had never used prescription stimulants nonmedically.

The computer recorded that you last used a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused [STREC FILL]. How old were you the last time you used any prescription stimulant in either of these ways?

STMAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED RX STIMULANTS

	Freq	Pct
RANGE = 1 - 80.....	35781	3.77
-9 = Data not collected for this year.....	335941	35.39
981 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	125	0.01
985 = BAD DATA Logically assigned.....	1563	0.16
989 = LEGITIMATE SKIP Logically assigned.....	93	0.01
991 = NEVER USED PRESCRIPTION STIMULANTS.....	567689	59.80
994 = DON'T KNOW.....	1189	0.13
997 = REFUSED.....	326	0.03
998 = BLANK (NO ANSWER).....	2567	0.27
999 = LEGITIMATE SKIP.....	4011	0.42

Did you last use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMYLU¹

Len : 4 YEAR OF LAST RX STIMULANT USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014.....	10037	1.06
-9 = Data not collected for this year.....	335941	35.39
9981 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	125	0.01
9985 = BAD DATA Logically assigned.....	324	0.03
9989 = LEGITIMATE SKIP Logically assigned.....	210	0.02
9991 = NEVER USED PRESCRIPTION STIMULANTS.....	567689	59.80
9994 = DON'T KNOW.....	1209	0.13
9997 = REFUSED.....	344	0.04
9998 = BLANK (NO ANSWER).....	4554	0.48
9999 = LEGITIMATE SKIP.....	28852	3.04

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU19a or LU19b] did you last use a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMMLU¹

Len : 2 MONTH OF LAST RX STIMULANT USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = January	774	0.08
2 = February	658	0.07
3 = March	790	0.08
4 = April	787	0.08
5 = May	953	0.10
6 = June	754	0.08
7 = July	705	0.07
8 = August	666	0.07
9 = September	595	0.06
10 = October	631	0.07
11 = November	716	0.08
12 = December	915	0.10
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	125	0.01
85 = BAD DATA Logically assigned	642	0.07
89 = LEGITIMATE SKIP Logically assigned	210	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS	567689	59.80
94 = DON'T KNOW	1732	0.18
97 = REFUSED	371	0.04
98 = BLANK (NO ANSWER)	4779	0.50
99 = LEGITIMATE SKIP	28852	3.04

NOTE: MTHNCFLG is a flag variable that indicates when respondents reported methamphetamine use in the noncore SPECIAL DRUGS module and MTHAGLST has nonmissing data.

MTHNCFLG¹

Len : 2 MTHAGLST COMING FROM NONCORE DATA

	Freq	Pct
-9 = Data not collected for this year	502483	52.93
1 = Nonmissing MTHAGLST based on noncore data	4898	0.52
98 = OTHERWISE	441904	46.55

The computer recorded that you last used [Methamphetamine, Desoxyn or Methedrine]/[Methamphetamine] [MEREK FILL]. How old were you the last time you used [Methamphetamine, Desoxyn or Methedrine]/[Methamphetamine]?

MTHAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED METH

	Freq	Pct
RANGE = 1 - 67	22210	2.34
-9 = Data not collected for this year	335941	35.39
981 = NEVER USED METHAMPHETAMINE Logically assigned	131	0.01
985 = BAD DATA Logically assigned	1488	0.16
989 = LEGITIMATE SKIP Logically assigned	6	0.00
991 = NEVER USED METHAMPHETAMINE	586504	61.78
994 = DON'T KNOW	754	0.08
997 = REFUSED	260	0.03
998 = BLANK (NO ANSWER)	547	0.06
999 = LEGITIMATE SKIP	1444	0.15

PRIOR SUBSTANCE USE

Did you last use [METHFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use [METHFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use [METHFILL]?

METHYLU¹

Len : 4 YEAR OF LAST METHAMPHETAMINE USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014.....	4004	0.42
-9 = Data not collected for this year	335941	35.39
9981 = NEVER USED METHAMPHETAMINE Logically assigned	123	0.01
9985 = BAD DATA Logically assigned	215	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	111	0.01
9991 = NEVER USED METHAMPHETAMINE	586512	61.78
9994 = DON'T KNOW.....	764	0.08
9997 = REFUSED	267	0.03
9998 = BLANK (NO ANSWER).....	2032	0.21
9999 = LEGITIMATE SKIP.....	19316	2.03

In what month in [CURRENT YEAR] did you last use [METHFILL]?

In what month in [YEAR FROM LU20a or LU20b] did you last use [METHFILL]?

METHMLU¹

Len : 2 MONTH OF LAST METHAMPHETAMINE USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = January.....	358	0.04
2 = February	297	0.03
3 = March.....	307	0.03
4 = April.....	282	0.03
5 = May.....	280	0.03
6 = June.....	287	0.03
7 = July	322	0.03
8 = August.....	318	0.03
9 = September.....	251	0.03
10 = October.....	263	0.03
11 = November	291	0.03
12 = December	321	0.03
81 = NEVER USED METHAMPHETAMINE Logically assigned	123	0.01
85 = BAD DATA Logically assigned.....	372	0.04
89 = LEGITIMATE SKIP Logically assigned	111	0.01
91 = NEVER USED METHAMPHETAMINE	586512	61.78
94 = DON'T KNOW	996	0.10
97 = REFUSED	286	0.03
98 = BLANK (NO ANSWER).....	2051	0.22
99 = LEGITIMATE SKIP	19316	2.03

The computer recorded that you last used a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused [SVREC FILL]. How old were you the last time you used any prescription sedative in either of those ways?

SEDAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED SEDATIVES

	Freq	Pct
RANGE = 1 - 88.....	9944	1.05
-9 = Data not collected for this year	335941	35.39
981 = NEVER USED SEDATIVES Logically assigned.....	243	0.03
985 = BAD DATA Logically assigned.....	717	0.08
989 = LEGITIMATE SKIP Logically assigned.....	3	0.00
991 = NEVER USED SEDATIVES.....	599225	63.12
994 = DON'T KNOW	648	0.07
997 = REFUSED	176	0.02
998 = BLANK (NO ANSWER).....	1584	0.17
999 = LEGITIMATE SKIP	804	0.08

PRIOR SUBSTANCE USE

Did you last use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

[SEDYLU¹](#)

Len : 4 YEAR OF LAST SEDATIVE USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014.....	2400	0.25
-9 = Data not collected for this year.....	335941	35.39
9981 = NEVER USED SEDATIVES Logically assigned.....	243	0.03
9985 = BAD DATA Logically assigned.....	139	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	60	0.01
9991 = NEVER USED SEDATIVES.....	599225	63.12
9994 = DON'T KNOW.....	669	0.07
9997 = REFUSED.....	185	0.02
9998 = BLANK (NO ANSWER).....	2293	0.24
9999 = LEGITIMATE SKIP.....	8130	0.86

In what month in [CURRENT YEAR] did you last use a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU21a or LU21b] did you last use a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

[SEDMLU¹](#)

Len : 2 MONTH OF LAST SEDATIVE USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	335941	35.39
1 = January.....	208	0.02
2 = February.....	159	0.02
3 = March.....	182	0.02
4 = April.....	186	0.02
5 = May.....	164	0.02
6 = June.....	160	0.02
7 = July.....	184	0.02
8 = August.....	164	0.02
9 = September.....	156	0.02
10 = October.....	146	0.02
11 = November.....	167	0.02
12 = December.....	195	0.02
81 = NEVER USED SEDATIVES Logically assigned.....	243	0.03
85 = BAD DATA Logically assigned.....	219	0.02
89 = LEGITIMATE SKIP Logically assigned.....	60	0.01
91 = NEVER USED SEDATIVES.....	599225	63.12
94 = DON'T KNOW.....	883	0.09
97 = REFUSED.....	198	0.02
98 = BLANK (NO ANSWER).....	2315	0.24
99 = LEGITIMATE SKIP.....	8130	0.86

PRIOR SUBSTANCE USE

NOTE: Values of 1 or 2 in the variables USEALCG, USEMJCG, and USEALMJ were reset to values of 11 or 12 if respondents were routed to the corresponding questions but one or more of the relevant age-at-first-use variables (e.g., ALCTRY and CIGTRY for USEALCG) had been assigned the code for bad data during the editing of the data in the TOBACCO, ALCOHOL, or MARIJUANA modules.

Earlier, the computer recorded that you started using alcohol and cigarettes when you were [AFUFILL] years old. Which did you use first?

USEALCG¹

Len : 2 USED ALC OR CIG FIRST WHEN [AFUFILL] YEARS OLD

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Alcohol.....	21039	2.22
2 = Cigarettes	25379	2.67
3 = Alcohol LOGICALLY ASSIGNED	390	0.04
4 = Cigarettes LOGICALLY ASSIGNED	364	0.04
11 = Alcohol (see NOTE).....	211	0.02
12 = Cigarettes (see NOTE).....	198	0.02
85 = BAD DATA Logically assigned.....	5	0.00
89 = LEGITIMATE SKIP Logically assigned	19	0.00
91 = NEVER USED ALCOHOL/CIGARETTES	153663	16.19
94 = DON'T KNOW	432	0.05
97 = REFUSED	103	0.01
98 = BLANK (NO ANSWER).....	4535	0.48
99 = LEGITIMATE SKIP	407006	42.88

Earlier, the computer recorded that you started using marijuana and cigarettes when you were [AFUFILL] years old. Which did you use first?

USEMJCG¹

Len : 2 USED MJ OR CIG FIRST WHEN [AFUFILL] YEARS OLD

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Marijuana	10138	1.07
2 = Cigarettes	22097	2.33
3 = Marijuana LOGICALLY ASSIGNED	391	0.04
4 = Cigarettes LOGICALLY ASSIGNED	265	0.03
11 = Marijuana (see NOTE for USEALCG)	97	0.01
12 = Cigarettes (see NOTE for USEALCG)	165	0.02
85 = BAD DATA Logically assigned.....	5	0.00
89 = LEGITIMATE SKIP Logically assigned	6	0.00
91 = NEVER USED MARIJUANA/CIGARETTES	253130	26.67
94 = DON'T KNOW	160	0.02
97 = REFUSED	88	0.01
98 = BLANK (NO ANSWER).....	1938	0.20
99 = LEGITIMATE SKIP	324864	34.22

Earlier, the computer recorded that you started using alcohol and marijuana when you were [AFUFILL] years old. Which did you use first?

USEALMJ¹

Len : 2 USED ALC OR MJ FIRST WHEN [AFUFILL] YEARS OLD

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Alcohol.....	29045	3.06
2 = Marijuana	10514	1.11
3 = Alcohol LOGICALLY ASSIGNED	269	0.03
4 = Marijuana LOGICALLY ASSIGNED	381	0.04
11 = Alcohol (see NOTE for USEALCG).....	73	0.01
12 = Marijuana (see NOTE for USEALCG)	67	0.01
85 = BAD DATA Logically assigned.....	4	0.00
89 = LEGITIMATE SKIP Logically assigned	7	0.00
91 = NEVER USED ALCOHOL/MARIJUANA	166752	17.57
94 = DON'T KNOW	238	0.03
97 = REFUSED	85	0.01
98 = BLANK (NO ANSWER).....	2571	0.27
99 = LEGITIMATE SKIP	403338	42.49

PRIOR SUBSTANCE USE

NOTE: Values of 1, 2, or 3 in the variables USEACM and USENEXT were reset to values of 11, 12, or 13 if one or more of the relevant age-at-first-use variables (ALCTRY, CIGTRY, and MJAGE) had been assigned the code for bad data during the editing of the data in the TOBACCO, ALCOHOL, or MARIJUANA modules.

Earlier, the computer recorded that you started using alcohol, cigarettes and marijuana when you were [AFUFILL] years old. Which did you use first?

USEACM¹

Len : 2 USED ALC CIG OR MJ 1ST WHEN [AFUFILL] YEARS OLD

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Alcohol.....	6940	0.73
2 = Cigarettes	8667	0.91
3 = Marijuana	2184	0.23
4 = Alcohol LOGICALLY ASSIGNED	104	0.01
5 = Cigarettes LOGICALLY ASSIGNED	77	0.01
6 = Marijuana LOGICALLY ASSIGNED	109	0.01
11 = Alcohol (see NOTE).....	64	0.01
12 = Cigarettes (see NOTE).....	44	0.00
13 = Marijuana (see NOTE)	27	0.00
85 = BAD DATA Logically assigned.....	82	0.01
89 = LEGITIMATE SKIP Logically assigned	4	0.00
91 = NEVER USED ALCOHOL/CIGARETTES/MARIJUANA.....	151201	15.93
94 = DON'T KNOW	100	0.01
97 = REFUSED	39	0.00
98 = BLANK (NO ANSWER).....	685	0.07
99 = LEGITIMATE SKIP	443017	46.67

After first using [FILL LU25], which of these did you use next?

USENEXT¹

Len : 2 WHAT DID YOU USE AFTER USING [FILL LU25]

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Alcohol.....	7021	0.74
2 = Cigarettes	5426	0.57
3 = Marijuana	5166	0.54
4 = Alcohol LOGICALLY ASSIGNED	102	0.01
5 = Cigarettes LOGICALLY ASSIGNED	118	0.01
6 = Marijuana LOGICALLY ASSIGNED	120	0.01
11 = Alcohol (see NOTE for USEACM)	37	0.00
12 = Cigarettes (see NOTE for USEACM)	35	0.00
13 = Marijuana (see NOTE for USEACM)	56	0.01
85 = BAD DATA Logically assigned.....	183	0.02
89 = LEGITIMATE SKIP Logically assigned	4	0.00
91 = NEVER USED ALCOHOL/CIGARETTES/MARIJUANA.....	151201	15.93
94 = DON'T KNOW	21	0.00
97 = REFUSED	52	0.01
98 = BLANK (NO ANSWER).....	785	0.08
99 = LEGITIMATE SKIP	443017	46.67

Earlier, the computer recorded that, during the past 30 days, you used prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription pain relievers?

Please enter all of the ways that you got the prescription pain relievers you used in the past 30 days.

ANLRX1DR¹

Len : 2 GOT ONE+ PRSCRPS FOR PAIN RLVRs FROM JUST ONE DR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	3115	0.33
3 = Response entered LOG ASSN (from ANLOTHS2).....	5	0.00
5 = Response entered LOG ASSN (from ANLGTLA2).....	117	0.01
6 = Response not entered.....	10576	1.11
81 = NEVER USED PAIN RELIEVERS Logically assigned	820	0.09
85 = BAD DATA Logically assigned.....	11	0.00
91 = NEVER USED PAIN RELIEVERS	466293	49.12
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	70709	7.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.06
98 = BLANK (NO ANSWER).....	5201	0.55

PRIOR SUBSTANCE USE

[ANLRXDRS](#)¹

Len : 2 I GOT PRSCRPS FOR PAIN RELIEVERS FROM TWO+ DR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	642	0.07
5 = Response entered LOG ASSN (from ANLGTLA2).....	18	0.00
6 = Response not entered.....	13147	1.38
81 = NEVER USED PAIN RELIEVERS Logically assigned	820	0.09
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED PAIN RELIEVERS	466293	49.12
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	70709	7.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.06
98 = BLANK (NO ANSWER).....	5214	0.55

[ANLRXFAK](#)¹

Len : 2 I WROTE FAKE PRESCRIPTIONS FOR PAIN RELIEVERS

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	84	0.01
5 = Response entered LOG ASSN (from ANLGTLA2).....	1	0.00
6 = Response not entered.....	13719	1.45
81 = NEVER USED PAIN RELIEVERS Logically assigned	820	0.09
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED PAIN RELIEVERS	466293	49.12
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	70709	7.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.06
98 = BLANK (NO ANSWER).....	5216	0.55

[ANLSTOLE](#)¹

Len : 2 ISTOLE PN RLVRs FROM A DR'S OFF/CLIN/HOSP/PHARMCY

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	143	0.02
3 = Response entered LOG ASSN (from ANLOTHS2).....	4	0.00
5 = Response entered LOG ASSN (from ANLGTLA2).....	6	0.00
6 = Response not entered.....	13651	1.44
81 = NEVER USED PAIN RELIEVERS Logically assigned	820	0.09
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED PAIN RELIEVERS	466293	49.12
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	70709	7.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.06
98 = BLANK (NO ANSWER).....	5216	0.55

[ANLFRFRE](#)¹

Len : 2 I GOT PAIN RELIEVERS FRM A FRND/RELATIVE FOR FREE

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	7921	0.83
3 = Response entered LOG ASSN (from ANLOTHS2).....	85	0.01
5 = Response entered LOG ASSN (from ANLGTLA2).....	103	0.01
6 = Response not entered.....	5720	0.60
81 = NEVER USED PAIN RELIEVERS Logically assigned	820	0.09
83 = DID NOT USE PAIN REL IN THE PST 30 DYS Log assn.....	1	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED PAIN RELIEVERS	466293	49.12
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	70708	7.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.06
98 = BLANK (NO ANSWER).....	5192	0.55

PRIOR SUBSTANCE USE

[ANLFRBUY¹](#)

Len : 2 I BOUGHT THE PN RELIEVERS FRM A FRIEND OR RELATIV

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	3512	0.37
3 = Response entered LOG ASSN (from ANLOTHS2)	10	0.00
5 = Response entered LOG ASSN (from ANLGTLA2)	66	0.01
6 = Response not entered	10219	1.08
81 = NEVER USED PAIN RELIEVERS Logically assigned	820	0.09
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED PAIN RELIEVERS	466293	49.12
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS	70709	7.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.06
98 = BLANK (NO ANSWER)	5213	0.55

[ANLFRTRKE¹](#)

Len : 2 I TOOK THE PNRLVRS FROM A FRND/RELATIVE WO ASKING

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	1680	0.18
3 = Response entered LOG ASSN (from ANLOTHS2)	11	0.00
5 = Response entered LOG ASSN (from ANLGTLA2)	34	0.00
6 = Response not entered	12085	1.27
81 = NEVER USED PAIN RELIEVERS Logically assigned	820	0.09
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED PAIN RELIEVERS	466293	49.12
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS	70709	7.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.06
98 = BLANK (NO ANSWER)	5211	0.55

[ANLDEALR¹](#)

Len : 2 I BOUGHT THE PNRLVRS FRM DRUG DEALR/OTH STRANGER

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	1989	0.21
3 = Response entered LOG ASSN (from ANLOTHS2)	21	0.00
5 = Response entered LOG ASSN (from ANLGTLA2)	36	0.00
6 = Response not entered	11760	1.24
81 = NEVER USED PAIN RELIEVERS Logically assigned	820	0.09
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED PAIN RELIEVERS	466293	49.12
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS	70709	7.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.06
98 = BLANK (NO ANSWER)	5215	0.55

[ANLINET¹](#)

Len : 2 I BOUGHT THE PAIN RELIEVERS ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	94	0.01
5 = Response entered LOG ASSN (from ANLGTLA2)	4	0.00
6 = Response not entered	13707	1.44
81 = NEVER USED PAIN RELIEVERS Logically assigned	820	0.09
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED PAIN RELIEVERS	466293	49.12
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS	70709	7.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.06
98 = BLANK (NO ANSWER)	5216	0.55

PRIOR SUBSTANCE USE

[ANLOTHWY¹](#)

Len : 2 I GOT THE PAIN RELIEVERS IN SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	1412	0.15
5 = Response entered LOG ASSN (from ANLGTLA2).....	39	0.00
6 = Response not entered.....	12361	1.30
81 = NEVER USED PAIN RELIEVERS Logically assigned	820	0.09
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED PAIN RELIEVERS	466293	49.12
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	70709	7.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.06
98 = BLANK (NO ANSWER).....	5207	0.55

[ANLOTHS2¹](#)

Len : 2 OTHER WAY RESP GOT PAIN REL USED IN PST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Got one/more prescriptions from just one doctor.....	7	0.00
4 = Stole from a dr's office/clinic/hospital/pharmacy.....	4	0.00
5 = Got it from a friend or relative for free	98	0.01
6 = Bought it from a friend or relative	15	0.00
7 = Took from a friend or relative without asking	18	0.00
8 = Bought it from a drug dealer or other stranger.....	33	0.00
10 = Got it in some other way.....	73	0.01
11 = From friend, relative, home; otherwise unspcfd	428	0.05
12 = Stole it or took it; otherwise unspecified	32	0.00
13 = Given to me; otherwise unspecified	41	0.00
14 = Bought it; otherwise unspecified	41	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	31	0.00
17 = Got it from a place of business; otherwise unspcfd	60	0.01
18 = From an individual; how and relationship unspcfd	31	0.00
20 = Traded/bartered for it; sex not specified.....	29	0.00
21 = Found it; otherwise unspecified.....	81	0.01
23 = Got it with prescription(s); otherwise unspecified.....	10	0.00
24 = Bought them at a pharmacy/store	46	0.00
70 = City/state in US specified.....	2	0.00
71 = Bought/obtained it outside of the US	18	0.00
72 = An OTC drug /OTC-only store reported	26	0.00
73 = Reason/condition for taking drug stated	4	0.00
74 = Name of drug reported, OTC unspecified.....	8	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned	820	0.09
85 = BAD DATA Logically assigned.....	84	0.01
91 = NEVER USED PAIN RELIEVERS	466293	49.12
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	70709	7.45
94 = DON'T KNOW	77	0.01
97 = REFUSED	690	0.07
98 = BLANK (NO ANSWER).....	5572	0.59
99 = LEGITIMATE SKIP	12361	1.30

You reported that you got the prescription pain relievers you used in the past 30 days from a friend or relative for free.
How did your friend or relative get the prescription pain relievers that you used?

Please enter all of the ways that your friend or relative got the prescription pain relievers you used in the past 30 days.

[ANLFF1DR¹](#)

Len : 2 FRIEND/RELATIVE GOT RX FOR PAIN RLVRs FROM 1 DR

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	4605	0.49
3 = Response entered LOG ASSN (from ANLFFOSP)	5	0.00
5 = Response entered LOG ASSN (from ANLFFLAS)	136	0.01
6 = Response not entered.....	1693	0.18
81 = NEVER USED PAIN RELIEVERS Logically assigned	739	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS	419877	44.23
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63476	6.69
94 = DON'T KNOW	471	0.05
97 = REFUSED	93	0.01
98 = BLANK (NO ANSWER).....	5562	0.59
99 = LEGITIMATE SKIP	5179	0.55

PRIOR SUBSTANCE USE

[ANLFFDRS](#)¹

Len : 2 FRIEND/RELATIVE GOT RX FOR PAIN RLVRs FROM >1 DR

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	587	0.06
5 = Response entered LOG ASSN (from ANLFFLAS)	22	0.00
6 = Response not entered.....	5764	0.61
81 = NEVER USED PAIN RELIEVERS Logically assigned	739	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS	419877	44.23
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63476	6.69
94 = DON'T KNOW	485	0.05
97 = REFUSED	93	0.01
98 = BLANK (NO ANSWER).....	5614	0.59
99 = LEGITIMATE SKIP	5179	0.55

[ANLFFAKE](#)¹

Len : 2 FRIEND/RELATIVE WROTE FAKE RX FOR PAIN RELIEVERS

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	57	0.01
5 = Response entered LOG ASSN (from ANLFFLAS)	1	0.00
6 = Response not entered.....	6312	0.66
81 = NEVER USED PAIN RELIEVERS Logically assigned	739	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS	419877	44.23
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63476	6.69
94 = DON'T KNOW	485	0.05
97 = REFUSED	94	0.01
98 = BLANK (NO ANSWER).....	5616	0.59
99 = LEGITIMATE SKIP	5179	0.55

[ANLFFSTL](#)¹

Len : 2 FRND/RELAT STOLE PN RLVRs FRM DR/CLIN/HOSP/PHARM

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	91	0.01
3 = Response entered LOG ASSN (from ANLFFOSP)	1	0.00
5 = Response entered LOG ASSN (from ANLFFLAS)	3	0.00
6 = Response not entered.....	6274	0.66
81 = NEVER USED PAIN RELIEVERS Logically assigned	739	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS	419877	44.23
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63476	6.69
94 = DON'T KNOW	485	0.05
97 = REFUSED	94	0.01
98 = BLANK (NO ANSWER).....	5617	0.59
99 = LEGITIMATE SKIP	5179	0.55

[ANLFFREE](#)¹

Len : 2 FRND/RELAT GOT PN RLVRs FRM FRND/RELAT FOR FREE

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	1024	0.11
3 = Response entered LOG ASSN (from ANLFFOSP)	1	0.00
5 = Response entered LOG ASSN (from ANLFFLAS)	46	0.00
6 = Response not entered.....	5309	0.56
81 = NEVER USED PAIN RELIEVERS Logically assigned	739	0.08
83 = DID NOT USE PAIN REL IN THE PST 30 DYS Log assn.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS	419877	44.23
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63475	6.69
94 = DON'T KNOW	485	0.05
97 = REFUSED	93	0.01
98 = BLANK (NO ANSWER).....	5607	0.59
99 = LEGITIMATE SKIP	5179	0.55

PRIOR SUBSTANCE USE

[ANLFFBOT](#)¹

Len : 2 FRND/RELAT BOUGHT PAIN RLVRS FROM FRND/RELAT

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	971	0.10
3 = Response entered LOG ASSN (from ANLFFOSP)	2	0.00
5 = Response entered LOG ASSN (from ANLFFLAS)	38	0.00
6 = Response not entered.....	5369	0.57
81 = NEVER USED PAIN RELIEVERS Logically assigned	739	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS	419877	44.23
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63476	6.69
94 = DON'T KNOW	483	0.05
97 = REFUSED	93	0.01
98 = BLANK (NO ANSWER).....	5609	0.59
99 = LEGITIMATE SKIP	5179	0.55

[ANLFFTAK](#)¹

Len : 2 FRND/RELAT TOOK PN RLVRS FRM FRND/REL WO ASKING

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	365	0.04
3 = Response entered LOG ASSN (from ANLFFOSP)	5	0.00
5 = Response entered LOG ASSN (from ANLFFLAS)	20	0.00
6 = Response not entered.....	5980	0.63
81 = NEVER USED PAIN RELIEVERS Logically assigned	739	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS	419877	44.23
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63476	6.69
94 = DON'T KNOW	485	0.05
97 = REFUSED	94	0.01
98 = BLANK (NO ANSWER).....	5616	0.59
99 = LEGITIMATE SKIP	5179	0.55

[ANLFFDLR](#)¹

Len : 2 FRND/RELAT BOUGHT PN RLVRS FR DRG DEALER/STRANGR

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	601	0.06
3 = Response entered LOG ASSN (from ANLFFOSP)	9	0.00
5 = Response entered LOG ASSN (from ANLFFLAS)	27	0.00
6 = Response not entered.....	5743	0.60
81 = NEVER USED PAIN RELIEVERS Logically assigned	739	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS	419877	44.23
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63476	6.69
94 = DON'T KNOW	482	0.05
97 = REFUSED	94	0.01
98 = BLANK (NO ANSWER).....	5609	0.59
99 = LEGITIMATE SKIP	5179	0.55

[ANLFFNET](#)¹

Len : 2 FRIEND/RELATIVE BOUGHT PN RLVRS ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	53	0.01
5 = Response entered LOG ASSN (from ANLFFLAS)	1	0.00
6 = Response not entered.....	6315	0.67
81 = NEVER USED PAIN RELIEVERS Logically assigned	739	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS	419877	44.23
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63476	6.69
94 = DON'T KNOW	485	0.05
97 = REFUSED	94	0.01
98 = BLANK (NO ANSWER).....	5617	0.59
99 = LEGITIMATE SKIP	5179	0.55

PRIOR SUBSTANCE USE

[ANLFFOTH](#)¹

Len : 2 FRIEND/RELATIVE GOT PAIN RLVRs SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	451	0.05
5 = Response entered LOG ASSN (from ANLFFLAS)	11	0.00
6 = Response not entered.....	5909	0.62
81 = NEVER USED PAIN RELIEVERS Logically assigned	739	0.08
83 = DID NOT USE PAIN REL IN THE PST 30 DYS Log assn.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS	419877	44.23
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63475	6.69
94 = DON'T KNOW	485	0.05
97 = REFUSED	94	0.01
98 = BLANK (NO ANSWER).....	5615	0.59
99 = LEGITIMATE SKIP	5179	0.55

[ANLFFOSP](#)¹

Len : 2 OTHER WAY FRND/RELAT GOT PAIN RELIEVERS PST 30 D

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = He/she got prescriptions from just one doctor	5	0.00
3 = He/she wrote fake prescriptions	1	0.00
4 = He/she stole fr dr office/clinic/hospital/pharmacy.....	1	0.00
5 = He/she got it from a friend or relative for free	2	0.00
6 = He/she bought it from a friend or relative	3	0.00
7 = He/she took from a friend or relative w/o asking	8	0.00
8 = He/she bought it from drug dealer/other stranger.....	13	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd	42	0.00
12 = He/she stole or took it; otherwise unspecified.....	17	0.00
14 = He/she bought it; otherwise unspecified.....	22	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	28	0.00
16 = He/she made/cooked it.....	1	0.00
17 = He/she got fr place of business; otherwise unspcfd.....	17	0.00
18 = He/she got fr individual; how & relation unspcfd.....	11	0.00
20 = He/she traded/bartered for it; sex not specfd.....	16	0.00
21 = He/she found it; otherwise unspecified	22	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd	28	0.00
24 = He/she bought them at a pharmacy/store.....	27	0.00
26 = He/she got them as payment for partic in drug deal	1	0.00
27 = He/she got it from a drug dealer/stranger for free	1	0.00
29 = He/she got drugs/money in exchange for sex.....	5	0.00
30 = He/she got it at work; otherwise unspecified	5	0.00
31 = He/she had fraudulent prescrip; otherwise unspcfd	1	0.00
33 = He/she stole it from a store/pharmacy	2	0.00
34 = Gambled for them/won in a game; otherwise unspfd	1	0.00
70 = City/state in US specified.....	2	0.00
71 = He/she bought/obtained it outside of the US.....	10	0.00
72 = Over-the-counter drug reported	2	0.00
73 = Reason/condition for taking drug stated.....	6	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned	739	0.08
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED PAIN RELIEVERS	419877	44.23
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63475	6.69
94 = DON'T KNOW	124	0.01
97 = REFUSED	22	0.00
98 = BLANK (NO ANSWER).....	6199	0.65
99 = LEGITIMATE SKIP	11088	1.17

PRIOR SUBSTANCE USE

Earlier, the computer recorded that, during the past 12 months, you used prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription pain reliever?

[ANLGTLA2](#)¹

Len : 2 HOW GOT PRSCRIP PAIN RLVR PAST 12 MOS/LAST TIME

	Freq	Pct
-9 = Data not collected for this year	612642	64.54
1 = I got a prescription from just one doctor	2271	0.24
2 = I got prescriptions from more than one doctor	220	0.02
3 = I wrote a fake prescription	25	0.00
4 = I stole it from dr's office/clinic/hosp/pharmacy	51	0.01
5 = I got it from a friend or relative for free	7377	0.78
6 = I bought it from a friend or relative	1811	0.19
7 = I took it from friend/relative without asking	840	0.09
8 = I bought it from a drug dealer or other stranger	717	0.08
9 = I bought it on the Internet	19	0.00
10 = I got it in some other way	735	0.08
11 = I got a prescription from just one doctor LOG ASSN	2	0.00
15 = I got it from friend/relative for free LOG ASSN	96	0.01
16 = I bought it from a friend or relative LOG ASSN	8	0.00
17 = I took it from friend/relative w/o asking LOG ASSN	7	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN	12	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned	452	0.05
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED PAIN RELIEVERS	282771	29.79
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	29539	3.11
94 = DON'T KNOW	309	0.03
97 = REFUSED	349	0.04
98 = BLANK (NO ANSWER)	3277	0.35
99 = LEGITIMATE SKIP	5750	0.61

You reported that you got the prescription pain reliever you last used from a friend or relative for free. How did your friend or relative get the last prescription pain reliever that you used?

[ANLFFLAS](#)¹

Len : 2 HOW FRND/RELAT GOT PAIN RELIEVERS THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = He/she got a prescription from just one doctor	8147	0.86
2 = He/she got prescriptions from more than one doctor	425	0.04
3 = He/she wrote a fake prescription	15	0.00
4 = He/she stole it from dr's ofc/clinic/hosp/pharmacy	44	0.00
5 = He/she got it from a friend or relative for free	809	0.09
6 = He/she bought it from a friend or relative	619	0.07
7 = He/she took it from friend/relative without asking	282	0.03
8 = He/she bought it from a drug dealer/other stranger	262	0.03
9 = He/she bought it on the Internet	17	0.00
10 = He/she got it in some other way	387	0.04
11 = Got a prescrip from one dr LOG ASSN (ANLFFLSP=1)	3	0.00
14 = Stole fr dr/clin/hosp/pharm LOG ASSN (ANLFFLSP=4)	1	0.00
15 = Got from frnd/relat for free LOG ASSN (ANLFFLSP=5)	2	0.00
17 = Took fr frnd/relat w/o asking LOG ASSN(ANLFFLSP=7)	3	0.00
18 = Bought fr drg dealr/stranger LOG ASSN (ANLFFLSP=8)	6	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned	739	0.08
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED PAIN RELIEVERS	419877	44.23
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	43540	4.59
94 = DON'T KNOW	867	0.09
97 = REFUSED	95	0.01
98 = BLANK (NO ANSWER)	6191	0.65
99 = LEGITIMATE SKIP	19501	2.05

PRIOR SUBSTANCE USE

ANLFFLSP¹

Len : 2 OTHER WAY FRND/RELAT GOT PAIN RELIEVERS

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = He/she got prescriptions from just one doctor	3	0.00
4 = He/she stole fr dr office/clinic/hospital/pharmacy.....	1	0.00
5 = He/she got it from a friend or relative for free	2	0.00
7 = He/she took from a friend or relative w/o asking.....	3	0.00
8 = He/she bought it from drug dealer/other stranger.....	6	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd	45	0.00
12 = He/she stole or took it; otherwise unspecified.....	6	0.00
13 = Given to him/her; otherwise unspecified.....	3	0.00
14 = He/she bought it; otherwise unspecified.....	14	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	17	0.00
16 = He/she made/cooked it.....	1	0.00
17 = He/she got fr place of business; otherwise unspcfd.....	16	0.00
18 = He/she got fr individual; how & relation unspcfd.....	9	0.00
20 = He/she traded/bartered for it; sex not specfd.....	7	0.00
21 = He/she found it; otherwise unspecified	11	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd	8	0.00
24 = He/she bought them at a pharmacy/store.....	20	0.00
29 = He/she got drugs/money in exchange for sex.....	2	0.00
30 = He/she got it at work; otherwise unspecified	4	0.00
35 = He/she wrote me fraudulent script; othrws unspcfd.....	1	0.00
70 = City/state in US specified.....	1	0.00
71 = He/she bought/obtained it outside of the US.....	16	0.00
72 = Over-the-counter drug reported	10	0.00
73 = Reason/condition for taking drug stated	7	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned	739	0.08
85 = BAD DATA Logically assigned.....	15	0.00
91 = NEVER USED PAIN RELIEVERS	419877	44.23
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	43540	4.59
94 = DONT KNOW	146	0.02
97 = REFUSED	122	0.01
98 = BLANK (NO ANSWER).....	7059	0.74
99 = LEGITIMATE SKIP	30126	3.17

PRIOR SUBSTANCE USE

[ANLGTOS2](#)¹

Len : 2 OTHER WAY RESP GOT PAIN REL USED THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Got one/more prescriptions from just one doctor.....	5	0.00
4 = Stole from a dr's office/clinic/hospital/pharmacy	1	0.00
5 = Got it from a friend or relative for free	174	0.02
6 = Bought it from a friend or relative	10	0.00
7 = Took from a friend or relative without asking	10	0.00
8 = Bought it from a drug dealer or other stranger	20	0.00
10 = Got it in some other way.....	92	0.01
11 = From friend, relative, home; otherwise unspcfd	595	0.06
12 = Stole it or took it; otherwise unspecified	9	0.00
13 = Given to me; otherwise unspecified	69	0.01
14 = Bought it; otherwise unspecified	27	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	15	0.00
17 = Got it from a place of business; otherwise unspcfd	32	0.00
18 = From an individual; how and relationship unspcfd	11	0.00
20 = Traded/bartered for it; sex not specified	3	0.00
21 = Found it; otherwise unspecified	47	0.00
22 = Got it at a party; otherwise unspecified	3	0.00
23 = Got it with prescription(s); otherwise unspecified.....	53	0.01
24 = Bought them at a pharmacy/store	19	0.00
70 = City/state in US specified.....	3	0.00
71 = Bought/obtained it outside of the US	20	0.00
72 = An OTC drug /OTC-only store reported	17	0.00
73 = Reason/condition for taking drug stated	15	0.00
74 = Name of drug reported, OTC unspecified.....	17	0.00
75 = Took it by mistake; didn't realize it was a drug.....	1	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned	820	0.09
85 = BAD DATA Logically assigned.....	74	0.01
89 = LEGITIMATE SKIP Logically assigned	3	0.00
91 = NEVER USED PAIN RELIEVERS	466293	49.12
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	48263	5.08
94 = DON'T KNOW	66	0.01
97 = REFUSED	710	0.07
98 = BLANK (NO ANSWER).....	6131	0.65
99 = LEGITIMATE SKIP	34114	3.59

Earlier, the computer recorded that, during the past 30 days, you used prescription tranquilizers that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription tranquilizers?

Please enter all of the ways that you got the prescription tranquilizers you used in the past 30 days.

[TRNRX1DR](#)¹

Len : 2 I GOT 1+ PRSCRPS FOR TRANQUILIZERS FRM JST ONE DR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	649	0.07
5 = Response entered LOG ASSN (from TRNGTLA2).....	6	0.00
6 = Response not entered.....	4257	0.45
81 = NEVER USED TRANQUILIZERS Logically assigned.....	63	0.01
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	53.66
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	40990	4.32
94 = DON'T KNOW	124	0.01
97 = REFUSED	236	0.02
98 = BLANK (NO ANSWER).....	2066	0.22

[TRNRXDRS](#)¹

Len : 2 I GOT PRSCRPS FOR TRANQUILIZERS FROM TWO+ DR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	74	0.01
5 = Response entered LOG ASSN (from TRNGTLA2).....	1	0.00
6 = Response not entered.....	4834	0.51
81 = NEVER USED TRANQUILIZERS logically assigned.....	63	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	53.66
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	40990	4.32
94 = DON'T KNOW	124	0.01
97 = REFUSED	236	0.02
98 = BLANK (NO ANSWER).....	2072	0.22

PRIOR SUBSTANCE USE

[TRNRXFAK](#)¹

Len : 2 I WROTE FAKE PRESCRIPTIONS FOR TRANQUILIZERS

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	22	0.00
6 = Response not entered.....	4887	0.51
81 = NEVER USED TRANQUILIZERS Logically assigned.....	63	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	53.66
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	40990	4.32
94 = DON'T KNOW	124	0.01
97 = REFUSED	236	0.02
98 = BLANK (NO ANSWER).....	2073	0.22

[TRNSTOLE](#)¹

Len : 2 I STOLE TRANQS FROM A DR'S OFF/CLIN/HOSP/PHARMCY

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	29	0.00
3 = Response entered LOG ASSN (from TRNOTHS2)	1	0.00
6 = Response not entered.....	4879	0.51
81 = NEVER USED TRANQUILIZERS Logically assigned.....	63	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	53.66
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	40990	4.32
94 = DON'T KNOW	124	0.01
97 = REFUSED	236	0.02
98 = BLANK (NO ANSWER).....	2073	0.22

[TRNFRFRE](#)¹

Len : 2 I GOT TRANQUILIZERS FROM A FRND/RELATIVE FOR FREE

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	2630	0.28
3 = Response entered LOG ASSN (from TRNOTHS2)	24	0.00
5 = Response entered LOG ASSN (from TRNGTLA2)	17	0.00
6 = Response not entered.....	2242	0.24
81 = NEVER USED TRANQUILIZERS Logically assigned.....	63	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	53.66
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	40990	4.32
94 = DON'T KNOW	124	0.01
97 = REFUSED	236	0.02
98 = BLANK (NO ANSWER).....	2069	0.22

[TRNFRBUY](#)¹

Len : 2 I BOUGHT THE TRANQS FROM A FRIEND OR RELATIVE

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	1046	0.11
3 = Response entered LOG ASSN (from TRNOTHS2)	2	0.00
5 = Response entered LOG ASSN (from TRNGTLA2)	10	0.00
6 = Response not entered.....	3852	0.41
81 = NEVER USED TRANQUILIZERS Logically assigned.....	63	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	53.66
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	40990	4.32
94 = DON'T KNOW	124	0.01
97 = REFUSED	236	0.02
98 = BLANK (NO ANSWER).....	2072	0.22

PRIOR SUBSTANCE USE

[TRNFRTKE](#)¹

Len : 2 I TOOK THE TRANQS FROM A FRND/RELATIVE WO ASKING

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	351	0.04
3 = Response entered LOG ASSN (from TRNTHS2)	3	0.00
5 = Response entered LOG ASSN (from TRNGTLA2)	3	0.00
6 = Response not entered	4553	0.48
81 = NEVER USED TRANQUILIZERS Logically assigned	63	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED TRANQUILIZERS	509346	53.66
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	40990	4.32
94 = DON'T KNOW	124	0.01
97 = REFUSED	236	0.02
98 = BLANK (NO ANSWER)	2072	0.22

[TRNDEALR](#)¹

Len : 2 I BOUGHT THE TRANQS FROM DRUG DEALR/OTH STRANGER

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	631	0.07
3 = Response entered LOG ASSN (from TRNTHS2)	6	0.00
5 = Response entered LOG ASSN (from TRNGTLA2)	8	0.00
6 = Response not entered	4265	0.45
81 = NEVER USED TRANQUILIZERS Logically assigned	63	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED TRANQUILIZERS	509346	53.66
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	40990	4.32
94 = DON'T KNOW	124	0.01
97 = REFUSED	236	0.02
98 = BLANK (NO ANSWER)	2072	0.22

[TRNINET](#)¹

Len : 2 I BOUGHT THE TRANQUILIZERS ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	35	0.00
5 = Response entered LOG ASSN (from TRNGTLA2)	1	0.00
6 = Response not entered	4873	0.51
81 = NEVER USED TRANQUILIZERS Logically assigned	63	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED TRANQUILIZERS	509346	53.66
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	40990	4.32
94 = DON'T KNOW	124	0.01
97 = REFUSED	236	0.02
98 = BLANK (NO ANSWER)	2073	0.22

[TRNTHWY](#)¹

Len : 2 I GOT THE TRANQUILIZERS IN SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	286	0.03
5 = Response entered LOG ASSN (from TRNGTLA2)	3	0.00
6 = Response not entered	4620	0.49
81 = NEVER USED TRANQUILIZERS Logically assigned	63	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED TRANQUILIZERS	509346	53.66
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	40990	4.32
94 = DON'T KNOW	124	0.01
97 = REFUSED	236	0.02
98 = BLANK (NO ANSWER)	2073	0.22

PRIOR SUBSTANCE USE

[TRNOTHS2](#)¹

Len : 2 OTHER WAY RESP GOT TRANQUILIZER IN PST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
5 = Got it from a friend or relative for free	24	0.00
6 = Bought it from a friend or relative	2	0.00
7 = Took from a friend or relative without asking	3	0.00
8 = Bought it from a drug dealer or other stranger	5	0.00
10 = Got it in some other way	47	0.00
11 = From friend, relative, home; otherwise unspecfd	92	0.01
12 = Stole it or took it; otherwise unspecified	1	0.00
13 = Given to me; otherwise unspecified	7	0.00
14 = Bought it; otherwise unspecified	3	0.00
18 = From an individual; how and relationship unspecfd	1	0.00
20 = Traded/bartered for it; sex not specified	3	0.00
21 = Found it; otherwise unspecified	3	0.00
71 = Bought/obtained it outside of the US	19	0.00
72 = An OTC drug /OTC-only store reported	1	0.00
74 = Name of drug reported, OTC unspecified	2	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned	63	0.01
85 = BAD DATA Logically assigned	26	0.00
91 = NEVER USED TRANQUILIZERS	509346	53.66
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	40990	4.32
94 = DON'T KNOW	18	0.00
97 = REFUSED	266	0.03
98 = BLANK (NO ANSWER)	2200	0.23
99 = LEGITIMATE SKIP	4620	0.49

You reported that you got the prescription tranquilizers you used in the past 30 days from a friend or relative for free.
How did your friend or relative get the prescription tranquilizers that you used?

Please enter all of the ways that your friend or relative got the prescription tranquilizers you used in the past 30 days.

[TRNFF1DR](#)¹

Len : 2 FRIEND/RELATIVE GOT RX FOR TRANQS FROM 1 DR

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	1490	0.16
5 = Response entered LOG ASSN (from TRNFFLAS)	28	0.00
6 = Response not entered	653	0.07
81 = NEVER USED TRANQUILIZERS Logically assigned	54	0.01
91 = NEVER USED TRANQUILIZERS	458254	48.27
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	36962	3.89
94 = DON'T KNOW	142	0.01
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER)	2200	0.23
99 = LEGITIMATE SKIP	2035	0.21

[TRNFFDRS](#)¹

Len : 2 FRIEND/RELATIVE GOT RX FOR TRANQS FROM >1 DR

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	120	0.01
5 = Response entered LOG ASSN (from TRNFFLAS)	3	0.00
6 = Response not entered	2035	0.21
81 = NEVER USED TRANQUILIZERS Logically assigned	54	0.01
91 = NEVER USED TRANQUILIZERS	458254	48.27
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	36962	3.89
94 = DON'T KNOW	144	0.02
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER)	2211	0.23
99 = LEGITIMATE SKIP	2035	0.21

PRIOR SUBSTANCE USE

[TRNFFAKE](#)¹

Len : 2 FRIEND/RELATIVE WROTE FAKE RX FOR TRANQS

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	6	0.00
6 = Response not entered.....	2152	0.23
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
91 = NEVER USED TRANQUILIZERS.....	458254	48.27
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	3.89
94 = DON'T KNOW	144	0.02
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER).....	2211	0.23
99 = LEGITIMATE SKIP	2035	0.21

[TRNFFSTL](#)¹

Len : 2 FRND/RELAT STOLE TRANQS FRM DR/CLIN/HOSP/PHARM

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	14	0.00
6 = Response not entered.....	2144	0.23
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
91 = NEVER USED TRANQUILIZERS.....	458254	48.27
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	3.89
94 = DON'T KNOW	144	0.02
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER).....	2211	0.23
99 = LEGITIMATE SKIP	2035	0.21

[TRNFFREE](#)¹

Len : 2 FRND/RELAT GOT TRANQS FRM FRND/RELAT FOR FREE

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	339	0.04
3 = Response entered LOG ASSN (from TRNFFOSP).....	2	0.00
5 = Response entered LOG ASSN (from TRNFFLAS)	7	0.00
6 = Response not entered.....	1810	0.19
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
91 = NEVER USED TRANQUILIZERS.....	458254	48.27
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	3.89
94 = DON'T KNOW	144	0.02
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER).....	2211	0.23
99 = LEGITIMATE SKIP	2035	0.21

[TRNFFBOT](#)¹

Len : 2 FRIEND/RELATIVE BOUGHT TRANQS FROM FRND/RELAT

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	246	0.03
3 = Response entered LOG ASSN (from TRNFFOSP).....	1	0.00
5 = Response entered LOG ASSN (from TRNFFLAS)	6	0.00
6 = Response not entered.....	1907	0.20
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
91 = NEVER USED TRANQUILIZERS.....	458254	48.27
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	3.89
94 = DON'T KNOW	144	0.02
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER).....	2209	0.23
99 = LEGITIMATE SKIP	2035	0.21

[TRNFFTAK](#)¹

Len : 2 FRND/RELAT TOOK TRANQS FRM FRND/REL WO ASKING

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	60	0.01
5 = Response entered LOG ASSN (from TRNFFLAS)	3	0.00
6 = Response not entered.....	2096	0.22
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
91 = NEVER USED TRANQUILIZERS.....	458254	48.27
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	3.89
94 = DON'T KNOW	144	0.02
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER).....	2210	0.23
99 = LEGITIMATE SKIP	2035	0.21

PRIOR SUBSTANCE USE

[TRNFFDLR](#)¹

Len : 2 FRND/RELAT BOUGHT TRANQS FR DRUG DEALER/STRANGER

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	141	0.01
5 = Response entered LOG ASSN (from TRNFFLAS)	2	0.00
6 = Response not entered.....	2017	0.21
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
91 = NEVER USED TRANQUILIZERS.....	458254	48.27
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	3.89
94 = DON'T KNOW	144	0.02
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER).....	2209	0.23
99 = LEGITIMATE SKIP	2035	0.21

[TRNFFNET](#)¹

Len : 2 FRIEND/RELATIVE BOUGHT TRANQS ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	17	0.00
5 = Response entered LOG ASSN (from TRNFFLAS)	1	0.00
6 = Response not entered.....	2140	0.23
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
91 = NEVER USED TRANQUILIZERS.....	458254	48.27
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	3.89
94 = DON'T KNOW	144	0.02
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER).....	2211	0.23
99 = LEGITIMATE SKIP	2035	0.21

[TRNFFOTH](#)¹

Len : 2 FRIEND/RELATIVE GOT TRANQS SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	91	0.01
6 = Response not entered.....	2067	0.22
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
91 = NEVER USED TRANQUILIZERS.....	458254	48.27
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	3.89
94 = DON'T KNOW	144	0.02
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER).....	2211	0.23
99 = LEGITIMATE SKIP	2035	0.21

[TRNFFOSP](#)¹

Len : 2 OTHER WAY FRND/RELAT GOT TRANQUILIZERS PST 30 DY

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
5 = He/she got it from a friend or relative for free	2	0.00
6 = He/she bought it from a friend or relative	1	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd	8	0.00
12 = He/she stole or took it; otherwise unspecified.....	4	0.00
13 = Given to him/her; otherwise unspecified.....	2	0.00
14 = He/she bought it; otherwise unspecified.....	1	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	2	0.00
16 = He/she made/cooked it.....	1	0.00
18 = He/she got fr individual; how & relation unspcfd.....	2	0.00
20 = He/she traded/bartered for it; sex not specfd.....	2	0.00
21 = He/she found it; otherwise unspecified	2	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd	3	0.00
30 = He/she got it at work; otherwise unspecified.....	1	0.00
34 = Gambled for them/won in a game; otherwise unspfd	1	0.00
71 = He/she bought/obtained it outside of the US.....	8	0.00
73 = Reason/condition for taking drug stated.....	1	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	458254	48.27
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	3.89
94 = DON'T KNOW	41	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	2374	0.25
99 = LEGITIMATE SKIP	4102	0.43

PRIOR SUBSTANCE USE

Earlier, the computer recorded that, during the past 12 months, you used prescription tranquilizers that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription tranquilizer?

[TRNGTLA2¹](#)

Len : 2 HOW GOT PRSCRIP TRANQUILIZER PAST 12 MOS/LST TIME

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = I got a prescription from just one doctor	769	0.08
2 = I got prescriptions from more than one doctor	81	0.01
3 = I wrote a fake prescription	12	0.00
4 = I stole it from dr's office/clinic/hosp/pharmacy	29	0.00
5 = I got it from a friend or relative for free	5929	0.62
6 = I bought it from a friend or relative	1624	0.17
7 = I took it from friend/relative without asking	539	0.06
8 = I bought it from a drug dealer or other stranger	770	0.08
9 = I bought it on the Internet	26	0.00
10 = I got it in some other way	487	0.05
15 = I got it from friend/relative for free LOG ASSN	66	0.01
16 = I bought it from a friend or relative LOG ASSN	2	0.00
17 = I took it from friend/relative w/o asking LOG ASSN	5	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN	10	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned	63	0.01
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED TRANQUILIZERS	509346	53.66
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	30788	3.24
94 = DON'T KNOW	225	0.02
97 = REFUSED	342	0.04
98 = BLANK (NO ANSWER)	2286	0.24
99 = LEGITIMATE SKIP	4337	0.46

[TRNGTOS2¹](#)

Len : 2 OTHER WAY RESP GOT TRANQUILIZER THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
5 = Got it from a friend or relative for free	66	0.01
6 = Bought it from a friend or relative	4	0.00
7 = Took from a friend or relative without asking	5	0.00
8 = Bought it from a drug dealer or other stranger	11	0.00
10 = Got it in some other way	77	0.01
11 = From friend, relative, home; otherwise unspecfd	190	0.02
12 = Stole it or took it; otherwise unspecified	3	0.00
13 = Given to me; otherwise unspecified	28	0.00
14 = Bought it; otherwise unspecified	6	0.00
18 = From an individual; how and relationship unspecifd	8	0.00
21 = Found it; otherwise unspecified	19	0.00
71 = Bought/obtained it outside of the US	13	0.00
72 = An OTC drug /OTC-only store reported	1	0.00
73 = Reason/condition for taking drug stated	6	0.00
74 = Name of drug reported, OTC unspecified	5	0.00
75 = Took it by mistake; didn't realize it was a drug	1	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned	63	0.01
85 = BAD DATA Logically assigned	33	0.00
91 = NEVER USED TRANQUILIZERS	509346	53.66
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	30788	3.24
94 = DON'T KNOW	38	0.00
97 = REFUSED	383	0.04
98 = BLANK (NO ANSWER)	2518	0.27
99 = LEGITIMATE SKIP	14130	1.49

PRIOR SUBSTANCE USE

You reported that you got the prescription tranquilizer you last used from a friend or relative for free. How did your friend or relative get the last prescription tranquilizer that you used?

TRNFFLAS¹

Len : 2 HOW FRND/RELAT GOT THE TRANQUILIZERS LAST TIME

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = He/she got a prescription from just one doctor	3378	0.36
2 = He/she got prescriptions from more than one doctor	160	0.02
3 = He/she wrote a fake prescription	9	0.00
4 = He/she stole it from dr's ofc/clinic/hosp/pharmacy	16	0.00
5 = He/she got it from a friend or relative for free	488	0.05
6 = He/she bought it from a friend or relative	305	0.03
7 = He/she took it from friend/relative without asking	99	0.01
8 = He/she bought it from a drug dealer/other stranger	175	0.02
9 = He/she bought it on the Internet	12	0.00
10 = He/she got it in some other way.....	143	0.02
18 = Bought fr drg dealr/stranger LOG ASSN (TRNFFLSP=8)	4	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED TRANQUILIZERS.....	458254	48.27
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	27841	2.93
94 = DON'T KNOW	395	0.04
97 = REFUSED	42	0.00
98 = BLANK (NO ANSWER).....	2625	0.28
99 = LEGITIMATE SKIP	7836	0.83

TRNFFLSP¹

Len : 2 OTHER WAY FRND/RELAT GOT TRANQUILIZERS

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
8 = He/she bought it from drug dealer/other stranger	4	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd	15	0.00
12 = He/she stole or took it; otherwise unspecified.....	2	0.00
13 = Given to him/her; otherwise unspecified.....	2	0.00
14 = He/she bought it; otherwise unspecified.....	4	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	7	0.00
17 = He/she got fr place of business; otherwise unspcfd.....	3	0.00
18 = He/she got fr individual; how & relation unspcfd.....	2	0.00
20 = He/she traded/bartered for it; sex not specfd.....	3	0.00
21 = He/she found it; otherwise unspecified	1	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd	3	0.00
24 = He/she bought them at a pharmacy/store	1	0.00
30 = He/she got it at work; otherwise unspecified.....	2	0.00
71 = He/she bought/obtained it outside of the US.....	6	0.00
73 = Reason/condition for taking drug stated	1	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED TRANQUILIZERS.....	458254	48.27
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	27841	2.93
94 = DON'T KNOW	73	0.01
97 = REFUSED	55	0.01
98 = BLANK (NO ANSWER).....	3023	0.32
99 = LEGITIMATE SKIP	12478	1.31

PRIOR SUBSTANCE USE

Earlier, the computer recorded that, during the past 30 days, you used prescription stimulants that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription stimulants?

Please enter all of the ways that you got prescription stimulants you used in the past 30 days.

[STMRIX1DR](#)¹

Len : 2 I GOT ONE+ PRSCRPS FOR STIM FROM JUST ONE DR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	404	0.04
3 = Response entered LOG ASSN (from STMOTHS2).....	1	0.00
5 = Response entered LOG ASSN (from STMGTLA2).....	14	0.00
6 = Response not entered.....	2511	0.26
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned.....	5	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	54.44
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	25847	2.72
94 = DON'T KNOW	85	0.01
97 = REFUSED	136	0.01
98 = BLANK (NO ANSWER).....	1877	0.20
99 = LEGITIMATE SKIP	9928	1.05

[STMRIXDRS](#)¹

Len : 2 I GOT PRSCRPS FOR STIMULANTS FROM TWO+ DR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	72	0.01
6 = Response not entered.....	2851	0.30
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	54.44
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	25847	2.72
94 = DON'T KNOW	85	0.01
97 = REFUSED	136	0.01
98 = BLANK (NO ANSWER).....	1888	0.20
99 = LEGITIMATE SKIP	9928	1.05

[STMRIXFAK](#)¹

Len : 2 I WROTE FAKE PRESCRIPTIONS FOR STIMULANTS

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	22	0.00
6 = Response not entered.....	2901	0.31
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned.....	2	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	54.44
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	25847	2.72
94 = DON'T KNOW	85	0.01
97 = REFUSED	136	0.01
98 = BLANK (NO ANSWER).....	1887	0.20
99 = LEGITIMATE SKIP	9928	1.05

[STMSTOLE](#)¹

Len : 2 I STOLE STIMS FROM A DR'S OFF/CLIN/HOSP/PHARMCY

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	31	0.00
5 = Response entered LOG ASSN (from STMGTLA2).....	2	0.00
6 = Response not entered.....	2890	0.30
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	54.44
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	25847	2.72
94 = DON'T KNOW	85	0.01
97 = REFUSED	136	0.01
98 = BLANK (NO ANSWER).....	1888	0.20
99 = LEGITIMATE SKIP	9928	1.05

PRIOR SUBSTANCE USE

[STMFRFRE¹](#)

Len : 2 I GOT STIMULANTS FROM A FRND/RELATIVE FOR FREE

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	1474	0.16
3 = Response entered LOG ASSN (from STMOTHS2).....	12	0.00
5 = Response entered LOG ASSN (from STMGTLA2).....	27	0.00
6 = Response not entered.....	1423	0.15
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	54.44
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	25847	2.72
94 = DON'T KNOW	85	0.01
97 = REFUSED	136	0.01
98 = BLANK (NO ANSWER).....	1875	0.20
99 = LEGITIMATE SKIP	9927	1.05

[STMFRBUY¹](#)

Len : 2 I BOUGHT THE STIMS FROM A FRIEND OR RELATIVE

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	819	0.09
3 = Response entered LOG ASSN (from STMOTHS2).....	2	0.00
5 = Response entered LOG ASSN (from STMGTLA2).....	13	0.00
6 = Response not entered.....	2092	0.22
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	54.44
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	25847	2.72
94 = DON'T KNOW	85	0.01
97 = REFUSED	136	0.01
98 = BLANK (NO ANSWER).....	1885	0.20
99 = LEGITIMATE SKIP	9928	1.05

[STMFRTKE¹](#)

Len : 2 I TOOK THE STIMS FROM A FRND/RELATIVE WO ASKING

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	230	0.02
5 = Response entered LOG ASSN (from STMGTLA2).....	8	0.00
6 = Response not entered.....	2687	0.28
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	54.44
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	25847	2.72
94 = DON'T KNOW	85	0.01
97 = REFUSED	136	0.01
98 = BLANK (NO ANSWER).....	1886	0.20
99 = LEGITIMATE SKIP	9927	1.05

[STMDEALR¹](#)

Len : 2 I BOUGHT THE STIMS FROM DRUG DEALR/OTH STRANGER

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	337	0.04
3 = Response entered LOG ASSN (from STMOTHS2).....	4	0.00
5 = Response entered LOG ASSN (from STMGTLA2).....	8	0.00
6 = Response not entered.....	2578	0.27
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	54.44
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	25847	2.72
94 = DON'T KNOW	85	0.01
97 = REFUSED	136	0.01
98 = BLANK (NO ANSWER).....	1884	0.20
99 = LEGITIMATE SKIP	9928	1.05

PRIOR SUBSTANCE USE

[STMINET](#)¹

Len : 2 I BOUGHT THE STIMULANTS ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	60	0.01
5 = Response entered LOG ASSN (from STMGTLA2).....	3	0.00
6 = Response not entered.....	2861	0.30
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	54.44
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	25847	2.72
94 = DON'T KNOW	85	0.01
97 = REFUSED	136	0.01
98 = BLANK (NO ANSWER).....	1887	0.20
99 = LEGITIMATE SKIP	9928	1.05

[STMOTHWY](#)¹

Len : 2 I GOT THE STIMULANTS IN SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	188	0.02
5 = Response entered LOG ASSN (from STMGTLA2).....	6	0.00
6 = Response not entered.....	2731	0.29
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	54.44
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	25847	2.72
94 = DON'T KNOW	85	0.01
97 = REFUSED	136	0.01
98 = BLANK (NO ANSWER).....	1886	0.20
99 = LEGITIMATE SKIP	9928	1.05

[STMOTHS2](#)¹

Len : 2 OTHER WAY RESP GOT STIMULANT USED IN PST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Got one/more prescriptions from just one doctor.....	1	0.00
5 = Got it from a friend or relative for free	15	0.00
6 = Bought it from a friend or relative	2	0.00
8 = Bought it from a drug dealer or other stranger.....	4	0.00
10 = Got it in some other way.....	65	0.01
11 = From friend, relative, home; otherwise unspecfd	56	0.01
71 = Bought/obtained it outside of the US	1	0.00
72 = An OTC drug /OTC-only store reported	3	0.00
73 = Reason/condition for taking drug stated	1	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned.....	7	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	54.44
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	25847	2.72
94 = DON'T KNOW	15	0.00
97 = REFUSED	159	0.02
98 = BLANK (NO ANSWER).....	1973	0.21
99 = LEGITIMATE SKIP	12659	1.33

PRIOR SUBSTANCE USE

You reported that you got the prescription stimulants you used in the past 30 days from a friend or relative for free. How did your friend or relative get the prescription stimulants that you used?

Please enter all of the ways that your friend or relative got the prescription stimulants you used in the past 30 days.

[STMFF1DR](#)¹

Len : 2 FRIEND/RELATIVE GOT RX FOR STIMULANTS FROM 1 DR

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	877	0.09
3 = Response entered LOG ASSN (from STMFFOSP)	1	0.00
5 = Response entered LOG ASSN (from STMFFLAS)	14	0.00
6 = Response not entered.....	313	0.03
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	49.02
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.44
94 = DON'T KNOW	79	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	1877	0.20
99 = LEGITIMATE SKIP	9988	1.05

[STMFFDRS](#)¹

Len : 2 FRIEND/RELATIVE GOT RX FOR STIMULANTS FROM >1 DR

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	53	0.01
5 = Response entered LOG ASSN (from STMFFLAS)	1	0.00
6 = Response not entered.....	1143	0.12
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	49.02
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.44
94 = DON'T KNOW	79	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	1885	0.20
99 = LEGITIMATE SKIP	9988	1.05

[STMFFAKE](#)¹

Len : 2 FRIEND/RELATIVE WROTE FAKE RX FOR STIMULANTS

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	7	0.00
6 = Response not entered.....	1189	0.13
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	49.02
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.44
94 = DON'T KNOW	79	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	1886	0.20
99 = LEGITIMATE SKIP	9988	1.05

[STMFFSTL](#)¹

Len : 2 FRND/RELAT STOLE STIMS FRM DR/CLIN/HOSP/PHARM

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	7	0.00
6 = Response not entered.....	1189	0.13
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	49.02
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.44
94 = DON'T KNOW	79	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	1886	0.20
99 = LEGITIMATE SKIP	9988	1.05

PRIOR SUBSTANCE USE

[STMFFREE](#)¹

Len : 2 FRND/RELAT GOT STIMS FRM FRND/RELAT FOR FREE

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	193	0.02
5 = Response entered LOG ASSN (from STMFFLAS)	4	0.00
6 = Response not entered.....	1001	0.11
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	49.02
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.44
94 = DON'T KNOW	79	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	1884	0.20
99 = LEGITIMATE SKIP	9988	1.05

[STMFFBOT](#)¹

Len : 2 FRIEND/RELATIVE BOUGHT STIMS FROM FRND/RELAT

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	133	0.01
5 = Response entered LOG ASSN (from STMFFLAS)	7	0.00
6 = Response not entered.....	1059	0.11
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	49.02
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.44
94 = DON'T KNOW	78	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	1884	0.20
99 = LEGITIMATE SKIP	9988	1.05

[STMFFTAK](#)¹

Len : 2 FRND/RELAT TOOK STIMS FRM FRND/REL WO ASKING

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	36	0.00
3 = Response entered LOG ASSN (from STMFFOSP)	1	0.00
5 = Response entered LOG ASSN (from STMFFLAS)	1	0.00
6 = Response not entered.....	1158	0.12
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	49.02
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.44
94 = DON'T KNOW	79	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	1886	0.20
99 = LEGITIMATE SKIP	9988	1.05

[STMFFDLR](#)¹

Len : 2 FRND/RELAT BOUGHT STIMS FR DRUG DEALER/STRANGER

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	85	0.01
5 = Response entered LOG ASSN (from STMFFLAS)	5	0.00
6 = Response not entered.....	1111	0.12
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	49.02
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.44
94 = DON'T KNOW	79	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	1881	0.20
99 = LEGITIMATE SKIP	9988	1.05

PRIOR SUBSTANCE USE

[STMFFNET](#)¹

Len : 2 FRIEND/RELATIVE BOUGHT STIMS ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	12	0.00
3 = Response entered LOG ASSN (from STMFFOSP)	1	0.00
6 = Response not entered.....	1183	0.12
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	49.02
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.44
94 = DON'T KNOW	79	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	1886	0.20
99 = LEGITIMATE SKIP	9988	1.05

[STMFFOTH](#)¹

Len : 2 FRIEND/RELATIVE GOT STIMULANTS SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	39	0.00
5 = Response entered LOG ASSN (from STMFFLAS)	2	0.00
6 = Response not entered.....	1157	0.12
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	49.02
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.44
94 = DON'T KNOW	79	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	1884	0.20
99 = LEGITIMATE SKIP	9988	1.05

[STMFFOSP](#)¹

Len : 2 OTHER WAY FRND/RELAT GOT STIMULANTS

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = He/she got prescriptions from just one doctor	1	0.00
5 = He/she got it from a friend or relative for free	1	0.00
7 = He/she took from a friend or relative w/o asking.....	1	0.00
9 = He/she bought it on the Internet	1	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd	4	0.00
13 = Given to him/her; otherwise unspecified.....	1	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	2	0.00
16 = He/she made/cooked it.....	1	0.00
20 = He/she traded/bartered for it; sex not specfd.....	3	0.00
21 = He/she found it; otherwise unspecified	2	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd	2	0.00
29 = He/she got drugs/money in exchange for sex.....	1	0.00
32 = He/she got it thru the mail; Internet unspecified	1	0.00
33 = He/she stole it from a store/pharmacy	1	0.00
71 = He/she bought/obtained it outside of the US.....	3	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	49.02
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.44
94 = DON'T KNOW	11	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	1973	0.21
99 = LEGITIMATE SKIP	11145	1.17

PRIOR SUBSTANCE USE

Earlier, the computer recorded that, during the past 12 months, you used prescription stimulants that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription stimulant?

[STMGTLA2¹](#)

Len : 2 HOW GOT PRSCRIP STIMULANT PAST 12 MOS/LAST TIME

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = I got a prescription from just one doctor	417	0.04
2 = I got prescriptions from more than one doctor	31	0.00
3 = I wrote a fake prescription	11	0.00
4 = I stole it from dr's office/clinic/hosp/pharmacy	18	0.00
5 = I got it from a friend or relative for free	3066	0.32
6 = I bought it from a friend or relative	1295	0.14
7 = I took it from friend/relative without asking	336	0.04
8 = I bought it from a drug dealer or other stranger	383	0.04
9 = I bought it on the Internet	62	0.01
10 = I got it in some other way	263	0.03
11 = I got a prescription from just one doctor LOG ASSN	1	0.00
15 = I got it from friend/relative for free LOG ASSN	36	0.00
16 = I bought it from a friend or relative LOG ASSN	5	0.00
17 = I took it from friend/relative w/o asking LOG ASSN	3	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN	3	0.00
19 = I bought it on the Internet LOGICALLY ASSIGNED	2	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned	2	0.00
89 = LEGITIMATE SKIP Logically assigned	4	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	54.44
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MOS	20196	2.13
94 = DON'T KNOW	162	0.02
97 = REFUSED	182	0.02
98 = BLANK (NO ANSWER)	1960	0.21
99 = LEGITIMATE SKIP	12371	1.30

[STMGTOS2¹](#)

Len : 2 OTHER WAY RESP GOT STIMULANT USED THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Got one/more prescriptions from just one doctor	1	0.00
5 = Got it from a friend or relative for free	36	0.00
6 = Bought it from a friend or relative	5	0.00
7 = Took from a friend or relative without asking	4	0.00
8 = Bought it from a drug dealer or other stranger	3	0.00
9 = Bought it on the Internet	2	0.00
10 = Got it in some other way	71	0.01
11 = From friend, relative, home; otherwise unspecfd	90	0.01
13 = Given to me; otherwise unspecified	4	0.00
17 = Got it from a place of business; otherwise unspecfd	13	0.00
21 = Found it; otherwise unspecified	4	0.00
72 = An OTC drug /OTC-only store reported	5	0.00
73 = Reason/condition for taking drug stated	1	0.00
74 = Name of drug reported, OTC unspecified	4	0.00
75 = Took it by mistake; didn't realize it was a drug	1	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned	12	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	54.44
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MOS	20196	2.13
94 = DON'T KNOW	14	0.00
97 = REFUSED	199	0.02
98 = BLANK (NO ANSWER)	2124	0.22
99 = LEGITIMATE SKIP	18020	1.90

PRIOR SUBSTANCE USE

You reported that you got the prescription stimulant you last used from a friend or relative for free. How did your friend or relative get the last prescription stimulant that you used?

[STMFFLAS¹](#)

Len : 2 HOW FRND/RELAT GOT STIMULANTS THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = He/she got a prescription from just one doctor	1841	0.19
2 = He/she got prescriptions from more than one doctor	90	0.01
3 = He/she wrote a fake prescription	2	0.00
4 = He/she stole it from dr's ofc/clinic/hosp/pharmacy	11	0.00
5 = He/she got it from a friend or relative for free	235	0.02
6 = He/she bought it from a friend or relative	177	0.02
7 = He/she took it from friend/relative without asking	30	0.00
8 = He/she bought it from a drug dealer/other stranger	80	0.01
9 = He/she bought it on the Internet	14	0.00
10 = He/she got it in some other way.....	52	0.01
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	49.02
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MONTHS	18120	1.91
94 = DON'T KNOW	179	0.02
97 = REFUSED	15	0.00
98 = BLANK (NO ANSWER).....	2077	0.22
99 = LEGITIMATE SKIP	13439	1.42

[STMFFLSP¹](#)

Len : 2 OTHER WAY FRND/RELAT GOT STIMULANTS

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
11 = Fr friend/relat/home/co-worker; otherwise unspcfd	5	0.00
12 = He/she stole or took it; otherwise unspecified.....	2	0.00
13 = Given to him/her; otherwise unspecified.....	1	0.00
14 = He/she bought it; otherwise unspecified.....	2	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	1	0.00
17 = He/she got fr place of business; otherwise unspcfd	3	0.00
18 = He/she got fr individual; how & relation unspcfd.....	1	0.00
20 = He/she traded/bartered for it; sex not specfd.....	1	0.00
21 = He/she found it; otherwise unspecified	2	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd	1	0.00
71 = He/she bought/obtained it outside of the US.....	2	0.00
72 = Over-the-counter drug reported	1	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
85 = BAD DATA Logically assigned.....	2	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	49.02
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MONTHS	18120	1.91
94 = DON'T KNOW	25	0.00
97 = REFUSED	18	0.00
98 = BLANK (NO ANSWER).....	2256	0.24
99 = LEGITIMATE SKIP	15920	1.68

Earlier, the computer recorded that, during the past 30 days, you used methamphetamine. How did you get this methamphetamine?

Please enter all of the ways that you got the methamphetamine you used in the past 30 days.

[MTHFRFRE¹](#)

Len : 2 I GOT METHAMP FROM A FRND/RELATIVE FOR FREE

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	671	0.07
3 = Response entered LOG ASSN (from MTHOTHS2)	3	0.00
5 = Response entered LOG ASSN (from MTHGTLA2)	3	0.00
6 = Response not entered.....	599	0.06
81 = NEVER USED METHAMPHETAMINE Logically assigned	105	0.01
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED METHAMPHETAMINE	530628	55.90
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	24315	2.56
94 = DON'T KNOW	33	0.00
97 = REFUSED	255	0.03
98 = BLANK (NO ANSWER).....	1124	0.12
99 = LEGITIMATE SKIP	1	0.00

PRIOR SUBSTANCE USE

[MTHFRBUY](#)¹

Len : 2 I BOUGHT THE METHAMP FROM A FRIEND OR RELATIVE

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	430	0.05
5 = Response entered LOG ASSN (from MTHGTLA2)	7	0.00
6 = Response not entered.....	839	0.09
81 = NEVER USED METHAMPHETAMINE Logically assigned	105	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	530628	55.90
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	24315	2.56
94 = DON'T KNOW	33	0.00
97 = REFUSED	255	0.03
98 = BLANK (NO ANSWER).....	1128	0.12
99 = LEGITIMATE SKIP	1	0.00

[MTHFRTKE](#)¹

Len : 2 I TOOK THE METHAMP FROM A FRND/RELATIVE WO ASKING

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	58	0.01
6 = Response not entered.....	1217	0.13
81 = NEVER USED METHAMPHETAMINE Logically assigned	105	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	530628	55.90
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	24315	2.56
94 = DON'T KNOW	33	0.00
97 = REFUSED	255	0.03
98 = BLANK (NO ANSWER).....	1129	0.12
99 = LEGITIMATE SKIP	1	0.00

[MTHDEALR](#)¹

Len : 2 I BOUGHT THE METHAMP FROM DRUG DEALR/OTH STRANGER

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	353	0.04
3 = Response entered LOG ASSN (from MTHOTHS2)	4	0.00
5 = Response entered LOG ASSN (from MTHGTLA2)	2	0.00
6 = Response not entered.....	917	0.10
81 = NEVER USED METHAMPHETAMINE Logically assigned	105	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	530628	55.90
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	24315	2.56
94 = DON'T KNOW	33	0.00
97 = REFUSED	255	0.03
98 = BLANK (NO ANSWER).....	1128	0.12
99 = LEGITIMATE SKIP	1	0.00

[MTHINET](#)¹

Len : 2 I BOUGHT THE METHAMP ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	16	0.00
6 = Response not entered.....	1259	0.13
81 = NEVER USED METHAMPHETAMINE Logically assigned	105	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	530628	55.90
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	24315	2.56
94 = DON'T KNOW	33	0.00
97 = REFUSED	255	0.03
98 = BLANK (NO ANSWER).....	1129	0.12
99 = LEGITIMATE SKIP	1	0.00

PRIOR SUBSTANCE USE

[MTHOTHWY](#)¹

Len : 2 I GOT THE METHAMP IN SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	125	0.01
5 = Response entered LOG ASSN (from MTHGTLA2)	2	0.00
6 = Response not entered.....	1149	0.12
81 = NEVER USED METHAMPHETAMINE Logically assigned	105	0.01
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	530628	55.90
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	24315	2.56
94 = DON'T KNOW	33	0.00
97 = REFUSED	255	0.03
98 = BLANK (NO ANSWER).....	1128	0.12

[MTHOTHS](#)²

Len : 2 OTHER WAY RESP GOT METH USED IN PST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
2 = Got prescriptions from more than one doctor	1	0.00
5 = Got it from a friend or relative for free	3	0.00
8 = Bought it from a drug dealer or other stranger.....	4	0.00
10 = Got it in some other way.....	61	0.01
11 = From friend, relative, home; otherwise unspecfd	12	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspecfd.....	3	0.00
16 = Made it/cooked it	3	0.00
23 = Got it with prescription(s); otherwise unspecified.....	3	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	105	0.01
85 = BAD DATA Logically assigned.....	12	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED METHAMPHETAMINE	530628	55.90
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	24317	2.56
94 = DON'T KNOW	7	0.00
97 = REFUSED	272	0.03
98 = BLANK (NO ANSWER).....	1161	0.12
99 = LEGITIMATE SKIP	1148	0.12

You reported that you got the Methamphetamine you used in the past 30 days from a friend or relative for free. How did your friend or relative get the Methamphetamine that you used?

Please enter all of the ways that your friend or relative got the Methamphetamine you used in the past 30 days.

[MTHFFREE](#)¹

Len : 2 FRND/RELAT GOT METHAMP FRM FRND/RELAT FOR FREE

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	177	0.02
5 = Response entered LOG ASSN (from MTHFFLAS).....	3	0.00
6 = Response not entered.....	279	0.03
81 = NEVER USED METHAMPHETAMINE Logically assigned	89	0.01
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED METHAMPHETAMINE	478261	50.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	21176	2.23
94 = DON'T KNOW	47	0.00
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	1284	0.14
99 = LEGITIMATE SKIP	509	0.05

[MTHFFBOT](#)¹

Len : 2 FRIEND/RELATIVE BOUGHT METHAMP FROM FRND/RELAT

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	177	0.02
5 = Response entered LOG ASSN (from MTHFFLAS).....	2	0.00
6 = Response not entered.....	280	0.03
81 = NEVER USED METHAMPHETAMINE Logically assigned	89	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	478261	50.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	21176	2.23
94 = DON'T KNOW	47	0.00
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	1286	0.14
99 = LEGITIMATE SKIP	509	0.05

PRIOR SUBSTANCE USE

[MTHFFTAK](#)¹

Len : 2 FRND/RELAT TOOK METHAMP FRM FRND/REL WO ASKING

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	15	0.00
6 = Response not entered.....	444	0.05
81 = NEVER USED METHAMPHETAMINE Logically assigned	89	0.01
91 = NEVER USED METHAMPHETAMINE.....	478261	50.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	21176	2.23
94 = DON'T KNOW	47	0.00
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	1287	0.14
99 = LEGITIMATE SKIP	509	0.05

[MTHFFDLR](#)¹

Len : 2 FRND/RELAT BOUGHT METH FR DRUG DEALER/STRANGER

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	155	0.02
5 = Response entered LOG ASSN (from MTHFFLAS).....	3	0.00
6 = Response not entered.....	301	0.03
81 = NEVER USED METHAMPHETAMINE Logically assigned	89	0.01
91 = NEVER USED METHAMPHETAMINE.....	478261	50.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	21176	2.23
94 = DON'T KNOW	47	0.00
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	1287	0.14
99 = LEGITIMATE SKIP	509	0.05

[MTHFFNET](#)¹

Len : 2 FRIEND/RELATIVE BOUGHT METHAMP ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	3	0.00
5 = Response entered LOG ASSN (from MTHFFLAS).....	2	0.00
6 = Response not entered.....	456	0.05
81 = NEVER USED METHAMPHETAMINE Logically assigned	89	0.01
91 = NEVER USED METHAMPHETAMINE.....	478261	50.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	21176	2.23
94 = DON'T KNOW	45	0.00
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	1287	0.14
99 = LEGITIMATE SKIP	509	0.05

[MTHFFOTH](#)¹

Len : 2 FRIEND/RELATIVE GOT METHAMPHET SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	70	0.01
5 = Response entered LOG ASSN (from MTHFFLAS).....	1	0.00
6 = Response not entered.....	388	0.04
81 = NEVER USED METHAMPHETAMINE Logically assigned	89	0.01
91 = NEVER USED METHAMPHETAMINE.....	478261	50.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	21176	2.23
94 = DON'T KNOW	47	0.00
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	1287	0.14
99 = LEGITIMATE SKIP	509	0.05

PRIOR SUBSTANCE USE

[MTHFFOSP¹](#)

Len : 2 OTHER WAY FRND/RELAT GOT METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
8 = He/she bought it from drug dealer/other stranger.....	3	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd	4	0.00
14 = He/she bought it; otherwise unspecified.....	3	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	3	0.00
16 = He/she made/cooked it.....	15	0.00
17 = He/she got fr place of business; otherwise unspcfd.....	1	0.00
20 = He/she traded/bartered for it; sex not specfd.....	2	0.00
21 = He/she found it; otherwise unspecified	1	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd	5	0.00
26 = He/she got them as payment for partic in drug deal	1	0.00
29 = He/she got drugs/money in exchange for sex.....	1	0.00
32 = He/she got it thru the mail; Internet unspecified	1	0.00
72 = Over-the-counter drug reported	1	0.00
73 = Reason/condition for taking drug stated.....	1	0.00
74 = Name of drug reported, OTC unspecified.....	1	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	89	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	478261	50.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	21176	2.23
94 = DON'T KNOW	23	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	1343	0.14
99 = LEGITIMATE SKIP	898	0.09

Earlier, the computer recorded that, during the past 12 months, you used methamphetamine.

Now think about the last time you used methamphetamine. How did you get this methamphetamine?

[MTHGTLA2¹](#)

Len : 2 HOW GOT METHAMPHETAMINE PAST 12 MOS/LAST TIME

	Freq	Pct
-9 = Data not collected for this year	725189	76.39
5 = I got it from a friend or relative for free	411	0.04
6 = I bought it from a friend or relative.....	135	0.01
7 = I took it from friend/relative without asking.....	35	0.00
8 = I bought it from a drug dealer or other stranger	228	0.02
10 = I got it in some other way.....	46	0.00
15 = I got it from a friend/relative for free LOG ASSN	1	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN.....	2	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	35	0.00
91 = NEVER USED METHAMPHETAMINE.....	214680	22.61
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	7577	0.80
94 = DON'T KNOW	14	0.00
97 = REFUSED	97	0.01
98 = BLANK (NO ANSWER).....	475	0.05
99 = LEGITIMATE SKIP	360	0.04

[MTHGTOS2¹](#)

Len : 2 OTHER WAY RESP GOT METH USED THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
5 = Got it from a friend or relative for free	7	0.00
6 = Bought it from a friend or relative	2	0.00
7 = Took from a friend or relative without asking	1	0.00
8 = Bought it from a drug dealer or other stranger.....	8	0.00
10 = Got it in some other way.....	54	0.01
11 = From friend, relative, home; otherwise unspcfd	24	0.00
13 = Given to me; otherwise unspecified.....	6	0.00
16 = Made it/cooked it	3	0.00
18 = From an individual; how and relationship unspcfd.....	3	0.00
74 = Name of drug reported, OTC unspecified.....	1	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	107	0.01
85 = BAD DATA Logically assigned.....	18	0.00
91 = NEVER USED METHAMPHETAMINE.....	530626	55.90
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	21701	2.29
94 = DON'T KNOW	8	0.00
97 = REFUSED	290	0.03
98 = BLANK (NO ANSWER).....	1240	0.13
99 = LEGITIMATE SKIP	3643	0.38

PRIOR SUBSTANCE USE

You reported that you got the Methamphetamine you last used from a friend or relative for free. How did your friend or relative get the last Methamphetamine that you used?

[MTHFFLAS¹](#)

Len : 2 HOW FRND/RELAT GOT METHAMPHETAMINE THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
5 = He/she got it from a friend or relative for free	290	0.03
6 = He/she bought it from a friend or relative	325	0.03
7 = He/she took it from friend/relat without asking	11	0.00
8 = He/she bought it from a drug dealer/other stranger	237	0.02
9 = He/she bought it on the Internet	2	0.00
10 = He/she got it in some other way.....	102	0.01
15 = Got from frnd/relat for free LOG ASSN	2	0.00
16 = Bought from friend/relative LOG ASSN.....	1	0.00
18 = Bought fr drg dealr/stranger LOG ASSN	3	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	22	0.00
91 = NEVER USED METHAMPHETAMINE.....	478328	50.39
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	19017	2.00
94 = DON'T KNOW	126	0.01
97 = REFUSED	22	0.00
98 = BLANK (NO ANSWER).....	1377	0.15
99 = LEGITIMATE SKIP	1972	0.21

[MTHFFLSP¹](#)

Len : 2 OTHER WAY FRND/RELAT GOT METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
5 = He/she got it from a friend or relative for free	2	0.00
6 = He/she bought it from a friend or relative	1	0.00
8 = He/she bought it from drug dealer/other stranger.....	3	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd	3	0.00
12 = He/she stole or took it; otherwise unspecified.....	1	0.00
14 = He/she bought it; otherwise unspecified.....	2	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	7	0.00
16 = He/she made/cooked it.....	24	0.00
18 = He/she got fr individual; how & relation unspcfd.....	2	0.00
20 = He/she traded/bartered for it; sex not specfd.....	2	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd	10	0.00
72 = Over-the-counter drug reported	1	0.00
74 = Name of drug reported, OTC unspecified.....	2	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	3	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED METHAMPHETAMINE.....	478347	50.39
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	19017	2.00
94 = DON'T KNOW	38	0.00
97 = REFUSED	28	0.00
98 = BLANK (NO ANSWER).....	1503	0.16
99 = LEGITIMATE SKIP	2837	0.30

Earlier, the computer recorded that, during the past 30 days, you used prescription sedatives that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription sedatives?

Please enter all of the ways that you got the prescription sedatives you used in the past 30 days.

[SEDRX1DR¹](#)

Len : 2 I GOT ONE+ PRSCRPS FOR SEDATIVES FROM JUST ONE DR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	133	0.01
3 = Response entered LOG ASSN (from SEDOTHS2)	2	0.00
5 = Response entered LOG ASSN (from SEDGTLA2)	3	0.00
6 = Response not entered.....	532	0.06
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED SEDATIVES.....	545216	57.43
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.05
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER).....	1565	0.16

PRIOR SUBSTANCE USE

[SEDRXDRS](#)¹

Len : 2 I GOT PRSCRPS FOR SEDATIVES FROM TWO+ DR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	25	0.00
6 = Response not entered.....	645	0.07
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED SEDATIVES.....	545216	57.43
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.05
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER).....	1566	0.16

[SEDRXFAK](#)¹

Len : 2 I WROTE FAKE PRESCRIPTIONS FOR SEDATIVES

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	7	0.00
5 = Response entered LOG ASSN (from SEDGTLA2)	2	0.00
6 = Response not entered.....	662	0.07
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
91 = NEVER USED SEDATIVES.....	545216	57.43
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.05
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER).....	1566	0.16

[SEDSTOLE](#)¹

Len : 2 I STOLE SEDS FROM A DR'S OFF/CLIN/HOSP/PHARMCY

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	19	0.00
6 = Response not entered.....	651	0.07
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED SEDATIVES.....	545216	57.43
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.05
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER).....	1566	0.16

[SEDFRFRE](#)¹

Len : 2 I GOT SEDATIVES FROM A FRND/RELATIVE FOR FREE

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	346	0.04
3 = Response entered LOG ASSN (from SEDOTHS2)	2	0.00
5 = Response entered LOG ASSN (from SEDGTLA2)	1	0.00
6 = Response not entered.....	322	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
91 = NEVER USED SEDATIVES.....	545216	57.43
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.05
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER).....	1566	0.16

[SEDFRBUY](#)¹

Len : 2 I BOUGHT THE SEDS FROM A FRIEND OR RELATIVE

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	91	0.01
5 = Response entered LOG ASSN (from SEDGTLA2)	1	0.00
6 = Response not entered.....	578	0.06
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
91 = NEVER USED SEDATIVES.....	545216	57.43
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.05
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER).....	1567	0.17

PRIOR SUBSTANCE USE

[SEDFRTKE](#)¹

Len : 2 I TOOK THE SEDS FROM A FRND/RELATIVE WO ASKING

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	65	0.01
5 = Response entered LOG ASSN (from SEDGTLA2)	2	0.00
6 = Response not entered.....	603	0.06
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
91 = NEVER USED SEDATIVES.....	545216	57.43
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.05
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER).....	1567	0.17

[SEDDEALR](#)¹

Len : 2 I BOUGHT THE SEDS FROM DRUG DEALR/OTH STRANGER

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	50	0.01
6 = Response not entered.....	620	0.07
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
91 = NEVER USED SEDATIVES.....	545216	57.43
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.05
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER).....	1567	0.17

[SEDINET](#)¹

Len : 2 I BOUGHT THE SEDATIVES ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	5	0.00
6 = Response not entered.....	665	0.07
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
91 = NEVER USED SEDATIVES.....	545216	57.43
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.05
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER).....	1567	0.17

[SEDOTHWY](#)¹

Len : 2 I GOT THE SEDATIVES IN SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	51	0.01
5 = Response entered LOG ASSN (from SEDGTLA2)	2	0.00
6 = Response not entered.....	617	0.06
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
91 = NEVER USED SEDATIVES.....	545216	57.43
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.05
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER).....	1567	0.17

[SEDOTHS2](#)¹

Len : 2 OTHER WAY RESP GOT SEDATIVE USED IN PST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Got one/more prescriptions from just one doctor.....	2	0.00
5 = Got it from a friend or relative for free	3	0.00
7 = Took from a friend or relative without asking	1	0.00
10 = Got it in some other way.....	21	0.00
11 = From friend, relative, home; otherwise unspecfd	9	0.00
71 = Bought/obtained it outside of the US	3	0.00
72 = An OTC drug /OTC-only store reported	1	0.00
74 = Name of drug reported, OTC unspecified.....	1	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED SEDATIVES.....	545216	57.43
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.05
94 = DON'T KNOW	4	0.00
97 = REFUSED	84	0.01
98 = BLANK (NO ANSWER).....	1601	0.17
99 = LEGITIMATE SKIP	617	0.06

PRIOR SUBSTANCE USE

You reported that you got the prescription sedatives you used in the past 30 days from a friend or relative for free. How did your friend or relative get the prescription sedatives that you used?

Please enter all of the ways that your friend or relative got the prescription sedatives you used in the past 30 days.

[SEDFFIDR](#)¹

Len : 2 FRIEND/RELATIVE GOT RX FOR SEDATIVES FROM 1 DR

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	214	0.02
5 = Response entered LOG ASSN (from SEDFFLAS)	1	0.00
6 = Response not entered	74	0.01
81 = NEVER USED SEDATIVES Logically assigned	195	0.02
91 = NEVER USED SEDATIVES	490787	51.70
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	0.92
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1506	0.16
99 = LEGITIMATE SKIP	286	0.03

[SEDFFDRS](#)¹

Len : 2 FRIEND/RELATIVE GOT RX FOR SEDATIVES FROM >1 DR

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	24	0.00
6 = Response not entered	264	0.03
81 = NEVER USED SEDATIVES Logically assigned	195	0.02
91 = NEVER USED SEDATIVES	490787	51.70
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	0.92
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1507	0.16
99 = LEGITIMATE SKIP	286	0.03

[SEDFFAKE](#)¹

Len : 2 FRIEND/RELATIVE WROTE FAKE RX FOR SEDATIVES

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	2	0.00
6 = Response not entered	286	0.03
81 = NEVER USED SEDATIVES Logically assigned	195	0.02
91 = NEVER USED SEDATIVES	490787	51.70
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	0.92
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1507	0.16
99 = LEGITIMATE SKIP	286	0.03

[SEDFFSTL](#)¹

Len : 2 FRND/RELAT STOLE SEDATVS FRM DR/CLIN/HOSP/PHARM

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	8	0.00
6 = Response not entered	280	0.03
81 = NEVER USED SEDATIVES Logically assigned	195	0.02
91 = NEVER USED SEDATIVES	490787	51.70
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	0.92
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1507	0.16
99 = LEGITIMATE SKIP	286	0.03

PRIOR SUBSTANCE USE

[SEDDFREE](#)¹

Len : 2 FRND/RELAT GOT SEDATIVES FRM FRND/RELAT FOR FREE

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	34	0.00
6 = Response not entered.....	254	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES.....	490787	51.70
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	0.92
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	1507	0.16
99 = LEGITIMATE SKIP	286	0.03

[SEDDFBOT](#)¹

Len : 2 FRIEND/RELATIVE BOUGHT SEDATIVES FROM FRND/RELAT

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	22	0.00
6 = Response not entered.....	266	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES.....	490787	51.70
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	0.92
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	1507	0.16
99 = LEGITIMATE SKIP	286	0.03

[SEDDFTAK](#)¹

Len : 2 FRND/RELAT TOOK SEDATIVES FRM FRND/REL WO ASKING

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	12	0.00
6 = Response not entered.....	276	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES.....	490787	51.70
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	0.92
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	1507	0.16
99 = LEGITIMATE SKIP	286	0.03

[SEDDFDLR](#)¹

Len : 2 FRND/RELAT BOUGHT SEDTVS FR DRUG DEALER/STRANGER

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	15	0.00
6 = Response not entered.....	273	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES.....	490787	51.70
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	0.92
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	1507	0.16
99 = LEGITIMATE SKIP	286	0.03

[SEDDFNET](#)¹

Len : 2 FRIEND/RELATIVE BOUGHT SEDATIVES ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	2	0.00
6 = Response not entered.....	286	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES.....	490787	51.70
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	0.92
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	1507	0.16
99 = LEGITIMATE SKIP	286	0.03

PRIOR SUBSTANCE USE

[SEDFFOTH¹](#)

Len : 2 FRIEND/RELATIVE GOT SEDATIVES SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	10	0.00
6 = Response not entered.....	278	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES.....	490787	51.70
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	0.92
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	1507	0.16
99 = LEGITIMATE SKIP	286	0.03

[SEDFFOSP¹](#)

Len : 2 OTHER WAY FRND/RELAT GOT SEDATIVES

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = He/she got prescriptions from just one doctor	1	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd	1	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	1	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd	1	0.00
24 = He/she bought them at a pharmacy/store.....	1	0.00
29 = He/she got drugs/money in exchange for sex.....	1	0.00
30 = He/she got it at work; otherwise unspecified.....	1	0.00
71 = He/she bought/obtained it outside of the US.....	1	0.00
72 = Over-the-counter drug reported	1	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED SEDATIVES.....	490787	51.70
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	0.92
98 = BLANK (NO ANSWER).....	1528	0.16
99 = LEGITIMATE SKIP	564	0.06

Earlier, the computer recorded that, during the past 12 months, you used prescription sedatives that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription sedative?

[SEDGTLA2¹](#)

Len : 2 HOW GOT PRSCRIP SEDATIVE PAST 12 MOS/LAST TIME

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = I got a prescription from just one doctor	193	0.02
2 = I got prescriptions from more than one doctor.....	22	0.00
4 = I stole it from dr's office/clinic/hosp/pharmacy.....	3	0.00
5 = I got it from a friend or relative for free	690	0.07
6 = I bought it from a friend or relative.....	136	0.01
7 = I took it from friend/relative without asking	80	0.01
8 = I bought it from a drug dealer or other stranger	53	0.01
10 = I got it in some other way.....	96	0.01
11 = I got a prescription from just one doctor LOG ASSN.....	1	0.00
15 = I got it from friend/relative for free LOG ASSN.....	10	0.00
17 = I took it from friend/relative w/o asking LOG ASSN.....	2	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN.....	1	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
91 = NEVER USED SEDATIVES.....	545216	57.43
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	8650	0.91
94 = DON'T KNOW	55	0.01
97 = REFUSED	91	0.01
98 = BLANK (NO ANSWER).....	1622	0.17
99 = LEGITIMATE SKIP	604	0.06

PRIOR SUBSTANCE USE

[SEDGTOS2](#)¹

Len : 2 OTHER WAY RESP GOT SEDATIVE USED THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Got one/more prescriptions from just one doctor.....	1	0.00
5 = Got it from a friend or relative for free	10	0.00
7 = Took from a friend or relative without asking	2	0.00
8 = Bought it from a drug dealer or other stranger.....	1	0.00
10 = Got it in some other way.....	31	0.00
11 = From friend, relative, home; otherwise unspcfd	12	0.00
74 = Name of drug reported, OTC unspecified.....	2	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED SEDATIVES.....	545216	57.43
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	8650	0.91
94 = DON'T KNOW	5	0.00
97 = REFUSED	96	0.01
98 = BLANK (NO ANSWER).....	1677	0.18
99 = LEGITIMATE SKIP	1814	0.19

You reported that you got the prescription sedative you last used from a friend or relative for free. How did your friend or relative get the last prescription sedative that you used?

[SEDFFLAS](#)¹

Len : 2 HOW FRND/RELAT GOT SEDATIVES THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = He/she got a prescription from just one doctor	423	0.04
2 = He/she got prescriptions from more than one doctor.....	24	0.00
4 = He/she stole it from dr's ofc/clinic/hosp/pharmacy	5	0.00
5 = He/she got it from a friend or relative for free	47	0.00
6 = He/she bought it from a friend or relative	14	0.00
7 = He/she took it from friend/relative without asking.....	11	0.00
8 = He/she bought it from a drug dealer/other stranger	12	0.00
9 = He/she bought it on the Internet	3	0.00
10 = He/she got it in some other way.....	19	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES.....	490787	51.70
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	7598	0.80
94 = DON'T KNOW	45	0.00
97 = REFUSED	4	0.00
98 = BLANK (NO ANSWER).....	1597	0.17
99 = LEGITIMATE SKIP	1053	0.11

[SEDFFLSP](#)¹

Len : 2 OTHER WAY FRND/RELAT GOT SEDATIVE

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
11 = Fr friend/relat/home/co-worker; otherwise unspcfd	1	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	3	0.00
21 = He/she found it; otherwise unspecified	1	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd	1	0.00
24 = He/she bought them at a pharmacy/store.....	1	0.00
26 = He/she got them as payment for partic in drug deal	1	0.00
30 = He/she got it at work; otherwise unspecified	1	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED SEDATIVES.....	490787	51.70
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	7598	0.80
94 = DON'T KNOW	8	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER).....	1642	0.17
99 = LEGITIMATE SKIP	1592	0.17

PRIOR SUBSTANCE USE

NOTE: The variables MRJYRBFR and MRJAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use marijuana or hashish, even once?

MRJYRBFR ¹	Len : 2 USE MJ OR HASHISH EVEN ONCE YR BEFORE LAST		
		Freq	Pct
	-9 = Data not collected for this year	54079	5.70
	1 = Yes.....	147239	15.51
	2 = No.....	214697	22.62
	85 = BAD DATA Logically assigned.....	31	0.00
	91 = NEVER USED MARIJUANA	530503	55.88
	94 = DON'T KNOW	1316	0.14
	97 = REFUSED	1200	0.13
	98 = BLANK (NO ANSWER).....	220	0.02

The computer recorded that you last used marijuana or hashish [MJREC FILL]. How old were you the last time you used marijuana or hashish?

MRJAGLST ¹	Len : 3 HOW OLD WERE YOU THE LAST TIME USED MARIJUANA		
		Freq	Pct
	RANGE = 1 - 87.....	254694	26.83
	-9 = Data not collected for this year	54079	5.70
	985 = BAD DATA Logically assigned.....	7848	0.83
	989 = LEGITIMATE SKIP Logically assigned.....	63	0.01
	991 = NEVER USED MARIJUANA	530503	55.88
	994 = DON'T KNOW	4419	0.47
	997 = REFUSED	1697	0.18
	998 = BLANK (NO ANSWER).....	2732	0.29
	999 = LEGITIMATE SKIP	93250	9.82

Did you last use marijuana or hashish in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use marijuana or hashish in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use marijuana or hashish?

MRJYLU ¹	Len : 4 YEAR OF LAST MARIJUANA/HASHISH USE - RECODE		
		Freq	Pct
	RANGE = 2002 - 2018.....	75292	7.93
	-9 = Data not collected for this year	109309	11.51
	9985 = BAD DATA Logically assigned	1869	0.20
	9989 = LEGITIMATE SKIP Logically assigned.....	2037	0.21
	9991 = NEVER USED MARIJUANA	498105	52.47
	9994 = DON'T KNOW.....	4384	0.46
	9997 = REFUSED	1703	0.18
	9998 = BLANK (NO ANSWER).....	9820	1.03
	9999 = LEGITIMATE SKIP.....	246766	25.99

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use marijuana or hashish?

In what month in [YEAR FROM LU02a or LU02b] did you last use marijuana or hashish?

MRJMLU¹

Len : 2 MONTH OF LAST MARIJUANA/HASHISH USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = January	6961	0.73
2 = February	5415	0.57
3 = March	5599	0.59
4 = April	5232	0.55
5 = May	5229	0.55
6 = June	6668	0.70
7 = July	7043	0.74
8 = August	6037	0.64
9 = September	4899	0.52
10 = October	5237	0.55
11 = November	5025	0.53
12 = December	6272	0.66
85 = BAD DATA Logically assigned	2663	0.28
89 = LEGITIMATE SKIP Logically assigned	2037	0.21
91 = NEVER USED MARIJUANA	498105	52.47
94 = DON'T KNOW	8758	0.92
97 = REFUSED	2112	0.22
98 = BLANK (NO ANSWER)	9918	1.04
99 = LEGITIMATE SKIP	246766	25.99

Earlier the computer recorded that you last smoked part or all of a cigarette [CG06]. How old were you the last time you smoked part or all of a cigarette?

CIGAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGARETTE

	Freq	Pct
RANGE = 1 - 90	251878	26.53
-9 = Data not collected for this year	54079	5.70
985 = BAD DATA Logically assigned	7777	0.82
989 = LEGITIMATE SKIP Logically assigned	32	0.00
991 = NEVER USED CIGARETTES	423244	44.59
994 = DON'T KNOW	4331	0.46
997 = REFUSED	660	0.07
998 = BLANK (NO ANSWER)	586	0.06
999 = LEGITIMATE SKIP	206698	21.77

Did you last smoke part or all of a cigarette in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke part or all of a cigarette in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke part or all of a cigarette?

CIGYLU¹

Len : 4 YEAR OF LAST CIGARETTE USE - RECODE

	Freq	Pct
RANGE = 2002 - 2018	58470	6.16
-9 = Data not collected for this year	109309	11.51
9985 = BAD DATA Logically assigned	1584	0.17
9989 = LEGITIMATE SKIP Logically assigned	1154	0.12
9991 = NEVER USED CIGARETTES	400898	42.23
9994 = DON'T KNOW	4182	0.44
9997 = REFUSED	648	0.07
9998 = BLANK (NO ANSWER)	8074	0.85
9999 = LEGITIMATE SKIP	364966	38.45

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke part or all of a cigarette?

In what month in [YEAR FROM LU03a or LU03b] did you last smoke part or all of a cigarette?

[CIGMLU¹](#)

Len : 2 MONTH OF LAST CIGARETTE USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = January.....	5141	0.54
2 = February	3941	0.42
3 = March.....	4361	0.46
4 = April.....	3580	0.38
5 = May.....	3939	0.41
6 = June.....	5106	0.54
7 = July	5484	0.58
8 = August.....	4766	0.50
9 = September.....	4126	0.43
10 = October.....	4229	0.45
11 = November	4148	0.44
12 = December	5017	0.53
85 = BAD DATA Logically assigned.....	2731	0.29
89 = LEGITIMATE SKIP Logically assigned	1154	0.12
91 = NEVER USED CIGARETTES	400898	42.23
94 = DON'T KNOW	7413	0.78
97 = REFUSED	792	0.08
98 = BLANK (NO ANSWER).....	8184	0.86
99 = LEGITIMATE SKIP	364966	38.45

Earlier the computer also recorded that there was a period in your life when you smoked cigarettes every day for at least 30 days. How old were you when you last smoked cigarettes daily?

[CIGDLLST¹](#)

Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGS DAILY

	Freq	Pct
RANGE = 1 - 94.....	124600	13.13
-9 = Data not collected for this year	54079	5.70
985 = BAD DATA Logically assigned.....	2360	0.25
991 = NEVER USED CIGARETTES	423244	44.59
994 = DON'T KNOW	1726	0.18
997 = REFUSED	472	0.05
998 = BLANK (NO ANSWER).....	179	0.02
999 = LEGITIMATE SKIP	342625	36.09

Did you last smoke cigarettes daily in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke cigarettes daily in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke cigarettes daily?

[CIGDLYLU¹](#)

Len : 4 YEAR OF LAST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
RANGE = 2002 - 2018.....	34353	3.62
-9 = Data not collected for this year	109309	11.51
9985 = BAD DATA Logically assigned	873	0.09
9989 = LEGITIMATE SKIP Logically assigned.....	510	0.05
9991 = NEVER USED CIGARETTES	400898	42.23
9994 = DON'T KNOW.....	1681	0.18
9997 = REFUSED	466	0.05
9998 = BLANK (NO ANSWER)	2374	0.25
9999 = LEGITIMATE SKIP.....	398821	42.01

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke cigarettes daily?

In what month in [YEAR FROM LU04a or LU04b] did you last smoke cigarettes daily?

[CIGDLMLU](#)¹

Len : 2 MONTH OF LAST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = January.....	4033	0.42
2 = February	2349	0.25
3 = March.....	2363	0.25
4 = April.....	3058	0.32
5 = May.....	2243	0.24
6 = June.....	2368	0.25
7 = July	3351	0.35
8 = August.....	2317	0.24
9 = September.....	2128	0.22
10 = October.....	3143	0.33
11 = November	2312	0.24
12 = December	3542	0.37
85 = BAD DATA Logically assigned.....	1153	0.12
89 = LEGITIMATE SKIP Logically assigned	510	0.05
91 = NEVER USED CIGARETTES	400898	42.23
94 = DON'T KNOW	2456	0.26
97 = REFUSED	543	0.06
98 = BLANK (NO ANSWER).....	2388	0.25
99 = LEGITIMATE SKIP	398821	42.01

The computer recorded that you last used "smokeless" tobacco [CGSNREC FILL]. How old were you the last time you used "smokeless" tobacco?

[SMKAGLAST](#)¹

Len : 3 HOW OLD WERE YOU LAST THE TIME USED SMOKELESS TOB

	Freq	Pct
RANGE = 1 - 83.....	25392	2.67
-9 = Data not collected for this year	722653	76.13
985 = BAD DATA Logically assigned.....	1719	0.18
989 = LEGITIMATE SKIP Logically assigned.....	6	0.00
991 = NEVER USED SMOKELESS TOBACCO.....	190122	20.03
994 = DON'T KNOW	729	0.08
997 = REFUSED	148	0.02
998 = BLANK (NO ANSWER).....	237	0.02
999 = LEGITIMATE SKIP	8279	0.87

Did you last use "smokeless" tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "smokeless" tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "smokeless" tobacco?

[SMKYRLAST](#)¹

Len : 4 YEAR OF LAST "SMOKELESS" TOBACCO USE - RECODE

	Freq	Pct
RANGE = 2013 - 2018.....	4820	0.51
-9 = Data not collected for this year	722653	76.13
9985 = BAD DATA Logically assigned	161	0.02
9989 = LEGITIMATE SKIP Logically assn	162	0.02
9991 = NEVER USED SMOKELESS TOBACCO.....	190122	20.03
9994 = DON'T KNOW.....	743	0.08
9997 = REFUSED	148	0.02
9998 = BLANK (NO ANSWER).....	1942	0.20
9999 = LEGITIMATE SKIP.....	28534	3.01

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use "smokeless" tobacco?

In what month in [YEAR FROM LU05a or LU05b] did you last use "smokeless" tobacco?

SMKMOLAST¹

Len : 2 MONTH OF LAST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = January	418	0.04
2 = February	319	0.03
3 = March	340	0.04
4 = April	297	0.03
5 = May	305	0.03
6 = June	424	0.04
7 = July	487	0.05
8 = August	411	0.04
9 = September	294	0.03
10 = October	360	0.04
11 = November	353	0.04
12 = December	379	0.04
85 = BAD DATA Logically assigned	318	0.03
89 = LEGITIMATE SKIP Logically assn	162	0.02
91 = NEVER USED SMOKELESS TOBACCO	190122	20.03
94 = DON'T KNOW	989	0.10
97 = REFUSED	161	0.02
98 = BLANK (NO ANSWER)	1959	0.21
99 = LEGITIMATE SKIP	28534	3.01

The computer recorded that you last smoked part or all of a cigar [CG37REC FILL]. How old were you the last time you smoked part or all of a cigar?

CGRAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGAR

	Freq	Pct
RANGE = 1 - 92	186575	19.65
-9 = Data not collected for this year	109309	11.51
985 = BAD DATA Logically assigned	10133	1.07
989 = LEGITIMATE SKIP Logically assigned	30	0.00
991 = NEVER USED CIGARS	584232	61.54
994 = DON'T KNOW	5778	0.61
997 = REFUSED	674	0.07
998 = BLANK (NO ANSWER)	391	0.04
999 = LEGITIMATE SKIP	52163	5.49

Did you last smoke part or all of a cigar in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke part or all of a cigar in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke part or all of a cigar?

CIGARYLU¹

Len : 4 YEAR OF LAST CIGAR USE - RECODE

	Freq	Pct
RANGE = 2002 - 2018	65907	6.94
-9 = Data not collected for this year	109309	11.51
9985 = BAD DATA Logically assigned	1843	0.19
9989 = LEGITIMATE SKIP Logically assigned	1572	0.17
9991 = NEVER USED CIGARS	584232	61.54
9994 = DON'T KNOW	5963	0.63
9997 = REFUSED	699	0.07
9998 = BLANK (NO ANSWER)	10456	1.10
9999 = LEGITIMATE SKIP	169304	17.83

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke part or all of a cigar?

In what month in [YEAR FROM LU07a or LU07b] did you last smoke part or all of a cigar?

[CIGARMLU](#)¹

Len : 2 MONTH OF LAST CIGAR USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = January	5574	0.59
2 = February	3943	0.42
3 = March	4287	0.45
4 = April	3993	0.42
5 = May	4675	0.49
6 = June	6045	0.64
7 = July	7411	0.78
8 = August	5911	0.62
9 = September	4467	0.47
10 = October	4448	0.47
11 = November	4250	0.45
12 = December	5164	0.54
85 = BAD DATA Logically assigned	3182	0.34
89 = LEGITIMATE SKIP Logically assigned	1572	0.17
91 = NEVER USED CIGARS	584232	61.54
94 = DON'T KNOW	10036	1.06
97 = REFUSED	851	0.09
98 = BLANK (NO ANSWER)	10631	1.12
99 = LEGITIMATE SKIP	169304	17.83

The computer recorded that you last drank an alcoholic beverage [ALCREC FILL]. How old were you the last time you drank an alcoholic beverage?

[ALCAGLST](#)¹

Len : 3 HOW OLD WERE YOU LAST TIME DRANK ALCOHOL BEVERAGE

	Freq	Pct
RANGE = 1 - 98	216001	22.75
-9 = Data not collected for this year	109309	11.51
985 = BAD DATA Logically assigned	2722	0.29
989 = LEGITIMATE SKIP Logically assigned	133	0.01
991 = NEVER USED ALCOHOL	236616	24.93
994 = DON'T KNOW	4092	0.43
997 = REFUSED	1213	0.13
998 = BLANK (NO ANSWER)	5618	0.59
999 = LEGITIMATE SKIP	373581	39.35

Did you last drink an alcoholic beverage in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last drink an alcoholic beverage in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last drink an alcoholic beverage?

[ALCYLU](#)¹

Len : 4 YEAR OF LAST ALCOHOL USE - RECODE

	Freq	Pct
RANGE = 2002 - 2018	146389	15.42
-9 = Data not collected for this year	109309	11.51
9985 = BAD DATA Logically assigned	3090	0.33
9989 = LEGITIMATE SKIP Logically assigned	1801	0.19
9991 = NEVER USED ALCOHOL	236616	24.93
9994 = DON'T KNOW	4350	0.46
9997 = REFUSED	1296	0.14
9998 = BLANK (NO ANSWER)	8390	0.88
9999 = LEGITIMATE SKIP	438044	46.14

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last drink an alcoholic beverage?

In what month in [YEAR FROM LU08a or LU08b] did you last drink an alcoholic beverage?

[ALCMLU](#)¹

Len : 2 MONTH OF LAST ALCOHOL USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = January.....	18735	1.97
2 = February	9933	1.05
3 = March.....	10325	1.09
4 = April.....	8036	0.85
5 = May.....	9616	1.01
6 = June.....	12150	1.28
7 = July	14983	1.58
8 = August.....	11720	1.23
9 = September.....	9417	0.99
10 = October.....	7966	0.84
11 = November	7847	0.83
12 = December	18740	1.97
85 = BAD DATA Logically assigned.....	4123	0.43
89 = LEGITIMATE SKIP Logically assigned	1800	0.19
91 = NEVER USED ALCOHOL	236616	24.93
94 = DON'T KNOW	9768	1.03
97 = REFUSED	1577	0.17
98 = BLANK (NO ANSWER).....	8579	0.90
99 = LEGITIMATE SKIP	438045	46.14

The computer recorded that you last used cocaine [CCREC FILL]. How old were you the last time you used cocaine?

[COCAGLST](#)¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED COCAINE

	Freq	Pct
RANGE = 1 - 75.....	81820	8.62
-9 = Data not collected for this year	109309	11.51
985 = BAD DATA Logically assigned.....	5901	0.62
989 = LEGITIMATE SKIP Logically assigned.....	252	0.03
991 = NEVER USED COCAINE	742206	78.19
994 = DON'T KNOW	1862	0.20
997 = REFUSED	631	0.07
998 = BLANK (NO ANSWER).....	581	0.06
999 = LEGITIMATE SKIP	6723	0.71

Did you last use cocaine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use cocaine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use cocaine?

[COCYLU](#)¹

Len : 4 YEAR OF LAST COCAINE USE - RECODE

	Freq	Pct
RANGE = 2002 - 2018.....	19180	2.02
-9 = Data not collected for this year	109309	11.51
9985 = BAD DATA Logically assigned	680	0.07
9989 = LEGITIMATE SKIP Logically assigned.....	784	0.08
9991 = NEVER USED COCAINE.....	742206	78.19
9994 = DON'T KNOW.....	1907	0.20
9997 = REFUSED	648	0.07
9998 = BLANK (NO ANSWER).....	6733	0.71
9999 = LEGITIMATE SKIP.....	67838	7.15

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use cocaine?

In what month in [YEAR FROM LU09a or LU09b] did you last use cocaine?

[COCMLU](#)¹

Len : 2 MONTH OF LAST COCAINE USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = January.....	1799	0.19
2 = February	1454	0.15
3 = March.....	1577	0.17
4 = April.....	1203	0.13
5 = May.....	1285	0.14
6 = June.....	1529	0.16
7 = July	1663	0.18
8 = August.....	1405	0.15
9 = September.....	1255	0.13
10 = October.....	1335	0.14
11 = November	1319	0.14
12 = December	1586	0.17
85 = BAD DATA Logically assigned.....	1247	0.13
89 = LEGITIMATE SKIP Logically assigned	784	0.08
91 = NEVER USED COCAINE	742206	78.19
94 = DON'T KNOW	2969	0.31
97 = REFUSED	739	0.08
98 = BLANK (NO ANSWER).....	6783	0.71
99 = LEGITIMATE SKIP	67838	7.15

The computer recorded that you last used "crack" [CKREC FILL]. How old were you the last time you used "crack?"

[CRKAGLST](#)¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED CRACK

	Freq	Pct
RANGE = 1 - 78.....	18835	1.98
-9 = Data not collected for this year	109309	11.51
985 = BAD DATA Logically assigned.....	2476	0.26
989 = LEGITIMATE SKIP Logically assigned.....	6	0.00
991 = NEVER USED CRACK	816144	85.97
994 = DON'T KNOW	647	0.07
997 = REFUSED	341	0.04
998 = BLANK (NO ANSWER).....	277	0.03
999 = LEGITIMATE SKIP	1250	0.13

Did you last use "crack" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "crack" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "crack"?

[CRKYL](#)¹

Len : 4 YEAR OF LAST CRACK USE - RECODE

	Freq	Pct
RANGE = 2002 - 2018.....	3170	0.33
-9 = Data not collected for this year	109309	11.51
9985 = BAD DATA Logically assigned	150	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	114	0.01
9991 = NEVER USED CRACK	816144	85.97
9994 = DON'T KNOW.....	659	0.07
9997 = REFUSED	343	0.04
9998 = BLANK (NO ANSWER)	2739	0.29
9999 = LEGITIMATE SKIP.....	16657	1.75

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use "crack"?

In what month in [YEAR FROM LU10a or LU10b] did you last use "crack"?

[CRKMLU](#)¹

Len : 2 MONTH OF LAST CRACK USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = January.....	313	0.03
2 = February	273	0.03
3 = March.....	247	0.03
4 = April.....	200	0.02
5 = May.....	230	0.02
6 = June.....	226	0.02
7 = July	288	0.03
8 = August.....	208	0.02
9 = September.....	217	0.02
10 = October.....	181	0.02
11 = November	210	0.02
12 = December	241	0.03
85 = BAD DATA Logically assigned.....	295	0.03
89 = LEGITIMATE SKIP Logically assigned	114	0.01
91 = NEVER USED CRACK	816144	85.97
94 = DON'T KNOW	824	0.09
97 = REFUSED	358	0.04
98 = BLANK (NO ANSWER).....	2750	0.29
99 = LEGITIMATE SKIP	16657	1.75

The computer recorded that you last used heroin [HEREC FILL]. How old were you the last time you used heroin?

[HERAGLST](#)¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED HEROIN

	Freq	Pct
RANGE = 1 - 69.....	9532	1.00
-9 = Data not collected for this year	109309	11.51
985 = BAD DATA Logically assigned.....	1319	0.14
989 = LEGITIMATE SKIP Logically assigned.....	10	0.00
991 = NEVER USED HEROIN	827080	87.13
994 = DON'T KNOW	267	0.03
997 = REFUSED	150	0.02
998 = BLANK (NO ANSWER).....	490	0.05
999 = LEGITIMATE SKIP	1128	0.12

Did you last use heroin in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use heroin in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use heroin?

[HERYLU](#)¹

Len : 4 YEAR OF LAST HEROIN USE - RECODE

	Freq	Pct
RANGE = 2002 - 2018.....	2376	0.25
-9 = Data not collected for this year	109309	11.51
9985 = BAD DATA Logically assigned	102	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	84	0.01
9991 = NEVER USED HEROIN	827080	87.13
9994 = DON'T KNOW.....	273	0.03
9997 = REFUSED	154	0.02
9998 = BLANK (NO ANSWER)	1803	0.19
9999 = LEGITIMATE SKIP.....	8104	0.85

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use heroin?

In what month in [YEAR FROM LU11a or LU11b] did you last use heroin?

HERMLU¹

Len : 2 MONTH OF LAST HEROIN USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = January.....	228	0.02
2 = February	185	0.02
3 = March.....	198	0.02
4 = April.....	156	0.02
5 = May.....	154	0.02
6 = June.....	184	0.02
7 = July	200	0.02
8 = August.....	217	0.02
9 = September.....	154	0.02
10 = October.....	160	0.02
11 = November	164	0.02
12 = December	165	0.02
85 = BAD DATA Logically assigned.....	190	0.02
89 = LEGITIMATE SKIP Logically assigned	84	0.01
91 = NEVER USED HEROIN	827080	87.13
94 = DON'T KNOW	363	0.04
97 = REFUSED	168	0.02
98 = BLANK (NO ANSWER).....	1822	0.19
99 = LEGITIMATE SKIP	8104	0.85

The computer recorded that you last used [LSFILL] [HALLREC FILL]. How old were you the last time you used [LSFILL]?

HALLAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED HALLUCINOGEN

	Freq	Pct
RANGE = 1 - 76.....	28295	2.98
-9 = Data not collected for this year	722653	76.13
985 = BAD DATA Logically assigned.....	1832	0.19
989 = LEGITIMATE SKIP Logically assigned.....	71	0.01
991 = NEVER USED HALLUCINOGENS.....	192893	20.32
994 = DON'T KNOW	663	0.07
997 = REFUSED	202	0.02
998 = BLANK (NO ANSWER).....	1134	0.12
999 = LEGITIMATE SKIP	1542	0.16

Did you last use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use [LSFILL]?

HALLYRLST¹

Len : 4 YEAR OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
RANGE = 2013 - 2018.....	5574	0.59
-9 = Data not collected for this year	722653	76.13
9985 = BAD DATA Logically assigned	134	0.01
9989 = LEGITIMATE SKIP Logically assn	190	0.02
9991 = NEVER USED HALLUCINOGENS	192893	20.32
9994 = DON'T KNOW	675	0.07
9997 = REFUSED	208	0.02
9998 = BLANK (NO ANSWER).....	3358	0.35
9999 = LEGITIMATE SKIP	23600	2.49

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use [LSFILL]?

In what month in [YEAR FROM LU12a or LU12b] did you last use [LSFILL]?

[HALLMOLST¹](#)

Len : 2 MONTH OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = January	406	0.04
2 = February	327	0.03
3 = March	382	0.04
4 = April	344	0.04
5 = May	420	0.04
6 = June	569	0.06
7 = July	601	0.06
8 = August	496	0.05
9 = September	402	0.04
10 = October	431	0.05
11 = November	307	0.03
12 = December	374	0.04
85 = BAD DATA Logically assigned	336	0.04
89 = LEGITIMATE SKIP Logically assn	190	0.02
91 = NEVER USED HALLUCINOGENS	192893	20.32
94 = DON'T KNOW	938	0.10
97 = REFUSED	236	0.02
98 = BLANK (NO ANSWER)	3380	0.36
99 = LEGITIMATE SKIP	23600	2.49

The computer recorded that you last used LSD [LSDREC FILL]. How old were you the last time you used LSD?

[LSDAGLST¹](#)

Len : 3 HOW OLD WERE YOU THE LAST TIME USED LSD

	Freq	Pct
RANGE = 1 - 75	55220	5.82
-9 = Data not collected for this year	109309	11.51
985 = BAD DATA Logically assigned	3051	0.32
989 = LEGITIMATE SKIP Logically assigned	4	0.00
991 = NEVER USED LSD	775984	81.74
994 = DON'T KNOW	1316	0.14
997 = REFUSED	337	0.04
998 = BLANK (NO ANSWER)	2616	0.28
999 = LEGITIMATE SKIP	1448	0.15

Did you last use LSD in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use LSD in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use LSD?

[LSDYLU¹](#)

Len : 4 YEAR OF LAST LSD USE - RECODE

	Freq	Pct
RANGE = 2002 - 2018	7657	0.81
-9 = Data not collected for this year	109309	11.51
9985 = BAD DATA Logically assigned	206	0.02
9989 = LEGITIMATE SKIP Logically assigned	174	0.02
9991 = NEVER USED LSD	775984	81.74
9994 = DON'T KNOW	1346	0.14
9997 = REFUSED	337	0.04
9998 = BLANK (NO ANSWER)	5701	0.60
9999 = LEGITIMATE SKIP	48571	5.12

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use LSD?

In what month in [YEAR FROM LU13a or LU13b] did you last use LSD?

[LSDMLU](#)¹

Len : 2 MONTH OF LAST LSD USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = January.....	570	0.06
2 = February	449	0.05
3 = March.....	522	0.05
4 = April.....	465	0.05
5 = May.....	534	0.06
6 = June.....	710	0.07
7 = July	831	0.09
8 = August.....	687	0.07
9 = September.....	534	0.06
10 = October.....	586	0.06
11 = November	484	0.05
12 = December	484	0.05
85 = BAD DATA Logically assigned.....	501	0.05
89 = LEGITIMATE SKIP Logically assigned	174	0.02
91 = NEVER USED LSD	775984	81.74
94 = DON'T KNOW	1668	0.18
97 = REFUSED	360	0.04
98 = BLANK (NO ANSWER).....	5862	0.62
99 = LEGITIMATE SKIP	48571	5.12

The computer recorded that you last used PCP [PCPREC FILL]. How old were you the last time you used PCP?

[PCPAGLST](#)¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED PCP

	Freq	Pct
RANGE = 1 - 63.....	11530	1.21
-9 = Data not collected for this year	109309	11.51
985 = BAD DATA Logically assigned.....	1476	0.16
989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
991 = NEVER USED PCP	825014	86.91
994 = DON'T KNOW	482	0.05
997 = REFUSED	173	0.02
998 = BLANK (NO ANSWER).....	1110	0.12
999 = LEGITIMATE SKIP	189	0.02

Did you last use PCP in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use PCP in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use PCP?

[PCPYLU](#)¹

Len : 4 YEAR OF LAST PCP USE - RECODE

	Freq	Pct
RANGE = 2002 - 2018.....	992	0.10
-9 = Data not collected for this year	109309	11.51
9985 = BAD DATA Logically assigned	68	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	28	0.00
9991 = NEVER USED PCP	825014	86.91
9994 = DON'T KNOW.....	480	0.05
9997 = REFUSED	175	0.02
9998 = BLANK (NO ANSWER)	2587	0.27
9999 = LEGITIMATE SKIP.....	10632	1.12

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use PCP?

In what month in [YEAR FROM LU14a or LU14b] did you last use PCP?

[PCPMLU](#)¹

Len : 2 MONTH OF LAST PCP USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = January.....	102	0.01
2 = February	76	0.01
3 = March.....	60	0.01
4 = April.....	58	0.01
5 = May.....	73	0.01
6 = June.....	89	0.01
7 = July	81	0.01
8 = August.....	81	0.01
9 = September.....	49	0.01
10 = October.....	73	0.01
11 = November	47	0.00
12 = December	57	0.01
85 = BAD DATA Logically assigned.....	133	0.01
89 = LEGITIMATE SKIP Logically assigned	28	0.00
91 = NEVER USED PCP	825014	86.91
94 = DON'T KNOW	523	0.06
97 = REFUSED	179	0.02
98 = BLANK (NO ANSWER).....	2621	0.28
99 = LEGITIMATE SKIP	10632	1.12

The computer recorded that you last used "Ecstasy" or "Molly" also known as MDMA [ECSTREC FILL]. How old were you the last time you used "Ecstasy" or "Molly" ?

[ECSTMOAGL](#)¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED ECSTASY/MOLLY

	Freq	Pct
RANGE = 1 - 70.....	15209	1.60
-9 = Data not collected for this year	722653	76.13
985 = BAD DATA Logically assigned.....	840	0.09
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
991 = NEVER USED ECSTASY	208790	21.99
994 = DON'T KNOW	256	0.03
997 = REFUSED	94	0.01
998 = BLANK (NO ANSWER).....	791	0.08
999 = LEGITIMATE SKIP	651	0.07

Did you last use "Ecstasy" or "Molly" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "Ecstasy" or "Molly" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "Ecstasy" or "Molly"?

[ECSTMOYLU](#)¹

Len : 4 YEAR OF LAST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
RANGE = 2013 - 2018.....	3280	0.35
-9 = Data not collected for this year	722653	76.13
9985 = BAD DATA Logically assigned	60	0.01
9989 = LEGITIMATE SKIP Logically assn	82	0.01
9991 = NEVER USED ECSTASY OR MOLLY	208790	21.99
9994 = DON'T KNOW.....	263	0.03
9997 = REFUSED	97	0.01
9998 = BLANK (NO ANSWER).....	1634	0.17
9999 = LEGITIMATE SKIP.....	12426	1.31

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use "Ecstasy" or "Molly"?

In what month in [YEAR FROM LU15a or LU15b] did you last use "Ecstasy" or "Molly"?

ECSTMOMLU¹

Len : 2 MONTH OF LAST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = January	239	0.03
2 = February	196	0.02
3 = March	239	0.03
4 = April	254	0.03
5 = May	238	0.03
6 = June	384	0.04
7 = July	338	0.04
8 = August	258	0.03
9 = September	210	0.02
10 = October	251	0.03
11 = November	177	0.02
12 = December	235	0.02
85 = BAD DATA Logically assigned	141	0.01
89 = LEGITIMATE SKIP Logically assn	82	0.01
91 = NEVER USED ECSTASY OR MOLLY	208790	21.99
94 = DON'T KNOW	360	0.04
97 = REFUSED	101	0.01
98 = BLANK (NO ANSWER)	1713	0.18
99 = LEGITIMATE SKIP	12426	1.31

The computer recorded that you last used any inhalants for kicks or to get high [INREC FILL]. How old were you the last time you used any inhalants for kicks or to get high?

INHLA GLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED INHALANTS

	Freq	Pct
RANGE = 1 - 69	17860	1.88
-9 = Data not collected for this year	722653	76.13
985 = BAD DATA Logically assigned	1961	0.21
989 = LEGITIMATE SKIP Logically assigned	5	0.00
991 = NEVER USED INHALANTS	203496	21.44
994 = DON'T KNOW	1118	0.12
997 = REFUSED	383	0.04
998 = BLANK (NO ANSWER)	1102	0.12
999 = LEGITIMATE SKIP	707	0.07

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

INHLYRLST¹

Len : 4 YEAR OF LAST INHALANT USE - RECODE

	Freq	Pct
RANGE = 2013 - 2018	2491	0.26
-9 = Data not collected for this year	722653	76.13
9985 = BAD DATA Logically assigned	113	0.01
9989 = LEGITIMATE SKIP Logically assn	99	0.01
9991 = NEVER USED INHALANTS	203496	21.44
9994 = DON'T KNOW	1133	0.12
9997 = REFUSED	391	0.04
9998 = BLANK (NO ANSWER)	3040	0.32
9999 = LEGITIMATE SKIP	15869	1.67

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

In what month in [YEAR FROM LU16a or LU16b] did you last use an inhalant for kicks or to get high?

[INHLMOLST¹](#)

Len : 2 MONTH OF LAST INHALANT USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = January.....	203	0.02
2 = February	154	0.02
3 = March.....	186	0.02
4 = April.....	138	0.01
5 = May.....	171	0.02
6 = June.....	207	0.02
7 = July	181	0.02
8 = August.....	148	0.02
9 = September.....	167	0.02
10 = October.....	181	0.02
11 = November	191	0.02
12 = December	155	0.02
85 = BAD DATA Logically assigned.....	223	0.02
89 = LEGITIMATE SKIP Logically assn.....	99	0.01
91 = NEVER USED INHALANTS.....	203496	21.44
94 = DON'T KNOW	1394	0.15
97 = REFUSED	409	0.04
98 = BLANK (NO ANSWER).....	3060	0.32
99 = LEGITIMATE SKIP	15869	1.67

The computer recorded that you last used methamphetamine [MEREK FILL]. How old were you the last time you used methamphetamine?

[METHAGLST¹](#)

Len : 3 HOW OLD WERE YOU THE LAST TIME USED METH

	Freq	Pct
RANGE = 1 - 70.....	8409	0.89
-9 = Data not collected for this year	722653	76.13
985 = BAD DATA Logically assigned.....	759	0.08
989 = LEGITIMATE SKIP Logically assigned.....	3	0.00
991 = NEVER USED METHAMPHETAMINE	216136	22.77
994 = DON'T KNOW	257	0.03
997 = REFUSED	95	0.01
998 = BLANK (NO ANSWER).....	302	0.03
999 = LEGITIMATE SKIP	671	0.07

Did you last use methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use methamphetamine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use methamphetamine?

[METHYRLST¹](#)

Len : 4 YEAR OF LAST METHAMPHETAMINE USE - RECODE

	Freq	Pct
RANGE = 2013 - 2018.....	1303	0.14
-9 = Data not collected for this year	722653	76.13
9985 = BAD DATA Logically assigned	27	0.00
9989 = LEGITIMATE SKIP Logically assn	44	0.00
9991 = NEVER USED METHAMPHETAMINE	216136	22.77
9994 = DON'T KNOW.....	260	0.03
9997 = REFUSED	97	0.01
9998 = BLANK (NO ANSWER)	1062	0.11
9999 = LEGITIMATE SKIP.....	7703	0.81

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use methamphetamine?

In what month in [YEAR FROM LU17a or LU17b] did you last use methamphetamine?

METHMOLST¹

Len : 2 MONTH OF LAST METH USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = January.....	123	0.01
2 = February	98	0.01
3 = March.....	110	0.01
4 = April.....	90	0.01
5 = May.....	87	0.01
6 = June.....	100	0.01
7 = July	110	0.01
8 = August.....	89	0.01
9 = September.....	97	0.01
10 = October.....	79	0.01
11 = November.....	101	0.01
12 = December	125	0.01
85 = BAD DATA Logically assigned.....	60	0.01
89 = LEGITIMATE SKIP Logically assigned	44	0.00
91 = NEVER USED METHAMPHETAMINE.....	216136	22.77
94 = DON'T KNOW	315	0.03
97 = REFUSED	99	0.01
98 = BLANK (NO ANSWER).....	1066	0.11
99 = LEGITIMATE SKIP	7703	0.81

NOTE: Respondents were assigned legitimate skip codes of 99 or 89 in CIGYRBFR if they reported in the core TOBACCO module that they last smoked a cigarette more than 3 years ago. Logically, these respondents would not have smoked a cigarette in the past 12 to 24 months. In addition, CIGYRBFR was not edited with respect to CIGAGLST or CIGDLLST. Therefore, inconsistencies could exist between CIGYRBFR and these other variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you smoke part or all of a cigarette, even once?

CIGYRBFR¹

Len : 2 SMOKE ALL OR PART OF CIGARETTE IN YR BEFORE LAST

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Yes.....	196603	20.71
2 = No.....	59872	6.31
85 = BAD DATA Logically assigned.....	10	0.00
89 = LEGITIMATE SKIP Logically assigned	10086	1.06
91 = NEVER USED CIGARETTES	377533	39.77
94 = DON'T KNOW	2129	0.22
97 = REFUSED	1108	0.12
98 = BLANK (NO ANSWER).....	2169	0.23
99 = LEGITIMATE SKIP	134864	14.21

NOTE: The variables ALCYRBFR and ALCAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you have a drink of any type of alcoholic beverage, even once?

ALCYRBFR¹

Len : 2 HAVE ALCOHOLIC BEVERAGE IN YEAR BEFORE LAST

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Yes.....	425792	44.85
2 = No.....	131605	13.86
85 = BAD DATA Logically assigned.....	52	0.01
91 = NEVER USED ALCOHOL	221678	23.35
94 = DON'T KNOW	3467	0.37
97 = REFUSED	1571	0.17
98 = BLANK (NO ANSWER).....	209	0.02

PRIOR SUBSTANCE USE

NOTE: The variables COCYRBFR and COCAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use any form of cocaine, even once?

[COCYRBFR](#)¹

Len : 2 HAVE ANY FORM OF COCAINE IN YEAR BEFORE LAST

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Yes.....	20353	2.14
2 = No.....	69565	7.33
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED COCAINE	693367	73.04
94 = DON'T KNOW	439	0.05
97 = REFUSED	471	0.05
98 = BLANK (NO ANSWER).....	167	0.02

RECODED PRIOR SUBSTANCE USE

RECODED PRIOR SUBSTANCE USE

The variable for the source of most recent methamphetamine use in the past year, MTHLTSC2, was defined by including respondents routed from the core Stimulants module as well as respondents routed from the noncore Special Drugs module who reported they did not think of methamphetamine as a prescription drug when asked about use in the core Stimulants module.

As indicated below, the imputed core-plus-noncore past year methamphetamine use variable (CPNMTHYR) was used in conjunction with the edited source variables to determine a respondent's source for most recently used methamphetamine based on past year use as defined from both the core Stimulants module and legitimate responses from the noncore Special Drugs module, as previously stated. The categories were defined as follows:

5. From Friend or Relative for Free (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=5, 15 or only MTHFRFRE=1, 3, 5)
6. Bought from Friend or Relative (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=6, 16 or only MTHFRBUY=1, 3, 5)
7. Took from Friend or Relative without Asking (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=7, 17 or only MTHFRKE=1, 3, 5)
8. Bought from Drug Dealer or Other Stranger (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=8, 18 or only MTHDEALR=1, 3, 5)
9. Bought on the Internet (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=9, 19 or only MTHINET=1, 3, 5)
10. Some Other Way (Valid Past Year Use [CPNMTHYR=1] and [MTHGTLAS=10 and MTHGTOSP=11-36, 38, 39, 71 or only MTHOTHWY=1, 3, 5 and MTHOTHSP=1, 2, 11-36, 38, 39, 71])
11. No Lifetime or Past Year Use (CPNMTHYR=0)

(SAS Missing) Unknown/Invalid Source {Valid Past Year Use [CPNMTHYR=1] and ([MTHGTLAS=85, 93, 94, 97, 98] or [MTHGTLAS=10 and MTHGTOSP=70, 72-75, 85, 94, 97, 98] or [MTHGTLAS=99 and only MTHOTHWY=1 and MTHOTHSP=70, 72-75, 85, 94, 97, 98])}

Please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings for more information.

MTHLTSC2

Len : 2 SOURCE OF METHAMPHETAMINE FOR LAST NONMED USE

	Freq	Pct
. = Unknown/Invalid Past Year Use	107	0.01
-9 = Data not collected for this year	838345	88.31
5 = Got From Friend or Relative for Free	545	0.06
6 = Bought from Friend or Relative.....	203	0.02
7 = Took from Friend or Relative without Asking.....	32	0.00
8 = Bought from Drug Dealer or Other Stranger	195	0.02
9 = Bought on the Internet.....	12	0.00
10 = Got Some Other Way	33	0.00
11 = No Lifetime or Past Year Use	109813	11.57

RECODED PRIOR SUBSTANCE USE

NOTE: The following five variables pertain to the source of a respondent's most recent nonmedical use of prescription pain relievers (ANLLTSC), prescription tranquilizers (TRNLTSC), prescription stimulants (STMLTSC), prescription sedatives (SEDLTSC), and methamphetamine (MTHLTSC2) within the past year.

For each variable, excluding MTHLTSC2, there are 11 mutually exclusive categories; 10 categories for specific sources and one category for those respondents who did not indicate using the drug in the past year. Since methamphetamine is not available by prescription, the first four categories are not applicable thus there are only seven mutually exclusive categories for MTHLTSC2; six sources and one category for non past year users. The categories for the specific sources take into account responses from past month users who indicated a single source during the past 30 days, past month users who indicated their most recent source after selecting multiple sources during the past 30 days, and past year users who indicated their most recent source of drug use.

Questions related to source of stimulant use pertain only to prescription stimulants and are not asked of respondents who were users of only methamphetamine, thus those respondents who indicated non-prescription stimulant use only (STMGTLAS=99) were classified as having "No Past Year Rx Use" (STMLTSC=11).

Based on the following conditions, a respondent was classified in one of the following 12 categories (including SAS missing) for the source of most recent prescription drug use in the past year for the variables, ANLLTSC, TRNLTSC, STMLTSC, and SEDLTSC:

1. Got From One Doctor (XXXGTLAS=1, 11 or only XXXRXIDR=1, 3, 5)
2. Got From More Than One Doctor (XXXGTLAS=2, 12 or only XXXRXDRS=1, 3, 5)
3. Wrote Fake Prescription (XXXGTLAS=3, 13 or only XXXRXFAK=1, 3, 5)
4. Stole from Dr Office, Clinic, Hospital, or Pharmacy (XXXGTLAS=4, 14 or only XXXSTOLE=1, 3, 5)
5. Got From Friend or Relative for Free (XXXGTLAS=5, 15 or only XXXFRFRE=1, 3, 5)
6. Bought from Friend or Relative (XXXGTLAS=6, 16 or only XXXFRBUY=1, 3, 5)
7. Took from Friend or Relative without Asking (XXXGTLAS=7, 17 or only XXXFRTRKE=1, 3, 5)
8. Bought from Drug Dealer or Other Stranger (XXXGTLAS=8, 18 or only XXXDEALR=1, 3, 5)
9. Bought on the Internet (XXXGTLAS=9, 19 or only XXXINET=1, 3, 5)
10. Got Some Other Way ((XXXGTLAS=10 and XXXGTOSP=11-36, 39, 71) or (only XXXOTHWY=1, 3, 5 and XXXOTHSP=11-36, 39, 71))
11. No Past Year Use (XXXGTLAS=81, 89, 91, 93, 99)

(SAS Missing) Unknown/Invalid Source (XXXGTLAS=85, 94, 97, 98 or [XXXGTLAS=10 and XXXGTOSP=70, 72-75, 85, 94, 97, 98] or [XXXGTLAS=99 and only XXXOTHWY=1 and XXXOTHSP=70, 72-75, 85, 94, 97, 98])

ANLLTSC

Len : 2 SOURCE OF PAIN RELIEVERS FOR LAST NONMED USE

	Freq	Pct
. = Unknown/Invalid Source	6656	0.70
-9 = Data not collected for this year	446814	47.07
1 = Got From One Doctor.....	5354	0.56
2 = Got From More Than One Doctor	621	0.07
3 = Wrote Fake Prescription	80	0.01
4 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	156	0.02
5 = Got From Friend or Relative for Free	17449	1.84
6 = Bought from Friend or Relative.....	3770	0.40
7 = Took from Friend or Relative without Asking	2026	0.21
8 = Bought from Drug Dealer or Other Stranger	1743	0.18
9 = Bought on the Internet.....	65	0.01
10 = Got Some Other Way	1446	0.15
11 = No Past Year Use	463105	48.78

RECODED PRIOR SUBSTANCE USE

NOTE: In the questionnaire, a respondent who used methamphetamine and prescription drugs in the past month was administered a question regarding the source of their past month use. Any respondent who gave multiple past month sources or was a past year user was administered a question regarding the source of the drug during their most recent use. If they indicated that their most recent source was a 'friend or relative for free' from either of these questions, then a respondent was administered a follow-up question that asked the source the friend/relative had obtained the drug from. The following 5 variables pertain to the source from which a respondent's friend or relative obtained the drug for prescription pain relievers (ANLSRCFR), prescription tranquilizers (TRNSRCFR), prescription stimulants (STMSRCFR), prescription sedatives (SEDSRCFR), and methamphetamine (MTHSRCFR) within the past year.

For each variable, excluding MTHSRCFR, there are 11 mutually exclusive categories; 10 categories for specific sources that the friend/relative obtained the drug from and one category for a respondent who did not indicate using the drug in the past year (or lifetime) or a respondent that indicated in one of the previous questions that they had obtained the drug for most recent use from a valid source other than a friend or relative for free. Since methamphetamine is not available by prescription, the first 4 categories are not applicable thus there are only 7 mutually exclusive categories for MTHSRCFR; 6 sources and one level for non past year users or past year users who obtained the drug from a valid source other than a friend or relative for free. The categories for the specific sources take into account responses from past month users who indicated a single source during the past 30 days, past month users who indicated their most recent source after indicating multiple sources during the past 30 days, and past year users who indicated their most recent source of drug use. Anyone who was administered at least one of these four source questionnaire items, but did not have a valid answer for one or more of the four questions was generally classified as a SAS system missing '.' for these five variables.

During the 2013 data processing some errors were detected. Not all valid levels of the other-specify variables, XXXGTOSP and XXXOTHSP, were considered when distinguishing between an unknown/invalid source and a valid source not from a friend or relative for free. Therefore, it is possible that some respondents currently classified as having a valid source of most recent use not from a friend or relative for free (XXXSRCFR=11) do not actually have a valid source. For example, a respondent who indicated they obtained prescription pain relievers in some other way for their last use (ANLGTLAS=10) and then indicated the some other way was a specific city or state in the United States (ANLGTOSP=70) is classified as having a valid source not from a friend or relative for free (ANLSRCFR=11). However, this response is not a valid way of obtaining pain relievers; therefore, the respondent should have a SAS missing value for ANLSRCFR.

The overall impact of these inconsistencies is anticipated to be small since it is believed that most analysts will utilize these variables similar to how they are used in the detailed tables. That is, it is assumed that most users would either collapse or omit level 11 and the SAS missing level because only categories 1 through 10 apply to the source from which the friend/relative obtained the drug. As a result, it is recommended that the SAS missing and level 11 not be used as two distinct levels in analyses. Starting with the 2014 NSDUH, these 5 variables will no longer be available on the data file; only the corrected versions (XXXSRCF2) that combine SAS missing and level 11 into a single level will be available. To allow for comparability across years, the erroneous variables have been retained on the 2013 data file. For the 2013 NSDUH both the erroneous variables and the corrected variables have been retained.

Questions related to source of stimulant use pertain only to prescription stimulants and are not asked of respondents who were users of only methamphetamine, thus those respondents who indicated non-prescription stimulant use only (STMGTLAS=99) were classified as having "No Lifetime or Past Year Rx Use" (STMSRCFR=11).

Based on the following conditions, a respondent was classified in one of the following 12 categories for the source of most recent prescription drug use in the past year for the variables, ANLSRCFR, TRNSRCFR, STMSRCFR, and SEDSRCFR:

1. Got from One Doctor ((XXXGTLAS=5 and XXXFFLAS=1, 11) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFIDR=1, 3, 5))
2. Got from More Than One Doctor ((XXXGTLAS=5 and XXXFFLAS=2, 12) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFDRS=1, 3, 5))
3. Wrote Fake Prescription ((XXXGTLAS=5 and XXXFFLAS=3, 13) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFAKE=1, 3, 5))
4. Stole from Dr Office, Clinic, Hospital, or Pharmacy ((XXXGTLAS=5 and XXXFFLAS=4, 14) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFSTL=1, 3, 5))
5. Got From Friend or Relative for Free ((XXXGTLAS=5 and XXXFFLAS=5, 15) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFREE=1, 3, 5))
6. Bought from Friend or Relative ((XXXGTLAS=5 and XXXFFLAS=6, 16) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFBOT=1, 3, 5))
7. Took from Friend or Relative without Asking ((XXXGTLAS=5 and XXXFFLAS=7, 17) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFTAK=1, 3, 5))
8. Bought from Drug Dealer or Other Stranger ((XXXGTLAS=5 and XXXFFLAS=8, 18) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFDLR=1, 3, 5))
9. Bought on the Internet ((XXXGTLAS=5 and XXXFFLAS=9, 19) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFNET=1, 3, 5))
10. Got Some Other Way ((XXXGTLAS=5 and XXXFFLAS=10 and XXXFFLSP=valid "other" response, levels 11-36, 71) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and XXXFFOTH=1, 3, 5 and XXXFFOSP=valid "other" response, levels 11-36, 71))
11. No Past Year Use or Valid Source of Most Recent Use Not from Friend or Relative for Free ((XXXGTLAS=1-4, 6-14, 16-19) or (XXXFFLAS=81, 89, 91, 93, 99 and XXXFFLSP=81, 89, 91, 93, 99 and XXXFRFRE=6, 81, 89, 83, 91, 93, 99))

(SAS Missing) Unknown/Invalid Source ((XXXGTLAS=5, 15, 89, 99 and XXXFRFRE=1, 3, 5 and (XXXFFIDR through XXXFFOTH=94, 97, 98 or multiple responses)) or [XXXGTLAS=85, 94, 97, 98] or [XXXGTLAS=10 and XXXGTOSP=85, 94, 97, 98] or [XXXGTLAS=15 and (XXXFFIDR=93 or XXXFFDRS=93 or XXXFFAKE=93 or XXXFFSTL=93 or XXXFFREE=93 or XXXFFBOT=93 or XXXFFTAK=93 or XXXFFDLR=93 or XXXFFNET=93)] or [XXXGTLAS=5 and XXXFFLAS=85, 94, 97, 98] or [XXXGTLAS=5 and XXXFFLAS=10 and XXXFFLSP=70, 72-75, 85, 94, 97, 98] or [XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and XXXFFOTH=1, 3, 5 and XXXFFOSP=70, 72-75, 85, 94, 97, 98])

RECODED PRIOR SUBSTANCE USE

[ANLSRCFR](#)

Len : 2 SOURCE OF FRIEND OR RELATIVE'S PAIN RELIEVERS

	Freq	Pct
. = Unknown/Invalid Source	7251	0.76
-9 = Data not collected for this year	502719	52.96
1 = Got From One Doctor.....	9968	1.05
2 = Got From More Than One Doctor.....	565	0.06
3 = Wrote Fake Prescription	17	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	64	0.01
5 = Got From Friend or Relative for Free	1034	0.11
6 = Bought from Friend or Relative.....	759	0.08
7 = Took from Friend or Relative without Asking.....	336	0.04
8 = Bought from Drug Dealer or Other Stranger	323	0.03
9 = Bought on the Internet.....	20	0.00
10 = Got Some Other Way	255	0.03
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel.....	425974	44.87

[TRNSRCFR](#)

Len : 2 SOURCE OF FRIEND OR RELATIVE'S TRANQUILIZERS

	Freq	Pct
. = Unknown/Invalid Source	3046	0.32
-9 = Data not collected for this year	502719	52.96
1 = Got from One Doctor	4107	0.43
2 = Got from More Than One Doctor.....	203	0.02
3 = Wrote Fake Prescription	10	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	21	0.00
5 = Got from Friend or Relative for Free	643	0.07
6 = Bought from Friend or Relative.....	384	0.04
7 = Took from Friend or Relative without Asking.....	122	0.01
8 = Bought from Drug Dealer or Other Stranger	204	0.02
9 = Bought on the Internet.....	16	0.00
10 = Got Some Other Way	70	0.01
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel.....	437740	46.11

[STMSRCFR](#)

Len : 2 SOURCE OF FRIEND OR RELATIVE'S STIMULANTS

	Freq	Pct
. = Unknown/Invalid Source	2139	0.23
-9 = Data not collected for this year	502719	52.96
1 = Got from One Doctor	2207	0.23
2 = Got from More Than One Doctor.....	112	0.01
3 = Wrote Fake Prescription	4	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	14	0.00
5 = Got from Friend or Relative for Free	298	0.03
6 = Bought from Friend or Relative.....	198	0.02
7 = Took from Friend or Relative without Asking.....	36	0.00
8 = Bought from Drug Dealer or Other Stranger	90	0.01
9 = Bought on the Internet.....	19	0.00
10 = Got Some Other Way	25	0.00
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel.....	441424	46.50

[SEDSRCFR](#)

Len : 2 SOURCE OF FRIEND OR RELATIVE'S SEDATIVES

	Freq	Pct
. = Unknown/Invalid Source	1498	0.16
-9 = Data not collected for this year	502719	52.96
1 = Got from One Doctor	543	0.06
2 = Got from More Than One Doctor.....	32	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	8	0.00
5 = Got from Friend or Relative for Free	58	0.01
6 = Bought from Friend or Relative.....	19	0.00
7 = Took from Friend or Relative without Asking.....	14	0.00
8 = Bought from Drug Dealer or Other Stranger	15	0.00
9 = Bought on the Internet.....	4	0.00
10 = Got Some Other Way	9	0.00
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel.....	444366	46.81

RECODED PRIOR SUBSTANCE USE

Due to the outcome of the 2006 Methamphetamine Analysis Study, the variable for a friend or relative's source of methamphetamine for the respondent's most recent methamphetamine use in the past year when they reported they received this most recent drug from a friend or relative for free, MTHSRCFR, was defined by including respondents routed from the core Stimulants module, as well as respondents routed from the noncore Special Drugs module who reported they did not think of methamphetamine as a prescription drug when asked about use in the core Stimulants module.

As described in the comment above ANLSRCFR, during the 2013 data processing some errors were detected. Not all valid levels of the other-specify variables, XXXGTOSP and XXXOTHSP, were considered when distinguishing between an unknown/invalid source and a valid source not from a friend or relative for free. Therefore, it is possible that some respondents currently classified as having a valid source of most recent use not from a friend or relative for free (XXXSRCFR=11) do not actually have a valid source.

Additionally, for MTHSRCFR, not all past 30 day users with a valid source other than a friend or relative for free have been correctly classified. In cases where the respondent legitimately skipped the source of last use question (MTHGTLAS=99) but gave a single valid source other than from a friend or relative for free to the past 30 day source question (MTHFRBUY=1,3 or MTHDEALR=1,3 or MTHFRTKE=1,3 or MTHINET=1,3 or (MTHOTHWY=1 and MTHOTHSP=valid "other" response, levels 11-34, 36, 38,39,71)), the respondent is classified as having an unknown/invalid source (MTHSRCFR=.) instead of being classified as having a valid source of most recent use not from a friend or relative for free (MTHSRCFR=11). For example, a respondent who answered the past 30 day question with the single response 'Bought from a drug dealer or other stranger' (MTHDEALR=1) would be skipped out of the source of last use question and would have a legitimate skip value (MTHGTLAS=99). This respondent is classified as having an unknown/invalid source (MTHSRCFR=.) based on the skip code; however, the respondent obtained the drug from a drug dealer or other stranger which is a valid source that is not from a friend or relative for free and should be classified accordingly (MTHSRCFR=11).

As shown below, the imputed recency variable, CPNMTHYR, was used in conjunction with the edited source variables to determine a respondent's source for most recently used methamphetamine based on past year use as defined from both the core Stimulants module and legitimate responses from the noncore Special Drugs module, as previously stated. Please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings for more information.

5. From Friend or Relative for Free {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=5, 15] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFREE=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=5])}
6. Bought from Friend or Relative {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=6, 16] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFBOT=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=6])}
7. Took from Friend or Relative without Asking {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=7, 17] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFTAK=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=7])}
8. Bought from Drug Dealer or Other Stranger {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=8, 18] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFDLR=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=8])}
9. Bought on the Internet {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=9, 19] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFNET=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=9])}
10. Some Other Way {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=10 and MTHFFLSP=valid "other" response, levels 11-36, 71] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=valid "other" response, levels 11-36, 71])}
11. No Past Year Use or Valid Source of Most Recent Use Not from Friend or Relative for Free {CPNMTHYR=0 or [MTHGTLAS=6-9, 10, 16-19 and MTHGTOSP^(85, 94, 97)] or [MTHGTLAS=81, 89, 91, 93, 99 and MTHFFLSP=81, 89, 91, 93, 99 and MTHFRFRE=6, 81, 83, 91, 93, 99 and CPNMTHYR ne 1]}

(SAS Missing) Unknown/Invalid Source {CPNMTHYR=1 and [MTHGTLAS=85, 93, 94, 97, 98] or [MTHGTLAS=10 and MTHGTOSP in(85, 94, 97, 98)] or [MTHGTLAS=15 and (MTHFFREE=93 or MTHFFBOT=93 or MTHFFTAK=93 or MTHFFDLR=93 or MTHFFNET=93)] or [MTHOTHWY=1 and MTHOTHSP in(85, 94, 97)] and (MTHGTLAS ^in(5, 15)] or [MTHGTLAS=5, 15 and MTHFFLAS=85, 94, 97, 98] or [MTHGTLAS=5, 15 and MTHFFLAS=10 and MTHFFLSP=70, 72-75, 85, 94, 97, 98]}

MTHSRCFR

Len : 2 SOURCE OF FRIEND OR RELATIVE'S METHAMPHETAMINES

	Freq	Pct
. = Unknown/Invalid Source	951	0.10
-9 = Data not collected for this year	502719	52.96
5 = Got from Friend or Relative for Free	335	0.04
6 = Bought from Friend or Relative.....	330	0.03
7 = Took from Friend or Relative without Asking.....	16	0.00
8 = Bought from Drug Dealer or Other Stranger	255	0.03
9 = Bought on the Internet.....	2	0.00
10 = Got Some Other Way	57	0.01
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel.....	444620	46.84

RECODED PRIOR SUBSTANCE USE

TRNLTS2

Len : 2 SOURCE OF TRANQUILIZERS FOR LAST NONMED USE

	Freq	Pct
. = Unknown/Invalid Source	3053	0.32
-9 = Data not collected for this year	391543	41.25
1 = Got From One Doctor.....	1287	0.14
2 = Got From More Than One Doctor	126	0.01
3 = Wrote Fake Prescription	30	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	52	0.01
5 = Got From Friend or Relative for Free	8187	0.86
6 = Bought from Friend or Relative.....	2277	0.24
7 = Took from Friend or Relative without Asking	770	0.08
8 = Bought from Drug Dealer or Other Stranger	1213	0.13
9 = Bought on the Internet.....	46	0.00
10 = Got Some Other Way	504	0.05
11 = No Past Year Use	540197	56.91

STMLTS2

Len : 2 SOURCE OF RX STIMULANTS FOR LAST NONMED USE

	Freq	Pct
. = Unknown/Invalid Source	2400	0.25
-9 = Data not collected for this year	391543	41.25
1 = Got From One Doctor.....	744	0.08
2 = Got From More Than One Doctor	82	0.01
3 = Wrote Fake Prescription	27	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	44	0.00
5 = Got From Friend or Relative for Free	4195	0.44
6 = Bought from Friend or Relative.....	1786	0.19
7 = Took from Friend or Relative without Asking	445	0.05
8 = Bought from Drug Dealer or Other Stranger	577	0.06
9 = Bought on the Internet.....	107	0.01
10 = Got Some Other Way	277	0.03
11 = No Past Year Use	547058	57.63

SEDLTS2

Len : 2 SOURCE OF SEDATIVES FOR LAST NONMED USE

	Freq	Pct
. = Unknown/Invalid Source	1798	0.19
-9 = Data not collected for this year	391543	41.25
1 = Got From One Doctor.....	308	0.03
2 = Got From More Than One Doctor	41	0.00
3 = Wrote Fake Prescription	3	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	22	0.00
5 = Got From Friend or Relative for Free	990	0.10
6 = Bought from Friend or Relative.....	193	0.02
7 = Took from Friend or Relative without Asking	118	0.01
8 = Bought from Drug Dealer or Other Stranger	87	0.01
10 = Got Some Other Way	99	0.01
11 = No Past Year Use	554083	58.37

RECODED PRIOR SUBSTANCE USE

The variable for the source of most recent methamphetamine use in the past year, MTHLTSC4, was defined by including respondents routed from the core Stimulants module as well as respondents routed from the noncore Special Drugs module who reported they did not think of methamphetamine as a prescription drug when asked about use in the core Stimulants module.

As indicated below, the imputed core-plus-noncore past year methamphetamine use variable (CPNMTHYR) was used in conjunction with the edited source variables to determine a respondent's source for most recently used methamphetamine based on past year use as defined from both the core Stimulants module and legitimate responses from the noncore Special Drugs module, as previously stated. The categories were defined as follows:

5. From Friend or Relative for Free (Valid Past Year Use [CPNMTHYR=1] and MTHGTLA2=5, 15 or only MTHFRFRE=1, 3, 5)
6. Bought from Friend or Relative (Valid Past Year Use [CPNMTHYR=1] and MTHGTLA2=6, 16 or only MTHFRBUY=1, 3, 5)
7. Took from Friend or Relative without Asking (Valid Past Year Use [CPNMTHYR=1] and MTHGTLA2=7, 17 or only MTHFRTKE=1, 3, 5)
8. Bought from Drug Dealer or Other Stranger (Valid Past Year Use [CPNMTHYR=1] and MTHGTLA2=8, 18 or only MTHDEALR=1, 3, 5)
9. Bought on the Internet (Valid Past Year Use [CPNMTHYR=1] and MTHGTLA2=9, 19 or only MTHINET=1, 3, 5)
10. Some Other Way (Valid Past Year Use [CPNMTHYR=1] and [MTHGTLA2=10 and MTHGTOS2=10, 11-38, 71 or only MTHOTHWY=1, 3, 5 and MTHOTH2=10, 11-38, 71])
11. No Lifetime or Past Year Use (CPNMTHYR=0)

(SAS Missing) Unknown/Invalid Source {Valid Past Year Use [CPNMTHYR=1] and ([MTHGTLA2=85, 93, 94, 97, 98] or [MTHGTLA2=10 and MTHGTOS2=70, 72, 73, 74, 75, 85, 94, 97, 98] or [MTHGTLA2=99 and only MTHOTHWY=1 and MTHOTH2=70, 72, 73, 74, 85, 94, 97, 98])}

Please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings for more information.

MTHLTSC4

Len : 2 SOURCE OF METHAMPHETAMINE FOR LAST NONMED USE

	Freq	Pct
. = Unknown/Invalid Source	373	0.04
-9 = Data not collected for this year	502483	52.93
5 = Got From Friend or Relative for Free	1076	0.11
6 = Bought from Friend or Relative.....	493	0.05
7 = Took from Friend or Relative without Asking.....	80	0.01
8 = Bought from Drug Dealer or Other Stranger	520	0.05
9 = Bought on the Internet.....	10	0.00
10 = Got Some Other Way	94	0.01
11 = No Past Year Use	444156	46.79

NOTE: The following 46 variables were created to capture all a respondent's reported sources of past month prescription drug and methamphetamine (MTH) use. The prescription drugs include pain relievers (ANL), tranquilizers (TRN), stimulants (STM), and sedatives (SED).

NOTE: For the following 40 variables, to produce estimates among adults with past month prescription drug use, the analysis will need to be restricted by the specific past month prescription drug use variable (XXXMON=1).

ANLRX1D2

Len : 1 GOT ONE+ RX FOR ANL FROM JUST ONE DOCTOR - PST MON

	Freq	Pct
. = Unknown Source (Otherwise).....	6107	0.64
-9 = Data not collected for this year	391543	41.25
1 = Yes (ANLRX1DR=1,3,5).....	3237	0.34
2 = No (ANLRX1DR=6).....	10576	1.11
3 = Never/No Pst Mon Use (ANLRX1DR=81,89,91,93,99)	537822	56.66

ANLRXDS2

Len : 1 GOT RX FOR ANL FROM 2 OR MORE DOCTORS - PST MON

	Freq	Pct
. = Unknown Source (Otherwise).....	6113	0.64
-9 = Data not collected for this year	391543	41.25
1 = Yes (ANLRXDRS=1,3,5).....	660	0.07
2 = No (ANLRXDRS=6).....	13147	1.38
3 = Never/No Pst Mon Use (ANLRXDRS=81,89,91,93,99)	537822	56.66

ANLRXFK2

Len : 1 WROTE FAKE PRESCRIPTION FOR ANL - PST MON

	Freq	Pct
. = Unknown Source (Otherwise).....	6116	0.64
-9 = Data not collected for this year	391543	41.25
1 = Yes (ANLRXFAK=1,3,5).....	85	0.01
2 = No (ANLRXFAK=6)	13719	1.45
3 = Never/No Pst Mon Use (ANLRXFAK=81,89,91,93,99)	537822	56.66

RECODED PRIOR SUBSTANCE USE

ANLSTOL2	Len : 1 STOLE ANL FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6116	0.64
	-9 = Data not collected for this year	391543	41.25
	1 = Yes (ANLSTOLE=1,3,5).....	153	0.02
	2 = No (ANLSTOLE=6)	13651	1.44
	3 = Never/No Pst Mon Use (ANLSTOLE=81,89,91,93,99)	537822	56.66

ANLFRFE2	Len : 1 GOT ANL FROM A FRIEND/RELATIVE FOR FREE - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6092	0.64
	-9 = Data not collected for this year	391543	41.25
	1 = Yes (ANLFRFRE=1,3,5).....	8109	0.85
	2 = No (ANLFRFRE=6).....	5720	0.60
	3 = Never/No Pst Mon Use (ANLFRFRE=81,89,91,93,99)	537821	56.66

ANLFRBY2	Len : 1 BOUGHT ANL FROM A FRIEND OR RELATIVE - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6113	0.64
	-9 = Data not collected for this year	391543	41.25
	1 = Yes (ANLFRBUY=1,3,5).....	3588	0.38
	2 = No (ANLFRBUY=6).....	10219	1.08
	3 = Never/No Pst Mon Use (ANLFRBUY=81,89,91,93,99)	537822	56.66

ANLFRTK2	Len : 1 TOOK ANL FROM FRND/RELATIVE WITHOUT ASK - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6110	0.64
	-9 = Data not collected for this year	391543	41.25
	1 = Yes (ANLFRTKE=1,3,5)	1725	0.18
	2 = No (ANLFRTKE=6)	12085	1.27
	3 = Never/No Pst Mon Use (ANLFRTKE=81,89,91,93,99).....	537822	56.66

ANLDEAL2	Len : 1 BOUGHT ANL FROM DRUG DEALR/OTH STRANGER - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6114	0.64
	-9 = Data not collected for this year	391543	41.25
	1 = Yes (ANLDEALR=1,3,5).....	2046	0.22
	2 = No (ANLDEALR=6).....	11760	1.24
	3 = Never/No Pst Mon Use (ANLDEALR=81,89,91,93,99)	537822	56.66

ANLINET2	Len : 1 BOUGHT ANL ON THE INTERNET - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6115	0.64
	-9 = Data not collected for this year	391543	41.25
	1 = Yes (ANLINET=1,3,5).....	98	0.01
	2 = No (ANLINET=6).....	13707	1.44
	3 = Never/No Pst Mon Use (ANLINET=81,89,91,93,99)	537822	56.66

The following variable, ANLOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription pain relievers in "some other way" (ANLOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (ANLOTHS2=70, 72-75, 85, 94, 97, 98) or (2) a response to getting the prescription pain relievers "some other way" was unknown (ANLOTHWY=85, 94, 97, 98).

ANLOTHW2	Len : 1 GOT ANL IN SOME OTHER WAY - PST MON		
		Freq	Pct
	. = Unknown/Invalid Source (See comment above).....	6464	0.68
	-9 = Data not collected for this year	391543	41.25
	1 = Yes (ANLOTHWY=1,3,5 and ANLOTHS2=10,11-39,71)	920	0.10
	2 = No (ANLOTHWY=6 or [ANLOTHWY=1,3,5 & ANLOTHS2=1-9])	12536	1.32
	3 = Never/No Pst Mon Use (ANLOTHWY=81,89,91,93,99).....	537822	56.66

RECODED PRIOR SUBSTANCE USE

[TRNRX1D2](#)

Len : 1 GOT ONE+ RX FOR TRN FROM JUST ONE DOCTOR - PST MON

	Freq	Pct
. = Unknown Source (Otherwise)	2431	0.26
-9 = Data not collected for this year	391543	41.25
1 = Yes (TRNRX1DR=1,3,5)	655	0.07
2 = No (TRNRX1DR=6)	4257	0.45
3 = Never/No Pst Mon Use (TRNRX1DR=81,89,91,93,99)	550399	57.98

[TRNRXDS2](#)

Len : 1 GOT RX FOR TRN FROM 2 OR MORE DOCTORS - PST MON

	Freq	Pct
. = Unknown Source (Otherwise)	2434	0.26
-9 = Data not collected for this year	391543	41.25
1 = Yes (TRNRXDRS=1,3,5)	75	0.01
2 = No (TRNRXDRS=6)	4834	0.51
3 = Never/No Pst Mon Use (TRNRXDRS=81,89,91,93,99)	550399	57.98

[TRNRXFK2](#)

Len : 1 WROTE FAKE PRESCRIPTION FOR TRN - PST MON

	Freq	Pct
. = Unknown Source (Otherwise)	2434	0.26
-9 = Data not collected for this year	391543	41.25
1 = Yes (TRNRXFAK=1,3,5)	22	0.00
2 = No (TRNRXFAK=6)	4887	0.51
3 = Never/No Pst Mon Use (TRNRXFAK=81,89,91,93,99)	550399	57.98

[TRNSTOL2](#)

Len : 1 STOLE TRN FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON

	Freq	Pct
. = Unknown Source (Otherwise)	2434	0.26
-9 = Data not collected for this year	391543	41.25
1 = Yes (TRNSTOLE=1,3,5)	30	0.00
2 = No (TRNSTOLE=6)	4879	0.51
3 = Never/No Pst Mon Use (TRNSTOLE=81,89,91,93,99)	550399	57.98

[TRNFRFE2](#)

Len : 1 GOT TRN FROM A FRIEND/RELATIVE FOR FREE - PST MON

	Freq	Pct
. = Unknown Source (Otherwise)	2430	0.26
-9 = Data not collected for this year	391543	41.25
1 = Yes (TRNFRFRE=1,3,5)	2671	0.28
2 = No (TRNFRFRE=6)	2242	0.24
3 = Never/No Pst Mon Use (TRNFRFRE=81,89,91,93,99)	550399	57.98

[TRNFRBY2](#)

Len : 1 BOUGHT TRN FROM A FRIEND OR RELATIVE - PST MON

	Freq	Pct
. = Unknown Source (Otherwise)	2433	0.26
-9 = Data not collected for this year	391543	41.25
1 = Yes (TRNFRBUY=1,3,5)	1058	0.11
2 = No (TRNFRBUY=6)	3852	0.41
3 = Never/No Pst Mon Use (TRNFRBUY=81,89,91,93,99)	550399	57.98

[TRNFRTK2](#)

Len : 1 TOOK TRN FROM FRND/RELATIVE WITHOUT ASK - PST MON

	Freq	Pct
. = Unknown Source (Otherwise)	2433	0.26
-9 = Data not collected for this year	391543	41.25
1 = Yes (TRNFRTKE=1,3,5)	357	0.04
2 = No (TRNFRTKE=6)	4553	0.48
3 = Never/No Pst Mon Use (TRNFRTKE=81,89,91,93,99)	550399	57.98

[TRNDEAL2](#)

Len : 1 BOUGHT TRN FROM DRUG DEALR/OTH STRANGER - PST MON

	Freq	Pct
. = Unknown Source (Otherwise)	2433	0.26
-9 = Data not collected for this year	391543	41.25
1 = Yes (TRNDEALR=1,3,5)	645	0.07
2 = No (TRNDEALR=6)	4265	0.45
3 = Never/No Pst Mon Use (TRNDEALR=81,89,91,93,99)	550399	57.98

RECODED PRIOR SUBSTANCE USE

TRNINET2	Len : 1 BOUGHT TRANQUILIZERS ON THE INTERNET - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	2434	0.26
	-9 = Data not collected for this year.....	391543	41.25
	1 = Yes (TRNINET=1,3,5).....	36	0.00
	2 = No (TRNINET=6).....	4873	0.51
	3 = Never/No Pst Mon Use (TRNINET=81,89,91,93,99).....	550399	57.98

The following variable, TRNOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription tranquilizers in "some other way" (TRNOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (TRNOTHWS2=70, 72-75, 85, 94, 97, 98) or (2) a response to getting the prescription tranquilizers "some other way" was unknown (TRNOTHWY=85, 94, 97, 98).

TRNOTHW2	Len : 1 GOT TRN IN SOME OTHER WAY - PST MON		
		Freq	Pct
	. = Unknown Source (See comment above).....	2513	0.26
	-9 = Data not collected for this year.....	391543	41.25
	1 = Yes (TRNOTHWY=1,3,5 and TRNOTHWS2=10,11-39,71).....	172	0.02
	2 = No (TRNOTHWY=6 or [TRNOTHWY=1,3,5 & TRNOTHWS2=1-9]).....	4658	0.49
	3 = Never/No Pst Mon Use (TRNOTHWY=81,89,91,93,99).....	550399	57.98

STMTRX1D2	Len : 1 GOT ONE+ RX FOR STM FROM JUST ONE DOCTOR - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	2103	0.22
	-9 = Data not collected for this year.....	391543	41.25
	1 = Yes (STMTRX1DR=1,3,5).....	419	0.04
	2 = No (STMTRX1DR=6).....	2511	0.26
	3 = Never/No Pst Mon/Only MTH(STMTRX1DR=81,89,91,93,99).....	552709	58.22

STMTRXDS2	Len : 1 GOT RX FOR STM FROM 2 OR MORE DOCTORS - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	2110	0.22
	-9 = Data not collected for this year.....	391543	41.25
	1 = Yes (STMTRXDRS=1,3,5).....	72	0.01
	2 = No (STMTRXDRS=6).....	2851	0.30
	3 = Never/No Pst Mon/Only MTH(STMTRXDRS=81,89,91,93,99).....	552709	58.22

STMTRXFK2	Len : 1 WROTE FAKE PRESCRIPTION FOR STM - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	2110	0.22
	-9 = Data not collected for this year.....	391543	41.25
	1 = Yes (STMTRXFAK=1,3,5).....	22	0.00
	2 = No (STMTRXFAK=6).....	2901	0.31
	3 = Never/No Pst Mon/Only MTH(STMTRXFAK=81,89,91,93,99).....	552709	58.22

STMSTOL2	Len : 1 STOLE STM FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	2110	0.22
	-9 = Data not collected for this year.....	391543	41.25
	1 = Yes (STMSTOLE=1,3,5).....	33	0.00
	2 = No (STMSTOLE=6).....	2890	0.30
	3 = Never/No Pst Mon/Only MTH(STMSTOLE=81,89,91,93,99).....	552709	58.22

STMFRFE2	Len : 1 GOT STM FROM A FRIEND/RELATIVE FOR FREE - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	2097	0.22
	-9 = Data not collected for this year.....	391543	41.25
	1 = Yes (STMFRFRE=1,3,5).....	1513	0.16
	2 = No (STMFRFRE=6).....	1423	0.15
	3 = Never/No Pst Mon/Only MTH(STMFRFRE=81,89,91,93,99).....	552709	58.22

RECODED PRIOR SUBSTANCE USE

STMFRBY2	Len : 1 BOUGHT STM FROM A FRIEND OR RELATIVE - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	2107	0.22
	-9 = Data not collected for this year	391543	41.25
	1 = Yes (STMFRBUY=1,3,5)	834	0.09
	2 = No (STMFRBUY=6)	2092	0.22
	3 = Never/No Pst Mon/Only MTH(STMFRBUY=81,89,91,93,99)	552709	58.22

STMFRTK2	Len : 1 TOOK STM FROM FRND/RELATIVE WITHOUT ASK - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	2108	0.22
	-9 = Data not collected for this year	391543	41.25
	1 = Yes (STMFRTK2=1,3,5)	238	0.03
	2 = No (STMFRTK2=6)	2687	0.28
	3 = Never/No Pst Mon/Only MTH(STMFRTK2=81,89,91,93,99)	552709	58.22

STMDEAL2	Len : 1 BOUGHT STM FROM DRUG DEALR/OTH STRANGER - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	2106	0.22
	-9 = Data not collected for this year	391543	41.25
	1 = Yes (STMDEALR=1,3,5)	349	0.04
	2 = No (STMDEALR=6)	2578	0.27
	3 = Never/No Pst Mon/Only MTH(STMDEALR=81,89,91,93,99)	552709	58.22

STMINET2	Len : 1 BOUGHT STIMULANTS ON THE INTERNET - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	2109	0.22
	-9 = Data not collected for this year	391543	41.25
	1 = Yes (STMINET=1,3,5)	63	0.01
	2 = No (STMINET=6)	2861	0.30
	3 = Never/No Pst Mon/Only MTH(STMINET=81,89,91,93,99)	552709	58.22

The following variable, STMOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription stimulants in "some other way" (STMOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (STMOTHS2=70, 72-75, 85, 94, 97, 98) or (2) a response to getting the prescription stimulants "some other way" was unknown (STMOTHWY=85, 94, 97, 98).

STMOTHW2	Len : 1 GOT STM IN SOME OTHER WAY - PST MON		
		Freq	Pct
	. = Unknown/Invalid Source (See comment above)	2159	0.23
	-9 = Data not collected for this year	391543	41.25
	1 = Yes (STMOTHWY=1,3,5 and STMOTHS2=10,11-39,71)	121	0.01
	2 = No (STMOTHWY=6 or [STMOTHWY=1,3,5 & STMOTHS2=1-9])	2753	0.29
	3 = Never/No Pst Mon/Only MTH(STMOTHWY=81,89,91,93,99)	552709	58.22

SEDRX1D2	Len : 1 GOT ONE+ RX FOR SED FROM JUST ONE DOCTOR - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	1679	0.18
	-9 = Data not collected for this year	391543	41.25
	1 = Yes (SEDRX1DR=1,3,5)	138	0.01
	2 = No (SEDRX1DR=6)	532	0.06
	3 = Never/No Pst Mon Use (SEDRX1DR=81,89,91,93,99)	555393	58.51

SEDRXDS2	Len : 1 GOT RX FOR SED FROM 2 OR MORE DOCTORS - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	1679	0.18
	-9 = Data not collected for this year	391543	41.25
	1 = Yes (SEDRXDRS=1,3,5)	25	0.00
	2 = No (SEDRXDRS=6)	645	0.07
	3 = Never/No Pst Mon Use (SEDRXDRS=81,89,91,93,99)	555393	58.51

RECODED PRIOR SUBSTANCE USE

[SEDRXFK2](#)

Len : 1 WROTE FAKE PRESCRIPTION FOR SED - PST MON

	Freq	Pct
. = Unknown Source (Otherwise)	1678	0.18
-9 = Data not collected for this year	391543	41.25
1 = Yes (SEDRXFAK=1,3,5)	9	0.00
2 = No (SEDRXFAK=6)	662	0.07
3 = Never/No Pst Mon Use (SEDRXFAK=81,89,91,93,99).....	555393	58.51

[SEDSTOL2](#)

Len : 1 STOLE SED FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON

	Freq	Pct
. = Unknown Source (Otherwise)	1679	0.18
-9 = Data not collected for this year	391543	41.25
1 = Yes (SEDSTOLE=1,3,5)	19	0.00
2 = No (SEDSTOLE=6)	651	0.07
3 = Never/No Pst Mon Use (SEDSTOLE=81,89,91,93,99).....	555393	58.51

[SEDFRFE2](#)

Len : 1 GOT SED FROM A FRIEND/RELATIVE FOR FREE - PST MON

	Freq	Pct
. = Unknown Source (Otherwise)	1678	0.18
-9 = Data not collected for this year	391543	41.25
1 = Yes (SEDFRFRE=1,3,5)	349	0.04
2 = No (SEDFRFRE=6)	322	0.03
3 = Never/No Pst Mon Use (SEDFRFRE=81,89,91,93,99).....	555393	58.51

[SEDFRBY2](#)

Len : 1 BOUGHT SED FROM A FRIEND OR RELATIVE - PST MON

	Freq	Pct
. = Unknown Source (Otherwise)	1679	0.18
-9 = Data not collected for this year	391543	41.25
1 = Yes (SEDFRBUY=1,3,5)	92	0.01
2 = No (SEDFRBUY=6)	578	0.06
3 = Never/No Pst Mon Use (SEDFRBUY=81,89,91,93,99).....	555393	58.51

[SEDFRTK2](#)

Len : 1 TOOK SED FROM FRND/RELATIVE WITHOUT ASK - PST MON

	Freq	Pct
. = Unknown Source (Otherwise)	1679	0.18
-9 = Data not collected for this year	391543	41.25
1 = Yes (SEDFRTKE=1,3,5)	67	0.01
2 = No (SEDFRTKE=6)	603	0.06
3 = Never/No Pst Mon Use (SEDFRTKE=81,89,91,93,99)	555393	58.51

[SEDDEAL2](#)

Len : 1 BOUGHT SED FROM DRUG DEALR/OTH STRANGER - PST MON

	Freq	Pct
. = Unknown Source (Otherwise)	1679	0.18
-9 = Data not collected for this year	391543	41.25
1 = Yes (SEDDEALR=1,3,5)	50	0.01
2 = No (SEDDEALR=6)	620	0.07
3 = Never/No Pst Mon Use (SEDDEALR=81,89,91,93,99).....	555393	58.51

[SEDINET2](#)

Len : 1 BOUGHT SEDATIVES ON THE INTERNET - PST MON

	Freq	Pct
. = Unknown Source (Otherwise)	1679	0.18
-9 = Data not collected for this year	391543	41.25
1 = Yes (SEDINET=1,3,5)	5	0.00
2 = No (SEDINET=6)	665	0.07
3 = Never/No Pst Mon Use (SEDINET=81,89,91,93,99).....	555393	58.51

RECODED PRIOR SUBSTANCE USE

The following variable, SEDOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription sedatives in "some other way" (SEDOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (SEDOTHS2=70, 72-75, 85, 94, 97, 98) or (2) a response to getting the prescription sedatives "some other way" was unknown (SEDOTHWY=85, 94, 97, 98).

<u>SEDOTHW2</u>	Len : 1 GOT SED IN SOME OTHER WAY - PST MON		
		Freq	Pct
.	= Unknown Source (See comment above)	1693	0.18
-9	= Data not collected for this year	391543	41.25
1	= Yes (SEDOTHWY=1,3,5 and SEDOTHS2=10,11-39,71)	33	0.00
2	= No (SEDOTHWY=6 or [SEDOTHWY=1,3,5 & SEDOTHS2=1-9])	623	0.07
3	= Never/No Pst Mon Use (SEDOTHWY=81,89,91,93,99)	555393	58.51

<u>MTHFRFE2</u>	Len : 1 GOT MTH FROM A FRIEND/RELATIVE FOR FREE - PST MON		
		Freq	Pct
.	= Unknown Src (CPNMTHMN=1 & MTHFRFRE=85,93,94,97,98).....	276	0.03
-9	= Data not collected for this year	391543	41.25
1	= Yes (CPNMTHMN=1 and MTHFRFRE=1,3,5).....	593	0.06
2	= No (CPNMTHMN=1 and MTHFRFRE=6).....	524	0.06
3	= No Past Month Use (CPNMTHMN=0).....	556349	58.61

<u>MTHFRBY2</u>	Len : 1 BOUGHT MTH FROM A FRIEND OR RELATIVE - PST MON		
		Freq	Pct
.	= Unknown Src (CPNMTHMN=1 & MTHFRBUY=85,93,94,97,98)	276	0.03
-9	= Data not collected for this year	391543	41.25
1	= Yes (CPNMTHMN=1 and MTHFRBUY=1,3,5).....	400	0.04
2	= No (CPNMTHMN=1 and MTHFRBUY=6)	717	0.08
3	= No Past Month Use (CPNMTHMN=0).....	556349	58.61

<u>MTHFRTK2</u>	Len : 1 TOOK MTH FROM FRND/RELATIVE WITHOUT ASK - PST MON		
		Freq	Pct
.	= Unknown Src (CPNMTHMN=1 & MTHFRTKE=85,93,94,97,98)	277	0.03
-9	= Data not collected for this year	391543	41.25
1	= Yes (CPNMTHMN=1 and MTHFRTKE=1,3,5)	50	0.01
2	= No (CPNMTHMN=1 and MTHFRTKE=6)	1066	0.11
3	= No Past Month Use (CPNMTHMN=0).....	556349	58.61

<u>MTHDEAL2</u>	Len : 1 BOUGHT MTH FROM DRUG DEALR/OTH STRANGER - PST MON		
		Freq	Pct
.	= Unknown Src (CPNMTHMN=1 & MTHDEALR=85,93,94,97,98).....	277	0.03
-9	= Data not collected for this year	391543	41.25
1	= Yes (CPNMTHMN=1 and MTHDEALR=1,3,5).....	324	0.03
2	= No (CPNMTHMN=1 and MTHDEALR=6)	792	0.08
3	= No Past Month Use (CPNMTHMN=0).....	556349	58.61

<u>MTHINET2</u>	Len : 1 BOUGHT MTH ON THE INTERNET - PST MON		
		Freq	Pct
.	= Unknown Src (CPNMTHMN=1 & MTHINET=85,93,94,97,98)	277	0.03
-9	= Data not collected for this year	391543	41.25
1	= Yes (CPNMTHMN=1 and MTHINET=1,3,5).....	14	0.00
2	= No (CPNMTHMN=1 and MTHINET=6)	1102	0.12
3	= No Past Month Use (CPNMTHMN=0).....	556349	58.61

RECODED PRIOR SUBSTANCE USE

The following variable, MTHOTHW2, was defined as yes if a respondent reported past month methamphetamine use (CPNMTHMN=1) and that friends/relatives got methamphetamine in "some other way" (MTHOTHWY=1, 3, 5) and their write-in response was classified as a valid other-specify source (MTHOTHS2=10, 11-38, 71). MTHOTHW2 was defined as no if a respondent reported past month methamphetamine use (CPNMTHMN=1) and either of these situations occurred: (1) friends/relatives did not get methamphetamine in "some other way" (MTHOTHWY=6) or (2) friends/relatives got methamphetamine in "some other way" (MTHFFOTH=1, 3, 5) and their write-in response was classified as an invalid other-specify source (MTHOTHS2=5-9). MTHOTHW2 was recoded to SAS missing if a respondent indicated past month methamphetamine use (CPNMTHMN=1) and either of these situations occurred: (1) the respondent indicated that during the past 30 days they got methamphetamine in "some other way" (MTHOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (MTHOTHS2=70, 72-74, 85, 94, 97, 98) or (2) a response to getting methamphetamine "some other way" was unknown (MTHOTHWY=85, 93, 94, 97, 98).

MTHOTHW2

Len : 1 GOT MTH IN SOME OTHER WAY - PST MON

	Freq	Pct
. = Unknown Source (See comment above)	310	0.03
-9 = Data not collected for this year	391543	41.25
1 = Yes (See comment above)	62	0.01
2 = No (See comment above).....	1021	0.11
3 = No Past Month Use (CPNMTHMN=0).....	556349	58.61

RECODED PRIOR SUBSTANCE USE

NOTE: In the questionnaire, a respondent who used methamphetamine and prescription drugs in the past month was administered a question regarding the source of their past month use. Any respondent who gave multiple past month sources or was a past year user was administered a question regarding the source of the drug during their most recent use. If they indicated that their most recent source was a 'friend or relative for free' from either of these questions, then a respondent was administered a follow-up question that asked the source the friend/relative had obtained the drug from. The following 5 variables pertain to the source from which a respondent's friend or relative obtained the drug for prescription pain relievers (ANLSRCF2), prescription tranquilizers (TRNSRCF2), prescription stimulants (STMSRCF2), prescription sedatives (SEDSRCF2), and methamphetamine (MTHSRCF2) within the past year. These 5 variables are similar to the previously defined source of a respondent's friend or relative's most recent nonmedical use variables (XXXSRCFR) with the exception that SAS missing and level 11 have been combined into a single SAS missing level. Starting with the 2014 NSDUH, this version will be the only version available.

For each variable, excluding MTHSRCF2, there are 10 mutually exclusive categories for specific sources. Since methamphetamine is not available by prescription, the first 4 categories are not applicable thus there are only 6 mutually exclusive categories for MTHSRCF2. The categories for the specific sources take into account responses from past month users who indicated a single source during the past 30 days, past month users who indicated their most recent source after indicating multiple sources during the past 30 days, and past year users who indicated their most recent source of drug use.

Questions related to source of stimulant use pertain only to prescription stimulants and are not asked of respondents who were users of only methamphetamine, thus those respondents who indicated non-prescription stimulant use only (STMGTLA2=99) were classified as having "No Lifetime or Past Year Rx Use" (STMSRCF2=.).

Based on the following conditions, a respondent was classified in one of the following 11 categories for the source of most recent prescription drug use in the past year for the variables, ANLSRCF2, TRNSRCF2, STMSRCF2, and SEDSRCF2:

1. Got from One Doctor ((XXXGTLA2=5 and XXXFFLAS=1, 11) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFF1DR=1, 3, 5))
2. Got from More Than One Doctor ((XXXGTLA2=5 and XXXFFLAS=2, 12) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFDRS=1, 3, 5))
3. Wrote Fake Prescription ((XXXGTLA2=5 and XXXFFLAS=3, 13) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFAKE=1, 3, 5))
4. Stole from Dr Office, Clinic, Hospital, or Pharmacy ((XXXGTLA2=5 and XXXFFLAS=4, 14) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFSTL=1, 3, 5))
5. Got from Friend or Relative for Free ((XXXGTLA2=5 and XXXFFLAS=5, 15) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFREE=1, 3, 5))
6. Bought from Friend or Relative ((XXXGTLA2=5 and XXXFFLAS=6, 16) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFBOT=1, 3, 5))
7. Took from Friend or Relative without Asking ((XXXGTLA2=5 and XXXFFLAS=7, 17) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFTAK=1, 3, 5))
8. Bought from Drug Dealer or Other Stranger ((XXXGTLA2=5 and XXXFFLAS=8, 18) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFDLR=1, 3, 5))
9. Bought on the Internet ((XXXGTLA2=5 and XXXFFLAS=9, 19) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFNET=1, 3, 5))
10. Got Some Other Way ((XXXGTLA2=5 and XXXFFLAS=10 and XXXFFLSP=valid "other" response, levels 11-36, 71) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and XXXFFOTH=1, 3, 5 and XXXFFOSP=valid "other" response, levels 11-36, 71))

(SAS Missing) No Past Year Use or Valid Source of Most Recent Use Not from Friend or Relative for Free or Unknown/Invalid Source (Otherwise)

ANLSRCF2

Len : 2 REV SOURCE OF FRIEND OR RELATIVE'S PAIN RELIEVERS

	Freq	Pct
. = No Pst Yr Use/Src Not Frnd, Rltive Free/Unkwn Src	108095	11.39
-9 = Data not collected for this year	838854	88.37
1 = Got from One Doctor	1865	0.20
2 = Got from More Than One Doctor	91	0.01
3 = Wrote Fake Prescription	5	0.00
4 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	6	0.00
5 = Got from Friend or Relative for Free	144	0.02
6 = Bought from Friend or Relative	98	0.01
7 = Took from Friend or Relative without Asking	33	0.00
8 = Bought from Drug Dealer or Other Stranger	44	0.00
9 = Bought on the Internet	5	0.00
10 = Got Some Other Way	45	0.00

RECODED PRIOR SUBSTANCE USE

[TRNSRCF2](#)

Len : 2 REV SOURCE OF FRIEND OR RELATIVE'S TRANQUILIZERS

	Freq	Pct
. = No Pst Yr Use/Src Not Frmd, Rltive Free/Unknwn Src	109102	11.49
-9 = Data not collected for this year	838854	88.37
1 = Got from One Doctor	1016	0.11
2 = Got from More Than One Doctor	38	0.00
3 = Wrote Fake Prescription	3	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	2	0.00
5 = Got from Friend or Relative for Free	111	0.01
6 = Bought from Friend or Relative.....	71	0.01
7 = Took from Friend or Relative without Asking	12	0.00
8 = Bought from Drug Dealer or Other Stranger	59	0.01
9 = Bought on the Internet.....	4	0.00
10 = Got Some Other Way	13	0.00

[STMSRCF2](#)

Len : 2 REV SOURCE OF FRIEND OR RELATIVE'S STIMULANTS

	Freq	Pct
. = No Pst Yr Use/Src Not Frmd, Rltive Free/Unknwn Src	109693	11.56
-9 = Data not collected for this year	838854	88.37
1 = Got from One Doctor	558	0.06
2 = Got from More Than One Doctor	19	0.00
3 = Wrote Fake Prescription	1	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	2	0.00
5 = Got from Friend or Relative for Free	70	0.01
6 = Bought from Friend or Relative.....	44	0.00
7 = Took from Friend or Relative without Asking	7	0.00
8 = Bought from Drug Dealer or Other Stranger	28	0.00
9 = Bought on the Internet.....	2	0.00
10 = Got Some Other Way	7	0.00

[SEDSRCF2](#)

Len : 2 REV SOURCE OF FRIEND OR RELATIVE'S SEDATIVES

	Freq	Pct
. = No Pst Yr Use/Src Not Frmd, Rltive Free/Unknwn Src	110289	11.62
-9 = Data not collected for this year	838854	88.37
1 = Got from One Doctor	105	0.01
2 = Got from More Than One Doctor	8	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	3	0.00
5 = Got from Friend or Relative for Free	11	0.00
6 = Bought from Friend or Relative.....	4	0.00
7 = Took from Friend or Relative without Asking	5	0.00
8 = Bought from Drug Dealer or Other Stranger	3	0.00
9 = Bought on the Internet.....	1	0.00
10 = Got Some Other Way	2	0.00

RECODED PRIOR SUBSTANCE USE

Due to the outcome of the 2006 Methamphetamine Analysis Study, the variable for a friend or relative's source of methamphetamine for the respondent's most recent methamphetamine use in the past year when they reported they received this most recent drug from a friend or relative for free, MTHSRCF2, was defined by including respondents routed from the core Stimulants module, as well as respondents routed from the noncore Special Drugs module who reported they did not think of methamphetamine as a prescription drug when asked about use in the core Stimulants module.

As shown below, the imputed recency variable, CPNMTHYR, was used in conjunction with the edited source variables to determine a respondent's source for most recently used methamphetamine based on past year use as defined from both the core Stimulants module and legitimate responses from the noncore Special Drugs module, as previously stated. Please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings for more information.

5. From Friend or Relative for Free {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=5, 15] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFREE=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=5])}
6. Bought from Friend or Relative {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=6, 16] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFBOT=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=6])}
7. Took from Friend or Relative without Asking {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=7, 17] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFTAK=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=7])}
8. Bought from Drug Dealer or Other Stranger {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=8, 18] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFDLR=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=8])}
9. Bought on the Internet {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=9, 19] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFNET=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=9])}
10. Some Other Way {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=10 and MTHFFLSP=valid "other" response, levels 11-36, 71] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=valid "other" response, levels 11-36, 71])}

(SAS Missing) No Past Year Use or Valid Source of Most Recent Use Not From Friend or Relative for Free or Unknown/Invalid Source (Otherwise)

MTHSRCF2

Len : 2 REV SOURCE OF FRIEND OR RELATIVES METHAMPHETAMINES

	Freq	Pct
. = No Pst Yr Use/Src Not Frnd, Rltive Free/Unkwn Src	110208	11.61
-9 = Data not collected for this year	838854	88.37
5 = Got from Friend or Relative for Free	74	0.01
6 = Bought from Friend or Relative.....	70	0.01
7 = Took from Friend or Relative without Asking	4	0.00
8 = Bought from Drug Dealer or Other Stranger	62	0.01
10 = Got Some Other Way	13	0.00

NOTE: The following 46 variables were created to capture all a respondent's friend or relative's reported source of past month prescription drug and methamphetamine (MTH) use. The prescription drugs include pain relievers (ANL), tranquilizers (TRN), stimulants (STM), and sedatives (SED).

NOTE: For the following 40 variables, to produce estimates among adults with past month prescription drug use, the analysis will need to be restricted by the specific past month prescription drug use variable (XXXMON=1).

ANLFF1D2

Len : 1 FRD/REL GOT 1+ RX FOR ANL FRM JUST 1 DR-PST MON

	Freq	Pct
. = Unknown Source (Otherwise).....	6127	0.65
-9 = Data not collected for this year	447448	47.14
1 = Yes (ANLFF1DR=1,3,5)	4746	0.50
2 = No (ANLFF1DR=6).....	1693	0.18
3 = Never/No Pst Mon Use (ANLFF1DR=81,89,91,93,99)	489271	51.54

ANLFFDS2

Len : 1 FRD/REL GOT RX FOR ANL FROM 2+ DRS-PST MON

	Freq	Pct
. = Unknown Source (Otherwise).....	6193	0.65
-9 = Data not collected for this year	447448	47.14
1 = Yes (ANLFFDRS=1,3,5)	609	0.06
2 = No (ANLFFDRS=6).....	5764	0.61
3 = Never/No Pst Mon Use (ANLFFDRS=81,89,91,93,99)	489271	51.54

RECODED PRIOR SUBSTANCE USE

[ANLFFAK2](#)

Len : 1 FRD/REL WROTE FAKE RX FOR ANL-PST MON

	Freq	Pct
. = Unknown Source (Otherwise).....	6196	0.65
-9 = Data not collected for this year	447448	47.14
1 = Yes (ANLFFAKE=1,3,5)	58	0.01
2 = No (ANLFFAKE=6)	6312	0.66
3 = Never/No Pst Mon Use (ANLFFAKE=81,89,91,93,99).....	489271	51.54

[ANLFFST2](#)

Len : 1 FRD/REL STOLE ANL FROM DR/CLIN/HOSP/PHARM-PST MON

	Freq	Pct
. = Unknown Source (Otherwise).....	6197	0.65
-9 = Data not collected for this year	447448	47.14
1 = Yes (ANLFFSTL=1,3,5)	95	0.01
2 = No (ANLFFSTL=6)	6274	0.66
3 = Never/No Pst Mon Use (ANLFFSTL=81,89,91,93,99).....	489271	51.54

[ANLFFRE2](#)

Len : 1 FRD/REL GOT ANL FROM A FRND/REL FOR FREE-PST MON

	Freq	Pct
. = Unknown Source (Otherwise).....	6187	0.65
-9 = Data not collected for this year	447448	47.14
1 = Yes (ANLFFREE=1,3,5)	1071	0.11
2 = No (ANLFFREE=6)	5309	0.56
3 = Never/No Pst Mon Use (ANLFFREE=81,89,91,93,99)	489270	51.54

[ANLFFBY2](#)

Len : 1 FRD/REL BOUGHT ANL FROM A FRND OR REL-PST MON

	Freq	Pct
. = Unknown Source (Otherwise).....	6186	0.65
-9 = Data not collected for this year	447448	47.14
1 = Yes (ANLFFBOT=1,3,5).....	1011	0.11
2 = No (ANLFFBOT=6)	5369	0.57
3 = Never/No Pst Mon Use (ANLFFBOT=81,89,91,93,99).....	489271	51.54

[ANLFFTK2](#)

Len : 1 FRD/REL TOOK ANL FROM A FRND/REL WOUT ASK-PST MON

	Freq	Pct
. = Unknown Source (Otherwise).....	6196	0.65
-9 = Data not collected for this year	447448	47.14
1 = Yes (ANLFFTAK=1,3,5)	390	0.04
2 = No (ANLFFTAK=6)	5980	0.63
3 = Never/No Pst Mon Use (ANLFFTAK=81,89,91,93,99).....	489271	51.54

[ANLFFDL2](#)

Len : 1 FRD/REL BGHT ANL FRM DRG DEALR/OTH STRNGR-PST MON

	Freq	Pct
. = Unknown Source (Otherwise).....	6186	0.65
-9 = Data not collected for this year	447448	47.14
1 = Yes (ANLFFDLR=1,3,5).....	637	0.07
2 = No (ANLFFDLR=6)	5743	0.60
3 = Never/No Pst Mon Use (ANLFFDLR=81,89,91,93,99).....	489271	51.54

[ANLFFNT2](#)

Len : 1 FRD/REL BOUGHT ANL ON THE INTERNET-PST MON

	Freq	Pct
. = Unknown Source (Otherwise).....	6197	0.65
-9 = Data not collected for this year	447448	47.14
1 = Yes (ANLFFNET=1,3,5)	54	0.01
2 = No (ANLFFNET=6).....	6315	0.67
3 = Never/No Pst Mon Use (ANLFFNET=81,89,91,93,99)	489271	51.54

RECODED PRIOR SUBSTANCE USE

The following variable, ANLFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription pain relievers in "some other way" (ANLFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (ANLFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/ relatives getting the prescription pain relievers "some other way" was unknown (ANLFFOTH=85, 94, 97, 98).

<u>ANLFFOT2</u>	Len : 1 FRD/REL GOT ANL IN SOME OTHER WAY-PST MON		
		Freq	Pct
	. = Unknown Source (See comment above)	6369	0.67
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (ANLFFOTH=1,3,5 and ANLFFOSP=11-38,71)	257	0.03
	2 = No (ANLFFOTH=6 or [ANLFFOTH=1,3,5 & ANLFFOSP=1-9]).....	5941	0.63
	3 = Never/No Pst Mon Use (ANLFFOTH=81,89,91,93,99).....	489270	51.54

<u>TRNFFID2</u>	Len : 1 FRD/REL GOT 1+ RX FOR TRN FRM JUST 1 DR-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	2361	0.25
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (TRNFFIDR=1,3,5)	1518	0.16
	2 = No (TRNFFIDR=6)	653	0.07
	3 = Never/No Pst Mon Use (TRNFFIDR=81,89,91,93,99).....	497305	52.39

<u>TRNFFDS2</u>	Len : 1 FRD/REL GOT RX FOR TRN FROM 2+ DRS-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	2374	0.25
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (TRNFFDRS=1,3,5)	123	0.01
	2 = No (TRNFFDRS=6)	2035	0.21
	3 = Never/No Pst Mon Use (TRNFFDRS=81,89,91,93,99)	497305	52.39

<u>TRNFFAK2</u>	Len : 1 FRD/REL WROTE FAKE RX FOR TRN-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	2374	0.25
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (TRNFFAKE=1,3,5).....	6	0.00
	2 = No (TRNFFAKE=6)	2152	0.23
	3 = Never/No Pst Mon Use (TRNFFAKE=81,89,91,93,99).....	497305	52.39

<u>TRNFFST2</u>	Len : 1 FRD/REL STOLE TRN FROM DR/CLIN/HOSP/PHARM-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	2374	0.25
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (TRNFFSTL=1,3,5).....	14	0.00
	2 = No (TRNFFSTL=6)	2144	0.23
	3 = Never/No Pst Mon Use (TRNFFSTL=81,89,91,93,99)	497305	52.39

<u>TRNFFRE2</u>	Len : 1 FRD/REL GOT TRN FROM A FRND/REL FOR FREE-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	2374	0.25
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (TRNFFREE=1,3,5)	348	0.04
	2 = No (TRNFFREE=6)	1810	0.19
	3 = Never/No Pst Mon Use (TRNFFREE=81,89,91,93,99).....	497305	52.39

<u>TRNFFBY2</u>	Len : 1 FRD/REL BOUGHT TRN FROM A FRND OR REL-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	2372	0.25
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (TRNFFBOT=1,3,5)	253	0.03
	2 = No (TRNFFBOT=6)	1907	0.20
	3 = Never/No Pst Mon Use (TRNFFBOT=81,89,91,93,99)	497305	52.39

RECODED PRIOR SUBSTANCE USE

TRNFFTK2	Len : 1 FRD/REL TOOK TRN FROM A FRND/REL WOUT ASK-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	2373	0.25
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (TRNFFTAK=1,3,5).....	63	0.01
	2 = No (TRNFFTAK=6)	2096	0.22
	3 = Never/No Pst Mon Use (TRNFFTAK=81,89,91,93,99)	497305	52.39

TRNFFDL2	Len : 1 FRD/REL BGHT TRN FRM DRG DEALR/OTH STRNGR-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	2372	0.25
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (TRNFFDLR=1,3,5).....	143	0.02
	2 = No (TRNFFDLR=6).....	2017	0.21
	3 = Never/No Pst Mon Use (TRNFFDLR=81,89,91,93,99)	497305	52.39

TRNFFNT2	Len : 1 FRD/REL BOUGHT TRN ON THE INTERNET-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	2374	0.25
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (TRNFFNET=1,3,5).....	18	0.00
	2 = No (TRNFFNET=6).....	2140	0.23
	3 = Never/No Pst Mon Use (TRNFFNET=81,89,91,93,99)	497305	52.39

The following variable, TRNFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription tranquilizers in "some other way" (TRNFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (TRNFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/relatives getting prescription tranquilizers "some other way" was unknown (TRNFFOTH=85, 94, 97, 98).

TRNFFOT2	Len : 1 FRD/REL GOT TRN IN SOME OTHER WAY-PST MON		
		Freq	Pct
	. = Unknown/Invalid Source (See comment above).....	2425	0.26
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (TRNFFOTH=1,3,5 and TRNFFOSP=11-38,71).....	37	0.00
	2 = No (TRNFFOTH=6 or [TRNFFOTH=1,3,5 & TRNFFOSP=1-9])	2070	0.22
	3 = Never/No Pst Mon Use (TRNFFOTH=81,89,91,93,99)	497305	52.39

STMFF1D2	Len : 1 FRD/REL GOT 1+ RX FOR STM FRM JUST 1 DR-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	1965	0.21
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (STMFF1DR=1,3,5).....	892	0.09
	2 = No (STMFF1DR=6).....	313	0.03
	3 = Never/No Pst Mon/Only MTH(STMFF1DR=81,89,91,93,99)	498667	52.53

STMFFDS2	Len : 1 FRD/REL GOT RX FOR STM FROM 2+ DRS-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	1973	0.21
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (STMFFDRS=1,3,5).....	54	0.01
	2 = No (STMFFDRS=6).....	1143	0.12
	3 = Never/No Pst Mon/Only MTH(STMFFDRS=81,89,91,93,99)	498667	52.53

STMFFAK2	Len : 1 FRD/REL WROTE FAKE RX FOR STM-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	1974	0.21
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (STMFFAKE=1,3,5)	7	0.00
	2 = No (STMFFAKE=6)	1189	0.13
	3 = Never/No Pst Mon/Only MTH(STMFFAKE=81,89,91,93,99).....	498667	52.53

RECODED PRIOR SUBSTANCE USE

<u>STMFFST2</u>	Len : 1 FRD/REL STOLE STM FROM DR/CLIN/HOSP/PHARM-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	1974	0.21
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (STMFFSTL=1,3,5)	7	0.00
	2 = No (STMFFSTL=6)	1189	0.13
	3 = Never/No Pst Mon/Only MTH(STMFFSTL=81,89,91,93,99).....	498667	52.53

<u>STMFFRE2</u>	Len : 1 FRD/REL GOT STM FROM A FRND/REL FOR FREE-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	1972	0.21
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (STMFFFREE=1,3,5)	197	0.02
	2 = No (STMFFFREE=6)	1001	0.11
	3 = Never/No Pst Mon/Only MTH(STMFFFREE=81,89,91,93,99)	498667	52.53

<u>STMFFBY2</u>	Len : 1 FRD/REL BOUGHT STM FROM A FRND OR REL-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	1971	0.21
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (STMFFBOT=1,3,5).....	140	0.01
	2 = No (STMFFBOT=6)	1059	0.11
	3 = Never/No Pst Mon/Only MTH(STMFFBOT=81,89,91,93,99).....	498667	52.53

<u>STMFFTK2</u>	Len : 1 FRD/REL TOOK STM FROM A FRND/REL WOUT ASK-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	1974	0.21
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (STMFFTAK=1,3,5)	38	0.00
	2 = No (STMFFTAK=6)	1158	0.12
	3 = Never/No Pst Mon/Only MTH(STMFFTAK=81,89,91,93,99).....	498667	52.53

<u>STMFFDL2</u>	Len : 1 FRD/REL BGHT STM FRM DRG DEALR/OTH STRNGR-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	1969	0.21
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (STMFFDLR=1,3,5).....	90	0.01
	2 = No (STMFFDLR=6)	1111	0.12
	3 = Never/No Pst Mon/Only MTH(STMFFDLR=81,89,91,93,99).....	498667	52.53

<u>STMFFNET2</u>	Len : 1 FRD/REL BOUGHT STM ON THE INTERNET-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	1974	0.21
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (STMFFNET=1,3,5)	13	0.00
	2 = No (STMFFNET=6).....	1183	0.12
	3 = Never/No Pst Mon/Only MTH(STMFFNET=81,89,91,93,99)	498667	52.53

The following variable, STMFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription stimulants in "some other way" (STMFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (STMFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/relatives getting prescription stimulants "some other way" was unknown (STMFFOTH=85, 94, 97, 98).

<u>STMFFOT2</u>	Len : 1 FRD/REL GOT STM IN SOME OTHER WAY-PST MON		
		Freq	Pct
	. = Unknown/Invalid Source (See comment above).....	1988	0.21
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (STMFFOTH=1,3,5 and STMFFOSP=11-38,71)	21	0.00
	2 = No (STMFFOTH=6 or [STMFFOTH=1,3,5 & STMFFOSP=1-9]).....	1161	0.12
	3 = Never/No Pst Mon/Only MTH(STMFFOTH=81,89,91,93,99).....	498667	52.53

RECODED PRIOR SUBSTANCE USE

SEDFF1D2	Len : 1 FRD/REL GOT 1+ RX FOR SED FRM JUST 1 DR-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	1527	0.16
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (SEDFF1DR=1,3,5)	215	0.02
	2 = No (SEDFF1DR=6)	74	0.01
	3 = Never/No Pst Mon Use (SEDFF1DR=81,89,91,93,99)	500021	52.67
SEDFFDS2	Len : 1 FRD/REL GOT RX FOR SED FROM 2+ DRS-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	1528	0.16
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (SEDFFDRS=1,3,5)	24	0.00
	2 = No (SEDFFDRS=6)	264	0.03
	3 = Never/No Pst Mon Use (SEDFFDRS=81,89,91,93,99)	500021	52.67
SEDFFAK2	Len : 1 FRD/REL WROTE FAKE RX FOR SED-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	1528	0.16
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (SEDFFAKE=1,3,5)	2	0.00
	2 = No (SEDFFAKE=6)	286	0.03
	3 = Never/No Pst Mon Use (SEDFFAKE=81,89,91,93,99)	500021	52.67
SEDFFST2	Len : 1 FRD/REL STOLE SED FROM DR/CLIN/HOSP/PHARM-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	1528	0.16
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (SEDFFSTL=1,3,5)	8	0.00
	2 = No (SEDFFSTL=6)	280	0.03
	3 = Never/No Pst Mon Use (SEDFFSTL=81,89,91,93,99)	500021	52.67
SEDFFRE2	Len : 1 FRD/REL GOT SED FROM A FRND/REL FOR FREE-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	1528	0.16
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (SEDFFFREE=1,3,5)	34	0.00
	2 = No (SEDFFFREE=6)	254	0.03
	3 = Never/No Pst Mon Use (SEDFFFREE=81,89,91,93,99)	500021	52.67
SEDFFBY2	Len : 1 FRD/REL BOUGHT SED FROM A FRND OR REL-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	1528	0.16
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (SEDFFBOT=1,3,5)	22	0.00
	2 = No (SEDFFBOT=6)	266	0.03
	3 = Never/No Pst Mon Use (SEDFFBOT=81,89,91,93,99)	500021	52.67
SEDFFTK2	Len : 1 FRD/REL TOOK SED FROM A FRND/REL WOUT ASK-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	1528	0.16
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (SEDFFTAK=1,3,5)	12	0.00
	2 = No (SEDFFTAK=6)	276	0.03
	3 = Never/No Pst Mon Use (SEDFFTAK=81,89,91,93,99)	500021	52.67
SEDFFDL2	Len : 1 FRD/REL BGHT SED FRM DRG DEALR/OTH STRNGR-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	1528	0.16
	-9 = Data not collected for this year	447448	47.14
	1 = Yes (SEDFFDLR=1,3,5)	15	0.00
	2 = No (SEDFFDLR=6)	273	0.03
	3 = Never/No Pst Mon Use (SEDFFDLR=81,89,91,93,99)	500021	52.67

RECODED PRIOR SUBSTANCE USE

[SEDFENT2](#)

Len : 1 FRD/REL BOUGHT SED ON THE INTERNET-PST MON

	Freq	Pct
. = Unknown Source (Otherwise).....	1528	0.16
-9 = Data not collected for this year	447448	47.14
1 = Yes (SEDFNET=1)	2	0.00
2 = No (SEDFNET=6)	286	0.03
3 = Never/No Pst Mon Use (SEDFNET=81,89,91,93,99).....	500021	52.67

The following variable, SEDFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription sedatives in "some other way" (SEDFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (SEDFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/relatives getting prescription sedatives "some other way" was unknown (SEDFOTH=85, 94, 97, 98).

[SEDFOT2](#)

Len : 1 FRD/REL GOT SED IN SOME OTHER WAY-PST MON

	Freq	Pct
. = Unknown Source (See comment above)	1530	0.16
-9 = Data not collected for this year	447448	47.14
1 = Yes (SEDFOTH=1,3,5 and SEDFOSP=11-38,71).....	7	0.00
2 = No (SEDFOTH=6 or [SEDFOTH=1,3,5 & SEDFOSP=1-9]).....	279	0.03
3 = Never/No Pst Mon Use (SEDFOTH=81,89,91,93,99)	500021	52.67

[MTHFFRE2](#)

Len : 1 FRD/REL GOT MTH FROM A FRND/REL FOR FREE-PST MON

	Freq	Pct
. = Unknwn Src (CPNMTHMN=1&MTHFFREE=85,93,94,97,98,99).....	695	0.07
-9 = Data not collected for this year	447448	47.14
1 = Yes (CPNMTHMN=1 and MTHFFREE=1,3,5).....	171	0.02
2 = No (CPNMTHMN=1 and MTHFFREE=6).....	258	0.03
3 = No Past Month Use (CPNMTHMN=0).....	500713	52.75

[MTHFFBY2](#)

Len : 1 FRD/REL BOUGHT MTH FROM A FRND/REL-PAST MONTH

	Freq	Pct
. = Unknwn Src (CPNMTHMN=1&MTHFFBOT=85,93,94,97,98,99)	695	0.07
-9 = Data not collected for this year	447448	47.14
1 = Yes (CPNMTHMN=1 and MTHFFBOT=1,3,5).....	168	0.02
2 = No (CPNMTHMN=1 and MTHFFBOT=6)	261	0.03
3 = No Past Month Use (CPNMTHMN=0).....	500713	52.75

[MTHFFTK2](#)

Len : 1 FRD/REL TOOK MTH FRM A FRND/REL WOUT ASK-PST MON

	Freq	Pct
. = Unknwn Src (CPNMTHMN=1&MTHFFTK=85,93,94,97,98,99)	695	0.07
-9 = Data not collected for this year	447448	47.14
1 = Yes (CPNMTHMN=1 and MTHFFTK=1,3,5)	15	0.00
2 = No (CPNMTHMN=1 and MTHFFTK=6)	414	0.04
3 = No Past Month Use (CPNMTHMN=0).....	500713	52.75

[MTHFFDL2](#)

Len : 1 FRD/REL BGHT MTH FRM DRG DEALR/OTH STRNGR-PST MON

	Freq	Pct
. = Unknwn Src (CPNMTHMN=1&MTHFFDLR=85,93,94,97,98,99)	695	0.07
-9 = Data not collected for this year	447448	47.14
1 = Yes (CPNMTHMN=1 and MTHFFDLR=1,3,5).....	151	0.02
2 = No (CPNMTHMN=1 and MTHFFDLR=6)	278	0.03
3 = No Past Month Use (CPNMTHMN=0).....	500713	52.75

[MTHFFNT2](#)

Len : 1 FRD/REL BOUGHT MTH ON THE INTERNET-PAST MONTH

	Freq	Pct
. = Unknwn Src (CPNMTHMN=1&MTHFFNET=85,93,94,97,98,99).....	693	0.07
-9 = Data not collected for this year	447448	47.14
1 = Yes (CPNMTHMN=1 and MTHFFNET=1,5).....	5	0.00
2 = No (CPNMTHMN=1 and MTHFFNET=6).....	426	0.04
3 = No Past Month Use (CPNMTHMN=0).....	500713	52.75

RECODED PRIOR SUBSTANCE USE

The following variable, MTHFFOT2, was defined as yes if a respondent reported past month methamphetamine use (CPNMTHMN=1) and that friends/relatives got methamphetamine in "some other way" (MTHFFOTH=1, 3, 5) and their write-in response was classified as a valid other-specify source (MTHFFOSP=11-38, 71). MTHFFOT2 was defined as no if a respondent reported past month methamphetamine use (CPNMTHMN=1) and either of these situations occurred: (1) that friends/relatives did not get methamphetamine in "some other way" (MTHFFOTH=6) or (2) that friends/relatives got methamphetamine in "some other way" (MTHFFOTH=1, 3, 5) and their write-in response was classified as an invalid other-specify source (MTHFFOSP=5-9). MTHFFOT2 was recoded to SAS missing if a respondent indicated past month methamphetamine use (CPNMTHMN=1) and either of these situations occurred: (1) the respondent indicated that during the past 30 days they got methamphetamine in "some other way" (MTHFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (MTHFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/relatives getting methamphetamine in "some other way" was unknown (MTHFFOTH=85, 93, 94, 97, 98, 99).

<u>MTHFFOT2</u>	Len : 1	FRD/REL GOT MTH IN SOME OTHER WAY-PAST MONTH		
			Freq	Pct
.	= Unknown Source (See comment above)		723	0.08
-9	= Data not collected for this year		447448	47.14
1	= Yes (See comment above)		35	0.00
2	= No (See comment above).....		366	0.04
3	= No Past Month Use (CPNMTHMN=0).....		500713	52.75

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Recoded Drug Use and Prior Substance Use.

<u>MJPRIOR</u>	Len : 1	RC-MARIJUANA USE 12-23 MONTHS PRIOR TO INTERVIEW		
			Freq	Pct
-9	= Data not collected for this year		110392	11.63
0	= No (Otherwise)		701644	73.91
1	= Used 12-23 Months Ago (MRJYRBFR=1).....		137249	14.46

<u>MJPRIYR</u>	Len : 1	RC-MRJ USE 12-23 MONTHS PRIOR & PST YR MRJ USE		
			Freq	Pct
-9	= Data not collected for this year		110392	11.63
0	= No (Otherwise)		732890	77.20
1	= Used in Prior Yr & Past Yr (MRJYR=1 & MJPRIOR=1)		106003	11.17

<u>MJPRNOYR</u>	Len : 1	RC-MRJ USE 12-23 MONTHS PRIOR & NO PST YR MRJ USE		
			Freq	Pct
-9	= Data not collected for this year		110392	11.63
0	= No (Otherwise)		807647	85.08
1	= Used in Pr Yr NOT Pst Yr (MRJYR=0 and MJPRIOR=1).....		31246	3.29

SUBSTANCE TREATMENT

SUBSTANCE TREATMENT

This note applies to variables in this section marked by a¹.

NOTE: Respondents were not asked questions in the SUBSTANCE TREATMENT module if they did not report lifetime use of alcohol, marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, or lifetime use of prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives) for nonmedical reasons. Codes of 81 or 91 in the edited SUBSTANCE TREATMENT variables indicate that the questions did not apply because respondents were nonusers of all of these substances.

These next questions deal with treatment for alcohol and drug problems, not including cigarettes. Please report treatment or counseling designed to help you reduce or stop your alcohol or drug use. Please include detoxification and any other treatment for medical problems associated with your alcohol or drug use.

Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

TXEVER¹

Len : 2 EVER RECEIVED ALCOHOL OR DRUG TREATMENT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	39905	4.20
2 = No.....	500679	52.74
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	38	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	541	0.06
97 = REFUSED	835	0.09
98 = BLANK (NO ANSWER).....	3837	0.40

During the past 12 months, that is since [DATEFILL] have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

TXYEVER¹

Len : 2 EVER RECEIVED ALCOHOL OR DRUG TRMT PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	13115	1.38
2 = No.....	25255	2.66
3 = Yes LOGICALLY ASSIGNED	1472	0.16
4 = No LOGICALLY ASSIGNED.....	24	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	17	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	16	0.00
97 = REFUSED	856	0.09
98 = BLANK (NO ANSWER).....	4401	0.46
99 = LEGITIMATE SKIP (TXEVER=2)	500679	52.74

During the past 12 months when you received treatment, was the treatment for alcohol use only, drug use only, or both alcohol and drug use?

TXYRADG¹

Len : 2 TRMT FOR ALC, DRUG OR BOTH PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Alcohol use only	4151	0.44
2 = Drug use only	3430	0.36
3 = Both alcohol and drug use.....	4528	0.48
4 = Alcohol (drug trmt unknown) LOGICALLY ASSIGNED	10	0.00
5 = Drugs (alcohol trmt unknown) LOGICALLY ASSIGNED	21	0.00
6 = Both alcohol and drug use LOGICALLY ASSIGNED	10	0.00
11 = Alcohol only (but last trmt for drugs reported)	451	0.05
12 = Drugs only (but last trmt for alc reported)	422	0.04
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	43	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	36	0.00
97 = REFUSED	894	0.09
98 = BLANK (NO ANSWER).....	5881	0.62
99 = LEGITIMATE SKIP	525958	55.41

SUBSTANCE TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a hospital overnight as an inpatient?

<u>TXYRHOSP</u> ¹	Len : 2 RCVD TXFILL1 TRMT IN HOSP/OVERNIGHT PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Yes.....	2458	0.26
	2 = No.....	10441	1.10
	5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	141	0.01
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
	85 = BAD DATA Logically assigned.....	53	0.01
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
	94 = DON'T KNOW	15	0.00
	97 = REFUSED	878	0.09
	98 = BLANK (NO ANSWER).....	5891	0.62
	99 = LEGITIMATE SKIP	525958	55.41

Was the treatment you received in a hospital overnight as an inpatient for your alcohol use, your drug use, or both?

<u>TXYRHPAD</u> ¹	Len : 2 HOSP/OVERNIGHT TRMT FOR ALC, DRUGS, OR BOTH		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Alcohol use.....	89	0.01
	2 = Drug use.....	137	0.01
	3 = Both alcohol and drug use.....	730	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
	94 = DON'T KNOW	6	0.00
	97 = REFUSED	857	0.09
	98 = BLANK (NO ANSWER).....	6330	0.67
	99 = LEGITIMATE SKIP	537684	56.64

During the past 12 months, have you received treatment for your [TXFILL1] in a residential drug or alcohol rehabilitation facility where you stayed overnight?

<u>TXYRRFIN</u> ¹	Len : 2 RCVD TXFILL1 TRMT REHAB CENTR/OVERNIGHT PST 12 MO		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Yes.....	3086	0.33
	2 = No.....	9555	1.01
	3 = Yes LOGICALLY ASSIGNED	9	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	369	0.04
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
	85 = BAD DATA Logically assigned.....	65	0.01
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
	94 = DON'T KNOW	16	0.00
	97 = REFUSED	887	0.09
	98 = BLANK (NO ANSWER).....	5890	0.62
	99 = LEGITIMATE SKIP	525958	55.41

Was the treatment you received in a residential drug or alcohol rehabilitation facility where you stayed overnight for your alcohol use, your drug use, or both?

<u>TXYRINAD</u> ¹	Len : 2 RES ALC/DRG REH TRMT FOR ALC, DRUGS, OR BOTH		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Alcohol use.....	63	0.01
	2 = Drug use.....	114	0.01
	3 = Both alcohol and drug use.....	1156	0.12
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	857	0.09
	98 = BLANK (NO ANSWER).....	6541	0.69
	99 = LEGITIMATE SKIP	537100	56.58

SUBSTANCE TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a drug or alcohol rehabilitation facility as an outpatient?

[TXYRRFOP](#)¹

Len : 2 RCVD TXFILL1 TRMT REHAB CENTR/OUTPT PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	5288	0.56
2 = No.....	7046	0.74
3 = Yes LOGICALLY ASSIGNED	8	0.00
5 = Yes LOGICALLY ASSIGNED (from TXLYMN2)	645	0.07
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	68	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	44	0.00
97 = REFUSED	888	0.09
98 = BLANK (NO ANSWER).....	5890	0.62
99 = LEGITIMATE SKIP	525958	55.41

Was the treatment you received in a drug or alcohol rehabilitation facility as an outpatient for your alcohol use, your drug use, or both?

[TXYRPOAD](#)¹

Len : 2 OUTPATIENT TRMT FOR ALC, DRUGS, OR BOTH

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Alcohol use.....	108	0.01
2 = Drug use.....	183	0.02
3 = Both alcohol and drug use.....	1721	0.18
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	5	0.00
97 = REFUSED	858	0.09
98 = BLANK (NO ANSWER).....	6684	0.70
99 = LEGITIMATE SKIP	536274	56.49

During the past 12 months, have you received treatment for your [TXFILL1] in a mental health center or facility as an outpatient?

[TXYRMHC](#)¹

Len : 2 RCVD TXFILL1 TRMT MNT HEALTH CNTR/OUTPT PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	3178	0.33
2 = No.....	9368	0.99
3 = Yes LOGICALLY ASSIGNED	2	0.00
5 = Yes LOGICALLY ASSIGNED (from TXLYMN2)	453	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	67	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	27	0.00
97 = REFUSED	893	0.09
98 = BLANK (NO ANSWER).....	5889	0.62
99 = LEGITIMATE SKIP	525958	55.41

Was the treatment you received in a mental health center or facility as an outpatient for your alcohol use, your drug use, or both?

[TXYRMHAD](#)¹

Len : 2 MNT HEALTH CNTR TRMT FOR ALC, DRUGS, OR BOTH

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Alcohol use.....	75	0.01
2 = Drug use.....	96	0.01
3 = Both alcohol and drug use.....	1003	0.11
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	8	0.00
97 = REFUSED	859	0.09
98 = BLANK (NO ANSWER).....	6496	0.68
99 = LEGITIMATE SKIP	537296	56.60

SUBSTANCE TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in an emergency room?

TXYRTXER ¹	Len : 2 RCVD TXFILL1 TRMT IN EMERGENCY ROOM PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Yes.....	1386	0.15
	2 = No.....	11410	1.20
	3 = Yes LOGICALLY ASSIGNED	189	0.02
	5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2)	35	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
	85 = BAD DATA Logically assigned.....	63	0.01
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
	94 = DON'T KNOW	13	0.00
	97 = REFUSED	891	0.09
	98 = BLANK (NO ANSWER).....	5890	0.62
	99 = LEGITIMATE SKIP	525958	55.41

Was the treatment you received in an emergency room for your alcohol use, your drug use, or both?

TXYRERAD ¹	Len : 2 EMERGENCY ROOM TRMT FOR ALC, DRUGS, OR BOTH		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Alcohol use.....	109	0.01
	2 = Drug use.....	143	0.02
	3 = Both alcohol and drug use.....	205	0.02
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	858	0.09
	98 = BLANK (NO ANSWER).....	6276	0.66
	99 = LEGITIMATE SKIP	538240	56.70

During the past 12 months, have you received treatment for your [TXFILL1] in a private doctor's office?

TXYRDOC ¹	Len : 2 RCVD TXFILL1 TRMT IN PRIV DR.'S OFFICE PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Yes.....	1881	0.20
	2 = No.....	10886	1.15
	3 = Yes LOGICALLY ASSIGNED	5	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2)	246	0.03
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
	85 = BAD DATA Logically assigned.....	67	0.01
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
	94 = DON'T KNOW	14	0.00
	97 = REFUSED	887	0.09
	98 = BLANK (NO ANSWER).....	5891	0.62
	99 = LEGITIMATE SKIP	525958	55.41

Was the treatment you received in a private doctor's office for your alcohol use, your drug use, or both?

TXYRDCAD ¹	Len : 2 PRIV DR.'S OFFICE TRMT FOR ALC, DRUGS, OR BOTH		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Alcohol use.....	41	0.00
	2 = Drug use.....	77	0.01
	3 = Both alcohol and drug use.....	436	0.05
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	856	0.09
	98 = BLANK (NO ANSWER).....	6237	0.66
	99 = LEGITIMATE SKIP	538185	56.69

SUBSTANCE TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a prison or jail?

[TXYRJAIL](#)¹

Len : 2 RCVD TXFILL1 TRMT IN PRISON/JAIL PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1299	0.14
2 = No.....	11624	1.22
3 = Yes LOGICALLY ASSIGNED	6	0.00
5 = Yes LOGICALLY ASSIGNED (from TXLYMN2)	96	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	68	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	10	0.00
97 = REFUSED	883	0.09
98 = BLANK (NO ANSWER).....	5891	0.62
99 = LEGITIMATE SKIP	525958	55.41

Was the treatment you received in a prison or jail for your alcohol use, your drug use, or both?

[TXYRJLAD](#)¹

Len : 2 PRISON/JAIL TRMT FOR ALC, DRUGS, OR BOTH

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Alcohol use.....	50	0.01
2 = Drug use.....	86	0.01
3 = Both alcohol and drug use.....	439	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	3	0.00
97 = REFUSED	858	0.09
98 = BLANK (NO ANSWER).....	6196	0.65
99 = LEGITIMATE SKIP	538201	56.70

During the past 12 months, have you received treatment for your [TXFILL1] in a self-help group such as Alcoholics Anonymous or Narcotics Anonymous?

[TXYRSHG](#)¹

Len : 2 RCVD TXFILL1 TRMT IN SELF-HELP GROUP PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	6709	0.71
2 = No.....	5824	0.61
3 = Yes LOGICALLY ASSIGNED	23	0.00
5 = Yes LOGICALLY ASSIGNED (from TXLYMN2)	468	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	66	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	19	0.00
97 = REFUSED	879	0.09
98 = BLANK (NO ANSWER).....	5889	0.62
99 = LEGITIMATE SKIP	525958	55.41

Was the treatment you received in a self-help group for your alcohol use, your drug use, or both?

[TXYRSGAD](#)¹

Len : 2 SELF-HELP GROUP TRMT FOR ALC, DRUGS, OR BOTH

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Alcohol use.....	260	0.03
2 = Drug use.....	248	0.03
3 = Both alcohol and drug use.....	2105	0.22
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	1	0.00
97 = REFUSED	859	0.09
98 = BLANK (NO ANSWER).....	6650	0.70
99 = LEGITIMATE SKIP	535710	56.43

SUBSTANCE TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in some other place besides these that have been listed?

TXYRSOP¹

Len : 2 RCVD TXFILL1 TRMT IN SOME OTHER PLACE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	3237	0.34
2 = No.....	8594	0.91
5 = Yes LOGICALLY ASSIGNED (from TXLYTMN2).....	1068	0.11
7 = Treatment location unknown, LOG ASSN.....	112	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	63	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	31	0.00
97 = REFUSED	882	0.09
98 = BLANK (NO ANSWER).....	5890	0.62
99 = LEGITIMATE SKIP	525958	55.41

TXYROTS²

Len : 3 OTHER PLACE RECEIVED TRMT PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = A hospital overnight as an inpatient.....	3	0.00
2 = A res drug/alcohol rehab facility overnight	16	0.00
3 = A drug or alcohol rehab facility as an outpatient.....	9	0.00
4 = A mental health center or facility as outpatient.....	3	0.00
5 = An emergency room.....	1	0.00
6 = A private doctor's office.....	11	0.00
7 = A prison or jail.....	15	0.00
8 = Self-help group, Alcoholic/Narcotics Anonymous.....	59	0.01
9 = Some other place.....	240	0.03
21 = A hospital overnight as an inpatient.....	3	0.00
22 = A res drug/alcohol rehab facility overnight	3	0.00
23 = A drug or alcohol rehab facility as an outpatient.....	6	0.00
24 = A mental health center or facility as outpatient.....	2	0.00
26 = A private doctor's office.....	1	0.00
27 = A prison or jail.....	1	0.00
28 = Self-help group, Alcoholic/Narcotics Anonymous.....	23	0.00
40 = Home, family, friends	225	0.02
41 = School, college.....	416	0.04
42 = Church/religious/spiritual influence	217	0.02
44 = Halfway house/group home	41	0.00
45 = Rehab/intervention fac/prgrm, ptnt status unspcfd.....	89	0.01
47 = Communt/city/county/state pgm or facil; unspcfd	65	0.01
48 = Counselor, therapist, psychologist, psychiatrist	532	0.06
49 = Court-mandated/sponsored program	440	0.05
51 = Alcohol/drug class or education, locale unspcfd.....	109	0.01
52 = Military/VA Hospital.....	43	0.00
53 = Hospital; mental health or patient status unspcfd	33	0.00
54 = On the job, Job Corp, EAP.....	3	0.00
55 = Youth-oriented facility/organization/program	80	0.01
56 = Mental hlth ctr/facility/hosp; ptnt status unspcfd	44	0.00
58 = Other individual, relationship unspecified	18	0.00
59 = Foster Care, Child & Family Services.....	11	0.00
61 = Camp/boot camp/outward bound/wilderness program.....	3	0.00
62 = Preliminary evaluation, location unspecified	4	0.00
63 = Medical clinic	11	0.00
64 = Methadone clinic/program	170	0.02
65 = Name of facility/program given.....	836	0.09
66 = Faith-based formal program/facility.....	13	0.00
68 = Detox.....	5	0.00
73 = Group counseling/therapy	14	0.00
74 = Clinic; type unspecified	6	0.00
77 = Group; type unspecified.....	4	0.00
78 = Outpatient facility; type and reason unspecified	11	0.00
981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
985 = BAD DATA Logically assigned.....	241	0.03
991 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
994 = DON'T KNOW	72	0.01
997 = REFUSED	951	0.10
998 = BLANK (NO ANSWER).....	6180	0.65
999 = LEGITIMATE SKIP	534552	56.31

SUBSTANCE TREATMENT

Was the treatment you received in this other place for your alcohol use, your drug use, or both?

[TXYROTAD](#)¹

Len : 2 OTHER PLACE TRMT FOR ALC, DRUGS, OR BOTH

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Alcohol use.....	68	0.01
2 = Drug use.....	70	0.01
3 = Both alcohol and drug use.....	863	0.09
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	1	0.00
97 = REFUSED	858	0.09
98 = BLANK (NO ANSWER).....	6712	0.71
99 = LEGITIMATE SKIP	537262	56.60

During the past 12 months, that is, since [DATEFILL], did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?

[TXYRVSER](#)¹

Len : 2 EVER VISIT EMER RM FOR TRMT OF ILL DRUG PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	513	0.05
2 = No.....	7599	0.80
6 = NEVER USED RELEVANT DRUGS.....	529	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	12	0.00
97 = REFUSED	914	0.10
98 = BLANK (NO ANSWER).....	6155	0.65
99 = LEGITIMATE SKIP	530109	55.84

During the past 12 months, how many times did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?

[TXYRNME](#)²

Len : 3 # TIMES EMER RM FOR TRMT OF ILL DRUGS PST 12 MOS

	Freq	Pct
RANGE = 1 - 30.....	487	0.05
-9 = Data not collected for this year	226632	23.87
31 = 31 or more	3	0.00
981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
985 = BAD DATA Logically assigned.....	2	0.00
991 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
994 = DON'T KNOW	17	0.00
997 = REFUSED	920	0.10
998 = BLANK (NO ANSWER).....	6169	0.65
999 = LEGITIMATE SKIP	538237	56.70

Are you currently receiving treatment or counseling for your [TXFILL1]?

[TXRCVNOW](#)¹

Len : 2 CURRENTLY RECEIVING TRMT/COUNSELING FOR TXFILL1

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	5093	0.54
2 = No.....	7961	0.84
3 = Yes LOGICALLY ASSIGNED	1	0.00
4 = No LOGICALLY ASSIGNED.....	8	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	56	0.01
89 = LEGITIMATE SKIP Logically assigned	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	20	0.00
97 = REFUSED	879	0.09
98 = BLANK (NO ANSWER).....	5859	0.62
99 = LEGITIMATE SKIP	525934	55.40

SUBSTANCE TREATMENT

NOTE: The variables NDTXNEDR, NDTXALCR, NDTXMJR, NDTXCOCR, NDTXHERR, NDTXHALR, NDTXINHR, NDTXANLR, NDTXTRNR, NDTXSTMR, NDTXSEDR, NDTXSODR, NDTXDG1R, NDTXDG2R, NDTXDG3R, NDTXDG4R, NDTXDG5R, and NDTXEFTR are renamed versions of the following variables from the 1999 survey: NDTXNEED, NDTXALC, NDTXMJ, NDTXCOC, NDTXHER, NDTXHAL, NDTXINH, NDTXANL, NDTXTRAN, NDTXSTIM, NDTXSED, NDTXSOD, NDTXDRG1, NDTXDRG2, NDTXDRG3, NDTXDRG4, NDTXDRG5, and NDTXEFRT. These variables were renamed because changes in the skip logic for 2000 affected whether respondents were asked (or not asked) the questions corresponding to these variables.

During the past 12 months, did you need treatment or counseling for your alcohol or drug use?

[NDTXNEDR](#)¹

Len : 2 NEED TRMT FOR USE OF ALCOHOL OR DRUG PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	3887	0.41
2 = No.....	522317	55.02
11 = Yes (TXYREVER=3).....	369	0.04
12 = No (TXYREVER=3).....	1089	0.11
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	36	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	448	0.05
97 = REFUSED	712	0.08
98 = BLANK (NO ANSWER).....	3853	0.41
99 = LEGITIMATE SKIP	13124	1.38

During the past 12 months, did you need additional treatment or counseling for your alcohol or drug use?

[NDTXMORE](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF ALCOHOL/DRUG PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	619	0.07
2 = No.....	7323	0.77
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	17	0.00
97 = REFUSED	29	0.00
98 = BLANK (NO ANSWER).....	6795	0.72
99 = LEGITIMATE SKIP	531051	55.94

During the past 12 months, for which of the following drugs did you need additional treatment or counseling?

[NDTMRALC](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF ALCOHOL PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	351	0.04
6 = Response not entered.....	265	0.03
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	2	0.00
97 = REFUSED	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

[NDTMRMJ](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF MJ/HASH PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	203	0.02
6 = Response not entered.....	413	0.04
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	2	0.00
97 = REFUSED	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

SUBSTANCE TREATMENT

[NDTMRROC](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF COC/CRACK PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	108	0.01
6 = Response not entered.....	508	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	2	0.00
97 = REFUSED	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

[NDTMRHER](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF HEROIN PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	64	0.01
6 = Response not entered.....	552	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	2	0.00
97 = REFUSED	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

[NDTMRHAL](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF HALLUC PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	20	0.00
6 = Response not entered.....	596	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	2	0.00
97 = REFUSED	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

[NDTMRINH](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF INHALANTS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	10	0.00
6 = Response not entered.....	606	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	2	0.00
97 = REFUSED	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

[NDTMRANL](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF PAIN REL PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	108	0.01
6 = Response not entered.....	508	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	2	0.00
97 = REFUSED	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

SUBSTANCE TREATMENT

[NDTMRTRN](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF TRAN PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	42	0.00
6 = Response not entered.....	574	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	2	0.00
97 = REFUSED	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

[NDTMRSTM](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF STIMULANTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	32	0.00
6 = Response not entered.....	584	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	2	0.00
97 = REFUSED	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

[NDTMRSED](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF SEDATIVES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	15	0.00
6 = Response not entered.....	601	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	2	0.00
97 = REFUSED	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

[NDTMROTH](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF SOME OTH DRG PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	46	0.00
6 = Response not entered.....	570	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	2	0.00
97 = REFUSED	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

During the past 12 months did you need treatment or counseling for your use of alcohol?

[NDTXALCR](#)¹

Len : 2 NEED TRMT FOR USE OF ALCOHOL PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	2031	0.21
2 = No.....	1724	0.18
3 = Yes LOGICALLY ASSIGNED	4	0.00
11 = Yes (TXYREVER=3).....	189	0.02
12 = No (TXYREVER=3).....	164	0.02
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	1	0.00
97 = REFUSED	643	0.07
98 = BLANK (NO ANSWER).....	554	0.06
99 = LEGITIMATE SKIP	540524	56.94

SUBSTANCE TREATMENT

During the past 12 months, did you need treatment or counseling for your use of marijuana or hashish?

[NDTXMJR](#)¹

Len : 2 NEED TRMT FOR USE OF MARIJUANA/HASHISH PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	805	0.08
2 = No.....	2544	0.27
3 = Yes LOGICALLY ASSIGNED	10	0.00
11 = Yes (TXYREVER=3).....	106	0.01
12 = No (TXYREVER=3).....	207	0.02
13 = Yes LOGICALLY ASSIGNED (TXYREVER=3)	2	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
97 = REFUSED	378	0.04
98 = BLANK (NO ANSWER).....	302	0.03
99 = LEGITIMATE SKIP	541481	57.04

During the past 12 months, did you need treatment or counseling for your use of cocaine or 'crack'?

[NDTXCOCR](#)¹

Len : 2 NEED TRMT FOR USE OF COCAINE/CRACK PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	514	0.05
2 = No.....	1630	0.17
3 = Yes LOGICALLY ASSIGNED	6	0.00
11 = Yes (TXYREVER=3).....	54	0.01
12 = No (TXYREVER=3).....	138	0.01
13 = Yes LOGICALLY ASSIGNED (TXYREVER=3)	4	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
97 = REFUSED	132	0.01
98 = BLANK (NO ANSWER).....	163	0.02
99 = LEGITIMATE SKIP	543194	57.22

During the past 12 months, did you need treatment or counseling for your use of heroin?

[NDTXHERR](#)¹

Len : 2 NEED TRMT FOR USE OF HEROIN PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	179	0.02
2 = No.....	349	0.04
11 = Yes (TXYREVER=3).....	30	0.00
12 = No (TXYREVER=3).....	32	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
97 = REFUSED	52	0.01
98 = BLANK (NO ANSWER).....	274	0.03
99 = LEGITIMATE SKIP	544919	57.40

During the past 12 months, did you need treatment or counseling for your use of hallucinogens?

[NDTXHALR](#)¹

Len : 2 NEED TRMT FOR USE OF HALLUCINOGENS PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	129	0.01
2 = No.....	2053	0.22
3 = Yes LOGICALLY ASSIGNED	4	0.00
11 = Yes (TXYREVER=3).....	18	0.00
12 = No (TXYREVER=3).....	169	0.02
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
97 = REFUSED	160	0.02
98 = BLANK (NO ANSWER).....	1469	0.15
99 = LEGITIMATE SKIP	541831	57.08

SUBSTANCE TREATMENT

During the past 12 months, did you need treatment or counseling for your use of inhalants?

[NDTXINHR](#)¹

Len : 2 NEED TRMT FOR USE OF INHALANTS PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	95	0.01
2 = No.....	1428	0.15
3 = Yes LOGICALLY ASSIGNED	2	0.00
11 = Yes (TXYREVER=3).....	14	0.00
12 = No (TXYREVER=3).....	109	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
97 = REFUSED	189	0.02
98 = BLANK (NO ANSWER).....	955	0.10
99 = LEGITIMATE SKIP	543043	57.21

During the past 12 months, did you need treatment or counseling for your use of prescription pain relievers?

[NDTXANLR](#)¹

Len : 2 NEED TRMT FOR USE OF RX PAIN RELIEVERS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	562	0.06
2 = No.....	1763	0.19
3 = Yes LOGICALLY ASSIGNED	14	0.00
11 = Yes (TXYREVER=3).....	60	0.01
12 = No (TXYREVER=3).....	150	0.02
13 = Yes LOGICALLY ASSIGNED (TXYREVER=3)	3	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
97 = REFUSED	251	0.03
98 = BLANK (NO ANSWER).....	1744	0.18
99 = LEGITIMATE SKIP	541283	57.02

During the past 12 months, did you need treatment or counseling for your use of prescription tranquilizers?

[NDTXTRNR](#)¹

Len : 2 NEED TRMT FOR USE OF RX TRANQUILIZERS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	183	0.02
2 = No.....	1471	0.15
3 = Yes LOGICALLY ASSIGNED	3	0.00
11 = Yes (TXYREVER=3).....	17	0.00
12 = No (TXYREVER=3).....	129	0.01
13 = Yes LOGICALLY ASSIGNED (TXYREVER=3)	1	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
97 = REFUSED	124	0.01
98 = BLANK (NO ANSWER).....	805	0.08
99 = LEGITIMATE SKIP	543100	57.21

SUBSTANCE TREATMENT

During the past 12 months, did you need treatment or counseling for your use of prescription stimulants?

[NDTXSTMR](#)¹

Len : 2 NEED TRMT FOR USE OF RX STIMULANTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	195	0.02
2 = No.....	1213	0.13
3 = Yes LOGICALLY ASSIGNED	82	0.01
11 = Yes (TXYREVER=3).....	20	0.00
12 = No (TXYREVER=3).....	104	0.01
13 = Yes LOGICALLY ASSIGNED (TXYREVER=3)	2	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	1	0.00
97 = REFUSED	129	0.01
98 = BLANK (NO ANSWER).....	755	0.08
99 = LEGITIMATE SKIP	543332	57.24

During the past 12 months, did you need treatment or counseling for your use of prescription sedatives?

[NDTXSEDR](#)¹

Len : 2 NEED TRMT FOR USE OF RX SEDATIVES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	76	0.01
2 = No.....	425	0.04
3 = Yes LOGICALLY ASSIGNED	3	0.00
11 = Yes (TXYREVER=3).....	7	0.00
12 = No (TXYREVER=3).....	44	0.00
13 = Yes LOGICALLY ASSIGNED (TXYREVER=3)	1	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
89 = LEGITIMATE SKIP Logically assigned	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	1	0.00
97 = REFUSED	89	0.01
98 = BLANK (NO ANSWER).....	848	0.09
99 = LEGITIMATE SKIP	544337	57.34

During the past 12 months, did you need treatment or counseling for your use of some other drug besides the ones just listed?

[NDTXSODR](#)¹

Len : 2 NEED TRMT FOR USE OF SOME OTHER DRUG PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	278	0.03
2 = No.....	3051	0.32
5 = Drug Unknown LOGICALLY ASSIGNED	551	0.06
11 = Yes (TXYREVER=3).....	40	0.00
12 = No (TXYREVER=3).....	327	0.03
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	4	0.00
97 = REFUSED	717	0.08
98 = BLANK (NO ANSWER).....	4336	0.46
99 = LEGITIMATE SKIP	536530	56.52

SUBSTANCE TREATMENT

NDTXDG1R¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
103 = Amytal.....	1	0.00
111 = Dalmane, Flurazepam	1	0.00
115 = Phenobarbital	1	0.00
122 = Over-the-counter sleep aid; not specified <OTC>	1	0.00
174 = Ambien, Stilnox, Zolpidem	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars	2	0.00
289 = Olanzapine, Zyprexa	1	0.00
318 = Ritalin, Methylphenidate.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	67	0.01
336 = Diet pills/medications/drugs; otherwise unspfd.....	1	0.00
348 = Crystal	1	0.00
355 = Crystal meth, crystal methamphetamine.....	8	0.00
418 = Methadone, Dolophine.....	1	0.00
423 = Percocet.....	1	0.00
425 = Advil <OTC>.....	1	0.00
426 = Fiorinal	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	2	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	4	0.00
465 = Actiq, Fentanyl, Duragesic, Sublimaze	1	0.00
503 = Other aerosol sprays	1	0.00
543 = Liquid oxygen, oxygen	1	0.00
601 = LSD ("acid")	2	0.00
702 = Heroin	3	0.00
704 = Dope.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	9	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	21	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	7	0.00
806 = Crack, rock	4	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	12	0.00
809 = Pills	1	0.00
812 = Cigars	1	0.00
813 = Cigarettes, tobacco (type unspecified).....	8	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
848 = Liquid vitamin, vitamin pills <OTC>.....	1	0.00
900 = Not a drug.....	2	0.00
1006 = Trileptal, Oxcarbazepine	1	0.00
2011 = Lexapro.....	1	0.00
3023 = Adderall	3	0.00
3033 = Metabolife <OTC>	1	0.00
3052 = Speed; otherwise unspecified.....	8	0.00
3100 = Over-the-counter stimulant; not otherwise specifd	1	0.00
4046 = Oxycodone or unspecified oxycodone products	4	0.00
4065 = Roxicodone	1	0.00
4067 = OxyContin	3	0.00
4076 = OTC Pain reliever; not otherwise specified <OTC>	1	0.00
4109 = Suboxone	3	0.00
6044 = Gel caps, gel tabs.....	1	0.00
6056 = Wet.....	1	0.00
6121 = Cactus; specifically not peyote	1	0.00
8012 = Coriciden <OTC>.....	3	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator	1	0.00
8044 = Cephelaxin, Keflex	1	0.00
8058 = Cough medicine/syrup; type unspecified	2	0.00
8139 = Chloroquine, Nivaquine	1	0.00
8203 = Bar; otherwise unspecified	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018).....	1	0.00
8301 = Bath salts, otherwise unspecified	1	0.00
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.04
9985 = BAD DATA Logically assigned	50	0.01
9991 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
9994 = DON'T KNOW.....	29	0.00
9997 = REFUSED	742	0.08
9998 = BLANK (NO ANSWER).....	4892	0.52
9999 = LEGITIMATE SKIP.....	539908	56.88

SUBSTANCE TREATMENT

NDTXDG2R¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
115 = Phenobarbital	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	4	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	1	0.00
418 = Methadone, Dolophine.....	1	0.00
423 = Percocet	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	1	0.00
442 = Ibuprofen	1	0.00
499 = Aleve <OTC>	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	4	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	4	0.00
806 = Crack, rock	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
900 = Not a drug.....	1	0.00
2001 = Sanoma, Soma, Carisoprodol	1	0.00
4052 = Endocet.....	1	0.00
4119 = Buprenorphine, Subutex	1	0.00
8009 = Allergy pills/antihistamine; type unspecified	1	0.00
8108 = Atenonol	1	0.00
8138 = Chlorphenamine maleate, Chlorpheniramine	1	0.00
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.04
9985 = BAD DATA Logically assigned	35	0.00
9991 = NEVER USED ALCOHOL OR DRUGS	176414	18.58
9994 = DON'T KNOW.....	2	0.00
9997 = REFUSED	722	0.08
9998 = BLANK (NO ANSWER)	5136	0.54
9999 = LEGITIMATE SKIP.....	539908	56.88

NDTXDG3R¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
115 = Phenobarbital	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars	1	0.00
408 = Dilaudid, Hydromorphone	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	3	0.00
804 = Hashish.....	1	0.00
806 = Crack, rock	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.00
813 = Cigarettes, tobacco (type unspecified).....	1	0.00
816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
2001 = Sanoma, Soma, Carisoprodol	1	0.00
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.04
9985 = BAD DATA Logically assigned	19	0.00
9991 = NEVER USED ALCOHOL OR DRUGS	176414	18.58
9994 = DON'T KNOW.....	3	0.00
9997 = REFUSED	718	0.08
9998 = BLANK (NO ANSWER).....	5171	0.54
9999 = LEGITIMATE SKIP.....	539908	56.88

SUBSTANCE TREATMENT

NDTXDG4R¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
209 = Xanax, Alprazolam, Tafil, Xanax bars	2	0.00
417 = Morphine, Roxanol	1	0.00
601 = LSD ("acid")	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	3	0.00
806 = Crack, rock	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.00
2001 = Sanoma, Soma, Carisoprodol	1	0.00
8058 = Cough medicine/syrup; type unspecified	1	0.00
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.04
9985 = BAD DATA Logically assigned	12	0.00
9991 = NEVER USED ALCOHOL OR DRUGS	176414	18.58
9994 = DON'T KNOW	1	0.00
9997 = REFUSED	717	0.08
9998 = BLANK (NO ANSWER)	5185	0.55
9999 = LEGITIMATE SKIP	539908	56.88

NDTXDG5R¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
209 = Xanax, Alprazolam, Tafil, Xanax bars	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	2	0.00
805 = Cocaine, coca, cocaina, coke, perico	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.00
2001 = Sanoma, Soma, Carisoprodol	1	0.00
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.04
9985 = BAD DATA Logically assigned	8	0.00
9991 = NEVER USED ALCOHOL OR DRUGS	176414	18.58
9997 = REFUSED	717	0.08
9998 = BLANK (NO ANSWER)	5195	0.55
9999 = LEGITIMATE SKIP	539908	56.88

NOTE: NDTXEFTR was assigned a code of 11 if the respondent originally reported making an effort to obtain treatment but at least one of the following occurred: (a) the respondent was logically inferred to have gotten treatment in the past 12 months (TXYREVER=3); or (b) the respondent did not perceive a need for treatment for use of any of the specific drugs that he/she was asked about (i.e., all questions about the perceived need for treatment for specific drugs were answered as "no").

During the past 12 months, did you make an effort to get treatment or counseling for your use of [TXFILL2]?

NDTXEFTR¹

Len : 2 MAKE EFFORT FOR TRMT OF TXFILL2 PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes	1036	0.11
2 = No	2756	0.29
11 = Yes (see note)	327	0.03
12 = No (TXYREVER=3)	124	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.04
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	176414	18.58
94 = DON'T KNOW	7	0.00
97 = REFUSED	718	0.08
98 = BLANK (NO ANSWER)	4336	0.46
99 = LEGITIMATE SKIP	536530	56.52

SUBSTANCE TREATMENT

Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?

NDTXNHCV¹

Len : 2 NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	1076	0.11
6 = Response not entered.....	2911	0.31
11 = Response entered (TXYREVER=3 or NDTXEFTR=11)	99	0.01
13 = Response entered LOG ASSN (NDTXNEED/NDTXEFTR=11)	1	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	84	0.01
97 = REFUSED	797	0.08
98 = BLANK (NO ANSWER).....	4336	0.46
99 = LEGITIMATE SKIP	536530	56.52

NDTXLMCV¹

Len : 2 TREATMENT NOT COVERED ON HLTH CARE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	222	0.02
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	3811	0.40
11 = Response entered (TXYREVER=3 or NDTXEFTR=11)	52	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	84	0.01
97 = REFUSED	797	0.08
98 = BLANK (NO ANSWER).....	4337	0.46
99 = LEGITIMATE SKIP	536530	56.52

NDTXNTSP¹

Len : 2 NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	262	0.03
3 = Response entered LOGICALLY ASSIGNED	4	0.00
6 = Response not entered.....	3783	0.40
11 = Response entered (TXYREVER=3 or NDTXEFTR=11)	37	0.00
13 = Response entered LOG ASSN(NDTXNEDR or NDTXEFTR=11).....	1	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	84	0.01
97 = REFUSED	797	0.08
98 = BLANK (NO ANSWER).....	4337	0.46
99 = LEGITIMATE SKIP	536530	56.52

NDTXTYPE¹

Len : 2 TREATMENT NOT FOUND FOR TYPE WANTED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	219	0.02
6 = Response not entered.....	3844	0.40
11 = Response entered (TXYREVER=3 or NDTXEFTR=11)	24	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	84	0.01
97 = REFUSED	797	0.08
98 = BLANK (NO ANSWER).....	4337	0.46
99 = LEGITIMATE SKIP	536530	56.52

SUBSTANCE TREATMENT

[NDTXREDY](#)¹

Len : 2 NOT READY TO STOP USING [TXFILL2]

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	1292	0.14
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered.....	2679	0.28
11 = Response entered (TXYREVER=3 or NDTXEFTR=11)	102	0.01
13 = Yes LOGICALLY ASSIGNED (TXYREVER=3 or NDTXEFTR=11)	3	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	84	0.01
97 = REFUSED	797	0.08
98 = BLANK (NO ANSWER).....	4337	0.46
99 = LEGITIMATE SKIP	536530	56.52

[NDTXOPEN](#)¹

Len : 2 NO OPENINGS IN THE PROGRAMS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	109	0.01
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	3959	0.42
11 = Response entered (TXYREVER=3 or NDTXEFTR=11)	18	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	84	0.01
97 = REFUSED	797	0.08
98 = BLANK (NO ANSWER).....	4337	0.46
99 = LEGITIMATE SKIP	536530	56.52

[NDTXWHER](#)¹

Len : 2 DIDN'T KNOW WHERE TO GET TREATMENT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	486	0.05
3 = Response entered LOGICALLY ASSIGNED	5	0.00
6 = Response not entered.....	3565	0.38
11 = Response entered (TXYREVER=3 or NDTXEFTR=11)	31	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	84	0.01
97 = REFUSED	797	0.08
98 = BLANK (NO ANSWER).....	4337	0.46
99 = LEGITIMATE SKIP	536530	56.52

[NDTXNBR](#)¹

Len : 2 TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG OPIN

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	489	0.05
6 = Response not entered.....	3570	0.38
11 = Response entered (TXYREVER=3 or NDTXEFTR=3)	28	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	84	0.01
97 = REFUSED	797	0.08
98 = BLANK (NO ANSWER).....	4337	0.46
99 = LEGITIMATE SKIP	536530	56.52

[NDTXJOB](#)¹

Len : 2 TREATMENT MIGHT HAVE NEG. EFFECT ON JOB

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	373	0.04
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	3687	0.39
11 = Response entered (TXYREVER=3 or NDTXEFTR=11)	26	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	84	0.01
97 = REFUSED	797	0.08
98 = BLANK (NO ANSWER).....	4337	0.46
99 = LEGITIMATE SKIP	536530	56.52

SUBSTANCE TREATMENT

Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?

NDTXNOND¹

Len : 2 YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME

	Freq	Pct
-9 = Data not collected for this year	280711	29.57
1 = Response entered	285	0.03
3 = Response entered LOGICALLY ASSIGNED	31	0.00
6 = Response not entered.....	3374	0.36
11 = Response entered (TXYREVER=3 or NDTXEFTR=11)	35	0.00
13 = Response entered LOG ASSN (see level 11).....	4	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	164211	17.30
94 = DON'T KNOW	82	0.01
97 = REFUSED	759	0.08
98 = BLANK (NO ANSWER).....	4029	0.42
99 = LEGITIMATE SKIP	495391	52.19

NDTXHNDL¹

Len : 2 YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT

	Freq	Pct
-9 = Data not collected for this year	280711	29.57
1 = Response entered	382	0.04
3 = Response entered LOGICALLY ASSIGNED	13	0.00
6 = Response not entered.....	3303	0.35
11 = Response entered (TXYREVER=3 or NDTXEFTR=11)	30	0.00
13 = Response entered LOG ASSN (see level 11).....	1	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	164211	17.30
94 = DON'T KNOW	82	0.01
97 = REFUSED	759	0.08
98 = BLANK (NO ANSWER).....	4029	0.42
99 = LEGITIMATE SKIP	495391	52.19

NDTXNHLP¹

Len : 2 YOU DIDN'T THINK TREATMENT WOULD HELP

	Freq	Pct
-9 = Data not collected for this year	280711	29.57
1 = Response entered	138	0.01
3 = Response entered LOGICALLY ASSIGNED	7	0.00
6 = Response not entered.....	3577	0.38
11 = Response entered (TXYREVER=3 or NDTXEFTR=11)	7	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	164211	17.30
94 = DON'T KNOW	82	0.01
97 = REFUSED	759	0.08
98 = BLANK (NO ANSWER).....	4029	0.42
99 = LEGITIMATE SKIP	495391	52.19

NDTXBUSY¹

Len : 2 YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)

	Freq	Pct
-9 = Data not collected for this year	280711	29.57
1 = Response entered	161	0.02
3 = Response entered LOGICALLY ASSIGNED	14	0.00
6 = Response not entered.....	3542	0.37
11 = Response entered (TXYREVER=3 or NDTXEFTR=11)	12	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	164211	17.30
94 = DON'T KNOW	82	0.01
97 = REFUSED	759	0.08
98 = BLANK (NO ANSWER).....	4029	0.42
99 = LEGITIMATE SKIP	495391	52.19

SUBSTANCE TREATMENT

[NDTXFOUT](#)¹

Len : 2 DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT

	Freq	Pct
-9 = Data not collected for this year	280711	29.57
1 = Response entered	251	0.03
3 = Response entered LOGICALLY ASSIGNED	13	0.00
6 = Response not entered.....	3450	0.36
11 = Response entered (TXYREVER=3 or NDTXEFTTR=11)	15	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	164211	17.30
94 = DON'T KNOW	82	0.01
97 = REFUSED	759	0.08
98 = BLANK (NO ANSWER).....	4029	0.42
99 = LEGITIMATE SKIP	495391	52.19

[NDTXSOR](#)¹

Len : 2 SOME OTHER REASON OR REASONS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	510	0.05
6 = Response not entered.....	3519	0.37
11 = Response entered (TXYREVER=3 or NDTXEFTTR=11)	58	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	84	0.01
97 = REFUSED	797	0.08
98 = BLANK (NO ANSWER).....	4337	0.46
99 = LEGITIMATE SKIP	536530	56.52

During the past 12 months, did you make an effort to get additional treatment or counseling for your use of alcohol or any other drug?

[NDTMREFT](#)¹

Len : 2 MAKE EFFORT FOR ADDL TRMT FOR ALC/DRG PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	348	0.04
2 = No.....	270	0.03
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	1	0.00
97 = REFUSED	29	0.00
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?

[NDMRNHCV](#)¹

Len : 2 NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	181	0.02
6 = Response not entered.....	405	0.04
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	13	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

[NDMRLMCV](#)¹

Len : 2 TREATMENT NOT COVERED ON HLTH CARE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	45	0.00
6 = Response not entered.....	541	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	13	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

SUBSTANCE TREATMENT

[NDMRNTSP](#)¹

Len : 2 NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	56	0.01
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	528	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	13	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

[NDMRTYPE](#)¹

Len : 2 TREATMENT NOT FOUND FOR TYPE WANTED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	46	0.00
6 = Response not entered.....	540	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	13	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

[NDMRREDY](#)¹

Len : 2 NOT READY TO STOP USING ALCOHOL OR DRUGS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	172	0.02
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	413	0.04
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	13	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

[NDMROPEN](#)¹

Len : 2 NO OPENINGS IN THE PROGRAMS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	25	0.00
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	559	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	13	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

[NDMRWHER](#)¹

Len : 2 DIDN'T KNOW WHERE TO GET TREATMENT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	40	0.00
6 = Response not entered.....	546	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	13	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

SUBSTANCE TREATMENT

[NDMRNBR](#)¹

Len : 2 TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG. OPIN

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	40	0.00
6 = Response not entered.....	546	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	13	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

[NDMRJOB](#)¹

Len : 2 TREATMENT MIGHT HAVE NEG. EFFECT ON JOB

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	35	0.00
6 = Response not entered.....	551	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	13	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?

[NDMRNOND](#)¹

Len : 2 YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME

	Freq	Pct
-9 = Data not collected for this year	280711	29.57
1 = Response entered	54	0.01
3 = Response entered LOGICALLY ASSIGNED	4	0.00
6 = Response not entered.....	481	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	164211	17.30
94 = DON'T KNOW	13	0.00
97 = REFUSED	45	0.00
98 = BLANK (NO ANSWER).....	6360	0.67
99 = LEGITIMATE SKIP	497033	52.36

[NDMRHNDL](#)¹

Len : 2 YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT

	Freq	Pct
-9 = Data not collected for this year	280711	29.57
1 = Response entered	46	0.00
6 = Response not entered.....	493	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	164211	17.30
94 = DON'T KNOW	13	0.00
97 = REFUSED	45	0.00
98 = BLANK (NO ANSWER).....	6360	0.67
99 = LEGITIMATE SKIP	497033	52.36

[NDMRNHLP](#)¹

Len : 2 YOU DIDN'T THINK TREATMENT WOULD HELP

	Freq	Pct
-9 = Data not collected for this year	280711	29.57
1 = Response entered	14	0.00
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered.....	522	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	164211	17.30
94 = DON'T KNOW	13	0.00
97 = REFUSED	45	0.00
98 = BLANK (NO ANSWER).....	6360	0.67
99 = LEGITIMATE SKIP	497033	52.36

SUBSTANCE TREATMENT

[NDMRBUSY](#)¹

Len : 2 YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)

	Freq	Pct
-9 = Data not collected for this year	280711	29.57
1 = Response entered	22	0.00
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered.....	514	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	164211	17.30
94 = DON'T KNOW	13	0.00
97 = REFUSED	45	0.00
98 = BLANK (NO ANSWER).....	6360	0.67
99 = LEGITIMATE SKIP	497033	52.36

[NDMRFOUT](#)¹

Len : 2 DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT

	Freq	Pct
-9 = Data not collected for this year	280711	29.57
1 = Response entered	15	0.00
3 = Response entered LOGICALLY ASSIGNED	4	0.00
6 = Response not entered.....	520	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	164211	17.30
94 = DON'T KNOW	13	0.00
97 = REFUSED	45	0.00
98 = BLANK (NO ANSWER).....	6360	0.67
99 = LEGITIMATE SKIP	497033	52.36

[NDMRSOR](#)¹

Len : 2 SOME OTHER REASON OR REASONS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Response entered	97	0.01
6 = Response not entered.....	489	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	13	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER).....	6813	0.72
99 = LEGITIMATE SKIP	538374	56.71

How long has it been since you were last in treatment or counseling for your alcohol or drug use, not counting cigarettes?

[TXLASREC](#)¹

Len : 2 TIME SINCE LAST RCVD ALCOHOL OR DRUG TREATMENT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Within past 30 days -- that is, since [DATEFILL]	1284	0.14
2 = More than 30 days ago but within the past 12 mos	6003	0.63
3 = More than 12 months ago	24858	2.62
7 = Still in treatment LOG ASSN (TXRCVNOW=1).....	5093	0.54
8 = Treatment in past year LOGICALLY ASSIGNED	2207	0.23
9 = Treatment in lifetime LOGICALLY ASSIGNED.....	39	0.00
13 = Treatment > 12 mos ago LOG ASSN (TXYREVER=2)	421	0.04
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
97 = REFUSED	835	0.09
98 = BLANK (NO ANSWER).....	4414	0.46
99 = LEGITIMATE SKIP	500679	52.74

SUBSTANCE TREATMENT

NOTE: For most of the remaining questions in the SUBSTANCE TREATMENT module, the wording differed depending on whether respondents previously reported that they were still in treatment or that they were no longer in treatment. Where two question wordings appear for a given variable, the first wording was what respondents received if they reported that they were no longer in treatment. The second wording was what respondents received if they reported that they were still in treatment.

What was the main place where you received treatment the last time you started treatment for your alcohol or other drug use, not counting cigarettes?

What is the main place where you are currently receiving treatment for your alcohol or other drug use, not counting cigarettes?

[TXLTYMN2¹](#)

Len : 3 MAIN PLACE RCV TRMT LAST TIME/CURRENTLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = A hospital overnight as an inpatient.....	449	0.05
2 = A res drug/alcohol rehab facility overnight	1331	0.14
3 = A drug or alcohol rehab facility as an outpatient.....	2752	0.29
4 = A mental health center or facility as outpatient.....	1522	0.16
5 = An emergency room.....	141	0.01
6 = A private doctor's office.....	890	0.09
7 = A prison or jail.....	351	0.04
8 = Self-help group, Alcoholic/Narcotics Anonymous.....	2932	0.31
9 = Some other place.....	474	0.05
28 = Self-help group, Alcoholic/Narcotics Anonymous.....	12	0.00
40 = Home, family, friends	151	0.02
41 = School, college.....	373	0.04
42 = Church/religious/spiritual influence.....	95	0.01
44 = Halfway house/group home	9	0.00
45 = Rehab/intervention fac/prgrm, ptnt status unspcfd.....	26	0.00
47 = Communty/city/county/state pgm or facil; unspcfd	40	0.00
48 = Counselor, therapist, psychologist, psychiatrist	349	0.04
49 = Court-mandated/sponsored program	277	0.03
51 = Alcohol/drug class or education, locale unspcfd.....	67	0.01
52 = Military/VA Hospital.....	14	0.00
53 = Hospital; mental health or patient status unspcfd.....	10	0.00
55 = Youth-oriented facility/organization/program	49	0.01
56 = Mental hlth ctr/facility/hosp; ptnt status unspcfd	14	0.00
59 = Foster Care, Child & Family Services.....	7	0.00
62 = Preliminary evaluation, location unspecified	3	0.00
63 = Medical clinic	6	0.00
64 = Methadone clinic/program	93	0.01
65 = Name of facility/program given.....	362	0.04
66 = Faith-based formal program/facility.....	7	0.00
68 = Detox.....	3	0.00
74 = Clinic; type unspecified	3	0.00
981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
985 = BAD DATA Logically assigned.....	47	0.00
989 = LEGITIMATE SKIP Logically assigned.....	24	0.00
991 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
994 = DON'T KNOW	145	0.02
997 = REFUSED	1014	0.11
998 = BLANK (NO ANSWER).....	5859	0.62
999 = LEGITIMATE SKIP	525934	55.40

SUBSTANCE TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of alcohol?

Are you currently receiving treatment or counseling for your use of alcohol?

[TXLTALC](#)¹

Len : 2 LAST/CURRENT TREATMENT FOR ALCOHOL

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	7693	0.81
2 = No.....	4326	0.46
3 = Yes LOGICALLY ASSIGNED	52	0.01
5 = Yes LOG ASSN (TXYRADG = 1)	701	0.07
6 = NEVER USED ALCOHOL (TXEVER = 1)	268	0.03
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	41	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	33	0.00
97 = REFUSED	907	0.10
98 = BLANK (NO ANSWER).....	5856	0.62
99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525934	55.40

The last time you entered treatment, did you receive treatment or counseling for your use of marijuana or hashish?

Are you currently receiving treatment or counseling for your use of marijuana or hashish?

[TXLTYMJ](#)¹

Len : 2 LAST/CURRENT TREATMENT FOR MARIJUANA/HASHISH

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	5038	0.53
2 = No.....	6597	0.69
3 = Yes LOGICALLY ASSIGNED	86	0.01
4 = No LOGICALLY ASSIGNED.....	1	0.00
6 = NEVER USED MARIJUANA (TXEVER = 1).....	1606	0.17
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	37	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	20	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	28	0.00
97 = REFUSED	894	0.09
98 = BLANK (NO ANSWER).....	5590	0.59
99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525938	55.40

The last time you entered treatment, did you receive treatment or counseling for your use of cocaine or 'crack'?

Are you currently receiving treatment or counseling for your use of cocaine or 'crack'?

[TXLTYCOC](#)¹

Len : 2 LAST/CURRENT TREATMENT FOR COCAINE/CRACK

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	2223	0.23
2 = No.....	4656	0.49
3 = Yes LOGICALLY ASSIGNED	69	0.01
4 = No LOGICALLY ASSIGNED.....	2	0.00
6 = NEVER USED COCAINE (TXEVER = 1)	7037	0.74
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	15	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	10	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	12	0.00
97 = REFUSED	875	0.09
98 = BLANK (NO ANSWER).....	4988	0.53
99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525948	55.40

SUBSTANCE TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of heroin?

Are you currently receiving treatment or counseling for your use of heroin?

[TXLTYHER](#)¹

Len : 2 LAST/CURRENT TREATMENT FOR HEROIN

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1219	0.13
2 = No.....	869	0.09
3 = Yes LOGICALLY ASSIGNED	22	0.00
6 = NEVER USED HEROIN (TXEVER = 1).....	12328	1.30
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	5	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	4	0.00
97 = REFUSED	861	0.09
98 = BLANK (NO ANSWER).....	4569	0.48
99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525953	55.41

The last time you entered treatment, did you receive treatment or counseling for your use of hallucinogens?

Are you currently receiving treatment or counseling for your use of hallucinogens?

[TXLTYHAL](#)¹

Len : 2 LAST/CURRENT TREATMENT FOR HALLUCINOGENS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1355	0.14
2 = No.....	5843	0.62
3 = Yes LOGICALLY ASSIGNED	32	0.00
4 = No LOGICALLY ASSIGNED.....	1	0.00
6 = NEVER USED HALLUCINOGENS (TXEVER = 1).....	6722	0.71
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	16	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	10	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	11	0.00
97 = REFUSED	878	0.09
98 = BLANK (NO ANSWER).....	5019	0.53
99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525948	55.40

The last time you entered treatment, did you receive treatment or counseling for your use of inhalants?

Are you currently receiving treatment or counseling for your use of inhalants?

[TXLTYINH](#)¹

Len : 2 LAST/CURRENT TREATMENT FOR INHALANTS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	761	0.08
2 = No.....	3797	0.40
3 = Yes LOGICALLY ASSIGNED	8	0.00
4 = No LOGICALLY ASSIGNED.....	1	0.00
6 = NEVER USED INHALANTS (TXEVER = 1).....	9561	1.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	17	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	6	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	12	0.00
97 = REFUSED	881	0.09
98 = BLANK (NO ANSWER).....	4839	0.51
99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525952	55.41

SUBSTANCE TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of prescription pain relievers?

Are you currently receiving treatment or counseling for your use of prescription pain relievers?

[TXLTYANL](#)¹

Len : 2 LAST/CURRENT TRMT FOR PRESCRIPTION PAIN RELIEVERS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	2441	0.26
2 = No.....	4981	0.52
3 = Yes LOGICALLY ASSIGNED	51	0.01
4 = No LOGICALLY ASSIGNED.....	4	0.00
6 = NEVER USED PAIN RELIEVERS (TXEVER = 1)	6360	0.67
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	16	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	7	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	18	0.00
97 = REFUSED	882	0.09
98 = BLANK (NO ANSWER).....	5124	0.54
99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525951	55.40

The last time you entered treatment, did you receive treatment or counseling for your use of prescription tranquilizers?

Are you currently receiving treatment or counseling for your use of prescription tranquilizers?

[TXLTYTRN](#)¹

Len : 2 LAST/CURRENT TRMT FOR PRESCRIPTION TRANQUILIZERS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1229	0.13
2 = No.....	3934	0.41
3 = Yes LOGICALLY ASSIGNED	40	0.00
4 = No LOGICALLY ASSIGNED.....	4	0.00
6 = NEVER USED TRANQUILIZERS (TXEVER = 1).....	8904	0.94
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	12	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	6	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	11	0.00
97 = REFUSED	871	0.09
98 = BLANK (NO ANSWER).....	4872	0.51
99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525952	55.41

The last time you entered treatment, did you receive treatment or counseling for your use of prescription stimulants?

Are you currently receiving treatment or counseling for your use of prescription stimulants?

[TXLTYSTM](#)¹

Len : 2 LAST/CURRENT TRMT FOR PRESCRIPTION STIMULANTS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1062	0.11
2 = No.....	3154	0.33
3 = Yes LOGICALLY ASSIGNED	359	0.04
4 = No LOGICALLY ASSIGNED.....	8	0.00
6 = NEVER USED STIMULANTS (TXEVER = 1)	9608	1.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	10	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	8	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	9	0.00
97 = REFUSED	867	0.09
98 = BLANK (NO ANSWER).....	4800	0.51
99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525950	55.40

SUBSTANCE TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of prescription sedatives?

Are you currently receiving treatment or counseling for your use of prescription sedatives?

[TXLTYSED](#)¹

Len : 2 LAST/CURRENT TRMT FOR PRESCRIPTION SEDATIVES

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	383	0.04
2 = No.....	967	0.10
3 = Yes LOGICALLY ASSIGNED	19	0.00
4 = No LOGICALLY ASSIGNED.....	10	0.00
6 = NEVER USED SEDATIVES (TXEVER = 1).....	13053	1.38
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	5	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	2	0.00
97 = REFUSED	861	0.09
98 = BLANK (NO ANSWER).....	4577	0.48
99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525957	55.41

The last time you entered treatment, did you receive treatment or counseling for your use of any other drug?

Are you currently receiving treatment or counseling for your use of any other drug?

[TXLTYSOD](#)¹

Len : 2 LAST/CURRENT TRMT FOR SOME OTHER DRUG

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1665	0.18
2 = No.....	10571	1.11
3 = Yes LOGICALLY ASSIGNED	81	0.01
5 = Treatment drug unknown, LOGICALLY ASSIGNED.....	293	0.03
7 = Treatment drug/alc unknown LOG ASSN.....	413	0.04
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	44	0.00
89 = LEGITIMATE SKIP Logically assigned	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	42	0.00
97 = REFUSED	909	0.10
98 = BLANK (NO ANSWER).....	5859	0.62
99 = LEGITIMATE SKIP	525934	55.40

SUBSTANCE TREATMENT

What was the outcome of the treatment or counseling you last received?

[TXLTYOU2](#)¹

Len : 2 OUTCOME OF LAST/CURRENT TREATMENT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = You are still in treatment	4702	0.50
2 = You successfully completed treatment	5775	0.61
3 = You left because you had a problem with program	414	0.04
4 = You left b/c you couldn't afford to continue	240	0.03
5 = You left because your family needed you	125	0.01
6 = You left because you began using drugs again	325	0.03
7 = Your last treatment had some other outcome	198	0.02
21 = You are still in treatment	396	0.04
22 = You successfully completed treatment	10	0.00
41 = You left because you didn't need/want treatment	41	0.00
43 = You were successful b/c of own efforts, not trmt	3	0.00
44 = You relapsed/program did not work for you	50	0.01
46 = You moved away from the treatment location	4	0.00
48 = Discontinued treatment, success unknown	33	0.00
49 = Completed treatment/tmt required, outcome unknown	104	0.01
50 = You had other problems to deal with	12	0.00
51 = You still use, but to a lesser extent	14	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.04
85 = BAD DATA Logically assigned	382	0.04
89 = LEGITIMATE SKIP Logically assigned	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS	176414	18.58
94 = DON'T KNOW	150	0.02
97 = REFUSED	986	0.10
98 = BLANK (NO ANSWER)	5913	0.62
99 = LEGITIMATE SKIP	525934	55.40

How long did you stay in treatment for your alcohol or drug use during your last treatment at [FILL IN ANSWER FROM TX25]?

How long have you been in treatment for your alcohol or drug use at [FILL IN ANSWER FROM TX25] so far?

How long did you stay in treatment for your alcohol or drug use during your last treatment?

How long have you been in treatment for your alcohol or drug use so far?

Please indicate whether you want to give your answer in days, months, or years.

How many days have you been in treatment for your alcohol or drug use so far?

How many days did you stay in treatment for your alcohol or drug use the last time?

How many months have you been in treatment for your alcohol or drug use so far?

How many months did you stay in treatment for your alcohol or drug use the last time?

How many years have you been in treatment for your alcohol or drug use so far?

How many years did you stay in treatment for your alcohol or drug use the last time?

[TXLTYDU2](#)¹

Len : 5 # DAYS IN ALC/DRG TMT SO FAR/LAST TIME - RECODE

	Freq	Pct
RANGE = 1 - 30	4664	0.49
-9 = Data not collected for this year	226632	23.87
31 = 31 or more	7980	0.84
99981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.04
99985 = BAD DATA Logically assigned	58	0.01
99989 = LEGITIMATE SKIP Logically assigned	24	0.00
99991 = NEVER USED ALCOHOL OR DRUGS	176414	18.58
99994 = DON'T KNOW	269	0.03
99997 = REFUSED	1047	0.11
99998 = BLANK (NO ANSWER)	5859	0.62
99999 = LEGITIMATE SKIP	525934	55.40

SUBSTANCE TREATMENT

Did private health insurance pay for the last treatment you received, even if it paid only part of the cost?

Will private health insurance pay for the treatment you are currently receiving, even if it pays only part of the cost?

[TXPYINS](#)¹

Len : 2 HEALTH INSURANCE PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	4277	0.45
2 = No.....	8169	0.86
3 = Yes LOGICALLY ASSIGNED	21	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	471	0.05
97 = REFUSED	981	0.10
98 = BLANK (NO ANSWER).....	5859	0.62
99 = LEGITIMATE SKIP	525934	55.40

Did Medicare pay for the last treatment you received, even if it paid only part of the cost?

Will Medicare pay for the treatment you are currently receiving, even if it pays only part of the cost?

[TXPYCARE](#)¹

Len : 2 MEDICARE PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	2422	0.26
2 = No.....	9761	1.03
3 = Yes LOGICALLY ASSIGNED	2	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	747	0.08
97 = REFUSED	987	0.10
98 = BLANK (NO ANSWER).....	5859	0.62
99 = LEGITIMATE SKIP	525934	55.40

Did Medicaid pay for the last treatment you received, even if it paid only part of the cost?

Will Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?

[TXPYCAID](#)¹

Len : 2 MEDICAID PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	2568	0.27
2 = No.....	9588	1.01
3 = Yes LOGICALLY ASSIGNED	17	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	766	0.08
97 = REFUSED	980	0.10
98 = BLANK (NO ANSWER).....	5859	0.62
99 = LEGITIMATE SKIP	525934	55.40

SUBSTANCE TREATMENT

Did a public assistance program other than Medicaid pay for the last treatment you received, even if it paid only part of the cost?

Will a public assistance program other than Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?

[TXPYPUBP¹](#)

Len : 2 OTH PUBLIC ASSIST PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	2424	0.26
2 = No.....	9623	1.01
3 = Yes LOGICALLY ASSIGNED	16	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	875	0.09
97 = REFUSED	981	0.10
98 = BLANK (NO ANSWER).....	5859	0.62
99 = LEGITIMATE SKIP	525934	55.40

Did you use your own savings or earnings to pay for the last treatment you received, even if you paid only part of the cost?

Will you use your own savings or earnings to pay for the treatment you are currently receiving, even if you pay only part of the cost?

[TXPYSAVE¹](#)

Len : 2 OWN SAVINGS PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	5763	0.61
2 = No.....	6881	0.72
3 = Yes LOGICALLY ASSIGNED	41	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	264	0.03
97 = REFUSED	970	0.10
98 = BLANK (NO ANSWER).....	5859	0.62
99 = LEGITIMATE SKIP	525934	55.40

Did family members pay for the last treatment you received, even if they paid only part of the cost?

Will family members pay for the treatment you are currently receiving, even if they pay only part of the cost?

[TXPYFMLY¹](#)

Len : 2 FAMILY MEMBERS PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	3508	0.37
2 = No.....	9182	0.97
3 = Yes LOGICALLY ASSIGNED	17	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	247	0.03
97 = REFUSED	965	0.10
98 = BLANK (NO ANSWER).....	5859	0.62
99 = LEGITIMATE SKIP	525934	55.40

SUBSTANCE TREATMENT

Did the courts pay for the last treatment you received, even if it paid only part of the cost?

Will the courts pay for the treatment you are currently receiving, even if it pays only part of the cost?

[TXPYCORT](#)¹

Len : 2 COURTS PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1555	0.16
2 = No.....	10986	1.16
3 = Yes LOGICALLY ASSIGNED	47	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	365	0.04
97 = REFUSED	966	0.10
98 = BLANK (NO ANSWER).....	5859	0.62
99 = LEGITIMATE SKIP	525934	55.40

Did CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the last treatment you received, even if it paid only part of the cost?

Will CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the treatment you are currently receiving, even if it pays only part of the cost?

[TXPYMILC](#)¹

Len : 2 MILITARY HLTH CARE PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	443	0.05
2 = No.....	11899	1.25
3 = Yes LOGICALLY ASSIGNED	6	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	604	0.06
97 = REFUSED	967	0.10
98 = BLANK (NO ANSWER).....	5859	0.62
99 = LEGITIMATE SKIP	525934	55.40

Did your employer pay for the last treatment you received, even if it paid only part of the cost?

Will your employer pay for the treatment you are currently receiving, even if it pays only part of the cost?

[TXPYEMPL](#)¹

Len : 2 EMPLOYER PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	494	0.05
2 = No.....	12102	1.27
3 = Yes LOGICALLY ASSIGNED	13	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	343	0.04
97 = REFUSED	967	0.10
98 = BLANK (NO ANSWER).....	5859	0.62
99 = LEGITIMATE SKIP	525934	55.40

SUBSTANCE TREATMENT

Was your last treatment paid for by some other source besides those that have been listed?

Will the treatment you are currently receiving be paid for by some other source besides those that have been listed?

[TXPYSOS¹](#)

Len : 2 SOME OTHER SOURCE PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1452	0.15
2 = No.....	10740	1.13
4 = No LOG ASSN (free trmt specified)	28	0.00
5 = Yes, payment source not specified LOG ASSN.....	326	0.03
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	88	0.01
89 = LEGITIMATE SKIP Logically assigned	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	426	0.04
97 = REFUSED	958	0.10
98 = BLANK (NO ANSWER).....	5859	0.62
99 = LEGITIMATE SKIP	525934	55.40

[TXPYSP2¹](#)

Len : 2 OTHER PAY FOR LAST/CURRENT TRMT - SPECIFY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Private health insurance	125	0.01
2 = Medicare	5	0.00
3 = Medicaid	41	0.00
4 = Public assistance program other than Medicaid.....	47	0.00
5 = Own savings or earnings.....	120	0.01
6 = Family members	53	0.01
7 = Courts.....	99	0.01
8 = CHAMPUS, TRICARE, CHAMPVA, VA, othr military hlth	10	0.00
9 = Employer.....	20	0.00
10 = Free	83	0.01
11 = Some other source	22	0.00
12 = Friend/neighbor/sponsor/stipend	61	0.01
13 = Church/faith-based organization.....	30	0.00
14 = School	121	0.01
15 = Treatment program/facility/provider.....	72	0.01
16 = Indian Health Service/BIA/Tribe	56	0.01
19 = Public assistance, welfare; otherwise unspecified	187	0.02
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	229	0.02
89 = LEGITIMATE SKIP Logically assigned	31	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	95	0.01
97 = REFUSED	1017	0.11
98 = BLANK (NO ANSWER).....	6617	0.70
99 = LEGITIMATE SKIP	536694	56.54

Was the last treatment you received free?

Is the treatment you are currently receiving free?

[TXPYFRE¹](#)

Len : 2 LAST/CURRENT TREATMENT WAS/IS FREE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	837	0.09
2 = No.....	326	0.03
3 = Yes LOGICALLY ASSIGNED	83	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	2	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	4	0.00
97 = REFUSED	936	0.10
98 = BLANK (NO ANSWER).....	6249	0.66
99 = LEGITIMATE SKIP	537396	56.61

SUBSTANCE TREATMENT

Were you enrolled in a treatment program for your alcohol or drug use on October 1, [CURRENT YEAR - 1]?

For this question, please include only treatment you received at a hospital, drug rehabilitation facility, or mental health center.

TXENROLL¹

Len : 2 ENROLLED IN TREATMENT PRGM ON OCT.1 [CURR YR - 1]

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	4265	0.45
2 = No.....	35020	3.69
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	425	0.04
97 = REFUSED	1028	0.11
98 = BLANK (NO ANSWER).....	4402	0.46
99 = LEGITIMATE SKIP (TXEVER=2)	500679	52.74

Think about all the treatment or counseling you received for your [TXFILL1] during the past 12 months. Was detoxification the only [TXFILL1] treatment you received during the past 12 months?

TXYRDTXO¹

Len : 2 WAS DETOX THE ONLY TRMT RCVD PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	1950	0.21
2 = No.....	8261	0.87
4 = No LOGICALLY ASSIGNED.....	2591	0.27
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.04
85 = BAD DATA Logically assigned.....	15	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	18.58
94 = DON'T KNOW	191	0.02
97 = REFUSED	978	0.10
98 = BLANK (NO ANSWER).....	5891	0.62
99 = LEGITIMATE SKIP	525958	55.41

NOTE: The variables TXALONEV, TXALONAG, TXDRONEV, TXDRONAG, TXALCDEV, TXALCDAG, TXDRGAEV, and TXDRGAAG pertain to respondents who were lifetime recipients of substance treatment but who had not received treatment in the past year. TXALONEV and TXALONAG pertain to respondents who were lifetime alcohol users but had not reported lifetime use of other drugs. TXDRONEV and TXDRONAG pertain to respondents who did not report lifetime use of alcohol but reported lifetime use of other drugs. TXALCDEV, TXALCDAG, TXDRGAEV, and TXDRGAAG pertain to respondents who were lifetime users of alcohol and other drugs.

NOTE: TXALONEV was assigned a value of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYREVER=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. However, respondents who reported that they had ever received treatment for their use of alcohol but were logically inferred to have gotten treatment in the past 12 months cannot be inferred to have received alcohol treatment in that period (TXALONEV=11). TXALONEV was assigned a value of 22 when respondents were lifetime users of alcohol but had never used (or misused) marijuana, cocaine, heroin, hallucinogens, inhalants, prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives), and they reported that they had never received treatment for their use of alcohol.

Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment for your alcohol use?

TXALONEV¹

Len : 2 EVER RCVD TMT FOR ALC USE (NO DRUG USE REPORTED)

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Yes.....	1149	0.12
2 = No.....	3	0.00
11 = Yes (TXYREVER=3; see NOTE for TXALONEV).....	57	0.01
12 = No (TXYREVER=3; see NOTE for TXALONEV)	76	0.01
22 = No (but only alcohol user; see NOTE for TXALONEV).....	548	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
94 = DON'T KNOW	1	0.00
97 = REFUSED	209	0.02
98 = BLANK (NO ANSWER).....	3485	0.37
99 = LEGITIMATE SKIP	455769	48.01

SUBSTANCE TREATMENT

How old were you when you first received treatment for your alcohol use?

TXALONAG ¹	Len : 3	AGE WHEN FIRST RCVD TRMT FOR ALC USE		
			Freq	Pct
		RANGE = 4 - 78.....	1179	0.12
		-9 = Data not collected for this year.....	335941	35.39
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
		991 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
		994 = DON'T KNOW	15	0.00
		997 = REFUSED	210	0.02
		998 = BLANK (NO ANSWER).....	4045	0.43
		999 = LEGITIMATE SKIP	455848	48.02

NOTE: TXDRONEV was assigned a value of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYREVER=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. However, respondents who reported that they had ever received treatment for their use of drugs cannot be inferred to have received drug treatment in the past 12 months (TXDRONEV=11). TXDRONEV was assigned a value of 22 when respondents were lifetime users of drugs but had never used alcohol, and they reported that they had never received treatment for their use of drugs.

Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment or counseling for your drug use?

TXDRONEV ¹	Len : 2	EVER RCVD TMT FOR DRUG USE (NO ALC USE REPORTED)		
			Freq	Pct
		-9 = Data not collected for this year.....	335941	35.39
		1 = Yes.....	140	0.01
		11 = Yes (TXYREVER=3; see NOTE for TXDRONEV).....	29	0.00
		12 = No (TXYREVER=3; see NOTE for TXDRONEV).....	43	0.00
		22 = No (but only drug user; see NOTE for TXDRONEV).....	107	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	133	0.01
		98 = BLANK (NO ANSWER).....	3473	0.37
		99 = LEGITIMATE SKIP	457370	48.18

How old were you when you first received treatment or counseling for your drug use?

TXDRONAG ¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		
			Freq	Pct
		RANGE = 1 - 58.....	142	0.01
		-9 = Data not collected for this year.....	335941	35.39
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
		991 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
		994 = DON'T KNOW	5	0.00
		997 = REFUSED	133	0.01
		998 = BLANK (NO ANSWER).....	3604	0.38
		999 = LEGITIMATE SKIP	457413	48.19

SUBSTANCE TREATMENT

NOTE: TXALCDEV and TXDRGAEV were assigned values of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYREVER=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. Thus, for example, respondents who reported that they had ever received treatment for their use of alcohol cannot be inferred to have received alcohol treatment in the past 12 months (TXALCDEV=11). TXALCDEV and TXDRGAEV were assigned values of 22 when respondents were lifetime users of both alcohol and other drugs but they reported never receiving treatment for their alcohol use (in the question corresponding to TXALCDEV) or for their drug use (in the question corresponding to TXDRGAEV). Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment or counseling for your alcohol use?

[TXALCDEV¹](#)

Len : 2 EVER RCVD TMT FOR ALCOHOL USE (ALSO USED DRUGS)

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Yes.....	12160	1.28
2 = No.....	5677	0.60
11 = Yes (TXYREVER=3; see NOTE for TXALCDEV)	431	0.05
12 = No (TXYREVER=3; see NOTE for TXALCDEV)	288	0.03
22 = No (see NOTE for TXALCDEV)	1690	0.18
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
94 = DON'T KNOW	18	0.00
97 = REFUSED	456	0.05
98 = BLANK (NO ANSWER).....	3659	0.39
99 = LEGITIMATE SKIP	436913	46.03

How old were you when you first received treatment or counseling for your alcohol use?

[TXALCDAG¹](#)

Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE

	Freq	Pct
RANGE = 1 - 75.....	12277	1.29
-9 = Data not collected for this year	335941	35.39
981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
985 = BAD DATA Logically assigned.....	7	0.00
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
991 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
994 = DON'T KNOW	201	0.02
997 = REFUSED	472	0.05
998 = BLANK (NO ANSWER).....	5457	0.57
999 = LEGITIMATE SKIP	442882	46.65

Have you ever received treatment or counseling for your drug use?

[TXDRGAEV¹](#)

Len : 2 EVER RCVD TRMT FOR DRUG USE (ALSO USED ALCOHOL)

	Freq	Pct
-9 = Data not collected for this year	335941	35.39
1 = Yes.....	10374	1.09
2 = No.....	7462	0.79
11 = Yes (TXYREVER=3; see NOTE for TXALCDEV)	500	0.05
12 = No (TXYREVER=3; see NOTE for TXALCDEV)	221	0.02
22 = No (see NOTE for TXALCDEV)	1690	0.18
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
94 = DON'T KNOW	18	0.00
97 = REFUSED	455	0.05
98 = BLANK (NO ANSWER).....	3659	0.39
99 = LEGITIMATE SKIP	436913	46.03

SUBSTANCE TREATMENT

How old were you when you first received treatment or counseling for your drug use?

<u>TXDRGAAG</u> ¹	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		
		Freq	Pct
	RANGE = 1 - 68.....	10528	1.11
	-9 = Data not collected for this year	335941	35.39
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	985 = BAD DATA Logically assigned.....	4	0.00
	991 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
	994 = DON'T KNOW	157	0.02
	997 = REFUSED	467	0.05
	998 = BLANK (NO ANSWER).....	5540	0.58
	999 = LEGITIMATE SKIP	444601	46.84

NOTE: The variables TXYALAGE, TXYALDRG, TXYALDAG, TXYDRAGE, TXYDRALC, TXYDRAAG, TXYADAAG, and TXYADDAG pertain to respondents who received substance treatment in the past 12 months. TXYALAGE, TXYALDRG, and TXYALDAG pertain to respondents who reported that they received treatment only for alcohol in the past 12 months. TXYDRAGE, TXYDRALC, and TXYDRAAG pertain to respondents who reported that they received treatment only for other drugs in the past 12 months. TXYADAAG and TXYADDAG pertain to respondents who reported receiving treatment for both alcohol and other drugs in the past 12 months.

Earlier you reported that you received treatment or counseling for your use of alcohol during the past 12 months. How old were you when you first received treatment or counseling for your alcohol use?

<u>TXYALAGE</u> ¹	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE		
		Freq	Pct
	RANGE = 1 - 75.....	3801	0.40
	-9 = Data not collected for this year	335941	35.39
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	985 = BAD DATA Logically assigned.....	42	0.00
	991 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
	994 = DON'T KNOW	77	0.01
	997 = REFUSED	794	0.08
	998 = BLANK (NO ANSWER).....	5128	0.54
	999 = LEGITIMATE SKIP	451455	47.56

Have you ever received treatment or counseling for your use of any drug, not including cigarettes or alcohol?

<u>TXYALDRG</u> ¹	Len : 2 EVER RCVD TRMT FOR DRUGS (ONLY PAST YR ALC TRMT)		
		Freq	Pct
	-9 = Data not collected for this year	335941	35.39
	1 = Yes.....	369	0.04
	2 = No.....	2737	0.29
	3 = Yes LOGICALLY ASSIGNED (TXYRADG=11).....	234	0.02
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	85 = BAD DATA Logically assigned.....	33	0.00
	89 = LEGITIMATE SKIP Logically assigned	5	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
	94 = DON'T KNOW	10	0.00
	97 = REFUSED	763	0.08
	98 = BLANK (NO ANSWER).....	5134	0.54
	99 = LEGITIMATE SKIP	452012	47.62

How old were you when you first received treatment or counseling for your drug use?

<u>TXYALDAG</u> ¹	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		
		Freq	Pct
	RANGE = 1 - 58.....	348	0.04
	-9 = Data not collected for this year	335941	35.39
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	985 = BAD DATA Logically assigned.....	31	0.00
	989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	991 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
	994 = DON'T KNOW	8	0.00
	997 = REFUSED	765	0.08
	998 = BLANK (NO ANSWER).....	5391	0.57
	999 = LEGITIMATE SKIP	454753	47.90

SUBSTANCE TREATMENT

Earlier you reported that you received treatment or counseling for your drug use during the past 12 months. How old were you when you first received treatment or counseling for your drug use?

TXYDRAGE ¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		
			Freq	Pct
		RANGE = 1 - 73.....	3278	0.35
		-9 = Data not collected for this year	335941	35.39
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
		985 = BAD DATA Logically assigned.....	6	0.00
		991 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
		994 = DON'T KNOW	41	0.00
		997 = REFUSED	781	0.08
		998 = BLANK (NO ANSWER).....	5174	0.55
		999 = LEGITIMATE SKIP	452017	47.62

Have you ever received treatment or counseling for your alcohol use?

TXYDRALC ¹	Len : 2	EVER RCVD TMT FOR ALCOHOL (ONLY PAST YR DRUG TMT)		
			Freq	Pct
		-9 = Data not collected for this year	335941	35.39
		1 = Yes.....	371	0.04
		2 = No.....	2616	0.28
		3 = Yes LOGICALLY ASSIGNED (TXYRADG=12)	201	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
		94 = DON'T KNOW	8	0.00
		97 = REFUSED	763	0.08
		98 = BLANK (NO ANSWER).....	5174	0.55
		99 = LEGITIMATE SKIP	452163	47.63

How old were you when you first received treatment or counseling for your alcohol use?

TXYDRAAG ¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE		
			Freq	Pct
		RANGE = 1 - 53.....	343	0.04
		-9 = Data not collected for this year	335941	35.39
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
		985 = BAD DATA Logically assigned.....	1	0.00
		991 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
		994 = DON'T KNOW	6	0.00
		997 = REFUSED	766	0.08
		998 = BLANK (NO ANSWER).....	5402	0.57
		999 = LEGITIMATE SKIP	454779	47.91

Earlier, you reported that you received treatment or counseling for your drug and alcohol use during the past 12 months. How old were you when you first received treatment or counseling for your use of alcohol?

TXYADAAG ¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE		
			Freq	Pct
		RANGE = 1 - 63.....	3429	0.36
		-9 = Data not collected for this year	335941	35.39
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
		985 = BAD DATA Logically assigned.....	10	0.00
		991 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
		994 = DON'T KNOW	84	0.01
		997 = REFUSED	799	0.08
		998 = BLANK (NO ANSWER).....	6178	0.65
		999 = LEGITIMATE SKIP	450797	47.49

SUBSTANCE TREATMENT

How old were you when you first received treatment or counseling for your drug use?

<u>TXYADDAG</u> ¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		
			Freq	Pct
		RANGE = 1 - 66.....	3423	0.36
		-9 = Data not collected for this year.....	335941	35.39
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
		985 = BAD DATA Logically assigned.....	13	0.00
		991 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
		994 = DON'T KNOW.....	80	0.01
		997 = REFUSED.....	799	0.08
		998 = BLANK (NO ANSWER).....	6185	0.65
		999 = LEGITIMATE SKIP.....	450797	47.49

NOTE: TXFGALAG is a "flag" variable that indicates when the first receipt of alcohol treatment in TXALONAG, TXALCDAG, TXYALAGE, TXYDRAAG, or TXYADAAG is inconsistent with the first use of alcohol (from ALCTRY). When TXFGALAG=5, the respondent previously reported never using alcohol. However, the respondent subsequently reported an age for first receipt of alcohol treatment, based on some indication of alcohol treatment in TXYRADG.

<u>TXFGALAG</u> ¹	Len : 2	CONSISTENCY OF ALC TX AGE WITH ALC AFU		
			Freq	Pct
		-9 = Data not collected for this year.....	335941	35.39
		0 = 1st alc tx age consistent with alc AFU.....	20548	2.16
		1 = 1st alc tx age differs from alc AFU by 1 yr.....	173	0.02
		2 = 1st alc tx age differs from alc AFU by 2 yrs.....	52	0.01
		3 = 1st alc tx age differs from alc AFU by 3-4 yrs.....	55	0.01
		4 = 1st alc tx age differs from alc AFU by >=5 yrs.....	379	0.04
		5 = Never used alc in core but reported an alc tx age.....	98	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
		98 = UNKNOWN.....	8304	0.87
		99 = LEGITIMATE SKIP.....	431688	45.48

NOTE: TXFGDGAG is a "flag" variable that indicates when the first receipt of drug treatment in TXDRONAG, TXDRGAAG, TXYALDAG, TXYDRAAG, or TXYADDAG is inconsistent with the earliest reported first use of drugs. When TXFGDGAG=5, the respondent previously reported never using (or misusing) marijuana, cocaine, heroin, hallucinogens, inhalants, or prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives). However, the respondent subsequently reported an age for first receipt of drug treatment, based on some indication of drug treatment in TXYRADG.

<u>TXFGDGAG</u> ¹	Len : 2	CONSISTENCY OF FIRST DRUG TX AGE WITH DRUG AFUS		
			Freq	Pct
		-9 = Data not collected for this year.....	335941	35.39
		0 = 1st drug tx age consistent w/min drug AFU.....	17103	1.80
		1 = 1st drug tx age differs from min drug AFU by 1 yr.....	98	0.01
		2 = 1st drug tx age differs fr min drug AFU by 2 yrs.....	47	0.00
		3 = 1st drug tx age differs fr min drug AFU by 3-4 yrs.....	34	0.00
		4 = 1st drug tx age differs fr min drug AFU by >=5 yrs.....	203	0.02
		5 = Never used drugs in core but reportd a drug tx age.....	62	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
		98 = UNKNOWN.....	8290	0.87
		99 = LEGITIMATE SKIP.....	435460	45.87

NOTE: TXFGADAG is a "flag" variable that indicates when an inconsistency exists between the first receipt of alcohol or drug treatment and the earliest reported first use of alcohol or drugs. If TXFGALAG=5 or TXFGDGAG=5, then TXFGADAG=5.

<u>TXFGADAG</u> ¹	Len : 2	CONSISTENCY OF FIRST TX AGE WITH ALC/DRUG AFUS		
			Freq	Pct
		-9 = Data not collected for this year.....	335941	35.39
		0 = 1st tx age consistent w/minimum AFU.....	27603	2.91
		1 = 1st tx age differs from min AFU by 1 yr.....	256	0.03
		2 = 1st tx age differs from min AFU by 2 yrs.....	87	0.01
		3 = 1st tx age differs from min AFU by 3-4 yrs.....	83	0.01
		4 = 1st tx age differs from min AFU by >=5 yrs.....	538	0.06
		5 = Any lifetime nonuse with a related tx age.....	160	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	151705	15.98
		98 = UNKNOWN.....	9573	1.01
		99 = LEGITIMATE SKIP.....	422997	44.56

SUBSTANCE TREATMENT

The next question is about self-help groups. Some examples of self-help groups for alcohol or drug use are AA or Alcoholics Anonymous, NA or Narcotics Anonymous, CA or Cocaine Anonymous, and CMA or Crystal Meth Anonymous.

During the past 12 months, did you go to any self-help group meetings or 12-step programs to receive help for your own use of alcohol or any drug, not counting cigarettes?

[TX12MSHG¹](#)

Len : 2 WENT TO SELF-HELP GRP/12-STEP PGMS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Yes.....	4935	0.52
2 = No.....	362524	38.19
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	4598	0.48
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	285	0.03
85 = BAD DATA Logically assigned.....	18	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	125434	13.21
94 = DON'T KNOW	542	0.06
97 = REFUSED	691	0.07
98 = BLANK (NO ANSWER).....	2810	0.30

Did you go to the self-help group because of your alcohol use only, your drug use only, or because of both alcohol and drug use?

[TX12SGAD¹](#)

Len : 2 WENT TO SELF-HELP GRP FOR ALC ONLY/DRUG ONLY/BOTH

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Alcohol use only	1970	0.21
2 = Drug use only	1295	0.14
3 = Both alcohol and drug use.....	1566	0.16
11 = Alcohol use only LOGICALLY ASSIGNED (TXYRSGAD=1)	173	0.02
12 = Drug use only LOGICALLY ASSIGNED (TXYRSGAD=2).....	165	0.02
13 = Both alcohol and drug use LOG ASSN (TXYRSGAD=3)	1378	0.15
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	285	0.03
91 = NEVER USED ALCOHOL OR DRUGS.....	125434	13.21
94 = DON'T KNOW	56	0.01
97 = REFUSED	741	0.08
98 = BLANK (NO ANSWER).....	3707	0.39
99 = LEGITIMATE SKIP	365067	38.46

NOTE: TXSHGFLG compares the consistency of data in the self-help group variable TX12MSHG and the self-help group variable TXYRSHG. TXSHGFLG has a value of 1 when TX12MSHG was answered as "yes" but TXYRSHG indicates that respondents did not receive treatment in a self-help group, even though they reported that they received treatment in the past 12 months. TXSHGFLG has a value of 2 when TX12MSHG was answered as "yes" but TXYREVER or TXEVER indicated that respondents never received any treatment in the past 12 months or lifetime, respectively. TXSHGFLG has a value of 3 when TX12MSHG was not answered as "yes" but TXYRSHG indicates that respondents were logically inferred to have gotten treatment in a self-help group in the past 12 months. TXSHGFLG has a value of 4 when TX12MSHG was answered as "yes" but TXYRSHG was answered as "don't know" or "refused" or it was blank. Finally, TXSHGFLG has a value of 5 when TX12MSHG was answered as "don't know" or "refused" but TXYRSHG was answered as "no."

[TXSHGFLG¹](#)

Len : 2 CONSISTENCY FLAG BETWEEN TX12MSHG AND TXYRSHG

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = TX12MSHG=1 but TXYRSHG=2 (see note).....	401	0.04
2 = TX12MSHG=1 but TXYREVER=2 or TXEVER=2 (see note).....	4170	0.44
3 = TX12MSHG NE 1 but TXYRSHG=3 or 5 (see note)	256	0.03
4 = TX12MSHG=1 but TXYRSHG=94, 97, or 98 (see note).....	274	0.03
5 = TX12MSHG=94 or 97 but TXYRSHG=2 (see note)	77	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	285	0.03
91 = NEVER USED ALCOHOL OR DRUGS.....	125434	13.21
98 = BLANK (NO ANSWER).....	370940	39.08

RECODED SUBSTANCE TREATMENT

RECODED SUBSTANCE TREATMENT

The following variable, TXRNSTIG, was assigned a positive response if the respondent felt a need for substance use treatment in the past year (FLNDILAL=1) and reported any of the following reasons for not receiving substance use treatment in the past year: treatment might cause neighbors/community to have negative opinion (NDTXNBR=1,11 or NDMRNBR=1), concerned treatment might have negative effect on their job (NDTXJOB=1 or NDMRJOB=1) or did not want others to find out (NDTXFOUT=1,11 or NDMRFOUT=1,3). A negative response was assigned if the respondent felt a need for substance use treatment in the past year and did not specify any of the reasons listed above.

<u>TXRNSTIG</u>	Len : 1 NO TRT/ADDL TRT PST YR B/C STIGMA ASSOCIATED		
		Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	165479	17.43
	-9 = Data not collected for this year	782548	82.44
	0 = No (See comment above).....	991	0.10
	1 = Yes (See comment above)	267	0.03

The following variable, TXRNHDPR, was assigned a positive response if the respondent felt a need for substance use treatment in the past year (FLNDILAL=1) and reported any of the following reasons for not receiving substance use treatment in the past year: could handle problems without treatment (NDTXHNDL=1,3,11 or NDMRHNDL=1) or did not feel need for treatment (NDTXNOND=1,3,11,13 or NDMRNOND=1,3). A negative response was assigned if the respondent felt a need for substance use treatment in the past year and did not specify any of the reasons listed above.

<u>TXRNHDPR</u>	Len : 1 NO TRT/ADDL TRT PST YR B/C COULD HANDLE PROB WOUT		
		Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	165479	17.43
	-9 = Data not collected for this year	782548	82.44
	0 = No (See comment above).....	1029	0.11
	1 = Yes (See comment above)	229	0.02

NOTE: The following four variables were created using a combination of the substance treatment, recoded substance treatment and recoded substance dependence and abuse variables. Specifications on how the substance treatment variable was defined can be found in the Substance Treatment section. Specifications on how the recoded substance treatment variable was defined can be found above. Specifications on how the recoded substance dependence and abuse variable was defined can be found in the Recoded Substance Dependence and Abuse section and in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

The following variable, TXDANOTX, is defined as receiving illicit drug or alcohol treatment in lifetime and having been dependent on or abused an illicit drug or alcohol in the past year, but not receiving illicit drug or alcohol treatment in the past year.

<u>TXDANOTX</u>	Len : 1 DRG/ALC TRT LIF & DEP/ABUSE NO TRT PST YR		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No/Unknown (Otherwise).....	217828	22.95
	1 = Yes (TXEVER=1 & ABODILAL=1 & TXILLALC=0)	2988	0.31

The following variable, TXNOTXDA, is defined as receiving illicit drug or alcohol treatment in lifetime, not receiving illicit drug or alcohol treatment in the past year, and not having been dependent on or abused an illicit drug or alcohol in the past year.

<u>TXNOTXDA</u>	Len : 1 DRG/ALC TRT LIF & NO TRT/DEP/ABUSE PST YR		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No/Unknown (Otherwise).....	215792	22.73
	1 = Yes (TXEVER=1 & TXILLALC=0 & ABODILAL=0)	5024	0.53

The following variable, TXDANOSP, is defined as receiving illicit drug or alcohol treatment in lifetime and having been dependent on or abused an illicit drug or alcohol in the past year, but not receiving illicit drug or alcohol treatment at a specialty facility in the past year.

<u>TXDANOSP</u>	Len : 1 DRG/ALC TRT LIF & DEP/ABUSE NO SP TRT PST YR		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No/Unknown (Otherwise).....	216764	22.83
	1 = Yes (TXEVER=1 & ABODILAL=1 & SPILLALC=0)	4052	0.43

RECODED SUBSTANCE TREATMENT

The following variable, TXNOSPDA, is defined as receiving illicit drug or alcohol treatment in lifetime, not receiving illicit drug or alcohol treatment at a specialty facility in the past year, and not having been dependent on or abused an illicit drug or alcohol in the past year.

<u>TXNOSPDA</u>	Len : 1 DRG/ALC TRT LIF & NO DEP/ABUSE/SPC TRT PST YR		
		Freq	Pct
	-9 = Data not collected for this year	728469	76.74
	0 = No/Unknown (Otherwise).....	215002	22.65
	1 = Yes (TXEVER=1 & SPILLALC=0 & ABODILAL=0)	5814	0.61

NOTE: The following 10 recoded variables contain information about respondents last or current treatment at a specialty facility in the past year for various substances.

<u>TXSPALC</u>	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR ALC USE		
		Freq	Pct
	-9 = Data not collected for this year	672464	70.84
	0 = No/Unknown (Otherwise).....	275264	29.00
	1 = Yes (TXLTALC2=1 and LASTTXSP=1)	1557	0.16

<u>TXSPMRJ</u>	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR MRJ USE		
		Freq	Pct
	-9 = Data not collected for this year	672464	70.84
	0 = No/Unknown (Otherwise).....	275776	29.05
	1 = Yes (TXLTMJ2=1 and LASTTXSP=1)	1045	0.11

<u>TXSPCOC</u>	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR COC USE		
		Freq	Pct
	-9 = Data not collected for this year	672464	70.84
	0 = No/Unknown (Otherwise).....	276239	29.10
	1 = Yes (TXLTCOC2=1 and LASTTXSP=1)	582	0.06

<u>TXSPHER</u>	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR HER USE		
		Freq	Pct
	-9 = Data not collected for this year	672464	70.84
	0 = No/Unknown (Otherwise).....	276582	29.14
	1 = Yes (TXLTHER2=1 and LASTTXSP=1)	239	0.03

<u>TXSPHAL</u>	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR HAL USE		
		Freq	Pct
	-9 = Data not collected for this year	672464	70.84
	0 = No/Unknown (Otherwise).....	276504	29.13
	1 = Yes (TXLTHAL2=1 and LASTTXSP=1)	317	0.03

<u>TXSPINH</u>	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR INH USE		
		Freq	Pct
	-9 = Data not collected for this year	672464	70.84
	0 = No/Unknown (Otherwise).....	276658	29.14
	1 = Yes (TXLTINH2=1 and LASTTXSP=1)	163	0.02

<u>TXSPANL</u>	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR PAIN REL USE		
		Freq	Pct
	-9 = Data not collected for this year	672464	70.84
	0 = No/Unknown (Otherwise).....	276360	29.11
	1 = Yes (TXLTANL2=1 and LASTTXSP=1)	461	0.05

<u>TXSPTRN</u>	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR TRN USE		
		Freq	Pct
	-9 = Data not collected for this year	672464	70.84
	0 = No/Unknown (Otherwise).....	276567	29.13
	1 = Yes (TXLTTRN2=1 and LASTTXSP=1)	254	0.03

RECODED SUBSTANCE TREATMENT

TXSPSTM

Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR STM USE

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
0 = No/Unknown (Otherwise).....	330522	34.82
1 = Yes (TXLTSTM2=1 and LASTTXSP=1).....	378	0.04

TXSPSED

Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR SED USE

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
0 = No/Unknown (Otherwise).....	276730	29.15
1 = Yes (TXLTSED2=1 and LASTTXSP=1).....	91	0.01

NOTE: The following 10 recoded variables contain information about a respondents need for treatment in the past year for various substances.

A respondent was classified as needing treatment for substance use in the past year (NDTXXXX2) if they met any one of the following 3 criteria:

(1) Dependent on substance in the past year (DEPNXXXX=1)

(2) Abuse of substance in the past year (ABUSEXXX=1)

(3) Received last or current treatment for a specific substance problem at a specialty facility in the past year including a hospital as an inpatient, rehabilitation facility (inpatient or outpatient), or mental health center (TXSPXXX=1).

NDTXALC2

Len : 1 NEEDED TREATMENT FOR ALCOHOL USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
0 = No/Unknown (Otherwise).....	247568	26.08
1 = Yes (See comment above)	29253	3.08

NDTXMRJ2

Len : 1 NEEDED TREATMENT FOR MARIJUANA USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
0 = No/Unknown (Otherwise).....	266488	28.07
1 = Yes (See comment above)	10333	1.09

NDTXCOC2

Len : 1 NEEDED TREATMENT FOR COCAINE USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
0 = No/Unknown (Otherwise).....	274242	28.89
1 = Yes (See comment above)	2579	0.27

NDTXHER2

Len : 1 NEEDED TREATMENT FOR HEROIN USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
0 = No/Unknown (Otherwise).....	276324	29.11
1 = Yes (See comment above)	497	0.05

NDTXHAL2

Len : 1 NEEDED TREATMENT FOR HALLUCINOGEN USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
0 = No/Unknown (Otherwise).....	275573	29.03
1 = Yes (See comment above)	1248	0.13

NDTXINH2

Len : 1 NEEDED TREATMENT FOR INHALANT USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
0 = No/Unknown (Otherwise).....	276093	29.08
1 = Yes (See comment above)	728	0.08

NDTXANL2

Len : 1 NEEDED TREATMENT FOR PAIN RELIEVER USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
0 = No/Unknown (Otherwise).....	273612	28.82
1 = Yes (See comment above)	3209	0.34

RECODED SUBSTANCE TREATMENT

NDTXTRN2	Len : 1 NEEDED TREATMENT FOR TRANQUILIZER USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	672464	70.84
	0 = No/Unknown (Otherwise)	275809	29.05
	1 = Yes (See comment above)	1012	0.11
NDTXSTM2	Len : 1 NEEDED TREATMENT FOR STIMULANT USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	672464	70.84
	0 = No/Unknown (Otherwise)	275732	29.05
	1 = Yes (See comment above)	1089	0.11
NDTXSED2	Len : 1 NEEDED TREATMENT FOR SEDATIVE USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	672464	70.84
	0 = No/Unknown (Otherwise)	276515	29.13
	1 = Yes (See comment above)	306	0.03
FLTNDMRJ	Len : 1 FELT NEED FOR TRMT FOR MARIJUANA USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	672464	70.84
	1 = Yes (See comment above)	507	0.05
	2 = No/Unknown (Otherwise)	276314	29.11
FLTNDCOC	Len : 1 FELT NEED FOR TRMT FOR COCAINE USE-PST YR		
		Freq	Pct
	-9 = Data not collected for this year	672464	70.84
	1 = Yes (See comment above)	348	0.04
	2 = No/Unknown (Otherwise)	276473	29.12
FLTNDHER	Len : 1 FELT NEED FOR TRMT FOR HEROIN USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	672464	70.84
	1 = Yes (See comment above)	82	0.01
	2 = No/Unknown (Otherwise)	276739	29.15
FLTNDHAL	Len : 1 FELT NEED FOR TRMT FOR HALLUCINOGEN USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	672464	70.84
	1 = Yes (See comment above)	79	0.01
	2 = No/Unknown (Otherwise)	276742	29.15
FLTNDINH	Len : 1 FELT NEED FOR TRMT FOR INHALANT USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	672464	70.84
	1 = Yes (See comment above)	54	0.01
	2 = No/Unknown (Otherwise)	276767	29.16
FLTNDANL	Len : 1 FELT NEED FOR TRMT FOR PAIN RELIEVER USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	672464	70.84
	1 = Yes (See comment above)	260	0.03
	2 = No/Unknown (Otherwise)	276561	29.13
FLTNDTRN	Len : 1 FELT NEED FOR TRMT FOR TRANQUILIZER USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	672464	70.84
	1 = Yes (See comment above)	107	0.01
	2 = No/Unknown (Otherwise)	276714	29.15

RECODED SUBSTANCE TREATMENT

[FLTNDSTM](#)

Len : 1 FELT NEED FOR TRMT FOR STIMULANT USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
1 = Yes (See comment above)	150	0.02
2 = No/Unknown (Otherwise).....	276671	29.15

[FLTNDSED](#)

Len : 1 FELT NEED FOR TRMT FOR SEDATIVE USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
1 = Yes (See comment above)	39	0.00
2 = No/Unknown (Otherwise).....	276782	29.16

[NDEFMRJ](#)

Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR MARIJUANA USE

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
1 = Felt Need/Made Effort (See comment above).....	166	0.02
2 = Felt Need/Made No Effort (See comment above)	341	0.04
3 = Felt No Need for MRJ TRT/Unknown (FLTNDMRJ=2)	276314	29.11

[NDEFcoc](#)

Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR COCAINE USE

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
1 = Felt Need/Made Effort (See comment above).....	130	0.01
2 = Felt Need/Made No Effort (See comment above)	218	0.02
3 = Felt No Need for COC TRT/Unknown (FLTNDcoc=2)	276473	29.12

[NDEFHER](#)

Len : 1 FELT NEED AND MADE EFFORT FOR TRT FOR HEROIN USE

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
1 = Felt Need/Made Effort (See comment above).....	49	0.01
2 = Felt Need/Made No Effort (See comment above)	33	0.00
3 = Felt No Need for HER TRT/Unknown (FLTNDHER=2).....	276739	29.15

[NDEFHAL](#)

Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR HALLUCINOGEN USE

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
1 = Felt Need/Made Effort (See comment above).....	42	0.00
2 = Felt Need/Made No Effort (See comment above)	37	0.00
3 = Felt No Need for HAL TRT/Unknown (FLTNDHAL=2)	276742	29.15

[NDEFINH](#)

Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR INHALANT USE

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
1 = Felt Need/Made Effort (See comment above).....	23	0.00
2 = Felt Need/Made No Effort (See comment above)	31	0.00
3 = Felt No Need for INH TRT/Unknown (FLTNDINH=2)	276767	29.16

[NDEFANL](#)

Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR PAIN RELIEVER USE

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
1 = Felt Need/Made Effort (See comment above).....	99	0.01
2 = Felt Need/Made No Effort (See comment above)	161	0.02
3 = Felt No Need for PAIN REL TRT/Unknown (FLTNDANL=2)	276561	29.13

[NDEFTRN](#)

Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR TRANQUILIZER USE

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
1 = Felt Need/Made Effort (See comment above).....	44	0.00
2 = Felt Need/Made No Effort (See comment above)	63	0.01
3 = Felt No Need for TRN TRT/Unknown (FLTNDTRN=2).....	276714	29.15

RECODED SUBSTANCE TREATMENT

[NDEFSTM](#)

Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR STIMULANT USE

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
1 = Felt Need/Made Effort (See comment above).....	57	0.01
2 = Felt Need/Made No Effort (See comment above).....	93	0.01
3 = Felt No Need for STM TRT/Unknown (FLTNDSTM=2)	276671	29.15

[NDEFSED](#)

Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR SEDATIVE USE

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
1 = Felt Need/Made Effort (See comment above).....	14	0.00
2 = Felt Need/Made No Effort (See comment above).....	25	0.00
3 = Felt No Need for SED TRT/Unknown (FLTNDSED=2).....	276782	29.16

[TXGPALC](#)

Len : 1 NEEDED TRMT FOR ALC USE, NOT RCD TRMT SPEC FAC-PY

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
0 = No/Unknown (Otherwise).....	249125	26.24
1 = Yes (NDTXALC2=1 and TXSPALC=0)	27696	2.92

[TXGPMJLC](#)

Len : 1 NEEDED TRMT FOR MRJ USE, NOT RCD TRMT SPEC FAC-PY

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
0 = No/Unknown (Otherwise).....	267533	28.18
1 = Yes (NDTXMRJ2=1 and TXSPMRJ=0).....	9288	0.98

[TXGPCOLC](#)

Len : 1 NEEDED TRMT FOR COC USE, NOT RCD TRMT SPEC FAC-PY

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
0 = No/Unknown (Otherwise).....	274824	28.95
1 = Yes (NDTXCOC2=1 and TXSPCOC=0).....	1997	0.21

[TXGPHELC](#)

Len : 1 NEEDED TRMT FOR HER USE, NOT RCD TRMT SPEC FAC-PY

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
0 = No/Unknown (Otherwise).....	276563	29.13
1 = Yes (NDTXHER2=1 and TXSPHER=0)	258	0.03

[TXGPHALC](#)

Len : 1 NEEDED TRMT FOR HAL USE, NOT RCD TRMT SPEC FAC-PY

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
0 = No/Unknown (Otherwise).....	275890	29.06
1 = Yes (NDTXHAL2=1 and TXSPHAL=0).....	931	0.10

[TXGPINLC](#)

Len : 1 NEEDED TRMT FOR INH USE, NOT RCD TRMT SPEC FAC-PY

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
0 = No/Unknown (Otherwise).....	276256	29.10
1 = Yes (NDTXINH2=1 and TXSPINH=0).....	565	0.06

[TXGPANLC](#)

Len : 1 NEEDED TRT FOR PAIN REL USE, NOT RCD TRT SP FAC-PY

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
0 = No/Unknown (Otherwise).....	274073	28.87
1 = Yes (NDTXANL2=1 and TXSPANL=0).....	2748	0.29

[TXGPTRLC](#)

Len : 1 NEEDED TRMT FOR TRN USE, NOT RCD TRMT SPEC FAC-PY

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
0 = No/Unknown (Otherwise).....	276063	29.08
1 = Yes (NDTXTRN2=1 and TXSPTRN=0)	758	0.08

RECODED SUBSTANCE TREATMENT

[TXGPSTLC](#)

Len : 1 NEEDED TRMT FOR STM USE, NOT RCD TRMT SPEC FAC-PY

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
0 = No/Unknown (Otherwise).....	276061	29.08
1 = Yes (NDTXSTM2=1 and TXSPSTM=0).....	760	0.08

[TXGPSELC](#)

Len : 1 NEEDED TRMT FOR SED USE, NOT RCD TRMT SPEC FAC- PY

	Freq	Pct
-9 = Data not collected for this year	672464	70.84
0 = No/Unknown (Otherwise).....	276606	29.14
1 = Yes (NDTXSED2=1 and TXSPSED=0)	215	0.02

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from two of the preceding sections: Substance Treatment or Recoded Substance Dependence and Abuse.

NOTE: Respondents who were routed into the Drug Treatment module based solely on their responses from the Special Drugs module questions were classified as not receiving substance use treatment.

NOTE: The following seven recoded variables contain information about receiving treatment at any location in lifetime or in the past year.

[TXILALEV](#)

Len : 1 RECEIVED TREATMENT FOR DRG OR ALC USE IN LIFETIME

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	682750	71.92
1 = Yes (TXEVER=1).....	39903	4.20

[ALCTRMT](#)

Len : 1 RCVD TRMT ANY LOC FOR ALC USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	713081	75.12
1 = Yes (TXYRADG=1,3,4,6,11,12).....	9572	1.01

[ILLTRMT](#)

Len : 1 RCVD TRMT ANY LOC FOR ILL DRG USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	713791	75.19
1 = Yes (TXYRADG=2,3,5,6,11,12).....	8862	0.93

A respondent was classified as receiving treatment at any location in the past year for alcohol use but not illicit drug use, TXALNOIL, if they received only alcohol use treatment at any location in the past year (TXYRADG=1). Respondents with unknown illicit drug use treatment (TXYRADG=4) or who reported receiving alcohol use treatment only but in later treatment questions indicated receiving illicit drug use treatment (TXYRADG=11) are not classified as receiving treatment for alcohol use only.

[TXALNOIL](#)

Len : 1 RCVD TRMT ANY LOC FOR ALC BUT NOT ILL DRG - PST YR

	Freq	Pct
-9 = Data not collected for this year	838854	88.37
0 = No/Unknown (Otherwise).....	109890	11.58
1 = Yes (TXYRADG=1)	541	0.06

A respondent was classified as receiving treatment at any location in the past year for illicit drug use but not alcohol use, TXILNOAL, if they received only illicit drug use treatment at any location in the past year (TXYRADG=2). Respondents with unknown alcohol use treatment (TXYRADG=5) or who reported receiving illicit drug use treatment only but in later treatment questions indicated receiving alcohol use treatment (TXYRADG=12) are not classified as receiving treatment for illicit drug use only.

[TXILNOAL](#)

Len : 1 RCVD TRMT ANY LOC FOR ILL DRG BUT NOT ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year	838854	88.37
0 = No/Unknown (Otherwise).....	109871	11.57
1 = Yes (TXYRADG=2)	560	0.06

RECODED SUBSTANCE TREATMENT

TXILLALC	Len : 1 RCVD TRMT ANY LOC FOR ILL DRG OR ALC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	708066	74.59
	1 = Yes (TXYREVER=1,3)	14587	1.54

TXILANAL	Len : 1 RCVD TRMT ANY LOC FOR ILL DRG AND ALC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	717242	75.56
	1 = Yes (TXYRADG=3,6,11,12)	5411	0.57

NOTE: The following 11 recoded variables contain respondent information about receiving last or current treatment for various substances.

TXLTALC2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR ALCOHOL		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	714207	75.24
	1 = Yes (TXLTYALC=1,3,5)	8446	0.89

TXLTMJ2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR MARIJUANA		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	717529	75.59
	1 = Yes (TXLTYMJ=1,3)	5124	0.54

TXLTCOC2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR COCAINE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	720361	75.88
	1 = Yes (TXLTYCOC=1,3)	2292	0.24

TXLTHER2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR HEROIN		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721412	76.00
	1 = Yes (TXLTYHER=1,3)	1241	0.13

TXLTHAL2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR HALLUCINOGENS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721266	75.98
	1 = Yes (TXLTYHAL=1,3)	1387	0.15

TXLTINH2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR INHALANTS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721884	76.05
	1 = Yes (TXLTYINH=1,3)	769	0.08

TXLTANL2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR PAIN RELIEVERS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	720161	75.86
	1 = Yes (TXLTYANL=1,3)	2492	0.26

TXLTRN2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR TRANQUILIZERS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721384	75.99
	1 = Yes (TXLTYTRN=1,3)	1269	0.13

RECODED SUBSTANCE TREATMENT

TXLTSTM2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR STIMULANTS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721232	75.98
	1 = Yes (TXLTYSTM=1,3)	1421	0.15

TXLTSED2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR SEDATIVES		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722251	76.08
	1 = Yes (TXLTYSED=1,3)	402	0.04

The following variable, TXLTILL2, was created by examination of the receipt of last/current treatment of marijuana (TXLTMJ2), cocaine (TXLTCOC2), heroin (TXLTHER2), stimulants (TXLTSTM2), sedatives (TXLTSED2), pain relievers (TXLTANL2), hallucinogens (TXLTHAL2), inhalants (TXLTINH2), and tranquilizers (TXLTTRN2).

TXLTILL2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR ILLICIT DRUGS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	715020	75.32
	1 = Yes (Any source variable=1).....	7633	0.80

NOTE: The following 27 recoded variables contain payment information about respondent's last or current treatment.

TXPINS2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY INSURANCE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	718355	75.67
	1 = Yes (TXPYINS=1,3).....	4298	0.45

TXPCARE2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICARE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	720229	75.87
	1 = Yes (TXPYCARE=1,3)	2424	0.26

TXPCAID2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICAID		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	720068	75.85
	1 = Yes (TXPYCAID=1,3).....	2585	0.27

TXPPUB2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY PUBLIC ASST		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	720213	75.87
	1 = Yes (TXPPUBP=1,3).....	2440	0.26

TXPSAVE2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY OWN SAVINGS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	716849	75.51
	1 = Yes (TXPYSAVE=1,3).....	5804	0.61

TXPFMLY2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY FAM MEMBERS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	719128	75.75
	1 = Yes (TXPYFMLY=1,3).....	3525	0.37

RECODED SUBSTANCE TREATMENT

<u>TXPCORT2</u>	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY COURTS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721051	75.96
	1 = Yes (TXPYCORT=1,3)	1602	0.17
<u>TXPMILC2</u>	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY MILT HLT CARE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722204	76.08
	1 = Yes (TXPYMILC=1,3).....	449	0.05
<u>TXPEMPL2</u>	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY EMPLOYER		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	722146	76.07
	1 = Yes (TXPYEMPL=1,3)	507	0.05
<u>ALCPINS</u>	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY INSURANCE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (TXLTALC2=0 or TXPINS2=0).....	720009	75.85
	1 = Yes (TXLTALC2=1 and TXPINS2=1).....	2644	0.28
<u>ALCPCARE</u>	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICARE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (TXLTALC2=0 or TXPCARE2=0).....	721239	75.98
	1 = Yes (TXLTALC2=1 and TXPCARE2=1).....	1414	0.15
<u>ALCPCAID</u>	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICAID		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (TXLTALC2=0 or TXPCAIID2=0)	721140	75.97
	1 = Yes (TXLTALC2=1 and TXPCAIID2=1).....	1513	0.16
<u>ALCPUBP</u>	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY PUBLIC ASST		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (TXLTALC2=0 or TXPPUBP2=0)	721149	75.97
	1 = Yes (TXLTALC2=1 and TXPPUBP2=1)	1504	0.16
<u>ALCPSAVE</u>	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY OWN SAVINGS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (TXLTALC2=0 or TXPSAVE2=0).....	718676	75.71
	1 = Yes (TXLTALC2=1 and TXPSAVE2=1).....	3977	0.42
<u>ALCPFMLY</u>	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY FAM MEMBERS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (TXLTALC2=0 or TXPFMLY2=0)	720617	75.91
	1 = Yes (TXLTALC2=1 and TXPFMLY2=1)	2036	0.21
<u>ALPCORT</u>	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY COURTS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (TXLTALC2=0 or TXPCORT2=0).....	721619	76.02
	1 = Yes (TXLTALC2=1 and TXPCORT2=1).....	1034	0.11

RECODED SUBSTANCE TREATMENT

ALCPMILC	Len : 1 LAST/CURRENT ALC TRT PAID FOR BY MILT HLT CARE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (TXLTALC2=0 or TXPMILC2=0)	722327	76.09
	1 = Yes (TXLTALC2=1 and TXPMILC2=1)	326	0.03
ALCPEMPL	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY EMPLOYER		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (TXLTALC2=0 or TXPEMPL2=0)	722289	76.09
	1 = Yes (TXLTALC2=1 and TXPEMPL2=1)	364	0.04
ILLPINS	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY INSURANCE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (TXLTILL2=0 or TXPINS2=0)	719782	75.82
	1 = Yes (TXLTILL2=1 and TXPINS2=1)	2871	0.30
ILLPCARE	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICARE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (TXLTILL2=0 or TXPCARE2=0)	720890	75.94
	1 = Yes (TXLTILL2=1 and TXPCARE2=1)	1763	0.19
ILLPCAID	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICAID		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (TXLTILL2=0 or TXPCAID2=0)	720732	75.92
	1 = Yes (TXLTILL2=1 and TXPCAID2=1)	1921	0.20
ILLPPUBP	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY PUBLIC ASST		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (TXLTILL2=0 or TXPPUBP2=0)	720945	75.95
	1 = Yes (TXLTILL2=1 and TXPPUBP2=1)	1708	0.18
ILLPSAVE	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY OWN SAVINGS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (TXLTILL2=0 or TXPSAVE2=0)	719678	75.81
	1 = Yes (TXLTILL2=1 and TXPSAVE2=1)	2975	0.31
ILLPFMLY	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY FAM MEMBERS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (TXLTILL2=0 or TXPFMLY2=0)	720238	75.87
	1 = Yes (TXLTILL2=1 and TXPFMLY2=1)	2415	0.25
ILLPCORT	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY COURTS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (TXLTILL2=0 or TXPCORT2=0)	721463	76.00
	1 = Yes (TXLTILL2=1 and TXPCORT2=1)	1190	0.13
ILLPMILC	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY MILT HLT CARE		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (TXLTILL2=0 or TXPMILC2=0)	722403	76.10
	1 = Yes (TXLTILL2=1 and TXPMILC2=1)	250	0.03

RECODED SUBSTANCE TREATMENT

ILLPEMPL

Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY EMPLOYER

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (TXLTILL2=0 or TXPEMPL2=0)	722384	76.10
1 = Yes (TXLTILL2=1 and TXPEMPL2=1)	269	0.03

NOTE: The following seven recoded variables contain information about receiving treatment at a specialty facility in the past year.

A respondent was classified as receiving treatment in the past year for alcohol use at a specialty facility, SPECTALC, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of these conditions:

1. Reported receiving only alcohol treatment in the past year (TXYRADG=1, 4, 11) and that treatment was received at one of the four specialty facilities (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1, 2, 3, 4, 9, 45, 56, 64).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3, 6) and reported specifically receiving alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=1, 3 or TXYRINAD=1, 3 or TXYRPOAD=1, 3 or TXYRMHAD=1, 3 or (TXYROTS2=1, 2, 3, 4, 9, 45, 56, 64 and TXYROTAD=1, 3)).

SPECTALC

Len : 1 RCVD TRMT AT SPEC FAC FOR ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	717289	75.56
1 = Yes (See comment above)	5364	0.57

A respondent was classified as receiving treatment in the past year for illicit drug use at a specialty facility, SPECTILL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or a mental health center if they met either of these conditions:

1. Reported receiving only illicit drug treatment in the past year (TXYRADG=2, 5, 12) and that treatment was received at one of the four specialty facilities (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1, 2, 3, 4, 9, 45, 56, 64).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3, 6) and reported specifically receiving illicit drug treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=2, 3 or TXYRINAD=2, 3 or TXYRPOAD=2, 3 or TXYRMHAD=2, 3 or (TXYROTS2=1, 2, 3, 4, 9, 45, 56, 64 and TXYROTAD=2, 3)).

SPECTILL

Len : 1 RCVD TRMT AT SPEC FAC FOR ILL DRG - PST YR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	717023	75.53
1 = Yes (See comment above)	5630	0.59

RECODED SUBSTANCE TREATMENT

A respondent was classified as receiving treatment in the past year for alcohol use but not illicit drug use at a specialty facility, SPCALNIL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met one of the following conditions:

1. Reported receiving only alcohol treatment in the past year (TXYRADG=1) and that treatment was received at a specialty facility (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1-4, 45, 46, 56, 64, 76, 81).
2. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRADG=11), the reported alcohol treatment was received at one of the four specialty facilities (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1-4, 45, 46, 56, 64, 76, 81), and their last or current treatment was not at one of the four specialty facilities (LASTTXSP=0).
3. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3, 6) and reported specifically receiving only alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=1 or TXYRINAD=1 or TXYRPOAD=1 or TXYRMHAD=1 or (TXYROTAD=1 and TXYROTS2=1-4, 45, 46, 56, 64, 76, 81)) but did not report specifically receiving illicit drug treatment or illicit drug and alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD NE 2, 3 or TXYRINAD NE 2, 3 or TXYRPOAD NE 2, 3 or TXYRMHAD NE 2, 3 or (TXYROTAD NE 2, 3 and TXYROTS2=1-4, 45, 46, 56, 64, 76, 81) or TXYROTS2 NE 1-4, 45, 46, 56, 64, 76, 81).

For the logically assigned levels of TXYRADG, the creation of this variable may be unclear; therefore, details for classifying respondents as not receiving alcohol only treatment at a specialty facility for these logically assigned levels are below:

1. Reported receiving alcohol treatment in the past year but illicit drug treatment status is unknown (TXYRADG=4) or reported receiving illicit drug treatment in the past year but alcohol treatment status is unknown (TXYRADG=5).
2. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol during their last or current treatment (TXYRADG=12).
3. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRADG=11) and the reported alcohol treatment was not at a specialty facility (TXYRHOSP=2, 94, 97, 98 and TXYRRFIN=2, 94, 97, 98 and TXYRRFOP=2, 94, 97, 98 and TXYRMHC=2, 94, 97, 98 and TXYROTS2 NE 1-4, 45, 46, 56, 64, 76, 81).
4. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRADG=11) and their reported alcohol treatment was at a specialty facility (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1-4, 45, 46, 56, 64, 76, 81) but their last or current treatment was at a specialty facility (LASTTXSP=1) and included treatment for illicit drug use.

SPCALNIL

Len : 1 RCVD TRMT AT SPEC FAC FOR ALC NOT ILL DRG - PST YR

	Freq	Pct
-9 = Data not collected for this year	838854	88.37
0 = No/Unknown (Otherwise).....	110098	11.60
1 = Yes (See comment above)	333	0.04

RECODED SUBSTANCE TREATMENT

A respondent was classified as receiving treatment in the past year for illicit drug use but not alcohol use at a specialty facility, SPCILNAL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met one of the following conditions:

1. Reported receiving only illicit drug treatment in the past year (TXYRADG=2) and that treatment was received at a specialty facility (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1-4, 45, 46, 56, 64, 76, 81).
2. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRADG=12), the reported illicit drug treatment was received at one of the four specialty facilities (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1-4, 45, 46, 56, 64, 76, 81), and their last or current treatment was not at one of the four specialty facilities (LASTTXSP=0).
3. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3, 6) and reported specifically receiving only illicit drug treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=2 or TXYRINAD=2 or TXYRPOAD=2 or TXYRMHAD=2 or (TXYROTAD=2 and TXYROTS2=1-4, 45, 46, 56, 64, 76, 81)) but did not report specifically receiving alcohol treatment or illicit drug and alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD NE 1, 3 or TXYRINAD NE 1, 3 or TXYRPOAD NE 1, 3 or TXYRMHAD NE 1, 3 or (TXYROTAD NE 1, 3 and TXYROTS2=1-4, 45, 46, 56, 64, 76, 81) or TXYROTS2 NE 1-4, 45, 46, 56, 64, 76, 81).

For the logically assigned levels of TXYRADG, the creation of this variable may be unclear; therefore, details for classifying respondents as not receiving illicit drug only treatment at a specialty facility for these logically assigned levels are below:

1. Reported receiving alcohol treatment in the past year but illicit drug treatment status is unknown (TXYRADG=4) or reported receiving illicit drug treatment in the past year but alcohol treatment status is unknown (TXYRADG=5).
2. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drugs during their last or current treatment (TXYRADG=11).
3. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRADG=12) and the reported illicit drug treatment was not at a specialty facility (TXYRHOSP=2, 94, 97, 98 and TXYRRFIN=2, 94, 97, 98 and TXYRRFOP=2, 94, 97, 98 and TXYRMHC=2, 94, 97, 98 and TXYROTS2 NE 1-4, 45, 46, 56, 64, 76, 81).
4. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRADG=12) and their reported illicit drug treatment was at a specialty facility (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1-4, 45, 46, 56, 64, 76, 81) but their last or current treatment was at a specialty facility (LASTTXSP=1) and included treatment for alcohol use.

SPCILNAL

Len : 1 RCVD TRMT AT SPEC FAC FOR ILL DRG NOT ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year	838854	88.37
0 = No/Unknown (Otherwise).....	109952	11.58
1 = Yes (See comment above)	479	0.05

A respondent was classified as receiving treatment in the past year for illicit drug or alcohol use at a specialty facility, SPILLALC, if they reported receiving treatment for illicit drug or alcohol use in the past year (TXYREVER=1, 3) and treatment was received at either a hospital (inpatient), or rehabilitation facility (in or outpatient), or a mental health center (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1, 2, 3, 4, 9, 45, 56, 54).

SPILLALC

Len : 1 RCVD TRMT AT SPEC FAC FOR ILL DRG OR ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	713880	75.20
1 = Yes (See comment above)	8773	0.92

SPILANAL

Len : 1 RCVD TRMT AT SPEC FAC FOR ILL DRG AND ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	720081	75.86
1 = Yes (SPECTILL=1 and SPECTALC=1).....	2572	0.27

LASTTXSP

Len : 1 LAST/CURRENT TRMT AT SPECIALTY FACILITY - PST YR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	716443	75.47
1 = Yes (TXLTMYN2=1-4,21,22,23,24,45,46,56,64,76,81).....	6210	0.65

RECODED SUBSTANCE TREATMENT

NOTE: The following 24 recoded variables contain information about where a respondent received treatment in the past year.

NOTE: The following eight recoded variables contain information about where a respondent received alcohol treatment in the past year.

A respondent received treatment for alcohol use in the past year at the specified location if they met either of these conditions:

1. Received treatment in the past 12 months for both illicit drug and alcohol use (TXYRADG=3, 6) and reported a positive response to the specific treatment location (TXYRXXXX=1, 3, 5) and reported receiving treatment at the specific location for alcohol use or both illicit drug and alcohol use (TXYRXXAD=1, 3).
2. Received treatment in the past 12 months for alcohol use only (TXYRADG=1, 4, 11) and reported a positive response to the specific treatment location (TXYRXXXX=1, 3, 5).

<u>ALCHOSP</u>	Len : 1 RECEIVED ALC TRT AT A HOSPITAL IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721022	75.95
	1 = Yes (See comment above)	1631	0.17

<u>ALCRFIN</u>	Len : 1 RECEIVED ALC TRT AT AN INP REHAB FAC IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	720535	75.90
	1 = Yes (See comment above ALCHOSP).....	2118	0.22

<u>ALCRFOP</u>	Len : 1 RECEIVED ALC TRT AT AN OUTP REHAB FAC IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	719107	75.75
	1 = Yes (See comment above ALCHOSP).....	3546	0.37

<u>ALCMHC</u>	Len : 1 RECEIVED ALC TRT AT A MNTL HLTH CNTR IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	720464	75.90
	1 = Yes (See comment above ALCHOSP).....	2189	0.23

<u>ALCTXER</u>	Len : 1 RECEIVED ALC TRT AT AN EMERGENCY ROOM IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721798	76.04
	1 = Yes (See comment above ALCHOSP).....	855	0.09

<u>ALCDOC</u>	Len : 1 RECEIVED ALC TRT AT A DOCTOR'S OFFICE IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721476	76.00
	1 = Yes (See comment above ALCHOSP).....	1177	0.12

<u>ALCJAIL</u>	Len : 1 RECEIVED ALC TRT AT A PRISON/JAIL IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721752	76.03
	1 = Yes (See comment above ALCHOSP).....	901	0.09

<u>ALCSHG</u>	Len : 1 RECEIVED ALC TRT AT A SELF-HELP GROUP IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	717764	75.61
	1 = Yes (See comment above ALCHOSP).....	4889	0.52

RECODED SUBSTANCE TREATMENT

NOTE: The following eight recoded variables contain information about where a respondent received illicit drug treatment in the past year.

A respondent received treatment for illicit drug use in the past year at the specified location if they met either of these conditions:

1. Received treatment in the past 12 months for both illicit drug and alcohol use (TXYRADG=3, 6) and reported a positive response to the specific treatment location (TXYRXXX=1, 3, 5) and reported receiving treatment at the specific location for illicit drug use or both illicit drug and alcohol use (TXYRXXAD=2, 3).
2. Received treatment in the past 12 months for illicit drug use only (TXYRADG=2, 5, 12) and reported a positive response to the specific treatment location (TXYRXXX=1, 3, 5).

<u>DRGHOSP</u>	Len : 1 RCVD ILL DRUG TRT AT A HOSPITAL IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721006	75.95
	1 = Yes (See comment above)	1647	0.17

<u>DRGRFIN</u>	Len : 1 RCVD ILL DRUG TRT AT AN INP REHAB FAC IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	720309	75.88
	1 = Yes (See comment above DRGHOSP)	2344	0.25

<u>DRGRFOP</u>	Len : 1 RCVD ILL DRUG TRT AT AN OUTP REHAB FAC IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	718761	75.72
	1 = Yes (See comment above DRGHOSP)	3892	0.41

<u>DRGMHC</u>	Len : 1 RCVD ILL DRUG TRT AT A MNTL HLTH CNTR IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	720373	75.89
	1 = Yes (See comment above DRGHOSP)	2280	0.24

<u>DRGTXER</u>	Len : 1 RCVD ILL DRUG TRT AT AN EMERGENCY ROOM IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721802	76.04
	1 = Yes (See comment above DRGHOSP)	851	0.09

<u>DRGDOC</u>	Len : 1 RCVD ILL DRUG TRT AT A DOCTOR'S OFFICE IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721331	75.99
	1 = Yes (See comment above DRGHOSP)	1322	0.14

<u>DRGJAIL</u>	Len : 1 RCVD ILL DRUG TRT AT A PRISON/JAIL IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721777	76.03
	1 = Yes (See comment above DRGHOSP)	876	0.09

<u>DRGSHG</u>	Len : 1 RCVD ILL DRUG TRT AT A SELF-HELP GROUP IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	718402	75.68
	1 = Yes (See comment above DRGHOSP)	4251	0.45

NOTE: The following eight recoded variables contain information about where a respondent received illicit drug or alcohol treatment in the past year.

<u>LOCHOSP</u>	Len : 1 RCVD ILL DRG/ALC TRT AT A HOSPITAL IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	720054	75.85
	1 = Yes (TXYRHOSP=1,3,5)	2599	0.27

RECODED SUBSTANCE TREATMENT

LOCRRFIN	Len : 1 RCVD ILL DRG/ALC TRT AT INP REHAB FAC IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	719189	75.76
	1 = Yes (TXYRRFIN=1,3,5)	3464	0.36

LOCRRFOP	Len : 1 RCVD ILL DRG/ALC TRT AT OUTP REHAB FAC IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	716712	75.50
	1 = Yes (TXYRRFOP=1,3,5)	5941	0.63

LOCMHC	Len : 1 RCVD ILL DRG/ALC TRT AT MNTL HLTH CNTR IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	719020	75.74
	1 = Yes (TXYRMHC=1,3,5)	3633	0.38

LOCTXER	Len : 1 RCVD ILL DRG/ALC TRT AT AN ER IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721043	75.96
	1 = Yes (TXYRTXER=1,3,5)	1610	0.17

LOCDOC	Len : 1 RCVD ILL DRG/ALC TRT AT A DR'S OFFICE IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	720521	75.90
	1 = Yes (TXYRDOC=1,3,5).....	2132	0.22

LOCJAIL	Len : 1 RCVD ILL DRG/ALC TRT AT A PRISON/JAIL IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	721252	75.98
	1 = Yes (TXYRJAIL=1,3,5)	1401	0.15

LOCSHG	Len : 1 RCVD ILL DRG/ALC TRT AT SELF-HELP GROUP IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	715453	75.37
	1 = Yes (TXYRSHG=1,3,5)	7200	0.76

NOTE: The following three recoded variables contain information about a respondent's need for treatment in the past year.

A respondent was classified as needing treatment for alcohol use in the past year, TXNEDALC, if they met any one of the following three criteria:

1. Dependent on alcohol in the past year (DEPNALC=1).
2. Alcohol abuse in the past year (ABUSEALC=1).
3. Received treatment for alcohol use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (SPECTALC=1).

TXNEDALC	Len : 1 NEEDED TREATMENT FOR ALCOHOL USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	652082	68.69
	1 = Yes (See comment above)	70571	7.43

RECODED SUBSTANCE TREATMENT

A respondent was classified as needing treatment for illicit drug use in the past year, ILLNEED, if they met any one of the following three criteria:

1. Dependent on any illicit drug in the past year (DEPNILL=1).
2. Illicit drug abuse in the past year (ABUSEILL=1).
3. Received treatment for illicit drug use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (SPECTILL=1).

ILLNEED

Len : 1 NEEDED TREATMENT FOR ILLICIT DRUG USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	685088	72.17
1 = Yes (See comment above)	37565	3.96

A respondent was classified as needing treatment for illicit drug or alcohol use in the past year, TXNDILAL, if they met any one of the following three criteria:

1. Dependent on any illicit drug or alcohol in the past year (DPILLALC=1).
2. Illicit drug or alcohol abuse in the past year (ABILLALC=1).
3. Received treatment for illicit drug or alcohol use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (SPILLALC=1).

TXNDILAL

Len : 1 NEEDED TREATMENT FOR ILL DRG OR ALC USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	631992	66.58
1 = Yes (See comment above)	90661	9.55

NOTE: The following three recoded variables contain information about respondents feeling a need for treatment in the past year.

A respondent was classified as feeling a need for alcohol treatment in the past year, FLTNDALC, if they met either of these conditions:

1. Reported feeling a need for treatment for alcohol in the past year (NDTXNEDR=1, 11, 13 and NDTXALCR=1, 3, 11, 13).
2. Reported feeling a need for ADDITIONAL treatment for alcohol in the past year (NDTXMORE=1 and NDTMRALC=1).

FLTNDALC

Len : 1 FELT NEED FOR TRMT FOR ALCOHOL USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes (See comment above)	2575	0.27
2 = No/Unknown (Otherwise).....	720078	75.85

A respondent was classified as feeling a need for illicit drug treatment in the past year, FLTNDILL, if they met either of these conditions:

1. Reported feeling a need for treatment for one or more illicit drugs in the past year, specifically including marijuana (NDTXNEDR=1, 11, 13 and NDTXMJR=1, 3, 11, 13), cocaine (NDTXNEDR=1, 11, 13 and NDTXCOCR=1, 3, 11, 13), heroin (NDTXNEDR=1, 11, 13 and NDTXHERR=1, 3, 11, 13), hallucinogens (NDTXNEDR=1, 11, 13 and NDTXHALR=1, 3, 11, 13), inhalants (NDTXNEDR=1, 11, 13 and NDTXINHR=1, 3, 11, 13), pain relievers (NDTXNEDR=1, 11, 13 and NDTXANLR=1, 3, 11, 13), tranquilizers (NDTXNEDR=1, 11, 13 and NDTXTRNR=1, 3, 11, 13), stimulants (NDTXNEDR=1, 11, 13 and NDTXSTMR=1, 3, 11, 13), sedatives (NDTXNEDR=1, 11, 13 and NDTXSEDR=1, 3, 11, 13), or some other drug (NDTXNEDR=1, 11, 13 and NDTXSODR=1, 3, 5, 11, 13).
2. Reported feeling a need for ADDITIONAL treatment for one or more illicit drugs in the past year, specifically including marijuana (NDTXMORE=1 and NDTMRMJ=1), cocaine (NDTXMORE=1 and NDTMRCOC=1), heroin (NDTXMORE=1 and NDTMRHER=1), hallucinogens (NDTXMORE=1 and NDTMRHAL=1), inhalants (NDTXMORE=1 and NDTMRINH=1), pain relievers (NDTXMORE=1 and NDTMRANL=1), tranquilizers (NDTXMORE=1 and NDTMRTRN=1), stimulants (NDTXMORE=1 and NDTMRSTM=1), sedatives (NDTXMORE=1 and NDTMRSED=1), or some other drug (NDTXMORE=1 and NDTMROTH=1).

FLTNDILL

Len : 1 FELT NEED FOR TRMT FOR ILLICIT DRUG USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes (See comment above)	3118	0.33
2 = No/Unknown (Otherwise).....	719535	75.80

FLNDILAL

Len : 1 FELT NEED FOR TRMT FOR ILL DRG OR ALC USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes (NDTXNEDR=1,11,13 or NDTXMORE=1).....	4873	0.51
2 = No/Unknown (Otherwise).....	717780	75.61

RECODED SUBSTANCE TREATMENT

NOTE: The following three variables pertain to respondents feeling a need and making an effort to obtain treatment in the past year.

NOTE: A respondent was classified as feeling a need for substance use treatment and making an effort to get substance use treatment in the past year, NDEFXXX=1, if they felt a need for treatment for their substance use (FLTNDXXX=1) and if they met either of the following conditions:

1. Reported making an effort to get treatment (NDTXEFTR=1, 11).
2. Reported making an effort to get ADDITIONAL treatment (NDTMREFT=1).

A respondent was classified as feeling a need for and NOT making an effort to get substance use treatment in the past year, NDEFXXX=2, if they felt a need for treatment for their substance use (FLTNDXXX=1) and if they met either of the following conditions:

1. Reported NOT making an effort to get treatment (NDTXEFTR=2, 12, 99).
2. Reported NOT making an effort to get ADDITIONAL treatment (NDTMREFT=2, 98, 99).

NDEFALC

Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR ALCOHOL USE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Felt Need/Made Effort (See comment above).....	952	0.10
2 = Felt Need/Made No Effort (See comment above).....	1623	0.17
3 = Felt No Need for Alc Trmt/Unk (FLTNDALC=2).....	720078	75.85

NDEFIL

Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR ILLICIT DRG USE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Felt Need/Made Effort (See comment above).....	1066	0.11
2 = Felt Need/Made No Effort (See comment above).....	2052	0.22
3 = Felt No Need for Ill Drg Trmt/Unk (FLTNDILL=2).....	719535	75.80

A respondent was classified as feeling a need for illicit drug or alcohol treatment and making an effort to get illicit drug or alcohol treatment in the past year, NDEFIA=1, if they felt a need for treatment for their illicit drug or alcohol use (FLNDILAL=1) and if they met either of the following conditions:

1. Reported making an effort to get treatment (NDTXEFTR=1, 11).
2. Reported making an effort to get ADDITIONAL treatment (NDTMREFT=1).

A respondent was classified as feeling a need for and NOT making an effort to get illicit drug or alcohol treatment in the past year, NDEFIA=2, if they felt a need for treatment for their illicit drug or alcohol use (FLNDILAL=1) and if they met either of the following conditions:

1. Reported NOT making an effort to get treatment (NDTXEFTR=2, 12, 99).
2. Reported NOT making an effort to get ADDITIONAL treatment (NDTMREFT=2, 98, 99).

NDEFIA

Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR ILL DRG OR ALC USE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Felt Need/Made Effort (See comment above).....	1711	0.18
2 = Felt Need/Made No Effort (See comment above).....	3162	0.33
3 = Felt No Need for Ill Drg/Alc Trmt/Unk (FLNDILAL=2).....	717780	75.61

NOTE: The following three recoded variables define if a respondent needed treatment in the past year but did not receive treatment at a specialty facility (treatment gap).

The following variable, TXGAPALC, is defined as needing alcohol treatment in the past year, but not receiving alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

TXGAPALC

Len : 1 NEEDED TRT FOR ALC USE, NOT RCVD TRT SPEC FAC-PY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	657446	69.26
1 = Yes (TXNEDALC=1 and SPECTALC=0).....	65207	6.87

The following variable, TXNOSPEC, is defined as needing illicit drug treatment in the past year, but not receiving illicit drug treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

TXNOSPEC

Len : 1 NEEDED TRT FOR ILL DRG USE, NOT RCD TRT SPC FAC-PY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = No/Unknown (Otherwise).....	690718	72.76
1 = Yes (ILLNEED=1 and SPECTILL=0).....	31935	3.36

RECODED SUBSTANCE TREATMENT

The following variable, TXGPILAL, is defined as needing illicit drug or alcohol treatment in the past year, but not receiving illicit drug or alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

<u>TXGPILAL</u>	Len : 1 NEEDED TRT FOR DRG/ALC USE, NOT RCD TRT SP FAC-PY		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	640765	67.50
	1 = Yes (TXNDILAL=1 and SPILLALC=0)	81888	8.63

NOTE: The following 14 recoded variables contain respondent information about reasons for not receiving substance treatment in the past year or not receiving additional substance treatment in the past year.

<u>TXRNNHCV</u>	Len : 1 NO TRT/ADDL TRT PST YR B/C COULDN'T AFFORD/NO INSUR		
		Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	717780	75.61
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	3516	0.37
	1 = Yes (FLNDILAL=1 &(NDTXNHCV or NDMRNHCV=1,3,11,13)).....	1357	0.14

<u>TXRNLMLCV</u>	Len : 1 NO TRT/ADDL TRT PST YR B/C INS DIDN'T COVR TRT/COST		
		Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	717780	75.61
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	4552	0.48
	1 = Yes (FLNDILAL=1 &(NDTXLMCV or NDMRLMLCV=1,3,11,13))	321	0.03

<u>TXRNTSP</u>	Len : 1 NO TRT/ADDL TRT PST YR B/C NO TRANSPORTATION		
		Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	717780	75.61
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	4511	0.48
	1 = Yes (FLNDILAL=1 &(NDTXNTSP or NDMRNTSP=1,3,11,13)).....	362	0.04

<u>TXRNTPY</u>	Len : 1 NO TRT/ADDL TRT PST YR B/C NO PROGRAM HAD TYPE TRT		
		Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	717780	75.61
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	4584	0.48
	1 = Yes (FLNDILAL=1 &(NDTXTPY or NDMRTPY=1,3,11,13))	289	0.03

<u>TXRNNSTP</u>	Len : 1 NO TRT/ADDL TRT PST YR B/C NOT READY TO STOP USE		
		Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	717780	75.61
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	3292	0.35
	1 = Yes (FLNDILAL=1 &(NDTXREDY or NDMRREDY=1,3,11,13)).....	1581	0.17

<u>TXRNOPEN</u>	Len : 1 NO TRT/ADDL TRT PST YR B/C NO OPENINGS IN PROGRAM		
		Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	717780	75.61
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	4718	0.50
	1 = Yes (FLNDILAL=1 &(NDTXOPEN or NDMROPEN=1,3,11,13))	155	0.02

<u>TXRNWHER</u>	Len : 1 NO TRT/ADDL TRT PST YR B/C DIDN'T KNOW WHERE TO GO		
		Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	717780	75.61
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	4311	0.45
	1 = Yes (FLNDILAL=1 &(NDTXWHER or NDMRWHER=1,3,11,13))	562	0.06

RECODED SUBSTANCE TREATMENT

TXRNNBR	Len : 1 NO TRT/ADDL TRT PST YR B/C CAUSE NBR HAVE NEG OPIN		
	.	Freq	Pct
	= Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	717780	75.61
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	4316	0.45
	1 = Yes (FLNDILAL=1 &(NDTXNBR or NDMRNBR=1,3,11,13))	557	0.06
TXRNJOB	Len : 1 NO TRT/ADDL TRT PST YR B/C HAVE NEG EFFECT ON JOB		
	.	Freq	Pct
	= Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	717780	75.61
	-9 = Data not collected for this year	226632	23.87
	0 = No/Unknown (Otherwise).....	4438	0.47
	1 = Yes (FLNDILAL=1 &(NDTXJOB or NDMRJOB=1,3,11,13)).....	435	0.05
TXRNNOND	Len : 1 NO TRT/ADDL TRT PST YR B/C DIDNT FEEL NEED FOR TRT		
	.	Freq	Pct
	= Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	664111	69.96
	-9 = Data not collected for this year	280711	29.57
	0 = No/Unknown (Otherwise).....	4050	0.43
	1 = Yes (FLNDILAL=1 &(NDTXNOND or NDMRNOND=1,3,11,13))	413	0.04
TXRNHNDL	Len : 1 NO TRT/ADDL TRT PST YR B/C COULD HANDL PRB W/O TRT		
	.	Freq	Pct
	= Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	664111	69.96
	-9 = Data not collected for this year	280711	29.57
	0 = No/Unknown (Otherwise).....	3991	0.42
	1 = Yes (FLNDILAL=1 &(NDTXHNDL or NDMRHNDL=1,3,11,13))	472	0.05
TXRNNHLP	Len : 1 NO TRT/ADDL TRT PST YR B/C DIDNT THINK WOULD HELP		
	.	Freq	Pct
	= Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	664111	69.96
	-9 = Data not collected for this year	280711	29.57
	0 = No/Unknown (Otherwise).....	4294	0.45
	1 = Yes (FLNDILAL=1 &(NDTXNHLP or NDMRNHLP=1,3,11,13))	169	0.02
TXRNBUSY	Len : 1 NO TRT/ADDL TRT PST YR B/C DIDNT HAVE TIME		
	.	Freq	Pct
	= Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	664111	69.96
	-9 = Data not collected for this year	280711	29.57
	0 = No/Unknown (Otherwise).....	4251	0.45
	1 = Yes (FLNDILAL=1 &(NDTXBUSY or NDMRBUSY=1,3,11,13))	212	0.02
TXRNFOUT	Len : 1 NO TRT/ADDL TRT PST YR B/C NOT WANT OTHRS TO KNOW		
	.	Freq	Pct
	= Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	664111	69.96
	-9 = Data not collected for this year	280711	29.57
	0 = No/Unknown (Otherwise).....	4165	0.44
	1 = Yes (FLNDILAL=1 &(NDTXFOUT or NDMRFOUT=1,3,11,13))	298	0.03

DRUG TREATMENT

DRUG TREATMENT

This note applies to variables in this section marked by a¹.

NOTE: Respondents were not asked questions in the SUBSTANCE TREATMENT module if they did not report lifetime use of alcohol, marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, or lifetime misuse of prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives). Codes of 91 in the edited SUBSTANCE TREATMENT variables indicate that the questions did not apply because respondents never used (or misused) any of these substances.

These next questions deal with treatment for alcohol and drug problems, not including cigarettes. Please report treatment or counseling designed to help you reduce or stop your alcohol or drug use. Please include detoxification and any other treatment for medical problems associated with your alcohol or drug use.

Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

<u>TXEVRRCDV</u> ¹	Len : 2	EVER RECEIVED ALCOHOL OR DRUG TREATMENT	Freq	Pct
-9 = Data not collected for this year			722653	76.13
1 = Yes.....			11658	1.23
2 = No.....			158332	16.68
85 = BAD DATA Logically assigned.....			133	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....			53033	5.59
94 = DON'T KNOW			224	0.02
97 = REFUSED			345	0.04
98 = BLANK (NO ANSWER).....			2907	0.31

During the past 12 months, that is since [DATEFILL] have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

<u>TXYRRECDV</u> ¹	Len : 2	EVER RECEIVED ALCOHOL OR DRUG TRMT PAST 12 MOS	Freq	Pct
-9 = Data not collected for this year			722653	76.13
1 = Yes.....			3356	0.35
2 = No.....			7950	0.84
3 = Yes LOGICALLY ASSIGNED			336	0.04
4 = No LOGICALLY ASSIGNED.....			5	0.00
85 = BAD DATA Logically assigned.....			9	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....			53033	5.59
94 = DON'T KNOW			7	0.00
97 = REFUSED			348	0.04
98 = BLANK (NO ANSWER).....			3256	0.34
99 = LEGITIMATE SKIP (TXEVRRCDV=2)			158332	16.68

During the past 12 months when you received treatment, was the treatment for alcohol use only, drug use only, or both alcohol and drug use?

<u>TXYRALDGB</u> ¹	Len : 2	TRMT FOR ALC, DRUG OR BOTH PAST 12 MONTHS	Freq	Pct
-9 = Data not collected for this year			722653	76.13
1 = Alcohol use only.....			998	0.11
2 = Drug use only			1164	0.12
3 = Both alcohol and drug use.....			940	0.10
4 = Alcohol (drug trmt unknown) LOGICALLY ASSIGNED			5	0.00
5 = Drugs (alcohol trmt unknown) LOGICALLY ASSIGNED			5	0.00
6 = Both alcohol and drug use LOGICALLY ASSIGNED			4	0.00
11 = Alcohol only (but last tmt for drugs reported)			109	0.01
12 = Drugs only (but last tmt for alc reported)			108	0.01
85 = BAD DATA Logically assigned.....			14	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....			53033	5.59
94 = DON'T KNOW			8	0.00
97 = REFUSED			357	0.04
98 = BLANK (NO ANSWER).....			3600	0.38
99 = LEGITIMATE SKIP			166287	17.52

DRUG TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a hospital overnight as an inpatient?

<u>TXYRHOSOV</u> ¹	Len : 2	RCVD TXFILL1 TRMT IN HOSP/OVERNIGHT PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	731	0.08
		2 = No.....	2579	0.27
		5 = Yes LOGICALLY ASSIGNED (from TXLYMNPL2).....	29	0.00
		85 = BAD DATA Logically assigned.....	21	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	349	0.04
		98 = BLANK (NO ANSWER).....	3601	0.38
		99 = LEGITIMATE SKIP	166287	17.52

Was the treatment you received in a hospital overnight as an inpatient for your alcohol use, your drug use, or both?

<u>TXYRHOSAD</u> ¹	Len : 2	HOSP/OVERNIGHT TRMT FOR ALC, DRUGS, OR BOTH		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Alcohol use.....	31	0.00
		2 = Drug use.....	40	0.00
		3 = Both alcohol and drug use.....	178	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	349	0.04
		98 = BLANK (NO ANSWER).....	3723	0.39
		99 = LEGITIMATE SKIP	169275	17.83

During the past 12 months, have you received treatment for your [TXFILL1] in a residential drug or alcohol rehabilitation facility where you stayed overnight?

<u>TXYRRESOV</u> ¹	Len : 2	RCVD TXFILL1 TRMT REHAB CENTR/OVERNIGHT PST 12 MO		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	825	0.09
		2 = No.....	2412	0.25
		5 = Yes LOGICALLY ASSIGNED (from TXLYMNPL2).....	99	0.01
		85 = BAD DATA Logically assigned.....	21	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	4	0.00
		97 = REFUSED	350	0.04
		98 = BLANK (NO ANSWER).....	3601	0.38
		99 = LEGITIMATE SKIP	166287	17.52

Was the treatment you received in a residential drug or alcohol rehabilitation facility where you stayed overnight for your alcohol use, your drug use, or both?

<u>TXYRRESAD</u> ¹	Len : 2	RES ALC/DRG REH TRMT FOR ALC, DRUGS, OR BOTH		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Alcohol use.....	26	0.00
		2 = Drug use.....	35	0.00
		3 = Both alcohol and drug use.....	253	0.03
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		97 = REFUSED	348	0.04
		98 = BLANK (NO ANSWER).....	3771	0.40
		99 = LEGITIMATE SKIP	169165	17.82

DRUG TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a drug or alcohol rehabilitation facility as an outpatient?

<u>TXYROUTPT</u> ¹	Len : 2	RCVD TXFILL1 TRMT REHAB CENTR/OUTPT PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	1423	0.15
		2 = No.....	1750	0.18
		3 = Yes LOGICALLY ASSIGNED	3	0.00
		5 = Yes LOGICALLY ASSIGNED (from TXLYTMNPL2).....	156	0.02
		85 = BAD DATA Logically assigned.....	20	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	9	0.00
		97 = REFUSED	350	0.04
		98 = BLANK (NO ANSWER).....	3601	0.38
		99 = LEGITIMATE SKIP	166287	17.52

Was the treatment you received in a drug or alcohol rehabilitation facility as an outpatient for your alcohol use, your drug use, or both?

<u>TXYROUTAD</u> ¹	Len : 2	OUTPATIENT TRMT FOR ALC, DRUGS, OR BOTH		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Alcohol use.....	26	0.00
		2 = Drug use.....	43	0.00
		3 = Both alcohol and drug use.....	347	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	348	0.04
		98 = BLANK (NO ANSWER).....	3805	0.40
		99 = LEGITIMATE SKIP	169028	17.81

During the past 12 months, have you received treatment for your [TXFILL1] in a mental health center or facility as an outpatient?

<u>TXYRMHCOP</u> ¹	Len : 2	RCVD TXFILL1 TRMT MNT HEALTH CNTR/OUTPT PST 12 MO		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	1039	0.11
		2 = No.....	2152	0.23
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		5 = Yes LOGICALLY ASSIGNED (from TXLYTMNPL2).....	140	0.01
		85 = BAD DATA Logically assigned.....	22	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	7	0.00
		97 = REFUSED	351	0.04
		98 = BLANK (NO ANSWER).....	3600	0.38
		99 = LEGITIMATE SKIP	166287	17.52

Was the treatment you received in a mental health center or facility as an outpatient for your alcohol use, your drug use, or both?

<u>TXYRMHCAD</u> ¹	Len : 2	MNT HEALTH CNTR TRMT FOR ALC, DRUGS, OR BOTH		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Alcohol use.....	20	0.00
		2 = Drug use.....	26	0.00
		3 = Both alcohol and drug use.....	232	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	3	0.00
		97 = REFUSED	349	0.04
		98 = BLANK (NO ANSWER).....	3774	0.40
		99 = LEGITIMATE SKIP	169194	17.82

DRUG TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in an emergency room?

TXYREMRGN ¹	Len : 2	RCVD TXFILL1 TRMT IN EMERGENCY ROOM PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	468	0.05
		2 = No.....	2797	0.29
		3 = Yes LOGICALLY ASSIGNED	58	0.01
		5 = Yes LOGICALLY ASSIGNED (from TXLYTMNPL2).....	15	0.00
		85 = BAD DATA Logically assigned.....	21	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	350	0.04
		98 = BLANK (NO ANSWER).....	3601	0.38
		99 = LEGITIMATE SKIP	166287	17.52

Was the treatment you received in an emergency room for your alcohol use, your drug use, or both?

TXYREMRAD ¹	Len : 2	EMERGENCY ROOM TRMT FOR ALC, DRUGS, OR BOTH		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Alcohol use.....	32	0.00
		2 = Drug use.....	38	0.00
		3 = Both alcohol and drug use.....	67	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	348	0.04
		98 = BLANK (NO ANSWER).....	3720	0.39
		99 = LEGITIMATE SKIP	169392	17.84

During the past 12 months, have you received treatment for your [TXFILL1] in a private doctor's office?

TXYDRPRV ¹	Len : 2	RCVD TXFILL1 TRMT IN PRIV DR.'S OFFICE PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	760	0.08
		2 = No.....	2487	0.26
		3 = Yes LOGICALLY ASSIGNED	2	0.00
		5 = Yes LOGICALLY ASSIGNED (from TXLYTMNPL2).....	83	0.01
		85 = BAD DATA Logically assigned.....	22	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	7	0.00
		97 = REFUSED	350	0.04
		98 = BLANK (NO ANSWER).....	3601	0.38
		99 = LEGITIMATE SKIP	166287	17.52

Was the treatment you received in a private doctor's office for your alcohol use, your drug use, or both?

TXYDRPAD ¹	Len : 2	PRIV DR.'S OFFICE TRMT FOR ALC, DRUGS, OR BOTH		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Alcohol use.....	13	0.00
		2 = Drug use.....	35	0.00
		3 = Both alcohol and drug use.....	107	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		97 = REFUSED	348	0.04
		98 = BLANK (NO ANSWER).....	3715	0.39
		99 = LEGITIMATE SKIP	169380	17.84

DRUG TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a prison or jail?

<u>TXYRPRISN</u> ¹	Len : 2	RCVD TXFILL1 TRMT IN PRISON/JAIL PAST 12 MONTHS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	295	0.03
		2 = No.....	3018	0.32
		3 = Yes LOGICALLY ASSIGNED	2	0.00
		5 = Yes LOGICALLY ASSIGNED (from TXLYMNPL2).....	23	0.00
		85 = BAD DATA Logically assigned.....	22	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	350	0.04
		98 = BLANK (NO ANSWER).....	3601	0.38
		99 = LEGITIMATE SKIP	166287	17.52

Was the treatment you received in a prison or jail for your alcohol use, your drug use, or both?

<u>TXYRPRIAD</u> ¹	Len : 2	PRISON/JAIL TRMT FOR ALC, DRUGS, OR BOTH		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Alcohol use.....	8	0.00
		2 = Drug use.....	25	0.00
		3 = Both alcohol and drug use.....	85	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		97 = REFUSED	348	0.04
		98 = BLANK (NO ANSWER).....	3682	0.39
		99 = LEGITIMATE SKIP	169450	17.85

During the past 12 months, have you received treatment for your [TXFILL1] in a self-help group such as Alcoholics Anonymous or Narcotics Anonymous?

<u>TXYRSLFHP</u> ¹	Len : 2	RCVD TXFILL1 TRMT IN SELF-HELP GROUP PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	1644	0.17
		2 = No.....	1578	0.17
		3 = Yes LOGICALLY ASSIGNED	5	0.00
		5 = Yes LOGICALLY ASSIGNED (from TXLYMNPL2).....	109	0.01
		85 = BAD DATA Logically assigned.....	19	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	354	0.04
		98 = BLANK (NO ANSWER).....	3601	0.38
		99 = LEGITIMATE SKIP	166287	17.52

Was the treatment you received in a self-help group for your alcohol use, your drug use, or both?

<u>TXYRSLFAD</u> ¹	Len : 2	SELF-HELP GROUP TRMT FOR ALC, DRUGS, OR BOTH		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Alcohol use.....	62	0.01
		2 = Drug use.....	45	0.00
		3 = Both alcohol and drug use.....	440	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		97 = REFUSED	348	0.04
		98 = BLANK (NO ANSWER).....	3788	0.40
		99 = LEGITIMATE SKIP	168915	17.79

DRUG TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in some other place besides these that have been listed?

<u>TXYROTHER</u> ¹	Len : 2	RCVD TXFILL1 TRMT IN SOME OTHER PLACE PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	796	0.08
		2 = No.....	2240	0.24
		5 = Yes LOGICALLY ASSIGNED (from TXLYTMNPL2).....	266	0.03
		7 = Treatment location unknown, LOG ASSN.....	35	0.00
		85 = BAD DATA Logically assigned.....	19	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	3	0.00
		97 = REFUSED	352	0.04
		98 = BLANK (NO ANSWER).....	3601	0.38
		99 = LEGITIMATE SKIP	166287	17.52

<u>TXYROTHSP2</u> ¹	Len : 3	OTHER PLACE RCVD TRMT PAST 12 MONTHS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		2 = A res drug/alcohol rehab facility overnight	3	0.00
		3 = A drug or alcohol rehab facility as an outpatient.....	7	0.00
		4 = A mental health center or facility as outpatient.....	4	0.00
		5 = An emergency room.....	1	0.00
		6 = A private doctor's office.....	6	0.00
		7 = A prison or jail.....	4	0.00
		8 = Self-help group, Alcoholic/Narcotics Anonymous.....	15	0.00
		9 = Some other place.....	72	0.01
		40 = Home, family, friends	46	0.00
		41 = School, college.....	52	0.01
		42 = Church/religious/spiritual influence	47	0.00
		45 = Rehab/intervention fac/prgrm, ptnt status unspcfd.....	15	0.00
		47 = Communty/city/county/state pgm or facil; unspcfd	3	0.00
		48 = Counselor, therapist, psychologist, psychiatrist	169	0.02
		49 = Court-mandated/sponsored program	63	0.01
		51 = Alcohol/drug class or education, locale unspcfd.....	13	0.00
		52 = Military/VA Hospital.....	16	0.00
		53 = Hospital; mental health or patient status unspcfd.....	16	0.00
		55 = Youth-oriented facility/organization/program	9	0.00
		56 = Mental hlth ctr/facility/hosp; ptnt status unspcfd	3	0.00
		59 = Foster Care, Child & Family Services.....	3	0.00
		64 = Methadone clinic/program	64	0.01
		65 = Name of facility/program given.....	263	0.03
		66 = Faith-based formal program/facility.....	13	0.00
		68 = Detox.....	3	0.00
		73 = Group counseling/therapy	6	0.00
		74 = Clinic; type unspecified	8	0.00
		78 = Outpatient facility; type and reason unspecified	14	0.00
		81 = Buprenorphine/Suboxone/Subutex clinic/program.....	9	0.00
		985 = BAD DATA Logically assigned.....	47	0.00
		991 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		994 = DON'T KNOW	18	0.00
		997 = REFUSED	373	0.04
		998 = BLANK (NO ANSWER).....	3687	0.39
		999 = LEGITIMATE SKIP	168527	17.75

Was the treatment you received in this other place for your alcohol use, your drug use, or both?

<u>TXYROTHAD</u> ¹	Len : 2	OTHER PLACE TRMT FOR ALC, DRUGS, OR BOTH		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Alcohol use.....	11	0.00
		2 = Drug use.....	22	0.00
		3 = Both alcohol and drug use.....	169	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	351	0.04
		98 = BLANK (NO ANSWER).....	3801	0.40
		99 = LEGITIMATE SKIP	169244	17.83

DRUG TREATMENT

During the past 12 months, that is, since [DATEFILL], did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?

<u>TXYRERDRG</u> ¹	Len : 2	EVER VISIT EMER RM FOR TRMT OF ILL DRUG PST 12 MO		
			Freq	Pct
-9 = Data not collected for this year			722653	76.13
1 = Yes.....			155	0.02
2 = No.....			1985	0.21
6 = NEVER USED RELEVANT DRUGS.....			240	0.03
85 = BAD DATA Logically assigned.....			2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....			53033	5.59
97 = REFUSED			359	0.04
98 = BLANK (NO ANSWER).....			3573	0.38
99 = LEGITIMATE SKIP			167285	17.62

During the past 12 months, how many times did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?

<u>TXYRERNUM</u> ²	Len : 3	# TIMES EMER RM FOR TRMT OF ILL DRUGS PST 12 MOS		
			Freq	Pct
RANGE = 1 - 30.....			151	0.02
-9 = Data not collected for this year			722653	76.13
985 = BAD DATA Logically assigned.....			1	0.00
991 = NEVER USED ALCOHOL OR DRUGS.....			53033	5.59
994 = DON'T KNOW			2	0.00
997 = REFUSED			361	0.04
998 = BLANK (NO ANSWER).....			3574	0.38
999 = LEGITIMATE SKIP			169510	17.86

Are you currently receiving treatment or counseling for your [TXFILL1]?

<u>TXCURRENT</u> ¹	Len : 2	CURRENTLY RECEIVING TRMT/COUNSELING FOR TXFILL1		
			Freq	Pct
-9 = Data not collected for this year			722653	76.13
1 = Yes.....			1634	0.17
2 = No.....			1714	0.18
3 = Yes LOGICALLY ASSIGNED			1	0.00
4 = No LOGICALLY ASSIGNED.....			1	0.00
85 = BAD DATA Logically assigned.....			14	0.00
89 = LEGITIMATE SKIP Logically assigned			5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....			53033	5.59
94 = DON'T KNOW			3	0.00
97 = REFUSED			353	0.04
98 = BLANK (NO ANSWER).....			3592	0.38
99 = LEGITIMATE SKIP			166282	17.52

During the past 12 months, did you need treatment or counseling for your alcohol or drug use?

<u>NDTXYRADG</u> ¹	Len : 2	NEED TRMT FOR USE OF ALCOHOL OR DRUG PAST 12 MOS		
			Freq	Pct
-9 = Data not collected for this year			722653	76.13
1 = Yes.....			921	0.10
2 = No.....			165433	17.43
11 = Yes (TXYRRECVD=3).....			99	0.01
12 = No (TXYRRECVD=3).....			235	0.02
85 = BAD DATA Logically assigned.....			147	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....			53033	5.59
94 = DON'T KNOW			178	0.02
97 = REFUSED			315	0.03
98 = BLANK (NO ANSWER).....			2914	0.31
99 = LEGITIMATE SKIP			3357	0.35

DRUG TREATMENT

During the past 12 months, did you need additional treatment or counseling for your alcohol or drug use?

NDMORTXYR ¹	Len : 2	NEED ADDL TRMT FOR USE OF ALCOHOL/DRUG PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	188	0.02
		2 = No.....	1523	0.16
		85 = BAD DATA Logically assigned.....	3	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	3	0.00
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	3959	0.42
		99 = LEGITIMATE SKIP	167921	17.69

During the past 12 months, for which of the following drugs did you need additional treatment or counseling?

NDMORTALC ¹	Len : 2	NEED ADDL TRMT FOR USE OF ALCOHOL PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Response entered	99	0.01
		6 = Response not entered.....	87	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	3	0.00
		98 = BLANK (NO ANSWER).....	3965	0.42
		99 = LEGITIMATE SKIP	169444	17.85

NDMORTMRJ ¹	Len : 2	NEED ADDL TRMT FOR USE OF MJ/HASH PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Response entered	41	0.00
		6 = Response not entered.....	145	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	3	0.00
		98 = BLANK (NO ANSWER).....	3965	0.42
		99 = LEGITIMATE SKIP	169444	17.85

NDMORTCOC ¹	Len : 2	NEED ADDL TRMT FOR USE OF COC/CRACK PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Response entered	20	0.00
		6 = Response not entered.....	166	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	3	0.00
		98 = BLANK (NO ANSWER).....	3965	0.42
		99 = LEGITIMATE SKIP	169444	17.85

NDMORTHER ¹	Len : 2	NEED ADDL TRMT FOR USE OF HEROIN PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Response entered	32	0.00
		6 = Response not entered.....	154	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	3	0.00
		98 = BLANK (NO ANSWER).....	3965	0.42
		99 = LEGITIMATE SKIP	169444	17.85

DRUG TREATMENT

[NDMORTHAL](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF HALLUC PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	4	0.00
6 = Response not entered.....	182	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

[NDMORTINH](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF INHALANTS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	1	0.00
6 = Response not entered.....	185	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

[NDMORTMTH](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF METHAMPHETAMINE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	26	0.00
6 = Response not entered.....	160	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

[NDMORTPNR](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF PAIN REL PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	26	0.00
6 = Response not entered.....	160	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

[NDMORTTRQ](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF TRAN PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	2	0.00
6 = Response not entered.....	184	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

[NDMORTSTM](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF STIMULANTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	1	0.00
6 = Response not entered.....	185	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

DRUG TREATMENT

[NDMORTSED](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF SEDATIVES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	3	0.00
6 = Response not entered.....	183	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

[NDMORTOTH](#)¹

Len : 2 NEED ADDL TRMT FOR USE OF SOME OTH DRG PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	10	0.00
6 = Response not entered.....	176	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

During the past 12 months did you need treatment or counseling for your use of alcohol?

[NDTXYRALC](#)¹

Len : 2 NEED TRMT FOR USE OF ALCOHOL PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	427	0.04
2 = No.....	462	0.05
3 = Yes LOGICALLY ASSIGNED	1	0.00
11 = Yes (TXYRRECVD=3).....	43	0.00
12 = No (TXYRRECVD=3).....	51	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
97 = REFUSED	295	0.03
98 = BLANK (NO ANSWER).....	225	0.02
99 = LEGITIMATE SKIP	172094	18.13

During the past 12 months, did you need treatment or counseling for your use of marijuana or hashish?

[NDTXYMRJ](#)¹

Len : 2 NEED TRMT FOR USE OF MARIJUANA/HASHISH PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	129	0.01
2 = No.....	692	0.07
3 = Yes LOGICALLY ASSIGNED	1	0.00
11 = Yes (TXYRRECVD=3).....	23	0.00
12 = No (TXYRRECVD=3).....	66	0.01
13 = Yes LOGICALLY ASSIGNED (TXYRRECVD=3).....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	1	0.00
97 = REFUSED	196	0.02
98 = BLANK (NO ANSWER).....	142	0.01
99 = LEGITIMATE SKIP	172348	18.16

DRUG TREATMENT

During the past 12 months, did you need treatment or counseling for your use of cocaine or 'crack'?

NDTXYRCOC ¹	Len : 2	NEED TRMT FOR USE OF COCAINE/CRACK PAST 12 MONTHS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	74	0.01
		2 = No.....	433	0.05
		3 = Yes LOGICALLY ASSIGNED	2	0.00
		11 = Yes (TXYRRECVD=3)	11	0.00
		12 = No (TXYRRECVD=3)	57	0.01
		13 = Yes LOGICALLY ASSIGNED (TXYRRECVD=3).....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	81	0.01
		98 = BLANK (NO ANSWER).....	56	0.01
		99 = LEGITIMATE SKIP	172883	18.21

During the past 12 months, did you need treatment or counseling for your use of heroin?

NDTXYRHER ¹	Len : 2	NEED TRMT FOR USE OF HEROIN PAST 12 MONTHS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	75	0.01
		2 = No.....	121	0.01
		11 = Yes (TXYRRECVD=3)	21	0.00
		12 = No (TXYRRECVD=3)	12	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		97 = REFUSED	25	0.00
		98 = BLANK (NO ANSWER).....	93	0.01
		99 = LEGITIMATE SKIP	173252	18.25

During the past 12 months, did you need treatment or counseling for your use of hallucinogens?

NDTXYRHAL ¹	Len : 2	NEED TRMT FOR USE OF HALLUCINOGENS PAST 12 MONTHS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	20	0.00
		2 = No.....	511	0.05
		11 = Yes (TXYRRECVD=3)	3	0.00
		12 = No (TXYRRECVD=3)	66	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	74	0.01
		98 = BLANK (NO ANSWER).....	633	0.07
		99 = LEGITIMATE SKIP	172291	18.15

During the past 12 months, did you need treatment or counseling for your use of inhalants?

NDTXYRINH ¹	Len : 2	NEED TRMT FOR USE OF INHALANTS PAST 12 MONTHS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	16	0.00
		2 = No.....	329	0.03
		3 = Yes LOGICALLY ASSIGNED	2	0.00
		11 = Yes (TXYRRECVD=3)	2	0.00
		12 = No (TXYRRECVD=3)	38	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	70	0.01
		98 = BLANK (NO ANSWER).....	459	0.05
		99 = LEGITIMATE SKIP	172681	18.19

DRUG TREATMENT

During the past 12 months, did you need treatment or counseling for your use of methamphetamine?

NDTXYRMTH ¹	Len : 2	NEED TRMT FOR USE OF METHAMPHETAMINE PAST 12 MONTHS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	105	0.01
		2 = No.....	195	0.02
		11 = Yes (TXYRRECVD=3).....	14	0.00
		12 = No (TXYRRECVD=3).....	27	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	34	0.00
		98 = BLANK (NO ANSWER).....	185	0.02
		99 = LEGITIMATE SKIP	173038	18.23

During the past 12 months, did you need treatment or counseling for your use of prescription pain relievers?

NDTXYRPNR ¹	Len : 2	NEED TRMT FOR USE OF RX PAIN RELIEVERS PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	156	0.02
		2 = No.....	311	0.03
		3 = Yes LOGICALLY ASSIGNED	7	0.00
		11 = Yes (TXYRRECVD=3).....	23	0.00
		12 = No (TXYRRECVD=3).....	32	0.00
		22 = No (PNRNMREC =83).....	2	0.00
		85 = BAD DATA Logically assigned.....	3	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	88	0.01
		98 = BLANK (NO ANSWER).....	1555	0.16
		99 = LEGITIMATE SKIP	171420	18.06

During the past 12 months, did you need treatment or counseling for your use of prescription tranquilizers?

NDTXYRTRQ ¹	Len : 2	NEED TRMT FOR USE OF RX TRANQUILIZERS PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	31	0.00
		2 = No.....	248	0.03
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		11 = Yes (TXYRRECVD=3).....	5	0.00
		12 = No (TXYRRECVD=3).....	30	0.00
		13 = Yes LOGICALLY ASSIGNED (TXYRRECVD=3).....	1	0.00
		22 = No (TRQNMREC =83)	1	0.00
		85 = BAD DATA Logically assigned.....	4	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		97 = REFUSED	50	0.01
		98 = BLANK (NO ANSWER).....	906	0.10
		99 = LEGITIMATE SKIP	172322	18.15

During the past 12 months, did you need treatment or counseling for your use of prescription stimulants?

NDTXYRSTM ¹	Len : 2	NEED TRMT FOR USE OF RX STIMULANTS PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	32	0.00
		2 = No.....	230	0.02
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		11 = Yes (TXYRRECVD=3).....	3	0.00
		12 = No (TXYRRECVD=3).....	21	0.00
		13 = Yes LOGICALLY ASSIGNED (TXYRRECVD=3).....	1	0.00
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	45	0.00
		98 = BLANK (NO ANSWER).....	630	0.07
		99 = LEGITIMATE SKIP	172633	18.19

DRUG TREATMENT

During the past 12 months, did you need treatment or counseling for your use of prescription sedatives?

[NDTXYRSED](#)¹

Len : 2 NEED TRMT FOR USE OF RX SEDATIVES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	10	0.00
2 = No.....	130	0.01
11 = Yes (TXYRRECVD=3)	4	0.00
12 = No (TXYRRECVD=3)	14	0.00
13 = Yes LOGICALLY ASSIGNED (TXYRRECVD=3).....	1	0.00
22 = No (SEDNMREC =83).....	2	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	1	0.00
97 = REFUSED	43	0.00
98 = BLANK (NO ANSWER).....	752	0.08
99 = LEGITIMATE SKIP	172640	18.19

During the past 12 months, did you need treatment or counseling for your use of some other drug besides the ones just listed?

[NDTXYROTH](#)¹

Len : 2 NEED TRMT FOR USE OF SOME OTHER DRUG PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	54	0.01
2 = No.....	708	0.07
5 = Drug Unknown LOGICALLY ASSIGNED	154	0.02
11 = Yes (TXYRRECVD=3)	13	0.00
12 = No (TXYRRECVD=3)	86	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	3	0.00
97 = REFUSED	317	0.03
98 = BLANK (NO ANSWER).....	3238	0.34
99 = LEGITIMATE SKIP	169025	17.81

DRUG TREATMENT

NDTXYOTH1¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
201 = Valium.....	1	0.00
209 = Xanax	2	0.00
278 = Benzodiazepines.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	2	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
434 = Vicodin.....	2	0.00
599 = Potpourri.....	1	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED	1	0.00
702 = Heroin	2	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	3	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	6	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	2	0.00
806 = Crack, rock	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
813 = Cigarettes, tobacco (type unspecified).....	1	0.00
818 = Nicotine	1	0.00
900 = Not a drug.....	2	0.00
1001 = Benadryl, Diphenhydramine <OTC>	1	0.00
1503 = Temazepam.....	1	0.00
3023 = Adderall	1	0.00
3111 = Vyvanse.....	1	0.00
4044 = Hydrocodone.....	1	0.00
4067 = OxyContin	2	0.00
4109 = Suboxone	2	0.00
5077 = Resistol.....	1	0.00
8225 = Cymbalta, Duloxetine	1	0.00
8233 = Keppra, Levetiracetam.....	1	0.00
8363 = Cavedilol.....	1	0.00
8537 = Celexa, Citalopram.....	1	0.00
9985 = BAD DATA Logically assigned.....	14	0.00
9991 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
9994 = DON'T KNOW.....	5	0.00
9997 = REFUSED	322	0.03
9998 = BLANK (NO ANSWER).....	3395	0.36
9999 = LEGITIMATE SKIP.....	169819	17.89

NDTXYOTH2¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
423 = Percocet.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	2	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018).....	1	0.00
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8364 = Pantoprazole.....	1	0.00
8535 = Risperdal, Risperdol, Risperidone	1	0.00
9985 = BAD DATA Logically assigned.....	6	0.00
9991 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
9994 = DON'T KNOW.....	4	0.00
9997 = REFUSED	319	0.03
9998 = BLANK (NO ANSWER).....	3442	0.36
9999 = LEGITIMATE SKIP.....	169819	17.89

NDTXYOTH3¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
702 = Heroin	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
9985 = BAD DATA Logically assigned.....	6	0.00
9991 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
9997 = REFUSED	317	0.03
9998 = BLANK (NO ANSWER).....	3455	0.36
9999 = LEGITIMATE SKIP.....	169819	17.89

DRUG TREATMENT

NDTXYOTH4 ¹	Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 4		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	9985 = BAD DATA Logically assigned	4	0.00
	9991 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
	9997 = REFUSED	317	0.03
	9998 = BLANK (NO ANSWER).....	3459	0.36
	9999 = LEGITIMATE SKIP.....	169819	17.89

NDTXYOTH5 ¹	Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 5		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	9985 = BAD DATA Logically assigned	2	0.00
	9991 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
	9997 = REFUSED	317	0.03
	9998 = BLANK (NO ANSWER).....	3461	0.36
	9999 = LEGITIMATE SKIP.....	169819	17.89

NOTE: NDTXEFFRT was assigned a code of 11 if the respondent originally reported making an effort to obtain treatment but at least one of the following occurred:
(a) the respondent was logically inferred to have gotten treatment in the past 12 months (TXRRECVD=3); or
(b) the respondent did not perceive a need for treatment for use of any of the specific drugs that he/she was asked about (i.e., all questions about the perceived need for treatment for specific drugs were answered as "no").

During the past 12 months, did you make an effort to get treatment or counseling for your use of [TXFILL2]?

NDTXEFFRT ¹	Len : 2 MAKE EFFORT FOR TRMT OF TXFILL2 PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	298	0.03
	2 = No.....	594	0.06
	11 = Yes (see note)	98	0.01
	12 = No (TXRRECVD=3)	26	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	317	0.03
	98 = BLANK (NO ANSWER).....	3238	0.34
	99 = LEGITIMATE SKIP	169025	17.81

Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?

NDTXNOCOV ¹	Len : 2 NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Response entered	212	0.02
	6 = Response not entered.....	735	0.08
	11 = Response entered (TXRRECVD=3 or NDTXEFFRT=11).....	24	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
	94 = DON'T KNOW	17	0.00
	97 = REFUSED	347	0.04
	98 = BLANK (NO ANSWER).....	3239	0.34
	99 = LEGITIMATE SKIP	169025	17.81

NDTXNOTPY ¹	Len : 2 TREATMENT NOT COVERED ON HLTH CARE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Response entered	78	0.01
	3 = Response entered LOGICALLY ASSIGNED	1	0.00
	6 = Response not entered.....	882	0.09
	11 = Response entered (TXRRECVD=3 or NDTXEFFRT=11).....	10	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
	94 = DON'T KNOW	17	0.00
	97 = REFUSED	347	0.04
	98 = BLANK (NO ANSWER).....	3239	0.34
	99 = LEGITIMATE SKIP	169025	17.81

DRUG TREATMENT

[NDTXTSPHR](#)¹

Len : 2 NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	73	0.01
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	884	0.09
11 = Response entered (TXRRECVD=3 or NDTXEFFRT=11).....	13	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	17	0.00
97 = REFUSED	347	0.04
98 = BLANK (NO ANSWER).....	3239	0.34
99 = LEGITIMATE SKIP	169025	17.81

[NDTXWANTD](#)¹

Len : 2 TREATMENT NOT FOUND FOR TYPE WANTED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	69	0.01
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	893	0.09
11 = Response entered (TXRRECVD=3 or NDTXEFFRT=11).....	8	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	17	0.00
97 = REFUSED	347	0.04
98 = BLANK (NO ANSWER).....	3239	0.34
99 = LEGITIMATE SKIP	169025	17.81

[NDTXNSTOP](#)¹

Len : 2 NOT READY TO STOP USING [TXFILL2]

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	314	0.03
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	623	0.07
11 = Response entered (TXRRECVD=3 or NDTXEFFRT=11).....	33	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	17	0.00
97 = REFUSED	347	0.04
98 = BLANK (NO ANSWER).....	3238	0.34
99 = LEGITIMATE SKIP	169025	17.81

[NDTXPFULL](#)¹

Len : 2 NO OPENINGS IN THE PROGRAMS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	38	0.00
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	926	0.10
11 = Response entered (TXRRECVD=3 or NDTXEFFRT=11).....	6	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	17	0.00
97 = REFUSED	347	0.04
98 = BLANK (NO ANSWER).....	3239	0.34
99 = LEGITIMATE SKIP	169025	17.81

[NDTXDKWHR](#)¹

Len : 2 DIDN'T KNOW WHERE TO GET TREATMENT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	138	0.01
6 = Response not entered.....	825	0.09
11 = Response entered (TXRRECVD=3 or NDTXEFFRT=11).....	8	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	17	0.00
97 = REFUSED	347	0.04
98 = BLANK (NO ANSWER).....	3239	0.34
99 = LEGITIMATE SKIP	169025	17.81

DRUG TREATMENT

NDTXNBRNG¹

Len : 2 TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG OPIN

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	133	0.01
6 = Response not entered.....	830	0.09
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11).....	8	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	17	0.00
97 = REFUSED	347	0.04
98 = BLANK (NO ANSWER).....	3239	0.34
99 = LEGITIMATE SKIP	169025	17.81

NDTXJOBNG¹

Len : 2 TREATMENT MIGHT HAVE NEG. EFFECT ON JOB

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	132	0.01
6 = Response not entered.....	827	0.09
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11).....	12	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	17	0.00
97 = REFUSED	347	0.04
98 = BLANK (NO ANSWER).....	3239	0.34
99 = LEGITIMATE SKIP	169025	17.81

Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?

NDTXNONED¹

Len : 2 YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	71	0.01
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered.....	870	0.09
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11).....	14	0.00
13 = Response entered LOG ASSN (see level 11).....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	19	0.00
97 = REFUSED	347	0.04
98 = BLANK (NO ANSWER).....	3239	0.34
99 = LEGITIMATE SKIP	169025	17.81

NDTXHANDL¹

Len : 2 YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	96	0.01
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	863	0.09
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11).....	8	0.00
13 = Response entered LOG ASSN (see level 11).....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	19	0.00
97 = REFUSED	347	0.04
98 = BLANK (NO ANSWER).....	3239	0.34
99 = LEGITIMATE SKIP	169025	17.81

NDTXNOHLP¹

Len : 2 YOU DIDN'T THINK TREATMENT WOULD HELP

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	25	0.00
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	937	0.10
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11).....	4	0.00
13 = Response entered LOG ASSN (see level 11).....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	19	0.00
97 = REFUSED	347	0.04
98 = BLANK (NO ANSWER).....	3239	0.34
99 = LEGITIMATE SKIP	169025	17.81

DRUG TREATMENT

[NDTXNTIME](#)¹

Len : 2 YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	51	0.01
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	906	0.10
11 = Response entered (TXRRECVD=3 or NDTXEFFRT=11).....	10	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	19	0.00
97 = REFUSED	347	0.04
98 = BLANK (NO ANSWER).....	3239	0.34
99 = LEGITIMATE SKIP	169025	17.81

[NDTXFNDOU](#)¹

Len : 2 DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	55	0.01
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	909	0.10
11 = Response entered (TXRRECVD=3 or NDTXEFFRT=11).....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	19	0.00
97 = REFUSED	347	0.04
98 = BLANK (NO ANSWER).....	3239	0.34
99 = LEGITIMATE SKIP	169025	17.81

[NDTXOTRSN](#)¹

Len : 2 SOME OTHER REASON OR REASONS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	110	0.01
6 = Response not entered.....	844	0.09
11 = Response entered (TXRRECVD=3 or NDTXEFFRT=11).....	17	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	17	0.00
97 = REFUSED	347	0.04
98 = BLANK (NO ANSWER).....	3239	0.34
99 = LEGITIMATE SKIP	169025	17.81

DRUG TREATMENT

NDTXMIMPT¹

Len : 2 MOST IMPORTANT OTHER REASON DIDNT GET TRTMT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = No health care coverage and couldn't afford cost.....	2	0.00
2 = Health care coverage didn't cover trmt/full cost.....	1	0.00
3 = No transportation/too far away/hrs inconvenient	1	0.00
4 = Didn't find prm offering type of treatment wanted	1	0.00
5 = You were not ready to stop using	3	0.00
6 = There were no openings in the programs.....	1	0.00
7 = You did not know where to go to get treatment.....	1	0.00
10 = You didn't think you needed treatment at the time	16	0.00
11 = You thought you could handle the problem w/o trmt	2	0.00
12 = You didn't think treatment would help	4	0.00
13 = Didn't have time (b/c of job, childcare, other).....	4	0.00
14 = Didn't want others to find out you needed trmt	5	0.00
16 = Too embarrassed,ashamed,afraid/didn't want to ask.....	2	0.00
17 = Afraid would get trouble w/ police/Social Services.....	1	0.00
18 = No prgrm where comfortable w/counselors/Drs	1	0.00
19 = Just didn't go/didn't get trmt; no reason given.....	2	0.00
20 = Didn't want treatment; lacked motivation	6	0.00
21 = Stopped using, treatment not indicated.....	4	0.00
22 = Couldn't afford; hlth care coverage status unspcfd.....	2	0.00
23 = Other problems to deal w/ (emotional, family, etc).....	9	0.00
25 = You were too stubborn/prideful to go	1	0.00
29 = Services desired unavailable/currently ineligible	1	0.00
30 = Attempted to get trmt, encountered delays/refused	4	0.00
31 = Family members/others unsupportive	6	0.00
32 = Conflict of interest; type unspecified	1	0.00
33 = You were overwhelmed by your level of addiction	1	0.00
70 = You did get/seek treatment (incl self-help groups).....	14	0.00
85 = BAD DATA Logically assigned.....	10	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	7	0.00
97 = REFUSED	359	0.04
98 = BLANK (NO ANSWER).....	3258	0.34
99 = LEGITIMATE SKIP	169869	17.89

During the past 12 months, did you make an effort to get additional treatment or counseling for your use of alcohol or any other drug?

NDMREFFRT¹

Len : 2 MAKE EFFORT FOR ADDL TRMT FOR ALC/DRG PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	118	0.01
2 = No.....	69	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?

NDMRNOCOV¹

Len : 2 NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	45	0.00
6 = Response not entered.....	131	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

DRUG TREATMENT

[NDMRNOTPY](#)¹

Len : 2 TREATMENT NOT COVERED ON HLTH CARE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	20	0.00
6 = Response not entered.....	156	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

[NDMRTSPHR](#)¹

Len : 2 NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	24	0.00
6 = Response not entered.....	152	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

[NDMRWANTD](#)¹

Len : 2 TREATMENT NOT FOUND FOR TYPE WANTED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	24	0.00
6 = Response not entered.....	152	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

[NDMRNSTOP](#)¹

Len : 2 NOT READY TO STOP USING ALCOHOL OR DRUGS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	45	0.00
6 = Response not entered.....	131	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

[NDMRPFULL](#)¹

Len : 2 NO OPENINGS IN THE PROGRAMS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	15	0.00
6 = Response not entered.....	161	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

[NDMRDKWHR](#)¹

Len : 2 DIDN'T KNOW WHERE TO GET TREATMENT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	17	0.00
6 = Response not entered.....	159	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

DRUG TREATMENT

[NDMRNBRNG](#)¹

Len : 2 TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG. OPIN

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	13	0.00
6 = Response not entered.....	163	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

[NDMRJOBNG](#)¹

Len : 2 TREATMENT MIGHT HAVE NEG. EFFECT ON JOB

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	10	0.00
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	165	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?

[NDMRNONED](#)¹

Len : 2 YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	18	0.00
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	156	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

[NDMRHANDL](#)¹

Len : 2 YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	20	0.00
6 = Response not entered.....	156	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

[NDMRNOHLP](#)¹

Len : 2 YOU DIDN'T THINK TREATMENT WOULD HELP

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	10	0.00
6 = Response not entered.....	166	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

DRUG TREATMENT

[NDMRNTIME](#)¹

Len : 2 YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	11	0.00
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	163	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

[NDMRFNDOU](#)¹

Len : 2 DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	7	0.00
6 = Response not entered.....	169	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

[NDMROTRSN](#)¹

Len : 2 SOME OTHER REASON OR REASONS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	17	0.00
6 = Response not entered.....	159	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	7	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	3965	0.42
99 = LEGITIMATE SKIP	169444	17.85

[NDMRMIMPT](#)¹

Len : 2 MOST IMPORTANT OTHR REASON DIDNT GET ADDL TRTMT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
9 = Concerned might have negative effect on your job	1	0.00
10 = You didn't think you needed treatment at the time	2	0.00
12 = You didn't think treatment would help	1	0.00
13 = Didn't have time (b/c of job, childcare, other).....	2	0.00
14 = Didn't want others to find out you needed trmt	1	0.00
21 = Stopped using, treatment not indicated.....	1	0.00
22 = Couldn't afford; hlth care coverage status unspcfd.....	1	0.00
28 = Didn't like how treated/don't trust Drs/hospitals	1	0.00
70 = You did get/seek treatment (incl self-help groups).....	4	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	1	0.00
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER).....	3972	0.42
99 = LEGITIMATE SKIP	169603	17.87

DRUG TREATMENT

How long has it been since you were last in treatment or counseling for your alcohol or drug use, not counting cigarettes?

[TXRCVDREC¹](#)

Len : 2 TIME SINCE LAST RCVD ALCOHOL OR DRUG TREATMENT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Within past 30 days -- that is, since [DATEFILL]	268	0.03
2 = More than 30 days ago but within the past 12 mos	1270	0.13
3 = More than 12 months ago	7835	0.83
7 = Still in treatment LOG ASSN (TXCURRENT=1)	1634	0.17
8 = Treatment in past year LOGICALLY ASSIGNED	520	0.05
9 = Treatment in lifetime LOGICALLY ASSIGNED	11	0.00
13 = Treatment > 12 mos ago LOG ASSN (TXRRECVD=2)	120	0.01
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS	53033	5.59
97 = REFUSED	345	0.04
98 = BLANK (NO ANSWER)	3259	0.34
99 = LEGITIMATE SKIP	158332	16.68

NOTE: For most of the remaining questions in the SUBSTANCE TREATMENT module, the wording differed depending on whether respondents previously reported that they were still in treatment or that they were no longer in treatment. Where two question wordings appear for a given variable, the first wording was what respondents received if they reported that they were no longer in treatment. The second wording was what respondents received if they reported that they were still in treatment.

What was the main place where you received treatment the last time you started treatment/are currently receiving treatment for your alcohol or other drug use, not counting cigarettes?

[TXLTVMNPL2¹](#)

Len : 3 MAIN PLACE RCV TRMT LAST TIME/CURRENTLY

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = A hospital overnight as an inpatient	120	0.01
2 = A res drug/alcohol rehab facility overnight	329	0.03
3 = A drug or alcohol rehab facility as an outpatient	667	0.07
4 = A mental health center or facility as outpatient	505	0.05
5 = An emergency room	38	0.00
6 = A private doctor's office	375	0.04
7 = A prison or jail	57	0.01
8 = Self-help group, Alcoholic/Narcotics Anonymous	661	0.07
9 = Some other place	132	0.01
40 = Home, family, friends	32	0.00
41 = School, college	48	0.01
42 = Church/religious/spiritual influence	10	0.00
45 = Rehab/intervention fac/prgrm, ptnt status unspcfd	3	0.00
48 = Counselor, therapist, psychologist, psychiatrist	102	0.01
49 = Court-mandated/sponsored program	36	0.00
51 = Alcohol/drug class or education, locale unspcfd	4	0.00
52 = Military/VA Hospital	4	0.00
56 = Mental hlth ctr/facility/hosp; ptnt status unspcfd	3	0.00
58 = Other individual, relationship unspecified	3	0.00
64 = Methadone clinic/program	32	0.00
65 = Name of facility/program given	113	0.01
66 = Faith-based formal program/facility	7	0.00
74 = Clinic; type unspecified	6	0.00
985 = BAD DATA Logically assigned	14	0.00
989 = LEGITIMATE SKIP Logically assigned	5	0.00
991 = NEVER USED ALCOHOL OR DRUGS	53033	5.59
994 = DON'T KNOW	33	0.00
997 = REFUSED	386	0.04
998 = BLANK (NO ANSWER)	3592	0.38
999 = LEGITIMATE SKIP	166282	17.52

DRUG TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of alcohol?

Are you currently receiving treatment or counseling for your use of alcohol?

[TXLTALCO](#)¹

Len : 2 LAST/CURRENT TREATMENT FOR ALCOHOL

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1689	0.18
2 = No.....	1358	0.14
3 = Yes LOGICALLY ASSIGNED	10	0.00
5 = Yes LOG ASSN (TXYRALDGB = 1).....	196	0.02
6 = NEVER USED ALCOHOL (TXEVRRCVD = 1)	98	0.01
85 = BAD DATA Logically assigned.....	13	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCVD=2)	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	3	0.00
97 = REFUSED	360	0.04
98 = BLANK (NO ANSWER).....	3585	0.38
99 = LEGITIMATE SKIP (TXEVRRCVD=2/TXYRRCVD=2,4)	166282	17.52

The last time you entered treatment, did you receive treatment or counseling for your use of marijuana or hashish?

Are you currently receiving treatment or counseling for your use of marijuana or hashish?

[TXLYMRJH](#)¹

Len : 2 LAST/CURRENT TREATMENT FOR MARIJUANA/HASHISH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	948	0.10
2 = No.....	2054	0.22
3 = Yes LOGICALLY ASSIGNED	13	0.00
6 = NEVER USED MARIJUANA (TXEVRRCVD=1)	390	0.04
85 = BAD DATA Logically assigned.....	11	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCVD=2)	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	3	0.00
97 = REFUSED	353	0.04
98 = BLANK (NO ANSWER).....	3540	0.37
99 = LEGITIMATE SKIP (TXEVRRCVD=2/TXYRRCVD=2,4)	166282	17.52

The last time you entered treatment, did you receive treatment or counseling for your use of cocaine or 'crack'?

Are you currently receiving treatment or counseling for your use of cocaine or 'crack'?

[TXLTYCOCN](#)¹

Len : 2 LAST/CURRENT TREATMENT FOR COCAINE/CRACK

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	455	0.05
2 = No.....	1488	0.16
3 = Yes LOGICALLY ASSIGNED	9	0.00
6 = NEVER USED COCAINE (TXEVRRCVD = 1)	1590	0.17
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCVD=2)	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	1	0.00
97 = REFUSED	354	0.04
98 = BLANK (NO ANSWER).....	3409	0.36
99 = LEGITIMATE SKIP (TXEVRRCVD=2/TXYRRCVD=2,4)	166285	17.52

DRUG TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of heroin?

Are you currently receiving treatment or counseling for your use of heroin?

[TXLTYHERN](#)¹

Len : 2 LAST/CURRENT TREATMENT FOR HEROIN

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	621	0.07
2 = No.....	298	0.03
3 = Yes LOGICALLY ASSIGNED	4	0.00
6 = NEVER USED HEROIN (TXEVRRCD = 1).....	2715	0.29
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCD=2)	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	1	0.00
97 = REFUSED	350	0.04
98 = BLANK (NO ANSWER).....	3320	0.35
99 = LEGITIMATE SKIP (TXEVRRCD=2/TXYRRCVD=2,4)	166285	17.52

The last time you entered treatment, did you receive treatment or counseling for your use of hallucinogens?

Are you currently receiving treatment or counseling for your use of hallucinogens?

[TXLTYHALL](#)¹

Len : 2 LAST/CURRENT TREATMENT FOR HALLUCINOGENS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	287	0.03
2 = No.....	1674	0.18
3 = Yes LOGICALLY ASSIGNED	6	0.00
4 = No LOGICALLY ASSIGNED	2	0.00
6 = NEVER USED HALLUCINOGENS (TXEVRRCD = 1).....	1553	0.16
85 = BAD DATA Logically assigned.....	4	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCD=2)	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	3	0.00
97 = REFUSED	351	0.04
98 = BLANK (NO ANSWER).....	3432	0.36
99 = LEGITIMATE SKIP (TXEVRRCD=2/TXYRRCVD=2,4)	166282	17.52

The last time you entered treatment, did you receive treatment or counseling for your use of inhalants?

Are you currently receiving treatment or counseling for your use of inhalants?

[TXLTYINHL](#)¹

Len : 2 LAST/CURRENT TREATMENT FOR INHALANTS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	167	0.02
2 = No.....	980	0.10
4 = No LOGICALLY ASSIGNED	2	0.00
6 = NEVER USED INHALANTS (TXEVRRCD =1).....	2456	0.26
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCD=2)	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	2	0.00
97 = REFUSED	353	0.04
98 = BLANK (NO ANSWER).....	3351	0.35
99 = LEGITIMATE SKIP (TXEVRRCD=2/TXYRRCVD=2,4)	166286	17.52

DRUG TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of methamphetamine?

Are you currently receiving treatment or counseling for your use of methamphetamine?

[TXLTYMETH](#)¹

Len : 2 LAST/CURRENT TREATMENT FOR METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	443	0.05
2 = No.....	679	0.07
3 = Yes LOGICALLY ASSIGNED	7	0.00
6 = NEVER USED METHAMPHETAMINE (TXEVRRCD = 1)	2476	0.26
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCD=2)	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	2	0.00
97 = REFUSED	351	0.04
98 = BLANK (NO ANSWER).....	3353	0.35
99 = LEGITIMATE SKIP (TXEVRRCD=2/TXYRRECVD=2,4)	166286	17.52

The last time you entered treatment, did you receive treatment or counseling for your use of prescription pain relievers?

Are you currently receiving treatment or counseling for your use of prescription pain relievers?

[TXLTYPNRL](#)¹

Len : 2 LAST/CURRENT TRMT FOR PRESCRIPTION PAIN RELIEVERS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	767	0.08
2 = No.....	953	0.10
3 = Yes LOGICALLY ASSIGNED	38	0.00
4 = No LOGICALLY ASSIGNED.....	1	0.00
6 = NEVER USED PAIN RELIEVERS (TXEVRRCD = 1)	1798	0.19
85 = BAD DATA Logically assigned.....	5	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCD=2)	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	3	0.00
97 = REFUSED	352	0.04
98 = BLANK (NO ANSWER).....	3395	0.36
99 = LEGITIMATE SKIP (TXEVRRCD=2/TXYRRECVD=2,4)	166284	17.52

The last time you entered treatment, did you receive treatment or counseling for your use of prescription tranquilizers?

Are you currently receiving treatment or counseling for your use of prescription tranquilizers?

[TXLTYTRQL](#)¹

Len : 2 LAST/CURRENT TRMT FOR PRESCRIPTION TRANQUILIZERS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	252	0.03
2 = No.....	800	0.08
3 = Yes LOGICALLY ASSIGNED	20	0.00
4 = No LOGICALLY ASSIGNED.....	5	0.00
6 = NEVER USED TRANQUILIZERS (TXEVRRCD = 1)	2518	0.27
85 = BAD DATA Logically assigned.....	4	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCD=2)	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	1	0.00
97 = REFUSED	351	0.04
98 = BLANK (NO ANSWER).....	3361	0.35
99 = LEGITIMATE SKIP (TXEVRRCD=2/TXYRRECVD=2,4)	166286	17.52

DRUG TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of prescription stimulants?

Are you currently receiving treatment or counseling for your use of prescription stimulants?

[TXLTYSTIM](#)¹

Len : 2 LAST/CURRENT TRMT FOR PRESCRIPTION STIMULANTS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	185	0.02
2 = No.....	690	0.07
3 = Yes LOGICALLY ASSIGNED	5	0.00
4 = No LOGICALLY ASSIGNED.....	3	0.00
6 = NEVER USED STIMULANTS (TXEVRRCD = 1)	2746	0.29
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	3	0.00
97 = REFUSED	350	0.04
98 = BLANK (NO ANSWER).....	3327	0.35
99 = LEGITIMATE SKIP (TXEVRRCD=2/TXYRRECVD=2,4)	166287	17.52

The last time you entered treatment, did you receive treatment or counseling for your use of prescription sedatives?

Are you currently receiving treatment or counseling for your use of prescription sedatives?

[TXLTYSEDV](#)¹

Len : 2 LAST/CURRENT TRMT FOR PRESCRIPTION SEDATIVES

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	134	0.01
2 = No.....	388	0.04
3 = Yes LOGICALLY ASSIGNED	2	0.00
4 = No LOGICALLY ASSIGNED.....	3	0.00
6 = NEVER USED SEDATIVES (TXEVRRCD = 1).....	3117	0.33
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	2	0.00
97 = REFUSED	349	0.04
98 = BLANK (NO ANSWER).....	3314	0.35
99 = LEGITIMATE SKIP (TXEVRRCD=2/TXYRRECVD=2,4)	166287	17.52

The last time you entered treatment, did you receive treatment or counseling for your use of any other drug?

Are you currently receiving treatment or counseling for your use of any other drug?

[TXLTYOTHR](#)¹

Len : 2 LAST/CURRENT TRMT FOR SOME OTHER DRUG

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	383	0.04
2 = No.....	2732	0.29
3 = Yes LOGICALLY ASSIGNED	9	0.00
5 = Treatment drug unknown, LOGICALLY ASSIGNED.....	110	0.01
7 = Treatment drug/alc unknown LOG ASSN.....	103	0.01
85 = BAD DATA Logically assigned.....	14	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	7	0.00
97 = REFUSED	362	0.04
98 = BLANK (NO ANSWER).....	3592	0.38
99 = LEGITIMATE SKIP	166282	17.52

DRUG TREATMENT

What was the main drug you entered treatment for the last time you were treated?

What is the main drug for which you are currently receiving treatment or counseling?

TXLTYMAIN2¹

Len : 2 MAIN DRUG FOR LAST/CURRENT TREATMENT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Alcohol.....	285	0.03
2 = Marijuana or hashish	208	0.02
3 = Cocaine or Crack.....	75	0.01
4 = Heroin	286	0.03
7 = Methamphetamine.....	143	0.02
8 = Prescription pain relievers.....	167	0.02
12 = Some other drug	61	0.01
85 = BAD DATA Logically assigned.....	10	0.00
89 = LEGITIMATE SKIP Logically assigned	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	7	0.00
97 = REFUSED	368	0.04
98 = BLANK (NO ANSWER).....	3837	0.40
99 = LEGITIMATE SKIP	168148	17.71

What was the outcome of the treatment or counseling you last received?

TXLTYOCOM2¹

Len : 2 OUTCOME OF LAST/CURRENT TREATMENT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = You are still in treatment	1635	0.17
2 = You successfully completed treatment.....	1226	0.13
3 = You left because you had a problem with program	70	0.01
4 = You left b/c you couldn't afford to continue	66	0.01
5 = You left because your family needed you	34	0.00
6 = You left because you began using drugs again	54	0.01
7 = Your last treatment had some other outcome.....	50	0.01
41 = You left because you didn't need/want treatment.....	3	0.00
44 = You relapsed/program did not work for you.....	11	0.00
48 = Discontinued treatment, success unknown	3	0.00
49 = Completed treatment/tmt required, outcome unknown	20	0.00
50 = You had other problems to deal with	6	0.00
85 = BAD DATA Logically assigned.....	118	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	29	0.00
97 = REFUSED	384	0.04
98 = BLANK (NO ANSWER).....	3603	0.38
99 = LEGITIMATE SKIP	166282	17.52

DRUG TREATMENT

How long did you stay in treatment for your alcohol or drug use during your last treatment at [FILL IN ANSWER FROM TX25]?

How long have you been in treatment for your alcohol or drug use at [FILL IN ANSWER FROM TX17]?

How long did you stay in treatment for your alcohol or drug use during your last treatment?

How long have you been in treatment for your alcohol or drug use so far?

Please indicate whether you want to give your answer in days, months, or years.

How many days have you been in treatment for your alcohol or drug use so far?

How many days did you stay in treatment for your alcohol or drug use the last time?

How many months have you been in treatment for your alcohol or drug use so far?

How many months did you stay in treatment for your alcohol or drug use the last time?

How many years have you been in treatment for your alcohol or drug use so far?

How many years did you stay in treatment for your alcohol or drug use the last time?

TXLTYDAYS2¹ Len : 5 RC - # DAYS IN ALC/DRG TMT SO FAR/LAST TIME - RECODE

	Freq	Pct
RANGE = 1 - 30.....	904	0.10
-9 = Data not collected for this year.....	722653	76.13
31 = 31 or more.....	2328	0.25
99985 = BAD DATA Logically assigned.....	14	0.00
99989 = LEGITIMATE SKIP Logically assigned.....	5	0.00
99991 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
99994 = DON'T KNOW.....	72	0.01
99997 = REFUSED.....	402	0.04
99998 = BLANK (NO ANSWER).....	3592	0.38
99999 = LEGITIMATE SKIP.....	166282	17.52

Did private health insurance pay for the last treatment you received, even if it paid only part of the cost?

Will private health insurance pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPAYHINS¹ Len : 2 HEALTH INSURANCE PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year.....	722653	76.13
1 = Yes.....	1506	0.16
2 = No.....	1686	0.18
3 = Yes LOGICALLY ASSIGNED.....	6	0.00
85 = BAD DATA Logically assigned.....	48	0.01
89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW.....	98	0.01
97 = REFUSED.....	376	0.04
98 = BLANK (NO ANSWER).....	3592	0.38
99 = LEGITIMATE SKIP.....	166282	17.52

Did Medicare pay for the last treatment you received, even if it paid only part of the cost?

Will Medicare pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPAYMCRE¹ Len : 2 MEDICARE PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year.....	722653	76.13
1 = Yes.....	963	0.10
2 = No.....	2155	0.23
85 = BAD DATA Logically assigned.....	48	0.01
89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW.....	178	0.02
97 = REFUSED.....	376	0.04
98 = BLANK (NO ANSWER).....	3592	0.38
99 = LEGITIMATE SKIP.....	166282	17.52

DRUG TREATMENT

Did Medicaid pay for the last treatment you received, even if it paid only part of the cost?

Will Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?

[TXPAYMCAD](#)¹

Len : 2 MEDICAID PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1119	0.12
2 = No.....	2018	0.21
3 = Yes LOGICALLY ASSIGNED	6	0.00
85 = BAD DATA Logically assigned.....	48	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	154	0.02
97 = REFUSED	375	0.04
98 = BLANK (NO ANSWER).....	3592	0.38
99 = LEGITIMATE SKIP	166282	17.52

Did a public assistance program other than Medicaid pay for the last treatment you received, even if it paid only part of the cost?

Will a public assistance program other than Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?

[TXPAYPUBL](#)¹

Len : 2 OTH PUBLIC ASSIST PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	709	0.07
2 = No.....	2383	0.25
3 = Yes LOGICALLY ASSIGNED	4	0.00
85 = BAD DATA Logically assigned.....	48	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	199	0.02
97 = REFUSED	377	0.04
98 = BLANK (NO ANSWER).....	3592	0.38
99 = LEGITIMATE SKIP	166282	17.52

Did you use your own savings or earnings to pay for the last treatment you received, even if you paid only part of the cost?

Will you use your own savings or earnings to pay for the treatment you are currently receiving, even if you pay only part of the cost?

[TXPAYSVNG](#)¹

Len : 2 OWN SAVINGS PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1491	0.16
2 = No.....	1749	0.18
3 = Yes LOGICALLY ASSIGNED	5	0.00
85 = BAD DATA Logically assigned.....	48	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	51	0.01
97 = REFUSED	376	0.04
98 = BLANK (NO ANSWER).....	3592	0.38
99 = LEGITIMATE SKIP	166282	17.52

DRUG TREATMENT

Did family members pay for the last treatment you received, even if they paid only part of the cost?

Will family members pay for the treatment you are currently receiving, even if they pay only part of the cost?

[TXPAYFAML](#)¹

Len : 2 FAMILY MEMBERS PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	832	0.09
2 = No.....	2411	0.25
3 = Yes LOGICALLY ASSIGNED	4	0.00
85 = BAD DATA Logically assigned.....	48	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	48	0.01
97 = REFUSED	377	0.04
98 = BLANK (NO ANSWER).....	3592	0.38
99 = LEGITIMATE SKIP	166282	17.52

Did the courts pay for the last treatment you received, even if it paid only part of the cost?

Will the courts pay for the treatment you are currently receiving, even if it pays only part of the cost?

[TXPAYCOUR](#)¹

Len : 2 COURTS PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	314	0.03
2 = No.....	2879	0.30
3 = Yes LOGICALLY ASSIGNED	5	0.00
85 = BAD DATA Logically assigned.....	48	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	99	0.01
97 = REFUSED	375	0.04
98 = BLANK (NO ANSWER).....	3592	0.38
99 = LEGITIMATE SKIP	166282	17.52

Did CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the last treatment you received, even if it paid only part of the cost?

Will CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the treatment you are currently receiving, even if it pays only part of the cost?

[TXPAYMILT](#)¹

Len : 2 MILITARY HLTH CARE PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	161	0.02
2 = No.....	2990	0.31
3 = Yes LOGICALLY ASSIGNED	3	0.00
85 = BAD DATA Logically assigned.....	48	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	143	0.02
97 = REFUSED	375	0.04
98 = BLANK (NO ANSWER).....	3592	0.38
99 = LEGITIMATE SKIP	166282	17.52

DRUG TREATMENT

Did your employer pay for the last treatment you received, even if it paid only part of the cost?

Will your employer pay for the treatment you are currently receiving, even if it pays only part of the cost?

[TXPAYBOSS¹](#)

Len : 2 EMPLOYER PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	146	0.02
2 = No.....	3071	0.32
3 = Yes LOGICALLY ASSIGNED	5	0.00
85 = BAD DATA Logically assigned.....	48	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	77	0.01
97 = REFUSED	373	0.04
98 = BLANK (NO ANSWER).....	3592	0.38
99 = LEGITIMATE SKIP	166282	17.52

Was your last treatment paid for by some other source besides those that have been listed?

Will the treatment you are currently receiving be paid for by some other source besides those that have been listed?

[TXPAYOTHR¹](#)

Len : 2 SOME OTHER SOURCE PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	307	0.03
2 = No.....	2805	0.30
4 = No LOG ASSN (free trmt specified)	6	0.00
5 = Yes, payment source not specified LOG ASSN.....	86	0.01
85 = BAD DATA Logically assigned.....	45	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	95	0.01
97 = REFUSED	376	0.04
98 = BLANK (NO ANSWER).....	3592	0.38
99 = LEGITIMATE SKIP	166282	17.52

[TXPAYOTSP2¹](#)

Len : 2 OTHER PAY FOR LAST/CURRENT TRMT - SPECIFY

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Private health insurance	45	0.00
2 = Medicare	3	0.00
3 = Medicaid	13	0.00
4 = Public assistance program other than Medicaid.....	8	0.00
5 = Own savings or earnings.....	19	0.00
6 = Family members	10	0.00
7 = Courts.....	21	0.00
8 = CHAMPUS, TRICARE, CHAMPVA, VA, othr military hlth	4	0.00
9 = Employer.....	5	0.00
10 = Free	13	0.00
11 = Some other source	13	0.00
12 = Friend/neighbor/sponsor/stipend	9	0.00
13 = Church/faith-based organization.....	5	0.00
14 = School	19	0.00
15 = Treatment program/facility/provider.....	27	0.00
16 = Indian Health Service/BIA/Tribe.....	13	0.00
19 = Public assistance, welfare; otherwise unspecified.....	25	0.00
85 = BAD DATA Logically assigned.....	66	0.01
89 = LEGITIMATE SKIP Logically assigned	6	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	19	0.00
97 = REFUSED	386	0.04
98 = BLANK (NO ANSWER).....	3778	0.40
99 = LEGITIMATE SKIP	169092	17.81

DRUG TREATMENT

Was the last treatment you received free?

Is the treatment you are currently receiving free?

TXPAYFREE¹

Len : 2 LAST/CURRENT TREATMENT WAS/IS FREE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	166	0.02
2 = No.....	86	0.01
3 = Yes LOGICALLY ASSIGNED	13	0.00
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	1	0.00
97 = REFUSED	369	0.04
98 = BLANK (NO ANSWER).....	3680	0.39
99 = LEGITIMATE SKIP	169280	17.83

Were you enrolled in a treatment program for your alcohol or drug use on October 1, [CURRENT YEAR - 1]?

For this question, please include only treatment you received at a hospital, drug rehabilitation facility, or mental health center.

TXENRLOCT¹

Len : 2 ENROLLED IN TREATMENT PRGM ON OCT.1 [CURR YR - 1]

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1228	0.13
2 = No.....	10296	1.08
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	85	0.01
97 = REFUSED	394	0.04
98 = BLANK (NO ANSWER).....	3256	0.34
99 = LEGITIMATE SKIP (TXEVRRCD=2)	158332	16.68

Think about all the treatment or counseling you received for your [TXFILL1] during the past 12 months. Was detoxification the only [TXFILL1] treatment you received during the past 12 months?

TXYRNDTX¹

Len : 2 WAS DETOX THE ONLY TRMT RCVD PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	602	0.06
2 = No.....	2034	0.21
4 = No LOGICALLY ASSIGNED	648	0.07
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
94 = DON'T KNOW	35	0.00
97 = REFUSED	385	0.04
98 = BLANK (NO ANSWER).....	3601	0.38
99 = LEGITIMATE SKIP	166287	17.52

DRUG TREATMENT

NOTE: The variables TXALCONLY, TXALCONAG, TXDRGONLY, TXDRGONAG, TXALCDRGU, TXALCDAGE TXDRGALCU, and TXDRGAAGE pertain to respondents who were lifetime recipients of substance treatment but who had not received treatment in the past year. TXALCONLY and TXALCONAG pertain to respondents who were lifetime alcohol users but had not reported lifetime use of other drugs. TXDRGONLY and TXDRGONAG pertain to respondents who did not report lifetime use of alcohol but reported lifetime use of other drugs. TXALCDRGU, TXALCDAGE TXDRGALCU, and TXDRGAAGE pertain to respondents who were lifetime users of alcohol and other drugs.

NOTE: TXALCONLY was assigned a value of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYRRECVD=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. However, respondents who reported that they had ever received treatment for their use of alcohol but were logically inferred to have gotten treatment in the past 12 months cannot be inferred to have received alcohol treatment in that period (TXALCONLY=11). TXALCONLY was assigned a value of 22 when respondents were lifetime users of alcohol but had never used (or misused) marijuana, cocaine, heroin, hallucinogens, inhalants, prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives), and they reported that they had never received treatment for their use of alcohol.

Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment for your alcohol use?

<u>TXALCONLY</u> ¹	Len : 2	EVER RCVD TMT FOR ALC USE (NO DRUG USE REPORTED)		
			Freq	Pct
-9 = Data not collected for this year			722653	76.13
1 = Yes.....			371	0.04
2 = No.....			3	0.00
11 = Yes (TXYRRECVD=3; see NOTE for TXALCONLY).....			7	0.00
12 = No (TXYRRECVD=3; see NOTE for TXALCONLY).....			24	0.00
22 = No (but only alcohol user; see NOTE for TXALCONLY)			207	0.02
85 = BAD DATA Logically assigned.....			1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....			53033	5.59
94 = DON'T KNOW			2	0.00
97 = REFUSED			102	0.01
98 = BLANK (NO ANSWER).....			3102	0.33
99 = LEGITIMATE SKIP			169780	17.89

How old were you when you first received treatment for your alcohol use?

<u>TXALCONAG</u> ¹	Len : 3	AGE WHEN FIRST RCVD TRMT FOR ALC USE		
			Freq	Pct
RANGE = 3 - 70.....			364	0.04
-9 = Data not collected for this year			722653	76.13
991 = NEVER USED ALCOHOL OR DRUGS.....			53033	5.59
994 = DON'T KNOW			11	0.00
997 = REFUSED			102	0.01
998 = BLANK (NO ANSWER).....			3315	0.35
999 = LEGITIMATE SKIP			169807	17.89

NOTE: TXDRGONLY was assigned a value of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYRRECVD=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. However, respondents who reported that they had ever received treatment for their use of drugs cannot be inferred to have received drug treatment in the past 12 months (TXDRGONLY=11). TXDRGONLY was assigned a value of 22 when respondents were lifetime users of drugs but had never used alcohol, and they reported that they had never received treatment for their use of drugs.

Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment or counseling for your drug use?

<u>TXDRGONLY</u> ¹	Len : 2	EVER RCVD TMT FOR DRUG USE (NO ALC USE REPORTED)		
			Freq	Pct
-9 = Data not collected for this year			722653	76.13
1 = Yes.....			63	0.01
11 = Yes (TXYRRECVD=3; see NOTE for TXDRGONLY)			10	0.00
12 = No (TXYRRECVD=3; see NOTE for TXDRGONLY)			21	0.00
22 = No (but only drug user; see NOTE for TXDRGONLY).....			47	0.00
85 = BAD DATA Logically assigned.....			1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....			53033	5.59
94 = DON'T KNOW			2	0.00
97 = REFUSED			46	0.00
98 = BLANK (NO ANSWER).....			3120	0.33
99 = LEGITIMATE SKIP			170289	17.94

DRUG TREATMENT

How old were you when you first received treatment or counseling for your drug use?

<u>TXDRGONAG</u> ¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		Freq	Pct
		RANGE = 1 - 52.....		58	0.01
		-9 = Data not collected for this year		722653	76.13
		991 = NEVER USED ALCOHOL OR DRUGS.....		53033	5.59
		994 = DON'T KNOW		1	0.00
		997 = REFUSED		46	0.00
		998 = BLANK (NO ANSWER).....		3184	0.34
		999 = LEGITIMATE SKIP		170310	17.94

NOTE: TXALCDRGU and TXDRGALCU were assigned values of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYRRECVD=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. Thus, for example, respondents who reported that they had ever received treatment for their use of alcohol cannot be inferred to have received alcohol treatment in the past 12 months (TXALCDRGU=11). TXALCDRGU and TXDRGALCU were assigned values of 22 when respondents were lifetime users of both alcohol and other drugs but they reported never receiving treatment for their alcohol use (in the question corresponding to TXALCDRGU) or for their drug use (in the question corresponding to TXDRGALCU).

Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment or counseling for your alcohol use?

<u>TXALCDRGU</u> ¹	Len : 2	EVER RCVD TMT FOR ALCOHOL USE (ALSO USED DRUGS)		Freq	Pct
		-9 = Data not collected for this year		722653	76.13
		1 = Yes.....		4517	0.48
		2 = No		2158	0.23
		11 = Yes (TXYRRECVD=3; see NOTE for TXALCDRGU)		106	0.01
		12 = No (TXYRRECVD=3; see NOTE for TXALCDRGU).....		81	0.01
		22 = No (see NOTE for TXALCDRGU)		645	0.07
		91 = NEVER USED ALCOHOL OR DRUGS.....		53033	5.59
		94 = DON'T KNOW		5	0.00
		97 = REFUSED		233	0.02
		98 = BLANK (NO ANSWER).....		3177	0.33
		99 = LEGITIMATE SKIP		162677	17.14

How old were you when you first received treatment or counseling for your alcohol use?

<u>TXALCDAGE</u> ¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE		Freq	Pct
		RANGE = 1 - 67.....		4485	0.47
		-9 = Data not collected for this year		722653	76.13
		991 = NEVER USED ALCOHOL OR DRUGS.....		53033	5.59
		994 = DON'T KNOW		76	0.01
		997 = REFUSED		244	0.03
		998 = BLANK (NO ANSWER).....		3878	0.41
		999 = LEGITIMATE SKIP		164916	17.37

Have you ever received treatment or counseling for your drug use?

<u>TXDRGALCU</u> ¹	Len : 2	EVER RCVD TRMT FOR DRUG USE (ALSO USED ALCOHOL)		Freq	Pct
		-9 = Data not collected for this year		722653	76.13
		1 = Yes.....		3822	0.40
		2 = No		2854	0.30
		11 = Yes (TXYRRECVD=3; see NOTE for TXALCDRGU)		144	0.02
		12 = No (TXYRRECVD=3; see NOTE for TXALCDRGU).....		44	0.00
		22 = No (see NOTE for TXALCDRGU)		645	0.07
		91 = NEVER USED ALCOHOL OR DRUGS.....		53033	5.59
		94 = DON'T KNOW		4	0.00
		97 = REFUSED		232	0.02
		98 = BLANK (NO ANSWER).....		3177	0.33
		99 = LEGITIMATE SKIP		162677	17.14

DRUG TREATMENT

How old were you when you first received treatment or counseling for your drug use?

<u>TXDRGAAGE</u> ¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		
			Freq	Pct
		RANGE = 1 - 68.....	3814	0.40
		-9 = Data not collected for this year	722653	76.13
		985 = BAD DATA Logically assigned.....	2	0.00
		991 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		994 = DON'T KNOW	60	0.01
		997 = REFUSED	237	0.02
		998 = BLANK (NO ANSWER).....	3911	0.41
		999 = LEGITIMATE SKIP	165575	17.44

NOTE: The variables TXYALONAG, TXYALODRG, TXYALODAG, TXYDRONAG, TXYDROALC, TXYDROAAG, TXYALDAAG, and TXYALDDAG pertain to respondents who received substance treatment in the past 12 months. TXYALONAG, TXYALODRG, and TXYALODAG pertain to respondents who reported that they received treatment only for alcohol in the past 12 months. TXYDRONAG, TXYDROALC, and TXYDROAAG pertain to respondents who reported that they received treatment only for other drugs in the past 12 months. TXYALDAAG and TXYALDDAG pertain to respondents who reported receiving treatment for both alcohol and other drugs in the past 12 months.

Earlier you reported that you received treatment or counseling for your use of alcohol during the past 12 months. How old were you when you first received treatment or counseling for your alcohol use?

<u>TXYALONAG</u> ¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE		
			Freq	Pct
		RANGE = 1 - 76.....	999	0.11
		-9 = Data not collected for this year	722653	76.13
		985 = BAD DATA Logically assigned.....	19	0.00
		991 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		994 = DON'T KNOW	26	0.00
		997 = REFUSED	367	0.04
		998 = BLANK (NO ANSWER).....	3684	0.39
		999 = LEGITIMATE SKIP	168504	17.75

Have you ever received treatment or counseling for your use of any drug, not including cigarettes or alcohol?

<u>TXYALODRG</u> ¹	Len : 2	EVER RCVD TRMT FOR DRUGS (ONLY PAST YR ALC TRMT)		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	141	0.01
		2 = No.....	754	0.08
		3 = Yes LOGICALLY ASSIGNED (TXYRALDGB=11)	53	0.01
		85 = BAD DATA Logically assigned.....	10	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	3	0.00
		97 = REFUSED	356	0.04
		98 = BLANK (NO ANSWER).....	3633	0.38
		99 = LEGITIMATE SKIP	168649	17.77

How old were you when you first received treatment or counseling for your drug use?

<u>TXYALODAG</u> ¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		
			Freq	Pct
		RANGE = 1 - 58.....	119	0.01
		-9 = Data not collected for this year	722653	76.13
		985 = BAD DATA Logically assigned.....	6	0.00
		991 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		994 = DON'T KNOW	4	0.00
		997 = REFUSED	360	0.04
		998 = BLANK (NO ANSWER).....	3707	0.39
		999 = LEGITIMATE SKIP	169403	17.85

DRUG TREATMENT

Earlier you reported that you received treatment or counseling for your drug use during the past 12 months. How old were you when you first received treatment or counseling for your drug use?

TXYDRONAG ¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		
			Freq	Pct
		RANGE = 1 - 71.....	1064	0.11
		-9 = Data not collected for this year.....	722653	76.13
		985 = BAD DATA Logically assigned.....	4	0.00
		991 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		994 = DON'T KNOW	27	0.00
		997 = REFUSED	355	0.04
		998 = BLANK (NO ANSWER).....	3810	0.40
		999 = LEGITIMATE SKIP	168339	17.73

Have you ever received treatment or counseling for your alcohol use?

TXYDROALC ¹	Len : 2	EVER RCVD TMT FOR ALCOHOL (ONLY PAST YR DRUG TMT)		
			Freq	Pct
		-9 = Data not collected for this year.....	722653	76.13
		1 = Yes.....	134	0.01
		2 = No.....	1018	0.11
		3 = Yes LOGICALLY ASSIGNED (TXYRALDGB=12)	53	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	350	0.04
		98 = BLANK (NO ANSWER).....	3639	0.38
		99 = LEGITIMATE SKIP	168402	17.74

How old were you when you first received treatment or counseling for your alcohol use?

TXYDROAAG ¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE		
			Freq	Pct
		RANGE = 1 - 55.....	118	0.01
		-9 = Data not collected for this year.....	722653	76.13
		991 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	350	0.04
		998 = BLANK (NO ANSWER).....	3710	0.39
		999 = LEGITIMATE SKIP	169420	17.85

Earlier, you reported that you received treatment or counseling for your drug and alcohol use during the past 12 months. How old were you when you first received treatment or counseling for your use of alcohol?

TXYALDAAG ¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE		
			Freq	Pct
		RANGE = 1 - 67.....	787	0.08
		-9 = Data not collected for this year.....	722653	76.13
		991 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		994 = DON'T KNOW	13	0.00
		997 = REFUSED	363	0.04
		998 = BLANK (NO ANSWER).....	3987	0.42
		999 = LEGITIMATE SKIP	168449	17.74

How old were you when you first received treatment or counseling for your drug use?

TXYALDDAG ¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		
			Freq	Pct
		RANGE = 1 - 67.....	781	0.08
		-9 = Data not collected for this year.....	722653	76.13
		985 = BAD DATA Logically assigned.....	5	0.00
		991 = NEVER USED ALCOHOL OR DRUGS.....	53033	5.59
		994 = DON'T KNOW	13	0.00
		997 = REFUSED	362	0.04
		998 = BLANK (NO ANSWER).....	3989	0.42
		999 = LEGITIMATE SKIP	168449	17.74

DRUG TREATMENT

NOTE: TXFGALAGE is a "flag" variable that indicates when the first receipt of alcohol treatment in TXALCONAG, TXALCDAGE, TXYALONAG, TXYDROAAG, or TXYALDAAG is inconsistent with the first use of alcohol (from ALCTRY). When TXFGALAGE=5, the respondent previously reported never using alcohol. However, the respondent subsequently reported an age for first receipt of alcohol treatment, based on some indication of alcohol treatment in TXYRALDGB.

<u>TXFGALAGE</u> ¹	Len : 2	CONSISTENCY OF ALC TX AGE WITH ALC AFU		
			Freq	Pct
-9 = Data not collected for this year			722653	76.13
0 = 1st alc tx age consistent with alc AFU			6770	0.71
1 = 1st alc tx age differs from alc AFU by 1 yr			41	0.00
2 = 1st alc tx age differs from alc AFU by 2 yrs			17	0.00
3 = 1st alc tx age differs from alc AFU by 3-4 yrs			17	0.00
4 = 1st alc tx age differs from alc AFU by >=5 yrs			104	0.01
5 = Never used alc in core but reported an alc tx age			28	0.00
91 = NEVER USED ALCOHOL OR DRUGS			53033	5.59
98 = UNKNOWN			4937	0.52
99 = LEGITIMATE SKIP			161685	17.03

NOTE: TXFGDGAGE is a "flag" variable that indicates when the first receipt of drug treatment in TXDRGONAG, TXDRGAAGE, TXYALODAG, TXYDRONAG, or TXYALDDAG is inconsistent with the earliest reported first use of drugs. When TXFGDGAGE=5, the respondent previously reported never using (or misusing) marijuana, cocaine, heroin, hallucinogens, inhalants, or prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives). However, the respondent subsequently reported an age for first receipt of drug treatment, based on some indication of drug treatment in TXYRALDGB.

<u>TXFGDGAGE</u> ¹	Len : 2	CONSISTENCY OF FIRST DRUG TX AGE WITH DRUG AFUS		
			Freq	Pct
-9 = Data not collected for this year			722653	76.13
0 = 1st drug tx age consistent w/min drug AFU			5952	0.63
1 = 1st drug tx age differs from min drug AFU by 1 yr			38	0.00
2 = 1st drug tx age differs fr min drug AFU by 2 yrs			21	0.00
3 = 1st drug tx age differs fr min drug AFU by 3-4 yrs			11	0.00
4 = 1st drug tx age differs fr min drug AFU by >=5 yrs			57	0.01
5 = Never used drugs in core but reportd a drug tx age			25	0.00
91 = NEVER USED ALCOHOL OR DRUGS			53033	5.59
98 = UNKNOWN			4836	0.51
99 = LEGITIMATE SKIP			162659	17.13

NOTE: TXFGADAGE is a "flag" variable that indicates when an inconsistency exists between the first receipt of alcohol or drug treatment and the earliest reported first use of alcohol or drugs. If TXFGALAGE=5 or TXFGDGAGE=5, then TXFGADAGE=5.

<u>TXFGADAGE</u> ¹	Len : 2	CONSISTENCY OF FIRST TX AGE WITH ALC/DRUG AFUS		
			Freq	Pct
-9 = Data not collected for this year			722653	76.13
0 = 1st tx age consistent w/minimum AFU			9645	1.02
1 = 1st tx age differs from min AFU by 1 yr			69	0.01
2 = 1st tx age differs from min AFU by 2 yrs			34	0.00
3 = 1st tx age differs from min AFU by 3-4 yrs			25	0.00
4 = 1st tx age differs from min AFU by >=5 yrs			146	0.02
5 = Any lifetime nonuse with a related tx age			53	0.01
91 = NEVER USED ALCOHOL OR DRUGS			53033	5.59
98 = UNKNOWN			5295	0.56
99 = LEGITIMATE SKIP			158332	16.68

The next question is about self-help groups. Some examples of self-help groups for alcohol or drug use are AA or Alcoholics Anonymous, NA or Narcotics Anonymous, CA or Cocaine Anonymous, and CMA or Crystal Meth Anonymous.

During the past 12 months, did you go to any self-help group meetings or 12-step programs to receive help for your own use of alcohol or any drug, not counting cigarettes?

<u>TXSHGWENT</u> ¹	Len : 2	WENT TO SELF-HELP GRP/12-STEP PGMS PAST 12 MOS		
			Freq	Pct
-9 = Data not collected for this year			722653	76.13
1 = Yes			2158	0.23
2 = No			166085	17.50
5 = Yes LOGICALLY ASSIGNED (from skip pattern)			1644	0.17
85 = BAD DATA Logically assigned			150	0.02
91 = NEVER USED ALCOHOL OR DRUGS			53033	5.59
94 = DON'T KNOW			253	0.03
97 = REFUSED			383	0.04
98 = BLANK (NO ANSWER)			2926	0.31

DRUG TREATMENT

Did you go to the self-help group because of your alcohol use only, your drug use only, or because of both alcohol and drug use?

<u>TXSHGALDB</u> ¹	Len : 2	WENT TO SELF-HELP GRP FOR ALC ONLY/DRUG ONLY/BOTH	Freq	Pct
-9 = Data not collected for this year			722653	76.13
1 = Alcohol use only			815	0.09
2 = Drug use only			573	0.06
3 = Both alcohol and drug use.....			730	0.08
11 = Alcohol use only LOGICALLY ASSIGNED (TXYRSLFAD=1).....			62	0.01
12 = Drug use only LOGICALLY ASSIGNED (TXYRSLFAD=2)			45	0.00
13 = Both alcohol and drug use LOG ASSN (TXYRSLFAD=3).....			440	0.05
85 = BAD DATA Logically assigned.....			1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....			53033	5.59
94 = DON'T KNOW			19	0.00
97 = REFUSED			404	0.04
98 = BLANK (NO ANSWER).....			3457	0.36
99 = LEGITIMATE SKIP			167053	17.60

NOTE: TXSHGFLAG compares the consistency of data in the self-help group variable TXSHGWENT and the self-help group variable TXYRSLFHP. TXSHGFLAG has a value of 1 when TXSHGWENT was answered as "yes" but TXYRSLFHP indicates that respondents did not receive treatment in a self-help group, even though they reported that they received treatment in the past 12 months. TXSHGFLAG has a value of 2 when TXSHGWENT was answered as "yes" but TXYRRECVD or TXEVRRCVD indicated that respondents never received any treatment in the past 12 months or lifetime, respectively. TXSHGFLAG has a value of 3 when TXSHGWENT was not answered as "yes" but TXYRSLFHP indicates that respondents were logically inferred to have gotten treatment in a self-help group in the past 12 months. TXSHGFLAG has a value of 4 when TXSHGWENT was answered as "yes" but TXYRSLFHP was answered as "don't know" or "refused" or it was blank. Finally, TXSHGFLAG has a value of 5 when TXSHGWENT was answered as "don't know" or "refused" but TXYRSLFHP was answered as "no."

<u>TXSHGFLAG</u> ¹	Len : 2	CONSISTENCY FLAG BETWEEN TXSHGWENT AND TXYRSLFHP	Freq	Pct
-9 = Data not collected for this year			722653	76.13
1 = TXSHGWENT=1 but TXYRSLFHP=2 (see note)			174	0.02
2 = TXSHGWENT=1 but TXYRRECVD=2 or TXEVRRCVD=2 (see note)			1858	0.20
3 = TXSHGWENT NE 1 but TXYRSLFHP=3 or 5 (see note).....			79	0.01
4 = TXSHGWENT=1 but TXYRSLFHP=94, 97, or 98 (see note)			91	0.01
5 = TXSHGWENT=94 or 97 but TXYRSLFHP=2 (see note).....			31	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....			53033	5.59
98 = BLANK (NO ANSWER).....			171366	18.05

RECODED DRUG TREATMENT

RECODED DRUG TREATMENT

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from two of the preceding sections: Drug Treatment or Recoded Substance Dependence and Abuse.

NOTE: Changes to the modules for hallucinogens, inhalants, methamphetamine, and prescription psychotherapeutic drugs in 2015 might have affected the sets of respondents who were eligible to be asked the questions about treatment for substance use. Therefore, all of the variables in the Substance Use Treatment module have been renamed for 2015 and future years. For detailed information about comparability decisions, see the two-volume 2015 Questionnaire Redesign Impact Assessment, Final Report, within the 2015 Methodological Resource Book (Center for Behavioral Health Statistics and Quality, 2017).

NOTE: The following seven recoded variables contain information about receiving treatment at any location in lifetime or in the past year.

<u>TXEVRRCVD2</u>	Len : 1 RC-RCVD TRT FOR ILL DRG OR ALC USE IN LIFETIME		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	214974	22.65
	1 = Yes (TXEVRRCVD=1).....	11658	1.23

<u>TXYRALC</u>	Len : 1 RC-RCVD TRT ANY LOC FOR ALC USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	224468	23.65
	1 = Yes (TXYRALDGB=1,3,4,6,11,12).....	2164	0.23

<u>TXYRILL</u>	Len : 1 RC-RCVD TRT ANY LOC FOR ILL DRG USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	224302	23.63
	1 = Yes (TXYRALDGB=2,3,5,6,11,12).....	2330	0.25

A respondent was classified as receiving treatment at any location in the past year for alcohol use but not illicit drug use, TXYRALNIL, if they received only alcohol use treatment at any location in the past year (TXYRALDGB=1). Respondents with unknown illicit drug use treatment (TXYRALDGB=4) or who reported receiving alcohol use treatment only but in later treatment questions indicated receiving illicit drug use treatment (TXYRALDGB=11) are not classified as receiving treatment for alcohol use only.

<u>TXYRALNIL</u>	Len : 1 RC-RCVD TRT ANY LOC FOR ALC BUT NOT ILL DRG - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225634	23.77
	1 = Yes (TXYRALDGB=1).....	998	0.11

A respondent was classified as receiving treatment at any location in the past year for illicit drug use but not alcohol use, TXYRILNAL, if they received only illicit drug use treatment at any location in the past year (TXYRALDGB=2). Respondents with unknown alcohol use treatment (TXYRALDGB=5) or who reported receiving illicit drug use treatment only but in later treatment questions indicated receiving alcohol use treatment (TXYRALDGB=12) are not classified as receiving treatment for illicit drug use only.

<u>TXYRILNAL</u>	Len : 1 RC-RCVD TRT ANY LOC FOR ILL DRG BUT NOT ALC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225468	23.75
	1 = Yes (TXYRALDGB=2).....	1164	0.12

<u>TXYRRECVD2</u>	Len : 1 RC-RCVD TRT ANY LOC FOR ILL DRG OR ALC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	222940	23.49
	1 = Yes (TXYRRECVD=1,3).....	3692	0.39

RECODED DRUG TREATMENT

TXYRILANAL	Len : 1 RC-RCVD TRT ANY LOC FOR ILL DRG AND ALC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225471	23.75
	1 = Yes (TXYRALDGB=3,6,11,12)	1161	0.12

NOTE: The following 12 recoded variables contain respondent information about receiving last or current treatment for various substances.

TXLTYALCO2	Len : 1 RC-RCVD LAST/CURRENT TREATMENT FOR ALCOHOL		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	224737	23.67
	1 = Yes (TXLTYALCO=1,3,5).....	1895	0.20

TXLTYMRJH2	Len : 1 RC-RCVD LAST/CURRENT TREATMENT FOR MARIJUANA		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225671	23.77
	1 = Yes (TXLTYMRJH=1,3).....	961	0.10

TXLTYCOCN2	Len : 1 RC-RCVD LAST/CURRENT TREATMENT FOR COCAINE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226168	23.83
	1 = Yes (TXLTYCOCN=1,3)	464	0.05

TXLTYHERN2	Len : 1 RC-RCVD LAST/CURRENT TREATMENT FOR HEROIN		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226007	23.81
	1 = Yes (TXLTYHERN=1,3)	625	0.07

TXLTYHALL2	Len : 1 RC-RCVD LAST/CURRENT TREATMENT FOR HALLUCINOGENS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226339	23.84
	1 = Yes (TXLTYHALL=1,3).....	293	0.03

TXLTYINHL2	Len : 1 RC-RCVD LAST/CURRENT TREATMENT FOR INHALANTS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226465	23.86
	1 = Yes (TXLTYINHL=1,3).....	167	0.02

TXLTYMETH2	Len : 1 RC-RCVD LAST/CURRENT TREATMENT FOR METHAMPHETAMINE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226182	23.83
	1 = Yes (TXLTYMETH=1,3).....	450	0.05

TXLTYPNRL2	Len : 1 RC-RCVD LAST/CURRENT TREATMENT FOR PAIN RELIEVERS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225827	23.79
	1 = Yes (TXLTYPNRL=1,3).....	805	0.08

TXLTYTRQL2	Len : 1 RC-RCVD LAST/CURRENT TREATMENT FOR TRANQUILIZERS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226360	23.85
	1 = Yes (TXLTYTRQL=1,3).....	272	0.03

RECODED DRUG TREATMENT

TXLTYSTIM2	Len : 1 RC-RCVD LAST/CURRENT TREATMENT FOR STIMULANTS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226442	23.85
	1 = Yes (TXLTYSTIM=1,3).....	190	0.02

TXLTYSEDV2	Len : 1 RC-RCVD LAST/CURRENT TREATMENT FOR SEDATIVES		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226496	23.86
	1 = Yes (TXLTYSEDV=1,3).....	136	0.01

The following variable, TXLTYILL, was created by examination of the receipt of last/current treatment of marijuana (TXLTYMRJH2), cocaine (TXLTYCOCN2), heroin (TXLTYHERN2), stimulants (TXLTYSTIM2), sedatives (TXLTYSEDV2), pain relievers (TXLTYPNRL2), hallucinogens (TXLTYHALL2), inhalants (TXLTYINHL2), methamphetamine (TXLTYMETH2), and tranquilizers (TXLTYTRQL2).

TXLTYILL	Len : 1 RC-RCVD LAST/CURRENT TREATMENT FOR ILLICIT DRUGS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	224631	23.66
	1 = Yes (Any source variable=1).....	2001	0.21

NOTE: The following 27 recoded variables contain payment information about respondent's last or current treatment.

TXPAYHINS2	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY INSURANCE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225120	23.71
	1 = Yes (TXPAYHINS=1,3).....	1512	0.16

TXPAYMCRE2	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICARE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225669	23.77
	1 = Yes (TXPAYMCRE=1,3).....	963	0.10

TXPAYMCAD2	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICAID		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225507	23.76
	1 = Yes (TXPAYMCAD=1,3).....	1125	0.12

TXPAYPUBL2	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY PUBLIC ASST		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225919	23.80
	1 = Yes (TXPAYPUBL=1,3).....	713	0.08

TXPAYSVNG2	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY OWN SAVINGS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225136	23.72
	1 = Yes (TXPAYSVNG=1,3).....	1496	0.16

TXPAYFAML2	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY FAM MEMBERS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225796	23.79
	1 = Yes (TXPAYFAML=1,3).....	836	0.09

RECODED DRUG TREATMENT

TXPAYCOUR2	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY COURTS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226313	23.84
	1 = Yes (TXPAYCOUR=1,3).....	319	0.03
TXPAYMILT2	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY MILT HLTCARE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226468	23.86
	1 = Yes (TXPAYMILT=1,3)	164	0.02
TXPAYBOSS2	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY EMPLOYER		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226481	23.86
	1 = Yes (TXPAYBOSS=1,3).....	151	0.02
TXPDHINSAL	Len : 1 RC-LAST/CURRENT ALC TRT PAID FOR BY INSURANCE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYHINS2=0)	225825	23.79
	1 = Yes (TXLTYALCO2=1 and TXPAYHINS2=1)	807	0.09
TXPDMCREAL	Len : 1 RC-LAST/CURRENT ALC TRT PAID FOR BY MEDICARE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYMCRE2=0)	226183	23.83
	1 = Yes (TXLTYALCO2=1 and TXPAYMCRE2=1)	449	0.05
TXPDMCADAL	Len : 1 RC-LAST/CURRENT ALC TRT PAID FOR BY MEDICAID		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYMCAD2=0).....	226119	23.82
	1 = Yes (TXLTYALCO2=1 and TXPAYMCAD2=1).....	513	0.05
TXPDPUBLAL	Len : 1 RC-LAST/CURRENT ALC TRT PAID FOR BY PUBLIC ASST		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYPUBL2=0)	226276	23.84
	1 = Yes (TXLTYALCO2=1 and TXPAYPUBL2=1).....	356	0.04
TXPDSVNGAL	Len : 1 RC-LAST/CURRENT ALC TRT PAID FOR BY OWN SAVINGS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYSVNG2=0).....	225751	23.78
	1 = Yes (TXLTYALCO2=1 and TXPAYSVNG2=1).....	881	0.09
TXPDFAMLAL	Len : 1 RC-LAST/CURRENT ALC TRT PAID FOR BY FAM MEMBERS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYFAML2=0).....	226222	23.83
	1 = Yes (TXLTYALCO2=1 and TXPAYFAML2=1).....	410	0.04
TXPDCOURAL	Len : 1 RC-LAST/CURRENT ALC TRT PAID FOR BY COURTS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYCOUR2=0).....	226457	23.86
	1 = Yes (TXLTYALCO2=1 and TXPAYCOUR2=1).....	175	0.02

RECODED DRUG TREATMENT

<u>TXPDMILTAL</u>	Len : 1 RC-LAST/CURRENT ALC TRT PAID FOR BY MILT HLT CARE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYMILT2=0).....	226523	23.86
	1 = Yes (TXLTYALCO2=1 and TXPAYMILT2=1).....	109	0.01
<u>TXPDBOSSAL</u>	Len : 1 RC-LAST/CURRENT ALC TRT PAID FOR BY EMPLOYER		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYBOSS2=0).....	226522	23.86
	1 = Yes (TXLTYALCO2=1 and TXPAYBOSS2=1).....	110	0.01
<u>TXPDHINSIL</u>	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY INSURANCE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (TXLTYILL=0 or TXPAYHINS2=0)	225641	23.77
	1 = Yes (TXLTYILL=1 and TXPAYHINS2=1).....	991	0.10
<u>TXPDMCREIL</u>	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICARE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (TXLTYILL=0 or TXPAYMCRE2=0).....	225958	23.80
	1 = Yes (TXLTYILL=1 and TXPAYMCRE2=1).....	674	0.07
<u>TXPDMCADIL</u>	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICAID		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (TXLTYILL=0 or TXPAYMCAD2=0)	225829	23.79
	1 = Yes (TXLTYILL=1 and TXPAYMCAD2=1)	803	0.08
<u>TXPDPUBLIL</u>	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY PUBLIC ASST		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (TXLTYILL=0 or TXPAYPUBL2=0).....	226141	23.82
	1 = Yes (TXLTYILL=1 and TXPAYPUBL2=1).....	491	0.05
<u>TXPDSVNGIL</u>	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY OWN SAVINGS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (TXLTYILL=0 or TXPAYSVNG2=0).....	225783	23.78
	1 = Yes (TXLTYILL=1 and TXPAYSVNG2=1)	849	0.09
<u>TXPDFAMLIL</u>	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY FAM MEMBERS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (TXLTYILL=0 or TXPAYFAML2=0).....	226062	23.81
	1 = Yes (TXLTYILL=1 and TXPAYFAML2=1).....	570	0.06
<u>TXPDCOURIL</u>	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY COURTS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (TXLTYILL=0 or TXPAYCOUR2=0).....	226390	23.85
	1 = Yes (TXLTYILL=1 and TXPAYCOUR2=1).....	242	0.03
<u>TXPDMILTIL</u>	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY MILT HLT CARE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (TXLTYILL=0 or TXPAYMILT2=0).....	226541	23.86
	1 = Yes (TXLTYILL=1 and TXPAYMILT2=1)	91	0.01

RECODED DRUG TREATMENT

TXPDBOSSIL

Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY EMPLOYER

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (TXLTYILL=0 or TXPAYBOSS2=0).....	226565	23.87
1 = Yes (TXLTYILL=1 and TXPAYBOSS2=1)	67	0.01

NOTE: The following seven recoded variables contain information about receiving treatment at a specialty facility in the past year.

A respondent was classified as receiving treatment in the past year for alcohol use at a specialty facility, TXYRSPALC, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of these conditions:

1. Reported receiving only alcohol treatment in the past year (TXYRALDGB=1, 4, 11) and that treatment was received at one of the four specialty facilities (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6) and reported specifically receiving alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD=1, 3 or TXYRRESAD=1, 3 or TXYROUTAD=1, 3 or TXYRMHCAD=1, 3 or (TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=1, 3)).

TXYRSPALC

Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	225385	23.74
1 = Yes (See comment above)	1247	0.13

A respondent was classified as receiving treatment in the past year for illicit drug use at a specialty facility, TXYRSPILL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or a mental health center if they met either of these conditions:

1. Reported receiving only illicit drug treatment in the past year (TXYRALDGB=2, 5, 12) and that treatment was received at one of the four specialty facilities (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6) and reported specifically receiving illicit drug treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD=2, 3 or TXYRRESAD=2, 3 or TXYROUTAD=2, 3 or TXYRMHCAD=2, 3 or (TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=2, 3)).

TXYRSPILL

Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ILL DRG - PST YR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	225049	23.71
1 = Yes (See comment above)	1583	0.17

RECODED DRUG TREATMENT

A respondent was classified as receiving treatment in the past year for alcohol use but not illicit drug use at a specialty facility, TXYSPALNIL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met one of the following conditions:

1. Reported receiving only alcohol treatment in the past year (TXYRALDGB=1) and that treatment was received at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRALDGB=11), the reported alcohol treatment was received at one of the four specialty facilities (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81), and their last or current treatment was not at one of the four specialty facilities (TXLTCURRSP=0).
3. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6) and reported specifically receiving only alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD=1 or TXYRRESAD=1 or TXYROUTAD=1 or TXYRMHCAD=1 or (TXYROTHAD=1 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81)) but did not report specifically receiving illicit drug treatment or illicit drug and alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD NE 2, 3 or TXYRRESAD NE 2, 3 or TXYROUTAD NE 2, 3 or TXYRMHCAD NE 2, 3 or (TXYROTHAD NE 2, 3 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) or TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).

For the logically assigned levels of TXYRALDGB, the creation of this variable may be unclear; therefore, details for classifying respondents as not receiving alcohol only treatment at a specialty facility for these logically assigned levels are below:

1. Reported receiving alcohol treatment in the past year but illicit drug treatment status is unknown (TXYRALDGB=4) or reported receiving illicit drug treatment in the past year but alcohol treatment status is unknown (TXYRALDGB=5).
2. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol during their last or current treatment (TXYRALDGB=12).
3. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRALDGB=11) and the reported alcohol treatment was not at a specialty facility (TXYRHOSOV=2, 94, 97, 98 and TXYRRESOV=2, 94, 97, 98 and TXYROUTPT=2, 94, 97, 98 and TXYRMHCOP=2, 94, 97, 98 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
4. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRALDGB=11) and their reported alcohol treatment was at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) but their last or current treatment was at a specialty facility (TXLTCURRSP=1) and included treatment for illicit drug use.

TXYSPALNIL

Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ALC NOT ILL DRG - PST YR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	225984	23.81
1 = Yes (See comment above)	648	0.07

RECODED DRUG TREATMENT

A respondent was classified as receiving treatment in the past year for illicit drug use but not alcohol use at a specialty facility, TXYSPILNAL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met one of the following conditions:

1. Reported receiving only illicit drug treatment in the past year (TXYRALDGB=2) and that treatment was received at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRALDGB=12), the reported illicit drug treatment was received at one of the four specialty facilities (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81), and their last or current treatment was not at one of the four specialty facilities (TXLTCURRSP=0).
3. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6) and reported specifically receiving only illicit drug treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD=2 or TXYRRESAD=2 or TXYROUTAD=2 or TXYRMHCAD=2 or (TXYROTHAD=2 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81)) but did not report specifically receiving alcohol treatment or illicit drug and alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD NE 1, 3 or TXYRRESAD NE 1, 3 or TXYROUTAD NE 1, 3 or TXYRMHCAD NE 1, 3 or (TXYROTHAD NE 1, 3 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) or TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).

For the logically assigned levels of TXYRALDGB, the creation of this variable may be unclear; therefore, details for classifying respondents as not receiving illicit drug only treatment at a specialty facility for these logically assigned levels are below:

1. Reported receiving alcohol treatment in the past year but illicit drug treatment status is unknown (TXYRALDGB=4) or reported receiving illicit drug treatment in the past year but alcohol treatment status is unknown (TXYRALDGB=5).
2. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drugs during their last or current treatment (TXYRALDGB=11).
3. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRALDGB=12) and the reported illicit drug treatment was not at a specialty facility (TXYRHOSOV=2, 94, 97, 98 and TXYRRESOV=2, 94, 97, 98 and TXYROUTPT=2, 94, 97, 98 and TXYRMHCOP=2, 94, 97, 98 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
4. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRALDGB=12) and their reported illicit drug treatment was at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) but their last or current treatment was at a specialty facility (TXLTCURRSP=1) and included treatment for alcohol use.

TXYSPILNAL

Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ILL DRG NOT ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	225651	23.77
1 = Yes (See comment above)	981	0.10

A respondent was classified as receiving treatment in the past year for illicit drug or alcohol use at a specialty facility, TXYRSPILAL, if they reported receiving treatment for illicit drug or alcohol use in the past year (TXYRRECVD=1, 3) and treatment was received at either a hospital (inpatient), or rehabilitation facility (in or outpatient), or a mental health center (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT= 1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).

TXYRSPILAL

Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ILL DRG OR ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	224239	23.62
1 = Yes (See comment above)	2393	0.25

TXYSILANAL

Len : 1 RC-RCVD TRT AT SPEC FAC FOR ILL DRG AND ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No/Unknown (Otherwise).....	226100	23.82
1 = Yes (TXYRSPIL=1 and TXYRSPALC=1).....	532	0.06

RECODED DRUG TREATMENT

A respondent was classified as receiving treatment in the past year for alcohol use at a specialty facility only, TXSPNSALC=1, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of the following conditions:

1. Reported receiving only alcohol use treatment in the past year (TXYRALDGB=1, 4) and that treatment was received at only a specialty facility, that is they indicated receiving treatment at a specialty facility and did not report receiving treatment at an emergency room, private doctor's office, jail or prison, self-help group ((TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) and TXYREMRGN=2 and TXYRDRPRV=2 and TXYRPRISN=2 and TXYRSLFHP=2) and one of the following:
 1. Did not indicate receiving treatment at some other place (TXYROTHER=2) OR
 2. Indicated receiving treatment at some other place and the other place was a specialty facility (TXYROTHER=1, 3, 5 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6, 11, 12) and indicated receiving alcohol use treatment at only a specialty facility, that is they indicated receiving alcohol use treatment at a specialty facility ((TXYRHOSOV=1, 3, 5 and TXYRHOSAD=1, 3) or (TXYRRESOV=1, 3, 5 and TXYRRESAD=1, 3) or (TXYROUTPT=1, 3, 5 and TXYROUTAD=1, 3) or (TXYRMHCOP=1, 3, 5 and TXYRMHCAD=1, 3) or (TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=1, 3)) and either of the following:
 1. Either not receiving treatment or receiving treatment only for illicit drugs at an emergency room, private doctor's office, jail or prison, self-help group (TXYREMRGN=1, 2 and TXYREMRAD=2, 99 and TXYRDRPRV=1, 2 and TXYRDRPAD=2, 99 and TXYRPRISN=1, 2 and TXYRPRIAD=2, 99 and TXYRSLFHP=1, 2 and TXYRSLFAD=2, 99) OR
 2. Either did not indicate receiving alcohol treatment at some other place or indicated the other place was a specialty facility (TXYROTHER=2 or (TXYROTHER=1, 3, 5 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 46, 64, 76, 81 and TXYROTHAD=2) or (TXYROTHER=1, 3, 5 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=1, 3)).

A respondent was classified as receiving treatment in the past year for alcohol use at a non-specialty facility only, TXSPNSALC=2, that is a location other than a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of the following conditions:

1. Reported receiving only alcohol use treatment in the past year (TXYRALDGB=1, 4) and that treatment was not at a specialty facility (TXYRHOSOV=2 and TXYRRESOV=2 and TXYROUTPT=2 and TXYRMHCOP=2 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol use treatment in the past year (TXYRALDGB=3, 5, 11, 12) and either indicated not receiving any treatment at a specialty facility or indicated only receiving illicit drug treatment at a specialty facility (TXYRHOSOV=1, 2 and TXYRHOSAD=2, 99 and TXYRRESOV=1, 2 and TXYRRESAD=2, 99 and TXYROUTPT=1, 2 and TXYROUTAD=2, 99 and TXYRMHCOP=1, 2 and TXYRMHCAD=2, 99 and (TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81 or (TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=2))).

A respondent was classified as receiving treatment in the past year for alcohol use at both a specialty and non-specialty facility, TXSPNSALC=3, if they met either of the following conditions:

1. Reported receiving only alcohol use treatment in the past year (TXYRALDGB=1, 4) and that treatment was at both a specialty and non-specialty facility ((TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) and (TXYREMRGN=1, 3, 5 or TXYRDRPRV=1, 3, 5 or TXYRPRISN=1, 3, 5 or TXYRSLFHP=1, 3, 5 or (TXYROTHER=1, 3, 5 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81))).
2. Reported receiving treatment for both illicit drug and alcohol use in the past year (TXYRALDGB=3, 6, 11, 12) and indicated receiving treatment for alcohol use at both a specialty and non-specialty facility (((TXYRHOSOV=1, 3, 5 and TXYRHOSAD=1, 3) or (TXYRRESOV=1, 3, 5 and TXYRRESAD=1, 3) or (TXYROUTPT=1, 3, 5 and TXYROUTAD=1, 3) or (TXYRMHCOP=1, 3, 5 and TXYRMHCAD=1, 3) or (TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=1, 3)) and ((TXYREMRGN=1, 3, 5 and TXYREMRAD=1, 3) or (TXYRDRPRV=1, 3, 5 and TXYRDRPAD=1, 3) or (TXYRPRISN=1, 3, 5 and TXYRPRIAD=1, 3) or (TXYRSLFHP=1, 3, 5 and TXYRSLFAD=1, 3) or (TXYROTHER=1, 3, 5 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=1, 3))).

A respondent was classified as not receiving treatment in the past year for alcohol use, TXSPNSALC=5, if they indicated not receiving alcohol use treatment in the past year or have an unknown treatment status (TXYRALDGB NE 1, 3, 4, 6, 11, 12).

TXSPNSALC

Len : 1 RC-RCVD TRMT AT SPEC FAC/NON-SPEC FAC FOR ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year	778966	82.06
1 = Received trmt at specialty facility only (See comment above).....	191	0.02
2 = Rcvd trt at non-specialty facility only (See comment above).....	550	0.06
3 = Rcvd trt at spec and non-spec facs (See comment above).....	650	0.07
4 = Insufficient data to classify facility type (Otherwise).....	232	0.02
5 = Did not receive alc trmt (See comment above).....	168696	17.77

RECODED DRUG TREATMENT

A respondent was classified as receiving treatment in the past year for illicit drug use at a specialty facility only, TXSPNSILL=1, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of the following conditions:

1. Reported receiving only illicit drug use treatment in the past year (TXYRALDGB=2, 5) and that treatment was received at only a specialty facility, that is they indicated receiving treatment at a specialty facility and did not report receiving treatment at an emergency room, private doctor's office, jail or prison, self-help group ((TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) and TXYREMRGN=2 and TXYRDRPRV=2 and TXYRPRISN=2 and TXYRSLFHP=2) and one of the following:
 1. Did not indicate receiving treatment at some other place (TXYROTHER=2) OR
 2. Indicated receiving treatment at some other place and the other place was a specialty facility (TXYROTHER=1, 3, 5 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6, 11, 12) and indicated receiving illicit drug use treatment at only a specialty facility, that is they indicated receiving illicit drug use treatment at a specialty facility ((TXYRHOSOV=1, 3, 5 and TXYRHOSAD=2, 3) or (TXYRRESOV=1, 3, 5 and TXYRRESAD=2, 3) or (TXYROUTPT=1, 3, 5 and TXYROUTAD=2, 3) or (TXYRMHCOP=1, 3, 5 and TXYRMHCAD=2, 3) or (TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=2, 3)) and either of the following:
 1. Either not receiving treatment or receiving treatment only for alcohol at an emergency room, private doctor's office, jail or prison, self-help group (TXYREMRGN=1, 2 and TXYREMRAD=1, 99 and TXYRDRPRV=1, 2 and TXYRDRPAD=1, 99 and TXYRPRISN=1, 2 and TXYRPRIAD=1, 99 and TXYRSLFHP=1, 2 and TXYRSLFAD=1, 99) OR
 2. Either did not indicate receiving alcohol treatment at some other place or indicated the other place was a specialty facility (TXYROTHER=2 or (TXYROTHER=1, 3, 5 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 46, 64, 76, 81 and TXYROTHAD=1) or (TXYROTHER=1, 3, 5 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=2, 3)).

A respondent was classified as receiving treatment in the past year for illicit drug use at a non-specialty facility only, TXSPNSILL=2, that is a location other than a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of the following conditions:

1. Reported receiving only illicit drug use treatment in the past year (TXYRALDGB=2, 5) and that treatment was not at a specialty facility (TXYRHOSOV=2 and TXYRRESOV=2 and TXYROUTPT=2 and TXYRMHCOP=2 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol use treatment in the past year (TXYRALDGB=3, 5, 11, 12) and either indicated not receiving any treatment at a specialty facility or indicated only receiving alcohol use treatment at a specialty facility (TXYRHOSOV=1, 2 and TXYRHOSAD=1, 99 and TXYRRESOV=1, 2 and TXYRRESAD=1, 99 and TXYROUTPT=1, 2 and TXYROUTAD=1, 99 and TXYRMHCOP=1, 2 and TXYRMHCAD=1, 99 and (TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81 or (TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=1))).

A respondent was classified as receiving treatment in the past year for illicit drug use at both a specialty and non-specialty facility, TXSPNSILL=3, if they met either of the following conditions:

1. Reported receiving only illicit drug use treatment in the past year (TXYRALDGB=2, 5) and that treatment was at both a specialty and non-specialty facility ((TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) and (TXYREMRGN=1, 3, 5 or TXYRDRPRV=1, 3, 5 or TXYRPRISN=1, 3, 5 or TXYRSLFHP=1, 3, 5 or (TXYROTHER=1, 3, 5 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81))).
2. Reported receiving treatment for both illicit drug and alcohol use in the past year (TXYRALDGB=3, 6, 11, 12) and indicated receiving treatment for illicit drug use at both a specialty and non-specialty facility (((TXYRHOSOV=1, 3, 5 and TXYRHOSAD=2, 3) or (TXYRRESOV=1, 3, 5 and TXYRRESAD=2, 3) or (TXYROUTPT=1, 3, 5 and TXYROUTAD=2, 3) or (TXYRMHCOP=1, 3, 5 and TXYRMHCAD=2, 3) or (TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=2, 3)) and ((TXYREMRGN=1, 3, 5 and TXYREMRAD=2, 3) or (TXYRDRPRV=1, 3, 5 and TXYRDRPAD=2, 3) or (TXYRPRISN=1, 3, 5 and TXYRPRIAD=2, 3) or (TXYRSLFHP=1, 3, 5 and TXYRSLFAD=2, 3) or (TXYROTHER=1, 3, 5 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=2, 3))).

A respondent was classified as not receiving treatment in the past year for illicit drug use, TXSPNSILL=5, if they indicated not receiving illicit drug use treatment in the past year or have an unknown treatment status (TXYRALDGB NE 2, 3, 5, 6, 11, 12).

TXSPNSILL

Len : 1 RC-RCVD TRMT AT SPEC FAC/NON-SPEC FAC FOR ILL DRG - PST YR

	Freq	Pct
-9 = Data not collected for this year	778966	82.06
1 = Received trmt at specialty facility only (See comment above).....	285	0.03
2 = Rcvd trt at non-specialty facility only (See comment above).....	416	0.04
3 = Rcvd trt at spec and non-spec facs (See comment above).....	850	0.09
4 = Insufficient data to classify facility type (Otherwise).....	230	0.02
5 = Did not receive illicit drug trmt (See comment above).....	168538	17.75

RECODED DRUG TREATMENT

A respondent was classified as receiving treatment in the past year for illicit drug or alcohol use at a specialty facility only, TXSPNSILAL=1, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they reported receiving illicit drug or alcohol use treatment in the past year (TXYRRECVD=1, 3) and that treatment was received at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) AND met one of the two following conditions:

1. Reported receiving illicit drug or alcohol use treatment in the past year (TXYRRECVD=1, 3) and that treatment was not received at an emergency room, private doctor's office, jail or prison, or a self-help group (TXYREMRGN=2 and TXYRDRPRV=2 and TXYRPRISN=2 and TXYRSLFHP=2) and indicated not receiving treatment at some other place (TXYROTHER=2).
2. Reported receiving illicit drug or alcohol use treatment in the past year (TXYRRECVD=1, 3) and that treatment was not received at an emergency room, private doctor's office, jail or prison, or a self-help group (TXYREMRGN=2 and TXYRDRPRV=2 and TXYRPRISN=2 and TXYRSLFHP=2) and indicated receiving treatment at some other place and indicated that place was a specialty facility (TXYROTHER=1, 3, 5 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).

A respondent was classified as receiving treatment in the past year for illicit drug or alcohol use at a non-specialty facility only, TXSPNSILAL=2, that is a location other than a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they reported receiving illicit drug or alcohol use treatment in the past year (TXYRRECVD=1, 3) and that treatment was not at a specialty facility (TXYRHOSOV=2 and TXYRRESOV=2 and TXYROUTPT=2 and TXYRMHCOP=2 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).

A respondent was classified as receiving treatment in the past year for illicit drug or alcohol use at both a specialty and non-specialty facility, TXSPNSILAL=3, if they reported receiving illicit drug or alcohol use treatment in the past year (TXYRRECVD=1, 3) and that treatment was at both a specialty and non-specialty facility ((TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) and (TXYREMRGN=1, 3, 5 or TXYRDRPRV=1, 3, 5 or TXYRPRISN=1, 3, 5 or TXYRSLFHP=1, 3, 5 or (TXYROTHER=1, 3, 5 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81))).

A respondent was classified as not receiving treatment in the past year for illicit drug or alcohol use, TXSPNSILAL=5, if they indicated not receiving treatment in the past year or have an unknown treatment status (TXYRRECVD NE 1, 3).

<u>TXSPNSILAL</u>	Len : 1 RC-RCVD TRMT AT SPEC FAC/NON-SPEC FAC FOR ILL DRG/ALC-PST YR		
		Freq	Pct
-9 = Data not collected for this year		778966	82.06
1 = Received trmt at specialty facility only (See comment above).....		425	0.04
2 = Rcvd trt at non-specialty facility only (See comment above).....		717	0.08
3 = Rcvd trt at spec and non-spec facs (See comment above).....		1373	0.14
4 = Insufficient data to classify facility type (Otherwise).....		280	0.03
5 = Did not receive illicit drug or alc trmt (See comment above).....		167524	17.65

<u>TXLTCURRSP</u>	Len : 1 RC-LAST/CURRENT TRT AT SPECIALTY FACILITY - PST YR		
		Freq	Pct
-9 = Data not collected for this year		722653	76.13
0 = No/Unknown (Otherwise).....		224962	23.70
1 = Yes (TXLTMYMNP2=1-4,21,22,23,24,45,46,56,64,76,81).....		1670	0.18

NOTE: The following 24 recoded variables contain information about where a respondent received treatment in the past year.

NOTE: The following eight recoded variables contain information about where a respondent received alcohol use treatment in the past year.

A respondent received treatment for alcohol use in the past year at the specified location if they met either of these conditions:

1. Received treatment in the past 12 months for both illicit drug and alcohol use (TXYRALDGB=3, 6) and reported a positive response to the specific treatment location (TXYRXXXXX=1, 3, 5) and reported receiving treatment at the specific location for alcohol use or both illicit drug and alcohol use (TXYRXXXAD=1, 3).
2. Received treatment in the past 12 months for alcohol use only (TXYRALDGB=1, 4, 11) and reported a positive response to the specific treatment location (TXYRXXXXX=1, 3, 5).

<u>TXYRHOSAL</u>	Len : 1 RC-RCVD ALC TRT AT A HOSPITAL - PST YR		
		Freq	Pct
-9 = Data not collected for this year		722653	76.13
0 = No/Unknown (Otherwise).....		226165	23.82
1 = Yes (See comment above).....		467	0.05

<u>TXYRRESAL</u>	Len : 1 RC-RCVD ALC TRT AT AN INP REHAB FAC - PST YR		
		Freq	Pct
-9 = Data not collected for this year		722653	76.13
0 = No/Unknown (Otherwise).....		226094	23.82
1 = Yes (See comment above TXYRHOSAL).....		538	0.06

RECODED DRUG TREATMENT

<u>TXYROUTAL</u>	Len : 1 RC-RCVD ALC TRT AT AN OUTP REHAB FAC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225858	23.79
	1 = Yes (See comment above TXYRHOSAL)	774	0.08
<u>TXYRMHCAL</u>	Len : 1 RC-RCVD ALC TRT AT A MNTL HLTH CNTR - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226044	23.81
	1 = Yes (See comment above TXYRHOSAL)	588	0.06
<u>TXYREMRAL</u>	Len : 1 RC-RCVD ALC TRT AT AN EMERGENCY ROOM - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226342	23.84
	1 = Yes (See comment above TXYRHOSAL)	290	0.03
<u>TXYRDRPAL</u>	Len : 1 RC-RCVD ALC TRT AT A DOCTOR'S OFFICE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226274	23.84
	1 = Yes (See comment above TXYRHOSAL)	358	0.04
<u>TXYRPRIAL</u>	Len : 1 RC-RCVD ALC TRT AT A PRISON/JAIL - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226446	23.85
	1 = Yes (See comment above TXYRHOSAL)	186	0.02
<u>TXYRSLFAL</u>	Len : 1 RC-RCVD ALC TRT AT A SELF-HELP GROUP - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225520	23.76
	1 = Yes (See comment above TXYRHOSAL)	1112	0.12

NOTE: The following eight recoded variables contain information about where a respondent received illicit drug use treatment in the past year.

A respondent received treatment for illicit drug use in the past year at the specified location if they met either of these conditions:

1. Received treatment in the past 12 months for both illicit drug and alcohol use (TXYRALDGB=3, 6) and reported a positive response to the specific treatment location (TXYRXXXXX=1, 3, 5) and reported receiving treatment at the specific location for illicit drug use or both illicit drug and alcohol use (TXYRXXXAD=2, 3).
2. Received treatment in the past 12 months for illicit drug use only (TXYRALDGB=2, 5, 12) and reported a positive response to the specific treatment location (TXYRXXXXX=1, 3, 5).

<u>TXYRHOSIL</u>	Len : 1 RC-RCVD ILL DRUG TRT AT A HOSPITAL - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226177	23.83
	1 = Yes (See comment above)	455	0.05
<u>TXYRRESIL</u>	Len : 1 RC-RCVD ILL DRUG TRT AT AN INP REHAB FAC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226035	23.81
	1 = Yes (See comment above TXYRHOSIL).....	597	0.06
<u>TXYROUTIL</u>	Len : 1 RC-RCVD ILL DRUG TRT AT AN OUTP REHAB FAC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225525	23.76
	1 = Yes (See comment above TXYRHOSIL).....	1107	0.12

RECODED DRUG TREATMENT

TXYRMHCIL	Len : 1 RC-RCVD ILL DRUG TRT AT A MNTL HLTH CNTR - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225851	23.79
	1 = Yes (See comment above TXYRHOSIL).....	781	0.08

TXYREMRIL	Len : 1 RC-RCVD ILL DRUG TRT AT AN EMERGENCY ROOM - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226342	23.84
	1 = Yes (See comment above TXYRHOSIL).....	290	0.03

TXYRDRPIL	Len : 1 RC-RCVD ILL DRUG TRT AT A DOCTOR'S OFFICE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226052	23.81
	1 = Yes (See comment above TXYRHOSIL).....	580	0.06

TXYRPRIL	Len : 1 RC-RCVD ILL DRUG TRT AT A PRISON/JAIL - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226424	23.85
	1 = Yes (See comment above TXYRHOSIL).....	208	0.02

TXYRSLFIL	Len : 1 RC-RCVD ILL DRUG TRT AT A SELF-HELP GROUP - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225579	23.76
	1 = Yes (See comment above TXYRHOSIL).....	1053	0.11

NOTE: The following eight recoded variables contain information about where a respondent received illicit drug or alcohol use treatment in the past year.

TXYRHOSOV2	Len : 1 RC-RCVD ILL DRG/ALC TRT AT A HOSPITAL - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225872	23.79
	1 = Yes (TXYRHOSOV=1,3,5).....	760	0.08

TXYRRESOV2	Len : 1 RC-RCVD ILL DRG/ALC TRT AT AN INP REHAB FAC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225708	23.78
	1 = Yes (TXYRRESOV=1,3,5).....	924	0.10

TXYROUTPT2	Len : 1 RC-RCVD ILL DRG/ALC TRT AT AN OUTP REHAB FAC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225050	23.71
	1 = Yes (TXYROUTPT=1,3,5).....	1582	0.17

TXYRMHCOP2	Len : 1 RC-RCVD ILL DRG/ALC TRT AT A MNTL HLTH CNTR - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225452	23.75
	1 = Yes (TXYRMHCOP=1,3,5).....	1180	0.12

TXYREMRGN2	Len : 1 RC-RCVD ILL DRG/ALC TRT AT AN EMERGENCY ROOM - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226091	23.82
	1 = Yes (TXYREMRGN=1,3,5)	541	0.06

RECODED DRUG TREATMENT

<u>TXYRDRPRV2</u>	Len : 1 RC-RCVD ILL DRG/ALC TRT AT A DOCTOR'S OFFICE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	225787	23.78
	1 = Yes (TXYRDRPRV=1,3,5)	845	0.09

<u>TXYRPRISN2</u>	Len : 1 RC-RCVD ILL DRG/ALC TRT AT A PRISON/JAIL - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	226312	23.84
	1 = Yes (TXYRPRISN=1,3,5)	320	0.03

<u>TXYRSLFHP2</u>	Len : 1 RC-RCVD ILL DRG/ALC TRT AT A SELF-HELP GROUP - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	224874	23.69
	1 = Yes (TXYRSLFHP=1,3,5).....	1758	0.19

NOTE: The following three recoded variables contain information about a respondent's need for treatment in the past year.

A respondent was classified as needing treatment for alcohol use in the past year, TXYRNDALC, if they met at least one of the following three criteria:

1. Dependent on alcohol in the past year (DEPNALC=1).
2. Alcohol abuse in the past year (ABUSEALC=1).
3. Received treatment for alcohol use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (TXYRSPALC=1).

<u>TXYRNDALC</u>	Len : 1 RC-NEEDED TRT FOR ALCOHOL USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	211791	22.31
	1 = Yes (See comment above)	14841	1.56

A respondent was classified as needing treatment for illicit drug use in the past year, TXYRNDILL, if they met at least one of the following three criteria:

1. Dependent on any illicit drug in the past year (DEPNPYILL=1).
2. Illicit drug abuse in the past year (ABUSEPYILL=1).
3. Received treatment for illicit drug use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (TXYRSPILL=1).

<u>TXYRNDILL</u>	Len : 1 RC-NEEDED TRT FOR ILLICIT DRUG USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	217012	22.86
	1 = Yes (See comment above)	9620	1.01

A respondent was classified as needing treatment for illicit drug or alcohol use in the past year, TXYRNDILAL, if they met at least one of the following three criteria:

1. Dependent on any illicit drug or alcohol in the past year (DPPYILLALC=1).
2. Illicit drug or alcohol abuse in the past year (ABPYILLALC=1).
3. Received treatment for illicit drug or alcohol use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (TXYRSPILAL=1).

<u>TXYRNDILAL</u>	Len : 1 RC-NEEDED TRT FOR ILL DRG OR ALC USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	205468	21.64
	1 = Yes (See comment above)	21164	2.23

RECODED DRUG TREATMENT

NOTE: The following three recoded variables contain information about respondents feeling a need for treatment in the past year.

A respondent was classified as feeling a need for alcohol use treatment in the past year, NDFTLXALC, if they met either of these conditions:

1. Reported feeling a need for treatment for alcohol in the past year (NDTXRADG=1, 11, 13 and NDTXYRALC=1, 3, 11, 13).
2. Reported feeling a need for ADDITIONAL treatment for alcohol in the past year (NDMORTXYR=1 and NDMORTALC=1).

NDFTLXALC

Len : 1 RC-FELT NEED FOR TRT FOR ALCOHOL USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes (See comment above)	570	0.06
2 = No/Unknown (Otherwise).....	226062	23.81

A respondent was classified as feeling a need for illicit drug treatment in the past year, NDFTLXILL, if they met either of these conditions:

1. Reported feeling a need for illicit drug or alcohol use treatment in the past year (NDTXRADG=1, 11, 13), and reported feeling a need for treatment for the use (or misuse for prescription drugs) of one or more illicit drugs in the past year (i.e., marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, pain relievers, tranquilizers, stimulants, or sedatives) (NDTXRXXX=1, 3, 11, 13), or some other drug (NDTXROTH=1, 3, 5, 11, 13).
2. Reported feeling a need for ADDITIONAL illicit drug use treatment or alcohol use treatment in the past year (NDMORTXYR=1), and reported feeling a need for ADDITIONAL treatment for the use (or misuse for prescription drugs) of one or more illicit drugs in the past year (i.e., marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, pain relievers, tranquilizers, stimulants, or sedatives) (NDMORTXXX=1), or some other drug (NDMORTOTH=1).

NDFTLXILL

Len : 1 RC-FELT NEED FOR TRT FOR ILLICIT DRUG USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes (See comment above)	798	0.08
2 = No/Unknown (Otherwise).....	225834	23.79

NDFTLXILAL

Len : 1 RC-FELT NEED FOR TRT FOR ILL DRG OR ALC USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes (NDTXRADG=1,11,13 or NDMORTXYR=1).....	1208	0.13
2 = No/Unknown (Otherwise).....	225424	23.75

NOTE: The following three variables pertain to respondents feeling a need and making an effort to obtain treatment in the past year.

NOTE: A respondent was classified as feeling a need for substance use treatment and making an effort to get substance use treatment in the past year, NDTXEFTXXX=1, if they felt a need for treatment for their substance use (NDFTLXXXX=1) and if they reported making an effort to get treatment (NDTXEFFRT=1,11) or reported making an effort to get ADDITIONAL treatment (NDMREFFRT=1).

Otherwise, a respondent was classified as feeling a need for and NOT making an effort to get substance use treatment in the past year, NDTXEFTXXX=2, if they felt a need for treatment for their substance use (NDFTLXXXX=1) and if they made no effort/had unknown effort to get treatment (NDTXEFFRT=2, 12, 94, 97, 98) and made no effort/had unknown effort to get ADDITIONAL treatment (NDMREFFRT=2, 94, 97, 98).

NDTXEFTALC

Len : 1 RC-FELT NEED/MADE EFFORT FOR TRT FOR ALCOHOL USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Felt Need and Made Effort (See comment above)	245	0.03
2 = Felt Need and Made No/Unk Effort (See comment above)	325	0.03
3 = Felt No/Unk Need for Alc Trt (NDFTLXALC=2).....	226062	23.81

NDTXEFTILL

Len : 1 RC-FELT NEED/MADE EFFORT FOR TRT FOR ILL DRG USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Felt Need & Made Effort (See comment above NDTXEFTALC).....	344	0.04
2 = Felt Need & Made No/Unk Effort (See comment above NDTXEFTALC)	454	0.05
3 = Felt No/Unk Need for Ill Drg Trt (NDFTLXILL=2).....	225834	23.79

NDTXEFTILAL

Len : 1 RC-FELT NEED/MADE EFFORT FOR TRT FOR ILL DRG/ALC USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Felt Need & Made Effort (See comment above NDTXEFTALC).....	514	0.05
2 = Felt Need & Made No/Unk Effort (See comment above NDTXEFTALC)	694	0.07
3 = Felt No/Unk Need for Ill Drg/Alc Trt (NDFTLXILAL=2).....	225424	23.75

RECODED DRUG TREATMENT

NOTE: The following three recoded variables define if a respondent needed treatment in the past year but did not receive treatment at a specialty facility (treatment gap).

The following variable, TXYRNOSPAL, is defined as needing alcohol treatment in the past year, but not receiving alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

<u>TXYRNOSPAL</u>	Len : 1 RC-NEEDED TRT FOR ALC USE, NOT RCVD TRT SPEC FAC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	213038	22.44
	1 = Yes (TXYRNDALC=1 and TXYRSPALC=0).....	13594	1.43

The following variable, TXYRNOSPIL, is defined as needing illicit drug treatment in the past year, but not receiving illicit drug treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

<u>TXYRNOSPIL</u>	Len : 1 RC-NEEDED TRT FOR ILL DRG USE, NOT RCVD TRT SPC FAC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	218595	23.03
	1 = Yes (TXYRNDILL=1 and TXYRSPILL=0)	8037	0.85

The following variable, TXYNSPILAL, is defined as needing illicit drug or alcohol treatment in the past year, but not receiving illicit drug or alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

<u>TXYNSPILAL</u>	Len : 1 RC-NEEDED TRT FOR DRG/ALC USE, NOT RCVD TRT SPC FAC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	207861	21.90
	1 = Yes (TXYRNDILAL=1 and TXYRSPILAL=0).....	18771	1.98

NOTE: The following 15 recoded variables contain respondent information about reasons for not receiving substance treatment in the past year or not receiving additional substance treatment in the past year.

<u>NDTRNNOCOV</u>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C COULDN'T AFFORD/NO INSUR		
		Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	225424	23.75
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	927	0.10
	1 = Yes (NDFLTXILAL=1 & (NDTXNOCOV or NDMRNOCOV=1,3,11,13))	281	0.03

<u>NDTRNNOTPY</u>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C INS DIDN'T COVR TRT/COST		
		Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	225424	23.75
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	1099	0.12
	1 = Yes (NDFLTXILAL=1 & (NDTXNOTPY or NDMRNOTPY=1,3,11,13))	109	0.01

<u>NDTRNTSPHR</u>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NO TRANSPORTATION		
		Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	225424	23.75
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	1097	0.12
	1 = Yes (NDFLTXILAL=1 & (NDTXTSPHR or NDMRTSPHR=1,3,11,13)).....	111	0.01

<u>NDTRNWANTD</u>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C TRT WNTD NOT OFERD		
		Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	225424	23.75
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	1106	0.12
	1 = Yes (NDFLTXILAL=1 & (NDTXWANTD or NDMRWANTD=1,3,11,13))	102	0.01

RECODED DRUG TREATMENT

NDTRNNSTOP	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NOT READY TO STOP USE		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	Freq	Pct
	-9 = Data not collected for this year	225424	23.75
	0 = No/Unknown (Otherwise).....	722653	76.13
	1 = Yes (NDFLTXILAL=1 & (NDTXNSTOP or NDMRNSTOP=1,3,11,13))	815	0.09
		393	0.04
NDTRNPFULL	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NO OPENINGS IN PROGRAM		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	Freq	Pct
	-9 = Data not collected for this year	225424	23.75
	0 = No/Unknown (Otherwise).....	722653	76.13
	1 = Yes (NDFLTXILAL=1 & (NDTXPFULL or NDMRPFULL=1,3,11,13))	1148	0.12
		60	0.01
NDTRNDKWHR	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C DIDNT KNOW WHERE TO GO		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	Freq	Pct
	-9 = Data not collected for this year	225424	23.75
	0 = No/Unknown (Otherwise).....	722653	76.13
	1 = Yes (NDFLTXILAL=1 & (NDTXDKWHR or NDMRDKWHR=1,3,11,13)).....	1045	0.11
		163	0.02
NDTRNNBRNG	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NBR HAVE NEG OPIN		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	Freq	Pct
	-9 = Data not collected for this year	225424	23.75
	0 = No/Unknown (Otherwise).....	722653	76.13
	1 = Yes (NDFLTXILAL=1 & (NDTXNBRNG or NDMRNBRNG=1,3,11,13)).....	1054	0.11
		154	0.02
NDTRNJOBNG	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C HAVE NEG EFFECT ON JOB		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	Freq	Pct
	-9 = Data not collected for this year	225424	23.75
	0 = No/Unknown (Otherwise).....	722653	76.13
	1 = Yes (NDFLTXILAL=1 & (NDTXJOBNG or NDMRJOBNG=1,3,11,13)).....	1053	0.11
		155	0.02
NDTRNNONED	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C DIDNT FEEL NEED FOR TRT		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	Freq	Pct
	-9 = Data not collected for this year	225424	23.75
	0 = No/Unknown (Otherwise).....	722653	76.13
	1 = Yes (NDFLTXILAL=1 & (NDTXNONED or NDMRNONED=1,3,11,13)).....	1089	0.11
		119	0.01
NDTRNHANDL	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C COULD HANDL PRB W/O TRT		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	Freq	Pct
	-9 = Data not collected for this year	225424	23.75
	0 = No/Unknown (Otherwise).....	722653	76.13
	1 = Yes (NDFLTXILAL=1 & (NDTXHANDL or NDMRHANDL=1,3,11,13)).....	1082	0.11
		126	0.01
NDTRNNOHLP	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C DIDNT THINK WOULD HELP		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	Freq	Pct
	-9 = Data not collected for this year	225424	23.75
	0 = No/Unknown (Otherwise).....	722653	76.13
	1 = Yes (NDFLTXILAL=1 & (NDTXNOHLP or NDMRNOHLP=1,3,11,13)).....	1166	0.12
		42	0.00
NDTRNNTIME	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C DIDNT HAVE TIME		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	Freq	Pct
	-9 = Data not collected for this year	225424	23.75
	0 = No/Unknown (Otherwise).....	722653	76.13
	1 = Yes (NDFLTXILAL=1 & (NDTXNTIME or NDMRNTIME=1,3,11,13))	1132	0.12
		76	0.01

RECODED DRUG TREATMENT

NDTRNFENDOU	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NOT WANT OTHRS FIND OUT		
		Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXLAL=2)	225424	23.75
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (Otherwise).....	1141	0.12
	1 = Yes (NDFLTXLAL=1 & (NDTXFENDOU or NDMRFENDOU=1,3,11,13))	67	0.01

The following variable, NDTRNMIMPT, was assigned a positive response if a respondent felt a need for substance use treatment in the past year (NDFLTXLAL=1) and reported the reason for not receiving treatment or not receiving additional treatment as some other reason than the 14 reasons listed above (NDTXMIMPT or NDMRMIMPT=16-69). A negative response was assigned if a respondent felt a need for substance use treatment in the past year (NDFLTXLAL=1) but did not meet the above criteria for some other reason (NDTXMIMPT or NDMRMIMPT not equal to 16-69).

NDTRNMIMPT	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C SOME OTHER REASON		
		Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXLAL=2)	225424	23.75
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unknown (See comment above)	1164	0.12
	1 = Yes (See comment above)	44	0.00

PREGNANCY AND HEALTH CARE

PREGNANCY AND HEALTH CARE

What were you doing most of the past 12 months?

DOMOSTYR

Len : 2 WHAT WERE YOU DOING MOST OF PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Working at a job or business.....	67106	7.07
2 = Going to school.....	21633	2.28
3 = Keeping house	14616	1.54
4 = Doing something else	7129	0.75
85 = BAD DATA Logically assigned.....	9	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	88	0.01
97 = REFUSED	100	0.01
98 = BLANK (NO ANSWER).....	23	0.00
99 = LEGITIMATE SKIP	54206	5.71

Did any physical, mental, or emotional problem prevent you from working at a job or business during most of the past 12 months?

PBLMWORK

Len : 2 PHYS/MENT/EMOT PROB KEPT FROM WORK PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	3973	0.42
2 = No.....	12897	1.36
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	21	0.00
97 = REFUSED	55	0.01
98 = BLANK (NO ANSWER).....	32	0.00
99 = LEGITIMATE SKIP	147932	15.58

Did any physical, mental, or emotional problem limit you in the kind or amount of work you could do during most of the past 12 months?

LIMITWRK

Len : 2 PHYS/MENT/EMOT PROB LIMITED WORK IN PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	7261	0.76
2 = No.....	72691	7.66
85 = BAD DATA Logically assigned.....	8	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	62	0.01
97 = REFUSED	79	0.01
98 = BLANK (NO ANSWER).....	40	0.00
99 = LEGITIMATE SKIP	84768	8.93

Was it a physical problem, a mental or emotional problem, or both?

TYPEPBLM

Len : 2 WAS PROB THAT AFFECTED WORK PHYS, MENT, OR BOTH

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Physical problem.....	6766	0.71
2 = Mental or emotional problem.....	2691	0.28
3 = Both	1728	0.18
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	26	0.00
97 = REFUSED	99	0.01
98 = BLANK (NO ANSWER).....	122	0.01
99 = LEGITIMATE SKIP	153478	16.17

PREGNANCY AND HEALTH CARE

The following is a list of health conditions. Please read the list, and type in the numbers of any of these conditions that a doctor or other medical professional has ever told you that you had.

Please type in the numbers of any that apply.

LIFANXD	Len : 2 EVER HAD ANXIETY DISORDER		
		Freq	Pct
	-9 = Data not collected for this year	391543	41.25
	1 = Response entered	40187	4.23
	6 = Response not entered.....	201683	21.25
	85 = BAD DATA Logically assigned.....	355	0.04
	94 = DON'T KNOW	7339	0.77
	97 = REFUSED	4532	0.48
	98 = BLANK (NO ANSWER).....	84	0.01
	99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

LIFASMA	Len : 2 EVER HAD ASTHMA		
		Freq	Pct
	-9 = Data not collected for this year	391543	41.25
	1 = Response entered	78225	8.24
	6 = Response not entered.....	163645	17.24
	85 = BAD DATA Logically assigned.....	344	0.04
	94 = DON'T KNOW	7339	0.77
	97 = REFUSED	4532	0.48
	98 = BLANK (NO ANSWER).....	95	0.01
	99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

LIFBRONC	Len : 2 EVER HAD BRONCHITIS		
		Freq	Pct
	-9 = Data not collected for this year	391543	41.25
	1 = Response entered	49313	5.19
	6 = Response not entered.....	192557	20.28
	85 = BAD DATA Logically assigned.....	342	0.04
	94 = DON'T KNOW	7339	0.77
	97 = REFUSED	4532	0.48
	98 = BLANK (NO ANSWER).....	97	0.01
	99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

LIFCIRR	Len : 2 EVER HAD CIRRHOSIS OF THE LIVER		
		Freq	Pct
	-9 = Data not collected for this year	391543	41.25
	1 = Response entered	713	0.08
	6 = Response not entered.....	241157	25.40
	85 = BAD DATA Logically assigned.....	341	0.04
	94 = DON'T KNOW	7339	0.77
	97 = REFUSED	4532	0.48
	98 = BLANK (NO ANSWER).....	98	0.01
	99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

LIFDEPRS	Len : 2 EVER HAD DEPRESSION		
		Freq	Pct
	-9 = Data not collected for this year	391543	41.25
	1 = Response entered	58203	6.13
	6 = Response not entered.....	183667	19.35
	85 = BAD DATA Logically assigned.....	341	0.04
	94 = DON'T KNOW	7339	0.77
	97 = REFUSED	4532	0.48
	98 = BLANK (NO ANSWER).....	98	0.01
	99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

PREGNANCY AND HEALTH CARE

[LIFDIAB](#)

Len : 2 EVER HAD DIABETES

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	18718	1.97
6 = Response not entered.....	223152	23.51
85 = BAD DATA Logically assigned.....	341	0.04
94 = DON'T KNOW	7339	0.77
97 = REFUSED	4532	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

[LIFHARTD](#)

Len : 2 EVER HAD HEART DISEASE

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	10716	1.13
6 = Response not entered.....	231154	24.35
85 = BAD DATA Logically assigned.....	341	0.04
94 = DON'T KNOW	7339	0.77
97 = REFUSED	4532	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

[LIFHEPAT](#)

Len : 2 EVER HAD HEPATITIS

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	3498	0.37
6 = Response not entered.....	238372	25.11
85 = BAD DATA Logically assigned.....	341	0.04
94 = DON'T KNOW	7339	0.77
97 = REFUSED	4532	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

[LIFHBP](#)

Len : 2 EVER HAD HIGH BLOOD PRESSURE

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	53228	5.61
6 = Response not entered.....	188642	19.87
85 = BAD DATA Logically assigned.....	341	0.04
94 = DON'T KNOW	7339	0.77
97 = REFUSED	4532	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

[LIFHIV](#)

Len : 2 EVER HAD HIV/AIDS

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	617	0.06
6 = Response not entered.....	241253	25.41
85 = BAD DATA Logically assigned.....	341	0.04
94 = DON'T KNOW	7339	0.77
97 = REFUSED	4532	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

[LIFLUNCA](#)

Len : 2 EVER HAD LUNG CANCER

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	524	0.06
6 = Response not entered.....	241346	25.42
85 = BAD DATA Logically assigned.....	342	0.04
94 = DON'T KNOW	7339	0.77
97 = REFUSED	4532	0.48
98 = BLANK (NO ANSWER).....	97	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

PREGNANCY AND HEALTH CARE

[LIFPANC](#)

Len : 2 EVER HAD PANCREATITIS

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	1771	0.19
6 = Response not entered.....	240099	25.29
85 = BAD DATA Logically assigned.....	342	0.04
94 = DON'T KNOW	7339	0.77
97 = REFUSED	4532	0.48
98 = BLANK (NO ANSWER).....	97	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

[LIFPNEU](#)

Len : 2 EVER HAD PNEUMONIA

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	24497	2.58
6 = Response not entered.....	217373	22.90
85 = BAD DATA Logically assigned.....	341	0.04
94 = DON'T KNOW	7339	0.77
97 = REFUSED	4532	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

[LIFSTD](#)

Len : 2 EVER HAD SEXUALLY TRANSMITTED DISEASE

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	16976	1.79
6 = Response not entered.....	224894	23.69
85 = BAD DATA Logically assigned.....	341	0.04
94 = DON'T KNOW	7339	0.77
97 = REFUSED	4532	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

[LIFSINUS](#)

Len : 2 EVER HAD SINUSITIS

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	31144	3.28
6 = Response not entered.....	210726	22.20
85 = BAD DATA Logically assigned.....	341	0.04
94 = DON'T KNOW	7339	0.77
97 = REFUSED	4532	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

[LIFSLPAP](#)

Len : 2 EVER HAD SLEEP APNEA

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	13431	1.41
6 = Response not entered.....	228439	24.06
85 = BAD DATA Logically assigned.....	341	0.04
94 = DON'T KNOW	7339	0.77
97 = REFUSED	4532	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

[LIFSTROK](#)

Len : 2 EVER HAD STROKE

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	2771	0.29
6 = Response not entered.....	239099	25.19
85 = BAD DATA Logically assigned.....	341	0.04
94 = DON'T KNOW	7339	0.77
97 = REFUSED	4532	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

PREGNANCY AND HEALTH CARE

[LIFTINN](#)

Len : 2 EVER HAD TINNITUS

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	4270	0.45
6 = Response not entered.....	237600	25.03
85 = BAD DATA Logically assigned.....	341	0.04
94 = DON'T KNOW	7339	0.77
97 = REFUSED	4532	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

[LIFTUBRC](#)

Len : 2 EVER HAD TUBERCULOSIS

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	1512	0.16
6 = Response not entered.....	240358	25.32
85 = BAD DATA Logically assigned.....	341	0.04
94 = DON'T KNOW	7339	0.77
97 = REFUSED	4532	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

[LIFULCER](#)

Len : 2 EVER HAD ULCER OR ULCERS

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	12008	1.26
6 = Response not entered.....	229862	24.21
85 = BAD DATA Logically assigned.....	341	0.04
94 = DON'T KNOW	7339	0.77
97 = REFUSED	4532	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	31.98

[LIFNONE](#)

Len : 2 NONE OF THE ABOVE - NEVER HAD ANY OF THESE CONDITIONS

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
85 = BAD DATA Logically assigned.....	341	0.04
94 = DON'T KNOW	7339	0.77
95 = Response entered.....	303562	31.98
97 = REFUSED	4532	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP	241870	25.48

Which, if any, of these conditions did a doctor or other medical professional tell you that you had in the past 12 months?

[YRANXD](#)

Len : 2 DR SAID R HAD ANXIETY DISORDER IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	26941	2.84
6 = Response not entered.....	5209	0.55
85 = BAD DATA Logically assigned.....	355	0.04
89 = LEGITIMATE SKIP Logically assigned	1102	0.12
94 = DON'T KNOW	7502	0.79
97 = REFUSED	4608	0.49
98 = BLANK (NO ANSWER).....	84	0.01
99 = LEGITIMATE SKIP	511941	53.93

[YRASMA](#)

Len : 2 DR SAID R HAD ASTHMA IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	42322	4.46
6 = Response not entered.....	8914	0.94
85 = BAD DATA Logically assigned.....	344	0.04
89 = LEGITIMATE SKIP Logically assigned	755	0.08
94 = DON'T KNOW	7795	0.82
97 = REFUSED	4662	0.49
98 = BLANK (NO ANSWER).....	95	0.01
99 = LEGITIMATE SKIP	492855	51.92

PREGNANCY AND HEALTH CARE

[YRBRONC](#)

Len : 2 DR SAID R HAD BRONCHITIS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	19243	2.03
6 = Response not entered.....	10986	1.16
85 = BAD DATA Logically assigned.....	342	0.04
89 = LEGITIMATE SKIP Logically assigned	1159	0.12
94 = DON'T KNOW	7481	0.79
97 = REFUSED	4572	0.48
98 = BLANK (NO ANSWER).....	97	0.01
99 = LEGITIMATE SKIP	513862	54.13

[YRCIRR](#)

Len : 2 DR SAID R HAD CIRRHOSIS OF THE LIVER IN PAST YR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	327	0.03
6 = Response not entered.....	195	0.02
85 = BAD DATA Logically assigned.....	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1326	0.14
94 = DON'T KNOW	7345	0.77
97 = REFUSED	4541	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP	543569	57.26

[YRDEPRS](#)

Len : 2 DR SAID R HAD DEPRESSION IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	35500	3.74
6 = Response not entered.....	8494	0.89
85 = BAD DATA Logically assigned.....	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1055	0.11
94 = DON'T KNOW	7533	0.79
97 = REFUSED	4624	0.49
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP	500097	52.68

[YRDIAB](#)

Len : 2 DR SAID R HAD DIABETES IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	15023	1.58
6 = Response not entered.....	1400	0.15
85 = BAD DATA Logically assigned.....	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1231	0.13
94 = DON'T KNOW	7419	0.78
97 = REFUSED	4562	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP	527668	55.59

[YRHARTD](#)

Len : 2 DR SAID R HAD HEART DISEASE IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	7498	0.79
6 = Response not entered.....	1401	0.15
85 = BAD DATA Logically assigned.....	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1286	0.14
94 = DON'T KNOW	7381	0.78
97 = REFUSED	4545	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP	535192	56.38

PREGNANCY AND HEALTH CARE

[YRHEPAT](#)

Len : 2 DR SAID R HAD HEPATITIS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	1235	0.13
6 = Response not entered.....	951	0.10
85 = BAD DATA Logically assigned.....	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1313	0.14
94 = DON'T KNOW	7356	0.77
97 = REFUSED	4543	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP	541905	57.09

[YRHBP](#)

Len : 2 DR SAID R HAD HIGH BLOOD PRESSURE IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	41043	4.32
6 = Response not entered.....	4233	0.45
85 = BAD DATA Logically assigned.....	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1161	0.12
94 = DON'T KNOW	7471	0.79
97 = REFUSED	4580	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP	498815	52.55

[YRHIV](#)

Len : 2 DR SAID R HAD HIV/AIDS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	409	0.04
6 = Response not entered.....	76	0.01
85 = BAD DATA Logically assigned.....	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1331	0.14
94 = DON'T KNOW	7346	0.77
97 = REFUSED	4535	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP	543606	57.26

[YRLUNCA](#)

Len : 2 DR SAID R HAD LUNG CANCER IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	207	0.02
6 = Response not entered.....	152	0.02
85 = BAD DATA Logically assigned.....	342	0.04
89 = LEGITIMATE SKIP Logically assigned	1336	0.14
94 = DON'T KNOW	7342	0.77
97 = REFUSED	4534	0.48
98 = BLANK (NO ANSWER).....	97	0.01
99 = LEGITIMATE SKIP	543732	57.28

[YRPANCR](#)

Len : 2 DR SAID R HAD PANCREATITIS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	625	0.07
6 = Response not entered.....	597	0.06
85 = BAD DATA Logically assigned.....	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1331	0.14
94 = DON'T KNOW	7343	0.77
97 = REFUSED	4538	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP	542869	57.19

PREGNANCY AND HEALTH CARE

[YRPNEU](#)

Len : 2 DR SAID R HAD PNEUMONIA IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	5630	0.59
6 = Response not entered.....	8209	0.86
85 = BAD DATA Logically assigned.....	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1278	0.13
94 = DON'T KNOW	7392	0.78
97 = REFUSED	4542	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP	530252	55.86

[YRSTDS](#)

Len : 2 DR SAID R HAD SEXUALLY TRANSMITTED DISEASE PST YR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	6877	0.72
6 = Response not entered.....	3485	0.37
85 = BAD DATA Logically assigned.....	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1279	0.13
94 = DON'T KNOW	7371	0.78
97 = REFUSED	4562	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP	533729	56.22

[YRSINUS](#)

Len : 2 DR SAID R HAD SINUSITIS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	16263	1.71
6 = Response not entered.....	6494	0.68
85 = BAD DATA Logically assigned.....	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1268	0.13
94 = DON'T KNOW	7391	0.78
97 = REFUSED	4553	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP	521334	54.92

[YRSLPAP](#)

Len : 2 DR SAID R HAD SLEEP APNEA IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	8019	0.84
6 = Response not entered.....	2886	0.30
85 = BAD DATA Logically assigned.....	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1261	0.13
94 = DON'T KNOW	7400	0.78
97 = REFUSED	4551	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP	533186	56.17

[YRSTROK](#)

Len : 2 DR SAID R HAD STROKE IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	999	0.11
6 = Response not entered.....	1054	0.11
85 = BAD DATA Logically assigned.....	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1323	0.14
94 = DON'T KNOW	7351	0.77
97 = REFUSED	4538	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP	542038	57.10

PREGNANCY AND HEALTH CARE

YRTINN

Len : 2 DR SAID R HAD TINNITUS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	2080	0.22
6 = Response not entered.....	1221	0.13
85 = BAD DATA Logically assigned.....	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1308	0.14
94 = DON'T KNOW	7366	0.78
97 = REFUSED	4538	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP	540790	56.97

YRTUBRC

Len : 2 DR SAID R HAD TUBERCULOSIS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	380	0.04
6 = Response not entered.....	332	0.03
85 = BAD DATA Logically assigned.....	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1336	0.14
94 = DON'T KNOW	7343	0.77
97 = REFUSED	4533	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP	543379	57.24

YRULCER

Len : 2 DR SAID R HAD ULCER OR ULCERS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
1 = Response entered	4696	0.49
6 = Response not entered.....	3563	0.38
85 = BAD DATA Logically assigned.....	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1290	0.14
94 = DON'T KNOW	7380	0.78
97 = REFUSED	4542	0.48
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP	535832	56.45

YRNONE

Len : 2 NONE OF THE ABOVE IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	391543	41.25
85 = BAD DATA Logically assigned.....	341	0.04
94 = DON'T KNOW	8323	0.88
95 = Response entered.....	76652	8.07
97 = REFUSED	4889	0.52
98 = BLANK (NO ANSWER).....	98	0.01
99 = LEGITIMATE SKIP	467439	49.24

PREGNANCY AND HEALTH CARE

NOTE: In HPDRGTLK, if respondents reported never using marijuana, cocaine (including crack), heroin, hallucinogens, inhalants, or methamphetamine or not using these substances in the past 12 months and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits), indication that respondents never used these drugs or last used any of them more than 12 months ago (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in HPDRGTLK applied to respondents who used any of these drugs in the past 12 months or whose status as a past year user was unknown but who did not have any health care visits in the past 12 months. Also, a small number of respondents were routed to the question corresponding to HPDRGTLK but after the variables for most recent use of these drugs had been edited, it was determined that the respondents never used these drugs or that they last used any of them more than 12 months ago. If respondents reported that a health professional discussed their drug use with them in the past 12 months but the edited variables for most recent use of these substances indicated that respondents never used any of them, then HPDRGTLK was assigned a code of 11; otherwise, data in HPDRGTLK were overwritten with a code of 81. If respondents reported that a health professional discussed their drug use with them in the past 12 months but the edited variables for most recent use of these substances indicated that most recent use occurred more than 12 months ago, then HPDRGTLK was assigned a code of 21; otherwise, data in HPDRGTLK were overwritten with a code of 83.

During the past 12 months, did any doctor or other health care professional talk to you about your use of
[MARIJUANA/COCAINE/CRACK/HEROIN/INHALANTS/HALLUCINOGENS/METHAMPHETAMINE]?

[HPDRGTLK](#)

Len : 2 HEALTH PROF DISCUSSED MY DRUG USE WITH ME

	Freq	Pct
-9 = Data not collected for this year	838854	88.37
1 = Yes.....	3256	0.34
2 = No.....	13519	1.42
11 = Yes but never used (see NOTE)	2	0.00
21 = Yes but no past year use (see NOTE).....	3	0.00
81 = NEVER USED MJ/COC/HER/HAL/INH/METH Log assn.....	3	0.00
83 = DID NOT USE ANY OF THESE DRUGS PST 12 MOS Log assn.....	5	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED MJ/COC/HER/HAL/INH/METH.....	61782	6.51
93 = DID NOT USE MJ/COC/HER/HAL/INH/METH IN PST 12 MOS	26165	2.76
94 = DON'T KNOW	70	0.01
97 = REFUSED	66	0.01
98 = BLANK (NO ANSWER).....	1404	0.15
99 = LEGITIMATE SKIP	4152	0.44

RECODED PREGNANCY AND HEALTH CARE

RECODED PREGNANCY AND HEALTH CARE

NOTE: The following 40 recoded variables contain information about whether a doctor or other medical professional had told the respondent that they had a specific health condition in their lifetime or in the past year.

<u>ANXDLIF</u>	Len : 1 HAD ANXIETY IN LIFETIME		
	.	Freq	Pct
	. = Unknown (Otherwise)	12310	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (LIFANXD=6,99)	505245	53.22
	1 = Yes (LIFANXD=1)	40187	4.23
<u>ANXDYR</u>	Len : 1 HAD ANXIETY IN PAST YEAR		
	.	Freq	Pct
	. = Unknown (Otherwise)	12549	1.32
	-9 = Data not collected for this year	391543	41.25
	0 = No (YRANXD=6,89,99)	518252	54.59
	1 = Yes (YRANXD=1)	26941	2.84
<u>ASMALIF</u>	Len : 1 HAD ASTHMA IN LIFETIME		
	.	Freq	Pct
	. = Unknown (Otherwise)	12310	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (LIFASMA=6,99)	467207	49.22
	1 = Yes (LIFASMA=1)	78225	8.24
<u>ASMAYR</u>	Len : 1 HAD ASTHMA IN PAST YEAR		
	.	Freq	Pct
	. = Unknown (Otherwise)	12896	1.36
	-9 = Data not collected for this year	391543	41.25
	0 = No (YRASMA=6,89,99)	502524	52.94
	1 = Yes (YRASMA=1)	42322	4.46
<u>BRONCLIF</u>	Len : 1 HAD BRONCHITIS IN LIFETIME		
	.	Freq	Pct
	. = Unknown (Otherwise)	12310	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (LIFBRONC=6,99)	496119	52.26
	1 = Yes (LIFBRONC=1)	49313	5.19
<u>BRONCYR</u>	Len : 1 HAD BRONCHITIS IN PAST YEAR		
	.	Freq	Pct
	. = Unknown (Otherwise)	12492	1.32
	-9 = Data not collected for this year	391543	41.25
	0 = No (YRBRONC=6,89,99)	526007	55.41
	1 = Yes (YRBRONC=1)	19243	2.03
<u>CIRRLIF</u>	Len : 1 HAD CIRRHOSIS OF THE LIVER IN LIFETIME		
	.	Freq	Pct
	. = Unknown (Otherwise)	12310	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (LIFCIRR=6,99)	544719	57.38
	1 = Yes (LIFCIRR=1)	713	0.08
<u>CIRRYR</u>	Len : 1 HAD CIRRHOSIS OF THE LIVER IN PAST YEAR		
	.	Freq	Pct
	. = Unknown (Otherwise)	12325	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (YRCIRR=6,89,99)	545090	57.42
	1 = Yes (YRCIRR=1)	327	0.03

RECODED PREGNANCY AND HEALTH CARE

NOTE: The following two recoded variables contain information about whether the respondent was told by a doctor or other medical professional that they had depression and are not created from variables in either the Adult or Adolescent Depression sections.

DEPRSLIF	Len : 1 HAD DEPRESSION IN LIFETIME		
		Freq	Pct
	. = Unknown (Otherwise)	12310	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (LIFDEPRS=6,99)	487229	51.33
	1 = Yes (LIFDEPRS=1)	58203	6.13

DEPRSYR	Len : 1 HAD DEPRESSION IN PAST YEAR		
		Freq	Pct
	. = Unknown (Otherwise)	12596	1.33
	-9 = Data not collected for this year	391543	41.25
	0 = No (YRDEPRS=6,89,99)	509646	53.69
	1 = Yes (YRDEPRS=1)	35500	3.74

DIABLIF	Len : 1 HAD DIABETES IN LIFETIME		
		Freq	Pct
	. = Unknown (Otherwise)	12310	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (LIFDIAB=6,99)	526714	55.49
	1 = Yes (LIFDIAB=1)	18718	1.97

DIABYR	Len : 1 HAD DIABETES IN PAST YEAR		
		Freq	Pct
	. = Unknown (Otherwise)	12420	1.31
	-9 = Data not collected for this year	391543	41.25
	0 = No (YRDIAB=6,89,99)	530299	55.86
	1 = Yes (YRDIAB=1)	15023	1.58

HARTDLIF	Len : 1 HAD HEART DISEASE IN LIFETIME		
		Freq	Pct
	. = Unknown (Otherwise)	12310	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (LIFHARTD=6,99)	534716	56.33
	1 = Yes (LIFHARTD=1)	10716	1.13

HARTDYR	Len : 1 HAD HEART DISEASE IN PAST YEAR		
		Freq	Pct
	. = Unknown (Otherwise)	12365	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (YRHARTD=6,89,99)	537879	56.66
	1 = Yes (YRHARTD=1)	7498	0.79

HEPATLIF	Len : 1 HAD HEPATITIS IN LIFETIME		
		Freq	Pct
	. = Unknown (Otherwise)	12310	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (LIFHEPAT=6,99)	541934	57.09
	1 = Yes (LIFHEPAT=1)	3498	0.37

HEPATYR	Len : 1 HAD HEPATITIS IN PAST YEAR		
		Freq	Pct
	. = Unknown (Otherwise)	12338	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (YRHEPAT=6,89,99)	544169	57.32
	1 = Yes (YRHEPAT=1)	1235	0.13

HBPLIF	Len : 1 HAD HIGH BLOOD PRESSURE IN LIFETIME		
		Freq	Pct
	. = Unknown (Otherwise)	12310	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (LIFHBP=6,99)	492204	51.85
	1 = Yes (LIFHBP=1)	53228	5.61

RECODED PREGNANCY AND HEALTH CARE

[HBPYR](#)

Len : 1 HAD HIGH BLOOD PRESSURE IN PAST YEAR

	Freq	Pct
. = Unknown (Otherwise)	12490	1.32
-9 = Data not collected for this year	391543	41.25
0 = No (YRHBP=6,89,99)	504209	53.11
1 = Yes (YRHBP=1)	41043	4.32

[HIVLIF](#)

Len : 1 HAD HIV/AIDS IN LIFETIME

	Freq	Pct
. = Unknown (Otherwise)	12310	1.30
-9 = Data not collected for this year	391543	41.25
0 = No (LIFHIV=6,99)	544815	57.39
1 = Yes (LIFHIV=1)	617	0.06

[HIVYR](#)

Len : 1 HAD HIV/AIDS IN PAST YEAR

	Freq	Pct
. = Unknown (Otherwise)	12320	1.30
-9 = Data not collected for this year	391543	41.25
0 = No (YRHIV=6,89,99)	545013	57.41
1 = Yes (YRHIV=1)	409	0.04

[LUNCALIF](#)

Len : 1 HAD LUNG CANCER IN LIFETIME

	Freq	Pct
. = Unknown (Otherwise)	12310	1.30
-9 = Data not collected for this year	391543	41.25
0 = No (LIFLUNCA=6,99)	544908	57.40
1 = Yes (LIFLUNCA=1)	524	0.06

[LUNCAYR](#)

Len : 1 HAD LUNG CANCER IN PAST YEAR

	Freq	Pct
. = Unknown (Otherwise)	12315	1.30
-9 = Data not collected for this year	391543	41.25
0 = No (YRLUNCA=6,89,99)	545220	57.43
1 = Yes (YRLUNCA=1)	207	0.02

[PANCLIF](#)

Len : 1 HAD PANCREATITIS IN LIFETIME

	Freq	Pct
. = Unknown (Otherwise)	12310	1.30
-9 = Data not collected for this year	391543	41.25
0 = No (LIFPANCR=6,99)	543661	57.27
1 = Yes (LIFPANCR=1)	1771	0.19

[PANCRYR](#)

Len : 1 HAD PANCREATITIS IN PAST YEAR

	Freq	Pct
. = Unknown (Otherwise)	12320	1.30
-9 = Data not collected for this year	391543	41.25
0 = No (YRPANCR=6,89,99)	544797	57.39
1 = Yes (YRPANCR=1)	625	0.07

[PNEULIF](#)

Len : 1 HAD PNEUMONIA IN LIFETIME

	Freq	Pct
. = Unknown (Otherwise)	12310	1.30
-9 = Data not collected for this year	391543	41.25
0 = No (LIFPNEU=6,99)	520935	54.88
1 = Yes (LIFPNEU=1)	24497	2.58

[PNEUYR](#)

Len : 1 HAD PNEUMONIA IN PAST YEAR

	Freq	Pct
. = Unknown (Otherwise)	12373	1.30
-9 = Data not collected for this year	391543	41.25
0 = No (YRPNEU=6,89,99)	539739	56.86
1 = Yes (YRPNEU=1)	5630	0.59

RECODED PREGNANCY AND HEALTH CARE

NOTE: The following two recoded variables contain information about whether the respondent was told by a doctor or other medical professional they had a Sexually Transmitted Disease (STD). STD includes chlamydia, gonorrhea, herpes, and syphilis.

STDSLIF	Len : 1 HAD SEXUALLY TRANSMITTED DISEASE IN LIFETIME		
	.	Freq	Pct
	= Unknown (Otherwise)	12310	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (LIFSTDS=6,99)	528456	55.67
	1 = Yes (LIFSTDS=1)	16976	1.79

STDSYR	Len : 1 HAD SEXUALLY TRANSMITTED DISEASE IN PAST YEAR		
	.	Freq	Pct
	= Unknown (Otherwise)	12372	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (YRSTDS=6,89,99)	538493	56.73
	1 = Yes (YRSTDS=1)	6877	0.72

SINUSLIF	Len : 1 HAD SINUSITIS IN LIFETIME		
	.	Freq	Pct
	= Unknown (Otherwise)	12310	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (LIFSINUS=6,99)	514288	54.18
	1 = Yes (LIFSINUS=1)	31144	3.28

SINUSYR	Len : 1 HAD SINUSITIS IN PAST YEAR		
	.	Freq	Pct
	= Unknown (Otherwise)	12383	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (YRSINUS=6,89,99)	529096	55.74
	1 = Yes (YRSINUS=1)	16263	1.71

SLPAPLIF	Len : 1 HAD SLEEP APNEA IN LIFETIME		
	.	Freq	Pct
	= Unknown (Otherwise)	12310	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (LIFSLPAP=6,99)	532001	56.04
	1 = Yes (LIFSLPAP=1)	13431	1.41

SLPAPYR	Len : 1 HAD SLEEP APNEA IN PAST YEAR		
	.	Freq	Pct
	= Unknown (Otherwise)	12390	1.31
	-9 = Data not collected for this year	391543	41.25
	0 = No (YRSLPAP=6,89,99)	537333	56.60
	1 = Yes (YRSLPAP=1)	8019	0.84

STROKLIF	Len : 1 HAD STROKE IN LIFETIME		
	.	Freq	Pct
	= Unknown (Otherwise)	12310	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (LIFSTROK=6,99)	542661	57.17
	1 = Yes (LIFSTROK=1)	2771	0.29

STROKYR	Len : 1 HAD STROKE IN PAST YEAR		
	.	Freq	Pct
	= Unknown (Otherwise)	12328	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (YRSTROK=6,89,99)	544415	57.35
	1 = Yes (YRSTROK=1)	999	0.11

TINNLIF	Len : 1 HAD TINNITUS IN LIFETIME		
	.	Freq	Pct
	= Unknown (Otherwise)	12310	1.30
	-9 = Data not collected for this year	391543	41.25
	0 = No (LIFTINN=6,99)	541162	57.01
	1 = Yes (LIFTINN=1)	4270	0.45

RECODED PREGNANCY AND HEALTH CARE

[TINNRY](#)

Len : 1 HAD TINNITUS IN PAST YEAR

	Freq	Pct
. = Unknown (Otherwise)	12343	1.30
-9 = Data not collected for this year	391543	41.25
0 = No (YRTINN=6,89,99)	543319	57.23
1 = Yes (YRTINN=1)	2080	0.22

[TUBRCLF](#)

Len : 1 HAD TUBERCULOSIS IN LIFETIME

	Freq	Pct
. = Unknown (Otherwise)	12310	1.30
-9 = Data not collected for this year	391543	41.25
0 = No (LIFTUBRC=6,99)	543920	57.30
1 = Yes (LIFTUBRC=1)	1512	0.16

[TUBRCYR](#)

Len : 1 HAD TUBERCULOSIS IN PAST YEAR

	Freq	Pct
. = Unknown (Otherwise)	12315	1.30
-9 = Data not collected for this year	391543	41.25
0 = No (YRTUBRC=6,89,99)	545047	57.42
1 = Yes (YRTUBRC=1)	380	0.04

[ULCERLIF](#)

Len : 1 HAD ULCER(S) IN LIFETIME

	Freq	Pct
. = Unknown (Otherwise)	12310	1.30
-9 = Data not collected for this year	391543	41.25
0 = No (LIFULCER=6,99)	533424	56.19
1 = Yes (LIFULCER=1)	12008	1.26

[ULCERYR](#)

Len : 1 HAD ULCER(S) IN PAST YEAR

	Freq	Pct
. = Unknown (Otherwise)	12361	1.30
-9 = Data not collected for this year	391543	41.25
0 = No (YRULCER=6,89,99)	540685	56.96
1 = Yes (YRULCER=1)	4696	0.49

HEALTH

HEALTH

This note applies to variables in this section marked by a¹.

The next questions are about your health and health care.

Are you currently pregnant?

PREGNANT

Len : 2 ARE YOU PREGNANT

	Freq	Pct
1 = Yes.....	14458	1.52
2 = No.....	389109	40.99
85 = BAD DATA Logically assigned.....	8	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	1074	0.11
97 = REFUSED	247	0.03
98 = BLANK (NO ANSWER).....	794	0.08
99 = LEGITIMATE SKIP	543593	57.26

NOTE: In the variable HTANSWER, reported preferences to answer in feet and inches or in inches only were combined into a single value. Reported preferences to answer in meters and centimeters or in centimeters only were combined into a single value.

This question asks about your height.

To answer in feet and inches, press 1. To answer in meters and centimeters, press 2. To answer in inches only, press 3. To answer in centimeters only, press 4. Then press [ENTER] to continue.

HTANSWER¹

Len : 2 PREFERRED WAY TO REPORT HEIGHT

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
1 = Feet/inches or inches only.....	322823	34.01
2 = Meters/cm or cm only.....	8430	0.89
85 = BAD DATA Logically assigned.....	29	0.00
94 = DON'T KNOW	3580	0.38
97 = REFUSED	2141	0.23
98 = BLANK (NO ANSWER).....	60	0.01

NOTE: HTINCHE2 was recoded to inches from reports of heights in feet and inches, meters and centimeters, or centimeters only. Heights in meters and centimeters first were converted to centimeters. For respondents who chose to report their height in metric units, a conversion factor was applied of 0.393701 inches to 1 centimeter to produce a height in inches. HTINCHE2 was then rounded to the nearest integer and top coded at 75 inches and bottom coded at 55 inches.

About how tall are you, without shoes? First, please type in the number of feet, then press [ENTER].

Please type in the number of inches and then press [ENTER].

About how tall are you, without shoes? First, please type in the number of meters, then press [ENTER].

Please type in the number of centimeters and then press [ENTER].

HTINCHE2¹

Len : 3 HEIGHT IN INCHES WITHOUT SHOES - RECODE

	Freq	Pct
RANGE = 55 - 75	326090	34.35
-9 = Data not collected for this year	612222	64.49
985 = BAD DATA Logically assigned.....	1092	0.12
994 = DON'T KNOW	7029	0.74
997 = REFUSED	2790	0.29
998 = BLANK (NO ANSWER).....	62	0.01

HEALTH

The next question asks about your weight.

To answer in pounds, press 1. To answer in kilograms, press 2. Then press [ENTER] to continue.

<u>WTANSWER</u> ¹	Len : 2	PREFERRED WAY TO REPORT WEIGHT		
			Freq	Pct
		-9 = Data not collected for this year	612222	64.49
		1 = Pounds.....	324734	34.21
		2 = Kilograms	5820	0.61
		85 = BAD DATA Logically assigned.....	29	0.00
		94 = DON'T KNOW	3053	0.32
		97 = REFUSED	3366	0.35
		98 = BLANK (NO ANSWER).....	61	0.01

NOTE: WTPOUND2 was recoded to pounds from reports of weights in kilograms. For respondents who chose to report their weight in kilograms, a conversion factor was applied of 2.20462 pounds to 1 kilogram to produce a weight in pounds. Females aged 12 to 44 who were currently pregnant were asked to report their weight before they got pregnant. WTPOUND2 was then rounded to the nearest integer and top coded at 295 pounds and bottom coded at 75 pounds.

About how much do you weigh? Please type in the number of pounds and then press [ENTER].

About how much do you weigh? Please type in the number of kilograms and then press [ENTER].

About how much did you weigh before you got pregnant? Please type in the number of pounds and then press [ENTER].

About how much did you weigh before you got pregnant? Please type in the number of kilograms and then press [ENTER].

<u>WTPOUND2</u> ¹	Len : 3	WEIGHT IN POUNDS - RECODE		
			Freq	Pct
		RANGE = 75 - 295	326322	34.38
		-9 = Data not collected for this year	612222	64.49
		9985 = BAD DATA Logically assigned	871	0.09
		9994 = DON'T KNOW	5579	0.59
		9997 = REFUSED	4230	0.45
		9998 = BLANK (NO ANSWER)	61	0.01

During the past 12 months, that is since DATEFILL, how many different times have you been treated in an emergency room for any reason?

<u>NMERTMT2</u>	Len : 3	# OF TIMES BEEN TREATED IN EMER ROOM PAST 12 MOS		
			Freq	Pct
		RANGE = 0 - 30.....	925961	97.54
		31 = 31 or more	344	0.04
		985 = BAD DATA Logically assigned	61	0.01
		994 = DON'T KNOW	17460	1.84
		997 = REFUSED	5310	0.56
		998 = BLANK (NO ANSWER).....	149	0.02

During the past 12 months, have you stayed overnight or longer as an inpatient in a hospital?

<u>INHOSPYR</u>	Len : 2	STAYED OVERNIGHT AS INPNT IN HOSP PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	77625	8.18
		2 = No.....	867896	91.43
		85 = BAD DATA Logically assigned.....	90	0.01
		94 = DON'T KNOW	2306	0.24
		97 = REFUSED	1219	0.13
		98 = BLANK (NO ANSWER).....	149	0.02

During the past 12 months, how many nights were you an inpatient in a hospital?

<u>NMNGTHS2</u>	Len : 3	# NIGHTS STAYED IN HOSPITAL OVERNIGHT OR LONGER		
			Freq	Pct
		RANGE = 1 - 30.....	75198	7.92
		31 = 31 or more	1167	0.12
		985 = BAD DATA Logically assigned	24	0.00
		994 = DON'T KNOW	1027	0.11
		997 = REFUSED	1452	0.15
		998 = BLANK (NO ANSWER).....	2521	0.27
		999 = LEGITIMATE SKIP	867896	91.43

HEALTH

During the past 12 months, how many times have you visited a doctor, nurse, physician assistant or nurse practitioner about your own health at a doctor's office, a clinic, or some other place?

NMVSOPT2

Len : 3 # OUTPATIENT VISITS PAST 12 MOS - RECODE

	Freq	Pct
RANGE = 0 - 15.....	314111	33.09
-9 = Data not collected for this year	612222	64.49
16 = 16 - 20 times	3707	0.39
17 = 21 - 25 times	1437	0.15
18 = 26 - 30 times	1401	0.15
19 = 31+ times.....	2095	0.22
985 = BAD DATA Logically assigned.....	61	0.01
994 = DON'T KNOW	12034	1.27
997 = REFUSED	2153	0.23
998 = BLANK (NO ANSWER).....	64	0.01

What is your best guess of how many times you have visited a doctor, nurse, physician assistant or nurse practitioner about your own health at a doctor's office, a clinic, or some other place in the past 12 months?

NMVSOEST

Len : 2 # TIMES VISITED DR ABOUT OWN HEALTH PST YR

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
0 = I have not visited a Dr in the past 12 mos.....	1422	0.15
1 = 1 time	1121	0.12
2 = 2-3 times.....	2373	0.25
3 = 4-5 times.....	1755	0.18
4 = 6-7 times.....	964	0.10
5 = 8-9 times.....	648	0.07
6 = 10-12 times	615	0.06
7 = 13-15 times	335	0.04
8 = 16 or more times	922	0.10
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW	2878	0.30
97 = REFUSED	1154	0.12
98 = BLANK (NO ANSWER).....	123	0.01
99 = LEGITIMATE SKIP	322751	34.00

During the past 12 months, did any doctor or other health care professional ask, either in person or on a form, if you:

HPUSETOB

Len : 2 HEALTH PROF ASKED PST 12 MOS: TOBACCO USE

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
1 = Yes.....	191530	20.18
2 = No.....	78234	8.24
85 = BAD DATA Logically assigned.....	57	0.01
94 = DON'T KNOW	2555	0.27
97 = REFUSED	201	0.02
98 = BLANK (NO ANSWER).....	4734	0.50
99 = LEGITIMATE SKIP	59752	6.29

HPUSEALC

Len : 2 HEALTH PROF ASKED PST 12 MOS: ALCOHOL USE

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
1 = Yes.....	183223	19.30
2 = No.....	86648	9.13
85 = BAD DATA Logically assigned.....	57	0.01
94 = DON'T KNOW	2440	0.26
97 = REFUSED	209	0.02
98 = BLANK (NO ANSWER).....	4734	0.50
99 = LEGITIMATE SKIP	59752	6.29

HEALTH

HPUSEDRC

Len : 2 HEALTH PROF ASKED PST 12 MOS: DRUG USE

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
1 = Yes.....	144292	15.20
2 = No.....	124581	13.12
85 = BAD DATA Logically assigned.....	57	0.01
94 = DON'T KNOW	3423	0.36
97 = REFUSED	224	0.02
98 = BLANK (NO ANSWER).....	4734	0.50
99 = LEGITIMATE SKIP	59752	6.29

NOTE: Beginning in 2014, respondents were not asked the question corresponding to HPQTTTOB if they were lifetime but not past year users of tobacco products. If respondents reported that they last smoked cigarettes, used smokeless tobacco, or smoked cigars more than 12 months prior to their interview date and that they never smoked tobacco in a pipe, codes of 93 in HPQTTTOB indicate that these respondents had not used tobacco products in the past 12 months. However, respondents who smoked tobacco in a pipe in their lifetime were asked whether they did so in the past 30 days but they were not asked whether they smoked tobacco in a pipe more than 30 days ago but within the past 12 months. Therefore, the code of 93 in HPQTTTOB also applied to respondents who smoked tobacco in a pipe in their lifetime but not in the past 30 days and who last used other tobacco products more than 12 months ago (or never used other tobacco products). If respondents reported never using tobacco products or not using them in the past 12 months (including not smoking tobacco in a pipe in the past 30 days) and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits), indication that these respondents had not used tobacco products in the past 12 months or in their lifetime (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in HPQTTTOB applied to respondents who used tobacco products in the past 12 months or whose status as a tobacco user in the past 12 months was unknown but who did not have any health care visits in the past 12 months.

During the past 12 months, did any doctor or other health care professional advise you to quit smoking cigarettes or quit using any other tobacco products?

HPQTTTOB

Len : 2 HEALTH PROF ADVISED YOU TO QUIT TOBACCO USE

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
1 = Yes.....	36165	3.81
2 = No.....	42947	4.52
83 = DID NOT USE TOBACCO IN THE PAST 12 MOS Log assn	9738	1.03
85 = BAD DATA Logically assigned.....	257	0.03
91 = NEVER USED TOBACCO PRODUCTS.....	150705	15.88
93 = DID NOT USE TOBACCO IN PAST 12 MOS (See note).....	72691	7.66
94 = DON'T KNOW	153	0.02
97 = REFUSED	114	0.01
98 = BLANK (NO ANSWER).....	2191	0.23
99 = LEGITIMATE SKIP (No health care visits pst 12 mos).....	22102	2.33

NOTE: In HPALCAMT, HPALCFRQ, HPALCPRB, HPALCCUT, HPALCTX, and HPALCNOT, if respondents reported never using alcohol or not using it in the past 12 months and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits), indication that respondents never used alcohol or did not use it in the past 12 months (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in these variables applied to respondents who used alcohol in the past 12 months or whose status as a past year alcohol user was unknown but who did not have any health care visits in the past 12 months.

Please think about all of the talks you have had with a doctor or other health care professional during the past 12 months when you answer this question. Choose the statement or statements below that describe any discussions you may have had in person with a doctor or other health professional about your alcohol use.

Please think about [VISITFILL] during the past 12 months when you answer this question. Choose the statement or statements below that describe any discussion you may have had in person with a doctor or other health professional about your alcohol use.

To select more than one statement, press the space bar between each number you type. When you have finished, press [ENTER].

HPALCAMT

Len : 2 DOCTOR ASKED HOW MUCH YOU DRINK

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
1 = Yes.....	65458	6.90
2 = No (Not entered).....	20665	2.18
85 = BAD DATA Logically assigned.....	20	0.00
91 = NEVER USED ALCOHOL	95085	10.02
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	37148	3.91
94 = DON'T KNOW	2550	0.27
97 = REFUSED	1648	0.17
98 = BLANK (NO ANSWER).....	2730	0.29
99 = LEGITIMATE SKIP	111759	11.77

HEALTH

HPALCFRQ

Len : 2 DOCTOR ASKED HOW OFTEN YOU DRINK

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
1 = Yes.....	60785	6.40
2 = No (Not entered)	25338	2.67
85 = BAD DATA Logically assigned.....	17	0.00
91 = NEVER USED ALCOHOL	95085	10.02
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	37148	3.91
94 = DON'T KNOW	2550	0.27
97 = REFUSED	1648	0.17
98 = BLANK (NO ANSWER).....	2733	0.29
99 = LEGITIMATE SKIP	111759	11.77

HPALCPRB

Len : 2 DOCTOR ASKED IF ANY DRINKING PROBS

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
1 = Yes.....	12431	1.31
2 = No (Not entered)	73692	7.76
91 = NEVER USED ALCOHOL	95085	10.02
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	37148	3.91
94 = DON'T KNOW	2550	0.27
97 = REFUSED	1648	0.17
98 = BLANK (NO ANSWER).....	2750	0.29
99 = LEGITIMATE SKIP	111759	11.77

HPALCCUT

Len : 2 DOCTOR ADVISED YOU TO CUT DOWN ON DRINKING

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
1 = Yes.....	4819	0.51
2 = No (Not entered)	81304	8.56
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL	95085	10.02
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	37148	3.91
94 = DON'T KNOW	2550	0.27
97 = REFUSED	1648	0.17
98 = BLANK (NO ANSWER).....	2748	0.29
99 = LEGITIMATE SKIP	111759	11.77

HPALCTX

Len : 2 DOCTOR OFFERED INFO ABOUT ALCOHOL TREATMT

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
1 = Yes.....	3237	0.34
2 = No (Not entered)	82886	8.73
91 = NEVER USED ALCOHOL	95085	10.02
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	37148	3.91
94 = DON'T KNOW	2550	0.27
97 = REFUSED	1648	0.17
98 = BLANK (NO ANSWER).....	2750	0.29
99 = LEGITIMATE SKIP	111759	11.77

HPALCNOT

Len : 2 DOCTOR DIDNT DISCUSS MY ALCOHOL USE WITH ME

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
85 = BAD DATA Logically assigned.....	11	0.00
91 = NEVER USED ALCOHOL	95085	10.02
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	37148	3.91
94 = DON'T KNOW	2550	0.27
95 = DR DIDNT DISCUSS ALC USE PST 12 MOS.....	74940	7.89
97 = REFUSED	1648	0.17
98 = BLANK (NO ANSWER).....	2739	0.29
99 = LEGITIMATE SKIP	122942	12.95

HEALTH

NOTE: In HPDRGTALK, if respondents reported never using marijuana, cocaine (including crack), heroin, hallucinogens, inhalants, or methamphetamine or not using these substances in the past 12 months and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits), indication that respondents never used these drugs or last used any of them more than 12 months ago (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in HPDRGTALK applied to respondents who used any of these drugs in the past 12 months or whose status as a past year user was unknown but who did not have any health care visits in the past 12 months.

During the past 12 months, did any doctor or other health care professional talk to you about your use of [MARIJUANA/COCAINE/CRACK/HEROIN/INHALANTS/HALLUCINOGENS/METHAMPHETAMINE]?

HPDRGTALK

Len : 2 HEALTH PROF DISCUSSED MY DRUG USE WITH ME

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	7855	0.83
2 = No.....	27786	2.93
85 = BAD DATA Logically assigned.....	31	0.00
91 = NEVER USED MJ/COC/HER/HALL/INH/METH.....	121636	12.81
93 = DID NOT USE MJ/COC/HER/HALL/INH/METH IN PST 12 MOS	57094	6.01
94 = DON'T KNOW	103	0.01
97 = REFUSED	77	0.01
98 = BLANK (NO ANSWER).....	2928	0.31
99 = LEGITIMATE SKIP	9122	0.96

These next questions are about certain medical conditions.

During the past 12 months, did you have a sexually transmitted disease such as chlamydia, gonorrhea, herpes or syphilis?

STDANYR¹

Len : 2 HAD SEXUALLY TRANSMITTED DISEASE PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	4889	0.52
2 = No.....	220336	23.21
85 = BAD DATA Logically assigned.....	61	0.01
94 = DON'T KNOW	575	0.06
97 = REFUSED	725	0.08
98 = BLANK (NO ANSWER).....	46	0.00

Below is a list of health conditions that you may have had during your lifetime.

Please read the list and type in the numbers of all of the conditions that a doctor or other health care professional has ever told you that you had.

To select more than one condition, press the space bar between each number you type. When you have finished, press [ENTER].

HRTCONDEV¹

Len : 2 EVER TOLD HAD HEART CONDITION

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	12504	1.32
2 = No (not entered)	51435	5.42
85 = BAD DATA Logically assigned.....	49	0.01
94 = DON'T KNOW	1504	0.16
97 = REFUSED	1288	0.14
98 = BLANK (NO ANSWER).....	66	0.01
99 = LEGITIMATE SKIP	159786	16.83

DIABETEVR¹

Len : 2 EVER TOLD HAD DIABETES/SUGAR DIABETES

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	12197	1.28
2 = No (not entered)	51742	5.45
85 = BAD DATA Logically assigned.....	58	0.01
94 = DON'T KNOW	1504	0.16
97 = REFUSED	1288	0.14
98 = BLANK (NO ANSWER).....	57	0.01
99 = LEGITIMATE SKIP	159786	16.83

HEALTH

[COPDEVER¹](#)

Len : 2 EVER TOLD HAD CHRONIC BRONCHITIS OR COPD

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	5322	0.56
2 = No (not entered)	58617	6.17
85 = BAD DATA Logically assigned.....	39	0.00
94 = DON'T KNOW	1504	0.16
97 = REFUSED	1288	0.14
98 = BLANK (NO ANSWER).....	76	0.01
99 = LEGITIMATE SKIP	159786	16.83

[CIRROSEVR¹](#)

Len : 2 EVER TOLD HAD CIRRHOSIS OF THE LIVER

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	324	0.03
2 = No (not entered)	63615	6.70
85 = BAD DATA Logically assigned.....	39	0.00
94 = DON'T KNOW	1504	0.16
97 = REFUSED	1288	0.14
98 = BLANK (NO ANSWER).....	76	0.01
99 = LEGITIMATE SKIP	159786	16.83

[HEPBCEVER¹](#)

Len : 2 EVER TOLD HAD HEPATITIS B OR C

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1572	0.17
2 = No (not entered)	62367	6.57
85 = BAD DATA Logically assigned.....	39	0.00
94 = DON'T KNOW	1504	0.16
97 = REFUSED	1288	0.14
98 = BLANK (NO ANSWER).....	76	0.01
99 = LEGITIMATE SKIP	159786	16.83

[KIDNYDSEV¹](#)

Len : 2 EVER TOLD HAD KIDNEY DISEASE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	2269	0.24
2 = No (not entered)	61670	6.50
85 = BAD DATA Logically assigned.....	39	0.00
94 = DON'T KNOW	1504	0.16
97 = REFUSED	1288	0.14
98 = BLANK (NO ANSWER).....	76	0.01
99 = LEGITIMATE SKIP	159786	16.83

[ASTHMAEVR¹](#)

Len : 2 EVER TOLD HAD ASTHMA

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	26010	2.74
2 = No (not entered)	37929	4.00
85 = BAD DATA Logically assigned.....	39	0.00
94 = DON'T KNOW	1504	0.16
97 = REFUSED	1288	0.14
98 = BLANK (NO ANSWER).....	76	0.01
99 = LEGITIMATE SKIP	159786	16.83

[HIVAIDSEV¹](#)

Len : 2 EVER TOLD HAD HIV OR AIDS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	352	0.04
2 = No (not entered)	63587	6.70
85 = BAD DATA Logically assigned.....	39	0.00
94 = DON'T KNOW	1504	0.16
97 = REFUSED	1288	0.14
98 = BLANK (NO ANSWER).....	76	0.01
99 = LEGITIMATE SKIP	159786	16.83

HEALTH

[CANCEREVR](#)¹

Len : 2 EVER TOLD HAD CANCER

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	6227	0.66
2 = No (not entered)	57712	6.08
85 = BAD DATA Logically assigned.....	39	0.00
94 = DON'T KNOW	1504	0.16
97 = REFUSED	1288	0.14
98 = BLANK (NO ANSWER).....	76	0.01
99 = LEGITIMATE SKIP	159786	16.83

[HIGHBPEVR](#)¹

Len : 2 EVER TOLD HAD HIGH BLOOD PRESSURE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	21545	2.27
2 = No (not entered)	42394	4.47
85 = BAD DATA Logically assigned.....	39	0.00
94 = DON'T KNOW	1504	0.16
97 = REFUSED	1288	0.14
98 = BLANK (NO ANSWER).....	76	0.01
99 = LEGITIMATE SKIP	159786	16.83

[NONABOVEV](#)¹

Len : 2 NEVER HAD ANY OF THESE CONDITIONS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
2 = No (not entered)	63939	6.74
85 = BAD DATA Logically assigned.....	38	0.00
94 = DON'T KNOW	1504	0.16
95 = Response entered.....	159786	16.83
97 = REFUSED	1288	0.14
98 = BLANK (NO ANSWER).....	77	0.01

What kind of cancer was it? Enter all that apply.

To select more than one category, press the space bar between the numbers. When you have finished, press [ENTER].

[CABLADDER](#)¹

Len : 2 TYPE OF CANCER: BLADDER

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	157	0.02
2 = No (not entered)	5915	0.62
85 = BAD DATA Logically assigned.....	168	0.02
94 = DON'T KNOW	18	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	2869	0.30
99 = LEGITIMATE SKIP	217498	22.91

[CABLOLEULYM](#)

Len : 2 TYPE OF CANCER: BLOOD/LEUKEMIA/LYMPHOMA

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	557	0.06
2 = No (not entered)	5515	0.58
85 = BAD DATA Logically assigned.....	168	0.02
94 = DON'T KNOW	18	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	2869	0.30
99 = LEGITIMATE SKIP	217498	22.91

[CAOTHER2](#)

Len : 2 TYPE OF CANCER: OTHER

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	470	0.05
2 = No (not entered)	5602	0.59
85 = BAD DATA Logically assigned.....	168	0.02
94 = DON'T KNOW	18	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	2869	0.30
99 = LEGITIMATE SKIP	217498	22.91

HEALTH

[CABREAST¹](#)

Len : 2 TYPE OF CANCER: BREAST

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1170	0.12
2 = No (not entered)	4902	0.52
85 = BAD DATA Logically assigned.....	168	0.02
94 = DON'T KNOW	18	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	2869	0.30
99 = LEGITIMATE SKIP	217498	22.91

[CACERVIX¹](#)

Len : 2 TYPE OF CANCER: CERVIX (FEMALES ONLY)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	529	0.06
2 = No (not entered)	3300	0.35
85 = BAD DATA Logically assigned.....	89	0.01
94 = DON'T KNOW	11	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER).....	2868	0.30
99 = LEGITIMATE SKIP	219830	23.16

[CACOLNRECT](#)

Len : 2 TYPE OF CANCER: COLON/RECTUM

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	333	0.04
2 = No (not entered)	5739	0.60
85 = BAD DATA Logically assigned.....	168	0.02
94 = DON'T KNOW	18	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	2869	0.30
99 = LEGITIMATE SKIP	217498	22.91

[CAESOPSTOM](#)

Len : 2 TYPE OF CANCER: ESOPHAGUS/STOMACH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	69	0.01
2 = No (not entered)	6003	0.63
85 = BAD DATA Logically assigned.....	168	0.02
94 = DON'T KNOW	18	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	2869	0.30
99 = LEGITIMATE SKIP	217498	22.91

[CAGALLIVPAN](#)

Len : 2 TYPE OF CANCER: GALLBLADDER/LIVER/PANCREAS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	81	0.01
2 = No (not entered)	5991	0.63
85 = BAD DATA Logically assigned.....	168	0.02
94 = DON'T KNOW	18	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	2869	0.30
99 = LEGITIMATE SKIP	217498	22.91

[CAKIDNEY¹](#)

Len : 2 TYPE OF CANCER: KIDNEY

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	142	0.01
2 = No (not entered)	5930	0.62
85 = BAD DATA Logically assigned.....	168	0.02
94 = DON'T KNOW	18	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	2869	0.30
99 = LEGITIMATE SKIP	217498	22.91

HEALTH

[CALARYLUNG](#)

Len : 2 TYPE OF CANCER: LARYNX/WINDPIPE/LUNG

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	168	0.02
2 = No (not entered)	5904	0.62
85 = BAD DATA Logically assigned.....	168	0.02
94 = DON'T KNOW	18	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	2869	0.30
99 = LEGITIMATE SKIP	217498	22.91

[CAMELANOM¹](#)

Len : 2 TYPE OF CANCER: MELANOMA

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	562	0.06
2 = No (not entered)	5510	0.58
85 = BAD DATA Logically assigned.....	168	0.02
94 = DON'T KNOW	18	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	2869	0.30
99 = LEGITIMATE SKIP	217498	22.91

[CAMOUTTHRO](#)

Len : 2 TYPE OF CANCER: MOUTH/TONGUE/LIP/THROAT/PHARYNX

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	80	0.01
2 = No (not entered)	5992	0.63
85 = BAD DATA Logically assigned.....	168	0.02
94 = DON'T KNOW	18	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	2869	0.30
99 = LEGITIMATE SKIP	217498	22.91

[CAOVARY¹](#)

Len : 2 TYPE OF CANCER: OVARY (FEMALES ONLY)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	187	0.02
2 = No (not entered)	3642	0.38
85 = BAD DATA Logically assigned.....	89	0.01
94 = DON'T KNOW	11	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER).....	2868	0.30
99 = LEGITIMATE SKIP	219830	23.16

[CAPROTEST](#)

Len : 2 TYPE OF CANCER: PROSTATE/TESTIS (MALES ONLY)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	656	0.07
2 = No (not entered)	1587	0.17
85 = BAD DATA Logically assigned.....	84	0.01
94 = DON'T KNOW	7	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER).....	2869	0.30
99 = LEGITIMATE SKIP	221427	23.33

[CASKINOTH¹](#)

Len : 2 TYPE OF CANCER: SKIN (NOT MELANOMA)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	956	0.10
2 = No (not entered)	5116	0.54
85 = BAD DATA Logically assigned.....	167	0.02
94 = DON'T KNOW	18	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	2870	0.30
99 = LEGITIMATE SKIP	217498	22.91

HEALTH

CASKINDK¹

Len : 2 TYPE OF CANCER: SKIN DON'T KNOW WHICH KIND

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	328	0.03
2 = No (not entered)	5744	0.61
85 = BAD DATA Logically assigned.....	168	0.02
94 = DON'T KNOW	18	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	2869	0.30
99 = LEGITIMATE SKIP	217498	22.91

CATHYROID¹

Len : 2 TYPE OF CANCER: THYROID

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	292	0.03
2 = No (not entered)	5780	0.61
85 = BAD DATA Logically assigned.....	168	0.02
94 = DON'T KNOW	18	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	2869	0.30
99 = LEGITIMATE SKIP	217498	22.91

CAUTERUS¹

Len : 2 TYPE OF CANCER: UTERUS (FEMALES ONLY)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	247	0.03
2 = No (not entered)	3582	0.38
85 = BAD DATA Logically assigned.....	89	0.01
94 = DON'T KNOW	11	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER).....	2868	0.30
99 = LEGITIMATE SKIP	219830	23.16

NOTE: The question corresponding to CANCERYR was skipped if respondents reported first being diagnosed with any form of cancer at their current age because it could be logically inferred that they had cancer in the past year.

Did you have cancer during the past 12 months?

CANCERYR¹

Len : 2 HAD ANY CANCER PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	1200	0.13
2 = No.....	4615	0.49
5 = Yes LOGICALLY ASSIGNED from skip pattern	390	0.04
85 = BAD DATA Logically assigned.....	42	0.00
94 = DON'T KNOW	15	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	2869	0.30
99 = LEGITIMATE SKIP	217498	22.91

NOTE: The variables HRTCONDAG, DIABETEAG, COPDAGE, CIRROSAGE, HEPBAGE, KIDNYDSAG, ASTHMAAGE, HIVAIDSAG, and HIGHBPAGE represent the ages when specific health conditions other than cancer were first diagnosed. Beginning in 2016, the questions instructed respondents to enter 1 if they were diagnosed before they were 1 year old. In 2016, however, respondents were still allowed to enter 0 for the age when they were first diagnosed. Beginning in 2017, a response of 0 is no longer allowed.

How old were you when your heart condition or heart disease was first diagnosed?

HRTCONDAG¹

Len : 3 AGE HEART CONDITION 1ST DIAGNOSED

	Freq	Pct
RANGE = 0 - 96.....	12112	1.28
-9 = Data not collected for this year	722653	76.13
985 = BAD DATA Logically assigned.....	51	0.01
994 = DON'T KNOW	348	0.04
997 = REFUSED	41	0.00
998 = BLANK (NO ANSWER).....	2859	0.30
999 = LEGITIMATE SKIP	211221	22.25

HEALTH

NOTE: The question corresponding to HRTCONDYR was skipped if respondents reported first being diagnosed with a heart condition at their current age because it could be logically inferred that they a heart condition in the past year.

Did you have any kind of heart condition or heart disease in the past 12 months?

<u>HRTCONDYR</u> ¹	Len : 2	HAD HEART CONDITION PAST 12 MONTHS		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	5772	0.61
		2 = No.....	6139	0.65
		5 = Yes LOGICALLY ASSIGNED from skip pattern	535	0.06
		85 = BAD DATA Logically assigned.....	50	0.01
		94 = DON'T KNOW	45	0.00
		97 = REFUSED	11	0.00
		98 = BLANK (NO ANSWER).....	2859	0.30
		99 = LEGITIMATE SKIP	211221	22.25

How old were you when your diabetes or sugar diabetes was first diagnosed?

<u>DIABETEAG</u> ¹	Len : 3	AGE DIABETES 1ST DIAGNOSED		
			Freq	Pct
		RANGE = 0 - 93.....	11860	1.25
		-9 = Data not collected for this year	722653	76.13
		985 = BAD DATA Logically assigned.....	59	0.01
		994 = DON'T KNOW	294	0.03
		997 = REFUSED	41	0.00
		998 = BLANK (NO ANSWER).....	2850	0.30
		999 = LEGITIMATE SKIP	211528	22.28

How old were you when your chronic bronchitis, emphysema, or chronic obstructive pulmonary disease, also called COPD were first diagnosed?

<u>COPDAGE</u> ¹	Len : 3	AGE COPD 1ST DIAGNOSED		
			Freq	Pct
		RANGE = 0 - 94.....	5068	0.53
		-9 = Data not collected for this year	722653	76.13
		985 = BAD DATA Logically assigned.....	40	0.00
		994 = DON'T KNOW	232	0.02
		997 = REFUSED	21	0.00
		998 = BLANK (NO ANSWER).....	2868	0.30
		999 = LEGITIMATE SKIP	218403	23.01

How old were you when your cirrhosis of the liver was first diagnosed?

<u>CIRROSAGE</u> ¹	Len : 3	AGE CIRRHOSIS 1ST DIAGNOSED		
			Freq	Pct
		RANGE = 0 - 80.....	301	0.03
		-9 = Data not collected for this year	722653	76.13
		985 = BAD DATA Logically assigned.....	39	0.00
		994 = DON'T KNOW	15	0.00
		997 = REFUSED	8	0.00
		998 = BLANK (NO ANSWER).....	2868	0.30
		999 = LEGITIMATE SKIP	223401	23.53

How old were you when your hepatitis was first diagnosed?

<u>HEPBCAGE</u> ¹	Len : 3	AGE HEPATITIS 1ST DIAGNOSED		
			Freq	Pct
		RANGE = 0 - 80.....	1503	0.16
		-9 = Data not collected for this year	722653	76.13
		985 = BAD DATA Logically assigned.....	39	0.00
		994 = DON'T KNOW	56	0.01
		997 = REFUSED	13	0.00
		998 = BLANK (NO ANSWER).....	2868	0.30
		999 = LEGITIMATE SKIP	222153	23.40

HEALTH

How old were you when your kidney disease was first diagnosed?

<u>KIDNYDSAG</u> ¹	Len : 3	AGE KIDNEY DISEASE 1ST DIAGNOSED		
			Freq	Pct
		RANGE = 0 - 94.....	2193	0.23
		-9 = Data not collected for this year	722653	76.13
		985 = BAD DATA Logically assigned.....	39	0.00
		994 = DON'T KNOW	61	0.01
		997 = REFUSED	14	0.00
		998 = BLANK (NO ANSWER).....	2869	0.30
		999 = LEGITIMATE SKIP	221456	23.33

How old were you when your asthma was first diagnosed?

<u>ASTHMAAGE</u> ¹	Len : 3	AGE ASTHMA 1ST DIAGNOSED		
			Freq	Pct
		RANGE = 0 - 92.....	24308	2.56
		-9 = Data not collected for this year	722653	76.13
		985 = BAD DATA Logically assigned.....	45	0.00
		994 = DON'T KNOW	1644	0.17
		997 = REFUSED	52	0.01
		998 = BLANK (NO ANSWER).....	2868	0.30
		999 = LEGITIMATE SKIP	197715	20.83

Do you still have asthma?

<u>ASTHMANOW</u> ¹	Len : 2	STILL HAVE ASTHMA		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	16833	1.77
		2 = No.....	8945	0.94
		85 = BAD DATA Logically assigned.....	41	0.00
		94 = DON'T KNOW	223	0.02
		97 = REFUSED	7	0.00
		98 = BLANK (NO ANSWER).....	2868	0.30
		99 = LEGITIMATE SKIP	197715	20.83

How old were you when you found out you had HIV or AIDS?

<u>HIVAIDSAG</u> ¹	Len : 3	AGE 1ST FOUND OUT HAD HIV/AIDS		
			Freq	Pct
		RANGE = 0 - 62.....	337	0.04
		-9 = Data not collected for this year	722653	76.13
		985 = BAD DATA Logically assigned.....	39	0.00
		994 = DON'T KNOW	4	0.00
		997 = REFUSED	11	0.00
		998 = BLANK (NO ANSWER).....	2868	0.30
		999 = LEGITIMATE SKIP	223373	23.53

Are you currently taking prescription medicine for your high blood pressure?

<u>HIGHBPMED</u> ¹	Len : 2	TAKING MEDS FOR HIGH BLOOD PRESSURE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Yes.....	16157	1.70
		2 = No.....	5376	0.57
		85 = BAD DATA Logically assigned.....	39	0.00
		94 = DON'T KNOW	9	0.00
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	2869	0.30
		99 = LEGITIMATE SKIP	202180	21.30

HEALTH

How old were you when your high blood pressure was first diagnosed?

[HIGHBPAGE](#)¹

Len : 3 AGE WHEN HIGH BLOOD PRESSURE 1ST DIAGNOSED

	Freq	Pct
RANGE = 0 - 94.....	15554	1.64
-9 = Data not collected for this year	722653	76.13
985 = BAD DATA Logically assigned.....	43	0.00
994 = DON'T KNOW	574	0.06
997 = REFUSED	23	0.00
998 = BLANK (NO ANSWER).....	2882	0.30
999 = LEGITIMATE SKIP	207556	21.86

RECODED HEALTH

RECODED HEALTH

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

PREG	Len : 1 RC-PREGNANT FEMALES AGED 12-44		
		Freq	Pct
	0 = Otherwise	934827	98.48
	1 = Pregnant Females Aged 12-44 (PREGNANT=1)	14458	1.52

PREG2	Len : 1 RC-PREGNANCY STATUS OF FEMALES AGED 12-44		
		Freq	Pct
	. = Unknown (Otherwise)	2123	0.22
	1 = Pregnant (PREGNANT=1)	14458	1.52
	2 = Not Pregnant (PREGNANT=2)	389109	40.99
	3 = Males/Females Not Aged 12-44 (PREGNANT=89,99)	543595	57.26

TRIMEST	Len : 1 RC-CURRENT TRIMESTER OF PREGNANCY-FEMALES AGED 12-44		
		Freq	Pct
	. = Unknown	165	0.02
	1 = 1st 3 Months of Pregnancy	4375	0.46
	2 = 2nd 3 Months of Pregnancy	5219	0.55
	3 = Last 3 Months of Pregnancy	4699	0.50
	4 = Males/Not Pregnant Females (PREG=0)	934827	98.48

BMI2 was created from the variables WTPOUND2 and HTINCHE2 according to the formula of 703 times WTPOUND2 divided by the square of HTINCHE2. BMI2 was set to a SAS missing value (unknown) if WTPOUND2 had a value of 9985, 9994, 9997, or 9998 or if HTINCHE2 had a value of 985, 994, 997, or 998.

BMI2	Len : 12 RC-BODY MASS INDEX (BMI)		
		Freq	Pct
	RANGE = 9.373333333 - 68.557024793	321525	33.87
	. = Unknown (See comment above)	15538	1.64
	-9 = Data not collected for this year	612222	64.49

ADULT MENTAL HEALTH SERVICE UTILIZATION

ADULT MENTAL HEALTH SERVICE UTILIZATION

This note applies to variables in this section marked by a¹.

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

These next questions are about treatment and counseling for problems with emotions, nerves or mental health. Please do not include treatment for alcohol or drug use.

During the past 12 months, have you stayed overnight or longer in a hospital or other facility to receive treatment or counseling for any problem you were having with your emotions, nerves, or mental health? Please do not include treatment for alcohol or drug use.

<u>AUINPYR</u> ¹	Len : 2 STAY OVNT IN HOSP FOR MH TRMT PST 12 MOS		
		Freq	Pct
	1 = Yes.....	7023	0.74
	2 = No.....	655692	69.07
	85 = BAD DATA Logically assigned.....	72	0.01
	89 = LEGITIMATE SKIP Logically assigned	10	0.00
	94 = DON'T KNOW	469	0.05
	97 = REFUSED	750	0.08
	98 = BLANK (NO ANSWER).....	146	0.02
	99 = LEGITIMATE SKIP	285123	30.04

Where did you stay overnight or longer to receive mental health treatment or counseling during the past 12 months?

<u>AUINPSYH</u> ¹	Len : 2 MH TRMT IN PRIV/PUB PSYCH HOSP PST 12 MOS		
		Freq	Pct
	1 = Response entered	1729	0.18
	6 = Response not entered.....	4937	0.52
	85 = BAD DATA Logically assigned.....	44	0.00
	94 = DON'T KNOW	200	0.02
	97 = REFUSED	904	0.10
	98 = BLANK (NO ANSWER).....	646	0.07
	99 = LEGITIMATE SKIP	940825	99.11

<u>AUINPGEN</u> ¹	Len : 2 MH TRMT IN PSYCH UNIT OF GEN HOSP PST 12 MOS		
		Freq	Pct
	1 = Response entered	2181	0.23
	6 = Response not entered.....	4485	0.47
	85 = BAD DATA Logically assigned.....	4	0.00
	94 = DON'T KNOW	200	0.02
	97 = REFUSED	904	0.10
	98 = BLANK (NO ANSWER).....	686	0.07
	99 = LEGITIMATE SKIP	940825	99.11

<u>AUINMEDU</u> ¹	Len : 2 MH TRMT IN MED UNIT OF GEN HOSP PST 12 MOS		
		Freq	Pct
	1 = Response entered	1594	0.17
	6 = Response not entered.....	5072	0.53
	85 = BAD DATA Logically assigned.....	3	0.00
	94 = DON'T KNOW	200	0.02
	97 = REFUSED	904	0.10
	98 = BLANK (NO ANSWER).....	687	0.07
	99 = LEGITIMATE SKIP	940825	99.11

<u>AUINAHSP</u> ¹	Len : 2 MH TRMT IN ANOTHER TYPE HOSP PST 12 MOS		
		Freq	Pct
	1 = Response entered	498	0.05
	6 = Response not entered.....	6168	0.65
	85 = BAD DATA Logically assigned.....	3	0.00
	94 = DON'T KNOW	200	0.02
	97 = REFUSED	904	0.10
	98 = BLANK (NO ANSWER).....	687	0.07
	99 = LEGITIMATE SKIP	940825	99.11

ADULT MENTAL HEALTH SERVICE UTILIZATION

[AUINRESD¹](#)

Len : 2 MH TRMT IN RESID TRMT CENTER PST 12 MOS

	Freq	Pct
1 = Response entered	592	0.06
6 = Response not entered.....	6074	0.64
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW	200	0.02
97 = REFUSED	904	0.10
98 = BLANK (NO ANSWER).....	687	0.07
99 = LEGITIMATE SKIP	940825	99.11

[AUINSFAC¹](#)

Len : 2 MH TRMT IN SOME OTHER FACIL PST 12 MOS

	Freq	Pct
1 = Response entered	638	0.07
6 = Response not entered.....	6028	0.64
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW	200	0.02
97 = REFUSED	904	0.10
98 = BLANK (NO ANSWER).....	687	0.07
99 = LEGITIMATE SKIP	940825	99.11

During the past 12 months, how many nights did you spend in a private or public psychiatric hospital for mental health care?

[AUNMPSY2¹](#)

Len : 3 # NIGHTS IN PRIV/PUB PSYCH HOSP PST 12 MOS

	Freq	Pct
RANGE = 1 - 30.....	1577	0.17
31 = 31 or more	94	0.01
985 = BAD DATA Logically assigned.....	44	0.00
994 = DON'T KNOW	44	0.00
997 = REFUSED	918	0.10
998 = BLANK (NO ANSWER).....	846	0.09
999 = LEGITIMATE SKIP	945762	99.63

During the past 12 months, how many nights did you spend in the psychiatric unit of a general hospital for mental health care?

[AUNMPGE2¹](#)

Len : 3 # NIGHTS IN PSYCH UNIT OF GEN HOSP PST 12 MOS

	Freq	Pct
RANGE = 1 - 30.....	2049	0.22
31 = 31 or more	80	0.01
985 = BAD DATA Logically assigned.....	4	0.00
994 = DON'T KNOW	41	0.00
997 = REFUSED	915	0.10
998 = BLANK (NO ANSWER).....	886	0.09
999 = LEGITIMATE SKIP	945310	99.58

During the past 12 months, how many nights did you spend in the medical unit of a general hospital for mental health care?

[AUNMMED2¹](#)

Len : 3 # NIGHTS IN MED UNIT OF GEN HOSP PST 12 MOS

	Freq	Pct
RANGE = 1 - 30.....	1478	0.16
31 = 31 or more	33	0.00
985 = BAD DATA Logically assigned.....	3	0.00
994 = DON'T KNOW	50	0.01
997 = REFUSED	937	0.10
998 = BLANK (NO ANSWER).....	887	0.09
999 = LEGITIMATE SKIP	945897	99.64

During the past 12 months, how many nights did you spend in some other type of hospital for mental health care?

[AUNMAHS2¹](#)

Len : 3 # NIGHTS IN ANOTHER TYPE OF HOSP PST 12 MOS

	Freq	Pct
RANGE = 1 - 30.....	422	0.04
31 = 31 or more	23	0.00
985 = BAD DATA Logically assigned.....	3	0.00
994 = DON'T KNOW	35	0.00
997 = REFUSED	922	0.10
998 = BLANK (NO ANSWER).....	887	0.09
999 = LEGITIMATE SKIP	946993	99.76

ADULT MENTAL HEALTH SERVICE UTILIZATION

During the past 12 months, how many nights did you spend in a residential treatment center for mental health care?

AUNMRES2 ¹	Len : 3 # NIGHTS IN RESID TRMT CENTER PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	438	0.05
	31 = 31 or more	133	0.01
	985 = BAD DATA Logically assigned.....	3	0.00
	994 = DON'T KNOW	11	0.00
	997 = REFUSED	914	0.10
	998 = BLANK (NO ANSWER).....	887	0.09
	999 = LEGITIMATE SKIP	946899	99.75

During the past 12 months, how many nights did you spend in some other type of facility for mental health care?

AUNMSFA2 ¹	Len : 3 # NIGHTS IN SOME OTHER FACIL PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	542	0.06
	31 = 31 or more	39	0.00
	985 = BAD DATA Logically assigned.....	3	0.00
	994 = DON'T KNOW	37	0.00
	997 = REFUSED	924	0.10
	998 = BLANK (NO ANSWER).....	887	0.09
	999 = LEGITIMATE SKIP	946853	99.74

Who paid or will pay for the inpatient mental health care you received during the past 12 months?

AUPINSLF ¹	Len : 2 INPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR		
		Freq	Pct
	1 = Response entered	1639	0.17
	6 = Response not entered.....	4977	0.52
	85 = BAD DATA Logically assigned.....	39	0.00
	94 = DON'T KNOW	241	0.03
	97 = REFUSED	916	0.10
	98 = BLANK (NO ANSWER).....	648	0.07
	99 = LEGITIMATE SKIP	940825	99.11

AUPINOFM ¹	Len : 2 INPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU		
		Freq	Pct
	1 = Response entered	297	0.03
	6 = Response not entered.....	6319	0.67
	85 = BAD DATA Logically assigned.....	1	0.00
	94 = DON'T KNOW	241	0.03
	97 = REFUSED	916	0.10
	98 = BLANK (NO ANSWER).....	686	0.07
	99 = LEGITIMATE SKIP	940825	99.11

AUPINPHI ¹	Len : 2 INPAT MH CARE PYMNT: PRIVATE HEALTH INSUR		
		Freq	Pct
	1 = Response entered	1335	0.14
	6 = Response not entered.....	5281	0.56
	94 = DON'T KNOW	241	0.03
	97 = REFUSED	916	0.10
	98 = BLANK (NO ANSWER).....	687	0.07
	99 = LEGITIMATE SKIP	940825	99.11

AUPINMCR ¹	Len : 2 INPATIENT MH CARE PAYMENT: MEDICARE		
		Freq	Pct
	1 = Response entered	1323	0.14
	6 = Response not entered.....	5293	0.56
	94 = DON'T KNOW	241	0.03
	97 = REFUSED	916	0.10
	98 = BLANK (NO ANSWER).....	687	0.07
	99 = LEGITIMATE SKIP	940825	99.11

ADULT MENTAL HEALTH SERVICE UTILIZATION

[AUPINMCD](#)¹

Len : 2 INPATIENT MH CARE PAYMENT: MEDICAID

	Freq	Pct
1 = Response entered	1620	0.17
6 = Response not entered.....	4996	0.53
94 = DON'T KNOW	241	0.03
97 = REFUSED	916	0.10
98 = BLANK (NO ANSWER).....	687	0.07
99 = LEGITIMATE SKIP	940825	99.11

[AUPINREH](#)¹

Len : 2 INPAT MH CARE PYMNT: REHABILITATION PROG

	Freq	Pct
1 = Response entered	86	0.01
6 = Response not entered.....	6530	0.69
94 = DON'T KNOW	241	0.03
97 = REFUSED	916	0.10
98 = BLANK (NO ANSWER).....	687	0.07
99 = LEGITIMATE SKIP	940825	99.11

[AUPINEMP](#)¹

Len : 2 INPATIENT MH CARE PAYMENT: EMPLOYER

	Freq	Pct
1 = Response entered	196	0.02
6 = Response not entered.....	6420	0.68
94 = DON'T KNOW	241	0.03
97 = REFUSED	916	0.10
98 = BLANK (NO ANSWER).....	687	0.07
99 = LEGITIMATE SKIP	940825	99.11

[AUPINMIL](#)¹

Len : 2 INPATIENT MH CARE PAYMENT: MILITARY SOURCE

	Freq	Pct
1 = Response entered	223	0.02
6 = Response not entered.....	6393	0.67
94 = DON'T KNOW	241	0.03
97 = REFUSED	916	0.10
98 = BLANK (NO ANSWER).....	687	0.07
99 = LEGITIMATE SKIP	940825	99.11

[AUPINPUB](#)¹

Len : 2 INPAT MH CARE PYMNT: OTHER PUBLIC SOURCE

	Freq	Pct
1 = Response entered	281	0.03
6 = Response not entered.....	6335	0.67
94 = DON'T KNOW	241	0.03
97 = REFUSED	916	0.10
98 = BLANK (NO ANSWER).....	687	0.07
99 = LEGITIMATE SKIP	940825	99.11

[AUPINPRV](#)¹

Len : 2 INPAT MH CARE PYMNT: OTHER PRIVATE SOURCE

	Freq	Pct
1 = Response entered	109	0.01
6 = Response not entered.....	6507	0.69
94 = DON'T KNOW	241	0.03
97 = REFUSED	916	0.10
98 = BLANK (NO ANSWER).....	687	0.07
99 = LEGITIMATE SKIP	940825	99.11

[AUPINFRE](#)¹

Len : 2 INPATIENT MENTAL HEALTH CARE WAS FREE

	Freq	Pct
1 = Response entered	514	0.05
6 = Response not entered.....	6102	0.64
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW	241	0.03
97 = REFUSED	916	0.10
98 = BLANK (NO ANSWER).....	685	0.07
99 = LEGITIMATE SKIP	940825	99.11

ADULT MENTAL HEALTH SERVICE UTILIZATION

How much did you or your family pay for the inpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.

[AUPINFM2](#)¹

Len : 2 AMT YOU/FAMILY PAID FOR INPAT MH CARE

	Freq	Pct
1 = Less than \$100.....	374	0.04
2 = \$100 to \$200.....	180	0.02
3 = \$201 to \$500.....	167	0.02
4 = \$501 to \$900.....	155	0.02
5 = \$901 to \$1,500.....	161	0.02
6 = \$1,501 to \$2,000.....	126	0.01
7 = \$2,001 to \$5,000.....	175	0.02
8 = More than \$5,000.....	305	0.03
85 = BAD DATA Logically assigned.....	40	0.00
94 = DON'T KNOW.....	193	0.02
97 = REFUSED.....	938	0.10
98 = BLANK (NO ANSWER).....	932	0.10
99 = LEGITIMATE SKIP.....	945539	99.61

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

The list below includes some of the places where people can get outpatient treatment or counseling for problems with their emotions, nerves, or mental health.

During the past 12 months, did you receive any outpatient treatment or counseling for any problem you were having with your emotions, nerves, or mental health at any of the places listed below? Please do not include treatment for alcohol or drug use.

- An outpatient mental health clinic or center
- The office of a private therapist, psychologist, psychiatrist, social worker, or counselor that was not part of a clinic
- A doctor's office that was not part of a clinic
- An outpatient medical clinic
- A partial day hospital or day treatment program
- Some other place

[AUOPTYR](#)¹

Len : 2 RCVD OUTPATIENT MH TRMT PST 12 MOS

	Freq	Pct
1 = Yes.....	49786	5.24
2 = No.....	611992	64.47
3 = Yes LOGICALLY ASSIGNED (from AUALOTS2).....	10	0.00
85 = BAD DATA Logically assigned.....	72	0.01
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
94 = DON'T KNOW.....	1053	0.11
97 = REFUSED.....	1088	0.11
98 = BLANK (NO ANSWER).....	151	0.02
99 = LEGITIMATE SKIP.....	285123	30.04

Where did you receive outpatient mental health treatment or counseling during the past 12 months?

[AUOPMENT](#)¹

Len : 2 MH TRMT IN OUTPATIENT MH CNTR PST 12 MOS

	Freq	Pct
1 = Response entered.....	12360	1.30
3 = Response entered LOGICALLY ASSIGNED.....	27	0.00
5 = Response entered LOG ASSN (from AUALOTS2).....	4	0.00
6 = Response not entered.....	37097	3.91
85 = BAD DATA Logically assigned.....	48	0.01
94 = DON'T KNOW.....	165	0.02
97 = REFUSED.....	1216	0.13
98 = BLANK (NO ANSWER).....	1243	0.13
99 = LEGITIMATE SKIP.....	897125	94.51

ADULT MENTAL HEALTH SERVICE UTILIZATION

[AUOPTHER](#)¹

Len : 2 MH TRMT IN PRIV THERAPIST'S OFC PST 12 MOS

	Freq	Pct
1 = Response entered	27528	2.90
3 = Response entered LOGICALLY ASSIGNED	33	0.00
5 = Response entered LOG ASSN (from AUALOTS2)	1	0.00
6 = Response not entered.....	21925	2.31
85 = BAD DATA Logically assigned.....	8	0.00
94 = DON'T KNOW	165	0.02
97 = REFUSED	1216	0.13
98 = BLANK (NO ANSWER).....	1284	0.14
99 = LEGITIMATE SKIP	897125	94.51

[AUOPDOC](#)¹

Len : 2 MH TRMT IN NON-CLINIC DR.'S OFC PST 12 MOS

	Freq	Pct
1 = Response entered	8482	0.89
3 = Response entered LOGICALLY ASSIGNED	10	0.00
5 = Response entered LOG ASSN (from AUALOTS2)	6	0.00
6 = Response not entered.....	40992	4.32
85 = BAD DATA Logically assigned.....	7	0.00
94 = DON'T KNOW	165	0.02
97 = REFUSED	1216	0.13
98 = BLANK (NO ANSWER).....	1282	0.14
99 = LEGITIMATE SKIP	897125	94.51

[AUOPCLNC](#)¹

Len : 2 MH TRMT IN OUTPAT MED CLINIC PST 12 MOS

	Freq	Pct
1 = Response entered	3447	0.36
3 = Response entered LOGICALLY ASSIGNED	79	0.01
5 = Response entered LOG ASSN (from AUALOTS2)	7	0.00
6 = Response not entered.....	45955	4.84
85 = BAD DATA Logically assigned.....	8	0.00
94 = DON'T KNOW	165	0.02
97 = REFUSED	1216	0.13
98 = BLANK (NO ANSWER).....	1283	0.14
99 = LEGITIMATE SKIP	897125	94.51

[AUOPDTMT](#)¹

Len : 2 MH TRMT IN DAY TREATMENT PGM PST 12 MOS

	Freq	Pct
1 = Response entered	1035	0.11
3 = Response entered LOGICALLY ASSIGNED	4	0.00
5 = Response entered LOG ASSN (from AUALOTS2)	1	0.00
6 = Response not entered.....	48447	5.10
85 = BAD DATA Logically assigned.....	7	0.00
94 = DON'T KNOW	165	0.02
97 = REFUSED	1216	0.13
98 = BLANK (NO ANSWER).....	1285	0.14
99 = LEGITIMATE SKIP	897125	94.51

[AUOPOTOP](#)¹

Len : 2 MH TRMT IN OTHER OUTPAT PLACE PST 12 MOS

	Freq	Pct
1 = Response entered	3336	0.35
6 = Response not entered.....	46157	4.86
94 = DON'T KNOW	165	0.02
97 = REFUSED	1216	0.13
98 = BLANK (NO ANSWER).....	1286	0.14
99 = LEGITIMATE SKIP	897125	94.51

ADULT MENTAL HEALTH SERVICE UTILIZATION

AUOPYRS2¹

Len : 2 OTH FACIL RCVD OUTPAT MH TRMT PAST 12 MOS

	Freq	Pct
1 = An outpatient mental health clinic or center	30	0.00
2 = Non-clinic therapist/psychologist/counselor	37	0.00
3 = A doctor's office that was not part of a clinic	12	0.00
4 = An outpatient medical clinic	80	0.01
5 = A partial day hospital or day treatment program	5	0.00
6 = Some other place	349	0.04
7 = Friend(s)/parent of friend	39	0.00
8 = Family member(s)/home	122	0.01
9 = School or university setting/clinic/center	736	0.08
10 = Spiritual or religious advisor	275	0.03
11 = Support group/self-help group	40	0.00
12 = Clinic or center counseling; mental health unspcfd	36	0.00
13 = Therapist/psychologist/counselor; locale unspcfd	99	0.01
14 = A doctor's office; location unspecified	129	0.01
15 = Work/parents' work/EAP/job training/career counslng	79	0.01
16 = Victims assist (inc dom viol shelter/rape crisis)	22	0.00
17 = Telephone hotline/crisis line	10	0.00
18 = Military facility/VA	297	0.03
19 = Emergency room	20	0.00
20 = Indian Health Service/BIA	9	0.00
22 = Health professional, not a Dr; non-mental health	6	0.00
23 = Hospital/skilled nursing facilty; mntl hlth unspfd	59	0.01
24 = Clinic/center/agcy/pgm/class; type/govt/MH unspcfd	50	0.01
26 = Court-mandated drug program/class	7	0.00
28 = Social Services/Human Services	19	0.00
29 = Halfway house/transition housing	3	0.00
30 = Self	3	0.00
31 = Mental health hospital; patient status unspecified	3	0.00
33 = Hospice/grief counseling	6	0.00
35 = Chiropractor	1	0.00
38 = Massage therapy/body therapy (not chiro)	2	0.00
39 = Holistic health/altern med; not otherwise specifd	3	0.00
44 = Residential treatment facility	3	0.00
47 = Prison or jail	3	0.00
49 = Mind/body therapy (e.g., biofeedback)	3	0.00
53 = Shelter; abuse/violence unspecified	3	0.00
56 = Phone/online counseling, hotline/crisis unspcfd	33	0.00
58 = Faith-based formal program/facility	14	0.00
60 = Mental health assistance/help;type unspecified	2	0.00
70 = Name of facility/program or description given	381	0.04
71 = Drug or alcohol treatment/counseling specified	4	0.00
72 = Reason for seeking help given	6	0.00
85 = BAD DATA Logically assigned	122	0.01
94 = DON'T KNOW	78	0.01
97 = REFUSED	1309	0.14
98 = BLANK (NO ANSWER)	1454	0.15
99 = LEGITIMATE SKIP	943282	99.37

During the past 12 months, how many visits did you make to an outpatient mental health clinic or center for mental health care?

AUNMMEN2¹

Len : 3 # VISITS TO OUTPATIENT MH CNTR PST 12 MOS

	Freq	Pct
RANGE = 1 - 30	11093	1.17
31 = 31 or more	882	0.09
985 = BAD DATA Logically assigned	48	0.01
994 = DON'T KNOW	364	0.04
997 = REFUSED	1264	0.13
998 = BLANK (NO ANSWER)	1412	0.15
999 = LEGITIMATE SKIP	934222	98.41

ADULT MENTAL HEALTH SERVICE UTILIZATION

During the past 12 months, how many outpatient visits did you make to a private therapist, psychologist, psychiatrist, social worker, or counselor for mental health care?

AUNMTHE2¹	Len : 3 # VISITS TO PRIV THERAPIST'S OFC PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	24699	2.60
	31 = 31 or more	2292	0.24
	985 = BAD DATA Logically assigned.....	8	0.00
	994 = DON'T KNOW	519	0.05
	997 = REFUSED	1267	0.13
	998 = BLANK (NO ANSWER).....	1450	0.15
	999 = LEGITIMATE SKIP	919050	96.81

During the past 12 months, how many outpatient visits did you make to a doctor's office for mental health care?

AUNMDOC2¹	Len : 3 # VISITS TO NON-CLINIC DR.'S OFC PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	8247	0.87
	31 = 31 or more	91	0.01
	985 = BAD DATA Logically assigned.....	7	0.00
	994 = DON'T KNOW	136	0.01
	997 = REFUSED	1234	0.13
	998 = BLANK (NO ANSWER).....	1453	0.15
	999 = LEGITIMATE SKIP	938117	98.82

During the past 12 months, how many outpatient visits did you make to an outpatient medical clinic for mental health care?

AUNMCLN2¹	Len : 3 # VISITS TO OUTPAT MED CLINIC PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	3284	0.35
	31 = 31 or more	124	0.01
	985 = BAD DATA Logically assigned.....	8	0.00
	994 = DON'T KNOW	98	0.01
	997 = REFUSED	1236	0.13
	998 = BLANK (NO ANSWER).....	1455	0.15
	999 = LEGITIMATE SKIP	943080	99.35

During the past 12 months, how many outpatient visits did you make to a partial day hospital or day treatment program for mental health care?

AUNMDTM2¹	Len : 3 # VISITS TO DAY TREATMENT PGM PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	862	0.09
	31 = 31 or more	120	0.01
	985 = BAD DATA Logically assigned.....	7	0.00
	994 = DON'T KNOW	52	0.01
	997 = REFUSED	1221	0.13
	998 = BLANK (NO ANSWER).....	1451	0.15
	999 = LEGITIMATE SKIP	945572	99.61

During the past 12 months, how many outpatient visits did you make to some other type of facility for mental health care?

AUNMOTO2¹	Len : 3 # VISIT OTPT SOME OTHER FACILITY PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	2949	0.31
	31 = 31 or more	134	0.01
	994 = DON'T KNOW	185	0.02
	997 = REFUSED	1284	0.14
	998 = BLANK (NO ANSWER).....	1451	0.15
	999 = LEGITIMATE SKIP	943282	99.37

ADULT MENTAL HEALTH SERVICE UTILIZATION

Who paid or will pay for the outpatient mental health care you received during the past 12 months?

AUPOPSLF¹	Len : 2 OUPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR		
		Freq	Pct
	1 = Response entered	17891	1.88
	6 = Response not entered.....	31245	3.29
	85 = BAD DATA Logically assigned.....	40	0.00
	94 = DON'T KNOW	459	0.05
	97 = REFUSED	1278	0.13
	98 = BLANK (NO ANSWER).....	1247	0.13
	99 = LEGITIMATE SKIP	897125	94.51
AUPOPOFM¹	Len : 2 OUPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU		
		Freq	Pct
	1 = Response entered	1966	0.21
	6 = Response not entered.....	47170	4.97
	94 = DON'T KNOW	459	0.05
	97 = REFUSED	1278	0.13
	98 = BLANK (NO ANSWER).....	1287	0.14
	99 = LEGITIMATE SKIP	897125	94.51
AUPOPPI¹	Len : 2 OUPAT MH CARE PYMNT: PRIVATE HEALTH INSUR		
		Freq	Pct
	1 = Response entered	18050	1.90
	6 = Response not entered.....	31086	3.27
	94 = DON'T KNOW	459	0.05
	97 = REFUSED	1278	0.13
	98 = BLANK (NO ANSWER).....	1287	0.14
	99 = LEGITIMATE SKIP	897125	94.51
AUPOPMCR¹	Len : 2 OUTPATIENT MH CARE PAYMENT: MEDICARE		
		Freq	Pct
	1 = Response entered	5100	0.54
	6 = Response not entered.....	44036	4.64
	94 = DON'T KNOW	459	0.05
	97 = REFUSED	1278	0.13
	98 = BLANK (NO ANSWER).....	1287	0.14
	99 = LEGITIMATE SKIP	897125	94.51
AUPOPMCD¹	Len : 2 OUTPATIENT MH CARE PAYMENT: MEDICAID		
		Freq	Pct
	1 = Response entered	6472	0.68
	6 = Response not entered.....	42664	4.49
	94 = DON'T KNOW	459	0.05
	97 = REFUSED	1278	0.13
	98 = BLANK (NO ANSWER).....	1287	0.14
	99 = LEGITIMATE SKIP	897125	94.51
AUPOPREH¹	Len : 2 OUPAT MH CARE PYMNT: REHABILITATION PROG		
		Freq	Pct
	1 = Response entered	213	0.02
	6 = Response not entered.....	48923	5.15
	94 = DON'T KNOW	459	0.05
	97 = REFUSED	1278	0.13
	98 = BLANK (NO ANSWER).....	1287	0.14
	99 = LEGITIMATE SKIP	897125	94.51
AUPOPEMP¹	Len : 2 OUTPATIENT MH CARE PAYMENT: EMPLOYER		
		Freq	Pct
	1 = Response entered	3227	0.34
	6 = Response not entered.....	45909	4.84
	94 = DON'T KNOW	459	0.05
	97 = REFUSED	1278	0.13
	98 = BLANK (NO ANSWER).....	1287	0.14
	99 = LEGITIMATE SKIP	897125	94.51

ADULT MENTAL HEALTH SERVICE UTILIZATION

[AUPOPML¹](#)

Len : 2 OUTPATIENT MH CARE PAYMENT: MILITARY SOURCE

	Freq	Pct
1 = Response entered	1858	0.20
6 = Response not entered.....	47278	4.98
94 = DON'T KNOW	459	0.05
97 = REFUSED	1278	0.13
98 = BLANK (NO ANSWER).....	1287	0.14
99 = LEGITIMATE SKIP	897125	94.51

[AUOPPPUB¹](#)

Len : 2 OUPAT MH CARE PYMNT: OTHER PUBLIC SOURCE

	Freq	Pct
1 = Response entered	1602	0.17
6 = Response not entered.....	47534	5.01
94 = DON'T KNOW	459	0.05
97 = REFUSED	1278	0.13
98 = BLANK (NO ANSWER).....	1287	0.14
99 = LEGITIMATE SKIP	897125	94.51

[AUOPPPRV¹](#)

Len : 2 OUPAT MH CARE PYMNT: OTHER PRIVATE SOURCE

	Freq	Pct
1 = Response entered	733	0.08
6 = Response not entered.....	48403	5.10
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	459	0.05
97 = REFUSED	1278	0.13
98 = BLANK (NO ANSWER).....	1286	0.14
99 = LEGITIMATE SKIP	897125	94.51

[AUOPPFRE¹](#)

Len : 2 OUTPATIENT MENTAL HEALTH CARE WAS FREE

	Freq	Pct
1 = Response entered	4115	0.43
6 = Response not entered.....	45021	4.74
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW	459	0.05
97 = REFUSED	1278	0.13
98 = BLANK (NO ANSWER).....	1285	0.14
99 = LEGITIMATE SKIP	897125	94.51

Who paid or will pay most of the cost for the outpatient mental health care you received during the past 12 months?

[AUOPPMOS¹](#)

Len : 2 PAYMENT FOR MOST OF OUTPATIENT MH CARE

	Freq	Pct
1 = Self or a family member living with you	2332	0.25
2 = A family member who does not live with you	273	0.03
3 = Private health insurance	5171	0.54
4 = Medicare	1394	0.15
5 = Medicaid	628	0.07
6 = Rehabilitation program	22	0.00
7 = Employer	523	0.06
8 = VA or other military program	129	0.01
9 = Other public source	167	0.02
10 = Other private source	77	0.01
11 = No one paid because the treatment was free	153	0.02
97 = REFUSED	1278	0.13
98 = BLANK (NO ANSWER).....	1767	0.19
99 = LEGITIMATE SKIP	935371	98.53

ADULT MENTAL HEALTH SERVICE UTILIZATION

How much did you or your family pay for the outpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.

[AUPOPAMT¹](#)

Len : 2 AMT YOU/FAMILY PAID FOR OUPAT MH CARE

	Freq	Pct
1 = Less than \$100.....	5376	0.57
2 = \$100 to \$200.....	3668	0.39
3 = \$201 to \$500.....	3720	0.39
4 = \$501 to \$900.....	2123	0.22
5 = \$901 to \$1,500.....	1268	0.13
6 = \$1,501 to \$2,000.....	759	0.08
7 = \$2,001 to \$5,000.....	867	0.09
8 = More than \$5,000.....	415	0.04
85 = BAD DATA Logically assigned.....	40	0.00
94 = DON'T KNOW.....	1008	0.11
97 = REFUSED.....	1347	0.14
98 = BLANK (NO ANSWER).....	1752	0.18
99 = LEGITIMATE SKIP.....	926942	97.65

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

During the past 12 months, did you take any prescription medication that was prescribed for you to treat a mental or emotional condition?

[AURXYR¹](#)

Len : 2 TOOK ANY PRESCRIP MED FOR MH COND PAST 12 MOS

	Freq	Pct
1 = Yes.....	75134	7.91
2 = No.....	587213	61.86
3 = Yes Logically assigned.....	14	0.00
85 = BAD DATA Logically assigned.....	72	0.01
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
94 = DON'T KNOW.....	692	0.07
97 = REFUSED.....	876	0.09
98 = BLANK (NO ANSWER).....	151	0.02
99 = LEGITIMATE SKIP.....	285123	30.04

During the past 12 months, was there any time when you needed mental health treatment or counseling for yourself but didn't get it?

[AUUNMTYR¹](#)

Len : 2 NEEDED MH TRMT BUT DIDN'T GET IT PAST 12 MOS

	Freq	Pct
1 = Yes.....	45909	4.84
2 = No.....	615915	64.88
85 = BAD DATA Logically assigned.....	72	0.01
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
94 = DON'T KNOW.....	1016	0.11
97 = REFUSED.....	1089	0.11
98 = BLANK (NO ANSWER).....	151	0.02
99 = LEGITIMATE SKIP.....	285123	30.04

Which of these statements explains why you did not get the mental health treatment or counseling you needed?

[AUUNCOST¹](#)

Len : 2 NO MH TMT COULDN'T AFFORD COST

	Freq	Pct
1 = Response entered.....	19192	2.02
3 = Response entered LOGICALLY ASSIGNED.....	66	0.01
6 = Response not entered.....	26245	2.76
85 = BAD DATA Logically assigned.....	41	0.00
94 = DON'T KNOW.....	210	0.02
97 = REFUSED.....	1268	0.13
98 = BLANK (NO ANSWER).....	1215	0.13
99 = LEGITIMATE SKIP.....	901048	94.92

ADULT MENTAL HEALTH SERVICE UTILIZATION

[AUUNNBR](#)¹

Len : 2 NO MH TMT CONCERN ABOUT OPIN OF NEIGHBRS

	Freq	Pct
1 = Response entered	5237	0.55
3 = Response entered LOGICALLY ASSIGNED	20	0.00
6 = Response not entered.....	40246	4.24
94 = DON'T KNOW	210	0.02
97 = REFUSED	1268	0.13
98 = BLANK (NO ANSWER).....	1256	0.13
99 = LEGITIMATE SKIP	901048	94.92

[AUUNJOB](#)¹

Len : 2 NO MH TMT CONCERN ABOUT EFFECT ON JOB

	Freq	Pct
1 = Response entered	3559	0.37
3 = Response entered LOGICALLY ASSIGNED	30	0.00
6 = Response not entered.....	41914	4.42
94 = DON'T KNOW	210	0.02
97 = REFUSED	1268	0.13
98 = BLANK (NO ANSWER).....	1256	0.13
99 = LEGITIMATE SKIP	901048	94.92

[AUUNNCOV](#)¹

Len : 2 NO MH TMT HEALTH INSUR DIDN'T COVER

	Freq	Pct
1 = Response entered	2905	0.31
3 = Response entered LOGICALLY ASSIGNED	31	0.00
6 = Response not entered.....	42567	4.48
94 = DON'T KNOW	210	0.02
97 = REFUSED	1268	0.13
98 = BLANK (NO ANSWER).....	1256	0.13
99 = LEGITIMATE SKIP	901048	94.92

[AUUNENUF](#)¹

Len : 2 NO MH TMT NOT ENUF HEALTH INSUR COVERAGE

	Freq	Pct
1 = Response entered	4662	0.49
3 = Response entered LOGICALLY ASSIGNED	13	0.00
6 = Response not entered.....	40828	4.30
94 = DON'T KNOW	210	0.02
97 = REFUSED	1268	0.13
98 = BLANK (NO ANSWER).....	1256	0.13
99 = LEGITIMATE SKIP	901048	94.92

[AUUNWHER](#)¹

Len : 2 NO MH TMT DIDN'T KNOW WHERE TO GO FOR SVC

	Freq	Pct
1 = Response entered	9093	0.96
3 = Response entered LOGICALLY ASSIGNED	93	0.01
6 = Response not entered.....	36317	3.83
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	210	0.02
97 = REFUSED	1268	0.13
98 = BLANK (NO ANSWER).....	1255	0.13
99 = LEGITIMATE SKIP	901048	94.92

[AUUNCFID](#)¹

Len : 2 NO MH TMT CONCERN ABOUT CONFIDENTIALITY

	Freq	Pct
1 = Response entered	4468	0.47
3 = Response entered LOGICALLY ASSIGNED	28	0.00
6 = Response not entered.....	41007	4.32
94 = DON'T KNOW	210	0.02
97 = REFUSED	1268	0.13
98 = BLANK (NO ANSWER).....	1256	0.13
99 = LEGITIMATE SKIP	901048	94.92

ADULT MENTAL HEALTH SERVICE UTILIZATION

[AUUNCMIT¹](#)

Len : 2 NO MH TMT MIGHT BE COMMITTED/TAKE MEDS

	Freq	Pct
1 = Response entered	5465	0.58
3 = Response entered LOGICALLY ASSIGNED	139	0.01
6 = Response not entered.....	39899	4.20
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	210	0.02
97 = REFUSED	1268	0.13
98 = BLANK (NO ANSWER).....	1255	0.13
99 = LEGITIMATE SKIP	901048	94.92

Which of these statements explain why you did not get the mental health treatment or counseling you needed?

[AUUNNOND¹](#)

Len : 2 NO MH TMT DON'T THINK NEEDED AT THAT TIME

	Freq	Pct
-9 = Data not collected for this year	54079	5.70
1 = Response entered	4279	0.45
3 = Response entered LOGICALLY ASSIGNED	202	0.02
6 = Response not entered.....	38350	4.04
94 = DON'T KNOW	213	0.02
97 = REFUSED	1238	0.13
98 = BLANK (NO ANSWER).....	1188	0.13
99 = LEGITIMATE SKIP	849736	89.51

[AUUNHNDL¹](#)

Len : 2 NO MH TMT THOUGHT COULD HANDLE WITHOUT TMT

	Freq	Pct
-9 = Data not collected for this year	54079	5.70
1 = Response entered	11923	1.26
3 = Response entered LOGICALLY ASSIGNED	75	0.01
6 = Response not entered.....	30833	3.25
94 = DON'T KNOW	213	0.02
97 = REFUSED	1238	0.13
98 = BLANK (NO ANSWER).....	1188	0.13
99 = LEGITIMATE SKIP	849736	89.51

[AUUNNHLP¹](#)

Len : 2 NO MH TMT DIDN'T THINK TMT WOULD HELP

	Freq	Pct
-9 = Data not collected for this year	54079	5.70
1 = Response entered	4684	0.49
3 = Response entered LOGICALLY ASSIGNED	90	0.01
6 = Response not entered.....	38057	4.01
94 = DON'T KNOW	213	0.02
97 = REFUSED	1238	0.13
98 = BLANK (NO ANSWER).....	1188	0.13
99 = LEGITIMATE SKIP	849736	89.51

[AUUNBUSY¹](#)

Len : 2 NO MH TMT DIDN'T HAVE TIME

	Freq	Pct
-9 = Data not collected for this year	54079	5.70
1 = Response entered	7253	0.76
3 = Response entered LOGICALLY ASSIGNED	138	0.01
6 = Response not entered.....	35440	3.73
94 = DON'T KNOW	213	0.02
97 = REFUSED	1238	0.13
98 = BLANK (NO ANSWER).....	1188	0.13
99 = LEGITIMATE SKIP	849736	89.51

[AUUNFOUT¹](#)

Len : 2 NO MH TMT DIDN'T WANT OTHERS TO FIND OUT

	Freq	Pct
-9 = Data not collected for this year	54079	5.70
1 = Response entered	3532	0.37
3 = Response entered LOGICALLY ASSIGNED	125	0.01
6 = Response not entered.....	39174	4.13
94 = DON'T KNOW	213	0.02
97 = REFUSED	1238	0.13
98 = BLANK (NO ANSWER).....	1188	0.13
99 = LEGITIMATE SKIP	849736	89.51

ADULT MENTAL HEALTH SERVICE UTILIZATION

[AUUNNTSP¹](#)

Len : 2 NO MH TMT HAD NO TRANSPORTATION OR TMT TOO FAR

	Freq	Pct
-9 = Data not collected for this year	54079	5.70
1 = Response entered	1887	0.20
3 = Response entered LOGICALLY ASSIGNED	45	0.00
6 = Response not entered.....	40899	4.31
94 = DON'T KNOW	213	0.02
97 = REFUSED	1238	0.13
98 = BLANK (NO ANSWER).....	1188	0.13
99 = LEGITIMATE SKIP	849736	89.51

[AUUNSOR¹](#)

Len : 2 NO MH TMT FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	7680	0.81
6 = Response not entered.....	37840	3.99
94 = DON'T KNOW	210	0.02
97 = REFUSED	1268	0.13
98 = BLANK (NO ANSWER).....	1239	0.13
99 = LEGITIMATE SKIP	901048	94.92

[AUUNRIM²](#)

Len : 2 MOST IMPORTNT OTH REAS DIDNT GET MH TMT PST 12 MO

	Freq	Pct
1 = You couldn't afford the cost.....	397	0.04
2 = Concerned neighbors/community have neg opinion.....	35	0.00
3 = Concerned might have a neg effect on your job.....	53	0.01
4 = Your health ins doesnt cover any mental hlth tmt.....	33	0.00
5 = Your health ins doesnt pay enuf for ment hlth tmt	32	0.00
6 = You did not know where to go to get services.....	151	0.02
7 = Concerned info might not be kept confidential	45	0.00
8 = Concerned might be committed/take medicine	195	0.02
9 = You didn't think you needed treatment at the time	483	0.05
10 = You thought could handle problem w/o treatment	324	0.03
11 = You didn't think treatment would help	200	0.02
12 = Didn't have time (b/c of job, childcare, other).....	452	0.05
13 = Didn't want others to find out you needed treatmnt.....	336	0.04
14 = No transportation/too far away/hrs inconvenient	110	0.01
15 = Some other reason or reasons	132	0.01
16 = Afraid too painful/unpleasant/afraid of diagnosis	128	0.01
17 = Others dissuaded/didn't want you to/unsupportive	276	0.03
18 = You do not have any health insurance coverage	430	0.05
19 = Ashamed, embarrassed, afraid, or sign of weakness.....	421	0.04
20 = You were too stubborn/prideful to go	37	0.00
21 = You did not want to; reason unspecified	202	0.02
22 = Unmotivated/depressed/confused/angry/unworthy.....	359	0.04
23 = Services unavailable in your area/services limited.....	146	0.02
24 = Didn't want to talk about your problems w/anyone	121	0.01
25 = Didn't like how treated/don't like Dr(s)/hospitals	257	0.03
26 = Attempted to get trmt,unsuccessful in finding help	236	0.02
27 = Concerned how the court system would treat you.....	106	0.01
28 = No program/counselor competent/comfortable with	200	0.02
29 = Just never went/made appointment/arrangements	65	0.01
30 = Work on your problems with family/friends.....	63	0.01
31 = Work on problems through religion/spirituality	47	0.00
32 = Too much red tape/hassle to get services.....	93	0.01
33 = There were no openings/long waiting list/delays	351	0.04
34 = You had other problems/issues to deal with	168	0.02
35 = Other(s) need treatment/counseling; wouldn't go	36	0.00
36 = Concerned it would affect future insurability	4	0.00
37 = You were using alcohol/drugs	16	0.00
38 = Too afraid to leave the house.....	12	0.00
40 = Unready to seek help/deal w/issues;othrwise unspfd.....	34	0.00
41 = Preferrd providr wont/may not accept hlth ins plan.....	19	0.00
42 = Health ins wont accept preferred provider/tmt	29	0.00
44 = Services desired unavailable/currently ineligible	14	0.00
70 = You did/had appt for mental health trmt/counseling.....	39	0.00
71 = Mental hlth condition reportd; depression unspcfd	24	0.00
85 = BAD DATA Logically assigned.....	250	0.03
94 = DON'T KNOW	207	0.02
97 = REFUSED	1549	0.16
98 = BLANK (NO ANSWER).....	1480	0.16
99 = LEGITIMATE SKIP	938888	98.90

ADULT MENTAL HEALTH SERVICE UTILIZATION

Earlier, we asked whether you have received prescription medicines, inpatient treatment or outpatient treatment for your emotions, nerves or mental health. The list below contains possible sources of treatment, counseling or support that were not mentioned before.

Acupuncturist or acupressurist
Chiropractor
Herbalist
In-person support group or self-help group
Internet support group or chat room
Spiritual or religious advisor, such as a pastor, priest, rabbi
Telephone hotline
Massage therapist

Did you receive treatment, counseling or support from any other sources such as these during the past 12 months?

AUALTYR ¹	Len : 2 RCVD ALTERNATIVE MENT HLTH TRMT PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	55480	5.84
	2 = No	532885	56.14
	3 = Yes LOGICALLY ASSIGNED (from AUOPYRS2).....	74	0.01
	85 = BAD DATA Logically assigned.....	63	0.01
	89 = LEGITIMATE SKIP Logically assigned	9	0.00
	94 = DON'T KNOW	951	0.10
	97 = REFUSED	1167	0.12
	98 = BLANK (NO ANSWER).....	136	0.01
	99 = LEGITIMATE SKIP	249211	26.25

From what source did you receive other treatment, counseling or support for problems with your emotions, nerves or mental health in the past 12 months?

AUALACUP ¹	Len : 2 RCVD ALT MH TMT FROM ACUPUNCTURIST PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Response entered	4841	0.51
	3 = Response entered LOGICALLY ASSIGNED	1	0.00
	6 = Response not entered.....	50227	5.29
	85 = BAD DATA Logically assigned.....	41	0.00
	94 = DON'T KNOW	242	0.03
	97 = REFUSED	1336	0.14
	98 = BLANK (NO ANSWER).....	1183	0.12
	99 = LEGITIMATE SKIP	782105	82.39

AUALCHIR ¹	Len : 2 RCVD ALT MH TMT FROM CHIROPRACTOR PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Response entered	22110	2.33
	3 = Response entered LOGICALLY ASSIGNED	6	0.00
	5 = Response entered LOG ASSN (from AUOPYRS2).....	1	0.00
	6 = Response not entered.....	32953	3.47
	85 = BAD DATA Logically assigned.....	1	0.00
	94 = DON'T KNOW	242	0.03
	97 = REFUSED	1336	0.14
	98 = BLANK (NO ANSWER).....	1222	0.13
	99 = LEGITIMATE SKIP	782105	82.39

AUALHERB ¹	Len : 2 RCVD ALT MH TMT FROM HERBALIST PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Response entered	2734	0.29
	6 = Response not entered.....	52335	5.51
	94 = DON'T KNOW	242	0.03
	97 = REFUSED	1336	0.14
	98 = BLANK (NO ANSWER).....	1224	0.13
	99 = LEGITIMATE SKIP	782105	82.39

ADULT MENTAL HEALTH SERVICE UTILIZATION

[AUALSGRP¹](#)

Len : 2 RCVD ALT MH TMT FR IN-PERS SUPPORT GRP PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	6557	0.69
3 = Response entered LOGICALLY ASSIGNED	58	0.01
5 = Response entered LOG ASSN (from AUOPYRS2).....	13	0.00
6 = Response not entered.....	48450	5.10
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	242	0.03
97 = REFUSED	1336	0.14
98 = BLANK (NO ANSWER).....	1214	0.13
99 = LEGITIMATE SKIP	782105	82.39

[AUALINET¹](#)

Len : 2 RCVD ALT MH TMT FROM INTERNET GROUP PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	2811	0.30
3 = Response entered LOGICALLY ASSIGNED	11	0.00
5 = Response entered LOG ASSN (from AUALOTS2).....	3	0.00
6 = Response not entered.....	52247	5.50
94 = DON'T KNOW	242	0.03
97 = REFUSED	1336	0.14
98 = BLANK (NO ANSWER).....	1221	0.13
99 = LEGITIMATE SKIP	782105	82.39

[AUALRELG¹](#)

Len : 2 RCVD ALT MH TMT FROM RELIGIOUS ADVISOR PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	14184	1.49
3 = Response entered LOGICALLY ASSIGNED	48	0.01
5 = Response entered LOG ASSN (from AUOPYRS2).....	66	0.01
6 = Response not entered.....	40825	4.30
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW	242	0.03
97 = REFUSED	1336	0.14
98 = BLANK (NO ANSWER).....	1168	0.12
99 = LEGITIMATE SKIP	782105	82.39

[AUALHLIN¹](#)

Len : 2 RCVD ALT MH TMT FROM PHONE HOTLINE PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	1277	0.13
3 = Response entered LOGICALLY ASSIGNED	3	0.00
5 = Response entered LOG ASSN (from AUOPYRS2).....	8	0.00
6 = Response not entered.....	53788	5.67
94 = DON'T KNOW	242	0.03
97 = REFUSED	1336	0.14
98 = BLANK (NO ANSWER).....	1217	0.13
99 = LEGITIMATE SKIP	782105	82.39

[AUALMASG¹](#)

Len : 2 RCVD ALT MH TMT FROM MASSAGE THERAPIST PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	19600	2.06
3 = Response entered LOGICALLY ASSIGNED	9	0.00
6 = Response not entered.....	35460	3.74
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW	242	0.03
97 = REFUSED	1336	0.14
98 = BLANK (NO ANSWER).....	1222	0.13
99 = LEGITIMATE SKIP	782105	82.39

ADULT MENTAL HEALTH SERVICE UTILIZATION

AUALOTH¹

Len : 2 RCVD ALT MH TMT FROM OTHER SOURCE PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	4282	0.45
6 = Response not entered	50787	5.35
94 = DON'T KNOW	242	0.03
97 = REFUSED	1336	0.14
98 = BLANK (NO ANSWER)	1224	0.13
99 = LEGITIMATE SKIP	782105	82.39

AUALOTS2¹

Len : 3 OTH SOURCE OF ALTERN MH TMT PST 12 MOS - SPECIFY

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Acupuncturist or acupressurist	3	0.00
2 = Chiropractor	8	0.00
4 = In-person support group/self-help group	82	0.01
5 = Internet support group or chat room	16	0.00
6 = Spiritual or religious advisor	64	0.01
7 = Telephone hotline	4	0.00
8 = Massage therapist	13	0.00
9 = Other	360	0.04
15 = An outpatient mental health clinic or center	3	0.00
17 = A doctor's office that was not part of a clinic	1	0.00
18 = An outpatient medical clinic	2	0.00
20 = Home/family/friends	756	0.08
21 = Doctor/primary care doctor/medical; locale unspc	423	0.04
22 = Therapist/psychologist/counselor; locale unspcfd	642	0.07
23 = School/university counselor	51	0.01
24 = Military/VA/Veterans counselor or program/hospital	39	0.00
25 = Medical specialist(inc psychiatrist);locale unspfd	197	0.02
26 = Health professional, not a Dr.; locale unspecified	170	0.02
28 = Mentor/sponsor/buddy/peer/mentoring program	12	0.00
29 = Yoga, Tai Chi, Eastern exercise, Pilates	59	0.01
31 = Medication/taking medication	81	0.01
32 = God/Jesus/Higher Power/Universe/Nature	9	0.00
33 = Personal action/self-care/self-help (not meds/grp)	114	0.01
36 = Homeopath/Naturopath	73	0.01
38 = Family/marriage counseling; type/locale unspc	23	0.00
39 = Energy/biofield therapist (e.g., Reiki)	115	0.01
40 = Manipulation/irrigation (not chiropractic/massage)	50	0.01
41 = Relig influence other than indiv or higher power	60	0.01
42 = Therapy, type unspecified	50	0.01
43 = Work/EAP/employer/co-worker	3	0.00
44 = Mind/Body Therapy (e.g., biofeedback)	92	0.01
45 = Nutrition/Dietary Supplements/Vitamins	3	0.00
48 = Hospital; type or patient status unspcfd	6	0.00
50 = Mental Health; location and provider type unspcfd	14	0.00
52 = Victim's assist (incl dom viol sheltr/rape crisis)	3	0.00
54 = Hospice/grief counseling	7	0.00
58 = Life/personal coach	16	0.00
60 = Native American healer/treatment	3	0.00
62 = Telephone counseling; hotline/crisis unspecified	3	0.00
67 = Aromatherapy/essential oils/flower essences	14	0.00
68 = Group counseling, self-help not specified	3	0.00
70 = Name of facility/program or description given	149	0.02
71 = Reason for seeking help given	71	0.01
85 = BAD DATA Logically assigned	187	0.02
94 = DON'T KNOW	81	0.01
97 = REFUSED	1124	0.12
98 = BLANK (NO ANSWER)	1205	0.13
99 = LEGITIMATE SKIP	721566	76.01
985 = BAD DATA Logically assigned	39	0.00
994 = DON'T KNOW	16	0.00
997 = REFUSED	302	0.03
998 = BLANK (NO ANSWER)	263	0.03
999 = LEGITIMATE SKIP	111326	11.73

ADULT MENTAL HEALTH SERVICE UTILIZATION

Please think about the mental health treatment or counseling you received during the past 12 months. Which of these statements best describes how you were prompted to get treatment?

[AUMOTVYR](#)¹

Len : 2 HOW PROMPTED TO GET MH TREATMENT PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = I decided on my own to get treatment	92234	9.72
2 = I got trmt bc someone else thought I should	13956	1.47
3 = I was ordered to get treatment	5840	0.62
85 = BAD DATA Logically assigned	47	0.00
94 = DON'T KNOW	3116	0.33
97 = REFUSED	2539	0.27
98 = BLANK (NO ANSWER)	2271	0.24
99 = LEGITIMATE SKIP	719973	75.84

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

NOTE: The variables in this section are recoded variables that were created from one or more variables from the following sections: Adult Mental Health Service Utilization and Recoded Drug Treatment.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

AMHINP2

Len : 1 RC-RCVD INPATIENT MENTAL HEALTH TRT IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17/Log Assign Yes (Otherwise).....	286570	30.19
1 = Yes (AUINPYR=1)	7023	0.74
2 = No (AUINPYR=2)	655692	69.07

The following variable for received outpatient mental health treatment/counseling in the past year, AMHOUTP3, has the logically assigned yes level, AUOPTYR=3, defined as a system missing. This differs from how this variable was defined originally on the 2010 to 2016 NSDUHs which had the logically assigned yes level, AUOPTYR=3, defined as a positive response as long as the respondent did not indicate an alternative source or invalid outpatient location as their only outpatient treatment location. The revised version of this variable was used starting with the 2017 Detailed Tables and the revision was retroactively applied to the 2010 to 2016 variables; therefore, the 2010 to 2016 estimates for the receiving outpatient mental health treatment/counseling in the 2017 Detailed Tables may differ from previously published estimates. The revised version of this variable is not included on currently available data files prior to the 2017 NSDUH but will be included on future releases of the 2010 to 2016 data files. In future releases of the 2010 to 2016 data files, the original version of the variable used in the 2016 Detailed Tables will be renamed as AMHOUTP3_O to allow previously published estimates to be reproduced. The original version of this variable is not included on the 2017 or later data files.

AMHOUTP3 is defined as system missing if a respondent reported receiving outpatient mental health treatment/counseling in the past year at only "Some Other Place" (AUOPTYR=1 and only AUOPOTOP=1, 3) and their write-in response was classified as an invalid outpatient mental health treatment/counseling location or alternative treatment/support (AUOPYRS2=7, 8, 10, 11, 17, 22, 26, 30, 34, 35, 36, 37, 38, 39, 42, 45, 48, 49, 50, 51, 54, 55, 56, 59, 71, 72, 73). In addition to the responses described above, respondents aged 12-17 and those coded as logically assigned yes, bad data, legitimate skip, don't know, refused, or blank (AUOPTYR=3, 85, 89, 94, 97, 98, 99) were also defined as system missing. A respondent was assigned a positive response if they indicated they had received outpatient mental health treatment/counseling in the past year (AUOPTYR=1) and they did not indicate an alternative source or invalid outpatient location (AUOPYRS2 not =7, 8, 10, 11, 17, 22, 26, 30, 34, 35, 36, 37, 38, 39, 42, 45, 48, 49, 50, 51, 54, 55, 56, 59, 71, 72, 73) as their only location for outpatient treatment.

AMHOUTP3

Len : 1 RC-RCVD OUTPATIENT MENTAL HEALTH TRT IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (See comment above).....	288029	30.34
1 = Yes (See comment above)	49264	5.19
2 = No (AUOPTYR=2)	611992	64.47

AMHRX2

Len : 1 RC-RCVD PRESC MED FOR MENTAL HLTH TRT IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17/Log Assign Yes (Otherwise).....	286938	30.23
1 = Yes (AURXYR=1).....	75134	7.91
2 = No (AURXYR=2).....	587213	61.86

AMHTXRC3

Len : 1 RC-RCVD ANY MENTAL HEALTH TRT IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	288014	30.34
1 = Yes (AMHINP2=1 OR AMHOUTP3=1 OR AMHRX2=1)	92902	9.79
2 = No (AMHINP2=2 AND AMHOUTP3=2 AND AMHRX2=2).....	568369	59.87

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

The following variable, AMHSVTYP, classifies what type of mental health treatment/counseling was received in the past year. Respondents who reported receiving treatment for mental health were classified in one of seven mutually exclusive categories. A respondent was assigned to level one if they reported receiving inpatient treatment only (AMHINP2=1 and AMHOUTP3=2 and AMHRX2=2), to level two if they reported receiving outpatient treatment only (AMHINP2=2 and AMHOUTP3=2 and AMHRX2=1), to level three if they reported receiving prescription medication treatment only (AMHINP2=1 and AMHOUTP3=1 and AMHRX2=2), to level four if they reported receiving both inpatient and outpatient treatment only (AMHINP2=1 and AMHOUTP3=1 and AMHRX2=2), to level five if they reported receiving inpatient and prescription medication treatment only (AMHINP2=1 and AMHOUTP3=2 and AMHRX2=1), to level six if they reported receiving outpatient and prescription medication treatment only (AMHINP2=2 and AMHOUTP3=1 and AMHRX2=1), or to level seven if they reported receiving inpatient, outpatient, and prescription medication treatment (AMHINP2=1 and AMHOUTP3=1 and AMHRX2=1). Respondents who did not receive mental health treatment in the past year were assigned to level eight (AMHINP2=2 and AMHOUTP3=2 and AMHRX2=2). Respondents whose specific treatment was not distinguishable due to missing values in one or more of the three source variables (AMHINP2, AMHOUTP3, or AMHRX2) were assigned a system missing.

AMHSVTYP

Len : 1 RC-TYPE OF MENTAL HEALTH TRT RCVD IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	215132	22.66
-9 = Data not collected for this year.....	220816	23.26
1 = Inpatient Only (See comment above).....	1270	0.13
2 = Outpatient Only (See comment above).....	11692	1.23
3 = Presc Medication Only (See comment above).....	32856	3.46
4 = Inpatient and Outpatient Only (See comment above).....	502	0.05
5 = Inpatient and Presc Med Only (See comment above).....	869	0.09
6 = Outpatient and Presc Med Only (See comment above).....	23228	2.45
7 = Inp & Outp & Presc Medication (See comment above).....	2695	0.28
8 = Did Not Receive MH Treatment (See comment above).....	440225	46.37

The following variable, AMHSVNO, classifies the total number of types of mental health treatment/counseling services that a respondent received in the past year. The three possible types of treatment/counseling services are inpatient, outpatient, and prescription medication.

AMHSVNO

Len : 1 RC-NUM OF TYPES OF MNT HLTH TRT SRVCS RCVD IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	74328	7.83
-9 = Data not collected for this year.....	668535	70.43
1 = Rcvd One Type of Treatment (AMHSVTYP=1,2,3).....	19545	2.06
2 = Rcvd Two Types of Treatment (AMHSVTYP=4,5,6).....	10205	1.08
3 = Rcvd All Three Types of Treatment (AMHSVTYP=7).....	1157	0.12
4 = Did Not Receive MH Treatment (AMHSVTYP=8).....	175515	18.49

The following variable, AMHTXND2, is defined as feeling a perceived need for mental health treatment/counseling that was not received. This is often referred to as "unmet need."

AMHTXND2

Len : 1 RC-PERCEIVED UNMET NEED/DID NOT RCV MH TRT IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	287461	30.28
1 = Yes (AUUNMTYR=1).....	45909	4.84
2 = No (AUUNMTYR=2).....	615915	64.88

AMHTXAND

Len : 1 RC-PERCEIVED UNMET NEED/RECEIPT OF MH TRT STATUS

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	88040	9.27
-9 = Data not collected for this year.....	612222	64.49
1 = Perc Unmet Need/No MH TRT (AMHTXND2=1 and AMHTXRC3=2).....	8574	0.90
2 = No Perc Unmet Need/No MH TRT (AMHTXND2=2 and AMHTXRC3=2).....	202461	21.33
3 = Perc Unmet Need/Rcvd MH TRT (AMHTXND2=1 and AMHTXRC3=1).....	8831	0.93
4 = No Perc Nd/Rcvd MH TRT (AMHTXND2=2 and AMHTXRC3=1).....	29157	3.07

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

NOTE: The following seven variables contain information about the location of outpatient mental health treatment/counseling received in the past year. These variables were revised for the 2009 NSDUH to include those respondents who reported receiving NO outpatient mental health treatment (AMHOUTP3=2) in the No category for the location. This differs from the variables named similarly in the past as they were only defined for those respondents who reported having received outpatient mental health treatment in the past year (AMHOUTP3=1) and those respondents who reported No outpatient mental health treatment were previously defined as system missing.

Only respondents who reported having received outpatient mental health treatment/counseling (AMHOUTP3=1) can be defined as having received it at the location. A respondent was allowed to report any of five specific locations or "Some Other Place". If a respondent reported "Some Other Place," they were asked to provide a description of the other location in a follow-up question. The first five variables below were created by examination of the variables containing information on the five specific locations, while the last two variables were created by examination of the variables containing information on the other-specify locations which were grouped into two main categories.

<u>MHLMNT3</u>	Len : 1 RC-RCVD OUTP MH TRT AT MH CLINIC/CENTER IN PST YR		
		Freq	Pct
	. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise).....	160982	16.96
	-9 = Data not collected for this year	386010	40.66
	0 = No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPMENT=6])	394312	41.54
	1 = Yes (AMHOUTP3=1 and AUOPMENT=1,3).....	7981	0.84

<u>MHLTHER3</u>	Len : 1 RC-RCVD OUTP MH TRT AT PRIV THERAPIST OFC IN PST YR		
		Freq	Pct
	. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise).....	160980	16.96
	-9 = Data not collected for this year	386010	40.66
	0 = No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPTHER=6])	384930	40.55
	1 = Yes (AMHOUTP3=1 and AUOPTHER=1,3).....	17365	1.83

<u>MHLD0C3</u>	Len : 1 RC-RCVD OUTP MH TRT AT NON CLINIC DR OFFCE IN PST YR		
		Freq	Pct
	. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise).....	160982	16.96
	-9 = Data not collected for this year	386010	40.66
	0 = No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPDOC=6])	397567	41.88
	1 = Yes (AMHOUTP3=1 and AUOPDOC=1,3)	4726	0.50

<u>MHLCCLNC3</u>	Len : 1 RC-RCVD OUTP MH TRT AT MEDICAL CLINIC IN PST YR		
		Freq	Pct
	. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise).....	160981	16.96
	-9 = Data not collected for this year	386010	40.66
	0 = No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPCLNC=6])	400180	42.16
	1 = Yes (AMHOUTP3=1 and AUOPCLNC=1,3)	2114	0.22

<u>MHLDTMT3</u>	Len : 1 RC-RCVD OUTP MH TRT AT DAY HOSP OR TRT PGM IN PST YR		
		Freq	Pct
	. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise).....	160980	16.96
	-9 = Data not collected for this year	386010	40.66
	0 = No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPDTMT=6])	401642	42.31
	1 = Yes (AMHOUTP3=1 and AUOPDTMT=1,3).....	653	0.07

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

NOTE: The following variables, MHLSCHL3 and MHLOTH3, were created by examination of the other-specify write-in responses for locations where a respondent received outpatient mental health treatment/counseling. See additional information included above the location of outpatient mental health treatment recode variable, MHLMNT3.

The following variable, MHLSCHL3, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as "School or University Setting/Clinic/Center" (AUOPYRS2=9). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at one of the five locations defined above but not some location other than these five locations (AUOPOTOP=6 AND AUOPYRS2=99), at some location other than the five locations defined above or "School or University Setting/Clinic/Center" and this location was classified as a valid outpatient treatment location (AUOPYRS2=1-6, 12, 13, 14, 15, 16, 18, 19, 20, 21, 23, 24, 25, 27, 28, 29, 31, 32, 33, 40, 41, 44, 46, 47, 52, 53, 57, 58, 60-70), or if they did not receive outpatient mental health treatment in the past year (AMHOUTP3=2). Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRS2=7, 8, 10, 11, 17, 22, 26, 30, 34, 35, 36, 37, 38, 39, 42, 45, 48, 49, 50, 51, 54, 55, 56, 59, 71, 72, 73), bad data, don't know, refused, or blank (AUOPYRS2=85, 94, 97, 98), aged 12-17 (AUOPYRS2=89, 99 and AMHOUTP3=), or classified as missing for receiving outpatient treatment in the past year (AMHOUTP3=) were set to SAS missing.

MHLSCHL3

Len : 1 RC-RCVD OUTP MH TRT AT A SCHOOL SETTING IN PST YR

	Freq	Pct
. = Otherwise (See comment above).....	161252	16.99
-9 = Data not collected for this year	386010	40.66
0 = No (See comment above).....	401548	42.30
1 = Yes (See comment above)	475	0.05

The following variable, MHLOTH3, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at some location other than the six locations defined above and was classified as a valid location for outpatient mental health treatment/counseling and not considered an alternative source of treatment (AUOPOTOP=1 and AUOPYRS2=12, 13, 14, 15, 16, 18, 19, 20, 21, 23, 24, 25, 27, 28, 29, 31, 32, 33, 40, 41, 44, 46, 47, 52, 53, 57, 58, 60-69). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at one of the first five specified locations but not some location other than these locations (AUOPOTOP=6 and AUOPYRS2=99), indicated some other location to be one of the six specified locations defined above (AUOPYRS2=1-6, 9, 43), provided a name of a facility (AUOPYRS2=70) as the 'other' location, or if reported not receiving outpatient mental health treatment in the past year (AMHOUTP3=2). Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRS2=7, 8, 10, 11, 17, 22, 26, 30, 34, 35, 36, 37, 38, 39, 42, 45, 48, 49, 50, 51, 54, 55, 56, 59, 71, 72, 73), bad data, don't know, refused, or blank (AUOPYRS2=85, 94, 97, 98), aged 12-17 (AUOPYRS2=89, 99 and AMHOUTP3=), or classified as missing for receiving outpatient treatment in the past year (AMHOUTP3=) were set to SAS missing.

MHLOTH3

Len : 1 RC-RCVD OUTP MH TRT AT SOME OTHER PLACE IN PST YR

	Freq	Pct
. = Otherwise (See comment above).....	161252	16.99
-9 = Data not collected for this year	386010	40.66
0 = No (See comment above).....	401349	42.28
1 = Yes (See comment above)	674	0.07

NOTE: The following 11 variables contain information about the source of payment for outpatient mental health treatment/counseling received in the past year. A respondent must have reported having received outpatient mental health treatment in the past year (AMHOUTP3=1) in order to be asked questions on the source of payment for treatment. A respondent was allowed to report any of 11 specific sources of payment.

MHPDSLF2

Len : 1 RC-SELF/HHOLD FAM MBR PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	849382	89.48
-9 = Data not collected for this year	54079	5.70
0 = No (AMHOUTP3=1 and AUPOPSLF=6).....	29184	3.07
1 = Yes (AMHOUTP3=1 and AUPOPSLF=1).....	16640	1.75

MHPDOFM2

Len : 1 RC-NON-HHOLD FAM MBR PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	849382	89.48
-9 = Data not collected for this year	54079	5.70
0 = No (AMHOUTP3=1 and AUPOPOFM=6)	43984	4.63
1 = Yes (AMHOUTP3=1 and AUPOPOFM=1).....	1840	0.19

MHPDPHI2

Len : 1 RC-PRIV HEALTH INSUR PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	849382	89.48
-9 = Data not collected for this year	54079	5.70
0 = No (AMHOUTP3=1 and AUPOPPHI=6)	28989	3.05
1 = Yes (AMHOUTP3=1 and AUPOPPHI=1).....	16835	1.77

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

[MHPDMCR2](#)

Len : 1 RC-MEDICARE PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	849382	89.48
-9 = Data not collected for this year	54079	5.70
0 = No (AMHOUTP3=1 and AUPOPMCR=6).....	40928	4.31
1 = Yes (AMHOUTP3=1 and AUPOPMCR=1).....	4896	0.52

[MHPDMCD2](#)

Len : 1 RC-MEDICAID PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt /Unkwn Sourc/Aged 12-17 (Otherwise).....	849382	89.48
-9 = Data not collected for this year	54079	5.70
0 = No (AMHOUTP3=1 and AUPOPMCD=6).....	39615	4.17
1 = Yes (AMHOUTP3=1 and AUPOPMCD=1)	6209	0.65

[MHPDREH2](#)

Len : 1 RC-REHAB PGM PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	849382	89.48
-9 = Data not collected for this year	54079	5.70
0 = No (AMHOUTP3=1 and AUPOPREH=6).....	45628	4.81
1 = Yes (AMHOUTP3=1 and AUPOPREH=1).....	196	0.02

[MHPDEMP2](#)

Len : 1 RC-EMPLOYER PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	849382	89.48
-9 = Data not collected for this year	54079	5.70
0 = No (AMHOUTP3=1 and AUPOPEMP=6).....	42835	4.51
1 = Yes (AMHOUTP3=1 and AUPOPEMP=1)	2989	0.31

[MHPDMIL2](#)

Len : 1 RC-VA OR MILITARY PGM PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	849382	89.48
-9 = Data not collected for this year	54079	5.70
0 = No (AMHOUTP3=1 and AUPOPMIL=6)	44028	4.64
1 = Yes (AMHOUTP3=1 and AUPOPMIL=1)	1796	0.19

[MHPDPUB2](#)

Len : 1 RC-OTH PUBLIC SOURCE PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	849382	89.48
-9 = Data not collected for this year	54079	5.70
0 = No (AMHOUTP3=1 and AUPOPPUB=6).....	44336	4.67
1 = Yes (AMHOUTP3=1 and AUPOPPUB=1).....	1488	0.16

[MHPDPRV2](#)

Len : 1 RC-OTH PRIVATE SOURCE PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	849382	89.48
-9 = Data not collected for this year	54079	5.70
0 = No (AMHOUTP3=1 and AUPOPPRV=6).....	45141	4.76
1 = Yes (AMHOUTP3=1 and AUPOPPRV=1).....	683	0.07

[MHPDFRE2](#)

Len : 1 RC-FREE - NOBODY PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	849382	89.48
-9 = Data not collected for this year	54079	5.70
0 = No (AMHOUTP3=1 and AUPOPFRE=6)	42243	4.45
1 = Yes (AMHOUTP3=1 and AUPOPFRE=1)	3581	0.38

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

NOTE: The following 15 variables contain information about the reasons for not receiving mental health treatment/counseling that was needed in the past year. A respondent must have reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) in order to be asked the questions on the reason for not receiving treatment. A respondent was allowed to report any of eight specific reasons or "Some Other Reason." If a respondent reported "Some Other Reason," they were allowed to report any of six additional specific reasons or report "Some Other Reason" again. If a respondent reported "Some Other Reason" again, they were then asked to provide the most important other reason in a follow-up question. The first 14 variables below were created by examination of the variables containing information on the fourteen specific reasons; while the last variable was created by examination of the most important other-specify reasons.

<u>MHRCOST2</u>	Len : 1 RC-NO MH TRT IN PST YR B/C COULD NOT AFFORD COST		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise).....	852368	89.79
	-9 = Data not collected for this year	54079	5.70
	0 = No (AMHTXND2=1 and AUUNCOST=6).....	24635	2.60
	1 = Yes (AMHTXND2=1 and AUUNCOST=1,3).....	18203	1.92

<u>MHRNBR2</u>	Len : 1 RC-NO MH TRT IN PST YR B/C FEAR OF NEIGHBRS NEG OPIN		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise).....	852368	89.79
	-9 = Data not collected for this year	54079	5.70
	0 = No (AMHTXND2=1 and AUUNNBR=6)	37935	4.00
	1 = Yes (AMHTXND2=1 and AUUNNBR=1,3)	4903	0.52

<u>MHRJOBS2</u>	Len : 1 RC-NO MH TRT IN PST YR B/C FEAR OF NEG AFFECT ON JOB		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise).....	852368	89.79
	-9 = Data not collected for this year	54079	5.70
	0 = No (AMHTXND2=1 and AUUNJOB=6)	39454	4.16
	1 = Yes (AMHTXND2=1 and AUUNJOB=1,3)	3384	0.36

<u>MHRNCOV2</u>	Len : 1 RC-NO MH TRT IN PST YR B/C INSUR NOT COVER AT ALL		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise).....	852368	89.79
	-9 = Data not collected for this year	54079	5.70
	0 = No (AMHTXND2=1 and AUUNNCOV=6)	40083	4.22
	1 = Yes (AMHTXND2=1 and AUUNNCOV=1,3)	2755	0.29

<u>MHRENUF2</u>	Len : 1 RC-NO MH TRT IN PST YR B/C INSUR NOT PAY ENOUGH		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise).....	852368	89.79
	-9 = Data not collected for this year	54079	5.70
	0 = No (AMHTXND2=1 and AUUNENUF=6)	38432	4.05
	1 = Yes (AMHTXND2=1 and AUUNENUF=1,3)	4406	0.46

<u>MHRWHER2</u>	Len : 1 RC-NO MH TRT IN PST YR B/C DID NOT KNOW WHERE TO GO		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise).....	852368	89.79
	-9 = Data not collected for this year	54079	5.70
	0 = No (AMHTXND2=1 and AUUNWHER=6)	34187	3.60
	1 = Yes (AMHTXND2=1 and AUUNWHER=1,3)	8651	0.91

<u>MHRCFID2</u>	Len : 1 RC-NO MH TRT IN PST YR B/C CONFIDENTIALITY CONCERNS		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise).....	852368	89.79
	-9 = Data not collected for this year	54079	5.70
	0 = No (AMHTXND2=1 and AUUNCFID=6).....	38661	4.07
	1 = Yes (AMHTXND2=1 and AUUNCFID=1,3).....	4177	0.44

<u>MHRCMIT2</u>	Len : 1 RC-NO MH TRT IN PST YR B/C FEAR BEING COMMITTED/MED		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise).....	852368	89.79
	-9 = Data not collected for this year	54079	5.70
	0 = No (AMHTXND2=1 and AUUNCMIT=6).....	37523	3.95
	1 = Yes (AMHTXND2=1 and AUUNCMIT=1,3).....	5315	0.56

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

MHRNOND2

Len : 1 RC-NO MH TRT IN PST YR B/C DIDN'T THINK TRT NEEDED

	Freq	Pct
. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise).....	852375	89.79
-9 = Data not collected for this year	54079	5.70
0 = No (AMHTXND2=1 and AUUNNOND=6)	38350	4.04
1 = Yes (AMHTXND2=1 and AUUNNOND=1,3)	4481	0.47

MHRHAND2

Len : 1 RC-NO MH TRT IN PST YR B/C THGT COULD HANDLE PRB W/O

	Freq	Pct
. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise).....	852375	89.79
-9 = Data not collected for this year	54079	5.70
0 = No (AMHTXND2=1 and AUUNHNDL=6)	30833	3.25
1 = Yes (AMHTXND2=1 and AUUNHNDL=1,3)	11998	1.26

MHRNOHP2

Len : 1 RC-NO MH TRT IN PST YR B/C DIDN'T THNK TRT WOULD HELP

	Freq	Pct
. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise).....	852375	89.79
-9 = Data not collected for this year	54079	5.70
0 = No (AMHTXND2=1 and AUUNNHLP=6)	38057	4.01
1 = Yes (AMHTXND2=1 and AUUNNHLP=1,3)	4774	0.50

MHRTIME2

Len : 1 RC-NO MH TRT IN PST YR B/C DIDN'T HAVE TIME

	Freq	Pct
. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise).....	852375	89.79
-9 = Data not collected for this year	54079	5.70
0 = No (AMHTXND2=1 and AUUNBUSY=6)	35440	3.73
1 = Yes (AMHTXND2=1 and AUUNBUSY=1,3)	7391	0.78

MHRFOUT2

Len : 1 RC-NO MH TRT IN PST YR B/C DIDNT WANT OTH TO FIND OUT

	Freq	Pct
. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise).....	852375	89.79
-9 = Data not collected for this year	54079	5.70
0 = No (AMHTXND2=1 and AUUNFOUT=6)	39174	4.13
1 = Yes (AMHTXND2=1 and AUUNFOUT=1,3)	3657	0.39

MHRTRAN2

Len : 1 RC-NO MH TRT IN PST YR B/C NO TRANS OR INCONVENIENT

	Freq	Pct
. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise).....	852375	89.79
-9 = Data not collected for this year	54079	5.70
0 = No (AMHTXND2=1 and AUUNNTSP=6)	40899	4.31
1 = Yes (AMHTXND2=1 and AUUNNTSP=1,3)	1932	0.20

The following variable, MHRSOH2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and the reason for not receiving that treatment was other than the fourteen reasons listed above (AUUNSOR=1 and AUUNRIM2=15-69). A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and reported one of the reasons listed in the fourteen variables above, respondent did/had appt for mental health treatment/counseling or did not report an other-specify reason for not receiving this treatment (AUUNSOR=1, 6 and AUUNRIM2=1-14, 70, 85, 94, 97, 98, 99).

MHRSOH2

Len : 1 RC-NO MH TRT IN PST YR B/C SOME OTHER REASON

	Freq	Pct
. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise).....	852376	89.79
-9 = Data not collected for this year	54079	5.70
0 = No (See comment above).....	39320	4.14
1 = Yes (See comment above)	3510	0.37

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

NOTE: The following four variables were created by using a combination of variables from the following sections: Recoded Adult Mental Health Service Utilization and Recoded Drug Treatment. Specifications on how the individual Recoded Adult Mental Health Service Utilization variable was defined can be found above. Specifications on how the individual Recoded Drug Treatment variable was defined can be found in the Recoded Drug Treatment section. Please note that these variables may be similar to previously defined variables but due to changes in the substance treatment variables, they have been renamed and are no longer comparable.

<u>RCVMHOSPTX</u>	Len : 1 RC-RCVD MH TRT OR SUB TRT AT SPEC FAC IN PST YR		
		Freq	Pct
	. = Yth/Unkn (AGE2=1-6 or (AMHTXRC3=, & TXYRSPILAL=0)).....	55923	5.89
	-9 = Data not collected for this year	722653	76.13
	0 = No MH & No/Unk Sub Trt (AMHTXRC3=2 & TXYRSPILAL=0)	143235	15.09
	1 = MH or Sub Trt at Spc Fac (AMHTXRC3=1 or TXYRSPILAL=1).....	27474	2.89

<u>RCVMHNSPTX</u>	Len : 1 RC-RCVD MH TRT BUT NOT SUB TRT AT SPEC FAC IN PST YR		
		Freq	Pct
	. = Yth/Unkn (AGE2=1-6 or (AMHTXRC3=, & TXYRSPILAL=0)).....	55923	5.89
	-9 = Data not collected for this year	722653	76.13
	0 = No MH or Sub Trt at Spc Fac (AMHTXRC3=2 or TXYRSPILAL=1)	145401	15.32
	1 = Mental Hlth Trt Only (AMHTXRC3=1 and TXYRSPILAL=0)	25308	2.67

<u>RCVSPTXNMH</u>	Len : 1 RC-RCVD SUB TRT AT SPEC FAC BUT NOT MH TRT IN PST YR		
		Freq	Pct
	. = Yth/Unkn (AGE2=1-6 or (AMHTXRC3=, & TXYRSPILAL=1)).....	54886	5.78
	-9 = Data not collected for this year	722653	76.13
	0 = No/Unk Sub Trt or MH Trt (AMHTXRC3=1 or TXYRSPILAL=0).....	170709	17.98
	1 = Sub Trt at Spc Fac Only (AMHTXRC3=2 & TXYRSPILAL=1).....	1037	0.11

<u>RCVMHASPTX</u>	Len : 1 RC-RCVD BOTH MH TRT AND SUB TRT AT SPEC FAC IN PST YR		
		Freq	Pct
	. = Yth/Unkn (AGE2=1-6 or (AMHTXRC3=, & TXYRSPILAL=1)).....	54886	5.78
	-9 = Data not collected for this year	722653	76.13
	0 = No MH or No/Unk Sub Trt (AMHTXRC3=2 or TXYRSPILAL=0).....	170637	17.98
	1 = MH & Sub Trt at Sp Fac (AMHTXRC3=1 & TXYRSPILAL=1).....	1109	0.12

SOCIAL AND NEIGHBORHOOD ENVIRONMENT

SOCIAL AND NEIGHBORHOOD ENVIRONMENT

The next questions are about what it's like to live in your neighborhood. By neighborhood, we mean the area around where you live and around your house. It may include places you shop, religious or public institutions, or a local business district. It is the general area around your house where you might perform routine tasks, such as shopping, going to the park, or visiting with neighbors.

The following statements are about things that people in your neighborhood may or may not do. For each of these statements, please tell me whether you strongly agree, agree, disagree, or strongly disagree.

This is a close-knit neighborhood.

Would you say you strongly agree, agree, disagree or strongly disagree?

[SNPCKNIT](#)¹

Len : 2 CLOSE-KNIT NEIGHBORHOOD

	Freq	Pct
-9 = Data not collected for this year	838453	88.32
1 = Strongly agree	10399	1.10
2 = Agree	34404	3.62
3 = Disagree	22461	2.37
4 = Strongly disagree	5234	0.55
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	1691	0.18
97 = REFUSED	129	0.01
98 = BLANK (NO ANSWER).....	13	0.00
99 = LEGITIMATE SKIP	36496	3.84

People around here are willing to help their neighbors.

[SNPWLHLP](#)¹

Len : 2 PEOPLE HERE ARE WILLING TO HELP THEIR NEIGHBORS

	Freq	Pct
-9 = Data not collected for this year	838453	88.32
1 = Strongly agree	15355	1.62
2 = Agree	43127	4.54
3 = Disagree	11506	1.21
4 = Strongly disagree	2853	0.30
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	1418	0.15
97 = REFUSED	59	0.01
98 = BLANK (NO ANSWER).....	13	0.00
99 = LEGITIMATE SKIP	36496	3.84

People in this neighborhood generally don't get along with each other.

[SNPNALNG](#)¹

Len : 2 PEOP IN THE NBRHOOD GENERALLY DON'T GET ALONG

	Freq	Pct
-9 = Data not collected for this year	838453	88.32
1 = Strongly agree	2526	0.27
2 = Agree	8664	0.91
3 = Disagree	45506	4.79
4 = Strongly disagree	15602	1.64
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	1932	0.20
97 = REFUSED	88	0.01
98 = BLANK (NO ANSWER).....	13	0.00
99 = LEGITIMATE SKIP	36496	3.84

SOCIAL AND NEIGHBORHOOD ENVIRONMENT

People in this neighborhood do not share the same values.

[SNPDFVAL](#)¹

Len : 2 PEOP IN NBRHOOD DO NOT SHARE THE SAME VALUES

	Freq	Pct
-9 = Data not collected for this year	838453	88.32
1 = Strongly agree	5686	0.60
2 = Agree	20394	2.15
3 = Disagree	36032	3.80
4 = Strongly disagree	7736	0.81
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	4319	0.45
97 = REFUSED	150	0.02
98 = BLANK (NO ANSWER).....	14	0.00
99 = LEGITIMATE SKIP	36496	3.84

People in this neighborhood can be trusted.

[SNPTRUST](#)¹

Len : 2 PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED

	Freq	Pct
-9 = Data not collected for this year	838453	88.32
1 = Strongly agree	11779	1.24
2 = Agree	39861	4.20
3 = Disagree	14693	1.55
4 = Strongly disagree	4627	0.49
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	3237	0.34
97 = REFUSED	120	0.01
98 = BLANK (NO ANSWER).....	14	0.00
99 = LEGITIMATE SKIP	36496	3.84

For each of the following, please tell me if it is very likely, likely, unlikely or very unlikely that people in your neighborhood would act in the following manner.

If a group of neighborhood children were skipping school and hanging out on a street corner, how likely is it that your neighbors would do something about it? Would you say it is very likely, likely, unlikely, or very unlikely?

[SNNHGOUT](#)¹

Len : 2 CHILDREN SKIPPING SCHOOL PEOP WOULD DO SOMETHING

	Freq	Pct
-9 = Data not collected for this year	838453	88.32
1 = Very likely.....	17431	1.84
2 = Likely.....	26657	2.81
3 = Unlikely	19042	2.01
4 = Very unlikely	8669	0.91
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	2422	0.26
97 = REFUSED	96	0.01
98 = BLANK (NO ANSWER).....	14	0.00
99 = LEGITIMATE SKIP	36496	3.84

If some children were spray-painting graffiti on a local building, how likely is it that your neighbors would do something about it?

[SNNGRFTI](#)¹

Len : 2 CHILDREN SPRAY-PAINTING GRAFFITI ON A LOCAL BLDG

	Freq	Pct
-9 = Data not collected for this year	838453	88.32
1 = Very likely.....	37094	3.91
2 = Likely.....	25107	2.64
3 = Unlikely	6994	0.74
4 = Very unlikely	3578	0.38
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	1477	0.16
97 = REFUSED	67	0.01
98 = BLANK (NO ANSWER).....	14	0.00
99 = LEGITIMATE SKIP	36496	3.84

SOCIAL AND NEIGHBORHOOD ENVIRONMENT

If a child was showing disrespect to an adult, how likely is it that people in your neighborhood would scold that child?

[SNNSCOLD¹](#)

Len : 2 PEOP SCOLD CHILDRN SHOWNG DISRESPECT TO AN ADULT

	Freq	Pct
-9 = Data not collected for this year	838453	88.32
1 = Very likely.....	11824	1.25
2 = Likely	28481	3.00
3 = Unlikely	23644	2.49
4 = Very unlikely	7461	0.79
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	2807	0.30
97 = REFUSED	98	0.01
98 = BLANK (NO ANSWER).....	16	0.00
99 = LEGITIMATE SKIP	36496	3.84

If there was a fight in front of your house and someone was being beaten or threatened, how likely is it that your neighbors would break it up?

[SNNBRKUP¹](#)

Len : 2 FIGHT OR SOMEONE WAS BEING BEATEN OR THREATENED

	Freq	Pct
-9 = Data not collected for this year	838453	88.32
1 = Very likely.....	26151	2.75
2 = Likely	30553	3.22
3 = Unlikely	11554	1.22
4 = Very unlikely	3874	0.41
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	2101	0.22
97 = REFUSED	81	0.01
98 = BLANK (NO ANSWER).....	17	0.00
99 = LEGITIMATE SKIP	36496	3.84

Suppose that because of budget cuts, the fire station closest to your home was going to be closed down by the city. How likely is it that neighborhood residents would organize to try to do something to keep the fire station open?

[SNNORGNZ¹](#)

Len : 2 BUDGET CUTS CLOSE FIRE STATION ORGANIZE SOMETHING

	Freq	Pct
-9 = Data not collected for this year	838453	88.32
1 = Very likely.....	24236	2.55
2 = Likely	28153	2.97
3 = Unlikely	14011	1.48
4 = Very unlikely	4704	0.50
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	3103	0.33
97 = REFUSED	107	0.01
98 = BLANK (NO ANSWER).....	17	0.00
99 = LEGITIMATE SKIP	36496	3.84

SOCIAL ENVIRONMENT

SOCIAL ENVIRONMENT

This note applies to variables in this section marked by a¹.

How many times have you moved in the past 5 years?

<u>SNMOV5Y2</u> ¹	Len : 3 # TIMES MOVED IN PAST 5 YEARS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = None	192127	20.24
	1 = One time.....	108751	11.46
	2 = Two times.....	73883	7.78
	3 = Three times.....	54796	5.77
	4 = Four times.....	25723	2.71
	5 = Five times.....	14573	1.54
	6 = Six or more times	18859	1.99
	985 = BAD DATA Logically assigned.....	20	0.00
	989 = LEGITIMATE SKIP Logically assigned.....	8	0.00
	994 = DON'T KNOW	2366	0.25
	997 = REFUSED	1176	0.12
	998 = BLANK (NO ANSWER).....	112	0.01
	999 = LEGITIMATE SKIP	230259	24.26

The next questions are about things you might or might not have done recently.

During the past 12 months, how many times have you sold illegal drugs?

<u>SNYSELL</u> ¹	Len : 2 SOLD ILLEGAL DRUGS		
		Freq	Pct
	1 = 0 times.....	641952	67.62
	2 = 1 or 2 times.....	8540	0.90
	3 = 3 to 5 times.....	3295	0.35
	4 = 6 to 9 times.....	1513	0.16
	5 = 10 or more times	6439	0.68
	85 = BAD DATA Logically assigned.....	74	0.01
	89 = LEGITIMATE SKIP Logically assigned	10	0.00
	94 = DON'T KNOW	631	0.07
	97 = REFUSED	1541	0.16
	98 = BLANK (NO ANSWER).....	167	0.02
	99 = LEGITIMATE SKIP	285123	30.04

During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?

<u>SNYSTOLE</u> ¹	Len : 2 STOLEN/TRIED TO STEAL ANYTHING WORTH > \$50		
		Freq	Pct
	1 = 0 times.....	651642	68.65
	2 = 1 or 2 times.....	7118	0.75
	3 = 3 to 5 times.....	1559	0.16
	4 = 6 to 9 times.....	612	0.06
	5 = 10 or more times	1409	0.15
	85 = BAD DATA Logically assigned.....	74	0.01
	89 = LEGITIMATE SKIP Logically assigned	10	0.00
	94 = DON'T KNOW	544	0.06
	97 = REFUSED	1026	0.11
	98 = BLANK (NO ANSWER).....	168	0.02
	99 = LEGITIMATE SKIP	285123	30.04

SOCIAL ENVIRONMENT

During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?

[SNYATTAK](#)¹

Len : 2 ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM

	Freq	Pct
1 = 0 times.....	646218	68.07
2 = 1 or 2 times.....	13496	1.42
3 = 3 to 5 times.....	1811	0.19
4 = 6 to 9 times.....	439	0.05
5 = 10 or more times.....	567	0.06
85 = BAD DATA Logically assigned.....	74	0.01
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
94 = DON'T KNOW.....	472	0.05
97 = REFUSED.....	907	0.10
98 = BLANK (NO ANSWER).....	168	0.02
99 = LEGITIMATE SKIP.....	285123	30.04

How do you feel about adults trying marijuana or hashish once or twice?

[SNFAMJEV](#)¹

Len : 2 HOW YOU FEEL: ADLTS TRYING MJ/HASH

	Freq	Pct
1 = Neither approve nor disapprove.....	366662	38.63
2 = Somewhat disapprove.....	83804	8.83
3 = Strongly disapprove.....	205763	21.68
85 = BAD DATA Logically assigned.....	43	0.00
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
94 = DON'T KNOW.....	4990	0.53
97 = REFUSED.....	2720	0.29
98 = BLANK (NO ANSWER).....	170	0.02
99 = LEGITIMATE SKIP.....	285123	30.04

During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.

[SNRLGSVC](#)¹

Len : 2 PAST 12 MOS, HOW MANY RELIG. SERVICES

	Freq	Pct
1 = 0 times.....	267768	28.21
2 = 1 to 2 times.....	79184	8.34
3 = 3 to 5 times.....	67506	7.11
4 = 6 to 24 times.....	88692	9.34
5 = 25 to 52 times.....	81464	8.58
6 = More than 52 times.....	74910	7.89
85 = BAD DATA Logically assigned.....	74	0.01
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
94 = DON'T KNOW.....	2066	0.22
97 = REFUSED.....	2318	0.24
98 = BLANK (NO ANSWER).....	170	0.02
99 = LEGITIMATE SKIP.....	285123	30.04

These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.

Your religious beliefs are a very important part of your life.

[SNRLGIMP](#)¹

Len : 2 MY RELIGIOUS BELIEFS ARE VERY IMPORTANT

	Freq	Pct
1 = Strongly Disagree.....	103312	10.88
2 = Disagree.....	92325	9.73
3 = Agree.....	239237	25.20
4 = Strongly Agree.....	218914	23.06
85 = BAD DATA Logically assigned.....	43	0.00
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
94 = DON'T KNOW.....	5006	0.53
97 = REFUSED.....	5143	0.54
98 = BLANK (NO ANSWER).....	172	0.02
99 = LEGITIMATE SKIP.....	285123	30.04

SOCIAL ENVIRONMENT

Your religious beliefs influence how you make decisions in your life.

[SNRLDCSN](#)¹

Len : 2 MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS

	Freq	Pct
1 = Strongly Disagree.....	106137	11.18
2 = Disagree	118181	12.45
3 = Agree	244441	25.75
4 = Strongly Agree.....	185592	19.55
85 = BAD DATA Logically assigned.....	42	0.00
89 = LEGITIMATE SKIP Logically assigned	10	0.00
94 = DON'T KNOW	4720	0.50
97 = REFUSED	4862	0.51
98 = BLANK (NO ANSWER).....	177	0.02
99 = LEGITIMATE SKIP	285123	30.04

It is important that your friends share your religious beliefs.

[SNRLFRND](#)¹

Len : 2 IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS

	Freq	Pct
1 = Strongly Disagree.....	202049	21.28
2 = Disagree	264126	27.82
3 = Agree	135325	14.26
4 = Strongly Agree.....	52151	5.49
85 = BAD DATA Logically assigned.....	42	0.00
89 = LEGITIMATE SKIP Logically assigned	10	0.00
94 = DON'T KNOW	5398	0.57
97 = REFUSED	4881	0.51
98 = BLANK (NO ANSWER).....	180	0.02
99 = LEGITIMATE SKIP	285123	30.04

ADULT MENTAL HEALTH

ADULT MENTAL HEALTH

NOTE: The variable ADLTSAMP reflects the split-sample design in the 2004 NSDUH for respondents aged 18 or older. Adults in Sample A received all relevant questions in the Adult Mental Health module. Adults in Sample B received only the questions corresponding to the edited variables DSTNRVOS, DSTHOPLS, DSTRSTLS, DSTCHEER, DSTEFFRT, and DSTNGOOD. Remaining variables in the Adult Mental Health module were assigned legitimate skip codes for adults in Sample B.

ADLTSAMP¹

Len : 2 ADULT MENTAL HEALTH SPLIT SAMPLE INDICATOR

	Freq	Pct
-9 = Data not collected for this year	893683	94.14
1 = Sample A.....	18624	1.96
2 = Sample B.....	18678	1.97
89 = LEGITIMATE SKIP Logically assigned	1	0.00
98 = BLANK (NO ANSWER).....	6	0.00
99 = LEGITIMATE SKIP	18293	1.93

The next questions are about problems with your emotions, nerves, or mental health in the past 12 months.

During the past 12 months, did you have a sudden attack of fear when out of the blue you became very frightened, anxious, or uneasy?

PANATAK¹

Len : 2 HAD SUDDEN ATTACK OF FEAR PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	14527	1.53
2 = No.....	77267	8.14
85 = BAD DATA Logically assigned.....	9	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	103	0.01
97 = REFUSED	85	0.01
98 = BLANK (NO ANSWER).....	35	0.00
99 = LEGITIMATE SKIP	72883	7.68

Attacks like this often cause physical reactions like sweating, shortness of breath, a racing heart, or dizziness. During the past 12 months, did you have physical reactions like these when you had a sudden attack of fear?

PANREAC¹

Len : 2 PHYS RXNS WHEN HAVING ATTACKS PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	11014	1.16
2 = No.....	3494	0.37
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW	12	0.00
97 = REFUSED	91	0.01
98 = BLANK (NO ANSWER).....	145	0.02
99 = LEGITIMATE SKIP	150152	15.82

About how many of these sudden attacks of fear did you have in the past 12 months? If you can't remember the exact number, just give your best estimate.

PANATKN²

Len : 3 NUMBER OF ATTACKS OF FEAR PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = 1-10 times.....	8982	0.95
2 = 11-12 times	290	0.03
3 = 13-20 times	658	0.07
4 = 21-30 times	378	0.04
5 = 31-40 times	103	0.01
6 = 41-52 times	160	0.02
7 = 53-60 times	30	0.00
8 = 61-100 times	125	0.01
9 = 101-200 times	59	0.01
10 = 201-300 times	44	0.00
11 = 301-365 times	22	0.00
12 = 366 or more times.....	13	0.00
985 = BAD DATA Logically assigned.....	3	0.00
994 = DON'T KNOW	136	0.01
997 = REFUSED	105	0.01
998 = BLANK (NO ANSWER).....	157	0.02
999 = LEGITIMATE SKIP	153646	16.19

ADULT MENTAL HEALTH

During the past 12 months, did you have a period of time lasting two weeks or longer when most of the time you felt sad, empty, or depressed?

[MDEDP2WK](#)¹

Len : 2 FELT DEPRESSED FOR 2+ WKS IN PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	21876	2.30
2 = No.....	69916	7.37
85 = BAD DATA Logically assigned.....	9	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	101	0.01
97 = REFUSED	88	0.01
98 = BLANK (NO ANSWER).....	36	0.00
99 = LEGITIMATE SKIP	72883	7.68

NOTE: For the question pertaining to MDEDPWKR, respondents were asked to report the number of weeks that they felt depressed. By definition, respondents needed to have reported a period of 2 or more weeks in the past 12 months when they felt depressed in order to be asked to report the number of weeks they felt depressed. Thus, there are no responses of "1 week" in MDEDPWKR.

During the past 12 months, about how many weeks did you feel sad, empty, or depressed?

If you can't remember the exact number, just give your best estimate.

[MDEDPWKR](#)¹

Len : 2 # OF WEEKS FELT DEPRESSED IN PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = 2-4 weeks	10114	1.07
2 = 5-8 weeks	4472	0.47
3 = 9-12 weeks	2510	0.26
4 = 13-16 weeks.....	752	0.08
5 = 17-18 weeks.....	67	0.01
6 = 19-20 weeks.....	731	0.08
7 = 21-22 weeks.....	55	0.01
8 = 23-24 weeks.....	244	0.03
9 = 25-26 weeks.....	396	0.04
10 = 27-36 weeks.....	865	0.09
11 = 37-44 weeks.....	358	0.04
12 = 45-51 weeks.....	407	0.04
13 = All 52 weeks	391	0.04
85 = BAD DATA Logically assigned.....	2	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	449	0.05
97 = REFUSED	153	0.02
98 = BLANK (NO ANSWER).....	144	0.02
99 = LEGITIMATE SKIP	142800	15.04

During those [DEWEEK1 FILL] weeks, did you feel sad or depressed nearly every day, or just some days?

[MDEDAYFQ](#)¹

Len : 2 HOW OFT FELT DEPRESSED IN THOSE WKS, PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Nearly every day.....	8234	0.87
2 = Just some days.....	13123	1.38
85 = BAD DATA Logically assigned.....	2	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	2	0.00
97 = REFUSED	156	0.02
98 = BLANK (NO ANSWER).....	593	0.06
99 = LEGITIMATE SKIP	142800	15.04

ADULT MENTAL HEALTH

On the days you felt sad or depressed, did you usually feel that way all day long, most of the day, about half the day, or less than half the day?

[MDEDAYLN](#)¹

Len : 2 HOW MUCH OF DAY FELT DEPRESSED PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = All day long.....	2206	0.23
2 = Most of the day	4253	0.45
3 = About half the day.....	1442	0.15
4 = Less than half the day.....	331	0.03
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	5	0.00
97 = REFUSED	155	0.02
98 = BLANK (NO ANSWER).....	594	0.06
99 = LEGITIMATE SKIP	155923	16.43

During those [DEWEEK1 FILL] weeks when you felt sad or depressed, did you also have any changes in sleep, energy, appetite, or the ability to concentrate?

[MDECHNGS](#)¹

Len : 2 ANY CHANGES WHEN FELT DEPRESSED PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	7427	0.78
2 = No.....	469	0.05
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	4	0.00
97 = REFUSED	156	0.02
98 = BLANK (NO ANSWER).....	599	0.06
99 = LEGITIMATE SKIP	156254	16.46

During the past 12 months, did you have a period of time lasting two weeks or longer when you lost interest in most things like work, hobbies, and other things you usually enjoy?

[MDELOSIN](#)¹

Len : 2 LOST INTEREST IN THINGS 2+ WKS IN PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	10875	1.15
2 = No.....	73003	7.69
85 = BAD DATA Logically assigned.....	8	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	107	0.01
97 = REFUSED	94	0.01
98 = BLANK (NO ANSWER).....	38	0.00
99 = LEGITIMATE SKIP	80785	8.51

ADULT MENTAL HEALTH

NOTE: For the question pertaining to MDELIWK2, respondents were asked to report the number of weeks that they lost interest in things. By definition, respondents needed to have reported a period of 2 or more weeks in the past 12 months when they lost interest in order to be asked to report the number of weeks they lost interest in things. Thus, there are no responses of "1 week" in MDELIWK2.

During the past 12 months, about how many weeks did you lose interest in most things? If you can't remember the exact number, just give your best estimate.

[MDELIWK2](#)¹

Len : 2 # OF WEEKS LOST INTEREST IN THINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = 2-4 weeks	6933	0.73
2 = 5-8 weeks	1694	0.18
3 = 9-12 weeks	835	0.09
4 = 13-16 weeks.....	222	0.02
5 = 17-18 weeks.....	19	0.00
6 = 19-20 weeks.....	218	0.02
7 = 21-22 weeks.....	27	0.00
8 = 23-24 weeks.....	61	0.01
9 = 25-26 weeks.....	86	0.01
10 = 27-36 weeks.....	206	0.02
11 = 37-44 weeks.....	51	0.01
12 = 45-51 weeks.....	50	0.01
13 = All 52 weeks.....	37	0.00
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	375	0.04
97 = REFUSED	155	0.02
98 = BLANK (NO ANSWER).....	152	0.02
99 = LEGITIMATE SKIP	153789	16.20

During those [DEWEEK2 FILL] weeks, did you lack interest in most things nearly every day, or just some days?

[MDELIFQ](#)¹

Len : 2 HOW OFT LOST INTEREST IN THOSE WKS, PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Nearly every day.....	1718	0.18
2 = Just some days	8716	0.92
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	3	0.00
97 = REFUSED	157	0.02
98 = BLANK (NO ANSWER).....	527	0.06
99 = LEGITIMATE SKIP	153789	16.20

On the days you lost interest, did you usually feel that way all day long, most of the day, about half the day, or less than half the day?

[MDELILN](#)¹

Len : 2 HOW MUCH OF DAY LOST INTEREST PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = All day long.....	476	0.05
2 = Most of the day.....	858	0.09
3 = About half the day.....	299	0.03
4 = Less then half the day.....	85	0.01
94 = DON'T KNOW	4	0.00
97 = REFUSED	156	0.02
98 = BLANK (NO ANSWER).....	528	0.06
99 = LEGITIMATE SKIP	162505	17.12

During those [DEWEEK2 FILL] weeks when you lost interest in things, did you also have any changes in sleep, energy, appetite, or your ability to concentrate?

[MDELICHG](#)¹

Len : 2 ANY CHANGES WHEN LOST INTEREST PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	1455	0.15
2 = No.....	176	0.02
94 = DON'T KNOW	2	0.00
97 = REFUSED	156	0.02
98 = BLANK (NO ANSWER).....	532	0.06
99 = LEGITIMATE SKIP	162590	17.13

ADULT MENTAL HEALTH

During the past 12 months, were there at least four days in a row when you were so excited or hyper that you either got into trouble or people worried about you being so excited, or a doctor said you were manic?

MNCHYPER¹

Len : 2 FELT HYPER FOR 4+ DAYS IN A ROW IN PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	2430	0.26
2 = No.....	89350	9.41
4 = No LOGICALLY ASSIGNED (MNCEVER = 2)	46	0.00
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	80	0.01
97 = REFUSED	82	0.01
98 = BLANK (NO ANSWER).....	37	0.00
99 = LEGITIMATE SKIP	72883	7.68

During the time when you were extremely excited or hyper, did you find that you could hardly sleep at all but still you didn't feel tired?

MNCNOSLP¹

Len : 2 COULDN'T SLEEP WHEN FELT HYPER

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	1793	0.19
2 = No.....	632	0.07
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	5	0.00
97 = REFUSED	82	0.01
98 = BLANK (NO ANSWER).....	117	0.01
99 = LEGITIMATE SKIP	162280	17.09

During the time when you were extremely excited or hyper, did you feel that you had special powers or that you could do things people really cannot do?

MNCSPWRS¹

Len : 2 FEELING OF SPECIAL POWERS WHEN FELT HYPER

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	559	0.06
2 = No.....	1864	0.20
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	6	0.00
97 = REFUSED	83	0.01
98 = BLANK (NO ANSWER).....	117	0.01
99 = LEGITIMATE SKIP	162280	17.09

In your entire life, did you ever have a time lasting at least 4 days in a row when you were so excited or hyper that you either got into trouble or people worried about you being so excited or a doctor said you were manic?

MNCEVER¹

Len : 2 EVER FELT HYPER FOR 4+ DAYS IN A ROW

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	2363	0.25
2 = No.....	86942	9.16
5 = Yes LOGICALLY ASSIGNED (MNCHYPER = 1).....	2430	0.26
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	152	0.02
97 = REFUSED	101	0.01
98 = BLANK (NO ANSWER).....	38	0.00
99 = LEGITIMATE SKIP	72884	7.68

ADULT MENTAL HEALTH

During the past 12 months, did you take any prescription medication to prevent another one of these manic episodes from occurring?

NOTE: Respondents who reported feeling hyper in the past 12 months (MNCHYPER=1) were not asked whether they took medications to prevent manic episodes from occurring in the past 12 months.

[MNCMEDS](#)¹

Len : 2 TOOK MEDS TO PREVENT MANIC EPISODE PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	369	0.04
2 = No.....	1991	0.21
5 = Hyper in past 12 mos LOG ASSN (MNCHYPER = 1)	2430	0.26
94 = DON'T KNOW	2	0.00
97 = REFUSED	102	0.01
98 = BLANK (NO ANSWER).....	190	0.02
99 = LEGITIMATE SKIP	159827	16.84

Are you much more nervous, anxious, or fearful than most people would be about social or performance situations, like giving a speech, meeting new people, going to parties, speaking up at a meeting, or being in a dating situation?

[PHBSOCL](#)¹

Len : 2 MORE NERVOUS THAN MOST PEOPLE ABOUT SOC SITNS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	21232	2.24
2 = No.....	70403	7.42
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	229	0.02
97 = REFUSED	125	0.01
98 = BLANK (NO ANSWER).....	37	0.00
99 = LEGITIMATE SKIP	72883	7.68

Thinking about the social or performance situation that you fear the most, how strong is your fear when you find yourself in that situation?

[PHBLEVEL](#)¹

Len : 2 STRENGTH OF FEAR IN SOC SITN FEARED THE MOST

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Your fear is mild.....	5812	0.61
2 = Your fear is moderate	11493	1.21
3 = Your fear is severe	3852	0.41
94 = DON'T KNOW	69	0.01
97 = REFUSED	131	0.01
98 = BLANK (NO ANSWER).....	266	0.03
99 = LEGITIMATE SKIP	143288	15.09

How often do you try to avoid this type of social or performance situation?

[PHBAVOID](#)¹

Len : 2 HOW OFTEN TRY TO AVOID FEARED SOC SITN

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Often.....	6976	0.73
2 = Sometimes	6551	0.69
3 = Rarely.....	1496	0.16
4 = Never	308	0.03
94 = DON'T KNOW	13	0.00
97 = REFUSED	132	0.01
98 = BLANK (NO ANSWER).....	335	0.04
99 = LEGITIMATE SKIP	149100	15.71

ADULT MENTAL HEALTH

How much does your fear or avoidance of this social or performance situation interfere with your everyday life or activities?

[PHBINTER](#)¹

Len : 2 HOW MUCH FEAR OF SOC SITN INTERFERES W/LIFE

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Not at all.....	4680	0.49
2 = A little	6574	0.69
3 = Some	2863	0.30
4 = A lot.....	1199	0.13
94 = DON'T KNOW	21	0.00
97 = REFUSED	139	0.01
98 = BLANK (NO ANSWER).....	335	0.04
99 = LEGITIMATE SKIP	149100	15.71

Are you much more nervous, anxious, or fearful than most people would be about being in crowds?

[PHBCRWDS](#)¹

Len : 2 MORE NERVOUS THAN MOST PEOPLE ABOUT CROWDS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	10815	1.14
2 = No.....	80874	8.52
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	197	0.02
97 = REFUSED	103	0.01
98 = BLANK (NO ANSWER).....	37	0.00
99 = LEGITIMATE SKIP	72883	7.68

Are you much more nervous, anxious, or fearful than most people would be about going to public places?

[PHBPUBPL](#)¹

Len : 2 MORE NERVOUS THN MOST PPL ABOUT PUBLIC PLACES

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	6013	0.63
2 = No.....	85740	9.03
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	146	0.02
97 = REFUSED	90	0.01
98 = BLANK (NO ANSWER).....	37	0.00
99 = LEGITIMATE SKIP	72883	7.68

Are you much more nervous, anxious, or fearful than most people would be about traveling in a bus, train, or car?

[PHBTRAVL](#)¹

Len : 2 MORE NERVOUS THAN MOST PPL ABOUT TRAVELING

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	4650	0.49
2 = No.....	87130	9.18
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	133	0.01
97 = REFUSED	76	0.01
98 = BLANK (NO ANSWER).....	37	0.00
99 = LEGITIMATE SKIP	72883	7.68

Are you much more nervous, anxious, or fearful than most people would be about being away from home alone?

[PHBAWYHM](#)¹

Len : 2 MORE NERVOUS THAN MOST PPL BEING AWAY FROM HOME

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	7808	0.82
2 = No.....	83911	8.84
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	175	0.02
97 = REFUSED	94	0.01
98 = BLANK (NO ANSWER).....	38	0.00
99 = LEGITIMATE SKIP	72883	7.68

ADULT MENTAL HEALTH

Think about your fears of [PHOFILL1, PHOFILL2, and PHOFILL UNTIL ALL PHOFILLS INSERTED]. Which of these fears is the strongest?

[PHBWRSFR](#)¹

Len : 2 WHICH FEAR IS THE STRONGEST/WORST

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Being in crowds	3361	0.35
2 = Going to public places	1040	0.11
3 = Traveling in a bus, train, or car	952	0.10
4 = Being away from home alone	2186	0.23
94 = DON'T KNOW	18	0.00
97 = REFUSED	76	0.01
98 = BLANK (NO ANSWER)	233	0.02
99 = LEGITIMATE SKIP	157045	16.54

How strong is your fear when you find yourself [WSTFILL]?

[PHBWRSST](#)¹

Len : 2 STRENGTH OF FEAR IN SITN WHERE FEAR IS WORST

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Your fear is mild	6786	0.71
2 = Your fear is moderate	7847	0.83
3 = Your fear is severe	2107	0.22
94 = DON'T KNOW	73	0.01
97 = REFUSED	77	0.01
98 = BLANK (NO ANSWER)	347	0.04
99 = LEGITIMATE SKIP	147674	15.56

How often do you try to avoid [WSTFILL]?

[PHBWRSV](#)¹

Len : 2 HOW OFTEN TRY TO AVOID WORST FEAR

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Often	4293	0.45
2 = Sometimes	3963	0.42
3 = Rarely	1215	0.13
4 = Never	472	0.05
94 = DON'T KNOW	9	0.00
97 = REFUSED	82	0.01
98 = BLANK (NO ANSWER)	417	0.04
99 = LEGITIMATE SKIP	154460	16.27

How much does your fear or avoidance of [WSTFILL] interfere with your everyday life or activities?

[PHBWRSIN](#)¹

Len : 2 HOW MUCH WORST FEAR INTERFERES W/LIFE

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Not at all	3128	0.33
2 = A little	3948	0.42
3 = Some	1945	0.20
4 = A lot	911	0.10
94 = DON'T KNOW	18	0.00
97 = REFUSED	84	0.01
98 = BLANK (NO ANSWER)	417	0.04
99 = LEGITIMATE SKIP	154460	16.27

People differ a lot in how much they worry. In general, would you say you worry more than, about the same as, or less than most other people worry about everyday problems?

[GADWORMR](#)¹

Len : 2 HOW MUCH WORRY ABOUT EVERYDAY PROBLEMS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = More	15542	1.64
2 = About the same	53597	5.65
3 = Less	22169	2.34
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	555	0.06
97 = REFUSED	125	0.01
98 = BLANK (NO ANSWER)	38	0.00
99 = LEGITIMATE SKIP	72883	7.68

ADULT MENTAL HEALTH

Do you worry a lot more, somewhat more, or only a little more than most other people?

GADWORLT ¹	Len : 2	WORRY A LOT/SOMEWHAT/A LITTLE MORE THAN OTHERS		
			Freq	Pct
		-9 = Data not collected for this year	784374	82.63
		1 = A lot more	6515	0.69
		2 = Somewhat more	6831	0.72
		3 = A little more.....	2166	0.23
		94 = DON'T KNOW	26	0.00
		97 = REFUSED	79	0.01
		98 = BLANK (NO ANSWER).....	643	0.07
		99 = LEGITIMATE SKIP	148651	15.66

In general, would you say you are more nervous or anxious than most other people?

GADNRVOS ¹	Len : 2	MORE NERVOUS OR ANXIOUS THAN MOST OTHER PEOPLE		
			Freq	Pct
		-9 = Data not collected for this year	784374	82.63
		1 = Yes.....	5433	0.57
		2 = No	70577	7.43
		89 = LEGITIMATE SKIP Logically assigned	2	0.00
		94 = DON'T KNOW	343	0.04
		97 = REFUSED	93	0.01
		98 = BLANK (NO ANSWER).....	38	0.00
		99 = LEGITIMATE SKIP	88425	9.31

Are you a lot more, somewhat more, or only a little more nervous or anxious than most other people?

GADNRVLT ¹	Len : 2	NERVOUS A LOT/SOMEWHAT/A LITTLE MORE THAN OTHERS		
			Freq	Pct
		-9 = Data not collected for this year	784374	82.63
		1 = A lot more	542	0.06
		2 = Somewhat more	2862	0.30
		3 = A little more.....	1999	0.21
		94 = DON'T KNOW	26	0.00
		97 = REFUSED	94	0.01
		98 = BLANK (NO ANSWER).....	384	0.04
		99 = LEGITIMATE SKIP	159004	16.75

During the past 12 months, about how many weeks did you worry more than most other people? If you can't remember the exact number, just give your best estimate.

During the past 12 months, about how many weeks did you feel more nervous or anxious than most other people? If you can't remember the exact number, just give your best estimate.

GADWKS2 ¹	Len : 2	# WKS WORRY/NERVOUS MORE THAN OTHERS, PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	784374	82.63
		1 = 1-4 weeks	1400	0.15
		2 = 5-8 weeks	848	0.09
		3 = 9-12 weeks	974	0.10
		4 = 13-16 weeks.....	235	0.02
		5 = 17-18 weeks.....	24	0.00
		6 = 19-20 weeks.....	388	0.04
		7 = 21-22 weeks.....	33	0.00
		8 = 23-24 weeks.....	149	0.02
		9 = 25-26 weeks.....	260	0.03
		10 = 27-36 weeks.....	625	0.07
		11 = 37-44 weeks.....	372	0.04
		12 = 45-51 weeks.....	503	0.05
		13 = All 52 weeks.....	940	0.10
		94 = DON'T KNOW	282	0.03
		97 = REFUSED	122	0.01
		98 = BLANK (NO ANSWER).....	436	0.05
		99 = LEGITIMATE SKIP	157320	16.57

ADULT MENTAL HEALTH

During those [GAWEEK1 FILL] weeks, did you worry about one or two particular things or about a number of different things?

During those [GAWEEK1 FILL] weeks, were you nervous or anxious about one or two particular things or about a number of different things?

[GADNMWOR¹](#)

Len : 2 # THINGS WORRIED/NERVOUS ABOUT IN THOSE WKS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = One or two particular things.....	414	0.04
2 = A number of different things	2100	0.22
97 = REFUSED	122	0.01
98 = BLANK (NO ANSWER).....	718	0.08
99 = LEGITIMATE SKIP	161557	17.02

During those [GAWEEK1 FILL] weeks, how often was your worry so strong that you couldn't put it out of your mind?

During those [GAWEEK1 FILL] weeks, how often was your nervousness or anxiety so strong that you couldn't put it out of your mind?

[GADSTRON¹](#)

Len : 2 HOW OFTEN WAS WORRY/ANXIETY STRONG IN THOSE WKS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = All of the time.....	381	0.04
2 = Most of the time.....	783	0.08
3 = Some of the time	771	0.08
4 = A little of the time	140	0.01
5 = Never	24	0.00
97 = REFUSED	123	0.01
98 = BLANK (NO ANSWER).....	718	0.08
99 = LEGITIMATE SKIP	161971	17.06

During those [GAWEEK1 FILL] weeks when you were so worried, did you have other problems, like difficulties in sleep or concentration, or feeling dizzy, easily tired, on edge, or irritable?

During those [GAWEEK1 FILL] weeks when you were so nervous or anxious, did you have other problems, like difficulties in sleep or concentration, or feeling dizzy, easily tired, on edge, or irritable?

[GADOPROB¹](#)

Len : 2 HAD OTHER PROBS IN THOSE WKS WHEN WORRIED/NERVOS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	1893	0.20
2 = No	181	0.02
97 = REFUSED	124	0.01
98 = BLANK (NO ANSWER).....	718	0.08
99 = LEGITIMATE SKIP	161995	17.06

The next questions are about reactions people have after extremely stressful experiences. In your life, have you ever had an extremely stressful experience such as being in combat, being involved in a life-threatening accident, being involved in a disaster, being physically beaten or sexually abused, or any other event which was extremely upsetting or stressful for you?

[PTSEVER¹](#)

Len : 2 EVER HAD EXTREMELY STRESSFUL EXPERIENCE

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	34513	3.64
2 = No.....	57135	6.02
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	158	0.02
97 = REFUSED	180	0.02
98 = BLANK (NO ANSWER).....	40	0.00
99 = LEGITIMATE SKIP	72883	7.68

ADULT MENTAL HEALTH

After experiences like this, people sometimes have reactions like memories that are upsetting, feeling emotionally distant from other people, trouble sleeping or concentrating, and feeling jumpy or easily startled.

During the past 12 months, did you have any of these reactions to any extremely stressful experience, even if the experience was long ago?

[PTSPYEAR¹](#)

Len : 2 HAD RXNS TO STRESSFUL EXPERIENCE, PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	14756	1.55
2 = No.....	19720	2.08
85 = BAD DATA Logically assigned.....	5	0.00
94 = DON'T KNOW	26	0.00
97 = REFUSED	186	0.02
98 = BLANK (NO ANSWER).....	198	0.02
99 = LEGITIMATE SKIP	130020	13.70

Think of the time during the past 12 months when those reactions were the worst. How often did you have those reactions during that time?

[PTSWRSFQ¹](#)

Len : 2 HOW OFTEN HAD RXNS WHEN WORST IN PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Several times a day.....	1816	0.19
2 = Once or twice a day.....	2156	0.23
3 = Several times a week.....	2559	0.27
4 = Once or twice a week	2950	0.31
5 = Less than once a week.....	5164	0.54
85 = BAD DATA Logically assigned.....	5	0.00
94 = DON'T KNOW	93	0.01
97 = REFUSED	204	0.02
98 = BLANK (NO ANSWER).....	224	0.02
99 = LEGITIMATE SKIP	149740	15.77

During the past 12 months, in about how many weeks did you have reactions like this at least several times a week? If you can't remember the exact number, just give your best estimate.

[PTSWKS2¹](#)

Len : 2 # WKS HAD RXNS SEVERAL TIMES A WK, PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = 1-4 weeks	2888	0.30
2 = 5-8 weeks	1164	0.12
3 = 9-12 weeks	711	0.07
4 = 13-16 weeks.....	241	0.03
5 = 17-18 weeks.....	22	0.00
6 = 19-20 weeks.....	252	0.03
7 = 21-22 weeks.....	18	0.00
8 = 23-24 weeks.....	69	0.01
9 = 25-26 weeks.....	149	0.02
10 = 27-36 weeks.....	301	0.03
11 = 37-44 weeks.....	123	0.01
12 = 45-51 weeks.....	162	0.02
13 = All 52 weeks.....	227	0.02
94 = DON'T KNOW	182	0.02
97 = REFUSED	226	0.02
98 = BLANK (NO ANSWER).....	322	0.03
99 = LEGITIMATE SKIP	157854	16.63

ADULT MENTAL HEALTH

NOTE: The variable MHSEEDR was assigned a code of 11 when respondents reported that they saw a doctor or mental health professional in the past 12 months but they reported not being hospitalized overnight and reported zero outpatient visits. When the variable MHSEEDR was assigned a code of 11, the overnight hospitalization variable MHHOSPOV was assigned a code of 12.

During the past 12 months, did you see a doctor or mental health professional for any problem with your emotions, nerves, or mental health?

<u>MHSEEDR</u> ¹	Len : 2	SAW DR FOR PROB WITH EMOTIONS, PAST 12 MONTHS		
			Freq	Pct
		-9 = Data not collected for this year	784374	82.63
		1 = Yes.....	8147	0.86
		2 = No.....	82696	8.71
		11 = Yes (MHOPNUM2 = 0 & MHHOSPOV = 12)	962	0.10
		85 = BAD DATA Logically assigned.....	9	0.00
		89 = LEGITIMATE SKIP Logically assigned	2	0.00
		94 = DON'T KNOW	67	0.01
		97 = REFUSED	104	0.01
		98 = BLANK (NO ANSWER).....	41	0.00
		99 = LEGITIMATE SKIP	72883	7.68

During the past 12 months, were you hospitalized overnight for problems with your emotions, nerves, or mental health?

<u>MHHOSPOV</u> ¹	Len : 2	HOSP OVERNITE FOR PROB W/EMOTIONS, PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	784374	82.63
		1 = Yes.....	617	0.06
		2 = No.....	7521	0.79
		12 = No (MHSEEDR = 11 & MHOPNUM2 = 0).....	962	0.10
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW	5	0.00
		97 = REFUSED	108	0.01
		98 = BLANK (NO ANSWER).....	116	0.01
		99 = LEGITIMATE SKIP	155581	16.39

During the past 12 months, not counting when you were hospitalized, how many outpatient visits did you make to any doctor or mental health professional for problems with your emotions, nerves, or mental health?

During the past 12 months, how many outpatient visits did you make to any doctor or mental health professional for problems with your emotions, nerves, or mental health?

<u>MHOPNUM2</u> ¹	Len : 3	# OUTPAT VISIT FOR PROB W/EMOTIONS, PST 12 MOS		
			Freq	Pct
		RANGE = 1 - 30.....	7537	0.79
		-9 = Data not collected for this year	784374	82.63
		0 = No visits	1046	0.11
		31 = 31 or more	417	0.04
		985 = BAD DATA Logically assigned.....	1	0.00
		994 = DON'T KNOW	76	0.01
		997 = REFUSED	136	0.01
		998 = BLANK (NO ANSWER).....	117	0.01
		999 = LEGITIMATE SKIP	155581	16.39

During the past 12 months, were you prescribed any medicine for problems with your emotions, nerves, or mental health?

<u>MHMEDS</u> ¹	Len : 2	PRESCRIBED ANY MEDS FOR EMOT PROB, PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	784374	82.63
		1 = Yes.....	6720	0.71
		2 = No.....	2369	0.25
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW	6	0.00
		97 = REFUSED	117	0.01
		98 = BLANK (NO ANSWER).....	117	0.01
		99 = LEGITIMATE SKIP	155581	16.39

ADULT MENTAL HEALTH

NOTE: Respondents who reported that they were prescribed medication for problems with their emotions, nerves, or mental health (MHMEDS=1) were asked to report the number of weeks that they took prescribed medication. Indications that respondents were prescribed medication do not necessarily imply that respondents took the medication. Therefore, responses of "0 weeks" in MHMEDWK2 were considered to be valid values.

During the past 12 months, about how many weeks did you take medicine that was prescribed for mental health problems?

<u>MHMEDWK2</u> ¹	Len : 2 # WKS TOOK MEDS FOR MENT HLTH PROB, PST 12 MOS	Freq	Pct
-9 = Data not collected for this year		784374	82.63
0 = 0 weeks		284	0.03
1 = 1-4 weeks		1140	0.12
2 = 5-8 weeks		723	0.08
3 = 9-12 weeks		637	0.07
4 = 13-16 weeks.....		238	0.03
5 = 17-18 weeks.....		37	0.00
6 = 19-20 weeks.....		187	0.02
7 = 21-22 weeks.....		21	0.00
8 = 23-24 weeks.....		181	0.02
9 = 25-26 weeks.....		135	0.01
10 = 27-36 weeks.....		441	0.05
11 = 37-44 weeks.....		172	0.02
12 = 45-51 weeks.....		404	0.04
13 = All 52 weeks.....		2004	0.21
85 = BAD DATA Logically assigned.....		1	0.00
94 = DON'T KNOW		93	0.01
97 = REFUSED		140	0.01
98 = BLANK (NO ANSWER).....		123	0.01
99 = LEGITIMATE SKIP		157950	16.64

During that same month when you were at your worst emotionally...

how often did you feel so nervous that nothing could calm you down?

<u>DSTNCALM</u> ¹	Len : 2 HOW OFTEN COULDN'T CALM DOWN IN WORST MONTH	Freq	Pct
-9 = Data not collected for this year		784374	82.63
1 = All of the time.....		1158	0.12
2 = Most of the time.....		3370	0.36
3 = Some of the time		7330	0.77
4 = A little of the time		15911	1.68
5 = None of the time		34549	3.64
85 = BAD DATA Logically assigned.....		5	0.00
89 = LEGITIMATE SKIP Logically assigned		1	0.00
94 = DON'T KNOW		83	0.01
97 = REFUSED		274	0.03
98 = BLANK (NO ANSWER).....		598	0.06
99 = LEGITIMATE SKIP		101632	10.71

During that same month when you were at your worst emotionally...

how often did you feel tired out for no good reason?

<u>DSTTIRE</u> ¹	Len : 2 HOW OFTEN TIRED OUT IN WORST MONTH	Freq	Pct
-9 = Data not collected for this year		784374	82.63
1 = All of the time.....		4078	0.43
2 = Most of the time.....		9736	1.03
3 = Some of the time.....		17450	1.84
4 = A little of the time		25571	2.69
5 = None of the time		34422	3.63
85 = BAD DATA Logically assigned.....		9	0.00
89 = LEGITIMATE SKIP Logically assigned		2	0.00
94 = DON'T KNOW		484	0.05
97 = REFUSED		233	0.02
98 = BLANK (NO ANSWER).....		43	0.00
99 = LEGITIMATE SKIP		72883	7.68

ADULT MENTAL HEALTH

During that same month when you were at your worst emotionally...

how often did you feel so restless or fidgety that you could not sit still?

[DSTSITST](#)¹

Len : 2 HOW OFTEN COULDN'T SIT STILL IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = All of the time.....	1277	0.13
2 = Most of the time.....	3323	0.35
3 = Some of the time	8659	0.91
4 = A little of the time	16496	1.74
5 = None of the time	19578	2.06
85 = BAD DATA Logically assigned.....	4	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	39	0.00
97 = REFUSED	250	0.03
98 = BLANK (NO ANSWER).....	533	0.06
99 = LEGITIMATE SKIP	114751	12.09

During that same month when you were at your worst emotionally...

how often did you feel sad or depressed?

[DSTDEPRS](#)¹

Len : 2 HOW OFTEN FELT DEPRESSED IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = All of the time.....	4043	0.43
2 = Most of the time.....	9962	1.05
3 = Some of the time.....	16682	1.76
4 = A little of the time	27542	2.90
5 = None of the time	33150	3.49
85 = BAD DATA Logically assigned.....	9	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	361	0.04
97 = REFUSED	233	0.02
98 = BLANK (NO ANSWER).....	44	0.00
99 = LEGITIMATE SKIP	72883	7.68

The next questions are about how much your emotions, nerves, or mental health caused you to have difficulties in daily activities over the past 12 months.

In answering, think of one month in the past 12 months when your emotions, nerves, or mental health interfered most with your daily activities. If you had several months like this, please think of the most recent month.

During that month, how much difficulty did you have in thinking clearly?

[IMPTHINK](#)¹

Len : 2 HOW MUCH PROB THINKING IN WORST MON, PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = No difficulty	25722	2.71
2 = Mild difficulty	19779	2.08
3 = Moderate difficulty	6924	0.73
4 = Severe difficulty	1451	0.15
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	223	0.02
97 = REFUSED	128	0.01
98 = BLANK (NO ANSWER).....	1333	0.14
99 = LEGITIMATE SKIP	109344	11.52

ADULT MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have understanding what was going on around you?

IMPUNDST¹

Len : 2 HOW MUCH PROB UNDERSTANDING IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = No difficulty	39460	4.16
2 = Mild difficulty	10889	1.15
3 = Moderate difficulty	2983	0.31
4 = Severe difficulty	638	0.07
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	142	0.01
97 = REFUSED	114	0.01
98 = BLANK (NO ANSWER).....	1334	0.14
99 = LEGITIMATE SKIP	109344	11.52

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have remembering to do things you needed to do?

IMPREMBR¹

Len : 2 HOW MUCH PROB REMEMBERING IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = No difficulty	23749	2.50
2 = Mild difficulty	21763	2.29
3 = Moderate difficulty	6820	0.72
4 = Severe difficulty	1646	0.17
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	128	0.01
97 = REFUSED	120	0.01
98 = BLANK (NO ANSWER).....	1334	0.14
99 = LEGITIMATE SKIP	109344	11.52

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have concentrating on doing something important when other things were going on around you?

IMPCONC¹

Len : 2 HOW MUCH PROB CONCENTRATING IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = No difficulty	22460	2.37
2 = Mild difficulty	22300	2.35
3 = Moderate difficulty	7405	0.78
4 = Severe difficulty	1793	0.19
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	149	0.02
97 = REFUSED	119	0.01
98 = BLANK (NO ANSWER).....	1334	0.14
99 = LEGITIMATE SKIP	109344	11.52

ADULT MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have managing money on your own, such as keeping track of expenses or remembering to pay bills?

[IMPMONY¹](#)

Len : 2 HOW MUCH PROB MANAGING MONEY IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = No difficulty	31738	3.34
2 = Mild difficulty	12815	1.35
3 = Moderate difficulty	5580	0.59
4 = Severe difficulty	2295	0.24
5 = You didn't manage money on your own.....	1526	0.16
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	151	0.02
97 = REFUSED	120	0.01
98 = BLANK (NO ANSWER).....	1335	0.14
99 = LEGITIMATE SKIP	109344	11.52

Did problems with your emotions, nerves, or mental health keep you from managing your own money?

[IMPMONYM¹](#)

Len : 2 PROB WITH EMOTIONS KEPT R FROM MANAGING MONEY

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	304	0.03
2 = No.....	1212	0.13
94 = DON'T KNOW	9	0.00
97 = REFUSED	121	0.01
98 = BLANK (NO ANSWER).....	1492	0.16
99 = LEGITIMATE SKIP	161773	17.04

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have learning a new task?

[IMPLERN¹](#)

Len : 2 HOW MUCH PROB LEARNING A TASK IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = No difficulty	32527	3.43
2 = Mild difficulty	14086	1.48
3 = Moderate difficulty	4096	0.43
4 = Severe difficulty	961	0.10
5 = You didn't try to learn a new task.....	2238	0.24
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	206	0.02
97 = REFUSED	111	0.01
98 = BLANK (NO ANSWER).....	1335	0.14
99 = LEGITIMATE SKIP	109344	11.52

Did problems with your emotions, nerves, or mental health keep you from learning a new task?

[IMPLERNM¹](#)

Len : 2 PROB WITH EMOTIONS KEPT R FROM LEARNING A TASK

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	330	0.03
2 = No.....	1877	0.20
94 = DON'T KNOW	31	0.00
97 = REFUSED	111	0.01
98 = BLANK (NO ANSWER).....	1547	0.16
99 = LEGITIMATE SKIP	161015	16.96

ADULT MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have washing, dressing, and feeding yourself on your own?

[IMPWASH](#)¹

Len : 2 HOW MUCH PROB WASHING/DRESSING/FEEDING, WORS MO

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = No difficulty	47344	4.99
2 = Mild difficulty	4567	0.48
3 = Moderate difficulty	1549	0.16
4 = Severe difficulty	431	0.05
5 = You didn't wash,dress,or feed yourself on your own.....	135	0.01
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	94	0.01
97 = REFUSED	105	0.01
98 = BLANK (NO ANSWER).....	1335	0.14
99 = LEGITIMATE SKIP	109344	11.52

Did problems with your emotions, nerves, or mental health keep you from washing, dressing, or feeding yourself on your own?

[IMPWASHM](#)¹

Len : 2 PROB W/EMOTIONS KEPT R FROM WASH/DRESS/FEEDING

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	65	0.01
2 = No.....	70	0.01
97 = REFUSED	105	0.01
98 = BLANK (NO ANSWER).....	1435	0.15
99 = LEGITIMATE SKIP	163236	17.20

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have going out of the house and getting around on your own?

[IMPGO](#)¹

Len : 2 HOW MUCH PROB LEAVING HOUSE IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = No difficulty	42866	4.52
2 = Mild difficulty	7195	0.76
3 = Moderate difficulty	2499	0.26
4 = Severe difficulty	974	0.10
5 = You didn't leave the house on your own	477	0.05
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	100	0.01
97 = REFUSED	114	0.01
98 = BLANK (NO ANSWER).....	1335	0.14
99 = LEGITIMATE SKIP	109344	11.52

Did problems with your emotions, nerves, or mental health keep you from leaving the house on your own?

[IMPGOM](#)¹

Len : 2 PROB WITH EMOTIONS KEPT R FROM LEAVING HOUSE

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes.....	242	0.03
2 = No.....	230	0.02
94 = DON'T KNOW	3	0.00
97 = REFUSED	116	0.01
98 = BLANK (NO ANSWER).....	1441	0.15
99 = LEGITIMATE SKIP	162879	17.16

ADULT MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have dealing with people you did not know well?

[IMPDLPP¹](#)

Len : 2 HOW MUCH PROB DEALING W/PEOPLE IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = No difficulty	32551	3.43
2 = Mild difficulty	13916	1.47
3 = Moderate difficulty	4900	0.52
4 = Severe difficulty	1599	0.17
5 = You didn't deal with people you did not know well	1029	0.11
85 = BAD DATA Logically assigned	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	124	0.01
97 = REFUSED	106	0.01
98 = BLANK (NO ANSWER)	1335	0.14
99 = LEGITIMATE SKIP	109344	11.52

Did problems with your emotions, nerves, or mental health keep you from dealing with people you did not know well?

[IMPDLPPM¹](#)

Len : 2 PROB W/EMOTIONS KEPT R FROM DEALING W/PEOPLE

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes	428	0.05
2 = No	587	0.06
94 = DON'T KNOW	11	0.00
97 = REFUSED	109	0.01
98 = BLANK (NO ANSWER)	1465	0.15
99 = LEGITIMATE SKIP	162311	17.10

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have participating in social activities, like visiting friends or going to parties?

[IMPSOCL¹](#)

Len : 2 HOW MUCH PROB PARTICIPATNG IN SOC ACTIVS,WRST MON

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = No difficulty	29457	3.10
2 = Mild difficulty	14478	1.53
3 = Moderate difficulty	6131	0.65
4 = Severe difficulty	2370	0.25
5 = You didn't participate in social activities	1568	0.17
85 = BAD DATA Logically assigned	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	115	0.01
97 = REFUSED	106	0.01
98 = BLANK (NO ANSWER)	1335	0.14
99 = LEGITIMATE SKIP	109344	11.52

Did problems with your emotions, nerves, or mental health keep you from participating in social activities?

[IMPSOCLM¹](#)

Len : 2 PROB W/EMOTIONS KEPT R FROM SOCIAL ACTIVITIES

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes	833	0.09
2 = No	728	0.08
94 = DON'T KNOW	6	0.00
97 = REFUSED	107	0.01
98 = BLANK (NO ANSWER)	1456	0.15
99 = LEGITIMATE SKIP	161781	17.04

ADULT MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have getting along with people in your personal life?

[IMPGTALG](#)¹

Len : 2 HOW MUCH PROB W/PEOP IN PERS LIFE, WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = No difficulty	28540	3.01
2 = Mild difficulty	17850	1.88
3 = Moderate difficulty	5897	0.62
4 = Severe difficulty	1720	0.18
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	113	0.01
97 = REFUSED	105	0.01
98 = BLANK (NO ANSWER).....	1335	0.14
99 = LEGITIMATE SKIP	109344	11.52

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have controlling your emotions when you were around people?

[IMPCTRLE](#)¹

Len : 2 HOW MUCH PROB CONTROLLING EMOT, WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = No difficulty	30956	3.26
2 = Mild difficulty	16902	1.78
3 = Moderate difficulty	4796	0.51
4 = Severe difficulty	1353	0.14
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	113	0.01
97 = REFUSED	105	0.01
98 = BLANK (NO ANSWER).....	1335	0.14
99 = LEGITIMATE SKIP	109344	11.52

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have doing things to relax at home?

[IMPRELAX](#)¹

Len : 2 HOW MUCH PROB RELAXING AT HOME, WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = No difficulty	29629	3.12
2 = Mild difficulty	16537	1.74
3 = Moderate difficulty	6018	0.63
4 = Severe difficulty	1820	0.19
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	114	0.01
97 = REFUSED	107	0.01
98 = BLANK (NO ANSWER).....	1335	0.14
99 = LEGITIMATE SKIP	109344	11.52

ADULT MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of household responsibilities?

[IMPHRSP¹](#)

Len : 2 HOW MUCH PROB W/HOUSEHOLD RESPONSIBILT, WRST MON

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = No difficulty	29983	3.16
2 = Mild difficulty	15666	1.65
3 = Moderate difficulty	5715	0.60
4 = Severe difficulty	1796	0.19
5 = You didn't take care of household responsibilities	856	0.09
85 = BAD DATA Logically assigned	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	109	0.01
97 = REFUSED	100	0.01
98 = BLANK (NO ANSWER)	1335	0.14
99 = LEGITIMATE SKIP	109344	11.52

Did problems with your emotions, nerves, or mental health keep you from taking care of household responsibilities?

[IMPHRSPM¹](#)

Len : 2 PROB W/EMOTIONS KEPT R FROM HOUSEHOLD RESPON

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Yes	405	0.04
2 = No	448	0.05
94 = DON'T KNOW	2	0.00
97 = REFUSED	101	0.01
98 = BLANK (NO ANSWER)	1450	0.15
99 = LEGITIMATE SKIP	162505	17.12

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of your daily responsibilities at work or school?

[IMPDLRSP¹](#)

Len : 2 HOW MUCH PROB W/DAILY RESPON IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = No difficulty	31340	3.30
2 = Mild difficulty	14611	1.54
3 = Moderate difficulty	4397	0.46
4 = Severe difficulty	1375	0.14
5 = You didn't work or go to school	2243	0.24
85 = BAD DATA Logically assigned	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	143	0.02
97 = REFUSED	115	0.01
98 = BLANK (NO ANSWER)	1336	0.14
99 = LEGITIMATE SKIP	109344	11.52

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have getting your daily work done as quickly as needed?

[IMPDLRWK¹](#)

Len : 2 HOW MUCH PROB W/DAILY RESPONSIBILITY IN WORST MON

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = No difficulty	26665	2.81
2 = Mild difficulty	18542	1.95
3 = Moderate difficulty	5239	0.55
4 = Severe difficulty	1316	0.14
85 = BAD DATA Logically assigned	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	113	0.01
97 = REFUSED	106	0.01
98 = BLANK (NO ANSWER)	1336	0.14
99 = LEGITIMATE SKIP	111587	11.75

ADULT MENTAL HEALTH

During the past 12 months, about how many weeks did you have any of these difficulties because of your emotions, nerves, or mental health? If you can't remember the exact number, just give your best estimate.

[IMPWKS2](#)¹

Len : 2 # WEEKS HAD THESE DIFFICULTIES, PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = 1-4 weeks	14632	1.54
2 = 5-8 weeks	4052	0.43
3 = 9-12 weeks	2252	0.24
4 = 13-16 weeks.....	675	0.07
5 = 17-18 weeks.....	67	0.01
6 = 19-20 weeks.....	668	0.07
7 = 21-22 weeks.....	58	0.01
8 = 23-24 weeks.....	250	0.03
9 = 25-26 weeks.....	372	0.04
10 = 27-36 weeks.....	761	0.08
11 = 37-44 weeks.....	311	0.03
12 = 45-51 weeks.....	331	0.03
13 = All 52 weeks.....	460	0.05
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW	743	0.08
97 = REFUSED	175	0.02
98 = BLANK (NO ANSWER).....	1703	0.18
99 = LEGITIMATE SKIP	137398	14.47

During (that [IMWEEK1FILL] week/those [IMWEEK1 FILL] weeks), did you have these kinds of difficulties every day, most days, or only one or two days a week?

[IMPDAYFQ](#)¹

Len : 2 HOW OFTEN HAD THESE DIFFICULTIES IN THOSE WKS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Every day	1949	0.21
2 = Most days	10210	1.08
3 = Only one or two days a week	12674	1.34
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW	48	0.01
97 = REFUSED	183	0.02
98 = BLANK (NO ANSWER).....	2446	0.26
99 = LEGITIMATE SKIP	137398	14.47

You mentioned earlier in the interview that you saw a professional or received prescription medications for your emotional problems in the past 12 months. How much did the counseling or medicine improve your ability to manage daily activities like those asked about in the previous questions?

[MHSVCHLP](#)¹

Len : 2 HOW MUCH DID MH SVCS IMPROV ABIL TO MANAG ACTIVS

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = None	1718	0.18
2 = A little	2001	0.21
3 = Some	2756	0.29
4 = A lot.....	3693	0.39
5 = A great deal	2912	0.31
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	83	0.01
97 = REFUSED	82	0.01
98 = BLANK (NO ANSWER).....	382	0.04
99 = LEGITIMATE SKIP	151283	15.94

RECODED ADULT MENTAL HEALTH

RECODED ADULT MENTAL HEALTH

NOTE: The following recoded serious psychological distress variables, SPD_ASCR and SPD_ADJ, were created similar to variables SPD_USCR and SPD_UADJ. The only difference is that these variables contain a statistical adjustment in which the 2004 sample B "short-form" scores were transformed to match the distributional characteristics of the 2004 sample A "long-form" scores using the cumulative distribution function (CDF) adjustment method. These adjusted variables were developed specifically to allow analyses of the entire 2004 sample of respondents aged 18 and older with 2003 and earlier NSDUHs weighted by ANALWT_C. These variables were not used in the 2004 Detailed Tables. These variables were used for exploratory analyses and producing state level SPD estimates using combined year data from 2004 and earlier NSDUHs. Specific details about the development and use of the SPD variables are provided in the note above SPD_USCR and the Recoded Adult Mental Health: Serious Psychological Distress Variable Documentation Appendix.

<u>SPD_ASCR</u>	Len : 2 SCORE INDICATING LEVEL OF ADJUSTED SPD		
		Freq	Pct
	RANGE = 0 - 24.....	37302	3.93
	. = (See comment above SPD_USCR).....	18300	1.93
	-9 = Data not collected for this year	893683	94.14

<u>SPD_ADJ</u>	Len : 1 SERIOUS PSYCHOLOGICAL DISTRESS INDICATOR-ADJUSTED		
		Freq	Pct
	. = (See comment above SPD_USCR).....	18300	1.93
	-9 = Data not collected for this year	893683	94.14
	0 = No (AGE2>=7 and SPD_ASCR<13).....	32720	3.45
	1 = Yes (AGE2>=7 and SPD_ASCR>=13)	4582	0.48

NOTE: The following recoded serious psychological distress variables, SPD_RSCR and SPD_RADJ, were created similarly to variables SPD_ASCR and SPD_ADJ. A different adjustment was implemented in which the 2004 sample A "long-form" scores were transformed to match the distributional characteristics of the 2004 sample B "short-form" scores using the cumulative distribution function (CDF) adjustment method. These reverse adjusted variables were developed specifically to allow analyses of the entire 2004 sample of respondents aged 18 or older with 2005 and subsequent NSDUHs weighted by ANALWT_C. These variables were not used in the 2004 Detailed Tables. These variables were used to produce state level estimates for SPD using combined year data from 2004 and subsequent NSDUHs. Specific details about the development and use of the SPD variables are provided in the note above SPD_USCR and the Recoded Adult Mental Health: Serious Psychological Distress Variable Documentation Appendix.

<u>SPD_RSCR</u>	Len : 2 SCORE INDICATING LEVEL OF REVERSE ADJUSTED SPD		
		Freq	Pct
	RANGE = 0 - 24.....	37302	3.93
	. = (See comment above SPD_USCR).....	18300	1.93
	-9 = Data not collected for this year	893683	94.14

<u>SPD_RADJ</u>	Len : 1 SPD INDICATOR-REVERSE ADJUSTED		
		Freq	Pct
	. = (See comment above SPD_USCR).....	18300	1.93
	-9 = Data not collected for this year	893683	94.14
	0 = No (AGE2>=7 and SPD_RSCR<13).....	31070	3.27
	1 = Yes (AGE2>=7 and SPD_RSCR>=13).....	6232	0.66

RECODED ADULT MENTAL HEALTH

[MHSVHP](#)

Len : 1 HELP RECEIVED FROM MH TRT IMPROV ABIL TO MANAG ACT

	Freq	Pct
. = Unknown/Aged 12-17 (MHSVCHLP=94,97,98,99).....	151831	15.99
-9 = Data not collected for this year	784374	82.63
1 = A lot or a great deal (MHSVCHLP=4,5).....	6605	0.70
2 = Some or a little (MHSVCHLP=2,3)	4757	0.50
3 = None (MHSVCHLP=1)	1718	0.18

A respondent was classified as not having illicit drug or alcohol dependence or abuse only (NSPDDPAB=2) if they were defined as having SPD and illicit drug/alcohol dependence or abuse (SPD_ADJ=1 and ABODILAL=1); or having SPD but not having dependence or abuse (SPD_ADJ=1 and ABODILAL=0); or not having either SPD or dependence or abuse (SPD_ADJ=0 and ABODILAL=0). Respondents aged 12 to 17 or who were not assigned to one of the adult mental health split samples (ADLTSAMP not equal to 1,2) are included in the missing category.

[NSPDDPAB](#)

Len : 1 NO SPD BUT DRUG/ALCOHOL DEPENDENCE OR ABUSE-ADJ

	Freq	Pct
. = (See comment above).....	18300	1.93
-9 = Data not collected for this year	893683	94.14
1 = Drug/Alc Dep/Abuse Only (SPD_ADJ=0 and ABODILAL=1).....	4304	0.45
2 = Otherwise (See comment above).....	32998	3.48

RECODED ADULT MENTAL HEALTH TREATMENT

RECODED ADULT MENTAL HEALTH TREATMENT

The following variable, MHRCCIN2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and reported any of the specific reasons, could not afford the cost (AUUNCOST=1,3), health insurance did not cover the cost (AUUNNCOV=1,3), health insurance did not pay enough of the cost (AUUNENUF=1,3), or the other specify reason, did not have any health insurance coverage (AUUNRIMP=18), as the reason for not receiving this treatment. A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year and did not specify any of the reasons listed above.

<u>MHRCCIN2</u>	Len : 1 NO MH TRT IN PST YR B/C COULD NOT AFFORD/NO INS		
		Freq	Pct
.	= Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	158821	16.73
-9	= Data not collected for this year	782548	82.44
0	= No (See comment above).....	4152	0.44
1	= Yes (See comment above)	3764	0.40

The following variable, MHRNNHN2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and reported any of the specific reasons, could handle problem without treatment (AUUNHNDL=1,3), did not feel treatment was needed at the time (AUUNNOND=1,3), or an other specify reason, work on their problems with family/friends (AUUNRIMP=30), or work on problems through religion/spirituality (AUUNRIMP=31) as the reason for not receiving this treatment. A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year and did not specify any of the reasons listed above.

<u>MHRNNHN2</u>	Len : 1 NO MH TRT IN PST YR B/C FLT NO NEED/HANDLE PROB		
		Freq	Pct
.	= Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	158822	16.73
-9	= Data not collected for this year	782548	82.44
0	= No (See comment above).....	5226	0.55
1	= Yes (See comment above)	2689	0.28

The following variable, MHRSTIG2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and reported any of the specific reasons, concerns about the opinions of their neighbors (AUUNNBR=1,3), concerns about the effect it would have on their job (AUUNJOB=1,3), concerns about confidentiality (AUUNCFID=1,3), did not want others to find out (AUUNFOUT=1,3), or an other specify reason, ashamed, embarrassed, or afraid (AUUNRIMP=19), concerned how the court system would treat them (AUUNRIMP=27), or concerned how it would affect future insurability (AUUNRIMP=36) as the reason for not receiving this treatment. A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year and did not specify any of the reasons listed above.

<u>MHRSTIG2</u>	Len : 1 NO MH TRT IN PST YR B/C STIGMA ASSOC W/TRT		
		Freq	Pct
.	= Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	158821	16.73
-9	= Data not collected for this year	782548	82.44
0	= No (See comment above).....	5822	0.61
1	= Yes (See comment above)	2094	0.22

The following variable, MHROTHC2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AUUNMTYR=1) and reported the specific reason, no transportation/inconvenient (AUUNNTSP=1,3), or an other specify reason, services unavailable/limited in area (AUUNRIMP=23), attempted to get treatment but unsuccessful in finding help (AUUNRIMP=26), couldn't find program/counselor comfortable with (AUUNRIMP=28), too much red tape/hassle to get services (AUUNRIMP=32), or there were no openings/long waiting list/delays (AUUNRIMP=33), as the reason for not receiving this treatment. A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year and did not specify any of the reasons listed above.

<u>MHROTHC2</u>	Len : 1 NO MH TRT IN PST YR B/C BARRIERS OTHER THAN COST		
		Freq	Pct
.	= Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	158822	16.73
-9	= Data not collected for this year	782548	82.44
0	= No (See comment above).....	7472	0.79
1	= Yes (See comment above)	443	0.05

RECODED ADULT MENTAL HEALTH TREATMENT

NOTE: The following seven variables contain information about the location of outpatient mental health treatment/counseling received in the past year. A respondent must have reported having received outpatient mental health treatment in the past year (AMHOUTP3=1) in order to be asked the questions on the location where treatment was received. A respondent was allowed to report any of five specific locations or "Some Other Place". If a respondent reported "Some Other Place," they were asked to provide a description of the other location in a follow-up question. The first five variables below were created by examination of the variables containing information on the five specific locations, while the last two variables were created by examination of the variables containing information on the other-specify locations which were grouped into two main categories.

<u>MHLMNT2</u>	Len : 1 RCVD OUTP MH TRT AT MH CLINIC/CENTER IN PST YR		
		Freq	Pct
	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise)	316076	33.30
	-9 = Data not collected for this year	617354	65.03
	0 = No (AMHOUTP3=1 AND AUOPMENT=6)	12057	1.27
	1 = Yes (AMHOUTP3=1 AND AUOPMENT=1)	3798	0.40
<u>MHLTHER2</u>	Len : 1 RCVD OUTP MH TRT AT PRIV THERAPIST OFC IN PST YR		
		Freq	Pct
	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise)	316076	33.30
	-9 = Data not collected for this year	617354	65.03
	0 = No (AMHOUTP3=1 AND AUOPTHER=6)	7203	0.76
	1 = Yes (AMHOUTP3=1 AND AUOPTHER=1,3)	8652	0.91
<u>MHLDOC2</u>	Len : 1 RCVD OUTP MH TRT AT NON CLINIC DR OFFCE IN PST YR		
		Freq	Pct
	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise)	316076	33.30
	-9 = Data not collected for this year	617354	65.03
	0 = No (AMHOUTP3=1 AND AUOPDOC=6)	12712	1.34
	1 = Yes (AMHOUTP3=1 AND AUOPDOC=1,3)	3143	0.33
<u>MHLCCLNC2</u>	Len : 1 RCVD OUTP MH TRT AT MEDICAL CLINIC IN PST YR		
		Freq	Pct
	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise)	316080	33.30
	-9 = Data not collected for this year	617354	65.03
	0 = No (AMHOUTP3=1 AND AUOPCLNC=6)	14634	1.54
	1 = Yes (AMHOUTP3=1 AND AUOPCLNC=1,3)	1217	0.13
<u>MHLDTMT2</u>	Len : 1 RCVD OUTP MH TRT AT DAY HOSP OR TRT PGM IN PST YR		
		Freq	Pct
	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise)	316076	33.30
	-9 = Data not collected for this year	617354	65.03
	0 = No (AMHOUTP3=1 AND AUOPDTMT=6)	15535	1.64
	1 = Yes (AMHOUTP3=1 AND AUOPDTMT=1)	320	0.03

RECODED ADULT MENTAL HEALTH TREATMENT

NOTE: The following variables, MHLSCHL2 and MHLOTH2, were created by examination of the other specified write-in responses for locations where a respondent received outpatient mental health treatment/counseling. See additional information included above the location of outpatient mental health treatment recode variable, MHLMT2.

The following variable, MHLSCHL2, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as "School or University Setting/Clinic/Center" (AUOPYRSP=9). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at one of the five locations defined above but not some location other than these five locations (AUOPOTOP=6 AND AUOPYRSP=99), or at some location other than the five locations defined above or "School or University Setting/Clinic/Center" and this location was classified as a valid outpatient treatment location (AUOPYRSP=1-4,12-16,18-20,23,24,28,29,43,44,47,58, 70). Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRSP=7,8,10,11,22,30,36,39,55,56, 71,72), bad data, don't know, refused, or blank (AUOPYRSP=85,94,97,98), indicated not receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=2), aged 12-17 (AUOPYRSP=99 and AMHOUTP3=.), or classified as missing for receiving outpatient treatment in the past year (AMHOUTP3=.) were set to SAS missing.

MHLSCHL2

Len : 1 RCVD OUTP MH TRT AT A SCHOOL SETTING IN PST YR

	Freq	Pct
. = Otherwise (See comment above).....	316237	33.31
-9 = Data not collected for this year	617354	65.03
0 = No (See comment above).....	15475	1.63
1 = Yes (See comment above)	219	0.02

RECODED ADULT MENTAL HEALTH TREATMENT

The following variable, MHLOTH2, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at some location other than the six locations defined above and was classified as a valid location for outpatient mental health treatment/counseling and not considered an alternative source of treatment (AUOPOTOP=1 and AUOPYRSP=12-16,18-20,23,24,28,29,44,47,58). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at one of the first five specified locations but not some location other than these locations (AUOPOTOP=6 and AUOPYRSP=99), indicated some other location to be one of the six specified locations defined above (AUOPYRSP=1-4,9,43), or provided a name of a facility (AUOPYRSP=70) as the 'other' location. Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRSP=7,8,10,11,22,30,36,39,55,56,71,72), bad data, don't know, refused, or blank (AUOPYRSP=85,94,97,98), indicated not receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=2), aged 12-17 (AUOPYRSP=99 and AMHOUTP3=.), or classified as missing for receiving outpatient treatment in the past year (AMHOUTP3=.) were set to SAS missing.

MHLOTH2

Len : 1 RCVD OUTP MH TRT AT SOME OTHER PLACE IN PST YR

	Freq	Pct
. = Otherwise (See comment above).....	316237	33.31
-9 = Data not collected for this year	617354	65.03
0 = No (See comment above).....	15384	1.62
1 = Yes (See comment above)	310	0.03

NOTE: The following four variables were created by using a combination of recoded adult mental health treatment and recoded substance treatment variables. Specifications on how the individual recoded adult mental health treatment variable was defined can be found above. Specifications on how the individual recoded substance treatment variable was defined can be found in the Recoded Substance Treatment section.

MHOSPTR2

Len : 1 RCVD MH TRT OR SUB TRT AT SPEC FAC IN PST YR

	Freq	Pct
. = Youth/Unkn (AGE2<7 (AMHTXRC3=. & SPILLALC=0)).....	214194	22.56
-9 = Data not collected for this year	280711	29.57
0 = No MH & No/Unk Sub Trt (AMHTXRC3=2 and SPILLALC=0)	388920	40.97
1 = MH or Sub Trt at Spc Fac(AMHTXRC3=1 or SPILLALC=1)	65460	6.90

MHNSPTR2

Len : 1 RCVD MH TRT BUT NOT SUB TRT AT SPEC FAC IN PST YR

	Freq	Pct
. = Youth/Unkn (AGE2<7 (AMHTXRC3=. & SPILLALC=0)).....	214194	22.56
-9 = Data not collected for this year	280711	29.57
0 = Otherwise (AGE2>=7 & (AMHTXRC3=2 SPILLALC=1)).....	395547	41.67
1 = Mental Health Trt Only (AMHTXRC3=1 and SPILLALC=0)	58833	6.20

NMHSPTR2

Len : 1 RCVD SUB TRT AT SPEC FAC BUT NOT MH TRT IN PST YR

	Freq	Pct
. = Youth/Unkn (AGE2<7 (AMHTXRC3=. & SPILLALC=1)).....	212610	22.40
-9 = Data not collected for this year	280711	29.57
0 = Otherwise (AGE2>=7 & (AMHTXRC3=1 SPILLALC=0)).....	452335	47.65
1 = Sub Trt at Spc Fac Only (AMHTXRC3=2 & SPILLALC=1)	3629	0.38

MHASPTR2

Len : 1 RCVD BOTH MH TRT AND SUB TRT AT SPEC FAC IN PST YR

	Freq	Pct
. = Youth/Unkn (AGE2<7 (AMHTXRC3=. & SPILLALC=1)).....	212610	22.40
-9 = Data not collected for this year	280711	29.57
0 = Otherwise (AGE2>=7 & (AMHTXRC3=2 or SPILLALC=0)).....	453018	47.72
1 = MH and Sub Trt at Sp Fac (AMHTXRC3=1 & SPILLALC=1).....	2946	0.31

PSYCHOLOGICAL DISTRESS

PSYCHOLOGICAL DISTRESS

The next questions are about problems with your emotions, nerves, or mental health in the past 12 months.

Most people have periods when they are not at their best emotionally. Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed. If there was no month like this, think of a typical month.

During that month, how often did you feel nervous?

DSTNRVOS¹	Len : 2 HOW OFT FELT NERVOUS IN WORST MONTH, PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	618385	65.14
	1 = All of the time.....	7187	0.76
	2 = Most of the time.....	20505	2.16
	3 = Some of the time.....	48106	5.07
	4 = A little of the time.....	78321	8.25
	5 = None of the time	66106	6.96
	85 = BAD DATA Logically assigned.....	15	0.00
	89 = LEGITIMATE SKIP Logically assigned	5	0.00
	94 = DON'T KNOW	1166	0.12
	97 = REFUSED	671	0.07
	98 = BLANK (NO ANSWER).....	82	0.01
	99 = LEGITIMATE SKIP	108736	11.45

During that same month when you were at your worst emotionally...

how often did you feel hopeless?

DSTHOPLS¹	Len : 2 HOW OFTEN FELT HOPELESS IN WORST MONTH		
		Freq	Pct
	-9 = Data not collected for this year	618385	65.14
	1 = All of the time.....	7724	0.81
	2 = Most of the time.....	15690	1.65
	3 = Some of the time.....	30334	3.20
	4 = A little of the time	46104	4.86
	5 = None of the time	120648	12.71
	85 = BAD DATA Logically assigned.....	15	0.00
	89 = LEGITIMATE SKIP Logically assigned	5	0.00
	94 = DON'T KNOW	912	0.10
	97 = REFUSED	649	0.07
	98 = BLANK (NO ANSWER).....	83	0.01
	99 = LEGITIMATE SKIP	108736	11.45

During that same month when you were at your worst emotionally...

how often did you feel restless or fidgety?

DSTRSTLS¹	Len : 2 HOW OFTEN FELT RESTLESS IN WORST MONTH		
		Freq	Pct
	-9 = Data not collected for this year	618385	65.14
	1 = All of the time.....	7734	0.81
	2 = Most of the time.....	18118	1.91
	3 = Some of the time.....	41271	4.35
	4 = A little of the time	63052	6.64
	5 = None of the time	90154	9.50
	85 = BAD DATA Logically assigned.....	15	0.00
	89 = LEGITIMATE SKIP Logically assigned	5	0.00
	94 = DON'T KNOW	1064	0.11
	97 = REFUSED	668	0.07
	98 = BLANK (NO ANSWER).....	83	0.01
	99 = LEGITIMATE SKIP	108736	11.45

PSYCHOLOGICAL DISTRESS

During that same month when you were at your worst emotionally...

how often did you feel so sad or depressed that nothing could cheer you up?

[DSTCHEER](#)¹

Len : 2 HOW OFTEN COULDN'T BE CHEERED UP IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = All of the time.....	6925	0.73
2 = Most of the time.....	15573	1.64
3 = Some of the time	28943	3.05
4 = A little of the time	44483	4.69
5 = None of the time	91470	9.64
85 = BAD DATA Logically assigned.....	12	0.00
89 = LEGITIMATE SKIP Logically assigned	4	0.00
94 = DON'T KNOW	520	0.05
97 = REFUSED	636	0.07
98 = BLANK (NO ANSWER).....	447	0.05
99 = LEGITIMATE SKIP	141887	14.95

During that same month when you were at your worst emotionally...

how often did you feel that everything was an effort?

[DSTEFFRT](#)¹

Len : 2 HOW OFT FELT EVERYTHING AN EFFORT IN WORST MON

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = All of the time.....	10986	1.16
2 = Most of the time.....	20360	2.14
3 = Some of the time.....	37450	3.95
4 = A little of the time	57769	6.09
5 = None of the time	93301	9.83
85 = BAD DATA Logically assigned.....	15	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	1485	0.16
97 = REFUSED	709	0.07
98 = BLANK (NO ANSWER).....	84	0.01
99 = LEGITIMATE SKIP	108736	11.45

During that same month when you were at your worst emotionally...

How often did you feel down on yourself, no good, or worthless?

[DSTNGOOD](#)¹

Len : 2 HOW OFTEN FELT NO GOOD IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = All of the time.....	8949	0.94
2 = Most of the time.....	16486	1.74
3 = Some of the time	29359	3.09
4 = A little of the time	48142	5.07
5 = None of the time	117594	12.39
85 = BAD DATA Logically assigned.....	15	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	880	0.09
97 = REFUSED	649	0.07
98 = BLANK (NO ANSWER).....	85	0.01
99 = LEGITIMATE SKIP	108736	11.45

RECODED PSYCHOLOGICAL DISTRESS

RECODED PSYCHOLOGICAL DISTRESS

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Psychological Distress or Recoded Substance Dependence and Abuse.

NOTE: This section contains 2 sets of SPD recoded variables. The first set (SPD_USCR and SPD_UADJ) is based only on the K6 questions in the 2007 questionnaire. The second set (K6SMXADJ and SPDYRADJ) is also based on the K6 questions but is statistically adjusted to be comparable with the past year SPD recoded variables in 2008 and later NSDUHs.

NOTE: The following recoded serious psychological distress variables, SPD_USCR and SPD_UADJ, were defined based on data collected from a series of six questions asking respondents how frequently they experienced symptoms of psychological distress during the one month in the past year when they were at their worst emotionally. These questions are known as the K6 and include the following symptoms of distress: feeling nervous (DSTNRVOS), feeling hopeless (DSTHOPLS), feeling restless or fidgety (DSTRSTLS), feeling so sad or depressed that nothing could cheer you up (DSTCHEER), feeling everything was an effort (DSTEFFRT), and feeling no good or worthless (DSTNGOOD). Specific details about the variables, SPD_USCR and SPD_UADJ, are provided in the Recoded Mental Health Appendix.

In order to do multi-year trend analyses for psychological distress that includes the 2004 NSDUH data, please refer to the 2005 documentation for details on comparing data for these measures, including necessary weight adjustments.

The variable, SPD_USCR, is a score from 0 to 24 indicating the level of serious psychological distress (SPD). For adults, this score was calculated by assigning a value of 0 to 4 to each reported response regarding the frequency a respondent experienced symptoms of psychological distress (see above). Subsequently these assigned values were summed to calculate a total score.

<u>SPD_USCR</u>	Len : 2 SCORE INDICATING LEVEL OF UNADJUSTED SPD		
		Freq	Pct
	RANGE = 0 - 24.....	148757	15.67
	. = Aged 12-17 (AGE2<=6).....	72834	7.67
	-9 = Data not collected for this year.....	727694	76.66

<u>SPD_UADJ</u>	Len : 1 SERIOUS PSYCHOLOGICAL DISTRESS INDICATOR-UNADJ		
		Freq	Pct
	. = Aged 12-17 (AGE2<=6).....	72834	7.67
	-9 = Data not collected for this year.....	727694	76.66
	0 = No (AGE2>=7 and SPD_USCR<13).....	126497	13.33
	1 = Yes (AGE2>=7 and SPD_USCR>=13).....	22260	2.34

NOTE: The following two variables were created using statistical adjustments to allow comparisons with past year SPD variables (K6SCMAX and SPDYR) which are available starting in the 2008 NSDUH. In 2008, K6 questions for the past 30 day reference period were added to the mental health module (referred to as the psychological distress module in 2007). This change prevented comparisons with past year SPD variables between 2004-2007 and 2008 and subsequent years. In order to compare the 2008 SPD variables with the 2005-2007 SPD variables, adjusted versions of the past year K6 total score (K6SMXADJ) and past year SPD (SPDYRADJ) were created. Adjusted variables were not created for 2004. The adjusted past year K6 total scores were used to classify respondents as having past year SPD, using the same cut point as the unadjusted variables. The 2005-2007 adjusted past year SPD variables K6SMXADJ and SPDYRADJ can be renamed to the 2008 and later SPD variable names, i.e., K6SCMAX and SPDYR, in order to make comparisons across years. The adjusted variables were first used to produce past year SPD estimates in the 2010 mental health detailed tables. Additional information on the adjustment that was applied can be found in the Recoded Mental Health Appendix.

<u>K6SMXADJ</u>	Len : 2 ADJUSTED WORST K6 TOTAL SCORE IN PAST YEAR		
		Freq	Pct
	RANGE = 0 - 24.....	111455	11.74
	. = Aged 12-17 (AGE2<=6).....	54534	5.74
	-9 = Data not collected for this year.....	783296	82.51

<u>SPDYRADJ</u>	Len : 1 ADJUSTED PAST YEAR SERIOUS PSYCHOLOGICAL DISTRESS		
		Freq	Pct
	. = Aged 12-17 (AGE2<=6).....	54534	5.74
	-9 = Data not collected for this year.....	783296	82.51
	0 = No (AGE2>=7 and K6SMXADJ<13).....	95220	10.03
	1 = Yes (AGE2>=7 and K6SMXADJ>=13).....	16235	1.71

RECODED PSYCHOLOGICAL DISTRESS

NOTE: The following 5 variables were created by using a combination of the recoded psychological distress and recoded substance dependence and abuse variables. Specifications on how the recoded psychological distress variable was defined can be found at the beginning of this section and in the Recoded Mental Health Appendix. Specifications on how the recoded substance dependence and abuse variable was defined can be found in the Recoded Substance Dependence and Abuse section and in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

<u>SPDODPAU</u>	Len : 1 SPD OR DRUG/ALCOHOL DEPENDENCE OR ABUSE-UNADJ		
		Freq	Pct
	. = Aged 12-17 (SPD_UADJ=.)	72834	7.67
	-9 = Data not collected for this year	727694	76.66
	1 = SPD or Drg/Alc Dep/Abus (SPD_UADJ=1 or ABODILAL=1)	38071	4.01
	2 = No SPD & No Dep/Abuse (SPD_UADJ=0 and ABODILAL=0)	110686	11.66

<u>SPDADPAU</u>	Len : 1 SPD AND DRUG/ALCOHOL DEPENDENCE OR ABUSE-UNADJ		
		Freq	Pct
	. = Aged 12-17 (SPD_UADJ=.)	72834	7.67
	-9 = Data not collected for this year	727694	76.66
	1 = SPD & Drg/Alc Dep/Abus (SPD_UADJ=1 and ABODILAL=1)	6502	0.68
	2 = No SPD or No Dep/Abuse (SPD_UADJ=0 or ABODILAL=0)	142255	14.99

<u>NSPNDPAU</u>	Len : 1 NO SPD AND NO DRUG/ALCOHOL DEPENDENCE OR ABUSE-UAJ		
		Freq	Pct
	. = Aged 12-17 (SPD_UADJ=.)	72834	7.67
	-9 = Data not collected for this year	727694	76.66
	1 = No SPD and No Dep/Abus (SPD_UADJ=0 and ABODILAL=0)	110686	11.66
	2 = SPD or Drg/Alc Dep/Abus (SPD_UADJ=1 or ABODILAL=1)	38071	4.01

A respondent was classified as having other than serious psychological distress (SPD) only (SPDNDPAU=2) if they were defined as having SPD and illicit drug/alcohol dependence or abuse (SPD_UADJ=1 and ABODILAL=1); or not having SPD but having dependence or abuse (SPD_UADJ=0 and ABODILAL=1); or not having either SPD or dependence or abuse (SPD_UADJ=0 and ABODILAL=0).

<u>SPDNDPAU</u>	Len : 1 SPD BUT NO DRUG/ALCOHOL DEPENDENCE OR ABUSE-UNADJ		
		Freq	Pct
	. = Aged 12-17 (SPD_UADJ=.)	72834	7.67
	-9 = Data not collected for this year	727694	76.66
	1 = SPD Only (SPD_UADJ=1 and ABODILAL=0)	15758	1.66
	2 = Otherwise (See comment above)	132999	14.01

A respondent was classified as not having illicit drug or alcohol dependence or abuse only (NSPDDPAU=2) if they were defined as having SPD and illicit drug/alcohol dependence or abuse (SPD_UADJ=1 and ABODILAL=1); or having SPD but not having dependence or abuse (SPD_UADJ=1 and ABODILAL=0); or not having either SPD or dependence or abuse (SPD_UADJ=0 and ABODILAL=0).

<u>NSPDDPAU</u>	Len : 1 NO SPD BUT DRUG/ALCOHOL DEPENDENCE OR ABUSE-UNADJ		
		Freq	Pct
	. = Aged 12-17 (SPD_UADJ=.)	72834	7.67
	-9 = Data not collected for this year	727694	76.66
	1 = Drug/Alc Dep/Abuse Only (SPD_UADJ=0 & ABODILAL=1)	15811	1.67
	2 = Otherwise (See comment above)	132946	14.00

NOTE: The following two variables are the outcomes measures of an alternative predictive model used to generate estimates of Serious Mental Illness (SMI) for 2005-2007. More information about this alternative model can be found in the report "Statistical Models to Predict Mental Illness from 2005 to 2007" (CBHSQ, 2017). Note the 2012 SMI predictive model is used in 2008 and subsequent years.

The following variable, SMIPP_A, is a predicted probability that a respondent has Serious Mental Illness (SMI) estimated using an alternative logistic regression model of SMI developed for 2005-2007 that used predictor variables consisting of past year suicidal thoughts, past year MDE, past year diagnosis of depression, K6, and the SDS. This exploratory variable was developed in an attempt to be comparable with the variable SMIPP_U for 2008 and later NSDUHs; however, it is based on a different set of predictors. Users should consider the differences in methodology prior to making any decision on whether and how to use this variable. For more information about this measure, please see the Recoded Mental Health appendix.

<u>SMIPP_A</u>	Len : 12 PREDICTED SERIOUS MENTAL ILLNESS PROB ADJUSTED - ALT MODEL		
		Freq	Pct
	RANGE = 0.0002072124 - 0.9976962409	111455	11.74
	. = 12-17 Years Old (AGE<18)	54534	5.74
	-9 = Data not collected for this year	783296	82.51

RECODED PSYCHOLOGICAL DISTRESS

The following variable, SMIYR_A, is not recommended to be used when analyzing variables that were used as predictor variables for the SMI model: past year suicidal thoughts, past year MDE, past year diagnosis of depression, K6, or the SDS. Furthermore, the use of this variable is not recommended to be used when analyzing other variables closely linked with the predictor variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE or depression, SPD, or components used in the K6 or SDS scales). This exploratory variable was developed in an attempt to be comparable with the variable SMIYR_U for 2008 and later NSDUHs; however, it is based on a different set of predictors. Users should consider the differences in methodology prior to making any decision on whether and how to use this variable. For more information about this measure, please see the Recoded Mental Health appendix.

[SMIYR_A](#)

Len : 1 SMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB - ALT MOD

	Freq	Pct
. = 12-17 Years Old (AGE<18).....	54534	5.74
-9 = Data not collected for this year.....	783296	82.51
0 = No (SMIPP_A<0.372556455).....	106266	11.19
1 = Yes (SMIPP_A>=0.372556455)	5189	0.55

YOUTH EXPERIENCES

YOUTH EXPERIENCES

This note applies to variables in this section marked by a¹.

How many times have you moved in the past 5 years?

<u>YEMOV5Y2</u> ¹	Len : 3 # TIMES MOVED IN PAST 5 YEARS		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	0 = None	118922	12.53
	1 = One time.....	49903	5.26
	2 = Two times.....	24167	2.55
	3 = Three times.....	16243	1.71
	4 = Four times.....	7306	0.77
	5 = Five times.....	3619	0.38
	6 = Six or more times	4781	0.50
	985 = BAD DATA Logically assigned.....	44	0.00
	989 = LEGITIMATE SKIP Logically assigned.....	7	0.00
	994 = DON'T KNOW	4633	0.49
	997 = REFUSED	623	0.07
	998 = BLANK (NO ANSWER).....	26	0.00
	999 = LEGITIMATE SKIP	492379	51.87

The next questions are about school. By "school," we mean elementary school, junior high or middle school, high school, or a college or university. Please include home schooling as well.

Have you attended any type of school at any time during the past 12 months?

<u>YEATNDYR</u> ¹	Len : 2 ATTENDED ANY TYPE OF SCHOOL PAST 12 MONTHS		
		Freq	Pct
	1 = Yes.....	263880	27.80
	2 = No.....	19091	2.01
	85 = BAD DATA Logically assigned.....	86	0.01
	89 = LEGITIMATE SKIP Logically assigned	9	0.00
	94 = DON'T KNOW	1632	0.17
	97 = REFUSED	412	0.04
	98 = BLANK (NO ANSWER).....	32	0.00
	99 = LEGITIMATE SKIP	664143	69.96

Some parents decide to educate their children at home rather than send them to school. Have you been home-schooled at any time during the past 12 months?

<u>YEHMSLYR</u> ¹	Len : 2 HOME SCHOOLED AT ANY TIME DURING THE PAST 12 MOS		
		Freq	Pct
	1 = Yes.....	1705	0.18
	2 = No.....	18909	1.99
	85 = BAD DATA Logically assigned.....	41	0.00
	89 = LEGITIMATE SKIP Logically assigned	2	0.00
	94 = DON'T KNOW	280	0.03
	97 = REFUSED	245	0.03
	98 = BLANK (NO ANSWER).....	73	0.01
	99 = LEGITIMATE SKIP	928030	97.76

Which of the statements below best describes how you felt overall about going to school during the past 12 months?

<u>YESCHFLT</u> ¹	Len : 2 HOW YOU FELT OVERALL ABT GOING TO SCHL PAST 12 MOS		
		Freq	Pct
	1 = You liked going to school a lot.....	77478	8.16
	2 = You kind of liked going to school	133815	14.10
	3 = You didn't like going to school very much.....	38573	4.06
	4 = You hated going to school	15367	1.62
	85 = BAD DATA Logically assigned.....	44	0.00
	89 = LEGITIMATE SKIP Logically assigned	7	0.00
	94 = DON'T KNOW	242	0.03
	97 = REFUSED	322	0.03
	98 = BLANK (NO ANSWER).....	1901	0.20
	99 = LEGITIMATE SKIP	681536	71.79

YOUTH EXPERIENCES

During the past 12 months, how often did you feel that the school work you were assigned to do was meaningful and important?

[YESCHWRK](#)¹

Len : 2 HOW OFTEN FELT SCHL WORK MEANINGFUL PST 12 MOS

	Freq	Pct
1 = Always	69539	7.33
2 = Sometimes	138288	14.57
3 = Seldom	43616	4.59
4 = Never	13551	1.43
85 = BAD DATA Logically assigned.....	44	0.00
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	472	0.05
97 = REFUSED	331	0.03
98 = BLANK (NO ANSWER).....	1901	0.20
99 = LEGITIMATE SKIP	681536	71.79

How important do you think the things you have learned in school during the past 12 months are going to be to you later in life?

[YESCHIMP](#)¹

Len : 2 HOW IMPT THINGS LEARNED PST 12 MOS ARE GOING TO BE

	Freq	Pct
1 = Very important.....	121644	12.81
2 = Somewhat important.....	106568	11.23
3 = Somewhat unimportant.....	27943	2.94
4 = Very unimportant	8846	0.93
85 = BAD DATA Logically assigned.....	46	0.00
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	464	0.05
97 = REFUSED	330	0.03
98 = BLANK (NO ANSWER).....	1901	0.20
99 = LEGITIMATE SKIP	681536	71.79

How interesting do you think most of your courses at school during the past 12 months have been?

[YESCHINT](#)¹

Len : 2 HOW INTERESTING ARE COURSES AT SCHL PAST 12 MONTHS

	Freq	Pct
1 = Very interesting	62483	6.58
2 = Somewhat interesting	139481	14.69
3 = Somewhat boring	46643	4.91
4 = Very boring	16371	1.72
85 = BAD DATA Logically assigned.....	46	0.00
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	474	0.05
97 = REFUSED	343	0.04
98 = BLANK (NO ANSWER).....	1901	0.20
99 = LEGITIMATE SKIP	681536	71.79

During the past 12 months, how often did your teachers at school let you know when you were doing a good job with you school work?

[YETCGJOB](#)¹

Len : 2 HOW OFTEN TCHR SAY DOING A GOOD JOB PAST 12 MONTHS

	Freq	Pct
1 = Always	85214	8.98
2 = Sometimes	121917	12.84
3 = Seldom	43050	4.53
4 = Never	14711	1.55
85 = BAD DATA Logically assigned.....	46	0.00
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	544	0.06
97 = REFUSED	358	0.04
98 = BLANK (NO ANSWER).....	1902	0.20
99 = LEGITIMATE SKIP	681536	71.79

YOUTH EXPERIENCES

What were your grades for the last semester or grading period you completed?

[YELSTGRD](#)¹

Len : 2 GRADES FOR LAST SEMESTER/GRADING PERIOD COMPLETED

	Freq	Pct
1 = An "A+", "A" or "A-minus" average	79989	8.43
2 = A "B+", "B" or "B-minus" average.....	105300	11.09
3 = A "C+", "C" or "C-minus" average.....	53132	5.60
4 = A "D" or less than a "D" average.....	14762	1.56
5 = My school does not give these grades.....	7778	0.82
85 = BAD DATA Logically assigned.....	48	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	3272	0.34
97 = REFUSED	1559	0.16
98 = BLANK (NO ANSWER).....	1902	0.20
99 = LEGITIMATE SKIP	681536	71.79

How many of the students in your grade at school would you say smoke cigarettes?

Please think about the school you would be attending if you were not home-schooled, as you answer these next questions.

How many of the students in your grade at school would you say smoke cigarettes?

[YESTSCIG](#)¹

Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE SMOKE CIGARETTES

	Freq	Pct
1 = None of them	50406	5.31
2 = A few of them	145275	15.30
3 = Most of them.....	60053	6.33
4 = All of them	1983	0.21
85 = BAD DATA Logically assigned.....	50	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	7549	0.80
97 = REFUSED	524	0.06
98 = BLANK (NO ANSWER).....	1902	0.20
99 = LEGITIMATE SKIP	681536	71.79

How many of the students in your grade at school would you say use marijuana or hashish?

[YESTSMJ](#)¹

Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE USE MJ/HASH

	Freq	Pct
1 = None of them	71002	7.48
2 = A few of them	117193	12.35
3 = Most of them.....	61892	6.52
4 = All of them	4274	0.45
85 = BAD DATA Logically assigned.....	50	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	10799	1.14
97 = REFUSED	630	0.07
98 = BLANK (NO ANSWER).....	1902	0.20
99 = LEGITIMATE SKIP	681536	71.79

How many of the students in your grade at school would you say drink alcoholic beverages?

[YESTSALC](#)¹

Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE DRINK ALCOHOL

	Freq	Pct
1 = None of them	51359	5.41
2 = A few of them	102151	10.76
3 = Most of them.....	93539	9.85
4 = All of them	9358	0.99
85 = BAD DATA Logically assigned.....	50	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	8790	0.93
97 = REFUSED	593	0.06
98 = BLANK (NO ANSWER).....	1902	0.20
99 = LEGITIMATE SKIP	681536	71.79

YOUTH EXPERIENCES

How many of the students in your grade at school would you say get drunk at least once a week?

[YESTSDNK](#)¹

Len : 2 HOW MANY SDNTS YOU KNOW GET DRUNK WEEKLY

	Freq	Pct
1 = None of them	98541	10.38
2 = A few of them	114553	12.07
3 = Most of them	36975	3.90
4 = All of them	2847	0.30
85 = BAD DATA Logically assigned	50	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	12227	1.29
97 = REFUSED	647	0.07
98 = BLANK (NO ANSWER)	1902	0.20
99 = LEGITIMATE SKIP	681536	71.79

The next questions ask about your parents. By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians who live in your household.

During the past 12 months, how often did your parents provide help with your homework when you needed it?

[YEPCHKHW](#)¹

Len : 2 PRNTS CHECK IF YOU'VE DONE HOMEWORK PST 12 MOS

	Freq	Pct
1 = Always	133845	14.10
2 = Sometimes	78721	8.29
3 = Seldom	31505	3.32
4 = Never	20585	2.17
85 = BAD DATA Logically assigned	52	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	549	0.06
97 = REFUSED	583	0.06
98 = BLANK (NO ANSWER)	1902	0.20
99 = LEGITIMATE SKIP	681536	71.79

During the past 12 months, how often did your parents provide help with your homework when you needed it?

[YEPHLPWH](#)¹

Len : 2 PRNTS HELPED YOU W/HOMEWORK PAST 12 MONTHS

	Freq	Pct
1 = Always	153208	16.14
2 = Sometimes	59185	6.23
3 = Seldom	26800	2.82
4 = Never	25208	2.66
85 = BAD DATA Logically assigned	52	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	672	0.07
97 = REFUSED	715	0.08
98 = BLANK (NO ANSWER)	1902	0.20
99 = LEGITIMATE SKIP	681536	71.79

During the past 12 months, how often did your parents make you do chores around the house?

[YEPCHORE](#)¹

Len : 2 PRNTS MADE YOU DO WORK/CHORES PAST 12 MONTHS

	Freq	Pct
1 = Always	142131	14.97
2 = Sometimes	107510	11.33
3 = Seldom	24263	2.56
4 = Never	9736	1.03
85 = BAD DATA Logically assigned	99	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	759	0.08
97 = REFUSED	602	0.06
98 = BLANK (NO ANSWER)	33	0.00
99 = LEGITIMATE SKIP	664143	69.96

YOUTH EXPERIENCES

During the past 12 months, how often did your parents limit the amount of time you watched TV?

YEPLMTTV ¹	Len : 2 PRNTS LIMITED YOUR AMT OF TV TIME PST 12 MOS		
		Freq	Pct
	1 = Always	33021	3.48
	2 = Sometimes	76461	8.05
	3 = Seldom	56670	5.97
	4 = Never	116601	12.28
	85 = BAD DATA Logically assigned.....	99	0.01
	89 = LEGITIMATE SKIP Logically assigned	9	0.00
	94 = DON'T KNOW	1451	0.15
	97 = REFUSED	797	0.08
	98 = BLANK (NO ANSWER).....	33	0.00
	99 = LEGITIMATE SKIP	664143	69.96

During the past 12 months, how often did your parents limit the amount of time you went out with friends on school nights?

YEPLMTSN ¹	Len : 2 PRNTS LIMITED YOUR TIME OUT W/FRNDS PST 12 MOS		
		Freq	Pct
	1 = Always	106835	11.25
	2 = Sometimes	73425	7.73
	3 = Seldom	40776	4.30
	4 = Never	40726	4.29
	85 = BAD DATA Logically assigned.....	52	0.01
	89 = LEGITIMATE SKIP Logically assigned	7	0.00
	94 = DON'T KNOW	2852	0.30
	97 = REFUSED	1174	0.12
	98 = BLANK (NO ANSWER).....	1902	0.20
	99 = LEGITIMATE SKIP	681536	71.79

During the past 12 months, how often did your parents let you know when you'd done a good job?

YEPGDJOB ¹	Len : 2 PRNTS LET YOU KNOW DONE A GOOD JOB PST 12 MOS		
		Freq	Pct
	1 = Always	152692	16.08
	2 = Sometimes	90716	9.56
	3 = Seldom	28330	2.98
	4 = Never	11910	1.25
	85 = BAD DATA Logically assigned.....	99	0.01
	89 = LEGITIMATE SKIP Logically assigned	9	0.00
	94 = DON'T KNOW	850	0.09
	97 = REFUSED	503	0.05
	98 = BLANK (NO ANSWER).....	33	0.00
	99 = LEGITIMATE SKIP	664143	69.96

During the past 12 months, how often did your parents tell you they were proud of you for something you had done?

YEPPROUD ¹	Len : 2 TELL YOU THEY'RE PROUD OF SOMETHING YOU'D DONE		
		Freq	Pct
	1 = Always	156331	16.47
	2 = Sometimes	85917	9.05
	3 = Seldom	29155	3.07
	4 = Never	12217	1.29
	85 = BAD DATA Logically assigned.....	99	0.01
	89 = LEGITIMATE SKIP Logically assigned	9	0.00
	94 = DON'T KNOW	864	0.09
	97 = REFUSED	516	0.05
	98 = BLANK (NO ANSWER).....	34	0.00
	99 = LEGITIMATE SKIP	664143	69.96

YOUTH EXPERIENCES

During the past 12 months, how many times have you argued or had a fight with at least one of your parents?

<u>YEYARGUP</u> ¹	Len : 2	ARGUED/HAD A FIGHT WITH AT LEAST ONE OF YOUR PRNTS		
			Freq	Pct
		1 = 0 times.....	50597	5.33
		2 = 1 or 2 times.....	78471	8.27
		3 = 3 to 5 times.....	59246	6.24
		4 = 6 to 9 times.....	30431	3.21
		5 = 10 or more times.....	62202	6.55
		85 = BAD DATA Logically assigned.....	101	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	9	0.00
		94 = DON'T KNOW.....	2622	0.28
		97 = REFUSED.....	1428	0.15
		98 = BLANK (NO ANSWER).....	35	0.00
		99 = LEGITIMATE SKIP.....	664143	69.96

During the past 12 months, how many times have you gotten into a serious fight at school or work?

<u>YEYFGTSW</u> ¹	Len : 2	GOTTEN INTO A SERIOUS FIGHT AT SCHOOL/WORK		
			Freq	Pct
		1 = 0 times.....	225002	23.70
		2 = 1 or 2 times.....	45041	4.74
		3 = 3 to 5 times.....	8951	0.94
		4 = 6 to 9 times.....	2209	0.23
		5 = 10 or more times.....	2316	0.24
		85 = BAD DATA Logically assigned.....	101	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	9	0.00
		94 = DON'T KNOW.....	832	0.09
		97 = REFUSED.....	646	0.07
		98 = BLANK (NO ANSWER).....	35	0.00
		99 = LEGITIMATE SKIP.....	664143	69.96

During the past 12 months, how many times have you taken part in a fight where a group of your friends fought against another group?

<u>YEYFGTGP</u> ¹	Len : 2	TAKEN PART IN FIGHT WHERE GROUP FIGHTS GROUP		
			Freq	Pct
		1 = 0 times.....	242759	25.57
		2 = 1 or 2 times.....	31173	3.28
		3 = 3 to 5 times.....	6143	0.65
		4 = 6 to 9 times.....	1637	0.17
		5 = 10 or more times.....	1775	0.19
		85 = BAD DATA Logically assigned.....	101	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	9	0.00
		94 = DON'T KNOW.....	888	0.09
		97 = REFUSED.....	622	0.07
		98 = BLANK (NO ANSWER).....	35	0.00
		99 = LEGITIMATE SKIP.....	664143	69.96

During the past 12 months, how many times have you carried a handgun?

<u>YEYHGUN</u> ¹	Len : 2	CARRIED A HANDGUN		
			Freq	Pct
		1 = 0 times.....	272563	28.71
		2 = 1 or 2 times.....	7255	0.76
		3 = 3 to 5 times.....	1805	0.19
		4 = 6 to 9 times.....	672	0.07
		5 = 10 or more times.....	1497	0.16
		85 = BAD DATA Logically assigned.....	101	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	9	0.00
		94 = DON'T KNOW.....	543	0.06
		97 = REFUSED.....	662	0.07
		98 = BLANK (NO ANSWER).....	35	0.00
		99 = LEGITIMATE SKIP.....	664143	69.96

YOUTH EXPERIENCES

During the past 12 months, how many times have you sold illegal drugs?

<u>YEYSELL</u> ¹	Len : 2 SOLD ILLEGAL DRUGS		
		Freq	Pct
	1 = 0 times.....	274911	28.96
	2 = 1 or 2 times.....	4643	0.49
	3 = 3 to 5 times.....	1683	0.18
	4 = 6 to 9 times.....	759	0.08
	5 = 10 or more times.....	2051	0.22
	85 = BAD DATA Logically assigned.....	101	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	9	0.00
	94 = DON'T KNOW.....	334	0.04
	97 = REFUSED.....	616	0.06
	98 = BLANK (NO ANSWER).....	35	0.00
	99 = LEGITIMATE SKIP.....	664143	69.96

During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?

<u>YEYSTOLE</u> ¹	Len : 2 STOLEN/TRIED TO STEAL ANYTHING WORTH >\$50		
		Freq	Pct
	1 = 0 times.....	272492	28.70
	2 = 1 or 2 times.....	8003	0.84
	3 = 3 to 5 times.....	1729	0.18
	4 = 6 to 9 times.....	659	0.07
	5 = 10 or more times.....	1103	0.12
	85 = BAD DATA Logically assigned.....	101	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	9	0.00
	94 = DON'T KNOW.....	415	0.04
	97 = REFUSED.....	596	0.06
	98 = BLANK (NO ANSWER).....	35	0.00
	99 = LEGITIMATE SKIP.....	664143	69.96

During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?

<u>YEYATTAK</u> ¹	Len : 2 ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM		
		Freq	Pct
	1 = 0 times.....	264718	27.89
	2 = 1 or 2 times.....	15691	1.65
	3 = 3 to 5 times.....	2157	0.23
	4 = 6 to 9 times.....	611	0.06
	5 = 10 or more times.....	779	0.08
	85 = BAD DATA Logically assigned.....	101	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	9	0.00
	94 = DON'T KNOW.....	489	0.05
	97 = REFUSED.....	552	0.06
	98 = BLANK (NO ANSWER).....	35	0.00
	99 = LEGITIMATE SKIP.....	664143	69.96

How do you think your parents would feel about you smoking one or more packs of cigarettes per day?

<u>YEPPKCIG</u> ¹	Len : 2 HOW PRNTS WLD FEEL: YOU SMOKING 1+ PACK CIGS/DAY		
		Freq	Pct
	1 = Neither approve nor disapprove.....	11630	1.23
	2 = Somewhat disapprove.....	11166	1.18
	3 = Strongly disapprove.....	258014	27.18
	85 = BAD DATA Logically assigned.....	96	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	9	0.00
	94 = DON'T KNOW.....	3071	0.32
	97 = REFUSED.....	1121	0.12
	98 = BLANK (NO ANSWER).....	35	0.00
	99 = LEGITIMATE SKIP.....	664143	69.96

YOUTH EXPERIENCES

How do you think your parents would feel about you trying marijuana or hashish once or twice?

YEPMJEV¹	Len : 2	HOW PRNTS WLD FEEL: YOU TRYING MJ/HASH		
			Freq	Pct
		1 = Neither Approve or Disapprove	12982	1.37
		2 = Somewhat Disapprove.....	19895	2.10
		3 = Strongly Disapprove.....	248257	26.15
		85 = BAD DATA Logically assigned.....	96	0.01
		89 = LEGITIMATE SKIP Logically assigned	9	0.00
		94 = DON'T KNOW	2759	0.29
		97 = REFUSED	1109	0.12
		98 = BLANK (NO ANSWER).....	35	0.00
		99 = LEGITIMATE SKIP	664143	69.96

How do you think your parents would feel about you using marijuana or hashish once a month or more?

YEPMJMO¹	Len : 2	HOW PRNTS WLD FEEL: YOU USING MJ/HASH MONTHLY		
			Freq	Pct
		1 = Neither Approve or Disapprove	11244	1.18
		2 = Somewhat Disapprove.....	14185	1.49
		3 = Strongly Disapprove.....	255673	26.93
		85 = BAD DATA Logically assigned.....	96	0.01
		89 = LEGITIMATE SKIP Logically assigned	9	0.00
		94 = DON'T KNOW	2784	0.29
		97 = REFUSED	1116	0.12
		98 = BLANK (NO ANSWER).....	35	0.00
		99 = LEGITIMATE SKIP	664143	69.96

How do you think your parents would feel about you having one or two drinks of an alcoholic beverage nearly every day?

YEPALDLY¹	Len : 2	HOW PRNTS WLD FEEL: YOU DRINKING ALC DAILY		
			Freq	Pct
		1 = Neither Approve or Disapprove	9821	1.03
		2 = Somewhat Disapprove.....	19479	2.05
		3 = Strongly Disapprove.....	251970	26.54
		85 = BAD DATA Logically assigned.....	96	0.01
		89 = LEGITIMATE SKIP Logically assigned	9	0.00
		94 = DON'T KNOW	2670	0.28
		97 = REFUSED	1062	0.11
		98 = BLANK (NO ANSWER).....	35	0.00
		99 = LEGITIMATE SKIP	664143	69.96

How do you feel about someone your age smoking one or more packs of cigarettes a day?

YEGPKCIG¹	Len : 2	HOW YOU FEEL S/ONE YOUR AGE SMOKG 1+ PK CIGS/DY		
			Freq	Pct
		1 = Neither approve nor disapprove	27596	2.91
		2 = Somewhat disapprove.....	35241	3.71
		3 = Strongly disapprove.....	218812	23.05
		85 = BAD DATA Logically assigned.....	96	0.01
		89 = LEGITIMATE SKIP Logically assigned	9	0.00
		94 = DON'T KNOW	2461	0.26
		97 = REFUSED	892	0.09
		98 = BLANK (NO ANSWER).....	35	0.00
		99 = LEGITIMATE SKIP	664143	69.96

How do you feel about someone your age trying marijuana or hashish once or twice?

YEGMJEV¹	Len : 2	HOW YOU FEEL S/ONE YOUR AGE TRYING MJ/HASH		
			Freq	Pct
		1 = Neither approve nor disapprove	56018	5.90
		2 = Somewhat disapprove.....	43923	4.63
		3 = Strongly disapprove.....	181636	19.13
		85 = BAD DATA Logically assigned.....	96	0.01
		89 = LEGITIMATE SKIP Logically assigned	9	0.00
		94 = DON'T KNOW	2511	0.26
		97 = REFUSED	914	0.10
		98 = BLANK (NO ANSWER).....	35	0.00
		99 = LEGITIMATE SKIP	664143	69.96

YOUTH EXPERIENCES

How do you feel about someone your age using marijuana once a month or more?

[YEGMJMO](#)¹

Len : 2 HOW YOU FEEL S/ONE YOUR AGE USING MJ/HASH MONTHLY

	Freq	Pct
1 = Neither approve nor disapprove	55067	5.80
2 = Somewhat disapprove.....	42408	4.47
3 = Strongly disapprove.....	184100	19.39
85 = BAD DATA Logically assigned.....	97	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	2515	0.26
97 = REFUSED	911	0.10
98 = BLANK (NO ANSWER).....	35	0.00
99 = LEGITIMATE SKIP	664143	69.96

How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?

[YEGALDLY](#)¹

Len : 2 HOW YOU FEEL S/ONE YOUR AGE DRINKING ALC DLY

	Freq	Pct
1 = Neither approve nor disapprove	36026	3.80
2 = Somewhat disapprove.....	46632	4.91
3 = Strongly disapprove.....	199020	20.97
85 = BAD DATA Logically assigned.....	97	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	2469	0.26
97 = REFUSED	854	0.09
98 = BLANK (NO ANSWER).....	35	0.00
99 = LEGITIMATE SKIP	664143	69.96

How do you think your close friends would feel about you smoking one or more packs of cigarettes a day?

[YEFPKCIG](#)¹

Len : 2 HOW YOU FEEL FRIENDS SMOKING 1+ PACK CIGS/DAY

	Freq	Pct
1 = Neither approve nor disapprove	34346	3.62
2 = Somewhat disapprove.....	47455	5.00
3 = Strongly disapprove.....	198936	20.96
85 = BAD DATA Logically assigned.....	97	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	3352	0.35
97 = REFUSED	912	0.10
98 = BLANK (NO ANSWER).....	35	0.00
99 = LEGITIMATE SKIP	664143	69.96

How do you think your close friends would feel about you trying marijuana or hashish once or twice?

[YEFMJEV](#)¹

Len : 2 HOW YOU FEEL FRIENDS USING MJ 1X/MO

	Freq	Pct
1 = Neither approve nor disapprove	55962	5.90
2 = Somewhat disapprove.....	45090	4.75
3 = Strongly disapprove.....	179656	18.93
85 = BAD DATA Logically assigned.....	97	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	3352	0.35
97 = REFUSED	941	0.10
98 = BLANK (NO ANSWER).....	35	0.00
99 = LEGITIMATE SKIP	664143	69.96

How do you think your close friends would feel about you using marijuana or hashish once a month or more?

[YEFMJMO](#)¹

Len : 2 HOW YOU FEEL FRIENDS USING MJ MONTHLY

	Freq	Pct
1 = Neither approve nor disapprove	51813	5.46
2 = Somewhat disapprove.....	41655	4.39
3 = Strongly disapprove.....	187132	19.71
85 = BAD DATA Logically assigned.....	97	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	3432	0.36
97 = REFUSED	969	0.10
98 = BLANK (NO ANSWER).....	35	0.00
99 = LEGITIMATE SKIP	664143	69.96

YOUTH EXPERIENCES

How do you think your close friends would feel about you having one or two drinks of an alcoholic beverage nearly every day?

[YEFALDLY](#)¹

Len : 2 HOW YOU FEEL FRIENDS DRINKING ALC DAILY

	Freq	Pct
1 = Neither approve nor disapprove	41454	4.37
2 = Somewhat disapprove.....	50883	5.36
3 = Strongly disapprove.....	188287	19.83
85 = BAD DATA Logically assigned.....	97	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	3426	0.36
97 = REFUSED	951	0.10
98 = BLANK (NO ANSWER).....	35	0.00
99 = LEGITIMATE SKIP	664143	69.96

NOTE: In the variables YETLKPAR, YETLKBGF, YETLKOTA and YETLKSOP, codes of 11 were assigned if the respondent indicated that there was no one that he/she could talk to about a serious problem but the respondent also indicated 1 or more people that he/she could talk to about a serious problem.

If you wanted to talk to someone about a serious problem, which of the following people would you turn to?

[YETLKNON](#)¹

Len : 2 THERE IS NOBODY I CAN TALK TO ABOUT SERIOUS PROBS

	Freq	Pct
1 = Response entered	11138	1.17
6 = Response not entered.....	267603	28.19
11 = Response entered (& other responses entered).....	3837	0.40
85 = BAD DATA Logically assigned.....	51	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	1479	0.16
97 = REFUSED	947	0.10
98 = BLANK (NO ANSWER).....	78	0.01
99 = LEGITIMATE SKIP	664151	69.96

[YETLKPAR](#)¹

Len : 2 MY MOTHER/FATHER/GUARDIAN

	Freq	Pct
1 = Response entered	196361	20.69
6 = Response not entered.....	84904	8.94
11 = Response entered (YETLKNON=11)	1313	0.14
85 = BAD DATA Logically assigned.....	42	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	1479	0.16
97 = REFUSED	947	0.10
98 = BLANK (NO ANSWER).....	87	0.01
99 = LEGITIMATE SKIP	664147	69.96

[YETLKBGF](#)¹

Len : 2 MY BOYFRIEND/GIRLFRIEND

	Freq	Pct
1 = Response entered	88406	9.31
6 = Response not entered.....	192722	20.30
11 = Response entered (YETLKNON=11)	1450	0.15
89 = LEGITIMATE SKIP Logically assigned	6	0.00
94 = DON'T KNOW	1479	0.16
97 = REFUSED	947	0.10
98 = BLANK (NO ANSWER).....	129	0.01
99 = LEGITIMATE SKIP	664146	69.96

[YETLKOTA](#)¹

Len : 2 SOME OTHER ADULT

	Freq	Pct
1 = Response entered	78028	8.22
6 = Response not entered.....	203351	21.42
11 = Response entered (YETLKNON=11)	1199	0.13
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	1479	0.16
97 = REFUSED	947	0.10
98 = BLANK (NO ANSWER).....	129	0.01
99 = LEGITIMATE SKIP	664149	69.96

YOUTH EXPERIENCES

[YETLKSOP](#)¹

Len : 2 SOME OTHER PERSON

	Freq	Pct
1 = Response entered	102997	10.85
6 = Response not entered.....	177607	18.71
11 = Response entered (YETLKNON=11)	1974	0.21
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	1479	0.16
97 = REFUSED	947	0.10
98 = BLANK (NO ANSWER).....	129	0.01
99 = LEGITIMATE SKIP	664150	69.96

Now think about the past 12 months, that is, from [DATEFILL] through today. During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use? By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians -- whether or not they live with you.

[YEPRTDNG](#)¹

Len : 2 HAVE YOU TALKED W/PARENT(S) ABT DANGER OF TOB/ALC

	Freq	Pct
1 = Yes.....	164088	17.29
2 = No.....	117075	12.33
85 = BAD DATA Logically assigned.....	109	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	2800	0.29
97 = REFUSED	1024	0.11
98 = BLANK (NO ANSWER).....	37	0.00
99 = LEGITIMATE SKIP	664143	69.96

During the past 12 months have you participated in a problem solving, communication skills or self-esteem group?

[YEPRBSLV](#)¹

Len : 2 PRBLM SOLVING/COMMUNICATION SKILLS/SELF-ESTEEM GR

	Freq	Pct
1 = Yes.....	65642	6.91
2 = No.....	213325	22.47
85 = BAD DATA Logically assigned.....	109	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	5165	0.54
97 = REFUSED	855	0.09
98 = BLANK (NO ANSWER).....	37	0.00
99 = LEGITIMATE SKIP	664143	69.96

During the past 12 months have you participated in a violence prevention program, where you learn ways to avoid fights and control anger?

[YEVIOPRV](#)¹

Len : 2 VIOLENCE PREVENTION PROGRAMS

	Freq	Pct
1 = Yes.....	40693	4.29
2 = No.....	241447	25.43
85 = BAD DATA Logically assigned.....	109	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	2105	0.22
97 = REFUSED	742	0.08
98 = BLANK (NO ANSWER).....	37	0.00
99 = LEGITIMATE SKIP	664143	69.96

During the past 12 months have you participated in an alcohol, tobacco or drug prevention program outside of school, where you learn about the dangers of using, and how to resist using, alcohol, tobacco, or drugs?

[YEDGPRGP](#)¹

Len : 2 ALCOHOL/TOBACCO/DRUG PREV PGMS OUTSIDE SCHL

	Freq	Pct
1 = Yes.....	33778	3.56
2 = No.....	248764	26.21
85 = BAD DATA Logically assigned.....	109	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	1667	0.18
97 = REFUSED	778	0.08
98 = BLANK (NO ANSWER).....	37	0.00
99 = LEGITIMATE SKIP	664143	69.96

YOUTH EXPERIENCES

During the past 12 months have you participated in a program or meeting to help you deal with drug or alcohol use by you or another member of your family, such as Alcoholics Anonymous, Alateen, or individual or group counseling?

[YESLFHLP¹](#)

Len : 2 AA/ALATEEN/INDIVIDUAL OR GROUP COUNSELING

	Freq	Pct
1 = Yes.....	12858	1.35
2 = No.....	269077	28.35
85 = BAD DATA Logically assigned.....	109	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	2148	0.23
97 = REFUSED	903	0.10
98 = BLANK (NO ANSWER).....	38	0.00
99 = LEGITIMATE SKIP	664143	69.96

During the past 12 months have you participated in pregnancy or sexually transmitted disease prevention programs?

[YEPRGSTD¹](#)

Len : 2 PREGNANCY OR SEXUALLY TRANSMITTED DISEASE PGMS

	Freq	Pct
1 = Yes.....	30050	3.17
2 = No.....	252697	26.62
85 = BAD DATA Logically assigned.....	109	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	1439	0.15
97 = REFUSED	800	0.08
98 = BLANK (NO ANSWER).....	38	0.00
99 = LEGITIMATE SKIP	664143	69.96

During the past 12 months, in how many different kinds of school-based activities, such as team sports, cheerleading, choir, band, student government, or clubs, have you participated?

[YESCHACT¹](#)

Len : 2 # OF SCHOOL-BASED ACT. PARTIC. IN PAST 12 MONTHS

	Freq	Pct
0 = None	46496	4.90
1 = One	71111	7.49
2 = Two.....	72463	7.63
3 = 3 or more	93170	9.81
85 = BAD DATA Logically assigned.....	110	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	1144	0.12
97 = REFUSED	599	0.06
98 = BLANK (NO ANSWER).....	40	0.00
99 = LEGITIMATE SKIP	664143	69.96

During the past 12 months, in how many different kinds of community-based activities, such as volunteer activities, sports, clubs, or groups have you participated?

[YECOMACT¹](#)

Len : 2 # OF COMM.-BASED ACT. PARTIC. IN PAST 12 MONTHS

	Freq	Pct
0 = None	73218	7.71
1 = One	78402	8.26
2 = Two.....	60359	6.36
3 = 3 or more	70180	7.39
85 = BAD DATA Logically assigned.....	110	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	2181	0.23
97 = REFUSED	642	0.07
98 = BLANK (NO ANSWER).....	41	0.00
99 = LEGITIMATE SKIP	664143	69.96

YOUTH EXPERIENCES

During the past 12 months, in how many different kinds of church or faith-based activities, such as clubs, youth groups, Saturday or Sunday school, prayer groups, youth trips, service or volunteer activities have you participated?

[YEFAIACT](#)¹

Len : 2 # OF FAITH-BASED ACT. PARTIC. IN PAST 12 MONTHS

	Freq	Pct
0 = None	108348	11.41
1 = One	64602	6.81
2 = Two.....	36923	3.89
3 = 3 or more	72053	7.59
85 = BAD DATA Logically assigned.....	110	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	2240	0.24
97 = REFUSED	816	0.09
98 = BLANK (NO ANSWER).....	41	0.00
99 = LEGITIMATE SKIP	664143	69.96

During the past 12 months, in how many different kinds of other activities, such as dance lessons, piano lessons, karate lessons, or horseback riding lessons, have you participated?

[YEOTHACT](#)¹

Len : 2 # OF OTHER ACT. PARTIC. IN PAST 12 MONTHS

	Freq	Pct
0 = None	169387	17.84
1 = One	61630	6.49
2 = Two.....	24753	2.61
3 = 3 or more	26988	2.84
85 = BAD DATA Logically assigned.....	110	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	1556	0.16
97 = REFUSED	668	0.07
98 = BLANK (NO ANSWER).....	41	0.00
99 = LEGITIMATE SKIP	664143	69.96

During the past 12 months have you had a special class about drugs or alcohol in school?

[YEDECLAS](#)¹

Len : 2 A SPECIAL CLASS ABOUT DRUGS OR ALCOHOL

	Freq	Pct
1 = Yes.....	119047	12.54
2 = No.....	144421	15.21
85 = BAD DATA Logically assigned.....	61	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	1711	0.18
97 = REFUSED	594	0.06
98 = BLANK (NO ANSWER).....	1908	0.20
99 = LEGITIMATE SKIP	681536	71.79

During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol in one of your regular school classes such as health or physical education?

[YEDERGLR](#)¹

Len : 2 FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC IN CLASS

	Freq	Pct
1 = Yes.....	172154	18.14
2 = No.....	91115	9.60
85 = BAD DATA Logically assigned.....	61	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	1875	0.20
97 = REFUSED	629	0.07
98 = BLANK (NO ANSWER).....	1908	0.20
99 = LEGITIMATE SKIP	681536	71.79

YOUTH EXPERIENCES

During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol outside of one of your regular classes such as in a special assembly?

YEDESPCL¹

Len : 2 FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC OUT CLAS

	Freq	Pct
1 = Yes.....	102809	10.83
2 = No.....	159612	16.81
85 = BAD DATA Logically assigned.....	61	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	2667	0.28
97 = REFUSED	685	0.07
98 = BLANK (NO ANSWER).....	1908	0.20
99 = LEGITIMATE SKIP	681536	71.79

During the past 12 months have you seen or heard any alcohol or drug prevention messages from sources outside school such as posters, pamphlets, radio, or TV?

YEPVNTYR¹

Len : 2 SEEN/HEARD ALC/DRG PREV MESSAGES FRM SOURC OUT SC

	Freq	Pct
1 = Yes.....	217267	22.89
2 = No.....	64276	6.77
85 = BAD DATA Logically assigned.....	110	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	2773	0.29
97 = REFUSED	666	0.07
98 = BLANK (NO ANSWER).....	40	0.00
99 = LEGITIMATE SKIP	664144	69.96

During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.

YERLGSVC¹

Len : 2 PAST 12 MOS, HOW MANY RELIG. SERVICES

	Freq	Pct
1 = 0 times.....	98375	10.36
2 = 1 to 2 times	39188	4.13
3 = 3 to 5 times	23529	2.48
4 = 6 to 24 times	34459	3.63
5 = 25 to 52 times	34919	3.68
6 = More than 52 times.....	47578	5.01
85 = BAD DATA Logically assigned.....	110	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	5688	0.60
97 = REFUSED	1245	0.13
98 = BLANK (NO ANSWER).....	42	0.00
99 = LEGITIMATE SKIP	664143	69.96

These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.

Your religious beliefs are a very important part of your life.

YERLGIMP¹

Len : 2 MY RELIGIOUS BELIEFS ARE VERY IMPORTANT

	Freq	Pct
1 = Strongly Disagree.....	32851	3.46
2 = Disagree	41394	4.36
3 = Agree	112709	11.87
4 = Strongly Agree.....	90956	9.58
85 = BAD DATA Logically assigned.....	102	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	4990	0.53
97 = REFUSED	2088	0.22
98 = BLANK (NO ANSWER).....	43	0.00
99 = LEGITIMATE SKIP	664143	69.96

YOUTH EXPERIENCES

Your religious beliefs influence how you make decisions in your life.

[YERLDCSN](#)¹

Len : 2 MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS

	Freq	Pct
1 = Strongly Disagree.....	38184	4.02
2 = Disagree	58346	6.15
3 = Agree	110133	11.60
4 = Strongly Agree.....	71051	7.48
85 = BAD DATA Logically assigned.....	102	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	5222	0.55
97 = REFUSED	2051	0.22
98 = BLANK (NO ANSWER).....	44	0.00
99 = LEGITIMATE SKIP	664143	69.96

It is important that your friends share your religious beliefs.

[YERLFRND](#)¹

Len : 2 IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS

	Freq	Pct
1 = Strongly Disagree.....	79262	8.35
2 = Disagree	108278	11.41
3 = Agree	65059	6.85
4 = Strongly Agree.....	24034	2.53
85 = BAD DATA Logically assigned.....	102	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	6284	0.66
97 = REFUSED	2070	0.22
98 = BLANK (NO ANSWER).....	44	0.00
99 = LEGITIMATE SKIP	664143	69.96

RECODED YOUTH EXPERIENCES

RECODED YOUTH EXPERIENCES

<u>SCHWORK</u>	Len : 1 HOW YTH FELT: SCHL WORK IMPT IN PST YR		
	.	Freq	Pct
	= Otherwise (YESCHWRK=85,89,94,97,98,99)	154479	16.27
	-9 = Data not collected for this year	728469	76.74
	1 = Always/Sometimes (YESCHWRK=1,2)	51439	5.42
	2 = Seldom/Never (YESCHWRK=3,4)	14898	1.57

<u>SCHIMPT</u>	Len : 1 HOW YTH FELT: THINGS LEARNED IN PST YR IMP IN LIFE		
	.	Freq	Pct
	= Otherwise (YESCHIMP=85,89,94,97,98,99)	154481	16.27
	-9 = Data not collected for this year	728469	76.74
	1 = Very/Somewhat Important (YESCHIMP=1,2)	58416	6.15
	2 = Very/Somewhat Unimportant (YESCHIMP=3,4)	7919	0.83

<u>SCHINTST</u>	Len : 1 HOW YTH FELT: CLASS AT SCHL INTERST IN PST YR		
	.	Freq	Pct
	= Otherwise (YESCHINT=85,89,94,97,98,99)	154464	16.27
	-9 = Data not collected for this year	728469	76.74
	1 = Very/Somewhat Interesting (YESCHINT=1,2)	50049	5.27
	2 = Very/Somewhat Boring (YESCHINT=3,4)	16303	1.72

<u>DGSPCLS2</u>	Len : 1 YOUTH TAKEN SPECIAL CLASS ABOUT DRUGS		
	.	Freq	Pct
	= Otherwise (YEDECLAS=85,89,94,97,98,99)	154657	16.29
	-9 = Data not collected for this year	728469	76.74
	1 = Yes (YEDECLAS=1)	32368	3.41
	2 = No (YEDECLAS=2)	33791	3.56

<u>DGRGCLS2</u>	Len : 1 YOUTH DRUG EDUC IN REGULAR CLASS		
	.	Freq	Pct
	= Otherwise (YEDERGLR=85,89,94,97,98,99)	154729	16.30
	-9 = Data not collected for this year	728469	76.74
	1 = Yes (YEDERGLR=1)	44933	4.73
	2 = No (YEDERGLR=2)	21154	2.23

<u>DRGLECT2</u>	Len : 1 YOUTH DRUG EDUC OUTSIDE REG CLASS		
	.	Freq	Pct
	= Otherwise (YEDESPCL=85,89,94,97,98,99)	154877	16.32
	-9 = Data not collected for this year	728469	76.74
	1 = Yes (YEDESPCL=1)	26624	2.80
	2 = No (YEDESPCL=2)	39315	4.14

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

<u>MVIN5YR2</u>	Len : 1 NUMBER OF TIMES YOUTH MOVED IN PST 5 YRS		
	.	Freq	Pct
	= Unknown/Aged 18+ (Otherwise)	497712	52.43
	-9 = Data not collected for this year	226632	23.87
	1 = More than One Time (YEMOV5Y2=2 to 6)	56116	5.91
	2 = None or One Time (YEMOV5Y2=0,1)	168825	17.78

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

<u>SCHFELT</u>	Len : 1 RC-HOW YTH FELT: ABOUT GOING TO SCHOOL IN PST YR		
	.	Freq	Pct
	= Unknown/Aged 18+ (Otherwise)	684052	72.06
	1 = Liked A Lot/Kind of Liked (YESCHFLT=1,2)	211293	22.26
	2 = Didn't Like Very Much/Hated (YESCHFLT=3,4)	53940	5.68

RECODED YOUTH EXPERIENCES

TCHGJOB	Len : 1 RC-TEACHER LET YTH KNOW DOING GOOD JOB IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	684393	72.10
	1 = Always/Sometimes (YETCGJOB=1,2).....	207131	21.82
	2 = Seldom/Never (YETCGJOB=3,4)	57761	6.08
AVGGRADE	Len : 1 RC-GRADE AVERAGE FOR LAST GRADING PERIOD COMPLETED		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	696102	73.33
	1 = D or Lower (YELSTGRD=4).....	14762	1.56
	2 = A, B, or C (YELSTGRD=1,2,3).....	238421	25.12
STNDSCIG	Len : 1 RC-STUDENTS IN YTH GRADE SMOKE CIGARETTES		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	691568	72.85
	1 = Most/All (YESTSCIG=3,4)	62036	6.54
	2 = None/Few (YESTSCIG=1,2)	195681	20.61
STNDSMJ	Len : 1 RC-STUDENTS IN YTH GRADE USE MARIJUANA		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	694924	73.20
	1 = Most/All (YESTSMJ=3,4)	66166	6.97
	2 = None/Few (YESTSMJ=1,2)	188195	19.82
STNDALC	Len : 1 RC-STUDENTS IN YTH GRADE DRINK ALCOHOLIC BEVERAGES		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	692878	72.99
	1 = Most/All (YESTSALC=3,4)	102897	10.84
	2 = None/Few (YESTSALC=1,2)	153510	16.17
STNDNDK	Len : 1 RC-STUDENTS IN YTH GRADE GET DRUNK ONCE/WEEK		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	696369	73.36
	1 = Most/All (YESTSDNK=3,4).....	39822	4.19
	2 = None/Few (YESTSDNK=1,2).....	213094	22.45
PARCHKHW	Len : 1 RC-PARENTS CHECK IF HOMEWORK DONE IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	684629	72.12
	1 = Always/Sometimes (YEPCHKHW=1,2).....	212566	22.39
	2 = Seldom/Never (YEPCHKHW=3,4)	52090	5.49
PARHLPHW	Len : 1 RC-PARENTS HELP WITH HOMEWORK IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	684884	72.15
	1 = Always/Sometimes (YEPHLPHW=1,2)	212393	22.37
	2 = Seldom/Never (YEPHLPHW=3,4).....	52008	5.48
PRCHORE2	Len : 1 RC-PARENTS MAKE YTH DO CHORES AROUND HOUSE IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	665645	70.12
	1 = Always/Sometimes (YEPCHORE=1,2)	249641	26.30
	2 = Seldom/Never (YEPCHORE=3,4)	33999	3.58
PRLMTTV2	Len : 1 RC-PARENTS LIMIT AMOUNT OF TV IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	666532	70.21
	1 = Always/Sometimes (YEPLMTTV=1,2).....	109482	11.53
	2 = Seldom/Never (YEPLMTTV=3,4)	173271	18.25

RECODED YOUTH EXPERIENCES

PARLMTSN

Len : 1 RC-PARENTS LIMIT TIME OUT ON SCHOOL NIGHT IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	687523	72.43
1 = Always/Sometimes (YEPLMTSN=1,2)	180260	18.99
2 = Seldom/Never (YEPLMTSN=3,4)	81502	8.59

PRGDJOB2

Len : 1 RC-PARENTS TELL YTH HAD DONE GOOD JOB IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	665637	70.12
1 = Always/Sometimes (YEPGDJOB=1,2)	243408	25.64
2 = Seldom/Never (YEPGDJOB=3,4)	40240	4.24

PRPROUD2

Len : 1 RC-PARENTS TELL YTH PROUD OF THINGS DONE IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	665665	70.12
1 = Always/Sometimes (YEPPROUD=1,2)	242248	25.52
2 = Seldom/Never (YEPPROUD=3,4)	41372	4.36

ARGUPAR

Len : 1 RC-TIMES ARGUED/HAD A FIGHT WITH ONE PARENT IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	668338	70.40
1 = 9 or Fewer (YEYARGUP=1,2,3,4)	218745	23.04
2 = 10 or More (YEYARGUP=5)	62202	6.55

YOFIGHT2

Len : 1 RC-YOUTH HAD SERIOUS FIGHT AT SCHOOL/WORK

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	665766	70.13
1 = One or More Times (YEYFGTSW=2,3,4,5)	58517	6.16
2 = None (YEYFGTSW=1)	225002	23.70

YOGRPFT2

Len : 1 RC-YOUTH FOUGHT WITH GROUP VS OTHER GROUP

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	665798	70.14
1 = One or More Times (YEYFGTGP=2,3,4,5)	40728	4.29
2 = None (YEYFGTGP=1)	242759	25.57

YOHGUN2

Len : 1 RC-YOUTH CARRIED A HANDGUN

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	665493	70.10
1 = One or More Times (YEYHGUN=2,3,4,5)	11229	1.18
2 = None (YEYHGUN=1)	272563	28.71

YOSELL2

Len : 1 RC-YOUTH SOLD ILLEGAL DRUGS

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	665238	70.08
1 = One or More Times (YEYSELL=2,3,4,5)	9136	0.96
2 = None (YEYSELL=1)	274911	28.96

YOSTOLE2

Len : 1 RC-YOUTH STOLE/TRIED TO STEAL ITEM >\$50

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	665299	70.08
1 = One or More Times (YEYSTOLE=2,3,4,5)	11494	1.21
2 = None (YEYSTOLE=1)	272492	28.70

YOATTAK2

Len : 1 RC-YOUTH ATTACKED WITH INTENT TO SERIOUSLY HARM

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	665329	70.09
1 = One or More Times (YEYATTAK=2,3,4,5)	19238	2.03
2 = None (YEYATTAK=1)	264718	27.89

RECODED YOUTH EXPERIENCES

PRPKCIG2	Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH SMOKE PACK CIG/DAY		
	.	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	668475	70.42
	1 = Strongly Disapprove (YEPPKCIG=3)	258014	27.18
	2 = Somewhat Disapprove or Neither (YEPPKCIG=1,2).....	22796	2.40
PRMJEV2	Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH TRY MARIJUANA		
	.	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	668151	70.38
	1 = Strongly Disapprove (YEPMJEV2=3)	248257	26.15
	2 = Somewhat Disapprove or Neither (YEPMJEV2=1,2).....	32877	3.46
PRMJMO	Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH USE MARIJUANA MNTHLY		
	.	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	668183	70.39
	1 = Strongly Disapprove (YEPMJMO=3).....	255673	26.93
	2 = Somewhat Disapprove or Neither (YEPMJMO=1,2).....	25429	2.68
PRALDLY2	Len : 1 RC-YTH THINK: PARNTS FEEL ABT YTH DRK 1-2 ALC BEV/DAY		
	.	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	668015	70.37
	1 = Strongly Disapprove (YEPALDLY=3).....	251970	26.54
	2 = Somewhat Disapprove or Neither (YEPALDLY=1,2).....	29300	3.09
YFLPKCG2	Len : 1 RC-HOW YTH FEELS: PEERS SMOKE PACK/DAY CIG		
	.	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	667636	70.33
	1 = Strongly/Somewhat Disapprove (YEGPKCIG=2,3)	254053	26.76
	2 = Neither Approve Nor Disapprove (YEGPKCIG=1).....	27596	2.91
YFLTMRJ2	Len : 1 RC-HOW YTH FEELS: PEERS TRY MARIJUANA		
	.	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	667708	70.34
	1 = Strongly/Somewhat Disapprove (YEGMJEV2=2,3)	225559	23.76
	2 = Neither Approve Nor Disapprove (YEGMJEV2=1).....	56018	5.90
YFLMJMO	Len : 1 RC-HOW YTH FEELS: PEERS USING MARIJUANA MONTHLY		
	.	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	667710	70.34
	1 = Strongly/Somewhat Disapprove (YEGMJMO=2,3).....	226508	23.86
	2 = Neither Approve Nor Disapprove (YEGMJMO=1).....	55067	5.80
YFLADLY2	Len : 1 RC-HOW YTH FEELS: PEERS DRNK 1-2 ALC BEV/DAY		
	.	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	667607	70.33
	1 = Strongly/Somewhat Disapprove (YEGALDLY=2,3).....	245652	25.88
	2 = Neither Approve Nor Disapprove (YEGALDLY=1).....	36026	3.80
FRDPCIG2	Len : 1 RC-YTH THINK: CLSE FRND FEEL ABT YTH SMK 1+ PAC DAILY		
	.	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	668548	70.43
	1 = Strongly/Somewhat Disapprove (YEFPCIG=2,3).....	246391	25.96
	2 = Neither Approve Nor Disapprove (YEFPCIG=1)	34346	3.62
FRDMEV2	Len : 1 RC-YTH THINK: CLOSE FRNDS FEEL ABT YTH TRY MARIJUANA		
	.	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	668577	70.43
	1 = Strongly/Somewhat Disapprove (YEFMEV2=2,3).....	224746	23.68
	2 = Neither Approve Nor Disapprove (YEFMEV2=1)	55962	5.90

RECODED YOUTH EXPERIENCES

[FRDMJMON](#)

Len : 1 RC-YTH THINK: CLSE FRNDS FEEL ABT YTH USE MARIJUANA MON

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	668685	70.44
1 = Strongly/Somewhat Disapprove (YEFMJMO=2,3)	228787	24.10
2 = Neither Approve Nor Disapprove (YEFMJMO=1)	51813	5.46

[FRDADLY2](#)

Len : 1 RC-YTH THINK: CLSE FRND FEEL ABT YTH HAVE 1-2 ALC/DAY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	668661	70.44
1 = Strongly/Somewhat Disapprove (YEFALDLY=2,3)	239170	25.19
2 = Neither Approve Nor Disapprove (YEFALDLY=1)	41454	4.37

The following variable, TALKPROB, was created from the variables containing information on who youths would talk with about serious problems: No one (YETLKNON), parent/guardian (YETLKPAR), boyfriend/girlfriend (YETLKBGF), other adults (YETLKOTA), or some other person (YETLKSOP). Youths who did not report a positive response to at least one of the source variables (no source variables=1), or youths who reported both being able to talk with no one (YETLKNON=11) and being able to talk to someone (YETLKPAR, YETLKBGF, YETLKOTA, or YETLKSOP=11), or respondents over the age of 17 (all source variables=99) were coded as system missing.

[TALKPROB](#)

Len : 1 RC-WHO YTH TALKS WITH ABOUT SERIOUS PROBLEMS

	Freq	Pct
. = Otherwise (See comment above)	670544	70.64
1 = No One (YETLKNON=1)	11138	1.17
2 = Someone (YETLKPAR, YETLKBGF, YETLKOTA, or YETLKSOP=1)	267603	28.19

[PRTALK3](#)

Len : 1 RC-TALKED WITH PARENT ABOUT DANGER TOB/ALC/DRG

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	668122	70.38
1 = Yes (YEPRTDNG=1)	164088	17.29
2 = No (YEPRTDNG=2)	117075	12.33

[PRBSOLV2](#)

Len : 1 RC-PARTICIPATED IN PRBSLV/COMMSKILL/SELFESTEEM GROUP

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	670318	70.61
1 = Yes (YEPRBSLV=1)	65642	6.91
2 = No (YEPRBSLV=2)	213325	22.47

[PREVIOL2](#)

Len : 1 RC-PARTICIPATED IN VIOLENCE PREVENTION PROGRAM

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	667145	70.28
1 = Yes (YEVIOPRV=1)	40693	4.29
2 = No (YEVIOPRV=2)	241447	25.43

[PRVDRGO2](#)

Len : 1 RC-PARTICIPATED IN SUBSTANCE PREV PROGRAM OUTSIDE SCHOOL

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	666743	70.24
1 = Yes (YEDGPRGP=1)	33778	3.56
2 = No (YEDGPRGP=2)	248764	26.21

[GRPCNSL2](#)

Len : 1 RC-PARTICIPATED IN PROGRAM TO HELP SUBSTANCE USE

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	667350	70.30
1 = Yes (YESLFHLP=1)	12858	1.35
2 = No (YESLFHLP=2)	269077	28.35

[PREGPGM2](#)

Len : 1 RC-PARTICIPATED IN PREG/STD PREVENTION PROGRAM

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	666538	70.21
1 = Yes (YEPRGSTD=1)	30050	3.17
2 = No (YEPRGSTD=2)	252697	26.62

RECODED YOUTH EXPERIENCES

The following variable, YTHACT2, was created by counting the number of positive responses reported over the following four youth activity questions: School-based (YESCHACT), community-based (YECOMACT), church or faith-based (YEFAIACT), or other activities (YEOTHACT). Youth respondents who reported participation in two or more activities were included in the "Two or more activities" category regardless of how many other activity questions were answered. Youth respondents who did not answer two or more of the four youth activity questions with a "yes" or "no" response were coded as system missing. To be included in the "None or one activity" category, a youth respondent must have answered two or more of the activity questions and reported they participated in either zero or one activity.

<u>YTHACT2</u>	Len : 1 RC-YTH PARTICIPATED IN YOUTH ACTIVITIES		
		Freq	Pct
	. = Otherwise/Aged 18+ (See comment above)	665532	70.11
	1 = None or one activity (See comment above).....	40327	4.25
	2 = Two or more activities (See comment above).....	243426	25.64

<u>DRPRVME3</u>	Len : 1 RC-YTH SEEN DRUG PREVENTION MESSAGE OUTSIDE SCHOOL		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	667742	70.34
	1 = Yes (YEPVNTYR=1).....	217267	22.89
	2 = No (YEPVNTYR=2).....	64276	6.77

<u>ANYEDUC3</u>	Len : 1 RC-YTH HAD ANY DRUG EDUCATION IN SCHOOL		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	685879	72.25
	1 = Yes (YEDECLAS=1 or YEDERGLR=1 or YEDESPCL=1).....	199187	20.98
	2 = No (YEDECLAS=2 & YEDERGLR=2 & YEDESPCL=2)	64219	6.76

<u>RLGATTD</u>	Len : 1 RC-NUMBER TIMES ATTEND RELIGIOUS SERVICES IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	671237	70.71
	1 = 25 or More (YERLGSVC=5,6).....	82497	8.69
	2 = Less than 25 (YERLGSVC=1,2,3,4).....	195551	20.60

<u>RLGIMPT</u>	Len : 1 RC-RELIGIOUS BELIEFS VERY IMPORTANT IN LIFE		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	671375	70.72
	1 = Agree/Strongly Agree (YERLGIMP=3,4).....	203665	21.45
	2 = Strongly Disagree/Disagree (YERLGIMP=1,2)	74245	7.82

<u>RLGDSCN</u>	Len : 1 RC-RELIGIOUS BELIEFS INFLUENCE LIFE DECISIONS		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	671571	70.74
	1 = Agree/Strongly Agree (YERLDCSN=3,4).....	181184	19.09
	2 = Strongly Disagree/Disagree (YERLDCSN=1,2).....	96530	10.17

<u>RLGFRND</u>	Len : 1 RC-IMPORTANT FOR FRIENDS TO SHARE RELIGIOUS BELIEFS		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	672652	70.86
	1 = Agree/Strongly Agree (YERLFRND=3,4).....	89093	9.39
	2 = Strongly Disagree/Disagree (YERLFRND=1,2).....	187540	19.76

MENTAL HEALTH

MENTAL HEALTH

This note applies to variables in this section marked by a¹.

NOTE: Adult respondents in 2008 were assigned to receive one of two possible sets of questions to assess disturbances in social adjustment and behavior or impairment in a person's daily functioning due to problems with emotions, nerves, or mental health. Adults in Sample A received 8 of 16 questions from the World Health Organization Disability Assessment Schedule (WHODAS). Adults in Sample B received four questions from the Sheehan Disability Scale (SDS).

MHSAMP08

Len : 2 VERSION OF MH QUES - A (WHODAS) OR B (SHEEHAN)

	Freq	Pct
-9 = Data not collected for this year	894175	94.19
1 = WHODAS	18582	1.96
2 = Sheehan	18914	1.99
89 = LEGITIMATE SKIP Logically assigned	1	0.00
98 = BLANK (NO ANSWER)	8	0.00
99 = LEGITIMATE SKIP	17605	1.85

The next questions are about how much your emotions, nerves, or mental health interfered with your daily activities. In answering, think of the one month in the past 12 months when your emotions, nerves, or mental health interfered most with your daily activities.

Using the 0 to 10 scale shown below, where 0 means no interference and 10 means very severe interference, select the number that describes how much your emotions, nerves or mental health interfered with your ability to do each of the following activities during that period. You can use any number between 0 and 10 to answer.

During that month when you were at your worst emotionally, how much did your emotions interfere with your ability to do home management tasks, like cleaning, shopping, and working around the house, apartment, or yard?

MHSMGT¹

Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH HOME MNGMT

	Freq	Pct
-9 = Data not collected for this year	894175	94.19
0 = No Interference	4328	0.46
1 = Mild - 1	2241	0.24
2 = Mild - 2	2084	0.22
3 = Mild - 3	1684	0.18
4 = Moderate - 4	1091	0.11
5 = Moderate - 5	1485	0.16
6 = Moderate - 6	991	0.10
7 = Severe - 7	651	0.07
8 = Severe - 8	475	0.05
9 = Severe - 9	184	0.02
10 = Very Severe Interference	266	0.03
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	111	0.01
97 = REFUSED	86	0.01
98 = BLANK (NO ANSWER)	8	0.00
99 = LEGITIMATE SKIP	39423	4.15

MENTAL HEALTH

During that month in the past 12 months when you were at your worst emotionally how much did this interfere with your ability to work?

You can use any number between 0 and 10 to answer.

MHSWORK¹

Len : 2 HOW MUCH DID FEELING INTERFERE WITH ABLTY TO WORK

	Freq	Pct
-9 = Data not collected for this year	894175	94.19
0 = No Interference	5430	0.57
1 = Mild - 1	2180	0.23
2 = Mild - 2	1957	0.21
3 = Mild - 3	1722	0.18
4 = Moderate - 4	985	0.10
5 = Moderate - 5	1098	0.12
6 = Moderate - 6	735	0.08
7 = Severe - 7	534	0.06
8 = Severe - 8	364	0.04
9 = Severe - 9	199	0.02
10 = Very Severe Interference	293	0.03
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	101	0.01
97 = REFUSED	79	0.01
98 = BLANK (NO ANSWER).....	8	0.00
99 = LEGITIMATE SKIP	39423	4.15

During that month when your were at your worst emotionally, how much did this interfere with your ability to form and maintain close relationships with other people?

You can use any number between 0 and 10 to answer.

MHSRELS¹

Len : 2 HOW MUCH DID FEELING INTERFERE WITH RELATIONSHIPS

	Freq	Pct
-9 = Data not collected for this year	894175	94.19
0 = No Interference	5371	0.57
1 = Mild - 1	2069	0.22
2 = Mild - 2	1855	0.20
3 = Mild - 3	1549	0.16
4 = Moderate - 4	958	0.10
5 = Moderate - 5	1118	0.12
6 = Moderate - 6	763	0.08
7 = Severe - 7	648	0.07
8 = Severe - 8	523	0.06
9 = Severe - 9	358	0.04
10 = Very Severe Interference	307	0.03
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	86	0.01
97 = REFUSED	72	0.01
98 = BLANK (NO ANSWER).....	8	0.00
99 = LEGITIMATE SKIP	39423	4.15

MENTAL HEALTH

How much did your emotions interfere with your ability to have a social life during that period of time?

You can use any number between 0 and 10 to answer.

[MHSSOC](#)¹

Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE

	Freq	Pct
-9 = Data not collected for this year	894175	94.19
0 = No Interference	5345	0.56
1 = Mild - 1	2076	0.22
2 = Mild - 2	1691	0.18
3 = Mild - 3	1506	0.16
4 = Moderate - 4	1019	0.11
5 = Moderate - 5	1142	0.12
6 = Moderate - 6	786	0.08
7 = Severe - 7	661	0.07
8 = Severe - 8	535	0.06
9 = Severe - 9	390	0.04
10 = Very Severe Interference	385	0.04
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	79	0.01
97 = REFUSED	62	0.01
98 = BLANK (NO ANSWER).....	8	0.00
99 = LEGITIMATE SKIP	39423	4.15

You said that your emotions interfered with your [FILL WITH ACTIVITY NAME FROM UP TO ALL ITEMS WHERE MJAD66a = 1-10 OR MJAD66b=1-10 OR MJAD66c=1-10 OR MJAD66d=1-10]. During the past 12 months, about how many weeks did you have any of these difficulties because of your emotions, nerves, or mental health? If you can't remember the exact number, just give your best estimate.

[MHSWEEKS](#)¹

Len : 2 # WKS DURING PST 12 MOS DID YOU HAVE DIFFICULTY

	Freq	Pct
RANGE = 1 - 52.....	11960	1.26
-9 = Data not collected for this year	894175	94.19
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	427	0.04
97 = REFUSED	134	0.01
98 = BLANK (NO ANSWER).....	110	0.01
99 = LEGITIMATE SKIP	42477	4.47

During (that [MHWEEK1FILL] week/those [MHWEEK1 FILL] weeks), did you have these kinds of difficulties every day, most days, or only one or two days a week?

[MHSDYFRQ](#)¹

Len : 2 HOW OFTEN DID YOU HAVE DIFFICULTIES

	Freq	Pct
-9 = Data not collected for this year	894175	94.19
1 = Every day	731	0.08
2 = Most days	3279	0.35
3 = Only one or two days a week.....	7909	0.83
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	26	0.00
97 = REFUSED	149	0.02
98 = BLANK (NO ANSWER).....	537	0.06
99 = LEGITIMATE SKIP	42477	4.47

MENTAL HEALTH

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer

MHSYDAYS¹

Len : 3 # DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS

	Freq	Pct
RANGE = 0 - 365	12264	1.29
-9 = Data not collected for this year	894175	94.19
985 = BAD DATA Logically assigned	1	0.00
989 = LEGITIMATE SKIP Logically assigned	1	0.00
994 = DON'T KNOW	174	0.02
997 = REFUSED	83	0.01
998 = BLANK (NO ANSWER)	110	0.01
999 = LEGITIMATE SKIP	42477	4.47

NOTE: MHIMPAIR is a created variable based on answers to questions corresponding to MHSMTG through MHSOC. Questions corresponding to these variables were adapted from the Sheehan Disability Scale (SDS), which measures impairment in a person's daily functioning.

MHIMPAIR¹

Len : 2 IMPAIRMENT SCORE FROM SDS

	Freq	Pct
RANGE = 0 - 50	15677	1.65
-9 = Data not collected for this year	894175	94.19
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
98 = BLANK (NO ANSWER)	8	0.00
99 = LEGITIMATE SKIP	39423	4.15

NOTE: IMPAIR is a created variable based on answers to questions corresponding to IMPMEM through IMPWORK. Questions corresponding to these variables were adapted from a subset of questions in the World Health Organization Disability Assessment Schedule (WHODAS), which consists of questions that are used for assessing impairment in social adjustment and behavior.

Since 2010, an alternate score was given to the source variable (WHODAS) for respondents whose answers to questions corresponding to the distress measures DSTNRV30 through DSTNGD12 were all missing. The IMPAIR variable for these cases was assigned a level of 89 (LEGITIMATE SKIP Logically assigned).

IMPAIR¹

Len : 2 IMPAIRMENT SCORE FROM WHODAS SUBSET

	Freq	Pct
RANGE = 0 - 50	140899	14.84
-9 = Data not collected for this year	667963	70.36
85 = BAD DATA Logically assigned	14	0.00
89 = LEGITIMATE SKIP Logically assigned	217	0.02
98 = BLANK (NO ANSWER)	39	0.00
99 = LEGITIMATE SKIP	140153	14.76

These questions ask how you have been feeling during the past 30 days.

During the past 30 days, how often did you feel nervous?

DSTNRV30¹

Len : 2 HOW OFTEN FELT NERVOUS PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = All of the time	10547	1.11
2 = Most of the time	21858	2.30
3 = Some of the time	90086	9.49
4 = A little of the time	161796	17.04
5 = None of the time	155404	16.37
85 = BAD DATA Logically assigned	64	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	970	0.10
97 = REFUSED	1153	0.12
98 = BLANK (NO ANSWER)	115	0.01
99 = LEGITIMATE SKIP	176387	18.58

MENTAL HEALTH

During the past 30 days, how often did you feel hopeless?

[DSTHOP30](#)¹

Len : 2 HOW OFTEN FELT HOPELESS PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = All of the time.....	7627	0.80
2 = Most of the time.....	13553	1.43
3 = Some of the time.....	44257	4.66
4 = A little of the time.....	85424	9.00
5 = None of the time	288769	30.42
85 = BAD DATA Logically assigned.....	64	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	979	0.10
97 = REFUSED	1204	0.13
98 = BLANK (NO ANSWER).....	116	0.01
99 = LEGITIMATE SKIP	176387	18.58

During the past 30 days, how often did you feel restless or fidgety?

[DSTRST30](#)¹

Len : 2 HOW OFTEN FELT RESTLESS/FIDGETY PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = All of the time.....	10665	1.12
2 = Most of the time.....	22095	2.33
3 = Some of the time.....	77934	8.21
4 = A little of the time	126900	13.37
5 = None of the time	201678	21.25
85 = BAD DATA Logically assigned.....	64	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	1324	0.14
97 = REFUSED	1216	0.13
98 = BLANK (NO ANSWER).....	117	0.01
99 = LEGITIMATE SKIP	176387	18.58

During the past 30 days, how often did you feel so sad or depressed that nothing could cheer you up?

[DSTCHR30](#)¹

Len : 2 HOW OFTEN FELT SAD NOTHING COULD CHEER YOU UP

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = All of the time.....	6828	0.72
2 = Most of the time.....	13910	1.47
3 = Some of the time.....	41966	4.42
4 = A little of the time	82304	8.67
5 = None of the time	294755	31.05
85 = BAD DATA Logically assigned.....	64	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	890	0.09
97 = REFUSED	1159	0.12
98 = BLANK (NO ANSWER).....	117	0.01
99 = LEGITIMATE SKIP	176387	18.58

During the past 30 days, how often did you feel that everything was an effort?

[DSTEFF30](#)¹

Len : 2 HOW OFT FELT EVERYTHING EFFORT PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = All of the time.....	20396	2.15
2 = Most of the time.....	28979	3.05
3 = Some of the time.....	65719	6.92
4 = A little of the time	115477	12.16
5 = None of the time	207060	21.81
85 = BAD DATA Logically assigned.....	64	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	2715	0.29
97 = REFUSED	1466	0.15
98 = BLANK (NO ANSWER).....	117	0.01
99 = LEGITIMATE SKIP	176387	18.58

MENTAL HEALTH

During the past 30 days, how often did you feel down on yourself, no good or worthless?

[DSTNGD30](#)¹

Len : 2 HOW OFT FELT DOWN/WTHLSS/NO GOOD PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = All of the time.....	8222	0.87
2 = Most of the time.....	15701	1.65
3 = Some of the time.....	42050	4.43
4 = A little of the time.....	86765	9.14
5 = None of the time	286854	30.22
85 = BAD DATA Logically assigned.....	64	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	959	0.10
97 = REFUSED	1260	0.13
98 = BLANK (NO ANSWER).....	118	0.01
99 = LEGITIMATE SKIP	176387	18.58

The last questions asked about how you have been feeling during the past 30 days. Now think about the past 12 months. Was there a month in the past 12 months when you felt more depressed, anxious, or emotionally stressed than you felt during the past 30 days?

[DSTWORST](#)¹

Len : 2 MON IN PST 12 MOS FELT WORSE THAN PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = Yes.....	147151	15.50
2 = No.....	291924	30.75
85 = BAD DATA Logically assigned.....	64	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	1476	0.16
97 = REFUSED	1258	0.13
98 = BLANK (NO ANSWER).....	120	0.01
99 = LEGITIMATE SKIP	176387	18.58

Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed.

During that month, how often did you feel nervous?

[DSTNRV12](#)¹

Len : 2 HOW OFT FELT NERVOUS IN WORST MONTH, PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = All of the time.....	17975	1.89
2 = Most of the time.....	36591	3.85
3 = Some of the time.....	49363	5.20
4 = A little of the time.....	33011	3.48
5 = None of the time	9898	1.04
85 = BAD DATA Logically assigned.....	42	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	256	0.03
97 = REFUSED	1315	0.14
98 = BLANK (NO ANSWER).....	1618	0.17
99 = LEGITIMATE SKIP	468314	49.33

During that same month when you were at your worst emotionally...

how often did you feel hopeless?

[DSTHOP12](#)¹

Len : 2 HOW OFTEN FELT HOPELESS IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = All of the time.....	15315	1.61
2 = Most of the time.....	26837	2.83
3 = Some of the time.....	36399	3.83
4 = A little of the time.....	32957	3.47
5 = None of the time	35406	3.73
85 = BAD DATA Logically assigned.....	42	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	162	0.02
97 = REFUSED	1333	0.14
98 = BLANK (NO ANSWER).....	1618	0.17
99 = LEGITIMATE SKIP	468314	49.33

MENTAL HEALTH

During that same month when you were at your worst emotionally...

how often did you feel restless or fidgety?

[DSTRST12](#)¹

Len : 2 HOW OFTEN FELT RESTLESS IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = All of the time.....	14078	1.48
2 = Most of the time.....	25915	2.73
3 = Some of the time	41863	4.41
4 = A little of the time	39452	4.16
5 = None of the time	25503	2.69
85 = BAD DATA Logically assigned.....	42	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	255	0.03
97 = REFUSED	1343	0.14
98 = BLANK (NO ANSWER).....	1618	0.17
99 = LEGITIMATE SKIP	468314	49.33

During that same month when you were at your worst emotionally...

how often did you feel so sad or depressed that nothing could cheer you up?

[DSTCHR12](#)¹

Len : 2 HOW OFTEN COULDN'T BE CHEERED UP IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = All of the time.....	15497	1.63
2 = Most of the time.....	26813	2.82
3 = Some of the time.....	34567	3.64
4 = A little of the time	34344	3.62
5 = None of the time	35704	3.76
85 = BAD DATA Logically assigned.....	42	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	147	0.02
97 = REFUSED	1337	0.14
98 = BLANK (NO ANSWER).....	1618	0.17
99 = LEGITIMATE SKIP	468314	49.33

During that same month when you were at your worst emotionally...

how often did you feel that everything was an effort?

[DSTEFF12](#)¹

Len : 2 HOW OFT FELT EVERYTHING AN EFFORT IN WORST MON

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = All of the time.....	19253	2.03
2 = Most of the time.....	29063	3.06
3 = Some of the time	37406	3.94
4 = A little of the time	36378	3.83
5 = None of the time	24438	2.57
85 = BAD DATA Logically assigned.....	42	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	481	0.05
97 = REFUSED	1390	0.15
98 = BLANK (NO ANSWER).....	1618	0.17
99 = LEGITIMATE SKIP	468314	49.33

MENTAL HEALTH

During that same month when you were at your worst emotionally...

how often did you feel down on yourself, no good, or worthless?

[DSTNGD12](#)¹

Len : 2 HOW OFTEN FELT NO GOOD IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = All of the time.....	15728	1.66
2 = Most of the time.....	23561	2.48
3 = Some of the time	31412	3.31
4 = A little of the time	32779	3.45
5 = None of the time	43373	4.57
85 = BAD DATA Logically assigned.....	42	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	187	0.02
97 = REFUSED	1369	0.14
98 = BLANK (NO ANSWER).....	1618	0.17
99 = LEGITIMATE SKIP	468314	49.33

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have remembering to do things you needed to do?

[IMPREMEM](#)¹

Len : 2 DIFFICULTY REMEMBERING ONE MO IN PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = No difficulty	170524	17.96
2 = Mild difficulty.....	110163	11.60
3 = Moderate difficulty.....	44098	4.65
4 = Severe difficulty	11298	1.19
85 = BAD DATA Logically assigned.....	58	0.01
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	1283	0.14
97 = REFUSED	704	0.07
98 = BLANK (NO ANSWER).....	48	0.01
99 = LEGITIMATE SKIP	280206	29.52

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have concentrating on doing something important when other things were going on around you?

[IMPCONCN](#)¹

Len : 2 DIFFICULTY CONCENTRATING ONE MO IN PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = No difficulty	150709	15.88
2 = Mild difficulty.....	117715	12.40
3 = Moderate difficulty.....	52060	5.48
4 = Severe difficulty	15575	1.64
85 = BAD DATA Logically assigned.....	58	0.01
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	1270	0.13
97 = REFUSED	739	0.08
98 = BLANK (NO ANSWER).....	50	0.01
99 = LEGITIMATE SKIP	280206	29.52

MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have going out of the house and getting around on your own?

[IMPGOUT](#)¹

Len : 2 DIFFICULTY GOING OUT ONE MO IN PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = No difficulty	230829	24.32
2 = Mild difficulty	54907	5.78
3 = Moderate difficulty	30912	3.26
4 = Severe difficulty	12486	1.32
5 = You didn't leave the house on your own	7073	0.75
85 = BAD DATA Logically assigned	58	0.01
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	1075	0.11
97 = REFUSED	786	0.08
98 = BLANK (NO ANSWER)	50	0.01
99 = LEGITIMATE SKIP	280206	29.52

Did problems with your emotions, nerves, or mental health keep you from leaving the house on your own?

[IMPGOUTM](#)¹

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM LEAVING HOUSE

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = Yes	4268	0.45
2 = No	2780	0.29
94 = DON'T KNOW	17	0.00
97 = REFUSED	793	0.08
98 = BLANK (NO ANSWER)	1184	0.12
99 = LEGITIMATE SKIP	609343	64.19

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have dealing with people you did not know well?

[IMPPEOP](#)¹

Len : 2 DIFFICULTY DEALING W STRANGERS ONE MO IN PST 12 M

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = No difficulty	200829	21.16
2 = Mild difficulty	72527	7.64
3 = Moderate difficulty	36530	3.85
4 = Severe difficulty	15358	1.62
5 = You didn't deal with people you did not know well	10880	1.15
85 = BAD DATA Logically assigned	58	0.01
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	1158	0.12
97 = REFUSED	785	0.08
98 = BLANK (NO ANSWER)	51	0.01
99 = LEGITIMATE SKIP	280206	29.52

Did problems with your emotions, nerves, or mental health keep you from dealing with people you did not know well?

[IMPPEOPM](#)¹

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM DEALING W STRAGR

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = Yes	5134	0.54
2 = No	5664	0.60
94 = DON'T KNOW	68	0.01
97 = REFUSED	799	0.08
98 = BLANK (NO ANSWER)	1267	0.13
99 = LEGITIMATE SKIP	605453	63.78

MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have participating in social activities, like visiting friends or going to parties?

[IMPSOC](#)¹

Len : 2 DIFFICULTY PARTICIPATE IN SOCIAL ACT 1 MO /12 MO

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = No difficulty	189741	19.99
2 = Mild difficulty	72681	7.66
3 = Moderate difficulty	40121	4.23
4 = Severe difficulty	19703	2.08
5 = You didn't participate in social activities	13998	1.47
85 = BAD DATA Logically assigned	58	0.01
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	1020	0.11
97 = REFUSED	803	0.08
98 = BLANK (NO ANSWER)	51	0.01
99 = LEGITIMATE SKIP	280206	29.52

Did problems with your emotions, nerves, or mental health keep you from participating in social activities?

[IMPSOCM](#)¹

Len : 2 EMOTIONAL PROBS KEEP YOU FROM PART IN SOCIAL

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = Yes	8264	0.87
2 = No	5681	0.60
94 = DON'T KNOW	41	0.00
97 = REFUSED	815	0.09
98 = BLANK (NO ANSWER)	1129	0.12
99 = LEGITIMATE SKIP	602455	63.46

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of household responsibilities?

[IMPHHLD](#)¹

Len : 2 DIFFICULTY HOUSE RESPONS ONE MO IN PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = No difficulty	191881	20.21
2 = Mild difficulty	81269	8.56
3 = Moderate difficulty	41214	4.34
4 = Severe difficulty	17687	1.86
5 = You didn't take care of household responsibilities	4320	0.46
85 = BAD DATA Logically assigned	58	0.01
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	925	0.10
97 = REFUSED	769	0.08
98 = BLANK (NO ANSWER)	53	0.01
99 = LEGITIMATE SKIP	280206	29.52

Did problems with your emotions, nerves, or mental health keep you from taking care of household responsibilities?

[IMPHHLDM](#)¹

Len : 2 EMOTIONL PROBS MAKE KEEP YOU FRM TAKING CARE HOUS

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = Yes	2755	0.29
2 = No	1543	0.16
94 = DON'T KNOW	18	0.00
97 = REFUSED	773	0.08
98 = BLANK (NO ANSWER)	1036	0.11
99 = LEGITIMATE SKIP	612260	64.50

MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of your daily responsibilities at work or school?

[IMPRES¹](#)

Len : 2 DIFFICULTY WORK RESPONS ONE MO IN PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = No difficulty	199183	20.98
2 = Mild difficulty	75795	7.98
3 = Moderate difficulty	33245	3.50
4 = Severe difficulty	13361	1.41
5 = You didn't work or go to school	14426	1.52
85 = BAD DATA Logically assigned	58	0.01
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	1141	0.12
97 = REFUSED	913	0.10
98 = BLANK (NO ANSWER)	54	0.01
99 = LEGITIMATE SKIP	280206	29.52

Did problems with your emotions, nerves, or mental health keep you from working or going to school?

[IMPRES¹](#)

Len : 2 DID EMOTIONAL PROBS KEEP YOU FROM WORK/SCHOOL

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = Yes	3614	0.38
2 = No	10648	1.12
94 = DON'T KNOW	108	0.01
97 = REFUSED	969	0.10
98 = BLANK (NO ANSWER)	1253	0.13
99 = LEGITIMATE SKIP	601793	63.39

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have getting your daily work done as quickly as needed?

[IMPWORK¹](#)

Len : 2 DIFFICULTY DOING DAILY WORK ONE MO IN PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = No difficulty	177165	18.66
2 = Mild difficulty	96455	10.16
3 = Moderate difficulty	36201	3.81
4 = Severe difficulty	12068	1.27
85 = BAD DATA Logically assigned	58	0.01
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	976	0.10
97 = REFUSED	773	0.08
98 = BLANK (NO ANSWER)	54	0.01
99 = LEGITIMATE SKIP	294632	31.04

You mentioned having difficulty with or being unable to do such things as [FILL].

During the past 12 months, about how many weeks did you have any of these difficulties because of your emotions, nerves, or mental health? If you can't remember the exact number, just give your best estimate.

[IMPWEEKS¹](#)

Len : 2 NUM WEEKS HAVE DIFFICULTIES BECAUSE OF MENTL HLTH

	Freq	Pct
RANGE = 1 - 52	232650	24.51
-9 = Data not collected for this year	330900	34.86
85 = BAD DATA Logically assigned	22	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	8639	0.91
97 = REFUSED	2171	0.23
98 = BLANK (NO ANSWER)	1742	0.18
99 = LEGITIMATE SKIP	373159	39.31

MENTAL HEALTH

During that/those [IMWEEK1FILL] week/weeks did you have these kinds of difficulties every day, most days, or only one or two days a week?

[IMPDYFRQ](#)¹

Len : 2 HOW MANY DAYS IN WEEK DID YOU HAVE DIFFICULTIES

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = Every day	13224	1.39
2 = Most days	70003	7.37
3 = Only one or two days a week	148771	15.67
85 = BAD DATA Logically assigned.....	22	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	476	0.05
97 = REFUSED	2346	0.25
98 = BLANK (NO ANSWER).....	10382	1.09
99 = LEGITIMATE SKIP	373159	39.31

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your emotions, nerves or mental health?

You can use any number between 0 and 365 to answer.

[IMPYDAYS](#)¹

Len : 3 HOW MANY DAY IN PAST YR YOU WERE UNABLE TO WORK

	Freq	Pct
RANGE = 0 - 365	238266	25.10
-9 = Data not collected for this year	330900	34.86
985 = BAD DATA Logically assigned.....	22	0.00
989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
994 = DON'T KNOW	3849	0.41
997 = REFUSED	1343	0.14
998 = BLANK (NO ANSWER).....	1744	0.18
999 = LEGITIMATE SKIP	373159	39.31

The next few questions are about thoughts of suicide. At any time in the past 12 months, that is from [DATEFILL] up to and including today, did you seriously think about trying to kill yourself?

[SUICTHINK](#)¹

Len : 2 SERIOUSLY THINK ABOUT KILLING SELF PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = Yes.....	24782	2.61
2 = No.....	414887	43.71
85 = BAD DATA Logically assigned.....	65	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	628	0.07
97 = REFUSED	1497	0.16
98 = BLANK (NO ANSWER).....	134	0.01
99 = LEGITIMATE SKIP	176387	18.58

During the past 12 months, did you make any plans to kill yourself?

[SUICPLAN](#)¹

Len : 2 MAKE PLANS TO KILL YOURSELF PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = Yes.....	7680	0.81
2 = No.....	17062	1.80
85 = BAD DATA Logically assigned.....	34	0.00
94 = DON'T KNOW	18	0.00
97 = REFUSED	1519	0.16
98 = BLANK (NO ANSWER).....	793	0.08
99 = LEGITIMATE SKIP	591279	62.29

MENTAL HEALTH

During the past 12 months, did you try to kill yourself?

[SUICTRY](#)¹

Len : 2 TRY TO KILL YOURSELF PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	330900	34.86
1 = Yes.....	3941	0.42
2 = No.....	20800	2.19
85 = BAD DATA Logically assigned.....	45	0.00
94 = DON'T KNOW	9	0.00
97 = REFUSED	1518	0.16
98 = BLANK (NO ANSWER).....	793	0.08
99 = LEGITIMATE SKIP	591279	62.29

RECODED MENTAL HEALTH

RECODED MENTAL HEALTH

NOTE: The following two variables, SDSSC2 and SDSSC3, are score variables that indicate the level of impairment for respondents in sample B (MHSAMP08=2). These variables are based on a series of four questions asking respondents in sample B how much emotions, nerves, or mental health interfered with daily activities in the one month in the past year when they were at their worst emotionally. These questions are known as the Sheehan Disability Scale (SDS) which is also used to capture information on impairment. Respondents in sample B who had indicated during the administration of any of the K6 items that they had experienced at least one of the K6 symptoms (defined in the note above variables K6SCMON and K6SCYR) at least "a little of the time" (i.e., K6SCMON >0 or K6SCYR >0) were asked about ability to do home management tasks (MHSMGT), ability to work (MHSWORK), ability to form and maintain close relationships (MHSRELS), and ability to have a social life (MHSSOC).

For the original SDS total score, SDSSC2, values of 1 to 10 were assigned for each daily activity that a respondent indicated some impairment with values of 1 to 3 representing "mild" interference, values of 4 to 6 representing "moderate" interference, values of 7 to 9 representing "severe" interference, and a value of 10 representing "very severe" interference. A value of 0 was assigned for each daily activity that a respondent indicated no interference or for all other responses. These assigned values were summed to calculate a total score for SDSSC2 which ranges from 0 to 40.

For the alternative SDS total score, SDSSC3, a value of 1 was assigned for each daily activity that a respondent indicated impairment with values of 7 to 10 representing "severe" or "very severe" interference. A value of 0 was assigned for each daily activity that a respondent indicated impairment with values less than 7 or for all other responses. These assigned values were summed to calculate a total score for SDSSC3 which ranges from 0 to 4. The alternative version of the SDS total score also was driven by the idea that a dichotomous measure dividing respondents who experienced severe or very severe interference from the remaining respondents might fit better than a linear continuous measure.

Specific details about these variables are provided in the Recoded Mental Health Variable Documentation Appendix.

<u>SDSSC2</u>	Len : 2 SHEEHAN DISABILITY SCALE (SDS) TOTAL SCORE		
	RANGE = 0 - 40.....	Freq	Pct
	. = Aged 12-17/Not in Sample B (MHSAMP08=1,98)	18914	1.99
	-9 = Data not collected for this year	36196	3.81
		894175	94.19

<u>SDSSC3</u>	Len : 1 ALTERNATIVE SDS TOTAL SCORE		
	RANGE = 0 - 4.....	Freq	Pct
	. = Aged 12-17/Not in Sample B (MHSAMP08=1,98)	18914	1.99
	-9 = Data not collected for this year	36196	3.81
		894175	94.19

<u>SMIODA_U</u>	Len : 1 SMI OR DRUG/ALCOHOL DEPENDENCE OR ABUSE REVISED		
	. = Aged 12-17/Not in Sample A or B (SMIYR_U=.).....	Freq	Pct
	-9 = Data not collected for this year	17614	1.86
	1 = Yes (SMIYR_U=1 or ABODILAL=1)	894175	94.19
	2 = No (SMIYR_U=0 and ABODILAL=0)	6656	0.70
		30840	3.25

<u>NSMNDU_U</u>	Len : 1 NO SMI AND NO DRUG/ALCOHOL DEP OR ABUSE REVISED		
	. = Aged 12-17/Not in Sample A or B (SMIYR_U=.).....	Freq	Pct
	-9 = Data not collected for this year	17614	1.86
	1 = Yes (SMIYR_U=0 and ABODILAL=0)	894175	94.19
	2 = No (SMIYR_U=1 or ABODILAL=1).....	30840	3.25
		6656	0.70

<u>SMINDA_U</u>	Len : 1 SMI BUT NO DRUG/ALCOHOL DEP OR ABUSE REVISED		
	. = Aged 12-17/Not in Sample A or B (SMIYR_U=.).....	Freq	Pct
	-9 = Data not collected for this year	17614	1.86
	1 = Yes (SMIYR_U=1 and ABODILAL=0)	894175	94.19
	2 = No (SMIYR_U=0 or (SMIYR_U=1 & ABODILAL=1))	1078	0.11
		36418	3.84

<u>NSMIDA_U</u>	Len : 1 NO SMI BUT DRUG/ALCOHOL DEP OR ABUSE REVISED		
	. = Aged 12-17/Not in Sample A or B (SMIYR_U=.).....	Freq	Pct
	-9 = Data not collected for this year	17614	1.86
	1 = Yes (SMIYR_U=0 & ABODILAL=1).....	894175	94.19
	2 = No (SMIYR_U=1 or (SMIYR_U=0 & ABODILAL=0))	5050	0.53
		32446	3.42

RECODED MENTAL HEALTH

The following variable, SMIPP, is a predicted probability that a respondent has Serious Mental Illness (SMI) estimated using a logistic regression model. It was created using the following formula: $SMIPP = 1/(1 + \exp[-(-4.74999920 + 0.20977232*WSPDSC2 + 0.38388395*WHODASC3)])$. SMIPP was used to determine these levels of mental illness: Serious (SMI), Serious or Moderate (SMMI), and Any (AMI). The categories of MMI and LMI were determined by subtraction.

SMIPP

Len : 12 PREDICTED SERIOUS MENTAL ILLNESS PROBABILITY

	Freq	Pct
RANGE = 0.0085774923 - 0.8684361603	153255	16.14
. = Aged 12-17 (AGE2<7)	72799	7.67
-9 = Data not collected for this year	723231	76.19

NOTE: The following three variables are recodes that combine mental illness measures based on the 2012 revised predicted probability of SMI (SMIPP_U) with drug or alcohol dependence or abuse in the past year. These variables based on the 2012 mental illness prediction model are not comparable with similarly named variables from previous years using SMI based on the 2008 mental illness prediction model. Starting with the 2014 NSDUH, new combination recodes end only with a "U" and there are no existing similarly named 2008 model based variables. Please note that SMIDA2_U, AMIDA2_U, and LMMIADAU are not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor are they recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of the mental illness variables used in these recodes can be found in the Recoded Mental Health Appendix. Specific information about the dependence or abuse variables used in these recodes can be found in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

SMIDA2_U

Len : 1 SMI AND DRUG/ALCOHOL DEP OR ABUSE REVISED (1/2)

	Freq	Pct
. = Aged 12-17 (SMIYR_U=.)	121527	12.80
-9 = Data not collected for this year	557532	58.73
1 = Yes (SMIYR_U=1 and ABODILAL=1)	3792	0.40
2 = No (SMIYR_U=0 or ABODILAL=0)	266434	28.07

AMIDA2_U

Len : 1 AMI AND DRUG/ALCOHOL DEP OR ABUSE REVISED (1/2)

	Freq	Pct
. = Aged 12-17 (AMIYR_U=.)	121527	12.80
-9 = Data not collected for this year	557532	58.73
1 = Yes (AMIYR_U=1 and ABODILAL=1)	13359	1.41
2 = No (AMIYR_U=0 or ABODILAL=0)	256867	27.06

LMMIADAU

Len : 1 LMMI AND DRUG/ALCOHOL DEP OR ABUSE (1/0)

	Freq	Pct
. = Aged 12-17 (LMMIYRU=.)	31336	3.30
-9 = Data not collected for this year	838854	88.37
0 = No (LMMIYRU=0 or ABODILAL=0)	76587	8.07
1 = Yes (LMMIYRU=1 and ABODILAL=1)	2508	0.26

RECODED MENTAL HEALTH

NOTE: The variables in this section are recoded variables that were created from one or more variables from the following two sections: Mental Health and Recoded Substance Dependence and Abuse.

Recoded variables were defined to measure psychological distress, Serious Mental Illness (SMI) and other levels of mental illness, as well as suicide ideation. A logistic regression model revised in 2012 is used to determine the predicted probability of SMI. The predicted mental illness variables (e.g., SMIYR_U, AMIYR_U) that were derived from the 2012 model were examined to determine how they were associated with the mental health predictor variables in the 2012 model. It was found that the 2012 model significantly overestimated the proportion of adults aged 18 or older with SMI (and those with AMI) who had suicidal thoughts in the past year and also the proportion of adults who had MDE in the past year. Therefore, it is recommended that the mental illness variables derived from the 2012 model should not be used when analyzing past year suicidal thoughts, past year MDE, or other associated variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, or lifetime MDE). Similarly, it is recommended that model-based mental illness variables should not be used in conjunction with the K6 variables (including serious psychological distress) or WHODAS variables in any analyses. Specific details about the creation and use of the distress and mental illness variables can be found in the Recoded Mental Health Appendix.

NOTE: The following five variables contain information about psychological distress. The 2008 NSDUH was the first survey year where variables on past month psychological distress (K6SCMON and SPDMON) were available and these variables were used beginning with the 2008 Detailed Tables. A second set of variables describes past year psychological distress (K6SCYR, K6SCMAX, and SPDYR). The past year distress variables, K6SCMAX and SPDYR, were created based on data from the past month K6 items and the worst month in the past year K6 items. Prior to the 2008 NSDUH, past year distress was based only on the worst month in the past year K6 items (SPD_UADJ). Due to the addition of the past month K6 items, it was determined that past year SPD in 2008 and later years is not comparable with years prior to 2008. In order to be able to make comparisons of SPD estimates across years, statistically adjusted variables were created for 2005-2007. The 2005-2007 adjusted past year SPD recodes, K6SMXADJ and SPDYRADJ, can be renamed to the 2008 SPD variable names for use in analyses that use data from 2005 and subsequent years.

The following variable, K6SCMON, is a score with values ranging from 0 to 24 indicating the level of psychological distress over the past 30 days (past month). This variable is based on data collected from a series of six questions known as the K6, asking adult respondents how frequently they experienced symptoms of psychological distress during the past 30 days. These questions include the following symptoms of distress: feeling nervous (DSTNRV30), feeling hopeless (DSTHOP30), feeling restless or fidgety (DSTRST30), feeling so sad or depressed that nothing could cheer you up (DSTCHR30), feeling that everything was an effort (DSTEFF30), and feeling down on yourself, no good, or worthless (DSTNGD30). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" and all other responses were coded 0. These assigned values were summed across the six items to calculate a total score for K6SCMON. Specific details about this variable are provided in the Recoded Mental Health Appendix.

K6SCMON

Len : 2 RC-K6 TOTAL SCORE IN PAST MONTH

	Freq	Pct
RANGE = 0 - 24.....	441993	46.56
. = Aged 12-17 (AGE2<7).....	176392	18.58
-9 = Data not collected for this year	330900	34.86

SPDMON

Len : 1 RC-PAST MONTH SERIOUS PSYCH DISTRESS INDICATOR

	Freq	Pct
. = Aged 12-17 (K6SCMON=.).....	176392	18.58
-9 = Data not collected for this year	330900	34.86
0 = No (K6SCMON<13).....	410816	43.28
1 = Yes (K6SCMON>=13).....	31177	3.28

NOTE: The two variables directly above are defined based on questions asking about a respondent's level of psychological distress over the past 30 days. Respondents were then asked if there was a month in the past 12 months when they felt more depressed, anxious, or emotionally stressed than they felt in the past 30 days. This level of psychological distress is referenced as the "worst month in past year" in the following documentation.

The following variable, K6SCYR, is a score with values ranging from 0 to 24 indicating the level of psychological distress during the worst month of the past year, that was not the past 30 days. This variable is only defined for respondents who reported that there was a month in the past 12 months when he/she was more depressed, anxious, or emotionally stressed than during the past 30 days (DSTWORST=1). This score variable is based on a series of six questions asking respondents how frequently they experienced symptoms of psychological distress during their worst month in the past year (only if the worst month was not the past 30 days). These questions are from the K6 and include the following symptoms of distress: feeling nervous (DSTNRV12), feeling hopeless (DSTHOP12), feeling restless or fidgety (DSTRST12), feeling so sad or depressed that nothing could cheer them up (DSTCHR12), feeling that everything was an effort (DSTEFF12), and feeling down on themselves, no good, or worthless (DSTNGD12). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" and all other responses were coded 0. These assigned values were summed across the six items to calculate a total score for K6SCYR. For respondents who indicated that they did not have a month in the past year worse than the past 30 days, K6SCYR was set to missing. Specific details about this variable are provided in the Recoded Mental Health Appendix.

K6SCYR

Len : 2 RC-K6 TOTAL SCORE IN WORST MONTH OF PAST YEAR

	Freq	Pct
RANGE = 0 - 24.....	147151	15.50
. = Aged 12-17 (AGE2<7) or DSTWORST in (2,85,94,97,98).....	471234	49.64
-9 = Data not collected for this year	330900	34.86

RECODED MENTAL HEALTH

The following variable, K6SCMAX, is defined to be the higher K6 score between the past month K6 total score (K6SCMON) variable, and the K6 total score in the worst month of the past year if the worst month was not the past 30 days (K6SCYR) variable.

<u>K6SCMAX</u>	Len : 2 RC-WORST K6 TOTAL SCORE IN PAST YEAR		
		Freq	Pct
	RANGE = 0 - 24.....	441993	46.56
	. = Aged 12-17 (AGE2<7).....	176392	18.58
	-9 = Data not collected for this year	330900	34.86

<u>SPDYR</u>	Len : 1 RC-PAST YEAR SERIOUS PSYCHOLOGICAL DISTRESS INDICATOR		
		Freq	Pct
	. = Aged 12-17 (K6SCMAX=.).....	176392	18.58
	-9 = Data not collected for this year	330900	34.86
	0 = No (K6SCMAX<13).....	376659	39.68
	1 = Yes (K6SCMAX>=13).....	65334	6.88

NOTE: The following four variables present suicide information based on responses to the suicidal ideation screen.

<u>MHSUITHK</u>	Len : 1 RC-SERIOUSLY THOUGHT ABOUT KILLING SELF IN PAST YEAR		
		Freq	Pct
	. = Aged 12-17/Unknown (Otherwise).....	178716	18.83
	-9 = Data not collected for this year	330900	34.86
	0 = No (SUICTHNK=2).....	414887	43.71
	1 = Yes (SUICTHNK=1).....	24782	2.61

The following suicide variable, MHSUTK_U, is used in the 2012 mental illness prediction model. It is defined differently than MHSUITHK which is used in the detailed tables. See the mental illness variables further down in this section and the Recoded Mental Health Appendix for more details.

<u>MHSUTK_U</u>	Len : 1 RC-SERIOUS TGHT ABT KILL SLF PY - 'UNKN' IMP AS 'NO'		
		Freq	Pct
	. = Aged 12-17 (AGE2<7).....	176392	18.58
	-9 = Data not collected for this year	330900	34.86
	0 = No/Unknown (AGE2>=7 and MHSUITHK=.,0).....	417211	43.95
	1 = Yes (AGE2>=7 and MHSUITHK=1).....	24782	2.61

<u>MHSUIPLN</u>	Len : 1 RC-MADE PLANS TO KILL SELF IN PAST YEAR		
		Freq	Pct
	. = Aged 12-17/Unknown (Otherwise).....	178756	18.83
	-9 = Data not collected for this year	330900	34.86
	0 = No (SUICPLAN=2 or MHSUITHK=0).....	431949	45.50
	1 = Yes (SUICPLAN=1).....	7680	0.81

<u>MHSUITRY</u>	Len : 1 RC-ATTEMPTED TO KILL SELF IN PAST YEAR		
		Freq	Pct
	. = Aged 12-17/Unknown (Otherwise).....	178757	18.83
	-9 = Data not collected for this year	330900	34.86
	0 = No (SUICTRY=2 or MHSUITHK=0).....	435687	45.90
	1 = Yes (SUICTRY=1).....	3941	0.42

RECODED MENTAL HEALTH

NOTE: The following 10 variables pertain to the creation of the variables on mental illness. These variables include total scores from the psychological distress and impairment scales, the predicted probability of serious mental illness (SMI), and indicators of various levels of mental illness. Until 2012, a model developed for the 2008 NSDUH was used to determine mental illness status. A revised and improved model predicting mental illness was used starting with the 2012 NSDUH. All mental illness estimates presented in detailed or mental health detailed tables from the 2008 NSDUH and onward have been updated; thus, these estimates are based on the revised model. Additional details about the creation and use of these variables are provided in the Recoded Mental Health Appendix.

The following variable, WSPDSC2, is an alternative version of the original worst K6 total score in the past year (K6SCMAX) with values ranging from 0 to 17 rather than 0 to 24. The original total score variable is documented previously in this section with the psychological distress variables. This alternative total score was calculated by assigning a value of 0 when K6SCMAX had a value from 0 to 7 and assigning a value of 1 to 17 when K6SCMAX had a corresponding value from 8 to 24. This alternative version was used in the regression model to determine SMI because SMI prevalence was typically extremely low for respondents with worst K6 total scores less than 8. Specific details about this variable are provided in the Recoded Mental Health Appendix.

WSPDSC2

Len : 2 RC-ALTERNATIVE WORST K6 TOTAL SCORE

	Freq	Pct
RANGE = 0 - 17.....	441993	46.56
. = Aged 12-17 (AGE2<7).....	176392	18.58
-9 = Data not collected for this year.....	330900	34.86

NOTE: The following two variables, WHODASC2 and WHODASC3, are score variables that indicate the level of impairment for respondents. These variables are based on data collected from a series of thirteen questions asking respondents how much difficulty they experienced in doing eight daily activities in the one month in the past year when they were at their worst emotionally. These questions, drawn from the World Health Organization Disability Assessment Schedule (WHODAS), comprise an abbreviated scale which is used to capture information on impairment (see the Recoded Mental Health Appendix for more information). Respondents who had indicated during the administration of any of the K6 items that they had experienced at least one of the K6 symptoms (defined in the note above variables K6SCMON and K6SCYR) at least "a little of the time" (i.e., K6SCMON greater than 0 or K6SCYR greater than 0) were asked about remembering to do things they needed to do (IMPPEMEM), concentrating on doing something important when other things were going on around them (IMPCONCN), going out of the house and getting around on their own (IMPGOUT, IMPGOUTM), dealing with people they did not know well (IMPPEOP, IMPPEOPM), participating in social activities (IMPSOC, IMPSOCM), taking care of household responsibilities (IMPHHLD, IMPHHLDM), taking care of daily responsibilities at work or school (IMPRES, IMPRESM), and getting daily work done as quickly as needed (IMPWORK, IMPRESM). Respondents who reported that they did not engage in an activity were asked a follow-up question to determine if they did not do so because of emotions, nerves, or mental health.

For the original WHODAS total score, WHODASC2, a value of 3 was assigned for each of the daily activities that a respondent indicated having "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. A value of 2 was assigned for each of the daily activities that a respondent indicated having "moderate" difficulty performing, and a value of 1 was assigned for "mild" difficulty. For activities that had a follow-up question, a response of "yes" were assigned a value of a 3 as having "severe difficulty." A value of 0 was assigned for all other responses and nonresponses for each activity. These assigned values were summed to calculate a total score for WHODASC2 which ranges from 0 to 24.

For the alternative WHODAS total score, WHODASC3, a value of 1 was assigned for each of the daily activities that a respondent indicated having "moderate" or "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. For activities that had a follow-up question, a response of "yes" were assigned a value of a 1 as having "moderate or severe difficulty." A value of 0 was assigned for all other responses and nonresponses for each activity. These assigned values were summed to calculate a total score for WHODASC3 which ranges from 0 to 8. The alternative version of the WHODAS total score (WHODASC3) was used in the regression model to determine SMI, since it was thought that the sum of a dichotomous measure might fit better than the sum of a linear continuous measure.

Specific details about these variables are provided in the Recoded Mental Health Appendix.

WHODASC2

Len : 2 RC-WHODAS TOTAL SCORE

	Freq	Pct
RANGE = 0 - 24.....	423071	44.57
. = Aged 12-17 (AGE2<7).....	195314	20.57
-9 = Data not collected for this year.....	330900	34.86

WHODASC3

Len : 1 RC-ALTERNATIVE WHODAS TOTAL SCORE

	Freq	Pct
RANGE = 0 - 8.....	423071	44.57
. = Aged 12-17 (AGE2<7).....	195314	20.57
-9 = Data not collected for this year.....	330900	34.86

RECODED MENTAL HEALTH

NOTE: The following 11 mental illness variables are based on the 2012 mental illness prediction model. These variables are not comparable with similarly named variables (based on the 2008 mental illness prediction model) in previous NSDUHs; thus, these variables were renamed by appending "_U" to the previous variable names. Starting with the 2014 NSDUH, new mental illness variable names end only with a "U" and there are no existing similarly named 2008 model based variables. Recommendations concerning the analysis of the mental illness variables derived from the predicted probability of SMI (SMIPP_U) are noted in the documentation above SMIYR_U. Variables based on the 2008 mental illness prediction model are not being provided for the 2012 and future NSDUHs. All the 2008 model-based mental illness variables typically found in this section have been removed from the 2008-2011 NSDUH data files and replaced with the revised 2012 model based mental illness variables. The only exception is SMIPP (the SMI predicted probability based on the 2008 model) which remains available on the 2008-2011 NSDUH data files. Specific details about these variables and the prediction models are provided in the Recoded Mental Health Appendix.

In order to be able to make comparisons of SMI estimates across years, SMI variables were created for 2005-2007 based on an alternative model. The 2005-2007 SMI recodes, SMIPP_A and SMIYR_A, are considered comparable with the variables SMIPP_U and SMIYR_U, respectively, for 2008 and later NSDUHs. However, users should consider the differences in methodology before making any decisions on whether and how to use the 2005-2007 SMI variables. Specific details about these 2005-2007 variables are provided in the Recoded Mental Health Appendix.

The following variable, SMIPP_U, is a predicted probability that a respondent has Serious Mental Illness (SMI) estimated using the 2012 revised logistic regression model. SMIPP_U was used to determine these levels of mental illness: Serious (SMI), Serious or Moderate (SMMI), and Any (AMI). The categories of Moderate (MMI) and Mild (LMI) were determined by subtraction.

<u>SMIPP_U</u>	Len : 12	RC-PREDICTED SERIOUS MENTAL ILLNESS PROB REVISED		
			Freq	Pct
		RANGE = 0.0025409721 - 0.9291205406	441985	46.56
		. = Aged 12-17 (AGE2<7)	176400	18.58
		-9 = Data not collected for this year	330900	34.86

NOTE: The following six variables (SMIYR_U, AMIYR_U, SMMIYR_U, MMIYR_U, LMIYR_U, and LMMIYRU) are not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor are they recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of these variables can be found in the Recoded Mental Health Appendix.

In order to be able to make comparisons of SMI estimates across years, SMI variables were created for 2005-2007 based on an alternative model. The 2005-2007 SMI recodes, SMIPP_A and SMIYR_A, are considered comparable with the variables SMIPP_U and SMIYR_U, respectively, for 2008 and later NSDUHs. However, users should consider the differences in methodology before making any decisions on whether and how to use the 2005-2007 SMI variables. The same analysis recommendation noted above also applies for the 2005-2007 SMIYR_A variable. Specific details about these 2005-2007 variables are provided in the Recoded Mental Health Appendix.

The following variable, SMIYR_U, is a Serious Mental Illness (SMI) indicator for respondents based on the 2012 revised predicted probability of SMI (SMIPP_U). If SMIPP_U is greater than or equal to a specified cutoff point (0.260573529) then SMIYR_U=1, and if SMIPP_U is less than the cutoff point then SMIYR_U=0. This indicator is not comparable with SMI variables prior to 2008, in which SMI was only based on psychological distress. Also, this indicator based on the 2012 model is not comparable with the indicator based on the 2008 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

<u>SMIYR_U</u>	Len : 1	RC-SMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB		
			Freq	Pct
		. = Aged 12-17 (AGE2<7)	176400	18.58
		-9 = Data not collected for this year	330900	34.86
		0 = No Past Year SMI (See comment above)	420046	44.25
		1 = Past Year SMI (See comment above)	21939	2.31

The following variable, AMIYR_U, is an indicator for Any Mental Illness (AMI) based on the 2012 revised predicted probability of SMI (SMIPP_U). If SMIPP_U is greater than or equal to a specified cutoff point (0.0192519810) then AMIYR_U=1, and if SMIPP_U is less than the cutoff point then AMIYR_U=0. This indicator based on the 2012 model is not comparable with the indicator based on the 2008 model. AMI is defined as having Serious, Moderate, or Mild Mental Illness. Specific details about this variable can be found in the Recoded Mental Health Appendix.

<u>AMIYR_U</u>	Len : 1	RC-AMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB		
			Freq	Pct
		. = Aged 12-17 (AGE2<7)	176400	18.58
		-9 = Data not collected for this year	330900	34.86
		0 = No Past Yr Any Mental Illness (See comment above)	350834	36.96
		1 = Past Year Any Mental Illness (See comment above)	91151	9.60

RECODED MENTAL HEALTH

The following variable, SMMIYR_U, is an indicator for Serious or Moderate Mental Illness (SMMI) based on the 2012 revised predicted probability of SMI (SMIPP_U). If SMIPP_U is greater than or equal to a specified cutoff point (0.077686285365) then SMMIYR_U=1, and if SMIPP_U is less than the cutoff point then SMMIYR_U=0. This indicator based on the 2012 model is not comparable with the indicator based on the 2008 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

SMMIYR_U	Len : 1 RC-SMMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB		
		Freq	Pct
.	= Aged 12-17 (AGE2<7)	176400	18.58
-9	= Data not collected for this year	330900	34.86
0	= No Past Year SMMI (See comment above).....	396036	41.72
1	= Past Year SMMI (See comment above).....	45949	4.84

The following variable, MMIYR_U, is an indicator for Moderate Mental Illness (MMI). This indicator derived from mental illness variables based on the 2012 model is not comparable with the indicator derived from mental illness variables based on the 2008 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

MMIYR_U	Len : 1 RC-MOD MI IND (1/0) BASED ON REVISED PRED SMI PROB		
		Freq	Pct
.	= Aged 12-17 (AGE2<7)	176400	18.58
-9	= Data not collected for this year	330900	34.86
0	= No Past Year MMI (Otherwise)	417975	44.03
1	= Past Year MMI (SMMIYR_U=1 and SMIYR_U=0)	24010	2.53

The following variable, LMIYR_U, is an indicator for Mild (Low) Mental Illness (LMI). This indicator derived from mental illness variables based on the 2012 model is not comparable with the indicator derived from mental illness variables based on the 2008 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

LMIYR_U	Len : 1 RC-MILD MI IND (1/0) BASED ON REVISED PRED SMI PROB		
		Freq	Pct
.	= Aged 12-17 (AGE2<7)	176400	18.58
-9	= Data not collected for this year	330900	34.86
0	= No Past Year LMI (Otherwise)	396783	41.80
1	= Past Year LMI (AMIYR_U=1 and SMMIYR_U=0).....	45202	4.76

The following variable, LMMIYRU, is an indicator for Mild (Low) Mental Illness (LMI) or Moderate Mental Illness (MMI). This indicator is derived from mental illness variables based on the 2012 model. Specific details about this variable are provided in the Recoded Mental Health Appendix. This mental illness variable is referred to as any mental illness (AMI) excluding serious mental illness (SMI).

LMMIYRU	Len : 1 RC-LMMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB		
		Freq	Pct
.	= Aged 12-17 (AGE2<7)	86202	9.08
-9	= Data not collected for this year	612222	64.49
0	= No Past Year LMMI (Otherwise)	211250	22.25
1	= Past Year LMMI (LMIYR_U=1 or MMIYR_U=1)	39611	4.17

The following variable, MI_CAT_U, is a categorical mental illness indicator. This indicator derived from mental illness variables based on the 2012 model is not comparable with the indicator derived from mental illness variables based on the 2008 model. Please note that MI_CAT_U is not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor is it recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of this variable can be found in the Recoded Mental Health Appendix.

MI_CAT_U	Len : 1 RC-CATEGORICAL MI INDICATOR REVISED		
		Freq	Pct
.	= Aged 12-17 (AGE2<7)	176400	18.58
-9	= Data not collected for this year	330900	34.86
0	= No Past Year MI (SMIYR_U & LMIYR_U & MMIYR_U=0)	350834	36.96
1	= Past Year Mild Mental Illness (LMIYR_U=1)	45202	4.76
2	= Past Year Moderate Mental Illness (MMIYR_U=1)	24010	2.53
3	= Past Year Serious Mental Illness (SMIYR_U=1).....	21939	2.31

RECODED MENTAL HEALTH

NOTE: The following three variables are recodes that combine mental illness measures based on the 2012 revised predicted probability of SMI (SMIPP_U) with drug or alcohol dependence or abuse in the past year. These variables based on the 2012 mental illness prediction model are not comparable with similarly named variables from previous years due to the change in the model as well as changes in the dependence or abuse variables starting with the 2015 NSDUH. Please note that SMISUDPY, AMISUDPY, and LMMISUDPY are not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor are they recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of the mental illness variables used in these recodes can be found in the Recoded Mental Health Appendix. Specific information about the dependence or abuse variables used in these recodes can be found in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

<u>SMISUDPY</u>	Len : 1 RC-SMI AND DRUG/ALCOHOL DEP OR ABUSE - PAST YEAR		
		Freq	Pct
	. = Aged 12-17 (SMIYR_U=.)	54866	5.78
	-9 = Data not collected for this year	722653	76.13
	1 = Yes (SMIYR_U=1 and UDPYILAL=1)	2860	0.30
	2 = No (SMIYR_U=0 or UDPYILAL=0)	168906	17.79
<u>AMISUDPY</u>	Len : 1 RC-AMI AND DRUG/ALCOHOL DEP OR ABUSE - PAST YEAR		
		Freq	Pct
	. = Aged 12-17 (AMIYR_U=.)	54866	5.78
	-9 = Data not collected for this year	722653	76.13
	1 = Yes (AMIYR_U=1 and UDPYILAL=1)	8210	0.86
	2 = No (AMIYR_U=0 or UDPYILAL=0)	163556	17.23
<u>LMMISUDPY</u>	Len : 1 RC-LMMI AND DRUG/ALCOHOL DEP OR ABUSE - PAST YEAR		
		Freq	Pct
	. = Aged 12-17 (LMMIYRU=.)	54866	5.78
	-9 = Data not collected for this year	722653	76.13
	0 = No (LMMIYRU=0 or UDPYILAL=0)	166416	17.53
	1 = Yes (LMMIYRU=1 and UDPYILAL=1)	5350	0.56

ADULT DEPRESSION

ADULT DEPRESSION

This note applies to variables in this section marked by a¹.

NOTE: All of the respondents aged 18 or older were asked the questions in the Adult Depression module in this current survey year. In the 2004 survey, a subset of the adults was asked these questions.

Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty or depressed?

[ADDPREV¹](#)

Len : 2 SEVERAL DAYS OR LNGR WHEN FELT SAD/EMPTY/DPRSD

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	194418	20.48
2 = No.....	374909	39.49
85 = BAD DATA Logically assigned.....	34	0.00
89 = LEGITIMATE SKIP Logically assigned	8	0.00
94 = DON'T KNOW	1013	0.11
97 = REFUSED	1579	0.17
98 = BLANK (NO ANSWER).....	179	0.02
99 = LEGITIMATE SKIP	267836	28.21

Have you ever had a period of time lasting several days or longer when most of the day you were very discouraged about how things were going in your life?

[ADDSCV¹](#)

Len : 2 SEVERAL DAYS OR LNGR FELT DISCOURAGED ABT LIFE

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	50147	5.28
2 = No.....	324789	34.21
89 = LEGITIMATE SKIP Logically assigned	6	0.00
94 = DON'T KNOW	987	0.10
97 = REFUSED	1577	0.17
98 = BLANK (NO ANSWER).....	214	0.02
99 = LEGITIMATE SKIP	462256	48.70

Have you ever had a period of time lasting several days or longer when you lost interest in most things you usually enjoy like work, hobbies, and personal relationships?

[ADLOSEV¹](#)

Len : 2 EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	16300	1.72
2 = No.....	308592	32.51
89 = LEGITIMATE SKIP Logically assigned	6	0.00
94 = DON'T KNOW	958	0.10
97 = REFUSED	1502	0.16
98 = BLANK (NO ANSWER).....	215	0.02
99 = LEGITIMATE SKIP	512403	53.98

During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?

[ADDPDISC¹](#)

Len : 2 FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	176315	18.57
2 = No.....	17878	1.88
85 = BAD DATA Logically assigned.....	34	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	155	0.02
97 = REFUSED	70	0.01
98 = BLANK (NO ANSWER).....	2060	0.22
99 = LEGITIMATE SKIP	643462	67.78

ADULT DEPRESSION

During the times when you felt sad, empty, or depressed, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?

[ADDPLSIN¹](#)

Len : 2 EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	151314	15.94
2 = No.....	42812	4.51
85 = BAD DATA Logically assigned.....	32	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	198	0.02
97 = REFUSED	93	0.01
98 = BLANK (NO ANSWER).....	2063	0.22
99 = LEGITIMATE SKIP	643462	67.78

During times when you felt discouraged about how things were going in your life, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?

[ADDLSIN¹](#)

Len : 2 EVER LOSE INT IN THNGS WHEN FEELING DISCOURGAGED

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	23613	2.49
2 = No.....	26473	2.79
94 = DON'T KNOW	43	0.00
97 = REFUSED	18	0.00
98 = BLANK (NO ANSWER).....	2301	0.24
99 = LEGITIMATE SKIP	787528	82.96

Did you ever have a period of time like this that lasted most of the day nearly every day for two weeks or longer?

[ADLSI2WK¹](#)

Len : 2 PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	2774	0.29
2 = No.....	13454	1.42
94 = DON'T KNOW	57	0.01
97 = REFUSED	15	0.00
98 = BLANK (NO ANSWER).....	2675	0.28
99 = LEGITIMATE SKIP	821001	86.49

Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, nearly every day, for two weeks or longer?

[ADDPR2WK¹](#)

Len : 2 TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	143009	15.06
2 = No.....	100790	10.62
85 = BAD DATA Logically assigned.....	34	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	533	0.06
97 = REFUSED	232	0.02
98 = BLANK (NO ANSWER).....	2268	0.24
99 = LEGITIMATE SKIP	593108	62.48

ADULT DEPRESSION

Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?

[ADWRHRS](#)¹

Len : 2 TIME THAT MOST SEVERE/FREQUENT MOOD LASTED

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Less than 1 hour.....	13305	1.40
2 = At least 1 hour but no more than 3 hours	36038	3.80
3 = At least 3 hours but no more than 5 hours.....	34568	3.64
4 = 5 hours or more	60424	6.37
85 = BAD DATA Logically assigned.....	34	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	1234	0.13
97 = REFUSED	213	0.02
98 = BLANK (NO ANSWER).....	3480	0.37
99 = LEGITIMATE SKIP	690679	72.76

Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how severe was your emotional distress during those times?

[ADWRDST](#)¹

Len : 2 HOW SEVERE WAS EMOTIONAL DISTRESS DURING 2 WKS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Mild	16636	1.75
2 = Moderate	55875	5.89
3 = Severe	42507	4.48
4 = Very Severe	16752	1.76
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	512	0.05
97 = REFUSED	195	0.02
98 = BLANK (NO ANSWER).....	3514	0.37
99 = LEGITIMATE SKIP	703984	74.16

Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, was your emotional distress so severe that nothing could cheer you up?

[ADWRCHR](#)¹

Len : 2 EMOT DISTRSS SO SEVERE NOTHING COULD CHEER YOU UP

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Often	32727	3.45
2 = Sometimes	62170	6.55
3 = Rarely.....	27556	2.90
4 = Never	9473	1.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	363	0.04
97 = REFUSED	188	0.02
98 = BLANK (NO ANSWER).....	3514	0.37
99 = LEGITIMATE SKIP	703984	74.16

Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, was your emotional distress so severe that you could not carry out your daily activities?

[ADWRIMP](#)¹

Len : 2 EMOT DISTRSS SO SEVERE COULD NT DO DLY ACTIVITIES

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Often	18890	1.99
2 = Sometimes	46705	4.92
3 = Rarely.....	37523	3.95
4 = Never	28850	3.04
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	323	0.03
97 = REFUSED	186	0.02
98 = BLANK (NO ANSWER).....	3514	0.37
99 = LEGITIMATE SKIP	703984	74.16

ADULT DEPRESSION

People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:

- sleep
- appetite
- energy
- the ability to concentrate and remember
- feelings of low self-worth

Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?

<u>ADPPROB</u> ¹	Len : 2	EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	103751	10.93
		2 = No.....	24883	2.62
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	186	0.02
		97 = REFUSED	134	0.01
		98 = BLANK (NO ANSWER).....	3514	0.37
		99 = LEGITIMATE SKIP	707507	74.53

Think again about these other problems we just mentioned. They include things like changes in

- sleep
- appetite
- energy
- the ability to concentrate and remember
- feelings of low self-worth

Please think of a time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.

Is there one particular time like this that stands out in your mind as the worst one you ever had?

<u>ADWRPROB</u> ¹	Len : 2	ONE PARTICULAR TIME THAT IS THE WORST ONE EVER		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	72335	7.62
		2 = No.....	31004	3.27
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	339	0.04
		97 = REFUSED	73	0.01
		98 = BLANK (NO ANSWER).....	3834	0.40
		99 = LEGITIMATE SKIP	732390	77.15

How old were you when that worst period of time started?

Then think of the most recent time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.

How old were you when that time started?

<u>ADWRAGE</u> ¹	Len : 3	AGE WHEN WORST PERIOD OF TIME STARTED		
			Freq	Pct
		RANGE = 1 - 95.....	101516	10.69
		-9 = Data not collected for this year	109309	11.51
		985 = BAD DATA Logically assigned.....	79	0.01
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		994 = DON'T KNOW	1940	0.20
		997 = REFUSED	216	0.02
		998 = BLANK (NO ANSWER).....	3834	0.40
		999 = LEGITIMATE SKIP	732390	77.15

ADULT DEPRESSION

In answering the next questions, think about the period of time when your [FEELNOUN] and other problems were the worst.

In answering the next questions, think about the most recent period of time when you [FEELFILL] and had other problems at the same time.

During that time, did you feel sad, empty, or depressed most of the day nearly every day?

<u>ADWRDEPR</u> ¹	Len : 2 WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	80517	8.48
	2 = No.....	22833	2.41
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	293	0.03
	97 = REFUSED	108	0.01
	98 = BLANK (NO ANSWER).....	3834	0.40
	99 = LEGITIMATE SKIP	732390	77.15

During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?

<u>ADWRDISC</u> ¹	Len : 2 WHEN PRBLMS WORST FELT DISCRGED ABT LIFE EVERYDAY		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	82349	8.67
	2 = No.....	21061	2.22
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	234	0.02
	97 = REFUSED	107	0.01
	98 = BLANK (NO ANSWER).....	3834	0.40
	99 = LEGITIMATE SKIP	732390	77.15

During that [TIMEFILL] period of time, did you lose interest in almost all things like work and hobbies and things you like to do for fun?

<u>ADWRLSIN</u> ¹	Len : 2 WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	79100	8.33
	2 = No.....	24390	2.57
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	170	0.02
	97 = REFUSED	91	0.01
	98 = BLANK (NO ANSWER).....	3834	0.40
	99 = LEGITIMATE SKIP	732390	77.15

During that [TIMEFILL] period of time, did you lose the ability to take pleasure in having good things happen to you, like winning something or being praised or complimented?

<u>ADWRPLSR</u> ¹	Len : 2 WHEN PRBLMS WORST LOSE PLSURE IN GOOD THINGS		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	67552	7.12
	2 = No.....	35780	3.77
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	322	0.03
	97 = REFUSED	97	0.01
	98 = BLANK (NO ANSWER).....	3834	0.40
	99 = LEGITIMATE SKIP	732390	77.15

ADULT DEPRESSION

The next questions are about changes in appetite and weight.

In answering the next questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a much smaller appetite than usual nearly every day during that time?

ADWRELES ¹	Len : 2 WHEN PRBLMS WORST HAVE SMALLER APPETITE EVERY DAY		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	58928	6.21
	2 = No.....	35834	3.77
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	459	0.05
	97 = REFUSED	44	0.00
	98 = BLANK (NO ANSWER).....	4065	0.43
	99 = LEGITIMATE SKIP	740645	78.02

Did you have a much larger appetite than usual nearly every day?

ADWREMOR ¹	Len : 2 WHEN PRBLMS WORST HAVE LARGER APPETITE EVERY DAY		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	18893	1.99
	2 = No.....	17010	1.79
	94 = DON'T KNOW	404	0.04
	97 = REFUSED	30	0.00
	98 = BLANK (NO ANSWER).....	4065	0.43
	99 = LEGITIMATE SKIP	799574	84.23

Did you gain weight without trying to during that [TIMEFILL] period of time?

ADWRGAIN ¹	Len : 2 WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	19709	2.08
	2 = No.....	16303	1.72
	94 = DON'T KNOW	298	0.03
	97 = REFUSED	27	0.00
	98 = BLANK (NO ANSWER).....	4065	0.43
	99 = LEGITIMATE SKIP	799574	84.23

Did you gain weight without trying to because you were growing?

ADWRGROW ¹	Len : 2 WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	1500	0.16
	2 = No.....	6656	0.70
	94 = DON'T KNOW	90	0.01
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER).....	4622	0.49
	99 = LEGITIMATE SKIP	827106	87.13

Did you gain weight without trying to because you were pregnant?

ADWRPREG ¹	Len : 2 WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC PRGN		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	817	0.09
	2 = No.....	12694	1.34
	90 = NOT ASKED THE QUESTION Logically assigned	207	0.02
	94 = DON'T KNOW	15	0.00
	97 = REFUSED	5	0.00
	98 = BLANK (NO ANSWER).....	2246	0.24
	99 = LEGITIMATE SKIP	823992	86.80

ADULT DEPRESSION

How many pounds did you gain? Please enter your answer as a whole number.

ADWRGNL2 ¹	Len : 3 WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING		
	RANGE = 0 - 51	Freq	Pct
	-9 = Data not collected for this year	16689	1.76
	990 = NOT ASKED THE QUESTION Logically assigned.....	109309	11.51
	994 = DON'T KNOW	253	0.03
	997 = REFUSED	396	0.04
	998 = BLANK (NO ANSWER).....	45	0.00
	999 = LEGITIMATE SKIP	4399	0.46
		818194	86.19

Did you lose weight without trying to?

ADWRLOSE ¹	Len : 2 WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes.....	109309	11.51
	2 = No.....	47629	5.02
	89 = LEGITIMATE SKIP Logically assigned	27302	2.88
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	600	0.06
	98 = BLANK (NO ANSWER).....	25	0.00
	99 = LEGITIMATE SKIP	4154	0.44
		760265	80.09

Did you lose weight without trying to because you were sick or on a diet?

ADWRDIET ¹	Len : 2 WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes.....	109309	11.51
	2 = No.....	11476	1.21
	94 = DON'T KNOW	36089	3.80
	97 = REFUSED	62	0.01
	98 = BLANK (NO ANSWER).....	2	0.00
	99 = LEGITIMATE SKIP	4779	0.50
		787568	82.96

How many pounds did you lose?

Please enter your answer as a whole number.

ADWRLSL2 ¹	Len : 3 WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING		
	RANGE = 0 - 51	Freq	Pct
	-9 = Data not collected for this year	35179	3.71
	994 = DON'T KNOW	109309	11.51
	997 = REFUSED	951	0.10
	998 = BLANK (NO ANSWER).....	23	0.00
	999 = LEGITIMATE SKIP	4779	0.50
		799044	84.17

Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a lot more trouble than usual falling asleep, staying asleep, or waking too early nearly every night during that [TIMEFILL] period of time?

ADWRSLEP ¹	Len : 2 WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes.....	109309	11.51
	2 = No.....	77271	8.14
	89 = LEGITIMATE SKIP Logically assigned	17715	1.87
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	235	0.02
	98 = BLANK (NO ANSWER).....	44	0.00
	99 = LEGITIMATE SKIP	4065	0.43
		740645	78.02

ADULT DEPRESSION

During that [TIMEFILL] period of time, did you sleep a lot more than usual nearly every night?

<u>ADWRSMOR</u> ¹	Len : 2 WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	10856	1.14
	2 = No.....	6943	0.73
	94 = DON'T KNOW	163	0.02
	97 = REFUSED	32	0.00
	98 = BLANK (NO ANSWER).....	4065	0.43
	99 = LEGITIMATE SKIP	817917	86.16

During that [TIMEFILL] period of time, did you feel tired or low in energy nearly every day, even when you had not been working very hard?

<u>ADWRENRG</u> ¹	Len : 2 WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	87024	9.17
	2 = No.....	8035	0.85
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	168	0.02
	97 = REFUSED	38	0.00
	98 = BLANK (NO ANSWER).....	4065	0.43
	99 = LEGITIMATE SKIP	740645	78.02

Did you talk or move more slowly than is normal for you nearly every day?

<u>ADWRSLOW</u> ¹	Len : 2 WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	55554	5.85
	2 = No.....	38829	4.09
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	846	0.09
	97 = REFUSED	36	0.00
	98 = BLANK (NO ANSWER).....	4065	0.43
	99 = LEGITIMATE SKIP	740645	78.02

Did anyone else notice that you were talking or moving slowly?

<u>ADWRSLNO</u> ¹	Len : 2 WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	39583	4.17
	2 = No.....	15414	1.62
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	551	0.06
	97 = REFUSED	6	0.00
	98 = BLANK (NO ANSWER).....	4947	0.52
	99 = LEGITIMATE SKIP	779474	82.11

Were you so restless or jittery nearly every day that you paced up and down or couldn't sit still?

<u>ADWRJITT</u> ¹	Len : 2 WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	9753	1.03
	2 = No.....	29691	3.13
	94 = DON'T KNOW	237	0.02
	97 = REFUSED	30	0.00
	98 = BLANK (NO ANSWER).....	4065	0.43
	99 = LEGITIMATE SKIP	796200	83.87

ADULT DEPRESSION

Did anyone else notice that you were restless?

ADWRJINO¹	Len : 2 WHEN PRBLMS WORST PEOP NOTICE YOU WERE RSTLSS		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	7193	0.76
	2 = No.....	2465	0.26
	94 = DON'T KNOW	94	0.01
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER).....	4332	0.46
	99 = LEGITIMATE SKIP	825891	87.00

The next questions are about changes in your ability to concentrate, and your feelings about yourself.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

During that [TIMEFILL] time, did your thoughts come much more slowly than usual or seem confused nearly every day?

ADWRTHOT¹	Len : 2 WHEN PRBLMS WORST THGHTS SLOWER/MORE CONFUSING		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	51933	5.47
	2 = No.....	42601	4.49
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	637	0.07
	97 = REFUSED	93	0.01
	98 = BLANK (NO ANSWER).....	4066	0.43
	99 = LEGITIMATE SKIP	740645	78.02

Did you have a lot more trouble concentrating than usual nearly every day?

ADWRCONC¹	Len : 2 WHEN PRBLMS WORST HAVE TROUBLE CONCENTRATING		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	69996	7.37
	2 = No.....	24814	2.61
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	388	0.04
	97 = REFUSED	66	0.01
	98 = BLANK (NO ANSWER).....	4066	0.43
	99 = LEGITIMATE SKIP	740645	78.02

Were you unable to make decisions about things you ordinarily have no trouble deciding about?

ADWRDCSN¹	Len : 2 WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	54969	5.79
	2 = No.....	39724	4.18
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	505	0.05
	97 = REFUSED	66	0.01
	98 = BLANK (NO ANSWER).....	4066	0.43
	99 = LEGITIMATE SKIP	740645	78.02

Did you feel that you were not as good as other people nearly every day?

ADWRNOGD¹	Len : 2 WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	68757	7.24
	2 = No.....	26229	2.76
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	216	0.02
	97 = REFUSED	62	0.01
	98 = BLANK (NO ANSWER).....	4066	0.43
	99 = LEGITIMATE SKIP	740645	78.02

ADULT DEPRESSION

Did you feel totally worthless nearly every day?

ADWRWRTH ¹	Len : 2 WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	50899	5.36
	2 = No.....	17775	1.87
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	69	0.01
	97 = REFUSED	14	0.00
	98 = BLANK (NO ANSWER).....	4344	0.46
	99 = LEGITIMATE SKIP	766874	80.78

The next questions are about thoughts of death or suicide.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you often think a lot about death, either your own, someone else's, or death in general?

ADWRDLOT ¹	Len : 2 WHEN PRBLMS WORST THINK A LOT ABOUT DEATH		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	50875	5.36
	2 = No.....	44089	4.64
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	118	0.01
	97 = REFUSED	182	0.02
	98 = BLANK (NO ANSWER).....	4066	0.43
	99 = LEGITIMATE SKIP	740645	78.02

During that period, did you ever think that it would be better if you were dead?

ADWRDBTR ¹	Len : 2 WHEN PRBLMS WORST THINK IT WOULD BE BETTER IF DEAD		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	47807	5.04
	2 = No.....	47050	4.96
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	192	0.02
	97 = REFUSED	214	0.02
	98 = BLANK (NO ANSWER).....	4067	0.43
	99 = LEGITIMATE SKIP	740645	78.02

Did you think about committing suicide?

ADWRSTHK ¹	Len : 2 WHEN PRBLMS WORST THINK ABOUT COMMITTING SUICIDE		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	37151	3.91
	2 = No.....	57756	6.08
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	101	0.01
	97 = REFUSED	255	0.03
	98 = BLANK (NO ANSWER).....	4067	0.43
	99 = LEGITIMATE SKIP	740645	78.02

Did you make a suicide plan?

ADWRSPLN ¹	Len : 2 WHEN PRBLMS WORST MAKE A SUICIDE PLAN		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	13453	1.42
	2 = No.....	23645	2.49
	94 = DON'T KNOW	26	0.00
	97 = REFUSED	27	0.00
	98 = BLANK (NO ANSWER).....	4423	0.47
	99 = LEGITIMATE SKIP	798402	84.11

ADULT DEPRESSION

Did you make a suicide attempt?

[ADWRSATP¹](#)

Len : 2 WHEN PRBLMS WORST MAKE A SUICIDE ATTEMPT

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	9876	1.04
2 = No.....	27214	2.87
94 = DON'T KNOW	19	0.00
97 = REFUSED	42	0.00
98 = BLANK (NO ANSWER).....	4423	0.47
99 = LEGITIMATE SKIP	798402	84.11

[AD_MDEA1¹](#)

Len : 2 SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has symptom.....	88197	9.29
2 = Does not have symptom.....	15218	1.60
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	241	0.03
97 = REFUSED	95	0.01
98 = OTHER MISSING/NOT APPLICABLE	468381	49.34
99 = LEGITIMATE SKIP	267843	28.22

[AD_MDEA2¹](#)

Len : 2 LOST INTEREST OR PLEASURE IN MOST THINGS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has symptom.....	85498	9.01
2 = Does not have symptom.....	17980	1.89
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	186	0.02
97 = REFUSED	87	0.01
98 = OTHER MISSING/NOT APPLICABLE	468381	49.34
99 = LEGITIMATE SKIP	267843	28.22

[AD_MDEA3¹](#)

Len : 2 CHANGES IN APPETITE OR WT

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has symptom.....	81383	8.57
2 = Does not have symptom.....	13130	1.38
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	660	0.07
97 = REFUSED	47	0.00
98 = OTHER MISSING/NOT APPLICABLE	476912	50.24
99 = LEGITIMATE SKIP	267843	28.22

[AD_MDEA4¹](#)

Len : 2 SLEEP PROBLEMS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has symptom.....	88127	9.28
2 = Does not have symptom.....	6887	0.73
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	217	0.02
97 = REFUSED	34	0.00
98 = OTHER MISSING/NOT APPLICABLE	476867	50.23
99 = LEGITIMATE SKIP	267843	28.22

[AD_MDEA5¹](#)

Len : 2 OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has symptom.....	46776	4.93
2 = Does not have symptom.....	47837	5.04
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	645	0.07
97 = REFUSED	7	0.00
98 = OTHER MISSING/NOT APPLICABLE	476867	50.23
99 = LEGITIMATE SKIP	267843	28.22

ADULT DEPRESSION

[AD_MDEA6](#)¹

Len : 2 FELT TIRED/LOW ENERGY NEARLY EVERY DAY

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has symptom.....	87024	9.17
2 = Does not have symptom.....	8035	0.85
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	168	0.02
97 = REFUSED	38	0.00
98 = OTHER MISSING/NOT APPLICABLE	476867	50.23
99 = LEGITIMATE SKIP	267843	28.22

[AD_MDEA7](#)¹

Len : 2 FELT WORTHLESS NEARLY EVERY DAY

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has symptom.....	50899	5.36
2 = Does not have symptom.....	44282	4.66
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	69	0.01
97 = REFUSED	14	0.00
98 = OTHER MISSING/NOT APPLICABLE	476868	50.23
99 = LEGITIMATE SKIP	267843	28.22

[AD_MDEA8](#)¹

Len : 2 INABILITY TO CONCENTRATE OR MAKE DECISIONS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has symptom.....	76789	8.09
2 = Does not have symptom.....	18056	1.90
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	362	0.04
97 = REFUSED	57	0.01
98 = OTHER MISSING/NOT APPLICABLE	476868	50.23
99 = LEGITIMATE SKIP	267843	28.22

[AD_MDEA9](#)¹

Len : 2 ANY THOUGHTS OR PLANS OF SUICIDE

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has symptom.....	61710	6.50
2 = Does not have symptom.....	33250	3.50
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	125	0.01
97 = REFUSED	179	0.02
98 = OTHER MISSING/NOT APPLICABLE	476868	50.23
99 = LEGITIMATE SKIP	267843	28.22

[ADSMMDA](#)¹

Len : 2 SCORE OF SYMPTOM INDICATORS 1 THRU 9

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has 5 or more symptoms	86561	9.12
2 = Has less than 5 symptoms.....	16846	1.77
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = SUM OF SYMPTOMS AND DON'T KNOW >=5	304	0.03
97 = SUM OF SYMPTOMS AND REFUSED >=5	40	0.00
98 = OTHER MISSING/NOT APPLICABLE	468381	49.34
99 = LEGITIMATE SKIP	267843	28.22

ADULT DEPRESSION

You mentioned having some of the problems I just asked you about.

During that [TIMEFILL] period of time, how much did your [FEELNOUN] and these other problems interfere with your work, your social life, or your personal relationships?

[ADPBINTF](#)¹

Len : 2 WHEN PRBLMS WORST INTERFERE WITH WORK/ PRSNL LIFE

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Not at all.....	2402	0.25
2 = A little	12554	1.32
3 = Some	27083	2.85
4 = A lot.....	30926	3.26
5 = Extremely	15474	1.63
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	80	0.01
97 = REFUSED	61	0.01
98 = BLANK (NO ANSWER).....	4308	0.45
99 = LEGITIMATE SKIP	747087	78.70

During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities because of these problems with your mood?

[ADPBDLYA](#)¹

Len : 2 WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Often	21484	2.26
2 = Sometimes	39339	4.14
3 = Rarely.....	18443	1.94
4 = Never	6763	0.71
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	100	0.01
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER).....	4308	0.45
99 = LEGITIMATE SKIP	749489	78.95

Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] for most of the day nearly every day and also had some of the other problems we just asked about.

Can you remember your exact age?

[ADPBRMBR](#)¹

Len : 2 RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	57589	6.07
2 = No.....	30304	3.19
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	597	0.06
97 = REFUSED	89	0.01
98 = BLANK (NO ANSWER).....	4309	0.45
99 = LEGITIMATE SKIP	747087	78.70

How old were you?

[ADPBAGE](#)¹

Len : 3 AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 92.....	85429	9.00
-9 = Data not collected for this year	109309	11.51
985 = BAD DATA Logically assigned.....	53	0.01
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
994 = DON'T KNOW	2855	0.30
997 = REFUSED	152	0.02
998 = BLANK (NO ANSWER).....	4399	0.46
999 = LEGITIMATE SKIP	747087	78.70

ADULT DEPRESSION

In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

If you are not sure of your answer, just make your best guess.

<u>ADPBNUM</u> ¹	Len : 4 # TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE		
		Freq	Pct
	RANGE = 1 - 1000	80918	8.52
	-9 = Data not collected for this year	109309	11.51
	9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	9994 = DON'T KNOW.....	6906	0.73
	9997 = REFUSED	754	0.08
	9998 = BLANK (NO ANSWER).....	4310	0.45
	9999 = LEGITIMATE SKIP.....	747087	78.70

In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

<u>ADPB2WK</u> ¹	Len : 2 FELT THIS 2 WKS+ W/OTH PRBS DURING PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	48898	5.15
	2 = No.....	38852	4.09
	85 = BAD DATA Logically assigned.....	2	0.00
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	636	0.07
	97 = REFUSED	190	0.02
	98 = BLANK (NO ANSWER).....	4310	0.45
	99 = LEGITIMATE SKIP	747087	78.70

NOTE: Beginning with the 2008 survey, the questions corresponding to the variables ADPSHMG1, ADPSWORK, ADPSRELS, and ADPSOC no longer allow respondents to choose the category 95 (ACTIVITY DOES NOT APPLY).

Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] most severe.

Using the 0 to 10 scale shown below, where 0 means no interference and 10 means very severe interference, select the number that describes how much [NUMPROBS] interfered with your ability to do each of the following activities during that period. You can use any number between 0 and 10 to answer.

How much did your [FEELNOUN] interfere with your ability to do home management task, like cleaning, shopping, and working around the house, apartment, or yard?

<u>ADPSHMG1</u> ¹	Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH HOME MNGMT		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	0 = No Interference	1622	0.17
	1 = Mild - 1	1431	0.15
	2 = Mild - 2	2658	0.28
	3 = Mild - 3	3864	0.41
	4 = Moderate - 4	4316	0.45
	5 = Moderate - 5	7922	0.83
	6 = Moderate - 6	7241	0.76
	7 = Severe - 7	6668	0.70
	8 = Severe - 8	5820	0.61
	9 = Severe - 9	2695	0.28
	10 = Very Severe Interference	4075	0.43
	85 = BAD DATA Logically assigned.....	1	0.00
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	168	0.02
	95 = ACTIVITY DOES NOT APPLY	327	0.03
	97 = REFUSED	91	0.01
	98 = BLANK (NO ANSWER).....	5137	0.54
	99 = LEGITIMATE SKIP	785939	82.79

ADULT DEPRESSION

During that time in the past 12 months when your [FEELNOUN] was most severe, how much did this interfere with your ability to work?

You can use any number between 0 and 10 to answer.

[ADPSWORK](#)¹

Len : 2 HOW MUCH DID FEELING INTERFERE WITH ABLTY TO WORK

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
0 = No Interference	3908	0.41
1 = Mild - 1	2559	0.27
2 = Mild - 2	4093	0.43
3 = Mild - 3	5448	0.57
4 = Moderate - 4	4690	0.49
5 = Moderate - 5	6720	0.71
6 = Moderate - 6	5179	0.55
7 = Severe - 7	4531	0.48
8 = Severe - 8	3817	0.40
9 = Severe - 9	2485	0.26
10 = Very Severe Interference	4164	0.44
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	257	0.03
95 = ACTIVITY DOES NOT APPLY	912	0.10
97 = REFUSED	135	0.01
98 = BLANK (NO ANSWER)	5137	0.54
99 = LEGITIMATE SKIP	785939	82.79

How much did your [FEELNOUN] interfere with your ability to form and maintain close relationships with other people during that period of time?

You can use any number between 0 and 10 to answer.

[ADPSRELS](#)¹

Len : 2 HOW MUCH DID FEELING INTERFERE WITH RELATIONSHIPS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
0 = No Interference	1961	0.21
1 = Mild - 1	1546	0.16
2 = Mild - 2	2670	0.28
3 = Mild - 3	4301	0.45
4 = Moderate - 4	4085	0.43
5 = Moderate - 5	6695	0.71
6 = Moderate - 6	6001	0.63
7 = Severe - 7	6356	0.67
8 = Severe - 8	5900	0.62
9 = Severe - 9	4046	0.43
10 = Very Severe Interference	4773	0.50
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	139	0.01
95 = ACTIVITY DOES NOT APPLY	335	0.04
97 = REFUSED	90	0.01
98 = BLANK (NO ANSWER)	5137	0.54
99 = LEGITIMATE SKIP	785939	82.79

ADULT DEPRESSION

How much did [NUMPROBS] interfere with your ability to have a social life during that period of time?

You can use any number between 0 and 10 to answer.

[ADPSSOC](#)¹

Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
0 = No Interference	1447	0.15
1 = Mild - 1	1242	0.13
2 = Mild - 2	2309	0.24
3 = Mild - 3	3509	0.37
4 = Moderate - 4	3671	0.39
5 = Moderate - 5	6346	0.67
6 = Moderate - 6	5809	0.61
7 = Severe - 7	6624	0.70
8 = Severe - 8	6493	0.68
9 = Severe - 9	5043	0.53
10 = Very Severe Interference	5856	0.62
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	125	0.01
95 = ACTIVITY DOES NOT APPLY	351	0.04
97 = REFUSED	73	0.01
98 = BLANK (NO ANSWER).....	5137	0.54
99 = LEGITIMATE SKIP	785939	82.79

NOTE: Beginning with the 2008 survey, respondents who answered "don't know" or "refused" to questions corresponding to the variables ADPSHMG, ADPSWORK, ADPSRELS, and ADPSSOC are no longer asked the question corresponding to ADPSDAYS unless they entered a response of 1 to 10 in at least one of the other questions corresponding to ADPSHMG through ADPSSOC.

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer

[ADPSDAYS](#)¹

Len : 3 # DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS

	Freq	Pct
RANGE = 0 - 365	46856	4.94
-9 = Data not collected for this year	109309	11.51
985 = BAD DATA Logically assigned.....	1	0.00
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
994 = DON'T KNOW	1452	0.15
997 = REFUSED	145	0.02
998 = BLANK (NO ANSWER).....	5232	0.55
999 = LEGITIMATE SKIP	786289	82.83

ADULT DEPRESSION

Here is a list of professionals some people talk to about the problems we have been asking about:

- General practitioner or family doctor
- Other medical doctor like a cardiologist, gynecologist, urologist
- Psychologist
- Psychiatrist or psychotherapist
- Social Worker
- Counselor
- Other mental health professional, like a mental health nurse
- A nurse, occupational therapist, or other health professional
- A religious or spiritual advisor like a minister, priest, or rabbi
- Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist

At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?

ADSEEDOC¹

Len : 2 SEE/TALK TO DR/OTH PROF ABT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	37210	3.92
2 = No.....	51158	5.39
85 = BAD DATA Logically assigned.....	2	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	102	0.01
97 = REFUSED	105	0.01
98 = BLANK (NO ANSWER).....	4311	0.45
99 = LEGITIMATE SKIP	747087	78.70

During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?

ADFAMDOC¹

Len : 2 GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	19541	2.06
3 = Response entered LOGICALLY ASSIGNED	6	0.00
6 = Response not entered.....	17538	1.85
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	64	0.01
97 = REFUSED	166	0.02
98 = BLANK (NO ANSWER).....	4414	0.46
99 = LEGITIMATE SKIP	798246	84.09

ADOTHD¹

Len : 2 OTH DR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	3287	0.35
3 = Response entered LOGICALLY ASSIGNED	145	0.02
6 = Response not entered.....	33653	3.55
94 = DON'T KNOW	64	0.01
97 = REFUSED	166	0.02
98 = BLANK (NO ANSWER).....	4415	0.47
99 = LEGITIMATE SKIP	798246	84.09

ADPSYCH¹

Len : 2 PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	10432	1.10
3 = Response entered LOGICALLY ASSIGNED	7	0.00
6 = Response not entered.....	26646	2.81
94 = DON'T KNOW	64	0.01
97 = REFUSED	166	0.02
98 = BLANK (NO ANSWER).....	4415	0.47
99 = LEGITIMATE SKIP	798246	84.09

ADULT DEPRESSION

[ADPSYMD](#)¹

Len : 2 PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	11273	1.19
3 = Response entered LOGICALLY ASSIGNED	7	0.00
6 = Response not entered.....	25805	2.72
94 = DON'T KNOW	64	0.01
97 = REFUSED	166	0.02
98 = BLANK (NO ANSWER).....	4415	0.47
99 = LEGITIMATE SKIP	798246	84.09

[ADSOCWRK](#)¹

Len : 2 SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	3867	0.41
3 = Response entered LOGICALLY ASSIGNED	6	0.00
6 = Response not entered.....	33212	3.50
94 = DON'T KNOW	64	0.01
97 = REFUSED	166	0.02
98 = BLANK (NO ANSWER).....	4415	0.47
99 = LEGITIMATE SKIP	798246	84.09

[ADCOUNS](#)¹

Len : 2 COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	10401	1.10
3 = Response entered LOGICALLY ASSIGNED	40	0.00
6 = Response not entered.....	26644	2.81
94 = DON'T KNOW	64	0.01
97 = REFUSED	166	0.02
98 = BLANK (NO ANSWER).....	4415	0.47
99 = LEGITIMATE SKIP	798246	84.09

[ADOTMHP](#)¹

Len : 2 MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	2650	0.28
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered.....	34432	3.63
94 = DON'T KNOW	64	0.01
97 = REFUSED	166	0.02
98 = BLANK (NO ANSWER).....	4415	0.47
99 = LEGITIMATE SKIP	798246	84.09

[ADNURSE](#)¹

Len : 2 NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	2333	0.25
3 = Response entered LOGICALLY ASSIGNED	55	0.01
6 = Response not entered.....	34697	3.66
94 = DON'T KNOW	64	0.01
97 = REFUSED	166	0.02
98 = BLANK (NO ANSWER).....	4415	0.47
99 = LEGITIMATE SKIP	798246	84.09

[ADRELIG](#)¹

Len : 2 RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	5798	0.61
3 = Response entered LOGICALLY ASSIGNED	42	0.00
6 = Response not entered.....	31245	3.29
94 = DON'T KNOW	64	0.01
97 = REFUSED	166	0.02
98 = BLANK (NO ANSWER).....	4415	0.47
99 = LEGITIMATE SKIP	798246	84.09

ADULT DEPRESSION

[ADHERBAL](#)¹

Len : 2 HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	1829	0.19
3 = Response entered LOGICALLY ASSIGNED	32	0.00
6 = Response not entered.....	35224	3.71
94 = DON'T KNOW	64	0.01
97 = REFUSED	166	0.02
98 = BLANK (NO ANSWER).....	4415	0.47
99 = LEGITIMATE SKIP	798246	84.09

[ADOTHHL](#)¹

Len : 2 OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	1274	0.13
6 = Response not entered.....	35811	3.77
94 = DON'T KNOW	64	0.01
97 = REFUSED	166	0.02
98 = BLANK (NO ANSWER).....	4415	0.47
99 = LEGITIMATE SKIP	798246	84.09

Are you currently receiving professional treatment or counseling for [NUMPROBS] with your mood?

[ADTMTNOW](#)¹

Len : 2 CURRENTLY RCVNG PROF TREATMENT/COUNSLG FOR MOOD

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	19359	2.04
2 = No.....	17819	1.88
94 = DON'T KNOW	14	0.00
97 = REFUSED	124	0.01
98 = BLANK (NO ANSWER).....	4414	0.46
99 = LEGITIMATE SKIP	798246	84.09

During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?

[ADRX12MO](#)¹

Len : 2 TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	30797	3.24
2 = No.....	57629	6.07
85 = BAD DATA Logically assigned.....	2	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	56	0.01
97 = REFUSED	93	0.01
98 = BLANK (NO ANSWER).....	4311	0.45
99 = LEGITIMATE SKIP	747087	78.70

Are you currently taking prescription medication that was prescribed for [NUMPROBS]?

[ADRXNOW](#)¹

Len : 2 CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	24389	2.57
2 = No.....	6402	0.67
94 = DON'T KNOW	4	0.00
97 = REFUSED	96	0.01
98 = BLANK (NO ANSWER).....	4368	0.46
99 = LEGITIMATE SKIP	804717	84.77

ADULT DEPRESSION

During the past 12 months, how much has this prescription medication helped you?

[ADRXHLP¹](#)

Len : 2 HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Not at all.....	1998	0.21
2 = A little	3800	0.40
3 = Some	7541	0.79
4 = A lot.....	10659	1.12
5 = Extremely	6703	0.71
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	80	0.01
97 = REFUSED	109	0.01
98 = BLANK (NO ANSWER).....	4368	0.46
99 = LEGITIMATE SKIP	804717	84.77

During the past 12 months, how much has treatment or counseling helped you?

[ADTMTHLP¹](#)

Len : 2 HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Not at all.....	5504	0.58
2 = A little	5994	0.63
3 = Some	9257	0.98
4 = A lot.....	10076	1.06
5 = Extremely	5914	0.62
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	351	0.04
97 = REFUSED	219	0.02
98 = BLANK (NO ANSWER).....	4414	0.46
99 = LEGITIMATE SKIP	798246	84.09

RECODED ADULT DEPRESSION

RECODED ADULT DEPRESSION

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section. Specific details about the recoded variables are provided in the Recoded Depression Variable Documentation Appendix.

NOTE: The following five variables in this section are based on questions asked of all applicable respondents regardless of whether they were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or not. If you would like estimates among persons with MDE, you will need to restrict your analysis by either the lifetime MDE variable (MDELT) or the past year MDE variable (MDEYR).

NOTE: The following four variables make up the four role domains (home management, work, close relationships with others, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on a person's life.

ASDSHOME

Len : 1 ADULT: MDE ROLE IMPAIRMENT - HOME MANAGEMENT

	Freq	Pct
. = Unknown/Legit Skip (ADPSHMG=94,95,97,98,99)	210159	22.14
-9 = Data not collected for this year	727694	76.66
1 = None (ADPSHMG=0)	368	0.04
2 = Mild (ADPSHMG=1,2,3)	1735	0.18
3 = Moderate (ADPSHMG=4,5,6)	4513	0.48
4 = Severe (ADPSHMG=7,8,9)	3704	0.39
5 = Very Severe (ADPSHMG=10)	1112	0.12

ASDSWRK

Len : 1 ADULT: MDE ROLE IMPAIRMENT - ABILITY TO WORK

	Freq	Pct
. = Unknown/Legit Skip (ADPSWORK=94,95,97,98,99)	210744	22.20
-9 = Data not collected for this year	727694	76.66
1 = None (ADPSWORK=0)	732	0.08
2 = Mild (ADPSWORK=1,2,3)	2674	0.28
3 = Moderate (ADPSWORK=4,5,6)	4030	0.42
4 = Severe (ADPSWORK=7,8,9)	2497	0.26
5 = Very Severe (ADPSWORK=10)	914	0.10

ASDSREL

Len : 1 ADULT: MDE ROLE IMPAIRMENT - CLOSE RELATIONSHIPS

	Freq	Pct
. = Unknown/Legit Skip (ADPSRELS=94,95,97,98,99)	210164	22.14
-9 = Data not collected for this year	727694	76.66
1 = None (ADPSRELS=0)	452	0.05
2 = Mild (ADPSRELS=1,2,3)	2001	0.21
3 = Moderate (ADPSRELS=4,5,6)	4063	0.43
4 = Severe (ADPSRELS=7,8,9)	3776	0.40
5 = Very Severe (ADPSRELS=10)	1135	0.12

ASDSSOC

Len : 1 ADULT: MDE ROLE IMPAIRMENT - SOCIAL LIFE

	Freq	Pct
. = Unknown/Legit Skip (ADPSSOC=94,95,97,98,99)	210181	22.14
-9 = Data not collected for this year	727694	76.66
1 = None (ADPSSOC=0)	307	0.03
2 = Mild (ADPSSOC=1,2,3)	1699	0.18
3 = Moderate (ADPSSOC=4,5,6)	3989	0.42
4 = Severe (ADPSSOC=7,8,9)	4093	0.43
5 = Very Severe (ADPSSOC=10)	1322	0.14

The following variable, ASDSOVRL, is assigned the maximum level of interference over the four role domains of SDS: home management (ASDSHOME), ability to work (ASDSWRK), close relationships (ASDSREL), and social life (ASDSSOC).

ASDSOVRL

Len : 1 ADULT: MAX SEVERITY LEVEL OF MDE ROLE IMPAIRMENT

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	209876	22.11
-9 = Data not collected for this year	727694	76.66
1 = None (See comment above)	62	0.01
2 = Mild (See comment above)	707	0.07
3 = Moderate (See comment above)	3445	0.36
4 = Severe (See comment above)	5317	0.56
5 = Very Severe (See comment above)	2184	0.23

RECODED ADULT DEPRESSION

NOTE: The adjusted adult MDE variables (AJAMDELT and AJAMDEYR) were created using a weighted logistic regression model to compute predicted probabilities of past year MDE for each respondent. The predicted probabilities, which can have any value between 0 and 1, then were dichotomized such that each respondent was specified as having or not having MDE in the past year.

These variables can be renamed to match the 2009 and later year adult MDE variables (AMDELT and AMDEYR) in order to make comparisons across years. No weight adjustments are needed when using the adjusted MDE variables. The adjusted MDE variables were first used to produce lifetime and past year adult MDE estimates in the 2010 mental health detailed tables. For more information on the creation of the adjusted adult depression variables, see the Recoded Depression Variable Documentation Appendix.

<u>AJAMDELT</u>	Len : 1 ADULT: ADJUSTED LIFETIME MAJOR DEPRESSIVE EPISODE		
		Freq	Pct
	. = Aged 12-17/Unknown (Otherwise).....	73231	7.71
	-9 = Data not collected for this year	728186	76.71
	1 = Yes (see comment above).....	21442	2.26
	2 = No (see comment above).....	126426	13.32

<u>AJAMDEYR</u>	Len : 1 ADULT: ADJUSTED PAST YEAR MAJOR DEPRESSIVE EPISODE		
		Freq	Pct
	. = Aged 12-17/Unknown (Otherwise).....	73404	7.73
	-9 = Data not collected for this year	728186	76.71
	1 = Yes (see comment above AJAMDELT).....	11734	1.24
	2 = No (see comment above AJAMDELT).....	135961	14.32

<u>AJAMDE_U</u>	Len : 1 ADULT ADJUSTED PAST YR MDE - 'UNKNOWN' IMP AS 'NO'		
		Freq	Pct
	. = Aged 12-17 (AGE2 <7 or MHSAMP08=1)	36196	3.81
	-9 = Data not collected for this year	894175	94.19
	0 = No/Unk (AJAMDEYR=.,2 and AGE2>=7 and MHSAMP08=2).....	17463	1.84
	1 = Yes (AJAMDEYR=1 and AGE2 >=7 and MHSAMP08=2).....	1451	0.15

<u>AMDETARX</u>	Len : 1 ADULT: RCVD TRT/CNSLG AND RX MED FOR MDE IN PST YR		
		Freq	Pct
	. = Aged 12-17/Unknown (Otherwise).....	150915	15.90
	-9 = Data not collected for this year	781628	82.34
	0 = No (ATXMDEYR=0 or ARXMDEYR=0).....	12066	1.27
	1 = Yes (ATXMDEYR=1 and ARXMDEYR=1)	4676	0.49

<u>AMDET XO</u>	Len : 1 ADULT: RCVD TRT/CNSLNG ONLY FOR MDE IN PAST YEAR		
		Freq	Pct
	. = Aged 12-17/Unknown (Otherwise).....	150911	15.90
	-9 = Data not collected for this year	781628	82.34
	0 = No (ATXMDEYR=0 or ARXMDEYR=1).....	14587	1.54
	1 = Yes (ATXMDEYR=1 and ARXMDEYR=0)	2159	0.23

<u>AMDERXO</u>	Len : 1 ADULT: RCVD RX MEDICATION ONLY FOR MDE IN PAST YR		
		Freq	Pct
	. = Aged 12-17/Unknown (Otherwise).....	150916	15.90
	-9 = Data not collected for this year	781628	82.34
	0 = No (ARXMDEYR=0 or ATXMDEYR=1).....	15798	1.66
	1 = Yes (ARXMDEYR=1 and ATXMDEYR=0)	943	0.10

RECODED ADULT DEPRESSION

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The following variable, AMDELT, identifies an adult as having a major depressive episode (MDE) in their lifetime and AMDEYR identifies an adult as having MDE in the prior year. Due to questionnaire changes in 2008, these MDE variables are not directly comparable to MDE variables from 2004 to 2008. Adjusted lifetime and past year MDE variables (AJAMDELT and AJAMDEYR) were developed to allow comparisons of adult MDE data across years beginning with 2005 and continuing through 2008 and later years. Adjusted variables were not created for 2004. The youth MDE variables continue to remain comparable between 2004 and future years. Specific details about the analysis of MDE data can be found in the Recoded Depression Variable Documentation Appendix.

A respondent was classified as having a major depressive episode (MDE) in their lifetime, AMDELT=1, if they reported experiencing at least five out of the nine criteria used to define an adult as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (ADSMDEA=1).

An adult was classified as NOT having a major depressive episode (MDE) in their lifetime, AMDELT=2, if they met either of these conditions:

1. Reported experiencing fewer than five out of the nine criteria used to define an adult as having had MDE in their lifetime (ADSMDEA=2).
2. If the number of criteria used to define an adult as having had MDE in their lifetime is unknown (ADSMDEA=98) and the respondent reported at least one of the following:
 1. Never having had a period of time lasting several days or longer when felt sad, empty, or depressed (ADDPREV=2), discouraged about how things were going in life (ADDSCEV=2), and lost interest in most things usually enjoyable (ADLOSEV=2).
 2. Experienced the feelings in (i), but they did not last most of the day, nearly every day for two weeks or longer (ADLSI2WK=2) or (ADDP2WK=2).
 3. Experienced the feelings in (i) most of the day, nearly every day for two weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (ADWRHRS=1).
 4. Experienced the feelings in (i) most of the day, nearly every day for two weeks or longer for at least an hour during those times when mood was most severe and frequent, but emotional distress was mild (ADWRDST=1), there was never a time when emotional distress was so severe that you could not be cheered up (ADWRCHR=4), and there was never a time when your emotional distress was so severe that you could not carry out your daily activities (ADWRIMP=4).
 5. Experienced the feelings in (i) most of the day, nearly every day for two weeks or longer for at least an hour and the severe distress were more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, appetite, energy, the ability to concentrate and remember, or feelings of low self-worth (ADPPROB=2).

AMDELT

Len : 1 RC-ADULT: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	180175	18.98
-9 = Data not collected for this year	330900	34.86
1 = Yes (ADSMDEA=1).....	65984	6.95
2 = No (See comment above).....	372226	39.21

AMDEYR

Len : 1 RC-ADULT: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	180847	19.05
-9 = Data not collected for this year	330900	34.86
1 = Yes (AMDELT=1 & ADPB2WK=1)	36614	3.86
2 = No (AMDELT=2 or [AMDELT=1 & ADPB2WK=2]).....	400924	42.23

The following adult MDE variable, AMDEY2_U, is used in the 2012 mental illness prediction model. It is defined differently than AMDEYR which is used in the Detailed Tables. See the mental illness variables in the Recoded Mental Health section of this codebook and the Recoded Mental Health Appendix for more details on the 2012 mental illness prediction model.

AMDEY2_U

Len : 1 RC-ADULT PAST YEAR MDE - 'UNKNOWN' IMPUTED AS 'NO'

	Freq	Pct
. = Aged 12-17 (AGE2<7)	176392	18.58
-9 = Data not collected for this year	330900	34.86
0 = No/Unknown (AGE2>=7 and AMDEYR=.,2)	405379	42.70
1 = Yes (AGE2>=7 and AMDEYR=1).....	36614	3.86

RECODED ADULT DEPRESSION

NOTE: The following 22 variables are among all adult respondents who were asked the respective questions and are not confined to those respondents who were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or past year. To produce estimates among adults with MDE, the analysis will need to be restricted by either the lifetime MDE variable (AMDELT) or the past year MDE variable (AMDEYR).

<u>ATXMDEYR</u>	Len : 1 RC-ADULT: SAW/TALK TO MD/PROF ABT DEPRESSIVE FEELNGS IN PY		
		Freq	Pct
	. = Aged 12-17/Unknown (Otherwise).....	551066	58.05
	-9 = Data not collected for this year	330900	34.86
	0 = No (ADSEEDOC=2).....	38751	4.08
	1 = Yes (ADSEEDOC=1).....	28568	3.01

<u>ARXMDEYR</u>	Len : 1 RC-ADULT: USED RX MEDICATION FOR DEPRESSIVE FEELINGS IN PY		
		Freq	Pct
	. = Aged 12-17/Unknown (Otherwise).....	551019	58.05
	-9 = Data not collected for this year	330900	34.86
	0 = No (ADRX12MO=2)	43524	4.58
	1 = Yes (ADRX12MO=1)	23842	2.51

The following variable, AMDETXX, is defined as having received treatment/counseling for MDE in the past year if (1) saw or talked to a medical doctor or other professional about depressive feelings or (2) used prescription medication for depressive feelings.

<u>AMDETXX</u>	Len : 1 RC-ADULT: RCVD TRT/CNSLG OR RX MED FOR DEPRESS FEELING IN PY		
		Freq	Pct
	. = Aged 12-17/Unknown (Otherwise).....	551039	58.05
	-9 = Data not collected for this year	330900	34.86
	0 = No (ATXMDEYR=0 and ARXMDEYR=0)	34616	3.65
	1 = Yes (ATXMDEYR=1 or ARXMDEYR=1)	32730	3.45

<u>ADOCMDE</u>	Len : 1 RC-ADULT: SAW/TALK TO GEN PRAC/FAM MD ABT DEP FEELINGS IN PY		
		Freq	Pct
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	551156	58.06
	-9 = Data not collected for this year	330900	34.86
	0 = No (ADSEEDOC=2 or ADFAMDOC=6).....	52301	5.51
	1 = Yes (ADFAMDOC=1,3)	14928	1.57

<u>AOMDMDE</u>	Len : 1 RC-ADULT: SAW/TALK TO OTHER MD ABT DEPRESSIVE FEELINGS IN PY		
		Freq	Pct
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	551156	58.06
	-9 = Data not collected for this year	330900	34.86
	0 = No (ADSEEDOC=2 or ADOTHDOC=6).....	64585	6.80
	1 = Yes (ADOTHDOC=1,3).....	2644	0.28

<u>APSY1MDE</u>	Len : 1 RC-ADULT: SAW/TALK TO PSYCHOLOGIST ABT DEPRES FEELINGS IN PY		
		Freq	Pct
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	551156	58.06
	-9 = Data not collected for this year	330900	34.86
	0 = No (ADSEEDOC=2 or ADPSYCH=6).....	59037	6.22
	1 = Yes (ADPSYCH=1,3)	8192	0.86

<u>APSY2MDE</u>	Len : 1 RC-ADULT: SAW/TALK TO PSYCHIATRIST ABT DEPRES FEELINGS IN PY		
		Freq	Pct
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	551156	58.06
	-9 = Data not collected for this year	330900	34.86
	0 = No (ADSEEDOC=2 or ADPSYMD=6).....	58264	6.14
	1 = Yes (ADPSYMD=1,3)	8965	0.94

<u>ASOCMDE</u>	Len : 1 RC-ADULT: SAW/TALK TO SOCIAL WORKR ABT DEPRES FEELINGS IN PY		
		Freq	Pct
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	551156	58.06
	-9 = Data not collected for this year	330900	34.86
	0 = No (ADSEEDOC=2 or ADSOCWRK=6).....	64235	6.77
	1 = Yes (ADSOCWRK=1,3)	2994	0.32

RECODED ADULT DEPRESSION

ACOUNMDE	Len : 1 RC-ADULT: SAW/TALK TO COUNSELOR ABT DEPRESSVE FEELINGS IN PY		
		Freq	Pct
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	551156	58.06
	-9 = Data not collected for this year	330900	34.86
	0 = No (ADSEEDOC=2 or ADCOUNS=6)	58905	6.21
	1 = Yes (ADCOUNS=1,3).....	8324	0.88

AOMHMDE	Len : 1 RC-ADULT: SAW/TALK TO OTH MENT HLTH PROF ABT DEP FEELINGS-PY		
		Freq	Pct
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	551156	58.06
	-9 = Data not collected for this year	330900	34.86
	0 = No (ADSEEDOC=2 or [ADOTHMHP=6 & No Writ-in Enter])	65094	6.86
	1 = Yes (ADOTHMHP=1,3 or Write-in Response Entered).....	2135	0.22

ANURSMDE	Len : 1 RC-ADULT: SAW/TALK TO NURSE/OCC THERA ABT DEP FEELINGS IN PY		
		Freq	Pct
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	551156	58.06
	-9 = Data not collected for this year	330900	34.86
	0 = No (ADSEEDOC=2 or ADNURSE=6)	65407	6.89
	1 = Yes (ADNURSE=1,3)	1822	0.19

ARELMDE	Len : 1 RC-ADULT: SAW/TALK TO RELIG ADVISR ABT DEPRES FEELINGS IN PY		
		Freq	Pct
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	551156	58.06
	-9 = Data not collected for this year	330900	34.86
	0 = No (ADSEEDOC=2 or ADRELIG=6).....	62884	6.62
	1 = Yes (ADRELIG=1,3)	4345	0.46

AHBCHMDE	Len : 1 RC-ADULT: SAW/TALK TO ANOTHER HEALER ABT DEPR FEELINGS IN PY		
		Freq	Pct
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	551156	58.06
	-9 = Data not collected for this year	330900	34.86
	0 = No (ADSEEDOC=2 or ADHERBAL=6).....	65831	6.93
	1 = Yes (ADHERBAL=1,3)	1398	0.15

The following variable, AOTHMDE, defines an adult as having seen or talked to another professional about MDE during the past year if s/he entered a valid write-in response other than the responses that matched existing categories.

An adult was classified as NOT having seen or talked to another professional about MDE during the past year, AOTHMDE=0, if s/he met either of these conditions:

1. Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2).
2. Response not entered for whether other mental health professional was seen or talked to during the past year (ADOTHHLP=6).
3. Write-in response entered matched an existing category.

AOTHMDE	Len : 1 RC-ADULT: SAW/TALK TO OTHER PROF ABOUT MDE IN PST YR		
		Freq	Pct
	. = Aged 12-17/Unknwn/Legit Skip/Invalid Spec. Resp.....	551476	58.09
	-9 = Data not collected for this year	330900	34.86
	0 = No (See comment above).....	66654	7.02
	1 = Yes (See comment above)	255	0.03

The following variable, AHLTMDE, indicates whether an adult reported seeing or talking to a health professional about MDE in the past year. Adults were classified as having seen or talked to a health professional, AHLTMDE=1, if they reported seeing or talking to any of the following professionals: general practitioner or family doctor (ADOCMDE=1); other medical doctor (AOMDMDE=1); psychologist (APSY1MDE=1); psychiatrist or psychotherapist (APSY2MDE=1); social worker (ASOCMDE=1); counselor (ACOUNMDE=1); other mental health professional (AOMHMDE=1); or nurse, occupational therapist, or other health professional (ANURSMDE=1). Respondents were classified as having not seen or talked to a health professional, AHLTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

AHLTMDE	Len : 1 RC-ADULT: SAW/TALK TO HLTH PROF ABT DEPRESSVE FEELINGS IN PY		
		Freq	Pct
	. = Aged 12-17/Unknown (Otherwise).....	451906	47.60
	-9 = Data not collected for this year	441244	46.48
	0 = No (See comment above).....	33316	3.51
	1 = Yes (See comment above)	22819	2.40

RECODED ADULT DEPRESSION

The following variable, AALTMDE, indicates whether an adult reported seeing or talking to an alternative service professional about MDE in the past year. Adults were classified as having seen or talked to an alternative service professional, AALTMDE=1, if they reported seeing or talking to any of the following professionals: religious or spiritual advisor (ARELMDE=1); or herbalist, chiropractor, acupuncturist, or massage therapist (AHBCHMDE=1). Respondents were classified as having not seen or talked to an alternative service professional, AALTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

<u>AALTMDE</u>	Len : 1 RC-ADULT: SAW/TALK TO ALT SERV PROF ABT DEPRS FEELINGS IN PY		
		Freq	Pct
.	= Aged 12-17/Unknown (Otherwise).....	451906	47.60
-9	= Data not collected for this year	441244	46.48
0	= No (See comment above).....	51795	5.46
1	= Yes (See comment above)	4340	0.46

<u>AMDEHPRX</u>	Len : 1 RC-ADULT: SAW HLTH PROF OR RX MED FOR DEPRESS FEELINGS IN PY		
		Freq	Pct
.	= Aged 12-17/Unknown (Otherwise).....	402660	42.42
-9	= Data not collected for this year	497557	52.41
0	= No (AHLTMDE=0 and ARXMDEYR=0)	25947	2.73
1	= Yes (AHLTMDE=1 or ARXMDEYR=1)	23121	2.44

<u>AMDEHPO</u>	Len : 1 RC-ADULT: SAW HLTH PROF, NO RX MED FOR DEPRES FEELINGS IN PY		
		Freq	Pct
.	= Aged 12-17/Unknown (Otherwise).....	402656	42.42
-9	= Data not collected for this year	497557	52.41
0	= No (AHLTMDE=0 or ARXMDEYR=1)	43547	4.59
1	= Yes (AHLTMDE=1 and ARXMDEYR=0)	5525	0.58

<u>AMDERXO2</u>	Len : 1 RC-ADULT: RCVD RX MED, NO HLTH PROF FOR DEPRS FEELINGS IN PY		
		Freq	Pct
.	= Aged 12-17/Unknown (Otherwise).....	402646	42.42
-9	= Data not collected for this year	497557	52.41
0	= No (ARXMDEYR=0 or AHLTMDE=1)	45839	4.83
1	= Yes (ARXMDEYR=1 and AHLTMDE=0)	3243	0.34

<u>AMDEHARX</u>	Len : 1 RC-ADULT: SAW HLTH PROF AND RX MED FOR DEPRES FEELINGS IN PY		
		Freq	Pct
.	= Aged 12-17/Unknown (Otherwise).....	402642	42.42
-9	= Data not collected for this year	497557	52.41
0	= No (AHLTMDE=0 or ARXMDEYR=0)	34792	3.67
1	= Yes (AHLTMDE=1 and ARXMDEYR=1)	14294	1.51

NOTE: The following four variables make up the four role domains (home management, work, close relationships with others, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on an adult's life.

<u>ASDSHOM2</u>	Len : 1 RC-ADULT: DEPRESS FEELINGS ROLE IMPAIRMENT - HOME MANAGEMENT		
		Freq	Pct
.	= Aged 12-17/Unkn/Legit Skip (Otherwise)	581505	61.26
-9	= Data not collected for this year	330900	34.86
1	= None (ADPSHMG=0).....	1254	0.13
2	= Mild (ADPSHMG=1,2,3).....	6218	0.66
3	= Moderate (ADPSHMG=4,5,6).....	14966	1.58
4	= Severe (ADPSHMG=7,8,9)	11479	1.21
5	= Very Severe (ADPSHMG=10).....	2963	0.31

<u>ASDSWRK2</u>	Len : 1 RC-ADULT: DEPRESS FEELINGS ROLE IMPAIRMENT - ABILITY TO WORK		
		Freq	Pct
.	= Aged 12-17/Unkn/Legit Skip (Otherwise)	581638	61.27
-9	= Data not collected for this year	330900	34.86
1	= None (ADPSWORK=0)	3176	0.33
2	= Mild (ADPSWORK=1,2,3).....	9426	0.99
3	= Moderate (ADPSWORK=4,5,6).....	12559	1.32
4	= Severe (ADPSWORK=7,8,9).....	8336	0.88
5	= Very Severe (ADPSWORK=10)	3250	0.34

RECODED ADULT DEPRESSION

[ASDSREL2](#)

Len : 1 RC-ADULT: DEP FEELINGS ROLE IMPAIRMENT - CLOSE RELATIONSHIPS

	Freq	Pct
. = Aged 12-17/Unkn/Legit Skip (Otherwise)	581478	61.25
-9 = Data not collected for this year	330900	34.86
1 = None (ADPSRELS=0)	1509	0.16
2 = Mild (ADPSRELS=1,2,3)	6516	0.69
3 = Moderate (ADPSRELS=4,5,6)	12718	1.34
4 = Severe (ADPSRELS=7,8,9)	12526	1.32
5 = Very Severe (ADPSRELS=10)	3638	0.38

[ASDSSOC2](#)

Len : 1 RC-ADULT: DEPRESSIVE FEELINGS ROLE IMPAIRMENT - SOCIAL LIFE

	Freq	Pct
. = Aged 12-17/Unkn/Legit Skip (Otherwise)	581446	61.25
-9 = Data not collected for this year	330900	34.86
1 = None (ADPSSOC=0)	1140	0.12
2 = Mild (ADPSSOC=1,2,3)	5361	0.56
3 = Moderate (ADPSSOC=4,5,6)	11837	1.25
4 = Severe (ADPSSOC=7,8,9)	14067	1.48
5 = Very Severe (ADPSSOC=10)	4534	0.48

The following variable, ASDSOVL2, is assigned the maximum level of interference over the four role domains of SDS: home management (ASDSHOM2), ability to work (ASDSWRK2), close relationships (ASDSREL2), and social life (ASDSSOC2).

[ASDSOVL2](#)

Len : 1 RC-ADULT: MAX SEVERITY LEVEL OF DEP FEELINGS ROLE IMPAIRMENT

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise)	581401	61.25
-9 = Data not collected for this year	330900	34.86
1 = None (See comment above)	218	0.02
2 = Mild (See comment above)	2365	0.25
3 = Moderate (See comment above)	10522	1.11
4 = Severe (See comment above)	16823	1.77
5 = Very Severe (See comment above)	7056	0.74

The following variable, AMDEIMP, is derived from the maximum severity level of MDE role impairment (ASDSOVL2) and is restricted to adults with past year MDE (AMDEYR).

[AMDEIMP](#)

Len : 1 RC-ADULT: MDE WITH SEVERE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise)	180931	19.06
-9 = Data not collected for this year	330900	34.86
1 = Yes (AMDEYR=1 and ASDSOVL2=4,5)	23751	2.50
2 = No (AMDEYR=2 or ASDSOVL2=1,2,3)	413703	43.58

YOUTH MENTAL HEALTH TREATMENT

YOUTH MENTAL HEALTH TREATMENT

This note applies to variables in this section marked by a¹.

During the past 12 months, did you receive special education services while in your regular classroom or have you been placed in a special classroom, a special program, or a special school because you had emotional or behavioral problems that were not caused by alcohol or drugs?

<u>YUSPEDYR</u> ¹	Len : 2	SPECIAL EDUC SVCS FOR EMOT PROB PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	563275	59.34
		1 = Yes.....	4785	0.50
		2 = No.....	109721	11.56
		85 = BAD DATA Logically assigned.....	32	0.00
		89 = LEGITIMATE SKIP Logically assigned	3	0.00
		94 = DON'T KNOW	405	0.04
		97 = REFUSED	402	0.04
		98 = BLANK (NO ANSWER).....	705	0.07
		99 = LEGITIMATE SKIP	269957	28.44

During the past 12 months, did you talk to school counselors, school psychologists, or had regular meetings with your teachers about problems with your emotions or behaviors that were not caused by alcohol or drugs?

<u>YUSHCNYR</u> ¹	Len : 2	TALKED W/SCH COUNS FOR EMOT PROB PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	563275	59.34
		1 = Yes.....	12774	1.35
		2 = No.....	101820	10.73
		85 = BAD DATA Logically assigned.....	32	0.00
		89 = LEGITIMATE SKIP Logically assigned	3	0.00
		94 = DON'T KNOW	335	0.04
		97 = REFUSED	384	0.04
		98 = BLANK (NO ANSWER).....	705	0.07
		99 = LEGITIMATE SKIP	269957	28.44

Think about the last time you talked to school counselors, school psychologists, or had regular meetings with your teachers about problems with your emotions or behaviors that were not caused by alcohol or drugs. What was the reason for your talk?

<u>YUSHSUIC</u> ¹	Len : 2	TLKED W/SCH COUNS BEC THOT/TRIED TO KILL SELF		
			Freq	Pct
		-9 = Data not collected for this year	563275	59.34
		1 = Response entered	1279	0.13
		3 = Response entered LOGICALLY ASSIGNED	3	0.00
		6 = Response not entered.....	11217	1.18
		85 = BAD DATA Logically assigned.....	26	0.00
		94 = DON'T KNOW	155	0.02
		97 = REFUSED	504	0.05
		98 = BLANK (NO ANSWER).....	1046	0.11
		99 = LEGITIMATE SKIP	371780	39.16

<u>YUSHDEPR</u> ¹	Len : 2	TLKED W/SCH COUNS BEC YOU FELT DEPRESSED		
			Freq	Pct
		-9 = Data not collected for this year	563275	59.34
		1 = Response entered	4966	0.52
		3 = Response entered LOGICALLY ASSIGNED	21	0.00
		6 = Response not entered.....	7512	0.79
		94 = DON'T KNOW	155	0.02
		97 = REFUSED	504	0.05
		98 = BLANK (NO ANSWER).....	1072	0.11
		99 = LEGITIMATE SKIP	371780	39.16

YOUTH MENTAL HEALTH TREATMENT

[YUSHFEAR](#)¹

Len : 2 TLKED W/SCH COUNS BEC YOU FELT AFRAID/TENSE

	Freq	Pct
-9 = Data not collected for this year	563275	59.34
1 = Response entered	1970	0.21
3 = Response entered LOGICALLY ASSIGNED	55	0.01
6 = Response not entered.....	10474	1.10
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	155	0.02
97 = REFUSED	504	0.05
98 = BLANK (NO ANSWER).....	1071	0.11
99 = LEGITIMATE SKIP	371780	39.16

[YUSHBKRU](#)¹

Len : 2 TLKED W/SCH COUNS BEC BRKING RULES/ACT OUT

	Freq	Pct
-9 = Data not collected for this year	563275	59.34
1 = Response entered	2789	0.29
3 = Response entered LOGICALLY ASSIGNED	113	0.01
6 = Response not entered.....	9597	1.01
94 = DON'T KNOW	155	0.02
97 = REFUSED	504	0.05
98 = BLANK (NO ANSWER).....	1072	0.11
99 = LEGITIMATE SKIP	371780	39.16

[YUSHEATP](#)¹

Len : 2 TLKED W/SCH COUNS BEC YOU HAD EATING PROBS

	Freq	Pct
-9 = Data not collected for this year	563275	59.34
1 = Response entered	660	0.07
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered.....	11836	1.25
94 = DON'T KNOW	155	0.02
97 = REFUSED	504	0.05
98 = BLANK (NO ANSWER).....	1072	0.11
99 = LEGITIMATE SKIP	371780	39.16

What was the other emotional or behavioral problem for which you last talked with a school counselor, school psychologist, or one of your regular teachers?

[YUSHANGR](#)¹

Len : 2 TLKED W/SCH COUNS BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
-9 = Data not collected for this year	728186	76.71
1 = Response entered	750	0.08
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered.....	6364	0.67
94 = DON'T KNOW	129	0.01
97 = REFUSED	328	0.03
98 = BLANK (NO ANSWER).....	657	0.07
99 = LEGITIMATE SKIP	212860	22.42

[YUSHFITE](#)¹

Len : 2 TLKED W/SCH COUNS BEC HAD GOTTEN INTO PHYS FIGHTS

	Freq	Pct
-9 = Data not collected for this year	728186	76.71
1 = Response entered	384	0.04
3 = Response entered LOGICALLY ASSIGNED	12	0.00
6 = Response not entered.....	6729	0.71
94 = DON'T KNOW	129	0.01
97 = REFUSED	328	0.03
98 = BLANK (NO ANSWER).....	657	0.07
99 = LEGITIMATE SKIP	212860	22.42

YOUTH MENTAL HEALTH TREATMENT

[YUSHFMLY](#)¹

Len : 2 TLKED W/SCH COUNS BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
-9 = Data not collected for this year	728186	76.71
1 = Response entered	1164	0.12
3 = Response entered LOGICALLY ASSIGNED	44	0.00
6 = Response not entered.....	5917	0.62
94 = DON'T KNOW	129	0.01
97 = REFUSED	328	0.03
98 = BLANK (NO ANSWER).....	657	0.07
99 = LEGITIMATE SKIP	212860	22.42

[YUSHFRND](#)¹

Len : 2 TLKED W/SCH COUNS BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
-9 = Data not collected for this year	728186	76.71
1 = Response entered	1323	0.14
3 = Response entered LOGICALLY ASSIGNED	38	0.00
6 = Response not entered.....	5764	0.61
94 = DON'T KNOW	129	0.01
97 = REFUSED	328	0.03
98 = BLANK (NO ANSWER).....	657	0.07
99 = LEGITIMATE SKIP	212860	22.42

[YUSHOTPP](#)¹

Len : 2 TLKED W/SCH COUNS BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year	728186	76.71
1 = Response entered	742	0.08
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered.....	6372	0.67
94 = DON'T KNOW	129	0.01
97 = REFUSED	328	0.03
98 = BLANK (NO ANSWER).....	657	0.07
99 = LEGITIMATE SKIP	212860	22.42

[YUSHSCHL](#)¹

Len : 2 TLKED W/SCH COUNS BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	728186	76.71
1 = Response entered	1491	0.16
3 = Response entered LOGICALLY ASSIGNED	175	0.02
6 = Response not entered.....	5459	0.58
94 = DON'T KNOW	129	0.01
97 = REFUSED	328	0.03
98 = BLANK (NO ANSWER).....	657	0.07
99 = LEGITIMATE SKIP	212860	22.42

[YUSHSOR](#)¹

Len : 2 TLKED W/SCH COUNS FOR SOME OTHER REASON

	Freq	Pct
-9 = Data not collected for this year	563275	59.34
1 = Response entered	4334	0.46
6 = Response not entered.....	8165	0.86
94 = DON'T KNOW	155	0.02
97 = REFUSED	504	0.05
98 = BLANK (NO ANSWER).....	1072	0.11
99 = LEGITIMATE SKIP	371780	39.16

Have you ever been in jail or in a detention center?

[YUJAILEV](#)¹

Len : 2 EVER BEEN IN JAIL OR DETENTION CENTER

	Freq	Pct
-9 = Data not collected for this year	563275	59.34
1 = Yes.....	7685	0.81
2 = No.....	118071	12.44
85 = BAD DATA Logically assigned.....	27	0.00
89 = LEGITIMATE SKIP Logically assigned	4	0.00
94 = DON'T KNOW	287	0.03
97 = REFUSED	248	0.03
98 = BLANK (NO ANSWER).....	29	0.00
99 = LEGITIMATE SKIP	259659	27.35

YOUTH MENTAL HEALTH TREATMENT

Have you ever been in foster care?

[YUFCAREV¹](#)

Len : 2 EVER BEEN IN FOSTER CARE

	Freq	Pct
-9 = Data not collected for this year	563275	59.34
1 = Yes.....	2950	0.31
2 = No.....	122113	12.86
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	777	0.08
89 = LEGITIMATE SKIP Logically assigned	4	0.00
94 = DON'T KNOW	265	0.03
97 = REFUSED	186	0.02
98 = BLANK (NO ANSWER).....	56	0.01
99 = LEGITIMATE SKIP	259659	27.35

RECODED YOUTH MENTAL HEALTH TREATMENT

RECODED YOUTH MENTAL HEALTH TREATMENT

NOTE: For each reported source of treatment/counseling for problems with behavior or emotions that were not caused by alcohol or drugs (see ANYTRT9), the respondent was asked to report which of 5 specific reasons was the reason for the last time he/she received treatment from this source. In addition, the respondent could also answer "other". If a respondent reported "other", then he/she was asked to list the other reason (or reasons). A respondent was allowed to enter up to 5 additional reasons for treatment from each source. The 5 specific reasons were: thought about or tried suicide, felt depressed, felt afraid or tense, acting out or breaking rules, and eating problems. Multiple reasons could be reported for each source of treatment, thus the response categories are not mutually exclusive. For each of the 9 sources of treatment there are 5 variables that contain data about the 5 specific reasons for treatment, resulting in 45 variables that include data about the specific reasons. In addition, for each of the 9 sources there are 5 variables that contain data about the other specified reasons, resulting in 45 additional variables. The following recoded variables indicate the reasons youth reported for receiving treatment across all the reported sources of treatment in the past year. Note that these variables are only defined for youth who received treatment from one or more of the 9 sources and reported at least one reason for treatment.

The following variable, REASSUIC, indicates whether respondents received treatment/counseling from at least one source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: YUHOSUIC, YURSSUIC, YUFCSUIC, YUDYSUIC, YUMHSUIC, YUTPSUIC, YUIHSUIC, YUFDSUIC, and YUSHSUIC. Due to editing procedures, write-in other specify values were not used in this variable. Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

REASSUIC

Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C TRIED SUICIDE

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	155145	16.34
-9 = Data not collected for this year	784374	82.63
0 = Reason not indicated (Otherwise).....	7909	0.83
1 = Reason indicated (See comment above).....	1857	0.20

The following variable, REASDEPR, indicates whether respondents received treatment/counseling from at least one source in the past year because they felt depressed. This recode was created by examination of the following source variables, YUHODEPR, YURSDEPR, YUFCDEPR, YUDYDEPR, YUMHDEPR, YUTPDEPR, YUIHDEPR, YUFDDPR, and YUSHDEPR, as well as the write-in other specify variables. Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

REASDEPR

Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C DEPRESSED

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	155145	16.34
-9 = Data not collected for this year	784374	82.63
0 = Reason not indicated (Otherwise).....	4868	0.51
1 = Reason indicated (See comment above).....	4898	0.52

The following variable, REASFEAR, indicates whether respondents received treatment/counseling from at least one source in the past year because they felt very afraid or tense. This recode was created by examination of the following source variables: YUHOFEAR, YURSFEAR, YUFCFEAR, YUDYFEAR, YUMHFEAR, YUTPFEAR, YUIHFEAR, YUFDFEAR, and YUSHFEAR. Due to editing procedures, write-in other specify values were not used in this variable. Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

REASFEAR

Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C AFRAID/TENSE

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	155145	16.34
-9 = Data not collected for this year	784374	82.63
0 = Reason not indicated (Otherwise).....	7761	0.82
1 = Reason indicated (See comment above).....	2005	0.21

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, REASBRK, indicates whether respondents received treatment/counseling from at least one source in the past year because they were breaking rules and "acting out." This recode was created by examination of the following source variables: YUHOBKRU, YURSBKRU, YUFCBKRU, YUDYBKRU, YUMHBKRU, YUTPBKRU, YUIHBKRU, YUFDBKRU, and YUSHBKRU, as well as the write-in other specify variables. Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

<u>REASBRK</u>	Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C BREAKING RULES		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).....	155145	16.34
-9	= Data not collected for this year	784374	82.63
0	= Reason not indicated (Otherwise).....	6712	0.71
1	= Reason indicated (See comment above).....	3054	0.32

The following variable, REASEATP, indicates whether respondents received treatment/counseling from at least one source in the past year because they had eating problems. This recode was created by examination of the following source variables: YUHOEATP, YURSEATP, YUFCEATP, YUDYEATP, YUMHEATP, YUTPEATP, YUIHEATP, YUFDEATP, and YUSHEATP. Due to editing procedures, write-in other specify values were not used in this variable. Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

<u>REASEATP</u>	Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C EATING PROBLEMS		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).....	155145	16.34
-9	= Data not collected for this year	784374	82.63
0	= Reason not indicated (Otherwise).....	8919	0.94
1	= Reason indicated (See comment above).....	847	0.09

NOTE: The following 5 recoded variables indicate whether a youth reported some other reason as the reason he/she received treatment/counseling from any one of the reported sources in the past year. These recodes were created by consolidating the other reported responses into five broad categories: family problems, social problems, problems at school, other diagnosed mental/neurological disorders, and other reasons. Adults, youth that did not report receiving treatment/counseling in the past year, and youth that reported receiving treatment/counseling in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment/counseling were assigned to the unknown category.

<u>REASFAM</u>	Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C FAMILY PROBLEMS		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).....	155145	16.34
-9	= Data not collected for this year	784374	82.63
0	= Reason not specified (Otherwise).....	8453	0.89
1	= Reason specified (See comment above).....	1313	0.14

<u>REASSOC</u>	Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C SOCIAL PROBLEMS		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).....	155145	16.34
-9	= Data not collected for this year	784374	82.63
0	= Reason not specified (Otherwise).....	8954	0.94
1	= Reason specified (See comment above).....	812	0.09

<u>REASSCH</u>	Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C SCHOOL ISSUES		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).....	155145	16.34
-9	= Data not collected for this year	784374	82.63
0	= Reason not specified (Otherwise).....	8738	0.92
1	= Reason specified (See comment above).....	1028	0.11

<u>REASMEN</u>	Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C OTH DISORDER		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).....	155145	16.34
-9	= Data not collected for this year	784374	82.63
0	= Reason not specified (Otherwise).....	9452	1.00
1	= Reason specified (See comment above).....	314	0.03

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, REASOTH, was assigned a positive response if a respondent reported some other reason for receiving mental health treatment in the past year other than the four reasons listed above. Since the reasons are not mutually exclusive, a respondent can report one or more of the four reasons in addition to the other reason. Please note that this variable is not directly comparable to the similarly named variable from 2001.

REASOTH

Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C OTHER REASONS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	155145	16.34
-9 = Data not collected for this year	784374	82.63
0 = Other reason not specified (Otherwise).....	7727	0.81
1 = Other reason specified (See comment above).....	2039	0.21

The following variable, ANYTRT10, indicates whether a youth reported receiving treatment/counseling in the past year from any of 10 specific sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created by counting the number of positive responses (source variables=1), and the number of questions answered (source variables=1,2,4) to the following 10 source of treatment questions: hospital (YUHOSPYR), residential treatment facility (YURSIDYR), foster care (YUFCARYR), day treatment facility (YUDYTXYR), mental health clinic (YUMHCRYR), private therapist (YUTPSTYR), in-home therapist (YUIHTPYR), family doctor (YUFDOCYR), through special education (YUSPEDYR), and school counselor (YUSHCNYR). Youths who reported a positive response to one or more of the 10 questions were included in the yes category regardless of how many of the 10 questions they answered. Youths who did not report a positive response, but answered 5 or more of the 10 questions were included in the no category. Youths who did not report a positive response, but answered fewer than 5 of the 10 questions, and adults were included in the unknown category.

ANYTRT10

Len : 1 RCVD MH TRT FROM ANY OF 10 SOURCES IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (See comment above).....	185067	19.50
-9 = Data not collected for this year	673434	70.94
0 = No (See comment above).....	71031	7.48
1 = Yes (Any above source variables=1)	19753	2.08

The following variable, ANYTRT9, indicates whether a youth reported receiving treatment/counseling in the past year from any of 9 specific sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created by counting the number of positive responses (source variables=1), and the number of questions answered (source variables=1,2,4) to the following 9 source of treatment questions: hospital (YUHOSPYR), residential treatment facility (YURSIDYR), foster care (YUFCARYR), day treatment facility (YUDYTXYR), mental health clinic (YUMHCRYR), private therapist (YUTPSTYR), in-home therapist (YUIHTPYR), family doctor (YUFDOCYR), and school counselor (YUSHCNYR). This variable was created in the same manner as ANYTRT10 (see above), except that the source of treatment question about special education (YUSPEDYR) was not included as a source variable. This variable was omitted because CAI did not include a follow-up question about the reasons for receiving mental health treatment at this source of treatment. Youths who reported a positive response to one or more of the 9 questions were included in the yes category regardless of how many of the 9 questions they answered. Youths who did not report a positive response, but answered 5 or more of the 9 questions were included in the no category. Youths who did not report a positive response, but answered fewer than 5 of the 9 questions, and adults were included in the unknown category.

ANYTRT9

Len : 1 RCVD MH TRT FROM ANY OF 9 SOURCES IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (See comment above).....	185079	19.50
-9 = Data not collected for this year	673434	70.94
0 = No (See comment above).....	72380	7.62
1 = Yes (Any above source variables=1)	18392	1.94

YSPED

Len : 1 SPECIAL EDUC SVCS FOR EMOT PROB IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	261207	27.52
-9 = Data not collected for this year	563275	59.34
0 = No (YUSPEDYR=2 OR [AGE2<7 AND YUSPEDYR=99])	120018	12.64
1 = Yes (YUSPEDYR=1).....	4785	0.50

YSCHL

Len : 1 TALKED W/SCH COUNS FOR EMOT PROB IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	261119	27.51
-9 = Data not collected for this year	563275	59.34
0 = No (YUSHCNYR=2 OR [AGE2<7 AND YUSHCNYR=99])	112117	11.81
1 = Yes (YUSHCNYR=1).....	12774	1.35

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, ANYMHED, indicates whether a youth enrolled in school reported receiving mental health services in the past year from education sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following source of treatment variables: talked to school counselors, school psychologist, or regular teacher for problems (YSCHL) and received special education services in the classroom or placed in a special classroom, program, or school (YSPED). Youths who reported a positive response (source variable=1) to one or more of these questions were included in the yes category regardless of how many of the questions they answered. Youths who did not report a positive response, but answered both questions were included in the no category. Youths who did not report a positive response and did not answer both questions, and adults were included in the unknown/18+ category.

<u>ANYMHED</u>	Len : 1 YTH RCVD EDUCATION MENTAL HEALTH SRVC IN PST YR		
		Freq	Pct
.	= Unkn/Aged 18+/Not enrolled in School (Otherwise)	261294	27.53
-9	= Data not collected for this year	563275	59.34
0	= No (YSCHL and YSPED=0).....	109313	11.52
1	= Yes (YSCHL or YSPED=1).....	15403	1.62

The following variable, ANYSMHPS, indicates whether a youth reported receiving specialty mental health services along with services from either education or general medical (family doctor/pediatrician) settings in the past year for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following 3 source of treatment variables: received specialty mental health services (ANYSMH), education setting-based mental health services (ANYMHED), and treatment from a family doctor/pediatrician (YPED). Included in the unknown/18+ category were adults and youths who did not provide enough information to determine whether mental health care was received at both a specialty mental health service along with services from either an education or general medical setting [ANYSMH=, or {ANYSMH=1 and ((ANYMHED=0 and YPED=,) or (ANYMHED=, and YPED=0) or (ANYMHED=, and YPED=,))}].

<u>ANYSMHPS</u>	Len : 1 YTH RCVD SPECIALTY AND EDUC OR MED MH SRVC IN PY		
		Freq	Pct
.	= Unknown/Aged 18+ (See comment above).....	260748	27.47
-9	= Data not collected for this year	563275	59.34
0	= No (ANYSMH=0 or (ANYMHED=0 and YPED=0))	118033	12.43
1	= Yes (ANYSMH=1 and (ANYMHED=1 or YPED=1))	7229	0.76

NOTE: The following 13 variables, SHCNXXX, indicate whether a respondent last talked with their school counselor, school psychologist, or regular teacher in the past year because of respective reasons. Youths were assigned a "Reason not indicated" for the specific reason if they did not indicate that specific reason for their last talk with their school counselor (YUSHXXX=6) but did indicate one of the other 12 reasons. Adults, youths that did not report or had unknown information about receiving services from a school counselor in the past year, and youths that reported receiving services in the past year, but did not indicate any valid reason for receiving services were assigned to the unknown category.

<u>SHCNSUI</u>	Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C TRIED SUIC		
		Freq	Pct
.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above).....	160067	16.86
-9	= Data not collected for this year	784091	82.60
0	= Reason not indicated (See comment above).....	4628	0.49
1	= Reason indicated (YUSHSUIC=1)	499	0.05

<u>SHCNDPR</u>	Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C DEPRESSED		
		Freq	Pct
.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	160063	16.86
-9	= Data not collected for this year	784091	82.60
0	= Reason not indicated (See comment above SHCNSUI)	3169	0.33
1	= Reason indicated (YUSHDEPR=1,3)	1962	0.21

<u>SHCNFEA</u>	Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C AFRAID/TENSE		
		Freq	Pct
.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	160065	16.86
-9	= Data not collected for this year	784091	82.60
0	= Reason not indicated (See comment above SHCNSUI)	4312	0.45
1	= Reason indicated (YUSHFEAR=1,3)	817	0.09

<u>SHCNBRK</u>	Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C BROKE RULES		
		Freq	Pct
.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	160066	16.86
-9	= Data not collected for this year	784091	82.60
0	= Reason not indicated (See comment above SHCNSUI)	3892	0.41
1	= Reason indicated (YUSHBKRU=1,3).....	1236	0.13

RECODED YOUTH MENTAL HEALTH TREATMENT

[SHCNEAT](#)

Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C EATING PROBS

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	160066	16.86
-9 = Data not collected for this year	784091	82.60
0 = Reason not indicated (See comment above SHCNSUI)	4835	0.51
1 = Reason indicated (YUSHEATP=1)	293	0.03

[SHCNANGR](#)

Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C ANGER CONTROL

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	160067	16.86
-9 = Data not collected for this year	784091	82.60
0 = Reason not indicated (See comment above SHCNSUI)	4539	0.48
1 = Reason indicated (YUSHANGR=1,3)	588	0.06

[SHCNFITE](#)

Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C PHYS FIGHT

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	160067	16.86
-9 = Data not collected for this year	784091	82.60
0 = Reason not indicated (See comment above SHCNSUI)	4828	0.51
1 = Reason indicated (YUSHFITE=1,3)	299	0.03

[SHCNFMLY](#)

Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C HOME/FAM PROB

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	160067	16.86
-9 = Data not collected for this year	784091	82.60
0 = Reason not indicated (See comment above SHCNSUI)	4215	0.44
1 = Reason indicated (YUSHFMLY=1,3).....	912	0.10

[SHCNFRND](#)

Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C PROB W/ FRND

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	160067	16.86
-9 = Data not collected for this year	784091	82.60
0 = Reason not indicated (See comment above SHCNSUI)	4120	0.43
1 = Reason indicated (YUSHFRND=1,3).....	1007	0.11

[SHCNOTPP](#)

Len : 1 YTH LST TLKD W/ SCH COUN IN PY B/C PRB W/ OTH PERS

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	160067	16.86
-9 = Data not collected for this year	784091	82.60
0 = Reason not indicated (See comment above SHCNSUI)	4548	0.48
1 = Reason indicated (YUSHOTPP=1,3 or prob w/ others)	579	0.06

[SHCNSCHL](#)

Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C PROB AT SCH

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	160067	16.86
-9 = Data not collected for this year	784091	82.60
0 = Reason not indicated (See comment above SHCNSUI)	3887	0.41
1 = Reason indicated (YUSHSCHL=1,3)	1240	0.13

[SHCNMEND](#)

Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C DIAG MNTL DIS

	Freq	Pct
. = No/Unkn Trt/Unkn Reason/Aged 18+ (See comment).....	160067	16.86
-9 = Data not collected for this year	784091	82.60
0 = Reason not indicated (See comment above SHCNSUI)	5111	0.54
1 = Reason indicated (Diagnosed with mental disorder)	16	0.00

[SHCNOTH2](#)

Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C OTHER REASONS

	Freq	Pct
. = No/Unkn Trt/Unkn Reason/Aged 18+ (See comment).....	160067	16.86
-9 = Data not collected for this year	784091	82.60
0 = Reason not indicated (See comment above SHCNSUI)	4765	0.50
1 = Reason indicated (Indicated some other reason).....	362	0.04

RECODED YOUTH MENTAL HEALTH TREATMENT

NOTE: The following 13 variables, SEMXXX, indicate whether a respondent last received any specialty mental health services along with services from either education or general medical (family doctor/pediatrician) settings in the past year because of respective reasons for problems with behavior or emotions that were not caused by alcohol or drugs. These recodes were created by examination of the following sources: received any specialty mental services (SMHXXX), received treatment from a family doctor or pediatrician (FDOCXXX), and talked to a school counselor, school psychologist, or regular teacher (SHCNXXX) in the past year because of respective reasons.

Respondents for the SEMXXX reason variables were treated as missing if 1) they were aged 18 or older 2) they did not receive care or it is unknown if they received care for any reason at any of the specialty mental health services (ANYSMH=0 or missing) or at both an education and general medical setting (YPED and YSCHL=0 or missing) or if 3) they did receive treatment at both of these services but did not indicate a valid reason for receiving services at a specialty mental health service along with services from either education or general medical setting, or there was not sufficient information to determine if these services were received for the specified reason. Respondents were categorized as not having received care for the specified reason if they were not categorized as missing and it could not be shown that they received care for the specified reason at a specialty mental health service along with services from either an education or general medical setting.

Note that responses for receipt of care for the specified reason are only taken into account for services received. For example, a respondent who indicated receiving both education and general medical services, and indicated that they did not receive care for the specified reason for education, but did not indicate any reason for medical will be assigned to the unknown category. However, if this respondent only indicated receiving education services then with the same responses to the reason questions, they would be assigned to the "No" category (assuming that they also did not receive care from any specialty services).

SEMSUI

Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C TRIED SUIC

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above).....	162550	17.12
-9 = Data not collected for this year	784091	82.60
0 = No (See comment above).....	2295	0.24
1 = Yes (SMHSUI=1 & (FDOCUI=1 or SHCNSUI=1)).....	349	0.04

SEMDPR

Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C DEPRESSED

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	162588	17.13
-9 = Data not collected for this year	784091	82.60
0 = No (See comment above SEMSUI)	1525	0.16
1 = Yes (SMHDPR=1 & (FDOC DPR=1 or SHCNDPR=1)).....	1081	0.11

SEMFEA

Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C AFRD/TENSE

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	162556	17.12
-9 = Data not collected for this year	784091	82.60
0 = No (See comment above SEMSUI)	2267	0.24
1 = Yes (SMHFEA=1 & (FDOCFEA=1 or SHCNFEA=1)).....	371	0.04

SEMBRK

Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C BROKE RULES

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	162563	17.12
-9 = Data not collected for this year	784091	82.60
0 = No (See comment above SEMSUI)	2163	0.23
1 = Yes (SMHBRK=1 & (FDOCBRK=1 or SHCNBRK=1)).....	468	0.05

SEMEAT

Len : 1 YTH LAST RCVD SP & NSP MH TRT IN PY B/C EATNG PROB

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	162540	17.12
-9 = Data not collected for this year	784091	82.60
0 = No (See comment above SEMSUI)	2477	0.26
1 = Yes (SMHEAT=1 & (FDOCEAT=1 or SHCNEAT=1)).....	177	0.02

SEMANGR

Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C ANGER CNTRL

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	162569	17.13
-9 = Data not collected for this year	784091	82.60
0 = No (See comment above SEMSUI)	2431	0.26
1 = Yes (SMHANGR=1 & (FDOCANGR=1 or SHCNANGR=1)).....	194	0.02

RECODED YOUTH MENTAL HEALTH TREATMENT

[SEMFITE](#)

Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C PHYS FIGHT

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	162544	17.12
-9 = Data not collected for this year	784091	82.60
0 = No (See comment above SEMSUI)	2586	0.27
1 = Yes (SMHFITE=1 & (FDOCFITE=1 or SHCNFITE=1))	64	0.01

[SEMFLY](#)

Len : 1 YTH LST RCVD SP MH SVC & EDUC/MED B/C HOME/FAM PRB

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	162568	17.13
-9 = Data not collected for this year	784091	82.60
0 = No (See comment above SEMSUI)	2276	0.24
1 = Yes (SMHFMLY=1 & (FDOCFMLY=1 or SHCNFMLY=1)).....	350	0.04

[SEMFRND](#)

Len : 1 YTH LST RCVD SP MH SVC & EDUC/MED B/C PROB W/ FRND

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	162561	17.12
-9 = Data not collected for this year	784091	82.60
0 = No (See comment above SEMSUI)	2413	0.25
1 = Yes (SMHFRND=1 & (FDOCFRND=1 or SHCNFRND=1)).....	220	0.02

[SEMOTPP](#)

Len : 1 YTH LST RCVD SP MH SVC & EDUC/MED B/C PROB W/ OTH

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	162553	17.12
-9 = Data not collected for this year	784091	82.60
0 = No (See comment above SEMSUI)	2499	0.26
1 = Yes (SMHOTPP=1 & (FDOCOTPP=1 or SHCNOTPP=1))	142	0.01

[SEMSCHL](#)

Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C PROB AT SCH

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	162577	17.13
-9 = Data not collected for this year	784091	82.60
0 = No (See comment above SEMSUI)	2327	0.25
1 = Yes (SMHSCHL=1 & (FDOCSCHL=1 or SHCNSCHL=1))	290	0.03

[SEMMEND](#)

Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C MNLT DIS

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	162534	17.12
-9 = Data not collected for this year	784091	82.60
0 = No (See comment above SEMSUI)	2650	0.28
1 = Yes (SMHMEND=1 & (FDOCMEND=1 or SHCNMEND=1))	10	0.00

[SEMOTH2](#)

Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C OTH REASONS

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	162558	17.12
-9 = Data not collected for this year	784091	82.60
0 = No (See comment above SEMSUI)	2531	0.27
1 = Yes (SMHOTH2=1 & (FDOCOTH2=1 or SHCNOTH2=1))	105	0.01

The following variable, ANYSMPS2, indicates whether a youth reported receiving specialty mental health services along with services from either education or general medical (family doctor/pediatrician) settings in the past year for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following 3 source of treatment variables: received specialty mental health services (ANYSMH), education setting-based mental health services (ANYMHED2), and treatment from a family doctor/pediatrician (YPED). Included in the unknown/18+ category were adults and youths who did not provide enough information to determine whether mental health care was received at both a specialty mental health service along with services from either an education or general medical setting [ANYSMH=, or {ANYSMH=1 and ((ANYMHED2=0 and YPED=.) or (ANYMHED2=, and YPED=0) or (ANYMHED2=, and YPED=.)}}]. This variable is not comparable with variables named similarly in past NSDUHs due to questionnaire changes in the Youth Mental Health Utilization module.

[ANYSMPS2](#)

Len : 1 YTH RCVD SPECIALTY AND EDUC OR MED MH SRVC IN PY

	Freq	Pct
. = Unknown/Aged 18+ (See comment above).....	154439	16.27
-9 = Data not collected for this year	723073	76.17
0 = No (ANYSMH=0 or (ANYMHED2=0 and YPED=0)).....	67681	7.13
1 = Yes (ANYSMH=1 and (ANYMHED2=1 or YPED=1))	4092	0.43

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SPINVST, indicates how many overnight stays were reported at an inpatient/residential specialty mental health service in the past year. The number of overnight stays is calculated by adding the number of overnight stays at a hospital (YUHOSPN2), residential treatment center (YURSIDN2), and in foster care (YUFCARN2). A value of 6 (No Overnight Stays) was assigned whenever a respondent said they had used none of the services (YUHOSPYR, YURSIDYR, YUFCARYR all equal 2). A value of missing was assigned when the response to whether received treatment or number of overnight stays was unknown for any of the 3 locations (any of YUHOSPYR, YURSIDYR, YUFCARYR=85, 94, 97, 98 OR any of YUHOSPN2, YURSIDN2, YUFCARN2=985, 994, 997, 998), unless the sum of the overnight stays for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more stays) was assigned. A missing value was also assigned for respondents aged 18 or older.

SPINVST

Len : 1 # NIGHTS YTH STAYED IN SPECIALTY INPATIENT MH SRVC

	Freq	Pct
. = Unknown/18+ (See comment above).....	266804	28.11
-9 = Data not collected for this year	557879	58.77
1 = 1 Overnight Stay (See comment above).....	1021	0.11
2 = 2 Overnight Stays (See comment above).....	364	0.04
3 = 3-6 Overnight Stays (See comment above)	542	0.06
4 = 7-24 Overnight Stays (See comment above).....	555	0.06
5 = 25 or More Overnight Stays (See comment above).....	432	0.05
6 = No Overnight Stays (See comment above).....	121688	12.82

The following variable, SMHVST, indicates the number of visits or overnight stays to a specialty mental health service in the past year. The number of visits/overnight stays is calculated by adding the number of overnight stays in a hospital (YUHOSPN2), residential treatment center (YURSIDN2), and foster care (YUFCARN2), and the number of visits to a day treatment facility (YUDYTXN2), mental health clinic (YUMHCRN2), private therapist (YUTPSTN2), and in-home therapist (YUIHTPN2). A value of 6 (No Visits/Overnight Stays) was assigned whenever a respondent said they had used none of the services (YUHOSPYR, YURSIDYR, YUFCARYR, YUDYTXYR, YUMHCYR, YUTPSTYR, YUIHTPYR all equal 2). A value of missing was assigned when the response to whether received treatment or number of visits/stays was unknown for any of the 7 locations (any of YUHOSPYR, YURSIDYR, YUFCARYR, YUDYTXYR, YUMHCYR, YUTPSTYR, YUIHTPYR=85, 94, 97, 98 OR any of YUHOSPN2, YURSIDN2, YUFCARN2, YUDYTXN2, YUMHCRN2, YUTPSTN2, YUIHTPN2=985, 994, 997, 998), unless the sum of the visits/overnight stays for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more visits/stays) was assigned. A missing value was also assigned for respondents aged 18 or older.

SMHVST

Len : 1 # STAYS/VISITS YTH MADE TO SPEC MH SERVICE

	Freq	Pct
. = Unknown/18+ (See comment above).....	268814	28.32
-9 = Data not collected for this year	557879	58.77
1 = 1 Visit/Overnight Stay (See comment above).....	2959	0.31
2 = 2 Visits/Overnight Stays (See comment above).....	2101	0.22
3 = 3-6 Visits/Overnight Stays (See comment above).....	3805	0.40
4 = 7-24 Visits/Overnight Stays (See comment above).....	3571	0.38
5 = 25 or More Visits/Stays (See comment above).....	2239	0.24
6 = No Visits/Stays (See comment above).....	107917	11.37

NOTE: The following 13 variables contain the reasons that youths received their most recent mental health services from at least one inpatient/residential specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs.

The following variable, SIMHSUI, indicates whether a respondent received their most recent mental health services from at least one inpatient/residential specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSUIC), residential treatment center (YURSSUIC), or in foster care (YUFCSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient/residential sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHSUI

Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C TRIED SUIC

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	388953	40.97
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	1417	0.15
1 = Reason Indicated (Any source variable=1,3).....	1036	0.11

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SIMHDPR, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHODEPR), residential treatment center (YURSDEPR), or in foster care (YUFCDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHDPR

Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C DEPRESSED

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	388964	40.97
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	1316	0.14
1 = Reason Indicated (Any source variable=1,3).....	1126	0.12

The following variable, SIMHFEA, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFEAR), residential treatment center (YURSFEAR), or in foster care (YUFCFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFEA

Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C AFRAID/TENSE

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	388981	40.98
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	2022	0.21
1 = Reason Indicated (Any source variable=1,3).....	403	0.04

The following variable, SIMHBRK, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOBKRU), residential treatment center (YURSBKRU), or in foster care (YUFCBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHBRK

Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C BROKE RULES

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	388972	40.98
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	1836	0.19
1 = Reason Indicated (Any source variable=1,3).....	598	0.06

The following variable, SIMHEAT, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEATP), residential treatment center (YURSEATP), or in foster care (YUFCEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHEAT

Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C EATING PROBS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	388988	40.98
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	2171	0.23
1 = Reason Indicated (Any source variable=1,3).....	247	0.03

The following variable, SIMHANGR, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had trouble controlling anger. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOANGR), residential treatment center (YURSANGR), or in foster care (YUFCANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHANGR

Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C ANGER CONTROL

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	388985	40.98
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	2126	0.22
1 = Reason Indicated (Any source variable=1,3).....	295	0.03

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SIMHFITE, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFFITE), residential treatment center (YURSFITE), or in foster care (YUFCFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFITE

Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C PHYS FIGHT

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	388995	40.98
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	2265	0.24
1 = Reason Indicated (Any source variable=1,3).....	146	0.02

The following variable, SIMHFMLY, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFMLY), residential treatment center (YURSFMLY), or in foster care (YUFCFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center, or in foster care was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFMLY

Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C HOME/FAM PROB

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	388985	40.98
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	2042	0.22
1 = Reason Indicated (See comment above).....	379	0.04

The following variable, SIMHFRND, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFRND), residential treatment center (YURSFRRND), or in foster care (YUFCFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFRND

Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C PROB W/ FRND

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	388993	40.98
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	2302	0.24
1 = Reason Indicated (Any source variable=1,3).....	111	0.01

The following variable, SIMHOTPP, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems with people other than family or friends. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOOTPP), residential treatment center (YURSOTPP), or in foster care (YUFCOTPP) because they had problems with people other than family or friends, as well as the corresponding write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center or foster care was because they had problems with people other than family or friends. A respondent was classified as having indicated that they received inpatient mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated problems with others. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHOTPP

Len : 1 YTH RCVD LST SPC MH SRVC IN PY B/C PRB W/ OTH PERS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	388994	40.98
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	2284	0.24
1 = Reason Indicated (See comment above).....	128	0.01

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SIMHSCHL, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSCHL), residential treatment center (YURSSCHL), or in foster care (YUFCSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHSCHL

Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C PROB AT SCH

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	388986	40.98
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	2145	0.23
1 = Reason Indicated (Any source variable=1,3).....	275	0.03

The following variable, SIMHMEND, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, or in foster care was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHMEND

Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C DIAG MNTL DIS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	388998	40.98
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	2373	0.25
1 = Reason Indicated (See comment above).....	35	0.00

The following variable, SIMHOTH2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because of some other reason. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, or in foster care was because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated some other reason, not otherwise specified. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHOTH2

Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C OTHER REASONS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	388994	40.98
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	2203	0.23
1 = Reason Indicated (See comment above).....	209	0.02

NOTE: The following 13 variables contain the reasons that youths received their most recent mental health services from at least one specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs.

The following variable, SMHSUI, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSUIC), residential treatment center (YURSSUIC), in foster care (YUFCSUIC), or visited a day treatment program (YUDYSUIC), mental health center (YUMHSUIC), private therapist (YUTPSUIC), or received treatment from an in-home therapist (YUIHSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHSUI

Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C TRIED SUIC

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	376771	39.69
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	11408	1.20
1 = Reason Indicated (Any source variable=1,3).....	3227	0.34

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SMHDPR, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHODEPR), residential treatment center (YURSDEPR), in foster care (YUFCDEPR), or visited a day treatment program (YUDYDEPR), mental health center (YUMHDEPR), private therapist (YUTPDEPR), or received treatment from an in-home therapist (YUIHDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHDPR

Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C DEPRESSED

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	376664	39.68
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	7397	0.78
1 = Reason Indicated (Any source variable=1,3).....	7345	0.77

The following variable, SMHFEA, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFEAR), residential treatment center (YURSFEAR), in foster care (YUFCFEAR), or visited a day treatment program (YUDYFEAR), mental health center (YUMHFEAR), private therapist (YUTPFEAR), or received treatment from an in-home therapist (YUIHFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFEA

Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C AFRAID/TENSE

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	376815	39.69
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	11545	1.22
1 = Reason Indicated (Any source variable=1,3).....	3046	0.32

The following variable, SMHBRK, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOBKRU), residential treatment center (YURSBKRU), in foster care (YUFCBKRU), or visited a day treatment program (YUDYBKRU), mental health center (YUMHBKRU), private therapist (YUTPBKRU), or received treatment from an in-home therapist (YUIHBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHBRK

Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C BROKE RULES

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	376788	39.69
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	10896	1.15
1 = Reason Indicated (Any source variable=1,3).....	3722	0.39

The following variable, SMHEAT, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEATP), residential treatment center (YURSEATP), in foster care (YUFCEATP), or visited a day treatment program (YUDYEATP), mental health center (YUMHEATP), private therapist (YUTPEATP), or received treatment from an in-home therapist (YUIHEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHEAT

Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C EATING PROBS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	376878	39.70
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	13162	1.39
1 = Reason Indicated (Any source variable=1,3).....	1366	0.14

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SMHANGR, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had trouble controlling anger. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOANGR), residential treatment center (YURSANGR), in foster care (YUFCANGR), or visited a day treatment program (YUDYANGR), mental health center (YUMHANGR), private therapist (YUTPANGR), or received treatment from an in-home therapist (YUIHANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHANGR

Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C ANGER CONTROL

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	376788	39.69
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	12030	1.27
1 = Reason Indicated (Any source variable=1,3).....	2588	0.27

The following variable, SMHFITE, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOHITE), residential treatment center (YURSHITE), in foster care (YUFCHITE), or visited a day treatment program (YUDYHITE), mental health center (YUMHITE), private therapist (YUTPHITE), or received treatment from an in-home therapist (YUIHITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFITE

Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C PHYS FIGHT

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	376907	39.70
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	13712	1.44
1 = Reason Indicated (Any source variable=1,3).....	787	0.08

The following variable, SMHFMLY, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFMLY), residential treatment center (YURSFMLY), in foster care (YUFCFMLY), or visited a day treatment program (YUDYFMLY), mental health center (YUMHFMLY), private therapist (YUTPFMLY), or received treatment from an in-home therapist (YUIHFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center, in foster care, or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFMLY

Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C HOME/FAM PRB

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	376785	39.69
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	10340	1.09
1 = Reason Indicated (See comment above).....	4281	0.45

The following variable, SMHFRND, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFRND), residential treatment center (YURSFRRND), in foster care (YUFCFRND), or visited a day treatment program (YUDYFRND), mental health center (YUMHFRND), private therapist (YUTPFRND), or received treatment from an in-home therapist (YUIHFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFRND

Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C PROB W/ FRND

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	376882	39.70
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	12666	1.33
1 = Reason Indicated (Any source variable=1,3).....	1858	0.20

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SMHOTPP, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems with people other than family or friends. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOOTPP), residential treatment center (YURSOTPP), in foster care (YUFCOTPP), or visited a day treatment program (YUDYOTPP), mental health center (YUMHOTPP), private therapist (YUTPOTPP), or received treatment from an in-home therapist (YUIHOTPP) because they had problems with other people other than family or friends, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center, in foster care, or visits to a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist because they had problems with other people other than family or friends. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated problems with others. Adults that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHOTPP

Len : 1 YTH RCVD LST SPC MH SRVC IN PY B/C PRB W/ OTH PERS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	376886	39.70
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	13151	1.39
1 = Reason Indicated (See comment above).....	1369	0.14

The following variable, SMHSCHL, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSCHL), residential treatment center (YURSSCHL), in foster care (YUFCSCHL), or visited a day treatment program (YUDYSCHL), mental health center (YUMHSCHL), private therapist (YUTPSCHL), or received treatment from an in-home therapist (YUIHSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHSCHL

Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C PROB AT SCH

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	376820	39.70
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	11905	1.25
1 = Reason Indicated (Any source variable=1,3).....	2681	0.28

The following variable, SMHMEND, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, in foster care or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHMEND

Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C DIAG MNTL DIS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	376920	39.71
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	14105	1.49
1 = Reason Indicated (See comment above).....	381	0.04

The following variable, SMHOTH2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because of some other reason. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, in foster care, or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated some other reason, not otherwise specified. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHOTH2

Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C OTHER REASONS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	376881	39.70
-9 = Data not collected for this year	557879	58.77
0 = Reason Not Indicated (Otherwise).....	12956	1.36
1 = Reason Indicated (See comment above).....	1569	0.17

RECODED YOUTH MENTAL HEALTH TREATMENT

NOTE: The following 13 variables, SEMXXX2, indicate whether a respondent last received any specialty mental health services along with services from either education or general medical (family doctor/pediatrician) settings in the past year because of respective reasons for problems with behavior or emotions that were not caused by alcohol or drugs. These recodes were created by examination of the following sources: received any specialty mental services (SMHXXX), received treatment from a family doctor or pediatrician (FDOCXXX), and talked to a school social worker, school psychologist, or school counselor (SHSWXXX) in the past year because of respective reasons.

Respondents for the SEMXXX2 reason variables were treated as missing if 1) they were aged 18 or older 2) they did not receive care or it is unknown if they received care for any reason at any of the specialty mental health services (ANYSMH=0 or missing) or at both an education and general medical setting (YPED and YSHSW=0 or missing) or if 3) they did receive treatment at both of these services but did not indicate a valid reason for receiving services at a specialty mental health service along with services from either education or general medical setting, or there was not sufficient information to determine if these services were received for the specified reason. Respondents were categorized as not having received care for the specified reason if they were not categorized as missing and it could not be shown that they received care for the specified reason at a specialty mental health service along with services from either an education or general medical setting.

Note that responses for receipt of care for the specified reason are only taken into account for services received. For example, a respondent who indicated receiving both education and general medical services, and indicated that they did not receive care for the specified reason for education, but did not indicate any reason for medical will be assigned to the unknown category. However, if this respondent only indicated receiving education services then with the same responses to the reason questions, they would be assigned to the "No" category (assuming that they also did not receive care from any specialty services). These variables are not comparable with variables named SEMXXX in previous NSDUHs due to questionnaire changes in the Youth Mental Health Utilization module.

SEMSUI2

Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C TRIED SUIC

	Freq	Pct
. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222630	23.45
-9 = Data not collected for this year	723073	76.17
0 = No (SMHSUI=0 or (FDOCSUI=0 & SHSWSUI=0))	3037	0.32
1 = Yes (SMHSUI=1 & (FDOCSUI=1 or SHSWSUI=1))	545	0.06

SEMDPR2

Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C DEPRESSED

	Freq	Pct
. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222661	23.46
-9 = Data not collected for this year	723073	76.17
0 = No (SMHDPR=0 or (FDOC DPR=0 & SHSWDPR=0)).....	2048	0.22
1 = Yes (SMHDPR=1 & (FDOC DPR=1 or SHSWDPR=1)).....	1503	0.16

SEMFEA2

Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C AFRD/TENSE

	Freq	Pct
. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222631	23.45
-9 = Data not collected for this year	723073	76.17
0 = No (SMHFEA=0 or (FDOCFEA=0 & SHSWFEA=0))	2967	0.31
1 = Yes (SMHFEA=1 & (FDOCFEA=1 or SHSWFEA=1))	614	0.06

SEMBRK2

Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C BROKE RULES

	Freq	Pct
. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222644	23.45
-9 = Data not collected for this year	723073	76.17
0 = No (SMHBRK=0 or (FDOCBRK=0 & SHSWBRK=0)).....	3025	0.32
1 = Yes (SMHBRK=1 & (FDOCBRK=1 or SHSWBRK=1))	543	0.06

SEMEAT2

Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C EATNG PROB

	Freq	Pct
. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222610	23.45
-9 = Data not collected for this year	723073	76.17
0 = No (SMHEAT=0 or (FDOCEAT=0 & SHSWEAT=0)).....	3368	0.35
1 = Yes (SMHEAT=1 & (FDOCEAT=1 or SHSWEAT=1)).....	234	0.02

SEMANGR2

Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C ANGER CNTRL

	Freq	Pct
. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222636	23.45
-9 = Data not collected for this year	723073	76.17
0 = No (SMHANGR=0 or (FDOCANGR=0 & SHSWANGR=0)).....	3235	0.34
1 = Yes (SMHANGR=1 & (FDOCANGR=1 or SHSWANGR=1)).....	341	0.04

RECODED YOUTH MENTAL HEALTH TREATMENT

SEMFFITE2	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C PHYS FIGHT		
		Freq	Pct
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222617	23.45
	-9 = Data not collected for this year	723073	76.17
	0 = No (SMHFITE=0 or (FDOCFITE=0 & SHSWFITE=0)).....	3502	0.37
	1 = Yes (SMHFITE=1 & (FDOCFITE=1 or SHSWFITE=1)).....	93	0.01

SEMFMFLY2	Len : 1 YTH LST RCVD SP MH SVC & EDUC/MED B/C HOME/FAM PRB		
		Freq	Pct
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222649	23.45
	-9 = Data not collected for this year	723073	76.17
	0 = No (SMHFMLY=0 or (FDOCFMLY=0 & SHSWFMLY=0)).....	3022	0.32
	1 = Yes (SMHFMLY=1 & (FDOCFMLY=1 or SHSWFMLY=1))	541	0.06

SEMFRND2	Len : 1 YTH LST RCVD SP MH SVC & EDUC/MED B/C PROB W/ FRND		
		Freq	Pct
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222632	23.45
	-9 = Data not collected for this year	723073	76.17
	0 = No (SMHFRND=0 or (FDOCFRND=0 & SHSWFRND=0)).....	3241	0.34
	1 = Yes (SMHFRND=1 & (FDOCFRND=1 or SHSWFRND=1)).....	339	0.04

SEMOTPP2	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C PROB W/ OTH		
		Freq	Pct
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222623	23.45
	-9 = Data not collected for this year	723073	76.17
	0 = No (SMHOTPP=0 or (FDOCOTPP=0 & SHSWOTPP=0))	3391	0.36
	1 = Yes (SMHOTPP=1 & (FDOCOTPP=1 or SHSWOTPP=1)).....	198	0.02

SEMSCHL2	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C PROB AT SCH		
		Freq	Pct
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222641	23.45
	-9 = Data not collected for this year	723073	76.17
	0 = No (SMHSCHL=0 or (FDOCSCHL=0 & SHSWSCHL=0))	3131	0.33
	1 = Yes (SMHSCHL=1 & (FDOCSCHL=1 or SHSWSCHL=1)).....	440	0.05

SEMMEND2	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C MNTL DIS		
		Freq	Pct
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222607	23.45
	-9 = Data not collected for this year	723073	76.17
	0 = No (SMHMEND=0 or (FDOCMEND=0 & SHSWMEND=0)).....	3587	0.38
	1 = Yes (SMHMEND=1 & (FDOCMEND=1 or SHSWMEND=1))	18	0.00

SEMOTH3	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C OTH REASONS		
		Freq	Pct
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222627	23.45
	-9 = Data not collected for this year	723073	76.17
	0 = No (SMHOTH2=0 or (FDOCOTH2=0 & SHSWOTH2=0)).....	3416	0.36
	1 = Yes (SMHOTH2=1 & (FDOCOTH2=1 or SHSWOTH2=1)).....	169	0.02

NOTE: The following eight variables contain information on the general types of mental health services received by youths in the past year for problems with behavior or emotions that were not caused by alcohol or drugs.

The following variable, ANYMHIN, indicates whether a youth reported receiving specialty inpatient/residential mental health services in the past year from any of 3 specific inpatient/residential sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 3 sources of treatment variables: stayed overnight in hospital (YHOSP), stayed in residential treatment facility (YRESID), and spent time in foster care (YFOST). Youths who reported a positive response (source variable=1) to one or more of the 3 questions were included in the yes category regardless of how many of the 3 questions they answered. Youths who did not report a positive response, but answered all 3 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYMHIN	Len : 1 YTH RCVD SPEC INPATIENT MH SERVICES IN PY		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	452334	47.65
	-9 = Data not collected for this year	281903	29.70
	0 = No (YHOSP, YRESID, and YFOST=0)	209306	22.05
	1 = Yes (YHOSP, YRESID, or YFOST=1)	5742	0.60

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, ANYSMH, indicates whether a youth reported receiving specialty mental health services in the past year from any of 7 specific inpatient/residential or outpatient specialty sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 7 source of treatment variables: stayed overnight in a hospital (YHOSP), stayed in a residential treatment facility (YRESID), spent time in foster care (YFOST), spent time in a day treatment facility (YDAYTRT), received treatment from a mental health clinic (YCLIN), from a private therapist (YTHER), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the 7 questions were included in the yes category regardless of how many of the 7 questions they answered. Youths who did not report a positive response, but answered all 7 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

[ANYSMH](#)

Len : 1 YTH RCVD SPECIALTY MENTAL HEALTH SRVC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (See comment above).....	453107	47.73
-9 = Data not collected for this year	281903	29.70
0 = No (All above source variables=0)	185498	19.54
1 = Yes (Any above source variable=1).....	28777	3.03

YOUTH MENTAL HEALTH SERVICE UTILIZATION

YOUTH MENTAL HEALTH SERVICE UTILIZATION

This note applies to variables in this section marked by a¹.

These next questions are about treatment and counseling for problems with your behaviors or emotions that were not caused by alcohol or drugs.

During the past 12 months, have you stayed overnight or longer in any type of hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

<u>YUHOSPYR</u>¹	Len : 2 STAY OVNT IN HOSP FOR EMOT TRMT PST 12 MOS		
		Freq	Pct
	1 = Yes.....	6138	0.65
	2 = No.....	276970	29.18
	85 = BAD DATA Logically assigned.....	103	0.01
	89 = LEGITIMATE SKIP Logically assigned	9	0.00
	94 = DON'T KNOW	1082	0.11
	97 = REFUSED	794	0.08
	98 = BLANK (NO ANSWER).....	46	0.00
	99 = LEGITIMATE SKIP	664143	69.96

During the past 12 months, how many nights altogether did you stay in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

<u>YUHOSPN2</u>¹	Len : 3 # NIGHTS STAYED IN HOSP FOR EMOT TRMT PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	5411	0.57
	31 = 31 or more	222	0.02
	985 = BAD DATA Logically assigned.....	93	0.01
	989 = LEGITIMATE SKIP Logically assigned.....	3	0.00
	994 = DON'T KNOW	313	0.03
	997 = REFUSED	986	0.10
	998 = BLANK (NO ANSWER).....	1138	0.12
	999 = LEGITIMATE SKIP	941119	99.14

Think about the last time you stayed overnight or longer in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were admitted there?

<u>YUHOSUIC</u>¹	Len : 2 STAYED IN HOSP BEC THOUGHT/TRIED TO KILL SELF		
		Freq	Pct
	1 = Response entered	2317	0.24
	3 = Response entered LOGICALLY ASSIGNED	7	0.00
	6 = Response not entered.....	3274	0.34
	85 = BAD DATA Logically assigned.....	90	0.01
	94 = DON'T KNOW	269	0.03
	97 = REFUSED	1065	0.11
	98 = BLANK (NO ANSWER).....	1141	0.12
	99 = LEGITIMATE SKIP	941122	99.14

<u>YUHODEPR</u>¹	Len : 2 STAYED IN HOSP BEC YOU FELT DEPRESSED		
		Freq	Pct
	1 = Response entered	2174	0.23
	3 = Response entered LOGICALLY ASSIGNED	11	0.00
	6 = Response not entered.....	3413	0.36
	85 = BAD DATA Logically assigned.....	2	0.00
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	269	0.03
	97 = REFUSED	1065	0.11
	98 = BLANK (NO ANSWER).....	1229	0.13
	99 = LEGITIMATE SKIP	941121	99.14

<u>YUHOFEAR</u>¹	Len : 2 STAYED IN HOSP BEC YOU FELT AFRAID/TENSE		
		Freq	Pct
	1 = Response entered	751	0.08
	3 = Response entered LOGICALLY ASSIGNED	19	0.00
	6 = Response not entered.....	4828	0.51
	94 = DON'T KNOW	269	0.03
	97 = REFUSED	1065	0.11
	98 = BLANK (NO ANSWER).....	1231	0.13
	99 = LEGITIMATE SKIP	941122	99.14

YOUTH MENTAL HEALTH SERVICE UTILIZATION

[YUHOBKRU](#)¹

Len : 2 STAYED IN HOSP BEC BREAKING RULES/ACTING OUT

	Freq	Pct
1 = Response entered	851	0.09
3 = Response entered LOGICALLY ASSIGNED	6	0.00
6 = Response not entered.....	4741	0.50
94 = DON'T KNOW	269	0.03
97 = REFUSED	1065	0.11
98 = BLANK (NO ANSWER).....	1231	0.13
99 = LEGITIMATE SKIP	941122	99.14

[YUHOEATP](#)¹

Len : 2 STAYED IN HOSP BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered	486	0.05
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered.....	5109	0.54
94 = DON'T KNOW	269	0.03
97 = REFUSED	1065	0.11
98 = BLANK (NO ANSWER).....	1231	0.13
99 = LEGITIMATE SKIP	941122	99.14

What was the other emotional or behavioral problem for which you last stayed overnight in a hospital?

[YUHOANGR](#)¹

Len : 2 STAYED IN HOSP BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	365	0.04
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered.....	4263	0.45
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	271	0.03
97 = REFUSED	977	0.10
98 = BLANK (NO ANSWER).....	1088	0.11
99 = LEGITIMATE SKIP	777405	81.89

[YUHOHITE](#)¹

Len : 2 STAYED IN HOSP BEC HAD GOTTEN INTO PHYS FIGHTS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	156	0.02
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	4473	0.47
94 = DON'T KNOW	271	0.03
97 = REFUSED	977	0.10
98 = BLANK (NO ANSWER).....	1089	0.11
99 = LEGITIMATE SKIP	777406	81.89

[YUHOFMLY](#)¹

Len : 2 STAYED IN HOSP BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	346	0.04
3 = Response entered LOGICALLY ASSIGNED	20	0.00
6 = Response not entered.....	4265	0.45
94 = DON'T KNOW	271	0.03
97 = REFUSED	977	0.10
98 = BLANK (NO ANSWER).....	1089	0.11
99 = LEGITIMATE SKIP	777406	81.89

[YUHOFRND](#)¹

Len : 2 STAYED IN HOSP BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	157	0.02
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	4472	0.47
94 = DON'T KNOW	271	0.03
97 = REFUSED	977	0.10
98 = BLANK (NO ANSWER).....	1089	0.11
99 = LEGITIMATE SKIP	777406	81.89

YOUTH MENTAL HEALTH SERVICE UTILIZATION

[YUHOOTPP](#)¹

Len : 2 STAYED IN HOSP BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	156	0.02
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	4474	0.47
94 = DON'T KNOW	271	0.03
97 = REFUSED	977	0.10
98 = BLANK (NO ANSWER).....	1089	0.11
99 = LEGITIMATE SKIP	777406	81.89

[YUHOSCHL](#)¹

Len : 2 STAYED IN HOSP BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	384	0.04
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	4245	0.45
94 = DON'T KNOW	271	0.03
97 = REFUSED	977	0.10
98 = BLANK (NO ANSWER).....	1089	0.11
99 = LEGITIMATE SKIP	777406	81.89

[YUHOSOR](#)¹

Len : 2 STAYED IN HOSP FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	1861	0.20
6 = Response not entered.....	3737	0.39
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	269	0.03
97 = REFUSED	1065	0.11
98 = BLANK (NO ANSWER).....	1231	0.13
99 = LEGITIMATE SKIP	941121	99.14

During the past 12 months, did you stay overnight or longer in a residential treatment center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

[YURSIDYR](#)¹

Len : 2 STAYED IN RESID CTR FOR EMOT TRMT PST 12 MOS

	Freq	Pct
1 = Yes.....	3053	0.32
2 = No.....	279825	29.48
85 = BAD DATA Logically assigned.....	103	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	1172	0.12
97 = REFUSED	933	0.10
98 = BLANK (NO ANSWER).....	47	0.00
99 = LEGITIMATE SKIP	664143	69.96

During the past 12 months, how many nights altogether did you stay in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs?

[YURSIDN2](#)¹

Len : 3 # NIGHTS IN RESID CTR FOR EMOT TRMT PST 12 MOS

	Freq	Pct
RANGE = 1 - 30.....	2501	0.26
31 = 31 or more	339	0.04
985 = BAD DATA Logically assigned.....	94	0.01
994 = DON'T KNOW	160	0.02
997 = REFUSED	987	0.10
998 = BLANK (NO ANSWER).....	1228	0.13
999 = LEGITIMATE SKIP	943976	99.44

YOUTH MENTAL HEALTH SERVICE UTILIZATION

Think about the last time you stayed overnight or longer in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were admitted there?

YURSSUIC¹

Len : 2 STAYED IN RESID CTR BEC THOT/TRIED TO KILL SELF

	Freq	Pct
1 = Response entered	1465	0.15
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	1423	0.15
85 = BAD DATA Logically assigned.....	93	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	85	0.01
97 = REFUSED	1012	0.11
98 = BLANK (NO ANSWER).....	1229	0.13
99 = LEGITIMATE SKIP	943976	99.44

YURSDEPR¹

Len : 2 STAYED IN RESID CTR BEC YOU FELT DEPRESSED

	Freq	Pct
1 = Response entered	1333	0.14
3 = Response entered LOGICALLY ASSIGNED	4	0.00
6 = Response not entered.....	1552	0.16
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	85	0.01
97 = REFUSED	1012	0.11
98 = BLANK (NO ANSWER).....	1322	0.14
99 = LEGITIMATE SKIP	943976	99.44

YURSFEAR¹

Len : 2 STAYED IN RESID CTR BEC YOU FELT AFRAID/TENSE

	Freq	Pct
1 = Response entered	428	0.05
3 = Response entered LOGICALLY ASSIGNED	6	0.00
6 = Response not entered.....	2455	0.26
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	85	0.01
97 = REFUSED	1012	0.11
98 = BLANK (NO ANSWER).....	1322	0.14
99 = LEGITIMATE SKIP	943976	99.44

YURSBKRU¹

Len : 2 STAYED IN RESID CTR BEC BRKING RULES/ACT OUT

	Freq	Pct
1 = Response entered	666	0.07
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered.....	2220	0.23
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	85	0.01
97 = REFUSED	1012	0.11
98 = BLANK (NO ANSWER).....	1322	0.14
99 = LEGITIMATE SKIP	943976	99.44

YURSEATP¹

Len : 2 STAYED IN RESID CTR BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered	298	0.03
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	2590	0.27
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	85	0.01
97 = REFUSED	1012	0.11
98 = BLANK (NO ANSWER).....	1322	0.14
99 = LEGITIMATE SKIP	943976	99.44

YOUTH MENTAL HEALTH SERVICE UTILIZATION

What was the other emotional or behavioral problem for which you last stayed overnight in a residential treatment center?

YURSANGR¹

Len : 2 STAYED IN RESID CTR BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	229	0.02
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	2085	0.22
94 = DON'T KNOW	78	0.01
97 = REFUSED	904	0.10
98 = BLANK (NO ANSWER).....	1177	0.12
99 = LEGITIMATE SKIP	779900	82.16

YURSFITE¹

Len : 2 STAYED IN RESID CTR BEC HAD GOTN INTO PHYS FIGHTS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	96	0.01
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	2217	0.23
94 = DON'T KNOW	78	0.01
97 = REFUSED	904	0.10
98 = BLANK (NO ANSWER).....	1177	0.12
99 = LEGITIMATE SKIP	779900	82.16

YURSFMLY¹

Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	221	0.02
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	2092	0.22
94 = DON'T KNOW	78	0.01
97 = REFUSED	904	0.10
98 = BLANK (NO ANSWER).....	1177	0.12
99 = LEGITIMATE SKIP	779900	82.16

YURSFRLND¹

Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	101	0.01
6 = Response not entered.....	2214	0.23
94 = DON'T KNOW	78	0.01
97 = REFUSED	904	0.10
98 = BLANK (NO ANSWER).....	1177	0.12
99 = LEGITIMATE SKIP	779900	82.16

YURSOTPP¹

Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	108	0.01
6 = Response not entered.....	2207	0.23
94 = DON'T KNOW	78	0.01
97 = REFUSED	904	0.10
98 = BLANK (NO ANSWER).....	1177	0.12
99 = LEGITIMATE SKIP	779900	82.16

YURSSCHL¹

Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	198	0.02
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	2115	0.22
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	78	0.01
97 = REFUSED	904	0.10
98 = BLANK (NO ANSWER).....	1176	0.12
99 = LEGITIMATE SKIP	779900	82.16

YOUTH MENTAL HEALTH SERVICE UTILIZATION

[YURSSOR](#)¹

Len : 2 STAYED IN RESID CTR FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	508	0.05
6 = Response not entered.....	2381	0.25
94 = DON'T KNOW	85	0.01
97 = REFUSED	1012	0.11
98 = BLANK (NO ANSWER).....	1322	0.14
99 = LEGITIMATE SKIP	943977	99.44

During the past 12 months, did you stay overnight or longer in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?

[YUFCARYR](#)¹

Len : 2 SPENT TIME IN FOST CARE FOR EMOT PROB PST 12 MOS

	Freq	Pct
1 = Yes.....	1485	0.16
2 = No.....	281566	29.66
4 = No LOGICALLY ASSIGNED.....	360	0.04
85 = BAD DATA Logically assigned.....	98	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	812	0.09
97 = REFUSED	764	0.08
98 = BLANK (NO ANSWER).....	48	0.01
99 = LEGITIMATE SKIP	664143	69.96

During the past 12 months, how many nights altogether did you stay in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?

[YUFCARN2](#)¹

Len : 3 # NIGHTS IN FOST CARE FOR EMOT PROB PST 12 MOS

	Freq	Pct
RANGE = 1 - 30.....	1077	0.11
31 = 31 or more	236	0.02
985 = BAD DATA Logically assigned.....	93	0.01
994 = DON'T KNOW	126	0.01
997 = REFUSED	810	0.09
998 = BLANK (NO ANSWER).....	865	0.09
999 = LEGITIMATE SKIP	946078	99.66

Think about the last time you stayed overnight or longer in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were placed there?

[YUFCSUIC](#)¹

Len : 2 STAYED IN FOST CARE BEC THOT/TRIED TO KILL SELF

	Freq	Pct
1 = Response entered	434	0.05
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	940	0.10
85 = BAD DATA Logically assigned.....	92	0.01
94 = DON'T KNOW	58	0.01
97 = REFUSED	815	0.09
98 = BLANK (NO ANSWER).....	866	0.09
99 = LEGITIMATE SKIP	946078	99.66

[YUFCDEPR](#)¹

Len : 2 STAYED IN FOST CARE BEC YOU FELT DEPRESSED

	Freq	Pct
1 = Response entered	362	0.04
3 = Response entered LOGICALLY ASSIGNED	5	0.00
6 = Response not entered.....	1009	0.11
94 = DON'T KNOW	58	0.01
97 = REFUSED	815	0.09
98 = BLANK (NO ANSWER).....	958	0.10
99 = LEGITIMATE SKIP	946078	99.66

YOUTH MENTAL HEALTH SERVICE UTILIZATION

[YUFCFEAR](#)¹

Len : 2 STAYED IN FOST CARE BEC YOU FELT AFRAID/TENSE

	Freq	Pct
1 = Response entered	137	0.01
6 = Response not entered.....	1239	0.13
94 = DON'T KNOW	58	0.01
97 = REFUSED	815	0.09
98 = BLANK (NO ANSWER).....	958	0.10
99 = LEGITIMATE SKIP	946078	99.66

[YUFCBKRU](#)¹

Len : 2 STAYED IN FOST CARE BEC BRKING RULES/ACT OUT

	Freq	Pct
1 = Response entered	295	0.03
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered.....	1078	0.11
94 = DON'T KNOW	58	0.01
97 = REFUSED	815	0.09
98 = BLANK (NO ANSWER).....	958	0.10
99 = LEGITIMATE SKIP	946078	99.66

[YUFCEATP](#)¹

Len : 2 STAYED IN FOST CARE BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered	66	0.01
6 = Response not entered.....	1310	0.14
94 = DON'T KNOW	58	0.01
97 = REFUSED	815	0.09
98 = BLANK (NO ANSWER).....	958	0.10
99 = LEGITIMATE SKIP	946078	99.66

What was the other emotional or behavioral problem for which you last stayed overnight or longer in foster care or a therapeutic foster care home?

[YUFCANGR](#)¹

Len : 2 STAYED IN FOST CARE BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	70	0.01
6 = Response not entered.....	968	0.10
94 = DON'T KNOW	56	0.01
97 = REFUSED	758	0.08
98 = BLANK (NO ANSWER).....	903	0.10
99 = LEGITIMATE SKIP	781619	82.34

[YUFCFITE](#)¹

Len : 2 STAYED IN FOST CARE BEC HAD GOTN INTO PHYS FIGHTS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	45	0.00
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	992	0.10
94 = DON'T KNOW	56	0.01
97 = REFUSED	758	0.08
98 = BLANK (NO ANSWER).....	903	0.10
99 = LEGITIMATE SKIP	781619	82.34

[YUFCFMLY](#)¹

Len : 2 STAYED IN FOST CARE BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	199	0.02
3 = Response entered LOGICALLY ASSIGNED	22	0.00
6 = Response not entered.....	817	0.09
94 = DON'T KNOW	56	0.01
97 = REFUSED	758	0.08
98 = BLANK (NO ANSWER).....	903	0.10
99 = LEGITIMATE SKIP	781619	82.34

YOUTH MENTAL HEALTH SERVICE UTILIZATION

YUFCFRND¹

Len : 2 STAYED IN FOST CARE BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	13	0.00
6 = Response not entered.....	1025	0.11
94 = DON'T KNOW	56	0.01
97 = REFUSED	758	0.08
98 = BLANK (NO ANSWER).....	903	0.10
99 = LEGITIMATE SKIP	781619	82.34

YUFCOTPP¹

Len : 2 STAYED IN FOST CARE BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	36	0.00
6 = Response not entered.....	1002	0.11
94 = DON'T KNOW	56	0.01
97 = REFUSED	758	0.08
98 = BLANK (NO ANSWER).....	903	0.10
99 = LEGITIMATE SKIP	781619	82.34

YUFCSCHL¹

Len : 2 STAYED IN FOST CARE BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	66	0.01
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered.....	969	0.10
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	56	0.01
97 = REFUSED	758	0.08
98 = BLANK (NO ANSWER).....	902	0.10
99 = LEGITIMATE SKIP	781619	82.34

YUFCSOR¹

Len : 2 STAYED IN FOST CARE FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	251	0.03
6 = Response not entered.....	1125	0.12
94 = DON'T KNOW	58	0.01
97 = REFUSED	815	0.09
98 = BLANK (NO ANSWER).....	958	0.10
99 = LEGITIMATE SKIP	946078	99.66

During the past 12 months, did you receive treatment or counseling at a partial day hospital or day treatment program because you had problems with your behavior or emotions that were not caused by alcohol or drugs?

YUDYTXR¹

Len : 2 SPENT TIME IN DAY TRMT PROG PAST 12 MOS

	Freq	Pct
1 = Yes.....	5327	0.56
2 = No.....	277403	29.22
85 = BAD DATA Logically assigned.....	102	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	1294	0.14
97 = REFUSED	959	0.10
98 = BLANK (NO ANSWER).....	48	0.01
99 = LEGITIMATE SKIP	664143	69.96

During the past 12 months, how many times did you visit a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs?

YUDYTXN²

Len : 3 # TIMES VISITED DAY TRMT PROG PAST 12 MOS

	Freq	Pct
RANGE = 1 - 30.....	4620	0.49
31 = 31 or more	220	0.02
985 = BAD DATA Logically assigned.....	94	0.01
994 = DON'T KNOW	413	0.04
997 = REFUSED	1033	0.11
998 = BLANK (NO ANSWER).....	1350	0.14
999 = LEGITIMATE SKIP	941555	99.19

YOUTH MENTAL HEALTH SERVICE UTILIZATION

Think about the last time you visited a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?

<u>YUDYSUIC</u> ¹	Len : 2 VISITED DAY TRMT BEC THOT/TRIED TO KILL SELF		
		Freq	Pct
	1 = Response entered	1869	0.20
	3 = Response entered LOGICALLY ASSIGNED	2	0.00
	6 = Response not entered.....	3258	0.34
	85 = BAD DATA Logically assigned.....	93	0.01
	94 = DON'T KNOW	104	0.01
	97 = REFUSED	1053	0.11
	98 = BLANK (NO ANSWER).....	1351	0.14
	99 = LEGITIMATE SKIP	941555	99.19

<u>YUDYDEPR</u> ¹	Len : 2 VISITED DAY TRMT BEC YOU FELT DEPRESSED		
		Freq	Pct
	1 = Response entered	2756	0.29
	3 = Response entered LOGICALLY ASSIGNED	11	0.00
	6 = Response not entered.....	2362	0.25
	85 = BAD DATA Logically assigned.....	1	0.00
	94 = DON'T KNOW	104	0.01
	97 = REFUSED	1053	0.11
	98 = BLANK (NO ANSWER).....	1443	0.15
	99 = LEGITIMATE SKIP	941555	99.19

<u>YUDYFEAR</u> ¹	Len : 2 VISITED DAY TRMT BEC YOU FELT AFRAID/TENSE		
		Freq	Pct
	1 = Response entered	1022	0.11
	3 = Response entered LOGICALLY ASSIGNED	52	0.01
	6 = Response not entered.....	4055	0.43
	94 = DON'T KNOW	104	0.01
	97 = REFUSED	1053	0.11
	98 = BLANK (NO ANSWER).....	1444	0.15
	99 = LEGITIMATE SKIP	941555	99.19

<u>YUDYBKRU</u> ¹	Len : 2 VISITED DAY TRMT BEC BRKING RULES/ACT OUT		
		Freq	Pct
	1 = Response entered	1114	0.12
	3 = Response entered LOGICALLY ASSIGNED	25	0.00
	6 = Response not entered.....	3990	0.42
	94 = DON'T KNOW	104	0.01
	97 = REFUSED	1053	0.11
	98 = BLANK (NO ANSWER).....	1444	0.15
	99 = LEGITIMATE SKIP	941555	99.19

<u>YUDYEATP</u> ¹	Len : 2 VISITED DAY TRMT BEC YOU HAD EATING PROBS		
		Freq	Pct
	1 = Response entered	577	0.06
	3 = Response entered LOGICALLY ASSIGNED	2	0.00
	6 = Response not entered.....	4550	0.48
	85 = BAD DATA Logically assigned.....	1	0.00
	94 = DON'T KNOW	104	0.01
	97 = REFUSED	1053	0.11
	98 = BLANK (NO ANSWER).....	1443	0.15
	99 = LEGITIMATE SKIP	941555	99.19

What was the other emotional or behavioral problem for which you last visited a partial day hospital or day treatment program?

<u>YUDYANGR</u> ¹	Len : 2 VISITED DAY TRMT BEC HAD TRBLE CONTRLNG ANGER		
		Freq	Pct
	-9 = Data not collected for this year	164911	17.37
	1 = Response entered	608	0.06
	3 = Response entered LOGICALLY ASSIGNED	4	0.00
	6 = Response not entered.....	3519	0.37
	94 = DON'T KNOW	91	0.01
	97 = REFUSED	954	0.10
	98 = BLANK (NO ANSWER).....	1267	0.13
	99 = LEGITIMATE SKIP	777931	81.95

YOUTH MENTAL HEALTH SERVICE UTILIZATION

YUDYFITE¹

Len : 2 VISITED DAY TRMT BEC HAD GOTTN INTO PHYS FIGHTS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	169	0.02
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	3961	0.42
94 = DON'T KNOW	91	0.01
97 = REFUSED	954	0.10
98 = BLANK (NO ANSWER).....	1267	0.13
99 = LEGITIMATE SKIP	777931	81.95

YUDYFMLY¹

Len : 2 VISITED DAY TRMT BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	715	0.08
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered.....	3405	0.36
94 = DON'T KNOW	91	0.01
97 = REFUSED	954	0.10
98 = BLANK (NO ANSWER).....	1267	0.13
99 = LEGITIMATE SKIP	777931	81.95

YUDYFRND¹

Len : 2 VISITED DAY TRMT BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	319	0.03
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	3811	0.40
94 = DON'T KNOW	91	0.01
97 = REFUSED	954	0.10
98 = BLANK (NO ANSWER).....	1267	0.13
99 = LEGITIMATE SKIP	777931	81.95

YUDYOTPP¹

Len : 2 VISITED DAY TRMT BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	247	0.03
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	3883	0.41
94 = DON'T KNOW	91	0.01
97 = REFUSED	954	0.10
98 = BLANK (NO ANSWER).....	1267	0.13
99 = LEGITIMATE SKIP	777931	81.95

YUDYSCHL¹

Len : 2 VISITED DAY TRMT BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	530	0.06
3 = Response entered LOGICALLY ASSIGNED	6	0.00
6 = Response not entered.....	3595	0.38
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	91	0.01
97 = REFUSED	954	0.10
98 = BLANK (NO ANSWER).....	1266	0.13
99 = LEGITIMATE SKIP	777931	81.95

YUDYSOR¹

Len : 2 VISITED DAY TRMT FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	1178	0.12
6 = Response not entered.....	3951	0.42
94 = DON'T KNOW	104	0.01
97 = REFUSED	1053	0.11
98 = BLANK (NO ANSWER).....	1444	0.15
99 = LEGITIMATE SKIP	941555	99.19

YOUTH MENTAL HEALTH SERVICE UTILIZATION

During the past 12 months, did you receive treatment or counseling at a mental health clinic or center because you had problems with your behavior or emotions that were not caused by alcohol or drugs?

<u>YUMHCRYR</u> ¹	Len : 2	RCVD EMOT TRMT IN MENT HLTH CLNC PST 12 MOS		
			Freq	Pct
		1 = Yes.....	8421	0.89
		2 = No.....	274259	28.89
		85 = BAD DATA Logically assigned.....	99	0.01
		89 = LEGITIMATE SKIP Logically assigned	9	0.00
		94 = DON'T KNOW	1302	0.14
		97 = REFUSED	1004	0.11
		98 = BLANK (NO ANSWER).....	48	0.01
		99 = LEGITIMATE SKIP	664143	69.96

During the past 12 months, how many times did you visit a mental health clinic or center to receive treatment or counseling because you had emotional or behavioral problems that were not caused by alcohol or drugs?

<u>YUMHCRN2</u> ¹	Len : 3	# TIMES VISITED MENT HLTH CLNC PST 12 MOS		
			Freq	Pct
		RANGE = 1 - 30.....	7214	0.76
		31 = 31 or more	459	0.05
		985 = BAD DATA Logically assigned.....	90	0.01
		994 = DON'T KNOW	679	0.07
		997 = REFUSED	1074	0.11
		998 = BLANK (NO ANSWER).....	1359	0.14
		999 = LEGITIMATE SKIP	938410	98.85

Think about the last time you visited a mental health clinic or center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?

<u>YUMHSUIC</u> ¹	Len : 2	VISITED MH CLNC BEC THOUGHT/TRIED TO KILL SELF		
			Freq	Pct
		1 = Response entered	3080	0.32
		3 = Response entered LOGICALLY ASSIGNED	2	0.00
		6 = Response not entered.....	5100	0.54
		85 = BAD DATA Logically assigned.....	89	0.01
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	132	0.01
		97 = REFUSED	1111	0.12
		98 = BLANK (NO ANSWER).....	1360	0.14
		99 = LEGITIMATE SKIP	938410	98.85

<u>YUMHDEPR</u> ¹	Len : 2	VISITED MH CLNC BEC YOU FELT DEPRESSED		
			Freq	Pct
		1 = Response entered	4990	0.53
		3 = Response entered LOGICALLY ASSIGNED	17	0.00
		6 = Response not entered.....	3175	0.33
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW	132	0.01
		97 = REFUSED	1111	0.12
		98 = BLANK (NO ANSWER).....	1447	0.15
		99 = LEGITIMATE SKIP	938411	98.85

<u>YUMHFEAR</u> ¹	Len : 2	VISITED MH CLNC BEC YOU FELT AFRAID/TENSE		
			Freq	Pct
		1 = Response entered	1918	0.20
		3 = Response entered LOGICALLY ASSIGNED	132	0.01
		6 = Response not entered.....	6132	0.65
		94 = DON'T KNOW	132	0.01
		97 = REFUSED	1111	0.12
		98 = BLANK (NO ANSWER).....	1449	0.15
		99 = LEGITIMATE SKIP	938411	98.85

YOUTH MENTAL HEALTH SERVICE UTILIZATION

[YUMHBKRU](#)¹

Len : 2 VISITED MH CLNC BEC BREAKING RULES/ACTING OUT

	Freq	Pct
1 = Response entered	1743	0.18
3 = Response entered LOGICALLY ASSIGNED	33	0.00
6 = Response not entered.....	6406	0.67
94 = DON'T KNOW	132	0.01
97 = REFUSED	1111	0.12
98 = BLANK (NO ANSWER).....	1449	0.15
99 = LEGITIMATE SKIP	938411	98.85

[YUMHEATP](#)¹

Len : 2 VISITED MH CLNC BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered	1010	0.11
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	7171	0.76
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	132	0.01
97 = REFUSED	1111	0.12
98 = BLANK (NO ANSWER).....	1448	0.15
99 = LEGITIMATE SKIP	938411	98.85

What was the other emotional or behavioral problem for which you last visited a mental health clinic or center?

[YUMHANGR](#)¹

Len : 2 VISITED MH CLNC BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	922	0.10
3 = Response entered LOGICALLY ASSIGNED	8	0.00
6 = Response not entered.....	5752	0.61
94 = DON'T KNOW	125	0.01
97 = REFUSED	993	0.10
98 = BLANK (NO ANSWER).....	1279	0.13
99 = LEGITIMATE SKIP	775295	81.67

[YUMHFITE](#)¹

Len : 2 VISITE MH CLNC BEC HAD GOTTEN INTO PHYS FIGHTS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	199	0.02
3 = Response entered LOGICALLY ASSIGNED	5	0.00
6 = Response not entered.....	6478	0.68
94 = DON'T KNOW	125	0.01
97 = REFUSED	993	0.10
98 = BLANK (NO ANSWER).....	1279	0.13
99 = LEGITIMATE SKIP	775295	81.67

[YUMHFMLY](#)¹

Len : 2 VISITED MH CLNC BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	1152	0.12
3 = Response entered LOGICALLY ASSIGNED	17	0.00
6 = Response not entered.....	5513	0.58
94 = DON'T KNOW	125	0.01
97 = REFUSED	993	0.10
98 = BLANK (NO ANSWER).....	1279	0.13
99 = LEGITIMATE SKIP	775295	81.67

[YUMHFRND](#)¹

Len : 2 VISITED MH CLNC BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	540	0.06
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered.....	6141	0.65
94 = DON'T KNOW	125	0.01
97 = REFUSED	993	0.10
98 = BLANK (NO ANSWER).....	1279	0.13
99 = LEGITIMATE SKIP	775295	81.67

YOUTH MENTAL HEALTH SERVICE UTILIZATION

[YUMHOTPP](#)¹

Len : 2 VISITED MH CLNC BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	475	0.05
3 = Response entered LOGICALLY ASSIGNED	8	0.00
6 = Response not entered.....	6199	0.65
94 = DON'T KNOW	125	0.01
97 = REFUSED	993	0.10
98 = BLANK (NO ANSWER).....	1279	0.13
99 = LEGITIMATE SKIP	775295	81.67

[YUMHSCHL](#)¹

Len : 2 VISITED MH CLNC BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	853	0.09
3 = Response entered LOGICALLY ASSIGNED	9	0.00
6 = Response not entered.....	5820	0.61
94 = DON'T KNOW	125	0.01
97 = REFUSED	993	0.10
98 = BLANK (NO ANSWER).....	1279	0.13
99 = LEGITIMATE SKIP	775295	81.67

[YUMHSOR](#)¹

Len : 2 VISITED MH CLNC FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	1904	0.20
6 = Response not entered.....	6278	0.66
94 = DON'T KNOW	132	0.01
97 = REFUSED	1111	0.12
98 = BLANK (NO ANSWER).....	1449	0.15
99 = LEGITIMATE SKIP	938411	98.85

During the past 12 months, did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?

[YUTPSTYR](#)¹

Len : 2 RCVD EMOT TRMT FROM THERAPIST PST 12 MOS

	Freq	Pct
1 = Yes.....	30150	3.18
2 = No.....	252217	26.57
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	1506	0.16
97 = REFUSED	1113	0.12
98 = BLANK (NO ANSWER).....	48	0.01
99 = LEGITIMATE SKIP	664143	69.96

During the past 12 months, how many times did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?

[YUTPSTN2](#)¹

Len : 3 # TIMES VISITED THERAPIST PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30.....	25630	2.70
31 = 31 or more	1888	0.20
985 = BAD DATA Logically assigned.....	90	0.01
989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
994 = DON'T KNOW	2464	0.26
997 = REFUSED	1282	0.14
998 = BLANK (NO ANSWER).....	1563	0.16
999 = LEGITIMATE SKIP	916366	96.53

YOUTH MENTAL HEALTH SERVICE UTILIZATION

Think about the last time you visited a private therapist, psychologist, psychiatrist, social worker, or counselor to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?

YUTPSUIC¹

Len : 2 VISITED THERAPIST BEC THOT/TRIED TO KILL SELF

	Freq	Pct
1 = Response entered	6005	0.63
3 = Response entered LOGICALLY ASSIGNED	12	0.00
6 = Response not entered.....	23460	2.47
85 = BAD DATA Logically assigned.....	89	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	347	0.04
97 = REFUSED	1439	0.15
98 = BLANK (NO ANSWER).....	1564	0.16
99 = LEGITIMATE SKIP	916368	96.53

YUTPDEPR¹

Len : 2 VISITED THERAPIST BEC YOU FELT DEPRESSED

	Freq	Pct
1 = Response entered	14714	1.55
3 = Response entered LOGICALLY ASSIGNED	71	0.01
6 = Response not entered.....	14692	1.55
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	347	0.04
97 = REFUSED	1439	0.15
98 = BLANK (NO ANSWER).....	1652	0.17
99 = LEGITIMATE SKIP	916368	96.53

YUTPFEAR¹

Len : 2 VISITED THERAPIST BEC YOU FELT AFRAID/TENSE

	Freq	Pct
1 = Response entered	5739	0.60
3 = Response entered LOGICALLY ASSIGNED	535	0.06
6 = Response not entered.....	23203	2.44
94 = DON'T KNOW	347	0.04
97 = REFUSED	1439	0.15
98 = BLANK (NO ANSWER).....	1653	0.17
99 = LEGITIMATE SKIP	916369	96.53

YUTPBKRU¹

Len : 2 VISITED THERAPIST BEC BRKING RULES/ACT OUT

	Freq	Pct
1 = Response entered	5879	0.62
3 = Response entered LOGICALLY ASSIGNED	150	0.02
6 = Response not entered.....	23448	2.47
94 = DON'T KNOW	347	0.04
97 = REFUSED	1439	0.15
98 = BLANK (NO ANSWER).....	1653	0.17
99 = LEGITIMATE SKIP	916369	96.53

YUTPEATP¹

Len : 2 VISITED THERAPIST BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered	2565	0.27
3 = Response entered LOGICALLY ASSIGNED	8	0.00
6 = Response not entered.....	26904	2.83
94 = DON'T KNOW	347	0.04
97 = REFUSED	1439	0.15
98 = BLANK (NO ANSWER).....	1653	0.17
99 = LEGITIMATE SKIP	916369	96.53

YOUTH MENTAL HEALTH SERVICE UTILIZATION

What was the other emotional or behavioral problem for which you last visited a private therapist, psychologist, psychiatrist, social worker or counselor?

YUTPANGR¹

Len : 2 VISITED THERAPIST BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	3272	0.34
3 = Response entered LOGICALLY ASSIGNED	40	0.00
6 = Response not entered.....	20722	2.18
94 = DON'T KNOW	361	0.04
97 = REFUSED	1336	0.14
98 = BLANK (NO ANSWER).....	1462	0.15
99 = LEGITIMATE SKIP	757181	79.76

YUTPFITE¹

Len : 2 VISITED THERAPIST BEC HAD GOTN INTO PHYS FIGHTS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	798	0.08
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	23234	2.45
94 = DON'T KNOW	361	0.04
97 = REFUSED	1336	0.14
98 = BLANK (NO ANSWER).....	1462	0.15
99 = LEGITIMATE SKIP	757181	79.76

YUTPFMLY¹

Len : 2 VISITED THERAPIST BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	5837	0.61
3 = Response entered LOGICALLY ASSIGNED	227	0.02
6 = Response not entered.....	17970	1.89
94 = DON'T KNOW	361	0.04
97 = REFUSED	1336	0.14
98 = BLANK (NO ANSWER).....	1462	0.15
99 = LEGITIMATE SKIP	757181	79.76

YUTPFRND¹

Len : 2 VISITED THERAPIST BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	2737	0.29
3 = Response entered LOGICALLY ASSIGNED	25	0.00
6 = Response not entered.....	21272	2.24
94 = DON'T KNOW	361	0.04
97 = REFUSED	1336	0.14
98 = BLANK (NO ANSWER).....	1462	0.15
99 = LEGITIMATE SKIP	757181	79.76

YUTPOTPP¹

Len : 2 VISITED THERAPIST BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	1836	0.19
3 = Response entered LOGICALLY ASSIGNED	31	0.00
6 = Response not entered.....	22167	2.34
94 = DON'T KNOW	361	0.04
97 = REFUSED	1336	0.14
98 = BLANK (NO ANSWER).....	1462	0.15
99 = LEGITIMATE SKIP	757181	79.76

YUTPSCHL¹

Len : 2 VISITED THERAPIST BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	3655	0.39
3 = Response entered LOGICALLY ASSIGNED	83	0.01
6 = Response not entered.....	20296	2.14
94 = DON'T KNOW	361	0.04
97 = REFUSED	1336	0.14
98 = BLANK (NO ANSWER).....	1462	0.15
99 = LEGITIMATE SKIP	757181	79.76

YOUTH MENTAL HEALTH SERVICE UTILIZATION

[YUTPSOR](#)¹

Len : 2 VISITED THERAPIST FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	8330	0.88
6 = Response not entered.....	21147	2.23
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	347	0.04
97 = REFUSED	1439	0.15
98 = BLANK (NO ANSWER).....	1652	0.17
99 = LEGITIMATE SKIP	916368	96.53

During the past 12 months, did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?

[YUIHTPYR](#)¹

Len : 2 RCVD EMOT TRMT FROM IN HOME COUNS PST 12 MOS

	Freq	Pct
1 = Yes.....	9183	0.97
2 = No.....	273163	28.78
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	1510	0.16
97 = REFUSED	1129	0.12
98 = BLANK (NO ANSWER).....	49	0.01
99 = LEGITIMATE SKIP	664147	69.96

During the past 12 months, how many times did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?

[YUIHTPN2](#)¹

Len : 2 # TIMES RCVD TRMT FR IN HOME COUNS PST 12 MOS

	Freq	Pct
RANGE = 1 - 30.....	7737	0.82
31 = 31 or more	473	0.05
985 = BAD DATA Logically assigned.....	90	0.01
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
994 = DON'T KNOW	882	0.09
997 = REFUSED	1220	0.13
998 = BLANK (NO ANSWER).....	1568	0.17
999 = LEGITIMATE SKIP	937314	98.74

Think about the last time you saw an in-home therapist, counselor, or family preservation worker to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for this visit?

[YUIHSUIC](#)¹

Len : 2 SAW IN HOME COUNS BEC THOT/TRIED TO KILL SELF

	Freq	Pct
1 = Response entered	1738	0.18
3 = Response entered LOGICALLY ASSIGNED	4	0.00
6 = Response not entered.....	7090	0.75
85 = BAD DATA Logically assigned.....	90	0.01
94 = DON'T KNOW	192	0.02
97 = REFUSED	1288	0.14
98 = BLANK (NO ANSWER).....	1568	0.17
99 = LEGITIMATE SKIP	937315	98.74

[YUIHDEPR](#)¹

Len : 2 SAW IN HOME COUNS BEC YOU FELT DEPRESSED

	Freq	Pct
1 = Response entered	4049	0.43
3 = Response entered LOGICALLY ASSIGNED	25	0.00
6 = Response not entered.....	4758	0.50
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	192	0.02
97 = REFUSED	1288	0.14
98 = BLANK (NO ANSWER).....	1657	0.17
99 = LEGITIMATE SKIP	937315	98.74

YOUTH MENTAL HEALTH SERVICE UTILIZATION

[YUIHFEAR](#)¹

Len : 2 SAW IN HOME COUNS BEC YOU FELT AFRAID/TENSE

	Freq	Pct
1 = Response entered	1472	0.16
3 = Response entered LOGICALLY ASSIGNED	66	0.01
6 = Response not entered.....	7294	0.77
94 = DON'T KNOW	192	0.02
97 = REFUSED	1288	0.14
98 = BLANK (NO ANSWER).....	1658	0.17
99 = LEGITIMATE SKIP	937315	98.74

[YUIHBKRU](#)¹

Len : 2 SAW IN HOME COUNS BEC BRKING RULES/ACT OUT

	Freq	Pct
1 = Response entered	1998	0.21
3 = Response entered LOGICALLY ASSIGNED	51	0.01
6 = Response not entered.....	6783	0.71
94 = DON'T KNOW	192	0.02
97 = REFUSED	1288	0.14
98 = BLANK (NO ANSWER).....	1658	0.17
99 = LEGITIMATE SKIP	937315	98.74

[YUIHEATP](#)¹

Len : 2 SAW IN HOME COUNS BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered	634	0.07
3 = Response entered LOGICALLY ASSIGNED	4	0.00
6 = Response not entered.....	8194	0.86
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	192	0.02
97 = REFUSED	1288	0.14
98 = BLANK (NO ANSWER).....	1657	0.17
99 = LEGITIMATE SKIP	937315	98.74

What was the other emotional or behavioral problem for which you last saw an in-home therapist, counselor, or family preservation worker?

[YUIHANGR](#)¹

Len : 2 SAW IN HOME COUNS BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	877	0.09
3 = Response entered LOGICALLY ASSIGNED	17	0.00
6 = Response not entered.....	6356	0.67
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	190	0.02
97 = REFUSED	1152	0.12
98 = BLANK (NO ANSWER).....	1455	0.15
99 = LEGITIMATE SKIP	774326	81.57

[YUIHFITE](#)¹

Len : 2 SAW IN HOME COUNS BEC HAD GOTTEN INTO PHYS FIGHTS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	259	0.03
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	6989	0.74
94 = DON'T KNOW	190	0.02
97 = REFUSED	1152	0.12
98 = BLANK (NO ANSWER).....	1455	0.15
99 = LEGITIMATE SKIP	774327	81.57

[YUIHFMLY](#)¹

Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	1579	0.17
3 = Response entered LOGICALLY ASSIGNED	107	0.01
6 = Response not entered.....	5564	0.59
94 = DON'T KNOW	190	0.02
97 = REFUSED	1152	0.12
98 = BLANK (NO ANSWER).....	1455	0.15
99 = LEGITIMATE SKIP	774327	81.57

YOUTH MENTAL HEALTH SERVICE UTILIZATION

[YUIHFRND](#)¹

Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	627	0.07
3 = Response entered LOGICALLY ASSIGNED	9	0.00
6 = Response not entered.....	6614	0.70
94 = DON'T KNOW	190	0.02
97 = REFUSED	1152	0.12
98 = BLANK (NO ANSWER).....	1455	0.15
99 = LEGITIMATE SKIP	774327	81.57

[YUIHOTPP](#)¹

Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	482	0.05
3 = Response entered LOGICALLY ASSIGNED	4	0.00
6 = Response not entered.....	6764	0.71
94 = DON'T KNOW	190	0.02
97 = REFUSED	1152	0.12
98 = BLANK (NO ANSWER).....	1455	0.15
99 = LEGITIMATE SKIP	774327	81.57

[YUIHSCHL](#)¹

Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	925	0.10
3 = Response entered LOGICALLY ASSIGNED	23	0.00
6 = Response not entered.....	6302	0.66
94 = DON'T KNOW	190	0.02
97 = REFUSED	1152	0.12
98 = BLANK (NO ANSWER).....	1455	0.15
99 = LEGITIMATE SKIP	774327	81.57

[YUIHSOR](#)¹

Len : 2 SAW IN HOME COUNS FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	1932	0.20
6 = Response not entered.....	6900	0.73
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	192	0.02
97 = REFUSED	1288	0.14
98 = BLANK (NO ANSWER).....	1657	0.17
99 = LEGITIMATE SKIP	937315	98.74

During the past 12 months, did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?

[YUFDOCYR](#)¹

Len : 2 RCVD EMOT TRMT FROM FAMLY DOC PST 12 MOS

	Freq	Pct
1 = Yes.....	8407	0.89
2 = No.....	273804	28.84
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	1662	0.18
97 = REFUSED	1112	0.12
98 = BLANK (NO ANSWER).....	49	0.01
99 = LEGITIMATE SKIP	664147	69.96

YOUTH MENTAL HEALTH SERVICE UTILIZATION

During the past 12 months, how many times did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?

[YUFDOCN2](#)¹

Len : 3 # TIMES RCVD TRMT FROM FAMLY DOC PST 12 MOS

	Freq	Pct
RANGE = 1 - 30.....	7660	0.81
31 = 31 or more	102	0.01
985 = BAD DATA Logically assigned.....	89	0.01
994 = DON'T KNOW	556	0.06
997 = REFUSED	1201	0.13
998 = BLANK (NO ANSWER).....	1721	0.18
999 = LEGITIMATE SKIP	937956	98.81

Think about the last time you visited a pediatrician or other family doctor to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?

[YUFDUIC](#)¹

Len : 2 SAW FAMLY DOC BEC THOUGHT/TRIED TO KILL SELF

	Freq	Pct
1 = Response entered	1332	0.14
3 = Response entered LOGICALLY ASSIGNED	5	0.00
6 = Response not entered.....	6575	0.69
85 = BAD DATA Logically assigned.....	88	0.01
94 = DON'T KNOW	293	0.03
97 = REFUSED	1314	0.14
98 = BLANK (NO ANSWER).....	1722	0.18
99 = LEGITIMATE SKIP	937956	98.81

[YUFDDEPR](#)¹

Len : 2 SAW FAMLY DOC BEC YOU FELT DEPRESSED

	Freq	Pct
1 = Response entered	3348	0.35
3 = Response entered LOGICALLY ASSIGNED	33	0.00
6 = Response not entered.....	4531	0.48
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW	293	0.03
97 = REFUSED	1314	0.14
98 = BLANK (NO ANSWER).....	1808	0.19
99 = LEGITIMATE SKIP	937956	98.81

[YUFDPEAR](#)¹

Len : 2 SAW FAMLY DOC BEC YOU FELT AFRAID/TENSE

	Freq	Pct
1 = Response entered	1242	0.13
3 = Response entered LOGICALLY ASSIGNED	146	0.02
6 = Response not entered.....	6524	0.69
94 = DON'T KNOW	293	0.03
97 = REFUSED	1314	0.14
98 = BLANK (NO ANSWER).....	1810	0.19
99 = LEGITIMATE SKIP	937956	98.81

[YUFDKRU](#)¹

Len : 2 SAW FAMLY DOC BEC BREAKING RULES/ACTING OUT

	Freq	Pct
1 = Response entered	1079	0.11
3 = Response entered LOGICALLY ASSIGNED	21	0.00
6 = Response not entered.....	6812	0.72
94 = DON'T KNOW	293	0.03
97 = REFUSED	1314	0.14
98 = BLANK (NO ANSWER).....	1810	0.19
99 = LEGITIMATE SKIP	937956	98.81

[YUFDEATP](#)¹

Len : 2 SAW FAMLY DOC BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered	982	0.10
3 = Response entered LOGICALLY ASSIGNED	12	0.00
6 = Response not entered.....	6918	0.73
94 = DON'T KNOW	293	0.03
97 = REFUSED	1314	0.14
98 = BLANK (NO ANSWER).....	1810	0.19
99 = LEGITIMATE SKIP	937956	98.81

YOUTH MENTAL HEALTH SERVICE UTILIZATION

What was the other emotional or behavioral problem for which you last visited a pediatrician or other family doctor?

YUFDANGR¹

Len : 2 SAW FAMLY DOC BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	468	0.05
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered.....	5793	0.61
94 = DON'T KNOW	288	0.03
97 = REFUSED	1198	0.13
98 = BLANK (NO ANSWER).....	1591	0.17
99 = LEGITIMATE SKIP	775025	81.64

YUFDITE¹

Len : 2 SAW FAMLY DOC BEC HAD GOTTEN INTO PHYS FIGHTS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	130	0.01
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered.....	6139	0.65
94 = DON'T KNOW	288	0.03
97 = REFUSED	1198	0.13
98 = BLANK (NO ANSWER).....	1591	0.17
99 = LEGITIMATE SKIP	775025	81.64

YUFDFMLY¹

Len : 2 SAW FAMLY DOC BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	547	0.06
3 = Response entered LOGICALLY ASSIGNED	21	0.00
6 = Response not entered.....	5704	0.60
94 = DON'T KNOW	288	0.03
97 = REFUSED	1198	0.13
98 = BLANK (NO ANSWER).....	1591	0.17
99 = LEGITIMATE SKIP	775025	81.64

YUFDFRND¹

Len : 2 SAW FAMLY DOC BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	252	0.03
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	6018	0.63
94 = DON'T KNOW	288	0.03
97 = REFUSED	1198	0.13
98 = BLANK (NO ANSWER).....	1591	0.17
99 = LEGITIMATE SKIP	775025	81.64

YUFDOTPP¹

Len : 2 SAW FAMLY DOC BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	216	0.02
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	6054	0.64
94 = DON'T KNOW	288	0.03
97 = REFUSED	1198	0.13
98 = BLANK (NO ANSWER).....	1591	0.17
99 = LEGITIMATE SKIP	775025	81.64

YUFDSCHL¹

Len : 2 SAW FAMLY DOC BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	164911	17.37
1 = Response entered	641	0.07
3 = Response entered LOGICALLY ASSIGNED	15	0.00
6 = Response not entered.....	5616	0.59
94 = DON'T KNOW	288	0.03
97 = REFUSED	1198	0.13
98 = BLANK (NO ANSWER).....	1591	0.17
99 = LEGITIMATE SKIP	775025	81.64

YOUTH MENTAL HEALTH SERVICE UTILIZATION

[YUFDSQR](#)¹

Len : 2 SAW FAMLY DOC FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	2710	0.29
6 = Response not entered.....	5202	0.55
94 = DON'T KNOW	293	0.03
97 = REFUSED	1314	0.14
98 = BLANK (NO ANSWER).....	1810	0.19
99 = LEGITIMATE SKIP	937956	98.81

Sometimes students get treatment or counseling through the school system. This counseling is often provided by school social workers, school psychologists or school counselors.

During the past 12 months, that is, since [DATEFILL], did you receive any treatment or counseling from a school social worker, a school psychologist, or a school counselor for emotional or behavioral problems that were not caused by alcohol or drugs?

[YUSWSCYR](#)¹

Len : 2 RCVD EMOT TMT FROM SCH/SOC WORKER IN PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	386010	40.66
1 = Yes.....	15392	1.62
2 = No	131693	13.87
85 = BAD DATA Logically assigned.....	62	0.01
89 = LEGITIMATE SKIP Logically assigned	4	0.00
94 = DON'T KNOW	1024	0.11
97 = REFUSED	803	0.08
98 = BLANK (NO ANSWER).....	1018	0.11
99 = LEGITIMATE SKIP	413279	43.54

Think about the last time you talked with a school social worker, school psychologist, or school counselor about emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your talk?

[YUSWSUIC](#)¹

Len : 2 TALKED W/SCH SOC WORK BEC THOT/TRIED TO KILL SELF

	Freq	Pct
-9 = Data not collected for this year	386010	40.66
1 = Response entered	1933	0.20
3 = Response entered LOGICALLY ASSIGNED	12	0.00
6 = Response not entered.....	13014	1.37
85 = BAD DATA Logically assigned.....	52	0.01
94 = DON'T KNOW	221	0.02
97 = REFUSED	1015	0.11
98 = BLANK (NO ANSWER).....	2052	0.22
99 = LEGITIMATE SKIP	544976	57.41

[YUSWDEPR](#)¹

Len : 2 TALKED W/SCH SOC WORK BEC YOU FELT DEPRESSED

	Freq	Pct
-9 = Data not collected for this year	386010	40.66
1 = Response entered	5998	0.63
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered.....	8950	0.94
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	221	0.02
97 = REFUSED	1015	0.11
98 = BLANK (NO ANSWER).....	2103	0.22
99 = LEGITIMATE SKIP	544976	57.41

[YUSWFEAR](#)¹

Len : 2 TALKED W/SCH SOC WORK BEC YOU FELT AFRAID/TENSE

	Freq	Pct
-9 = Data not collected for this year	386010	40.66
1 = Response entered	2724	0.29
3 = Response entered LOGICALLY ASSIGNED	95	0.01
6 = Response not entered.....	12140	1.28
94 = DON'T KNOW	221	0.02
97 = REFUSED	1015	0.11
98 = BLANK (NO ANSWER).....	2104	0.22
99 = LEGITIMATE SKIP	544976	57.41

YOUTH MENTAL HEALTH SERVICE UTILIZATION

[YUSWBKRU](#)¹

Len : 2 TALKED W/SCH SOC WORK BEC BRKING RULES/ACT OUT

	Freq	Pct
-9 = Data not collected for this year	386010	40.66
1 = Response entered	2685	0.28
3 = Response entered LOGICALLY ASSIGNED	38	0.00
6 = Response not entered.....	12236	1.29
94 = DON'T KNOW	221	0.02
97 = REFUSED	1015	0.11
98 = BLANK (NO ANSWER).....	2104	0.22
99 = LEGITIMATE SKIP	544976	57.41

[YUSWEATP](#)¹

Len : 2 TALKED W/SCH SOC WORK BEC YOU HAD EATING PROBS

	Freq	Pct
-9 = Data not collected for this year	386010	40.66
1 = Response entered	825	0.09
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	14132	1.49
94 = DON'T KNOW	221	0.02
97 = REFUSED	1015	0.11
98 = BLANK (NO ANSWER).....	2104	0.22
99 = LEGITIMATE SKIP	544976	57.41

What was the other reason for your last talk with a school social worker, school psychologist or school counselor?

[YUSWANGR](#)¹

Len : 2 TALKED W/SCH SOC WORK BEC HAD TRBLE CONTRLNG ANGR

	Freq	Pct
-9 = Data not collected for this year	386010	40.66
1 = Response entered	1483	0.16
3 = Response entered LOGICALLY ASSIGNED	17	0.00
6 = Response not entered.....	13375	1.41
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	255	0.03
97 = REFUSED	1065	0.11
98 = BLANK (NO ANSWER).....	2103	0.22
99 = LEGITIMATE SKIP	544976	57.41

[YUSWFITE](#)¹

Len : 2 TLKED W/SCH COUNS BEC HAD GOTTEN INTO PHYS FIGHTS

	Freq	Pct
-9 = Data not collected for this year	386010	40.66
1 = Response entered	570	0.06
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered.....	14294	1.51
94 = DON'T KNOW	255	0.03
97 = REFUSED	1065	0.11
98 = BLANK (NO ANSWER).....	2104	0.22
99 = LEGITIMATE SKIP	544976	57.41

[YUSWFMLY](#)¹

Len : 2 TALKED W/SCH SOC WORK BEC HAD PRBLMS AT HOME/FMLY

	Freq	Pct
-9 = Data not collected for this year	386010	40.66
1 = Response entered	2332	0.25
3 = Response entered LOGICALLY ASSIGNED	99	0.01
6 = Response not entered.....	12444	1.31
94 = DON'T KNOW	255	0.03
97 = REFUSED	1065	0.11
98 = BLANK (NO ANSWER).....	2104	0.22
99 = LEGITIMATE SKIP	544976	57.41

[YUSWFRND](#)¹

Len : 2 TALKED W/SCH SOC WORK BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
-9 = Data not collected for this year	386010	40.66
1 = Response entered	2587	0.27
3 = Response entered LOGICALLY ASSIGNED	89	0.01
6 = Response not entered.....	12199	1.29
94 = DON'T KNOW	255	0.03
97 = REFUSED	1065	0.11
98 = BLANK (NO ANSWER).....	2104	0.22
99 = LEGITIMATE SKIP	544976	57.41

YOUTH MENTAL HEALTH SERVICE UTILIZATION

[YUSWOTPP](#)¹

Len : 2 TALKED W/SCH SOC WORK BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year	386010	40.66
1 = Response entered	1308	0.14
3 = Response entered LOGICALLY ASSIGNED	32	0.00
6 = Response not entered.....	13535	1.43
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	255	0.03
97 = REFUSED	1065	0.11
98 = BLANK (NO ANSWER).....	2103	0.22
99 = LEGITIMATE SKIP	544976	57.41

[YUSWSCHL](#)¹

Len : 2 TALKED W/SCH SOC WORK BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	386010	40.66
1 = Response entered	2924	0.31
3 = Response entered LOGICALLY ASSIGNED	320	0.03
6 = Response not entered.....	11631	1.23
94 = DON'T KNOW	255	0.03
97 = REFUSED	1065	0.11
98 = BLANK (NO ANSWER).....	2104	0.22
99 = LEGITIMATE SKIP	544976	57.41

[YUSWSOR](#)¹

Len : 2 TALKED W/SCH SOC WORK FOR SOME OTHER REASON

	Freq	Pct
-9 = Data not collected for this year	386010	40.66
1 = Response entered	3161	0.33
6 = Response not entered.....	11798	1.24
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	221	0.02
97 = REFUSED	1015	0.11
98 = BLANK (NO ANSWER).....	2104	0.22
99 = LEGITIMATE SKIP	544975	57.41

At any time during the past 12 months, that is since [DATEFILL], did you attend a school for students with emotional or behavioral problems?

[YUSCEMYR](#)¹

Len : 2 ATTEND SCH FOR STUDENTS W/EMOT PRBLMS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	386010	40.66
1 = Yes.....	5486	0.58
2 = No.....	141937	14.95
85 = BAD DATA Logically assigned.....	62	0.01
89 = LEGITIMATE SKIP Logically assigned	4	0.00
94 = DON'T KNOW	757	0.08
97 = REFUSED	732	0.08
98 = BLANK (NO ANSWER).....	1018	0.11
99 = LEGITIMATE SKIP	413279	43.54

Regular schools sometimes provide programs for students with emotional or behavioral problems.

At any time during the past 12 months, did you participate in a school program that was just for students with emotional or behavioral problems?

[YUSCPGYR](#)¹

Len : 2 ATTND SCH PGM FOR STDNTS W/EMOT PRBLMS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	386010	40.66
1 = Yes.....	2405	0.25
2 = No.....	139610	14.71
85 = BAD DATA Logically assigned.....	9	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	671	0.07
97 = REFUSED	740	0.08
98 = BLANK (NO ANSWER).....	1071	0.11
99 = LEGITIMATE SKIP	418766	44.11

YOUTH MENTAL HEALTH SERVICE UTILIZATION

These next questions are about experiences with the justice system.

During the past 12 months, that is, since [DATEFILL], did you stay overnight or longer in any type of juvenile detention center, sometimes called "juvie", prison, or jail?

<u>YUJVDTON</u> ¹	Len : 2 STAYED OVRNT/LONGER IN JAIL/JUV DET PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	386010	40.66
	1 = Yes.....	1699	0.18
	2 = No.....	155846	16.42
	85 = BAD DATA Logically assigned.....	67	0.01
	89 = LEGITIMATE SKIP Logically assigned	5	0.00
	94 = DON'T KNOW	549	0.06
	97 = REFUSED	604	0.06
	98 = BLANK (NO ANSWER).....	21	0.00
	99 = LEGITIMATE SKIP	404484	42.61

During the past 12 months, how many nights altogether did you stay in any type of juvenile detention center, prison or jail?

<u>YUJVDTN2</u> ¹	Len : 3 # NIGHTS IN JAIL OR JUV DET IN PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 7.....	1015	0.11
	-9 = Data not collected for this year	386010	40.66
	8 = 8 or more	609	0.06
	985 = BAD DATA Logically assigned.....	62	0.01
	994 = DON'T KNOW	41	0.00
	997 = REFUSED	638	0.07
	998 = BLANK (NO ANSWER).....	575	0.06
	999 = LEGITIMATE SKIP	560335	59.03

Sometimes, the court system provides treatment or counseling in juvenile detention centers, prisons or jails. These services are often provided by psychiatrists, psychologists, social workers or counselors who work for the court system.

While you were in a juvenile detention center, prison or jail during the past 12 months, did you receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

<u>YUJVDTYR</u> ¹	Len : 2 RCVD EMOT TMT IN JAIL/JUV DET IN PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	386010	40.66
	1 = Yes.....	528	0.06
	2 = No.....	1141	0.12
	85 = BAD DATA Logically assigned.....	62	0.01
	94 = DON'T KNOW	15	0.00
	97 = REFUSED	619	0.07
	98 = BLANK (NO ANSWER).....	575	0.06
	99 = LEGITIMATE SKIP	560335	59.03

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The following recoded variables contain information about whether youths received mental health care in the past year from each of 11 specific services for problems with behaviors or emotions that were not caused by alcohol or drugs.

<u>YHOSP</u>	Len : 1 RC-STAYED OVNT IN HOSP FOR EMOT TRMT IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	666177	70.18
	0 = No (YUHOSPYR=2,4)	276970	29.18
	1 = Yes (YUHOSPYR=1)	6138	0.65

<u>YRESID</u>	Len : 1 RC-STAYED IN RESID CTR FOR EMOT TRMT IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	666407	70.20
	0 = No (YURSIDYR=2,4)	279825	29.48
	1 = Yes (YURSIDYR=1)	3053	0.32

<u>YFOST</u>	Len : 1 RC-SPENT TIME IN FOST CARE FOR EMOT PROB IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	665874	70.14
	0 = No (YUFCARYR=2,4)	281926	29.70
	1 = Yes (YUFCARYR=1)	1485	0.16

<u>YDAYTRT</u>	Len : 1 RC-SPENT TIME IN DAY TRMT PRG FOR EMOT PRB IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	666555	70.22
	0 = No (YUDYTXYR=2,4)	277403	29.22
	1 = Yes (YUDYTXYR=1)	5327	0.56

<u>YCLIN</u>	Len : 1 RC-RCVD EMOT TRMT IN MENT HLTH CLNC IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	666605	70.22
	0 = No (YUMHCRYR=2,4)	274259	28.89
	1 = Yes (YUMHCRYR=1)	8421	0.89

<u>YTHER</u>	Len : 1 RC-RCVD EMOT TRMT FROM THERAPIST IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	666918	70.25
	0 = No (YUTPSTYR=2,4)	252217	26.57
	1 = Yes (YUTPSTYR=1)	30150	3.18

<u>YHOME</u>	Len : 1 RC-RCVD EMOT TRMT FROM IN-HOME COUNS IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	666939	70.26
	0 = No (YUIHTPYR=2,4)	273163	28.78
	1 = Yes (YUIHTPYR=1)	9183	0.97

<u>YPED</u>	Len : 1 RC-RCVD EMOT TRMT FROM FAMILY DOC IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	667074	70.27
	0 = No (YUFDOCYR=2,4)	273804	28.84
	1 = Yes (YUFDOCYR=1)	8407	0.89

<u>YSPEC</u>	Len : 1 RC-ATTND SCHOOL OR PROGRAM FOR EMOT PROB IN PST YR		
		Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	407316	42.91
	-9 = Data not collected for this year	386010	40.66
	0 = No ((YUSCEMYR=2 and YUSCPGYR=2) or YEATNDYR=2)	148068	15.60
	1 = Yes (YUSCEMYR=1 or YUSCPGYR=1)	7891	0.83

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

YSHSW

Len : 1	RC-TLKD W/SCH SOC WKR/PSY/COUNS FOR EMOT PROB PST YR		
		Freq	Pct
.	= Unknown/Aged 18+ (Otherwise)	407396	42.92
-9	= Data not collected for this year	386010	40.66
0	= No (YUSWSCYR=2 or YEATNDYR=2)	140487	14.80
1	= Yes (YUSWSCYR=1)	15392	1.62

YJAIL

Len : 1	RC-YTH RCVD SVCS FOR EMOT PROB IN PY IN JUV JUSTICE		
		Freq	Pct
.	= Unknown/Aged 18+ (Otherwise)	405760	42.74
-9	= Data not collected for this year	386010	40.66
0	= No (YUJVDTYR=2 or YUJVDTON=2)	156987	16.54
1	= Yes (YUJVDTYR=1)	528	0.06

The following variable, ANYMHIN2, indicates whether a youth reported receiving specialty inpatient/residential mental health services in the past year from any of two specific inpatient/residential sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following two sources of treatment variables: stayed overnight in hospital (YHOSP) and stayed in residential treatment facility (YRESID). Youths who reported a positive response (source variable=1) to either question were included in the yes category. Youths who did not report a positive response, but answered both questions were included in the no category. Youths who did not report a positive response and did not answer both questions, and adults, were included in the unknown/18+ category.

ANYMHIN2

Len : 1	RC-REV YTH RCVD SPEC INPATIENT MH SERVICES IN PY		
		Freq	Pct
.	= Unknown/Aged 18+ (Otherwise)	666530	70.21
0	= No (YHOSP=0 and YRESID=0)	275637	29.04
1	= Yes (YHOSP=1 or YRESID=1)	7118	0.75

The following variable, ANYMHOUT, indicates whether a youth reported receiving specialty outpatient mental health services in the past year from any of four specific outpatient sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following four source of treatment variables: spent time in a day treatment facility (YDAYTRT), received treatment at a mental health clinic (YCLIN), from a private therapist (YTHER), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the four questions were included in the yes category regardless of how many of the four questions they answered. Youths who did not report a positive response, but answered all four of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYMHOUT

Len : 1	RC-YTH RCVD SPEC OUTPATIENT MH SERVICES IN PY		
		Freq	Pct
.	= Unknown/Aged 18+ (Otherwise)	667436	70.31
0	= No (YDAYTRT, YCLIN, YTHER, and YHOME=0)	246367	25.95
1	= Yes (YDAYTRT, YCLIN, YTHER, or YHOME=1)	35482	3.74

The following variable, ANYSMH2, indicates whether a youth reported receiving specialty mental health services in the past year from any of six specific inpatient/residential or outpatient specialty sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following six source of treatment variables: stayed overnight in a hospital (YHOSP), stayed in a residential treatment facility (YRESID), spent time in a day treatment facility (YDAYTRT), received treatment from a mental health clinic (YCLIN), from a private therapist (YTHER), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the six questions were included in the yes category regardless of how many of the six questions they answered. Youths who did not report a positive response, but answered all six of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYSMH2

Len : 1	RC-REV YTH RCVD SPECIALTY MENTAL HLTH SRVC IN PST YR		
		Freq	Pct
.	= Unknown/Aged 18+ (See comment above)	667712	70.34
0	= No (All source variables=0)	242662	25.56
1	= Yes (Any source variable=1)	38911	4.10

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, ANYNSMH, indicates whether a youth reported receiving nonspecialty mental health services in the past year from any of five specific nonspecialty sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following five source of treatment variables: school social worker, school psychologist, or school counselor (YSHSW), special school or program within a regular school for students with emotional or behavioral problems (YSPEC), pediatrician or other family doctor (YPED), juvenile detention center, prison, or jail (YJAIL), and foster care or therapeutic foster care (YFOST). Youths who reported a positive response (source variable=1) to one or more of the five questions were included in the yes category regardless of how many of the five questions they answered. Youths who did not report a positive response, but answered all five of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYNSMH

Len : 1 RC-YTH RCVD NONSPECIALTY MENTAL HLTH SRVC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (See comment above).....	408354	43.02
-9 = Data not collected for this year	386010	40.66
0 = No (All source variables=0).....	130533	13.75
1 = Yes (Any source variable=1).....	24388	2.57

The following variable, ANYMHED2, indicates whether a youth enrolled in school reported receiving mental health services in the past year from education sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following source of treatment variables: talked to school social worker, school psychologists, or school counselors for problems (YSHSW) and attended a special school or participated in a special program at a regular school for problems (YSPEC). Youths who reported a positive response (source variable=1) to one or more of these questions were included in the yes category regardless of how many of the questions they answered. Youths who did not report a positive response, but answered both questions were included in the no category. Youths who did not report a positive response and did not answer both questions, and adults were included in the unknown/18+ category. This variable is not comparable with variables named similarly in past NSDUHs due to questionnaire changes in the Youth Mental Health Utilization module.

ANYMHED2

Len : 1 RC-YTH RCVD EDUCATION MENTAL HEALTH SRVC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	407761	42.95
-9 = Data not collected for this year	386010	40.66
0 = No (YSHSW=0 and YSPEC=0).....	134647	14.18
1 = Yes (YSHSW=1 or YSPEC=1)	20867	2.20

The following variable, ANYSEDMF, indicates whether a youth reported receiving specialty mental health services along with services from education, general medicine (family doctor/pediatrician), or foster care or therapeutic foster care settings in the past year for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following four source of treatment variables: received specialty mental health services (ANYSMH2), education setting-based mental health services (ANYMHED2), treatment from a family doctor/pediatrician (YPED), and foster care or therapeutic foster care (YFOST). Included in the unknown/18+ category were youths who did not provide enough information to determine whether mental health care was received at both a specialty mental health service along with services from either an education, general medical, or foster care setting [ANYSMH2=. or {ANYSMH2=1 and (none of ANYMHED2, YPED, or YFOST equal 1 but at least one is missing)}] and adults.

ANYSEDMF

Len : 1 RC-YTH RCVD SPEC MH AND ED, MED, OR FOST SRVC IN PY

	Freq	Pct
. = Unknown/Aged 18+ (See comment above).....	290405	30.59
-9 = Data not collected for this year	556954	58.67
0 = No (ANYSMH2=0 or (ANYMHED2=0, YPED=0, & YFOST=0)).....	95133	10.02
1 = Yes (ANYSMH2=1 & (ANYMHED2=1, YPED=1, or YFOST=1))	6793	0.72

NOTE: The following 10 variables contain information on the number of times a youth received mental health services from specific mental health sources.

HOSPVST

Len : 1 RC-# NIGHTS YTH STAYED IN HOSP FOR MH SRVC IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	518318	54.60
-9 = Data not collected for this year	220816	23.26
1 = 1 Night (YUHOSPN2=1).....	1953	0.21
2 = 2 Nights (YUHOSPN2=2)	484	0.05
3 = 3-6 Nights (YUHOSPN2=3-6).....	821	0.09
4 = 7-24 Nights (YUHOSPN2=7-24)	848	0.09
5 = 25 or More Nights (YUHOSPN2=25-31).....	251	0.03
6 = No Nights (YUHOSPYR=2)	205794	21.68

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

RESIDVST

Len : 1 RC-# NIGHTS YTH STAYED IN RESID CTR FOR MH SRVC IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	518265	54.60
-9 = Data not collected for this year	220816	23.26
1 = 1 Night (YURSIDN2=1)	631	0.07
2 = 2 Nights (YURSIDN2=2)	243	0.03
3 = 3-6 Nights (YURSIDN2=3-6)	382	0.04
4 = 7-24 Nights (YURSIDN2=7-24)	551	0.06
5 = 25 or More Nights (YURSIDN2=25-31)	317	0.03
6 = No Nights (YURSIDYR=2)	208080	21.92

FOSTVST

Len : 1 RC-# NIGHTS YTH STAYED IN FOST CARE FOR MH SRVC IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	517921	54.56
-9 = Data not collected for this year	220816	23.26
1 = 1 Night (YUFCARN2=1)	338	0.04
2 = 2 Nights (YUFCARN2=2)	136	0.01
3 = 3-6 Nights (YUFCARN2=3-6)	83	0.01
4 = 7-24 Nights (YUFCARN2=7-24)	141	0.01
5 = 25 or More Nights (YUFCARN2=25-31)	192	0.02
6 = No Nights (YUFCARYR=2)	209658	22.09

DYTXVST

Len : 1 RC-# TIMES YTH VISITED DAY TRMT PROG IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	518591	54.63
-9 = Data not collected for this year	220816	23.26
1 = 1 Visit (YUDYTXN2=1)	1216	0.13
2 = 2 Visits (YUDYTXN2=2)	567	0.06
3 = 3-6 Visits (YUDYTXN2=3-6)	780	0.08
4 = 7-24 Visits (YUDYTXN2=7-24)	737	0.08
5 = 25 or More Visits (YUDYTXN2=25-31)	289	0.03
6 = No Visits (YUDYTXR=2)	206289	21.73

CLINVST

Len : 1 RC-# TIMES YTH VISITED MENT HLTH CLIN IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	518847	54.66
-9 = Data not collected for this year	220816	23.26
1 = 1 Visit (YUMHCRN2=1)	1505	0.16
2 = 2 Visits (YUMHCRN2=2)	800	0.08
3 = 3-6 Visits (YUMHCRN2=3-6)	1473	0.16
4 = 7-24 Visits (YUMHCRN2=7-24)	1438	0.15
5 = 25 or More Visits (YUMHCRN2=25-31)	574	0.06
6 = No Visits (YUMHCRYR=2)	203832	21.47

THERVST

Len : 1 RC-# TIMES YTH VISITED THERAPIST IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	520580	54.84
-9 = Data not collected for this year	220816	23.26
1 = 1 Visit (YUTPSTN2=1)	4096	0.43
2 = 2 Visits (YUTPSTN2=2)	2852	0.30
3 = 3-6 Visits (YUTPSTN2=3-6)	6187	0.65
4 = 7-24 Visits (YUTPSTN2=7-24)	5221	0.55
5 = 25 or More Visits (YUTPSTN2=25-31)	2310	0.24
6 = No Visits (YUTPSTYR=2)	187223	19.72

HOMEVST

Len : 1 RC-# TIMES YTH RCVD IN-HOME COUNSELING IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	519321	54.71
-9 = Data not collected for this year	220816	23.26
1 = 1 Time (YUIHTPN2=1)	1627	0.17
2 = 2 Times (YUIHTPN2=2)	1021	0.11
3 = 3-6 Times (YUIHTPN2=3-6)	1646	0.17
4 = 7-24 Times (YUIHTPN2=7-24)	1353	0.14
5 = 25 or More Times (YUIHTPN2=25-31)	563	0.06
6 = No Times (YUIHTPYR=2)	202938	21.38

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SPINVST2, indicates how many overnight stays were reported at an inpatient/residential specialty mental health service in the past year. The number of overnight stays is calculated by adding the number of overnight stays at a hospital (YUHOSPN2) and residential treatment center (YURSIDN2). A value of 6 (No Overnight Stays) was assigned whenever a respondent said they had used none of the services (YUHOSPYR=2 and YURSIDYR=2). A value of missing was assigned when the response to whether received treatment or number of overnight stays was unknown for either of the locations (YUHOSPYR or YURSIDYR=85, 94, 97, 98 OR either of YUHOSPN2 or YURSIDN2=985, 994, 997, 998), unless the overnight stays for the service with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more stays) was assigned. A missing value was also assigned for respondents aged 18 or older.

SPINVST2

Len : 1 RC-REV # NIGHTS YTH STAYED IN SPECIALTY INPATIENT MH SRVC

	Freq	Pct
. = Unknown/Aged 18+ (See comment above).....	290201	30.57
-9 = Data not collected for this year	556954	58.67
1 = 1 Overnight Stay (See comment above).....	800	0.08
2 = 2 Overnight Stays (See comment above).....	380	0.04
3 = 3-6 Overnight Stays (See comment above)	432	0.05
4 = 7-24 Overnight Stays (See comment above).....	643	0.07
5 = 25 or More Overnight Stays (See comment above).....	284	0.03
6 = No Overnight Stays (See comment above).....	99591	10.49

The following variable, SPOUTVST, indicates how many times a specialty outpatient mental health service was visited in the past year. The number of visits is calculated by adding the number of visits to a day treatment facility (YUDYTXN2), mental health clinic (YUMHCRN2), private therapist (YUTPSTN2), and an in-home therapist (YUIHTPN2). A value of 6 (No Visits) was assigned whenever a respondent said they had used none of the services (YUDYTXR, YUMHCRYR, YUTPSTYR, YUIHTPYR all equal 2). A value of missing was assigned when the response to whether received treatment or number of visits was unknown for any of the 4 locations (any of YUDYTXR, YUMHCRYR, YUTPSTYR, YUIHTPYR=85, 94, 97, 98 OR any of YUDYTXN2, YUMHCRN2, YUTPSTN2, YUIHTPN2=985, 994, 997, 998), unless the sum of the visits for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more visits) was assigned. A missing value was also assigned for respondents aged 18 or older.

SPOUTVST

Len : 1 RC-# TIMES YTH VISITED A SPECIALTY OUTPATIENT MH SRVC

	Freq	Pct
. = Unknown/Aged 18+ (See comment above).....	521889	54.98
-9 = Data not collected for this year	220816	23.26
1 = 1 Visit (See comment above).....	3897	0.41
2 = 2 Visits (See comment above).....	3294	0.35
3 = 3-6 Visits (See comment above).....	6412	0.68
4 = 7-24 Visits (See comment above).....	6373	0.67
5 = 25 or more Visits (See comment above)	3767	0.40
6 = No Visits (See comment above).....	182837	19.26

The following variable, SMHVST2, indicates the number of visits or overnight stays to a specialty mental health service in the past year. The number of visits/overnight stays is calculated by adding the number of overnight stays in a hospital (YUHOSPN2) and residential treatment center (YURSIDN2), and the number of visits to a day treatment facility (YUDYTXN2), mental health clinic (YUMHCRN2), private therapist (YUTPSTN2), and in-home therapist (YUIHTPN2). A value of 6 (No Visits/Overnight Stays) was assigned whenever a respondent said they had used none of the services (YUHOSPYR, YURSIDYR, YUDYTXR, YUMHCRYR, YUTPSTYR, YUIHTPYR all equal 2). A value of missing was assigned when the response to whether received treatment or number of visits/stays was unknown for any of the 6 locations (any of YUHOSPYR, YURSIDYR, YUDYTXR, YUMHCRYR, YUTPSTYR, YUIHTPYR=85, 94, 97, 98 OR any of YUHOSPN2, YURSIDN2, YUDYTXN2, YUMHCRN2, YUTPSTN2, YUIHTPN2=985, 994, 997, 998), unless the sum of the visits/overnight stays for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more visits/stays) was assigned. A missing value was also assigned for respondents aged 18 or older.

SMHVST2

Len : 1 RC-REV # STAYS/VISITS YTH MADE TO SPEC MH SERVICE

	Freq	Pct
. = Unknown/Aged 18+ (See comment above).....	292138	30.77
-9 = Data not collected for this year	556954	58.67
1 = 1 Visit/Overnight Stay (See comment above).....	2236	0.24
2 = 2 Visits/Overnight Stays (See comment above).....	1694	0.18
3 = 3-6 Visits/Overnight Stays (See comment above).....	3380	0.36
4 = 7-24 Visits/Overnight Stays (See comment above).....	3705	0.39
5 = 25 or More Visits/Stays (See comment above).....	2483	0.26
6 = No Visits/Stays (See comment above).....	86695	9.13

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

NOTE: The following 13 variables contain the reasons youths received their most recent mental health services from at least one inpatient/residential specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs. These variables are not comparable to similarly named variables found in NSDUH datafiles prior to 2012 due to the relocation of foster care into the nonspecialty treatment category instead of the specialty treatment category where it previously was included. During the 2017 NSDUH, updates were made to classify certain patterns of responses as 'Reason Not Indicated' rather than 'No Trt/Unknwn Reason/Aged 18+'. Due to the small impact on the estimates, these 13 variables are still considered comparable to prior years and were not renamed. Starting with the 2017 Detailed Tables, the reasons youths received their most recent mental health services from at least one inpatient/residential specialty mental health source estimates in 2016 and later years are based on these updated versions. As a result, the 2016 estimates presented in the 2017 Detailed Tables may differ from previously published estimates.

The following variable, SIMHSUI2, indicates whether a respondent received their most recent mental health services from at least one inpatient/residential specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSUIC) or residential treatment center (YURSSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient/residential sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHSUI2

Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C TRIED SUIC

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	390118	41.10
-9 = Data not collected for this year	556954	58.67
0 = Reason Not Indicated (Otherwise).....	959	0.10
1 = Reason Indicated (Any source variable=1,3).....	1254	0.13

The following variable, SIMHDPR2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHODEPR) or residential treatment center (YURSDPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHDPR2

Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C DEPRESSED

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	390122	41.10
-9 = Data not collected for this year	556954	58.67
0 = Reason Not Indicated (Otherwise).....	991	0.10
1 = Reason Indicated (Any source variable=1,3).....	1218	0.13

The following variable, SIMHFEA2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFEAR) or residential treatment center (YURSFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFEA2

Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C AFRAID/TENSE

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	390146	41.10
-9 = Data not collected for this year	556954	58.67
0 = Reason Not Indicated (Otherwise).....	1742	0.18
1 = Reason Indicated (Any source variable=1,3).....	443	0.05

The following variable, SIMHBRK2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOBKRU) or residential treatment center (YURSBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHBRK2

Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C BROKE RULES

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	390146	41.10
-9 = Data not collected for this year	556954	58.67
0 = Reason Not Indicated (Otherwise).....	1748	0.18
1 = Reason Indicated (Any source variable=1,3).....	437	0.05

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SIMHEAT2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEATP) or residential treatment center (YURSEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHEAT2

Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C EATING PRBLMS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	390151	41.10
-9 = Data not collected for this year	556954	58.67
0 = Reason Not Indicated (Otherwise).....	1897	0.20
1 = Reason Indicated (Any source variable=1,3).....	283	0.03

The following variable, SIMHANG2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had trouble controlling anger. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOANGR) or residential treatment center (YURSANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHANG2

Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C ANGER CONTROL

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	390156	41.10
-9 = Data not collected for this year	556954	58.67
0 = Reason Not Indicated (Otherwise).....	1929	0.20
1 = Reason Indicated (Any source variable=1,3).....	246	0.03

The following variable, SIMHFIT2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOHITE) or residential treatment center (YURSFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the three inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFIT2

Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C PHYS FIGHT

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	390160	41.10
-9 = Data not collected for this year	556954	58.67
0 = Reason Not Indicated (Otherwise).....	2070	0.22
1 = Reason Indicated (Any source variable=1,3).....	101	0.01

The following variable, SIMHFML2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFMLY) or residential treatment center (YURSFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital or residential treatment center was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFML2

Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C HOME/FAM PROB

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	390157	41.10
-9 = Data not collected for this year	556954	58.67
0 = Reason Not Indicated (Otherwise).....	1935	0.20
1 = Reason Indicated (See comment above).....	239	0.03

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SIMHFRD2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFRND) or residential treatment center (YURSFRRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFRD2	Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C PROB W/FRND		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).....	390160	41.10
-9	= Data not collected for this year	556954	58.67
0	= Reason Not Indicated (Otherwise).....	2061	0.22
1	= Reason Indicated (Any source variable=1,3).....	110	0.01

The following variable, SIMHOTP2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems with people other than family or friends. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOOTPP) or residential treatment center (YURSOTPP) because they had problems with people other than family or friends, as well as the corresponding write-in other-specify variables: most important reason for staying overnight in a hospital or residential treatment center was because they had problems with people other than family or friends. A respondent was classified as having indicated that they received inpatient mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables indicated problems with others. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHOTP2	Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C PRB W/OTH PERS		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).....	390160	41.10
-9	= Data not collected for this year	556954	58.67
0	= Reason Not Indicated (Otherwise).....	2060	0.22
1	= Reason Indicated (See comment above).....	111	0.01

The following variable, SIMHSCH2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSCHL) or residential treatment center (YURSSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHSCH2	Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C PROB AT SCH		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).....	390151	41.10
-9	= Data not collected for this year	556954	58.67
0	= Reason Not Indicated (Otherwise).....	1912	0.20
1	= Reason Indicated (Any source variable=1,3).....	268	0.03

The following variable, SIMHMEN2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital or residential treatment center was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHMEN2	Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C DIAG MNTL DIS		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).....	390190	41.10
-9	= Data not collected for this year	556954	58.67
0	= Reason Not Indicated (Otherwise).....	2104	0.22
1	= Reason Indicated (See comment above).....	37	0.00

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SIMHOTH3, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because of some other reason. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital or residential treatment center was because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated some other reason, not otherwise specified. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHOTH3	Len : 1 RC-YTH RCVD LAST SPEC MH SRVC IN PY B/C OTHER REASONS		
		Freq	Pct
	. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	390182	41.10
	-9 = Data not collected for this year	556954	58.67
	0 = Reason Not Indicated (Otherwise).....	1974	0.21
	1 = Reason Indicated (See comment above).....	175	0.02

NOTE: The following 13 variables contain the reasons youths received their most recent mental health services from at least one outpatient specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs. During the 2017 NSDUH, updates were made to classify certain patterns of responses as 'Reason Not Indicated' rather than 'No Trt/Unknwn Reason/Aged 18+'. Due to the small impact on the estimates, these 13 variables are still considered comparable to prior years and were not renamed. Starting with the 2017 Detailed Tables, the reasons youths received their most recent mental health services from at least one outpatient specialty mental health source estimates in 2016 and later years are based on these updated versions. As a result, the 2016 estimates presented in the 2017 Detailed Tables may differ from previously published estimates.

The following variable, SOMHSUI, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following sources: visited a day treatment program (YUDYSUIC), mental health center (YUMHSUIC), private therapist (YUTPSUIC), or received treatment from an in-home therapist (YUIHSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHSUI	Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C TRIED SUIC		
		Freq	Pct
	. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	703880	74.15
	-9 = Data not collected for this year	220816	23.26
	0 = Reason Not Indicated (Otherwise).....	18678	1.97
	1 = Reason Indicated (Any source variable=1,3).....	5911	0.62

The following variable, SOMHDPR, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: visited a day treatment program (YUDYDEPR), mental health center (YUMHDEPR), private therapist (YUTPDEPR), and received treatment from in-home therapist (YUIHDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHDPR	Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C DEPRESSED		
		Freq	Pct
	. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	703688	74.13
	-9 = Data not collected for this year	220816	23.26
	0 = Reason Not Indicated (Otherwise).....	11537	1.22
	1 = Reason Indicated (Any source variable=1,3).....	13244	1.40

The following variable, SOMHFEA, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFEAR), mental health center (YUMHFEAR), private therapist (YUTPFEAR), and received treatment from an in-home therapist (YUIHFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHFEA	Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C AFRAID/TENSE		
		Freq	Pct
	. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	703905	74.15
	-9 = Data not collected for this year	220816	23.26
	0 = Reason Not Indicated (Otherwise).....	18640	1.96
	1 = Reason Indicated (Any source variable=1,3).....	5924	0.62

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SOMHBRK, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: visited a day treatment program (YUDYBKRU), mental health center (YUMHBKRU), private therapist (YUTPBKRU), and received treatment from an in-home therapist (YUIHBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<u>SOMHBRK</u>	Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C BROKE RULE		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).....	703907	74.15
-9	= Data not collected for this year	220816	23.26
0	= Reason Not Indicated (Otherwise).....	19027	2.00
1	= Reason Indicated (Any source variable=1,3).....	5535	0.58

The following variable, SOMHEAT, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: visited a day treatment program (YUDYEATP), mental health center (YUMHEATP), private therapist (YUTPEATP), and received treatment from an in-home therapist (YUIHEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<u>SOMHEAT</u>	Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C EATING PROBS		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).....	704010	74.16
-9	= Data not collected for this year	220816	23.26
0	= Reason Not Indicated (Otherwise).....	21979	2.32
1	= Reason Indicated (Any source variable=1,3).....	2480	0.26

The following variable, SOMHANGR, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems controlling anger. This recode was created by examination of the following source variables: visited a day treatment program (YUDYANGR), mental health center (YUMHANGR), private therapist (YUTPANGR), and received treatment from an in-home therapist (YUIHANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<u>SOMHANGR</u>	Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C ANGER CONTROL		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).....	703905	74.15
-9	= Data not collected for this year	220816	23.26
0	= Reason Not Indicated (Otherwise).....	20541	2.16
1	= Reason Indicated (Any source variable=1,3).....	4023	0.42

The following variable, SOMHFITE, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFITE), mental health center (YUMHFITE), private therapist (YUTPFITE), and received treatment from an in-home therapist (YUIHFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<u>SOMHFITE</u>	Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C PHYS FIGHT		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).....	704058	74.17
-9	= Data not collected for this year	220816	23.26
0	= Reason Not Indicated (Otherwise).....	23394	2.46
1	= Reason Indicated (Any source variable=1,3).....	1017	0.11

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SOMHFMLY, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFMLY), mental health center (YUMHFMLY), private therapist (YUTPFMLY), and received treatment from an in-home therapist (YUIHFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for visits to a day treatment program, mental health center, private therapist, and treatment from an in-home therapist was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHFMLY

Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C HOME/FAM PROB

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	703887	74.15
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (Otherwise).....	17709	1.87
1 = Reason Indicated (See comment above).....	6873	0.72

The following variable, SOMHFRND, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFRND), mental health center (YUMHFRND), private therapist (YUTPFRND), and received treatment from an in-home therapist (YUIHFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHFRND

Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C PROB W/ FRND

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	704007	74.16
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (Otherwise).....	21341	2.25
1 = Reason Indicated (Any source variable=1,3).....	3121	0.33

The following variable, SOMHOTPP, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had had problems with people other than family or friends. This recode was created by examination of the following source variables: visited a day treatment program (YUDYOTPP), mental health center (YUMHOTPP), private therapist (YUTPOTPP), and received treatment from an in-home therapist (YUIHOTPP) because they had problems with people other than family or friends, as well as the write-in other-specify variables: most important reason visited a day treatment program, mental health center, private therapist, and received treatment from an in-home therapist was because they had problems with other people other than family or friends. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated problems with others. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHOTPP

Len : 1 RC-YTH RCVD LST OUTP SPC MH SRVC B/C PROB W/ OTH PERS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	704020	74.16
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (Otherwise).....	22196	2.34
1 = Reason Indicated (See comment above).....	2253	0.24

The following variable, SOMHSCHL, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: visited a day treatment program (YUDYSCHL), mental health center (YUMHSCHL), private therapist (YUTPSCHL), and received treatment from an in-home therapist (YUIHSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHSCHL

Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C PROB AT SCH

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	703916	74.15
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (Otherwise).....	20080	2.12
1 = Reason Indicated (Any source variable=1,3).....	4473	0.47

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SOMHMEND, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was based only on responses to other specify write-in variables: most important reason visited a day treatment program, mental health center, private therapist, and received treatment from an in-home therapist was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHMEND

Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C DIAG MNTL DIS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	704153	74.18
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (Otherwise).....	23661	2.49
1 = Reason Indicated (See comment above).....	655	0.07

The following variable, SOMHOTH2, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because of some other reasons. This recode was created based only on responses to other-specify write-in variables: most important reason visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the write-in other-specify variables indicated some other reason, not otherwise specified. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHOTH2

Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C OTHER REASONS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	704102	74.17
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (Otherwise).....	21799	2.30
1 = Reason Indicated (See comment above).....	2568	0.27

NOTE: The following 13 variables contain the reasons youths received their most recent mental health services from at least one specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs. These variables are not comparable to similarly named variables found in NSDUH datafiles prior to 2012 due to the relocation of foster care into the nonspecialty treatment category instead of the specialty treatment category where it previously was included. During the 2017 NSDUH, updates were made to classify certain patterns of responses as 'Reason Not Indicated' rather than 'No Trt/Unknwn Reason/Aged 18+'. Due to the small impact on the estimates, these variables are still considered comparable to prior years and were not renamed. Starting with the 2017 Detailed Tables, the reasons youths received their most recent mental health services from at least one specialty mental health source estimates in 2016 and later years are based on these updated versions. As a result, the 2016 estimates presented in the 2017 Detailed Tables may differ from previously published estimates.

The following variable, SMHSUI2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSUIC), residential treatment center (YURSSUIC), or visited a day treatment program (YUDYSUIC), mental health center (YUMHSUIC), private therapist (YUTPSUIC), or received treatment from an in-home therapist (YUIHSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHSUI2

Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC TRIED SUIC

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	378751	39.90
-9 = Data not collected for this year	556954	58.67
0 = Reason Not Indicated (Otherwise).....	9577	1.01
1 = Reason Indicated (Any source variable=1,3).....	4003	0.42

The following variable, SMHDPR2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHODEPR), residential treatment center (YURSDEPR), or visited a day treatment program (YUDYDEPR), mental health center (YUMHDEPR), private therapist (YUTPDEPR), or received treatment from an in-home therapist (YUIHDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHDPR2

Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC DEPRESSED

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	378631	39.89
-9 = Data not collected for this year	556954	58.67
0 = Reason Not Indicated (Otherwise).....	5959	0.63
1 = Reason Indicated (Any source variable=1,3).....	7741	0.82

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SMHFEA2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFEAR), residential treatment center (YURSFEAR), or visited a day treatment program (YUDYFEAR), mental health center (YUMHFEAR), private therapist (YUTPFEAR), or received treatment from an in-home therapist (YUIHFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFEA2

Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC AFRAID/TENSE

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	378831	39.91
-9 = Data not collected for this year	556954	58.67
0 = Reason Not Indicated (Otherwise).....	9768	1.03
1 = Reason Indicated (Any source variable=1,3).....	3732	0.39

The following variable, SMHBRK2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOBKRU), residential treatment center (YURSBKRU), or visited a day treatment program (YUDYBKRU), mental health center (YUMHBKRU), private therapist (YUTPBKRU), or received treatment from an in-home therapist (YUIHBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHBRK2

Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC BROKE RULES

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	378830	39.91
-9 = Data not collected for this year	556954	58.67
0 = Reason Not Indicated (Otherwise).....	10734	1.13
1 = Reason Indicated (Any source variable=1,3).....	2767	0.29

The following variable, SMHEAT2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEATP), residential treatment center (YURSEATP), or visited a day treatment program (YUDYEATP), mental health center (YUMHEATP), private therapist (YUTPEATP), or received treatment from an in-home therapist (YUIHEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHEAT2

Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC EATING PROBS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	378912	39.92
-9 = Data not collected for this year	556954	58.67
0 = Reason Not Indicated (Otherwise).....	11869	1.25
1 = Reason Indicated (Any source variable=1,3).....	1550	0.16

The following variable, SMHANGR2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had trouble controlling anger. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOANGR), residential treatment center (YURSANGR), or visited a day treatment program (YUDYANGR), mental health center (YUMHANGR), private therapist (YUTPANGR), or received treatment from an in-home therapist (YUIHANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHANGR2

Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC ANGER CNTRL

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	378852	39.91
-9 = Data not collected for this year	556954	58.67
0 = Reason Not Indicated (Otherwise).....	11364	1.20
1 = Reason Indicated (Any source variable=1,3).....	2115	0.22

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SMHFITE2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFFITE), residential treatment center (YURSFITE), or visited a day treatment program (YUDYFITE), mental health center (YUMHFITE), private therapist (YUTPFITE), or received treatment from an in-home therapist (YUIHFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFITE2

Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC PHYS FIGHT

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	378948	39.92
-9 = Data not collected for this year	556954	58.67
0 = Reason Not Indicated (Otherwise).....	12886	1.36
1 = Reason Indicated (Any source variable=1,3).....	497	0.05

The following variable, SMHFMLY2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFMLY), residential treatment center (YURSFMLY), or visited a day treatment program (YUDYFMLY), mental health center (YUMHFMLY), private therapist (YUTPFMLY), or received treatment from an in-home therapist (YUIHFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center, or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFMLY2

Len : 1 RC-YTH RCVD LAST SPEC MH SRVC IN PY B/C HOME/FAM PRB

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	378828	39.91
-9 = Data not collected for this year	556954	58.67
0 = Reason Not Indicated (Otherwise).....	9943	1.05
1 = Reason Indicated (See comment above).....	3560	0.38

The following variable, SMHFRND2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFRND), residential treatment center (YURSFRRND), or visited a day treatment program (YUDYFRND), mental health center (YUMHFRND), private therapist (YUTPFRND), or received treatment from an in-home therapist (YUIHFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFRND2

Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC PROB W/FRND

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	378917	39.92
-9 = Data not collected for this year	556954	58.67
0 = Reason Not Indicated (Otherwise).....	11748	1.24
1 = Reason Indicated (Any source variable=1,3).....	1666	0.18

The following variable, SMHOTPP2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems with people other than family or friends. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOOTPP), residential treatment center (YURSOTPP), or visited a day treatment program (YUDYOTPP), mental health center (YUMHOTPP), private therapist (YUTPOTPP), or received treatment from an in-home therapist (YUIHOTPP) because they had problems with other people other than family or friends, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center, or visits to a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist because they had problems with other people other than family or friends. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables indicated problems with others. Adults that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHOTPP2

Len : 1 RC-YTH RCVD LST SPC MH SRVC IN PY B/C PRB W/ OTH PERS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	378930	39.92
-9 = Data not collected for this year	556954	58.67
0 = Reason Not Indicated (Otherwise).....	12157	1.28
1 = Reason Indicated (See comment above).....	1244	0.13

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SMHSCHL2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSCHL), residential treatment center (YURSSCHL), or visited a day treatment program (YUDYSCHL), mental health center (YUMHSCHL), private therapist (YUTPSCHL), or received treatment from an in-home therapist (YUIHSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<u>SMHSCHL2</u> Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC PROB AT SCH			
	Freq	Pct	
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	378836	39.91	
-9 = Data not collected for this year	556954	58.67	
0 = Reason Not Indicated (Otherwise).....	10956	1.15	
1 = Reason Indicated (Any source variable=1,3).....	2539	0.27	

The following variable, SMHMEND2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<u>SMHMEND2</u> Len : 1 RC-YTH RCVD LAST SPEC MH SRVC IN PY B/C DIAG MNTL DIS			
	Freq	Pct	
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	379075	39.93	
-9 = Data not collected for this year	556954	58.67	
0 = Reason Not Indicated (Otherwise).....	12859	1.35	
1 = Reason Indicated (See comment above).....	397	0.04	

The following variable, SMHOTH3, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because of some other reason. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated some other reason. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<u>SMHOTH3</u> Len : 1 RC-YTH RCVD LAST SPEC MH SRVC IN PY B/C OTHER REASONS			
	Freq	Pct	
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	379020	39.93	
-9 = Data not collected for this year	556954	58.67	
0 = Reason Not Indicated (Otherwise).....	11811	1.24	
1 = Reason Indicated (See comment above).....	1500	0.16	

NOTE: The following 13 variables contain the reasons youths last talked with their school social worker, school psychologist, or school counselor in the past year. These variables are not comparable with variables named SHCNXXX in NSDUHs prior to 2009 due to questionnaire changes in the Youth Mental Health Utilization module. During the 2017 NSDUH, updates were made to classify certain patterns of responses as 'Reason Not Indicated' rather than 'No Trt/Unknwn Reason/Aged 18+'. Due to the small impact on the estimates, these variables are still considered comparable to prior years and were not renamed. Starting with the 2017 Detailed Tables, the reasons youths last talked with their school social worker, school psychologist, or school counselor in the past year estimates in 2016 and later years are based on these updated versions. As a result, the 2016 estimates presented in the 2017 Detailed Tables may differ from previously published estimates.

The following variables, SHSWXXX, indicate whether a respondent last talked with their school social worker, school psychologist, or school counselor in the past year because of respective reasons. Youths were assigned a "Reason not indicated" for the specific reason if they did not indicate that specific reason for their last talk with their school social worker, school psychologist, or school counselor (YUSWXXXX=6) but did indicate one of the other 12 reasons. Adults, youths that did not report or had unknown information about receiving services from a school social worker, school psychologist, or school counselor in the past year, and youths that reported receiving services in the past year, but did not indicate any valid reason for receiving services were assigned to the unknown category.

<u>SHWSWUI</u> Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C TRIED SUIC			
	Freq	Pct	
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above).....	548854	57.82	
-9 = Data not collected for this year	386010	40.66	
0 = Reason Not Indicated (See comment above).....	12476	1.31	
1 = Reason Indicated (YUSWSUIC=1,3)	1945	0.20	

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

[SHSWDPR](#)

Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C DEPRESSED

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above SHSWSUI).....	548852	57.82
-9 = Data not collected for this year	386010	40.66
0 = Reason Not Indicated (See comment above SHSWSUI)	8414	0.89
1 = Reason Indicated (YUSWDEPR=1,3)	6009	0.63

[SHSWFEA](#)

Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C AFRD/TENSE

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above SHSWSUI).....	548857	57.82
-9 = Data not collected for this year	386010	40.66
0 = Reason Not Indicated (See comment above SHSWSUI)	11599	1.22
1 = Reason Indicated (YUSWFEAR=1,3)	2819	0.30

[SHSWBRK](#)

Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C BROKE RULE

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above SHSWSUI).....	548853	57.82
-9 = Data not collected for this year	386010	40.66
0 = Reason Not Indicated (See comment above SHSWSUI)	11699	1.23
1 = Reason Indicated (YUSWBKRU=1,3).....	2723	0.29

[SHSWEAT](#)

Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C EATNG PROB

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above SHSWSUI).....	548857	57.82
-9 = Data not collected for this year	386010	40.66
0 = Reason Not Indicated (See comment above SHSWSUI)	13591	1.43
1 = Reason Indicated (YUSWEATP=1,3).....	827	0.09

[SHSWANGR](#)

Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C ANGR CNTRL

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above SHSWSUI).....	548860	57.82
-9 = Data not collected for this year	386010	40.66
0 = Reason Not Indicated (See comment above SHSWSUI)	12915	1.36
1 = Reason Indicated (YUSWANGR=1,3)	1500	0.16

[SHSWFITE](#)

Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C PHYS FIGHT

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above SHSWSUI).....	548860	57.82
-9 = Data not collected for this year	386010	40.66
0 = Reason Not Indicated (See comment above SHSWSUI)	13834	1.46
1 = Reason Indicated (YUSWFITE=1,3)	581	0.06

[SHSWFMLY](#)

Len : 1 RC-YTH LAST TLKD W/ SCH SOC WKR IN PY B/C HME/FAM PRB

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above SHSWSUI).....	548860	57.82
-9 = Data not collected for this year	386010	40.66
0 = Reason Not Indicated (See comment above SHSWSUI)	11980	1.26
1 = Reason Indicated (YUSWFMLY=1,3 or home/fam prob).....	2435	0.26

[SHSWFRND](#)

Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C FRND PROB

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above SHSWSUI).....	548860	57.82
-9 = Data not collected for this year	386010	40.66
0 = Reason Not Indicated (See comment above SHSWSUI)	11739	1.24
1 = Reason Indicated (YUSWFRND=1,3)	2676	0.28

[SHSWOTPP](#)

Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C PRB W/ OTH

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	548860	57.82
-9 = Data not collected for this year	386010	40.66
0 = Reason Not Indicated (See comment above SHSWSUI)	12978	1.37
1 = Reason Indicated(YUSWOTPP=1,3 or problem w/others).....	1437	0.15

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

SHSWSCHL

Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C SCHL PROB

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above SHSWSUI).....	548860	57.82
-9 = Data not collected for this year	386010	40.66
0 = Reason Not Indicated (See comment above SHSWSUI)	11171	1.18
1 = Reason Indicated (YUSWSCHL=1,3)	3244	0.34

NOTE: The following two variables indicate whether a respondent last talked with their school social worker, school psychologist, or school counselor in the past year because they had a self-reported mental disorder or because of some other reason. In addition to the changes described in the note above SHSWSUI, further updates were made to these two variables during the 2017 NSDUH. These updates recategorized three OTHER, specify levels from 'some other reason' to 'self-reported mental disorder'. Due to the small combined impact of both changes on the estimates, these variables are still considered comparable to prior years and were not renamed. Starting with the 2017 Detailed Tables, the reasons youths last talked with their school social worker, school psychologist, or school counselor in the past year estimates in 2016 and later years are based on these updated versions. As a result, the 2016 estimates presented in the 2017 Detailed Tables may differ from previously published estimates.

SHSWMEND

Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRK IN PY B/C SR MNTL DISDR

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above SHSWSUI).....	548904	57.82
-9 = Data not collected for this year	386010	40.66
0 = Reason Not Indicated (See comment above SHSWSUI)	14302	1.51
1 = Reason Indicated (Diagnosed with mental disorder)	69	0.01

For the following variable, SHSWOTH2, a respondent was classified as having indicated that they talked with school social worker for some other reason.

SHSWOTH2

Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C OTH REASON

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above SHSWSUI).....	548904	57.82
-9 = Data not collected for this year	386010	40.66
0 = Reason Not Indicated (See comment above SHSWSUI)	13222	1.39
1 = Reason Indicated (Indicated some other reason).....	1149	0.12

NOTE: The following 13 variables contain the reasons youths last talked with their family doctor or pediatrician in the past year. During the 2017 NSDUH, updates were made to classify certain patterns of responses as 'Reason Not Indicated' rather than 'No Trt/Unknwn Reason/Aged 18+'. Due to the small impact on the estimates, these variables are still considered comparable to prior years and were not renamed. Starting with the 2017 Detailed Tables, the reasons youths last talked with their family doctor or pediatrician in the past year estimates in 2016 and later years are based on these updated versions. As a result, the 2016 estimates presented in the 2017 Detailed Tables may differ from previously published estimates.

The following variables, FDOCXXX, indicate whether a respondent last talked with their family doctor or pediatrician in the past year because of respective reasons. Youths were assigned a "Reason not indicated" for the specific reason if they did not indicate that specific reason for their last talk with their family doctor or pediatrician (YUFDXXXX=6) but did indicate one of the other 12 reasons. Adults, youths that did not report or had unknown information about receiving services from a family doctor or pediatrician in the past year, and youths that reported receiving services in the past year, but did not indicate any valid reason for receiving services were assigned to the unknown category.

FDOCSUI

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C TRIED SUIC

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above).....	723298	76.19
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (See comment above)	4166	0.44
1 = Reason Indicated (YUFDSUIC=1,3)	1005	0.11

FDOCDPR

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C DEPRESSED

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above FDOCSUI)	723295	76.19
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (See comment above FDOCSUI)	2657	0.28
1 = Reason Indicated (YUFDDEPR=1,3)	2517	0.27

FDOCFEA

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C AFRAID/TENSE

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above FDOCSUI)	723297	76.19
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (See comment above FDOCSUI)	4077	0.43
1 = Reason Indicated (YUFDFAIR=1,3)	1095	0.12

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

[FDOCBRK](#)

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C BROKE RULES

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above FDOCSUI)	723298	76.19
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (See comment above FDOCSUI)	4380	0.46
1 = Reason Indicated (YUFDBKRU=1,3)	791	0.08

[FDOCEAT](#)

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C EATING PROBS

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above FDOCSUI)	723299	76.19
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (See comment above FDOCSUI)	4402	0.46
1 = Reason Indicated (YUFDEATP=1,3)	768	0.08

[FDOCANGR](#)

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C ANGER CONTROL

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above FDOCSUI)	723302	76.19
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (See comment above FDOCSUI)	4733	0.50
1 = Reason Indicated (YUFDANGR=1,3)	434	0.05

[FDOCFITE](#)

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C PHYS FIGHT

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above FDOCSUI)	723302	76.19
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (See comment above FDOCSUI)	5054	0.53
1 = Reason Indicated (YUFDFITE=1,3)	113	0.01

[FDOCFMLY](#)

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C HOME/FAM PROB

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above FDOCSUI)	723302	76.19
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (See comment above FDOCSUI)	4650	0.49
1 = Reason Indicated (YUFDFMLY=1,3 or home/fam prob).....	517	0.05

[FDOCFRND](#)

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C PROB W/ FRND

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above FDOCSUI)	723302	76.19
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (See comment above FDOCSUI)	4938	0.52
1 = Reason Indicated (YUFDFRND=1,3).....	229	0.02

[FDOCOTPP](#)

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C PROB W/ OTHER PERS

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above FDOCSUI)	723302	76.19
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (See comment above FDOCSUI)	4968	0.52
1 = Reason Indicated(YUFDOTPP=1,3 or problem w/others).....	199	0.02

[FDOCSCHL](#)

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C PROB AT SCH

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above FDOCSUI)	723302	76.19
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (See comment above FDOCSUI)	4584	0.48
1 = Reason Indicated (YUFDSCHL=1,3)	583	0.06

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

NOTE: The following two variables indicate whether a respondent last talked with their family doctor or pediatrician in the past year because they had a self-reported mental disorder or because of some other reason. In addition to the changes described in the note above FDOCSUI, further updates were made to these two variables during the 2017 NSDUH. These updates recategorized three OTHER, specify levels from 'some other reason' to 'self-reported mental disorder'. Due to the small combined impact of both changes on the estimates, these variables are still considered comparable to prior years and were not renamed. Starting with the 2017 Detailed Tables, the reasons youths last talked with their family doctor or pediatrician in the past year estimates in 2016 and later years are based on these updated versions. As a result, the 2016 estimates presented in the 2017 Detailed Tables may differ from previously published estimates.

FDOCMEND

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C SR MNTL DISDR

	Freq	Pct
. = No/Unkn Trt/Unkn Reason/Aged 18+ (See comment above FDOCSUI)	723316	76.20
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (See comment above FDOCSUI)	4979	0.52
1 = Reason Indicated (Diagnosed with mental disorder)	174	0.02

For the following variable, FDOCOTH2, a respondent was classified as having indicated that they talked with their family doctor or pediatrician for some other reason.

FDOCOTH2

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C OTHER REASONS

	Freq	Pct
. = No/Unkn Trt/Unkn Reason/Aged 18+ (See comment above FDOCSUI)	723316	76.20
-9 = Data not collected for this year	220816	23.26
0 = Reason Not Indicated (See comment above FDOCSUI)	4575	0.48
1 = Reason Indicated (See comment above).....	578	0.06

NOTE: The following four variables were created by using a combination of variables from the following sections: Recoded Youth Mental Health Service Utilization and Recoded Drug Treatment. Specifications on how the individual Recoded Youth Mental Health Service Utilization variables were defined can be found above. Specifications on how the individual Recoded Drug Treatment variable was defined can be found in the Recoded Drug Treatment section.

The following four variables were created based on three source variables: received specialty mental health services in the past year (ANYSMH2), received non-specialty mental health services in the past year (ANYNSMH), and received substance use treatment at a specialty facility in the past year (TXYRSPILAL).

The following variable, YMHOSPTX, indicates whether a youth reported receiving mental health services in the past year or substance use treatment at a specialty facility in the past year. A respondent was assigned a positive response if they were 12 to 17 years old and received specialty/non-specialty mental health services, or received substance use treatment at a specialty facility in the past year (AGE2=1-6 and ((ANYSMH2=1 or ANYNSMH=1) or TXYRSPILAL=1)). A respondent was assigned a negative response if they were 12 to 17 years old and did not receive specialty or non-specialty mental health services, and did not receive substance use treatment at a specialty facility in the past year (AGE2=1-6 and (ANYSMH2=0 and ANYNSMH=0) and TXYRSPILAL=0).

YMHOSPTX

Len : 1 RC-YOUTH: RCVD MH SRVC OR SUB TRT AT SPEC FAC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	173272	18.25
-9 = Data not collected for this year	722653	76.13
0 = No MH & No Sub Trt (see comment above)	39857	4.20
1 = MH or Sub Trt at Spc Fac (see comment above)	13503	1.42

The following variable, YMHNSPTX, indicates whether a youth reported receiving mental health services in the past year but not substance use treatment at a specialty facility in the past year. A respondent was assigned a positive response if they were 12 to 17 years old and received specialty or non-specialty mental health services, but did not receive substance use treatment at a specialty facility in the past year (AGE2=1-6 and (ANYSMH2=1 or ANYNSMH=1) and TXYRSPILAL=0). A respondent was assigned a negative response if they were 12 to 17 years old and they either did not receive specialty or non-specialty mental health services, or they received substance use treatment at a specialty facility in the past year (AGE2=1-6 and ((ANYSMH2=0 and ANYNSMH=0) or TXYRSPILAL=1)).

YMHNSPTX

Len : 1 RC-YOUTH: RCVD MH SRVC BUT NOT SUB TRT AT SPEC FAC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	173272	18.25
-9 = Data not collected for this year	722653	76.13
0 = Otherwise (See comment above)	40084	4.22
1 = Mental Health Srv Only (see comment above).....	13276	1.40

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, YSPTXNMH, indicates whether a youth reported receiving substance use treatment at specialty facility in the past year but not receiving mental health services in the past year. A respondent was assigned a positive response if they were 12 to 17 years old and did not receive specialty or non-specialty mental health services, but did receive substance use treatment at a specialty facility in the past year (AGE2=1-6 and (ANYSMH2=0 and ANYNSMH=0) and TXYRSPILAL=1). A respondent was assigned a negative response if they were 12 to 17 years old and either received specialty or non-specialty mental health services, or they did not receive substance use treatment at a specialty facility in the past year (AGE2=1-6 and ((ANYSMH2=1 or ANYNSMH=1) or TXYRSPILAL=0)).

YSPTXNMH

Len : 1 RC-YOUTH: RCVD SUB TRT AT SPEC FAC BUT NOT MH SRVC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	171773	18.09
-9 = Data not collected for this year	722653	76.13
0 = Otherwise (see comment above).....	54786	5.77
1 = Sub Trt at Spc Fac Only (see comment above).....	73	0.01

The following variable, YMHASPTX, indicates whether a youth reported receiving both mental treatment services and substance use treatment at specialty facility in the past year. A respondent was assigned a positive response if they were 12 to 17 years old and received specialty or non-specialty mental health services, and received substance use treatment at a specialty facility in the past year (AGE2=1-6 and (ANYSMH2=1 or ANYNSMH=1) and TXYRSPILAL=1). A respondent was assigned a negative response if they were 12 to 17 years old and did not receive specialty or non-specialty mental health services, or did not receive substance use treatment at a specialty facility in the past year (AGE2=1-6 and ((ANYSMH2=0 and ANYNSMH=0) or TXYRSPILAL=0)).

YMHASPTX

Len : 1 RC-YOUTH: RCVD BOTH MH SRVC AND SUB TRT AT SPEC FAC IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	171773	18.09
-9 = Data not collected for this year	722653	76.13
0 = Otherwise (see comment above).....	54712	5.76
1 = MH Srv & Sub Trt at Sp Fac(see comment above)	147	0.02

ADOLESCENT DEPRESSION

ADOLESCENT DEPRESSION

This note applies to variables in this section marked by a¹.

Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty, or depressed?

<u>YODPREV</u> ¹	Len : 2	EVER HAD SEVERAL DAYS WHRE FELT SAD/EMPTY/DEPRSSD		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	113353	11.94
		2 = No.....	133007	14.01
		85 = BAD DATA Logically assigned.....	71	0.01
		89 = LEGITIMATE SKIP Logically assigned	8	0.00
		94 = DON'T KNOW	1654	0.17
		97 = REFUSED	1090	0.11
		98 = BLANK (NO ANSWER).....	45	0.00
		99 = LEGITIMATE SKIP	590748	62.23

Have you ever had a period of time lasting several days or longer when most of the day you felt very discouraged or hopeless about how things were going in your life?

<u>YODSCEV</u> ¹	Len : 2	EVER HAD PER OF TIME WHERE FELT DISCRGD OR HPELSS		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	11374	1.20
		2 = No.....	121956	12.85
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned	6	0.00
		94 = DON'T KNOW	1402	0.15
		97 = REFUSED	1019	0.11
		98 = BLANK (NO ANSWER).....	115	0.01
		99 = LEGITIMATE SKIP	704103	74.17

Have you ever had a period of time lasting several days or longer when you lost interest and became bored with most things you usually enjoy, like work, hobbies, and personal relationships?

<u>YOLOSEV</u> ¹	Len : 2	EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	17977	1.89
		2 = No.....	104307	10.99
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned	5	0.00
		94 = DON'T KNOW	1268	0.13
		97 = REFUSED	824	0.09
		98 = BLANK (NO ANSWER).....	116	0.01
		99 = LEGITIMATE SKIP	715478	75.37

During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?

<u>YODPDISC</u> ¹	Len : 2	FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	95557	10.07
		2 = No.....	17032	1.79
		85 = BAD DATA Logically assigned.....	70	0.01
		89 = LEGITIMATE SKIP Logically assigned	2	0.00
		94 = DON'T KNOW	627	0.07
		97 = REFUSED	137	0.01
		98 = BLANK (NO ANSWER).....	1509	0.16
		99 = LEGITIMATE SKIP	725042	76.38

ADOLESCENT DEPRESSION

During the times when you felt sad, empty, or depressed, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?

[YODPLSIN](#)¹

Len : 2 EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	78709	8.29
2 = No.....	34063	3.59
85 = BAD DATA Logically assigned.....	69	0.01
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	446	0.05
97 = REFUSED	135	0.01
98 = BLANK (NO ANSWER).....	1510	0.16
99 = LEGITIMATE SKIP	725042	76.38

During times when you felt discouraged about how things were going in your life, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?

[YODSLSIN](#)¹

Len : 2 EVER LOSE INT IN THGS WHEN FEELING DISCOURGAGED

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	5663	0.60
2 = No.....	5641	0.59
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	54	0.01
97 = REFUSED	16	0.00
98 = BLANK (NO ANSWER).....	1748	0.18
99 = LEGITIMATE SKIP	826853	87.10

Did you ever have a period of time like this that lasted most of the day almost every day for two weeks or longer?

[YOLS12WK](#)¹

Len : 2 PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	2206	0.23
2 = No.....	15515	1.63
94 = DON'T KNOW	224	0.02
97 = REFUSED	32	0.00
98 = BLANK (NO ANSWER).....	2209	0.23
99 = LEGITIMATE SKIP	819790	86.36

Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, almost every day, for two weeks or longer?

[YODPR2WK](#)¹

Len : 2 TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	69455	7.32
2 = No.....	54377	5.73
85 = BAD DATA Logically assigned.....	70	0.01
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	690	0.07
97 = REFUSED	205	0.02
98 = BLANK (NO ANSWER).....	1678	0.18
99 = LEGITIMATE SKIP	713498	75.16

ADOLESCENT DEPRESSION

Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?

YOWRHRS¹

Len : 2 TIME THAT MOST SEVERE/FREQUENT MOOD LASTED

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Less than 1 hour.....	11582	1.22
2 = At least 1 hour but no more than 3 hours	20536	2.16
3 = At least 3 hours but no more than 5 hours.....	16216	1.71
4 = 5 hours or more	22107	2.33
85 = BAD DATA Logically assigned.....	70	0.01
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	1016	0.11
97 = REFUSED	204	0.02
98 = BLANK (NO ANSWER).....	3290	0.35
99 = LEGITIMATE SKIP	764953	80.58

Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how strong were your bad feelings during those times?

YOWRDST¹

Len : 2 HOW STRONG WERE BAD FEELINGS DURING 2 WKS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Mild	8788	0.93
2 = Moderate	24608	2.59
3 = Severe	18400	1.94
4 = Very Severe	7307	0.77
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	745	0.08
97 = REFUSED	232	0.02
98 = BLANK (NO ANSWER).....	3359	0.35
99 = LEGITIMATE SKIP	776535	81.80

Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, did you feel so bad that nothing could cheer you up?

YOWRCHR¹

Len : 2 BAD FEELINGS SO SEVERE NOTHING COULD CHEER YOU UP

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Often	17307	1.82
2 = Sometimes	26227	2.76
3 = Not very often.....	11776	1.24
4 = Never	4251	0.45
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	347	0.04
97 = REFUSED	172	0.02
98 = BLANK (NO ANSWER).....	3359	0.35
99 = LEGITIMATE SKIP	776535	81.80

Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, did you feel so bad that you could not carry out your daily activities?

YOWRIMP¹

Len : 2 MOOD SO SEVERE COULDN'T DO DLY ACTIVITIES

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Often	10559	1.11
2 = Sometimes	21552	2.27
3 = Not very often.....	16153	1.70
4 = Never	11211	1.18
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	419	0.04
97 = REFUSED	186	0.02
98 = BLANK (NO ANSWER).....	3359	0.35
99 = LEGITIMATE SKIP	776535	81.80

ADOLESCENT DEPRESSION

People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:

- sleep
- eating
- energy
- the ability to keep their mind on things
- feeling badly about themselves

Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?

<u>YODPPROB</u> ¹	Len : 2	EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	44197	4.66
		2 = No.....	14068	1.48
		89 = LEGITIMATE SKIP Logically assigned	2	0.00
		94 = DON'T KNOW	289	0.03
		97 = REFUSED	134	0.01
		98 = BLANK (NO ANSWER).....	3359	0.35
		99 = LEGITIMATE SKIP	777927	81.95

Think again about these other problems we just mentioned. They include things like changes in:

- sleep
- eating
- energy
- the ability to keep their mind on things
- feeling badly about themselves

Can you think of the worst time when you [FEELFILL] for two weeks or longer and also had these other problems at the same time?

<u>YOWRPROB</u> ¹	Len : 2	ONE PARTICULAR TIME THAT IS THE WORST ONE EVER		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	34370	3.62
		2 = No.....	9477	1.00
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	282	0.03
		97 = REFUSED	68	0.01
		98 = BLANK (NO ANSWER).....	3782	0.40
		99 = LEGITIMATE SKIP	791996	83.43

How old were you when that worst period of time started?

Then think of the most recent time you [FEELFILL] for two weeks or longer and you had these other problems at the same time.

How old were you when that time started?

<u>YOWRAGE</u> ¹	Len : 3	AGE WHEN WORST PERIOD OF TIME STARTED		
			Freq	Pct
		RANGE = 1 - 17.....	42798	4.51
		-9 = Data not collected for this year	109309	11.51
		985 = BAD DATA Logically assigned.....	6	0.00
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		994 = DON'T KNOW	1175	0.12
		997 = REFUSED	217	0.02
		998 = BLANK (NO ANSWER).....	3783	0.40
		999 = LEGITIMATE SKIP	791996	83.43

ADOLESCENT DEPRESSION

In answering the next questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

During that time, did you feel sad, empty, or depressed for most of the day nearly every day?

[YOWRDEPR](#)¹

Len : 2 WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	32557	3.43
2 = No.....	11264	1.19
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	268	0.03
97 = REFUSED	107	0.01
98 = BLANK (NO ANSWER).....	3783	0.40
99 = LEGITIMATE SKIP	791996	83.43

During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?

[YOWRDISC](#)¹

Len : 2 WHEN PRBLMS WRST FELT DISCRGED ABT LIFE EVERY DAY

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	32857	3.46
2 = No.....	10889	1.15
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	334	0.04
97 = REFUSED	116	0.01
98 = BLANK (NO ANSWER).....	3783	0.40
99 = LEGITIMATE SKIP	791996	83.43

During that [TIMEFILL] period of time, did you become bored with almost everything like school, work, hobbies, and things you like to do for fun?

[YOWRLSIN](#)¹

Len : 2 WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	33912	3.57
2 = No.....	10008	1.05
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	190	0.02
97 = REFUSED	86	0.01
98 = BLANK (NO ANSWER).....	3783	0.40
99 = LEGITIMATE SKIP	791996	83.43

During that [TIMEFILL] period of time, did you feel like nothing was fun even when good things were happening?

[YOWRPLSR](#)¹

Len : 2 WHEN PRBLMS WORST FEEL NO FUN IN GOOD THINGS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	30574	3.22
2 = No.....	13291	1.40
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	244	0.03
97 = REFUSED	87	0.01
98 = BLANK (NO ANSWER).....	3783	0.40
99 = LEGITIMATE SKIP	791996	83.43

ADOLESCENT DEPRESSION

The next questions are about changes in appetite and weight.

In answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you eat much less than usual almost every day during that time?

<u>YOWRELES</u> ¹	Len : 2	WHEN PRBLMS WORST EAT LESS THAN USUAL EVERY DAY		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	21973	2.31
		2 = No.....	18765	1.98
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	293	0.03
		97 = REFUSED	76	0.01
		98 = BLANK (NO ANSWER).....	3984	0.42
		99 = LEGITIMATE SKIP	794884	83.74

Did you eat much more than usual almost every day?

<u>YOWREMOR</u> ¹	Len : 2	WHEN PRBLMS WORST EAT MORE THAN USUAL EVERY DAY		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	7151	0.75
		2 = No.....	11652	1.23
		94 = DON'T KNOW	267	0.03
		97 = REFUSED	64	0.01
		98 = BLANK (NO ANSWER).....	3984	0.42
		99 = LEGITIMATE SKIP	816858	86.05

Did you gain weight without trying to during that [TIMEFILL] period of time?

<u>YOWRGAIN</u> ¹	Len : 2	WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	6000	0.63
		2 = No.....	12682	1.34
		94 = DON'T KNOW	392	0.04
		97 = REFUSED	60	0.01
		98 = BLANK (NO ANSWER).....	3984	0.42
		99 = LEGITIMATE SKIP	816858	86.05

Did you gain weight without trying to because you were growing?

<u>YOWRGROW</u> ¹	Len : 2	WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	2415	0.25
		2 = No.....	3248	0.34
		94 = DON'T KNOW	333	0.04
		97 = REFUSED	4	0.00
		98 = BLANK (NO ANSWER).....	4436	0.47
		99 = LEGITIMATE SKIP	829540	87.39

Did you gain weight without trying to because you were pregnant?

<u>YOWRPREG</u> ¹	Len : 2	WHEN PRBLMS WRST GAIN WGHT W/O TRYING BC PREGNANT		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	33	0.00
		2 = No.....	2914	0.31
		94 = DON'T KNOW	8	0.00
		97 = REFUSED	6	0.00
		98 = BLANK (NO ANSWER).....	2215	0.23
		99 = LEGITIMATE SKIP	834800	87.94

ADOLESCENT DEPRESSION

How many pounds did you gain?

Please enter your answer as a whole number.

<u>YOWRGNL2</u> ¹	Len : 3	WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING		
			Freq	Pct
		RANGE = 0 - 51	3172	0.33
		-9 = Data not collected for this year	109309	11.51
		994 = DON'T KNOW	337	0.04
		997 = REFUSED	43	0.00
		998 = BLANK (NO ANSWER).....	4436	0.47
		999 = LEGITIMATE SKIP	831988	87.64

Did you lose weight without trying to?

<u>YOWRLOSE</u> ¹	Len : 2	WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	16296	1.72
		2 = No.....	18023	1.90
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	726	0.08
		97 = REFUSED	62	0.01
		98 = BLANK (NO ANSWER).....	4034	0.42
		99 = LEGITIMATE SKIP	800834	84.36

Did you lose weight without trying to because you were sick or on a diet?

<u>YOWRDIET</u> ¹	Len : 2	WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	5176	0.55
		2 = No.....	11033	1.16
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	82	0.01
		97 = REFUSED	5	0.00
		98 = BLANK (NO ANSWER).....	4822	0.51
		99 = LEGITIMATE SKIP	818857	86.26

How many pounds did you lose?

Please enter your answer as a whole number.

<u>YOWRLSL2</u> ¹	Len : 3	WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING		
			Freq	Pct
		RANGE = 0 - 51	10280	1.08
		-9 = Data not collected for this year	109309	11.51
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		994 = DON'T KNOW	777	0.08
		997 = REFUSED	63	0.01
		998 = BLANK (NO ANSWER).....	4822	0.51
		999 = LEGITIMATE SKIP	824033	86.81

Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a lot more trouble than usual falling asleep or staying asleep most nights or waking too early most mornings during that [TIMEFILL] time?

<u>YOWRSLEP</u> ¹	Len : 2	WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	31243	3.29
		2 = No.....	9522	1.00
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	269	0.03
		97 = REFUSED	73	0.01
		98 = BLANK (NO ANSWER).....	3984	0.42
		99 = LEGITIMATE SKIP	794884	83.74

ADOLESCENT DEPRESSION

During that [TIMEFILL] period of time, did you sleep a lot more than usual?

<u>YOWRSMOR</u> ¹	Len : 2 WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	5095	0.54
	2 = No.....	4554	0.48
	94 = DON'T KNOW	185	0.02
	97 = REFUSED	30	0.00
	98 = BLANK (NO ANSWER).....	3984	0.42
	99 = LEGITIMATE SKIP	826128	87.03

On most days during that [TIMEFILL] period of time, did you feel that you didn't have much energy?

<u>YOWRENRG</u> ¹	Len : 2 WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	35360	3.72
	2 = No.....	5525	0.58
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	181	0.02
	97 = REFUSED	41	0.00
	98 = BLANK (NO ANSWER).....	3984	0.42
	99 = LEGITIMATE SKIP	794884	83.74

Did you feel as though you were talking or moving more slowly than usual on most days during that [TIMEFILL] period of time?

<u>YOWRSLOW</u> ¹	Len : 2 WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	28962	3.05
	2 = No.....	11818	1.24
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	276	0.03
	97 = REFUSED	51	0.01
	98 = BLANK (NO ANSWER).....	3984	0.42
	99 = LEGITIMATE SKIP	794884	83.74

Did anyone else notice that you were talking or moving more slowly than usual?

<u>YOWRSLNO</u> ¹	Len : 2 WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	18864	1.99
	2 = No.....	9657	1.02
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	434	0.05
	97 = REFUSED	7	0.00
	98 = BLANK (NO ANSWER).....	4311	0.45
	99 = LEGITIMATE SKIP	806702	84.98

Were you so restless or jittery that you walked up or down or couldn't sit still?

<u>YOWRJITT</u> ¹	Len : 2 WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	3644	0.38
	2 = No.....	8283	0.87
	94 = DON'T KNOW	178	0.02
	97 = REFUSED	40	0.00
	98 = BLANK (NO ANSWER).....	3984	0.42
	99 = LEGITIMATE SKIP	823847	86.79

ADOLESCENT DEPRESSION

Did anyone else notice that you couldn't sit still?

<u>YOWRJNO</u> ¹	Len : 2 WHEN PRBLMS WRST PEOP NOTICE YOU CLDN'T SIT STILL		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	1994	0.21
	2 = No.....	1572	0.17
	94 = DON'T KNOW	76	0.01
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER).....	4202	0.44
	99 = LEGITIMATE SKIP	832130	87.66

The next questions are about changes in your ability to concentrate, and your feelings about yourself.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

On most days during that [TIMEFILL] time, did your thinking seem slower than usual or seem mixed up?

<u>YOWRTHOT</u> ¹	Len : 2 WHEN PRBLMS WORST THGHTS SLOWER/MIXED UP		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	28697	3.02
	2 = No.....	11921	1.26
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	400	0.04
	97 = REFUSED	89	0.01
	98 = BLANK (NO ANSWER).....	3984	0.42
	99 = LEGITIMATE SKIP	794884	83.74

On most days, did you have a lot more trouble than usual keeping your mind on things?

<u>YOWRCONC</u> ¹	Len : 2 WHEN PRBLMS WRST HAVE TRBLE KEEPING MIND ON THNGS		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	33393	3.52
	2 = No.....	7446	0.78
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	210	0.02
	97 = REFUSED	58	0.01
	98 = BLANK (NO ANSWER).....	3984	0.42
	99 = LEGITIMATE SKIP	794884	83.74

Were you unable to make up your mind about things you ordinarily have no trouble deciding about?

<u>YOWRDCSN</u> ¹	Len : 2 WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	25822	2.72
	2 = No.....	14801	1.56
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	417	0.04
	97 = REFUSED	67	0.01
	98 = BLANK (NO ANSWER).....	3984	0.42
	99 = LEGITIMATE SKIP	794884	83.74

Did you feel that you were not as good as other people nearly every day?

<u>YOWRNOGD</u> ¹	Len : 2 WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	31871	3.36
	2 = No.....	8965	0.94
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	196	0.02
	97 = REFUSED	75	0.01
	98 = BLANK (NO ANSWER).....	3984	0.42
	99 = LEGITIMATE SKIP	794884	83.74

ADOLESCENT DEPRESSION

Did you feel totally worthless nearly every day?

<u>YOWRWTRH</u> ¹	Len : 2	WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	23578	2.48
		2 = No.....	8163	0.86
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	89	0.01
		97 = REFUSED	41	0.00
		98 = BLANK (NO ANSWER).....	4255	0.45
		99 = LEGITIMATE SKIP	803849	84.68

The next questions are about thoughts of death or suicide.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you often think a lot about death, either your own, someone else's, or death in general?

<u>YOWRDLT</u> ¹	Len : 2	WHEN PRBLMS WORST THINK A LOT ABOUT DEATH		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	25787	2.72
		2 = No.....	14900	1.57
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	144	0.02
		97 = REFUSED	276	0.03
		98 = BLANK (NO ANSWER).....	3984	0.42
		99 = LEGITIMATE SKIP	794884	83.74

During that period, did you ever think that it would be better if you were dead?

<u>YOWRDBTR</u> ¹	Len : 2	WHEN PRBLMS WRST THINK IT WOULD BE BETTER IF DEAD		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	24420	2.57
		2 = No.....	16068	1.69
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	212	0.02
		97 = REFUSED	407	0.04
		98 = BLANK (NO ANSWER).....	3984	0.42
		99 = LEGITIMATE SKIP	794884	83.74

Did you think about killing yourself?

<u>YOWRSTHK</u> ¹	Len : 2	WHEN PRBLMS WORST THINK ABOUT KILLING YOURSELF		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	20303	2.14
		2 = No.....	20111	2.12
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	151	0.02
		97 = REFUSED	542	0.06
		98 = BLANK (NO ANSWER).....	3984	0.42
		99 = LEGITIMATE SKIP	794884	83.74

Did you make a plan to kill yourself?

<u>YOWRSPLN</u> ¹	Len : 2	WHEN PRBLMS WORST MAKE A PLAN TO KILL YOURSELF		
			Freq	Pct
		-9 = Data not collected for this year	109309	11.51
		1 = Yes.....	9557	1.01
		2 = No.....	10615	1.12
		94 = DON'T KNOW	33	0.00
		97 = REFUSED	98	0.01
		98 = BLANK (NO ANSWER).....	4677	0.49
		99 = LEGITIMATE SKIP	814996	85.85

ADOLESCENT DEPRESSION

Did you make a suicide attempt or try to kill yourself?

YOWRSATP¹

Len : 2 WHEN PRBLMS WORST MAKE A SUICIDE ATTEMPT

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	7072	0.74
2 = No.....	13072	1.38
94 = DON'T KNOW	27	0.00
97 = REFUSED	132	0.01
98 = BLANK (NO ANSWER).....	4677	0.49
99 = LEGITIMATE SKIP	814996	85.85

YO_MDEA1¹

Len : 2 SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has symptom.....	36602	3.86
2 = Does not have symptom.....	7242	0.76
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	257	0.03
97 = REFUSED	95	0.01
98 = OTHER MISSING/NOT APPLICABLE	205024	21.60
99 = LEGITIMATE SKIP	590755	62.23

YO_MDEA2¹

Len : 2 LOST INTEREST OR PLEASURE IN MOST THINGS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has symptom.....	38883	4.10
2 = Does not have symptom.....	6734	0.71
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	411	0.04
97 = REFUSED	104	0.01
98 = OTHER MISSING/NOT APPLICABLE	203088	21.39
99 = LEGITIMATE SKIP	590755	62.23

YO_MDEA3¹

Len : 2 CHANGES IN APPETITE OR WT

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has symptom.....	29982	3.16
2 = Does not have symptom.....	10360	1.09
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	678	0.07
97 = REFUSED	87	0.01
98 = OTHER MISSING/NOT APPLICABLE	208113	21.92
99 = LEGITIMATE SKIP	590755	62.23

YO_MDEA4¹

Len : 2 SLEEP PROBLEMS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has symptom.....	36338	3.83
2 = Does not have symptom.....	4470	0.47
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	258	0.03
97 = REFUSED	41	0.00
98 = OTHER MISSING/NOT APPLICABLE	208113	21.92
99 = LEGITIMATE SKIP	590755	62.23

YO_MDEA5¹

Len : 2 OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has symptom.....	20858	2.20
2 = Does not have symptom.....	19730	2.08
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	510	0.05
97 = REFUSED	9	0.00
98 = OTHER MISSING/NOT APPLICABLE	208113	21.92
99 = LEGITIMATE SKIP	590755	62.23

ADOLESCENT DEPRESSION

YO_MDEA6¹

Len : 2 FELT TIRED/LOW ENERGY NEARLY EVERY DAY

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has symptom.....	35360	3.72
2 = Does not have symptom.....	5525	0.58
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	181	0.02
97 = REFUSED	41	0.00
98 = OTHER MISSING/NOT APPLICABLE	208113	21.92
99 = LEGITIMATE SKIP	590755	62.23

YO_MDEA7¹

Len : 2 FELT WORTHLESS NEARLY EVERY DAY

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has symptom.....	23578	2.48
2 = Does not have symptom.....	17399	1.83
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	89	0.01
97 = REFUSED	41	0.00
98 = OTHER MISSING/NOT APPLICABLE	208113	21.92
99 = LEGITIMATE SKIP	590755	62.23

YO_MDEA8¹

Len : 2 INABILITY TO CONCENTRATE OR MAKE DECISIONS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has symptom.....	36694	3.87
2 = Does not have symptom.....	4170	0.44
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	187	0.02
97 = REFUSED	56	0.01
98 = OTHER MISSING/NOT APPLICABLE	208113	21.92
99 = LEGITIMATE SKIP	590755	62.23

YO_MDEA9¹

Len : 2 ANY THOUGHTS OR PLANS OF SUICIDE

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has symptom.....	30287	3.19
2 = Does not have symptom.....	10365	1.09
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	143	0.02
97 = REFUSED	312	0.03
98 = OTHER MISSING/NOT APPLICABLE	208113	21.92
99 = LEGITIMATE SKIP	590755	62.23

YODSMMDE¹

Len : 2 SCORE OF SYMPTOM INDICATORS 1 THRU 9

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Has 5 or more symptoms	36935	3.89
2 = Has less than 5 symptoms.....	8846	0.93
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = SUM OF SYMPTOMS AND DON'T KNOW >=5	281	0.03
97 = SUM OF SYMPTOMS AND REFUSED >=5	70	0.01
98 = OTHER MISSING/NOT APPLICABLE	203088	21.39
99 = LEGITIMATE SKIP	590755	62.23

ADOLESCENT DEPRESSION

You mentioned having some of the problems I just asked you about.

During that [TIMEFILL] period of time, how much did your [FEELNOUN] interfere or cause problems with your school work, your job, or your relationships with family and friends?

[YOPBINTF](#)¹

Len : 2 WHEN PRBLMS WORST INTERFERE WITH SCHL/ PRSNL LIFE

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Not at all.....	2190	0.23
2 = A little	7720	0.81
3 = Some	12157	1.28
4 = A lot.....	11064	1.17
5 = Extremely	4885	0.51
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	85	0.01
97 = REFUSED	66	0.01
98 = BLANK (NO ANSWER).....	4241	0.45
99 = LEGITIMATE SKIP	797567	84.02

During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities or to take care of yourself because of these problems with your mood?

[YOPBDLYA](#)¹

Len : 2 WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Often	6826	0.72
2 = Sometimes	16921	1.78
3 = Not very often	8885	0.94
4 = Never	3049	0.32
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	214	0.02
97 = REFUSED	82	0.01
98 = BLANK (NO ANSWER).....	4241	0.45
99 = LEGITIMATE SKIP	799757	84.25

Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] and also had some of the other problems we just asked about.

Can you remember your exact age?

[YOPBRMBR](#)¹

Len : 2 RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	22177	2.34
2 = No.....	15663	1.65
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	248	0.03
97 = REFUSED	79	0.01
98 = BLANK (NO ANSWER).....	4241	0.45
99 = LEGITIMATE SKIP	797567	84.02

How old were you?

[YOPBAGE](#)¹

Len : 3 AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 17.....	36025	3.79
-9 = Data not collected for this year	109309	11.51
985 = BAD DATA Logically assigned.....	4	0.00
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
994 = DON'T KNOW	1879	0.20
997 = REFUSED	180	0.02
998 = BLANK (NO ANSWER).....	4320	0.46
999 = LEGITIMATE SKIP	797567	84.02

ADOLESCENT DEPRESSION

In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

If you are not sure of your answer, just make your best guess.

<u>YOPBNUM</u> ¹	Len : 4 # TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE		
		Freq	Pct
	RANGE = 1 - 1000	32589	3.43
	-9 = Data not collected for this year	109309	11.51
	9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	9994 = DON'T KNOW.....	4863	0.51
	9997 = REFUSED	715	0.08
	9998 = BLANK (NO ANSWER).....	4241	0.45
	9999 = LEGITIMATE SKIP.....	797567	84.02

In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

<u>YOPB2WK</u> ¹	Len : 2 FELT THIS WAY 2 WKS+ W/OTH PRBS DURING PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	1 = Yes.....	24854	2.62
	2 = No.....	12378	1.30
	85 = BAD DATA Logically assigned.....	1	0.00
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	714	0.08
	97 = REFUSED	220	0.02
	98 = BLANK (NO ANSWER).....	4241	0.45
	99 = LEGITIMATE SKIP	797567	84.02

NOTE: Beginning with the 2008 survey, the questions corresponding to the variables YOPSHMGT, YOPSWORK, YOPSRELS, and YOPSSOC no longer allow respondents to choose the category 95 (ACTIVITY DOES NOT APPLY).

Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] the worst.

Using the 0 to 10 scale shown below, where 0 means no problems and 10 means very severe problems, select the number that describes how much your [FEELNOUN] caused problems with your ability to do each of the following activities during that time. You can use any number between 0 and 10 to answer.

How much did your [FEELNOUN] cause problems with your chores at home?

<u>YOPSHMGT</u> ¹	Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH HOME CHORES		
		Freq	Pct
	-9 = Data not collected for this year	109309	11.51
	0 = No Problems	1702	0.18
	1 = Mild - 1	1128	0.12
	2 = Mild - 2	1798	0.19
	3 = Mild - 3	2138	0.23
	4 = Moderate - 4	2400	0.25
	5 = Moderate - 5	3907	0.41
	6 = Moderate - 6	3561	0.38
	7 = Severe - 7	2777	0.29
	8 = Severe - 8	2429	0.26
	9 = Severe - 9	1007	0.11
	10 = Very Severe Problems	1563	0.16
	85 = BAD DATA Logically assigned.....	1	0.00
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	145	0.02
	95 = ACTIVITY DOES NOT APPLY	236	0.02
	97 = REFUSED	63	0.01
	98 = BLANK (NO ANSWER).....	5175	0.55
	99 = LEGITIMATE SKIP	809945	85.32

ADOLESCENT DEPRESSION

During that time in the past 12 months when your [FEELNOUN] was worst, how much did this cause problems with your ability to do well at school or work?

You can use any number between 0 and 10 to answer.

YOPSWORK¹

Len : 2 HOW MCH DID FLNGS INTRFR W/ABLTY TO DO WLL SCH/WK

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
0 = No Problems	1218	0.13
1 = Mild - 1	1047	0.11
2 = Mild - 2	1688	0.18
3 = Mild - 3	2119	0.22
4 = Moderate - 4	2240	0.24
5 = Moderate - 5	3512	0.37
6 = Moderate - 6	3154	0.33
7 = Severe - 7	2868	0.30
8 = Severe - 8	2792	0.29
9 = Severe - 9	1704	0.18
10 = Very Severe Problems	2078	0.22
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	138	0.01
95 = ACTIVITY DOES NOT APPLY	235	0.02
97 = REFUSED	61	0.01
98 = BLANK (NO ANSWER).....	5175	0.55
99 = LEGITIMATE SKIP	809945	85.32

How much did your [FEELNOUN] cause problems with your ability to get along with your family during that time?

You can use any number between 0 and 10 to answer.

YOPSRELS¹

Len : 2 HOW MUCH DID FLNGS INTRFR W/GETTING ALONG W/FAM

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
0 = No Problems	991	0.10
1 = Mild - 1	842	0.09
2 = Mild - 2	1289	0.14
3 = Mild - 3	1761	0.19
4 = Moderate - 4	1881	0.20
5 = Moderate - 5	3003	0.32
6 = Moderate - 6	2884	0.30
7 = Severe - 7	3253	0.34
8 = Severe - 8	3185	0.34
9 = Severe - 9	2323	0.24
10 = Very Severe Problems	3117	0.33
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	117	0.01
95 = ACTIVITY DOES NOT APPLY	143	0.02
97 = REFUSED	65	0.01
98 = BLANK (NO ANSWER).....	5175	0.55
99 = LEGITIMATE SKIP	809945	85.32

ADOLESCENT DEPRESSION

How much did your [FEELNOUN] cause problems with your social life during that time?

You can use any number between 0 and 10 to answer.

YOPSSOC¹

Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
0 = No Problems	904	0.10
1 = Mild - 1	762	0.08
2 = Mild - 2	1243	0.13
3 = Mild - 3	1772	0.19
4 = Moderate - 4	2108	0.22
5 = Moderate - 5	3149	0.33
6 = Moderate - 6	2986	0.31
7 = Severe - 7	3067	0.32
8 = Severe - 8	3152	0.33
9 = Severe - 9	2418	0.25
10 = Very Severe Problems	2937	0.31
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	128	0.01
95 = ACTIVITY DOES NOT APPLY	155	0.02
97 = REFUSED	73	0.01
98 = BLANK (NO ANSWER).....	5175	0.55
99 = LEGITIMATE SKIP	809945	85.32

NOTE: Beginning with the 2008 survey, respondents who answered "don't know" or "refused" to questions corresponding to the variables YOPSHMGT, YOPSWORK, YOPSRELS, and YOPSSOC are no longer asked the question corresponding to YOPSDAYS unless they entered a response of 1 to 10 in at least one of the other questions corresponding to YOPSHMGT through YOPSSOC.

About how many days out of 365 in the past 12 months were you totally unable to go to school or work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer.

YOPSDAYS¹

Len : 3 # DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS

	Freq	Pct
RANGE = 0 - 365	23493	2.47
-9 = Data not collected for this year	109309	11.51
985 = BAD DATA Logically assigned.....	1	0.00
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
994 = DON'T KNOW	1079	0.11
997 = REFUSED	96	0.01
998 = BLANK (NO ANSWER).....	5248	0.55
999 = LEGITIMATE SKIP	810058	85.33

ADOLESCENT DEPRESSION

Here is a list of professionals some people talk to about the problems we have been asking about:

- General practitioner or family doctor
- Other medical doctor like a cardiologist, gynecologist, urologist
- Psychologist
- Psychiatrist or psychotherapist
- Social Worker
- Counselor
- Other mental health professional, like a mental health nurse
- A nurse, occupational therapist, or other health professional
- A religious or spiritual advisor like a minister, priest, or rabbi
- Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist

At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?

YOSEEDOC¹

Len : 2 SEE/TALK TO A DR/OTH PROF ABT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	12143	1.28
2 = No.....	25610	2.70
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	249	0.03
97 = REFUSED	164	0.02
98 = BLANK (NO ANSWER).....	4241	0.45
99 = LEGITIMATE SKIP	797567	84.02

During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?

YOFAMDOC¹

Len : 2 GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	2775	0.29
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	9147	0.96
94 = DON'T KNOW	134	0.01
97 = REFUSED	249	0.03
98 = BLANK (NO ANSWER).....	4491	0.47
99 = LEGITIMATE SKIP	823178	86.72

YOOTHDOC¹

Len : 2 OTH DR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	485	0.05
3 = Response entered LOGICALLY ASSIGNED	22	0.00
6 = Response not entered.....	11417	1.20
94 = DON'T KNOW	134	0.01
97 = REFUSED	249	0.03
98 = BLANK (NO ANSWER).....	4491	0.47
99 = LEGITIMATE SKIP	823178	86.72

YOPSYCH¹

Len : 2 PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	3928	0.41
3 = Response entered LOGICALLY ASSIGNED	5	0.00
6 = Response not entered.....	7991	0.84
94 = DON'T KNOW	134	0.01
97 = REFUSED	249	0.03
98 = BLANK (NO ANSWER).....	4491	0.47
99 = LEGITIMATE SKIP	823178	86.72

ADOLESCENT DEPRESSION

YOPSYMD¹

Len : 2 PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	2938	0.31
3 = Response entered LOGICALLY ASSIGNED	5	0.00
6 = Response not entered.....	8981	0.95
94 = DON'T KNOW	134	0.01
97 = REFUSED	249	0.03
98 = BLANK (NO ANSWER).....	4491	0.47
99 = LEGITIMATE SKIP	823178	86.72

YOSOCWRK¹

Len : 2 SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	1855	0.20
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered.....	10067	1.06
94 = DON'T KNOW	134	0.01
97 = REFUSED	249	0.03
98 = BLANK (NO ANSWER).....	4491	0.47
99 = LEGITIMATE SKIP	823178	86.72

YOCOUNS¹

Len : 2 COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	7319	0.77
3 = Response entered LOGICALLY ASSIGNED	50	0.01
6 = Response not entered.....	4555	0.48
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	134	0.01
97 = REFUSED	249	0.03
98 = BLANK (NO ANSWER).....	4491	0.47
99 = LEGITIMATE SKIP	823177	86.72

YOOHMP¹

Len : 2 MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	812	0.09
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered.....	11109	1.17
94 = DON'T KNOW	134	0.01
97 = REFUSED	249	0.03
98 = BLANK (NO ANSWER).....	4491	0.47
99 = LEGITIMATE SKIP	823178	86.72

YONURSE¹

Len : 2 NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	1049	0.11
3 = Response entered LOGICALLY ASSIGNED	7	0.00
6 = Response not entered.....	10868	1.14
94 = DON'T KNOW	134	0.01
97 = REFUSED	249	0.03
98 = BLANK (NO ANSWER).....	4491	0.47
99 = LEGITIMATE SKIP	823178	86.72

YORELIG¹

Len : 2 RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	1431	0.15
3 = Response entered LOGICALLY ASSIGNED	8	0.00
6 = Response not entered.....	10485	1.10
94 = DON'T KNOW	134	0.01
97 = REFUSED	249	0.03
98 = BLANK (NO ANSWER).....	4491	0.47
99 = LEGITIMATE SKIP	823178	86.72

ADOLESCENT DEPRESSION

[YOHHERBAL](#)¹

Len : 2 HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	239	0.03
6 = Response not entered.....	11685	1.23
94 = DON'T KNOW	134	0.01
97 = REFUSED	249	0.03
98 = BLANK (NO ANSWER).....	4491	0.47
99 = LEGITIMATE SKIP	823178	86.72

[YOOHHLP](#)¹

Len : 2 OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Response entered	623	0.07
6 = Response not entered.....	11301	1.19
94 = DON'T KNOW	134	0.01
97 = REFUSED	249	0.03
98 = BLANK (NO ANSWER).....	4491	0.47
99 = LEGITIMATE SKIP	823178	86.72

Are you currently receiving treatment or counseling for [NUMPROBS] with your mood?

[YOTMTNOW](#)¹

Len : 2 CURRENTLY RCVNG TREATMENT/COUNSLG FOR MOOD

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	5406	0.57
2 = No	6705	0.71
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	19	0.00
97 = REFUSED	177	0.02
98 = BLANK (NO ANSWER).....	4491	0.47
99 = LEGITIMATE SKIP	823177	86.72

During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?

[YORX12MO](#)¹

Len : 2 TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	6030	0.64
2 = No	31875	3.36
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	155	0.02
97 = REFUSED	106	0.01
98 = BLANK (NO ANSWER).....	4241	0.45
99 = LEGITIMATE SKIP	797567	84.02

Are you currently taking prescription medication that was prescribed for [NUMPROBS]?

[YORXNOW](#)¹

Len : 2 CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Yes.....	4131	0.44
2 = No	1891	0.20
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	5	0.00
97 = REFUSED	109	0.01
98 = BLANK (NO ANSWER).....	4397	0.46
99 = LEGITIMATE SKIP	829442	87.38

ADOLESCENT DEPRESSION

During the past 12 months, how much has this prescription medication helped you?

[YORXHLP](#)¹

Len : 2 HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Not at all.....	895	0.09
2 = A little	1026	0.11
3 = Some	1426	0.15
4 = A lot.....	1682	0.18
5 = Extremely	962	0.10
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	24	0.00
97 = REFUSED	121	0.01
98 = BLANK (NO ANSWER).....	4397	0.46
99 = LEGITIMATE SKIP	829442	87.38

During the past 12 months, how much has treatment or counseling helped you?

[YOTMTHLP](#)¹

Len : 2 HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	11.51
1 = Not at all.....	1967	0.21
2 = A little	2514	0.26
3 = Some	3067	0.32
4 = A lot.....	2981	0.31
5 = Extremely	1487	0.16
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	84	0.01
97 = REFUSED	207	0.02
98 = BLANK (NO ANSWER).....	4491	0.47
99 = LEGITIMATE SKIP	823177	86.72

RECODED ADULT AND ADOLESCENT DEPRESSION

RECODED ADULT AND ADOLESCENT DEPRESSION

TXHPMDE

Len : 1 PERCEPTION OF HELP RCVD FROM MDE TRT/CNSLG

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	106011	11.17
-9 = Data not collected for this year	837778	88.25
1 = No Help at All (ADTMTHLP=1 or YOTMTHLP=1)	944	0.10
2 = A Little Help (ADTMTHLP=2 or YOTMTHLP=2)	1009	0.11
3 = Some Help (ADTMTHLP=3 or YOTMTHLP=3)	1325	0.14
4 = A Lot of Help (ADTMTHLP=4 or YOTMTHLP=4)	1452	0.15
5 = Extremely Helpful (ADTMTHLP=5 or YOTMTHLP=5)	766	0.08

RXHPMDE

Len : 1 PERCEPTION OF HELP RCVD FROM MDE RX MEDICATION

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	107595	11.33
-9 = Data not collected for this year	837778	88.25
1 = No Help at All (ADRXHLP=1 or YORXHLP=1)	368	0.04
2 = A Little Help (ADRXHLP=2 or YORXHLP=2)	512	0.05
3 = Some Help (ADRXHLP=3 or YORXHLP=3)	888	0.09
4 = A Lot of Help (ADRXHLP=4 or YORXHLP=4)	1316	0.14
5 = Extremely Helpful (ADRXHLP=5 or YORXHLP=5)	828	0.09

RECODED ADULT AND ADOLESCENT DEPRESSION

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the Adult Depression and Adolescent Depression sections.

NOTE: This codebook contains two versions of adult lifetime and past year major depressive episode (MDE) variables. The unadjusted variables (MDELT and MDEYR), located in this section, are defined for both adult and adolescent respondents. Due to questionnaire changes in 2008 the unadjusted MDE variables for adults are only comparable with 2004 sample B (ADLTSAMP=2) and other years between 2005 and 2007. The adjusted variables (AJAMDELT and AJAMDEYR), included in the Recoded Adult Depression section, are only defined for adult respondents. These variables were developed to allow comparisons of adult MDE data across years beginning with 2005 and continuing through 2008 and later years. Adjusted variables were not created for 2004. Specific details about both versions can be found in the Recoded Depression Variable Documentation Appendix.

The unadjusted MDE variables were used in the 2007 detailed tables. Adjusted MDE variables (AJAMDELT and AJAMDEYR) were developed to allow comparisons across years beginning with 2005 (See the Recoded Adult Depression section). The adjusted variables were first used to produce lifetime and past year adult MDE estimates in the 2010 mental health detailed tables. For more information on the creation of the unadjusted adult depression variables see the Recoded Depression Variable Documentation Appendix.

Additional adolescent depression recodes are available in the Recoded Adolescent Depression section and are defined for only youth.

A respondent was classified as having a major depressive episode (MDE) in their lifetime (MDELT=1) if they reported experiencing at least 5 out of the 9 criteria used to define an adult as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (ADSMMDEA=1).

A respondent was classified as NOT having a major depressive episode (MDE) in their lifetime (MDELT=2) if they met either of these conditions:

(1) Reported experiencing fewer than 5 out of the 9 criteria used to define a person as having had MDE in their lifetime (ADSMMDEA=2 or YODSMMDE=2)

(2) If the number of criteria used to define a person as having had MDE in their lifetime is unknown (ADSMMDEA=98 or YODSMMDE=98) and reported at least one of the following:

(I) Never having had a period of time lasting several days or longer when felt sad, empty, or depressed (ADDPREV=2 or YODPREV=2), discouraged about how things were going in life (ADDSCEV=2 or YODSCEV=2), and lost interest in most things usually enjoy (ADLOSEV=2 or YOLOSEV=2).

(II) Never having had a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasting nearly every day for two weeks or longer [(ADLSI2WK=2 or YOLSI2WK=2) and (ADDP2WK=2 or YODP2WK=2)].

(III) Having a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasted nearly every day for two weeks or longer and the sadness, discouragement, or loss of interest lasted less than an hour when mood was most severe and frequent (ADWRHRS=1 or (YOWRHRS=1).

(IV) Having a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasted nearly every day for two weeks or longer and during those times when mood was most severe and frequent, emotional distress was mild (ADWRDST=1 or YOWRDST=1), there was never a time when emotional distress was so severe that you could not be cheered up (ADWRCHR=4 of YOWRCHR=4), and there was never a time when your emotional distress was so severe that you could not carry out your daily activities (ADWRIMP=4 or YOWRIMP=4).

(v) Having a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasted nearly every day for two weeks or longer and never had any other problems during those weeks, such as changes in sleep, appetite, energy, the ability to concentrate and remember, or feelings of low self-worth (ADPPROB=2 or YODPPROB=2).

MDELT

Len : 1 HAD LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Unknown (Otherwise)	2054	0.22
-9 = Data not collected for this year	727694	76.66
1 = Yes (ADSMMDEA=1 OR YODSMMDE=1)	30411	3.20
2 = No (See comment above).....	170496	17.96
3 = Out of Scope (ADLTSAMP=1,98)	18630	1.96

MDEYR

Len : 1 HAD PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Unknown (Otherwise)	2409	0.25
-9 = Data not collected for this year	727694	76.66
1 = Yes (MDELT=1 & (ADPB2WK=1 OR YOPB2WK=1)).....	17880	1.88
2 = No (MDELT=2 or [MDELT=1&(ADPB2WK=2 or YOPB2WK=2)]).....	182672	19.24
3 = Out of Scope (MDELT=3).....	18630	1.96

RECODED ADULT AND ADOLESCENT DEPRESSION

NOTE: The remaining variables in this section are based on questions asked of some respondents not classified as having an MDE in their lifetime in addition to respondents classified as having MDE. If you would like estimates among persons with MDE, you will need to restrict your analysis by either the lifetime MDE variable (MDELT) or the past year MDE variable (MDEYR).

<u>TXMDEYR</u>	Len : 1 SAW OR TALKED TO MD OR PROF FOR MDE IN PAST YEAR		
		Freq	Pct
	. = Unknown (ADSEEDOC and YOSEEDOC = 94,97,98,99)	190426	20.06
	-9 = Data not collected for this year	727694	76.66
	0 = No (ADSEEDOC=2 or YOSEEDOC=2)	19354	2.04
	1 = Yes (ADSEEDOC=1 or YOSEEDOC=1)	11811	1.24

<u>RXMDEYR</u>	Len : 1 USED PRESCRIPTION MEDICATION FOR MDE IN PAST YEAR		
		Freq	Pct
	. = Unknown (ADRX12MO and YORX12MO = 94,97,98,99)	190387	20.06
	-9 = Data not collected for this year	727694	76.66
	0 = No (ADRX12MO=2 or YORX12MO=2)	22683	2.39
	1 = Yes (ADRX12MO=1 or YORX12MO=1)	8521	0.90

NOTE: In the following 3 variables, a person is defined as having received treatment/counseling if one saw or talked to a medical doctor or other professional for MDE.

<u>MDETXXRX</u>	Len : 1 RCVD TRT/CNSLNG OR RX MED FOR MDE IN PAST YEAR		
		Freq	Pct
	. = Unknown (Otherwise)	190422	20.06
	-9 = Data not collected for this year	727694	76.66
	0 = No (TXMDEYR=0 and RXMDEYR=0)	17934	1.89
	1 = Yes (TXMDEYR=1 or RXMDEYR=1)	13235	1.39

<u>MDETXXRX</u>	Len : 1 RCVD TRT/CNSLNG AND RX MED FOR MDE IN PAST YEAR		
		Freq	Pct
	. = Unknown (Otherwise)	190391	20.06
	-9 = Data not collected for this year	727694	76.66
	0 = No (TXMDEYR=0 or RXMDEYR=0)	24103	2.54
	1 = Yes (TXMDEYR=1 and RXMDEYR=1)	7097	0.75

<u>MDETXXO</u>	Len : 1 RCVD TRT/CNSLNG ONLY FOR MDE IN PAST YEAR		
		Freq	Pct
	. = Unknown (Otherwise)	190416	20.06
	-9 = Data not collected for this year	727694	76.66
	0 = No (TXMDEYR=0 or RXMDEYR=1)	26473	2.79
	1 = Yes (TXMDEYR=1 and RXMDEYR=0)	4702	0.50

<u>MDERXXO</u>	Len : 1 RCVD RX MEDICATION ONLY FOR MDE IN PAST YEAR		
		Freq	Pct
	. = Unknown (Otherwise)	190397	20.06
	-9 = Data not collected for this year	727694	76.66
	0 = No (RXMDEYR=0 or TXMDEYR=1)	29792	3.14
	1 = Yes (RXMDEYR=1 and TXMDEYR=0)	1402	0.15

A respondent was classified as NOT having seen or talked to a general practitioner or family doctor about MDE during the past year (DOCMDE=0) if they met either of these conditions:

(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).

(2) Response not entered for whether a general practitioner or family doctor was seen or talked to during the past year (ADFAMDOC=6 or YOFAMDOC=6).

<u>DOCMDE</u>	Len : 1 SAW/TALK TO GENERAL PRAC OR FAM MD ABOUT MDE - PY		
		Freq	Pct
	. = Unknown/Legitimate Skip (Otherwise)	190523	20.07
	-9 = Data not collected for this year	727694	76.66
	0 = No (See comment above)	25724	2.71
	1 = Yes (ADFAMDOC=1 or YOFAMDOC=1)	5344	0.56

RECODED ADULT AND ADOLESCENT DEPRESSION

A respondent was classified as NOT having seen or talked to other medical doctor about MDE during the past year (OMDMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether other medical doctor was seen or talked to during the past year (ADOTHDOC=6 or YOOTHDOC=6).

OMDMDE

Len : 1 SAW/TALK TO OTHER MD ABOUT MDE - PY

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	190523	20.07
-9 = Data not collected for this year	727694	76.66
0 = No (See comment above).....	30159	3.18
1 = Yes (ADOTHDOC=1,3 or YOOTHDOC=1,3)	909	0.10

A respondent was classified as NOT having seen or talked to a psychologist about MDE during the past year (PSY1MDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether a psychologist was seen or talked to during the past year (ADPSYCH=6 or YOPSYCH=6).

PSY1MDE

Len : 1 SAW/TALK TO PSYCHOLOGIST ABOUT MDE - PY

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	190523	20.07
-9 = Data not collected for this year	727694	76.66
0 = No (See comment above).....	27783	2.93
1 = Yes (ADPSYCH=1 or YOPSYCH=1)	3285	0.35

A respondent was classified as NOT having seen or talked to a psychiatrist or psychotherapist about MDE during the past year (PSY2MDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether a psychiatrist or psychotherapist was seen or talked to during the past year (ADPSYMD=6 or YOPSYMD=6).

PSY2MDE

Len : 1 SAW/TALK TO PSYCHIATRIST/PSYCHOTHER ABOUT MDE - PY

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	190523	20.07
-9 = Data not collected for this year	727694	76.66
0 = No (See comment above).....	28042	2.95
1 = Yes (ADPSYMD=1 or YOPSYMD=1)	3026	0.32

A respondent was classified as NOT having seen or talked to a social worker about MDE during the past year (SOCMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether a social worker was seen or talked to during the past year (ADSOCWRK=6 or YOSOCWRK=6).

SOCMDE

Len : 1 SAW/TALK TO SOCIAL WORKER ABOUT MDE - PY

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	190523	20.07
-9 = Data not collected for this year	727694	76.66
0 = No (See comment above).....	29734	3.13
1 = Yes (ADSOCWRK=1 or YOSOCWRK=1)	1334	0.14

A respondent was classified as NOT having seen or talked to a counselor about MDE during the past year (COUNMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether a counselor was seen or talked to during the past year (ADCOUNS=6 or YOCOUNS=6).

COUNMDE

Len : 1 SAW/TALK TO COUNSELOR ABOUT MDE - PY

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	190523	20.07
-9 = Data not collected for this year	727694	76.66
0 = No (See comment above).....	27075	2.85
1 = Yes (ADCOUNS=1,3 or YOCOUNS=1,3)	3993	0.42

RECODED ADULT AND ADOLESCENT DEPRESSION

The following variable, OMHMDE, indicates whether a person saw or talked to a mental health professional, such as a mental health nurse or other therapist where type not specified, in the past year for MDE.

A respondent was classified as having seen or talked to other mental health professional about MDE during the past year (OMHMDE=1) if they met either of these conditions:

- (1) Reported seeing or talking to a medical doctor or other professional during the past year (ADOTMHP=1 or YOOTMHP=1,3).
- (2) Response entered for whether other mental health professional was seen or talked to during the past year.

A respondent was classified as NOT having seen or talked to other mental health professional about MDE during the past year (OMHMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether other mental health professional was seen or talked to during the past year (ADOTMHP=6 or YOOTMHP=6).

OMHMDE

Len : 1 SAW/TALK TO OTHER MENTAL HEALTH PROF ABOUT MDE -PY

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	190523	20.07
-9 = Data not collected for this year	727694	76.66
0 = No (See comment above).....	30306	3.19
1 = Yes (See comment above)	762	0.08

A respondent was classified as NOT having seen or talked to a nurse, occupational therapist, or other health professional about MDE during the past year (NURSMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether nurse was seen or talked to during the past year (ADNURSE=6 or YONURSE=6).

NURSMDE

Len : 1 SAW/TALK TO NURSE/OCC THERA/HTH PROF ABOUT MDE-PY

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	190523	20.07
-9 = Data not collected for this year	727694	76.66
0 = No (See comment above).....	30222	3.18
1 = Yes (ADNURSE=1,3 or YONURSE=1,3)	846	0.09

A respondent was classified as NOT having seen or talked to a religious or spiritual advisor about MDE during the past year (RELMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether religious or spiritual advisor was seen or talked to during the past year (ADRELIG=6 or YORELIG=6).

RELMDE

Len : 1 SAW/TALK TO RELIG OR SPIRITUAL ADVISOR ABOUT MDE-PY

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	190523	20.07
-9 = Data not collected for this year	727694	76.66
0 = No (See comment above).....	29073	3.06
1 = Yes (ADRELIG=1,3 or YORELIG=1,3)	1995	0.21

A respondent was classified as NOT having seen or talked to an herbalist, chiropractor, acupuncturist, or massage therapist about MDE during the past year (HBCHMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether an herbalist, chiropractor, acupuncturist, or massage therapist was seen or talked to during the past year (ABHERBAL=6 or YOHERBAL=6).

HBCHMDE

Len : 1 SAW/TALK TO HRB/CHIRO/ACUPU/MSGE THER ABOUT MDE-PY

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	190523	20.07
-9 = Data not collected for this year	727694	76.66
0 = No (See comment above).....	30539	3.22
1 = Yes (ADHERBAL=1,3 or YOHERBAL=1)	529	0.06

RECODED ADULT AND ADOLESCENT DEPRESSION

A respondent was classified as having seen or talked to another professional about MDE during the past year (OTHMDE=1) if they entered a valid write-in response other than the responses that matched the existing categories.

A respondent was classified as NOT having seen or talked to another professional about MDE during the past year (OTHMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether other mental health professional was seen or talked to during the past year (ADOTHHLP=6 or YOOTHHLP=6).
- (3) Write-in response entered matched an existing category.

OTHMDE

Len : 1 SAW/TALK TO OTHER PROF ABOUT MDE-PY

	Freq	Pct
. = Unknwn/Legit Skip/Invalid Spec. Resp. (Otherwise).....	190683	20.09
-9 = Data not collected for this year	727694	76.66
0 = No (See comment above).....	30761	3.24
1 = Yes (See comment above)	147	0.02

RECODED ADOLESCENT DEPRESSION

RECODED ADOLESCENT DEPRESSION

<u>YMDETARX</u>	Len : 1 YOUTH: RCVD TRT/CNSLG AND RX MED FOR MDE IN PST YR		
	.	Freq	Pct
	= Aged 18+/Unknown (Otherwise)	160386	16.90
	-9 = Data not collected for this year	781628	82.34
	0 = No (YTXMDEYR=0 or YRXMDEYR=0).....	6448	0.68
	1 = Yes (YTXMDEYR=1 and YRXMDEYR=1).....	823	0.09
<u>YMDET XO</u>	Len : 1 YOUTH: RCVD TRT/CNSLNG ONLY FOR MDE IN PAST YEAR		
	.	Freq	Pct
	= Aged 18+/Unknown (Otherwise)	160405	16.90
	-9 = Data not collected for this year	781628	82.34
	0 = No (YTXMDEYR=0 or YRXMDEYR=1).....	5894	0.62
	1 = Yes (YTXMDEYR=1 and YRXMDEYR=0).....	1358	0.14
<u>YMDERXO</u>	Len : 1 YOUTH: RCVD RX MEDICATION ONLY FOR MDE IN PAST YR		
	.	Freq	Pct
	= Aged 18+/Unknown (Otherwise)	160384	16.90
	-9 = Data not collected for this year	781628	82.34
	0 = No (YRXMDEYR=0 or YTXMDEYR=1).....	7066	0.74
	1 = Yes (YRXMDEYR=1 and YTXMDEYR=0).....	207	0.02
<u>YMDEADA</u>	Len : 1 YOUTH: PAST YEAR MDE AND SUB DEP OR ABUSE		
	.	Freq	Pct
	= Aged 18+/Unknown (Otherwise)	79891	8.42
	-9 = Data not collected for this year	838854	88.37
	0 = No (YMDEYR=2 or ABODILAL=0).....	30094	3.17
	1 = Yes (YMDEYR=1 & ABODILAL=1).....	446	0.05
<u>YMDEIMDA</u>	Len : 1 YOUTH: PY MDE W/ SEV IMPAIRMT AND SUB DEP OR ABUSE		
	.	Freq	Pct
	= Aged 18+/Unknown (Otherwise)	79897	8.42
	-9 = Data not collected for this year	838854	88.37
	0 = No (MDEIMPY=2 or ABODILAL=0)	30164	3.18
	1 = Yes (MDEIMPY=1 & ABODILAL=1)	370	0.04

RECODED ADOLESCENT DEPRESSION

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: Starting with the 2004 NSDUH, respondents were administered separate age-appropriate depression modules designed to measure whether or not respondents had experienced a major depressive episode (MDE) in their lifetime and past year. All adolescent (youth) respondents aged 12 to 17 were asked questions from the Youth Depression module. The 2004 NSDUH only asked a subsample of adults aged 18 or older the questions from the Adult Depression module, but starting in 2005, all adults were administered the questionnaire module.

From 2004 through 2007, a single set of variables was created containing the recoded MDE data for both adult and adolescent respondents combined. In 2008, instead of a single set of variables, two recoded sets of MDE variables were created for adolescents and adults separately. This change was due to the presence of context effects in the adult estimates stemming from changes in the mental health module which precedes the adult depression section within the questionnaire. Based on an analysis of the 2008 data that evaluated the presence of context effects, it was determined that the adult depression estimates in 2008 and later years are not comparable with years prior to 2008, and the variables were therefore renamed to indicate the lack of comparability. The youth depression estimates were not impacted by the 2008 adult questionnaire changes and are considered comparable across years. Therefore, only the youth depression variables that were previously defined for both adults and youth had to be renamed. Multi-year trend analyses can be performed by renaming the recoded adolescent depression variables the same across years. Youth depression variables that did not require renaming are noted specifically in the comments above the variables below. See the 2008 Recoded Mental Health Appendix for more detailed information on the 2008 changes as well as the 2008 Recoded Depression Variable Documentation Appendix for example SAS code showing how to rename the variables for multi-year analyses.

In 2009, changes were made to the youth mental health service utilization (YMHSU) questions that preceded the adolescent depression questions. These changes included the replacement of five questions that asked about receipt of special education services and school counseling, and time spent in jail or foster care with questions that asked about receipt of mental health services in the education and justice system sectors. Due to this change, a context effect analysis was done using data from the first 6 months of the 2009 NSDUH and sought to determine whether changes in the YMHSU module affected responses to the first three adolescent depression questions and the lifetime and past year MDE estimates. The results of the analysis showed these changes in 2009 did not appear to affect the estimates of adolescent MDE; therefore, no further variable changes were needed.

Additional details on these adolescent depression recoded variables are provided in the Recoded Depression Variable Documentation Appendix.

The following variable, YMDELTA, classifies an adolescent as having a major depressive episode (MDE) in their lifetime, YMDELTA=1, if they reported experiencing at least 5 out of the 9 criteria used to define an adolescent as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (YODSMMDE=1).

An adolescent was classified as NOT having a major depressive episode (MDE) in their lifetime, YMDELTA=2, if they met either of these conditions

- Reported experiencing fewer than five out of the nine criteria used to define an adolescent as having had MDE in their lifetime (YODSMMDE=2).
- If the number of criteria used to define an adolescent as having had MDE in their lifetime is unknown (YODSMMDE=94, 97, 98) and the respondent reported at least one of the following.
 - Never having had a period of time lasting several days or longer when felt sad, empty, or depressed (YODPREV=2), discouraged or hopeless about how things were going in life (YODSCEV=2), and lost interest and became bored with most things usually enjoyable (YOLOSEV=2).
 - Experienced the feelings in (i), but they did not last most of the day, almost every day for two weeks or longer [YOLSI2WK=2 or YODPR2WK=2].
 - Experienced the feelings in (i) most of the day, almost every day for two weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (YOWRHR=1).
 - Experienced the feelings in (i) most of the day, almost every day for two weeks or longer for at least an hour during those times when mood was most severe and frequent, but the bad feelings were mild (YOWRDST=1), there was never a time when you felt so bad that nothing could cheer you up (YOWRCHR=4), and there was never a time when you felt so bad that you could not carry out your daily activities (YOWRIMP=4).
 - Experienced the feelings in (i) most of the day, almost every day for two weeks or longer for at least an hour with bad feelings that were more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, eating, energy, the ability to keep mind on things, or feeling badly about self (YODPPROB=2).

YMDELTA

Len : 1 RC-YOUTH: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Aged 18+/Unknown (Otherwise)	445640	46.94
-9 = Data not collected for this year	330900	34.86
1 = Yes (YODSMMDE=1).....	27101	2.85
2 = No (See comment above).....	145644	15.34

RECODED ADOLESCENT DEPRESSION

YMDEYR	Len : 1 RC-YOUTH: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)		
		Freq	Pct
	. = Aged 18+/Unknown (Otherwise)	446298	47.01
	-9 = Data not collected for this year	330900	34.86
	1 = Yes (YMDELT=1 & YOPB2WK=1)	18200	1.92
	2 = No (YMDELT=2 or [YMDELT=1 & YOPB2WK=2]).....	153887	16.21

YMDEUDPY	Len : 1 RC-YOUTH: PAST YEAR MDE AND SUB DEP OR ABUSE		
		Freq	Pct
	. = Aged 18+/Unknown MDE(YMDEYR=.)	173347	18.26
	-9 = Data not collected for this year	722653	76.13
	0 = No (YMDEYR=2 or UDPYILAL=0)	52461	5.53
	1 = Yes (YMDEYR=1 & UDPYILAL=1)	824	0.09

NOTE: The following 25 variables are among all adolescent respondents who were asked the respective questions and are not confined to those respondents who were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or past year. To produce estimates among adolescents with MDE, the analysis will need to be restricted by either the lifetime MDE variable (YMDELT) or the past year MDE variable (YMDEYR).

YTXMDEYR	Len : 1 RC-YOUTH: SAW OR TALK TO MD/PROF FOR MDE IN PAST YEAR		
		Freq	Pct
	. = Aged 18+/Unknown (Otherwise)	590748	62.23
	-9 = Data not collected for this year	330900	34.86
	0 = No (YOSEEDOC=2)	18663	1.97
	1 = Yes (YOSEEDOC=1).....	8974	0.95

YRXMDEYR	Len : 1 RC-YOUTH: USED RX MEDICATION FOR MDE IN PAST YEAR		
		Freq	Pct
	. = Aged 18+/Unknown (Otherwise)	590624	62.22
	-9 = Data not collected for this year	330900	34.86
	0 = No (YORX12MO=2)	23297	2.45
	1 = Yes (YORX12MO=1)	4464	0.47

In the following variable, YMDETXX, an adolescent is defined as having received treatment/counseling if he/she saw or talked to a medical doctor or other professional for MDE.

YMDETXX	Len : 1 RC-YOUTH: RCVD TRT/CNSLG OR RX MED FOR MDE IN PST YR		
		Freq	Pct
	. = Aged 18+/Unknown (Otherwise)	590736	62.23
	-9 = Data not collected for this year	330900	34.86
	0 = No (YTXMDEYR=0 and YRXMDEYR=0)	17851	1.88
	1 = Yes (YTXMDEYR=1 or YRXMDEYR=1)	9798	1.03

YDOCMDE	Len : 1 RC-YOUTH: SAW/TALK TO GEN PRAC/FAM MD ABOUT MDE IN PY		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	590905	62.25
	-9 = Data not collected for this year	330900	34.86
	0 = No (YOSEEDOC=2 or YOFAMDOC=6).....	25428	2.68
	1 = Yes (YOFAMDOC=1,3)	2052	0.22

YOMDMDE	Len : 1 RC-YOUTH: SAW/TALK TO OTHER MD ABOUT MDE IN PAST YEAR		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	590905	62.25
	-9 = Data not collected for this year	330900	34.86
	0 = No (YOSEEDOC=2 or YOOTHDOC=6)	27094	2.85
	1 = Yes (YOOTHDOC=1,3).....	386	0.04

YPSY1MDE	Len : 1 RC-YOUTH: SAW/TALK TO PSYCHOLOGIST ABT MDE IN PST YR		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	590905	62.25
	-9 = Data not collected for this year	330900	34.86
	0 = No (YOSEEDOC=2 or YOPSYCH=6).....	24585	2.59
	1 = Yes (YOPSYCH=1,3)	2895	0.30

RECODED ADOLESCENT DEPRESSION

<u>YPSY2MDE</u>	Len : 1 RC-YOUTH: SAW/TALK TO PSYCHIATRIST ABT MDE IN PST YR		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	590905	62.25
	-9 = Data not collected for this year	330900	34.86
	0 = No (YOSEEDOC=2 or YOPSYMD=6).....	25248	2.66
	1 = Yes (YOPSYMD=1,3)	2232	0.24

<u>YSOCMDE</u>	Len : 1 RC-YOUTH: SAW/TALK TO SOCIAL WORKER ABOUT MDE IN PY		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	590905	62.25
	-9 = Data not collected for this year	330900	34.86
	0 = No (YOSEEDOC=2 or YOSOCWRK=6).....	26078	2.75
	1 = Yes (YOSOCWRK=1,3)	1402	0.15

<u>YCOUNMDE</u>	Len : 1 RC-YOUTH: SAW/TALK TO COUNSELOR ABOUT MDE IN PST YR		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	590905	62.25
	-9 = Data not collected for this year	330900	34.86
	0 = No (YOSEEDOC=2 or YOCOUNS=6).....	21987	2.32
	1 = Yes (YOCOUNS=1,3).....	5493	0.58

<u>YOMHMDE</u>	Len : 1 RC-YOUTH: SAW/TALK TO OTH MENT HLTH PROF ABOUT MDE-PY		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	590905	62.25
	-9 = Data not collected for this year	330900	34.86
	0 = No (YOSEEDOC=2 or [YOOTHMHP=6 & No Writ-in Enter])	26780	2.82
	1 = Yes (YOOTHMHP=1,3 or Write-in Response Entered).....	700	0.07

<u>YNURSMDE</u>	Len : 1 RC-YOUTH: SAW/TALK TO NURSE/OCC THERA ABOUT MDE IN PY		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	590905	62.25
	-9 = Data not collected for this year	330900	34.86
	0 = No (YOSEEDOC=2 or YONURSE=6)	26704	2.81
	1 = Yes (YONURSE=1,3)	776	0.08

<u>YRELMDE</u>	Len : 1 RC-YOUTH: SAW/TALK TO RELIG ADVISOR ABOUT MDE IN PY		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	590905	62.25
	-9 = Data not collected for this year	330900	34.86
	0 = No (YOSEEDOC=2 or YORELIG=6).....	26541	2.80
	1 = Yes (YOELIG=1,3)	939	0.10

<u>YHBCHMDE</u>	Len : 1 RC-YOUTH: SAW/TALK TO ANOTHER HEALER ABOUT MDE IN PY		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	590905	62.25
	-9 = Data not collected for this year	330900	34.86
	0 = No (YOSEEDOC=2 or YOHERBAL=6).....	27307	2.88
	1 = Yes (YOHERBAL=1,3)	173	0.02

The following variable, YOTHMDE, defines an adolescent as having seen or talked to another professional about MDE during the past year, YOTHMDE=1, if s/he entered a valid write-in response other than the responses that matched the existing categories.

An adolescent was classified as NOT having seen or talked to another professional about MDE during the past year, YOTHMDE=0, if s/he met either of these conditions:

1. Reported NOT seeing or talking to a medical doctor or other professional during the past year (YOSEEDOC=2).
2. Response not entered for whether other mental health professional was seen or talked to during the past year (YOOTHHLP=6).
3. Write-in response entered matched an existing category.

<u>YOTHMDE</u>	Len : 1 RC-YOUTH: SAW/TALK TO OTHER PROF ABOUT MDE IN PST YR		
		Freq	Pct
	. = Aged 18+/Unknown/Legit Skip/Invalid Spec. Resp.....	591052	62.26
	-9 = Data not collected for this year	330900	34.86
	0 = No (See comment above).....	27235	2.87
	1 = Yes (See comment above)	98	0.01

RECODED ADOLESCENT DEPRESSION

The following variable, YHLMDE, indicates whether a youth reported seeing or talking to a health professional about MDE in the past year. Youths were classified as having seen or talked to a health professional, YHLMDE=1, if they reported seeing or talking to any of the following professionals: general practitioner or family doctor (YDOCMDE=1); other medical doctor (YOMDMDE=1); psychologist (YPSY1MDE=1); psychiatrist or psychotherapist (YPSY2MDE=1); social worker (YSOCMDE=1); counselor (YCOUNMDE=1); other mental health professional (YOMHMDE=1); or nurse, occupational therapist, or other health professional (YNURSMDE=1). Respondents were classified as having not seen or talked to a health professional, YHLMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

<u>YHLMDE</u>	Len : 1 RC-YOUTH: SAW/TALK TO HEALTH PROF ABOUT MDE IN PST YR		
		Freq	Pct
.	= Aged 18+/Unknown (Otherwise)	485380	51.13
-9	= Data not collected for this year	441244	46.48
0	= No (See comment above).....	15503	1.63
1	= Yes (See comment above)	7158	0.75

The following variable, YALTMDE, indicates whether a youth reported seeing or talking to an alternative service professional about MDE in the past year. Youths were classified as having seen or talked to an alternative service professional, YALTMDE=1, if they reported seeing or talking to any of the following professionals: religious or spiritual advisor (YRELMDE=1); or herbalist, chiropractor, acupuncturist, or massage therapist (YHBCHMDE=1). Respondents were classified as having not seen or talked to an alternative service professional, YALTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

<u>YALTMDE</u>	Len : 1 RC-YOUTH: SAW/TALK TO ALT SERV PROF ABOUT MDE IN PY		
		Freq	Pct
.	= Aged 18+/Unknown (Otherwise)	485380	51.13
-9	= Data not collected for this year	441244	46.48
0	= No (See comment above).....	21800	2.30
1	= Yes (See comment above)	861	0.09

<u>YMDEHPRX</u>	Len : 1 RC-YOUTH: SAW HEALTH PROF OR RX MED FOR MDE IN PST YR		
		Freq	Pct
.	= Aged 18+/Unknown (Otherwise)	485331	51.13
-9	= Data not collected for this year	441244	46.48
0	= No (YHLMDE=0 and YRXMDEYR=0)	14814	1.56
1	= Yes (YHLMDE=1 or YRXMDEYR=1)	7896	0.83

<u>YMDEHPO</u>	Len : 1 RC-YOUTH: SAW HEALTH PROF ONLY FOR MDE IN PAST YEAR		
		Freq	Pct
.	= Aged 18+/Unknown (Otherwise)	485320	51.12
-9	= Data not collected for this year	441244	46.48
0	= No (YHLMDE=0 or YRXMDEYR=1)	18619	1.96
1	= Yes (YHLMDE=1 and YRXMDEYR=0).....	4102	0.43

<u>YMDERXO2</u>	Len : 1 RC-YOUTH: RCVD RX MED, NO HEALTH PROF FOR MDE IN PY		
		Freq	Pct
.	= Aged 18+/Unknown (Otherwise)	485199	51.11
-9	= Data not collected for this year	441244	46.48
0	= No (YRXMDEYR=0 or YHLMDE=1)	22175	2.34
1	= Yes (YRXMDEYR=1 and YHLMDE=0).....	667	0.07

<u>YMDEHARX</u>	Len : 1 RC-YOUTH: SAW HEALTH PROF AND RX MED FOR MDE IN PY		
		Freq	Pct
.	= Aged 18+/Unknown (Otherwise)	485188	51.11
-9	= Data not collected for this year	441244	46.48
0	= No (YHLMDE=0 or YRXMDEYR=0)	19808	2.09
1	= Yes (YHLMDE=1 and YRXMDEYR=1).....	3045	0.32

RECODED ADOLESCENT DEPRESSION

NOTE: The following five variables were not renamed in 2008 since they were originally only defined for youth; therefore, no changes are needed for these in order to generate analyses across years.

NOTE: The following four variables make up the four role domains (chores at home, school or work, close relationships with family, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on an adolescent's life.

YSDSHOME

Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - CHORES AT HOME

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	815566	85.91
-9 = Data not collected for this year	109309	11.51
1 = None (YOPSHMGT=0).....	1702	0.18
2 = Mild (YOPSHMGT=1,2,3).....	5064	0.53
3 = Moderate (YOPSHMGT=4,5,6).....	9868	1.04
4 = Severe (YOPSHMGT=7,8,9).....	6213	0.65
5 = Very Severe (YOPSHMGT=10).....	1563	0.16

YSDSWRK

Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - SCHOOL OR WORK

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	815556	85.91
-9 = Data not collected for this year	109309	11.51
1 = None (YOPSWORK=0).....	1218	0.13
2 = Mild (YOPSWORK=1,2,3).....	4854	0.51
3 = Moderate (YOPSWORK=4,5,6).....	8906	0.94
4 = Severe (YOPSWORK=7,8,9).....	7364	0.78
5 = Very Severe (YOPSWORK=10).....	2078	0.22

YSDSREL

Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - FAMILY RELATIONSHIPS

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	815447	85.90
-9 = Data not collected for this year	109309	11.51
1 = None (YOPSRELS=0).....	991	0.10
2 = Mild (YOPSRELS=1,2,3).....	3892	0.41
3 = Moderate (YOPSRELS=4,5,6).....	7768	0.82
4 = Severe (YOPSRELS=7,8,9).....	8761	0.92
5 = Very Severe (YOPSRELS=10).....	3117	0.33

YSDSSOC

Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - SOCIAL LIFE

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	815478	85.90
-9 = Data not collected for this year	109309	11.51
1 = None (YOPSSOC=0).....	904	0.10
2 = Mild (YOPSSOC=1,2,3).....	3777	0.40
3 = Moderate (YOPSSOC=4,5,6).....	8243	0.87
4 = Severe (YOPSSOC=7,8,9).....	8637	0.91
5 = Very Severe (YOPSSOC=10).....	2937	0.31

The following variable, YSDSOVRL, is assigned the maximum level of interference over the four role domains of SDS: chores at home (YSDSHOME), school or work (YSDSWRK), family relationships (YSDSREL), and social life (YSDSSOC).

YSDSOVRL

Len : 1 RC-YOUTH: MAX SEVERITY LEVEL OF MDE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	815241	85.88
-9 = Data not collected for this year	109309	11.51
1 = None (See comment above).....	95	0.01
2 = Mild (See comment above).....	1204	0.13
3 = Moderate (See comment above).....	6031	0.64
4 = Severe (See comment above).....	11798	1.24
5 = Very Severe (See comment above).....	5607	0.59

The following variable, MDEIMPY, is derived from the maximum severity level of MDE role impairment (YSDSOVRL) and is restricted to adolescents with past year MDE (YMDEYR).

MDEIMPY

Len : 1 RC-YOUTH: MDE WITH SEVERE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	521310	54.92
-9 = Data not collected for this year	220816	23.26
1 = Yes (YMDEYR=1 and YSDSOVRL=4,5).....	14931	1.57
2 = No (YMDEYR=2 or YSDSOVRL=1,2,3).....	192228	20.25

RECODED ADOLESCENT DEPRESSION

YMDEIMUDPY	Len : 1 RC-YOUTH: PY MDE W/ SEV IMPAIRMT AND SUB DEP OR ABUSE		
		Freq	Pct
	. = Aged 18+/Unknown MDE Impairment (MDEIMPY=.).....	173377	18.26
	-9 = Data not collected for this year	722653	76.13
	0 = No (MDEIMPY=2 or UDPYILAL=0).....	52577	5.54
	1 = Yes (MDEIMPY=1 & UDPYILAL=1).....	678	0.07
YMDEAUDPY	Len : 1 RC-YOUTH: PAST YEAR MDE AND ALC DEP OR ABUSE		
		Freq	Pct
	. = Aged 18+/Unknown MDE(YMDEYR=.)	173347	18.26
	-9 = Data not collected for this year	722653	76.13
	0 = No (YMDEYR=2 or ABODALC=0).....	52867	5.57
	1 = Yes (YMDEYR=1 & ABODALC=1).....	418	0.04
YMDEIMAUD	Len : 1 RC-YOUTH: PAST YEAR MDE WITH SEVERE IMP AND ALC DEP OR ABUSE		
		Freq	Pct
	. = Aged 18+/Unknown MDE Impairment (MDEIMPY=.).....	173377	18.26
	-9 = Data not collected for this year	722653	76.13
	0 = No (MDEIMPY=2 or ABODALC=0)	52912	5.57
	1 = Yes (MDEIMPY=1 & ABODALC=1)	343	0.04
YMDEIMIUD	Len : 1 RC-YOUTH: PST YR MDE W/ SEVERE IMP AND ILL DRUG DEP OR ABUSE		
		Freq	Pct
	. = Aged 18+/Unknown MDE Impairment (MDEIMPY=.).....	173377	18.26
	-9 = Data not collected for this year	722653	76.13
	0 = No (MDEIMPY=2 or UDPYILL=0)	52743	5.56
	1 = Yes (MDEIMPY=1 & UDPYILL=1)	512	0.05
YMDEIUOPY	Len : 1 RC-YOUTH: PAST YEAR MDE AND ILL DRUG DEP OR ABUSE		
		Freq	Pct
	. = Aged 18+/Unknown MDE(YMDEYR=.)	173347	18.26
	-9 = Data not collected for this year	722653	76.13
	0 = No (YMDEYR=2 or UDPYILL=0).....	52675	5.55
	1 = Yes (YMDEYR=1 & UDPYILL=1).....	610	0.06

CONSUMPTION OF ALCOHOL

CONSUMPTION OF ALCOHOL

This note applies to variables in this section marked by a¹.

Think again about this last time you drank any alcoholic beverages, when you had [CA01 FILL] [drink/drinks]. Did you also use [DRUGFILL] while you were drinking or within a couple of hours of drinking?

<u>CADRKDRG</u> ¹	Len : 2	ALSO USE [DRUGFILL] WHILE YOU WERE DRINKING	Freq	Pct
		-9 = Data not collected for this year	447448	47.14
		1 = Yes.....	23892	2.52
		2 = No.....	24750	2.61
		81 = NEVER USED ALC OR NEVER USED OTHER DRUGS Log assn	19	0.00
		83 = DIDNT USE ALC OR DIDNT USE DRG PST 30 DYS Log assn	20	0.00
		85 = BAD DATA Logically assigned.....	18	0.00
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	213610	22.50
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232113	24.45
		94 = DON'T KNOW	184	0.02
		97 = REFUSED	400	0.04
		98 = BLANK (NO ANSWER).....	6831	0.72

What other drug or drugs did you use while you were drinking or within a couple of hours of drinking?

<u>CADRKMRJ</u> ¹	Len : 2	MARIJUANA OR HASHISH	Freq	Pct
		-9 = Data not collected for this year	447448	47.14
		1 = Response entered	6511	0.69
		5 = Response entered LOG ASSN (from skip pattern).....	15532	1.64
		6 = Response not entered.....	592	0.06
		85 = BAD DATA Logically assigned.....	5	0.00
		89 = LEGITIMATE SKIP Logically assigned	3	0.00
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	213629	22.50
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	24.45
		94 = DON'T KNOW	12	0.00
		97 = REFUSED	23	0.00
		98 = BLANK (NO ANSWER).....	2095	0.22
		99 = LEGITIMATE SKIP	31302	3.30

<u>CADRKCOG</u> ¹	Len : 2	COCAINE OR 'CRACK'	Freq	Pct
		-9 = Data not collected for this year	447448	47.14
		1 = Response entered	762	0.08
		5 = Response entered LOG ASSN (from skip pattern).....	227	0.02
		6 = Response not entered.....	1353	0.14
		89 = LEGITIMATE SKIP Logically assigned	22	0.00
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	213629	22.50
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	24.45
		94 = DON'T KNOW	4	0.00
		97 = REFUSED	6	0.00
		98 = BLANK (NO ANSWER).....	533	0.06
		99 = LEGITIMATE SKIP	53168	5.60

<u>CADRKHER</u> ¹	Len : 2	HEROIN	Freq	Pct
		-9 = Data not collected for this year	447448	47.14
		1 = Response entered	136	0.01
		5 = Response entered LOG ASSN (from skip pattern).....	9	0.00
		6 = Response not entered.....	224	0.02
		89 = LEGITIMATE SKIP Logically assigned	26	0.00
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	213629	22.50
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	24.45
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	3	0.00
		98 = BLANK (NO ANSWER).....	147	0.02
		99 = LEGITIMATE SKIP	55529	5.85

CONSUMPTION OF ALCOHOL

[CADRKHAL](#)¹

Len : 2 HALLUCINOGENS

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	295	0.03
5 = Response entered LOG ASSN (from skip pattern).....	43	0.00
6 = Response not entered.....	1989	0.21
89 = LEGITIMATE SKIP Logically assigned	18	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	213629	22.50
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	24.45
94 = DON'T KNOW	5	0.00
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER).....	1011	0.11
99 = LEGITIMATE SKIP	52706	5.55

[CADRKINH](#)¹

Len : 2 INHALANTS

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	49	0.01
5 = Response entered LOG ASSN (from skip pattern).....	32	0.00
6 = Response not entered.....	457	0.05
89 = LEGITIMATE SKIP Logically assigned	29	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	213629	22.50
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	24.45
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	625	0.07
99 = LEGITIMATE SKIP	54880	5.78

[CADRKANL](#)¹

Len : 2 PRESCRIPTION PAIN RELIEVERS

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	1113	0.12
5 = Response entered LOG ASSN (from skip pattern).....	329	0.03
6 = Response not entered.....	3001	0.32
89 = LEGITIMATE SKIP Logically assigned	12	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	213629	22.50
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	24.45
94 = DON'T KNOW	10	0.00
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER).....	1608	0.17
99 = LEGITIMATE SKIP	49991	5.27

[CADRKTRN](#)¹

Len : 2 PRESCRIPTION TRANQUILIZERS

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	313	0.03
5 = Response entered LOG ASSN (from skip pattern).....	48	0.01
6 = Response not entered.....	1748	0.18
89 = LEGITIMATE SKIP Logically assigned	17	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	213629	22.50
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	24.45
94 = DON'T KNOW	7	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER).....	593	0.06
99 = LEGITIMATE SKIP	53344	5.62

CONSUMPTION OF ALCOHOL

CADRKSTM¹

Len : 2 PRESCRIPTION STIMULANTS

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	165	0.02
5 = Response entered LOG ASSN (from skip pattern).....	52	0.01
6 = Response not entered.....	1108	0.12
89 = LEGITIMATE SKIP Logically assigned	22	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	213629	22.50
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	24.45
94 = DON'T KNOW	5	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	509	0.05
99 = LEGITIMATE SKIP	54211	5.71

CADRKMTM¹

Len : 2 METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	200	0.02
5 = Response entered LOG ASSN (from skip pattern).....	42	0.00
6 = Response not entered.....	346	0.04
89 = LEGITIMATE SKIP Logically assigned	22	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	213629	22.50
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	24.45
94 = DON'T KNOW	3	0.00
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER).....	314	0.03
99 = LEGITIMATE SKIP	55140	5.81

CADRKSED¹

Len : 2 PRESCRIPTION SEDATIVES

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Response entered	36	0.00
5 = Response entered LOG ASSN (from skip pattern).....	14	0.00
6 = Response not entered.....	198	0.02
89 = LEGITIMATE SKIP Logically assigned	27	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	213629	22.50
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	24.45
94 = DON'T KNOW	2	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER).....	285	0.03
99 = LEGITIMATE SKIP	55508	5.85

NOTE: Variables pertaining to consumption of 5 or more drinks or 4 or more drinks in a single occasion have been edited with respect to ED4FLAG. ED4FLAG takes into account the editing of the variables NODR30A and DR5DAY in the core ALCOHOL module.

ED4FLAG¹

Len : 2 ANY REPORT OF 4 OR 5+ DRINKS FROM ALCOHOL MODULE

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
0 = No report of 4 or 5+ drinks or not applicable.....	372420	39.23
1 = Report of 4 drinks in NODR30A; no rpt 5+ drinks	5447	0.57
2 = Report of 5+ drinks in NODR30A or DR5DAY.....	121469	12.80
12 = Report of 5+ drinks LOGICALLY ASSIGNED	495	0.05
85 = BAD DATA Logically assigned.....	2006	0.21

CONSUMPTION OF ALCOHOL

[Earlier the computer recorded that you have had at least one drink of an alcoholic beverage in your lifetime.] Have you ever had 5 or more drinks on the same occasion? By 'occasion,' we mean at the same time or within a couple of hours of each other.

CABNGEV¹

Len : 2 EVER HAD 5 OR MORE DRINKS ON THE SAME OCCASION

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Yes.....	98256	10.35
2 = No.....	134236	14.14
3 = Yes LOGICALLY ASSIGNED	68	0.01
4 = No LOGICALLY ASSIGNED.....	94	0.01
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	124809	13.15
85 = BAD DATA Logically assigned.....	11	0.00
91 = NEVER USED ALCOHOL	142922	15.06
94 = DON'T KNOW	554	0.06
97 = REFUSED	719	0.08
98 = BLANK (NO ANSWER).....	168	0.02

[Earlier the computer recorded that you had 5 or more drinks on the same occasion in the past 30 days.] How old were you the first time you had 5 or more drinks on the same occasion?

CABNGAGE¹

Len : 3 AGE 1ST TIME HAD 5 OR MORE DRINKS SAME OCCASION

	Freq	Pct
RANGE = 1 - 95.....	210704	22.20
-9 = Data not collected for this year	447448	47.14
985 = BAD DATA Logically assigned.....	4492	0.47
989 = LEGITIMATE SKIP Logically assigned.....	15	0.00
991 = NEVER USED ALCOHOL	142922	15.06
994 = DON'T KNOW	6727	0.71
997 = REFUSED	1184	0.12
998 = BLANK (NO ANSWER).....	1478	0.16
999 = LEGITIMATE SKIP	134315	14.15

NOTE: EIBNGAGE is an "editing indicator" for the variable CABNGAGE. The default value of EIBNGAGE is 1, when no editing has been done to CABNGAGE, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBNGAGE has values of 2 when values in CABNGAGE have logically been replaced with other values as part of the data editing procedures.

EIBNGAGE¹

Len : 1 EDITING INDICATOR FOR CABNGAGE

	Freq	Pct
-9 = Data not collected for this year	447448	47.14
1 = Questionnaire data (or bad data/legitimate skip).....	501466	52.83
2 = Logically assigned data	371	0.04

Did you first have 5 or more drinks on the same occasion in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have 5 or more drinks on the same occasion in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have 5 or more drinks on the same occasion?

CABNGYFU¹

Len : 4 YEAR OF FIRST 5+ DRINKS ON SAME OCCASION - RECODE

	Freq	Pct
RANGE = 2004 - 2014.....	38048	4.01
-9 = Data not collected for this year	447448	47.14
9985 = BAD DATA Logically assigned	825	0.09
9989 = LEGITIMATE SKIP Logically assigned.....	1022	0.11
9991 = NEVER USED ALCOHOL	142922	15.06
9994 = DON'T KNOW.....	6915	0.73
9997 = REFUSED	1219	0.13
9998 = BLANK (NO ANSWER).....	5959	0.63
9999 = LEGITIMATE SKIP.....	304927	32.12

CONSUMPTION OF ALCOHOL

NOTE: EIBNGYFU is an "editing indicator" for the variable CABNGYFU. The default value of EIBNGYFU is 1, when no editing has been done to CABNGYFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBNGYFU has values of 2 when values in CABNGYFU have logically been replaced with other values as part of the data editing procedures.

EIBNGYFU ¹	Len : 1 EDITING INDICATOR FOR CABNGYFU		
		Freq	Pct
	-9 = Data not collected for this year	447448	47.14
	1 = Questionnaire data (or bad data/legitimate skip)	501533	52.83
	2 = Logically assigned data	304	0.03

In what month in [CURRENT YEAR] did you first have 5 or more drinks on the same occasion?

In what month in [YEAR FROM CA11a or CA11b] did you first have 5 or more drinks on the same occasion?

CABNGMFU ¹	Len : 2 MONTH OF 5+ DRINKS ON SAME OCCASION - RECODE		
		Freq	Pct
	-9 = Data not collected for this year	447448	47.14
	1 = January	4608	0.49
	2 = February	2203	0.23
	3 = March	2558	0.27
	4 = April	2422	0.26
	5 = May	2548	0.27
	6 = June	3860	0.41
	7 = July	4251	0.45
	8 = August	2549	0.27
	9 = September	2466	0.26
	10 = October	2752	0.29
	11 = November	1872	0.20
	12 = December	3296	0.35
	85 = BAD DATA Logically assigned	1355	0.14
	89 = LEGITIMATE SKIP Logically assigned	1022	0.11
	91 = NEVER USED ALCOHOL	142922	15.06
	94 = DON'T KNOW	8826	0.93
	97 = REFUSED	1317	0.14
	98 = BLANK (NO ANSWER)	6083	0.64
	99 = LEGITIMATE SKIP	304927	32.12

NOTE: EIBNGMFU is an "editing indicator" for the variable CABNGMFU. The default value of EIBNGMFU is 1, when no editing has been done to CABNGMFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBNGMFU has values of 2 when values in CABNGMFU have logically been replaced with other values as part of the data editing procedures.

EIBNGMFU ¹	Len : 1 EDITING INDICATOR FOR CABNGMFU		
		Freq	Pct
	-9 = Data not collected for this year	447448	47.14
	1 = Questionnaire data (or bad data/legitimate skip)	501617	52.84
	2 = Logically assigned data	220	0.02

Have you ever had 4 or more drinks on the same occasion?

CA4FDEV ¹	Len : 2 EVER HAD 4 OR MORE DRINKS ON THE SAME OCCASION		
		Freq	Pct
	-9 = Data not collected for this year	447448	47.14
	1 = Yes	11415	1.20
	2 = No	69817	7.35
	3 = Yes LOGICALLY ASSIGNED	17	0.00
	5 = Yes LOGICALLY ASSIGNED (from skip pattern)	104057	10.96
	90 = NOT ASKED THE QUESTION Logically assigned	23	0.00
	91 = NEVER USED ALCOHOL	142922	15.06
	94 = DON'T KNOW	241	0.03
	97 = REFUSED	289	0.03
	98 = BLANK (NO ANSWER)	229	0.02
	99 = LEGITIMATE SKIP	172827	18.21

CONSUMPTION OF ALCOHOL

NOTE: The distributions for CA4FDDYS, EI4FDDYS, CA4FDAGE, EI4FDAGE, CA4FDYFU, EI4FDYFU, CA4FDMFU, and EI4FDMFU for the 2006 survey are not comparable to the corresponding distributions in this survey year. A sizable number of female respondents in 2006 were incorrectly skipped out of the items corresponding to the variables CA4FDDYS and CA4FDAGE. In turn, the error for CA4FDAGE affected female respondents' eligibility to be asked the items corresponding to CA4FDYFU and CA4FDMFU. This error was corrected for the 2007 survey.

During the past 30 days, that is, since [DATEFILL], on how many days did you have 4 or more drinks on the same occasion?

CA4FDDYS ¹	Len : 2 # DAYS HAD 4+ DRINKS SAME OCCASION PAST 30 DAYS		
		Freq	Pct
	RANGE = 0 - 30.....	74076	7.80
	-9 = Data not collected for this year.....	447448	47.14
	85 = BAD DATA Logically assigned.....	1374	0.14
	90 = NOT ASKED THE QUESTION Logically assigned.....	4694	0.49
	91 = NEVER USED ALCOHOL.....	142922	15.06
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	130316	13.73
	94 = DON'T KNOW.....	1820	0.19
	97 = REFUSED.....	496	0.05
	98 = BLANK (NO ANSWER).....	1001	0.11
	99 = LEGITIMATE SKIP.....	145138	15.29

NOTE: EI4FDDYS is an "editing indicator" for the variable CA4FDDYS. The default value of EI4FDDYS is 1, when no editing has been done to CA4FDDYS, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDDYS has values of 2 when values in CA4FDDYS have logically been replaced with other values as part of the data editing procedures.

EI4FDDYS ¹	Len : 1 EDITING INDICATOR FOR CA4FDDYS		
		Freq	Pct
	-9 = Data not collected for this year.....	447448	47.14
	1 = Questionnaire data (or bad data/legitimate skip).....	488257	51.43
	2 = Logically assigned data.....	13580	1.43

How old were you the first time you had 4 or more drinks on the same occasion?

CA4FDAGE ¹	Len : 3 AGE 1ST TIME HAD 4 OR MORE DRINKS SAME OCCASION		
		Freq	Pct
	RANGE = 1 - 82.....	100294	10.57
	-9 = Data not collected for this year.....	447448	47.14
	985 = BAD DATA Logically assigned.....	1749	0.18
	990 = NOT ASKED THE QUESTION Logically assigned.....	7840	0.83
	991 = NEVER USED ALCOHOL.....	142922	15.06
	994 = DON'T KNOW.....	4654	0.49
	997 = REFUSED.....	638	0.07
	998 = BLANK (NO ANSWER).....	1096	0.12
	999 = LEGITIMATE SKIP.....	242644	25.56

NOTE: EI4FDAGE is an "editing indicator" for the variable CA4FDAGE. The default value of EI4FDAGE is 1, when no editing has been done to CA4FDAGE, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDAGE has values of 2 when values in CA4FDAGE have logically been replaced with other values as part of the data editing procedures.

EI4FDAGE ¹	Len : 1 EDITING INDICATOR FOR CA4FDAGE		
		Freq	Pct
	-9 = Data not collected for this year.....	447448	47.14
	1 = Questionnaire data (or bad data/legitimate skip).....	497957	52.46
	2 = Logically assigned data.....	3880	0.41

CONSUMPTION OF ALCOHOL

Did you first have 4 or more drinks on the same occasion in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have 4 or more drinks on the same occasion in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have 4 or more drinks on the same occasion?

<u>CA4FDYFU</u> ¹	Len : 4 YEAR OF FIRST 4+ DRINKS ON SAME OCCASION - RECODE	Freq	Pct
	RANGE = 2004 - 2014.....	17545	1.85
	-9 = Data not collected for this year.....	447448	47.14
	9985 = BAD DATA Logically assigned.....	517	0.05
	9989 = LEGITIMATE SKIP Logically assigned.....	1114	0.12
	9991 = NEVER USED ALCOHOL.....	142922	15.06
	9994 = DON'T KNOW.....	4741	0.50
	9997 = REFUSED.....	654	0.07
	9998 = BLANK (NO ANSWER).....	10733	1.13
	9999 = LEGITIMATE SKIP.....	323611	34.09

NOTE: EI4FDYFU is an "editing indicator" for the variable CA4FDYFU. The default value of EI4FDYFU is 1, when no editing has been done to CA4FDYFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDYFU has values of 2 when values in CA4FDYFU have logically been replaced with other values as part of the data editing procedures.

<u>EI4FDYFU</u> ¹	Len : 1 EDITING INDICATOR FOR CA4FDYFU	Freq	Pct
	-9 = Data not collected for this year.....	447448	47.14
	1 = Questionnaire data (or legitimately skipped).....	501317	52.81
	2 = Logically assigned data.....	520	0.05

In what month in [CURRENT YEAR] did you first have 4 or more drinks on the same occasion?

In what month in [YEAR FROM CA14a or CA14b] did you first have 4 or more drinks on the same occasion?

<u>CA4FDMFU</u> ¹	Len : 2 MONTH OF 4+ DRINKS ON SAME OCCASION - RECODE	Freq	Pct
	-9 = Data not collected for this year.....	447448	47.14
	1 = January.....	1946	0.20
	2 = February.....	969	0.10
	3 = March.....	1138	0.12
	4 = April.....	1078	0.11
	5 = May.....	1195	0.13
	6 = June.....	1939	0.20
	7 = July.....	2000	0.21
	8 = August.....	1182	0.12
	9 = September.....	1159	0.12
	10 = October.....	1288	0.14
	11 = November.....	871	0.09
	12 = December.....	1557	0.16
	85 = BAD DATA Logically assigned.....	762	0.08
	89 = LEGITIMATE SKIP Logically assigned.....	1110	0.12
	91 = NEVER USED ALCOHOL.....	142922	15.06
	94 = DON'T KNOW.....	5431	0.57
	97 = REFUSED.....	685	0.07
	98 = BLANK (NO ANSWER).....	10990	1.16
	99 = LEGITIMATE SKIP.....	323615	34.09

NOTE: EI4FDMFU is an "editing indicator" for the variable CA4FDMFU. The default value of EI4FDMFU is 1, when no editing has been done to CA4FDMFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDMFU has values of 2 when values in CA4FDMFU have logically been replaced with other values as part of the data editing procedures.

<u>EI4FDMFU</u> ¹	Len : 1 EDITING INDICATOR FOR CABNGMFU	Freq	Pct
	-9 = Data not collected for this year.....	447448	47.14
	1 = Questionnaire data (or bad data/legitimate skip).....	500804	52.76
	2 = Logically assigned data.....	1033	0.11

CONSUMPTION OF ALCOHOL

NOTE: Beginning in 2017, respondents who reported that they used alcohol on 0 days in the past 30 days are no longer asked questions in the consumption of alcohol module that pertain to the past 30 days. This change has resulted in an increase in the number of respondents who were coded as "blank" compared with data from 2016 and prior years. However, this change was determined not to have affected the comparability of estimates since 2017 with those prior to 2017.

Next we return to the topic of alcohol. Remember that by a "drink", we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink.

Earlier, the computer recorded that you drank at least one alcoholic beverage within the past 30 days, that is, since [DATEFILL].

Please think about the last time you drank any alcoholic beverage. How many drinks did you have that time?

[CADRLAST](#)¹

Len : 3 # OF DRINKS THE LAST TIME DRANK IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 90.....	323404	34.07
-9 = Data not collected for this year.....	220816	23.26
985 = BAD DATA Logically assigned.....	64	0.01
991 = NEVER USED ALCOHOL.....	206431	21.75
993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	188648	19.87
994 = DON'T KNOW.....	2703	0.28
997 = REFUSED.....	1384	0.15
998 = BLANK (NO ANSWER).....	5835	0.61

This last time you drank, were you alone or were you with one or more other people?

[CADRPEOP](#)¹

Len : 2 ALONE OR W/ MORE THAN ONE PERSON LAST TIME DRANK

	Freq	Pct
-9 = Data not collected for this year.....	220816	23.26
1 = I was alone the last time I drank.....	3937	0.41
2 = I was with one other person the last time I drank.....	10104	1.06
3 = I was with >one other person the last time I drank.....	50780	5.35
85 = BAD DATA Logically assigned.....	31	0.00
89 = LEGITIMATE SKIP Logically assigned.....	9	0.00
91 = NEVER USED ALCOHOL.....	206431	21.75
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	188648	19.87
94 = DON'T KNOW.....	256	0.03
97 = REFUSED.....	384	0.04
98 = BLANK (NO ANSWER).....	4331	0.46
99 = LEGITIMATE SKIP.....	263558	27.76

Where did you drink alcoholic beverages this last time you drank?

[CADRCAR](#)¹

Len : 2 I DRANK IN A CAR OR OTHER VEHICLE

	Freq	Pct
-9 = Data not collected for this year.....	220816	23.26
1 = Response entered.....	2953	0.31
3 = Response entered LOGICALLY ASSIGNED.....	37	0.00
6 = Response not entered.....	61141	6.44
85 = BAD DATA Logically assigned.....	20	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL.....	206431	21.75
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	188648	19.87
94 = DON'T KNOW.....	415	0.04
97 = REFUSED.....	914	0.10
98 = BLANK (NO ANSWER).....	4343	0.46
99 = LEGITIMATE SKIP.....	263566	27.76

CONSUMPTION OF ALCOHOL

[CADRHOME](#)¹

Len : 2 I DRANK AT MY HOME

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = Response entered	19915	2.10
3 = Response entered LOGICALLY ASSIGNED	136	0.01
6 = Response not entered.....	44080	4.64
85 = BAD DATA Logically assigned.....	11	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL	206431	21.75
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	188648	19.87
94 = DON'T KNOW	415	0.04
97 = REFUSED	914	0.10
98 = BLANK (NO ANSWER).....	4352	0.46
99 = LEGITIMATE SKIP	263566	27.76

[CADROTHM](#)¹

Len : 2 I DRANK AT SOMEONE ELSE'S HOME

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = Response entered	33942	3.58
3 = Response entered LOGICALLY ASSIGNED	749	0.08
6 = Response not entered.....	29440	3.10
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED ALCOHOL	206431	21.75
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	188648	19.87
94 = DON'T KNOW	415	0.04
97 = REFUSED	914	0.10
98 = BLANK (NO ANSWER).....	4363	0.46
99 = LEGITIMATE SKIP	263562	27.76

[CADRPUBL](#)¹

Len : 2 I DRANK AT A PARK, ON A BEACH OR IN A PARKING LOT

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = Response entered	2858	0.30
3 = Response entered LOGICALLY ASSIGNED	152	0.02
6 = Response not entered.....	61121	6.44
91 = NEVER USED ALCOHOL	206431	21.75
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	188648	19.87
94 = DON'T KNOW	415	0.04
97 = REFUSED	914	0.10
98 = BLANK (NO ANSWER).....	4363	0.46
99 = LEGITIMATE SKIP	263567	27.76

[CADRBAR](#)¹

Len : 2 I DRANK IN A RESTAURANT, BAR OR CLUB

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = Response entered	4370	0.46
3 = Response entered LOGICALLY ASSIGNED	148	0.02
6 = Response not entered.....	59613	6.28
89 = LEGITIMATE SKIP Logically assigned	3	0.00
91 = NEVER USED ALCOHOL	206431	21.75
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	188648	19.87
94 = DON'T KNOW	415	0.04
97 = REFUSED	914	0.10
98 = BLANK (NO ANSWER).....	4363	0.46
99 = LEGITIMATE SKIP	263564	27.76

[CADREVNT](#)¹

Len : 2 I DRANK AT A CONCERT OR SPORTS GAME

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = Response entered	1136	0.12
3 = Response entered LOGICALLY ASSIGNED	36	0.00
6 = Response not entered.....	62959	6.63
91 = NEVER USED ALCOHOL	206431	21.75
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	188648	19.87
94 = DON'T KNOW	415	0.04
97 = REFUSED	914	0.10
98 = BLANK (NO ANSWER).....	4363	0.46
99 = LEGITIMATE SKIP	263567	27.76

CONSUMPTION OF ALCOHOL

CADRSCHL¹

Len : 2 I DRANK AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = Response entered	1397	0.15
3 = Response entered LOGICALLY ASSIGNED	38	0.00
6 = Response not entered.....	62696	6.60
91 = NEVER USED ALCOHOL	206431	21.75
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	188648	19.87
94 = DON'T KNOW	415	0.04
97 = REFUSED	914	0.10
98 = BLANK (NO ANSWER).....	4363	0.46
99 = LEGITIMATE SKIP	263567	27.76

CADROTH¹

Len : 2 I DRANK AT SOME OTHER PLACE

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = Response entered	6997	0.74
6 = Response not entered.....	57134	6.02
91 = NEVER USED ALCOHOL	206431	21.75
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	188648	19.87
94 = DON'T KNOW	415	0.04
97 = REFUSED	914	0.10
98 = BLANK (NO ANSWER).....	4363	0.46
99 = LEGITIMATE SKIP	263567	27.76

CADROTS2¹

Len : 2 OTHER PLACE YOU LAST DRANK ALCOHOL

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = I drank in a car or other vehicle.....	45	0.00
2 = I drank at my home	171	0.02
3 = I drank at someone else's home	906	0.10
4 = I drank at a park, on a beach, or in a parking lot.....	171	0.02
5 = I drank in a restaurant, bar or club.....	181	0.02
6 = I drank at a concert or sports game	46	0.00
7 = I drank at school.....	42	0.00
8 = I drank at some other place	124	0.01
9 = At respondent's place of work/business.....	63	0.01
11 = In a boat, ship, water vessel.....	87	0.01
14 = At a cabin, cottage, vacation home/vacation condo.....	118	0.01
15 = Hotel/motel/resort/BB; restaurnt/bar/club not spec	529	0.06
16 = On a farm/ranch/or in barn; R's home unspec	75	0.01
17 = At a house/apt/garage; no other information.....	190	0.02
18 = At a swimming pool	24	0.00
20 = River/lake/waterfront/harbor; park/beach unspfd	177	0.02
21 = Playing golf/outdoor sports; park unspecified.....	4	0.00
22 = Camping/hunting/fishing; no other information	336	0.04
23 = Street/road/alley/neighborhood.....	125	0.01
24 = Outside; park, beach, parkng lot, water unspcfd	676	0.07
25 = In a bowling alley; restaurant/bar unspecified	23	0.00
26 = Place of entertainment; club/sports/concert unspec	102	0.01
27 = Place of business; work/restarnt/bar/bowling unspec	43	0.00
29 = In a dorm/dorm room.....	116	0.01
30 = At a fraternity/sorority house or event.....	78	0.01
31 = Visiting a college/local college/friend's college	10	0.00
32 = At a school-related event; location unspecified.....	3	0.00
33 = Inside a building; home/school/business unspcfd.....	136	0.01
34 = At a fundraiser/charity event; location unspcfd.....	3	0.00
35 = At a party/wedding/celebration/event; no othr info	1308	0.14
36 = With friends/family, hanging out; location unspfd	13	0.00
39 = In a private/designtd locatn/place; otherwise unspd	4	0.00
70 = City/State/Country/vacation, location unspecified	227	0.02
85 = BAD DATA Logically assigned.....	353	0.04
91 = NEVER USED ALCOHOL	206431	21.75
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	188648	19.87
94 = DON'T KNOW	177	0.02
97 = REFUSED	1223	0.13
98 = BLANK (NO ANSWER).....	4780	0.50
99 = LEGITIMATE SKIP	320701	33.78

CONSUMPTION OF ALCOHOL

Did you pay for the last alcoholic beverage that you drank?

[CABUYFRE](#)¹

Len : 2 PAY FOR THE LAST ALCOHOLIC BEVERAGE THAT U DRANK

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = Yes.....	18631	1.96
2 = No.....	46133	4.86
85 = BAD DATA Logically assigned.....	31	0.00
89 = LEGITIMATE SKIP Logically assigned	9	0.00
91 = NEVER USED ALCOHOL	206431	21.75
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	188648	19.87
94 = DON'T KNOW	209	0.02
97 = REFUSED	487	0.05
98 = BLANK (NO ANSWER).....	4332	0.46
99 = LEGITIMATE SKIP	263558	27.76

Did you buy this last alcoholic beverage yourself, or did you give money to someone else to buy it for you?

[CAGVMONY](#)¹

Len : 2 DID YOU/SOMEONE ELSE BUY LAST ALCOHOLIC BEVERAGE

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = I bought it myself	4992	0.53
2 = I gave money to someone else who bought it for me.....	13481	1.42
85 = BAD DATA Logically assigned.....	21	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED ALCOHOL	206431	21.75
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	188648	19.87
94 = DON'T KNOW	39	0.00
97 = REFUSED	173	0.02
98 = BLANK (NO ANSWER).....	4984	0.53
99 = LEGITIMATE SKIP	309695	32.62

People often buy alcoholic beverages at stores, restaurants, bars, clubs, or events. Sometimes they buy alcohol from other people. Which of these statements describes the way you bought the last alcoholic beverage that you drank?

[CABUYWHO](#)¹

Len : 2 STATEMENT BEST DESCRIBES PURCHASE OF LAST ALCOHOL

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = I bought it at a store/restaurant/bar/club/event	4047	0.43
2 = I bought it from another person	835	0.09
85 = BAD DATA Logically assigned.....	97	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED ALCOHOL	206431	21.75
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	188648	19.87
94 = DON'T KNOW	10	0.00
97 = REFUSED	78	0.01
98 = BLANK (NO ANSWER).....	5142	0.54
99 = LEGITIMATE SKIP	323176	34.04

At which of these places did you buy the last alcoholic beverage that you drank?

[CABPLACE](#)¹

Len : 2 WHERE YOU BOUGHT LAST ALCOHOLIC BEVERAGE

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = I bought it at a liquor/convenience/grocery store	2666	0.28
2 = I bought it at a restaurant, bar or club	1344	0.14
3 = I bought it at a concert, sports or other event.....	89	0.01
85 = BAD DATA Logically assigned.....	20	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED ALCOHOL	206431	21.75
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	188648	19.87
94 = DON'T KNOW	5	0.00
97 = REFUSED	61	0.01
98 = BLANK (NO ANSWER).....	5177	0.55
99 = LEGITIMATE SKIP	324023	34.13

CONSUMPTION OF ALCOHOL

Did you buy this last alcoholic beverage from someone who was under age 21, or were they 21 or older?

CABUNDAG¹

Len : 2 BUY LAST ALCOHOLIC BEVERAGE FR SOMEONE <21 OR 21+

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = Under age 21.....	315	0.03
2 = Age 21 or older	527	0.06
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL	206431	21.75
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	188648	19.87
94 = DON'T KNOW	5	0.00
97 = REFUSED	54	0.01
98 = BLANK (NO ANSWER).....	5196	0.55
99 = LEGITIMATE SKIP	327292	34.48

Who bought the alcoholic beverage for you?

CAGVWHO¹

Len : 2 WHO BOUGHT THE ALCOHOLIC BEVERAGE FOR YOU

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = My parent or guardian	420	0.04
2 = Another family member who is 21 or older.....	1413	0.15
3 = Someone not related to me who is 21 or older.....	9696	1.02
4 = Someone under age 21.....	1487	0.16
91 = NEVER USED ALCOHOL	206431	21.75
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	188648	19.87
94 = DON'T KNOW	87	0.01
97 = REFUSED	432	0.05
98 = BLANK (NO ANSWER).....	5163	0.54
99 = LEGITIMATE SKIP	314692	33.15

How did you get the last alcoholic beverage that you drank?

CAFREWHO¹

Len : 2 HOW DID U GET THE LAST ALCOHOLIC BEVERAGE U DRANK

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = My parent or guardian	4540	0.48
2 = Another family member who is 21 or older.....	5918	0.62
3 = Someone not related to me who is 21 or older.....	15613	1.64
4 = Someone under age 21.....	8865	0.93
5 = I took it from home	3063	0.32
6 = I took it from someone else's home.....	1585	0.17
7 = I got it some other way	4455	0.47
11 = My parent or guardian LOGICALLY ASSIGNED	12	0.00
12 = Another family member who is 21 or older LOG ASSN	4	0.00
13 = Non-relative who is 21 or older LOGICALLY ASSIGNED.....	135	0.01
14 = Someone under age 21 LOGICALLY ASSIGNED	76	0.01
15 = I took it from home LOGICALLY ASSIGNED	59	0.01
16 = I took it from someone else's home LOGICALLY ASSN	88	0.01
85 = BAD DATA Logically assigned.....	10	0.00
89 = LEGITIMATE SKIP Logically assigned	4	0.00
91 = NEVER USED ALCOHOL	206431	21.75
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	188648	19.87
94 = DON'T KNOW	432	0.05
97 = REFUSED	1342	0.14
98 = BLANK (NO ANSWER).....	4995	0.53
99 = LEGITIMATE SKIP	282194	29.73

CONSUMPTION OF ALCOHOL

CAFRESP2¹

Len : 2 OTHER WAY YOU GOT THE LAST ALCOHOLIC BEVERAGE

	Freq	Pct
-9 = Data not collected for this year	220816	23.26
1 = My parent or guardian gave it to me	12	0.00
2 = Another family member 21 y-o or older gave to me	4	0.00
3 = Someone not related & 21 y-o or older gave to me	135	0.01
4 = Someone under age 21 gave it to me	76	0.01
5 = I took it from home	59	0.01
6 = I took it from someone else's home	88	0.01
7 = I got it some other way	155	0.02
8 = I bought/ordered it in another country	23	0.00
9 = I bought/ordered it; not asked for ID	10	0.00
10 = I bought/ordered it with a fake ID/similar	37	0.00
12 = I bought/ordered it; how unspecified	152	0.02
13 = Got/bought it in a store/liquor store; how unspcfd	88	0.01
14 = Got frm bartender/at bar/restaurant; age/how unspc	90	0.01
16 = Got it at party/celebration; no other info	332	0.03
17 = I made my own	17	0.00
18 = Stole it fr work/while bartending/servicing tbls	6	0.00
19 = I took/got/stole it; location unspcfd or unclear	225	0.02
20 = Someone else stole the alcohol	32	0.00
21 = Given by/got from relative; age unspecified	46	0.00
22 = Given by/got fr friend/acquaint; age/how unspc	1531	0.16
23 = Given by/got fr oth non-relative; age/how unspcfd	67	0.01
24 = Given by/got from person; age/relationship unspc	191	0.02
25 = Got as gift/for free; no other info	46	0.00
26 = Friend/acquaint of friend bought it; age unspc	107	0.01
27 = Bought by someone age 21+; relationship unspc	6	0.00
28 = Bought by someone else; age/relationship unspc	61	0.01
29 = Someone under 21 bought for me	4	0.00
30 = Just there/already there; no other information	60	0.01
31 = Just got it/had it; no other information	80	0.01
32 = From a house/home; no other information	49	0.01
33 = Found it; person's home unspecified	122	0.01
34 = Got it at communion/religious ritual	1	0.00
35 = Traded for it	3	0.00
38 = Got it on vacation/resort; no other information	3	0.00
70 = City/State/Country/vacation, location unspecified	8	0.00
85 = BAD DATA Logically assigned	245	0.03
91 = NEVER USED ALCOHOL	206431	21.75
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	188648	19.87
94 = DON'T KNOW	210	0.02
97 = REFUSED	1785	0.19
98 = BLANK (NO ANSWER)	5442	0.57
99 = LEGITIMATE SKIP	321782	33.90

NOTE: Beginning in 2015, questions about the misuse of prescription pain relievers, tranquilizers, stimulants, and sedatives with alcohol in the past 30 days were asked in the relevant sections of the interview about the misuse of prescription drugs instead of being asked in the consumption of alcohol section of the interview.

Think again about this last time you drank any alcoholic beverages, when you had [CA01 FILL] [drink/drinks]. Did you also use [DRUGFILL] while you were drinking or within a couple of hours of drinking?

CADRKDRUG¹

Len : 2 ALSO USE [DRUGFILL] WHILE YOU WERE DRINKING

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes	10715	1.13
2 = No	9850	1.04
85 = BAD DATA Logically assigned	17	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	98435	10.37
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	105085	11.07
94 = DON'T KNOW	76	0.01
97 = REFUSED	154	0.02
98 = BLANK (NO ANSWER)	2300	0.24

CONSUMPTION OF ALCOHOL

What other drug or drugs did you use while you were drinking or within a couple of hours of drinking?

[CADRKMARJ¹](#)

Len : 2 MARIJUANA OR HASHISH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	1439	0.15
5 = Response entered LOG ASSN (from skip pattern).....	8854	0.93
6 = Response not entered.....	167	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	98435	10.37
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	105085	11.07
94 = DON'T KNOW	1	0.00
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	1044	0.11
99 = LEGITIMATE SKIP	11597	1.22

[CADRKCOCN¹](#)

Len : 2 COCAINE OR 'CRACK'

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	338	0.04
5 = Response entered LOG ASSN (from skip pattern).....	100	0.01
6 = Response not entered.....	526	0.06
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	98435	10.37
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	105085	11.07
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	214	0.02
99 = LEGITIMATE SKIP	21930	2.31

[CADRKHERN¹](#)

Len : 2 HEROIN

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	77	0.01
5 = Response entered LOG ASSN (from skip pattern).....	14	0.00
6 = Response not entered.....	80	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	98435	10.37
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	105085	11.07
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	59	0.01
99 = LEGITIMATE SKIP	22880	2.41

[CADRKHALL¹](#)

Len : 2 HALLUCINOGENS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	118	0.01
5 = Response entered LOG ASSN (from skip pattern).....	23	0.00
6 = Response not entered.....	692	0.07
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	98435	10.37
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	105085	11.07
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER).....	496	0.05
99 = LEGITIMATE SKIP	21779	2.29

CONSUMPTION OF ALCOHOL

CADRKINH1¹

Len : 2 INHALANTS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	16	0.00
5 = Response entered LOG ASSN (from skip pattern).....	13	0.00
6 = Response not entered.....	141	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	98435	10.37
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	105085	11.07
98 = BLANK (NO ANSWER).....	244	0.03
99 = LEGITIMATE SKIP	22697	2.39

CADRK METH1

Len : 2 METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Response entered	129	0.01
5 = Response entered LOG ASSN (from skip pattern).....	38	0.00
6 = Response not entered.....	113	0.01
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	98435	10.37
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	105085	11.07
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER).....	110	0.01
99 = LEGITIMATE SKIP	22721	2.39

NOTE: Beginning in 2015, female respondents were asked for CABINGEVR, CABINGAGE, CABINGYFU, and CABINGMFU to report about consumption of 4 or more drinks on the same occasion. As in prior years, male respondents in 2015 were asked for CABINGEVR, CABINGAGE, CABINGYFU, and CABINGMFU to report about consumption of 5 or more drinks on the same occasion. Variables pertaining to consumption of 5 or more drinks or 4 or more drinks on the same occasion have been edited with respect to ALCUS30D and ALCBNG30D.

CABINGFLG takes into account the editing of the variables ALCUS30D and ALCBNG30D in the ALCOHOL module.

CABINGFLG1

Len : 2 ANY REPORT OF 4+ OR 5+ DRINKS FROM ALCOHOL MODULE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = No report of 4+/5+ drinks or not applicable	170540	17.97
1 = Binge alcohol use on 1+ days (ALCBING30D=1-30).....	54759	5.77
11 = Report of 4+/5+ drinks in ALCUS30D	464	0.05
85 = BAD DATA Logically assigned.....	869	0.09

Earlier the computer recorded that you have had at least one drink of an alcoholic beverage in your lifetime. Have you ever had [4 or more]/[5 or more] drinks on the same occasion? By 'occasion,' we mean at the same time or within a couple of hours of each other.

CABINGEVR1

Len : 2 EVER HAD 4/5 OR MORE DRINKS ON THE SAME OCCASION

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	47488	5.00
2 = No.....	58227	6.13
3 = Yes LOGICALLY ASSIGNED	76	0.01
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	56417	5.94
85 = BAD DATA Logically assigned.....	29	0.00
91 = NEVER USED ALCOHOL	63509	6.69
94 = DON'T KNOW	335	0.04
97 = REFUSED	478	0.05
98 = BLANK (NO ANSWER).....	73	0.01

CONSUMPTION OF ALCOHOL

Earlier the computer recorded that you had [4 or more]/[5 or more] drinks on the same occasion in the past 30 days. How old were you the first time you had [4 or more]/[5 or more] drinks on the same occasion?

How old were you the first time you had [4 or more]/[5 or more] drinks on the same occasion?

CABINGAGE¹

Len : 3 AGE 1ST TIME HAD 4 OR 5 OR MORE DRINKS SAME OCCASION

	Freq	Pct
RANGE = 1 - 86.....	98455	10.37
-9 = Data not collected for this year.....	722653	76.13
985 = BAD DATA Logically assigned.....	2021	0.21
991 = NEVER USED ALCOHOL.....	63509	6.69
994 = DON'T KNOW.....	2916	0.31
997 = REFUSED.....	547	0.06
998 = BLANK (NO ANSWER).....	957	0.10
999 = LEGITIMATE SKIP.....	58227	6.13

Did you first have [4 or more]/[5 or more] drinks on the same occasion in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have [4 or more]/[5 or more] drinks on the same occasion in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have [4 or more]/[5 or more] drinks on the same occasion?

CABINGYFU¹

Len : 4 YEAR OF FIRST 4 OR 5 + DRINKS ON SAME OCCASION - RECODE

	Freq	Pct
RANGE = 2013 - 2018.....	13333	1.40
-9 = Data not collected for this year.....	722653	76.13
9985 = BAD DATA Logically assigned.....	275	0.03
9989 = LEGITIMATE SKIP Logically assigned.....	373	0.04
9991 = NEVER USED ALCOHOL.....	63509	6.69
9994 = DON'T KNOW.....	2962	0.31
9997 = REFUSED.....	565	0.06
9998 = BLANK (NO ANSWER).....	2975	0.31
9999 = LEGITIMATE SKIP.....	142640	15.03

In what month in [CURRENT YEAR] did you first have [4 or more]/[5 or more] drinks on the same occasion?

In what month in [YEAR FROM CA11a or CA11b] did you first have [4 or more]/[5 or more] drinks on the same occasion?

CABINGMFU¹

Len : 2 MONTH OF 4 OR 5+ DRINKS ON SAME OCCASION - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	722653	76.13
1 = January.....	1556	0.16
2 = February.....	807	0.09
3 = March.....	894	0.09
4 = April.....	894	0.09
5 = May.....	913	0.10
6 = June.....	1257	0.13
7 = July.....	1522	0.16
8 = August.....	938	0.10
9 = September.....	891	0.09
10 = October.....	1052	0.11
11 = November.....	669	0.07
12 = December.....	1163	0.12
85 = BAD DATA Logically assigned.....	462	0.05
89 = LEGITIMATE SKIP Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL.....	63509	6.69
94 = DON'T KNOW.....	3468	0.37
97 = REFUSED.....	612	0.06
98 = BLANK (NO ANSWER).....	3012	0.32
99 = LEGITIMATE SKIP.....	142640	15.03

CONSUMPTION OF ALCOHOL

NOTE: EIBINGAGE is an "editing indicator" for the variable CABINGAGE. The default value of EIBINGAGE is 1, when no editing has been done to CABINGAGE, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGAGE has values of 2 when values in CABINGAGE have logically been replaced with other values as part of the data editing procedures.

<u>EIBINGAGE</u> ¹	Len : 1	EDITING INDICATOR FOR CABINGAGE		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Questionnaire data (or bad data/legitimate skip).....	226505	23.86
		2 = Logically assigned data	127	0.01

NOTE: EIBINGYFU is an "editing indicator" for the variable CABINGYFU. The default value of EIBINGYFU is 1, when no editing has been done to CABINGYFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGYFU has values of 2 when values in CABINGYFU have logically been replaced with other values as part of the data editing procedures.

<u>EIBINGYFU</u> ¹	Len : 1	EDITING INDICATOR FOR CABINGYFU		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Questionnaire data (or bad data/legitimate skip).....	226519	23.86
		2 = Logically assigned data	113	0.01

NOTE: EIBINGMFU is an "editing indicator" for the variable CABINGMFU. The default value of EIBINGMFU is 1, when no editing has been done to CABINGMFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGMFU has values of 2 when values in CABINGMFU have logically been replaced with other values as part of the data editing procedures.

<u>EIBINGMFU</u> ¹	Len : 1	EDITING INDICATOR FOR CABINGMFU		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Questionnaire data (or bad data/legitimate skip).....	226564	23.87
		2 = Logically assigned data	68	0.01

RECODED CONSUMPTION OF ALCOHOL

RECODED CONSUMPTION OF ALCOHOL

NOTE: The following 12 variables define specific drugs used at the same time or within a couple hours of the respondent's last alcohol use.

<u>DRKMRJ</u>	Len : 1 USED MARIJUANA WITH LAST ALCOHOL USE		
		Freq	Pct
	. = Unknown (Otherwise)	2135	0.22
	-9 = Data not collected for this year	447448	47.14
	0 = No (CADRKMRJ=6,81,83,89,91,93,99)	477659	50.32
	1 = Yes (CADRKMRJ=1,5)	22043	2.32

<u>DRKCOC</u>	Len : 1 USED COCAINE WITH LAST ALCOHOL USE		
		Freq	Pct
	. = Unknown (Otherwise)	543	0.06
	-9 = Data not collected for this year	447448	47.14
	0 = No (CADRKOC=6,81,83,89,91,93,99)	500305	52.70
	1 = Yes (CADRKOC=1,5)	989	0.10

<u>DRKHER</u>	Len : 1 USED HEROIN WITH LAST ALCOHOL USE		
		Freq	Pct
	. = Unknown (Otherwise)	151	0.02
	-9 = Data not collected for this year	447448	47.14
	0 = No (CADRKHER=6,81,83,89,91,93,99)	501541	52.83
	1 = Yes (CADRKHER=1,5)	145	0.02

<u>DRKHAL</u>	Len : 1 USED HALLUCINOGENS WITH LAST ALCOHOL USE		
		Freq	Pct
	. = Unknown (Otherwise)	1024	0.11
	-9 = Data not collected for this year	447448	47.14
	0 = No (CADRKHAL=6,81,83,89,91,93,99)	500475	52.72
	1 = Yes (CADRKHAL=1,5)	338	0.04

<u>DRKINH</u>	Len : 1 USED INHALANTS WITH LAST ALCOHOL USE		
		Freq	Pct
	. = Unknown (Otherwise)	628	0.07
	-9 = Data not collected for this year	447448	47.14
	0 = No (CADRKINH=6,81,83,89,91,93,99)	501128	52.79
	1 = Yes (CADRKINH=1,5)	81	0.01

<u>DRKANL</u>	Len : 1 USED PAIN RELIEVERS WITH LAST ALCOHOL USE		
		Freq	Pct
	. = Unknown (Otherwise)	1629	0.17
	-9 = Data not collected for this year	447448	47.14
	0 = No (CADRKANL=6,81,83,89,91,93,99)	498766	52.54
	1 = Yes (CADRKANL=1,5)	1442	0.15

<u>DRKTRN</u>	Len : 1 USED TRANQUILIZERS WITH LAST ALCOHOL USE		
		Freq	Pct
	. = Unknown (Otherwise)	605	0.06
	-9 = Data not collected for this year	447448	47.14
	0 = No (CADRKTRN=6,81,83,89,91,93,99)	500871	52.76
	1 = Yes (CADRKTRN=1,5)	361	0.04

<u>DRKSTM</u>	Len : 1 USED STIMULANTS WITH LAST ALCOHOL USE		
		Freq	Pct
	. = Unknown (Otherwise)	517	0.05
	-9 = Data not collected for this year	447448	47.14
	0 = No (CADRKSTM=6,81,83,89,91,93,99)	501103	52.79
	1 = Yes (CADRKSTM=1,5)	217	0.02

RECODED CONSUMPTION OF ALCOHOL

The following variable, DRKMTH, was created to capture the respondent's use of methamphetamine with his or her most recent use of alcohol. A positive response was assigned if the respondent reported methamphetamine use with his or her most recent alcohol use (CADRMTH=1, 5) and if he or she reported methamphetamine use in the core Stimulants module or he or she reported its use in the noncore Special Drugs module and they did not report methamphetamine use in the core Stimulants module because he or she did not consider it to be a prescription drug. A negative response was assigned if the respondent reported no methamphetamine use with his or her most recent alcohol use or reported never having used alcohol or methamphetamine or not having used in the past 30 days (CADRMTH=6,81,83,89,91,93,99). A negative response could also be assigned if a respondent reported methamphetamine use with his or her most recent alcohol use (CADRMTH=1,5) but he or she did not report ever having used methamphetamine in the core Stimulants module or in the noncore Specialty Drug module because they did not consider it to be a prescription drug.

DRKMTH	Len : 1 USED METHAMPHETAMINE WITH LAST ALCOHOL USE		
		Freq	Pct
.	= Unknown (Otherwise)	325	0.03
-9	= Data not collected for this year	447448	47.14
0	= No (See comment above).....	501279	52.81
1	= Yes (See comment above)	233	0.02

DRKSED	Len : 1 USED SEDATIVES WITH LAST ALCOHOL USE		
		Freq	Pct
.	= Unknown (Otherwise)	292	0.03
-9	= Data not collected for this year	447448	47.14
0	= No (CADRKSED=6,81,83,89,91,93,99).....	501495	52.83
1	= Yes (CADRKSED=1,5).....	50	0.01

The following variable, DRKSUM, was created to capture the use of any illicit drug with the respondent's most recent use of alcohol. It was created by examination of the following variables: DRKMTH, DRKCOG, DRKHER, DRKHAL, DRKINH, DRKANL, DRKTRN, DRKSTM, DRKMTH, and DRKSED. A positive response was assigned if a respondent answered 'Yes' to any of the individual drug variables. A negative response was assigned if a respondent answered 'No' to all drug variables or the respondent was not a past month user of any illicit drugs (SUMMON=0). If neither of these was true, then DRKSUM was set to missing.

DRKSUM	Len : 1 USED ILLICIT DRUGS WITH LAST ALCOHOL USE		
		Freq	Pct
.	= Unknown (See comment above).....	1705	0.18
-9	= Data not collected for this year	447448	47.14
0	= No (See comment above).....	476326	50.18
1	= Yes (See comment above)	23806	2.51

The following variable, DRKIEM, was created to capture the use of any illicit drug other than marijuana with the respondent's most recent use of alcohol. It was created by examination of the following recoded variables: DRKCOG, DRKHER, DRKHAL, DRKINH, DRKANL, DRKTRN, DRKSTM, DRKMTH, and DRKSED. A positive response was assigned if a respondent answered 'Yes' to any of these individual drugs. A negative response was assigned if a respondent answered 'No' to all of these drugs or they were not a past month user of any illicit drug other than marijuana (IEMMON=0). If neither of these was true, then DRKIEM was set to missing.

DRKIEM	Len : 1 USED ILLICIT DRUGS OTHR THAN MRJ WITH LAST ALC USE		
		Freq	Pct
.	= Unknown (See comment above).....	874	0.09
-9	= Data not collected for this year	447448	47.14
0	= No (See comment above).....	497704	52.43
1	= Yes (See comment above)	3259	0.34

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

The following variable defines the social context of a respondent's last alcohol use, including whether they drank alone or if they were with one or more persons.

UADPEOP	Len : 1 RC-SOCIAL CONTEXT OF MOST RECENT ALCOHOL USE		
		Freq	Pct
.	= Unknown (Otherwise)	5002	0.53
-9	= Data not collected for this year	220816	23.26
1	= Drank Alone (CADRPEOP=1).....	3937	0.41
2	= Drank with One Other Person (CADRPEOP=2).....	10104	1.06
3	= Drank with More Than One Person (CADRPEOP=3)	50780	5.35
4	= No Past Mon Alc/Aged 21+ (CADRPEOP=89,91,93,99)	658646	69.38

RECODED CONSUMPTION OF ALCOHOL

NOTE: The following eight variables define the locations where respondents had their most recent alcohol use.

<u>UADCAR</u>	Len : 1 RC-MOST RECENT ALCOHOL USE IN A CAR		
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year	664338	69.98
	1 = Yes (CADRCAR=1,3).....	220816	23.26
	2 = No (CADRCAR=6).....	2990	0.31
		61141	6.44

<u>UADHOME</u>	Len : 1 RC-MOST RECENT ALCOHOL USE AT HOME		
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year	664338	69.98
	1 = Yes (CADRHOME=1,3)	220816	23.26
	2 = No (CADRHOME=6)	20051	2.11
		44080	4.64

<u>UADOTHM</u>	Len : 1 RC-MOST RECENT ALCOHOL USE AT SOMEONE ELSE'S HOME		
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year	664338	69.98
	1 = Yes (CADROTHM=1,3)	220816	23.26
	2 = No (CADROTHM=6)	34691	3.65
		29440	3.10

<u>UADPUBL</u>	Len : 1 RC-MOST RECENT ALCOHOL USE AT A PARK, BEACH, OR LOT		
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year	664338	69.98
	1 = Yes (CADRPUBL=1,3).....	220816	23.26
	2 = No (CADRPUBL=6).....	3010	0.32
		61121	6.44

<u>UADBAR</u>	Len : 1 RC-MOST RECENT ALCOHOL USE AT RESTAURANT, BAR OR CLUB		
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year	664338	69.98
	1 = Yes (CADRBAR=1,3).....	220816	23.26
	2 = No (CADRBAR=6).....	4518	0.48
		59613	6.28

<u>UADEVNT</u>	Len : 1 RC-MOST RECENT ALCOHOL USE AT CONCERT OR SPORTS GAME		
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year	664338	69.98
	1 = Yes (CADREVNT=1,3)	220816	23.26
	2 = No (CADREVNT=6)	1172	0.12
		62959	6.63

<u>UADSCHL</u>	Len : 1 RC-MOST RECENT ALCOHOL USE AT SCHOOL		
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year	664338	69.98
	1 = Yes (CADRSCHL=1,3).....	220816	23.26
	2 = No (CADRSCHL=6).....	1435	0.15
		62696	6.60

The following variable, UADROTH, was assigned a negative response if a respondent indicated not receiving their most recent alcohol from some other place (CADROTH=6) or indicated receiving their most recent alcohol from one of the other specific locations asked about (CADROTH=1 & CADROTHS2=1-7). A missing was assigned if a respondent indicated that they received their most recent alcohol from some other place (CADROTH=1) and their response to the other-specify follow-up question was invalid or unknown (CADROTHS2=70, 85, 94, 97, 98) or if they were not alcohol users, or did not indicate any location for their most recent alcohol use (CADROTH=91, 93, 94, 97, 98, 99).

<u>UADROTH</u>	Len : 1 RC-MOST RECENT ALCOHOL USE AT SOME OTHER PLACE		
	. = Unknown/No PM Use/Aged 21+ (See comment above)	Freq	Pct
	-9 = Data not collected for this year	665406	70.10
	1 = Yes (CADROTH=1 and CADROTHS2=8-41)	220816	23.26
	2 = No (See comment above).....	4367	0.46
		58696	6.18

RECODED CONSUMPTION OF ALCOHOL

UADOTSP

Len : 1 RC-OTHER LOCATIONS OF MOST RECENT ALCOHOL USE

	Freq	Pct
. = Unknown (CADROTS2=70,85,94,97,98)	6760	0.71
-9 = Data not collected for this year	220816	23.26
1 = Party, Wedding, or Celebration (CADROTS2=35)	1308	0.14
2 = Outside; Location Not Specified (CADROTS2=24)	676	0.07
3 = Hotel, Motel, or Resort (CADROTS2=15)	529	0.06
4 = Camping, Hunting, or Fishing (CADROTS2=22)	336	0.04
5 = Cabin, Cottage, Vacation Home, Etc. (CADROTS2=14)	120	0.01
6 = Dorm Room (CADROTS2=29)	118	0.01
7 = Other Location, Nonuser, or Aged 21+ (Otherwise)	718622	75.70

UADPAID

Len : 1 RC-UNDERAGE DRINKER PAID FOR MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise)	5059	0.53
-9 = Data not collected for this year	220816	23.26
1 = Yes (CABUYFRE=1)	18631	1.96
2 = No (CABUYFRE=2)	46133	4.86
3 = No Past Mon Alc/Aged 21+ (CABUYFRE=89,91,93,99)	658646	69.38

A respondent was assigned a value of UADMONEY=3 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but did not pay for their most recent alcohol (CAGVMONEY=89, 91, 93, 99).

UADMONEY

Len : 1 RC-UNDERAGE DRINKER PURCHASED MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise)	5217	0.55
-9 = Data not collected for this year	220816	23.26
1 = Bought Myself (CAGVMONEY=1)	4992	0.53
2 = Gave Money to Someone Else to Buy (CAGVMONEY=2)	13481	1.42
3 = No Pst Mon Alc/Aged 21+/No Pay (See comment above)	704779	74.24

A respondent was assigned a value of UADBWHO=3 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABUYWHO=89, 91, 93, 99).

UADBWHO

Len : 1 RC-HOW UNDERAGE DRINKER PURCHASED MOST RECNT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise)	5327	0.56
-9 = Data not collected for this year	220816	23.26
1 = Bought at a Store/Restaurant/Etc. (CABUYWHO=1)	4047	0.43
2 = Bought From Another Person (CABUYWHO=2)	835	0.09
3 = No PM Alc/Aged 21+/No Pay, Buy (See comment above)	718260	75.66

A respondent was assigned a value of UADPLACE=4 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but bought from another person, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABPLACE=89, 91, 93, 99).

UADPLACE

Len : 1 RC-WHERE UNDERAGE DRINKER PURCHSD MOST RECNT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise)	5339	0.56
-9 = Data not collected for this year	220816	23.26
1 = Bought at Liquor/Grocery Store (CABPLACE=1)	2631	0.28
2 = Bought at a Restaurant/Bar/Club (CABPLACE=2)	1316	0.14
3 = Bought at a Concert/Sports/Event (CABPLACE=3)	88	0.01
4 = No PM Alc/21+/Prsn/No Pay, Buy (See comment above)	719095	75.75

RECODED CONSUMPTION OF ALCOHOL

A respondent was assigned a value of UADBUND=3 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 and bought it at a store, restaurant, bar, club, or event, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABUNDAG=89, 91, 93, 99).

UADBUND

Len : 1 RC-AGE PERSON WHO PURCHASED ALC FOR UNDERAGE DRINKER

	Freq	Pct
. = Unknown (Otherwise)	5332	0.56
-9 = Data not collected for this year	220816	23.26
1 = Under Age 21 (CABUNDAG=1)	310	0.03
2 = Aged 21 or Older (CABUNDAG=2)	520	0.05
3 = No PM Alc/21+/Plce/No Pay, Buy (See comment above).....	722307	76.09

A respondent was assigned a value of UADCAG=5 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 but bought it themselves (CAGVWHO=89, 91, 93, 99).

UADCAG

Len : 1 RC-WHO PURCHASED UNDERAGE DRINKER MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise)	5682	0.60
-9 = Data not collected for this year	220816	23.26
1 = Parent or Guardian (CAGVWHO=1).....	420	0.04
2 = Another Family Member Aged 21 or Older (CAGVWHO=2).....	1413	0.15
3 = Someone Not Related Aged 21 or Older (CAGVWHO=3)	9696	1.02
4 = Someone Under the Age of 21 (CAGVWHO=4).....	1487	0.16
5 = No PM Alc/21+/No Pay/Buy Self (See comment above)	709771	74.77

The following variable, UADFWHO, was assigned missing if a respondent indicated that some other person gave them the last alcohol they drank (CAFREWHO=7) and their response to the other-specify follow-up question was unknown (CAFRESP2=70, 85, 94, 97, 98) or if they did not indicate who gave them the last alcohol they drank (CAFREWHO=85, 94, 97, 98). A respondent was assigned a value of UADFWHO=8 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but paid for it themselves (CAFREWHO=89,91,93,99).

UADFWHO

Len : 1 RC-WHO GAVE UNDERAGE DRINKER MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (See comment above).....	7691	0.81
-9 = Data not collected for this year	220816	23.26
1 = Parent or Guardian (CAFREWHO=1,11).....	4552	0.48
2 = Another Family Member, 21 or Older (CAFREWHO=2,12).....	5922	0.62
3 = Someone Not Related, 21 or Older (CAFREWHO=3,13)	15748	1.66
4 = Someone Under the Age of 21 (CAFREWHO=4,14).....	8941	0.94
5 = Took From My Home (CAFREWHO=5,15).....	3122	0.33
6 = Took From Someone Else's Home (CAFREWHO=6,16).....	1673	0.18
7 = Some Other Way (CAFREWHO=7 & CAFRESP2=7-43)	3543	0.37
8 = No PM Alc/Aged 21+/Pay (See comment above).....	677277	71.35

The following variable, UADFRD, was assigned a negative response if a respondent indicated receiving their most recent alcohol not from a friend (CAFREWHO=1-6, 11-16) or from some other person besides a friend (CAFREWHO=7 & CAFRESP2=7, 8-21, 23-42). A missing was assigned if a respondent indicated that some other person gave them the last alcohol they drank (CAFREWHO=7) and their response to the other-specify follow-up question was unknown (CAFRESP2=70, 85, 94, 97, 98) or if they did not indicate who gave them the last alcohol they drank (CAFREWHO=85, 94, 97, 98). A respondent was assigned a value of UADFRD=3 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but paid for it themselves (CAFREWHO=89,91,93,99).

UADFRD

Len : 1 RC-MOST RECENT ALCOHOL FROM FRIEND, UNSPEC AGE/METHOD

	Freq	Pct
. = Unknown (See comment above).....	7691	0.81
-9 = Data not collected for this year	220816	23.26
1 = Got From a Friend (CAFREWHO=7 & CAFRESP2=22,43).....	1534	0.16
2 = Not From a Friend (See comment above).....	41967	4.42
3 = No PM Alc/Aged 21+/Pay (See comment above).....	677277	71.35

NOTE: The following six variables define specific drugs used at the same time or within a couple hours of the respondent's last alcohol use.

CADRKMARJ2

Len : 1 RC-USED MARIJUANA WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise)	1055	0.11
-9 = Data not collected for this year	722653	76.13
0 = No (CADRKMARJ=6,81,83,89,91,93,99).....	215284	22.68
1 = Yes (CADRKMARJ=1,5).....	10293	1.08

RECODED CONSUMPTION OF ALCOHOL

CADRKCOCN2	Len : 1 RC-USED COCAINE WITH LAST ALCOHOL USE		
		Freq	Pct
	. = Unknown (Otherwise)	218	0.02
	-9 = Data not collected for this year	722653	76.13
	0 = No (CADRKCOCN=6,81,83,89,91,93,99).....	225976	23.80
	1 = Yes (CADRKCOCN=1,5)	438	0.05
CADRKHERN2	Len : 1 RC-USED HEROIN WITH LAST ALCOHOL USE		
		Freq	Pct
	. = Unknown (Otherwise)	60	0.01
	-9 = Data not collected for this year	722653	76.13
	0 = No (CADRKHERN=6,81,83,89,91,93,99).....	226481	23.86
	1 = Yes (CADRKHERN=1,5).....	91	0.01
CADRKHALL2	Len : 1 RC-USED HALLUCINOGENS WITH LAST ALCOHOL USE		
		Freq	Pct
	. = Unknown (Otherwise)	499	0.05
	-9 = Data not collected for this year	722653	76.13
	0 = No (CADRKHALL=6,81,83,89,91,93,99).....	225992	23.81
	1 = Yes (CADRKHALL=1,5).....	141	0.01
CADRKINHL2	Len : 1 RC-USED INHALANTS WITH LAST ALCOHOL USE		
		Freq	Pct
	. = Unknown (Otherwise)	244	0.03
	-9 = Data not collected for this year	722653	76.13
	0 = No (CADRKINHL=6,81,83,89,91,93,99).....	226359	23.85
	1 = Yes (CADRKINHL=1,5).....	29	0.00
CADRKMETH2	Len : 1 RC-USED METHAMPHETAMINE WITH LAST ALCOHOL USE		
		Freq	Pct
	. = Unknown (Otherwise)	111	0.01
	-9 = Data not collected for this year	722653	76.13
	0 = No (CADRKMETH=6,81,83,89,91,93,99)	226354	23.84
	1 = Yes (CADRKMETH=1,5)	167	0.02

INCOME AND INSURANCE

INCOME AND INSURANCE

NOTE: The variables which immediately follow refer to questions about the kinds and amounts of income received. Only imputed variables are included since other variables do not provide any additional analytic utility. Users can differentiate between imputed and non-imputed values using the imputation indicators. Questions about income from the questionnaire are not reproduced since the variables below do not correspond exactly to those questions. Edited and imputed health insurance variables, with the accompanying questionnaire questions, follow the income variables.

IRPSOC

Len : 1 IMP. REVISED - RESP RECEIVE SS OR RR PAYMENTS

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Yes.....	23557	2.48
2 = No.....	301541	31.77
99 = LEGITIMATE SKIP	5802	0.61

IIPSOC

Len : 1 IRPSOC - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Questionnaire data.....	323958	34.13
3 = Statistically imputed data.....	1140	0.12
9 = Legitimate skip	5802	0.61

IRPSSI

Len : 1 IMP. REVISED - RESP RECEIVE SSI

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Yes.....	8945	0.94
2 = No.....	316153	33.30
99 = LEGITIMATE SKIP	5802	0.61

IIPSSI

Len : 1 IRPSSI - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Questionnaire data.....	323472	34.08
3 = Statistically imputed data.....	1626	0.17
9 = Legitimate skip	5802	0.61

IRPWAG

Len : 1 IMP. REVISED - RESP RECEIVE INCOME FROM JOB

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Yes.....	204793	21.57
2 = No.....	120305	12.67
99 = LEGITIMATE SKIP	5802	0.61

IIPWAG

Len : 1 IRPWAG - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Questionnaire data.....	324592	34.19
3 = Statistically imputed data.....	506	0.05
9 = Legitimate skip	5802	0.61

IRPPMT

Len : 1 IMP. REVISED - RESP RECEIVE PUBLIC ASSIST

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Yes.....	9338	0.98
2 = No.....	315760	33.26
99 = LEGITIMATE SKIP	5802	0.61

IIPPMT

Len : 1 IRPPMT - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Questionnaire data.....	323775	34.11
3 = Statistically imputed data.....	1323	0.14
9 = Legitimate Skip.....	5802	0.61

INCOME AND INSURANCE

IRPSVC

Len : 1 IMP. REVISED - RESP REC WELFARE/JOB PL/CHILD CARE

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Yes.....	10630	1.12
2 = No.....	314468	33.13
99 = LEGITIMATE SKIP	5802	0.61

IIP SVC

Len : 1 IRPSVC - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Questionnaire data.....	324077	34.14
3 = Statistically imputed data.....	1021	0.11
9 = Legitimate skip	5802	0.61

IRPINT

Len : 1 IMP. REVISED - RESP REC INTEREST SAVING/DIVIDEND

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Yes.....	174224	18.35
2 = No.....	150874	15.89
99 = LEGITIMATE SKIP	5802	0.61

IIPINT

Len : 1 IRPINT - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Questionnaire data.....	322552	33.98
3 = Statistically imputed data.....	2546	0.27
9 = Legitimate skip	5802	0.61

IRFAMINT

Len : 1 IMP. REV - FAM REC INTEREST SAVING/DIVIDEND

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Yes.....	218082	22.97
2 = No.....	107016	11.27
99 = LEGITIMATE SKIP	5802	0.61

IIFAMINT

Len : 1 IRFAMINT - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Questionnaire data.....	317478	33.44
3 = Statistically imputed data.....	7620	0.80
9 = Legitimate skip	5802	0.61

IRPCHD

Len : 1 IMP. REVISED - RESP REC CHILD SUPPORT PAYMENTS

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Yes.....	11979	1.26
2 = No.....	313119	32.98
99 = LEGITIMATE SKIP	5802	0.61

IIPCHD

Len : 1 IRPCHD - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Questionnaire data.....	324432	34.18
3 = Statistically imputed data.....	666	0.07
9 = Legitimate skip	5802	0.61

IRFAMCHD

Len : 1 IMP. REVISED - FAM REC CHILD SUPPORT PAYMENTS

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Yes.....	39107	4.12
2 = No.....	285991	30.13
99 = LEGITIMATE SKIP	5802	0.61

INCOME AND INSURANCE

IRFAMCHD

Len : 1 IRFAMCHD - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Questionnaire data.....	323208	34.05
3 = Statistically imputed data.....	1890	0.20
9 = Legitimate skip	5802	0.61

IRPOTH

Len : 1 IMP. REVISED - RESP REC OTH INCOME FROM OTH SOURCE

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Yes.....	19833	2.09
2 = No.....	305265	32.16
99 = LEGITIMATE SKIP	5802	0.61

IIPOTH

Len : 1 IRPOTH - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Questionnaire data.....	324053	34.14
3 = Statistically imputed data.....	1045	0.11
9 = Legitimate skip	5802	0.61

IRFAMOTH

Len : 1 IMP. REVISED - FAM REC OTH INC FR OTH SOURCE

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Yes.....	43273	4.56
2 = No.....	281825	29.69
99 = LEGITIMATE SKIP	5802	0.61

IIFAMOTH

Len : 1 IRFAMOTH - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	618385	65.14
1 = Questionnaire data.....	321262	33.84
3 = Statistically imputed data.....	3836	0.40
9 = Legitimate skip	5802	0.61

The following variable, IRPINSUR, is the imputation-revised version of the edited variable PRVHLTIN.

IRPINSUR

Len : 1 IMPUTATION - REVISED PRIVATE HEALTH INSURANCE

	Freq	Pct
-9 = Data not collected for this year	337063	35.51
1 = Yes, respondent does have private health insurance.....	387871	40.86
2 = No, respondent does not have private health insur.....	224351	23.63

IIPINSUR

Len : 1 IRPINSUR IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	337063	35.51
1 = Questionnaire data.....	608114	64.06
3 = Statistically imputed data.....	4108	0.43

IRINSUR is the imputation-revised version of health insurance that does not include coverage by Medicaid/CHIP (CAIDCHIP).

IRINSUR

Len : 1 IMPUTATION-REVISED HEALTH INSURANCE

	Freq	Pct
-9 = Data not collected for this year	337063	35.51
1 = Yes, respondent does have health insurance.....	490088	51.63
2 = No, respondent does not have health insurance	122134	12.87

IIRINSUR

Len : 1 IRINSUR IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	337063	35.51
1 = Questionnaire data.....	607580	64.00
2 = Logically assigned data	46	0.00
3 = Statistically imputed data.....	4596	0.48

INCOME AND INSURANCE

IRINSUR3 is the imputation-revised version of health insurance that includes coverage by Medicaid/CHIP (CAIDCHIP).

IRINSUR3	Len : 1	IMPUTATION-REVISED HEALTH INSURANCE		
			Freq	Pct
		-9 = Data not collected for this year	337063	35.51
		1 = Yes, respondent does have health insurance.....	513741	54.12
		2 = No, respondent does not have health insurance	98481	10.37

IIINSUR3	Len : 1	IRINSUR3 IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	337063	35.51
		1 = Questionnaire data.....	607412	63.99
		2 = Logically assigned data	46	0.00
		3 = Statistically imputed data.....	4764	0.50

IRFAMWAG	Len : 1	IMP. REVISED - FAM REC INCOME FROM JOB		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Yes.....	652831	68.77
		2 = No.....	69822	7.36

IIFAMWAG	Len : 1	IRFAMWAG - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Questionnaire data.....	720602	75.91
		3 = Statistically imputed data.....	2051	0.22

RECODED INCOME AND INSURANCE

RECODED INCOME AND INSURANCE

NOTE: The variable INCSAMP reflects the split-sample design for the Income module. Respondents in Sample A received the same set of income questions as in the 2005 survey. Respondents in Sample B received a reduced set of income questions. However, edited variables continue to have the same names that they had in prior years. If a question corresponding to a given variable was not administered to respondents in Sample B, it was assigned a LEGITIMATE SKIP code.

<u>INCSAMP</u>	Len : 2 INCOME SPLIT SAMPLE INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	839201	88.40
	1 = Sample A.....	104293	10.99
	2 = Sample B.....	5791	0.61

The following variable, POVERTY2, indicates a person's family income relative to poverty thresholds. The U.S. Census Bureau assigns a poverty threshold for each combination of family size and number of children in the household. To be at 100% of the poverty threshold is equivalent to having a family income that is the same as the poverty threshold. A poverty level less than 100% indicates having a family income less than the poverty threshold and therefore defined by the Federal government as living in poverty. A poverty level greater than 100% indicates having a family income greater than the poverty threshold.

POVERTY2 was created for each individual based on their poverty threshold (determined by their age, family size, the number of children in the household, and total family income). Since NSDUH only collects categorical values of family income, for each level of income, the midpoint of each range was assigned as the effective family income. However, for the unbounded highest level of income, an effective family income of \$120,000 was assigned. Effective family income was divided by the poverty threshold and multiplied by 100 to show family income as a percentage of the federal poverty threshold. Respondents aged 18 to 22 currently living in a college dormitory (GQTYPE2='C') were set to SAS missing and do not have a valid value for this variable.

<u>POVERTY2</u>	Len : 1 POVERTY LEVEL (% OF US CENSUS POVERTY THRESHOLD)		
		Freq	Pct
	. = Persons Aged 18 to 22 Living in a College Dorm.....	10017	1.06
	-9 = Data not collected for this year	226632	23.87
	1 = Living in Poverty (See comment above)	132419	13.95
	2 = Income Up to 2X Fed Pov Thresh (See comment above).....	159242	16.77
	3 = Income > 2X Fed Pov Thresh (See comment above)	420975	44.35

INTERVIEW INFORMATION

INTERVIEW INFORMATIONGQTYPE

Len : 1 TYPE OF GROUP QUARTER

	Freq	Pct
= BLANK (NO ANSWER)	161496	17.01
B = Boarding House.....	19	0.00
C = College Dorm.....	2891	0.30
O = Other	452	0.05
S = Shelter.....	26	0.00
-9 = Data not collected for this year	784374	82.63
1 = Halfway House	27	0.00

LANGVER

Len : 2 LANGUAGE VERSION

	Freq	Pct
1 = English	914113	96.29
2 = Spanish.....	35170	3.70
98 = BLANK (NO ANSWER).....	2	0.00

QUARTER

Len : 1 QUARTER INDICATOR

	Freq	Pct
1 = Quarter 1	225419	23.75
2 = Quarter 2	252006	26.55
3 = Quarter 3	242595	25.56
4 = Quarter 4	229265	24.15

GQTYPE2

Len : 1 TYPE OF GROUP QUARTER

	Freq	Pct
= BLANK (NO ANSWER)	772974	81.43
C = College Dorm.....	9553	1.01
O = Other	1847	0.19
-9 = Data not collected for this year	164911	17.37

DEMOGRAPHICS

DEMOGRAPHICS

DEMOGRAPHICS

NOTE: After a respondent has entered his/her birthdate in the first part of the questionnaire, he/she has multiple opportunities to change his/her age in response to consistency checks throughout the questionnaire. It is therefore possible for the age recorded by the respondent at the beginning of the questionnaire to be different than the age at the end of the questionnaire. The final age variable is determined using these two constituent age variables, in addition to the age calculated from the raw birthdate and the final edited interview date, the age entered in the questionnaire roster (if it exists), and the pre-interview screener age.

AGE2

Len : 2 RECODE - FINAL EDITED AGE

	Freq	Pct
1 = Respondent is 12 years old.....	44232	4.66
2 = Respondent is 13 years old.....	47344	4.99
3 = Respondent is 14 years old.....	47739	5.03
4 = Respondent is 15 years old.....	48781	5.14
5 = Respondent is 16 years old.....	49103	5.17
6 = Respondent is 17 years old.....	47934	5.05
7 = Respondent is 18 years old.....	39809	4.19
8 = Respondent is 19 years old.....	36203	3.81
9 = Respondent is 20 years old.....	35537	3.74
10 = Respondent is 21 years old.....	35953	3.79
11 = Respondent is 22 or 23 years old.....	71756	7.56
12 = Respondent is 24 or 25 years old.....	71255	7.51
13 = Respondent is between 26 and 29 years old.....	51215	5.40
14 = Respondent is between 30 and 34 years old.....	59751	6.29
15 = Respondent is between 35 and 49 years old.....	151495	15.96
16 = Respondent is between 50 and 64 years old.....	66888	7.05
17 = Respondent is 65 years old or older.....	44290	4.67

How many times have you been married?

NOMARR2

Len : 2 NUMBER OF TIMES MARRIED

	Freq	Pct
-9 = Data not collected for this year.....	57146	6.02
1 = One time.....	247804	26.10
2 = Two or more times.....	65711	6.92
94 = DON'T KNOW.....	41	0.00
97 = REFUSED.....	287	0.03
98 = BLANK (NO ANSWER).....	8	0.00
99 = LEGITIMATE SKIP.....	578288	60.92

Have you ever been in the United States Armed Forces?

SERVICE

Len : 2 EVER BEEN IN THE US ARMED FORCES

	Freq	Pct
1 = Yes.....	41445	4.37
2 = No.....	670454	70.63
85 = BAD DATA Logically assigned.....	158	0.02
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW.....	7	0.00
97 = REFUSED.....	13	0.00
98 = BLANK (NO ANSWER).....	9	0.00
99 = LEGITIMATE SKIP.....	237197	24.99

Are you currently on active duty in the United States Armed Forces, are you in a Reserve component, or are you now separated or retired from the military?

MILSTAT

Len : 2 CURRENT MILITARY STATUS

	Freq	Pct
2 = In a reserves component.....	3057	0.32
3 = Now separated/retired from reserves/active duty.....	38350	4.04
85 = BAD DATA Logically assigned.....	158	0.02
94 = DON'T KNOW.....	39	0.00
97 = REFUSED.....	19	0.00
98 = BLANK (NO ANSWER).....	9	0.00
99 = LEGITIMATE SKIP.....	907653	95.61

DEMOGRAPHICS

Have you ever served on active duty in the United States Armed Forces or Reserve components? Active duty does not include training for the Reserves or National Guard, but does include activation, for example, for a national emergency or military conflict.

[ACTDEVER](#)

Len : 2 EVER ON ACTIVE DUTY IN US MILITARY/RESERV

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
1 = Yes.....	11693	1.23
2 = No.....	3511	0.37
85 = BAD DATA Logically assigned.....	132	0.01
94 = DON'T KNOW	7	0.00
97 = REFUSED	4	0.00
98 = BLANK (NO ANSWER).....	4	0.00
99 = LEGITIMATE SKIP	321712	33.89

When did you serve on active duty in the United States Armed Forces or Reserve components? Just give me the number or numbers from the card.

[ACTD2001](#)

Len : 2 SEPTEMBER 2001 OR LATER

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
1 = Yes.....	3777	0.40
2 = No (not entered)	7887	0.83
85 = BAD DATA Logically assigned.....	136	0.01
94 = DON'T KNOW	8	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER).....	27	0.00
99 = LEGITIMATE SKIP	325223	34.26

[ACTD9001](#)

Len : 2 AUG 1990 TO AUG 2001 (INCLUDING PERSIAN GULF WAR)

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
1 = Yes.....	2920	0.31
2 = No (not entered)	8747	0.92
85 = BAD DATA Logically assigned.....	132	0.01
94 = DON'T KNOW	8	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER).....	27	0.00
99 = LEGITIMATE SKIP	325223	34.26

[ACTD7590](#)

Len : 2 MAY 1975 TO JULY 1990

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
1 = Yes.....	2466	0.26
2 = No (not entered)	9200	0.97
85 = BAD DATA Logically assigned.....	135	0.01
94 = DON'T KNOW	8	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER).....	25	0.00
99 = LEGITIMATE SKIP	325223	34.26

[ACTDVIET](#)

Len : 2 VIETNAM ERA (MARCH 1961 TO APRIL 1975)

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
1 = Yes.....	3306	0.35
2 = No (not entered)	8359	0.88
85 = BAD DATA Logically assigned.....	137	0.01
94 = DON'T KNOW	8	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER).....	24	0.00
99 = LEGITIMATE SKIP	325223	34.26

DEMOGRAPHICS

ACTDPRIV

Len : 2 ANY TIME BEFORE VIETNAM ERA (MARCH 1961)

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
1 = Yes.....	1560	0.16
2 = No (not entered)	10098	1.06
85 = BAD DATA Logically assigned.....	152	0.02
94 = DON'T KNOW	8	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER).....	16	0.00
99 = LEGITIMATE SKIP	325223	34.26

Did you ever serve on active duty in the United States Armed Forces or Reserve components in a military combat zone or an area where you drew imminent danger pay or hostile fire pay?

COMBATPY

Len : 2 EVER IN COMBAT ZONE ON ACTIVE DUTY

	Freq	Pct
-9 = Data not collected for this year	612222	64.49
1 = YES	5273	0.56
2 = NO	6385	0.67
85 = BAD DATA Logically assigned.....	132	0.01
94 = DON'T KNOW	29	0.00
97 = REFUSED	10	0.00
98 = BLANK (NO ANSWER).....	11	0.00
99 = LEGITIMATE SKIP	325223	34.26

This question is about your overall health. Would you say your health in general is excellent, very good, good, fair, or poor?

HEALTH

Len : 2 OVERALL HEALTH

	Freq	Pct
1 = Excellent	261966	27.60
2 = Very good.....	374413	39.44
3 = Good	235217	24.78
4 = Fair	65839	6.94
5 = Poor	11659	1.23
94 = DON'T KNOW	157	0.02
97 = REFUSED	33	0.00
98 = BLANK (NO ANSWER).....	1	0.00

How many times in the past 12 months have you moved? Please include moves from one residence to another within the same city/town as well as those from one city/town to another.

MOVSINPYR2

Len : 3 # TIMES MOVED PAST 12 MONTHS- RECODED

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
0 = 0 time	155336	16.36
1 = One time.....	41572	4.38
2 = Two times.....	16440	1.73
3 = Three or more times	8629	0.91
985 = BAD DATA Logically assigned.....	103	0.01
994 = DON'T KNOW	2581	0.27
997 = REFUSED	1900	0.20
998 = BLANK (NO ANSWER).....	71	0.01

DEMOGRAPHICS

People are different in their sexual attraction to other people. Which statement best describes your feelings?

SEXATTRACT

Len : 2 SEXUAL ATTRACTION

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = I am only attracted to opposite sex	145009	15.28
2 = I am mostly attracted to opposite sex	11258	1.19
3 = I am equally attracted to males and females	5702	0.60
4 = I am mostly attracted to same sex	1662	0.18
5 = I am only attracted to same sex	3038	0.32
6 = I am not sure	2619	0.28
85 = BAD DATA Logically assigned	24	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	670	0.07
97 = REFUSED	1718	0.18
98 = BLANK (NO ANSWER)	66	0.01
99 = LEGITIMATE SKIP	54864	5.78

Which one of the following do you consider yourself to be?

SEXIDENT

Len : 2 SEXUAL IDENTITY

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Heterosexual, that is, straight	157171	16.56
2 = Lesbian or Gay	3664	0.39
3 = Bisexual	7725	0.81
85 = BAD DATA Logically assigned	24	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	1072	0.11
97 = REFUSED	2044	0.22
98 = BLANK (NO ANSWER)	66	0.01
99 = LEGITIMATE SKIP	54864	5.78

How well do you speak English?

SPEAKENGL

Len : 2 HOW WELL SPEAK ENGLISH

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Very well	200864	21.16
2 = Well	17279	1.82
3 = Not well	5700	0.60
4 = Not at all	1859	0.20
85 = BAD DATA Logically assigned	77	0.01
94 = DON'T KNOW	258	0.03
97 = REFUSED	524	0.06
98 = BLANK (NO ANSWER)	71	0.01

Are you deaf or do you have serious difficulty hearing?

DIFFHEAR

Len : 2 SERIOUS DIFFICULTY HEARING

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes	7221	0.76
2 = No	218465	23.01
85 = BAD DATA Logically assigned	77	0.01
94 = DON'T KNOW	312	0.03
97 = REFUSED	486	0.05
98 = BLANK (NO ANSWER)	71	0.01

DEMOGRAPHICS

Are you blind or do you have serious difficulty seeing, even when wearing glasses?

DIFFSEE

Len : 2 SERIOUS DIFFICULTY SEEING

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	9311	0.98
2 = No.....	216384	22.79
85 = BAD DATA Logically assigned.....	77	0.01
94 = DON'T KNOW	315	0.03
97 = REFUSED	474	0.05
98 = BLANK (NO ANSWER).....	71	0.01

Because of a physical, mental or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?

DIFFTHINK

Len : 2 SERIOUS DIFFICULTY CONCENTRAT, REMEMBR, DECISION

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	22617	2.38
2 = No.....	202351	21.32
85 = BAD DATA Logically assigned.....	77	0.01
94 = DON'T KNOW	832	0.09
97 = REFUSED	684	0.07
98 = BLANK (NO ANSWER).....	71	0.01

Do you have serious difficulty walking or climbing stairs?

DIFFWALK

Len : 2 SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	10726	1.13
2 = No.....	214919	22.64
85 = BAD DATA Logically assigned.....	77	0.01
94 = DON'T KNOW	328	0.03
97 = REFUSED	511	0.05
98 = BLANK (NO ANSWER).....	71	0.01

Do you have difficulty dressing or bathing?

DIFFDRESS

Len : 2 SERIOUS DIFFICULTY DRESSING OR BATHING

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	3495	0.37
2 = No.....	222235	23.41
85 = BAD DATA Logically assigned.....	77	0.01
94 = DON'T KNOW	265	0.03
97 = REFUSED	489	0.05
98 = BLANK (NO ANSWER).....	71	0.01

Because of a physical, mental or emotional condition, do you have difficulty doing errands alone such as visiting a doctors' office or shopping?

DIFFERAND

Len : 2 DIFFICULTY DOING ERRANDS ALONE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	9564	1.01
2 = No.....	189306	19.94
85 = BAD DATA Logically assigned.....	37	0.00
94 = DON'T KNOW	320	0.03
97 = REFUSED	519	0.05
98 = BLANK (NO ANSWER).....	66	0.01
99 = LEGITIMATE SKIP	26820	2.83

IMPUTED DEMOGRAPHICS

IMPUTED DEMOGRAPHICS

<u>IREduc2</u>	Len : 2 RECODE - IMPUTATION REVISED EDUCATION		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Fifth grade or less.....	19220	2.02
	2 = Sixth grade	39560	4.17
	3 = Seventh grade	39881	4.20
	4 = Eighth grade	46886	4.94
	5 = Ninth grade	52106	5.49
	6 = Tenth grade.....	54594	5.75
	7 = Eleventh grade	58568	6.17
	8 = Twelfth grade.....	163635	17.24
	9 = Freshman/13th year	53339	5.62
	10 = Sophomore/14th year or Junior/15th year.....	88941	9.37
	11 = Senior/16th year or Grad/Prof School (or higher)	105923	11.16

<u>IIEduc2</u>	Len : 1 IMPUTATION REVISED EDUCATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Education from questionnaire	722549	76.12
	3 = Education statistically imputed.....	104	0.01

<u>IRMARITSTAT</u>	Len : 2 MARITAL STATUS - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	892139	93.98
	1 = Married.....	18062	1.90
	2 = Widowed.....	1692	0.18
	3 = Divorced or Separated.....	4856	0.51
	4 = Never Been Married.....	25897	2.73
	99 = LEGITIMATE SKIP Respondent is <= 14 years old	6639	0.70

<u>IIMARITSTAT</u>	Len : 1 MARITAL STATUS - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	892139	93.98
	1 = Marital status from questionnaire	50167	5.28
	3 = Marital status statistically imputed	340	0.04
	9 = LEGITIMATE SKIP Respondent is <= 14 years old	6639	0.70

Beginning with the 2002 survey, missing values for the gender question (QD01) were no longer permitted. Thus, no imputation was required. This variable has the prefix 'IR', which stands for 'Imputation Revised', only for the sake of consistency with data sets from earlier surveys.

<u>IRSEX</u>	Len : 1 IMPUTATION REVISED GENDER		
		Freq	Pct
	1 = Male.....	454966	47.93
	2 = Female.....	494319	52.07

NOTE: The variable IRMARIT reflects the move of the marital status questions from self-administration in 2015 back to interviewer administration in 2016. This variable is considered to be comparable with corresponding variables in 2002 to 2014 (when this question also was interviewer-administered) but is not considered to be comparable with the marital status variable IRMARITSTAT in 2015. Analytic goals should be considered prior to pooling or comparing marital status data from 2015 with data from other years.

<u>IRMARIT</u>	Len : 2 IMPUTATION REVISED MARITAL STATUS		
		Freq	Pct
	-9 = Data not collected for this year	57146	6.02
	1 = Married.....	237629	25.03
	2 = Widowed.....	16182	1.70
	3 = Divorced or Separated.....	59936	6.31
	4 = Never Been Married.....	445716	46.95
	99 = LEGITIMATE SKIP Respondent is <= 14 years old	132676	13.98

<u>IIMARIT</u>	Len : 1 IMPUTATION INDICATOR MARITAL STATUS		
		Freq	Pct
	-9 = Data not collected for this year	57146	6.02
	1 = Marital status from questionnaire	759278	79.98
	3 = Marital status statistically imputed	185	0.02
	9 = LEGITIMATE SKIP Respondent is <= 14 years old	132676	13.98

IMPUTED DEMOGRAPHICS

<u>IREDUHIGHST2</u>	Len : 2	EDUCATION - RECODED IMPUTATION REVISED		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Fifth grade or less grade completed	4488	0.47
		2 = Sixth grade completed	9251	0.97
		3 = Seventh grade completed	9690	1.02
		4 = Eighth grade completed	11250	1.19
		5 = Ninth grade completed.....	12504	1.32
		6 = Tenth grade completed	12622	1.33
		7 = Eleventh or Twelfth grade completed, no diploma.....	17105	1.80
		8 = High school diploma/GED	46109	4.86
		9 = Some college credit, but no degree	41802	4.40
		10 = Associate's degree (for example, AA, AS)	15821	1.67
		11 = College graduate or higher	45990	4.84

<u>IIEDUHIGHST2</u>	Len : 1	EDUCATION INDICATOR - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	722653	76.13
		1 = Education from questionnaire	226478	23.86
		3 = Education statistically imputed.....	154	0.02

This variable is defined to have similar categories as those used for the Healthy People objectives (<http://www.healthypeople.gov/>).

<u>EDUCATHP</u>	Len : 1	EDUCATION RECODE FOR HEALTHY PEOPLE		
			Freq	Pct
		-9 = Data not collected for this year	562120	59.22
		1 = Less than high school (EDUCCAT2=1).....	46969	4.95
		2 = High school graduate (EDUCCAT2=2)	86782	9.14
		3 = Some College/College Graduate (EDUCCAT2=3,4)	127249	13.40
		4 = 12 to 17 year olds (EDUCCAT2=5)	126165	13.29

<u>EDUCCAT2</u>	Len : 1	EDUCATION RECODE		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Less than high school (IREduc2<=7 and AGE2>=7).....	83124	8.76
		2 = High school graduate (IREduc2=8 and AGE2>=7)	161162	16.98
		3 = Some college (IREduc2=9-10 and AGE2>=7).....	142182	14.98
		4 = College graduate (IREduc2=11 and AGE2>=7).....	105918	11.16
		5 = 12 to 17 year olds (AGE2<=6)	230267	24.26

RECODED DEMOGRAPHICS

RECODED DEMOGRAPHICS

<u>CATAGE</u>	Len : 1 RC-AGE CATEGORY		
		Freq	Pct
	1 = 12-17 Years Old.....	285133	30.04
	2 = 18-25 Years Old.....	290513	30.60
	3 = 26-34 Years Old.....	110966	11.69
	4 = 35 or Older	262673	27.67
<u>CATAG2</u>	Len : 1 RC-AGE CATEGORY RECODE (3 LEVELS)		
		Freq	Pct
	1 = 12-17 Years Old.....	285133	30.04
	2 = 18-25 Years Old.....	290513	30.60
	3 = 26 or Older	373639	39.36
<u>CATAG3</u>	Len : 1 RC-AGE CATEGORY RECODE (5 LEVELS)		
		Freq	Pct
	1 = 12-17 Years Old.....	285133	30.04
	2 = 18-25 Years Old.....	290513	30.60
	3 = 26-34 Years Old.....	110966	11.69
	4 = 35-49 Years Old.....	151495	15.96
	5 = 50 or Older	111178	11.71
<u>CATAG6</u>	Len : 1 RC-AGE CATEGORY RECODE (6 LEVELS)		
		Freq	Pct
	-9 = Data not collected for this year	164911	17.37
	1 = 12-17 Years Old.....	230926	24.33
	2 = 18-25 Years Old.....	235927	24.85
	3 = 26-34 Years Old.....	94164	9.92
	4 = 35-49 Years Old.....	127043	13.38
	5 = 50-64 Years Old.....	57977	6.11
	6 = 65 or Older	38337	4.04
<u>CATAG7</u>	Len : 1 RC-AGE CATEGORY RECODE (7 LEVELS)		
		Freq	Pct
	1 = 12-13 Years Old.....	91576	9.65
	2 = 14-15 Years Old.....	96520	10.17
	3 = 16-17 Years Old.....	97037	10.22
	4 = 18-20 Years Old.....	111549	11.75
	5 = 21-25 Years Old.....	178964	18.85
	6 = 26-34 Years Old.....	110966	11.69
	7 = 35 or Older	262673	27.67
<u>PREGAGE2</u>	Len : 1 RC-PREGNANCY AGE CATEGORY RECODE		
		Freq	Pct
	1 = 15-17 Years Old.....	145818	15.36
	2 = 18-25 Years Old.....	290513	30.60
	3 = 26-44 Years Old.....	211233	22.25
	4 = Otherwise (12-14, 45 or Older)	301721	31.78
<u>DRVINAGE</u>	Len : 1 RC-DUI AGE CATEGORY RECODE		
		Freq	Pct
	-9 = Data not collected for this year	779799	82.15
	1 = 16-25 Years Old.....	55146	5.81
	2 = 26 or Older	87068	9.17
	3 = Otherwise (12-15 Years Old)	27272	2.87
<u>DRVINDETAG</u>	Len : 1 RC-DUI DETAILED AGE CATEGORY RECODE		
		Freq	Pct
	-9 = Data not collected for this year	779799	82.15
	1 = 16-20 Years Old.....	29038	3.06
	2 = 21-25 Years Old.....	26108	2.75
	3 = 26 or Older	87068	9.17
	4 = Otherwise (12-15 Years Old)	27272	2.87

RECODED DEMOGRAPHICS

[SEXAGE](#)

Len : 1 RC-COMBINED GENDER BY AGE CATEGORY INDICATOR

	Freq	Pct
1 = Males Aged 12-17 (IRSEX=1 and CATAGE=1).....	145550	15.33
2 = Females Aged 12-17 (IRSEX=2 and CATAGE=1)	139583	14.70
3 = Males Aged 18-25 (IRSEX=1 and CATAGE=2).....	138427	14.58
4 = Females Aged 18-25 (IRSEX=2 and CATAGE=2)	152086	16.02
5 = Otherwise	373639	39.36

[NEWRACE2](#)

Len : 1 RC-RACE/HISPANICITY RECODE (7 LEVELS)

	Freq	Pct
1 = NonHispanic White	588814	62.03
2 = NonHispanic Black/African American	120314	12.67
3 = NonHispanic Native American/American Indian	13896	1.46
4 = NonHispanic Native Hawaiian/Other Pacific Islander	4595	0.48
5 = NonHispanic Asian	35749	3.77
6 = NonHispanic more than one race	30607	3.22
7 = Hispanic	155310	16.36

[SEXRACE](#)

Len : 1 RC-COMBINED GENDER BY RACE INDICATOR

	Freq	Pct
1 = Male, White, Not Hispanic (IRSEX=1 and NEWRACE2=1)	284512	29.97
2 = Female, White, Not Hispanic (IRSEX=2 and NEWRACE2=1)	304302	32.06
3 = Male, Black, Not Hispanic (IRSEX=1 and NEWRACE2=2)	54577	5.75
4 = Female, Black, Not Hispanic (IRSEX=2 and NEWRACE2=2)	65737	6.92
5 = Male, Hispanic (IRSEX=1 and NEWRACE2=7).....	74879	7.89
6 = Female, Hispanic (IRSEX=2 and NEWRACE2=7)	80431	8.47
7 = Male or Female, Other Races (Otherwise)	84847	8.94

[EDUHIGHCAT](#)

Len : 1 RC-EDUCATION CATEGORIES

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Less than high school (IREDUHIGHST2=1-7 & AGE2=7-17)	22620	2.38
2 = High school grad (IREDUHIGHST2=8 & AGE2=7-17).....	45620	4.81
3 = Some college/Associate Degree (IREDUHIGHST2=9-10 & AGE2=7-17)	57547	6.06
4 = College graduate (IREDUHIGHST2=11 & AGE2=7-17)	45979	4.84
5 = 12 to 17 year olds (AGE2=1-6)	54866	5.78

[HEALTH2](#)

Len : 1 RC-OVERALL HEALTH RECODE

	Freq	Pct
. = Unknown (Otherwise)	172	0.02
-9 = Data not collected for this year	109309	11.51
1 = Excellent (HEALTH=1)	229177	24.14
2 = Very Good (HEALTH=2)	331130	34.88
3 = Good (HEALTH=3)	209298	22.05
4 = Fair/Poor (HEALTH=4,5).....	70199	7.39

NON-CORE DEMOGRAPHICS

NON-CORE DEMOGRAPHICS

Is your school public, private, charter, or are you home schooled?

SCHTYPE

Len : 2 PUBLIC, PRIVATE, CHARTER, OR HOME SCHOOL

	Freq	Pct
-9 = Data not collected for this year	782548	82.44
1 = Public school	50850	5.36
2 = Private school	4564	0.48
3 = Charter school.....	822	0.09
4 = Home schooled	1177	0.12
14 = Home schooled LOG ASSN (LFSCHWH2=601)	6	0.00
94 = DON'T KNOW	52	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	167	0.02
99 = LEGITIMATE SKIP	109090	11.49

Is your private school run by a religious organization? For example, is it Catholic, Protestant, Jewish, Islamic or any other type of religious school?

SCHRELGS

Len : 2 PRIVATE SCHOOL RUN BY A RELIGIOUS ORGANIZATION

	Freq	Pct
-9 = Data not collected for this year	782548	82.44
1 = Yes.....	3547	0.37
2 = No.....	1005	0.11
94 = DON'T KNOW	12	0.00
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER).....	219	0.02
99 = LEGITIMATE SKIP	161945	17.06

NOTE: The variable SCHLOGRD has values of 101 through 112 when the lowest grade that respondents reported at their school is higher than their current grade from EDUCATN2.

What is the lowest grade or year at the school you go to? The lowest grade is the one attended by the youngest students at your school. Please tell me the number from the card.

SCHLOGRD

Len : 3 LOWEST GRADE AT THE SCHOOL

	Freq	Pct
-9 = Data not collected for this year	782548	82.44
0 = Kindergarten or Lower	7784	0.82
1 = 1st Grade	522	0.05
2 = 2nd Grade	70	0.01
3 = 3rd Grade.....	124	0.01
4 = 4th Grade.....	271	0.03
5 = 5th Grade.....	1308	0.14
6 = 6th Grade.....	10637	1.12
7 = 7th Grade.....	6266	0.66
8 = 8th Grade.....	725	0.08
9 = 9th Grade.....	26436	2.78
10 = 10th Grade	1609	0.17
11 = 11th Grade	194	0.02
12 = 12th Grade	84	0.01
32 = 12th Grade LOGICALLY ASSIGNED	1	0.00
106 = 6th Grade (see note).....	3	0.00
107 = 7th Grade (see note).....	6	0.00
108 = 8th Grade (see note).....	13	0.00
109 = 9th Grade (see note).....	25	0.00
110 = 10th Grade (see note).....	1	0.00
112 = 12th Grade (see note).....	33	0.00
994 = DON'T KNOW	123	0.01
997 = REFUSED	10	0.00
998 = BLANK (NO ANSWER).....	219	0.02
999 = LEGITIMATE SKIP	110273	11.62

NON-CORE DEMOGRAPHICS

NOTE: The variable SCHHIGRD has values of 100 through 111 when the highest grade that respondents reported at their school is lower than their current grade from EDUCATN2.

Please look at this showcard again. What is the highest grade or year at the school you go to? Please tell me the number from the card.

SCHHIGRD

Len : 3 HIGHEST GRADE AT THE SCHOOL

	Freq	Pct
-9 = Data not collected for this year	782548	82.44
4 = 4th Grade.....	5	0.00
5 = 5th Grade.....	125	0.01
6 = 6th Grade.....	1027	0.11
7 = 7th Grade.....	365	0.04
8 = 8th Grade.....	15664	1.65
9 = 9th Grade.....	1784	0.19
10 = 10th Grade	274	0.03
11 = 11th Grade	119	0.01
12 = 12th Grade	36527	3.85
32 = 12th Grade LOGICALLY ASSIGNED	2	0.00
100 = Kindergarten or Lower (see note)	22	0.00
101 = 1st Grade (see note).....	7	0.00
102 = 2nd Grade (see note).....	7	0.00
103 = 3rd Grade (see note)	2	0.00
105 = 5th Grade (see note).....	21	0.00
106 = 6th Grade (see note).....	50	0.01
107 = 7th Grade (see note).....	18	0.00
108 = 8th Grade (see note).....	90	0.01
109 = 9th Grade (see note).....	40	0.00
110 = 10th Grade (see note).....	7	0.00
111 = 11th Grade (see note).....	6	0.00
985 = BAD DATA Logically assigned	2	0.00
994 = DON'T KNOW	69	0.01
997 = REFUSED	12	0.00
998 = BLANK (NO ANSWER).....	219	0.02
999 = LEGITIMATE SKIP	110273	11.62

For the remaining questions, I will read the question out loud, you can tell me your answer, and I will enter it into the computer.

How many times in the past 12 months have you moved?

MOVESPY2

Len : 3 # TIMES MOVED PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	337063	35.51
0 = None	418505	44.09
1 = One time.....	120965	12.74
2 = Two times.....	41671	4.39
3 = Three or more times	30521	3.22
985 = BAD DATA Logically assigned	10	0.00
994 = DON'T KNOW	337	0.04
997 = REFUSED	54	0.01
998 = BLANK (NO ANSWER).....	159	0.02

NOTE: EIMOVPHYR is an indicator of editing to MOVESPY2. The default value for EIMOVPHYR is 1, when no editing was done to MOVESPY2. EIMOVPHYR has a value of 2 when the item corresponding to MOVESPY2 had missing data but it could be logically inferred that the respondent moved zero times in the past 12 months, because SNMOV5Y2 or YEMOV5Y2 indicated zero moves in the past 5 years.

EIMOVPHYR

Len : 1 EDITING INDICATOR FOR MOVESPY2

	Freq	Pct
-9 = Data not collected for this year	557879	58.77
1 = Questionnaire data.....	391376	41.23
2 = Logically assigned data	30	0.00

NON-CORE DEMOGRAPHICS

NOTE: MOVYRFLG is a "flag" variable that indicates inconsistent reports between moves in the past 12 months in MOVESPY2 and moves in the past 5 years from either SNMOV5Y2 or YEMOV5Y2. The default value for MOVYRFLG is 98 (blank). MOVYRFLG has a value of 1 when respondents reported more moves in the past 12 months than they reported for moves in the past 5 years. However, no editing was done to MOVESPY2, SNMOV5Y2, or YEMOV5Y2 in these situations.

MOVYRFLG

Len : 2 CONSISTENCY FLAG FOR MOVESPY2 VS SNMOV5Y2/YEMOV5Y2

	Freq	Pct
-9 = Data not collected for this year	557879	58.77
1 = Moves in past yr greater than moves in past 5 yrs.....	6291	0.66
98 = BLANK (NO ANSWER).....	385115	40.57

For the remaining questions, I will read the question out loud, you can tell me your answer, and I will enter it into the computer.

How many times in the past 12 months have you moved?

MOVEPYR2

Len : 3 # TIMES MOVED PAST 12 MONTHS - RECODE

	Freq	Pct
-9 = Data not collected for this year	838854	88.37
0 = 0 times.....	76491	8.06
1 = 1 time	20695	2.18
2 = 2 times.....	6838	0.72
3 = 3 or more times	4794	0.51
994 = DON'T KNOW	31	0.00
997 = REFUSED	2	0.00
998 = BLANK (NO ANSWER).....	1580	0.17

NOTE: EIMOVPIR is an indicator of editing to MOVESPY2. The default value for EIMOVPIR is 1, when no editing was done to MOVESPY2. EIMOVPIR has a value of 2 when the item corresponding to MOVESPY2 had missing data but it could be logically inferred that the respondent moved zero times in the past 12 months, because SNMOV5Y2 or YEMOV5Y2 indicated zero moves in the past 5 years.

EIMOVPIR

Len : 1 EDITING INDICATOR FOR MOVESPY2

	Freq	Pct
-9 = Data not collected for this year	838854	88.37
1 = Questionnaire data.....	60378	6.36
2 = Logically assigned data	50053	5.27

NOTE: MOVYRFLG is a "flag" variable that indicates inconsistent reports between moves in the past 12 months in MOVESPY2 and moves in the past 5 years from either SNMOV5Y2 or YEMOV5Y2. The default value for MOVYRFLG is 98 (blank). MOVYRFLG has a value of 1 when respondents reported more moves in the past 12 months than they reported for moves in the past 5 years. However, no editing was done to MOVESPY2, SNMOV5Y2, or YEMOV5Y2 in these situations.

MOVYRFLG

Len : 2 CONSISTENCY FLAG FOR MOVESPY2 VS SNMOV5Y2/YEMOV5Y2

	Freq	Pct
-9 = Data not collected for this year	838854	88.37
1 = Moves in past yr greater than moves in past 5 yrs.....	843	0.09
98 = BLANK (NO ANSWER).....	109588	11.54

NOTE: The school enrollment variable SCHENRL is analogous to the variable ENROLED from prior years. SCHENRL takes into account information from follow-up probes if respondents originally reported that they were not enrolled in school. Based on these probes, respondents were coded as yes (i.e., enrolled) if they were on break from school and intended to return to school once their break was over. SCHENRL was assigned a code of 11 if the respondent reported currently being enrolled but there was uncertainty about the respondent's school enrollment status.

The next questions are about school. Are you now attending or are you currently enrolled in school? By "school," we mean an elementary school, a junior high or middle school, a high school, or a college or university. Please include home schooling as well.

SCHENRL

Len : 2 NOW ENROLLED IN ANY SCHOOL

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	348416	36.70
2 = No	373744	39.37
3 = Yes LOGICALLY ASSIGNED (LFSCHWH2=778).....	17	0.00
4 = No LOGICALLY ASSIGNED.....	10	0.00
5 = Yes LOGICALLY ASSIGNED (LFSCHWH2=601).....	81	0.01
11 = Yes (SCHDSKIP = 30).....	116	0.01
85 = BAD DATA Logically assigned.....	14	0.00
94 = DON'T KNOW	20	0.00
97 = REFUSED	22	0.00
98 = BLANK (NO ANSWER).....	213	0.02

NON-CORE DEMOGRAPHICS

NOTE: This variable corresponds to the variable EDUCNOW2 from 1999 and 2000.

What grade or year of school are you now attending? Please tell me the number from the card.

What grade or year of school will you be attending when your vacation is over? Please tell me the number from the card.

EDUCATN2

Len : 2 WHAT GRADE IN NOW/WILL BE IN

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = 5th Grade or lower	1066	0.11
2 = 6th Grade.....	13535	1.43
3 = 7th Grade.....	35581	3.75
4 = 8th Grade.....	38310	4.04
5 = 9th Grade.....	39830	4.20
6 = 10th Grade.....	39421	4.15
7 = 11th Grade.....	38019	4.01
8 = 12th Grade.....	35494	3.74
9 = College or university/1st year.....	30302	3.19
10 = College or university/2nd Year, 3rd year.....	45617	4.81
11 = College or university/4th Year, 5th or higher year	31171	3.28
98 = BLANK (NO ANSWER).....	553	0.06
99 = LEGITIMATE SKIP	373754	39.37

NOTE: The variable SDNTFTPT corresponds to the variable STUDNT that existed in prior years. The name was changed in 2002 because the wording of the question was different for respondents who reported that they were "not" enrolled but were on school break and intended to return to school when their break was over.

Are you a full-time student or a part-time student?

Will you be a full-time student or a part-time student?

SDNTFTPT

Len : 2 FULL OR PART TIME

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = FULL-TIME.....	317121	33.41
2 = PART-TIME.....	31204	3.29
85 = BAD DATA Logically assigned.....	8	0.00
89 = LEGITIMATE SKIP Logically assigned	10	0.00
94 = DON'T KNOW	196	0.02
97 = REFUSED	31	0.00
98 = BLANK (NO ANSWER).....	339	0.04
99 = LEGITIMATE SKIP	373744	39.37

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of school did you miss because you were sick or injured?

SCHDSICK

Len : 2 HOW MANY DAYS MISSED SCHOOL FROM SICK

	Freq	Pct
RANGE = 1 - 30.....	99495	10.48
-9 = Data not collected for this year	226632	23.87
0 = None	171812	18.10
85 = BAD DATA Logically assigned.....	8	0.00
89 = LEGITIMATE SKIP Logically assigned	6	0.00
90 = SCHOOL NOT IN SESSION	44868	4.73
94 = DON'T KNOW	929	0.10
97 = REFUSED	36	0.00
98 = BLANK (NO ANSWER).....	547	0.06
99 = LEGITIMATE SKIP	404952	42.66

NON-CORE DEMOGRAPHICS

During the past 30 days, that is since [DATEFILL], how many whole days did you miss because you skipped or "cut" or just didn't want to be there?

SCHDSKIP

Len : 2 HOW MANY DAYS MISSED SCHOOL FROM SKIPPING

	Freq	Pct
RANGE = 1 - 30.....	46080	4.85
-9 = Data not collected for this year	226632	23.87
0 = None	225799	23.79
85 = BAD DATA Logically assigned.....	8	0.00
89 = LEGITIMATE SKIP Logically assigned	4	0.00
94 = DON'T KNOW	329	0.03
97 = REFUSED	64	0.01
98 = BLANK (NO ANSWER).....	547	0.06
99 = LEGITIMATE SKIP	449822	47.39

Have you received a high school diploma?

HSDIPLMA

Len : 2 RECEIVED DIPLOMA

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	54798	5.77
2 = No.....	32856	3.46
3 = Yes LOGICALLY ASSIGNED	69	0.01
4 = No LOGICALLY ASSIGNED.....	855	0.09
89 = LEGITIMATE SKIP Logically assigned	99	0.01
94 = DON'T KNOW	6	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER).....	240	0.03
99 = LEGITIMATE SKIP	633725	66.76

Have you received a GED certificate of high school completion?

HSGED

Len : 2 RECEIVED GED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	6807	0.72
2 = No.....	26109	2.75
3 = Yes LOGICALLY ASSIGNED	2	0.00
11 = Yes (but other inconsistent data)	2	0.00
89 = LEGITIMATE SKIP Logically assigned	98	0.01
94 = DON'T KNOW	9	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER).....	1095	0.12
99 = LEGITIMATE SKIP	688524	72.53

NON-CORE DEMOGRAPHICS

Please look at this card and tell me which one of these reasons best describes why you left school before receiving a high school diploma. Just give me the number.

LFSCHWH2

Len : 3 WHY YOU LEFT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = School was boring or I didn't want to be there	5953	0.63
2 = I got pregnant/I got someone pregnant	4372	0.46
3 = I got in trouble or expelled for selling drugs	276	0.03
4 = I got in trouble or expelled for using drugs	275	0.03
5 = I got in trouble or expelled some other reason	2097	0.22
6 = I often got into trouble	2071	0.22
7 = I had to get a job (or work more hours)	4702	0.50
8 = I was getting bad grades	1817	0.19
9 = I wasn't learning anything	1059	0.11
10 = I got married (or moved in with boy/girlfriend)	942	0.10
11 = I moved fr another country/didn't enroll/lang prob	1239	0.13
12 = I was treated badly at school	1155	0.12
13 = I became ill (or injured)	589	0.06
14 = I went to jail/prison	371	0.04
15 = I had responsibilities at home/personal problems	3877	0.41
16 = Other reason	383	0.04
21 = School was boring or I didn't want to be there	14	0.00
41 = Family member became ill/sick/died	24	0.00
42 = I wasn't admitted/couldn't attend school of choice	15	0.00
43 = Parents/guardian/partner wouldn't allow me to	32	0.00
44 = Ran away from/put out of/placed out of home	21	0.00
45 = Too stressful/couldn't adjust	4	0.00
46 = Learning disabled	33	0.00
48 = Attended school in another country; degree unspdfd	7	0.00
49 = Afraid of gangs/fear of violence/crime	11	0.00
50 = Moved away; didn't enroll, got behind, or unspec	204	0.02
51 = Skipping school/excessive absenteeism	56	0.01
52 = Too expensive/couldn't afford	113	0.01
53 = Disagreed with curriculum/direction	4	0.00
54 = No transportation/school too far away	41	0.00
56 = Grade,credit discrepancies/lacked credits/document	210	0.02
57 = School low priority	17	0.00
58 = All the schooling/preferred that was available	37	0.00
59 = Wasn't requird/didn't have to go/not needed/custom	180	0.02
60 = Against my religion/beliefs	99	0.01
62 = War/political problems in my country	3	0.00
63 = I was stupid/foolish/lazy	18	0.00
65 = Joined/wanted to join military	6	0.00
66 = Too old	25	0.00
67 = Got job/apprenticeship, necessity unspecified	75	0.01
69 = Just quit; reason unspecified	31	0.00
71 = Didn't pass/take end of grade/school test	163	0.02
72 = Went to group home/foster home/special home	7	0.00
75 = Was abusing drugs/alcohol	7	0.00
77 = Left for mental health reasons; otherwise unspfd	17	0.00
600 = Never went to school/no school available	3	0.00
601 = Home schooling	81	0.01
602 = Went to technical school/community college	8	0.00
603 = Graduated/finished high school in another country	13	0.00
605 = Completed HS/certificate, general	56	0.01
606 = Received GED	23	0.00
607 = Pursuing GED/proficiency exam/re-enrolling	54	0.01
608 = Went to career/transitn pgm for pers w/speci needs	6	0.00
621 = Completed home schooling; no GED	7	0.00
650 = Received high school diploma	5	0.00
778 = I am still in school	17	0.00
985 = BAD DATA Logically assigned	4	0.00
992 = Other unknown	11	0.00
994 = DON'T KNOW	44	0.00
997 = REFUSED	50	0.01
998 = BLANK (NO ANSWER)	1095	0.12
999 = LEGITIMATE SKIP	688524	72.53

NON-CORE DEMOGRAPHICS

How old were you when you stopped attending school?

[LFTSCHA2](#)

Len : 3 AGE WHEN STOPPED ATTENDING SCHOOL

	Freq	Pct
RANGE = 11 - 18	30886	3.25
-9 = Data not collected for this year	226632	23.87
10 = Left at age 10 or younger	185	0.02
19 = Left at age 19 or older	1544	0.16
985 = BAD DATA Logically assigned	174	0.02
989 = LEGITIMATE SKIP Logically assigned	98	0.01
994 = DON'T KNOW	124	0.01
997 = REFUSED	23	0.00
998 = BLANK (NO ANSWER)	1095	0.12
999 = LEGITIMATE SKIP	688524	72.53

The last question has to do with telephones in your household. How many different telephone numbers do you have in this household? Please don't include cellular phones in your answer. Also, don't count business numbers or extensions with the same number.

[TELNO2](#)

Len : 2 # OF TELEPHONE LINES IN HOUSEHOLD

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
0 = None	200090	21.08
1 = One	475006	50.04
2 = Two or more	46802	4.93
85 = BAD DATA Logically assigned	15	0.00
94 = DON'T KNOW	180	0.02
97 = REFUSED	304	0.03
98 = BLANK (NO ANSWER)	256	0.03

RECODED NON-CORE DEMOGRAPHICS

RECODED NON-CORE DEMOGRAPHICS

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

A respondent was defined as a full-time college student if they were aged 18 to 22, enrolled in school (SCHENRL=1, 3, 5, 11), enrolled at the college level (EDUCATN2=9, 10, 11), and a full-time student (SDNTFTPT=1). Respondents in the category "Other Persons Aged 18-22" include those not enrolled in school, enrolled in college part-time, enrolled in other grades either full or part-time, or enrolled with no other information available.

COLLENR

Len : 1 COLLEGE ENROLLMENT - FULL TIME

	Freq	Pct
. = Unknwn Enrollment, Aged 18-22 (SCHENRL=94,97,98)	46	0.00
-9 = Data not collected for this year	226632	23.87
1 = FT College Student Aged 18-22 (See comment above).....	58819	6.20
2 = Other Persons Aged 18-22 (See comment above).....	90366	9.52
3 = Persons Aged 12-17, 23 or Older.....	573422	60.41

A respondent was defined as a full or part-time college student if they were aged 18 to 22, enrolled in school (SCHENRL=1, 3, 5, 11), enrolled at the college level (EDUCATN2=9, 10, 11), and if they were a full-time (SDNTFTPT=1) or part-time (SDNTFTPT=2) student. Otherwise, a respondent was defined as not enrolled in college (SCHENRL=2, 4) or in the category "Other Persons Aged 18-22" (enrolled in other grades either full or part-time, or enrolled with no other information available).

COLLENR2

Len : 1 COLLEGE ENROLLMENT

	Freq	Pct
. = Unknwn Enrollment, Aged 18-22 (SCHENRL=94,97,98)	46	0.00
-9 = Data not collected for this year	226632	23.87
1 = FT College Student Aged 18-22 (See comment above).....	58819	6.20
2 = PT College Student Aged 18-22 (See comment above).....	10395	1.10
3 = Not Enrolled Aged 18-22 (See comment above).....	64797	6.83
4 = Other Persons Aged 18-22 (See comment above).....	15174	1.60
5 = Persons Aged 12-17, 23 or Older.....	573422	60.41

EDUCATION

EDUCATION

How many times have you been married?

MARIEDNUM2 Len : 2 NUMBER OF TIMES MARRIED -RECODED

	Freq	Pct
-9 = Data not collected for this year	892139	93.98
1 = One time.....	18938	1.99
2 = Two or more times	5372	0.57
94 = DON'T KNOW	121	0.01
97 = REFUSED	356	0.04
98 = BLANK (NO ANSWER).....	19	0.00
99 = LEGITIMATE SKIP	32340	3.41

NOTE: EDUSCHLGO takes into account information from follow-up probes if respondents originally reported that they were not enrolled in school. Based on these probes, respondents were coded as yes (i.e., enrolled) if they were on break from school and intended to return to school once their break was over. EDUSCHLGO was assigned a code of 11 if the respondent reported currently being enrolled but there was uncertainty about the respondent's school enrollment status.

The next questions are about school. By 'school', we mean elementary school, junior high or middle school, high school, or a college or university. Please include home schooling as well. Do you go to school?

If you are on a holiday or break from school, such as spring break or summer vacation, but plan to return when the break is over, please answer yes.

EDUSCHLGO Len : 2 NOW GOING TO SCHOOL

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = Yes.....	59182	6.23
2 = No.....	108259	11.40
11 = Yes (EDUSKPMON = 30).....	95	0.01
85 = BAD DATA Logically assigned.....	74	0.01
94 = DON'T KNOW	876	0.09
97 = REFUSED	950	0.10
98 = BLANK (NO ANSWER).....	50	0.01

What grade or year of school are you now attending?

What grade or year of school will you be attending when your vacation is over?

EDUSCHGRD2 Len : 2 WHAT GRADE IN NOW/WILL BE IN

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = 5th Grade or lower	176	0.02
2 = 6th Grade.....	1952	0.21
3 = 7th Grade.....	5566	0.59
4 = 8th Grade.....	6273	0.66
5 = 9th Grade.....	6547	0.69
6 = 10th Grade.....	6443	0.68
7 = 11th Grade.....	6245	0.66
8 = 12th Grade.....	5637	0.59
9 = College or university/1st year.....	5241	0.55
10 = College or university/2nd Year, 3rd year.....	7584	0.80
11 = College or university/4th Year, 5th or higher year.....	5994	0.63
98 = BLANK (NO ANSWER).....	3569	0.38
99 = LEGITIMATE SKIP	108259	11.40

EDUCATION

Are you a full-time student or a part-time student?

Will you be a full-time student or a part-time student?

EDUFULPAR

Len : 2 FULL OR PART TIME

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = FULL-TIME.....	49861	5.25
2 = PART-TIME.....	7606	0.80
85 = BAD DATA Logically assigned.....	21	0.00
94 = DON'T KNOW	1144	0.12
97 = REFUSED	667	0.07
98 = BLANK (NO ANSWER).....	1928	0.20
99 = LEGITIMATE SKIP	108259	11.40

During the past 30 days, that is, from [DATEFILL] up to and including today, how many whole days of school did you miss because you were sick or injured? Please do not include days you missed because you stayed home with a sick child or other family member.

EDUSCKMON

Len : 2 HOW MANY DAYS MISSED SCHOOL FROM SICK

	Freq	Pct
RANGE = 1 - 30.....	17810	1.88
-9 = Data not collected for this year	779799	82.15
0 = None	23813	2.51
85 = BAD DATA Logically assigned.....	25	0.00
90 = SCHOOL NOT IN SESSION	6602	0.70
94 = DON'T KNOW	1446	0.15
97 = REFUSED	186	0.02
98 = BLANK (NO ANSWER).....	3739	0.39
99 = LEGITIMATE SKIP	115865	12.21

During the past 30 days, that is since [DATEFILL], how many whole days did you miss because you skipped or "cut" or just didn't want to be there? Please do not include days you missed because you stayed home with a sick child or other family member.

EDUSKPMON

Len : 2 HOW MANY DAYS MISSED SCHOOL FROM SKIPPING

	Freq	Pct
RANGE = 1 - 30.....	9380	0.99
-9 = Data not collected for this year	779799	82.15
0 = None	32809	3.46
85 = BAD DATA Logically assigned.....	25	0.00
89 = LEGITIMATE SKIP Logically assigned	62	0.01
94 = DON'T KNOW	805	0.08
97 = REFUSED	199	0.02
98 = BLANK (NO ANSWER).....	3739	0.39
99 = LEGITIMATE SKIP	122467	12.90

For this question, please consider only the family members listed below, whether or not they live with you.

- Your spouse
- Your unmarried partner
- Your mother
- Your father
- Your son or sons
- Your daughter or daughters
- Your brother or brothers
- Your sister or sisters

Please include only these family members, whether they are biological, step or adoptive. Are any of these family members currently serving in the United States military? Press F2 to see and hear a definition of "military."

MILTFAMILY

Len : 2 ANY IMMEDIATE FAMILY CURRENTLY IN US MILITARY

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = Yes.....	16610	1.75
2 = No.....	149706	15.77
85 = BAD DATA Logically assigned.....	218	0.02
94 = DON'T KNOW	1451	0.15
97 = REFUSED	1449	0.15
98 = BLANK (NO ANSWER).....	52	0.01

EDUCATION

MILTSPAR

Len : 2 SPOUSE OR PARTNER IN MILITARY

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = Yes.....	3538	0.37
2 = No.....	9050	0.95
85 = BAD DATA Logically assigned.....	166	0.02
94 = DON'T KNOW	2164	0.23
97 = REFUSED	1676	0.18
98 = BLANK (NO ANSWER).....	3186	0.34
99 = LEGITIMATE SKIP	149706	15.77

MILTPARNT

Len : 2 FATHER OR MOTHER IN MILITARY

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = Yes.....	2850	0.30
2 = No.....	9724	1.02
85 = BAD DATA Logically assigned.....	258	0.03
94 = DON'T KNOW	2164	0.23
97 = REFUSED	1676	0.18
98 = BLANK (NO ANSWER).....	3108	0.33
99 = LEGITIMATE SKIP	149706	15.77

MILTCHLDR

Len : 2 SON OR DAUGHTER IN MILITARY

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = Yes.....	1769	0.19
2 = No.....	10738	1.13
85 = BAD DATA Logically assigned.....	303	0.03
94 = DON'T KNOW	2164	0.23
97 = REFUSED	1676	0.18
98 = BLANK (NO ANSWER).....	3130	0.33
99 = LEGITIMATE SKIP	149706	15.77

MILTSIBLN

Len : 2 SISTER OR BROTHER IN MILITARY

	Freq	Pct
-9 = Data not collected for this year	779799	82.15
1 = Yes.....	5382	0.57
2 = No.....	7206	0.76
85 = BAD DATA Logically assigned.....	142	0.01
94 = DON'T KNOW	2164	0.23
97 = REFUSED	1676	0.18
98 = BLANK (NO ANSWER).....	3210	0.34
99 = LEGITIMATE SKIP	149706	15.77

NOTE: EDUSCKCOM is a recoded variable that incorporates data from EDUSCKMON (if respondents reported a valid number of days that they missed school in QD20 or they reported that school was not in session) or EDUSCKEST (if respondents were asked question QD20DKRE because they answered QD20 as "don't know" or "refused"). If respondents reported in QD20DKRE that they missed school on "3 to 5 days" or on "6 or more days," then EDUSCKCOM was assigned the value at the midpoint in the range (i.e., 4 days or 18 days, respectively).

EDUSCKCOM

Len : 2 RC - HOW MANY DAYS MISSED SCHOOL FROM SICK (COMBINED)

	Freq	Pct
RANGE = 0 - 30.....	27931	2.94
-9 = Data not collected for this year	836696	88.14
90 = SCHOOL NOT IN SESSION	4415	0.47
94 = DON'T KNOW	318	0.03
97 = REFUSED	42	0.00
98 = BLANK (NO ANSWER).....	2501	0.26
99 = LEGITIMATE SKIP	77382	8.15

EDUCATION

What is your best estimate of the number of whole days of school you missed because you were sick or injured during the past 30 days?

EDUSCKEST

Len : 2 BEST ESTIMATE # DAYS MISSED BECAUSE SICK OR INURED

	Freq	Pct
-9 = Data not collected for this year	836696	88.14
1 = 0 days.....	224	0.02
2 = 1 day	83	0.01
3 = 2 days.....	89	0.01
4 = 3 to 5 days	173	0.02
5 = 6 or more days	102	0.01
6 = School was not in session during the past 30 days	62	0.01
94 = DON'T KNOW	318	0.03
97 = REFUSED	42	0.00
98 = BLANK (NO ANSWER).....	2501	0.26
99 = LEGITIMATE SKIP	108995	11.48

NOTE: EDUSKPCOM is a recoded variable that incorporates data from EDUSKPMON (if respondents reported a valid number of days that they missed school in QD21) or EDUSKPEST (if respondents were asked question QD21DKRE because they answered QD21 as "don't know" or "refused"). If respondents reported in QD21DKRE that they missed school on "3 to 5 days" or on "6 or more days," then EDUSKPCOM was assigned the value at the midpoint in the range (i.e., 4 days or 18 days, respectively).

EDUSKPCOM

Len : 2 RC - HOW MANY DAYS MISSED SCHOOL FROM SKIPPING (COMBINED)

	Freq	Pct
RANGE = 0 - 30.....	27979	2.95
-9 = Data not collected for this year	836696	88.14
85 = BAD DATA Logically assigned.....	12	0.00
89 = LEGITIMATE SKIP Logically assigned	62	0.01
94 = DON'T KNOW	234	0.02
97 = REFUSED	66	0.01
98 = BLANK (NO ANSWER).....	2501	0.26
99 = LEGITIMATE SKIP	81735	8.61

NOTE: For consistency with planned changes to the 2019 questionnaire, values from question QD21DKRE were replaced with a code of 89 in EDUSKPEST if respondents reported in QD20DKRE that school was not in session in the past 30 days (QD20DKRE = 6). EDUSKPEST was assigned a code of 99 if QD21DKRE had been skipped when QD20DKRE = 6. EDUSKPEST was assigned a code of 85 if respondents had not reported in previous questions that school was not in session, but they reported that school was not in session in QD21DKRE (QD21DKRE = 6).

What is your best estimate of the number of whole days of school you missed because you skipped or 'cut' or just didn't want to be there during the past 30 days?

EDUSKPEST

Len : 2 BEST ESTIMATE # DAYS MISSED BECAUSE SKIPPED OR CUT

	Freq	Pct
-9 = Data not collected for this year	836696	88.14
1 = 0 days.....	192	0.02
2 = 1 day	35	0.00
3 = 2 days.....	25	0.00
4 = 3 to 5 days	31	0.00
5 = 6 or more days	26	0.00
85 = BAD DATA Logically assigned.....	12	0.00
89 = LEGITIMATE SKIP Logically assigned	25	0.00
94 = DON'T KNOW	234	0.02
97 = REFUSED	66	0.01
98 = BLANK (NO ANSWER).....	2501	0.26
99 = LEGITIMATE SKIP	109442	11.53

RECODED EDUCATION

RECODED EDUCATION

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The following NSDUH college enrollment variables, COLLENRLFT and COLLENRLST, were revised during the 2016 NSDUH due to questionnaire changes impacting the source variables. COLLENRLFT and COLLENRLST are available starting with the 2016 NSDUH and are considered comparable with the 2015 versions, COLLENRFT and COLLENRST.

A respondent was defined as a full-time college student if they were aged 18 to 22, enrolled in school (EDUSCHLGO =1, 3, 5, 11), enrolled at the college level (EDUSCHGRD2=9-11), and a full-time student (EDUFULPAR=1). Respondents in the category "Other Persons Aged 18-22" include those not enrolled in school, enrolled in college part-time, enrolled in other grades either full or part-time, or enrolled with no other information available. Respondents aged 18-22 who reported don't know, refused, or blank to being enrolled in school (EDUSCHLGO= 94, 97, 98), their school enrollment level (EDUSCHGRD2=98) and their full or part time status (EDUFULPAR=94, 97, 98) are defined as system missing.

COLLENRLFT Len : 1 RC-COLLEGE ENROLLMENT-FULL TIME

	Freq	Pct
. = Unknwn Enrollment, Aged 18-22 (See comment above)	218	0.02
-9 = Data not collected for this year	779799	82.15
1 = Full Time College Student Aged 18-22 (See comment above)	8807	0.93
2 = Other Persons Aged 18-22 (See comment above).....	16020	1.69
3 = Persons Aged 12-17, 23 or Older.....	144441	15.22

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

A respondent was defined as a full-time college student if they were aged 18 to 22, enrolled in school (EDUENROLL=1, 3, 5, 11), enrolled at the college level (EDUGRDNOW2=9-11), and a full-time student (EDUFULPRT=1). Respondents in the category "Other Persons Aged 18-22" include those not enrolled in school, enrolled in college part-time, enrolled in other grades either full or part-time, or enrolled with no other information available. Respondents aged 18-22 who reported don't know, refused, or blank to being enrolled in school (EDUENROLL=94, 97, 98), their school enrollment level (EDUGRDNOW2=12), and their full or part time status (EDUFULPRT=94, 97, 98) are defined as system missing.

COLLENRFT Len : 1 RC-COLLEGE ENROLLMENT - FULL TIME

	Freq	Pct
. = Unknwn Enrollment, Aged 18-22 (See comment above)	51	0.01
-9 = Data not collected for this year	892139	93.98
1 = Full Time College Student Aged 18-22 (See comment above)	3190	0.34
2 = Other Persons Aged 18-22 (See comment above).....	5570	0.59
3 = Persons Aged 12-17, 23 or Older.....	48335	5.09

A respondent was defined as a full or part-time college student if they were aged 18 to 22, enrolled in school (EDUSCHLGO=1, 3, 5, 11), enrolled at the college level (EDUSCHGRD2=9-11), and either a full-time student (EDUFULPAR=1) or part-time (EDUFULPAR=2) student. Respondents aged 18-22 who reported don't know, refused, or blank to being enrolled in school (EDUSCHLGO=94, 97, 98), their school enrollment level (EDUSCHGRD2=98), and their full or part time status (EDUFULPAR=94, 97, 98) are defined as system missing. Otherwise, a respondent was defined as not enrolled in college (EDUSCHLGO=2, 4) or in the category "Other Persons Aged 18-22" (enrolled in other grades either full or part-time, or enrolled with no other information available).

COLLENRLST Len : 1 RC-COLLEGE ENROLLMENT

	Freq	Pct
. = Unknwn Enrollment, Aged 18-22 (See comment above)	218	0.02
-9 = Data not collected for this year	779799	82.15
1 = Full Time College Student Aged 18-22 (See comment above)	8807	0.93
2 = Part Time College Student Aged 18-22 (See comment above)	2034	0.21
3 = Not Enrolled Aged 18-22 (See comment above).....	11262	1.19
4 = Other Persons Aged 18-22 (See comment above).....	2724	0.29
5 = Persons Aged 12-17, 23 or Older.....	144441	15.22

EMPLOYMENT

EMPLOYMENT

WRKSTATWK2

Len : 2 WORK SITUATION IN PAST WEEK - RECODE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Worked at full-time job, past week.....	83918	8.84
2 = Worked at part time job, past week.....	28301	2.98
3 = Has job or volunteer worker, did not work past wk.....	11739	1.24
4 = Unemployed/on layoff, looking for work	11109	1.17
5 = Disabled	6427	0.68
6 = Keeping house full-time	8072	0.85
7 = In school/training	14322	1.51
8 = Retired.....	12428	1.31
9 = Does not have a job, some other reason.....	21380	2.25
98 = BLANK (NO ANSWER).....	2116	0.22
99 = LEGITIMATE SKIP	26820	2.83

The next questions are about working. Did you work at a job or business at any time last week? By last week, I mean the week beginning on Sunday, [STARTDATE] and ending on Saturday, [ENDDATE].

WRKDPSTWK

Len : 2 WORK AT JOB LAST WEEK

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	112523	11.85
2 = No.....	85130	8.97
4 = No LOGICALLY ASSIGNED.....	210	0.02
85 = BAD DATA Logically assigned.....	60	0.01
94 = DON'T KNOW	590	0.06
97 = REFUSED	1234	0.13
98 = BLANK (NO ANSWER).....	65	0.01
99 = LEGITIMATE SKIP	26820	2.83

Even though you did not work at any time last week, did you have a job or business?

WRKHADJOB

Len : 2 DID YOU HAVE A JOB OR BUSINESS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	11914	1.26
2 = No.....	72963	7.69
4 = No LOGICALLY ASSIGNED.....	210	0.02
85 = BAD DATA Logically assigned.....	28	0.00
94 = DON'T KNOW	120	0.01
97 = REFUSED	1365	0.14
98 = BLANK (NO ANSWER).....	689	0.07
99 = LEGITIMATE SKIP	139343	14.68

How many hours did you work last week at all jobs or businesses?

WRKDHRSWK2

Len : 3 HOW MANY HOURS WORKED LAST WEEK

	Freq	Pct
RANGE = 1 - 60.....	107413	11.32
-9 = Data not collected for this year	722653	76.13
61 = 61 or more	4226	0.45
985 = BAD DATA Logically assigned.....	32	0.00
989 = LEGITIMATE SKIP Logically assigned.....	55	0.01
994 = DON'T KNOW	640	0.07
997 = REFUSED	1478	0.16
998 = BLANK (NO ANSWER).....	683	0.07
999 = LEGITIMATE SKIP	112105	11.81

EMPLOYMENT

Do you usually work 35 hours or more per week at all jobs or businesses?

[WRK35WKUS](#)

Len : 2 USUALLY WORK 35 OR MORE HRS PER WEEK

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	90103	9.49
2 = No.....	33974	3.58
85 = BAD DATA Logically assigned.....	33	0.00
94 = DON'T KNOW	202	0.02
97 = REFUSED	1523	0.16
98 = BLANK (NO ANSWER).....	804	0.08
99 = LEGITIMATE SKIP	99993	10.53

Which one of these reasons best describes why you did not work last week?

[WRKRSNNOT](#)

Len : 3 REASON FOR NOT WORKING AT JOB - PAST WK

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = On vacation/sick/furlough/strike/oth temp absence.....	4015	0.42
2 = On layoff and not looking for work	311	0.03
3 = On layoff and looking for work	495	0.05
4 = Waiting to report to a new job.....	567	0.06
5 = Self-employed and did not have business last week.....	1189	0.13
6 = Going to school/training	1630	0.17
7 = Some other reason.....	3520	0.37
985 = BAD DATA Logically assigned.....	1	0.00
994 = DON'T KNOW	89	0.01
997 = REFUSED	1463	0.15
998 = BLANK (NO ANSWER).....	773	0.08
999 = LEGITIMATE SKIP	212579	22.39

Which one of these reasons best describes why you did not have a job or business last week?

[WRKRSNJOB](#)

Len : 3 REASON FOR NOT HAVING A JOB - PAST WK

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Looking for work	14226	1.50
2 = On layoff and not looking for work	1915	0.20
3 = Keeping house or caring for children full time	8083	0.85
4 = Going to school/training	14334	1.51
5 = Retired.....	12432	1.31
6 = Disabled for work.....	6425	0.68
7 = Didn't want a job.....	4353	0.46
8 = Some other reason.....	10108	1.06
985 = BAD DATA Logically assigned.....	27	0.00
994 = DON'T KNOW	630	0.07
997 = REFUSED	1942	0.20
998 = BLANK (NO ANSWER).....	900	0.09
999 = LEGITIMATE SKIP	151257	15.93

During the past 30 days, did you make specific efforts to find work? Include any contacts you made with anyone about a job, sending out resumes or applications, placing or answering ads. Do not include only reading job ads.

[WRKEFFORT](#)

Len : 2 PAST 30 DAYS, MAKE EFFORT TO FIND WORK

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	10609	1.12
2 = No.....	3575	0.38
94 = DON'T KNOW	24	0.00
97 = REFUSED	1987	0.21
98 = BLANK (NO ANSWER).....	1562	0.16
99 = LEGITIMATE SKIP	208875	22.00

EMPLOYMENT

Now, think about the past 12 months, from [DATEFILL] through today. Did you work at a job or business at any time during the past 12 months?

<u>WRKDPSTYR</u>	Len : 2 PAST 12 MOS, WORKED AT ANY JOB		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	20803	2.19
	2 = No.....	52528	5.53
	85 = BAD DATA Logically assigned.....	27	0.00
	94 = DON'T KNOW	584	0.06
	97 = REFUSED	1332	0.14
	98 = BLANK (NO ANSWER).....	101	0.01
	99 = LEGITIMATE SKIP	151257	15.93

Have you been self-employed at any time during the past 12 months?

<u>WRKSELFEM</u>	Len : 2 PAST 12 MOS, SELF EMPLOYED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	21542	2.27
	2 = No.....	122029	12.85
	5 = Yes LOGICALLY ASSIGNED (from skip pattern)	1189	0.13
	85 = BAD DATA Logically assigned.....	33	0.00
	94 = DON'T KNOW	314	0.03
	97 = REFUSED	1498	0.16
	98 = BLANK (NO ANSWER).....	679	0.07
	99 = LEGITIMATE SKIP	79348	8.36

How many different employers, including yourself, have you had in the past 12 months?

<u>WRKNUMJOB2</u>	Len : 2 PAST 12 MOS, HOW MANY EMPLOYERS		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = One	97939	10.32
	2 = Two.....	32069	3.38
	3 = Three.....	8625	0.91
	4 = Four or more.....	4628	0.49
	85 = BAD DATA Logically assigned.....	33	0.00
	94 = DON'T KNOW	1272	0.13
	97 = REFUSED	2038	0.21
	98 = BLANK (NO ANSWER).....	680	0.07
	99 = LEGITIMATE SKIP	79348	8.36

During the past 12 months, was there ever a time when you did not have at least one job or business?

<u>WRKNJBPYR</u>	Len : 2 PAST 12 MOS, TIME WITH NO JOB		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	23585	2.48
	2 = No.....	100455	10.58
	85 = BAD DATA Logically assigned.....	33	0.00
	94 = DON'T KNOW	195	0.02
	97 = REFUSED	1590	0.17
	98 = BLANK (NO ANSWER).....	733	0.08
	99 = LEGITIMATE SKIP	100041	10.54

In how many weeks during the past 12 months did you not have at least one job or business?

<u>WRKNJBWKS</u>	Len : 2 HOW MANY WKS W/O JOB IN PAST 12 MOS		
		Freq	Pct
	RANGE = 1 - 52.....	22178	2.34
	-9 = Data not collected for this year	722653	76.13
	85 = BAD DATA Logically assigned.....	109	0.01
	94 = DON'T KNOW	1122	0.12
	97 = REFUSED	1781	0.19
	98 = BLANK (NO ANSWER).....	946	0.10
	99 = LEGITIMATE SKIP	200496	21.12

EMPLOYMENT

In what year did you last work at a job or business?

<u>WRKLASTYR2</u>	Len : 4 WHAT YEAR LAST WORKED		
		Freq	Pct
	RANGE = 1976 - 2018.....	47957	5.05
	-9 = Data not collected for this year	722653	76.13
	9985 = BAD DATA Logically assigned.....	74	0.01
	9989 = LEGITIMATE SKIP Logically assigned.....	5	0.00
	9991 = NEVER WORKED AT A JOB OR BUSINESS	21886	2.31
	9994 = DON'T KNOW.....	2151	0.23
	9997 = REFUSED	1173	0.12
	9998 = BLANK (NO ANSWER).....	2134	0.22
	9999 = LEGITIMATE SKIP.....	151252	15.93

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you were sick or injured?

<u>WRKSICKMO</u>	Len : 2 # DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS		
		Freq	Pct
	RANGE = 1 - 30.....	35360	3.72
	-9 = Data not collected for this year	722653	76.13
	0 = None	87415	9.21
	85 = BAD DATA Logically assigned.....	231	0.02
	94 = DON'T KNOW	984	0.10
	97 = REFUSED	1844	0.19
	98 = BLANK (NO ANSWER).....	805	0.08
	99 = LEGITIMATE SKIP	99993	10.53

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you just didn't want to be there? Please do not include days you missed because of a planned vacation or days that you stayed home with a sick child or other family member.

<u>WRKSKIPMO</u>	Len : 2 # DAYS SKIPPED WORK PAST 30 DAYS		
		Freq	Pct
	RANGE = 1 - 30.....	16670	1.76
	-9 = Data not collected for this year	722653	76.13
	0 = None	106249	11.19
	85 = BAD DATA Logically assigned.....	80	0.01
	94 = DON'T KNOW	898	0.09
	97 = REFUSED	1937	0.20
	98 = BLANK (NO ANSWER).....	805	0.08
	99 = LEGITIMATE SKIP	99993	10.53

At your workplace, is there a written policy about employee use of alcohol or drugs?

<u>WRKDRGPOL</u>	Len : 2 WORKPLACE HAVE WRITTEN POLICY DRUG/ALCOHOL USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	94528	9.96
	2 = No.....	26260	2.77
	85 = BAD DATA Logically assigned.....	33	0.00
	94 = DON'T KNOW	3323	0.35
	97 = REFUSED	1690	0.18
	98 = BLANK (NO ANSWER).....	805	0.08
	99 = LEGITIMATE SKIP	99993	10.53

EMPLOYMENT

Does this policy cover only alcohol, only drugs, or both alcohol and drugs?

<u>WRKDRGALB</u>	Len : 2 DID POLICY COVER ALCOHOL, DRUGS, OR BOTH		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Only alcohol	1097	0.12
	2 = Only drugs	4552	0.48
	3 = Both alcohol and drugs	87615	9.23
	85 = BAD DATA Logically assigned.....	27	0.00
	94 = DON'T KNOW	1200	0.13
	97 = REFUSED	1754	0.18
	98 = BLANK (NO ANSWER).....	4134	0.44
	99 = LEGITIMATE SKIP	126253	13.30

At your workplace, have you ever been given any educational information regarding the use of alcohol or drugs?

<u>WRKDRGEDU</u>	Len : 2 AT WORK, GIVEN EDUCATION ON DRUGS/ALC		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	42105	4.44
	2 = No.....	74187	7.82
	3 = Don't remember	6502	0.68
	85 = BAD DATA Logically assigned.....	33	0.00
	94 = DON'T KNOW	1299	0.14
	97 = REFUSED	1708	0.18
	98 = BLANK (NO ANSWER).....	805	0.08
	99 = LEGITIMATE SKIP	99993	10.53

Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?

<u>WRKDRGHLP</u>	Len : 2 ANY ASSISTANCE PROGRAM OFFERED THROUGH WRK		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	54678	5.76
	2 = No.....	60731	6.40
	85 = BAD DATA Logically assigned.....	33	0.00
	94 = DON'T KNOW	8581	0.90
	97 = REFUSED	1811	0.19
	98 = BLANK (NO ANSWER).....	805	0.08
	99 = LEGITIMATE SKIP	99993	10.53

Does your workplace ever test its employees for alcohol use?

<u>WRKTSTALC</u>	Len : 2 WORKPLACE TESTS FOR ALCOHOL USAGE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	35017	3.69
	2 = No.....	84152	8.86
	85 = BAD DATA Logically assigned.....	33	0.00
	94 = DON'T KNOW	4868	0.51
	97 = REFUSED	1764	0.19
	98 = BLANK (NO ANSWER).....	805	0.08
	99 = LEGITIMATE SKIP	99993	10.53

Does your workplace ever test its employees for drug use?

<u>WRKTSTDRG</u>	Len : 2 WORKPLACE TESTS FOR DRUG USAGE		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Yes.....	57578	6.07
	2 = No.....	62359	6.57
	85 = BAD DATA Logically assigned.....	33	0.00
	94 = DON'T KNOW	4120	0.43
	97 = REFUSED	1744	0.18
	98 = BLANK (NO ANSWER).....	805	0.08
	99 = LEGITIMATE SKIP	99993	10.53

EMPLOYMENT

Does your workplace test its employees for drug or alcohol use as part of the hiring process?

WRKTSTHIR

Len : 2 TEST FOR DRUG/ALC AS HIRING PROCESS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	49954	5.26
2 = No.....	7860	0.83
85 = BAD DATA Logically assigned.....	25	0.00
94 = DON'T KNOW	366	0.04
97 = REFUSED	1730	0.18
98 = BLANK (NO ANSWER).....	5044	0.53
99 = LEGITIMATE SKIP	161653	17.03

Does your workplace test its employees for drug or alcohol use on a random basis?

WRKTSTRDM

Len : 2 TEST ON RANDOM BASIS

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	34857	3.67
2 = No.....	21816	2.30
85 = BAD DATA Logically assigned.....	25	0.00
94 = DON'T KNOW	1480	0.16
97 = REFUSED	1757	0.19
98 = BLANK (NO ANSWER).....	5044	0.53
99 = LEGITIMATE SKIP	161653	17.03

According to the policy at your workplace, what happens to an employee the first time he or she tests positive for illicit drugs?

WRKTST1ST

Len : 2 WHAT HAPPENS FIRST TIME CAUGHT

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Handled on indiv basis/policy does not spec what.....	15506	1.63
2 = Employee is fired	24998	2.63
3 = Employee is referred for treatment or counseling	8984	0.95
4 = Nothing happens	275	0.03
5 = Something else happens.....	1698	0.18
85 = BAD DATA Logically assigned.....	25	0.00
94 = DON'T KNOW	6497	0.68
97 = REFUSED	1952	0.21
98 = BLANK (NO ANSWER).....	5044	0.53
99 = LEGITIMATE SKIP	161653	17.03

Would you be more or less likely to want to work for an employer that tests its employees for drug use as part of the hiring process?

WRKOKPREH

Len : 2 WOULD YOU WORK FOR EMP DOES DRUG TEST PRE-HIRE

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = More likely	45409	4.78
2 = Less likely	12213	1.29
3 = Would it make no difference to you.....	65516	6.90
85 = BAD DATA Logically assigned.....	33	0.00
94 = DON'T KNOW	878	0.09
97 = REFUSED	1785	0.19
98 = BLANK (NO ANSWER).....	805	0.08
99 = LEGITIMATE SKIP	99993	10.53

Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol use on a random basis?

WRKOKRAND

Len : 2 WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST RANDOMLY

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = More likely	39157	4.12
2 = Less likely	19513	2.06
3 = Would make no difference.....	64496	6.79
85 = BAD DATA Logically assigned.....	33	0.00
94 = DON'T KNOW	867	0.09
97 = REFUSED	1768	0.19
98 = BLANK (NO ANSWER).....	805	0.08
99 = LEGITIMATE SKIP	99993	10.53

EMPLOYMENT AND WORKPLACE

EMPLOYMENT AND WORKPLACE

NOTE: The variable JBSTATR2 was created from questions that asked respondents whether they worked in the past week, whether they usually work 35 or more hours per week, and where relevant, reasons why they did not work in the past week. Respondents who did not know or refused to report whether they worked in the past week but indicated that they did not work in the past 12 months were classified in JBSTATR2 as not having a job. In addition, respondents who reported that they had no job but were looking for work were not classified as being in the labor force unless they reported making specific efforts to find work.

JBSTATR2

Len : 2 WORK SITUATION IN PAST WEEK - RECODE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Worked at full-time job, past week.....	242394	25.53
2 = Worked at part time job, past week.....	104937	11.05
3 = Has job or volunteer worker, did not work past wk.....	32446	3.42
4 = Unemployed/on layoff, looking for work	44505	4.69
5 = Disabled	17423	1.84
6 = Keeping house full-time	28598	3.01
7 = In school/training	78111	8.23
8 = Retired.....	26209	2.76
9 = Does not have a job, some other reason	35257	3.71
98 = BLANK (NO ANSWER).....	278	0.03
99 = LEGITIMATE SKIP	112495	11.85

Even though you did not work at any time last week, did you have a job or business?

WRKHAVJB

Len : 2 DID YOU HAVE A JOB OR BUSINESS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	34008	3.58
2 = No.....	228349	24.05
4 = No LOGICALLY ASSIGNED.....	4	0.00
85 = BAD DATA Logically assigned.....	7	0.00
89 = LEGITIMATE SKIP Logically assigned	4	0.00
94 = DON'T KNOW	16	0.00
97 = REFUSED	63	0.01
98 = BLANK (NO ANSWER).....	208	0.02
99 = LEGITIMATE SKIP	459994	48.46

How many hours did you work last week at all jobs or businesses?

WRKHRSW2

Len : 3 HOW MANY HOURS WORKED LAST WEEK

	Freq	Pct
RANGE = 1 - 60.....	333715	35.15
-9 = Data not collected for this year	226632	23.87
61 = 61 or more	13371	1.41
985 = BAD DATA Logically assigned.....	6	0.00
989 = LEGITIMATE SKIP Logically assigned.....	10	0.00
994 = DON'T KNOW	373	0.04
997 = REFUSED	97	0.01
998 = BLANK (NO ANSWER).....	209	0.02
999 = LEGITIMATE SKIP	374872	39.49

EMPLOYMENT AND WORKPLACE

NOTE: The industry variable WRKIDST2 corresponds to the variable WRKINDU2 prior to 2003. The variable name was changed to reflect changes to the industry codes in the 2003 NSDUH. Because of changes in 2003, caution is advised in comparing data from WRKIDST2 with data in WRKINDU2 from prior years. Industry categories do not correspond exactly between the two variables. Even when the same broad industry categories appear in the two variables, the types of industries or the definitions of the specific industries within these broad categories may not be the same. As in previous years, respondents with multiple jobs chose which job to describe. Hence, it is possible that some respondents described their work in the National Guard or Military Reserves even though they responded previously that they are not currently on active duty in the Armed Forces.

Which of these categories best describes the business or industry in which you work?

WRKIDST2

Len : 4 TYPE OF BUSINESS OR INDUSTRY

	Freq	Pct
-9 = Data not collected for this year	280711	29.57
1 = Agriculture, Forestry, Fishing, & Hunting	6428	0.68
2 = Mining.....	1904	0.20
3 = Construction	26839	2.83
4 = Manufacturing, Nondurable Goods.....	11626	1.22
5 = Manufacturing, Durable Goods	19104	2.01
6 = Transportation & Utilities	12327	1.30
7 = Information & Communications.....	6921	0.73
8 = Wholesale Trade, Durable Goods.....	3486	0.37
9 = Wholesale Trade, Nondurable Goods	4363	0.46
10 = Retail Trade	49105	5.17
11 = Finance, Insur, Real Estate, Rental & Leasing.....	17507	1.84
12 = Professional/Scientific/Mgmt/Admin/Waste Mgmt	33394	3.52
13 = Education, Health & Social Services	68792	7.25
14 = Arts/Entertain/Recreation/Accommodation/Food Svcs	57146	6.02
15 = Public Administration.....	13007	1.37
16 = Other Services (Except Public Admin)	18566	1.96
17 = Armed Forces.....	60	0.01
9990 = NOT REPORTED/NOT CODABLE	595	0.06
9994 = DON'T KNOW.....	56	0.01
9997 = REFUSED	220	0.02
9998 = BLANK (NO ANSWER).....	217	0.02
9999 = LEGITIMATE SKIP.....	316911	33.38

NOTE: The occupation variable WRKOCUP2 corresponds to the variable WRKOCCU2 prior to 2003. The variable name was changed to reflect changes to the occupation codes in the 2003 NSDUH. Because of changes in 2003, caution is advised in comparing data from WRKOCUP2 with data in WRKOCCU2 from prior years. Occupation categories do not correspond exactly between the two variables. Even when the same broad occupation categories appear in the two variables, the types of occupations or the definitions of the specific occupations within these broad categories may not be the same. As in previous years, respondents with multiple jobs chose which job to describe. Hence, it is possible that some respondents described their work in the National Guard or Military Reserves even though they responded previously that they are not currently on active duty in the Armed Forces.

What kind of work do you do? That is, what is your occupation?

WRKOCUP2

Len : 4 KIND OF WORK/JOB TITLE PRIMARY JOB

	Freq	Pct
-9 = Data not collected for this year	280711	29.57
1 = Executive/Administrative/Managerial/Financial	32449	3.42
2 = Professional (not Education/Entertainment/Media).....	28962	3.05
3 = Education and Related Occupations.....	18267	1.92
4 = Entertainers, Sports, Media, and Communications.....	7788	0.82
5 = Technicians and Related Support Occupations	18616	1.96
6 = Sales Occupations	45590	4.80
7 = Office & Administrative Support Workers	45801	4.82
8 = Protective Service Occupations	7193	0.76
9 = Service Occupations, Except Protective.....	69371	7.31
10 = Farming, Fishing, & Forestry Occupations.....	4016	0.42
11 = Installation, Maintenance & Repair Workers.....	10900	1.15
12 = Construction Trades & Extraction Workers.....	21716	2.29
13 = Production, Machinery Setters/Operators/Tenders	19810	2.09
14 = Transportation & Material Moving Workers	20246	2.13
15 = Armed Forces.....	60	0.01
9990 = NOT REPORTED/NOT CODABLE	359	0.04
9994 = DON'T KNOW.....	19	0.00
9997 = REFUSED	234	0.02
9998 = BLANK (NO ANSWER).....	266	0.03
9999 = LEGITIMATE SKIP.....	316911	33.38

EMPLOYMENT AND WORKPLACE

Which of these categories best describes the business in which you work?

[WRKBZCA2](#)

Len : 2 CATEG THAT BEST DESCR BUSINESS YOU WORK IN

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Private for-profit company or business	259225	27.31
2 = Private not-for-profit company or business	28855	3.04
3 = Local government (city, county, etc.)	24268	2.56
4 = State government	20788	2.19
5 = Federal/Foreign government or international.....	9427	0.99
6 = Self-employed in an incorporated business	11996	1.26
7 = Self-employed in an unincorporated business.....	18809	1.98
8 = Working without pay in a family business/farm	1748	0.18
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	6086	0.64
97 = REFUSED	295	0.03
98 = BLANK (NO ANSWER).....	302	0.03
99 = LEGITIMATE SKIP	340848	35.91

How many different employers, including yourself, have you had in the past 12 months?

[WRKJOBS2](#)

Len : 2 PAST 12 MOS, HOW MANY EMPLOYERS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = One	299119	31.51
2 = Two.....	112710	11.87
3 = Three.....	30837	3.25
4 = Four or more	14051	1.48
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	264	0.03
97 = REFUSED	151	0.02
98 = BLANK (NO ANSWER).....	241	0.03
99 = LEGITIMATE SKIP	265274	27.94

[WRKLSTY2](#)

Len : 4 WHAT YEAR LAST WORKED

	Freq	Pct
RANGE = 1961 - 2014.....	150955	15.90
-9 = Data not collected for this year	226632	23.87
1960 = 1960 or earlier	506	0.05
9985 = BAD DATA Logically assigned	43	0.00
9989 = LEGITIMATE SKIP Logically assigned.....	4	0.00
9991 = NEVER WORKED AT A JOB OR BUSINESS	75722	7.98
9994 = DON'T KNOW.....	1033	0.11
9997 = REFUSED	122	0.01
9998 = BLANK (NO ANSWER).....	266	0.03
9999 = LEGITIMATE SKIP.....	494002	52.04

EMPLOYMENT AND WORKPLACE

NOTE: The industry variable WRKIDSY2 corresponds to the variable WRKINDY2 prior to 2003. The variable name was changed to reflect changes to the industry codes in the 2003 NSDUH. Because of these changes, caution is advised in comparing data from WRKIDSY2 with data in WRKINDY2 from prior years. Industry categories do not correspond exactly between the two variables. Even when the same broad industry categories appear in the two variables, the types of industries or the definitions of the specific industries within these broad categories may not be the same.

Which of these categories best describes the business or industry in which you worked?

WRKIDSY2

Len : 4 TYPE OF BUSINESS OR INDUSTRY

	Freq	Pct
-9 = Data not collected for this year	280711	29.57
1 = Agriculture, Forestry, Fishing, & Hunting	2001	0.21
2 = Mining.....	213	0.02
3 = Construction	5366	0.57
4 = Manufacturing, Nondurable Goods.....	2189	0.23
5 = Manufacturing, Durable Goods	2912	0.31
6 = Transportation & Utilities	1650	0.17
7 = Information & Communications	1166	0.12
8 = Wholesale Trade, Durable Goods.....	491	0.05
9 = Wholesale Trade, Nondurable Goods	740	0.08
10 = Retail Trade	11451	1.21
11 = Finance, Insur, Real Estate, Rental & Leasing.....	1896	0.20
12 = Professional/Scientific/Mgmt/Admin/Waste Mgmt	7006	0.74
13 = Education, Health & Social Services	10008	1.05
14 = Arts/Entertain/Recreation/Accommodation/Food Svcs	17662	1.86
15 = Public Administration	1696	0.18
16 = Other Services (Except Public Admin)	3179	0.33
17 = Armed Forces.....	56	0.01
9990 = NOT REPORTED/NOT CODABLE	208	0.02
9994 = DON'T KNOW.....	22	0.00
9997 = REFUSED	85	0.01
9998 = BLANK (NO ANSWER)	226	0.02
9999 = LEGITIMATE SKIP.....	598351	63.03

NOTE: The occupation variable WRKOCUY2 corresponds to the variable WRKOCCY2 prior to 2003. The variable name was changed to reflect changes to the occupation codes in the 2003 NSDUH. Because of these changes, caution is advised in comparing data from WRKOCUY2 with data in WRKOCCY2 from prior years. Occupation categories do not correspond exactly between the two variables. Even when the same broad occupation categories appear in the two variables, the types of occupations or the definitions of the specific occupations within these broad categories may not be the same.

What kind of work did you do? That is, what was your occupation?

WRKOCUY2

Len : 4 KIND OF WORK/JOB TITLE PRIMARY JOB

	Freq	Pct
-9 = Data not collected for this year	280711	29.57
1 = Executive/Administrative/Managerial/Financial	2439	0.26
2 = Professional (not Education/Entertainment/Media).....	2264	0.24
3 = Education and Related Occupations.....	2546	0.27
4 = Entertainers, Sports, Media, and Communications.....	1762	0.19
5 = Technicians and Related Support Occupations	2370	0.25
6 = Sales Occupations	11451	1.21
7 = Office & Administrative Support Workers.....	9021	0.95
8 = Protective Service Occupations	1567	0.17
9 = Service Occupations, Except Protective	20208	2.13
10 = Farming, Fishing, & Forestry Occupations.....	1670	0.18
11 = Installation, Maintenance & Repair Workers.....	1282	0.14
12 = Construction Trades & Extraction Workers.....	4766	0.50
13 = Production, Machinery Setters/Operators/Tenders	3800	0.40
14 = Transportation & Material Moving Workers	4553	0.48
15 = Armed Forces.....	57	0.01
9990 = NOT REPORTED/NOT CODABLE	129	0.01
9994 = DON'T KNOW.....	6	0.00
9997 = REFUSED	85	0.01
9998 = BLANK (NO ANSWER)	247	0.03
9999 = LEGITIMATE SKIP.....	598351	63.03

EMPLOYMENT AND WORKPLACE

Which of these categories best describes the business in which you worked?

[WRKBZCY2](#)

Len : 2 CATEG THAT BEST DESCR BUSINESS YOU WORKED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Private for-profit company or business	55417	5.84
2 = Private not-for-profit company or business	4406	0.46
3 = Local government (city, county, etc.)	5408	0.57
4 = State government	2861	0.30
5 = Federal/Foreign government or international.....	1594	0.17
6 = Self-employed in an incorporated business	1087	0.11
7 = Self-employed in an unincorporated business.....	2555	0.27
8 = Working without pay in a family business/farm	543	0.06
94 = DON'T KNOW	1614	0.17
97 = REFUSED	107	0.01
98 = BLANK (NO ANSWER).....	276	0.03
99 = LEGITIMATE SKIP	646785	68.13

Now, think about the past 12 months, from [DATEFILL] through today. Did you work at a job or business at any time during the past 12 months?

[WRKEDYR](#)

Len : 2 PAST 12 MOS, WORKED AT ANY JOB

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	75560	7.96
2 = No.....	152779	16.09
85 = BAD DATA Logically assigned.....	7	0.00
89 = LEGITIMATE SKIP Logically assigned	4	0.00
94 = DON'T KNOW	35	0.00
97 = REFUSED	66	0.01
98 = BLANK (NO ANSWER).....	200	0.02
99 = LEGITIMATE SKIP	494002	52.04

Have you been self-employed at any time during the past 12 months?

[WRKSLFEM](#)

Len : 2 PAST 12 MOS, SELF EMPLOYED

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	37290	3.93
2 = No.....	386522	40.72
3 = Yes LOGICALLY ASSIGNED (raw var not blank)	1115	0.12
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	31972	3.37
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	131	0.01
97 = REFUSED	102	0.01
98 = BLANK (NO ANSWER).....	241	0.03
99 = LEGITIMATE SKIP	265274	27.94

During the past 12 months, was there ever a time when you did not have at least one job or business?

[WRKUNEMP](#)

Len : 2 PAST 12 MOS, TIME WITH NO JOB

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	83899	8.84
2 = No.....	297505	31.34
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	62	0.01
97 = REFUSED	103	0.01
98 = BLANK (NO ANSWER).....	222	0.02
99 = LEGITIMATE SKIP	340856	35.91

EMPLOYMENT AND WORKPLACE

In how many weeks during the past 12 months did you not have at least one job or business?

WRKUNWKS

Len : 2 HOW MANY WKS W/O JOB IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 52.....	83035	8.75
-9 = Data not collected for this year	226632	23.87
85 = BAD DATA Logically assigned.....	176	0.02
94 = DON'T KNOW	663	0.07
97 = REFUSED	129	0.01
98 = BLANK (NO ANSWER).....	289	0.03
99 = LEGITIMATE SKIP	638361	67.25

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you were sick or injured?

WORKDAYS

Len : 2 # DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	85666	9.02
-9 = Data not collected for this year	226632	23.87
0 = None	295358	31.11
85 = BAD DATA Logically assigned.....	199	0.02
94 = DON'T KNOW	232	0.02
97 = REFUSED	120	0.01
98 = BLANK (NO ANSWER).....	230	0.02
99 = LEGITIMATE SKIP	340848	35.91

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you just didn't want to be there?

WORKBLAH

Len : 2 # DAYS SKIPPED WORK PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	38687	4.08
-9 = Data not collected for this year	226632	23.87
0 = None	342541	36.08
85 = BAD DATA Logically assigned.....	34	0.00
94 = DON'T KNOW	182	0.02
97 = REFUSED	131	0.01
98 = BLANK (NO ANSWER).....	230	0.02
99 = LEGITIMATE SKIP	340848	35.91

Thinking about the location where you work, how many people work for your employer out of this office, store, etc.?

LOCSIZE

Len : 2 # PEOPLE THAT WORK FOR EMPLOYER - RESP'S LOCATION

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Less than 10 people.....	111704	11.77
2 = 10-24 people	82123	8.65
3 = 25-99 people	87324	9.20
4 = 100-499 people	60113	6.33
5 = 500 people or more.....	38903	4.10
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	1210	0.13
97 = REFUSED	192	0.02
98 = BLANK (NO ANSWER).....	230	0.02
99 = LEGITIMATE SKIP	340848	35.91

At your workplace, is there a written policy about employee use of alcohol or drugs?

DRGPLCY

Len : 2 WORKPLACE HAVE WRITTEN POLICY DRUG/ALCOHOL USE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	271353	28.58
2 = No.....	90462	9.53
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	19630	2.07
97 = REFUSED	124	0.01
98 = BLANK (NO ANSWER).....	230	0.02
99 = LEGITIMATE SKIP	340848	35.91

EMPLOYMENT AND WORKPLACE

Does this policy cover only alcohol, only drugs, or both alcohol and drugs?

PLCYCOV

Len : 2 DID POLICY COVER ALCOHOL, DRUGS, OR BOTH

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Only alcohol	2736	0.29
2 = Only drugs	9456	1.00
3 = Both alcohol and drugs	254846	26.85
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	4303	0.45
97 = REFUSED	136	0.01
98 = BLANK (NO ANSWER).....	19860	2.09
99 = LEGITIMATE SKIP	431310	45.44

At your workplace, have you ever been given any educational information regarding the use of alcohol or drugs?

WKDRGED

Len : 2 AT WORK, GIVEN EDUCATION ON DRUGS/ALC

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	124901	13.16
2 = No.....	241313	25.42
3 = Don't remember	12710	1.34
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	2518	0.27
97 = REFUSED	127	0.01
98 = BLANK (NO ANSWER).....	230	0.02
99 = LEGITIMATE SKIP	340848	35.91

Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?

DRGPRGM

Len : 2 ANY ASSISTANCE PROGRAM OFFERED THROUGH WRK

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	139999	14.75
2 = No.....	190225	20.04
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	51169	5.39
97 = REFUSED	176	0.02
98 = BLANK (NO ANSWER).....	230	0.02
99 = LEGITIMATE SKIP	340848	35.91

Does your workplace ever test its employees for alcohol use?

USALCTST

Len : 2 WORKPLACE TESTS FOR ALCOHOL USAGE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	103444	10.90
2 = No.....	256955	27.07
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	21039	2.22
97 = REFUSED	131	0.01
98 = BLANK (NO ANSWER).....	230	0.02
99 = LEGITIMATE SKIP	340848	35.91

Does your workplace ever test its employees for drug use?

USDRGTST

Len : 2 WORKPLACE TESTS FOR DRUG USAGE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	160097	16.87
2 = No.....	204381	21.53
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	16954	1.79
97 = REFUSED	137	0.01
98 = BLANK (NO ANSWER).....	230	0.02
99 = LEGITIMATE SKIP	340848	35.91

EMPLOYMENT AND WORKPLACE

Does your workplace test its employees for drug or alcohol use as part of the hiring process?

TSTHIRE

Len : 2 TEST FOR DRUG/ALC AS HIRING PROCESS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	133783	14.09
2 = No.....	26365	2.78
85 = BAD DATA Logically assigned.....	4	0.00
94 = DON'T KNOW	2342	0.25
97 = REFUSED	125	0.01
98 = BLANK (NO ANSWER).....	18004	1.90
99 = LEGITIMATE SKIP	542030	57.10

Does your workplace test its employees for drug or alcohol use on a random basis?

TSTRAND

Len : 2 TEST ON RANDOM BASIS

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Yes.....	93669	9.87
2 = No.....	59851	6.30
85 = BAD DATA Logically assigned.....	4	0.00
94 = DON'T KNOW	8970	0.94
97 = REFUSED	125	0.01
98 = BLANK (NO ANSWER).....	18004	1.90
99 = LEGITIMATE SKIP	542030	57.10

According to the policy at your workplace, what happens to an employee the first time he or she tests positive for illicit drugs?

FIRSTPOS

Len : 2 WHAT HAPPENS FIRST TIME CAUGHT

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Handled on indiv basis/policy does not spec what.....	24409	2.57
2 = Employee is fired	79325	8.36
3 = Employee is referred for treatment or counseling	30267	3.19
4 = Nothing happens	595	0.06
5 = Something else happens.....	5207	0.55
85 = BAD DATA Logically assigned.....	4	0.00
94 = DON'T KNOW	22639	2.38
97 = REFUSED	173	0.02
98 = BLANK (NO ANSWER).....	18004	1.90
99 = LEGITIMATE SKIP	542030	57.10

Would you be more or less likely to want to work for an employer that tests its employees for drug use as part of the hiring process? Would you say more likely, less likely, or would it make no difference to you?

WRKHIRE

Len : 2 WOULD YOU WORK FOR EMP DOES DRUG TEST PRE-HIRE

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = More likely	149303	15.73
2 = Less likely	18512	1.95
3 = Would it make no difference to you.....	212948	22.43
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	643	0.07
97 = REFUSED	162	0.02
98 = BLANK (NO ANSWER).....	231	0.02
99 = LEGITIMATE SKIP	340848	35.91

EMPLOYMENT AND WORKPLACE

Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol use on a random basis? Would you say more likely, less likely, or would it make no difference to you?

WORKRAND

Len : 2 WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST RANDOMLY

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = More likely	125894	13.26
2 = Less likely	35335	3.72
3 = Would make no difference	219527	23.13
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW	661	0.07
97 = REFUSED	151	0.02
98 = BLANK (NO ANSWER).....	231	0.02
99 = LEGITIMATE SKIP	340848	35.91

IMPUTED EMPLOYMENT

IMPUTED EMPLOYMENT

The following variable, IRWRKSTAT, replaces EMPSTATY that was created from 2001 to 2014. In 2015 employment questions moved from being interviewer-administered to being self-administered through ACASI. The name changes for employment variables reflect the break in comparability.

<u>IRWRKSTAT</u>	Len : 2 EMPLOYMENT STATUS - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Employed full time.....	90769	9.56
	2 = Employed part time	34088	3.59
	3 = Unemployed	13543	1.43
	4 = Other (incl. not in labor force).....	61412	6.47
	99 = 12-14 year olds.....	26820	2.83

<u>IIWRKSTAT</u>	Len : 1 EMPLOYMENT STATUS - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Employment status from questionnaire	197319	20.79
	3 = Employment statistically imputed	2493	0.26
	9 = 12-14 years old	26820	2.83

<u>II2WRKSTAT</u>	Len : 1 EMPLOYMENT STATUS - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Employment status from questionnaire	197319	20.79
	3 = Emp. statistically imputed (unrestricted).....	2135	0.22
	4 = Emp. stat. imp. (restr. to full-time or part-time).....	358	0.04
	9 = 12-14 years old	26820	2.83

IRWRKSTAT18 is a recode of IRWRKSTAT and AGE2. Respondents aged 12-17 are assigned a skip code, regardless of their answers to the employment status questions.

<u>IRWRKSTAT18</u>	Len : 2 EMPLOYMENT STATUS 18+ - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Employed full time.....	89311	9.41
	2 = Employed part time	26972	2.84
	3 = Unemployed	10412	1.10
	4 = Other (incl. not in labor force).....	45071	4.75
	99 = 12-17 year olds.....	54866	5.78

<u>IIWRKSTAT18</u>	Len : 1 EMPLOYMENT STATUS 18+ - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Employment status from questionnaire	169695	17.88
	3 = Employment statistically imputed	2071	0.22
	9 = 12-17 years old	54866	5.78

<u>II2WRKST18</u>	Len : 1 EMPLOYMENT STATUS 18+ - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	76.13
	1 = Employment status from questionnaire	169695	17.88
	3 = Emp. statistically imputed (unrestricted).....	1777	0.19
	4 = Emp. stat. imp. (restr. to full-time or part-time).....	294	0.03
	9 = 12-17 years old	54866	5.78

IMPUTED EMPLOYMENT AND WORKPLACE

IMPUTED EMPLOYMENT AND WORKPLACE

The following variable, EMPSTATY, was created to promote consistency across survey years. The similar variable EMPSTAT3 was created in 1999 and 2000; it could not be created in the survey years since 2001 because of changes to the questionnaire. (See the comment before JBSTATR for more details.) The levels of EMPSTATY are close to those in the Current Population Survey. The main difference is that EMPSTATY considers people who did not have a job last week and were not looking for a job all to be unemployed. In comparison, the CPS definition requires people who did not have a job last week and were not looking for a job to be waiting to be recalled to their old job, in order for them to be classified as unemployed.

<u>EMPSTATY</u>	Len : 2	IMPUTATION REVISED EMPLOYMENT STATUS		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Employed full time	256539	27.02
		2 = Employed part time	121997	12.85
		3 = Unemployed	49799	5.25
		4 = Other (incl. not in labor force).....	181823	19.15
		99 = 12-14 year olds.....	112495	11.85

<u>IIEMPSTY</u>	Len : 1	IMPUTATION INDICATOR EMPLOYMENT STATUS		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Employment status from questionnaire	609662	64.22
		3 = Employment statistically imputed	496	0.05
		9 = 12-14 years old	112495	11.85

<u>I12EMSTY</u>	Len : 1	IMPUTATION INDICATOR EMPLOYMENT STATUS (DETAILS)		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Employment status from questionnaire	609662	64.22
		3 = Emp. statistically imputed (unrestricted).....	278	0.03
		4 = Emp. stat. imp. (restr. to full-time or part-time).....	218	0.02
		9 = 12-14 years old	112495	11.85

EMPSTAT4 is a recode of EMPSTATY and AGE. Respondents aged 15-17 are assigned a skip code, regardless of their answers to the employment status questions.

<u>EMPSTAT4</u>	Len : 2	IMPUTATION REVISED EMPLOYMENT STATUS 18+		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Employed full time	251985	26.54
		2 = Employed part time	91654	9.66
		3 = Unemployed	35188	3.71
		4 = Other (incl. not in labor force).....	113559	11.96
		99 = 12-17 year olds.....	230267	24.26

<u>IIEMPST4</u>	Len : 1	IMPUTATION INDICATOR EMPLOYMENT STATUS 18+		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Employment status from questionnaire	491942	51.82
		3 = Employment statistically imputed	444	0.05
		9 = 12-17 years old	230267	24.26

<u>I12EMST4</u>	Len : 1	IMP. IND. EMPLOYMENT STATUS 18+ (DETAILS)		
			Freq	Pct
		-9 = Data not collected for this year	226632	23.87
		1 = Employment status from questionnaire	491942	51.82
		3 = Emp. statistically imputed (unrestricted).....	258	0.03
		4 = Emp. stat. imp. (restr. to full-time or part-time).....	186	0.02
		9 = 12-17 years old	230267	24.26

HOUSEHOLD COMPOSITION (ROSTER)

HOUSEHOLD COMPOSITION (ROSTER)

<u>IRFAMSZ2</u>	Len : 1 IMP-REVISED - NO OF R'S FAMILY MEMBERS IN HHLD		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = One R's family member in household	92365	9.73
	2 = Two R's family members in household	142170	14.98
	3 = Three R's family members in household	154513	16.28
	4 = Four R's family members in household	173927	18.32
	5 = Five R's family members in household	94754	9.98
	6 = Six or more R's family members in household	64924	6.84

<u>IIFAMSZ2</u>	Len : 1 IRFAMSZ2 - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Questionnaire data.....	721814	76.04
	2 = Logically Assigned data	69	0.01
	3 = Statistically Imputed data.....	770	0.08

<u>IRKIDFA2</u>	Len : 1 IMP-REV - NO OF R'S FAMILY MBRS IN HH AGED 0-17		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = No R'S family mbrs in HH aged 0-17.....	280647	29.56
	2 = One R'S family mbrs in HH aged 0-17.....	172684	18.19
	3 = Two R'S family mbrs in HH aged 0-17.....	156888	16.53
	4 = Three or more R'S family mbrs in HH aged 0-17.....	112434	11.84

<u>IIKIDFA2</u>	Len : 1 IRKIDFA2 - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	226632	23.87
	1 = Questionnaire data.....	721154	75.97
	3 = Statistically Imputed data.....	1499	0.16

NOTE: Starting from 2003, the following variable, EDFAM18, replaced the variable IRFAM18 (the imputation-revised indicator for having family members in the household aged 18 or older). Prior to 2003, the edited proxy variables were created using IRFAM18. However in 2003, the procedures for creating the edited proxy variables changed due to changes in the proxy questions in the questionnaire. The new procedures required an edited form of this indicator.

<u>EDFAM18</u>	Len : 2 RC-EDITED INDICATOR: FAMILY IN HH 18 OR OLDER		
		Freq	Pct
	-9 = Data not collected for this year	54079	5.70
	0 = R has other family members >=18.....	753049	79.33
	1 = R does not have other family members >=18	141441	14.90
	98 = UNKNOWN	716	0.08

<u>IMOTHER</u>	Len : 1 RC-MOTHER IN HH		
		Freq	Pct
	1 = R is 12-17, mother in hh	260447	27.44
	2 = R is 12-17, no mother in hh.....	24448	2.58
	3 = R is 12-17, don't know whether mother is in hh.....	238	0.03
	4 = R is 18 or older	664152	69.96

<u>IFATHER</u>	Len : 1 RC-FATHER IN HH		
		Freq	Pct
	1 = R is 12-17, father in hh	205901	21.69
	2 = R is 12-17, no father in hh	78936	8.32
	3 = R is 12-17, don't know whether father is in hh.....	296	0.03
	4 = R is 18 or older	664152	69.96

<u>NRCH17_2</u>	Len : 1 RECODED # R's CHILDREN < 18 IN HOUSEHOLD		
		Freq	Pct
	RANGE = 0 - 2.....	905023	95.34
	. = Missing	1099	0.12
	3 = 3 or more	43163	4.55

HOUSEHOLD COMPOSITION (ROSTER)

[IRHHSIZ2](#)

Len : 1 RECODE - IMPUTATION-REVISED # PERSONS IN HH

	Freq	Pct
1 = One person in household.....	65645	6.92
2 = Two people in household.....	202781	21.36
3 = Three people in household.....	214514	22.60
4 = Four people in household.....	237883	25.06
5 = Five people in household.....	131962	13.90
6 = 6 or more people in household.....	96500	10.17

[IIHHSIZ2](#)

Len : 1 IRHHSIZ2-IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	948655	99.93
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data.....	629	0.07

[IRKI17_2](#)

Len : 1 RECODE - IMPUTATION-REVISED # KIDS AGED<18 IN HH

	Freq	Pct
1 = No children under 18.....	370528	39.03
2 = One child under 18.....	223171	23.51
3 = Two children under 18.....	205279	21.62
4 = Three or more children under 18.....	150307	15.83

[IIKI17_2](#)

Len : 1 IRKI17_2-IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	946499	99.71
2 = Logically assigned data.....	21	0.00
3 = Statistically imputed data.....	2765	0.29

[IRHH65_2](#)

Len : 1 REC - IMPUTATION-REVISED # OF PER IN HH AGED>=65

	Freq	Pct
1 = No people 65 or older in household.....	856588	90.24
2 = One person 65 or older in household.....	62275	6.56
3 = Two or more people 65 or older in household.....	30422	3.20

[IIHH65_2](#)

Len : 1 IRHH65_2-IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	944309	99.48
2 = Logically assigned data.....	636	0.07
3 = Statistically imputed data.....	4340	0.46

PROXY INFORMATION

PROXY INFORMATION

PRXRETRY was created starting in 2014 and indicates whether respondents younger than 18 selected another proxy if their previously selected proxy was unavailable.

PRXRETRY

Len : 2 SELECTED PROXY UNAVAILABLE, OTHER PROXY AVAILABLE?

	Freq	Pct
-9 = Data not collected for this year	667382	70.30
2 = No.....	4601	0.48
94 = DON'T KNOW	161	0.02
97 = REFUSED	32	0.00
98 = BLANK (NO ANSWER).....	321	0.03
99 = LEGITIMATE SKIP	276788	29.16

PRXYDATA

Len : 2 IS PROXY ANSWERING INSURANCE/INCOME QS

	Freq	Pct
-9 = Data not collected for this year	54079	5.70
1 = Yes.....	280243	29.52
2 = No.....	706	0.07
89 = LEGITIMATE SKIP Logically assigned	4	0.00
94 = DON'T KNOW	396	0.04
97 = REFUSED	115	0.01
98 = BLANK (NO ANSWER).....	808	0.09
99 = LEGITIMATE SKIP (Respondent answering)	612934	64.57

HEALTH INSURANCE

HEALTH INSURANCE

The next questions are about [SAMPLE MEMBER POSS] health insurance coverage and the kinds and amounts of income that [SAMPLE MEMBER] and other people in your family receive. This information will help in planning health care services and finding ways to lower costs of care.

NOTE: Beginning in 2003, respondents under the age of 65 who reported that they were covered by Medicare were asked to confirm their answer.

Several government programs provide medical care or help pay medical bills.

Medicare is a health insurance program for people aged 65 and older and for certain people with disabilities. Is [SAMPLE MEMBER A] covered by Medicare?

MEDICARE

Len : 2 COVERED BY MEDICARE

	Freq	Pct
1 = Yes.....	58491	6.16
2 = No.....	887349	93.48
85 = BAD DATA Logically assigned.....	45	0.00
94 = DON'T KNOW	2679	0.28
97 = REFUSED	395	0.04
98 = BLANK (NO ANSWER).....	326	0.03

NOTE: The variable CAIDCHIP was created from responses to the first question shown below for respondents who were aged 20 or older. For respondents who were aged 12 to 19, CAIDCHIP was created from responses to the two questions shown below. This variable replaces the variable MEDICAID that was present in prior years. Beginning in 2003, respondents aged 65 or older who reported that they were covered by Medicaid were asked to confirm their answer.

Medicaid is a public assistance program that pays for medical care for people with low income and people with disabilities. The Medicaid program in [STATE FILL] is also called [MEDIFILL]. Medicaid may also be called Medical Assistance.

Is [SAMPLE MEMBER A] covered by Medicaid?

Is [SAMPLE MEMBER A] currently covered by [CHIPFILL]?

CAIDCHIP

Len : 2 COVERED BY MEDICAID/CHIP

	Freq	Pct
1 = Yes.....	177211	18.67
2 = No.....	764376	80.52
85 = BAD DATA Logically assigned.....	491	0.05
94 = DON'T KNOW	6399	0.67
97 = REFUSED	476	0.05
98 = BLANK (NO ANSWER).....	332	0.03

There are certain programs that cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.

Is [SAMPLE MEMBER A] currently covered by TRICARE, or CHAMPUS, CHAMPVA, the VA, or military health care?

CHAMPUS

Len : 2 COV BY TRICARE, CHAMPUS, CHAMPVA, VA, MILITARY

	Freq	Pct
1 = Yes.....	32749	3.45
2 = No.....	913286	96.21
85 = BAD DATA Logically assigned.....	45	0.00
94 = DON'T KNOW	2513	0.26
97 = REFUSED	366	0.04
98 = BLANK (NO ANSWER).....	326	0.03

HEALTH INSURANCE

Private health insurance can be obtained through work, such as through an employer, union, or professional association, by paying premiums directly to a health insurance company, or by purchasing a plan through the Health Insurance Marketplace. It includes coverage by a health maintenance organization or HMO, fee for service plans, and single service plans.

Is [SAMPLE MEMBER A] currently covered by private health insurance?

<u>PRVHLTIN</u>	Len : 2 COVERED BY PRIVATE INSURANCE		
		Freq	Pct
	1 = Yes.....	591918	62.35
	2 = No.....	350998	36.97
	85 = BAD DATA Logically assigned.....	45	0.00
	94 = DON'T KNOW	5480	0.58
	97 = REFUSED	517	0.05
	98 = BLANK (NO ANSWER).....	327	0.03

Was [SAMPLE MEMBER POSS] private health insurance obtained through work, such as through an employer, union, or professional association? It can be through any family member's employment, not just [SAMPLE MEMBER POSS] employment.

<u>GRPHLTIN</u>	Len : 2 PRIVATE PLAN OFFERED THROUGH EMPLOYER OR UNION		
		Freq	Pct
	1 = Yes.....	533741	56.23
	2 = No.....	56360	5.94
	85 = BAD DATA Logically assigned.....	24	0.00
	94 = DON'T KNOW	1783	0.19
	97 = REFUSED	551	0.06
	98 = BLANK (NO ANSWER).....	5828	0.61
	99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	350998	36.97

Does [SAMPLE MEMBER POSS] private health insurance include coverage for treatment for any of the following conditions?

Alcohol abuse or alcoholism?

<u>HLTINALC</u>	Len : 2 ALCOHOL ABUSE OR ALCOHOLISM		
		Freq	Pct
	1 = Yes.....	265795	28.00
	2 = No.....	67969	7.16
	85 = BAD DATA Logically assigned.....	24	0.00
	94 = DON'T KNOW	257811	27.16
	97 = REFUSED	859	0.09
	98 = BLANK (NO ANSWER).....	5829	0.61
	99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	350998	36.97

Drug abuse?

<u>HLTINDRG</u>	Len : 2 DRUG ABUSE		
		Freq	Pct
	1 = Yes.....	265322	27.95
	2 = No.....	70120	7.39
	85 = BAD DATA Logically assigned.....	24	0.00
	94 = DON'T KNOW	256064	26.97
	97 = REFUSED	928	0.10
	98 = BLANK (NO ANSWER).....	5829	0.61
	99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	350998	36.97

Mental or emotional problems?

<u>HLTINMNT</u>	Len : 2 MENTAL OR EMOTIONAL DIFFICULTIES		
		Freq	Pct
	1 = Yes.....	388042	40.88
	2 = No.....	47299	4.98
	85 = BAD DATA Logically assigned.....	24	0.00
	94 = DON'T KNOW	156334	16.47
	97 = REFUSED	759	0.08
	98 = BLANK (NO ANSWER).....	5829	0.61
	99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	350998	36.97

HEALTH INSURANCE

Is [SAMPLE MEMBER A] currently covered by any kind of health insurance, that is, any policy or program that provides or pays for medical care?

HLTINNOS

Len : 2 COVERED BY HEALTH INSUR (NOT OTHERWISE SPECIFIED)

	Freq	Pct
1 = Yes.....	21808	2.30
2 = No.....	133564	14.07
85 = BAD DATA Logically assigned.....	8	0.00
94 = DON'T KNOW	431	0.05
97 = REFUSED	23	0.00
98 = BLANK (NO ANSWER).....	327	0.03
99 = LEGITIMATE SKIP	793124	83.55

During the past 12 months, that is from [DATE FILL] through today, was there any time when [SAMPLE MEMBER] did not have any kind of health insurance or coverage?

HLCNOTYR

Len : 2 ANYTIME DID NOT HAVE HEALTH INS/COVER PAST 12 MOS

	Freq	Pct
1 = Yes.....	67282	7.09
2 = No.....	738927	77.84
85 = BAD DATA Logically assigned.....	122	0.01
94 = DON'T KNOW	1872	0.20
97 = REFUSED	625	0.07
98 = BLANK (NO ANSWER).....	6895	0.73
99 = LEGITIMATE SKIP	133562	14.07

During the past 12 months, that is from [DATE FILL] through today, about how many months [were you/was SAMPLE MEMBER] without any kind of health insurance or coverage?

HLCNOTMO

Len : 2 PAST 12 MOS, HOW MANY MOS W/O COVERAGE

	Freq	Pct
RANGE = 1 - 12.....	66842	7.04
85 = BAD DATA Logically assigned.....	10	0.00
94 = DON'T KNOW	434	0.05
97 = REFUSED	631	0.07
98 = BLANK (NO ANSWER).....	8879	0.94
99 = LEGITIMATE SKIP	872489	91.91

About how long has it been since (SAMPLE MEMBER) last had any kind of health coverage?

HLCLAST

Len : 2 TIME SINCE LAST HAD HEALTH CARE COVERAGE

	Freq	Pct
1 = Within the past 6 months	23721	2.50
2 = More than 6 months ago, but within the past year.....	17568	1.85
3 = More than 1 year ago, but within the past 3 years.....	31944	3.37
4 = More than 3 years ago	36050	3.80
5 = Never had coverage.....	23304	2.45
85 = BAD DATA Logically assigned.....	10	0.00
94 = DON'T KNOW	946	0.10
97 = REFUSED	612	0.06
98 = BLANK (NO ANSWER).....	7004	0.74
99 = LEGITIMATE SKIP	808126	85.13

HEALTH INSURANCE

Which of the reasons on this card is the main reason why [SAMPLE MEMBER] stopped being covered by health insurance?

HLLOSRSN

Len : 2 MAIN REASON STOPPED COVERED BY HEALTH INSURANCE

	Freq	Pct
1 = Pers in family w/health ins lost job/chng employer.....	22343	2.35
2 = Lost Medicaid/Med Assist b/c new job/incr income	8244	0.87
3 = Lost Medicaid/Med Assist some other reason	8880	0.94
4 = Cost is too high/can't afford premiums.....	26964	2.84
5 = Became ineligible because of age or leaving school	18202	1.92
6 = Employer does not offer coverage, or not eligible	7880	0.83
7 = Got divorced or separated from person w/insurance	1809	0.19
8 = Death of spouse or parent	587	0.06
9 = Insurance company refused coverage	1163	0.12
10 = Don't need it.....	3683	0.39
11 = Received Medicaid/med insur only while pregnant.....	4147	0.44
12 = Some other reason	5653	0.60
85 = BAD DATA Logically assigned.....	68	0.01
94 = DON'T KNOW	543	0.06
97 = REFUSED	682	0.07
98 = BLANK (NO ANSWER).....	7007	0.74
99 = LEGITIMATE SKIP	831430	87.58

Which of the reasons on this card describe why [SAMPLE MEMBER] never had health insurance coverage?

HLNVCOST

Len : 2 COST TOO HIGH

	Freq	Pct
1 = Response entered	13033	1.37
6 = Response not entered.....	10135	1.07
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	119	0.01
97 = REFUSED	600	0.06
98 = BLANK (NO ANSWER).....	7285	0.77
99 = LEGITIMATE SKIP	918112	96.72

HLNVOFFR

Len : 2 EMPLOYER DOESN'T OFFER

	Freq	Pct
1 = Response entered	4538	0.48
6 = Response not entered.....	18630	1.96
94 = DON'T KNOW	119	0.01
97 = REFUSED	600	0.06
98 = BLANK (NO ANSWER).....	7286	0.77
99 = LEGITIMATE SKIP	918112	96.72

HLNVREF

Len : 2 INSURANCE COMPANY REFUSED COVERAGE

	Freq	Pct
1 = Response entered	437	0.05
6 = Response not entered.....	22731	2.39
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	119	0.01
97 = REFUSED	600	0.06
98 = BLANK (NO ANSWER).....	7285	0.77
99 = LEGITIMATE SKIP	918112	96.72

HLNVNEED

Len : 2 DON'T NEED IT

	Freq	Pct
1 = Response entered	3672	0.39
6 = Response not entered.....	19496	2.05
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	119	0.01
97 = REFUSED	600	0.06
98 = BLANK (NO ANSWER).....	7285	0.77
99 = LEGITIMATE SKIP	918112	96.72

HEALTH INSURANCE

[HLNVSOR](#)

Len : 2 NEVER HAD HLTH INS SOME OTHER REASON

	Freq	Pct
1 = Response entered	2398	0.25
6 = Response not entered.....	20770	2.19
94 = DON'T KNOW	119	0.01
97 = REFUSED	600	0.06
98 = BLANK (NO ANSWER).....	7286	0.77
99 = LEGITIMATE SKIP	918112	96.72

IMPUTED HEALTH INSURANCE

IMPUTED HEALTH INSURANCE

Starting in 2002, missing values in the variables describing the type of health insurance were imputed. In particular, missing values in the edited variables PRVHLTIN (private health insurance), MEDICARE, CAIDCHIP (Medicaid/children's state-assisted health insurance), CHAMPUS, and a modified version of HLTINNOS (other health insurance) were imputed. The overall health insurance variable was then created by combining the information from the detailed imputation- revised variables in the variable IRINSUR4. This differs from the method used in 1999-2001 where the edited health insurance variables were combined before imputation to create a recoded overall health insurance variable (INSUR3), the missing values of which were imputed in the variable IRINSUR3. As in previous years, missing values in PRVHLTIN were imputed. However, the name has changed (IRPINSUR in 1999-2001, IRPRVHLT in 2002) to reflect the fact that the imputation of missing values in PRVHLTIN was univariate from 1999-2001, and multivariate (with the other detailed variables) in 2002.

<u>IRMCDCHIP</u>	Len : 1 MEDICAID/CHIP - IMPUTATION REVISED		
		Freq	Pct
	1 = Yes, respondent does have Medicaid/CHIP.....	179446	18.90
	2 = No, respondent does not have Medicaid/CHIP	769839	81.10
<u>IIMCDCHIP</u>	Len : 1 MEDICAID/CHIP - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	941587	99.19
	3 = Statistically imputed data.....	7698	0.81
<u>IRMEDICR</u>	Len : 1 MEDICARE - IMPUTATION REVISED		
		Freq	Pct
	1 = Yes, respondent does have Medicare.....	58680	6.18
	2 = No, respondent does not have Medicare.....	890605	93.82
<u>IIMEDICR</u>	Len : 1 MEDICARE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	945840	99.64
	3 = Statistically imputed data.....	3445	0.36
<u>IRCHMPUS</u>	Len : 1 CHAMPUS - IMPUTATION REVISED		
		Freq	Pct
	1 = Yes, R has Tricare, Champus, VA, Military health.....	32907	3.47
	2 = No, R doesn't have Tricare, Chmps, VA, Military health	916378	96.53
<u>IICHMPUS</u>	Len : 1 CHAMPUS - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	946035	99.66
	3 = Statistically imputed data.....	3250	0.34
<u>IRPRVHLT</u>	Len : 1 PRIVATE HEALTH INSURANCE - IMPUTATION REVISED		
		Freq	Pct
	1 = Yes, R does have private health insurance	595347	62.72
	2 = No, R does not have private health insurance.....	353938	37.28
<u>IIPRVHLT</u>	Len : 1 PRIVATE HEALTH INSURANCE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	942916	99.33
	3 = Statistically imputed data.....	6369	0.67

IMPUTED HEALTH INSURANCE

A respondent is eligible for the other health insurance question if they satisfied the following conditions.

- (1) Not covered by private insurance (IRPRVHLT=2)
- (2) Not covered by Medicare (IRMEDICR=2)
- (3) Not covered by Medicaid/CHIPCOV (IRMCDCHP=2)
- (4) Not covered by Champus, ChampVA, VA, or Military (IRCHMPUS=2)

Otherwise, they are not eligible and IROTHHLT=99.

<u>IROTHHLT</u>	Len : 2 OTHER HEALTH INSURANCE - IMPUTATION REVISED		
		Freq	Pct
	1 = Yes, R is covered by other health insurance	22316	2.35
	2 = No, R is not covered by other health insurance.....	135639	14.29
	99 = LEGITIMATE SKIP	791330	83.36

<u>IOTHHLT</u>	Len : 1 OTHER HEALTH INSURANCE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	155366	16.37
	3 = Statistically imputed data.....	7601	0.80
	9 = LEGITIMATE SKIP	786318	82.83

RECODED HEALTH INSURANCE

RECODED HEALTH INSURANCE

NOTE: The variable HLCALLFG is a created "flag" variable that indicates when a respondent (or proxy) reported that the respondent was covered by all of the following: Medicare, Medicaid, the Children's Health Insurance Program (if aged 12 to 19), military health care, and private health insurance. The variable HLCALL99 also is a created "flag" variable that indicates when respondents were reported to be covered by Medicare, Medicaid, military health care, and private health insurance. This HLCALL99 variable is comparable to HLCALLFG in 1999, when these four types of health insurance were the only types of current coverage that were asked about in the interview.

<u>HLCALLFG</u>	Len : 2	FLAG IF EVERY FORM OF HEALTH INS REPORTED		
			Freq	Pct
		1 = Answered yes to all current health insurance Qs.....	142	0.01
		98 = BLANK (NO ANSWER).....	949143	99.99

<u>HLCALL99</u>	Len : 2	YES TO MEDICARE/MEDICAID/CHAMPUS/PRVHLTIN		
			Freq	Pct
		1 = Yes (see comment above).....	145	0.02
		98 = BLANK (NO ANSWER).....	949140	99.98

NOTE: The following variable, ANYHLT2, was created from the source variables MEDICARE, CAIDCHIP, CHAMPUS, PRVHLTIN, and HLTINNOS.

<u>ANYHLT2</u>	Len : 2	COVERED BY ANY HEALTH INSURANCE - RECODE		
			Freq	Pct
		1 = Yes.....	808126	85.13
		2 = No.....	133562	14.07
		94 = DON'T KNOW	6554	0.69
		97 = REFUSED	583	0.06
		98 = OTHER MISSING	460	0.05

For IRINSUR4, a respondent is classified as having any health insurance (IRINSUR4=1) if they satisfied ANY of the following conditions.

- (1) Covered by private insurance (IRPRVHLT=1)
- (2) Covered by Medicare (IRMEDICR=1)
- (3) Covered by Medicaid/CHIPCOV (IRMCDCHP=1)
- (4) Covered by Champus, ChampVA, VA, or Military (IRCHMPUS=1)
- (5) Covered by other health insurance (IROTHHLT=1)

A respondent is classified as NOT having any health insurance (IRINSUR4=2) if they meet EVERY one of the following conditions.

- (1) Not covered by private insurance (IRPRVHLT=2)
- (2) Not covered by Medicare (IRMEDICR=2)
- (3) Not covered by Medicaid/CHIPCOV (IRMCDCHP=2)
- (4) Not covered by Champus, ChampVA, VA, or Military (IRCHMPUS=2)
- (5) Not covered by other health insurance (IROTHHLT=2)

<u>IRINSUR4</u>	Len : 1	RC-OVERALL HEALTH INSURANCE - IMPUTATION REVISED		
			Freq	Pct
		1 = Yes, respondent is covered by health insurance.....	813646	85.71
		2 = No, respondent is not covered by health insurance	135639	14.29

<u>IIINSUR4</u>	Len : 1	RC-OVERALL HEALTH INSURANCE - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data.....	941684	99.20
		3 = Statistically imputed data.....	7601	0.80

<u>OTHINS</u>	Len : 1	RC-OTHER HEALTH INSURANCE		
			Freq	Pct
		-9 = Data not collected for this year	54079	5.70
		1 = Yes (IRMEDICR=1 or IRCHMPUS=1 or IROTHHLT=1)	102903	10.84
		2 = No (Otherwise)	792303	83.46

INCOME

INCOME

This note applies to variables in this section marked by a².

NOTE: The order changed between 2015 and 2016 for the questions corresponding to CELLWRKNG and CELLNOTCL. In 2015, the question corresponding to CELLNOTCL appeared first. Review of the data for 2015 and 2016 suggested that any decreases in reports of coverage by telephones other than cell phones between 2015 and 2016 is likely to be attributable to overall declines in landline telephone coverage in the general population.

Do you or anyone at this address have a working cell phone?

<u>CELLWRKNG</u>	Len : 2 WORKING CELL PHONE		
		Freq	Pct
-9 = Data not collected for this year		722653	76.13
1 = Yes.....		222231	23.41
2 = No.....		4136	0.44
85 = BAD DATA Logically assigned.....		29	0.00
94 = DON'T KNOW		27	0.00
97 = REFUSED		102	0.01
98 = BLANK (NO ANSWER).....		107	0.01

Is there at least one telephone at this address that is not a cell phone?

<u>CELLNOTCL</u>	Len : 2 NOT A CELL PHONE		
		Freq	Pct
-9 = Data not collected for this year		722653	76.13
1 = Yes.....		86385	9.10
2 = No.....		139910	14.74
85 = BAD DATA Logically assigned.....		30	0.00
94 = DON'T KNOW		92	0.01
97 = REFUSED		108	0.01
98 = BLANK (NO ANSWER).....		107	0.01

IMPUTED INCOME

IMPUTED INCOME

This note applies to variables in this section marked by a².

<u>IRFAMSOC</u>	Len : 1 FAM RECEIVE SS OR RR PAYMENTS - IMPUTATION REVISED	Freq	Pct
	1 = Yes.....	137665	14.50
	2 = No.....	808467	85.17
	99 = LEGITIMATE SKIP	3153	0.33
<u>IIFAMSOC</u>	Len : 1 FAM RECEIVE SS OR RR PAYMENTS - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data.....	936526	98.66
	3 = Statistically imputed data.....	9606	1.01
	9 = LEGITIMATE SKIP	3153	0.33
<u>IRFAMSSI</u>	Len : 1 FAM RECEIVE SSI - IMPUTATION REVISED	Freq	Pct
	1 = Yes.....	63787	6.72
	2 = No.....	885498	93.28
<u>IIFAMSSI</u>	Len : 1 FAM RECEIVE SSI - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data.....	937223	98.73
	3 = Statistically imputed data.....	12062	1.27
<u>IRFSTAMP</u>	Len : 1 RESP/OTH FAM MEM REC FOOD STAMPS - IMPUTATION REVISED	Freq	Pct
	1 = Yes.....	152581	16.07
	2 = No.....	796704	83.93
<u>IIFSTAMP</u>	Len : 1 RESP/OTH FAM MEM REC FOOD STAMPS - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data.....	945340	99.58
	3 = Statistically imputed data.....	3945	0.42
<u>IRFAMPMT</u>	Len : 1 FAM RECEIVE PUBLIC ASSIST - IMPUTATION REVISED	Freq	Pct
	1 = Yes.....	33451	3.52
	2 = No.....	915834	96.48
<u>IIFAMPMT</u>	Len : 1 FAM RECEIVE PUBLIC ASSIST - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data.....	942267	99.26
	3 = Statistically imputed data.....	7018	0.74
<u>IRFAMSVC</u>	Len : 1 FAM REC WELFARE/JOB PL/CHILDCARE - IMPUTATION REVISED	Freq	Pct
	1 = Yes.....	42476	4.47
	2 = No.....	906809	95.53
<u>IIFAMSVC</u>	Len : 1 FAM REC WELFARE/JOB PL/CHILDCARE - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data.....	943791	99.42
	3 = Statistically imputed data.....	5494	0.58
<u>IRWELMOS</u>	Len : 2 IMP. REVISED - NO.OF MONTHS ON WELFARE	Freq	Pct
	RANGE = 1 - 12.....	62359	6.57
	99 = LEGITIMATE SKIP	886926	93.43

IMPUTED INCOME

IIWELMOS

Len : 1 NO OF MONTHS ON WELFARE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	59683	6.29
3 = Statistically imputed data.....	10174	1.07
9 = LEGITIMATE SKIP	879428	92.64

NOTE: Starting in 2015, an additional finer income response level was added to the questionnaire (\$150,000 or more). The following six variables accommodate this additional response level. These variables are not comparable to the corresponding IRXXX2 and IIXXX2 available for years prior to 2015 where the highest income level was \$100,000 or more. Since the new level of \$150,000 or more was unavailable prior to 2015, the IRXXX2 recoded variables should be utilized for comparisons when the analysis includes both data prior to 2015 and data in 2015 or beyond.

IRPINC3

Len : 2 RECODE - RESP TOT INCOME - IMPUTATION REVISED

	Freq	Pct
1 = Less than \$10,000 (Including Loss).....	514333	54.18
2 = \$10,000 - \$19,999	142118	14.97
3 = \$20,000 - \$29,999	90156	9.50
4 = \$30,000 - \$39,999	62966	6.63
5 = \$40,000 - \$49,999	43975	4.63
6 = \$50,000 - \$74,999	51431	5.42
7 = \$75,000 or more	44306	4.67

IRFAMIN3

Len : 1 RECODE - TOT FAM INCOME - IMPUTATION REVISED

	Freq	Pct
1 = Less than \$10,000 (Including Loss).....	91065	9.59
2 = \$10,000 - \$19,999	119528	12.59
3 = \$20,000 - \$29,999	111974	11.80
4 = \$30,000 - \$39,999	105267	11.09
5 = \$40,000 - \$49,999	102907	10.84
6 = \$50,000 - \$74,999	157505	16.59
7 = \$75,000 or more	261039	27.50

IIPINC3

Len : 1 RECODE - RESP TOT INCOME - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	921236	97.05
3 = Statistically imputed data.....	28049	2.95

IIFAMIN3

Len : 1 RECODE - TOT FAM INCOME - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	847647	89.29
2 = Logically assigned data	6030	0.64
3 = Statistically imputed data.....	95608	10.07

RECODED INCOME

RECODED INCOME

NOTE: The variables in this section are recoded variables that were created from one or more of the edited or imputed variables from the two preceding sections.

The following variable, GOVTPROG, was created by examination of these government assistance program variables: Supplemental Security Income (IRFAMSSI), food stamps (IRFSTAMP), cash assistance (IRFAMPMT), and non-cash assistance (IRFAMSV).C).

<u>GOVTPROG</u>	Len : 1 RC-PARTICIPATED IN ONE OR MORE GOVT ASSIST PROGRAMS		
		Freq	Pct
	1 = Yes (Any source variable=1).....	199393	21.00
	2 = No (All source variables=2).....	749892	79.00

<u>INCOME</u>	Len : 1 RC-TOTAL FAMILY INCOME RECODE		
		Freq	Pct
	1 = Less than \$20,000	210593	22.18
	2 = \$20,000 - \$49,999	320148	33.73
	3 = \$50,000 - \$74,999	157505	16.59
	4 = \$75,000 or More	261039	27.50

The following variable, POVERTY3, indicates a person's family income relative to poverty thresholds. The U.S. Census Bureau assigns a poverty threshold for each combination of family size and number of children in the household. To be at 100% of the poverty threshold is equivalent to having a family income that is the same as the poverty threshold. A poverty level less than 100% indicates having a family income less than the poverty threshold and therefore defined by the Federal government as living in poverty. A poverty level greater than 100% indicates having a family income greater than the poverty threshold. The previously created variable POVERTY2, was created using the recoded version of family income that had a top-coded level of \$100,000 or more. Starting in 2015, the finer income questions were revised to expand the top level to include the responses \$100,000 - \$149,999 and \$150,000 or more. The variable POVERTY3 account for these additional income levels through the use of the finer family income variable. Despite these changes, POVERTY3 is considered comparable with POVERTY2.

POVERTY3 was created for each individual based on their poverty threshold (determined by their age, family size, the number of children in the household, and total family income). Since NSDUH only collects categorical values of family income, for each level of income, the midpoint of each range was assigned as the effective family income. The highest level of income, \$150,000 or more, was assigned a value of \$180,000. Prior to the questionnaire change in 2015 that expanded the top level of income categories, the highest level of income was \$100,000 or more and the assigned family income was \$120,000. Family income was divided by the poverty threshold and multiplied by 100 to show family income as a percentage of the federal poverty threshold. Respondents aged 18 to 22 currently living in a college dormitory (GQTYPE2='C') were set to system missing and do not have a valid value for this variable.

<u>POVERTY3</u>	Len : 1 RC-POVERTY LEVEL (% OF US CENSUS POVERTY THRESHOLD)		
		Freq	Pct
	. = Persons Aged 18-22 in a College Dorm (See comment above).....	1663	0.18
	-9 = Data not collected for this year	722653	76.13
	1 = Living in Poverty (See comment above)	43673	4.60
	2 = Income Up to 2X Fed Pov Thresh (See comment above).....	49319	5.20
	3 = Income More Than 2X Fed Pov Thresh (See comment above).....	131977	13.90

FI DEBRIEFING QUESTIONS

FI DEBRIEFING QUESTIONS

Did the respondent make any comments about the interview being too long?

TOOLONG

Len : 2 RESP SAID INTERVIEW WAS TOO LONG

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	15148	1.60
2 = No.....	210909	22.22
98 = BLANK (NO ANSWER).....	575	0.06

Did the respondent have trouble understanding any questions asked during the interview?

TROUBUND

Len : 2 DID RESP HAVE TROUBLE UNDERSTANDING INTERVIEW

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Yes.....	10606	1.12
2 = No.....	215451	22.70
98 = BLANK (NO ANSWER).....	575	0.06

COUNTY

GEOGRAPHIC

COUNTY

The variable PDEN90 is based on 1990 Census data and the June 1990 Metropolitan Area classifications provided by the Office of Management and Budget (OMB).

PDEN90

Len : 1 POPULATION DENSITY

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Segment in a MSA with 1 million or more persons	58857	6.20
2 = Segment in a MSA with fewer than 1 million persons	61164	6.44
3 = Segment not in a MSA.....	44890	4.73

The variable PDEN00 is based on 2000 Census data and the June 2003 Core Based Statistical Area classifications provided by the Office of Management and Budget (OMB).

PDEN00

Len : 1 POPULATION DENSITY 2000

	Freq	Pct
-9 = Data not collected for this year	281903	29.70
1 = Segment in a CBSA with 1 million or more persons.....	280872	29.59
2 = Segm. in a CBSA with fewer than 1 million persons	329606	34.72
3 = Segment not in a CBSA.....	56904	5.99

COUTYP2

Len : 1 COUNTY METRO/NONMETRO STATUS (3-LEVEL)

	Freq	Pct
-9 = Data not collected for this year	226632	23.87
1 = Large Metro.....	319570	33.66
2 = Small Metro.....	247640	26.09
3 = Nonmetro	155443	16.37

The variable PDEN10 is based on 2010 Census data and the December 2009 Core Based Statistical Area classifications provided by the Office of Management and Budget (OMB).

PDEN10

Len : 1 POPULATION DENSITY 2010 - THREE LEVELS

	Freq	Pct
-9 = Data not collected for this year	667382	70.30
1 = Segment in a CBSA with 1 million or more persons.....	120703	12.72
2 = Segm. in a CBSA with fewer than 1 million persons	138778	14.62
3 = Segment not in a CBSA.....	22422	2.36

NOTE: COUTYP4 is recoded based on the 2013 Rural/Urban Continuum Codes. Although similar in concept, it is not fully comparable to COUTYP2 used in 2014 and prior years.

COUTYP4

Len : 1 COUNTY METRO/NONMETRO STATUS (2013 3-LEVEL)

	Freq	Pct
-9 = Data not collected for this year	722653	76.13
1 = Large Metro.....	102386	10.79
2 = Small Metro.....	79562	8.38
3 = Nonmetro	44684	4.71

SEGMENT

SEGMENT

The Census provides data for five types of American Indian areas (AIAs):

Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas - areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.

State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.

Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries. OTSAs were referred to as Tribal Jurisdiction Statistical Areas (TJSAs) in the 1990 Census data products.

Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.

State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries. SDTSAs are not defined for Census 1990. Some SDTSAs are defined as TDSAs in the 1990 census data.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

Some NSDUH segments can cross more than one AIA. In order to assign a single AIA to a segment, a 'majority' AIA variable was created by summing the total number of dwelling units within each of the AIAs within the segment and then assigning the AIA with the most dwelling units to that segment. The resulting 'majority' AIAs were summarized to form MAIIN902. MAIIN902 is based on 1990 census data.

MAIIN902

Len : 2 MAJORITY AMER INDIAN AREA INDICATOR FOR SEGMENT

	Freq	Pct
-9 = Data not collected for this year	784374	82.63
1 = Segment in an American Indian area	3528	0.37
2 = Segment not in an American Indian area.....	161383	17.00

The Census provides data for five types of American Indian areas (AIAs):>

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas - areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries. SDTSAs were called State Designated American Indian Statistical Areas (SDAISAs) for Census 2000.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

Some NSDUH segments can cross more than one AIA. In order to assign a single AIA to a segment, a 'majority' AIA variable was created by summing the total number of dwelling units within each of the AIAs within the segment and then assigning the AIA with the most dwelling units to that segment. The resulting 'majority' AIAs were summarized to form MAIIN002. MAIIN002 is based on 2000 census data.

MAIIN002

Len : 2 MAJORITY AMER INDIAN AREA INDICATOR FOR SEGMENT

	Freq	Pct
-9 = Data not collected for this year	446814	47.07
1 = Segment in an American Indian area	10956	1.15
2 = Segment not in an American Indian area.....	491515	51.78

SEGMENT

The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas – areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

Some NSDUH segments can cross more than one AIA. In order to assign a single AIA to a segment, a 'majority' AIA variable was created by summing the total number of dwelling units within each of the AIAs within the segment and then assigning the AIA with the most dwelling units to that segment. The resulting 'majority' AIAs were summarized to form MAIIN102. MAIIN102 is based on 2010 census data.

[MAIIN102](#)

Len : 1 MAJORITY AMER INDIAN AREA INDICATOR FOR SEGMENT

	Freq	Pct
-9 = Data not collected for this year	667382	70.30
1 = Segment in an American Indian area	5471	0.58
2 = Segment not in an American Indian area.....	276432	29.12

BLOCK

BLOCK

The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas – areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

The variable AIIND102 is based on 2010 census data and is defined by mapping the census block in which a respondent resides to the 2010 census file.

[AIIND102](#)

Len : 1 AMER INDIAN AREA INDICATOR

	Freq	Pct
-9 = Data not collected for this year	667382	70.30
1 = Census block in an American Indian area	5500	0.58
2 = Census block not in an American Indian area.....	276403	29.12

SAMPLE WEIGHTING AND ESTIMATION VARS

SAMPLE WEIGHTING AND ESTIMATION VARS

[SPDWT_C](#) Len : 12 ANALYSIS WEIGHTS FOR SPD ESTIMATES

The following variable, DEPWT, has been created to allow estimates for both the Youth and Adult Depression data to be generated in one analysis. This is accomplished by combining into one variable the final person level analysis weight (ANALWT) for youths aged 12-17 and the split sample weight (SPDWGHT) for adults aged 18+ in Sample B, and assigning a weight of zero for adults 18+ not in Sample B. Adult Depression is only available for respondents in Sample B (ADLTSAMP=2). Specifically: DEPWT=ANALWT when 12<=AGE<=17 DEPWT=SPDWGHT when AGE>=18 and ADLTSAMP=2 DEPWT=0 when AGE>=18 and ADLTSAMP not 2.

[DEPWT_C](#) Len : 12 COMBINED WEIGHT FOR DEPRESSION ANALYSIS

The following variable, MHSAWT_C, is a weight variable created for mental health analysis for adult Sample A or Sample B. A separate post-stratification was done for both Sample A and Sample B so that the weights for each of the sub-samples were controlled to the Census population estimates for the civilian non-institutional population aged 18+. MHSAWT_C is set to zero for youths aged 12-17 and the 8 adults not assigned to either portion of the split sample. MHSAWT_C can be used for generating adult mental health estimates using Sample A data, or using Sample B data, separately. However, if mental health estimates are generated using both Sample A and Sample B combined data then ANALWT_C should be used.

[MHSAWT_C](#) Len : 12 MENTAL HEALTH ADULT SPLIT SAMPLE WEIGHT

[VESTR](#) Len : 5 ANALYSIS STRATUM

[VEREP](#) Len : 2 ANALYSIS REPLICATE

[ANALWC1](#) Len : 8 ANALYSIS WEIGHTS FOR ONE YEAR DATA ANALYSIS

[ANALWC2](#) Len : 8 ANALYSIS WEIGHTS FOR TWO YEAR DATA ANALYSIS

[ANALWC3](#) Len : 8 ANALYSIS WEIGHT- ESTIMATES USING 3 YEARS OF DATA

[ANALWC4](#) Len : 8 ANALYSIS WEIGHT- ESTIMATES USING 4 YEARS OF DATA

[ANALWC5](#) Len : 8 ANALYSIS WEIGHT- ESTIMATES USING 5 YEARS OF DATA

[ANALWC6](#) Len : 8 ANALYSIS WEIGHT- ESTIMATES USING 6 YEARS OF DATA

[ANALWC7](#) Len : 8 ANALYSIS WEIGHT- ESTIMATES USING 7 YEARS OF DATA

[ANALWC8](#) Len : 8 ANALYSIS WEIGHT- ESTIMATES USING 8 YEARS OF DATA

[ANALWC9](#) Len : 8 ANALYSIS WEIGHT- ESTIMATES USING 9 YEARS OF DATA

[ANALWC10](#) Len : 8 ANALYSIS WEIGHT- ESTIMATES USING 10 YEARS OF DATA

[ANALWC11](#) Len : 8 ANALYSIS WEIGHT- ESTIMATES USING 11 YEARS OF DATA

[ANALWC12](#) Len : 8 ANALYSIS WEIGHT- ESTIMATES USING 12 YEARS OF DATA

SAMPLE WEIGHTING AND ESTIMATION VARS

ANALWC13	Len : 8	ANALYSIS WEIGHT- ESTIMATES USING 13 YEARS OF DATA
ANALWC14	Len : 8	ANALYSIS WEIGHTS FOR FOURTEEN YEAR DATA ANALYSIS
ANALWC15	Len : 8	ANALYSIS WEIGHTS FOR FIFTEEN YEAR DATA ANALYSIS
ANALWC16	Len : 8	ANALYSIS WEIGHTS FOR SIXTEEN YEAR DATA ANALYSIS
ANALWC17	Len : 8	ANALYSIS WEIGHTS FOR SEVENTEEN YEAR DATA ANALYSIS

INDEX

INDEX

AALTMDE	921	ADDERALL	342	ADWRSLEP	902
ABDILAAAL	509	ADDEREC	343	ADWRSLNO	903
ABILANAL	508	ADDEYRR	374	ADWRSLOW	903
ABILLALC	508	ADDDPDISC	896	ADWRSMOR	903
ABODALC	515	ADDPLSIN	897	ADWRSPLN	905
ABODANL	508	ADDDPPROB	899	ADWRSTHK	905
ABODCOC	515	ADDP2WK	897	ADWRTHOT	904
ABODHAL	508	ADDPREV	896	ADWRWRTH	905
ABODHER	515	ADDSCEV	896	AEROS	90
ABODIEM	509	ADDSLSIN	897	AEROS2	283
ABODILAL	509	ADFAMDOC	912	AGE2	1050
ABODILL	508	ADHERBAL	914	AHBCHMDE	920
ABODINH	508	ADLOSEV	896	AHLTMDE	920
ABODMRJ	515	ADLSI2WK	897	AIIND102	1108
ABODPSY	509	ADLTSAMP	822	AIRDUSTER	103
ABODED	508	ADNURSE	913	AIRDUSTER2	308
ABODSTM	508	ADOCMDE	919	AJAMDE U	917
ABODTRN	508	ADOTHDOC	912	AJAMDELT	917
ABPYILANAL	515	ADOTHHLP	914	AJAMDEYR	917
ABPYILLALC	515	ADOTHMHP	913	AL30EST	32
ABUPOSHAL	494	ADPB2WK	909	ALBSTWAY	31
ABUPOSINH	494	ADPBAGE	908	ALCAFU	319
ABUPOSMTH	494	ADPBDLYA	908	ALCAFU2	319
ABUPOSPNR	495	ADPBINTF	908	ALCAFU3	319
ABUPOSSED	495	ADPBNUM	909	ALCAGLST	606
ABUPOSSTM	495	ADPBRMBR	908	ALCAVGM	292
ABUPOSTRQ	495	ADPSDAYS	911	ALCBNG30D	33
ABUSEALC	513	ADPSHMG	909	ALCCUTIX	439
ABUSEANL	506	ADPSRELS	910	ALCCUTDN	439
ABUSECOC	513	ADPSROC	911	ALCCUTEV	439
ABUSEHAL	506	ADPSWORK	910	ALCDAYS	32
ABUSEHER	514	ADPSYCH	912	ALCDOC	696
ABUSEIEM	507	ADPSYMD	913	ALCEMCTD	440
ABUSEILL	507	ADRELIG	913	ALCEMOPB	440
ABUSEINH	506	ADRX12MO	914	ALCEVER	29
ABUSEMRJ	513	ADRXHLP	915	ALCFLAG	297
ABUSEPSY	508	ADRXNOW	914	ALCFMCTD	442
ABUSEPYHAL	514	ADSEEDOC	912	ALCFMFPB	442
ABUSEPYIEM	515	ADSMMDEA	907	ALCGTOVR	437
ABUSEPYILL	515	ADSOCWRK	913	ALCHOSP	696
ABUSEPYINH	514	ADTMTHLP	915	ALCJAIL	696
ABUSEPYMTH	514	ADTMTNOW	914	ALCKPLMT	438
ABUSEPYPNR	514	ADWRAGE	899	ALCLAWTR	442
ABUSEPYPSY	514	ADWRCHR	898	ALCLIMIT	438
ABUSEPYSED	514	ADWRCONC	904	ALCLOTM	437
ABUSEPYSTM	514	ADWRDBTR	905	ALCLSACT	441
ABUSEPYTRQ	514	ADWRDCSN	904	ALCLSEFX	438
ABUSESED	507	ADWRDEPR	900	ALCMDAYS	320
ABUSESTM	507	ADWRDIET	902	ALCMFU	30
ABUSETRN	507	ADWRDISC	900	ALCMHC	696
ABUSEXMJ	507	ADWRDLOT	905	ALCMLU	607
ACOUNMDE	920	ADWRDST	898	ALCMON	297
ACTD2001	1051	ADWRELES	901	ALCNDMOR	438
ACTD7590	1051	ADWREMR	901	ALCNUMDKPM	322
ACTD9001	1051	ADWRENRG	903	ALCONFL	270
ACTDEVER	1051	ADWRGAIN	901	ALCONMO	271
ACTDPRIV	1052	ADWRGNL2	902	ALCONYR	271
ACTDVIET	1051	ADWRGROW	901	ALCPAID	691
AD_MDEA1	906	ADWRHRS	898	ALPCARE	691
AD_MDEA2	906	ADWRIMP	898	ALPCORT	691
AD_MDEA3	906	ADWRJINO	904	ALCPDANG	441
AD_MDEA4	906	ADWRJITT	903	ALCPEMPL	692
AD_MDEA5	906	ADWRLOSE	902	ALCPFMLY	691
AD_MDEA6	907	ADWRLSIN	900	ALCPHCTD	441
AD_MDEA7	907	ADWRLSL2	902	ALCPHLPB	440
AD_MDEA8	907	ADWRNOGD	904	ALCPINS	691
AD_MDEA9	907	ADWRPLSR	900	ALCPMILC	692
ADCOUNS	913	ADWRPREG	901	ALCPPUBP	691
ADDEFLGR	374	ADWRPROB	899	ALCPSAVE	691
ADDEMONR	374	ADWRSATP	906	ALCREC	30

INDEX

ALCRFIN	696	ANALWC11	1109	ANLOTHS2	568
ALCRFOP	696	ANALWC12	1109	ANLOTHW2	625
ALCSERP	441	ANALWC13	1110	ANLOTHWY	568
ALCSHG	696	ANALWC14	1110	ANLPDANG	414
ALCTRMT	688	ANALWC15	1110	ANLPHCTD	413
ALCTRY	29	ANALWC16	1110	ANLPHLPB	413
ALCTXER	696	ANALWC17	1110	ANLRX1D2	624
ALCUS30D	32	ANALWC2	1109	ANLRX1DR	565
ALCWD2SX	439	ANALWC3	1109	ANLRXDRS	566
ALCWDSMT	440	ANALWC4	1109	ANLRXDS2	624
ALCYDAYS	319	ANALWC5	1109	ANLRXFAK	566
ALCYFU	30	ANALWC6	1109	ANLRXFK2	624
ALCYLU	606	ANALWC7	1109	ANLSERP	414
ALCYR	297	ANALWC8	1109	ANLSRCF2	632
ALCYRBFR	616	ANALWC9	1109	ANLSRCFR	621
ALCYRTOT	30	ANALYFU	141	ANLSTOL2	625
ALDAYPMO	31	ANALYLU	557	ANLSTOLE	566
ALDAYPWK	32	ANLAGLST	557	ANLWD3SX	411
ALDAYPYR	31	ANLCARD	121	ANLWDSMT	412
ALDYSFG	32	ANLCUTIX	411	ANLYR	277
ALFQFLG	31	ANLCUTDN	410	ANLYRTOT	142
ALLUSEFL	274	ANLCUTEV	411	ANOSTMAPYU	312
ALLUSEMO	275	ANLDEAL2	625	ANOSTMPYMU	317
ALLUSEYR	274	ANLDEALR	567	ANURSMDE	920
ALPRPDAPYU	310	ANLEMCTD	412	ANXDLIF	770
ALPRDPYMU	315	ANLEMOPB	412	ANXDYR	770
ALTOTFG	31	ANLEVER	141	ANYBARB	291
AMBIEN	342	ANLFF1D2	634	ANYEDUC3	874
AMBIFLGR	374	ANLFF1DR	568	ANYHLT2	1099
AMBIMONR	374	ANLFFAK2	635	ANYMHED	930
AMBIREC	343	ANLFFAKE	569	ANYMHED2	970
AMBIYRR	374	ANLFFBOT	570	ANYMHIN	942
AMDEHARX	921	ANLFFBY2	635	ANYMHIN2	969
AMDEHPO	921	ANLFFDL2	635	ANYMHOUT	969
AMDEHPRX	921	ANLFFDLR	570	ANYNDLREC	376
AMDEIMP	922	ANLFFDRS	569	ANYNEEDL	376
AMDELT	918	ANLFFDS2	634	ANYNSMH	970
AMDERXO	917	ANLFFLAS	572	ANYSEDMF	970
AMDERXO2	921	ANLFFLSP	573	ANYSMH	943
AMDETARX	917	ANLFFNET	570	ANYSMH2	969
AMDET XO	917	ANLFFNT2	635	ANYSMHPS	930
AMDET XRX	919	ANLFFOSP	571	ANYSMPS2	933
AMDEY2 U	918	ANLFFOT2	636	ANYTRT10	929
AMDEYR	918	ANLFFOTH	571	ANYTRT9	929
AMD XPHEN	289	ANLFFRE2	635	AOMDMDE	919
AMHINP2	808	ANLFFREE	569	AOMHMDE	920
AMHOUTP3	808	ANLFFST2	635	AOTHMDE	920
AMHRX2	808	ANLFFSTL	569	APDRGMON	389
AMHSVNO	809	ANLFFSTAK	570	APDRGMON2	394
AMHSVTYP	809	ANLFFTK2	635	APPSELD	392
AMHTXAND	809	ANLFLAG	277	APSY1MDE	919
AMHTXND2	809	ANLFMCTD	415	APSY2MDE	919
AMHTXRC3	808	ANLFMFPB	414	ARELMDE	920
AMIDA2 U	889	ANLFRBUY	567	ARGUPAR	871
AMISUDPY	895	ANLFRBY2	625	ARXMDEYR	919
AMIYR U	893	ANLFRFE2	625	ASDSHOM2	921
AMMEPDAPYU	311	ANLFRFRE	566	ASDSHOME	916
AMMEPDYMU	317	ANLFRTK2	625	ASDSOVL2	922
AMPHETAPYU	311	ANLFRTK2	567	ASDSOVL2	916
AMPHETPYMU	317	ANLGTLA2	572	ASDSREL	916
AMYLNIT	101	ANLGTLAS	551	ASDSREL2	922
AMYLNIT2	307	ANLGTO2	574	ASDSSOC	916
AMYTAL	209	ANLGTOVR	409	ASDSSOC2	922
AMYTAL2	290	ANLINET	567	ASDSWRK	916
ANALAGE	141	ANLINET2	625	ASDSWRK2	921
ANALMFU	142	ANLKPLMT	410	ASMALIF	770
ANALMLU	557	ANLLAWTR	414	ASMAYR	770
ANALNEWA	126	ANLLIMIT	409	ASOCMDE	919
ANALNEWB	132	ANLLOTTM	409	ASTHMAAGE	787
ANALNEWC	136	ANLLSACT	413	ASTHMAEVR	781
ANALNEWD	138	ANLLSEFX	410	ASTHMANOW	787
ANALNEWE	140	ANLLTSC	619	ATARAX	158
ANALREC	142	ANLMON	277	ATARAX2	286
ANALWC1	1109	ANLNDMOR	410	ATXMDEYR	919
ANALWC10	1109	ANLNOLST	125	AUALACUP	804

INDEX

AUALCHIR	804	AUUNNCOV	801	CABNGAGE	1024
AUALHERB	804	AUUNNHLP	802	CABNGEV	1024
AUALHLIN	805	AUUNNOND	802	CABNGMFU	1025
AUALINET	805	AUUNNTSP	803	CABNGYFU	1024
AUALMASG	805	AUUNRIM2	803	CABPLACE	1031
AUALOTH	806	AUUNSOR	803	CABREAST	783
AUALOTS2	806	AUUNWHER	801	CABUNDAG	1032
AUALRELG	805	AVGGRADE	870	CABUYFRE	1031
AUALSGRP	805	BARBITAPYU	313	CABUYWHO	1031
AUALTYR	804	BENZOS	287	CACERVIX	783
AUDNODUD	517	BENZOSAPYU	334	CACOLNRECT	783
AUINAHSP	790	BENZOSPYMU	334	CADRBAR	1029
AUINMEDU	790	BIDI30US	378	CADRCAR	1028
AUINPGEN	790	BIDIEVER	378	CADREVNT	1029
AUINPSYH	790	BIDIFLGR	380	CADRHOME	1029
AUINPYR	790	BIDIMONR	380	CADRKANL	1022
AUINRESD	791	BIDIREC	378	CADRKCOC	1021
AUINSFAC	791	BIDIYRR	380	CADRKCOCN	1034
AUMOTVYR	807	BINGEDRK	282	CADRKCOCN2	1043
AUNMAHS2	791	BINGEHVY	282	CADRKDRG	1021
AUNMCLN2	797	BKAGASLT	539	CADRKDRUG	1033
AUNMDOC2	797	BKARSON	543	CADRKHAL	1022
AUNMDTM2	797	BKBURGL	542	CADRKHALL	1034
AUNMMED2	791	BKDRUG	544	CADRKHALL2	1043
AUNMMEN2	796	BKDRUNK	543	CADRKHER	1021
AUNMOTO2	797	BKDRVINP	543	CADRKHERN	1034
AUNMPGE2	791	BKFRAUD	544	CADRKHERN2	1043
AUNMPSY2	791	BKLARCNY	542	CADRKINH	1022
AUNMRES2	792	BKMURDER	539	CADRKINHL	1035
AUNMSFA2	792	BKMVTHFT	541	CADRKINHL2	1043
AUNMTHE2	797	BKOTH	544	CADRKMARJ	1034
AUOPCLNC	795	BKOTHOF2	545	CADRKMARJ2	1042
AUOPDOC	795	BKPOSTOB	543	CADRKMETH	1035
AUOPDTMT	795	BKPROS	539	CADRKMETH2	1043
AUOPMENT	794	BKRAPE	539	CADRKMRI	1021
AUOPOTOP	795	BKROB	543	CADRKMTH	1023
AUOPTHER	795	BKSEXNR	544	CADRKSED	1023
AUOPTYR	794	BKSEXOFF	540	CADRKSTM	1023
AUOPYRS2	796	BKSMASLT	542	CADRKTRN	1022
AUPINEMP	793	BKSRIOL	542	CADRLAST	1028
AUPINFM2	794	BLNT30C1	397	CADROTH	1030
AUPINFRE	793	BLNT30C2	397	CADROTHM	1029
AUPINMCD	793	BLNT30DY	396	CADROTS2	1030
AUPINMCR	792	BLNTAGE	395	CADRPEOP	1028
AUPINMIL	793	BLNTEVER	395	CADRPUBL	1029
AUPINOFM	792	BLNTMFU	396	CADRSCHL	1030
AUPINPHI	792	BLNTNOMJ	398	CAESOPSTOM	783
AUPINPRV	793	BLNTREC	396	CAFRESP2	1033
AUPINPUB	793	BLNTYFU	395	CAFREWHO	1032
AUPINREH	793	BLRECFL2	396	CAGALLIVPAN	783
AUPINSLF	792	BMI2	789	CAGVMONY	1031
AUPOPAMT	800	BNGDRKMON	305	CAGVWHO	1032
AUPOPEMP	798	BNGDRMDAYS	334	CAIDCHIP	1092
AUPOPFRE	799	BNGHVYMON	306	CAKIDNEY	783
AUPOPMCD	798	BOOKED	541	CALARYLUNG	784
AUPOPMCR	798	BRONCLIF	770	CAMELANOM	784
AUPOPMIL	799	BRONCYR	770	CAMOUTTHRO	784
AUPOPMOS	799	BUPRPDAPYU	309	CANCEREVR	782
AUPOPOFM	798	BUPRPDPYMU	314	CANCERYR	785
AUPOPPHI	798	BUSPAR	158	CAOTHER2	782
AUPOPPRV	799	BUSPAR2	286	CAOVARY	784
AUPOPPUB	799	BUTISOL	209	CAPROSTEST	784
AUPOPREH	798	BUTISOL2	290	CASKINDK	785
AUPOPSLF	798	CA4FDAGE	1026	CASKINOTH	784
AURXYR	800	CA4FDDYS	1026	CATAG2	1057
AUUNBUSY	802	CA4FDEV	1025	CATAG3	1057
AUUNCFID	801	CA4FDMFU	1027	CATAG6	1057
AUUNCMIT	802	CA4FDYFU	1027	CATAG7	1057
AUUNCOST	800	CABINGAGE	1036	CATAGE	1057
AUUNENUF	801	CABINGEVR	1035	CATHYROID	785
AUUNFOUT	802	CABINGFLG	1035	CAUTERUS	785
AUUNHNDL	802	CABINGMFU	1036	CC30EST	41
AUUNJOB	801	CABINGYFU	1036	CCBSTWAY	39
AUUNMTYR	800	CABLADDER	782	CCDAYPMO	40
AUUNNBR	801	CABLOLEULYM	782	CCDAYPWK	40

INDEX

CCDAYPYR	40	CIGINCRS	436	COCSERPB	451
CCFQFLG	39	CIGINCTL	433	COCUS30A	40
CCTOTFG	39	CIGINFLU	436	COCWD2SX	449
CDCGMO	305	CIGIRTL	432	COCWDSMT	449
CDNOCGMO	305	CIGLOTMR	437	COCYDAYS	320
CDUFLAG	305	CIGMDAYS	320	COCYFU	38
CELLNOTCL	1100	CIGMFU	14	COCYLU	607
CELLWRKNG	1100	CIGMLU	603	COCYR	298
CG30EST	15	CIGMON	296	COCYRBFR	617
CGALONFL	271	CIGNMCHG	435	COCYRTOT	39
CGALONMO	272	CIGNOINF	436	CODEINE	121
CGALONYR	271	CIGOFRSM	13	CODEINE2	283
CGR30BR2	26	CIGONFL	270	CODEPDAPYU	308
CGR30USE	25	CIGONMO	270	CODEPDPYMU	314
CGRAGLST	605	CIGONYR	270	COLDFLGR	377
CGRFLAG	296	CIGPDAY	322	COLDMEDS	344
CGRMDAYS	334	CIGPLANE	434	COLDMONR	377
CGRMON	296	CIGREC	14	COLDREC	344
CGRYR	296	CIGREGDY	434	COLDYR1	345
CH30EST	9	CIGREGNM	435	COLDYR2	349
CHAMPUS	1092	CIGREGWK	435	COLDYR3	352
CHEWEVER	7	CIGRNOUT	434	COLDYR4	354
CHEWMFU	8	CIGSATIS	436	COLDYR5	355
CHEWMLU	553	CIGSVLHR	435	COLDYRR	377
CHEWREC	8	CIGTRY	13	COLLENR	1066
CHEWTRY	7	CIGWAKE	437	COLLENR2	1066
CHEWYFU	7	CIGWILYR	13	COLLENRFT	1071
CHEWYLU	553	CIGYFU	14	COLLENRLFT	1071
CHHYD	209	CIGYLU	602	COLLENRLST	1071
CHHYD2	290	CIGYR	296	COMBATPY	1052
CHMNDLREC	376	CIGYRBFR	616	CONDLREC	356
CHW30BR2	10	CIRRLIF	770	COPDAGE	786
CHW30USE	8	CIRROSAGE	786	COPDEVER	781
CHWAGLST	553	CIRROSEVR	781	COUNMDE	1011
CHWFLAG	275	CIRRYR	770	COUTYP2	1105
CHWMON	276	CLEFLU	101	COUTYP4	1105
CHWYR	276	CLEFLU2	307	CPNMTHFG	279
CI30EST	25	CLINVST	971	CPNMTHMN	279
CIG100LF	21	CLONPDAPYU	310	CPNMTHYR	279
CIG1PACK	322	CLONPDPMU	316	CPNNDFLG	373
CIG30AV	15	CLOV30US	379	CPNNDMTM	374
CIG30BR2	16	CLOVEVER	378	CPNNDSTM	374
CIG30MEN	19	CLOVFLGR	380	CPNPSYFG	280
CIG30MLN	19	CLOVMONR	380	CPNPSYMN	280
CIG30RO2	20	CLOVREC	379	CPNPSYYR	280
CIG30TPE	19	CLOVYRR	380	CPNSTMFG	278
CIG30TYP	4	COCAGE	38	CPNSTMMN	278
CIG30USE	15	COCAGLST	607	CPNSTMYR	278
CIGAFU	318	COCCUTIX	449	CR30EST	45
CIGAGE	20	COCCUTDN	448	CRAKREC	43
CIGAGLST	602	COCCUTEV	448	CRBSTWAY	44
CIGALCMO	305	COCEMCTD	450	CRDAYPMO	44
CIGAREVR	23	COCEMOPB	450	CRDAYPWK	44
CIGARMFU	24	COCEVER	38	CRDAYPYR	44
CIGARMLU	606	COCFLAG	297	CRFQFLG	43
CIGARREC	24	COCFLBLU	449	CRKAGE	42
CIGARTRY	23	COCFMCTD	452	CRKAGLST	608
CIGARYFU	24	COCFMFPB	451	CRKEVER	42
CIGARYLU	605	COCGTOVR	447	CRKFLAG	298
CIGAVGD	322	COCKPLMT	448	CRKMAYS	334
CIGAVGM	322	COCLAWTR	451	CRKMFU	43
CIGAVOID	433	COCLIMIT	447	CRKMLU	609
CIGCMPNY	275	COCLOTTM	447	CRKMON	298
CIGCRAGP	433	COCLSACT	450	CRKUS30A	45
CIGCRAVE	432	COCLSEFX	448	CRKYDAYS	334
CIGDLLST	603	COCMDAYS	321	CRKYFU	42
CIGDLMFU	21	COCMFU	38	CRKYLU	608
CIGDLMLU	604	COCMLU	608	CRKYR	298
CIGDLYFU	20	COCMON	298	CRKYRTOT	43
CIGDLYLU	603	COCNDMOR	448	CRTOTFG	43
CIGDLYMO	20	COCNEEDL	356	CYCLPDAPYU	311
CIGEVER	13	COCPDANG	451	CYCLPDPMU	316
CIGFLAG	296	COCPHCTD	450	CYLERT	180
CIGFNLKE	434	COCPHLPB	450	CYLERT2	288
CIGFNSMK	433	COCREC	39	DALMANE	210

INDEX

DALMANE2	290	DIFOBTCRK	394	DSTNRV12	880
DAMTFXFLAG	299	DIFOBTHER	394	DSTNRV30	878
DAMTFXMON	299	DIFOBTLSD	394	DSTNRVOS	849
DAMTFXREC	89	DIFOBTMRJ	394	DSTRSTI2	881
DAMTFXYR	299	DILAUD	121	DSTRST30	879
DARVTYL2	283	DILAUD2	283	DSTRSTLS	849
DARVTYLC	120	DMTAMTFXY	72	DSTSITST	835
DCIGAFU	319	DNICNSP	509	DSTTIRE	834
DCIGMON	305	DOCMDE	1010	DSTWORST	880
DEMEPDAPYU	309	DOMOSTYR	760	DUDNOAUD	517
DEMEPDPYMU	315	DPILANAL	506	DYTXVST	971
DEMEROL	121	DPILLALC	506	ECSAGE	69
DEMEROL2	283	DPPYILANAL	512	ECSAGLST	555
DEPENDHAL	493	DPPYILLALC	512	ECSFLAG	276
DEPENDINH	493	DR5DAY	29	ECSMFU	70
DEPENDMTH	493	DRGDOC	697	ECSMLU	555
DEPENDPNR	493	DRGHOSP	697	ECSMON	277
DEPENDSED	494	DRGJAIL	697	ECSREC	70
DEPENDSTM	494	DRGLECT2	869	ECSTASY	49
DEPENDTRQ	494	DRGMHC	697	ECSTMOAGE	87
DEPNDALE	510	DRGPLY	1083	ECSTMOAGL	613
DEPNDALE	505	DRGPRGM	1084	ECSTMOFLAG	299
DEPNDCOC	510	DRGRFIN	697	ECSTMOLLY	72
DEPNDDHAL	505	DRGRFOP	697	ECSTMOMFU	88
DEPNDDHER	510	DRGSHG	697	ECSTMOMLU	614
DEPNDDIEM	506	DRGTHER	697	ECSTMOMON	299
DEPNDDILL	505	DRIVALC2	549	ECSTMOREC	88
DEPNDDINH	505	DRIVALD2	549	ECSTMOYFU	88
DEPNDDMRJ	510	DRIVDRG2	549	ECSTMOYLU	613
DEPNDDPSY	506	DRKANL	1038	ECSTMOYR	299
DEPNDDPYHAL	511	DRKCOC	1038	ECSYFU	69
DEPNDDPYIEM	512	DRKHAL	1038	ECSYLU	555
DEPNDDPYILL	511	DRKHER	1038	ECSYR	276
DEPNDDPYINH	511	DRKIEM	1039	ED4FLAG	1023
DEPNDDPYMTH	511	DRKINH	1038	EDFAM18	1089
DEPNDDPYPNR	511	DRKMRJ	1038	EDUCATHP	1056
DEPNDDPYPSY	511	DRKMTH	1039	EDUCATN2	1062
DEPNDDPYSED	511	DRKSED	1039	EDUCCAT2	1056
DEPNDDPYSTM	511	DRKSTM	1038	EDUFULPAR	1068
DEPNDDPYTRQ	511	DRKSUM	1039	EDUHIGHCAT	1058
DEPNDDSED	505	DRKTRN	1038	EDUSCHGRD2	1067
DEPNDDSTM	505	DRPRVME3	874	EDUSCHLGO	1067
DEPNDDTRN	505	DRVALDR	540	EDUSCKCOM	1069
DEPNDDXMJ	506	DRVAONLY	540	EDUSCKEST	1070
DEPRSLIF	771	DRVDONLY	540	EDUSCKMON	1068
DEPRSYR	771	DRVFLAG	541	EDUSKPCOM	1070
DEPWT_C	1109	DRVINAGE	1057	EDUSKPEST	1070
DETAMP	180	DRVINALCO	546	EDUSKPMON	1068
DETAMP2	288	DRVINALCO2	549	EI4FDAGE	1026
DEXED	180	DRVINALDRG	550	EI4FDDYS	1026
DEXED2	288	DRVINALON	547	EI4FDMFU	1027
DGRGCLS2	869	DRVINCOCN	546	EI4FDYFU	1027
DGSPCLS2	869	DRVINDETAG	1057	EIBINGAGE	1037
DIABETEAG	786	DRVINDRG	549	EIBINGMFU	1037
DIABETEVR	780	DRVINDROTMI	550	EIBINGYFU	1037
DIABLIF	771	DRVINHALL	547	EIBNGAGE	1024
DIABYR	771	DRVINHERN	546	EIBNGMFU	1025
DIAZPDAPYU	310	DRVININHL	547	EIBNGYFU	1025
DIAZPDAPYMU	316	DRVINMARJ	546	EIMOVYR	1060
DIDREX	181	DRVINMARJ2	549	EIMOVYRR	1061
DIDREX2	288	DRVINMETH	547	EMPSTAT4	1088
DIETPIL2	288	DSTCHEER	850	EMPSTATY	1088
DIETPILS	179	DSTCHR12	881	EQUANIL	158
DIFFDRESS	1054	DSTCHR30	879	EQUANIL2	286
DIFFERAND	1054	DSTDEPRS	835	ESKAT	181
DIFFHEAR	1053	DSTEFF12	881	ESKAT2	289
DIFFSEE	1054	DSTEFF30	879	ESZOPDAPYU	312
DIFFTHINK	1054	DSTEFFRT	850	ESZOPDPYMU	318
DIFFWALK	1054	DSTHOP12	880	ETHER	102
DIFGETCOC	388	DSTHOP30	879	ETHER2	307
DIFGETCRK	388	DSTHOPLS	849	FDOCANGR	985
DIFGETHER	389	DSTNCALM	834	FDOCBRK	985
DIFGETLSD	388	DSTNGD12	882	FDOC DPR	984
DIFGETMRJ	388	DSTNGD30	880	FDOCEAT	985
DIFOBTCOC	394	DSTNGOOD	850	FDOCFEA	984

INDEX

FDOCFITE	985	FUMTH18	294	GRSKMRJWK	393
FDOCFMLY	985	FUMTH21	294	GRSKPKCG	391
FDOCFRND	985	FUOXY18	293	HAL3OUSE	68
FDOCMEND	986	FUOXY21	293	HALAGLST	554
FDOCOTH2	986	FUPCP18	325	HALCION	210
FDOCOTPP	985	FUPCP21	325	HALCION2	291
FDOCSCHL	985	FUPNRNM18	325	HALCUTDN	401
FDOCSUI	984	FUPNRNM21	326	HALCUTEV	402
FELTMARKR	103	FUPSY18	294	HALDAFLG	400
FELTMARKR2	307	FUPSY21	294	HALEMCTD	402
FENTPDAPYU	309	FUSED18	294	HALEMOPB	402
FENTPDPYMU	314	FUSED21	294	HALFLAG	276
FILEDATE	3	FUSEDNM18	326	HALFMCTD	404
FIORICET	122	FUSEDNM21	326	HALFMFPB	404
FIORICT2	284	FUSLT18	292	HALFQFLG	83
FIORINAL	122	FUSLT21	292	HALGTOVR	400
FIORINL2	284	FUSMKLSS18	323	HALKPLMT	401
FIRSTPOS	1085	FUSMKLSS21	323	HALLAGE	66
FLEXERIL	159	FUSTM18	294	HALLAGLST	610
FLEXERL2	286	FUSTM21	294	HALLAWTR	404
FLNDILAL	699	FUSTMNM18	326	HALLDYPMO	84
FLTNDALC	699	FUSTMNM21	326	HALLDYPWK	84
FLTNDANL	685	FUSUM18	295	HALLDYSYR	84
FLTNDCOC	685	FUSUM21	295	HALLEASWY	84
FLTNDHAL	685	FUTRN18	294	HALLIMIT	400
FLTNDHER	685	FUTRN21	294	HALLMOLST	611
FLTNDILL	699	FUTRQNM18	326	HALLNDAYPM	321
FLTNDINH	685	FUTRQNM21	326	HALLNDAYYR	320
FLTNDMRJ	685	GADNMWOR	831	HALLOTTM	400
FLTNDSED	686	GADNRVLT	830	HALLREC	67
FLTNDSTM	686	GADNRVOS	830	HALLSACT	403
FLTNDTRN	685	GADOPROB	831	HALLSEFX	401
FLURPDAPYU	313	GADSTRON	831	HALLUC30E	85
FOSTVST	971	GADWKS2	830	HALLUC30N	85
FRDADLY2	873	GADWORLT	830	HALLUCAGE	82
FRDMEVR2	872	GADWORMR	829	HALLUCEVR	82
FRDMJMON	873	GAS	102	HALLUCFLAG	298
FRDPCIG2	872	GAS2	307	HALLUCMFU	83
FTNDDNSP	509	GHB	355	HALLUCMON	298
FUALC18	323	GHBFLGR	377	HALLUCOT1	74
FUALC21	323	GHBMONR	377	HALLUCOT2	78
FUANL18	293	GHBREC	356	HALLUCOT3	80
FUANL21	293	GHBYYR	377	HALLUCOT4	81
FUCD218	323	GLUE	102	HALLUCOT5	82
FUCD221	323	GLUE2	307	HALLUCOTH	73
FUCGR18	323	GNNDCLN	370	HALLUCREC	83
FUCGR21	323	GNNDGET2	371	HALLUCYEQ	83
FUCIG18	322	GNNDLSH1	370	HALLUCYFU	82
FUCIG21	323	GNNDLSH2	370	HALLUCYR	298
FUCOC18	324	GNNDREUS	370	HALLYRLST	610
FUCOC21	324	GOVTPROG	1103	HALMDAYS	292
FUCRK18	324	GQTYPE	1049	HALMFU	66
FUCRK21	324	GQTYPE2	1049	HALMLU	554
FUECS18	293	GRPCNSL2	873	HALMON	276
FUECS21	293	GRPHLTIN	1093	HALNDMOR	401
FUECSTMO18	325	GRSKBNGDLY	394	HALNEWA	50
FUECSTMO21	325	GRSKBNGWK	394	HALNEWB	56
FUHAL18	293	GRSKCIGPKD	393	HALNEWC	60
FUHAL21	293	GRSKCOCC	391	HALNEWD	63
FUHALLUC18	324	GRSKCOCMON	393	HALNEWE	65
FUHALLUC21	324	GRSKCOCWK	393	HALNOLST	49
FUHER18	324	GRSKCREG	391	HALPDANG	403
FUHER21	324	GRSKD4_5	392	HALPHCTD	403
FUIEM18	295	GRSKD5WK	392	HALPLPB	402
FUIEM21	295	GRSKHERTRY	393	HALSERPB	403
FUINH18	293	GRSKHERWK	393	HALTOTFG	83
FUINH21	293	GRSKHREG	391	HALUCUTDN	458
FUINHAL18	325	GRSKHTRY	391	HALUCUTEV	458
FUINHAL21	325	GRSKLREG	392	HALUEMCTD	459
FULSD18	324	GRSKLSDTRY	393	HALUEMOPB	459
FULSD21	325	GRSKLSDWK	394	HALUFMCTD	461
FUMETHAM18	325	GRSKLTRY	391	HALUFMFPB	461
FUMETHAM21	325	GRSKMOCC	391	HALUGTOVR	457
FUMJ18	323	GRSKMREG	391	HALUKPLMT	458
FUMJ21	324	GRSKMRJMON	393	HALULAWTR	460

INDEX

HALULIMIT	457	HIVAIDSAG	787	IEMAGE	282
HALULOTM	457	HIVADSEV	781	IEMFLAG	281
HALULSACT	460	HIVLIE	772	IEMMON	282
HALULSEFX	458	HIVYR	772	IEMONFL	271
HALUNDMOR	458	HL30EST	69	IEMONMO	271
HALUPDANG	460	HLBSTWAY	67	IEMONYR	271
HALUPHCTD	459	HLCALL99	1099	IEMYFU	282
HALUPHLPB	459	HLCALLFG	1099	IEMYR	281
HALUSERPB	460	HLCLAST	1094	IFATHER	1089
HALYDAYS	291	HLCNOTMO	1094	I2ALCD5	249
HALYFU	66	HLCNOTYR	1094	I2ALCFM	251
HALYLU	554	HLDAYPMO	68	I2ALCFY	245
HALYR	276	HLDAYPWK	68	I2ALCRC	234
HALYRTOT	67	HLDAYPYR	68	I2ANLFY	243
HARTDLIF	771	HLFQFLG	67	I2ANLRC	230
HARTDYR	771	HLLOSRSN	1095	I2CGRFM	250
HBCHMDE	1012	HLNVCOST	1095	I2CGRRC	233
HBPLIF	771	HLNVNEED	1095	I2CHWFM	248
HBPYR	772	HLNVOFFR	1095	I2CHWRC	228
HEALTH	1052	HLNVREF	1095	I2CIGFM	250
HEALTH2	1058	HLNVSOR	1096	I2CIGRC	233
HEOTNDL	358	HLTINALC	1093	I2COCFM	252
HEOTOTH	358	HLTINDRG	1093	I2COCFY	245
HEOTSMK	357	HLTINMNT	1093	I2COCRC	235
HEOTSNE	358	HLTINNS	1094	I2CRKFM	252
HEOTSP	358	HLTOTFG	67	I2CRKFY	246
HEPATLIF	771	HOMEVST	971	I2CRKRC	235
HEPATYR	771	HOSPVST	970	I2ECSRC	230
HEPBCAGE	786	HPALCAMT	778	I2EMST4	1088
HEPBCEVER	781	HPALCCUT	779	I2EMSTY	1088
HER30USE	48	HPALCFRQ	779	I2HALFM	249
HERAGE	46	HPALCNOT	779	I2HALFY	242
HERAGLST	609	HPALCPRB	779	I2HALRC	229
HERCUT1X	454	HPALCTX	779	I2HERFM	252
HERCUTDN	453	HPDRGTALK	780	I2HERFY	246
HERCUTEV	453	HPDRGTLK	769	I2HERRC	235
HEREMCTD	455	HPQTOB	778	I2INHFM	249
HEREMOPB	455	HPUSEALC	777	I2INHFY	242
HEREVER	46	HPUSEDRG	778	I2INHRC	230
HERFLAG	298	HPUSETOB	777	I2LSDRC	236
HERFMCTD	457	HR30EST	48	I2MJFM	251
HERFMFPB	456	HRBSTWAY	47	I2MJFY	245
HERGTOVR	452	HRDAYPMO	48	I2MJRC	234
HERKPLMT	453	HRDAYPWK	48	I2MTHFY	244
HERLAWTR	456	HRDAYPYR	48	I2MTHRC	232
HERLIMIT	452	HRFQFLG	47	I2OXYFY	243
HERLOTTM	452	HRNDLREC	359	I2OXYRC	231
HERLSACT	455	HRSMKREC	357	I2PCPRC	236
HERLSEFX	453	HRSNFREC	357	I2SEDFY	244
HERMDAYS	335	HRTCONDAG	785	I2SEDRC	232
HERMFU	46	HRTCONDEV	780	I2SLTRC	228
HERMLU	610	HRTCONDYR	786	I2SNFFM	248
HERMON	298	HRTOTFG	47	I2SNFRC	229
HERNDMOR	453	HSDIPLMA	1063	I2STMFY	244
HERNEEDL	357	HSGED	1063	I2STMRC	232
HERPDANG	456	HTANSWER	775	I2TRNFY	243
HERPHCTD	455	HTINCHE2	775	I2TRNRC	231
HERPHLPB	455	HVYDRK2	282	I2WRKST18	1087
HERPNRYR	304	HVVDRKMON	306	I2WRKSTAT	1087
HERREC	47	HYDCODOP	285	I2ABUPOSHAL	503
HERSERPB	456	HYDCPDAPYU	308	I2ABUPOSINH	503
HERSMOK2	376	HYDCPDPYMU	313	I2ABUPOSMTH	503
HERSMOKE	356	HYDMPDAPYU	309	I2ABUPOSPNR	504
HERSNIF2	376	HYDMPDPYMU	315	I2ABUPOSSED	504
HERSNIFF	357	HYDROCD2	284	I2ABUPOSSTM	504
HERWD3SX	454	HYDROCOD	122	I2ABUPOSTRQ	504
HERWDSMT	454	ICAONFL	274	I2ALCAGE	262
HERYDAYS	335	ICAONMO	274	I2ALCBNG30D	251
HERYFU	46	ICAONYR	274	I2ALCD5	248
HERYLU	609	IEALONFL	273	I2ALCFM	250
HERYR	298	IEALONMO	273	I2ALCFY	245
HERYRTOT	47	IEALONYR	273	I2ALCRC	234
HIGHBPAGE	788	IECGONFL	273	I2ALCYFU	262
HIGHBPPEVR	782	IECGONMO	273	I2ANLAGE	257
HIGHBPMED	787	IECGONYR	273	I2ANLFY	242

INDEX

IIANLRC	230	IIHALFY	242	IIPMT	1044
IIANLYFU	258	IIHALLUC30N	252	IIPRVHLT	1097
IICD2YFU	261	IIHALLUCAGE	264	IIPSOC	1044
IICDUAGE	260	IIHALLUCREC	236	IIPSSI	1044
IICGAVD	497	IIHALLUCYFQ	246	IIPSYC	1045
IICGCRGP	496	IIHALLUCYFU	264	IIPWAG	1044
IICGCRV	496	IIHALRC	229	IISALVIAREC	238
IICGINCR	500	IIHALYFU	256	IISEDAGE	260
IICGINFL	499	IIHERAGE	263	IISEDANYREC	239
IICGIRTB	496	IIHERFM	252	IISEDIFY	244
IICGLMR	500	IIHERFY	246	IISEDNM30FQ	254
IICGNCG	499	IIHERRC	235	IISEDNMAGE	269
IICGNCTL	497	IIHERYFU	263	IISEDNMINIT	267
IICGNINF	500	IIHH65 2	1090	IISEDNMREC	241
IICGPLN	497	IIHHSIZ2	1090	IISEDNMVYFU	269
IICGRAGE	261	IINHAGE	257	IISEDRC	232
IICGRFM	250	IINHAL30N	253	IISEDYFU	260
IICGRGDY	498	IINHALAGE	265	IISLTAGE	255
IICGRGNM	498	IINHALREC	238	IISLTRC	228
IICGRGWK	498	IINHALYFQ	247	IISLTYFU	255
IICGROUT	498	IINHALYFU	265	IISMKLSS30N	250
IICGRRC	233	IINHFM	249	IISMKLSSREC	234
IICGRYFU	261	IINHFI	242	IISMKLSSSTRY	261
IICGSAT	500	IINHRC	230	IISMKLSSYFU	261
IICGSLHR	499	IINHYFU	257	IISNFAGE	256
IICHMPUS	1097	IINSUR	1046	IISNFFM	248
IICHWAGE	255	IINSUR3	1047	IISNFR	229
IICHWFM	248	IINSUR4	1099	IISNFYFU	256
IICHWRC	228	IISKETMINREC	237	IISTMAGE	259
IICHWYFU	255	IIK17 2	1090	IISTMANYREC	239
IICIGAGE	260	IIKIDFA2	1089	IISTMFY	244
IICIGFM	250	IILSDAGE	264	IISTMNM30FQ	254
IICIGRC	233	IILSDRC	236	IISTMNMAGE	269
IICIGYFU	260	IILSDYFU	264	IISTMNMINIT	267
IICOCAGE	262	IIMARIT	1055	IISTMNMREC	241
IICOCFM	251	IIMARITSTAT	1055	IISTMNMVYFU	268
IICOCFY	245	IIMCDCHP	1097	IISTMRC	231
IICOCRC	235	IIMEDICR	1097	IISTMYFU	259
IICOCYFU	263	IIMETHAM30N	253	IITRAGE	258
IICRKAGE	263	IIMETHAMAGE	266	IITRNFY	243
IICRKFM	252	IIMETHAMREC	238	IITRNR	231
IICRKFY	246	IIMETHAMYFQ	247	IITRNYFU	259
IICRKRC	235	IIMETHAMYFU	266	IITRQANYREC	239
IICRKYFU	263	IIMJAGE	262	IITRQNM30FQ	253
IIDAMTFXREC	237	IIMJFM	251	IITRQNMAGE	268
IIDEPENDHAL	501	IIMJFY	245	IITRQNMINIT	266
IIDEPENDINH	501	IIMJRC	234	IITRQNMREC	240
IIDEPENDMTH	501	IIMJYFU	262	IITRQNMVYFU	268
IIDEPENDPNR	502	IIMTHAGE	259	IIWELMOS	1102
IIDEPENDSED	502	IIMTHFY	244	IIWRKSTAT	1087
IIDEPENDSTM	502	IIMTHRC	232	IIWRKSTAT18	1087
IIDEPENDTRQ	502	IIMTHYFU	259	ILALMON	282
IIECSAGE	256	IIOTHHLT	1098	ILANDALC	283
IIECSRC	230	IIOXCNNANYR	239	ILLALCFLG	306
IIECSTMOAGE	265	IIOXCNNMYR	240	ILLALCMON	306
IIECSTMOREC	237	IIOXYAGE	258	ILLANDALC	306
IIECSTMVYFU	265	IIOXYFY	243	ILLEMFLAG	305
IIECSYFU	257	IIOXYRC	231	ILLEMMON	305
IIEDUC2	1055	IIOXYFYFU	258	ILLEMYR	305
IIEDUHIGHST2	1056	IIPCHD	1045	ILLFLAG	304
IIEMPST4	1088	IIPCPAGE	264	ILLMON	304
IIEMPSTY	1088	IIPCPRC	236	ILLNEED	699
IIFAMCHD	1046	IIPCPYFU	265	ILLORALC	306
IIFAMIN3	1102	IIPINC3	1102	ILLPCAID	692
IIFAMINT	1045	IIPINSUR	1046	ILLPCARE	692
IIFAMOTH	1046	IIPINT	1045	ILLPCORT	692
IIFAMPMT	1101	IIPIPF	233	ILLPEMPL	693
IIFAMSOC	1101	IIPIPMN	233	ILLPFMFLY	692
IIFAMSSI	1101	IIPNRANYREC	238	ILLPINS	692
IIFAMSVC	1101	IIPNRNM30FQ	253	ILLPMILC	692
IIFAMSZ2	1089	IIPNRNMAGE	267	ILLPPUBP	692
IIFAMWAG	1047	IIPNRNMINIT	266	ILLPSAVE	692
IIFSTAMP	1101	IIPNRNMREC	240	ILLTRMT	688
IIHALAGE	256	IIPNRNMVYFU	267	ILLYR	304
IIHALFM	249	IIPOTH	1046	ILORALC	283

INDEX

ILTOALMN	282	INHCUTEV	406	IRABUPOSTRO	504
ILTOBALCFG	335	INH DY30A	100	IRALCAGE	262
ILTOBALCMN	306	INH DYPMO	110	IRALCBNG30D	251
ILTOBALCYR	335	INH DYPMO	110	IRALCD5	248
IMOTHER	1089	INH DYSYR	110	IRALCFM	250
IMPAIR	878	INHEASWY	110	IRALCFY	245
IMPCONC	836	INHEMCTD	407	IRALCRC	234
IMPCONCN	882	INHEMOPB	406	IRALCYFU	262
IMPCTRLE	840	INHEVER	97	IRANLAGE	257
IMPDAYFQ	842	INHFLAG	277	IRANLFY	242
IMPDLPP	839	INHFMCTD	409	IRANLRC	230
IMPDLPPM	839	INHFMFPB	408	IRANLYFU	257
IMPDLRSP	841	INH FQFLG	109	IRCD2YFU	261
IMPDLWRK	841	INHGTQVR	405	IRCDUAGE	260
IMPDYFRQ	886	INH KPLMT	405	IRCGAVD	497
IMPGO	838	INHLAGLST	614	IRCGCRGP	496
IMPGOM	838	INH LAWTR	408	IRCGCRV	496
IMPGOUT	883	INHLCUTDN	463	IRCGINCR	500
IMPGOUTM	883	INHLCUTEV	463	IRCGINFL	499
IMPGTALG	840	INHLEMCTD	463	IRCGIRTB	496
IMPHHLD	884	INHLEMOPB	463	IRCGLMR	500
IMPHHLDM	884	INHLMCTD	465	IRCGNCG	499
IMPHRSP	841	INHLMFPB	465	IRCGNCTL	497
IMPHRSPM	841	INH LGTOVR	461	IRCGNINF	499
IMPLERN	837	INH LIMIT	405	IRCGPLN	497
IMPLERNM	837	INH LKPLMT	462	IRCGRAGE	261
IMPMONY	837	INHLLAWTR	465	IRCGRFM	250
IMPMONYM	837	INHLLIMIT	462	IRCGRGDY	498
IMPPEOP	883	INHLLOTTM	461	IRCGRGNM	498
IMPPEOPM	883	INHLLSACT	464	IRCGRGWK	498
IMPRELAX	840	INHLLSEFX	462	IRCGROUT	497
IMPREMBR	836	INHLMOLST	615	IRCGRRC	233
IMPREMEM	882	INH LNDMOR	462	IRCGRYFU	261
IMPRESF	885	INHLOTTM	404	IRCGSAT	500
IMPRESFM	885	INHLPDANG	465	IRCGSLHR	499
IMPSOC	884	INHLPHCTD	464	IRCHMPUS	1097
IMPSOCL	839	INHLPPLPB	464	IRCHWAGE	255
IMPSOCLM	839	INHLSACT	407	IRCHWFM	248
IMPSOCM	884	INHLSSEFX	406	IRCHWRC	228
IMPTHINK	835	INHLSERP	464	IRCHWYFU	255
IMPUNDST	836	INHLYRLST	614	IRCIGAGE	260
IMPWASH	838	INHMDAYS	292	IRCIGFM	249
IMPWASHM	838	INHMFU	98	IRCIGRC	232
IMPWEEKS	885	INHMLU	556	IRCIGYFU	260
IMPWKS2	842	INHMON	277	IRCOCAGE	262
IMPWORK	885	INHNDAYPM	321	IRCOCFM	251
IMPYDAYS	886	INHNDAYYR	320	IRCOCFY	245
IN30EST	101	INHNDMOR	405	IRCOCRC	235
INBSTWAY	99	INHNEWA	91	IRCOCYFU	262
INCOME	1103	INHNEWB	94	IRCRKAGE	263
INCSAMP	1048	INHNEWC	96	IRCRKFM	252
INDAYPMO	100	INHNEWD	97	IRCRKFY	246
INDAYPWK	100	INHNEWE	97	IRCRKRC	235
INDAYPYR	100	INHNLST	90	IRCRKYFU	263
INFQFLG	99	INHOSPYR	776	IRDAMTFXREC	237
INHAGE	98	INHDPDANG	408	IRDEPENDHAL	501
INHAGLST	556	INHPHCTD	407	IRDEPENDINH	501
INH AL30ES	111	INHPLPB	407	IRDEPENDMTH	501
INH AL30N	111	INHREC	99	IRDEPENDPNR	502
INH ALAGE	108	INHSERPB	408	IRDEPENDSED	502
INH ALEVER	108	INH TOTFG	109	IRDEPENDSTM	502
INH ALFLAG	300	INH YDAYS	292	IRDEPENDTRQ	502
INH ALMFU	109	INH YFU	98	IRECSAGE	256
INH ALMON	300	INH YLU	556	IRECSRC	229
INH ALOT1	105	INH YR	277	IRECSTMOAGE	265
INH ALOT2	107	INH YRTOT	99	IRECSTMOREC	237
INH ALOT3	107	INTOTFG	99	IRECSTMOTYFU	265
INH ALOT4	107	IONAMIN	181	IRECSYFU	257
INH ALOT5	108	IONAMIN2	289	IREDDUC2	1055
INH ALOTH	104	IRABUPOSHAL	503	IREDUHIGHST2	1056
INH ALREC	109	IRABUPOSINH	503	IRFAMCHD	1045
INH ALYFQ	109	IRABUPOSMTH	503	IRFAMIN3	1102
INH ALYFU	108	IRABUPOSPNR	503	IRFAMINT	1045
INH ALYR	300	IRABUPOSSED	504	IRFAMOTH	1046
INHLCUTDN	406	IRABUPOSSTM	504	IRFAMPMT	1101

INDEX

IRFAMSOC	1101	IRPIPMN	233	KIDNYDSAG	787
IRFAMSSI	1101	IRPNRANYREC	238	KIDNYDSEV	781
IRFAMSV	1101	IRPNRNM30FQ	253	KLONOP12	286
IRFAMSZ2	1089	IRPNRNMAGE	267	KLONOPIN	157
IRFAMWAG	1047	IRPNRNMINIT	266	LANGVER	1049
IRFSTAMP	1101	IRPNRNMREC	240	LASTTXSP	695
IRHALAGE	256	IRPNRNMVUFU	267	LFSCHWH2	1064
IRHALFM	249	IRPOTH	1046	LFTSCHA2	1065
IRHALFY	242	IRPPMT	1044	LGAS	102
IRHALLUC30N	252	IRPRVHLT	1097	LGAS2	307
IRHALLUCAGE	263	IRPSOC	1044	LIBRIUM	159
IRHALLUCREC	236	IRPSSI	1044	LIBRIUM2	286
IRHALLUCYFQ	246	IRPSVC	1045	LIFANXD	761
IRHALLUCYFU	264	IRPWAG	1044	LIFASMA	761
IRHALRC	229	IRSALVIAREC	237	LIFBRONC	761
IRHALYFU	256	IRSEDAGE	260	LIFCIRR	761
IRHERAGE	263	IRSEDANYREC	239	LIFDEPRS	761
IRHERFM	252	IRSEDFY	244	LIFDIAB	762
IRHERFY	246	IRSEDNM30FQ	254	LIFHARTD	762
IRHERRC	235	IRSEDNMAGE	269	LIFHBP	762
IRHERYFU	263	IRSEDNMINIT	267	LIFHEPAT	762
IRHH65 2	1090	IRSEDNMREC	241	LIFHIV	762
IRHHSIZ2	1090	IRSEDNMYFU	269	LIFLUNCA	762
IRINHAGE	257	IRSEDR	232	LIFNONE	764
IRINHAL30N	253	IRSEDYFU	260	LIFPANCR	763
IRINHALAGE	265	IRSEX	1055	LIFPNEU	763
IRINHALREC	238	IRSLTAGE	255	LIFSINUS	763
IRINHALYFQ	246	IRSLTRC	228	LIFSLPAP	763
IRINHALYFU	265	IRSLTYFU	255	LIFSTDS	763
IRINHFM	249	IRSMKLS30N	250	LIFSTROK	763
IRINHFI	242	IRSMKLSREC	234	LIFTINN	764
IRINHRC	230	IRSMKLSSTRY	261	LIFTUBRC	764
IRINHYFU	257	IRSMKLSYFU	261	LIFULCER	764
IRINSUR	1046	IRSNFAGE	255	LIMBTRL2	286
IRINSUR3	1047	IRSNFFM	248	LIMBTROL	159
IRINSUR4	1099	IRSNFRC	229	LIMITWRK	760
IRKETMINREC	237	IRSNFYFU	256	LMIYR U	894
IRK117 2	1090	IRSTMAGE	259	LMMIADAU	889
IRKIDFA2	1089	IRSTMANYREC	239	LMMISUDPY	895
IRLSDAGE	264	IRSTMFY	243	LMMIYRU	894
IRLSDR	236	IRSTMNM30FQ	254	LOCDOC	698
IRLSDYFU	264	IRSTMNMAGE	268	LOCHOSP	697
IRMARIT	1055	IRSTMNMINIT	266	LOCJAIL	698
IRMARITSTAT	1055	IRSTMNMREC	240	LOCMHC	698
IRMCDCHP	1097	IRSTMNMVUFU	268	LOCRFIN	698
IRMEDICR	1097	IRSTMRC	231	LOCRFOP	698
IRMETHAM30N	253	IRSTMYFU	259	LOCSHG	698
IRMETHAMAGE	265	IRTRNAGE	258	LOCSIZE	1083
IRMETHAMREC	238	IRTRNFY	243	LOCTXER	698
IRMETHAMYFQ	247	IRTRNRC	231	LORAPDAPYU	310
IRMETHAMYFU	266	IRTRNYFU	258	LORAPDPYMU	316
IRMJAGE	262	IRTRQANYREC	239	LSD	71
IRMJFM	251	IRTRQNM30FQ	253	LSDAGE	85
IRMJFY	245	IRTRQNMAGE	268	LSDAGLST	611
IRMJRC	234	IRTRQNMINIT	266	LSDFLAG	298
IRMJYFU	262	IRTRQNMREC	240	LSDMFU	86
IRMTHAGE	259	IRTRQNMVUFU	268	LSDMLU	612
IRMTHFY	244	IRWELMOS	1101	LSDMON	299
IRMTHRC	232	IRWRKSTAT	1087	LSDREC	86
IRMTHYFU	259	IRWRKSTAT18	1087	LSDYFU	85
IROTHHLT	1098	JBSTATR2	1078	LSDYLU	611
IROXCNNANYR	239	K6SCMAX	891	LSDYR	299
IROXCNNMYR	240	K6SCMON	890	LUNCALIF	772
IROXYAGE	258	K6SCYR	890	LUNCAYR	772
IROXYFY	243	K6SMXADJ	851	MAIN002	1106
IROXYRC	231	KETAFLGR	374	MAIN102	1107
IROXYFU	258	KETAMINE	343	MAIN902	1106
IRPCHD	1045	KETAMONR	375	MARIEDNUM2	1067
IRPCPAGE	264	KETAREC	344	MAZANOR	181
IRPCPRC	236	KETAYRR	375	MAZANOR2	289
IRPCPYFU	264	KETMINESK	72	MAZINDOL	290
IRPINC3	1102	KETMINFLAG	300	MCAONFL	273
IRPINSUR	1046	KETMINMON	300	MCAONMO	273
IRPINT	1045	KETMINREC	89	MCAONYR	273
IRPIPLF	233	KETMINYR	300	MDECHNGS	824

INDEX

MDEDAYFQ	823	METHPDAPYU	312	MHSVCHLP	842
MDEDAYLN	824	METHPDYMU	317	MHSVHP	844
MDEDP2WK	823	METHPHCTD	469	MHSWEEKS	877
MDEDPWKR	823	METHPHLPB	469	MHSWORK	876
MDEIMPY	1019	METHREC	197	MHSYDAYS	878
MDELICHG	825	METHSERPB	470	MI CAT U	894
MDELIFQ	825	METHWD2SX	468	MIAONFL	274
MDELILN	825	METHWDSMT	468	MIAONMO	274
MDELIWK2	825	METHYFU	196	MIAONYR	274
MDELOSIN	824	METHYLU	562	MICONFL	273
MDELT	1009	METHYRLST	615	MICONMO	274
MDERXO	1010	METOTFG	113	MICONYR	274
MDETARX	1010	MHASPTR2	848	MILSTAT	1050
MDET XO	1010	MHHOSPOV	833	MILTCHLDR	1069
MDET XRX	1010	MHIMPAIR	878	MILTFAMLY	1068
MDEYR	1009	MHLCLNC2	846	MILTOWN	159
MEDICARE	1092	MHLCLNC3	810	MILTOWN2	287
MEDMJALL	398	MHLDOC2	846	MILTPARNT	1069
MEDMIPA2	399	MHLDOC3	810	MILTSIBLN	1069
MEDMJYR	398	MHLDTMT2	846	MILTSPPAR	1069
MEFQFLG	113	MHLDTMT3	810	MJAFU	319
MEPROB	159	MHLMNT2	846	MJAGE	34
MEPROB2	287	MHLMNT3	810	MJALONFL	272
MEPROBPD	288	MHLOTH2	848	MJALONMO	272
MESC	71	MHLOTH3	811	MJALONYR	272
MESC2	307	MHLSCHL2	847	MJCGONFL	272
METHAGE	195	MHLSCHL3	811	MJCGONMO	272
METHAGLST	615	MHLTHER2	846	MJCGONYR	272
METHAM30E	115	MHLTHER3	810	MJDAY30A	36
METHAM30N	115	MHMEDS	833	MJEVER	34
METHAMAGE	112	MHMEDWK2	834	MJFQFLG	35
METHAMEVR	112	MHNSPTR2	848	MJIEONFL	272
METHAMFLAG	300	MHOPNUM2	833	MJIEONMO	272
METHAMMFU	113	MHOSPTR2	848	MJIEONYR	272
METHAMMON	301	MHPDEMP2	812	MJMFU	34
METHAMREC	113	MHPDFRE2	812	MJOFLAG	281
METHAMYFQ	113	MHPDMCD2	812	MJOMON2	281
METHAMYFU	112	MHPDMCR2	812	MJONLYFLAG	304
METHAMYR	301	MHPDMIL2	812	MJONLYMON	304
METHAQ	208	MHPDOFM2	811	MJONLYYR	304
METHAQ2	290	MHPDPHI2	811	MJOYR2	281
METHCUT1X	467	MHPDPRV2	812	MJPBTFRM	537
METHCUTDN	467	MHPDPUB2	812	MJPBTPL2	536
METHCUTEV	467	MHPDREH2	812	MJPBTPL3	537
METHDES	179	MHPDSL2	811	MJPBTPLC	536
METHDES2	288	MHRCCIN2	845	MJPFREGT	537
METHDEXM	290	MHRCFID2	813	MJPFREPL	536
METHDON	122	MHRCMIT2	813	MJPFRL2	538
METHDON2	284	MHRCOST2	813	MJPGOT	536
METHDYPMO	114	MHRENUF2	813	MJPRIOR	641
METHDYPWK	114	MHRFOUT2	814	MJPRIYR	641
METHDYSYR	114	MHRHAND2	814	MJPRNOYR	641
METHEASWY	114	MHRJOBS2	813	MJREC	35
METHMCTD	469	MHRNBR2	813	MJYFU	34
METHMOPB	468	MHRNCOV2	813	MJYRTOT	35
METHFLBLU	468	MHRNNHN2	845	MMBATJOB	525
METHFMCTD	471	MHRNOHP2	814	MMBCLOSE	525
METHFMFPB	470	MHRNOND2	814	MMBGIVE	525
METHGTOVR	466	MHROTHC2	845	MMBPLACE	524
METHKPLMT	466	MHRSOH2	814	MMBPLOS2	524
METHLAWTR	470	MHRSTIG2	845	MMBSELL	525
METHLIMIT	466	MHRTIME2	814	MMBT30DY	519
METHLOTTM	466	MHRTRAN2	814	MMBTPIR	518
METHLSACT	469	MHRWHER2	813	MMBTREC1	518
METHLSEFX	467	MHSAMP08	875	MMBTREC2	518
METHMFU	196	MHSAWT C	1109	MMBUYWHO	523
METHMLU	562	MHSDYFRQ	877	MMFCLOSE	534
METHMOLST	616	MHSEEDR	833	MMFGIVE	535
METHNDAYPM	321	MHSMGT	875	MMFKEEP	535
METHNDAYYR	320	MHSRELS	876	MMFPLACE	533
METHNDLRC	359	MHSSOC	877	MMFPLOS2	534
METHNDMOR	467	MHSUIPLN	891	MMFREWHO	533
METHNEEDL	359	MHSUTHK	891	MMFSELL	535
METHNEEDL2	376	MHSUTRY	891	MMGETMJ	518
METHPDANG	470	MHSUTK U	891	MMGGIVE	532

INDEX

MMGKEEP	532	MRJONYR	271	MTHYRTOT	197
MMGSELL	532	MRJPDANG	446	MTNDLREC	337
MMIYR_U	894	MRJPHCTD	445	MTTOTFG	197
MMJNPCAT	520	MRJPHLPB	445	MUSCRELX	288
MMJNPCTB	519	MRJSERPB	446	MUSRLXAPYU	311
MMJNTLOO	519	MRJYDAYS	319	MUSRLXPYMU	316
MMJNTNUM	519	MRJYLU	601	MVINSYR2	869
MMLS10GM	521	MRJYR	297	MXMJPNLT	548
MMLS5LBS	522	MRJYRBFR	601	NDEFALC	700
MMLSGMS	521	MRTOTFG	35	NDEFANL	686
MMLSLBS	521	MTABSTWY	341	NDEFCCOC	686
MMLSOZS	521	MTADYPMO	341	NDEFHAL	686
MMLSPCAT	523	MTADYPWK	341	NDEFHER	686
MMLSPCTB	522	MTADYPYR	341	NDEFIA	700
MMLSUNIT	520	MTAQFLG	340	NDEFIL	700
MMT30FRQ	526	MTANDLRC	338	NDEFINH	686
MMTCLOSE	531	MTBSTWAY	197	NDEFMRJ	686
MMTGIVE	532	MTDAYPMO	198	NDEFSED	687
MMTJNTLS	527	MTDAYPWK	198	NDEFSTM	687
MMTJNTNM	527	MTDAYPYR	198	NDEFTRN	686
MMTIJWRCB	527	MTDNPDAPYU	310	NDFLTXALC	756
MMTIJWRTH	528	MTDNPDYMU	315	NDFLTXILAL	756
MMTKEEP	531	MTFQFLG	197	NDFLTXILL	756
MMTLGMS	528	MTHAAGE	339	NDLREC06	373
MMTLOZS	529	MTHAGLST	561	NDMORTALC	710
MMTLUNIT	528	MTHAMFU	340	NDMORTCOC	710
MMTLWRCB	529	MTHAMP	337	NDMORTHAL	711
MMTLWRTH	530	MTHANEDL	338	NDMORTHER	710
MMTPLACE	531	MTHAREC	338	NDMORTINH	711
MMTPLOS2	531	MTHAYFU	340	NDMORTMRJ	710
MMTRADE	526	MTHAYTOT	340	NDMORTMTH	711
MMTRD30D	526	MTHDEAL2	630	NDMORTOTH	712
MMTRDREC	526	MTHDEALR	590	NDMORTPNR	711
MMTRDWHO	530	MTHEVCK	338	NDMORTSED	712
MMTSELL	532	MTHFFBOT	591	NDMORTSTM	711
MNCEVER	826	MTHFFBY2	640	NDMORTTRQ	711
MNCHYPER	826	MTHFFDL2	640	NDMORTXYR	710
MNCMEDS	827	MTHFFDLR	592	NDMRBUSY	664
MNCNOSLP	826	MTHFFLAS	594	NDMRDKWHR	722
MNCSPWRS	826	MTHFFLSP	594	NDMREFERT	721
MORPHIN2	284	MTHFFNET	592	NDMRFENDOU	724
MORPHINE	122	MTHFFNT2	640	NDMRFOUT	664
MORPPDAPYU	309	MTHFFOSP	593	NDMRHANDL	723
MORPPDPYMU	314	MTHFFOT2	641	NDMRHNDL	663
MOVEPYR2	1061	MTHFFOTH	592	NDMRJOB	663
MOVESPY2	1060	MTHFFRE2	640	NDMRJOBNG	723
MOVSNPYR2	1052	MTHFFREE	591	NDMRJMCV	661
MOVYREGR	1061	MTHFFTAK	592	NDMRMIMPT	724
MOVYRFLG	1061	MTHFTK2	640	NDMRNBR	663
MR30EST	37	MTHFLAG	279	NDMRNBRNG	723
MRBSTWAY	35	MTHFRBUY	590	NDMRNHCV	661
MRDAYPMO	36	MTHFRBY2	630	NDMRNHLP	663
MRDAYPWK	36	MTHFRFE2	630	NDMRNOCOV	721
MRDAYPYR	36	MTHFRFRE	589	NDMRNOHLP	723
MRJAGLST	601	MTHFRTK2	630	NDMRNOND	663
MRJCUTDN	444	MTHFRTKE	590	NDMRNONED	723
MRJCUTEV	444	MTHGTLA2	593	NDMRNOTPY	722
MRJEMCTD	445	MTHGTLAS	551	NDMRNSTOP	722
MRJEMOPB	444	MTHGTOS2	593	NDMRNTIME	724
MRJFLAG	297	MTHINET	590	NDMRNTSP	662
MRJFMCTD	447	MTHINET2	630	NDMROPEN	662
MRJFMFPB	446	MTHLTSC2	618	NDMROTRSN	724
MRJGTOVR	443	MTHLTSC4	624	NDMRPFULL	722
MRJKPLMT	443	MTHMON	279	NDMRREDY	662
MRJLAWTR	446	MTHNCFLG	561	NDMRSOR	664
MRJLIMIT	443	MTHNEEDL	337	NDMRTSPHR	722
MRJLOTM	442	MTHNORSN	339	NDMRTYPE	662
MRJLSACT	445	MTHNOSP	339	NDMRWANTD	722
MRJLSEFX	444	MTHOTH2	591	NDMRWHER	662
MRJMDAYS	320	MTHOTHW2	631	NDSSANSP	509
MRJMLU	602	MTHOTHWY	591	NDSSDNSP	509
MRJMON	297	MTHSRCF2	634	NDTMRALC	649
MRJNDMOR	443	MTHSRCFR	622	NDTMRANL	650
MRJONFL	271	MTHYDAYS	275	NDTMRCOC	650
MRJONMO	271	MTHYR	279	NDTMREFT	661

INDEX

NDTMRHAL	650	NDTXSED2	685	OTDGNDLRC	369
NDTMRHER	650	NDTXSEDR	654	OTDGNEDL	359
NDTMRINH	650	NDTXSODR	654	OTHAEROS	103
NDTMRMJ	649	NDTXSOR	661	OTHAEROS2	308
NDTMROTH	651	NDTXSTM2	685	OTHANL	285
NDTMRSED	651	NDTXSTMR	654	OTHINS	1099
NDTMRSTM	651	NDTXTRN2	685	OTHMDE	1013
NDTMRTRN	651	NDTXTRNR	653	OTHSED	291
NDTRNDKWHR	758	NDTXTSPHR	718	OTHSTM	289
NDTRNFNDU	759	NDXTYPE	658	OTHTRN	287
NDTRNHANDL	758	NDTXWANTD	718	OXBSTWAY	146
NDTRNJOBNG	758	NDTXWHER	659	OXCNANYR	116
NDTRNMIMPT	759	NDTXYOTH1	716	OXCNNMAGE	148
NDTRNNBRNG	758	NDTXYOTH2	716	OXCNNMMFU	149
NDTRNNOCOV	757	NDTXYOTH3	716	OXCNNMYFU	148
NDTRNNOHLP	758	NDTXYOTH4	717	OXCNNMYR	148
NDTRNNONED	758	NDTXYOTH5	717	OXCOPDAPYU	308
NDTRNNOTPY	757	NDTXYRADG	709	OXCOPDPYMU	314
NDTRNNSTOP	758	NDTXYRALC	712	OXDAYPMO	147
NDTRNNTIME	758	NDTXYRCOC	713	OXDAYPWK	147
NDTRNPFULL	758	NDTXYRHAL	713	OXDAYPYR	147
NDTRNTSPHR	757	NDTXYRHER	713	OXFQFLG	146
NDTRNWANTD	757	NDTXYRINH	713	OXTOTFG	146
NDTXALC2	684	NDTXYRMRJ	712	OXYAGLST	558
NDTXALCR	651	NDTXYRMTH	714	OXYCAGE	144
NDTXANL2	684	NDTXYROTH	715	OXYCMFU	145
NDTXANLR	653	NDTXYRPNR	714	OXYCMLU	558
NDTXBUSY	660	NDTXYRSED	715	OXYCNANYR	301
NDTXCOC2	684	NDTXYRSTM	714	OXYCNNMYR	302
NDTXCOCR	652	NDTXYRTRQ	714	OXYCODOP	270
NDTXDG1R	655	NEDCOC	376	OXYCODP2	285
NDTXDG2R	656	NEDFLG01	373	OXYCONT2	270
NDTXDG3R	656	NEDHER	376	OXYCONTN	123
NDTXDG4R	657	NEDLRECR	372	OXYCREC	146
NDTXDG5R	657	NEDMTH	374	OXYCYFU	145
NDTXDKWHR	718	NEDSTM	373	OXYCYLU	558
NDTXEFRT	717	NEMBBAR2	290	OXYFLAG	277
NDTXEFILAL	756	NEMBBARB	208	OXYMON	277
NDTXEFTALC	756	NEWRACE2	1058	OXYMPDAPYU	309
NDTXEFTILL	756	NILALMON	283	OXYMPDPYMU	314
NDTXEFTR	657	NITOXID	103	OXYR	277
NDTXFNDOU	720	NITOXID2	307	OXYRTOT	146
NDTXFOUT	661	NMERTMT2	776	PANATAK	822
NDTXHAL2	684	NMHSPTR2	848	PANATKN2	822
NDTXHALR	652	NMNGTHS2	776	PANCRLIF	772
NDTXHANDL	719	NMVSOEST	777	PANCYR	772
NDTXHER2	684	NMVSOPT2	777	PANREAC	822
NDTXHERR	652	NOBOOKY2	541	PARCHKHW	870
NDTXHNDL	660	NODR30A	29	PARHLPHW	870
NDTXINH2	684	NOMARR2	1050	PARLMTSN	871
NDTXINHR	653	NONABOVEV	782	PAROL	550
NDTXJOB	659	NOUSEFL	270	PAROLREL	545
NDTXJOBNG	719	NOUSEMO	270	PBLMWORK	760
NDTXLMCV	658	NOUSEYR	270	PCP	71
NDTXMIMPT	721	NRCH17 2	1089	PCPAGE	86
NDTXMJR	652	NSMIDA U	888	PCPAGLST	612
NDTXMORE	649	NSMNDU U	888	PCPFLAG	299
NDTXMRJ2	684	NSPDDPAB	844	PCPMFU	87
NDTXNBR	659	NSPDDPAU	852	PCPMLU	613
NDTXNBRNG	719	NSPNDPAU	852	PCPMON	299
NDTXNEDR	649	NURSMDE	1012	PCPREC	87
NDTXNHCV	658	OBLA	181	PCPYFU	86
NDTXNHLP	660	OBLA2	289	PCPYLU	612
NDTXNOCOV	717	OMDMDE	1011	PCPYR	299
NDTXNOHLP	719	OMHMDE	1012	PDEN00	1105
NDTXNOND	660	OPINMMON	304	PDEN10	1105
NDTXNONED	719	OPINMYR	304	PDEN90	1105
NDTXNOTPY	717	OSTNEEDL	342	PERCTYL2	283
NDTXNSTOP	718	OSTNLREC	342	PERCTYLLX	120
NDTXNTIME	720	OTCFLAG	355	PEYOTE	71
NDTXNTSP	658	OTDGNDLA	360	PEYOTE2	306
NDTXOPEN	659	OTDGNDLB	364	PHBAVOID	827
NDTXOTRSN	720	OTDGNDLCL	366	PHBAWYHM	828
NDTXPFULL	718	OTDGNDLDD	368	PHBCRWDS	828
NDTXREDY	659	OTDGNLDLE	369	PHBINTFR	828

INDEX

PHBLEVEL	827	PNRRSPAIN	153	REASBRAK	928
PHBPUBPL	828	PNRRSRELX	154	REASDEPR	927
PHBSOCL	827	PNRRSSLEP	154	REASEATP	928
PHBTRAVL	828	PNRRSSOR	155	REASFAM	928
PHBWRSBV	829	PNRWYGAMT	152	REASFEAR	927
PHBWRSFR	829	PNRWYLNGR	152	REASMEN	928
PHBWRSIN	829	PNRWYNORX	152	REASOTH	929
PHBWRSST	829	PNRWYOFTN	152	REASSCH	928
PHENCOD	123	PNRWYOTWY	152	REASSOC	928
PHENCOD2	284	POVERTY2	1048	REASSUIC	927
PHENOBAR	210	POVERTY3	1103	RELMDL	1012
PHENOBR2	291	PRALDLY2	872	RESIDVST	971
PIPE30DY	28	PRBSOLV2	873	RESTMA2	290
PIPEVER	28	PRBSTWAY	143	RESTTMAZ	208
PIPFLAG	296	PRCHORE2	870	RITMPHE2	288
PIPMON	296	PRDAYPMO	144	RITMPHEN	179
PLACIDY2	291	PRDAYPWK	144	RK5ALDLY	383
PLACIDYL	210	PRDAYPYR	143	RK5ALWK	383
PLCYCOV	1084	PREG	789	RKCOCOCC	382
PLEGINE	182	PREG2	789	RKCOCREG	382
PLEGINE2	289	PREGAGE2	1057	RKDIFCOC	384
PNEULIF	772	PREGNANT	775	RKDIFCRK	384
PNEUYR	772	PREGPGM2	873	RKDIFHER	384
PNRANYFLAG	301	PRELUDIN	182	RKDIFLSD	383
PNRANYLIF	116	PRELUDN2	289	RKFQDBLT	390
PNRANYREC	116	PREVIOL2	873	RKFQDNGR	385
PNRANYR	301	PRFQFLG	143	RKFQPBTL	389
PNRLCUTIX	473	PRGDJOB2	871	RKFQRSKY	385
PNRLCUTDN	472	PRLMTTV2	870	RKHERREG	382
PNRLCUTEV	473	PRMJEVR2	872	RKLSDREG	382
PNRLEMCTD	474	PRMJMO	872	RKTRYHER	382
PNRLEMOPB	474	PROB	550	RKTRYLSD	381
PNRLFMCTD	477	PROBATON	545	RLGATTD	874
PNRLFMFPB	476	PROCODNP	285	RLGDCSN	874
PNRLGTOVR	471	PROPOXY	123	RLGFRND	874
PNRLKPLMT	472	PROPOXY2	284	RLGIMPT	874
PNRLLAWTR	476	PROVPDAPYU	312	ROHYPNL2	287
PNRLLIMIT	471	PROVPDPYMU	317	ROHYPNOL	160
PNRLLOTTM	471	PRPKCIG2	872	RSKBNGDLY	387
PNRLLSACT	475	PRPROUD2	871	RSKBNGWK	387
PNRLLSEFX	472	PRTALK3	873	RSKCGPKD	385
PNRLNDMOR	472	PRTOTFG	143	RSKCOCMON	387
PNRLPDANG	476	PRVDRGO2	873	RSKCOCWK	387
PNRLPHCTD	475	PRVHLTIN	1093	RSKDIFMJ	383
PNRLPHLPB	475	PRXRETRY	1091	RSKHERTRY	386
PNRLSERPB	476	PRXYDATA	1091	RSKHERWK	386
PNRLWD3SX	473	PSILCY	72	RSKLSDTRY	386
PNRLWDSMT	474	PSILCY2	307	RSKLSDWK	386
PNRMAINRSN	327	PSY1MDE	1011	RSKMJOCC	381
PNRNDAYPM	321	PSY2MDE	1011	RSKMJREG	381
PNRNM30AL	151	PSYAGE2	280	RSKMRJMON	385
PNRNM30D	150	PSYANYFLAG	302	RSKMRJWK	386
PNRNM30ES	151	PSYANYR	302	RSKPKCIG	381
PNRNM30FQ	151	PSYCHFLAG	303	RSKSELL	384
PNRNMAGE	150	PSYCHMON	304	RSKYFQDGR	389
PNRNMFLAG	302	PSYCHYR	303	RSKYFQTES	389
PNRNMINIT	149	PSYFLAG2	280	RSNMRJMO	397
PNRNMLAS1	153	PSYMON2	280	RSNOMRJ	397
PNRNMMLF	148	PSYUFU2	280	RTDALHAL	291
PNRNMMLFU	150	PSYR2	280	RXHPMDE	1008
PNRNMMON	302	PTSEVER	831	RXMDEYR	1010
PNRNMREC	149	PTSPYEAR	832	SALVDIV	343
PNRNMRYFU	150	PTSWKS2	832	SALVFLGR	375
PNRNMRYR	302	PTSWRSFQ	832	SALVIADIV	72
PNRNORXFG	156	QUARTER	1049	SALVIAFLAG	300
PNROTANYR2	310	QUESTID2	3	SALVIAMON	300
PNROTHPYMU2	315	RCVMHASPTX	815	SALVIAREC	89
PNROTMYR3	295	RCVMHNSPTX	815	SALVIAYR	300
PNRRSDGFX	155	RCVMHOSPTX	815	SALVMONR	375
PNRRSEMOT	154	RCVSPTXNMH	815	SALVREC	344
PNRRSEXPT	154	RDIFCOC	392	SALVYRR	375
PNRRSHIGH	154	RDIFCRK	392	SANOREX	182
PNRRSHOOK	155	RDIFHER	392	SANOREX2	289
PNRRSMAIN	156	RDIFLSD	392	SCHDSICK	1062
PNRRSOTRS2	156	RDIFMJ	392	SCHDSKIP	1063

INDEX

SCHENRL	1061	SEDMON	280	SEDVWDSMT	490
SCHFELT	869	SEDNDAYPM	322	SEDWDISX	429
SCHHIGRD	1060	SEDNDMOR	427	SEDWDSMT	429
SCHIMPT	869	SEDNEWA	212	SEDWYGAMT	223
SCHINTST	869	SEDNEWB	215	SEDWYLNGR	224
SCHLOGRD	1059	SEDNEWC	216	SEDWYNORX	223
SCHRELGS	1059	SEDNEWD	216	SEDWYOFTN	224
SCHTYPE	1059	SEDNEWE	217	SEDWYOTWY	224
SCHWORK	869	SEDNM30AL	223	SEDYFU	218
SDNTFTPT	1062	SEDNM30D	222	SEDYLU	563
SDSSC2	888	SEDNM30ES	223	SEDYR	279
SDSSC3	888	SEDNM30FQ	222	SEDYRTOT	219
SEDAGE	217	SEDNIMAGE	221	SEMANGR	932
SEDAGLST	562	SEDNMFLAG	303	SEMANGR2	941
SEDANYFLAG	302	SEDNMINIT	221	SEMBRK	932
SEDANYLIF	119	SEDNMLAST	224	SEMBRK2	941
SEDANYREC	119	SEDNMLIF	221	SEMDPR	932
SEDANYYR	302	SEDNMMFU	222	SEMDPR2	941
SEDCARD	209	SEDNMMON	303	SEMEAT	932
SEDCUTIX	428	SEDNMREC	221	SEMEAT2	941
SEDCUTDN	428	SEDNMYFU	222	SEMFEA	932
SEDCUTEV	428	SEDNMYR	303	SEMFEA2	941
SEDDAFLG	426	SEDNOLST	211	SEMFITE	933
SEDDEAL2	629	SEDNORXFG	227	SEMFITE2	942
SEDDEALR	596	SEDOTANYR2	313	SEMFMLY	933
SEDEMCTD	430	SEDOHPYMU2	318	SEMFMLY2	942
SEDEMOPB	429	SEDOHS2	596	SEMFRND	933
SEDEVER	217	SEDOHW2	630	SEMFRND2	942
SEDDFID2	639	SEDOHWY	596	SEMMEND	933
SEDDFIDR	597	SEDOTNMYR3	296	SEMMEND2	942
SEDDFAK2	639	SEDPDANG	431	SEMOTH2	933
SEDDFAKE	597	SEDPHCTD	430	SEMOTH3	942
SEDDFBOT	598	SEDPHLPB	430	SEMOTPP	933
SEDDFBY2	639	SEDREC	219	SEMOTPP2	942
SEDDFDL2	639	SEDRSDGFX	226	SEMSCHL	933
SEDDFDLR	598	SEDRSEMOT	226	SEMSCHL2	942
SEDDFDRS	597	SEDRSEXPT	225	SEMSUI	932
SEDDFDS2	639	SEDRSHIGH	225	SEMSUI2	941
SEDDFLAS	600	SEDRSHOOK	226	SERAX	160
SEDDFLSP	600	SEDRSMAN	227	SERAX2	287
SEDDFNET	598	SEDRSOTRS2	227	SERVICE	1050
SEDDFNT2	640	SEDRSRELX	225	SEXAGE	1058
SEDDFOSP	599	SEDRSSLEP	225	SEXATRACT	1053
SEDDFOT2	640	SEDRSSOR	226	SEXIDENT	1053
SEDDFOTH	599	SEDRXID2	628	SEXRACE	1058
SEDDFRE2	639	SEDRXIDR	594	SHCNANGR	931
SEDDFREE	598	SEDRXDRS	595	SHCNBRK	930
SEDDFEST2	639	SEDRXDS2	628	SHCNDPR	930
SEDDFESTL	597	SEDRXFAK	595	SHCNEAT	931
SEDDFTAK	598	SEDRXFK2	629	SHCNFEA	930
SEDDFTK2	639	SEDSERP	431	SHCNFITE	931
SEDFLAG	279	SEDSRCF2	633	SHCNFMLY	931
SEDFMCTD	432	SEDSRCFR	621	SHCNFRND	931
SEDFMFPB	432	SEDSTOL2	629	SHCNMEND	931
SEDFRBUY	595	SEDSTOLE	595	SHCNOTH2	931
SEDFRBY2	629	SEDVCUTIX	489	SHCNOTPP	931
SEDFRFE2	629	SEDVCUTDN	489	SHCNSCHL	931
SEDFRFRE	595	SEDVCUTEV	489	SHCNSUI	930
SEDFRTK2	629	SEDVEMCTD	491	SHSWANGR	983
SEDFRTKE	596	SEDVEMOPB	490	SHSWBRK	983
SEDGTLA2	599	SEDVFMCTD	493	SHSWDPR	983
SEDGTOS2	600	SEDVFMFPB	492	SHSWEAT	983
SEDGTOVR	427	SEDVGTOVR	487	SHSWFEA	983
SEDINET	596	SEDEVKPLMT	488	SHSWFITE	983
SEDINET2	629	SEDEVLAWTR	492	SHSWFMLY	983
SEDKPLMT	427	SEDEVLIMIT	488	SHSWFRND	983
SEDLAWTR	431	SEDEVLOTM	487	SHSWMEND	984
SEDLIMIT	427	SEDEVLSACT	491	SHSWOTH2	984
SEDLOTTM	426	SEDEVLSEFX	488	SHSWOTPP	983
SEDLSACT	430	SEDEVNDMOR	488	SHSWSCHL	984
SEDLSEFX	428	SEDEVPDANG	492	SHSWSUI	982
SEDLTS2	623	SEDEVPHCTD	491	SIMHANG2	974
SEDMAINRSN	330	SEDEVPHLPB	491	SIMHANGR	935
SEDMFU	218	SEDEVSERPB	492	SIMHBRK	935
SEDMLU	563	SEDVWDISX	490	SIMHBRK2	973

INDEX

SIMHDP	935	SMKLS30N	23	SPD_RSCR	843
SIMHDP2	973	SMKLSSEVR	21	SPD_UADJ	851
SIMHEAT	935	SMKLSFLAG	296	SPD_USCR	851
SIMHEAT2	974	SMKLSMFU	22	SPDADPAU	852
SIMHFEA	935	SMKLSMON	297	SPDPMON	890
SIMHFEA2	973	SMKLSREC	22	SPDNDPAU	852
SIMHFIT2	974	SMKLSSTRY	21	SPDODPAU	852
SIMHFITE	936	SMKLSYFU	22	SPDWT_C	1109
SIMHFML2	974	SMKLSYR	297	SPDYR	891
SIMHFMLY	936	SMKMOLAST	605	SPDYRADJ	851
SIMHFRD2	975	SMKMON	275	SPEAKENGL	1053
SIMHFRND	936	SMKYR	275	SPECTALC	693
SIMHMEN2	975	SMKYRLAST	604	SPECTILL	693
SIMHMEND	937	SMMIYR_U	894	SPILANAL	695
SIMHOTH2	937	SN30EST	6	SPILLALC	695
SIMHOTH3	976	SNF30BR2	6	SPINVST	934
SIMHOTP2	975	SNF30USE	5	SPINVST2	972
SIMHOTPP	936	SNFAGLST	552	SPOUTVST	972
SIMHSCH2	975	SNFAMJEV	820	SPPAINT	103
SIMHSCHL	937	SNFEVER	4	SPPAINT2	307
SIMHSUI	934	SNFFLAG	276	SRCCLFRPNR	333
SIMHSUI2	973	SNFMON	276	SRCCLFRSED	334
SINUSLIF	773	SNFREC	5	SRCCLFRSTM	333
SINUSYR	773	SNFYR	276	SRCCLFRTRQ	333
SK65A	123	SNMOV5Y2	819	SRCFRPNRNM	332
SK65A2	284	SNNBRKUP	818	SRCFRSEDNM	333
SLPAPLIF	773	SNNGRFTI	817	SRCFRSTMNM	333
SLPAPYR	773	SNNHGOUT	817	SRCFRTRQNM	333
SLT30BR2	12	SNNORGNZ	818	SRCPNRNM2	331
SLT30FAV	13	SNNSCOLD	818	SRCSEDNM2	332
SLTMFU	11	SNPCKNIT	816	SRCSTMNM2	331
SLTREC	11	SNPDFVAL	817	SRCTRQNM2	331
SLTTRY	10	SNPNALNG	816	STADOL	123
SLTYFU	11	SNPTRUST	817	STADOL2	284
SMHANGR	939	SNPWHLHP	816	STBSTWAY	194
SMHANGR2	980	SNRLDCSN	821	STDANYR	780
SMHBRK	938	SNRLFRND	821	STDAYPMO	195
SMHBRK2	980	SNRLGIMP	820	STDAYPWK	195
SMHDP	938	SNRLGSVC	820	STDAYPYR	194
SMHDP2	979	SNUFMFU	5	STDSLIF	773
SMHEAT	938	SNUFMLU	552	STDSYR	773
SMHEAT2	980	SNUFTRY	4	STFQFLG	194
SMHFEA	938	SNUFYFU	4	STIMAGE	192
SMHFEA2	980	SNUFYLU	552	STIMCUT1X	483
SMHFITE	939	SNYATTAK	820	STIMCUTDN	483
SMHFITE2	981	SNYSELL	819	STIMCUTEV	483
SMHFMLY	939	SNYSTOLE	819	STIMEMCTD	485
SMHFMLY2	981	SOCMDE	1011	STIMEMOPB	485
SMHFRND	939	SOLVENT	102	STIMFLBLU	484
SMHFRND2	981	SOLVENT2	307	STIMFMCTD	487
SMHMEND	940	SOMA	160	STIMFMFPB	487
SMHMEND2	982	SOMA2	287	STIMGTOVR	482
SMHOTH2	940	SOMAPDAPYU	311	STIMKPLMT	482
SMHOTH3	982	SOMAPDPYMU	316	STIMLAWTR	486
SMHOTPP	940	SOMHANGR	977	STIMLIMIT	482
SMHOTPP2	981	SOMHBRK	977	STIMLOTTM	481
SMHSCHL	940	SOMHDP	976	STIMLSACT	486
SMHSCHL2	982	SOMHEAT	977	STIMLSEFX	483
SMHSUI	937	SOMHFEA	976	STIMMFU	193
SMHSUI2	979	SOMHFITE	977	STIMMLU	561
SMHVST	934	SOMHFMLY	978	STIMNDMOR	482
SMHVST2	972	SOMHFRND	978	STIMNEWA	184
SMIDA2_U	889	SOMHMEND	979	STIMNEWB	188
SMINDA_U	888	SOMHOTH2	979	STIMNEWC	190
SMIODA_U	888	SOMHOTPP	978	STIMNEWD	191
SMIPP	889	SOMHSCHL	978	STIMNEWE	191
SMIPP_A	852	SOMHSUI	976	STIMPDANG	486
SMIPP_U	893	SPCALNIL	694	STIMPHCTD	485
SMISUDPY	895	SPCGFLGR	380	STIMPHLPB	485
SMIYR_A	853	SPCGMONR	380	STIMREC	193
SMIYR_U	893	SPCGYRR	380	STIMSERPB	486
SMKAGLAST	604	SPCILNAL	695	STIMWD2SX	484
SMKFLAG	275	SPD_ADJ	843	STIMWDSMT	484
SMKLSMDAYS	335	SPD_ASCR	843	STIMYFU	192
SMKLS30E	23	SPD_RADJ	843	STIMYLU	560

INDEX

STMAGLST	560	STMNMMFU	200	TALACEN	124
STMANYFLAG	301	STMNMMON	303	TALACEN2	284
STMANYLIF	118	STMNMREC	199	TALKPROB	873
STMANYREC	118	STMNMYFU	200	TALWIN	124
STMANYYR	301	STMNMYR	303	TALWIN2	285
STMCARD	180	STMNOLST	183	TALWINNX	124
STMCUTIX	421	STMNORXFG	207	TALWINX2	285
STMCUTDN	421	STMOTANYR2	312	TCHGJOB	870
STMCUTEV	421	STMOTHPYMU2	318	TELNO2	1065
STMDAFLG	426	STMOTHS2	584	TEMAPDAPYU	313
STMDEAL2	628	STMOTHW2	628	TENUATE	182
STMDEALR	583	STMOTHWY	584	TENUATE2	289
STMEMCTD	423	STMOTNMYR3	295	THERVST	971
STMEMOPB	423	STMPDANG	424	TINNLIF	773
STMEVER	192	STMPHCTD	423	TINNYR	774
STMFF1D2	637	STMPHLPB	423	TOBALCFLG	335
STMFF1DR	585	STMRSALRT	204	TOBALCMN	306
STMFFAK2	637	STMRSCONC	204	TOBALCYR	335
STMFFAKE	585	STMRSDGFX	205	TOBFLAG	297
STMFFBOT	586	STMRSSEXT	204	TOBMON	297
STMFFBY2	638	STMRSHIGH	204	TOBYR	297
STMFFDL2	638	STMRSHOOK	205	TOOLONG	1104
STMFFDLR	586	STMRSMAIN	206	TQSDANYFLG	335
STMFFDRS	585	STMRSOTRS2	206	TQSDANYR	335
STMFFDS2	637	STMRSSOR	205	TQSDNMFLAG	336
STMFFLAS	589	STMRSSTDY	204	TQSDNMMON	336
STMFFLSP	589	STMRSWGHT	203	TQSDNMYR	336
STMFFNET	587	STMRX1D2	627	TRAMADL2	285
STMFFNT2	638	STMRX1DR	582	TRAMADOL	124
STMFFOSP	587	STMRXDRS	582	TRAMADP	286
STMFFOT2	638	STMRXDS2	627	TRAMPDAPYU	308
STMFFOTH	587	STMRXFAK	582	TRAMPDPYMU	314
STMFFRE2	638	STMRXFK2	627	TRANAGE	169
STMFFREE	586	STMSERPB	424	TRANMFU	169
STMFFST2	638	STMSRCF2	633	TRANMLU	559
STMFFSTL	585	STMSRCFR	621	TRANREC	170
STMFFTAK	586	STMSTOL2	627	TRANXEN2	287
STMFFTK2	638	STMSTOLE	582	TRANXENE	160
STMFLAG	278	STMWD2SX	422	TRANFYU	169
STMFLBLU	422	STMWDSMT	422	TRANYL	559
STMFMCTD	425	STMWYGAMT	201	TRBENZAPYU	310
STMFMFPB	425	STMWYLNGR	202	TRBENZPYMU	315
STMFRBUY	583	STMWYNORX	201	TRBSTWAY	170
STMFRBY2	628	STMWYOFTN	202	TRDAYPMO	171
STMFRFE2	627	STMWYOTWY	202	TRDAYPWK	171
STMFRFRE	583	STMYDAYS	292	TRDAYPYR	171
STMFRTK2	628	STMYR	278	TRFQFLG	170
STMFRTKF	583	STMYRTOT	193	TRIAPDAPYU	313
STMGTLA2	588	STNDALC	870	TRIMEST	789
STMGTOS2	588	STNDNKG	870	TRNAGLST	559
STMGTOVR	420	STNDSCIG	870	TRNCARD	158
STMINET	584	STNDSMJ	870	TRNCUTDN	416
STMINET2	628	STNEDL06	372	TRNCUTEV	417
STMKPLMT	420	STNEEDLR	372	TRNDEAL2	626
STMMLAWTR	425	STNLRC06	373	TRNDEALR	576
STMLIMIT	420	STNLRECR	372	TRNEMCTD	417
STMLOTTM	419	STROKLIF	773	TRNEMOPB	417
STMLSACT	424	STROKYR	773	TRNEVER	168
STMLSEFX	421	STTOTFG	194	TRNEWA	162
STMLTS2	623	SUICPLAN	886	TRNEWB	165
STMMAINRSN	329	SUICTHNK	886	TRNEWC	167
STMMON	278	SUICTRY	887	TRNEWD	168
STMNDAYPM	321	SUMAGE	281	TRNEWE	168
STMNDLREC	202	SUMFLAG	281	TRNFF1D2	636
STMNDLYR	202	SUMMON	281	TRNFF1DR	577
STMNDMOR	420	SUMYFU	281	TRNFFAK2	636
STMNM30AL	201	SUMYR	281	TRNFFAKE	578
STMNM30D	200	SVBENZAPYU	313	TRNFFBOT	578
STMNM30ES	201	SVBENZPYMU	318	TRNFFBY2	636
STMNM30FQ	200	SVBSTWAY	219	TRNFFDL2	637
STMNMAGE	199	SVDAYPMO	220	TRNFFDLR	579
STMNMFLAG	303	SVDAYPWK	220	TRNFFDRS	577
STMNMINT	199	SVDAYPYR	220	TRNFFDS2	636
STMNMLAS1	203	SVFQFLG	219	TRNFFLAS	581
STMNMLIF	199	SVTOTFG	219	TRNFFLSP	581

INDEX

TRNFFNET	579	TROMAINRSN	328	TXEVRRCDV2	742
TRNFFNT2	637	TRQMON	278	TXFGADAG	680
TRNFFOSP	579	TRQNDAYPM	321	TXFGADAGE	740
TRNFFOT2	637	TRQNM30AL	174	TXFGALAG	680
TRNFFOTH	579	TRQNM30D	173	TXFGALAGE	740
TRNFFRE2	636	TRQNM30ES	174	TXFGDGAG	680
TRNFFREE	578	TRQNM30FQ	173	TXFGDGAGE	740
TRNFFST2	636	TRQNMAGE	172	TXGAPALC	700
TRNFFSTL	578	TRQNMFLAG	302	TXGPALLC	687
TRNFFTAK	578	TRQNMINT	172	TXGPANLC	687
TRNFFTK2	637	TRQNMLAS1	175	TXGPCOLC	687
TRNFMCTD	419	TRQNMLIF	172	TXGPHALC	687
TRNFMFPB	419	TRQNMFMU	173	TXGPHELC	687
TRNFRBUY	575	TRQNMMON	303	TXGPILAL	701
TRNFRBY2	626	TRQNMREC	172	TXGPNLNC	687
TRNFRFE2	626	TRQNMRYFU	173	TXGPMJLC	687
TRNFRFRE	575	TRQNMYSR	303	TXGPSELC	688
TRNFRTK2	626	TRQNNORXFG	178	TXGPSTLC	688
TRNFRTKE	576	TRQOTANYR2	311	TXGPTRLC	687
TRNGTLA2	580	TRQOTHPYMU2	316	TXHPMDE	1008
TRNGTOS2	580	TRQOTNMYR3	295	TXILALEV	688
TRNGTOVR	415	TRQSDGFX	177	TXILANAL	689
TRNINET	576	TRQRSEMOT	177	TXILLALC	689
TRNINET2	627	TRQRSEXPT	176	TXILNOAL	688
TRNKPLMT	416	TRQRSHIGH	176	TXLASREC	664
TRNLAWTR	419	TRQRSHOOK	177	TXLTALC2	689
TRNLIMIT	415	TRQRSMAN	178	TXLTANL2	689
TRNLOTTM	415	TRQRSOTRS2	178	TXLTCOC2	689
TRNLSACT	418	TRQRSRELX	176	TXLTCURRSP	752
TRNLSEFX	416	TRQRSSLEP	176	TXLTHAL2	689
TRNLTS2	623	TRQRSSOR	177	TXLTHER2	689
TRNNDMOR	416	TRQWYGAMT	174	TXLTILL2	690
TRNOLST	161	TRQWYLNCR	175	TXLTINH2	689
TRNOTHS2	577	TRQWYNORX	174	TXLTMJ2	689
TRNOTHW2	627	TRQWYOFTN	175	TXLTS2	690
TRNOTHWY	576	TRQWYOTWY	175	TXLTSTM2	690
TRNPDANG	418	TRQYR	278	TXLTRN2	689
TRNPHCTD	418	TRTOTFG	170	TXLTALC	666
TRNPHLPB	417	TRYPFLGR	375	TXLTALCO	726
TRNRX1D2	626	TRYPMONR	375	TXLTALCO2	743
TRNRX1DR	574	TRYPREC	344	TXLTANL	668
TRNRXDRS	574	TRYPTMN	343	TXLYCOC	666
TRNRXDS2	626	TRYPYRR	375	TXLYCOCN	726
TRNRXFAK	575	TSTHIRE	1085	TXLYCOCN2	743
TRNRXFK2	626	TSTRAND	1085	TXLYDAYS2	731
TRNSERPB	418	TUBRCLIF	774	TXLYDU2	670
TRNSRCF2	633	TUBRCYR	774	TXLYHAL	667
TRNSRCFR	621	TUINAL	210	TXLYHALL	727
TRNSTOL2	626	TUINAL2	291	TXLYHALL2	743
TRNSTOLE	575	TX12MSHG	681	TXLYHER	667
TRNYRTOT	170	TX12SGAD	681	TXLYHERN	727
TROUBUND	1104	TXALCDAG	677	TXLYHERN2	743
TRQANYFLAG	301	TXALCDAGE	737	TXLYHILL	744
TRQANYLIF	117	TXALCDEV	677	TXLYINH	667
TRQANYREC	117	TXALCDRGU	737	TXLYINHL	727
TRQANYR	301	TXALCONAG	736	TXLYINHL2	743
TRQFLAG	278	TXALCONLY	736	TXLYMAIN2	730
TRQLCUTDN	478	TXALNOIL	688	TXLYMETH	728
TRQLCUTEV	479	TXALONAG	676	TXLYMETH2	743
TRQLEMCTD	479	TXALONEV	675	TXLYMI	666
TRQLEMOPB	479	TXCURRENT	709	TXLYMN2	665
TRQLFMCTD	481	TXDANOSP	682	TXLYMNP2	725
TRQLFMFPB	481	TXDANOTX	682	TXLYMRJH	726
TRQLGTOVR	477	TXDRGAAG	678	TXLYMRJH2	743
TRQLKPLMT	478	TXDRGAAGE	738	TXLYOCOM2	730
TRQLLAWTR	481	TXDRGAEV	677	TXLYOTHR	729
TRQLLIMIT	477	TXDRGALCU	737	TXLYOU2	670
TRQLLOTTM	477	TXDRGONAG	737	TXLYPNRL	728
TRQLLSACT	480	TXDRGONLY	736	TXLYPNRL2	743
TRQLLSEFT	478	TXDRONAG	676	TXLYSED	669
TRQLNDMOR	478	TXDRONEV	676	TXLYSEDEV	729
TRQLPDANG	480	TXENRLOCT	735	TXLYSEDEV2	744
TRQLPHCTD	480	TXENROLL	675	TXLYSOD	669
TRQLPHLPB	479	TXEVER	642	TXLYSTIM	729
TRQLSERPB	480	TXEVRRCDV	703	TXLYSTIM2	744

INDEX

TXLTYSTM	668	TXRNHNDL	702	TXYRILANAL	743
TXLTYTRN	668	TXRNJOB	702	TXYRILL	742
TXLTYTRQL	728	TXRNLMCV	701	TXYRILNAL	742
TXLTYTRQL2	743	TXRNNBR	702	TXYRINAD	643
TXMDEYR	1010	TXRNNHCV	701	TXYRJAIL	646
TXNDILAL	699	TXRNNHLP	702	TXYRJLAD	646
TXNEDALC	698	TXRNNOND	702	TXYRMHAD	644
TXNOSPDA	683	TXRNNSTP	701	TXYRMHC	644
TXNOSPEC	700	TXRNNTSP	701	TXYRMHCAD	705
TXNOTXDA	682	TXRNOPEN	701	TXYRMHCAL	753
TXPAYBOSS	734	TXRNSTIG	682	TXYRMHCIL	754
TXPAYBOSS2	745	TXRNTYPE	701	TXYRMHCOP	705
TXPAYCOUR	733	TXRNWHER	701	TXYRMHCOP2	754
TXPAYCOUR2	745	TXSHGALDB	741	TXYRNDALC	755
TXPAYFAML	733	TXSHGFLAG	741	TXYRNDILAL	755
TXPAYFAML2	744	TXSHGFLG	681	TXYRNDILL	755
TXPAYFREE	735	TXSHGWENT	740	TXYRNME2	648
TXPAYHINS	731	TXSPALC	683	TXYRNOSPAL	757
TXPAYHINS2	744	TXSPANL	683	TXYRNOSPIL	757
TXPAYMCAD	732	TXSPCOC	683	TXYRONDTX	735
TXPAYMCAD2	744	TXSPHAL	683	TXYROTAD	648
TXPAYMCRE	731	TXSPHER	683	TXYROTHAD	708
TXPAYMCRE2	744	TXSPINH	683	TXYROTHER	708
TXPAYMILT	733	TXSPMRJ	683	TXYROTHSP2	708
TXPAYMILT2	745	TXSPNSALC	750	TXYROTS2	647
TXPAYOTHR	734	TXSPNSILAL	752	TXYROUTAD	705
TXPAYOTSP2	734	TXSPNSILL	751	TXYROUTAL	753
TXPAYPUBL	732	TXSPSED	684	TXYROUTIL	753
TXPAYPUBL2	744	TXSPSTM	684	TXYROUTPT	705
TXPAYSVNG	732	TXSPTRN	683	TXYROUTPT2	754
TXPAYSVNG2	744	TXYADAAG	679	TXYRPOAD	644
TXPCAD2	690	TXYADDAG	680	TXYRPRIAD	707
TXPCARE2	690	TXYALAGE	678	TXYRPRIAL	753
TXPCORT2	691	TXYALDAAG	739	TXYRPRIIL	754
TXPDBOSSAL	746	TXYALDAG	678	TXYRPRIIN	707
TXPDBOSSIL	747	TXYALDDAG	739	TXYRPRIIN2	755
TXPDCOURAL	745	TXYALDRG	678	TXYRRECVD	703
TXPDCOURIL	746	TXYALODAG	738	TXYRRECVD2	742
TXPDFAMLAL	745	TXYALODRG	738	TXYRRRESAD	704
TXPDFAMLIL	746	TXYALONAG	738	TXYRRRESAL	752
TXPDHINSAL	745	TXYDRAAG	679	TXYRRRESIL	753
TXPDHINSIL	746	TXYDRAGE	679	TXYRRRESOV	704
TXPDMCADAL	745	TXYDRALC	679	TXYRRRESOV2	754
TXPDMCADIL	746	TXYDROAAG	739	TXYRRFIN	643
TXPDMCREAL	745	TXYDROALC	739	TXYRRFOP	644
TXPDMCREIL	746	TXYDRONAG	739	TXYRSGAD	646
TXPDMILTAL	746	TXYNSPILAL	757	TXYRSHG	646
TXPDMILTIL	746	TXYRADG	642	TXYRSLFAD	707
TXPDPUBLAL	745	TXYRALC	742	TXYRSLFAL	753
TXPDPUBLIL	746	TXYRALDGB	703	TXYRSLFHP	707
TXPDSVNGAL	745	TXYRALNIL	742	TXYRSLFHP2	755
TXPDSVNGIL	746	TXYRDCAD	645	TXYRSLFIL	754
TXPEMPL2	691	TXYRDOC	645	TXYRSOP	647
TXPFMLY2	690	TXYRDRPAD	706	TXYRSPALC	747
TXPINS2	690	TXYRDRPAL	753	TXYRSPILAL	749
TXPMILC2	691	TXYRDRPIL	754	TXYRSPILL	747
TXPPUBP2	690	TXYRDRPRV	706	TXYRTXER	645
TXPSAVE2	690	TXYRDRPRV2	755	TXYRVSER	648
TXPYCAID	671	TXYRDTXO	675	TXYSILANAL	749
TXPYCARE	671	TXYREMRAD	706	TXYSPALNIL	748
TXPYCORT	673	TXYREMRAL	753	TXYSPILNAL	749
TXPYEMPL	673	TXYREMRGN	706	TYPEPBLM	760
TXPYFMLY	672	TXYREMRGN2	754	UADBAR	1040
TXPYFRE	674	TXYREMRIL	754	UADBUND	1042
TXPYINS	671	TXYRERAD	645	UADBWHO	1041
TXPYMILC	673	TXYRERDRG	709	UADCAG	1042
TXPYPUBP	672	TXYRERNUM2	709	UADCAR	1040
TXPYSAVE	672	TXYREVER	642	UADEVNT	1040
TXPYSOS	674	TXYRHOSAD	704	UADFRD	1042
TXPYSP2	674	TXYRHOSAL	752	UADFWHO	1042
TXRCVDREC	725	TXYRHOSIL	753	UADHOME	1040
TXRCVNOW	648	TXYRHOSOV	704	UADMONY	1041
TXRNBUSY	702	TXYRHOSOV2	754	UADOTHM	1040
TXRNFOUT	702	TXYRHOSP	643	UADOTSP	1041
TXRNHDPR	682	TXYRHPAD	643	UADPAID	1041

INDEX

UADPEOP	1039	WRKSELFEM	1074	YETLKPAR	863
UADPLACE	1041	WRKSICKMO	1075	YETLKSOP	864
UADPUBL	1040	WRKSKIPMO	1075	YEVIOPRV	864
UADROTH	1040	WRKSLFEM	1082	YFYARGUP	859
UADSCHL	1040	WRKSTATWK2	1072	YFYATTAK	860
UDPYHAL	515	WRKTSTIST	1077	YFYFGTGP	859
UDPYHRPNR	516	WRKTSTALC	1076	YFYFGTSW	859
UDPYIEM	517	WRKTSTDRG	1076	YFYHGUN	859
UDPYILAAL	517	WRKTSTHIR	1077	YEYSELL	860
UDPYILAL	517	WRKTSTRDM	1077	YEYSTOLE	860
UDPYILL	516	WRKUNEMP	1082	YFLADLY2	872
UDPYINH	516	WRKUNWKS	1083	YFLMJMO	872
UDPYMTH	516	WSPDSC2	892	YFLPKCG2	872
UDPYOPI	516	WTANSWER	776	YFLTMRJ2	872
UDPYPNR	516	WTPOUND2	776	YFOST	968
UDPYPSY	516	XNAXATV2	286	YHBCMHDE	1017
UDPYSED	516	XNAXATVN	157	YHLTMDL	1018
UDPYSTM	516	YALTMDE	1018	YHOME	968
UDPYTRQ	516	YCLIN	968	YHOSP	968
UDPYTRQSED	517	YCOUNMDE	1017	YJAIL	969
ULCERLIF	774	YDAYTRT	968	YMDEADA	1014
ULCERYR	774	YDOCMDL	1016	YMDEAUDPY	1020
ULTRAM	124	YEAR	3	YMDEHARX	1018
ULTRAM2	285	YEATNDYR	854	YMDEHPO	1018
USALCTST	1084	YECOMACT	865	YMDEHPRX	1018
USDRGTST	1084	YEDECLAS	866	YMDEIMAUD	1020
USEACM	565	YEDERGLR	866	YMDEIMDA	1014
USEALCG	564	YEDESPCL	867	YMDEIMIUD	1020
USEALMJ	564	YEDGPRGP	864	YMDEIMUDPY	1020
USEMJCG	564	YEFAIACT	866	YMDEIMUDPY	1020
USENEXT	565	YEFALDLY	863	YMDLT	1015
VALMDIA2	286	YEFMJEV	862	YMDERXO	1014
VALMDIAZ	157	YEFMJMO	862	YMDERXO2	1018
VEREP	1109	YEFPKCIG	862	YMDETARX	1014
VESTR	1109	YEGALDLY	862	YMDETXO	1014
VICOLOR	120	YEGMJEV	861	YMDETXRX	1016
VICOLOR2	283	YEGMJMO	862	YMDEUDPY	1016
VISTAR	160	YEGPKCIG	861	YMDEYR	1016
VISTAR2	287	YEHMSLYR	854	YMHASPTX	987
WHODASC2	892	YELSTGRD	856	YMHNSPTX	986
WHODASC3	892	YEMOV5Y2	854	YMHOSPTX	986
WKDRGED	1084	YEOTHACT	866	YNURSMDE	1017
WORKBLAH	1083	YEPALDLY	861	YO MDEA1	998
WORKDAYS	1083	YEPCHKHW	857	YO MDEA2	998
WORKRAND	1086	YEPCHORE	857	YO MDEA3	998
WRK35WKUS	1073	YEPGDJOB	858	YO MDEA4	998
WRKBZCA2	1080	YEPHLPWH	857	YO MDEA5	998
WRKBZCY2	1082	YEPLMTSN	858	YO MDEA6	999
WRKDHRSWK2	1072	YEPLMTTV	858	YO MDEA7	999
WRKDPSTWK	1072	YEPMJEV	861	YO MDEA8	999
WRKDPSTYR	1074	YEPMJMO	861	YO MDEA9	999
WRKDRGALB	1076	YEPKPCIG	860	YOATTAK2	871
WRKDRGEDU	1076	YEPPOUD	858	YOCOUNS	1005
WRKDRGHLP	1076	YEPBBSLV	864	YODPDISC	988
WRKDRGPOL	1075	YEPRGSTD	865	YODPLSIN	989
WRKEDYR	1082	YEPRTDNG	864	YODPPROB	991
WRKEFFORT	1073	YEPVNTYR	867	YODPR2WK	989
WRKHADJOB	1072	YERLDCSN	868	YODPREV	988
WRKHAVJB	1078	YERLFRND	868	YODSCEV	988
WRKHIRE	1085	YERLGIMP	867	YODSLSIN	989
WRKHRSW2	1078	YERLGSVC	867	YODSMMDE	999
WRKIDST2	1079	YESCHACT	865	YOFAMDOC	1004
WRKIDSY2	1081	YESCHFLT	854	YOFIGHT2	871
WRKJOBS2	1080	YESCHIMP	855	YOGRPFT2	871
WRKLASTYR2	1075	YESCHINT	855	YOHERBAL	1006
WRKLSTY2	1080	YESCHWRK	855	YOHGUN2	871
WRKNJBPYR	1074	YESLFHLP	865	YOLOSEV	988
WRKNJBWKS	1074	YESTSALC	856	YOLSI2WK	989
WRKNUMJOB2	1074	YESTSCIG	856	YOMDMDE	1016
WRKOCUP2	1079	YESTSDNK	857	YOMHMDE	1017
WRKOCUY2	1081	YESTSMJ	856	YONURSE	1005
WRKOKPREH	1077	YETCGJOB	855	YOOTHDOD	1004
WRKOKRAND	1077	YETLKBGF	863	YOOTHHLP	1006
WRKRSNJOB	1073	YETLKNON	863	YOOTHMHP	1005
WRKRSNNOT	1073	YETLKOTA	863	YOPB2WK	1001

INDEX

YOPBAGE	1000	YRNONE	768	YUHOFRND	945
YOPBDLYA	1000	YRPANCR	766	YUHOOTPP	946
YOPBINTF	1000	YRPNEU	767	YUHOSCHL	946
YOPBNUM	1001	YRSINUS	767	YUHSOR	946
YOPBRMBR	1000	YRSLPAP	767	YUHOSPN2	944
YOPSDAYS	1003	YRSTDS	767	YUHOSPYR	944
YOPSHMG	1001	YRSTROK	767	YUHOSUIC	944
YOPSRCLS	1002	YRTINN	768	YUIHANGR	960
YOPSSOC	1003	YRTUBRC	768	YUIHBKRU	960
YOPSWORK	1002	YRULCER	768	YUIHDEPR	959
YOPSYCH	1004	YRXMDEYR	1016	YUIHEATP	960
YOPSYMD	1005	YSCHL	929	YUIHFEAR	960
YORELIG	1005	YSDSHOME	1019	YUIHFITE	960
YORX12MO	1006	YSDSOVRL	1019	YUIHFMLY	960
YORXHLP	1007	YSDSREL	1019	YUIHFRND	961
YORXNOW	1006	YSDSSOC	1019	YUIHOTPP	961
YOSEEDOC	1004	YSDSWRK	1019	YUIHSCHL	961
YOSELL2	871	YSHSW	969	YUIHSOR	961
YOSOCWRK	1005	YSOCMDE	1017	YUIHSUIC	959
YOSTOLE2	871	YSPEC	968	YUIHTPN2	959
YOTHMDE	1017	YSPED	929	YUIHTPYR	959
YOTMTHLP	1007	YSPTXNMH	987	YUJAILEV	925
YOTMTNOW	1006	YTHACT2	874	YUJVDTN2	967
YOWRAGE	991	YTHER	968	YUJVDTON	967
YOWRCHR	990	YTXMDEYR	1016	YUJVDTYR	967
YOWRCONC	996	YUDYANGR	952	YUMHANGR	955
YOWRDBTR	997	YUDYBKRU	952	YUMHBKRU	955
YOWRDCSN	996	YUDYDEPR	952	YUMHCRN2	954
YOWRDEPR	992	YUDYEATP	952	YUMHCRYR	954
YOWRDIET	994	YUDYFEAR	952	YUMHDEPR	954
YOWRDISC	992	YUDYFITE	953	YUMHEATP	955
YOWRDLOT	997	YUDYFMLY	953	YUMHFEAR	954
YOWRDST	990	YUDYFRND	953	YUMHFITE	955
YOWRELES	993	YUDYOTPP	953	YUMHFMLY	955
YOWREMOD	993	YUDYSCHL	953	YUMHFRND	955
YOWRENRG	995	YUDYSOR	953	YUMHOTPP	956
YOWRGAIN	993	YUDYSUIC	952	YUMHSCHL	956
YOWRGNL2	994	YUDYTXN2	951	YUMHSOR	956
YOWRGROW	993	YUDYTXYR	951	YUMHSUIC	954
YOWRHRS	990	YUFCANGR	950	YURSANGR	948
YOWRIMP	990	YUFCAREV	926	YURSBKRU	947
YOWRJNO	996	YUFCARN2	949	YURSDEPR	947
YOWRJITT	995	YUFCARYR	949	YURSEATP	947
YOWRLOSE	994	YUFCBKRU	950	YURSFEAR	947
YOWRLSIN	992	YUFCDEPR	949	YURSFITE	948
YOWRLSL2	994	YUFCEATP	950	YURSFMLY	948
YOWRNOGD	996	YUFCFEAR	950	YURSFERN2	948
YOWRPLSR	992	YUFCFITE	950	YURSIDN2	946
YOWRPREG	993	YUFCFMLY	950	YURSIDYR	946
YOWRPROB	991	YUFCFRND	951	YURSOTPP	948
YOWRSATP	998	YUFCOTPP	951	YURSSCHL	948
YOWRSLEP	994	YUFCSCHL	951	YURSSOR	949
YOWRSLNO	995	YUFCSOR	951	YURSSUIC	947
YOWRSLW	995	YUFCSUIC	949	YUSCEMYR	966
YOWRSMOR	995	YUFDANGR	963	YUSCPGYR	966
YOWRSPLN	997	YUFDBKRU	962	YUSHANGR	924
YOWRSTHK	997	YUFDDEPR	962	YUSHBKRU	924
YOWRTHOT	996	YUFDEATP	962	YUSHCNYR	923
YOWRWRTH	997	YUFDFEAR	962	YUSHDEPR	923
YPED	968	YUFDFITE	963	YUSHEATP	924
YPSY1MDE	1016	YUFDFMLY	963	YUSHFEAR	924
YPSY2MDE	1017	YUFDFRND	963	YUSHFITE	924
YRANXD	764	YUFDONC2	962	YUSHFMLY	925
YRASMA	764	YUFDOCYR	961	YUSHFRND	925
YRBRONC	765	YUFDOTPP	963	YUSHOTPP	925
YRCIRR	765	YUFDSCHL	963	YUSHSCHL	925
YRDEPRS	765	YUFDSOR	964	YUSHSOR	925
YRDIAB	765	YUFDSUIC	962	YUSHSUIC	923
YRELMD	1017	YUHOANGR	945	YUSPEDYR	923
YRESID	968	YUHOBKRU	945	YUSWANGR	965
YRHARTD	765	YUHOEPR	944	YUSWBKRU	965
YRHBP	766	YUHOEATP	945	YUSWDEPR	964
YRHEPAT	766	YUHOFEAR	944	YUSWEATP	965
YRHIV	766	YUHOFFITE	945	YUSWFEAR	964
YRLUNCA	766	YUHOFMLY	945	YUSWFITE	965

INDEX

<u>YUSWFMLY</u>	965
<u>YUSWFRND</u>	965
<u>YUSWOTPP</u>	966
<u>YUSWSCHL</u>	966
<u>YUSWSCYR</u>	964
<u>YUSWSOR</u>	966
<u>YUSWSUIC</u>	964
<u>YUTPANGR</u>	958
<u>YUTPBKRU</u>	957
<u>YUTPDEPR</u>	957
<u>YUTPEATP</u>	957
<u>YUTPFEAR</u>	957
<u>YUTPFITE</u>	958
<u>YUTPFMLY</u>	958
<u>YUTPERND</u>	958
<u>YUTPOTPP</u>	958
<u>YUTPSCHL</u>	958
<u>YUTPSOR</u>	959
<u>YUTPSTN2</u>	956
<u>YUTPSTYR</u>	956
<u>YUTPSUIC</u>	957
<u>ZALEPDAPYU</u>	312
<u>ZOHYANYYR2</u>	308
<u>ZOLPPDAPYU</u>	312
<u>ZOLPPDPYMU</u>	318

INDEX