

**Services Research Outcomes
Study, 1995-1996: [United States]**

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Client Records Abstraction Data Codebook

Terms of Use

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>

****Processor Note****
Services Research Outcomes Study
Part 2: Client Records Abstraction Data

Processor Notes on Version 2

- 1) This codebook contains two frequency sections. The first one within Section D is the original frequency section provided by the PI. The second frequency section is new to this version of the study. It contains question text and has the standard formatting of variable frequencies that SAMHDA routinely distributes in its codebooks.
- 2) The variable CASEID was added to the dataset.

SERVICES RESEARCH OUTCOMES STUDY

**RECORDS ABSTRACTION DATA
PUBLIC USE FILE
ANALYTIC CODEBOOK**

Prepared for:

Office of Applied Studies
Substance Abuse and Mental Health Services Administration
Department of Health and Human Services
Rockville, MD 20857

By:

National Opinion Research Center
at the University of Chicago

Barbara Ray, OAS Project Officer
Sam Schildhaus, NORC Principal Investigator
Dick Rubin, NORC Project Director
Angela Brittingham, NORC Data Analyst and Codebook Author

March 12, 1999

Contract # 271-91-8321

SROS Abstraction Data Public Use File Codebook

TABLE OF CONTENTS

Section A. Documentation	<u>Page #</u>
Introduction	A-1
Sample Design	A-1
Data File Description	A-2
Variable Naming Conventions	A-2
Standard Code Conventions	A-3
Identifiers	A-3
Section B. Data Abstraction Form	
Cover Page	B-i
I. Admission and Demographic Information	B-1
II. Criminal Justice System Information	B-4
III. Medical Information	B-4
IV. Drug History	B-6
V. Drug Treatment History	B-9
VI. Treatment Services Information for Sample Episode	B-11
VII. Discharge Information	B-12
VIII. Charge Data for Sample Episode	B-14
Section C. Variable Lists	
Position Listing of Variables (with page numbers)	C-1
Alphabetic Listing of Variables	C-8
Section D. Frequency Distribution Listing	
Interview information	D-1
Admission information	D-6
Demographics	D-12
Criminal activity	D-16
Medical information	D-17
Drug-use history	D-23
Drug treatment history	D-63
Treatment services during this episode	D-75
Discharge information	D-95
Charge data	D-100

Section A. SROS Abstraction File Documentation

Introduction

The Services Research Outcomes Study (SROS) is a nationally representative study of the population discharged from an index drug treatment between September 1, 1989 and August 31, 1990. Information was gathered from the facilities where treatment took place, and also from the clients themselves in an interview that took place around five years after discharge from treatment. This codebook is to be used for analysis of the client data that was abstracted from the facilities' records.

Abstractors collected information from individual client records at 98 of the 99 SROS facilities. The data file resulting from this abstraction is documented in this codebook, and contains information on drug-use and criminal activity, as well as medical, psychological, treatment, and demographic characteristics.

Sample Design

In April 1990, the National Institute on Drug Abuse (NIDA) listing of all known substance abuse treatment facilities, consisting of 10,649 facilities, served as the universe for the Drug Services Research Survey (DSRS). DSRS sampled 1,803 facilities for its DSRS Phase I survey of facilities; 1,183 facilities responded, comprising 138 hospital inpatient facilities, 185 residential facilities, 80 outpatient detoxification/maintenance facilities, 372 outpatient drug-free facilities, 91 alcohol-only facilities, and 317 facilities whose facility type was unknown. Since DSRS' focus was on clients discharged from drug treatment facilities, the alcohol-only facilities and those of unknown type were excluded from the DSRS Phase II facility sampling frame. DSRS II sampled 146 facilities from the DSRS I respondents and abstracted 2,222 client records from 120 facilities.

Five years after DSRS, SROS recontacted the 120 DSRS facilities, and 99 of the facilities became part of SROS, including a few facilities that had closed or merged but whose records were available. Cooperation of the facilities in SROS was crucial, as the DSRS sampling list of discharged clients was retained by each facility. Only through facility cooperation was the project team able to contact clients in the sample and request their participation in SROS.

The five-year follow up was sought for 1,706 of the original client sample plus a supplemental sample of 1,341 clients added in SROS, totaling 3,047 clients who had been discharged from 99 drug treatment facilities in the 12 months ending August 31, 1990. Clients had been selected from facilities whose predominant type was inpatient, residential, outpatient detoxification, and outpatient drug free. For the five-year follow up, 2,489 clients (82 percent) in the sample were located in 1995 and 1996; the remaining 558 clients (18 percent) were not located before time and resources for fieldwork expired. Nine percent (277 clients) had died between discharge from drug treatment and

time for SROS interview. Less than one percent (14 clients) were ineligible for the study after screening, and a total of 1,799 were interviewed.

Data File Description

The data described in this codebook have been provided on CD-ROM as a SAS transport data file.

Internal SAS name	SROSABS
SAS version	6.12 Transport File
Number of observations	3047
Number of variables	246
Created	3/5/99

The first variables in the file are identifying variables, and variables used for sampling or field purposes. The abstraction form variables are next, and they are generally in the same order as they are in the questionnaire.

For confidentiality reasons, the original client and facility identifiers have been replaced with random sequential identifiers, and the names and addresses of clients or facilities, along with verbatim responses, are not on this file.

Variable Naming Conventions

When possible, the variables were named according to their corresponding question number, and the names are annotated on the questionnaire in Section B. In Section C, the variables and labels are listed in position order (with page numbers for the corresponding frequency distributions) and also in alphabetic order.

Standard Code Conventions

Missing values are denoted with negative numbers, and legitimate skips are completely missing (they have a value of “.” in the data set). The following meaning is associated with negative values:

- 5: Not applicable
- 3: Missing (for unknown reason)
- 2: Don't know
- 1: Refused

Individual variable and value labels can be found in the text file FMTABS.SAS.

Identifiers

CLIENTID Client ID; use this unique identifier to merge onto the client interview data file.

FAC_ID Facility ID; use this unique identifier to merge onto the facility data file.

Section B. Data Abstraction Form

* Indicates that variable was altered to decrease disclosure risk

— (Strikethrough) Indicates that variable was removed from this file to decrease disclosure risk

SROS CLIENT ID: |__|__|__|__|__|__|__|

CLIENTID

SERVICES RESEARCH OUTCOMES STUDY

SUPPLEMENTARY SAMPLE ABSTRACTION FORM

NORC/SAMHSA

NOTIFICATION TO RESPONDENT OF ESTIMATED BURDEN

NOTE: This form is completed by contractor staff and imposes no direct public burden.

FI ID _____	INTID
COMPLETION DATE: _____	MONTH DATE
BEGIN TIME: ____:____ am pm	HRBEGIN MINBEGIN BGNAMPM
END TIME: ____:____ am pm	HREND MINEND ENDAMPM
FI NAME: _____	
SROS FACILITY ID# _____	
FACILITY NAME: _____	
PROGRAM NAME: _____	
SAMPLE LINE # ON SROS SAMPLING WORKSHEET: _____	

I. ADMISSION AND DEMOGRAPHIC INFORMATION

1. | | | | | | | | | | | | | | | | **CLIENT RECORD NUMBER** RECNUM
 97. Not permitted to abstract
 98. Unknown/not mentioned
2. | | | | | | | | | | | | | | | | **DATE OF ADMISSION** Q2MONTH
Q2DAY
Q2YEAR
 Mo Da Yr
 98. Unknown/not mentioned
3. | | | | | | **WAITING TIME FOR ADMISSION INTO PROGRAM (# OF DAYS)** Q3_WAIT
 Days
 98. Unknown/not mentioned
4. | | | | | | **PLANNED LENGTH OF TREATMENT MENTIONED IN TREATMENT PLAN** Q4_PLAN
 Days
 98. Unknown/not mentioned
5. **PRIMARY REFERRAL SOURCE (CODE ONE)** Q5_PRIM
- | | |
|---|--|
| 01. Self
02. Family
03. Friend/acquaintance
04. Clergy
05. School
06. Social service agency
07. Employee Assistance Program (EAP)
08. Employer (other than EAP)
09. Criminal justice/legal system—court order
(judge, parole officer, legal advisor) | 10. Criminal justice/legal system-voluntary (judge,
parole officer, legal advisor)
11. Criminal justice/legal system-unspecified
(judge, parole officer, legal advisor)
12. Private physician
13. Community mental health center
14. Other health professional or provider/hospital
15. Another alcohol/drug abuse treatment program
16. Other (SPECIFY) _____ Q5VRB
98. Unknown/not mentioned |
|---|--|
6. **PRIMARY SOURCE OF PAYMENT FOR THIS TREATMENT (CODE ONE)** Q6_PRIM
- | | |
|---|--|
| 01. No payment; public subsidy
02. No payment; philanthropy
03. No payment; not otherwise specified
04. Self-pay
05. HMO or other pre-paid plan
06. Private health insurance
07. Medicaid
08. Medicare | 09. DOD
10. CHAMPUS
11. VA
12. Social services
13. Public housing/home relief
14. Other (SPECIFY): _____ Q6VRB
97. Not permitted to abstract
98. Unknown/not mentioned |
|---|--|

7. SECONDARY SOURCE OF PAYMENT FOR THIS TREATMENT (CODE ONE)

Q7_SECN

- 01. No payment; public subsidy
- 02. No payment; philanthropy
- 03. No payment; not otherwise specified
- 04. Self-pay
- 05. HMO or other pre-paid plan
- 06. Private health insurance
- 07. Medicaid
- 08. Medicare
- 09. DOD
- 10. CHAMPUS
- 11. VA
- 12. Social services
- 13. Public housing/home relief
- 14. Other (SPECIFY): _____ Q7VRB
- 97. Not permitted to abstract
- 98. Unknown/not mentioned

8. | | | | | | | | DATE TREATMENT BEGAN
Mo Da Yr

Q8MONTH
Q8DAY
Q8YEAR

- 98. Unknown/not mentioned

9. | | | | | | | | DATE OF BIRTH
Mo Da Yr

Q9MONTH
Q9DAY
Q9YEAR

- 98. Unknown/not mentioned

10. | | | | AGE AT ADMISSION (IN YEARS)

Q10_AGE*

- 98. Unknown/not mentioned

11. GENDER:

Q11GEND

- 1. Male
- 2. Female
- 8. Unknown/not mentioned

12. RACE:

Q12RACE*

- 1. Alaskan Native
- 2. American Indian
- 3. Asian or Pacific Islander
- 4. Black
- 5. White
- 6. Other (SPECIFY) _____ Q12VRB
- 8. Unknown/not mentioned

13. ETHNICITY:

Q13ETHN

- 1. Hispanic
- 2. Not of hispanic origin
- 8. Unknown/not mentioned

14. MARITAL STATUS AT ADMISSION (CODE ONE):

Q14MSTA

- 1. Never married
- 2. Married/common law
- 3. Widowed
- 4. Separated/divorced
- 5. Single
- 6. Other (SPECIFY) _____ Q14VRB
- 8. Unknown/not mentioned

- 15. HAVE CHILD/CHILDREN AT ADMISSION** Q15CHLD
1. Yes
 2. No (GO TO Q.17)
 8. Unknown/not mentioned (GO TO Q.17)
- 16. LIVING WITH OWN CHILD/CHILDREN AT ADMISSION** Q16CHLV
1. Yes
 2. No
 8. Unknown/not mentioned
- 17. LIVING ARRANGEMENT AT ADMISSION** Q17ARNG
- | | |
|--|---|
| <ol style="list-style-type: none"> 1. No stable arrangement (include homeless, shelters) 2. With partner/spouse 3. With parent(s) 4. With other family 5. With unrelated other(s) | <ol style="list-style-type: none"> 6. With children but no other adult 7. Alone 8. Controlled environment 9. Other (SPECIFY) _____ Q17VRB 98. Unknown/not mentioned |
|--|---|
- 18. EDUCATION AT ADMISSION (CODE HIGHEST LEVEL MENTIONED)** Q18EDU
- | | |
|---|---|
| <ol style="list-style-type: none"> 1. Less than 8 years 2. 8-11 Years 3. Less than high school graduate, not otherwise specified 4. High school graduate/GED 5. Some college | <ol style="list-style-type: none"> 6. College graduate 7. Postgraduate 8. Other (SPECIFY) _____ Q18VRB 98. Unknown/not mentioned |
|---|---|
- 19. STUDENT AT ADMISSION?** Q19STU
1. Yes
 2. No
 8. Unknown/not mentioned
- 20. EMPLOYMENT AT ADMISSION (CODE ONE)** Q20EMPL
- | | |
|--|--|
| <ol style="list-style-type: none"> 1. Full-time (35 hrs/wk or more) 2. Part-time (less than 35 hrs/wk) 3. Employed, not otherwise specified 4. Keeping house, not otherwise employed 5. Unemployed, retired | <ol style="list-style-type: none"> 6. Unemployed, disabled 7. Unemployed, not otherwise specified 8. Other (SPECIFY) _____ Q20VRB 98. Unknown/not mentioned |
|--|--|
- 21. USUAL (OR LAST) OCCUPATION:** Q21VRB
- SPECIFY _____
- 97 Never worked/none
 - 98 Unknown/not mentioned

II. CRIMINAL JUSTICE SYSTEM INFORMATION

- 22. DWI/DUI PRIOR TO ADMISSION?** Q22DWI
1. Yes 7. Not permitted to abstract
2. No 8. Unknown/not mentioned
- 23. OTHER ARRESTS PRIOR TO ADMISSION?** Q23OTHR
1. Yes 7. Not permitted to abstract
2. No 8. Unknown/not mentioned
- 24. PRISON OR JAIL RECORD PRIOR TO ADMISSION?** Q24JAIL
1. Yes 7. Not permitted to abstract
2. No 8. Unknown/not mentioned
- 25. RECEIVING DRUG TREATMENT AS A CONDITION OF PROBATION OR PAROLE?** Q25TRTMN
1. Yes 7. Not permitted to abstract
2. No 8. Unknown/not mentioned

III. MEDICAL INFORMATION

- 26. NUMBER OF ACUTE MEDICAL HOSPITALIZATIONS IN YEAR PRIOR TO ADMISSION** Q26HOSP
- ____ (ENTER 00 FOR NONE)
Number
98. Unknown/not mentioned
- 27. CHRONIC MEDICAL CONDITIONS AT ADMISSION?** Q27MED
1. Yes
2. No
8. Unknown/not mentioned
- 28. HISTORY OF PSYCHOLOGICAL DISORDERS AT ADMISSION (OTHER THAN DRUG/ALCOHOL RELATED PROBLEMS)?** Q28HIST
1. Yes
2. No (GO TO Q.30)
8. Unknown/not mentioned (GO TO Q.30)
- 29. SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS) CLIENT AT ADMISSION?** Q29ABUSE
1. Yes (SPECIFY): _____ Q29VRB
2. No
8. Unknown/not mentioned

30. PREGNANCY STATUS AT ADMISSION AS STATED IN RECORD

Q30PREG

- 1. Not applicable, client is male
- 2. Not pregnant
- 3. Pregnant
- 8. Unknown/not mentioned

31. PRESENTING PROBLEM AT ADMISSION

Q31PROB

- 1. Single drug abuse only (excluding alcohol)
- 2. Polydrug abuse only (excluding alcohol)
- 3. Alcohol abuse only
- 4. Alcohol abuse and abuse of one other drug combined
- 5. Alcohol abuse and abuse of two or more other drugs
- 6. Other (SPECIFY) _____
- 8. Unknown/not mentioned

Q31VRB

32. PRINCIPAL TREATMENT FOCUS

Q32PRIN

- 1. Single drug abuse only (excluding alcohol)
- 2. Polydrug abuse only (excluding alcohol)
- 3. Alcohol abuse only
- 4. Alcohol and other drug abuse combined
- 5. Other (SPECIFY) _____
- 8. Unknown/not mentioned

Q32VERB

33. PRIMARY DIAGNOSIS (DSM-III OR ICD-9) CODE AT ADMISSION

Q33CODE

98. Unknown/not mentioned

A. SPECIFY PRIMARY DIAGNOSIS (COPY VERBATIM):

Q33VRB

B. LIST OTHER DIAGNOSES (AND CODES IF AVAILABLE:)

Q33B1RCD
Q33B1VRB

Q33B2RCD
Q33B2VRB

98. Unknown/not mentioned

34. HIV STATUS AS STATED IN RECORD

Q34HIV

- 1. Negative
- 2. Positive (ANSWER A) 6
- 3. Suspected
- 4. Other (SPECIFY) _____
- 7. Not permitted to abstract
- 8. Unknown/not mentioned

Q34VRB

A. HAS AIDS? Q34AINF

- 1. Yes
- 2. No

IV. DRUG HISTORY

FOR EACH SUBSTANCE LISTED, CODE COL. A; IF "YES" TO A, COMPLETE B AND C.
 CODES FOR A & B: YES= 1 NO= 2 UNKNOWN/NOT MENTIONED= 8
 CODE FOR C: 98 = DK AGE; OTHERWISE, ROUND TO NEAREST YEAR

	A.			B.			C.
	EVER USED			USED IN LAST 30 DAYS			AGE (IN YRS.) AT FIRST USE
35. Cocaine (Exclude crack)	1	2	8	1	2	8	_____
			Q35A			Q35B	Q35C
36. Crack	1	2	8	1	2	8	_____
			Q36A			Q36B	Q36C
37. Heroin	1	2	8	1	2	8	_____
			Q37A			Q37B	Q37C
38. Non-treatment methadone	1	2	8	1	2	8	_____
			Q38A			Q38B	Q38C
39. Other opiates/synthetics	1	2	8	1	2	8	_____
			Q39A			Q39B	Q39C
40. Barbiturates	1	2	8	1	2	8	_____
			Q40A			Q40B	Q40C
41. Benzodiazepines	1	2	8	1	2	8	_____
			Q41A			Q41B	Q41C
42. Other sedatives/hypnotics	1	2	8	1	2	8	_____
			Q42A			Q42B	Q42C
43. Methamphetamines	1	2	8	1	2	8	_____
			Q43A			Q43B	Q43C
44. Other amphetamines	1	2	8	1	2	8	_____
			Q44A			Q44B	Q44C
45. Marijuana/hashish/THC	1	2	8	1	2	8	_____
			Q45A			Q45B	Q45C
46. PCP/LSD	1	2	8	1	2	8	_____
			Q46A			Q46B	Q46C
47. Other hallucinogens	1	2	8	1	2	8	_____
			Q47A			Q47B	Q47C
48. Inhalants	1	2	8	1	2	8	_____
			Q48A			Q48B	Q48C
49. Over-the-counter (SPECIFY) _____	1	2	8	1	2	8	_____
			Q49A			Q49B	Q49C
50. Alcohol	1	2	8	1	2	8	_____
			Q50A			Q50B	Q50C

51. Other (SPECIFY)_____ Q51AVRB	1 2 8 Q51A	1 2 8 Q51B	_____ Q51C
---	----------------------	----------------------	----------------------

52. **DRUG OF CHOICE SPECIFIED AT ADMISSION (ENTER QUESTION NUMBER OF DRUG OF CHOICE FROM TABLE ABOVE)** **Q52DRUG**

01. No drug of choice 98. Unknown/Not mentioned

53. **INTRAVENOUS DRUG USER EVER?** **Q53INT**

1. Yes (ANSWER A) 2. No (GO TO Q.54) 8. Unknown/not mentioned (GO TO Q.54)

A. INTRAVENOUS DRUG USER AT ADMISSION? **Q53ADUSE**

1. Yes (ANSWER B) 2. No (GO TO Q.54) 8. Unknown/not mentioned (GO TO Q.54)

B. FREQUENCY OF INTRAVENOUS DRUG USE AT ADMISSION: **Q53BFRE**

1. Daily
2. Regularly but not daily
3. Sporadically
8. Unknown/not mentioned

54. **SUBSTANCE ABUSE TESTING DURING TREATMENT**

1. Yes (SPECIFY TOTAL BELOW)
2. No (GO TO Q.56)
8. Unknown/not mentioned (GO TO Q.56)

TOTAL NUMBER OF TESTS WHILE IN TREATMENT ACCORDING TO RECORD **Q54NUM***

55. **TOTAL (OF Q.54 NUMBER) OF POSITIVE TESTS ACCORDING TO RECORD (POSITIVE TEST = POSITIVE RESULT FOR ONE OR MORE SUBSTANCES IN ONE SPECIMEN)** **Q55POSTV***

998. Unknown/not mentioned

56. SUBSTANCE ABUSE TESTING DURING SAMPLE EPISODE?

- 1. Yes (COMPLETE TABLE BELOW)
- 2. No (LEAVE TABLE BLANK; GO TO Q.57)
- 8. Unknown/not mentioned (LEAVE TABLE BLANK; GO TO Q.57)

SUBSTANCE ABUSE TESTING TABLE				
(1) Type of Test	A. CODE FIRST TEST Q56_T1		B. CODE LAST TEST Q56_T2	
	1 = Urine	3 = Other (SPECIFY) Q56VRB1 _____	1 = Urine	3 = Other (SPECIFY) Q56VRB2 _____
	2 = Serum/Blood _____		2 = Serum/Blood _____	
	8 = Unknown/not mentioned		8 = Unknown/not mentioned	
(2) Date of Results	Q56_MON1 Q56_DAY1 Q56_YR1 _ _ - _ _ - _ _ Mo Da Yr		Q56_MON2 Q56_DAY2 Q56_YR2 _ _ - _ _ - _ _ Mo Da Yr	
	TEST RESULTS (CHECK DRUGS THAT TESTED POSITIVE OR IF NEGATIVE/NOT APPLICABLE)			
56a. Cocaine (Including crack)	POS Q56A1	NEG/NA	POS Q56A2	NEG/NA
56b. Heroin	Q56B1		Q56B2	
56c. Non-treatment methadone	Q56C1		Q56C2	
56d. Other opiates/synthetics	Q56D1		Q56D2	
56e. Barbiturates	Q56E1		Q56E2	
56f. Benzodiazepines	Q56F1		Q56F2	
56g. Other sedatives/hypnotics	Q56G1		Q56G2	
56h. Methamphetamines	Q56H1		Q56H2	
56i. Other amphetamines	Q56I1		Q56I2	
56j. Marijuana/hashish/THC	Q56J1		Q56J2	
56k. PCP/LSD	Q56K1		Q56K2	
56l. Other hallucinogens	Q56L1		Q56L2	
56m. Inhalants	Q56M1		Q56M2	
56n. Alcohol	Q56N1		Q56N2	
56o. Other (SPECIFY) _____ Q56OVRB	Q56O1		Q56O2	

V. DRUG TREATMENT HISTORY

57. **TOTAL NUMBER OF TREATMENT EPISODES (FOR ANY SUBSTANCE ABUSE) PRIOR TO SAMPLE EPISODE**

Q57TOTN*

N/A. No prior treatment episodes (GO TO Q. 59) 98. Unknown/not mentioned (GO TO Q. 59)

A. **NUMBER OF YEARS OVER WHICH TREATMENT EPISODES WERE REPORTED**

Q57AYRN

N/A. Less than six months 55. Lifetime 98. Unknown/not mentioned

58. **PAST TREATMENT EPISODES (FOR ANY SUBSTANCE ABUSE) IN THE 12 MONTHS PRIOR TO SAMPLE EPISODE**

Q58PAST

1. Yes (COMPLETE TABLE BELOW; RECORD ADDITIONAL EPISODES IN COMMENTS.)
2. No (LEAVE TABLE BLANK; GO TO Q.59)
8. Unknown/not mentioned (LEAVE TABLE BLANK; GO TO Q.59)

PAST TREATMENT EPISODES: TWELVE MONTHS PRIOR TO ADMISSION			
REASON FOR TREATMENT (DRUG TYPE)		FACILITY	REASON FOR DISCHARGE
Primary	Secondary		
58a. <input type="text"/> Q58_PRA	<input type="text"/> Q58_SECA	<input type="text"/> Q58_FAA	<input type="text"/> Q58_REA
58b. <input type="text"/> Q58_PRB	<input type="text"/> Q58_SECB	<input type="text"/> Q58_FAB	<input type="text"/> Q58_REB
58c. <input type="text"/> Q58_PRC	<input type="text"/> Q58_SECC	<input type="text"/> Q58_FAC	<input type="text"/> Q58_REC
58d. <input type="text"/> Q58_PRD	<input type="text"/> Q58_SECD	<input type="text"/> Q58_FAD	<input type="text"/> Q58_RED
58e. <input type="text"/> Q58_PRE	<input type="text"/> Q58_SECE	<input type="text"/> Q58_FAE	<input type="text"/> Q58_REE
58f. <input type="text"/> Q58_PRF	<input type="text"/> Q58_SECF	<input type="text"/> Q58_FAF	<input type="text"/> Q58_REF
58g. <input type="text"/> Q58_PRG	<input type="text"/> Q58_SECG	<input type="text"/> Q58_FAG	<input type="text"/> Q58_REG
58h. <input type="text"/> Q58_PRH	<input type="text"/> Q58_SECH	<input type="text"/> Q58_FAH	<input type="text"/> Q58_REH
58i. <input type="text"/> Q58_PRI	<input type="text"/> Q58_SECI	<input type="text"/> Q58_FAI	<input type="text"/> Q58_REI
58j. <input type="text"/> Q58_PRJ	<input type="text"/> Q58_SECJ	<input type="text"/> Q58_FAJ	<input type="text"/> Q58_REJ

REASON FOR TREATMENT CODES

- 01. Cocaine (excluding crack)
- 02. Crack
- 03. Heroin
- 04. Non-treatment methadone
- 05. Other opiates/synthetics
- 06. Barbiturates
- 07. Benzodiazepines
- 08. Other sedatives/hypnotics
- 09. Methamphetamines
- 10. Other amphetamines
- 11. Marijuana/hashish/thc
- 12. PCP/LSD
- 13. Other hallucinogens
- 14. Inhalants
- 15. Alcohol
- 16. Polydrug (excluding alcohol)
- 17. Combination alcohol and other drug
- 18. Substance abuse/mental illness (dual diagnosis)
- 19. Record states no secondary drug use
- 97. Other (SPECIFY IN COMMENTS)
- 98. Unknown/not mentioned

FACILITY CODES

- 1. Here
- 2. Elsewhere
- 8. Unknown/not mentioned

REASON FOR DISCHARGE CODES

- 1. Completed planned treatment
- 2. Did not complete treatment, referred to another program
- 3. Did not complete treatment by administration choice
- 4. Did not complete treatment, by client choice
- 5. Did not complete treatment, not mentioned by whose choice
- 6. Incarcerated
- 7. Other (SPECIFY IN COMMENTS)
- 8. Unknown/not mentioned

Comments: _____

VI. TREATMENT SERVICES INFORMATION FOR SAMPLE EPISODE

**FOR EACH SERVICE, REFER TO CODES LISTED BELOW, AND CODE COLUMN A.
FOR CODES 2-5 AT A, CODE B AND C.**

	A.	B.	C.
	SERVICE GIVEN	FACILITY	NO. OF ENCOUNTERS (998=UNKNOWN)
59.	Individual counseling _____ Q59_SER	1 2 8Q59_FAC	_____ Q59_NO*
60.	Group counseling _____ Q60_SER	1 2 8Q60_FAC	_____ Q60_NO*
61.	Family counseling _____ Q61_SER	1 2 8Q61_FAC	_____ Q61_NO*
62.	Drug education counseling _____ Q62_SER	1 2 8Q62_FAC	_____ Q62_NO*
63.	Employment counseling _____ Q63_SER	1 2 8Q63_FAC	
64.	Job training _____ Q64_SER	1 2 8Q64_FAC	
65.	Educational classes _____ Q65_SER	1 2 8Q65_FAC	
66.	Detoxification _____ Q66_SER	1 2 8Q66_FAC	
67.	Activity groups _____ Q67_SER	1 2 8Q67_FAC	
68.	Self-help groups (include AA and NA) _____ Q68_SER	1 2 8Q68_FAC	
69.	Day care for children _____ Q69_SER	1 2 8Q69_FAC	

SERVICE GIVEN CODES

1. Not given
2. Actually given, completed
3. Actually given, not completed by administration choice
4. Actually given, not completed by client choice
5. Actually given, not completed, but not mentioned by whose choice
6. Planned or recommended, can't confirm if actually given
8. Unknown/not mentioned

FACILITY CODES

1. Here
2. Elsewhere
8. Unknown/not mentioned

70. ANY MEDICATIONS PRESCRIBED DURING TREATMENT (EXCLUDING METHADONE)

Q70MED

1. Yes (ANSWER A) 2. No (GO TO Q.71) 8. Unknown/not mentioned (GO TO Q.71)

A. SPECIFY MEDICATIONS: _____

Q70VRB

71. ANY PHYSICIAN NOTES AT ADMISSION

Q71ADM

1. Yes 2. No 8. Unknown/not mentioned

72. PHYSICIAN NOTES AT DISCHARGE

Q72DIS

1. Yes 2. No 8. Unknown/not mentioned

73. ANY PHYSICIAN NOTES AT ANY OTHER TIME

Q73OTHR

1. Yes 2. No 8. Unknown/not mentioned

74. METHADONE GIVEN DURING THIS TREATMENT

Q74_METH

- 1. Yes (COMPLETE TABLE BELOW AND ITEM 75)
- 2. No (LEAVE TABLE BLANK; GO TO Q.76)
- 8. Unknown/not mentioned (LEAVE TABLE BLANK; GO TO Q.76)

METHADONE TREATMENT

	DATE OF TREATMENT Mo Da Yr	TOTAL DAILY DOSE IN MGS. 998 = Unknown	GIVEN DOSE		PLACE 1 = Here 2 = At home 3 = Here/At Home 8 = Unknown
			IN MGS. 998 = Unknown	NO. OF TIMES/DAY 98 = Unknown	
74a. First Methadone Treatment	Q74A_MO Q74A_DA Q74A_YR ____-____-____	Q74ATOT _____	Q74AGIV _____	Q74ANUM _____	Q74APLC _____
74b. Discharge or Last Methadone Treatment	Q74B_MO Q74B_DA Q74B_YR ____-____-____	Q74BTOT _____	Q74BGIV _____	Q74BNUM _____	Q74BPLC _____

75. METHADONE SUPPLY TAKEN HOME DURING THIS TREATMENT

Q75_HOME

- 1. Yes
- 2. No
- 8. Unknown/not mentioned

VII. DISCHARGE INFORMATION

76. REASON FOR DISCHARGE

Q76_DIS

- 1. Client deceased (ENTER DATE IN A)

A. ____-____-____ DATE OF DEATH
 Mo Day Yr

98. Unknown/not mentioned

(GO TO SECTION VIII)

Q76_MON
Q76_DAY
Q76_YR

- 2. Completed planned treatment (GO TO Q.77)
- 3. Did not complete treatment; referred to another program (GO TO Q.77)
- 4. Did not complete treatment by administration choice (SPECIFY REASON IN B)
- 5. Did not complete treatment by client choice (SPECIFY REASON IN B)
- 6. Did not complete treatment, not mentioned by whose choice (SPECIFY REASON IN B)
- 7. Incarcerated (GO TO Q.77)
- 8. Other (SPECIFY REASON IN B)
- 98. Unknown/not mentioned (GO TO Q.77)

B. SPECIFY REASON: _____ Q76VRB

77. | | - | | - | | DATE OF DISCHARGE

Q77_MO

Mo Day Yr

Q77-DA
Q77_YR

98. Unknown/not mentioned

78. | | | - | | | - | | | | DATE OF LAST TREATMENT BEFORE SAMPLE EPISODE DISCHARGE

Mo Day Yr

Q78-MO
Q78-DA
Q78_YR

98. Unknown/not mentioned

79. SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS) CLIENT AT DISCHARGE (E.G., DEPRESSION, SCHIZOPHRENIA)

Q79SUB

1. Yes (SPECIFY) _____

Q79VRB

2. No

8. Unknown/not mentioned

80. AFTER-CARE PLAN STATED IN RECORD

Q80_PLN

1. Yes

2. No (GO TO Q.82)

8. Unknown/not mentioned (GO TO Q.82)

81. SERVICES IN AFTER-CARE PLAN

Q81AFTR

1. Services specified (CODE LIST BELOW)

8. Unknown/not mentioned (LEAVE LIST BLANK; GO TO Q.82)

FOR EACH SERVICE LISTED, CIRCLE CODE: 1= YES, 2= NO, 8= UNKNOWN/NOT

Y N U

- | | | | | | |
|------|---|---|---|--------------------------------------|--------------|
| 81a. | 1 | 2 | 8 | Individual counseling | Q81A |
| 81b. | 1 | 2 | 8 | Group counseling | Q81B |
| 81c. | 1 | 2 | 8 | Family counseling | Q81C |
| 81d. | 1 | 2 | 8 | Educational classes | Q81D |
| 81e. | 1 | 2 | 8 | Employment counseling | Q81E |
| 81f. | 1 | 2 | 8 | Job training | Q81F |
| 81g. | 1 | 2 | 8 | Activity groups | Q81G |
| 81h. | 1 | 2 | 8 | Self-help groups (include AA and NA) | Q81H |
| 81i. | 1 | 2 | 8 | Alumni group/reunion | Q81I
Q81J |
| 81j. | 1 | 2 | 8 | Other (SPECIFY) _____ | Q81VRB |

82. FURTHER TREATMENT TO WHICH CLIENT WAS REFERRED AFTER DISCHARGE?

Q82AFTR

- 1. No treatment
- 2. Hospital inpatient
- 3. Residential
- 4. Outpatient/methadone maintenance
- 5. Other outpatient
- 6. Other (SPECIFY) _____
- 8. Unknown/not mentioned

Q82VRB

VIII. CHARGE DATA FOR SAMPLE EPISODE

83. BILLED CHARGES FOR THIS TREATMENT?

Q83BILL

- 1. Yes (SPECIFY DOLLAR AMOUNT AND CHARGE CODE IN A)
- 2. No (ANSWER B)
- 3. Other (SPECIFY) _____ (ANSWER B)
- 7. Not permitted to abstract (ANSWER B)
- 8. Unknown/not mentioned (ANSWER B)

Q83VRB

A. \$|_|_|_|_|_| DOLLAR AMOUNT

Q83A_DOL*

CHARGE CODE:

Q83CODE

- 1. Full amount billed
- 2. Sliding fee amount
- 3. Reduced amount: |_|_|% of full bill charged
- 4. Other (SPECIFY) _____
- 7. Not permitted to abstract
- 8. Unknown/not mentioned

Q83PCNT

Q83COVRB

B. WAS THIS A FUNDED SLOT?

Q83B

- 1. Yes (SPECIFY): Funded by? _____
- 2. No
- 8. Unknown/not mentioned

Q83_VRB

RECORD END TIME ON FRONT COVER. NOW COMPLETE CLIENT

Section C. List of Variables

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
1	CLIENTID	1	Num	8	0	CLIENT ID (ASSIGNED BY NORC)
2	FAC_ID	2	Num	8	8	FACILITY ID (ASSIGNED BY NORC)
3	MODE	3	Num	8	17	TREATMENT MODE
4	UTYPE	4	Char	1	25	TREATMENT UNIT TYPE
5	ENVIRONM	4	Char	1	26	FACILITY ENVIRONMENT
6	DEAD	4	Num	8	38	CLIENT DIED BEFORE INTERVIEW
7	RESP	4	Num	8	46	RESPONDED TO FOLLOW-UP INTERVIEW
8	DISP	4	Char	2	54	DISPOSITION CODE
9	CLIENTYP	5	Num	8	56	DSRS CLIENT TREATMENT TYPE
10	Q3_WAIT	6	Num	8	64	Q3 WAITING TIME FOR ADMISSION INTO PROG
11	Q4_PLAN	8	Num	8	72	Q4 PLANNED LENGTH OF TREATMENT SERVICES
12	Q5_PRIM	9	Num	8	80	Q5 PRIMARY REFERRAL SOURCE (CODE ONE)
13	Q6_PRIM	10	Num	8	88	Q6 PRIMARY SOURCE OF PAYMENT FOR TREATM
14	Q7_SECN	10	Num	8	96	Q7 SECONDARY SOURCE OF PAYMENT FOR THES
15	Q10_AGE	11	Num	8	104	Q10 AGE AT ADM (TOPCODE 57-64 65-74 75+)
16	Q11GEND	12	Num	8	112	Q11 GENDER
17	Q12RACE	12	Num	8	120	Q12 RACE (RECODED)
18	Q13ETHN	12	Num	8	128	Q13 ETHNICITY
19	Q14MSTA	13	Num	8	136	Q14 MARITAL STATUS AT ADMISSION (CODE O
20	Q15CHLD	13	Num	8	144	Q15 HAVE CHILD/CHILDREN AT ADMISSION
21	Q16CHLV	13	Num	8	152	Q16 LIVING WITH OWN CHILD/CHILDREN AT A
22	Q17ARNG	14	Num	8	160	Q17 LIVING ARRANGEMENT AT ADMISSION
23	Q18EDU	14	Num	8	168	Q18 EDUCATION AT ADMISSION (CODE HIGHES
24	Q19STU	15	Num	8	176	Q19 STUDENT AT ADMISSION
25	Q20EMPL	15	Num	8	184	Q20 EMPLOYMENT AT ADMISSION (CODE ONE)
26	Q22DWI	16	Num	8	192	Q22 DWI/DUI PRIOR TO ADMISSION
27	Q23OTHR	16	Num	8	200	Q23 OTHER ARRESTS PRIOR TO ADMISSION
28	Q24JAIL	16	Num	8	208	Q24 PRISON OR JAIL RECORD PRIOR TO ADMI
29	Q25TRTMN	16	Num	8	216	Q25 RECEIVING TREATMENT AS CONDITION OF
30	Q26HOSP	17	Num	8	224	Q26 NUMBER OF HOSPITALIZATIONS YEAR PRI
31	Q27MED	17	Num	8	232	Q27 CHRONIC MEDICAL CONDITIONS AT ADMIS
32	Q28HIST	17	Num	8	240	Q28 HISTORY OF PSYCHOLOGICAL DISORDERS
33	Q29ABUSE	18	Num	8	248	Q29 SUBSTANCE ABUSE/MENTAL ILLNESS
34	Q30PREG	18	Num	8	256	Q30 PREGNANCY STATUS AT ADMISSION AS ST
35	Q31PROB	18	Num	8	264	Q31 PRESENTING PROBLEM AT ADMISSION
36	Q32PRIN	19	Num	8	272	Q32 PRINCIPAL TREATMENT FOCUS
37	Q33CODE	20	Char	6	280	Q33 Medical Code (5 digits)
38	Q33RCODE	22	Char	5	286	Q33 Medical Code (4 digits)
39	Q34HIV	23	Num	8	291	Q34 HIV STATUS AS STATED IN RECORD
40	Q34AINF	23	Num	8	299	Q34A HAS AIDS
41	Q35A	23	Num	8	307	Q35A EVER USED COCAINE (EXCLUDE CRACK)
42	Q35B	23	Num	8	315	Q35B USED COCAINE IN LAST 30 DAYS
43	Q35C	24	Num	8	323	Q35C AGE (IN YEARS) AT FIRST USE
44	Q36A	25	Num	8	331	Q36A EVER USED CRACK
45	Q36B	25	Num	8	339	Q36B USED CRACK IN LAST 30 DAYS
46	Q36C	26	Num	8	347	Q36C AGE (IN YEARS) AT FIRST USE
47	Q37A	26	Num	8	355	Q37A EVER USED HEROIN
48	Q37B	27	Num	8	363	Q37B USED HEROIN IN LAST 30 DAYS
49	Q37C	27	Num	8	371	Q37C AGE (IN YEARS) AT FIRST USE
50	Q38A	28	Num	8	379	Q38A EVER USED NON-TREATMENT METHADONE
51	Q38B	28	Num	8	387	Q38B USED NON-TREATMENT MEHADONE IN LAS
52	Q38C	29	Num	8	395	Q38C AGE (IN YEARS) AT FIRST USE
53	Q39A	29	Num	8	403	Q39A EVER USED OTHER OPIATES/SYNTHETICS
54	Q39B	30	Num	8	411	Q39B USED OPIATES/SYNTHETICS IN LAST 30
55	Q39C	30	Num	8	419	Q39C AGE (IN YEARS) AT FIRST USE
56	Q40A	31	Num	8	427	Q40A EVER USED BARBITURATES
57	Q40B	31	Num	8	435	Q40B USED BARBITURATES IN LAST 30 DAYS
58	Q40C	32	Num	8	443	Q40C AGE (IN YEARS) AT FIRST USE
59	Q41A	32	Num	8	451	Q41A EVER USED BENZODIAZEPINES
60	Q41B	33	Num	8	459	Q41B USED BENZODIAZEPINES IN LAST 30 DA
61	Q41C	33	Num	8	467	Q41C AGE (IN YEARS) AT FIRST USE
62	Q42A	34	Num	8	475	Q42A EVER USED OTHER SEDATIVES/HYPNOTIC
63	Q42B	34	Num	8	483	Q42B USED SEDATIVES/HYPNOTICS IN LAST 3

64	Q42C	34	Num	8	491	Q42C	AGE (IN YEARS) AT FIRST USE
65	Q43A	35	Num	8	499	Q43A	EVER USED METHAMPHETAMINES
66	Q43B	35	Num	8	507	Q43B	USED METHAMPHETAMINES IN LAST 30 D
67	Q43C	36	Num	8	515	Q43C	AGE (IN YEARS) AT FIRST USE
68	Q44A	36	Num	8	523	Q44A	EVER USED OTHER AMPHETAMINES
69	Q44B	37	Num	8	531	Q44B	USED OTHER AMPHETAMINES IN LAST 30
70	Q44C	37	Num	8	539	Q44C	AGE (IN YEARS) AT FIRST USE
71	Q45A	38	Num	8	547	Q45A	EVER USED MARIJUANA/HASHISH/THC
72	Q45B	38	Num	8	555	Q45B	USED MARIJUANA/HASHISH/THC IN LAST
73	Q45C	39	Num	8	563	Q45C	AGE (IN YEARS) AT FIRST USE
74	Q46A	40	Num	8	571	Q46A	EVER USED PCP/LSD
75	Q46B	40	Num	8	579	Q46B	USED PCP/LSD IN LAST 30 DAYS
76	Q46C	41	Num	8	587	Q46C	AGE (IN YEARS) AT FIRST USE
77	Q47A	41	Num	8	595	Q47A	EVER USED OTHER HALLUCINOGENS
78	Q47B	42	Num	8	603	Q47B	USED OTHER HALLUCINOGENS IN LAST 3
79	Q47C	42	Num	8	611	Q47C	AGE (IN YEARS) AT FIRST USE
80	Q48A	43	Num	8	619	Q48A	EVER USED INHALANTS
81	Q48B	43	Num	8	627	Q48B	USED INHALANTS IN LAST 30 DAYS
82	Q48C	43	Num	8	635	Q48C	AGE (IN YEARS) AT FIRST USE
83	Q49A	44	Num	8	643	Q49A	EVER USED OVER THE COUNTER DRUG (S
84	Q49B	44	Num	8	651	Q49B	USED OVER THE COUNTER DRUG IN LAST
85	Q49C	45	Num	8	659	Q49C	AGE (IN YEARS) AT FIRST USE
86	Q50A	45	Num	8	667	Q50A	EVER USED ALCOHOL
87	Q50B	46	Num	8	675	Q50B	USED ALCOHOL IN LAST 30 DAYS
88	Q50C	46	Num	8	683	Q50C	AGE (IN YEARS) AT FIRST USE
89	Q51A	47	Num	8	691	Q51A	EVER USE OTHER DRUG (SPECIFY)
90	Q51B	47	Num	8	699	Q51B	USED OTHER DRUG IN LAST 30 DAYS
91	Q51C	48	Num	8	707	Q51C	AGE (IN YEARS) AT FIRST USE OF OTH
92	Q52DRUG	49	Num	8	715	Q52DRUG	DRUG OF CHOICE SPECIFD AT ADMIS
93	Q53INT	49	Num	8	723	Q53INT	INTRAVENOUS DRUG USER EVER
94	Q53ADUSE	49	Num	8	731	Q53ADUSE	INTRAVENOUS DRUG USER AT ADMIS
95	Q53BFRE	50	Num	8	739	Q53BFRE	FREQUENCY OF IV DRUG USE
96	Q54NUM	50	Num	8	747	Q54NUM	# OF TESTS IN TR (TOP-CODE 15+)
97	Q55POSTV	51	Num	8	755	Q55POSTV	# OF POSTV TESTS (TOP-CODE 15+)
98	Q56TEST	51	Num	8	763	Q56TEST	SUBSTCE ABUSE TEST DURING SAMP
99	Q56_T1	51	Num	8	771	Q56_T1	CODE OF FIRST TEST
100	Q56_T2	52	Num	8	779	Q56_T2	CODE OF LAST TEST
101	Q56_MON1	52	Num	8	787	Q56_MON1	DATE OF RESULTS TEST1 - MONTH
102	Q56_DAY1	53	Num	8	795	Q56_DAY1	DATE OF RESULTS TEST1 - DAY
103	Q56_YR1	54	Num	8	803	Q56_YR1	DATE OF RESULTS TEST1 - YEAR
104	Q56_MON2	54	Num	8	811	Q56_MON2	DATE OF RESULTS TEST2 - MONTH
105	Q56_DAY2	55	Num	8	819	Q56_DAY2	DATE OF RESULTS TEST2 - DAY
106	Q56_YR2	55	Num	8	827	Q56_YR2	DATE OF RESULTS TEST2 - YEAR
107	Q56A1	56	Num	8	835	Q56A1	Cocaine (including crack) I
108	Q56A2	56	Num	8	843	Q56A2	Cocaine (including crack) II
109	Q56B1	56	Num	8	851	Q56B1	Heroin I
110	Q56B2	56	Num	8	859	Q56B2	Heroin II
111	Q56C1	57	Num	8	867	Q56C1	Non-treatment methadone I
112	Q56C2	57	Num	8	875	Q56C2	Non-treatment methadone II
113	Q56D1	57	Num	8	883	Q56D1	Other opiates/synthetics I
114	Q56D2	57	Num	8	891	Q56D2	Other opiates/synthetics II
115	Q56E1	58	Num	8	899	Q56E1	Barbiturates I
116	Q56E2	58	Num	8	907	Q56E2	Barbiturates II
117	Q56F1	58	Num	8	915	Q56F1	Benzodiazepines I
118	Q56F2	58	Num	8	923	Q56F2	Benzodiazepines II
119	Q56G1	59	Num	8	931	Q56G1	Other sedatives/hypnotics I
120	Q56G2	59	Num	8	939	Q56G2	Other sedatives/hypnotics II
121	Q56H1	59	Num	8	947	Q56H1	Methamphetamines I
122	Q56H2	59	Num	8	955	Q56H2	Methamphetamines II
123	Q56I1	60	Num	8	963	Q56I1	Other amphetamines I
124	Q56I2	60	Num	8	971	Q56I2	Other amphetamines II
125	Q56J1	60	Num	8	979	Q56J1	Marijuana/Hashish/THC I
126	Q56J2	60	Num	8	987	Q56J2	Marijuana/Hashish/THC II
127	Q56K1	61	Num	8	995	Q56K1	PCP/LSD I
128	Q56K2	61	Num	8	1003	Q56K2	PCP/LSD II
129	Q56L1	61	Num	8	1011	Q56L1	Other hallucinogens I
130	Q56L2	61	Num	8	1019	Q56L2	Other hallucinogens II
131	Q56M1	62	Num	8	1027	Q56M1	Inhalants I
132	Q56M2	62	Num	8	1035	Q56M2	Inhalants II

133	Q56N1	62	Num	8	1043	Q56N1 Alcohol I
134	Q56N2	62	Num	8	1051	Q56N2 Alcohol II
135	Q56O1	63	Num	8	1059	Q56O1 Other (SPECIFY) I
136	Q56O2	63	Num	8	1067	Q56O2 Other (SPECIFY) II
137	Q57TOTN	63	Num	8	1075	Q57 # OF TRTMNT EPISODES (TOP-CODE 11+)
138	Q57AYRN	64	Num	8	1083	Q57A # OF YEARS OVER WHICH TREATMENT SE
139	Q58PAST	64	Num	8	1091	Q58 PAST TREATMENT EPISODES
140	Q58_PRA	65	Num	8	1099	Q58_PRA REASON FOR TREATMENT SERVICES
141	Q58_SECA	65	Num	8	1107	Q58_SECA REASON FOR TREATMENT SERVICES
142	Q58_FAA	66	Num	8	1115	Q58_FAA FACILITY CODES
143	Q58_REA	66	Num	8	1123	Q58_REA REASON FOR DISCHARGE
144	Q58_PRB	66	Num	8	1131	Q58_PRB REASON FOR TREATMENT SERVICES
145	Q58_SECB	67	Num	8	1139	Q58_SECB REASON FOR TREATMENT SERVICES
146	Q58_FAB	67	Num	8	1147	Q58_FAB FACILITY CODES
147	Q58_REB	67	Num	8	1155	Q58_REB REASON FOR DISCHARGE
148	Q58_PRC	68	Num	8	1163	Q58_PRC REASON FOR TREATMENT SERVICES
149	Q58_SECC	68	Num	8	1171	Q58_SECC REASON FOR TREATMENT SERVICES
150	Q58_FAC	68	Num	8	1179	Q58_FAC FACILITY CODES
151	Q58_REC	69	Num	8	1187	Q58_REC REASON FOR DISCHARGE
152	Q58_PRD	69	Num	8	1195	Q58_PRD REASON FOR TREATMENT SERVICES
153	Q58_SECD	69	Num	8	1203	Q58_SECD REASON FOR TREATMENT SERVICES
154	Q58_FAD	70	Num	8	1211	Q58_FAD FACILITY CODES
155	Q58_RED	70	Num	8	1219	Q58_RED REASON FOR DISCHARGE
156	Q58_PRE	70	Num	8	1227	Q58_PRE REASON FOR TREATMENT SERVICES
157	Q58_SECE	70	Num	8	1235	Q58_SECE REASON FOR TREATMENT SERVICES
158	Q58_FAE	71	Num	8	1243	Q58_FAE FACILITY CODES
159	Q58_REE	71	Num	8	1251	Q58_REE REASON FOR DISCHARGE
160	Q58_PRF	71	Num	8	1259	Q58_PRF REASON FOR TREATMENT SERVICES
161	Q58_SECF	71	Num	8	1267	Q58_SECF REASON FOR TREATMENT SERVICES
162	Q58_FAF	71	Num	8	1275	Q58_FAF FACILITY CODES
163	Q58_REF	72	Num	8	1283	Q58_REF REASON FOR DISCHARGE
164	Q58_PRG	72	Num	8	1291	Q58_PRG REASON FOR TREATMENT SERVICES
165	Q58_SECG	72	Num	8	1299	Q58_SECG REASON FOR TREATMENT SERVICES
166	Q58_FAG	72	Num	8	1307	Q58_FAG FACILITY CODES
167	Q58_REG	72	Num	8	1315	Q58_REG REASON FOR DISCHARGE
168	Q58_PRH	73	Num	8	1323	Q58_PRH REASON FOR TREATMENT SERVICES
169	Q58_SECH	73	Num	8	1331	Q58_SECH REASON FOR TREATMENT SERVICES
170	Q58_FAH	73	Num	8	1339	Q58_FAH FACILITY CODES
171	Q58_REH	73	Num	8	1347	Q58_REH REASON FOR DISCHARGE
172	Q58_PRI	73	Num	8	1355	Q58_PRI REASON FOR TREATMENT SERVICES
173	Q58_SECI	74	Num	8	1363	Q58_SECI REASON FOR TREATMENT SERVICES
174	Q58_FAI	74	Num	8	1371	Q58_FAI FACILITY CODES
175	Q58_REI	74	Num	8	1379	Q58_REI REASON FOR DISCHARGE
176	Q58_PRJ	74	Num	8	1387	Q58_PRJ REASON FOR TREATMENT SERVICES
177	Q58_SECJ	74	Num	8	1395	Q58_SECJ REASON FOR TREATMENT SERVICES
178	Q58_FAJ	75	Num	8	1403	Q58_FAJ FACILITY CODES
179	Q58_REJ	75	Num	8	1411	Q58_REJ REASON FOR DISCHARGE
180	Q59_SER	75	Num	8	1419	Q59_SER INDIVIDUAL COUNSELING
181	Q59_FAC	75	Num	8	1427	Q59_FAC FACILITY
182	Q59_NO	76	Num	8	1435	Q59_NO # OF ENCOUNTERS (TOP-CODED 50+)
183	Q60_SER	77	Num	8	1443	Q60_SER GROUP COUNSELING
184	Q60_FAC	77	Num	8	1451	Q60_FAC FACILITY
185	Q60_NO	78	Num	8	1459	Q60_NO # OF ENCOUNTERS (TOP-CODED 50+)
186	Q61_SER	79	Num	8	1467	Q61_SER FAMILY COUNSELING
187	Q61_FAC	79	Num	8	1475	Q61_FAC FACILITY
188	Q61_NO	80	Num	8	1483	Q61_NO # OF ENCOUNTERS (TOP-CODED 50+)
189	Q62_SER	80	Num	8	1491	Q62_SER DRUG EDUCATION COUNSELING
190	Q62_FAC	81	Num	8	1499	Q62_FAC FACILITY
191	Q62_NO	82	Num	8	1507	Q62_NO # OF ENCOUNTERS (TOP-CODED 50+)
192	Q63_SER	83	Num	8	1515	Q63_SER EMPLOYMENT COUNSELING
193	Q63_FAC	83	Num	8	1523	Q63_FAC FACILITY
194	Q64_SER	83	Num	8	1531	Q64_SER JOB TRAINING
195	Q64_FAC	84	Num	8	1539	Q64_FAC FACILITY
196	Q65_SER	84	Num	8	1547	Q65_SER EDUCATIONAL CLASSES
197	Q65_FAC	84	Num	8	1555	Q65_FAC FACILITY
198	Q66_SER	85	Num	8	1563	Q66_SER DETOXIFICATION
199	Q66_FAC	85	Num	8	1571	Q66_FAC FACILITY
200	Q67_SER	85	Num	8	1579	Q67_SER ACTIVITY GROUPS
201	Q67_FAC	86	Num	8	1587	Q67_FAC FACILITY

202	Q68_SER	86	Num	8	1595	Q68_SER	SELF-HELP GROUPS (INCLUDE AA AN
203	Q68_FAC	86	Num	8	1603	Q68_FAC	FACILITY
204	Q69_SER	86	Num	8	1611	Q69_SER	DAY CARE FOR CHILDREN
205	Q69_FAC	87	Num	8	1619	Q69_FAC	FACILITY
206	Q70MED	87	Num	8	1627	Q70	MEDICATIONS PRESCRIBED DURING TREAT
207	Q71ADM	87	Num	8	1635	Q71	ANY PHYSICIAN NOTES AT ADMISSION
208	Q72DIS	87	Num	8	1643	Q72	PHYSICIAN NOTES AT DISCHARGE
209	Q73OTHR	88	Num	8	1651	Q73	ANY PHYSICIAN NOTES AT ANY OTHER TI
210	Q74_METH	88	Num	8	1659	Q74	METHADONE GIVEN DURING THIS TREATME
211	Q74ATOT	89	Num	8	1667	Q74ATOT	TOTAL DAILY DOSE IN MGS.
212	Q74AGIV	90	Num	8	1675	Q74AGIV	GIVEN DOSE IN MGS.
213	Q74ANUM	90	Num	8	1683	Q74ANUM	NUMBER OF TIMES/DAY
214	Q74APLC	91	Num	8	1691	Q74APLAC	PLACE
215	Q74BTOT	92	Num	8	1699	Q74BTOT	TOTAL DAILY DOSE IN MGS.
216	Q74BGIV	93	Num	8	1707	Q74BGIV	GIVEN DOSE IN MGS.
217	Q74BNUM	94	Num	8	1715	Q74BNUM	NUMBER OF TIMES/DAY
218	Q74BPLC	94	Num	8	1723	Q74BPLAC	PLACE
219	Q75_HOME	94	Num	8	1731	Q75	METHADONE TAKEN HOME DURING TREATME
220	Q76_DIS	95	Num	8	1739	Q76	REASON FOR DISCHARGE
221	Q79SUB	95	Num	8	1747	Q79	SUBSTANCE ABUSE/MENTAL ILLNESS AT D
222	Q80_PLN	95	Num	8	1755	Q80	AFTER-CARE PLAN STATED IN RECORD
223	Q81AFTR	95	Num	8	1763	Q81	SERVICES IN AFTER-CARE PLAN
224	Q74A_YR	96	Num	8	1771	Q74A_YR	DATE FIRST METHADONE TREATMENT
225	Q74B_YR	96	Num	8	1779	Q74B_YR	DATE LAST METHADONE TREATMENT
226	Q77_YR	96	Num	8	1787	Q77_YR	DATE OF DISCHARGE (YR)
227	Q78_YR	97	Num	8	1795	Q78_YR	DATE OF LAST TREATMENT (YR)
228	Q81A	97	Num	8	1803	Q81A	Individual Counseling
229	Q81B	97	Num	8	1811	Q81B	Group Counseling
230	Q81C	97	Num	8	1819	Q81C	Family Counseling
231	Q81D	98	Num	8	1827	Q81D	Educational classes
232	Q81E	98	Num	8	1835	Q81E	Employment Counseling
233	Q81F	98	Num	8	1843	Q81F	Job Training
234	Q81G	98	Num	8	1851	Q81G	Activity groups
235	Q81H	99	Num	8	1859	Q81H	Self-help groups (include AA and N
236	Q81I	99	Num	8	1867	Q81I	Alumini group/reunion
237	Q81J	99	Num	8	1875	Q81J	Other (SPECIFY)
238	Q82AFTR	99	Num	8	1883	Q82	FURTHER TREATMENT SERVICES PARTICIP
239	Q83BILL	100	Num	8	1891	Q83	BILLED CHARGES FOR THIS TREATMENT S
240	Q83A_DOL	100	Num	8	1899	Q83A	DOLLAR AMOUNT
241	Q83CODE	100	Num	8	1907	Q83CODE	CHARGE CODE:
242	Q83PCNT	101	Num	8	1915	Q83PC	PERCENT OF FULL BILL CHARGED
243	Q83B	101	Num	8	1923	Q83B	WAS THIS A FUNDED SLOT
244	Q353CMNT	102	Num	8	1931	Q353CMNT	COMMENTS ON BACK PAGE (yes/no)
245	Q33B1RCD	103	Char	5	1939	Q33B	Secondary Medical Code
246	Q33B2RCD	105	Char	5	1944	Q33B	Tertiary Medical Code

-----Variables Ordered Alphabetically-----

#	Variable	Type	Len	Pos	Label
1	CLIENTID	Num	8	0	CLIENT ID (ASSIGNED BY NORC)
9	CLIENTYP	Num	8	56	DSRS CLIENT TREATMENT TYPE
6	DEAD	Num	8	38	CLIENT DIED BEFORE INTERVIEW
8	DISP	Char	2	54	DISPOSITION CODE
5	ENVIRONM	Char	1	26	FACILITY ENVIRONMENT
2	FAC_ID	Num	8	8	FACILITY ID (ASSIGNED BY NORC)
3	MODE	Num	8	17	TREATMENT MODE
15	Q10_AGE	Num	8	104	Q10 AGE AT ADM (TOPCODE 57-64 65-74 75+)
16	Q11GEND	Num	8	112	Q11 GENDER
17	Q12RACE	Num	8	120	Q12 RACE (RECODED)
18	Q13ETHN	Num	8	128	Q13 ETHNICITY
19	Q14MSTA	Num	8	136	Q14 MARITAL STATUS AT ADMISSION (CODE O
20	Q15CHLD	Num	8	144	Q15 HAVE CHILD/CHILDREN AT ADMISSION
21	Q16CHLV	Num	8	152	Q16 LIVING WITH OWN CHILD/CHILDREN AT A
22	Q17ARNG	Num	8	160	Q17 LIVING ARRANGEMENT AT ADMISSION

23	Q18EDU	Num	8	168	Q18	EDUCATION AT ADMISSION (CODE HIGHE
24	Q19STU	Num	8	176	Q19	STUDENT AT ADMISSION
25	Q20EMPL	Num	8	184	Q20	EMPLOYMENT AT ADMISSION (CODE ONE)
26	Q22DWI	Num	8	192	Q22	DWI/DUI PRIOR TO ADMISSION
27	Q23OTHR	Num	8	200	Q23	OTHER ARRESTS PRIOR TO ADMISSION
28	Q24JAIL	Num	8	208	Q24	PRISON OR JAIL RECORD PRIOR TO ADMI
29	Q25TRTMN	Num	8	216	Q25	RECEIVING TREATMENT AS CONDITION OF
30	Q26HOSP	Num	8	224	Q26	NUMBER OF HOSPITALIZATIONS YEAR PRI
31	Q27MED	Num	8	232	Q27	CHRONIC MEDICAL CONDITIONS AT ADMIS
32	Q28HIST	Num	8	240	Q28	HISTORY OF PSYCHOLOGICAL DISORDERS
33	Q29ABUSE	Num	8	248	Q29	SUBSTANCE ABUSE/MENTAL ILLNESS
34	Q30PREG	Num	8	256	Q30	PREGNANCY STATUS AT ADMISSION AS ST
35	Q31PROB	Num	8	264	Q31	PRESENTING PROBLEM AT ADMISSION
36	Q32PRIN	Num	8	272	Q32	PRINCIPAL TREATMENT FOCUS
245	Q33B1RCD	Char	5	1939	Q33B	Secondary Medical Code
246	Q33B2RCD	Char	5	1944	Q33B	Tertiary Medical Code
37	Q33CODE	Char	6	280	Q33	Medical Code (5 digits)
38	Q33RCODE	Char	5	286	Q33	Medical Code (4 digits)
40	Q34AINF	Num	8	299	Q34A	HAS AIDS
39	Q34HIV	Num	8	291	Q34	HIV STATUS AS STATED IN RECORD
244	Q353CMNT	Num	8	1931	Q353CMNT	COMMENTS ON BACK PAGE (yes/no)
41	Q35A	Num	8	307	Q35A	EVER USED COCAINE (EXCLUDE CRACK)
42	Q35B	Num	8	315	Q35B	USED COCAINE IN LAST 30 DAYS
43	Q35C	Num	8	323	Q35C	AGE (IN YEARS) AT FIRST USE
44	Q36A	Num	8	331	Q36A	EVER USED CRACK
45	Q36B	Num	8	339	Q36B	USED CRACK IN LAST 30 DAYS
46	Q36C	Num	8	347	Q36C	AGE (IN YEARS) AT FIRST USE
47	Q37A	Num	8	355	Q37A	EVER USED HEROIN
48	Q37B	Num	8	363	Q37B	USED HEROIN IN LAST 30 DAYS
49	Q37C	Num	8	371	Q37C	AGE (IN YEARS) AT FIRST USE
50	Q38A	Num	8	379	Q38A	EVER USED NON-TREATMENT METHADONE
51	Q38B	Num	8	387	Q38B	USED NON-TREATMENT MEHADONE IN LAS
52	Q38C	Num	8	395	Q38C	AGE (IN YEARS) AT FIRST USE
53	Q39A	Num	8	403	Q39A	EVER USED OTHER OPIATES/SYNTHETICS
54	Q39B	Num	8	411	Q39B	USED OPIATES/SYNTHETICS IN LAST 30
55	Q39C	Num	8	419	Q39C	AGE (IN YEARS) AT FIRST USE
10	Q3_WAIT	Num	8	64	Q3	WAITING TIME FOR ADMISSION INTO PROG
56	Q40A	Num	8	427	Q40A	EVER USED BARBITURATES
57	Q40B	Num	8	435	Q40B	USED BARBITURATES IN LAST 30 DAYS
58	Q40C	Num	8	443	Q40C	AGE (IN YEARS) AT FIRST USE
59	Q41A	Num	8	451	Q41A	EVER USED BENZODIAZEPINES
60	Q41B	Num	8	459	Q41B	USED BENZODIAZEPINES IN LAST 30 DA
61	Q41C	Num	8	467	Q41C	AGE (IN YEARS) AT FIRST USE
62	Q42A	Num	8	475	Q42A	EVER USED OTHER SEDATIVES/HYPNOTIC
63	Q42B	Num	8	483	Q42B	USED SEDATIVES/HYPNOTICS IN LAST 3
64	Q42C	Num	8	491	Q42C	AGE (IN YEARS) AT FIRST USE
65	Q43A	Num	8	499	Q43A	EVER USED METHAMPHETAMINES
66	Q43B	Num	8	507	Q43B	USED METHAMPHETAMINES IN LAST 30 D
67	Q43C	Num	8	515	Q43C	AGE (IN YEARS) AT FIRST USE
68	Q44A	Num	8	523	Q44A	EVER USED OTHER AMPHETAMINES
69	Q44B	Num	8	531	Q44B	USED OTHER AMPHETAMINES IN LAST 30
70	Q44C	Num	8	539	Q44C	AGE (IN YEARS) AT FIRST USE
71	Q45A	Num	8	547	Q45A	EVER USED MARIJUANA/HASHISH/THC
72	Q45B	Num	8	555	Q45B	USED MARIJUANA/HASHISH/THC IN LAST
73	Q45C	Num	8	563	Q45C	AGE (IN YEARS) AT FIRST USE
74	Q46A	Num	8	571	Q46A	EVER USED PCP/LSD
75	Q46B	Num	8	579	Q46B	USED PCP/LSD IN LAST 30 DAYS
76	Q46C	Num	8	587	Q46C	AGE (IN YEARS) AT FIRST USE
77	Q47A	Num	8	595	Q47A	EVER USED OTHER HALLUCINOGENS
78	Q47B	Num	8	603	Q47B	USED OTHER HALLUCINOGENS IN LAST 3
79	Q47C	Num	8	611	Q47C	AGE (IN YEARS) AT FIRST USE
80	Q48A	Num	8	619	Q48A	EVER USED INHALANTS
81	Q48B	Num	8	627	Q48B	USED INHALANTS IN LAST 30 DAYS
82	Q48C	Num	8	635	Q48C	AGE (IN YEARS) AT FIRST USE
83	Q49A	Num	8	643	Q49A	EVER USED OVER THE COUNTER DRUG (S
84	Q49B	Num	8	651	Q49B	USED OVER THE COUNTER DRUG IN LAST
85	Q49C	Num	8	659	Q49C	AGE (IN YEARS) AT FIRST USE
11	Q4_PLAN	Num	8	72	Q4	PLANNED LENGTH OF TREATMENT SERVICES
86	Q50A	Num	8	667	Q50A	EVER USED ALCOHOL

87	Q50B	Num	8	675	Q50B USED ALCOHOL IN LAST 30 DAYS
88	Q50C	Num	8	683	Q50C AGE (IN YEARS) AT FIRST USE
89	Q51A	Num	8	691	Q51A EVER USE OTHER DRUG (SPECIFY)
90	Q51B	Num	8	699	Q51B USED OTHER DRUG IN LAST 30 DAYS
91	Q51C	Num	8	707	Q51C AGE (IN YEARS) AT FIRST USE OF OTH
92	Q52DRUG	Num	8	715	Q52DRUG DRUG OF CHOICE SPECIFD AT ADMIS
94	Q53ADUSE	Num	8	731	Q53ADUSE INTRAVENOUS DRUG USER AT ADMIS
95	Q53BFRE	Num	8	739	Q53BFRE FREQUENCY OF IV DRUG USE
93	Q53INT	Num	8	723	Q53INT INTRAVENOUS DRUG USER EVER
96	Q54NUM	Num	8	747	Q54NUM # OF TESTS IN TR (TOP-CODE 15+)
97	Q55POSTV	Num	8	755	Q55POSTV # OF POSTV TESTS (TOP-CODE 15+)
107	Q56A1	Num	8	835	Q56A1 Cocaine (including crack) I
108	Q56A2	Num	8	843	Q56A2 Cocaine (including crack) II
109	Q56B1	Num	8	851	Q56B1 Heroin I
110	Q56B2	Num	8	859	Q56B2 Heroin II
111	Q56C1	Num	8	867	Q56C1 Non-treatment methadone I
112	Q56C2	Num	8	875	Q56C2 Non-treatment methadone II
113	Q56D1	Num	8	883	Q56D1 Other opiates/synthetics I
114	Q56D2	Num	8	891	Q56D2 Other opiates/synthetics II
115	Q56E1	Num	8	899	Q56E1 Barbiturates I
116	Q56E2	Num	8	907	Q56E2 Barbiturates II
117	Q56F1	Num	8	915	Q56F1 Benzodiazepines I
118	Q56F2	Num	8	923	Q56F2 Benzodiazepines II
119	Q56G1	Num	8	931	Q56G1 Other sedatives/hypnotics I
120	Q56G2	Num	8	939	Q56G2 Other sedatives/hypnotics II
121	Q56H1	Num	8	947	Q56H1 Methamphetamines I
122	Q56H2	Num	8	955	Q56H2 Methamphetamines II
123	Q56I1	Num	8	963	Q56I1 Other amphetamines I
124	Q56I2	Num	8	971	Q56I2 Other amphetamines II
125	Q56J1	Num	8	979	Q56J1 Marijuana/Hashish/THC I
126	Q56J2	Num	8	987	Q56J2 Marijuana/Hashish/THC II
127	Q56K1	Num	8	995	Q56K1 PCP/LSD I
128	Q56K2	Num	8	1003	Q56K2 PCP/LSD II
129	Q56L1	Num	8	1011	Q56L1 Other hallucinogens I
130	Q56L2	Num	8	1019	Q56L2 Other hallucinogens II
131	Q56M1	Num	8	1027	Q56M1 Inhalants I
132	Q56M2	Num	8	1035	Q56M2 Inhalants II
133	Q56N1	Num	8	1043	Q56N1 Alcohol I
134	Q56N2	Num	8	1051	Q56N2 Alcohol II
135	Q56O1	Num	8	1059	Q56O1 Other (SPECIFY) I
136	Q56O2	Num	8	1067	Q56O2 Other (SPECIFY) II
98	Q56TEST	Num	8	763	Q56TEST SUBSTCE ABUSE TEST DURING SAMP
102	Q56_DAY1	Num	8	795	Q56_DAY1 DATE OF RESULTS TEST1 - DAY
105	Q56_DAY2	Num	8	819	Q56_DAY2 DATE OF RESULTS TEST2 - DAY
101	Q56_MON1	Num	8	787	Q56_MON1 DATE OF RESULTS TEST1 - MONTH
104	Q56_MON2	Num	8	811	Q56_MON2 DATE OF RESULTS TEST2 - MONTH
99	Q56_T1	Num	8	771	Q56_T1 CODE OF FIRST TEST
100	Q56_T2	Num	8	779	Q56_T2 CODE OF LAST TEST
103	Q56_YR1	Num	8	803	Q56_YR1 DATE OF RESULTS TEST1 - YEAR
106	Q56_YR2	Num	8	827	Q56_YR2 DATE OF RESULTS TEST2 - YEAR
138	Q57AYRN	Num	8	1083	Q57A # OF YEARS OVER WHICH TREATMENT SE
137	Q57TOTN	Num	8	1075	Q57 # OF TRTMNT EPISODES (TOP-CODE 11+)
139	Q58PAST	Num	8	1091	Q58 PAST TREATMENT EPISODES
142	Q58_FAA	Num	8	1115	Q58_FAA FACILITY CODES
146	Q58_FAB	Num	8	1147	Q58_FAB FACILITY CODES
150	Q58_FAC	Num	8	1179	Q58_FAC FACILITY CODES
154	Q58_FAD	Num	8	1211	Q58_FAD FACILITY CODES
158	Q58_FAE	Num	8	1243	Q58_FAE FACILITY CODES
162	Q58_FAF	Num	8	1275	Q58_FAF FACILITY CODES
166	Q58_FAG	Num	8	1307	Q58_FAG FACILITY CODES
170	Q58_FAH	Num	8	1339	Q58_FAH FACILITY CODES
174	Q58_FAI	Num	8	1371	Q58_FAI FACILITY CODES
178	Q58_FAJ	Num	8	1403	Q58_FAJ FACILITY CODES
140	Q58_PRA	Num	8	1099	Q58_PRA REASON FOR TREATMENT SERVICES
144	Q58_PRB	Num	8	1131	Q58_PRB REASON FOR TREATMENT SERVICES
148	Q58_PRC	Num	8	1163	Q58_PRC REASON FOR TREATMENT SERVICES
152	Q58_PRD	Num	8	1195	Q58_PRD REASON FOR TREATMENT SERVICES
156	Q58_PRE	Num	8	1227	Q58_PRE REASON FOR TREATMENT SERVICES
160	Q58_PRF	Num	8	1259	Q58_PRF REASON FOR TREATMENT SERVICES

164	Q58_PRG	Num	8	1291	Q58_PRG REASON FOR TREATMENT SERVICES
168	Q58_PRH	Num	8	1323	Q58_PRH REASON FOR TREATMENT SERVICES
172	Q58_PRI	Num	8	1355	Q58_PRI REASON FOR TREATMENT SERVICES
176	Q58_PRJ	Num	8	1387	Q58_PRJ REASON FOR TREATMENT SERVICES
143	Q58_REA	Num	8	1123	Q58_REA REASON FOR DISCHARGE
147	Q58_REB	Num	8	1155	Q58_REB REASON FOR DISCHARGE
151	Q58_REC	Num	8	1187	Q58_REC REASON FOR DISCHARGE
155	Q58_RED	Num	8	1219	Q58_RED REASON FOR DISCHARGE
159	Q58_REE	Num	8	1251	Q58_REE REASON FOR DISCHARGE
163	Q58_REF	Num	8	1283	Q58_REF REASON FOR DISCHARGE
167	Q58_REG	Num	8	1315	Q58_REG REASON FOR DISCHARGE
171	Q58_REH	Num	8	1347	Q58_REH REASON FOR DISCHARGE
175	Q58_REI	Num	8	1379	Q58_REI REASON FOR DISCHARGE
179	Q58_REJ	Num	8	1411	Q58_REJ REASON FOR DISCHARGE
141	Q58_SECA	Num	8	1107	Q58_SECA REASON FOR TREATMENT SERVICES
145	Q58_SECB	Num	8	1139	Q58_SECB REASON FOR TREATMENT SERVICES
149	Q58_SECC	Num	8	1171	Q58_SECC REASON FOR TREATMENT SERVICES
153	Q58_SECD	Num	8	1203	Q58_SECD REASON FOR TREATMENT SERVICES
157	Q58_SECE	Num	8	1235	Q58_SECE REASON FOR TREATMENT SERVICES
161	Q58_SECF	Num	8	1267	Q58_SECF REASON FOR TREATMENT SERVICES
165	Q58_SECG	Num	8	1299	Q58_SECG REASON FOR TREATMENT SERVICES
169	Q58_SECH	Num	8	1331	Q58_SECH REASON FOR TREATMENT SERVICES
173	Q58_SECI	Num	8	1363	Q58_SECI REASON FOR TREATMENT SERVICES
177	Q58_SECJ	Num	8	1395	Q58_SECJ REASON FOR TREATMENT SERVICES
181	Q59_FAC	Num	8	1427	Q59_FAC FACILITY
182	Q59_NO	Num	8	1435	Q59_NO # OF ENCOUNTERS (TOP-CODED 50+)
180	Q59_SER	Num	8	1419	Q59_SER INDIVIDUAL COUNSELING
12	Q5_PRIM	Num	8	80	Q5 PRIMARY REFERRAL SOURCE (CODE ONE)
184	Q60_FAC	Num	8	1451	Q60_FAC FACILITY
185	Q60_NO	Num	8	1459	Q60_NO # OF ENCOUNTERS (TOP-CODED 50+)
183	Q60_SER	Num	8	1443	Q60_SER GROUP COUNSELING
187	Q61_FAC	Num	8	1475	Q61_FAC FACILITY
188	Q61_NO	Num	8	1483	Q61_NO # OF ENCOUNTERS (TOP-CODED 50+)
186	Q61_SER	Num	8	1467	Q61_SER FAMILY COUNSELING
190	Q62_FAC	Num	8	1499	Q62_FAC FACILITY
191	Q62_NO	Num	8	1507	Q62_NO # OF ENCOUNTERS (TOP-CODED 50+)
189	Q62_SER	Num	8	1491	Q62_SER DRUG EDUCATION COUNSELING
193	Q63_FAC	Num	8	1523	Q63_FAC FACILITY
192	Q63_SER	Num	8	1515	Q63_SER EMPLOYMENT COUNSELING
195	Q64_FAC	Num	8	1539	Q64_FAC FACILITY
194	Q64_SER	Num	8	1531	Q64_SER JOB TRAINING
197	Q65_FAC	Num	8	1555	Q65_FAC FACILITY
196	Q65_SER	Num	8	1547	Q65_SER EDUCATIONAL CLASSES
199	Q66_FAC	Num	8	1571	Q66_FAC FACILITY
198	Q66_SER	Num	8	1563	Q66_SER DETOXIFICATION
201	Q67_FAC	Num	8	1587	Q67_FAC FACILITY
200	Q67_SER	Num	8	1579	Q67_SER ACTIVITY GROUPS
203	Q68_FAC	Num	8	1603	Q68_FAC FACILITY
202	Q68_SER	Num	8	1595	Q68_SER SELF-HELP GROUPS (INCLUDE AA AN
205	Q69_FAC	Num	8	1619	Q69_FAC FACILITY
204	Q69_SER	Num	8	1611	Q69_SER DAY CARE FOR CHILDREN
13	Q6_PRIM	Num	8	88	Q6 PRIMARY SOURCE OF PAYMENT FOR TREATM
206	Q70MED	Num	8	1627	Q70 MEDICATIONS PRESCRIBED DURING TREAT
207	Q71ADM	Num	8	1635	Q71 ANY PHYSICIAN NOTES AT ADMISSION
208	Q72DIS	Num	8	1643	Q72 PHYSICIAN NOTES AT DISCHARGE
209	Q73OTHR	Num	8	1651	Q73 ANY PHYSICIAN NOTES AT ANY OTHER TI
212	Q74AGIV	Num	8	1675	Q74AGIV GIVEN DOSE IN MGS.
213	Q74ANUM	Num	8	1683	Q74ANUM NUMBER OF TIMES/DAY
214	Q74APLC	Num	8	1691	Q74APLAC PLACE
211	Q74ATOT	Num	8	1667	Q74ATOT TOTAL DAILY DOSE IN MGS.
224	Q74A_YR	Num	8	1771	Q74A_YR DATE FIRST METHADONE TREATMENT
216	Q74BGIV	Num	8	1707	Q74BGIV GIVEN DOSE IN MGS.
217	Q74BNUM	Num	8	1715	Q74BNUM NUMBER OF TIMES/DAY
218	Q74BPLC	Num	8	1723	Q74BPLAC PLACE
215	Q74BTOT	Num	8	1699	Q74BTOT TOTAL DAILY DOSE IN MGS.
225	Q74B_YR	Num	8	1779	Q74B_YR DATE LAST METHADONE TREATMENT
210	Q74_METH	Num	8	1659	Q74 METHADONE GIVEN DURING THIS TREATME
219	Q75_HOME	Num	8	1731	Q75 METHADONE TAKEN HOME DURING TREATME
220	Q76_DIS	Num	8	1739	Q76 REASON FOR DISCHARGE

226	Q77_YR	Num	8	1787	Q77_YR DATE OF DISCHARGE (YR)
227	Q78_YR	Num	8	1795	Q78_YR DATE OF LAST TREATMENT (YR)
221	Q79SUB	Num	8	1747	Q79 SUBSTANCE ABUSE/MENTAL ILLNESS AT D
14	Q7_SECN	Num	8	96	Q7 SECONDARY SOURCE OF PAYMENT FOR THES
222	Q80_PLN	Num	8	1755	Q80 AFTER-CARE PLAN STATED IN RECORD
228	Q81A	Num	8	1803	Q81A Individual Counseling
223	Q81AFTR	Num	8	1763	Q81 SERVICES IN AFTER-CARE PLAN
229	Q81B	Num	8	1811	Q81B Group Counseling
230	Q81C	Num	8	1819	Q81C Family Counseling
231	Q81D	Num	8	1827	Q81D Educational classes
232	Q81E	Num	8	1835	Q81E Employment Counseling
233	Q81F	Num	8	1843	Q81F Job Training
234	Q81G	Num	8	1851	Q81G Activity groups
235	Q81H	Num	8	1859	Q81H Self-help groups (include AA and N
236	Q81I	Num	8	1867	Q81I Alumini group/reunion
237	Q81J	Num	8	1875	Q81J Other (SPECIFY)
238	Q82AFTR	Num	8	1883	Q82 FURTHER TREATMENT SERVICES PARTICIP
240	Q83A_DOL	Num	8	1899	Q83A DOLLAR AMOUNT
243	Q83B	Num	8	1923	Q83B WAS THIS A FUNDED SLOT
239	Q83BILL	Num	8	1891	Q83 BILLED CHARGES FOR THIS TREATMENT S
241	Q83CODE	Num	8	1907	Q83CODE CHARGE CODE:
242	Q83PCNT	Num	8	1915	Q83PC PERCENT OF FULL BILL CHARGED
7	RESP	Num	8	46	RESPONDED TO FOLLOW-UP INTERVIEW
4	UTYPE	Char	1	25	TREATMENT UNIT TYPE

Section D. Frequency Distribution Listing
Data Abstraction

CLIENT ID (ASSIGNED BY NORC)

CLIENTID	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1000001	1	1.8	1	1.8
1000002	1	1.8	2	3.6
1000003	1	1.8	3	5.4
1000004	1	1.8	4	7.1
1000005	1	1.8	5	8.9
1000006	1	1.8	6	10.7
1000007	1	1.8	7	12.5
1000008	1	1.8	8	14.3
1000009	1	1.8	9	16.1
1000010	1	1.8	10	17.9
1000011	1	1.8	11	19.6
1000012	1	1.8	12	21.4
1000013	1	1.8	13	23.2
1000014	1	1.8	14	25.0
1000015	1	1.8	15	26.8
1000016	1	1.8	16	28.6
1000017	1	1.8	17	30.4
1000018	1	1.8	18	32.1
1000019	1	1.8	19	33.9
1000020	1	1.8	20	35.7
1000021	1	1.8	21	37.5
1000022	1	1.8	22	39.3
1000023	1	1.8	23	41.1
1000024	1	1.8	24	42.9
1000025	1	1.8	25	44.6
1000026	1	1.8	26	46.4
1000027	1	1.8	27	48.2
1000028	1	1.8	28	50.0
1000029	1	1.8	29	51.8
1000030	1	1.8	30	53.6
1000031	1	1.8	31	55.4
1000032	1	1.8	32	57.1
1000033	1	1.8	33	58.9
1000034	1	1.8	34	60.7
1000035	1	1.8	35	62.5
1000036	1	1.8	36	64.3
1000037	1	1.8	37	66.1
1000038	1	1.8	38	67.9
1000039	1	1.8	39	69.6
1000040	1	1.8	40	71.4
1000041	1	1.8	41	73.2
1000042	1	1.8	42	75.0
1000043	1	1.8	43	76.8
1000044	1	1.8	44	78.6
1000045	1	1.8	45	80.4
1000046	1	1.8	46	82.1
1000047	1	1.8	47	83.9
1000048	1	1.8	48	85.7
1000049	1	1.8	49	87.5
1000050	1	1.8	50	89.3
1000051	1	1.8	51	91.1
1000052	1	1.8	52	92.9
1000053	1	1.8	53	94.6
1000054	1	1.8	54	96.4
1000055	1	1.8	55	98.2
1000056	1	1.8	56	100.0

FACILITY ID (ASSIGNED BY NORC)

FAC_ID	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1001	4	0.1	4	0.1
1002	13	0.4	17	0.6
1003	14	0.5	31	1.0
1004	19	0.6	50	1.6
1005	5	0.2	55	1.8
1006	15	0.5	70	2.3
1007	19	0.6	89	2.9
1008	20	0.7	109	3.6
1009	14	0.5	123	4.0
1010	19	0.6	142	4.7
1011	14	0.5	156	5.1
1012	103	3.4	259	8.5
1013	20	0.7	279	9.2
1014	46	1.5	325	10.7
1015	87	2.9	412	13.5
1016	18	0.6	430	14.1
1017	45	1.5	475	15.6
1018	20	0.7	495	16.2
1019	39	1.3	534	17.5
1020	18	0.6	552	18.1
1021	53	1.7	605	19.9
1022	36	1.2	641	21.0
1023	17	0.6	658	21.6
1024	13	0.4	671	22.0
1025	62	2.0	733	24.1
1026	17	0.6	750	24.6
1027	19	0.6	769	25.2
1028	86	2.8	855	28.1
1029	16	0.5	871	28.6
1030	42	1.4	913	30.0
1031	17	0.6	930	30.5
1032	73	2.4	1003	32.9
1033	20	0.7	1023	33.6
1035	17	0.6	1040	34.1
1036	20	0.7	1060	34.8
1037	35	1.1	1095	35.9
1038	20	0.7	1115	36.6
1039	30	1.0	1145	37.6
1040	19	0.6	1164	38.2
1041	48	1.6	1212	39.8
1042	95	3.1	1307	42.9
1043	11	0.4	1318	43.3
1044	55	1.8	1373	45.1
1045	96	3.2	1469	48.2
1046	42	1.4	1511	49.6
1047	14	0.5	1525	50.0
1048	15	0.5	1540	50.5
1049	60	2.0	1600	52.5
1050	19	0.6	1619	53.1
1051	21	0.7	1640	53.8
1052	20	0.7	1660	54.5
1053	19	0.6	1679	55.1
1054	38	1.2	1717	56.4
1055	18	0.6	1735	56.9
1056	94	3.1	1829	60.0
1057	56	1.8	1885	61.9

FACILITY ID (ASSIGNED BY NORC)

FAC_ID	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1058	18	0.6	1903	62.5
1059	20	0.7	1923	63.1
1060	62	2.0	1985	65.1
1061	41	1.3	2026	66.5
1062	20	0.7	2046	67.1
1063	20	0.7	2066	67.8
1064	36	1.2	2102	69.0
1065	18	0.6	2120	69.6
1066	19	0.6	2139	70.2
1067	13	0.4	2152	70.6
1068	20	0.7	2172	71.3
1069	16	0.5	2188	71.8
1070	19	0.6	2207	72.4
1071	11	0.4	2218	72.8
1072	48	1.6	2266	74.4
1073	19	0.6	2285	75.0
1074	16	0.5	2301	75.5
1075	20	0.7	2321	76.2
1076	50	1.6	2371	77.8
1077	73	2.4	2444	80.2
1078	19	0.6	2463	80.8
1079	13	0.4	2476	81.3
1080	13	0.4	2489	81.7
1081	12	0.4	2501	82.1
1082	20	0.7	2521	82.7
1083	11	0.4	2532	83.1
1084	20	0.7	2552	83.8
1085	17	0.6	2569	84.3
1086	20	0.7	2589	85.0
1087	20	0.7	2609	85.6
1088	12	0.4	2621	86.0
1089	78	2.6	2699	88.6
1090	117	3.8	2816	92.4
1091	16	0.5	2832	92.9
1092	29	1.0	2861	93.9
1093	20	0.7	2881	94.6
1094	20	0.7	2901	95.2
1095	20	0.7	2921	95.9
1096	18	0.6	2939	96.5
1097	20	0.7	2959	97.1
1098	19	0.6	2978	97.7
1099	69	2.3	3047	100.0

TREATMENT MODE

MODE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 = Hospital Inpatient	758	24.9	758	24.9
2 = Residential	779	25.6	1537	50.4
3 = Outpatient Meth.Maintenance	735	24.1	2272	74.6
4 = Outpatient Drug-Free	775	25.4	3047	100.0

TREATMENT UNIT TYPE

UTYPE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 = Drug Treatment Unit	1571	51.6	1571	51.6
3 = Both Alc/Drug Treatment	1476	48.4	3047	100.0

FACILITY ENVIRONMENT

ENVIRONM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 = Hospital Inpatient	753	24.7	753	24.7
2 = Residential Care	784	25.7	1537	50.4
3 = Outpatient Care	1510	49.6	3047	100.0

CLIENT DIED BEFORE INTERVIEW

DEAD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Alive at time of follow-up	2770	90.9	2770	90.9
1 = Deceased	277	9.1	3047	100.0

RESPONDED TO FOLLOW-UP INTERVIEW

RESP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Non-respondent in follow-up	1248	41.0	1248	41.0
1 = Respondent in follow-up	1799	59.0	3047	100.0

DISPOSITION CODE

DISP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
71, 72, 79, = Respondents	1799	59.0	1799	59.0
73, 74, = Deceased	277	9.1	2076	68.1
86 = Language problem	1	0.0	2077	68.2
87 = Incapacitated	16	0.5	2093	68.7
89 = Out of scope	45	1.5	2138	70.2
93 = Unlocatable	558	18.3	2696	88.5
94 = Unavailable	41	1.3	2737	89.8
95 = Refused	266	8.7	3003	98.6
96 = Refusal by prison	28	0.9	3031	99.5
99 = Final other NIR	16	0.5	3047	100.0

DSRS CLIENT TREATMENT TYPE

	CLIENTYP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
	-3	1334	43.9	1334	43.9
1 = Hospital In-Patient		462	15.2	1796	59.1
2 = Residential		437	14.4	2233	73.5
3 = Out-Patient Detox/Maintenance		241	7.9	2474	81.4
4 = 4 = Out-Patient Drug-free		324	10.7	2798	92.0
5 = Alcohol only		87	2.9	2885	94.9
7 = Combination		125	4.1	3010	99.0
9 = Unknown/Unable to determine		30	1.0	3040	100.0

Frequency Missing = 7

Q3 WAITING TIME FOR ADMISSION INTO PROG

Q3_WAIT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	1	0.0	1	0.0
-3 = Missing	13	0.4	14	0.5
-2 = Don't know	1542	50.7	1556	51.2
0	1196	39.3	2752	90.5
1	36	1.2	2788	91.7
2	13	0.4	2801	92.1
3	28	0.9	2829	93.1
4	14	0.5	2843	93.5
5	16	0.5	2859	94.0
6	21	0.7	2880	94.7
7	27	0.9	2907	95.6
8	15	0.5	2922	96.1
9	12	0.4	2934	96.5
10	4	0.1	2938	96.6
11	3	0.1	2941	96.7
12	3	0.1	2944	96.8
13	6	0.2	2950	97.0
14	7	0.2	2957	97.3
15	1	0.0	2958	97.3
16	1	0.0	2959	97.3
17	5	0.2	2964	97.5
18	4	0.1	2968	97.6
19	3	0.1	2971	97.7
20	5	0.2	2976	97.9
21	4	0.1	2980	98.0
22	7	0.2	2987	98.3
23	3	0.1	2990	98.4
24	1	0.0	2991	98.4
27	5	0.2	2996	98.6
28	1	0.0	2997	98.6
30	4	0.1	3001	98.7
31	2	0.1	3003	98.8
32	2	0.1	3005	98.8
33	2	0.1	3007	98.9
35	1	0.0	3008	98.9
36	1	0.0	3009	99.0
37	2	0.1	3011	99.0
38	1	0.0	3012	99.1
40	1	0.0	3013	99.1
41	1	0.0	3014	99.1
42	1	0.0	3015	99.2
43	1	0.0	3016	99.2
44	2	0.1	3018	99.3
45	2	0.1	3020	99.3
48	1	0.0	3021	99.4
50	2	0.1	3023	99.4
54	1	0.0	3024	99.5
56	2	0.1	3026	99.5
57	1	0.0	3027	99.6
60	1	0.0	3028	99.6
69	1	0.0	3029	99.6
70	1	0.0	3030	99.7
72	1	0.0	3031	99.7
77	1	0.0	3032	99.7
80	1	0.0	3033	99.8
82	1	0.0	3034	99.8

Q3 WAITING TIME FOR ADMISSION INTO PROG

Q3_WAIT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
84	1	0.0	3035	99.8
85	1	0.0	3036	99.9
90	2	0.1	3038	99.9
98	2	0.1	3040	100.0

Frequency Missing = 7

Q4 PLANNED LENGTH OF TREATMENT SERVICES

Q4_PLAN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	1	0.0	1	0.0
-3 = Missing	47	1.5	48	1.6
-2 = Don't know	1960	64.5	2008	66.1
1	2	0.1	2010	66.1
2	3	0.1	2013	66.2
3	61	2.0	2074	68.2
4	33	1.1	2107	69.3
5	25	0.8	2132	70.1
6	4	0.1	2136	70.3
7	17	0.6	2153	70.8
8	1	0.0	2154	70.9
10	33	1.1	2187	71.9
11	2	0.1	2189	72.0
12	1	0.0	2190	72.0
13	1	0.0	2191	72.1
14	44	1.4	2235	73.5
15	5	0.2	2240	73.7
16	2	0.1	2242	73.8
17	2	0.1	2244	73.8
18	1	0.0	2245	73.8
19	3	0.1	2248	73.9
20	7	0.2	2255	74.2
21	55	1.8	2310	76.0
22	5	0.2	2315	76.2
23	2	0.1	2317	76.2
24	7	0.2	2324	76.4
25	1	0.0	2325	76.5
27	5	0.2	2330	76.6
28	115	3.8	2445	80.4
30	112	3.7	2557	84.1
31	25	0.8	2582	84.9
32	1	0.0	2583	85.0
34	1	0.0	2584	85.0
35	5	0.2	2589	85.2
37	1	0.0	2590	85.2
38	1	0.0	2591	85.2
42	4	0.1	2595	85.4
44	1	0.0	2596	85.4
45	2	0.1	2598	85.5
56	1	0.0	2599	85.5
60	43	1.4	2642	86.9
62	1	0.0	2643	86.9
70	32	1.1	2675	88.0
75	1	0.0	2676	88.0
80	1	0.0	2677	88.1
84	3	0.1	2680	88.2
90	84	2.8	2764	90.9
96	1	0.0	2765	91.0
98	2	0.1	2767	91.0
105	2	0.1	2769	91.1
120	34	1.1	2803	92.2
136	1	0.0	2804	92.2
140	1	0.0	2805	92.3
144	1	0.0	2806	92.3
150	1	0.0	2807	92.3
163	1	0.0	2808	92.4

Q4 PLANNED LENGTH OF TREATMENT SERVICES

Q4_PLAN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
168	1	0.0	2809	92.4
180	159	5.2	2968	97.6
182	1	0.0	2969	97.7
193	1	0.0	2970	97.7
210	1	0.0	2971	97.7
240	16	0.5	2987	98.3
270	4	0.1	2991	98.4
300	3	0.1	2994	98.5
365	30	1.0	3024	99.5
420	1	0.0	3025	99.5
450	7	0.2	3032	99.7
540	4	0.1	3036	99.9
720	2	0.1	3038	99.9
730	2	0.1	3040	100.0

Frequency Missing = 7

Q5 PRIMARY REFERRAL SOURCE (CODE ONE)

Q5_PRIM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	13	0.4	13	0.4
-2 = Don't know	237	7.8	250	8.2
1 = Self	814	26.8	1064	35.0
2 = Family	156	5.1	1220	40.1
3 = Friend/acquaintance	102	3.4	1322	43.5
4 = Clergy	11	0.4	1333	43.8
5 = School	36	1.2	1369	45.0
6 = Social service agency	124	4.1	1493	49.1
7 = Employee Assistance Program (EAP)	68	2.2	1561	51.3
8 = Employer (other than EAP)	27	0.9	1588	52.2
9 = Legal system-court order	491	16.2	2079	68.4
10 = Legal system-voluntary	67	2.2	2146	70.6
11 = Legal system-unspecified	109	3.6	2255	74.2
12 = Private physician	44	1.4	2299	75.6
13 = Community mental health center	56	1.8	2355	77.5
14 = Other health professional/provider	256	8.4	2611	85.9
15 = Another alcohol/drug abuse tx program	273	9.0	2884	94.9
16 = Other (SPECIFY)	156	5.1	3040	100.0

Frequency Missing = 7

Q6 PRIMARY SOURCE OF PAYMENT FOR TREATM

Q6_PRIM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	17	0.6	17	0.6
-2 = Don^t know	587	19.3	604	19.9
-1 = Refused	5	0.2	609	20.0
1 = Public subsidy	222	7.3	831	27.3
2 = Philanthropy	22	0.7	853	28.1
3 = No payment unspe	21	0.7	874	28.8
4 = Self-pay	669	22.0	1543	50.8
5 = HMO or other pre-paid plan	135	4.4	1678	55.2
6 = Private health insurance	436	14.3	2114	69.5
7 = Medicaid	414	13.6	2528	83.2
8 = Medicare	62	2.0	2590	85.2
10 = CHAMPUS	7	0.2	2597	85.4
11 = VA	57	1.9	2654	87.3
12 = Social services	96	3.2	2750	90.5
14 = Other (SPECIFY)	290	9.5	3040	100.0

Frequency Missing = 7

Q7 SECONDARY SOURCE OF PAYMENT FOR THES

Q7_SECN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	73	2.4	73	2.4
-2 = Don^t know	2050	67.4	2123	69.8
-1 = Refused	8	0.3	2131	70.1
1 = Public subsidy	57	1.9	2188	72.0
2 = Philanthropy	1	0.0	2189	72.0
3 = No payment unspe	121	4.0	2310	76.0
4 = Self-pay	513	16.9	2823	92.9
5 = HMO or other pre-paid plan	11	0.4	2834	93.2
6 = Private health insurance	30	1.0	2864	94.2
7 = Medicaid	30	1.0	2894	95.2
8 = Medicare	10	0.3	2904	95.5
9 = DOD	1	0.0	2905	95.6
10 = CHAMPUS	1	0.0	2906	95.6
11 = VA	15	0.5	2921	96.1
12 = Social services	14	0.5	2935	96.5
13 = Public housing/home relief	6	0.2	2941	96.7
14 = Other (SPECIFY)	99	3.3	3040	100.0

Frequency Missing = 7

Q10 AGE AT ADM (TOPCODE 57-64 65-74 75+)

Q10_AGE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	6	0.2	6	0.2
-2 = Don^t know	71	2.3	77	2.5
12	7	0.2	84	2.8
13	9	0.3	93	3.1
14	32	1.1	125	4.1
15	66	2.2	191	6.3
16	53	1.7	244	8.0
17	73	2.4	317	10.4
18	42	1.4	359	11.8
19	69	2.3	428	14.1
20	53	1.7	481	15.8
21	48	1.6	529	17.4
22	66	2.2	595	19.6
23	79	2.6	674	22.2
24	86	2.8	760	25.0
25	124	4.1	884	29.1
26	105	3.5	989	32.5
27	121	4.0	1110	36.5
28	136	4.5	1246	41.0
29	139	4.6	1385	45.6
30	153	5.0	1538	50.6
31	116	3.8	1654	54.4
32	134	4.4	1788	58.8
33	117	3.8	1905	62.7
34	116	3.8	2021	66.5
35	110	3.6	2131	70.1
36	81	2.7	2212	72.8
37	85	2.8	2297	75.6
38	81	2.7	2378	78.2
39	98	3.2	2476	81.4
40	72	2.4	2548	83.8
41	47	1.5	2595	85.4
42	60	2.0	2655	87.3
43	44	1.4	2699	88.8
44	41	1.3	2740	90.1
45	25	0.8	2765	91.0
46	22	0.7	2787	91.7
47	27	0.9	2814	92.6
48	21	0.7	2835	93.3
49	23	0.8	2858	94.0
50	17	0.6	2875	94.6
51	16	0.5	2891	95.1
52	15	0.5	2906	95.6
53	9	0.3	2915	95.9
54	4	0.1	2919	96.0
55	13	0.4	2932	96.4
56	12	0.4	2944	96.8
57 = 57-64	59	1.9	3003	98.8
65 = 65-74	31	1.0	3034	99.8
75 = 75+	6	0.2	3040	100.0

Frequency Missing = 7

Q11 GENDER

Q11GEND	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.1	2	0.1
-2 = Don^t know	2	0.1	4	0.1
1 = Male	2203	72.5	2207	72.6
2 = Female	833	27.4	3040	100.0

Frequency Missing = 7

Q12 RACE (RECODED)

Q12RACE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	5	0.2	5	0.2
-2 = Don^t know	188	6.2	193	6.3
2 = American Indian or Alaskan Native	38	1.3	231	7.6
3 = Asian or Pacific Islander	4	0.1	235	7.7
4 = Black (Afro-American)	827	27.2	1062	34.9
5 = White	1938	63.8	3000	98.7
6 = Other (SPECIFY)	40	1.3	3040	100.0

Frequency Missing = 7

Q13 ETHNICITY

Q13ETHN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	13	0.4	13	0.4
-2 = Don^t know	1330	43.8	1343	44.2
1 = Hispanic	258	8.5	1601	52.7
2 = Not of Hispanic origin	1439	47.3	3040	100.0

Frequency Missing = 7

Q14 MARITAL STATUS AT ADMISSION (CODE O)

Q14MSTA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	10	0.3	10	0.3
-2 = Don^t know	114	3.8	124	4.1
1 = Never married	731	24.0	855	28.1
2 = Married/common law	681	22.4	1536	50.5
3 = Widowed	44	1.4	1580	52.0
4 = Separated/divorced	831	27.3	2411	79.3
5 = Single	617	20.3	3028	99.6
6 = Other (SPECIFY)	12	0.4	3040	100.0

Frequency Missing = 7

Q15 HAVE CHILD/CHILDREN AT ADMISSION

Q15CHLD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	9	0.3	9	0.3
-2 = Don^t know	643	21.2	652	21.4
1 = Yes	1587	52.2	2239	73.7
2 = No	801	26.3	3040	100.0

Frequency Missing = 7

Q16 LIVING WITH OWN CHILD/CHILDREN AT A

Q16CHLV	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	19	0.8	19	0.8
-2 = Don^t know	528	22.3	547	23.1
1 = Yes	583	24.6	1130	47.7
2 = No	1237	52.3	2367	100.0

Frequency Missing = 680

Q17 LIVING ARRANGEMENT AT ADMISSION

	Q17ARNG	Frequency	Percent
-3 = Missing		13	0.4
-2 = Don't know		411	13.5
1 = No stable arrange. (include homeless, shelters)		126	4.1
2 = With partner/spouse		710	23.4
3 = With parent(s)		715	23.5
4 = With other family		207	6.8
5 = With unrelated other(s)		196	6.4
6 = With children but no other adult		62	2.0
7 = Alone		359	11.8
8 = Controlled environment		114	3.8
9 = Other (SPECIFY)		127	4.2

Q17 LIVING ARRANGEMENT AT ADMISSION

	Q17ARNG	Cumulative Frequency	Cumulative Percent
-3 = Missing		13	0.4
-2 = Don't know		424	13.9
1 = No stable arrange. (include homeless, shelters)		550	18.1
2 = With partner/spouse		1260	41.4
3 = With parent(s)		1975	65.0
4 = With other family		2182	71.8
5 = With unrelated other(s)		2378	78.2
6 = With children but no other adult		2440	80.3
7 = Alone		2799	92.1
8 = Controlled environment		2913	95.8
9 = Other (SPECIFY)		3040	100.0

Frequency Missing = 7

Q18 EDUCATION AT ADMISSION (CODE HIGHES

	Q18EDU	Frequency	Percent
-3 = Missing		6	0.2
-2 = Don't know		258	8.5
1 = Less than 8 years		120	3.9
2 = 8-11 Years		946	31.1
3 = Less than high school grad., not otherwise spec.		58	1.9
4 = High school graduate/GED		948	31.2
5 = Some college		483	15.9
6 = College graduate		90	3.0
7 = Postgraduate		40	1.3
8 = Other (SPECIFY)		91	3.0

Q18 EDUCATION AT ADMISSION (CODE HIGHES

	Q18EDU	Cumulative Frequency	Cumulative Percent
-3 = Missing		6	0.2
-2 = Don't know		264	8.7
1 = Less than 8 years		384	12.6

Q18 EDUCATION AT ADMISSION (CODE HIGHER)

	Q18EDU	Cumulative Frequency	Cumulative Percent
2 = 8-11 Years		1330	43.8
3 = Less than high school grad., not otherwise spec.		1388	45.7
4 = High school graduate/GED		2336	76.8
5 = Some college		2819	92.7
6 = College graduate		2909	95.7
7 = Postgraduate		2949	97.0
8 = Other (SPECIFY)		3040	100.0

Frequency Missing = 7

Q19 STUDENT AT ADMISSION

	Q19STU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		20	0.7	20	0.7
-2 = Don't know		842	27.7	862	28.4
1 = Yes		269	8.8	1131	37.2
2 = No		1909	62.8	3040	100.0

Frequency Missing = 7

Q20 EMPLOYMENT AT ADMISSION (CODE ONE)

	Q20EMPL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		7	0.2	7	0.2
-2 = Don't know		270	8.9	277	9.1
1 = Full-time (35 hrs/wk or more)		590	19.4	867	28.5
2 = Part-time (less than 35 hrs/wk)		139	4.6	1006	33.1
3 = Employed, not otherwise specified		308	10.1	1314	43.2
4 = Keeping house, not otherwise employed		34	1.1	1348	44.3
5 = Unemployed, retired		107	3.5	1455	47.9
6 = Unemployed, disabled		111	3.7	1566	51.5
7 = Unemployed, not otherwise specified		1337	44.0	2903	95.5
8 = Other (SPECIFY)		137	4.5	3040	100.0

Frequency Missing = 7

Q22 DWI/DUI PRIOR TO ADMISSION

Q22DWI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	11	0.4	11	0.4
-2 = Don^t know	1276	42.0	1287	42.3
1 = Yes	835	27.5	2122	69.8
2 = No	918	30.2	3040	100.0

Frequency Missing = 7

Q23 OTHER ARRESTS PRIOR TO ADMISSION

Q23OTHR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	17	0.6	17	0.6
-2 = Don^t know	945	31.1	962	31.6
1 = Yes	1448	47.6	2410	79.3
2 = No	630	20.7	3040	100.0

Frequency Missing = 7

Q24 PRISON OR JAIL RECORD PRIOR TO ADMI

Q24JAIL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	18	0.6	18	0.6
-2 = Don^t know	1272	41.8	1290	42.4
1 = Yes	876	28.8	2166	71.3
2 = No	874	28.8	3040	100.0

Frequency Missing = 7

Q25 RECEIVING TREATMENT AS CONDITION OF

Q25TRTMN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	25	0.8	25	0.8
-2 = Don^t know	1016	33.4	1041	34.2
-1 = Refused	1	0.0	1042	34.3
1 = Yes	645	21.2	1687	55.5
2 = No	1353	44.5	3040	100.0

Frequency Missing = 7

Q26 NUMBER OF HOSPITALIZATIONS YEAR PRI

Q26HOSP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	25	0.8	25	0.8
-2 = Don^t know	1429	47.0	1454	47.8
0	1291	42.5	2745	90.3
1	237	7.8	2982	98.1
2	42	1.4	3024	99.5
3	9	0.3	3033	99.8
4	1	0.0	3034	99.8
5	3	0.1	3037	99.9
6	1	0.0	3038	99.9
8	1	0.0	3039	100.0
9	1	0.0	3040	100.0

Frequency Missing = 7

Q27 CHRONIC MEDICAL CONDITIONS AT ADMIS

Q27MED	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	16	0.5	16	0.5
-2 = Don^t know	908	29.9	924	30.4
1 = Yes	685	22.5	1609	52.9
2 = No	1431	47.1	3040	100.0

Frequency Missing = 7

Q28 HISTORY OF PSYCHOLOGICAL DISORDERS

Q28HIST	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	13	0.4	13	0.4
-2 = Don^t know	996	32.8	1009	33.2
1 = Yes	506	16.6	1515	49.8
2 = No	1525	50.2	3040	100.0

Frequency Missing = 7

Q29 SUBSTANCE ABUSE/MENTAL ILLNESS

Q29ABUSE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	15	0.8	15	0.8
-2 = Don^t know	734	38.7	749	39.5
1 = Yes	286	15.1	1035	54.6
2 = No	861	45.4	1896	100.0

Frequency Missing = 1151

Q30 PREGNANCY STATUS AT ADMISSION AS ST

Q30PREG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	1	0.0	1	0.0
-2 = Don^t know	409	13.5	410	13.5
1 = Not applicable, client is male	2205	72.5	2615	86.0
2 = Not pregnant	390	12.8	3005	98.8
3 = Pregnant	35	1.2	3040	100.0

Frequency Missing = 7

Q31 PRESENTING PROBLEM AT ADMISSION

Q31PROB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	33	1.1	33	1.1
-2 = Don^t know	131	4.3	164	5.4
1 = Single drug abuse only (exclud. alcohol)	444	14.6	608	20.0
2 = Polydrug abuse only (excluding alcohol)	324	10.7	932	30.7
3 = Alcohol abuse only	845	27.8	1777	58.5
4 = Alcohol & abuse of one other drug combined	543	17.9	2320	76.3
5 = Alcohol & abuse of 2 or more other drugs	651	21.4	2971	97.7
6 = Other (SPECIFY)	69	2.3	3040	100.0

Frequency Missing = 7

Q32 PRINCIPAL TREATMENT FOCUS

Q32PRIN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	73	2.4	73	2.4
-2 = Don^t know	244	8.0	317	10.4
1 = Single drug abuse only (exclud. alcohol)	487	16.0	804	26.4
2 = Polydrug abuse only (excluding alcohol)	221	7.3	1025	33.7
3 = Alcohol abuse only	825	27.1	1850	60.9
4 = Alcohol and other drug abuse combined	1106	36.4	2956	97.2
5 = Other (SPECIFY)	84	2.8	3040	100.0

Frequency Missing = 7

Q33 Medical Code (5 digits)

Q33CODE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know	989	32.5	989	32.5
-3 = Missing	19	0.6	1008	33.2
204.2	1	0.0	1009	33.2
291.20	1	0.0	1010	33.2
292.00	1	0.0	1011	33.3
292.9	1	0.0	1012	33.3
296.32	1	0.0	1013	33.3
296.4	1	0.0	1014	33.4
3.90	1	0.0	1015	33.4
300.30	1	0.0	1016	33.4
300.40	1	0.0	1017	33.5
300.9	1	0.0	1018	33.5
302.2	1	0.0	1019	33.5
303.0	56	1.8	1075	35.4
303.00	6	0.2	1081	35.6
303.01	24	0.8	1105	36.3
303.3	1	0.0	1106	36.4
303.41	1	0.0	1107	36.4
303.9	451	14.8	1558	51.2
303.90	252	8.3	1810	59.5
303.91	126	4.1	1936	63.7
303.92	4	0.1	1940	63.8
303.93	9	0.3	1949	64.1
303.9X	1	0.0	1950	64.1
304.0	154	5.1	2104	69.2
304.00	37	1.2	2141	70.4
304.01	24	0.8	2165	71.2
304.02	2	0.1	2167	71.3
304.1	3	0.1	2170	71.4
304.10	3	0.1	2173	71.5
304.11	3	0.1	2176	71.6
304.17	2	0.1	2178	71.6
304.2	181	6.0	2359	77.6
304.20	85	2.8	2444	80.4
304.21	23	0.8	2467	81.2
304.22	1	0.0	2468	81.2
304.23	3	0.1	2471	81.3
304.25	1	0.0	2472	81.3
304.3	27	0.9	2499	82.2
304.30	21	0.7	2520	82.9
304.31	5	0.2	2525	83.1
304.4	7	0.2	2532	83.3
304.40	14	0.5	2546	83.7
304.41	1	0.0	2547	83.8
304.5	1	0.0	2548	83.8
304.50	2	0.1	2550	83.9
304.6	1	0.0	2551	83.9
304.60	2	0.1	2553	84.0
304.61	2	0.1	2555	84.0
304.7	1	0.0	2556	84.1
304.71	2	0.1	2558	84.1
304.72	1	0.0	2559	84.2
304.8	3	0.1	2562	84.3
304.80	3	0.1	2565	84.4
304.9	66	2.2	2631	86.5
304.90	41	1.3	2672	87.9

Q33 Medical Code (5 digits)

Q33CODE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
304.91	1	0.0	2673	87.9
304.93	1	0.0	2674	88.0
305.0	99	3.3	2773	91.2
305.00	62	2.0	2835	93.3
305.01	5	0.2	2840	93.4
305.02	1	0.0	2841	93.5
305.03	5	0.2	2846	93.6
305.04	1	0.0	2847	93.7
305.1	2	0.1	2849	93.7
305.2	12	0.4	2861	94.1
305.20	12	0.4	2873	94.5
305.21	2	0.1	2875	94.6
305.5	7	0.2	2882	94.8
305.50	3	0.1	2885	94.9
305.6	31	1.0	2916	95.9
305.60	20	0.7	2936	96.6
305.61	6	0.2	2942	96.8
305.62	3	0.1	2945	96.9
305.63	1	0.0	2946	96.9
305.70	2	0.1	2948	97.0
305.9	23	0.8	2971	97.7
305.90	17	0.6	2988	98.3
309.0	4	0.1	2992	98.4
309.00	4	0.1	2996	98.6
309.2	2	0.1	2998	98.6
309.24	1	0.0	2999	98.7
309.28	1	0.0	3000	98.7
309.4	2	0.1	3002	98.7
309.40	9	0.3	3011	99.0
309.89	1	0.0	3012	99.1
309.9	2	0.1	3014	99.1
310.9	1	0.0	3015	99.2
312.00	2	0.1	3017	99.2
312.10	1	0.0	3018	99.3
312.20	2	0.1	3020	99.3
35.21	1	0.0	3021	99.4
392.0	1	0.0	3022	99.4
710.00	8	0.3	3030	99.7
711.00	2	0.1	3032	99.7
730.00	1	0.0	3033	99.8
731.00	1	0.0	3034	99.8
740.00	1	0.0	3035	99.8
799.90	2	0.1	3037	99.9
969.7	1	0.0	3038	99.9
V57.89	2	0.1	3040	100.0

Frequency Missing = 7

Q33 Medical Code (4 digits)

Q33RCODE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know	989	32.5	989	32.5
-3 = Missing	19	0.6	1008	33.2
204.2	1	0.0	1009	33.2
291.2	1	0.0	1010	33.2
292.0	1	0.0	1011	33.3
292.9	1	0.0	1012	33.3
296.3	1	0.0	1013	33.3
296.4	1	0.0	1014	33.4
3.90	1	0.0	1015	33.4
300.3	1	0.0	1016	33.4
300.4	1	0.0	1017	33.5
300.9	1	0.0	1018	33.5
302.2	1	0.0	1019	33.5
303.0	86	2.8	1105	36.3
303.3	1	0.0	1106	36.4
303.4	1	0.0	1107	36.4
303.9	843	27.7	1950	64.1
304.0	217	7.1	2167	71.3
304.1	11	0.4	2178	71.6
304.2	294	9.7	2472	81.3
304.3	53	1.7	2525	83.1
304.4	22	0.7	2547	83.8
304.5	3	0.1	2550	83.9
304.6	5	0.2	2555	84.0
304.7	4	0.1	2559	84.2
304.8	6	0.2	2565	84.4
304.9	109	3.6	2674	88.0
305.0	173	5.7	2847	93.7
305.1	2	0.1	2849	93.7
305.2	26	0.9	2875	94.6
305.5	10	0.3	2885	94.9
305.6	61	2.0	2946	96.9
305.7	2	0.1	2948	97.0
305.9	40	1.3	2988	98.3
309.0	8	0.3	2996	98.6
309.2	4	0.1	3000	98.7
309.4	11	0.4	3011	99.0
309.8	1	0.0	3012	99.1
309.9	2	0.1	3014	99.1
310.9	1	0.0	3015	99.2
312.0	2	0.1	3017	99.2
312.1	1	0.0	3018	99.3
312.2	2	0.1	3020	99.3
35.21	1	0.0	3021	99.4
392.0	1	0.0	3022	99.4
710.0	8	0.3	3030	99.7
711.0	2	0.1	3032	99.7
730.0	1	0.0	3033	99.8
731.0	1	0.0	3034	99.8
740.0	1	0.0	3035	99.8
799.9	2	0.1	3037	99.9
969.7	1	0.0	3038	99.9
V57.8	2	0.1	3040	100.0

Frequency Missing = 7

Q34 HIV STATUS AS STATED IN RECORD

Q34HIV	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	15	0.5	15	0.5
-2 = Don^t know	2691	88.5	2706	89.0
-1 = Refused	35	1.2	2741	90.2
1 = Negative	173	5.7	2914	95.9
2 = Positive	61	2.0	2975	97.9
3 = Suspected	11	0.4	2986	98.2
4 = Other (SPECIFY)	54	1.8	3040	100.0

Frequency Missing = 7

Q34A HAS AIDS

Q34AINF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	12	15.8	12	15.8
-2 = Don^t know	53	69.7	65	85.5
1 = Yes	8	10.5	73	96.1
2 = No	3	3.9	76	100.0

Frequency Missing = 2971

Q35A EVER USED COCAINE (EXCLUDE CRACK)

Q35A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	4	0.1	4	0.1
-3 = Missing	37	1.2	41	1.3
-2 = Don^t know	957	31.5	998	32.8
1 = Yes	1668	54.9	2666	87.7
2 = No	374	12.3	3040	100.0

Frequency Missing = 7

Q35B USED COCAINE IN LAST 30 DAYS

Q35B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	60	2.8	60	2.8
-2 = Don^t know	943	43.6	1003	46.3
1 = Yes	697	32.2	1700	78.6
2 = No	464	21.4	2164	100.0

Frequency Missing = 883

Q35C AGE (IN YEARS) AT FIRST USE

Q35C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	2	0.1	2	0.1
-3 = Missing	48	2.2	50	2.3
-2 = Don't know	963	44.5	1013	46.8
8	1	0.0	1014	46.9
10	1	0.0	1015	46.9
11	2	0.1	1017	47.0
12	15	0.7	1032	47.7
13	21	1.0	1053	48.7
14	54	2.5	1107	51.2
15	76	3.5	1183	54.7
16	87	4.0	1270	58.7
17	109	5.0	1379	63.7
18	100	4.6	1479	68.3
19	72	3.3	1551	71.7
20	82	3.8	1633	75.5
21	45	2.1	1678	77.5
22	45	2.1	1723	79.6
23	46	2.1	1769	81.7
24	43	2.0	1812	83.7
25	67	3.1	1879	86.8
26	37	1.7	1916	88.5
27	38	1.8	1954	90.3
28	32	1.5	1986	91.8
29	36	1.7	2022	93.4
30	34	1.6	2056	95.0
31	13	0.6	2069	95.6
32	16	0.7	2085	96.3
33	10	0.5	2095	96.8
34	12	0.6	2107	97.4
35	16	0.7	2123	98.1
36	7	0.3	2130	98.4
37	9	0.4	2139	98.8
38	6	0.3	2145	99.1
39	4	0.2	2149	99.3
40	1	0.0	2150	99.4
41	4	0.2	2154	99.5
42	2	0.1	2156	99.6
43	2	0.1	2158	99.7
45	1	0.0	2159	99.8
48	1	0.0	2160	99.8
49	1	0.0	2161	99.9
50	1	0.0	2162	99.9
51	1	0.0	2163	100.0
55	1	0.0	2164	100.0

Frequency Missing = 883

Q36A EVER USED CRACK

Q36A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	9	0.3	9	0.3
-3 = Missing	65	2.1	74	2.4
-2 = Don^t know	2003	65.9	2077	68.3
1 = Yes	486	16.0	2563	84.3
2 = No	477	15.7	3040	100.0

Frequency Missing = 7

Q36B USED CRACK IN LAST 30 DAYS

Q36B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	71	4.0	71	4.0
-2 = Don^t know	1335	75.6	1406	79.7
1 = Yes	261	14.8	1667	94.4
2 = No	98	5.6	1765	100.0

Frequency Missing = 1282

Q36C AGE (IN YEARS) AT FIRST USE

Q36C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	69	3.9	69	3.9
-2 = Don^t know	1377	78.0	1446	81.9
9	1	0.1	1447	82.0
11	3	0.2	1450	82.2
12	4	0.2	1454	82.4
13	2	0.1	1456	82.5
14	10	0.6	1466	83.1
15	15	0.8	1481	83.9
16	11	0.6	1492	84.5
17	14	0.8	1506	85.3
18	14	0.8	1520	86.1
19	13	0.7	1533	86.9
20	20	1.1	1553	88.0
21	18	1.0	1571	89.0
22	17	1.0	1588	90.0
23	20	1.1	1608	91.1
24	21	1.2	1629	92.3
25	15	0.8	1644	93.1
26	17	1.0	1661	94.1
27	14	0.8	1675	94.9
28	10	0.6	1685	95.5
29	11	0.6	1696	96.1
30	22	1.2	1718	97.3
31	6	0.3	1724	97.7
32	9	0.5	1733	98.2
33	6	0.3	1739	98.5
34	4	0.2	1743	98.8
35	8	0.5	1751	99.2
36	2	0.1	1753	99.3
37	4	0.2	1757	99.5
38	3	0.2	1760	99.7
39	1	0.1	1761	99.8
40	1	0.1	1762	99.8
41	1	0.1	1763	99.9
43	2	0.1	1765	100.0

Frequency Missing = 1282

Q37A EVER USED HEROIN

Q37A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	8	0.3	8	0.3
-3 = Missing	58	1.9	66	2.2
-2 = Don^t know	1614	53.1	1680	55.3
1 = Yes	798	26.3	2478	81.5
2 = No	562	18.5	3040	100.0

Frequency Missing = 7

Q37B USED HEROIN IN LAST 30 DAYS

Q37B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	73	4.3	73	4.3
-2 = Don^t know	993	58.2	1066	62.5
1 = Yes	465	27.3	1531	89.8
2 = No	174	10.2	1705	100.0

Frequency Missing = 1342

Q37C AGE (IN YEARS) AT FIRST USE

Q37C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	61	3.6	61	3.6
-2 = Don^t know	1009	59.2	1070	62.8
10	2	0.1	1072	62.9
11	4	0.2	1076	63.1
12	4	0.2	1080	63.3
13	14	0.8	1094	64.2
14	32	1.9	1126	66.0
15	36	2.1	1162	68.2
16	62	3.6	1224	71.8
17	83	4.9	1307	76.7
18	69	4.0	1376	80.7
19	41	2.4	1417	83.1
20	39	2.3	1456	85.4
21	33	1.9	1489	87.3
22	36	2.1	1525	89.4
23	25	1.5	1550	90.9
24	17	1.0	1567	91.9
25	33	1.9	1600	93.8
26	16	0.9	1616	94.8
27	17	1.0	1633	95.8
28	11	0.6	1644	96.4
29	10	0.6	1654	97.0
30	10	0.6	1664	97.6
31	6	0.4	1670	97.9
32	3	0.2	1673	98.1
33	7	0.4	1680	98.5
34	11	0.6	1691	99.2
35	2	0.1	1693	99.3
36	7	0.4	1700	99.7
37	1	0.1	1701	99.8
38	3	0.2	1704	99.9
40	1	0.1	1705	100.0

Frequency Missing = 1342

Q38A EVER USED NON-TREATMENT METHADONE

Q38A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	8	0.3	8	0.3
-3 = Missing	75	2.5	83	2.7
-2 = Don^t know	2217	72.9	2300	75.7
1 = Yes	111	3.7	2411	79.3
2 = No	629	20.7	3040	100.0

Frequency Missing = 7

Q38B USED NON-TREATMENT MEHADONE IN LAS

Q38B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	74	5.2	74	5.2
-2 = Don^t know	1285	89.9	1359	95.1
1 = Yes	25	1.7	1384	96.9
2 = No	45	3.1	1429	100.0

Frequency Missing = 1618

Q38C AGE (IN YEARS) AT FIRST USE

Q38C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	76	5.3	76	5.3
-2 = Don^t know	1287	90.1	1363	95.4
12	1	0.1	1364	95.5
14	3	0.2	1367	95.7
15	1	0.1	1368	95.7
16	4	0.3	1372	96.0
17	2	0.1	1374	96.2
18	5	0.3	1379	96.5
19	5	0.3	1384	96.9
20	5	0.3	1389	97.2
21	3	0.2	1392	97.4
22	7	0.5	1399	97.9
23	2	0.1	1401	98.0
24	5	0.3	1406	98.4
25	6	0.4	1412	98.8
26	2	0.1	1414	99.0
27	3	0.2	1417	99.2
28	5	0.3	1422	99.5
30	1	0.1	1423	99.6
31	1	0.1	1424	99.7
32	1	0.1	1425	99.7
35	1	0.1	1426	99.8
37	1	0.1	1427	99.9
38	1	0.1	1428	99.9
46	1	0.1	1429	100.0

Frequency Missing = 1618

Q39A EVER USED OTHER OPIATES/SYNTHETICS

Q39A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	9	0.3	9	0.3
-3 = Missing	69	2.3	78	2.6
-2 = Don^t know	1958	64.4	2036	67.0
1 = Yes	437	14.4	2473	81.3
2 = No	567	18.7	3040	100.0

Frequency Missing = 7

Q39B USED OPIATES/SYNTHETICS IN LAST 30

Q39B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	68	4.4	68	4.4
-2 = Don^t know	1210	78.4	1278	82.8
1 = Yes	112	7.3	1390	90.1
2 = No	153	9.9	1543	100.0

Frequency Missing = 1504

Q39C AGE (IN YEARS) AT FIRST USE

Q39C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	76	4.9	76	4.9
-2 = Don^t know	1237	80.2	1313	85.1
10	1	0.1	1314	85.2
13	10	0.6	1324	85.8
14	7	0.5	1331	86.3
15	16	1.0	1347	87.3
16	21	1.4	1368	88.7
17	21	1.4	1389	90.0
18	17	1.1	1406	91.1
19	15	1.0	1421	92.1
20	12	0.8	1433	92.9
21	11	0.7	1444	93.6
22	18	1.2	1462	94.8
23	10	0.6	1472	95.4
24	7	0.5	1479	95.9
25	10	0.6	1489	96.5
26	8	0.5	1497	97.0
27	2	0.1	1499	97.1
28	11	0.7	1510	97.9
29	5	0.3	1515	98.2
30	1	0.1	1516	98.3
31	6	0.4	1522	98.6
32	2	0.1	1524	98.8
33	4	0.3	1528	99.0
34	1	0.1	1529	99.1
35	2	0.1	1531	99.2
36	1	0.1	1532	99.3
37	2	0.1	1534	99.4
40	2	0.1	1536	99.5
41	2	0.1	1538	99.7
43	1	0.1	1539	99.7
45	1	0.1	1540	99.8
54	2	0.1	1542	99.9
74	1	0.1	1543	100.0

Frequency Missing = 1504

Q40A EVER USED BARBITURATES

Q40A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	10	0.3	10	0.3
-3 = Missing	74	2.4	84	2.8
-2 = Don^t know	2047	67.3	2131	70.1
1 = Yes	281	9.2	2412	79.3
2 = No	628	20.7	3040	100.0

Frequency Missing = 7

Q40B USED BARBITURATES IN LAST 30 DAYS

Q40B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	75	5.1	75	5.1
-2 = Don^t know	1243	84.1	1318	89.2
1 = Yes	23	1.6	1341	90.7
2 = No	137	9.3	1478	100.0

Frequency Missing = 1569

Q40C AGE (IN YEARS) AT FIRST USE

Q40C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	76	5.1	76	5.1
-2 = Don^t know	1243	84.1	1319	89.2
7	1	0.1	1320	89.3
9	1	0.1	1321	89.4
10	1	0.1	1322	89.4
11	2	0.1	1324	89.6
12	6	0.4	1330	90.0
13	9	0.6	1339	90.6
14	17	1.2	1356	91.7
15	16	1.1	1372	92.8
16	14	0.9	1386	93.8
17	16	1.1	1402	94.9
18	17	1.2	1419	96.0
19	4	0.3	1423	96.3
20	10	0.7	1433	97.0
21	5	0.3	1438	97.3
22	9	0.6	1447	97.9
23	1	0.1	1448	98.0
24	5	0.3	1453	98.3
25	2	0.1	1455	98.4
26	11	0.7	1466	99.2
27	5	0.3	1471	99.5
28	5	0.3	1476	99.9
39	1	0.1	1477	99.9
42	1	0.1	1478	100.0

Frequency Missing = 1569

Q41A EVER USED BENZODIAZEPINES

Q41A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	10	0.3	10	0.3
-3 = Missing	64	2.1	74	2.4
-2 = Don^t know	1943	63.9	2017	66.3
1 = Yes	482	15.9	2499	82.2
2 = No	541	17.8	3040	100.0

Frequency Missing = 7

Q41B USED BENZODIAZEPINES IN LAST 30 DA

Q41B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	67	4.3	67	4.3
-2 = Don^t know	1210	76.8	1277	81.0
1 = Yes	132	8.4	1409	89.4
2 = No	167	10.6	1576	100.0

Frequency Missing = 1471

Q41C AGE (IN YEARS) AT FIRST USE

Q41C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	66	4.2	66	4.2
-2 = Don^t know	1261	80.0	1327	84.2
9	1	0.1	1328	84.3
10	4	0.3	1332	84.5
11	1	0.1	1333	84.6
12	3	0.2	1336	84.8
13	10	0.6	1346	85.4
14	12	0.8	1358	86.2
15	19	1.2	1377	87.4
16	16	1.0	1393	88.4
17	22	1.4	1415	89.8
18	21	1.3	1436	91.1
19	17	1.1	1453	92.2
20	13	0.8	1466	93.0
21	9	0.6	1475	93.6
22	9	0.6	1484	94.2
23	6	0.4	1490	94.5
24	9	0.6	1499	95.1
25	13	0.8	1512	95.9
26	6	0.4	1518	96.3
27	5	0.3	1523	96.6
28	12	0.8	1535	97.4
29	5	0.3	1540	97.7
30	6	0.4	1546	98.1
31	3	0.2	1549	98.3
32	3	0.2	1552	98.5
33	3	0.2	1555	98.7
34	2	0.1	1557	98.8
35	2	0.1	1559	98.9
36	2	0.1	1561	99.0
37	2	0.1	1563	99.2
38	2	0.1	1565	99.3
39	1	0.1	1566	99.4
40	3	0.2	1569	99.6
41	2	0.1	1571	99.7
42	2	0.1	1573	99.8
47	1	0.1	1574	99.9
52	1	0.1	1575	99.9
65	1	0.1	1576	100.0

Frequency Missing = 1471

Q42A EVER USED OTHER SEDATIVES/HYPNOTIC

Q42A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	9	0.3	9	0.3
-3 = Missing	71	2.3	80	2.6
-2 = Don^t know	2136	70.3	2216	72.9
1 = Yes	232	7.6	2448	80.5
2 = No	592	19.5	3040	100.0

Frequency Missing = 7

Q42B USED SEDATIVES/HYPNOTICS IN LAST 3

Q42B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	76	5.1	76	5.1
-2 = Don^t know	1291	86.4	1367	91.4
1 = Yes	23	1.5	1390	93.0
2 = No	105	7.0	1495	100.0

Frequency Missing = 1552

Q42C AGE (IN YEARS) AT FIRST USE

Q42C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	74	4.9	74	4.9
-2 = Don^t know	1284	85.9	1358	90.8
10	2	0.1	1360	91.0
12	3	0.2	1363	91.2
13	4	0.3	1367	91.4
14	11	0.7	1378	92.2
15	15	1.0	1393	93.2
16	6	0.4	1399	93.6
17	21	1.4	1420	95.0
18	12	0.8	1432	95.8
19	8	0.5	1440	96.3
20	7	0.5	1447	96.8
21	4	0.3	1451	97.1
22	4	0.3	1455	97.3
24	7	0.5	1462	97.8
26	7	0.5	1469	98.3
27	4	0.3	1473	98.5
28	12	0.8	1485	99.3
30	5	0.3	1490	99.7
32	1	0.1	1491	99.7
35	1	0.1	1492	99.8
42	2	0.1	1494	99.9
52	1	0.1	1495	100.0

Frequency Missing = 1552

Q43A EVER USED METHAMPHETAMINES

Q43A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	9	0.3	9	0.3
-3 = Missing	66	2.2	75	2.5
-2 = Don^t know	2059	67.7	2134	70.2
1 = Yes	378	12.4	2512	82.6
2 = No	528	17.4	3040	100.0

Frequency Missing = 7

Q43B USED METHAMPHETAMINES IN LAST 30 D

Q43B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	71	4.6	71	4.6
-2 = Don^t know	1288	82.6	1359	87.2
1 = Yes	52	3.3	1411	90.5
2 = No	148	9.5	1559	100.0

Frequency Missing = 1488

Q43C AGE (IN YEARS) AT FIRST USE

Q43C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	67	4.3	67	4.3
-2 = Don^t know	1272	81.6	1339	85.9
8	1	0.1	1340	86.0
9	2	0.1	1342	86.1
10	1	0.1	1343	86.1
11	2	0.1	1345	86.3
12	9	0.6	1354	86.9
13	12	0.8	1366	87.6
14	20	1.3	1386	88.9
15	27	1.7	1413	90.6
16	29	1.9	1442	92.5
17	22	1.4	1464	93.9
18	29	1.9	1493	95.8
19	6	0.4	1499	96.2
20	11	0.7	1510	96.9
21	7	0.4	1517	97.3
22	10	0.6	1527	97.9
23	2	0.1	1529	98.1
24	10	0.6	1539	98.7
25	5	0.3	1544	99.0
26	3	0.2	1547	99.2
27	2	0.1	1549	99.4
28	4	0.3	1553	99.6
29	1	0.1	1554	99.7
30	1	0.1	1555	99.7
32	1	0.1	1556	99.8
34	1	0.1	1557	99.9
38	1	0.1	1558	99.9
39	1	0.1	1559	100.0

Frequency Missing = 1488

Q44A EVER USED OTHER AMPHETAMINES

Q44A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	8	0.3	8	0.3
-3 = Missing	71	2.3	79	2.6
-2 = Don^t know	2005	66.0	2084	68.6
1 = Yes	365	12.0	2449	80.6
2 = No	591	19.4	3040	100.0

Frequency Missing = 7

Q44B USED OTHER AMPHETAMINES IN LAST 30

Q44B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	81	5.3	81	5.3
-2 = Don't know	1225	80.5	1306	85.9
1 = Yes	42	2.8	1348	88.6
2 = No	173	11.4	1521	100.0

Frequency Missing = 1526

Q44C AGE (IN YEARS) AT FIRST USE

Q44C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	75	4.9	75	4.9
-2 = Don't know	1194	78.5	1269	83.4
9	1	0.1	1270	83.5
11	4	0.3	1274	83.8
12	10	0.7	1284	84.4
13	17	1.1	1301	85.5
14	10	0.7	1311	86.2
15	26	1.7	1337	87.9
16	31	2.0	1368	89.9
17	31	2.0	1399	92.0
18	20	1.3	1419	93.3
19	14	0.9	1433	94.2
20	14	0.9	1447	95.1
21	13	0.9	1460	96.0
22	9	0.6	1469	96.6
23	4	0.3	1473	96.8
24	5	0.3	1478	97.2
25	6	0.4	1484	97.6
26	8	0.5	1492	98.1
27	6	0.4	1498	98.5
28	3	0.2	1501	98.7
29	3	0.2	1504	98.9
30	6	0.4	1510	99.3
32	3	0.2	1513	99.5
34	4	0.3	1517	99.7
37	3	0.2	1520	99.9
38	1	0.1	1521	100.0

Frequency Missing = 1526

Q45A EVER USED MARIJUANA/HASHISH/THC

Q45A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	5	0.2	5	0.2
-3 = Missing	35	1.2	40	1.3
-2 = Don^t know	957	31.5	997	32.8
1 = Yes	1782	58.6	2779	91.4
2 = No	261	8.6	3040	100.0

Frequency Missing = 7

Q45B USED MARIJUANA/HASHISH/THC IN LAST

Q45B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	66	3.0	66	3.0
-2 = Don^t know	973	43.8	1039	46.8
1 = Yes	622	28.0	1661	74.9
2 = No	558	25.1	2219	100.0

Frequency Missing = 828

Q45C AGE (IN YEARS) AT FIRST USE

Q45C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	52	2.3	52	2.3
-2 = Don^t know	851	38.4	903	40.7
2	1	0.0	904	40.7
4	1	0.0	905	40.8
5	4	0.2	909	41.0
6	4	0.2	913	41.1
7	10	0.5	923	41.6
8	19	0.9	942	42.5
9	17	0.8	959	43.2
10	24	1.1	983	44.3
11	39	1.8	1022	46.1
12	109	4.9	1131	51.0
13	169	7.6	1300	58.6
14	174	7.8	1474	66.4
15	184	8.3	1658	74.7
16	148	6.7	1806	81.4
17	115	5.2	1921	86.6
18	72	3.2	1993	89.8
19	43	1.9	2036	91.8
20	36	1.6	2072	93.4
21	24	1.1	2096	94.5
22	23	1.0	2119	95.5
23	15	0.7	2134	96.2
24	12	0.5	2146	96.7
25	13	0.6	2159	97.3
26	15	0.7	2174	98.0
27	5	0.2	2179	98.2
28	8	0.4	2187	98.6
29	4	0.2	2191	98.7
30	5	0.2	2196	99.0
31	3	0.1	2199	99.1
32	3	0.1	2202	99.2
33	3	0.1	2205	99.4
34	3	0.1	2208	99.5
35	1	0.0	2209	99.5
37	2	0.1	2211	99.6
38	2	0.1	2213	99.7
40	3	0.1	2216	99.9
43	1	0.0	2217	99.9
44	1	0.0	2218	100.0
49	1	0.0	2219	100.0

Frequency Missing = 828

Q46A EVER USED PCP/LSD

Q46A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	7	0.2	7	0.2
-3 = Missing	64	2.1	71	2.3
-2 = Don^t know	1831	60.2	1902	62.6
1 = Yes	567	18.7	2469	81.2
2 = No	571	18.8	3040	100.0

Frequency Missing = 7

Q46B USED PCP/LSD IN LAST 30 DAYS

Q46B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	79	4.9	79	4.9
-2 = Don^t know	1212	75.7	1291	80.6
1 = Yes	45	2.8	1336	83.4
2 = No	266	16.6	1602	100.0

Frequency Missing = 1445

Q46C AGE (IN YEARS) AT FIRST USE

Q46C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	69	4.3	69	4.3
-2 = Don^t know	1181	73.7	1250	78.0
10	2	0.1	1252	78.2
11	7	0.4	1259	78.6
12	4	0.2	1263	78.8
13	24	1.5	1287	80.3
14	44	2.7	1331	83.1
15	44	2.7	1375	85.8
16	55	3.4	1430	89.3
17	43	2.7	1473	91.9
18	32	2.0	1505	93.9
19	14	0.9	1519	94.8
20	18	1.1	1537	95.9
21	14	0.9	1551	96.8
22	9	0.6	1560	97.4
23	8	0.5	1568	97.9
25	6	0.4	1574	98.3
26	3	0.2	1577	98.4
27	6	0.4	1583	98.8
28	6	0.4	1589	99.2
29	5	0.3	1594	99.5
30	5	0.3	1599	99.8
31	1	0.1	1600	99.9
33	1	0.1	1601	99.9
35	1	0.1	1602	100.0

Frequency Missing = 1445

Q47A EVER USED OTHER HALLUCINOGENS

Q47A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	8	0.3	8	0.3
-3 = Missing	72	2.4	80	2.6
-2 = Don^t know	2035	66.9	2115	69.6
1 = Yes	311	10.2	2426	79.8
2 = No	614	20.2	3040	100.0

Frequency Missing = 7

Q47B USED OTHER HALLUCINOGENS IN LAST 3

Q47B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	74	5.0	74	5.0
-2 = Don^t know	1232	83.1	1306	88.1
1 = Yes	14	0.9	1320	89.0
2 = No	163	11.0	1483	100.0

Frequency Missing = 1564

Q47C AGE (IN YEARS) AT FIRST USE

Q47C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	75	5.1	75	5.1
-2 = Don^t know	1209	81.5	1284	86.6
9	2	0.1	1286	86.7
10	1	0.1	1287	86.8
11	3	0.2	1290	87.0
12	3	0.2	1293	87.2
13	15	1.0	1308	88.2
14	15	1.0	1323	89.2
15	23	1.6	1346	90.8
16	30	2.0	1376	92.8
17	30	2.0	1406	94.8
18	27	1.8	1433	96.6
19	10	0.7	1443	97.3
20	8	0.5	1451	97.8
21	6	0.4	1457	98.2
22	5	0.3	1462	98.6
23	3	0.2	1465	98.8
24	3	0.2	1468	99.0
25	2	0.1	1470	99.1
26	3	0.2	1473	99.3
27	1	0.1	1474	99.4
28	2	0.1	1476	99.5
30	3	0.2	1479	99.7
31	2	0.1	1481	99.9
35	1	0.1	1482	99.9
55	1	0.1	1483	100.0

Frequency Missing = 1564

Q48A EVER USED INHALANTS

Q48A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	9	0.3	9	0.3
-3 = Missing	78	2.6	87	2.9
-2 = Don^t know	2153	70.8	2240	73.7
1 = Yes	159	5.2	2399	78.9
2 = No	641	21.1	3040	100.0

Frequency Missing = 7

Q48B USED INHALANTS IN LAST 30 DAYS

Q48B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	78	5.5	78	5.5
-2 = Don^t know	1244	87.2	1322	92.7
1 = Yes	14	1.0	1336	93.7
2 = No	90	6.3	1426	100.0

Frequency Missing = 1621

Q48C AGE (IN YEARS) AT FIRST USE

Q48C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	1	0.1	1	0.1
-3 = Missing	80	5.6	81	5.7
-2 = Don^t know	1236	86.7	1317	92.4
5	1	0.1	1318	92.4
10	3	0.2	1321	92.6
11	5	0.4	1326	93.0
12	9	0.6	1335	93.6
13	23	1.6	1358	95.2
14	12	0.8	1370	96.1
15	13	0.9	1383	97.0
16	12	0.8	1395	97.8
17	7	0.5	1402	98.3
18	4	0.3	1406	98.6
19	1	0.1	1407	98.7
20	2	0.1	1409	98.8
21	1	0.1	1410	98.9
22	2	0.1	1412	99.0
23	2	0.1	1414	99.2
24	4	0.3	1418	99.4
25	1	0.1	1419	99.5
26	3	0.2	1422	99.7
28	3	0.2	1425	99.9
36	1	0.1	1426	100.0

Frequency Missing = 1621

Q49A EVER USED OVER THE COUNTER DRUG (S

Q49A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	9	0.3	9	0.3
-3 = Missing	77	2.5	86	2.8
-2 = Don^t know	2288	75.3	2374	78.1
1 = Yes	136	4.5	2510	82.6
2 = No	530	17.4	3040	100.0

Frequency Missing = 7

Q49B USED OVER THE COUNTER DRUG IN LAST

Q49B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	9	0.6	9	0.6
-3 = Missing	82	5.4	91	5.9
-2 = Don^t know	1354	88.5	1445	94.4
1 = Yes	53	3.5	1498	97.9
2 = No	32	2.1	1530	100.0

Frequency Missing = 1517

Q49C AGE (IN YEARS) AT FIRST USE

Q49C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	9	0.6	9	0.6
-3 = Missing	82	5.4	91	5.9
-2 = Don^t know	1359	88.8	1450	94.8
7	1	0.1	1451	94.8
8	1	0.1	1452	94.9
9	2	0.1	1454	95.0
10	2	0.1	1456	95.2
12	2	0.1	1458	95.3
13	4	0.3	1462	95.6
14	12	0.8	1474	96.3
15	6	0.4	1480	96.7
16	7	0.5	1487	97.2
17	6	0.4	1493	97.6
18	3	0.2	1496	97.8
19	4	0.3	1500	98.0
20	3	0.2	1503	98.2
21	2	0.1	1505	98.4
22	5	0.3	1510	98.7
23	3	0.2	1513	98.9
24	1	0.1	1514	99.0
25	4	0.3	1518	99.2
26	2	0.1	1520	99.3
27	3	0.2	1523	99.5
32	2	0.1	1525	99.7
33	3	0.2	1528	99.9
36	1	0.1	1529	99.9
40	1	0.1	1530	100.0

Frequency Missing = 1517

Q50A EVER USED ALCOHOL

Q50A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	2	0.1	2	0.1
-3 = Missing	9	0.3	11	0.4
-2 = Don^t know	354	11.6	365	12.0
1 = Yes	2615	86.0	2980	98.0
2 = No	60	2.0	3040	100.0

Frequency Missing = 7

Q50B USED ALCOHOL IN LAST 30 DAYS

Q50B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	42	1.5	42	1.5
-2 = Don^t know	659	23.8	701	25.3
1 = Yes	1680	60.7	2381	86.1
2 = No	385	13.9	2766	100.0

Frequency Missing = 281

Q50C AGE (IN YEARS) AT FIRST USE

Q50C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	38	1.4	38	1.4
-2 = Don^t know	679	24.5	717	25.9
1	2	0.1	719	26.0
2	3	0.1	722	26.1
3	7	0.3	729	26.4
4	9	0.3	738	26.7
5	20	0.7	758	27.4
6	20	0.7	778	28.1
7	24	0.9	802	29.0
8	45	1.6	847	30.6
9	43	1.6	890	32.2
10	50	1.8	940	34.0
11	61	2.2	1001	36.2
12	197	7.1	1198	43.3
13	233	8.4	1431	51.7
14	253	9.1	1684	60.9
15	280	10.1	1964	71.0
16	242	8.7	2206	79.8
17	161	5.8	2367	85.6
18	161	5.8	2528	91.4
19	54	2.0	2582	93.3
20	40	1.4	2622	94.8
21	42	1.5	2664	96.3
22	22	0.8	2686	97.1
23	8	0.3	2694	97.4
24	8	0.3	2702	97.7
25	21	0.8	2723	98.4
26	4	0.1	2727	98.6
27	10	0.4	2737	99.0
28	5	0.2	2742	99.1
29	1	0.0	2743	99.2
30	8	0.3	2751	99.5
31	2	0.1	2753	99.5
33	3	0.1	2756	99.6
34	3	0.1	2759	99.7
39	1	0.0	2760	99.8
40	1	0.0	2761	99.8
41	3	0.1	2764	99.9
50	1	0.0	2765	100.0
57	1	0.0	2766	100.0

Frequency Missing = 281

Q51A EVER USE OTHER DRUG (SPECIFY)

Q51A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	8	0.3	8	0.3
-3 = Missing	114	3.8	122	4.0
-2 = Don^t know	2010	66.1	2132	70.1
1 = Yes	430	14.1	2562	84.3
2 = No	478	15.7	3040	100.0

Frequency Missing = 7

Q51B USED OTHER DRUG IN LAST 30 DAYS

Q51B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	8	0.5	8	0.5
-3 = Missing	124	7.3	132	7.8
-2 = Don^t know	1301	76.4	1433	84.2
1 = Yes	189	11.1	1622	95.3
2 = No	80	4.7	1702	100.0

Frequency Missing = 1345

Q51C AGE (IN YEARS) AT FIRST USE OF OTH

Q51C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	8	0.5	8	0.5
-3 = Missing	123	7.2	131	7.7
-2 = Don't know	1365	80.2	1496	87.9
1	1	0.1	1497	88.0
5	1	0.1	1498	88.0
7	1	0.1	1499	88.1
9	3	0.2	1502	88.2
11	7	0.4	1509	88.7
12	9	0.5	1518	89.2
13	13	0.8	1531	90.0
14	24	1.4	1555	91.4
15	24	1.4	1579	92.8
16	8	0.5	1587	93.2
17	15	0.9	1602	94.1
18	10	0.6	1612	94.7
19	11	0.6	1623	95.4
20	14	0.8	1637	96.2
21	4	0.2	1641	96.4
22	5	0.3	1646	96.7
23	2	0.1	1648	96.8
24	4	0.2	1652	97.1
25	8	0.5	1660	97.5
26	9	0.5	1669	98.1
27	2	0.1	1671	98.2
29	4	0.2	1675	98.4
30	9	0.5	1684	98.9
31	5	0.3	1689	99.2
32	2	0.1	1691	99.4
34	2	0.1	1693	99.5
35	3	0.2	1696	99.6
36	2	0.1	1698	99.8
41	1	0.1	1699	99.8
46	1	0.1	1700	99.9
52	1	0.1	1701	99.9
57	1	0.1	1702	100.0

Frequency Missing = 1345

Q52DRUG DRUG OF CHOICE SPECIFD AT ADMIS

Q52DRUG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	7	0.2	7	0.2
-2 = Don^t know	715	23.5	722	23.8
1 = No drug of choice	82	2.7	804	26.5
35 = Cocaine	354	11.7	1158	38.1
36 = Crack	168	5.5	1326	43.6
37 = Heroin	369	12.1	1695	55.8
38 = Non-treatment methadone	2	0.1	1697	55.9
39 = Other opiates/synthetics	28	0.9	1725	56.8
40 = Barbiturates	3	0.1	1728	56.9
41 = Benzodiazepines	15	0.5	1743	57.4
42 = Other sedatives/hypnotics	3	0.1	1746	57.5
43 = Methamphetamines	24	0.8	1770	58.3
44 = Other amphetamines	2	0.1	1772	58.3
45 = Marijuana/hashish/THC	121	4.0	1893	62.3
46 = PCP/LSD	10	0.3	1903	62.6
48 = Inhalants	5	0.2	1908	62.8
49 = Over the counter (SPECIFY)	2	0.1	1910	62.9
50 = Alcohol	1118	36.8	3028	99.7
51 = Other (SPECIFY)	10	0.3	3038	100.0

Frequency Missing = 9

Q53INT INTRAVENOUS DRUG USER EVER

Q53INT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	5	0.2	5	0.2
-2 = Don^t know	1433	47.1	1438	47.3
1 = Yes	761	25.0	2199	72.3
2 = No	841	27.7	3040	100.0

Frequency Missing = 7

Q53ADUSE INTRAVENOUS DRUG USER AT ADMIS

Q53ADUSE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	3	0.2	3	0.2
-2 = Don^t know	887	45.1	890	45.2
1 = Yes	411	20.9	1301	66.1
2 = No	666	33.9	1967	100.0

Frequency Missing = 1080

Q53BFRE FREQUENCY OF IV DRUG USE

Q53BFRE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	3	0.7	3	0.7
-2 = Don^t know	48	11.6	51	12.3
1 = Daily	315	76.1	366	88.4
2 = Regularly but not daily	37	8.9	403	97.3
3 = Sporadically	11	2.7	414	100.0

Frequency Missing = 2633

Q54NUM # OF TESTS IN TR (TOP-CODE 15+)

Q54NUM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	10	0.7	10	0.7
-2 = Don^t know	52	3.9	62	4.6
1	558	41.3	620	45.9
2	217	16.1	837	62.0
3	114	8.4	951	70.4
4	72	5.3	1023	75.8
5	48	3.6	1071	79.3
6	18	1.3	1089	80.7
7	21	1.6	1110	82.2
8	21	1.6	1131	83.8
9	14	1.0	1145	84.8
10	15	1.1	1160	85.9
11	15	1.1	1175	87.0
12	8	0.6	1183	87.6
13	14	1.0	1197	88.7
14	11	0.8	1208	89.5
15 = 15+	142	10.5	1350	100.0

Frequency Missing = 1697

Q55POSTV # OF POSTV TESTS (TOP-CODE 15+)

Q55POSTV	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	9	0.7	9	0.7
-2 = Don^t know	117	8.7	126	9.3
0	448	33.2	574	42.5
1	474	35.1	1048	77.6
2	106	7.9	1154	85.5
3	44	3.3	1198	88.7
4	21	1.6	1219	90.3
5	9	0.7	1228	91.0
6	7	0.5	1235	91.5
7	13	1.0	1248	92.4
8	8	0.6	1256	93.0
9	10	0.7	1266	93.8
10	8	0.6	1274	94.4
11	8	0.6	1282	95.0
12	1	0.1	1283	95.0
13	5	0.4	1288	95.4
14	3	0.2	1291	95.6
15 = 15+	59	4.4	1350	100.0

Frequency Missing = 1697

Q56TEST SUBSTCE ABUSE TEST DURING SAMP

Q56TEST	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	56	1.8	56	1.8
-3 = Missing	69	2.3	125	4.1
-2 = Don^t know	803	26.4	928	30.5
1 = Yes	1335	43.9	2263	74.4
2 = No	777	25.6	3040	100.0

Frequency Missing = 7

Q56_T1 CODE OF FIRST TEST

Q56_T1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	1	0.1	1	0.1
-3 = Missing	80	5.7	81	5.8
-2 = Don^t know	99	7.0	180	12.8
1 = Urine	1084	77.2	1264	90.0
2 = Serum/Blood	86	6.1	1350	96.1
3 = Other (SPECIFY)	55	3.9	1405	100.0

Frequency Missing = 1642

Q56_T2 CODE OF LAST TEST

Q56_T2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	234	21.5	234	21.5
-3 = Missing	81	7.5	315	29.0
-2 = Don^t know	111	10.2	426	39.2
1 = Urine	610	56.2	1036	95.4
2 = Serum/Blood	24	2.2	1060	97.6
3 = Other (SPECIFY)	26	2.4	1086	100.0

Frequency Missing = 1961

Q56_MON1 DATE OF RESULTS TEST1 - MONTH

Q56_MON1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	1	0.1	1	0.1
-3 = Missing	80	5.7	81	5.8
-2 = Don^t know	34	2.4	115	8.2
1	126	9.0	241	17.2
2	103	7.3	344	24.5
3	102	7.3	446	31.7
4	113	8.0	559	39.8
5	118	8.4	677	48.2
6	102	7.3	779	55.4
7	92	6.5	871	62.0
8	104	7.4	975	69.4
9	119	8.5	1094	77.9
10	127	9.0	1221	86.9
11	99	7.0	1320	94.0
12	85	6.0	1405	100.0

Frequency Missing = 1642

Q56_DAY1 DATE OF RESULTS TEST1 - DAY

Q56_DAY1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	1	0.1	1	0.1
-3 = Missing	81	5.8	82	5.8
-2 = Don't know	47	3.3	129	9.2
1	52	3.7	181	12.9
2	33	2.3	214	15.2
3	32	2.3	246	17.5
4	34	2.4	280	19.9
5	46	3.3	326	23.2
6	44	3.1	370	26.3
7	44	3.1	414	29.5
8	30	2.1	444	31.6
9	47	3.3	491	34.9
10	35	2.5	526	37.4
11	44	3.1	570	40.6
12	42	3.0	612	43.6
13	37	2.6	649	46.2
14	56	4.0	705	50.2
15	45	3.2	750	53.4
16	49	3.5	799	56.9
17	36	2.6	835	59.4
18	61	4.3	896	63.8
19	47	3.3	943	67.1
20	43	3.1	986	70.2
21	60	4.3	1046	74.4
22	41	2.9	1087	77.4
23	38	2.7	1125	80.1
24	46	3.3	1171	83.3
25	40	2.8	1211	86.2
26	36	2.6	1247	88.8
27	38	2.7	1285	91.5
28	34	2.4	1319	93.9
29	24	1.7	1343	95.6
30	42	3.0	1385	98.6
31	20	1.4	1405	100.0

Frequency Missing = 1642

Q56_YR1 DATE OF RESULTS TEST1 - YEAR

Q56_YR1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	1	0.1	1	0.1
-3 = Missing	82	5.8	83	5.9
-2 = Don^t know	35	2.5	118	8.4
73	1	0.1	119	8.5
79	1	0.1	120	8.5
81	2	0.1	122	8.7
82	2	0.1	124	8.8
83	2	0.1	126	9.0
84	12	0.9	138	9.8
85	11	0.8	149	10.6
86	8	0.6	157	11.2
87	8	0.6	165	11.7
88	37	2.6	202	14.4
89	581	41.4	783	55.7
90	622	44.3	1405	100.0

Frequency Missing = 1642

Q56_MON2 DATE OF RESULTS TEST2 - MONTH

Q56_MON2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	3	0.4	3	0.4
-3 = Missing	83	9.7	86	10.1
-2 = Don^t know	65	7.6	151	17.7
1	71	8.3	222	26.1
2	51	6.0	273	32.0
3	45	5.3	318	37.3
4	63	7.4	381	44.7
5	55	6.5	436	51.2
6	64	7.5	500	58.7
7	50	5.9	550	64.6
8	44	5.2	594	69.7
9	49	5.8	643	75.5
10	76	8.9	719	84.4
11	65	7.6	784	92.0
12	68	8.0	852	100.0

Frequency Missing = 2195

Q56_DAY2 DATE OF RESULTS TEST2 - DAY

Q56_DAY2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	3	0.4	3	0.4
-3 = Missing	84	9.9	87	10.2
-2 = Don^t know	67	7.9	154	18.1
1	25	2.9	179	21.0
2	14	1.6	193	22.7
3	26	3.1	219	25.7
4	18	2.1	237	27.8
5	37	4.3	274	32.2
6	35	4.1	309	36.3
7	16	1.9	325	38.1
8	19	2.2	344	40.4
9	24	2.8	368	43.2
10	16	1.9	384	45.1
11	19	2.2	403	47.3
12	16	1.9	419	49.2
13	25	2.9	444	52.1
14	21	2.5	465	54.6
15	22	2.6	487	57.2
16	25	2.9	512	60.1
17	22	2.6	534	62.7
18	27	3.2	561	65.8
19	20	2.3	581	68.2
20	23	2.7	604	70.9
21	20	2.3	624	73.2
22	26	3.1	650	76.3
23	31	3.6	681	79.9
24	24	2.8	705	82.7
25	19	2.2	724	85.0
26	22	2.6	746	87.6
27	17	2.0	763	89.6
28	32	3.8	795	93.3
29	30	3.5	825	96.8
30	18	2.1	843	98.9
31	9	1.1	852	100.0

Frequency Missing = 2195

Q56_YR2 DATE OF RESULTS TEST2 - YEAR

Q56_YR2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	3	0.4	3	0.4
-3 = Missing	84	9.9	87	10.2
-2 = Don^t know	65	7.6	152	17.8
87	1	0.1	153	18.0
88	1	0.1	154	18.1
89	292	34.3	446	52.3
90	406	47.7	852	100.0

Frequency Missing = 2195

Q56A1 Cocaine (including crack) I

	Q56A1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		52	7.6	52	7.6
-3 = Missing		82	12.0	134	19.6
-2 = Don^t know		4	0.6	138	20.2
1 = Test positive		264	38.7	402	58.9
2 = Test negative/not applicable		281	41.1	683	100.0

Frequency Missing = 2364

Q56A2 Cocaine (including crack) II

	Q56A2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		31	8.5	31	8.5
-3 = Missing		77	21.1	108	29.6
-2 = Don^t know		3	0.8	111	30.4
1 = Test positive		102	27.9	213	58.4
2 = Test negative/not applicable		152	41.6	365	100.0

Frequency Missing = 2682

Q56B1 Heroin I

	Q56B1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		96	17.0	96	17.0
-3 = Missing		91	16.1	187	33.1
-2 = Don^t know		4	0.7	191	33.8
1 = Test positive		75	13.3	266	47.1
2 = Test negative/not applicable		299	52.9	565	100.0

Frequency Missing = 2482

Q56B2 Heroin II

	Q56B2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		63	21.4	63	21.4
-3 = Missing		85	28.9	148	50.3
-2 = Don^t know		3	1.0	151	51.4
1 = Test positive		13	4.4	164	55.8
2 = Test negative/not applicable		130	44.2	294	100.0

Frequency Missing = 2753

Q56C1 Non-treatment methadone I

Q56C1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	119	21.5	119	21.5
-3 = Missing	94	17.0	213	38.4
-2 = Don't know	4	0.7	217	39.2
1 = Test positive	36	6.5	253	45.7
2 = Test negative/not applicable	301	54.3	554	100.0

Frequency Missing = 2493

Q56C2 Non-treatment methadone II

Q56C2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	74	23.7	74	23.7
-3 = Missing	85	27.2	159	51.0
-2 = Don't know	3	1.0	162	51.9
1 = Test positive	28	9.0	190	60.9
2 = Test negative/not applicable	122	39.1	312	100.0

Frequency Missing = 2735

Q56D1 Other opiates/synthetics I

Q56D1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	105	16.8	105	16.8
-3 = Missing	90	14.4	195	31.2
-2 = Don't know	4	0.6	199	31.8
1 = Test positive	125	20.0	324	51.8
2 = Test negative/not applicable	302	48.2	626	100.0

Frequency Missing = 2421

Q56D2 Other opiates/synthetics II

Q56D2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	65	19.5	65	19.5
-3 = Missing	84	25.1	149	44.6
-2 = Don't know	3	0.9	152	45.5
1 = Test positive	52	15.6	204	61.1
2 = Test negative/not applicable	130	38.9	334	100.0

Frequency Missing = 2713

Q56E1 Barbiturates I

	Q56E1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		92	17.1	92	17.1
-3 = Missing		89	16.5	181	33.6
-2 = Don^t know		4	0.7	185	34.3
1 = Test positive		36	6.7	221	41.0
2 = Test negative/not applicable		318	59.0	539	100.0

Frequency Missing = 2508

Q56E2 Barbiturates II

	Q56E2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		69	22.6	69	22.6
-3 = Missing		85	27.9	154	50.5
-2 = Don^t know		3	1.0	157	51.5
1 = Test positive		19	6.2	176	57.7
2 = Test negative/not applicable		129	42.3	305	100.0

Frequency Missing = 2742

Q56F1 Benzodiazepines I

	Q56F1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		90	15.0	90	15.0
-3 = Missing		87	14.5	177	29.5
-2 = Don^t know		4	0.7	181	30.1
1 = Test positive		111	18.5	292	48.6
2 = Test negative/not applicable		309	51.4	601	100.0

Frequency Missing = 2446

Q56F2 Benzodiazepines II

	Q56F2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		67	20.6	67	20.6
-3 = Missing		85	26.2	152	46.8
-2 = Don^t know		3	0.9	155	47.7
1 = Test positive		43	13.2	198	60.9
2 = Test negative/not applicable		127	39.1	325	100.0

Frequency Missing = 2722

Q56G1 Other sedatives/hypnotics I

	Q56G1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		127	24.1	127	24.1
-3 = Missing		95	18.1	222	42.2
-2 = Don^t know		4	0.8	226	43.0
1 = Test positive		6	1.1	232	44.1
2 = Test negative/not applicable		294	55.9	526	100.0

Frequency Missing = 2521

Q56G2 Other sedatives/hypnotics II

	Q56G2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		73	25.1	73	25.1
-3 = Missing		85	29.2	158	54.3
-2 = Don^t know		3	1.0	161	55.3
1 = Test positive		2	0.7	163	56.0
2 = Test negative/not applicable		128	44.0	291	100.0

Frequency Missing = 2756

Q56H1 Methamphetamines I

	Q56H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		114	21.4	114	21.4
-3 = Missing		93	17.5	207	38.9
-2 = Don^t know		4	0.8	211	39.7
1 = Test positive		9	1.7	220	41.4
2 = Test negative/not applicable		312	58.6	532	100.0

Frequency Missing = 2515

Q56H2 Methamphetamines II

	Q56H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		69	23.7	69	23.7
-3 = Missing		85	29.2	154	52.9
-2 = Don^t know		3	1.0	157	54.0
1 = Test positive		2	0.7	159	54.6
2 = Test negative/not applicable		132	45.4	291	100.0

Frequency Missing = 2756

Q56I1 Other amphetamines I

	Q56I1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		95	18.0	95	18.0
-3 = Missing		86	16.3	181	34.2
-2 = Don^t know		4	0.8	185	35.0
1 = Test positive		9	1.7	194	36.7
2 = Test negative/not applicable		335	63.3	529	100.0

Frequency Missing = 2518

Q56I2 Other amphetamines II

	Q56I2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		54	18.5	54	18.5
-3 = Missing		83	28.4	137	46.9
-2 = Don^t know		3	1.0	140	47.9
1 = Test positive		4	1.4	144	49.3
2 = Test negative/not applicable		148	50.7	292	100.0

Frequency Missing = 2755

Q56J1 Marijuana/Hashish/THC I

	Q56J1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		57	9.5	57	9.5
-3 = Missing		83	13.9	140	23.4
-2 = Don^t know		4	0.7	144	24.1
1 = Test positive		130	21.7	274	45.8
2 = Test negative/not applicable		324	54.2	598	100.0

Frequency Missing = 2449

Q56J2 Marijuana/Hashish/THC II

	Q56J2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		39	12.6	39	12.6
-3 = Missing		79	25.5	118	38.1
-2 = Don^t know		3	1.0	121	39.0
1 = Test positive		35	11.3	156	50.3
2 = Test negative/not applicable		154	49.7	310	100.0

Frequency Missing = 2737

Q56K1 PCP/LSD I

Q56K1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	96	18.3	96	18.3
-3 = Missing	89	17.0	185	35.2
-2 = Don^t know	4	0.8	189	36.0
1 = Test positive	3	0.6	192	36.6
2 = Test negative/not applicable	333	63.4	525	100.0

Frequency Missing = 2522

Q56K2 PCP/LSD II

Q56K2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	67	23.1	67	23.1
-3 = Missing	81	27.9	148	51.0
-2 = Don^t know	3	1.0	151	52.1
1 = Test positive	1	0.3	152	52.4
2 = Test negative/not applicable	138	47.6	290	100.0

Frequency Missing = 2757

Q56L1 Other hallucinogens I

Q56L1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	136	26.0	136	26.0
-3 = Missing	96	18.4	232	44.4
-2 = Don^t know	4	0.8	236	45.1
2 = Test negative/not applicable	287	54.9	523	100.0

Frequency Missing = 2524

Q56L2 Other hallucinogens II

Q56L2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	76	26.3	76	26.3
-3 = Missing	85	29.4	161	55.7
-2 = Don^t know	3	1.0	164	56.7
2 = Test negative/not applicable	125	43.3	289	100.0

Frequency Missing = 2758

Q56M1 Inhalants I

Q56M1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	134	25.6	134	25.6
-3 = Missing	97	18.5	231	44.1
-2 = Don^t know	4	0.8	235	44.8
1 = Test positive	1	0.2	236	45.0
2 = Test negative/not applicable	288	55.0	524	100.0

Frequency Missing = 2523

Q56M2 Inhalants II

Q56M2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	76	26.2	76	26.2
-3 = Missing	85	29.3	161	55.5
-2 = Don^t know	3	1.0	164	56.6
1 = Test positive	1	0.3	165	56.9
2 = Test negative/not applicable	125	43.1	290	100.0

Frequency Missing = 2757

Q56N1 Alcohol I

Q56N1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	81	13.6	81	13.6
-3 = Missing	88	14.8	169	28.4
-2 = Don^t know	5	0.8	174	29.2
1 = Test positive	110	18.5	284	47.7
2 = Test negative/not applicable	311	52.3	595	100.0

Frequency Missing = 2452

Q56N2 Alcohol II

Q56N2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	68	23.1	68	23.1
-3 = Missing	84	28.5	152	51.5
-2 = Don^t know	3	1.0	155	52.5
1 = Test positive	8	2.7	163	55.3
2 = Test negative/not applicable	132	44.7	295	100.0

Frequency Missing = 2752

Q5601 Other (SPECIFY) I

	Q5601	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		130	21.6	130	21.6
-3 = Missing		125	20.8	255	42.4
-2 = Don^t know		4	0.7	259	43.0
1 = Test positive		104	17.3	363	60.3
2 = Test negative/not applicable		239	39.7	602	100.0

Frequency Missing = 2445

Q5602 Other (SPECIFY) II

	Q5602	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		75	23.0	75	23.0
-3 = Missing		97	29.8	172	52.8
-2 = Don^t know		3	0.9	175	53.7
1 = Test positive		51	15.6	226	69.3
2 = Test negative/not applicable		100	30.7	326	100.0

Frequency Missing = 2721

Q57 # OF TRTMNT EPISODES (TOP-CODE 11+)

	Q57TOTN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		854	28.1	854	28.1
-3 = Missing		12	0.4	866	28.5
-2 = Don^t know		543	17.9	1409	46.3
1		692	22.8	2101	69.1
2		380	12.5	2481	81.6
3		188	6.2	2669	87.8
4		124	4.1	2793	91.9
5		75	2.5	2868	94.3
6		43	1.4	2911	95.8
7		24	0.8	2935	96.5
8		36	1.2	2971	97.7
9		9	0.3	2980	98.0
10		19	0.6	2999	98.7
11 = 11+		41	1.3	3040	100.0

Frequency Missing = 7

Q57A # OF YEARS OVER WHICH TREATMENT SE

Q57AYRN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	370	16.9	370	16.9
-3 = Missing	359	16.4	729	33.3
-2 = Don^t know	498	22.8	1227	56.1
1	195	8.9	1422	65.1
2	167	7.6	1589	72.7
3	97	4.4	1686	77.1
4	71	3.2	1757	80.4
5	47	2.2	1804	82.5
6	52	2.4	1856	84.9
7	55	2.5	1911	87.4
8	47	2.2	1958	89.6
9	29	1.3	1987	90.9
10	42	1.9	2029	92.8
11	21	1.0	2050	93.8
12	17	0.8	2067	94.6
13	11	0.5	2078	95.1
14	14	0.6	2092	95.7
15	20	0.9	2112	96.6
16	7	0.3	2119	96.9
17	8	0.4	2127	97.3
18	14	0.6	2141	97.9
19	4	0.2	2145	98.1
20	8	0.4	2153	98.5
21	5	0.2	2158	98.7
24	1	0.0	2159	98.8
27	2	0.1	2161	98.9
30	2	0.1	2163	98.9
55	23	1.1	2186	100.0

Frequency Missing = 861

Q58 PAST TREATMENT EPISODES

Q58PAST	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	9	0.4	9	0.4
-3 = Missing	16	0.7	25	1.1
-2 = Don^t know	679	31.1	704	32.2
1 = Yes	1034	47.3	1738	79.5
2 = No	447	20.5	2185	100.0

Frequency Missing = 862

Q58_PRA REASON FOR TREATMENT SERVICES

	Q58_PRA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		7	0.7	7	0.7
-2 = Don't know		169	16.1	176	16.8
-1 = Refused		1	0.1	177	16.9
1 = Cocaine (excluding crack)		97	9.2	274	26.1
2 = Crack		40	3.8	314	29.9
3 = Heroin		163	15.5	477	45.4
4 = Non-treatment methadone		6	0.6	483	46.0
5 = Other opiates/synthetics		16	1.5	499	47.5
7 = Benzodiazepines		7	0.7	506	48.2
8 = Other sedatives/hypnotics		1	0.1	507	48.3
9 = Methamphetamines		8	0.8	515	49.0
11 = Marijuana/Hashish/TCP		23	2.2	538	51.2
12 = PCP/LSD		3	0.3	541	51.5
14 = Inhalants		2	0.2	543	51.7
15 = Alcohol		359	34.2	902	85.9
16 = Polydrug (excluding alcohol)		19	1.8	921	87.7
17 = Combination alcohol and other drug		79	7.5	1000	95.2
18 = Sub. abuse/mental ill. (dual diag.)		7	0.7	1007	95.9
97 = Other (SPECIFY IN COMMENTS)		43	4.1	1050	100.0

Frequency Missing = 1997

Q58_SECA REASON FOR TREATMENT SERVICES

	Q58_SECA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		1	0.1	1	0.1
-3 = Missing		29	2.8	30	2.9
-2 = Don't know		639	60.9	669	63.7
1 = Cocaine (excluding crack)		70	6.7	739	70.4
2 = Crack		14	1.3	753	71.7
3 = Heroin		7	0.7	760	72.4
4 = Non-treatment methadone		1	0.1	761	72.5
5 = Other opiates/synthetics		8	0.8	769	73.2
6 = Barbiturates		2	0.2	771	73.4
7 = Benzodiazepines		5	0.5	776	73.9
8 = Other sedatives/hypnotics		4	0.4	780	74.3
9 = Methamphetamines		3	0.3	783	74.6
10 = Other amphetamines		1	0.1	784	74.7
11 = Marijuana/Hashish/TCP		39	3.7	823	78.4
12 = PCP/LSD		1	0.1	824	78.5
14 = Inhalants		3	0.3	827	78.8
15 = Alcohol		65	6.2	892	85.0
16 = Polydrug (excluding alcohol)		7	0.7	899	85.6
17 = Combination alcohol and other drug		9	0.9	908	86.5
18 = Sub. abuse/mental ill. (dual diag.)		8	0.8	916	87.2
19 = No secondary drug use		118	11.2	1034	98.5
97 = Other (SPECIFY IN COMMENTS)		16	1.5	1050	100.0

Frequency Missing = 1997

Q58_FAA FACILITY CODES

Q58_FAA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	6	0.6	6	0.6
-2 = Don^t know	19	1.8	25	2.4
1 = Here	368	35.0	393	37.4
2 = Elsewhere	657	62.6	1050	100.0

Frequency Missing = 1997

Q58_REA REASON FOR DISCHARGE

Q58_REA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	7	0.7	7	0.7
-2 = Don^t know	299	28.5	306	29.1
1 = Completed planned treatment services	380	36.2	686	65.3
2 = Not complete tx, referred elsewhere	118	11.2	804	76.6
3 = Not complete tx, administration choice	22	2.1	826	78.7
4 = Not complete tx, participant choice	115	11.0	941	89.6
5 = Not complete tx, choice not mentioned	17	1.6	958	91.2
6 = Incarcerated	8	0.8	966	92.0
7 = Other (SPECIFY IN COMMENTS)	84	8.0	1050	100.0

Frequency Missing = 1997

Q58_PRB REASON FOR TREATMENT SERVICES

Q58_PRB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	262	47.5	262	47.5
-3 = Missing	34	6.2	296	53.6
-2 = Don^t know	71	12.9	367	66.5
-1 = Refused	1	0.2	368	66.7
1 = Cocaine (excluding crack)	19	3.4	387	70.1
2 = Crack	9	1.6	396	71.7
3 = Heroin	36	6.5	432	78.3
5 = Other opiates/synthetics	1	0.2	433	78.4
7 = Benzodiazepines	6	1.1	439	79.5
9 = Methamphetamines	1	0.2	440	79.7
11 = Marijuana/Hashish/TCP	3	0.5	443	80.3
15 = Alcohol	74	13.4	517	93.7
16 = Polydrug (excluding alcohol)	5	0.9	522	94.6
17 = Combination alcohol and other drug	11	2.0	533	96.6
18 = Sub. abuse/mental ill. (dual diag.)	6	1.1	539	97.6
97 = Other (SPECIFY IN COMMENTS)	13	2.4	552	100.0

Frequency Missing = 2495

Q58_SECB REASON FOR TREATMENT SERVICES

	Q58_SECB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		2	0.7	2	0.7
-3 = Missing		42	14.4	44	15.1
-2 = Don't know		172	58.9	216	74.0
1 = Cocaine (excluding crack)		14	4.8	230	78.8
2 = Crack		2	0.7	232	79.5
3 = Heroin		3	1.0	235	80.5
4 = Non-treatment methadone		2	0.7	237	81.2
7 = Benzodiazepines		1	0.3	238	81.5
11 = Marijuana/Hashish/TCP		6	2.1	244	83.6
15 = Alcohol		12	4.1	256	87.7
16 = Polydrug (excluding alcohol)		2	0.7	258	88.4
17 = Combination alcohol and other drug		4	1.4	262	89.7
18 = Sub. abuse/mental ill. (dual diag.)		2	0.7	264	90.4
19 = No secondary drug use		23	7.9	287	98.3
97 = Other (SPECIFY IN COMMENTS)		5	1.7	292	100.0

Frequency Missing = 2755

Q58_FAB FACILITY CODES

	Q58_FAB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		2	0.7	2	0.7
-3 = Missing		34	11.6	36	12.3
-2 = Don't know		10	3.4	46	15.8
1 = Here		82	28.1	128	43.8
2 = Elsewhere		164	56.2	292	100.0

Frequency Missing = 2755

Q58_REB REASON FOR DISCHARGE

	Q58_REB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		2	0.7	2	0.7
-3 = Missing		35	12.0	37	12.7
-2 = Don't know		102	34.9	139	47.6
1 = Completed planned treatment services		78	26.7	217	74.3
2 = Not complete tx, referred elsewhere		19	6.5	236	80.8
3 = Not complete tx, administration choice		12	4.1	248	84.9
4 = Not complete tx, participant choice		31	10.6	279	95.5
5 = Not complete tx, choice not mentioned		2	0.7	281	96.2
6 = Incarcerated		2	0.7	283	96.9
7 = Other (SPECIFY IN COMMENTS)		9	3.1	292	100.0

Frequency Missing = 2755

Q58_PRC REASON FOR TREATMENT SERVICES

	Q58_PRC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		65	35.9	65	35.9
-3 = Missing		38	21.0	103	56.9
-2 = Don't know		20	11.0	123	68.0
1 = Cocaine (excluding crack)		5	2.8	128	70.7
2 = Crack		1	0.6	129	71.3
3 = Heroin		9	5.0	138	76.2
5 = Other opiates/synthetics		1	0.6	139	76.8
9 = Methamphetamines		1	0.6	140	77.3
11 = Marijuana/Hashish/TCP		1	0.6	141	77.9
15 = Alcohol		27	14.9	168	92.8
16 = Polydrug (excluding alcohol)		1	0.6	169	93.4
17 = Combination alcohol and other drug		7	3.9	176	97.2
18 = Sub. abuse/mental ill. (dual diag.)		3	1.7	179	98.9
97 = Other (SPECIFY IN COMMENTS)		2	1.1	181	100.0

Frequency Missing = 2866

Q58_SECC REASON FOR TREATMENT SERVICES

	Q58_SECC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		2	1.7	2	1.7
-3 = Missing		39	33.1	41	34.7
-2 = Don't know		43	36.4	84	71.2
1 = Cocaine (excluding crack)		6	5.1	90	76.3
7 = Benzodiazepines		1	0.8	91	77.1
11 = Marijuana/Hashish/TCP		3	2.5	94	79.7
15 = Alcohol		3	2.5	97	82.2
16 = Polydrug (excluding alcohol)		2	1.7	99	83.9
17 = Combination alcohol and other drug		1	0.8	100	84.7
18 = Sub. abuse/mental ill. (dual diag.)		6	5.1	106	89.8
19 = No secondary drug use		9	7.6	115	97.5
97 = Other (SPECIFY IN COMMENTS)		3	2.5	118	100.0

Frequency Missing = 2929

Q58_FAC FACILITY CODES

	Q58_FAC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		2	1.7	2	1.7
-3 = Missing		38	32.2	40	33.9
-2 = Don't know		3	2.5	43	36.4
1 = Here		25	21.2	68	57.6
2 = Elsewhere		50	42.4	118	100.0

Frequency Missing = 2929

Q58_REC REASON FOR DISCHARGE

Q58_REC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	2	1.7	2	1.7
-3 = Missing	39	33.1	41	34.7
-2 = Don't know	35	29.7	76	64.4
1 = Completed planned treatment services	23	19.5	99	83.9
2 = Not complete tx, referred elsewhere	8	6.8	107	90.7
3 = Not complete tx, administration choice	3	2.5	110	93.2
4 = Not complete tx, participant choice	8	6.8	118	100.0

Frequency Missing = 2929

Q58_PRD REASON FOR TREATMENT SERVICES

Q58_PRD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	14	16.9	14	16.9
-3 = Missing	40	48.2	54	65.1
-2 = Don't know	13	15.7	67	80.7
1 = Cocaine (excluding crack)	3	3.6	70	84.3
3 = Heroin	3	3.6	73	88.0
15 = Alcohol	3	3.6	76	91.6
17 = Combination alcohol and other drug	3	3.6	79	95.2
18 = Sub. abuse/mental ill. (dual diag.)	4	4.8	83	100.0

Frequency Missing = 2964

Q58_SECD REASON FOR TREATMENT SERVICES

Q58_SECD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	2	2.8	2	2.8
-3 = Missing	41	57.7	43	60.6
-2 = Don't know	18	25.4	61	85.9
11 = Marijuana/Hashish/TCP	2	2.8	63	88.7
16 = Polydrug (excluding alcohol)	1	1.4	64	90.1
17 = Combination alcohol and other drug	2	2.8	66	93.0
19 = No secondary drug use	2	2.8	68	95.8
97 = Other (SPECIFY IN COMMENTS)	3	4.2	71	100.0

Frequency Missing = 2976

Q58_FAD FACILITY CODES

Q58_FAD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	2	2.8	2	2.8
-3 = Missing	40	56.3	42	59.2
-2 = Don^t know	3	4.2	45	63.4
1 = Here	9	12.7	54	76.1
2 = Elsewhere	17	23.9	71	100.0

Frequency Missing = 2976

Q58_RED REASON FOR DISCHARGE

Q58_RED	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	2	2.8	2	2.8
-3 = Missing	40	56.3	42	59.2
-2 = Don^t know	13	18.3	55	77.5
1 = Completed planned treatment services	12	16.9	67	94.4
2 = Not complete tx, referred elsewhere	4	5.6	71	100.0

Frequency Missing = 2976

Q58_PRE REASON FOR TREATMENT SERVICES

Q58_PRE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know	3	75.0	3	75.0
1 = Cocaine (excluding crack)	1	25.0	4	100.0

Frequency Missing = 3043

Q58_SECE REASON FOR TREATMENT SERVICES

Q58_SECE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know	3	75.0	3	75.0
15 = Alcohol	1	25.0	4	100.0

Frequency Missing = 3043

Q58_FAE FACILITY CODES

Q58_FAE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 = Here	1	25.0	1	25.0
2 = Elsewhere	3	75.0	4	100.0

Frequency Missing = 3043

Q58_REE REASON FOR DISCHARGE

Q58_REE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know	2	50.0	2	50.0
1 = Completed planned treatment services	2	50.0	4	100.0

Frequency Missing = 3043

Q58_PRF REASON FOR TREATMENT SERVICES

Q58_PRF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know	2	100.0	2	100.0

Frequency Missing = 3045

Q58_SECF REASON FOR TREATMENT SERVICES

Q58_SECF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know	2	100.0	2	100.0

Frequency Missing = 3045

Q58_FAF FACILITY CODES

Q58_FAF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2 = Elsewhere	2	100.0	2	100.0

Frequency Missing = 3045

Q58_REF REASON FOR DISCHARGE

Q58_REF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know	1	50.0	1	50.0
1 = Completed planned treatment services	1	50.0	2	100.0

Frequency Missing = 3045

Q58_PRG REASON FOR TREATMENT SERVICES

Q58_PRG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know	1	100.0	1	100.0

Frequency Missing = 3046

Q58_SECG REASON FOR TREATMENT SERVICES

Q58_SECG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know	1	100.0	1	100.0

Frequency Missing = 3046

Q58_FAG FACILITY CODES

Q58_FAG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2 = Elsewhere	1	100.0	1	100.0

Frequency Missing = 3046

Q58_REG REASON FOR DISCHARGE

Q58_REG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know	1	100.0	1	100.0

Frequency Missing = 3046

Q58_PRH REASON FOR TREATMENT SERVICES

-----	Q58_PRH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know		1	100.0	1	100.0

Frequency Missing = 3046

Q58_SECH REASON FOR TREATMENT SERVICES

-----	Q58_SECH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know		1	100.0	1	100.0

Frequency Missing = 3046

Q58_FAH FACILITY CODES

-----	Q58_FAH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2 = Elsewhere		1	100.0	1	100.0

Frequency Missing = 3046

Q58_REH REASON FOR DISCHARGE

-----	Q58_REH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know		1	100.0	1	100.0

Frequency Missing = 3046

Q58_PRI REASON FOR TREATMENT SERVICES

-----	Q58_PRI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know		1	100.0	1	100.0

Frequency Missing = 3046

Q58_SECI REASON FOR TREATMENT SERVICES

-----	Q58_SECI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know		1	100.0	1	100.0

Frequency Missing = 3046

Q58_FAI FACILITY CODES

-----	Q58_FAI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2 = Elsewhere		1	100.0	1	100.0

Frequency Missing = 3046

Q58_REI REASON FOR DISCHARGE

-----	Q58_REI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know		1	100.0	1	100.0

Frequency Missing = 3046

Q58_PRJ REASON FOR TREATMENT SERVICES

-----	Q58_PRJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-------	---------	-----------	---------	-------------------------	-----------------------

Frequency Missing = 3047

Q58_SECJ REASON FOR TREATMENT SERVICES

-----	Q58_SECJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-------	----------	-----------	---------	-------------------------	-----------------------

Frequency Missing = 3047

Q58_FAJ FACILITY CODES

Q58_FAJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent

Frequency Missing = 3047				

Q58_REJ REASON FOR DISCHARGE

Q58_REJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent

Frequency Missing = 3047				

Q59_SER INDIVIDUAL COUNSELING

Q59_SER	Frequency	Percent	Cumulative Frequency	Cumulative Percent

-5 = Not applicable	9	0.3	9	0.3
-3 = Missing	20	0.7	29	1.0
-2 = Don't know	474	15.6	503	16.5
1 = Not given	107	3.5	610	20.1
2 = Actually given, completed	1740	57.2	2350	77.3
3 = Actually given, not completed by admin. choice	100	3.3	2450	80.6
4 = Not completed client choice	416	13.7	2866	94.3
5 = Not completed no mention of choice	32	1.1	2898	95.3
6 = Planned or recom., can't confirm if act. given	142	4.7	3040	100.0

Frequency Missing = 7

Q59_FAC FACILITY

Q59_FAC	Frequency	Percent	Cumulative Frequency	Cumulative Percent

-3 = Missing	19	0.7	19	0.7
-2 = Don't know	174	6.8	193	7.6
1 = Here	2348	92.3	2541	99.8
2 = Elsewhere	4	0.2	2545	100.0

Frequency Missing = 502

Q59_NO # OF ENCOUNTERS (TOP-CODED 50+)

Q59_NO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	50	2.0	50	2.0
-2 = Don^t know	839	33.0	889	34.9
1	248	9.7	1137	44.7
2	179	7.0	1316	51.7
3	143	5.6	1459	57.3
4	145	5.7	1604	63.0
5	157	6.2	1761	69.2
6	130	5.1	1891	74.3
7	77	3.0	1968	77.3
8	72	2.8	2040	80.2
9	51	2.0	2091	82.2
10	73	2.9	2164	85.0
11	38	1.5	2202	86.5
12	25	1.0	2227	87.5
13	16	0.6	2243	88.1
14	15	0.6	2258	88.7
15	26	1.0	2284	89.7
16	12	0.5	2296	90.2
17	20	0.8	2316	91.0
18	16	0.6	2332	91.6
19	15	0.6	2347	92.2
20	14	0.6	2361	92.8
21	6	0.2	2367	93.0
22	4	0.2	2371	93.2
23	8	0.3	2379	93.5
24	2	0.1	2381	93.6
25	4	0.2	2385	93.7
26	6	0.2	2391	93.9
27	7	0.3	2398	94.2
28	5	0.2	2403	94.4
29	8	0.3	2411	94.7
30	4	0.2	2415	94.9
31	12	0.5	2427	95.4
32	7	0.3	2434	95.6
33	4	0.2	2438	95.8
35	2	0.1	2440	95.9
36	2	0.1	2442	96.0
37	2	0.1	2444	96.0
38	1	0.0	2445	96.1
39	2	0.1	2447	96.1
40	14	0.6	2461	96.7
41	1	0.0	2462	96.7
42	3	0.1	2465	96.9
43	2	0.1	2467	96.9
44	4	0.2	2471	97.1
45	5	0.2	2476	97.3
46	3	0.1	2479	97.4
47	2	0.1	2481	97.5
48	1	0.0	2482	97.5
49	5	0.2	2487	97.7
50 = 50+	58	2.3	2545	100.0

Frequency Missing = 502

Q60_SER GROUP COUNSELING

	Q60_SER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		3	0.1	3	0.1
-3 = Missing		50	1.6	53	1.7
-2 = Don^t know		549	18.1	602	19.9
1 = Not given		380	12.5	982	32.4
2 = Actually given, completed		1568	51.7	2550	84.1
3 = Actually given, not completed by admin. choice		87	2.9	2637	87.0
4 = Not completed client choice		260	8.6	2897	95.6
5 = Not completed no mention of choice		14	0.5	2911	96.0
6 = Planned or recom., can^t confirm if act. given		120	4.0	3031	100.0

Frequency Missing = 16

Q60_FAC FACILITY

	Q60_FAC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		48	2.0	48	2.0
-2 = Don^t know		307	13.1	355	15.1
1 = Here		1960	83.3	2315	98.4
2 = Elsewhere		37	1.6	2352	100.0

Frequency Missing = 695

Q60_NO # OF ENCOUNTERS (TOP-CODED 50+)

Q60_NO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	87	3.7	87	3.7
-2 = Don't know	963	40.9	1050	44.6
1	96	4.1	1146	48.7
2	75	3.2	1221	51.9
3	89	3.8	1310	55.7
4	57	2.4	1367	58.1
5	52	2.2	1419	60.3
6	54	2.3	1473	62.6
7	30	1.3	1503	63.9
8	46	2.0	1549	65.9
9	30	1.3	1579	67.1
10	39	1.7	1618	68.8
11	25	1.1	1643	69.9
12	52	2.2	1695	72.1
13	30	1.3	1725	73.3
14	33	1.4	1758	74.7
15	26	1.1	1784	75.9
16	53	2.3	1837	78.1
17	21	0.9	1858	79.0
18	29	1.2	1887	80.2
19	16	0.7	1903	80.9
20	45	1.9	1948	82.8
21	14	0.6	1962	83.4
22	12	0.5	1974	83.9
23	15	0.6	1989	84.6
24	30	1.3	2019	85.8
25	19	0.8	2038	86.6
26	13	0.6	2051	87.2
27	4	0.2	2055	87.4
28	16	0.7	2071	88.1
29	11	0.5	2082	88.5
30	22	0.9	2104	89.5
31	3	0.1	2107	89.6
32	10	0.4	2117	90.0
33	7	0.3	2124	90.3
34	9	0.4	2133	90.7
35	10	0.4	2143	91.1
36	12	0.5	2155	91.6
37	1	0.0	2156	91.7
38	3	0.1	2159	91.8
39	4	0.2	2163	92.0
40	8	0.3	2171	92.3
41	4	0.2	2175	92.5
42	10	0.4	2185	92.9
43	7	0.3	2192	93.2
44	2	0.1	2194	93.3
45	10	0.4	2204	93.7
46	5	0.2	2209	93.9
47	2	0.1	2211	94.0
48	5	0.2	2216	94.2
49	6	0.3	2222	94.5
50 = 50+	130	5.5	2352	100.0

Frequency Missing = 695

Q61_SER FAMILY COUNSELING

	Q61_SER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		2	0.1	2	0.1
-3 = Missing		170	5.6	172	5.7
-2 = Don^t know		1404	46.4	1576	52.0
1 = Not given		739	24.4	2315	76.5
2 = Actually given, completed		473	15.6	2788	92.1
3 = Actually given, not completed by admin. choice		23	0.8	2811	92.8
4 = Not completed client choice		64	2.1	2875	94.9
5 = Not completed no mention of choice		6	0.2	2881	95.1
6 = Planned or recom., can^t confirm if act. given		147	4.9	3028	100.0

Frequency Missing = 19

Q61_FAC FACILITY

	Q61_FAC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		144	8.9	144	8.9
-2 = Don^t know		828	51.1	972	60.0
1 = Here		642	39.6	1614	99.6
2 = Elsewhere		6	0.4	1620	100.0

Frequency Missing = 1427

Q61_NO # OF ENCOUNTERS (TOP-CODED 50+)

Q61_NO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	177	10.9	177	10.9
-2 = Don't know	1055	65.1	1232	76.0
1	132	8.1	1364	84.2
2	80	4.9	1444	89.1
3	36	2.2	1480	91.4
4	32	2.0	1512	93.3
5	13	0.8	1525	94.1
6	21	1.3	1546	95.4
7	6	0.4	1552	95.8
8	14	0.9	1566	96.7
9	8	0.5	1574	97.2
10	6	0.4	1580	97.5
11	9	0.6	1589	98.1
12	9	0.6	1598	98.6
14	3	0.2	1601	98.8
15	2	0.1	1603	99.0
16	1	0.1	1604	99.0
17	2	0.1	1606	99.1
18	1	0.1	1607	99.2
22	1	0.1	1608	99.3
23	1	0.1	1609	99.3
24	1	0.1	1610	99.4
27	2	0.1	1612	99.5
30	4	0.2	1616	99.8
34	1	0.1	1617	99.8
47	1	0.1	1618	99.9
50 = 50+	2	0.1	1620	100.0

Frequency Missing = 1427

Q62_SER DRUG EDUCATION COUNSELING

Q62_SER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	1	0.0	1	0.0
-3 = Missing	169	5.6	170	5.6
-2 = Don't know	1252	41.4	1422	47.0
1 = Not given	377	12.5	1799	59.5
2 = Actually given, completed	900	29.7	2699	89.2
3 = Actually given, not completed by admin. choice	34	1.1	2733	90.3
4 = Not completed client choice	135	4.5	2868	94.8
5 = Not completed no mention of choice	6	0.2	2874	95.0
6 = Planned or recom., can't confirm if act. given	152	5.0	3026	100.0

Frequency Missing = 21

Q62_FAC FACILITY

Q62_FAC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	158	7.9	158	7.9
-2 = Don^t know	690	34.5	848	42.4
1 = Here	1146	57.2	1994	99.6
2 = Elsewhere	8	0.4	2002	100.0

Frequency Missing = 1045

Q62_NO # OF ENCOUNTERS (TOP-CODED 50+)

Q62_NO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	206	10.3	206	10.3
-2 = Don't know	1279	63.9	1485	74.2
1	88	4.4	1573	78.6
2	46	2.3	1619	80.9
3	30	1.5	1649	82.4
4	45	2.2	1694	84.6
5	32	1.6	1726	86.2
6	30	1.5	1756	87.7
7	11	0.5	1767	88.3
8	22	1.1	1789	89.4
9	10	0.5	1799	89.9
10	18	0.9	1817	90.8
11	10	0.5	1827	91.3
12	12	0.6	1839	91.9
13	4	0.2	1843	92.1
14	4	0.2	1847	92.3
15	4	0.2	1851	92.5
16	4	0.2	1855	92.7
17	2	0.1	1857	92.8
18	6	0.3	1863	93.1
19	1	0.0	1864	93.1
20	5	0.2	1869	93.4
21	8	0.4	1877	93.8
22	2	0.1	1879	93.9
23	5	0.2	1884	94.1
24	16	0.8	1900	94.9
25	4	0.2	1904	95.1
26	5	0.2	1909	95.4
27	3	0.1	1912	95.5
28	4	0.2	1916	95.7
29	2	0.1	1918	95.8
30	6	0.3	1924	96.1
31	2	0.1	1926	96.2
32	7	0.3	1933	96.6
33	3	0.1	1936	96.7
34	2	0.1	1938	96.8
35	4	0.2	1942	97.0
36	2	0.1	1944	97.1
37	1	0.0	1945	97.2
38	1	0.0	1946	97.2
39	1	0.0	1947	97.3
40	7	0.3	1954	97.6
41	2	0.1	1956	97.7
42	4	0.2	1960	97.9
43	1	0.0	1961	98.0
44	5	0.2	1966	98.2
45	2	0.1	1968	98.3
46	1	0.0	1969	98.4
47	1	0.0	1970	98.4
50 = 50+	32	1.6	2002	100.0

Frequency Missing = 1045

Q63_SER EMPLOYMENT COUNSELING

	Q63_SER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		1	0.0	1	0.0
-3 = Missing		181	6.0	182	6.0
-2 = Don^t know		1631	53.9	1813	59.9
1 = Not given		1036	34.2	2849	94.2
2 = Actually given, completed		123	4.1	2972	98.2
3 = Actually given, not completed by admin. choice		7	0.2	2979	98.5
4 = Not completed client choice		5	0.2	2984	98.6
6 = Planned or recom., can^t confirm if act. given		41	1.4	3025	100.0

Frequency Missing = 22

Q63_FAC FACILITY

	Q63_FAC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		156	12.0	156	12.0
-2 = Don^t know		995	76.8	1151	88.9
1 = Here		123	9.5	1274	98.4
2 = Elsewhere		21	1.6	1295	100.0

Frequency Missing = 1752

Q64_SER JOB TRAINING

	Q64_SER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		187	6.2	187	6.2
-2 = Don^t know		1662	55.0	1849	61.1
1 = Not given		1106	36.6	2955	97.7
2 = Actually given, completed		35	1.2	2990	98.9
3 = Actually given, not completed by admin. choice		4	0.1	2994	99.0
4 = Not completed client choice		1	0.0	2995	99.0
6 = Planned or recom., can^t confirm if act. given		29	1.0	3024	100.0

Frequency Missing = 23

Q64_FAC FACILITY

Q64_FAC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	156	12.7	156	12.7
-2 = Don^t know	1031	83.6	1187	96.3
1 = Here	23	1.9	1210	98.1
2 = Elsewhere	23	1.9	1233	100.0

Frequency Missing = 1814

Q65_SER EDUCATIONAL CLASSES

Q65_SER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	180	6.0	180	6.0
-2 = Don^t know	1511	50.0	1691	55.9
1 = Not given	989	32.7	2680	88.6
2 = Actually given, completed	248	8.2	2928	96.8
3 = Actually given, not completed by admin. choice	16	0.5	2944	97.4
4 = Not completed client choice	26	0.9	2970	98.2
5 = Not completed no mention of choice	3	0.1	2973	98.3
6 = Planned or recom., can^t confirm if act. given	51	1.7	3024	100.0

Frequency Missing = 23

Q65_FAC FACILITY

Q65_FAC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	155	11.1	155	11.1
-2 = Don^t know	959	68.5	1114	79.5
1 = Here	262	18.7	1376	98.2
2 = Elsewhere	25	1.8	1401	100.0

Frequency Missing = 1646

Q66_SER DETOXIFICATION

	Q66_SER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		180	6.0	180	6.0
-2 = Don^t know		1017	33.6	1197	39.6
1 = Not given		665	22.0	1862	61.6
2 = Actually given, completed		958	31.7	2820	93.3
3 = Actually given, not completed by admin. choice		18	0.6	2838	93.8
4 = Not completed client choice		101	3.3	2939	97.2
5 = Not completed no mention of choice		13	0.4	2952	97.6
6 = Planned or recom., can^t confirm if act. given		72	2.4	3024	100.0

Frequency Missing = 23

Q66_FAC FACILITY

	Q66_FAC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		164	8.5	164	8.5
-2 = Don^t know		650	33.9	814	42.4
1 = Here		1081	56.3	1895	98.7
2 = Elsewhere		24	1.3	1919	100.0

Frequency Missing = 1128

Q67_SER ACTIVITY GROUPS

	Q67_SER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		174	5.8	174	5.8
-2 = Don^t know		1204	39.8	1378	45.6
1 = Not given		633	20.9	2011	66.5
2 = Actually given, completed		817	27.0	2828	93.5
3 = Actually given, not completed by admin. choice		26	0.9	2854	94.4
4 = Not completed client choice		50	1.7	2904	96.0
5 = Not completed no mention of choice		1	0.0	2905	96.1
6 = Planned or recom., can^t confirm if act. given		119	3.9	3024	100.0

Frequency Missing = 23

Q67_FAC FACILITY

Q67_FAC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	155	8.5	155	8.5
-2 = Don^t know	729	40.1	884	48.7
1 = Here	902	49.6	1786	98.3
2 = Elsewhere	31	1.7	1817	100.0

Frequency Missing = 1230

Q68_SER SELF-HELP GROUPS (INCLUDE AA AN

Q68_SER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	166	5.5	166	5.5
-2 = Don^t know	776	25.7	942	31.2
1 = Not given	386	12.8	1328	43.9
2 = Actually given, completed	1269	42.0	2597	85.9
3 = Actually given, not completed by admin. choice	38	1.3	2635	87.1
4 = Not completed client choice	85	2.8	2720	89.9
5 = Not completed no mention of choice	10	0.3	2730	90.3
6 = Planned or recom., can^t confirm if act. given	294	9.7	3024	100.0

Frequency Missing = 23

Q68_FAC FACILITY

Q68_FAC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	156	7.3	156	7.3
-2 = Don^t know	547	25.5	703	32.8
1 = Here	1110	51.8	1813	84.6
2 = Elsewhere	330	15.4	2143	100.0

Frequency Missing = 904

Q69_SER DAY CARE FOR CHILDREN

Q69_SER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	207	6.8	207	6.8
-2 = Don^t know	1472	48.7	1679	55.5
1 = Not given	1328	43.9	3007	99.4
2 = Actually given, completed	13	0.4	3020	99.9
6 = Planned or recom., can^t confirm if act. given	4	0.1	3024	100.0

Frequency Missing = 23

Q69_FAC FACILITY

Q69_FAC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	174	16.1	174	16.1
-2 = Don^t know	894	82.9	1068	99.0
1 = Here	7	0.6	1075	99.6
2 = Elsewhere	4	0.4	1079	100.0

Frequency Missing = 1968

Q70 MEDICATIONS PRESCRIBED DURING TREAT

Q70MED	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No	1032	43.6	1032	43.6
1 = Yes	1333	56.4	2365	100.0

Frequency Missing = 682

Q71 ANY PHYSICIAN NOTES AT ADMISSION

Q71ADM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No	828	31.5	828	31.5
1 = Yes	1798	68.5	2626	100.0

Frequency Missing = 421

Q72 PHYSICIAN NOTES AT DISCHARGE

Q72DIS	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No	1343	56.1	1343	56.1
1 = Yes	1052	43.9	2395	100.0

Frequency Missing = 652

Q73 ANY PHYSICIAN NOTES AT ANY OTHER TI

Q73OTHR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No	1061	42.0	1061	42.0
1 = Yes	1464	58.0	2525	100.0

Frequency Missing = 522

Q74 METHADONE GIVEN DURING THIS TREATME

Q74_METH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	1	0.0	1	0.0
-3 = Missing	4	0.1	5	0.2
-2 = Don^t know	942	31.0	947	31.2
1 = Yes	457	15.0	1404	46.2
2 = No	1636	53.8	3040	100.0

Frequency Missing = 7

Q74ATOT TOTAL DAILY DOSE IN MGS.

Q74ATOT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.4	2	0.4
-2 = Don^t know	13	2.8	15	3.3
2	1	0.2	16	3.5
5	5	1.1	21	4.6
10	18	3.9	39	8.5
15	6	1.3	45	9.8
16	1	0.2	46	10.0
20	62	13.4	108	23.4
24	4	0.9	112	24.3
25	40	8.7	152	33.0
26	5	1.1	157	34.1
28	1	0.2	158	34.3
30	198	43.0	356	77.2
33	1	0.2	357	77.4
34	1	0.2	358	77.7
35	20	4.3	378	82.0
36	1	0.2	379	82.2
40	26	5.6	405	87.9
44	1	0.2	406	88.1
45	5	1.1	411	89.2
50	28	6.1	439	95.2
55	1	0.2	440	95.4
60	6	1.3	446	96.7
70	3	0.7	449	97.4
75	2	0.4	451	97.8
76	2	0.4	453	98.3
80	5	1.1	458	99.3
90	2	0.4	460	99.8
500	1	0.2	461	100.0

Frequency Missing = 2586

Q74AGIV GIVEN DOSE IN MGS.

Q74AGIV	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	3	0.7	3	0.7
-2 = Don^t know	44	9.5	47	10.2
2	1	0.2	48	10.4
5	5	1.1	53	11.5
10	33	7.2	86	18.7
15	7	1.5	93	20.2
16	1	0.2	94	20.4
20	48	10.4	142	30.8
24	4	0.9	146	31.7
25	37	8.0	183	39.7
26	5	1.1	188	40.8
28	1	0.2	189	41.0
30	186	40.3	375	81.3
33	1	0.2	376	81.6
34	1	0.2	377	81.8
35	19	4.1	396	85.9
36	1	0.2	397	86.1
40	17	3.7	414	89.8
44	1	0.2	415	90.0
45	5	1.1	420	91.1
50	22	4.8	442	95.9
55	1	0.2	443	96.1
60	5	1.1	448	97.2
70	3	0.7	451	97.8
75	2	0.4	453	98.3
76	2	0.4	455	98.7
80	5	1.1	460	99.8
90	1	0.2	461	100.0

Frequency Missing = 2586

Q74ANUM NUMBER OF TIMES/DAY

Q74ANUM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.4	2	0.4
-2 = Don^t know	48	10.4	50	10.8
1	397	86.1	447	97.0
2	13	2.8	460	99.8
4	1	0.2	461	100.0

Frequency Missing = 2586

Q74APLAC PLACE

Q74APLC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.4	2	0.4
-2 = Don^t know	7	1.5	9	2.0
1 = Here	451	97.8	460	99.8
2 = At home	1	0.2	461	100.0

Frequency Missing = 2586

Q74BTOT TOTAL DAILY DOSE IN MGS.

Q74BTOT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	6	1.3	6	1.3
-3 = Missing	19	4.1	25	5.4
-2 = Don't know	26	5.7	51	11.1
1	4	0.9	55	12.0
2	11	2.4	66	14.3
3	7	1.5	73	15.9
4	3	0.7	76	16.5
5	89	19.3	165	35.9
6	3	0.7	168	36.5
8	3	0.7	171	37.2
9	1	0.2	172	37.4
10	32	7.0	204	44.3
11	1	0.2	205	44.6
12	2	0.4	207	45.0
14	1	0.2	208	45.2
15	18	3.9	226	49.1
16	1	0.2	227	49.3
18	3	0.7	230	50.0
19	1	0.2	231	50.2
20	24	5.2	255	55.4
21	1	0.2	256	55.7
22	1	0.2	257	55.9
24	1	0.2	258	56.1
25	11	2.4	269	58.5
26	1	0.2	270	58.7
30	34	7.4	304	66.1
32	1	0.2	305	66.3
34	4	0.9	309	67.2
35	9	2.0	318	69.1
38	1	0.2	319	69.3
39	1	0.2	320	69.6
40	49	10.7	369	80.2
44	3	0.7	372	80.9
45	7	1.5	379	82.4
50	25	5.4	404	87.8
54	1	0.2	405	88.0
55	5	1.1	410	89.1
56	1	0.2	411	89.3
58	3	0.7	414	90.0
60	18	3.9	432	93.9
64	2	0.4	434	94.3
70	10	2.2	444	96.5
75	2	0.4	446	97.0
76	1	0.2	447	97.2
80	5	1.1	452	98.3
90	6	1.3	458	99.6
100	2	0.4	460	100.0

Frequency Missing = 2587

Q74BGIV GIVEN DOSE IN MGS.

Q74BGIV	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	6	1.3	6	1.3
-3 = Missing	19	4.1	25	5.4
-2 = Don't know	45	9.8	70	15.2
1	5	1.1	75	16.3
2	11	2.4	86	18.7
3	6	1.3	92	20.0
4	3	0.7	95	20.7
5	84	18.3	179	38.9
6	4	0.9	183	39.8
8	3	0.7	186	40.4
9	1	0.2	187	40.7
10	31	6.7	218	47.4
11	1	0.2	219	47.6
12	2	0.4	221	48.0
14	1	0.2	222	48.3
15	18	3.9	240	52.2
16	1	0.2	241	52.4
18	2	0.4	243	52.8
19	1	0.2	244	53.0
20	23	5.0	267	58.0
21	1	0.2	268	58.3
22	1	0.2	269	58.5
24	1	0.2	270	58.7
25	11	2.4	281	61.1
26	1	0.2	282	61.3
30	32	7.0	314	68.3
32	1	0.2	315	68.5
34	4	0.9	319	69.3
35	9	2.0	328	71.3
38	1	0.2	329	71.5
39	1	0.2	330	71.7
40	48	10.4	378	82.2
44	3	0.7	381	82.8
45	7	1.5	388	84.3
50	22	4.8	410	89.1
54	1	0.2	411	89.3
55	5	1.1	416	90.4
56	1	0.2	417	90.7
58	3	0.7	420	91.3
60	18	3.9	438	95.2
64	2	0.4	440	95.7
70	8	1.7	448	97.4
75	2	0.4	450	97.8
76	1	0.2	451	98.0
80	5	1.1	456	99.1
90	4	0.9	460	100.0

Frequency Missing = 2587

Q74BNUM NUMBER OF TIMES/DAY

Q74BNUM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	6	1.3	6	1.3
-3 = Missing	19	4.1	25	5.4
-2 = Don^t know	30	6.5	55	12.0
1	403	87.6	458	99.6
2	1	0.2	459	99.8
3	1	0.2	460	100.0

Frequency Missing = 2587

Q74BPLAC PLACE

Q74BPLC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	6	1.3	6	1.3
-3 = Missing	19	4.1	25	5.4
-2 = Don^t know	9	2.0	34	7.4
1 = Here	407	88.5	441	95.9
2 = At home	15	3.3	456	99.1
3 = Here/At Home	4	0.9	460	100.0

Frequency Missing = 2587

Q75 METHADONE TAKEN HOME DURING TREATME

Q75_HOME	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	5	1.1	5	1.1
-2 = Don^t know	106	23.0	111	24.1
1 = Yes	184	39.9	295	64.0
2 = No	166	36.0	461	100.0

Frequency Missing = 2586

Q76 REASON FOR DISCHARGE

	Q76_DIS	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable		1	0.0	1	0.0
-3 = Missing		13	0.4	14	0.5
-2 = Don^t know		84	2.8	98	3.2
1 = Participant deceased		22	0.7	120	3.9
2 = Completed planned treatment		1435	47.2	1555	51.2
3 = Not complete, referred elsewhere		206	6.8	1761	57.9
4 = Not complete, administration choice		298	9.8	2059	67.7
5 = Not complete, participant choice		794	26.1	2853	93.8
6 = Not complete, choice not mentioned		26	0.9	2879	94.7
7 = Incarcerated		52	1.7	2931	96.4
8 = Other (SPECIFY REASON IN B)		109	3.6	3040	100.0

Frequency Missing = 7

Q79 SUBSTANCE ABUSE/MENTAL ILLNESS AT D

	Q79SUB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		14	0.5	14	0.5
-2 = Don^t know		1232	40.6	1246	41.1
1 = Yes		275	9.1	1521	50.2
2 = No		1510	49.8	3031	100.0

Frequency Missing = 16

Q80 AFTER-CARE PLAN STATED IN RECORD

	Q80_PLN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		8	0.4	8	0.4
-2 = Don^t know		314	14.2	322	14.5
1 = Yes		1256	56.7	1578	71.2
2 = No		638	28.8	2216	100.0

Frequency Missing = 831

Q81 SERVICES IN AFTER-CARE PLAN

	Q81AFTR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		13	1.0	13	1.0
-2 = Don^t know		191	14.1	204	15.0
1 = Services specified		1152	85.0	1356	100.0

Frequency Missing = 1691

Q74A_YR DATE FIRST METHADONE TREATMENT

Q74A_YR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.4	2	0.4
-2 = Don^t know	6	1.3	8	1.7
73	1	0.2	9	2.0
78	1	0.2	10	2.2
79	1	0.2	11	2.4
81	3	0.7	14	3.0
82	2	0.4	16	3.5
83	3	0.7	19	4.1
84	10	2.2	29	6.3
85	10	2.2	39	8.5
86	7	1.5	46	10.0
87	10	2.2	56	12.1
88	35	7.6	91	19.7
89	207	44.9	298	64.6
90	163	35.4	461	100.0

Frequency Missing = 2586

Q74B_YR DATE LAST METHADONE TREATMENT

Q74B_YR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	6	1.3	6	1.3
-3 = Missing	21	4.6	27	5.9
-2 = Don^t know	7	1.5	34	7.4
89	156	33.9	190	41.3
90	270	58.7	460	100.0

Frequency Missing = 2587

Q77_YR DATE OF DISCHARGE (YR)

Q77_YR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
89	1014	33.7	1014	33.7
90	1998	66.3	3012	100.0

Frequency Missing = 35

Q78_YR DATE OF LAST TREATMENT (YR)

Q78_YR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	17	0.6	17	0.6
-2 = Don^t know	450	14.8	467	15.4
86	1	0.0	468	15.4
88	1	0.0	469	15.5
89	959	31.6	1428	47.1
90	1603	52.9	3031	100.0

Frequency Missing = 16

Q81A Individual Counseling

Q81A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	31	2.7	31	2.7
-2 = Don^t know	665	57.1	696	59.7
1 = Yes	303	26.0	999	85.8
2 = No	166	14.2	1165	100.0

Frequency Missing = 1882

Q81B Group Counseling

Q81B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	31	2.7	31	2.7
-2 = Don^t know	556	47.7	587	50.4
1 = Yes	440	37.8	1027	88.2
2 = No	138	11.8	1165	100.0

Frequency Missing = 1882

Q81C Family Counseling

Q81C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	36	3.1	36	3.1
-2 = Don^t know	777	66.7	813	69.8
1 = Yes	152	13.0	965	82.8
2 = No	200	17.2	1165	100.0

Frequency Missing = 1882

Q81D Educational classes

Q81D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	33	2.8	33	2.8
-2 = Don^t know	809	69.4	842	72.3
1 = Yes	88	7.6	930	79.8
2 = No	235	20.2	1165	100.0

Frequency Missing = 1882

Q81E Employment Counseling

Q81E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	36	3.1	36	3.1
-2 = Don^t know	838	71.9	874	75.0
1 = Yes	65	5.6	939	80.6
2 = No	226	19.4	1165	100.0

Frequency Missing = 1882

Q81F Job Training

Q81F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	36	3.1	36	3.1
-2 = Don^t know	846	72.6	882	75.7
1 = Yes	41	3.5	923	79.2
2 = No	242	20.8	1165	100.0

Frequency Missing = 1882

Q81G Activity groups

Q81G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	36	3.1	36	3.1
-2 = Don^t know	810	69.5	846	72.6
1 = Yes	121	10.4	967	83.0
2 = No	198	17.0	1165	100.0

Frequency Missing = 1882

Q81H Self-help groups (include AA and N

Q81H	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	14	1.2	14	1.2
-2 = Don^t know	148	12.7	162	13.9
1 = Yes	930	79.8	1092	93.7
2 = No	73	6.3	1165	100.0

Frequency Missing = 1882

Q81I Alumini group/reunion

Q81I	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	41	3.5	41	3.5
-2 = Don^t know	791	67.9	832	71.4
1 = Yes	91	7.8	923	79.2
2 = No	242	20.8	1165	100.0

Frequency Missing = 1882

Q81J Other (SPECIFY)

Q81J	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	37	3.2	37	3.2
-2 = Don^t know	522	44.8	559	48.0
1 = Yes	451	38.7	1010	86.7
2 = No	155	13.3	1165	100.0

Frequency Missing = 1882

Q82 FURTHER TREATMENT SERVICES PARTICIP

Q82AFTR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	15	0.5	15	0.5
-2 = Don^t know	961	31.7	976	32.2
1 = No treatment	935	30.8	1911	63.0
2 = Hospital inpatient	59	1.9	1970	65.0
3 = Residential	222	7.3	2192	72.3
4 = Outpatient/methadone maintenance	94	3.1	2286	75.4
5 = Other outpatient	425	14.0	2711	89.4
6 = Other (SPECIFY)	320	10.6	3031	100.0

Frequency Missing = 16

Q83 BILLED CHARGES FOR THIS TREATMENT S

Q83BILL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	23	0.8	23	0.8
-2 = Don^t know	1043	34.3	1066	35.1
-1 = Refused	155	5.1	1221	40.2
1 = Yes	1570	51.6	2791	91.8
2 = No	219	7.2	3010	99.0
3 = Other (SPECIFY)	30	1.0	3040	100.0

Frequency Missing = 7

Q83A DOLLAR AMOUNT

Q83A_DOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	14	0.6	14	0.6
-3 = Missing	78	3.3	92	3.9
-2 = Don^t know	519	21.8	611	25.6
-1 = Refused	155	6.5	766	32.1
0 = 0	111	4.7	877	36.8
1 = \$1-99	259	10.9	1136	47.6
2 = \$100-499	435	18.2	1571	65.8
3 = \$500-999	204	8.5	1775	74.4
4 = \$1,000-4,999	397	16.6	2172	91.0
5 = \$5,000-9,999	146	6.1	2318	97.2
6 = \$10,000-14,999	39	1.6	2357	98.8
7 = \$15,000-40,000	29	1.2	2386	100.0

Frequency Missing = 661

Q83CODE CHARGE CODE:

Q83CODE	Frequency	Percent
-3 = Missing	42	1.8
-2 = Don^t know	654	28.4
-1 = Refused	106	4.6
1 = Full amount billed	783	34.1
2 = Sliding fee amount	372	16.2
3 = Reduced amount: ___ ___ % of full bill charged	179	7.8
4 = Other (SPECIFY)	163	7.1

Q83CODE CHARGE CODE:

Q83CODE	Cumulative Frequency	Cumulative Percent
-3 = Missing	42	1.8
-2 = Don^t know	696	30.3
-1 = Refused	802	34.9
1 = Full amount billed	1585	68.9

Q83CODE CHARGE CODE:

	Q83CODE	Cumulative Frequency	Cumulative Percent
2 = Sliding fee amount		1957	85.1
3 = Reduced amount: ___ ___ % of full bill charged		2136	92.9
4 = Other (SPECIFY)		2299	100.0

Frequency Missing = 748

Q83PC PERCENT OF FULL BILL CHARGED

	Q83PCNT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		42	19.0	42	19.0
-2 = Don^t know		8	3.6	50	22.6
	1	5	2.3	55	24.9
	5	96	43.4	151	68.3
	10	4	1.8	155	70.1
	13	1	0.5	156	70.6
	14	1	0.5	157	71.0
	18	18	8.1	175	79.2
	20	3	1.4	178	80.5
	25	1	0.5	179	81.0
	30	1	0.5	180	81.4
	35	6	2.7	186	84.2
	45	1	0.5	187	84.6
	47	1	0.5	188	85.1
	50	3	1.4	191	86.4
	54	2	0.9	193	87.3
	73	3	1.4	196	88.7
	75	7	3.2	203	91.9
	80	2	0.9	205	92.8
	85	1	0.5	206	93.2
	87	3	1.4	209	94.6
	90	12	5.4	221	100.0

Frequency Missing = 2826

Q83B WAS THIS A FUNDED SLOT

	Q83B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		31	2.1	31	2.1
-2 = Don^t know		677	46.9	708	49.0
1 = Yes		164	11.3	872	60.3
2 = No		573	39.7	1445	100.0

Frequency Missing = 1602

Q353CMNT COMMENTS ON BACK PAGE (yes/no)

Q353CMNT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know	10	0.3	10	0.3
1 = Yes	1514	49.8	1524	50.1
2 = No	1516	49.9	3040	100.0

Frequency Missing = 7

Q33B Secondary Medical Code

Q33B1RCD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don't know	589	44.2	589	44.2
-3 = Missing	144	10.8	733	54.9
-5 = Not applicable	2	0.1	735	55.1
00311	1	0.1	736	55.2
202.8	1	0.1	737	55.2
219.8	1	0.1	738	55.3
272.0	1	0.1	739	55.4
291.0	1	0.1	740	55.5
291.1	1	0.1	741	55.5
291.8	1	0.1	742	55.6
292.0	7	0.5	749	56.1
295.3	1	0.1	750	56.2
295.9	1	0.1	751	56.3
296.3	1	0.1	752	56.4
296.8	1	0.1	753	56.4
300.0	2	0.1	755	56.6
300.4	3	0.2	758	56.8
300.9	1	0.1	759	56.9
301.0	2	0.1	761	57.0
301.5	1	0.1	762	57.1
301.6	9	0.7	771	57.8
301.7	6	0.4	777	58.2
301.8	8	0.6	785	58.8
301.9	10	0.7	795	59.6
302.8	1	0.1	796	59.7
303.0	72	5.4	868	65.1
303.3	1	0.1	869	65.1
303.4	1	0.1	870	65.2
303.9	94	7.0	964	72.3
304.0	19	1.4	983	73.7
304.1	4	0.3	987	74.0
304.2	109	8.2	1096	82.2
304.3	38	2.8	1134	85.0
304.4	9	0.7	1143	85.7
304.5	1	0.1	1144	85.8
304.6	1	0.1	1145	85.8
304.8	2	0.1	1147	86.0
304.9	11	0.8	1158	86.8
305.0	17	1.3	1175	88.1
305.1	5	0.4	1180	88.5
305.2	30	2.2	1210	90.7
305.3	1	0.1	1211	90.8
305.4	3	0.2	1214	91.0
305.5	4	0.3	1218	91.3
305.6	26	1.9	1244	93.3
305.7	1	0.1	1245	93.3
305.8	1	0.1	1246	93.4
305.9	15	1.1	1261	94.5
309.0	1	0.1	1262	94.6
309.2	1	0.1	1263	94.7
309.3	1	0.1	1264	94.8
309.4	1	0.1	1265	94.8
309.6	1	0.1	1266	94.9
309.8	1	0.1	1267	95.0
310.9	1	0.1	1268	95.1
311.0	5	0.4	1273	95.4

Q33B Secondary Medical Code

Q33B1RCD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
312.0	1	0.1	1274	95.5
313.8	2	0.1	1276	95.7
349.8	1	0.1	1277	95.7
384.2	1	0.1	1278	95.8
401.9	4	0.3	1282	96.1
425.9	1	0.1	1283	96.2
429.3	1	0.1	1284	96.3
456.0	1	0.1	1285	96.3
493.9	2	0.1	1287	96.5
531.9	1	0.1	1288	96.6
564.0	1	0.1	1289	96.6
571.3	6	0.4	1295	97.1
571.5	1	0.1	1296	97.2
573.3	1	0.1	1297	97.2
573.9	5	0.4	1302	97.6
577.0	1	0.1	1303	97.7
599.0	1	0.1	1304	97.8
729.1	1	0.1	1305	97.8
759.8	1	0.1	1306	97.9
780.3	2	0.1	1308	98.1
784.0	1	0.1	1309	98.1
788.3	1	0.1	1310	98.2
799.3	1	0.1	1311	98.3
799.9	8	0.6	1319	98.9
968.5	1	0.1	1320	99.0
989.4	1	0.1	1321	99.0
V61.1	2	0.1	1323	99.2
V61.4	1	0.1	1324	99.3
V62.8	1	0.1	1325	99.3
V64.1	1	0.1	1326	99.4
V71.0	7	0.5	1333	99.9
V71.9	1	0.1	1334	100.0

Frequency Missing = 1713

Q33B Tertiary Medical Code

Q33B2RCD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know	784	58.9	784	58.9
-3 = Missing	259	19.4	1043	78.3
-5 = Not applicable	14	1.1	1057	79.4
110.4	1	0.1	1058	79.4
122.0	1	0.1	1059	79.5
133.0	1	0.1	1060	79.6
199.1	1	0.1	1061	79.7
250.0	2	0.2	1063	79.8
273.8	1	0.1	1064	79.9
276.8	1	0.1	1065	80.0
280.9	1	0.1	1066	80.0
285.9	2	0.2	1068	80.2
291.2	2	0.2	1070	80.3
291.8	1	0.1	1071	80.4
291.9	1	0.1	1072	80.5
292.0	1	0.1	1073	80.6
292.8	1	0.1	1074	80.6
294.0	1	0.1	1075	80.7
295.3	1	0.1	1076	80.8
295.7	1	0.1	1077	80.9
295.9	1	0.1	1078	80.9
296.3	1	0.1	1079	81.0
298.9	2	0.2	1081	81.2
300.0	1	0.1	1082	81.2
300.4	2	0.2	1084	81.4
300.9	2	0.2	1086	81.5
301.0	2	0.2	1088	81.7
301.6	2	0.2	1090	81.8
301.7	3	0.2	1093	82.1
301.8	4	0.3	1097	82.4
301.9	1	0.1	1098	82.4
303.0	5	0.4	1103	82.8
303.9	54	4.1	1157	86.9
304.0	8	0.6	1165	87.5
304.1	5	0.4	1170	87.8
304.2	19	1.4	1189	89.3
304.3	28	2.1	1217	91.4
304.4	4	0.3	1221	91.7
304.5	2	0.2	1223	91.8
304.6	1	0.1	1224	91.9
304.9	2	0.2	1226	92.0
305.0	3	0.2	1229	92.3
305.1	1	0.1	1230	92.3
305.2	15	1.1	1245	93.5
305.3	1	0.1	1246	93.5
305.5	1	0.1	1247	93.6
305.6	11	0.8	1258	94.4
305.7	1	0.1	1259	94.5
305.9	6	0.5	1265	95.0
307.5	1	0.1	1266	95.0
307.7	1	0.1	1267	95.1
309.0	2	0.2	1269	95.3
309.2	2	0.2	1271	95.4
309.3	1	0.1	1272	95.5
309.8	3	0.2	1275	95.7
310.9	1	0.1	1276	95.8

Q33B Tertiary Medical Code

Q33B2RCD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
311.0	1	0.1	1277	95.9
312.1	1	0.1	1278	95.9
312.2	1	0.1	1279	96.0
312.3	1	0.1	1280	96.1
346.9	1	0.1	1281	96.2
365.9	1	0.1	1282	96.2
371.0	1	0.1	1283	96.3
401.9	4	0.3	1287	96.6
412.0	1	0.1	1288	96.7
522.5	1	0.1	1289	96.8
528.9	1	0.1	1290	96.8
564.1	1	0.1	1291	96.9
571.3	9	0.7	1300	97.6
572.3	1	0.1	1301	97.7
573.3	1	0.1	1302	97.7
577.1	2	0.2	1304	97.9
593.9	1	0.1	1305	98.0
599.0	3	0.2	1308	98.2
692.9	1	0.1	1309	98.3
724.5	1	0.1	1310	98.3
746.9	1	0.1	1311	98.4
780.3	3	0.2	1314	98.6
782.3	1	0.1	1315	98.7
784.0	1	0.1	1316	98.8
790.6	2	0.2	1318	98.9
799.0	1	0.1	1319	99.0
799.9	1	0.1	1320	99.1
880.0	1	0.1	1321	99.2
995.3	1	0.1	1322	99.2
V22.2	2	0.2	1324	99.4
V61.2	1	0.1	1325	99.5
V61.8	2	0.2	1327	99.6
V62.8	2	0.2	1329	99.8
V71.0	3	0.2	1332	100.0

Frequency Missing = 1715

FREQUENCIES

IDENTIFICATION

CASEID CASE IDENTIFICATION NUMBER

3,047 cases (Range of valid codes: 1-3047)

Data type: numeric
Columns: 1-4

CLIENTID CLIENT ID (ASSIGNED BY NORC)

3,047 cases (Range of valid codes: 1000001-1003047)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 5-11

FAC_ID FACILITY ID (ASSIGNED BY NORC)

3,047 cases (Range of valid codes: 1,001-1,099)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 12-15

MODE TREATMENT MODE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.9	24.9	758	1	Hospital Inpatient
25.6	25.6	779	2	Residential
24.1	24.1	735	3	Outpatient Meth.Maintenance
25.4	25.4	775	4	Outpatient Drug-Free
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Column: 16

UTYPE		TREATMENT UNIT TYPE		
-------	--	---------------------	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.6	51.6	1,571	1	Drug Treatment Unit
48.4	48.4	1,476	3	Both Alc/Drug Treatment
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Column: 17

ENVIRONM		FACILITY ENVIRONMENT		
----------	--	----------------------	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.7	24.7	753	1	Hospital Inpatient
25.7	25.7	784	2	Residential Care
49.6	49.6	1,510	3	Outpatient Care
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Column: 18

DEAD		CLIENT DIED BEFORE INTERVIEW		
------	--	------------------------------	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	90.9	2,770	0	Alive at time of follow-up
9.1	9.1	277	1	Deceased
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Column: 19

ADMISSION INFORMATION**Q3_WAIT Q3 WAITING TIME FOR ADMISSION INTO PROG**

Min	=	0	Mean	=	2.840
Max	=	98	Std Dev	=	10.152
Median	=	0	Variance	=	103.057

(Based on 1,484 valid cases)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 25-26

Q4_PLAN Q4 PLANNED LENGTH OF TREATMENT SERVICES

Min	=	1	Mean	=	81.931
Max	=	730	Std Dev	=	101.810
Median	=	30	Variance	=	10,365.280

(Based on 1,032 valid cases)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 27-29

Q5_PRIM	Q5 PRIMARY REFERRAL SOURCE (CODE ONE)
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.2	26.7	814	1	Self
5.6	5.1	156	2	Family
3.7	3.3	102	3	Friend/acquaintance
0.4	0.4	11	4	Clergy
1.3	1.2	36	5	School
4.4	4.1	124	6	Social service agency
2.4	2.2	68	7	Employee Assistance Program (EAP)
1.0	0.9	27	8	Employer (other than EAP)
17.6	16.1	491	9	Legal system-court order
2.4	2.2	67	10	Legal system-voluntary
3.9	3.6	109	11	Legal system-unspecified
1.6	1.4	44	12	Private physician
2.0	1.8	56	13	Community mental health center
9.2	8.4	256	14	Other health professional/provider
9.8	9.0	273	15	Another alcohol/drug abuse tx program
5.6	5.1	156	16	Other (SPECIFY)
	0.7	20	-3	MISSING
	7.8	237	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 30-31

Q6_PRIM	Q6 PRIMARY SOURCE OF PAYMENT FOR TREATM
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	7.3	222	1	Public subsidy
0.9	0.7	22	2	Philanthropy
0.9	0.7	21	3	No payment unspe
27.5	22.0	669	4	Self-pay
5.6	4.4	135	5	HMO or other pre-paid plan
17.9	14.3	436	6	Private health insurance
17.0	13.6	414	7	Medicaid
2.6	2.0	62	8	Medicare
0.3	0.2	7	10	CHAMPUS
2.3	1.9	57	11	VA
3.9	3.2	96	12	Social services
11.9	9.5	290	14	Other (SPECIFY)
	0.8	24	-3	MISSING
	19.3	587	-2	DON'T KNOW
	0.2	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 32-33

Q7_SECN	Q7 SECONDARY SOURCE OF PAYMENT FOR THES			
----------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	1.9	57	1	Public subsidy
0.1	0.0	1	2	Philanthropy
13.3	4.0	121	3	No payment unspe
56.4	16.8	513	4	Self-pay
1.2	0.4	11	5	HMO or other pre-paid plan
3.3	1.0	30	6	Private health insurance
3.3	1.0	30	7	Medicaid
1.1	0.3	10	8	Medicare
0.1	0.0	1	9	DOD
0.1	0.0	1	10	CHAMPUS
1.7	0.5	15	11	VA
1.5	0.5	14	12	Social services
0.7	0.2	6	13	Public housing/home relief
10.9	3.2	99	14	Other (SPECIFY)
	2.6	80	-3	MISSING
	67.3	2,050	-2	DON'T KNOW
	0.3	8	-1	REFUSED
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 34-35

DEMOGRAPHICS

Q10_AGE	Q10 AGE AT ADM (TOPCODE 57-64 65-74 75+)
----------------	---

3,047 cases (Range of valid codes: 12-75)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 36-37

Q11GEND	Q11 GENDER
----------------	-------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.6	72.3	2,203	1	Male
27.4	27.3	833	2	Female
	0.3	9	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 38-39

Q12RACE	Q12 RACE (RECODED)
----------------	---------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.2	38	2	American Indian or Alaskan Native
0.1	0.1	4	3	Asian or Pacific Islander
29.0	27.1	827	4	Black (Afro-American)
68.1	63.6	1,938	5	White
1.4	1.3	40	6	Other (SPECIFY)
	0.4	12	-3	MISSING
	6.2	188	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 40-41

Q13ETHN Q13 ETHNICITY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	8.5	258	1	Hispanic
84.8	47.2	1,439	2	Not of Hispanic origin
	0.7	20	-3	MISSING
	43.6	1,330	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 42-43

Q14MSTA Q14 MARITAL STATUS AT ADMISSION (CODE O

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.1	24.0	731	1	Never married
23.4	22.3	681	2	Married/common law
1.5	1.4	44	3	Widowed
28.5	27.3	831	4	Separated/divorced
21.2	20.2	617	5	Single
0.4	0.4	12	6	Other (SPECIFY)
	0.6	17	-3	MISSING
	3.7	114	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 44-45

Q15CHLD Q15 HAVE CHILD/CHILDREN AT ADMISSION

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.5	52.1	1,587	1	Yes
33.5	26.3	801	2	No
	0.5	16	-3	MISSING
	21.1	643	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 46-47

Q16CHLV	Q16 LIVING WITH OWN CHILD/CHILDREN AT A
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.0	19.1	583	1	Yes
68.0	40.6	1,237	2	No
	22.9	699	-3	MISSING
	17.3	528	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 48-49

Q17ARNG	Q17 LIVING ARRANGEMENT AT ADMISSION
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.1	126	1	No stable arrange. (include homeless, sh
27.1	23.3	710	2	With partner/spouse
27.3	23.5	715	3	With parent(s)
7.9	6.8	207	4	With other family
7.5	6.4	196	5	With unrelated other(s)
2.4	2.0	62	6	With children but no other adult
13.7	11.8	359	7	Alone
4.4	3.7	114	8	Controlled environment
4.9	4.2	127	9	Other (SPECIFY)
	0.7	20	-3	MISSING
	13.5	411	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 50-51

Q18EDU	Q18 EDUCATION AT ADMISSION (CODE HIGHER)
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	3.9	120	1	Less than 8 years
34.1	31.0	946	2	8-11 Years
2.1	1.9	58	3	Less than high school grad., NOS
34.1	31.1	948	4	High school graduate/GED
17.4	15.9	483	5	Some college
3.2	3.0	90	6	College graduate
1.4	1.3	40	7	Postgraduate
3.3	3.0	91	8	Other (SPECIFY)
	0.4	13	-3	MISSING
	8.5	258	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 52-53

Q19STU	Q19 STUDENT AT ADMISSION
---------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	8.8	269	1	Yes
87.6	62.7	1,909	2	No
	0.9	27	-3	MISSING
	27.6	842	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 54-55

Q20EMPL	Q20 EMPLOYMENT AT ADMISSION (CODE ONE)
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	19.4	590	1	Full-time (35 hrs/wk or more)
5.0	4.6	139	2	Part-time (less than 35 hrs/wk)
11.1	10.1	308	3	Employed, NOS
1.2	1.1	34	4	Keeping house, not otherwise employed
3.9	3.5	107	5	Unemployed, retired
4.0	3.6	111	6	Unemployed, disabled
48.4	43.9	1,337	7	Unemployed, NOS
5.0	4.5	137	8	Other (SPECIFY)
	0.5	14	-3	MISSING
	8.9	270	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 56-57

CRIMINAL ACTIVITY

Q22DWI Q22 DWI/DUI PRIOR TO ADMISSION

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.6	27.4	835	1	Yes
52.4	30.1	918	2	No
	0.6	18	-3	MISSING
	41.9	1,276	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 58-59

Q230THR Q23 OTHER ARRESTS PRIOR TO ADMISSION

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.7	47.5	1,448	1	Yes
30.3	20.7	630	2	No
	0.8	24	-3	MISSING
	31.0	945	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 60-61

Q24JAIL	Q24 PRISON OR JAIL RECORD PRIOR TO ADMI
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.1	28.7	876	1	Yes
49.9	28.7	874	2	No
	0.8	25	-3	MISSING
	41.7	1,272	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 62-63

Q25TRTMN	Q25 RECEIVING TREATMENT AS CONDITION OF
-----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	21.2	645	1	Yes
67.7	44.4	1,353	2	No
	1.1	32	-3	MISSING
	33.3	1,016	-2	DON'T KNOW
	0.0	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 64-65

MEDICAL INFORMATION

Q26HOSP Q26 NUMBER OF HOSPITALIZATIONS YEAR PRI

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.4	42.4	1,291	0	
14.9	7.8	237	1	
2.6	1.4	42	2	
0.6	0.3	9	3	
0.1	0.0	1	4	
0.2	0.1	3	5	
0.1	0.0	1	6	
0.1	0.0	1	8	
0.1	0.0	1	9	
	1.1	32	-3	MISSING
	46.9	1,429	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 66-67

Q27MED Q27 CHRONIC MEDICAL CONDITIONS AT ADMIS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.4	22.5	685	1	Yes
67.6	47.0	1,431	2	No
	0.8	23	-3	MISSING
	29.8	908	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 68-69

Q28HIST	Q28 HISTORY OF PSYCHOLOGICAL DISORDERS
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.9	16.6	506	1	Yes
75.1	50.0	1,525	2	No
	0.7	20	-3	MISSING
	32.7	996	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 70-71

Q29ABUSE	Q29 SUBSTANCE ABUSE/MENTAL ILLNESS
-----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.9	9.4	286	1	Yes
75.1	28.3	861	2	No
	38.3	1,166	-3	MISSING
	24.1	734	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 72-73

Q30PREG	Q30 PREGNANCY STATUS AT ADMISSION AS ST
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.8	72.4	2,205	1	NOT APPLICABLE, client is male
14.8	12.8	390	2	Not pregnant
1.3	1.1	35	3	Pregnant
	0.3	8	-3	MISSING
	13.4	409	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 74-75

Q31PROB	Q31 PRESENTING PROBLEM AT ADMISSION
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	14.6	444	1	Single drug abuse only (exclud. alcohol)
11.3	10.6	324	2	Polydrug abuse only (excluding alcohol)
29.4	27.7	845	3	Alcohol abuse only
18.9	17.8	543	4	Alcohol & abuse of one other drug combi
22.6	21.4	651	5	Alcohol & abuse of 2 or more other drug
2.4	2.3	69	6	Other (SPECIFY)
	1.3	40	-3	MISSING
	4.3	131	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 76-77

Q32PRIN	Q32 PRINCIPAL TREATMENT FOCUS
----------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	16.0	487	1	Single drug abuse only (exclud. alcohol)
8.1	7.3	221	2	Polydrug abuse only (excluding alcohol)
30.3	27.1	825	3	Alcohol abuse only
40.6	36.3	1,106	4	Alcohol and other drug abuse combined
3.1	2.8	84	5	Other (SPECIFY)
	2.6	80	-3	MISSING
	8.0	244	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 78-79

Q34HIV	Q34 HIV STATUS AS STATED IN RECORD
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.9	5.7	173	1	Negative
20.4	2.0	61	2	Positive
3.7	0.4	11	3	Suspected
18.1	1.8	54	4	Other (SPECIFY)
	0.7	22	-3	MISSING
	88.3	2,691	-2	DON'T KNOW
	1.1	35	-1	REFUSED
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 80-81

Q34AINF	Q34A HAS AIDS
----------------	----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	0.3	8	1	Yes
27.3	0.1	3	2	No
	97.9	2,983	-3	MISSING
	1.7	53	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 82-83

DRUG USE HISTORY

Q35A Q35A EVER USED COCAINE (EXCLUDE CRACK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.7	54.7	1,668	1	Yes
18.3	12.3	374	2	No
	0.1	4	-5	NOT APPLICABLE
	1.4	44	-3	MISSING
	31.4	957	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 84-85

Q35B Q35B USED COCAINE IN LAST 30 DAYS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	22.9	697	1	Yes
40.0	15.2	464	2	No
	30.9	943	-3	MISSING
	30.9	943	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 86-87

Q35C Q35C AGE (IN YEARS) AT FIRST USE

3,047 cases (Range of valid codes: 8-55)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 88-89

Q36A	Q36A	EVER USED CRACK
-------------	-------------	------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.5	16.0	486	1	Yes
49.5	15.7	477	2	No
	0.3	9	-5	NOT APPLICABLE
	2.4	72	-3	MISSING
	65.7	2,003	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 90-91

Q36B	Q36B	USED CRACK IN LAST 30 DAYS
-------------	-------------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	8.6	261	1	Yes
27.3	3.2	98	2	No
	44.4	1,353	-3	MISSING
	43.8	1,335	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 92-93

Q36C	Q36C AGE (IN YEARS) AT FIRST USE
-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	9	
0.9	0.1	3	11	
1.3	0.1	4	12	
0.6	0.1	2	13	
3.1	0.3	10	14	
4.7	0.5	15	15	
3.4	0.4	11	16	
4.4	0.5	14	17	
4.4	0.5	14	18	
4.1	0.4	13	19	
6.3	0.7	20	20	
5.6	0.6	18	21	
5.3	0.6	17	22	
6.3	0.7	20	23	
6.6	0.7	21	24	
4.7	0.5	15	25	
5.3	0.6	17	26	
4.4	0.5	14	27	
3.1	0.3	10	28	
3.4	0.4	11	29	
6.9	0.7	22	30	
1.9	0.2	6	31	
2.8	0.3	9	32	
1.9	0.2	6	33	
1.3	0.1	4	34	
2.5	0.3	8	35	
0.6	0.1	2	36	
1.3	0.1	4	37	
0.9	0.1	3	38	
0.3	0.0	1	39	
0.3	0.0	1	40	
0.3	0.0	1	41	
0.6	0.1	2	43	
	44.3	1,351	-3	MISSING
	45.2	1,377	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 94-95

Q37A	Q37A	EVER USED HEROIN
-------------	-------------	-------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.7	26.2	798	1	Yes
41.3	18.4	562	2	No
	0.3	8	-5	NOT APPLICABLE
	2.1	65	-3	MISSING
	53.0	1,614	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 96-97

Q37B	Q37B	USED HEROIN IN LAST 30 DAYS
-------------	-------------	------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	15.3	465	1	Yes
27.2	5.7	174	2	No
	46.4	1,415	-3	MISSING
	32.6	993	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 98-99

Q37C	Q37C AGE (IN YEARS) AT FIRST USE
-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	2	10	
0.6	0.1	4	11	
0.6	0.1	4	12	
2.2	0.5	14	13	
5.0	1.1	32	14	
5.7	1.2	36	15	
9.8	2.0	62	16	
13.1	2.7	83	17	
10.9	2.3	69	18	
6.5	1.3	41	19	
6.1	1.3	39	20	
5.2	1.1	33	21	
5.7	1.2	36	22	
3.9	0.8	25	23	
2.7	0.6	17	24	
5.2	1.1	33	25	
2.5	0.5	16	26	
2.7	0.6	17	27	
1.7	0.4	11	28	
1.6	0.3	10	29	
1.6	0.3	10	30	
0.9	0.2	6	31	
0.5	0.1	3	32	
1.1	0.2	7	33	
1.7	0.4	11	34	
0.3	0.1	2	35	
1.1	0.2	7	36	
0.2	0.0	1	37	
0.5	0.1	3	38	
0.2	0.0	1	40	
	46.0	1,403	-3	MISSING
	33.1	1,009	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 100-101

Q38A	Q38A	EVER USED NON-TREATMENT METHADONE
-------------	-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	3.6	111	1	Yes
85.0	20.6	629	2	No
	0.3	8	-5	NOT APPLICABLE
	2.7	82	-3	MISSING
	72.8	2,217	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 102-103

Q38B	Q38B	USED NON-TREATMENT METHADONE IN LAS
-------------	-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	0.8	25	1	Yes
64.3	1.5	45	2	No
	55.5	1,692	-3	MISSING
	42.2	1,285	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 104-105

Q38C	Q38C AGE (IN YEARS) AT FIRST USE
-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.0	1	12	
4.5	0.1	3	14	
1.5	0.0	1	15	
6.1	0.1	4	16	
3.0	0.1	2	17	
7.6	0.2	5	18	
7.6	0.2	5	19	
7.6	0.2	5	20	
4.5	0.1	3	21	
10.6	0.2	7	22	
3.0	0.1	2	23	
7.6	0.2	5	24	
9.1	0.2	6	25	
3.0	0.1	2	26	
4.5	0.1	3	27	
7.6	0.2	5	28	
1.5	0.0	1	30	
1.5	0.0	1	31	
1.5	0.0	1	32	
1.5	0.0	1	35	
1.5	0.0	1	37	
1.5	0.0	1	38	
1.5	0.0	1	46	
	55.6	1,694	-3	MISSING
	42.2	1,287	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 106-107

Q39A	Q39A	EVER USED OTHER OPIATES/SYNTHETICS
-------------	-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.5	14.3	437	1	Yes
56.5	18.6	567	2	No
	0.3	9	-5	NOT APPLICABLE
	2.5	76	-3	MISSING
	64.3	1,958	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 108-109

Q39B	Q39B	USED OPIATES/SYNTHETICS IN LAST 30
-------------	-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.3	3.7	112	1	Yes
57.7	5.0	153	2	No
	51.6	1,572	-3	MISSING
	39.7	1,210	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 110-111

Q39C	Q39C AGE (IN YEARS) AT FIRST USE
------	----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.0	1	10	
4.3	0.3	10	13	
3.0	0.2	7	14	
7.0	0.5	16	15	
9.1	0.7	21	16	
9.1	0.7	21	17	
7.4	0.6	17	18	
6.5	0.5	15	19	
5.2	0.4	12	20	
4.8	0.4	11	21	
7.8	0.6	18	22	
4.3	0.3	10	23	
3.0	0.2	7	24	
4.3	0.3	10	25	
3.5	0.3	8	26	
0.9	0.1	2	27	
4.8	0.4	11	28	
2.2	0.2	5	29	
0.4	0.0	1	30	
2.6	0.2	6	31	
0.9	0.1	2	32	
1.7	0.1	4	33	
0.4	0.0	1	34	
0.9	0.1	2	35	
0.4	0.0	1	36	
0.9	0.1	2	37	
0.9	0.1	2	40	
0.9	0.1	2	41	
0.4	0.0	1	43	
0.4	0.0	1	45	
0.9	0.1	2	54	
0.4	0.0	1	74	
	51.9	1,580	-3	MISSING
	40.6	1,237	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 112-113

Q40A	Q40A	EVER USED BARBITURATES
-------------	-------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.9	9.2	281	1	Yes
69.1	20.6	628	2	No
	0.3	10	-5	NOT APPLICABLE
	2.7	81	-3	MISSING
	67.2	2,047	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 114-115

Q40B	Q40B	USED BARBITURATES IN LAST 30 DAYS
-------------	-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	0.8	23	1	Yes
85.6	4.5	137	2	No
	54.0	1,644	-3	MISSING
	40.8	1,243	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 116-117

Q40C	Q40C AGE (IN YEARS) AT FIRST USE
-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.0	1	7	
0.6	0.0	1	9	
0.6	0.0	1	10	
1.3	0.1	2	11	
3.8	0.2	6	12	
5.7	0.3	9	13	
10.7	0.6	17	14	
10.1	0.5	16	15	
8.8	0.5	14	16	
10.1	0.5	16	17	
10.7	0.6	17	18	
2.5	0.1	4	19	
6.3	0.3	10	20	
3.1	0.2	5	21	
5.7	0.3	9	22	
0.6	0.0	1	23	
3.1	0.2	5	24	
1.3	0.1	2	25	
6.9	0.4	11	26	
3.1	0.2	5	27	
3.1	0.2	5	28	
0.6	0.0	1	39	
0.6	0.0	1	42	
	54.0	1,645	-3	MISSING
	40.8	1,243	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 118-119

Q41A	Q41A	EVER USED BENZODIAZEPINES
-------------	-------------	----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.1	15.8	482	1	Yes
52.9	17.8	541	2	No
	0.3	10	-5	NOT APPLICABLE
	2.3	71	-3	MISSING
	63.8	1,943	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 120-121

Q41B	Q41B	USED BENZODIAZEPINES IN LAST 30 DA
-------------	-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.1	4.3	132	1	Yes
55.9	5.5	167	2	No
	50.5	1,538	-3	MISSING
	39.7	1,210	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 122-123

Q41C	Q41C AGE (IN YEARS) AT FIRST USE
-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.0	1	9	
1.6	0.1	4	10	
0.4	0.0	1	11	
1.2	0.1	3	12	
4.0	0.3	10	13	
4.8	0.4	12	14	
7.6	0.6	19	15	
6.4	0.5	16	16	
8.8	0.7	22	17	
8.4	0.7	21	18	
6.8	0.6	17	19	
5.2	0.4	13	20	
3.6	0.3	9	21	
3.6	0.3	9	22	
2.4	0.2	6	23	
3.6	0.3	9	24	
5.2	0.4	13	25	
2.4	0.2	6	26	
2.0	0.2	5	27	
4.8	0.4	12	28	
2.0	0.2	5	29	
2.4	0.2	6	30	
1.2	0.1	3	31	
1.2	0.1	3	32	
1.2	0.1	3	33	
0.8	0.1	2	34	
0.8	0.1	2	35	
0.8	0.1	2	36	
0.8	0.1	2	37	
0.8	0.1	2	38	
0.4	0.0	1	39	
1.2	0.1	3	40	
0.8	0.1	2	41	
0.8	0.1	2	42	
0.4	0.0	1	47	
0.4	0.0	1	52	
0.4	0.0	1	65	
	50.4	1,537	-3	MISSING
	41.4	1,261	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 124-125

Q42A	Q42A	EVER USED OTHER SEDATIVES/HYPNOTIC
-------------	-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.2	7.6	232	1	Yes
71.8	19.4	592	2	No
	0.3	9	-5	NOT APPLICABLE
	2.6	78	-3	MISSING
	70.1	2,136	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 126-127

Q42B	Q42B	USED SEDATIVES/HYPNOTICS IN LAST 3
-------------	-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.0	0.8	23	1	Yes
82.0	3.4	105	2	No
	53.4	1,628	-3	MISSING
	42.4	1,291	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 128-129

Q42C	Q42C AGE (IN YEARS) AT FIRST USE
-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.1	2	10	
2.2	0.1	3	12	
2.9	0.1	4	13	
8.0	0.4	11	14	
10.9	0.5	15	15	
4.4	0.2	6	16	
15.3	0.7	21	17	
8.8	0.4	12	18	
5.8	0.3	8	19	
5.1	0.2	7	20	
2.9	0.1	4	21	
2.9	0.1	4	22	
5.1	0.2	7	24	
5.1	0.2	7	26	
2.9	0.1	4	27	
8.8	0.4	12	28	
3.6	0.2	5	30	
0.7	0.0	1	32	
0.7	0.0	1	35	
1.5	0.1	2	42	
0.7	0.0	1	52	
	53.4	1,626	-3	MISSING
	42.1	1,284	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 130-131

Q43A	Q43A	EVER USED METHAMPHETAMINES
-------------	-------------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	12.4	378	1	Yes
58.3	17.3	528	2	No
	0.3	9	-5	NOT APPLICABLE
	2.4	73	-3	MISSING
	67.6	2,059	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 132-133

Q43B	Q43B	USED METHAMPHETAMINES IN LAST 30 D
-------------	-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	1.7	52	1	Yes
74.0	4.9	148	2	No
	51.2	1,559	-3	MISSING
	42.3	1,288	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 134-135

Q43C	Q43C AGE (IN YEARS) AT FIRST USE
-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.0	1	8	
0.9	0.1	2	9	
0.5	0.0	1	10	
0.9	0.1	2	11	
4.1	0.3	9	12	
5.5	0.4	12	13	
9.1	0.7	20	14	
12.3	0.9	27	15	
13.2	1.0	29	16	
10.0	0.7	22	17	
13.2	1.0	29	18	
2.7	0.2	6	19	
5.0	0.4	11	20	
3.2	0.2	7	21	
4.5	0.3	10	22	
0.9	0.1	2	23	
4.5	0.3	10	24	
2.3	0.2	5	25	
1.4	0.1	3	26	
0.9	0.1	2	27	
1.8	0.1	4	28	
0.5	0.0	1	29	
0.5	0.0	1	30	
0.5	0.0	1	32	
0.5	0.0	1	34	
0.5	0.0	1	38	
0.5	0.0	1	39	
	51.0	1,555	-3	MISSING
	41.7	1,272	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 136-137

Q44A	Q44A	EVER USED OTHER AMPHETAMINES
-------------	-------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	12.0	365	1	Yes
61.8	19.4	591	2	No
	0.3	8	-5	NOT APPLICABLE
	2.6	78	-3	MISSING
	65.8	2,005	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 138-139

Q44B	Q44B	USED OTHER AMPHETAMINES IN LAST 30
-------------	-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	1.4	42	1	Yes
80.5	5.7	173	2	No
	52.7	1,607	-3	MISSING
	40.2	1,225	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 140-141

Q44C	Q44C AGE (IN YEARS) AT FIRST USE
-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.0	1	9	
1.6	0.1	4	11	
4.0	0.3	10	12	
6.7	0.6	17	13	
4.0	0.3	10	14	
10.3	0.9	26	15	
12.3	1.0	31	16	
12.3	1.0	31	17	
7.9	0.7	20	18	
5.6	0.5	14	19	
5.6	0.5	14	20	
5.2	0.4	13	21	
3.6	0.3	9	22	
1.6	0.1	4	23	
2.0	0.2	5	24	
2.4	0.2	6	25	
3.2	0.3	8	26	
2.4	0.2	6	27	
1.2	0.1	3	28	
1.2	0.1	3	29	
2.4	0.2	6	30	
1.2	0.1	3	32	
1.6	0.1	4	34	
1.2	0.1	3	37	
0.4	0.0	1	38	
	52.5	1,601	-3	MISSING
	39.2	1,194	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 142-143

Q45A	Q45A EVER USED MARIJUANA/HASHISH/THC
-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.2	58.5	1,782	1	Yes
12.8	8.6	261	2	No
	0.2	5	-5	NOT APPLICABLE
	1.4	42	-3	MISSING
	31.4	957	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 144-145

Q45B	Q45B USED MARIJUANA/HASHISH/THC IN LAST
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.7	20.4	622	1	Yes
47.3	18.3	558	2	No
	29.3	894	-3	MISSING
	31.9	973	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 146-147

Q45C Q45C AGE (IN YEARS) AT FIRST USE

3,047 cases (Range of valid codes: 2-49)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 148-149

Q46A Q46A EVER USED PCP/LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.8	18.6	567	1	Yes
50.2	18.7	571	2	No
	0.2	7	-5	NOT APPLICABLE
	2.3	71	-3	MISSING
	60.1	1,831	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 150-151

Q46B Q46B USED PCP/LSD IN LAST 30 DAYS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	1.5	45	1	Yes
85.5	8.7	266	2	No
	50.0	1,524	-3	MISSING
	39.8	1,212	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 152-153

Q46C	Q46C AGE (IN YEARS) AT FIRST USE
-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.1	2	10	
2.0	0.2	7	11	
1.1	0.1	4	12	
6.8	0.8	24	13	
12.5	1.4	44	14	
12.5	1.4	44	15	
15.6	1.8	55	16	
12.2	1.4	43	17	
9.1	1.1	32	18	
4.0	0.5	14	19	
5.1	0.6	18	20	
4.0	0.5	14	21	
2.6	0.3	9	22	
2.3	0.3	8	23	
1.7	0.2	6	25	
0.9	0.1	3	26	
1.7	0.2	6	27	
1.7	0.2	6	28	
1.4	0.2	5	29	
1.4	0.2	5	30	
0.3	0.0	1	31	
0.3	0.0	1	33	
0.3	0.0	1	35	
	49.7	1,514	-3	MISSING
	38.8	1,181	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 154-155

Q47A **Q47A EVER USED OTHER HALLUCINOGENS**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	10.2	311	1	Yes
66.4	20.2	614	2	No
	0.3	8	-5	NOT APPLICABLE
	2.6	79	-3	MISSING
	66.8	2,035	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 156-157

Q47B **Q47B USED OTHER HALLUCINOGENS IN LAST 3**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	0.5	14	1	Yes
92.1	5.3	163	2	No
	53.8	1,638	-3	MISSING
	40.4	1,232	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 158-159

Q47C	Q47C AGE (IN YEARS) AT FIRST USE			
------	----------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.1	2	9	
0.5	0.0	1	10	
1.5	0.1	3	11	
1.5	0.1	3	12	
7.5	0.5	15	13	
7.5	0.5	15	14	
11.6	0.8	23	15	
15.1	1.0	30	16	
15.1	1.0	30	17	
13.6	0.9	27	18	
5.0	0.3	10	19	
4.0	0.3	8	20	
3.0	0.2	6	21	
2.5	0.2	5	22	
1.5	0.1	3	23	
1.5	0.1	3	24	
1.0	0.1	2	25	
1.5	0.1	3	26	
0.5	0.0	1	27	
1.0	0.1	2	28	
1.5	0.1	3	30	
1.0	0.1	2	31	
0.5	0.0	1	35	
0.5	0.0	1	55	
	53.8	1,639	-3	MISSING
	39.7	1,209	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 160-161

Q48A	Q48A EVER USED INHALANTS			
------	--------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	5.2	159	1	Yes
80.1	21.0	641	2	No
	0.3	9	-5	NOT APPLICABLE
	2.8	85	-3	MISSING
	70.7	2,153	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 162-163

Q48B	Q48B USED INHALANTS IN LAST 30 DAYS
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	0.5	14	1	Yes
86.5	3.0	90	2	No
	55.8	1,699	-3	MISSING
	40.8	1,244	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 164-165

Q48C	Q48C AGE (IN YEARS) AT FIRST USE
-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.0	1	5	
2.8	0.1	3	10	
4.6	0.2	5	11	
8.3	0.3	9	12	
21.1	0.8	23	13	
11.0	0.4	12	14	
11.9	0.4	13	15	
11.0	0.4	12	16	
6.4	0.2	7	17	
3.7	0.1	4	18	
0.9	0.0	1	19	
1.8	0.1	2	20	
0.9	0.0	1	21	
1.8	0.1	2	22	
1.8	0.1	2	23	
3.7	0.1	4	24	
0.9	0.0	1	25	
2.8	0.1	3	26	
2.8	0.1	3	28	
0.9	0.0	1	36	
	0.0	1	-5	NOT APPLICABLE
	55.8	1,701	-3	MISSING
	40.6	1,236	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 166-167

Q49A	Q49A	EVER USED OVER THE COUNTER DRUG (S
-------------	-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	4.5	136	1	Yes
79.6	17.4	530	2	No
	0.3	9	-5	NOT APPLICABLE
	2.8	84	-3	MISSING
	75.1	2,288	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 168-169

Q49B	Q49B	USED OVER THE COUNTER DRUG IN LAST
-------------	-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.4	1.7	53	1	Yes
37.6	1.1	32	2	No
	0.3	9	-5	NOT APPLICABLE
	52.5	1,599	-3	MISSING
	44.4	1,354	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 170-171

Q49C	Q49C AGE (IN YEARS) AT FIRST USE
-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.0	1	7	
1.2	0.0	1	8	
2.5	0.1	2	9	
2.5	0.1	2	10	
2.5	0.1	2	12	
5.0	0.1	4	13	
15.0	0.4	12	14	
7.5	0.2	6	15	
8.8	0.2	7	16	
7.5	0.2	6	17	
3.8	0.1	3	18	
5.0	0.1	4	19	
3.8	0.1	3	20	
2.5	0.1	2	21	
6.2	0.2	5	22	
3.8	0.1	3	23	
1.2	0.0	1	24	
5.0	0.1	4	25	
2.5	0.1	2	26	
3.8	0.1	3	27	
2.5	0.1	2	32	
3.8	0.1	3	33	
1.2	0.0	1	36	
1.2	0.0	1	40	
	0.3	9	-5	NOT APPLICABLE
	52.5	1,599	-3	MISSING
	44.6	1,359	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 172-173

Q50A	Q50A	EVER USED ALCOHOL
-------------	-------------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	85.8	2,615	1	Yes
2.2	2.0	60	2	No
	0.1	2	-5	NOT APPLICABLE
	0.5	16	-3	MISSING
	11.6	354	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 174-175

Q50B	Q50B	USED ALCOHOL IN LAST 30 DAYS
-------------	-------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.4	55.1	1,680	1	Yes
18.6	12.6	385	2	No
	10.6	323	-3	MISSING
	21.6	659	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 176-177

Q50C	Q50C AGE (IN YEARS) AT FIRST USE			
-------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	
0.1	0.1	3	2	
0.3	0.2	7	3	
0.4	0.3	9	4	
1.0	0.7	20	5	
1.0	0.7	20	6	
1.2	0.8	24	7	
2.2	1.5	45	8	
2.1	1.4	43	9	
2.4	1.6	50	10	
3.0	2.0	61	11	
9.6	6.5	197	12	
11.4	7.6	233	13	
12.3	8.3	253	14	
13.7	9.2	280	15	
11.8	7.9	242	16	
7.9	5.3	161	17	
7.9	5.3	161	18	
2.6	1.8	54	19	
2.0	1.3	40	20	
2.0	1.4	42	21	
1.1	0.7	22	22	
0.4	0.3	8	23	
0.4	0.3	8	24	
1.0	0.7	21	25	
0.2	0.1	4	26	
0.5	0.3	10	27	
0.2	0.2	5	28	
0.0	0.0	1	29	
0.4	0.3	8	30	
0.1	0.1	2	31	
0.1	0.1	3	33	
0.1	0.1	3	34	
0.0	0.0	1	39	
0.0	0.0	1	40	
0.1	0.1	3	41	
0.0	0.0	1	50	
0.0	0.0	1	57	
	10.5	319	-3	MISSING
	22.3	679	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 178-179

Q51A	Q51A	EVER USE OTHER DRUG (SPECIFY)
-------------	-------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.4	14.1	430	1	Yes
52.6	15.7	478	2	No
	0.3	8	-5	NOT APPLICABLE
	4.0	121	-3	MISSING
	66.0	2,010	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 180-181

Q51B	Q51B	USED OTHER DRUG IN LAST 30 DAYS
-------------	-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.3	6.2	189	1	Yes
29.7	2.6	80	2	No
	0.3	8	-5	NOT APPLICABLE
	48.2	1,469	-3	MISSING
	42.7	1,301	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 182-183

Q51C	Q51C AGE (IN YEARS) AT FIRST USE OF OTH			
-------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.0	1	1	
0.5	0.0	1	5	
0.5	0.0	1	7	
1.5	0.1	3	9	
3.4	0.2	7	11	
4.4	0.3	9	12	
6.3	0.4	13	13	
11.7	0.8	24	14	
11.7	0.8	24	15	
3.9	0.3	8	16	
7.3	0.5	15	17	
4.9	0.3	10	18	
5.3	0.4	11	19	
6.8	0.5	14	20	
1.9	0.1	4	21	
2.4	0.2	5	22	
1.0	0.1	2	23	
1.9	0.1	4	24	
3.9	0.3	8	25	
4.4	0.3	9	26	
1.0	0.1	2	27	
1.9	0.1	4	29	
4.4	0.3	9	30	
2.4	0.2	5	31	
1.0	0.1	2	32	
1.0	0.1	2	34	
1.5	0.1	3	35	
1.0	0.1	2	36	
0.5	0.0	1	41	
0.5	0.0	1	46	
0.5	0.0	1	52	
0.5	0.0	1	57	
	0.3	8	-5	NOT APPLICABLE
	48.2	1,468	-3	MISSING
	44.8	1,365	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 184-185

Q52DRUG	Q52DRUG DRUG OF CHOICE SPECIFD AT ADMIS			
---------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	2.7	82	1	No drug of choice
15.3	11.6	354	35	Cocaine
7.3	5.5	168	36	Crack
15.9	12.1	369	37	Heroin
0.1	0.1	2	38	Non-treatment methadone
1.2	0.9	28	39	Other opiates/synthetics
0.1	0.1	3	40	Barbiturates
0.6	0.5	15	41	Benzodiazepines
0.1	0.1	3	42	Other sedatives/hypnotics
1.0	0.8	24	43	Methamphetamines
0.1	0.1	2	44	Other amphetamines
5.2	4.0	121	45	Marijuana/hashish/THC
0.4	0.3	10	46	PCP/LSD
0.2	0.2	5	48	Inhalants
0.1	0.1	2	49	Over the counter (SPECIFY)
48.3	36.7	1,118	50	Alcohol
0.4	0.3	10	51	Other (SPECIFY)
	0.5	16	-3	MISSING
	23.5	715	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 186-187

Q53INT	Q53INT INTRAVENOUS DRUG USER EVER			
--------	-----------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.5	25.0	761	1	Yes
52.5	27.6	841	2	No
	0.4	12	-3	MISSING
	47.0	1,433	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 188-189

Q53ADUSE	Q53ADUSE INTRAVENOUS DRUG USER AT ADMIS
-----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	13.5	411	1	Yes
61.8	21.9	666	2	No
	35.5	1,083	-3	MISSING
	29.1	887	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 190-191

Q53BFRE	Q53BFRE FREQUENCY OF IV DRUG USE
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	10.3	315	1	Daily
10.2	1.2	37	2	Regularly but not daily
3.0	0.4	11	3	Sporadically
	86.5	2,636	-3	MISSING
	1.6	48	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 192-193

Q54NUM	Q54NUM	# OF TESTS IN TR (TOP-CODE 15+)
--------	--------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	18.3	558	1	
16.8	7.1	217	2	
8.9	3.7	114	3	
5.6	2.4	72	4	
3.7	1.6	48	5	
1.4	0.6	18	6	
1.6	0.7	21	7	
1.6	0.7	21	8	
1.1	0.5	14	9	
1.2	0.5	15	10	
1.2	0.5	15	11	
0.6	0.3	8	12	
1.1	0.5	14	13	
0.9	0.4	11	14	
11.0	4.7	142	15	15+
	56.0	1,707	-3	MISSING
	1.7	52	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 194-195

Q55POSTV	Q55POSTV # OF POSTV TESTS (TOP-CODE 15+)
-----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	14.7	448	0	
38.7	15.6	474	1	
8.7	3.5	106	2	
3.6	1.4	44	3	
1.7	0.7	21	4	
0.7	0.3	9	5	
0.6	0.2	7	6	
1.1	0.4	13	7	
0.7	0.3	8	8	
0.8	0.3	10	9	
0.7	0.3	8	10	
0.7	0.3	8	11	
0.1	0.0	1	12	
0.4	0.2	5	13	
0.2	0.1	3	14	
4.8	1.9	59	15	15+
	56.0	1,706	-3	MISSING
	3.8	117	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 196-197

Q56TEST	Q56TEST SUBSTCE ABUSE TEST DURING SAMP
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	43.8	1,335	1	Yes
36.8	25.5	777	2	No
	1.8	56	-5	NOT APPLICABLE
	2.5	76	-3	MISSING
	26.4	803	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 198-199

Q56_T1	Q56_T1	CODE OF FIRST TEST
--------	--------	--------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.5	35.6	1,084	1	Urine
7.0	2.8	86	2	Serum/Blood
4.5	1.8	55	3	Other (SPECIFY)
	0.0	1	-5	NOT APPLICABLE
	56.5	1,722	-3	MISSING
	3.2	99	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 200-201

Q56_T2	Q56_T2	CODE OF LAST TEST
--------	--------	-------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	20.0	610	1	Urine
3.6	0.8	24	2	Serum/Blood
3.9	0.9	26	3	Other (SPECIFY)
	7.7	234	-5	NOT APPLICABLE
	67.0	2,042	-3	MISSING
	3.6	111	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 202-203

Q56_MON1	Q56_MON1	DATE OF RESULTS TEST1 - MONTH
----------	----------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	4.1	126	1	
8.0	3.4	103	2	
7.9	3.3	102	3	
8.8	3.7	113	4	
9.1	3.9	118	5	
7.9	3.3	102	6	
7.1	3.0	92	7	
8.1	3.4	104	8	
9.2	3.9	119	9	
9.8	4.2	127	10	
7.7	3.2	99	11	
6.6	2.8	85	12	
	0.0	1	-5	NOT APPLICABLE
	56.5	1,722	-3	MISSING
	1.1	34	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 204-205

Q56_DAY1	Q56_DAY1	DATE OF RESULTS TEST1 - DAY
----------	----------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	1.7	52	1	
2.6	1.1	33	2	
2.5	1.1	32	3	
2.7	1.1	34	4	
3.6	1.5	46	5	
3.4	1.4	44	6	
3.4	1.4	44	7	
2.4	1.0	30	8	
3.7	1.5	47	9	
2.7	1.1	35	10	
3.4	1.4	44	11	
3.3	1.4	42	12	
2.9	1.2	37	13	
4.4	1.8	56	14	
3.5	1.5	45	15	
3.8	1.6	49	16	
2.8	1.2	36	17	
4.8	2.0	61	18	
3.7	1.5	47	19	
3.4	1.4	43	20	
4.7	2.0	60	21	
3.2	1.3	41	22	
3.0	1.2	38	23	
3.6	1.5	46	24	
3.1	1.3	40	25	
2.8	1.2	36	26	
3.0	1.2	38	27	
2.7	1.1	34	28	
1.9	0.8	24	29	
3.3	1.4	42	30	
1.6	0.7	20	31	
	0.0	1	-5	NOT APPLICABLE
	56.5	1,723	-3	MISSING
	1.5	47	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 206-207

Q56_YR1	Q56_YR1	DATE OF RESULTS TEST1 - YEAR
----------------	----------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	73	
0.1	0.0	1	79	
0.2	0.1	2	81	
0.2	0.1	2	82	
0.2	0.1	2	83	
0.9	0.4	12	84	
0.9	0.4	11	85	
0.6	0.3	8	86	
0.6	0.3	8	87	
2.9	1.2	37	88	
45.1	19.1	581	89	
48.3	20.4	622	90	
	0.0	1	-5	NOT APPLICABLE
	56.6	1,724	-3	MISSING
	1.1	35	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 208-209

Q56_MON2	Q56_MON2	DATE OF RESULTS TEST2 - MONTH
-----------------	-----------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	2.3	71	1	
7.3	1.7	51	2	
6.4	1.5	45	3	
9.0	2.1	63	4	
7.8	1.8	55	5	
9.1	2.1	64	6	
7.1	1.6	50	7	
6.3	1.4	44	8	
7.0	1.6	49	9	
10.8	2.5	76	10	
9.3	2.1	65	11	
9.7	2.2	68	12	
	0.1	3	-5	NOT APPLICABLE
	74.8	2,278	-3	MISSING
	2.1	65	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 210-211

Q56_DAY2	Q56_DAY2	DATE OF RESULTS TEST2 - DAY
----------	----------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.8	25	1	
2.0	0.5	14	2	
3.7	0.9	26	3	
2.6	0.6	18	4	
5.3	1.2	37	5	
5.0	1.1	35	6	
2.3	0.5	16	7	
2.7	0.6	19	8	
3.4	0.8	24	9	
2.3	0.5	16	10	
2.7	0.6	19	11	
2.3	0.5	16	12	
3.6	0.8	25	13	
3.0	0.7	21	14	
3.2	0.7	22	15	
3.6	0.8	25	16	
3.2	0.7	22	17	
3.9	0.9	27	18	
2.9	0.7	20	19	
3.3	0.8	23	20	
2.9	0.7	20	21	
3.7	0.9	26	22	
4.4	1.0	31	23	
3.4	0.8	24	24	
2.7	0.6	19	25	
3.2	0.7	22	26	
2.4	0.6	17	27	
4.6	1.1	32	28	
4.3	1.0	30	29	
2.6	0.6	18	30	
1.3	0.3	9	31	
	0.1	3	-5	NOT APPLICABLE
	74.8	2,279	-3	MISSING
	2.2	67	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 212-213

Q56_YR2	Q56_YR2	DATE OF RESULTS	TEST2	-	YEAR
----------------	----------------	------------------------	--------------	----------	-------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	87	
0.1	0.0	1	88	
41.7	9.6	292	89	
58.0	13.3	406	90	
	0.1	3	-5	NOT APPLICABLE
	74.8	2,279	-3	MISSING
	2.1	65	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 214-215

Q56A1	Q56A1	Cocaine (including crack) I
--------------	--------------	------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	8.7	264	1	Test positive
51.6	9.2	281	2	Test negative/not applicable
	1.7	52	-5	NOT APPLICABLE
	80.3	2,446	-3	MISSING
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 216-217

Q56A2	Q56A2	Cocaine (including crack) II
--------------	--------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.2	3.3	102	1	Test positive
59.8	5.0	152	2	Test negative/not applicable
	1.0	31	-5	NOT APPLICABLE
	90.5	2,759	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 218-219

Q56B1 **Q56B1 Heroin I**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.1	2.5	75	1	Test positive
79.9	9.8	299	2	Test negative/not applicable
	3.2	96	-5	NOT APPLICABLE
	84.4	2,573	-3	MISSING
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 220-221

Q56B2 **Q56B2 Heroin II**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.4	13	1	Test positive
90.9	4.3	130	2	Test negative/not applicable
	2.1	63	-5	NOT APPLICABLE
	93.1	2,838	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 222-223

Q56C1 **Q56C1 Non-treatment methadone I**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	1.2	36	1	Test positive
89.3	9.9	301	2	Test negative/not applicable
	3.9	119	-5	NOT APPLICABLE
	84.9	2,587	-3	MISSING
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 224-225

Q56C2 Q56C2 Non-treatment methadone II

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	0.9	28	1	Test positive
81.3	4.0	122	2	Test negative/not applicable
	2.4	74	-5	NOT APPLICABLE
	92.6	2,820	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 226-227

Q56D1 Q56D1 Other opiates/synthetics I

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.3	4.1	125	1	Test positive
70.7	9.9	302	2	Test negative/not applicable
	3.4	105	-5	NOT APPLICABLE
	82.4	2,511	-3	MISSING
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 228-229

Q56D2 Q56D2 Other opiates/synthetics II

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	1.7	52	1	Test positive
71.4	4.3	130	2	Test negative/not applicable
	2.1	65	-5	NOT APPLICABLE
	91.8	2,797	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 230-231

Q56E1 **Q56E1** **Barbiturates I**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	1.2	36	1	Test positive
89.8	10.4	318	2	Test negative/not applicable
	3.0	92	-5	NOT APPLICABLE
	85.2	2,597	-3	MISSING
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 232-233

Q56E2 **Q56E2** **Barbiturates II**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	0.6	19	1	Test positive
87.2	4.2	129	2	Test negative/not applicable
	2.3	69	-5	NOT APPLICABLE
	92.8	2,827	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 234-235

Q56F1 **Q56F1** **Benzodiazepines I**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	3.6	111	1	Test positive
73.6	10.1	309	2	Test negative/not applicable
	3.0	90	-5	NOT APPLICABLE
	83.1	2,533	-3	MISSING
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 236-237

Q56F2 Q56F2 Benzodiazepines II

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	1.4	43	1	Test positive
74.7	4.2	127	2	Test negative/not applicable
	2.2	67	-5	NOT APPLICABLE
	92.1	2,807	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 238-239

Q56G1 Q56G1 Other sedatives/hypnotics I

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.2	6	1	Test positive
98.0	9.6	294	2	Test negative/not applicable
	4.2	127	-5	NOT APPLICABLE
	85.9	2,616	-3	MISSING
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 240-241

Q56G2 Q56G2 Other sedatives/hypnotics II

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.1	2	1	Test positive
98.5	4.2	128	2	Test negative/not applicable
	2.4	73	-5	NOT APPLICABLE
	93.2	2,841	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 242-243

Q56H1	Q56H1	Methamphetamines I
--------------	--------------	---------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.3	9	1	Test positive
97.2	10.2	312	2	Test negative/not applicable
	3.7	114	-5	NOT APPLICABLE
	85.6	2,608	-3	MISSING
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 244-245

Q56H2	Q56H2	Methamphetamines II
--------------	--------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.1	2	1	Test positive
98.5	4.3	132	2	Test negative/not applicable
	2.3	69	-5	NOT APPLICABLE
	93.2	2,841	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 246-247

Q56I1	Q56I1	Other amphetamines I
--------------	--------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.3	9	1	Test positive
97.4	11.0	335	2	Test negative/not applicable
	3.1	95	-5	NOT APPLICABLE
	85.5	2,604	-3	MISSING
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 248-249

Q56I2 Q56I2 Other amphetamines II

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.1	4	1	Test positive
97.4	4.9	148	2	Test negative/not applicable
	1.8	54	-5	NOT APPLICABLE
	93.1	2,838	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 250-251

Q56J1 Q56J1 Marijuana/Hashish/THC I

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	4.3	130	1	Test positive
71.4	10.6	324	2	Test negative/not applicable
	1.9	57	-5	NOT APPLICABLE
	83.1	2,532	-3	MISSING
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 252-253

Q56J2 Q56J2 Marijuana/Hashish/THC II

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	1.1	35	1	Test positive
81.5	5.1	154	2	Test negative/not applicable
	1.3	39	-5	NOT APPLICABLE
	92.4	2,816	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 254-255

Q56K1	Q56K1	PCP/LSD I
--------------	--------------	------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.1	3	1	Test positive
99.1	10.9	333	2	Test negative/not applicable
	3.2	96	-5	NOT APPLICABLE
	85.7	2,611	-3	MISSING
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 256-257

Q56K2	Q56K2	PCP/LSD II
--------------	--------------	-------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.0	1	1	Test positive
99.3	4.5	138	2	Test negative/not applicable
	2.2	67	-5	NOT APPLICABLE
	93.1	2,838	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 258-259

Q56L1	Q56L1	Other hallucinogens I
--------------	--------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.4	287	2	Test negative/not applicable
	4.5	136	-5	NOT APPLICABLE
	86.0	2,620	-3	MISSING
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 260-261

Q56L2 Q56L2 Other hallucinogens II

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.1	125	2	Test negative/not applicable
	2.5	76	-5	NOT APPLICABLE
	93.3	2,843	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 262-263

Q56M1 Q56M1 Inhalants I

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	1	Test positive
99.7	9.5	288	2	Test negative/not applicable
	4.4	134	-5	NOT APPLICABLE
	86.0	2,620	-3	MISSING
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 264-265

Q56M2 Q56M2 Inhalants II

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.0	1	1	Test positive
99.2	4.1	125	2	Test negative/not applicable
	2.5	76	-5	NOT APPLICABLE
	93.3	2,842	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 266-267

Q56N1**Q56N1 Alcohol I**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.1	3.6	110	1	Test positive
73.9	10.2	311	2	Test negative/not applicable
	2.7	81	-5	NOT APPLICABLE
	83.4	2,540	-3	MISSING
	0.2	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 268-269

Q56N2**Q56N2 Alcohol II**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	0.3	8	1	Test positive
94.3	4.3	132	2	Test negative/not applicable
	2.2	68	-5	NOT APPLICABLE
	93.1	2,836	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 270-271

Q5601	Q5601	Other (SPECIFY) I
--------------	--------------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.3	3.4	104	1	Test positive
69.7	7.8	239	2	Test negative/not applicable
	4.3	130	-5	NOT APPLICABLE
	84.3	2,570	-3	MISSING
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 272-273

Q5602	Q5602	Other (SPECIFY) II
--------------	--------------	---------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.8	1.7	51	1	Test positive
66.2	3.3	100	2	Test negative/not applicable
	2.5	75	-5	NOT APPLICABLE
	92.5	2,818	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 274-275

DRUG TREATMENT HISTORY

Q57TOTN Q57 # OF TRTMNT EPISODES (TOP-CODE 11+)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.4	22.7	692	1	
23.3	12.5	380	2	
11.5	6.2	188	3	
7.6	4.1	124	4	
4.6	2.5	75	5	
2.6	1.4	43	6	
1.5	0.8	24	7	
2.2	1.2	36	8	
0.6	0.3	9	9	
1.2	0.6	19	10	
2.5	1.3	41	11	11+
	28.0	854	-5	NOT APPLICABLE
	0.6	19	-3	MISSING
	17.8	543	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 276-277

Q57AYRN	Q57A # OF YEARS OVER WHICH TREATMENT SE
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.3	6.4	195	1	
17.4	5.5	167	2	
10.1	3.2	97	3	
7.4	2.3	71	4	
4.9	1.5	47	5	
5.4	1.7	52	6	
5.7	1.8	55	7	
4.9	1.5	47	8	
3.0	1.0	29	9	
4.4	1.4	42	10	
2.2	0.7	21	11	
1.8	0.6	17	12	
1.1	0.4	11	13	
1.5	0.5	14	14	
2.1	0.7	20	15	
0.7	0.2	7	16	
0.8	0.3	8	17	
1.5	0.5	14	18	
0.4	0.1	4	19	
0.8	0.3	8	20	
0.5	0.2	5	21	
0.1	0.0	1	24	
0.2	0.1	2	27	
0.2	0.1	2	30	
2.4	0.8	23	55	
	12.1	370	-5	NOT APPLICABLE
	40.0	1,220	-3	MISSING
	16.3	498	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 278-279

Q58PAST	Q58 PAST TREATMENT EPISODES			
---------	-----------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.8	33.9	1,034	1	Yes
30.2	14.7	447	2	No
	0.3	9	-5	NOT APPLICABLE
	28.8	878	-3	MISSING
	22.3	679	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 280-281

Q58_PRA	Q58_PRA REASON FOR TREATMENT SERVICES			
---------	---------------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	3.2	97	1	Cocaine (excluding crack)
4.6	1.3	40	2	Crack
18.7	5.3	163	3	Heroin
0.7	0.2	6	4	Non-treatment methadone
1.8	0.5	16	5	Other opiates/synthetics
0.8	0.2	7	7	Benzodiazepines
0.1	0.0	1	8	Other sedatives/hypnotics
0.9	0.3	8	9	Methamphetamines
2.6	0.8	23	11	Marijuana/Hashish/TCP
0.3	0.1	3	12	PCP/LSD
0.2	0.1	2	14	Inhalants
41.1	11.8	359	15	Alcohol
2.2	0.6	19	16	Polydrug (excluding alcohol)
9.0	2.6	79	17	Combination alcohol and other drug
0.8	0.2	7	18	Sub. abuse/mental ill. (dual diag.)
4.9	1.4	43	97	Other (SPECIFY IN COMMENTS)
	65.8	2,004	-3	MISSING
	5.5	169	-2	DON'T KNOW
	0.0	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 282-283

Q58_SECA	Q58_SECA	REASON FOR TREATMENT SERVICES		
----------	----------	-------------------------------	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	2.3	70	1	Cocaine (excluding crack)
3.7	0.5	14	2	Crack
1.8	0.2	7	3	Heroin
0.3	0.0	1	4	Non-treatment methadone
2.1	0.3	8	5	Other opiates/synthetics
0.5	0.1	2	6	Barbiturates
1.3	0.2	5	7	Benzodiazepines
1.0	0.1	4	8	Other sedatives/hypnotics
0.8	0.1	3	9	Methamphetamines
0.3	0.0	1	10	Other amphetamines
10.2	1.3	39	11	Marijuana/Hashish/TCP
0.3	0.0	1	12	PCP/LSD
0.8	0.1	3	14	Inhalants
17.1	2.1	65	15	Alcohol
1.8	0.2	7	16	Polydrug (excluding alcohol)
2.4	0.3	9	17	Combination alcohol and other drug
2.1	0.3	8	18	Sub. abuse/mental ill. (dual diag.)
31.0	3.9	118	19	No secondary drug use
4.2	0.5	16	97	Other (SPECIFY IN COMMENTS)
	0.0	1	-5	NOT APPLICABLE
	66.5	2,026	-3	MISSING
	21.0	639	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 284-285

Q58_FAA	Q58_FAA	FACILITY CODES		
---------	---------	----------------	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.9	12.1	368	1	Here
64.1	21.6	657	2	Elsewhere
	65.7	2,003	-3	MISSING
	0.6	19	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 286-287

Q58_REA	Q58_REA	REASON FOR DISCHARGE
---------	---------	----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	12.5	380	1	Completed planned treatment services
15.9	3.9	118	2	Not complete tx, referred elsewhere
3.0	0.7	22	3	Not complete tx, administration choice
15.5	3.8	115	4	Not complete tx, participant choice
2.3	0.6	17	5	Not complete tx, choice not mentioned
1.1	0.3	8	6	Incarcerated
11.3	2.8	84	7	Other (SPECIFY IN COMMENTS)
	65.8	2,004	-3	MISSING
	9.8	299	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 288-289

Q58_PRB	Q58_PRB	REASON FOR TREATMENT SERVICES
---------	---------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	0.6	19	1	Cocaine (excluding crack)
4.9	0.3	9	2	Crack
19.6	1.2	36	3	Heroin
0.5	0.0	1	5	Other opiates/synthetics
3.3	0.2	6	7	Benzodiazepines
0.5	0.0	1	9	Methamphetamines
1.6	0.1	3	11	Marijuana/Hashish/TCP
40.2	2.4	74	15	Alcohol
2.7	0.2	5	16	Polydrug (excluding alcohol)
6.0	0.4	11	17	Combination alcohol and other drug
3.3	0.2	6	18	Sub. abuse/mental ill. (dual diag.)
7.1	0.4	13	97	Other (SPECIFY IN COMMENTS)
	8.6	262	-5	NOT APPLICABLE
	83.0	2,529	-3	MISSING
	2.3	71	-2	DON'T KNOW
	0.0	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 290-291

Q58_SECB	Q58_SECB	REASON FOR TREATMENT SERVICES
-----------------	-----------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	0.5	14	1	Cocaine (excluding crack)
2.6	0.1	2	2	Crack
3.9	0.1	3	3	Heroin
2.6	0.1	2	4	Non-treatment methadone
1.3	0.0	1	7	Benzodiazepines
7.9	0.2	6	11	Marijuana/Hashish/TCP
15.8	0.4	12	15	Alcohol
2.6	0.1	2	16	Polydrug (excluding alcohol)
5.3	0.1	4	17	Combination alcohol and other drug
2.6	0.1	2	18	Sub. abuse/mental ill. (dual diag.)
30.3	0.8	23	19	No secondary drug use
6.6	0.2	5	97	Other (SPECIFY IN COMMENTS)
	0.1	2	-5	NOT APPLICABLE
	91.8	2,797	-3	MISSING
	5.6	172	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 292-293

Q58_FAB	Q58_FAB	FACILITY CODES
----------------	----------------	-----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	2.7	82	1	Here
66.7	5.4	164	2	Elsewhere
	0.1	2	-5	NOT APPLICABLE
	91.5	2,789	-3	MISSING
	0.3	10	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 294-295

Q58_REB	Q58_REB REASON FOR DISCHARGE			
---------	------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.0	2.6	78	1	Completed planned treatment services
12.4	0.6	19	2	Not complete tx, referred elsewhere
7.8	0.4	12	3	Not complete tx, administration choice
20.3	1.0	31	4	Not complete tx, participant choice
1.3	0.1	2	5	Not complete tx, choice not mentioned
1.3	0.1	2	6	Incarcerated
5.9	0.3	9	7	Other (SPECIFY IN COMMENTS)
	0.1	2	-5	NOT APPLICABLE
	91.6	2,790	-3	MISSING
	3.3	102	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 296-297

Q58_PRC	Q58_PRC REASON FOR TREATMENT SERVICES			
---------	---------------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	0.2	5	1	Cocaine (excluding crack)
1.7	0.0	1	2	Crack
15.5	0.3	9	3	Heroin
1.7	0.0	1	5	Other opiates/synthetics
1.7	0.0	1	9	Methamphetamines
1.7	0.0	1	11	Marijuana/Hashish/TCP
46.6	0.9	27	15	Alcohol
1.7	0.0	1	16	Polydrug (excluding alcohol)
12.1	0.2	7	17	Combination alcohol and other drug
5.2	0.1	3	18	Sub. abuse/mental ill. (dual diag.)
3.4	0.1	2	97	Other (SPECIFY IN COMMENTS)
	2.1	65	-5	NOT APPLICABLE
	95.3	2,904	-3	MISSING
	0.7	20	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 298-299

Q58_SECC		Q58_SECC REASON FOR TREATMENT SERVICES		
----------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	0.2	6	1	Cocaine (excluding crack)
2.9	0.0	1	7	Benzodiazepines
8.8	0.1	3	11	Marijuana/Hashish/TCP
8.8	0.1	3	15	Alcohol
5.9	0.1	2	16	Polydrug (excluding alcohol)
2.9	0.0	1	17	Combination alcohol and other drug
17.6	0.2	6	18	Sub. abuse/mental ill. (dual diag.)
26.5	0.3	9	19	No secondary drug use
8.8	0.1	3	97	Other (SPECIFY IN COMMENTS)
	0.1	2	-5	NOT APPLICABLE
	97.4	2,968	-3	MISSING
	1.4	43	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 300-301

Q58_FAC		Q58_FAC FACILITY CODES		
---------	--	------------------------	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.8	25	1	Here
66.7	1.6	50	2	Elsewhere
	0.1	2	-5	NOT APPLICABLE
	97.4	2,967	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 302-303

Q58_REC	Q58_REC	REASON FOR DISCHARGE
---------	---------	----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.8	0.8	23	1	Completed planned treatment services
19.0	0.3	8	2	Not complete tx, referred elsewhere
7.1	0.1	3	3	Not complete tx, administration choice
19.0	0.3	8	4	Not complete tx, participant choice
	0.1	2	-5	NOT APPLICABLE
	97.4	2,968	-3	MISSING
	1.1	35	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 304-305

Q58_PRD	Q58_PRD	REASON FOR TREATMENT SERVICES
---------	---------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	0.1	3	1	Cocaine (excluding crack)
18.8	0.1	3	3	Heroin
18.8	0.1	3	15	Alcohol
18.8	0.1	3	17	Combination alcohol and other drug
25.0	0.1	4	18	Sub. abuse/mental ill. (dual diag.)
	0.5	14	-5	NOT APPLICABLE
	98.6	3,004	-3	MISSING
	0.4	13	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 306-307

Q58_SECD	Q58_SECD REASON FOR TREATMENT SERVICES			
----------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	2	11	Marijuana/Hashish/TCP
10.0	0.0	1	16	Polydrug (excluding alcohol)
20.0	0.1	2	17	Combination alcohol and other drug
20.0	0.1	2	19	No secondary drug use
30.0	0.1	3	97	Other (SPECIFY IN COMMENTS)
	0.1	2	-5	NOT APPLICABLE
	99.0	3,017	-3	MISSING
	0.6	18	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 308-309

Q58_FAD	Q58_FAD FACILITY CODES			
---------	------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.6	0.3	9	1	Here
65.4	0.6	17	2	Elsewhere
	0.1	2	-5	NOT APPLICABLE
	99.0	3,016	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 310-311

Q58_RED	Q58_RED REASON FOR DISCHARGE			
---------	------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.4	12	1	Completed planned treatment services
25.0	0.1	4	2	Not complete tx, referred elsewhere
	0.1	2	-5	NOT APPLICABLE
	99.0	3,016	-3	MISSING
	0.4	13	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 312-313

Q58_PRE	Q58_PRE	REASON FOR TREATMENT SERVICES		
---------	---------	-------------------------------	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	Cocaine (excluding crack)
	99.9	3,043	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 314-315

Q58_SECE	Q58_SECE	REASON FOR TREATMENT SERVICES		
----------	----------	-------------------------------	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	15	Alcohol
	99.9	3,043	-3	MISSING
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 316-317

Q58_FAE	Q58_FAE	FACILITY CODES		
---------	---------	----------------	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	1	1	Here
75.0	0.1	3	2	Elsewhere
	99.9	3,043	-3	MISSING
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 318-319

Q58_REE	Q58_REE	REASON FOR DISCHARGE
----------------	----------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	Completed planned treatment services
	99.9	3,043	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 320-321

Q58_PRF	Q58_PRF	REASON FOR TREATMENT SERVICES
----------------	----------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.9	3,045	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 322-323

Q58_SECF	Q58_SECF	REASON FOR TREATMENT SERVICES
-----------------	-----------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.9	3,045	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 324-325

Q58_FAF	Q58_FAF	FACILITY CODES
---------	---------	----------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	Elsewhere
	99.9	3,045	-3	MISSING
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 326-327

Q58_REF	Q58_REF	REASON FOR DISCHARGE
---------	---------	----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	Completed planned treatment services
	99.9	3,045	-3	MISSING
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 328-329

Q58_PRG	Q58_PRG	REASON FOR TREATMENT SERVICES
---------	---------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	3,046	-3	MISSING
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 330-331

Q58_SECG	Q58_SECG	REASON FOR TREATMENT SERVICES
-----------------	-----------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	3,046	-3	MISSING
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 332-333

Q58_FAG	Q58_FAG	FACILITY CODES
----------------	----------------	-----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	Elsewhere
	100.0	3,046	-3	MISSING
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 334-335

Q58_REG	Q58_REG REASON FOR DISCHARGE
----------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	3,046	-3	MISSING
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 336-337

Q58_PRH	Q58_PRH REASON FOR TREATMENT SERVICES
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	3,046	-3	MISSING
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 338-339

Q58_SECH	Q58_SECH REASON FOR TREATMENT SERVICES
-----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	3,046	-3	MISSING
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 340-341

Q58_FAH Q58_FAH FACILITY CODES

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	Elsewhere
	100.0	3,046	-3	MISSING
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 342-343

Q58_REH Q58_REH REASON FOR DISCHARGE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	3,046	-3	MISSING
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 344-345

Q58_PRI Q58_PRI REASON FOR TREATMENT SERVICES

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	3,046	-3	MISSING
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 346-347

Q58_SECI	Q58_SECI REASON FOR TREATMENT SERVICES
----------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	3,046	-3	MISSING
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 348-349

Q58_FAI	Q58_FAI FACILITY CODES
---------	------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	Elsewhere
	100.0	3,046	-3	MISSING
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 350-351

Q58_REI	Q58_REI REASON FOR DISCHARGE
---------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	3,046	-3	MISSING
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 352-353

Q58_PRJ	Q58_PRJ REASON FOR TREATMENT SERVICES
---------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	3,047	-3	MISSING
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 354-355

Q58_SECJ Q58_SECJ REASON FOR TREATMENT SERVICES

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	3,047	-3	MISSING
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 356-357

Q58_FAJ Q58_FAJ FACILITY CODES

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	3,047	-3	MISSING
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 358-359

Q58_REJ Q58_REJ REASON FOR DISCHARGE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	3,047	-3	MISSING
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 360-361

TREATMENT SERVICES DURING THIS EPISODE

Q59_SER Q59_SER INDIVIDUAL COUNSELING

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	3.5	107	1	Not given
68.6	57.1	1,740	2	Actually given, completed
3.9	3.3	100	3	Actually given, not completed by admin.
16.4	13.7	416	4	Not completed client choice
1.3	1.1	32	5	Not completed no mention of choice
5.6	4.7	142	6	Planned or recom., can't confirm if act.
	0.3	9	-5	NOT APPLICABLE
	0.9	27	-3	MISSING
	15.6	474	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 362-363

Q59_FAC Q59_FAC FACILITY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	77.1	2,348	1	Here
0.2	0.1	4	2	Elsewhere
	17.1	521	-3	MISSING
	5.7	174	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 364-365

Q59_NO Q59_NO # OF ENCOUNTERS (TOP-CODED 50+)

Min	=	1	Mean	=	9.346
Max	=	50	Std Dev	=	11.667
Median	=	5	Variance	=	136.129

(Based on 1,656 valid cases)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 366-367

Q60_SER Q60_SER GROUP COUNSELING

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	12.5	380	1	Not given
64.6	51.5	1,568	2	Actually given, completed
3.6	2.9	87	3	Actually given, not completed by admin.
10.7	8.5	260	4	Not completed client choice
0.6	0.5	14	5	Not completed no mention of choice
4.9	3.9	120	6	Planned or recom., can't confirm if act.
	0.1	3	-5	NOT APPLICABLE
	2.2	66	-3	MISSING
	18.0	549	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 368-369

Q60_FAC Q60_FAC FACILITY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	64.3	1,960	1	Here
1.9	1.2	37	2	Elsewhere
	24.4	743	-3	MISSING
	10.1	307	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 370-371

Q60_NO Q60_NO # OF ENCOUNTERS (TOP-CODED 50+)

Min	=	1	Mean	=	17.470
Max	=	50	Std Dev	=	15.503
Median	=	13	Variance	=	240.349

(Based on 1,302 valid cases)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 372-373

Q61_SER	Q61_SER	FAMILY COUNSELING
---------	---------	-------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	24.3	739	1	Not given
32.6	15.5	473	2	Actually given, completed
1.6	0.8	23	3	Actually given, not completed by admin.
4.4	2.1	64	4	Not completed client choice
0.4	0.2	6	5	Not completed no mention of choice
10.1	4.8	147	6	Planned or recom., can't confirm if act.
	0.1	2	-5	NOT APPLICABLE
	6.2	189	-3	MISSING
	46.1	1,404	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 374-375

Q61_FAC	Q61_FAC	FACILITY
---------	---------	----------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	21.1	642	1	Here
0.9	0.2	6	2	Elsewhere
	51.6	1,571	-3	MISSING
	27.2	828	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 376-377

Q61_NO	Q61_NO	# OF ENCOUNTERS (TOP-CODED 50+)
--------	--------	---------------------------------

Min	=	1	Mean	=	4.577
Max	=	50	Std Dev	=	6.484
Median	=	2	Variance	=	42.043

(Based on 388 valid cases)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 378-379

Q62_SER	Q62_SER	DRUG EDUCATION COUNSELING
----------------	----------------	----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	12.4	377	1	Not given
56.1	29.5	900	2	Actually given, completed
2.1	1.1	34	3	Actually given, not completed by admin.
8.4	4.4	135	4	Not completed client choice
0.4	0.2	6	5	Not completed no mention of choice
9.5	5.0	152	6	Planned or recom., can't confirm if act.
	0.0	1	-5	NOT APPLICABLE
	6.2	190	-3	MISSING
	41.1	1,252	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 380-381

Q62_FAC	Q62_FAC	FACILITY
----------------	----------------	-----------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	37.6	1,146	1	Here
0.7	0.3	8	2	Elsewhere
	39.5	1,203	-3	MISSING
	22.6	690	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 382-383

Q62_NO	Q62_NO	# OF ENCOUNTERS (TOP-CODED 50+)
---------------	---------------	--

Min	=	1	Mean	=	13.128
Max	=	50	Std Dev	=	14.763
Median	=	6	Variance	=	217.957

(Based on 517 valid cases)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 384-385

Q63_SER	Q63_SER	EMPLOYMENT COUNSELING
---------	---------	-----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.5	34.0	1,036	1	Not given
10.1	4.0	123	2	Actually given, completed
0.6	0.2	7	3	Actually given, not completed by admin.
0.4	0.2	5	4	Not completed client choice
3.4	1.3	41	6	Planned or recom., can't confirm if act.
	0.0	1	-5	NOT APPLICABLE
	6.7	203	-3	MISSING
	53.5	1,631	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 386-387

Q63_FAC	Q63_FAC	FACILITY
---------	---------	----------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.4	4.0	123	1	Here
14.6	0.7	21	2	Elsewhere
	62.6	1,908	-3	MISSING
	32.7	995	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 388-389

Q64_SER	Q64_SER	JOB TRAINING
---------	---------	--------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	36.3	1,106	1	Not given
3.0	1.1	35	2	Actually given, completed
0.3	0.1	4	3	Actually given, not completed by admin.
0.1	0.0	1	4	Not completed client choice
2.5	1.0	29	6	Planned or recom., can't confirm if act.
	6.9	210	-3	MISSING
	54.5	1,662	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 390-391

Q64_FAC	Q64_FAC	FACILITY
----------------	----------------	-----------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.8	23	1	Here
50.0	0.8	23	2	Elsewhere
	64.7	1,970	-3	MISSING
	33.8	1,031	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 392-393

Q65_SER	Q65_SER	EDUCATIONAL CLASSES
----------------	----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.2	32.5	989	1	Not given
18.6	8.1	248	2	Actually given, completed
1.2	0.5	16	3	Actually given, not completed by admin.
2.0	0.9	26	4	Not completed client choice
0.2	0.1	3	5	Not completed no mention of choice
3.8	1.7	51	6	Planned or recom., can't confirm if act.
	6.7	203	-3	MISSING
	49.6	1,511	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 394-395

Q65_FAC	Q65_FAC	FACILITY
----------------	----------------	-----------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	8.6	262	1	Here
8.7	0.8	25	2	Elsewhere
	59.1	1,801	-3	MISSING
	31.5	959	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 396-397

Q66_SER	Q66_SER	DETOXIFICATION
---------	---------	----------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	21.8	665	1	Not given
52.4	31.4	958	2	Actually given, completed
1.0	0.6	18	3	Actually given, not completed by admin.
5.5	3.3	101	4	Not completed client choice
0.7	0.4	13	5	Not completed no mention of choice
3.9	2.4	72	6	Planned or recom., can't confirm if act.
	6.7	203	-3	MISSING
	33.4	1,017	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 398-399

Q66_FAC	Q66_FAC	FACILITY
---------	---------	----------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	35.5	1,081	1	Here
2.2	0.8	24	2	Elsewhere
	42.4	1,292	-3	MISSING
	21.3	650	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 400-401

Q67_SER	Q67_SER ACTIVITY GROUPS
----------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	20.8	633	1	Not given
49.6	26.8	817	2	Actually given, completed
1.6	0.9	26	3	Actually given, not completed by admin.
3.0	1.6	50	4	Not completed client choice
0.1	0.0	1	5	Not completed no mention of choice
7.2	3.9	119	6	Planned or recom., can't confirm if act.
	6.5	197	-3	MISSING
	39.5	1,204	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 402-403

Q67_FAC	Q67_FAC FACILITY
----------------	-------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	29.6	902	1	Here
3.3	1.0	31	2	Elsewhere
	45.5	1,385	-3	MISSING
	23.9	729	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 404-405

Q68_SER	Q68_SER	SELF-HELP GROUPS (INCLUDE AA AN
---------	---------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	12.7	386	1	Not given
61.0	41.6	1,269	2	Actually given, completed
1.8	1.2	38	3	Actually given, not completed by admin.
4.1	2.8	85	4	Not completed client choice
0.5	0.3	10	5	Not completed no mention of choice
14.1	9.6	294	6	Planned or recom., can't confirm if act.
	6.2	189	-3	MISSING
	25.5	776	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 406-407

Q68_FAC	Q68_FAC	FACILITY
---------	---------	----------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.1	36.4	1,110	1	Here
22.9	10.8	330	2	Elsewhere
	34.8	1,060	-3	MISSING
	18.0	547	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 408-409

Q69_SER Q69_SER DAY CARE FOR CHILDREN

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	43.6	1,328	1	Not given
1.0	0.4	13	2	Actually given, completed
0.3	0.1	4	6	Planned or recom., can't confirm if act.
	7.5	230	-3	MISSING
	48.3	1,472	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 410-411

Q69_FAC Q69_FAC FACILITY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.6	0.2	7	1	Here
36.4	0.1	4	2	Elsewhere
	70.3	2,142	-3	MISSING
	29.3	894	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 412-413

Q70MED Q70 MEDICATIONS PRESCRIBED DURING TREAT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.6	33.9	1,032	0	No
56.4	43.7	1,333	1	Yes
	22.4	682	-3	MISSING
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 414-415

Q71ADM	Q71 ANY PHYSICIAN NOTES AT ADMISSION
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.5	27.2	828	0	No
68.5	59.0	1,798	1	Yes
	13.8	421	-3	MISSING
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 416-417

Q72DIS	Q72 PHYSICIAN NOTES AT DISCHARGE
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.1	44.1	1,343	0	No
43.9	34.5	1,052	1	Yes
	21.4	652	-3	MISSING
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 418-419

Q73OTHR	Q73 ANY PHYSICIAN NOTES AT ANY OTHER TI
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.0	34.8	1,061	0	No
58.0	48.0	1,464	1	Yes
	17.1	522	-3	MISSING
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 420-421

Q74_METH	Q74 METHADONE GIVEN DURING THIS TREATME
-----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	15.0	457	1	Yes
78.2	53.7	1,636	2	No
	0.0	1	-5	NOT APPLICABLE
	0.4	11	-3	MISSING
	30.9	942	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 422-423

Q74ATOT	Q74ATOT TOTAL DAILY DOSE IN MGS.
----------------	---

Min	=	2	Mean	=	31.987
Max	=	500	Std Dev	=	25.691
Median	=	30	Variance	=	660.027

(Based on 446 valid cases)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 424-426

Q74AGIV	Q74AGIV GIVEN DOSE IN MGS.
----------------	-----------------------------------

Min	=	2	Mean	=	29.882
Max	=	90	Std Dev	=	13.157
Median	=	30	Variance	=	173.102

(Based on 414 valid cases)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 427-428

Q74ANUM	Q74ANUM	NUMBER OF TIMES/DAY
----------------	----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	13.0	397	1	
3.2	0.4	13	2	
0.2	0.0	1	4	
	84.9	2,588	-3	MISSING
	1.6	48	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 429-430

Q74APLC	Q74APLAC	PLACE
----------------	-----------------	--------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	14.8	451	1	Here
0.2	0.0	1	2	At home
	84.9	2,588	-3	MISSING
	0.2	7	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 431-432

Q74BTOT	Q74BTOT	TOTAL DAILY DOSE IN MGS.
----------------	----------------	---------------------------------

Min	=	1	Mean	=	27.386
Max	=	100	Std Dev	=	22.476
Median	=	21	Variance	=	505.184

(Based on 409 valid cases)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 433-435

Q74BGIV	Q74BGIV GIVEN DOSE IN MGS.
----------------	-----------------------------------

Min	=	1	Mean	=	26.569
Max	=	90	Std Dev	=	21.495
Median	=	20	Variance	=	462.050

(Based on 390 valid cases)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 436-437

Q74BNUM	Q74BNUM NUMBER OF TIMES/DAY
----------------	------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	13.2	403	1	
0.2	0.0	1	2	
0.2	0.0	1	3	
	0.2	6	-5	NOT APPLICABLE
	85.5	2,606	-3	MISSING
	1.0	30	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 438-439

Q74BPLC	Q74BPLAC	PLACE
----------------	-----------------	--------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	13.4	407	1	Here
3.5	0.5	15	2	At home
0.9	0.1	4	3	Here/At Home
	0.2	6	-5	NOT APPLICABLE
	85.5	2,606	-3	MISSING
	0.3	9	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 440-441

Q75_HOME	Q75	METHADONE TAKEN HOME DURING TREATME
-----------------	------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	6.0	184	1	Yes
47.4	5.4	166	2	No
	85.0	2,591	-3	MISSING
	3.5	106	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 442-443

DISCHARGE INFORMATION

Q76_DIS Q76 REASON FOR DISCHARGE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	22	1	Participant deceased
48.8	47.1	1,435	2	Completed planned treatment
7.0	6.8	206	3	Not complete, referred elsewhere
10.1	9.8	298	4	Not complete, administration choice
27.0	26.1	794	5	Not complete, participant choice
0.9	0.9	26	6	Not complete, choice not mentioned
1.8	1.7	52	7	Incarcerated
3.7	3.6	109	8	Other (SPECIFY REASON IN B)
	0.0	1	-5	NOT APPLICABLE
	0.7	20	-3	MISSING
	2.8	84	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 444-445

Q79SUB Q79 SUBSTANCE ABUSE/MENTAL ILLNESS AT D

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	9.0	275	1	Yes
84.6	49.6	1,510	2	No
	1.0	30	-3	MISSING
	40.4	1,232	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 446-447

Q80_PLN	Q80 AFTER-CARE PLAN STATED IN RECORD
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.3	41.2	1,256	1	Yes
33.7	20.9	638	2	No
	27.5	839	-3	MISSING
	10.3	314	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 448-449

Q81AFTR	Q81 SERVICES IN AFTER-CARE PLAN
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	37.8	1,152	1	Services specified
	55.9	1,704	-3	MISSING
	6.3	191	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 450-451

Q74A_YR	Q74A_YR	DATE	FIRST	METHADONE	TREATMENT
----------------	----------------	-------------	--------------	------------------	------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	1	73	
0.2	0.0	1	78	
0.2	0.0	1	79	
0.7	0.1	3	81	
0.4	0.1	2	82	
0.7	0.1	3	83	
2.2	0.3	10	84	
2.2	0.3	10	85	
1.5	0.2	7	86	
2.2	0.3	10	87	
7.7	1.1	35	88	
45.7	6.8	207	89	
36.0	5.3	163	90	
	84.9	2,588	-3	MISSING
	0.2	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 452-453

Q74B_YR	Q74B_YR	DATE	LAST	METHADONE	TREATMENT
----------------	----------------	-------------	-------------	------------------	------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	5.1	156	89	
63.4	8.9	270	90	
	0.2	6	-5	NOT APPLICABLE
	85.6	2,608	-3	MISSING
	0.2	7	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 454-455

Q77_YR	Q77_YR	DATE OF DISCHARGE (YR)
--------	--------	------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	33.3	1,014	89	
66.3	65.6	1,998	90	
	1.1	35	-3	MISSING
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 456-457

Q78_YR	Q78_YR	DATE OF LAST TREATMENT (YR)
--------	--------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	86	
0.0	0.0	1	88	
37.4	31.5	959	89	
62.5	52.6	1,603	90	
	1.1	33	-3	MISSING
	14.8	450	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 458-459

Q81A	Q81A	Individual Counseling
------	------	-----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.6	9.9	303	1	Yes
35.4	5.4	166	2	No
	62.8	1,913	-3	MISSING
	21.8	665	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 460-461

Q81E Q81E Employment Counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	2.1	65	1	Yes
77.7	7.4	226	2	No
	62.9	1,918	-3	MISSING
	27.5	838	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 468-469

Q81F Q81F Job Training

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	1.3	41	1	Yes
85.5	7.9	242	2	No
	62.9	1,918	-3	MISSING
	27.8	846	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 470-471

Q81G Q81G Activity groups

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	4.0	121	1	Yes
62.1	6.5	198	2	No
	62.9	1,918	-3	MISSING
	26.6	810	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 472-473

Q81H	Q81H Self-help groups (include AA and N
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	30.5	930	1	Yes
7.3	2.4	73	2	No
	62.2	1,896	-3	MISSING
	4.9	148	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 474-475

Q81I	Q81I Alumni group/reunion
-------------	----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	3.0	91	1	Yes
72.7	7.9	242	2	No
	63.1	1,923	-3	MISSING
	26.0	791	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 476-477

Q81J	Q81J Other (SPECIFY)
-------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	14.8	451	1	Yes
25.6	5.1	155	2	No
	63.0	1,919	-3	MISSING
	17.1	522	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 478-479

Q82AFTR	Q82 FURTHER TREATMENT SERVICES PARTICIP
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	30.7	935	1	No treatment
2.9	1.9	59	2	Hospital inpatient
10.8	7.3	222	3	Residential
4.6	3.1	94	4	Outpatient/methadone maintenance
20.7	13.9	425	5	Other outpatient
15.6	10.5	320	6	Other (SPECIFY)
	1.0	31	-3	MISSING
	31.5	961	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 480-481

CHARGE DATA

Q83BILL Q83 BILLED CHARGES FOR THIS TREATMENT S

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.3	51.5	1,570	1	Yes
12.0	7.2	219	2	No
1.6	1.0	30	3	Other (SPECIFY)
	1.0	30	-3	MISSING
	34.2	1,043	-2	DON'T KNOW
	5.1	155	-1	REFUSED
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 482-483

Q83A_DOL Q83A DOLLAR AMOUNT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	3.6	111	0	None
16.0	8.5	259	1	\$1-99
26.9	14.3	435	2	\$100-499
12.6	6.7	204	3	\$500-999
24.5	13.0	397	4	\$1,000-4,999
9.0	4.8	146	5	\$5,000-9,999
2.4	1.3	39	6	\$10,000-14,999
1.8	1.0	29	7	\$15,000-40,000
	0.5	14	-5	NOT APPLICABLE
	24.3	739	-3	MISSING
	17.0	519	-2	DON'T KNOW
	5.1	155	-1	REFUSED
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 484-485

Q83CODE	Q83CODE	CHARGE CODE:
----------------	----------------	---------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.3	25.7	783	1	Full amount billed
24.8	12.2	372	2	Sliding fee amount
12.0	5.9	179	3	Reduced amount: __ __ % of full bill
10.9	5.3	163	4	Other (SPECIFY)
	25.9	790	-3	MISSING
	21.5	654	-2	DON'T KNOW
	3.5	106	-1	REFUSED
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 486-487

Q83PCNT	Q83PC	PERCENT OF FULL BILL CHARGED
----------------	--------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.2	5	1	
56.1	3.2	96	5	
2.3	0.1	4	10	
0.6	0.0	1	13	
0.6	0.0	1	14	
10.5	0.6	18	18	
1.8	0.1	3	20	
0.6	0.0	1	25	
0.6	0.0	1	30	
3.5	0.2	6	35	
0.6	0.0	1	45	
0.6	0.0	1	47	
1.8	0.1	3	50	
1.2	0.1	2	54	
1.8	0.1	3	73	
4.1	0.2	7	75	
1.2	0.1	2	80	
0.6	0.0	1	85	
1.8	0.1	3	87	
7.0	0.4	12	90	
	94.1	2,868	-3	MISSING
	0.3	8	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 488-489

Q83B	Q83B WAS THIS A FUNDED SLOT
-------------	------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	5.4	164	1	Yes
77.7	18.8	573	2	No
	53.6	1,633	-3	MISSING
	22.2	677	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 490-491

Q353CMNT	Q353CMNT COMMENTS ON BACK PAGE (yes/no)
-----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	49.7	1,514	1	Yes
50.0	49.8	1,516	2	No
	0.2	7	-3	MISSING
	0.3	10	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 492-493

Q33B1RCD	DSM DIAGNOSIS
-----------------	----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS (000.00)
0.0	0.0	0	1	ALC IND DISORD (291.00-291.99)
1.2	0.2	7	2	SUBST IND DISORD (292.00-292.99)
12.4	2.4	74	3	ALC INTOXICATION (303.00-303.89)
15.7	3.1	94	4	ALC DEPEND (303.90-303.99)
3.2	0.6	19	5	OPIOID DEPEND (304.00-304.09)
18.2	3.6	109	6	COCAINE DEPEND (304.20-304.29)
6.3	1.2	38	7	CANNABIS DEPEND (304.30-304.39)
5.5	1.1	33	8	OTH SUBST DEPEND (304.10-304.19, 304.40-3
2.8	0.6	17	9	ALC ABUSE (305.00-305.09)
5.0	1.0	30	10	CANNABIS ABUSE (305.20-305.29)
3.5	0.7	21	11	OTH SUBST ABUSE (305.30-305.49, 305.70-3
0.7	0.1	4	12	OPIOID ABUSE (305.50-305.59)
4.3	0.9	26	13	COCAINE ABUSE (305.60-305.69)
10.9	2.1	65	14	MENTAL HEALTH CONDITION
10.4	2.0	62	15	OTHER CONDITION
	0.1	2	-5	NOT APPLICABLE
	60.9	1,857	-3	MISSING
	19.3	589	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 494-495

Q33B2RCD	DSM DIAGNOSIS
-----------------	----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS (000.00)
0.0	0.0	0	1	ALC IND DISORD (291.00-291.99)
0.7	0.1	2	2	SUBST IND DISORD (292.00-292.99)
1.8	0.2	5	3	ALC INTOXICATION (303.00-303.89)
19.6	1.8	54	4	ALC DEPEND (303.90-303.99)
2.9	0.3	8	5	OPIOID DEPEND (304.00-304.09)
6.9	0.6	19	6	COCAINE DEPEND (304.20-304.29)
10.2	0.9	28	7	CANNABIS DEPEND (304.30-304.39)
5.5	0.5	15	8	OTH SUBST DEPEND (304.10-304.19, 304.40-3
1.1	0.1	3	9	ALC ABUSE (305.00-305.09)
5.5	0.5	15	10	CANNABIS ABUSE (305.20-305.29)
2.9	0.3	8	11	OTH SUBST ABUSE (305.30-305.49, 305.70-3
0.4	0.0	1	12	OPIOID ABUSE (305.50-305.59)
4.0	0.4	11	13	COCAINE ABUSE (305.60-305.69)
15.6	1.4	43	14	MENTAL HEALTH CONDITION
22.9	2.1	63	15	OTHER CONDITION
	0.5	14	-5	NOT APPLICABLE
	64.8	1,974	-3	MISSING
	25.7	784	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 496-497

Q33CODE	DSM DIAGNOSIS				
---------	---------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS (000.00)
0.0	0.0	0	1	ALC IND DISORD (291.00-291.99)
0.1	0.1	2	2	SUBST IND DISORD (292.00-292.99)
4.3	2.9	88	3	ALC INTOXICATION (303.00-303.89)
41.5	27.6	842	4	ALC DEPEND (303.90-303.99)
10.7	7.1	217	5	OPIOID DEPEND (304.00-304.09)
14.5	9.6	294	6	COCAINE DEPEND (304.20-304.29)
2.6	1.7	53	7	CANNABIS DEPEND (304.30-304.39)
8.0	5.3	162	8	OTH SUBST DEPEND (304.10-304.19, 304.40-3
8.5	5.7	173	9	ALC ABUSE (305.00-305.09)
1.3	0.9	26	10	CANNABIS ABUSE (305.20-305.29)
2.1	1.4	42	11	OTH SUBST ABUSE (305.30-305.49, 305.70-3
0.5	0.3	10	12	OPIOID ABUSE (305.50-305.59)
3.0	2.0	61	13	COCAINE ABUSE (305.60-305.69)
1.9	1.3	39	14	MENTAL HEALTH CONDITION
1.1	0.7	22	15	OTHER CONDITION
	0.9	27	-3	MISSING
	32.5	989	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 498-499

Q33RCODE	DSM DIAGNOSIS				
----------	---------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS (000.00)
0.0	0.0	0	1	ALC IND DISORD (291.00-291.99)
0.1	0.1	2	2	SUBST IND DISORD (292.00-292.99)
4.3	2.9	88	3	ALC INTOXICATION (303.00-303.89)
41.5	27.7	843	4	ALC DEPEND (303.90-303.99)
10.7	7.1	217	5	OPIOID DEPEND (304.00-304.09)
14.5	9.6	294	6	COCAINE DEPEND (304.20-304.29)
2.6	1.7	53	7	CANNABIS DEPEND (304.30-304.39)
8.0	5.3	162	8	OTH SUBST DEPEND (304.10-304.19, 304.40-3
8.5	5.7	173	9	ALC ABUSE (305.00-305.09)
1.3	0.9	26	10	CANNABIS ABUSE (305.20-305.29)
2.1	1.4	42	11	OTH SUBST ABUSE (305.30-305.49, 305.70-3
0.5	0.3	10	12	OPIOID ABUSE (305.50-305.59)
3.0	2.0	61	13	COCAINE ABUSE (305.60-305.69)
1.9	1.3	39	14	MENTAL HEALTH CONDITION
1.1	0.7	22	15	OTHER CONDITION
	0.9	26	-3	MISSING
	32.5	989	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,047		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 500-501