

**Services Research Outcomes
Study, 1995-1996: [United States]**

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Client Follow-Up Interview Data Codebook

Terms of Use

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>

****Processor Note****
Services Research Outcomes Study
Part 3: Client Follow-Up Interview Data

Processor Notes on Version 2

- 1) This codebook contains two frequency sections. The first one within Section D is the original frequency section provided by the PI. The second frequency section is new to this version of the study. It contains question text and has the standard formatting of variable frequencies that SAMHDA routinely distributes in its codebooks.
- 2) The variable CASEID was added to the dataset.

SERVICES RESEARCH OUTCOMES STUDY

**CLIENT FOLLOW-UP INTERVIEW
PUBLIC USE FILE
ANALYTIC CODEBOOK**

Prepared for:

Office of Applied Studies
Substance Abuse and Mental Health Services Administration
Department of Health and Human Services
Rockville, MD 20857

By:

National Opinion Research Center
at the University of Chicago

Barbara Ray, OAS Project Officer
Sam Schildhaus, NORC Principal Investigator
Dick Rubin, NORC Project Director
Angela Brittingham, NORC Data Analyst and Codebook Author

March 12, 1999

Contract # 271-91-8321

SROS Abstraction Data Public Use File Codebook

TABLE OF CONTENTS

Section A. Documentation	<u>Page #</u>
Introduction	1
Sample Design	1
Data File Description	2
Variable Naming Conventions	2
Standard Code Conventions	3
Identifiers	3
Weights	3
Constructed Variables	4
Type of treatment	4
Drug use before and after treatment	5
Length of stay	7
Treatment variables	8
Age at time of discharge	9
 Section B. Questionnaire	
A. Background Information	A-1
B. Treatment History	B-1
C. Drug and Alcohol Use	C-1
D. Legal History	D-1
E. Marital Status	E-1
F. Living Arrangements	F-1
G. Health History	G-1
H. Employment History	H-1
I. Interview Information	I-1
 Section C. Variable Lists	
Position Listing of Variables (with page numbers)	10
Alphabetic Listing of Variables	30
 Section D. Frequency Distribution Listing	
Case Information	1
A. Background Information	9
B. Treatment History	15

C. Drug and Alcohol Use	73
D. Legal History	167
E. Marital Status	221
F. Living Arrangements	226
G. Health History	249
H. Employment History	294
I. Interview Information	377
Drug Test Information	381
Constructed Variables – Drug Use	389
Constructed Variables – Treatment Information	439

Section A. Client Interview File Documentation

Introduction

The Services Research Outcomes Study (SROS) is a nationally representative study of the population discharged from drug treatment during 1989-1990. Information was gathered from 99 facilities on the characteristics of the facilities and samples of their clients. Data were also collected from the clients in an interview that took place around five years after they were discharged from treatment. This codebook is to be used for analysis of the client data.

Of 3,047 clients for which data were abstracted from facility records during an earlier phase, interviews were conducted with nearly 60 percent (1,799) of them five years later. Around nine percent (277) of the clients were known to have died before the interview period, and less than one percent were considered ineligible for the interview. The data presented in this codebook are the results of the 1,799 interviews, which inquired about drug use and criminal activity before and after treatment, as well as other demographic and lifestyle characteristics.

Sample Design

In April 1990, the National Institute on Drug Abuse (NIDA) listing of all known drug and alcohol treatment facilities, consisting of 10,649 facilities, served as the universe for the Drug Services Research Survey (DSRS). DSRS sampled 1,803 facilities for its DSRS Phase I survey of facilities; 1,183 facilities responded, comprising 138 hospital inpatient facilities, 185 residential facilities, 80 outpatient detoxification/maintenance facilities, 372 outpatient drug-free facilities, 91 alcohol-only facilities, and 317 facilities whose facility type was unknown. Since DSRS' focus was on clients discharged from drug treatment facilities, the alcohol-only facilities and those of unknown type were excluded from the DSRS Phase II facility sampling frame. DSRS II sampled 146 facilities from the DSRS I respondents and abstracted 2,222 client records from 120 facilities.

Five years after DSRS, SROS re-contacted the 120 DSRS facilities, and 99 of the facilities became part of SROS, including a few facilities that had closed or merged but whose records were available. Cooperation of the facilities in SROS was crucial, as no client names were removed from the facilities in DSRS; instead, the DSRS sampling list of discharged clients was retained by each facility. Only through facility cooperation was the project team able to contact clients in the sample and request their participation in SROS.

The five-year follow-up was sought for 1,706 of the original client sample plus a supplemental sample of 1,341 clients added in SROS, totaling 3,047 clients who had been discharged from 99 drug treatment facilities in the 12 months ending August 31, 1990. Clients had been selected from

facilities whose predominant type was inpatient, residential, outpatient detoxification, and outpatient drug free. For the five-year follow-up, 2,489 clients (82 percent) in the sample were located in 1995 and 1996; the remaining 558 clients (18 percent) were not located before time and resources for fieldwork expired. Nine percent (277 clients) had died between discharge from drug treatment and time for SROS interview. Less than one percent (14 clients) were ineligible for the study after screening, and a total of 1,799 were interviewed.

Data File Description

The data described in this codebook have been provided on CD-ROM as a SAS data file.

Internal SAS name	SROSCLI
SAS version	6.12 Transport File
Number of observations	1,799
Number of variables	1256
Date created	3/11/99

The first variables in the file are identifying variables, interview disposition variables, and weights. Next are the variables from the questionnaire, in the same order that they were asked during the interview. Following that are the questions that were asked when the urine sample was taken, interviewer notes, and then the results of the urinalysis. Lastly, constructed variables have been added to the file; these variables were found very useful during the analysis done by NORC.

For confidentiality reasons, the original client and facility identifiers have been replaced with random sequential identifiers, and the names and addresses of facilities and clients have been removed.

Variable Naming Conventions

Most variables are named using the question number from the questionnaire or a combination of the question number and an abbreviation of the meaning of the question, such as C20ALCO. The variables and labels are listed in position order (with page numbers for the corresponding frequency distributions which are in the Client Interview Frequency Distribution Listing).

Standard Code Conventions

Missing values are denoted with negative numbers. The following meaning is associated with negative values:

- 6: Legitimate skip
- 5: Not applicable
- 3: Missing (for unknown reason)
- 2: Don't know
- 1: Refused

Identifiers

CLIENTID Client ID; use this unique identifier to merge onto the data abstraction file.

FAC_ID Facility ID; use this unique identifier to merge onto the facility data file.

Weights

Three separate weights were constructed for each observation (WT1, WT2, and WT3) to aid in the production of unbiased population estimates.

WT1 - deceased are treated as respondents

WT2 - deceased are treated as non-respondents

WT3 - deceased are treated as ineligible

WT3 was used in the client-level analyses done by NORC.

Constructed Variables

Type of treatment

TRTYPE was recoded from B7's. MODE is the facility type (from the abstract info) and B7_1 -- B7_4 are the types of treatment as reported by the client. We are using the B7 variables as the type of treatment since clients often go to one type of facility and receive a different type of treatment. However, clients sometimes reported more than one type of treatment, or no type of treatment, as seen below.

NEWMODE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
None reported	97	5.4	97	5.4
Inpatient	686	38.1	783	43.5
Residential	259	14.4	1042	57.9
Methadone	187	10.4	1229	68.3
Outpat	497	27.6	1726	95.9
Inpat & Resid	39	2.2	1765	98.1
Outpat & Meth	9	0.5	1774	98.6
Inpat & Outpat	15	0.8	1789	99.4
Inpat & Meth	5	0.3	1794	99.7
Outpat & Resid	3	0.2	1797	99.9
Meth & Res	1	0.1	1798	99.9
Resid & Outpat & Meth	1	0.1	1799	100.0

For those who reported no type of treatment, we will use the facility type (MODE).

<u>Patient Reported Type</u>		<u>Facility Type</u>
None Reported	9	Inpatient
None Reported	25	Residential
None Reported	19	Methadone
None Reported	44	Outpatient

For those who reported multiple types of treatment, we imputed one single treatment type by using the modal facility type of the group, since for most multiple types of treatment, the majority of patients were in one facility type category. For instance, 34 of the 39 clients who reported Inpatient and Residential treatment were being treated at a Residential facility, therefore we classify their type of treatment as Residential. Likewise, the categories were assigned as follows:

<u>Patient Reported Type</u>		<u>Facility Type</u>
Inpatient & Residential	34/39	Residential
Outpatient & Methadone	9/9	Methadone
Inpatient & Outpatient	5/15	Outpatient
Inpatient & Methadone	4/5	Inpatient
Outpatient & Residential	1/3	Residential (random pick since even split across 3 types)

Methadone & Residential 1/1 Methadone
Resident & Outpat & Meth 1/1 Methadone

Drug Use Before and After Treatment

INHAL, ALCOHOL, MARIJUAN, CRACK, COCAINE, PCP, HALLUCIN,
HEROIN, ILLMETH, NARC, METHAMPH, DOWNERS, OTHDRUG

0= never used (or used less than 5 times)
1= used as main drug at time that entered treatment
2= used as main drug at any time other than when entering treatment (before OR after)
3= used, but never used as a main drug (considered an "other" drug in the questionnaire)

AGEFINH, AGEFALC, AGEFMAR, AGEFCRK, AGEFCOC, AGEFPCP, AGEFHAL,
AGEFHER, AGEFMTH, AGEFNAR, AGEFAMP, AGEFDWN, AGEFOTH

Age first used, if ever used five times or more.
-6 = never used five times or more (legitimate skip)
-3 and -2 = missing

USBINH -- USBOTH (also USBSEC USASEC USBANY USAANY but positioned later in the data set)

Used as main or "other" during the 5 years before treatment

-3 = missing
0= no
1= yes

USBDINH -- USBDOTH

If *ever* used as main or "other", the number of days per month used during the 5 years before treatment (categorical)

-3 = missing
0= did not use five times or more during the 5 years before treatment (all with this value originally were legitimately skipped) Use below values when doing midpoint
1= 1 day 1

2= 2 to 5 days	3.5
3= 6 to 10 days	8
4= 11 to 20 days	15.5
5= 21 to 31 days (odd, but that's the way the data came to me)	26
6= Everyday	31

USAINH -- USAOTH

Used as main or "other" after treatment

USADINH -- USADOTH

If ever used as main or "other", the number of days per month used during the 5 years after treatment (categories are same as for USBDINH -- USBDOETH).

USYINH -- USYOTH

Used as main or "other" during the year before the interview.

USYDINH -- USYDOETH

If used as main or "other" during the year before the interview, the number of days per month used during the year before the interview.

USNINH -- USNOTH

If used as main drug during the year before the interview, were there any months during that year when the drug was not used?

USNMINH -- USNMOTH

If used as main drug in the year before the interview, the number of months the drug was NOT used during the year before the interview.

- 1= 1 month
- 2= 2 to 3 months
- 3= 4 to 5 months
- 4= 6 to 8 months
- 5= 9 or more months

USMINH -- USMOTH

Number of days in the month before the interview that the drug was used as a main or "other" drug (same categories as USBDINH -- USBDOETH).

Length of Stay

Length of stay is calculated as the number of days between the admission date and the discharge date at the SROS treatment program. During the client interview, the interviewer provided the respondent with dates of treatment admission and discharge, and the R had the opportunity to correct these dates. After comparing the original and corrected dates, we determined that the original dates seemed to be the most accurate of the two; not many clients corrected the dates, and when they did, the new dates were often out of scope (i.e. claimed they were discharged AFTER the abstract date). If the original dates were missing and the dates given by the client were not out-of-scope, then we substituted the corrected dates for the original dates. After all of this, there are still 21 cases with missing LOS's .

If admission month and year were given, but admission day was missing, then we substituted a '1' for admission day (the first day of the month). Likewise, if discharge month and year were given, but discharge day was missing, we substituted a '31' for discharge day (last possible day of the month).

The actual variable for length of stay in number of days is called LOS. The LOS in categories is called LOSCAT.

LOSCAT:

Less than 1 week	= 0 - 6 days
1 Week - < 1 Month	= 7 - 29 days
1- 5 Months	= 30 - 182 days
6 Months +	= 183 + days

Treatment Characteristics

PRETRT - Number of previous treatment episodes

(Do not confuse this with NUMTRT, which is the number of types of treatment the client received during the SROS episode)

1=0

2= 1 to 2

3= 3 or more

COMPTRT -Completed treatment

1=yes 2=no

AFTTRT- Additional treatment after SROS episode

1=yes 2=no

HELPTRT - Client satisfaction

1=very helpful

2=somewhat/ not helpful

Age at Time of Discharge

Age at time of discharge was calculated by subtracting the birth date from the discharge date. These two dates I created as the number of days after January, 1, 1900, as seen below.

```
bdate= (((A2year * 12) + (A2mon - 1))*30.4) + A2day);
```

```
disdate= (((Q77_yr*12) + (q77_mo - 1))*30.4) + q77_da);
```

All cases had birth dates, but some were missing a discharge date. For these cases, we assumed that the discharge date was March 1, 1990, as seen below. This was done only for the discharge age, not for anything else using dates, such as LOS.

```
if disdate=. then disdate= 32894;
```

Age at discharge should be in years, not days, hence divide by 365.

```
disage=(disdate - bdate)/365;
```

DISAGE is the exact age at time of discharge (may have some strange values due to incorrectly reported admission or discharge dates)

DISAGE2 is the age at time of discharge, in the following categories:

- Less than 18
- 18 to 29
- 30 to 39
- 40 or older

Section B. Questionnaire

* Indicates that variable was altered to decrease disclosure risk

C (Strikethrough) Indicates that variable was removed from this file to decrease disclosure risk

SECTION A. BACKGROUND

I'd like to begin the interview by asking you some background questions.

A1. CODE WITHOUT ASKING. VERIFY, IF NEEDED:

I am required to ask, are you male or female?

Male	1	
Female	2	A1

A2. What is your date of birth? RECORD MONTH, DAY AND YEAR.

_____	_____	19	_____	
MONTH	DAY		YEAR	
				A2MON A2DAY A2YEAR

A3. So, right now you are how old? RECORD R's AGE. IF NECESSARY, REMIND R TO GIVE AGE AS OF LAST BIRTHDAY.

_____ R's Age	
RF	
DK	A3*

A4. Are you of Mexican, Puerto Rican, Cuban or any other Spanish-speaking background?

Yes	1	(ASK A4A)
No	2	(A5)
		RF (A5)
		DK (A5)
		A4

A4A. Which Spanish or Hispanic origin or descent are you? CODE ALL THAT APPLY. IF NECESSARY, PROBE USING CATEGORIES.

Mexican/Mexican-American/Chicano	1	A4A_1
Puerto Rican	2	A4A_2
Cuban	3	A4A_3
Other Spanish or Hispanic (SPECIFY)	4	A4A_4

RF

A5. What race do you consider yourself? **CODE ONE ONLY.**

- White, 1
- Black or African American, 2
- Asian or Pacific Islander, 3
- Alaskan Native, Native American
or American Indian, or 4
- OTHER (SPECIFY): 5

A5

A5Avrb

RF
DK

A6. Do you have a high school diploma or a GED? **CODE ONE ONLY.**

- Yes, diploma 1 (A7)
- Yes, GED 2 (A7)
- No 3 (A7)
- NEVER ATTENDED SCHOOL . 4 (SKIP TO A10)
RF (SKIP TO A10)
DK (A7)

A6

A7. What is the highest grade or year of school you have ever completed and gotten credit for? **CODE ONE ONLY.**

1st Grade	01	
2nd Grade	02	
3rd Grade	03	
4th Grade	04	
5th Grade	05	
6th Grade	06	
7th Grade	07	
8th Grade	08	
9th Grade	09	
10th Grade	10	
11th Grade	11	
12th Grade	12	
1 Year College	13	
2 Years College	14	
3 Years College	15	
4 Years College	16	
Graduate/Professional School	17	
NEVER ATTENDED SCHOOL	18	(SKIP TO A10) A7

A8. In addition to the (GRADE/YEAR FROM A7) of school you just told me about, have you attended a technical school, a business school, an apprenticeship program, or taken any other classes to further your education or improve your job skills?

Yes	1	(ASK A8A)	
No	2	(A9)	
		RF	(A9)
		DK	(A9) A8

A8A. Which ones? **CODE ALL THAT APPLY. IF NECESSARY, PROBE WITH CATEGORIES.**

Technical School	1	A8A_1
Business School	2	A8A_2
Apprenticeship program	3	A8A_3
Other schools/classes/program (SPECIFY) .	4	A8A_4

A9. Were you ever expelled from school for more than a day?

- Yes 1 (ASK A9A)
- No 2 (A10) A9
- RF (A10)
- DK (A10)

A9A. Were you expelled from school more than one time?

- Yes 1
- No 2 A9A

A10. Would you say your ability to read (English) is . . . **READ CATEGORIES AND CODE ONE ONLY.**

- excellent, 1
- good, 2
- fair, or 3
- poor? 4
- RF
- DK A10

A11. At any time in your life, have you belonged to a street gang?

- Yes 1
- No 2
- RF
- DK A11

**GO TO SECTION B, NEXT
PAGE**

SECTION B. TREATMENT HISTORY

For the rest of the interview questions, we will be talking about your life in very specific periods of time. We will use a calendar to help you remember what was going on in your life during the time periods. **(SHOW R CALENDAR.)** Let's start with the next questions that ask about the types of alcohol or drug treatment you have had that include professional help such as doctors or counselors.

- B1. **(CHECK SROS TREATMENT PROGRAM/TREATMENT DATES ON FACE SHEET AND READ):**
My records show that you went to (PROGRAM FROM FACE SHEET) from (START DATE FROM FACE SHEET) to (END DATE FROM FACE SHEET). As best as you can remember, is that right? **CODE ONE ONLY.**

B1

- Yes, went to SROS Program/dates correct . . . 1 **(SKIP TO BOX 4)**
Yes, went to SROS Program/dates incorrect . . 2 **(SKIP TO BOX 2)**
Yes, dates correct/not SROS Program 3 **(SKIP TO BOX 3)**
No, never went to SROS Program 4 **(BOX 1, NEXT PAGE)**
RF **(BOX 1, NEXT PAGE)**
DK **(BOX 1, NEXT PAGE)**

**BOX 1: NEVER WENT TO SROS PROGRAM/RF OR
DK AT B1**

**CHECK FACE SHEET AND RECONFIRM R's IDENTITY. IF CORRECT R, ASK B2. IF NOT
CORRECT R, DISCONTINUE INTERVIEW.**

B2. As best you can remember, did you receive treatment or counseling for drinking or using drugs at any time from September 1, 1989 to September 1, 1990? B2

- Yes 1 (ASK B2A)
- No 2 (B2B)
- RF (B2B)
- DK (B2B)

B2A. What was the name of that program or place where you received treatment or counseling for drinking or using drugs? **RECORD VERBATIM. PROBE FOR PROGRAM CITY/STATE. IF MORE THAN ONE PROGRAM, PROBE FOR PROGRAM WHERE R WAS THE LONGEST TIME FROM SEPTEMBER 1, 1989 - SEPTEMBER 1, 1990.**

**USE PROGRAM NAME FROM B2A AS PROGRAM FROM
FACE SHEET FOR REMAINDER OF QUESTIONNAIRE.
ASK B2C & B2D. EDIT FACE SHEET WITH PROGRAM
FROM B2A.**

B2B. As best as you can remember, have you ever received treatment or counseling for drinking or using drugs at (PROGRAM FROM FACE SHEET)?

- Yes 1 (ASK B2C-B2D) B2B
- No 2 (BOX 1B, NEXT PAGE)
- RF (BOX 1B, NEXT PAGE)
- DK (BOX 1B, NEXT PAGE)

B2C. In what month and year would you say you went to (PROGRAM FROM FACE SHEET) (that time)? **RECORD AND PROBE FOR MONTH AND YEAR PROGRAM STARTED. IF MORE THAN ONCE, PROBE FOR PROGRAM WHICH ENDED BETWEEN SEPTEMBER 1, 1989 - SEPTEMBER 1, 1990.**

_____ 19 _____
(Month) (Year)
RF RF
DK DK

B2CM
B2CY

B2D. And, in what month and year would you say you stopped going to treatment at (PROGRAM FROM FACE SHEET) (that time)? **RECORD AND PROBE FOR MONTH AND YEAR. PROBE FOR END DATE FOR SAME TREATMENT EPISODE AS B2C.**

B2DM
B2DY

_____	19	_____
(Month)		(Year)
RF		RF
DK		DK

GO TO BOX 1A, NEXT PAGE

BOX 1A

IF END DATE IS FROM SEPTEMBER 1, 1989 - SEPTEMBER 1, 1990:

- CORRECT START/END DATES ON FACE SHEET.
- SKIP TO BOX 4.

IF END DATE IS NOT FROM SEPTEMBER 1, 1989 - SEPTEMBER 1, 1990:

- USE JANUARY, 1990 AS DEFAULT DATE FOR REMAINDER OF QUESTIONNAIRE.
- SKIP TO BOX 4.

BOX 1B

- CHECK FACE SHEET AND RECONFIRM R'S IDENTITY. IF NOT CORRECT R, DISCONTINUE INTERVIEW.
- PROBE USING QUESTIONS IN BOX 1.
- IF R INSISTS HE/SHE NEVER WENT TO ANY TREATMENT PROGRAM, USE JANUARY, 1990 AS DEFAULT DATE FOR REMAINDER OF QUESTIONNAIRE.
- SKIP TO BOX 4.

BOX 2: R WENT TO SROS PROGRAM/FACE SHEET DATES

B3. In what month and year would you say you went to (PROGRAM FROM FACE SHEET) (that time)? **RECORD AND PROBE FOR MONTH AND YEAR PROGRAM STARTED. IF MORE THAN ONCE, PROBE FOR PROGRAM WHICH ENDED FROM SEPTEMBER 1, 1989 - SEPTEMBER 1, 1990.**

B3M

_____ 19 _____
(Month) (Year)
RF RF
DK DK

B3Y

B3A. And, in what month and year would you say you stopped going to treatment at (PROGRAM FROM FACE SHEET) (that time)? **RECORD AND PROBE FOR MONTH AND YEAR. PROBE FOR END DATE FOR SAME TREATMENT EPISODE AS B3.**

B3AM

_____ 19 _____
(Month) (Year)
RF RF
DK DK

B3AY

IF END DATE IS FROM SEPTEMBER 1, 1989 - SEPTEMBER 1, 1990:

- **CORRECT START/END DATES ON FACE SHEET.**
- **SKIP TO BOX 4.**

IF END DATE IS NOT BETWEEN SEPTEMBER 1, 1989 - SEPTEMBER 1, 1990:

- **USE JANUARY, 1990 AS DEFAULT DATE FOR REMAINDER OF QUESTIONNAIRE.**
- **SKIP TO BOX 4.**

BOX 3: FACE SHEET DATES CORRECT/NOT SROS PROGRAM

B4. Let me confirm. You said you (were in treatment/went to a program) from (START DATE FROM FACE SHEET) to (END DATE FROM FACE SHEET). Is that right?

B4

- Yes 1 (ASK B4A)
- No 2 (RE-ASK B1)
RRE-ASK B1)
D(RE-ASK B1)

B4A. What was the name of the program you went to then? **RECORD VERBATIM. PROBE FOR PROGRAM CITY/STATE. IF MORE THAN ONE PROGRAM, PROBE FOR PROGRAM WHERE R WAS THE LONGEST TIME BETWEEN START/END DATES.**

Program: _____

Address: _____

City/State: _____

EDIT FACE SHEET. USE PROGRAM NAME FROM B4A AS PROGRAM FROM FACE SHEET FOR REMAINDER OF

BOX 4: INSTRUCTIONS FOR USING CALENDAR DURING THE

SHOW R CALENDAR AND SAY:

During this interview we will be asking you about your experiences during four time periods.

- The time you were in treatment at (PROGRAM FROM FACE SHEET). I am going to write the treatment dates at the top of the calendar and outline the months you were in treatment in yellow. **OUTLINE TIME PERIOD ON CALENDAR.**
- The five years before you were in treatment at (PROGRAM). I am going to outline this time period in pink. **OUTLINE TIME PERIOD ON CALENDAR.**
- The time since you left the program, which I will outline in blue. **OUTLINE TIME PERIOD ON CALENDAR.**
- And the past year which I will outline in green. **OUTLINE TIME PERIOD ON CALENDAR.**

Next to each month on the calendar is a place to record key events which are relevant to you, or help you recall what was going on in your life at that time. I will ask you some questions and record the information on the calendar.

1. First of all, between the five years before treatment and today, have you ever gotten married? **PROBE FOR EACH MARRIAGE. RECORD "WED (NAME)" IN THE APPROPRIATE MONTH/YEAR FOR EACH MARRIAGE.**
2. Were any children born to you between the five years before treatment and today? **PROBE FOR EACH CHILD. RECORD "(NAME) BORN" IN THE APPROPRIATE MONTH/YEAR FOR EACH CHILD.**
3. Did a child, spouse, parent or someone else important to you die between the five years before treatment and today? **PROBE FOR EACH PERSON. RECORD "(NAME) DIED" IN THE APPROPRIATE MONTH YEAR FOR EACH PERSON.**
4. In 1984, you celebrated your (AGE IN 1984) birthday in (MONTH). Is that correct? **RECORD "(AGE) BIRTHDAY" ON CALENDAR IN CORRECT MONTH IN 1984. VERIFY R'S AGE FOR 1989, 1990, AND 1995 AND RECORD THESE BIRTHDAYS ON THE CALENDAR.**

I am going to give this calendar to you to use to help you answer some of the questions we will ask you during this interview. During the interview I will point to one of the four colored time periods as I ask you questions to help remind you of the time period in your life the questions are referring to. You may write additional information on the calendar that will help you remember as we proceed with the interview.

BOX 5

THROUGHOUT THE QUESTIONNAIRE YOU WILL SEE THE COLOR FOR THE APPROPRIATE TIME PERIOD PRINTED NEXT TO THE QUESTION NUMBER.

P = PINK (FIVE YEARS BEFORE TREATMENT START DATE)

Y = YELLOW (TREATMENT PERIOD)

B/G = BLUE/GREEN (PERIOD SINCE TREATMENT)

G = GREEN (LAST YEAR)

POINT TO THE APPROPRIATE SECTION ON THE CALENDAR AS YOU ASK THE QUESTION.

• IF NO YELLOW PERIOD ON CALENDAR, SKIP TO INSTRUCTIONS ABOVE B21.

B5. When you stopped going to treatment at (PROGRAM) (that time) in (END DATE), did you go into some kind of aftercare program?

B5

Yes 1 (ASK B5A)
No 2 (B6)
RF (B6)
DK (B6)

B5A. Did the aftercare program involve more than you attending AA, NA, or CA meetings?

B5A

Yes 1
No 2
DK

Now, I have a few questions about the treatment or help you received at (PROGRAM) from (START DATE) to (END DATE). [This is the time colored yellow on the calendar.]

*B6. (POINT TO START DATE ON CALENDAR AND HAND CARD A). Looking at the calendar, when you first went to (PROGRAM) in (START DATE), which drug or drug combination, including alcohol, would you say was your main drug or drug combination?

CODE ALL MENTIONS FROM CARD A BELOW AND ON DRUG LIST INSIDE FRONT COVER OF QUESTIONNAIRE.

Inhalants	01	B6_1
Alcohol	02	B6_2
Marijuana/hashish	03	B6_3
Crack	04	B6_4
Cocaine powder	05	B6_5
PCP or "Angel Dust"	06	B6_6
Hallucinogens, Psychedelics/LSD	07	B6_7
Heroin	08	B6_8
Illegal Methadone	09	B6_9
Other Narcotics	10	B6_10
Methamphetamines	11	B6_11
Downers	12	B6_12
Other drug (SPECIFY)	13	B6_13
<hr/>		B6vrb
NO DRUGS/ALCOHOL	14	B6_14

B7. Was the treatment or help you received at (PROGRAM) inpatient, residential, outpatient non-methadone, methadone or something else? **CODE ALL THAT APPLY.**

Inpatient	1	B7_1
Residential	2	B7_2
Outpatient (non-methadone)	3	B7_3
Methadone	4	B7_4
Something else (SPECIFY) _____	5	B7_5
	RF	B7vrb
	DK	

B8. How important would you say each of the following people was in getting you to go to treatment or counseling at (PROGRAM). Was your . . . (READ CATEGORY a-g), very important, somewhat important, or not important (in getting you to go there)? **CODE ONE ONLY FOR EACH ITEM a-g.**

		<u>Very</u> <u>Important</u>	<u>Somewhat</u> <u>Important</u>	<u>Not</u> <u>Important</u>	<u>NA</u>			
a.	(wife/husband) or a partner	1	2	3	4	RF . . .	DK . . .	B8a
b.	(another) family member, including your children	1	2	3	4	RF . . .	DK . . .	B8b
c.	friend or associate, including a co-worker or employer	1	2	3	4	RF . . .	DK . . .	B8c
d.	nurse, doctor, social worker, counselor or somebody like that	1	2	3	4	RF . . .	DK . . .	B8d
e.	probation or parole officer, judge, attorney, or somebody like that	1	2	3	4	RF . . .	DK . . .	B8e
f.	teacher, school counselor, or someone else at school you had attended or were attending . . .	1	2	3	4	RF . . .	DK . . .	B8f
g.	anyone else	1	2	3	4	RF . . .	DK . . .	B8g

(SPECIFY WHO IF VERY/SOMEWHAT IMPORTANT):

B8gvr

B9. When you went to treatment at (PROGRAM) (that time), did your reasons for going include . . . (READ EACH CATEGORY a-f AND CODE ONE ONLY FOR EACH).

- | | <u>Yes</u> | <u>No</u> | <u>NA</u> | | | |
|----|--|-----------|-----------|-------------------------|------|--------|
| a. | feeling pressured by a judge, a parole or probation officer, the police, or someone like that? | | | 1 . . . 2 . . . 3 . . . | RF . | DK B9a |
| b. | any problems you had with your health then? | | | 1 . . . 2 . . . 3 . . . | RF . | DK B9b |
| c. | feeling pressured to or wanting to save a relationship, such as with your spouse or partner, your parents, your children or another family member? | | | 1 . . . 2 . . . 3 . . . | RF . | DK B9c |
| d. | feeling pressured by your employer? | | | 1 . . . 2 . . . 3 . . . | RF . | DK B9d |
| e. | any financial problems you had then? | | | 1 . . . 2 . . . 3 . . . | RF . | DK B9e |
| f. | any other reasons I didn't ask about? (SPECIFY) | | | 1 . . . 2 . . . 3 . . . | RF . | DK B9f |

B9fvrb

B10. Did you complete the treatment plan at (PROGRAM) (then)?

- | | | |
|---------------|----|-----|
| Yes | 1 | B10 |
| No | 2 | |
| | RF | |
| | DK | |

Now, I'm going to ask about staff persons that you usually saw for counseling or treatment at (PROGRAM). Please think about the staff person that you talked to the most.

B11. In general, how much did you and that person agree about things you might need to change in your life in order to stay drug free or alcohol free, such as changing the place you lived, changing your friends, going back to school or getting a new job? Would you say you and the staff person agreed . . . **READ CATEGORIES AND CODE ONE ONLY.**

- Very much, 1 (ASK B11A) B11
- Somewhat, or 2 (ASK B11A)
- Not at all? 3 (ASK B11A)
- DOESN'T REMEMBER ANY STAFF PERSON 4 (INTRO ABOVE B12)
- RF (INTRO ABOVE B12)
- DK (INTRO ABOVE B12)

B11A. In general, how well do you feel that he/she understood the problems you might have had with alcohol or drugs? Would you say . . . **(READ CATEGORIES AND CODE ONE ONLY)**

- Very much, 1 B11A
- Somewhat, or 2
- Not at all? 3
- DK

Now, I'm going to ask some other questions about what was going on in your life while you were in (PROGRAM).

B12. While you were in (PROGRAM) from (START DATE) to (END DATE), did you use any alcohol or any drugs, even one time, to get high or for non-medical purposes? **USE CALENDAR AS NEEDED.**

- Yes 1 (ASK B12A-B) B12
- No 2 (B13)
- RF (B13)
- DK (B13)

*B12A.

(HAND CARD A). While you were in (PROGRAM), what was the main drug, including alcohol that you used? If you used a combination of drugs, please tell me all the main drugs that you used. **CODE ALL MENTIONS FROM CARD A BELOW AND ON DRUG LIST INSIDE FRONT COVER OF QUESTIONNAIRE.**

- | | | |
|---|----|---------|
| Inhalants | 01 | B12A_1 |
| Alcohol | 02 | B12A_2 |
| Marijuana/Hashish | 03 | B12A_3 |
| Crack | 04 | B12A_4 |
| Cocaine Powder | 05 | B12A_5 |
| PCP or "Angel Dust" | 06 | B12A_6 |
| Hallucinogen, Psychedelics or LSD | 07 | B12A_7 |
| Heroin | 08 | B12A_8 |
| Illegal Methadone | 09 | B12A_9 |
| Other Narcotics | 10 | B12A_10 |
| Methamphetamines | 11 | B12A_11 |
| Downers | 12 | B12A_12 |
| Other drug (SPECIFY) | 13 | B12A_13 |

B12Avrb

RF (B13)
DK (B13)

B12B.

While you were in (PROGRAM), did you use (DRUGS FROM 12A) to get high five times or more?

- | | | | |
|---------------|---|------------|------|
| Yes | 1 | (ASK B12C) | B12B |
| No | 2 | (B13) | |
- RF
DK

B12C.

(HAND CARD D). About how many days during an average month did you use (DRUGS FROM B12A) to get high or for other non-medical effects? **CODE ONE ONLY.**

- | | | |
|----------------------|---|------|
| One day | A | B12C |
| 2-5 days | B | |
| 6-10 days | C | |
| 11-20 days | D | |
| 21-31 days | E | |
| Everyday | F | |
- RF

DK

B13. When you first went to (PROGRAM) in (START DATE), did you get a physical examination, done by a doctor or a nurse, that was provided by the program?

Yes 1 B13
No 2
RF
DK

B14. While you were in (PROGRAM), did you receive any (other) medical care, (besides an admission physical), that was provided by the program?

Yes 1 B14
No 2
RF
DK

B15. While you were in (PROGRAM) from (START DATE) to (END DATE), would you say your health was . .
.READ CATEGORIES AND CODE ONE ONLY.

excellent, 1 B15
good, 2
fair, or 3
poor? 4
RF
DK

B16. While you were in (PROGRAM), did you take any medicines prescribed for you by a doctor for drug or alcohol problems, such as desipramine, methadone or antabuse?

Yes 1 (ASK B16A) B16
No 2 (B17)
RF (B17)
DK (B17)

B16A. **CODE WITHOUT ASKING. VERIFY, IF NEEDED:** Is (PROGRAM) a methadone program?

Yes 1 (ASK B16B) B16A
No 2 (B17)

B16B. While you were in (PROGRAM) in general, would you say that the doses of methadone you were prescribed were too high, the right amount, or too low? **CODE ONE ONLY.**

Too high 1 B16B
The right amount 2
Too low 3
RF
DK

B17. (Other than the medicines prescribed for you by a doctor for drug or alcohol problems that you just told me about), While you were in (PROGRAM), did you take any (other) medicines prescribed for you by a doctor?

Yes 1 B17
No 2
RF
DK

B18. **(HAND CARD B).** While you were in (PROGRAM), for what period of time did you attend AA/NA/CA? Was it . . . **READ CATEGORIES AND CODE ONE ONLY. PROBE FOR TOTAL TIME ATTENDING ALL MEETINGS.**

Never, 1 (SKIP TO B19) B18
Less than one month, 2
1 month to less than 6 months, 3
6 months to less than one year, 4
1-2 years, 5
3-4 years, or 6
5 years or more? 7
RF
DK

B18A. While you were in (PROGRAM), how often did you attend . . . (READ CATEGORY) --- never, less than once a week, once a week, or more than once a week?

	<u>Never</u>	<u>Less Than Once A Week</u>	<u>Once A Week</u>	<u>More Than Once A Week</u>			
a. AA (Alcoholics Anonymous) meetings? . . .	1	2	3	4	RF . . .	DK	B18Aa
b. NA (Narcotics Anonymous) meetings? . . .	1	2	3	4	RF . . .	DK	B18Ab
c. CA (Cocaine Anonymous) meetings? 1	2	3	4	RF . . .	DK		B18Ac

B19. Did the treatment or counseling you received at (PROGRAM) help you . . . **READ EACH CATEGORY a-i.**

	<u>Yes</u>	<u>No</u>			
a. improve your health?	1	2	RF . . .	DK	B19a
b. in any way get help with problems you had with your emotions, nerves or mental health?	1	2	RF . . .	DK	B19b
c. get a job, hold a job, or improve your job skills?	1	2	RF . . .	DK	B19c
d. with any financial problems you had?	1	2	RF . . .	DK	B19d
e. get additional training or education?	1	2	RF . . .	DK	B19e
f. with any legal problems you had?	1	2	RF . . .	DK	B19f
g. improve your family relationships?	1	2	RF . . .	DK	B19g
h. plan your future, including how to handle problems, after you left treatment?	1	2	RF . . .	DK	B19h
i. with anything else?	1	2	RF . . .	DK	B19i
(SPECIFY): _____					B19ivrb

B20. Overall, how helpful would you say the treatment or counseling you received at (PROGRAM) was (then)? Would you say . . . **READ CATEGORIES.**

Very helpful,	1	B20
Somewhat helpful, or	2	
Not at all helpful?	3	
	RF	
	DK	

B20A. CODE ONE ONLY.

NO YELLOW PERIOD ON CALENDAR
(NO SROS EPISODE/NO FACE
SHEET PROGRAM) 1

(USE JANUARY, 1990 AS DEFAULT DATE
FOR REST OF QUESTIONNAIRE

YELLOW PERIOD ON CALENDAR . . . 2 **(USE START/END DATES FROM FACE**
SHEET FOR REST OF QUESTIONNAIRE)

BOX20A

Now, I'd like you to think about any treatment or counseling for drinking or using drugs you had in your lifetime before [you went to (PROGRAM)/January, 1990]. [That's the time on the calendar before the yellow period.]

B21. Before [you went to (PROGRAM) in (START DATE)/January, 1990)], how many separate times did you enter treatment for drinking or using drugs? By enter, I mean each time you enrolled in or started treatment and not the number of visits you may have made to a program, doctor or counselor.

RECORD VERBATIM AND CODE ONE ONLY. PROBE FOR ALL TIMES BEFORE START DATE/JANUARY, 1990. USE CALENDAR AS NEEDED. (IF NECESSARY, SAY: Please count any time you spent in an aftercare program as part of the treatment you enrolled in and not as a separate time you entered treatment.)

B21vrb

- None 00 **(SKIP TO INTRO ABOVE B26)** B21code*
 - One time 01 **(ASK B21A-B21C)**
 - Two times 02 **(ASK B21A-B21C)**
 - Three times 03 **(ASK B21A-B21C)**
 - Four times 04 **(ASK B21A-B21C)**
 - Five times 05 **(ASK B21A-B21C)**
 - 6-10 times 06 **(ASK B21A-B21C)**
 - 11-15 times 07 **(ASK B21A-B21C)**
 - 16-30 times 08 **(ASK B21A-B21C)**
 - 31-50 09 **(ASK B21A-B21C)**
 - 51 times or more 10 **(ASK B21A-B21C)**
- RF **(SKIP TO INTRO ABOVE B26)**
DK **(SKIP TO INTRO ABOVE B26)**

B21A. Of the (NUMBER FROM B21) times you entered treatment for drinking or using drugs before [(START DATE)/January, 1990], what is the name of the first program you entered? **RECORD VERBATIM. PROBE FOR FIRST PROGRAM R EVER ENTERED AND PROGRAM CITY/STATE.**

 Program:

 Address:

 City/State:

CADER INSTRUCTION

B21A_ IS THIS THE PROGRAM NAMED ON THE FACESHEET?

B21A_

- YES, SAME AS FACESHEET 1
- NO, DIFFERENT PROGRAM 2

B21B. In what month and year did you enter (PROGRAM FROM B21A) (the first time)? **RECORD AND PROBE FOR MONTH AND YEAR. IF ENTERED MORE THAN ONCE, PROBE FOR FIRST TIME.**

_____ 19 _____
 (Month) (Year)
 RF RF
 DK DK

B21BMO
 B21BYR

B21C. Overall, how helpful would you say the treatment or counseling you received at (PROGRAM FROM B21A) was (then)? Would you say . . **READ CATEGORIES AND CODE ONE ONLY.**

- Very helpful, 1
 - Somewhat helpful, or 2
 - Not at all helpful? 3
- RF
DK

B21C

B21D. IS DATE IN B21B MORE THAN 5 YEARS BEFORE SROS TREATMENT DATE?

YES 1 (ASK B21E)

NO 2 (SKIP TO B22)

AND / OR

B21D

**DID R ONLY ATTEND ONE PROGRAM PRIOR TO (PROGRAM)?
DOES QB21 = 01?**

YES 1 (SKIP TO B22)

NO 2 (B21E)

B21D2

B21E. Now, thinking about the time five years before [you went to (PROGRAM) in (START DATE)/January, 1990], [in addition to the first program you went to], how many separate times did you enter treatment for drinking or using drugs? **(IF NECESSARY, SAY:** By enter, I mean each time you enrolled in or started treatment and not the number of visits you may have made to a program, doctor or counselor.) **RECORD VERBATIM AND CODE ONE ONLY. PROBE FOR TIMES FROM DATE 5 YEARS BEFORE TO START DATE/JANUARY, 1990. USE CALENDAR AS NEEDED. (IF NECESSARY, SAY:** Please count any time you spent in an aftercare program as part of the treatment you enrolled in and not as a separate time you entered treatment.)

B21Evr**b**

- None 00 **(SKIP TO INTRO ABOVE B26)** B21Ecod
 - One time 01 **(B21F)**
 - Two times 02 **(B21F)**
 - Three times 03 **(B21F)**
 - Four times 04 **(B21F)**
 - Five times 05 **(B21F)**
 - 6-10 times 06 **(B21F)**
 - 11-15 times 07 **(B21F)**
 - 16-30 times 08 **(B21F)**
 - 31-50 09 **(B21F)**
 - 51 times or more 10 **(B21F)**
- RF **(SKIP TO INTRO ABOVE B26)**
 DK **(SKIP TO INTRO ABOVE B26)**

B21F. [Of the (NUMBER FROM B21E) time(s) you entered treatment for drinking or using drugs from (DATE 5 YEARS BEFORE) TO [(START DATE)/January, 1990]], what is the name of the (first) program you entered then? **RECORD VERBATIM. PROBE FOR FIRST PROGRAM R EVER ENTERED AND PROGRAM CITY/STATE.**

Program:

Address:

City/State:

CADER INSTRUCTION

B21F_ IS THIS THE PROGRAM NAMED ON THE FACESHEET OR IN QUESTION B21A?

- SAME AS FACESHEET 1
- SAME AS Q B21A 2
- DIFFERENT PROGRAM 3

B21F_

B21G. In what month and year did you enter (PROGRAM FROM B21F) (the first time)? **RECORD AND PROBE FOR MONTH AND YEAR. IF ENTERED MORE THAN ONCE, PROBE FOR FIRST TIME ENTERED FROM DATE 5 YEARS BEFORE TO START DATE/JANUARY, 1990.**

	19	
(Month)	(Year)	B21GM
RF	RF	B21GY
DK	DK	

B21H. Overall, how helpful would you say the treatment or counseling you received at (PROGRAM FROM B21F) was (then)? Would you say . . . **READ CATEGORIES AND CODE ONE ONLY.**

Very helpful,	1	B21H
Somewhat helpful, or	2	
Not at all helpful?	3	
	RF	
	DK	

B22. Again, thinking about the time five years before [you went to (PROGRAM) in (START DATE)/January, 1990)], altogether, how many years would you say you were enrolled in treatment? Please do not count any AA, NA, or CA meetings you attended that were not part of your treatment enrollment or aftercare. Would you say . . . **READ CATEGORIES AND CODE ONE ONLY. USE CALENDAR AS NEEDED.**

Less than one year	1	B22
1-2 years	2	
3-4 years	3	
5 years or more?	4	
	RF	
	DK	

B23. In the five years before [you went to (PROGRAM) in (START DATE)/January, 1990], were any of the programs you enrolled in for treatment . . . **READ CATEGORIES a-e AND CODE ONE ONLY FOR EACH.**

	<u>Yes</u>	<u>No</u>			
a. inpatient?	1	2	RF	DK	B23a
b. residential?	1	2	RF	DK	B23b
c. outpatient, non-methadone?	1	2	RF	DK	B23c
d. methadone?	1	2	RF	DK	B23d
e. something else?	1	2	RF	DK	B23e

(IF YES, SPECIFY)

B23evrb

B24. In the five years before you went to (PROGRAM) in (START DATE)/January, 1990, did any of the places you went to for alcohol or drug treatment provide you with or arrange for you to get... **CODE ONE ONLY FOR EACH CATEGORY a-c.**

	<u>Yes</u>	<u>No</u>			
a. medical care (besides an admission physical)	1	2	RF	DK	B24a
b. counseling or treatment for problems with your emotions, nerves, or mental health	1	2	RF	DK	B24b
c. classes or lessons to help you get a job, hold a job, or improve your job skills	1	2	RF	DK	B24c

B25. **(HAND CARD B).** Excluding any treatment episodes, in the five years before you went to (PROGRAM) in (START DATE)/January, 1990, for what period of time did you attend AA/NA/CA? Was it . . . **READ CATEGORIES AND CODE ONE ONLY. PROBE FOR TOTAL TIME ATTENDING ALL MEETINGS.**

Never,	1	(SKIP TO INTRO ABOVE B26)	B25
Less than one month,	2		
1 month to less than 6 months,	3		
6 months to less than one year,	4		
1-2 years,	5		
3-4 years, or	6		
5 years or more?	7		
	RF		
	DK		

B25A. Excluding any treatment episodes, in the five years before you went to (PROGRAM) in (START DATE)/January, 1990, how often did you attend . . . (READ CATEGORY) --- never, less than once a week, once a week, or more than once a week?

	<u>Never</u>	<u>Less Than Once A Week</u>	<u>Once A Week</u>	<u>More Than Once A Week</u>			
a. AA (Alcoholics Anonymous) meetings? . . .	1	2	3	4	RF .	DK	B25Aa
b. NA (Narcotics Anonymous) meetings? . . .	1	2	3	4	RF .	DK	B25Ab
c. CA (Cocaine Anonymous) meetings? 1	2	3	4	RF	DK		B25Ac

Now, please think about any treatment or counseling for drinking or using drugs you had after [you left (PROGRAM) in (END DATE)/January, 1990.] That's the time colored blue and green on the calendar.

IF INTERVIEWING R AT A TREATMENT PROGRAM, CODE B26 AND B26A "1" WITHOUT ASKING AND GO TO B27. OTHERWISE, GO TO B26.

G B26. After [you left (PROGRAM) in (END DATE)/January, 1990)], and until now, have you received treatment or counseling for drinking or using drugs?

- Yes 1 (ASK B26A) B26
- No 2 (SKIP TO B36)
- RF (SKIP TO B36)
- DK (SKIP TO B36)

B26A. Right now, are you receiving treatment or counseling for drinking or using drugs?

- Yes 1 B26A
- No 2
- RF
- DK

GO TO B27, NEXT PAGE

G B27. [Including the treatment or counseling you're receiving now], After [you left (PROGRAM) in (END MONTH YEAR)/January, 1990)] and until now, how many separate times have you entered treatment for drinking or using drugs? By enter, I mean each time you enrolled in or started treatment and not the number of visits you may have made to a program, doctor or counselor.

RECORD VERBATIM AND THEN CODE ONE ONLY. PROBE FOR ALL TIMES AFTER END DATE/JANUARY, 1990. IF NECESSARY, SAY: Please count any time you spent in an aftercare program as part of the treatment you enrolled in and not as a separate time you entered treatment.

B27

- | | | | |
|----------------------------|----|------------------|----------|
| One time | 01 | (SKIP TO B29) | B27code* |
| Two times | 02 | (B28) | |
| Three times | 03 | (B28) | |
| Four times | 04 | (B28) | |
| Five times | 05 | (B28) | |
| 6-10 times | 06 | (B28) | |
| 11-15 times | 07 | (B28) | |
| 16-30 times | 08 | (B28) | |
| 31-50 times | 09 | (B28) | |
| 51 times or more | 10 | (B28) | |
| | | RF (SKIP TO B36) | |
| | | DK (SKIP TO B36) | |

B28. IF TWO OR MORE TIMES CODED AT B27; AT B29:

- **PROBE FOR AND RECORD PROGRAM NAME/LOCATION FOR THE FIVE MOST RECENT TREATMENT TIMES AFTER END DATE/JANUARY, 1990, STARTING WITH CURRENT/MOST RECENT TIME.**
- **IF R CURRENTLY IN TREATMENT (B26A = 1) AND PROGRAM NAME IS KNOWN, RECORD NAME AT B29 AND THEN ASK B30-B33 ABOUT NEXT FOUR MOST RECENT.**

B29. What is the name of the program or place where you received treatment most recently? **RECORD PROGRAM/SOURCE NAME AND CITY/STATE. ASK B29-B33 UNTIL THE FIVE MOST RECENT PROGRAMS/SOURCES ARE RECORDED. USE BLUE/GREEN CALENDAR PERIOD AS NEEDED.**

1. _____
 Program: _____

 Address: _____

 City/State: _____

CADER INSTRUCTION

B29A_ IS THIS PROGRAM NAMED ON THE FACESHEET, OR IN QUESTIONS B21A, OR B21F?

B29_

- SAME AS FACESHEET 1
- SAME AS Q B21A 2
- SAME AS Q B21F 3
- DIFFERENT PROGRAM 4

B29A. Was the treatment or help you received inpatient, residential, outpatient (non-methadone), methadone, or something else?

- Inpatient 1 B29A
- Residential 2
- Outpatient (non-methadone) 3
- Methadone 4
- Something else 5

G B29B. (HAND CARD F.) How long were you in treatment at that time? Was it less than one month, one month, 2-3 months, 4-5 months, 6-8 months, 9-11 months, or 12 months or more? PROBE FOR TOTAL TIME IN TREATMENT FOR THAT EPISODE.

- Less than one month 1 B29B
- One month 2
- 2-3 months 3
- 4-5 months 4
- 6-8 months 5
- 9-11 months 6
- 12 months or more 7

*B29C. (HAND CARD A.) What drug was your main drug or drug combination? **RECORD CODE FOR ALL MENTIONS FROM CARD A BELOW AND ON DRUG LIST INSIDE FRONT COVER OF QUESTIONNAIRE. IF MORE THAN FIVE DRUGS GIVEN, PROBE FOR FIVE MAIN DRUGS.**

Inhalants	01	B29C_1
Alcohol	02	B29C_2
Marijuana/hashish	03	B29C_3
Crack	04	B29C_4
Cocaine powder	05	B29C_5
PCP or "Angel Dust"	06	B29C_6
Hallucinogens, Psychedelics/LSD	07	B29C_7
Heroin	08	B29C_8
Illegal Methadone	09	B29C_9
Other Narcotics	10	B29C_10
Methamphetamines	11	B29C_11
Downers	12	B29C_12
Other drug (SPECIFY)	13	B29C_13
<hr/>		
NO DRUGS/ALCOHOL	14	B29C_14
	RF	
	DK	

IF ONLY 1 TIME LISTED IN B27, SKIP TO B34.

B30. What is the name of the program or place where you received treatment the next most recent time? **RECORD PROGRAM/SOURCE NAME AND CITY/STATE. USE BLUE/GREEN CALENDAR PERIOD AS NEEDED.**

2. _____
 Program: _____

 Address: _____

 City/State: _____

CADER INSTRUCTION

B30_ IS THIS THE PROGRAM NAMED ON THE FACESHEET OR IN QUESTIONS B21A, B21F, OR B29?

SAME AS FACESHEET . 1
 SAME AS Q B21A 2

B30_

SAME AS Q B21F 3
SAME AS Q B29 4
DIFFERENT PROGRAM 5

B30A. Was the treatment or help you received inpatient, residential, outpatient (non-methadone), methadone, or something else?

- Inpatient 1 B30A
- Residential 2
- Outpatient (non-methadone) 3
- Methadone 4
- Something else 5

G B30B. **(HAND CARD F.)** How long were you in treatment at that time? Was it less than one month, one month, 2-3 months, 4-5 months, 6-8 months, 9-11 months, or 12 months or more? **PROBE FOR TOTAL TIME IN TREATMENT FOR THAT EPISODE.**

- Less than one month 1 B30B
- One month 2
- 2-3 months 3
- 4-5 months 4
- 6-8 months 5
- 9-11 months 6
- 12 months or more 7

*B30C. (HAND CARD A.) What drug was your main drug or drug combination? **RECORD CODE FOR ALL MENTIONS FROM CARD A BELOW AND ON DRUG LIST INSIDE FRONT COVER OF QUESTIONNAIRE. IF MORE THAN FIVE DRUGS GIVEN, PROBE FOR FIVE MAIN DRUGS.**

Inhalants	01	B30C_1
Alcohol	02	B30C_2
Marijuana/hashish	03	B30C_3
Crack	04	B30C_4
Cocaine powder	05	B30C_5
PCP or "Angel Dust"	06	B30C_6
Hallucinogens, Psychedelics/LSD	07	B30C_7
Heroin	08	B30C_8
Illegal Methadone	09	B30C_9
Other Narcotics	10	B30C_10
Methamphetamines	11	B30C_11
Downers	12	B30C_12
Other drug (SPECIFY)	13	B30C_13
<hr/>		
NO DRUGS/ALCOHOL	14	B30C_14
	RF	
	DK	

IF ONLY 2 TIMES LISTED IN B27, SKIP TO B34.

B31. What is the name of the program or place where you received treatment the next most recent time? **RECORD PROGRAM/SOURCE NAME AND CITY/STATE. USE BLUE/GREEN CALENDAR PERIOD AS NEEDED.**

3. _____
 Program: _____

 Address: _____

 City/State: _____

CADER INSTRUCTION

B31_ IS THIS THE SAME PROGRAM NAMED ON THE FACESHEET OR IN QUESTIONS B21A, B21F, B29, OR B30?

- | | | |
|-----------------------------|---|------|
| SAME AS FACESHEET | 1 | B31_ |
| SAME AS Q B21A | 2 | |
| SAME AS Q B21F | 3 | |

SAME AS Q B29 4
SAME AS Q B30 5
DIFFERENT PROGRAM 6

B31A. Was the treatment or help you received inpatient, residential, outpatient (non-methadone), methadone, or something else?

- Inpatient 1
- Residential 2
- Outpatient (non-methadone) 3
- Methadone 4
- Something else 5

B31A

G

B31B. **(HAND CARD F.)** How long were you in treatment at that time? Was it less than one month, one month, 2-3 months, 4-5 months, 6-8 months, 9-11 months, or 12 months or more? **PROBE FOR TOTAL TIME IN TREATMENT FOR THAT EPISODE.**

- Less than one month 1
- One month 2
- 2-3 months 3
- 4-5 months 4
- 6-8 months 5
- 9-11 months 6
- 12 months or more 7

B31B

*B31C. (HAND CARD A.) What drug was your main drug or drug combination? **RECORD CODE FOR ALL MENTIONS FROM CARD A BELOW AND ON DRUG LIST INSIDE FRONT COVER OF QUESTIONNAIRE. IF MORE THAN FIVE DRUGS GIVEN, PROBE FOR FIVE MAIN DRUGS.**

Inhalants	01	B31C_1
Alcohol	02	B31C_2
Marijuana/hashish	03	B31C_3
Crack	04	B31C_4
Cocaine powder	05	B31C_5
PCP or "Angel Dust"	06	B31C_6
Hallucinogens, or Psychedelics/LSD	07	B31C_7
Heroin	08	B31C_8
Illegal Methadone	09	B31C_9
Other Narcotics	10	B31C_10
Methamphetamines	11	B31C_11
Downers	12	B31C_12
Other drug (SPECIFY)	13	B31C_13
<hr/>		
NO DRUGS/ALCOHOL	14	B31C_14
	RF	
	DK	

IF ONLY 3 TIMES LISTED IN B27, SKIP TO B34.

B32. What is the name of the program or place where you received treatment the next most recent time? **RECORD PROGRAM/SOURCE NAME AND CITY/STATE. USE BLUE/GREEN CALENDAR PERIOD AS NEEDED.**

4. _____
 Program: _____

 Address: _____

 City/State: _____

CADER INSTRUCTION

B32_ IS THIS THE SAME PROGRAM NAMES ON THE FACESHEET OR IN QUESTIONS B21A, B21F, B29, B30 OR B31?

- SAME AS FACESHEET . 1 B32_
- SAME AS Q B21A 2
- SAME AS Q B21F 3
- SAME AS Q B29 4

SAME AS Q B30 5
SAME AS Q B31 6
DIFFERENT PROGRAM 7

B32A. Was the treatment or help you received inpatient, residential, outpatient (non-methadone), methadone, or something else?

- Inpatient 1
- Residential 2
- Outpatient (non-methadone) 3
- Methadone 4
- Something else 5

B32A

G

B32B. (HAND CARD F.) How long were you in treatment at that time? Was it less than one month, one month, 2-3 months, 4-5 months, 6-8 months, 9-11 months, or 12 months or more? **PROBE FOR TOTAL TIME IN TREATMENT FOR THAT EPISODE.**

- Less than one month 1
- One month 2
- 2-3 months 3
- 4-5 months 4
- 6-8 months 5
- 9-11 months 6
- 12 months or more 7

B32B

*B32C. (HAND CARD A.) What drug was your main drug or drug combination? **RECORD CODE FOR ALL MENTIONS FROM CARD A BELOW AND ON DRUG LIST INSIDE FRONT COVER OF QUESTIONNAIRE. IF MORE THAN FIVE DRUGS GIVEN, PROBE FOR FIVE MAIN DRUGS.**

Inhalants	01	B32C_1
Alcohol	02	B32C_2
Marijuana/hashish	03	B32C_3
Crack	04	B32C_4
Cocaine powder	05	B32C_5
PCP or "Angel Dust"	06	B32C_6
Hallucinogens, Psychedelics/LSD	07	B32C_7
Heroin	08	B32C_8
Illegal Methadone	09	B32C_9
Other Narcotics	10	B32C_10
Methamphetamines	11	B32C_11
Downers	12	B32C_12
Other drug (SPECIFY)	13	B32C_13
<hr/>		
NO DRUGS/ALCOHOL	14	B32C_14
	RF	
	DK	

IF ONLY 4 TIMES LISTED IN B27, SKIP TO B34.

B33. What is the name of the program or place where you received treatment next? **RECORD PROGRAM/SOURCE NAME AND CITY/STATE. USE BLUE/GREEN CALENDAR PERIOD AS NEEDED.**

5. _____
 Program: _____

 Address: _____

 City/State: _____

CADER INSTRUCTION

B33_ IS THIS THE SAME PROGRAM NAMES ON THE FACESHEET OR IN QUESTIONS B21A, B21F, B29, B30, B31 OR B32?

- SAME AS FACESHEET . 1 B33_
- SAME AS Q B21A 2
- SAME AS Q B21F 3
- SAME AS Q B29 4
- SAME AS Q B30 5
- SAME AS Q B31 6

SAME AS Q B32 7
DIFFERENT PROGRAM 8

B33A. Was the treatment or help you received inpatient, residential, outpatient (non-methadone), methadone, or something else?

- Inpatient 1
 - Residential 2
 - Outpatient (non-methadone) 3
 - Methadone 4
 - Something else 5
- B33A

G

B33B. (HAND CARD F.) How long were you in treatment at that time? Was it less than one month, one month, 2-3 months, 4-5 months, 6-8 months, 9-11 months, or 12 months or more? **PROBE FOR TOTAL TIME IN TREATMENT FOR THAT EPISODE.**

- Less than one month 1
 - One month 2
 - 2-3 months 3
 - 4-5 months 4
 - 6-8 months 5
 - 9-11 months 6
 - 12 months or more 7
- B33B

*B33C. (HAND CARD A.) What drug was your main drug or drug combination? **RECORD CODE FOR ALL MENTIONS FROM CARD A BELOW AND ON DRUG LIST INSIDE FRONT COVER OF QUESTIONNAIRE. IF MORE THAN FIVE DRUGS GIVEN, PROBE FOR FIVE MAIN DRUGS.**

Inhalants	01	B33C_1
Alcohol	02	B33C_2
Marijuana/hashish	03	B33C_3
Crack	04	B33C_4
Cocaine powder	05	B33C_5
PCP or "Angel Dust"	06	B33C_6
Hallucinogens, Psychedelics/LSD	07	B33C_7
Heroin	08	B33C_8
Illegal Methadone	09	B33C_9
Other Narcotics	10	B33C_10
Methamphetamines	11	B33C_11
Downers	12	B33C_12
Other drug (SPECIFY)	13	B33C_13
<hr/>		
NO DRUGS/ALCOHOL	14	B33C_14
	RF	
	DK	

G B34. After [you left (PROGRAM) in (END DATE)/January, 1990)] and until now, did any of the places you went to for alcohol or drug treatment provide you with or arrange for you to get... **CODE ONE ONLY FOR EACH CATEGORY a-c.**

	<u>Yes</u>	<u>No</u>		
a. medical care, (<u>besides an admission physical</u>)	1	2	RF	DK B34a
b. counseling or treatment for problems with your emotions, nerves, or mental health	1	2	RF	DK B34b
c. classes or lessons to help you get a job, hold a job, or improve your job skills	1	2	RF	DK B34c

B35. **(HAND CARD B).** After [you left (PROGRAM) in (END DATE)/January, 1990)] and until now, for what period of time did you attend AA/NA/CA? Was it . . . **READ CATEGORIES AND CODE ONE ONLY. PROBE FOR TOTAL TIME ATTENDING ALL MEETINGS.**

- Never, 1 **(SKIP TO B36)** B35
 - Less than one month, 2
 - 1 month to less than 6 months, 3
 - 6 months to less than one year, 4
 - 1-2 years, 5
 - 3-4 years, or 6
 - 5 years or more? 7
- RF
DK

B35A. After [you left (PROGRAM) in (END DATE)/JANUARY, 1990)] and until now, how often did you attend . . . (READ CATEGORY) --- never, less than once a week, once a week, or more than once a week?

		<u>Never</u>	<u>Less Than Once A Week</u>	<u>Once A Week</u>	<u>More Than Once A Week</u>				
a. AA (Alcoholics Anonymous) meetings? . . .	1	2	3	4	RF . . .	DK	B35Aa		
b. NA (Narcotics Anonymous) meetings? . . .	1	2	3	4	RF . . .	DK	B35Ab		
c. CA (Cocaine Anonymous) meetings? 1	2	3	4	RF . . .	DK . . .		B35Ac		

B36. IS PROGRAM THE ONLY TIME R HAS BEEN IN TREATMENT (B21=00 AND B26=2)?

YES 1 **(SKIP TO SECTION C)** B36

NO 2 **(B37)**

B37. Now, thinking about all of the programs or places you have ever been to get treatment or counseling for drinking or using drugs, which one program or place would you say has helped you the most? **RECORD VERBATIM. PROBE FOR ONE PROGRAM/SOURCE AND CITY/STATE.**

 Program:

 Address:

 City/State:

R SAYS NO PROGRAM/SOURCE 00 (SKIP TO SECTION C)
 RF (SKIP TO SECTION C)
 DK (SKIP TO SECTION C)

CADER INSTRUCTION

B37_ IS THE ABOVE NAMED PROGRAM LISTED AT ANY PREVIOUS QUESTIONS?

SAME AS FACESHEET 1 B37_
 SAME AS Q B21A 2
 SAME AS Q B21F 3
 SAME AS Q B29 4
 SAME AS Q B30 5
 SAME AS Q B31 6
 SAME AS Q B32 7
 SAME AS Q B33 8
 DIFFERENT PROGRAM 9

B38. When did you attend this treatment program (the time when you feel the program helped you the most)? **PROBE FOR MONTH AND YEAR FOR ENTRY AND DISCHARGE DATES.**

	_____	19	_____		_____	19	_____	
FROM	(Month)	(Year)	TO	(Month)	(Year)			B38BMO
	RF	RF		RF	RF			B38BYR
	DK	DK		DK	DK			B38EMO
								B38EYR

OR R CURRENTLY IN TREATMENT PROGRAM 00/00

B39. IS PROGRAM/SOURCE NAMED AT B37 ALSO PROGRAM FROM FACE SHEET? B39

YES 1 (ANSWER B40)

NO 2 (SKIP TO B41)

B40. IS TREATMENT EPISODE MENTIONED AT B38 THE SAME AS THE FACE SHEET EPISODE?

B40

- YES 1 (SKIP TO SECTION C)
 NO 2 (B41)

*B41. (HAND CARD A). When you went [to (PROGRAM FROM B37/here)] (then), what drug or drug combination, including alcohol, would you say was your main drug or drug combination? **CODE ALL MENTIONS FROM CARD A BELOW AND ON DRUG LIST INSIDE FRONT COVER OF QUESTIONNAIRE.**

- | | | |
|---------------------------------------|----|--------|
| Inhalants | 01 | B41_1 |
| Alcohol | 02 | B41_2 |
| Marijuana/hashish | 03 | B41_3 |
| Crack | 04 | B41_4 |
| Cocaine powder | 05 | B41_5 |
| PCP or "Angel Dust" | 06 | B41_6 |
| Hallucinogens, Psychedelics/LSD | 07 | B41_7 |
| Heroin | 08 | B41_8 |
| Illegal Methadone | 09 | B41_9 |
| Other Narcotics | 10 | B41_10 |
| Methamphetamines | 11 | B41_11 |
| Downers | 12 | B41_12 |
| Other drug (SPECIFY) | 13 | B41_13 |
| | | B41vrb |
| | RF | |
| | DK | |

IF R IS CURRENTLY IN TREATMENT AT PROGRAM FROM B37, SKIP TO B43. OTHERWISE, GO TO B42.

B42. Did you complete the treatment plan at (PROGRAM FROM B37) (then)?

- Yes 1 B42
 No 2
 RF
 DK

B43. [While you were in (PROGRAM FROM B37)/After you got (to PROGRAM FROM B37/here)], did you take any medicines prescribed for you by a doctor for drug or alcohol problems, such as desipramine, methadone, or antabuse?

- Yes 1 (B44) B43
- No 2 (SKIP TO B45)
- RF (SKIP TO B45)
- DK (SKIP TO B45)

B44. **CODE WITHOUT ASKING. VERIFY, IF NEEDED:** Is (PROGRAM) a methadone program?

- Yes 1 (ASK B44A) B44
- No 2 (B45)

B44A. While you were in the program that helped you the most, in general, would you say that the doses of methadone you were prescribed were too high, the right amount, or too low? **CODE ONE ONLY.**

- Too high 1 B44A
- The right amount 2
- Too low 3
- RF
- DK

B45. Other than the medicines you just told me about, did you take any medicines prescribed for you by a doctor, while attending (PROGRAM)?

- Yes 1 B45
- No 2
- RF
- DK

B46. **(HAND CARD B).** While you were in the program that helped you the most, for what period of time did you attend AA/NA/CA? Was it . . . **READ CATEGORIES AND CODE ONE ONLY. PROBE FOR TOTAL TIME ATTENDING ALL MEETINGS.**

- Never, 1 (SKIP TO B47) B46
- Less than one month, 2
- 1 month to less than 6 months, 3
- 6 months to less than one year, 4
- 1-2 years, 5
- 3-4 years, or 6

5 years or more? 7

B46A. While you were in the program that helped you the most, how often did you attend . . . (READ CATEGORY) --- never, less than once a week, once a week, or more than once a week?

	<u>Never</u>	<u>Less Than Once A Week</u>	<u>Once A Week</u>	<u>More Than Once A Week</u>			
a. AA (Alcoholics Anonymous) meetings? . . .	1	2	3	4	RF .	DK	B46Aa
b. NA (Narcotics Anonymous) meetings? . . .	1	2	3	4	RF .	DK	B46Ab
c. CA (Cocaine Anonymous) meetings? 1	2	3	4	RF	DK		B46Ac

B47. Did the treatment or counseling you received at (PROGRAM FROM B37/here) help you . . . **READ EACH CATEGORY a-i AND CODE ONE ONLY FOR EACH.**

	<u>Yes</u>	<u>No</u>	<u>NA</u>			
a. improve your health?	1	2	3	RF .	DK	B47a
b. in any way get help with problems you had with your emotions, nerves or mental health?	1	2	3	RF .	DK	B47b
c. get a job, hold a job, or improve your job skills?	1	2	3	RF .	DK	B47c
d. with any financial problems you (had/have)?	1	2	3	RF .	DK	B47d
e. get additional training or education?	1	2	3	RF .	DK	B47e
f. with legal problems you (had/have)?	1	2	3	RF .	DK	B47f
g. improve your family relationships?	1	2	3	RF .	DK	B47g
h. plan your future, including how to handle problems, after you left treatment	1	2	3	RF .	DK	B47h
i. with anything else?	1	2	3	RF .	DK	B47i
(SPECIFY) _____						B47ivrb

B48. Overall, how helpful would you say the treatment or counseling you received at (PROGRAM FROM B37/here) was? Would you say . . . **READ CATEGORIES AND CODE ONE ONLY.**

Very helpful,	1	B48
Somewhat helpful, or	2	
Not at all helpful	3	
	RF	
	DK	

GO TO SECTION C, NEXT PAGE

THIS PAGE INTENTIONALLY BLANK

SECTION C - DRUG AND ALCOHOL USE

Next, I would like to ask about your use of drugs, including alcohol, to get high or for other non-medical effects.

To start the questions, I'm going to ask you more about the main drug(s) or drug combination(s) you've already told me about.

C1.

TO PREPARE TO ASK ABOUT MAIN DRUGS/DRUG COMBINATIONS:

- AT C1A, CODE "Y" (YES) FOR ALL MAIN DRUGS/DRUG COMBINATIONS CIRCLED ON DRUG LIST INSIDE THE FRONT COVER OF THE QUESTIONNAIRE.
- ASK C2-C9 ABOUT EACH MAIN DRUG.
- WHEN ALL MAIN DRUGS ARE ASKED ABOUT, GO TO C10.

MAIN DRUGS/DRUG COMBINATIONS

C1A-In **ARE INHALANTS CODED AS A MAIN DRUG IN SECTION B?**

C1AINHAL

- Yes 1
- No 2

C2-In About how old were you the first time you tried inhalants? **PROBE FOR AGE.**

C2INHAL

AGE

C3-In Looking at the calendar, in the five years before [(START DATE)/January, 1990], did you use inhalants five times or more?

- Yes 1 (C3A)
- No 2 (C4)
- RF (C4)
- DK (C4)

C3INHAL

C3A-In **(HAND CARD D).** When you used inhalants in the five years before [(START DATE)/January, 1990], on the average, about how many days did you use Inhalants during a month? **RECORD NUMBER FROM CARD D.**

- One day 1
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C3AINHAL

C4-In **After [(END DATE)/January, 1990], and until now, have you used inhalants five times or more?**

- Yes 1 (C5)
- No 2 (Next Drug/C10)
- RF
- DK

C4INHAL

C5-In **(HAND CARD D).** When you used Inhalants after [(END DATE)/January, 1990], and until now, on the average, about how many days did you use inhalants during a month? **RECORD NUMBER FROM CARD D.**

- One day 1
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C5INHAL

C6-In **From (MONTH/YEAR AGO) 1994/1995 to now, have you used inhalants five times or more?**

- Yes 1 (C7) C6INHAL
- No 2 (Next Drug/C10)
- RF
- DK

C7-In **(HAND CARD D). From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use inhalants during a month? RECORD NUMBER FROM CARD D.**

- One day 1 C7INHAL
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C8-In **From (MONTH/YEAR AGO, 1994/1995) to now, have there been any months when you were not using inhalants?**

- Yes 1 (C8A) C8INHAL
- No 2 (C9)
- RF
- DK

C8A-In **(HAND CARD C). How many months, altogether, were you not using inhalants? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more? RECORD NUMBER ONLY FROM CARD C.**

- One month 1 C8AINHAL
- 2-3 months 2
- 4-5 months 3
- 6-8 months 4
- Nine months or more 5
- RF
- DK

C9-In **(HAND CARD D.) From (DATE 30 DAYS AGO) to now, about how many days have you used inhalants? RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

- None 0
- One day 1 C9INHAL
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C6-Alc **From (MONTH/YEAR AGO) 1994/1995 to now, have you used alcohol five times or more?**

- Yes 1 (C7) C6ALCOH
- No 2 (Next Drug/C10)
- RF
- DK

C7-Alc **(HAND CARD D). From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use alcohol during a month? RECORD NUMBER FROM CARD D.**

- One day 1 C7ALCOH
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C8-Alc **From (MONTH/YEAR AGO, 1994/1995) to now, have there been any months when you were not using alcohol?**

- Yes 1 (C8A) C8ALCOH
- No 2 (C9)
- RF
- DK

C8A-Alc **(HAND CARD C). How many months, altogether, were you not using alcohol? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more? RECORD NUMBER ONLY FROM CARD C.**

- One month 1 C8AALCOH
- 2-3 months 2
- 4-5 months 3
- 6-8 months 4
- Nine months or more 5
- RF
- DK

C9-Alc **(HAND CARD D.) From (DATE 30 DAYS AGO) to now, about how many days have you used alcohol? RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

- None 0
- One day 1 C9ALCOH
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF

DK

C1A-MJ **IS MARIJUANA/HASHISH CODED AS A MAIN DRUG IN SECTION B?** C1AMARIJ

Yes 1
No 2

C2-MJ About how old were you the first time you tried marijuana/hashish? **PROBE FOR AGE.** C2MARIJ

_____ AGE

C3-MJ Looking at the calendar, in the five years before [(START DATE)/January, 1990], did you use marijuana/hashish five times or more? C3MARIJ

Yes 1 (C3A)
No 2 (C4)
 RF (C4)
 DK (C4)

C3A-MJ **(HAND CARD D).** When you used marijuana/hashish in the five years before [(START DATE)/January, 1990], on the average, about how many days did you use marijuana/hashish during a month? **RECORD NUMBER FROM CARD D.** C3AMARIJ

One day 1
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
 RF
 DK

C4-MJ After [(END DATE)/January, 1990], and until now, have you used marijuana/hashish five times or more? C4MARIJ

Yes 1 (C5)
No 2 (Next Drug/C10)
 RF
 DK

C5-MJ **(HAND CARD D).** When you used marijuana/hashish after [(END DATE)/January, 1990], and until now, on the average, about how many days did you use marijuana/hashish during a month? **RECORD NUMBER FROM CARD D.** C5MARIJ

One day 1
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
 RF

DK

C6-MJ **From (MONTH/YEAR AGO) 1994/1995 to now, have you used marijuana/hashish five times or more?**

Yes 1 (C7) C6MARIJ
No 2 (Next Drug/C10)
RF
DK

C7-MJ **(HAND CARD D). From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use marijuana/hashish during a month? RECORD NUMBER FROM CARD D.**

One day 1 C7MARIJ
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
RF
DK

C8-MJ **From (MONTH/YEAR AGO, 1994/1995) to now, have there been any months when you were not using marijuana/hashish?**

Yes 1 (C8A) C8MARIJ
No 2 (C9)
RF
DK

C8A-MJ **(HAND CARD C). How many months, altogether, were you not using marijuana/hashish? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more? RECORD NUMBER ONLY FROM CARD C.**

One month 1 C8AMARIJ
2-3 months 2
4-5 months 3
6-8 months 4
Nine months or more 5
RF
DK

C9-MJ **(HAND CARD D.) From (DATE 30 DAYS AGO) to now, about how many days have you used marijuana/hashish? RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

None 0
One day 1 C9MARIJ
2-5 days 2
6-10 days 3
11-20 days 4

21-30 days 5
 Everyday 6
 RF
 DK

C1A-Cra **IS CRACK CODED AS A MAIN DRUG IN SECTION B?** C1ACRACK

Yes 1
 No 2

C2-Cra About how old were you the first time you tried crack? **PROBE FOR AGE.** C2CRACK

_____ AGE

C3-Cra Looking at the calendar, in the **five years before** [(START DATE)/January, 1990], did you use crack five times or more? C3CRACK

Yes 1 (C3A)
 No 2 (C4)
 RF (C4)
 DK (C4)

C3A-Cra **(HAND CARD D).** When you used crack in the **five years before** [(START DATE)/January, 1990], on the average, about how many days did you use crack during a month? **RECORD NUMBER FROM CARD D.** C3ACRACK

One day 1
 2-5 days 2
 6-10 days 3
 11-20 days 4
 21-30 days 5
 Everyday 6
 RF
 DK

C4-Cra **After** [(END DATE)/January, 1990], and until now, have you used crack five times or more? C4CRACK

Yes 1 (C5)
 No 2 (Next Drug/C10)
 RF
 DK

C5-Cra **(HAND CARD D).** When you used crack **after** [(END DATE)/January, 1990], and until now, on the average, about how many days did you use crack during a month? **RECORD NUMBER FROM CARD D.** C5CRACK

One day 1
 2-5 days 2
 6-10 days 3
 11-20 days 4

21-30 days 5
Everyday 6
RF
DK

C6-Cra **From (MONTH/YEAR AGO) 1994/1995 to now, have you used crack five times or more?**

- Yes 1 (C7) C6CRACK
- No 2 (Next Drug/C10)
- RF
- DK

C7-Cra **(HAND CARD D). From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use crack during a month? RECORD NUMBER FROM CARD D.**

- One day 1 C7CRACK
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C8-Cra **From (MONTH/YEAR AGO, 1994/1995) to now, have there been any months when you were not using crack?**

- Yes 1 (C8A) C8CRACK
- No 2 (C9)
- RF
- DK

C8A-Cra **(HAND CARD C). How many months, altogether, were you not using crack? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more? RECORD NUMBER ONLY FROM CARD C.**

- One month 1 C8ACRACK
- 2-3 months 2
- 4-5 months 3
- 6-8 months 4
- Nine months or more 5
- RF
- DK

C9-Cra **(HAND CARD D.) From (DATE 30 DAYS AGO) to now, about how many days have you used crack? RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

- None 0
- One day 1 C9CRACK
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C1A-CP **IS COCAINE POWDER CODED AS A MAIN DRUG IN SECTION B?** C1ACOCAI

Yes 1
No 2

C2-CP About how old were you the first time you tried cocaine powder? **PROBE FOR AGE.**

AGE

C2COCAI

C3-CP Looking at the calendar, in the **five years before [(START DATE)/January, 1990]**, did you use cocaine powder five times or more?

Yes 1 (C3A)
No 2 (C4)
 RF (C4)
 DK (C4)

C3COCAI

C3A-CP **(HAND CARD D).** When you used cocaine powder in the **five years before [(START DATE)/January, 1990]**, on the average, about how many days did you use cocaine powder during a month? **RECORD NUMBER FROM CARD D.**

One day 1
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
 RF
 DK

C3ACOCAI

C4-CP **After [(END DATE)/January, 1990], and until now**, have you used cocaine powder five times or more?

Yes 1 (C5)
No 2 (Next Drug/C10)
 RF
 DK

C4COCAI

C5-CP **(HAND CARD D).** When you used cocaine powder **after [(END DATE)/January, 1990], and until now**, on the average, about how many days did you use cocaine powder during a month? **RECORD NUMBER FROM CARD D.**

One day 1
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
 RF

C5COCAI

DK

C6-CP **From (MONTH/YEAR AGO) 1994/1995 to now, have you used cocaine powder five times or more?**

Yes 1 (C7) C6COCAI
No 2 (Next Drug/C10)
RF
DK

C7-CP **(HAND CARD D). From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use cocaine powder during a month? RECORD NUMBER FROM CARD D.**

One day 1 C7COCAI
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
RF
DK

C8-CP **From (MONTH/YEAR AGO, 1994/1995) to now, have there been any months when you were not using cocaine powder?**

Yes 1 (C8A) C8COCAI
No 2 (C9)
RF
DK

C8A-CP **(HAND CARD C). How many months, altogether, were you not using cocaine powder? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more? RECORD NUMBER ONLY FROM CARD C.**

One month 1 C8ACOCAI
2-3 months 2
4-5 months 3
6-8 months 4
Nine months or more 5
RF
DK

C9-CP **(HAND CARD D.) From (DATE 30 DAYS AGO) to now, about how many days have you used cocaine powder? RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

None 0
One day 1 C9COCAI
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6

RF
DK

C1A-PCP **IS PCP/ANGEL DUST CODED AS A MAIN DRUG IN SECTION B?** C1APCP

Yes 1
No 2

C2-PCP About how old were you the first time you tried pcp/angel dust? **PROBE FOR AGE.** C2PCP

_____ AGE

C3-PCP Looking at the calendar, in the five years before [(START DATE)/January, 1990], did you use pcp/angel dust five times or more? C3PCP

Yes 1 (C3A)
No 2 (C4)
 RF (C4)
 DK (C4)

C3A-PCP **(HAND CARD D).** When you used pcp/angel dust in the five years before [(START DATE)/January, 1990], on the average, about how many days did you use pcp/angel dust during a month? **RECORD NUMBER FROM CARD D.** C3APCP

One day 1
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
 RF
 DK

C4-PCP After [(END DATE)/January, 1990], and until now, have you used pcp/angel dust five times or more? C4PCP

Yes 1 (C5)
No 2 (Next Drug/C10)
 RF
 DK

C5-PCP **(HAND CARD D).** When you used pcp/angel dust after [(END DATE)/January, 1990], and until now, on the average, about how many days did you use pcp/angel dust during a month? **RECORD NUMBER FROM CARD D.** C5PCP

One day 1
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
 RF

DK

C6-PCP **From (MONTH/YEAR AGO) 1994/1995 to now, have you used pcp/angel dust five times or more?**

- Yes 1 (C7) C6PCP
- No 2 (Next Drug/C10)
- RF
- DK

C7-PCP **(HAND CARD D). From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use pcp/angel dust during a month? RECORD NUMBER FROM CARD D.**

- One day 1 C7PCP
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C8-PCP **From (MONTH/YEAR AGO, 1994/1995) to now, have there been any months when you were not using pcp/angel dust?**

- Yes 1 (C8A) C8PCP
- No 2 (C9)
- RF
- DK

C8A-PCP **(HAND CARD C). How many months, altogether, were you not using pcp/angel dust? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more? RECORD NUMBER ONLY FROM CARD C.**

- One month 1 C8APCP
- 2-3 months 2
- 4-5 months 3
- 6-8 months 4
- Nine months or more 5
- RF
- DK

C9-PCP **(HAND CARD D.) From (DATE 30 DAYS AGO) to now, about how many days have you used pcp angel dust? RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

- None 0
- One day 1 C9PCP
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6

RF
DK

C1A-HPL **IS HALLUCINOGENS/PSYCHEDELICS/LSD CODED AS A MAIN DRUG IN SECTION B?**

Yes 1
No 2

C1AHALLU

C2-HPL About how old were you the first time you tried hallucinogens/psychedelics/lsd? **PROBE FOR AGE.**

AGE

C2HALLU

C3-HPL Looking at the calendar, in the five years before [(START DATE)/January, 1990], did you use hallucinogens/psychedelics/lsd five times or more?

Yes 1 (C3A)
No 2 (C4)
RF (C4)
DK (C4)

C3HALLU

C3A-HPL **(HAND CARD D).** When you used hallucinogens/psychedelics/lsd in the five years before [(START DATE)/January, 1990], on the average, about how many days did you use hallucinogens/psychedelics/lsd during a month? **RECORD NUMBER FROM CARD D.**

One day 1
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
RF
DK

C3AHALLU

C4-HPL After [(END DATE)/January, 1990], and until now, have you used hallucinogens/psychedelics/lsd five times or more?

Yes 1 (C5)
No 2 (Next Drug/C10)
RF
DK

C4HALLU

C5-HPL **(HAND CARD D).** When you used hallucinogens/psychedelics/lsd after [(END DATE)/January, 1990], and until now, on the average, about how many days did you use hallucinogens/psychedelics/lsd during a month? **RECORD NUMBER FROM CARD D.**

One day 1
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
RF

C5HALLU

C6-HPL **From (MONTH/YEAR AGO) 1994/1995 to now, have you used hallucinogens/psychedelics/lsd five times or more?**

- Yes 1 (C7) C6HALLU
- No 2 (Next Drug/C10)
- RF
- DK

C7-HPL **(HAND CARD D). From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use hallucinogens/psychedelics/lsd during a month? RECORD NUMBER FROM CARD D.**

- One day 1 C7HALLU
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C8-HPL **From (MONTH/YEAR AGO, 1994/1995) to now, have there been any months when you were not using hallucinogens/psychedelics/lsd?**

- Yes 1 (C8A) C8HALLU
- No 2 (C9)
- RF
- DK

C8A-HPL **(HAND CARD C). How many months, altogether, were you not using hallucinogens/psychedelics/lsd? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more? RECORD NUMBER ONLY FROM CARD C.**

- One month 1 C8AHALLU
- 2-3 months 2
- 4-5 months 3
- 6-8 months 4
- Nine months or more 5
- RF
- DK

C9-HPL **(HAND CARD D.) From (DATE 30 DAYS AGO) to now, about how many days have you used hallucinogens/psychedelics/lsd? RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

- None 0
- One day 1 C9HALLU
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4

21-30 days 5
 Everyday 6
 RF
 DK

C1A-Her **IS HEROIN CODED AS A MAIN DRUG IN SECTION B?** C1AHEROI

Yes 1
 No 2

C2-Her About how old were you the first time you tried heroin? **PROBE FOR AGE.** C2HEROI

 AGE

C3-Her Looking at the calendar, in the **five years before** [(START DATE)/January, 1990], did you use heroin **five times or more?**

Yes 1 (C3A) C3HEROI
 No 2 (C4)
 RF (C4)
 DK (C4)

C3A-Her **(HAND CARD D).** When you used heroin in the **five years before** [(START DATE)/January, 1990], on the average, about how many days did you use heroin during a month? **RECORD NUMBER FROM CARD D.**

One day 1 C3AHEROI
 2-5 days 2
 6-10 days 3
 11-20 days 4
 21-30 days 5
 Everyday 6
 RF
 DK

C4-Her **After** [(END DATE)/January, 1990], and until now, have you used heroin **five times or more?**

Yes 1 (C5) C4HEROI
 No 2 (Next Drug/C10)
 RF
 DK

C5-Her **(HAND CARD D).** When you used heroin **after** [(END DATE)/January, 1990], and until now, on the average, about how many days did you use heroin during a month? **RECORD NUMBER FROM CARD D.**

One day 1 C5HEROI
 2-5 days 2
 6-10 days 3
 11-20 days 4

21-30 days	5
Everyday	6
	RF
	DK

C6-Her **From (MONTH/YEAR AGO) 1994/1995 to now, have you used heroin five times or more?**

Yes 1 (C7) C6HEROI
No 2 (Next Drug/C10)
RF
DK

C7-Her **(HAND CARD D). From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use heroin during a month? RECORD NUMBER FROM CARD D.**

One day 1 C7HEROI
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
RF
DK

C8-Her **From (MONTH/YEAR AGO, 1994/1995) to now, have there been any months when you were not using heroin?**

Yes 1 (C8A) C8HEROI
No 2 (C9)
RF
DK

C8A-Her **(HAND CARD C). How many months, altogether, were you not using heroin? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more? RECORD NUMBER ONLY FROM CARD C.**

One month 1 C8AHEROI
2-3 months 2
4-5 months 3
6-8 months 4
Nine months or more 5
RF
DK

C9-Her **(HAND CARD D.) From (DATE 30 DAYS AGO) to now, about how many days have you used heroin? RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

One day 1 C9HEROI
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
RF
DK

C1A-IM IS ILLEGAL/METHADONE CODED AS A MAIN DRUG IN SECTION B? C1AMTHDO

Yes 1
No 2

C2-IM About how old were you the first time you tried illegal methadone? **PROBE FOR AGE.**

_____ C2MTHDO
AGE

C3-IM Looking at the calendar, in the **five years before [(START DATE)/January, 1990]**, did you use illegal methadone five times or more?

Yes 1 (C3A) C3MTHDO
No 2 (C4)
RF (C4)
DK (C4)

C3A-IM **(HAND CARD D).** When you used illegal methadone in the **five years before [(START DATE)/January, 1990]**, on the average, about how many days did you use illegal methadone during a month? **RECORD NUMBER FROM CARD D.**

One day 1 C3AMTHDO
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
RF
DK

C4-IM **After [(END DATE)/January, 1990]**, and until now, have you used illegal methadone five times or more?

Yes 1 (C5) C4MTHDO
No 2 (Next Drug/C10)
RF
DK

C5-IM **(HAND CARD D).** When you used illegal methadone **after [(END DATE)/January, 1990]**, and until now, on the average, about how many days did you use illegal methadone during a month? **RECORD NUMBER FROM CARD D.**

One day 1 C5MTHDO
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
RF

DK

C6-IM From (MONTH/YEAR AGO) 1994/1995 to now, have you used illegal methadone five times or more?

- Yes 1 (C7) C6MTHDO
- No 2 (Next Drug/C10)
- RF
- DK

C7-IM (HAND CARD D). From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use illegal methadone during a month? RECORD NUMBER FROM CARD D.

- One day 1 C7MTHDO
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C8-IM From (MONTH/YEAR AGO, 1994/1995) to now, have there been any months when you were not using illegal methadone?

- Yes 1 (C8A) C8MTHDO
- No 2 (C9)
- RF
- DK

C8A-IM (HAND CARD C). How many months, altogether, were you not using illegal methadone? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more? RECORD NUMBER ONLY FROM CARD C.

- One month 1 C8AMTHDO
- 2-3 months 2
- 4-5 months 3
- 6-8 months 4
- Nine months or more 5
- RF
- DK

C9-IM (HAND CARD D.) From (DATE 30 DAYS AGO) to now, about how many days have you used illegal methadone? RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".

- None 0
- One day 1 C9MTHDO
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5

Everyday 6
 RF
 DK

C1A-ON **IS OTHER NARCOTICS CODED AS A MAIN DRUG IN SECTION B?** C1AONARC

Yes 1
 No 2

C2-ON About how old were you the first time you tried other narcotics? **PROBE FOR AGE.**

C2ONARC

 AGE

C3-ON Looking at the calendar, in the five years before [(START DATE)/January, 1990], did you use other narcotics five times or more?

Yes 1 (C3A)
 No 2 (C4)
 RF (C4)
 DK (C4)

C3ONARC

C3A-ON **(HAND CARD D).** When you used other narcotics in the five years before [(START DATE)/January, 1990], on the average, about how many days did you use other narcotics during a month? **RECORD NUMBER FROM CARD D.**

One day 1
 2-5 days 2
 6-10 days 3
 11-20 days 4
 21-30 days 5
 Everyday 6
 RF
 DK

C3AONARC

C4-ON After [(END DATE)/January, 1990], and until now, have you used other narcotics five times or more?

Yes 1 (C5)
 No 2 (Next Drug/C10)
 RF
 DK

C4ONARC

C5-ON **(HAND CARD D).** When you used other narcotics after [(END DATE)/January, 1990], and until now, on the average, about how many days did you use other narcotics during a month? **RECORD NUMBER FROM CARD D.**

One day 1
 2-5 days 2
 6-10 days 3
 11-20 days 4

C5ONARC

21-30 days 5
 Everyday 6
 RF
 DK

C6-ON **From (MONTH/YEAR AGO) 1994/1995 to now, have you used other narcotics five times or more?**

Yes 1 (C7) C6ONARC
 No 2 (Next Drug/C10)
 RF
 DK

C7-ON **(HAND CARD D). From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use other narcotics during a month? RECORD NUMBER FROM CARD D.**

One day 1 C7ONARC
 2-5 days 2
 6-10 days 3
 11-20 days 4
 21-30 days 5
 Everyday 6
 RF
 DK

C8-ON **From (MONTH/YEAR AGO, 1994/1995) to now, have there been any months when you were not using other narcotics?**

Yes 1 (C8A) C8ONARC
 No 2 (C9)
 RF
 DK

C8A-ON **(HAND CARD C). How many months, altogether, were you not using other narcotics? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more? RECORD NUMBER ONLY FROM CARD C.**

One month 1 C8AONARC
 2-3 months 2
 4-5 months 3
 6-8 months 4
 Nine months or more 5
 RF
 DK

C9-ON **(HAND CARD D.) From (DATE 30 DAYS AGO) to now, about how many days have you used other narcotics? RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

None 0

One day 1 C9ONARC
 2-5 days 2
 6-10 days 3
 11-20 days 4
 21-30 days 5
 Everyday 6
 RF
 DK

C1A-Met **IS METHAMPHETAMINES CODED AS A MAIN DRUG IN SECTION B?** C1AMETHA

Yes 1
 No 2

C2-Met About how old were you the first time you tried methamphetamines? **PROBE FOR AGE.**

 AGE

C2METHA

C3-Met Looking at the calendar, in the five years before [(START DATE)/January, 1990], did you use methamphetamines five times or more?

Yes 1 (C3A)
 No 2 (C4)
 RF (C4)
 DK (C4)

C3METHA

C3A-Met **(HAND CARD D).** When you used methamphetamines in the five years before [(START DATE)/January, 1990], on the average, about how many days did you use methamphetamines during a month? **RECORD NUMBER FROM CARD D.**

One day 1
 2-5 days 2
 6-10 days 3
 11-20 days 4
 21-30 days 5
 Everyday 6
 RF
 DK

C3AMETHA

C4-Met After [(END DATE)/January, 1990], and until now, have you used methamphetamines five times or more?

Yes 1 (C5)
 No 2 (Next Drug/C10)
 RF
 DK

C4METHA

C5-Met **(HAND CARD D).** When you used methamphetamines after [(END DATE)/January, 1990], and until now, on the average, about how many days did you use methamphetamines during a month? **RECORD NUMBER FROM CARD D.**

One day	1	C5METHA
2-5 days	2	
6-10 days	3	
11-20 days	4	
21-30 days	5	
Everyday	6	
	RF	
	DK	

C6-Met **From (MONTH/YEAR AGO) 1994/1995 to now, have you used methamphetamines five times or more?**

Yes	1 (C7)	C6METHA
No	2 (Next Drug/C10)	
	RF	
	DK	

C7-Met **(HAND CARD D). From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use methamphetamines during a month? RECORD NUMBER FROM CARD D.**

One day	1	C7METHA
2-5 days	2	
6-10 days	3	
11-20 days	4	
21-30 days	5	
Everyday	6	
	RF	
	DK	

C8-Met **From (MONTH/YEAR AGO, 1994/1995) to now, have there been any months when you were not using methamphetamines?**

Yes	1 (C8A)	C8METHA
No	2 (C9)	
	RF	
	DK	

C8A-Met **(HAND CARD C). How many months, altogether, were you not using methamphetamines? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more? RECORD NUMBER ONLY FROM CARD C.**

One month	1	C8AMETHA
2-3 months	2	
4-5 months	3	
6-8 months	4	
Nine months or more	5	
	RF	
	DK	

C9-Met (HAND CARD D.) From (DATE 30 DAYS AGO) to now, about how many days have you used methamphetamines? RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".

- None 0
- One day 1
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C9METHA

C1A-Dow IS DOWNERS CODED AS A MAIN DRUG IN SECTION B?

C1ADOWNR

- Yes 1
- No 2

C2-Dow About how old were you the first time you tried downers? PROBE FOR AGE.

C2DOWNR

AGE

C3-Dow Looking at the calendar, in the five years before [(START DATE)/January, 1990], did you use downers five times or more?

- Yes 1 (C3A)
- No 2 (C4)
- RF (C4)
- DK (C4)

C3DOWNR

C3A-Dow (HAND CARD D). When you used downers in the five years before [(START DATE)/January, 1990], on the average, about how many days did you use downers during a month? RECORD NUMBER FROM CARD D.

- One day 1
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C3ADOWNR

C4-Dow After [(END DATE)/January, 1990], and until now, have you used downers five times or more?

- Yes 1 (C5)
- No 2 (Next Drug/C10)
- RF
- DK

C4DOWNR

C5-Dow

(HAND CARD D). When you used downers after [(END DATE)/January, 1990], and until now, on the average, about how many days did you use downers during a month? **RECORD NUMBER FROM CARD D.**

- One day 1
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6

C5DOWNR

RF
DK

C6-Dow **From (MONTH/YEAR AGO) 1994/1995 to now, have you used downers five times or more?**

Yes 1 (C7) C6DOWNR
No 2 (Next Drug/C10)
RF
DK

C7-Dow **(HAND CARD D). From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use downers during a month? RECORD NUMBER FROM CARD D.**

One day 1 C7DOWNR
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
RF
DK

C8-Dow **From (MONTH/YEAR AGO, 1994/1995) to now, have there been any months when you were not using downers?**

Yes 1 (C8A) C8DOWNR
No 2 (C9)
RF
DK

C8A-Dow **(HAND CARD C). How many months, altogether, were you not using downers? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more? RECORD NUMBER ONLY FROM CARD C.**

One month 1 C8ADOWNR
2-3 months 2
4-5 months 3
6-8 months 4
Nine months or more 5
RF
DK

C9-Dow **(HAND CARD D.) From (DATE 30 DAYS AGO) to now, about how many days have you used downers? RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

None 0
One day 1 C9DOWNR
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
RF
DK

C1A-OD IS OTHER DRUG CODED AS A MAIN DRUG IN SECTION B?

C1AODRUG

- Yes 1
- No 2

C2-OD About how old were you the first time you tried (OTHER DRUG)? **PROBE FOR AGE.**

C2ODRUG

AGE

C3-OD Looking at the calendar, in the **five years before** [(START DATE)/January, 1990], did you use (OTHER DRUG) five times or more?

C3ODRUG

- Yes 1 (C3A)
- No 2 (C4)
- RF (C4)
- DK (C4)

C3A-OD **(HAND CARD D).** When you used (OTHER DRUG) in the **five years before** [(START DATE)/January, 1990], on the average, about how many days did you use (OTHER DRUG) during a month? **RECORD NUMBER FROM CARD D.**

C3AODRUG

- One day 1
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C4-OD **After** [(END DATE)/January, 1990], and until now, have you used (OTHER DRUG) five times or more?

C4ODRUG

- Yes 1 (C5)
- No 2 (Next Drug/C10)
- RF
- DK

C5-OD **(HAND CARD D).** When you used (OTHER DRUG) **after** [(END DATE)/January, 1990], and until now, on the average, about how many days did you use (OTHER DRUG) during a month? **RECORD NUMBER FROM CARD D.**

C5ODRUG

- One day 1
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C6-OD **From (MONTH/YEAR AGO) 1994/1995 to now, have you used (OTHER DRUG) five times or more?**

- Yes 1 (C7) C6ODRUG
- No 2 (Next Drug/C10)
- RF
- DK

C7-OD **(HAND CARD D). From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use (OTHER DRUG) during a month? RECORD NUMBER FROM CARD D.**

- One day 1 C7ODRUG
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C8-OD **From (MONTH/YEAR AGO, 1994/1995) to now, have there been any months when you were not using (OTHER DRUG)?**

- Yes 1 (C8A) C8ODRUG
- No 2 (C9)
- RF
- DK

C8A-OD **(HAND CARD C). How many months, altogether, were you not using (OTHER DRUG)? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more? RECORD NUMBER ONLY FROM CARD C.**

- One month 1 C8AODRUG
- 2-3 months 2
- 4-5 months 3
- 6-8 months 4
- Nine months or more 5
- RF
- DK

C9-OD **(HAND CARD D.) From (DATE 30 DAYS AGO) to now, about how many days have you used (OTHER DRUG)? RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

- None 0
- One day 1 C9ODRUG
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF

DK

G10. SEE C1A. IS ALCOHOL CODED "Y" (YES) FOR MAIN DRUG?

YES 1 (C11)

NO 2 (SKIP TO INTRO ABOVE C15)

C10

G11. SEE C6 FOR ALCOHOL. HAS R USED ALCOHOL 5 TIMES OR MORE IN LAST YEAR (C6 = 1)?

YES 1 (INTRO ABOVE C12)

NO 2 (SKIP TO INTRO ABOVE C15)

C11

G I have a few more questions about your use of alcohol from (MONTH/YEAR AGO) 1994/1995 to now.

	(1) Beer/Malt Liquor	(2) Wine/Wine Coolers	(3) Liquor
G12. In the last year, in the month you drank the most, on an average day during that month, did you drink any (ALCOHOL TYPE)?	Yes 1 (C13) No 2 (C12, NEXT TYPE) C12_1	Yes 1 (C13) No 2 (C12, NEXT TYPE) C12_2	Yes 1 (C13) No 2 (SKIP TO INTRO ABOVE C15) C12_3
G13. On an average day during that month, about how much (ALCOHOL TYPE) did you usually drink? RECORD AMOUNT AND CODE SIZE.	_____ Amount C13_1 Bottles 01 (C14) Cans 02 (C14) Glasses 03 (C14) Six packs 04 (C12, NEXT TYPE) Pints 05 (C12, NEXT TYPE) Quarts 06 (C12, NEXT TYPE) C13_1a Other (SPECIFY) 11 _____ (C12, NEXT TYPE) C13_1vrb	_____ Amount C13_2 Bottles 01 (C14) Glasses 03 (C14) Fifths 07 (C12, NEXT TYPE) C13_2a Other (SPECIFY) 11 _____ (C12, NEXT TYPE) C13_2vrb	_____ Amount C13_3 ½ Pints 05 Pints 06 Quarts 07 Fifths 08 Drinks 09 Shots 10 C13_3a Other (SPECIFY) 11 _____ (INTRO ABOVE C15) C13_3vrb
G14. What size (bottle/can/glass) was that? RECORD VERBATIM.	_____ _____ (C12, NEXT TYPE) C14_1	_____ _____ (C12, NEXT TYPE) C14_2	

Now, I'd like to ask you about your use of other drugs, including (alcohol and) any medicines prescribed by a doctor for you or someone else, that you used to get high or for other non-medical effects.

C15.

TO PREPARE TO ASK ABOUT OTHER DRUGS:

- AT C15A, CODE "Y" (YES) FOR ALL DRUGS NOT CODED AS MAIN DRUGS AT C1A.
- ASK C16 ABOUT ALL DRUGS CODED "Y" (YES) AT C15A.

THIS PAGE INTENTIONALLY BLANK

C19A-In (HAND CARD D). When you used Inhalants, after [(END DATE/ January, 1990)], on the average, about how many days did you use Inhalants during a month? RECORD NUMBER FROM CARD D.

- One day 1 C19AINHA
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C20-In From (MONTH/YEAR AGO) 1994/1995 to now, have you used Inhalants five times or more?

- Yes 1 (C20A) C20INHA
- No 2 (Next Drug/C22)

C20A-In On the average, how many days did you use Inhalants during a month? RECORD NUMBER. IF NONE, RECORD "0".

- None 0
- One day 1 C20AINHA
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C21-In (HAND CARD D.) From (DATE 30 DAYS AGO) to now, about how many days have you used Inhalants? RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".

- None 0
- One day 1 C21INHA
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C19A-Alc **(HAND CARD D).** When you used Alcohol, **after [(END DATE/ January, 1990)],** on the average, about how many days did you use Alcohol during a month? **RECORD NUMBER FROM CARD D.**

- One day 1 C19AALCO
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C20-Alc **From (MONTH/YEAR AGO) 1994/1995 to now,** have you used Alcohol five times or more?

- Yes 1 (C20A) C20ALCO
- No 2 (Next Drug/C22)

C20A-Alc On the average, how many days did you use Alcohol during a month? **RECORD NUMBER. IF NONE, RECORD "0".**

- None 0
- One day 1 C20AALCO
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C21-Alc **(HAND CARD D.) From (DATE 30 DAYS AGO) to now,** about how many days have you used Alcohol? **RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

- None 0
- One day 1 C21ALCO
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C19A-MJ **(HAND CARD D).** When you used Marijuana/hashish, after [(END DATE/ January, 1990)], on the average, about how many days did you use Marijuana/hashish during a month? **RECORD NUMBER FROM CARD D.**

- One day 1 C19AMARI
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C20-MJ **From (MONTH/YEAR AGO) 1994/1995 to now,** have you used Marijuana/hashish five times or more?

- Yes 1 (C20A) C20MARI
- No 2 (Next Drug/C22)

C20A-MJ On the average, how many days did you use Marijuana/hashish during a month? **RECORD NUMBER. IF NONE, RECORD "0".**

- None 0
- One day 1 C20AMARI
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C21-MJ **(HAND CARD D.) From (DATE 30 DAYS AGO) to now,** about how many days have you used Marijuana/hashish? **RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

- None 0
- One day 1 C21MARI
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C15A-Cr **CODE YES IF CRACK WAS NOT CODED AS A MAIN DRUG AT C1A.** C15CRCK

 Yes 1

 No 2 (Next Drug)

C16-Cr Have you ever used Crack five times or more?

 Yes 1 C16CRCK

 No 2 (Next Drug)

C17-Cr About how old were you the first time you tried Crack? **PROBE FOR AGE.**

 _____ AGE C17CRCK

C18-Cr **In the five years before [(START MONTH/ YEAR/January, 1990)], did you use Crack five times or more?**

 Yes 1 (C18A) C18CRCK

 No 2 (C19)

C18A-Cr **(HAND CARD D). When you used Crack, in the five years before [(START MONTH/ YEAR/January, 1990)], on the average, about how many days did you use Crack during a month? **RECORD NUMBER FROM CARD D.****

 One day 1 C18ACRCK

 2-5 days 2

 6-10 days 3

 11-20 days 4

 21-30 days 5

 Everyday 6

 RF

 DK

C19-Cr Looking at the calendar, after [(END DATE)/ January, 1990] and until now, have you used Crack five times or more?

 Yes 1 (C19A) C19CRCK

 No 2(Next Drug/C22)

C19A-Cr **(HAND CARD D).** When you used Crack, after [(END DATE/ January, 1990)], on the average, about how many days did you use Crack during a month? **RECORD NUMBER FROM CARD D.**

- One day 1 C19ACRCK
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C20-Cr **From (MONTH/YEAR AGO) 1994/1995 to now,** have you used Crack five times or more?

- Yes 1 (C20A) C20CRCK
- No 2 (Next Drug/C22)

C20A-Cr On the average, how many days did you use Crack during a month? **RECORD NUMBER. IF NONE, RECORD "0".**

- None 0 C20ACRCK
- One day 1
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C21-Cr **(HAND CARD D.) From (DATE 30 DAYS AGO) to now,** about how many days have you used Crack? **RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

- None 0 C21CRCK
- One day 1
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C15A-Co **CODE YES IF COCAINE POWDER WAS NOT CODED AS A MAIN DRUG AT C1A.** C15COCA

Yes 1
No 2 (Next Drug)

C16-Co Have you ever used Cocaine powder five times or more?

Yes 1 C16COCA
No 2 (Next Drug)

C17-Co About how old were you the first time you tried Cocaine powder? **PROBE FOR AGE.**

_____ AGE C17COCA

C18-Co **In the five years before [(START MONTH/ YEAR/January, 1990)], did you use Cocaine powder five times or more?**

Yes 1 (C18A) C18COCA
No 2 (C19)

C18A-Co **(HAND CARD D).** When you used Cocaine powder, **in the five years before [(START MONTH/ YEAR/January, 1990)],** on the average, about how many days did you use Cocaine powder during a month?
RECORD NUMBER FROM CARD D.

One day 1 C18ACOCA
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
RF
DK

C19-Co Looking at the calendar, **after [(END DATE)/ January, 1990] and until now,** have you used Cocaine powder **five times or more?**

Yes 1 (C19A) C19COCA
No 2 (Next Drug/C22)

C19A-Co (HAND CARD D). When you used Cocaine powder, after [(END DATE/ January, 1990), on the average, about how many days did you use Cocaine powder during a month? **RECORD NUMBER FROM CARD D.**

- One day 1 C19ACOCA
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C20-Co From (MONTH/YEAR AGO) 1994/1995 to now, have you used Cocaine powder five times or more?

- Yes 1 (C20A) C20COCA
- No 2 (Next Drug/C22)

C20A-Co On the average, how many days did you use Cocaine powder during a month? **RECORD NUMBER. IF NONE, RECORD "0".**

- None 0
- One day 1 C20ACOCA
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C21-Co (HAND CARD D.) From (DATE 30 DAYS AGO) to now, about how many days have you used Cocaine powder? **RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

- None 0
- One day 1 C21COCA
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C15A-PCP **CODE YES IF PCP/ANGEL DUST WAS NOT CODED AS A MAIN DRUG AT C1A.** C15PCP

Yes 1
No 2 (Next Drug)

C16-PCP Have you ever used PCP/Angel Dust five times or more?

Yes 1 C16PCP
No 2 (Next Drug)

C17-PCP About how old were you the first time you tried PCP/Angel Dust? **PROBE FOR AGE.**

_____ AGE C17PCP

C18-PCP **In the five years before [(START MONTH/ YEAR/January, 1990)], did you use PCP/Angel Dust five times or more?**

Yes 1 (C18A) C18PCP
No 2 (C19)

C18A-PCP **(HAND CARD D). When you used PCP/Angel Dust, in the five years before [(START MONTH/ YEAR/January, 1990), on the average, about how many days did you use PCP/Angel Dust during a month? **RECORD NUMBER FROM CARD D.****

One day 1 C18APCP
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
RF
DK

C19-PCP Looking at the calendar, after [(END DATE)/ January, 1990] and until now, have you used PCP/Angel Dust five times or more?

Yes 1 (C19A) C19PCP
No 2 (Next Drug/C22)

C19A-PCP **(HAND CARD D).** When you used PCP/Angel Dust, **after** [(END DATE/ January, 1990)], on the average, about how many days did you use PCP/Angel Dust during a month? **RECORD NUMBER FROM CARD D.**

- One day 1 C19APCP
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C20-PCP **From (MONTH/YEAR AGO) 1994/1995 to now,** have you used PCP/Angel Dust five times or more?

- Yes 1 (C20A) C20PCP
- No 2 (Next Drug/C22)

C20A-PCP On the average, how many days did you use PCP/Angel Dust during a month? **RECORD NUMBER. IF NONE, RECORD "0".**

- None 0 C20APCP
- One day 1
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C21-PCP **(HAND CARD D.) From (DATE 30 DAYS AGO) to now,** about how many days have you used PCP/Angel Dust? **RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

- None 0 C21PCP
- One day 1
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C15A-Hal **CODE YES IF HALLUCINOGENS/PSYCHEDELICS/LSD DUST WAS NOT CODED AS A MAIN DRUG AT C1A.**

Yes 1
No 2 (Next Drug) C15HALU

C16-Hal Have you ever used Hallucinogens/Psychedelics/LSD five times or more?

Yes 1 C16HALU
No 2 (Next Drug)

C17-Hal About how old were you the first time you tried Hallucinogens/Psychedelics/LSD? **PROBE FOR AGE.**

_____ AGE C17HALU

C18-Hal **In the five years before [(START MONTH/ YEAR/January, 1990)], did you use Hallucinogens/Psychedelics/LSD five times or more?**

Yes 1 (C18A) C18HALU
No 2 (C19)

C18A-Hal **(HAND CARD D). When you used Hallucinogens/Psychedelics/LSD, in the five years before [(START MONTH/ YEAR/January, 1990)], on the average, about how many days did you use Hallucinogens/Psychedelics/LSD during a month? **RECORD NUMBER FROM CARD D.****

One day 1 C18AHALU
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
RF
DK

C19-Hal Looking at the calendar, after [(END DATE)/ January, 1990] and until now, have you used Hallucinogens/Psychedelics/LSD five times or more?

Yes 1 (C19A) C19HALU
No 2 (Next Drug/C22)

C19A-Hal **(HAND CARD D).** When you used Hallucinogens/Psychedelics/LSD, **after** [(END DATE/ January, 1990), on the average, about how many days did you use Hallucinogens/Psychedelics/LSD during a month? **RECORD NUMBER FROM CARD D.**

- | | | |
|----------------------|----|----------|
| One day | 1 | C19AHALU |
| 2-5 days | 2 | |
| 6-10 days | 3 | |
| 11-20 days | 4 | |
| 21-30 days | 5 | |
| Everyday | 6 | |
| | RF | |
| | DK | |

C20-Hal **From (MONTH/YEAR AGO) 1994/1995 to now, have you used Hallucinogens/Psychedelics/LSD five times or more?**

- | | | |
|---------------|-------------------|---------|
| Yes | 1 (C20A) | C20HALU |
| No | 2 (Next Drug/C22) | |

C20A-Hal **On the average, how many days did you use Hallucinogens/Psychedelics/LSD during a month? **RECORD NUMBER. IF NONE, RECORD "0".****

- | | | |
|----------------------|----|----------|
| None | 0 | |
| One day | 1 | C20AHALU |
| 2-5 days | 2 | |
| 6-10 days | 3 | |
| 11-20 days | 4 | |
| 21-30 days | 5 | |
| Everyday | 6 | |
| | RF | |
| | DK | |

C21-Hal **(HAND CARD D.) From (DATE 30 DAYS AGO) to now, about how many days have you used Hallucinogens/Psychedelics/LSD? **RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".****

- | | | |
|----------------------|----|---------|
| None | 0 | |
| One day | 1 | C21HALU |
| 2-5 days | 2 | |
| 6-10 days | 3 | |
| 11-20 days | 4 | |
| 21-30 days | 5 | |
| Everyday | 6 | |
| | RF | |
| | DK | |

C19A-Her **(HAND CARD D).** When you used Heroin, **after [(END DATE/ January, 1990)],** on the average, about how many days did you use Heroin during a month? **RECORD NUMBER FROM CARD D.**

- One day 1 C19AHERO
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C20-Her **From (MONTH/YEAR AGO) 1994/1995 to now,** have you used Heroin five times or more?

- Yes 1 (C20A) C20HERO
- No 2 (Next Drug/C22)

C20A-Her On the average, how many days did you use Heroin during a month? **RECORD NUMBER. IF NONE, RECORD "0".**

- None 0 C20AHERO
- One day 1
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C21-Her **(HAND CARD D.) From (DATE 30 DAYS AGO) to now,** about how many days have you used Heroin? **RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

- None 0 C21HERO
- One day 1
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C15A-IIM **CODE YES IF ILLEGAL METHADONE WAS NOT CODED AS A MAIN DRUG AT C1A.C15MTDO**

Yes 1
No 2 (Next Drug)

C16-IIM Have you ever used Illegal Methadone five times or more?

Yes 1 C16MTDO
No 2 (Next Drug)

C17-IIM About how old were you the first time you tried Illegal Methadone? **PROBE FOR AGE.**

_____ AGE C17MTDO

C18-IIM **In the five years before [(START MONTH/ YEAR/January, 1990)], did you use Illegal Methadone five times or more?**

Yes 1 (C18A) C18MTDO
No 2 (C19)

C18A-IIM **(HAND CARD D). When you used Illegal Methadone, in the five years before [(START MONTH/ YEAR/January, 1990)], on the average, about how many days did you use Illegal Methadone during a month? RECORD NUMBER FROM CARD D.**

One day 1 C18AMTDO
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
RF
DK

C19-IIM Looking at the calendar, after [(END DATE)/ January, 1990] and until now, have you used Illegal Methadone five times or more?

Yes 1 (C19A) C19MTDO
No 2 (Next Drug/C22)

C19A-IIM **(HAND CARD D).** When you used Illegal Methadone, after [(END DATE/ January, 1990)], on the average, about how many days did you use Illegal Methadone during a month? **RECORD NUMBER FROM CARD D.**

- One day 1 C19AMTDO
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C20-IIM **From (MONTH/YEAR AGO) 1994/1995 to now,** have you used Illegal Methadone five times or more?

- Yes 1 (C20A) C20MTDO
- No 2 (Next Drug/C22)

C20A-IIM On the average, how many days did you use Illegal Methadone during a month? **RECORD NUMBER. IF NONE, RECORD "0".**

- None 0
- One day 1 C20AMTDO
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C21-IIM **(HAND CARD D.) From (DATE 30 DAYS AGO) to now,** about how many days have you used Illegal Methadone? **RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

- One day 0
- One day 1 C21MTDO
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C15A-ON **CODE YES IF OTHER NARCOTICS WERE NOT CODED AS A MAIN DRUG AT C1A.A15ONRC**

Yes 1
No 2 (Next Drug)

C16-ON Have you ever used Other Narcotics five times or more?

Yes 1 C16ONRC
No 2 (Next Drug)

C17-ON About how old were you the first time you tried Other Narcotics? **PROBE FOR AGE.**

_____ AGE C17ONRC

C18-ON **In the five years before [(START MONTH/ YEAR/January, 1990)], did you use Other Narcotics five times or more?**

Yes 1 (C18A) C18ONRC
No 2 (C19)

C18A-ON **(HAND CARD D). When you used Other Narcotics, in the five years before [(START MONTH/ YEAR/January, 1990)], on the average, about how many days did you use Other Narcotics during a month? RECORD NUMBER FROM CARD D.**

One day 1 C18AONRC
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
RF
DK

C19-ON Looking at the calendar, after [(END DATE)/ January, 1990] and until now, have you used Other Narcotics five times or more?

Yes 1 (C19A) C19ONRC
No 2 (Next Drug/C22)

C19A-ON **(HAND CARD D).** When you used Other Narcotics, **after [(END DATE/ January, 1990)],** on the average, about how many days did you use Other Narcotics during a month? **RECORD NUMBER FROM CARD D.**

- One day 1 C19AONRC
 - 2-5 days 2
 - 6-10 days 3
 - 11-20 days 4
 - 21-30 days 5
 - Everyday 6
- RF
DK

C20-ON **From (MONTH/YEAR AGO) 1994/1995 to now,** have you used Other Narcotics five times or more?

- Yes 1 (C20A) C20ONRC
- No 2 (Next Drug/C22)

C20A-ON On the average, how many days did you use Other Narcotics during a month? **RECORD NUMBER. IF NONE, RECORD "0".**

- None 0
 - One day 1 C20AONRC
 - 2-5 days 2
 - 6-10 days 3
 - 11-20 days 4
 - 21-30 days 5
 - Everyday 6
- RF
DK

C21-ON **(HAND CARD D.) From (DATE 30 DAYS AGO) to now,** about how many days have you used Other Narcotics? **RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

- None 0
 - One day 1 C21ONRC
 - 2-5 days 2
 - 6-10 days 3
 - 11-20 days 4
 - 21-30 days 5
 - Everyday 6
- RF
DK

C15A-Me **CODE YES IF methamphetamines WAS NOT CODED AS A MAIN DRUG AT C1A.** C15METH

Yes 1
No 2 (Next Drug)

C16-Me Have you ever used Methamphetamines five times or more?

Yes 1 C16METH
No 2 (Next Drug)

C17-Me About how old were you the first time you tried Methamphetamines? **PROBE FOR AGE.**

_____ AGE C17METH

C18-Me **In the five years before [(START MONTH/ YEAR/January, 1990)], did you use Methamphetamines five times or more?**

Yes 1 (C18A) C18METH
No 2 (C19)

C18A-Me **(HAND CARD D). When you used Methamphetamines, in the five years before [(START MONTH/ YEAR/January, 1990), on the average, about how many days did you use Methamphetamines during a month? **RECORD NUMBER FROM CARD D.****

One day 1 C18AMETH
2-5 days 2
6-10 days 3
11-20 days 4
21-30 days 5
Everyday 6
RF
DK

C19-Me Looking at the calendar, after [(END DATE)/ January, 1990] and until now, have you used Methamphetamines five times or more?

Yes 1 (C19A) C19METH
No 2 (Next Drug/C22)

C19A-Me **(HAND CARD D).** When you used Methamphetamines, **after** [(END DATE/ January, 1990)], on the average, about how many days did you use Methamphetamines during a month? **RECORD NUMBER FROM CARD D.**

- One day 1 C19AMETH
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C20-Me **From (MONTH/YEAR AGO) 1994/1995 to now, have you used Methamphetamines five times or more?**

- Yes 1 (C20A) C20METH
- No 2 (Next Drug/C22)

C20A-Me **On the average, how many days did you use Methamphetamines during a month? RECORD NUMBER. IF NONE, RECORD "0".**

- None 0
- One day 1 C20AMETH
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C21-Me **(HAND CARD D.) From (DATE 30 DAYS AGO) to now, about how many days have you used Methamphetamines? RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

- None 0
- One day 1 C21METH
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

- C15A-Do CODE YES IF DOWNERS WAS NOT CODED AS A MAIN DRUG AT C1A. C15DOWN
- Yes 1
- No 2 (Next Drug)
-
- C16-Do Have you ever used Downers five times or more? C16DOWN
- Yes 1
- No 2 (Next Drug)
-
- C17-Do About how old were you the first time you tried Downers? **PROBE FOR AGE.** C17DOWN
- _____ AGE
-
- C18-Do In the five years before [(START MONTH/ YEAR/January, 1990)], did you use Downers five times or more? C18DOWN
- Yes 1 (C18A)
- No 2 (C19)
-
- C18A-Do **(HAND CARD D).** When you used Downers, **in the five years before [(START MONTH/ YEAR/January, 1990)],** on the average, about how many days did you use Downers during a month? **RECORD NUMBER FROM CARD D.** C18ADOWN
- One day 1
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK
-
- C19-Do Looking at the calendar, after [(END DATE)/ January, 1990] and until now, have you used Downers five times or more? C19DOWN
- Yes 1 (C19A)
- No 2(Next Drug/C22)

C19A-Do **(HAND CARD D).** When you used Downers, **after** [(END DATE/ January, 1990], on the average, about how many days did you use Downers during a month? **RECORD NUMBER FROM CARD D.**

- One day 1 C19ADOWN
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C20-Do **From (MONTH/YEAR AGO) 1994/1995 to now,** have you used Downers five times or more?

- Yes 1 (C20A) C20DOWN
- No 2 (Next Drug/C22)

C20A-Do On the average, how many days did you use Downers during a month? **RECORD NUMBER. IF NONE, RECORD "0".**

- None 0
- One day 1 C20ADOWN
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C21-Do **(HAND CARD D.) From (DATE 30 DAYS AGO) to now,** about how many days have you used Downers? **RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

- None 0
- One day 1 C21DOWN
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-30 days 5
- Everyday 6
- RF
- DK

C19A-OD **(HAND CARD D).** When you used Other drug, after [(END DATE/ January, 1990], on the average, about how many days did you use Other drug during a month? **RECORD NUMBER FROM CARD D.**

- One day 1 C19AOTHR
 - 2-5 days 2
 - 6-10 days 3
 - 11-20 days 4
 - 21-30 days 5
 - Everyday 6
- RF
DK

C20-OD **From (MONTH/YEAR AGO) 1994/1995 to now,** have you used Other drug five times or more?

- Yes 1 (C20A) C20OTHR
- No 2 (Next Drug/C22)

C20A-OD On the average, how many days did you use Other drug during a month? **RECORD NUMBER. IF NONE, RECORD "0".**

- None 0
 - One day 1 C20AOTHR
 - 2-5 days 2
 - 6-10 days 3
 - 11-20 days 4
 - 21-30 days 5
 - Everyday 6
- RF
DK

C21-OD **(HAND CARD D.) From (DATE 30 DAYS AGO) to now,** about how many days have you used Other drug? **RECORD NUMBER FROM CARD D. IF NONE, RECORD "0".**

- None 0
 - One day 1 C21OTHR
 - 2-5 days 2
 - 6-10 days 3
 - 11-20 days 4
 - 21-30 days 5
 - Everyday 6
- RF
DK

C22. SEE C16. IS ALCOHOL CODED "Y" (YES)?

YES 1 (C23)

NO 2 (SKIP TO INTRO ABOVE C27)

C22

C23. SEE C21 FOR ALCOHOL. HAS R USED ALCOHOL IN LAST 30 DAYS?

YES 1 (INTRO ABOVE C24)

NO 2 (SKIP INTRO ABOVE TO C27)

C23

I have a few more questions about your use of alcohol from (DATE 30 DAYS) to now.

	(1) Beer/Malt Liquor	(2) Wine/Wine Coolers	(3) Liquor
C24. Again, thinking about the time from (DATE 30 DAYS AGO) to now, did you drink any (ALCOHOL TYPE)?	Yes 1 (C25) No 2 (C24, NEXT TYPE) C24_1	Yes 1 (C25) No 2 (C24, NEXT TYPE) C24_2	Yes 1 (C25) No 2 (SKIP TO INTRO ABOVE C27) C24_3
C25. From (DATE 30 DAYS AGO) to now, about how much (ALCOHOL TYPE) have you <u>usually</u> been drinking on an average day? RECORD AMOUNT AND CODE SIZE.	_____ Amount C25_1 Bottles 01 (C26) Cans 02 (C26) Glasses 03 (C26) Six packs 04 (C24, NEXT TYPE) Pints 05 (C24, NEXT TYPE) Quarts 06 (C24, NEXT TYPE) C25_1a Other (SPECIFY) 11 _____ (C24, NEXT TYPE) C25_1vrb	_____ Amount C25_2 Bottles 01 (C26) Glasses 03 (C26) Fifths 07 (C24, NEXT TYPE) C25_2a Other (SPECIFY) 11 _____ (C24, NEXT TYPE) C25_2vrb	_____ Amount C25_3 ½ Pints 05 Pints 06 Quarts 07 Fifths 08 Drinks 09 Shots 10 C25_3a Other (SPECIFY) . . . 11 _____ (INTRO ABOVE C27) C25_3vrb
C26. What size (bottle/can/glass) was that? RECORD VERBATIM.	_____ _____ (C24, NEXT TYPE) C26_1	_____ _____ (C24, NEXT TYPE) C26_2	

Next, I have some questions about using a needle to inject drugs to get high or for other non-medical effects.

C27. Have you ever, even one time, used a needle to inject drugs to get high or for other non-medical effects?

- Yes 1 (ASK C27A & B) C27
- No 2 (SKIP TO SECTION D)

C27A. About how old were you the first time you used a needle to inject drugs to get high or for other non-medical effects? **RECORD AGE. PROBE FOR APPROXIMATE AGE IF R UNCERTAIN.**

C27A

AGE

P C27B. Thinking about the five years before [you went to (PROGRAM) in (START DATE)/January, 1990], how many times did you use a needle, even one time, to inject drugs to get high or for other non-medical effects? Would you say none, 1-9 times, 10-29 times, 30-49 times, 50-99 times, 100-199 times, or 200 times or more? **CODE ONE ONLY. USE CALENDAR AS NEEDED.**

- None 1 C27B
 - 1-9 times 2
 - 10-29 times 3
 - 30-49 times or more 4
 - 50-99 times 5
 - 100-199 6
 - 200 times or more 7
 - R HAS NEVER INJECTED DRUGS . . . 8 (SKIP TO SECTION D)
- RF
DK

IF NO YELLOW PERI-OD ON CALENDAR, SKIP TO C29. OTHERWISE, GO TO C28.

Y

C28. While you were in (PROGRAM), how many times did you use a needle, even one time, to inject drugs to get high or for other non-medical effects? Would you say none, 1-9 times, 10-29 times, 30-49 times, 50-99 times, 100-199 times, or 200 times or more? **CODE ONE ONLY. USE CALENDAR AS NEEDED.**

- None 1 (C29) C28
- 1-9 times 2
- 10-29 3
- 30-49 times 4
- 50-99 times 5
- 100-199 6
- 200 times or more 7
- R NEVER INJECTED DRUGS 8 (SKIP TO SECTION D)
- RF (C29)
- DK (C29)

C28A. (HAND CARD D). While you were in (PROGRAM), about how many days (in an average month) did you inject drugs to get high or for other non-medical effects? **CODE ONE ONLY. USE CALENDAR AS NEEDED.**

- One day 1 C28A
- 2-5 days 2
- 6-10 days 3
- 11-20 days 4
- 21-31 days 5
- Everyday 6
- RF (C29)
- DK (C29)

C28B. While you were in (PROGRAM), did you attend any classes or receive any counseling about safe needle use or the dangers of needle sharing?

- Yes 1 C28B
- No 2 (C29)
- DK (C29)

C28C. Do you think counseling or classes about safe needle use or the dangers of needle sharing at (PROGRAM) were very helpful, somewhat helpful or not at all helpful in making it less likely for people to . . . (READ CATEGORIES a-c AND C-ODE ONE ONLY FOR EACH.

Very Somewhat Not at all
Helpful Helpful Helpful

- | | | | | | | | |
|----|-------------------------------|-------------|-------------|-------------|--------------|--------------|-------|
| a. | use a needle to inject drugs? | 1 | 2 | 3 | RF | DK | C28Ca |
| b. | share needles? | 1 | 2 | 3 | RF | DK | C28Cb |
| c. | share needle works? | 1 | 2 | 3 | RF | DK | C28Cc |

B/G C29. After [you left (PROGRAM) in (END DATE)/January, 1990] and until now, how many times have you used a needle to inject drugs, even one time, to get high or for other non-medical effects? Would you say none, 1-9 times, 10-29 times, 30-49 times, 50-99 times, 100-199 times, or 200 times or more? **CODE ONE ONLY.**

- | | | |
|--------------------------------------|----------------------|-----|
| None | 1 (GO TO SECTION D) | C29 |
| 1-9 times | 2 | |
| 10-29 times | 3 | |
| 30-49 times | 4 | |
| 50-99 times | 5 | |
| 100-199 times | 6 | |
| 200 times or more | 7 | |
| R HAS NEVER INJECTED DRUGS | 8 (GO TO SECTION D) | |
| | RF (GO TO SECTION D) | |
| | DK (ASK C29A) | |

G C29A. From (MONTH YEAR AGO) 1994/1995 to now, have you used a needle, even one time, to inject drugs to get high or for other non-medical effects?

- | | | |
|--------------------------------------|----|------|
| Yes | 1 | C29A |
| No | 2 | |
| R HAS NEVER INJECTED DRUGS | 3 | |
| | RF | |
| | DK | |

GO TO SECTION D, NEXT PAGE

SECTION D. LEGAL HISTORY

Next, I would like to ask about any involvement with the police, courts, and illegal activities. Let me remind you that this information will remain confidential and you can refuse to answer any questions.

D1. Have you ever been arrested for any offense?

- | | | | |
|---------------|---|-----------------|----|
| Yes | 1 | (D1A) | D1 |
| No | 2 | (SKIP TO D4) | |
| | | RF (SKIP TO D4) | |
| | | DK (SKIP TO D4) | |

D1A. How old were you when you were first arrested? **RECORD AGE.**

<hr style="width: 20%; margin: 0 auto;"/>			D1A
RF			
DK			

D2. Before [you went to (PROGRAM) in (START DATE)/January, 1990)], altogether, about how many times were you arrested? Please include times you were arrested before you were 18 years old. **CODE ONE ONLY. PROBE FOR APPROXIMATE NUMBER OF ARRESTS IF R IS UNCERTAIN, INCLUDING JUVENILE ARRESTS. USE CALENDAR AS NEEDED.**

- | | | | | |
|-----------------------|----|----------------------------|----|----|
| None | 00 | 6-10 times | 06 | D2 |
| One time | 01 | 11-15 times | 07 | |
| Two times | 02 | 16-30 times | 08 | |
| Three times | 03 | 31-50 times | 09 | |
| Four times | 04 | 51 times or more | 10 | |
| Five times | 05 | | | |
| | | | | RF |
| | | | | DK |

D3. [Including the arrests you just told me about,] in the five years before [you went to (PROGRAM) in (START DATE)/January, 1990)], altogether, about how many times were you arrested? [Please include times you were arrested before you were 18 years old.] **CODE ONE ONLY. PROBE FOR APPROXIMATE NUMBER OF ARRESTS IF R IS UNCERTAIN, INCLUDING JUVENILE ARRESTS. USE CALENDAR AS NEEDED.**

- | | | | | |
|-----------------------|----|----------------------------|----|----|
| None | 00 | 6-10 times | 06 | D3 |
| One time | 01 | 11-15 times | 07 | |
| Two times | 02 | 16-30 times | 08 | |
| Three times | 03 | 31-50 times | 09 | |
| Four times | 04 | 51 times or more | 10 | |
| Five times | 05 | | | |
| | | | | RF |
| | | | | DK |

D4. Thinking about the five years before [you went to (PROGRAM) in (START DATE/JANUARY, 1990)], were there times when you mainly supported yourself by illegal activity (like hustling, dealing, fraud, boosting, and so on)?

Yes 1 D4
 No 2
RF
DK

The next questions are about being under supervision by the court, the sheriff, or the department of corrections, that is, being in jail, prison or detention, or being on probation or parole.

D5. Thinking about the entire time before [you went to (PROGRAM) in (START DATE)/ January 1990] at any time, were you in jail, prison or detention, or on probation or parole for more than one day?

Yes 1 (D6) D5
 No 2 (BOX A, PAGE D-5)
 R NEVER INCARCERATED/UNDER SUPERVISION . 3 (BOX A, PAGE D-5)
RF (BOX A, PAGE D-5)
DK (BOX A, PAGE D-5)

D6. Again, thinking about the entire time before [(START DATE)/January, 1990)], were you... **READ CATEGORIES a-g AND CODE ONE ONLY FOR EACH.**

		<u>Yes</u>	<u>No</u>			
a.	in jail for more than one day?	1	2	RF	DK	D6a
b.	in prison?	1	2	RF	DK	D6b
c.	in juvenile detention?	1	2	RF	DK	D6c
d.	in a TASC or court diversion program? ..	1	2	RF	DK	D6d
e.	sentenced to probation?	1	2	RF	DK	D6e
f.	on parole?	1	2	RF	DK	D6f
g.	on any other kind of correctional or criminal court supervision or control? (IF YES, SPECIFY)	1	2	RF	DK	D6g

D6vrb

D6A. **(HAND CARD E)**. Thinking about the entire time before [you went to (PROGRAM) in (START DATE)/January, 1990], altogether, about how many years did you spend (ALL CATEGORIES CODED "1" FROM D6)? Would you say it was a total of less than one year, 1-2 years, 3-5 years, 6-9 years, or 10 years or more? **CODE ONE ONLY. PROBE FOR TOTAL TIME ACROSS STATUSES.**

- Less than one year 1 D6A_1
 - 1-2 years 2
 - 3-5 years 3
 - 6-9 years 4
 - 10 years or more 5
- RF
DK

D7. In the five years before [you went to (PROGRAM) in (START MONTH/ YEAR)/January, 1990] at anytime, were you in jail, prison or detention, or on probation or paroled for more than one day?

- Yes 1 **(ASK B7A, NEXT PAGE)** D7
 - No 2 **(BOX A, PAGE D-5)**
- RF
DK

<p>g. on any other kind of correctional or criminal court supervision or control? (IF YES, SPECIFY) D7Agvrb</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>	<p>Yes 1 →</p> <p>No 2</p> <p>RF</p> <p>DK</p> <p>D7Ag</p>	<p>Less than one year 1</p> <p>1-2 years 2</p> <p>3-4 years 3</p> <p>Five years or more 4</p> <p>RF DK</p> <p>D7Bg (GO TO BOX A)</p>
--	--	---

BOX A. IF NO YELLOW PERIOD ON CALENDAR, SKIP TO BOX C. OTHERWISE, GO TO BOX B.

BOX B. SEE D1. IF R NEVER ARRESTED (D1=2, RF OR DK), SKIP TO D10. OTHERWISE, GO TO INTRO ABOVE D8.

Now, I'd like you to think about the time you were in (PROGRAM) from (START DATE) to (END DATE). (POINT TO YELLOW PERIOD/START AND END DATES ON CALENDAR.)

D8. While you were in (PROGRAM), were you arrested?

- Yes 1 (D9) D8
- No 2 (SKIP TO D10)
- RF (SKIP TO D10)
- DK (SKIP TO D10)

D9. While you were in (PROGRAM), altogether, about how many times were you arrested? **RECORD NUMBER. PROBE FOR APPROXIMATE NUMBER OF ARRESTS IF R UNCERTAIN, INCLUDING JUVENILE ARRESTS. USE CALENDAR AS NEEDED.**

- _____ Number of Times (ASK D9A) D9
- RF (D10)
- DK (D10)

D9A. Thinking about the (NUMBER FROM D9) arrests you had while you were in (PROGRAM), what were the main charges you were arrested for? **RECORD VERBATIM AND CODE ALL THAT APPLY ON CODE LIST. (PROBE: What else?)**

D9Avrb

Possession of drugs/drug paraphernalia 01 D9A_1	Violation of parole/probation or other type of supervision 10 D9A_10
Drug sale or trafficking 02 D9A_2	<u>OTHER DRUG OFFENSES</u> 11 D9A_11 (Ex: Drug manufacture/Prescription fraud)
Driving while intoxicated (DWI)/ Driving under the influence (DUI) . . . 03 D9A_3	<u>OTHER PUBLIC ORDER OFFENSES</u> 2 D9A_12 (Ex: Bookmaking, Numbers, Gambling, Curfew violation, Truancy, Runaway)
Fraud or forgery, 04 D9A_4	<u>OTHER PROPERTY OFFENSE</u> . 13 D9A_13 (Ex: Fraud, forgery, motor vehicle theft, pick pocketing, purse snatching or mugging)
Burglary 05 D9A_5	<u>OTHER VIOLENT OFFENSE</u> . . 14 D9A_14 (Ex: Aggravated assault, statutory rape, manslaughter, possession/selling illegal weapons)
Other kinds of theft (Ex: Shoplifting, larceny, receiving/possessing stolen goods) 06 D9A_6	CANNOT CODE CHARGE . . . 15 D9A_15
Disorderly conduct, fighting or vandalism 07 D9A_7	RF
A violent offense (Ex: Armed robbery, assault with a weapon, sexual assault, arson, homicide) 08 D9A_8	DK
Prostitution or procurement 09 D9A_9	

D10. While you were in (PROGRAM), were there times when you mainly supported yourself by illegal activity (like hustling, dealing, fraud, boosting, and so on)?

Yes 1 D10

No 2 (D11)

RF

DK

D10A. While you were in (PROGRAM), would you say your involvement in illegal activity (like hustling, dealing, fraud, boosting, and so on) was more, less, or about the same as before you went there? **CODE ONE ONLY.**

- More 1 D10A
 - Less 2
 - About the same 3
 - NEVER DID ILLEGAL ACTIVITY**
 - BEFORE PROGRAM** 4
- RF
DK
-

D11. While you were in (PROGRAM), between (START DATE) and (END DATE) at anytime were you in jail, prison, or detention, or on probation or paroled for more than one day?

- Yes 1 (ASK D12) D11
 - No 2 (SKIP TO BOX C, PAGE D-9)
- RF
DK

<p>Y D12. While you were in (PROGRAM), at any time, were you ... READ CATEGORIES a-g AND CODE ONE ONLY FOR EACH.</p>		<p>FOR EACH STATUS a-g CODED "1" AT D12, ASK D13. IF NONE, SKIP TO BOX C.</p> <p>Y D13. While you were in (PROGRAM), altogether, about how much time did you spend ... READ APPROPRIATE CATEGORY a-g. RECORD NUMBER AND CODE DAYS, WEEKS, MONTHS OR YEARS.</p>
<p>a. in jail for more than one day?</p>	<p style="text-align: right;">D12a</p> <p>Yes 1 No 2</p> <p style="text-align: center;">RF DK</p>	<p>a. locked up in jail? (CODE ONE ONLY)</p> <p style="text-align: right;">D13a D13anum</p> <p>Days 1 Weeks 2 Months 3 Years 4</p> <p>_____ Number of ...</p>
<p>b. in prison at any time?</p>	<p style="text-align: right;">D12b</p> <p>Yes 1 No 2</p> <p style="text-align: center;">RF DK</p>	<p>b. locked up in prison? (CODE ONE ONLY)</p> <p style="text-align: right;">D13b D13bnum</p> <p>Days 1 Weeks 2 Months 3 Years 4</p> <p>_____ Number of ...</p>
<p>c. in juvenile detention?</p>	<p style="text-align: right;">D12c</p> <p>Yes 1 No 2</p> <p style="text-align: center;">RF DK</p>	<p>c. in juvenile detention? (CODE ONE ONLY)</p> <p style="text-align: right;">D13c D13cnum</p> <p>Days 1 Weeks 2 Months 3 Years 4</p> <p>_____ Number of ...</p>
<p>d. in a TASC or court diversion program?</p>	<p style="text-align: right;">D12d</p> <p>Yes 1 No 2</p> <p style="text-align: center;">RF DK</p>	<p>d. in a TASC or court diversion program? (CODE ONE ONLY)</p> <p style="text-align: right;">D13d D13dnum</p> <p>Days 1 Weeks 2 Months 3 Years 4</p> <p>_____ Number of ...</p>
<p>e. sentenced to probation?</p>	<p style="text-align: right;">D12e</p> <p>Yes 1 No 2</p> <p style="text-align: center;">RF DK</p>	<p>e. on probation? (CODE ONE ONLY)</p> <p style="text-align: right;">D13e D13enum</p> <p>Days 1 Weeks 2 Months 3 Years 4</p> <p>_____ Number of ...</p>

f. on parole?	D12f Yes 1 No 2 RF DK	f. on parole? (CODE ONE ONLY) D13f Days 1 Weeks 2 Months 3 Years 4 _____ Number of ...
g. on any other kind of correctional or criminal court supervision or control? (IF YES, SPECIFY) D12goth	D12g Yes 1 No 2 RF DK	g. under (SUPERVISION (CODE ONE ONLY) SPECIFIED AT D12g)? D13g Days 1 Weeks 2 Months 3 Years 4 _____ Number of ...

BOX C. SEE D1. IF R NEVER ARRESTED (D1=2, RF OR DK) SKIP TO D15. OTHERWISE ASK D14.

G D14. After [you left (PROGRAM) in (END DATE)/January, 1990]] and until now, altogether, about how many times have you been arrested? RECORD NUMBER. PROBE FOR APPROXIMATE NUMBER OF ARRESTS. IF R UNCERTAIN, INCLUDING JUVENILE ARRESTS. POINT TO BLUE/GREEN CALENDAR PERIOD AS NEEDED.

- Never 00 D14
 - One time 01
 - Two times 02
 - Three times 03
 - Four times 04
 - Five times 05
 - 6-10 times 06
 - 11-15 times 07
 - 16-30 times 08
 - 31-50 times 09
 - 51 times or more 10
- RF
DK

D14A. Of the (NUMBER OF TIMES FROM D14) you were arrested after [you left (PROGRAM) in (END DATE)/January, 1990]], altogether, how many times have you been arrested from (MONTH YEAR AGO) 1994/1995 to now? RECORD NUMBER. PROBE FOR APPROXIMATE NUMBER OF

ARRESTS IF R UNCERTAIN. IF "NONE", RECORD "000".

_____ Number of Times

D14A

RF
DK

G D15. After [you left (PROGRAM) in (END DATE)/January, 1990] and until now, have there been times when you mainly supported yourself by illegal activity (like hustling, dealing, fraud, boosting, and so on)?

D15

Yes 1 (ASK D15A) No 2 (BOX D)
RF (BOX D)
DK (BOX D)

D15A. From (MONTH YEAR AGO) 1994/1995 to now, have there been times when you mainly supported yourself by illegal activity (like hustling, dealing, fraud, boosting and so on)?

D15A

Yes 1 (ASK D15B)
No 2 (BOX D)
RF (BOX D)
DK (BOX D)

D15B. **(HAND CARD G).** From (MONTH YEAR AGO) 1994/1995 to now, for how many months would you say you have mainly supported yourself by illegal activity? Would you say less than one month, one month, 2-3 months, 4-5 months, 6-8 months, 9-11 months, or twelve months (the entire year)? **CODE ONE ONLY.**

D15B

Less than one month 01
One month 02
2-3 months 03
4-5 months 04
6-8 months 05
9-11 months 06
Twelve months/entire year 07

BOX D. SEE D5. IF R NEVER INCARCERATED/UNDER SUPERVISION (D5=3) SKIP TO D20. OTHERWISE, GO TO D16.

B/G D16. <u>After</u> you left (PROGRAM) in (END DATE)/January, 1990) and until now, have you been... READ CATEGORIES a-g.		D17. <u>After</u> (END DATE)/January, 1990] and until now, altogether, about how much time did you spend (CATEGORY FROM D16)? Was it less than one year, 1-2 years, 3-4 years or five years or more?
a. in jail <u>for more than one day</u> ?	D16a Yes 1 No 2 RF DK	Less than one year 1 1-2 years 2 3-4 years 3 Five years or more 4 RF DK D17a (ASK b)
b. in prison at any time?	D16b Yes 1 No 2 RF DK	Less than one year 1 1-2 years 2 3-4 years 3 Five years or more 4 RF DK D17b (ASK c)
c. in juvenile detention?	D16c Yes 1 No 2 RF DK	Less than one year 1 1-2 years 2 3-4 years 3 Five years or more 4 RF DK D17c (ASK d)
d. in a TASC or court diversion program?	D16d Yes 1 No 2 RF DK	Less than one year 1 1-2 years 2 3-4 years 3 Five years or more 4 RF DK D17d (ASK e)
e. sentenced to probation?	D16e Yes 1 No 2 RF DK	Less than one year 1 1-2 years 2 3-4 years 3 Five years or more 4 RF DK D17e (ASK f)

<p>f. on parole?</p>	<p style="text-align: right;">D16f</p> <p>Yes 1</p> <p>No 2</p> <p style="text-align: center;">RF</p> <p style="text-align: center;">DK</p>	<p>Less than one year 1</p> <p>1-2 years 2</p> <p>3-4 years 3</p> <p>Five years or more 4</p> <p style="text-align: center;">RF DK D17f</p> <p style="text-align: center;">(ASK g)</p>
<p>g. on any other kind of correctional or criminal court supervision or control? (IF YES, SPECIFY) D16gvrb</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>	<p style="text-align: right;">D16g</p> <p>Yes 1</p> <p>No 2</p> <p style="text-align: center;">RF</p> <p style="text-align: center;">DK</p>	<p>Less than one year 1</p> <p>1-2 years 2</p> <p>3-4 years 3</p> <p>Five years or more 4</p> <p style="text-align: center;">RF DK D17g</p> <p style="text-align: center;">(GO TO D18)</p>

D18. **SEE D16. IS MORE THAN ONE STATUS CODED "Y" (YES)?**

YES 1 (D19)

D18

NO 2 (D 20)

G

D19. After [you left (PROGRAM) in (END DATE)/January, 1990] and until now, altogether, about how many years have you spent (ALL CATEGORIES CODED "1" FROM D16)? Would you say it has been a total of less than one year, 1-2 years, 3-4 years, or five years or more? **CODE ONE ONLY. PROBE FOR TOTAL TIME ACROSS STATUSES.**

D19

Less than one year 1

1-2 years 2

3-4 years 3

Five years or more 4

RF

DK

D20. Have you ever stolen a vehicle (car, truck, van or motorcycle?)

D20

Yes 1 ASK A

No 2 (SKIP TO D21)

A. Did you ever steal a vehicle between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

D20A

Yes 1 ASK B

No 2 (SKIP TO C)

B. Were you ever arrested for stealing a vehicle between (DATE 5 YEARS BEFORE) and (START DATE)?

D20B

Yes 1 ASK C

No 2 ASK C

C. Did you ever steal a vehicle while you were attending (PROGRAM) between (START DATE) and (END DATE)?

D20C

Yes 1 ASK D

No 2 (SKIP TO E)

D. Were you ever arrested for stealing a vehicle while you attended (PROGRAM) between (START DATE) and (END DATE)?

D20D

Yes 1 ASK E

No 2 ASK E

G E. After you left (PROGRAM) in (END DATE) until now, did you ever steal a vehicle?

D20E

Yes 1 ASK F

No 2 (SKIP TO D21)

F. After you left (PROGRAM) in (END DATE) until now, were you ever arrested for stealing a vehicle?

D20F

Yes 1 ASK D21

No 2 ASK D21

D21. Have you ever driven while intoxicated (DWI)?

D21

Yes 1 ASK A

No 2 (SKIP TO D22)

A. Did you ever drive while intoxicated between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

D21A

Yes 1 ASK B

No 2 (SKIP TO C)

B. Were you ever arrested for driving while intoxicated (DWI) between (DATE 5 YEARS BEFORE) and (START DATE)?

D21B

Yes 1 ASK C

No 2 ASK C

C. Did you ever drive while intoxicated while you were attending (PROGRAM) between (START DATE) and (END DATE)?

D21C

- Yes 1 ASK D
- No 2 (SKIP TO E)

D. Were you ever arrested for driving while intoxicated (DWI) while you attended (PROGRAM) between (START DATE) and (END DATE)?

D21D

- Yes 1 ASK E
- No 2 ASK E

G E. After you left (PROGRAM) in (END DATE) until now, have you ever driven while intoxicated?

D21E

- Yes 1 ASK F
- No 2 (SKIP TO D22)

F. After you left (PROGRAM) in (END DATE) until now, were you ever arrested for driving while intoxicated?

D21F

- Yes 1 ASK D22
- No 2 ASK D22

D22. Have you ever driven while under the influence (DUI)?

D22

- Yes 1 ASK A
- No 2 (SKIP TO D23)

A. Did you ever drive while under the influence between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

D22A

- Yes 1 ASK B
- No 2 (SKIP TO C)

B. Were you ever arrested for driving while under the influence (DUI) between (DATE 5 YEARS BEFORE) and (START DATE)?

D22B

- Yes 1 ASK C
- No 2 ASK C

C. Did you ever drive while under the influence while you were attending (PROGRAM) between (START DATE) and (END DATE)?

D22C

Yes 1 ASK D

No 2 (SKIP TO E)

D. Were you ever arrested for driving while under the influence (DUI) while you attended (PROGRAM) between (START DATE) and (END DATE)?

D22D

Yes 1 ASK E

No 2 ASK E

G E. After you left (PROGRAM) in (END DATE) until now, have you ever driven while under the influence?

D22E

Yes 1 ASK F

No 2 (SKIP TO D23)

F. After you left (PROGRAM) in (END DATE) until now, were you ever arrested for driving while under the influence?

D22F

Yes 1 ASK D23

No 2 ASK D23

D23. Have you ever committed any kind of public disorder offenses, such as fighting, disorderly conduct, or vandalism?

D23

Yes 1 ASK A

No 2 (SKIP TO D24)

A. Did you ever commit any kind of public disorder offenses, such as fighting, disorderly conduct, or vandalism between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

D23A

Yes 1 ASK B

No 2 (SKIP TO C)

B. Were you ever arrested for committing any kind of public disorder offenses, such as fighting, disorderly conduct, or vandalism between (DATE 5 YEARS BEFORE) and (START DATE)?

D23B

Yes 1 ASK C

No 2 ASK C

C. Did you ever commit any kind of public disorder offenses, such as fighting, disorderly conduct, or vandalism while you were attending (PROGRAM) between (START DATE) and (END DATE)? D23C

Yes 1 **ASK D**

No 2 **(SKIP TO E)**

D. Were you ever arrested for committing any kind of public disorder offenses, such as fighting, disorderly conduct, or vandalism while you attended (PROGRAM) between (START DATE) and (END DATE)? D23D

Yes 1 **ASK E**

No 2 **ASK E**

G E. After you left (PROGRAM) in (END DATE) until now, have you ever committed any kind of public disorder offenses, such as fighting, disorderly conduct, or vandalism? D23E

Yes 1 **ASK F**

No 2 **(SKIP TO D24)**

F. After you left (PROGRAM) in (END DATE) until now, were you ever arrested for committing any kind of public disorder offenses, such as fighting, disorderly conduct, or vandalism? D23F

Yes 1 **ASK D24**

No 2 **ASK D24**

D24. Have you ever sold drugs or helped someone else sell drugs, including cutting, weighing, packaging, making or holding drugs, or having drug paraphernalia? D24

Yes 1 **ASK A**

No 2 **(SKIP TO D25)**

A. Did you ever sell drugs or help someone else sell drugs, including cutting, weighing, packaging, making or holding drugs, or having drug paraphernalia between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)? D24A

Yes 1 **ASK B**

No 2 **(SKIP TO C)**

B. Were you ever arrested for selling drugs or helping someone else sell drugs, including cutting, weighing, packaging, making or holding drugs, or having drug paraphernalia between (DATE 5 YEARS BEFORE) and (START DATE)? D24B

Yes 1 **ASK C**

No 2 ASK C

C. Did you ever sell drugs or help someone else sell drugs, including cutting, weighing, packaging, making or holding drugs, or having drug paraphernalia while you were attending (PROGRAM) between (START DATE) and (END DATE)?

D24C

- Yes 1 ASK D
- No 2 (SKIP TO E)

D. Were you ever arrested for selling drugs or helping someone else sell drugs, including cutting, weighing, packaging, making or holding drugs, or having drug paraphernalia while you attended (PROGRAM) between (START DATE) and (END DATE)?

D24D

- Yes 1 ASK E
- No 2 ASK E

G E. After you left (PROGRAM) in (END DATE) until now, have you ever sold drugs or helped someone else sell drugs, including cutting, weighing, packaging, making or holding drugs, or having drug paraphernalia?

D24E

- Yes 1 ASK F
- No 2 (SKIP TO D25)

F. After you left (PROGRAM) in (END DATE) until now, were you ever arrested for selling drugs or helping someone else sell drugs, including cutting, weighing, packaging, making or holding drugs, or having drug paraphernalia?

D24F

- Yes 1 ASK D25
- No 2 ASK D25

D25. Have you ever had sex for money or drugs (prostitution) or asked others to have sex for money or drugs (procurement)?

D25

- Yes 1 ASK A
- No 2 (SKIP TO D26)

A. Did you ever have sex for money or drugs (prostitution) or asked others to have sex for money or drugs (procurement) between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

D25A

- Yes 1 ASK B
- No 2 (SKIP TO C)

B. Were you ever arrested for having sex for money or drugs (prostitution) or asking others to have sex for money or drugs (procurement) between (DATE 5 YEARS BEFORE) and (START DATE)? D25B
Yes 1 ASK C
No 2 ASK C

C. Did you ever have sex for money or drugs (prostitution) or asked others to have sex for money or drugs (procurement) while you were attending (PROGRAM) between (START DATE) and (END DATE)? D25C
Yes 1 ASK D
No 2 (SKIP TO E)

D. Were you ever arrested for having sex for money or drugs (prostitution) or asking others to have sex for money or drugs (procurement) while you attended (PROGRAM) between (START DATE) and (END DATE)? D25D
Yes 1 ASK E
No 2 ASK E

G E. After you left (PROGRAM) in (END DATE) until now, have you ever had sex for money or drugs (prostitution) or asked others to have sex for money or drugs (procurement)? D25E
Yes 1 ASK F
No 2 (SKIP TO D26)

F. After you left (PROGRAM) in (END DATE) until now, were you ever arrested for having sex for money or drugs (prostitution) or asking others to have sex for money or drugs (procurement)? D25F
Yes 1 ASK D26
No 2 ASK D26

D26. Have you ever passed bad checks, forged checks, used a stolen credit card, or done any other kind of fraud or forgery? D26
Yes 1 ASK A
No 2 (SKIP TO D27)

A. Did you ever pass bad checks, forge checks, use a stolen credit card, or do any other kind of fraud or forgery between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)? D26A
Yes 1 ASK B

No 2 (SKIP TO C)

B. Were you ever arrested for passing bad checks, forging checks, using a stolen credit card, or doing any other kind of fraud or forgery between (DATE 5 YEARS BEFORE) and (START DATE)? D26B

Yes 1 **ASK C**

No 2 **ASK C**

C. Did you ever pass bad checks, forge checks, use a stolen credit card, or do any other kind of fraud or forgery while you were attending (PROGRAM) between (START DATE) and (END DATE)? D26C

Yes 1 **ASK D**

No 2 **(SKIP TO E)**

D. Were you ever arrested for passing bad checks, forging checks, using a stolen credit card, or doing any other kind of fraud or forgery while you attended (PROGRAM) between (START DATE) and (END DATE)? D26D

Yes 1 **ASK E**

No 2 **ASK E**

G E. After you left (PROGRAM) in (END DATE) until now, have you ever passed bad checks, forged checks, used a stolen credit card, or done any other kind of fraud or forgery? D26E

Yes 1 **ASK F**

No 2 **(SKIP TO D27)**

F. After you left (PROGRAM) in (END DATE) until now, were you ever arrested for passing bad checks, forging checks, using a stolen credit card, or doing any other kind of fraud or forgery? D26F

Yes 1 **ASK D27**

No 2 **ASK D27**

D27. Have you ever shoplifted (boosted) or committed any other kind of theft, such as larceny or selling (fencing) stolen goods? D27

Yes 1 **ASK A**

No 2 **(SKIP TO D28)**

A. Did you ever shoplift (boost) or commit any other kind of theft, such as larceny or selling (fencing) stolen goods between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)? D27A

Yes 1 **ASK B**

No 2 (SKIP TO C)

B. Were you ever arrested for shoplifting (boosting) or committing any other kind of theft, such as larceny or selling (fencing) stolen goods between (DATE 5 YEARS BEFORE) and (START DATE)?

D27B

Yes 1 ASK C

No 2 ASK C

C. Did you ever shoplift (boost) or commit any other kind of theft, such as larceny or selling (fencing) stolen goods while you were attending (PROGRAM) between (START DATE) and (END DATE)?

D27C

Yes 1 ASK D

No 2 (SKIP TO E)

D. Were you ever arrested for shoplifting (boosting) or committing any other kind of theft, such as larceny or selling (fencing) stolen goods while you attended (PROGRAM) between (START DATE) and (END DATE)?

D27D

Yes 1 ASK E

No 2 ASK E

G E. After you left (PROGRAM) in (END DATE) until now, have you ever shoplifted (boosted) or committed any other kind of theft, such as larceny or selling (fencing) stolen goods?

D27E

Yes 1 ASK F

No 2 (SKIP TO D28)

F. After you left (PROGRAM) in (END DATE) until now, were you ever arrested for shoplifting (boosting) or committing any other kind of theft, such as larceny or selling (fencing) stolen goods ?

D27F

Yes 1 ASK D28

No 2 ASK D28

D28. Have you ever broken into a house, a business, or a vehicle to take someone else's money or property?

D28

Yes 1 ASK A

No 2 (SKIP TO D29)

A. Did you ever break into a house, a business, or a vehicle to take someone else's money or property between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

D28A

Yes 1 ASK B

No 2 (SKIP TO C)

B. Were you ever arrested for breaking into a house, a business, or a vehicle to take someone else's money or property between (DATE 5 YEARS BEFORE) and (START DATE)?

D28B

- Yes 1 ASK C
- No 2 ASK C

C. Did you ever break into a house, a business, or a vehicle to take someone else's money or property while you were attending (PROGRAM) between (START DATE) and (END DATE)?

D28C

- Yes 1 ASK D
- No 2 (SKIP TO E)

D. Were you ever arrested for breaking into a house, a business, or a vehicle to take someone else's money or property while you attended (PROGRAM) between (START DATE) and (END DATE)?

D28D

- Yes 1 ASK E
- No 2 ASK E

G E. After you left (PROGRAM) in (END DATE) until now, have you ever broken into a house, a business, or a vehicle to take someone else's money or property?

D28E

- Yes 1 ASK F
- No 2 (SKIP TO D29)

F. After you left (PROGRAM) in (END DATE) until now, were you ever arrested for breaking into a house, a business, or a vehicle to take someone else's money or property?

D28F

- Yes 1 ASK D29
- No 2 ASK D29

D29. Have you ever used a weapon or physical force against someone to steal money or property from them?

D29

- Yes 1 ASK A
- No 2 (SKIP TO D30)

A. Did you ever use a weapon or physical force against someone to steal money or property from them between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

D29A

- Yes 1 ASK B
- No 2 (SKIP TO C)

B. Were you ever arrested for using a weapon or physical force against someone to steal money or property from them between (DATE 5 YEARS BEFORE) and (START DATE)?

D29B

- Yes 1 ASK C
- No 2 ASK C

C. Did you ever use a weapon or physical force against someone to steal money or property from them while you were attending (PROGRAM) between (START DATE) and (END DATE)?

D29C

- Yes 1 ASK D
- No 2 (SKIP TO E)

D. Were you ever arrested for using a weapon or physical force against someone to steal money or property from them while you attended (PROGRAM) between (START DATE) and (END DATE)?

D29D

- Yes 1 ASK E
- No 2 ASK E

G E. After you left (PROGRAM) in (END DATE) until now, have you ever used a weapon or physical force against someone to steal money or property from them?

D29E

- Yes 1 ASK F
- No 2 (SKIP TO D30)

F. After you left (PROGRAM) in (END DATE) until now, were you ever arrested for using a weapon or physical force against someone to steal money or property from them?

D29F

- Yes 1 ASK D30
- No 2 ASK D30

D30. Have you ever set fire to a house, building, or vehicle?

D30

- Yes 1 ASK A
- No 2 (SKIP TO D31)

A. Did you ever set fire to a house, building, or vehicle between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

D30A

- Yes 1 ASK B
- No 2 (SKIP TO C)

B. Were you ever arrested for setting fire to a house, building, or vehicle between (DATE 5 YEARS BEFORE) and (START DATE)?

D30B

Yes 1 ASK C

No 2 ASK C

C. Did you ever set fire to a house, building, or vehicle while you were attending (PROGRAM) between (START DATE) and (END DATE)?

D30C

Yes 1 ASK D

No 2 (SKIP TO E)

D. Were you ever arrested for setting fire to a house, building, or vehicle while you attended (PROGRAM) between (START DATE) and (END DATE)?

D30D

Yes 1 ASK E

No 2 ASK E

G E. After you left (PROGRAM) in (END DATE) until now, have you ever set fire to a house, building, or vehicle?

D30E

Yes 1 ASK F

No 2 (SKIP TO D31)

F. After you left (PROGRAM) in (END DATE) until now, were you ever arrested for setting fire to a house, building, or vehicle?

D30F

Yes 1 ASK D31

No 2 ASK D31

D31. Have you ever threatened or attacked someone with a weapon?

D31

Yes 1 ASK A

No 2 (SKIP TO D32)

A. Did you ever threaten or attack someone with a weapon between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

D31A

Yes 1 ASK B

No 2 (SKIP TO C)

B. Were you ever arrested for threatening or attacking someone with a weapon between (DATE 5 YEARS BEFORE) and (START DATE)?

D31B

Yes 1 ASK C

No 2 ASK C

C. Did you ever threaten or attack someone with a weapon while you were attending (PROGRAM) between (START DATE) and (END DATE)?

D31C

Yes 1 ASK D

No 2 (SKIP TO E)

D. Were you ever arrested for threatening or attacking someone with a weapon while you attended (PROGRAM) between (START DATE) and (END DATE)?

D31D

Yes 1 ASK E

No 2 ASK E

G E. After you left (PROGRAM) in (END DATE) until now, have you ever threatened or attacked someone with a weapon?

D31E

Yes 1 ASK F

No 2 (SKIP TO D32)

F. After you left (PROGRAM) in (END DATE) until now, were you ever arrested for threatening or attacking someone with a weapon?

D31F

Yes 1 ASK D32

No 2 ASK D32

D32. Have you ever forced someone to have sex or do any kind of sex act against their will?

D32

Yes 1 ASK A

No 2 (SKIP TO D33)

A. Did you ever force someone to have sex or do any kind of sex act against their will between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

D32A

Yes 1 ASK B

No 2 (SKIP TO C)

B. Were you ever arrested for forcing someone to have sex or do any kind of sex act against their will between (DATE 5 YEARS BEFORE) and (START DATE)?

D32B

Yes 1 ASK C

No 2 ASK C

C. Did you ever force someone to have sex or do any kind of sex act against their will while you were attending (PROGRAM) between (START DATE) and (END DATE)?

D32C

Yes 1 ASK D

No 2 (SKIP TO E)

D. Were you ever arrested for forcing someone to have sex or do any kind of sex act against their will while you attended (PROGRAM) between (START DATE) and (END DATE)?

D32D

Yes 1 ASK E

No 2 ASK E

G E. After you left (PROGRAM) in (END DATE) until now, have you ever forced someone to have sex or do any kind of sex act against their will?

D32E

Yes 1 ASK F

No 2 (SKIP TO D33)

F. After you left (PROGRAM) in (END DATE) until now, were you ever arrested for forcing someone to have sex or do any kind of sex act against their will?

D32F

Yes 1 ASK D33

No 2 ASK D33

D33. Have you ever killed someone, other than by accident?

D33

Yes 1 ASK A

No 2 (SKIP TO D34)

A. Did you ever kill someone, other than by accident between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

D33A

Yes 1 ASK B

No 2 (SKIP TO C)

B. Were you ever arrested for killing someone, other than by accident between (DATE 5 YEARS BEFORE) and (START DATE)?

D33B

Yes 1 ASK C

No 2 ASK C

C. Did you ever kill someone, other than by accident while you were attending (PROGRAM) between (START DATE) and (END DATE)?

D33C

Yes 1 ASK D

No 2 (SKIP TO E)

D. Were you ever arrested for killing someone, other than by accident while you attended (PROGRAM) between (START DATE) and (END DATE)?

D33D

Yes 1 ASK E

No 2 ASK E

G E. After you left (PROGRAM) in (END DATE) until now, have you ever killed someone, other than by accident?

D33E

Yes 1 ASK F

No 2 (SKIP TO D34)

F. After you left (PROGRAM) in (END DATE) until now, were you ever arrested for killing someone, other than by accident?

D33F

Yes 1 ASK D34

No 2 ASK D34

D34. Have you ever violated parole, probation or any other kind of supervision?

D34

Yes 1 ASK A

No 2 (SKIP TO D35)

A. Did you ever violate parole, probation or any other kind of supervision between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

D34A

Yes 1 ASK B

No 2 (SKIP TO C)

B. Were you ever arrested for violating parole, probation or any other kind of supervision between (DATE 5 YEARS BEFORE) and (START DATE)?

D34B

Yes 1 ASK C

No 2 ASK C

C. Did you ever violate parole, probation or any other kind of supervision while you were attending (PROGRAM) between (START DATE) and (END DATE)?

D34C

Yes 1 ASK D

No 2 (SKIP TO E)

D. Were you ever arrested for violating parole, probation or any other kind of supervision while you attended (PROGRAM) between (START DATE) and (END DATE)?

D34D

Yes 1 ASK E

No 2 ASK E

G E. After you left (PROGRAM) in (END DATE) until now, have you ever violated parole, probation or any other kind of supervision?

D34E

Yes 1 ASK F

No 2 (SKIP TO D35)

F. After you left (PROGRAM) in (END DATE) until now, were you ever arrested for violating parole, probation or any other kind of supervision?

D34F

Yes 1 ASK D35

No 2 ASK D35

D35. Have you ever done anything else against the law that I didn't ask about?

D35

Yes 1 SPECIFY AND ASK A

Please specify: _____

D35vrb

No 2 (SKIP TO D36)

A. Did you ever do anything else against the law that I didn't ask about between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

D35A

Yes 1 SPECIFY AND ASK B

Please specify: _____

D35Avrb

No 2 (SKIP TO C)

B. Were you ever arrested for doing anything else against the law that I didn't ask about between (DATE 5 YEARS BEFORE) and (START DATE)?

D35B

Yes 1 ASK C

Please specify: _____

D35Bvrb

No 2 ASK C

C. Did you ever do anything else against the law that I didn't ask about while you were attending (PROGRAM) between (START DATE) and (END DATE)?

D35C

Yes 1 SPECIFY AND ASK D

Please specify: _____

D35Cvrb

No 2 (SKIP TO E)

D. Were you ever arrested for doing anything else against the law that I didn't ask about while you attended (PROGRAM) between (START DATE) and (END DATE)?

D35D

Yes 1 SPECIFY AND ASK E

Please specify: _____

D35Dvrb

No 2 ASK E

G E. After you left (PROGRAM) in (END DATE) until now, have you ever done anything else against the law that I haven't ask about?

D35E

Yes 1 SPECIFY AND ASK F

Please specify: _____

D35Evrb

No 2 (SKIP TO D36)

F. After you left (PROGRAM) in (END DATE) until now, were you ever arrested for doing anything else against the law that I didn't ask about?

D35F

Yes 1 SPECIFY AND ASK D36

Please specify: _____

D35Fvrb

No 2 ASK D36

D36. Right now, are you under supervision by the court, the sheriff, or the department of corrections?

D36

Yes 1 (ASK D36A)

No 2 (GO TO SECTION E)

R CURRENTLY INCARCERATED 3 (GO TO SECTION E)

D36A. Right now,... **READ CATEGORIES a-d AND CODE ONE ONLY FOR EACH.**

- | | <u>Yes</u> | <u>No</u> | | |
|--|------------|-----------|----|------------|
| a. are you on probation? | 1 | 2 | RF | .. DKD36Aa |
| b. are you on parole or conditional release? | 1 | 2 | RF | .. DKD36Ab |
| c. do you have any outstanding warrants on you? | 1 | 2 | RF | .. DKD36Ac |
| d. are you under any other kind of supervision or surveillance?
(IF YES, SPECIFY) | 1 | 2 | RF | .. DKD36Ad |

D36Advrb

GO TO SECTION E, NEXT PAGE

THIS PAGE INTENTIONALLY BLANK

SECTION E. MARITAL STATUS

The next set of questions are about whether you have been married or lived with someone in a marriage-like relationship.

E1. First, are you currently married?

E1

- Yes 1 (E4)
No 2 (E1A)

E1A. Have you ever been married?

E1A

- Yes 1 (E4)
No 2 (E2)
MARRIAGE WAS ANNULLED 3 (E4)
-

E2. Have you ever lived with someone in a marriage-like relationship?

E2

- Yes 1
No 2 (SKIP TO SECTION F)
-

E3. Altogether, how many individuals have you been married to or lived with in a marriage-like relationship?

E3

_____ Number of Individuals
RF
DK

E4. In what month and year did you start living with the first partner you were married to or in a marriage-like relationship with? **RECORD AND PROBE FOR MONTH AND YEAR.**

E4MONTH
E4YEAR

_____ 19 _____
Month Year
RF RF
DK DK

E5.	SEE E4. IS YEAR RECORDED BEFORE START DATE YEAR/JANUARY, 1990?	E5
	YES 1 (E6)	
	NO 2 (SKIP TO E7)	

P E6. In the five years before [you went to (PROGRAM) in (START DATE)/January, 1990] altogether, how many years did you live with the partner(s) you were married to or in a marriage-like relationship with? Would you say...

	Less than one year, 1	E6
	1-2 years, 2	
	3-4 years, or 3	
	5 years or more? 4	
	RF	
	DK	

E7.	IF NO YELLOW PERIOD ON CALENDAR, SKIP TO E9. OTHERWISE, GO TO E8.	E7
-----	--	----

Y E8. When you first entered (PROGRAM) in (START DATE)/in January, 1990, were you... **READ CATEGORIES a-b AND CODE ONE ONLY FOR EACH.**

a.	married?	Yes 1 (E9)	E8a
		No 2 (ASK b)	
		RF (E9)	
		DK (ASK b)	
b.	in a marriage-like relationship?	Yes 1	E8b
		No 2	
		RF	
		DK	

GO TO E9, NEXT PAGE

B/G E9. **(HAND CARD H).** After [you left (PROGRAM) in (END DATE)/January, 1990] and until now, altogether, about how much time have you lived with a partner you were married to or in a marriage-like relationship with? Would you say...

E9

- Less than one month, 01
- 1-6 months, 02
- 7-11 months, 03
- 1-2 years, 04
- 3-5 years, or 05
- More than five years? 06
- NONE 07 **(SKIP TO SECTION F)**
- R WAS NOT LIVING WITH PARTNER 08 **(SKIP TO SECTION F)**
- RF **(SKIP TO SECTION F)**
- DK **(SKIP TO SECTION F)**

G E10. From (MONTH YEAR AGO 1994/1995) to now, how much time have you lived with a partner you were married to or in a marriage-like relationship with? Has it been... **READ CATEGORIES AND CODE ONE ONLY.**

E10

- Less than one month 01
- 1-2 months 02
- 3-4 months 03
- 5-6 months 04
- 7-8 months 05
- 9-11 months 06
- 12 months/entire year 07
- NONE 08
- R WAS NOT LIVING WITH PARTNER 09
- RF
- DK

GO TO SECTION F, NEXT PAGE

THIS PAGE INTENTIONALLY BLANK

SECTION F. LIVING ARRANGEMENTS

The next questions are about your current and past living arrangements. I would first like to ask you a few questions about your natural mother and father.

F1. Was your natural mother (that is, your birth mother) born in the United States?

F1

Yes 1

No 2

NEVER KNEW NATURAL MOTHER 3

RF

DK

F2. Was your natural father (that is, your birth father) born in the United States?

F2

Yes 1

No 2

NEVER KNEW NATURAL FATHER 3

RF

DK

Now, I would like to ask you about the people who raised you for most of your life, including your natural parents, stepparents, foster parents, or adoptive parents.

F3. Right now, are you currently living with either or both your parents?

F3

Yes, lives with parents 1

(F5)

Yes, lives with mother only 2

(F3B)

Yes, lives with father only 3

(F3A)

No 4

(F3A)

RF

DK

F3A. How old were you when you last lived with your mother? Again, I'm asking about the mother who raised you most of your life [including your natural mother, stepmother, adoptive or foster mother, grandmother or the mother who raised you for most of your life]. **RECORD AGE. IF LESS THAN 1 YEAR OLD, RECORD "00". IF NEVER LIVED WITH ANY MOTHER, CODE "NA".**

F3A

_____ Years old

NEVER LIVED WITH ANY MOTHER...NA

IF R CURRENTLY LIVES WITH FATHER, SKIP TO F4.

F3B. How old were you when you last lived with your father? Again, I'm asking about the father who raised you most of your life [including your natural father, stepfather, adoptive or foster father, grandfather or the father who raised you for most of your life]. **RECORD AGE. IF LESS THAN 1 YEAR OLD, RECORD "00". IF NEVER LIVED WITH ANY FATHER, CODE "NA".**

F3B

_____ Years old (SKIP TO F4)

NEVER LIVED WITH ANY FATHER...NA (SKIP TO F4)

F4. CODE APPROPRIATE RESPONSE:		F4
R NEVER LIVED WITH ANY PARENTS (F3A+F3B="NA")	... 1	(SKIP TO INTRO ABOVE F7)
R NEVER LIVED WITH MOTHER (F3A = "NA") 2	(ASK F5 ONLY)
R NEVER LIVED WITH FATHER (F3B = "NA") 3	(ASK F6 ONLY)
R LIVED WITH BOTH PARENTS 4	(ASK F5 AND F6)

F5. What is the highest grade or year of school that your father (who raised you most of your life) has ever completed and gotten credit for? **RECORD GRADE/YEAR. PROBE FOR APPROXIMATE GRADE/YEAR IF R UNCERTAIN.**

F5

- 1st Grade 01
- 2nd Grade 02
- 3rd Grade 03
- 4th Grade 04
- 5th Grade 05
- 6th Grade 06
- 7th Grade 07
- 8th Grade 08
- 9th Grade 09
- 10th Grade 10
- 11th Grade 11
- 12th Grade 12
- 1 Year College 13
- 2 Years College 14
- 3 Years College 15
- 4 Years College 16
- Graduate/Professional School 17
- NEVER ATTENDED SCHOOL 00
- RF
- DK

F5A. **IF F5=12 OR LESS, ASK:** Does he have a high school diploma or a GED? **CODE ONE ONLY.**

F5A

- Yes, diploma 1
- Yes, GED 2
- No 3

F6 NEXT PARENT/SKIP TO INTRO ABOVE F7

F6. What is the highest grade or year of school that your mother (who raised you most of your life) has ever completed and gotten credit for? **RECORD GRADE/YEAR. PROBE FOR APPROXIMATE GRADE/YEAR IF R UNCERTAIN.**

F6

- 1st Grade 01
 - 2nd Grade 02
 - 3rd Grade 03
 - 4th Grade 04
 - 5th Grade 05
 - 6th Grade 06
 - 7th Grade 07
 - 8th Grade 08
 - 9th Grade 09
 - 10th Grade 10
 - 11th Grade 11
 - 12th Grade 12
 - 1 Year College 13
 - 2 Years College 14
 - 3 Years College 15
 - 4 Years College 16
 - Graduate/Professional School 17
 - NEVER ATTENDED SCHOOL 00
- RF
DK

F6A. **IF F6=12 OR LESS, ASK:** Does she have a high school diploma or a GED? **CODE ONE ONLY.**

F6A

- Yes, diploma 1
- Yes, GED 2
- No 3

GO TO INTRO ABOVE F7

Now, I would like to ask you some questions about other living arrangements you may have had (before you were 18 years old.)

F7. Did the courts or a social service agency ever arrange a place for you to live separate from your family (before you were 18 years old)? F7

- Yes 1
 - No 2
- RF
DK
-

F8. Did you ever run away from home or the place you usually lived (before you were 18 years old)?

- Yes 1 (ASK F8A)
 - No 2 (F9)
- RF (F9)
DK (F9)

F8A. Altogether, how many times did you run away (before you were 18 years old)? **RECORD NUMBER OF TIMES. PROBE FOR APPROXIMATE NUMBER IF R UNCERTAIN.**

F8A

- _____ Times
- RF
DK
-

F9. Were you ever asked to leave home by a parent or guardian who was raising you or you were living with (before you were 18 years old)?

F9

- Yes 1
 - No 2
- RF
DK
-

Now, I would like to ask you about any children you have or you have raised, including your natural children, stepchildren, foster children or adopted children.

F10. Altogether, how many natural children do you have? **RECORD NUMBER OF NATURAL CHILDREN ONLY. PROBE FOR LIVE BIRTHS OF CHILDREN. IF NONE, CODE "00".**

F10*

Number of children

NONE 00
RF
DK

F10A. Have you ever had custody of any adopted children, foster children or stepchildren?
(By custody, I mean being legally in charge of a child.)

F10A

Yes 1
No 2
RF
DK

IF F10=00 AND F10A=2, SKIP TO F15.

P F11. Thinking about the five years before [you went to (PROGRAM) in (START MONTH/
YEAR)/January, 1990], did you have custody of any children, including your natural children,
stepchildren, adopted children or foster children? (By custody, I mean being legally in charge of a
child).

F11

Yes 1 (ASK F11A)
No 2 (F12)
RF (F12)
DK (F12)

F11A. In the five years before [you went to (PROGRAM) in (START DATE)/ January, 1990], how
many children under 18 years old did you raise and live with, including your natural children,
stepchildren, adopted children and foster children? **RECORD TOTAL NUMBER OF
CHILDREN. IF NONE, CODE "00".**

F11A*

_____ Number of Children (F12)
NONE 00 (F12)
RF (F12)
DK (F12)

B/G F12. After [you left (PROGRAM) in (END DATE)/January, 1990] and until now, have you had custody
of any children, including your natural children, stepchildren, adopted children or foster children?

F12

Yes 1 (ASK F12A)
No 2 (F13)
RF (F13)
DK (F13)

Y

F13C. While you were in (PROGRAM), did you lose custody of (any of your natural children under 18 years old or) any (other) children you were raising? F13C

- Yes 1 (ASK F13D)
- No 2 (F13E)
- GAVE UP CUSTODY TO GO TO TREATMENT ... 3 (ASK F13D)
- RF (F13E)
- DK (F13E)

F13D. Did you get custody back of [(any of your natural children under 18 years old or) any (other) children you were raising] during this period? USE CALENDAR AS NEEDED. F13D

- Yes 1 (ASK F13E)
- No 2 (ASK F13E)
- REGAINED CUSTODY BY COMPLETING
- TREATMENT 3 (ASK F13E)
- RF (ASK F13E)
- DK (ASK F13E)

B/G

F13E. After [(END DATE)/January, 1990] and until now, have you lost custody (of any of your natural children under 18 years old or) any (other) children you were raising? F13E

- Yes 1 (ASK F13F)
- No 2 (F14)
- GAVE UP CUSTODY TO GO TO TREATMENT ... 3 (ASK F13F)
- RF (F14)
- DK (F14)

F13F. Did you get custody back of [(any of your natural children under 18 years old or) any (other) children you were raising] during this period and until now? USE CALENDAR AS NEEDED. F13F

- Yes 1
- No 2
- REGAINED CUSTODY BY COMPLETING
- TREATMENT 3
- RF
- DK

F14. Do you have any natural children, stepchildren, adopted children or foster children who are 18 years or older? Please do not include children you have already told me about. F14

- YES 1 (ASK F14A)
- NO 2 (F15)
- RF (F15)

DK (F15)

B/G F14A. After [(END DATE)/January, 1990], and until now, how many children 18 years or older have you lived with, including your natural children, stepchildren, adopted children or foster children? RECORD TOTAL NUMBER OF CHILDREN. IF NONE, CODE "00."

F14A*

_____ Number of Children
 NONE 00
 RF
 DK

P F15. Thinking about the five years before [you went to (PROGRAM) in (START DATE)/January, 1990] did you, for at least two nights in a row, have no place to stay except for a homeless shelter or being on the street?

F15

Yes 1 (ASK F15A)
 No 2 (GO TO INTRO ABOVE F16)
 RF (GO TO INTRO ABOVE F16)
 DK (GO TO INTRO ABOVE F16)

F15A. Did you stay in shelters, on the street, or both?

F15A

In shelters 1 (ASK F15B ONLY)
 On the street 2 (ASK F15C ONLY)
 Both 3 (ASK BOTH F15B+F15C)

F15B. In the five years before [(START DATE)/January, 1990], altogether, how much time would you say you have spent in a shelter? **CODE ONE ONLY. IF NECESSARY, PROBE WITH CATEGORIES.**

F15B

None 00
 Less than 1 month 01
 1-6 months 02
 7-12 months 03
 13-18 months 04
 19-30 months 05
 31-42 months 06
 43-54 months 07
 More than 54 months 08
 HOMELESS IN SHELTERS ENTIRE TIME .. 09 (GO TO INTRO ABOVE F16)
 RF

DK

F15C. In the five years before [(START DATE)/January, 1990], altogether, how much time would you say you have spent out on the street? **CODE ONE ONLY. IF NECESSARY, PROBE WITH CATEGORIES.**

F15C

- None. 00
- Less than 1 month 01
- 1-6 months 02
- 7-12 months 03
- 13-18 months 04
- 19-30 months 05
- 31-42 months 06
- 43-54 months 07
- More than 54 months 08
- HOMELESS ON STREET ENTIRE TIME . . . 09
- RF
- DK

Now, I have some other questions about your living arrangements after [you left (PROGRAM) in (END DATE)/January, 1990] and until now.

B/G F16. After [you left (PROGRAM) in (END DATE)/January, 1990] and until now, at any time, have you lived in your own apartment or house, either renting or buying, including living with parents or guardians?

F16

- Yes 1 (ASK F16A)
- No 2 (F17)
- RF (F17)
- DK (F17)

F16A. After [(END DATE)/January, 1990] and until now, altogether, about how much time would you say you have lived in all the apartment(s) or house(s) that you rented or bought? **CODE ONE ONLY. IF NECESSARY, PROBE WITH CATEGORIES.**

F16A

- Less than 1 month 01
- 1-6 months 02
- 7-12 months 03
- 13-18 months 04
- 19-30 months 05
- 31-42 months 06
- 43-54 months 07
- More than 54 months 08
- ENTIRE TIME 09

RF
DK

B/G F17. After [you left (PROGRAM) in (END DATE)/January, 1990] and until now, have you, for at least two nights in a row, had no place to stay except for a homeless shelter or being on the street?

F17

- Yes 1 (ASK F17A)
- No 2 (GO TO BOX F18)
- RF (GO TO BOX F18)
- DK (GO TO BOX F18)

F17A. Did you stay in shelters, on the street, or both?

F17A

- In shelters 1 (ASK F17B ONLY)
- On the street 2 (ASK F17C ONLY)
- Both 3 (ASK BOTH F17B+F17C)

B/G

F17B. After [(END DATE)/January, 1990] and until now, altogether, how much time would you say you have spent in a shelter? **CODE ONE ONLY. IF NECESSARY, PROBE WITH CATEGORIES.**

F17B

- None 00
- Less than 1 month 01
- 1-6 months 02
- 7-12 months 03
- 13-18 months 04
- 19-30 months 05
- 31-42 months 06
- 43-54 months 07
- More than 54 months 08
- HOMELESS IN SHELTERS ENTIRE TIME .. 09 **(GO TO F18)**
- RF
- DK

F17C. After [(END DATE)/January, 1990] and until now, altogether, how much time would you say you have spent out on the street? **CODE ONE ONLY. IF NECESSARY, PROBE WITH CATEGORIES.**

F17C

- None..... 00
- Less than 1 month 01
- 1-6 months 02
- 7-12 months 03
- 13-18 months 04
- 19-30 months 05
- 31-42 months 06
- 43-54 months 07
- More than 54 months 08
- HOMELESS ON STREET ENTIRE TIME ... 09
- DK
- RF

F18. SEE A6 & A7. IF R HAS NEVER ATTENDED SCHOOL (A6=4 OR A7 = 18), SKIP TO SECTION G. OTHERWISE, GO TO INTRO ABOVE F19.

Now, I would like to ask a few questions about your education after [(END DATE)/January, 1990] and until now.

B/G F19. After [(END DATE)/January, 1990] and until now, have you attended any type of school, a GED or high school equivalency program, an apprenticeship program, or taken any other classes to further your education or improve your job skills?

F19

- Yes 1 (ASK F19A)
- No 2 (GO TO SECTION G)
- RF (GO TO SECTION G)
- DK (GO TO SECTION G)

F19A. Which ones? **RECORD VERBATIM AND CODE ALL THAT APPLY. PROBE FOR ALL SCHOOLS/PROGRAMS. IF NECESSARY, PROBE WITH CATEGORIES.**

- Elementary school 01 (ASK F19B) F19A_1
- High school 02 (ASK F19B) F19A_2
- GED/Equivalency Program 03 (ASK F19B) F19A_3
- Junior College 04 (ASK F19B) F19A_4
- College 05 (ASK F19B) F19A_5
- Graduate/Professional School 06 (ASK F19B) F19A_6
- Technical School 07
- (INSTRUCTION ABOVE F19C) F19A_7
- Business School 08
- (INSTRUCTION ABOVE F19C) F19A_8
- Apprenticeship Program 09
- (INSTRUCTION ABOVE F19C) F19A_9
- Other schools/classes/program (SPECIFY) .. 10
- (INSTRUCTION ABOVE F19C) F19A_10

F19A_vrb

(INSTRUCTION ABOVE F19C)

RF

(INSTRUCTION ABOVE F19C)

DK

F19B. After [(END DATE)/January, 1990] and until now, what grades or years of school did you complete and get credit for? **CODE ALL THAT APPLY.**

None`	00	F19B_0
1st Grade	01	F19B_1
2nd Grade	02	F19B_2
3rd Grade	03	F19B_3
4th Grade	04	F19B_4
5th Grade	05	F19B_5
6th Grade	06	F19B_6
7th Grade	07	F19B_7
8th Grade	08	F19B_8
9th Grade	09	F19B_9
10th Grade	10	F19B_10
11th Grade	11	F19B_11
12th Grade	12	F19B_12
1 Year College	13	F19B_13
2 Years College	14	F19B_14
3 Years College	15	F19B_15
4 Years College	16	F19B_16
Graduate/Professional School	17	F19B_17

SEE A6. IF R DOES NOT HAVE A HIGH SCHOOL DIPLOMA/GED (A6=3, RF OR DK), GO TO SECTION G. OTHERWISE, ASK F19C.

F19C. After [(END DATE)/January, 1990] and until now, have you received a high school diploma or a GED?

Yes	1
No	2
	RF
	DK

F19C

GO TO SECTION G, NEXT PAGE

SECTION G. HEALTH HISTORY

Next, I would like to ask you about problems you may have had with your emotions, nerves, or your mental health.

G1. Have you ever had at least two weeks when you felt very sad, blue or depressed, and you lost interest or pleasure in things you usually cared about?

G1

Yes 1 (ASK G2)
No 2 (G10)
RF (G10)
DK (G10)

P G2. In the five years before [you went to (PROGRAM) in (START DATE)/January, 1990], did you have at least two weeks when you felt very sad, blue or depressed, and you lost interest or pleasure in things you usually cared about?

G2

Yes 1 (ASK G3)
No 2 (G4)
RF (G4)
DK (G4)

P G3. In the five years before [(START DATE)/January, 1990], how old were you when you first felt like this (very sad, blue or depressed, and you lost interest or pleasure in things you usually cared about)?

G3

_____ Years old (ASK G3A)
RF (G10)
DK (ASK G3A)

G3A. Were any of these times the result of your alcohol or drug use?

G3A

Yes 1 (ASK G3B)
No 2 (ASK G4)

G3B. Would you say all, some, or none of these times were the result of your alcohol or drug use? G3B

- All 1
 - Some 2
 - None 3
- RF
DK
-

B/G G4. After [you left (PROGRAM) in (END DATE)/January, 1990] and until now, have you had at least two weeks when you felt very sad, blue or depressed, and you lost interest or pleasure in things you usually cared about? G4

- Yes 1 **(ASK G5-G6)**
 - No 2 **(G10)**
- RF **(G10)**
DK **(G10)**
-

G5. Would you say all, some, or none of these times were the result of your alcohol use? G5

- All 1
 - Some 2
 - None 3
 - R NEVER USED ALCOHOL 4
- RF
DK
-

G6. Would you say all, some, or none of these times were the result of your drug use? G6

- All 1
 - Some 2
 - None 3
 - R NEVER USED DRUGS 4
- RF
DK

G G7. From (MONTH YEAR AGO) 1994/1995 to now, have you had at least two weeks when you felt sad, blue or depressed, and you lost interest or pleasure in things you usually cared about? G7

- Yes 1 (ASK G8-G9)
No 2 (G10)
RF (G10)
DK (G10)
-

G8. Would you say all, some, or none of these times were the result of your alcohol use? G8

- All 1
Some 2
None 3
R NEVER USED ALCOHOL 4
RF
DK
-

G9. Would you say all, some, or none of these times were the result of your drug use? G9

- All 1
Some 2
None 3
R NEVER USED DRUGS 4
RF
DK
-

G10. Have you ever attempted suicide? G10

- Yes 1 (ASK G11)
No 2 (G19)
RF (G19)
DK (G19)
-

P G11. In the five years before [you went to (PROGRAM) in (START DATE)/January, 1990], did you attempt suicide? G11

Yes 1 (ASK G12-G13)
No 2 (G14)
RF (G14)
DK (G14)

G12. In the five years before [(START DATE)/January, 1990], how many times did you attempt suicide?
RECORD NUMBER OF TIMES BEFORE START DATE/JANUARY, 1990.

G12

_____ Number of Times
RF
DK

G13. Were any of these attempts the result of the effects of your alcohol or drug use?

G13

Yes 1
No 2
RF
DK

B/G G14. After [you left (PROGRAM) in (END DATE)/January, 1990], have you attempted suicide?

G14

Yes 1 **(ASK G15-G18)**
No 2 **(G19)**
RF **(G19)**
DK **(G19)**

G15. How many times have you attempted suicide [(after (END DATE)/January, 1990)]? **RECORD NUMBER OF TIMES AFTER END DATE/JANUARY, 1990.**

G15

_____ Number of Times **(ASK G16)**
RF
DK

G16. Were any of these attempts the result of the effects of your alcohol use?

G16

Yes 1
No 2
R NEVER USED ALCOHOL 3
RF
DK

G17. Were any of these attempts the result of the effects of your drug use? G17

Yes 1

No 2

R NEVER USED DRUGS 3

RF

DK

G G18. Were any of these attempts after (MONTH YEAR AGO) 1994/1995? G18

Yes 1

No 2

RF

DK

G19. Have you ever had trouble controlling your temper so that you behaved violently? G19

Yes 1 (ASK G20)

No 2 (G27)

RF (G27)

DK (G27)

P G20. In the five years before [you went to (PROGRAM) in (START DATE)/January, 1990], how often did you have trouble controlling your temper so that you behaved violently--would you say often, sometimes, rarely, or never? G20

Often 1 (ASK G20A-G21)

Sometimes 2 (ASK G20A-G21)

Rarely 3 (ASK G20A-G21)

Never 4 (ASK G21)

RF (ASK G20A-G21)

DK (ASK G20A-G21)

G20A. Were any of these times the result of your alcohol or drug use? G20A

Yes 1 (ASK G20B)

No 2 (ASK G21)

G20B. Would you say all, some, or none of these times were the result of your alcohol or drug use?

G20B

- All 1
- Some 2
- None 3
- RF
- DK

B/G G21. After [you left (PROGRAM) in (END DATE)/January, 1990] and until now, how often have you had trouble controlling your temper so that you behaved violently--would you say often, sometimes, rarely or never?

G21

- Often 1 (ASK G22-G24)
- Sometimes 2 (ASK G22-G24)
- Rarely 3 (ASK G22-G24)
- Never 4 (G27)
- RF (ASK G22-G24)
- DK (ASK G22-G24)

G22. Would you say all, some, or none of these times were the result of your alcohol use?

G22

- All 1
- Some 2
- None 3
- R NEVER USED ALCOHOL 4
- RF
- DK

G23. Would you say all, some, or none of these times were the result of drug use?

G23

- All 1
- Some 2
- None 3
- R NEVER USED DRUGS 4
- RF
- DK

G G24. From (MONTH YEAR AGO) 1994/1995 to now, how often have you had trouble controlling your temper so that you behaved violently--would you say often, sometimes, rarely or never?

G24

- Often 1 (ASK G25-G26)
 - Sometimes 2 (ASK G25-G26)
 - Rarely 3 (ASK G25-G26)
 - Never 4 (G27)
 - RF (ASK G25-G26)
 - DK (ASK G25-G26)
-

G25. Would you say all, some, or none of these times were the result of your alcohol use?

G25

- All 1
 - Some 2
 - None 3
 - R NEVER USED ALCOHOL 4
 - RF
 - DK
-

G26. Would you say all, some, or none of these times were the result of your drug use?

G26

- All 1
 - Some 2
 - None 3
 - R NEVER USED DRUGS 4
 - RF
 - DK
-

G27. Have you ever had hallucinations or delusions, that is, have you ever seen or heard things that no one else could see or hear, or did you think that someone else controlled your thoughts?

G27

- Yes 1 (ASK G28)
- No 2 (G35)
- RF (G35)
- DK (G35)

P G28. In the five years before [you went to (PROGRAM) in (STARTDATE)/January, 1990], did you have any hallucinations or delusions, (that is, did you see or hear things that no one else could see or hear or did you think that someone else controlled your thoughts)?

G28

Yes 1 (ASK G28A-29)
No 2 (ASK G29)
RF (ASK G29)
DK (ASK G29)

G28A. Were any of these times the result of your alcohol or drug use?

G28A

Yes 1 (ASK G28B)
No 2 (ASK G29)

G28B. Would you say all, some, or none of these times were the result of your alcohol or drug use?

G28B

All 1
Some 2
None 3
RF
DK

B/G G29. After [you left (PROGRAM) in (END DATE)/January, 1990] and until now, have you had hallucinations or delusions (that is, you saw or heard things that no one else could see or hear or you thought that someone else controlled your thoughts)?

G29

Yes 1 (ASK G30-G32)
No 2 (G35)
RF (G35)
DK (G35)

G30. Would you say all, some or none of the hallucinations or delusions you had were the result of your alcohol use?

G30

All 1
Some 2
None 3
R NEVER USED ALCOHOL 4

RF
DK

G31. Would you say all, some, or none of the hallucinations or delusions you had were the result of your drug use?

G31

- All 1
 - Some 2
 - None 3
 - R NEVER USED DRUGS 4
- RF
DK
-

G G32. From (MONTH YEAR AGO) 1994/1995 to now, have you had hallucinations or delusions?

G32

- Yes 1 (ASK G33-G34)
 - No 2
- RF (G35)
DK (G35)
-

G33. Would you say all, some or none of the hallucinations or delusions you have had were the result of your alcohol use?

G33

- All 1
 - Some 2
 - None 3
 - R NEVER USED ALCOHOL 4
- RF
DK
-

G34. Would you say all, some or none of the hallucinations or delusions you have had are the result of your drug use?

G34

- All 1
 - Some 2
 - None 3
 - R NEVER USED DRUGS 4
- RF
DK
-

G35. Have you ever seen a doctor, nurse, counselor or social worker for problems with your emotions, nerves or mental health? G35

Yes 1 (ASK G36)

No 2 (G42)

RF (G42)

DK (G42)

P G36. In the five years before [you went to (PROGRAM) in (START DATE)/January, 1990], did you see a doctor, nurse, counselor or social worker for problems with your emotions, nerves, or mental health? G36

- Yes 1 (ASK G37-G38)
No 2 (ASK G38)
RF (ASK G38)
DK (ASK G38)
-

G37. In the five years before [(START DATE)/January, 1990], altogether, how many times would you say (you saw a doctor, nurse, counselor or social worker for problems with your emotions, nerves or mental health)? **RECORD AND PROBE FOR TOTAL NUMBER OF TIMES BEFORE START DATE/JANUARY, 1990. USE CALENDAR AS NEEDED.** G37

- _____ Number of times (ASK G38)
RF (ASK G38)
DK (ASK G38)
-

B/G G38. After [you left (PROGRAM) in (END DATE)/January, 1990] and until now, have you seen a doctor, nurse or counselor or social worker for problems with your emotions, nerves, or mental health? G38

- Yes 1 (ASK G39-G40)
No 2 (G42)
RF (G42)
DK (G42)
-

G39. After [(END DATE)/January, 1990], and until now, how many times (have you seen a doctor, nurse, counselor or social worker about your emotions, nerves or mental health)? **RECORD AND PROBE FOR TOTAL NUMBER OF TIMES AFTER END DATE/JANUARY, 1990. USE CALENDAR AS NEEDED.** G39

- _____ Number of Times (ASK G40)
RF (ASK G40)
DK (ASK G40)
-

G G40. From (MONTH YEAR AGO) 1994/1995 to now, have you seen a doctor, nurse, counselor or social worker for problems with your emotions, nerves, or mental health? G40

- Yes 1 (ASK G41)

No 2 (G42)
RF (G42)
DK (G42)

G41. From (MONTH YEAR AGO) 1994/1995 to now, how many times (have you seen a doctor, nurse, counselor or social worker for problems with your emotions, nerves or mental health)? **RECORD AND PROBE FOR TOTAL NUMBER OF TIMES SINCE YEAR AGO. USE CALENDAR AS NEEDED.**

G41

_____ Number of Times
RF
DK

G42. Have you ever stayed overnight in a hospital or clinic for treatment of your emotions, nerves, or mental health, that wasn't the result of your alcohol or drug use?

G42

Yes 1 (ASK G43)
No 2 (INTRO ABOVE G48)
RF (INTRO ABOVE G48)
DK (INTRO ABOVE G48)

P G43. In the five years before [you went to (PROGRAM) in (START DATE)/January, 1990], did you stay overnight in a hospital or clinic for treatment of your emotions, nerves, or mental health, that wasn't the result of your alcohol or drug use?

G43

Yes 1 (ASK G44-G45)
No 2 (ASK G46)
RF (ASK G46)
DK (ASK G46)

G44. In the five years before [(START DATE)/January, 1990], how old were you the first time you stayed overnight in a hospital or clinic somewhere for treatment of your emotions, nerves, or mental health that wasn't the result of your alcohol or drug abuse?

G44

_____ Years Old (ASK G45)
RF (ASK G45)
DK (ASK G45)

G45. In the five years before [(START DATE)/January, 1990], altogether, about how many times did you stay overnight in a hospital or clinic for treatment of your emotions, nerves, or your mental health, that wasn't the result of your alcohol or drug use? **RECORD AND PROBE FOR TOTAL NUMBER OF TIMES BEFORE START DATE/JANUARY, 1990. USE CALENDAR AS NEEDED.**

_____ Number of Times (ASK G46)
RF (ASK G46)
DK (ASK G46)

B/G G46. After [you left (PROGRAM) in (END DATE)/January, 1990] and until now, have you stayed overnight in a hospital or clinic for treatment of your emotions, nerves or mental health, that wasn't the result of your alcohol or drug use?

G46

- Yes 1 (ASK G47)
No 2 (INTRO ABOVE G48)
RF (INTRO ABOVE G48)
DK (INTRO ABOVE G48)
-

G47. After [(END DATE)/January, 1990] and until now altogether, about how many times have you stayed overnight in a hospital or clinic for treatment of your emotions, nerves or mental health?
RECORD AND PROBE FOR NUMBER OF ALL OVERNIGHT STAYS AFTER END DATE/JANUARY, 1990. USE CALENDAR AS NEEDED.

G47

_____ Number of Overnight Stays
RF
DK

The next questions are about your physical health and illnesses, conditions or injuries you may have had.

G48. In your lifetime, before [you went to (PROGRAM) in (START DATE)/January, 1990], would you say your health was. . .**READ CATEGORIES AND CODE ONE ONLY.**

G48

- excellent, 1
good, 2
fair, or 3
poor? 4
RF
DK
-

P G49. Now think about the five years before (START DATE)/January, 1990], would you say your health was...

G49

- excellent, 1
good, 2
fair, or 3
poor? 4
RF
DK

B/G G50. Thinking about the time after [you left to (PROGRAM) in (END DATE)/January, 1990] and until now, would you say your health has been. . .

G50

- excellent, 1
 - good, 2
 - fair, or 3
 - poor? 4
- RF
DK

GO TO G51, NEXT PAGE

I'm going to read a list of illnesses, conditions and injuries. For each one, please tell me if you have ever had the illness, condition or injury.

G51. Have you ever had any problems with... READ CATEGORIES a-j AND CODE ONE ONLY FOR EACH.

a. tuberculosis?	Yes 1 (G51A-B) No 2 (b) RF (b) DK (b)	G51a
b. any other serious breathing condition?	Yes 1 (G51A-B) No 2 (c) RF (c) DK (c)	G51b
c. a serious heart or blood condition, including high blood pressure?	Yes 1 (G51A-B) No 2 (d) RF (d) DK (d)	G51c
d. anemia?	Yes 1 (G51A-B) No 2 (e) RF (e) DK (e)	G51d
e. hepatitis or yellow jaundice?	Yes 1 (G51A-B) No 2 (f) RF (f) DK (f)	G51e
f. a serious internal condition, such as stomach ulcers, sugar diabetes, or kidney or liver problems?	Yes 1 (G51A-B) No 2 (g) RF (g) DK (g)	G51f
g. a serious bone or muscle condition, such as being paralyzed, bad arthritis, limping or bursitis?	Yes 1 (G51A-B) No 2 (h) RF (h) DK (h)	G51g
h. a serious nerve condition, such as convulsions, epilepsy, or migraine headaches? <u>Please do not include any mental health problems you've already told me about.</u>	Yes 1 (G51A-B) No 2 (i) RF (i) DK (i)	G51h
i. syphilis, gonorrhea, or genital herpes, or any other sexually transmitted diseases (STDs) <u>other than AIDS</u> ?	Yes 1 (G51A-B) No 2 (j) RF (j) DK (j)	G51i
j. cancer?	Yes 1 (G51A-B) No 2 (k) RF (k) DK (k)	G51j
k. FEMALE R ONLY: Miscarriage, Toxemia, abnormal pap smear, or any other serious female condition?	Yes 1 (G51A-B) No 2 (G52) R IS MALE 3 (G52) RF (G52) DK (G52)	G51k

P G51A. <u>In the five years before (START DATE), did you, even if one time, see a doctor about the problems you had with... READ CATEGORY FROM G51?</u>	B/G G51B. <u>After (END DATE), did you, even if one time, see a doctor about the problems you had with...READ CATEGORY FROM G51?</u>
Yes 1 No 2 RF DK	Yes 1 No 2 RF DK (REPEAT G51 NEXT APPROPRIATE CATEGORY/GO TO G52)
Yes 1 No 2 RF DK	Yes 1 No 2 RF DK (REPEAT G51 NEXT APPROPRIATE CATEGORY/GO TO G52)
Yes 1 No 2 RF DK	Yes 1 No 2 RF DK (REPEAT G51 NEXT APPROPRIATE CATEGORY/GO TO G52)
Yes 1 No 2 RF DK	Yes 1 No 2 RF DK (REPEAT G51 NEXT APPROPRIATE CATEGORY/GO TO G52)
Yes 1 No 2 RF DK	Yes 1 No 2 RF DK (REPEAT G51 NEXT APPROPRIATE CATEGORY/GO TO G52)
Yes 1 No 2 RF DK	Yes 1 No 2 RF DK (REPEAT G51 NEXT APPROPRIATE CATEGORY/GO TO G52)
Yes 1 No 2 RF DK	Yes 1 No 2 RF DK (REPEAT G51 NEXT APPROPRIATE CATEGORY/GO TO G52)
Yes 1 No 2 RF DK	Yes 1 No 2 RF DK (REPEAT G51 NEXT APPROPRIATE CATEGORY/GO TO G52)
Yes 1 No 2 RF DK	Yes 1 No 2 RF DK (REPEAT G51 NEXT APPROPRIATE CATEGORY/GO TO G52)
Yes 1 No 2 RF DK	Yes 1 No 2 RF DK (REPEAT G51 NEXT APPROPRIATE CATEGORY/GO TO G52)
Yes 1 No 2 RF DK	Yes 1 No 2 RF DK (GO TO G52)

Now, I have some other questions about your physical health.

G52. Have you ever overdosed because of the alcohol or drugs you were using? G52

Yes 1 (ASK G53)

No 2 (G61)

RF (G61)

DK (G61)

P G53. In the five years before [you went to (PROGRAM) in (START DATE)/January, 1990], did you overdose because of the alcohol or drugs you were using? G53

Yes 1 (ASK G54-55)

No 2 (ASK G57)

RF (ASK G57)

DK (ASK G57)

G54. In the five years before [(START DATE)/January, 1990], altogether, how many times did you overdose? G54*

_____ Number of Times (ASK G55)

RF (ASK G55)

DK (ASK G55)

G55. In the five years before [(START DATE)/January, 1990], did you go to a hospital emergency room when you overdosed? G55

Yes 1 (ASK G56)

No 2 (ASK G57)

RF (ASK G57)

DK (ASK G57)

G56. In the five years before [(START DATE)/January, 1990], how many times did you go to a hospital emergency room when you overdosed? **RECORD AND PROBE FOR NUMBER OF ALL VISITS FOR OVERDOSE BEFORE START DATE/ JANUARY, 1990. USE CALENDAR AS NEEDED.** G56

_____ Number of ER Visits (ASK G57)

RF (ASK G57)

DK (ASK G57)

B/G G57. After [you left (PROGRAM) in (END DATE)/(END DATE)/January, 1990] and until now, have you overdosed because of the alcohol or drugs you were using?

G57

Yes 1 (ASK G58-G59)
No 2 (G61)
RF (G61)
DK (G61)

G58. After [(END DATE)/January, 1990] and until now, altogether, how many times have you overdosed? **RECORD NUMBER OF TIMES. PROBE FOR APPROXIMATE NUMBER IF R UNCERTAIN. USE CALENDAR AS NEEDED.**

G58*

_____ Number of Times (ASK G59)
RF (ASK G59)
DK (ASK G59)

G59. After [(END DATE)/January, 1990] and until now, have you gone to a hospital emergency room when you overdosed?

G59

Yes 1 (ASK G60)
No 2 (G61)
RF (G61)
DK (G61)

G60. After [(END DATE)/January, 1990] and until now, altogether, how many times have you gone to a hospital emergency room when you overdosed? **RECORD AND PROBE FOR NUMBER OF ALL ER VISITS FOR OVERDOSE AFTER END DATE/ JANUARY, 1990. USE CALENDAR AS NEEDED.**

G60

_____ Number of ER Visits
RF
DK

G61. [Other than the times you overdosed], Have you ever, even if one time, gone to a hospital emergency room for a physical illness, condition or injury, but you didn't stay overnight?

G61

Yes 1 (ASK G62)
No 2 (G66)
RF (G66)

DK (G66)

P G62. In the five years before [you went to (PROGRAM) in (START DATE)/January, 1990], did you go to a hospital emergency room for a physical illness, condition or injury, but you didn't stay overnight?

G62

- Yes 1 (ASK G63-G64)
 - No 2 (ASK G64)
 - RF (ASK G64)
 - DK (ASK G10C)
-

G63. In the five years before [(START DATE)/January, 1990], how many times did you go to a hospital emergency room for a physical illness or condition (when you did not stay overnight and you hadn't overdosed)? **CODE ONE ONLY. IF NECESSARY, PROBE WITH CATEGORIES.**

G63

- One time 1
 - 2-9 times 2
 - 10-19 times 3
 - 20-49 times 4
 - 50-99 times 5
 - 100 or more times 6
 - RF
 - DK
-

B/G G64. After [you left (PROGRAM) in (END DATE)/January, 1990] and until now, have you gone to a hospital emergency room for a physical illness, condition or injury, (but you didn't stay overnight)?

G64

- Yes 1 (ASK G65)
- No 2 (G66)
- RF (G66)
- DK (G66)

G65. After [(END DATE)/January, 1990] and until now, altogether, how many times did you go to a hospital emergency room for a physical illness or condition (when you did not stay overnight and you hadn't overdosed)?

G65

- One time 1
 - 2-9 times 2
 - 10-19 times 3
 - 20-49 times 4
 - 50-99 times 5
 - 100 or more times 6
- RF
DK

G66. Have you ever, even if one time, gone to a hospital because you were detoxing from the alcohol or drugs you were using?

G66

- Yes 1 (ASK G67)
 - No 2 (G71)
- RF (G71)
DK (G71)

P G67. In the five years before [you went to (PROGRAM) in (START DATE)/January, 1990], did you go to a hospital because you were detoxing from the alcohol or drugs you were using?

G67

- Yes 1 (ASK G68-G69)
 - No 2 (ASK G69)
- RF (ASK G69)
DK (ASK G69)

G68. In the five years before [(START DATE)/January, 1990], how many times did you go to a hospital because you were detoxing from alcohol or drugs? **RECORD AND PROBE FOR NUMBER OF ALL DETOX HOSPITALIZATIONS BEFORE START DATE/ JANUARY, 1990. USE CALENDAR AS NEEDED.**

G68

_____ Number of Hospitalizations (ASK G69)
RF (ASK G69)
DK (ASK G69)

B/G G69. After [you left (PROGRAM) in (END DATE)/January, 1990] and until now, have you gone to a hospital because you were detoxing from the alcohol or drugs you were using?

G69

- Yes 1 (ASK G70)
No 2 (G71)
RF (G71)
DK (G71)

G70. After [(END DATE)/January, 1990] and until now, altogether, how many times have you gone to a hospital because you were detoxing from alcohol or drugs? **RECORD AND PROBE FOR NUMBER OF ALL DETOX HOSPITALIZATIONS AFTER END DATE/ JANUARY, 1990. USE CALENDAR AS NEEDED.**

G70

_____ Number of Hospitalizations
RF
DK

G71. [(Other than times (you overdosed))/(and)(you were detoxing from alcohol or drugs), Have you ever gone to a hospital for at least 24 hours for a physical illness, condition or injury? [FEMALE R's: Please do not include hospital stays for a normal pregnancy].

G71

- Yes 1 (ASK G72)
No 2 (G77)
RF (G77)
DK (G77)

P G72. In the five years before [you went to (PROGRAM) in (START DATE)/January, 1990], did you go to a hospital for at least 24 hours for a physical illness, condition or injury?

G72

- Yes 1 (ASK G73-G74)
No 2 (ASK G74)
RF (ASK G74)
DK (ASK G74)

G73. In the five years before [(START DATE)/January, 1990], altogether, about how many nights did you spend in the hospital for a physical illness, condition, or injury? **RECORD AND PROBE FOR NUMBER OF ALL OVERNIGHT STAYS BEFORE START DATE/JANUARY, 1990. USE CALENDAR AS NEEDED.**

G73

_____ Number of Overnight Stays (ASK G74)
RF (ASK G74)
DK (ASK G74)

B/G G74. After [you left (PROGRAM) in (END DATE)/January, 1990] and until now, have you gone to a hospital for at least 24 hours for a physical illness, condition or injury?

G74

Yes 1 (ASK G75-77)
No 2 (G77)
RF (G77)
DK (G77)

G75. After [(END DATE)/January, 1990] and until now, altogether, about how many nights have you spent in the hospital for a physical illness, condition, or injury? **RECORD AND PROBE FOR NUMBER OF ALL OVERNIGHT STAYS AFTER END DATE/ JANUARY, 1990. USE CALENDAR AS NEEDED.**

G75

_____ Number of Overnight Stays (ASK G76)
RF (ASK G76)
DK (ASK G76)

G G76. From (MONTH YEAR AGO) 1994/1995 to now, how many of the (NUMBER FROM G75) nights did you spend in the hospital for a physical illness, condition or injury? **RECORD AND PROBE FOR TOTAL NUMBER SINCE YEAR AGO. IF NONE, RECORD "00". USE CALENDAR AS NEEDED.**

G76

_____ Number of Nights
RF
DK

B/G G77. After [you left (PROGRAM) in (END DATE)/January, 1990] and until now [and other than the times (you overdosed)/(and)(you were detoxing from alcohol or drugs altogether)], about how many times would you say you have seen a doctor for a physical illness, condition or injury?

G77

- One time 01 (G78)
- 2-9 times 02 (G78)
- 10-19 times 03 (G78)
- 20-49 times 04 (G78)
- 50-99 times 05 (G78)
- More than 100 times 06 (G78)
- NONE/NEVER SAW A DOCTOR 07 (G79)
- RF (G79)
- DK (G79)

G78. From (MONTH YEAR AGO) 1994/1995 to now, how many times have you seen a doctor for a physical illness, condition or injury?

G78

- One time 01
- 2-9 times 02
- 10-19 times 03
- 20-49 times 04
- 50-99 times 05
- More than 100 times 06
- NONE/NEVER SAW A DOCTOR 07
- RF
- DK

G

G79. After [you left (PROGRAM) in (END DATE)/January, 1990], about how many different people have you had sex with, even if only one time?

G79

- One person 01 (ASK G80-G81)
- 2-10 persons 02 (ASK G80-G81)
- 11-25 persons 03 (ASK G80-G81)
- 26-100 persons 04 (ASK G80-G81)
- 101-500 persons 05 (ASK G80-G81)
- More than 500 persons 06 (ASK G80-G81)
- NONE 07 (G82)
- RF (ASK G80-G81)
- DK (ASK G80-G81)

G

G80. From (MONTH YEAR AGO) 1994/1995 to now, about how many different people have you had sex with, even if only one time?

G80

- One person 01
- 2-10 persons 02
- 11-25 persons 03
- 26-100 persons 04
- 101-500 persons 05
- More than 500 persons 06
- NONE 07 (G82)
- RF (G82)
- DK (G82)

G81. From (MONTH YEAR AGO) 1994/1995 to now, have you had sex with someone so they would give you money, drugs, clothes or a place to sleep?

G81

- Yes 1
- No 2
- RF
- DK

G82. Have you ever had a blood test for the AIDS virus? G82

Yes 1 (ASK G83)

No 2 (INTRO ABOVE G90)

RF (INTRO ABOVE G90)

DK (INTRO ABOVE G90)

P G83. In the five years before [you went to (PROGRAM) in (START DATE)/January, 1990], did you have a blood test for the AIDS virus? G83

Yes 1 (ASK G84)

No 2 (G85)

RF (G85)

DK (G85)

G84. Did you know the results of the (last) test? G84

Yes 1

No 2

RESULTS WERE POSITIVE 3

RESULTS WERE NEGATIVE 4

RF

DK

G85. IF NO YELLOW PERIOD ON CALENDAR, GO TO G88. OTHERWISE, ASK G86.

G86. While you were in (PROGRAM), did you have a blood test for the AIDS virus? G86

Yes 1 (ASK G87)

No 2 (ASK G88)

RF (ASK G88)

DK (ASK G88)

G87. Did you know the results of the (last) test? G87

Yes 1

No 2

RF

DK

B/G G88. After [you left (PROGRAM) in (END MONTH/ YEAR)/January, 1990] and until now, have you had a blood test for the AIDS virus?

G88

- Yes 1 (ASK G89)
 - No 2 (INTRO ABOVE G90)
RF (INTRO ABOVE G90)
DK (INTRO ABOVE G90)
-

G89. Do you know the results of the (last) test?

G89

- Yes 1
 - No 2
 - RESULTS WERE POSITIVE 3
 - RESULTS WERE NEGATIVE 4
RF
DK
-

The next questions are about times you may have been attacked with a weapon or seriously hit or beaten.

G90. Have you ever been attacked with a weapon, such as a knife or a gun, or seriously hit or beaten?

G90

- Yes 1 (ASK G91)
 - No 2 (GO TO SECTION H)
RF (GO TO SECTION H)
DK (GO TO SECTION H)
-

P G91. In the five years before [you went to (PROGRAM) in (START DATE)/January, 1990], had you been attacked with a weapon, or seriously hit or beaten?

G91

- Yes 1 (ASK G92)
- No 2 (G94)
RF (G94)
DK (G94)

G92. In the five year before [you went to (PROGRAM) in (START DATE)/January, 1990], had you been hit or beaten so seriously, that you were badly bruised, had to see a doctor or had to stay in bed for one day or more?

G92

- Yes 1 (ASK G93)
- No 2 (G94)
RF (G94)
DK (G94)

G93. In the five years before [(START DATE)/January, 1990], how many times were you attacked with a weapon, or seriously hit or beaten? **CODE ONE ONLY. IF NECESSARY, PROBE WITH CATEGORIES.**

G93

- One time 1
- 2-5 times 2
- 6-10 times 3
- 11-25 times 4
- 26-100 times 5
- More than 100 times 6
RF
DK

G94. IF NO YELLOW PERIOD ON CALENDAR, GO TO G97. OTHERWISE, ASK G95.

Y G95. During the time you were in (PROGRAM), were you attacked with a weapon, or seriously hit or beaten?

G95

- Yes 1 (ASK G96)
- No 2 (ASK G97)
RF (ASK G97)
DK (ASK G97)

G96. During the time you were in (PROGRAM), were you hit or beaten so seriously, that you were badly bruised, had to see a doctor or had to stay in bed for one day or more?

G96

- Yes 1
 - No 2
- RF
DK

B/G G97. After [you left (PROGRAM) in (END DATE)/January, 1990], have you been attacked with a weapon, or seriously hit or beaten?

G97

- Yes 1 (ASK G98)
 - No 2 (GO TO SECTION H)
- RF (GO TO SECTION H)
DK (GO TO SECTION H)

G98. After [you left (PROGRAM) in (END DATE)/ January, 1990], have you been hit or beaten so seriously, that you were badly bruised, had to see a doctor or had to stay in bed for one day or more?

G98

- Yes 1 (ASK G99)
 - No 2 (GO TO SECTION H)
- RF (GO TO SECTION H)
DK (GO TO SECTION H)

G99. After [(END DATE)/January, 1990], how many times were you attacked with a weapon or seriously hit or beaten?

G99

- One time 1
 - 2-5 times 2
 - 6-10 times 3
 - 11-25 times 4
 - 26-100 times 5
 - More than 100 times 6
- RF
DK

**GO TO SECTION H, NEXT
PAGE**

THIS PAGE INTENTIONALLY BLANK

SECTION H. EMPLOYMENT HISTORY

The next questions are about your employment and sources of income you may have. First, I want to ask about your employment.

H1. Have you ever been employed full-time, that is, have you worked at a job 35 hours or more a week? Please do not count any job that involved illegal activity.

H1

- Yes 1 (ASK H2)
- No 2 (H11)
- R CURRENTLY HAS FULL-TIME JOB 3 (ASK H2)
- RF (H11)
- DK (H11)

H2. Looking at the calendar, in the five years before [you went to (PROGRAM) in (START DATE)/January, 1990], at anytime, were you employed full-time, (that is, were you working or had you worked 35 hours or more a week at any job?)

H2

- Yes 1 (ASK H3)
- No 2 (H6)
- RF (H6)
- DK (H6)

H3. In the five years before [(START DATE)/January, 1990], what was the longest time you had any one full-time job where you worked 35 hours or more a week? **CODE ONE ONLY. IF NECESSARY, PROBE WITH CATEGORIES. USE CALENDAR AS NEEDED.**

H3

- Less than one year 1 (ASK H3A-B)
- 1-2 years 2 (ASK H3A-B)
- 3-4 years 3 (ASK H3A-B)
- 5 years or more 4 (ASK H3A-B)
- RF
- DK

H3A. Thinking about the job you just told me about, what was the name of your employer?
RECORD NAME OF EMPLOYER VERBATIM.

H3A

NAME OF EMPLOYER: _____

H3B. Again, thinking about that same full-time job (where you worked 35 hours or more a week for the **longest** time that you just told me about), before taxes were taken out, what was your **highest** wage, salary, or rate of pay at that job?

RECORD DOLLARS AND CENTS AND CONVERT INTO CLOSEST PAY UNIT EQUIVALENT BELOW. PROBE FOR HIGHEST WAGE/SALARY/RATE OF PAY.

\$ _____
 RF
 DK

H3BDOL*

CODE ONE ONLY:

Per hour 01
 Per day 02
 Per week 03
 Every two weeks 04
 Bi-monthly 05
 Monthly 06
 Per year 07
 RF
 DK

H3BRATE

H4. In the five years before (START DATE)/January, 1990], altogether, how many years did you work at full-time jobs where you worked 35 hours or more a week? **CODE ONE ONLY. IF NECESSARY, PROBE WITH CATEGORIES. USE CALENDAR AS NEEDED.**

H4

Less than one year 01
 1-2 years 02
 3-4 years 03
 Five years or more 04
 RF
 DK

H4A. Thinking about all of the full-time jobs you had in the five years before [you went to (PROGRAM) in (START DATE)/January, 1990], before taxes were taken out, what was your highest wage, salary or rate of pay at any of the full-time jobs you had?

RECORD DOLLARS AND CENTS AND CONVERT INTO CLOSEST PAY UNIT EQUIVALENT BELOW. PROBE FOR HIGHEST WAGE/SALARY/RATE OF PAY.

\$ _____

H4AD01.*

RF (H6)

DK (H6)

CODE ONE ONLY:

- Per hour 01
- Per day 02
- Per week 03
- Every two weeks 04
- Bi-monthly 05
- Monthly 06
- Per year 07
- RF
- DK

H4ARATE

H4B. What was the name of your employer for this job? **RECORD NAME OF EMPLOYER VERBATIM.**

H4B

NAME OF EMPLOYER: _____

CADER INSTRUCTION: WAS THIS EMPLOYER MENTIONED PREVIOUSLY?

SAME1ST

- YES 1
- NO 2

H5. IF H6 IS KNOWN, CODE WITHOUT ASKING. OTHERWISE, GO TO H6.

B/G H6. After [you left (PROGRAM) in (ENDDATE)/January, 1990] and until now, have you been employed full-time, (that is, are you working or have you worked 35 hours or more a week at any job)? H6

Yes 1 (ASK H7-H8)

No 2 (H11)

R CURRENTLY HAS

FULL-TIME JOB 3 (ASK H7-H8)

RF (H11)

DK (H11)

H7. After (END DATE)/January, 1990] and until now, what has been the **longest** time you have had any one full-time job where you worked 35 hours a week or more? **CODE ONE ONLY. IF NECESSARY, PROBE WITH CATEGORIES. USE CALENDAR AS NEEDED.**

H7

- Less than one year 1
 - 1-2 years 2
 - 3-4 years 3
 - 5 years or more 4
- RF
DK

H7A. Thinking about the job you just told me about, what was the name of your employer?
RECORD NAME OF EMPLOYER VERBATIM.

H7A

N A M E O F E M P L O Y E R :

CADER INSTRUCTION: WAS THIS EMPLOYER MENTIONED PREVIOUSLY? SAME2ND

- YES 1
- NO 2

H7B. Again, thinking about that same full-time job (where you have worked 35 hours or more a week for the **longest** time that you just told me about), before taxes were taken out, what was your **highest** wage, salary, or rate of pay at that job

RECORD DOLLARS AND CENTS AND CONVERT INTO CLOSEST PAY UNIT EQUIVALENT BELOW. PROBE FOR HIGHEST WAGE/SALARY/RATE OF PAY.

\$ _____ ? H7BDOL*
RF (H11)
DK (H11)

CODE ONE ONLY:

- Per hour 01 H7ARATE
 - Per day 02
 - Per week 03
 - Every two weeks 04
 - Bi-monthly 05
 - Monthly 06
 - Per year 07
- RF
DK

H8. After (END DATE)/January, 1990] and until now, altogether, how many years have you worked 35 hours or more a week? **CODE ONE ONLY. IF NECESSARY, PROBE WITH CATEGORIES. USE CALENDAR AS NEEDED.**

H8

- Less than one year 1
 - 1-2 years 2
 - 3-4 years 3
 - 5 years or more 4
- RF
DK

H8A. Now, thinking about all of the full-time jobs you have had after [you left (PROGRAM) in (END DATE)/January, 1990] and until now, before taxes were taken out, what has been your highest wage, salary or rate of pay at any of the full-time jobs you have had?

RECORD DOLLARS AND CENTS AND CONVERT INTO CLOSEST PAY UNIT EQUIVALENT BELOW. PROBE FOR HIGHEST WAGE/SALARY/RATE OF PAY.

\$ _____ H8ADOL*
RF
DK

CODE ONE ONLY:

- Per hour 01 H8ARATE
 - Per day 02
 - Per week 03
 - Every two weeks 04
 - Bi-monthly 05
 - Monthly 06
 - Per year 07
- RF
DK

H8B. What was the name of your employer for this job? **RECORD NAME OF EMPLOYER VERBATIM.**

H8B

NAME OF EMPLOYER: _____

CADER INSTRUCTION: WAS THIS EMPLOYER MENTIONED PREVIOUSLY? SAME3RD

- YES 1
- NO 2

Now, I would like to ask about your full-time employment in the last year, that is, from (MONTH YEAR AGO) 1994/1995 to now.

H9. IF H10 IS KNOWN, CODE WITHOUT ASKING. OTHERWISE, GO TO H10.

H10. From (MONTH YEAR AGO) 1994/1995 to now, have you been employed full-time, that is, have you worked 35 hours or more a week at any job)?

H10

- Yes 1 (ASK H10A-B)
- No 2 (H11)
- RF (H11)
- DK (H11)

H10A. Now, think about the one full-time job you've had the longest time from (MONTH YEAR AGO) 1994/1995 to now. How many months did you work at this job?

H10A

RECORD AND PROBE FOR NUMBER OF MONTHS FOR LONGEST FULL-TIME JOB IN LAST YEAR. IF LESS THAN ONE MONTH, RECORD "00". USE CALENDAR AS NEEDED.

_____ Number of Months
 RF
 DK

H10B. Again, thinking about that same job you just told me about (where you've worked full-time the longest time in the last year), before taxes were taken out, what was your highest wage, salary, or rate of pay at that job?

RECORD DOLLARS AND CENTS AND CONVERT INTO CLOSEST PAY UNIT EQUIVALENT BELOW. PROBE FOR HIGHEST WAGE/SALARY/RATE OF PAY.

\$ _____ H10BDOL*

- RF (H11)
- DK (H11)

CODE ONE ONLY:

- Per hour 01 H10BRTE
- Per day 02
- Per week 03
- Every two weeks 04
- Bi-monthly 05
- Monthly 06
- Per year 07
- RF

DK

H10C. What was the name of your employer for this job? **RECORD NAME OF EMPLOYER
VERBATIM.**

H10C

NAME OF EMPLOYER: _____

CADER INSTRUCTION: WAS THIS EMPLOYER MENTIONED PREVIOUSLY? SAME4TH

YES 1
NO 2

H11. Have you ever been employed part-time, that is, you worked at a job less than 35 hours a week? Again, please do not count any job that involved illegal activity.

H11

Yes 1 (H12)
No 2 (H15)
RF (H15)
DK (H15)

H12. In the five years before [you went to (PROGRAM) in (START DATE)/January, 1990], were you or had you been employed part-time, (that is, were you working or had you worked less than 35 hours a week at any job)?

H12

Yes 1 (ASK H13-H15)
No 2 (H15)
RF (H15)
DK (H15)

H13. In the five years before (START MONTH/ YEAR)/January, 1990], what was the longest time you had any one part-time job where you worked less than 35 hours a week? **CODE ONE ONLY. IF NECESSARY, PROBE WITH CATEGORIES. USE CALENDAR AS NEEDED.**

H13

Less than one year 1
1-2 years 2
3-4 years 3
5 years or more 4
RF
DK

H13A. Thinking about the job you just told me about, what was the name of your employer?

RECORD NAME OF EMPLOYER VERBATIM.

H13A

N A M E O F E M P L O Y E R :

CADER INSTRUCTION: WAS THIS EMPLOYER MENTIONED PREVIOUSLY?

SAME5TH

YES 1

NO 2

H13B. Again, thinking about that same part-time job (where you worked **less** than 35 hours a week for the **longest** time that you just told me about), before taxes were taken out, what was your **highest** wage, salary, or rate of pay at that job?

RECORD DOLLARS AND CENTS AND CONVERT INTO CLOSEST PAY UNIT EQUIVALENT BELOW. PROBE FOR HIGHEST WAGE/SALARY/RATE OF PAY.

\$ _____

H13BDOL*

RF

DK

CODE ONE ONLY:

Per hour 01

H13BRTE

Per day 02

Per week 03

Every two weeks 04

Bi-monthly 05

Monthly 06

Per year 07

RF

DK

H14. In the five years before [you went to (PROGRAM) in (START DATE)/January, 1990], altogether, how many years did you work at part-time jobs where you worked **less** than 35 hours a week? **CODE ONE ONLY. IF NECESSARY, PROBE WITH CATEGORIES. USE CALENDAR AS NEEDED.**

II14

Less than one year 01

1-2 years 02

3-4 years 03

5 years or more 04

RF

DK

H14A. Now, thinking about all of the part-time jobs you have had in the five years before [you went to (PROGRAM) in (START DATE)/January, 1990], before taxes were taken out, what has been your highest wage, salary or rate of pay at any of the part-time jobs you have had?

RECORD DOLLARS AND CENTS AND CONVERT INTO CLOSEST PAY UNIT EQUIVALENT BELOW. PROBE FOR HIGHEST WAGE/SALARY/RATE OF PAY.

\$ _____ H14ADOL*
RF
DK

CODE ONE ONLY:

Per hour 01 H14ARTE
Per day 02
Per week 03
Every two weeks 04
Bi-monthly 05
Monthly 06
Per year 07
RF
DK

H14B. What was the name of your employer for this job? **RECORD NAME OF EMPLOYER VERBATIM.**

H14B

NAME OF EMPLOYER: _____

CADER INSTRUCTION: WAS THIS EMPLOYER MENTIONED PREVIOUSLY? SAME6TH

YES 1
NO 2

G H15. After [you left (PROGRAM) in (END DATE)/January, 1990] and until now, have you been employed part-time, (that is, have you worked less than 35 hours a week at any job)?

H15

Yes 1 (H15A-C)
No 2 (H18)
R CURRENTLY HAS PART-TIME JOB ... 3 (H18)
RF (H18)
DK (H18)

H15A. What is the name of your employer for this job? **RECORD NAME OF EMPLOYER VERBATIM.**

NAME OF EMPLOYER: _____

CADER INSTRUCTION: WAS THIS EMPLOYER MENTIONED PREVIOUSLY? SAME7TH

- YES 1
- NO 2

H15B. After (END DATE)/January, 1990] and until now, what has been the **longest** time you have had any one part-time job where you worked **less** than 35 hours a week? **CODE ONE ONLY. IF NECESSARY, PROBE WITH CATEGORIES. USE CALENDAR AS NEEDED.**

H15B

- Less than one year 1
 - 1-2 years 2
 - 3-4 years 3
 - 5 years or more 4
- RF
DK

H17CRTE

H15C. Again, thinking about that same part-time job (where you have worked **less** than 35 hours a week for the longest time that you just told me about), before taxes were taken out, what was your **highest** wage, salary, or rate of pay at that job?

RECORD DOLLARS AND CENTS AND CONVERT INTO CLOSEST PAY UNIT EQUIVALENT BELOW. PROBE FOR HIGHEST WAGE/SALARY/RATE OF PAY.

\$ _____

RF
DK

H15CDOL*

CODE ONE ONLY:

- Per hour 01
 - Per day 02
 - Per week 03
 - Every two weeks 04
 - Bi-monthly 05
 - Monthly 06
 - Per year 07
- RF
DK

H15CRTE

Now, I would like to ask about your part-time employment in the last year from (MONTH YEAR AGO) 1994/1995 to now.

H16. IF H17 IS KNOWN, CODE WITHOUT ASKING. OTHERWISE, GO TO H17.

H17. From (MONTH YEAR AGO) 1994/1995 to now, have you been employed part-time, (that is have you worked less than 35 hours a week at any job)?

H17

- Yes 1 (H17A-B)
- No 2 (H18)
- RF (H18)
- DK (H18)

H17A. Now, thinking about that same part-time job (where you've worked less than 35 hours a week you've had the longest time in the last year), how many months did you work part-time at this job?

H17A

RECORD NUMBER OF MONTHS FOR LONGEST PART-TIME JOB IN LAST YEAR. IF LESS THAN ONE MONTH, RECORD "00". USE CALENDAR AS NEEDED.

_____ Number of Months
 RF
 DK

H17B. Again, thinking about that same part-time job you just told me about, (where you've worked part-time the longest time in the last year), before taxes are taken out, what was your highest wage, salary, or rate of pay at that job?

RECORD DOLLARS AND CENTS AND CONVERT INTO CLOSEST PAY UNIT EQUIVALENT BELOW. PROBE FOR HIGHEST WAGE/SALARY/RATE OF PAY.

\$ _____
 RF
 DK

H17BDOL*

CODE ONE ONLY:

- Per hour 01
- Per day 02
- Per week 03
- Every two weeks 04
- Bi-monthly 05
- Monthly 06
- Per year 07
- RF
- DK

H17BRTE

H17C. What is the name of your employer for this job? **RECORD NAME OF EMPLOYER
VERBATIM.**

H17C

NAME OF EMPLOYER: _____

CADER INSTRUCTION: WAS THIS EMPLOYER MENTIONED PREVIOUSLY? SAME8TH

YES 1

NO 2

**H18. IF H19 IS KNOWN, CODE WITHOUT ASKING. OTHERWISE, GO
TO H19.**

B/G H19. After [you left (PROGRAM) in (END DATE)/January, 1990] and until now, has anyone you lived with helped to pay or paid your living expenses, such as housing, food, clothing, medical costs, or transportation? (Please do not include time you spent in jail, prison or detention or you were housed in treatment).

H19

Yes 1 (ASK H19A-B)

No 2 (H20)

RF (H20)

DK (H20)

H19A. What is their relationship to you? **CODE ALL THAT APPLY.**

Spouse 01

H19A_1

Partner 02

H19A_2

Parent 03

H19A_3

Child 04

H19A_4

Grandparent 05

H19A_5

Other relative 06

H19A_6

Friend 07

H19A_7

Other (SPECIFY) 08

H19A_8

H19Avrb

H19B. After (END DATE)/January, 1990] and until now, would you say that the help you have received with your living expenses has paid for less than half, half or more, or all of your living expenses? **CODE ONE ONLY. USE CALENDAR AS NEEDED.**

H19B

- Less than half 1
 - Half or more 2
 - All 3
- RF (H20)
DK (H20)

**H20. IF R HAS BEEN INCARCERATED SINCE MONTH YEAR
AGO, SKIP TO SECTION I. OTHERWISE, GO TO H21.**

GO TO SECTION I, NEXT PAGE

THIS PAGE INTENTIONALLY BLANK

SECTION I

**RECORD TIME ENDED, DATE ENDED
AND TOTAL INTERVIEW MINUTES.**

TIME ENDED: _____ : _____ AM
PM

HOUREND
MINEND
AM_PM

DATE ENDED: _____ 19 _____
(MONTH) (DAY) (YEAR)

INTMONTH
INTDAY
ENDYEAR

TOTAL INTERVIEW MINUTES: _____

TOTTIME

GO TO BOX A, NEXT PAGE

BOX A

Those are all of the questions I have for you now. Thank you for your participation. Before, I can complete the interview, there are some other forms I need you to read and sign. Once we complete the forms, I will pay you \$15.00 for completing the interview.

- **PRESENT CONSENT FORMS II & III**
- **GIVE R COPIES OF SIGNED FORMS**
- **HAVE R SIGN INTERVIEW RECEIPT/PAY R \$15.00**
- **IF R REFUSES TO SIGN FORMS/RECEIPT: WRITE "REFUSED" AND SIGN/DATE DOCUMENT.**

DID R SIGN FORM II?

Yes 1
No 2

BOXII

DID R SIGN FORM III?

Yes 1
No 2

BOXIII

GO TO BOX B

BOX B

We would like to get a urine sample from you. If you provide a sample, I will pay you an additional \$10.00. Just like the interview, the sample will only be identified by a number and the results will be kept completely confidential and never used against you in any way.

- **PRESENT CONSENT FORM IV**
- **GIVE R COPY OF SIGNED FORM**
- **LABEL URINE BOTTLE AND PRESENT/EXPLAIN URINE KIT**
- **VERIFY/PACKAGE RETURNED URINE SAMPLE AND COMPLETE SPECIMEN TRANSMITTAL**
- **HAVE R SIGN SPECIMEN RECEIPT/PAY R \$10.00 AND GO TO INTRO ABOVE I11**
- **IF R REFUSES TO GIVE SAMPLE: WRITE "REFUSED" AND SIGN/DATE CONSENT FORM IV AND SKIP TO BOX C**
- **IF R REFUSES TO SIGN FORM/RECEIPT: WRITE "REFUSED" AND SIGN/DATE DOCUMENT. PAY R \$10.00 AND GO TO INTRO ABOVE I11**

DID R SIGN FORM IV?

Yes 1
No 2

BOXIV

DID R SIGN FORM/RECEIPT?

Yes 1
No 2

BOXRECPT

Finally, I have just a few more questions for you.

GO TO NEXT PAGE

A.

B.

C.

I11. Have you used (DRUG) in the past 7 days?	Did you use (DRUG) for medical or non-medical reasons? CODE ONE ONLY.	Have you used (DRUG) in the past 24 hours?	DRUG TEST RESULTS
a. Heroin or other opiates Yes...1 (A & B) → No...2 (b) RF DK (b) I11a	Medical 1 Non-medical 2 I11aA	Yes 1 No 2 RF DK (GO TO b) I11aB	Positive.....1 Negative.....2 Refused.....3 Not possible.....4 Deceased.....5 Invalid Specimen...6 Lost specimen.....7 I11aC
b. Cocaine, including crack Yes...1 (A & B) → No...2 (c) RF(c) DK (c) I11b	Medical 1 Non-medical 2 I11bA	Yes 1 No 2 RF DK (GO TO c) I11bB	Positive.....1 Negative.....2 Refused.....3 Not possible.....4 Deceased.....5 Invalid Specimen...6 Lost specimen.....7 I11bC
c. Methadone Yes...1 (A & B) → No...2 (d) RF DK (d) I11c	Medical 1 Non-medical 2 I11cA	Yes 1 No 2 RF DK (GO TO d) I11cB	Positive.....1 Negative.....2 Refused.....3 Not possible.....4 Deceased.....5 Invalid Specimen...6 Lost specimen.....7 I11cC
d. Amphetamines Yes...1 (A&B) → No...2 (e) RF DK (e) I11d	Medical 1 Non-medical 2 I11dA	Yes 1 No 2 RF DK (GO TO e) I11dB	Positive.....1 Negative.....2 Refused.....3 Not possible.....4 Deceased.....5 Invalid Specimen...6 Lost specimen.....7 I11dC
e. Barbiturates Yes...1 (A & B) → No...2 (f) RF DK (f) I11e	Medical 1 Non-medical 2 I11eA	Yes 1 No 2 RF DK (GO TO f) I11eB	N/A
f. Alcohol Yes...1 (A & B) → No...2 (g) RF (g) DK (g) I11f	Medical 1 Non-medical 2 I11fA	Yes 1 No 2 RF DK (GO TO g) I11fB	Positive.....1 Negative.....2 Refused.....3 Not possible.....4 Deceased.....5 Invalid Specimen...6 Lost specimen.....7 I11fC
g. Any other drugs SPECIFY _____ Yes...1 (A & B) → No...2 (BOX C) RF (BOX C) DK (BOX C) I11g	Medical 1 Non-medical 2 I11gA	Yes 1 No 2 RF DK (BOX C) I11gB	Positive.....1 Negative.....2 Refused.....3 Not possible.....4 Deceased.....5 Invalid Specimen...6 Lost specimen.....7 I11gC

BOX C

ENDING STATEMENT

Those are all of the questions I have for you. Thank you again for your participation and time.

Section C. List of Variables

CONTENTS PROCEDURE

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
1	CLIENTID	1	Num	8	0	Client Identifier
2	FAC_ID	2	Num	8	8	Facility Identifier
3	MODE	3	Num	8	16	Dominant facility modality
4	WT1	4	Num	8	24	Weight 1, Deceased as resp
5	WT2	6	Num	8	32	Weight 2, Deceased as non-resp
6	WT3	8	Num	8	40	Weight 3, Deceased as ineligible
7	A1	9	Num	8	48	A1 SEX OF RESPONDENT
8	A3	10	Num	8	56	A3 AGE OF R FROM QUESTIONNAIRE
9	A4	10	Num	8	64	A4 R HAVE SPANISH BACKGROUND
10	A4A_1	11	Num	8	72	Mexican/Mexican-American/Chicano
11	A4A_2	11	Num	8	80	Puerto Rican
12	A4A_3	11	Num	8	88	Cuban
13	A4A_4	11	Num	8	96	Other Spanish or Hispanic (SPECIFY)
14	A5	12	Num	8	104	A5 RACE OF RESPONDENT
15	A6	12	Num	8	112	A6 R HAVE DIPLOMA OR GED
16	A7	13	Num	8	120	A7 R^S HIGHEST GRADE
17	A8	13	Num	8	128	A8 R ATTEND OTHER CLASSES
18	A8A_1	13	Num	8	136	Technical School
19	A8A_2	14	Num	8	144	Business School
20	A8A_3	14	Num	8	152	Apprenticeship program
21	A8A_4	14	Num	8	160	Other schools/classes/program (SPEC
22	A9	14	Num	8	168	A9 R EVER EXPELLED
23	A9A	15	Num	8	176	A9A R EXPELLED MORE THAN ONCE
24	A10	15	Num	8	184	A10 R^S ABILITY TO READ ENGLISH
25	A11	15	Num	8	192	A11 R EVER BELONG TO GANG
26	B1	15	Num	8	200	B1 Treatment prgram dates correct
27	B2	16	Num	8	208	R get treatment between 1989 and 19
28	B2B	16	Num	8	216	B2B R ever receive treatment
29	B4	16	Num	8	224	B4 Confirm start and end date
30	B5	17	Num	8	232	B5 R attend aftercare program
31	B5A	17	Num	8	240	B5A Aftercare involve more than me
32	B6_1	17	Num	8	248	Inhalants
33	B6_2	17	Num	8	256	Alcohol
34	B6_3	18	Num	8	264	Marijuana/hashish
35	B6_4	18	Num	8	272	Crack
36	B6_5	18	Num	8	280	Cocaine powder
37	B6_6	18	Num	8	288	PCP or "Angel Dust"
38	B6_7	19	Num	8	296	Hallucinogens, Psychedelics/LSD
39	B6_8	19	Num	8	304	Heroin
40	B6_9	19	Num	8	312	Illegal Methadone
41	B6_10	19	Num	8	320	Other Narcotics
42	B6_11	20	Num	8	328	Methamphetamines
43	B6_12	20	Num	8	336	Downers
44	B6_13	20	Num	8	344	Other drug (SPECIFY)
45	B6_14	20	Num	8	352	NO DRUGS/ALCOHOL
46	B7_1	21	Num	8	360	Inpatient
47	B7_2	21	Num	8	368	Residential
48	B7_3	21	Num	8	376	Outpatient (non-methadone)
49	B7_4	21	Num	8	384	Methadone
50	B7_5	21	Num	8	392	Something else (SPECIFY)
51	B8A	22	Num	8	400	B8a Importance of wife/partner in
52	B8B	22	Num	8	408	B8b Importance of family in gettin
53	B8C	22	Num	8	416	B8c Importance of friend/associate

54	B8D	22	Num	8	424	B8d	Importance of nurse, doctor in
55	B8E	23	Num	8	432	B8e	Importance of probation office
56	B8F	23	Num	8	440	B8f	Importance of teacher/counselo
57	B8G	23	Num	8	448	B8g	Importance of any one else in
58	B9A	23	Num	8	456	B9a	Feel pressured by judge, parol

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label	
59	B9B	24	Num	8	464	B9b	Any problems with health
60	B9C	24	Num	8	472	B9c	Feel pressure from relationshi
61	B9D	24	Num	8	480	B9d	Feeling pressured by employer
62	B9E	24	Num	8	488	B9e	Any financial problems then
63	B9F	25	Num	8	496	B9f	Any other reasons (SPECIFY)
64	B10	25	Num	8	504	B10	Did R complete program
65	B11	25	Num	8	512	B11	Agree with counselor
66	B11A	25	Num	8	520	B11A	Did counselor understand prpo
67	B12	26	Num	8	528	B12	R use drugs/alcohol while in p
68	B12A_1	26	Num	8	536		Inhalants
69	B12A_2	26	Num	8	544		Alcohol
70	B12A_3	26	Num	8	552		Marijuana/Hashish
71	B12A_4	27	Num	8	560		Crack
72	B12A_5	27	Num	8	568		Cocaine Powder
73	B12A_6	27	Num	8	576		PCP or "Angel Dust"
74	B12A_7	27	Num	8	584		Hallucinogen, Psychedelics/LSD
75	B12A_8	27	Num	8	592		Heroin
76	B12A_9	28	Num	8	600		Illegal Methadone
77	B12A_10	28	Num	8	608		Other Narcotics
78	B12A_11	28	Num	8	616		Methamphetamines
79	B12A_12	28	Num	8	624		Downers
80	B12A_13	28	Num	8	632		Other drug (SPECIFY)
81	B12B	29	Num	8	640	B12B	Get high five times or more i
82	B12C	29	Num	8	648	B12C	# Days/month drugs were used
83	B13	29	Num	8	656	B13	R have physical exam
84	B14	29	Num	8	664	B14	R receive medical care in PRO
85	B15	30	Num	8	672	B15	State of health while in PROGR
86	B16	30	Num	8	680	B16	Any medicines prescribed
87	B16A	30	Num	8	688	B16A	Is this a methadone program
88	B16B	30	Num	8	696	B16B	Amount of methadone given
89	B17	31	Num	8	704	B17	Any other medicines prescribed
90	B18	31	Num	8	712	B18	R attend AA/NA/CA meetings
91	B18AA	31	Num	8	720	B18Aa	R attend AA meetings
92	B18AB	32	Num	8	728	B18Ab	R attend NA meetings
93	B18AC	32	Num	8	736	B18Ac	R attend CA meetings
94	B19A	32	Num	8	744	B19a	Did treatment help improve he
95	B19B	33	Num	8	752	B19b	Treatment help nerves, emotio
96	B19C	33	Num	8	760	B19c	Treatment help job skills
97	B19D	33	Num	8	768	B19d	Treatment help with financial
98	B19E	33	Num	8	776	B19e	Treatment help get additional
99	B19F	34	Num	8	784	B19f	Treatment help with legal pro
100	B19G	34	Num	8	792	B19g	Treatment improve family rela
101	B19H	34	Num	8	800	B19h	Treatment help with future pl
102	B19I	34	Num	8	808	B19i	Treatment help anything else
103	B20	35	Num	8	816	B20	How helpful was treatment coun
104	BOX20A	35	Num	8	824	BOX 20A	
105	B21CODE	35	Num	8	832	B21code	# of times R enrolled
106	B21BYR	36	Num	8	840	B21BY	Year R entered program
107	B21C	36	Num	8	848	B21C	How helpful was the treatment
108	B21D	37	Num	8	856	B21D	Date check
109	B21D2	37	Num	8	864	B21D2	R attend only one program

110	B21ECOD	37	Num	8	872	B21Ecode # of times R enrolled
111	B21GY	38	Num	8	880	B21GY Year R entered program
112	B21H	38	Num	8	888	B21H How helpful was the treatment
113	B22	38	Num	8	896	B22 Years enrolled in this treatme
114	B23A	39	Num	8	904	B23a Inpatient program
115	B23B	39	Num	8	912	B23b Residential program
116	B23C	39	Num	8	920	B23c Outpatient, non-methadone pro
117	B23D	39	Num	8	928	B23d Methadone program
118	B23E	40	Num	8	936	B23e Something else (SPECIFY)
119	B24A	40	Num	8	944	B24a Program arrange for medical c
120	B24B	40	Num	8	952	B24b Program arrange for counselin
121	B24C	40	Num	8	960	B24c Program arrange for classes
122	B25	41	Num	8	968	B25 How long did R attend AA/NA/CA

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
123	B25AA	41	Num	8	976	B25Aa How often did R attend AA
124	B25AB	41	Num	8	984	B25Ab How often did R attend NA
125	B25AC	42	Num	8	992	B25Ac How often did R attend CA me
126	B26	42	Num	8	1000	B26 R receive counseling after PRO
127	B26A	42	Num	8	1008	B26A R receiving counseling now
128	B27CODE	43	Num	8	1016	B27code # of times R enrolled
129	B29_	43	Num	8	1024	B29_
130	B29A	43	Num	8	1032	B29A Type of treatment or help
131	B29B	44	Num	8	1040	B29B Length of treatment
132	B29C_1	44	Num	8	1048	Inhalants
133	B29C_2	44	Num	8	1056	Alcohol
134	B29C_3	44	Num	8	1064	Marijuana/hashish
135	B29C_4	45	Num	8	1072	Crack
136	B29C_5	45	Num	8	1080	Cocaine powder
137	B29C_6	45	Num	8	1088	PCP or "Angel Dust"
138	B29C_7	45	Num	8	1096	Hallucinogens, Psychedelics/LSD
139	B29C_8	45	Num	8	1104	Heroin
140	B29C_9	46	Num	8	1112	Illegal Methadone
141	B29C_10	46	Num	8	1120	Other Narcotics
142	B29C_11	46	Num	8	1128	Methamphetamines
143	B29C_12	46	Num	8	1136	Downers
144	B29C_13	46	Num	8	1144	Other drug (SPECIFY)
145	B29C_14	47	Num	8	1152	NO DRUGS/ALCOHOL
146	B30A	47	Num	8	1160	B30A Type of treatment or help
147	B30B	47	Num	8	1168	B30B Length of treatment
148	B30C_1	47	Num	8	1176	Inhalants
149	B30C_2	48	Num	8	1184	Alcohol
150	B30C_3	48	Num	8	1192	Marijuana/hashish
151	B30C_4	48	Num	8	1200	Crack
152	B30C_5	48	Num	8	1208	Cocaine powder
153	B30C_6	48	Num	8	1216	PCP or "Angel Dust"
154	B30C_7	49	Num	8	1224	Hallucinogens, Psychedelics/LSD
155	B30C_8	49	Num	8	1232	Heroin
156	B30C_9	49	Num	8	1240	Illegal Methadone
157	B30C_10	49	Num	8	1248	Other Narcotics
158	B30C_11	49	Num	8	1256	Methamphetamines
159	B30C_12	50	Num	8	1264	Downers
160	B30C_13	50	Num	8	1272	Other drug (SPECIFY)
161	B30C_14	50	Num	8	1280	NO DRUGS/ALCOHOL
162	B31A	50	Num	8	1288	B31A Type of treatment or help
163	B31B	51	Num	8	1296	B31B Length of treatment
164	B31C_1	51	Num	8	1304	Inhalants
165	B31C_2	51	Num	8	1312	Alcohol
166	B31C_3	51	Num	8	1320	Marijuana/hashish

167	B31C_4	52	Num	8	1328	Crack
168	B31C_5	52	Num	8	1336	Cocaine powder
169	B31C_6	52	Num	8	1344	PCP or "Angel Dust"
170	B31C_7	52	Num	8	1352	Hallucinogens, Psychedelics/LSD
171	B31C_8	53	Num	8	1360	Heroin
172	B31C_9	53	Num	8	1368	Illegal Methadone
173	B31C_10	53	Num	8	1376	Other Narcotics
174	B31C_11	53	Num	8	1384	Methamphetamines
175	B31C_12	54	Num	8	1392	Downers
176	B31C_13	54	Num	8	1400	Other drug (SPECIFY)
177	B31C_14	54	Num	8	1408	NO DRUGS/ALCOHOL
178	B32A	54	Num	8	1416	B32A Type of treatment or help
179	B32B	55	Num	8	1424	B32B Length of treatment
180	B32C_1	55	Num	8	1432	Inhalants
181	B32C_2	55	Num	8	1440	Alcohol
182	B32C_3	55	Num	8	1448	Marijuana/hashish
183	B32C_4	56	Num	8	1456	Crack
184	B32C_5	56	Num	8	1464	Cocaine powder
185	B32C_6	56	Num	8	1472	PCP or "Angel Dust"
186	B32C_7	56	Num	8	1480	Hallucinogens, Psychedelics/LSD
187	B32C_8	57	Num	8	1488	Heroin

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
188	B32C_9	57	Num	8	1496	Illegal Methadone
189	B32C_10	57	Num	8	1504	Other Narcotics
190	B32C_11	57	Num	8	1512	Methamphetamines
191	B32C_12	58	Num	8	1520	Downers
192	B32C_13	58	Num	8	1528	Other drug (SPECIFY)
193	B32C_14	58	Num	8	1536	NO DRUGS/ALCOHOL
194	B33A	58	Num	8	1544	B33A Type of treatment or help
195	B33B	59	Num	8	1552	B33B Length of treatment
196	B33C_1	59	Num	8	1560	Inhalants
197	B33C_2	59	Num	8	1568	Alcohol
198	B33C_3	59	Num	8	1576	Marijuana/hashish
199	B33C_4	60	Num	8	1584	Crack
200	B33C_5	60	Num	8	1592	Cocaine powder
201	B33C_6	60	Num	8	1600	PCP or "Angel Dust"
202	B33C_7	60	Num	8	1608	Hallucinogens, Psychedelics/LSD
203	B33C_8	61	Num	8	1616	Heroin
204	B33C_9	61	Num	8	1624	Illegal Methadone
205	B33C_10	61	Num	8	1632	Other Narcotics
206	B33C_11	61	Num	8	1640	Methamphetamines
207	B33C_12	62	Num	8	1648	Downers
208	B33C_13	62	Num	8	1656	Other drug (SPECIFY)
209	B33C_14	62	Num	8	1664	NO DRUGS/ALCOHOL
210	B34A	62	Num	8	1672	B34a Treatment facilities provide
211	B34B	63	Num	8	1680	B34b Treatment facilities provide
212	B34C	63	Num	8	1688	B34c Treatment facilities provide
213	B35	63	Num	8	1696	B35 Time R attended AA/NA/CA
214	B35AA	63	Num	8	1704	B35Aa How often R attended AA meet
215	B35AB	64	Num	8	1712	B35Ab How often R attended NA meet
216	B35AC	64	Num	8	1720	B35Ac How often R attended CA meet
217	B36	64	Num	8	1728	B36 PROGRAM the only time R in tre
218	B38BMO	65	Num	8	1736	B38BM Month program began
219	B38BYR	66	Num	8	1744	B38BY Year program began
220	B38EMO	66	Num	8	1752	B38EM Month program ended
221	B38EYR	67	Num	8	1760	B38EY Year program ended
222	B41_1	67	Num	8	1768	Inhalants
223	B41_2	67	Num	8	1776	Alcohol
224	B41_3	68	Num	8	1784	Marijuana/hashish

225	B41_4	68	Num	8	1792	Crack
226	B41_5	68	Num	8	1800	Cocaine powder
227	B41_6	68	Num	8	1808	PCP or "Angel Dust"
228	B41_7	68	Num	8	1816	Hallucinogens, Psychedelics/LSD
229	B41_8	69	Num	8	1824	Heroin
230	B41_9	69	Num	8	1832	Illegal Methadone
231	B41_10	69	Num	8	1840	Other Narcotics
232	B41_11	69	Num	8	1848	Methamphetamines
233	B41_12	69	Num	8	1856	Downers
234	B41_13	70	Num	8	1864	Other drug (SPECIFY)
235	B42	70	Num	8	1872	B42 Did R complete program from B3
236	B43	70	Num	8	1880	B43 Any medicines prescribed
237	B44	70	Num	8	1888	B44 Was this a methadone program
238	B44A	71	Num	8	1896	B44A Methadone dose concentration
239	B45	71	Num	8	1904	B45 Other prescription medicine ta
240	B46	71	Num	8	1912	B46 Period R attended AA/NA/CA
241	B46AA	72	Num	8	1920	B46Aa How often R attended AA
242	B46AB	72	Num	8	1928	B46Ab How often R attended NA
243	B46AC	72	Num	8	1936	B46Ac How often R attended CA
244	B47A	73	Num	8	1944	B47a Treatment improve health
245	B47B	73	Num	8	1952	B47b Treatment help with nerves/em
246	B47C	73	Num	8	1960	B47c Treatment help with job skill
247	B47D	73	Num	8	1968	B47d Treatment help with financial
248	B47E	74	Num	8	1976	B47e Treatment help get additional
249	B47F	74	Num	8	1984	B47f Treatment help with legal pro
250	B47G	74	Num	8	1992	B47g Treatment help improve family
251	B47H	74	Num	8	2000	B47h Treatment help with future pl
252	B47I	75	Num	8	2008	B47i Treatment help anything else

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
253	B48	75	Num	8	2016	B48 Effect of treatment or counsel
254	C1AINHAL	75	Num	8	2024	Inhalants
255	C1AALCOH	75	Num	8	2032	Alcohol
256	C1AMARIJ	76	Num	8	2040	Marijuana/Hashish
257	C1ACRACK	76	Num	8	2048	Crack
258	C1ACOCAI	76	Num	8	2056	Cocaine Powder
259	C1APCP	76	Num	8	2064	PCP/Angel Dust
260	C1AHALLU	77	Num	8	2072	Hallucinogens/Psychedelics/LSD
261	C1AHEROI	77	Num	8	2080	Heroin
262	C1AMTHDO	77	Num	8	2088	Illegal Methadone
263	C1AONARC	77	Num	8	2096	Other narcotics
264	C1AMETHA	78	Num	8	2104	Methamphetamines
265	C1ADOWNR	78	Num	8	2112	Downers
266	C1AODRUG	78	Num	8	2120	Other drug (SPECIFY)
267	C2INHAL	78	Num	8	2128	C2INHAL Age first use inhalants
268	C3INHAL	79	Num	8	2136	C3INHAL Use inhalants before start
269	C3AINHAL	79	Num	8	2144	C3AINHAL Days/month drug used befo
270	C4INHAL	79	Num	8	2152	C4INHAL Use inhalant after end dat
271	C5INHAL	79	Num	8	2160	C5INHAL Days/month drug used after
272	C6INHAL	80	Num	8	2168	C6INHAL Use drug in last year
273	C7INHAL	80	Num	8	2176	C7INHAL Days/month used inhalants
274	C8INHAL	80	Num	8	2184	C8INHAL R not use drugs in past ye
275	C8AINHAL	80	Num	8	2192	C8AINHAL # of months R did not use
276	C9INHAL	81	Num	8	2200	C9INHAL Used inhalants last 30 day
277	C2ALCOH	81	Num	8	2208	C2ALCOH Age first use alcohol
278	C3ALCOH	82	Num	8	2216	C3ALCOH Use alcohol before start d
279	C3AALCOH	82	Num	8	2224	C3AALCOH Days/month drug used befo
280	C4ALCOH	82	Num	8	2232	C4ALCOH Use alcohol after end date
281	C5ALCOH	82	Num	8	2240	C5ALCOH Days/month drug used after

282	C6ALCOH	83	Num	8	2248	C6ALCOH Use drug in last year
283	C7ALCOH	83	Num	8	2256	C7ALCOH Days/month used alcohol
284	C8ALCOH	83	Num	8	2264	C8ALCOH R not use drugs in past ye
285	C8AALCOH	83	Num	8	2272	C8AALCOH # of months R did not use
286	C9ALCOH	84	Num	8	2280	C9ALCOH Used alcohol last 30 days
287	C2MARIJ	84	Num	8	2288	C2MARIJ Age first used marijuana
288	C3MARIJ	85	Num	8	2296	C3MARIJ Use marijuana before start
289	C3AMARIJ	85	Num	8	2304	C3AMARIJ Days/month drug used befo
290	C4MARIJ	85	Num	8	2312	C4MARIJ Use marijuana after end da
291	C5MARIJ	85	Num	8	2320	C5MARIJ Days/month drug used after
292	C6MARIJ	86	Num	8	2328	C6MARIJ Use drug in last year
293	C7MARIJ	86	Num	8	2336	C7MARIJ Days/month used marijuana
294	C8MARIJ	86	Num	8	2344	C8MARIJ R not use drugs in past ye
295	C8AMARIJ	86	Num	8	2352	C8AMARIJ # of months R did not use
296	C9MARIJ	87	Num	8	2360	C9MARIJ Used marijuana last 30 day
297	C2CRACK	87	Num	8	2368	C2CRACK Age first used crack
298	C3CRACK	88	Num	8	2376	C3CRACK Use crack before start dat
299	C3ACRACK	88	Num	8	2384	C3ACRACK Days/month drug used befo
300	C4CRACK	88	Num	8	2392	C4CRACK Use crack after end date
301	C5CRACK	88	Num	8	2400	C5CRACK Days/month drug used after
302	C6CRACK	89	Num	8	2408	C6CRACK Use drug in last year
303	C7CRACK	89	Num	8	2416	C7CRACK Days/month used crack
304	C8CRACK	89	Num	8	2424	C8CRACK R not use drugs in past ye
305	C8ACRACK	89	Num	8	2432	C8ACRACK # of months R did not use
306	C9CRACK	90	Num	8	2440	C9CRACK Used crack last 30 days
307	C2COCAI	90	Num	8	2448	C2COCAI Age first used cocaine
308	C3COCAI	91	Num	8	2456	C3COCAI Use cocaine before start d
309	C3ACOCAI	91	Num	8	2464	C3ACOCAI Days/month drug used befo
310	C4COCAI	91	Num	8	2472	C4COCAI Use cocaine after end date
311	C5COCAI	91	Num	8	2480	C5COCAI Days/month drug used after
312	C6COCAI	92	Num	8	2488	C6COCAI Use drug in last year
313	C7COCAI	92	Num	8	2496	C7COCAI Days/month used cocaine
314	C8COCAI	92	Num	8	2504	C8COCAI R not use drugs in past ye
315	C8ACOCAI	92	Num	8	2512	C8ACOCAI # of months R did not use
316	C9COCAI	93	Num	8	2520	C9COCAI Used cocaine 30 days
317	C2PCP	93	Num	8	2528	C2APCP Age first used PCP/Angel d

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
318	C3PCP	93	Num	8	2536	C3PCP Use PCP/Angel dust before
319	C3APCP	94	Num	8	2544	C3APCP Days/month drug used befo
320	C4PCP	94	Num	8	2552	C4PCP Use PCP/Angel dust after e
321	C5PCP	94	Num	8	2560	C5PCP Days/month drug used after
322	C6PCP	94	Num	8	2568	C6PCP Use drug in last year
323	C7PCP	95	Num	8	2576	C7PCP Days/month used PCP
324	C8PCP	95	Num	8	2584	C8PCP R not use drugs in past ye
325	C8APCP	95	Num	8	2592	C8APCP # of months R did not use
326	C9PCP	95	Num	8	2600	C9PCP Used PCP/Angel dust last 30
327	C2HALLU	96	Num	8	2608	C2HALLU Age first used LSD
328	C3HALLU	96	Num	8	2616	C3HALLU Use LSD before start date
329	C3AHALLU	96	Num	8	2624	C3AHALLU Days/month drug used befo
330	C4HALLU	96	Num	8	2632	C4HALLU Use LSD after end date
331	C5HALLU	97	Num	8	2640	C5HALLU Days/month drug used after
332	C6HALLU	97	Num	8	2648	C6HALLU Use drug in last year
333	C7HALLU	97	Num	8	2656	C7HALLU Days/month used LSD
334	C8HALLU	97	Num	8	2664	C8HALLU R not use drugs in past ye
335	C8AHALLU	98	Num	8	2672	C8AHALLU # of months R did not use
336	C9HALLU	98	Num	8	2680	C9HALLU Used LSD last 30 days
337	C2HEROI	99	Num	8	2688	C2HEROI Age first used heroin
338	C3HEROI	99	Num	8	2696	C3HEROI Use heroin before start da

339	C3AHEROI	100	Num	8	2704	C3AHEROI	Days/month drug used befo
340	C4HEROI	100	Num	8	2712	C4HEROI	Use heroin after end date
341	C5HEROI	100	Num	8	2720	C5HEROI	Days/month drug used after
342	C6HEROI	100	Num	8	2728	C6HEROI	Use drug in last year
343	C7HEROI	101	Num	8	2736	C7HEROI	Days/month used heroin
344	C8HEROI	101	Num	8	2744	C8HEROI	R not use drugs in past ye
345	C8AHEROI	101	Num	8	2752	C8AHEROI	# of months R did not use
346	C9HEROI	101	Num	8	2760	C9HEROI	Used heroin last 30 days
347	C2MTHDO	102	Num	8	2768	C2MTHDO	Age first used Methadone
348	C3MTHDO	102	Num	8	2776	C3MTHDO	Use Methadone before start
349	C3AMTHDO	102	Num	8	2784	C3AMTHDO	Days/month drug used befo
350	C4MTHDO	102	Num	8	2792	C4MTHDO	Use Methadone after end da
351	C5MTHDO	103	Num	8	2800	C5MTHDO	Days/month drug used after
352	C6MTHDO	103	Num	8	2808	C6MTHDO	Use drug in last year
353	C7MTHDO	103	Num	8	2816	C7MTHDO	Days/month used methadone
354	C8MTHDO	103	Num	8	2824	C8MTHDO	R not use drugs in past ye
355	C8AMTHDO	104	Num	8	2832	C8AMTHDO	# of months R did not use
356	C9MTHDO	104	Num	8	2840	C9MTHDO	Used Methadone last 30 day
357	C2ONARC	104	Num	8	2848	C2ONARC	Age first used Other Narco
358	C3ONARC	105	Num	8	2856	C3ONARC	Use Other Narcotics before
359	C3AONARC	105	Num	8	2864	C3AONARC	Days/month drug used befo
360	C4ONARC	105	Num	8	2872	C4ONARC	Use Other Narcotics after
361	C5ONARC	105	Num	8	2880	C5ONARC	Days/month drug used after
362	C6ONARC	106	Num	8	2888	C6ONARC	Use drug in last year
363	C7ONARC	106	Num	8	2896	C7ONARC	Days/month used narcotics
364	C8ONARC	106	Num	8	2904	C8ONARC	R not use drugs in past ye
365	C8AONARC	106	Num	8	2912	C8AONARC	# of months R did not use
366	C9ONARC	107	Num	8	2920	C9ONARC	Used Other Narcotics last
367	C2METHA	107	Num	8	2928	C2METHA	Age first used Methampheta
368	C3METHA	107	Num	8	2936	C3METHA	Use Methamphetamines befor
369	C3AMETHA	108	Num	8	2944	C3AMETHA	Days/month drug used befo
370	C4METHA	108	Num	8	2952	C4METHA	Use Methamphetamines after
371	C5METHA	108	Num	8	2960	C5METHA	Days/month drug used after
372	C6METHA	108	Num	8	2968	C6METHA	Use drug in last year
373	C7METHA	109	Num	8	2976	C7METHA	Days/mon used methampheta
374	C8METHA	109	Num	8	2984	C8METHA	R not use drugs in past ye
375	C8AMETHA	109	Num	8	2992	C8AMETHA	# of months R did not use
376	C9METHA	109	Num	8	3000	C9METHA	Used Methamphetamines last
377	C2DOWNR	110	Num	8	3008	C2DOWNR	Age first used Downers
378	C3DOWNR	110	Num	8	3016	C3DOWNR	Use Downers before start d
379	C3ADOWNR	110	Num	8	3024	C3ADOWNR	Days/month drug used befo
380	C4DOWNR	111	Num	8	3032	C4DOWNR	Use Downers after end date
381	C5DOWNR	111	Num	8	3040	C5DOWNR	Days/month drug used after
382	C6DOWNR	111	Num	8	3048	C6DOWNR	Use drug in last year

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label	
383	C7DOWNR	111	Num	8	3056	C7DOWNR	Days/month used downers
384	C8DOWNR	112	Num	8	3064	C8DOWNR	R not use drugs in past ye
385	C8ADOWNR	112	Num	8	3072	C8ADOWNR	# of months R did not use
386	C9DOWNR	112	Num	8	3080	C9DOWNR	Used Other Drug last 30 da
387	C2ODRUG	113	Num	8	3088	C2ODRUG	Age first used Other Drug
388	C3ODRUG	113	Num	8	3096	C3ODRUG	Use Other Drug before star
389	C3AODRUG	114	Num	8	3104	C3AODRUG	Days/month drug used befo
390	C4ODRUG	114	Num	8	3112	C4ODRUG	Use Other Drug after end d
391	C5ODRUG	114	Num	8	3120	C5ODRUG	Days/month drug used after
392	C6ODRUG	114	Num	8	3128	C6ODRUG	Use drug in last year
393	C7ODRUG	115	Num	8	3136	C7ODRUG	Days/month used oth drug
394	C8ODRUG	115	Num	8	3144	C8ODRUG	R not use drugs in past ye
395	C8AODRUG	115	Num	8	3152	C8AODRUG	# of months R did not use

396	C9ODRUG	115	Num	8	3160	C9ODRUG	Used Other Drug last 30 da
397	C10	116	Num	8	3168	C10	ALCOHOL CODED ^1^ (YES) FOR MA
398	C11	116	Num	8	3176	C11	USED ALCOHOL 5 TIMES OR MORE I
399	C12_1	116	Num	8	3184	C12_1	R drink any beer/malt liquor
400	C13_1	117	Num	8	3192	C13_1	Amount of beer/malt liquor
401	C13_1A	117	Num	8	3200	C13_1a	Container of beer/malt liqu
402	C12_2	118	Num	8	3208	C12_2	R drink any wine/wine cooler
403	C13_2	118	Num	8	3216	C13_2	Amount of wine/wine coolers
404	C13_2A	118	Num	8	3224	C13_2a	Container of wine/wine cool
405	C12_3	119	Num	8	3232	C12_3	R drink any liquor
406	C13_3	119	Num	8	3240	C13_3	Amount of liquor
407	C13_3A	119	Num	8	3248	C13_3a	Size of liquor
408	C15INHA	120	Num	8	3256	Inhalant use not in Q.5	
409	C15ALCO	120	Num	8	3264	Alcohol use not in Q.5	
410	C15MARI	120	Num	8	3272	Marijuana/hashish use not in Q.5	
411	C15CRCK	120	Num	8	3280	Crack use not in Q.5	
412	C15COCA	120	Num	8	3288	Cocaine use not in Q.5.	
413	C15PCP	121	Num	8	3296	PCP/Angel Dust use not in Q.5	
414	C15HALU	121	Num	8	3304	Psychedelic/LSD use not in Q.5	
415	C15HERO	121	Num	8	3312	Heroin use not in Q.5	
416	C15MTDO	121	Num	8	3320	Methadone use not in Q.5	
417	C15ONRC	121	Num	8	3328	Other narcotics use not in Q.5	
418	C15METH	122	Num	8	3336	Methamphetamine use not in Q.5	
419	C15DOWN	122	Num	8	3344	Downer use not in Q.5	
420	C15OTHR	122	Num	8	3352	Other drug use not in Q.5	
421	C16INHA	122	Num	8	3360	C16INHA	Ever used drug five times
422	C17INHA	123	Num	8	3368	C17INHA	Age first used inhalants
423	C18INHA	123	Num	8	3376	C18INHA	Use inhalants before star
424	C18AINHA	124	Num	8	3384	C18AINHA	Days/month drug used befo
425	C19INHA	124	Num	8	3392	C19INHA	Use inhalant after end da
426	C19AINHA	124	Num	8	3400	C19AINHA	Days/month drug used afte
427	C20INHA	124	Num	8	3408	C20INHA	Use drug in last year
428	C20AINHA	125	Num	8	3416	C20AINHA	Days/month R used inhalant
429	C21INHA	125	Num	8	3424	C21INHA	Used inhalants last 30 day
430	C16ALCO	125	Num	8	3432	C16ALCO	Ever used drug five times
431	C17ALCO	126	Num	8	3440	C17ALCO	Age first used alcohol
432	C18ALCO	126	Num	8	3448	C18ALCO	Use alcohol before start
433	C18AALCO	127	Num	8	3456	C18AALCO	Days/month drug used befo
434	C19ALCO	127	Num	8	3464	C19ALCO	Use alcohol end date
435	C19AALCO	127	Num	8	3472	C19AALCO	Days/month drug used afte
436	C20ALCO	127	Num	8	3480	C20ALCO	Use drug in last year
437	C20AALCO	128	Num	8	3488	C20AALCO	Days/month R used alcohol
438	C21ALCO	128	Num	8	3496	C21ALCO	Used alcohol last 30 days
439	C16MARI	128	Num	8	3504	C16MARI	Ever used drug five times
440	C17MARI	129	Num	8	3512	C17MARI	Age first used marijuana
441	C18MARI	129	Num	8	3520	C18MARI	Use marijuana before star
442	C18AMARI	130	Num	8	3528	C18AMARI	Days/month drug used befo
443	C19MARI	130	Num	8	3536	C19MARI	Use marijuana after end d
444	C19AMARI	130	Num	8	3544	C19AMARI	Days/month drug used afte
445	C20MARI	130	Num	8	3552	C20MARI	Use drug in last year
446	C20AMARI	131	Num	8	3560	C20AMARI	Days/month R used marijuan
447	C21MARI	131	Num	8	3568	C21MARI	Used marijuana last 30 day

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
448	C16CRCK	131	Num	8	3576	C16CRCK Ever used drug five times
449	C17CRCK	132	Num	8	3584	C17CRCK Age first used crack
450	C18CRCK	132	Num	8	3592	C18CRCK Use crack before start da
451	C18ACRCK	133	Num	8	3600	C18ACRCK Days/month drug used befo
452	C19CRCK	133	Num	8	3608	C19CRCK Use crack after end date

453	C19ACRCK	133	Num	8	3616	C19ACRCK	Days/month drug used afte
454	C20CRCK	133	Num	8	3624	C20CRCK	Use drug in last year
455	C20ACRCK	134	Num	8	3632	C20ACRCK	Days/month R used crack
456	C21CRCK	134	Num	8	3640	C21CRCK	Used crack last 30 days
457	C16COCA	134	Num	8	3648	C16COCA	Ever used drug five times
458	C17COCA	135	Num	8	3656	C17COCA	Age first used cocaine
459	C18COCA	135	Num	8	3664	C18COCA	Use cocaine before start
460	C18ACOCA	136	Num	8	3672	C18ACOCA	Days/month drug used befo
461	C19COCA	136	Num	8	3680	C19COCA	Use cocaine after end dat
462	C19ACOCA	136	Num	8	3688	C19ACOCA	Days/month drug used afte
463	C20COCA	136	Num	8	3696	C20COCA	Use drug in last year
464	C20ACOCA	137	Num	8	3704	C20ACOCA	Days/month R used cocaine
465	C21COCA	137	Num	8	3712	C21COCA	Used cocaine last 30 days
466	C16PCP	137	Num	8	3720	C16PCP	Ever used drug five times
467	C17PCP	138	Num	8	3728	C17PCP	Age first used PCP/angel
468	C18PCP	138	Num	8	3736	C18PCP	Use PCP/angel dust before
469	C18APCP	139	Num	8	3744	C18APCP	Days/month drug used befo
470	C19PCP	139	Num	8	3752	C19PCP	Use PCP after end date
471	C19APCP	139	Num	8	3760	C19APCP	Days/month drug used afte
472	C20PCP	139	Num	8	3768	C20PCP	Use drug in last year
473	C20APCP	140	Num	8	3776	C20APCP	Days/month R used PCP/ange
474	C21PCP	140	Num	8	3784	C21PCP	Used PCP/angel dust last 3
475	C16HALU	140	Num	8	3792	C16HALU	Ever used drug five times
476	C17HALU	141	Num	8	3800	C17HALU	Age first used Psychedeli
477	C18HALU	141	Num	8	3808	C18HALU	Use Psychedelics/LSD befo
478	C18AHALU	142	Num	8	3816	C18AHALU	Days/month drug used befo
479	C19HALU	142	Num	8	3824	C19HALU	Use LSD after end date
480	C19AHALU	142	Num	8	3832	C19AHALU	Days/month drug used afte
481	C20HALU	142	Num	8	3840	C20HALU	Use drug in last year
482	C20AHALU	143	Num	8	3848	C20AHALU	Days/month R used Psychede
483	C21HALU	143	Num	8	3856	C21HALU	Used Psychedelics/LSD last
484	C16HERO	143	Num	8	3864	C16HERO	Ever used drug five times
485	C17HERO	144	Num	8	3872	C17HERO	Age first used Heroin
486	C18HERO	144	Num	8	3880	C18HERO	Use Heroin before start d
487	C18AHERO	145	Num	8	3888	C18AHERO	Days/month drug used befo
488	C19HERO	145	Num	8	3896	C19HERO	Use heroin after end date
489	C19AHERO	145	Num	8	3904	C19AHERO	Days/month drug used afte
490	C20HERO	145	Num	8	3912	C20HERO	Use drug in last year
491	C20AHERO	146	Num	8	3920	C20AHERO	Days/month R used Heroin
492	C21HERO	146	Num	8	3928	C21HERO	Used Heroin last 30 days
493	C16MTDO	146	Num	8	3936	C16MTDO	Ever used drug five times
494	C17MTDO	147	Num	8	3944	C17MTDO	Age first used Methadone
495	C18MTDO	147	Num	8	3952	C18MTDO	Use illegal Methadone bef
496	C18AMTDO	148	Num	8	3960	C18AMTDO	Days/month drug used befo
497	C19MTDO	148	Num	8	3968	C19MTDO	Use illegal Methadone aft
498	C19AMTDO	148	Num	8	3976	C19AMTDO	Days/month drug used afte
499	C20MTDO	148	Num	8	3984	C20MTDO	Use drug in last year
500	C20AMTDO	149	Num	8	3992	C20AMTDO	Days/month R used illegal
501	C21MTDO	149	Num	8	4000	C21ME30	Used Methamph last 30 day
502	C16ONRC	149	Num	8	4008	C16ONRC	Ever used drug five times
503	C17ONRC	150	Num	8	4016	C17ONRC	Age first used Other narc
504	C18ONRC	150	Num	8	4024	C18ONRC	Use other narcotics befor
505	C18AONRC	151	Num	8	4032	C18AONDA	Days/month drug used befo
506	C19ONRC	151	Num	8	4040	C19ONDAY	Use other narcotics after
507	C19AONRC	151	Num	8	4048	C19AONRC	Days/month drug used afte
508	C20ONRC	151	Num	8	4056	C20ONRC	Use drug in last year
509	C20AONRC	152	Num	8	4064	C20AONRC	Days/month R used other na
510	C21ONRC	152	Num	8	4072	C21ONRC	Used Other Narcotics last
511	C16METH	152	Num	8	4080	C16METH	Ever used drug five times
512	C17METH	153	Num	8	4088	C17METH	Age first used Methamphet

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
513	C18METH	153	Num	8	4096	C18METH Use Methamphetamines befo
514	C18AMETH	154	Num	8	4104	C18AMETH Days/month drug used befo
515	C19METH	154	Num	8	4112	C19METH Use Methamphetamines afte
516	C19AMETH	154	Num	8	4120	C19AMETH Days/month drug used afte
517	C20METH	154	Num	8	4128	C20METH Use drug in last year
518	C20AMETH	155	Num	8	4136	C20AMETH Days/month R used Methamph
519	C21METH	155	Num	8	4144	C21ME30 Used Methamphetamine last
520	C16DOWN	155	Num	8	4152	C16DOWN Ever used drug five times
521	C17DOWN	156	Num	8	4160	C17DOWN Age first used Downers
522	C18DOWN	156	Num	8	4168	C18DOWN Use Downers before start
523	C18ADOWN	157	Num	8	4176	C18ADOWN Days/month drug used befo
524	C19DOWN	157	Num	8	4184	C19DOWN Use Downers after end dat
525	C19ADOWN	157	Num	8	4192	C19ADOWN Days/month drug used afte
526	C20DOWN	157	Num	8	4200	C20DOWN Use drug in last year
527	C20ADOWN	158	Num	8	4208	C20ADOWN Days/month R used Downers
528	C21DOWN	158	Num	8	4216	C21DOWN Used Downers last 30 days
529	C16OTHR	158	Num	8	4224	C16OTHR Ever used drug five times
530	C17OTHR	159	Num	8	4232	C17OTHR Age first used other drug
531	C18OTHR	159	Num	8	4240	C18OTHR Use other drug before sta
532	C18AOTHR	160	Num	8	4248	C18AOTHR Days/month drug used befo
533	C19OTHR	160	Num	8	4256	C19OTHR Use other drug after end
534	C19AOTHR	160	Num	8	4264	C19AOTHR Days/month drug used afte
535	C20OTHR	160	Num	8	4272	C20OTHR Use drug in last year
536	C20AOTHR	161	Num	8	4280	C20AOTHR Days/month R used other dr
537	C21OTHR	161	Num	8	4288	C21OTHR Use Other drug last 30 day
538	C22	161	Num	8	4296	SEE C16. IS ALCOHOL CODED ^1^ (YES
539	C23	161	Num	8	4304	HAS R USED ALCOHOL IN LAST 30 DAYS
540	C24_1	162	Num	8	4312	C24_1 R drink any beer/malt liquor
541	C25_1	162	Num	8	4320	C25_1 Amount of beer/malt liquor
542	C25_1A	162	Num	8	4328	C25_1a Container of beer/malt liqu
543	C24_2	163	Num	8	4336	C24_2 R drink any wine/wine cooler
544	C25_2	163	Num	8	4344	C25_2 Amount of wine/wine coolers
545	C25_2A	163	Num	8	4352	C25_2a Container of wine/wine cool
546	C24_3	163	Num	8	4360	C24_3 R drink any liquor
547	C25_3	164	Num	8	4368	C25_3 Amount of liquor
548	C25_3A	164	Num	8	4376	C25_3a Size of liquor
549	C27	164	Num	8	4384	C27 R ever inject drugs with needl
550	C27A	165	Num	8	4392	C27A Age when needle first used
551	C27B	166	Num	8	4400	C27B # times R used needle before
552	C28	166	Num	8	4408	C28 # times needle used while in p
553	C28A	166	Num	8	4416	C28A Days per month R injected dru
554	C28B	167	Num	8	4424	C28B Attend safe needle classes/co
555	C28CA	167	Num	8	4432	C28Ca Counseling affect using a ne
556	C28CB	167	Num	8	4440	C28Cb Counseling affect sharing ne
557	C28CC	167	Num	8	4448	C28Cc Counseling affect sharing ne
558	C29	168	Num	8	4456	C29 # times injected drugs since p
559	C29A	168	Num	8	4464	C29A Used needle in past year
560	D1	168	Num	8	4472	D1 R ever been arrested
561	D1A	169	Num	8	4480	D1A R^s age at first arrest
562	D2	170	Num	8	4488	D2 # of arrests before program
563	D3	170	Num	8	4496	D3 # of arrests 5 years before pro
564	D4	171	Num	8	4504	D4 R support self b illegal activi
565	D5	171	Num	8	4512	D5 R in jail or on probation more
566	D6A	171	Num	8	4520	D6A # of years R spent in correcto
567	D6B	172	Num	8	4528	D6b R in prison before program
568	D6C	172	Num	8	4536	D6c R in juvenile detention before
569	D6D	172	Num	8	4544	D6d R in TASC or court diversion p
570	D6E	172	Num	8	4552	D6e R sentenced to probation befor
571	D6F	173	Num	8	4560	D6f R on parole before program
572	D6G	173	Num	8	4568	D6g R under other supervision

573	D7	173	Num	8	4576	D7 R in jail or on probation more
574	D7AA	173	Num	8	4584	D7Aa R in jail for more than one d
575	D7BA	174	Num	8	4592	D7Ba # years spent in jail
576	D7AB	174	Num	8	4600	D7Ab R in prison at any time
577	D7BB	174	Num	8	4608	D7Bb # years spent in prison

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
578	D7AC	174	Num	8	4616	D7Ac R in juvenile detention
579	D7BC	175	Num	8	4624	D7Bc # years spent in juvenile det
580	D7AD	175	Num	8	4632	D7Ad R in TASC or court diversion
581	D7BD	175	Num	8	4640	D7Bd # years spent in TASC/court d
582	D7AE	175	Num	8	4648	D7Ae R sentenced to probation
583	D7BE	176	Num	8	4656	D7Be # years spent on probation
584	D7AF	176	Num	8	4664	D7Af R on parole
585	D7BF	176	Num	8	4672	D7Bf # years spent on probation
586	D7AG	176	Num	8	4680	D7Ag R on any other court supervis
587	D7BG	177	Num	8	4688	D7Bg # years spent on other court
588	D8	177	Num	8	4696	D8 R arrested while R was in progr
589	D9	177	Num	8	4704	D9 # of times R arrested while in
590	D9A_1	177	Num	8	4712	Possession of drugs/drug parapherna
591	D9A_2	178	Num	8	4720	Drug sale or trafficking
592	D9A_3	178	Num	8	4728	Driving while intoxicated (DWI)/(DU
593	D9A_4	178	Num	8	4736	Fraud or forgery
594	D9A_5	178	Num	8	4744	Burglary
595	D9A_6	179	Num	8	4752	Other kinds of theft
596	D9A_7	179	Num	8	4760	Disorderly conduct, fighting or van
597	D9A_8	179	Num	8	4768	A violent offense
598	D9A_9	179	Num	8	4776	Prostitution or procurement
599	D9A_10	180	Num	8	4784	Violation of parole/probation
600	D9A_11	180	Num	8	4792	OTHER DRUG OFFENSES
601	D9A_12	180	Num	8	4800	OTHER PUBLIC ORDER OFFENSE
602	D9A_13	180	Num	8	4808	OTHER PROPERTY OFFENSE
603	D9A_14	181	Num	8	4816	OTHER VIOLENT OFFENSE
604	D9A_15	181	Num	8	4824	CANNOT CODE CHARGE
605	D10	181	Num	8	4832	D10 R^s illegal activities whie in
606	D10A	181	Num	8	4840	D10A Involvement in illegal activi
607	D11	182	Num	8	4848	D11 R in jail or on probation whil
608	D12A	182	Num	8	4856	D12a R in jail for more than one d
609	D13A	183	Num	8	4864	D13a Number
610	D13ANUM	183	Num	8	4872	D13anum Unit of time
611	D12B	183	Num	8	4880	D12b R in prison at any time
612	D13B	184	Num	8	4888	D13b Number
613	D13BNUM	184	Num	8	4896	D13bnum Unit of time
614	D12C	184	Num	8	4904	D12c R in juvenile detention
615	D13C	184	Num	8	4912	D13c Number
616	D13CNUM	185	Num	8	4920	D13cnum Unit of time
617	D12D	185	Num	8	4928	D12d R in TASC/court diversion pro
618	D13D	185	Num	8	4936	D13d Number
619	D13DNUM	185	Num	8	4944	D13dnum Unit of time
620	D12E	186	Num	8	4952	D12e R sentenced to probation
621	D13E	186	Num	8	4960	D13e Number
622	D13ENUM	186	Num	8	4968	D13enum Unit of time
623	D12F	187	Num	8	4976	D12f R on parole
624	D13F	187	Num	8	4984	D13f Number
625	D13FNUM	187	Num	8	4992	D13fnum Unit of time
626	D12G	188	Num	8	5000	D12g R on other supervision
627	D13G	188	Num	8	5008	D13g Number
628	D13GNUM	188	Num	8	5016	D13gnum Unit of time
629	D14	189	Num	8	5024	D14 R arrested after leaving progr

630	D14A	189	Num	8	5032	D14A	# of times R was arrested
631	D15	190	Num	8	5040	D15	R do illegal activities since
632	D15A	190	Num	8	5048	D15A	R do illegal activities in la
633	D15B	190	Num	8	5056	D15B	Months R supported w/illegal
634	D16A	190	Num	8	5064	D16a	R in jail for more than one d
635	D17A	191	Num	8	5072	D17a	# years spent in jail
636	D16B	191	Num	8	5080	D16b	R in prison at any time
637	D17B	191	Num	8	5088	D17b	# years spent in prison
638	D16C	191	Num	8	5096	D16c	R in juvenile detention
639	D17C	192	Num	8	5104	D17c	# years spent in juvenile det
640	D16D	192	Num	8	5112	D16d	R in TASC or court diversion
641	D17D	192	Num	8	5120	D17d	# years spent in TASC/court d
642	D16E	192	Num	8	5128	D16e	R sentenced to probation

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
643	D17E	193	Num	8	5136	D17e # years spent on probation
644	D16F	193	Num	8	5144	D16f R on parole
645	D17F	193	Num	8	5152	D17f # years spent on probation
646	D16G	193	Num	8	5160	D16g R on any other court supervis
647	D17G	194	Num	8	5168	D17g # years spent on other court
648	D18	194	Num	8	5176	D18 More than one status coded
649	D19	194	Num	8	5184	D19 Years spent in all categories
650	D20	194	Num	8	5192	D20 R ever stolen a motor vehicle
651	D20A	195	Num	8	5200	D20A R steal vehicle 5 years befor
652	D20B	195	Num	8	5208	D20B R arrested for stealing vehic
653	D20C	195	Num	8	5216	D20C R ever steal vehicle while in
654	D20D	195	Num	8	5224	D20D R arrested for stealing vehic
655	D20E	196	Num	8	5232	D20E R steal vehicle after leaving
656	D20F	196	Num	8	5240	D20F R arrested for vehicle theft
657	D21	196	Num	8	5248	D21 R ever driven while intoxicate
658	D21A	196	Num	8	5256	D21A R drive while intoxicated bef
659	D21B	197	Num	8	5264	D21B R arrested for DWI before pro
660	D21C	197	Num	8	5272	D21C R drive intoxicated while in
661	D21D	197	Num	8	5280	D21D R arrested for DUI while in p
662	D21E	197	Num	8	5288	D21E R driven intoxicated since le
663	D21F	198	Num	8	5296	D21F R arrested for DUI since leav
664	D22	198	Num	8	5304	D22 R ever driven while under the
665	D22A	198	Num	8	5312	D22A R DUI 5 years before program
666	D22B	198	Num	8	5320	D22B R arrested for DUI 5 years be
667	D22C	199	Num	8	5328	D22C R ever DUI while attending pr
668	D22D	199	Num	8	5336	D22D R arrested for DUI while in p
669	D22E	199	Num	8	5344	D22E R ever DUI after program
670	D22F	199	Num	8	5352	D22F R arrested for DUI since end
671	D23	200	Num	8	5360	D23 R commit public order offenses
672	D23A	200	Num	8	5368	D23A Commit offense before program
673	D23B	200	Num	8	5376	D23B Arrested for offense before
674	D23C	200	Num	8	5384	D23C Commit offense attending prog
675	D23D	201	Num	8	5392	D23D Arrested for offense in progr
676	D23E	201	Num	8	5400	D23E Commit offense after program
677	D23F	201	Num	8	5408	D23F Arrested for offense after pr
678	D24	201	Num	8	5416	D24 R ever sell or help sell drugs
679	D24A	202	Num	8	5424	D24A Sell drugs before program
680	D24B	202	Num	8	5432	D24B Arrested for selling before p
681	D24C	202	Num	8	5440	D24C Sell drugs while in program
682	D24D	202	Num	8	5448	D24D Arrested for selling in progr
683	D24E	203	Num	8	5456	D24E Sell drugs after program
684	D24F	203	Num	8	5464	D24F Arrested for selling after pr
685	D25	203	Num	8	5472	D25 Involved in prostitution/procu
686	D25A	203	Num	8	5480	D25A Prostitution/procurement befo

687	D25B	204	Num	8	5488	D25B	Arrested before program
688	D25C	204	Num	8	5496	D25C	Prostitution/procurement in p
689	D25D	204	Num	8	5504	D25D	Arrested while in program
690	D25E	204	Num	8	5512	D25E	Prostitution/procurement afte
691	D25F	205	Num	8	5520	D25F	Arrested after program
692	D26	205	Num	8	5528	D26	R take part in fraud or forger
693	D26A	205	Num	8	5536	D26A	Fraud or forgery before progr
694	D26B	205	Num	8	5544	D26B	Arrested for fraud/forgery be
695	D26C	206	Num	8	5552	D26C	Fraud or forgery while in pro
696	D26D	206	Num	8	5560	D26D	Arrested while in program
697	D26E	206	Num	8	5568	D26E	Fraud or forgery after progra
698	D26F	206	Num	8	5576	D26F	Arrested after program
699	D27	207	Num	8	5584	D27	R involved in shoplifting or l
700	D27A	207	Num	8	5592	D27A	Larceny before program
701	D27B	207	Num	8	5600	D27B	Arrested for larceny before p
702	D27C	207	Num	8	5608	D27C	Larceny while in program
703	D27D	208	Num	8	5616	D27D	Arrest for larceny in program
704	D27E	208	Num	8	5624	D27E	Larceny after program
705	D27F	208	Num	8	5632	D27F	Arrest for larceny after prog
706	D28	208	Num	8	5640	D28	R ever commit breaking and ent
707	D28A	209	Num	8	5648	D28A	Breaking and entering before

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
708	D28B	209	Num	8	5656	D28B Arrest for B & E before progr
709	D28C	209	Num	8	5664	D28C Breaking and entering in prog
710	D28D	209	Num	8	5672	D28D Arrest for B & E while in pro
711	D28E	210	Num	8	5680	D28E Breaking and entering after p
712	D28F	210	Num	8	5688	D28F Arrest for B & E after progra
713	D29	210	Num	8	5696	D29 R ever do strongarm/armed robb
714	D29A	210	Num	8	5704	D29A Strongarm/armed robbery befor
715	D29B	210	Num	8	5712	D29B Arrest before program
716	D29C	211	Num	8	5720	D29C Strongarm/armed robbery in pr
717	D29D	211	Num	8	5728	D29D Arrest for robbery in program
718	D29E	211	Num	8	5736	D29E Strongarm/armed robbery after
719	D29F	211	Num	8	5744	D29F Arrest for robbery after pro
720	D30	212	Num	8	5752	D30 R ever commit arson
721	D30A	212	Num	8	5760	D30A Commit arson before program
722	D30B	212	Num	8	5768	D30B Arrested for arson before pro
723	D30C	212	Num	8	5776	D30C Commit arson during program
724	D30D	212	Num	8	5784	D30D Arrested for arson during pro
725	D30E	213	Num	8	5792	D30E Commit arson after program
726	D30F	213	Num	8	5800	D30F Arrested for arson after prog
727	D31	213	Num	8	5808	D31 R ever threaten/attack attack
728	D31A	213	Num	8	5816	D31A Threaten/attack before progra
729	D31B	214	Num	8	5824	D31B Arrest for attack before prog
730	D31C	214	Num	8	5832	D31C Attack/threaten during progra
731	D31D	214	Num	8	5840	D31D Arrest for attack during prog
732	D31E	214	Num	8	5848	D31E Attack/threaten after program
733	D31F	215	Num	8	5856	D31F Arrest for attack after progr
734	D32	215	Num	8	5864	D32 R ever force sex
735	D32A	215	Num	8	5872	D32A Use force for sex before prog
736	D32B	215	Num	8	5880	D32B Arrest for forced sex before
737	D32C	216	Num	8	5888	D32C Use force for sex during prog
738	D32D	216	Num	8	5896	D32D Arrest for forced sex during
739	D32E	216	Num	8	5904	D32E Use force for sex ater progra
740	D32F	216	Num	8	5912	D32F Arrest for forced sex after p
741	D33	217	Num	8	5920	D33 R ever kill someone not by acc
742	D33A	217	Num	8	5928	D33A Commit homicide before progra
743	D33B	217	Num	8	5936	D33B Arrested for homicide before

744	D33C	217	Num	8	5944	D33C	Commit homicide during progra
745	D33D	218	Num	8	5952	D33D	Arrested for homicide during
746	D33E	218	Num	8	5960	D33E	Commit homicide after program
747	D33F	218	Num	8	5968	D33F	Arrested for homicide after p
748	D34	218	Num	8	5976	D34	R ever violate parole
749	D34A	219	Num	8	5984	D34A	Violate parole before program
750	D34B	219	Num	8	5992	D34B	Arrest for violation before p
751	D34C	219	Num	8	6000	D34C	Violate parole during program
752	D34D	219	Num	8	6008	D34D	Arrest for violation during p
753	D34E	220	Num	8	6016	D34E	Violate parole after program
754	D34F	220	Num	8	6024	D34F	Arrest for violation after pr
755	D35	220	Num	8	6032	D35	R break any other laws
756	D35A	220	Num	8	6040	D35A	Break other laws before progr
757	D35B	221	Num	8	6048	D35Avrb	Arrest before program
758	D35C	221	Num	8	6056	D35C	Law broken during program
759	D35D	221	Num	8	6064	D35D	Arrest during program
760	D35E	221	Num	8	6072	D35E	Laws broken after program
761	D35F	222	Num	8	6080	D35F	Arrest after program
762	D36	222	Num	8	6088	D36	R under supervision now
763	D36AA	222	Num	8	6096	D36Aa	R on probation
764	D36AB	222	Num	8	6104	D36Ab	R on parole of conditional r
765	D36AC	223	Num	8	6112	D38Ac	R have outstanding warrants
766	D35AD	223	Num	8	6120	D38Ad	R under other supervision
767	E1	223	Num	8	6128	E1	R CURRENTLY MARRIED
768	E1A	223	Num	8	6136	E1A	R EVER BEEN MARRIED
769	E2	224	Num	8	6144	E2	R EVER LIVED WITH SOMEONE
770	E3	224	Num	8	6152	E3	# OF INDIVIDUALS R LIVED WITH O
771	E4MONTH	224	Num	8	6160	E4MONTH	
772	E4YEAR	225	Num	8	6168	E4YEAR	

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
773	E5	226	Num	8	6176	E5 IS YEAR RECORDED BEFORE START D
774	E6	226	Num	8	6184	E6 # YRS R LIVED WITH PARTNERS
775	E7	226	Num	8	6192	Automatic Skip
776	E8A	227	Num	8	6200	E8a R MARRIED WHEN FIRST ENTERING P
777	E8B	227	Num	8	6208	E8b R HAVE PARTNER WHEN FIRST ENTER
778	E9	227	Num	8	6216	E9 TIME R SPENT W/PARTNER AFTER PR
779	E10	228	Num	8	6224	E10 TIME R WAS MARRIED OR LIVED W/
780	F1	228	Num	8	6232	F1 Natural mother born in the U.S.
781	F2	228	Num	8	6240	F2 Natural father born in the U.S.
782	F3	228	Num	8	6248	F3 R currently living with parents
783	F3A	229	Num	8	6256	F3A Age R last lived with mother
784	F3B	231	Num	8	6264	F3B Age R last lived with father
785	F4	232	Num	8	6272	AUTOMATIC SKIP
786	F5	232	Num	8	6280	F5 Highest grade of school for fat
787	F5A	232	Num	8	6288	F5A Father have high school diplom
788	F6	233	Num	8	6296	F6 Highest grade of school for mot
789	F6A	233	Num	8	6304	F6A Mother have high school diplom
790	F7	233	Num	8	6312	F7 Courts arrange for R to live se
791	F8	234	Num	8	6320	F8 R run away from home before age
792	F8A	234	Num	8	6328	F8A # of times R ran away
793	F9	234	Num	8	6336	F9 R ever asked to leave by parent
794	F10	235	Num	8	6344	F10 Number of natural children
795	F10A	235	Num	8	6352	F10A R ever had custody of any chi
796	F11	235	Num	8	6360	F11 R have custody of children bef
797	F11A	236	Num	8	6368	F11A # children under 18 R raised
798	F12	236	Num	8	6376	F12 R have custody of children aft
799	F12A	236	Num	8	6384	F12A # children under 18 R has rai
800	F13	237	Num	8	6392	F13 R ever lose custody of childre

801	F13A	237	Num	8	6400	F13A R lose custody before program
802	F13B	237	Num	8	6408	F13B R get custody back
803	F13C	238	Num	8	6416	F13C R lose custody while in progr
804	F13D	238	Num	8	6424	F13D R get custody back
805	F13E	238	Num	8	6432	F13E R lose custody after program
806	F13F	239	Num	8	6440	F13F R get custody back after this
807	F14	239	Num	8	6448	F14 R have any children 18 or olde
808	F14A	240	Num	8	6456	F14A # of children over 18 R has 1
809	F15	240	Num	8	6464	F15 R ever homeless before program
810	F15A	240	Num	8	6472	F15A R stay in shelters or on stre
811	F15B	241	Num	8	6480	F15B Time R spent in shelters
812	F15C	241	Num	8	6488	F15C Time R spent on the street
813	F16	242	Num	8	6496	F16 R live in an apartment since p
814	F16A	242	Num	8	6504	F16A Time R spent in all apartment
815	F17	242	Num	8	6512	F17 R ever homeless after program
816	F17A	242	Num	8	6520	F17A R stay in shelters or on stre
817	F17B	243	Num	8	6528	F17B Time R spent in a shelter
818	F17C	243	Num	8	6536	F17C Time R spent on the street
819	F19	244	Num	8	6544	F19 R attend any type school
820	F19A_1	244	Num	8	6552	Elementary school
821	F19A_2	244	Num	8	6560	High school
822	F19A_3	244	Num	8	6568	GED/Equivalency Program
823	F19A_4	245	Num	8	6576	Junior College
824	F19A_5	245	Num	8	6584	College
825	F19A_6	245	Num	8	6592	Graduate/Professional School
826	F19A_7	245	Num	8	6600	Technical School
827	F19A_8	245	Num	8	6608	Business School
828	F19A_9	246	Num	8	6616	Apprenticeship Program
829	F19A_10	246	Num	8	6624	Other schools/classes/program (SPEC
830	F19B_0	246	Num	8	6632	NONE
831	F19B_1	246	Num	8	6640	1st Grade
832	F19B_2	247	Num	8	6648	2nd Grade
833	F19B_3	247	Num	8	6656	3rd Grade
834	F19B_4	247	Num	8	6664	4th Grade
835	F19B_5	247	Num	8	6672	5th Grade
836	F19B_6	248	Num	8	6680	6th Grade
837	F19B_7	248	Num	8	6688	7th Grade

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
838	F19B_8	248	Num	8	6696	8th Grade
839	F19B_9	248	Num	8	6704	9th Grade
840	F19B_10	249	Num	8	6712	10th Grade
841	F19B_11	249	Num	8	6720	11th Grade
842	F19B_12	249	Num	8	6728	12th Grade
843	F19B_13	249	Num	8	6736	1 Year College
844	F19B_14	250	Num	8	6744	2 Years College
845	F19B_15	250	Num	8	6752	3 Years College
846	F19B_16	250	Num	8	6760	4 Years College
847	F19B_17	250	Num	8	6768	Graduate/Professional School
848	F19C	251	Num	8	6776	F19C R received diploma/GED since
849	G1	251	Num	8	6784	G1 Ever felt sad at least two week
850	G2	251	Num	8	6792	G2 R have sad period before progra
851	G3	252	Num	8	6800	G3 Age when R first felt depressed
852	G3A	253	Num	8	6808	G3A Was depression the result of d
853	G3B	253	Num	8	6816	G3B All/some/none of depression du
854	G4	253	Num	8	6824	G4 R have sad period after program
855	G5	254	Num	8	6832	G5 All/some/none of these times du
856	G6	254	Num	8	6840	G6 All/some/none of these times du
857	G7	254	Num	8	6848	G7 R depressed for two weeks in th

858	G8	254	Num	8	6856	G8	All/some/none of these times du
859	G9	255	Num	8	6864	G9	All/some/none of these times du
860	G10	255	Num	8	6872	G10	R ever attempt suicide
861	G11	255	Num	8	6880	G11	R attempt suicide before progr
862	G12	256	Num	8	6888	G12	# of times R attempted suicide
863	G13	256	Num	8	6896	G13	Attempts the results of alcoho
864	G14	256	Num	8	6904	G14	R attempt suicide after progra
865	G15	257	Num	8	6912	G15	# of times R attempted suicide
866	G16	257	Num	8	6920	G16	Any attempts due to alcohol us
867	G17	257	Num	8	6928	G17	Any attempts due to drug use
868	G18	257	Num	8	6936	G18	Any attempts in the last year
869	G19	258	Num	8	6944	G19	R have trouble controlling tem
870	G20	258	Num	8	6952	G20	R have trouble with temper bef
871	G20A	258	Num	8	6960	G20A	Temper troubles due to alcoho
872	G20B	258	Num	8	6968	G20B	All/some/none of trouble due
873	G21	259	Num	8	6976	G21	R have trouble with temper aft
874	G22	259	Num	8	6984	G22	All/some/none of these times d
875	G23	259	Num	8	6992	G23	All/some/none of these times d
876	G24	259	Num	8	7000	G24	R have trouble with temper in
877	G25	260	Num	8	7008	G25	All/some/none of these times d
878	G26	260	Num	8	7016	G26	All/some/none of these times d
879	G27	260	Num	8	7024	G27	R have hallucinations or delus
880	G28	260	Num	8	7032	G28	R have hallucinations before p
881	G28A	261	Num	8	7040	G28A	Any hallucinations due to alc
882	G28B	261	Num	8	7048	G28B	All/some/none of these times
883	G29	261	Num	8	7056	G29	R have hallucinations/delusion
884	G30	261	Num	8	7064	G30	Hallucinations/delusions due t
885	G31	262	Num	8	7072	G31	Hallucinations/delusions due t
886	G32	262	Num	8	7080	G32	Hallucinations/delusions in th
887	G33	262	Num	8	7088	G33	Hallucinations/delusions due t
888	G34	262	Num	8	7096	G34	Hallucinations/delusions due t
889	G35	263	Num	8	7104	G35	R ever seek help for emotional
890	G36	263	Num	8	7112	G36	R seek help before program
891	G37	264	Num	8	7120	G37	# of times R sought help
892	G38	265	Num	8	7128	G38	R seek help for problems after
893	G39	266	Num	8	7136	G39	# of times R sought help after
894	G40	267	Num	8	7144	G40	R seek help in last year
895	G41	268	Num	8	7152	G41	# of times R sought help in la
896	G42	269	Num	8	7160	G42	R stay overnight in hospital
897	G43	269	Num	8	7168	G43	R stay overnight in hospital b
898	G44	270	Num	8	7176	G44	Age of R at first overnight st
899	G45	271	Num	8	7184	G45	# of times R stayed overnight
900	G46	271	Num	8	7192	G46	R stayed in hospital since en
901	G47	272	Num	8	7200	G47	# of times R stayed in hospit
902	G48	272	Num	8	7208	G48	General health of R

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
903	G49	273	Num	8	7216	G49 Health of R before program
904	G50	273	Num	8	7224	G50 Health of R after program
905	G51A	273	Num	8	7232	G51a Tuberculosis
906	G51B	273	Num	8	7240	G51b Rreathing conditions
907	G51C	274	Num	8	7248	G51c Heart/blood condition
908	G51D	274	Num	8	7256	G51d Anemia
909	G51E	274	Num	8	7264	G51e Hepatitis or jaundice
910	G51F	274	Num	8	7272	G51f Serious internal condition
911	G51G	275	Num	8	7280	G51g Bone or muscle conditions
912	G51H	275	Num	8	7288	G51h Convulsions, epilepsy, migrai
913	G51I	275	Num	8	7296	G51i STD other than AIDS
914	G51J	275	Num	8	7304	G51j Cancer

915	G51K	276	Num	8	7312	G51k Miscarriage, Toxemia, abnormal
916	G51AA	276	Num	8	7320	G51Aa Tuberculosis before
917	G51BA	276	Num	8	7328	G51Ba Tuberculosis after
918	G51AB	276	Num	8	7336	G51Ab Breathing condition before
919	G51BB	277	Num	8	7344	G51Bb Breathing condition after
920	G51AC	277	Num	8	7352	G51Ac Blood condition before
921	G51BC	277	Num	8	7360	G51Bc Blood condition after
922	G51AD	277	Num	8	7368	G51Ad Anemia before
923	G51BD	278	Num	8	7376	G51Bd Anemia after
924	G51AE	278	Num	8	7384	G51Ae Hepatitis before
925	G51BE	278	Num	8	7392	G51Be Hepatitis after
926	G51AF	278	Num	8	7400	G51Af Internal condition before
927	G51BF	279	Num	8	7408	G51Bf Internal condition after
928	G51AG	279	Num	8	7416	G51Ag Bone or muscle before
929	G51BG	279	Num	8	7424	G51Bg Bone or muscle after
930	G51AH	279	Num	8	7432	G51Ah Convulsions before
931	G51BH	280	Num	8	7440	G51Bh Convulsions after
932	G51AI	280	Num	8	7448	G51Ai STD other than AIDS before
933	G51BI	280	Num	8	7456	G51Bi STD other than AIDS after
934	G51AJ	280	Num	8	7464	G51Aj Cancer before
935	G51BJ	280	Num	8	7472	G51Bj Cancer after
936	G51AK	281	Num	8	7480	G51Ak Female problems before
937	G51BK	281	Num	8	7488	G51Bk Female problems after
938	G52	281	Num	8	7496	G52 R ever overdosed on alcohol/dr
939	G53	281	Num	8	7504	G53 R overdose before program
940	G54	282	Num	8	7512	G54 # of times R overdosed
941	G55	282	Num	8	7520	G55 R go to emergency room when ov
942	G56	282	Num	8	7528	G56 # of time R went to emergency
943	G57	283	Num	8	7536	G57 R overdosed since end of progr
944	G58	283	Num	8	7544	G58 # of time R overdosed
945	G59	283	Num	8	7552	G59 R go to emergency room when ov
946	G60	284	Num	8	7560	G60 # of times R went to emergency
947	G61	284	Num	8	7568	G61 R gone to emergency room for o
948	G62	284	Num	8	7576	G62 R gone to emergency room befor
949	G63	284	Num	8	7584	G63 # times R went to emergency ro
950	G64	285	Num	8	7592	G64 R go to emergency room after p
951	G65	285	Num	8	7600	G65 # times R went to emergency ro
952	G66	285	Num	8	7608	G66 Ever gone to hospital for deto
953	G67	285	Num	8	7616	G67 R go for detoxing before progr
954	G68	286	Num	8	7624	G68 # of times R went for detoxing
955	G69	286	Num	8	7632	G69 R go for detoxing after progra
956	G70	287	Num	8	7640	G70 # of times R went for detoxing
957	G71	287	Num	8	7648	G71 Other times R went to hospital
958	G72	287	Num	8	7656	G72 R go to hospital before progra
959	G73	288	Num	8	7664	G73 # of times R went to this hosp
960	G74	288	Num	8	7672	G74 R spend 24 hrs in hospital aft
961	G75	289	Num	8	7680	G75 # of times R spent 24 hrs in h
962	G76	290	Num	8	7688	G76 # of nights spent in past year
963	G77	291	Num	8	7696	G77 # of times R has seen physicia
964	G78	291	Num	8	7704	G78 # times physician seen in last
965	G79	291	Num	8	7712	G79 # sex partners since program
966	G80	292	Num	8	7720	G80 # sex partners in past year
967	G81	292	Num	8	7728	G81 Had sex for money/drugs

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
968	G82	292	Num	8	7736	G82 Ever have blood test for AIDS
969	G83	292	Num	8	7744	G83 Have test for AIDS before prog
970	G84	293	Num	8	7752	G84 R know results of last test
971	G86	293	Num	8	7760	G86 R test for AIDS while in progr

972	G87	293	Num	8	7768	G87	R know results of last test
973	G88	293	Num	8	7776	G88	R test for AIDS after program
974	G89	294	Num	8	7784	G89	R know results of last test
975	G90	294	Num	8	7792	G90	R ever attacked with a weapon
976	G91	294	Num	8	7800	G91	R attacked before program
977	G92	294	Num	8	7808	G92	R beaten before program
978	G93	295	Num	8	7816	G93	# times R beaten before progra
979	G95	295	Num	8	7824	G95	R beaten while in program
980	G96	295	Num	8	7832	G96	R have to see M.D. for beating
981	G97	295	Num	8	7840	G97	R beaten after program
982	G98	296	Num	8	7848	G98	R have to see M.D. for beating
983	G99	296	Num	8	7856	G99	# times attacked after program
984	H1	296	Num	8	7864	H1	R EVER EMPLOYED FULL-TIME
985	H2	296	Num	8	7872	H2	R EMPLOYED BEFORE ENTERING PROG
986	H3	297	Num	8	7880	H3	LONGEST R HAD FULL-TIME JOB
987	H3BDOL	298	Num	8	7888	H3BDOL	R^S SALARY - DOLLARS
988	H3BRATE	304	Num	8	7896	H3BRATE	R^S RATE OF PAY
989	H4	304	Num	8	7904	H4	# YEARS R WORKED BEFORE PROGRAM
990	H4ADOL	305	Num	8	7912	H4ADOL	R^S HIGHEST RATE OF PAY - D
991	H4ARATE	311	Num	8	7920	H4ARATE	R^S RATE OF PAY
992	SAME1ST	311	Num	8	7928		Employer at H4B same as H3A
993	H6	311	Num	8	7936	H6	R EMPLOYED FULL-TIME AFTER PROG
994	H7	312	Num	8	7944	H7	LONGEST R EMPLOYED AFTER PROGRAM
995	SAME2ND	312	Num	8	7952		Employer at H7A same as H4B
996	H7BDOL	313	Num	8	7960	H7BDOL	R^S SALARY - DOLLARS
997	H7ARATE	320	Num	8	7968	H7ARATE	R^S RATE OF PAY
998	H8	320	Num	8	7976	H8	# YEARS R WORKED FULL-TIME
999	H8ADOL	321	Num	8	7984	H8ADOL	R^S HIGHEST WAGE AFTER PROG
1000	H8ARATE	328	Num	8	7992	H8ARATE	R^S RATE OF PAY
1001	SAME3RD	328	Num	8	8000		Employer at H8B same as H7A
1002	H10	328	Num	8	8008	H10	R EMPLOYED IN THE LAST YEAR
1003	H10A	329	Num	8	8016	H10A	LONGEST FULL-TIME JOB IN LAST
1004	H10BDOL	330	Num	8	8024	H10BDOL	SALARY FOR LONGEST HELD JOB
1005	H10BRTE	336	Num	8	8032	H10BRTE	R^S RATE OF PAY
1006	SAME4TH	336	Num	8	8040		Employer at H10C same as H8B
1007	H11	336	Num	8	8048	H11	R EVER EMPLOYED PART-TIME
1008	H12	337	Num	8	8056	H12	R EMPLOYED PT BEFORE PROGRAM
1009	H13	337	Num	8	8064	H13	R^S LONGEST PT JOB BEFORE PROG
1010	SAME5TH	337	Num	8	8072		Employer at H13A same as H10C
1011	H13BDOL	338	Num	8	8080	H13BDOL	R^S SALARY ON PT JOB
1012	H13BRTE	340	Num	8	8088	H13BRTE	R^S RATE OF PAY
1013	H14	340	Num	8	8096	H14	YEARS R WORKED PT BEFORE PROGR
1014	H14ADOL	341	Num	8	8104	H14ADOL	R^S SALARY FOR PT JOB AFTE
1015	H14ARTE	343	Num	8	8112	H14ARTE	R^S RATE OF PAY
1016	SAME6TH	343	Num	8	8120		Employer at H14B same as H13A
1017	H15	343	Num	8	8128	H15	R EMPLOYED PT AFTER PROGRAM
1018	SAME7TH	343	Num	8	8136		Employer at 15A same as H14B
1019	H15B	344	Num	8	8144	H15B	LONGEST PT JOB AFTER PROGRAM
1020	H15CDOL	345	Num	8	8152	H15CDOL	R^S SALARY FOR PT JOB AFTE
1021	H15CRTE	347	Num	8	8160	H15CRTE	R^S RATE OF PAY
1022	H17	347	Num	8	8168	H17	R EMPLOYED PT IN LAST YEAR
1023	H17A	347	Num	8	8176	H17A	LENGTH OF PT JOB IN LAST YEAR
1024	H17BDOL	348	Num	8	8184	H17BDOL	R^S SALARY FOR LONGEST PT
1025	H17BRTE	349	Num	8	8192	H17BRTE	R^S RATE OF PAY
1026	SAME8TH	349	Num	8	8200		Employer at 17C same as H15A
1027	H19	350	Num	8	8208	H18/19	ANYONE HELP R W/BILLS DURIN
1028	H19A_1	350	Num	8	8216		Spouse
1029	H19A_2	350	Num	8	8224		Partner
1030	H19A_3	350	Num	8	8232		Parent
1031	H19A_4	351	Num	8	8240		Child
1032	H19A_5	351	Num	8	8248		Grandparent

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
1033	H19A_6	351	Num	8	8256	Other relative
1034	H19A_7	351	Num	8	8264	Friend
1035	H19A_8	351	Num	8	8272	Other specify
1036	H19B	352	Num	8	8280	H19B HELP RECEIVED PAY ALL EXPENSE
1037	H21A	352	Num	8	8288	H21a INCOME FROM WAGES OR SALARY
1038	H22A	353	Num	8	8296	H22a AMOUNT FROM WAGES OR SALARY
1039	H22ATIM	357	Num	8	8304	H22atim TIME FRAME FOR SALARY
1040	H21B	358	Num	8	8312	H21b INCOME FROM GENERAL ASSISTANCE
1041	H22B	359	Num	8	8320	H22b AMOUNT FROM GENERAL ASSISTANCE
1042	H22BTIM	362	Num	8	8328	H22btim TIME FRAME FOR GA OR RELI
1043	H21C	363	Num	8	8336	H21c INCOME FROM UNEMPLOYMENT COMP
1044	H22C	364	Num	8	8344	H22c AMOUNT FROM UNEMPLOYMENT COMP
1045	H22CTIM	365	Num	8	8352	H22ctim TIME FRAME FOR UNEMPLOYME
1046	H21D	366	Num	8	8360	H21d INCOME FROM DISABILITY OR SSI
1047	H22D	367	Num	8	8368	H22d AMOUNT FROM DISABILITY OR SSI
1048	H22DTIM	370	Num	8	8376	H22dtim TIME FRAME FOR DISABILITY
1049	H21E	370	Num	8	8384	H21e INCOME FROM SOCIAL SECURITY/P
1050	H22E	371	Num	8	8392	H22e AMOUNT FROM SOCIAL SECURITY/P
1051	H22ETIM	372	Num	8	8400	H22etim TIME FRAME FOR SOCIAL SEC
1052	H21F	373	Num	8	8408	H21f INCOME FROM ALIMONY/CHLD SUPP
1053	H22F	373	Num	8	8416	H22f AMOUNT FROM ALIMONY/CHLD SUPP
1054	H22FTIM	374	Num	8	8424	H22ftim TIME FRAME ALIMONY/SUPPOR
1055	H21G	374	Num	8	8432	H21g INCOME FROM SPOUSE/PARTNER
1056	H22G	375	Num	8	8440	H22g AMOUNT FROM SPOUSE/PARTNER
1057	H22GTIM	376	Num	8	8448	H22gtim TIME FRAME SPOUSE/PARTNER
1058	H21H	376	Num	8	8456	H21h INCOME FROM OTHER SOURCES
1059	H22H	377	Num	8	8464	H22h AMOUNT FROM OTHER SOURCES
1060	H22HTIM	379	Num	8	8472	H22htim TIME FRAME FOR OTH SOURCE
1061	PHONE1	379	Num	8	8480	IS A PHONE PRESENT
1062	PHONE2	379	Num	8	8488	IS A PHONE PRESENT
1063	PERSON2	379	Num	8	8496	IS THERE A SECOND PERSON
1064	PHONE3	380	Num	8	8504	IS A PHONE PRESENT
1065	ENDYEAR	380	Num	8	8512	DATE END YEAR
1066	TOTTIME	381	Num	8	8520	TOTAL INTERVIEW MINUTES
1067	BOXII	383	Num	8	8528	BOXA FORM II
1068	BOXIII	384	Num	8	8536	BOXA FORM III
1069	BOXIV	384	Num	8	8544	BOXB FORM IV
1070	BOXRECPT	384	Num	8	8552	BOXB FORM/RECEIPT
1071	I11A	384	Num	8	8560	I11a Used heroin past 7 days
1072	I11AA	385	Num	8	8568	I11aA Use drug for meidcal reasons
1073	I11AB	385	Num	8	8576	I11aB Used drug in past 24 hours
1074	I11B	385	Num	8	8584	I11b Used cocaine past 7 days
1075	I11BA	385	Num	8	8592	I11ba Use drug for meidcal reasons
1076	I11BB	386	Num	8	8600	I11bb Used drug in past 24 hours
1077	I11C	386	Num	8	8608	I11c Used Methadone past 7 days
1078	I11CA	386	Num	8	8616	I11ca Use drug for meidcal reasons
1079	I11CB	386	Num	8	8624	I11cb Used drug in past 24 hours
1080	I11D	387	Num	8	8632	I11d Used Amphetamines in past 7 d
1081	I11DA	387	Num	8	8640	I11dA Use drug for meidcal reasons
1082	I11DB	387	Num	8	8648	I11dB Used drug in past 24 hours
1083	I11E	387	Num	8	8656	I11e Used Barbituates in past 7 da
1084	I11EA	388	Num	8	8664	I11eA Use drug for meidcal reasons
1085	I11EB	388	Num	8	8672	I11eB Used drug n past 24 hours
1086	I11F	388	Num	8	8680	I11f Used Alcohol in past 7 days
1087	I11FA	388	Num	8	8688	I11fA Use drug for meidcal reasons
1088	I11FB	389	Num	8	8696	I11fB Used drug n past 24 hours
1089	I11G	389	Num	8	8704	I11g Used other drugs in past 7 da
1090	I11GA	389	Num	8	8712	I11gA Use drug for meidcal reasons

1091	I11GB	389	Num	8	8720	I11GB Used drug n past 24 hours
1092	I11AC	390	Num	8	8728	I11AC Drug test results
1093	I11BC	390	Num	8	8736	I11BC Drug test results
1094	I11CC	390	Num	8	8744	I11CC Drug test results
1095	I11DC	390	Num	8	8752	I11DC Drug test results
1096	I11EC	391	Num	8	8760	I11EC Drug test results
1097	I11FC	391	Num	8	8768	I11FC Drug test results

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
1098	I11GC	391	Num	8	8776	I11GC Drug test results
1099	D6A_1	391	Num	8	8784	D6A_1 # of years R spent in correc
1100	INHAL	392	Num	8	8792	Used inhalants as main drug
1101	ALCOHOL	392	Num	8	8800	Used alcohol as main drug
1102	MARIJUAN	392	Num	8	8808	Used marijuana as main drug
1103	CRACK	393	Num	8	8816	Used crack as main drug
1104	COCAINE	393	Num	8	8824	Used cocaine as main drug
1105	PCP	394	Num	8	8832	Used pcg as main drug
1106	HALLUCIN	394	Num	8	8840	Used hallucinogens as main drug
1107	HEROIN	394	Num	8	8848	Used heroin as main drug
1108	ILLMETH	395	Num	8	8856	Used illegal methadone as main drug
1109	NARC	395	Num	8	8864	Used other narcotics as main drug
1110	METHAMPH	396	Num	8	8872	Used methamphetamines as main drug
1111	DOWNERS	396	Num	8	8880	Used downers as main drug
1112	OTHDRUG	396	Num	8	8888	Used other drug as main drug
1113	AGEFINH	397	Num	8	8896	Age first used inhalants
1114	AGEFALC	398	Num	8	8904	Age first used alcohol
1115	AGEFMAR	399	Num	8	8912	Age first used marijuana
1116	AGFCRK	400	Num	8	8920	Age first used crack
1117	AGEFCOC	401	Num	8	8928	Age first used cocaine
1118	AGEFPCC	402	Num	8	8936	Age first used pcg
1119	AGEFHAL	403	Num	8	8944	Age first used hallucinogens
1120	AGEFHER	404	Num	8	8952	Age first used heroin
1121	AGEFMTH	405	Num	8	8960	Age first used illegal methadone
1122	AGEFNAR	406	Num	8	8968	Age first used other narcotics
1123	AGEFAMP	407	Num	8	8976	Age first used methamphetamines
1124	AGEFDWN	408	Num	8	8984	Age first used downers
1125	AGEFOTH	409	Num	8	8992	Age first used other drug
1126	USBINH	409	Num	8	9000	Used inhalants as main drg before tx
1127	USBALC	410	Num	8	9008	Used alcohol as main drg before tx
1128	USBMAR	410	Num	8	9016	Used marijuana as main drg before tx
1129	USBCRK	410	Num	8	9024	Used crack as main drg before tx
1130	USBCOC	410	Num	8	9032	Used cocaine as main drg before tx
1131	USBPCP	410	Num	8	9040	Used pcg as main drg before tx
1132	USBHAL	411	Num	8	9048	Used hallucinogens as main drg before tx
1133	USBHER	411	Num	8	9056	Used heroin as main drg before tx
1134	USBMTH	411	Num	8	9064	Used illegal methadone as main drg befor
1135	USBNAR	411	Num	8	9072	Used other narcotics as main drg before
1136	USBAMP	411	Num	8	9080	Used methamphetamines as main drg before
1137	USBDWN	412	Num	8	9088	Used downers as main drg before tx
1138	USBOTH	412	Num	8	9096	Used other drg before tx as main drg bef
1139	USBDINH	412	Num	8	9104	Number of days used inhalants before tx
1140	USBDALC	412	Num	8	9112	Number of days used alcohol before tx
1141	USBDMAR	413	Num	8	9120	Number of days used marijuana before tx
1142	USBDCRK	413	Num	8	9128	Number of days used crack before tx
1143	USBDCOC	413	Num	8	9136	Number of days used cocaine before tx
1144	USBDPCP	414	Num	8	9144	Number of days used pcg before tx
1145	USBDHAL	414	Num	8	9152	Number of days used hallucin before tx
1146	USBDHER	414	Num	8	9160	Number of days used heroin before tx
1147	USBDMTH	415	Num	8	9168	Number of days used ill methad before tx

1148	USBDNAR	415	Num	8	9176	Number of days used oth narcotic before
1149	USBDAMP	415	Num	8	9184	Number of days used methamphet before tx
1150	USBDDWN	416	Num	8	9192	Number of days used downers before tx
1151	USBDOTH	416	Num	8	9200	Number of days used other drg before tx
1152	USAINH	416	Num	8	9208	Used inhalants as main drg after tx
1153	USAALC	416	Num	8	9216	Used alcohol as main drg after tx
1154	USAMAR	417	Num	8	9224	Used marijuana as main drg after tx
1155	USACRK	417	Num	8	9232	Used crack as main drg after tx
1156	USACOC	417	Num	8	9240	Used cocaine as main drg after tx
1157	USAPCP	417	Num	8	9248	Used pcp as main drg after tx
1158	USAHAL	417	Num	8	9256	Used hallucinogens as main drg after tx
1159	USAHER	418	Num	8	9264	Used heroin as main drg after tx
1160	USAMTH	418	Num	8	9272	Used illegal methadone as main drg after
1161	USANAR	418	Num	8	9280	Used other narcotics as main drg after t
1162	USAAMP	418	Num	8	9288	Used methamphetamine as main drg after t

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
1163	USADWN	418	Num	8	9296	Used downers as main drg after tx
1164	USAOTH	419	Num	8	9304	Used other drug as main drg after tx
1165	USADINH	419	Num	8	9312	Number of days used inhalants after tx
1166	USADALC	419	Num	8	9320	Number of days used alcohol after tx
1167	USADMAR	420	Num	8	9328	Number of days used marijuana after tx
1168	USADCRK	420	Num	8	9336	Number of days used crack after tx
1169	USADCOC	420	Num	8	9344	Number of days used cocaine after tx
1170	USADPCP	421	Num	8	9352	Number of days used pcp after tx
1171	USADHAL	421	Num	8	9360	Number of days used hallucin after tx
1172	USADHER	421	Num	8	9368	Number of days used heroin after tx
1173	USADMTH	422	Num	8	9376	Number of days used ill methad after tx
1174	USADNAR	422	Num	8	9384	Number of days used oth narcotic after
1175	USADAMP	422	Num	8	9392	Number of days used methamphet after tx
1176	USADDWN	423	Num	8	9400	Number of days used downers after tx
1177	USADOTH	423	Num	8	9408	Number of days used other drg after tx
1178	USYINH	423	Num	8	9416	Used inhalants yr before interview
1179	USYALC	423	Num	8	9424	Used alcohol yr before interview
1180	USYMAR	424	Num	8	9432	Used marijuana yr before interview
1181	USYCRK	424	Num	8	9440	Used crack yr before interview
1182	USYCOC	424	Num	8	9448	Used cocaine yr before interview
1183	USYPCP	424	Num	8	9456	Used pcp yr before interview
1184	USYHAL	424	Num	8	9464	Used hallucin yr before interview
1185	USYHER	425	Num	8	9472	Used heroin yr before interview
1186	USYMTH	425	Num	8	9480	Used ill methad yr before interview
1187	USYNAR	425	Num	8	9488	Used oth narcotic yr bef interview
1188	USYAMP	425	Num	8	9496	Used methamphet yr before interview
1189	USYDWN	425	Num	8	9504	Used downers yr before interview
1190	USYOTH	426	Num	8	9512	Used other drg yr before interview
1191	USYDINH	426	Num	8	9520	# of days used inhalants yr before int
1192	USYDALC	426	Num	8	9528	# of days used alcohol yr before int
1193	USYDMAR	426	Num	8	9536	# of days used marijuana yr before int
1194	USYDCRK	427	Num	8	9544	# of days used crack yr before int
1195	USYDCOC	427	Num	8	9552	# of days used cocaine yr before int
1196	USYDPCP	427	Num	8	9560	# of days used pcp yr before int
1197	USYDHAL	428	Num	8	9568	# of days used hallucin yr before int
1198	USYDHER	428	Num	8	9576	# of days used heroin yr before int
1199	USYDMTH	428	Num	8	9584	# of days used ill methad yr before int
1200	USYDNAR	429	Num	8	9592	# of days used oth narcotic yr bef int
1201	USYDAMP	429	Num	8	9600	# of days used methamphet yr before int
1202	USYDDWN	429	Num	8	9608	# of days used downers yr before int
1203	USYDOTH	430	Num	8	9616	# of days used other drg yr before int
1204	USNINH	430	Num	8	9624	Any months not used inhalants yr bef int

1205	USNALC	430	Num	8	9632	Any months not used alcohol yr bef int
1206	USNMAR	430	Num	8	9640	Any months not used marijuana yr bef int
1207	USNCRK	431	Num	8	9648	Any months not used crack yr bef int
1208	USNCOC	431	Num	8	9656	Any months not used cocaine yr bef int
1209	USNPCP	431	Num	8	9664	Any months not used pcp yr bef int
1210	USNHAL	431	Num	8	9672	Any months not used hallucin yr bef int
1211	USNHER	431	Num	8	9680	Any months not used heroin yr bef int
1212	USNMTH	432	Num	8	9688	Any months not used ill methd yr bef int
1213	USNNAR	432	Num	8	9696	Any months not used oth narcotc yr bef i
1214	USNAMP	432	Num	8	9704	Any months not used methampht yr bef int
1215	USNDWN	432	Num	8	9712	Any months not used downers yr bef int
1216	USNOTH	432	Num	8	9720	Any months not used other drg yr bef int
1217	USNMINH	433	Num	8	9728	# months not used inhalants yr bef int
1218	USNMALC	433	Num	8	9736	# months not used alcohol yr bef int
1219	USNMMAR	433	Num	8	9744	# months not used marijuana yr bef int
1220	USNMCRK	433	Num	8	9752	# months not used crack yr bef int
1221	USMCOCC	434	Num	8	9760	# months not used cocaine yr bef int
1222	USNMPCP	434	Num	8	9768	# months not used pcp yr bef int
1223	USNMHAL	434	Num	8	9776	# months not used hallucin yr bef int
1224	USNMHER	434	Num	8	9784	# months not used heroin yr bef int
1225	USNMMTH	435	Num	8	9792	# months not used ill methad yr bef int
1226	USNMNAR	435	Num	8	9800	# months not used oth narcotic yr bef i
1227	USNMAMP	435	Num	8	9808	# months not used methamphet yr bef int

-----Variables Ordered by Position-----

#	Variable	Pg	Type	Len	Pos	Label
1228	USNMDWN	435	Num	8	9816	# months not used downers yr bef int
1229	USNMOTH	436	Num	8	9824	# months not used other drg yr bef int
1230	USMINH	436	Num	8	9832	# of days used inhalants mo before int
1231	USMALC	436	Num	8	9840	# of days used alcohol mo before int
1232	USMMAR	437	Num	8	9848	# of days used marijuana mo before int
1233	USMCRK	437	Num	8	9856	# of days used crack mo before int
1234	USMCOCC	437	Num	8	9864	# of days used cocaine mo before int
1235	USMPCP	438	Num	8	9872	# of days used pcp mo before int
1236	USMHAL	438	Num	8	9880	# of days used hallucin mo before int
1237	USMHER	438	Num	8	9888	# of days used heroin mo before int
1238	USMTH	438	Num	8	9896	# of days used ill methad mo before int
1239	USMNAR	439	Num	8	9904	# of days used oth narcotic mo bef int
1240	USMAMP	439	Num	8	9912	# of days used methamphet mo before int
1241	USMDWN	439	Num	8	9920	# of days used downers mo before int
1242	USMOTH	440	Num	8	9928	# of days used other drg mo before int
1243	USBSEC	440	Num	8	9936	Used any less common drug bef tx
1244	USASEC	440	Num	8	9944	Used any less common drug aft tx
1245	USBANY	440	Num	8	9952	Used any illicit drug (not alc) bef tx
1246	USAANY	440	Num	8	9960	Used any illicit drug (not alc) aft tx
1247	TRTYPE	441	Num	8	9968	Type of treatment (reported by client)
1248	LOS	442	Num	8	9976	Length of stay in treatment (in days)
1249	LOSCAT	449	Num	8	9984	Length of stay in treatment (4 categs)
1250	RACE	449	Num	8	9992	Race and hispanic origin of client
1251	DISAGE	450	Num	8	10000	Age at time of discharge (in years)
1252	DISAGE2	451	Num	8	10008	Age at time of discharge (4 categs)
1253	PRETRT	451	Num	8	10016	# of previous treat episodes (3 cats)
1254	COMPTRT	451	Num	8	10024	Completed treatment (yes/no)
1255	AFTTRT	451	Num	8	10032	Additional treat after tx (yes/no)
1256	HELPTRT	451	Num	8	10040	Client thought tx helpful (yes/no)

-----Alphabetic List of Variables and Attributes-----

#	Variable	Type	Len	Pos	Label
7	A1	Num	8	48	A1 SEX OF RESPONDENT
8	A3	Num	8	56	A3 AGE OF R FROM QUEX
9	A4	Num	8	64	A4 R HAVE SPANISH BACKGROUND
14	A5	Num	8	104	A5 RACE OF RESPONDENT
15	A6	Num	8	112	A6 R HAVE DIPLOMA OR GED
16	A7	Num	8	120	A7 R^S HIGHEST GRADE
17	A8	Num	8	128	A8 R ATTEND OTHER CLASSES
22	A9	Num	8	168	A9 R EVER EXPELLED
24	A10	Num	8	184	A10 R^S ABILITY TO READ ENGLISH
25	A11	Num	8	192	A11 R EVER BELONG TO GANG
10	A4A_1	Num	8	72	Mexican/Mexican-American/Chicano
11	A4A_2	Num	8	80	Puerto Rican
12	A4A_3	Num	8	88	Cuban
13	A4A_4	Num	8	96	Other Spanish or Hispanic (SPECIFY)
18	A8A_1	Num	8	136	Technical School
19	A8A_2	Num	8	144	Business School
20	A8A_3	Num	8	152	Apprenticeship program
21	A8A_4	Num	8	160	Other schools/classes/program (SPEC
23	A9A	Num	8	176	A9A R EXPELLED MORE THAN ONCE
1255	AFTRTR	Num	8	10032	Additional treat after tx (yes/no)
1114	AGEFALC	Num	8	8904	Age first used alcohol
1123	AGEFAMP	Num	8	8976	Age first used methamphetamines
1117	AGEFCOC	Num	8	8928	Age first used cocaine
1124	AGEFDWN	Num	8	8984	Age first used downers
1119	AGEFHAL	Num	8	8944	Age first used hallucinogens
1120	AGEFHER	Num	8	8952	Age first used heroin
1113	AGEFINH	Num	8	8896	Age first used inhalants
1115	AGEFMAR	Num	8	8912	Age first used marijuana
1121	AGEFMTH	Num	8	8960	Age first used illegal methadone
1122	AGEFNAR	Num	8	8968	Age first used other narcotics
1125	AGEFOTH	Num	8	8992	Age first used other drug
1118	AGEFPCCP	Num	8	8936	Age first used pcp
1116	AGFCRK	Num	8	8920	Age first used crack
1101	ALCOHOL	Num	8	8800	Used alcohol as main drug
26	B1	Num	8	200	B1 Treatment prgram dates correct
27	B2	Num	8	208	R get treatment between 1989 and 19
29	B4	Num	8	224	B4 Confirm start and end date
30	B5	Num	8	232	B5 R attend aftercare program
64	B10	Num	8	504	B10 Did R complete program
65	B11	Num	8	512	B11 Agree with counselor
67	B12	Num	8	528	B12 R use drugs/alcohol while in p
83	B13	Num	8	656	B13 R have physical exam
84	B14	Num	8	664	B14 R receive medical care in PRO
85	B15	Num	8	672	B15 State of health while in PROGR
86	B16	Num	8	680	B16 Any medicines prescribed
89	B17	Num	8	704	B17 Any other medicines prescribed
90	B18	Num	8	712	B18 R attend AA/NA/CA meetings
103	B20	Num	8	816	B20 How helpful was treatment coun
113	B22	Num	8	896	B22 Years enrolled in this treatme
122	B25	Num	8	968	B25 How long did R attend AA/NA/CA
126	B26	Num	8	1000	B26 R receive counseling after PRO
213	B35	Num	8	1696	B35 Time R attended AA/NA/CA
217	B36	Num	8	1728	B36 PROGRAM the only time R in tre
235	B42	Num	8	1872	B42 Did R complete program from B3
236	B43	Num	8	1880	B43 Any medicines prescribed
237	B44	Num	8	1888	B44 Was this a methadone program
239	B45	Num	8	1904	B45 Other prescription medicine ta

240	B46	Num	8	1912	B46 Period R attended AA/NA/CA
253	B48	Num	8	2016	B48 Effect of treatment or counsel
66	B11A	Num	8	520	B11A Did counselor understand prpo
68	B12A_1	Num	8	536	Inhalants
69	B12A_2	Num	8	544	Alcohol
70	B12A_3	Num	8	552	Marijuana/Hashish

#	Variable	Type	Len	Pos	Label
71	B12A_4	Num	8	560	Crack
72	B12A_5	Num	8	568	Cocaine Powder
73	B12A_6	Num	8	576	PCP or "Angel Dust"
74	B12A_7	Num	8	584	Hallucinogen, Psychedelics/LSD
75	B12A_8	Num	8	592	Heroin
76	B12A_9	Num	8	600	Illegal Methadone
77	B12A_10	Num	8	608	Other Narcotics
78	B12A_11	Num	8	616	Methamphetamines
79	B12A_12	Num	8	624	Downers
80	B12A_13	Num	8	632	Other drug (SPECIFY)
81	B12B	Num	8	640	B12B Get high five times or more i
82	B12C	Num	8	648	B12C # Days/month drugs were used
87	B16A	Num	8	688	B16A Is this a methadone program
88	B16B	Num	8	696	B16B Amount of methadone given
91	B18AA	Num	8	720	B18Aa R attend AA meetings
92	B18AB	Num	8	728	B18Ab R attend NA meetings
93	B18AC	Num	8	736	B18Ac R attend CA meetings
94	B19A	Num	8	744	B19a Did treatment help improve he
95	B19B	Num	8	752	B19b Treatment help nerves, emotio
96	B19C	Num	8	760	B19c Treatment help job skills
97	B19D	Num	8	768	B19d Treatment help with financial
98	B19E	Num	8	776	B19e Treatment help get additional
99	B19F	Num	8	784	B19f Treatment help with legal pro
100	B19G	Num	8	792	B19g Treatment improve family rela
101	B19H	Num	8	800	B19h Treatment help with future pl
102	B19I	Num	8	808	B19i Treatment help anything else
106	B21BYR	Num	8	840	B21BY Year R entered program
107	B21C	Num	8	848	B21C How helpful was the treatment
105	B21CODE	Num	8	832	B21code # of times R enrolled
108	B21D	Num	8	856	B21D Date check
109	B21D2	Num	8	864	B21D2 R attend only one program
110	B21ECOND	Num	8	872	B21Ecode # of times R enrolled
111	B21GY	Num	8	880	B21GY Year R entered program
112	B21H	Num	8	888	B21H How helpful was the treatment
114	B23A	Num	8	904	B23a Inpatient program
115	B23B	Num	8	912	B23b Residential program
116	B23C	Num	8	920	B23c Outpatient, non-methadone pro
117	B23D	Num	8	928	B23d Methadone program
118	B23E	Num	8	936	B23e Something else (SPECIFY)
119	B24A	Num	8	944	B24a Program arrange for medical c
120	B24B	Num	8	952	B24b Program arrange for counselin
121	B24C	Num	8	960	B24c Program arrange for classes
123	B25AA	Num	8	976	B25Aa How often did R attend AA
124	B25AB	Num	8	984	B25Ab How often did R attend NA
125	B25AC	Num	8	992	B25Ac How often did R attend CA me
127	B26A	Num	8	1008	B26A R receiving counseling now
128	B27CODE	Num	8	1016	B27code # of times R enrolled
130	B29A	Num	8	1032	B29A Type of treatment or help
131	B29B	Num	8	1040	B29B Length of treatment
132	B29C_1	Num	8	1048	Inhalants
133	B29C_2	Num	8	1056	Alcohol
134	B29C_3	Num	8	1064	Marijuana/hashish

135	B29C_4	Num	8	1072	Crack
136	B29C_5	Num	8	1080	Cocaine powder
137	B29C_6	Num	8	1088	PCP or "Angel Dust"
138	B29C_7	Num	8	1096	Hallucinogens, Psychedelics/LSD
139	B29C_8	Num	8	1104	Heroin
140	B29C_9	Num	8	1112	Illegal Methadone
141	B29C_10	Num	8	1120	Other Narcotics
142	B29C_11	Num	8	1128	Methamphetamines
143	B29C_12	Num	8	1136	Downers
144	B29C_13	Num	8	1144	Other drug (SPECIFY)
145	B29C_14	Num	8	1152	NO DRUGS/ALCOHOL
129	B29_	Num	8	1024	B29_
28	B2B	Num	8	216	B2B R ever receive treatment
146	B30A	Num	8	1160	B30A Type of treatment or help

#	Variable	Type	Len	Pos	Label
147	B30B	Num	8	1168	B30B Length of treatment
148	B30C_1	Num	8	1176	Inhalants
149	B30C_2	Num	8	1184	Alcohol
150	B30C_3	Num	8	1192	Marijuana/hashish
	Num	8	1200		Crack
152	B30C_5	Num	8	1208	Cocaine powder
153	B30C_6	Num	8	1216	PCP or "Angel Dust"
154	B30C_7	Num	8	1224	Hallucinogens, Psychedelics/LSD
155	B30C_8	Num	8	1232	Heroin
156	B30C_9	Num	8	1240	Illegal Methadone
157	B30C_10	Num	8	1248	Other Narcotics
158	B30C_11	Num	8	1256	Methamphetamines
159	B30C_12	Num	8	1264	Downers
160	B30C_13	Num	8	1272	Other drug (SPECIFY)
161	B30C_14	Num	8	1280	NO DRUGS/ALCOHOL
162	B31A	Num	8	1288	B31A Type of treatment or help
163	B31B	Num	8	1296	B31B Length of treatment
164	B31C_1	Num	8	1304	Inhalants
165	B31C_2	Num	8	1312	Alcohol
166	B31C_3	Num	8	1320	Marijuana/hashish
167	B31C_4	Num	8	1328	Crack
168	B31C_5	Num	8	1336	Cocaine powder
169	B31C_6	Num	8	1344	PCP or "Angel Dust"
170	B31C_7	Num	8	1352	Hallucinogens, Psychedelics/LSD
171	B31C_8	Num	8	1360	Heroin
172	B31C_9	Num	8	1368	Illegal Methadone
173	B31C_10	Num	8	1376	Other Narcotics
174	B31C_11	Num	8	1384	Methamphetamines
175	B31C_12	Num	8	1392	Downers
176	B31C_13	Num	8	1400	Other drug (SPECIFY)
177	B31C_14	Num	8	1408	NO DRUGS/ALCOHOL
178	B32A	Num	8	1416	B32A Type of treatment or help
179	B32B	Num	8	1424	B32B Length of treatment
180	B32C_1	Num	8	1432	Inhalants
181	B32C_2	Num	8	1440	Alcohol
182	B32C_3	Num	8	1448	Marijuana/hashish
183	B32C_4	Num	8	1456	Crack
184	B32C_5	Num	8	1464	Cocaine powder
185	B32C_6	Num	8	1472	PCP or "Angel Dust"
186	B32C_7	Num	8	1480	Hallucinogens, Psychedelics/LSD
187	B32C_8	Num	8	1488	Heroin

151 B30C_4

#	Variable	Type	Len	Pos	Label
188	B32C_9	Num	8	1496	Illegal Methadone
189	B32C_10	Num	8	1504	Other Narcotics
190	B32C_11	Num	8	1512	Methamphetamines
191	B32C_12	Num	8	1520	Downers
192	B32C_13	Num	8	1528	Other drug (SPECIFY)
193	B32C_14	Num	8	1536	NO DRUGS/ALCOHOL
194	B33A	Num	8	1544	B33A Type of treatment or help
195	B33B	Num	8	1552	B33B Length of treatment
196	B33C_1	Num	8	1560	Inhalants
197	B33C_2	Num	8	1568	Alcohol
198	B33C_3	Num	8	1576	Marijuana/hashish
199	B33C_4	Num	8	1584	Crack
200	B33C_5	Num	8	1592	Cocaine powder
201	B33C_6	Num	8	1600	PCP or "Angel Dust"
202	B33C_7	Num	8	1608	Hallucinogens, Psychedelics/LSD
203	B33C_8	Num	8	1616	Heroin
204	B33C_9	Num	8	1624	Illegal Methadone
205	B33C_10	Num	8	1632	Other Narcotics
206	B33C_11	Num	8	1640	Methamphetamines
207	B33C_12	Num	8	1648	Downers
208	B33C_13	Num	8	1656	Other drug (SPECIFY)
209	B33C_14	Num	8	1664	NO DRUGS/ALCOHOL
210	B34A	Num	8	1672	B34a Treatment facilities provide
211	B34B	Num	8	1680	B34b Treatment facilities provide
212	B34C	Num	8	1688	B34c Treatment facilities provide
214	B35AA	Num	8	1704	B35Aa How often R attended AA meet
215	B35AB	Num	8	1712	B35Ab How often R attended NA meet
216	B35AC	Num	8	1720	B35Ac How often R attended CA meet
218	B38BMO	Num	8	1736	B38BM Month program began
219	B38BYR	Num	8	1744	B38BY Year program began
220	B38EMO	Num	8	1752	B38EM Month program ended
221	B38EYR	Num	8	1760	B38EY Year program ended
222	B41_1	Num	8	1768	Inhalants
223	B41_2	Num	8	1776	Alcohol
224	B41_3	Num	8	1784	Marijuana/hashish
225	B41_4	Num	8	1792	Crack
226	B41_5	Num	8	1800	Cocaine powder
227	B41_6	Num	8	1808	PCP or "Angel Dust"

#	Variable	Type	Len	Pos	Label
228	B41_7	Num	8	1816	Hallucinogens, Psychedelics/LSD
229	B41_8	Num	8	1824	Heroin
230	B41_9	Num	8	1832	Illegal Methadone
231	B41_10	Num	8	1840	Other Narcotics
232	B41_11	Num	8	1848	Methamphetamines
233	B41_12	Num	8	1856	Downers
234	B41_13	Num	8	1864	Other drug (SPECIFY)
238	B44A	Num	8	1896	B44A Methadone dose concentration
241	B46AA	Num	8	1920	B46Aa How often R attended AA
242	B46AB	Num	8	1928	B46Ab How often R attended NA
243	B46AC	Num	8	1936	B46Ac How often R attended CA
244	B47A	Num	8	1944	B47a Treatment improve health
245	B47B	Num	8	1952	B47b Treatment help with nerves/em
246	B47C	Num	8	1960	B47c Treatment help with job skill
247	B47D	Num	8	1968	B47d Treatment help with financial
248	B47E	Num	8	1976	B47e Treatment help get additional
249	B47F	Num	8	1984	B47f Treatment help with legal pro
250	B47G	Num	8	1992	B47g Treatment help improve family
251	B47H	Num	8	2000	B47h Treatment help with future pl
252	B47I	Num	8	2008	B47i Treatment help anything else
31	B5A	Num	8	240	B5A Aftercare involve more than me
32	B6_1	Num	8	248	Inhalants
33	B6_2	Num	8	256	Alcohol
34	B6_3	Num	8	264	Marijuana/hashish
35	B6_4	Num	8	272	Crack
36	B6_5	Num	8	280	Cocaine powder
37	B6_6	Num	8	288	PCP or "Angel Dust"
38	B6_7	Num	8	296	Hallucinogens, Psychedelics/LSD
39	B6_8	Num	8	304	Heroin
40	B6_9	Num	8	312	Illegal Methadone
41	B6_10	Num	8	320	Other Narcotics
42	B6_11	Num	8	328	Methamphetamines
43	B6_12	Num	8	336	Downers
44	B6_13	Num	8	344	Other drug (SPECIFY)
45	B6_14	Num	8	352	NO DRUGS/ALCOHOL
46	B7_1	Num	8	360	Inpatient
47	B7_2	Num	8	368	Residential
48	B7_3	Num	8	376	Outpatient (non-methadone)
49	B7_4	Num	8	384	Methadone
50	B7_5	Num	8	392	Something else (SPECIFY)
51	B8A	Num	8	400	B8a Importance of wife/partner in
52	B8B	Num	8	408	B8b Importance of family in gettin
53	B8C	Num	8	416	B8c Importance of friend/associate
54	B8D	Num	8	424	B8d Importance of nurse, doctor in
55	B8E	Num	8	432	B8e Importance of probation office
56	B8F	Num	8	440	B8f Importance of teacher/counselo
57	B8G	Num	8	448	B8g Importance of any one else in
58	B9A	Num	8	456	B9a Feel pressured by judge, parol
59	B9B	Num	8	464	B9b Any problems with health
60	B9C	Num	8	472	B9c Feel pressure from relationshi
61	B9D	Num	8	480	B9d Feeling pressured by employer
62	B9E	Num	8	488	B9e Any financial problems then
63	B9F	Num	8	496	B9f Any other reasons (SPECIFY)
104	BOX20A	Num	8	824	BOX 20A
1067	BOXII	Num	8	8528	BOXA FORM II
1068	BOXIII	Num	8	8536	BOXA FORM III
1069	BOXIV	Num	8	8544	BOXB FORM IV

#	Variable	Type	Len	Pos	Label
1070	BOXRECPT	Num	8	8552	BOXB FORM/RECEIPT
397	C10	Num	8	3168	C10 ALCOHOL CODED ^1^ (YES) FOR MA
398	C11	Num	8	3176	C11 USED ALCOHOL 5 TIMES OR MORE I
538	C22	Num	8	4296	SEE C16. IS ALCOHOL CODED ^1^ (YES
539	C23	Num	8	4304	HAS R USED ALCOHOL IN LAST 30 DAYS
549	C27	Num	8	4384	C27 R ever inject drugs with needl
552	C28	Num	8	4408	C28 # times needle used while in p
558	C29	Num	8	4456	C29 # times injected drugs since p
399	C12_1	Num	8	3184	C12_1 R drink any beer/malt liquor
402	C12_2	Num	8	3208	C12_2 R drink any wine/wine cooler
405	C12_3	Num	8	3232	C12_3 R drink any liquor
400	C13_1	Num	8	3192	C13_1 Amount of beer/malt liquor
403	C13_2	Num	8	3216	C13_2 Amount of wine/wine coolers
406	C13_3	Num	8	3240	C13_3 Amount of liquor
401	C13_1A	Num	8	3200	C13_1a Container of beer/malt liqu
404	C13_2A	Num	8	3224	C13_2a Container of wine/wine cool
407	C13_3A	Num	8	3248	C13_3a Size of liquor
409	C15ALCO	Num	8	3264	Alcohol use not in Q.5
412	C15COCA	Num	8	3288	Cocaine use not in Q.5.
411	C15CRCK	Num	8	3280	Crack use not in Q.5
419	C15DOWN	Num	8	3344	Downer use not in Q.5
414	C15HALU	Num	8	3304	Psychedelic/LSD use not in Q.5
415	C15HERO	Num	8	3312	Heroin use not in Q.5
408	C15INHA	Num	8	3256	Inhalant use not in Q.5
410	C15MARI	Num	8	3272	Marijuana/hashish use not in Q.5
418	C15METH	Num	8	3336	Methamphetamine use not in Q.5
416	C15MTDO	Num	8	3320	Methadone use not in Q.5
417	C15ONRC	Num	8	3328	Other narcotics use not in Q.5
420	C15OTHR	Num	8	3352	Other drug use not in Q.5
413	C15PCP	Num	8	3296	PCP/Angel Dust use not in Q.5
430	C16ALCO	Num	8	3432	C16ALCO Ever used drug five times
457	C16COCA	Num	8	3648	C16COCA Ever used drug five times
448	C16CRCK	Num	8	3576	C16CRCK Ever used drug five times
520	C16DOWN	Num	8	4152	C16DOWN Ever used drug five times
475	C16HALU	Num	8	3792	C16HALU Ever used drug five times
484	C16HERO	Num	8	3864	C16HERO Ever used drug five times
421	C16INHA	Num	8	3360	C16INHA Ever used drug five times
439	C16MARI	Num	8	3504	C16MARI Ever used drug five times
511	C16METH	Num	8	4080	C16METH Ever used drug five times
493	C16MTDO	Num	8	3936	C16MTDO Ever used drug five times
502	C16ONRC	Num	8	4008	C16ONRC Ever used drug five times
529	C16OTHR	Num	8	4224	C16OTHR Ever used drug five times
466	C16PCP	Num	8	3720	C16PCP Ever used drug five times
431	C17ALCO	Num	8	3440	C17ALCO Age first used alcohol
458	C17COCA	Num	8	3656	C17COCA Age first used cocaine
449	C17CRCK	Num	8	3584	C17CRCK Age first used crack
521	C17DOWN	Num	8	4160	C17DOWN Age first used Downers
476	C17HALU	Num	8	3800	C17HALU Age first used Psychedeli
485	C17HERO	Num	8	3872	C17HERO Age first used Heroin
422	C17INHA	Num	8	3368	C17INHA Age first used inhalants
440	C17MARI	Num	8	3512	C17MARI Age first used marijuana
512	C17METH	Num	8	4088	C17METH Age first used Methamphet
494	C17MTDO	Num	8	3944	C17MTDO Age first used Methadone
503	C17ONRC	Num	8	4016	C17ONRC Age first used Other narc
530	C17OTHR	Num	8	4232	C17OTHR Age first used other drug
467	C17PCP	Num	8	3728	C17PCP Age first used PCP/angel
433	C18AALCO	Num	8	3456	C18AALCO Days/month drug used befo

#	Variable	Type	Len	Pos	Label
460	C18ACOCA	Num	8	3672	C18ACOCA Days/month drug used befo
451	C18ACRCK	Num	8	3600	C18ACRCK Days/month drug used befo
523	C18ADOWN	Num	8	4176	C18ADOWN Days/month drug used befo
478	C18AHALU	Num	8	3816	C18AHALU Days/month drug used befo
487	C18AHERO	Num	8	3888	C18AHERO Days/month drug used befo
424	C18AINHA	Num	8	3384	C18AINHA Days/month drug used befo
432	C18ALCO	Num	8	3448	C18ALCO Use alcohol before start
442	C18AMARI	Num	8	3528	C18AMARI Days/month drug used befo
514	C18AMETH	Num	8	4104	C18AMETH Days/month drug used befo
496	C18AMTDO	Num	8	3960	C18AMTDO Days/month drug used befo
505	C18AONRC	Num	8	4032	C18AONDA Days/month drug used befo
532	C18AOTHR	Num	8	4248	C18AOTHR Days/month drug used befo
469	C18APCP	Num	8	3744	C18APCP Days/month drug used befo
459	C18COCA	Num	8	3664	C18COCA Use cocaine before start
450	C18CRCK	Num	8	3592	C18CRCK Use crack before start da
522	C18DOWN	Num	8	4168	C18DOWN Use Downers before start
477	C18HALU	Num	8	3808	C18HALU Use Psychedelics/LSD befo
486	C18HERO	Num	8	3880	C18HERO Use Heroin before start d
423	C18INHA	Num	8	3376	C18INHA Use inhalants before star
441	C18MARI	Num	8	3520	C18MARI Use marijuana before star
513	C18METH	Num	8	4096	C18METH Use Methamphetamines befo
495	C18MTDO	Num	8	3952	C18MTDO Use illegal Methadone bef
504	C18ONRC	Num	8	4024	C18ONRC Use other narcotics befor
531	C18OTHR	Num	8	4240	C18OTHR Use other drug before sta
468	C18PCP	Num	8	3736	C18PCP Use PCP/angel dust before
435	C19AALCO	Num	8	3472	C19AALCO Days/month drug used afte
462	C19ACOCA	Num	8	3688	C19ACOCA Days/month drug used afte
453	C19ACRCK	Num	8	3616	C19ACRCK Days/month drug used afte
525	C19ADOWN	Num	8	4192	C19ADOWN Days/month drug used afte
480	C19AHALU	Num	8	3832	C19AHALU Days/month drug used afte
489	C19AHERO	Num	8	3904	C19AHERO Days/month drug used afte
426	C19AINHA	Num	8	3400	C19AINHA Days/month drug used afte
434	C19ALCO	Num	8	3464	C19ALCO Use alcohol end date
444	C19AMARI	Num	8	3544	C19AMARI Days/month drug used afte
516	C19AMETH	Num	8	4120	C19AMETH Days/month drug used afte
498	C19AMTDO	Num	8	3976	C19AMTDO Days/month drug used afte
507	C19AONRC	Num	8	4048	C19AONRC Days/month drug used afte
534	C19AOTHR	Num	8	4264	C19AOTHR Days/month drug used afte
471	C19APCP	Num	8	3760	C19APCP Days/month drug used afte
461	C19COCA	Num	8	3680	C19COCA Use cocaine after end dat
452	C19CRCK	Num	8	3608	C19CRCK Use crack after end date
524	C19DOWN	Num	8	4184	C19DOWN Use Downers after end dat
479	C19HALU	Num	8	3824	C19HALU Use LSD after end date
488	C19HERO	Num	8	3896	C19HERO Use heroin after end date
425	C19INHA	Num	8	3392	C19INHA Use inhalant after end da
443	C19MARI	Num	8	3536	C19MARI Use marijuana after end d
515	C19METH	Num	8	4112	C19METH Use Methamphetamines afte
497	C19MTDO	Num	8	3968	C19MTDO Use illegal Methadone aft
506	C19ONRC	Num	8	4040	C19ONDAY Use other narcotics after
533	C19OTHR	Num	8	4256	C19OTHR Use other drug after end
470	C19PCP	Num	8	3752	C19PCP Use PCP after end date
255	C1AALCOH	Num	8	2032	Alcohol
258	C1ACOCAI	Num	8	2056	Cocaine Powder
257	C1ACRACK	Num	8	2048	Crack
265	C1ADOWNR	Num	8	2112	Downers
260	C1AHALLU	Num	8	2072	Hallucinogens/Psychedelics/LSD
261	C1AHEROI	Num	8	2080	Heroin

#	Variable	Type	Len	Pos	Label
254	C1AINHAL	Num	8	2024	Inhalants
256	C1AMARIJ	Num	8	2040	Marijuana/Hashish
264	C1AMETHA	Num	8	2104	Methamphetamines
262	C1AMTHDO	Num	8	2088	Illegal Methadone
266	C1AODRUG	Num	8	2120	Other drug (SPECIFY)
263	C1AONARC	Num	8	2096	Other narcotics
259	C1APCP	Num	8	2064	PCP/Angel Dust
437	C20AALCO	Num	8	3488	C20AALCO Days/month R used alcohol
464	C20ACOCA	Num	8	3704	C20ACOCA Days/month R used cocaine
455	C20ACRCK	Num	8	3632	C20ACRCK Days/month R used crack
527	C20ADOWN	Num	8	4208	C20ADOWN Days/month R used Downers
482	C20AHALU	Num	8	3848	C20AHALU Days/month R used Psychede
491	C20AHERO	Num	8	3920	C20AHERO Days/month R used Heroin
428	C20AINHA	Num	8	3416	C20AINHA Days/month R used inhalant
436	C20ALCO	Num	8	3480	C20ALCO Use drug in last year
446	C20AMARI	Num	8	3560	C20AMARI Days/month R used marijuan
518	C20AMETH	Num	8	4136	C20AMETH Days/month R used Methamph
500	C20AMTDO	Num	8	3992	C20AMTDO Days/month R used illegal
509	C20AONRC	Num	8	4064	C20AONRC Days/month R used other na
536	C20AOTHR	Num	8	4280	C20AOTHR Days/month R used other dr
473	C20APCP	Num	8	3776	C20APCP Days/month R used PCP/ange
463	C20COCA	Num	8	3696	C20COCA Use drug in last year
454	C20CRCK	Num	8	3624	C20CRCK Use drug in last year
526	C20DOWN	Num	8	4200	C20DOWN Use drug in last year
481	C20HALU	Num	8	3840	C20HALU Use drug in last year
490	C20HERO	Num	8	3912	C20HERO Use drug in last year
427	C20INHA	Num	8	3408	C20INHA Use drug in last year
445	C20MARI	Num	8	3552	C20MARI Use drug in last year
517	C20METH	Num	8	4128	C20METH Use drug in last year
499	C20MTDO	Num	8	3984	C20MTDO Use drug in last year
508	C20ONRC	Num	8	4056	C20ONRC Use drug in last year
535	C20OTHR	Num	8	4272	C20OTHR Use drug in last year
472	C20PCP	Num	8	3768	C20PCP Use drug in last year
438	C21ALCO	Num	8	3496	C21ALCO Used alcohol last 30 days
465	C21COCA	Num	8	3712	C21COCA Used cocaine last 30 days
456	C21CRCK	Num	8	3640	C21CRCK Used crack last 30 days
528	C21DOWN	Num	8	4216	C21DOWN Used Downers last 30 days
483	C21HALU	Num	8	3856	C21HALU Used Psychedelics/LSD last
492	C21HERO	Num	8	3928	C21HERO Used Heroin last 30 days
429	C21INHA	Num	8	3424	C21INHA Used inhalants last 30 day
447	C21MARI	Num	8	3568	C21MARI Used marijuana last 30 day
519	C21METH	Num	8	4144	C21ME30 Used Methamphetamine last
501	C21MTDO	Num	8	4000	C21ME30 Used Methamph last 30 day
510	C21ONRC	Num	8	4072	C21ONRC Used Other Narcotics last
537	C21OTHR	Num	8	4288	C21OTHR Use Other drug last 30 day
474	C21PCP	Num	8	3784	C21PCP Used PCP/angel dust last 3
540	C24_1	Num	8	4312	C24_1 R drink any beer/malt liquor
543	C24_2	Num	8	4336	C24_2 R drink any wine/wine cooler
546	C24_3	Num	8	4360	C24_3 R drink any liquor
541	C25_1	Num	8	4320	C25_1 Amount of beer/malt liquor
544	C25_2	Num	8	4344	C25_2 Amount of wine/wine coolers
547	C25_3	Num	8	4368	C25_3 Amount of liquor
542	C25_1A	Num	8	4328	C25_1a Container of beer/malt liqu
545	C25_2A	Num	8	4352	C25_2a Container of wine/wine cool
548	C25_3A	Num	8	4376	C25_3a Size of liquor
550	C27A	Num	8	4392	C27A Age when needle first used
551	C27B	Num	8	4400	C27B # times R used needle before

#	Variable	Type	Len	Pos	Label
553	C28A	Num	8	4416	C28A Days per month R injected dru
554	C28B	Num	8	4424	C28B Attend safe needle classes/co
555	C28CA	Num	8	4432	C28Ca Counseling affect using a ne
556	C28CB	Num	8	4440	C28Cb Counseling affect sharing ne
557	C28CC	Num	8	4448	C28Cc Counseling affect sharing ne
559	C29A	Num	8	4464	C29A Used needle in past year
277	C2ALCOH	Num	8	2208	C2ALCOH Age first use alcohol
307	C2COCAI	Num	8	2448	C2COCAI Age first used cocaine
297	C2CRACK	Num	8	2368	C2CRACK Age first used crack
377	C2DOWNR	Num	8	3008	C2DOWNR Age first used Downers
327	C2HALLU	Num	8	2608	C2HALLU Age first used LSD
337	C2HEROI	Num	8	2688	C2HEROI Age first used heroin
267	C2INHAL	Num	8	2128	C2INHAL Age first use inhalants
287	C2MARIJ	Num	8	2288	C2MARIJ Age first used marijuana
367	C2METHA	Num	8	2928	C2METHA Age first used Methampheta
347	C2MTHDO	Num	8	2768	C2MTHDO Age first used Methadone
387	C2ODRUG	Num	8	3088	C2ODRUG Age first used Other Drug
357	C2ONARC	Num	8	2848	C2ONARC Age first used Other Narco
317	C2PCP	Num	8	2528	C2APCP Age first used PCP/Angel d
279	C3AALCOH	Num	8	2224	C3AALCOH Days/month drug used befo
309	C3ACOCAI	Num	8	2464	C3ACOCAI Days/month drug used befo
299	C3ACRACK	Num	8	2384	C3ACRACK Days/month drug used befo
379	C3ADOWNR	Num	8	3024	C3ADOWNR Days/month drug used befo
329	C3AHALLU	Num	8	2624	C3AHALLU Days/month drug used befo
339	C3AHEROI	Num	8	2704	C3AHEROI Days/month drug used befo
269	C3AINHAL	Num	8	2144	C3AINHAL Days/month drug used befo
278	C3ALCOH	Num	8	2216	C3ALCOH Use alcohol before start d
289	C3AMARIJ	Num	8	2304	C3AMARIJ Days/month drug used befo
369	C3AMETHA	Num	8	2944	C3AMETHA Days/month drug used befo
349	C3AMTHDO	Num	8	2784	C3AMTHDO Days/month drug used befo
389	C3AODRUG	Num	8	3104	C3AODRUG Days/month drug used befo
359	C3AONARC	Num	8	2864	C3AONARC Days/month drug used befo
319	C3APCP	Num	8	2544	C3APCP Days/month drug used befo
308	C3COCAI	Num	8	2456	C3COCAI Use cocaine before start d
298	C3CRACK	Num	8	2376	C3CRACK Use crack before start dat
378	C3DOWNR	Num	8	3016	C3DOWNR Use Downers before start d
328	C3HALLU	Num	8	2616	C3HALLU Use LSD before start date
338	C3HEROI	Num	8	2696	C3HEROI Use heroin before start da
268	C3INHAL	Num	8	2136	C3INHAL Use inhalants before start
288	C3MARIJ	Num	8	2296	C3MARIJ Use marijuana before start
368	C3METHA	Num	8	2936	C3METHA Use Methamphetamines befor
348	C3MTHDO	Num	8	2776	C3MTHDO Use Methadone before start
388	C3ODRUG	Num	8	3096	C3ODRUG Use Other Drug before star
358	C3ONARC	Num	8	2856	C3ONARC Use Other Narcotics before
318	C3PCP	Num	8	2536	C3PCP Use PCP/Angel dust before
280	C4ALCOH	Num	8	2232	C4ALCOH Use alcohol after end date
310	C4COCAI	Num	8	2472	C4COCAI Use cocaine after end date
300	C4CRACK	Num	8	2392	C4CRACK Use crack after end date
380	C4DOWNR	Num	8	3032	C4DOWNR Use Downers after end date
330	C4HALLU	Num	8	2632	C4HALLU Use LSD after end date
340	C4HEROI	Num	8	2712	C4HEROI Use heroin after end date
270	C4INHAL	Num	8	2152	C4INHAL Use inhalant after end dat
290	C4MARIJ	Num	8	2312	C4MARIJ Use marijuana after end da
370	C4METHA	Num	8	2952	C4METHA Use Methamphetamines after
350	C4MTHDO	Num	8	2792	C4MTHDO Use Methadone after end da
390	C4ODRUG	Num	8	3112	C4ODRUG Use Other Drug after end d
360	C4ONARC	Num	8	2872	C4ONARC Use Other Narcotics after

#	Variable	Type	Len	Pos	Label
320	C4PCP	Num	8	2552	C4PCP Use PCP/Angel dust after e
281	C5ALCOH	Num	8	2240	C5ALCOH Days/month drug used after
311	C5COCAI	Num	8	2480	C5COCAI Days/month drug used after
301	C5CRACK	Num	8	2400	C5CRACK Days/month drug used after
381	C5DOWNR	Num	8	3040	C5DOWNR Days/month drug used after
331	C5HALLU	Num	8	2640	C5HALLU Days/month drug used after
341	C5HEROI	Num	8	2720	C5HEROI Days/month drug used after
271	C5INHAL	Num	8	2160	C5INHAL Days/month drug used after
291	C5MARIJ	Num	8	2320	C5MARIJ Days/month drug used after
371	C5METHA	Num	8	2960	C5METHA Days/month drug used after
351	C5MTHDO	Num	8	2800	C5MTHDO Days/month drug used after
391	C5ODRUG	Num	8	3120	C5ODRUG Days/month drug used after
361	C5ONARC	Num	8	2880	C5ONARC Days/month drug used after
321	C5PCP	Num	8	2560	C5PCP Days/month drug used after
282	C6ALCOH	Num	8	2248	C6ALCOH Use drug in last year
312	C6COCAI	Num	8	2488	C6COCAI Use drug in last year
302	C6CRACK	Num	8	2408	C6CRACK Use drug in last year
382	C6DOWNR	Num	8	3048	C6DOWNR Use drug in last year
332	C6HALLU	Num	8	2648	C6HALLU Use drug in last year
342	C6HEROI	Num	8	2728	C6HEROI Use drug in last year
272	C6INHAL	Num	8	2168	C6INHAL Use drug in last year
292	C6MARIJ	Num	8	2328	C6MARIJ Use drug in last year
372	C6METHA	Num	8	2968	C6METHA Use drug in last year
352	C6MTHDO	Num	8	2808	C6MTHDO Use drug in last year
392	C6ODRUG	Num	8	3128	C6ODRUG Use drug in last year
362	C6ONARC	Num	8	2888	C6ONARC Use drug in last year
322	C6PCP	Num	8	2568	C6PCP Use drug in last year
283	C7ALCOH	Num	8	2256	C7ALCOH Days/month used alcohol
313	C7COCAI	Num	8	2496	C7COCAI Days/month used cocaine
303	C7CRACK	Num	8	2416	C7CRACK Days/month used crack
383	C7DOWNR	Num	8	3056	C7DOWNR Days/month used downers
333	C7HALLU	Num	8	2656	C7HALLU Days/month used LSD
343	C7HEROI	Num	8	2736	C7HEROI Days/month used heroin
273	C7INHAL	Num	8	2176	C7INHAL Days/month used inhalants
293	C7MARIJ	Num	8	2336	C7MARIJ Days/month used marijuana
373	C7METHA	Num	8	2976	C7METHA Days/mon used methampheta
353	C7MTHDO	Num	8	2816	C7MTHDO Days/month used methadone
393	C7ODRUG	Num	8	3136	C7ODRUG Days/month used oth drug
363	C7ONARC	Num	8	2896	C7ONARC Days/month used narcotics
323	C7PCP	Num	8	2576	C7PCP Days/month used PCP
285	C8AALCOH	Num	8	2272	C8AALCOH # of months R did not use
315	C8ACOCAI	Num	8	2512	C8ACOCAI # of months R did not use
305	C8ACRACK	Num	8	2432	C8ACRACK # of months R did not use
385	C8ADOWNR	Num	8	3072	C8ADOWNR # of months R did not use
335	C8AHALLU	Num	8	2672	C8AHALLU # of months R did not use
345	C8AHEROI	Num	8	2752	C8AHEROI # of months R did not use
275	C8AINHAL	Num	8	2192	C8AINHAL # of months R did not use
284	C8ALCOH	Num	8	2264	C8ALCOH R not use drugs in past ye
295	C8AMARIJ	Num	8	2352	C8AMARIJ # of months R did not use
375	C8AMETHA	Num	8	2992	C8AMETHA # of months R did not use
355	C8AMTHDO	Num	8	2832	C8AMTHDO # of months R did not use
395	C8AODRUG	Num	8	3152	C8AODRUG # of months R did not use
365	C8AONARC	Num	8	2912	C8AONARC # of months R did not use
325	C8APCP	Num	8	2592	C8APCP # of months R did not use
314	C8COCAI	Num	8	2504	C8COCAI R not use drugs in past ye
304	C8CRACK	Num	8	2424	C8CRACK R not use drugs in past ye
384	C8DOWNR	Num	8	3064	C8DOWNR R not use drugs in past ye

#	Variable	Type	Len	Pos	Label
334	C8HALLU	Num	8	2664	C8HALLU R not use drugs in past ye
344	C8HEROI	Num	8	2744	C8HEROI R not use drugs in past ye
274	C8INHAL	Num	8	2184	C8INHAL R not use drugs in past ye
294	C8MARIJ	Num	8	2344	C8MARIJ R not use drugs in past ye
374	C8METHA	Num	8	2984	C8METHA R not use drugs in past ye
354	C8MTHDO	Num	8	2824	C8MTHDO R not use drugs in past ye
394	C8ODRUG	Num	8	3144	C8ODRUG R not use drugs in past ye
364	C8ONARC	Num	8	2904	C8ONARC R not use drugs in past ye
324	C8PCP	Num	8	2584	C8PCP R not use drugs in past ye
286	C9ALCOH	Num	8	2280	C9ALCOH Used alcohol last 30 days
316	C9COCAI	Num	8	2520	C9COCAI Used cocaine 30 days
306	C9CRACK	Num	8	2440	C9CRACK Used crack last 30 days
386	C9DOWNR	Num	8	3080	C9DOWNR Used Other Drug last 30 da
336	C9HALLU	Num	8	2680	C9HALLU Used LSD last 30 days
346	C9HEROI	Num	8	2760	C9HEROI Used heroin last 30 days
276	C9INHAL	Num	8	2200	C9INHAL Used inhalants last 30 day
296	C9MARIJ	Num	8	2360	C9MARIJ Used marijuana last 30 day
376	C9METHA	Num	8	3000	C9METHA Used Methamphetamines last
356	C9MTHDO	Num	8	2840	C9MTHDO Used Methadone last 30 day
396	C9ODRUG	Num	8	3160	C9ODRUG Used Other Drug last 30 da
366	C9ONARC	Num	8	2920	C9ONARC Used Other Narcotics last
326	C9PCP	Num	8	2600	C9PCP Used PCP/Angel dust last 30
1	CLIENTID	Num	8	0	Client Identifier
1104	COCAINE	Num	8	8824	Used cocaine as main drug
1254	COMPTRT	Num	8	10024	Completed treatment (yes/no)
1103	CRACK	Num	8	8816	Used crack as main drug
560	D1	Num	8	4472	D1 R ever been arrested
562	D2	Num	8	4488	D2 # of arrests before program
563	D3	Num	8	4496	D3 # of arrests 5 years before pro
564	D4	Num	8	4504	D4 R support self b illegal activi
565	D5	Num	8	4512	D5 R in jail or on probation more
573	D7	Num	8	4576	D7 R in jail or on probation more
588	D8	Num	8	4696	D8 R arrested while R was in progr
589	D9	Num	8	4704	D9 # of times R arrested while in
605	D10	Num	8	4832	D10 R^s illegal activities whie in
607	D11	Num	8	4848	D11 R in jail or on probation whil
629	D14	Num	8	5024	D14 R arrested after leaving progr
631	D15	Num	8	5040	D15 R do illegal activities since
648	D18	Num	8	5176	D18 More than one status coded
649	D19	Num	8	5184	D19 Years spent in all categories
650	D20	Num	8	5192	D20 R ever stolen a motor vehicle
657	D21	Num	8	5248	D21 R ever driven while intoxicate
664	D22	Num	8	5304	D22 R ever driven while under the
671	D23	Num	8	5360	D23 R commit public order offenses
678	D24	Num	8	5416	D24 R ever sell or help sell drugs
685	D25	Num	8	5472	D25 Involved in prostitution/procu
692	D26	Num	8	5528	D26 R take part in fraud or forger
699	D27	Num	8	5584	D27 R involved in shoplifting or l
706	D28	Num	8	5640	D28 R ever commit breaking and ent
713	D29	Num	8	5696	D29 R ever do strongarm/armed robb
720	D30	Num	8	5752	D30 R ever commit arson
727	D31	Num	8	5808	D31 R ever threaten/attack attack
734	D32	Num	8	5864	D32 R ever force sex
741	D33	Num	8	5920	D33 R ever kill someone not by acc
748	D34	Num	8	5976	D34 R ever violate parole
755	D35	Num	8	6032	D35 R break any other laws
762	D36	Num	8	6088	D36 R under supervision now

#	Variable	Type	Len	Pos	Label
606	D10A	Num	8	4840	D10A Involvement in illegal activi
608	D12A	Num	8	4856	D12a R in jail for more than one d
611	D12B	Num	8	4880	D12b R in prison at any time
614	D12C	Num	8	4904	D12c R in juvenile detention
617	D12D	Num	8	4928	D12d R in TASC/court diversion pro
620	D12E	Num	8	4952	D12e R sentenced to probation
623	D12F	Num	8	4976	D12f R on parole
626	D12G	Num	8	5000	D12g R on other supervision
609	D13A	Num	8	4864	D13a Number
610	D13ANUM	Num	8	4872	D13anum Unit of time
612	D13B	Num	8	4888	D13b Number
613	D13BNUM	Num	8	4896	D13bnum Unit of time
615	D13C	Num	8	4912	D13c Number
616	D13CNUM	Num	8	4920	D13cnum Unit of time
618	D13D	Num	8	4936	D13d Number
619	D13DNUM	Num	8	4944	D13dnum Unit of time
621	D13E	Num	8	4960	D13e Number
622	D13ENUM	Num	8	4968	D13enum Unit of time
624	D13F	Num	8	4984	D13f Number
625	D13FNUM	Num	8	4992	D13fnum Unit of time
627	D13G	Num	8	5008	D13g Number
628	D13GNUM	Num	8	5016	D13gnum Unit of time
630	D14A	Num	8	5032	D14A # of times R was arrested
632	D15A	Num	8	5048	D15A R do illegal activities in la
633	D15B	Num	8	5056	D15B Months R supported w/illegal
634	D16A	Num	8	5064	D16a R in jail for more than one d
636	D16B	Num	8	5080	D16b R in prison at any time
638	D16C	Num	8	5096	D16c R in juvenile detention
640	D16D	Num	8	5112	D16d R in TASC or court diversion
642	D16E	Num	8	5128	D16e R sentenced to probation
644	D16F	Num	8	5144	D16f R on parole
646	D16G	Num	8	5160	D16g R on any other court supervis
635	D17A	Num	8	5072	D17a # years spent in jail
637	D17B	Num	8	5088	D17b # years spent in prison
639	D17C	Num	8	5104	D17c # years spent in juvenile det
641	D17D	Num	8	5120	D17d # years spent in TASC/court d
643	D17E	Num	8	5136	D17e # years spent on probation
645	D17F	Num	8	5152	D17f # years spent on probation
647	D17G	Num	8	5168	D17g # years spent on other court
561	D1A	Num	8	4480	D1A R's age at first arrest
651	D20A	Num	8	5200	D20A R steal vehicle 5 years befor
652	D20B	Num	8	5208	D20B R arrested for stealing vehic
653	D20C	Num	8	5216	D20C R ever steal vehicle while in
654	D20D	Num	8	5224	D20D R arrested for stealing vehic
655	D20E	Num	8	5232	D20E R steal vehicle after leaving
656	D20F	Num	8	5240	D20F R arrested for vehicle theft
658	D21A	Num	8	5256	D21A R drive while intoxicated bef
659	D21B	Num	8	5264	D21B R arrested for DWI before pro
660	D21C	Num	8	5272	D21C R drive intoxicated while in
661	D21D	Num	8	5280	D21D R arrested for DUI while in p
662	D21E	Num	8	5288	D21E R driven intoxicated since le
663	D21F	Num	8	5296	D21F R arrested for DUI since leav
665	D22A	Num	8	5312	D22A R DUI 5 years before program
666	D22B	Num	8	5320	D22B R arrested for DUI 5 years be
667	D22C	Num	8	5328	D22C R ever DUI while attending pr
668	D22D	Num	8	5336	D22D R arrested for DUI while in p
669	D22E	Num	8	5344	D22E R ever DUI after program

#	Variable	Type	Len	Pos	Label
670	D22F	Num	8	5352	D22F R arrested for DUI since end
672	D23A	Num	8	5368	D23A Commit offense before program
673	D23B	Num	8	5376	D23B Arrested for offense before
674	D23C	Num	8	5384	D23C Commit offense attending prog
675	D23D	Num	8	5392	D23D Arrested for offense in progr
676	D23E	Num	8	5400	D23E Commit offense after program
677	D23F	Num	8	5408	D23F Arrested for offense after pr
679	D24A	Num	8	5424	D24A Sell drugs before program
680	D24B	Num	8	5432	D24B Arrested for selling before p
681	D24C	Num	8	5440	D24C Sell drugs while in program
682	D24D	Num	8	5448	D24D Arrested for selling in progr
683	D24E	Num	8	5456	D24E Sell drugs after program
684	D24F	Num	8	5464	D24F Arrested for selling after pr
686	D25A	Num	8	5480	D25A Prostitution/procurement befo
687	D25B	Num	8	5488	D25B Arrested before program
688	D25C	Num	8	5496	D25C Prostitution/procurement in p
689	D25D	Num	8	5504	D25D Arrested while in program
690	D25E	Num	8	5512	D25E Prostitution/procurement afte
691	D25F	Num	8	5520	D25F Aressted after program
693	D26A	Num	8	5536	D26A Fraud or forgery before progr
694	D26B	Num	8	5544	D26B Arrested for fraud/forgery be
695	D26C	Num	8	5552	D26C Fraud or forgery while in pro
696	D26D	Num	8	5560	D26D Arrested while in program
697	D26E	Num	8	5568	D26E Fraud or forgery after progra
698	D26F	Num	8	5576	D26F Arrested after program
700	D27A	Num	8	5592	D27A Larceny before program
701	D27B	Num	8	5600	D27B Arrested for larceny before p
702	D27C	Num	8	5608	D27C Larceny while in program
703	D27D	Num	8	5616	D27D Arrest for larceny in program
704	D27E	Num	8	5624	D27E Larceny after program
705	D27F	Num	8	5632	D27F Arrest for larceny after prog
707	D28A	Num	8	5648	D28A Breaking and entering before
708	D28B	Num	8	5656	D28B Arrest for B & E before progr
709	D28C	Num	8	5664	D28C Breaking and entering in prog
710	D28D	Num	8	5672	D28D Arrest for B & E while in pro
711	D28E	Num	8	5680	D28E Breaking and entering after p
712	D28F	Num	8	5688	D28F Arrest for B & E after progra
714	D29A	Num	8	5704	D29A Strongarm/armed robbery befor
715	D29B	Num	8	5712	D29B Arrest before program
716	D29C	Num	8	5720	D29C Strongarm/armed robbery in pr
717	D29D	Num	8	5728	D29D Arrest for robbery in program
718	D29E	Num	8	5736	D29E Strongarm/armed robbery after
719	D29F	Num	8	5744	D29F Arrrest for robbery after pro
721	D30A	Num	8	5760	D30A Commit arson before program
722	D30B	Num	8	5768	D30B Arrested for arson before pro
723	D30C	Num	8	5776	D30C Commit arson during program
724	D30D	Num	8	5784	D30D Arrested for arson during pro
725	D30E	Num	8	5792	D30E Commit arson after program
726	D30F	Num	8	5800	D30F Arrested for arson after prog
728	D31A	Num	8	5816	D31A Threaten/attack before progra
729	D31B	Num	8	5824	D31B Arrest for attack before prog
730	D31C	Num	8	5832	D31C Attack/threaten during progra
731	D31D	Num	8	5840	D31D Arrest for attack during prog
732	D31E	Num	8	5848	D31E Attack/threaten after program
733	D31F	Num	8	5856	D31F Arrest for attack after progr
735	D32A	Num	8	5872	D32A Use force for sex before prog
736	D32B	Num	8	5880	D32B Arrest for forced sex before

#	Variable	Type	Len	Pos	Label
737	D32C	Num	8	5888	D32C Use force for sex during prog
738	D32D	Num	8	5896	D32D Arrest for forced sex during
739	D32E	Num	8	5904	D32E Use force for sex ater progra
740	D32F	Num	8	5912	D32F Arrest for forced sex after p
742	D33A	Num	8	5928	D33A Commit homicide before progra
743	D33B	Num	8	5936	D33B Arrested for homicide before
744	D33C	Num	8	5944	D33C Commit homicide during progra
745	D33D	Num	8	5952	D33D Arrested for homicide during
746	D33E	Num	8	5960	D33E Commit homicide after program
747	D33F	Num	8	5968	D33F Arrested for homicide after p
749	D34A	Num	8	5984	D34A Violate parole before program
750	D34B	Num	8	5992	D34B Arrest for violation before p
751	D34C	Num	8	6000	D34C Violate parole during program
752	D34D	Num	8	6008	D34D Arrest for violation during p
753	D34E	Num	8	6016	D34E Violate parole after program
754	D34F	Num	8	6024	D34F Arrest for violation after pr
756	D35A	Num	8	6040	D35A Break other laws before progr
766	D35AD	Num	8	6120	D38Ad R under other supervision
757	D35B	Num	8	6048	D35Avrb Arrest before program
758	D35C	Num	8	6056	D35C Law broken during program
759	D35D	Num	8	6064	D35D Arrest during program
760	D35E	Num	8	6072	D35E Laws broken after program
761	D35F	Num	8	6080	D35F Arrest after program
763	D36AA	Num	8	6096	D36Aa R on probation
764	D36AB	Num	8	6104	D36Ab R on parole of conditional r
765	D36AC	Num	8	6112	D38Ac R have outstanding warrants
566	D6A	Num	8	4520	D6A # of years R spent in correcto
1099	D6A_1	Num	8	8784	D6A_1 # of years R spent in correc
567	D6B	Num	8	4528	D6b R in prison before program
568	D6C	Num	8	4536	D6c R in juvenile detention before
569	D6D	Num	8	4544	D6d R in TASC or court diversion p
570	D6E	Num	8	4552	D6e R sentenced to probation befor
571	D6F	Num	8	4560	D6f R on parole before program
572	D6G	Num	8	4568	D6g R under other supervision
574	D7AA	Num	8	4584	D7Aa R in jail for more than one d
576	D7AB	Num	8	4600	D7Ab R in prison at any time
578	D7AC	Num	8	4616	D7Ac R in juvenile detention
580	D7AD	Num	8	4632	D7Ad R in TASC or court diversion
582	D7AE	Num	8	4648	D7Ae R sentenced to probation
584	D7AF	Num	8	4664	D7Af R on parole
586	D7AG	Num	8	4680	D7Ag R on any other court supervis
575	D7BA	Num	8	4592	D7Ba # years spent in jail
577	D7BB	Num	8	4608	D7Bb # years spent in prison
579	D7BC	Num	8	4624	D7Bc # years spent in juvenile det
581	D7BD	Num	8	4640	D7Bd # years spent in TASC/court d
583	D7BE	Num	8	4656	D7Be # years spent on probation
585	D7BF	Num	8	4672	D7Bf # years spent on probation
587	D7BG	Num	8	4688	D7Bg # years spent on other court
590	D9A_1	Num	8	4712	Possession of drugs/drug parapherna
591	D9A_2	Num	8	4720	Drug sale or trafficking
592	D9A_3	Num	8	4728	Driving while intoxicated (DWI)/(DU
593	D9A_4	Num	8	4736	Fraud or forgery
594	D9A_5	Num	8	4744	Burglary
595	D9A_6	Num	8	4752	Other kinds of theft
596	D9A_7	Num	8	4760	Disorderly conduct, fighting or van
597	D9A_8	Num	8	4768	A violent offense
598	D9A_9	Num	8	4776	Prostitution or procurement

#	Variable	Type	Len	Pos	Label
599	D9A_10	Num	8	4784	Violation of parole/probation
600	D9A_11	Num	8	4792	OTHER DRUG OFFENSES
601	D9A_12	Num	8	4800	OTHER PUBLIC ORDER OFFENSE
602	D9A_13	Num	8	4808	OTHER PROPERTY OFFENSE
603	D9A_14	Num	8	4816	OTHER VIOLENT OFFENSE
604	D9A_15	Num	8	4824	CANNOT CODE CHARGE
1251	DISAGE	Num	8	10000	Age at time of discharge (in years)
1252	DISAGE2	Num	8	10008	Age at time of discharge (4 categs)
1111	DOWNERS	Num	8	8880	Used downers as main drug
767	E1	Num	8	6128	E1 R CURRENTLY MARRIED
769	E2	Num	8	6144	E2 R EVER LIVED WITH SOMEONE
770	E3	Num	8	6152	E3 # OF INDIVIDUALS R LIVED WITH O
773	E5	Num	8	6176	E5 IS YEAR RECORDED BEFORE START D
774	E6	Num	8	6184	E6 # YRS R LIVED WITH PARTNERS
775	E7	Num	8	6192	Automatic Skip
778	E9	Num	8	6216	E9 TIME R SPENT W/PARTNER AFTER PR
779	E10	Num	8	6224	E10 TIME R WAS MARRIED OR LIVED W/
768	E1A	Num	8	6136	E1A R EVER BEEN MARRIED
771	E4MONTH	Num	8	6160	E4MONTH
772	E4YEAR	Num	8	6168	E4YEAR
776	E8A	Num	8	6200	E8a R MARRIED WHEN FIRST ENTERING P
777	E8B	Num	8	6208	E8b R HAVE PARTNER WHEN FIRST ENTER
1065	ENDYEAR	Num	8	8512	DATE END YEAR
780	F1	Num	8	6232	F1 Natural mother born in the U.S.
781	F2	Num	8	6240	F2 Natural father born in the U.S.
782	F3	Num	8	6248	F3 R currently living with parents
785	F4	Num	8	6272	AUTOMATIC SKIP
786	F5	Num	8	6280	F5 Highest grade of school for fat
788	F6	Num	8	6296	F6 Highest grade of school for mot
790	F7	Num	8	6312	F7 Courts arrange for R to live se
791	F8	Num	8	6320	F8 R run away from home before age
793	F9	Num	8	6336	F9 R ever asked to leave by parent
794	F10	Num	8	6344	F10 Number of natural children
796	F11	Num	8	6360	F11 R have custody of children bef
798	F12	Num	8	6376	F12 R have custody of children aft
800	F13	Num	8	6392	F13 R ever lose custody of childre
807	F14	Num	8	6448	F14 R have any children 18 or olde
809	F15	Num	8	6464	F15 R ever homeless before program
813	F16	Num	8	6496	F16 R live in an apartment since p
815	F17	Num	8	6512	F17 R ever homeless after program
819	F19	Num	8	6544	F19 R attend any type school
795	F10A	Num	8	6352	F10A R ever had custody of any chi
797	F11A	Num	8	6368	F11A # children under 18 R raised
799	F12A	Num	8	6384	F12A # children under 18 R has rai
801	F13A	Num	8	6400	F13A R lose custody before program
802	F13B	Num	8	6408	F13B R get custody back
803	F13C	Num	8	6416	F13C R lose custody while in progr
804	F13D	Num	8	6424	F13D R get custody back
805	F13E	Num	8	6432	F13E R lose custody after program
806	F13F	Num	8	6440	F13F R get custody back after this
808	F14A	Num	8	6456	F14A # of children over 18 R has l
810	F15A	Num	8	6472	F15A R stay in shelters or on stre
811	F15B	Num	8	6480	F15B Time R spent in shelters
812	F15C	Num	8	6488	F15C Time R spent on the street
814	F16A	Num	8	6504	F16A Time R spent in all apartment
816	F17A	Num	8	6520	F17A R stay in shelters or on stre
817	F17B	Num	8	6528	F17B Time R spent in a shelter

#	Variable	Type	Len	Pos	Label
818	F17C	Num	8	6536	F17C Time R spent on the street
820	F19A_1	Num	8	6552	Elementary school
821	F19A_2	Num	8	6560	High school
822	F19A_3	Num	8	6568	GED/Equivalency Program
823	F19A_4	Num	8	6576	Junior College
824	F19A_5	Num	8	6584	College
825	F19A_6	Num	8	6592	Graduate/Professional School
826	F19A_7	Num	8	6600	Technical School
827	F19A_8	Num	8	6608	Business School
828	F19A_9	Num	8	6616	Apprenticeship Program
829	F19A_10	Num	8	6624	Other schools/classes/program (SPEC
830	F19B_0	Num	8	6632	NONE
831	F19B_1	Num	8	6640	1st Grade
832	F19B_2	Num	8	6648	2nd Grade
833	F19B_3	Num	8	6656	3rd Grade
834	F19B_4	Num	8	6664	4th Grade
835	F19B_5	Num	8	6672	5th Grade
836	F19B_6	Num	8	6680	6th Grade
837	F19B_7	Num	8	6688	7th Grade
838	F19B_8	Num	8	6696	8th Grade
839	F19B_9	Num	8	6704	9th Grade
840	F19B_10	Num	8	6712	10th Grade
841	F19B_11	Num	8	6720	11th Grade
842	F19B_12	Num	8	6728	12th Grade
843	F19B_13	Num	8	6736	1 Year College
844	F19B_14	Num	8	6744	2 Years College
845	F19B_15	Num	8	6752	3 Years College
846	F19B_16	Num	8	6760	4 Years College
847	F19B_17	Num	8	6768	Graduate/Professional School
848	F19C	Num	8	6776	F19C R received diploma/GED since
783	F3A	Num	8	6256	F3A Age R last lived with mother
784	F3B	Num	8	6264	F3B Age R last lived with father
787	F5A	Num	8	6288	F5A Father have high school diplom
789	F6A	Num	8	6304	F6A Mother have high school diplom
792	F8A	Num	8	6328	F8A # of times R ran away
2	FAC_ID	Num	8	8	Facility Identifier
849	G1	Num	8	6784	G1 Ever felt sad at least two week
850	G2	Num	8	6792	G2 R have sad period before progra
851	G3	Num	8	6800	G3 Age when R first felt depressed
854	G4	Num	8	6824	G4 R have sad period after program
855	G5	Num	8	6832	G5 All/some/none of these times du
856	G6	Num	8	6840	G6 All/some/none of these times du
857	G7	Num	8	6848	G7 R depressed for two weeks in th
858	G8	Num	8	6856	G8 All/some/none of these times du
859	G9	Num	8	6864	G9 All/some/none of these times du
860	G10	Num	8	6872	G10 R ever attempt suicide
861	G11	Num	8	6880	G11 R attempt suicide before progr
862	G12	Num	8	6888	G12 # of times R attempted suicide
863	G13	Num	8	6896	G13 Attempts the results of alcoho
864	G14	Num	8	6904	G14 R attempt suicide after progra
865	G15	Num	8	6912	G15 # of times R attempted suicide
866	G16	Num	8	6920	G16 Any attempts due to alcohol us
867	G17	Num	8	6928	G17 Any attempts due to drug use
868	G18	Num	8	6936	G18 Any attempts in the last year
869	G19	Num	8	6944	G19 R have trouble controlling tem
870	G20	Num	8	6952	G20 R have trouble with temper bef
873	G21	Num	8	6976	G21 R have trouble with temper aft

#	Variable	Type	Len	Pos	Label
874	G22	Num	8	6984	G22 All/some/none of these times d
875	G23	Num	8	6992	G23 All/some/none of these times d
876	G24	Num	8	7000	G24 R have trouble with temper in
877	G25	Num	8	7008	G25 All/some/none of these times d
878	G26	Num	8	7016	G26 All/some/none of these times d
879	G27	Num	8	7024	G27 R have hallucinations or delus
880	G28	Num	8	7032	G28 R have hallucinations before p
883	G29	Num	8	7056	G29 R have hallucinations/delusion
884	G30	Num	8	7064	G30 Hallucinations/delusions due t
885	G31	Num	8	7072	G31 Hallucinations/delusions due t
886	G32	Num	8	7080	G32 Hallucinations/delusions in th
887	G33	Num	8	7088	G33 Hallucinations/delusions due t
888	G34	Num	8	7096	G34 Hallucinations/delusions due t
889	G35	Num	8	7104	G35 R ever seek help for emotional
890	G36	Num	8	7112	G36 R seek help before program
891	G37	Num	8	7120	G37 # of times R sought help
892	G38	Num	8	7128	G38 R seek help for problems after
893	G39	Num	8	7136	G39 # of times R sought help after
894	G40	Num	8	7144	G40 R seek help in last year
895	G41	Num	8	7152	G41 # of times R sought help in la
896	G42	Num	8	7160	G42 R stay overnight in hospital
897	G43	Num	8	7168	G43 R stay overnight in hospital b
898	G44	Num	8	7176	G44 Age of R at first overnight st
899	G45	Num	8	7184	G45 # of times R stayed overnight
900	G46	Num	8	7192	G46 R stayed in hospital since en
901	G47	Num	8	7200	G47 # of times R stayed in hospit
902	G48	Num	8	7208	G48 General health of R
903	G49	Num	8	7216	G49 Health of R before program
904	G50	Num	8	7224	G50 Health of R after program
938	G52	Num	8	7496	G52 R ever overdosed on alcohol/dr
939	G53	Num	8	7504	G53 R overdose before program
940	G54	Num	8	7512	G54 # of times R overdosed
941	G55	Num	8	7520	G55 R go to emergency room when ov
942	G56	Num	8	7528	G56 # of time R went to emergency
943	G57	Num	8	7536	G57 R overdosed since end of progr
944	G58	Num	8	7544	G58 # of time R overdosed
945	G59	Num	8	7552	G59 R go to emergency room when ov
946	G60	Num	8	7560	G60 # of times R went to emergency
947	G61	Num	8	7568	G61 R gone to emergency room for o
948	G62	Num	8	7576	G62 R gone to emergency room befor
949	G63	Num	8	7584	G63 # times R went to emergency ro
950	G64	Num	8	7592	G64 R go to emergency room after p
951	G65	Num	8	7600	G65 # times R went to emergency ro
952	G66	Num	8	7608	G66 Ever gone to hospital for deto
953	G67	Num	8	7616	G67 R go for detoxing before progr
954	G68	Num	8	7624	G68 # of times R went for detoxing
955	G69	Num	8	7632	G69 R go for detoxing after progra
956	G70	Num	8	7640	G70 # of times R went for detoxing
957	G71	Num	8	7648	G71 Other times R went to hospital
958	G72	Num	8	7656	G72 R go to hospital before progra
959	G73	Num	8	7664	G73 # of times R went to this hosp
960	G74	Num	8	7672	G74 R spend 24 hrs in hospital aft
961	G75	Num	8	7680	G75 # of times R spent 24 hrs in h
962	G76	Num	8	7688	G76 # of nights spent in past year
963	G77	Num	8	7696	G77 # of times R has seen physicia
964	G78	Num	8	7704	G78 # times physician seen in last
965	G79	Num	8	7712	G79 # sex partners since program

#	Variable	Type	Len	Pos	Label
966	G80	Num	8	7720	G80 # sex partners in past year
967	G81	Num	8	7728	G81 Had sex for money/drugs
968	G82	Num	8	7736	G82 Ever have blood test for AIDS
969	G83	Num	8	7744	G83 Have test for AIDS before prog
970	G84	Num	8	7752	G84 R know results of last test
971	G86	Num	8	7760	G86 R test for AIDS while in progr
972	G87	Num	8	7768	G87 R know results of last test
973	G88	Num	8	7776	G88 R test for AIDS after program
974	G89	Num	8	7784	G89 R know results of last test
975	G90	Num	8	7792	G90 R ever attacked with a weapon
976	G91	Num	8	7800	G91 R attacked before program
977	G92	Num	8	7808	G92 R beaten before program
978	G93	Num	8	7816	G93 # times R beaten before progra
979	G95	Num	8	7824	G95 R beaten while in program
980	G96	Num	8	7832	G96 R have to see M.D. for beating
981	G97	Num	8	7840	G97 R beaten after program
982	G98	Num	8	7848	G98 R have to see M.D. for beating
983	G99	Num	8	7856	G99 # times attacked after program
871	G20A	Num	8	6960	G20A Temper troubles due to alchoh
872	G20B	Num	8	6968	G20B All/some/none of trouble due
881	G28A	Num	8	7040	G28A Any hallucinations due to alc
882	G28B	Num	8	7048	G28B All/some/none of these times
852	G3A	Num	8	6808	G3A Was depression the result of d
853	G3B	Num	8	6816	G3B All/some/none of depression du
905	G51A	Num	8	7232	G51a Tuberculosis
916	G51AA	Num	8	7320	G51Aa Tuberculosis before
918	G51AB	Num	8	7336	G51Ab Breathing condition before
920	G51AC	Num	8	7352	G51Ac Blood condition before
922	G51AD	Num	8	7368	G51Ad Anemia before
924	G51AE	Num	8	7384	G51Ae Hepatitis before
926	G51AF	Num	8	7400	G51Af Internal condition before
928	G51AG	Num	8	7416	G51Ag Bone or muscle before
930	G51AH	Num	8	7432	G51Ah Convulsions before
932	G51AI	Num	8	7448	G51Ai STD other than AIDS before
934	G51AJ	Num	8	7464	G51Aj Cancer before
936	G51AK	Num	8	7480	G51Ak Female problems before
906	G51B	Num	8	7240	G51b Rreathing conditions
917	G51BA	Num	8	7328	G51Ba Tuberculosis after
919	G51BB	Num	8	7344	G51Bb Breathing condition after
921	G51BC	Num	8	7360	G51Bc Blood condition after
923	G51BD	Num	8	7376	G51Bd Anemia after
925	G51BE	Num	8	7392	G51Be Hepatitis after
927	G51BF	Num	8	7408	G51Bf Internal condition after
929	G51BG	Num	8	7424	G51Bg Bone or muscle after
931	G51BH	Num	8	7440	G51Bh Convulsions after
933	G51BI	Num	8	7456	G51Bi STD other than AIDS after
935	G51BJ	Num	8	7472	G51Bj Cancer after
937	G51BK	Num	8	7488	G51Bk Female problems after
907	G51C	Num	8	7248	G51c Heart/blood condition
908	G51D	Num	8	7256	G51d Anemia
909	G51E	Num	8	7264	G51e Hepatitis or jaundice
910	G51F	Num	8	7272	G51f Serious internal condition
911	G51G	Num	8	7280	G51g Bone or muscle conditions
912	G51H	Num	8	7288	G51h Convulsions, epilepsy, migrai
913	G51I	Num	8	7296	G51i STD other than AIDS
914	G51J	Num	8	7304	G51j Cancer
915	G51K	Num	8	7312	G51k Miscarriage, Toxemia, abnorma

#	Variable	Type	Len	Pos	Label
984	H1	Num	8	7864	H1 R EVER EMPLOYED FULL-TIME
985	H2	Num	8	7872	H2 R EMPLOYED BEFORE ENTERING PROG
986	H3	Num	8	7880	H3 LONGEST R HAD FULL-TIME JOB
989	H4	Num	8	7904	H4 # YEARS R WORKED BEFORE PROGRAM
993	H6	Num	8	7936	H6 R EMPLOYED FULL-TIME AFTER PROG
994	H7	Num	8	7944	H7 LONGEST R EMPLOYED AFTER PROGRAM
998	H8	Num	8	7976	H8 # YEARS R WORKED FULL-TIME
1002	H10	Num	8	8008	H10 R EMPLOYED IN THE LAST YEAR
1007	H11	Num	8	8048	H11 R EVER EMPLOYED PART-TIME
1008	H12	Num	8	8056	H12 R EMPLOYED PT BEFORE PROGRAM
1009	H13	Num	8	8064	H13 R^S LONGEST PT JOB BEFORE PROG
1013	H14	Num	8	8096	H14 YEARS R WORKED PT BEFORE PROG
1017	H15	Num	8	8128	H15 R EMPLOYED PT AFTER PROGRAM
1022	H17	Num	8	8168	H17 R EMPLOYED PT IN LAST YEAR
1027	H19	Num	8	8208	H18/19 ANYONE HELP R W/BILLS DURIN
1003	H10A	Num	8	8016	H10A LONGEST FULL-TIME JOB IN LAST
1004	H10BDOL	Num	8	8024	H10BDOL SALARY FOR LONGEST HELD JOB
1005	H10BRTE	Num	8	8032	H10BRTE R^S RATE OF PAY
1011	H13BDOL	Num	8	8080	H13BDOL R^S SALARY ON PT JOB
1012	H13BRTE	Num	8	8088	H13BRTE R^S RATE OF PAY
1014	H14ADOL	Num	8	8104	H14ADOL R^S SALARY FOR PT JOB AFTE
1015	H14ARTE	Num	8	8112	H14ARTE R^S RATE OF PAY
1019	H15B	Num	8	8144	H15B LONGEST PT JOB AFTER PROGRAM
1020	H15CDOL	Num	8	8152	H15CDOL R^S SALARY FOR PT JOB AFTE
1021	H15CRTE	Num	8	8160	H15CRTE R^S RATE OF PAY
1023	H17A	Num	8	8176	H17A LENGTH OF PT JOB IN LAST YEAR
1024	H17BDOL	Num	8	8184	H17BDOL R^S SALARY FOR LONGEST PT
1025	H17BRTE	Num	8	8192	H17BRTE R^S RATE OF PAY
1028	H19A_1	Num	8	8216	Spouse
1029	H19A_2	Num	8	8224	Partner
1030	H19A_3	Num	8	8232	Parent
1031	H19A_4	Num	8	8240	Child
1032	H19A_5	Num	8	8248	Grandparent
1033	H19A_6	Num	8	8256	Other relative
1034	H19A_7	Num	8	8264	Friend
1035	H19A_8	Num	8	8272	Other specify
1036	H19B	Num	8	8280	H19B HELP RECEIVED PAY ALL EXPENSE
1037	H21A	Num	8	8288	H21a INCOME FROM WAGES OR SALARY
1040	H21B	Num	8	8312	H21b INCOME FROM GENERAL ASSISTANCE
1043	H21C	Num	8	8336	H21c INCOME FROM UNEMPLOYMENT COMP
1046	H21D	Num	8	8360	H21d INCOME FROM DISABILITY OR SSI
1049	H21E	Num	8	8384	H21e INCOME FROM SOCIAL SECURITY/P
1052	H21F	Num	8	8408	H21f INCOME FROM ALIMONY/CHLD SUPP
1055	H21G	Num	8	8432	H21g INCOME FROM SPOUSE/PARTNER
1058	H21H	Num	8	8456	H21h INCOME FROM OTHER SOURCES
1038	H22A	Num	8	8296	H22a AMOUNT FROM WAGES OR SALARY
1039	H22ATIM	Num	8	8304	H22atim TIME FRAME FOR SALARY
1041	H22B	Num	8	8320	H22b AMOUNT FROM GENERAL ASSISTANC
1042	H22BTIM	Num	8	8328	H22btim TIME FRAME FOR GA OR RELI
1044	H22C	Num	8	8344	H22c AMOUNT FROM UNEMPLOYMENT COMP
1045	H22CTIM	Num	8	8352	H22ctim TIME FRAME FOR UNEMPLOYME
1047	H22D	Num	8	8368	H22d AMOUNT FROM DISABILITY OR SSI
1048	H22DTIM	Num	8	8376	H22dtim TIME FRAME FOR DISABILITY
1050	H22E	Num	8	8392	H22e AMOUNT FROM SOCIAL SECURITY/P
1051	H22ETIM	Num	8	8400	H22etim TIME FRAME FOR SOCIAL SEC
1053	H22F	Num	8	8416	H22f AMOUNT FROM ALIMONY/CHLD SUPP
1054	H22FTIM	Num	8	8424	H22ftim TIME FRAME ALIMONY/SUPPOR

#	Variable	Type	Len	Pos	Label
1056	H22G	Num	8	8440	H22g AMOUNT FROM SPOUSE/PARTNER
1057	H22GTIM	Num	8	8448	H22gtim TIME FRAME SPOUSE/PARTNER
1059	H22H	Num	8	8464	H22h AMOUNT FROM OTHER SOURCES
1060	H22HTIM	Num	8	8472	H22htim TIME FRAME FOR OTH SOURCE
987	H3BDOL	Num	8	7888	H3BDOL R^S SALARY - DOLLARS
988	H3BRATE	Num	8	7896	H3BRATE R^S RATE OF PAY
990	H4ADOL	Num	8	7912	H4ADOL R^S HIGHEST RATE OF PAY - D
991	H4ARATE	Num	8	7920	H4ARATE R^S RATE OF PAY
997	H7ARATE	Num	8	7968	H7ARATE R^S RATE OF PAY
996	H7BDOL	Num	8	7960	H7BDOL R^S SALARY - DOLLARS
999	H8ADOL	Num	8	7984	H8ADOL R^S HIGHEST WAGE AFTER PROG
1000	H8ARATE	Num	8	7992	H8ARATE R^S RATE OF PAY
1106	HALLUCIN	Num	8	8840	Used hallucinogens as main drug
1256	HELPTRT	Num	8	10040	Client thought tx helpful (yes/no)
1107	HEROIN	Num	8	8848	Used heroin as main drug
1071	I11A	Num	8	8560	I11a Used heroin past 7 days
1072	I11AA	Num	8	8568	I11aA Use drug for meidcal reasons
1073	I11AB	Num	8	8576	I11aB Used drug in past 24 hours
1092	I11AC	Num	8	8728	I11AC Drug test results
1074	I11B	Num	8	8584	I11b Used cocaine past 7 days
1075	I11BA	Num	8	8592	I11bA Use drug for meidcal reasons
1076	I11BB	Num	8	8600	I11bB Used drug in past 24 hours
1093	I11BC	Num	8	8736	I11BC Drug test results
1077	I11C	Num	8	8608	I11c Used Methadone past 7 days
1078	I11CA	Num	8	8616	I11cA Use drug for meidcal reasons
1079	I11CB	Num	8	8624	I11cB Used drug in past 24 hours
1094	I11CC	Num	8	8744	I11CC Drug test results
1080	I11D	Num	8	8632	I11d Used Amphetamines in past 7 d
1081	I11DA	Num	8	8640	I11dA Use drug for meidcal reasons
1082	I11DB	Num	8	8648	I11dB Used drug in past 24 hours
1095	I11DC	Num	8	8752	I11DC Drug test results
1083	I11E	Num	8	8656	I11e Used Barbituates in past 7 da
1084	I11EA	Num	8	8664	I11eA Use drug for meidcal reasons
1085	I11EB	Num	8	8672	I11eB Used drug n past 24 hours
1096	I11EC	Num	8	8760	I11EC Drug test results
1086	I11F	Num	8	8680	I11f Used Alcohol in past 7 days
1087	I11FA	Num	8	8688	I11fA Use drug for meidcal reasons
1088	I11FB	Num	8	8696	I11fB Used drug n past 24 hours
1097	I11FC	Num	8	8768	I11FC Drug test results
1089	I11G	Num	8	8704	I11g Used other drugs in past 7 da
1090	I11GA	Num	8	8712	I11gA Use drug for meidcal reasons
1091	I11GB	Num	8	8720	I11gB Used drug n past 24 hours
1098	I11GC	Num	8	8776	I11GC Drug test results
1108	ILLMETH	Num	8	8856	Used illegal methadone as main drug
1100	INHAL	Num	8	8792	Used inhalants as main drug
1248	LOS	Num	8	9976	Length of stay in treatment (in days)
1249	LOSCAT	Num	8	9984	Length of stay in treatment (4 categs)
1102	MARIJUAN	Num	8	8808	Used marijuana as main drug
1110	METHAMPH	Num	8	8872	Used methamphetamines as main drug
3	MODE	Num	8	16	Dominant facility modality
1109	NARC	Num	8	8864	Used other narcotics as main drug
1112	OTHDRUG	Num	8	8888	Used other drug as main drug
1105	PCP	Num	8	8832	Used pcp as main drug
1063	PERSON2	Num	8	8496	IS THERE A SECOND PERSON
1061	PHONE1	Num	8	8480	IS A PHONE PRESENT
1062	PHONE2	Num	8	8488	IS A PHONE PRESENT
1064	PHONE3	Num	8	8504	IS A PHONE PRESENT

#	Variable	Type	Len	Pos	Label
1253	PRETRT	Num	8	10016	# of previous treat episodes (3 cats)
1250	RACE	Num	8	9992	Race and hispanic origin of client
992	SAME1ST	Num	8	7928	Employer at H4B same as H3A
995	SAME2ND	Num	8	7952	Employer at H7A same as H4B
1001	SAME3RD	Num	8	8000	Employer at H8B same as H7A
1006	SAME4TH	Num	8	8040	Employer at H10C same as H8B
1010	SAME5TH	Num	8	8072	Employer at H13A same as H10C
1016	SAME6TH	Num	8	8120	Employer at H14B same as H13A
1018	SAME7TH	Num	8	8136	Employer at 15A same as H14B
1026	SAME8TH	Num	8	8200	Employer at 17C same as H15A
1066	TOTTIME	Num	8	8520	TOTAL INTERVIEW MINUTES
1247	TRTYPE	Num	8	9968	Type of treatment (reported by client)
1153	USAALC	Num	8	9216	Used alcohol as main drg after tx
1162	USAAMP	Num	8	9288	Used methamphetamine as main drg after t
1246	USAANY	Num	8	9960	Used any illicit drug (not alc) aft tx
1156	USACOC	Num	8	9240	Used cocaine as main drg after tx
1155	USACRK	Num	8	9232	Used crack as main drg after tx
1166	USADALC	Num	8	9320	Number of days used alcohol after tx
1175	USADAMP	Num	8	9392	Number of days used methamphet after tx
1169	USADCO	Num	8	9344	Number of days used cocaine after tx
1168	USADCRK	Num	8	9336	Number of days used crack after tx
1176	USADDWN	Num	8	9400	Number of days used downers after tx
1171	USADHAL	Num	8	9360	Number of days used hallucin after tx
1172	USADHER	Num	8	9368	Number of days used heroin after tx
1165	USADINH	Num	8	9312	Number of days used inhalants after tx
1167	USADMAR	Num	8	9328	Number of days used marijuana after tx
1173	USADMTH	Num	8	9376	Number of days used ill methad after tx
1174	USADNAR	Num	8	9384	Number of days used oth narcotic after
1177	USADOTH	Num	8	9408	Number of days used other drg after tx
1170	USADPCP	Num	8	9352	Number of days used pcp after tx
1163	USADWN	Num	8	9296	Used downers as main drg after tx
1158	USAHAL	Num	8	9256	Used hallucinogens as main drg after tx
1159	USAHER	Num	8	9264	Used heroin as main drg after tx
1152	USAINH	Num	8	9208	Used inhalants as main drg after tx
1154	USAMAR	Num	8	9224	Used marijuana as main drg after tx
1160	USAMTH	Num	8	9272	Used illegal methadone as main drg after
1161	USANAR	Num	8	9280	Used other narcotics as main drg after t
1164	USAOTH	Num	8	9304	Used other drug as main drg after tx
1157	USAPCP	Num	8	9248	Used pcp as main drg after tx
1244	USASEC	Num	8	9944	Used any less common drug aft tx
1127	USBALC	Num	8	9008	Used alcohol as main drg before tx
1136	USBAMP	Num	8	9080	Used methamphetamines as main drg before
1245	USBANY	Num	8	9952	Used any illicit drug (not alc) bef tx
1130	USBCOC	Num	8	9032	Used cocaine as main drg before tx
1129	USBCRK	Num	8	9024	Used crack as main drg before tx
1140	USBDALC	Num	8	9112	Number of days used alcohol before tx
1149	USBDAMP	Num	8	9184	Number of days used methamphet before tx
1143	USBDCOC	Num	8	9136	Number of days used cocaine before tx
1142	USBDCRK	Num	8	9128	Number of days used crack before tx
1150	USBDDWN	Num	8	9192	Number of days used downers before tx
1145	USBDFAL	Num	8	9152	Number of days used hallucin before tx
1146	USBDFHER	Num	8	9160	Number of days used heroin before tx
1139	USBDFINH	Num	8	9104	Number of days used inhalants before tx
1141	USBDFMAR	Num	8	9120	Number of days used marijuana before tx
1147	USBDFMTH	Num	8	9168	Number of days used ill methad before tx
1148	USBDFNAR	Num	8	9176	Number of days used oth narcotic before
1151	USBDFOTH	Num	8	9200	Number of days used other drg before tx

#	Variable	Type	Len	Pos	Label
1144	USBDCPCP	Num	8	9144	Number of days used pcp before tx
1137	USBBDWN	Num	8	9088	Used downers as main drg before tx
1132	USBHAL	Num	8	9048	Used hallucinogens as main drg before tx
1133	USBHER	Num	8	9056	Used heroin as main drg before tx
1126	USBINH	Num	8	9000	Used inhalants as main drg before tx
1128	USBMAR	Num	8	9016	Used marijuana as main drg before tx
1134	USBMTH	Num	8	9064	Used illegal methadone as main drg befor
1135	USBNAR	Num	8	9072	Used other narcotics as main drg before
1138	USBOTH	Num	8	9096	Used other drg before tx as main drg bef
1131	USBPCP	Num	8	9040	Used pcp as main drg before tx
1243	USBSEC	Num	8	9936	Used any less common drug bef tx
1231	USMALC	Num	8	9840	# of days used alcohol mo before int
1240	USMAMP	Num	8	9912	# of days used methamphet mo before int
1234	USMCOC	Num	8	9864	# of days used cocaine mo before int
1233	USMCRK	Num	8	9856	# of days used crack mo before int
1241	USMDWN	Num	8	9920	# of days used downers mo before int
1236	USMHAL	Num	8	9880	# of days used hallucin mo before int
1237	USMHER	Num	8	9888	# of days used heroin mo before int
1230	USMINH	Num	8	9832	# of days used inhalants mo before int
1232	USMMAR	Num	8	9848	# of days used marijuana mo before int
1238	USMMTH	Num	8	9896	# of days used ill methad mo before int
1239	USMNAR	Num	8	9904	# of days used oth narcotic mo bef int
1242	USMOTH	Num	8	9928	# of days used other drg mo before int
1235	USMPCP	Num	8	9872	# of days used pcp mo before int
1205	USNALC	Num	8	9632	Any months not used alcohol yr bef int
1214	USNAMP	Num	8	9704	Any months not used methampht yr bef int
1208	USNCOC	Num	8	9656	Any months not used cocaine yr bef int
1207	USNCRK	Num	8	9648	Any months not used crack yr bef int
1215	USNDWN	Num	8	9712	Any months not used downers yr bef int
1210	USNHAL	Num	8	9672	Any months not used hallucin yr bef int
1211	USNHER	Num	8	9680	Any months not used heroin yr bef int
1204	USNINH	Num	8	9624	Any months not used inhalants yr bef int
1218	USNMALC	Num	8	9736	# months not used alcohol yr bef int
1227	USNMAMP	Num	8	9808	# months not used methamphet yr bef int
1206	USNMAR	Num	8	9640	Any months not used marijuana yr bef int
1221	USNMCOC	Num	8	9760	# months not used cocaine yr bef int
1220	USNMCRK	Num	8	9752	# months not used crack yr bef int
1228	USNMDWN	Num	8	9816	# months not used downers yr bef int
1223	USNMHAL	Num	8	9776	# months not used hallucin yr bef int
1224	USNMHER	Num	8	9784	# months not used heroin yr bef int
1217	USNMINH	Num	8	9728	# months not used inhalants yr bef int
1219	USNMMAR	Num	8	9744	# months not used marijuana yr bef int
1225	USNMMTH	Num	8	9792	# months not used ill methad yr bef int
1226	USNMNAR	Num	8	9800	# months not used oth narcotic yr bef i
1229	USNMOTH	Num	8	9824	# months not used other drg yr bef int
1222	USNMPCP	Num	8	9768	# months not used pcp yr bef int
1212	USNMTH	Num	8	9688	Any months not used ill methd yr bef int
1213	USNNAR	Num	8	9696	Any months not used oth narcotc yr bef i
1216	USNOTH	Num	8	9720	Any months not used other drg yr bef int
1209	USNPCP	Num	8	9664	Any months not used pcp yr bef int
1179	USYALC	Num	8	9424	Used alcohol yr before interview
1188	USYAMP	Num	8	9496	Used methamphet yr before interview
1182	USYCOC	Num	8	9448	Used cocaine yr before interview
1181	USYCRK	Num	8	9440	Used crack yr before interview
1192	USYDALC	Num	8	9528	# of days used alcohol yr before int
1201	USYDAMP	Num	8	9600	# of days used methamphet yr before int
1195	USYDCOC	Num	8	9552	# of days used cocaine yr before int

#	Variable	Type	Len	Pos	Label
1194	USYDCRK	Num	8	9544	# of days used crack yr before int
1202	USYDDWN	Num	8	9608	# of days used downers yr before int
1197	USYDHAL	Num	8	9568	# of days used hallucin yr before int
1198	USYDHER	Num	8	9576	# of days used heroin yr before int
1191	USYDINH	Num	8	9520	# of days used inhalants yr before int
1193	USYDMAR	Num	8	9536	# of days used marijuana yr before int
1199	USYDMTH	Num	8	9584	# of days used ill methad yr before int
1200	USYDNAR	Num	8	9592	# of days used oth narcotic yr bef int
1203	USYDOTH	Num	8	9616	# of days used other drg yr before int
1196	USYDPCP	Num	8	9560	# of days used pcp yr before int
1189	USYDWN	Num	8	9504	Used downers yr before interview
1184	USYHAL	Num	8	9464	Used hallucin yr before interview
1185	USYHER	Num	8	9472	Used heroin yr before interview
1178	USYINH	Num	8	9416	Used inhalants yr before interview
1180	USYMAR	Num	8	9432	Used marijuana yr before interview
1186	USYMTH	Num	8	9480	Used ill methad yr before interview
1187	USYNAR	Num	8	9488	Used oth narcotic yr bef interview
1190	USYOTH	Num	8	9512	Used other drg yr before interview
1183	USYPCP	Num	8	9456	Used pcp yr before interview
4	WT1	Num	8	24	Weight 1, Deceased as resp
5	WT2	Num	8	32	Weight 2, Deceased as non-resp
6	WT3	Num	8	40	Weight 3, Deceased as ineligible

Section D. Frequency Distribution Listing

Client Identifier

CLIENTID	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1000001	1	3.3	1	3.3
1000003	1	3.3	2	6.7
1000005	1	3.3	3	10.0
1000006	1	3.3	4	13.3
1000007	1	3.3	5	16.7
1000008	1	3.3	6	20.0
1000010	1	3.3	7	23.3
1000012	1	3.3	8	26.7
1000013	1	3.3	9	30.0
1000014	1	3.3	10	33.3
1000015	1	3.3	11	36.7
1000017	1	3.3	12	40.0
1000019	1	3.3	13	43.3
1000020	1	3.3	14	46.7
1000021	1	3.3	15	50.0
1000025	1	3.3	16	53.3
1000026	1	3.3	17	56.7
1000028	1	3.3	18	60.0
1000032	1	3.3	19	63.3
1000034	1	3.3	20	66.7
1000036	1	3.3	21	70.0
1000038	1	3.3	22	73.3
1000039	1	3.3	23	76.7
1000043	1	3.3	24	80.0
1000045	1	3.3	25	83.3
1000047	1	3.3	26	86.7
1000048	1	3.3	27	90.0
1000050	1	3.3	28	93.3
1000051	1	3.3	29	96.7
1000054	1	3.3	30	100.0

Facility Identifier

FAC_ID	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1001	4	0.2	4	0.2
1002	7	0.4	11	0.6
1003	9	0.5	20	1.1
1004	13	0.7	33	1.8
1005	1	0.1	34	1.9
1006	13	0.7	47	2.6
1007	11	0.6	58	3.2
1008	15	0.8	73	4.1
1009	10	0.6	83	4.6
1010	11	0.6	94	5.2
1011	10	0.6	104	5.8
1012	61	3.4	165	9.2
1013	13	0.7	178	9.9
1014	20	1.1	198	11.0
1015	51	2.8	249	13.8
1016	11	0.6	260	14.5
1017	27	1.5	287	16.0
1018	9	0.5	296	16.5
1019	21	1.2	317	17.6
1020	12	0.7	329	18.3
1021	36	2.0	365	20.3
1022	20	1.1	385	21.4
1023	7	0.4	392	21.8
1025	32	1.8	424	23.6
1026	9	0.5	433	24.1
1027	9	0.5	442	24.6
1028	47	2.6	489	27.2
1029	5	0.3	494	27.5
1030	21	1.2	515	28.6
1031	8	0.4	523	29.1
1032	51	2.8	574	31.9
1033	16	0.9	590	32.8
1035	11	0.6	601	33.4
1036	12	0.7	613	34.1
1037	18	1.0	631	35.1
1038	15	0.8	646	35.9
1039	14	0.8	660	36.7
1040	11	0.6	671	37.3
1041	30	1.7	701	39.0
1042	61	3.4	762	42.4
1043	3	0.2	765	42.5
1044	40	2.2	805	44.7
1045	54	3.0	859	47.7
1046	24	1.3	883	49.1
1047	9	0.5	892	49.6
1048	13	0.7	905	50.3
1049	39	2.2	944	52.5
1050	12	0.7	956	53.1
1051	12	0.7	968	53.8
1052	12	0.7	980	54.5
1053	15	0.8	995	55.3
1054	15	0.8	1010	56.1
1055	11	0.6	1021	56.8
1056	47	2.6	1068	59.4
1057	42	2.3	1110	61.7
1058	15	0.8	1125	62.5

Facility Identifier

FAC_ID	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1059	9	0.5	1134	63.0
1060	44	2.4	1178	65.5
1061	26	1.4	1204	66.9
1062	17	0.9	1221	67.9
1063	6	0.3	1227	68.2
1064	17	0.9	1244	69.1
1065	8	0.4	1252	69.6
1066	12	0.7	1264	70.3
1067	5	0.3	1269	70.5
1068	11	0.6	1280	71.2
1069	10	0.6	1290	71.7
1070	12	0.7	1302	72.4
1071	9	0.5	1311	72.9
1072	15	0.8	1326	73.7
1073	11	0.6	1337	74.3
1074	8	0.4	1345	74.8
1075	5	0.3	1350	75.0
1076	32	1.8	1382	76.8
1077	46	2.6	1428	79.4
1078	14	0.8	1442	80.2
1079	6	0.3	1448	80.5
1080	10	0.6	1458	81.0
1081	5	0.3	1463	81.3
1082	11	0.6	1474	81.9
1083	2	0.1	1476	82.0
1084	9	0.5	1485	82.5
1085	12	0.7	1497	83.2
1086	13	0.7	1510	83.9
1087	15	0.8	1525	84.8
1088	9	0.5	1534	85.3
1089	52	2.9	1586	88.2
1090	73	4.1	1659	92.2
1091	8	0.4	1667	92.7
1092	10	0.6	1677	93.2
1093	19	1.1	1696	94.3
1094	10	0.6	1706	94.8
1095	13	0.7	1719	95.6
1096	15	0.8	1734	96.4
1097	12	0.7	1746	97.1
1098	10	0.6	1756	97.6
1099	43	2.4	1799	100.0

Dominant facility modality

MODE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 = Inpatient	441	24.5	441	24.5
2 = Residential	464	25.8	905	50.3
3 = Outpatient Methadone Maintenance	423	23.5	1328	73.8
4 = Outpatient Drug-Free	471	26.2	1799	100.0

Weight 1, Deceased as resp

WT1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
13.353354657	4	0.2	4	0.2
16.691693321	19	1.1	23	1.3
28.190415386	8	0.4	31	1.7
33.383386642	9	0.5	40	2.2
36.656267685	9	0.5	49	2.7
50.909664629	15	0.8	64	3.6
63.091807476	11	0.6	75	4.2
65.283067211	9	0.5	84	4.7
71.227330019	12	0.7	96	5.3
81.791170999	11	0.6	107	5.9
106.82683725	11	0.6	118	6.6
107.85648923	9	0.5	127	7.1
115.07730281	12	0.7	139	7.7
115.66831371	12	0.7	151	8.4
120.29504625	28	1.6	179	9.9
122.78636378	9	0.5	188	10.5
135.44116866	5	0.3	193	10.7
137.11033799	21	1.2	214	11.9
138.45497151	9	0.5	223	12.4
138.87488843	8	0.4	231	12.8
139.98873498	12	0.7	243	13.5
146.73341439	10	0.6	253	14.1
146.88690122	3	0.2	256	14.2
151.33801944	39	2.2	295	16.4
152.39907754	32	1.8	327	18.2
152.47946811	17	0.9	344	19.1
165.76578195	18	1.0	362	20.1
165.80415365	12	0.7	374	20.8
173.92586904	54	3.0	428	23.8
177.51873145	10	0.6	438	24.3
185.76239341	27	1.5	465	25.8
186.09975188	7	0.4	472	26.2
223.07460501	14	0.8	486	27.0
225.6716937	10	0.6	496	27.6
228.34236463	24	1.3	520	28.9
231.33662741	2	0.1	522	29.0
241.57432515	11	0.6	533	29.6
246.29520811	8	0.4	541	30.1
256.72901211	30	1.7	571	31.7
272.64673945	12	0.7	583	32.4
279.14962781	13	0.7	596	33.1
279.91731917	15	0.8	611	34.0
295.00747147	13	0.7	624	34.7
306.19258887	10	0.6	634	35.2
309.95326391	15	0.8	649	36.1
331.35910302	11	0.6	660	36.7
345.15936887	8	0.4	668	37.1
348.97566293	11	0.6	679	37.7
371.57617956	15	0.8	694	38.6
371.92620507	11	0.6	705	39.2
373.50090062	10	0.6	715	39.7
382.46478747	61	3.4	776	43.1
389.70347167	6	0.3	782	43.5
413.94404623	47	2.6	829	46.1
423.9589692	9	0.5	838	46.6
437.26934707	11	0.6	849	47.2

Weight 1, Deceased as resp

WT1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
480.94335406	51	2.8	900	50.0
486.67442992	12	0.7	912	50.7
490.747026	13	0.7	925	51.4
493.5700823	36	2.0	961	53.4
495.29135377	46	2.6	1007	56.0
497.73772437	7	0.4	1014	56.4
520.50741168	11	0.6	1025	57.0
535.36039199	10	0.6	1035	57.5
545.2934789	13	0.7	1048	58.3
580.49991457	20	1.1	1068	59.4
586.54162577	52	2.9	1120	62.3
594.3499694	44	2.4	1164	64.7
598.96303686	5	0.3	1169	65.0
619.82912699	61	3.4	1230	68.4
716.84119154	21	1.2	1251	69.5
718.67608507	15	0.8	1266	70.4
720.60856533	47	2.6	1313	73.0
760.42003361	42	2.3	1355	75.3
787.08482472	15	0.8	1370	76.2
821.6483227	51	2.8	1421	79.0
825.87175986	15	0.8	1436	79.8
835.06298919	12	0.7	1448	80.5
864.29019381	40	2.2	1488	82.7
878.90379612	43	2.4	1531	85.1
914.39397316	5	0.3	1536	85.4
917.79266059	20	1.1	1556	86.5
951.97180768	6	0.3	1562	86.8
961.2036869	17	0.9	1579	87.8
989.54964219	16	0.9	1595	88.7
1000.9757917	13	0.7	1608	89.4
1028.1426513	26	1.4	1634	90.8
1052.1793664	10	0.6	1644	91.4
1073.1243889	73	4.1	1717	95.4
1201.1091664	32	1.8	1749	97.2
1245.7477386	9	0.5	1758	97.7
1310.4065369	12	0.7	1770	98.4
1357.4412813	9	0.5	1779	98.9
1367.199468	5	0.3	1784	99.2
1541.9693727	14	0.8	1798	99.9
4008.3023481	1	0.1	1799	100.0

Weight 2, Deceased as non-resp

WT2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
13.353354657	4	0.2	4	0.2
17.570203496	19	1.1	23	1.3
31.71421731	8	0.4	31	1.7
36.656267685	9	0.5	40	2.2
37.092651824	9	0.5	49	2.7
54.303642271	15	0.8	64	3.6
65.283067211	9	0.5	73	4.1
66.24790307	11	0.6	84	4.7
74.790395834	12	0.7	96	5.3
89.226731999	11	0.6	107	5.9
116.53836791	11	0.6	118	6.6
126.31266852	15	0.8	133	7.4
134.25685328	12	0.7	145	8.1
145.74538675	13	0.7	158	8.8
151.8181112	12	0.7	170	9.4
152.47946811	17	0.9	187	10.4
161.53447032	9	0.5	196	10.9
165.80415365	12	0.7	208	11.6
167.77676102	9	0.5	217	12.1
173.59361054	8	0.4	225	12.5
176.08009727	10	0.6	235	13.1
182.81378399	21	1.2	256	14.2
186.09975188	7	0.4	263	14.6
186.23021641	9	0.5	272	15.1
186.26217778	39	2.2	311	17.3
186.65164664	12	0.7	323	18.0
189.61763613	5	0.3	328	18.2
195.26131809	32	1.8	360	20.0
202.91351388	54	3.0	414	23.0
213.28274799	27	1.5	441	24.5
223.67868384	10	0.6	451	25.1
234.23365728	14	0.8	465	25.8
241.57432515	11	0.6	476	26.5
265.28664585	30	1.7	506	28.1
266.3994254	24	1.3	530	29.5
267.06709313	18	1.0	548	30.5
277.08210913	8	0.4	556	30.9
293.77380245	3	0.2	559	31.1
293.91986329	15	0.8	574	31.9
300.62267611	13	0.7	587	32.6
333.99984464	12	0.7	599	33.3
361.48265784	11	0.6	610	33.9
364.36346688	2	0.1	612	34.0
367.43110664	10	0.6	622	34.6
371.94391669	15	0.8	637	35.4
388.30428997	8	0.4	645	35.9
390.5313886	11	0.6	656	36.5
408.47188357	13	0.7	669	37.2
410.85099068	10	0.6	679	37.7
421.11967017	15	0.8	694	38.6
437.26934707	11	0.6	705	39.2
451.3433874	10	0.6	715	39.7
475.875904	11	0.6	726	40.4
476.5135057	61	3.4	787	43.7
546.54520032	11	0.6	798	44.4
549.12737049	46	2.6	844	46.9

Weight 2, Deceased as non-resp

WT2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
565.81571066	51	2.8	895	49.7
588.89643119	10	0.6	905	50.3
589.54204275	36	2.0	941	52.3
596.18972269	12	0.7	953	53.0
598.96303686	5	0.3	958	53.3
603.99633969	13	0.7	971	54.0
607.70508914	47	2.6	1018	56.6
612.38517774	9	0.5	1027	57.1
616.6150978	13	0.7	1040	57.8
639.94850276	7	0.4	1047	58.2
649.50578611	6	0.3	1053	58.5
663.25829289	52	2.9	1105	61.4
666.63266906	44	2.4	1149	63.9
667.57490176	20	1.1	1169	65.0
714.85196485	61	3.4	1230	68.4
766.58782408	15	0.8	1245	69.2
787.08482472	15	0.8	1260	70.0
804.95338893	47	2.6	1307	72.7
835.06298919	12	0.7	1319	73.3
850.94622809	42	2.3	1361	75.7
867.18505118	15	0.8	1376	76.5
869.98057697	51	2.8	1427	79.3
907.5047035	40	2.2	1467	81.5
951.97180768	6	0.3	1473	81.9
955.78825539	21	1.2	1494	83.0
981.10191195	43	2.4	1537	85.4
989.54964219	16	0.9	1553	86.3
1051.0484622	13	0.7	1566	87.0
1052.1793664	10	0.6	1576	87.6
1108.2598185	20	1.1	1596	88.7
1186.3184438	26	1.4	1622	90.2
1187.3962391	17	0.9	1639	91.1
1234.8280639	73	4.1	1712	95.2
1276.1784893	32	1.8	1744	96.9
1357.4412813	9	0.5	1753	97.4
1419.6070816	12	0.7	1765	98.1
1435.5920595	5	0.3	1770	98.4
1453.4053846	9	0.5	1779	98.9
1463.0303571	5	0.3	1784	99.2
1541.9693727	14	0.8	1798	99.9
4008.3023481	1	0.1	1799	100.0

Weight 3, Deceased as ineligible

WT3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
13.353406814	4	0.2	4	0.2
16.691758517	19	1.1	23	1.3
29.848791702	8	0.4	31	1.7
34.443311226	9	0.5	40	2.2
36.656410862	9	0.5	49	2.7
51.286973578	15	0.8	64	3.6
63.091655189	11	0.6	75	4.2
65.283322201	9	0.5	84	4.7
71.227158094	12	0.7	96	5.3
84.680709607	11	0.6	107	5.9
109.68359821	11	0.6	118	6.6
120.12502213	12	0.7	130	7.2
120.29475589	15	0.8	145	8.1
122.89728667	12	0.7	157	8.7
124.19094232	13	0.7	170	9.4
125.70685637	9	0.5	179	9.9
141.88612234	9	0.5	188	10.5
145.74172349	9	0.5	197	11.0
149.17213622	12	0.7	209	11.6
152.32713183	17	0.9	226	12.6
154.07068689	10	0.6	236	13.1
154.99490052	21	1.2	257	14.3
156.23485972	8	0.4	265	14.7
158.32346951	39	2.2	304	16.9
160.11490623	32	1.8	336	18.7
165.80480127	12	0.7	348	19.3
170.65653908	5	0.3	353	19.6
183.1324363	18	1.0	371	20.6
184.08720585	54	3.0	425	23.6
186.09988119	7	0.4	432	24.0
187.96055608	10	0.6	442	24.6
194.32504052	27	1.5	469	26.1
220.33121243	3	0.2	472	26.2
223.07406656	14	0.8	486	27.0
241.02899299	24	1.3	510	28.3
241.57526872	11	0.6	521	29.0
259.76085533	30	1.7	551	30.6
259.76549193	8	0.4	559	31.1
279.91664352	15	0.8	574	31.9
280.58135934	13	0.7	587	32.6
286.27838542	12	0.7	599	33.3
305.74994053	10	0.6	609	33.9
306.04784646	13	0.7	622	34.6
322.21809614	2	0.1	624	34.7
330.35761853	10	0.6	634	35.2
343.06543892	11	0.6	645	35.9
344.72985464	15	0.8	660	36.7
366.73208425	8	0.4	668	37.1
371.92530734	11	0.6	679	37.7
378.62905138	15	0.8	694	38.6
380.32037999	11	0.6	705	39.2
389.22752479	10	0.6	715	39.7
401.65658973	61	3.4	776	43.1
437.26965091	11	0.6	787	43.7
465.01119938	47	2.6	834	46.4
489.41869412	9	0.5	843	46.9

Weight 3, Deceased as ineligible

WT3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
500.98717448	12	0.7	855	47.5
507.44072362	51	2.8	906	50.4
511.16680189	36	2.0	942	52.4
511.51262645	46	2.6	988	54.9
512.2554397	6	0.3	994	55.3
512.88397398	13	0.7	1007	56.0
520.50615531	11	0.6	1018	56.6
546.28608153	10	0.6	1028	57.1
557.87582799	13	0.7	1041	57.9
572.01345469	7	0.4	1048	58.3
597.04725276	52	2.9	1100	61.1
598.36463631	5	0.3	1105	61.4
604.15267117	44	2.4	1149	63.9
611.33229096	20	1.1	1169	65.0
645.88175576	61	3.4	1230	68.4
721.49492401	15	0.8	1245	69.2
740.16841992	47	2.6	1292	71.8
776.30236154	42	2.3	1334	74.2
783.45301721	21	1.2	1355	75.3
787.08537164	15	0.8	1370	76.2
825.86976642	15	0.8	1385	77.0
835.06356945	12	0.7	1397	77.7
835.18193424	51	2.8	1448	80.5
875.09442931	40	2.2	1488	82.7
911.023837	43	2.4	1531	85.1
951.97246917	6	0.3	1537	85.4
986.62472867	20	1.1	1557	86.5
989.5503298	16	0.9	1573	87.4
1000.9733756	13	0.7	1586	88.2
1046.0132521	17	0.9	1603	89.1
1052.1800975	10	0.6	1613	89.7
1085.3559262	26	1.4	1639	91.1
1118.7338951	73	4.1	1712	95.2
1235.6657451	32	1.8	1744	96.9
1243.5766676	5	0.3	1749	97.2
1314.9527723	9	0.5	1758	97.7
1344.891854	12	0.7	1770	98.4
1357.4422246	9	0.5	1779	98.9
1367.1961679	5	0.3	1784	99.2
1541.9704442	14	0.8	1798	99.9
4008.3051334	1	0.1	1799	100.0

A1 SEX OF RESPONDENT

A1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 = Male	1251	69.5	1251	69.5
2 = Female	548	30.5	1799	100.0

A3 AGE OF R FROM QUEX

A3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
18	2	0.1	2	0.1
19	8	0.4	10	0.6
20	17	0.9	27	1.5
21	45	2.5	72	4.0
22	36	2.0	108	6.0
23	52	2.9	160	8.9
24	41	2.3	201	11.2
25	37	2.1	238	13.2
26	46	2.6	284	15.8
27	24	1.3	308	17.1
28	42	2.3	350	19.5
29	48	2.7	398	22.1
30	55	3.1	453	25.2
31	77	4.3	530	29.5
32	63	3.5	593	33.0
33	73	4.1	666	37.0
34	92	5.1	758	42.1
35	84	4.7	842	46.8
36	81	4.5	923	51.3
37	94	5.2	1017	56.5
38	75	4.2	1092	60.7
39	73	4.1	1165	64.8
40	67	3.7	1232	68.5
41	69	3.8	1301	72.3
42	55	3.1	1356	75.4
43	46	2.6	1402	77.9
44	47	2.6	1449	80.5
45	50	2.8	1499	83.3
46	42	2.3	1541	85.7
47	40	2.2	1581	87.9
48	32	1.8	1613	89.7
49	21	1.2	1634	90.8
50	19	1.1	1653	91.9
51	12	0.7	1665	92.6
52	12	0.7	1677	93.2
53	15	0.8	1692	94.1
54	13	0.7	1705	94.8
55	11	0.6	1716	95.4
56	12	0.7	1728	96.1
57 = 57-64	45	2.5	1773	98.6
65 = 65-74	22	1.2	1795	99.8
75+	4	0.2	1799	100.0

A4 R HAVE SPANISH BACKGROUND

A4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.1	2	0.1
-2 = Don't know	2	0.1	4	0.2
1 = Yes	137	7.6	141	7.8
2 = No	1658	92.2	1799	100.0

Mexican/Mexican-American/Chicano

A4A_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1660	92.3	1660	92.3
-3 = Missing	5	0.3	1665	92.6
-2 = Don't know	1	0.1	1666	92.6
1 = Yes	67	3.7	1733	96.3
2 = No	66	3.7	1799	100.0

Puerto Rican

A4A_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1660	92.3	1660	92.3
-3 = Missing	5	0.3	1665	92.6
-2 = Don't know	1	0.1	1666	92.6
1 = Yes	49	2.7	1715	95.3
2 = No	84	4.7	1799	100.0

Cuban

A4A_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1660	92.3	1660	92.3
-3 = Missing	5	0.3	1665	92.6
-2 = Don't know	1	0.1	1666	92.6
1 = Yes	5	0.3	1671	92.9
2 = No	128	7.1	1799	100.0

Other Spanish or Hispanic (SPECIFY)

A4A_4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1660	92.3	1660	92.3
-3 = Missing	5	0.3	1665	92.6
-2 = Don't know	1	0.1	1666	92.6
1 = Yes	13	0.7	1679	93.3
2 = No	120	6.7	1799	100.0

A5 RACE OF RESPONDENT

	A5	Frequency	Percent
-3 = Missing		4	0.2
1 = White		1149	63.9
2 = Black or African American		503	28.0
3 = Asian or Pacific Islander		6	0.3
4 = Alaskan Native, Native American or American Indian		38	2.1
5 = OTHER (SPECIFY)		99	5.5

A5 RACE OF RESPONDENT

	A5	Frequency	Cumulative Percent
-3 = Missing		4	0.2
1 = White		1153	64.1
2 = Black or African American		1656	92.1
3 = Asian or Pacific Islander		1662	92.4
4 = Alaskan Native, Native American or American Indian		1700	94.5
5 = OTHER (SPECIFY)		1799	100.0

A6 R HAVE DIPLOMA OR GED

	A6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		8	0.4	8	0.4
-2 = Don't know		1	0.1	9	0.5
1 = Yes, diploma		859	47.7	868	48.2
2 = Yes, GED		440	24.5	1308	72.7
3 = No		490	27.2	1798	99.9
4 = NEVER ATTENDED SCHOOL		1	0.1	1799	100.0

A7 R^S HIGHEST GRADE

A7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1	0.1	1	0.1
-3 = Missing	2	0.1	3	0.2
1 = 1st Grade	1	0.1	4	0.2
2 = 2nd Grade	2	0.1	6	0.3
3 = 3rd Grade	7	0.4	13	0.7
4 = 4th Grade	4	0.2	17	0.9
5 = 5th Grade	6	0.3	23	1.3
6 = 6th Grade	27	1.5	50	2.8
7 = 7th Grade	29	1.6	79	4.4
8 = 8th Grade	93	5.2	172	9.6
9 = 9th Grade	137	7.6	309	17.2
10 = 10th Grade	229	12.7	538	29.9
11 = 11th Grade	258	14.3	796	44.2
12 = 12th Grade	517	28.7	1313	73.0
13 = 1 Year College	146	8.1	1459	81.1
14 = 2 Years College	176	9.8	1635	90.9
15 = 3 Years College	56	3.1	1691	94.0
16 = 4 Years College	75	4.2	1766	98.2
17 = Graduate/Professional School	33	1.8	1799	100.0

A8 R ATTEND OTHER CLASSES

A8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1	0.1	1	0.1
-3 = Missing	6	0.3	7	0.4
1 = Yes	1031	57.3	1038	57.7
2 = No	761	42.3	1799	100.0

Technical School

A8A_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	762	42.4	762	42.4
-3 = Missing	4	0.2	766	42.6
1 = Yes	443	24.6	1209	67.2
2 = No	590	32.8	1799	100.0

Business School

A8A_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	762	42.4	762	42.4
-3 = Missing	4	0.2	766	42.6
1 = Yes	113	6.3	879	48.9
2 = No	920	51.1	1799	100.0

Apprenticeship program

A8A_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	762	42.4	762	42.4
-3 = Missing	4	0.2	766	42.6
1 = Yes	108	6.0	874	48.6
2 = No	925	51.4	1799	100.0

Other schools/classes/program (SPEC

A8A_4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	762	42.4	762	42.4
-3 = Missing	4	0.2	766	42.6
1 = Yes	470	26.1	1236	68.7
2 = No	563	31.3	1799	100.0

A9 R EVER EXPELLED

A9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1	0.1	1	0.1
-3 = Missing	2	0.1	3	0.2
-2 = Don't know	4	0.2	7	0.4
1 = Yes	740	41.1	747	41.5
2 = No	1052	58.5	1799	100.0

A9A R EXPELLED MORE THAN ONCE

A9A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1057	58.8	1057	58.8
-3 = Missing	2	0.1	1059	58.9
1 = Yes	532	29.6	1591	88.4
2 = No	208	11.6	1799	100.0

A10 R^S ABILITY TO READ ENGLISH

A10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.1	2	0.1
-2 = Don^t know	1	0.1	3	0.2
1 = Excellent	740	41.1	743	41.3
2 = Good	675	37.5	1418	78.8
3 = Fair	301	16.7	1719	95.6
4 = Poor	80	4.4	1799	100.0

A11 R EVER BELONG TO GANG

A11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	1	0.1	1	0.1
-3 = Missing	7	0.4	8	0.4
-2 = Don^t know	1	0.1	9	0.5
-1 = Refused	1	0.1	10	0.6
1 = Yes	139	7.7	149	8.3
2 = No	1650	91.7	1799	100.0

B1 Treatment prgram dates correct

B1	Frequency	Percent
-3 = Missing	26	1.4
-2 = Don^t know	4	0.2
1 = Yes, dates correct/went to SROS Program	1593	88.5
2 = Yes, incorrect/went to SROS Program	126	7.0
3 = Yes, wrong SROS Program/dates correct	14	0.8
4 = No, never went to SROS Program	36	2.0

B1 Treatment prgram dates correct

B1	Cumulative Frequency	Cumulative Percent
-3 = Missing	26	1.4
-2 = Don^t know	30	1.7

B1 Treatment program dates correct

	B1	Cumulative Frequency	Cumulative Percent
1 = Yes, dates correct/went to SROS Program		1623	90.2
2 = Yes, incorrect/went to SROS Program		1749	97.2
3 = Yes, wrong SROS Program/dates correct		1763	98.0
4 = No, never went to SROS Program		1799	100.0

R get treatment between 1989 and 19

	B2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1733	96.3	1733	96.3
-3 = Missing		30	1.7	1763	98.0
-2 = Don't know		2	0.1	1765	98.1
1 = Yes		13	0.7	1778	98.8
2 = No		21	1.2	1799	100.0

B2B R ever receive treatment

	B2B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1733	96.3	1733	96.3
-5 = Not applicable		1	0.1	1734	96.4
-3 = Missing		32	1.8	1766	98.2
-2 = Don't know		2	0.1	1768	98.3
1 = Yes		7	0.4	1775	98.7
2 = No		24	1.3	1799	100.0

B4 Confirm start and end date

	B4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1781	99.0	1781	99.0
-3 = Missing		4	0.2	1785	99.2
1 = Yes		13	0.7	1798	99.9
2 = No		1	0.1	1799	100.0

B5 R attend aftercare program

B5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	20	1.1	59	3.3
-2 = Don't know	10	0.6	69	3.8
-1 = Refused	1	0.1	70	3.9
1 = Yes	576	32.0	646	35.9
2 = No	1153	64.1	1799	100.0

B5A Aftercare involve more than me

B5A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1203	66.9	1203	66.9
-3 = Missing	22	1.2	1225	68.1
-2 = Don't know	2	0.1	1227	68.2
1 = Yes	403	22.4	1630	90.6
2 = No	169	9.4	1799	100.0

Inhalants

B6_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	8	0.4	47	2.6
-2 = Don't know	1	0.1	48	2.7
1 = Yes	21	1.2	69	3.8
2 = No	1730	96.2	1799	100.0

Alcohol

B6_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	8	0.4	47	2.6
-2 = Don't know	1	0.1	48	2.7
1 = Yes	1117	62.1	1165	64.8
2 = No	634	35.2	1799	100.0

Marijuana/hashish

B6_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	8	0.4	47	2.6
-2 = Don't know	1	0.1	48	2.7
1 = Yes	443	24.6	491	27.3
2 = No	1308	72.7	1799	100.0

Crack

B6_4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	8	0.4	47	2.6
-2 = Don't know	1	0.1	48	2.7
1 = Yes	382	21.2	430	23.9
2 = No	1369	76.1	1799	100.0

Cocaine powder

B6_5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	8	0.4	47	2.6
-2 = Don't know	1	0.1	48	2.7
1 = Yes	433	24.1	481	26.7
2 = No	1318	73.3	1799	100.0

PCP or "Angel Dust"

B6_6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	8	0.4	47	2.6
-2 = Don't know	1	0.1	48	2.7
1 = Yes	11	0.6	59	3.3
2 = No	1740	96.7	1799	100.0

Hallucinogens, Psychedelics/LSD

B6_7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	8	0.4	47	2.6
-2 = Don't know	1	0.1	48	2.7
1 = Yes	56	3.1	104	5.8
2 = No	1695	94.2	1799	100.0

Heroin

B6_8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	8	0.4	47	2.6
-2 = Don't know	1	0.1	48	2.7
1 = Yes	315	17.5	363	20.2
2 = No	1436	79.8	1799	100.0

Illegal Methadone

B6_9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	8	0.4	47	2.6
-2 = Don't know	1	0.1	48	2.7
1 = Yes	20	1.1	68	3.8
2 = No	1731	96.2	1799	100.0

Other Narcotics

B6_10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	8	0.4	47	2.6
-2 = Don't know	1	0.1	48	2.7
1 = Yes	51	2.8	99	5.5
2 = No	1700	94.5	1799	100.0

Methamphetamines

B6_11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	8	0.4	47	2.6
-2 = Don't know	1	0.1	48	2.7
1 = Yes	96	5.3	144	8.0
2 = No	1655	92.0	1799	100.0

Downers

B6_12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	8	0.4	47	2.6
-2 = Don't know	1	0.1	48	2.7
1 = Yes	69	3.8	117	6.5
2 = No	1682	93.5	1799	100.0

Other drug (SPECIFY)

B6_13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	8	0.4	47	2.6
-2 = Don't know	1	0.1	48	2.7
1 = Yes	57	3.2	105	5.8
2 = No	1694	94.2	1799	100.0

NO DRUGS/ALCOHOL

B6_14	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	8	0.4	47	2.6
-2 = Don't know	1	0.1	48	2.7
1 = Yes	28	1.6	76	4.2
2 = No	1723	95.8	1799	100.0

Inpatient

	B7_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 =	No	1054	58.6	1054	58.6
1 =	Yes	745	41.4	1799	100.0

Residential

	B7_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 =	No	1496	83.2	1496	83.2
1 =	Yes	303	16.8	1799	100.0

Outpatient (non-methadone)

	B7_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 =	No	1274	70.8	1274	70.8
1 =	Yes	525	29.2	1799	100.0

Methadone

	B7_4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 =	No	1596	88.7	1596	88.7
1 =	Yes	203	11.3	1799	100.0

Something else (SPECIFY)

	B7_5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 =	Legitimate skip	39	2.2	39	2.2
-3 =	Missing	14	0.8	53	2.9
-2 =	Don't know	8	0.4	61	3.4
1 =	Yes	42	2.3	103	5.7
2 =	No	1696	94.3	1799	100.0

B8a Importance of wife/partner in

B8A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	15	0.8	54	3.0
-2 = Don^t know	3	0.2	57	3.2
1 = Very important	424	23.6	481	26.7
2 = Somewhat important	179	9.9	660	36.7
3 = Not important	681	37.9	1341	74.5
4 = NA (Not applicable)	458	25.5	1799	100.0

B8b Importance of family in gettin

B8B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	13	0.7	52	2.9
-2 = Don^t know	2	0.1	54	3.0
1 = Very important	838	46.6	892	49.6
2 = Somewhat important	179	9.9	1071	59.5
3 = Not important	644	35.8	1715	95.3
4 = NA (Not applicable)	84	4.7	1799	100.0

B8c Importance of friend/associate

B8C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	12	0.7	51	2.8
-2 = Don^t know	2	0.1	53	2.9
1 = Very important	266	14.8	319	17.7
2 = Somewhat important	197	11.0	516	28.7
3 = Not important	1131	62.9	1647	91.6
4 = NA (Not applicable)	152	8.4	1799	100.0

B8d Importance of nurse, doctor in

B8D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	16	0.9	55	3.1
-2 = Don^t know	5	0.3	60	3.3
1 = Very important	288	16.0	348	19.3
2 = Somewhat important	146	8.1	494	27.5
3 = Not important	1132	62.9	1626	90.4
4 = NA (Not applicable)	173	9.6	1799	100.0

B8e Importance of probation office

B8E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	15	0.8	54	3.0
-2 = Don^t know	6	0.3	60	3.3
1 = Very important	438	24.3	498	27.7
2 = Somewhat important	110	6.1	608	33.8
3 = Not important	924	51.4	1532	85.2
4 = NA (Not applicable)	267	14.8	1799	100.0

B8f Importance of teacher/counselor

B8F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	17	0.9	56	3.1
-2 = Don^t know	2	0.1	58	3.2
1 = Very important	57	3.2	115	6.4
2 = Somewhat important	60	3.3	175	9.7
3 = Not important	1243	69.1	1418	78.8
4 = NA (Not applicable)	381	21.2	1799	100.0

B8g Importance of any one else in

B8G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	49	2.7	88	4.9
-2 = Don^t know	2	0.1	90	5.0
1 = Very important	335	18.6	425	23.6
2 = Somewhat important	35	1.9	460	25.6
3 = Not important	1026	57.0	1486	82.6
4 = NA (Not applicable)	313	17.4	1799	100.0

B9a Feel pressured by judge, parole

B9A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	19	1.1	58	3.2
-2 = Don^t know	6	0.3	64	3.6
1 = Yes	522	29.0	586	32.6
2 = No	1127	62.6	1713	95.2
3 = NA (Not applicable)	86	4.8	1799	100.0

B9b Any problems with health

B9B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	18	1.0	57	3.2
-2 = Don^t know	5	0.3	62	3.4
1 = Yes	437	24.3	499	27.7
2 = No	1277	71.0	1776	98.7
3 = NA (Not applicable)	23	1.3	1799	100.0

B9c Feel pressure from relationshi

B9C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	19	1.1	58	3.2
-2 = Don^t know	4	0.2	62	3.4
1 = Yes	837	46.5	899	50.0
2 = No	878	48.8	1777	98.8
3 = NA (Not applicable)	22	1.2	1799	100.0

B9d Feeling pressured by employer

B9D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	22	1.2	61	3.4
-2 = Don^t know	4	0.2	65	3.6
-1 = Refused	1	0.1	66	3.7
1 = Yes	132	7.3	198	11.0
2 = No	1502	83.5	1700	94.5
3 = NA (Not applicable)	99	5.5	1799	100.0

B9e Any financial problems then

B9E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	21	1.2	60	3.3
-2 = Don^t know	6	0.3	66	3.7
-1 = Refused	2	0.1	68	3.8
1 = Yes	501	27.8	569	31.6
2 = No	1182	65.7	1751	97.3
3 = NA (Not applicable)	48	2.7	1799	100.0

B9f Any other reasons (SPECIFY)

B9F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	45	2.5	84	4.7
-2 = Don^t know	5	0.3	89	4.9
1 = Yes	538	29.9	627	34.9
2 = No	1133	63.0	1760	97.8
3 = NA (Not applicable)	39	2.2	1799	100.0

B10 Did R complete program

B10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-5 = Not applicable	2	0.1	41	2.3
-3 = Missing	28	1.6	69	3.8
-2 = Don^t know	32	1.8	101	5.6
-1 = Refused	1	0.1	102	5.7
1 = Yes	1190	66.1	1292	71.8
2 = No	507	28.2	1799	100.0

B11 Agree with counselor

B11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	21	1.2	60	3.3
-2 = Don^t know	13	0.7	73	4.1
-1 = Refused	1	0.1	74	4.1
1 = Very much	796	44.2	870	48.4
2 = Somewhat	579	32.2	1449	80.5
3 = Not at all	242	13.5	1691	94.0
4 = DOESN^T REMEMBER ANY STAFF PERSON	108	6.0	1799	100.0

B11A Did counselor understand prpo

B11A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	161	8.9	161	8.9
-5 = Not applicable	2	0.1	163	9.1
-3 = Missing	17	0.9	180	10.0
-2 = Don^t know	8	0.4	188	10.5
1 = Very much	905	50.3	1093	60.8
2 = Somewhat	508	28.2	1601	89.0
3 = Not at all	198	11.0	1799	100.0

B12 R use drugs/alcohol while in p

B12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	16	0.9	55	3.1
-2 = Don't know	7	0.4	62	3.4
1 = Yes	462	25.7	524	29.1
2 = No	1275	70.9	1799	100.0

Inhalants

B12A_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1321	73.4	1321	73.4
-3 = Missing	14	0.8	1335	74.2
1 = Yes	8	0.4	1343	74.7
2 = No	456	25.3	1799	100.0

Alcohol

B12A_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1321	73.4	1321	73.4
-3 = Missing	14	0.8	1335	74.2
1 = Yes	288	16.0	1623	90.2
2 = No	176	9.8	1799	100.0

Marijuana/Hashish

B12A_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1321	73.4	1321	73.4
-3 = Missing	14	0.8	1335	74.2
1 = Yes	161	8.9	1496	83.2
2 = No	303	16.8	1799	100.0

Crack

B12A_4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1321	73.4	1321	73.4
-3 = Missing	14	0.8	1335	74.2
1 = Yes	52	2.9	1387	77.1
2 = No	412	22.9	1799	100.0

Cocaine Powder

B12A_5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1321	73.4	1321	73.4
-3 = Missing	14	0.8	1335	74.2
1 = Yes	130	7.2	1465	81.4
2 = No	334	18.6	1799	100.0

PCP or "Angel Dust"

B12A_6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1321	73.4	1321	73.4
-3 = Missing	14	0.8	1335	74.2
1 = Yes	6	0.3	1341	74.5
2 = No	458	25.5	1799	100.0

Hallucinogen, Psychedelics/LSD

B12A_7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1321	73.4	1321	73.4
-3 = Missing	14	0.8	1335	74.2
1 = Yes	17	0.9	1352	75.2
2 = No	447	24.8	1799	100.0

Heroin

B12A_8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1321	73.4	1321	73.4
-3 = Missing	14	0.8	1335	74.2
1 = Yes	137	7.6	1472	81.8
2 = No	327	18.2	1799	100.0

Illegal Methadone

B12A_9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1321	73.4	1321	73.4
-3 = Missing	14	0.8	1335	74.2
1 = Yes	9	0.5	1344	74.7
2 = No	455	25.3	1799	100.0

Other Narcotics

B12A_10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1321	73.4	1321	73.4
-3 = Missing	14	0.8	1335	74.2
1 = Yes	17	0.9	1352	75.2
2 = No	447	24.8	1799	100.0

Methamphetamines

B12A_11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1321	73.4	1321	73.4
-3 = Missing	14	0.8	1335	74.2
1 = Yes	24	1.3	1359	75.5
2 = No	440	24.5	1799	100.0

Downers

B12A_12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1321	73.4	1321	73.4
-3 = Missing	14	0.8	1335	74.2
1 = Yes	35	1.9	1370	76.2
2 = No	429	23.8	1799	100.0

Other drug (SPECIFY)

B12A_13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1321	73.4	1321	73.4
-3 = Missing	14	0.8	1335	74.2
1 = Yes	18	1.0	1353	75.2
2 = No	446	24.8	1799	100.0

B12B Get high five times or more i

B12B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1321	73.4	1321	73.4
-3 = Missing	13	0.7	1334	74.2
-2 = Don't know	2	0.1	1336	74.3
1 = Yes	289	16.1	1625	90.3
2 = No	174	9.7	1799	100.0

B12C # Days/month drugs were used

B12C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1497	83.2	1497	83.2
-3 = Missing	14	0.8	1511	84.0
-2 = Don't know	2	0.1	1513	84.1
1	7	0.4	1520	84.5
2	53	2.9	1573	87.4
3	58	3.2	1631	90.7
4	50	2.8	1681	93.4
5	45	2.5	1726	95.9
6	73	4.1	1799	100.0

B13 R have physical exam

B13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	15	0.8	54	3.0
-2 = Don't know	57	3.2	111	6.2
1 = Yes	1113	61.9	1224	68.0
2 = No	575	32.0	1799	100.0

B14 R receive medical care in PRO

B14	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	13	0.7	52	2.9
-2 = Don't know	12	0.7	64	3.6
1 = Yes	419	23.3	483	26.8
2 = No	1316	73.2	1799	100.0

B15 State of health while in PROGR

B15	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	14	0.8	53	2.9
-2 = Don't know	3	0.2	56	3.1
1 = Excellent	398	22.1	454	25.2
2 = Good	758	42.1	1212	67.4
3 = Fair	407	22.6	1619	90.0
4 = Poor	180	10.0	1799	100.0

B16 Any medicines prescribed

B16	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	13	0.7	52	2.9
-2 = Don't know	22	1.2	74	4.1
-1 = Refused	1	0.1	75	4.2
1 = Yes	485	27.0	560	31.1
2 = No	1239	68.9	1799	100.0

B16A Is this a methadone program

B16A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1301	72.3	1301	72.3
-3 = Missing	18	1.0	1319	73.3
-2 = Don't know	2	0.1	1321	73.4
1 = Yes	219	12.2	1540	85.6
2 = No	259	14.4	1799	100.0

B16B Amount of methadone given

B16B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1562	86.8	1562	86.8
-5 = Not applicable	1	0.1	1563	86.9
-3 = Missing	17	0.9	1580	87.8
-2 = Don't know	6	0.3	1586	88.2
1 = Too high	26	1.4	1612	89.6
2 = The right amount	140	7.8	1752	97.4
3 = Too low	47	2.6	1799	100.0

B17 Any other medicines prescribed

B17	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	16	0.9	55	3.1
-2 = Don^t know	17	0.9	72	4.0
-1 = Refused	1	0.1	73	4.1
1 = Yes	457	25.4	530	29.5
2 = No	1269	70.5	1799	100.0

B18 R attend AA/NA/CA meetings

B18	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	15	0.8	54	3.0
-2 = Don^t know	10	0.6	64	3.6
-1 = Refused	1	0.1	65	3.6
1 = Never	394	21.9	459	25.5
2 = Less than one month	573	31.9	1032	57.4
3 = 1 month to less than 6 months	526	29.2	1558	86.6
4 = 6 months to less than one year	169	9.4	1727	96.0
5 = 1-2 years	52	2.9	1779	98.9
6 = 3-4 years, or	10	0.6	1789	99.4
7 = 5 years or more	10	0.6	1799	100.0

B18Aa R attend AA meetings

B18AA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	433	24.1	433	24.1
-3 = Missing	19	1.1	452	25.1
-2 = Don^t know	15	0.8	467	26.0
1 = Never	115	6.4	582	32.4
2 = Less than once a week	87	4.8	669	37.2
3 = Once a week	243	13.5	912	50.7
4 = More than once a week	887	49.3	1799	100.0

B18Ab R attend NA meetings

B18AB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	433	24.1	433	24.1
-5 = Not applicable	1	0.1	434	24.1
-3 = Missing	33	1.8	467	26.0
-2 = Don^t know	18	1.0	485	27.0
1 = Never	498	27.7	983	54.6
2 = Less than once a week	102	5.7	1085	60.3
3 = Once a week	193	10.7	1278	71.0
4 = More than once a week	521	29.0	1799	100.0

B18Ac R attend CA meetings

B18AC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	433	24.1	433	24.1
-5 = Not applicable	1	0.1	434	24.1
-3 = Missing	36	2.0	470	26.1
-2 = Don^t know	24	1.3	494	27.5
1 = Never	1016	56.5	1510	83.9
2 = Less than once a week	42	2.3	1552	86.3
3 = Once a week	51	2.8	1603	89.1
4 = More than once a week	196	10.9	1799	100.0

B19a Did treatment help improve he

B19A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-5 = Not applicable	2	0.1	41	2.3
-3 = Missing	14	0.8	55	3.1
-2 = Don^t know	13	0.7	68	3.8
-1 = Refused	1	0.1	69	3.8
1 = Yes	1110	61.7	1179	65.5
2 = No	620	34.5	1799	100.0

B19b Treatment help nerves, emotio

B19B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-5 = Not applicable	2	0.1	41	2.3
-3 = Missing	14	0.8	55	3.1
-2 = Don't know	13	0.7	68	3.8
-1 = Refused	1	0.1	69	3.8
1 = Yes	1030	57.3	1099	61.1
2 = No	700	38.9	1799	100.0

B19c Treatment help job skills

B19C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-5 = Not applicable	2	0.1	41	2.3
-3 = Missing	14	0.8	55	3.1
-2 = Don't know	5	0.3	60	3.3
-1 = Refused	1	0.1	61	3.4
1 = Yes	531	29.5	592	32.9
2 = No	1207	67.1	1799	100.0

B19d Treatment help with financial

B19D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-5 = Not applicable	2	0.1	41	2.3
-3 = Missing	17	0.9	58	3.2
-2 = Don't know	5	0.3	63	3.5
-1 = Refused	1	0.1	64	3.6
1 = Yes	415	23.1	479	26.6
2 = No	1320	73.4	1799	100.0

B19e Treatment help get additional

B19E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-5 = Not applicable	2	0.1	41	2.3
-3 = Missing	16	0.9	57	3.2
-2 = Don't know	3	0.2	60	3.3
-1 = Refused	1	0.1	61	3.4
1 = Yes	281	15.6	342	19.0
2 = No	1457	81.0	1799	100.0

B19f Treatment help with legal pro

B19F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-5 = Not applicable	2	0.1	41	2.3
-3 = Missing	22	1.2	63	3.5
-2 = Don't know	5	0.3	68	3.8
-1 = Refused	1	0.1	69	3.8
1 = Yes	377	21.0	446	24.8
2 = No	1353	75.2	1799	100.0

B19g Treatment improve family rela

B19G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-5 = Not applicable	2	0.1	41	2.3
-3 = Missing	17	0.9	58	3.2
-2 = Don't know	7	0.4	65	3.6
-1 = Refused	2	0.1	67	3.7
1 = Yes	1007	56.0	1074	59.7
2 = No	725	40.3	1799	100.0

B19h Treatment help with future pl

B19H	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-5 = Not applicable	2	0.1	41	2.3
-3 = Missing	18	1.0	59	3.3
-2 = Don't know	7	0.4	66	3.7
-1 = Refused	1	0.1	67	3.7
1 = Yes	977	54.3	1044	58.0
2 = No	755	42.0	1799	100.0

B19i Treatment help anything else

B19I	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-5 = Not applicable	2	0.1	41	2.3
-3 = Missing	38	2.1	79	4.4
-2 = Don't know	9	0.5	88	4.9
-1 = Refused	1	0.1	89	4.9
1 = Yes	373	20.7	462	25.7
2 = No	1337	74.3	1799	100.0

B20 How helpful was treatment coun

B20	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-3 = Missing	16	0.9	55	3.1
-2 = Don^t know	8	0.4	63	3.5
1 = Very helpful	759	42.2	822	45.7
2 = Somewhat helpful	678	37.7	1500	83.4
3 = Not at all helpful	299	16.6	1799	100.0

BOX 20A

BOX20A	Frequency	Percent
-6 = Legitimate skip	39	2.2
2 = USE START/END DATES FROM FACE SHEET FOR REST OF QUEX	1760	97.8

BOX 20A

BOX20A	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2
2 = USE START/END DATES FROM FACE SHEET FOR REST OF QUEX	1799	100.0

B21code # of times R enrolled

B21CODE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	1	0.1	1	0.1
-3 = Missing	7	0.4	8	0.4
-2 = Don^t know	5	0.3	13	0.7
-1 = Refused	5	0.3	18	1.0
0 = None	984	54.7	1002	55.7
1 = One time	374	20.8	1376	76.5
2 = Two times	179	9.9	1555	86.4
3 = Three times	95	5.3	1650	91.7
4 = Four times	40	2.2	1690	93.9
5 = Five times	24	1.3	1714	95.3
6 = 6-10 times	58	3.2	1772	98.5
7 = 11-15 times	11	0.6	1783	99.1
8 = 16-30 times	10	0.6	1793	99.7
9 = 31 times or more	6	0.3	1799	100.0

B21BY Year R entered program

B21BYR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	995	55.3	995	55.3
-3 = Missing	9	0.5	1004	55.8
-2 = Don't know	48	2.7	1052	58.5
52	1	0.1	1053	58.5
60	1	0.1	1054	58.6
62	1	0.1	1055	58.6
64	1	0.1	1056	58.7
65	2	0.1	1058	58.8
67	4	0.2	1062	59.0
68	4	0.2	1066	59.3
70	8	0.4	1074	59.7
71	8	0.4	1082	60.1
72	10	0.6	1092	60.7
73	7	0.4	1099	61.1
74	11	0.6	1110	61.7
75	18	1.0	1128	62.7
76	14	0.8	1142	63.5
77	9	0.5	1151	64.0
78	16	0.9	1167	64.9
79	22	1.2	1189	66.1
80	16	0.9	1205	67.0
81	25	1.4	1230	68.4
82	27	1.5	1257	69.9
83	29	1.6	1286	71.5
84	50	2.8	1336	74.3
85	75	4.2	1411	78.4
86	66	3.7	1477	82.1
87	74	4.1	1551	86.2
88	97	5.4	1648	91.6
89	127	7.1	1775	98.7
90	23	1.3	1798	99.9
92	1	0.1	1799	100.0

B21C How helpful was the treatment

B21C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	995	55.3	995	55.3
-3 = Missing	6	0.3	1001	55.6
-2 = Don't know	8	0.4	1009	56.1
1 = Very helpful	291	16.2	1300	72.3
2 = Somewhat helpful	276	15.3	1576	87.6
3 = Not at all helpful	223	12.4	1799	100.0

B21D Date check

B21D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	995	55.3	995	55.3
-3 = Missing	10	0.6	1005	55.9
-2 = Don't know	8	0.4	1013	56.3
1 = Yes	296	16.5	1309	72.8
2 = No	490	27.2	1799	100.0

B21D2 R attend only one program

B21D2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1485	82.5	1485	82.5
-3 = Missing	6	0.3	1491	82.9
-2 = Don't know	1	0.1	1492	82.9
1 = Yes	84	4.7	1576	87.6
2 = No	223	12.4	1799	100.0

B21Ecode # of times R enrolled

B21ECOD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1569	87.2	1569	87.2
-3 = Missing	5	0.3	1574	87.5
-2 = Don't know	1	0.1	1575	87.5
0 = None	57	3.2	1632	90.7
1 = One time	53	2.9	1685	93.7
2 = Two times	39	2.2	1724	95.8
3 = Three times	23	1.3	1747	97.1
4 = Four times	8	0.4	1755	97.6
5 = Five times	15	0.8	1770	98.4
6 = 6-10 times	19	1.1	1789	99.4
7 = 11-15 times	6	0.3	1795	99.8
8 = 16-30 times	3	0.2	1798	99.9
9 = 31-50	1	0.1	1799	100.0

B21GY Year R entered program

B21GY	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1627	90.4	1627	90.4
-3 = Missing	4	0.2	1631	90.7
-2 = Don^t know	16	0.9	1647	91.6
72	1	0.1	1648	91.6
74	1	0.1	1649	91.7
76	1	0.1	1650	91.7
77	1	0.1	1651	91.8
78	2	0.1	1653	91.9
79	3	0.2	1656	92.1
80	1	0.1	1657	92.1
81	2	0.1	1659	92.2
82	7	0.4	1666	92.6
83	5	0.3	1671	92.9
84	18	1.0	1689	93.9
85	46	2.6	1735	96.4
86	14	0.8	1749	97.2
87	25	1.4	1774	98.6
88	10	0.6	1784	99.2
89	9	0.5	1793	99.7
90	3	0.2	1796	99.8
92	1	0.1	1797	99.9
94	2	0.1	1799	100.0

B21H How helpful was the treatment

B21H	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1627	90.4	1627	90.4
-3 = Missing	6	0.3	1633	90.8
-2 = Don^t know	2	0.1	1635	90.9
1 = Very helpful	68	3.8	1703	94.7
2 = Somewhat helpful	56	3.1	1759	97.8
3 = Not at all helpful	40	2.2	1799	100.0

B22 Years enrolled in this treatme

B22	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1053	58.5	1053	58.5
-3 = Missing	53	2.9	1106	61.5
-2 = Don^t know	6	0.3	1112	61.8
1 = Less than one year	535	29.7	1647	91.6
2 = 1-2 years	87	4.8	1734	96.4
3 = 3-4 years	30	1.7	1764	98.1
4 = 5 years or more	35	1.9	1799	100.0

B23a Inpatient program

B23A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1053	58.5	1053	58.5
-5 = Not applicable	1	0.1	1054	58.6
-3 = Missing	76	4.2	1130	62.8
-2 = Don't know	5	0.3	1135	63.1
1 = Yes	459	25.5	1594	88.6
2 = No	205	11.4	1799	100.0

B23b Residential program

B23B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1053	58.5	1053	58.5
-5 = Not applicable	1	0.1	1054	58.6
-3 = Missing	115	6.4	1169	65.0
-2 = Don't know	6	0.3	1175	65.3
1 = Yes	224	12.5	1399	77.8
2 = No	400	22.2	1799	100.0

B23c Outpatient, non-methadone pro

B23C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1053	58.5	1053	58.5
-5 = Not applicable	1	0.1	1054	58.6
-3 = Missing	117	6.5	1171	65.1
-2 = Don't know	5	0.3	1176	65.4
1 = Yes	187	10.4	1363	75.8
2 = No	436	24.2	1799	100.0

B23d Methadone program

B23D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1053	58.5	1053	58.5
-5 = Not applicable	1	0.1	1054	58.6
-3 = Missing	125	6.9	1179	65.5
-2 = Don't know	7	0.4	1186	65.9
1 = Yes	103	5.7	1289	71.7
2 = No	510	28.3	1799	100.0

B23e Something else (SPECIFY)

B23E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1053	58.5	1053	58.5
-5 = Not applicable	1	0.1	1054	58.6
-3 = Missing	133	7.4	1187	66.0
-2 = Don't know	7	0.4	1194	66.4
1 = Yes	36	2.0	1230	68.4
2 = No	569	31.6	1799	100.0

B24a Program arrange for medical c

B24A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1053	58.5	1053	58.5
-3 = Missing	54	3.0	1107	61.5
-2 = Don't know	4	0.2	1111	61.8
1 = Yes	276	15.3	1387	77.1
2 = No	412	22.9	1799	100.0

B24b Program arrange for counselin

B24B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1053	58.5	1053	58.5
-3 = Missing	53	2.9	1106	61.5
-2 = Don't know	2	0.1	1108	61.6
1 = Yes	418	23.2	1526	84.8
2 = No	273	15.2	1799	100.0

B24c Program arrange for classes

B24C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1053	58.5	1053	58.5
-3 = Missing	55	3.1	1108	61.6
-2 = Don't know	5	0.3	1113	61.9
1 = Yes	142	7.9	1255	69.8
2 = No	544	30.2	1799	100.0

B25 How long did R attend AA/NA/CA

	B25	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1053	58.5	1053	58.5
-3 = Missing		53	2.9	1106	61.5
-2 = Don't know		4	0.2	1110	61.7
1 = Never		252	14.0	1362	75.7
2 = Less than one month		106	5.9	1468	81.6
3 = 1 month to less than 6 months		129	7.2	1597	88.8
4 = 6 months to less than one year		76	4.2	1673	93.0
5 = 1-2 years		61	3.4	1734	96.4
6 = 3-4 years		28	1.6	1762	97.9
7 = 5 years or more		37	2.1	1799	100.0

B25Aa How often did R attend AA

	B25AA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1305	72.5	1305	72.5
-3 = Missing		54	3.0	1359	75.5
-2 = Don't know		3	0.2	1362	75.7
1 = Never		60	3.3	1422	79.0
2 = Less than once a week		80	4.4	1502	83.5
3 = Once a week		87	4.8	1589	88.3
4 = More than once a week		210	11.7	1799	100.0

B25Ab How often did R attend NA

	B25AB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1305	72.5	1305	72.5
-3 = Missing		58	3.2	1363	75.8
-2 = Don't know		3	0.2	1366	75.9
1 = Never		175	9.7	1541	85.7
2 = Less than once a week		83	4.6	1624	90.3
3 = Once a week		54	3.0	1678	93.3
4 = More than once a week		121	6.7	1799	100.0

B25Ac How often did R attend CA me

B25AC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1305	72.5	1305	72.5
-3 = Missing	59	3.3	1364	75.8
-2 = Don^t know	3	0.2	1367	76.0
1 = Never	357	19.8	1724	95.8
2 = Less than once a week	24	1.3	1748	97.2
3 = Once a week	14	0.8	1762	97.9
4 = More than once a week	37	2.1	1799	100.0

B26 R receive counseling after PRO

B26	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	9	0.5	9	0.5
-2 = Don^t know	5	0.3	14	0.8
-1 = Refused	3	0.2	17	0.9
1 = Yes	943	52.4	960	53.4
2 = No	839	46.6	1799	100.0

B26A R receiving counseling now

B26A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	847	47.1	847	47.1
-3 = Missing	8	0.4	855	47.5
-2 = Don^t know	1	0.1	856	47.6
1 = Yes	304	16.9	1160	64.5
2 = No	639	35.5	1799	100.0

B27code # of times R enrolled

B27CODE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	847	47.1	847	47.1
-5 = Not applicable	1	0.1	848	47.1
-3 = Missing	13	0.7	861	47.9
-2 = Don't know	3	0.2	864	48.0
-1 = Refused	5	0.3	869	48.3
1 = One time	468	26.0	1337	74.3
2 = Two times	227	12.6	1564	86.9
3 = Three times	106	5.9	1670	92.8
4 = Four times	53	2.9	1723	95.8
5 = Five times	30	1.7	1753	97.4
6 = 6-10 times	36	2.0	1789	99.4
7 = 11-15 times	4	0.2	1793	99.7
8 = 16-30 times	4	0.2	1797	99.9
9 = 31 times or more	2	0.1	1799	100.0

B29A Type of treatment or help

B29A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-5 = Not applicable	1	0.1	856	47.6
-3 = Missing	20	1.1	876	48.7
1 = Inpatient	379	21.1	1255	69.8
2 = Residential	151	8.4	1406	78.2
3 = Outpatient (non-methadone)	250	13.9	1656	92.1
4 = Methadone	121	6.7	1777	98.8
5 = Something else	22	1.2	1799	100.0

B29B Length of treatment

B29B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	18	1.0	873	48.5
1 = Less than one month	246	13.7	1119	62.2
2 = One month	181	10.1	1300	72.3
3 = 2-3 months	154	8.6	1454	80.8
4 = 4-5 months	72	4.0	1526	84.8
5 = 6-8 months	68	3.8	1594	88.6
6 = 9-11 months	49	2.7	1643	91.3
7 = 12 months or more	156	8.7	1799	100.0

Inhalants

B29C_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	13	0.7	868	48.2
1 = Yes	14	0.8	882	49.0
2 = No	917	51.0	1799	100.0

Alcohol

B29C_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	13	0.7	868	48.2
1 = Yes	556	30.9	1424	79.2
2 = No	375	20.8	1799	100.0

Marijuana/hashish

B29C_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	13	0.7	868	48.2
1 = Yes	196	10.9	1064	59.1
2 = No	735	40.9	1799	100.0

Crack

B29C_4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	13	0.7	868	48.2
1 = Yes	223	12.4	1091	60.6
2 = No	708	39.4	1799	100.0

Cocaine powder

B29C_5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	13	0.7	868	48.2
1 = Yes	244	13.6	1112	61.8
2 = No	687	38.2	1799	100.0

PCP or "Angel Dust"

B29C_6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	13	0.7	868	48.2
1 = Yes	9	0.5	877	48.7
2 = No	922	51.3	1799	100.0

Hallucinogens, Psychedelics/LSD

B29C_7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	13	0.7	868	48.2
1 = Yes	31	1.7	899	50.0
2 = No	900	50.0	1799	100.0

Heroin

B29C_8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	13	0.7	868	48.2
1 = Yes	235	13.1	1103	61.3
2 = No	696	38.7	1799	100.0

Illegal Methadone

B29C_9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	13	0.7	868	48.2
1 = Yes	16	0.9	884	49.1
2 = No	915	50.9	1799	100.0

Other Narcotics

B29C_10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	13	0.7	868	48.2
1 = Yes	33	1.8	901	50.1
2 = No	898	49.9	1799	100.0

Methamphetamines

B29C_11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	13	0.7	868	48.2
1 = Yes	54	3.0	922	51.3
2 = No	877	48.7	1799	100.0

Downers

B29C_12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	13	0.7	868	48.2
1 = Yes	41	2.3	909	50.5
2 = No	890	49.5	1799	100.0

Other drug (SPECIFY)

B29C_13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	13	0.7	868	48.2
1 = Yes	35	1.9	903	50.2
2 = No	896	49.8	1799	100.0

NO DRUGS/ALCOHOL

B29C_14	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	13	0.7	868	48.2
1 = Yes	22	1.2	890	49.5
2 = No	909	50.5	1799	100.0

B30A Type of treatment or help

B30A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1323	73.5	1323	73.5
-3 = Missing	20	1.1	1343	74.7
1 = Inpatient	226	12.6	1569	87.2
2 = Residential	81	4.5	1650	91.7
3 = Outpatient (non-methadone)	87	4.8	1737	96.6
4 = Methadone	57	3.2	1794	99.7
5 = Something else	5	0.3	1799	100.0

B30B Length of treatment

B30B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1323	73.5	1323	73.5
-3 = Missing	17	0.9	1340	74.5
1 = Less than one month	173	9.6	1513	84.1
2 = One month	85	4.7	1598	88.8
3 = 2-3 months	66	3.7	1664	92.5
4 = 4-5 months	36	2.0	1700	94.5
5 = 6-8 months	41	2.3	1741	96.8
6 = 9-11 months	18	1.0	1759	97.8
7 = 12 months or more	40	2.2	1799	100.0

Inhalants

B30C_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1323	73.5	1323	73.5
-3 = Missing	18	1.0	1341	74.5
1 = Yes	8	0.4	1349	75.0
2 = No	450	25.0	1799	100.0

Alcohol

B30C_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1323	73.5	1323	73.5
-3 = Missing	18	1.0	1341	74.5
1 = Yes	267	14.8	1608	89.4
2 = No	191	10.6	1799	100.0

Marijuana/hashish

B30C_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1323	73.5	1323	73.5
-3 = Missing	18	1.0	1341	74.5
1 = Yes	94	5.2	1435	79.8
2 = No	364	20.2	1799	100.0

Crack

B30C_4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1323	73.5	1323	73.5
-3 = Missing	18	1.0	1341	74.5
1 = Yes	126	7.0	1467	81.5
2 = No	332	18.5	1799	100.0

Cocaine powder

B30C_5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1323	73.5	1323	73.5
-3 = Missing	18	1.0	1341	74.5
1 = Yes	132	7.3	1473	81.9
2 = No	326	18.1	1799	100.0

PCP or "Angel Dust"

B30C_6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1323	73.5	1323	73.5
-3 = Missing	18	1.0	1341	74.5
1 = Yes	5	0.3	1346	74.8
2 = No	453	25.2	1799	100.0

Hallucinogens, Psychedelics/LSD

B30C_7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1323	73.5	1323	73.5
-3 = Missing	18	1.0	1341	74.5
1 = Yes	17	0.9	1358	75.5
2 = No	441	24.5	1799	100.0

Heroin

B30C_8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1323	73.5	1323	73.5
-3 = Missing	18	1.0	1341	74.5
1 = Yes	138	7.7	1479	82.2
2 = No	320	17.8	1799	100.0

Illegal Methadone

B30C_9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1323	73.5	1323	73.5
-3 = Missing	18	1.0	1341	74.5
1 = Yes	7	0.4	1348	74.9
2 = No	451	25.1	1799	100.0

Other Narcotics

B30C_10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1323	73.5	1323	73.5
-3 = Missing	18	1.0	1341	74.5
1 = Yes	19	1.1	1360	75.6
2 = No	439	24.4	1799	100.0

Methamphetamines

B30C_11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1323	73.5	1323	73.5
-3 = Missing	18	1.0	1341	74.5
1 = Yes	32	1.8	1373	76.3
2 = No	426	23.7	1799	100.0

Downers

B30C_12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1323	73.5	1323	73.5
-3 = Missing	18	1.0	1341	74.5
1 = Yes	27	1.5	1368	76.0
2 = No	431	24.0	1799	100.0

Other drug (SPECIFY)

B30C_13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1323	73.5	1323	73.5
-3 = Missing	18	1.0	1341	74.5
1 = Yes	25	1.4	1366	75.9
2 = No	433	24.1	1799	100.0

NO DRUGS/ALCOHOL

B30C_14	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1323	73.5	1323	73.5
-3 = Missing	18	1.0	1341	74.5
1 = Yes	5	0.3	1346	74.8
2 = No	453	25.2	1799	100.0

B31A Type of treatment or help

B31A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1550	86.2	1550	86.2
-3 = Missing	17	0.9	1567	87.1
-2 = Don't know	2	0.1	1569	87.2
1 = Inpatient	129	7.2	1698	94.4
2 = Residential	43	2.4	1741	96.8
3 = Outpatient (non-methadone)	31	1.7	1772	98.5
4 = Methadone	25	1.4	1797	99.9
5 = Something else	2	0.1	1799	100.0

B31B Length of treatment

B31B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1550	86.2	1550	86.2
-3 = Missing	15	0.8	1565	87.0
-2 = Don't know	1	0.1	1566	87.0
1 = Less than one month	96	5.3	1662	92.4
2 = One month	51	2.8	1713	95.2
3 = 2-3 months	37	2.1	1750	97.3
4 = 4-5 months	13	0.7	1763	98.0
5 = 6-8 months	12	0.7	1775	98.7
6 = 9-11 months	7	0.4	1782	99.1
7 = 12 months or more	17	0.9	1799	100.0

Inhalants

B31C_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1550	86.2	1550	86.2
-3 = Missing	17	0.9	1567	87.1
-2 = Don't know	1	0.1	1568	87.2
1 = Yes	4	0.2	1572	87.4
2 = No	227	12.6	1799	100.0

Alcohol

B31C_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1550	86.2	1550	86.2
-3 = Missing	17	0.9	1567	87.1
-2 = Don't know	1	0.1	1568	87.2
1 = Yes	147	8.2	1715	95.3
2 = No	84	4.7	1799	100.0

Marijuana/hashish

B31C_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1550	86.2	1550	86.2
-3 = Missing	17	0.9	1567	87.1
-2 = Don't know	1	0.1	1568	87.2
1 = Yes	50	2.8	1618	89.9
2 = No	181	10.1	1799	100.0

Crack

B31C_4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1550	86.2	1550	86.2
-3 = Missing	17	0.9	1567	87.1
-2 = Don't know	1	0.1	1568	87.2
1 = Yes	65	3.6	1633	90.8
2 = No	166	9.2	1799	100.0

Cocaine powder

B31C_5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1550	86.2	1550	86.2
-3 = Missing	17	0.9	1567	87.1
-2 = Don't know	1	0.1	1568	87.2
1 = Yes	70	3.9	1638	91.1
2 = No	161	8.9	1799	100.0

PCP or "Angel Dust"

B31C_6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1550	86.2	1550	86.2
-3 = Missing	17	0.9	1567	87.1
-2 = Don't know	1	0.1	1568	87.2
1 = Yes	1	0.1	1569	87.2
2 = No	230	12.8	1799	100.0

Hallucinogens, Psychedelics/LSD

B31C_7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1550	86.2	1550	86.2
-3 = Missing	17	0.9	1567	87.1
-2 = Don't know	1	0.1	1568	87.2
1 = Yes	14	0.8	1582	87.9
2 = No	217	12.1	1799	100.0

Heroin

B31C_8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1550	86.2	1550	86.2
-3 = Missing	17	0.9	1567	87.1
-2 = Don't know	1	0.1	1568	87.2
1 = Yes	67	3.7	1635	90.9
2 = No	164	9.1	1799	100.0

Illegal Methadone

B31C_9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1550	86.2	1550	86.2
-3 = Missing	17	0.9	1567	87.1
-2 = Don't know	1	0.1	1568	87.2
1 = Yes	2	0.1	1570	87.3
2 = No	229	12.7	1799	100.0

Other Narcotics

B31C_10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1550	86.2	1550	86.2
-3 = Missing	17	0.9	1567	87.1
-2 = Don't know	1	0.1	1568	87.2
1 = Yes	7	0.4	1575	87.5
2 = No	224	12.5	1799	100.0

Methamphetamines

B31C_11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1550	86.2	1550	86.2
-3 = Missing	17	0.9	1567	87.1
-2 = Don't know	1	0.1	1568	87.2
1 = Yes	15	0.8	1583	88.0
2 = No	216	12.0	1799	100.0

Downers

B31C_12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1550	86.2	1550	86.2
-3 = Missing	17	0.9	1567	87.1
-2 = Don't know	1	0.1	1568	87.2
1 = Yes	10	0.6	1578	87.7
2 = No	221	12.3	1799	100.0

Other drug (SPECIFY)

B31C_13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1550	86.2	1550	86.2
-3 = Missing	17	0.9	1567	87.1
-2 = Don't know	1	0.1	1568	87.2
1 = Yes	18	1.0	1586	88.2
2 = No	213	11.8	1799	100.0

NO DRUGS/ALCOHOL

B31C_14	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1550	86.2	1550	86.2
-3 = Missing	17	0.9	1567	87.1
-2 = Don't know	1	0.1	1568	87.2
2 = No	231	12.8	1799	100.0

B32A Type of treatment or help

B32A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	17	0.9	1673	93.0
-2 = Don't know	1	0.1	1674	93.1
1 = Inpatient	78	4.3	1752	97.4
2 = Residential	20	1.1	1772	98.5
3 = Outpatient (non-methadone)	13	0.7	1785	99.2
4 = Methadone	13	0.7	1798	99.9
5 = Something else	1	0.1	1799	100.0

B32B Length of treatment

B32B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	17	0.9	1673	93.0
-2 = Don't know	1	0.1	1674	93.1
1 = Less than one month	54	3.0	1728	96.1
2 = One month	26	1.4	1754	97.5
3 = 2-3 months	21	1.2	1775	98.7
4 = 4-5 months	8	0.4	1783	99.1
5 = 6-8 months	8	0.4	1791	99.6
6 = 9-11 months	4	0.2	1795	99.8
7 = 12 months or more	4	0.2	1799	100.0

Inhalants

B32C_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	19	1.1	1675	93.1
-2 = Don't know	1	0.1	1676	93.2
1 = Yes	2	0.1	1678	93.3
2 = No	121	6.7	1799	100.0

Alcohol

B32C_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	19	1.1	1675	93.1
-2 = Don't know	1	0.1	1676	93.2
1 = Yes	79	4.4	1755	97.6
2 = No	44	2.4	1799	100.0

Marijuana/hashish

B32C_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	19	1.1	1675	93.1
-2 = Don't know	1	0.1	1676	93.2
1 = Yes	29	1.6	1705	94.8
2 = No	94	5.2	1799	100.0

Crack

B32C_4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	19	1.1	1675	93.1
-2 = Don't know	1	0.1	1676	93.2
1 = Yes	31	1.7	1707	94.9
2 = No	92	5.1	1799	100.0

Cocaine powder

B32C_5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	19	1.1	1675	93.1
-2 = Don't know	1	0.1	1676	93.2
1 = Yes	42	2.3	1718	95.5
2 = No	81	4.5	1799	100.0

PCP or "Angel Dust"

B32C_6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	19	1.1	1675	93.1
-2 = Don't know	1	0.1	1676	93.2
1 = Yes	2	0.1	1678	93.3
2 = No	121	6.7	1799	100.0

Hallucinogens, Psychedelics/LSD

B32C_7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	19	1.1	1675	93.1
-2 = Don't know	1	0.1	1676	93.2
1 = Yes	8	0.4	1684	93.6
2 = No	115	6.4	1799	100.0

Heroin

B32C_8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	19	1.1	1675	93.1
-2 = Don't know	1	0.1	1676	93.2
1 = Yes	42	2.3	1718	95.5
2 = No	81	4.5	1799	100.0

Illegal Methadone

B32C_9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	19	1.1	1675	93.1
-2 = Don't know	1	0.1	1676	93.2
1 = Yes	2	0.1	1678	93.3
2 = No	121	6.7	1799	100.0

Other Narcotics

B32C_10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	19	1.1	1675	93.1
-2 = Don't know	1	0.1	1676	93.2
1 = Yes	5	0.3	1681	93.4
2 = No	118	6.6	1799	100.0

Methamphetamines

B32C_11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	19	1.1	1675	93.1
-2 = Don't know	1	0.1	1676	93.2
1 = Yes	7	0.4	1683	93.6
2 = No	116	6.4	1799	100.0

Downers

B32C_12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	19	1.1	1675	93.1
-2 = Don't know	1	0.1	1676	93.2
1 = Yes	6	0.3	1682	93.5
2 = No	117	6.5	1799	100.0

Other drug (SPECIFY)

B32C_13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	19	1.1	1675	93.1
-2 = Don't know	1	0.1	1676	93.2
1 = Yes	6	0.3	1682	93.5
2 = No	117	6.5	1799	100.0

NO DRUGS/ALCOHOL

B32C_14	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	19	1.1	1675	93.1
-2 = Don't know	1	0.1	1676	93.2
2 = No	123	6.8	1799	100.0

B33A Type of treatment or help

B33A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1709	95.0	1709	95.0
-3 = Missing	17	0.9	1726	95.9
-2 = Don't know	1	0.1	1727	96.0
1 = Inpatient	53	2.9	1780	98.9
2 = Residential	7	0.4	1787	99.3
3 = Outpatient (non-methadone)	4	0.2	1791	99.6
4 = Methadone	8	0.4	1799	100.0

B33B Length of treatment

B33B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1709	95.0	1709	95.0
-3 = Missing	16	0.9	1725	95.9
-2 = Don't know	1	0.1	1726	95.9
1 = Less than one month	38	2.1	1764	98.1
2 = One month	14	0.8	1778	98.8
3 = 2-3 months	9	0.5	1787	99.3
4 = 4-5 months	3	0.2	1790	99.5
5 = 6-8 months	4	0.2	1794	99.7
6 = 9-11 months	2	0.1	1796	99.8
7 = 12 months or more	3	0.2	1799	100.0

Inhalants

B33C_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1709	95.0	1709	95.0
-3 = Missing	14	0.8	1723	95.8
-2 = Don't know	1	0.1	1724	95.8
1 = Yes	1	0.1	1725	95.9
2 = No	74	4.1	1799	100.0

Alcohol

B33C_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1709	95.0	1709	95.0
-3 = Missing	14	0.8	1723	95.8
-2 = Don't know	1	0.1	1724	95.8
1 = Yes	50	2.8	1774	98.6
2 = No	25	1.4	1799	100.0

Marijuana/hashish

B33C_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1709	95.0	1709	95.0
-3 = Missing	14	0.8	1723	95.8
-2 = Don't know	1	0.1	1724	95.8
1 = Yes	15	0.8	1739	96.7
2 = No	60	3.3	1799	100.0

Crack

B33C_4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1709	95.0	1709	95.0
-3 = Missing	14	0.8	1723	95.8
-2 = Don't know	1	0.1	1724	95.8
1 = Yes	17	0.9	1741	96.8
2 = No	58	3.2	1799	100.0

Cocaine powder

B33C_5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1709	95.0	1709	95.0
-3 = Missing	14	0.8	1723	95.8
-2 = Don't know	1	0.1	1724	95.8
1 = Yes	22	1.2	1746	97.1
2 = No	53	2.9	1799	100.0

PCP or "Angel Dust"

B33C_6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1709	95.0	1709	95.0
-3 = Missing	14	0.8	1723	95.8
-2 = Don't know	1	0.1	1724	95.8
2 = No	75	4.2	1799	100.0

Hallucinogens, Psychedelics/LSD

B33C_7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1709	95.0	1709	95.0
-3 = Missing	14	0.8	1723	95.8
-2 = Don't know	1	0.1	1724	95.8
1 = Yes	3	0.2	1727	96.0
2 = No	72	4.0	1799	100.0

Heroin

B33C_8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1709	95.0	1709	95.0
-3 = Missing	14	0.8	1723	95.8
-2 = Don't know	1	0.1	1724	95.8
1 = Yes	25	1.4	1749	97.2
2 = No	50	2.8	1799	100.0

Illegal Methadone

B33C_9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1709	95.0	1709	95.0
-3 = Missing	14	0.8	1723	95.8
-2 = Don't know	1	0.1	1724	95.8
1 = Yes	1	0.1	1725	95.9
2 = No	74	4.1	1799	100.0

Other Narcotics

B33C_10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1709	95.0	1709	95.0
-3 = Missing	14	0.8	1723	95.8
-2 = Don't know	1	0.1	1724	95.8
1 = Yes	3	0.2	1727	96.0
2 = No	72	4.0	1799	100.0

Methamphetamines

B33C_11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1709	95.0	1709	95.0
-3 = Missing	14	0.8	1723	95.8
-2 = Don't know	1	0.1	1724	95.8
1 = Yes	4	0.2	1728	96.1
2 = No	71	3.9	1799	100.0

Downers

B33C_12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1709	95.0	1709	95.0
-3 = Missing	14	0.8	1723	95.8
-2 = Don't know	1	0.1	1724	95.8
1 = Yes	3	0.2	1727	96.0
2 = No	72	4.0	1799	100.0

Other drug (SPECIFY)

B33C_13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1709	95.0	1709	95.0
-3 = Missing	14	0.8	1723	95.8
-2 = Don't know	1	0.1	1724	95.8
1 = Yes	3	0.2	1727	96.0
2 = No	72	4.0	1799	100.0

NO DRUGS/ALCOHOL

B33C_14	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1709	95.0	1709	95.0
-3 = Missing	14	0.8	1723	95.8
-2 = Don't know	1	0.1	1724	95.8
1 = Yes	1	0.1	1725	95.9
2 = No	74	4.1	1799	100.0

B34a Treatment facilities provide

B34A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	17	0.9	872	48.5
-2 = Don't know	7	0.4	879	48.9
1 = Yes	366	20.3	1245	69.2
2 = No	554	30.8	1799	100.0

B34b Treatment facilities provide

B34B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	18	1.0	873	48.5
-2 = Don^t know	4	0.2	877	48.7
1 = Yes	599	33.3	1476	82.0
2 = No	323	18.0	1799	100.0

B34c Treatment facilities provide

B34C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	18	1.0	873	48.5
-2 = Don^t know	1	0.1	874	48.6
-1 = Refused	1	0.1	875	48.6
1 = Yes	246	13.7	1121	62.3
2 = No	678	37.7	1799	100.0

B35 Time R attended AA/NA/CA

B35	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	855	47.5	855	47.5
-3 = Missing	16	0.9	871	48.4
-2 = Don^t know	9	0.5	880	48.9
1 = Never	152	8.4	1032	57.4
2 = Less than one month	105	5.8	1137	63.2
3 = 1 month to less than 6 months	181	10.1	1318	73.3
4 = 6 months to less than one year	122	6.8	1440	80.0
5 = 1-2 years	151	8.4	1591	88.4
6 = 3-4 years	94	5.2	1685	93.7
7 = 5 years or more	114	6.3	1799	100.0

B35Aa How often R attended AA meet

B35AA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1007	56.0	1007	56.0
-3 = Missing	20	1.1	1027	57.1
-2 = Don^t know	5	0.3	1032	57.4
1 = Never	84	4.7	1116	62.0
2 = Less than once a week	133	7.4	1249	69.4
3 = Once a week	165	9.2	1414	78.6
4 = More than once a week	385	21.4	1799	100.0

B35Ab How often R attended NA meet

B35AB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1007	56.0	1007	56.0
-3 = Missing	23	1.3	1030	57.3
-2 = Don^t know	5	0.3	1035	57.5
1 = Never	269	15.0	1304	72.5
2 = Less than once a week	141	7.8	1445	80.3
3 = Once a week	137	7.6	1582	87.9
4 = More than once a week	217	12.1	1799	100.0

B35Ac How often R attended CA meet

B35AC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1007	56.0	1007	56.0
-3 = Missing	29	1.6	1036	57.6
-2 = Don^t know	5	0.3	1041	57.9
1 = Never	603	33.5	1644	91.4
2 = Less than once a week	50	2.8	1694	94.2
3 = Once a week	44	2.4	1738	96.6
4 = More than once a week	61	3.4	1799	100.0

B36 PROGRAM the only time R in tre

B36	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	10	0.6	10	0.6
-2 = Don^t know	1	0.1	11	0.6
1 = Yes	625	34.7	636	35.4
2 = No	1163	64.6	1799	100.0

Inhalants

B41_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	979	54.4	979	54.4
-3 = Missing	33	1.8	1012	56.3
1 = Yes	12	0.7	1024	56.9
2 = No	775	43.1	1799	100.0

Alcohol

B41_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	979	54.4	979	54.4
-3 = Missing	33	1.8	1012	56.3
1 = Yes	498	27.7	1510	83.9
2 = No	289	16.1	1799	100.0

Marijuana/hashish

B41_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	979	54.4	979	54.4
-3 = Missing	33	1.8	1012	56.3
1 = Yes	170	9.4	1182	65.7
2 = No	617	34.3	1799	100.0

Crack

B41_4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	979	54.4	979	54.4
-3 = Missing	33	1.8	1012	56.3
1 = Yes	190	10.6	1202	66.8
2 = No	597	33.2	1799	100.0

Cocaine powder

B41_5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	979	54.4	979	54.4
-3 = Missing	33	1.8	1012	56.3
1 = Yes	218	12.1	1230	68.4
2 = No	569	31.6	1799	100.0

PCP or "Angel Dust"

B41_6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	979	54.4	979	54.4
-3 = Missing	33	1.8	1012	56.3
1 = Yes	7	0.4	1019	56.6
2 = No	780	43.4	1799	100.0

Hallucinogens, Psychedelics/LSD

B41_7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	979	54.4	979	54.4
-3 = Missing	33	1.8	1012	56.3
1 = Yes	20	1.1	1032	57.4
2 = No	767	42.6	1799	100.0

Heroin

B41_8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	979	54.4	979	54.4
-3 = Missing	33	1.8	1012	56.3
1 = Yes	193	10.7	1205	67.0
2 = No	594	33.0	1799	100.0

Illegal Methadone

B41_9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	979	54.4	979	54.4
-3 = Missing	33	1.8	1012	56.3
1 = Yes	11	0.6	1023	56.9
2 = No	776	43.1	1799	100.0

Other Narcotics

B41_10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	979	54.4	979	54.4
-3 = Missing	33	1.8	1012	56.3
1 = Yes	23	1.3	1035	57.5
2 = No	764	42.5	1799	100.0

Methamphetamines

B41_11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	979	54.4	979	54.4
-3 = Missing	33	1.8	1012	56.3
1 = Yes	38	2.1	1050	58.4
2 = No	749	41.6	1799	100.0

Downers

B41_12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	979	54.4	979	54.4
-3 = Missing	33	1.8	1012	56.3
1 = Yes	32	1.8	1044	58.0
2 = No	755	42.0	1799	100.0

Other drug (SPECIFY)

B41_13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	979	54.4	979	54.4
-3 = Missing	33	1.8	1012	56.3
1 = Yes	35	1.9	1047	58.2
2 = No	752	41.8	1799	100.0

B42 Did R complete program from B3

B42	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1074	59.7	1074	59.7
-5 = Not applicable	2	0.1	1076	59.8
-3 = Missing	43	2.4	1119	62.2
-2 = Don't know	2	0.1	1121	62.3
1 = Yes	556	30.9	1677	93.2
2 = No	122	6.8	1799	100.0

B43 Any medicines prescribed

B43	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	979	54.4	979	54.4
-5 = Not applicable	1	0.1	980	54.5
-3 = Missing	32	1.8	1012	56.3
-2 = Don't know	2	0.1	1014	56.4
1 = Yes	218	12.1	1232	68.5
2 = No	567	31.5	1799	100.0

B44 Was this a methadone program

B44	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1549	86.1	1549	86.1
-3 = Missing	32	1.8	1581	87.9
-2 = Don't know	2	0.1	1583	88.0
1 = Yes	90	5.0	1673	93.0
2 = No	126	7.0	1799	100.0

B44A Methdaone dose concentration

B44A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1677	93.2	1677	93.2
-3 = Missing	34	1.9	1711	95.1
1 = Too high	8	0.4	1719	95.6
2 = The right amount	77	4.3	1796	99.8
3 = Too low	3	0.2	1799	100.0

B45 Other prescription medicine ta

B45	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	979	54.4	979	54.4
-3 = Missing	37	2.1	1016	56.5
-2 = Don't know	1	0.1	1017	56.5
-1 = Refused	2	0.1	1019	56.6
1 = Yes	297	16.5	1316	73.2
2 = No	483	26.8	1799	100.0

B46 Period R attended AA/NA/CA

B46	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	979	54.4	979	54.4
-5 = Not applicable	1	0.1	980	54.5
-3 = Missing	36	2.0	1016	56.5
-2 = Don't know	2	0.1	1018	56.6
1 = Never	153	8.5	1171	65.1
2 = Less than one month	187	10.4	1358	75.5
3 = 1 month to less than 6 months	271	15.1	1629	90.6
4 = 6 months to less than one year	85	4.7	1714	95.3
5 = 1-2 years	60	3.3	1774	98.6
6 = 3-4 years	11	0.6	1785	99.2
7 = 5 years or more	14	0.8	1799	100.0

B46Aa How often R attended AA

B46AA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1131	62.9	1131	62.9
-5 = Not applicable	1	0.1	1132	62.9
-3 = Missing	35	1.9	1167	64.9
-2 = Don^t know	4	0.2	1171	65.1
1 = Never	55	3.1	1226	68.1
2 = Less than once a week	28	1.6	1254	69.7
3 = Once a week	84	4.7	1338	74.4
4 = More than once a week	461	25.6	1799	100.0

B46Ab How often R attended NA

B46AB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1131	62.9	1131	62.9
-5 = Not applicable	1	0.1	1132	62.9
-3 = Missing	37	2.1	1169	65.0
-2 = Don^t know	2	0.1	1171	65.1
1 = Never	215	12.0	1386	77.0
2 = Less than once a week	36	2.0	1422	79.0
3 = Once a week	82	4.6	1504	83.6
4 = More than once a week	295	16.4	1799	100.0

B46Ac How often R attended CA

B46AC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1131	62.9	1131	62.9
-5 = Not applicable	1	0.1	1132	62.9
-3 = Missing	43	2.4	1175	65.3
-2 = Don^t know	6	0.3	1181	65.6
1 = Never	491	27.3	1672	92.9
2 = Less than once a week	18	1.0	1690	93.9
3 = Once a week	24	1.3	1714	95.3
4 = More than once a week	85	4.7	1799	100.0

B47a Treatment improve health

B47A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	980	54.5	980	54.5
-3 = Missing	33	1.8	1013	56.3
-2 = Don^t know	4	0.2	1017	56.5
1 = Yes	667	37.1	1684	93.6
2 = No	110	6.1	1794	99.7
3 = NA (Not applicable)	5	0.3	1799	100.0

B47b Treatment help with nerves/em

B47B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	980	54.5	980	54.5
-3 = Missing	34	1.9	1014	56.4
1 = Yes	648	36.0	1662	92.4
2 = No	132	7.3	1794	99.7
3 = NA (Not applicable)	5	0.3	1799	100.0

B47c Treatment help with job skill

B47C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	980	54.5	980	54.5
-3 = Missing	34	1.9	1014	56.4
-2 = Don^t know	2	0.1	1016	56.5
1 = Yes	297	16.5	1313	73.0
2 = No	470	26.1	1783	99.1
3 = NA (Not applicable)	16	0.9	1799	100.0

B47d Treatment help with financial

B47D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	980	54.5	980	54.5
-3 = Missing	34	1.9	1014	56.4
1 = Yes	255	14.2	1269	70.5
2 = No	521	29.0	1790	99.5
3 = NA (Not applicable)	9	0.5	1799	100.0

B47e Treatment help get additional

B47E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	980	54.5	980	54.5
-3 = Missing	34	1.9	1014	56.4
1 = Yes	193	10.7	1207	67.1
2 = No	583	32.4	1790	99.5
3 = NA (Not applicable)	9	0.5	1799	100.0

B47f Treatment help with legal pro

B47F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	980	54.5	980	54.5
-3 = Missing	35	1.9	1015	56.4
-2 = Don't know	1	0.1	1016	56.5
1 = Yes	218	12.1	1234	68.6
2 = No	536	29.8	1770	98.4
3 = NA (Not applicable)	29	1.6	1799	100.0

B47g Treatment help improve family

B47G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	980	54.5	980	54.5
-3 = Missing	34	1.9	1014	56.4
-2 = Don't know	2	0.1	1016	56.5
1 = Yes	604	33.6	1620	90.1
2 = No	178	9.9	1798	99.9
3 = NA (Not applicable)	1	0.1	1799	100.0

B47h Treatment help with future pl

B47H	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	980	54.5	980	54.5
-3 = Missing	35	1.9	1015	56.4
-2 = Don't know	1	0.1	1016	56.5
1 = Yes	612	34.0	1628	90.5
2 = No	170	9.4	1798	99.9
3 = NA (Not applicable)	1	0.1	1799	100.0

B47i Treatment help anything else

B47I	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	980	54.5	980	54.5
-3 = Missing	48	2.7	1028	57.1
-2 = Don^t know	2	0.1	1030	57.3
1 = Yes	201	11.2	1231	68.4
2 = No	557	31.0	1788	99.4
3 = NA (Not applicable)	11	0.6	1799	100.0

B48 Effect of treatment or counsel

B48	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	980	54.5	980	54.5
-3 = Missing	35	1.9	1015	56.4
-2 = Don^t know	1	0.1	1016	56.5
1 = Yes	627	34.9	1643	91.3
2 = No	147	8.2	1790	99.5
3 = NA (Not applicable)	9	0.5	1799	100.0

Inhalants

CIAINHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	21	1.2	21	1.2
-5 = Not applicable	4	0.2	25	1.4
-3 = Missing	2	0.1	27	1.5
1 = Yes	24	1.3	51	2.8
2 = No	1748	97.2	1799	100.0

Alcohol

CIALCOH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	21	1.2	21	1.2
-5 = Not applicable	4	0.2	25	1.4
-3 = Missing	2	0.1	27	1.5
1 = Yes	1231	68.4	1258	69.9
2 = No	541	30.1	1799	100.0

Marijuana/Hashish

CIAMARIJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	21	1.2	21	1.2
-5 = Not applicable	4	0.2	25	1.4
-3 = Missing	2	0.1	27	1.5
1 = Yes	493	27.4	520	28.9
2 = No	1279	71.1	1799	100.0

Crack

CIACRACK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	21	1.2	21	1.2
-5 = Not applicable	4	0.2	25	1.4
-3 = Missing	2	0.1	27	1.5
1 = Yes	420	23.3	447	24.8
2 = No	1352	75.2	1799	100.0

Cocaine Powder

CIACOCAI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	21	1.2	21	1.2
-5 = Not applicable	4	0.2	25	1.4
-3 = Missing	2	0.1	27	1.5
1 = Yes	488	27.1	515	28.6
2 = No	1284	71.4	1799	100.0

PCP/Angel Dust

CIAPCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	21	1.2	21	1.2
-5 = Not applicable	4	0.2	25	1.4
-3 = Missing	2	0.1	27	1.5
1 = Yes	16	0.9	43	2.4
2 = No	1756	97.6	1799	100.0

Hallucinogens/Psychedelics/LSD

CLAHALLU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	21	1.2	21	1.2
-5 = Not applicable	4	0.2	25	1.4
-3 = Missing	2	0.1	27	1.5
1 = Yes	71	3.9	98	5.4
2 = No	1701	94.6	1799	100.0

Heroin

CLAHEROI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	21	1.2	21	1.2
-5 = Not applicable	4	0.2	25	1.4
-3 = Missing	2	0.1	27	1.5
1 = Yes	334	18.6	361	20.1
2 = No	1438	79.9	1799	100.0

Illegal Methadone

CLAMTHDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	21	1.2	21	1.2
-5 = Not applicable	4	0.2	25	1.4
-3 = Missing	2	0.1	27	1.5
1 = Yes	25	1.4	52	2.9
2 = No	1747	97.1	1799	100.0

Other narcotics

CLANARC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	21	1.2	21	1.2
-5 = Not applicable	4	0.2	25	1.4
-3 = Missing	2	0.1	27	1.5
1 = Yes	57	3.2	84	4.7
2 = No	1715	95.3	1799	100.0

Methamphetamines

CIAMETHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	21	1.2	21	1.2
-5 = Not applicable	4	0.2	25	1.4
-3 = Missing	2	0.1	27	1.5
1 = Yes	114	6.3	141	7.8
2 = No	1658	92.2	1799	100.0

Downers

CLADOWNR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	21	1.2	21	1.2
-5 = Not applicable	4	0.2	25	1.4
-3 = Missing	2	0.1	27	1.5
1 = Yes	91	5.1	118	6.6
2 = No	1681	93.4	1799	100.0

Other drug (SPECIFY)

CLAODRUG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	21	1.2	21	1.2
-5 = Not applicable	4	0.2	25	1.4
-3 = Missing	2	0.1	27	1.5
1 = Yes	76	4.2	103	5.7
2 = No	1696	94.3	1799	100.0

C2INHAL Age first use inhalants

C2INHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1775	98.7	1775	98.7
-3 = Missing	1	0.1	1776	98.7
10	1	0.1	1777	98.8
11	1	0.1	1778	98.8
12	1	0.1	1779	98.9
13	3	0.2	1782	99.1
14	1	0.1	1783	99.1
15	7	0.4	1790	99.5
16	4	0.2	1794	99.7
17	1	0.1	1795	99.8
18	1	0.1	1796	99.8
20	1	0.1	1797	99.9
23	2	0.1	1799	100.0

C3INHAL Use inhalants before start

C3INHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1775	98.7	1775	98.7
-3 = Missing	1	0.1	1776	98.7
1 = Yes	19	1.1	1795	99.8
2 = No	4	0.2	1799	100.0

C3AINHAL Days/month drug used befo

C3AINHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1779	98.9	1779	98.9
-3 = Missing	1	0.1	1780	98.9
1 = One day	1	0.1	1781	99.0
2 = 2-5 days	7	0.4	1788	99.4
4 = 11-20 days	4	0.2	1792	99.6
5 = 21-30 days	5	0.3	1797	99.9
6 = Everyday	2	0.1	1799	100.0

C4INHAL Use inhalant after end dat

C4INHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1775	98.7	1775	98.7
-3 = Missing	1	0.1	1776	98.7
1 = Yes	10	0.6	1786	99.3
2 = No	13	0.7	1799	100.0

C5INHAL Days/month drug used after

C5INHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1788	99.4	1788	99.4
-3 = Missing	1	0.1	1789	99.4
2 = 2-5 days	3	0.2	1792	99.6
3 = 6-10 days	2	0.1	1794	99.7
4 = 11-20 days	2	0.1	1796	99.8
5 = 21-30 days	1	0.1	1797	99.9
6 = Everyday	2	0.1	1799	100.0

C6INHAL Use drug in last year

C6INHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1788	99.4	1788	99.4
-3 = Missing	1	0.1	1789	99.4
1 = Yes	3	0.2	1792	99.6
2 = No	7	0.4	1799	100.0

C7INHAL Days/month used inhalants

C7INHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1795	99.8	1795	99.8
-3 = Missing	1	0.1	1796	99.8
4 = 11-20 days	1	0.1	1797	99.9
5 = 21-30 days	1	0.1	1798	99.9
6 = Everyday	1	0.1	1799	100.0

C8INHAL R not use drugs in past ye

C8INHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1795	99.8	1795	99.8
-3 = Missing	1	0.1	1796	99.8
1 = Yes	2	0.1	1798	99.9
2 = No	1	0.1	1799	100.0

C8AINHAL # of months R did not use

C8AINHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1796	99.8	1796	99.8
-3 = Missing	1	0.1	1797	99.9
2 = 2-3 months	1	0.1	1798	99.9
3 = 4-5 months	1	0.1	1799	100.0

C9INHAL Used inhalants last 30 day

C9INHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1795	99.8	1795	99.8
-3 = Missing	1	0.1	1796	99.8
0	2	0.1	1798	99.9
6 = Everyday	1	0.1	1799	100.0

C2ALCOH Age first use alcohol

C2ALCOH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	568	31.6	568	31.6
-3 = Missing	1	0.1	569	31.6
-2 = Don't know	1	0.1	570	31.7
1	6	0.3	576	32.0
2	8	0.4	584	32.5
3	7	0.4	591	32.9
4	13	0.7	604	33.6
5	17	0.9	621	34.5
6	23	1.3	644	35.8
7	24	1.3	668	37.1
8	43	2.4	711	39.5
9	48	2.7	759	42.2
10	64	3.6	823	45.7
11	44	2.4	867	48.2
12	166	9.2	1033	57.4
13	136	7.6	1169	65.0
14	158	8.8	1327	73.8
15	129	7.2	1456	80.9
16	128	7.1	1584	88.0
17	63	3.5	1647	91.6
18	56	3.1	1703	94.7
19	24	1.3	1727	96.0
20	19	1.1	1746	97.1
21	16	0.9	1762	97.9
22	14	0.8	1776	98.7
23	1	0.1	1777	98.8
24	2	0.1	1779	98.9
25	5	0.3	1784	99.2
26	2	0.1	1786	99.3
27	3	0.2	1789	99.4
28	2	0.1	1791	99.6
29	1	0.1	1792	99.6
30	4	0.2	1796	99.8
35	2	0.1	1798	99.9
41	1	0.1	1799	100.0

C3ALCOH Use alcohol before start d

C3ALCOH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	568	31.6	568	31.6
-3 = Missing	3	0.2	571	31.7
-2 = Don't know	1	0.1	572	31.8
1 = Yes	1192	66.3	1764	98.1
2 = No	35	1.9	1799	100.0

C3AALCOH Days/month drug used befo

C3AALCOH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	604	33.6	604	33.6
-3 = Missing	7	0.4	611	34.0
-2 = Don't know	2	0.1	613	34.1
1 = One day	29	1.6	642	35.7
2 = 2-5 days	180	10.0	822	45.7
3 = 6-10 days	207	11.5	1029	57.2
4 = 11-20 days	241	13.4	1270	70.6
5 = 21-30 days	201	11.2	1471	81.8
6 = Everyday	328	18.2	1799	100.0

C4ALCOH Use alcohol after end date

C4ALCOH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	568	31.6	568	31.6
-3 = Missing	3	0.2	571	31.7
1 = Yes	1011	56.2	1582	87.9
2 = No	217	12.1	1799	100.0

C5ALCOH Days/month drug used after

C5ALCOH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	785	43.6	785	43.6
-3 = Missing	7	0.4	792	44.0
-2 = Don't know	2	0.1	794	44.1
1 = One day	74	4.1	868	48.2
2 = 2-5 days	244	13.6	1112	61.8
3 = 6-10 days	193	10.7	1305	72.5
4 = 11-20 days	200	11.1	1505	83.7
5 = 21-30 days	122	6.8	1627	90.4
6 = Everyday	172	9.6	1799	100.0

C6ALCOH Use drug in last year

C6ALCOH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	785	43.6	785	43.6
-3 = Missing	2	0.1	787	43.7
1 = Yes	718	39.9	1505	83.7
2 = No	294	16.3	1799	100.0

C7ALCOH Days/month used alcohol

C7ALCOH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1079	60.0	1079	60.0
-3 = Missing	5	0.3	1084	60.3
-2 = Don't know	1	0.1	1085	60.3
1 = One day	61	3.4	1146	63.7
2 = 2-5 days	191	10.6	1337	74.3
3 = 6-10 days	154	8.6	1491	82.9
4 = 11-20 days	131	7.3	1622	90.2
5 = 21-30 days	84	4.7	1706	94.8
6 = Everyday	93	5.2	1799	100.0

C8ALCOH R not use drugs in past ye

C8ALCOH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1079	60.0	1079	60.0
-3 = Missing	6	0.3	1085	60.3
-2 = Don't know	3	0.2	1088	60.5
-1 = Refused	1	0.1	1089	60.5
1 = Yes	424	23.6	1513	84.1
2 = No	286	15.9	1799	100.0

C8AALCOH # of months R did not use

C8AALCOH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1369	76.1	1369	76.1
-3 = Missing	15	0.8	1384	76.9
-2 = Don't know	2	0.1	1386	77.0
1 = 1 month	49	2.7	1435	79.8
2 = 2-3 months	119	6.6	1554	86.4
3 = 4-5 months	94	5.2	1648	91.6
4 = 6-8 months	91	5.1	1739	96.7
5 = 9+ months	60	3.3	1799	100.0

C9ALCOH Used alcohol last 30 days

C9ALCOH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1079	60.0	1079	60.0
-3 = Missing	10	0.6	1089	60.5
-2 = Don't know	1	0.1	1090	60.6
0	170	9.4	1260	70.0
1 = One day	45	2.5	1305	72.5
2 = 2-5 days	174	9.7	1479	82.2
3 = 6-10 days	120	6.7	1599	88.9
4 = 11-20 days	99	5.5	1698	94.4
5 = 21-30 days	44	2.4	1742	96.8
6 = Everyday	57	3.2	1799	100.0

C2MARIJ Age first used marijuana

C2MARIJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1306	72.6	1306	72.6
-3 = Missing	3	0.2	1309	72.8
5	1	0.1	1310	72.8
6	4	0.2	1314	73.0
7	11	0.6	1325	73.7
8	6	0.3	1331	74.0
9	14	0.8	1345	74.8
10	14	0.8	1359	75.5
11	34	1.9	1393	77.4
12	79	4.4	1472	81.8
13	74	4.1	1546	85.9
14	62	3.4	1608	89.4
15	55	3.1	1663	92.4
16	39	2.2	1702	94.6
17	26	1.4	1728	96.1
18	30	1.7	1758	97.7
19	6	0.3	1764	98.1
20	8	0.4	1772	98.5
21	8	0.4	1780	98.9
22	7	0.4	1787	99.3
23	3	0.2	1790	99.5
24	2	0.1	1792	99.6
26	1	0.1	1793	99.7
27	3	0.2	1796	99.8
28	1	0.1	1797	99.9
31	1	0.1	1798	99.9
32	1	0.1	1799	100.0

C3MARIJ Use marijuana before start

C3MARIJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1306	72.6	1306	72.6
-3 = Missing	3	0.2	1309	72.8
1 = Yes	459	25.5	1768	98.3
2 = No	31	1.7	1799	100.0

C3AMARIJ Days/month drug used befo

C3AMARIJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1337	74.3	1337	74.3
-3 = Missing	4	0.2	1341	74.5
1 = One day	13	0.7	1354	75.3
2 = 2-5 days	73	4.1	1427	79.3
3 = 6-10 days	80	4.4	1507	83.8
4 = 11-20 days	83	4.6	1590	88.4
5 = 21-30 days	89	4.9	1679	93.3
6 = Everyday	120	6.7	1799	100.0

C4MARIJ Use marijuana after end da

C4MARIJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1306	72.6	1306	72.6
-3 = Missing	3	0.2	1309	72.8
1 = Yes	367	20.4	1676	93.2
2 = No	123	6.8	1799	100.0

C5MARIJ Days/month drug used after

C5MARIJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1429	79.4	1429	79.4
-3 = Missing	7	0.4	1436	79.8
1 = One day	47	2.6	1483	82.4
2 = 2-5 days	92	5.1	1575	87.5
3 = 6-10 days	57	3.2	1632	90.7
4 = 11-20 days	69	3.8	1701	94.6
5 = 21-30 days	50	2.8	1751	97.3
6 = Everyday	48	2.7	1799	100.0

C6MARIJ Use drug in last year

C6MARIJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1429	79.4	1429	79.4
-3 = Missing	4	0.2	1433	79.7
-2 = Don't know	1	0.1	1434	79.7
1 = Yes	236	13.1	1670	92.8
2 = No	129	7.2	1799	100.0

C7MARIJ Days/month used marijuana

C7MARIJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1558	86.6	1558	86.6
-3 = Missing	6	0.3	1564	86.9
1 = One day	21	1.2	1585	88.1
2 = 2-5 days	75	4.2	1660	92.3
3 = 6-10 days	43	2.4	1703	94.7
4 = 11-20 days	36	2.0	1739	96.7
5 = 21-30 days	35	1.9	1774	98.6
6 = Everyday	25	1.4	1799	100.0

C8MARIJ R not use drugs in past ye

C8MARIJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1558	86.6	1558	86.6
-3 = Missing	5	0.3	1563	86.9
1 = Yes	163	9.1	1726	95.9
2 = No	73	4.1	1799	100.0

C8AMARIJ # of months R did not use

C8AMARIJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1631	90.7	1631	90.7
-3 = Missing	9	0.5	1640	91.2
1 = 1 month	13	0.7	1653	91.9
2 = 2-3 months	38	2.1	1691	94.0
3 = 4-5 months	36	2.0	1727	96.0
4 = 6-8 months	44	2.4	1771	98.4
5 = 9+ months	28	1.6	1799	100.0

C9MARIJ Used marijuana last 30 day

C9MARIJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1558	86.6	1558	86.6
-3 = Missing	10	0.6	1568	87.2
0	66	3.7	1634	90.8
1 = One day	29	1.6	1663	92.4
2 = 2-5 days	53	2.9	1716	95.4
3 = 6-10 days	30	1.7	1746	97.1
4 = 11-20 days	21	1.2	1767	98.2
5 = 21-30 days	14	0.8	1781	99.0
6 = Everyday	18	1.0	1799	100.0

C2CRACK Age first used crack

C2CRACK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1379	76.7	1379	76.7
13	3	0.2	1382	76.8
14	6	0.3	1388	77.2
15	5	0.3	1393	77.4
16	14	0.8	1407	78.2
17	14	0.8	1421	79.0
18	20	1.1	1441	80.1
19	14	0.8	1455	80.9
20	16	0.9	1471	81.8
21	20	1.1	1491	82.9
22	17	0.9	1508	83.8
23	17	0.9	1525	84.8
24	29	1.6	1554	86.4
25	32	1.8	1586	88.2
26	25	1.4	1611	89.5
27	23	1.3	1634	90.8
28	18	1.0	1652	91.8
29	21	1.2	1673	93.0
30	26	1.4	1699	94.4
31	10	0.6	1709	95.0
32	13	0.7	1722	95.7
33	12	0.7	1734	96.4
34	14	0.8	1748	97.2
35	19	1.1	1767	98.2
36	5	0.3	1772	98.5
37	2	0.1	1774	98.6
38	5	0.3	1779	98.9
39	3	0.2	1782	99.1
40	5	0.3	1787	99.3
41	3	0.2	1790	99.5
42	1	0.1	1791	99.6
43	3	0.2	1794	99.7
45	1	0.1	1795	99.8
46	1	0.1	1796	99.8
47	2	0.1	1798	99.9
49	1	0.1	1799	100.0

C3CRACK Use crack before start dat

C3CRACK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1379	76.7	1379	76.7
-3 = Missing	2	0.1	1381	76.8
1 = Yes	363	20.2	1744	96.9
2 = No	55	3.1	1799	100.0

C3ACRACK Days/month drug used befo

C3ACRACK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1434	79.7	1434	79.7
1 = One day	9	0.5	1443	80.2
2 = 2-5 days	61	3.4	1504	83.6
3 = 6-10 days	60	3.3	1564	86.9
4 = 11-20 days	92	5.1	1656	92.1
5 = 21-30 days	52	2.9	1708	94.9
6 = Everyday	91	5.1	1799	100.0

C4CRACK Use crack after end date

C4CRACK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1379	76.7	1379	76.7
-3 = Missing	1	0.1	1380	76.7
1 = Yes	273	15.2	1653	91.9
2 = No	146	8.1	1799	100.0

C5CRACK Days/month drug used after

C5CRACK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1525	84.8	1525	84.8
1 = One day	16	0.9	1541	85.7
2 = 2-5 days	58	3.2	1599	88.9
3 = 6-10 days	53	2.9	1652	91.8
4 = 11-20 days	55	3.1	1707	94.9
5 = 21-30 days	28	1.6	1735	96.4
6 = Everyday	64	3.6	1799	100.0

C6CRACK Use drug in last year

C6CRACK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1525	84.8	1525	84.8
1 = Yes	145	8.1	1670	92.8
2 = No	129	7.2	1799	100.0

C7CRACK Days/month used crack

C7CRACK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1654	91.9	1654	91.9
-3 = Missing	1	0.1	1655	92.0
1 = One day	4	0.2	1659	92.2
2 = 2-5 days	39	2.2	1698	94.4
3 = 6-10 days	26	1.4	1724	95.8
4 = 11-20 days	27	1.5	1751	97.3
5 = 21-30 days	24	1.3	1775	98.7
6 = Everyday	24	1.3	1799	100.0

C8CRACK R not use drugs in past ye

C8CRACK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1654	91.9	1654	91.9
-3 = Missing	4	0.2	1658	92.2
1 = Yes	102	5.7	1760	97.8
2 = No	39	2.2	1799	100.0

C8ACRACK # of months R did not use

C8ACRACK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1693	94.1	1693	94.1
-3 = Missing	5	0.3	1698	94.4
1 = 1 month	16	0.9	1714	95.3
2 = 2-3 months	21	1.2	1735	96.4
3 = 4-5 months	19	1.1	1754	97.5
4 = 6-8 months	24	1.3	1778	98.8
5 = 9+ months	21	1.2	1799	100.0

C9CRACK Used crack last 30 days

C9CRACK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1654	91.9	1654	91.9
-3 = Missing	1	0.1	1655	92.0
0	72	4.0	1727	96.0
1 = One day	11	0.6	1738	96.6
2 = 2-5 days	27	1.5	1765	98.1
3 = 6-10 days	12	0.7	1777	98.8
4 = 11-20 days	8	0.4	1785	99.2
5 = 21-30 days	7	0.4	1792	99.6
6 = Everyday	7	0.4	1799	100.0

C2COCAI Age first used cocaine

C2COCAI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1311	72.9	1311	72.9
-3 = Missing	4	0.2	1315	73.1
2	1	0.1	1316	73.2
8	1	0.1	1317	73.2
10	2	0.1	1319	73.3
11	4	0.2	1323	73.5
12	6	0.3	1329	73.9
13	8	0.4	1337	74.3
14	12	0.7	1349	75.0
15	47	2.6	1396	77.6
16	42	2.3	1438	79.9
17	51	2.8	1489	82.8
18	42	2.3	1531	85.1
19	45	2.5	1576	87.6
20	35	1.9	1611	89.5
21	24	1.3	1635	90.9
22	16	0.9	1651	91.8
23	15	0.8	1666	92.6
24	10	0.6	1676	93.2
25	23	1.3	1699	94.4
26	7	0.4	1706	94.8
27	17	0.9	1723	95.8
28	11	0.6	1734	96.4
29	5	0.3	1739	96.7
30	16	0.9	1755	97.6
31	8	0.4	1763	98.0
32	5	0.3	1768	98.3
33	2	0.1	1770	98.4
34	5	0.3	1775	98.7
35	9	0.5	1784	99.2
36	2	0.1	1786	99.3
37	2	0.1	1788	99.4
38	3	0.2	1791	99.6
39	2	0.1	1793	99.7
45	2	0.1	1795	99.8
47	1	0.1	1796	99.8
49	2	0.1	1798	99.9
53	1	0.1	1799	100.0

C3COCAI Use cocaine before start d

C3COCAI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1311	72.9	1311	72.9
-3 = Missing	5	0.3	1316	73.2
1 = Yes	438	24.3	1754	97.5
2 = No	45	2.5	1799	100.0

C3ACOCAI Days/month drug used befo

C3ACOCAI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1356	75.4	1356	75.4
-3 = Missing	1	0.1	1357	75.4
-2 = Don't know	1	0.1	1358	75.5
1 = One day	18	1.0	1376	76.5
2 = 2-5 days	89	4.9	1465	81.4
3 = 6-10 days	94	5.2	1559	86.7
4 = 11-20 days	88	4.9	1647	91.6
5 = 21-30 days	61	3.4	1708	94.9
6 = Everyday	91	5.1	1799	100.0

C4COCAI Use cocaine after end date

C4COCAI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1311	72.9	1311	72.9
-3 = Missing	3	0.2	1314	73.0
1 = Yes	281	15.6	1595	88.7
2 = No	204	11.3	1799	100.0

C5COCAI Days/month drug used after

C5COCAI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1515	84.2	1515	84.2
-3 = Missing	4	0.2	1519	84.4
-2 = Don't know	2	0.1	1521	84.5
1 = One day	24	1.3	1545	85.9
2 = 2-5 days	65	3.6	1610	89.5
3 = 6-10 days	53	2.9	1663	92.4
4 = 11-20 days	56	3.1	1719	95.6
5 = 21-30 days	33	1.8	1752	97.4
6 = Everyday	47	2.6	1799	100.0

C6COCAI Use drug in last year

C6COCAI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1515	84.2	1515	84.2
-3 = Missing	4	0.2	1519	84.4
1 = Yes	125	6.9	1644	91.4
2 = No	155	8.6	1799	100.0

C7COCAI Days/month used cocaine

C7COCAI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1670	92.8	1670	92.8
-3 = Missing	5	0.3	1675	93.1
1 = One day	12	0.7	1687	93.8
2 = 2-5 days	39	2.2	1726	95.9
3 = 6-10 days	16	0.9	1742	96.8
4 = 11-20 days	22	1.2	1764	98.1
5 = 21-30 days	21	1.2	1785	99.2
6 = Everyday	14	0.8	1799	100.0

C8COCAI R not use drugs in past ye

C8COCAI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1670	92.8	1670	92.8
-3 = Missing	4	0.2	1674	93.1
1 = Yes	99	5.5	1773	98.6
2 = No	26	1.4	1799	100.0

C8ACOCAI # of months R did not use

C8ACOCAI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1696	94.3	1696	94.3
-3 = Missing	5	0.3	1701	94.6
1 = 1 month	5	0.3	1706	94.8
2 = 2-3 months	26	1.4	1732	96.3
3 = 4-5 months	19	1.1	1751	97.3
4 = 6-8 months	27	1.5	1778	98.8
5 = 9+ months	21	1.2	1799	100.0

C9COCAI Used cocaine 30 days

C9COCAI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1670	92.8	1670	92.8
-3 = Missing	5	0.3	1675	93.1
-2 = Don't know	1	0.1	1676	93.2
0	57	3.2	1733	96.3
1 = One day	15	0.8	1748	97.2
2 = 2-5 days	19	1.1	1767	98.2
3 = 6-10 days	9	0.5	1776	98.7
4 = 11-20 days	12	0.7	1788	99.4
5 = 21-30 days	7	0.4	1795	99.8
6 = Everyday	4	0.2	1799	100.0

C2APCP Age first used PCP/Angel d

C2PCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1783	99.1	1783	99.1
13	2	0.1	1785	99.2
14	1	0.1	1786	99.3
15	1	0.1	1787	99.3
16	5	0.3	1792	99.6
17	3	0.2	1795	99.8
18	1	0.1	1796	99.8
20	1	0.1	1797	99.9
23	1	0.1	1798	99.9
27	1	0.1	1799	100.0

C3PCP Use PCP/Angel dust before

C3PCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1783	99.1	1783	99.1
-3 = Missing	1	0.1	1784	99.2
1 = Yes	11	0.6	1795	99.8
2 = No	4	0.2	1799	100.0

C3APCP Days/month drug used befo

C3APCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1787	99.3	1787	99.3
-3 = Missing	1	0.1	1788	99.4
2 = 2-5 days	5	0.3	1793	99.7
3 = 6-10 days	2	0.1	1795	99.8
4 = 11-20 days	1	0.1	1796	99.8
5 = 21-30 days	2	0.1	1798	99.9
6 = Everyday	1	0.1	1799	100.0

C4PCP Use PCP/Angel dust after e

C4PCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1783	99.1	1783	99.1
-3 = Missing	2	0.1	1785	99.2
1 = Yes	8	0.4	1793	99.7
2 = No	6	0.3	1799	100.0

C5PCP Days/month drug used after

C5PCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1789	99.4	1789	99.4
-3 = Missing	2	0.1	1791	99.6
1 = One day	3	0.2	1794	99.7
2 = 2-5 days	2	0.1	1796	99.8
4 = 11-20 days	2	0.1	1798	99.9
5 = 21-30 days	1	0.1	1799	100.0

C6PCP Use drug in last year

C6PCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1783	99.1	1783	99.1
-3 = Missing	3	0.2	1786	99.3
1 = Yes	1	0.1	1787	99.3
2 = No	12	0.7	1799	100.0

C7PCP Days/month used PCP

C7PCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1795	99.8	1795	99.8
-3 = Missing	3	0.2	1798	99.9
5 = 21-30 days	1	0.1	1799	100.0

C8PCP R not use drugs in past ye

C8PCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1795	99.8	1795	99.8
-3 = Missing	3	0.2	1798	99.9
1 = Yes	1	0.1	1799	100.0

C8APCP # of months R did not use

C8APCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1795	99.8	1795	99.8
-3 = Missing	4	0.2	1799	100.0

C9PCP Used PCP/Angel dust last 30

C9PCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1795	99.8	1795	99.8
-3 = Missing	3	0.2	1798	99.9
4 = 11-20 days	1	0.1	1799	100.0

C2HALLU Age first used LSD

C2HALLU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1728	96.1	1728	96.1
10	2	0.1	1730	96.2
12	6	0.3	1736	96.5
13	6	0.3	1742	96.8
14	14	0.8	1756	97.6
15	13	0.7	1769	98.3
16	12	0.7	1781	99.0
17	6	0.3	1787	99.3
18	6	0.3	1793	99.7
20	3	0.2	1796	99.8
24	2	0.1	1798	99.9
28	1	0.1	1799	100.0

C3HALLU Use LSD before start date

C3HALLU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1728	96.1	1728	96.1
-3 = Missing	1	0.1	1729	96.1
1 = Yes	49	2.7	1778	98.8
2 = No	21	1.2	1799	100.0

C3AHALLU Days/month drug used befo

C3AHALLU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1749	97.2	1749	97.2
-3 = Missing	2	0.1	1751	97.3
1 = One day	11	0.6	1762	97.9
2 = 2-5 days	24	1.3	1786	99.3
3 = 6-10 days	5	0.3	1791	99.6
4 = 11-20 days	5	0.3	1796	99.8
5 = 21-30 days	2	0.1	1798	99.9
6 = Everyday	1	0.1	1799	100.0

C4HALLU Use LSD after end date

C4HALLU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1728	96.1	1728	96.1
-3 = Missing	1	0.1	1729	96.1
1 = Yes	33	1.8	1762	97.9
2 = No	37	2.1	1799	100.0

C5HALLU Days/month drug used after

C5HALLU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1765	98.1	1765	98.1
-3 = Missing	1	0.1	1766	98.2
1 = One day	11	0.6	1777	98.8
2 = 2-5 days	10	0.6	1787	99.3
3 = 6-10 days	5	0.3	1792	99.6
4 = 11-20 days	3	0.2	1795	99.8
5 = 21-30 days	4	0.2	1799	100.0

C6HALLU Use drug in last year

C6HALLU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1765	98.1	1765	98.1
-3 = Missing	1	0.1	1766	98.2
1 = Yes	7	0.4	1773	98.6
2 = No	26	1.4	1799	100.0

C7HALLU Days/month used LSD

C7HALLU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1791	99.6	1791	99.6
-3 = Missing	1	0.1	1792	99.6
1 = One day	2	0.1	1794	99.7
2 = 2-5 days	3	0.2	1797	99.9
4 = 11-20 days	1	0.1	1798	99.9
5 = 21-30 days	1	0.1	1799	100.0

C8HALLU R not use drugs in past ye

C8HALLU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1791	99.6	1791	99.6
-3 = Missing	1	0.1	1792	99.6
1 = Yes	5	0.3	1797	99.9
2 = No	2	0.1	1799	100.0

C8AHALLU # of months R did not use

C8AHALLU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1793	99.7	1793	99.7
-3 = Missing	1	0.1	1794	99.7
2 = 2-3 months	2	0.1	1796	99.8
3 = 4-5 months	1	0.1	1797	99.9
4 = 6-8 months	1	0.1	1798	99.9
5 = 9+ months	1	0.1	1799	100.0

C9HALLU Used LSD last 30 days

C9HALLU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1791	99.6	1791	99.6
-3 = Missing	1	0.1	1792	99.6
0	5	0.3	1797	99.9
1 = One day	1	0.1	1798	99.9
5 = 21-30 days	1	0.1	1799	100.0

C2HEROI Age first used heroin

C2HEROI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1465	81.4	1465	81.4
-2 = Don't know	2	0.1	1467	81.5
8	1	0.1	1468	81.6
9	1	0.1	1469	81.7
10	2	0.1	1471	81.8
11	2	0.1	1473	81.9
12	1	0.1	1474	81.9
13	11	0.6	1485	82.5
14	14	0.8	1499	83.3
15	27	1.5	1526	84.8
16	26	1.4	1552	86.3
17	34	1.9	1586	88.2
18	32	1.8	1618	89.9
19	32	1.8	1650	91.7
20	30	1.7	1680	93.4
21	14	0.8	1694	94.2
22	10	0.6	1704	94.7
23	10	0.6	1714	95.3
24	8	0.4	1722	95.7
25	13	0.7	1735	96.4
26	11	0.6	1746	97.1
27	9	0.5	1755	97.6
28	8	0.4	1763	98.0
29	6	0.3	1769	98.3
30	5	0.3	1774	98.6
31	3	0.2	1777	98.8
32	3	0.2	1780	98.9
33	3	0.2	1783	99.1
34	2	0.1	1785	99.2
35	5	0.3	1790	99.5
36	2	0.1	1792	99.6
37	2	0.1	1794	99.7
38	2	0.1	1796	99.8
39	1	0.1	1797	99.9
40	2	0.1	1799	100.0

C3HEROI Use heroin before start da

C3HEROI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1465	81.4	1465	81.4
-2 = Don't know	1	0.1	1466	81.5
1 = Yes	299	16.6	1765	98.1
2 = No	34	1.9	1799	100.0

C3AHEROI Days/month drug used befo

C3AHEROI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1500	83.4	1500	83.4
-3 = Missing	1	0.1	1501	83.4
-1 = Refused	1	0.1	1502	83.5
1 = One day	11	0.6	1513	84.1
2 = 2-5 days	24	1.3	1537	85.4
3 = 6-10 days	25	1.4	1562	86.8
4 = 11-20 days	29	1.6	1591	88.4
5 = 21-30 days	36	2.0	1627	90.4
6 = Everyday	172	9.6	1799	100.0

C4HEROI Use heroin after end date

C4HEROI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1465	81.4	1465	81.4
-2 = Don't know	1	0.1	1466	81.5
1 = Yes	247	13.7	1713	95.2
2 = No	86	4.8	1799	100.0

C5HEROI Days/month drug used after

C5HEROI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1551	86.2	1551	86.2
-3 = Missing	1	0.1	1552	86.3
-2 = Don't know	1	0.1	1553	86.3
1 = One day	11	0.6	1564	86.9
2 = 2-5 days	30	1.7	1594	88.6
3 = 6-10 days	25	1.4	1619	90.0
4 = 11-20 days	28	1.6	1647	91.6
5 = 21-30 days	36	2.0	1683	93.6
6 = Everyday	116	6.4	1799	100.0

C6HEROI Use drug in last year

C6HEROI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1551	86.2	1551	86.2
-3 = Missing	1	0.1	1552	86.3
1 = Yes	142	7.9	1694	94.2
2 = No	105	5.8	1799	100.0

C7HEROI Days/month used heroin

C7HEROI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	1	0.1	1657	92.1
1 = One day	8	0.4	1665	92.6
2 = 2-5 days	27	1.5	1692	94.1
3 = 6-10 days	16	0.9	1708	94.9
4 = 11-20 days	12	0.7	1720	95.6
5 = 21-30 days	22	1.2	1742	96.8
6 = Everyday	57	3.2	1799	100.0

C8HEROI R not use drugs in past ye

C8HEROI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	2	0.1	1658	92.2
1 = Yes	97	5.4	1755	97.6
2 = No	44	2.4	1799	100.0

C8AHEROI # of months R did not use

C8AHEROI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1700	94.5	1700	94.5
-3 = Missing	4	0.2	1704	94.7
1 = 1 month	7	0.4	1711	95.1
2 = 2-3 months	25	1.4	1736	96.5
3 = 4-5 months	22	1.2	1758	97.7
4 = 6-8 months	31	1.7	1789	99.4
5 = 9+ months	10	0.6	1799	100.0

C9HEROI Used heroin last 30 days

C9HEROI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1656	92.1	1656	92.1
-3 = Missing	2	0.1	1658	92.2
0	60	3.3	1718	95.5
1 = One day	3	0.2	1721	95.7
2 = 2-5 days	21	1.2	1742	96.8
3 = 6-10 days	10	0.6	1752	97.4
4 = 11-20 days	12	0.7	1764	98.1
5 = 21-30 days	18	1.0	1782	99.1
6 = Everyday	17	0.9	1799	100.0

C2MTHDO Age first used Methadone

C2MTHDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1774	98.6	1774	98.6
15	2	0.1	1776	98.7
16	2	0.1	1778	98.8
17	1	0.1	1779	98.9
18	1	0.1	1780	98.9
19	5	0.3	1785	99.2
20	7	0.4	1792	99.6
21	2	0.1	1794	99.7
28	2	0.1	1796	99.8
32	1	0.1	1797	99.9
39	1	0.1	1798	99.9
42	1	0.1	1799	100.0

C3MTHDO Use Methadone before start

C3MTHDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1774	98.6	1774	98.6
1 = Yes	18	1.0	1792	99.6
2 = No	7	0.4	1799	100.0

C3AMTHDO Days/month drug used befo

C3AMTHDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1781	99.0	1781	99.0
-3 = Missing	1	0.1	1782	99.1
1 = One day	1	0.1	1783	99.1
2 = 2-5 days	6	0.3	1789	99.4
3 = 6-10 days	6	0.3	1795	99.8
4 = 11-20 days	1	0.1	1796	99.8
6 = Everyday	3	0.2	1799	100.0

C4MTHDO Use Methadone after end da

C4MTHDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1774	98.6	1774	98.6
1 = Yes	13	0.7	1787	99.3
2 = No	12	0.7	1799	100.0

C5MTHDO Days/month drug used after

C5MTHDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1786	99.3	1786	99.3
-3 = Missing	1	0.1	1787	99.3
2 = 2-5 days	6	0.3	1793	99.7
3 = 6-10 days	2	0.1	1795	99.8
4 = 11-20 days	3	0.2	1798	99.9
5 = 21-30 days	1	0.1	1799	100.0

C6MTHDO Use drug in last year

C6MTHDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1786	99.3	1786	99.3
-3 = Missing	1	0.1	1787	99.3
1 = Yes	4	0.2	1791	99.6
2 = No	8	0.4	1799	100.0

C7MTHDO Days/month used methadone

C7MTHDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1794	99.7	1794	99.7
-3 = Missing	1	0.1	1795	99.8
2 = 2-5 days	2	0.1	1797	99.9
3 = 6-10 days	2	0.1	1799	100.0

C8MTHDO R not use drugs in past ye

C8MTHDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1794	99.7	1794	99.7
-3 = Missing	1	0.1	1795	99.8
1 = Yes	4	0.2	1799	100.0

C8AMTHDO # of months R did not use

C8AMTHDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1794	99.7	1794	99.7
-3 = Missing	2	0.1	1796	99.8
1 = 1 month	1	0.1	1797	99.9
2 = 2-3 months	1	0.1	1798	99.9
4 = 6-8 months	1	0.1	1799	100.0

C9MTHDO Used Methadone last 30 day

C9MTHDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1794	99.7	1794	99.7
-3 = Missing	1	0.1	1795	99.8
0	4	0.2	1799	100.0

C2ONARC Age first used Other Narco

C2ONARC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1742	96.8	1742	96.8
-3 = Missing	1	0.1	1743	96.9
9	1	0.1	1744	96.9
10	1	0.1	1745	97.0
11	1	0.1	1746	97.1
12	2	0.1	1748	97.2
13	3	0.2	1751	97.3
14	4	0.2	1755	97.6
15	2	0.1	1757	97.7
16	5	0.3	1762	97.9
17	2	0.1	1764	98.1
18	7	0.4	1771	98.4
19	5	0.3	1776	98.7
20	2	0.1	1778	98.8
21	1	0.1	1779	98.9
22	4	0.2	1783	99.1
23	2	0.1	1785	99.2
25	3	0.2	1788	99.4
26	1	0.1	1789	99.4
27	2	0.1	1791	99.6
28	1	0.1	1792	99.6
32	1	0.1	1793	99.7
33	2	0.1	1795	99.8
34	1	0.1	1796	99.8
35	1	0.1	1797	99.9
39	1	0.1	1798	99.9
40	1	0.1	1799	100.0

C3ONARC Use Other Narcotics before

C3ONARC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1742	96.8	1742	96.8
-3 = Missing	1	0.1	1743	96.9
1 = Yes	44	2.4	1787	99.3
2 = No	12	0.7	1799	100.0

C3AONARC Days/month drug used befo

C3AONARC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1754	97.5	1754	97.5
-3 = Missing	1	0.1	1755	97.6
1 = One day	4	0.2	1759	97.8
2 = 2-5 days	16	0.9	1775	98.7
3 = 6-10 days	8	0.4	1783	99.1
4 = 11-20 days	4	0.2	1787	99.3
5 = 21-30 days	1	0.1	1788	99.4
6 = Everyday	11	0.6	1799	100.0

C4ONARC Use Other Narcotics after

C4ONARC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1742	96.8	1742	96.8
-3 = Missing	1	0.1	1743	96.9
1 = Yes	33	1.8	1776	98.7
2 = No	23	1.3	1799	100.0

C5ONARC Days/month drug used after

C5ONARC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1765	98.1	1765	98.1
-3 = Missing	1	0.1	1766	98.2
1 = One day	5	0.3	1771	98.4
2 = 2-5 days	9	0.5	1780	98.9
3 = 6-10 days	8	0.4	1788	99.4
4 = 11-20 days	3	0.2	1791	99.6
5 = 21-30 days	4	0.2	1795	99.8
6 = Everyday	4	0.2	1799	100.0

C6ONARC Use drug in last year

C6ONARC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1765	98.1	1765	98.1
-3 = Missing	1	0.1	1766	98.2
1 = Yes	13	0.7	1779	98.9
2 = No	20	1.1	1799	100.0

C7ONARC Days/month used narcotics

C7ONARC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1785	99.2	1785	99.2
-3 = Missing	1	0.1	1786	99.3
1 = One day	1	0.1	1787	99.3
2 = 2-5 days	4	0.2	1791	99.6
3 = 6-10 days	4	0.2	1795	99.8
4 = 11-20 days	1	0.1	1796	99.8
5 = 21-30 days	2	0.1	1798	99.9
6 = Everyday	1	0.1	1799	100.0

C8ONARC R not use drugs in past ye

C8ONARC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1785	99.2	1785	99.2
-3 = Missing	2	0.1	1787	99.3
1 = Yes	9	0.5	1796	99.8
2 = No	3	0.2	1799	100.0

C8AONARC # of months R did not use

C8AONARC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1788	99.4	1788	99.4
-3 = Missing	2	0.1	1790	99.5
1 = 1 month	1	0.1	1791	99.6
2 = 2-3 months	2	0.1	1793	99.7
3 = 4-5 months	3	0.2	1796	99.8
4 = 6-8 months	1	0.1	1797	99.9
5 = 9+ months	2	0.1	1799	100.0

C9ONARC Used Other Narcotics last

C9ONARC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1785	99.2	1785	99.2
-3 = Missing	1	0.1	1786	99.3
0	7	0.4	1793	99.7
2 = 2-5 days	1	0.1	1794	99.7
3 = 6-10 days	2	0.1	1796	99.8
4 = 11-20 days	2	0.1	1798	99.9
5 = 21-30 days	1	0.1	1799	100.0

C2METHA Age first used Methampheta

C2METHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1685	93.7	1685	93.7
10	1	0.1	1686	93.7
11	2	0.1	1688	93.8
12	3	0.2	1691	94.0
13	4	0.2	1695	94.2
14	4	0.2	1699	94.4
15	15	0.8	1714	95.3
16	13	0.7	1727	96.0
17	8	0.4	1735	96.4
18	10	0.6	1745	97.0
19	6	0.3	1751	97.3
20	11	0.6	1762	97.9
21	7	0.4	1769	98.3
22	4	0.2	1773	98.6
23	3	0.2	1776	98.7
24	2	0.1	1778	98.8
25	4	0.2	1782	99.1
26	4	0.2	1786	99.3
27	4	0.2	1790	99.5
28	1	0.1	1791	99.6
29	1	0.1	1792	99.6
30	4	0.2	1796	99.8
32	1	0.1	1797	99.9
35	1	0.1	1798	99.9
40	1	0.1	1799	100.0

C3METHA Use Methamphetamines befor

C3METHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1685	93.7	1685	93.7
1 = Yes	101	5.6	1786	99.3
2 = No	13	0.7	1799	100.0

C3AMETHA Days/month drug used befo

C3AMETHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1698	94.4	1698	94.4
1 = One day	4	0.2	1702	94.6
2 = 2-5 days	17	0.9	1719	95.6
3 = 6-10 days	22	1.2	1741	96.8
4 = 11-20 days	22	1.2	1763	98.0
5 = 21-30 days	7	0.4	1770	98.4
6 = Everyday	29	1.6	1799	100.0

C4METHA Use Methamphetamines after

C4METHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1685	93.7	1685	93.7
-3 = Missing	1	0.1	1686	93.7
1 = Yes	63	3.5	1749	97.2
2 = No	50	2.8	1799	100.0

C5METHA Days/month drug used after

C5METHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1735	96.4	1735	96.4
-3 = Missing	1	0.1	1736	96.5
1 = One day	5	0.3	1741	96.8
2 = 2-5 days	19	1.1	1760	97.8
3 = 6-10 days	8	0.4	1768	98.3
4 = 11-20 days	13	0.7	1781	99.0
5 = 21-30 days	8	0.4	1789	99.4
6 = Everyday	10	0.6	1799	100.0

C6METHA Use drug in last year

C6METHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1735	96.4	1735	96.4
-3 = Missing	1	0.1	1736	96.5
1 = Yes	27	1.5	1763	98.0
2 = No	36	2.0	1799	100.0

C7METHA Days/mon used methampheta

C7METHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1771	98.4	1771	98.4
-3 = Missing	1	0.1	1772	98.5
1 = One day	6	0.3	1778	98.8
2 = 2-5 days	7	0.4	1785	99.2
3 = 6-10 days	4	0.2	1789	99.4
4 = 11-20 days	3	0.2	1792	99.6
5 = 21-30 days	4	0.2	1796	99.8
6 = Everyday	3	0.2	1799	100.0

C8METHA R not use drugs in past ye

C8METHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1771	98.4	1771	98.4
-3 = Missing	2	0.1	1773	98.6
1 = Yes	20	1.1	1793	99.7
2 = No	6	0.3	1799	100.0

C8AMETHA # of months R did not use

C8AMETHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1777	98.8	1777	98.8
-3 = Missing	3	0.2	1780	98.9
2 = 2-3 months	3	0.2	1783	99.1
3 = 4-5 months	3	0.2	1786	99.3
4 = 6-8 months	5	0.3	1791	99.6
5 = 9+ months	8	0.4	1799	100.0

C9METHA Used Methamphetamines last

C9METHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1771	98.4	1771	98.4
-3 = Missing	1	0.1	1772	98.5
0	14	0.8	1786	99.3
1 = One day	3	0.2	1789	99.4
2 = 2-5 days	2	0.1	1791	99.6
3 = 6-10 days	3	0.2	1794	99.7
4 = 11-20 days	2	0.1	1796	99.8
5 = 21-30 days	1	0.1	1797	99.9
6 = Everyday	2	0.1	1799	100.0

C2DOWNR Age first used Downers

C2DOWNR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1708	94.9	1708	94.9
-3 = Missing	1	0.1	1709	95.0
5	1	0.1	1710	95.1
9	1	0.1	1711	95.1
10	2	0.1	1713	95.2
12	4	0.2	1717	95.4
13	8	0.4	1725	95.9
14	6	0.3	1731	96.2
15	16	0.9	1747	97.1
16	8	0.4	1755	97.6
17	4	0.2	1759	97.8
18	7	0.4	1766	98.2
19	3	0.2	1769	98.3
20	6	0.3	1775	98.7
21	3	0.2	1778	98.8
22	2	0.1	1780	98.9
23	3	0.2	1783	99.1
24	2	0.1	1785	99.2
25	3	0.2	1788	99.4
26	1	0.1	1789	99.4
27	2	0.1	1791	99.6
30	3	0.2	1794	99.7
33	2	0.1	1796	99.8
35	1	0.1	1797	99.9
37	1	0.1	1798	99.9
38	1	0.1	1799	100.0

C3DOWNR Use Downers before start d

C3DOWNR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1708	94.9	1708	94.9
-3 = Missing	1	0.1	1709	95.0
1 = Yes	80	4.4	1789	99.4
2 = No	10	0.6	1799	100.0

C3ADOWNR Days/month drug used befo

C3ADOWNR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1718	95.5	1718	95.5
-3 = Missing	1	0.1	1719	95.6
1 = One day	2	0.1	1721	95.7
2 = 2-5 days	25	1.4	1746	97.1
3 = 6-10 days	23	1.3	1769	98.3
4 = 11-20 days	11	0.6	1780	98.9
5 = 21-30 days	7	0.4	1787	99.3
6 = Everyday	12	0.7	1799	100.0

C4DOWNR Use Downers after end date

C4DOWNR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1708	94.9	1708	94.9
-3 = Missing	2	0.1	1710	95.1
1 = Yes	43	2.4	1753	97.4
2 = No	46	2.6	1799	100.0

C5DOWNR Days/month drug used after

C5DOWNR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1754	97.5	1754	97.5
-3 = Missing	2	0.1	1756	97.6
1 = One day	1	0.1	1757	97.7
2 = 2-5 days	15	0.8	1772	98.5
3 = 6-10 days	14	0.8	1786	99.3
4 = 11-20 days	5	0.3	1791	99.6
5 = 21-30 days	3	0.2	1794	99.7
6 = Everyday	5	0.3	1799	100.0

C6DOWNR Use drug in last year

C6DOWNR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1754	97.5	1754	97.5
-3 = Missing	2	0.1	1756	97.6
1 = Yes	22	1.2	1778	98.8
2 = No	21	1.2	1799	100.0

C7DOWNR Days/month used downers

C7DOWNR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1775	98.7	1775	98.7
-3 = Missing	2	0.1	1777	98.8
1 = One day	1	0.1	1778	98.8
2 = 2-5 days	5	0.3	1783	99.1
3 = 6-10 days	3	0.2	1786	99.3
4 = 11-20 days	7	0.4	1793	99.7
5 = 21-30 days	3	0.2	1796	99.8
6 = Everyday	3	0.2	1799	100.0

C8DOWNR R not use drugs in past ye

C8DOWNR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1775	98.7	1775	98.7
-3 = Missing	3	0.2	1778	98.8
1 = Yes	14	0.8	1792	99.6
2 = No	7	0.4	1799	100.0

C8ADOWNR # of months R did not use

C8ADOWNR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1782	99.1	1782	99.1
-3 = Missing	3	0.2	1785	99.2
2 = 2-3 months	5	0.3	1790	99.5
3 = 4-5 months	4	0.2	1794	99.7
4 = 6-8 months	3	0.2	1797	99.9
5 = 9+ months	2	0.1	1799	100.0

C9DOWNR Used Other Drug last 30 da

C9DOWNR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1775	98.7	1775	98.7
-5 = Not applicable	2	0.1	1777	98.8
-3 = Missing	3	0.2	1780	98.9
0	10	0.6	1790	99.5
1 = One day	1	0.1	1791	99.6
2 = 2-5 days	4	0.2	1795	99.8
5 = 21-30 days	3	0.2	1798	99.9
6 = Everyday	1	0.1	1799	100.0

C2ODRUG Age first used Other Drug

C2ODRUG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1723	95.8	1723	95.8
-3 = Missing	3	0.2	1726	95.9
2	1	0.1	1727	96.0
11	2	0.1	1729	96.1
13	2	0.1	1731	96.2
14	3	0.2	1734	96.4
15	3	0.2	1737	96.6
16	8	0.4	1745	97.0
18	5	0.3	1750	97.3
19	3	0.2	1753	97.4
20	2	0.1	1755	97.6
21	4	0.2	1759	97.8
22	4	0.2	1763	98.0
23	3	0.2	1766	98.2
24	1	0.1	1767	98.2
25	3	0.2	1770	98.4
26	3	0.2	1773	98.6
27	2	0.1	1775	98.7
28	3	0.2	1778	98.8
29	3	0.2	1781	99.0
30	1	0.1	1782	99.1
31	1	0.1	1783	99.1
32	1	0.1	1784	99.2
33	3	0.2	1787	99.3
34	2	0.1	1789	99.4
35	2	0.1	1791	99.6
36	1	0.1	1792	99.6
37	1	0.1	1793	99.7
42	1	0.1	1794	99.7
47	3	0.2	1797	99.9
50	1	0.1	1798	99.9
55	1	0.1	1799	100.0

C3ODRUG Use Other Drug before star

C3ODRUG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1723	95.8	1723	95.8
-3 = Missing	3	0.2	1726	95.9
1 = Yes	59	3.3	1785	99.2
2 = No	14	0.8	1799	100.0

C3AODRUG Days/month drug used befo

C3AODRUG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1737	96.6	1737	96.6
-3 = Missing	5	0.3	1742	96.8
1 = One day	2	0.1	1744	96.9
2 = 2-5 days	9	0.5	1753	97.4
3 = 6-10 days	9	0.5	1762	97.9
4 = 11-20 days	9	0.5	1771	98.4
5 = 21-30 days	9	0.5	1780	98.9
6 = Everyday	19	1.1	1799	100.0

C4ODRUG Use Other Drug after end d

C4ODRUG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1723	95.8	1723	95.8
-3 = Missing	3	0.2	1726	95.9
1 = Yes	32	1.8	1758	97.7
2 = No	41	2.3	1799	100.0

C5ODRUG Days/month drug used after

C5ODRUG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1764	98.1	1764	98.1
-3 = Missing	3	0.2	1767	98.2
1 = One day	1	0.1	1768	98.3
2 = 2-5 days	7	0.4	1775	98.7
3 = 6-10 days	3	0.2	1778	98.8
4 = 11-20 days	7	0.4	1785	99.2
5 = 21-30 days	2	0.1	1787	99.3
6 = Everyday	12	0.7	1799	100.0

C6ODRUG Use drug in last year

C6ODRUG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1764	98.1	1764	98.1
-3 = Missing	3	0.2	1767	98.2
1 = Yes	20	1.1	1787	99.3
2 = No	12	0.7	1799	100.0

C7ODRUG Days/month used oth drug

C7ODRUG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1776	98.7	1776	98.7
-3 = Missing	3	0.2	1779	98.9
1 = One day	2	0.1	1781	99.0
2 = 2-5 days	3	0.2	1784	99.2
3 = 6-10 days	3	0.2	1787	99.3
4 = 11-20 days	1	0.1	1788	99.4
5 = 21-30 days	2	0.1	1790	99.5
6 = Everyday	9	0.5	1799	100.0

C8ODRUG R not use drugs in past ye

C8ODRUG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1776	98.7	1776	98.7
-3 = Missing	4	0.2	1780	98.9
1 = Yes	11	0.6	1791	99.6
2 = No	8	0.4	1799	100.0

C8AODRUG # of months R did not use

C8AODRUG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1784	99.2	1784	99.2
-3 = Missing	3	0.2	1787	99.3
1 = 1 month	1	0.1	1788	99.4
2 = 2-3 months	2	0.1	1790	99.5
3 = 4-5 months	3	0.2	1793	99.7
4 = 6-8 months	2	0.1	1795	99.8
5 = 9+ months	4	0.2	1799	100.0

C9ODRUG Used Other Drug last 30 da

C9ODRUG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1776	98.7	1776	98.7
-3 = Missing	3	0.2	1779	98.9
0	9	0.5	1788	99.4
2 = 2-5 days	1	0.1	1789	99.4
3 = 6-10 days	2	0.1	1791	99.6
4 = 11-20 days	2	0.1	1793	99.7
6 = Everyday	6	0.3	1799	100.0

C10 ALCOHOL CODED ^1^ (YES) FOR MA

C10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	21	1.2	21	1.2
1 = Yes	1230	68.4	1251	69.5
2 = No	548	30.5	1799	100.0

C11 USED ALCOHOL 5 TIMES OR MORE I

C11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	569	31.6	569	31.6
1 = Yes	718	39.9	1287	71.5
2 = No	512	28.5	1799	100.0

C12_1 R drink any beer/malt liquor

C12_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1081	60.1	1081	60.1
-3 = Missing	18	1.0	1099	61.1
-1 = Refused	2	0.1	1101	61.2
1 = Yes	600	33.4	1701	94.6
2 = No	98	5.4	1799	100.0

C13_1 Amount of beer/malt liquor

C13_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1180	65.6	1180	65.6
-3 = Missing	26	1.4	1206	67.0
-1 = Refused	1	0.1	1207	67.1
0.1	2	0.1	1209	67.2
0.2	4	0.2	1213	67.4
0.3	2	0.1	1215	67.5
0.5	2	0.1	1217	67.6
0.8	1	0.1	1218	67.7
1	116	6.4	1334	74.2
1.2	1	0.1	1335	74.2
1.8	1	0.1	1336	74.3
2	133	7.4	1469	81.7
2.5	1	0.1	1470	81.7
3	63	3.5	1533	85.2
4	34	1.9	1567	87.1
5	25	1.4	1592	88.5
6	62	3.4	1654	91.9
7	4	0.2	1658	92.2
8	15	0.8	1673	93.0
9	6	0.3	1679	93.3
10	5	0.3	1684	93.6
11	1	0.1	1685	93.7
12	51	2.8	1736	96.5
14	4	0.2	1740	96.7
15	8	0.4	1748	97.2
16	1	0.1	1749	97.2
18	5	0.3	1754	97.5
20	4	0.2	1758	97.7
21	1	0.1	1759	97.8
24	31	1.7	1790	99.5
30	1	0.1	1791	99.6
36	1	0.1	1792	99.6
40	1	0.1	1793	99.7
48	1	0.1	1794	99.7
72	2	0.1	1796	99.8
80	2	0.1	1798	99.9
90	1	0.1	1799	100.0

C13_1a Container of beer/malt liqu

C13_1A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1181	65.6	1181	65.6
-3 = Missing	22	1.2	1203	66.9
-1 = Refused	1	0.1	1204	66.9
1 = Bottles	173	9.6	1377	76.5
2 = Cans	233	13.0	1610	89.5
3 = Glasses	19	1.1	1629	90.6
4 = Six packs	133	7.4	1762	97.9
5 = Pints	2	0.1	1764	98.1
6 = Quarts	20	1.1	1784	99.2
11 = Other (SPECIFY)	15	0.8	1799	100.0

C12_2 R drink any wine/wine cooler

C12_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1081	60.1	1081	60.1
-3 = Missing	20	1.1	1101	61.2
-2 = Don't know	1	0.1	1102	61.3
-1 = Refused	2	0.1	1104	61.4
1 = Yes	193	10.7	1297	72.1
2 = No	502	27.9	1799	100.0

C13_2 Amount of wine/wine coolers

C13_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1586	88.2	1586	88.2
-3 = Missing	21	1.2	1607	89.3
0	3	0.2	1610	89.5
0.1	1	0.1	1611	89.5
0.3	1	0.1	1612	89.6
0.5	7	0.4	1619	90.0
1	76	4.2	1695	94.2
1.2	1	0.1	1696	94.3
1.5	1	0.1	1697	94.3
2	56	3.1	1753	97.4
2.5	1	0.1	1754	97.5
3	15	0.8	1769	98.3
3.5	1	0.1	1770	98.4
4	15	0.8	1785	99.2
5	3	0.2	1788	99.4
6	6	0.3	1794	99.7
8	3	0.2	1797	99.9
10	1	0.1	1798	99.9
12	1	0.1	1799	100.0

C13_2a Container of wine/wine cool

C13_2A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1586	88.2	1586	88.2
-3 = Missing	23	1.3	1609	89.4
1 = Bottles	104	5.8	1713	95.2
3 = Glasses	41	2.3	1754	97.5
7 = Fifths	23	1.3	1777	98.8
11 = Other (SPECIFY)	22	1.2	1799	100.0

C12_3 R drink any liquor

C12_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1082	60.1	1082	60.1
-3 = Missing	23	1.3	1105	61.4
-1 = Refused	2	0.1	1107	61.5
1 = Yes	400	22.2	1507	83.8
2 = No	292	16.2	1799	100.0

C13_3 Amount of liquor

C13_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1376	76.5	1376	76.5
-3 = Missing	31	1.7	1407	78.2
-2 = Don't know	3	0.2	1410	78.4
0	2	0.1	1412	78.5
0.1	2	0.1	1414	78.6
0.2	3	0.2	1417	78.8
0.4	2	0.1	1419	78.9
0.5	11	0.6	1430	79.5
1	211	11.7	1641	91.2
1.2	2	0.1	1643	91.3
1.5	6	0.3	1649	91.7
2	85	4.7	1734	96.4
2.5	1	0.1	1735	96.4
3	23	1.3	1758	97.7
4	17	0.9	1775	98.7
5	8	0.4	1783	99.1
6	3	0.2	1786	99.3
7	4	0.2	1790	99.5
8	4	0.2	1794	99.7
10	3	0.2	1797	99.9
12	1	0.1	1798	99.9
25	1	0.1	1799	100.0

C13_3a Size of liquor

C13_3A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1376	76.5	1376	76.5
-3 = Missing	30	1.7	1406	78.2
-2 = Don't know	1	0.1	1407	78.2
5 = 1/2 Pints	62	3.4	1469	81.7
6 = Pints	92	5.1	1561	86.8
7 = Quarts	22	1.2	1583	88.0
8 = Fifths	51	2.8	1634	90.8
9 = Drinks	68	3.8	1702	94.6
10 = Shots	90	5.0	1792	99.6
11 = Other (SPECIFY)	7	0.4	1799	100.0

Inhalant use not in Q.5

C15INHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	24	1.3	24	1.3
1 = Inhalants	1775	98.7	1799	100.0

Alcohol use not in Q.5

C15ALCO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1230	68.4	1230	68.4
2 = Alcohol	569	31.6	1799	100.0

Marijuana/hashish use not in Q.5

C15MARI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	493	27.4	493	27.4
3 = Marijuana/Hashish	1306	72.6	1799	100.0

Crack use not in Q.5

C15CRCK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	420	23.3	420	23.3
4 = Crack	1379	76.7	1799	100.0

Cocaine use not in Q.5.

C15COCA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	488	27.1	488	27.1
5 = Cocaine Powder	1311	72.9	1799	100.0

PCP/Angel Dust use not in Q.5

C15PCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	16	0.9	16	0.9
6 = PCP/Angel Dust	1783	99.1	1799	100.0

Psychedelic/LSD use not in Q.5

C15HALU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	71	3.9	71	3.9
7 = Hallucinogens/Psychedelics/LSD	1728	96.1	1799	100.0

Heroin use not in Q.5

C15HERO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	334	18.6	334	18.6
8 = Heroin	1465	81.4	1799	100.0

Methadone use not in Q.5

C15MTDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	25	1.4	25	1.4
9 = Illegal Methadone	1774	98.6	1799	100.0

Other narcotics use not in Q.5

C15ONRC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	57	3.2	57	3.2
1- = Other narcotics	1742	96.8	1799	100.0

Methamphetamine use not in Q.5

	C15METH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		114	6.3	114	6.3
11 = Methamphetamines		1685	93.7	1799	100.0

Downer use not in Q.5

	C15DOWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		91	5.1	91	5.1
12 = Downers		1708	94.9	1799	100.0

Other drug use not in Q.5

	C15OTHR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		76	4.2	76	4.2
2		1	0.1	77	4.3
13 = Other drug (SPECIFY)		1722	95.7	1799	100.0

C16INHA Ever used drug five times

	C16INHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		24	1.3	24	1.3
-3 = Missing		11	0.6	35	1.9
-2 = Don't know		1	0.1	36	2.0
-1 = Refused		1	0.1	37	2.1
1 = Yes		256	14.2	293	16.3
2 = No		1506	83.7	1799	100.0

C17INHA Age first used inhalants

C17INHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1532	85.2	1532	85.2
-3 = Missing	11	0.6	1543	85.8
-2 = Don't know	1	0.1	1544	85.8
5	1	0.1	1545	85.9
6	2	0.1	1547	86.0
7	2	0.1	1549	86.1
8	3	0.2	1552	86.3
9	4	0.2	1556	86.5
10	12	0.7	1568	87.2
11	10	0.6	1578	87.7
12	27	1.5	1605	89.2
13	28	1.6	1633	90.8
14	41	2.3	1674	93.1
15	28	1.6	1702	94.6
16	31	1.7	1733	96.3
17	14	0.8	1747	97.1
18	16	0.9	1763	98.0
19	6	0.3	1769	98.3
20	4	0.2	1773	98.6
21	2	0.1	1775	98.7
22	5	0.3	1780	98.9
23	5	0.3	1785	99.2
24	2	0.1	1787	99.3
25	4	0.2	1791	99.6
26	1	0.1	1792	99.6
28	1	0.1	1793	99.7
33	1	0.1	1794	99.7
35	3	0.2	1797	99.9
36	1	0.1	1798	99.9
37	1	0.1	1799	100.0

C18INHA Use inhalants before star

C18INHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1532	85.2	1532	85.2
-3 = Missing	11	0.6	1543	85.8
-2 = Don't know	1	0.1	1544	85.8
1 = Yes	74	4.1	1618	89.9
2 = No	181	10.1	1799	100.0

C18AINHA Days/month drug used befo

C18AINHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1714	95.3	1714	95.3
-3 = Missing	13	0.7	1727	96.0
1 = One day	15	0.8	1742	96.8
2 = 2-5 days	38	2.1	1780	98.9
3 = 6-10 days	6	0.3	1786	99.3
4 = 11-20 days	4	0.2	1790	99.5
5 = 21-30 days	2	0.1	1792	99.6
6 = Everyday	7	0.4	1799	100.0

C19INHA Use inhalant after end da

C19INHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1532	85.2	1532	85.2
-3 = Missing	16	0.9	1548	86.0
1 = Yes	27	1.5	1575	87.5
2 = No	224	12.5	1799	100.0

C19AINHA Days/month drug used afte

C19AINHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1756	97.6	1756	97.6
-3 = Missing	16	0.9	1772	98.5
1 = One day	10	0.6	1782	99.1
2 = 2-5 days	11	0.6	1793	99.7
3 = 6-10 days	3	0.2	1796	99.8
4 = 11-20 days	2	0.1	1798	99.9
6 = Everyday	1	0.1	1799	100.0

C20INHA Use drug in last year

C20INHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1756	97.6	1756	97.6
-3 = Missing	15	0.8	1771	98.4
1 = Yes	7	0.4	1778	98.8
2 = No	21	1.2	1799	100.0

C20AINHA Days/month R used inhalant

C20AINHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1777	98.8	1777	98.8
-3 = Missing	15	0.8	1792	99.6
0	1	0.1	1793	99.7
1 = One day	3	0.2	1796	99.8
2 = 2-5 days	2	0.1	1798	99.9
5 = 21-30 days	1	0.1	1799	100.0

C21INHA Used inhalants last 30 day

C21INHA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1777	98.8	1777	98.8
-3 = Missing	15	0.8	1792	99.6
0	4	0.2	1796	99.8
1 = One day	1	0.1	1797	99.9
2 = 2-5 days	2	0.1	1799	100.0

C16ALCO Ever used drug five times

C16ALCO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1230	68.4	1230	68.4
-2 = Don't know	1	0.1	1231	68.4
1 = Yes	506	28.1	1737	96.6
2 = No	62	3.4	1799	100.0

C17ALCO Age first used alcohol

C17ALCO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1293	71.9	1293	71.9
-3 = Missing	3	0.2	1296	72.0
-2 = Don't know	4	0.2	1300	72.3
2	2	0.1	1302	72.4
3	3	0.2	1305	72.5
4	3	0.2	1308	72.7
5	7	0.4	1315	73.1
6	16	0.9	1331	74.0
7	7	0.4	1338	74.4
8	9	0.5	1347	74.9
9	13	0.7	1360	75.6
10	26	1.4	1386	77.0
11	11	0.6	1397	77.7
12	54	3.0	1451	80.7
13	36	2.0	1487	82.7
14	61	3.4	1548	86.0
15	64	3.6	1612	89.6
16	73	4.1	1685	93.7
17	35	1.9	1720	95.6
18	39	2.2	1759	97.8
19	10	0.6	1769	98.3
20	9	0.5	1778	98.8
21	5	0.3	1783	99.1
22	3	0.2	1786	99.3
24	5	0.3	1791	99.6
25	2	0.1	1793	99.7
26	1	0.1	1794	99.7
27	1	0.1	1795	99.8
28	1	0.1	1796	99.8
29	1	0.1	1797	99.9
31	1	0.1	1798	99.9
35	1	0.1	1799	100.0

C18ALCO Use alcohol before start

C18ALCO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1293	71.9	1293	71.9
-3 = Missing	2	0.1	1295	72.0
-2 = Don't know	1	0.1	1296	72.0
1 = Yes	418	23.2	1714	95.3
2 = No	85	4.7	1799	100.0

C18AALCO Days/month drug used befo

C18AALCO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1379	76.7	1379	76.7
-3 = Missing	3	0.2	1382	76.8
1 = One day	53	2.9	1435	79.8
2 = 2-5 days	132	7.3	1567	87.1
3 = 6-10 days	93	5.2	1660	92.3
4 = 11-20 days	66	3.7	1726	95.9
5 = 21-30 days	27	1.5	1753	97.4
6 = Everyday	46	2.6	1799	100.0

C19ALCO Use alcohol end date

C19ALCO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1293	71.9	1293	71.9
-3 = Missing	6	0.3	1299	72.2
-2 = Don't know	1	0.1	1300	72.3
1 = Yes	350	19.5	1650	91.7
2 = No	149	8.3	1799	100.0

C19AALCO Days/month drug used afte

C19AALCO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1442	80.2	1442	80.2
-3 = Missing	7	0.4	1449	80.5
-2 = Don't know	2	0.1	1451	80.7
1 = One day	60	3.3	1511	84.0
2 = 2-5 days	119	6.6	1630	90.6
3 = 6-10 days	69	3.8	1699	94.4
4 = 11-20 days	48	2.7	1747	97.1
5 = 21-30 days	21	1.2	1768	98.3
6 = Everyday	31	1.7	1799	100.0

C20ALCO Use drug in last year

C20ALCO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1442	80.2	1442	80.2
-3 = Missing	7	0.4	1449	80.5
-2 = Don't know	1	0.1	1450	80.6
1 = Yes	256	14.2	1706	94.8
2 = No	93	5.2	1799	100.0

C20AALCO Days/month R used alcohol

C20AALCO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1535	85.3	1535	85.3
-3 = Missing	12	0.7	1547	86.0
-2 = Don't know	1	0.1	1548	86.0
0	9	0.5	1557	86.5
1 = One day	34	1.9	1591	88.4
2 = 2-5 days	96	5.3	1687	93.8
3 = 6-10 days	45	2.5	1732	96.3
4 = 11-20 days	33	1.8	1765	98.1
5 = 21-30 days	20	1.1	1785	99.2
6 = Everyday	14	0.8	1799	100.0

C21ALCO Used alcohol last 30 days

C21ALCO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1535	85.3	1535	85.3
-3 = Missing	7	0.4	1542	85.7
-2 = Don't know	1	0.1	1543	85.8
0	62	3.4	1605	89.2
1 = One day	34	1.9	1639	91.1
2 = 2-5 days	78	4.3	1717	95.4
3 = 6-10 days	37	2.1	1754	97.5
4 = 11-20 days	25	1.4	1779	98.9
5 = 21-30 days	13	0.7	1792	99.6
6 = Everyday	7	0.4	1799	100.0

C16MARI Ever used drug five times

C16MARI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	493	27.4	493	27.4
-3 = Missing	4	0.2	497	27.6
-2 = Don't know	1	0.1	498	27.7
-1 = Refused	1	0.1	499	27.7
1 = Yes	862	47.9	1361	75.7
2 = No	438	24.3	1799	100.0

C17MARI Age first used marijuana

C17MARI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	933	51.9	933	51.9
-3 = Missing	9	0.5	942	52.4
-2 = Don't know	1	0.1	943	52.4
6	2	0.1	945	52.5
7	6	0.3	951	52.9
8	5	0.3	956	53.1
9	10	0.6	966	53.7
10	17	0.9	983	54.6
11	22	1.2	1005	55.9
12	65	3.6	1070	59.5
13	95	5.3	1165	64.8
14	93	5.2	1258	69.9
15	110	6.1	1368	76.0
16	126	7.0	1494	83.0
17	77	4.3	1571	87.3
18	78	4.3	1649	91.7
19	28	1.6	1677	93.2
20	32	1.8	1709	95.0
21	20	1.1	1729	96.1
22	14	0.8	1743	96.9
23	7	0.4	1750	97.3
24	2	0.1	1752	97.4
25	20	1.1	1772	98.5
26	4	0.2	1776	98.7
27	3	0.2	1779	98.9
28	5	0.3	1784	99.2
29	1	0.1	1785	99.2
30	4	0.2	1789	99.4
31	3	0.2	1792	99.6
32	1	0.1	1793	99.7
33	1	0.1	1794	99.7
35	1	0.1	1795	99.8
40	3	0.2	1798	99.9
47	1	0.1	1799	100.0

C18MARI Use marijuana before star

C18MARI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	933	51.9	933	51.9
-3 = Missing	7	0.4	940	52.3
1 = Yes	564	31.4	1504	83.6
2 = No	295	16.4	1799	100.0

C18AMARI Days/month drug used befo

C18AMARI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1228	68.3	1228	68.3
-3 = Missing	11	0.6	1239	68.9
1 = One day	81	4.5	1320	73.4
2 = 2-5 days	190	10.6	1510	83.9
3 = 6-10 days	95	5.3	1605	89.2
4 = 11-20 days	73	4.1	1678	93.3
5 = 21-30 days	54	3.0	1732	96.3
6 = Everyday	67	3.7	1799	100.0

C19MARI Use marijuana after end d

C19MARI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	933	51.9	933	51.9
-3 = Missing	22	1.2	955	53.1
1 = Yes	343	19.1	1298	72.2
2 = No	501	27.8	1799	100.0

C19AMARI Days/month drug used afte

C19AMARI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1434	79.7	1434	79.7
-3 = Missing	24	1.3	1458	81.0
-2 = Don't know	1	0.1	1459	81.1
1 = One day	72	4.0	1531	85.1
2 = 2-5 days	126	7.0	1657	92.1
3 = 6-10 days	60	3.3	1717	95.4
4 = 11-20 days	39	2.2	1756	97.6
5 = 21-30 days	16	0.9	1772	98.5
6 = Everyday	27	1.5	1799	100.0

C20MARI Use drug in last year

C20MARI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1434	79.7	1434	79.7
-3 = Missing	23	1.3	1457	81.0
1 = Yes	202	11.2	1659	92.2
2 = No	140	7.8	1799	100.0

C20AMARI Days/month R used marijuan

C20AMARI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1574	87.5	1574	87.5
-3 = Missing	25	1.4	1599	88.9
0	5	0.3	1604	89.2
1 = One day	39	2.2	1643	91.3
2 = 2-5 days	81	4.5	1724	95.8
3 = 6-10 days	30	1.7	1754	97.5
4 = 11-20 days	22	1.2	1776	98.7
5 = 21-30 days	15	0.8	1791	99.6
6 = Everyday	8	0.4	1799	100.0

C21MARI Used marijuana last 30 day

C21MARI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1574	87.5	1574	87.5
-3 = Missing	24	1.3	1598	88.8
0	65	3.6	1663	92.4
1 = One day	29	1.6	1692	94.1
2 = 2-5 days	59	3.3	1751	97.3
3 = 6-10 days	23	1.3	1774	98.6
4 = 11-20 days	15	0.8	1789	99.4
5 = 21-30 days	6	0.3	1795	99.8
6 = Everyday	4	0.2	1799	100.0

C16CRCK Ever used drug five times

C16CRCK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	420	23.3	420	23.3
-3 = Missing	5	0.3	425	23.6
-2 = Don't know	1	0.1	426	23.7
-1 = Refused	1	0.1	427	23.7
1 = Yes	319	17.7	746	41.5
2 = No	1053	58.5	1799	100.0

C17CRCK Age first used crack

C17CRCK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1475	82.0	1475	82.0
-3 = Missing	6	0.3	1481	82.3
13	1	0.1	1482	82.4
14	1	0.1	1483	82.4
15	6	0.3	1489	82.8
16	9	0.5	1498	83.3
17	9	0.5	1507	83.8
18	21	1.2	1528	84.9
19	13	0.7	1541	85.7
20	24	1.3	1565	87.0
21	10	0.6	1575	87.5
22	11	0.6	1586	88.2
23	9	0.5	1595	88.7
24	6	0.3	1601	89.0
25	19	1.1	1620	90.1
26	8	0.4	1628	90.5
27	13	0.7	1641	91.2
28	17	0.9	1658	92.2
29	9	0.5	1667	92.7
30	24	1.3	1691	94.0
31	7	0.4	1698	94.4
32	14	0.8	1712	95.2
33	7	0.4	1719	95.6
34	7	0.4	1726	95.9
35	18	1.0	1744	96.9
36	9	0.5	1753	97.4
37	7	0.4	1760	97.8
38	9	0.5	1769	98.3
39	2	0.1	1771	98.4
40	6	0.3	1777	98.8
41	3	0.2	1780	98.9
43	2	0.1	1782	99.1
44	4	0.2	1786	99.3
45	4	0.2	1790	99.5
47	5	0.3	1795	99.8
49	1	0.1	1796	99.8
50	1	0.1	1797	99.9
51	2	0.1	1799	100.0

C18CRCK Use crack before start da

C18CRCK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1475	82.0	1475	82.0
-3 = Missing	6	0.3	1481	82.3
1 = Yes	146	8.1	1627	90.4
2 = No	172	9.6	1799	100.0

C18ACRCK Days/month drug used befo

C18ACRCK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1647	91.6	1647	91.6
-3 = Missing	7	0.4	1654	91.9
1 = One day	20	1.1	1674	93.1
2 = 2-5 days	55	3.1	1729	96.1
3 = 6-10 days	22	1.2	1751	97.3
4 = 11-20 days	14	0.8	1765	98.1
5 = 21-30 days	13	0.7	1778	98.8
6 = Everyday	21	1.2	1799	100.0

C19CRCK Use crack after end date

C19CRCK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1475	82.0	1475	82.0
-3 = Missing	12	0.7	1487	82.7
1 = Yes	145	8.1	1632	90.7
2 = No	167	9.3	1799	100.0

C19ACRCK Days/month drug used afte

C19ACRCK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1642	91.3	1642	91.3
-3 = Missing	12	0.7	1654	91.9
-2 = Don't know	1	0.1	1655	92.0
1 = One day	40	2.2	1695	94.2
2 = 2-5 days	45	2.5	1740	96.7
3 = 6-10 days	20	1.1	1760	97.8
4 = 11-20 days	20	1.1	1780	98.9
5 = 21-30 days	11	0.6	1791	99.6
6 = Everyday	8	0.4	1799	100.0

C20CRCK Use drug in last year

C20CRCK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1642	91.3	1642	91.3
-3 = Missing	12	0.7	1654	91.9
1 = Yes	68	3.8	1722	95.7
2 = No	77	4.3	1799	100.0

C20ACRCK Days/month R used crack

C20ACRCK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1719	95.6	1719	95.6
-3 = Missing	13	0.7	1732	96.3
0	2	0.1	1734	96.4
1 = One day	13	0.7	1747	97.1
2 = 2-5 days	23	1.3	1770	98.4
3 = 6-10 days	10	0.6	1780	98.9
4 = 11-20 days	8	0.4	1788	99.4
5 = 21-30 days	8	0.4	1796	99.8
6 = Everyday	3	0.2	1799	100.0

C21CRCK Used crack last 30 days

C21CRCK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1719	95.6	1719	95.6
-3 = Missing	12	0.7	1731	96.2
-2 = Don't know	1	0.1	1732	96.3
0	30	1.7	1762	97.9
1 = One day	7	0.4	1769	98.3
2 = 2-5 days	18	1.0	1787	99.3
3 = 6-10 days	4	0.2	1791	99.6
4 = 11-20 days	6	0.3	1797	99.9
5 = 21-30 days	1	0.1	1798	99.9
6 = Everyday	1	0.1	1799	100.0

C16COCA Ever used drug five times

C16COCA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	488	27.1	488	27.1
-3 = Missing	5	0.3	493	27.4
-2 = Don't know	2	0.1	495	27.5
-1 = Refused	1	0.1	496	27.6
1 = Yes	566	31.5	1062	59.0
2 = No	737	41.0	1799	100.0

C17COCA Age first used cocaine

C17COCA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1228	68.3	1228	68.3
-3 = Missing	6	0.3	1234	68.6
-2 = Don't know	1	0.1	1235	68.6
10	2	0.1	1237	68.8
12	6	0.3	1243	69.1
13	12	0.7	1255	69.8
14	15	0.8	1270	70.6
15	31	1.7	1301	72.3
16	44	2.4	1345	74.8
17	46	2.6	1391	77.3
18	63	3.5	1454	80.8
19	38	2.1	1492	82.9
20	44	2.4	1536	85.4
21	40	2.2	1576	87.6
22	31	1.7	1607	89.3
23	14	0.8	1621	90.1
24	22	1.2	1643	91.3
25	38	2.1	1681	93.4
26	12	0.7	1693	94.1
27	9	0.5	1702	94.6
28	15	0.8	1717	95.4
29	8	0.4	1725	95.9
30	22	1.2	1747	97.1
31	3	0.2	1750	97.3
32	7	0.4	1757	97.7
33	8	0.4	1765	98.1
34	4	0.2	1769	98.3
35	11	0.6	1780	98.9
36	6	0.3	1786	99.3
37	3	0.2	1789	99.4
38	3	0.2	1792	99.6
40	4	0.2	1796	99.8
41	1	0.1	1797	99.9
42	2	0.1	1799	100.0

C18COCA Use cocaine before start

C18COCA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1228	68.3	1228	68.3
-3 = Missing	6	0.3	1234	68.6
1 = Yes	359	20.0	1593	88.5
2 = No	206	11.5	1799	100.0

C18ACOCA Days/month drug used befo

C18ACOCA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1434	79.7	1434	79.7
-3 = Missing	7	0.4	1441	80.1
1 = One day	71	3.9	1512	84.0
2 = 2-5 days	145	8.1	1657	92.1
3 = 6-10 days	71	3.9	1728	96.1
4 = 11-20 days	33	1.8	1761	97.9
5 = 21-30 days	13	0.7	1774	98.6
6 = Everyday	25	1.4	1799	100.0

C19COCA Use cocaine after end dat

C19COCA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1228	68.3	1228	68.3
-3 = Missing	6	0.3	1234	68.6
1 = Yes	168	9.3	1402	77.9
2 = No	397	22.1	1799	100.0

C19ACOCA Days/month drug used afte

C19ACOCA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1625	90.3	1625	90.3
-3 = Missing	7	0.4	1632	90.7
1 = One day	43	2.4	1675	93.1
2 = 2-5 days	72	4.0	1747	97.1
3 = 6-10 days	26	1.4	1773	98.6
4 = 11-20 days	8	0.4	1781	99.0
5 = 21-30 days	4	0.2	1785	99.2
6 = Everyday	14	0.8	1799	100.0

C20COCA Use drug in last year

C20COCA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1625	90.3	1625	90.3
-3 = Missing	6	0.3	1631	90.7
-2 = Don't know	1	0.1	1632	90.7
1 = Yes	47	2.6	1679	93.3
2 = No	120	6.7	1799	100.0

C20ACOCA Days/month R used cocaine

C20ACOCA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1745	97.0	1745	97.0
-3 = Missing	8	0.4	1753	97.4
0	2	0.1	1755	97.6
1 = One day	13	0.7	1768	98.3
2 = 2-5 days	14	0.8	1782	99.1
3 = 6-10 days	7	0.4	1789	99.4
4 = 11-20 days	6	0.3	1795	99.8
5 = 21-30 days	1	0.1	1796	99.8
6 = Everyday	3	0.2	1799	100.0

C21COCA Used cocaine last 30 days

C21COCA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1745	97.0	1745	97.0
-3 = Missing	7	0.4	1752	97.4
0	27	1.5	1779	98.9
1 = One day	3	0.2	1782	99.1
2 = 2-5 days	12	0.7	1794	99.7
3 = 6-10 days	1	0.1	1795	99.8
4 = 11-20 days	2	0.1	1797	99.9
5 = 21-30 days	1	0.1	1798	99.9
6 = Everyday	1	0.1	1799	100.0

C16PCP Ever used drug five times

C16PCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	16	0.9	16	0.9
-3 = Missing	9	0.5	25	1.4
-2 = Don't know	1	0.1	26	1.4
-1 = Refused	1	0.1	27	1.5
1 = Yes	233	13.0	260	14.5
2 = No	1539	85.5	1799	100.0

C17PCP Age first used PCP/angel

C17PCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1557	86.5	1557	86.5
-3 = Missing	9	0.5	1566	87.0
8	1	0.1	1567	87.1
12	4	0.2	1571	87.3
13	6	0.3	1577	87.7
14	15	0.8	1592	88.5
15	27	1.5	1619	90.0
16	29	1.6	1648	91.6
17	31	1.7	1679	93.3
18	29	1.6	1708	94.9
19	14	0.8	1722	95.7
20	15	0.8	1737	96.6
21	9	0.5	1746	97.1
22	6	0.3	1752	97.4
23	8	0.4	1760	97.8
24	5	0.3	1765	98.1
25	11	0.6	1776	98.7
26	1	0.1	1777	98.8
27	2	0.1	1779	98.9
28	2	0.1	1781	99.0
29	3	0.2	1784	99.2
30	3	0.2	1787	99.3
32	3	0.2	1790	99.5
33	2	0.1	1792	99.6
35	3	0.2	1795	99.8
39	1	0.1	1796	99.8
42	1	0.1	1797	99.9
45	1	0.1	1798	99.9
50	1	0.1	1799	100.0

C18PCP Use PCP/angel dust before

C18PCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1557	86.5	1557	86.5
-3 = Missing	8	0.4	1565	87.0
1 = Yes	72	4.0	1637	91.0
2 = No	162	9.0	1799	100.0

C18APCP Days/month drug used befo

C18APCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1719	95.6	1719	95.6
-3 = Missing	9	0.5	1728	96.1
1 = One day	19	1.1	1747	97.1
2 = 2-5 days	26	1.4	1773	98.6
3 = 6-10 days	13	0.7	1786	99.3
4 = 11-20 days	9	0.5	1795	99.8
5 = 21-30 days	3	0.2	1798	99.9
6 = Everyday	1	0.1	1799	100.0

C19PCP Use PCP after end date

C19PCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1557	86.5	1557	86.5
-3 = Missing	15	0.8	1572	87.4
1 = Yes	23	1.3	1595	88.7
2 = No	204	11.3	1799	100.0

C19APCP Days/month drug used afte

C19APCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1761	97.9	1761	97.9
-3 = Missing	16	0.9	1777	98.8
1 = One day	8	0.4	1785	99.2
2 = 2-5 days	9	0.5	1794	99.7
3 = 6-10 days	3	0.2	1797	99.9
6 = Everyday	2	0.1	1799	100.0

C20PCP Use drug in last year

C20PCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1761	97.9	1761	97.9
-3 = Missing	15	0.8	1776	98.7
1 = Yes	4	0.2	1780	98.9
2 = No	19	1.1	1799	100.0

C20APCP Days/month R used PCP/ange

C20APCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1780	98.9	1780	98.9
-3 = Missing	15	0.8	1795	99.8
1 = One day	1	0.1	1796	99.8
2 = 2-5 days	2	0.1	1798	99.9
3 = 6-10 days	1	0.1	1799	100.0

C21PCP Used PCP/angel dust last 3

C21PCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1780	98.9	1780	98.9
-3 = Missing	15	0.8	1795	99.8
0	3	0.2	1798	99.9
2 = 2-5 days	1	0.1	1799	100.0

C16HALU Ever used drug five times

C16HALU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	71	3.9	71	3.9
-3 = Missing	8	0.4	79	4.4
-2 = Don't know	1	0.1	80	4.4
-1 = Refused	1	0.1	81	4.5
1 = Yes	522	29.0	603	33.5
2 = No	1196	66.5	1799	100.0

C17HALU Age first used Psychedeli

C17HALU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1269	70.5	1269	70.5
-3 = Missing	10	0.6	1279	71.1
6	1	0.1	1280	71.2
9	1	0.1	1281	71.2
10	4	0.2	1285	71.4
11	2	0.1	1287	71.5
12	11	0.6	1298	72.2
13	22	1.2	1320	73.4
14	48	2.7	1368	76.0
15	70	3.9	1438	79.9
16	80	4.4	1518	84.4
17	89	4.9	1607	89.3
18	69	3.8	1676	93.2
19	24	1.3	1700	94.5
20	27	1.5	1727	96.0
21	17	0.9	1744	96.9
22	9	0.5	1753	97.4
23	9	0.5	1762	97.9
24	1	0.1	1763	98.0
25	14	0.8	1777	98.8
26	1	0.1	1778	98.8
27	1	0.1	1779	98.9
28	4	0.2	1783	99.1
29	2	0.1	1785	99.2
30	7	0.4	1792	99.6
31	2	0.1	1794	99.7
32	1	0.1	1795	99.8
34	1	0.1	1796	99.8
35	1	0.1	1797	99.9
36	1	0.1	1798	99.9
48	1	0.1	1799	100.0

C18HALU Use Psychedelics/LSD befo

C18HALU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1269	70.5	1269	70.5
-3 = Missing	10	0.6	1279	71.1
-2 = Don't know	2	0.1	1281	71.2
1 = Yes	195	10.8	1476	82.0
2 = No	323	18.0	1799	100.0

C18AHALU Days/month drug used befo

C18AHALU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1594	88.6	1594	88.6
-5 = Not applicable	1	0.1	1595	88.7
-3 = Missing	15	0.8	1610	89.5
1 = One day	75	4.2	1685	93.7
2 = 2-5 days	77	4.3	1762	97.9
3 = 6-10 days	26	1.4	1788	99.4
4 = 11-20 days	6	0.3	1794	99.7
5 = 21-30 days	3	0.2	1797	99.9
6 = Everyday	2	0.1	1799	100.0

C19HALU Use LSD after end date

C19HALU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1269	70.5	1269	70.5
-3 = Missing	20	1.1	1289	71.7
1 = Yes	64	3.6	1353	75.2
2 = No	446	24.8	1799	100.0

C19AHALU Days/month drug used afte

C19AHALU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1715	95.3	1715	95.3
-5 = Not applicable	1	0.1	1716	95.4
-3 = Missing	21	1.2	1737	96.6
1 = One day	33	1.8	1770	98.4
2 = 2-5 days	16	0.9	1786	99.3
3 = 6-10 days	9	0.5	1795	99.8
4 = 11-20 days	2	0.1	1797	99.9
5 = 21-30 days	1	0.1	1798	99.9
6 = Everyday	1	0.1	1799	100.0

C20HALU Use drug in last year

C20HALU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1715	95.3	1715	95.3
-3 = Missing	20	1.1	1735	96.4
1 = Yes	12	0.7	1747	97.1
2 = No	52	2.9	1799	100.0

C20AHALU Days/month R used Psychede

C20AHALU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1767	98.2	1767	98.2
-3 = Missing	20	1.1	1787	99.3
1 = One day	6	0.3	1793	99.7
2 = 2-5 days	5	0.3	1798	99.9
3 = 6-10 days	1	0.1	1799	100.0

C21HALU Used Psychedelics/LSD last

C21HALU	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1767	98.2	1767	98.2
-3 = Missing	21	1.2	1788	99.4
0	5	0.3	1793	99.7
1 = One day	3	0.2	1796	99.8
2 = 2-5 days	2	0.1	1798	99.9
3 = 6-10 days	1	0.1	1799	100.0

C16HERO Ever used drug five times

C16HERO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	334	18.6	334	18.6
-3 = Missing	6	0.3	340	18.9
-1 = Refused	1	0.1	341	19.0
1 = Yes	170	9.4	511	28.4
2 = No	1288	71.6	1799	100.0

C17HERO Age first used Heroin

C17HERO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1623	90.2	1623	90.2
-3 = Missing	6	0.3	1629	90.6
8	1	0.1	1630	90.6
9	1	0.1	1631	90.7
10	1	0.1	1632	90.7
11	2	0.1	1634	90.8
13	5	0.3	1639	91.1
14	6	0.3	1645	91.4
15	7	0.4	1652	91.8
16	8	0.4	1660	92.3
17	12	0.7	1672	92.9
18	19	1.1	1691	94.0
19	20	1.1	1711	95.1
20	11	0.6	1722	95.7
21	8	0.4	1730	96.2
22	9	0.5	1739	96.7
23	5	0.3	1744	96.9
24	3	0.2	1747	97.1
25	8	0.4	1755	97.6
26	7	0.4	1762	97.9
28	13	0.7	1775	98.7
29	5	0.3	1780	98.9
30	2	0.1	1782	99.1
31	1	0.1	1783	99.1
32	3	0.2	1786	99.3
33	3	0.2	1789	99.4
34	1	0.1	1790	99.5
35	3	0.2	1793	99.7
36	1	0.1	1794	99.7
38	2	0.1	1796	99.8
44	1	0.1	1797	99.9
47	1	0.1	1798	99.9
50	1	0.1	1799	100.0

C18HERO Use Heroin before start d

C18HERO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1623	90.2	1623	90.2
-3 = Missing	8	0.4	1631	90.7
1 = Yes	52	2.9	1683	93.6
2 = No	116	6.4	1799	100.0

C18AHERO Days/month drug used befo

C18AHERO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1739	96.7	1739	96.7
-3 = Missing	8	0.4	1747	97.1
1 = One day	12	0.7	1759	97.8
2 = 2-5 days	14	0.8	1773	98.6
3 = 6-10 days	11	0.6	1784	99.2
4 = 11-20 days	6	0.3	1790	99.5
5 = 21-30 days	1	0.1	1791	99.6
6 = Everyday	8	0.4	1799	100.0

C19HERO Use heroin after end date

C19HERO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1623	90.2	1623	90.2
-3 = Missing	11	0.6	1634	90.8
1 = Yes	45	2.5	1679	93.3
2 = No	120	6.7	1799	100.0

C19AHERO Days/month drug used afte

C19AHERO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1743	96.9	1743	96.9
-3 = Missing	12	0.7	1755	97.6
-2 = Don't know	1	0.1	1756	97.6
1 = One day	13	0.7	1769	98.3
2 = 2-5 days	14	0.8	1783	99.1
3 = 6-10 days	5	0.3	1788	99.4
4 = 11-20 days	1	0.1	1789	99.4
5 = 21-30 days	4	0.2	1793	99.7
6 = Everyday	6	0.3	1799	100.0

C20HERO Use drug in last year

C20HERO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1743	96.9	1743	96.9
-3 = Missing	11	0.6	1754	97.5
1 = Yes	18	1.0	1772	98.5
2 = No	27	1.5	1799	100.0

C20AHERO Days/month R used Heroin

C20AHERO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1770	98.4	1770	98.4
-3 = Missing	13	0.7	1783	99.1
1 = One day	2	0.1	1785	99.2
2 = 2-5 days	6	0.3	1791	99.6
3 = 6-10 days	1	0.1	1792	99.6
5 = 21-30 days	2	0.1	1794	99.7
6 = Everyday	5	0.3	1799	100.0

C21HERO Used Heroin last 30 days

C21HERO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1770	98.4	1770	98.4
-3 = Missing	11	0.6	1781	99.0
0	9	0.5	1790	99.5
1 = One day	2	0.1	1792	99.6
2 = 2-5 days	1	0.1	1793	99.7
3 = 6-10 days	1	0.1	1794	99.7
5 = 21-30 days	2	0.1	1796	99.8
6 = Everyday	3	0.2	1799	100.0

C16MTDO Ever used drug five times

C16MTDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	25	1.4	25	1.4
-3 = Missing	10	0.6	35	1.9
-2 = Don't know	1	0.1	36	2.0
-1 = Refused	1	0.1	37	2.1
1 = Yes	137	7.6	174	9.7
2 = No	1625	90.3	1799	100.0

C17MTDO Age first used Methadone

C17MTDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1652	91.8	1652	91.8
-3 = Missing	10	0.6	1662	92.4
11	1	0.1	1663	92.4
13	3	0.2	1666	92.6
15	4	0.2	1670	92.8
16	10	0.6	1680	93.4
17	8	0.4	1688	93.8
18	6	0.3	1694	94.2
19	5	0.3	1699	94.4
20	6	0.3	1705	94.8
21	7	0.4	1712	95.2
22	8	0.4	1720	95.6
23	8	0.4	1728	96.1
24	1	0.1	1729	96.1
25	7	0.4	1736	96.5
26	5	0.3	1741	96.8
27	4	0.2	1745	97.0
28	9	0.5	1754	97.5
29	6	0.3	1760	97.8
30	14	0.8	1774	98.6
31	4	0.2	1778	98.8
32	3	0.2	1781	99.0
33	6	0.3	1787	99.3
34	2	0.1	1789	99.4
36	1	0.1	1790	99.5
38	3	0.2	1793	99.7
39	1	0.1	1794	99.7
40	1	0.1	1795	99.8
41	2	0.1	1797	99.9
47	2	0.1	1799	100.0

C18MTDO Use illegal Methadone bef

C18MTDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1652	91.8	1652	91.8
-3 = Missing	10	0.6	1662	92.4
-2 = Don't know	1	0.1	1663	92.4
1 = Yes	59	3.3	1722	95.7
2 = No	77	4.3	1799	100.0

C18AMTDO Days/month drug used befo

C18AMTDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1730	96.2	1730	96.2
-3 = Missing	11	0.6	1741	96.8
1 = One day	9	0.5	1750	97.3
2 = 2-5 days	27	1.5	1777	98.8
3 = 6-10 days	11	0.6	1788	99.4
4 = 11-20 days	7	0.4	1795	99.8
5 = 21-30 days	1	0.1	1796	99.8
6 = Everyday	3	0.2	1799	100.0

C19MTDO Use illegal Methadone aft

C19MTDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1652	91.8	1652	91.8
-3 = Missing	10	0.6	1662	92.4
1 = Yes	43	2.4	1705	94.8
2 = No	94	5.2	1799	100.0

C19AMTDO Days/month drug used afte

C19AMTDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1746	97.1	1746	97.1
-3 = Missing	10	0.6	1756	97.6
-2 = Don't know	1	0.1	1757	97.7
1 = One day	9	0.5	1766	98.2
2 = 2-5 days	15	0.8	1781	99.0
3 = 6-10 days	13	0.7	1794	99.7
4 = 11-20 days	4	0.2	1798	99.9
6 = Everyday	1	0.1	1799	100.0

C20MTDO Use drug in last year

C20MTDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1746	97.1	1746	97.1
-3 = Missing	10	0.6	1756	97.6
1 = Yes	13	0.7	1769	98.3
2 = No	30	1.7	1799	100.0

C20AMTDO Days/month R used illegal

C20AMTDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1776	98.7	1776	98.7
-3 = Missing	11	0.6	1787	99.3
1 = One day	3	0.2	1790	99.5
2 = 2-5 days	4	0.2	1794	99.7
3 = 6-10 days	2	0.1	1796	99.8
4 = 11-20 days	2	0.1	1798	99.9
6 = Everyday	1	0.1	1799	100.0

C21ME30 Used Methamph last 30 day

C21MTDO	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1776	98.7	1776	98.7
-3 = Missing	10	0.6	1786	99.3
0	9	0.5	1795	99.8
3 = 6-10 days	1	0.1	1796	99.8
4 = 11-20 days	2	0.1	1798	99.9
6 = Everyday	1	0.1	1799	100.0

C16ONRC Ever used drug five times

C16ONRC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	57	3.2	57	3.2
-3 = Missing	10	0.6	67	3.7
-2 = Don't know	2	0.1	69	3.8
-1 = Refused	1	0.1	70	3.9
1 = Yes	242	13.5	312	17.3
2 = No	1487	82.7	1799	100.0

C17ONRC Age first used Other narc

C17ONRC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1547	86.0	1547	86.0
-3 = Missing	12	0.7	1559	86.7
5	1	0.1	1560	86.7
7	1	0.1	1561	86.8
8	2	0.1	1563	86.9
9	1	0.1	1564	86.9
10	6	0.3	1570	87.3
12	4	0.2	1574	87.5
13	6	0.3	1580	87.8
14	6	0.3	1586	88.2
15	27	1.5	1613	89.7
16	21	1.2	1634	90.8
17	29	1.6	1663	92.4
18	29	1.6	1692	94.1
19	10	0.6	1702	94.6
20	23	1.3	1725	95.9
21	12	0.7	1737	96.6
22	11	0.6	1748	97.2
23	3	0.2	1751	97.3
24	5	0.3	1756	97.6
25	9	0.5	1765	98.1
26	1	0.1	1766	98.2
27	4	0.2	1770	98.4
28	4	0.2	1774	98.6
29	4	0.2	1778	98.8
30	8	0.4	1786	99.3
31	1	0.1	1787	99.3
32	3	0.2	1790	99.5
33	1	0.1	1791	99.6
34	1	0.1	1792	99.6
35	1	0.1	1793	99.7
36	2	0.1	1795	99.8
37	1	0.1	1796	99.8
38	1	0.1	1797	99.9
40	1	0.1	1798	99.9
42	1	0.1	1799	100.0

C18ONRC Use other narcotics befor

C18ONRC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1547	86.0	1547	86.0
-3 = Missing	12	0.7	1559	86.7
-2 = Don't know	1	0.1	1560	86.7
1 = Yes	134	7.4	1694	94.2
2 = No	105	5.8	1799	100.0

C18AONDA Days/month drug used befo

C18AONRC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1653	91.9	1653	91.9
-3 = Missing	14	0.8	1667	92.7
1 = One day	23	1.3	1690	93.9
2 = 2-5 days	38	2.1	1728	96.1
3 = 6-10 days	30	1.7	1758	97.7
4 = 11-20 days	17	0.9	1775	98.7
5 = 21-30 days	12	0.7	1787	99.3
6 = Everyday	12	0.7	1799	100.0

C19ONDAY Use other narcotics after

C19ONRC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1547	86.0	1547	86.0
-3 = Missing	12	0.7	1559	86.7
1 = Yes	83	4.6	1642	91.3
2 = No	157	8.7	1799	100.0

C19AONRC Days/month drug used afte

C19AONRC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1704	94.7	1704	94.7
-3 = Missing	12	0.7	1716	95.4
1 = One day	13	0.7	1729	96.1
2 = 2-5 days	29	1.6	1758	97.7
3 = 6-10 days	19	1.1	1777	98.8
4 = 11-20 days	7	0.4	1784	99.2
5 = 21-30 days	3	0.2	1787	99.3
6 = Everyday	12	0.7	1799	100.0

C20ONRC Use drug in last year

C20ONRC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1704	94.7	1704	94.7
-3 = Missing	12	0.7	1716	95.4
1 = Yes	26	1.4	1742	96.8
2 = No	57	3.2	1799	100.0

C20AONRC Days/month R used other na

C20AONRC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1761	97.9	1761	97.9
-3 = Missing	12	0.7	1773	98.6
0	1	0.1	1774	98.6
1 = One day	1	0.1	1775	98.7
2 = 2-5 days	8	0.4	1783	99.1
3 = 6-10 days	6	0.3	1789	99.4
4 = 11-20 days	4	0.2	1793	99.7
5 = 21-30 days	2	0.1	1795	99.8
6 = Everyday	4	0.2	1799	100.0

C21ONRC Used Other Narcotics last

C21ONRC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1761	97.9	1761	97.9
-3 = Missing	12	0.7	1773	98.6
0	14	0.8	1787	99.3
1 = One day	2	0.1	1789	99.4
2 = 2-5 days	3	0.2	1792	99.6
3 = 6-10 days	1	0.1	1793	99.7
4 = 11-20 days	3	0.2	1796	99.8
5 = 21-30 days	1	0.1	1797	99.9
6 = Everyday	2	0.1	1799	100.0

C16METH Ever used drug five times

C16METH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	114	6.3	114	6.3
-3 = Missing	9	0.5	123	6.8
-2 = Don't know	3	0.2	126	7.0
-1 = Refused	1	0.1	127	7.1
1 = Yes	376	20.9	503	28.0
2 = No	1296	72.0	1799	100.0

C17METH Age first used Methamphet

C17METH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1414	78.6	1414	78.6
-3 = Missing	8	0.4	1422	79.0
10	1	0.1	1423	79.1
11	2	0.1	1425	79.2
12	7	0.4	1432	79.6
13	10	0.6	1442	80.2
14	19	1.1	1461	81.2
15	35	1.9	1496	83.2
16	60	3.3	1556	86.5
17	46	2.6	1602	89.0
18	47	2.6	1649	91.7
19	21	1.2	1670	92.8
20	32	1.8	1702	94.6
21	20	1.1	1722	95.7
22	14	0.8	1736	96.5
23	7	0.4	1743	96.9
24	6	0.3	1749	97.2
25	13	0.7	1762	97.9
26	5	0.3	1767	98.2
27	6	0.3	1773	98.6
28	5	0.3	1778	98.8
29	4	0.2	1782	99.1
30	5	0.3	1787	99.3
32	1	0.1	1788	99.4
33	2	0.1	1790	99.5
34	2	0.1	1792	99.6
35	1	0.1	1793	99.7
36	3	0.2	1796	99.8
38	1	0.1	1797	99.9
40	1	0.1	1798	99.9
44	1	0.1	1799	100.0

C18METH Use Methamphetamines befo

C18METH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1413	78.5	1413	78.5
-3 = Missing	10	0.6	1423	79.1
1 = Yes	166	9.2	1589	88.3
2 = No	210	11.7	1799	100.0

C18AMETH Days/month drug used befo

C18AMETH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1623	90.2	1623	90.2
-3 = Missing	10	0.6	1633	90.8
1 = One day	33	1.8	1666	92.6
2 = 2-5 days	58	3.2	1724	95.8
3 = 6-10 days	29	1.6	1753	97.4
4 = 11-20 days	21	1.2	1774	98.6
5 = 21-30 days	11	0.6	1785	99.2
6 = Everyday	14	0.8	1799	100.0

C19METH Use Methamphetamines afte

C19METH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1413	78.5	1413	78.5
-3 = Missing	17	0.9	1430	79.5
1 = Yes	74	4.1	1504	83.6
2 = No	295	16.4	1799	100.0

C19AMETH Days/month drug used afte

C19AMETH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1709	95.0	1709	95.0
-3 = Missing	17	0.9	1726	95.9
1 = One day	15	0.8	1741	96.8
2 = 2-5 days	25	1.4	1766	98.2
3 = 6-10 days	16	0.9	1782	99.1
4 = 11-20 days	10	0.6	1792	99.6
5 = 21-30 days	3	0.2	1795	99.8
6 = Everyday	4	0.2	1799	100.0

C20METH Use drug in last year

C20METH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1709	95.0	1709	95.0
-3 = Missing	16	0.9	1725	95.9
1 = Yes	24	1.3	1749	97.2
2 = No	50	2.8	1799	100.0

C20AMETH Days/month R used Methamph

C20AMETH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1759	97.8	1759	97.8
-3 = Missing	16	0.9	1775	98.7
0	1	0.1	1776	98.7
1 = One day	5	0.3	1781	99.0
2 = 2-5 days	12	0.7	1793	99.7
3 = 6-10 days	2	0.1	1795	99.8
4 = 11-20 days	3	0.2	1798	99.9
6 = Everyday	1	0.1	1799	100.0

C21ME30 Used Methamphetamine last

C21METH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1759	97.8	1759	97.8
-3 = Missing	16	0.9	1775	98.7
0	19	1.1	1794	99.7
1 = One day	1	0.1	1795	99.8
2 = 2-5 days	3	0.2	1798	99.9
3 = 6-10 days	1	0.1	1799	100.0

C16DOWN Ever used drug five times

C16DOWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	91	5.1	91	5.1
-3 = Missing	7	0.4	98	5.4
-2 = Don't know	1	0.1	99	5.5
-1 = Refused	1	0.1	100	5.6
1 = Yes	398	22.1	498	27.7
2 = No	1301	72.3	1799	100.0

C17DOWN Age first used Downers

C17DOWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1394	77.5	1394	77.5
-3 = Missing	8	0.4	1402	77.9
6	1	0.1	1403	78.0
7	1	0.1	1404	78.0
8	1	0.1	1405	78.1
9	1	0.1	1406	78.2
10	4	0.2	1410	78.4
11	2	0.1	1412	78.5
12	13	0.7	1425	79.2
13	19	1.1	1444	80.3
14	33	1.8	1477	82.1
15	45	2.5	1522	84.6
16	48	2.7	1570	87.3
17	41	2.3	1611	89.5
18	38	2.1	1649	91.7
19	16	0.9	1665	92.6
20	31	1.7	1696	94.3
21	11	0.6	1707	94.9
22	12	0.7	1719	95.6
23	10	0.6	1729	96.1
24	11	0.6	1740	96.7
25	17	0.9	1757	97.7
26	10	0.6	1767	98.2
27	6	0.3	1773	98.6
28	7	0.4	1780	98.9
29	5	0.3	1785	99.2
30	3	0.2	1788	99.4
31	2	0.1	1790	99.5
32	2	0.1	1792	99.6
34	3	0.2	1795	99.8
35	2	0.1	1797	99.9
36	1	0.1	1798	99.9
37	1	0.1	1799	100.0

C18DOWN Use Downers before start

C18DOWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1394	77.5	1394	77.5
-3 = Missing	8	0.4	1402	77.9
1 = Yes	217	12.1	1619	90.0
2 = No	180	10.0	1799	100.0

C18ADOWN Days/month drug used befo

C18ADOWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1574	87.5	1574	87.5
-3 = Missing	12	0.7	1586	88.2
1 = One day	32	1.8	1618	89.9
2 = 2-5 days	85	4.7	1703	94.7
3 = 6-10 days	40	2.2	1743	96.9
4 = 11-20 days	25	1.4	1768	98.3
5 = 21-30 days	10	0.6	1778	98.8
6 = Everyday	21	1.2	1799	100.0

C19DOWN Use Downers after end dat

C19DOWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1394	77.5	1394	77.5
-3 = Missing	15	0.8	1409	78.3
1 = Yes	111	6.2	1520	84.5
2 = No	279	15.5	1799	100.0

C19ADOWN Days/month drug used afte

C19ADOWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1673	93.0	1673	93.0
-3 = Missing	15	0.8	1688	93.8
1 = One day	13	0.7	1701	94.6
2 = 2-5 days	50	2.8	1751	97.3
3 = 6-10 days	18	1.0	1769	98.3
4 = 11-20 days	13	0.7	1782	99.1
5 = 21-30 days	4	0.2	1786	99.3
6 = Everyday	13	0.7	1799	100.0

C20DOWN Use drug in last year

C20DOWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1673	93.0	1673	93.0
-3 = Missing	13	0.7	1686	93.7
1 = Yes	49	2.7	1735	96.4
2 = No	64	3.6	1799	100.0

C20ADOWN Days/month R used Downers

C20ADOWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1737	96.6	1737	96.6
-3 = Missing	14	0.8	1751	97.3
1 = One day	4	0.2	1755	97.6
2 = 2-5 days	21	1.2	1776	98.7
3 = 6-10 days	7	0.4	1783	99.1
4 = 11-20 days	3	0.2	1786	99.3
5 = 21-30 days	4	0.2	1790	99.5
6 = Everyday	9	0.5	1799	100.0

C21DOWN Used Downers last 30 days

C21DOWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1737	96.6	1737	96.6
-3 = Missing	15	0.8	1752	97.4
-2 = Don't know	1	0.1	1753	97.4
0	22	1.2	1775	98.7
1 = One day	6	0.3	1781	99.0
2 = 2-5 days	5	0.3	1786	99.3
3 = 6-10 days	2	0.1	1788	99.4
4 = 11-20 days	1	0.1	1789	99.4
5 = 21-30 days	2	0.1	1791	99.6
6 = Everyday	8	0.4	1799	100.0

C160THR Ever used drug five times

C160THR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	76	4.2	76	4.2
-3 = Missing	38	2.1	114	6.3
-1 = Refused	1	0.1	115	6.4
1 = Yes	113	6.3	228	12.7
2 = No	1571	87.3	1799	100.0

C170THR Age first used other drug

C170THR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1648	91.6	1648	91.6
-3 = Missing	41	2.3	1689	93.9
12	1	0.1	1690	93.9
13	2	0.1	1692	94.1
14	6	0.3	1698	94.4
15	3	0.2	1701	94.6
16	5	0.3	1706	94.8
17	6	0.3	1712	95.2
18	15	0.8	1727	96.0
19	11	0.6	1738	96.6
20	8	0.4	1746	97.1
21	9	0.5	1755	97.6
22	7	0.4	1762	97.9
23	2	0.1	1764	98.1
24	2	0.1	1766	98.2
25	6	0.3	1772	98.5
26	3	0.2	1775	98.7
27	1	0.1	1776	98.7
28	3	0.2	1779	98.9
29	1	0.1	1780	98.9
30	5	0.3	1785	99.2
32	1	0.1	1786	99.3
33	2	0.1	1788	99.4
34	4	0.2	1792	99.6
35	3	0.2	1795	99.8
40	1	0.1	1796	99.8
41	1	0.1	1797	99.9
48	1	0.1	1798	99.9
54	1	0.1	1799	100.0

C180THR Use other drug before sta

C180THR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1648	91.6	1648	91.6
-3 = Missing	41	2.3	1689	93.9
1 = Yes	59	3.3	1748	97.2
2 = No	51	2.8	1799	100.0

C18AOTHR Days/month drug used befo

C18AOTHR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1699	94.4	1699	94.4
-3 = Missing	42	2.3	1741	96.8
1 = One day	7	0.4	1748	97.2
2 = 2-5 days	23	1.3	1771	98.4
3 = 6-10 days	13	0.7	1784	99.2
4 = 11-20 days	4	0.2	1788	99.4
5 = 21-30 days	1	0.1	1789	99.4
6 = Everyday	10	0.6	1799	100.0

C19OTHR Use other drug after end

C19OTHR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1648	91.6	1648	91.6
-3 = Missing	41	2.3	1689	93.9
1 = Yes	29	1.6	1718	95.5
2 = No	81	4.5	1799	100.0

C19AOTHR Days/month drug used afte

C19AOTHR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1729	96.1	1729	96.1
-3 = Missing	41	2.3	1770	98.4
1 = One day	8	0.4	1778	98.8
2 = 2-5 days	12	0.7	1790	99.5
3 = 6-10 days	7	0.4	1797	99.9
4 = 11-20 days	1	0.1	1798	99.9
6 = Everyday	1	0.1	1799	100.0

C200THR Use drug in last year

C200THR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1729	96.1	1729	96.1
-3 = Missing	41	2.3	1770	98.4
1 = Yes	11	0.6	1781	99.0
2 = No	18	1.0	1799	100.0

C20AOTHR Days/month R used other dr

C20AOTHR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1747	97.1	1747	97.1
-3 = Missing	41	2.3	1788	99.4
1 = One day	2	0.1	1790	99.5
2 = 2-5 days	2	0.1	1792	99.6
3 = 6-10 days	3	0.2	1795	99.8
4 = 11-20 days	3	0.2	1798	99.9
6 = Everyday	1	0.1	1799	100.0

C210THR Use Other drug last 30 day

C210THR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1747	97.1	1747	97.1
-3 = Missing	40	2.2	1787	99.3
0	8	0.4	1795	99.8
2 = 2-5 days	2	0.1	1797	99.9
4 = 11-20 days	1	0.1	1798	99.9
6 = Everyday	1	0.1	1799	100.0

SEE C16. IS ALCOHOL CODED ^1^ (YES

C22	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 = Yes	506	28.1	506	28.1
2 = No	1293	71.9	1799	100.0

HAS R USED ALCOHOL IN LAST 30 DAYS

C23	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1293	71.9	1293	71.9
1 = Yes	194	10.8	1487	82.7
2 = No	312	17.3	1799	100.0

C24_1 R drink any beer/malt liquor

C24_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1605	89.2	1605	89.2
-3 = Missing	7	0.4	1612	89.6
1 = Yes	157	8.7	1769	98.3
2 = No	30	1.7	1799	100.0

C25_1 Amount of beer/malt liquor

C25_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1635	90.9	1635	90.9
-3 = Missing	8	0.4	1643	91.3
0	3	0.2	1646	91.5
0.2	1	0.1	1647	91.6
0.5	1	0.1	1648	91.6
1	48	2.7	1696	94.3
2	45	2.5	1741	96.8
3	16	0.9	1757	97.7
4	13	0.7	1770	98.4
5	2	0.1	1772	98.5
6	12	0.7	1784	99.2
7	1	0.1	1785	99.2
8	5	0.3	1790	99.5
10	3	0.2	1793	99.7
12	2	0.1	1795	99.8
15	1	0.1	1796	99.8
18	1	0.1	1797	99.9
24	1	0.1	1798	99.9
30	1	0.1	1799	100.0

C25_1a Container of beer/malt liqu

C25_1A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1635	90.9	1635	90.9
-3 = Missing	10	0.6	1645	91.4
1 = Bottles	62	3.4	1707	94.9
2 = Cans	70	3.9	1777	98.8
3 = Glasses	3	0.2	1780	98.9
4 = Six packs	16	0.9	1796	99.8
6 = Quarts	2	0.1	1798	99.9
11 = Other (SPECIFY)	1	0.1	1799	100.0

C24_2 R drink any wine/wine cooler

C24_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1605	89.2	1605	89.2
-3 = Missing	10	0.6	1615	89.8
1 = Yes	46	2.6	1661	92.3
2 = No	138	7.7	1799	100.0

C25_2 Amount of wine/wine coolers

C25_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1743	96.9	1743	96.9
-3 = Missing	9	0.5	1752	97.4
0	3	0.2	1755	97.6
0.2	1	0.1	1756	97.6
0.5	1	0.1	1757	97.7
1	19	1.1	1776	98.7
1.5	1	0.1	1777	98.8
2	11	0.6	1788	99.4
3	5	0.3	1793	99.7
4	3	0.2	1796	99.8
5	2	0.1	1798	99.9
10	1	0.1	1799	100.0

C25_2a Container of wine/wine cool

C25_2A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1743	96.9	1743	96.9
-3 = Missing	14	0.8	1757	97.7
1 = Bottles	15	0.8	1772	98.5
3 = Glasses	20	1.1	1792	99.6
7 = Fifths	3	0.2	1795	99.8
11 - Other (SPECIFY)	4	0.2	1799	100.0

C24_3 R drink any liquor

C24_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1605	89.2	1605	89.2
-3 = Missing	10	0.6	1615	89.8
1 = Yes	86	4.8	1701	94.6
2 = No	98	5.4	1799	100.0

C25_3 Amount of liquor

C25_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1703	94.7	1703	94.7
-3 = Missing	16	0.9	1719	95.6
0	5	0.3	1724	95.8
0.33	1	0.1	1725	95.9
0.5	2	0.1	1727	96.0
1	36	2.0	1763	98.0
1.5	1	0.1	1764	98.1
2	12	0.7	1776	98.7
3	11	0.6	1787	99.3
4	5	0.3	1792	99.6
5	4	0.2	1796	99.8
6	1	0.1	1797	99.9
8	1	0.1	1798	99.9
10	1	0.1	1799	100.0

C25_3a Size of liquor

C25_3A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1703	94.7	1703	94.7
-3 = Missing	16	0.9	1719	95.6
4	1	0.1	1720	95.6
5 = 1/2 Pints	6	0.3	1726	95.9
6 = Pints	10	0.6	1736	96.5
7 = Quarts	3	0.2	1739	96.7
8 = Fifths	2	0.1	1741	96.8
9 = Drinks	20	1.1	1761	97.9
10 = Shots	32	1.8	1793	99.7
11 = Other (SPECIFY)	6	0.3	1799	100.0

C27 R ever inject drugs with needl

C27	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	5	0.3	5	0.3
-1 = Refused	1	0.1	6	0.3
1 = Yes	609	33.9	615	34.2
2 = No	1184	65.8	1799	100.0

C27A Age when needle first used

C27A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1184	65.8	1184	65.8
-5 = Not applicable	1	0.1	1185	65.9
-3 = Missing	39	2.2	1224	68.0
-2 = Don't know	2	0.1	1226	68.1
-1 = Refused	1	0.1	1227	68.2
8	1	0.1	1228	68.3
10	2	0.1	1230	68.4
11	4	0.2	1234	68.6
12	4	0.2	1238	68.8
13	9	0.5	1247	69.3
14	22	1.2	1269	70.5
15	39	2.2	1308	72.7
16	39	2.2	1347	74.9
17	50	2.8	1397	77.7
18	55	3.1	1452	80.7
19	38	2.1	1490	82.8
20	52	2.9	1542	85.7
21	31	1.7	1573	87.4
22	27	1.5	1600	88.9
23	20	1.1	1620	90.1
24	16	0.9	1636	90.9
25	32	1.8	1668	92.7
26	17	0.9	1685	93.7
27	12	0.7	1697	94.3
28	17	0.9	1714	95.3
29	14	0.8	1728	96.1
30	13	0.7	1741	96.8
31	3	0.2	1744	96.9
32	12	0.7	1756	97.6
33	2	0.1	1758	97.7
34	7	0.4	1765	98.1
35	16	0.9	1781	99.0
36	7	0.4	1788	99.4
37	4	0.2	1792	99.6
38	3	0.2	1795	99.8
39	1	0.1	1796	99.8
40	1	0.1	1797	99.9
43	2	0.1	1799	100.0

C27B # times R used needle before

C27B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1184	65.8	1184	65.8
-3 = Missing	1	0.1	1185	65.9
-2 = Don't know	4	0.2	1189	66.1
-1 = Refused	1	0.1	1190	66.1
1	110	6.1	1300	72.3
2	112	6.2	1412	78.5
3	39	2.2	1451	80.7
4	27	1.5	1478	82.2
5	25	1.4	1503	83.5
6	40	2.2	1543	85.8
7	254	14.1	1797	99.9
8	2	0.1	1799	100.0

C28 # times needle used while in p

C28	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1194	66.4	1194	66.4
-3 = Missing	8	0.4	1202	66.8
-2 = Don't know	4	0.2	1206	67.0
-1 = Refused	1	0.1	1207	67.1
1 = None	461	25.6	1668	92.7
2 = 1-9 times	49	2.7	1717	95.4
3 = 10-29	23	1.3	1740	96.7
4 = 30-49 times	15	0.8	1755	97.6
5 = 50-99 times	7	0.4	1762	97.9
6 = 100-199	12	0.7	1774	98.6
7 = 200 times or more	22	1.2	1796	99.8
8 = R NEVER INJECTED DRUGS	3	0.2	1799	100.0

C28A Days per month R injected dru

C28A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1662	92.4	1662	92.4
-3 = Missing	10	0.6	1672	92.9
1 = One day	15	0.8	1687	93.8
2 = 2-5 days	45	2.5	1732	96.3
3 = 6-10 days	14	0.8	1746	97.1
4 = 11-20 days	21	1.2	1767	98.2
5 = 21-30 days	10	0.6	1777	98.8
6 = Everyday	22	1.2	1799	100.0

C28B Attend safe needle classes/co

C28B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1662	92.4	1662	92.4
-5 = Not applicable	1	0.1	1663	92.4
-3 = Missing	9	0.5	1672	92.9
-2 = Don^t know	4	0.2	1676	93.2
1 = Yes	69	3.8	1745	97.0
2 = No	54	3.0	1799	100.0

C28Ca Counseling affect using a ne

C28CA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1721	95.7	1721	95.7
-3 = Missing	9	0.5	1730	96.2
1 = Very Helpful	39	2.2	1769	98.3
2 = Somewhat Helpful	23	1.3	1792	99.6
3 = Not at all Helpful	7	0.4	1799	100.0

C28Cb Counseling affect sharing ne

C28CB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1721	95.7	1721	95.7
-3 = Missing	9	0.5	1730	96.2
1 = Very Helpful	43	2.4	1773	98.6
2 = Somewhat Helpful	21	1.2	1794	99.7
3 = Not at all Helpful	5	0.3	1799	100.0

C28Cc Counseling affect sharing ne

C28CC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1721	95.7	1721	95.7
-3 = Missing	9	0.5	1730	96.2
-2 = Don^t know	3	0.2	1733	96.3
1 = Very Helpful	42	2.3	1775	98.7
2 = Somewhat Helpful	21	1.2	1796	99.8
3 = Not at all Helpful	3	0.2	1799	100.0

C29 # times injected drugs since p

	C29	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1189	66.1	1189	66.1
-3 = Missing		2	0.1	1191	66.2
-2 = Don^t know		5	0.3	1196	66.5
-1 = Refused		1	0.1	1197	66.5
1 = None		274	15.2	1471	81.8
2 = 1-9 times		80	4.4	1551	86.2
3 = 10-29 times		30	1.7	1581	87.9
4 = 30-49 times		21	1.2	1602	89.0
5 = 50-99 times		31	1.7	1633	90.8
6 = 100-199 times		26	1.4	1659	92.2
7 = 200 times or more		137	7.6	1796	99.8
8 = R HAS NEVER INJECTED DRUGS		3	0.2	1799	100.0

C29A Used needle in past year

	C29A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1467	81.5	1467	81.5
-3 = Missing		2	0.1	1469	81.7
1 = Yes		169	9.4	1638	91.1
2 = No		159	8.8	1797	99.9
3 = R HAS NEVER INJECTED DRUGS		2	0.1	1799	100.0

D1 R ever been arrested

	D1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know		2	0.1	2	0.1
-1 = Refused		12	0.7	14	0.8
1 = Yes		1506	83.7	1520	84.5
2 = No		279	15.5	1799	100.0

DIA R's age at first arrest

DIA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	293	16.3	293	16.3
-3 = Missing	10	0.6	303	16.8
-2 = Don't know	13	0.7	316	17.6
-1 = Refused	5	0.3	321	17.8
5	1	0.1	322	17.9
6	2	0.1	324	18.0
7	2	0.1	326	18.1
8	10	0.6	336	18.7
9	8	0.4	344	19.1
10	7	0.4	351	19.5
11	14	0.8	365	20.3
12	34	1.9	399	22.2
13	58	3.2	457	25.4
14	75	4.2	532	29.6
15	94	5.2	626	34.8
16	145	8.1	771	42.9
17	117	6.5	888	49.4
18	168	9.3	1056	58.7
19	98	5.4	1154	64.1
20	70	3.9	1224	68.0
21	51	2.8	1275	70.9
22	72	4.0	1347	74.9
23	30	1.7	1377	76.5
24	31	1.7	1408	78.3
25	49	2.7	1457	81.0
26	32	1.8	1489	82.8
27	31	1.7	1520	84.5
28	32	1.8	1552	86.3
29	21	1.2	1573	87.4
30	36	2.0	1609	89.4
31	17	0.9	1626	90.4
32	17	0.9	1643	91.3
33	16	0.9	1659	92.2
34	22	1.2	1681	93.4
35	26	1.4	1707	94.9
36	5	0.3	1712	95.2
37	8	0.4	1720	95.6
38	15	0.8	1735	96.4
39	9	0.5	1744	96.9
40	13	0.7	1757	97.7
41	3	0.2	1760	97.8
42	6	0.3	1766	98.2
43	4	0.2	1770	98.4
44	3	0.2	1773	98.6
45	3	0.2	1776	98.7
46	5	0.3	1781	99.0
47	2	0.1	1783	99.1
48	3	0.2	1786	99.3
49	1	0.1	1787	99.3
50	3	0.2	1790	99.5
51	2	0.1	1792	99.6
52	1	0.1	1793	99.7
53	1	0.1	1794	99.7
55	2	0.1	1796	99.8
59	1	0.1	1797	99.9
62	1	0.1	1798	99.9

D1A R's age at first arrest

D1A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
64	1	0.1	1799	100.0

D2 # of arrests before program

D2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	293	16.3	293	16.3
-2 = Don't know	18	1.0	311	17.3
-1 = Refused	4	0.2	315	17.5
0 = None	165	9.2	480	26.7
1 = One time	338	18.8	818	45.5
2 = Two times	202	11.2	1020	56.7
3 = Three times	176	9.8	1196	66.5
4 = Four times	105	5.8	1301	72.3
5 = Five times	89	4.9	1390	77.3
6 = 6-10 times	193	10.7	1583	88.0
7 = 11-15 times	80	4.4	1663	92.4
8 = 16-30 times	82	4.6	1745	97.0
9 = 31-50 times	27	1.5	1772	98.5
10 = 51 times or more	27	1.5	1799	100.0

D3 # of arrests 5 years before pro

D3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	293	16.3	293	16.3
-3 = Missing	2	0.1	295	16.4
-2 = Don't know	13	0.7	308	17.1
-1 = Refused	3	0.2	311	17.3
0 = None	329	18.3	640	35.6
1 = One time	374	20.8	1014	56.4
2 = Two times	211	11.7	1225	68.1
3 = Three times	150	8.3	1375	76.4
4 = Four times	99	5.5	1474	81.9
5 = Five times	78	4.3	1552	86.3
6 = 6-10 times	134	7.4	1686	93.7
7 = 11-15 times	57	3.2	1743	96.9
8 = 16-30 times	32	1.8	1775	98.7
9 = 31-50 times	13	0.7	1788	99.4
10 = 51 times or more	11	0.6	1799	100.0

D4 R support self b illegal activi

D4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	4	0.2	4	0.2
-2 = Don^t know	4	0.2	8	0.4
-1 = Refused	9	0.5	17	0.9
1 = Yes	547	30.4	564	31.4
2 = No	1235	68.6	1799	100.0

D5 R in jail or on probation more

D5	Frequency	Percent
-3 = Missing	2	0.1
-2 = Don^t know	2	0.1
-1 = Refused	11	0.6
1 = Yes	1016	56.5
2 = No	665	37.0
3 = R NEVER INCARCERATED/UNDER SUPERVISION	103	5.7

D5 R in jail or on probation more

D5	Frequency	Cumulative Percent
-3 = Missing	2	0.1
-2 = Don^t know	4	0.2
-1 = Refused	15	0.8
1 = Yes	1031	57.3
2 = No	1696	94.3
3 = R NEVER INCARCERATED/UNDER SUPERVISION	1799	100.0

D6A # of years R spent in correcto

D6A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	3	0.3	3	0.3
1 = Yes	840	82.5	843	82.8
2 = No	175	17.2	1018	100.0

Frequency Missing = 781

D6b R in prison before program

D6B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	781	43.4	781	43.4
-3 = Missing	6	0.3	787	43.7
-2 = Don't know	1	0.1	788	43.8
1 = Yes	294	16.3	1082	60.1
2 = No	717	39.9	1799	100.0

D6c R in juvenile detention before

D6C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	781	43.4	781	43.4
-3 = Missing	5	0.3	786	43.7
1 = Yes	225	12.5	1011	56.2
2 = No	788	43.8	1799	100.0

D6d R in TASC or court diversion p

D6D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	781	43.4	781	43.4
-3 = Missing	5	0.3	786	43.7
-2 = Don't know	9	0.5	795	44.2
1 = Yes	137	7.6	932	51.8
2 = No	867	48.2	1799	100.0

D6e R sentenced to probation befor

D6E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	781	43.4	781	43.4
-3 = Missing	2	0.1	783	43.5
-2 = Don't know	4	0.2	787	43.7
1 = Yes	767	42.6	1554	86.4
2 = No	245	13.6	1799	100.0

D6f R on parole before program

D6F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	781	43.4	781	43.4
-3 = Missing	5	0.3	786	43.7
-2 = Don't know	2	0.1	788	43.8
1 = Yes	219	12.2	1007	56.0
2 = No	792	44.0	1799	100.0

D6g R under other supervision

D6G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	781	43.4	781	43.4
-3 = Missing	16	0.9	797	44.3
-2 = Don't know	2	0.1	799	44.4
1 = Yes	84	4.7	883	49.1
2 = No	916	50.9	1799	100.0

D7 R in jail or on probation more

D7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	781	43.4	781	43.4
-3 = Missing	5	0.3	786	43.7
-2 = Don't know	4	0.2	790	43.9
1 = Yes	809	45.0	1599	88.9
2 = No	200	11.1	1799	100.0

D7Aa R in jail for more than one d

D7AA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	981	54.5	981	54.5
-3 = Missing	7	0.4	988	54.9
-2 = Don't know	1	0.1	989	55.0
1 = Yes	654	36.4	1643	91.3
2 = No	156	8.7	1799	100.0

D7Ba # years spent in jail

D7BA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1138	63.3	1138	63.3
-3 = Missing	10	0.6	1148	63.8
-2 = Don^t know	1	0.1	1149	63.9
1 = Less than one year	532	29.6	1681	93.4
2 = 1-2 years	99	5.5	1780	98.9
3 = 3-4 years	12	0.7	1792	99.6
4 = 5 years or more	7	0.4	1799	100.0

D7Ab R in prison at any time

D7AB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	981	54.5	981	54.5
-3 = Missing	10	0.6	991	55.1
1 = Yes	219	12.2	1210	67.3
2 = No	589	32.7	1799	100.0

D7Bb # years spent in prison

D7BB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1570	87.3	1570	87.3
-3 = Missing	10	0.6	1580	87.8
1 = Less than one year	89	4.9	1669	92.8
2 = 1-2 years	87	4.8	1756	97.6
3 = 3-4 years	31	1.7	1787	99.3
4 = 5 years or more	12	0.7	1799	100.0

D7Ac R in juvenile detention

D7AC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	981	54.5	981	54.5
-5 = Not applicable	2	0.1	983	54.6
-3 = Missing	9	0.5	992	55.1
1 = Yes	97	5.4	1089	60.5
2 = No	710	39.5	1799	100.0

D7Bc # years spent in juvenile det

D7BC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1693	94.1	1693	94.1
-3 = Missing	9	0.5	1702	94.6
-2 = Don^t know	1	0.1	1703	94.7
1 = Less than one year	78	4.3	1781	99.0
2 = 1-2 years	14	0.8	1795	99.8
3 = 3-4 years	3	0.2	1798	99.9
4 = 5 years or more	1	0.1	1799	100.0

D7Ad R in TASC or court diversion

D7AD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	981	54.5	981	54.5
-3 = Missing	9	0.5	990	55.0
-2 = Don^t know	5	0.3	995	55.3
1 = Yes	101	5.6	1096	60.9
2 = No	703	39.1	1799	100.0

D7Bd # years spent in TASC/court d

D7BD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1689	93.9	1689	93.9
-3 = Missing	9	0.5	1698	94.4
1 = Less than one year	76	4.2	1774	98.6
2 = 1-2 years	24	1.3	1798	99.9
3 = 3-4 years	1	0.1	1799	100.0

D7Ae R sentenced to probation

D7AE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	981	54.5	981	54.5
-3 = Missing	8	0.4	989	55.0
-2 = Don^t know	5	0.3	994	55.3
-1 = Refused	1	0.1	995	55.3
1 = Yes	581	32.3	1576	87.6
2 = No	223	12.4	1799	100.0

D7Be # years spent on probation

D7BE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1210	67.3	1210	67.3
-3 = Missing	15	0.8	1225	68.1
-2 = Don^t know	1	0.1	1226	68.1
1 = Less than one year	151	8.4	1377	76.5
2 = 1-2 years	265	14.7	1642	91.3
3 = 3-4 years	89	4.9	1731	96.2
4 = 5 years or more	68	3.8	1799	100.0

D7Af R on parole

D7AF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	981	54.5	981	54.5
-3 = Missing	10	0.6	991	55.1
-2 = Don^t know	1	0.1	992	55.1
1 = Yes	145	8.1	1137	63.2
2 = No	662	36.8	1799	100.0

D7Bf # years spent on probation

D7BF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1644	91.4	1644	91.4
-3 = Missing	10	0.6	1654	91.9
-2 = Don^t know	2	0.1	1656	92.1
1 = Less than one year	52	2.9	1708	94.9
2 = 1-2 years	62	3.4	1770	98.4
3 = 3-4 years	18	1.0	1788	99.4
4 = 5 years or more	11	0.6	1799	100.0

D7Ag R on any other court supervis

D7AG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	981	54.5	981	54.5
-3 = Missing	19	1.1	1000	55.6
-2 = Don^t know	1	0.1	1001	55.6
-1 = Refused	2	0.1	1003	55.8
1 = Yes	40	2.2	1043	58.0
2 = No	756	42.0	1799	100.0

D7Bg # years spent on other court

D7BG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1740	96.7	1740	96.7
-3 = Missing	20	1.1	1760	97.8
-2 = Don^t know	1	0.1	1761	97.9
1 = Less than one year	27	1.5	1788	99.4
2 = 1-2 years	11	0.6	1799	100.0

D8 R arrested while R was in progr

D8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	323	18.0	323	18.0
-3 = Missing	22	1.2	345	19.2
-2 = Don^t know	2	0.1	347	19.3
1 = Yes	80	4.4	427	23.7
2 = No	1372	76.3	1799	100.0

D9 # of times R arrested while in

D9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1697	94.3	1697	94.3
-3 = Missing	24	1.3	1721	95.7
1	59	3.3	1780	98.9
2	9	0.5	1789	99.4
3	4	0.2	1793	99.7
4	3	0.2	1796	99.8
5	1	0.1	1797	99.9
10	1	0.1	1798	99.9
11	1	0.1	1799	100.0

Possession of drugs/drug parapherna

D9A_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1697	94.3	1697	94.3
-3 = Missing	25	1.4	1722	95.7
-1 = Refused	2	0.1	1724	95.8
1 = Yes	9	0.5	1733	96.3
2 = No	66	3.7	1799	100.0

Drug sale or trafficking

D9A_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1697	94.3	1697	94.3
-3 = Missing	25	1.4	1722	95.7
-1 = Refused	2	0.1	1724	95.8
1 = Yes	4	0.2	1728	96.1
2 = No	71	3.9	1799	100.0

Driving while intoxicated (DWI)/(DU

D9A_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1697	94.3	1697	94.3
-3 = Missing	25	1.4	1722	95.7
-1 = Refused	2	0.1	1724	95.8
1 = Yes	12	0.7	1736	96.5
2 = No	63	3.5	1799	100.0

Fraud or forgery

D9A_4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1697	94.3	1697	94.3
-3 = Missing	25	1.4	1722	95.7
-1 = Refused	2	0.1	1724	95.8
1 = Yes	3	0.2	1727	96.0
2 = No	72	4.0	1799	100.0

Burglary

D9A_5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1697	94.3	1697	94.3
-3 = Missing	25	1.4	1722	95.7
-1 = Refused	2	0.1	1724	95.8
1 = Yes	5	0.3	1729	96.1
2 = No	70	3.9	1799	100.0

Other kinds of theft

D9A_6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1697	94.3	1697	94.3
-3 = Missing	25	1.4	1722	95.7
-1 = Refused	2	0.1	1724	95.8
1 = Yes	19	1.1	1743	96.9
2 = No	56	3.1	1799	100.0

Disorderly conduct, fighting or van

D9A_7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1697	94.3	1697	94.3
-3 = Missing	25	1.4	1722	95.7
-1 = Refused	2	0.1	1724	95.8
1 = Yes	7	0.4	1731	96.2
2 = No	68	3.8	1799	100.0

A violent offense

D9A_8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1697	94.3	1697	94.3
-3 = Missing	25	1.4	1722	95.7
-1 = Refused	2	0.1	1724	95.8
1 = Yes	4	0.2	1728	96.1
2 = No	71	3.9	1799	100.0

Prostitution or procurement

D9A_9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1697	94.3	1697	94.3
-3 = Missing	25	1.4	1722	95.7
-1 = Refused	2	0.1	1724	95.8
1 = Yes	3	0.2	1727	96.0
2 = No	72	4.0	1799	100.0

Violation of parole/probation

D9A_10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1697	94.3	1697	94.3
-3 = Missing	25	1.4	1722	95.7
-1 = Refused	2	0.1	1724	95.8
1 = Yes	20	1.1	1744	96.9
2 = No	55	3.1	1799	100.0

OTHER DRUG OFFENSES

D9A_11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1697	94.3	1697	94.3
-3 = Missing	25	1.4	1722	95.7
-1 = Refused	2	0.1	1724	95.8
2 = No	75	4.2	1799	100.0

OTHER PUBLIC ORDER OFFENSE

D9A_12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1697	94.3	1697	94.3
-3 = Missing	25	1.4	1722	95.7
-1 = Refused	2	0.1	1724	95.8
1 = Yes	1	0.1	1725	95.9
2 = No	74	4.1	1799	100.0

OTHER PROPERTY OFFENSE

D9A_13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1697	94.3	1697	94.3
-3 = Missing	25	1.4	1722	95.7
-1 = Refused	2	0.1	1724	95.8
1 = Yes	5	0.3	1729	96.1
2 = No	70	3.9	1799	100.0

OTHER VIOLENT OFFENSE

D9A_14	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1697	94.3	1697	94.3
-3 = Missing	25	1.4	1722	95.7
-1 = Refused	2	0.1	1724	95.8
1 = Yes	1	0.1	1725	95.9
2 = No	74	4.1	1799	100.0

CANNOT CODE CHARGE

D9A_15	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1697	94.3	1697	94.3
-3 = Missing	25	1.4	1722	95.7
-1 = Refused	2	0.1	1724	95.8
1 = Yes	7	0.4	1731	96.2
2 = No	68	3.8	1799	100.0

D10 R's illegal activities while in

D10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	39	2.2	39	2.2
-5 = Not applicable	1	0.1	40	2.2
-3 = Missing	32	1.8	72	4.0
-2 = Don't know	2	0.1	74	4.1
-1 = Refused	8	0.4	82	4.6
1 = Yes	126	7.0	208	11.6
2 = No	1591	88.4	1799	100.0

D10A Involvement in illegal activi

D10A	Frequency	Percent
-6 = Legitimate skip	1630	90.6
-3 = Missing	15	0.8
-2 = Don't know	1	0.1
-1 = Refused	7	0.4
1 = More	10	0.6
2 = Less	68	3.8
3 = About the same	54	3.0
4 = NEVER DID ILLEGAL ACTIVITY BEFORE PROGRAM	14	0.8

D10A Involvement in illegal activi

	D10A	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1630	90.6
-3 = Missing		1645	91.4
-2 = Don^t know		1646	91.5
-1 = Refused		1653	91.9
1 = More		1663	92.4
2 = Less		1731	96.2
3 = About the same		1785	99.2
4 = NEVER DID ILLEGAL ACTIVITY BEFORE PROGRAM		1799	100.0

D11 R in jail or on probation whil

	D11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		39	2.2	39	2.2
-3 = Missing		14	0.8	53	2.9
-2 = Don^t know		4	0.2	57	3.2
-1 = Refused		5	0.3	62	3.4
1 = Yes		300	16.7	362	20.1
2 = No		1437	79.9	1799	100.0

D12a R in jail for more than one d

	D12A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1476	82.0	1476	82.0
-3 = Missing		16	0.9	1492	82.9
-1 = Refused		4	0.2	1496	83.2
1 = Yes		61	3.4	1557	86.5
2 = No		242	13.5	1799	100.0

D13a Number

D13A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1722	95.7	1722	95.7
-3 = Missing	17	0.9	1739	96.7
1	11	0.6	1750	97.3
2	9	0.5	1759	97.8
3	5	0.3	1764	98.1
4	3	0.2	1767	98.2
5	1	0.1	1768	98.3
6	10	0.6	1778	98.8
7	4	0.2	1782	99.1
8	1	0.1	1783	99.1
10	1	0.1	1784	99.2
14	2	0.1	1786	99.3
18	1	0.1	1787	99.3
22	2	0.1	1789	99.4
24	1	0.1	1790	99.5
25	1	0.1	1791	99.6
27	1	0.1	1792	99.6
28	1	0.1	1793	99.7
30	5	0.3	1798	99.9
50	1	0.1	1799	100.0

D13anum Unit of time

D13ANUM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1722	95.7	1722	95.7
-3 = Missing	16	0.9	1738	96.6
1 = Days	28	1.6	1766	98.2
2 = Weeks	14	0.8	1780	98.9
3 = Months	18	1.0	1798	99.9
4 = Years	1	0.1	1799	100.0

D12b R in prison at any time

D12B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1476	82.0	1476	82.0
-3 = Missing	16	0.9	1492	82.9
-1 = Refused	4	0.2	1496	83.2
1 = Yes	10	0.6	1506	83.7
2 = No	293	16.3	1799	100.0

D13b Number

D13B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1773	98.6	1773	98.6
-3 = Missing	16	0.9	1789	99.4
1	1	0.1	1790	99.5
2	2	0.1	1792	99.6
3	1	0.1	1793	99.7
4	2	0.1	1795	99.8
5	2	0.1	1797	99.9
7	1	0.1	1798	99.9
12	1	0.1	1799	100.0

D13bnum Unit of time

D13BNUM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1773	98.6	1773	98.6
-3 = Missing	16	0.9	1789	99.4
2 = Weeks	1	0.1	1790	99.5
3 = Months	6	0.3	1796	99.8
4 = Years	3	0.2	1799	100.0

D12c R in juvenile detention

D12C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1476	82.0	1476	82.0
-3 = Missing	16	0.9	1492	82.9
-1 = Refused	4	0.2	1496	83.2
1 = Yes	8	0.4	1504	83.6
2 = No	295	16.4	1799	100.0

D13c Number

D13C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1775	98.7	1775	98.7
-3 = Missing	16	0.9	1791	99.6
1	1	0.1	1792	99.6
2	1	0.1	1793	99.7
3	2	0.1	1795	99.8
4	1	0.1	1796	99.8
6	2	0.1	1798	99.9
10	1	0.1	1799	100.0

D13cnum Unit of time

D13CNUM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1775	98.7	1775	98.7
-3 = Missing	16	0.9	1791	99.6
1 = Days	3	0.2	1794	99.7
3 = Months	4	0.2	1798	99.9
4 = Years	1	0.1	1799	100.0

D12d R in TASC/court diversion pro

D12D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1476	82.0	1476	82.0
-3 = Missing	16	0.9	1492	82.9
-1 = Refused	4	0.2	1496	83.2
1 = Yes	21	1.2	1517	84.3
2 = No	282	15.7	1799	100.0

D13d Number

D13D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1762	97.9	1762	97.9
-3 = Missing	16	0.9	1778	98.8
1	3	0.2	1781	99.0
2	1	0.1	1782	99.1
3	2	0.1	1784	99.2
4	3	0.2	1787	99.3
5	1	0.1	1788	99.4
6	4	0.2	1792	99.6
9	2	0.1	1794	99.7
12	2	0.1	1796	99.8
18	1	0.1	1797	99.9
28	1	0.1	1798	99.9
30	1	0.1	1799	100.0

D13dnum Unit of time

D13DNUM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1762	97.9	1762	97.9
-3 = Missing	16	0.9	1778	98.8
1 = Days	6	0.3	1784	99.2
2 = Weeks	4	0.2	1788	99.4
3 = Months	10	0.6	1798	99.9
4 = Years	1	0.1	1799	100.0

D12e R sentenced to probation

D12E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1476	82.0	1476	82.0
-3 = Missing	15	0.8	1491	82.9
-1 = Refused	5	0.3	1496	83.2
1 = Yes	230	12.8	1726	95.9
2 = No	73	4.1	1799	100.0

D13e Number

D13E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1554	86.4	1554	86.4
-3 = Missing	21	1.2	1575	87.5
-1 = Refused	1	0.1	1576	87.6
1	39	2.2	1615	89.8
2	30	1.7	1645	91.4
3	42	2.3	1687	93.8
4	17	0.9	1704	94.7
5	16	0.9	1720	95.6
6	30	1.7	1750	97.3
7	6	0.3	1756	97.6
8	3	0.2	1759	97.8
9	5	0.3	1764	98.1
10	4	0.2	1768	98.3
11	1	0.1	1769	98.3
12	7	0.4	1776	98.7
13	3	0.2	1779	98.9
14	4	0.2	1783	99.1
17	2	0.1	1785	99.2
18	3	0.2	1788	99.4
23	1	0.1	1789	99.4
24	1	0.1	1790	99.5
28	1	0.1	1791	99.6
30	6	0.3	1797	99.9
42	2	0.1	1799	100.0

D13enum Unit of time

D13ENUM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1554	86.4	1554	86.4
-3 = Missing	22	1.2	1576	87.6
-1 = Refused	1	0.1	1577	87.7
1 = Days	26	1.4	1603	89.1
2 = Weeks	22	1.2	1625	90.3
3 = Months	118	6.6	1743	96.9
4 = Years	56	3.1	1799	100.0

D12f R on parole

D12F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1476	82.0	1476	82.0
-3 = Missing	18	1.0	1494	83.0
-1 = Refused	4	0.2	1498	83.3
1 = Yes	42	2.3	1540	85.6
2 = No	259	14.4	1799	100.0

D13f Number

D13F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1739	96.7	1739	96.7
-3 = Missing	17	0.9	1756	97.6
1	4	0.2	1760	97.8
2	5	0.3	1765	98.1
3	7	0.4	1772	98.5
4	4	0.2	1776	98.7
5	4	0.2	1780	98.9
6	7	0.4	1787	99.3
7	2	0.1	1789	99.4
9	1	0.1	1790	99.5
10	1	0.1	1791	99.6
12	1	0.1	1792	99.6
18	3	0.2	1795	99.8
24	1	0.1	1796	99.8
29	1	0.1	1797	99.9
30	2	0.1	1799	100.0

D13fnum Unit of time

D13FNUM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1739	96.7	1739	96.7
-3 = Missing	17	0.9	1756	97.6
1 = Days	10	0.6	1766	98.2
2 = Weeks	6	0.3	1772	98.5
3 = Months	22	1.2	1794	99.7
4 = Years	5	0.3	1799	100.0

D12g R on other supervision

D12G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1476	82.0	1476	82.0
-3 = Missing	22	1.2	1498	83.3
-2 = Don't know	1	0.1	1499	83.3
-1 = Refused	4	0.2	1503	83.5
1 = Yes	14	0.8	1517	84.3
2 = No	282	15.7	1799	100.0

D13g Number

D13G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1763	98.0	1763	98.0
-3 = Missing	24	1.3	1787	99.3
1	4	0.2	1791	99.6
2	2	0.1	1793	99.7
4	1	0.1	1794	99.7
7	1	0.1	1795	99.8
8	1	0.1	1796	99.8
10	1	0.1	1797	99.9
23	1	0.1	1798	99.9
30	1	0.1	1799	100.0

D13gnum Unit of time

D13GNUM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1763	98.0	1763	98.0
-3 = Missing	24	1.3	1787	99.3
1 = Days	4	0.2	1791	99.6
2 = Weeks	2	0.1	1793	99.7
3 = Months	6	0.3	1799	100.0

D14 R arrested after leaving progr

D14	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	293	16.3	293	16.3
-5 = Not applicable	1	0.1	294	16.3
-3 = Missing	30	1.7	324	18.0
-2 = Don^t know	4	0.2	328	18.2
-1 = Refused	3	0.2	331	18.4
0 = NEVER	512	28.5	843	46.9
1 = One time	343	19.1	1186	65.9
2 = Two time	200	11.1	1386	77.0
3 = Three times	140	7.8	1526	84.8
4 = Four times	81	4.5	1607	89.3
5 = Five times	49	2.7	1656	92.1
6 = 6-10 times	87	4.8	1743	96.9
7 = 11-15 times	28	1.6	1771	98.4
8 = 16-30 times	17	0.9	1788	99.4
9 = 31-50 times	3	0.2	1791	99.6
10 = 51 times or more	8	0.4	1799	100.0

D14A # of times R was arrested

D14A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	788	43.8	788	43.8
-3 = Missing	20	1.1	808	44.9
-2 = Don^t know	3	0.2	811	45.1
-1 = Refused	1	0.1	812	45.1
0	558	31.0	1370	76.2
1	266	14.8	1636	90.9
2	94	5.2	1730	96.2
3	29	1.6	1759	97.8
4	15	0.8	1774	98.6
5	10	0.6	1784	99.2
6	3	0.2	1787	99.3
7	2	0.1	1789	99.4
10	2	0.1	1791	99.6
11	2	0.1	1793	99.7
12	1	0.1	1794	99.7
15	1	0.1	1795	99.8
20	3	0.2	1798	99.9
30	1	0.1	1799	100.0

D15 R do illegal activities since

D15	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	6	0.3	6	0.3
-2 = Don't know	3	0.2	9	0.5
-1 = Refused	8	0.4	17	0.9
1 = Yes	342	19.0	359	20.0
2 = No	1440	80.0	1799	100.0

D15A R do illegal activities in la

D15A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1451	80.7	1451	80.7
-3 = Missing	7	0.4	1458	81.0
-1 = Refused	1	0.1	1459	81.1
1 = Yes	166	9.2	1625	90.3
2 = No	174	9.7	1799	100.0

D15B Months R supported w/illegal

D15B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1626	90.4	1626	90.4
-3 = Missing	7	0.4	1633	90.8
1 = Less than one month	14	0.8	1647	91.6
2 = One month	10	0.6	1657	92.1
3 = 2-3 months	27	1.5	1684	93.6
4 = 4-5 months	33	1.8	1717	95.4
5 = 6-8 months	30	1.7	1747	97.1
6 = 9-11 months	11	0.6	1758	97.7
7 = Twelve months/entire year	41	2.3	1799	100.0

D16a R in jail for more than one d

D16A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	104	5.8	104	5.8
-5 = Not applicable	1	0.1	105	5.8
-3 = Missing	263	14.6	368	20.5
-2 = Don't know	1	0.1	369	20.5
-1 = Refused	4	0.2	373	20.7
1 = Yes	678	37.7	1051	58.4
2 = No	748	41.6	1799	100.0

D17a # years spent in jail

D17A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	858	47.7	858	47.7
-3 = Missing	264	14.7	1122	62.4
-2 = Don't know	3	0.2	1125	62.5
1 = Less than one year	553	30.7	1678	93.3
2 = 1-2 years	95	5.3	1773	98.6
3 = 3-4 years	25	1.4	1798	99.9
4 = 5 years or more	1	0.1	1799	100.0

D16b R in prison at any time

D16B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	104	5.8	104	5.8
-5 = Not applicable	1	0.1	105	5.8
-3 = Missing	266	14.8	371	20.6
-2 = Don't know	1	0.1	372	20.7
-1 = Refused	4	0.2	376	20.9
1 = Yes	309	17.2	685	38.1
2 = No	1114	61.9	1799	100.0

D17b # years spent in prison

D17B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1224	68.0	1224	68.0
-3 = Missing	267	14.8	1491	82.9
1 = Less than one year	103	5.7	1594	88.6
2 = 1-2 years	122	6.8	1716	95.4
3 = 3-4 years	68	3.8	1784	99.2
4 = 5 years or more	15	0.8	1799	100.0

D16c R in juvenile detention

D16C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	104	5.8	104	5.8
-5 = Not applicable	2	0.1	106	5.9
-3 = Missing	265	14.7	371	20.6
-2 = Don't know	1	0.1	372	20.7
-1 = Refused	5	0.3	377	21.0
1 = Yes	20	1.1	397	22.1
2 = No	1402	77.9	1799	100.0

D17c # years spent in juvenile det

D17C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1514	84.2	1514	84.2
-3 = Missing	265	14.7	1779	98.9
1 = Less than one year	17	0.9	1796	99.8
2 = 1-2 years	2	0.1	1798	99.9
3 = 3-4 years	1	0.1	1799	100.0

D16d R in TASC or court diversion

D16D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	104	5.8	104	5.8
-5 = Not applicable	1	0.1	105	5.8
-3 = Missing	266	14.8	371	20.6
-2 = Don't know	5	0.3	376	20.9
-1 = Refused	6	0.3	382	21.2
1 = Yes	81	4.5	463	25.7
2 = No	1336	74.3	1799	100.0

D17d # years spent in TASC/court d

D17D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1452	80.7	1452	80.7
-3 = Missing	266	14.8	1718	95.5
1 = Less than one year	60	3.3	1778	98.8
2 = 1-2 years	17	0.9	1795	99.8
3 = 3-4 years	3	0.2	1798	99.9
4 = 5 years or more	1	0.1	1799	100.0

D16e R sentenced to probation

D16E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	104	5.8	104	5.8
-5 = Not applicable	1	0.1	105	5.8
-3 = Missing	267	14.8	372	20.7
-2 = Don't know	7	0.4	379	21.1
-1 = Refused	5	0.3	384	21.3
1 = Yes	530	29.5	914	50.8
2 = No	885	49.2	1799	100.0

D17e # years spent on probation

D17E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1002	55.7	1002	55.7
-3 = Missing	271	15.1	1273	70.8
-2 = Don^t know	4	0.2	1277	71.0
1 = Less than one year	108	6.0	1385	77.0
2 = 1-2 years	252	14.0	1637	91.0
3 = 3-4 years	93	5.2	1730	96.2
4 = 5 years or more	69	3.8	1799	100.0

D16f R on parole

D16F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	104	5.8	104	5.8
-5 = Not applicable	1	0.1	105	5.8
-3 = Missing	267	14.8	372	20.7
-2 = Don^t know	1	0.1	373	20.7
-1 = Refused	5	0.3	378	21.0
1 = Yes	196	10.9	574	31.9
2 = No	1225	68.1	1799	100.0

D17f # years spent on probation

D17F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1336	74.3	1336	74.3
-3 = Missing	268	14.9	1604	89.2
-2 = Don^t know	1	0.1	1605	89.2
1 = Less than one year	71	3.9	1676	93.2
2 = 1-2 years	66	3.7	1742	96.8
3 = 3-4 years	31	1.7	1773	98.6
4 = 5 years or more	26	1.4	1799	100.0

D16g R on any other court supervis

D16G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	104	5.8	104	5.8
-5 = Not applicable	2	0.1	106	5.9
-3 = Missing	277	15.4	383	21.3
-2 = Don^t know	2	0.1	385	21.4
-1 = Refused	5	0.3	390	21.7
1 = Yes	59	3.3	449	25.0
2 = No	1350	75.0	1799	100.0

D17g # years spent on other court

D17G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1463	81.3	1463	81.3
-3 = Missing	277	15.4	1740	96.7
1 = Less than one year	43	2.4	1783	99.1
2 = 1-2 years	14	0.8	1797	99.9
4 = 5 years or more	2	0.1	1799	100.0

D18 More than one status coded

D18	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	104	5.8	104	5.8
-3 = Missing	132	7.3	236	13.1
-1 = Refused	2	0.1	238	13.2
1 = Yes	583	32.4	821	45.6
2 = No	978	54.4	1799	100.0

D19 Years spent in all categories

D19	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1082	60.1	1082	60.1
-3 = Missing	146	8.1	1228	68.3
-2 = Don't know	3	0.2	1231	68.4
-1 = Refused	2	0.1	1233	68.5
1 = Less than one year	112	6.2	1345	74.8
2 = 1-2 years	170	9.4	1515	84.2
3 = 3-4 years	159	8.8	1674	93.1
4 = 5 years or more	125	6.9	1799	100.0

D20 R ever stolen a motor vehicle

D20	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.1	2	0.1
-1 = Refused	4	0.2	6	0.3
1 = Yes	312	17.3	318	17.7
2 = No	1481	82.3	1799	100.0

D20A R steal vehicle 5 years befor

D20A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1481	82.3	1481	82.3
-3 = Missing	5	0.3	1486	82.6
-1 = Refused	4	0.2	1490	82.8
1 = Yes	155	8.6	1645	91.4
2 = No	154	8.6	1799	100.0

D20B R arrested for stealing vehic

D20B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1635	90.9	1635	90.9
-3 = Missing	5	0.3	1640	91.2
-1 = Refused	4	0.2	1644	91.4
1 = Yes	78	4.3	1722	95.7
2 = No	77	4.3	1799	100.0

D20C R ever steal vehicle while in

D20C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1481	82.3	1481	82.3
-3 = Missing	5	0.3	1486	82.6
-1 = Refused	4	0.2	1490	82.8
1 = Yes	8	0.4	1498	83.3
2 = No	301	16.7	1799	100.0

D20D R arrested for stealing vehic

D20D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1782	99.1	1782	99.1
-3 = Missing	5	0.3	1787	99.3
-1 = Refused	4	0.2	1791	99.6
1 = Yes	2	0.1	1793	99.7
2 = No	6	0.3	1799	100.0

D20E R steal vehicle after leaving

D20E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1481	82.3	1481	82.3
-3 = Missing	6	0.3	1487	82.7
-1 = Refused	4	0.2	1491	82.9
1 = Yes	78	4.3	1569	87.2
2 = No	230	12.8	1799	100.0

D20F R arrested for vehicle theft

D20F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1711	95.1	1711	95.1
-3 = Missing	5	0.3	1716	95.4
-1 = Refused	6	0.3	1722	95.7
1 = Yes	32	1.8	1754	97.5
2 = No	45	2.5	1799	100.0

D21 R ever driven while intoxicated

D21	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	1	0.1	1	0.1
-1 = Refused	4	0.2	5	0.3
1 = Yes	1295	72.0	1300	72.3
2 = No	499	27.7	1799	100.0

D21A R drive while intoxicated bef

D21A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	499	27.7	499	27.7
-3 = Missing	1	0.1	500	27.8
-1 = Refused	4	0.2	504	28.0
1 = Yes	1076	59.8	1580	87.8
2 = No	219	12.2	1799	100.0

D21B R arrested for DWI before pro

D21B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	718	39.9	718	39.9
-3 = Missing	1	0.1	719	40.0
-2 = Don't know	2	0.1	721	40.1
-1 = Refused	4	0.2	725	40.3
1 = Yes	454	25.2	1179	65.5
2 = No	620	34.5	1799	100.0

D21C R drive intoxicated while in

D21C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	499	27.7	499	27.7
-3 = Missing	9	0.5	508	28.2
-1 = Refused	4	0.2	512	28.5
1 = Yes	114	6.3	626	34.8
2 = No	1173	65.2	1799	100.0

D21D R arrested for DUI while in p

D21D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1672	92.9	1672	92.9
-3 = Missing	9	0.5	1681	93.4
-1 = Refused	4	0.2	1685	93.7
1 = Yes	17	0.9	1702	94.6
2 = No	97	5.4	1799	100.0

D21E R driven intoxicated since le

D21E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	499	27.7	499	27.7
-3 = Missing	8	0.4	507	28.2
-1 = Refused	5	0.3	512	28.5
1 = Yes	775	43.1	1287	71.5
2 = No	512	28.5	1799	100.0

D21F R arrested for DUI since leav

D21F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1011	56.2	1011	56.2
-3 = Missing	8	0.4	1019	56.6
-1 = Refused	4	0.2	1023	56.9
1 = Yes	257	14.3	1280	71.2
2 = No	519	28.8	1799	100.0

D22 R ever driven while under the

D22	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	1	0.1	1	0.1
-1 = Refused	4	0.2	5	0.3
1 = Yes	1138	63.3	1143	63.5
2 = No	656	36.5	1799	100.0

D22A R DUI 5 years before program

D22A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	656	36.5	656	36.5
-3 = Missing	1	0.1	657	36.5
-2 = Don't know	1	0.1	658	36.6
-1 = Refused	4	0.2	662	36.8
1 = Yes	957	53.2	1619	90.0
2 = No	180	10.0	1799	100.0

D22B R arrested for DUI 5 years be

D22B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	836	46.5	836	46.5
-3 = Missing	2	0.1	838	46.6
-2 = Don't know	1	0.1	839	46.6
-1 = Refused	4	0.2	843	46.9
1 = Yes	266	14.8	1109	61.6
2 = No	690	38.4	1799	100.0

D22C R ever DUI while attending pr

D22C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	656	36.5	656	36.5
-3 = Missing	9	0.5	665	37.0
-1 = Refused	4	0.2	669	37.2
1 = Yes	126	7.0	795	44.2
2 = No	1004	55.8	1799	100.0

D22D R arrested for DUI while in p

D22D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1660	92.3	1660	92.3
-3 = Missing	8	0.4	1668	92.7
-1 = Refused	4	0.2	1672	92.9
1 = Yes	14	0.8	1686	93.7
2 = No	113	6.3	1799	100.0

D22E R ever DUI after program

D22E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	656	36.5	656	36.5
-3 = Missing	10	0.6	666	37.0
-1 = Refused	4	0.2	670	37.2
1 = Yes	732	40.7	1402	77.9
2 = No	397	22.1	1799	100.0

D22F R arrested for DUI since end

D22F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1053	58.5	1053	58.5
-3 = Missing	10	0.6	1063	59.1
-1 = Refused	4	0.2	1067	59.3
1 = Yes	196	10.9	1263	70.2
2 = No	536	29.8	1799	100.0

D23 R commit public order offenses

D23	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-1 = Refused	6	0.3	6	0.3
1 = Yes	716	39.8	722	40.1
2 = No	1077	59.9	1799	100.0

D23A Commit offense before program

D23A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1077	59.9	1077	59.9
-3 = Missing	1	0.1	1078	59.9
-2 = Don't know	1	0.1	1079	60.0
-1 = Refused	5	0.3	1084	60.3
1 = Yes	503	28.0	1587	88.2
2 = No	212	11.8	1799	100.0

D23B Arrested for offense before

D23B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1289	71.7	1289	71.7
-3 = Missing	2	0.1	1291	71.8
-1 = Refused	5	0.3	1296	72.0
1 = Yes	320	17.8	1616	89.8
2 = No	183	10.2	1799	100.0

D23C Commit offense attending prog

D23C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1077	59.9	1077	59.9
-3 = Missing	9	0.5	1086	60.4
-1 = Refused	5	0.3	1091	60.6
1 = Yes	56	3.1	1147	63.8
2 = No	652	36.2	1799	100.0

D23D Arrested for offense in progr

D23D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1729	96.1	1729	96.1
-3 = Missing	10	0.6	1739	96.7
-1 = Refused	5	0.3	1744	96.9
1 = Yes	20	1.1	1764	98.1
2 = No	35	1.9	1799	100.0

D23E Commit offense after program

D23E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1077	59.9	1077	59.9
-3 = Missing	9	0.5	1086	60.4
-1 = Refused	5	0.3	1091	60.6
1 = Yes	342	19.0	1433	79.7
2 = No	366	20.3	1799	100.0

D23F Arrested for offense after pr

D23F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1443	80.2	1443	80.2
-3 = Missing	9	0.5	1452	80.7
-1 = Refused	5	0.3	1457	81.0
1 = Yes	237	13.2	1694	94.2
2 = No	105	5.8	1799	100.0

D24 R ever sell or help sell drugs

D24	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	1	0.1	1	0.1
-1 = Refused	11	0.6	12	0.7
1 = Yes	859	47.7	871	48.4
2 = No	928	51.6	1799	100.0

D24A Sell drugs before program

D24A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	928	51.6	928	51.6
-3 = Missing	3	0.2	931	51.8
-1 = Refused	10	0.6	941	52.3
1 = Yes	661	36.7	1602	89.0
2 = No	197	11.0	1799	100.0

D24B Arrested for selling before p

D24B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1125	62.5	1125	62.5
-3 = Missing	4	0.2	1129	62.8
-1 = Refused	9	0.5	1138	63.3
1 = Yes	184	10.2	1322	73.5
2 = No	477	26.5	1799	100.0

D24C Sell drugs while in program

D24C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	928	51.6	928	51.6
-3 = Missing	3	0.2	931	51.8
-1 = Refused	10	0.6	941	52.3
1 = Yes	95	5.3	1036	57.6
2 = No	763	42.4	1799	100.0

D24D Arrested for selling in progr

D24D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1691	94.0	1691	94.0
-3 = Missing	3	0.2	1694	94.2
-1 = Refused	9	0.5	1703	94.7
1 = Yes	19	1.1	1722	95.7
2 = No	77	4.3	1799	100.0

D24E Sell drugs after program

D24E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	928	51.6	928	51.6
-3 = Missing	2	0.1	930	51.7
-1 = Refused	10	0.6	940	52.3
1 = Yes	446	24.8	1386	77.0
2 = No	413	23.0	1799	100.0

D24F Arrested for selling after pr

D24F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1341	74.5	1341	74.5
-3 = Missing	3	0.2	1344	74.7
-1 = Refused	9	0.5	1353	75.2
1 = Yes	141	7.8	1494	83.0
2 = No	305	17.0	1799	100.0

D25 Involved in prostitution/procu

D25	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	1	0.1	1	0.1
-1 = Refused	8	0.4	9	0.5
1 = Yes	327	18.2	336	18.7
2 = No	1463	81.3	1799	100.0

D25A Prostitution/procurement befo

D25A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1463	81.3	1463	81.3
-3 = Missing	2	0.1	1465	81.4
-1 = Refused	7	0.4	1472	81.8
1 = Yes	238	13.2	1710	95.1
2 = No	89	4.9	1799	100.0

D25B Arrested before program

D25B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1552	86.3	1552	86.3
-3 = Missing	6	0.3	1558	86.6
-1 = Refused	7	0.4	1565	87.0
1 = Yes	33	1.8	1598	88.8
2 = No	201	11.2	1799	100.0

D25C Prostitution/procurement in p

D25C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1463	81.3	1463	81.3
-3 = Missing	4	0.2	1467	81.5
-1 = Refused	7	0.4	1474	81.9
1 = Yes	44	2.4	1518	84.4
2 = No	281	15.6	1799	100.0

D25D Arrested while in program

D25D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1744	96.9	1744	96.9
-3 = Missing	3	0.2	1747	97.1
-1 = Refused	7	0.4	1754	97.5
1 = Yes	3	0.2	1757	97.7
2 = No	42	2.3	1799	100.0

D25E Prostitution/procurement afte

D25E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1463	81.3	1463	81.3
-3 = Missing	2	0.1	1465	81.4
-1 = Refused	7	0.4	1472	81.8
1 = Yes	175	9.7	1647	91.6
2 = No	152	8.4	1799	100.0

D25F Arrested after program

D25F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1615	89.8	1615	89.8
-3 = Missing	2	0.1	1617	89.9
-1 = Refused	7	0.4	1624	90.3
1 = Yes	27	1.5	1651	91.8
2 = No	148	8.2	1799	100.0

D26 R take part in fraud or forger

D26	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.1	2	0.1
-1 = Refused	5	0.3	7	0.4
1 = Yes	437	24.3	444	24.7
2 = No	1355	75.3	1799	100.0

D26A Fraud or forgery before progr

D26A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1355	75.3	1355	75.3
-3 = Missing	2	0.1	1357	75.4
-1 = Refused	5	0.3	1362	75.7
1 = Yes	268	14.9	1630	90.6
2 = No	169	9.4	1799	100.0

D26B Arrested for fraud/forgery be

D26B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1524	84.7	1524	84.7
-3 = Missing	3	0.2	1527	84.9
-1 = Refused	5	0.3	1532	85.2
1 = Yes	99	5.5	1631	90.7
2 = No	168	9.3	1799	100.0

D26C Fraud or forgery while in pro

D26C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1355	75.3	1355	75.3
-3 = Missing	3	0.2	1358	75.5
-1 = Refused	5	0.3	1363	75.8
1 = Yes	23	1.3	1386	77.0
2 = No	413	23.0	1799	100.0

D26D Arrested while in program

D26D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1768	98.3	1768	98.3
-3 = Missing	4	0.2	1772	98.5
-1 = Refused	5	0.3	1777	98.8
1 = Yes	5	0.3	1782	99.1
2 = No	17	0.9	1799	100.0

D26E Fraud or forgery after progra

D26E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1355	75.3	1355	75.3
-3 = Missing	2	0.1	1357	75.4
-1 = Refused	5	0.3	1362	75.7
1 = Yes	188	10.5	1550	86.2
2 = No	249	13.8	1799	100.0

D26F Arrested after program

D26F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1604	89.2	1604	89.2
-3 = Missing	2	0.1	1606	89.3
-1 = Refused	5	0.3	1611	89.5
1 = Yes	56	3.1	1667	92.7
2 = No	132	7.3	1799	100.0

D27 R involved in shoplifting or l

D27	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.1	2	0.1
-1 = Refused	5	0.3	7	0.4
1 = Yes	763	42.4	770	42.8
2 = No	1029	57.2	1799	100.0

D27A Larceny before program

D27A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1029	57.2	1029	57.2
-3 = Missing	2	0.1	1031	57.3
-2 = Don't know	1	0.1	1032	57.4
-1 = Refused	5	0.3	1037	57.6
1 = Yes	517	28.7	1554	86.4
2 = No	245	13.6	1799	100.0

D27B Arrested for larceny before p

D27B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1274	70.8	1274	70.8
-3 = Missing	3	0.2	1277	71.0
-1 = Refused	5	0.3	1282	71.3
1 = Yes	247	13.7	1529	85.0
2 = No	270	15.0	1799	100.0

D27C Larceny while in program

D27C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1029	57.2	1029	57.2
-3 = Missing	6	0.3	1035	57.5
-1 = Refused	5	0.3	1040	57.8
1 = Yes	77	4.3	1117	62.1
2 = No	682	37.9	1799	100.0

D27D Arrest for larceny in program

D27D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1711	95.1	1711	95.1
-3 = Missing	4	0.2	1715	95.3
-1 = Refused	5	0.3	1720	95.6
1 = Yes	25	1.4	1745	97.0
2 = No	54	3.0	1799	100.0

D27E Larceny after program

D27E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1029	57.2	1029	57.2
-3 = Missing	6	0.3	1035	57.5
-1 = Refused	6	0.3	1041	57.9
1 = Yes	331	18.4	1372	76.3
2 = No	427	23.7	1799	100.0

D27F Arrest for larceny after prog

D27F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1456	80.9	1456	80.9
-3 = Missing	4	0.2	1460	81.2
-1 = Refused	6	0.3	1466	81.5
1 = Yes	188	10.5	1654	91.9
2 = No	145	8.1	1799	100.0

D28 R ever commit breaking and ent

D28	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	1	0.1	1	0.1
-1 = Refused	6	0.3	7	0.4
1 = Yes	419	23.3	426	23.7
2 = No	1373	76.3	1799	100.0

D28A Breaking and entering before

D28A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1373	76.3	1373	76.3
-2 = Don't know	1	0.1	1374	76.4
-1 = Refused	6	0.3	1380	76.7
1 = Yes	259	14.4	1639	91.1
2 = No	160	8.9	1799	100.0

D28B Arrest for B & E before progr

D28B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1533	85.2	1533	85.2
-3 = Missing	1	0.1	1534	85.3
-2 = Don't know	1	0.1	1535	85.3
-1 = Refused	6	0.3	1541	85.7
1 = Yes	123	6.8	1664	92.5
2 = No	135	7.5	1799	100.0

D28C Breaking and entering in prog

D28C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1373	76.3	1373	76.3
-3 = Missing	3	0.2	1376	76.5
-1 = Refused	6	0.3	1382	76.8
1 = Yes	19	1.1	1401	77.9
2 = No	398	22.1	1799	100.0

D28D Arrest for B & E while in pro

D28D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1771	98.4	1771	98.4
-3 = Missing	2	0.1	1773	98.6
-1 = Refused	6	0.3	1779	98.9
1 = Yes	7	0.4	1786	99.3
2 = No	13	0.7	1799	100.0

D28E Breaking and entering after p

D28E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1373	76.3	1373	76.3
-1 = Refused	6	0.3	1379	76.7
1 = Yes	156	8.7	1535	85.3
2 = No	264	14.7	1799	100.0

D28F Arrest for B & E after progra

D28F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1637	91.0	1637	91.0
-1 = Refused	6	0.3	1643	91.3
1 = Yes	87	4.8	1730	96.2
2 = No	69	3.8	1799	100.0

D29 R ever do strongarm/armed robb

D29	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-1 = Refused	5	0.3	5	0.3
1 = Yes	134	7.4	139	7.7
2 = No	1660	92.3	1799	100.0

D29A Strongarm/armed robbery befor

D29A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1660	92.3	1660	92.3
-1 = Refused	5	0.3	1665	92.6
1 = Yes	65	3.6	1730	96.2
2 = No	69	3.8	1799	100.0

D29B Arrest before program

D29B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1729	96.1	1729	96.1
-1 = Refused	5	0.3	1734	96.4
1 = Yes	29	1.6	1763	98.0
2 = No	36	2.0	1799	100.0

D29C Strongarm/armed robbery in pr

D29C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1660	92.3	1660	92.3
-3 = Missing	1	0.1	1661	92.3
-1 = Refused	5	0.3	1666	92.6
1 = Yes	6	0.3	1672	92.9
2 = No	127	7.1	1799	100.0

D29D Arrest for robbery in program

D29D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1787	99.3	1787	99.3
-3 = Missing	1	0.1	1788	99.4
-1 = Refused	5	0.3	1793	99.7
1 = Yes	1	0.1	1794	99.7
2 = No	5	0.3	1799	100.0

D29E Strongarm/armed robbery after

D29E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1660	92.3	1660	92.3
-3 = Missing	1	0.1	1661	92.3
-1 = Refused	5	0.3	1666	92.6
1 = Yes	55	3.1	1721	95.7
2 = No	78	4.3	1799	100.0

D29F Arrrest for robbery after pro

D29F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1738	96.6	1738	96.6
-3 = Missing	1	0.1	1739	96.7
-1 = Refused	5	0.3	1744	96.9
1 = Yes	24	1.3	1768	98.3
2 = No	31	1.7	1799	100.0

D30 R ever commit arson

D30	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-1 = Refused	5	0.3	5	0.3
1 = Yes	68	3.8	73	4.1
2 = No	1726	95.9	1799	100.0

D30A Commit arson before program

D30A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1726	95.9	1726	95.9
-1 = Refused	5	0.3	1731	96.2
1 = Yes	29	1.6	1760	97.8
2 = No	39	2.2	1799	100.0

D30B Arrested for arson before pro

D30B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1765	98.1	1765	98.1
-1 = Refused	5	0.3	1770	98.4
1 = Yes	10	0.6	1780	98.9
2 = No	19	1.1	1799	100.0

D30C Commit arson during program

D30C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1726	95.9	1726	95.9
-3 = Missing	1	0.1	1727	96.0
-1 = Refused	5	0.3	1732	96.3
1 = Yes	2	0.1	1734	96.4
2 = No	65	3.6	1799	100.0

D30D Arrested for arson during pro

D30D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1791	99.6	1791	99.6
-3 = Missing	1	0.1	1792	99.6
-1 = Refused	5	0.3	1797	99.9
2 = No	2	0.1	1799	100.0

D30E Commit arson after program

D30E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1726	95.9	1726	95.9
-3 = Missing	1	0.1	1727	96.0
-1 = Refused	5	0.3	1732	96.3
1 = Yes	8	0.4	1740	96.7
2 = No	59	3.3	1799	100.0

D30F Arrested for arson after prog

D30F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1785	99.2	1785	99.2
-3 = Missing	1	0.1	1786	99.3
-1 = Refused	5	0.3	1791	99.6
2 = No	8	0.4	1799	100.0

D31 R ever threaten/attack attack

D31	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-1 = Refused	7	0.4	7	0.4
1 = Yes	362	20.1	369	20.5
2 = No	1430	79.5	1799	100.0

D31A Threaten/attack before progra

D31A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1430	79.5	1430	79.5
-1 = Refused	7	0.4	1437	79.9
1 = Yes	221	12.3	1658	92.2
2 = No	141	7.8	1799	100.0

D31B Arrest for attack before prog

D31B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1571	87.3	1571	87.3
-3 = Missing	2	0.1	1573	87.4
-1 = Refused	7	0.4	1580	87.8
1 = Yes	65	3.6	1645	91.4
2 = No	154	8.6	1799	100.0

D31C Attack/threaten during progra

D31C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1430	79.5	1430	79.5
-3 = Missing	1	0.1	1431	79.5
-1 = Refused	8	0.4	1439	80.0
1 = Yes	23	1.3	1462	81.3
2 = No	337	18.7	1799	100.0

D31D Arrest for attack during prog

D31D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1767	98.2	1767	98.2
-5 = Not applicable	1	0.1	1768	98.3
-3 = Missing	3	0.2	1771	98.4
-1 = Refused	7	0.4	1778	98.8
1 = Yes	5	0.3	1783	99.1
2 = No	16	0.9	1799	100.0

D31E Attack/threaten after program

D31E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1430	79.5	1430	79.5
-3 = Missing	1	0.1	1431	79.5
-1 = Refused	7	0.4	1438	79.9
1 = Yes	169	9.4	1607	89.3
2 = No	192	10.7	1799	100.0

D31F Arrest for attack after progr

D31F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1622	90.2	1622	90.2
-1 = Refused	7	0.4	1629	90.6
1 = Yes	51	2.8	1680	93.4
2 = No	119	6.6	1799	100.0

D32 R ever force sex

D32	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-1 = Refused	6	0.3	6	0.3
1 = Yes	28	1.6	34	1.9
2 = No	1765	98.1	1799	100.0

D32A Use force for sex before prog

D32A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1765	98.1	1765	98.1
-3 = Missing	1	0.1	1766	98.2
-1 = Refused	6	0.3	1772	98.5
1 = Yes	13	0.7	1785	99.2
2 = No	14	0.8	1799	100.0

D32B Arrest for forced sex before

D32B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1779	98.9	1779	98.9
-3 = Missing	1	0.1	1780	98.9
-1 = Refused	6	0.3	1786	99.3
1 = Yes	2	0.1	1788	99.4
2 = No	11	0.6	1799	100.0

D32C Use force for sex during prog

D32C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1765	98.1	1765	98.1
-3 = Missing	1	0.1	1766	98.2
-1 = Refused	6	0.3	1772	98.5
1 = Yes	1	0.1	1773	98.6
2 = No	26	1.4	1799	100.0

D32D Arrest for forced sex during

D32D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1791	99.6	1791	99.6
-3 = Missing	1	0.1	1792	99.6
-1 = Refused	6	0.3	1798	99.9
2 = No	1	0.1	1799	100.0

D32E Use force for sex ater progra

D32E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1765	98.1	1765	98.1
-3 = Missing	2	0.1	1767	98.2
-1 = Refused	6	0.3	1773	98.6
1 = Yes	11	0.6	1784	99.2
2 = No	15	0.8	1799	100.0

D32F Arrest for forced sex after p

D32F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1780	98.9	1780	98.9
-3 = Missing	1	0.1	1781	99.0
-1 = Refused	6	0.3	1787	99.3
1 = Yes	1	0.1	1788	99.4
2 = No	11	0.6	1799	100.0

D33 R ever kill someone not by acc

D33	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	1	0.1	1	0.1
-1 = Refused	6	0.3	7	0.4
1 = Yes	28	1.6	35	1.9
2 = No	1764	98.1	1799	100.0

D33A Commit homicide before progra

D33A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1764	98.1	1764	98.1
-3 = Missing	1	0.1	1765	98.1
-1 = Refused	6	0.3	1771	98.4
1 = Yes	10	0.6	1781	99.0
2 = No	18	1.0	1799	100.0

D33B Arrested for homicide before

D33B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1782	99.1	1782	99.1
-3 = Missing	1	0.1	1783	99.1
-1 = Refused	6	0.3	1789	99.4
1 = Yes	5	0.3	1794	99.7
2 = No	5	0.3	1799	100.0

D33C Commit homicide during progra

D33C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1764	98.1	1764	98.1
-3 = Missing	1	0.1	1765	98.1
-1 = Refused	6	0.3	1771	98.4
1 = Yes	1	0.1	1772	98.5
2 = No	27	1.5	1799	100.0

D33D Arrested for homicide during

D33D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1791	99.6	1791	99.6
-3 = Missing	1	0.1	1792	99.6
-1 = Refused	6	0.3	1798	99.9
2 = No	1	0.1	1799	100.0

D33E Commit homicide after program

D33E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1764	98.1	1764	98.1
-3 = Missing	1	0.1	1765	98.1
-1 = Refused	6	0.3	1771	98.4
1 = Yes	3	0.2	1774	98.6
2 = No	25	1.4	1799	100.0

D33F Arrested for homicide after p

D33F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1789	99.4	1789	99.4
-3 = Missing	1	0.1	1790	99.5
-1 = Refused	6	0.3	1796	99.8
1 = Yes	2	0.1	1798	99.9
2 = No	1	0.1	1799	100.0

D34 R ever violate parole

D34	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-1 = Refused	6	0.3	6	0.3
1 = Yes	590	32.8	596	33.1
2 = No	1203	66.9	1799	100.0

D34A Violate parole before program

D34A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1203	66.9	1203	66.9
-3 = Missing	4	0.2	1207	67.1
-2 = Don't know	1	0.1	1208	67.1
-1 = Refused	6	0.3	1214	67.5
1 = Yes	315	17.5	1529	85.0
2 = No	270	15.0	1799	100.0

D34B Arrest for violation before p

D34B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1473	81.9	1473	81.9
-3 = Missing	5	0.3	1478	82.2
-1 = Refused	6	0.3	1484	82.5
1 = Yes	218	12.1	1702	94.6
2 = No	97	5.4	1799	100.0

D34C Violate parole during program

D34C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1203	66.9	1203	66.9
-3 = Missing	14	0.8	1217	67.6
-1 = Refused	6	0.3	1223	68.0
1 = Yes	79	4.4	1302	72.4
2 = No	497	27.6	1799	100.0

D34D Arrest for violation during p

D34D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1700	94.5	1700	94.5
-3 = Missing	12	0.7	1712	95.2
-1 = Refused	6	0.3	1718	95.5
1 = Yes	46	2.6	1764	98.1
2 = No	35	1.9	1799	100.0

D34E Violate parole after program

D34E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1203	66.9	1203	66.9
-3 = Missing	9	0.5	1212	67.4
-1 = Refused	6	0.3	1218	67.7
1 = Yes	366	20.3	1584	88.0
2 = No	215	12.0	1799	100.0

D34F Arrest for violation after pr

D34F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1418	78.8	1418	78.8
-3 = Missing	10	0.6	1428	79.4
-1 = Refused	6	0.3	1434	79.7
1 = Yes	270	15.0	1704	94.7
2 = No	95	5.3	1799	100.0

D35 R break any other laws

D35	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.1	2	0.1
-1 = Refused	7	0.4	9	0.5
1 = Yes	139	7.7	148	8.2
2 = No	1651	91.8	1799	100.0

D35A Break other laws before progr

D35A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1651	91.8	1651	91.8
-3 = Missing	2	0.1	1653	91.9
-1 = Refused	7	0.4	1660	92.3
1 = Yes	54	3.0	1714	95.3
2 = No	85	4.7	1799	100.0

D35Avrb Arrest before program

D35B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1736	96.5	1736	96.5
-3 = Missing	2	0.1	1738	96.6
-1 = Refused	7	0.4	1745	97.0
1 = Yes	17	0.9	1762	97.9
2 = No	37	2.1	1799	100.0

D35C Law broken during program

D35C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1651	91.8	1651	91.8
-3 = Missing	5	0.3	1656	92.1
-1 = Refused	7	0.4	1663	92.4
1 = Yes	5	0.3	1668	92.7
2 = No	131	7.3	1799	100.0

D35D Arrest during program

D35D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1782	99.1	1782	99.1
-3 = Missing	4	0.2	1786	99.3
-1 = Refused	7	0.4	1793	99.7
2 = No	6	0.3	1799	100.0

D35E Laws broken after program

D35E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1651	91.8	1651	91.8
-3 = Missing	3	0.2	1654	91.9
-1 = Refused	7	0.4	1661	92.3
1 = Yes	66	3.7	1727	96.0
2 = No	72	4.0	1799	100.0

D35F Arrest after program

D35F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1723	95.8	1723	95.8
-3 = Missing	5	0.3	1728	96.1
-1 = Refused	7	0.4	1735	96.4
1 = Yes	34	1.9	1769	98.3
2 = No	30	1.7	1799	100.0

D36 R under supervision now

D36	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	14	0.8	14	0.8
-1 = Refused	5	0.3	19	1.1
1 = Yes	324	18.0	343	19.1
2 = No	1361	75.7	1704	94.7
3 = R CURRENTLY INCARCERATED	95	5.3	1799	100.0

D36Aa R on probation

D36AA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1456	80.9	1456	80.9
-3 = Missing	14	0.8	1470	81.7
-1 = Refused	5	0.3	1475	82.0
1 = Yes	178	9.9	1653	91.9
2 = No	146	8.1	1799	100.0

D36Ab R on parole of conditional r

D36AB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1456	80.9	1456	80.9
-3 = Missing	18	1.0	1474	81.9
-2 = Don't know	2	0.1	1476	82.0
-1 = Refused	5	0.3	1481	82.3
1 = Yes	85	4.7	1566	87.0
2 = No	233	13.0	1799	100.0

D38Ac R have outstanding warrants

D36AC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1456	80.9	1456	80.9
-3 = Missing	17	0.9	1473	81.9
-2 = Don't know	3	0.2	1476	82.0
-1 = Refused	6	0.3	1482	82.4
1 = Yes	13	0.7	1495	83.1
2 = No	304	16.9	1799	100.0

D38Ad R under other supervision

D35AD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1456	80.9	1456	80.9
-3 = Missing	12	0.7	1468	81.6
-1 = Refused	5	0.3	1473	81.9
1 = Yes	106	5.9	1579	87.8
2 = No	220	12.2	1799	100.0

E1 R CURRENTLY MARRIED

E1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	1	0.1	1	0.1
-2 = Don't know	1	0.1	2	0.1
-1 = Refused	1	0.1	3	0.2
1 = Yes	578	32.1	581	32.3
2 = No	1218	67.7	1799	100.0

E1A R EVER BEEN MARRIED

E1A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	578	32.1	578	32.1
-3 = Missing	4	0.2	582	32.4
-1 = Refused	1	0.1	583	32.4
1 = Yes	522	29.0	1105	61.4
2 = No	691	38.4	1796	99.8
3 = MARRIAGE WAS ANNULLED	3	0.2	1799	100.0

E2 R EVER LIVED WITH SOMEONE

E2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1103	61.3	1103	61.3
-3 = Missing	1	0.1	1104	61.4
-1 = Refused	1	0.1	1105	61.4
1 = Yes	500	27.8	1605	89.2
2 = No	194	10.8	1799	100.0

E3 # OF INDIVIDUALS R LIVED WITH O

E3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1297	72.1	1297	72.1
-3 = Missing	2	0.1	1299	72.2
-1 = Refused	1	0.1	1300	72.3
1	199	11.1	1499	83.3
2	152	8.4	1651	91.8
3	90	5.0	1741	96.8
4	34	1.9	1775	98.7
5	6	0.3	1781	99.0
6	1	0.1	1782	99.1
7	4	0.2	1786	99.3
8	3	0.2	1789	99.4
10	6	0.3	1795	99.8
15	1	0.1	1796	99.8
18	1	0.1	1797	99.9
20	2	0.1	1799	100.0

E4MONTH

E4MONTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	194	10.8	194	10.8
-3 = Missing	15	0.8	209	11.6
-2 = Don't know	285	15.8	494	27.5
-1 = Refused	7	0.4	501	27.8
1	91	5.1	592	32.9
2	101	5.6	693	38.5
3	105	5.8	798	44.4
4	89	4.9	887	49.3
5	99	5.5	986	54.8
6	163	9.1	1149	63.9
7	108	6.0	1257	69.9
8	127	7.1	1384	76.9
9	119	6.6	1503	83.5
10	102	5.7	1605	89.2
11	102	5.7	1707	94.9
12	92	5.1	1799	100.0

E4YEAR

E4YEAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	194	10.8	194	10.8
-3 = Missing	2	0.1	196	10.9
-2 = Don't know	27	1.5	223	12.4
-1 = Refused	6	0.3	229	12.7
2	1	0.1	230	12.8
3	1	0.1	231	12.8
9	1	0.1	232	12.9
37	1	0.1	233	13.0
38	1	0.1	234	13.0
40	1	0.1	235	13.1
43	1	0.1	236	13.1
45	4	0.2	240	13.3
46	1	0.1	241	13.4
49	3	0.2	244	13.6
50	1	0.1	245	13.6
51	1	0.1	246	13.7
52	2	0.1	248	13.8
53	2	0.1	250	13.9
54	3	0.2	253	14.1
55	5	0.3	258	14.3
56	8	0.4	266	14.8
57	5	0.3	271	15.1
58	7	0.4	278	15.5
59	8	0.4	286	15.9
60	9	0.5	295	16.4
61	6	0.3	301	16.7
62	4	0.2	305	17.0
63	11	0.6	316	17.6
64	21	1.2	337	18.7
65	18	1.0	355	19.7
66	9	0.5	364	20.2
67	25	1.4	389	21.6
68	14	0.8	403	22.4
69	39	2.2	442	24.6
70	28	1.6	470	26.1
71	49	2.7	519	28.8
72	34	1.9	553	30.7
73	40	2.2	593	33.0
74	46	2.6	639	35.5
75	47	2.6	686	38.1
76	61	3.4	747	41.5
77	46	2.6	793	44.1
78	59	3.3	852	47.4
79	76	4.2	928	51.6
80	73	4.1	1001	55.6
81	42	2.3	1043	58.0
82	58	3.2	1101	61.2
83	62	3.4	1163	64.6
84	65	3.6	1228	68.3
85	61	3.4	1289	71.7
86	56	3.1	1345	74.8
87	58	3.2	1403	78.0
88	52	2.9	1455	80.9
89	46	2.6	1501	83.4
90	69	3.8	1570	87.3
91	71	3.9	1641	91.2

E4YEAR

E4YEAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
92	56	3.1	1697	94.3
93	39	2.2	1736	96.5
94	40	2.2	1776	98.7
95	22	1.2	1798	99.9
96	1	0.1	1799	100.0

E5 IS YEAR RECORDED BEFORE START D

E5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	194	10.8	194	10.8
1 = Yes	1307	72.7	1501	83.4
2 = No	298	16.6	1799	100.0

E6 # YRS R LIVED WITH PARTNERS

E6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	194	10.8	194	10.8
-5 = Not applicable	2	0.1	196	10.9
-3 = Missing	60	3.3	256	14.2
-2 = Don^t know	15	0.8	271	15.1
-1 = Refused	6	0.3	277	15.4
0	1	0.1	278	15.5
1 = Less than one year	269	15.0	547	30.4
2 = 1-2 years	532	29.6	1079	60.0
3 = 3-4 years	228	12.7	1307	72.7
4 = 5 years or more	492	27.3	1799	100.0

Automatic Skip

E7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	194	10.8	194	10.8
-1 = Refused	1	0.1	195	10.8
1 = Activate skip	1604	89.2	1799	100.0

E8a R MARRIED WHEN FIRST ENTERING P

E8A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	230	12.8	230	12.8
-3 = Missing	28	1.6	258	14.3
-2 = Don't know	2	0.1	260	14.5
-1 = Refused	5	0.3	265	14.7
1 = Yes	501	27.8	766	42.6
2 = No	1033	57.4	1799	100.0

E8b R HAVE PARTNER WHEN FIRST ENTER

E8B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	736	40.9	736	40.9
-3 = Missing	14	0.8	750	41.7
-2 = Don't know	2	0.1	752	41.8
1 = Yes	379	21.1	1131	62.9
2 = No	668	37.1	1799	100.0

E9 TIME R SPENT W/PARTNER AFTER PR

E9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	194	10.8	194	10.8
-3 = Missing	4	0.2	198	11.0
-2 = Don't know	1	0.1	199	11.1
-1 = Refused	5	0.3	204	11.3
1 = Less than one month	36	2.0	240	13.3
2 = 1-6 months	84	4.7	324	18.0
3 = 7-11 months	69	3.8	393	21.8
4 = 1-2 years	279	15.5	672	37.4
5 = 3-5 years	439	24.4	1111	61.8
6 = More than five years	428	23.8	1539	85.5
7 = NONE	201	11.2	1740	96.7
8 = R WAS NOT LIVING WITH PARTNER	59	3.3	1799	100.0

E10 TIME R WAS MARRIED OR LIVED W/

	E10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		460	25.6	460	25.6
-3 = Missing		4	0.2	464	25.8
-1 = Refused		1	0.1	465	25.8
1 = Less than one month		55	3.1	520	28.9
2 = 1-2 months		49	2.7	569	31.6
3 = 3-4 months		46	2.6	615	34.2
4 = 5-6 months		74	4.1	689	38.3
5 = 7-8 months		53	2.9	742	41.2
6 = 9-11 months		68	3.8	810	45.0
7 = 12 months/entire year		675	37.5	1485	82.5
8 = NONE		230	12.8	1715	95.3
9 = R WAS NOT LIVING WITH PARTNER		84	4.7	1799	100.0

F1 Natural mother born in the U.S.

	F1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		1	0.1	1	0.1
-2 = Don^t know		4	0.2	5	0.3
-1 = Refused		2	0.1	7	0.4
1 = Yes		1643	91.3	1650	91.7
2 = No		132	7.3	1782	99.1
3 = NEVER KNEW NATURAL MOTHER		17	0.9	1799	100.0

F2 Natural father born in the U.S.

	F2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know		16	0.9	16	0.9
-1 = Refused		1	0.1	17	0.9
1 = Yes		1611	89.5	1628	90.5
2 = No		134	7.4	1762	97.9
3 = NEVER KNEW NATURAL FATHER		37	2.1	1799	100.0

F3 R currently living with parents

	F3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		1	0.1	1	0.1
-1 = Refused		1	0.1	2	0.1
1 = Yes, with parents		91	5.1	93	5.2
2 = Yes, with mother only		156	8.7	249	13.8
3 = Yes, with father only		34	1.9	283	15.7
4 = No		1516	84.3	1799	100.0

F3A Age R last lived with mother

F3A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	246	13.7	246	13.7
-5 = Not applicable	6	0.3	252	14.0
-3 = Missing	6	0.3	258	14.3
-2 = Don't know	6	0.3	264	14.7
-1 = Refused	1	0.1	265	14.7
0	3	0.2	268	14.9
1	1	0.1	269	15.0
2	7	0.4	276	15.3
3	5	0.3	281	15.6
4	1	0.1	282	15.7
5	5	0.3	287	16.0
6	5	0.3	292	16.2
7	9	0.5	301	16.7
8	5	0.3	306	17.0
9	5	0.3	311	17.3
10	6	0.3	317	17.6
11	9	0.5	326	18.1
12	17	0.9	343	19.1
13	25	1.4	368	20.5
14	52	2.9	420	23.3
15	58	3.2	478	26.6
16	113	6.3	591	32.9
17	171	9.5	762	42.4
18	197	11.0	959	53.3
19	111	6.2	1070	59.5
20	76	4.2	1146	63.7
21	66	3.7	1212	67.4
22	57	3.2	1269	70.5
23	51	2.8	1320	73.4
24	45	2.5	1365	75.9
25	49	2.7	1414	78.6
26	25	1.4	1439	80.0
27	28	1.6	1467	81.5
28	32	1.8	1499	83.3
29	34	1.9	1533	85.2
30	46	2.6	1579	87.8
31	24	1.3	1603	89.1
32	29	1.6	1632	90.7
33	23	1.3	1655	92.0
34	10	0.6	1665	92.6
35	23	1.3	1688	93.8
36	14	0.8	1702	94.6
37	15	0.8	1717	95.4
38	6	0.3	1723	95.8
39	19	1.1	1742	96.8
40	12	0.7	1754	97.5
41	5	0.3	1759	97.8
42	6	0.3	1765	98.1
43	4	0.2	1769	98.3
44	8	0.4	1777	98.8
45	9	0.5	1786	99.3
46	1	0.1	1787	99.3
47	1	0.1	1788	99.4
48	3	0.2	1791	99.6
50	1	0.1	1792	99.6
51	2	0.1	1794	99.7

F3A Age R last lived with mother

F3A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
53	1	0.1	1795	99.8
54	1	0.1	1796	99.8
55	1	0.1	1797	99.9
61	1	0.1	1798	99.9
62	1	0.1	1799	100.0

F3B Age R last lived with father

F3B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	125	6.9	125	6.9
-5 = Not applicable	155	8.6	280	15.6
-3 = Missing	12	0.7	292	16.2
-2 = Don^t know	10	0.6	302	16.8
-1 = Refused	1	0.1	303	16.8
0	11	0.6	314	17.5
1	8	0.4	322	17.9
2	26	1.4	348	19.3
3	20	1.1	368	20.5
4	23	1.3	391	21.7
5	24	1.3	415	23.1
6	17	0.9	432	24.0
7	29	1.6	461	25.6
8	22	1.2	483	26.8
9	24	1.3	507	28.2
10	30	1.7	537	29.8
11	16	0.9	553	30.7
12	49	2.7	602	33.5
13	41	2.3	643	35.7
14	57	3.2	700	38.9
15	60	3.3	760	42.2
16	113	6.3	873	48.5
17	142	7.9	1015	56.4
18	160	8.9	1175	65.3
19	95	5.3	1270	70.6
20	70	3.9	1340	74.5
21	51	2.8	1391	77.3
22	47	2.6	1438	79.9
23	44	2.4	1482	82.4
24	27	1.5	1509	83.9
25	41	2.3	1550	86.2
26	21	1.2	1571	87.3
27	18	1.0	1589	88.3
28	21	1.2	1610	89.5
29	21	1.2	1631	90.7
30	32	1.8	1663	92.4
31	20	1.1	1683	93.6
32	25	1.4	1708	94.9
33	14	0.8	1722	95.7
34	6	0.3	1728	96.1
35	16	0.9	1744	96.9
36	7	0.4	1751	97.3
37	6	0.3	1757	97.7
38	3	0.2	1760	97.8
39	12	0.7	1772	98.5
40	7	0.4	1779	98.9
41	6	0.3	1785	99.2
42	2	0.1	1787	99.3
43	2	0.1	1789	99.4
44	2	0.1	1791	99.6
45	3	0.2	1794	99.7
46	1	0.1	1795	99.8
48	1	0.1	1796	99.8
50	1	0.1	1797	99.9
53	1	0.1	1798	99.9
55	1	0.1	1799	100.0

AUTOMATIC SKIP

F4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	91	5.1	91	5.1
-3 = Missing	27	1.5	118	6.6
-2 = Don^t know	1	0.1	119	6.6
-1 = Refused	1	0.1	120	6.7
1 = Never w/parents	5	0.3	125	6.9
2 = Never w/mom	10	0.6	135	7.5
3 = Never w/dad	151	8.4	286	15.9
4 = Lived w/both	1513	84.1	1799	100.0

F5 Highest grade of school for fat

F5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	155	8.6	155	8.6
-5 = Not applicable	1	0.1	156	8.7
-3 = Missing	14	0.8	170	9.4
-2 = Don^t know	352	19.6	522	29.0
-1 = Refused	2	0.1	524	29.1
0 = NEVER ATTENDED SCHOOL	24	1.3	548	30.5
1 = 1st Grade	1	0.1	549	30.5
2 = 2nd Grade	4	0.2	553	30.7
3 = 3rd Grade	21	1.2	574	31.9
4 = 4th Grade	20	1.1	594	33.0
5 = 5th Grade	20	1.1	614	34.1
6 = 6th Grade	69	3.8	683	38.0
7 = 7th Grade	49	2.7	732	40.7
8 = 8th Grade	110	6.1	842	46.8
9 = 9th Grade	49	2.7	891	49.5
10 = 10th Grade	88	4.9	979	54.4
11 = 11th Grade	43	2.4	1022	56.8
12 = 12th Grade	479	26.6	1501	83.4
13 = 1 Year College	24	1.3	1525	84.8
14 = 2 Years College	67	3.7	1592	88.5
15 = 3 Years College	7	0.4	1599	88.9
16 = 4 Years College	131	7.3	1730	96.2
17 = Graduate/Professional School	69	3.8	1799	100.0

F5A Father have high school diplom

F5A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	453	25.2	453	25.2
-3 = Missing	186	10.3	639	35.5
-2 = Don^t know	113	6.3	752	41.8
-1 = Refused	1	0.1	753	41.9
1 = Yes, diploma	447	24.8	1200	66.7
2 = Yes, GED	70	3.9	1270	70.6
3 = No	529	29.4	1799	100.0

F6 Highest grade of school for mot

F6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	6	0.3	6	0.3
-5 = Not applicable	2	0.1	8	0.4
-3 = Missing	14	0.8	22	1.2
-2 = Don't know	296	16.5	318	17.7
-1 = Refused	2	0.1	320	17.8
0 = NEVER ATTENDED SCHOOL	19	1.1	339	18.8
1 = 1st Grade	12	0.7	351	19.5
2 = 2nd Grade	6	0.3	357	19.8
3 = 3rd Grade	13	0.7	370	20.6
4 = 4th Grade	10	0.6	380	21.1
5 = 5th Grade	15	0.8	395	22.0
6 = 6th Grade	39	2.2	434	24.1
7 = 7th Grade	32	1.8	466	25.9
8 = 8th Grade	96	5.3	562	31.2
9 = 9th Grade	67	3.7	629	35.0
10 = 10th Grade	123	6.8	752	41.8
11 = 11th Grade	76	4.2	828	46.0
12 = 12th Grade	639	35.5	1467	81.5
13 = 1 Year College	40	2.2	1507	83.8
14 = 2 Years College	95	5.3	1602	89.0
15 = 3 Years College	23	1.3	1625	90.3
16 = 4 Years College	114	6.3	1739	96.7
17 = Graduate/Professional School	60	3.3	1799	100.0

F6A Mother have high school diplom

F6A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	338	18.8	338	18.8
-3 = Missing	162	9.0	500	27.8
-2 = Don't know	84	4.7	584	32.5
-1 = Refused	1	0.1	585	32.5
1 = Yes, diploma	601	33.4	1186	65.9
2 = Yes, GED	111	6.2	1297	72.1
3 = No	502	27.9	1799	100.0

F7 Courts arrange for R to live se

F7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	3	0.2	3	0.2
-2 = Don't know	1	0.1	4	0.2
-1 = Refused	1	0.1	5	0.3
1 = Yes	270	15.0	275	15.3
2 = No	1524	84.7	1799	100.0

F8 R run away from home before age

F8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	1	0.1	1	0.1
-2 = Don't know	2	0.1	3	0.2
-1 = Refused	2	0.1	5	0.3
1 = Yes	573	31.9	578	32.1
2 = No	1221	67.9	1799	100.0

F8A # of times R ran away

F8A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1225	68.1	1225	68.1
-3 = Missing	5	0.3	1230	68.4
-2 = Don't know	14	0.8	1244	69.1
1	214	11.9	1458	81.0
2	118	6.6	1576	87.6
3	59	3.3	1635	90.9
4	28	1.6	1663	92.4
5	32	1.8	1695	94.2
6	17	0.9	1712	95.2
7	6	0.3	1718	95.5
8	7	0.4	1725	95.9
9	1	0.1	1726	95.9
10	26	1.4	1752	97.4
11	1	0.1	1753	97.4
12	6	0.3	1759	97.8
13	2	0.1	1761	97.9
15	9	0.5	1770	98.4
16	1	0.1	1771	98.4
20	13	0.7	1784	99.2
24	2	0.1	1786	99.3
25	5	0.3	1791	99.6
28	1	0.1	1792	99.6
30	2	0.1	1794	99.7
35	2	0.1	1796	99.8
44	1	0.1	1797	99.9
50	1	0.1	1798	99.9
60	1	0.1	1799	100.0

F9 R ever asked to leave by parent

F9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	4	0.2	4	0.2
-2 = Don't know	3	0.2	7	0.4
-1 = Refused	2	0.1	9	0.5
1 = Yes	320	17.8	329	18.3
2 = No	1470	81.7	1799	100.0

F10 Number of natural children

F10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	1	0.1	1	0.1
-2 = Don't know	3	0.2	4	0.2
-1 = Refused	4	0.2	8	0.4
0	534	29.7	542	30.1
1	378	21.0	920	51.1
2	397	22.1	1317	73.2
3	265	14.7	1582	87.9
4	107	5.9	1689	93.9
5	51	2.8	1740	96.7
6+	59	3.3	1799	100.0

F10A R ever had custody of any chi

F10A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	8	0.4	8	0.4
-2 = Don't know	3	0.2	11	0.6
-1 = Refused	2	0.1	13	0.7
1 = Yes	216	12.0	229	12.7
2 = No	1570	87.3	1799	100.0

F11 R have custody of children bef

F11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	506	28.1	506	28.1
-3 = Missing	20	1.1	526	29.2
-2 = Don't know	3	0.2	529	29.4
-1 = Refused	2	0.1	531	29.5
1 = Yes	652	36.2	1183	65.8
2 = No	616	34.2	1799	100.0

F11A # children under 18 R raised

F11A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1128	62.7	1128	62.7
-3 = Missing	21	1.2	1149	63.9
-2 = Don't know	1	0.1	1150	63.9
0	11	0.6	1161	64.5
1	237	13.2	1398	77.7
2	215	12.0	1613	89.7
3	113	6.3	1726	95.9
4	44	2.4	1770	98.4
5	17	0.9	1787	99.3
6+	12	0.7	1799	100.0

F12 R have custody of children aft

F12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	506	28.1	506	28.1
-3 = Missing	24	1.3	530	29.5
-2 = Don't know	5	0.3	535	29.7
-1 = Refused	3	0.2	538	29.9
1 = Yes	735	40.9	1273	70.8
2 = No	526	29.2	1799	100.0

F12A # children under 18 R has rai

F12A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1040	57.8	1040	57.8
-3 = Missing	22	1.2	1062	59.0
0	26	1.4	1088	60.5
1	250	13.9	1338	74.4
2	250	13.9	1588	88.3
3	135	7.5	1723	95.8
4	47	2.6	1770	98.4
5	16	0.9	1786	99.3
6+	13	0.7	1799	100.0

F13 R ever lose custody of childre

F13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	506	28.1	506	28.1
-3 = Missing	22	1.2	528	29.3
-2 = Don't know	4	0.2	532	29.6
-1 = Refused	3	0.2	535	29.7
1 = Yes	256	14.2	791	44.0
2 = No	1008	56.0	1799	100.0

F13A R lose custody before program

F13A	Frequency	Percent
-6 = Legitimate skip	1521	84.5
-3 = Missing	22	1.2
1 = Yes	130	7.2
2 = No	119	6.6
3 = GAVE UP CUSTODY TO GO TO TREATMENT	7	0.4

F13A R lose custody before program

F13A	Frequency	Cumulative Percent
-6 = Legitimate skip	1521	84.5
-3 = Missing	1543	85.8
1 = Yes	1673	93.0
2 = No	1792	99.6
3 = GAVE UP CUSTODY TO GO TO TREATMENT	1799	100.0

F13B R get custody back

F13B	Frequency	Percent
-6 = Legitimate skip	1640	91.2
-3 = Missing	22	1.2
1 = Yes	39	2.2
2 = No	94	5.2
3 = REGAINED CUSTODY BY COMPLETING TREATMENT	4	0.2

F13B R get custody back

F13B	Frequency	Cumulative Percent
-6 = Legitimate skip	1640	91.2
-3 = Missing	1662	92.4
1 = Yes	1701	94.6
2 = No	1795	99.8
3 = REGAINED CUSTODY BY COMPLETING TREATMENT	1799	100.0

F13C R lose custody while in progr

	F13C	Frequency	Percent
-6 = Legitimate skip		1528	84.9
-3 = Missing		26	1.4
1 = Yes		37	2.1
2 = No		201	11.2
3 = GAVE UP CUSTODY TO GO TO TREATMENT		7	0.4

F13C R lose custody while in progr

	F13C	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1528	84.9
-3 = Missing		1554	86.4
1 = Yes		1591	88.4
2 = No		1792	99.6
3 = GAVE UP CUSTODY TO GO TO TREATMENT		1799	100.0

F13D R get custody back

	F13D	Frequency	Percent
-6 = Legitimate skip		1729	96.1
-3 = Missing		26	1.4
1 = Yes		16	0.9
2 = No		26	1.4
3 = REGAINED CUSTODY BY COMPLETING TREATMENT		2	0.1

F13D R get custody back

	F13D	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1729	96.1
-3 = Missing		1755	97.6
1 = Yes		1771	98.4
2 = No		1797	99.9
3 = REGAINED CUSTODY BY COMPLETING TREATMENT		1799	100.0

F13E R lose custody after program

	F13E	Frequency	Percent
-6 = Legitimate skip		1521	84.5
-3 = Missing		24	1.3
-2 = Don't know		1	0.1
1 = Yes		93	5.2
2 = No		156	8.7
3 = GAVE UP CUSTODY TO GO TO TREATMENT		4	0.2

F13E R lose custody after program

	F13E	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1521	84.5
-3 = Missing		1545	85.9
-2 = Don't know		1546	85.9
1 = Yes		1639	91.1
2 = No		1795	99.8
3 = GAVE UP CUSTODY TO GO TO TREATMENT		1799	100.0

F13F R get custody back after this

	F13F	Frequency	Percent
-6 = Legitimate skip		1678	93.3
-3 = Missing		26	1.4
1 = Yes		16	0.9
2 = No		73	4.1
3 = REGAINED CUSTODY BY COMPLETING TREATMENT		6	0.3

F13F R get custody back after this

	F13F	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1678	93.3
-3 = Missing		1704	94.7
1 = Yes		1720	95.6
2 = No		1793	99.7
3 = REGAINED CUSTODY BY COMPLETING TREATMENT		1799	100.0

F14 R have any children 18 or olde

	F14	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		506	28.1	506	28.1
-3 = Missing		24	1.3	530	29.5
-2 = Don't know		3	0.2	533	29.6
-1 = Refused		1	0.1	534	29.7
1 = Yes		238	13.2	772	42.9
2 = No		1027	57.1	1799	100.0

F14A # of children over 18 R has 1

F14A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1539	85.5	1539	85.5
-3 = Missing	22	1.2	1561	86.8
-1 = Refused	1	0.1	1562	86.8
0	112	6.2	1674	93.1
1	55	3.1	1729	96.1
2	44	2.4	1773	98.6
3	12	0.7	1785	99.2
4	7	0.4	1792	99.6
5	4	0.2	1796	99.8
6+	3	0.2	1799	100.0

F15 R ever homeless before program

F15	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.1	2	0.1
-2 = Don't know	1	0.1	3	0.2
-1 = Refused	1	0.1	4	0.2
1 = Yes	401	22.3	405	22.5
2 = No	1394	77.5	1799	100.0

F15A R stay in shelters or on stre

F15A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1396	77.6	1396	77.6
-3 = Missing	5	0.3	1401	77.9
1 = In shelters	63	3.5	1464	81.4
2 = On the street	205	11.4	1669	92.8
3 = Both	130	7.2	1799	100.0

F15B Time R spent in shelters

	F15B	Frequency	Percent
-6 = Legitimate skip		1601	89.0
-3 = Missing		3	0.2
-2 = Don't know		4	0.2
0 = None		6	0.3
1 = Less than 1 month		90	5.0
2 = 1-6 months		64	3.6
3 = 7-12 months		12	0.7
4 = 13-18 months		6	0.3
5 = 19-30 months		5	0.3
6 = 31-42 months		5	0.3
7 = 43-54 months		1	0.1
9 = HOMELESS IN SHELTERS ENTIRE TIME		2	0.1

F15B Time R spent in shelters

	F15B	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1601	89.0
-3 = Missing		1604	89.2
-2 = Don't know		1608	89.4
0 = None		1614	89.7
1 = Less than 1 month		1704	94.7
2 = 1-6 months		1768	98.3
3 = 7-12 months		1780	98.9
4 = 13-18 months		1786	99.3
5 = 19-30 months		1791	99.6
6 = 31-42 months		1796	99.8
7 = 43-54 months		1797	99.9
9 = HOMELESS IN SHELTERS ENTIRE TIME		1799	100.0

F15C Time R spent on the street

	F15C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1461	81.2	1461	81.2
-3 = Missing		5	0.3	1466	81.5
-2 = Don't know		5	0.3	1471	81.8
0 = None		15	0.8	1486	82.6
1 = Less than 1 month		138	7.7	1624	90.3
2 = 1-6 months		94	5.2	1718	95.5
3 = 7-12 months		35	1.9	1753	97.4
4 = 13-18 months		7	0.4	1760	97.8
5 = 19-30 months		19	1.1	1779	98.9
6 = 31-42 months		9	0.5	1788	99.4
7 = 43-54 months		2	0.1	1790	99.5
8 = More than 54 months		5	0.3	1795	99.8
9 = HOMELESS ON STREET ENTIRE TIME		4	0.2	1799	100.0

F16 R live in an apartment since p

F16	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	3	0.2	3	0.2
-1 = Refused	2	0.1	5	0.3
1 = Yes	1670	92.8	1675	93.1
2 = No	124	6.9	1799	100.0

F16A Time R spent in all apartment

F16A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	126	7.0	126	7.0
-3 = Missing	3	0.2	129	7.2
-2 = Don^t know	3	0.2	132	7.3
0 = None	3	0.2	135	7.5
1 = Less than 1 month	18	1.0	153	8.5
2 = 1-6 months	58	3.2	211	11.7
3 = 7-12 months	64	3.6	275	15.3
4 = 13-18 months	49	2.7	324	18.0
5 = 19-30 months	115	6.4	439	24.4
6 = 31-42 months	117	6.5	556	30.9
7 = 43-54 months	114	6.3	670	37.2
8 = More than 54 months	216	12.0	886	49.2
9 = ENTIRE TIME	913	50.8	1799	100.0

F17 R ever homeless after program

F17	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	1	0.1	1	0.1
-2 = Don^t know	1	0.1	2	0.1
-1 = Refused	3	0.2	5	0.3
1 = Yes	263	14.6	268	14.9
2 = No	1531	85.1	1799	100.0

F17A R stay in shelters or on stre

F17A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1535	85.3	1535	85.3
-3 = Missing	2	0.1	1537	85.4
1 = In shelters	45	2.5	1582	87.9
2 = On the street	115	6.4	1697	94.3
3 = Both	102	5.7	1799	100.0

F17B Time R spent in a shelter

	F17B	Frequency	Percent
-6 = Legitimate skip		1650	91.7
-3 = Missing		1	0.1
-2 = Don't know		3	0.2
-1 = Refused		1	0.1
0 = None		2	0.1
1 = Less than 1 month		55	3.1
2 = 1-6 months		58	3.2
3 = 7-12 months		17	0.9
4 = 13-18 months		3	0.2
5 = 19-30 months		5	0.3
6 = 31-42 months		2	0.1
8 = More than 54 months		1	0.1
9 = HOMELESS IN SHELTERS ENTIRE TIME		1	0.1

F17B Time R spent in a shelter

	F17B	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1650	91.7
-3 = Missing		1651	91.8
-2 = Don't know		1654	91.9
-1 = Refused		1655	92.0
0 = None		1657	92.1
1 = Less than 1 month		1712	95.2
2 = 1-6 months		1770	98.4
3 = 7-12 months		1787	99.3
4 = 13-18 months		1790	99.5
5 = 19-30 months		1795	99.8
6 = 31-42 months		1797	99.9
8 = More than 54 months		1798	99.9
9 = HOMELESS IN SHELTERS ENTIRE TIME		1799	100.0

F17C Time R spent on the street

	F17C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1581	87.9	1581	87.9
-3 = Missing		1	0.1	1582	87.9
-2 = Don't know		3	0.2	1585	88.1
0 = None		3	0.2	1588	88.3
1 = Less than 1 month		94	5.2	1682	93.5
2 = 1-6 months		64	3.6	1746	97.1
3 = 7-12 months		24	1.3	1770	98.4
4 = 13-18 months		5	0.3	1775	98.7
5 = 19-30 months		13	0.7	1788	99.4
6 = 31-42 months		6	0.3	1794	99.7
7 = 43-54 months		1	0.1	1795	99.8
8 = More than 54 months		2	0.1	1797	99.9
9 = HOMELESS ON STREET ENTIRE TIME		2	0.1	1799	100.0

F19 R attend any type school

F19	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1	0.1	1	0.1
-3 = Missing	15	0.8	16	0.9
-1 = Refused	2	0.1	18	1.0
1 = Yes	726	40.4	744	41.4
2 = No	1055	58.6	1799	100.0

Elementary school

F19A_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1058	58.8	1058	58.8
-3 = Missing	16	0.9	1074	59.7
1 = Yes	1	0.1	1075	59.8
2 = No	724	40.2	1799	100.0

High school

F19A_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1058	58.8	1058	58.8
-3 = Missing	16	0.9	1074	59.7
1 = Yes	58	3.2	1132	62.9
2 = No	667	37.1	1799	100.0

GED/Equivalency Program

F19A_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1058	58.8	1058	58.8
-3 = Missing	16	0.9	1074	59.7
1 = Yes	159	8.8	1233	68.5
2 = No	566	31.5	1799	100.0

Junior College

F19A_4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1058	58.8	1058	58.8
-3 = Missing	16	0.9	1074	59.7
1 = Yes	102	5.7	1176	65.4
2 = No	623	34.6	1799	100.0

College

F19A_5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1058	58.8	1058	58.8
-3 = Missing	16	0.9	1074	59.7
1 = Yes	113	6.3	1187	66.0
2 = No	612	34.0	1799	100.0

Graduate/Professional School

F19A_6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1058	58.8	1058	58.8
-3 = Missing	16	0.9	1074	59.7
1 = Yes	15	0.8	1089	60.5
2 = No	710	39.5	1799	100.0

Technical School

F19A_7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1058	58.8	1058	58.8
-3 = Missing	16	0.9	1074	59.7
1 = Yes	167	9.3	1241	69.0
2 = No	558	31.0	1799	100.0

Business School

F19A_8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1058	58.8	1058	58.8
-3 = Missing	16	0.9	1074	59.7
1 = Yes	36	2.0	1110	61.7
2 = No	689	38.3	1799	100.0

Apprenticeship Program

F19A_9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1058	58.8	1058	58.8
-3 = Missing	16	0.9	1074	59.7
1 = Yes	49	2.7	1123	62.4
2 = No	676	37.6	1799	100.0

Other schools/classes/program (SPEC

F19A_10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1058	58.8	1058	58.8
-3 = Missing	16	0.9	1074	59.7
1 = Yes	211	11.7	1285	71.4
2 = No	514	28.6	1799	100.0

NONE

F19B_0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1398	77.7	1398	77.7
-5 = Not applicable	3	0.2	1401	77.9
-3 = Missing	37	2.1	1438	79.9
1 = Yes	94	5.2	1532	85.2
2 = No	267	14.8	1799	100.0

1st Grade

F19B_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1398	77.7	1398	77.7
-5 = Not applicable	3	0.2	1401	77.9
-3 = Missing	37	2.1	1438	79.9
1 = Yes	1	0.1	1439	80.0
2 = No	360	20.0	1799	100.0

2nd Grade

F19B_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1398	77.7	1398	77.7
-5 = Not applicable	3	0.2	1401	77.9
-3 = Missing	37	2.1	1438	79.9
2 = No	361	20.1	1799	100.0

3rd Grade

F19B_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1398	77.7	1398	77.7
-5 = Not applicable	3	0.2	1401	77.9
-3 = Missing	37	2.1	1438	79.9
1 = Yes	1	0.1	1439	80.0
2 = No	360	20.0	1799	100.0

4th Grade

F19B_4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1398	77.7	1398	77.7
-5 = Not applicable	3	0.2	1401	77.9
-3 = Missing	37	2.1	1438	79.9
2 = No	361	20.1	1799	100.0

5th Grade

F19B_5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1398	77.7	1398	77.7
-5 = Not applicable	3	0.2	1401	77.9
-3 = Missing	37	2.1	1438	79.9
2 = No	361	20.1	1799	100.0

6th Grade

F19B_6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1398	77.7	1398	77.7
-5 = Not applicable	3	0.2	1401	77.9
-3 = Missing	37	2.1	1438	79.9
1 = Yes	1	0.1	1439	80.0
2 = No	360	20.0	1799	100.0

7th Grade

F19B_7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1398	77.7	1398	77.7
-5 = Not applicable	3	0.2	1401	77.9
-3 = Missing	37	2.1	1438	79.9
1 = Yes	2	0.1	1440	80.0
2 = No	359	20.0	1799	100.0

8th Grade

F19B_8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1398	77.7	1398	77.7
-5 = Not applicable	3	0.2	1401	77.9
-3 = Missing	37	2.1	1438	79.9
1 = Yes	4	0.2	1442	80.2
2 = No	357	19.8	1799	100.0

9th Grade

F19B_9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1398	77.7	1398	77.7
-5 = Not applicable	3	0.2	1401	77.9
-3 = Missing	37	2.1	1438	79.9
1 = Yes	9	0.5	1447	80.4
2 = No	352	19.6	1799	100.0

10th Grade

F19B_10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1398	77.7	1398	77.7
-5 = Not applicable	3	0.2	1401	77.9
-3 = Missing	37	2.1	1438	79.9
1 = Yes	30	1.7	1468	81.6
2 = No	331	18.4	1799	100.0

11th Grade

F19B_11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1398	77.7	1398	77.7
-5 = Not applicable	3	0.2	1401	77.9
-3 = Missing	37	2.1	1438	79.9
1 = Yes	38	2.1	1476	82.0
2 = No	323	18.0	1799	100.0

12th Grade

F19B_12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1398	77.7	1398	77.7
-5 = Not applicable	3	0.2	1401	77.9
-3 = Missing	37	2.1	1438	79.9
1 = Yes	71	3.9	1509	83.9
2 = No	290	16.1	1799	100.0

1 Year College

F19B_13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1398	77.7	1398	77.7
-5 = Not applicable	3	0.2	1401	77.9
-3 = Missing	37	2.1	1438	79.9
1 = Yes	70	3.9	1508	83.8
2 = No	291	16.2	1799	100.0

2 Years College

F19B_14	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1398	77.7	1398	77.7
-5 = Not applicable	3	0.2	1401	77.9
-3 = Missing	37	2.1	1438	79.9
1 = Yes	49	2.7	1487	82.7
2 = No	312	17.3	1799	100.0

3 Years College

F19B_15	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1398	77.7	1398	77.7
-5 = Not applicable	3	0.2	1401	77.9
-3 = Missing	37	2.1	1438	79.9
1 = Yes	21	1.2	1459	81.1
2 = No	340	18.9	1799	100.0

4 Years College

F19B_16	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1398	77.7	1398	77.7
-5 = Not applicable	3	0.2	1401	77.9
-3 = Missing	37	2.1	1438	79.9
1 = Yes	18	1.0	1456	80.9
2 = No	343	19.1	1799	100.0

Graduate/Professional School

F19B_17	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1398	77.7	1398	77.7
-5 = Not applicable	3	0.2	1401	77.9
-3 = Missing	37	2.1	1438	79.9
1 = Yes	10	0.6	1448	80.5
2 = No	351	19.5	1799	100.0

F19C R received diploma/GED since

F19C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1224	68.0	1224	68.0
-5 = Not applicable	5	0.3	1229	68.3
-3 = Missing	103	5.7	1332	74.0
-2 = Don't know	2	0.1	1334	74.2
-1 = Refused	1	0.1	1335	74.2
1 = Yes	189	10.5	1524	84.7
2 = No	275	15.3	1799	100.0

G1 Ever felt sad at least two week

G1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	1	0.1	1	0.1
-2 = Don't know	3	0.2	4	0.2
-1 = Refused	3	0.2	7	0.4
1 = Yes	1161	64.5	1168	64.9
2 = No	631	35.1	1799	100.0

G2 R have sad period before progra

G2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	637	35.4	637	35.4
-3 = Missing	1	0.1	638	35.5
-2 = Don't know	2	0.1	640	35.6
1 = Yes	995	55.3	1635	90.9
2 = No	164	9.1	1799	100.0

G3 Age when R first felt depressed

G3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	803	44.6	803	44.6
-3 = Missing	9	0.5	812	45.1
-2 = Don't know	52	2.9	864	48.0
-1 = Refused	1	0.1	865	48.1
1	1	0.1	866	48.1
3	2	0.1	868	48.2
5	4	0.2	872	48.5
6	3	0.2	875	48.6
7	3	0.2	878	48.8
8	8	0.4	886	49.2
9	3	0.2	889	49.4
10	11	0.6	900	50.0
11	14	0.8	914	50.8
12	35	1.9	949	52.8
13	23	1.3	972	54.0
14	32	1.8	1004	55.8
15	35	1.9	1039	57.8
16	41	2.3	1080	60.0
17	26	1.4	1106	61.5
18	26	1.4	1132	62.9
19	18	1.0	1150	63.9
20	44	2.4	1194	66.4
21	32	1.8	1226	68.1
22	31	1.7	1257	69.9
23	34	1.9	1291	71.8
24	32	1.8	1323	73.5
25	60	3.3	1383	76.9
26	38	2.1	1421	79.0
27	29	1.6	1450	80.6
28	38	2.1	1488	82.7
29	33	1.8	1521	84.5
30	42	2.3	1563	86.9
31	28	1.6	1591	88.4
32	25	1.4	1616	89.8
33	20	1.1	1636	90.9
34	19	1.1	1655	92.0
35	28	1.6	1683	93.6
36	17	0.9	1700	94.5
37	14	0.8	1714	95.3
38	12	0.7	1726	95.9
39	10	0.6	1736	96.5
40	13	0.7	1749	97.2
41	6	0.3	1755	97.6
42	4	0.2	1759	97.8
43	5	0.3	1764	98.1
44	1	0.1	1765	98.1
45	6	0.3	1771	98.4
46	2	0.1	1773	98.6
47	3	0.2	1776	98.7
48	5	0.3	1781	99.0
49	1	0.1	1782	99.1
50	2	0.1	1784	99.2
51	5	0.3	1789	99.4
53	1	0.1	1790	99.5
54	2	0.1	1792	99.6
55	3	0.2	1795	99.8

G3 Age when R first felt depressed

G3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
56	1	0.1	1796	99.8
59	2	0.1	1798	99.9
63	1	0.1	1799	100.0

G3A Was depression the result of d

G3A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	804	44.7	804	44.7
-3 = Missing	1	0.1	805	44.7
-2 = Don't know	4	0.2	809	45.0
1 = Yes	673	37.4	1482	82.4
2 = No	317	17.6	1799	100.0

G3B All/some/none of depression du

G3B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1125	62.5	1125	62.5
-3 = Missing	1	0.1	1126	62.6
-2 = Don't know	2	0.1	1128	62.7
-1 = Refused	1	0.1	1129	62.8
1 = All	295	16.4	1424	79.2
2 = Some	367	20.4	1791	99.6
3 = None	8	0.4	1799	100.0

G4 R have sad period after program

G4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	638	35.5	638	35.5
-3 = Missing	1	0.1	639	35.5
-2 = Don't know	2	0.1	641	35.6
1 = Yes	968	53.8	1609	89.4
2 = No	190	10.6	1799	100.0

G5 All/some/none of these times du

	G5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		830	46.1	830	46.1
-3 = Missing		6	0.3	836	46.5
-2 = Don't know		2	0.1	838	46.6
-1 = Refused		1	0.1	839	46.6
1 = All		109	6.1	948	52.7
2 = Some		358	19.9	1306	72.6
3 = None		465	25.8	1771	98.4
4 = R NEVER USED ALCOHOL		28	1.6	1799	100.0

G6 All/some/none of these times du

	G6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		830	46.1	830	46.1
-3 = Missing		2	0.1	832	46.2
-2 = Don't know		2	0.1	834	46.4
1 = All		148	8.2	982	54.6
2 = Some		324	18.0	1306	72.6
3 = None		402	22.3	1708	94.9
4 = R NEVER USED DRUGS		91	5.1	1799	100.0

G7 R depressed for two weeks in th

	G7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		830	46.1	830	46.1
-3 = Missing		2	0.1	832	46.2
1 = Yes		723	40.2	1555	86.4
2 = No		244	13.6	1799	100.0

G8 All/some/none of these times du

	G8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1074	59.7	1074	59.7
-3 = Missing		5	0.3	1079	60.0
-2 = Don't know		1	0.1	1080	60.0
1 = All		63	3.5	1143	63.5
2 = Some		199	11.1	1342	74.6
3 = None		422	23.5	1764	98.1
4 = R NEVER USED ALCOHOL		35	1.9	1799	100.0

G9 All/some/none of these times du

	G9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1074	59.7	1074	59.7
-3 = Missing		3	0.2	1077	59.9
-2 = Don^t know		1	0.1	1078	59.9
1 = All		78	4.3	1156	64.3
2 = Some		189	10.5	1345	74.8
3 = None		384	21.3	1729	96.1
4 = R NEVER USED DRUGS		70	3.9	1799	100.0

G10 R ever attempt suicide

	G10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		1	0.1	1	0.1
-2 = Don^t know		2	0.1	3	0.2
-1 = Refused		4	0.2	7	0.4
1 = Yes		451	25.1	458	25.5
2 = No		1341	74.5	1799	100.0

G11 R attempt suicide before progr

	G11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1347	74.9	1347	74.9
-3 = Missing		1	0.1	1348	74.9
1 = Yes		290	16.1	1638	91.1
2 = No		161	8.9	1799	100.0

G12 # of times R attempted suicide

G12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1508	83.8	1508	83.8
-3 = Missing	2	0.1	1510	83.9
-2 = Don't know	8	0.4	1518	84.4
-1 = Refused	1	0.1	1519	84.4
1	128	7.1	1647	91.6
2	76	4.2	1723	95.8
3	42	2.3	1765	98.1
4	9	0.5	1774	98.6
5	4	0.2	1778	98.8
6	7	0.4	1785	99.2
7	1	0.1	1786	99.3
8	2	0.1	1788	99.4
9	2	0.1	1790	99.5
10	2	0.1	1792	99.6
12	2	0.1	1794	99.7
15	2	0.1	1796	99.8
21	1	0.1	1797	99.9
23	1	0.1	1798	99.9
36	1	0.1	1799	100.0

G13 Attempts the results of alcoho

G13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1508	83.8	1508	83.8
-3 = Missing	1	0.1	1509	83.9
-2 = Don't know	6	0.3	1515	84.2
-1 = Refused	1	0.1	1516	84.3
1 = Yes	182	10.1	1698	94.4
2 = No	101	5.6	1799	100.0

G14 R attempt suicide after progra

G14	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1347	74.9	1347	74.9
-3 = Missing	3	0.2	1350	75.0
1 = Yes	167	9.3	1517	84.3
2 = No	282	15.7	1799	100.0

G15 # of times R attempted suicide

G15	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1629	90.6	1629	90.6
-3 = Missing	3	0.2	1632	90.7
-2 = Don't know	6	0.3	1638	91.1
1	91	5.1	1729	96.1
2	48	2.7	1777	98.8
3	9	0.5	1786	99.3
4	7	0.4	1793	99.7
5	1	0.1	1794	99.7
6	2	0.1	1796	99.8
10	1	0.1	1797	99.9
11	1	0.1	1798	99.9
15	1	0.1	1799	100.0

G16 Any attempts due to alcohol us

G16	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1629	90.6	1629	90.6
-3 = Missing	3	0.2	1632	90.7
-2 = Don't know	2	0.1	1634	90.8
1 = Yes	68	3.8	1702	94.6
2 = No	93	5.2	1795	99.8
3 = R NEVER USED ALCOHOL	4	0.2	1799	100.0

G17 Any attempts due to drug use

G17	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1629	90.6	1629	90.6
-3 = Missing	3	0.2	1632	90.7
-2 = Don't know	2	0.1	1634	90.8
1 = Yes	69	3.8	1703	94.7
2 = No	90	5.0	1793	99.7
3 = R NEVER USED DRUGS	6	0.3	1799	100.0

G18 Any attempts in the last year

G18	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1629	90.6	1629	90.6
-3 = Missing	2	0.1	1631	90.7
1 = Yes	46	2.6	1677	93.2
2 = No	122	6.8	1799	100.0

G19 R have trouble controlling tem

G19	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.1	2	0.1
-2 = Don^t know	1	0.1	3	0.2
-1 = Refused	3	0.2	6	0.3
1 = Yes	848	47.1	854	47.5
2 = No	945	52.5	1799	100.0

G20 R have trouble with temper bef

G20	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	949	52.8	949	52.8
-3 = Missing	2	0.1	951	52.9
-2 = Don^t know	1	0.1	952	52.9
1 = Often	226	12.6	1178	65.5
2 = Sometimes	317	17.6	1495	83.1
3 = Rarely	235	13.1	1730	96.2
4 = Never	69	3.8	1799	100.0

G20A Temper troubles due to alcoho

G20A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1013	56.3	1013	56.3
-3 = Missing	12	0.7	1025	57.0
-2 = Don^t know	1	0.1	1026	57.0
1 = Yes	599	33.3	1625	90.3
2 = No	174	9.7	1799	100.0

G20B All/some/none of trouble due

G20B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1189	66.1	1189	66.1
-3 = Missing	11	0.6	1200	66.7
-2 = Don^t know	1	0.1	1201	66.8
1 = All	231	12.8	1432	79.6
2 = Some	360	20.0	1792	99.6
3 = None	7	0.4	1799	100.0

G21 R have trouble with temper aft

G21	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	949	52.8	949	52.8
-3 = Missing	2	0.1	951	52.9
-2 = Don't know	3	0.2	954	53.0
1 = Often	79	4.4	1033	57.4
2 = Sometimes	264	14.7	1297	72.1
3 = Rarely	345	19.2	1642	91.3
4 = Never	157	8.7	1799	100.0

G22 All/some/none of these times d

G22	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1106	61.5	1106	61.5
-3 = Missing	6	0.3	1112	61.8
-2 = Don't know	2	0.1	1114	61.9
1 = All	102	5.7	1216	67.6
2 = Some	286	15.9	1502	83.5
3 = None	278	15.5	1780	98.9
4 = R NEVER USED ALCOHOL	19	1.1	1799	100.0

G23 All/some/none of these times d

G23	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1106	61.5	1106	61.5
-3 = Missing	6	0.3	1112	61.8
-2 = Don't know	2	0.1	1114	61.9
1 = All	59	3.3	1173	65.2
2 = Some	216	12.0	1389	77.2
3 = None	347	19.3	1736	96.5
4 = R NEVER USED DRUGS	63	3.5	1799	100.0

G24 R have trouble with temper in

G24	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1106	61.5	1106	61.5
-3 = Missing	3	0.2	1109	61.6
-2 = Don't know	2	0.1	1111	61.8
1 = Often	52	2.9	1163	64.6
2 = Sometimes	151	8.4	1314	73.0
3 = Rarely	281	15.6	1595	88.7
4 = Never	204	11.3	1799	100.0

G25 All/some/none of these times d

	G25	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1310	72.8	1310	72.8
-3 = Missing		4	0.2	1314	73.0
-2 = Don^t know		4	0.2	1318	73.3
1 = All		52	2.9	1370	76.2
2 = Some		154	8.6	1524	84.7
3 = None		253	14.1	1777	98.8
4 = R NEVER USED ALCOHOL		22	1.2	1799	100.0

G26 All/some/none of these times d

	G26	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1310	72.8	1310	72.8
-3 = Missing		3	0.2	1313	73.0
-2 = Don^t know		1	0.1	1314	73.0
1 = All		32	1.8	1346	74.8
2 = Some		105	5.8	1451	80.7
3 = None		292	16.2	1743	96.9
4 = R NEVER USED DRUGS		56	3.1	1799	100.0

G27 R have hallucinations or delus

	G27	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		1	0.1	1	0.1
-2 = Don^t know		4	0.2	5	0.3
-1 = Refused		2	0.1	7	0.4
1 = Yes		512	28.5	519	28.8
2 = No		1280	71.2	1799	100.0

G28 R have hallucinations before p

	G28	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1286	71.5	1286	71.5
-3 = Missing		2	0.1	1288	71.6
-2 = Don^t know		6	0.3	1294	71.9
1 = Yes		347	19.3	1641	91.2
2 = No		158	8.8	1799	100.0

G28A Any hallucinations due to alc

G28A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1450	80.6	1450	80.6
-3 = Missing	4	0.2	1454	80.8
-2 = Don't know	1	0.1	1455	80.9
1 = Yes	316	17.6	1771	98.4
2 = No	28	1.6	1799	100.0

G28B All/some/none of these times

G28B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1479	82.2	1479	82.2
-3 = Missing	5	0.3	1484	82.5
1 = All	233	13.0	1717	95.4
2 = Some	78	4.3	1795	99.8
3 = None	4	0.2	1799	100.0

G29 R have hallucinations/delusion

G29	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1286	71.5	1286	71.5
-3 = Missing	1	0.1	1287	71.5
-2 = Don't know	1	0.1	1288	71.6
1 = Yes	289	16.1	1577	87.7
2 = No	222	12.3	1799	100.0

G30 Hallucinations/delusions due t

G30	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1509	83.9	1509	83.9
-3 = Missing	3	0.2	1512	84.0
-2 = Don't know	2	0.1	1514	84.2
1 = All	65	3.6	1579	87.8
2 = Some	61	3.4	1640	91.2
3 = None	157	8.7	1797	99.9
4 = R NEVER USED ALCOHOL	2	0.1	1799	100.0

G31 Hallucinations/delusions due t

	G31	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1509	83.9	1509	83.9
-3 = Missing		3	0.2	1512	84.0
-2 = Don^t know		1	0.1	1513	84.1
1 = All		117	6.5	1630	90.6
2 = Some		78	4.3	1708	94.9
3 = None		66	3.7	1774	98.6
4 = R NEVER USED DRUGS		25	1.4	1799	100.0

G32 Hallucinations/delusions in th

	G32	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1509	83.9	1509	83.9
-3 = Missing		1	0.1	1510	83.9
-2 = Don^t know		1	0.1	1511	84.0
1 = Yes		160	8.9	1671	92.9
2 = No		128	7.1	1799	100.0

G33 Hallucinations/delusions due t

	G33	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1638	91.1	1638	91.1
-3 = Missing		2	0.1	1640	91.2
-2 = Don^t know		2	0.1	1642	91.3
1 = All		26	1.4	1668	92.7
2 = Some		30	1.7	1698	94.4
3 = None		99	5.5	1797	99.9
4 = R NEVER USED ALCOHOL		2	0.1	1799	100.0

G34 Hallucinations/delusions due t

	G34	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1638	91.1	1638	91.1
-3 = Missing		1	0.1	1639	91.1
-2 = Don^t know		2	0.1	1641	91.2
1 = All		53	2.9	1694	94.2
2 = Some		39	2.2	1733	96.3
3 = None		55	3.1	1788	99.4
4 = R NEVER USED DRUGS		11	0.6	1799	100.0

G35 R ever seek help for emotional

G35	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.1	2	0.1
-2 = Don^t know	6	0.3	8	0.4
-1 = Refused	1	0.1	9	0.5
1 = Yes	957	53.2	966	53.7
2 = No	833	46.3	1799	100.0

G36 R seek help before program

G36	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	840	46.7	840	46.7
-3 = Missing	1	0.1	841	46.7
-2 = Don^t know	6	0.3	847	47.1
-1 = Refused	1	0.1	848	47.1
1 = Yes	545	30.3	1393	77.4
2 = No	406	22.6	1799	100.0

G37 # of times R sought help

G37	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1253	69.6	1253	69.6
-5 = Not applicable	1	0.1	1254	69.7
-3 = Missing	11	0.6	1265	70.3
-2 = Don't know	57	3.2	1322	73.5
1	40	2.2	1362	75.7
2	49	2.7	1411	78.4
3	45	2.5	1456	80.9
4	38	2.1	1494	83.0
5	24	1.3	1518	84.4
6	14	0.8	1532	85.2
7	6	0.3	1538	85.5
8	9	0.5	1547	86.0
9	2	0.1	1549	86.1
10	36	2.0	1585	88.1
11	2	0.1	1587	88.2
12	13	0.7	1600	88.9
13	1	0.1	1601	89.0
15	7	0.4	1608	89.4
16	1	0.1	1609	89.4
18	2	0.1	1611	89.5
20	22	1.2	1633	90.8
21	1	0.1	1634	90.8
22	1	0.1	1635	90.9
24	13	0.7	1648	91.6
25	4	0.2	1652	91.8
26	2	0.1	1654	91.9
28	1	0.1	1655	92.0
30	19	1.1	1674	93.1
35	1	0.1	1675	93.1
36	2	0.1	1677	93.2
37	1	0.1	1678	93.3
40	8	0.4	1686	93.7
44	2	0.1	1688	93.8
45	1	0.1	1689	93.9
48	4	0.2	1693	94.1
49	1	0.1	1694	94.2
50	8	0.4	1702	94.6
52	4	0.2	1706	94.8
55	1	0.1	1707	94.9
56	1	0.1	1708	94.9
60	23	1.3	1731	96.2
62	1	0.1	1732	96.3
65	1	0.1	1733	96.3
72	1	0.1	1734	96.4
88	1	0.1	1735	96.4
90	3	0.2	1738	96.6
100	17	0.9	1755	97.6
102	1	0.1	1756	97.6
103	1	0.1	1757	97.7
104	1	0.1	1758	97.7
106	1	0.1	1759	97.8
112	1	0.1	1760	97.8
120	4	0.2	1764	98.1
125	1	0.1	1765	98.1
132	1	0.1	1766	98.2
136	1	0.1	1767	98.2

G37 # of times R sought help

G37	Frequency	Percent	Cumulative Frequency	Cumulative Percent
144	1	0.1	1768	98.3
150	5	0.3	1773	98.6
175	1	0.1	1774	98.6
180	1	0.1	1775	98.7
197	1	0.1	1776	98.7
200	4	0.2	1780	98.9
208	2	0.1	1782	99.1
210	1	0.1	1783	99.1
225	2	0.1	1785	99.2
240	1	0.1	1786	99.3
250	1	0.1	1787	99.3
260	6	0.3	1793	99.7
300	2	0.1	1795	99.8
350	1	0.1	1796	99.8
500	1	0.1	1797	99.9
520	1	0.1	1798	99.9
612	1	0.1	1799	100.0

G38 R seek help for problems after

G38	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	840	46.7	840	46.7
-3 = Missing	2	0.1	842	46.8
-2 = Don't know	3	0.2	845	47.0
-1 = Refused	1	0.1	846	47.0
1 = Yes	714	39.7	1560	86.7
2 = No	239	13.3	1799	100.0

G39 # of times R sought help after

G39	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1083	60.2	1083	60.2
-3 = Missing	16	0.9	1099	61.1
-2 = Don't know	59	3.3	1158	64.4
1	67	3.7	1225	68.1
2	62	3.4	1287	71.5
3	40	2.2	1327	73.8
4	20	1.1	1347	74.9
5	38	2.1	1385	77.0
6	19	1.1	1404	78.0
7	3	0.2	1407	78.2
8	13	0.7	1420	78.9
9	1	0.1	1421	79.0
10	61	3.4	1482	82.4
11	6	0.3	1488	82.7
12	34	1.9	1522	84.6
13	7	0.4	1529	85.0
14	5	0.3	1534	85.3
15	25	1.4	1559	86.7
16	9	0.5	1568	87.2
17	1	0.1	1569	87.2
18	4	0.2	1573	87.4
20	44	2.4	1617	89.9
21	2	0.1	1619	90.0
24	13	0.7	1632	90.7
25	14	0.8	1646	91.5
26	14	0.8	1660	92.3
27	1	0.1	1661	92.3
28	2	0.1	1663	92.4
29	2	0.1	1665	92.6
30	29	1.6	1694	94.2
32	1	0.1	1695	94.2
34	1	0.1	1696	94.3
35	7	0.4	1703	94.7
36	6	0.3	1709	95.0
38	1	0.1	1710	95.1
40	6	0.3	1716	95.4
42	1	0.1	1717	95.4
44	1	0.1	1718	95.5
45	4	0.2	1722	95.7
46	1	0.1	1723	95.8
48	4	0.2	1727	96.0
50	22	1.2	1749	97.2
52	3	0.2	1752	97.4
55	1	0.1	1753	97.4
60	20	1.1	1773	98.6
64	2	0.1	1775	98.7
65	2	0.1	1777	98.8
66	1	0.1	1778	98.8
68	1	0.1	1779	98.9
70	4	0.2	1783	99.1
72	4	0.2	1787	99.3
75	5	0.3	1792	99.6
76	1	0.1	1793	99.7
80	2	0.1	1795	99.8
90	1	0.1	1796	99.8
91	1	0.1	1797	99.9

G39 # of times R sought help after

G39	Frequency	Percent	Cumulative Frequency	Cumulative Percent
96	2	0.1	1799	100.0

G40 R seek help in last year

G40	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1083	60.2	1083	60.2
-3 = Missing	2	0.1	1085	60.3
1 = Yes	446	24.8	1531	85.1
2 = No	268	14.9	1799	100.0

G41 # of times R sought help in la

G41	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1351	75.1	1351	75.1
-3 = Missing	7	0.4	1358	75.5
-2 = Don't know	15	0.8	1373	76.3
-1 = Refused	1	0.1	1374	76.4
1	60	3.3	1434	79.7
2	44	2.4	1478	82.2
3	34	1.9	1512	84.0
4	21	1.2	1533	85.2
5	23	1.3	1556	86.5
6	20	1.1	1576	87.6
7	6	0.3	1582	87.9
8	5	0.3	1587	88.2
9	2	0.1	1589	88.3
10	26	1.4	1615	89.8
12	47	2.6	1662	92.4
13	6	0.3	1668	92.7
14	3	0.2	1671	92.9
15	8	0.4	1679	93.3
16	3	0.2	1682	93.5
18	3	0.2	1685	93.7
20	11	0.6	1696	94.3
24	10	0.6	1706	94.8
25	4	0.2	1710	95.1
26	5	0.3	1715	95.3
28	2	0.1	1717	95.4
29	1	0.1	1718	95.5
30	9	0.5	1727	96.0
32	1	0.1	1728	96.1
34	1	0.1	1729	96.1
35	2	0.1	1731	96.2
36	4	0.2	1735	96.4
38	1	0.1	1736	96.5
40	3	0.2	1739	96.7
48	2	0.1	1741	96.8
50	15	0.8	1756	97.6
52	18	1.0	1774	98.6
55	1	0.1	1775	98.7
56	1	0.1	1776	98.7
60	3	0.2	1779	98.9
62	1	0.1	1780	98.9
76	1	0.1	1781	99.0
96	1	0.1	1782	99.1
100	9	0.5	1791	99.6
104	1	0.1	1792	99.6
150	1	0.1	1793	99.7
180	1	0.1	1794	99.7
200	1	0.1	1795	99.8
208	1	0.1	1796	99.8
240	1	0.1	1797	99.9
250	1	0.1	1798	99.9
520	1	0.1	1799	100.0

G42 R stay overnight in hospital

G42	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.1	2	0.1
-2 = Don't know	4	0.2	6	0.3
-1 = Refused	5	0.3	11	0.6
1 = Yes	283	15.7	294	16.3
2 = No	1505	83.7	1799	100.0

G43 R stay overnight in hospital b

G43	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1514	84.2	1514	84.2
-3 = Missing	1	0.1	1515	84.2
1 = Yes	132	7.3	1647	91.6
2 = No	152	8.4	1799	100.0

G44 Age of R at first overnight st

G44	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1666	92.6	1666	92.6
-3 = Missing	4	0.2	1670	92.8
-2 = Don't know	12	0.7	1682	93.5
12	2	0.1	1684	93.6
13	4	0.2	1688	93.8
14	6	0.3	1694	94.2
15	3	0.2	1697	94.3
16	7	0.4	1704	94.7
17	6	0.3	1710	95.1
18	3	0.2	1713	95.2
19	7	0.4	1720	95.6
20	4	0.2	1724	95.8
21	5	0.3	1729	96.1
22	6	0.3	1735	96.4
23	2	0.1	1737	96.6
24	2	0.1	1739	96.7
25	7	0.4	1746	97.1
26	5	0.3	1751	97.3
27	5	0.3	1756	97.6
28	3	0.2	1759	97.8
29	3	0.2	1762	97.9
30	3	0.2	1765	98.1
31	4	0.2	1769	98.3
32	4	0.2	1773	98.6
33	2	0.1	1775	98.7
34	2	0.1	1777	98.8
35	3	0.2	1780	98.9
36	6	0.3	1786	99.3
37	3	0.2	1789	99.4
38	2	0.1	1791	99.6
39	3	0.2	1794	99.7
40	1	0.1	1795	99.8
45	1	0.1	1796	99.8
49	1	0.1	1797	99.9
63	2	0.1	1799	100.0

G45 # of times R stayed overnight

G45	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1666	92.6	1666	92.6
-3 = Missing	4	0.2	1670	92.8
-2 = Don't know	11	0.6	1681	93.4
1	30	1.7	1711	95.1
2	28	1.6	1739	96.7
3	20	1.1	1759	97.8
4	4	0.2	1763	98.0
5	7	0.4	1770	98.4
6	2	0.1	1772	98.5
7	4	0.2	1776	98.7
8	1	0.1	1777	98.8
9	1	0.1	1778	98.8
10	2	0.1	1780	98.9
15	2	0.1	1782	99.1
18	1	0.1	1783	99.1
20	4	0.2	1787	99.3
21	1	0.1	1788	99.4
25	1	0.1	1789	99.4
32	1	0.1	1790	99.5
49	1	0.1	1791	99.6
63	1	0.1	1792	99.6
90	1	0.1	1793	99.7
100	2	0.1	1795	99.8
120	2	0.1	1797	99.9
365	1	0.1	1798	99.9
449	1	0.1	1799	100.0

G46 R stayed in hospital since en

G46	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1514	84.2	1514	84.2
-3 = Missing	2	0.1	1516	84.3
-2 = Don't know	1	0.1	1517	84.3
1 = Yes	170	9.4	1687	93.8
2 = No	112	6.2	1799	100.0

G47 # of times R stayed in hospit

G47	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1627	90.4	1627	90.4
-3 = Missing	2	0.1	1629	90.6
-2 = Don't know	6	0.3	1635	90.9
1	54	3.0	1689	93.9
2	22	1.2	1711	95.1
3	14	0.8	1725	95.9
4	10	0.6	1735	96.4
5	10	0.6	1745	97.0
6	5	0.3	1750	97.3
7	4	0.2	1754	97.5
10	3	0.2	1757	97.7
12	1	0.1	1758	97.7
14	5	0.3	1763	98.0
15	2	0.1	1765	98.1
18	1	0.1	1766	98.2
20	3	0.2	1769	98.3
21	2	0.1	1771	98.4
25	1	0.1	1772	98.5
30	7	0.4	1779	98.9
32	2	0.1	1781	99.0
35	1	0.1	1782	99.1
45	2	0.1	1784	99.2
49	1	0.1	1785	99.2
55	1	0.1	1786	99.3
60	4	0.2	1790	99.5
63	1	0.1	1791	99.6
70	1	0.1	1792	99.6
75	1	0.1	1793	99.7
90	3	0.2	1796	99.8
120	2	0.1	1798	99.9
400	1	0.1	1799	100.0

G48 General health of R

G48	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.1	2	0.1
-2 = Don't know	2	0.1	4	0.2
-1 = Refused	3	0.2	7	0.4
1 = Excellent	505	28.1	512	28.5
2 = Good	841	46.7	1353	75.2
3 = Fair	349	19.4	1702	94.6
4 = Poor	97	5.4	1799	100.0

G49 Health of R before program

G49	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.1	2	0.1
-2 = Don't know	3	0.2	5	0.3
-1 = Refused	2	0.1	7	0.4
1 = Excellent	388	21.6	395	22.0
2 = Good	789	43.9	1184	65.8
3 = Fair	432	24.0	1616	89.8
4 = Poor	183	10.2	1799	100.0

G50 Health of R after program

G50	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	1	0.1	1	0.1
-2 = Don't know	4	0.2	5	0.3
-1 = Refused	2	0.1	7	0.4
1 = Excellent	385	21.4	392	21.8
2 = Good	862	47.9	1254	69.7
3 = Fair	401	22.3	1655	92.0
4 = Poor	144	8.0	1799	100.0

G51a Tuberculosis

G51A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don't know	1	0.1	1	0.1
-1 = Refused	1	0.1	2	0.1
1 = Yes	82	4.6	84	4.7
2 = No	1715	95.3	1799	100.0

G51b Breathing conditions

G51B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	3	0.2	3	0.2
-2 = Don't know	1	0.1	4	0.2
-1 = Refused	1	0.1	5	0.3
1 = Yes	384	21.3	389	21.6
2 = No	1410	78.4	1799	100.0

G51c Heart/blood condition

G51C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	3	0.2	3	0.2
-2 = Don't know	3	0.2	6	0.3
-1 = Refused	1	0.1	7	0.4
1 = Yes	374	20.8	381	21.2
2 = No	1418	78.8	1799	100.0

G51d Anemia

G51D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.1	2	0.1
-2 = Don't know	3	0.2	5	0.3
-1 = Refused	1	0.1	6	0.3
1 = Yes	197	11.0	203	11.3
2 = No	1596	88.7	1799	100.0

G51e Hepatitis or jaundice

G51E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	1	0.1	1	0.1
-2 = Don't know	1	0.1	2	0.1
-1 = Refused	1	0.1	3	0.2
1 = Yes	263	14.6	266	14.8
2 = No	1533	85.2	1799	100.0

G51f Serious internal condition

G51F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	2	0.1	2	0.1
-2 = Don't know	1	0.1	3	0.2
-1 = Refused	1	0.1	4	0.2
1 = Yes	445	24.7	449	25.0
2 = No	1350	75.0	1799	100.0

G51g Bone or muscle conditions

	G51G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		4	0.2	4	0.2
-2 = Don't know		1	0.1	5	0.3
-1 = Refused		1	0.1	6	0.3
1 = Yes		316	17.6	322	17.9
2 = No		1477	82.1	1799	100.0

G51h Convulsions, epilepsy, migrai

	G51H	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		2	0.1	2	0.1
-2 = Don't know		2	0.1	4	0.2
-1 = Refused		1	0.1	5	0.3
1 = Yes		330	18.3	335	18.6
2 = No		1464	81.4	1799	100.0

G51i STD other than AIDS

	G51I	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don't know		2	0.1	2	0.1
-1 = Refused		4	0.2	6	0.3
1 = Yes		331	18.4	337	18.7
2 = No		1462	81.3	1799	100.0

G51j Cancer

	G51J	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		1	0.1	1	0.1
-2 = Don't know		5	0.3	6	0.3
-1 = Refused		1	0.1	7	0.4
1 = Yes		78	4.3	85	4.7
2 = No		1714	95.3	1799	100.0

G51k Miscarriage, Toxemia, abnormal

	G51K	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1251	69.5	1251	69.5
-3 = Missing		1	0.1	1252	69.6
-2 = Don't know		1	0.1	1253	69.6
1 = Yes		259	14.4	1512	84.0
2 = No		284	15.8	1796	99.8
3 = R IS MALE		3	0.2	1799	100.0

G51Aa Tuberculosis before

	G51AA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1717	95.4	1717	95.4
-2 = Don't know		1	0.1	1718	95.5
1 = Yes		40	2.2	1758	97.7
2 = No		41	2.3	1799	100.0

G51Ba Tuberculosis after

	G51BA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1717	95.4	1717	95.4
-2 = Don't know		1	0.1	1718	95.5
1 = Yes		50	2.8	1768	98.3
2 = No		31	1.7	1799	100.0

G51Ab Breathing condition before

	G51AB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1412	78.5	1412	78.5
-5 = Not applicable		1	0.1	1413	78.5
-3 = Missing		2	0.1	1415	78.7
-2 = Don't know		2	0.1	1417	78.8
1 = Yes		212	11.8	1629	90.6
2 = No		170	9.4	1799	100.0

G51Bb Breathing condition after

G51BB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1412	78.5	1412	78.5
-5 = Not applicable	1	0.1	1413	78.5
-3 = Missing	3	0.2	1416	78.7
1 = Yes	278	15.5	1694	94.2
2 = No	105	5.8	1799	100.0

G51Ac Blood condition before

G51AC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1422	79.0	1422	79.0
-3 = Missing	5	0.3	1427	79.3
-2 = Don't know	1	0.1	1428	79.4
-1 = Refused	1	0.1	1429	79.4
1 = Yes	201	11.2	1630	90.6
2 = No	169	9.4	1799	100.0

G51Bc Blood condition after

G51BC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1422	79.0	1422	79.0
-3 = Missing	5	0.3	1427	79.3
-1 = Refused	1	0.1	1428	79.4
1 = Yes	302	16.8	1730	96.2
2 = No	69	3.8	1799	100.0

G51Ad Anemia before

G51AD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1600	88.9	1600	88.9
-3 = Missing	2	0.1	1602	89.0
1 = Yes	113	6.3	1715	95.3
2 = No	84	4.7	1799	100.0

G51Bd Anemia after

G51BD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1600	88.9	1600	88.9
-3 = Missing	2	0.1	1602	89.0
-2 = Don't know	1	0.1	1603	89.1
1 = Yes	111	6.2	1714	95.3
2 = No	85	4.7	1799	100.0

G51Ae Hepatitis before

G51AE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1535	85.3	1535	85.3
-3 = Missing	4	0.2	1539	85.5
-2 = Don't know	2	0.1	1541	85.7
1 = Yes	119	6.6	1660	92.3
2 = No	139	7.7	1799	100.0

G51Be Hepatitis after

G51BE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1535	85.3	1535	85.3
-3 = Missing	5	0.3	1540	85.6
-2 = Don't know	1	0.1	1541	85.7
1 = Yes	114	6.3	1655	92.0
2 = No	144	8.0	1799	100.0

G51Af Internal condition before

G51AF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1352	75.2	1352	75.2
-3 = Missing	7	0.4	1359	75.5
-2 = Don't know	2	0.1	1361	75.7
1 = Yes	223	12.4	1584	88.0
2 = No	215	12.0	1799	100.0

G51Bf Internal condition after

G51BF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1352	75.2	1352	75.2
-3 = Missing	9	0.5	1361	75.7
1 = Yes	326	18.1	1687	93.8
2 = No	112	6.2	1799	100.0

G51Ag Bone or muscle before

G51AG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1479	82.2	1479	82.2
-3 = Missing	5	0.3	1484	82.5
-2 = Don't know	1	0.1	1485	82.5
1 = Yes	159	8.8	1644	91.4
2 = No	155	8.6	1799	100.0

G51Bg Bone or muscle after

G51BG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1479	82.2	1479	82.2
-3 = Missing	5	0.3	1484	82.5
1 = Yes	238	13.2	1722	95.7
2 = No	77	4.3	1799	100.0

G51Ah Convulsions before

G51AH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1467	81.5	1467	81.5
-3 = Missing	4	0.2	1471	81.8
-2 = Don't know	2	0.1	1473	81.9
1 = Yes	171	9.5	1644	91.4
2 = No	155	8.6	1799	100.0

G51Bh Convulsions after

G51BH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1467	81.5	1467	81.5
-3 = Missing	4	0.2	1471	81.8
1 = Yes	215	12.0	1686	93.7
2 = No	113	6.3	1799	100.0

G51Ai STD other than AIDS before

G51AI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1468	81.6	1468	81.6
-3 = Missing	1	0.1	1469	81.7
1 = Yes	193	10.7	1662	92.4
2 = No	137	7.6	1799	100.0

G51Bi STD other than AIDS after

G51BI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1468	81.6	1468	81.6
-3 = Missing	1	0.1	1469	81.7
1 = Yes	128	7.1	1597	88.8
2 = No	202	11.2	1799	100.0

G51Aj Cancer before

G51AJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1720	95.6	1720	95.6
-3 = Missing	4	0.2	1724	95.8
1 = Yes	21	1.2	1745	97.0
2 = No	54	3.0	1799	100.0

G51Bj Cancer after

G51BJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1720	95.6	1720	95.6
-3 = Missing	4	0.2	1724	95.8
1 = Yes	54	3.0	1778	98.8
2 = No	21	1.2	1799	100.0

G51Ak Female problems before

G51AK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1539	85.5	1539	85.5
-3 = Missing	1	0.1	1540	85.6
-2 = Don^t know	1	0.1	1541	85.7
1 = Yes	130	7.2	1671	92.9
2 = No	128	7.1	1799	100.0

G51Bk Female problems after

G51BK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1539	85.5	1539	85.5
-3 = Missing	1	0.1	1540	85.6
1 = Yes	141	7.8	1681	93.4
2 = No	118	6.6	1799	100.0

G52 R ever overdosed on alcohol/dr

G52	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	3	0.2	3	0.2
-2 = Don^t know	5	0.3	8	0.4
-1 = Refused	1	0.1	9	0.5
1 = Yes	514	28.6	523	29.1
2 = No	1276	70.9	1799	100.0

G53 R overdose before program

G53	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1282	71.3	1282	71.3
-2 = Don^t know	1	0.1	1283	71.3
1 = Yes	340	18.9	1623	90.2
2 = No	176	9.8	1799	100.0

G54 # of times R overdosed

G54	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1459	81.1	1459	81.1
-3 = Missing	6	0.3	1465	81.4
-2 = Don't know	20	1.1	1485	82.5
1	118	6.6	1603	89.1
2	79	4.4	1682	93.5
3	47	2.6	1729	96.1
4	8	0.4	1737	96.6
5	15	0.8	1752	97.4
6	9	0.5	1761	97.9
7	1	0.1	1762	97.9
8	1	0.1	1763	98.0
9	1	0.1	1764	98.1
10	12	0.7	1776	98.7
12	2	0.1	1778	98.8
15	4	0.2	1782	99.1
20	4	0.2	1786	99.3
24	1	0.1	1787	99.3
25	1	0.1	1788	99.4
50	1	0.1	1789	99.4
100+	10	0.6	1799	100.0

G55 R go to emergency room when ov

G55	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1459	81.1	1459	81.1
-2 = Don't know	2	0.1	1461	81.2
1 = Yes	187	10.4	1648	91.6
2 = No	151	8.4	1799	100.0

G56 # of time R went to emergency

G56	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1612	89.6	1612	89.6
-3 = Missing	3	0.2	1615	89.8
-2 = Don't know	6	0.3	1621	90.1
1	97	5.4	1718	95.5
2	46	2.6	1764	98.1
3	16	0.9	1780	98.9
4	6	0.3	1786	99.3
5	5	0.3	1791	99.6
6	3	0.2	1794	99.7
9	1	0.1	1795	99.8
10	3	0.2	1798	99.9
100	1	0.1	1799	100.0

G57 R overdosed since end of progr

G57	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1282	71.3	1282	71.3
-2 = Don^t know	1	0.1	1283	71.3
1 = Yes	200	11.1	1483	82.4
2 = No	316	17.6	1799	100.0

G58 # of time R overdosed

G58	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1599	88.9	1599	88.9
-3 = Missing	1	0.1	1600	88.9
-2 = Don^t know	10	0.6	1610	89.5
1	94	5.2	1704	94.7
2	44	2.4	1748	97.2
3	21	1.2	1769	98.3
4	5	0.3	1774	98.6
5	7	0.4	1781	99.0
6	4	0.2	1785	99.2
8	1	0.1	1786	99.3
10	4	0.2	1790	99.5
15	1	0.1	1791	99.6
20	1	0.1	1792	99.6
24	1	0.1	1793	99.7
25	1	0.1	1794	99.7
50	2	0.1	1796	99.8
100+	3	0.2	1799	100.0

G59 R go to emergency room when ov

G59	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1599	88.9	1599	88.9
-2 = Don^t know	2	0.1	1601	89.0
1 = Yes	115	6.4	1716	95.4
2 = No	83	4.6	1799	100.0

G60 # of times R went to emergency

G60	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1684	93.6	1684	93.6
-2 = Don't know	3	0.2	1687	93.8
1	67	3.7	1754	97.5
2	24	1.3	1778	98.8
3	13	0.7	1791	99.6
5	3	0.2	1794	99.7
6	1	0.1	1795	99.8
8	1	0.1	1796	99.8
14	1	0.1	1797	99.9
54	1	0.1	1798	99.9
100	1	0.1	1799	100.0

G61 R gone to emergency room for o

G61	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don't know	7	0.4	7	0.4
-1 = Refused	2	0.1	9	0.5
1 = Yes	1142	63.5	1151	64.0
2 = No	648	36.0	1799	100.0

G62 R gone to emergency room befor

G62	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	657	36.5	657	36.5
-3 = Missing	1	0.1	658	36.6
-2 = Don't know	6	0.3	664	36.9
1 = Yes	769	42.7	1433	79.7
2 = No	366	20.3	1799	100.0

G63 # times R went to emergency ro

G63	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1029	57.2	1029	57.2
-3 = Missing	4	0.2	1033	57.4
-2 = Don't know	8	0.4	1041	57.9
1 = One time	226	12.6	1267	70.4
2 = 2-9 times	463	25.7	1730	96.2
3 = 10-19 times	47	2.6	1777	98.8
4 = 20-49 times	17	0.9	1794	99.7
5 = 50-99 times	4	0.2	1798	99.9
6 = 100 or more times	1	0.1	1799	100.0

G64 R go to emergency room after p

G64	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	657	36.5	657	36.5
-2 = Don't know	2	0.1	659	36.6
1 = Yes	800	44.5	1459	81.1
2 = No	340	18.9	1799	100.0

G65 # times R went to emergency ro

G65	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	999	55.5	999	55.5
-3 = Missing	3	0.2	1002	55.7
-2 = Don't know	5	0.3	1007	56.0
-1 = Refused	1	0.1	1008	56.0
1 = One time	243	13.5	1251	69.5
2 = 2-9 times	483	26.8	1734	96.4
3 = 10-19 times	43	2.4	1777	98.8
4 = 20-49 times	16	0.9	1793	99.7
5 = 50-99 times	4	0.2	1797	99.9
6 = 100 or more times	2	0.1	1799	100.0

G66 Ever gone to hospital for deto

G66	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	1	0.1	1	0.1
-2 = Don't know	7	0.4	8	0.4
-1 = Refused	2	0.1	10	0.6
1 = Yes	595	33.1	605	33.6
2 = No	1194	66.4	1799	100.0

G67 R go for detoxing before progr

G67	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1203	66.9	1203	66.9
-2 = Don't know	3	0.2	1206	67.0
1 = Yes	331	18.4	1537	85.4
2 = No	262	14.6	1799	100.0

G68 # of times R went for detoxing

G68	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1468	81.6	1468	81.6
-3 = Missing	6	0.3	1474	81.9
-2 = Don't know	7	0.4	1481	82.3
-1 = Refused	1	0.1	1482	82.4
1	141	7.8	1623	90.2
2	72	4.0	1695	94.2
3	37	2.1	1732	96.3
4	21	1.2	1753	97.4
5	12	0.7	1765	98.1
6	4	0.2	1769	98.3
7	4	0.2	1773	98.6
8	1	0.1	1774	98.6
9	1	0.1	1775	98.7
10	7	0.4	1782	99.1
12	5	0.3	1787	99.3
13	1	0.1	1788	99.4
15	1	0.1	1789	99.4
18	1	0.1	1790	99.5
20	5	0.3	1795	99.8
22	1	0.1	1796	99.8
25	1	0.1	1797	99.9
50	1	0.1	1798	99.9
100	1	0.1	1799	100.0

G69 R go for detoxing after progra

G69	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1203	66.9	1203	66.9
-3 = Missing	4	0.2	1207	67.1
-2 = Don't know	1	0.1	1208	67.1
1 = Yes	292	16.2	1500	83.4
2 = No	299	16.6	1799	100.0

G70 # of times R went for detoxing

G70	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1503	83.5	1503	83.5
-3 = Missing	4	0.2	1507	83.8
-2 = Don't know	10	0.6	1517	84.3
-1 = Refused	1	0.1	1518	84.4
1	130	7.2	1648	91.6
2	57	3.2	1705	94.8
3	40	2.2	1745	97.0
4	15	0.8	1760	97.8
5	13	0.7	1773	98.6
6	7	0.4	1780	98.9
7	2	0.1	1782	99.1
8	4	0.2	1786	99.3
10	2	0.1	1788	99.4
12	1	0.1	1789	99.4
14	2	0.1	1791	99.6
15	2	0.1	1793	99.7
20	3	0.2	1796	99.8
32	1	0.1	1797	99.9
100	2	0.1	1799	100.0

G71 Other times R went to hospital

G71	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	4	0.2	4	0.2
-2 = Don't know	1	0.1	5	0.3
-1 = Refused	2	0.1	7	0.4
1 = Yes	986	54.8	993	55.2
2 = No	806	44.8	1799	100.0

G72 R go to hospital before progra

G72	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	809	45.0	809	45.0
-3 = Missing	2	0.1	811	45.1
-2 = Don't know	12	0.7	823	45.7
1 = Yes	484	26.9	1307	72.7
2 = No	492	27.3	1799	100.0

G73 # of times R went to this hosp

G73	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1313	73.0	1313	73.0
-3 = Missing	9	0.5	1322	73.5
-2 = Don't know	15	0.8	1337	74.3
1	99	5.5	1436	79.8
2	51	2.8	1487	82.7
3	67	3.7	1554	86.4
4	28	1.6	1582	87.9
5	30	1.7	1612	89.6
6	15	0.8	1627	90.4
7	35	1.9	1662	92.4
8	8	0.4	1670	92.8
9	5	0.3	1675	93.1
10	15	0.8	1690	93.9
11	4	0.2	1694	94.2
12	7	0.4	1701	94.6
13	1	0.1	1702	94.6
14	23	1.3	1725	95.9
15	1	0.1	1726	95.9
20	12	0.7	1738	96.6
21	9	0.5	1747	97.1
25	1	0.1	1748	97.2
28	2	0.1	1750	97.3
30	18	1.0	1768	98.3
35	2	0.1	1770	98.4
37	2	0.1	1772	98.5
45	2	0.1	1774	98.6
48	1	0.1	1775	98.7
50	3	0.2	1778	98.8
55	2	0.1	1780	98.9
60	4	0.2	1784	99.2
74	1	0.1	1785	99.2
75	1	0.1	1786	99.3
90	8	0.4	1794	99.7
98	1	0.1	1795	99.8
120	2	0.1	1797	99.9
140	1	0.1	1798	99.9
171	1	0.1	1799	100.0

G74 R spend 24 hrs in hospital aft

G74	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	809	45.0	809	45.0
-3 = Missing	1	0.1	810	45.0
-2 = Don't know	3	0.2	813	45.2
-1 = Refused	1	0.1	814	45.2
1 = Yes	528	29.3	1342	74.6
2 = No	457	25.4	1799	100.0

G75 # of times R spent 24 hrs in h

G75	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1270	70.6	1270	70.6
-3 = Missing	7	0.4	1277	71.0
-2 = Don't know	16	0.9	1293	71.9
1	124	6.9	1417	78.8
2	71	3.9	1488	82.7
3	61	3.4	1549	86.1
4	33	1.8	1582	87.9
5	24	1.3	1606	89.3
6	13	0.7	1619	90.0
7	23	1.3	1642	91.3
8	4	0.2	1646	91.5
9	8	0.4	1654	91.9
10	22	1.2	1676	93.2
11	2	0.1	1678	93.3
12	2	0.1	1680	93.4
13	2	0.1	1682	93.5
14	22	1.2	1704	94.7
15	11	0.6	1715	95.3
16	2	0.1	1717	95.4
17	2	0.1	1719	95.6
19	1	0.1	1720	95.6
20	9	0.5	1729	96.1
21	4	0.2	1733	96.3
22	2	0.1	1735	96.4
24	1	0.1	1736	96.5
27	1	0.1	1737	96.6
28	1	0.1	1738	96.6
29	1	0.1	1739	96.7
30	15	0.8	1754	97.5
31	2	0.1	1756	97.6
34	2	0.1	1758	97.7
35	5	0.3	1763	98.0
36	1	0.1	1764	98.1
40	2	0.1	1766	98.2
41	1	0.1	1767	98.2
42	1	0.1	1768	98.3
45	4	0.2	1772	98.5
46	1	0.1	1773	98.6
51	1	0.1	1774	98.6
58	1	0.1	1775	98.7
60	3	0.2	1778	98.8
63	1	0.1	1779	98.9
65	1	0.1	1780	98.9
70	2	0.1	1782	99.1
75	1	0.1	1783	99.1
90	3	0.2	1786	99.3
100	4	0.2	1790	99.5
105	1	0.1	1791	99.6
110	2	0.1	1793	99.7
127	1	0.1	1794	99.7
130	1	0.1	1795	99.8
149	1	0.1	1796	99.8
180	3	0.2	1799	100.0

G76 # of nights spent in past year

G76	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1270	70.6	1270	70.6
-3 = Missing	4	0.2	1274	70.8
-2 = Don't know	6	0.3	1280	71.2
0	276	15.3	1556	86.5
1	58	3.2	1614	89.7
2	29	1.6	1643	91.3
3	27	1.5	1670	92.8
4	13	0.7	1683	93.6
5	16	0.9	1699	94.4
6	8	0.4	1707	94.9
7	16	0.9	1723	95.8
8	3	0.2	1726	95.9
9	3	0.2	1729	96.1
10	6	0.3	1735	96.4
11	4	0.2	1739	96.7
12	1	0.1	1740	96.7
13	2	0.1	1742	96.8
14	10	0.6	1752	97.4
15	8	0.4	1760	97.8
16	1	0.1	1761	97.9
17	1	0.1	1762	97.9
20	4	0.2	1766	98.2
21	2	0.1	1768	98.3
22	1	0.1	1769	98.3
24	1	0.1	1770	98.4
25	1	0.1	1771	98.4
27	1	0.1	1772	98.5
28	2	0.1	1774	98.6
30	6	0.3	1780	98.9
31	1	0.1	1781	99.0
33	1	0.1	1782	99.1
35	2	0.1	1784	99.2
36	1	0.1	1785	99.2
42	1	0.1	1786	99.3
45	3	0.2	1789	99.4
60	2	0.1	1791	99.6
65	1	0.1	1792	99.6
70	1	0.1	1793	99.7
90	3	0.2	1796	99.8
100	1	0.1	1797	99.9
105	1	0.1	1798	99.9
128	1	0.1	1799	100.0

G77 # of times R has seen physicia

	G77	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		6	0.3	6	0.3
-2 = Don^t know		27	1.5	33	1.8
-1 = Refused		3	0.2	36	2.0
1 = One time		183	10.2	219	12.2
2 = 2-9 times		823	45.7	1042	57.9
3 = 10-19 times		230	12.8	1272	70.7
4 = 20-49 times		153	8.5	1425	79.2
5 = 50-99 times		53	2.9	1478	82.2
6 = More than 100 times		61	3.4	1539	85.5
7 = NONE/NEVER SAW A DOCTOR		260	14.5	1799	100.0

G78 # times physician seen in last

	G78	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		290	16.1	290	16.1
-5 = Not applicable		1	0.1	291	16.2
-3 = Missing		5	0.3	296	16.5
1 = One time		365	20.3	661	36.7
2 = 2-9 times		598	33.2	1259	70.0
3 = 10-19 times		154	8.6	1413	78.5
4 = 20-49 times		57	3.2	1470	81.7
5 = 50-99 times		22	1.2	1492	82.9
6 = More than 100 times		10	0.6	1502	83.5
7 = NONE/NEVER SAW A DOCTOR		297	16.5	1799	100.0

G79 # sex partners since program

	G79	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		3	0.2	3	0.2
-2 = Don^t know		20	1.1	23	1.3
-1 = Refused		34	1.9	57	3.2
1 = One person		489	27.2	546	30.4
2 = 2-10 persons		919	51.1	1465	81.4
3 = 11-25 persons		152	8.4	1617	89.9
4 = 26-100 persons		67	3.7	1684	93.6
5 = 100-500 persons		13	0.7	1697	94.3
6 = More than 500 persons		5	0.3	1702	94.6
7 = NONE		97	5.4	1799	100.0

G80 # sex partners in past year

G80	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	97	5.4	97	5.4
-5 = Not applicable	1	0.1	98	5.4
-3 = Missing	31	1.7	129	7.2
-2 = Don't know	11	0.6	140	7.8
-1 = Refused	25	1.4	165	9.2
1 = One person	942	52.4	1107	61.5
2 = 2-10 persons	481	26.7	1588	88.3
3 = 11-25 persons	37	2.1	1625	90.3
4 = 26-100 persons	6	0.3	1631	90.7
5 = 100-500 persons	3	0.2	1634	90.8
6 = More than 500 persons	2	0.1	1636	90.9
7 = NONE	163	9.1	1799	100.0

G81 Had sex for money/drugs

G81	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	296	16.5	296	16.5
-3 = Missing	1	0.1	297	16.5
-1 = Refused	2	0.1	299	16.6
1 = Yes	76	4.2	375	20.8
2 = No	1424	79.2	1799	100.0

G82 Ever have blood test for AIDS

G82	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	1	0.1	1	0.1
-2 = Don't know	32	1.8	33	1.8
-1 = Refused	3	0.2	36	2.0
1 = Yes	1296	72.0	1332	74.0
2 = No	467	26.0	1799	100.0

G83 Have test for AIDS before prog

G83	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	502	27.9	502	27.9
-3 = Missing	2	0.1	504	28.0
-2 = Don't know	21	1.2	525	29.2
-1 = Refused	2	0.1	527	29.3
1 = Yes	498	27.7	1025	57.0
2 = No	774	43.0	1799	100.0

G84 R know results of last test

G84	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1299	72.2	1299	72.2
-3 = Missing	2	0.1	1301	72.3
-2 = Don^t know	1	0.1	1302	72.4
1 = Yes	172	9.6	1474	81.9
2 = No	17	0.9	1491	82.9
3 = RESULTS POSITIVE	17	0.9	1508	83.8
4 = RESULTS NEGATIVE	291	16.2	1799	100.0

G86 R test for AIDS while in progr

G86	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	526	29.2	526	29.2
-3 = Missing	17	0.9	543	30.2
-2 = Don't know	97	5.4	640	35.6
-1 = Refused	2	0.1	642	35.7
1 = Yes	540	30.0	1182	65.7
2 = No	617	34.3	1799	100.0

G87 R know results of last test

G87	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1242	69.0	1242	69.0
-3 = Missing	17	0.9	1259	70.0
-2 = Don't know	1	0.1	1260	70.0
1 = Yes	495	27.5	1755	97.6
2 = No	44	2.4	1799	100.0

G88 R test for AIDS after program

G88	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	506	28.1	506	28.1
-3 = Missing	8	0.4	514	28.6
-2 = Don't know	7	0.4	521	29.0
-1 = Refused	2	0.1	523	29.1
1 = Yes	1090	60.6	1613	89.7
2 = No	186	10.3	1799	100.0

G89 R know results of last test

G89	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	697	38.7	697	38.7
-3 = Missing	4	0.2	701	39.0
-2 = Don^t know	6	0.3	707	39.3
-1 = Refused	2	0.1	709	39.4
1 = Yes	316	17.6	1025	57.0
2 = No	42	2.3	1067	59.3
3 = RESULTS POSITIVE	36	2.0	1103	61.3
4 = RESULTS NEGATIVE	696	38.7	1799	100.0

G90 R ever attacked with a weapon

G90	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know	3	0.2	3	0.2
-1 = Refused	2	0.1	5	0.3
1 = Yes	906	50.4	911	50.6
2 = No	888	49.4	1799	100.0

G91 R attacked before program

G91	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	893	49.6	893	49.6
-3 = Missing	1	0.1	894	49.7
-2 = Don^t know	3	0.2	897	49.9
1 = Yes	559	31.1	1456	80.9
2 = No	343	19.1	1799	100.0

G92 R beaten before program

G92	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1239	68.9	1239	68.9
-2 = Don^t know	1	0.1	1240	68.9
1 = Yes	360	20.0	1600	88.9
2 = No	199	11.1	1799	100.0

G93 # times R beaten before progra

	G93	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1439	80.0	1439	80.0
-3 = Missing		1	0.1	1440	80.0
-2 = Don^t know		2	0.1	1442	80.2
1 = One time		142	7.9	1584	88.0
2 = 2-5 times		149	8.3	1733	96.3
3 = 6-10 times		28	1.6	1761	97.9
4= 11-25 times		16	0.9	1777	98.8
5 = 26-100 times		15	0.8	1792	99.6
6 = More than 100 times		7	0.4	1799	100.0

G95 R beaten while in program

	G95	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		911	50.6	911	50.6
-3 = Missing		7	0.4	918	51.0
1 = Yes		39	2.2	957	53.2
2 = No		842	46.8	1799	100.0

G96 R have to see M.D. for beating

	G96	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		1753	97.4	1753	97.4
-3 = Missing		7	0.4	1760	97.8
1 = Yes		23	1.3	1783	99.1
2 = No		16	0.9	1799	100.0

G97 R beaten after program

	G97	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		893	49.6	893	49.6
-3 = Missing		5	0.3	898	49.9
-2 = Don^t know		4	0.2	902	50.1
1 = Yes		439	24.4	1341	74.5
2 = No		458	25.5	1799	100.0

G98 R have to see M.D. for beating

G98	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1355	75.3	1355	75.3
-3 = Missing	3	0.2	1358	75.5
1 = Yes	302	16.8	1660	92.3
2 = No	139	7.7	1799	100.0

G99 # times attacked after program

G99	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1494	83.0	1494	83.0
-3 = Missing	2	0.1	1496	83.2
-2 = Don't know	2	0.1	1498	83.3
1 = One time	148	8.2	1646	91.5
2 = 2-5 times	112	6.2	1758	97.7
3 = 6-10 times	19	1.1	1777	98.8
4 = 11-25 times	13	0.7	1790	99.5
5 = 26-100 times	6	0.3	1796	99.8
6 = More than 100 times	3	0.2	1799	100.0

H1 R EVER EMPLOYED FULL-TIME

H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	1	0.1	1	0.1
-1 = Refused	3	0.2	4	0.2
1 = Yes	1593	88.5	1597	88.8
2 = No	119	6.6	1716	95.4
3 = R CURRENTLY HAS FULL-TIME JOB	83	4.6	1799	100.0

H2 R EMPLOYED BEFORE ENTERING PROG

H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	122	6.8	122	6.8
-3 = Missing	3	0.2	125	6.9
-2 = Don't know	3	0.2	128	7.1
-1 = Refused	1	0.1	129	7.2
1 = Yes	1290	71.7	1419	78.9
2 = No	380	21.1	1799	100.0

H3 LONGEST R HAD FULL-TIME JOB

H3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	506	28.1	506	28.1
-3 = Missing	8	0.4	514	28.6
-2 = Don^t know	4	0.2	518	28.8
-1 = Refused	1	0.1	519	28.8
1 = Less than one year	191	10.6	710	39.5
2 = 1-2 years	344	19.1	1054	58.6
3 = 3-4 years	274	15.2	1328	73.8
4 = 5 years or more	471	26.2	1799	100.0

H3BDOL R^S SALARY - DOLLARS

H3BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	506	28.1	506	28.1
-3 = Missing	13	0.7	519	28.8
-2 = Don^t know	36	2.0	555	30.9
-1 = Refused	18	1.0	573	31.9
2.01	4	0.2	577	32.1
2.13	1	0.1	578	32.1
2.3	1	0.1	579	32.2
2.35	1	0.1	580	32.2
2.5	4	0.2	584	32.5
2.75	1	0.1	585	32.5
2.85	1	0.1	586	32.6
3	3	0.2	589	32.7
3.1	1	0.1	590	32.8
3.2	1	0.1	591	32.9
3.25	5	0.3	596	33.1
3.3	1	0.1	597	33.2
3.35	7	0.4	604	33.6
3.4	1	0.1	605	33.6
3.5	5	0.3	610	33.9
3.58	1	0.1	611	34.0
3.65	1	0.1	612	34.0
3.75	5	0.3	617	34.3
3.85	3	0.2	620	34.5
4	12	0.7	632	35.1
4.01	1	0.1	633	35.2
4.1	2	0.1	635	35.3
4.25	23	1.3	658	36.6
4.3	1	0.1	659	36.6
4.35	4	0.2	663	36.9
4.44	1	0.1	664	36.9
4.5	11	0.6	675	37.5
4.55	2	0.1	677	37.6
4.65	2	0.1	679	37.7
4.75	6	0.3	685	38.1
4.8	3	0.2	688	38.2
4.87	1	0.1	689	38.3
5	47	2.6	736	40.9
5.25	22	1.2	758	42.1
5.27	1	0.1	759	42.2
5.3	3	0.2	762	42.4
5.35	1	0.1	763	42.4
5.4	2	0.1	765	42.5
5.45	1	0.1	766	42.6
5.5	21	1.2	787	43.7
5.7	1	0.1	788	43.8
5.75	7	0.4	795	44.2
5.8	2	0.1	797	44.3
5.85	1	0.1	798	44.4
5.9	1	0.1	799	44.4
5.91	1	0.1	800	44.5
6	41	2.3	841	46.7
6.1	2	0.1	843	46.9
6.15	1	0.1	844	46.9
6.18	1	0.1	845	47.0
6.2	1	0.1	846	47.0
6.25	3	0.2	849	47.2

H3BDOL R^S SALARY - DOLLARS

H3BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6.3	1	0.1	850	47.2
6.35	2	0.1	852	47.4
6.47	1	0.1	853	47.4
6.5	28	1.6	881	49.0
6.75	10	0.6	891	49.5
6.85	1	0.1	892	49.6
6.87	1	0.1	893	49.6
6.89	1	0.1	894	49.7
6.9	1	0.1	895	49.7
6.96	1	0.1	896	49.8
7	38	2.1	934	51.9
7.2	1	0.1	935	52.0
7.25	2	0.1	937	52.1
7.3	1	0.1	938	52.1
7.35	1	0.1	939	52.2
7.4	1	0.1	940	52.3
7.49	1	0.1	941	52.3
7.5	22	1.2	963	53.5
7.53	1	0.1	964	53.6
7.58	1	0.1	965	53.6
7.59	1	0.1	966	53.7
7.62	1	0.1	967	53.8
7.75	2	0.1	969	53.9
7.8	1	0.1	970	53.9
7.85	2	0.1	972	54.0
7.9	1	0.1	973	54.1
8	38	2.1	1011	56.2
8.2	1	0.1	1012	56.3
8.25	2	0.1	1014	56.4
8.3	1	0.1	1015	56.4
8.36	1	0.1	1016	56.5
8.5	15	0.8	1031	57.3
8.51	1	0.1	1032	57.4
8.55	1	0.1	1033	57.4
8.6	1	0.1	1034	57.5
8.65	2	0.1	1036	57.6
8.75	4	0.2	1040	57.8
8.9	1	0.1	1041	57.9
8.95	1	0.1	1042	57.9
9	11	0.6	1053	58.5
9.1	1	0.1	1054	58.6
9.15	2	0.1	1056	58.7
9.25	1	0.1	1057	58.8
9.27	1	0.1	1058	58.8
9.35	1	0.1	1059	58.9
9.41	1	0.1	1060	58.9
9.43	1	0.1	1061	59.0
9.45	1	0.1	1062	59.0
9.5	8	0.4	1070	59.5
9.52	1	0.1	1071	59.5
9.65	1	0.1	1072	59.6
9.66	1	0.1	1073	59.6
9.7	1	0.1	1074	59.7
10	32	1.8	1106	61.5
10.09	1	0.1	1107	61.5
10.15	1	0.1	1108	61.6

H3BDOL R^S SALARY - DOLLARS

H3BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10.2	1	0.1	1109	61.6
10.5	3	0.2	1112	61.8
10.58	1	0.1	1113	61.9
10.75	1	0.1	1114	61.9
11	8	0.4	1122	62.4
11.17	1	0.1	1123	62.4
11.35	1	0.1	1124	62.5
11.4	1	0.1	1125	62.5
11.44	1	0.1	1126	62.6
11.47	1	0.1	1127	62.6
11.5	4	0.2	1131	62.9
11.8	1	0.1	1132	62.9
12	22	1.2	1154	64.1
12.13	1	0.1	1155	64.2
12.35	2	0.1	1157	64.3
12.5	11	0.6	1168	64.9
12.57	1	0.1	1169	65.0
12.85	1	0.1	1170	65.0
13	11	0.6	1181	65.6
13.25	1	0.1	1182	65.7
13.3	1	0.1	1183	65.8
13.5	3	0.2	1186	65.9
13.65	1	0.1	1187	66.0
13.75	1	0.1	1188	66.0
13.76	1	0.1	1189	66.1
13.77	1	0.1	1190	66.1
13.85	1	0.1	1191	66.2
13.96	1	0.1	1192	66.3
14	11	0.6	1203	66.9
14.35	1	0.1	1204	66.9
14.5	3	0.2	1207	67.1
14.7	1	0.1	1208	67.1
14.75	2	0.1	1210	67.3
14.9	1	0.1	1211	67.3
15	6	0.3	1217	67.6
15.25	1	0.1	1218	67.7
15.5	1	0.1	1219	67.8
15.65	1	0.1	1220	67.8
15.68	1	0.1	1221	67.9
16	5	0.3	1226	68.1
16.33	1	0.1	1227	68.2
16.5	1	0.1	1228	68.3
17	5	0.3	1233	68.5
17.35	1	0.1	1234	68.6
17.5	1	0.1	1235	68.6
17.65	1	0.1	1236	68.7
17.86	1	0.1	1237	68.8
18	2	0.1	1239	68.9
18.2	1	0.1	1240	68.9
18.25	1	0.1	1241	69.0
18.33	1	0.1	1242	69.0
18.72	1	0.1	1243	69.1
19	2	0.1	1245	69.2
19.76	1	0.1	1246	69.3
20	5	0.3	1251	69.5
21	1	0.1	1252	69.6

H3BDOL R^S SALARY - DOLLARS

H3BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
21.7	1	0.1	1253	69.6
22	2	0.1	1255	69.8
22.4	1	0.1	1256	69.8
22.66	1	0.1	1257	69.9
24	1	0.1	1258	69.9
25	1	0.1	1259	70.0
25.85	1	0.1	1260	70.0
26	1	0.1	1261	70.1
29.89	1	0.1	1262	70.2
35	3	0.2	1265	70.3
36	1	0.1	1266	70.4
40	2	0.1	1268	70.5
48.076923076923	4	0.2	1272	70.7
50	1	0.1	1273	70.8
60	1	0.1	1274	70.8
75	1	0.1	1275	70.9
87.5	1	0.1	1276	70.9
90	1	0.1	1277	71.0
100	3	0.2	1280	71.2
118	1	0.1	1281	71.2
130	1	0.1	1282	71.3
135	1	0.1	1283	71.3
150	10	0.6	1293	71.9
156	1	0.1	1294	71.9
159	1	0.1	1295	72.0
160	3	0.2	1298	72.2
165	1	0.1	1299	72.2
170	3	0.2	1302	72.4
173	1	0.1	1303	72.4
175	3	0.2	1306	72.6
180	4	0.2	1310	72.8
185	1	0.1	1311	72.9
190	1	0.1	1312	72.9
200	31	1.7	1343	74.7
210	2	0.1	1345	74.8
225	2	0.1	1347	74.9
230	1	0.1	1348	74.9
235	2	0.1	1350	75.0
236	1	0.1	1351	75.1
240	1	0.1	1352	75.2
245	1	0.1	1353	75.2
249	1	0.1	1354	75.3
250	21	1.2	1375	76.4
253	1	0.1	1376	76.5
258	2	0.1	1378	76.6
260	2	0.1	1380	76.7
265	1	0.1	1381	76.8
270	1	0.1	1382	76.8
275	2	0.1	1384	76.9
280	3	0.2	1387	77.1
285	1	0.1	1388	77.2
289	1	0.1	1389	77.2
300	34	1.9	1423	79.1
320	7	0.4	1430	79.5
325	2	0.1	1432	79.6
330	1	0.1	1433	79.7

H3BDOL R^S SALARY - DOLLARS

H3BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
340	1	0.1	1434	79.7
350	11	0.6	1445	80.3
360	6	0.3	1451	80.7
375	6	0.3	1457	81.0
380	3	0.2	1460	81.2
384.615384615384	1	0.1	1461	81.2
400	18	1.0	1479	82.2
408	1	0.1	1480	82.3
410	1	0.1	1481	82.3
425	3	0.2	1484	82.5
450	8	0.4	1492	82.9
460	1	0.1	1493	83.0
480	2	0.1	1495	83.1
497	1	0.1	1496	83.2
500	18	1.0	1514	84.2
525	1	0.1	1515	84.2
527.03	1	0.1	1516	84.3
540	1	0.1	1517	84.3
550	4	0.2	1521	84.5
600	16	0.9	1537	85.4
626	1	0.1	1538	85.5
636	2	0.1	1540	85.6
650	3	0.2	1543	85.8
675	2	0.1	1545	85.9
682	1	0.1	1546	85.9
700	6	0.3	1552	86.3
715	1	0.1	1553	86.3
730	2	0.1	1555	86.4
750	2	0.1	1557	86.5
784	1	0.1	1558	86.6
800	11	0.6	1569	87.2
845	1	0.1	1570	87.3
900	7	0.4	1577	87.7
990	1	0.1	1578	87.7
1000	9	0.5	1587	88.2
1100	1	0.1	1588	88.3
1200	4	0.2	1592	88.5
1300	3	0.2	1595	88.7
1400	2	0.1	1597	88.8
1500	7	0.4	1604	89.2
1600	3	0.2	1607	89.3
1600.06	1	0.1	1608	89.4
1800	4	0.2	1612	89.6
1923.07692307692	4	0.2	1616	89.8
2000	2	0.1	1618	89.9
2260	1	0.1	1619	90.0
2300	1	0.1	1620	90.1
2500	2	0.1	1622	90.2
2700	2	0.1	1624	90.3
3000	2	0.1	1626	90.4
3752	1	0.1	1627	90.4
3846.15384615384	1	0.1	1628	90.5
4000	1	0.1	1629	90.6
5000	1	0.1	1630	90.6
6000	1	0.1	1631	90.7
8000	1	0.1	1632	90.7

H3BDOL R^S SALARY - DOLLARS

H3BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
9000	1	0.1	1633	90.8
10000	4	0.2	1637	91.0
12000	3	0.2	1640	91.2
13000	1	0.1	1641	91.2
14000	3	0.2	1644	91.4
15000	6	0.3	1650	91.7
16000	1	0.1	1651	91.8
17000	3	0.2	1654	91.9
18000	9	0.5	1663	92.4
19000	2	0.1	1665	92.6
20000	10	0.6	1675	93.1
21000	1	0.1	1676	93.2
22000	4	0.2	1680	93.4
22500	1	0.1	1681	93.4
23000	1	0.1	1682	93.5
24000	4	0.2	1686	93.7
25000	12	0.7	1698	94.4
26000	1	0.1	1699	94.4
27000	6	0.3	1705	94.8
28000	3	0.2	1708	94.9
30000	13	0.7	1721	95.7
32000	6	0.3	1727	96.0
33000	1	0.1	1728	96.1
34000	2	0.1	1730	96.2
34500	1	0.1	1731	96.2
35000	6	0.3	1737	96.6
36000	2	0.1	1739	96.7
37000	2	0.1	1741	96.8
38000	7	0.4	1748	97.2
39000	1	0.1	1749	97.2
40000	8	0.4	1757	97.7
41000	1	0.1	1758	97.7
42000	2	0.1	1760	97.8
45000	1	0.1	1761	97.9
46000	1	0.1	1762	97.9
47000	1	0.1	1763	98.0
49000	1	0.1	1764	98.1
50000	11	0.6	1775	98.7
53000	1	0.1	1776	98.7
55000	2	0.1	1778	98.8
56000	1	0.1	1779	98.9
57000	1	0.1	1780	98.9
60000	3	0.2	1783	99.1
62000	1	0.1	1784	99.2
65000	2	0.1	1786	99.3
70000	2	0.1	1788	99.4
75000	1	0.1	1789	99.4
80000	2	0.1	1791	99.6
85000	1	0.1	1792	99.6
100000 = 100000+	7	0.4	1799	100.0

H3BRATE R^S RATE OF PAY

H3BRATE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	506	28.1	506	28.1
-5 = Not applicable	1	0.1	507	28.2
-3 = Missing	19	1.1	526	29.2
-2 = Don^t know	32	1.8	558	31.0
-1 = Refused	13	0.7	571	31.7
1 = Per hour	687	38.2	1258	69.9
2 = Per day	20	1.1	1278	71.0
3 = Per week	264	14.7	1542	85.7
4 = Every two weeks	32	1.8	1574	87.5
5 = Bi-monthly	2	0.1	1576	87.6
6 = Monthly	52	2.9	1628	90.5
7 = Per year	171	9.5	1799	100.0

H4 # YEARS R WORKED BEFORE PROGRAM

H4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	506	28.1	506	28.1
-3 = Missing	5	0.3	511	28.4
-2 = Don^t know	8	0.4	519	28.8
-1 = Refused	2	0.1	521	29.0
1 = Less than one year	109	6.1	630	35.0
2 = 1-2 years	254	14.1	884	49.1
3 = 3-4 years	298	16.6	1182	65.7
4 = 5 years or more	617	34.3	1799	100.0

H4ADOL R^S HIGHEST RATE OF PAY - D

H4ADOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	506	28.1	506	28.1
-3 = Missing	16	0.9	522	29.0
-2 = Don^t know	36	2.0	558	31.0
-1 = Refused	16	0.9	574	31.9
2.01	2	0.1	576	32.0
2.5	2	0.1	578	32.1
3	1	0.1	579	32.2
3.1	1	0.1	580	32.2
3.2	1	0.1	581	32.3
3.25	4	0.2	585	32.5
3.3	1	0.1	586	32.6
3.35	5	0.3	591	32.9
3.5	5	0.3	596	33.1
3.65	1	0.1	597	33.2
3.75	4	0.2	601	33.4
3.85	3	0.2	604	33.6
3.95	1	0.1	605	33.6
4	10	0.6	615	34.2
4.01	1	0.1	616	34.2
4.25	11	0.6	627	34.9
4.3	1	0.1	628	34.9
4.35	5	0.3	633	35.2
4.5	12	0.7	645	35.9
4.55	1	0.1	646	35.9
4.65	2	0.1	648	36.0
4.75	4	0.2	652	36.2
4.8	2	0.1	654	36.4
4.85	1	0.1	655	36.4
4.87	1	0.1	656	36.5
5	50	2.8	706	39.2
5.25	19	1.1	725	40.3
5.27	1	0.1	726	40.4
5.3	3	0.2	729	40.5
5.35	1	0.1	730	40.6
5.45	1	0.1	731	40.6
5.5	21	1.2	752	41.8
5.7	1	0.1	753	41.9
5.75	4	0.2	757	42.1
5.8	1	0.1	758	42.1
5.85	2	0.1	760	42.2
5.9	1	0.1	761	42.3
5.91	1	0.1	762	42.4
6	41	2.3	803	44.6
6.1	3	0.2	806	44.8
6.2	2	0.1	808	44.9
6.25	5	0.3	813	45.2
6.3	1	0.1	814	45.2
6.35	1	0.1	815	45.3
6.44	1	0.1	816	45.4
6.47	1	0.1	817	45.4
6.5	23	1.3	840	46.7
6.6	1	0.1	841	46.7
6.75	10	0.6	851	47.3
6.8	1	0.1	852	47.4
6.89	1	0.1	853	47.4
6.9	1	0.1	854	47.5

H4ADOL R^S HIGHEST RATE OF PAY - D

H4ADOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6.92	1	0.1	855	47.5
6.96	1	0.1	856	47.6
7	38	2.1	894	49.7
7.2	1	0.1	895	49.7
7.25	3	0.2	898	49.9
7.3	1	0.1	899	50.0
7.35	1	0.1	900	50.0
7.49	1	0.1	901	50.1
7.5	23	1.3	924	51.4
7.53	1	0.1	925	51.4
7.58	1	0.1	926	51.5
7.59	1	0.1	927	51.5
7.62	1	0.1	928	51.6
7.75	3	0.2	931	51.8
7.8	1	0.1	932	51.8
7.85	2	0.1	934	51.9
7.9	1	0.1	935	52.0
8	41	2.3	976	54.3
8.2	1	0.1	977	54.3
8.25	2	0.1	979	54.4
8.3	1	0.1	980	54.5
8.4	1	0.1	981	54.5
8.5	18	1.0	999	55.5
8.55	1	0.1	1000	55.6
8.6	1	0.1	1001	55.6
8.65	2	0.1	1003	55.8
8.7	1	0.1	1004	55.8
8.75	5	0.3	1009	56.1
8.9	1	0.1	1010	56.1
8.95	1	0.1	1011	56.2
9	15	0.8	1026	57.0
9.1	1	0.1	1027	57.1
9.15	2	0.1	1029	57.2
9.17	1	0.1	1030	57.3
9.25	2	0.1	1032	57.4
9.27	1	0.1	1033	57.4
9.41	1	0.1	1034	57.5
9.43	1	0.1	1035	57.5
9.45	1	0.1	1036	57.6
9.5	8	0.4	1044	58.0
9.52	1	0.1	1045	58.1
9.65	1	0.1	1046	58.1
9.7	1	0.1	1047	58.2
9.77	1	0.1	1048	58.3
10	42	2.3	1090	60.6
10.09	1	0.1	1091	60.6
10.15	1	0.1	1092	60.7
10.2	1	0.1	1093	60.8
10.25	1	0.1	1094	60.8
10.35	1	0.1	1095	60.9
10.5	4	0.2	1099	61.1
10.75	2	0.1	1101	61.2
11	8	0.4	1109	61.6
11.17	1	0.1	1110	61.7
11.35	1	0.1	1111	61.8
11.4	1	0.1	1112	61.8

H4ADOL R^S HIGHEST RATE OF PAY - D

H4ADOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
11.44	1	0.1	1113	61.9
11.45	1	0.1	1114	61.9
11.5	2	0.1	1116	62.0
11.8	1	0.1	1117	62.1
11.97	1	0.1	1118	62.1
12	24	1.3	1142	63.5
12.13	1	0.1	1143	63.5
12.35	2	0.1	1145	63.6
12.5	10	0.6	1155	64.2
12.57	1	0.1	1156	64.3
13	12	0.7	1168	64.9
13.25	1	0.1	1169	65.0
13.3	1	0.1	1170	65.0
13.46	1	0.1	1171	65.1
13.5	4	0.2	1175	65.3
13.65	1	0.1	1176	65.4
13.75	1	0.1	1177	65.4
13.76	1	0.1	1178	65.5
13.77	1	0.1	1179	65.5
13.96	1	0.1	1180	65.6
14	14	0.8	1194	66.4
14.35	1	0.1	1195	66.4
14.5	2	0.1	1197	66.5
14.7	1	0.1	1198	66.6
14.75	2	0.1	1200	66.7
14.9	1	0.1	1201	66.8
15	11	0.6	1212	67.4
15.25	1	0.1	1213	67.4
15.5	1	0.1	1214	67.5
15.65	1	0.1	1215	67.5
15.68	1	0.1	1216	67.6
16	7	0.4	1223	68.0
16.4	1	0.1	1224	68.0
16.5	1	0.1	1225	68.1
16.7	1	0.1	1226	68.1
17	6	0.3	1232	68.5
17.35	1	0.1	1233	68.5
17.5	2	0.1	1235	68.6
17.65	1	0.1	1236	68.7
17.86	1	0.1	1237	68.8
18	3	0.2	1240	68.9
18.2	1	0.1	1241	69.0
18.25	1	0.1	1242	69.0
18.3	1	0.1	1243	69.1
18.33	1	0.1	1244	69.1
18.52	1	0.1	1245	69.2
18.66	1	0.1	1246	69.3
18.72	1	0.1	1247	69.3
19	2	0.1	1249	69.4
20	5	0.3	1254	69.7
20.5	1	0.1	1255	69.8
21	1	0.1	1256	69.8
21.7	1	0.1	1257	69.9
21.8	1	0.1	1258	69.9
22	2	0.1	1260	70.0
22.4	1	0.1	1261	70.1

H4ADOL R^S HIGHEST RATE OF PAY - D

H4ADOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
22.66	1	0.1	1262	70.2
24	1	0.1	1263	70.2
25	2	0.1	1265	70.3
25.85	1	0.1	1266	70.4
26	1	0.1	1267	70.4
26.21	1	0.1	1268	70.5
29.89	1	0.1	1269	70.5
35	3	0.2	1272	70.7
40	2	0.1	1274	70.8
45.2	1	0.1	1275	70.9
48.076923076923	10	0.6	1285	71.4
50	2	0.1	1287	71.5
75	1	0.1	1288	71.6
90	2	0.1	1290	71.7
100	2	0.1	1292	71.8
130	2	0.1	1294	71.9
135	1	0.1	1295	72.0
135.5	1	0.1	1296	72.0
140	1	0.1	1297	72.1
150	6	0.3	1303	72.4
159	1	0.1	1304	72.5
160	4	0.2	1308	72.7
170	1	0.1	1309	72.8
173	1	0.1	1310	72.8
175	2	0.1	1312	72.9
180	3	0.2	1315	73.1
185	1	0.1	1316	73.2
200	29	1.6	1345	74.8
205	1	0.1	1346	74.8
210	1	0.1	1347	74.9
225	7	0.4	1354	75.3
230	1	0.1	1355	75.3
235	2	0.1	1357	75.4
236	1	0.1	1358	75.5
245	1	0.1	1359	75.5
250	19	1.1	1378	76.6
253	1	0.1	1379	76.7
258	2	0.1	1381	76.8
260	2	0.1	1383	76.9
265	1	0.1	1384	76.9
270	1	0.1	1385	77.0
275	2	0.1	1387	77.1
280	1	0.1	1388	77.2
300	26	1.4	1414	78.6
320	8	0.4	1422	79.0
325	3	0.2	1425	79.2
330	1	0.1	1426	79.3
340	2	0.1	1428	79.4
350	13	0.7	1441	80.1
360	5	0.3	1446	80.4
375	4	0.2	1450	80.6
380	3	0.2	1453	80.8
384.615384615384	1	0.1	1454	80.8
400	20	1.1	1474	81.9
408	1	0.1	1475	82.0
410	1	0.1	1476	82.0

H4ADOL R^S HIGHEST RATE OF PAY - D

H4ADOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
425	1	0.1	1477	82.1
450	6	0.3	1483	82.4
460	1	0.1	1484	82.5
480	3	0.2	1487	82.7
489	1	0.1	1488	82.7
497	1	0.1	1489	82.8
500	19	1.1	1508	83.8
503	1	0.1	1509	83.9
525	1	0.1	1510	83.9
527	1	0.1	1511	84.0
540	1	0.1	1512	84.0
550	2	0.1	1514	84.2
565	1	0.1	1515	84.2
575	1	0.1	1516	84.3
580	1	0.1	1517	84.3
600	16	0.9	1533	85.2
626	1	0.1	1534	85.3
636	2	0.1	1536	85.4
650	2	0.1	1538	85.5
675	2	0.1	1540	85.6
700	7	0.4	1547	86.0
715	1	0.1	1548	86.0
730	1	0.1	1549	86.1
750	2	0.1	1551	86.2
784	1	0.1	1552	86.3
800	10	0.6	1562	86.8
845	1	0.1	1563	86.9
900	7	0.4	1570	87.3
920	1	0.1	1571	87.3
990	1	0.1	1572	87.4
1000	9	0.5	1581	87.9
1100	1	0.1	1582	87.9
1200	4	0.2	1586	88.2
1300	3	0.2	1589	88.3
1336	1	0.1	1590	88.4
1400	3	0.2	1593	88.5
1500	6	0.3	1599	88.9
1600	4	0.2	1603	89.1
1800	4	0.2	1607	89.3
1923.07692307692	7	0.4	1614	89.7
2000	1	0.1	1615	89.8
2260	1	0.1	1616	89.8
2300	1	0.1	1617	89.9
2500	2	0.1	1619	90.0
2700	1	0.1	1620	90.1
3000	2	0.1	1622	90.2
3300	1	0.1	1623	90.2
3752	1	0.1	1624	90.3
3846.15384615384	2	0.1	1626	90.4
4000	1	0.1	1627	90.4
5000	1	0.1	1628	90.5
8000	1	0.1	1629	90.6
8333.333333333333	1	0.1	1630	90.6
10000	5	0.3	1635	90.9
11000	1	0.1	1636	90.9
11017	1	0.1	1637	91.0

H4ADOL R^S HIGHEST RATE OF PAY - D

H4ADOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
12000	4	0.2	1641	91.2
13000	1	0.1	1642	91.3
14000	4	0.2	1646	91.5
15000	8	0.4	1654	91.9
16000	2	0.1	1656	92.1
17000	3	0.2	1659	92.2
18000	8	0.4	1667	92.7
19000	2	0.1	1669	92.8
20000	8	0.4	1677	93.2
21000	1	0.1	1678	93.3
22000	4	0.2	1682	93.5
22500	1	0.1	1683	93.6
23000	2	0.1	1685	93.7
24000	2	0.1	1687	93.8
25000	10	0.6	1697	94.3
26000	1	0.1	1698	94.4
27000	5	0.3	1703	94.7
28000	4	0.2	1707	94.9
30000	13	0.7	1720	95.6
32000	6	0.3	1726	95.9
33000	1	0.1	1727	96.0
34000	2	0.1	1729	96.1
34500	1	0.1	1730	96.2
35000	6	0.3	1736	96.5
36000	2	0.1	1738	96.6
37000	3	0.2	1741	96.8
38000	4	0.2	1745	97.0
39000	1	0.1	1746	97.1
40000	8	0.4	1754	97.5
41000	1	0.1	1755	97.6
42000	2	0.1	1757	97.7
43000	1	0.1	1758	97.7
45000	2	0.1	1760	97.8
47000	1	0.1	1761	97.9
48000	1	0.1	1762	97.9
49000	1	0.1	1763	98.0
50000	10	0.6	1773	98.6
53000	1	0.1	1774	98.6
56000	1	0.1	1775	98.7
57000	1	0.1	1776	98.7
60000	4	0.2	1780	98.9
62000	1	0.1	1781	99.0
65000	4	0.2	1785	99.2
70000	3	0.2	1788	99.4
72000	1	0.1	1789	99.4
75000	1	0.1	1790	99.5
80000	3	0.2	1793	99.7
85000	1	0.1	1794	99.7
100000 = 100000+	5	0.3	1799	100.0

H4ARATE R^S RATE OF PAY

H4ARATE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	558	31.0	558	31.0
-5 = Not applicable	1	0.1	559	31.1
-3 = Missing	31	1.7	590	32.8
-2 = Don^t know	4	0.2	594	33.0
1 = Per hour	683	38.0	1277	71.0
2 = Per day	18	1.0	1295	72.0
3 = Per week	253	14.1	1548	86.0
4 = Every two weeks	27	1.5	1575	87.5
5 = Bi-monthly	3	0.2	1578	87.7
6 = Monthly	49	2.7	1627	90.4
7 = Per year	172	9.6	1799	100.0

Employer at H4B same as H3A

SAME1ST	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	558	31.0	558	31.0
-3 = Missing	12	0.7	570	31.7
-2 = Don^t know	6	0.3	576	32.0
-1 = Refused	3	0.2	579	32.2
1 = Yes	971	54.0	1550	86.2
2 = No	249	13.8	1799	100.0

H6 R EMPLOYED FULL-TIME AFTER PROG

H6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	122	6.8	122	6.8
-3 = Missing	106	5.9	228	12.7
-2 = Don^t know	1	0.1	229	12.7
-1 = Refused	3	0.2	232	12.9
1 = Yes	1062	59.0	1294	71.9
2 = No	334	18.6	1628	90.5
3 = R CURRENTLY HAS FULL-TIME JOB	171	9.5	1799	100.0

H7 LONGEST R EMPLOYED AFTER PROGRAM

H7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	460	25.6	460	25.6
-3 = Missing	107	5.9	567	31.5
-2 = Don^t know	2	0.1	569	31.6
-1 = Refused	1	0.1	570	31.7
1 = Less than one year	206	11.5	776	43.1
2 = 1-2 years	411	22.8	1187	66.0
3 = 3-4 years	289	16.1	1476	82.0
4 = 5 years or more	323	18.0	1799	100.0

Employer at H7A same as H4B

SAME2ND	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	459	25.5	459	25.5
-5 = Not applicable	1	0.1	460	25.6
-3 = Missing	71	3.9	531	29.5
-2 = Don^t know	6	0.3	537	29.8
-1 = Refused	10	0.6	547	30.4
1 = Yes	293	16.3	840	46.7
2 = No	959	53.3	1799	100.0

H7BDOL R^S SALARY - DOLLARS

H7BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	461	25.6	461	25.6
-3 = Missing	110	6.1	571	31.7
-2 = Don^t know	15	0.8	586	32.6
-1 = Refused	17	0.9	603	33.5
2	1	0.1	604	33.6
2.01	1	0.1	605	33.6
2.13	1	0.1	606	33.7
2.5	1	0.1	607	33.7
2.65	1	0.1	608	33.8
3.25	2	0.1	610	33.9
3.35	2	0.1	612	34.0
3.4	1	0.1	613	34.1
3.65	1	0.1	614	34.1
3.75	1	0.1	615	34.2
3.8	2	0.1	617	34.3
3.85	2	0.1	619	34.4
4	1	0.1	620	34.5
4.25	14	0.8	634	35.2
4.35	3	0.2	637	35.4
4.5	12	0.7	649	36.1
4.51	1	0.1	650	36.1
4.58	1	0.1	651	36.2
4.6	1	0.1	652	36.2
4.7	1	0.1	653	36.3
4.75	8	0.4	661	36.7
4.85	1	0.1	662	36.8
4.95	1	0.1	663	36.9
5	38	2.1	701	39.0
5.05	2	0.1	703	39.1
5.15	2	0.1	705	39.2
5.2	2	0.1	707	39.3
5.25	6	0.3	713	39.6
5.27	1	0.1	714	39.7
5.29	1	0.1	715	39.7
5.3	2	0.1	717	39.9
5.35	1	0.1	718	39.9
5.4	1	0.1	719	40.0
5.5	30	1.7	749	41.6
5.55	1	0.1	750	41.7
5.6	1	0.1	751	41.7
5.65	1	0.1	752	41.8
5.68	1	0.1	753	41.9
5.74	1	0.1	754	41.9
5.75	5	0.3	759	42.2
5.8	1	0.1	760	42.2
5.85	2	0.1	762	42.4
5.88	1	0.1	763	42.4
5.9	1	0.1	764	42.5
6	35	1.9	799	44.4
6.05	1	0.1	800	44.5
6.1	1	0.1	801	44.5
6.15	2	0.1	803	44.6
6.25	10	0.6	813	45.2
6.28	1	0.1	814	45.2
6.5	28	1.6	842	46.8
6.6	3	0.2	845	47.0

H7BDOL R^S SALARY - DOLLARS

H7BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6.63	1	0.1	846	47.0
6.65	1	0.1	847	47.1
6.7	1	0.1	848	47.1
6.75	3	0.2	851	47.3
6.8	1	0.1	852	47.4
6.85	1	0.1	853	47.4
6.91	1	0.1	854	47.5
7	36	2.0	890	49.5
7.15	2	0.1	892	49.6
7.19	1	0.1	893	49.6
7.2	2	0.1	895	49.7
7.21	1	0.1	896	49.8
7.25	8	0.4	904	50.3
7.3	1	0.1	905	50.3
7.35	1	0.1	906	50.4
7.42	1	0.1	907	50.4
7.5	19	1.1	926	51.5
7.53	1	0.1	927	51.5
7.75	2	0.1	929	51.6
7.8	2	0.1	931	51.8
7.85	1	0.1	932	51.8
7.88	1	0.1	933	51.9
7.9	3	0.2	936	52.0
7.93	1	0.1	937	52.1
7.95	1	0.1	938	52.1
8	44	2.4	982	54.6
8.15	1	0.1	983	54.6
8.25	3	0.2	986	54.8
8.36	1	0.1	987	54.9
8.4	1	0.1	988	54.9
8.5	10	0.6	998	55.5
8.53	1	0.1	999	55.5
8.56	1	0.1	1000	55.6
8.59	1	0.1	1001	55.6
8.68	1	0.1	1002	55.7
8.71	1	0.1	1003	55.8
8.74	1	0.1	1004	55.8
8.75	7	0.4	1011	56.2
8.77	1	0.1	1012	56.3
8.8	1	0.1	1013	56.3
8.9	2	0.1	1015	56.4
8.95	1	0.1	1016	56.5
8.97	1	0.1	1017	56.5
9	20	1.1	1037	57.6
9.12	1	0.1	1038	57.7
9.15	1	0.1	1039	57.8
9.2	1	0.1	1040	57.8
9.25	3	0.2	1043	58.0
9.29	1	0.1	1044	58.0
9.32	1	0.1	1045	58.1
9.35	1	0.1	1046	58.1
9.36	1	0.1	1047	58.2
9.4	1	0.1	1048	58.3
9.43	1	0.1	1049	58.3
9.5	6	0.3	1055	58.6
9.55	1	0.1	1056	58.7

H7BDOL R^S SALARY - DOLLARS

H7BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
9.59	1	0.1	1057	58.8
9.6	1	0.1	1058	58.8
9.65	1	0.1	1059	58.9
9.68	1	0.1	1060	58.9
9.7	1	0.1	1061	59.0
9.75	2	0.1	1063	59.1
9.8	2	0.1	1065	59.2
9.85	1	0.1	1066	59.3
9.91	1	0.1	1067	59.3
10	40	2.2	1107	61.5
10.1	1	0.1	1108	61.6
10.19	1	0.1	1109	61.6
10.2	1	0.1	1110	61.7
10.25	5	0.3	1115	62.0
10.3	1	0.1	1116	62.0
10.35	1	0.1	1117	62.1
10.5	4	0.2	1121	62.3
10.51	1	0.1	1122	62.4
10.58	1	0.1	1123	62.4
10.6	1	0.1	1124	62.5
10.7	1	0.1	1125	62.5
10.81	1	0.1	1126	62.6
10.91	1	0.1	1127	62.6
10.93	1	0.1	1128	62.7
10.96	1	0.1	1129	62.8
11	16	0.9	1145	63.6
11.1	1	0.1	1146	63.7
11.18	1	0.1	1147	63.8
11.2	1	0.1	1148	63.8
11.5	3	0.2	1151	64.0
11.75	1	0.1	1152	64.0
11.76	1	0.1	1153	64.1
11.8	1	0.1	1154	64.1
11.85	1	0.1	1155	64.2
11.86	1	0.1	1156	64.3
11.9	1	0.1	1157	64.3
12	13	0.7	1170	65.0
12.25	1	0.1	1171	65.1
12.5	5	0.3	1176	65.4
12.54	1	0.1	1177	65.4
12.6	1	0.1	1178	65.5
12.75	1	0.1	1179	65.5
12.8	2	0.1	1181	65.6
12.85	1	0.1	1182	65.7
13	7	0.4	1189	66.1
13.22	1	0.1	1190	66.1
13.5	2	0.1	1192	66.3
13.6	3	0.2	1195	66.4
13.76	1	0.1	1196	66.5
13.96	1	0.1	1197	66.5
14	10	0.6	1207	67.1
14.25	1	0.1	1208	67.1
14.35	1	0.1	1209	67.2
14.5	1	0.1	1210	67.3
14.75	2	0.1	1212	67.4
14.8	1	0.1	1213	67.4

H7BDOL R^S SALARY - DOLLARS

H7BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
15	6	0.3	1219	67.8
15.35	1	0.1	1220	67.8
15.5	3	0.2	1223	68.0
15.62	1	0.1	1224	68.0
15.68	1	0.1	1225	68.1
16	1	0.1	1226	68.1
16.5	2	0.1	1228	68.3
16.55	1	0.1	1229	68.3
16.67	1	0.1	1230	68.4
17	5	0.3	1235	68.6
17.5	2	0.1	1237	68.8
17.63	1	0.1	1238	68.8
17.91	1	0.1	1239	68.9
18	3	0.2	1242	69.0
18.2	1	0.1	1243	69.1
18.23	1	0.1	1244	69.1
18.33	1	0.1	1245	69.2
18.48	1	0.1	1246	69.3
18.5	2	0.1	1248	69.4
18.55	1	0.1	1249	69.4
18.65	2	0.1	1251	69.5
18.72	2	0.1	1253	69.6
18.85	1	0.1	1254	69.7
18.92	1	0.1	1255	69.8
19	3	0.2	1258	69.9
19.2	1	0.1	1259	70.0
19.38	1	0.1	1260	70.0
20	7	0.4	1267	70.4
20.52	1	0.1	1268	70.5
20.7	1	0.1	1269	70.5
21	2	0.1	1271	70.7
21.7	1	0.1	1272	70.7
22	4	0.2	1276	70.9
22.4	1	0.1	1277	71.0
23.5	1	0.1	1278	71.0
25	4	0.2	1282	71.3
25.85	1	0.1	1283	71.3
27	1	0.1	1284	71.4
29.87	1	0.1	1285	71.4
30	2	0.1	1287	71.5
40	2	0.1	1289	71.7
48.076923076923	3	0.2	1292	71.8
50	1	0.1	1293	71.9
75	1	0.1	1294	71.9
80	1	0.1	1295	72.0
90	2	0.1	1297	72.1
110	1	0.1	1298	72.2
115	1	0.1	1299	72.2
120	1	0.1	1300	72.3
125	2	0.1	1302	72.4
130	1	0.1	1303	72.4
140	3	0.2	1306	72.6
150	5	0.3	1311	72.9
165	1	0.1	1312	72.9
170	3	0.2	1315	73.1
175	1	0.1	1316	73.2

H7BDOL R^S SALARY - DOLLARS

H7BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
176	2	0.1	1318	73.3
179	1	0.1	1319	73.3
180	1	0.1	1320	73.4
183	1	0.1	1321	73.4
190	2	0.1	1323	73.5
200	20	1.1	1343	74.7
205	1	0.1	1344	74.7
210	1	0.1	1345	74.8
220	2	0.1	1347	74.9
225	2	0.1	1349	75.0
230	3	0.2	1352	75.2
235	2	0.1	1354	75.3
240	3	0.2	1357	75.4
245	1	0.1	1358	75.5
250	17	0.9	1375	76.4
260	4	0.2	1379	76.7
275	4	0.2	1383	76.9
280	3	0.2	1386	77.0
285	3	0.2	1389	77.2
286	1	0.1	1390	77.3
290	2	0.1	1392	77.4
294	1	0.1	1393	77.4
295	1	0.1	1394	77.5
298	1	0.1	1395	77.5
300	14	0.8	1409	78.3
320	5	0.3	1414	78.6
325	2	0.1	1416	78.7
330	1	0.1	1417	78.8
340	1	0.1	1418	78.8
350	15	0.8	1433	79.7
360	3	0.2	1436	79.8
370	1	0.1	1437	79.9
374	1	0.1	1438	79.9
375	3	0.2	1441	80.1
378	1	0.1	1442	80.2
379	1	0.1	1443	80.2
380	2	0.1	1445	80.3
384.615384615384	1	0.1	1446	80.4
385	1	0.1	1447	80.4
392	1	0.1	1448	80.5
400	24	1.3	1472	81.8
410	1	0.1	1473	81.9
427.36	1	0.1	1474	81.9
450	5	0.3	1479	82.2
453	1	0.1	1480	82.3
460	1	0.1	1481	82.3
475	3	0.2	1484	82.5
480	2	0.1	1486	82.6
500	12	0.7	1498	83.3
535	2	0.1	1500	83.4
536	1	0.1	1501	83.4
550	3	0.2	1504	83.6
561	1	0.1	1505	83.7
600	11	0.6	1516	84.3
625	1	0.1	1517	84.3
627	1	0.1	1518	84.4

H7BDOL R^S SALARY - DOLLARS

H7BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
636	2	0.1	1520	84.5
640	1	0.1	1521	84.5
650	4	0.2	1525	84.8
652	1	0.1	1526	84.8
700	10	0.6	1536	85.4
717	1	0.1	1537	85.4
720	1	0.1	1538	85.5
730	1	0.1	1539	85.5
749	1	0.1	1540	85.6
750	4	0.2	1544	85.8
800	7	0.4	1551	86.2
880	1	0.1	1552	86.3
900	3	0.2	1555	86.4
1000	5	0.3	1560	86.7
1090	1	0.1	1561	86.8
1100	3	0.2	1564	86.9
1200	4	0.2	1568	87.2
1250	1	0.1	1569	87.2
1300	2	0.1	1571	87.3
1357	1	0.1	1572	87.4
1400	6	0.3	1578	87.7
1500	6	0.3	1584	88.0
1600	3	0.2	1587	88.2
1700	1	0.1	1588	88.3
1800	2	0.1	1590	88.4
1900	1	0.1	1591	88.4
1923.07692307692	4	0.2	1595	88.7
1924	1	0.1	1596	88.7
1961	1	0.1	1597	88.8
2000	3	0.2	1600	88.9
2032	1	0.1	1601	89.0
2100	1	0.1	1602	89.0
2200	3	0.2	1605	89.2
2400	1	0.1	1606	89.3
2500	3	0.2	1609	89.4
3000	5	0.3	1614	89.7
3400	1	0.1	1615	89.8
3500	1	0.1	1616	89.8
3800	1	0.1	1617	89.9
4000	2	0.1	1619	90.0
4100	1	0.1	1620	90.1
5500	1	0.1	1621	90.1
8333.333333333333	2	0.1	1623	90.2
9000	1	0.1	1624	90.3
12000	2	0.1	1626	90.4
13000	1	0.1	1627	90.4
13500	1	0.1	1628	90.5
14000	2	0.1	1630	90.6
15000	6	0.3	1636	90.9
16000	3	0.2	1639	91.1
16500	1	0.1	1640	91.2
17000	2	0.1	1642	91.3
17500	1	0.1	1643	91.3
18000	2	0.1	1645	91.4
18500	3	0.2	1648	91.6
18900	1	0.1	1649	91.7

H7BDOL R^S SALARY - DOLLARS

H7BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
19000	2	0.1	1651	91.8
20000	15	0.8	1666	92.6
20300	1	0.1	1667	92.7
20700	1	0.1	1668	92.7
20800	1	0.1	1669	92.8
21000	2	0.1	1671	92.9
22000	1	0.1	1672	92.9
23000	4	0.2	1676	93.2
24000	5	0.3	1681	93.4
24300	1	0.1	1682	93.5
24500	1	0.1	1683	93.6
25000	8	0.4	1691	94.0
26000	5	0.3	1696	94.3
27000	2	0.1	1698	94.4
28000	5	0.3	1703	94.7
30000	11	0.6	1714	95.3
31000	1	0.1	1715	95.3
32000	5	0.3	1720	95.6
32500	1	0.1	1721	95.7
33000	1	0.1	1722	95.7
34000	2	0.1	1724	95.8
34500	1	0.1	1725	95.9
35000	8	0.4	1733	96.3
36000	2	0.1	1735	96.4
37000	2	0.1	1737	96.6
38000	2	0.1	1739	96.7
40000	9	0.5	1748	97.2
41000	1	0.1	1749	97.2
42000	1	0.1	1750	97.3
42500	1	0.1	1751	97.3
43000	1	0.1	1752	97.4
44000	1	0.1	1753	97.4
45000	3	0.2	1756	97.6
46000	1	0.1	1757	97.7
47000	2	0.1	1759	97.8
48000	4	0.2	1763	98.0
49000	1	0.1	1764	98.1
50000	9	0.5	1773	98.6
53000	1	0.1	1774	98.6
54000	1	0.1	1775	98.7
55000	3	0.2	1778	98.8
60000	3	0.2	1781	99.0
65000	2	0.1	1783	99.1
70000	2	0.1	1785	99.2
72000	1	0.1	1786	99.3
75000	2	0.1	1788	99.4
80000	2	0.1	1790	99.5
85000	1	0.1	1791	99.6
90000	2	0.1	1793	99.7
92000	1	0.1	1794	99.7
100000 = 100000+	5	0.3	1799	100.0

H7ARATE R^S RATE OF PAY

H7ARATE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	492	27.3	492	27.3
-5 = Not applicable	1	0.1	493	27.4
-3 = Missing	109	6.1	602	33.5
-2 = Don^t know	1	0.1	603	33.5
-1 = Refused	2	0.1	605	33.6
1 = Per hour	675	37.5	1280	71.2
2 = Per day	13	0.7	1293	71.9
3 = Per week	228	12.7	1521	84.5
4 = Every two weeks	33	1.8	1554	86.4
5 = Bi-monthly	5	0.3	1559	86.7
6 = Monthly	60	3.3	1619	90.0
7 = Per year	180	10.0	1799	100.0

H8 # YEARS R WORKED FULL-TIME

H8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	491	27.3	491	27.3
-3 = Missing	111	6.2	602	33.5
-2 = Don^t know	1	0.1	603	33.5
1 = Less than one year	132	7.3	735	40.9
2 = 1-2 years	235	13.1	970	53.9
3 = 3-4 years	324	18.0	1294	71.9
4 = 5 years or more	505	28.1	1799	100.0

H8ADOL R^S HIGHEST WAGE AFTER PROG

H8ADOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	493	27.4	493	27.4
-3 = Missing	113	6.3	606	33.7
-2 = Don^t know	2	0.1	608	33.8
-1 = Refused	2	0.1	610	33.9
0	1	0.1	611	34.0
2.5	1	0.1	612	34.0
2.65	1	0.1	613	34.1
3.25	2	0.1	615	34.2
3.35	2	0.1	617	34.3
3.65	1	0.1	618	34.4
3.8	1	0.1	619	34.4
3.85	1	0.1	620	34.5
4	1	0.1	621	34.5
4.25	12	0.7	633	35.2
4.35	2	0.1	635	35.3
4.5	6	0.3	641	35.6
4.51	1	0.1	642	35.7
4.55	1	0.1	643	35.7
4.6	1	0.1	644	35.8
4.7	1	0.1	645	35.9
4.75	5	0.3	650	36.1
4.8	2	0.1	652	36.2
5	20	1.1	672	37.4
5.05	3	0.2	675	37.5
5.1	1	0.1	676	37.6
5.15	1	0.1	677	37.6
5.2	1	0.1	678	37.7
5.25	7	0.4	685	38.1
5.27	1	0.1	686	38.1
5.3	1	0.1	687	38.2
5.35	1	0.1	688	38.2
5.5	24	1.3	712	39.6
5.6	1	0.1	713	39.6
5.75	3	0.2	716	39.8
5.85	2	0.1	718	39.9
5.88	1	0.1	719	40.0
5.9	1	0.1	720	40.0
6	33	1.8	753	41.9
6.05	1	0.1	754	41.9
6.1	1	0.1	755	42.0
6.15	2	0.1	757	42.1
6.25	10	0.6	767	42.6
6.28	1	0.1	768	42.7
6.41	1	0.1	769	42.7
6.5	28	1.6	797	44.3
6.6	2	0.1	799	44.4
6.63	1	0.1	800	44.5
6.65	1	0.1	801	44.5
6.7	3	0.2	804	44.7
6.75	5	0.3	809	45.0
6.85	2	0.1	811	45.1
6.91	1	0.1	812	45.1
7	37	2.1	849	47.2
7.05	1	0.1	850	47.2
7.1	1	0.1	851	47.3
7.15	1	0.1	852	47.4

H8ADOL R^S HIGHEST WAGE AFTER PROG

H8ADOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7.19	1	0.1	853	47.4
7.2	1	0.1	854	47.5
7.21	1	0.1	855	47.5
7.25	8	0.4	863	48.0
7.3	1	0.1	864	48.0
7.5	21	1.2	885	49.2
7.53	1	0.1	886	49.2
7.65	1	0.1	887	49.3
7.75	2	0.1	889	49.4
7.8	2	0.1	891	49.5
7.85	1	0.1	892	49.6
7.88	1	0.1	893	49.6
7.9	2	0.1	895	49.7
7.93	1	0.1	896	49.8
7.97	1	0.1	897	49.9
8	45	2.5	942	52.4
8.15	2	0.1	944	52.5
8.2	1	0.1	945	52.5
8.25	3	0.2	948	52.7
8.3	1	0.1	949	52.8
8.35	1	0.1	950	52.8
8.4	1	0.1	951	52.9
8.5	16	0.9	967	53.8
8.52	1	0.1	968	53.8
8.53	1	0.1	969	53.9
8.56	1	0.1	970	53.9
8.59	1	0.1	971	54.0
8.6	1	0.1	972	54.0
8.71	1	0.1	973	54.1
8.74	1	0.1	974	54.1
8.75	5	0.3	979	54.4
8.77	1	0.1	980	54.5
8.8	2	0.1	982	54.6
8.83	1	0.1	983	54.6
8.9	2	0.1	985	54.8
8.95	1	0.1	986	54.8
8.97	1	0.1	987	54.9
9	17	0.9	1004	55.8
9.02	1	0.1	1005	55.9
9.12	1	0.1	1006	55.9
9.15	1	0.1	1007	56.0
9.2	1	0.1	1008	56.0
9.25	4	0.2	1012	56.3
9.29	1	0.1	1013	56.3
9.32	1	0.1	1014	56.4
9.35	1	0.1	1015	56.4
9.36	1	0.1	1016	56.5
9.4	1	0.1	1017	56.5
9.43	1	0.1	1018	56.6
9.45	1	0.1	1019	56.6
9.5	7	0.4	1026	57.0
9.52	1	0.1	1027	57.1
9.55	1	0.1	1028	57.1
9.58	1	0.1	1029	57.2
9.59	1	0.1	1030	57.3
9.6	1	0.1	1031	57.3

H8ADOL R^S HIGHEST WAGE AFTER PROG

H8ADOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
9.65	1	0.1	1032	57.4
9.68	1	0.1	1033	57.4
9.7	1	0.1	1034	57.5
9.75	3	0.2	1037	57.6
9.8	1	0.1	1038	57.7
9.85	1	0.1	1039	57.8
9.91	1	0.1	1040	57.8
10	40	2.2	1080	60.0
10.1	1	0.1	1081	60.1
10.19	1	0.1	1082	60.1
10.2	1	0.1	1083	60.2
10.25	4	0.2	1087	60.4
10.3	2	0.1	1089	60.5
10.35	1	0.1	1090	60.6
10.5	5	0.3	1095	60.9
10.51	1	0.1	1096	60.9
10.58	1	0.1	1097	61.0
10.6	1	0.1	1098	61.0
10.81	1	0.1	1099	61.1
10.91	1	0.1	1100	61.1
10.93	1	0.1	1101	61.2
10.96	1	0.1	1102	61.3
11	15	0.8	1117	62.1
11.1	1	0.1	1118	62.1
11.18	1	0.1	1119	62.2
11.2	1	0.1	1120	62.3
11.25	1	0.1	1121	62.3
11.34	1	0.1	1122	62.4
11.5	3	0.2	1125	62.5
11.76	1	0.1	1126	62.6
11.8	1	0.1	1127	62.6
11.85	1	0.1	1128	62.7
11.9	1	0.1	1129	62.8
12	13	0.7	1142	63.5
12.01	1	0.1	1143	63.5
12.25	1	0.1	1144	63.6
12.35	1	0.1	1145	63.6
12.5	7	0.4	1152	64.0
12.54	1	0.1	1153	64.1
12.61	1	0.1	1154	64.1
12.8	1	0.1	1155	64.2
13	12	0.7	1167	64.9
13.22	1	0.1	1168	64.9
13.5	4	0.2	1172	65.1
13.6	2	0.1	1174	65.3
13.76	1	0.1	1175	65.3
13.8	1	0.1	1176	65.4
13.96	1	0.1	1177	65.4
14	11	0.6	1188	66.0
14.11	1	0.1	1189	66.1
14.25	1	0.1	1190	66.1
14.35	1	0.1	1191	66.2
14.5	1	0.1	1192	66.3
14.75	2	0.1	1194	66.4
14.8	1	0.1	1195	66.4
15	11	0.6	1206	67.0

H8ADOL R^S HIGHEST WAGE AFTER PROG

H8ADOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
15.5	2	0.1	1208	67.1
15.62	1	0.1	1209	67.2
15.68	1	0.1	1210	67.3
15.75	1	0.1	1211	67.3
16	3	0.2	1214	67.5
16.5	1	0.1	1215	67.5
16.55	1	0.1	1216	67.6
16.67	1	0.1	1217	67.6
17	5	0.3	1222	67.9
17.05	1	0.1	1223	68.0
17.25	1	0.1	1224	68.0
17.5	1	0.1	1225	68.1
17.63	1	0.1	1226	68.1
17.75	1	0.1	1227	68.2
17.91	1	0.1	1228	68.3
18	6	0.3	1234	68.6
18.2	1	0.1	1235	68.6
18.23	1	0.1	1236	68.7
18.33	1	0.1	1237	68.8
18.48	1	0.1	1238	68.8
18.5	2	0.1	1240	68.9
18.55	1	0.1	1241	69.0
18.6	1	0.1	1242	69.0
18.65	2	0.1	1244	69.1
18.72	2	0.1	1246	69.3
18.85	1	0.1	1247	69.3
18.92	1	0.1	1248	69.4
19	4	0.2	1252	69.6
19.05	1	0.1	1253	69.6
19.2	1	0.1	1254	69.7
19.38	1	0.1	1255	69.8
19.96	1	0.1	1256	69.8
20	8	0.4	1264	70.3
20.52	1	0.1	1265	70.3
20.7	1	0.1	1266	70.4
21	4	0.2	1270	70.6
21.7	1	0.1	1271	70.7
22	4	0.2	1275	70.9
22.4	1	0.1	1276	70.9
22.65	1	0.1	1277	71.0
22.66	1	0.1	1278	71.0
23.5	1	0.1	1279	71.1
25	6	0.3	1285	71.4
25.78	1	0.1	1286	71.5
25.85	1	0.1	1287	71.5
27	1	0.1	1288	71.6
29.87	1	0.1	1289	71.7
30	2	0.1	1291	71.8
35	1	0.1	1292	71.8
40	1	0.1	1293	71.9
48.076923076923	6	0.3	1299	72.2
50	1	0.1	1300	72.3
75	1	0.1	1301	72.3
80	1	0.1	1302	72.4
100	1	0.1	1303	72.4
125	1	0.1	1304	72.5

H8ADOL R^S HIGHEST WAGE AFTER PROG

H8ADOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
140	2	0.1	1306	72.6
150	4	0.2	1310	72.8
160	1	0.1	1311	72.9
165	1	0.1	1312	72.9
170	1	0.1	1313	73.0
176	2	0.1	1315	73.1
179	1	0.1	1316	73.2
180	1	0.1	1317	73.2
190	2	0.1	1319	73.3
200	14	0.8	1333	74.1
205	2	0.1	1335	74.2
210	1	0.1	1336	74.3
215	1	0.1	1337	74.3
225	1	0.1	1338	74.4
230	1	0.1	1339	74.4
235	2	0.1	1341	74.5
240	3	0.2	1344	74.7
242	1	0.1	1345	74.8
245	1	0.1	1346	74.8
245.15	1	0.1	1347	74.9
250	10	0.6	1357	75.4
260	2	0.1	1359	75.5
275	3	0.2	1362	75.7
280	2	0.1	1364	75.8
285	2	0.1	1366	75.9
286	1	0.1	1367	76.0
294	1	0.1	1368	76.0
298	1	0.1	1369	76.1
300	10	0.6	1379	76.7
320	6	0.3	1385	77.0
322	1	0.1	1386	77.0
323	1	0.1	1387	77.1
325	3	0.2	1390	77.3
330	2	0.1	1392	77.4
340	1	0.1	1393	77.4
350	12	0.7	1405	78.1
360	3	0.2	1408	78.3
368	1	0.1	1409	78.3
370	1	0.1	1410	78.4
374	1	0.1	1411	78.4
375	3	0.2	1414	78.6
379	1	0.1	1415	78.7
380	1	0.1	1416	78.7
385	1	0.1	1417	78.8
400	20	1.1	1437	79.9
408	1	0.1	1438	79.9
410	1	0.1	1439	80.0
412	1	0.1	1440	80.0
427.36	1	0.1	1441	80.1
450	9	0.5	1450	80.6
455	1	0.1	1451	80.7
460	1	0.1	1452	80.7
470	1	0.1	1453	80.8
475	2	0.1	1455	80.9
480	2	0.1	1457	81.0
500	17	0.9	1474	81.9

H8ADOL R^S HIGHEST WAGE AFTER PROG

H8ADOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
520	1	0.1	1475	82.0
526	1	0.1	1476	82.0
535	2	0.1	1478	82.2
536	1	0.1	1479	82.2
550	4	0.2	1483	82.4
561	1	0.1	1484	82.5
575	1	0.1	1485	82.5
577.8	1	0.1	1486	82.6
600	17	0.9	1503	83.5
625	1	0.1	1504	83.6
627	1	0.1	1505	83.7
636	2	0.1	1507	83.8
640	1	0.1	1508	83.8
650	3	0.2	1511	84.0
652	1	0.1	1512	84.0
686	1	0.1	1513	84.1
700	11	0.6	1524	84.7
717	1	0.1	1525	84.8
720	1	0.1	1526	84.8
730	1	0.1	1527	84.9
749	1	0.1	1528	84.9
750	3	0.2	1531	85.1
789	1	0.1	1532	85.2
800	8	0.4	1540	85.6
880	1	0.1	1541	85.7
900	2	0.1	1543	85.8
1000	8	0.4	1551	86.2
1090	1	0.1	1552	86.3
1100	3	0.2	1555	86.4
1200	4	0.2	1559	86.7
1250	1	0.1	1560	86.7
1300	2	0.1	1562	86.8
1357	1	0.1	1563	86.9
1400	6	0.3	1569	87.2
1500	5	0.3	1574	87.5
1595	1	0.1	1575	87.5
1600	5	0.3	1580	87.8
1700	1	0.1	1581	87.9
1800	1	0.1	1582	87.9
1900	2	0.1	1584	88.0
1923.07692307692	4	0.2	1588	88.3
1961	1	0.1	1589	88.3
2000	3	0.2	1592	88.5
2032	1	0.1	1593	88.5
2200	2	0.1	1595	88.7
2400	2	0.1	1597	88.8
2500	3	0.2	1600	88.9
2600	1	0.1	1601	89.0
2800	1	0.1	1602	89.0
3000	5	0.3	1607	89.3
3846.15384615384	1	0.1	1608	89.4
4000	3	0.2	1611	89.5
4100	1	0.1	1612	89.6
5500	1	0.1	1613	89.7
8333.333333333333	6	0.3	1619	90.0
12000	3	0.2	1622	90.2

H8ADOL R^S HIGHEST WAGE AFTER PROG

H8ADOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
13000	1	0.1	1623	90.2
13500	1	0.1	1624	90.3
14000	1	0.1	1625	90.3
15000	7	0.4	1632	90.7
16000	2	0.1	1634	90.8
16500	1	0.1	1635	90.9
17000	2	0.1	1637	91.0
18000	2	0.1	1639	91.1
18500	3	0.2	1642	91.3
18900	1	0.1	1643	91.3
19000	2	0.1	1645	91.4
20000	17	0.9	1662	92.4
20300	1	0.1	1663	92.4
20700	1	0.1	1664	92.5
20800	1	0.1	1665	92.6
21000	2	0.1	1667	92.7
22000	2	0.1	1669	92.8
23000	4	0.2	1673	93.0
24000	5	0.3	1678	93.3
24300	1	0.1	1679	93.3
25000	8	0.4	1687	93.8
25500	1	0.1	1688	93.8
26000	5	0.3	1693	94.1
27000	1	0.1	1694	94.2
28000	6	0.3	1700	94.5
30000	12	0.7	1712	95.2
31000	1	0.1	1713	95.2
32000	3	0.2	1716	95.4
32500	1	0.1	1717	95.4
33000	1	0.1	1718	95.5
34500	1	0.1	1719	95.6
35000	7	0.4	1726	95.9
36000	2	0.1	1728	96.1
37000	2	0.1	1730	96.2
38000	4	0.2	1734	96.4
40000	10	0.6	1744	96.9
41000	1	0.1	1745	97.0
42000	1	0.1	1746	97.1
42500	1	0.1	1747	97.1
43000	1	0.1	1748	97.2
44000	1	0.1	1749	97.2
45000	3	0.2	1752	97.4
47000	2	0.1	1754	97.5
48000	4	0.2	1758	97.7
49000	2	0.1	1760	97.8
50000	9	0.5	1769	98.3
53000	1	0.1	1770	98.4
54000	1	0.1	1771	98.4
55000	3	0.2	1774	98.6
60000	5	0.3	1779	98.9
65000	2	0.1	1781	99.0
70000	2	0.1	1783	99.1
72000	1	0.1	1784	99.2
75000	2	0.1	1786	99.3
80000	2	0.1	1788	99.4
85000	1	0.1	1789	99.4

H8ADOL R^S HIGHEST WAGE AFTER PROG

H8ADOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
90000	2	0.1	1791	99.6
92000	1	0.1	1792	99.6
100000 = 100000+	7	0.4	1799	100.0

H8ARATE R^S RATE OF PAY

H8ARATE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	492	27.3	492	27.3
-5 = Not applicable	1	0.1	493	27.4
-3 = Missing	127	7.1	620	34.5
-2 = Don^t know	3	0.2	623	34.6
-1 = Refused	3	0.2	626	34.8
1 = Per hour	673	37.4	1299	72.2
2 = Per day	10	0.6	1309	72.8
3 = Per week	215	12.0	1524	84.7
4 = Every two weeks	29	1.6	1553	86.3
5 = Bi-monthly	4	0.2	1557	86.5
6 = Monthly	60	3.3	1617	89.9
7 = Per year	182	10.1	1799	100.0

Employer at H8B same as H7A

SAME3RD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	491	27.3	491	27.3
-3 = Missing	62	3.4	553	30.7
-2 = Don^t know	1	0.1	554	30.8
-1 = Refused	4	0.2	558	31.0
1 = Yes	946	52.6	1504	83.6
2 = No	295	16.4	1799	100.0

H10 R EMPLOYED IN THE LAST YEAR

H10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	492	27.3	492	27.3
-3 = Missing	108	6.0	600	33.4
1 = Yes	898	49.9	1498	83.3
2 = No	301	16.7	1799	100.0

H10A LONGEST FULL-TIME JOB IN LAST

H10A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	793	44.1	793	44.1
-3 = Missing	118	6.6	911	50.6
-2 = Don't know	1	0.1	912	50.7
0	3	0.2	915	50.9
1	20	1.1	935	52.0
2	29	1.6	964	53.6
3	45	2.5	1009	56.1
4	40	2.2	1049	58.3
5	34	1.9	1083	60.2
6	67	3.7	1150	63.9
7	30	1.7	1180	65.6
8	27	1.5	1207	67.1
9	32	1.8	1239	68.9
10	27	1.5	1266	70.4
11	32	1.8	1298	72.2
12	501	27.8	1799	100.0

H10BDOL SALARY FOR LONGEST HELD JOB

H10BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	795	44.2	795	44.2
-3 = Missing	113	6.3	908	50.5
-1 = Refused	4	0.2	912	50.7
0.34	1	0.1	913	50.8
1	1	0.1	914	50.8
1.5	1	0.1	915	50.9
2.5	2	0.1	917	51.0
3.8	1	0.1	918	51.0
4	1	0.1	919	51.1
4.25	4	0.2	923	51.3
4.5	2	0.1	925	51.4
4.6	1	0.1	926	51.5
4.75	3	0.2	929	51.6
4.8	3	0.2	932	51.8
4.9	1	0.1	933	51.9
5	25	1.4	958	53.3
5.05	1	0.1	959	53.3
5.2	2	0.1	961	53.4
5.25	2	0.1	963	53.5
5.3	1	0.1	964	53.6
5.35	2	0.1	966	53.7
5.5	21	1.2	987	54.9
5.6	2	0.1	989	55.0
5.69	1	0.1	990	55.0
5.74	1	0.1	991	55.1
5.75	3	0.2	994	55.3
5.88	1	0.1	995	55.3
6	22	1.2	1017	56.5
6.05	1	0.1	1018	56.6
6.15	1	0.1	1019	56.6
6.25	7	0.4	1026	57.0
6.41	1	0.1	1027	57.1
6.5	17	0.9	1044	58.0
6.6	1	0.1	1045	58.1
6.63	1	0.1	1046	58.1
6.7	2	0.1	1048	58.3
6.75	1	0.1	1049	58.3
6.8	1	0.1	1050	58.4
6.91	1	0.1	1051	58.4
7	38	2.1	1089	60.5
7.03	1	0.1	1090	60.6
7.05	1	0.1	1091	60.6
7.1	1	0.1	1092	60.7
7.15	1	0.1	1093	60.8
7.19	1	0.1	1094	60.8
7.2	1	0.1	1095	60.9
7.21	1	0.1	1096	60.9
7.25	3	0.2	1099	61.1
7.5	9	0.5	1108	61.6
7.53	1	0.1	1109	61.6
7.6	1	0.1	1110	61.7
7.65	1	0.1	1111	61.8
7.7	2	0.1	1113	61.9
7.75	1	0.1	1114	61.9
7.8	1	0.1	1115	62.0
7.85	1	0.1	1116	62.0

H10BDOL SALARY FOR LONGEST HELD JOB

H10BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7.88	1	0.1	1117	62.1
7.9	2	0.1	1119	62.2
7.93	1	0.1	1120	62.3
7.95	1	0.1	1121	62.3
8	32	1.8	1153	64.1
8.15	2	0.1	1155	64.2
8.2	1	0.1	1156	64.3
8.25	3	0.2	1159	64.4
8.29	1	0.1	1160	64.5
8.4	1	0.1	1161	64.5
8.5	11	0.6	1172	65.1
8.52	1	0.1	1173	65.2
8.59	1	0.1	1174	65.3
8.75	2	0.1	1176	65.4
8.9	2	0.1	1178	65.5
8.95	1	0.1	1179	65.5
8.97	1	0.1	1180	65.6
9	21	1.2	1201	66.8
9.02	1	0.1	1202	66.8
9.12	1	0.1	1203	66.9
9.15	1	0.1	1204	66.9
9.2	1	0.1	1205	67.0
9.25	2	0.1	1207	67.1
9.32	1	0.1	1208	67.1
9.35	1	0.1	1209	67.2
9.5	6	0.3	1215	67.5
9.58	1	0.1	1216	67.6
9.59	1	0.1	1217	67.6
9.6	1	0.1	1218	67.7
9.68	1	0.1	1219	67.8
9.7	1	0.1	1220	67.8
9.75	1	0.1	1221	67.9
9.8	2	0.1	1223	68.0
9.9	1	0.1	1224	68.0
9.91	1	0.1	1225	68.1
10	28	1.6	1253	69.6
10.1	1	0.1	1254	69.7
10.17	1	0.1	1255	69.8
10.19	1	0.1	1256	69.8
10.25	1	0.1	1257	69.9
10.3	2	0.1	1259	70.0
10.35	1	0.1	1260	70.0
10.5	2	0.1	1262	70.2
10.51	1	0.1	1263	70.2
10.58	1	0.1	1264	70.3
10.6	1	0.1	1265	70.3
10.91	1	0.1	1266	70.4
10.93	1	0.1	1267	70.4
10.95	1	0.1	1268	70.5
11	11	0.6	1279	71.1
11.1	1	0.1	1280	71.2
11.18	1	0.1	1281	71.2
11.2	1	0.1	1282	71.3
11.5	2	0.1	1284	71.4
11.54	1	0.1	1285	71.4
11.75	1	0.1	1286	71.5

H10BDOL SALARY FOR LONGEST HELD JOB

H10BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
11.76	1	0.1	1287	71.5
11.8	1	0.1	1288	71.6
11.85	1	0.1	1289	71.7
11.86	1	0.1	1290	71.7
11.9	1	0.1	1291	71.8
12	12	0.7	1303	72.4
12.35	1	0.1	1304	72.5
12.5	5	0.3	1309	72.8
12.54	1	0.1	1310	72.8
12.75	1	0.1	1311	72.9
12.8	1	0.1	1312	72.9
13	9	0.5	1321	73.4
13.09	1	0.1	1322	73.5
13.22	1	0.1	1323	73.5
13.5	1	0.1	1324	73.6
13.6	2	0.1	1326	73.7
13.75	1	0.1	1327	73.8
13.96	1	0.1	1328	73.8
14	7	0.4	1335	74.2
14.25	1	0.1	1336	74.3
14.5	1	0.1	1337	74.3
14.75	1	0.1	1338	74.4
15	7	0.4	1345	74.8
15.25	1	0.1	1346	74.8
15.5	2	0.1	1348	74.9
15.62	1	0.1	1349	75.0
15.75	2	0.1	1351	75.1
15.8	1	0.1	1352	75.2
16	1	0.1	1353	75.2
16.5	2	0.1	1355	75.3
16.55	1	0.1	1356	75.4
16.67	1	0.1	1357	75.4
17	3	0.2	1360	75.6
17.25	1	0.1	1361	75.7
17.5	2	0.1	1363	75.8
17.82	1	0.1	1364	75.8
17.91	1	0.1	1365	75.9
17.94	1	0.1	1366	75.9
18	3	0.2	1369	76.1
18.23	1	0.1	1370	76.2
18.3	1	0.1	1371	76.2
18.4	1	0.1	1372	76.3
18.5	2	0.1	1374	76.4
18.6	1	0.1	1375	76.4
18.65	2	0.1	1377	76.5
18.72	1	0.1	1378	76.6
18.85	1	0.1	1379	76.7
18.92	1	0.1	1380	76.7
19	2	0.1	1382	76.8
19.2	1	0.1	1383	76.9
19.38	1	0.1	1384	76.9
20	4	0.2	1388	77.2
20.5	1	0.1	1389	77.2
20.52	1	0.1	1390	77.3
20.7	1	0.1	1391	77.3
21	1	0.1	1392	77.4

H10BDOL SALARY FOR LONGEST HELD JOB

H10BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
21.7	1	0.1	1393	77.4
22	3	0.2	1396	77.6
22.4	1	0.1	1397	77.7
22.65	1	0.1	1398	77.7
25	2	0.1	1400	77.8
30	2	0.1	1402	77.9
35	1	0.1	1403	78.0
40	2	0.1	1405	78.1
48.076923076923	4	0.2	1409	78.3
50	2	0.1	1411	78.4
60	1	0.1	1412	78.5
75	1	0.1	1413	78.5
80	2	0.1	1415	78.7
100	1	0.1	1416	78.7
130	1	0.1	1417	78.8
140	1	0.1	1418	78.8
145	1	0.1	1419	78.9
150	3	0.2	1422	79.0
160	2	0.1	1424	79.2
168	1	0.1	1425	79.2
172	1	0.1	1426	79.3
175	1	0.1	1427	79.3
176	1	0.1	1428	79.4
190	1	0.1	1429	79.4
200	11	0.6	1440	80.0
205	1	0.1	1441	80.1
210	1	0.1	1442	80.2
215	1	0.1	1443	80.2
225	4	0.2	1447	80.4
233	1	0.1	1448	80.5
240	3	0.2	1451	80.7
242	1	0.1	1452	80.7
245	1	0.1	1453	80.8
250	9	0.5	1462	81.3
260	2	0.1	1464	81.4
275	4	0.2	1468	81.6
280	3	0.2	1471	81.8
285	1	0.1	1472	81.8
286	1	0.1	1473	81.9
294	1	0.1	1474	81.9
300	16	0.9	1490	82.8
320	3	0.2	1493	83.0
323	1	0.1	1494	83.0
325	3	0.2	1497	83.2
330	1	0.1	1498	83.3
340	1	0.1	1499	83.3
350	8	0.4	1507	83.8
360	2	0.1	1509	83.9
370	1	0.1	1510	83.9
374	1	0.1	1511	84.0
375	1	0.1	1512	84.0
379	1	0.1	1513	84.1
384.615384615384	1	0.1	1514	84.2
392	1	0.1	1515	84.2
400	17	0.9	1532	85.2
410	1	0.1	1533	85.2

H10BDOL SALARY FOR LONGEST HELD JOB

H10BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
420	2	0.1	1535	85.3
425	2	0.1	1537	85.4
450	2	0.1	1539	85.5
460	2	0.1	1541	85.7
475	2	0.1	1543	85.8
480	1	0.1	1544	85.8
490	1	0.1	1545	85.9
500	13	0.7	1558	86.6
520	1	0.1	1559	86.7
530	1	0.1	1560	86.7
536	1	0.1	1561	86.8
550	2	0.1	1563	86.9
561	1	0.1	1564	86.9
577.8	1	0.1	1565	87.0
600	8	0.4	1573	87.4
627	1	0.1	1574	87.5
636	1	0.1	1575	87.5
640	1	0.1	1576	87.6
650	2	0.1	1578	87.7
652	1	0.1	1579	87.8
657	1	0.1	1580	87.8
700	7	0.4	1587	88.2
720	1	0.1	1588	88.3
725	1	0.1	1589	88.3
749	1	0.1	1590	88.4
750	2	0.1	1592	88.5
789	1	0.1	1593	88.5
800	7	0.4	1600	88.9
850	1	0.1	1601	89.0
900	3	0.2	1604	89.2
1000	5	0.3	1609	89.4
1050	1	0.1	1610	89.5
1090	1	0.1	1611	89.5
1100	3	0.2	1614	89.7
1200	5	0.3	1619	90.0
1300	3	0.2	1622	90.2
1357	1	0.1	1623	90.2
1400	3	0.2	1626	90.4
1500	3	0.2	1629	90.6
1600	4	0.2	1633	90.8
1700	1	0.1	1634	90.8
1800	1	0.1	1635	90.9
1900	2	0.1	1637	91.0
1923.07692307692	1	0.1	1638	91.1
1961	1	0.1	1639	91.1
2000	2	0.1	1641	91.2
2200	2	0.1	1643	91.3
2400	1	0.1	1644	91.4
2500	3	0.2	1647	91.6
2600	1	0.1	1648	91.6
2800	1	0.1	1649	91.7
3000	2	0.1	1651	91.8
3400	1	0.1	1652	91.8
3500	1	0.1	1653	91.9
3800	1	0.1	1654	91.9
3846.15384615384	1	0.1	1655	92.0

H10BDOL SALARY FOR LONGEST HELD JOB

H10BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4000	2	0.1	1657	92.1
5500	1	0.1	1658	92.2
6000	1	0.1	1659	92.2
7000	1	0.1	1660	92.3
7500	1	0.1	1661	92.3
8000	1	0.1	1662	92.4
8333.333333333333	1	0.1	1663	92.4
9000	1	0.1	1664	92.5
10000	1	0.1	1665	92.6
12000	1	0.1	1666	92.6
13000	1	0.1	1667	92.7
14000	1	0.1	1668	92.7
15000	4	0.2	1672	92.9
16000	1	0.1	1673	93.0
17000	2	0.1	1675	93.1
18000	2	0.1	1677	93.2
19000	1	0.1	1678	93.3
20000	11	0.6	1689	93.9
20300	1	0.1	1690	93.9
20700	1	0.1	1691	94.0
20800	1	0.1	1692	94.1
21000	2	0.1	1694	94.2
22000	2	0.1	1696	94.3
23000	1	0.1	1697	94.3
24000	4	0.2	1701	94.6
24500	1	0.1	1702	94.6
25000	7	0.4	1709	95.0
25500	1	0.1	1710	95.1
26000	4	0.2	1714	95.3
27000	1	0.1	1715	95.3
28000	5	0.3	1720	95.6
30000	9	0.5	1729	96.1
31000	1	0.1	1730	96.2
31500	1	0.1	1731	96.2
32000	2	0.1	1733	96.3
32500	1	0.1	1734	96.4
33000	1	0.1	1735	96.4
34000	1	0.1	1736	96.5
35000	6	0.3	1742	96.8
36000	2	0.1	1744	96.9
38000	4	0.2	1748	97.2
40000	7	0.4	1755	97.6
41000	1	0.1	1756	97.6
42500	1	0.1	1757	97.7
44000	1	0.1	1758	97.7
45000	3	0.2	1761	97.9
47000	1	0.1	1762	97.9
48000	3	0.2	1765	98.1
49000	2	0.1	1767	98.2
50000	8	0.4	1775	98.7
52000	1	0.1	1776	98.7
53000	1	0.1	1777	98.8
54000	1	0.1	1778	98.8
55000	4	0.2	1782	99.1
60000	3	0.2	1785	99.2
64000	1	0.1	1786	99.3

H10BDOL SALARY FOR LONGEST HELD JOB

H10BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
65000	1	0.1	1787	99.3
70000	2	0.1	1789	99.4
75000	1	0.1	1790	99.5
80000	3	0.2	1793	99.7
90000	1	0.1	1794	99.7
92000	1	0.1	1795	99.8
100000 = 100000+	4	0.2	1799	100.0

H10BRTE R^S RATE OF PAY

H10BRTE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	797	44.3	797	44.3
-5 = Not applicable	1	0.1	798	44.4
-3 = Missing	114	6.3	912	50.7
-2 = Don't know	1	0.1	913	50.8
-1 = Refused	2	0.1	915	50.9
1 = Per hour	484	26.9	1399	77.8
2 = Per day	13	0.7	1412	78.5
3 = Per week	172	9.6	1584	88.0
4 = Every two weeks	19	1.1	1603	89.1
5 = Bi-monthly	3	0.2	1606	89.3
6 = Monthly	53	2.9	1659	92.2
7 = Per year	140	7.8	1799	100.0

Employer at H10C same as H8B

SAME4TH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	796	44.2	796	44.2
-3 = Missing	58	3.2	854	47.5
-1 = Refused	1	0.1	855	47.5
1 = Yes	679	37.7	1534	85.3
2 = No	265	14.7	1799	100.0

H11 R EVER EMPLOYED PART-TIME

H11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	17	0.9	17	0.9
-2 = Don't know	3	0.2	20	1.1
-1 = Refused	7	0.4	27	1.5
1 = Yes	950	52.8	977	54.3
2 = No	822	45.7	1799	100.0

H12 R EMPLOYED PT BEFORE PROGRAM

H12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	831	46.2	831	46.2
-3 = Missing	13	0.7	844	46.9
-2 = Don't know	6	0.3	850	47.2
1 = Yes	493	27.4	1343	74.7
2 = No	456	25.3	1799	100.0

H13 R'S LONGEST PT JOB BEFORE PROG

H13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1293	71.9	1293	71.9
-3 = Missing	14	0.8	1307	72.7
-2 = Don't know	6	0.3	1313	73.0
1 = Less than one year	283	15.7	1596	88.7
2 = 1-2 years	130	7.2	1726	95.9
3 = 3-4 years	44	2.4	1770	98.4
4 = 5 years or more	29	1.6	1799	100.0

Employer at H13A same as H10C

SAME5TH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1293	71.9	1293	71.9
-3 = Missing	6	0.3	1299	72.2
-2 = Don't know	8	0.4	1307	72.7
-1 = Refused	1	0.1	1308	72.7
1 = Yes	53	2.9	1361	75.7
2 = No	438	24.3	1799	100.0

H13BDOL R^S SALARY ON PT JOB

H13BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1293	71.9	1293	71.9
-3 = Missing	18	1.0	1311	72.9
-2 = Don^t know	28	1.6	1339	74.4
-1 = Refused	1	0.1	1340	74.5
2	3	0.2	1343	74.7
2.01	1	0.1	1344	74.7
2.1	2	0.1	1346	74.8
2.5	2	0.1	1348	74.9
3	5	0.3	1353	75.2
3.25	4	0.2	1357	75.4
3.35	18	1.0	1375	76.4
3.45	1	0.1	1376	76.5
3.5	4	0.2	1380	76.7
3.55	1	0.1	1381	76.8
3.6	2	0.1	1383	76.9
3.65	3	0.2	1386	77.0
3.7	1	0.1	1387	77.1
3.75	13	0.7	1400	77.8
3.8	3	0.2	1403	78.0
3.85	7	0.4	1410	78.4
4	24	1.3	1434	79.7
4.1	2	0.1	1436	79.8
4.25	35	1.9	1471	81.8
4.35	4	0.2	1475	82.0
4.5	15	0.8	1490	82.8
4.65	2	0.1	1492	82.9
4.75	6	0.3	1498	83.3
4.8	2	0.1	1500	83.4
4.85	2	0.1	1502	83.5
5	52	2.9	1554	86.4
5.25	7	0.4	1561	86.8
5.3	1	0.1	1562	86.8
5.35	1	0.1	1563	86.9
5.5	13	0.7	1576	87.6
5.65	1	0.1	1577	87.7
5.7	1	0.1	1578	87.7
5.75	2	0.1	1580	87.8
5.85	1	0.1	1581	87.9
6	27	1.5	1608	89.4
6.06	1	0.1	1609	89.4
6.12	1	0.1	1610	89.5
6.2	1	0.1	1611	89.5
6.32	1	0.1	1612	89.6
6.5	15	0.8	1627	90.4
7	8	0.4	1635	90.9
7.25	2	0.1	1637	91.0
7.5	5	0.3	1642	91.3
8	14	0.8	1656	92.1
8.5	1	0.1	1657	92.1
8.75	1	0.1	1658	92.2
9	1	0.1	1659	92.2
9.45	1	0.1	1660	92.3
9.75	1	0.1	1661	92.3
10	8	0.4	1669	92.8
12	1	0.1	1670	92.8
13	1	0.1	1671	92.9

H13BDOL R^S SALARY ON PT JOB

H13BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
13.75	1	0.1	1672	92.9
14.99	1	0.1	1673	93.0
15	2	0.1	1675	93.1
15.9	1	0.1	1676	93.2
17	1	0.1	1677	93.2
20	2	0.1	1679	93.3
25	3	0.2	1682	93.5
26	2	0.1	1684	93.6
35	3	0.2	1687	93.8
40	2	0.1	1689	93.9
48.076923076923	3	0.2	1692	94.1
50	5	0.3	1697	94.3
55	1	0.1	1698	94.4
60	4	0.2	1702	94.6
62	1	0.1	1703	94.7
65	2	0.1	1705	94.8
70	1	0.1	1706	94.8
80	3	0.2	1709	95.0
85	1	0.1	1710	95.1
90	3	0.2	1713	95.2
100	10	0.6	1723	95.8
110	1	0.1	1724	95.8
115	2	0.1	1726	95.9
120	4	0.2	1730	96.2
130	2	0.1	1732	96.3
140	1	0.1	1733	96.3
150	10	0.6	1743	96.9
156	1	0.1	1744	96.9
160	2	0.1	1746	97.1
175	1	0.1	1747	97.1
180	1	0.1	1748	97.2
200	15	0.8	1763	98.0
210	1	0.1	1764	98.1
215	1	0.1	1765	98.1
225	1	0.1	1766	98.2
240	1	0.1	1767	98.2
250	5	0.3	1772	98.5
260	1	0.1	1773	98.6
300	4	0.2	1777	98.8
325	1	0.1	1778	98.8
350	1	0.1	1779	98.9
400	1	0.1	1780	98.9
500	4	0.2	1784	99.2
600	2	0.1	1786	99.3
700	1	0.1	1787	99.3
800	1	0.1	1788	99.4
1000	1	0.1	1789	99.4
1300	1	0.1	1790	99.5
3000	1	0.1	1791	99.6
5000	1	0.1	1792	99.6
8000	1	0.1	1793	99.7
10000	3	0.2	1796	99.8
12000	1	0.1	1797	99.9
15000	1	0.1	1798	99.9
18000	1	0.1	1799	100.0

H13BRTE R^S RATE OF PAY

H13BRTE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1293	71.9	1293	71.9
-3 = Missing	24	1.3	1317	73.2
-2 = Don^t know	24	1.3	1341	74.5
-1 = Refused	1	0.1	1342	74.6
1 = Per hour	340	18.9	1682	93.5
2 = Per day	17	0.9	1699	94.4
3 = Per week	74	4.1	1773	98.6
4 = Every two weeks	9	0.5	1782	99.1
6 = Monthly	6	0.3	1788	99.4
7 = Per year	11	0.6	1799	100.0

H14 YEARS R WORKED PT BEFORE PROGR

H14	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1293	71.9	1293	71.9
-3 = Missing	15	0.8	1308	72.7
-2 = Don^t know	5	0.3	1313	73.0
1 = Less than one year	210	11.7	1523	84.7
2 = 1-2 years	155	8.6	1678	93.3
3 = 3-4 years	66	3.7	1744	96.9
4 = 5 years or more	55	3.1	1799	100.0

H14ADOL R^S SALARY FOR PT JOB AFTE

H14ADOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1293	71.9	1293	71.9
-5 = Not applicable	1	0.1	1294	71.9
-3 = Missing	21	1.2	1315	73.1
-2 = Don^t know	39	2.2	1354	75.3
-1 = Refused	2	0.1	1356	75.4
2	2	0.1	1358	75.5
2.01	1	0.1	1359	75.5
2.1	1	0.1	1360	75.6
2.5	1	0.1	1361	75.7
3	2	0.1	1363	75.8
3.25	4	0.2	1367	76.0
3.35	12	0.7	1379	76.7
3.45	1	0.1	1380	76.7
3.5	3	0.2	1383	76.9
3.55	2	0.1	1385	77.0
3.6	1	0.1	1386	77.0
3.65	2	0.1	1388	77.2
3.7	1	0.1	1389	77.2
3.75	9	0.5	1398	77.7
3.8	3	0.2	1401	77.9
3.85	4	0.2	1405	78.1
4	23	1.3	1428	79.4
4.25	39	2.2	1467	81.5
4.35	5	0.3	1472	81.8
4.5	18	1.0	1490	82.8
4.55	1	0.1	1491	82.9
4.65	2	0.1	1493	83.0
4.75	4	0.2	1497	83.2
4.8	2	0.1	1499	83.3
4.85	2	0.1	1501	83.4
4.99	1	0.1	1502	83.5
5	46	2.6	1548	86.0
5.25	5	0.3	1553	86.3
5.3	1	0.1	1554	86.4
5.35	1	0.1	1555	86.4
5.4	1	0.1	1556	86.5
5.5	11	0.6	1567	87.1
5.65	1	0.1	1568	87.2
5.7	1	0.1	1569	87.2
5.8	1	0.1	1570	87.3
5.85	2	0.1	1572	87.4
5.9	1	0.1	1573	87.4
6	34	1.9	1607	89.3
6.06	1	0.1	1608	89.4
6.12	1	0.1	1609	89.4
6.25	1	0.1	1610	89.5
6.32	1	0.1	1611	89.5
6.5	18	1.0	1629	90.6
6.75	1	0.1	1630	90.6
7	8	0.4	1638	91.1
7.25	2	0.1	1640	91.2
7.5	3	0.2	1643	91.3
8	16	0.9	1659	92.2
8.5	1	0.1	1660	92.3
9	1	0.1	1661	92.3
9.45	1	0.1	1662	92.4

H14ADOL R^S SALARY FOR PT JOB AFTE

H14ADOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
9.5	1	0.1	1663	92.4
10	8	0.4	1671	92.9
13	1	0.1	1672	92.9
13.75	1	0.1	1673	93.0
15	4	0.2	1677	93.2
17	1	0.1	1678	93.3
20	3	0.2	1681	93.4
21.5	1	0.1	1682	93.5
25	3	0.2	1685	93.7
35	3	0.2	1688	93.8
40	2	0.1	1690	93.9
48.076923076923	4	0.2	1694	94.2
50	4	0.2	1698	94.4
60	3	0.2	1701	94.6
62	1	0.1	1702	94.6
65	2	0.1	1704	94.7
70	1	0.1	1705	94.8
80	2	0.1	1707	94.9
85	1	0.1	1708	94.9
90	3	0.2	1711	95.1
100	10	0.6	1721	95.7
110	1	0.1	1722	95.7
115	1	0.1	1723	95.8
120	4	0.2	1727	96.0
130	2	0.1	1729	96.1
140	1	0.1	1730	96.2
150	7	0.4	1737	96.6
160	3	0.2	1740	96.7
175	1	0.1	1741	96.8
180	1	0.1	1742	96.8
200	18	1.0	1760	97.8
210	1	0.1	1761	97.9
215	1	0.1	1762	97.9
225	1	0.1	1763	98.0
240	1	0.1	1764	98.1
250	7	0.4	1771	98.4
260	1	0.1	1772	98.5
300	5	0.3	1777	98.8
325	2	0.1	1779	98.9
350	2	0.1	1781	99.0
400	1	0.1	1782	99.1
500	3	0.2	1785	99.2
600	1	0.1	1786	99.3
800	2	0.1	1788	99.4
1000	1	0.1	1789	99.4
1300	1	0.1	1790	99.5
3000	2	0.1	1792	99.6
4000	1	0.1	1793	99.7
5000	1	0.1	1794	99.7
10000	3	0.2	1797	99.9
15000	1	0.1	1798	99.9
23000	1	0.1	1799	100.0

H14ARTE R^S RATE OF PAY

H14ARTE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1293	71.9	1293	71.9
-5 = Not applicable	1	0.1	1294	71.9
-3 = Missing	35	1.9	1329	73.9
-2 = Don^t know	32	1.8	1361	75.7
-1 = Refused	2	0.1	1363	75.8
1 = Per hour	321	17.8	1684	93.6
2 = Per day	16	0.9	1700	94.5
3 = Per week	74	4.1	1774	98.6
4 = Every two weeks	9	0.5	1783	99.1
6 = Monthly	6	0.3	1789	99.4
7 = Per year	10	0.6	1799	100.0

Employer at H14B same as H13A

SAME6TH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1293	71.9	1293	71.9
-3 = Missing	16	0.9	1309	72.8
-2 = Don^t know	8	0.4	1317	73.2
1 = Yes	389	21.6	1706	94.8
2 = No	93	5.2	1799	100.0

H15 R EMPLOYED PT AFTER PROGRAM

H15	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	6	0.3	6	0.3
-3 = Missing	463	25.7	469	26.1
-2 = Don^t know	2	0.1	471	26.2
-1 = Refused	6	0.3	477	26.5
1 = Less than one year	387	21.5	864	48.0
2 = 1-2 years	903	50.2	1767	98.2
3 = 3-4 years	32	1.8	1799	100.0

Employer at 15A same as H14B

SAME7TH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	949	52.8	949	52.8
-5 = Not applicable	1	0.1	950	52.8
-3 = Missing	263	14.6	1213	67.4
-2 = Don^t know	1	0.1	1214	67.5
1 = Yes	128	7.1	1342	74.6
2 = No	457	25.4	1799	100.0

H15B LONGEST PT JOB AFTER PROGRAM

H15B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	949	52.8	949	52.8
-3 = Missing	463	25.7	1412	78.5
-2 = Don^t know	1	0.1	1413	78.5
1 = Less than one year	234	13.0	1647	91.6
2 = 1-2 years	95	5.3	1742	96.8
3 = 3-4 years	38	2.1	1780	98.9
4 = 5 years or more	19	1.1	1799	100.0

H15CDOL R^S SALARY FOR PT JOB AFTE

H15CDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	951	52.9	951	52.9
-3 = Missing	468	26.0	1419	78.9
-2 = Don^t know	9	0.5	1428	79.4
-1 = Refused	6	0.3	1434	79.7
1.5	1	0.1	1435	79.8
1.54	1	0.1	1436	79.8
2.2	1	0.1	1437	79.9
2.5	1	0.1	1438	79.9
2.52	1	0.1	1439	80.0
3	1	0.1	1440	80.0
3.35	2	0.1	1442	80.2
3.75	2	0.1	1444	80.3
4	13	0.7	1457	81.0
4.25	16	0.9	1473	81.9
4.35	10	0.6	1483	82.4
4.4	1	0.1	1484	82.5
4.5	17	0.9	1501	83.4
4.55	2	0.1	1503	83.5
4.59	1	0.1	1504	83.6
4.6	1	0.1	1505	83.7
4.65	2	0.1	1507	83.8
4.7	1	0.1	1508	83.8
4.75	11	0.6	1519	84.4
5	40	2.2	1559	86.7
5.2	2	0.1	1561	86.8
5.25	5	0.3	1566	87.0
5.35	2	0.1	1568	87.2
5.5	19	1.1	1587	88.2
5.6	1	0.1	1588	88.3
5.75	5	0.3	1593	88.5
5.9	1	0.1	1594	88.6
6	29	1.6	1623	90.2
6.25	3	0.2	1626	90.4
6.32	1	0.1	1627	90.4
6.5	9	0.5	1636	90.9
7	13	0.7	1649	91.7
7.25	2	0.1	1651	91.8
7.3	1	0.1	1652	91.8
7.5	3	0.2	1655	92.0
8	10	0.6	1665	92.6
8.41	1	0.1	1666	92.6
9	3	0.2	1669	92.8
9.5	1	0.1	1670	92.8
10	14	0.8	1684	93.6
10.85	1	0.1	1685	93.7
11	4	0.2	1689	93.9
12	1	0.1	1690	93.9
13.5	3	0.2	1693	94.1
13.75	1	0.1	1694	94.2
15	2	0.1	1696	94.3
29	1	0.1	1697	94.3
30	2	0.1	1699	94.4
35	2	0.1	1701	94.6
40	2	0.1	1703	94.7
45	1	0.1	1704	94.7
48.076923076923	1	0.1	1705	94.8

H15CDOL R^S SALARY FOR PT JOB AFTE

H15CDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
50	2	0.1	1707	94.9
60	5	0.3	1712	95.2
62	1	0.1	1713	95.2
70	2	0.1	1715	95.3
75	2	0.1	1717	95.4
80	1	0.1	1718	95.5
85	1	0.1	1719	95.6
87	1	0.1	1720	95.6
90	2	0.1	1722	95.7
95	1	0.1	1723	95.8
100	6	0.3	1729	96.1
114	1	0.1	1730	96.2
120	4	0.2	1734	96.4
125	1	0.1	1735	96.4
130	4	0.2	1739	96.7
140	1	0.1	1740	96.7
150	8	0.4	1748	97.2
160	3	0.2	1751	97.3
175	1	0.1	1752	97.4
180	2	0.1	1754	97.5
200	12	0.7	1766	98.2
210	2	0.1	1768	98.3
225	1	0.1	1769	98.3
240	1	0.1	1770	98.4
250	6	0.3	1776	98.7
280	1	0.1	1777	98.8
300	3	0.2	1780	98.9
302	1	0.1	1781	99.0
350	2	0.1	1783	99.1
400	1	0.1	1784	99.2
500	4	0.2	1788	99.4
550	2	0.1	1790	99.5
1000	1	0.1	1791	99.6
2500	1	0.1	1792	99.6
3000	1	0.1	1793	99.7
4000	1	0.1	1794	99.7
5000	1	0.1	1795	99.8
10000	1	0.1	1796	99.8
12000	1	0.1	1797	99.9
15000	2	0.1	1799	100.0

H15CRTE R^S RATE OF PAY

H15CRTE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	949	52.8	949	52.8
-3 = Missing	471	26.2	1420	78.9
-2 = Don^t know	8	0.4	1428	79.4
-1 = Refused	6	0.3	1434	79.7
1 = Per hour	262	14.6	1696	94.3
2 = Per day	16	0.9	1712	95.2
3 = Per week	67	3.7	1779	98.9
4 = Every two weeks	4	0.2	1783	99.1
6 = Monthly	9	0.5	1792	99.6
7 = Per year	7	0.4	1799	100.0

H17 R EMPLOYED PT IN LAST YEAR

H17	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	949	52.8	949	52.8
-3 = Missing	464	25.8	1413	78.5
-2 = Don^t know	1	0.1	1414	78.6
1 = Yes	179	9.9	1593	88.5
2 = No	206	11.5	1799	100.0

H17A LENGTH OF PT JOB IN LAST YEAR

H17A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1156	64.3	1156	64.3
-3 = Missing	466	25.9	1622	90.2
0	10	0.6	1632	90.7
1	18	1.0	1650	91.7
2	21	1.2	1671	92.9
3	20	1.1	1691	94.0
4	18	1.0	1709	95.0
5	13	0.7	1722	95.7
6	17	0.9	1739	96.7
7	6	0.3	1745	97.0
8	5	0.3	1750	97.3
9	4	0.2	1754	97.5
10	4	0.2	1758	97.7
11	1	0.1	1759	97.8
12	40	2.2	1799	100.0

H17BDOL R^S SALARY FOR LONGEST PT

H17BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1158	64.4	1158	64.4
-3 = Missing	466	25.9	1624	90.3
-2 = Don^t know	5	0.3	1629	90.6
-1 = Refused	4	0.2	1633	90.8
0.1	1	0.1	1634	90.8
1.31	1	0.1	1635	90.9
1.5	1	0.1	1636	90.9
2	1	0.1	1637	91.0
2.5	1	0.1	1638	91.1
3.75	1	0.1	1639	91.1
4	2	0.1	1641	91.2
4.25	5	0.3	1646	91.5
4.35	2	0.1	1648	91.6
4.5	3	0.2	1651	91.8
4.59	1	0.1	1652	91.8
4.75	5	0.3	1657	92.1
5	17	0.9	1674	93.1
5.2	1	0.1	1675	93.1
5.25	2	0.1	1677	93.2
5.5	7	0.4	1684	93.6
5.65	1	0.1	1685	93.7
5.75	1	0.1	1686	93.7
6	15	0.8	1701	94.6
6.5	9	0.5	1710	95.1
6.75	1	0.1	1711	95.1
7	7	0.4	1718	95.5
7.25	1	0.1	1719	95.6
7.3	1	0.1	1720	95.6
7.5	3	0.2	1723	95.8
8	3	0.2	1726	95.9
8.2	1	0.1	1727	96.0
8.41	1	0.1	1728	96.1
9.5	1	0.1	1729	96.1
10	5	0.3	1734	96.4
10.4	1	0.1	1735	96.4
11	3	0.2	1738	96.6
12	1	0.1	1739	96.7
15	1	0.1	1740	96.7
19	1	0.1	1741	96.8
22.5	1	0.1	1742	96.8
25	1	0.1	1743	96.9
29	1	0.1	1744	96.9
30	1	0.1	1745	97.0
35	2	0.1	1747	97.1
40	1	0.1	1748	97.2
45	1	0.1	1749	97.2
48.076923076923	1	0.1	1750	97.3
50	1	0.1	1751	97.3
60	3	0.2	1754	97.5
65	1	0.1	1755	97.6
75	1	0.1	1756	97.6
80	1	0.1	1757	97.7
85	1	0.1	1758	97.7
90	1	0.1	1759	97.8
100	5	0.3	1764	98.1
120	1	0.1	1765	98.1

H17BDOL R^S SALARY FOR LONGEST PT

H17BDOL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
130	2	0.1	1767	98.2
150	3	0.2	1770	98.4
160	2	0.1	1772	98.5
175	1	0.1	1773	98.6
190	1	0.1	1774	98.6
200	5	0.3	1779	98.9
210	1	0.1	1780	98.9
244	1	0.1	1781	99.0
250	1	0.1	1782	99.1
300	3	0.2	1785	99.2
302	1	0.1	1786	99.3
350	1	0.1	1787	99.3
400	1	0.1	1788	99.4
485	1	0.1	1789	99.4
500	4	0.2	1793	99.7
550	1	0.1	1794	99.7
1500	1	0.1	1795	99.8
4000	1	0.1	1796	99.8
5000	1	0.1	1797	99.9
6000	1	0.1	1798	99.9
10000	1	0.1	1799	100.0

H17BRTE R^S RATE OF PAY

H17BRTE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1156	64.3	1156	64.3
-3 = Missing	469	26.1	1625	90.3
-2 = Don^t know	6	0.3	1631	90.7
-1 = Refused	2	0.1	1633	90.8
1 = Per hour	109	6.1	1742	96.8
2 = Per day	10	0.6	1752	97.4
3 = Per week	31	1.7	1783	99.1
4 = Every two weeks	5	0.3	1788	99.4
6 = Monthly	6	0.3	1794	99.7
7 = Per year	5	0.3	1799	100.0

Employer at 17C same as H15A

SAME8TH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1156	64.3	1156	64.3
-5 = Not applicable	1	0.1	1157	64.3
-3 = Missing	235	13.1	1392	77.4
-2 = Don^t know	1	0.1	1393	77.4
-1 = Refused	1	0.1	1394	77.5
1 = Yes	177	9.8	1571	87.3
2 = No	228	12.7	1799	100.0

H18/19 ANYONE HELP R W/BILLS DURIN

H19	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	12	0.7	12	0.7
-2 = Don^t know	2	0.1	14	0.8
-1 = Refused	6	0.3	20	1.1
1 = Yes	1018	56.6	1038	57.7
2 = No	761	42.3	1799	100.0

Spouse

H19A_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	769	42.7	769	42.7
-3 = Missing	13	0.7	782	43.5
1 = Yes	317	17.6	1099	61.1
2 = No	700	38.9	1799	100.0

Partner

H19A_2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	769	42.7	769	42.7
-3 = Missing	13	0.7	782	43.5
1 = Yes	252	14.0	1034	57.5
2 = No	765	42.5	1799	100.0

Parent

H19A_3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	769	42.7	769	42.7
-3 = Missing	13	0.7	782	43.5
1 = Yes	368	20.5	1150	63.9
2 = No	649	36.1	1799	100.0

Child

H19A_4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	769	42.7	769	42.7
-3 = Missing	13	0.7	782	43.5
1 = Yes	22	1.2	804	44.7
2 = No	995	55.3	1799	100.0

Grandparent

H19A_5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	769	42.7	769	42.7
-3 = Missing	13	0.7	782	43.5
1 = Yes	35	1.9	817	45.4
2 = No	982	54.6	1799	100.0

Other relative

H19A_6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	769	42.7	769	42.7
-3 = Missing	13	0.7	782	43.5
1 = Yes	60	3.3	842	46.8
2 = No	957	53.2	1799	100.0

Friend

H19A_7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	769	42.7	769	42.7
-3 = Missing	13	0.7	782	43.5
1 = Yes	97	5.4	879	48.9
2 = No	920	51.1	1799	100.0

Other specify

H19A_8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	769	42.7	769	42.7
-3 = Missing	13	0.7	782	43.5
1 = Yes	80	4.4	862	47.9
2 = No	937	52.1	1799	100.0

H19B HELP RECEIVED PAY ALL EXPENSE

H19B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	769	42.7	769	42.7
-3 = Missing	17	0.9	786	43.7
-2 = Don't know	3	0.2	789	43.9
-1 = Refused	2	0.1	791	44.0
1 = Less than half	437	24.3	1228	68.3
2 = Half or more	427	23.7	1655	92.0
3 = All	144	8.0	1799	100.0

H21a INCOME FROM WAGES OR SALARY

H21A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	50	2.8	50	2.8
-3 = Missing	28	1.6	78	4.3
-2 = Don't know	11	0.6	89	4.9
-1 = Refused	11	0.6	100	5.6
1 = Yes	1097	61.0	1197	66.5
2 = No	602	33.5	1799	100.0

H22a AMOUNT FROM WAGES OR SALARY

H22A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	673	37.4	673	37.4
-3 = Missing	38	2.1	711	39.5
-2 = Don't know	23	1.3	734	40.8
-1 = Refused	22	1.2	756	42.0
0.1	1	0.1	757	42.1
4.25	1	0.1	758	42.1
5.6	1	0.1	759	42.2
7	1	0.1	760	42.2
7.21	1	0.1	761	42.3
7.5	1	0.1	762	42.4
8.25	1	0.1	763	42.4
9.25	1	0.1	764	42.5
10	1	0.1	765	42.5
10.5	1	0.1	766	42.6
18.4	1	0.1	767	42.6
19	1	0.1	768	42.7
36	1	0.1	769	42.7
40	2	0.1	771	42.9
50	4	0.2	775	43.1
60.58	1	0.1	776	43.1
70	1	0.1	777	43.2
75	2	0.1	779	43.3
80	2	0.1	781	43.4
85	1	0.1	782	43.5
94.43	1	0.1	783	43.5
100	8	0.4	791	44.0
115	1	0.1	792	44.0
120	2	0.1	794	44.1
125	2	0.1	796	44.2
130	2	0.1	798	44.4
150	9	0.5	807	44.9
160	2	0.1	809	45.0
165	1	0.1	810	45.0
170	1	0.1	811	45.1
172	1	0.1	812	45.1
175	4	0.2	816	45.4
178	1	0.1	817	45.4
180	7	0.4	824	45.8
186	1	0.1	825	45.9
195	2	0.1	827	46.0
198.5	1	0.1	828	46.0
200	30	1.7	858	47.7
202	1	0.1	859	47.7
205	1	0.1	860	47.8
206	1	0.1	861	47.9
210	3	0.2	864	48.0
216	1	0.1	865	48.1
220	2	0.1	867	48.2
225	8	0.4	875	48.6
230	1	0.1	876	48.7
235	1	0.1	877	48.7
240	4	0.2	881	49.0
241.6	1	0.1	882	49.0
243	1	0.1	883	49.1
245	1	0.1	884	49.1
250	27	1.5	911	50.6

H22a AMOUNT FROM WAGES OR SALARY

H22A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
260	4	0.2	915	50.9
275	1	0.1	916	50.9
280	9	0.5	925	51.4
285	1	0.1	926	51.5
288	1	0.1	927	51.5
290	2	0.1	929	51.6
300	34	1.9	963	53.5
302	2	0.1	965	53.6
320	7	0.4	972	54.0
323	1	0.1	973	54.1
325	5	0.3	978	54.4
326	1	0.1	979	54.4
328	1	0.1	980	54.5
330	2	0.1	982	54.6
333	1	0.1	983	54.6
340	3	0.2	986	54.8
350	10	0.6	996	55.4
358.75	1	0.1	997	55.4
360	6	0.3	1003	55.8
370	5	0.3	1008	56.0
374	1	0.1	1009	56.1
375	1	0.1	1010	56.1
380	1	0.1	1011	56.2
400	35	1.9	1046	58.1
405	1	0.1	1047	58.2
420	2	0.1	1049	58.3
425	4	0.2	1053	58.5
440	1	0.1	1054	58.6
450	10	0.6	1064	59.1
454	1	0.1	1065	59.2
460	2	0.1	1067	59.3
474	1	0.1	1068	59.4
475	1	0.1	1069	59.4
478	1	0.1	1070	59.5
495	1	0.1	1071	59.5
500	24	1.3	1095	60.9
540	1	0.1	1096	60.9
550	1	0.1	1097	61.0
560	3	0.2	1100	61.1
577.8	1	0.1	1101	61.2
580	1	0.1	1102	61.3
586	1	0.1	1103	61.3
600	14	0.8	1117	62.1
615	1	0.1	1118	62.1
625	1	0.1	1119	62.2
627	1	0.1	1120	62.3
636	1	0.1	1121	62.3
650	1	0.1	1122	62.4
692	1	0.1	1123	62.4
700	8	0.4	1131	62.9
720	4	0.2	1135	63.1
746	1	0.1	1136	63.1
750	2	0.1	1138	63.3
760	1	0.1	1139	63.3
789	1	0.1	1140	63.4
800	22	1.2	1162	64.6

H22a AMOUNT FROM WAGES OR SALARY

H22A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
828	1	0.1	1163	64.6
840	1	0.1	1164	64.7
850	2	0.1	1166	64.8
860	1	0.1	1167	64.9
876	1	0.1	1168	64.9
900	7	0.4	1175	65.3
960	1	0.1	1176	65.4
1000	20	1.1	1196	66.5
1020	1	0.1	1197	66.5
1040	2	0.1	1199	66.6
1050	1	0.1	1200	66.7
1100	7	0.4	1207	67.1
1190	1	0.1	1208	67.1
1200	21	1.2	1229	68.3
1260	1	0.1	1230	68.4
1300	5	0.3	1235	68.6
1357	1	0.1	1236	68.7
1360	1	0.1	1237	68.8
1400	11	0.6	1248	69.4
1436	1	0.1	1249	69.4
1500	19	1.1	1268	70.5
1600	6	0.3	1274	70.8
1700	1	0.1	1275	70.9
1800	4	0.2	1279	71.1
1900	2	0.1	1281	71.2
1920	1	0.1	1282	71.3
1923.07692307692	5	0.3	1287	71.5
1937	1	0.1	1288	71.6
1961	1	0.1	1289	71.7
2000	24	1.3	1313	73.0
2100	1	0.1	1314	73.0
2200	1	0.1	1315	73.1
2300	1	0.1	1316	73.2
2339	1	0.1	1317	73.2
2400	3	0.2	1320	73.4
2500	7	0.4	1327	73.8
2600	1	0.1	1328	73.8
2800	3	0.2	1331	74.0
3000	18	1.0	1349	75.0
3200	2	0.1	1351	75.1
3400	1	0.1	1352	75.2
3500	1	0.1	1353	75.2
3600	2	0.1	1355	75.3
3673	1	0.1	1356	75.4
4000	12	0.7	1368	76.0
4100	1	0.1	1369	76.1
4200	1	0.1	1370	76.2
4400	1	0.1	1371	76.2
4500	2	0.1	1373	76.3
4620	1	0.1	1374	76.4
4800	3	0.2	1377	76.5
5000	12	0.7	1389	77.2
5400	2	0.1	1391	77.3
5500	3	0.2	1394	77.5
6000	18	1.0	1412	78.5
6500	1	0.1	1413	78.5

H22a AMOUNT FROM WAGES OR SALARY

H22A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6900	1	0.1	1414	78.6
7000	12	0.7	1426	79.3
7315	1	0.1	1427	79.3
7500	2	0.1	1429	79.4
7680	1	0.1	1430	79.5
7800	1	0.1	1431	79.5
8000	12	0.7	1443	80.2
8333.333333333333	11	0.6	1454	80.8
8500	2	0.1	1456	80.9
8800	1	0.1	1457	81.0
9000	7	0.4	1464	81.4
9500	1	0.1	1465	81.4
9700	1	0.1	1466	81.5
10000	15	0.8	1481	82.3
11000	4	0.2	1485	82.5
11500	1	0.1	1486	82.6
12000	20	1.1	1506	83.7
12800	1	0.1	1507	83.8
13000	10	0.6	1517	84.3
14000	4	0.2	1521	84.5
15000	20	1.1	1541	85.7
15200	1	0.1	1542	85.7
15500	1	0.1	1543	85.8
15600	1	0.1	1544	85.8
16000	7	0.4	1551	86.2
16500	1	0.1	1552	86.3
17000	6	0.3	1558	86.6
17214.8	1	0.1	1559	86.7
17575	1	0.1	1560	86.7
18000	15	0.8	1575	87.5
18500	1	0.1	1576	87.6
18900	1	0.1	1577	87.7
19000	7	0.4	1584	88.0
19200	1	0.1	1585	88.1
19360	1	0.1	1586	88.2
20000	23	1.3	1609	89.4
21000	3	0.2	1612	89.6
22000	6	0.3	1618	89.9
23000	2	0.1	1620	90.1
24000	8	0.4	1628	90.5
24500	1	0.1	1629	90.6
25000	22	1.2	1651	91.8
25500	1	0.1	1652	91.8
26000	7	0.4	1659	92.2
27000	4	0.2	1663	92.4
27500	1	0.1	1664	92.5
27700	1	0.1	1665	92.6
28000	10	0.6	1675	93.1
30000	21	1.2	1696	94.3
31000	1	0.1	1697	94.3
31500	1	0.1	1698	94.4
32000	7	0.4	1705	94.8
32500	1	0.1	1706	94.8
33000	2	0.1	1708	94.9
35000	8	0.4	1716	95.4
36000	4	0.2	1720	95.6

H22a AMOUNT FROM WAGES OR SALARY

H22A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
37000	1	0.1	1721	95.7
37440	1	0.1	1722	95.7
38000	7	0.4	1729	96.1
40000	11	0.6	1740	96.7
41000	1	0.1	1741	96.8
42000	2	0.1	1743	96.9
42500	1	0.1	1744	96.9
43000	3	0.2	1747	97.1
44000	1	0.1	1748	97.2
45000	5	0.3	1753	97.4
47000	2	0.1	1755	97.6
48000	5	0.3	1760	97.8
49000	1	0.1	1761	97.9
50000	7	0.4	1768	98.3
52000	1	0.1	1769	98.3
54000	1	0.1	1770	98.4
55000	6	0.3	1776	98.7
57000	1	0.1	1777	98.8
60000	10	0.6	1787	99.3
64000	1	0.1	1788	99.4
65000	1	0.1	1789	99.4
70000	2	0.1	1791	99.6
75000	2	0.1	1793	99.7
80000	2	0.1	1795	99.8
90000	1	0.1	1796	99.8
100000	3	0.2	1799	100.0

H22atim TIME FRAME FOR SALARY

H22ATIM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	672	37.4	672	37.4
-5 = Not applicable	1	0.1	673	37.4
-3 = Missing	66	3.7	739	41.1
-2 = Don't know	13	0.7	752	41.8
-1 = Refused	12	0.7	764	42.5
1 = Per week	305	17.0	1069	59.4
2 = Per month	196	10.9	1265	70.3
3 = Per year	534	29.7	1799	100.0

H21b INCOME FROM GENERAL ASSISTANCE

H21B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	51	2.8	51	2.8
-3 = Missing	30	1.7	81	4.5
-2 = Don't know	6	0.3	87	4.8
-1 = Refused	6	0.3	93	5.2
1 = Yes	337	18.7	430	23.9
2 = No	1369	76.1	1799	100.0

H22b AMOUNT FROM GENERAL ASSISTANC

H22B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1429	79.4	1429	79.4
-3 = Missing	41	2.3	1470	81.7
-2 = Don't know	8	0.4	1478	82.2
-1 = Refused	3	0.2	1481	82.3
9.8	1	0.1	1482	82.4
10	4	0.2	1486	82.6
11	1	0.1	1487	82.7
18	1	0.1	1488	82.7
25	2	0.1	1490	82.8
38	1	0.1	1491	82.9
42	1	0.1	1492	82.9
50	1	0.1	1493	83.0
52	2	0.1	1495	83.1
54	1	0.1	1496	83.2
63	1	0.1	1497	83.2
64	1	0.1	1498	83.3
67	1	0.1	1499	83.3
68	1	0.1	1500	83.4
68.5	1	0.1	1501	83.4
73	1	0.1	1502	83.5
75	1	0.1	1503	83.5
78	1	0.1	1504	83.6
79	1	0.1	1505	83.7
80	2	0.1	1507	83.8
83	1	0.1	1508	83.8
87	1	0.1	1509	83.9
89	1	0.1	1510	83.9
95	1	0.1	1511	84.0
96	1	0.1	1512	84.0
100	1	0.1	1513	84.1
101	1	0.1	1514	84.2
104	1	0.1	1515	84.2
105	1	0.1	1516	84.3
108	1	0.1	1517	84.3
110	3	0.2	1520	84.5
111	1	0.1	1521	84.5
112	4	0.2	1525	84.8
114	1	0.1	1526	84.8
115	18	1.0	1544	85.8
118	1	0.1	1545	85.9
119	3	0.2	1548	86.0
120	1	0.1	1549	86.1
137	2	0.1	1551	86.2
138	1	0.1	1552	86.3
140	1	0.1	1553	86.3
142	1	0.1	1554	86.4
146	1	0.1	1555	86.4
154	2	0.1	1557	86.5
157	5	0.3	1562	86.8
159	1	0.1	1563	86.9
160	2	0.1	1565	87.0
163	3	0.2	1568	87.2
164	1	0.1	1569	87.2
165	2	0.1	1571	87.3
172	2	0.1	1573	87.4
173	1	0.1	1574	87.5

H22b AMOUNT FROM GENERAL ASSISTANC

H22B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
174	5	0.3	1579	87.8
174.5	1	0.1	1580	87.8
177	1	0.1	1581	87.9
180	4	0.2	1585	88.1
185	1	0.1	1586	88.2
188	4	0.2	1590	88.4
192	2	0.1	1592	88.5
193	1	0.1	1593	88.5
194	1	0.1	1594	88.6
196	1	0.1	1595	88.7
199	1	0.1	1596	88.7
200	9	0.5	1605	89.2
202	1	0.1	1606	89.3
204	1	0.1	1607	89.3
205	1	0.1	1608	89.4
206	2	0.1	1610	89.5
209	1	0.1	1611	89.5
210	4	0.2	1615	89.8
218	1	0.1	1616	89.8
220	1	0.1	1617	89.9
226	1	0.1	1618	89.9
229	1	0.1	1619	90.0
230	2	0.1	1621	90.1
231	1	0.1	1622	90.2
236	1	0.1	1623	90.2
240	1	0.1	1624	90.3
241	1	0.1	1625	90.3
242	1	0.1	1626	90.4
250	7	0.4	1633	90.8
251	2	0.1	1635	90.9
264	2	0.1	1637	91.0
265	1	0.1	1638	91.1
272	1	0.1	1639	91.1
276	2	0.1	1641	91.2
278	3	0.2	1644	91.4
279	1	0.1	1645	91.4
280	1	0.1	1646	91.5
286	1	0.1	1647	91.6
288	1	0.1	1648	91.6
290	1	0.1	1649	91.7
291	1	0.1	1650	91.7
292	1	0.1	1651	91.8
300	10	0.6	1661	92.3
303	2	0.1	1663	92.4
304	1	0.1	1664	92.5
306	1	0.1	1665	92.6
307	2	0.1	1667	92.7
312	1	0.1	1668	92.7
320	2	0.1	1670	92.8
322	1	0.1	1671	92.9
329	1	0.1	1672	92.9
330	2	0.1	1674	93.1
345	1	0.1	1675	93.1
346	1	0.1	1676	93.2
348	1	0.1	1677	93.2
349	1	0.1	1678	93.3

H22b AMOUNT FROM GENERAL ASSISTANC

H22B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
350	3	0.2	1681	93.4
352	2	0.1	1683	93.6
356	3	0.2	1686	93.7
360	3	0.2	1689	93.9
362	1	0.1	1690	93.9
364	2	0.1	1692	94.1
365	2	0.1	1694	94.2
368	1	0.1	1695	94.2
371	1	0.1	1696	94.3
375	1	0.1	1697	94.3
385	3	0.2	1700	94.5
400	5	0.3	1705	94.8
401	1	0.1	1706	94.8
403	1	0.1	1707	94.9
405	1	0.1	1708	94.9
410	1	0.1	1709	95.0
412	1	0.1	1710	95.1
412.5	1	0.1	1711	95.1
415	1	0.1	1712	95.2
418	1	0.1	1713	95.2
425	1	0.1	1714	95.3
440	2	0.1	1716	95.4
450	1	0.1	1717	95.4
452	1	0.1	1718	95.5
454	3	0.2	1721	95.7
460	3	0.2	1724	95.8
467	1	0.1	1725	95.9
468	1	0.1	1726	95.9
486	2	0.1	1728	96.1
488	1	0.1	1729	96.1
490	1	0.1	1730	96.2
492	1	0.1	1731	96.2
500	4	0.2	1735	96.4
530	1	0.1	1736	96.5
532	1	0.1	1737	96.6
546	2	0.1	1739	96.7
565	1	0.1	1740	96.7
567	1	0.1	1741	96.8
570	1	0.1	1742	96.8
580	1	0.1	1743	96.9
600	1	0.1	1744	96.9
605	1	0.1	1745	97.0
621	1	0.1	1746	97.1
625	1	0.1	1747	97.1
650	1	0.1	1748	97.2
660	1	0.1	1749	97.2
675	1	0.1	1750	97.3
697	1	0.1	1751	97.3
698	1	0.1	1752	97.4
700	1	0.1	1753	97.4
722	1	0.1	1754	97.5
750.02	1	0.1	1755	97.6
760	1	0.1	1756	97.6
800	1	0.1	1757	97.7
824	1	0.1	1758	97.7
850	1	0.1	1759	97.8

H22b AMOUNT FROM GENERAL ASSISTANC

H22B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
900	2	0.1	1761	97.9
1000	6	0.3	1767	98.2
1050	1	0.1	1768	98.3
1064	1	0.1	1769	98.3
1200	2	0.1	1771	98.4
1332	1	0.1	1772	98.5
1380	1	0.1	1773	98.6
1800	1	0.1	1774	98.6
1900	1	0.1	1775	98.7
1920	1	0.1	1776	98.7
2000	3	0.2	1779	98.9
2110	1	0.1	1780	98.9
2250	1	0.1	1781	99.0
2296	1	0.1	1782	99.1
2400	2	0.1	1784	99.2
3050	1	0.1	1785	99.2
4500	1	0.1	1786	99.3
4960	1	0.1	1787	99.3
5000	1	0.1	1788	99.4
5964	1	0.1	1789	99.4
6000	3	0.2	1792	99.6
6400	1	0.1	1793	99.7
7000	1	0.1	1794	99.7
8000	1	0.1	1795	99.8
10000	2	0.1	1797	99.9
11000	1	0.1	1798	99.9
15000	1	0.1	1799	100.0

H22btim TIME FRAME FOR GA OR RELI

H22BTIM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1432	79.6	1432	79.6
-3 = Missing	42	2.3	1474	81.9
-2 = Don't know	5	0.3	1479	82.2
-1 = Refused	3	0.2	1482	82.4
1 = Per week	9	0.5	1491	82.9
2 = Per month	255	14.2	1746	97.1
3 = Per year	53	2.9	1799	100.0

H21c INCOME FROM UNEMPLOYMENT COMP

H21C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	51	2.8	51	2.8
-3 = Missing	28	1.6	79	4.4
-2 = Don't know	4	0.2	83	4.6
-1 = Refused	7	0.4	90	5.0
1 = Yes	121	6.7	211	11.7
2 = No	1588	88.3	1799	100.0

H22c AMOUNT FROM UNEMPLOYMENT COMP

H22C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1648	91.6	1648	91.6
-3 = Missing	29	1.6	1677	93.2
-2 = Don't know	1	0.1	1678	93.3
-1 = Refused	2	0.1	1680	93.4
52	1	0.1	1681	93.4
60.5	1	0.1	1682	93.5
66	2	0.1	1684	93.6
78	1	0.1	1685	93.7
80	1	0.1	1686	93.7
86	1	0.1	1687	93.8
87	1	0.1	1688	93.8
93	1	0.1	1689	93.9
97	1	0.1	1690	93.9
100	1	0.1	1691	94.0
101	1	0.1	1692	94.1
108	2	0.1	1694	94.2
115	1	0.1	1695	94.2
120	1	0.1	1696	94.3
125	3	0.2	1699	94.4
130	1	0.1	1700	94.5
134	1	0.1	1701	94.6
150	1	0.1	1702	94.6
158	1	0.1	1703	94.7
160	1	0.1	1704	94.7
165	2	0.1	1706	94.8
170	2	0.1	1708	94.9
180	3	0.2	1711	95.1
183	1	0.1	1712	95.2
189	1	0.1	1713	95.2
200	4	0.2	1717	95.4
205	1	0.1	1718	95.5
207	1	0.1	1719	95.6
208	1	0.1	1720	95.6
210	1	0.1	1721	95.7
228	1	0.1	1722	95.7
230	1	0.1	1723	95.8
234	1	0.1	1724	95.8
242	1	0.1	1725	95.9
245	2	0.1	1727	96.0
250	2	0.1	1729	96.1
254	1	0.1	1730	96.2
256	1	0.1	1731	96.2
271	1	0.1	1732	96.3
275	1	0.1	1733	96.3
285	1	0.1	1734	96.4
288	1	0.1	1735	96.4
289	1	0.1	1736	96.5
300	1	0.1	1737	96.6
325	1	0.1	1738	96.6
343	1	0.1	1739	96.7
362	1	0.1	1740	96.7
375	1	0.1	1741	96.8
394	1	0.1	1742	96.8
400	1	0.1	1743	96.9
404	1	0.1	1744	96.9
420	1	0.1	1745	97.0

H22c AMOUNT FROM UNEMPLOYMENT COMP

H22C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
424	2	0.1	1747	97.1
448	1	0.1	1748	97.2
458	1	0.1	1749	97.2
480	1	0.1	1750	97.3
494	1	0.1	1751	97.3
500	1	0.1	1752	97.4
543	1	0.1	1753	97.4
600	4	0.2	1757	97.7
667.76	1	0.1	1758	97.7
760	1	0.1	1759	97.8
800	2	0.1	1761	97.9
950	1	0.1	1762	97.9
1000	2	0.1	1764	98.1
1100	1	0.1	1765	98.1
1200	2	0.1	1767	98.2
1500	2	0.1	1769	98.3
1650	1	0.1	1770	98.4
1752	1	0.1	1771	98.4
1800	1	0.1	1772	98.5
1976	1	0.1	1773	98.6
2000	1	0.1	1774	98.6
2300	3	0.2	1777	98.8
2400	1	0.1	1778	98.8
2500	2	0.1	1780	98.9
2600	1	0.1	1781	99.0
3000	3	0.2	1784	99.2
3224	1	0.1	1785	99.2
3500	1	0.1	1786	99.3
3700	1	0.1	1787	99.3
3800	1	0.1	1788	99.4
4000	2	0.1	1790	99.5
4550	1	0.1	1791	99.6
4560	1	0.1	1792	99.6
4600	1	0.1	1793	99.7
5000	2	0.1	1795	99.8
6000	1	0.1	1796	99.8
8000	2	0.1	1798	99.9
11010	1	0.1	1799	100.0

H22ctim TIME FRAME FOR UNEMPLOYME

H22CTIM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1647	91.6	1647	91.6
-3 = Missing	35	1.9	1682	93.5
-2 = Don't know	1	0.1	1683	93.6
-1 = Refused	1	0.1	1684	93.6
1 = Per week	52	2.9	1736	96.5
2 = Per month	17	0.9	1753	97.4
3 = Per year	46	2.6	1799	100.0

H21d INCOME FROM DISABILITY OR SSI

H21D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	51	2.8	51	2.8
-3 = Missing	24	1.3	75	4.2
-2 = Don't know	4	0.2	79	4.4
-1 = Refused	7	0.4	86	4.8
1 = Yes	289	16.1	375	20.8
2 = No	1424	79.2	1799	100.0

H22d AMOUNT FROM DISABILITY OR SSI

H22D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1484	82.5	1484	82.5
-3 = Missing	36	2.0	1520	84.5
-2 = Don't know	8	0.4	1528	84.9
-1 = Refused	10	0.6	1538	85.5
30	1	0.1	1539	85.5
34	1	0.1	1540	85.6
40	1	0.1	1541	85.7
55	1	0.1	1542	85.7
77	1	0.1	1543	85.8
89	2	0.1	1545	85.9
95	1	0.1	1546	85.9
103	1	0.1	1547	86.0
113	1	0.1	1548	86.0
144	1	0.1	1549	86.1
150	1	0.1	1550	86.2
154	1	0.1	1551	86.2
157.23	1	0.1	1552	86.3
170	1	0.1	1553	86.3
185	1	0.1	1554	86.4
200	1	0.1	1555	86.4
250	2	0.1	1557	86.5
260	1	0.1	1558	86.6
271.5	1	0.1	1559	86.7
273.39	1	0.1	1560	86.7
286	1	0.1	1561	86.8
290	1	0.1	1562	86.8
294	1	0.1	1563	86.9
295	1	0.1	1564	86.9
300	1	0.1	1565	87.0
305	1	0.1	1566	87.0
318	1	0.1	1567	87.1
322	1	0.1	1568	87.2
329	1	0.1	1569	87.2
335	1	0.1	1570	87.3
340	1	0.1	1571	87.3
342	1	0.1	1572	87.4
350	1	0.1	1573	87.4
355	1	0.1	1574	87.5
362	1	0.1	1575	87.5
378	1	0.1	1576	87.6
382	1	0.1	1577	87.7
385	1	0.1	1578	87.7
398	1	0.1	1579	87.8
400	1	0.1	1580	87.8
408	2	0.1	1582	87.9
409	1	0.1	1583	88.0
411	1	0.1	1584	88.0
413	1	0.1	1585	88.1
425	2	0.1	1587	88.2
426	1	0.1	1588	88.3
429	1	0.1	1589	88.3
432	2	0.1	1591	88.4
433	1	0.1	1592	88.5
440	2	0.1	1594	88.6
445	3	0.2	1597	88.8
450	5	0.3	1602	89.0

H22d AMOUNT FROM DISABILITY OR SSI

H22D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
451	1	0.1	1603	89.1
453	1	0.1	1604	89.2
456	2	0.1	1606	89.3
458	31	1.7	1637	91.0
460	6	0.3	1643	91.3
466	1	0.1	1644	91.4
467	1	0.1	1645	91.4
469	1	0.1	1646	91.5
470	9	0.5	1655	92.0
472	1	0.1	1656	92.1
475	1	0.1	1657	92.1
476	2	0.1	1659	92.2
477	1	0.1	1660	92.3
478	1	0.1	1661	92.3
480	1	0.1	1662	92.4
481	4	0.2	1666	92.6
485	2	0.1	1668	92.7
487	1	0.1	1669	92.8
490	7	0.4	1676	93.2
490.4	2	0.1	1678	93.3
492	1	0.1	1679	93.3
492.4	1	0.1	1680	93.4
495	2	0.1	1682	93.5
498	1	0.1	1683	93.6
500	12	0.7	1695	94.2
505	1	0.1	1696	94.3
513	1	0.1	1697	94.3
522	2	0.1	1699	94.4
525	1	0.1	1700	94.5
531	1	0.1	1701	94.6
534	2	0.1	1703	94.7
540	2	0.1	1705	94.8
544	7	0.4	1712	95.2
545	3	0.2	1715	95.3
550	2	0.1	1717	95.4
553	1	0.1	1718	95.5
558	1	0.1	1719	95.6
563	1	0.1	1720	95.6
565	1	0.1	1721	95.7
567	1	0.1	1722	95.7
581	1	0.1	1723	95.8
593	1	0.1	1724	95.8
600	3	0.2	1727	96.0
610	1	0.1	1728	96.1
635	1	0.1	1729	96.1
640	1	0.1	1730	96.2
641	1	0.1	1731	96.2
657	1	0.1	1732	96.3
669	1	0.1	1733	96.3
671	1	0.1	1734	96.4
679	1	0.1	1735	96.4
683	1	0.1	1736	96.5
695	1	0.1	1737	96.6
699	1	0.1	1738	96.6
701	1	0.1	1739	96.7
720	1	0.1	1740	96.7

H22d AMOUNT FROM DISABILITY OR SSI

H22D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
725	1	0.1	1741	96.8
746	1	0.1	1742	96.8
751	1	0.1	1743	96.9
773	1	0.1	1744	96.9
778	1	0.1	1745	97.0
800	2	0.1	1747	97.1
811	1	0.1	1748	97.2
841	1	0.1	1749	97.2
850	3	0.2	1752	97.4
870	1	0.1	1753	97.4
895	1	0.1	1754	97.5
902	1	0.1	1755	97.6
944	1	0.1	1756	97.6
946	1	0.1	1757	97.7
971	1	0.1	1758	97.7
985	1	0.1	1759	97.8
1000	2	0.1	1761	97.9
1017	1	0.1	1762	97.9
1071	1	0.1	1763	98.0
1086	1	0.1	1764	98.1
1100	3	0.2	1767	98.2
1110	1	0.1	1768	98.3
1200	1	0.1	1769	98.3
1228	1	0.1	1770	98.4
1300	1	0.1	1771	98.4
1500	1	0.1	1772	98.5
1600	1	0.1	1773	98.6
1700	1	0.1	1774	98.6
1786	1	0.1	1775	98.7
1800	1	0.1	1776	98.7
1953	1	0.1	1777	98.8
2000	4	0.2	1781	99.0
2028	1	0.1	1782	99.1
3200	1	0.1	1783	99.1
3500	1	0.1	1784	99.2
4500	1	0.1	1785	99.2
5000	1	0.1	1786	99.3
5368	1	0.1	1787	99.3
6000	4	0.2	1791	99.6
6480	1	0.1	1792	99.6
7074	1	0.1	1793	99.7
8000	4	0.2	1797	99.9
9000	1	0.1	1798	99.9
10000	1	0.1	1799	100.0

H22dtim TIME FRAME FOR DISABILITY

H22DTIM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1484	82.5	1484	82.5
-3 = Missing	41	2.3	1525	84.8
-2 = Don't know	8	0.4	1533	85.2
-1 = Refused	8	0.4	1541	85.7
1 = Per week	9	0.5	1550	86.2
2 = Per month	222	12.3	1772	98.5
3 = Per year	27	1.5	1799	100.0

H21e INCOME FROM SOCIAL SECURITY/P

H21E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	50	2.8	50	2.8
-3 = Missing	29	1.6	79	4.4
-2 = Don't know	4	0.2	83	4.6
-1 = Refused	8	0.4	91	5.1
1 = Yes	125	6.9	216	12.0
2 = No	1583	88.0	1799	100.0

H22e AMOUNT FROM SOCIAL SECURITY/P

H22E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1644	91.4	1644	91.4
-3 = Missing	35	1.9	1679	93.3
-2 = Don't know	10	0.6	1689	93.9
-1 = Refused	4	0.2	1693	94.1
1	1	0.1	1694	94.2
20	1	0.1	1695	94.2
22	1	0.1	1696	94.3
50	3	0.2	1699	94.4
60	1	0.1	1700	94.5
75	1	0.1	1701	94.6
120	1	0.1	1702	94.6
146	1	0.1	1703	94.7
150	1	0.1	1704	94.7
154	1	0.1	1705	94.8
190	1	0.1	1706	94.8
200	3	0.2	1709	95.0
300	2	0.1	1711	95.1
306	1	0.1	1712	95.2
309	1	0.1	1713	95.2
319	1	0.1	1714	95.3
333	1	0.1	1715	95.3
350	1	0.1	1716	95.4
365	1	0.1	1717	95.4
375	1	0.1	1718	95.5
385	1	0.1	1719	95.6
386	1	0.1	1720	95.6
387	1	0.1	1721	95.7
388	1	0.1	1722	95.7
400	3	0.2	1725	95.9
407	1	0.1	1726	95.9
424	1	0.1	1727	96.0
433	1	0.1	1728	96.1
458	1	0.1	1729	96.1
487	1	0.1	1730	96.2
489	1	0.1	1731	96.2
490	1	0.1	1732	96.3
497	1	0.1	1733	96.3
500	2	0.1	1735	96.4
510	1	0.1	1736	96.5
528	1	0.1	1737	96.6
543	1	0.1	1738	96.6
562	1	0.1	1739	96.7
577	1	0.1	1740	96.7
579	1	0.1	1741	96.8
600	5	0.3	1746	97.1
670	1	0.1	1747	97.1
681	1	0.1	1748	97.2
684	1	0.1	1749	97.2
691	1	0.1	1750	97.3
700	1	0.1	1751	97.3
706	1	0.1	1752	97.4
724	1	0.1	1753	97.4
731	1	0.1	1754	97.5
750	1	0.1	1755	97.6
772	1	0.1	1756	97.6
789	1	0.1	1757	97.7

H22e AMOUNT FROM SOCIAL SECURITY/P

H22E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
800	1	0.1	1758	97.7
806	1	0.1	1759	97.8
820	1	0.1	1760	97.8
832	1	0.1	1761	97.9
889	1	0.1	1762	97.9
893	1	0.1	1763	98.0
900	1	0.1	1764	98.1
907	1	0.1	1765	98.1
912	1	0.1	1766	98.2
930	1	0.1	1767	98.2
1000	3	0.2	1770	98.4
1035	1	0.1	1771	98.4
1158	1	0.1	1772	98.5
1254	1	0.1	1773	98.6
1258	1	0.1	1774	98.6
1350	1	0.1	1775	98.7
1500	2	0.1	1777	98.8
1600	1	0.1	1778	98.8
1670	1	0.1	1779	98.9
1680	1	0.1	1780	98.9
1700	1	0.1	1781	99.0
1900	1	0.1	1782	99.1
2187	1	0.1	1783	99.1
2400	1	0.1	1784	99.2
3100	1	0.1	1785	99.2
3324	1	0.1	1786	99.3
3700	1	0.1	1787	99.3
4000	1	0.1	1788	99.4
4500	1	0.1	1789	99.4
5700	1	0.1	1790	99.5
7200	1	0.1	1791	99.6
8000	1	0.1	1792	99.6
9600	1	0.1	1793	99.7
11000	1	0.1	1794	99.7
15000	1	0.1	1795	99.8
24000	1	0.1	1796	99.8
25000	1	0.1	1797	99.9
33000	1	0.1	1798	99.9
100000	1	0.1	1799	100.0

H22etim TIME FRAME FOR SOCIAL SEC

H22ETIM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1643	91.3	1643	91.3
-3 = Missing	42	2.3	1685	93.7
-2 = Don't know	6	0.3	1691	94.0
-1 = Refused	2	0.1	1693	94.1
2 = Per month	70	3.9	1763	98.0
3 = Per year	36	2.0	1799	100.0

H21f INCOME FROM ALIMONY/CHLD SUPP

H21F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	49	2.7	49	2.7
-3 = Missing	30	1.7	79	4.4
-2 = Don't know	2	0.1	81	4.5
-1 = Refused	7	0.4	88	4.9
1 = Yes	60	3.3	148	8.2
2 = No	1651	91.8	1799	100.0

H22f AMOUNT FROM ALIMONY/CHLD SUPP

H22F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1710	95.1	1710	95.1
-3 = Missing	34	1.9	1744	96.9
-2 = Don't know	2	0.1	1746	97.1
-1 = Refused	2	0.1	1748	97.2
20	1	0.1	1749	97.2
22	1	0.1	1750	97.3
25	1	0.1	1751	97.3
26	1	0.1	1752	97.4
31	1	0.1	1753	97.4
34.5	2	0.1	1755	97.6
39.36	1	0.1	1756	97.6
50	10	0.6	1766	98.2
60	1	0.1	1767	98.2
75	1	0.1	1768	98.3
81.5	1	0.1	1769	98.3
84	1	0.1	1770	98.4
100	4	0.2	1774	98.6
106	1	0.1	1775	98.7
109	1	0.1	1776	98.7
136	1	0.1	1777	98.8
150	3	0.2	1780	98.9
160	1	0.1	1781	99.0
171	1	0.1	1782	99.1
200	2	0.1	1784	99.2
224	1	0.1	1785	99.2
250	1	0.1	1786	99.3
280	1	0.1	1787	99.3
300	2	0.1	1789	99.4
500	1	0.1	1790	99.5
550	1	0.1	1791	99.6
610	1	0.1	1792	99.6
650	1	0.1	1793	99.7
760	1	0.1	1794	99.7
1000	2	0.1	1796	99.8
1100	1	0.1	1797	99.9
1400	1	0.1	1798	99.9
2400	1	0.1	1799	100.0

H22ftim TIME FRAME ALIMONY/SUPPOR

H22FTIM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1708	94.9	1708	94.9
-3 = Missing	37	2.1	1745	97.0
-2 = Don't know	2	0.1	1747	97.1
-1 = Refused	1	0.1	1748	97.2
1 = Per week	7	0.4	1755	97.6
2 = Per month	29	1.6	1784	99.2
3 = Per year	15	0.8	1799	100.0

H21g INCOME FROM SPOUSE/PARTNER

H21G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	50	2.8	50	2.8
-3 = Missing	36	2.0	86	4.8
-2 = Don't know	5	0.3	91	5.1
-1 = Refused	7	0.4	98	5.4
1 = Yes	199	11.1	297	16.5
2 = No	1502	83.5	1799	100.0

H22g AMOUNT FROM SPOUSE/PARTNER

H22G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1564	86.9	1564	86.9
-3 = Missing	45	2.5	1609	89.4
-2 = Don't know	18	1.0	1627	90.4
-1 = Refused	6	0.3	1633	90.8
10	3	0.2	1636	90.9
15	1	0.1	1637	91.0
20	5	0.3	1642	91.3
25	3	0.2	1645	91.4
26	1	0.1	1646	91.5
50	10	0.6	1656	92.1
60	2	0.1	1658	92.2
70	1	0.1	1659	92.2
75	2	0.1	1661	92.3
80	1	0.1	1662	92.4
100	16	0.9	1678	93.3
150	3	0.2	1681	93.4
180	1	0.1	1682	93.5
200	21	1.2	1703	94.7
220	1	0.1	1704	94.7
250	3	0.2	1707	94.9
260	1	0.1	1708	94.9
280	1	0.1	1709	95.0
300	8	0.4	1717	95.4
325	1	0.1	1718	95.5
350	1	0.1	1719	95.6
371	1	0.1	1720	95.6
400	10	0.6	1730	96.2
440	1	0.1	1731	96.2
450	1	0.1	1732	96.3
487	1	0.1	1733	96.3
500	9	0.5	1742	96.8
600	6	0.3	1748	97.2
700	2	0.1	1750	97.3
750	1	0.1	1751	97.3
800	4	0.2	1755	97.6
1000	10	0.6	1765	98.1
1200	3	0.2	1768	98.3
1500	6	0.3	1774	98.6
2000	6	0.3	1780	98.9
2500	1	0.1	1781	99.0
3000	2	0.1	1783	99.1
4000	2	0.1	1785	99.2
5000	2	0.1	1787	99.3
6000	1	0.1	1788	99.4
7000	3	0.2	1791	99.6
9000	1	0.1	1792	99.6
11000	1	0.1	1793	99.7
12000	1	0.1	1794	99.7
20000	2	0.1	1796	99.8
32000	1	0.1	1797	99.9
40000	1	0.1	1798	99.9
62000	1	0.1	1799	100.0

H22gtim TIME FRAME SPOUSE/PARTNER

H22GTIM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1562	86.8	1562	86.8
-3 = Missing	59	3.3	1621	90.1
-2 = Don't know	13	0.7	1634	90.8
-1 = Refused	5	0.3	1639	91.1
1 = Per week	27	1.5	1666	92.6
2 = Per month	53	2.9	1719	95.6
3 = Per year	80	4.4	1799	100.0

H21h INCOME FROM OTHER SOURCES

H21H	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1	0.1	1	0.1
-5 = Not applicable	49	2.7	50	2.8
-3 = Missing	35	1.9	85	4.7
-2 = Don't know	5	0.3	90	5.0
-1 = Refused	6	0.3	96	5.3
1 = Yes	201	11.2	297	16.5
2 = No	1502	83.5	1799	100.0

H22h AMOUNT FROM OTHER SOURCES

H22H	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1563	86.9	1563	86.9
-5 = Not applicable	1	0.1	1564	86.9
-3 = Missing	44	2.4	1608	89.4
-2 = Don't know	10	0.6	1618	89.9
-1 = Refused	1	0.1	1619	90.0
10	3	0.2	1622	90.2
15	1	0.1	1623	90.2
25	1	0.1	1624	90.3
28	1	0.1	1625	90.3
40	1	0.1	1626	90.4
45	2	0.1	1628	90.5
48	1	0.1	1629	90.6
50	1	0.1	1630	90.6
65	1	0.1	1631	90.7
74	1	0.1	1632	90.7
77	1	0.1	1633	90.8
80	1	0.1	1634	90.8
89	1	0.1	1635	90.9
91	2	0.1	1637	91.0
95	1	0.1	1638	91.1
100	8	0.4	1646	91.5
102	1	0.1	1647	91.6
103	1	0.1	1648	91.6
107	1	0.1	1649	91.7
110	2	0.1	1651	91.8
111	1	0.1	1652	91.8
112	2	0.1	1654	91.9
115	14	0.8	1668	92.7
116	1	0.1	1669	92.8
119	2	0.1	1671	92.9
130	2	0.1	1673	93.0
140	1	0.1	1674	93.1
141	1	0.1	1675	93.1
150	4	0.2	1679	93.3
160	2	0.1	1681	93.4
163	1	0.1	1682	93.5
165	1	0.1	1683	93.6
170	1	0.1	1684	93.6
187	1	0.1	1685	93.7
190	1	0.1	1686	93.7
200	3	0.2	1689	93.9
225	1	0.1	1690	93.9
228	1	0.1	1691	94.0
250	7	0.4	1698	94.4
270	1	0.1	1699	94.4
274	1	0.1	1700	94.5
283	1	0.1	1701	94.6
288	1	0.1	1702	94.6
289	2	0.1	1704	94.7
300	3	0.2	1707	94.9
347	1	0.1	1708	94.9
350	3	0.2	1711	95.1
370	1	0.1	1712	95.2
386	1	0.1	1713	95.2
430	1	0.1	1714	95.3
450	1	0.1	1715	95.3

H22h AMOUNT FROM OTHER SOURCES

H22H	Frequency	Percent	Cumulative Frequency	Cumulative Percent
490.4	1	0.1	1716	95.4
500	5	0.3	1721	95.7
577	1	0.1	1722	95.7
600	4	0.2	1726	95.9
620	1	0.1	1727	96.0
659	1	0.1	1728	96.1
660	1	0.1	1729	96.1
669	1	0.1	1730	96.2
700	1	0.1	1731	96.2
750	1	0.1	1732	96.3
800	3	0.2	1735	96.4
839	1	0.1	1736	96.5
850	1	0.1	1737	96.6
856	1	0.1	1738	96.6
894	1	0.1	1739	96.7
910	1	0.1	1740	96.7
925	1	0.1	1741	96.8
1000	6	0.3	1747	97.1
1187	1	0.1	1748	97.2
1200	2	0.1	1750	97.3
1260	1	0.1	1751	97.3
1400	1	0.1	1752	97.4
1600	2	0.1	1754	97.5
2000	5	0.3	1759	97.8
2100	1	0.1	1760	97.8
2200	1	0.1	1761	97.9
2300	1	0.1	1762	97.9
2500	1	0.1	1763	98.0
2600	1	0.1	1764	98.1
3000	3	0.2	1767	98.2
3250	1	0.1	1768	98.3
5000	3	0.2	1771	98.4
5500	2	0.1	1773	98.6
6000	4	0.2	1777	98.8
7000	1	0.1	1778	98.8
7800	1	0.1	1779	98.9
8000	2	0.1	1781	99.0
9000	1	0.1	1782	99.1
10000	2	0.1	1784	99.2
14000	1	0.1	1785	99.2
14400	1	0.1	1786	99.3
15000	3	0.2	1789	99.4
17000	1	0.1	1790	99.5
20000	1	0.1	1791	99.6
22500	1	0.1	1792	99.6
30000	1	0.1	1793	99.7
45000	2	0.1	1795	99.8
50000	1	0.1	1796	99.8
70000	1	0.1	1797	99.9
152000	1	0.1	1798	99.9
200000	1	0.1	1799	100.0

H22htim TIME FRAME FOR OTH SOURCE

H22HTIM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1561	86.8	1561	86.8
-5 = Not applicable	4	0.2	1565	87.0
-3 = Missing	45	2.5	1610	89.5
-2 = Don^t know	9	0.5	1619	90.0
-1 = Refused	1	0.1	1620	90.1
1 = Per week	15	0.8	1635	90.9
2 = Per month	101	5.6	1736	96.5
3 = Per year	63	3.5	1799	100.0

IS A PHONE PRESENT

PHONE1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	4	0.2	4	0.2
-2 = Don^t know	6	0.3	10	0.6
-1 = Refused	3	0.2	13	0.7
1 = Telephone present	1522	84.6	1535	85.3
2 = No telephone	264	14.7	1799	100.0

IS A PHONE PRESENT

PHONE2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	5	0.3	5	0.3
-3 = Missing	8	0.4	13	0.7
-2 = Don^t know	21	1.2	34	1.9
-1 = Refused	24	1.3	58	3.2
1 = Telephone present	1408	78.3	1466	81.5
2 = No telephone	333	18.5	1799	100.0

IS THERE A SECOND PERSON

PERSON2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2 = Don^t know	1	0.1	1	0.1
-1 = Refused	3	0.2	4	0.2
1 = Yes	1091	60.6	1095	60.9
2 = No	704	39.1	1799	100.0

IS A PHONE PRESENT

	PHONE3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip		708	39.4	708	39.4
-3 = Missing		1	0.1	709	39.4
-2 = Don^t know		22	1.2	731	40.6
-1 = Refused		5	0.3	736	40.9
1 = Telephone present		922	51.3	1658	92.2
2 = No telephone		141	7.8	1799	100.0

DATE END YEAR

	ENDYEAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing		18	1.0	18	1.0
	95	1421	79.0	1439	80.0
	96	360	20.0	1799	100.0

TOTAL INTERVIEW MINUTES

TOTTIME	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	47	2.6	47	2.6
19	1	0.1	48	2.7
23	1	0.1	49	2.7
30	1	0.1	50	2.8
35	4	0.2	54	3.0
36	1	0.1	55	3.1
42	2	0.1	57	3.2
44	2	0.1	59	3.3
45	17	0.9	76	4.2
47	1	0.1	77	4.3
48	2	0.1	79	4.4
50	6	0.3	85	4.7
51	2	0.1	87	4.8
52	3	0.2	90	5.0
53	2	0.1	92	5.1
54	3	0.2	95	5.3
55	27	1.5	122	6.8
56	4	0.2	126	7.0
57	1	0.1	127	7.1
58	2	0.1	129	7.2
59	2	0.1	131	7.3
60	50	2.8	181	10.1
61	4	0.2	185	10.3
62	3	0.2	188	10.5
63	3	0.2	191	10.6
64	7	0.4	198	11.0
65	47	2.6	245	13.6
66	5	0.3	250	13.9
67	7	0.4	257	14.3
68	10	0.6	267	14.8
69	7	0.4	274	15.2
70	51	2.8	325	18.1
71	5	0.3	330	18.3
72	7	0.4	337	18.7
73	11	0.6	348	19.3
74	6	0.3	354	19.7
75	90	5.0	444	24.7
76	14	0.8	458	25.5
77	10	0.6	468	26.0
78	13	0.7	481	26.7
79	8	0.4	489	27.2
80	73	4.1	562	31.2
81	11	0.6	573	31.9
82	11	0.6	584	32.5
83	9	0.5	593	33.0
84	3	0.2	596	33.1
85	68	3.8	664	36.9
86	7	0.4	671	37.3
87	7	0.4	678	37.7
88	6	0.3	684	38.0
89	4	0.2	688	38.2
90	160	8.9	848	47.1
91	5	0.3	853	47.4
92	3	0.2	856	47.6
93	10	0.6	866	48.1
94	3	0.2	869	48.3

TOTAL INTERVIEW MINUTES

TOTTIME	Frequency	Percent	Cumulative Frequency	Cumulative Percent
95	68	3.8	937	52.1
96	5	0.3	942	52.4
97	7	0.4	949	52.8
98	5	0.3	954	53.0
99	6	0.3	960	53.4
100	75	4.2	1035	57.5
101	4	0.2	1039	57.8
102	6	0.3	1045	58.1
103	6	0.3	1051	58.4
104	1	0.1	1052	58.5
105	77	4.3	1129	62.8
106	6	0.3	1135	63.1
107	10	0.6	1145	63.6
108	6	0.3	1151	64.0
109	2	0.1	1153	64.1
110	56	3.1	1209	67.2
111	2	0.1	1211	67.3
112	5	0.3	1216	67.6
113	6	0.3	1222	67.9
114	4	0.2	1226	68.1
115	30	1.7	1256	69.8
116	3	0.2	1259	70.0
117	3	0.2	1262	70.2
118	3	0.2	1265	70.3
119	8	0.4	1273	70.8
120	141	7.8	1414	78.6
121	2	0.1	1416	78.7
122	2	0.1	1418	78.8
123	4	0.2	1422	79.0
124	4	0.2	1426	79.3
125	47	2.6	1473	81.9
126	2	0.1	1475	82.0
127	4	0.2	1479	82.2
128	4	0.2	1483	82.4
129	3	0.2	1486	82.6
130	40	2.2	1526	84.8
131	3	0.2	1529	85.0
132	1	0.1	1530	85.0
133	3	0.2	1533	85.2
134	4	0.2	1537	85.4
135	51	2.8	1588	88.3
136	4	0.2	1592	88.5
137	1	0.1	1593	88.5
138	3	0.2	1596	88.7
139	2	0.1	1598	88.8
140	22	1.2	1620	90.1
142	2	0.1	1622	90.2
143	1	0.1	1623	90.2
145	18	1.0	1641	91.2
146	1	0.1	1642	91.3
147	2	0.1	1644	91.4
148	1	0.1	1645	91.4
149	3	0.2	1648	91.6
150	37	2.1	1685	93.7
151	1	0.1	1686	93.7
152	2	0.1	1688	93.8

TOTAL INTERVIEW MINUTES

TOTTIME	Frequency	Percent	Cumulative Frequency	Cumulative Percent
155	6	0.3	1694	94.2
157	2	0.1	1696	94.3
158	1	0.1	1697	94.3
160	13	0.7	1710	95.1
161	1	0.1	1711	95.1
162	2	0.1	1713	95.2
165	15	0.8	1728	96.1
167	1	0.1	1729	96.1
170	4	0.2	1733	96.3
173	2	0.1	1735	96.4
175	8	0.4	1743	96.9
177	1	0.1	1744	96.9
180	18	1.0	1762	97.9
183	1	0.1	1763	98.0
184	1	0.1	1764	98.1
185	3	0.2	1767	98.2
186	1	0.1	1768	98.3
190	4	0.2	1772	98.5
191	1	0.1	1773	98.6
195	6	0.3	1779	98.9
196	1	0.1	1780	98.9
201	1	0.1	1781	99.0
203	1	0.1	1782	99.1
204	1	0.1	1783	99.1
205	2	0.1	1785	99.2
209	1	0.1	1786	99.3
210	3	0.2	1789	99.4
216	1	0.1	1790	99.5
220	1	0.1	1791	99.6
223	1	0.1	1792	99.6
228	1	0.1	1793	99.7
229	1	0.1	1794	99.7
240	2	0.1	1796	99.8
254	1	0.1	1797	99.9
273	1	0.1	1798	99.9
280	1	0.1	1799	100.0

BOXA FORM II

BOXII	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	43	2.4	43	2.4
-1 = Refused	1	0.1	44	2.4
1 = Yes	1525	84.8	1569	87.2
2 = No	230	12.8	1799	100.0

BOXA FORM III

BOXIII	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	44	2.4	44	2.4
1 = Yes	1619	90.0	1663	92.4
2 = No	136	7.6	1799	100.0

BOXB FORM IV

BOXIV	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	5	0.3	5	0.3
-3 = Missing	45	2.5	50	2.8
-1 = Refused	2	0.1	52	2.9
1 = Yes	1404	78.0	1456	80.9
2 = No	343	19.1	1799	100.0

BOXB FORM/RECEIPT

BOXRECPT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	3	0.2	3	0.2
-3 = Missing	70	3.9	73	4.1
-1 = Refused	3	0.2	76	4.2
1 = Yes	1575	87.5	1651	91.8
2 = No	148	8.2	1799	100.0

I11a Used heroin past 7 days

I11A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	1	0.1	1	0.1
-3 = Missing	145	8.1	146	8.1
-2 = Don't know	2	0.1	148	8.2
-1 = Refused	8	0.4	156	8.7
1 = Yes	90	5.0	246	13.7
2 = No	1553	86.3	1799	100.0

I11aA Use drug for meidcal reasons

I11AA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1564	86.9	1564	86.9
-3 = Missing	145	8.1	1709	95.0
1 = Medical	12	0.7	1721	95.7
2 = Non-medical	78	4.3	1799	100.0

I11aB Used drug in past 24 hours

I11AB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1564	86.9	1564	86.9
-3 = Missing	146	8.1	1710	95.1
1 = Yes	53	2.9	1763	98.0
2 = No	36	2.0	1799	100.0

I11b Used cocaine past 7 days

I11B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	1	0.1	1	0.1
-3 = Missing	144	8.0	145	8.1
-2 = Don't know	3	0.2	148	8.2
-1 = Refused	9	0.5	157	8.7
1 = Yes	122	6.8	279	15.5
2 = No	1520	84.5	1799	100.0

I11bA Use drug for meidcal reasons

I11BA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1533	85.2	1533	85.2
-3 = Missing	145	8.1	1678	93.3
1 = Medical	4	0.2	1682	93.5
2 = Non-medical	117	6.5	1799	100.0

I11bB Used drug in past 24 hours

I11BB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1533	85.2	1533	85.2
-3 = Missing	144	8.0	1677	93.2
1 = Yes	48	2.7	1725	95.9
2 = No	74	4.1	1799	100.0

I11c Used Methadone past 7 days

I11C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	1	0.1	1	0.1
-3 = Missing	145	8.1	146	8.1
-1 = Refused	10	0.6	156	8.7
1 = Yes	86	4.8	242	13.5
2 = No	1557	86.5	1799	100.0

I11cA Use drug for medical reasons

I11CA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1568	87.2	1568	87.2
-3 = Missing	145	8.1	1713	95.2
1 = Medical	80	4.4	1793	99.7
2 = Non-medical	6	0.3	1799	100.0

I11cB Used drug in past 24 hours

I11CB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1568	87.2	1568	87.2
-3 = Missing	145	8.1	1713	95.2
1 = Yes	78	4.3	1791	99.6
2 = No	8	0.4	1799	100.0

I11d Used Amphetamines in past 7 d

I11D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	1	0.1	1	0.1
-3 = Missing	147	8.2	148	8.2
-2 = Don't know	1	0.1	149	8.3
-1 = Refused	10	0.6	159	8.8
1 = Yes	14	0.8	173	9.6
2 = No	1626	90.4	1799	100.0

I11dA Use drug for medical reasons

I11DA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1638	91.1	1638	91.1
-3 = Missing	147	8.2	1785	99.2
1 = Medical	2	0.1	1787	99.3
2 = Non-medical	12	0.7	1799	100.0

I11dB Used drug in past 24 hours

I11DB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1638	91.1	1638	91.1
-3 = Missing	147	8.2	1785	99.2
-2 = Don't know	1	0.1	1786	99.3
1 = Yes	4	0.2	1790	99.5
2 = No	9	0.5	1799	100.0

I11e Used Barbituates in past 7 da

I11E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	1	0.1	1	0.1
-3 = Missing	147	8.2	148	8.2
-1 = Refused	10	0.6	158	8.8
1 = Yes	26	1.4	184	10.2
2 = No	1615	89.8	1799	100.0

I11eA Use drug for meidcal reasons

I11EA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1626	90.4	1626	90.4
-3 = Missing	147	8.2	1773	98.6
1 = Medical	16	0.9	1789	99.4
2 = Non-medical	10	0.6	1799	100.0

I11eB Used drug n past 24 hours

I11EB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1626	90.4	1626	90.4
-3 = Missing	147	8.2	1773	98.6
1 = Yes	18	1.0	1791	99.6
2 = No	8	0.4	1799	100.0

I11f Used Alcohol in past 7 days

I11F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	1	0.1	1	0.1
-3 = Missing	144	8.0	145	8.1
-2 = Don't know	1	0.1	146	8.1
-1 = Refused	10	0.6	156	8.7
1 = Yes	603	33.5	759	42.2
2 = No	1040	57.8	1799	100.0

I11fA Use drug for meidcal reasons

I11fA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1052	58.5	1052	58.5
-3 = Missing	148	8.2	1200	66.7
1 = Medical	9	0.5	1209	67.2
2 = Non-medical	590	32.8	1799	100.0

I11fB Used drug n past 24 hours

I11fB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1052	58.5	1052	58.5
-3 = Missing	152	8.4	1204	66.9
-2 = Don't know	2	0.1	1206	67.0
1 = Yes	394	21.9	1600	88.9
2 = No	199	11.1	1799	100.0

I11g Used other drugs in past 7 da

I11G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5 = Not applicable	1	0.1	1	0.1
-3 = Missing	153	8.5	154	8.6
-1 = Refused	9	0.5	163	9.1
1 = Yes	388	21.6	551	30.6
2 = No	1248	69.4	1799	100.0

I11gA Use drug for meidcal reasons

I11GA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1258	69.9	1258	69.9
-3 = Missing	162	9.0	1420	78.9
1 = Medical	246	13.7	1666	92.6
2 = Non-medical	133	7.4	1799	100.0

I11gB Used drug n past 24 hours

I11GB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1258	69.9	1258	69.9
-3 = Missing	158	8.8	1416	78.7
1 = Yes	297	16.5	1713	95.2
2 = No	86	4.8	1799	100.0

I11AC Drug test results

I11AC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	17	0.9	17	0.9
1 = Positive	136	7.6	153	8.5
2 = Negative	1186	65.9	1339	74.4
3 = Refused	286	15.9	1625	90.3
4 = Not Possible	76	4.2	1701	94.6
6 = Invalid Specimen	42	2.3	1743	96.9
7 = Lost Specimen	56	3.1	1799	100.0

I11BC Drug test results

I11BC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	17	0.9	17	0.9
1 = Positive	228	12.7	245	13.6
2 = Negative	1094	60.8	1339	74.4
3 = Refused	286	15.9	1625	90.3
4 = Not Possible	76	4.2	1701	94.6
6 = Invalid Specimen	42	2.3	1743	96.9
7 = Lost Specimen	56	3.1	1799	100.0

I11CC Drug test results

I11CC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	17	0.9	17	0.9
1 = Positive	89	4.9	106	5.9
2 = Negative	1233	68.5	1339	74.4
3 = Refused	286	15.9	1625	90.3
4 = Not Possible	76	4.2	1701	94.6
6 = Invalid Specimen	42	2.3	1743	96.9
7 = Lost Specimen	56	3.1	1799	100.0

I11DC Drug test results

I11DC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	17	0.9	17	0.9
1 = Positive	10	0.6	27	1.5
2 = Negative	1312	72.9	1339	74.4
3 = Refused	286	15.9	1625	90.3
4 = Not Possible	76	4.2	1701	94.6
6 = Invalid Specimen	42	2.3	1743	96.9
7 = Lost Specimen	56	3.1	1799	100.0

I11EC Drug test results

I11EC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1799	100.0	1799	100.0

I11FC Drug test results

I11FC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	17	0.9	17	0.9
1 = Positive	102	5.7	119	6.6
2 = Negative	1220	67.8	1339	74.4
3 = Refused	286	15.9	1625	90.3
4 = Not Possible	76	4.2	1701	94.6
6 = Invalid Specimen	42	2.3	1743	96.9
7 = Lost Specimen	56	3.1	1799	100.0

I11GC Drug test results

I11GC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	17	0.9	17	0.9
1 = Positive	281	15.6	298	16.6
2 = Negative	1041	57.9	1339	74.4
3 = Refused	286	15.9	1625	90.3
4 = Not Possible	76	4.2	1701	94.6
6 = Invalid Specimen	42	2.3	1743	96.9
7 = Lost Specimen	56	3.1	1799	100.0

D6A_1 # of years R spent in correc

D6A_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3 = Missing	4	0.4	4	0.4
-2 = Don't know	7	0.7	11	1.1
1	438	43.0	449	44.1
2	263	25.8	712	69.9
3	202	19.8	914	89.8
4	69	6.8	983	96.6
5	35	3.4	1018	100.0

Frequency Missing = 781

Used inhalants as main drug

	INHAL	Frequency	Percent
0 = Never used (or used less than 5 times)		1519	84.4
1 = Used as main drug at time entering tx		21	1.2
2 = Used as main drug at other time		3	0.2
3 = Used but not as main drug		256	14.2

Used inhalants as main drug

	INHAL	Cumulative Frequency	Cumulative Percent
0 = Never used (or used less than 5 times)		1519	84.4
1 = Used as main drug at time entering tx		1540	85.6
2 = Used as main drug at other time		1543	85.8
3 = Used but not as main drug		1799	100.0

Used alcohol as main drug

	ALCOHOL	Frequency	Percent
0 = Never used (or used less than 5 times)		63	3.5
1 = Used as main drug at time entering tx		1117	62.1
2 = Used as main drug at other time		114	6.3
3 = Used but not as main drug		505	28.1

Used alcohol as main drug

	ALCOHOL	Cumulative Frequency	Cumulative Percent
0 = Never used (or used less than 5 times)		63	3.5
1 = Used as main drug at time entering tx		1180	65.6
2 = Used as main drug at other time		1294	71.9
3 = Used but not as main drug		1799	100.0

Used marijuana as main drug

	MARIJUAN	Frequency	Percent
0 = Never used (or used less than 5 times)		444	24.7
1 = Used as main drug at time entering tx		443	24.6
2 = Used as main drug at other time		50	2.8
3 = Used but not as main drug		862	47.9

Used marijuana as main drug

	MARIJUAN	Cumulative Frequency	Cumulative Percent
0 = Never used (or used less than 5 times)		444	24.7
1 = Used as main drug at time entering tx		887	49.3
2 = Used as main drug at other time		937	52.1

Used marijuana as main drug

	MARIJUAN	Cumulative Frequency	Cumulative Percent
3 =	Used but not as main drug	1799	100.0

Used crack as main drug

	CRACK	Frequency	Percent
0 =	Never used (or used less than 5 times)	1060	58.9
1 =	Used as main drug at time entering tx	382	21.2
2 =	Used as main drug at other time	38	2.1
3 =	Used but not as main drug	319	17.7

Used crack as main drug

	CRACK	Cumulative Frequency	Cumulative Percent
0 =	Never used (or used less than 5 times)	1060	58.9
1 =	Used as main drug at time entering tx	1442	80.2
2 =	Used as main drug at other time	1480	82.3
3 =	Used but not as main drug	1799	100.0

Used cocaine as main drug

	COCAINE	Frequency	Percent
0 =	Never used (or used less than 5 times)	745	41.4
1 =	Used as main drug at time entering tx	433	24.1
2 =	Used as main drug at other time	55	3.1
3 =	Used but not as main drug	566	31.5

Used cocaine as main drug

	COCAINE	Cumulative Frequency	Cumulative Percent
0 =	Never used (or used less than 5 times)	745	41.4
1 =	Used as main drug at time entering tx	1178	65.5
2 =	Used as main drug at other time	1233	68.5
3 =	Used but not as main drug	1799	100.0

Used pcp as main drug

	PCP	Frequency	Percent
0 = Never used (or used less than 5 times)		1550	86.2
1 = Used as main drug at time entering tx		11	0.6
2 = Used as main drug at other time		5	0.3
3 = Used but not as main drug		233	13.0

Used pcp as main drug

	PCP	Cumulative Frequency	Cumulative Percent
0 = Never used (or used less than 5 times)		1550	86.2
1 = Used as main drug at time entering tx		1561	86.8
2 = Used as main drug at other time		1566	87.0
3 = Used but not as main drug		1799	100.0

Used hallucinogens as main drug

	HALLUCIN	Frequency	Percent
0 = Never used (or used less than 5 times)		1206	67.0
1 = Used as main drug at time entering tx		56	3.1
2 = Used as main drug at other time		15	0.8
3 = Used but not as main drug		522	29.0

Used hallucinogens as main drug

	HALLUCIN	Cumulative Frequency	Cumulative Percent
0 = Never used (or used less than 5 times)		1206	67.0
1 = Used as main drug at time entering tx		1262	70.2
2 = Used as main drug at other time		1277	71.0
3 = Used but not as main drug		1799	100.0

Used heroin as main drug

	HEROIN	Frequency	Percent
0 = Never used (or used less than 5 times)		1295	72.0
1 = Used as main drug at time entering tx		315	17.5
2 = Used as main drug at other time		19	1.1
3 = Used but not as main drug		170	9.4

Used heroin as main drug

	HEROIN	Cumulative Frequency	Cumulative Percent
0 = Never used (or used less than 5 times)		1295	72.0
1 = Used as main drug at time entering tx		1610	89.5
2 = Used as main drug at other time		1629	90.6

Used heroin as main drug

	HEROIN	Cumulative Frequency	Cumulative Percent
3 =	Used but not as main drug	1799	100.0

Used illegal methadone as main drug

	ILLMETH	Frequency	Percent
0 =	Never used (or used less than 5 times)	1637	91.0
1 =	Used as main drug at time entering tx	20	1.1
2 =	Used as main drug at other time	5	0.3
3 =	Used but not as main drug	137	7.6

Used illegal methadone as main drug

	ILLMETH	Cumulative Frequency	Cumulative Percent
0 =	Never used (or used less than 5 times)	1637	91.0
1 =	Used as main drug at time entering tx	1657	92.1
2 =	Used as main drug at other time	1662	92.4
3 =	Used but not as main drug	1799	100.0

Used other narcotics as main drug

	NARC	Frequency	Percent
0 =	Never used (or used less than 5 times)	1500	83.4
1 =	Used as main drug at time entering tx	51	2.8
2 =	Used as main drug at other time	6	0.3
3 =	Used but not as main drug	242	13.5

Used other narcotics as main drug

	NARC	Cumulative Frequency	Cumulative Percent
0 =	Never used (or used less than 5 times)	1500	83.4
1 =	Used as main drug at time entering tx	1551	86.2
2 =	Used as main drug at other time	1557	86.5
3 =	Used but not as main drug	1799	100.0

Used methamphetamines as main drug

	METHAMPH	Frequency	Percent
0 = Never used (or used less than 5 times)		1309	72.8
1 = Used as main drug at time entering tx		96	5.3
2 = Used as main drug at other time		18	1.0
3 = Used but not as main drug		376	20.9

Used methamphetamines as main drug

	METHAMPH	Cumulative Frequency	Cumulative Percent
0 = Never used (or used less than 5 times)		1309	72.8
1 = Used as main drug at time entering tx		1405	78.1
2 = Used as main drug at other time		1423	79.1
3 = Used but not as main drug		1799	100.0

Used downers as main drug

	DOWNERS	Frequency	Percent
0 = Never used (or used less than 5 times)		1310	72.8
1 = Used as main drug at time entering tx		69	3.8
2 = Used as main drug at other time		22	1.2
3 = Used but not as main drug		398	22.1

Used downers as main drug

	DOWNERS	Cumulative Frequency	Cumulative Percent
0 = Never used (or used less than 5 times)		1310	72.8
1 = Used as main drug at time entering tx		1379	76.7
2 = Used as main drug at other time		1401	77.9
3 = Used but not as main drug		1799	100.0

Used other drug as main drug

	OTHDRUG	Frequency	Percent
0 = Never used (or used less than 5 times)		1610	89.5
1 = Used as main drug at time entering tx		57	3.2
2 = Used as main drug at other time		19	1.1
3 = Used but not as main drug		113	6.3

Used other drug as main drug

	OTHDRUG	Cumulative Frequency	Cumulative Percent
0 = Never used (or used less than 5 times)		1610	89.5
1 = Used as main drug at time entering tx		1667	92.7
2 = Used as main drug at other time		1686	93.7

Used other drug as main drug

	OTHDRUG	Cumulative Frequency	Cumulative Percent
3 =	Used but not as main drug	1799	100.0

Age first used inhalants

	AGEFINH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 =	Legitimate skip	1509	84.4	1509	84.4
	5	1	0.1	1510	84.5
	6	2	0.1	1512	84.6
	7	2	0.1	1514	84.7
	8	3	0.2	1517	84.9
	9	4	0.2	1521	85.1
	10	13	0.7	1534	85.8
	11	11	0.6	1545	86.5
	12	28	1.6	1573	88.0
	13	31	1.7	1604	89.8
	14	42	2.4	1646	92.1
	15	35	2.0	1681	94.1
	16	35	2.0	1716	96.0
	17	15	0.8	1731	96.9
	18	17	1.0	1748	97.8
	19	6	0.3	1754	98.2
	20	5	0.3	1759	98.4
	21	2	0.1	1761	98.5
	22	5	0.3	1766	98.8
	23	7	0.4	1773	99.2
	24	2	0.1	1775	99.3
	25	4	0.2	1779	99.6
	26	1	0.1	1780	99.6
	28	1	0.1	1781	99.7
	33	1	0.1	1782	99.7
	35	3	0.2	1785	99.9
	36	1	0.1	1786	99.9
	37	1	0.1	1787	100.0

Frequency Missing = 12

Age first used alcohol

AGEFALC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	65	3.6	65	3.6
1	6	0.3	71	4.0
2	10	0.6	81	4.5
3	10	0.6	91	5.1
4	16	0.9	107	6.0
5	24	1.3	131	7.3
6	39	2.2	170	9.5
7	31	1.7	201	11.2
8	52	2.9	253	14.1
9	61	3.4	314	17.5
10	90	5.0	404	22.5
11	55	3.1	459	25.6
12	220	12.3	679	37.9
13	172	9.6	851	47.5
14	219	12.2	1070	59.7
15	193	10.8	1263	70.5
16	200	11.2	1463	81.6
17	98	5.5	1561	87.1
18	95	5.3	1656	92.4
19	34	1.9	1690	94.3
20	28	1.6	1718	95.9
21	21	1.2	1739	97.0
22	17	0.9	1756	98.0
23	1	0.1	1757	98.0
24	7	0.4	1764	98.4
25	7	0.4	1771	98.8
26	3	0.2	1774	99.0
27	4	0.2	1778	99.2
28	3	0.2	1781	99.4
29	2	0.1	1783	99.5
30	4	0.2	1787	99.7
31	1	0.1	1788	99.8
35	3	0.2	1791	99.9
41	1	0.1	1792	100.0

Frequency Missing = 7

Age first used marijuana

AGEFMAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	443	24.8	443	24.8
5	1	0.1	444	24.8
6	6	0.3	450	25.2
7	17	1.0	467	26.1
8	11	0.6	478	26.7
9	24	1.3	502	28.1
10	31	1.7	533	29.8
11	56	3.1	589	32.9
12	144	8.0	733	41.0
13	169	9.4	902	50.4
14	155	8.7	1057	59.1
15	165	9.2	1222	68.3
16	165	9.2	1387	77.5
17	103	5.8	1490	83.3
18	108	6.0	1598	89.3
19	34	1.9	1632	91.2
20	40	2.2	1672	93.5
21	28	1.6	1700	95.0
22	21	1.2	1721	96.2
23	10	0.6	1731	96.8
24	4	0.2	1735	97.0
25	20	1.1	1755	98.1
26	5	0.3	1760	98.4
27	6	0.3	1766	98.7
28	6	0.3	1772	99.0
29	1	0.1	1773	99.1
30	4	0.2	1777	99.3
31	4	0.2	1781	99.6
32	2	0.1	1783	99.7
33	1	0.1	1784	99.7
35	1	0.1	1785	99.8
40	3	0.2	1788	99.9
47	1	0.1	1789	100.0

Frequency Missing = 10

Age first used crack

AGFCRK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1055	58.8	1055	58.8
13	4	0.2	1059	59.1
14	7	0.4	1066	59.5
15	11	0.6	1077	60.1
16	23	1.3	1100	61.3
17	23	1.3	1123	62.6
18	41	2.3	1164	64.9
19	27	1.5	1191	66.4
20	40	2.2	1231	68.7
21	30	1.7	1261	70.3
22	28	1.6	1289	71.9
23	26	1.5	1315	73.3
24	35	2.0	1350	75.3
25	51	2.8	1401	78.1
26	33	1.8	1434	80.0
27	36	2.0	1470	82.0
28	35	2.0	1505	83.9
29	30	1.7	1535	85.6
30	50	2.8	1585	88.4
31	17	0.9	1602	89.3
32	27	1.5	1629	90.9
33	19	1.1	1648	91.9
34	21	1.2	1669	93.1
35	37	2.1	1706	95.1
36	14	0.8	1720	95.9
37	9	0.5	1729	96.4
38	14	0.8	1743	97.2
39	5	0.3	1748	97.5
40	11	0.6	1759	98.1
41	6	0.3	1765	98.4
42	1	0.1	1766	98.5
43	5	0.3	1771	98.8
44	4	0.2	1775	99.0
45	5	0.3	1780	99.3
46	1	0.1	1781	99.3
47	7	0.4	1788	99.7
49	2	0.1	1790	99.8
50	1	0.1	1791	99.9
51	2	0.1	1793	100.0

Frequency Missing = 6

Age first used cocaine

AGEFCOC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	744	41.5	744	41.5
2	1	0.1	745	41.6
8	1	0.1	746	41.6
10	4	0.2	750	41.9
11	4	0.2	754	42.1
12	12	0.7	766	42.7
13	20	1.1	786	43.9
14	27	1.5	813	45.4
15	78	4.4	891	49.7
16	86	4.8	977	54.5
17	97	5.4	1074	59.9
18	105	5.9	1179	65.8
19	83	4.6	1262	70.4
20	79	4.4	1341	74.8
21	64	3.6	1405	78.4
22	47	2.6	1452	81.0
23	29	1.6	1481	82.6
24	32	1.8	1513	84.4
25	61	3.4	1574	87.8
26	19	1.1	1593	88.9
27	26	1.5	1619	90.3
28	26	1.5	1645	91.8
29	13	0.7	1658	92.5
30	38	2.1	1696	94.6
31	11	0.6	1707	95.3
32	12	0.7	1719	95.9
33	10	0.6	1729	96.5
34	9	0.5	1738	97.0
35	20	1.1	1758	98.1
36	8	0.4	1766	98.5
37	5	0.3	1771	98.8
38	6	0.3	1777	99.2
39	2	0.1	1779	99.3
40	4	0.2	1783	99.5
41	1	0.1	1784	99.6
42	2	0.1	1786	99.7
45	2	0.1	1788	99.8
47	1	0.1	1789	99.8
49	2	0.1	1791	99.9
53	1	0.1	1792	100.0

Frequency Missing = 7

Age first used pcp

AGEFPCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1541	86.1	1541	86.1
8	1	0.1	1542	86.1
12	4	0.2	1546	86.4
13	8	0.4	1554	86.8
14	16	0.9	1570	87.7
15	28	1.6	1598	89.3
16	34	1.9	1632	91.2
17	34	1.9	1666	93.1
18	30	1.7	1696	94.7
19	14	0.8	1710	95.5
20	16	0.9	1726	96.4
21	9	0.5	1735	96.9
22	6	0.3	1741	97.3
23	9	0.5	1750	97.8
24	5	0.3	1755	98.0
25	11	0.6	1766	98.7
26	1	0.1	1767	98.7
27	3	0.2	1770	98.9
28	2	0.1	1772	99.0
29	3	0.2	1775	99.2
30	3	0.2	1778	99.3
32	3	0.2	1781	99.5
33	2	0.1	1783	99.6
35	3	0.2	1786	99.8
39	1	0.1	1787	99.8
42	1	0.1	1788	99.9
45	1	0.1	1789	99.9
50	1	0.1	1790	100.0

Frequency Missing = 9

Age first used hallucinogens

AGEFHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1198	67.0	1198	67.0
6	1	0.1	1199	67.0
9	1	0.1	1200	67.1
10	6	0.3	1206	67.4
11	2	0.1	1208	67.5
12	17	1.0	1225	68.5
13	28	1.6	1253	70.0
14	62	3.5	1315	73.5
15	83	4.6	1398	78.1
16	92	5.1	1490	83.3
17	95	5.3	1585	88.6
18	75	4.2	1660	92.8
19	24	1.3	1684	94.1
20	30	1.7	1714	95.8
21	17	1.0	1731	96.8
22	9	0.5	1740	97.3
23	9	0.5	1749	97.8
24	3	0.2	1752	97.9
25	14	0.8	1766	98.7
26	1	0.1	1767	98.8
27	1	0.1	1768	98.8
28	5	0.3	1773	99.1
29	2	0.1	1775	99.2
30	7	0.4	1782	99.6
31	2	0.1	1784	99.7
32	1	0.1	1785	99.8
34	1	0.1	1786	99.8
35	1	0.1	1787	99.9
36	1	0.1	1788	99.9
48	1	0.1	1789	100.0

Frequency Missing = 10

Age first used heroin

AGEFHER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1291	72.0	1291	72.0
8	2	0.1	1293	72.1
9	2	0.1	1295	72.2
10	3	0.2	1298	72.4
11	4	0.2	1302	72.6
12	1	0.1	1303	72.7
13	16	0.9	1319	73.6
14	20	1.1	1339	74.7
15	34	1.9	1373	76.6
16	34	1.9	1407	78.5
17	46	2.6	1453	81.0
18	51	2.8	1504	83.9
19	52	2.9	1556	86.8
20	41	2.3	1597	89.1
21	22	1.2	1619	90.3
22	19	1.1	1638	91.4
23	15	0.8	1653	92.2
24	11	0.6	1664	92.8
25	21	1.2	1685	94.0
26	18	1.0	1703	95.0
27	9	0.5	1712	95.5
28	21	1.2	1733	96.7
29	11	0.6	1744	97.3
30	7	0.4	1751	97.7
31	4	0.2	1755	97.9
32	6	0.3	1761	98.2
33	6	0.3	1767	98.5
34	3	0.2	1770	98.7
35	8	0.4	1778	99.2
36	3	0.2	1781	99.3
37	2	0.1	1783	99.4
38	4	0.2	1787	99.7
39	1	0.1	1788	99.7
40	2	0.1	1790	99.8
44	1	0.1	1791	99.9
47	1	0.1	1792	99.9
50	1	0.1	1793	100.0

Frequency Missing = 6

Age first used illegal methadone

AGEFMTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1627	90.9	1627	90.9
11	1	0.1	1628	91.0
13	3	0.2	1631	91.2
15	6	0.3	1637	91.5
16	12	0.7	1649	92.2
17	9	0.5	1658	92.7
18	7	0.4	1665	93.1
19	10	0.6	1675	93.6
20	13	0.7	1688	94.4
21	9	0.5	1697	94.9
22	8	0.4	1705	95.3
23	8	0.4	1713	95.8
24	1	0.1	1714	95.8
25	7	0.4	1721	96.2
26	5	0.3	1726	96.5
27	4	0.2	1730	96.7
28	11	0.6	1741	97.3
29	6	0.3	1747	97.7
30	14	0.8	1761	98.4
31	4	0.2	1765	98.7
32	4	0.2	1769	98.9
33	6	0.3	1775	99.2
34	2	0.1	1777	99.3
36	1	0.1	1778	99.4
38	3	0.2	1781	99.6
39	2	0.1	1783	99.7
40	1	0.1	1784	99.7
41	2	0.1	1786	99.8
42	1	0.1	1787	99.9
47	2	0.1	1789	100.0

Frequency Missing = 10

Age first used other narcotics

AGEFNAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1491	83.4	1491	83.4
5	1	0.1	1492	83.5
7	1	0.1	1493	83.5
8	2	0.1	1495	83.7
9	2	0.1	1497	83.8
10	7	0.4	1504	84.2
11	1	0.1	1505	84.2
12	6	0.3	1511	84.6
13	9	0.5	1520	85.1
14	10	0.6	1530	85.6
15	29	1.6	1559	87.2
16	26	1.5	1585	88.7
17	31	1.7	1616	90.4
18	36	2.0	1652	92.4
19	15	0.8	1667	93.3
20	25	1.4	1692	94.7
21	13	0.7	1705	95.4
22	15	0.8	1720	96.3
23	5	0.3	1725	96.5
24	5	0.3	1730	96.8
25	12	0.7	1742	97.5
26	2	0.1	1744	97.6
27	6	0.3	1750	97.9
28	5	0.3	1755	98.2
29	4	0.2	1759	98.4
30	8	0.4	1767	98.9
31	1	0.1	1768	98.9
32	4	0.2	1772	99.2
33	3	0.2	1775	99.3
34	2	0.1	1777	99.4
35	2	0.1	1779	99.6
36	2	0.1	1781	99.7
37	1	0.1	1782	99.7
38	1	0.1	1783	99.8
39	1	0.1	1784	99.8
40	2	0.1	1786	99.9
42	1	0.1	1787	100.0

Frequency Missing = 12

Age first used methamphetamines

AGEFAMP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1300	72.6	1300	72.6
10	2	0.1	1302	72.7
11	4	0.2	1306	72.9
12	10	0.6	1316	73.5
13	14	0.8	1330	74.3
14	23	1.3	1353	75.5
15	50	2.8	1403	78.3
16	73	4.1	1476	82.4
17	54	3.0	1530	85.4
18	57	3.2	1587	88.6
19	27	1.5	1614	90.1
20	43	2.4	1657	92.5
21	27	1.5	1684	94.0
22	18	1.0	1702	95.0
23	10	0.6	1712	95.6
24	8	0.4	1720	96.0
25	17	0.9	1737	97.0
26	9	0.5	1746	97.5
27	10	0.6	1756	98.0
28	6	0.3	1762	98.4
29	5	0.3	1767	98.7
30	9	0.5	1776	99.2
32	2	0.1	1778	99.3
33	2	0.1	1780	99.4
34	2	0.1	1782	99.5
35	2	0.1	1784	99.6
36	3	0.2	1787	99.8
38	1	0.1	1788	99.8
40	2	0.1	1790	99.9
44	1	0.1	1791	100.0

Frequency Missing = 8

Age first used downers

AGEFDWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1304	72.8	1304	72.8
5	1	0.1	1305	72.9
6	1	0.1	1306	72.9
7	1	0.1	1307	73.0
8	1	0.1	1308	73.0
9	2	0.1	1310	73.1
10	6	0.3	1316	73.5
11	2	0.1	1318	73.6
12	17	0.9	1335	74.5
13	27	1.5	1362	76.0
14	39	2.2	1401	78.2
15	61	3.4	1462	81.6
16	56	3.1	1518	84.8
17	45	2.5	1563	87.3
18	45	2.5	1608	89.8
19	19	1.1	1627	90.8
20	37	2.1	1664	92.9
21	14	0.8	1678	93.7
22	14	0.8	1692	94.5
23	13	0.7	1705	95.2
24	13	0.7	1718	95.9
25	20	1.1	1738	97.0
26	11	0.6	1749	97.7
27	8	0.4	1757	98.1
28	7	0.4	1764	98.5
29	5	0.3	1769	98.8
30	6	0.3	1775	99.1
31	2	0.1	1777	99.2
32	2	0.1	1779	99.3
33	2	0.1	1781	99.4
34	3	0.2	1784	99.6
35	3	0.2	1787	99.8
36	1	0.1	1788	99.8
37	2	0.1	1790	99.9
38	1	0.1	1791	100.0

Frequency Missing = 8

Age first used other drug

AGEFOTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1575	89.6	1575	89.6
2	1	0.1	1576	89.6
11	2	0.1	1578	89.8
12	1	0.1	1579	89.8
13	4	0.2	1583	90.0
14	9	0.5	1592	90.6
15	6	0.3	1598	90.9
16	13	0.7	1611	91.6
17	6	0.3	1617	92.0
18	20	1.1	1637	93.1
19	14	0.8	1651	93.9
20	10	0.6	1661	94.5
21	13	0.7	1674	95.2
22	11	0.6	1685	95.8
23	5	0.3	1690	96.1
24	3	0.2	1693	96.3
25	9	0.5	1702	96.8
26	6	0.3	1708	97.2
27	3	0.2	1711	97.3
28	6	0.3	1717	97.7
29	4	0.2	1721	97.9
30	6	0.3	1727	98.2
31	1	0.1	1728	98.3
32	2	0.1	1730	98.4
33	5	0.3	1735	98.7
34	6	0.3	1741	99.0
35	5	0.3	1746	99.3
36	1	0.1	1747	99.4
37	1	0.1	1748	99.4
40	1	0.1	1749	99.5
41	1	0.1	1750	99.5
42	1	0.1	1751	99.6
47	3	0.2	1754	99.8
48	1	0.1	1755	99.8
50	1	0.1	1756	99.9
54	1	0.1	1757	99.9
55	1	0.1	1758	100.0

Frequency Missing = 41

Used inhalants as main drg before tx

USBINH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No	1694	94.8	1694	94.8
1 = Yes	93	5.2	1787	100.0

Frequency Missing = 12

Used alcohol as main drg before tx

	USBALC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		185	10.3	185	10.3
1 = Yes		1609	89.7	1794	100.0

Frequency Missing = 5

Used marijuana as main drg before tx

	USBMAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		766	42.8	766	42.8
1 = Yes		1023	57.2	1789	100.0

Frequency Missing = 10

Used crack as main drg before tx

	USBCRK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1282	71.6	1282	71.6
1 = Yes		509	28.4	1791	100.0

Frequency Missing = 8

Used cocaine as main drg before tx

	USBCOC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		991	55.4	991	55.4
1 = Yes		797	44.6	1788	100.0

Frequency Missing = 11

Used pcp as main drg before tx

	USBPCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1707	95.4	1707	95.4
1 = Yes		83	4.6	1790	100.0

Frequency Missing = 9

Used hallucinogens as main drg before tx

	USBHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1544	86.4	1544	86.4
1 = Yes		244	13.6	1788	100.0

Frequency Missing = 11

Used heroin as main drg before tx

	USBHER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1440	80.4	1440	80.4
1 = Yes		351	19.6	1791	100.0

Frequency Missing = 8

Used illegal methadone as main drg befor

	USBMTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1712	95.7	1712	95.7
1 = Yes		77	4.3	1789	100.0

Frequency Missing = 10

Used other narcotics as main drg before

	USBNAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1608	90.0	1608	90.0
1 = Yes		178	10.0	1786	100.0

Frequency Missing = 13

Used methamphetamines as main drg before

	USBAMP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1522	85.1	1522	85.1
1 = Yes		267	14.9	1789	100.0

Frequency Missing = 10

Used downers as main drg before tx

USBDWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No	1493	83.4	1493	83.4
1 = Yes	297	16.6	1790	100.0

Frequency Missing = 9

Used other drg before tx as main drg bef

USBDTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No	1637	93.3	1637	93.3
1 = Yes	118	6.7	1755	100.0

Frequency Missing = 44

Number of days used inhalants before tx

USBDINH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more	1694	94.9	1694	94.9
1 = 1 day/month	16	0.9	1710	95.8
2 = 2 to 5 days/month	45	2.5	1755	98.3
3 = 6 to 10 days/month	6	0.3	1761	98.7
4 = 11 to 20 days/month	8	0.4	1769	99.1
5 = 21 to 31 days/month	7	0.4	1776	99.5
6 = Every day	9	0.5	1785	100.0

Frequency Missing = 14

Number of days used alcohol before tx

USBDALC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more	185	10.4	185	10.4
1 = 1 day/month	82	4.6	267	14.9
2 = 2 to 5 days/month	312	17.5	579	32.4
3 = 6 to 10 days/month	300	16.8	879	49.2
4 = 11 to 20 days/month	306	17.1	1185	66.3
5 = 21 to 31 days/month	228	12.8	1413	79.1
6 = Every day	374	20.9	1787	100.0

Frequency Missing = 12

Number of days used marijuana before tx

	USBDMAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		766	42.9	766	42.9
1 = 1 day/month		94	5.3	860	48.2
2 = 2 to 5 days/month		263	14.7	1123	62.9
3 = 6 to 10 days/month		175	9.8	1298	72.8
4 = 11 to 20 days/month		156	8.7	1454	81.5
5 = 21 to 31 days/month		143	8.0	1597	89.5
6 = Every day		187	10.5	1784	100.0

Frequency Missing = 15

Number of days used crack before tx

	USBDCRK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1282	71.5	1282	71.5
1 = 1 day/month		29	1.6	1311	73.2
2 = 2 to 5 days/month		116	6.5	1427	79.6
3 = 6 to 10 days/month		82	4.6	1509	84.2
4 = 11 to 20 days/month		106	5.9	1615	90.1
5 = 21 to 31 days/month		65	3.6	1680	93.8
6 = Every day		112	6.3	1792	100.0

Frequency Missing = 7

Number of days used cocaine before tx

	USBDCOC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		991	55.4	991	55.4
1 = 1 day/month		89	5.0	1080	60.3
2 = 2 to 5 days/month		234	13.1	1314	73.4
3 = 6 to 10 days/month		165	9.2	1479	82.6
4 = 11 to 20 days/month		121	6.8	1600	89.4
5 = 21 to 31 days/month		74	4.1	1674	93.5
6 = Every day		116	6.5	1790	100.0

Frequency Missing = 9

Number of days used pcp before tx

	USBDCPP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1707	95.4	1707	95.4
1 = 1 day/month		19	1.1	1726	96.5
2 = 2 to 5 days/month		31	1.7	1757	98.2
3 = 6 to 10 days/month		15	0.8	1772	99.0
4 = 11 to 20 days/month		10	0.6	1782	99.6
5 = 21 to 31 days/month		5	0.3	1787	99.9
6 = Every day		2	0.1	1789	100.0

Frequency Missing = 10

Number of days used hallucin before tx

	USBDDHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1545	86.7	1545	86.7
1 = 1 day/month		86	4.8	1631	91.5
2 = 2 to 5 days/month		101	5.7	1732	97.2
3 = 6 to 10 days/month		31	1.7	1763	98.9
4 = 11 to 20 days/month		11	0.6	1774	99.6
5 = 21 to 31 days/month		5	0.3	1779	99.8
6 = Every day		3	0.2	1782	100.0

Frequency Missing = 17

Number of days used heroin before tx

	USBDDHER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1440	80.5	1440	80.5
1 = 1 day/month		23	1.3	1463	81.8
2 = 2 to 5 days/month		38	2.1	1501	83.9
3 = 6 to 10 days/month		36	2.0	1537	85.9
4 = 11 to 20 days/month		35	2.0	1572	87.9
5 = 21 to 31 days/month		37	2.1	1609	89.9
6 = Every day		180	10.1	1789	100.0

Frequency Missing = 10

Number of days used ill methad before tx

	USBDMTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 =	Did not use five times or more	1712	95.8	1712	95.8
1 =	1 day/month	10	0.6	1722	96.4
2 =	2 to 5 days/month	33	1.8	1755	98.2
3 =	6 to 10 days/month	17	1.0	1772	99.2
4 =	11 to 20 days/month	8	0.4	1780	99.6
5 =	21 to 31 days/month	1	0.1	1781	99.7
6 =	Every day	6	0.3	1787	100.0

Frequency Missing = 12

Number of days used oth narcotic before

	USBDNAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 =	Did not use five times or more	1608	90.1	1608	90.1
1 =	1 day/month	27	1.5	1635	91.6
2 =	2 to 5 days/month	54	3.0	1689	94.7
3 =	6 to 10 days/month	38	2.1	1727	96.8
4 =	11 to 20 days/month	21	1.2	1748	98.0
5 =	21 to 31 days/month	13	0.7	1761	98.7
6 =	Every day	23	1.3	1784	100.0

Frequency Missing = 15

Number of days used methamphet before tx

	USBDAMP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 =	Did not use five times or more	1522	85.1	1522	85.1
1 =	1 day/month	37	2.1	1559	87.1
2 =	2 to 5 days/month	75	4.2	1634	91.3
3 =	6 to 10 days/month	51	2.9	1685	94.2
4 =	11 to 20 days/month	43	2.4	1728	96.6
5 =	21 to 31 days/month	18	1.0	1746	97.6
6 =	Every day	43	2.4	1789	100.0

Frequency Missing = 10

Number of days used downers before tx

	USBDDWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1493	83.6	1493	83.6
1 = 1 day/month		34	1.9	1527	85.5
2 = 2 to 5 days/month		110	6.2	1637	91.7
3 = 6 to 10 days/month		63	3.5	1700	95.2
4 = 11 to 20 days/month		36	2.0	1736	97.2
5 = 21 to 31 days/month		17	1.0	1753	98.2
6 = Every day		33	1.8	1786	100.0

Frequency Missing = 13

Number of days used other drg before tx

	USBDOTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1637	93.4	1637	93.4
1 = 1 day/month		9	0.5	1646	93.9
2 = 2 to 5 days/month		32	1.8	1678	95.8
3 = 6 to 10 days/month		22	1.3	1700	97.0
4 = 11 to 20 days/month		13	0.7	1713	97.8
5 = 21 to 31 days/month		10	0.6	1723	98.3
6 = Every day		29	1.7	1752	100.0

Frequency Missing = 47

Used inhalants as main drg after tx

	USAINH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1745	97.9	1745	97.9
1 = Yes		37	2.1	1782	100.0

Frequency Missing = 17

Used alcohol as main drg after tx

	USAALC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		430	24.0	430	24.0
1 = Yes		1360	76.0	1790	100.0

Frequency Missing = 9

Used marijuana as main drg after tx

	USAMAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1064	60.0	1064	60.0
1 = Yes		710	40.0	1774	100.0

Frequency Missing = 25

Used crack as main drg after tx

	USACRK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1368	76.6	1368	76.6
1 = Yes		418	23.4	1786	100.0

Frequency Missing = 13

Used cocaine as main drg after tx

	USACOC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1341	74.9	1341	74.9
1 = Yes		449	25.1	1790	100.0

Frequency Missing = 9

Used pcp as main drg after tx

	USAPCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1751	98.3	1751	98.3
1 = Yes		31	1.7	1782	100.0

Frequency Missing = 17

Used hallucinogens as main drg after tx

	USAHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1681	94.5	1681	94.5
1 = Yes		97	5.5	1778	100.0

Frequency Missing = 21

Used heroin as main drg after tx

	USAHER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1496	83.7	1496	83.7
1 = Yes		292	16.3	1788	100.0

Frequency Missing = 11

Used illegal methadone as main drg after

	USAMTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1733	96.9	1733	96.9
1 = Yes		56	3.1	1789	100.0

Frequency Missing = 10

Used other narcotics as main drg after t

	USANAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1670	93.5	1670	93.5
1 = Yes		116	6.5	1786	100.0

Frequency Missing = 13

Used methamphetamine as main drg after t

	USAAMP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1644	92.3	1644	92.3
1 = Yes		137	7.7	1781	100.0

Frequency Missing = 18

Used downers as main drg after tx

	USADWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1628	91.4	1628	91.4
1 = Yes		154	8.6	1782	100.0

Frequency Missing = 17

Used other drug as main drg after tx

	USAOOTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1694	96.5	1694	96.5
1 = Yes		61	3.5	1755	100.0

Frequency Missing = 44

Number of days used inhalants after tx

	USADINH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1745	97.9	1745	97.9
1 = 1 day/month		10	0.6	1755	98.5
2 = 2 to 5 days/month		14	0.8	1769	99.3
3 = 6 to 10 days/month		5	0.3	1774	99.6
4 = 11 to 20 days/month		4	0.2	1778	99.8
5 = 21 to 31 days/month		1	0.1	1779	99.8
6 = Every day		3	0.2	1782	100.0

Frequency Missing = 17

Number of days used alcohol after tx

	USADALC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		429	24.1	429	24.1
1 = 1 day/month		134	7.5	563	31.6
2 = 2 to 5 days/month		363	20.4	926	52.0
3 = 6 to 10 days/month		262	14.7	1188	66.7
4 = 11 to 20 days/month		247	13.9	1435	80.6
5 = 21 to 31 days/month		143	8.0	1578	88.6
6 = Every day		203	11.4	1781	100.0

Frequency Missing = 18

Number of days used marijuana after tx

	USADMAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1064	60.2	1064	60.2
1 = 1 day/month		119	6.7	1183	66.9
2 = 2 to 5 days/month		218	12.3	1401	79.3
3 = 6 to 10 days/month		117	6.6	1518	85.9
4 = 11 to 20 days/month		108	6.1	1626	92.0
5 = 21 to 31 days/month		66	3.7	1692	95.8
6 = Every day		75	4.2	1767	100.0

Frequency Missing = 32

Number of days used crack after tx

	USADCRK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1368	76.6	1368	76.6
1 = 1 day/month		56	3.1	1424	79.7
2 = 2 to 5 days/month		103	5.8	1527	85.5
3 = 6 to 10 days/month		73	4.1	1600	89.6
4 = 11 to 20 days/month		75	4.2	1675	93.8
5 = 21 to 31 days/month		39	2.2	1714	96.0
6 = Every day		72	4.0	1786	100.0

Frequency Missing = 13

Number of days used cocaine after tx

	USADCOC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1341	75.1	1341	75.1
1 = 1 day/month		67	3.8	1408	78.8
2 = 2 to 5 days/month		137	7.7	1545	86.5
3 = 6 to 10 days/month		79	4.4	1624	90.9
4 = 11 to 20 days/month		64	3.6	1688	94.5
5 = 21 to 31 days/month		37	2.1	1725	96.6
6 = Every day		61	3.4	1786	100.0

Frequency Missing = 13

Number of days used pcp after tx

	USADPCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1751	98.3	1751	98.3
1 = 1 day/month		11	0.6	1762	98.9
2 = 2 to 5 days/month		11	0.6	1773	99.6
3 = 6 to 10 days/month		3	0.2	1776	99.7
4 = 11 to 20 days/month		2	0.1	1778	99.8
5 = 21 to 31 days/month		1	0.1	1779	99.9
6 = Every day		2	0.1	1781	100.0

Frequency Missing = 18

Number of days used hallucin after tx

	USADHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1682	94.7	1682	94.7
1 = 1 day/month		44	2.5	1726	97.1
2 = 2 to 5 days/month		26	1.5	1752	98.6
3 = 6 to 10 days/month		14	0.8	1766	99.4
4 = 11 to 20 days/month		5	0.3	1771	99.7
5 = 21 to 31 days/month		5	0.3	1776	99.9
6 = Every day		1	0.1	1777	100.0

Frequency Missing = 22

Number of days used heroin after tx

	USADHER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1495	83.8	1495	83.8
1 = 1 day/month		24	1.3	1519	85.1
2 = 2 to 5 days/month		44	2.5	1563	87.6
3 = 6 to 10 days/month		30	1.7	1593	89.3
4 = 11 to 20 days/month		29	1.6	1622	90.9
5 = 21 to 31 days/month		40	2.2	1662	93.2
6 = Every day		122	6.8	1784	100.0

Frequency Missing = 15

Number of days used ill methad after tx

	USADMTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 =	Did not use five times or more	1733	97.0	1733	97.0
1 =	1 day/month	9	0.5	1742	97.5
2 =	2 to 5 days/month	21	1.2	1763	98.7
3 =	6 to 10 days/month	15	0.8	1778	99.5
4 =	11 to 20 days/month	7	0.4	1785	99.9
5 =	21 to 31 days/month	1	0.1	1786	99.9
6 =	Every day	1	0.1	1787	100.0

Frequency Missing = 12

Number of days used oth narcotic after

	USADNAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 =	Did not use five times or more	1670	93.5	1670	93.5
1 =	1 day/month	18	1.0	1688	94.5
2 =	2 to 5 days/month	38	2.1	1726	96.6
3 =	6 to 10 days/month	27	1.5	1753	98.2
4 =	11 to 20 days/month	10	0.6	1763	98.7
5 =	21 to 31 days/month	7	0.4	1770	99.1
6 =	Every day	16	0.9	1786	100.0

Frequency Missing = 13

Number of days used methamphet after tx

	USADAMP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 =	Did not use five times or more	1645	92.4	1645	92.4
1 =	1 day/month	20	1.1	1665	93.5
2 =	2 to 5 days/month	44	2.5	1709	96.0
3 =	6 to 10 days/month	24	1.3	1733	97.3
4 =	11 to 20 days/month	23	1.3	1756	98.6
5 =	21 to 31 days/month	11	0.6	1767	99.2
6 =	Every day	14	0.8	1781	100.0

Frequency Missing = 18

Number of days used downers after tx

	USADDWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1628	91.4	1628	91.4
1 = 1 day/month		14	0.8	1642	92.1
2 = 2 to 5 days/month		65	3.6	1707	95.8
3 = 6 to 10 days/month		32	1.8	1739	97.6
4 = 11 to 20 days/month		18	1.0	1757	98.6
5 = 21 to 31 days/month		7	0.4	1764	99.0
6 = Every day		18	1.0	1782	100.0

Frequency Missing = 17

Number of days used other drg after tx

	USADOTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1694	96.5	1694	96.5
1 = 1 day/month		9	0.5	1703	97.0
2 = 2 to 5 days/month		19	1.1	1722	98.1
3 = 6 to 10 days/month		10	0.6	1732	98.7
4 = 11 to 20 days/month		8	0.5	1740	99.1
5 = 21 to 31 days/month		2	0.1	1742	99.3
6 = Every day		13	0.7	1755	100.0

Frequency Missing = 44

Used inhalants yr before interview

	USYINH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1773	99.4	1773	99.4
1 = Yes		10	0.6	1783	100.0

Frequency Missing = 16

Used alcohol yr before interview

	USYALC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		816	45.6	816	45.6
1 = Yes		974	54.4	1790	100.0

Frequency Missing = 9

Used marijuana yr before interview

	USYMAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1334	75.3	1334	75.3
1 = Yes		438	24.7	1772	100.0

Frequency Missing = 27

Used crack yr before interview

	USYCRK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1574	88.1	1574	88.1
1 = Yes		213	11.9	1787	100.0

Frequency Missing = 12

Used cocaine yr before interview

	USYCOC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1617	90.4	1617	90.4
1 = Yes		172	9.6	1789	100.0

Frequency Missing = 10

Used pcp yr before interview

	USYPCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1776	99.7	1776	99.7
1 = Yes		5	0.3	1781	100.0

Frequency Missing = 18

Used hallucin yr before interview

	USYHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1759	98.9	1759	98.9
1 = Yes		19	1.1	1778	100.0

Frequency Missing = 21

Used heroin yr before interview

	USYHER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1627	91.0	1627	91.0
1 = Yes		160	9.0	1787	100.0

Frequency Missing = 12

Used ill methad yr before interview

	USYMTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1771	99.0	1771	99.0
1 = Yes		17	1.0	1788	100.0

Frequency Missing = 11

Used oth narcotic yr bef interview

	USYNAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1747	97.8	1747	97.8
1 = Yes		39	2.2	1786	100.0

Frequency Missing = 13

Used methamphet yr before interview

	USYAMP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1731	97.1	1731	97.1
1 = Yes		51	2.9	1782	100.0

Frequency Missing = 17

Used downers yr before interview

	USYDWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1713	96.0	1713	96.0
1 = Yes		71	4.0	1784	100.0

Frequency Missing = 15

Used other drg yr before interview

	USYOTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1724	98.2	1724	98.2
1 = Yes		31	1.8	1755	100.0

Frequency Missing = 44

of days used inhalants yr before int

	USYDINH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1774	99.5	1774	99.5
1 = 1 day/month		3	0.2	1777	99.7
2 = 2 to 5 days/month		2	0.1	1779	99.8
4 = 11 to 20 days/month		1	0.1	1780	99.8
5 = 21 to 31 days/month		2	0.1	1782	99.9
6 = Every day		1	0.1	1783	100.0

Frequency Missing = 16

of days used alcohol yr before int

	USYDALC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		824	46.3	824	46.3
1 = 1 day/month		95	5.3	919	51.6
2 = 2 to 5 days/month		287	16.1	1206	67.8
3 = 6 to 10 days/month		199	11.2	1405	78.9
4 = 11 to 20 days/month		164	9.2	1569	88.1
5 = 21 to 31 days/month		104	5.8	1673	94.0
6 = Every day		107	6.0	1780	100.0

Frequency Missing = 19

of days used marijuana yr before int

	USYDMAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1338	75.7	1338	75.7
1 = 1 day/month		60	3.4	1398	79.1
2 = 2 to 5 days/month		156	8.8	1554	87.9
3 = 6 to 10 days/month		73	4.1	1627	92.0
4 = 11 to 20 days/month		58	3.3	1685	95.3
5 = 21 to 31 days/month		50	2.8	1735	98.1
6 = Every day		33	1.9	1768	100.0

Frequency Missing = 31

of days used crack yr before int

	USYDCRK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1576	88.3	1576	88.3
1 = 1 day/month		17	1.0	1593	89.2
2 = 2 to 5 days/month		62	3.5	1655	92.7
3 = 6 to 10 days/month		36	2.0	1691	94.7
4 = 11 to 20 days/month		35	2.0	1726	96.7
5 = 21 to 31 days/month		32	1.8	1758	98.5
6 = Every day		27	1.5	1785	100.0

Frequency Missing = 14

of days used cocaine yr before int

	USYDCOC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1618	90.6	1618	90.6
1 = 1 day/month		25	1.4	1643	92.0
2 = 2 to 5 days/month		53	3.0	1696	95.0
3 = 6 to 10 days/month		23	1.3	1719	96.2
4 = 11 to 20 days/month		28	1.6	1747	97.8
5 = 21 to 31 days/month		22	1.2	1769	99.0
6 = Every day		17	1.0	1786	100.0

Frequency Missing = 13

of days used pcp yr before int

	USYDPCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1776	99.7	1776	99.7
1 = 1 day/month		1	0.1	1777	99.8
2 = 2 to 5 days/month		2	0.1	1779	99.9
3 = 6 to 10 days/month		1	0.1	1780	99.9
5 = 21 to 31 days/month		1	0.1	1781	100.0

Frequency Missing = 18

of days used hallucin yr before int

	USYDHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1759	98.9	1759	98.9
1 = 1 day/month		8	0.4	1767	99.4
2 = 2 to 5 days/month		8	0.4	1775	99.8
3 = 6 to 10 days/month		1	0.1	1776	99.9
4 = 11 to 20 days/month		1	0.1	1777	99.9
5 = 21 to 31 days/month		1	0.1	1778	100.0

Frequency Missing = 21

of days used heroin yr before int

	USYDHER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1627	91.1	1627	91.1
1 = 1 day/month		10	0.6	1637	91.7
2 = 2 to 5 days/month		33	1.8	1670	93.6
3 = 6 to 10 days/month		17	1.0	1687	94.5
4 = 11 to 20 days/month		12	0.7	1699	95.2
5 = 21 to 31 days/month		24	1.3	1723	96.5
6 = Every day		62	3.5	1785	100.0

Frequency Missing = 14

of days used ill methad yr before int

	USYDMTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1771	99.1	1771	99.1
1 = 1 day/month		3	0.2	1774	99.3
2 = 2 to 5 days/month		6	0.3	1780	99.6
3 = 6 to 10 days/month		4	0.2	1784	99.8
4 = 11 to 20 days/month		2	0.1	1786	99.9
6 = Every day		1	0.1	1787	100.0

Frequency Missing = 12

of days used oth narcotic yr bef int

	USYDNAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1748	97.9	1748	97.9
1 = 1 day/month		2	0.1	1750	98.0
2 = 2 to 5 days/month		12	0.7	1762	98.7
3 = 6 to 10 days/month		10	0.6	1772	99.2
4 = 11 to 20 days/month		5	0.3	1777	99.5
5 = 21 to 31 days/month		4	0.2	1781	99.7
6 = Every day		5	0.3	1786	100.0

Frequency Missing = 13

of days used methamphet yr before int

	USYDAMP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1732	97.2	1732	97.2
1 = 1 day/month		11	0.6	1743	97.8
2 = 2 to 5 days/month		19	1.1	1762	98.9
3 = 6 to 10 days/month		6	0.3	1768	99.2
4 = 11 to 20 days/month		6	0.3	1774	99.6
5 = 21 to 31 days/month		4	0.2	1778	99.8
6 = Every day		4	0.2	1782	100.0

Frequency Missing = 17

of days used downers yr before int

	USYDDWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1713	96.1	1713	96.1
1 = 1 day/month		5	0.3	1718	96.4
2 = 2 to 5 days/month		26	1.5	1744	97.8
3 = 6 to 10 days/month		10	0.6	1754	98.4
4 = 11 to 20 days/month		10	0.6	1764	98.9
5 = 21 to 31 days/month		7	0.4	1771	99.3
6 = Every day		12	0.7	1783	100.0

Frequency Missing = 16

of days used other drg yr before int

	USYDOTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1724	98.2	1724	98.2
1 = 1 day/month		4	0.2	1728	98.5
2 = 2 to 5 days/month		5	0.3	1733	98.7
3 = 6 to 10 days/month		6	0.3	1739	99.1
4 = 11 to 20 days/month		4	0.2	1743	99.3
5 = 21 to 31 days/month		2	0.1	1745	99.4
6 = Every day		10	0.6	1755	100.0

Frequency Missing = 44

Any months not used inhalants yr bef int

	USNINH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1796	99.9	1796	99.9
1 = Yes		2	0.1	1798	100.0

Frequency Missing = 1

Any months not used alcohol yr bef int

	USNALC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1365	76.3	1365	76.3
1 = Yes		424	23.7	1789	100.0

Frequency Missing = 10

Any months not used marijuana yr bef int

	USNMAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1631	90.9	1631	90.9
1 = Yes		163	9.1	1794	100.0

Frequency Missing = 5

Any months not used crack yr bef int

USNCRK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No	1693	94.3	1693	94.3
1 = Yes	102	5.7	1795	100.0

Frequency Missing = 4

Any months not used cocaine yr bef int

USNCOC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No	1696	94.5	1696	94.5
1 = Yes	99	5.5	1795	100.0

Frequency Missing = 4

Any months not used pcpc yr bef int

USNPCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No	1795	99.9	1795	99.9
1 = Yes	1	0.1	1796	100.0

Frequency Missing = 3

Any months not used hallucin yr bef int

USNHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No	1793	99.7	1793	99.7
1 = Yes	5	0.3	1798	100.0

Frequency Missing = 1

Any months not used heroin yr bef int

USNHER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No	1700	94.6	1700	94.6
1 = Yes	97	5.4	1797	100.0

Frequency Missing = 2

Any months not used ill methd yr bef int

	USNMTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1794	99.8	1794	99.8
1 = Yes		4	0.2	1798	100.0

Frequency Missing = 1

Any months not used oth narcotc yr bef i

	USNNAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1788	99.5	1788	99.5
1 = Yes		9	0.5	1797	100.0

Frequency Missing = 2

Any months not used methampht yr bef int

	USNAMP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1777	98.9	1777	98.9
1 = Yes		20	1.1	1797	100.0

Frequency Missing = 2

Any months not used downers yr bef int

	USNDWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1782	99.2	1782	99.2
1 = Yes		14	0.8	1796	100.0

Frequency Missing = 3

Any months not used other drg yr bef int

	USNOTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = No		1784	99.4	1784	99.4
1 = Yes		11	0.6	1795	100.0

Frequency Missing = 4

months not used inhalants yr bef int

USNMINH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1796	99.9	1796	99.9
2 = 2 to 3 months	1	0.1	1797	99.9
3 = 4 to 5 months	1	0.1	1798	100.0

Frequency Missing = 1

months not used alcohol yr bef int

USNMALC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1369	76.8	1369	76.8
1 = 1 month	49	2.7	1418	79.6
2 = 2 to 3 months	119	6.7	1537	86.3
3 = 4 to 5 months	94	5.3	1631	91.5
4 = 6 to 8 months	91	5.1	1722	96.6
5 = 9 or more months	60	3.4	1782	100.0

Frequency Missing = 17

months not used marijuana yr bef int

USNMMAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1631	91.1	1631	91.1
1 = 1 month	13	0.7	1644	91.8
2 = 2 to 3 months	38	2.1	1682	94.0
3 = 4 to 5 months	36	2.0	1718	96.0
4 = 6 to 8 months	44	2.5	1762	98.4
5 = 9 or more months	28	1.6	1790	100.0

Frequency Missing = 9

months not used crack yr bef int

USNMCRK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1693	94.4	1693	94.4
1 = 1 month	16	0.9	1709	95.3
2 = 2 to 3 months	21	1.2	1730	96.4
3 = 4 to 5 months	19	1.1	1749	97.5
4 = 6 to 8 months	24	1.3	1773	98.8
5 = 9 or more months	21	1.2	1794	100.0

Frequency Missing = 5

months not used cocaine yr bef int

USNMCOC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1696	94.5	1696	94.5
1 = 1 month	5	0.3	1701	94.8
2 = 2 to 3 months	26	1.4	1727	96.3
3 = 4 to 5 months	19	1.1	1746	97.3
4 = 6 to 8 months	27	1.5	1773	98.8
5 = 9 or more months	21	1.2	1794	100.0

Frequency Missing = 5

months not used pcp yr bef int

USNMPCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1795	100.0	1795	100.0

Frequency Missing = 4

months not used hallucin yr bef int

USNMHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1793	99.7	1793	99.7
2 = 2 to 3 months	2	0.1	1795	99.8
3 = 4 to 5 months	1	0.1	1796	99.9
4 = 6 to 8 months	1	0.1	1797	99.9
5 = 9 or more months	1	0.1	1798	100.0

Frequency Missing = 1

months not used heroin yr bef int

USNMHER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1700	94.7	1700	94.7
1 = 1 month	7	0.4	1707	95.1
2 = 2 to 3 months	25	1.4	1732	96.5
3 = 4 to 5 months	22	1.2	1754	97.7
4 = 6 to 8 months	31	1.7	1785	99.4
5 = 9 or more months	10	0.6	1795	100.0

Frequency Missing = 4

months not used ill methad yr bef int

USNMMTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1794	99.8	1794	99.8
1 = 1 month	1	0.1	1795	99.9
2 = 2 to 3 months	1	0.1	1796	99.9
4 = 6 to 8 months	1	0.1	1797	100.0

Frequency Missing = 2

months not used oth narcotic yr bef i

USNMNAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1788	99.5	1788	99.5
1 = 1 month	1	0.1	1789	99.6
2 = 2 to 3 months	2	0.1	1791	99.7
3 = 4 to 5 months	3	0.2	1794	99.8
4 = 6 to 8 months	1	0.1	1795	99.9
5 = 9 or more months	2	0.1	1797	100.0

Frequency Missing = 2

months not used methamphet yr bef int

USNMAMP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1777	98.9	1777	98.9
2 = 2 to 3 months	3	0.2	1780	99.1
3 = 4 to 5 months	3	0.2	1783	99.3
4 = 6 to 8 months	5	0.3	1788	99.6
5 = 9 or more months	8	0.4	1796	100.0

Frequency Missing = 3

months not used downers yr bef int

USNMDWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1782	99.2	1782	99.2
2 = 2 to 3 months	5	0.3	1787	99.5
3 = 4 to 5 months	4	0.2	1791	99.7
4 = 6 to 8 months	3	0.2	1794	99.9
5 = 9 or more months	2	0.1	1796	100.0

Frequency Missing = 3

months not used other drg yr bef int

USNMOTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6 = Legitimate skip	1784	99.3	1784	99.3
1 = 1 month	1	0.1	1785	99.4
2 = 2 to 3 months	2	0.1	1787	99.5
3 = 4 to 5 months	3	0.2	1790	99.7
4 = 6 to 8 months	2	0.1	1792	99.8
5 = 9 or more months	4	0.2	1796	100.0

Frequency Missing = 3

of days used inhalants mo before int

USMINH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more	1779	99.8	1779	99.8
1 = 1 day/month	1	0.1	1780	99.8
2 = 2 to 5 days/month	2	0.1	1782	99.9
6 = Every day	1	0.1	1783	100.0

Frequency Missing = 16

of days used alcohol mo before int

USMALC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more	1049	58.9	1049	58.9
1 = 1 day/month	79	4.4	1128	63.3
2 = 2 to 5 days/month	252	14.1	1380	77.4
3 = 6 to 10 days/month	157	8.8	1537	86.3
4 = 11 to 20 days/month	124	7.0	1661	93.2
5 = 21 to 31 days/month	57	3.2	1718	96.4
6 = Every day	64	3.6	1782	100.0

Frequency Missing = 17

of days used marijuana mo before int

	USMMAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1464	82.9	1464	82.9
1 = 1 day/month		58	3.3	1522	86.2
2 = 2 to 5 days/month		112	6.3	1634	92.6
3 = 6 to 10 days/month		53	3.0	1687	95.6
4 = 11 to 20 days/month		36	2.0	1723	97.6
5 = 21 to 31 days/month		20	1.1	1743	98.8
6 = Every day		22	1.2	1765	100.0

Frequency Missing = 34

of days used crack mo before int

	USMCRK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1677	93.9	1677	93.9
1 = 1 day/month		18	1.0	1695	94.9
2 = 2 to 5 days/month		45	2.5	1740	97.4
3 = 6 to 10 days/month		16	0.9	1756	98.3
4 = 11 to 20 days/month		14	0.8	1770	99.1
5 = 21 to 31 days/month		8	0.4	1778	99.6
6 = Every day		8	0.4	1786	100.0

Frequency Missing = 13

of days used cocaine mo before int

	USMCOC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1701	95.2	1701	95.2
1 = 1 day/month		18	1.0	1719	96.2
2 = 2 to 5 days/month		31	1.7	1750	97.9
3 = 6 to 10 days/month		10	0.6	1760	98.5
4 = 11 to 20 days/month		14	0.8	1774	99.3
5 = 21 to 31 days/month		8	0.4	1782	99.7
6 = Every day		5	0.3	1787	100.0

Frequency Missing = 12

of days used pcp mo before int

	USMPCP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1779	99.9	1779	99.9
2 = 2 to 5 days/month		1	0.1	1780	99.9
4 = 11 to 20 days/month		1	0.1	1781	100.0

Frequency Missing = 18

of days used hallucin mo before int

	USMHAL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1769	99.5	1769	99.5
1 = 1 day/month		4	0.2	1773	99.8
2 = 2 to 5 days/month		2	0.1	1775	99.9
3 = 6 to 10 days/month		1	0.1	1776	99.9
5 = 21 to 31 days/month		1	0.1	1777	100.0

Frequency Missing = 22

of days used heroin mo before int

	USMHER	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1696	95.0	1696	95.0
1 = 1 day/month		5	0.3	1701	95.2
2 = 2 to 5 days/month		22	1.2	1723	96.5
3 = 6 to 10 days/month		11	0.6	1734	97.1
4 = 11 to 20 days/month		12	0.7	1746	97.8
5 = 21 to 31 days/month		20	1.1	1766	98.9
6 = Every day		20	1.1	1786	100.0

Frequency Missing = 13

of days used illl methad mo before int

	USMMTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1784	99.8	1784	99.8
3 = 6 to 10 days/month		1	0.1	1785	99.8
4 = 11 to 20 days/month		2	0.1	1787	99.9
6 = Every day		1	0.1	1788	100.0

Frequency Missing = 11

of days used oth narcotic mo bef int

	USMNAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1768	99.0	1768	99.0
1 = 1 day/month		2	0.1	1770	99.1
2 = 2 to 5 days/month		4	0.2	1774	99.3
3 = 6 to 10 days/month		3	0.2	1777	99.5
4 = 11 to 20 days/month		5	0.3	1782	99.8
5 = 21 to 31 days/month		2	0.1	1784	99.9
6 = Every day		2	0.1	1786	100.0

Frequency Missing = 13

of days used methamphet mo before int

	USMAMP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1764	99.0	1764	99.0
1 = 1 day/month		4	0.2	1768	99.2
2 = 2 to 5 days/month		5	0.3	1773	99.5
3 = 6 to 10 days/month		4	0.2	1777	99.7
4 = 11 to 20 days/month		2	0.1	1779	99.8
5 = 21 to 31 days/month		1	0.1	1780	99.9
6 = Every day		2	0.1	1782	100.0

Frequency Missing = 17

of days used downers mo before int

	USMDWN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 = Did not use five times or more		1748	98.1	1748	98.1
1 = 1 day/month		7	0.4	1755	98.5
2 = 2 to 5 days/month		9	0.5	1764	99.0
3 = 6 to 10 days/month		2	0.1	1766	99.2
4 = 11 to 20 days/month		1	0.1	1767	99.2
5 = 21 to 31 days/month		5	0.3	1772	99.5
6 = Every day		9	0.5	1781	100.0

Frequency Missing = 18

of days used other drg mo before int

	USMOTH	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 =	Did not use five times or more	1741	99.1	1741	99.1
2 =	2 to 5 days/month	3	0.2	1744	99.3
3 =	6 to 10 days/month	2	0.1	1746	99.4
4 =	11 to 20 days/month	3	0.2	1749	99.6
6 =	Every day	7	0.4	1756	100.0

Frequency Missing = 43

Used any less common drug bef tx

	USBSEC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 =	No	1108	61.7	1108	61.7
1 =	Yes	688	38.3	1796	100.0

Frequency Missing = 3

Used any less common drug aft tx

	USASEC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 =	No	1379	76.8	1379	76.8
1 =	Yes	417	23.2	1796	100.0

Frequency Missing = 3

Used any illicit drug (not alc) bef tx

	USBANY	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 =	No	399	22.2	399	22.2
1 =	Yes	1400	77.8	1799	100.0

Used any illicit drug (not alc) aft tx

	USAANY	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 =	No	690	38.4	690	38.4
1 =	Yes	1109	61.6	1799	100.0

Type of treatment (reported by client)

	TRTYPE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 =	Inpatient	700	38.9	700	38.9
2 =	Residential	326	18.1	1026	57.0
3 =	Outpatient Methadone Maintenance	217	12.1	1243	69.1
4 =	Outpatient Drug-Free	556	30.9	1799	100.0

Length of stay in treatment (in days)

LOS	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	6	0.3	6	0.3
1	28	1.6	34	1.9
2	24	1.3	58	3.3
3	74	4.2	132	7.4
4	69	3.9	201	11.3
5	58	3.3	259	14.6
6	40	2.2	299	16.8
7	46	2.6	345	19.4
8	25	1.4	370	20.8
9	19	1.1	389	21.9
10	15	0.8	404	22.7
11	14	0.8	418	23.5
12	20	1.1	438	24.6
13	20	1.1	458	25.8
14	17	1.0	475	26.7
15	11	0.6	486	27.3
16	16	0.9	502	28.2
17	15	0.8	517	29.1
18	10	0.6	527	29.6
19	13	0.7	540	30.4
20	24	1.3	564	31.7
21	25	1.4	589	33.1
22	14	0.8	603	33.9
23	13	0.7	616	34.6
24	11	0.6	627	35.3
25	13	0.7	640	36.0
26	32	1.8	672	37.8
27	38	2.1	710	39.9
28	30	1.7	740	41.6
29	32	1.8	772	43.4
30	30	1.7	802	45.1
31	16	0.9	818	46.0
32	8	0.4	826	46.5
33	9	0.5	835	47.0
34	15	0.8	850	47.8
35	11	0.6	861	48.4
36	7	0.4	868	48.8
37	4	0.2	872	49.0
38	3	0.2	875	49.2
39	5	0.3	880	49.5
40	3	0.2	883	49.7
41	9	0.5	892	50.2
42	9	0.5	901	50.7
43	8	0.4	909	51.1
44	4	0.2	913	51.3
45	3	0.2	916	51.5
46	10	0.6	926	52.1
47	1	0.1	927	52.1
48	5	0.3	932	52.4
49	8	0.4	940	52.9
50	3	0.2	943	53.0
51	4	0.2	947	53.3
53	8	0.4	955	53.7
54	6	0.3	961	54.0
55	7	0.4	968	54.4
56	6	0.3	974	54.8

Length of stay in treatment (in days)

LOS	Frequency	Percent	Cumulative Frequency	Cumulative Percent
57	6	0.3	980	55.1
58	6	0.3	986	55.5
59	5	0.3	991	55.7
60	4	0.2	995	56.0
61	1	0.1	996	56.0
62	2	0.1	998	56.1
63	6	0.3	1004	56.5
64	7	0.4	1011	56.9
65	7	0.4	1018	57.3
66	3	0.2	1021	57.4
67	5	0.3	1026	57.7
68	4	0.2	1030	57.9
69	4	0.2	1034	58.2
70	8	0.4	1042	58.6
71	4	0.2	1046	58.8
72	3	0.2	1049	59.0
73	7	0.4	1056	59.4
74	3	0.2	1059	59.6
75	6	0.3	1065	59.9
76	4	0.2	1069	60.1
77	5	0.3	1074	60.4
78	6	0.3	1080	60.7
79	5	0.3	1085	61.0
80	2	0.1	1087	61.1
81	5	0.3	1092	61.4
82	4	0.2	1096	61.6
83	4	0.2	1100	61.9
84	6	0.3	1106	62.2
85	4	0.2	1110	62.4
86	4	0.2	1114	62.7
87	2	0.1	1116	62.8
88	5	0.3	1121	63.0
89	11	0.6	1132	63.7
90	10	0.6	1142	64.2
91	2	0.1	1144	64.3
92	7	0.4	1151	64.7
93	3	0.2	1154	64.9
94	1	0.1	1155	65.0
95	3	0.2	1158	65.1
97	3	0.2	1161	65.3
98	5	0.3	1166	65.6
99	4	0.2	1170	65.8
100	7	0.4	1177	66.2
101	3	0.2	1180	66.4
102	7	0.4	1187	66.8
103	4	0.2	1191	67.0
104	1	0.1	1192	67.0
105	5	0.3	1197	67.3
106	3	0.2	1200	67.5
107	2	0.1	1202	67.6
108	2	0.1	1204	67.7
109	1	0.1	1205	67.8
110	4	0.2	1209	68.0
111	6	0.3	1215	68.3
112	3	0.2	1218	68.5
113	1	0.1	1219	68.6

Length of stay in treatment (in days)

LOS	Frequency	Percent	Cumulative Frequency	Cumulative Percent
114	4	0.2	1223	68.8
115	5	0.3	1228	69.1
116	3	0.2	1231	69.2
117	2	0.1	1233	69.3
118	3	0.2	1236	69.5
119	3	0.2	1239	69.7
120	4	0.2	1243	69.9
121	4	0.2	1247	70.1
122	5	0.3	1252	70.4
123	6	0.3	1258	70.8
124	4	0.2	1262	71.0
125	3	0.2	1265	71.1
126	4	0.2	1269	71.4
127	8	0.4	1277	71.8
128	1	0.1	1278	71.9
129	1	0.1	1279	71.9
130	3	0.2	1282	72.1
131	1	0.1	1283	72.2
132	4	0.2	1287	72.4
133	3	0.2	1290	72.6
134	6	0.3	1296	72.9
135	3	0.2	1299	73.1
136	4	0.2	1303	73.3
137	4	0.2	1307	73.5
138	2	0.1	1309	73.6
139	3	0.2	1312	73.8
140	7	0.4	1319	74.2
141	2	0.1	1321	74.3
142	3	0.2	1324	74.5
143	4	0.2	1328	74.7
144	1	0.1	1329	74.7
145	4	0.2	1333	75.0
146	3	0.2	1336	75.1
147	5	0.3	1341	75.4
148	3	0.2	1344	75.6
149	1	0.1	1345	75.6
150	3	0.2	1348	75.8
151	3	0.2	1351	76.0
152	3	0.2	1354	76.2
153	2	0.1	1356	76.3
154	2	0.1	1358	76.4
155	4	0.2	1362	76.6
156	4	0.2	1366	76.8
157	2	0.1	1368	76.9
158	1	0.1	1369	77.0
159	3	0.2	1372	77.2
160	2	0.1	1374	77.3
161	1	0.1	1375	77.3
162	5	0.3	1380	77.6
163	3	0.2	1383	77.8
164	6	0.3	1389	78.1
165	2	0.1	1391	78.2
166	1	0.1	1392	78.3
167	3	0.2	1395	78.5
168	2	0.1	1397	78.6
169	1	0.1	1398	78.6

Length of stay in treatment (in days)

LOS	Frequency	Percent	Cumulative Frequency	Cumulative Percent
170	3	0.2	1401	78.8
171	3	0.2	1404	79.0
172	4	0.2	1408	79.2
174	8	0.4	1416	79.6
175	1	0.1	1417	79.7
176	2	0.1	1419	79.8
177	2	0.1	1421	79.9
179	1	0.1	1422	80.0
180	3	0.2	1425	80.1
181	2	0.1	1427	80.3
182	6	0.3	1433	80.6
183	4	0.2	1437	80.8
184	2	0.1	1439	80.9
185	1	0.1	1440	81.0
186	4	0.2	1444	81.2
187	2	0.1	1446	81.3
188	1	0.1	1447	81.4
189	2	0.1	1449	81.5
190	4	0.2	1453	81.7
191	3	0.2	1456	81.9
192	3	0.2	1459	82.1
193	5	0.3	1464	82.3
194	1	0.1	1465	82.4
196	1	0.1	1466	82.5
197	3	0.2	1469	82.6
199	3	0.2	1472	82.8
200	4	0.2	1476	83.0
201	1	0.1	1477	83.1
202	4	0.2	1481	83.3
203	4	0.2	1485	83.5
204	2	0.1	1487	83.6
205	1	0.1	1488	83.7
207	2	0.1	1490	83.8
208	2	0.1	1492	83.9
209	2	0.1	1494	84.0
210	3	0.2	1497	84.2
211	2	0.1	1499	84.3
212	4	0.2	1503	84.5
213	2	0.1	1505	84.6
214	1	0.1	1506	84.7
215	4	0.2	1510	84.9
216	1	0.1	1511	85.0
217	2	0.1	1513	85.1
218	2	0.1	1515	85.2
219	1	0.1	1516	85.3
223	3	0.2	1519	85.4
224	3	0.2	1522	85.6
225	3	0.2	1525	85.8
226	3	0.2	1528	85.9
228	1	0.1	1529	86.0
229	3	0.2	1532	86.2
230	2	0.1	1534	86.3
231	2	0.1	1536	86.4
232	2	0.1	1538	86.5
233	1	0.1	1539	86.6
234	1	0.1	1540	86.6

Length of stay in treatment (in days)

LOS	Frequency	Percent	Cumulative Frequency	Cumulative Percent
235	1	0.1	1541	86.7
236	1	0.1	1542	86.7
238	3	0.2	1545	86.9
239	1	0.1	1546	87.0
240	1	0.1	1547	87.0
241	1	0.1	1548	87.1
242	3	0.2	1551	87.2
243	2	0.1	1553	87.3
244	2	0.1	1555	87.5
245	1	0.1	1556	87.5
246	1	0.1	1557	87.6
247	2	0.1	1559	87.7
248	1	0.1	1560	87.7
249	3	0.2	1563	87.9
250	1	0.1	1564	88.0
252	1	0.1	1565	88.0
253	1	0.1	1566	88.1
254	2	0.1	1568	88.2
257	2	0.1	1570	88.3
260	4	0.2	1574	88.5
261	2	0.1	1576	88.6
263	1	0.1	1577	88.7
265	1	0.1	1578	88.8
266	1	0.1	1579	88.8
271	4	0.2	1583	89.0
272	1	0.1	1584	89.1
273	3	0.2	1587	89.3
275	3	0.2	1590	89.4
277	2	0.1	1592	89.5
278	1	0.1	1593	89.6
279	1	0.1	1594	89.7
280	4	0.2	1598	89.9
281	2	0.1	1600	90.0
282	1	0.1	1601	90.0
283	1	0.1	1602	90.1
286	1	0.1	1603	90.2
287	1	0.1	1604	90.2
288	1	0.1	1605	90.3
290	1	0.1	1606	90.3
294	2	0.1	1608	90.4
295	1	0.1	1609	90.5
296	1	0.1	1610	90.6
297	1	0.1	1611	90.6
300	1	0.1	1612	90.7
305	1	0.1	1613	90.7
307	2	0.1	1615	90.8
308	5	0.3	1620	91.1
309	1	0.1	1621	91.2
311	1	0.1	1622	91.2
312	1	0.1	1623	91.3
314	1	0.1	1624	91.3
317	2	0.1	1626	91.5
319	1	0.1	1627	91.5
320	2	0.1	1629	91.6
321	4	0.2	1633	91.8
322	2	0.1	1635	92.0

Length of stay in treatment (in days)

LOS	Frequency	Percent	Cumulative Frequency	Cumulative Percent
323	1	0.1	1636	92.0
324	1	0.1	1637	92.1
325	1	0.1	1638	92.1
328	1	0.1	1639	92.2
329	1	0.1	1640	92.2
330	1	0.1	1641	92.3
332	2	0.1	1643	92.4
335	2	0.1	1645	92.5
336	1	0.1	1646	92.6
338	1	0.1	1647	92.6
342	1	0.1	1648	92.7
344	2	0.1	1650	92.8
345	1	0.1	1651	92.9
347	2	0.1	1653	93.0
350	1	0.1	1654	93.0
351	1	0.1	1655	93.1
356	1	0.1	1656	93.1
357	2	0.1	1658	93.3
358	1	0.1	1659	93.3
359	2	0.1	1661	93.4
360	1	0.1	1662	93.5
363	1	0.1	1663	93.5
364	1	0.1	1664	93.6
365	1	0.1	1665	93.6
366	1	0.1	1666	93.7
367	1	0.1	1667	93.8
369	1	0.1	1668	93.8
373	1	0.1	1669	93.9
375	1	0.1	1670	93.9
376	2	0.1	1672	94.0
377	1	0.1	1673	94.1
381	1	0.1	1674	94.2
383	1	0.1	1675	94.2
385	2	0.1	1677	94.3
386	1	0.1	1678	94.4
390	1	0.1	1679	94.4
392	2	0.1	1681	94.5
394	1	0.1	1682	94.6
397	1	0.1	1683	94.7
399	2	0.1	1685	94.8
409	1	0.1	1686	94.8
410	1	0.1	1687	94.9
413	1	0.1	1688	94.9
415	1	0.1	1689	95.0
418	1	0.1	1690	95.1
424	1	0.1	1691	95.1
431	2	0.1	1693	95.2
436	1	0.1	1694	95.3
442	1	0.1	1695	95.3
453	1	0.1	1696	95.4
456	1	0.1	1697	95.4
458	1	0.1	1698	95.5
459	1	0.1	1699	95.6
460	1	0.1	1700	95.6
461	1	0.1	1701	95.7
467	1	0.1	1702	95.7

Length of stay in treatment (in days)

LOS	Frequency	Percent	Cumulative Frequency	Cumulative Percent
474	2	0.1	1704	95.8
475	1	0.1	1705	95.9
476	1	0.1	1706	96.0
479	1	0.1	1707	96.0
484	1	0.1	1708	96.1
486	1	0.1	1709	96.1
487	1	0.1	1710	96.2
491	1	0.1	1711	96.2
494	1	0.1	1712	96.3
496	2	0.1	1714	96.4
500	1	0.1	1715	96.5
501	1	0.1	1716	96.5
513	1	0.1	1717	96.6
517	1	0.1	1718	96.6
520	1	0.1	1719	96.7
527	1	0.1	1720	96.7
539	1	0.1	1721	96.8
548	2	0.1	1723	96.9
554	1	0.1	1724	97.0
555	1	0.1	1725	97.0
573	1	0.1	1726	97.1
574	1	0.1	1727	97.1
587	1	0.1	1728	97.2
620	1	0.1	1729	97.2
631	1	0.1	1730	97.3
693	1	0.1	1731	97.4
702	1	0.1	1732	97.4
713	1	0.1	1733	97.5
718	1	0.1	1734	97.5
722	1	0.1	1735	97.6
728	1	0.1	1736	97.6
737	1	0.1	1737	97.7
742	1	0.1	1738	97.8
775	1	0.1	1739	97.8
781	1	0.1	1740	97.9
787	1	0.1	1741	97.9
848	1	0.1	1742	98.0
853	1	0.1	1743	98.0
864	1	0.1	1744	98.1
870	1	0.1	1745	98.1
883	1	0.1	1746	98.2
925	1	0.1	1747	98.3
937	1	0.1	1748	98.3
948	1	0.1	1749	98.4
967	1	0.1	1750	98.4
993	1	0.1	1751	98.5
1034	1	0.1	1752	98.5
1102	1	0.1	1753	98.6
1114	1	0.1	1754	98.7
1137	1	0.1	1755	98.7
1249	1	0.1	1756	98.8
1255	1	0.1	1757	98.8
1312	1	0.1	1758	98.9
1380	1	0.1	1759	98.9
1391	1	0.1	1760	99.0
1472	1	0.1	1761	99.0

Length of stay in treatment (in days)

LOS	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1657	1	0.1	1762	99.1
1662	1	0.1	1763	99.2
1700	1	0.1	1764	99.2
1720	1	0.1	1765	99.3
1806	1	0.1	1766	99.3
1825 = 1825+	12	0.7	1778	100.0

Frequency Missing = 21

Length of stay in treatment (4 categs)

	LOSCAT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 =	Less than 1 week	299	16.8	299	16.8
2 =	1 week to less than 1 month	473	26.6	772	43.4
3 =	1 to 5 months	661	37.2	1433	80.6
4 =	6 months or more	345	19.4	1778	100.0

Frequency Missing = 21

Race and hispanic origin of client

	RACE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 =	White (non-Hispanic)	1101	61.2	1101	61.2
2 =	Black (non-Hispanic)	499	27.8	1600	89.0
3 =	Hispanic	137	7.6	1737	96.6
4 =	Other	61	3.4	1798	100.0

Frequency Missing = 1

Age at time of discharge (in years)

DISAGE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	18	1.0	18	1.0
2	51	2.9	69	3.9
3	57	3.2	126	7.1
4	22	1.2	148	8.3
5	7	0.4	155	8.7
6	3	0.2	158	8.9
12	1	0.1	159	8.9
13	6	0.3	165	9.3
14	13	0.7	178	10.0
15	47	2.6	225	12.7
16	30	1.7	255	14.3
17	47	2.6	302	17.0
18	36	2.0	338	19.0
19	36	2.0	374	21.0
20	37	2.1	411	23.1
21	25	1.4	436	24.5
22	38	2.1	474	26.7
23	38	2.1	512	28.8
24	46	2.6	558	31.4
25	68	3.8	626	35.2
26	62	3.5	688	38.7
27	63	3.5	751	42.2
28	85	4.8	836	47.0
29	71	4.0	907	51.0
30	86	4.8	993	55.8
31	75	4.2	1068	60.1
32	71	4.0	1139	64.1
33	61	3.4	1200	67.5
34	69	3.9	1269	71.4
35	61	3.4	1330	74.8
36	39	2.2	1369	77.0
37	52	2.9	1421	79.9
38	40	2.2	1461	82.2
39	42	2.4	1503	84.5
40	43	2.4	1546	87.0
41	34	1.9	1580	88.9
42	29	1.6	1609	90.5
43	19	1.1	1628	91.6
44	23	1.3	1651	92.9
45	10	0.6	1661	93.4
46	9	0.5	1670	93.9
47	13	0.7	1683	94.7
48	13	0.7	1696	95.4
49	11	0.6	1707	96.0
50	7	0.4	1714	96.4
51	10	0.6	1724	97.0
52	5	0.3	1729	97.2
53	5	0.3	1734	97.5
54	4	0.2	1738	97.8
55	5	0.3	1743	98.0
56	5	0.3	1748	98.3
57	21	1.2	1769	99.5
65	7	0.4	1776	99.9
75 = 75+	2	0.1	1778	100.0

Frequency Missing = 21

Age at time of discharge (4 catags)

DISAGE2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 = Less than 18	156	8.7	156	8.7
2 = 18 to 29	674	37.5	830	46.1
3 = 30 to 39	660	36.7	1490	82.8
4 = 40 or older	309	17.2	1799	100.0

of previous treat episodes (3 cats)

PRETRT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 = 0	984	55.2	984	55.2
2 = 1 to 2	553	31.0	1537	86.3
3 = 3 or more	244	13.7	1781	100.0

Frequency Missing = 18

Completed treatment (yes/no)

COMPTRT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 = Yes	1190	70.1	1190	70.1
2 = No	507	29.9	1697	100.0

Frequency Missing = 102

Additional treat after tx (yes/no)

AFTTRT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 = Yes	943	52.9	943	52.9
2 = No	839	47.1	1782	100.0

Frequency Missing = 17

Client thought tx helpful (yes/no)

HELPTRT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 = Very helpful	759	43.7	759	43.7
2 = Somewhat/not helpful	977	56.3	1736	100.0

Frequency Missing = 63

FREQUENCIES

IDENTIFICATION

CASEID CASE IDENTIFICATION NUMBER

1,799 cases (Range of valid codes: 1-1799)

Data type: numeric
Columns: 1-4

CLIENTID CLIENT IDENTIFIER

1,799 cases (Range of valid codes: 1000001-1003047)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 5-11

FAC_ID FACILITY IDENTIFIER

1,799 cases (Range of valid codes: 1,001-1,099)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 12-15

MODE DOMINANT FACILITY MODALITY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.5	24.5	441	1	Inpatient
25.8	25.8	464	2	Residential
23.5	23.5	423	3	Outpatient Methadone Maintenance
26.2	26.2	471	4	Outpatient Drug-Free
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 16-17

WEIGHTS**WT1 WEIGHT 1, DECEASED AS RESP**

1,799 cases (Range of valid codes: 13.3534-4008.3023)

Data type: numeric

Decimals: 4

Missing-data codes: lowest thru -1.0000

Columns: 18-26

WT2 WEIGHT 2, DECEASED AS NON-RESP

1,799 cases (Range of valid codes: 13.3534-4008.3023)

Data type: numeric

Decimals: 4

Missing-data codes: lowest thru -1.0000

Columns: 27-35

WT3 WEIGHT 3, DECEASED AS INELIGIBLE

1,799 cases (Range of valid codes: 13.3534-4008.3051)

Data type: numeric

Decimals: 4

Missing-data codes: lowest thru -1.0000

Columns: 36-44

A4A_1**MEXICAN/MEXICAN-AMERICAN/CHICANO**

Which Spanish or Hispanic origin or descent are you?
(Code all that apply)

Mexican / Mexican-American / Chicano

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.4	3.7	67	1	Yes
49.6	3.7	66	2	No
	92.3	1,660	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 51-52

A4A_2**PUERTO RICAN**

Which Spanish or Hispanic origin or descent are you?
(Code all that apply)

Puerto Rican

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	2.7	49	1	Yes
63.2	4.7	84	2	No
	92.3	1,660	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 53-54

A4A_3	CUBAN
--------------	--------------

Which Spanish or Hispanic origin or descent are you?
(Code all that apply)

Cuban

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.3	5	1	Yes
96.2	7.1	128	2	No
	92.3	1,660	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 55-56

A4A_4	OTHER SPANISH OR HISPANIC (SPECIFY)
--------------	--

Which Spanish or Hispanic origin or descent are you?
(Code all that apply)

Other Spanish or Hispanic

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	0.7	13	1	Yes
90.2	6.7	120	2	No
	92.3	1,660	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 57-58

A5**A5 RACE OF RESPONDENT**

What race do you consider yourself? (Code one only)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.0	63.9	1,149	1	White
28.0	28.0	503	2	Black or African American
0.3	0.3	6	3	Asian or Pacific Islander
2.1	2.1	38	4	Alaskan Native, Native American or Ameri
5.5	5.5	99	5	OTHER (SPECIFY)
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 59-60

A6**A6 R HAVE DIPLOMA OR GED**

Do you have a high school diploma or a GED? (Code one only)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.0	47.7	859	1	Yes, diploma
24.6	24.5	440	2	Yes, GED
27.4	27.2	490	3	No
0.1	0.1	1	4	NEVER ATTENDED SCHOOL
	0.4	8	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 61-62

A7	A7 R'S HIGHEST GRADE
-----------	-----------------------------

What is the highest grade or year of school you have ever completed and gotten credit for? (Code one only)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	1st Grade
0.1	0.1	2	2	2nd Grade
0.4	0.4	7	3	3rd Grade
0.2	0.2	4	4	4th Grade
0.3	0.3	6	5	5th Grade
1.5	1.5	27	6	6th Grade
1.6	1.6	29	7	7th Grade
5.2	5.2	93	8	8th Grade
7.6	7.6	137	9	9th Grade
12.8	12.7	229	10	10th Grade
14.4	14.3	258	11	11th Grade
28.8	28.7	517	12	12th Grade
8.1	8.1	146	13	1 Year College
9.8	9.8	176	14	2 Years College
3.1	3.1	56	15	3 Years College
4.2	4.2	75	16	4 Years College
1.8	1.8	33	17	Graduate/Professional School
	0.1	1	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 63-64

A8**A8 R ATTEND OTHER CLASSES**

In addition to the (GRADE / YEAR FROM A7) of school you just told me about, have you attended a technical school, a business school, an apprenticeship program, or taken any other classes to further your education or improve your job skills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.5	57.3	1,031	1	Yes
42.5	42.3	761	2	No
	0.1	1	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 65-66

A8A_1**TECHNICAL SCHOOL**

Which ones? (Code all that apply)

Technical School

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	24.6	443	1	Yes
57.1	32.8	590	2	No
	42.4	762	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 67-68

A8A_2**BUSINESS SCHOOL**

Which ones? (Code all that apply)

Business School

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	6.3	113	1	Yes
89.1	51.1	920	2	No
	42.4	762	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 69-70

A8A_3**APPRENTICESHIP PROGRAM**

Which ones? (Code all that apply)

Apprenticeship program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	6.0	108	1	Yes
89.5	51.4	925	2	No
	42.4	762	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 71-72

A8A_4**OTHER SCHOOLS/CLASSES/PROGRAM (SPEC**

Which ones? (Code all that apply)

Other schools / classes / programs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	26.1	470	1	Yes
54.5	31.3	563	2	No
	42.4	762	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 73-74

A9**A9 R EVER EXPELLED**

Were you ever expelled from school for more than a day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.3	41.1	740	1	Yes
58.7	58.5	1,052	2	No
	0.1	1	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.2	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 75-76

A9A	A9A R EXPELLED MORE THAN ONCE
------------	--------------------------------------

Were you expelled from school more than one time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.9	29.6	532	1	Yes
28.1	11.6	208	2	No
	58.8	1,057	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 77-78

A10	A10 R'S ABILITY TO READ ENGLISH
------------	--

Would you say your ability to read (English) is . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	41.1	740	1	Excellent
37.6	37.5	675	2	Good
16.8	16.7	301	3	Fair
4.5	4.4	80	4	Poor
	0.1	2	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 79-80

A11

A11 R EVER BELONG TO GANG

At any time in your life, have you belonged to a street gang?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.7	139	1	Yes
92.2	91.7	1,650	2	No
	0.1	1	-5	NOT APPLICABLE
	0.4	7	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 81-82

B2B**B2B R EVER RECEIVE TREATMENT**

As best as you can remember, have you ever received treatment or counseling for drinking or using drugs at (PROGRAM FROM FACE SHEET)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.6	0.4	7	1	Yes
77.4	1.3	24	2	No
	96.3	1,733	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	1.8	32	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 87-88

B4**B4 CONFIRM START AND END DATE**

Let me confirm. You said you (were in treatment / went to a program) from (START DATE FROM FACE SHEET) to (END DATE FROM FACE SHEET). Is that right?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	0.7	13	1	Yes
7.1	0.1	1	2	No
	99.0	1,781	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 89-90

B5 R ATTEND AFTERCARE PROGRAM

When you stopped going to treatment at (PROGRAM) (that time) in (END DATE), did you go into some kind of aftercare program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	32.0	576	1	Yes
66.7	64.1	1,153	2	No
	2.2	39	-6	LEGITIMATE SKIP
	1.1	20	-3	MISSING
	0.6	10	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 91-92

B5A AFTERCARE INVOLVE MORE THAN ME

Did the aftercare program involved more than you attending AA, NA, or CA meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.5	22.4	403	1	Yes
29.5	9.4	169	2	No
	66.9	1,203	-6	LEGITIMATE SKIP
	1.2	22	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 93-94

B6_1**INHALANTS**

Looking at the calendar, when you first went to (PROGRAM) in (START DATE), which drug or drug combination, including alcohol, would you say was your main drug or drug combination? (Code all mentions)

Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	21	1	Yes
98.8	96.2	1,730	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 95-96

B6_2**ALCOHOL**

Looking at the calendar, when you first went to (PROGRAM) in (START DATE), which drug or drug combination, including alcohol, would you say was your main drug or drug combination? (Code all mentions)

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.8	62.1	1,117	1	Yes
36.2	35.2	634	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 97-98

B6_3 **MARIJUANA/HASHISH**

Looking at the calendar, when you first went to (PROGRAM) in (START DATE), which drug or drug combination, including alcohol, would you say was your main drug or drug combination? (Code all mentions)

Marijuana / hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	24.6	443	1	Yes
74.7	72.7	1,308	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 99-100

B6_4 **CRACK**

Looking at the calendar, when you first went to (PROGRAM) in (START DATE), which drug or drug combination, including alcohol, would you say was your main drug or drug combination? (Code all mentions)

Crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	21.2	382	1	Yes
78.2	76.1	1,369	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 101-102

B6_5**COCAINE POWDER**

Looking at the calendar, when you first went to (PROGRAM) in (START DATE), which drug or drug combination, including alcohol, would you say was your main drug or drug combination? (Code all mentions)

Cocaine powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.7	24.1	433	1	Yes
75.3	73.3	1,318	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 103-104

B6_6**PCP OR 'ANGEL DUST'**

Looking at the calendar, when you first went to (PROGRAM) in (START DATE), which drug or drug combination, including alcohol, would you say was your main drug or drug combination? (Code all mentions)

PCP or "Angel Dust"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	11	1	Yes
99.4	96.7	1,740	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 105-106

B6_7 HALLUCINOGENS, PSYCHEDELICS/LSD

Looking at the calendar, when you first went to (PROGRAM) in (START DATE), which drug or drug combination, including alcohol, would you say was your main drug or drug combination? (Code all mentions)

Hallucinogens, Psychedelics / LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.1	56	1	Yes
96.8	94.2	1,695	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 107-108

B6_8 HEROIN

Looking at the calendar, when you first went to (PROGRAM) in (START DATE), which drug or drug combination, including alcohol, would you say was your main drug or drug combination? (Code all mentions)

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.0	17.5	315	1	Yes
82.0	79.8	1,436	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 109-110

B6_9**ILLEGAL METHADONE**

Looking at the calendar, when you first went to (PROGRAM) in (START DATE), which drug or drug combination, including alcohol, would you say was your main drug or drug combination? (Code all mentions)

Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	20	1	Yes
98.9	96.2	1,731	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 111-112

B6_10**OTHER NARCOTICS**

Looking at the calendar, when you first went to (PROGRAM) in (START DATE), which drug or drug combination, including alcohol, would you say was your main drug or drug combination? (Code all mentions)

Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.8	51	1	Yes
97.1	94.5	1,700	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 113-114

B6_11 **METHAMPHETAMINES**

Looking at the calendar, when you first went to (PROGRAM) in (START DATE), which drug or drug combination, including alcohol, would you say was your main drug or drug combination? (Code all mentions)

Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.3	96	1	Yes
94.5	92.0	1,655	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 115-116

B6_12 **DOWNERS**

Looking at the calendar, when you first went to (PROGRAM) in (START DATE), which drug or drug combination, including alcohol, would you say was your main drug or drug combination? (Code all mentions)

Downers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.8	69	1	Yes
96.1	93.5	1,682	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 117-118

B6_13**OTHER DRUG (SPECIFY)**

Looking at the calendar, when you first went to (PROGRAM) in (START DATE), which drug or drug combination, including alcohol, would you say was your main drug or drug combination? (Code all mentions)

Other drug

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.2	57	1	Yes
96.7	94.2	1,694	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 119-120

B6_14**NO DRUGS/ALCOHOL**

Looking at the calendar, when you first went to (PROGRAM) in (START DATE), which drug or drug combination, including alcohol, would you say was your main drug or drug combination? (Code all mentions)

NO DRUGS / ALCOHOL

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.6	28	1	Yes
98.4	95.8	1,723	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 121-122

B7_1	INPATIENT
-------------	------------------

Was the treatment or help you received at (PROGRAM) inpatient, residential, outpatient, non-methadone, methadone, or something else? (Code all that apply)

Inpatient

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.6	58.6	1,054	0	No
41.4	41.4	745	1	Yes
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 123-124

B7_2	RESIDENTIAL
-------------	--------------------

Was the treatment or help you received at (PROGRAM) inpatient, residential, outpatient, non-methadone, methadone, or something else? (Code all that apply)

Residential

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.2	83.2	1,496	0	No
16.8	16.8	303	1	Yes
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 125-126

B7_3**OUTPATIENT (NON-METHADONE)**

Was the treatment or help you received at (PROGRAM)
inpatient, residential, outpatient, non-methadone,
methadone, or something else? (Code all that apply)

Outpatient (non-methadone)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.8	70.8	1,274	0	No
29.2	29.2	525	1	Yes
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 127-128

B7_4**METHADONE**

Was the treatment or help you received at (PROGRAM)
inpatient, residential, outpatient, non-methadone,
methadone, or something else? (Code all that apply)

Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.7	88.7	1,596	0	No
11.3	11.3	203	1	Yes
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 129-130

B7_5 **SOMETHING ELSE (SPECIFY)**

Was the treatment or help you received at (PROGRAM) inpatient, residential, outpatient, non-methadone, methadone, or something else? (Code all that apply)

Something else

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.3	42	1	Yes
97.6	94.3	1,696	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.4	8	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 131-132

B8A **B8A IMPORTANCE OF WIFE/PARTNER IN**

How important would you say each of the following people was in getting you to go to treatment or counseling at (PROGRAM). Was your . . . (READ CATEGORY a-g) very important, somewhat important, or not important (in getting you to go there)?

(wife/husband) or a partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	23.6	424	1	Very important
10.3	9.9	179	2	Somewhat important
39.1	37.9	681	3	Not important
26.3	25.5	458	4	NA (Not applicable)
	2.2	39	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
	0.2	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 133-134

B8B**B8B IMPORTANCE OF FAMILY IN GETTIN**

How important would you say each of the following people was in getting you to go to treatment or counseling at (PROGRAM). Was your . . . (READ CATEGORY a-g) very important, somewhat important, or not important (in getting you to go there)?

(another) family member, including your children

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.0	46.6	838	1	Very important
10.3	9.9	179	2	Somewhat important
36.9	35.8	644	3	Not important
4.8	4.7	84	4	NA (Not applicable)
	2.2	39	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 135-136

B8C**B8C IMPORTANCE OF FRIEND/ASSOCIATE**

How important would you say each of the following people was in getting you to go to treatment or counseling at (PROGRAM). Was your . . . (READ CATEGORY a-g) very important, somewhat important, or not important (in getting you to go there)?

friend or associate, including a co-worker or employer

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	14.8	266	1	Very important
11.3	11.0	197	2	Somewhat important
64.8	62.9	1,131	3	Not important
8.7	8.4	152	4	NA (Not applicable)
	2.2	39	-6	LEGITIMATE SKIP
	0.7	12	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 137-138

B8D	B8D IMPORTANCE OF NURSE, DOCTOR IN
------------	---

How important would you say each of the following people was in getting you to go to treatment or counseling at (PROGRAM). Was your . . . (READ CATEGORY a-g) very important, somewhat important, or not important (in getting you to go there)?

nurse, doctor, social worker, counselor, or somebody like that

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	16.0	288	1	Very important
8.4	8.1	146	2	Somewhat important
65.1	62.9	1,132	3	Not important
9.9	9.6	173	4	NA (Not applicable)
	2.2	39	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
	0.3	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 139-140

B8E**B8E IMPORTANCE OF PROBATION OFFICE**

How important would you say each of the following people was in getting you to go to treatment or counseling at (PROGRAM). Was your . . . (READ CATEGORY a-g) very important, somewhat important, or not important (in getting you to go there)?

probation or parole officer, judge, attorney, or somebody like that

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	24.3	438	1	Very important
6.3	6.1	110	2	Somewhat important
53.1	51.4	924	3	Not important
15.4	14.8	267	4	NA (Not applicable)
	2.2	39	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
	0.3	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 141-142

B8F IMPORTANCE OF TEACHER/COUNSELO

How important would you say each of the following people was in getting you to go to treatment or counseling at (PROGRAM). Was your . . . (READ CATEGORY a-g) very important, somewhat important, or not important (in getting you to go there)?

teacher, school counselor, or someone else at school you had attended or were attending

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.2	57	1	Very important
3.4	3.3	60	2	Somewhat important
71.4	69.1	1,243	3	Not important
21.9	21.2	381	4	NA (Not applicable)
	2.2	39	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 143-144

B8G IMPORTANCE OF ANY ONE ELSE IN

How important would you say each of the following people was in getting you to go to treatment or counseling at (PROGRAM). Was your . . . (READ CATEGORY a-g) very important, somewhat important, or not important (in getting you to go there)?

anyone else

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	18.6	335	1	Very important
2.0	1.9	35	2	Somewhat important
60.0	57.0	1,026	3	Not important
18.3	17.4	313	4	NA (Not applicable)
	2.2	39	-6	LEGITIMATE SKIP
	2.7	49	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 145-146

B9A**B9A FEEL PRESSURED BY JUDGE, PAROL**

When you went to treatment at (PROGRAM) (that time), did your reasons for going include . . .

feeling pressured by a judge, a parole or probation officer, the police, or someone like that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.1	29.0	522	1	Yes
65.0	62.6	1,127	2	No
5.0	4.8	86	3	NA (Not applicable)
	2.2	39	-6	LEGITIMATE SKIP
	1.1	19	-3	MISSING
	0.3	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 147-148

B9B**B9B ANY PROBLEMS WITH HEALTH**

When you went to treatment at (PROGRAM) (that time), did your reasons for going include . . .

any problems you had with your health then?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	24.3	437	1	Yes
73.5	71.0	1,277	2	No
1.3	1.3	23	3	NA (Not applicable)
	2.2	39	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
	0.3	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 149-150

B9C FEEL PRESSURE FROM RELATIONSHI

When you went to treatment at (PROGRAM) (that time), did your reasons for going include . . .

feeling pressured to or wanting to save a relationship, such as with your spouse or partner, your parents, your children or another family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.2	46.5	837	1	Yes
50.5	48.8	878	2	No
1.3	1.2	22	3	NA (Not applicable)
	2.2	39	-6	LEGITIMATE SKIP
	1.1	19	-3	MISSING
	0.2	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 151-152

B9D FEELING PRESSURED BY EMPLOYER

When you went to treatment at (PROGRAM) (that time), did your reasons for going include . . .

feeling pressured by your employer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	7.3	132	1	Yes
86.7	83.5	1,502	2	No
5.7	5.5	99	3	NA (Not applicable)
	2.2	39	-6	LEGITIMATE SKIP
	1.2	22	-3	MISSING
	0.2	4	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 153-154

B9E**B9E ANY FINANCIAL PROBLEMS THEN**

When you went to treatment at (PROGRAM) (that time), did your reasons for going include . . .

any financial problems you had then?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.9	27.8	501	1	Yes
68.3	65.7	1,182	2	No
2.8	2.7	48	3	NA (Not applicable)
	2.2	39	-6	LEGITIMATE SKIP
	1.2	21	-3	MISSING
	0.3	6	-2	DON'T KNOW
	0.1	2	-1	REFUSED

 100.0 100.0 1,799 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 155-156

B9F**B9F ANY OTHER REASONS (SPECIFY)**

When you went to treatment at (PROGRAM) (that time), did your reasons for going include . . .

any other reasons I didn't ask about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.5	29.9	538	1	Yes
66.3	63.0	1,133	2	No
2.3	2.2	39	3	NA (Not applicable)
	2.2	39	-6	LEGITIMATE SKIP
	2.5	45	-3	MISSING
	0.3	5	-2	DON'T KNOW

 100.0 100.0 1,799 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 157-158

B10 DID R COMPLETE PROGRAM

Did you complete the treatment plan at (PROGRAM) (then)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.1	66.1	1,190	1	Yes
29.9	28.2	507	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.1	2	-5	NOT APPLICABLE
	1.6	28	-3	MISSING
	1.8	32	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 159-160

B11 AGREE WITH COUNSELOR

Now, I'm going to ask about staff persons that you usually saw for counseling or treatment at (PROGRAM). Please think about the staff person that you talked to the most.

In general, how much did you and that person agree about things you might need to change in your life in order to stay drug free or alcohol free, such as changing the place you lived, changing your friends, going back to school, or getting a new job? Would you say you and the staff person agreed . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.1	44.2	796	1	Very much
33.6	32.2	579	2	Somewhat
14.0	13.5	242	3	Not at all
6.3	6.0	108	4	DOESNT REMEMBER ANY STAFF PERSON
	2.2	39	-6	LEGITIMATE SKIP
	1.2	21	-3	MISSING
	0.7	13	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 161-162

B11A	B11A DID COUNSELOR UNDERSTAND PRPO
-------------	---

In general, how well do you feel that he/she understood the problems you might have had with alcohol or drugs? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.2	50.3	905	1	Very much
31.5	28.2	508	2	Somewhat
12.3	11.0	198	3	Not at all
	8.9	161	-6	LEGITIMATE SKIP
	0.1	2	-5	NOT APPLICABLE
	0.9	17	-3	MISSING
	0.4	8	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 163-164

B12	B12 R USE DRUGS/ALCOHOL WHILE IN P
------------	---

Now, I'm going to ask some questions about what was going on in your life while you were in (PROGRAM).

While you were in (PROGRAM) from (START DATE) to (END DATE), did you use any alcohol or any drugs, even one time, to get high or for non-medical purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.6	25.7	462	1	Yes
73.4	70.9	1,275	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
	0.4	7	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 165-166

B12A_1	INHALANTS
---------------	------------------

While you were in (PROGRAM), what was the main drug, including alcohol that you used? If you used a combination of drugs, please tell me all the main drugs that you used. (Code all mentions)

Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.4	8	1	Yes
98.3	25.3	456	2	No
	73.4	1,321	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 167-168

B12A_2	ALCOHOL
---------------	----------------

While you were in (PROGRAM), what was the main drug, including alcohol that you used? If you used a combination of drugs, please tell me all the main drugs that you used. (Code all mentions)

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.1	16.0	288	1	Yes
37.9	9.8	176	2	No
	73.4	1,321	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 169-170

B12A_3**MARIJUANA/HASHISH**

While you were in (PROGRAM), what was the main drug, including alcohol that you used? If you used a combination of drugs, please tell me all the main drugs that you used. (Code all mentions)

Marijuana / hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	8.9	161	1	Yes
65.3	16.8	303	2	No
	73.4	1,321	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 171-172

B12A_4**CRACK**

While you were in (PROGRAM), what was the main drug, including alcohol that you used? If you used a combination of drugs, please tell me all the main drugs that you used. (Code all mentions)

Crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	2.9	52	1	Yes
88.8	22.9	412	2	No
	73.4	1,321	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 173-174

B12A_5 **COCAINE POWDER**

While you were in (PROGRAM), what was the main drug, including alcohol that you used? If you used a combination of drugs, please tell me all the main drugs that you used. (Code all mentions)

Cocaine Powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	7.2	130	1	Yes
72.0	18.6	334	2	No
	73.4	1,321	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 175-176

B12A_6 **PCP OR 'ANGEL DUST'**

While you were in (PROGRAM), what was the main drug, including alcohol that you used? If you used a combination of drugs, please tell me all the main drugs that you used. (Code all mentions)

PCP or "Angel Dust"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.3	6	1	Yes
98.7	25.5	458	2	No
	73.4	1,321	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 177-178

B12A_7**HALLUCINOGEN, PSYCHEDELICS/LSD**

While you were in (PROGRAM), what was the main drug, including alcohol that you used? If you used a combination of drugs, please tell me all the main drugs that you used. (Code all mentions)

Hallucinogen, Psychedelics or LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.9	17	1	Yes
96.3	24.8	447	2	No
	73.4	1,321	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 179-180

B12A_8**HEROIN**

While you were in (PROGRAM), what was the main drug, including alcohol that you used? If you used a combination of drugs, please tell me all the main drugs that you used. (Code all mentions)

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.5	7.6	137	1	Yes
70.5	18.2	327	2	No
	73.4	1,321	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 181-182

B12A_9 **ILLEGAL METHADONE**

While you were in (PROGRAM), what was the main drug, including alcohol that you used? If you used a combination of drugs, please tell me all the main drugs that you used. (Code all mentions)

Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.5	9	1	Yes
98.1	25.3	455	2	No
	73.4	1,321	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 183-184

B12A_10 **OTHER NARCOTICS**

While you were in (PROGRAM), what was the main drug, including alcohol that you used? If you used a combination of drugs, please tell me all the main drugs that you used. (Code all mentions)

Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.9	17	1	Yes
96.3	24.8	447	2	No
	73.4	1,321	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 185-186

B12A_11**METHAMPHETAMINES**

While you were in (PROGRAM), what was the main drug, including alcohol that you used? If you used a combination of drugs, please tell me all the main drugs that you used. (Code all mentions)

Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	1.3	24	1	Yes
94.8	24.5	440	2	No
	73.4	1,321	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 187-188

B12A_12**DOWNERS**

While you were in (PROGRAM), what was the main drug, including alcohol that you used? If you used a combination of drugs, please tell me all the main drugs that you used. (Code all mentions)

Downers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	1.9	35	1	Yes
92.5	23.8	429	2	No
	73.4	1,321	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 189-190

B12A_13 **OTHER DRUG (SPECIFY)**

While you were in (PROGRAM), what was the main drug, including alcohol that you used? If you used a combination of drugs, please tell me all the main drugs that you used. (Code all mentions)

Other drug

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	1.0	18	1	Yes
96.1	24.8	446	2	No
	73.4	1,321	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 191-192

B12B **B12B GET HIGH FIVE TIMES OR MORE I**

While you were in (PROGRAM), did you use (DRUGS FROM 12A) to get high five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.4	16.1	289	1	Yes
37.6	9.7	174	2	No
	73.4	1,321	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 193-194

B12C	B12C # DAYS/MONTH DRUGS WERE USED
-------------	--

About how many days during an average month did you use (DRUGS FROM B12A) to get high or for other non-medical effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.4	7	1	
18.5	2.9	53	2	
20.3	3.2	58	3	
17.5	2.8	50	4	
15.7	2.5	45	5	
25.5	4.1	73	6	
	83.2	1,497	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 195-196

B13	B13 R HAVE PHYSICAL EXAM
------------	---------------------------------

When you first went to (PROGRAM) in (START DATE), did you get a physical examination, done by a doctor or a nurse, that was provided by the program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.9	61.9	1,113	1	Yes
34.1	32.0	575	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
	3.2	57	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 197-198

B14 R RECEIVE MEDICAL CARE IN PRO

While you were in (PROGRAM), did you receive any (other) medical care, (besides an admission physical), that was provided by the program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.1	23.3	419	1	Yes
75.9	73.2	1,316	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
	0.7	12	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 199-200

B15 STATE OF HEALTH WHILE IN PROGR

While you were in (PROGRAM) from (START DATE) to (END DATE), would you say your health was . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.8	22.1	398	1	Excellent
43.5	42.1	758	2	Good
23.4	22.6	407	3	Fair
10.3	10.0	180	4	Poor
	2.2	39	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.2	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 201-202

B16**B16 ANY MEDICINES PRESCRIBED**

While you were in (PROGRAM), did you take any medicines prescribed for you by a doctor for drug or alcohol problems, such as deipramine, methadone, or antabuse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	27.0	485	1	Yes
71.9	68.9	1,239	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
	1.2	22	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 203-204

B16A**B16A IS THIS A METHADONE PROGRAM**

Is (PROGRAM) a methadone program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.8	12.2	219	1	Yes
54.2	14.4	259	2	No
	72.3	1,301	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 205-206

B16B **B16B AMOUNT OF METHADONE GIVEN**

While you were in (PROGRAM) in general, would you say that the doses of methadone you were prescribed were too high, the right amount, or too low?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	1.4	26	1	Too high
65.7	7.8	140	2	The right amount
22.1	2.6	47	3	Too low
	86.8	1,562	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	0.9	17	-3	MISSING
	0.3	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 207-208

B17 **B17 ANY OTHER MEDICINES PRESCRIBED**

(Other than the medicines prescribed for you by a doctor for drug or alcohol problems that you just told me about), While you were in (PROGRAM), did you take any (other) medicines prescribed for you by a doctor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	25.4	457	1	Yes
73.5	70.5	1,269	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
	0.9	17	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 209-210

B18**B18 R ATTEND AA/NA/CA MEETINGS**

While you were in (PROGRAM), for what period of time did you attend AA/NA/CA? Was it . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.7	21.9	394	1	Never
33.0	31.9	573	2	Less than one month
30.3	29.2	526	3	1 month to less than 6 months
9.7	9.4	169	4	6 months to less than one year
3.0	2.9	52	5	1-2 years
0.6	0.6	10	6	3-4 years, or
0.6	0.6	10	7	5 years or more
	2.2	39	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
	0.6	10	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 211-212

B18AA**B18AA R ATTEND AA MEETINGS**

While you were in (PROGRAM), how often did you attend AA (Alcoholics Anonymous) meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	6.4	115	1	Never
6.5	4.8	87	2	Less than once a week
18.2	13.5	243	3	Once a week
66.6	49.3	887	4	More than once a week
	24.1	433	-6	LEGITIMATE SKIP
	1.1	19	-3	MISSING
	0.8	15	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 213-214

B18AB **B18AB R ATTEND NA MEETINGS**

While you were in (PROGRAM), how often did you attend AA (Narcotics Anonymous) meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	27.7	498	1	Never
7.8	5.7	102	2	Less than once a week
14.7	10.7	193	3	Once a week
39.6	29.0	521	4	More than once a week
	24.1	433	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	1.8	33	-3	MISSING
	1.0	18	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 215-216

B18AC **B18AC R ATTEND CA MEETINGS**

While you were in (PROGRAM), how often did you attend AA (Cocaine Anonymous) meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.9	56.5	1,016	1	Never
3.2	2.3	42	2	Less than once a week
3.9	2.8	51	3	Once a week
15.0	10.9	196	4	More than once a week
	24.1	433	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	2.0	36	-3	MISSING
	1.3	24	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 217-218

B19A**B19A DID TREATMENT HELP IMPROVE HE**

Did the treatment or counseling you received at (PROGRAM)
help you improve your health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.2	61.7	1,110	1	Yes
35.8	34.5	620	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.1	2	-5	NOT APPLICABLE
	0.8	14	-3	MISSING
	0.7	13	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 219-220

B19B**B19B TREATMENT HELP NERVES, EMOTIO**

Did the treatment or counseling you received at (PROGRAM)
help you in any way get help with problems you had with
your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.5	57.3	1,030	1	Yes
40.5	38.9	700	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.1	2	-5	NOT APPLICABLE
	0.8	14	-3	MISSING
	0.7	13	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 221-222

B19C TREATMENT HELP JOB SKILLS

Did the treatment or counseling you received at (PROGRAM) help you get a job, hold a job, or improve your job skills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.6	29.5	531	1	Yes
69.4	67.1	1,207	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.1	2	-5	NOT APPLICABLE
	0.8	14	-3	MISSING
	0.3	5	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 223-224

B19D TREATMENT HELP WITH FINANCIAL

Did the treatment or counseling you received at (PROGRAM) help you with any financial problems you had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	23.1	415	1	Yes
76.1	73.4	1,320	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.1	2	-5	NOT APPLICABLE
	0.9	17	-3	MISSING
	0.3	5	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 225-226

B19E**B19E TREATMENT HELP GET ADDITIONAL**

Did the treatment or counseling you received at (PROGRAM)
help you get additional training or education?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.2	15.6	281	1	Yes
83.8	81.0	1,457	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.1	2	-5	NOT APPLICABLE
	0.9	16	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 227-228

B19F**B19F TREATMENT HELP WITH LEGAL PRO**

Did the treatment or counseling you received at (PROGRAM)
help you with any legal problems you had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	21.0	377	1	Yes
78.2	75.2	1,353	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.1	2	-5	NOT APPLICABLE
	1.2	22	-3	MISSING
	0.3	5	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 229-230

B19G TREATMENT IMPROVE FAMILY RELA

Did the treatment or counseling you received at (PROGRAM) help you improve your family relationships?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.1	56.0	1,007	1	Yes
41.9	40.3	725	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.1	2	-5	NOT APPLICABLE
	0.9	17	-3	MISSING
	0.4	7	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 231-232

B19H TREATMENT HELP WITH FUTURE PL

Did the treatment or counseling you received at (PROGRAM) help you plan your future, including how to handle problems, after you left treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.4	54.3	977	1	Yes
43.6	42.0	755	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.1	2	-5	NOT APPLICABLE
	1.0	18	-3	MISSING
	0.4	7	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 233-234

B19I**B19I TREATMENT HELP ANYTHING ELSE**

Did the treatment or counseling you received at (PROGRAM) help you with anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	20.7	373	1	Yes
78.2	74.3	1,337	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.1	2	-5	NOT APPLICABLE
	2.1	38	-3	MISSING
	0.5	9	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 235-236

B20**B20 HOW HELPFUL WAS TREATMENT COUN**

Overall, how helpful would you say the treatment or counseling you received at (PROGRAM) was (then)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	42.2	759	1	Very helpful
39.1	37.7	678	2	Somewhat helpful
17.2	16.6	299	3	Not at all helpful
	2.2	39	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
	0.4	8	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 237-238

BOX20A	BOX 20A
---------------	----------------

CODE ONE ONLY.

NO YELLOW PERIOD ON CALENDAR (NO SROS EPISODE / NO FACE SHEET PROGRAM) . . . USE JANUARY 1990 AS DEFAULT DATE FOR REST OF QUESTIONNAIRE

YELLOW PERIOD ON CALENDAR . . . USE START/END DATES FROM FACE SHEET FOR REST OF QUESTIONNAIRE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	97.8	1,760	2	USE START/END DATES FROM FACE SHEET FOR
	2.2	39	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 239-240

B21CODE	B21CODE	# OF TIMES R ENROLLED
---------	---------	-----------------------

Now, I'd like you to think about any treatment or counseling for drinking or using drugs you had in your lifetime before [you went to (PROGRAM)/January 1990]. [That's the time on the calendar before the yellow period.]

Before [you went to (PROGRAM) in (START DATE)/January 1990], how many separate times did you enter treatment for drinking or using drugs? By enter, I mean each time you enrolled in or started treatment and not the number of visits you may have made to a program, doctor, or counselor.

Please count any time you spent in an aftercare program as part of the treatment you enrolled in and not as a separate time you entered treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.2	54.7	984	0	None
21.0	20.8	374	1	One time
10.1	9.9	179	2	Two times
5.3	5.3	95	3	Three times
2.2	2.2	40	4	Four times
1.3	1.3	24	5	Five times
3.3	3.2	58	6	6-10 times
0.6	0.6	11	7	11-15 times
0.6	0.6	10	8	16-30 times
0.3	0.3	6	9	31 times or more
	0.1	1	-5	NOT APPLICABLE
	0.4	7	-3	MISSING
	0.3	5	-2	DON'T KNOW
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 241-242

B21BYR B21BY YEAR R ENTERED PROGRAM

In what month and year did you enter (PROGRAM FROM B21A)
(the first time)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	52	
0.1	0.1	1	60	
0.1	0.1	1	62	
0.1	0.1	1	64	
0.3	0.1	2	65	
0.5	0.2	4	67	
0.5	0.2	4	68	
1.1	0.4	8	70	
1.1	0.4	8	71	
1.3	0.6	10	72	
0.9	0.4	7	73	
1.5	0.6	11	74	
2.4	1.0	18	75	
1.9	0.8	14	76	
1.2	0.5	9	77	
2.1	0.9	16	78	
2.9	1.2	22	79	
2.1	0.9	16	80	
3.3	1.4	25	81	
3.6	1.5	27	82	
3.9	1.6	29	83	
6.7	2.8	50	84	
10.0	4.2	75	85	
8.8	3.7	66	86	
9.9	4.1	74	87	
13.0	5.4	97	88	
17.0	7.1	127	89	
3.1	1.3	23	90	
0.1	0.1	1	92	
	55.3	995	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
	2.7	48	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 243-244

B21C**B21C HOW HELPFUL WAS THE TREATMENT**

Overall, how helpful would you say the treatment or counseling you received at (PROGRAM FROM B21A) was (then)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	16.2	291	1	Very helpful
34.9	15.3	276	2	Somewhat helpful
28.2	12.4	223	3	Not at all helpful
	55.3	995	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
	0.4	8	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 245-246

B21D**B21D DATE CHECK**

IS DATE IN B21B MORE THAN 5 YEARS BEFORE SROS TREATMENT DATE?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.7	16.5	296	1	Yes
62.3	27.2	490	2	No
	55.3	995	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
	0.4	8	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 247-248

B21D2 R ATTEND ONLY ONE PROGRAM

DID R ONLY ATTEND ONE PROGRAM PRIOR TO (PROGRAM)?
 DOES QB21 = 01?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	4.7	84	1	Yes
72.6	12.4	223	2	No
	82.5	1,485	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 249-250

B21ECOD B21ECODE # OF TIMES R ENROLLED

Now, thinking about the time five years before [you went to (PROGRAM) in (START DATE)/January 1990], [in addition to the first program you went to], how many separate times did you enter treatment for drinking or using drugs? (IF NECESSARY: By enter, I mean each time you enrolled in or started treatment and not the number of visits you may have made to a program, doctor, or counselor.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.4	3.2	57	0	None
23.7	2.9	53	1	One time
17.4	2.2	39	2	Two times
10.3	1.3	23	3	Three times
3.6	0.4	8	4	Four times
6.7	0.8	15	5	Five times
8.5	1.1	19	6	6-10 times
2.7	0.3	6	7	11-15 times
1.3	0.2	3	8	16-30 times
0.4	0.1	1	9	31-50
	87.2	1,569	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 251-252

B21GY	B21GY YEAR R ENTERED PROGRAM
--------------	-------------------------------------

In what month and year did you enter (PROGRAM FROM B21F)
(the first time)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.1	1	72	
0.7	0.1	1	74	
0.7	0.1	1	76	
0.7	0.1	1	77	
1.3	0.1	2	78	
2.0	0.2	3	79	
0.7	0.1	1	80	
1.3	0.1	2	81	
4.6	0.4	7	82	
3.3	0.3	5	83	
11.8	1.0	18	84	
30.3	2.6	46	85	
9.2	0.8	14	86	
16.4	1.4	25	87	
6.6	0.6	10	88	
5.9	0.5	9	89	
2.0	0.2	3	90	
0.7	0.1	1	92	
1.3	0.1	2	94	
	90.4	1,627	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.9	16	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 253-254

B23A**B23A INPATIENT PROGRAM**

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], were any of the programs you enrolled in for treatment . . . inpatient?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.1	25.5	459	1	Yes
30.9	11.4	205	2	No
	58.5	1,053	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	4.2	76	-3	MISSING
	0.3	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 259-260

B23B**B23B RESIDENTIAL PROGRAM**

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], were any of the programs you enrolled in for treatment . . . residential?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.9	12.5	224	1	Yes
64.1	22.2	400	2	No
	58.5	1,053	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	6.4	115	-3	MISSING
	0.3	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 261-262

B23E**B23E SOMETHING ELSE (SPECIFY)**

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], were any of the programs you enrolled in for treatment . . . something else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	2.0	36	1	Yes
94.0	31.6	569	2	No
	58.5	1,053	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	7.4	133	-3	MISSING
	0.4	7	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 267-268

B24A**B24A PROGRAM ARRANGE FOR MEDICAL C**

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], did any of the places you went to for alcohol or drug treatment provide you with or arrange for you to get . . . medical care (besides an admission physical)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.1	15.3	276	1	Yes
59.9	22.9	412	2	No
	58.5	1,053	-6	LEGITIMATE SKIP
	3.0	54	-3	MISSING
	0.2	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 269-270

B24B PROGRAM ARRANGE FOR COUNSELIN

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], did any of the places you went to for alcohol or drug treatment provide you with or arrange for you to get . . . counseling or treatment for problems with your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.5	23.2	418	1	Yes
39.5	15.2	273	2	No
	58.5	1,053	-6	LEGITIMATE SKIP
	2.9	53	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 271-272

B24C PROGRAM ARRANGE FOR CLASSES

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], did any of the places you went to for alcohol or drug treatment provide you with or arrange for you to get . . . classes or lessons to help you get a job, hold a job, or improve your job skills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	7.9	142	1	Yes
79.3	30.2	544	2	No
	58.5	1,053	-6	LEGITIMATE SKIP
	3.1	55	-3	MISSING
	0.3	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 273-274

B25**B25 HOW LONG DID R ATTEND AA/NA/CA**

Excluding any treatment episodes, in the five years before you went to (PROGRAM) in (START DATE)/January 1990, for what period of time did you attend AA/NA/CA? Was it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	14.0	252	1	Never
15.4	5.9	106	2	Less than one month
18.7	7.2	129	3	1 month to less than 6 months
11.0	4.2	76	4	6 months to less than one year
8.9	3.4	61	5	1-2 years
4.1	1.6	28	6	3-4 years
5.4	2.1	37	7	5 years or more
	58.5	1,053	-6	LEGITIMATE SKIP
	2.9	53	-3	MISSING
	0.2	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 275-276

B25AA**B25AA HOW OFTEN DID R ATTEND AA**

Excluding any treatment episodes, in the five years before you went to (PROGRAM) in (START DATE)/January 1990, how often did you attend . . . AA (Alcoholics Anonymous) meetings -- never, less than once a week, once a week, or more than once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	3.3	60	1	Never
18.3	4.4	80	2	Less than once a week
19.9	4.8	87	3	Once a week
48.1	11.7	210	4	More than once a week
	72.5	1,305	-6	LEGITIMATE SKIP
	3.0	54	-3	MISSING
	0.2	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 277-278

B26**B26 R RECEIVE COUNSELING AFTER PRO**

After [you left (PROGRAM) in (END DATE)/January 1990], and until now, have you received treatment or counseling for drinking or using drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	52.4	943	1	Yes
47.1	46.6	839	2	No
	0.5	9	-3	MISSING
	0.3	5	-2	DON'T KNOW
	0.2	3	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 283-284

B26A**B26A R RECEIVING COUNSELING NOW**

Right now, are you receiving treatment or counseling for drinking or using drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.2	16.9	304	1	Yes
67.8	35.5	639	2	No
	47.1	847	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 285-286

B27CODE	B27CODE # OF TIMES R ENROLLED
----------------	--------------------------------------

[Including the treatment or counseling you're receiving now], After [you left (PROGRAM) in (END MONTH YEAR)/January 1990]] and until now, how many separate times have you entered treatment for drinking or using drugs? By enter, I mean each time you enrolled in or started treatment and not the number of visits you may have made to a program, doctor, or counselor.

Please count ay time you spent in an aftercare program as part of the treatment you enrolled in and not as a separate time you entered treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.3	26.0	468	1	One time
24.4	12.6	227	2	Two times
11.4	5.9	106	3	Three times
5.7	2.9	53	4	Four times
3.2	1.7	30	5	Five times
3.9	2.0	36	6	6-10 times
0.4	0.2	4	7	11-15 times
0.4	0.2	4	8	16-30 times
0.2	0.1	2	9	31 times or more
	47.1	847	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	0.7	13	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 287-288

B29A	B29A TYPE OF TREATMENT OR HELP
-------------	---------------------------------------

Was the treatment or help you received inpatient, residential, outpatient (non-methadone), methadone, or something else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.1	21.1	379	1	Inpatient
16.4	8.4	151	2	Residential
27.1	13.9	250	3	Outpatient (non-methadone)
13.1	6.7	121	4	Methadone
2.4	1.2	22	5	Something else
	47.5	855	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	1.1	20	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 289-290

B29B	B29B LENGTH OF TREATMENT
-------------	---------------------------------

How long were you in treatment at that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.6	13.7	246	1	Less than one month
19.5	10.1	181	2	One month
16.6	8.6	154	3	2-3 months
7.8	4.0	72	4	4-5 months
7.3	3.8	68	5	6-8 months
5.3	2.7	49	6	9-11 months
16.8	8.7	156	7	12 months or more
	47.5	855	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 291-292

B29C_1	INHALANTS
---------------	------------------

What drug was your main drug or drug combination?
 (Code all mentions)

Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.8	14	1	Yes
98.5	51.0	917	2	No
	47.5	855	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 293-294

B29C_2	ALCOHOL
---------------	----------------

What drug was your main drug or drug combination?
 (Code all mentions)

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.7	30.9	556	1	Yes
40.3	20.8	375	2	No
	47.5	855	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 295-296

B29C_3**MARIJUANA/HASHISH**

What drug was your main drug or drug combination?
(Code all mentions)

Marijuana / hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	10.9	196	1	Yes
78.9	40.9	735	2	No
	47.5	855	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 297-298

B29C_4**CRACK**

What drug was your main drug or drug combination?
(Code all mentions)

Crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	12.4	223	1	Yes
76.0	39.4	708	2	No
	47.5	855	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 299-300

B29C_5	COCAINE POWDER
---------------	-----------------------

What drug was your main drug or drug combination?
(Code all mentions)

Cocaine powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	13.6	244	1	Yes
73.8	38.2	687	2	No
	47.5	855	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 301-302

B29C_6	PCP OR 'ANGEL DUST'
---------------	----------------------------

What drug was your main drug or drug combination?
(Code all mentions)

PCP or "Angel Dust"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.5	9	1	Yes
99.0	51.3	922	2	No
	47.5	855	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 303-304

B29C_7**HALLUCINOGENS, PSYCHEDELICS/LSD**

What drug was your main drug or drug combination?
(Code all mentions)

Hallucinogens, Psychedelics / LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	1.7	31	1	Yes
96.7	50.0	900	2	No
	47.5	855	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 305-306

B29C_8**HEROIN**

What drug was your main drug or drug combination?
(Code all mentions)

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	13.1	235	1	Yes
74.8	38.7	696	2	No
	47.5	855	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 307-308

B29C_9	ILLEGAL METHADONE
---------------	--------------------------

What drug was your main drug or drug combination?
(Code all mentions)

Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.9	16	1	Yes
98.3	50.9	915	2	No
	47.5	855	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 309-310

B29C_10	OTHER NARCOTICS
----------------	------------------------

What drug was your main drug or drug combination?
(Code all mentions)

Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	1.8	33	1	Yes
96.5	49.9	898	2	No
	47.5	855	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 311-312

B29C_11**METHAMPHETAMINES**

What drug was your main drug or drug combination?
(Code all mentions)

Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	3.0	54	1	Yes
94.2	48.7	877	2	No
	47.5	855	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 313-314

B29C_12**DOWNERS**

What drug was your main drug or drug combination?
(Code all mentions)

Downers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	2.3	41	1	Yes
95.6	49.5	890	2	No
	47.5	855	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 315-316

B29C_13	OTHER DRUG (SPECIFY)
----------------	-----------------------------

What drug was your main drug or drug combination?
 (Code all mentions)

Other drug

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	1.9	35	1	Yes
96.2	49.8	896	2	No
	47.5	855	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 317-318

B29C_14	NO DRUGS/ALCOHOL
----------------	-------------------------

What drug was your main drug or drug combination?
 (Code all mentions)

NO DRUGS / ALCOHOL

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	1.2	22	1	Yes
97.6	50.5	909	2	No
	47.5	855	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 319-320

B30A	B30A TYPE OF TREATMENT OR HELP
-------------	---------------------------------------

Was the treatment or help you received inpatient, residential, outpatient (non-methadone), methadone, or something else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.6	12.6	226	1	Inpatient
17.8	4.5	81	2	Residential
19.1	4.8	87	3	Outpatient (non-methadone)
12.5	3.2	57	4	Methadone
1.1	0.3	5	5	Something else
	73.5	1,323	-6	LEGITIMATE SKIP
	1.1	20	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 321-322

B30B	B30B LENGTH OF TREATMENT
-------------	---------------------------------

How long were you in treatment at that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.7	9.6	173	1	Less than one month
18.5	4.7	85	2	One month
14.4	3.7	66	3	2-3 months
7.8	2.0	36	4	4-5 months
8.9	2.3	41	5	6-8 months
3.9	1.0	18	6	9-11 months
8.7	2.2	40	7	12 months or more
	73.5	1,323	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 323-324

B30C_1**INHALANTS**

What drug was your main drug or drug combination?

Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.4	8	1	Yes
98.3	25.0	450	2	No
	73.5	1,323	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 325-326

B30C_2**ALCOHOL**

What drug was your main drug or drug combination?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.3	14.8	267	1	Yes
41.7	10.6	191	2	No
	73.5	1,323	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 327-328

B30C_3**MARIJUANA/HASHISH**

What drug was your main drug or drug combination?

Marijuana / hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	5.2	94	1	Yes
79.5	20.2	364	2	No
	73.5	1,323	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 329-330

B30C_4**CRACK**

What drug was your main drug or drug combination?

Crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	7.0	126	1	Yes
72.5	18.5	332	2	No
	73.5	1,323	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 331-332

B30C_5	COCAINE POWDER
---------------	-----------------------

What drug was your main drug or drug combination?

Cocaine powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.8	7.3	132	1	Yes
71.2	18.1	326	2	No
	73.5	1,323	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 333-334

B30C_6	PCP OR 'ANGEL DUST'
---------------	----------------------------

What drug was your main drug or drug combination?

PCP or "Angel Dust"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.3	5	1	Yes
98.9	25.2	453	2	No
	73.5	1,323	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 335-336

B30C_7**HALLUCINOGENS, PSYCHEDELICS/LSD**

What drug was your main drug or drug combination?

Hallucinogens, Psychedelics / LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.9	17	1	Yes
96.3	24.5	441	2	No
	73.5	1,323	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 337-338

B30C_8**HEROIN**

What drug was your main drug or drug combination?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.1	7.7	138	1	Yes
69.9	17.8	320	2	No
	73.5	1,323	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 339-340

B30C_9	ILLEGAL METHADONE
---------------	--------------------------

What drug was your main drug or drug combination?

Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.4	7	1	Yes
98.5	25.1	451	2	No
	73.5	1,323	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 341-342

B30C_10	OTHER NARCOTICS
----------------	------------------------

What drug was your main drug or drug combination?

Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	1.1	19	1	Yes
95.9	24.4	439	2	No
	73.5	1,323	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 343-344

B30C_11**METHAMPHETAMINES**

What drug was your main drug or drug combination?

Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	1.8	32	1	Yes
93.0	23.7	426	2	No
	73.5	1,323	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 345-346

B30C_12**DOWNERS**

What drug was your main drug or drug combination?

Downers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	1.5	27	1	Yes
94.1	24.0	431	2	No
	73.5	1,323	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 347-348

B30C_13	OTHER DRUG (SPECIFY)
----------------	-----------------------------

What drug was your main drug or drug combination?

Other drug

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	1.4	25	1	Yes
94.5	24.1	433	2	No
	73.5	1,323	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 349-350

B30C_14	NO DRUGS/ALCOHOL
----------------	-------------------------

What drug was your main drug or drug combination?

NO DRUGS / ALCOHOL

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.3	5	1	Yes
98.9	25.2	453	2	No
	73.5	1,323	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 351-352

B31A	B31A TYPE OF TREATMENT OR HELP
-------------	---------------------------------------

Was the treatment or help you received inpatient, residential, outpatient (non-methadone), methadone, or something else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.1	7.2	129	1	Inpatient
18.7	2.4	43	2	Residential
13.5	1.7	31	3	Outpatient (non-methadone)
10.9	1.4	25	4	Methadone
0.9	0.1	2	5	Something else
	86.2	1,550	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 353-354

B31B	B31B LENGTH OF TREATMENT
-------------	---------------------------------

How long were you in treatment at that time? Was it less than one month, one month, 2-3 months, 4-5 months, 6-8 months, 9-11 months, or 12 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	5.3	96	1	Less than one month
21.9	2.8	51	2	One month
15.9	2.1	37	3	2-3 months
5.6	0.7	13	4	4-5 months
5.2	0.7	12	5	6-8 months
3.0	0.4	7	6	9-11 months
7.3	0.9	17	7	12 months or more
	86.2	1,550	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 355-356

B31C_1	INHALANTS
---------------	------------------

What drug was your main drug or drug combination?

Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.2	4	1	Yes
98.3	12.6	227	2	No
	86.2	1,550	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 357-358

B31C_2	ALCOHOL
---------------	----------------

What drug was your main drug or drug combination?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.6	8.2	147	1	Yes
36.4	4.7	84	2	No
	86.2	1,550	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 359-360

B31C_3**MARIJUANA/HASHISH**

What drug was your main drug or drug combination?

Marijuana / hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	2.8	50	1	Yes
78.4	10.1	181	2	No
	86.2	1,550	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 361-362

B31C_4**CRACK**

What drug was your main drug or drug combination?

Crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	3.6	65	1	Yes
71.9	9.2	166	2	No
	86.2	1,550	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 363-364

B31C_5	COCAINE POWDER
---------------	-----------------------

What drug was your main drug or drug combination?

Cocaine powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.3	3.9	70	1	Yes
69.7	8.9	161	2	No
	86.2	1,550	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 365-366

B31C_6	PCP OR 'ANGEL DUST'
---------------	----------------------------

What drug was your main drug or drug combination?

PCP or "Angel Dust"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	1	1	Yes
99.6	12.8	230	2	No
	86.2	1,550	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 367-368

B31C_7**HALLUCINOGENS, PSYCHEDELICS/LSD**

What drug was your main drug or drug combination?

Hallucinogens, or Psychedelics / LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	0.8	14	1	Yes
93.9	12.1	217	2	No
	86.2	1,550	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 369-370

B31C_8**HEROIN**

What drug was your main drug or drug combination?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	3.7	67	1	Yes
71.0	9.1	164	2	No
	86.2	1,550	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 371-372

B31C_9	ILLEGAL METHADONE
---------------	--------------------------

What drug was your main drug or drug combination?

Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.1	2	1	Yes
99.1	12.7	229	2	No
	86.2	1,550	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 373-374

B31C_10	OTHER NARCOTICS
----------------	------------------------

What drug was your main drug or drug combination?

Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.4	7	1	Yes
97.0	12.5	224	2	No
	86.2	1,550	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 375-376

B31C_11**METHAMPHETAMINES**

What drug was your main drug or drug combination?

Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.8	15	1	Yes
93.5	12.0	216	2	No
	86.2	1,550	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 377-378

B31C_12**DOWNERS**

What drug was your main drug or drug combination?

Downers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.6	10	1	Yes
95.7	12.3	221	2	No
	86.2	1,550	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 379-380

B31C_13	OTHER DRUG (SPECIFY)
----------------	-----------------------------

What drug was your main drug or drug combination?

Other drug

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	1.0	18	1	Yes
92.2	11.8	213	2	No
	86.2	1,550	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 381-382

B31C_14	NO DRUGS/ALCOHOL
----------------	-------------------------

What drug was your main drug or drug combination?

NO DRUGS / ALCOHOL

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	12.8	231	2	No
	86.2	1,550	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 383-384

B32A	B32A TYPE OF TREATMENT OR HELP
-------------	---------------------------------------

Was the treatment or help you received inpatient, residential, outpatient (non-methadone), methadone, or something else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.4	4.3	78	1	Inpatient
16.0	1.1	20	2	Residential
10.4	0.7	13	3	Outpatient (non-methadone)
10.4	0.7	13	4	Methadone
0.8	0.1	1	5	Something else
	92.1	1,656	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 385-386

B32B	B32B LENGTH OF TREATMENT
-------------	---------------------------------

How long were you in treatment at that time? Was it less than one month, one month, 2-3 months, 4-5 months, 6-8 months, 9-11 months, or 12 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.2	3.0	54	1	Less than one month
20.8	1.4	26	2	One month
16.8	1.2	21	3	2-3 months
6.4	0.4	8	4	4-5 months
6.4	0.4	8	5	6-8 months
3.2	0.2	4	6	9-11 months
3.2	0.2	4	7	12 months or more
	92.1	1,656	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 387-388

B32C_1	INHALANTS
---------------	------------------

What drug was your main drug or drug combination?

Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.1	2	1	Yes
98.4	6.7	121	2	No
	92.1	1,656	-6	LEGITIMATE SKIP
	1.1	19	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 389-390

B32C_2	ALCOHOL
---------------	----------------

What drug was your main drug or drug combination?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.2	4.4	79	1	Yes
35.8	2.4	44	2	No
	92.1	1,656	-6	LEGITIMATE SKIP
	1.1	19	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 391-392

B32C_3**MARIJUANA/HASHISH**

What drug was your main drug or drug combination?

Marijuana / hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.6	1.6	29	1	Yes
76.4	5.2	94	2	No
	92.1	1,656	-6	LEGITIMATE SKIP
	1.1	19	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 393-394

B32C_4**CRACK**

What drug was your main drug or drug combination?

Crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	1.7	31	1	Yes
74.8	5.1	92	2	No
	92.1	1,656	-6	LEGITIMATE SKIP
	1.1	19	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 395-396

B32C_5	COCAINE POWDER
---------------	-----------------------

What drug was your main drug or drug combination?

Cocaine powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.1	2.3	42	1	Yes
65.9	4.5	81	2	No
	92.1	1,656	-6	LEGITIMATE SKIP
	1.1	19	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 397-398

B32C_6	PCP OR 'ANGEL DUST'
---------------	----------------------------

What drug was your main drug or drug combination?

PCP or "Angel Dust"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.1	2	1	Yes
98.4	6.7	121	2	No
	92.1	1,656	-6	LEGITIMATE SKIP
	1.1	19	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 399-400

B32C_7**HALLUCINOGENS, PSYCHEDELICS/LSD**

What drug was your main drug or drug combination?

Hallucinogens, Psychedelics / LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.4	8	1	Yes
93.5	6.4	115	2	No
	92.1	1,656	-6	LEGITIMATE SKIP
	1.1	19	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 401-402

B32C_8**HEROIN**

What drug was your main drug or drug combination?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.1	2.3	42	1	Yes
65.9	4.5	81	2	No
	92.1	1,656	-6	LEGITIMATE SKIP
	1.1	19	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 403-404

B32C_9	ILLEGAL METHADONE
---------------	--------------------------

What drug was your main drug or drug combination?

Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.1	2	1	Yes
98.4	6.7	121	2	No
	92.1	1,656	-6	LEGITIMATE SKIP
	1.1	19	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 405-406

B32C_10	OTHER NARCOTICS
----------------	------------------------

What drug was your main drug or drug combination?

Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	0.3	5	1	Yes
95.9	6.6	118	2	No
	92.1	1,656	-6	LEGITIMATE SKIP
	1.1	19	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 407-408

B32C_11**METHAMPHETAMINES**

What drug was your main drug or drug combination?

Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	0.4	7	1	Yes
94.3	6.4	116	2	No
	92.1	1,656	-6	LEGITIMATE SKIP
	1.1	19	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 409-410

B32C_12**DOWNERS**

What drug was your main drug or drug combination?

Downers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	0.3	6	1	Yes
95.1	6.5	117	2	No
	92.1	1,656	-6	LEGITIMATE SKIP
	1.1	19	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 411-412

B32C_13	OTHER DRUG (SPECIFY)
----------------	-----------------------------

What drug was your main drug or drug combination?

Other drug

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	0.3	6	1	Yes
95.1	6.5	117	2	No
	92.1	1,656	-6	LEGITIMATE SKIP
	1.1	19	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 413-414

B32C_14	NO DRUGS/ALCOHOL
----------------	-------------------------

What drug was your main drug or drug combination?

NO DRUGS / ALCOHOL

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.8	123	2	No
	92.1	1,656	-6	LEGITIMATE SKIP
	1.1	19	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 415-416

B33A	B33A TYPE OF TREATMENT OR HELP
-------------	---------------------------------------

Was the treatment or help you received inpatient, residential, outpatient (non-methadone), methadone, or something else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.6	2.9	53	1	Inpatient
9.7	0.4	7	2	Residential
5.6	0.2	4	3	Outpatient (non-methadone)
11.1	0.4	8	4	Methadone
	95.0	1,709	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 417-418

B33B	B33B LENGTH OF TREATMENT
-------------	---------------------------------

How long were you in treatment at that time? Was it less than one month, one month, 2-3 months, 4-5 months, 6-8 months, 9-11 months, or 12 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.1	2.1	38	1	Less than one month
19.2	0.8	14	2	One month
12.3	0.5	9	3	2-3 months
4.1	0.2	3	4	4-5 months
5.5	0.2	4	5	6-8 months
2.7	0.1	2	6	9-11 months
4.1	0.2	3	7	12 months or more
	95.0	1,709	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 419-420

B33C_1	INHALANTS
---------------	------------------

What drug was your main drug or drug combination?

Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.1	1	1	Yes
98.7	4.1	74	2	No
	95.0	1,709	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 421-422

B33C_2	ALCOHOL
---------------	----------------

What drug was your main drug or drug combination?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	2.8	50	1	Yes
33.3	1.4	25	2	No
	95.0	1,709	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 423-424

B33C_3**MARIJUANA/HASHISH**

What drug was your main drug or drug combination?

Marijuana / hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.8	15	1	Yes
80.0	3.3	60	2	No
	95.0	1,709	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 425-426

B33C_4**CRACK**

What drug was your main drug or drug combination?

Crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.7	0.9	17	1	Yes
77.3	3.2	58	2	No
	95.0	1,709	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 427-428

B33C_5**COCAINE POWDER**

What drug was your main drug or drug combination?

Cocaine powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.3	1.2	22	1	Yes
70.7	2.9	53	2	No
	95.0	1,709	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 429-430

B33C_6**PCP OR 'ANGEL DUST'**

What drug was your main drug or drug combination?

PCP or "Angel Dust"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.2	75	2	No
	95.0	1,709	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 431-432

B33C_7**HALLUCINOGENS, PSYCHEDELICS/LSD**

What drug was your main drug or drug combination?

Hallucinogens, Psychedelics / LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.2	3	1	Yes
96.0	4.0	72	2	No
	95.0	1,709	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 433-434

B33C_8**HEROIN**

What drug was your main drug or drug combination?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	1.4	25	1	Yes
66.7	2.8	50	2	No
	95.0	1,709	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 435-436

B33C_9	ILLEGAL METHADONE
---------------	--------------------------

What drug was your main drug or drug combination?

Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.1	1	1	Yes
98.7	4.1	74	2	No
	95.0	1,709	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 437-438

B33C_10	OTHER NARCOTICS
----------------	------------------------

What drug was your main drug or drug combination?

Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.2	3	1	Yes
96.0	4.0	72	2	No
	95.0	1,709	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 439-440

B33C_11**METHAMPHETAMINES**

What drug was your main drug or drug combination?

Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.2	4	1	Yes
94.7	3.9	71	2	No
	95.0	1,709	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 441-442

B33C_12**DOWNERS**

What drug was your main drug or drug combination?

Downers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.2	3	1	Yes
96.0	4.0	72	2	No
	95.0	1,709	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 443-444

B33C_13	OTHER DRUG (SPECIFY)
----------------	-----------------------------

What drug was your main drug or drug combination?

Other drug

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.2	3	1	Yes
96.0	4.0	72	2	No
	95.0	1,709	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 445-446

B33C_14	NO DRUGS/ALCOHOL
----------------	-------------------------

What drug was your main drug or drug combination?

NO DRUGS / ALCOHOL

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.1	1	1	Yes
98.7	4.1	74	2	No
	95.0	1,709	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 447-448

B34A**B34A TREATMENT FACILITIES PROVIDE**

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, did any of the places you went to for alcohol or drug treatment provide you with or arrange for you to get . . . medical care, (besides an admission physical)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.8	20.3	366	1	Yes
60.2	30.8	554	2	No
	47.5	855	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.4	7	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 449-450

B34B**B34B TREATMENT FACILITIES PROVIDE**

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, did any of the places you went to for alcohol or drug treatment provide you with or arrange for you to get . . . counseling or treatment for problems with your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.0	33.3	599	1	Yes
35.0	18.0	323	2	No
	47.5	855	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
	0.2	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 451-452

B35AA	B35AA HOW OFTEN R ATTENDED AA MEET
--------------	---

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, how often did you attend . . . AA (Alcoholics Anonymous) meetings -- never, less than once a week, once a week, or more than once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	4.7	84	1	Never
17.3	7.4	133	2	Less than once a week
21.5	9.2	165	3	Once a week
50.2	21.4	385	4	More than once a week
	56.0	1,007	-6	LEGITIMATE SKIP
	1.1	20	-3	MISSING
	0.3	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 457-458

B35AB	B35AB HOW OFTEN R ATTENDED NA MEET
--------------	---

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, how often did you attend . . . NA (Narcotics Anonymous) meetings -- never, less than once a week, once a week, or more than once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.2	15.0	269	1	Never
18.5	7.8	141	2	Less than once a week
17.9	7.6	137	3	Once a week
28.4	12.1	217	4	More than once a week
	56.0	1,007	-6	LEGITIMATE SKIP
	1.3	23	-3	MISSING
	0.3	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 459-460

B41_1**INHALANTS**

When you went [to (PROGRAM FROM B37/here)] (then), what drug or drug combination, including alcohol, would you say was your main drug or drug combination?

Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.7	12	1	Yes
98.5	43.1	775	2	No
	54.4	979	-6	LEGITIMATE SKIP
	1.8	33	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 465-466

B41_2**ALCOHOL**

When you went [to (PROGRAM FROM B37/here)] (then), what drug or drug combination, including alcohol, would you say was your main drug or drug combination?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.3	27.7	498	1	Yes
36.7	16.1	289	2	No
	54.4	979	-6	LEGITIMATE SKIP
	1.8	33	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 467-468

B41_3 **MARIJUANA/HASHISH**

When you went [to (PROGRAM FROM B37/here)] (then), what drug or drug combination, including alcohol, would you say was your main drug or drug combination?

Marijuana / hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	9.4	170	1	Yes
78.4	34.3	617	2	No
	54.4	979	-6	LEGITIMATE SKIP
	1.8	33	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 469-470

B41_4 **CRACK**

When you went [to (PROGRAM FROM B37/here)] (then), what drug or drug combination, including alcohol, would you say was your main drug or drug combination?

Crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.1	10.6	190	1	Yes
75.9	33.2	597	2	No
	54.4	979	-6	LEGITIMATE SKIP
	1.8	33	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 471-472

B41_5**COCAINE POWDER**

When you went [to (PROGRAM FROM B37/here)] (then), what drug or drug combination, including alcohol, would you say was your main drug or drug combination?

Cocaine powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.7	12.1	218	1	Yes
72.3	31.6	569	2	No
	54.4	979	-6	LEGITIMATE SKIP
	1.8	33	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 473-474

B41_6**PCP OR 'ANGEL DUST'**

When you went [to (PROGRAM FROM B37/here)] (then), what drug or drug combination, including alcohol, would you say was your main drug or drug combination?

PCP or "Angel Dust"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.4	7	1	Yes
99.1	43.4	780	2	No
	54.4	979	-6	LEGITIMATE SKIP
	1.8	33	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 475-476

B41_7 **HALLUCINOGENS, PSYCHEDELICS/LSD**

When you went [to (PROGRAM FROM B37/here)] (then), what drug or drug combination, including alcohol, would you say was your main drug or drug combination?

Hallucinogens, Psychedelics / LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	1.1	20	1	Yes
97.5	42.6	767	2	No
	54.4	979	-6	LEGITIMATE SKIP
	1.8	33	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 477-478

B41_8 **HEROIN**

When you went [to (PROGRAM FROM B37/here)] (then), what drug or drug combination, including alcohol, would you say was your main drug or drug combination?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.5	10.7	193	1	Yes
75.5	33.0	594	2	No
	54.4	979	-6	LEGITIMATE SKIP
	1.8	33	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 479-480

B41_9**ILLEGAL METHADONE**

When you went [to (PROGRAM FROM B37/here)] (then), what drug or drug combination, including alcohol, would you say was your main drug or drug combination?

Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.6	11	1	Yes
98.6	43.1	776	2	No
	54.4	979	-6	LEGITIMATE SKIP
	1.8	33	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 481-482

B41_10**OTHER NARCOTICS**

When you went [to (PROGRAM FROM B37/here)] (then), what drug or drug combination, including alcohol, would you say was your main drug or drug combination?

Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	1.3	23	1	Yes
97.1	42.5	764	2	No
	54.4	979	-6	LEGITIMATE SKIP
	1.8	33	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 483-484

B41_13**OTHER DRUG (SPECIFY)**

When you went [to (PROGRAM FROM B37/here)] (then), what drug or drug combination, including alcohol, would you say was your main drug or drug combination?

Other drug

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	1.9	35	1	Yes
95.6	41.8	752	2	No
	54.4	979	-6	LEGITIMATE SKIP
	1.8	33	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 489-490

B42**B42 DID R COMPLETE PROGRAM FROM B3**

Did you complete the treatment plan at (PROGRAM FROM B37) (then)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.0	30.9	556	1	Yes
18.0	6.8	122	2	No
	59.7	1,074	-6	LEGITIMATE SKIP
	0.1	2	-5	NOT APPLICABLE
	2.4	43	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 491-492

B43 ANY MEDICINES PRESCRIBED

[While you were in (PROGRAM FROM B37)/After you got to (PROGRAM FROM B37/here)], did you take any medicines prescribed for you by a doctor for drug or alcohol problems, such as desipramine, methadone, or antabuse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	12.1	218	1	Yes
72.2	31.5	567	2	No
	54.4	979	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	1.8	32	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 493-494

B44 WAS THIS A METHADONE PROGRAM

CODE WITHOUT ASKING. VERIFY IF NEEDED: Is (PROGRAM) a methadone program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	5.0	90	1	Yes
58.3	7.0	126	2	No
	86.1	1,549	-6	LEGITIMATE SKIP
	1.8	32	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 495-496

B44A**B44A METHDAONE DOSE CONCENTRATION**

While you were in the program that helped you the most, in general, would you say that the doses of methadone you were prescribed were too high, the right amount, or too low?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.4	8	1	Too high
87.5	4.3	77	2	The right amount
3.4	0.2	3	3	Too low
	93.2	1,677	-6	LEGITIMATE SKIP
	1.9	34	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 497-498

B45**B45 OTHER PRESCRIPTION MEDICINE TA**

Other than the medicines you just told me about, did you take any medicines prescribed for you by a doctor, while attending (PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.1	16.5	297	1	Yes
61.9	26.8	483	2	No
	54.4	979	-6	LEGITIMATE SKIP
	2.1	37	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 499-500

B46 PERIOD R ATTENDED AA/NA/CA

While you were in the program that helped you the most, for what period of time did you attend AA/NA/CA? Was it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	8.5	153	1	Never
23.9	10.4	187	2	Less than one month
34.7	15.1	271	3	1 month to less than 6 months
10.9	4.7	85	4	6 months to less than one year
7.7	3.3	60	5	1-2 years
1.4	0.6	11	6	3-4 years
1.8	0.8	14	7	5 years or more
	54.4	979	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	2.0	36	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 501-502

B46AA HOW OFTEN R ATTENDED AA

While you were in the program that helped you the most, how often did you attend . . . AA (Alcoholics Anonymous) meetings-never, less than once a week, once a week, or more than once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	3.1	55	1	Never
4.5	1.6	28	2	Less than once a week
13.4	4.7	84	3	Once a week
73.4	25.6	461	4	More than once a week
	62.9	1,131	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	1.9	35	-3	MISSING
	0.2	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 503-504

B46AB	B46AB HOW OFTEN R ATTENDED NA
--------------	--------------------------------------

While you were in the program that helped you the most, how often did you attend . . . NA (Narcotics Anonymous) meetings-never, less than once a week, once a week, or more than once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.2	12.0	215	1	Never
5.7	2.0	36	2	Less than once a week
13.1	4.6	82	3	Once a week
47.0	16.4	295	4	More than once a week
	62.9	1,131	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 505-506

B46AC	B46AC HOW OFTEN R ATTENDED CA
--------------	--------------------------------------

While you were in the program that helped you the most, how often did you attend . . . CA (Cocaine Anonymous) meetings-never, less than once a week, once a week, or more than once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.4	27.3	491	1	Never
2.9	1.0	18	2	Less than once a week
3.9	1.3	24	3	Once a week
13.8	4.7	85	4	More than once a week
	62.9	1,131	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	2.4	43	-3	MISSING
	0.3	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 507-508

B47A TREATMENT IMPROVE HEALTH

Did the treatment or counseling you received at (PROGRAM FROM B37/here) help you . . . improve your health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.3	37.1	667	1	Yes
14.1	6.1	110	2	No
0.6	0.3	5	3	NA (Not applicable)
	54.5	980	-6	LEGITIMATE SKIP
	1.8	33	-3	MISSING
	0.2	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 509-510

B47B TREATMENT HELP WITH NERVES/EM

Did the treatment or counseling you received at (PROGRAM FROM B37/here) help you . . . in any way get help with problems you had with your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.5	36.0	648	1	Yes
16.8	7.3	132	2	No
0.6	0.3	5	3	NA (Not applicable)
	54.5	980	-6	LEGITIMATE SKIP
	1.9	34	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 511-512

B47C**B47C TREATMENT HELP WITH JOB SKILL**

Did the treatment or counseling you received at (PROGRAM FROM B37/here) help you . . . get a job, hold a job, or improve your job skills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	16.5	297	1	Yes
60.0	26.1	470	2	No
2.0	0.9	16	3	NA (Not applicable)
	54.5	980	-6	LEGITIMATE SKIP
	1.9	34	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 513-514

B47D**B47D TREATMENT HELP WITH FINANCIAL**

Did the treatment or counseling you received at (PROGRAM FROM B37/here) help you . . . with any financial problems you (had/have)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.5	14.2	255	1	Yes
66.4	29.0	521	2	No
1.1	0.5	9	3	NA (Not applicable)
	54.5	980	-6	LEGITIMATE SKIP
	1.9	34	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 515-516

B47E TREATMENT HELP GET ADDITIONAL

Did the treatment or counseling you received at (PROGRAM FROM B37/here) help you . . . get additional training or education?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	10.7	193	1	Yes
74.3	32.4	583	2	No
1.1	0.5	9	3	NA (Not applicable)
	54.5	980	-6	LEGITIMATE SKIP
	1.9	34	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 517-518

B47F TREATMENT HELP WITH LEGAL PRO

Did the treatment or counseling you received at (PROGRAM FROM B37/here) help you . . . with legal problems you (had/have)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	12.1	218	1	Yes
68.5	29.8	536	2	No
3.7	1.6	29	3	NA (Not applicable)
	54.5	980	-6	LEGITIMATE SKIP
	1.9	35	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 519-520

B47G**B47G TREATMENT HELP IMPROVE FAMILY**

Did the treatment or counseling you received at (PROGRAM FROM B37/here) help you . . . improve your family relationships?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.1	33.6	604	1	Yes
22.7	9.9	178	2	No
0.1	0.1	1	3	NA (Not applicable)
	54.5	980	-6	LEGITIMATE SKIP
	1.9	34	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 521-522

B47H**B47H TREATMENT HELP WITH FUTURE PL**

Did the treatment or counseling you received at (PROGRAM FROM B37/here) help you . . . plan your future, including how to handle problems, after you left treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.2	34.0	612	1	Yes
21.7	9.4	170	2	No
0.1	0.1	1	3	NA (Not applicable)
	54.5	980	-6	LEGITIMATE SKIP
	1.9	35	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 523-524

DRUG AND ALCOHOL USE

C1AINHAL	INHALANTS
-----------------	------------------

ARE INHALANTS CODED AS A MAIN DRUG IN SECTION B?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	24	1	Yes
98.6	97.2	1,748	2	No
	1.2	21	-6	LEGITIMATE SKIP
	0.2	4	-5	NOT APPLICABLE
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 529-530

C1AALCOH	ALCOHOL
-----------------	----------------

IS ALCOHOL CODED AS A MAIN DRUG IN SECTION B?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.5	68.4	1,231	1	Yes
30.5	30.1	541	2	No
	1.2	21	-6	LEGITIMATE SKIP
	0.2	4	-5	NOT APPLICABLE
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 531-532

C1AMARIJ	MARIJUANA/HASHISH
-----------------	--------------------------

IS MARIJUANA/HASHISH CODED AS A MAIN DRUG IN SECTION B?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	27.4	493	1	Yes
72.2	71.1	1,279	2	No
	1.2	21	-6	LEGITIMATE SKIP
	0.2	4	-5	NOT APPLICABLE
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 533-534

C1ACRACK	CRACK
-----------------	--------------

IS CRACK CODED AS A MAIN DRUG IN SECTION B?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	23.3	420	1	Yes
76.3	75.2	1,352	2	No
	1.2	21	-6	LEGITIMATE SKIP
	0.2	4	-5	NOT APPLICABLE
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 535-536

C1ACOCAI**COCAINE POWDER**

IS COCAINE POWDER CODED AS A MAIN DRUG IN SECTION B?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	27.1	488	1	Yes
72.5	71.4	1,284	2	No
	1.2	21	-6	LEGITIMATE SKIP
	0.2	4	-5	NOT APPLICABLE
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 537-538

C1APCP**PCP/ANGEL DUST**

IS PCP/ANGEL DUST CODED AS A MAIN DRUG IN SECTION B?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	16	1	Yes
99.1	97.6	1,756	2	No
	1.2	21	-6	LEGITIMATE SKIP
	0.2	4	-5	NOT APPLICABLE
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 539-540

C1AHALLU	HALLUCINOGENS/PSYCHEDELICS/LSD
-----------------	---------------------------------------

IS HALLUCINOGENS/PSYCHEDELICS/LSD CODED AS A MAIN DRUG IN SECTION B?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.9	71	1	Yes
96.0	94.6	1,701	2	No
	1.2	21	-6	LEGITIMATE SKIP
	0.2	4	-5	NOT APPLICABLE
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 541-542

C1AHEROI	HEROIN
-----------------	---------------

IS HEROIN CODED AS A MAIN DRUG IN SECTION B?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	18.6	334	1	Yes
81.2	79.9	1,438	2	No
	1.2	21	-6	LEGITIMATE SKIP
	0.2	4	-5	NOT APPLICABLE
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 543-544

C1AMTHDO**ILLEGAL METHADONE**

IS ILLEGAL METHADONE CODED AS A MAIN DRUG IN SECTION B?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	25	1	Yes
98.6	97.1	1,747	2	No
	1.2	21	-6	LEGITIMATE SKIP
	0.2	4	-5	NOT APPLICABLE
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 545-546

C1AONARC**OTHER NARCOTICS**

IS OTHER NARCOTICS CODED AS A MAIN DRUG IN SECTION B?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	57	1	Yes
96.8	95.3	1,715	2	No
	1.2	21	-6	LEGITIMATE SKIP
	0.2	4	-5	NOT APPLICABLE
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 547-548

C1AMETHA	METHAMPHETAMINES
-----------------	-------------------------

IS METHAMPHETAMINES CODED AS A MAIN DRUG IN SECTION B?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.3	114	1	Yes
93.6	92.2	1,658	2	No
	1.2	21	-6	LEGITIMATE SKIP
	0.2	4	-5	NOT APPLICABLE
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 549-550

C1ADOWNR	DOWNERS
-----------------	----------------

IS DOWNERS CODED AS A MAIN DRUG IN SECTION B?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.1	91	1	Yes
94.9	93.4	1,681	2	No
	1.2	21	-6	LEGITIMATE SKIP
	0.2	4	-5	NOT APPLICABLE
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 551-552

C1AODRUG	OTHER DRUG (SPECIFY)
-----------------	-----------------------------

IS OTHER DRUG CODED AS A MAIN DRUG IN SECTION B?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.2	76	1	Yes
95.7	94.3	1,696	2	No
	1.2	21	-6	LEGITIMATE SKIP
	0.2	4	-5	NOT APPLICABLE
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 553-554

C2INHAL	C2INHAL AGE FIRST USE INHALANTS
----------------	--

About how old were you the first time you tried inhalants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.1	1	10	
4.3	0.1	1	11	
4.3	0.1	1	12	
13.0	0.2	3	13	
4.3	0.1	1	14	
30.4	0.4	7	15	
17.4	0.2	4	16	
4.3	0.1	1	17	
4.3	0.1	1	18	
4.3	0.1	1	20	
8.7	0.1	2	23	
	98.7	1,775	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 555-556

C3INHAL C3INHAL USE INHALANTS BEFORE START

Looking at the calendar, in the five years before [(START DATE)/January 1990], did you use inhalants five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.6	1.1	19	1	Yes
17.4	0.2	4	2	No
	98.7	1,775	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 557-558

C3AINHAL C3AINHAL DAYS/MONTH DRUG USED BEFO

When you used inhalants in the five years before [(START DATE)/January 1990], on the average, about how many days did you use inhalants during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
5.3	0.1	1	1	One day
36.8	0.4	7	2	2-5 days
21.1	0.2	4	4	11-20 days
26.3	0.3	5	5	21-30 days
10.5	0.1	2	6	Everyday
	98.9	1,779	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 559-560

C4INHAL	C4INHAL USE INHALANT AFTER END DAT
----------------	---

After [(END DATE)/January 1990], and until now, have you used inhalants five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.5	0.6	10	1	Yes
56.5	0.7	13	2	No
	98.7	1,775	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 561-562

C5INHAL	C5INHAL DAYS/MONTH DRUG USED AFTER
----------------	---

When you used inhalants after [(END DATE)/January 1990], and until now, on the average, about how many days did you use inhalants during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	0.2	3	2	2-5 days
20.0	0.1	2	3	6-10 days
20.0	0.1	2	4	11-20 days
10.0	0.1	1	5	21-30 days
20.0	0.1	2	6	Everyday
	99.4	1,788	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 563-564

C6INHAL	C6INHAL USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used inhalants five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	0.2	3	1	Yes
70.0	0.4	7	2	No
	99.4	1,788	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 565-566

C7INHAL	C7INHAL DAYS/MONTH USED INHALANTS
----------------	--

From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use inhalants during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	4	11-20 days
33.3	0.1	1	5	21-30 days
33.3	0.1	1	6	Everyday
	99.8	1,795	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 567-568

C8INHAL	C8INHAL R NOT USE DRUGS IN PAST YE
----------------	---

From (MONTH/YEAR AGO) 1994/1995 to now, have there been any months when you were not using inhalants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	1	Yes
33.3	0.1	1	2	No
	99.8	1,795	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 569-570

C8AINHAL	C8AINHAL # OF MONTHS R DID NOT USE
-----------------	---

How many months, altogether, were you not using inhalants?
 Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	2	2-3 months
50.0	0.1	1	3	4-5 months
	99.8	1,796	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 571-572

C9INHAL	C9INHAL USED INHALANTS LAST 30 DAY
----------------	---

From (DATE 30 DAYS AGO) to now, about how many days have you used inhalants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	0	None
33.3	0.1	1	6	Everyday
	99.8	1,795	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 573-574

C2ALCOH	C2ALCOH	AGE	FIRST USE	ALCOHOL
---------	---------	-----	-----------	---------

About how old were you the first time you tried alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.3	6	1	
0.7	0.4	8	2	
0.6	0.4	7	3	
1.1	0.7	13	4	
1.4	0.9	17	5	
1.9	1.3	23	6	
2.0	1.3	24	7	
3.5	2.4	43	8	
3.9	2.7	48	9	
5.2	3.6	64	10	
3.6	2.4	44	11	
13.5	9.2	166	12	
11.1	7.6	136	13	
12.9	8.8	158	14	
10.5	7.2	129	15	
10.4	7.1	128	16	
5.1	3.5	63	17	
4.6	3.1	56	18	
2.0	1.3	24	19	
1.5	1.1	19	20	
1.3	0.9	16	21	
1.1	0.8	14	22	
0.1	0.1	1	23	
0.2	0.1	2	24	
0.4	0.3	5	25	
0.2	0.1	2	26	
0.2	0.2	3	27	
0.2	0.1	2	28	
0.1	0.1	1	29	
0.3	0.2	4	30	
0.2	0.1	2	35	
0.1	0.1	1	41	
	31.6	568	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 575-576

C3ALCOH C3ALCOH USE ALCOHOL BEFORE START D

Looking at the calendar, in the five years before [(START DATE)/January 1990], did you use alcohol five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	66.3	1,192	1	Yes
2.9	1.9	35	2	No
	31.6	568	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 577-578

C3AALCOH C3AALCOH DAYS/MONTH DRUG USED BEFO

When you used alcohol in the five years before [(START DATE)/January 1990], on the average, about how many days did you use alcohol during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
2.4	1.6	29	1	One day
15.2	10.0	180	2	2-5 days
17.5	11.5	207	3	6-10 days
20.3	13.4	241	4	11-20 days
16.9	11.2	201	5	21-30 days
27.7	18.2	328	6	Everyday
	33.6	604	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 579-580

C4ALCOH	C4ALCOH USE ALCOHOL AFTER END DATE
----------------	---

After [(END DATE)/January 1990], and until now, have you used alcohol five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	56.2	1,011	1	Yes
17.7	12.1	217	2	No
	31.6	568	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 581-582

C5ALCOH	C5ALCOH DAYS/MONTH DRUG USED AFTER
----------------	---

When you used alcohol after [(END DATE)/January 1990], and until now, on the average, about how many days did you use alcohol during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
7.4	4.1	74	1	One day
24.3	13.6	244	2	2-5 days
19.2	10.7	193	3	6-10 days
19.9	11.1	200	4	11-20 days
12.1	6.8	122	5	21-30 days
17.1	9.6	172	6	Everyday
	43.6	785	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 583-584

C6ALCOH	C6ALCOH USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used alcohol five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.9	39.9	718	1	Yes
29.1	16.3	294	2	No
	43.6	785	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 585-586

C7ALCOH	C7ALCOH DAYS/MONTH USED ALCOHOL
----------------	--

From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use alcohol during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
8.5	3.4	61	1	One day
26.8	10.6	191	2	2-5 days
21.6	8.6	154	3	6-10 days
18.3	7.3	131	4	11-20 days
11.8	4.7	84	5	21-30 days
13.0	5.2	93	6	Everyday
	60.0	1,079	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 587-588

C8ALCOH	C8ALCOH R NOT USE DRUGS IN PAST YE
----------------	---

From (MONTH/YEAR AGO) 1994/1995 to now, have there been any months when you were not using alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.7	23.6	424	1	Yes
40.3	15.9	286	2	No
	60.0	1,079	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 589-590

C8AALCOH	C8AALCOH # OF MONTHS R DID NOT USE
-----------------	---

How many months, altogether, were you not using alcohol? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	2.7	49	1	1 month
28.8	6.6	119	2	2-3 months
22.8	5.2	94	3	4-5 months
22.0	5.1	91	4	6-8 months
14.5	3.3	60	5	9+ months
	76.1	1,369	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 591-592

C9ALCOH	C9ALCOH USED ALCOHOL LAST 30 DAYS
----------------	--

From (DATE 30 DAYS AGO) to now, about how many days have you used alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	9.4	170	0	None
6.3	2.5	45	1	One day
24.5	9.7	174	2	2-5 days
16.9	6.7	120	3	6-10 days
14.0	5.5	99	4	11-20 days
6.2	2.4	44	5	21-30 days
8.0	3.2	57	6	Everyday
	60.0	1,079	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 593-594

C2MARIJ	C2MARIJ	AGE	FIRST USED	MARIJUANA
----------------	----------------	------------	-------------------	------------------

About how old were you the first time you tried marijuana/
hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	1	5	
0.8	0.2	4	6	
2.2	0.6	11	7	
1.2	0.3	6	8	
2.9	0.8	14	9	
2.9	0.8	14	10	
6.9	1.9	34	11	
16.1	4.4	79	12	
15.1	4.1	74	13	
12.7	3.4	62	14	
11.2	3.1	55	15	
8.0	2.2	39	16	
5.3	1.4	26	17	
6.1	1.7	30	18	
1.2	0.3	6	19	
1.6	0.4	8	20	
1.6	0.4	8	21	
1.4	0.4	7	22	
0.6	0.2	3	23	
0.4	0.1	2	24	
0.2	0.1	1	26	
0.6	0.2	3	27	
0.2	0.1	1	28	
0.2	0.1	1	31	
0.2	0.1	1	32	
	72.6	1,306	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 595-596

C3MARIJ C3MARIJ USE MARIJUANA BEFORE START

Looking at the calendar, in the five years before [(START DATE)/January 1990], did you use marijuana/hashish five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	25.5	459	1	Yes
6.3	1.7	31	2	No
	72.6	1,306	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 597-598

C3AMARIJ C3AMARIJ DAYS/MONTH DRUG USED BEFO

When you used marijuana/hashish in the five years before [(START DATE)/January 1990], on the average, about how many days did you use marijuana/hashish during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
2.8	0.7	13	1	One day
15.9	4.1	73	2	2-5 days
17.5	4.4	80	3	6-10 days
18.1	4.6	83	4	11-20 days
19.4	4.9	89	5	21-30 days
26.2	6.7	120	6	Everyday
	74.3	1,337	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 599-600

C4MARIJ	C4MARIJ USE MARIJUANA AFTER END DA
----------------	---

After [(END DATE)/January 1990], and until now, have you used marijuana/hashish five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.9	20.4	367	1	Yes
25.1	6.8	123	2	No
	72.6	1,306	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 601-602

C5MARIJ	C5MARIJ DAYS/MONTH DRUG USED AFTER
----------------	---

When you used marijuana/hashish after [(END DATE)/January 1990], and until now, on the average, about how many days did you use marijuana/hashish during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
12.9	2.6	47	1	One day
25.3	5.1	92	2	2-5 days
15.7	3.2	57	3	6-10 days
19.0	3.8	69	4	11-20 days
13.8	2.8	50	5	21-30 days
13.2	2.7	48	6	Everyday
	79.4	1,429	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 603-604

C6MARIJ	C6MARIJ USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used marijuana/hashish five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.7	13.1	236	1	Yes
35.3	7.2	129	2	No
	79.4	1,429	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 605-606

C7MARIJ	C7MARIJ DAYS/MONTH USED MARIJUANA
----------------	--

From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use marijuana/hashish during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
8.9	1.2	21	1	One day
31.9	4.2	75	2	2-5 days
18.3	2.4	43	3	6-10 days
15.3	2.0	36	4	11-20 days
14.9	1.9	35	5	21-30 days
10.6	1.4	25	6	Everyday
	86.6	1,558	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 607-608

C8MARIJ	C8MARIJ R NOT USE DRUGS IN PAST YE
----------------	---

From (MONTH/YEAR AGO) 1994/1995 to now, have there been any months when you were not using marijuana/hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.1	9.1	163	1	Yes
30.9	4.1	73	2	No
	86.6	1,558	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 609-610

C8AMARIJ	C8AMARIJ # OF MONTHS R DID NOT USE
-----------------	---

How many months, altogether, were you not using marijuana/hashish? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	0.7	13	1	1 month
23.9	2.1	38	2	2-3 months
22.6	2.0	36	3	4-5 months
27.7	2.4	44	4	6-8 months
17.6	1.6	28	5	9+ months
	90.7	1,631	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 611-612

C9MARIJ	C9MARIJ USED MARIJUANA LAST 30 DAY
----------------	---

From (DATE 30 DAYS AGO) to now, about how many days have you used marijuana/hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	3.7	66	0	None
12.6	1.6	29	1	One day
22.9	2.9	53	2	2-5 days
13.0	1.7	30	3	6-10 days
9.1	1.2	21	4	11-20 days
6.1	0.8	14	5	21-30 days
7.8	1.0	18	6	Everyday
	86.6	1,558	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 613-614

C2CRACK	C2CRACK	AGE	FIRST USED	CRACK
---------	---------	-----	------------	-------

About how old were you the first time you tried crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.2	3	13	
1.4	0.3	6	14	
1.2	0.3	5	15	
3.3	0.8	14	16	
3.3	0.8	14	17	
4.8	1.1	20	18	
3.3	0.8	14	19	
3.8	0.9	16	20	
4.8	1.1	20	21	
4.0	0.9	17	22	
4.0	0.9	17	23	
6.9	1.6	29	24	
7.6	1.8	32	25	
6.0	1.4	25	26	
5.5	1.3	23	27	
4.3	1.0	18	28	
5.0	1.2	21	29	
6.2	1.4	26	30	
2.4	0.6	10	31	
3.1	0.7	13	32	
2.9	0.7	12	33	
3.3	0.8	14	34	
4.5	1.1	19	35	
1.2	0.3	5	36	
0.5	0.1	2	37	
1.2	0.3	5	38	
0.7	0.2	3	39	
1.2	0.3	5	40	
0.7	0.2	3	41	
0.2	0.1	1	42	
0.7	0.2	3	43	
0.2	0.1	1	45	
0.2	0.1	1	46	
0.5	0.1	2	47	
0.2	0.1	1	49	
	76.7	1,379	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 615-616

C3CRACK	C3CRACK USE CRACK BEFORE START DAT
----------------	---

Looking at the calendar, in the five years before [(START DATE)/January 1990], did you use crack five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	20.2	363	1	Yes
13.2	3.1	55	2	No
	76.7	1,379	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 617-618

C3ACRACK	C3ACRACK DAYS/MONTH DRUG USED BEFO
-----------------	---

When you used crack in the five years before [(START DATE)/January 1990], on the average, about how many days did you use crack during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
2.5	0.5	9	1	One day
16.7	3.4	61	2	2-5 days
16.4	3.3	60	3	6-10 days
25.2	5.1	92	4	11-20 days
14.2	2.9	52	5	21-30 days
24.9	5.1	91	6	Everyday
	79.7	1,434	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 619-620

C4CRACK	C4CRACK	USE CRACK AFTER END DATE
----------------	----------------	---------------------------------

After [(END DATE)/January 1990], and until now, have you used crack five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.2	15.2	273	1	Yes
34.8	8.1	146	2	No
	76.7	1,379	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 621-622

C5CRACK	C5CRACK	DAYS/MONTH DRUG USED AFTER
----------------	----------------	-----------------------------------

When you used crack after [(END DATE)/January 1990], and until now, on the average, about how many days did you use crack during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
5.8	0.9	16	1	One day
21.2	3.2	58	2	2-5 days
19.3	2.9	53	3	6-10 days
20.1	3.1	55	4	11-20 days
10.2	1.6	28	5	21-30 days
23.4	3.6	64	6	Everyday
	84.8	1,525	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 623-624

C6CRACK	C6CRACK USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used crack five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	8.1	145	1	Yes
47.1	7.2	129	2	No
	84.8	1,525	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 625-626

C7CRACK	C7CRACK DAYS/MONTH USED CRACK
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use crack during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
2.8	0.2	4	1	One day
27.1	2.2	39	2	2-5 days
18.1	1.4	26	3	6-10 days
18.8	1.5	27	4	11-20 days
16.7	1.3	24	5	21-30 days
16.7	1.3	24	6	Everyday
	91.9	1,654	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 627-628

C8CRACK	C8CRACK R NOT USE DRUGS IN PAST YE
----------------	---

From (MONTH/YEAR AGO) 1994/1995 to now, have there been any months when you were not using crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.3	5.7	102	1	Yes
27.7	2.2	39	2	No
	91.9	1,654	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 629-630

C8ACRACK	C8ACRACK # OF MONTHS R DID NOT USE
-----------------	---

How many months, altogether, were you not using crack? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	0.9	16	1	1 month
20.8	1.2	21	2	2-3 months
18.8	1.1	19	3	4-5 months
23.8	1.3	24	4	6-8 months
20.8	1.2	21	5	9+ months
	94.1	1,693	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 631-632

C9CRACK	C9CRACK USED CRACK LAST 30 DAYS
----------------	--

From (DATE 30 DAYS AGO) to now, about how many days have you used crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	4.0	72	0	None
7.6	0.6	11	1	One day
18.8	1.5	27	2	2-5 days
8.3	0.7	12	3	6-10 days
5.6	0.4	8	4	11-20 days
4.9	0.4	7	5	21-30 days
4.9	0.4	7	6	Everyday
	91.9	1,654	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 633-634

C2COCAI	C2COCAI	AGE	FIRST USED	COCAINE
----------------	----------------	------------	-------------------	----------------

About how old were you the first time you tried cocaine powder?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	1	2	
0.2	0.1	1	8	
0.4	0.1	2	10	
0.8	0.2	4	11	
1.2	0.3	6	12	
1.7	0.4	8	13	
2.5	0.7	12	14	
9.7	2.6	47	15	
8.7	2.3	42	16	
10.5	2.8	51	17	
8.7	2.3	42	18	
9.3	2.5	45	19	
7.2	1.9	35	20	
5.0	1.3	24	21	
3.3	0.9	16	22	
3.1	0.8	15	23	
2.1	0.6	10	24	
4.8	1.3	23	25	
1.4	0.4	7	26	
3.5	0.9	17	27	
2.3	0.6	11	28	
1.0	0.3	5	29	
3.3	0.9	16	30	
1.7	0.4	8	31	
1.0	0.3	5	32	
0.4	0.1	2	33	
1.0	0.3	5	34	
1.9	0.5	9	35	
0.4	0.1	2	36	
0.4	0.1	2	37	
0.6	0.2	3	38	
0.4	0.1	2	39	
0.4	0.1	2	45	
0.2	0.1	1	47	
0.4	0.1	2	49	
0.2	0.1	1	53	
	72.9	1,311	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 635-636

C3COCAI C3COCAI USE COCAINE BEFORE START D

Looking at the calendar, in the five years before [(START DATE)/January 1990], did you use cocaine powder five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	24.3	438	1	Yes
9.3	2.5	45	2	No
	72.9	1,311	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 637-638

C3ACOCAI C3ACOCAI DAYS/MONTH DRUG USED BEFO

When you used cocaine powder in the five years before [(START DATE)/January 1990], on the average, about how many days did you use cocaine powder during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
4.1	1.0	18	1	One day
20.2	4.9	89	2	2-5 days
21.3	5.2	94	3	6-10 days
20.0	4.9	88	4	11-20 days
13.8	3.4	61	5	21-30 days
20.6	5.1	91	6	Everyday
	75.4	1,356	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 639-640

C4COCAI	C4COCAI USE COCAINE AFTER END DATE
----------------	---

After [(END DATE)/January 1990], and until now, have you used cocaine powder five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.9	15.6	281	1	Yes
42.1	11.3	204	2	No
	72.9	1,311	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 641-642

C5COCAI	C5COCAI DAYS/MONTH DRUG USED AFTER
----------------	---

When you used cocaine powder after [(END DATE)/January 1990], and until now, on the average, about how many days did you use cocaine powder during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
8.6	1.3	24	1	One day
23.4	3.6	65	2	2-5 days
19.1	2.9	53	3	6-10 days
20.1	3.1	56	4	11-20 days
11.9	1.8	33	5	21-30 days
16.9	2.6	47	6	Everyday
	84.2	1,515	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 643-644

C6COCAI	C6COCAI USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used cocaine powder five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.6	6.9	125	1	Yes
55.4	8.6	155	2	No
	84.2	1,515	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 645-646

C7COCAI	C7COCAI DAYS/MONTH USED COCAINE
----------------	--

From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use cocaine powder during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
9.7	0.7	12	1	One day
31.5	2.2	39	2	2-5 days
12.9	0.9	16	3	6-10 days
17.7	1.2	22	4	11-20 days
16.9	1.2	21	5	21-30 days
11.3	0.8	14	6	Everyday
	92.8	1,670	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 647-648

C8COCAI	C8COCAI R NOT USE DRUGS IN PAST YE
----------------	---

From (MONTH/YEAR AGO) 1994/1995 to now, have there been any months when you were not using cocaine powder?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.2	5.5	99	1	Yes
20.8	1.4	26	2	No
	92.8	1,670	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 649-650

C8ACOCAI	C8ACOCAI # OF MONTHS R DID NOT USE
-----------------	---

How many months, altogether, were you not using cocaine powder? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	0.3	5	1	1 month
26.5	1.4	26	2	2-3 months
19.4	1.1	19	3	4-5 months
27.6	1.5	27	4	6-8 months
21.4	1.2	21	5	9+ months
	94.3	1,696	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 651-652

C9COCAI	C9COCAI USED COCAINE 30 DAYS
----------------	-------------------------------------

From (DATE 30 DAYS AGO) to now, about how many days have you used cocaine powder?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.3	3.2	57	0	None
12.2	0.8	15	1	One day
15.4	1.1	19	2	2-5 days
7.3	0.5	9	3	6-10 days
9.8	0.7	12	4	11-20 days
5.7	0.4	7	5	21-30 days
3.3	0.2	4	6	Everyday
	92.8	1,670	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 653-654

C2PCP	C2APCP AGE FIRST USED PCP/ANGEL D
--------------	--

About how old were you the first time you tried PCP/angel dust?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	2	13	
6.2	0.1	1	14	
6.2	0.1	1	15	
31.2	0.3	5	16	
18.8	0.2	3	17	
6.2	0.1	1	18	
6.2	0.1	1	20	
6.2	0.1	1	23	
6.2	0.1	1	27	
	99.1	1,783	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 655-656

C3PCP	C3PCP USE PCP/ANGEL DUST BEFORE
--------------	--

Looking at the calendar, in the five years before [(START DATE)/January 1990], did you use PCP/angel dust five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.3	0.6	11	1	Yes
26.7	0.2	4	2	No
	99.1	1,783	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 657-658

C3APCP	C3APCP DAYS/MONTH DRUG USED BEFO
---------------	---

When you used PCP/angel dust in the five years before [(START DATE)/January 1990], on the average, about how many days did you use PCP/angel dust during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	0.3	5	2	2-5 days
18.2	0.1	2	3	6-10 days
9.1	0.1	1	4	11-20 days
18.2	0.1	2	5	21-30 days
9.1	0.1	1	6	Everyday
	99.3	1,787	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 659-660

C4PCP	C4PCP USE PCP/ANGEL DUST AFTER E
--------------	---

After [(END DATE)/January 1990], and until now, have you used PCP/angel dust five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	0.4	8	1	Yes
42.9	0.3	6	2	No
	99.1	1,783	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 661-662

C5PCP	C5PCP DAYS/MONTH DRUG USED AFTER
--------------	---

When you used PCP/angel dust after [(END DATE)/January 1990], and until now, on the average, about how many days did you use PCP/angel dust during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
37.5	0.2	3	1	One day
25.0	0.1	2	2	2-5 days
25.0	0.1	2	4	11-20 days
12.5	0.1	1	5	21-30 days
	99.4	1,789	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 663-664

C6PCP	C6PCP USE DRUG IN LAST YEAR
--------------	------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used PCP/angel dust five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.1	1	1	Yes
92.3	0.7	12	2	No
	99.1	1,783	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 665-666

C7PCP	C7PCP DAYS/MONTH USED PCP
--------------	----------------------------------

From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use PCP/angel dust during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	21-30 days
	99.8	1,795	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 667-668

C2HALLU	C2HALLU	AGE	FIRST	USED	LSD
----------------	----------------	------------	--------------	-------------	------------

About how old were you the first time you tried
hallucinogens/psychedelics/LSD?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.1	2	10	
8.5	0.3	6	12	
8.5	0.3	6	13	
19.7	0.8	14	14	
18.3	0.7	13	15	
16.9	0.7	12	16	
8.5	0.3	6	17	
8.5	0.3	6	18	
4.2	0.2	3	20	
2.8	0.1	2	24	
1.4	0.1	1	28	
	96.1	1,728	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 675-676

C3HALLU	C3HALLU	USE	LSD	BEFORE	START	DATE
----------------	----------------	------------	------------	---------------	--------------	-------------

Looking at the calendar, in the five years before [(START
DATE)/January 1990], did you use hallucinogens/psychedelics/
LSD five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.0	2.7	49	1	Yes
30.0	1.2	21	2	No
	96.1	1,728	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 677-678

C3AHALLU	C3AHALLU DAYS/MONTH DRUG USED BEFO
-----------------	---

When you used hallucinogens/psychedelics/LSD in the five years before [(START DATE)/January 1990], on the average, about how many days did you use hallucinogens/psychedelics/LSD during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
22.9	0.6	11	1	One day
50.0	1.3	24	2	2-5 days
10.4	0.3	5	3	6-10 days
10.4	0.3	5	4	11-20 days
4.2	0.1	2	5	21-30 days
2.1	0.1	1	6	Everyday
	97.2	1,749	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 679-680

C4HALLU	C4HALLU USE LSD AFTER END DATE
----------------	---------------------------------------

After [(END DATE)/January 1990], and until now, have you used hallucinogens/psychedelics/LSD five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.1	1.8	33	1	Yes
52.9	2.1	37	2	No
	96.1	1,728	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 681-682

C5HALLU	C5HALLU DAYS/MONTH DRUG USED AFTER
----------------	---

When you used hallucinogens/psychedelics/LSD after [(END DATE)/January 1990], and until now, on the average, about how many days did you use hallucinogens/psychedelics/LSD during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
33.3	0.6	11	1	One day
30.3	0.6	10	2	2-5 days
15.2	0.3	5	3	6-10 days
9.1	0.2	3	4	11-20 days
12.1	0.2	4	5	21-30 days
	98.1	1,765	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 683-684

C6HALLU	C6HALLU USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used hallucinogens/psychedelics/LSD five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	0.4	7	1	Yes
78.8	1.4	26	2	No
	98.1	1,765	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 685-686

C7HALLU	C7HALLU DAYS/MONTH USED LSD
----------------	------------------------------------

From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use hallucinogens/psychedelics/LSD during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
28.6	0.1	2	1	One day
42.9	0.2	3	2	2-5 days
14.3	0.1	1	4	11-20 days
14.3	0.1	1	5	21-30 days
	99.6	1,791	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 687-688

C8HALLU	C8HALLU R NOT USE DRUGS IN PAST YE
----------------	---

From (MONTH/YEAR AGO) 1994/1995 to now, have there been any months when you were not using hallucinogens/psychedelics/LSD?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	0.3	5	1	Yes
28.6	0.1	2	2	No
	99.6	1,791	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 689-690

C8AHALLU	C8AHALLU # OF MONTHS R DID NOT USE
-----------------	---

How many months, altogether, were you not using hallucinogens/psychedelics/LSD powder? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.1	2	2	2-3 months
20.0	0.1	1	3	4-5 months
20.0	0.1	1	4	6-8 months
20.0	0.1	1	5	9+ months
	99.7	1,793	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 691-692

C9HALLU	C9HALLU USED LSD LAST 30 DAYS
----------------	--------------------------------------

From (DATE 30 DAYS AGO) to now, about how many days have you used hallucinogens/psychedelics/LSD?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	0.3	5	0	None
14.3	0.1	1	1	One day
14.3	0.1	1	5	21-30 days
	99.6	1,791	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 693-694

C2HEROI	C2HEROI	AGE	FIRST USED	HEROIN
---------	---------	-----	------------	--------

About how old were you the first time you tried heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	8	
0.3	0.1	1	9	
0.6	0.1	2	10	
0.6	0.1	2	11	
0.3	0.1	1	12	
3.3	0.6	11	13	
4.2	0.8	14	14	
8.1	1.5	27	15	
7.8	1.4	26	16	
10.2	1.9	34	17	
9.6	1.8	32	18	
9.6	1.8	32	19	
9.0	1.7	30	20	
4.2	0.8	14	21	
3.0	0.6	10	22	
3.0	0.6	10	23	
2.4	0.4	8	24	
3.9	0.7	13	25	
3.3	0.6	11	26	
2.7	0.5	9	27	
2.4	0.4	8	28	
1.8	0.3	6	29	
1.5	0.3	5	30	
0.9	0.2	3	31	
0.9	0.2	3	32	
0.9	0.2	3	33	
0.6	0.1	2	34	
1.5	0.3	5	35	
0.6	0.1	2	36	
0.6	0.1	2	37	
0.6	0.1	2	38	
0.3	0.1	1	39	
0.6	0.1	2	40	
	81.4	1,465	-6	LEGITIMATE SKIP
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 695-696

C3HEROI	C3HEROI USE HEROIN BEFORE START DA
----------------	---

Looking at the calendar, in the five years before [(START DATE)/January 1990], did you use heroin five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	16.6	299	1	Yes
10.2	1.9	34	2	No
	81.4	1,465	-6	LEGITIMATE SKIP
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 697-698

C3AHEROI	C3AHEROI DAYS/MONTH DRUG USED BEFO
-----------------	---

When you used heroin in the five years before [(START DATE)/January 1990], on the average, about how many days did you use heroin during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
3.7	0.6	11	1	One day
8.1	1.3	24	2	2-5 days
8.4	1.4	25	3	6-10 days
9.8	1.6	29	4	11-20 days
12.1	2.0	36	5	21-30 days
57.9	9.6	172	6	Everyday
	83.4	1,500	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 699-700

C4HEROI C4HEROI USE HEROIN AFTER END DATE

After [(END DATE)/January 1990], and until now, have you used heroin five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.2	13.7	247	1	Yes
25.8	4.8	86	2	No
	81.4	1,465	-6	LEGITIMATE SKIP
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 701-702

C5HEROI C5HEROI DAYS/MONTH DRUG USED AFTER

When you used heroin after [(END DATE)/January 1990], and until now, on the average, about how many days did you use heroin during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
4.5	0.6	11	1	One day
12.2	1.7	30	2	2-5 days
10.2	1.4	25	3	6-10 days
11.4	1.6	28	4	11-20 days
14.6	2.0	36	5	21-30 days
47.2	6.4	116	6	Everyday
	86.2	1,551	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 703-704

C6HEROI	C6HEROI	USE DRUG IN LAST YEAR
----------------	----------------	------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used heroin five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.5	7.9	142	1	Yes
42.5	5.8	105	2	No
	86.2	1,551	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 705-706

C7HEROI	C7HEROI	DAYS/MONTH USED HEROIN
----------------	----------------	-------------------------------

From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use heroin during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
5.6	0.4	8	1	One day
19.0	1.5	27	2	2-5 days
11.3	0.9	16	3	6-10 days
8.5	0.7	12	4	11-20 days
15.5	1.2	22	5	21-30 days
40.1	3.2	57	6	Everyday
	92.1	1,656	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 707-708

C8HEROI	C8HEROI R NOT USE DRUGS IN PAST YE
----------------	---

From (MONTH/YEAR AGO) 1994/1995 to now, have there been any months when you were not using heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.8	5.4	97	1	Yes
31.2	2.4	44	2	No
	92.1	1,656	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 709-710

C8AHEROI	C8AHEROI # OF MONTHS R DID NOT USE
-----------------	---

How many months, altogether, were you not using heroin? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	0.4	7	1	1 month
26.3	1.4	25	2	2-3 months
23.2	1.2	22	3	4-5 months
32.6	1.7	31	4	6-8 months
10.5	0.6	10	5	9+ months
	94.5	1,700	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 711-712

C9HEROI	C9HEROI	USED HEROIN LAST 30 DAYS
----------------	----------------	---------------------------------

From (DATE 30 DAYS AGO) to now, about how many days have you used heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.6	3.3	60	0	None
2.1	0.2	3	1	One day
14.9	1.2	21	2	2-5 days
7.1	0.6	10	3	6-10 days
8.5	0.7	12	4	11-20 days
12.8	1.0	18	5	21-30 days
12.1	0.9	17	6	Everyday
	92.1	1,656	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 713-714

C2MTHDO	C2MTHDO	AGE FIRST USED METHADONE
----------------	----------------	---------------------------------

About how old were you the first time you tried illegal methadone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	0.1	2	15	
8.0	0.1	2	16	
4.0	0.1	1	17	
4.0	0.1	1	18	
20.0	0.3	5	19	
28.0	0.4	7	20	
8.0	0.1	2	21	
8.0	0.1	2	28	
4.0	0.1	1	32	
4.0	0.1	1	39	
4.0	0.1	1	42	
	98.6	1,774	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 715-716

C3MTHDO	C3MTHDO USE METHADONE BEFORE START
----------------	---

Looking at the calendar, in the five years before [(START DATE)/January 1990], did you use illegal methadone five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	1.0	18	1	Yes
28.0	0.4	7	2	No
	98.6	1,774	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 717-718

C3AMTHDO	C3AMTHDO DAYS/MONTH DRUG USED BEFO
-----------------	---

When you used illegal methadone in the five years before [(START DATE)/January 1990], on the average, about how many days did you use illegal methadone during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
5.9	0.1	1	1	One day
35.3	0.3	6	2	2-5 days
35.3	0.3	6	3	6-10 days
5.9	0.1	1	4	11-20 days
17.6	0.2	3	6	Everyday
	99.0	1,781	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 719-720

C4MTHDO	C4MTHDO USE METHADONE AFTER END DA
----------------	---

After [(END DATE)/January 1990], and until now, have you used illegal methadone five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.0	0.7	13	1	Yes
48.0	0.7	12	2	No
	98.6	1,774	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 721-722

C5MTHDO	C5MTHDO DAYS/MONTH DRUG USED AFTER
----------------	---

When you used illegal methadone after [(END DATE)/January 1990], and until now, on the average, about how many days did you use illegal methadone during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.3	6	2	2-5 days
16.7	0.1	2	3	6-10 days
25.0	0.2	3	4	11-20 days
8.3	0.1	1	5	21-30 days
	99.3	1,786	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 723-724

C6MTHDO	C6MTHDO USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used illegal methadone five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.2	4	1	Yes
66.7	0.4	8	2	No
	99.3	1,786	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 725-726

C7MTHDO	C7MTHDO DAYS/MONTH USED METHADONE
----------------	--

From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use illegal methadone during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	2	2-5 days
50.0	0.1	2	3	6-10 days
	99.7	1,794	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 727-728

C8MTHDO	C8MTHDO R NOT USE DRUGS IN PAST YE
----------------	---

From (MONTH/YEAR AGO) 1994/1995 to now, have there been any months when you were not using illegal methadone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	Yes
	99.7	1,794	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 729-730

C8AMTHDO	C8AMTHDO # OF MONTHS R DID NOT USE
-----------------	---

How many months, altogether, were you not using illegal methadone? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	1	1 month
33.3	0.1	1	2	2-3 months
33.3	0.1	1	4	6-8 months
	99.7	1,794	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 731-732

C9MTHDO	C9MTHDO USED METHADONE LAST 30 DAY
----------------	---

From (DATE 30 DAYS AGO) to now, about how many days have you used illegal methadone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	0	
	99.7	1,794	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 733-734

C2ONARC	C2ONARC	AGE	FIRST USED	OTHER NARCO
---------	---------	-----	------------	-------------

About how old were you the first time you tried other narcotics?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.1	1	9	
1.8	0.1	1	10	
1.8	0.1	1	11	
3.6	0.1	2	12	
5.4	0.2	3	13	
7.1	0.2	4	14	
3.6	0.1	2	15	
8.9	0.3	5	16	
3.6	0.1	2	17	
12.5	0.4	7	18	
8.9	0.3	5	19	
3.6	0.1	2	20	
1.8	0.1	1	21	
7.1	0.2	4	22	
3.6	0.1	2	23	
5.4	0.2	3	25	
1.8	0.1	1	26	
3.6	0.1	2	27	
1.8	0.1	1	28	
1.8	0.1	1	32	
3.6	0.1	2	33	
1.8	0.1	1	34	
1.8	0.1	1	35	
1.8	0.1	1	39	
1.8	0.1	1	40	
	96.8	1,742	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 735-736

C3ONARC C3ONARC USE OTHER NARCOTICS BEFORE

Looking at the calendar, in the five years before [(START DATE)/January 1990], did you use other narcotics five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.6	2.4	44	1	Yes
21.4	0.7	12	2	No
	96.8	1,742	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 737-738

C3AONARC C3AONARC DAYS/MONTH DRUG USED BEFO

When you used other narcotics in the five years before [(START DATE)/January 1990], on the average, about how many days did you use other narcotics during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
9.1	0.2	4	1	One day
36.4	0.9	16	2	2-5 days
18.2	0.4	8	3	6-10 days
9.1	0.2	4	4	11-20 days
2.3	0.1	1	5	21-30 days
25.0	0.6	11	6	Everyday
	97.5	1,754	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 739-740

C4ONARC	C4ONARC USE OTHER NARCOTICS AFTER
----------------	--

After [(END DATE)/January 1990], and until now, have you used other narcotics five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.9	1.8	33	1	Yes
41.1	1.3	23	2	No
	96.8	1,742	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 741-742

C5ONARC	C5ONARC DAYS/MONTH DRUG USED AFTER
----------------	---

When you used other narcotics after [(END DATE)/January 1990], and until now, on the average, about how many days did you use other narcotics during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
15.2	0.3	5	1	One day
27.3	0.5	9	2	2-5 days
24.2	0.4	8	3	6-10 days
9.1	0.2	3	4	11-20 days
12.1	0.2	4	5	21-30 days
12.1	0.2	4	6	Everyday
	98.1	1,765	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 743-744

C6ONARC	C6ONARC USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used other narcotics five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.4	0.7	13	1	Yes
60.6	1.1	20	2	No
	98.1	1,765	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 745-746

C7ONARC	C7ONARC DAYS/MONTH USED NARCOTICS
----------------	--

From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use other narcotics during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
7.7	0.1	1	1	One day
30.8	0.2	4	2	2-5 days
30.8	0.2	4	3	6-10 days
7.7	0.1	1	4	11-20 days
15.4	0.1	2	5	21-30 days
7.7	0.1	1	6	Everyday
	99.2	1,785	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 747-748

C8ONARC	C8ONARC R NOT USE DRUGS IN PAST YE
----------------	---

From (MONTH/YEAR AGO) 1994/1995 to now, have there been any months when you were not using other narcotics?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.5	9	1	Yes
25.0	0.2	3	2	No
	99.2	1,785	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 749-750

C8AONARC	C8AONARC # OF MONTHS R DID NOT USE
-----------------	---

How many months, altogether, were you not using other narcotics? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.1	1	1	1 month
22.2	0.1	2	2	2-3 months
33.3	0.2	3	3	4-5 months
11.1	0.1	1	4	6-8 months
22.2	0.1	2	5	9+ months
	99.4	1,788	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 751-752

C9ONARC	C9ONARC USED OTHER NARCOTICS LAST
----------------	--

From (DATE 30 DAYS AGO) to now, about how many days have you used other narcotics?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	0.4	7	0	None
7.7	0.1	1	2	2-5 days
15.4	0.1	2	3	6-10 days
15.4	0.1	2	4	11-20 days
7.7	0.1	1	5	21-30 days
	99.2	1,785	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 753-754

C2METHA	C2METHA	AGE	FIRST USED	METHAMPHETA
----------------	----------------	------------	-------------------	--------------------

About how old were you the first time you tried methamphetamines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.1	1	10	
1.8	0.1	2	11	
2.6	0.2	3	12	
3.5	0.2	4	13	
3.5	0.2	4	14	
13.2	0.8	15	15	
11.4	0.7	13	16	
7.0	0.4	8	17	
8.8	0.6	10	18	
5.3	0.3	6	19	
9.6	0.6	11	20	
6.1	0.4	7	21	
3.5	0.2	4	22	
2.6	0.2	3	23	
1.8	0.1	2	24	
3.5	0.2	4	25	
3.5	0.2	4	26	
3.5	0.2	4	27	
0.9	0.1	1	28	
0.9	0.1	1	29	
3.5	0.2	4	30	
0.9	0.1	1	32	
0.9	0.1	1	35	
0.9	0.1	1	40	
	93.7	1,685	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 755-756

C3METHA C3METHA USE METHAMPHETAMINES BEFOR

Looking at the calendar, in the five years before [(START DATE)/January 1990], did you use methamphetamines five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.6	5.6	101	1	Yes
11.4	0.7	13	2	No
	93.7	1,685	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 757-758

C3AMETHA C3AMETHA DAYS/MONTH DRUG USED BEFO

When you used methamphetamines in the five years before [(START DATE)/January 1990], on the average, about how many days did you use methamphetamines during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
4.0	0.2	4	1	One day
16.8	0.9	17	2	2-5 days
21.8	1.2	22	3	6-10 days
21.8	1.2	22	4	11-20 days
6.9	0.4	7	5	21-30 days
28.7	1.6	29	6	Everyday
	94.4	1,698	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 759-760

C4METHA	C4METHA USE METHAMPHETAMINES AFTER
----------------	---

After [(END DATE)/January 1990], and until now, have you used methamphetamines five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.8	3.5	63	1	Yes
44.2	2.8	50	2	No
	93.7	1,685	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 761-762

C5METHA	C5METHA DAYS/MONTH DRUG USED AFTER
----------------	---

When you used methamphetamines after [(END DATE)/January 1990], and until now, on the average, about how many days did you use methamphetamines during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
7.9	0.3	5	1	One day
30.2	1.1	19	2	2-5 days
12.7	0.4	8	3	6-10 days
20.6	0.7	13	4	11-20 days
12.7	0.4	8	5	21-30 days
15.9	0.6	10	6	Everyday
	96.4	1,735	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 763-764

C6METHA	C6METHA USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used methamphetamines five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	1.5	27	1	Yes
57.1	2.0	36	2	No
	96.4	1,735	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 765-766

C7METHA	C7METHA DAYS/MON USED METHAMPHETA
----------------	--

From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use methamphetamines during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
22.2	0.3	6	1	One day
25.9	0.4	7	2	2-5 days
14.8	0.2	4	3	6-10 days
11.1	0.2	3	4	11-20 days
14.8	0.2	4	5	21-30 days
11.1	0.2	3	6	Everyday
	98.4	1,771	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 767-768

C8METHA	C8METHA R NOT USE DRUGS IN PAST YE
----------------	---

From (MONTH/YEAR AGO) 1994/1995 to now, have there been any months when you were not using methamphetamines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	1.1	20	1	Yes
23.1	0.3	6	2	No
	98.4	1,771	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 769-770

C8AMETHA	C8AMETHA # OF MONTHS R DID NOT USE
-----------------	---

How many months, altogether, were you not using methamphetamines? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	0.2	3	2	2-3 months
15.8	0.2	3	3	4-5 months
26.3	0.3	5	4	6-8 months
42.1	0.4	8	5	9+ months
	98.8	1,777	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 771-772

C9METHA	C9METHA USED METHAMPHETAMINES LAST
----------------	---

From (DATE 30 DAYS AGO) to now, about how many days have you used methamphetamines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.9	0.8	14	0	None
11.1	0.2	3	1	One day
7.4	0.1	2	2	2-5 days
11.1	0.2	3	3	6-10 days
7.4	0.1	2	4	11-20 days
3.7	0.1	1	5	21-30 days
7.4	0.1	2	6	Everyday
	98.4	1,771	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 773-774

C2DOWNR	C2DOWNR AGE FIRST USED DOWNERS
----------------	---------------------------------------

About how old were you the first time you tried downers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.1	1	5	
1.1	0.1	1	9	
2.2	0.1	2	10	
4.4	0.2	4	12	
8.9	0.4	8	13	
6.7	0.3	6	14	
17.8	0.9	16	15	
8.9	0.4	8	16	
4.4	0.2	4	17	
7.8	0.4	7	18	
3.3	0.2	3	19	
6.7	0.3	6	20	
3.3	0.2	3	21	
2.2	0.1	2	22	
3.3	0.2	3	23	
2.2	0.1	2	24	
3.3	0.2	3	25	
1.1	0.1	1	26	
2.2	0.1	2	27	
3.3	0.2	3	30	
2.2	0.1	2	33	
1.1	0.1	1	35	
1.1	0.1	1	37	
1.1	0.1	1	38	
	94.9	1,708	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 775-776

C3DOWNR C3DOWNR USE DOWNERS BEFORE START D

Looking at the calendar, in the five years before [(START DATE)/January 1990], did you use downers five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	4.4	80	1	Yes
11.1	0.6	10	2	No
	94.9	1,708	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 777-778

C3ADOWNR C3ADOWNR DAYS/MONTH DRUG USED BEFO

When you used downers in the five years before [(START DATE)/January 1990], on the average, about how many days did you use downers during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
2.5	0.1	2	1	One day
31.2	1.4	25	2	2-5 days
28.8	1.3	23	3	6-10 days
13.8	0.6	11	4	11-20 days
8.8	0.4	7	5	21-30 days
15.0	0.7	12	6	Everyday
	95.5	1,718	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 779-780

C4DOWNR	C4DOWNR USE DOWNERS AFTER END DATE
----------------	---

After [(END DATE)/January 1990], and until now, have you used downers five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.3	2.4	43	1	Yes
51.7	2.6	46	2	No
	94.9	1,708	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 781-782

C5DOWNR	C5DOWNR DAYS/MONTH DRUG USED AFTER
----------------	---

When you used downers after [(END DATE)/January 1990], and until now, on the average, about how many days did you use downers during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
2.3	0.1	1	1	One day
34.9	0.8	15	2	2-5 days
32.6	0.8	14	3	6-10 days
11.6	0.3	5	4	11-20 days
7.0	0.2	3	5	21-30 days
11.6	0.3	5	6	Everyday
	97.5	1,754	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 783-784

C6DOWNR	C6DOWNR USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used downers five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.2	1.2	22	1	Yes
48.8	1.2	21	2	No
	97.5	1,754	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 785-786

C7DOWNR	C7DOWNR DAYS/MONTH USED DOWNERS
----------------	--

From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use downers during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
4.5	0.1	1	1	One day
22.7	0.3	5	2	2-5 days
13.6	0.2	3	3	6-10 days
31.8	0.4	7	4	11-20 days
13.6	0.2	3	5	21-30 days
13.6	0.2	3	6	Everyday
	98.7	1,775	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 787-788

C8DOWNR	C8DOWNR R NOT USE DRUGS IN PAST YE
----------------	---

From (MONTH/YEAR AGO) 1994/1995 to now, have there been any months when you were not using downers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.8	14	1	Yes
33.3	0.4	7	2	No
	98.7	1,775	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 789-790

C8ADOWNR	C8ADOWNR # OF MONTHS R DID NOT USE
-----------------	---

How many months, altogether, were you not using downers? Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	0.3	5	2	2-3 months
28.6	0.2	4	3	4-5 months
21.4	0.2	3	4	6-8 months
14.3	0.1	2	5	9+ months
	99.1	1,782	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 791-792

C9DOWNR	C9DOWNR USED OTHER DRUG LAST 30 DA
----------------	---

From (DATE 30 DAYS AGO) to now, about how many days have you used downers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	0.6	10	0	None
5.3	0.1	1	1	One day
21.1	0.2	4	2	2-5 days
15.8	0.2	3	5	21-30 days
5.3	0.1	1	6	Everyday
	98.7	1,775	-6	LEGITIMATE SKIP
	0.1	2	-5	NOT APPLICABLE
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 793-794

C2ODRUG	C2ODRUG	AGE	FIRST USED	OTHER DRUG
---------	---------	-----	------------	------------

About how old were you the first time you tried (OTHER DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.1	1	2	
2.7	0.1	2	11	
2.7	0.1	2	13	
4.1	0.2	3	14	
4.1	0.2	3	15	
11.0	0.4	8	16	
6.8	0.3	5	18	
4.1	0.2	3	19	
2.7	0.1	2	20	
5.5	0.2	4	21	
5.5	0.2	4	22	
4.1	0.2	3	23	
1.4	0.1	1	24	
4.1	0.2	3	25	
4.1	0.2	3	26	
2.7	0.1	2	27	
4.1	0.2	3	28	
4.1	0.2	3	29	
1.4	0.1	1	30	
1.4	0.1	1	31	
1.4	0.1	1	32	
4.1	0.2	3	33	
2.7	0.1	2	34	
2.7	0.1	2	35	
1.4	0.1	1	36	
1.4	0.1	1	37	
1.4	0.1	1	42	
4.1	0.2	3	47	
1.4	0.1	1	50	
1.4	0.1	1	55	
	95.8	1,723	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 795-796

C3ODRUG C3ODRUG USE OTHER DRUG BEFORE STAR

Looking at the calendar, in the five years before [(START DATE)/January 1990], did you use (OTHER DRUG) five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.8	3.3	59	1	Yes
19.2	0.8	14	2	No
	95.8	1,723	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 797-798

C3AODRUG C3AODRUG DAYS/MONTH DRUG USED BEFO

When you used (OTHER DRUG) in the five years before [(START DATE)/January 1990], on the average, about how many days did you use (OTHER DRUG) during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
3.5	0.1	2	1	One day
15.8	0.5	9	2	2-5 days
15.8	0.5	9	3	6-10 days
15.8	0.5	9	4	11-20 days
15.8	0.5	9	5	21-30 days
33.3	1.1	19	6	Everyday
	96.6	1,737	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 799-800

C4ODRUG	C4ODRUG USE OTHER DRUG AFTER END D
----------------	---

After [(END DATE)/January 1990], and until now, have you used (OTHER DRUG) five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.8	1.8	32	1	Yes
56.2	2.3	41	2	No
	95.8	1,723	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 801-802

C5ODRUG	C5ODRUG DAYS/MONTH DRUG USED AFTER
----------------	---

When you used (OTHER DRUG) after [(END DATE)/January 1990], and until now, on the average, about how many days did you use (OTHER DRUG) during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
3.1	0.1	1	1	One day
21.9	0.4	7	2	2-5 days
9.4	0.2	3	3	6-10 days
21.9	0.4	7	4	11-20 days
6.2	0.1	2	5	21-30 days
37.5	0.7	12	6	Everyday
	98.1	1,764	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 803-804

C6ODRUG	C6ODRUG USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used (OTHER DRUG) five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	1.1	20	1	Yes
37.5	0.7	12	2	No
	98.1	1,764	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 805-806

C7ODRUG	C7ODRUG DAYS/MONTH USED OTH DRUG
----------------	---

From (MONTH/YEAR AGO) 1994/1995, and until now, on the average, about how many days did you use (OTHER DRUG) during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
10.0	0.1	2	1	One day
15.0	0.2	3	2	2-5 days
15.0	0.2	3	3	6-10 days
5.0	0.1	1	4	11-20 days
10.0	0.1	2	5	21-30 days
45.0	0.5	9	6	Everyday
	98.7	1,776	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 807-808

C80DRUG	C80DRUG R NOT USE DRUGS IN PAST YE
----------------	---

From (MONTH/YEAR AGO) 1994/1995 to now, have there been any months when you were not using (OTHER DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.9	0.6	11	1	Yes
42.1	0.4	8	2	No
	98.7	1,776	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 809-810

C8AODRUG	C8AODRUG # OF MONTHS R DID NOT USE
-----------------	---

How many months, altogether, were you not using (OTHER DRUG)?
 Is it one month, 2-3 months, 4-5 months, 6-8 months, or nine months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.1	1	1	1 month
16.7	0.1	2	2	2-3 months
25.0	0.2	3	3	4-5 months
16.7	0.1	2	4	6-8 months
33.3	0.2	4	5	9+ months
	99.2	1,784	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 811-812

C9ODRUG	C9ODRUG USED OTHER DRUG LAST 30 DA
----------------	---

From (DATE 30 DAYS AGO) to now, about how many days have you used (OTHER DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	0.5	9	0	None
5.0	0.1	1	2	2-5 days
10.0	0.1	2	3	6-10 days
10.0	0.1	2	4	11-20 days
30.0	0.3	6	6	Everyday
	98.7	1,776	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 813-814

C10	C10 ALCOHOL CODED '1' (YES) FOR MA
------------	---

SEE C1A. IS ALCOHOL CODED "Y" (YES) FOR MAIN DRUG?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	68.4	1,230	1	Yes
30.8	30.5	548	2	No
	1.2	21	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 815-816

C11	C11 USED ALCOHOL 5 TIMES OR MORE I
------------	---

SEE C6 FOR ALCOHOL. HAS R USED ALCOHOL 5 TIMES OR MORE IN
LAST YEAR (C6 = 1)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.4	39.9	718	1	Yes
41.6	28.5	512	2	No
	31.6	569	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 817-818

C12_1	C12_1 R DRINK ANY BEER/MALT LIQUOR
--------------	---

I have a few more questions about your use of alcohol from
(MONTH/YEAR AGO) 1994/1995 to now.

In the last year, in the month you drank the most, on an
average day during that month, did you drink any beer /
malt liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.0	33.4	600	1	Yes
14.0	5.4	98	2	No
	60.1	1,081	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 819-820

C13_1	C13_1 AMOUNT OF BEER/MALT LIQUOR
--------------	---

On an average day during that month, about how much beer / malt liquor did you usually drink?

CODE AMOUNT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	2	0.1	
0.7	0.2	4	0.2	
0.3	0.1	2	0.3	
0.3	0.1	2	0.5	
0.2	0.1	1	0.8	
19.6	6.4	116	1.0	
0.2	0.1	1	1.2	
0.2	0.1	1	1.8	
22.5	7.4	133	2.0	
0.2	0.1	1	2.5	
10.6	3.5	63	3.0	
5.7	1.9	34	4.0	
4.2	1.4	25	5.0	
10.5	3.4	62	6.0	
0.7	0.2	4	7.0	
2.5	0.8	15	8.0	
1.0	0.3	6	9.0	
0.8	0.3	5	10.0	
0.2	0.1	1	11.0	
8.6	2.8	51	12.0	
0.7	0.2	4	14.0	
1.4	0.4	8	15.0	
0.2	0.1	1	16.0	
0.8	0.3	5	18.0	
0.7	0.2	4	20.0	
0.2	0.1	1	21.0	
5.2	1.7	31	24.0	
0.2	0.1	1	30.0	
0.2	0.1	1	36.0	
0.2	0.1	1	40.0	
0.2	0.1	1	48.0	
0.3	0.1	2	72.0	
0.3	0.1	2	80.0	
0.2	0.1	1	90.0	
	65.6	1,180	-6.0	LEGITIMATE SKIP
	1.4	26	-3.0	MISSING
	0.1	1	-1.0	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: lowest thru -1.0
 Columns: 821-824

C13_1A	C13_1A CONTAINER OF BEER/MALT LIQU
---------------	---

On an average day during that month, about how much beer / malt liquor did you usually drink?

CODE SIZE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	9.6	173	1	Bottles
39.2	13.0	233	2	Cans
3.2	1.1	19	3	Glasses
22.4	7.4	133	4	Six packs
0.3	0.1	2	5	Pints
3.4	1.1	20	6	Quarts
2.5	0.8	15	11	Other (SPECIFY)
	65.6	1,181	-6	LEGITIMATE SKIP
	1.2	22	-3	MISSING
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 825-826

C12_2	C12_2 R DRINK ANY WINE/WINE COOLER
--------------	---

I have a few more questions about your use of alcohol from (MONTH/YEAR AGO) 1994/1995 to now.

In the last year, in the month you drank the most, on an average day during that month, did you drink any wine / wine coolers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	10.7	193	1	Yes
72.2	27.9	502	2	No
	60.1	1,081	-6	LEGITIMATE SKIP
	1.1	20	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 827-828

C13_2	C13_2 AMOUNT OF WINE/WINE COOLERS
--------------	--

On an average day during that month, about how much wine / wine coolers did you usually drink?

CODE AMOUNT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.2	3	0.0	
0.5	0.1	1	0.1	
0.5	0.1	1	0.3	
3.6	0.4	7	0.5	
39.6	4.2	76	1.0	
0.5	0.1	1	1.2	
0.5	0.1	1	1.5	
29.2	3.1	56	2.0	
0.5	0.1	1	2.5	
7.8	0.8	15	3.0	
0.5	0.1	1	3.5	
7.8	0.8	15	4.0	
1.6	0.2	3	5.0	
3.1	0.3	6	6.0	
1.6	0.2	3	8.0	
0.5	0.1	1	10.0	
0.5	0.1	1	12.0	
	88.2	1,586	-6.0	LEGITIMATE SKIP
	1.2	21	-3.0	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: lowest thru -1.0
 Columns: 829-832

C13_2A	C13_2A CONTAINER OF WINE/WINE COOL
---------------	---

On an average day during that month, about how much wine / wine coolers did you usually drink?

CODE SIZE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.7	5.8	104	1	Bottles
21.6	2.3	41	3	Glasses
12.1	1.3	23	7	Fifths
11.6	1.2	22	11	Other (SPECIFY)
	88.2	1,586	-6	LEGITIMATE SKIP
	1.3	23	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 833-834

C12_3	C12_3 R DRINK ANY LIQUOR
--------------	---------------------------------

I have a few more questions about your use of alcohol from (MONTH/YEAR AGO) 1994/1995 to now.

In the last year, in the month you drank the most, on an average day during that month, did you drink any liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.8	22.2	400	1	Yes
42.2	16.2	292	2	No
	60.1	1,082	-6	LEGITIMATE SKIP
	1.3	23	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 835-836

C13_3	C13_3 AMOUNT OF LIQUOR
--------------	-------------------------------

On an average day during that month, about how much liquor did you usually drink?

CODE AMOUNT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	2	0.0	
0.5	0.1	2	0.1	
0.8	0.2	3	0.2	
0.5	0.1	2	0.4	
2.8	0.6	11	0.5	
54.2	11.7	211	1.0	
0.5	0.1	2	1.2	
1.5	0.3	6	1.5	
21.9	4.7	85	2.0	
0.3	0.1	1	2.5	
5.9	1.3	23	3.0	
4.4	0.9	17	4.0	
2.1	0.4	8	5.0	
0.8	0.2	3	6.0	
1.0	0.2	4	7.0	
1.0	0.2	4	8.0	
0.8	0.2	3	10.0	
0.3	0.1	1	12.0	
0.3	0.1	1	25.0	
	76.5	1,376	-6.0	LEGITIMATE SKIP
	1.7	31	-3.0	MISSING
	0.2	3	-2.0	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: lowest thru -1.0
 Columns: 837-840

C13_3A	C13_3A SIZE OF LIQUOR
---------------	------------------------------

On an average day during that month, about how much liquor did you usually drink?

CODE SIZE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	3.4	62	5	1/2 Pints
23.5	5.1	92	6	Pints
5.6	1.2	22	7	Quarts
13.0	2.8	51	8	Fifths
17.3	3.8	68	9	Drinks
23.0	5.0	90	10	Shots
1.8	0.4	7	11	Other (SPECIFY)
	76.5	1,376	-6	LEGITIMATE SKIP
	1.7	30	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 841-842

C15INHA	INHALANT USE NOT IN Q.5
----------------	--------------------------------

CODE YES IF INHALANTS WERE NOT CODED AS A MAIN DRUG AT C1A.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	98.7	1,775	1	Inhalants
	1.3	24	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 843-844

C15ALCO ALCOHOL USE NOT IN Q.5

CODE YES IF ALCOHOL WAS NOT CODED AS A MAIN DRUG AT C1A.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	31.6	569	2	Alcohol
	68.4	1,230	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 845-846

C15MARI MARIJUANA/HASHISH USE NOT IN Q.5

CODE YES IF MARIJUANA/HASHISH WAS NOT CODED AS A MAIN DRUG AT C1A.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	72.6	1,306	3	Marijuana/Hashish
	27.4	493	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 847-848

C15CRCK CRACK USE NOT IN Q.5

CODE YES IF CRACK WAS NOT CODED AS A MAIN DRUG AT C1A.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	76.7	1,379	4	Crack
	23.3	420	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 849-850

C15COCA	COCAINE USE NOT IN Q.5.
----------------	--------------------------------

CODE YES IF COCAINE POWDER WAS NOT CODED AS A MAIN DRUG AT C1A.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	72.9	1,311	5	Cocaine Powder
	27.1	488	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 851-852

C15PCP	PCP/ANGEL DUST USE NOT IN Q.5
---------------	--------------------------------------

CODE YES IF PCP/ANGEL DUST WAS NOT CODED AS A MAIN DRUG AT C1A.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	99.1	1,783	6	PCP/Angel Dust
	0.9	16	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 853-854

C15HALU	PSYCHEDELIC/LSD USE NOT IN Q.5
----------------	---------------------------------------

CODE YES IF HALLUCINOGENS/PSYCHEDELICS/LSD WAS NOT CODED AS A MAIN DRUG AT C1A.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	96.1	1,728	7	Hallucinogens/Psychedelics/LSD
	3.9	71	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 855-856

C15METH	METHAMPHETAMINE USE NOT IN Q.5
----------------	---------------------------------------

CODE YES IF METHAMPHETAMINES WERE NOT CODED AS A MAIN DRUG AT C1A.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	93.7	1,685	11	Methamphetamines
	6.3	114	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 863-864

C15DOWN	DOWNER USE NOT IN Q.5
----------------	------------------------------

CODE YES IF DOWNERS WERE NOT CODED AS A MAIN DRUG AT C1A.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	94.9	1,708	12	Downers
	5.1	91	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 865-866

C15OTHR	OTHER DRUG USE NOT IN Q.5
----------------	----------------------------------

CODE YES IF OTHER DRUG WAS NOT CODED AS A MAIN DRUG AT C1A.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	95.7	1,722	13	Other drug (SPECIFY)
	4.3	77	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 867-868

C16INHA	C16INHA EVER USED DRUG FIVE TIMES
----------------	--

Have you ever used inhalants five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	14.2	256	1	Yes
85.5	83.7	1,506	2	No
	1.3	24	-6	LEGITIMATE SKIP
	0.6	11	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 869-870

C17INHA	C17INHA	AGE	FIRST USED	INHALANTS
----------------	----------------	------------	-------------------	------------------

About how old were you the first time you tried inhalants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	1	5	
0.8	0.1	2	6	
0.8	0.1	2	7	
1.2	0.2	3	8	
1.6	0.2	4	9	
4.7	0.7	12	10	
3.9	0.6	10	11	
10.6	1.5	27	12	
11.0	1.6	28	13	
16.1	2.3	41	14	
11.0	1.6	28	15	
12.2	1.7	31	16	
5.5	0.8	14	17	
6.3	0.9	16	18	
2.4	0.3	6	19	
1.6	0.2	4	20	
0.8	0.1	2	21	
2.0	0.3	5	22	
2.0	0.3	5	23	
0.8	0.1	2	24	
1.6	0.2	4	25	
0.4	0.1	1	26	
0.4	0.1	1	28	
0.4	0.1	1	33	
1.2	0.2	3	35	
0.4	0.1	1	36	
0.4	0.1	1	37	
	85.2	1,532	-6	LEGITIMATE SKIP
	0.6	11	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 871-872

C18INHA	C18INHA USE INHALANTS BEFORE STAR
----------------	--

In the five years before [(START MONTH)/YEAR/January 1990], did you use inhalants five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	4.1	74	1	Yes
71.0	10.1	181	2	No
	85.2	1,532	-6	LEGITIMATE SKIP
	0.6	11	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 873-874

C18AINHA	C18AINHA DAYS/MONTH DRUG USED BEFO
-----------------	---

When you used inhalants, in the five years before [(START MONTH)/YEAR/January 1990], on the average, about how many days did you use inhalants during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
20.8	0.8	15	1	One day
52.8	2.1	38	2	2-5 days
8.3	0.3	6	3	6-10 days
5.6	0.2	4	4	11-20 days
2.8	0.1	2	5	21-30 days
9.7	0.4	7	6	Everyday
	95.3	1,714	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 875-876

C19INHA	C19INHA USE INHALANT AFTER END DA
----------------	--

Looking at the calendar, after [(END DATE)/January 1990] and until now, have you used inhalants five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	1.5	27	1	Yes
89.2	12.5	224	2	No
	85.2	1,532	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 877-878

C19AINHA	C19AINHA DAYS/MONTH DRUG USED AFTE
-----------------	---

When you used inhalants, after [(END DATE)/January 1990], on the average, about how many days did you use inhalants during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
37.0	0.6	10	1	One day
40.7	0.6	11	2	2-5 days
11.1	0.2	3	3	6-10 days
7.4	0.1	2	4	11-20 days
3.7	0.1	1	6	Everyday
	97.6	1,756	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 879-880

C20INHA	C20INHA USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used inhalants five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.4	7	1	Yes
75.0	1.2	21	2	No
	97.6	1,756	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 881-882

C20AINHA	C20AINHA DAYS/MONTH R USED INHALANT
-----------------	--

On the average, how many days did you use inhalants during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.1	1	0	None
42.9	0.2	3	1	One day
28.6	0.1	2	2	2-5 days
14.3	0.1	1	5	21-30 days
	98.8	1,777	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 883-884

C21INHA	C21INHA USED INHALANTS LAST 30 DAY
----------------	---

From (DATE 30 DAYS AGO) to now, about how many days have you used inhalants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	0.2	4	0	None
14.3	0.1	1	1	One day
28.6	0.1	2	2	2-5 days
	98.8	1,777	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 885-886

C16ALCO	C16ALCO EVER USED DRUG FIVE TIMES
----------------	--

Have you ever used alcohol five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.1	28.1	506	1	Yes
10.9	3.4	62	2	No
	68.4	1,230	-6	LEGITIMATE SKIP
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 887-888

C17ALCO	C17ALCO AGE FIRST USED ALCOHOL
---------	--------------------------------

About how old were you the first time you tried alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	2	2	
0.6	0.2	3	3	
0.6	0.2	3	4	
1.4	0.4	7	5	
3.2	0.9	16	6	
1.4	0.4	7	7	
1.8	0.5	9	8	
2.6	0.7	13	9	
5.2	1.4	26	10	
2.2	0.6	11	11	
10.8	3.0	54	12	
7.2	2.0	36	13	
12.2	3.4	61	14	
12.8	3.6	64	15	
14.6	4.1	73	16	
7.0	1.9	35	17	
7.8	2.2	39	18	
2.0	0.6	10	19	
1.8	0.5	9	20	
1.0	0.3	5	21	
0.6	0.2	3	22	
1.0	0.3	5	24	
0.4	0.1	2	25	
0.2	0.1	1	26	
0.2	0.1	1	27	
0.2	0.1	1	28	
0.2	0.1	1	29	
0.2	0.1	1	31	
0.2	0.1	1	35	
	71.9	1,293	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.2	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 889-890

C18ALCO	C18ALCO USE ALCOHOL BEFORE START
----------------	---

In the five years before [(START MONTH)/YEAR/January 1990],
did you use alcohol five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.1	23.2	418	1	Yes
16.9	4.7	85	2	No
	71.9	1,293	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 891-892

C18AALCO	C18AALCO DAYS/MONTH DRUG USED BEFO
-----------------	---

When you used alcohol, in the five years before [(START
MONTH)/YEAR/January 1990], on the average, about how many
days did you use alcohol during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
12.7	2.9	53	1	One day
31.7	7.3	132	2	2-5 days
22.3	5.2	93	3	6-10 days
15.8	3.7	66	4	11-20 days
6.5	1.5	27	5	21-30 days
11.0	2.6	46	6	Everyday
	76.7	1,379	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 893-894

C19ALCO	C19ALCO USE ALCOHOL END DATE
----------------	-------------------------------------

Looking at the calendar, after [(END DATE)/January 1990] and until now, have you used alcohol five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.1	19.5	350	1	Yes
29.9	8.3	149	2	No
	71.9	1,293	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 895-896

C19AALCO	C19AALCO DAYS/MONTH DRUG USED AFTE
-----------------	---

When you used alcohol, after [(END DATE)/January 1990], on the average, about how many days did you use alcohol during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
17.2	3.3	60	1	One day
34.2	6.6	119	2	2-5 days
19.8	3.8	69	3	6-10 days
13.8	2.7	48	4	11-20 days
6.0	1.2	21	5	21-30 days
8.9	1.7	31	6	Everyday
	80.2	1,442	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 897-898

C20ALCO	C20ALCO USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used alcohol five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.4	14.2	256	1	Yes
26.6	5.2	93	2	No
	80.2	1,442	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 899-900

C20AALCO	C20AALCO DAYS/MONTH R USED ALCOHOL
-----------------	---

On the average, how many days did you use alcohol during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.5	9	0	None
13.5	1.9	34	1	One day
38.2	5.3	96	2	2-5 days
17.9	2.5	45	3	6-10 days
13.1	1.8	33	4	11-20 days
8.0	1.1	20	5	21-30 days
5.6	0.8	14	6	Everyday
	85.3	1,535	-6	LEGITIMATE SKIP
	0.7	12	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 901-902

C21ALCO	C21ALCO USED ALCOHOL LAST 30 DAYS
----------------	--

From (DATE 30 DAYS AGO) to now, about how many days have you used alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.2	3.4	62	0	None
13.3	1.9	34	1	One day
30.5	4.3	78	2	2-5 days
14.5	2.1	37	3	6-10 days
9.8	1.4	25	4	11-20 days
5.1	0.7	13	5	21-30 days
2.7	0.4	7	6	Everyday
	85.3	1,535	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 903-904

C16MARI	C16MARI EVER USED DRUG FIVE TIMES
----------------	--

Have you ever used marijuana/hashish five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.3	47.9	862	1	Yes
33.7	24.3	438	2	No
	27.4	493	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 905-906

C17MARI	C17MARI AGE FIRST USED MARIJUANA
----------------	---

About how old were you the first time you tried marijuana/
hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	2	6	
0.7	0.3	6	7	
0.6	0.3	5	8	
1.2	0.6	10	9	
2.0	0.9	17	10	
2.6	1.2	22	11	
7.6	3.6	65	12	
11.1	5.3	95	13	
10.9	5.2	93	14	
12.9	6.1	110	15	
14.7	7.0	126	16	
9.0	4.3	77	17	
9.1	4.3	78	18	
3.3	1.6	28	19	
3.7	1.8	32	20	
2.3	1.1	20	21	
1.6	0.8	14	22	
0.8	0.4	7	23	
0.2	0.1	2	24	
2.3	1.1	20	25	
0.5	0.2	4	26	
0.4	0.2	3	27	
0.6	0.3	5	28	
0.1	0.1	1	29	
0.5	0.2	4	30	
0.4	0.2	3	31	
0.1	0.1	1	32	
0.1	0.1	1	33	
0.1	0.1	1	35	
0.4	0.2	3	40	
0.1	0.1	1	47	
	51.9	933	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 907-908

C18MARI	C18MARI USE MARIJUANA BEFORE STAR
----------------	--

In the five years before [(START MONTH)/YEAR/January 1990], did you use marijuana/hashish five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.7	31.4	564	1	Yes
34.3	16.4	295	2	No
	51.9	933	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 909-910

C18AMARI	C18AMARI DAYS/MONTH DRUG USED BEFO
-----------------	---

When you used marijuana/hashish, in the five years before [(START MONTH)/YEAR/January 1990], on the average, about how many days did you use marijuana/hashish during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
14.5	4.5	81	1	One day
33.9	10.6	190	2	2-5 days
17.0	5.3	95	3	6-10 days
13.0	4.1	73	4	11-20 days
9.6	3.0	54	5	21-30 days
12.0	3.7	67	6	Everyday
	68.3	1,228	-6	LEGITIMATE SKIP
	0.6	11	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 911-912

C19MARI	C19MARI USE MARIJUANA AFTER END D
----------------	--

Looking at the calendar, after [(END DATE)/January 1990] and until now, have you used marijuana/hashish five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.6	19.1	343	1	Yes
59.4	27.8	501	2	No
	51.9	933	-6	LEGITIMATE SKIP
	1.2	22	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 913-914

C19AMARI	C19AMARI DAYS/MONTH DRUG USED AFTE
-----------------	---

When you used marijuana/hashish, after [(END DATE)/January 1990], on the average, about how many days did you use marijuana/hashish during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
21.2	4.0	72	1	One day
37.1	7.0	126	2	2-5 days
17.6	3.3	60	3	6-10 days
11.5	2.2	39	4	11-20 days
4.7	0.9	16	5	21-30 days
7.9	1.5	27	6	Everyday
	79.7	1,434	-6	LEGITIMATE SKIP
	1.3	24	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 915-916

C20MARI	C20MARI USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used marijuana/hashish five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.1	11.2	202	1	Yes
40.9	7.8	140	2	No
	79.7	1,434	-6	LEGITIMATE SKIP
	1.3	23	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 917-918

C20AMARI	C20AMARI DAYS/MONTH R USED MARIJUAN
-----------------	--

On the average, how many days did you use marijuana/hashish during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	0.3	5	0	None
19.5	2.2	39	1	One day
40.5	4.5	81	2	2-5 days
15.0	1.7	30	3	6-10 days
11.0	1.2	22	4	11-20 days
7.5	0.8	15	5	21-30 days
4.0	0.4	8	6	Everyday
	87.5	1,574	-6	LEGITIMATE SKIP
	1.4	25	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 919-920

C21MARI	C21MARI USED MARIJUANA LAST 30 DAY
----------------	---

From (DATE 30 DAYS AGO) to now, about how many days have you used marijuana/hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	3.6	65	0	None
14.4	1.6	29	1	One day
29.4	3.3	59	2	2-5 days
11.4	1.3	23	3	6-10 days
7.5	0.8	15	4	11-20 days
3.0	0.3	6	5	21-30 days
2.0	0.2	4	6	Everyday
	87.5	1,574	-6	LEGITIMATE SKIP
	1.3	24	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 921-922

C16CRCK	C16CRCK EVER USED DRUG FIVE TIMES
----------------	--

Have you ever used crack five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.3	17.7	319	1	Yes
76.7	58.5	1,053	2	No
	23.3	420	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 923-924

C17CRCK	C17CRCK AGE FIRST USED CRACK
---------	------------------------------

About how old were you the first time you tried crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	13	
0.3	0.1	1	14	
1.9	0.3	6	15	
2.8	0.5	9	16	
2.8	0.5	9	17	
6.6	1.2	21	18	
4.1	0.7	13	19	
7.5	1.3	24	20	
3.1	0.6	10	21	
3.5	0.6	11	22	
2.8	0.5	9	23	
1.9	0.3	6	24	
6.0	1.1	19	25	
2.5	0.4	8	26	
4.1	0.7	13	27	
5.3	0.9	17	28	
2.8	0.5	9	29	
7.5	1.3	24	30	
2.2	0.4	7	31	
4.4	0.8	14	32	
2.2	0.4	7	33	
2.2	0.4	7	34	
5.7	1.0	18	35	
2.8	0.5	9	36	
2.2	0.4	7	37	
2.8	0.5	9	38	
0.6	0.1	2	39	
1.9	0.3	6	40	
0.9	0.2	3	41	
0.6	0.1	2	43	
1.3	0.2	4	44	
1.3	0.2	4	45	
1.6	0.3	5	47	
0.3	0.1	1	49	
0.3	0.1	1	50	
0.6	0.1	2	51	
	82.0	1,475	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 925-926

C18CRCK	C18CRCK USE CRACK BEFORE START DA
----------------	--

In the five years before [(START MONTH)/YEAR/January 1990],
did you use crack five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.9	8.1	146	1	Yes
54.1	9.6	172	2	No
	82.0	1,475	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 927-928

C18ACRCK	C18ACRCK DAYS/MONTH DRUG USED BEFO
-----------------	---

When you used crack, in the five years before [(START MONTH)/
YEAR/January 1990], on the average, about how many days did
you use crack during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
13.8	1.1	20	1	One day
37.9	3.1	55	2	2-5 days
15.2	1.2	22	3	6-10 days
9.7	0.8	14	4	11-20 days
9.0	0.7	13	5	21-30 days
14.5	1.2	21	6	Everyday
	91.6	1,647	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 929-930

C19CRCK	C19CRCK USE CRACK AFTER END DATE
----------------	---

Looking at the calendar, after [(END DATE)/January 1990] and until now, have you used crack five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.5	8.1	145	1	Yes
53.5	9.3	167	2	No
	82.0	1,475	-6	LEGITIMATE SKIP
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 931-932

C19ACRCK	C19ACRCK DAYS/MONTH DRUG USED AFTE
-----------------	---

When you used crack, after [(END DATE)/January 1990], on the average, about how many days did you use crack during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
27.8	2.2	40	1	One day
31.2	2.5	45	2	2-5 days
13.9	1.1	20	3	6-10 days
13.9	1.1	20	4	11-20 days
7.6	0.6	11	5	21-30 days
5.6	0.4	8	6	Everyday
	91.3	1,642	-6	LEGITIMATE SKIP
	0.7	12	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 933-934

C20CRCK	C20CRCK USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used crack five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.9	3.8	68	1	Yes
53.1	4.3	77	2	No
	91.3	1,642	-6	LEGITIMATE SKIP
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 935-936

C20ACRCK	C20ACRCK DAYS/MONTH R USED CRACK
-----------------	---

On the average, how many days did you use crack during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.1	2	0	None
19.4	0.7	13	1	One day
34.3	1.3	23	2	2-5 days
14.9	0.6	10	3	6-10 days
11.9	0.4	8	4	11-20 days
11.9	0.4	8	5	21-30 days
4.5	0.2	3	6	Everyday
	95.6	1,719	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 937-938

C21CRCK	C21CRCK USED CRACK LAST 30 DAYS
----------------	--

From (DATE 30 DAYS AGO) to now, about how many days have you used crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.8	1.7	30	0	None
10.4	0.4	7	1	One day
26.9	1.0	18	2	2-5 days
6.0	0.2	4	3	6-10 days
9.0	0.3	6	4	11-20 days
1.5	0.1	1	5	21-30 days
1.5	0.1	1	6	Everyday
	95.6	1,719	-6	LEGITIMATE SKIP
	0.7	12	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 939-940

C16COCA	C16COCA EVER USED DRUG FIVE TIMES
----------------	--

Have you ever used cocaine powder five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	31.5	566	1	Yes
56.6	41.0	737	2	No
	27.1	488	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 941-942

C17COCA	C17COCA	AGE	FIRST USED	COCAINE
----------------	----------------	------------	-------------------	----------------

About how old were you the first time you tried cocaine powder?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	2	10	
1.1	0.3	6	12	
2.1	0.7	12	13	
2.7	0.8	15	14	
5.5	1.7	31	15	
7.8	2.4	44	16	
8.2	2.6	46	17	
11.2	3.5	63	18	
6.7	2.1	38	19	
7.8	2.4	44	20	
7.1	2.2	40	21	
5.5	1.7	31	22	
2.5	0.8	14	23	
3.9	1.2	22	24	
6.7	2.1	38	25	
2.1	0.7	12	26	
1.6	0.5	9	27	
2.7	0.8	15	28	
1.4	0.4	8	29	
3.9	1.2	22	30	
0.5	0.2	3	31	
1.2	0.4	7	32	
1.4	0.4	8	33	
0.7	0.2	4	34	
2.0	0.6	11	35	
1.1	0.3	6	36	
0.5	0.2	3	37	
0.5	0.2	3	38	
0.7	0.2	4	40	
0.2	0.1	1	41	
0.4	0.1	2	42	
	68.3	1,228	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 943-944

C18COCA	C18COCA USE COCAINE BEFORE START
----------------	---

In the five years before [(START MONTH)/YEAR/January 1990], did you use cocaine powder five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.5	20.0	359	1	Yes
36.5	11.5	206	2	No
	68.3	1,228	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 945-946

C18ACOCA	C18ACOCA DAYS/MONTH DRUG USED BEFO
-----------------	---

When you used cocaine powder, in the five years before [(START MONTH)/YEAR/January 1990], on the average, about how many days did you use cocaine powder during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
19.8	3.9	71	1	One day
40.5	8.1	145	2	2-5 days
19.8	3.9	71	3	6-10 days
9.2	1.8	33	4	11-20 days
3.6	0.7	13	5	21-30 days
7.0	1.4	25	6	Everyday
	79.7	1,434	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 947-948

C19COCA	C19COCA USE COCAINE AFTER END DAT
----------------	--

Looking at the calendar, after [(END DATE)/January 1990] and until now, have you used cocaine powder five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	9.3	168	1	Yes
70.3	22.1	397	2	No
	68.3	1,228	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 949-950

C19ACOCA	C19ACOCA DAYS/MONTH DRUG USED AFTE
-----------------	---

When you used cocaine powder, after [(END DATE)/January 1990], on the average, about how many days did you use cocaine powder during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
25.7	2.4	43	1	One day
43.1	4.0	72	2	2-5 days
15.6	1.4	26	3	6-10 days
4.8	0.4	8	4	11-20 days
2.4	0.2	4	5	21-30 days
8.4	0.8	14	6	Everyday
	90.3	1,625	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 951-952

C20COCA	C20COCA USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used cocaine powder five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	2.6	47	1	Yes
71.9	6.7	120	2	No
	90.3	1,625	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 953-954

C20ACOCA	C20ACOCA DAYS/MONTH R USED COCAINE
-----------------	---

On the average, how many days did you use cocaine powder during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.1	2	0	None
28.3	0.7	13	1	One day
30.4	0.8	14	2	2-5 days
15.2	0.4	7	3	6-10 days
13.0	0.3	6	4	11-20 days
2.2	0.1	1	5	21-30 days
6.5	0.2	3	6	Everyday
	97.0	1,745	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 955-956

C21COCA	C21COCA USED COCAINE LAST 30 DAYS
----------------	--

From (DATE 30 DAYS AGO) to now, about how many days have you used cocaine powder?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.4	1.5	27	0	None
6.4	0.2	3	1	One day
25.5	0.7	12	2	2-5 days
2.1	0.1	1	3	6-10 days
4.3	0.1	2	4	11-20 days
2.1	0.1	1	5	21-30 days
2.1	0.1	1	6	Everyday
	97.0	1,745	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 957-958

C16PCP	C16PCP EVER USED DRUG FIVE TIMES
---------------	---

Have you ever used PCP/angel dust five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	13.0	233	1	Yes
86.9	85.5	1,539	2	No
	0.9	16	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 959-960

C17PCP	C17PCP AGE FIRST USED PCP/ANGEL
---------------	--

About how old were you the first time you tried PCP/angel dust?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	1	8	
1.7	0.2	4	12	
2.6	0.3	6	13	
6.4	0.8	15	14	
11.6	1.5	27	15	
12.4	1.6	29	16	
13.3	1.7	31	17	
12.4	1.6	29	18	
6.0	0.8	14	19	
6.4	0.8	15	20	
3.9	0.5	9	21	
2.6	0.3	6	22	
3.4	0.4	8	23	
2.1	0.3	5	24	
4.7	0.6	11	25	
0.4	0.1	1	26	
0.9	0.1	2	27	
0.9	0.1	2	28	
1.3	0.2	3	29	
1.3	0.2	3	30	
1.3	0.2	3	32	
0.9	0.1	2	33	
1.3	0.2	3	35	
0.4	0.1	1	39	
0.4	0.1	1	42	
0.4	0.1	1	45	
0.4	0.1	1	50	
	86.5	1,557	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 961-962

C18PCP	C18PCP USE PCP/ANGEL DUST BEFORE
---------------	---

In the five years before [(START MONTH)/YEAR/January 1990],
did you use PCP/angel dust five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	4.0	72	1	Yes
69.2	9.0	162	2	No
	86.5	1,557	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 963-964

C18APCP	C18APCP DAYS/MONTH DRUG USED BEFO
----------------	--

When you used PCP/angel dust, in the five years before
[(START MONTH)/YEAR/January 1990], on the average, about
how many days did you use PCP/angel dust during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
26.8	1.1	19	1	One day
36.6	1.4	26	2	2-5 days
18.3	0.7	13	3	6-10 days
12.7	0.5	9	4	11-20 days
4.2	0.2	3	5	21-30 days
1.4	0.1	1	6	Everyday
	95.6	1,719	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 965-966

C19PCP	C19PCP USE PCP AFTER END DATE
---------------	--------------------------------------

Looking at the calendar, after [(END DATE)/January 1990] and until now, have you used PCP/angel dust five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	1.3	23	1	Yes
89.9	11.3	204	2	No
	86.5	1,557	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 967-968

C19APCP	C19APCP DAYS/MONTH DRUG USED AFTE
----------------	--

When you used PCP/angel dust, after [(END DATE)/January 1990], on the average, about how many days did you use PCP/angel dust during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
36.4	0.4	8	1	One day
40.9	0.5	9	2	2-5 days
13.6	0.2	3	3	6-10 days
9.1	0.1	2	6	Everyday
	97.9	1,761	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 969-970

C20PCP	C20PCP USE DRUG IN LAST YEAR
---------------	-------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used PCP/angel dust five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	0.2	4	1	Yes
82.6	1.1	19	2	No
	97.9	1,761	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 971-972

C20APCP	C20APCP DAYS/MONTH R USED PCP/ANGE
----------------	---

On the average, how many days did you use PCP/angel dust during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
25.0	0.1	1	1	One day
50.0	0.1	2	2	2-5 days
25.0	0.1	1	3	6-10 days
	98.9	1,780	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 973-974

C21PCP	C21PCP USED PCP/ANGEL DUST LAST 3
---------------	--

From (DATE 30 DAYS AGO) to now, about how many days have you used PCP/angel dust?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.2	3	0	None
25.0	0.1	1	2	2-5 days
	98.9	1,780	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 975-976

C16HALU	C16HALU EVER USED DRUG FIVE TIMES
----------------	--

Have you ever used hallucinogens/psychedelics/LSD five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	29.0	522	1	Yes
69.6	66.5	1,196	2	No
	3.9	71	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 977-978

C17HALU	C17HALU	AGE	FIRST USED	PSYCHEDELI
---------	---------	-----	------------	------------

About how old were you the first time you tried hallucinogens/
psychedelics/LSD?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	1	6	
0.2	0.1	1	9	
0.8	0.2	4	10	
0.4	0.1	2	11	
2.1	0.6	11	12	
4.2	1.2	22	13	
9.2	2.7	48	14	
13.5	3.9	70	15	
15.4	4.4	80	16	
17.1	4.9	89	17	
13.3	3.8	69	18	
4.6	1.3	24	19	
5.2	1.5	27	20	
3.3	0.9	17	21	
1.7	0.5	9	22	
1.7	0.5	9	23	
0.2	0.1	1	24	
2.7	0.8	14	25	
0.2	0.1	1	26	
0.2	0.1	1	27	
0.8	0.2	4	28	
0.4	0.1	2	29	
1.3	0.4	7	30	
0.4	0.1	2	31	
0.2	0.1	1	32	
0.2	0.1	1	34	
0.2	0.1	1	35	
0.2	0.1	1	36	
0.2	0.1	1	48	
	70.5	1,269	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 979-980

C18HALU	C18HALU USE PSYCHEDELICS/LSD BEFO
----------------	--

In the five years before [(START MONTH)/YEAR/January 1990], did you use hallucinogens/psychedelics/LSD five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.6	10.8	195	1	Yes
62.4	18.0	323	2	No
	70.5	1,269	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 981-982

C18AHALU	C18AHALU DAYS/MONTH DRUG USED BEFO
-----------------	---

When you used hallucinogens/psychedelics/LSD, in the five years before [(START MONTH)/YEAR/January 1990], on the average, about how many days did you use hallucinogens/psychedelics/LSD during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
39.7	4.2	75	1	One day
40.7	4.3	77	2	2-5 days
13.8	1.4	26	3	6-10 days
3.2	0.3	6	4	11-20 days
1.6	0.2	3	5	21-30 days
1.1	0.1	2	6	Everyday
	88.6	1,594	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	0.8	15	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 983-984

C19HALU	C19HALU USE LSD AFTER END DATE
----------------	---------------------------------------

Looking at the calendar, after [(END DATE)/January 1990] and until now, have you used hallucinogens/psychedelics/LSD five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	3.6	64	1	Yes
87.5	24.8	446	2	No
	70.5	1,269	-6	LEGITIMATE SKIP
	1.1	20	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 985-986

C19AHALU	C19AHALU DAYS/MONTH DRUG USED AFTE
-----------------	---

When you used hallucinogens/psychedelics/LSD, after [(END DATE)/January 1990], on the average, about how many days did you use hallucinogens/psychedelics/LSD during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
53.2	1.8	33	1	One day
25.8	0.9	16	2	2-5 days
14.5	0.5	9	3	6-10 days
3.2	0.1	2	4	11-20 days
1.6	0.1	1	5	21-30 days
1.6	0.1	1	6	Everyday
	95.3	1,715	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	1.2	21	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 987-988

C20HALU	C20HALU USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used hallucinogens/psychedelics/LSD five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	0.7	12	1	Yes
81.2	2.9	52	2	No
	95.3	1,715	-6	LEGITIMATE SKIP
	1.1	20	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 989-990

C20AHALU	C20AHALU DAYS/MONTH R USED PSYCHEDE
-----------------	--

On the average, how many days did you use hallucinogens/psychedelics/LSD during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
50.0	0.3	6	1	One day
41.7	0.3	5	2	2-5 days
8.3	0.1	1	3	6-10 days
	98.2	1,767	-6	LEGITIMATE SKIP
	1.1	20	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 991-992

C21HALU	C21HALU USED PSYCHEDELICS/LSD LAST
----------------	---

From (DATE 30 DAYS AGO) to now, about how many days have you used hallucinogens/psychedelics/LSD?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	0.3	5	0	None
27.3	0.2	3	1	One day
18.2	0.1	2	2	2-5 days
9.1	0.1	1	3	6-10 days
	98.2	1,767	-6	LEGITIMATE SKIP
	1.2	21	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 993-994

C16HERO	C16HERO EVER USED DRUG FIVE TIMES
----------------	--

Have you ever used heroin five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	9.4	170	1	Yes
88.3	71.6	1,288	2	No
	18.6	334	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 995-996

C17HERO	C17HERO AGE FIRST USED HEROIN
----------------	--------------------------------------

About how old were you the first time you tried heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.1	1	8	
0.6	0.1	1	9	
0.6	0.1	1	10	
1.2	0.1	2	11	
2.9	0.3	5	13	
3.5	0.3	6	14	
4.1	0.4	7	15	
4.7	0.4	8	16	
7.1	0.7	12	17	
11.2	1.1	19	18	
11.8	1.1	20	19	
6.5	0.6	11	20	
4.7	0.4	8	21	
5.3	0.5	9	22	
2.9	0.3	5	23	
1.8	0.2	3	24	
4.7	0.4	8	25	
4.1	0.4	7	26	
7.6	0.7	13	28	
2.9	0.3	5	29	
1.2	0.1	2	30	
0.6	0.1	1	31	
1.8	0.2	3	32	
1.8	0.2	3	33	
0.6	0.1	1	34	
1.8	0.2	3	35	
0.6	0.1	1	36	
1.2	0.1	2	38	
0.6	0.1	1	44	
0.6	0.1	1	47	
0.6	0.1	1	50	
	90.2	1,623	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 997-998

C18HERO	C18HERO USE HEROIN BEFORE START D
----------------	--

In the five years before [(START MONTH)/YEAR/January 1990],
did you use heroin five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.0	2.9	52	1	Yes
69.0	6.4	116	2	No
	90.2	1,623	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 999-1000

C18AHERO	C18AHERO DAYS/MONTH DRUG USED BEFO
-----------------	---

When you used heroin, in the five years before [(START MONTH)/
YEAR/January 1990], on the average, about how many days did
you use heroin during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
23.1	0.7	12	1	One day
26.9	0.8	14	2	2-5 days
21.2	0.6	11	3	6-10 days
11.5	0.3	6	4	11-20 days
1.9	0.1	1	5	21-30 days
15.4	0.4	8	6	Everyday
	96.7	1,739	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1001-1002

C20HERO	C20HERO USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used heroin five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	1.0	18	1	Yes
60.0	1.5	27	2	No
	96.9	1,743	-6	LEGITIMATE SKIP
	0.6	11	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1007-1008

C20AHERO	C20AHERO DAYS/MONTH R USED HEROIN
-----------------	--

On the average, how many days did you use heroin during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
12.5	0.1	2	1	One day
37.5	0.3	6	2	2-5 days
6.2	0.1	1	3	6-10 days
12.5	0.1	2	5	21-30 days
31.2	0.3	5	6	Everyday
	98.4	1,770	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1009-1010

C21HERO	C21HERO USED HEROIN LAST 30 DAYS
----------------	---

From (DATE 30 DAYS AGO) to now, about how many days have you used heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.5	9	0	None
11.1	0.1	2	1	One day
5.6	0.1	1	2	2-5 days
5.6	0.1	1	3	6-10 days
11.1	0.1	2	5	21-30 days
16.7	0.2	3	6	Everyday
	98.4	1,770	-6	LEGITIMATE SKIP
	0.6	11	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1011-1012

C16MTDO	C16MTDO EVER USED DRUG FIVE TIMES
----------------	--

Have you ever used illegal methadone five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.6	137	1	Yes
92.2	90.3	1,625	2	No
	1.4	25	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1013-1014

C17MTDO	C17MTDO AGE FIRST USED METHADONE
----------------	---

About how old were you the first time you tried illegal methadone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.1	1	11	
2.2	0.2	3	13	
2.9	0.2	4	15	
7.3	0.6	10	16	
5.8	0.4	8	17	
4.4	0.3	6	18	
3.6	0.3	5	19	
4.4	0.3	6	20	
5.1	0.4	7	21	
5.8	0.4	8	22	
5.8	0.4	8	23	
0.7	0.1	1	24	
5.1	0.4	7	25	
3.6	0.3	5	26	
2.9	0.2	4	27	
6.6	0.5	9	28	
4.4	0.3	6	29	
10.2	0.8	14	30	
2.9	0.2	4	31	
2.2	0.2	3	32	
4.4	0.3	6	33	
1.5	0.1	2	34	
0.7	0.1	1	36	
2.2	0.2	3	38	
0.7	0.1	1	39	
0.7	0.1	1	40	
1.5	0.1	2	41	
1.5	0.1	2	47	
	91.8	1,652	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1015-1016

C18MTDO	C18MTDO USE ILLEGAL METHADONE BEF
----------------	--

In the five years before [(START MONTH)/YEAR/January 1990], did you use illegal methadone five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	3.3	59	1	Yes
56.6	4.3	77	2	No
	91.8	1,652	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1017-1018

C18AMTDO	C18AMTDO DAYS/MONTH DRUG USED BEFO
-----------------	---

When you used illegal methadone, in the five years before [(START MONTH)/YEAR/January 1990], on the average, about how many days did you use illegal methadone during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
15.5	0.5	9	1	One day
46.6	1.5	27	2	2-5 days
19.0	0.6	11	3	6-10 days
12.1	0.4	7	4	11-20 days
1.7	0.1	1	5	21-30 days
5.2	0.2	3	6	Everyday
	96.2	1,730	-6	LEGITIMATE SKIP
	0.6	11	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1019-1020

C19MTDO	C19MTDO USE ILLEGAL METHADONE AFT
----------------	--

Looking at the calendar, after [(END DATE)/January 1990] and until now, have you used illegal methadone five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	2.4	43	1	Yes
68.6	5.2	94	2	No
	91.8	1,652	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1021-1022

C19AMTDO	C19AMTDO DAYS/MONTH DRUG USED AFTE
-----------------	---

When you used illegal methadone, after [(END DATE)/January 1990], on the average, about how many days did you use illegal methadone during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
21.4	0.5	9	1	One day
35.7	0.8	15	2	2-5 days
31.0	0.7	13	3	6-10 days
9.5	0.2	4	4	11-20 days
2.4	0.1	1	6	Everyday
	97.1	1,746	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1023-1024

C20MTDO	C20MTDO USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used illegal methadone five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.2	0.7	13	1	Yes
69.8	1.7	30	2	No
	97.1	1,746	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1025-1026

C20AMTDO	C20AMTDO DAYS/MONTH R USED ILLEGAL
-----------------	---

On the average, how many days did you use illegal methadone during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
25.0	0.2	3	1	One day
33.3	0.2	4	2	2-5 days
16.7	0.1	2	3	6-10 days
16.7	0.1	2	4	11-20 days
8.3	0.1	1	6	Everyday
	98.7	1,776	-6	LEGITIMATE SKIP
	0.6	11	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1027-1028

C21MTDO	C21ME30	USED METHAMPH LAST 30 DAY
----------------	----------------	----------------------------------

From (DATE 30 DAYS AGO) to now, about how many days have you used illegal methadone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	0.5	9	0	None
7.7	0.1	1	3	6-10 days
15.4	0.1	2	4	11-20 days
7.7	0.1	1	6	Everyday
	98.7	1,776	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1029-1030

C16ONRC	C16ONRC	EVER USED DRUG FIVE TIMES
----------------	----------------	----------------------------------

Have you ever used other narcotics five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	13.5	242	1	Yes
86.0	82.7	1,487	2	No
	3.2	57	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1031-1032

C17ONRC	C17ONRC	AGE	FIRST USED	OTHER NARC
---------	---------	-----	------------	------------

About how old were you the first time you tried other narcotics?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	1	5	
0.4	0.1	1	7	
0.8	0.1	2	8	
0.4	0.1	1	9	
2.5	0.3	6	10	
1.7	0.2	4	12	
2.5	0.3	6	13	
2.5	0.3	6	14	
11.2	1.5	27	15	
8.8	1.2	21	16	
12.1	1.6	29	17	
12.1	1.6	29	18	
4.2	0.6	10	19	
9.6	1.3	23	20	
5.0	0.7	12	21	
4.6	0.6	11	22	
1.2	0.2	3	23	
2.1	0.3	5	24	
3.8	0.5	9	25	
0.4	0.1	1	26	
1.7	0.2	4	27	
1.7	0.2	4	28	
1.7	0.2	4	29	
3.3	0.4	8	30	
0.4	0.1	1	31	
1.2	0.2	3	32	
0.4	0.1	1	33	
0.4	0.1	1	34	
0.4	0.1	1	35	
0.8	0.1	2	36	
0.4	0.1	1	37	
0.4	0.1	1	38	
0.4	0.1	1	40	
0.4	0.1	1	42	
	86.0	1,547	-6	LEGITIMATE SKIP
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1033-1034

C18ONRC	C18ONRC USE OTHER NARCOTICS BEFOR
----------------	--

In the five years before [(START MONTH)/YEAR/January 1990],
did you use other narcotics five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.1	7.4	134	1	Yes
43.9	5.8	105	2	No
	86.0	1,547	-6	LEGITIMATE SKIP
	0.7	12	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1035-1036

C18AONRC	C18AONDA DAYS/MONTH DRUG USED BEFO
-----------------	---

When you used other narcotics, in the five years before
[(START MONTH)/YEAR/January 1990], on the average, about
how many days did you use other narcotics during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
17.4	1.3	23	1	One day
28.8	2.1	38	2	2-5 days
22.7	1.7	30	3	6-10 days
12.9	0.9	17	4	11-20 days
9.1	0.7	12	5	21-30 days
9.1	0.7	12	6	Everyday
	91.9	1,653	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1037-1038

C19ONRC	C19ONDAY USE OTHER NARCOTICS AFTER
----------------	---

Looking at the calendar, after [(END DATE)/January 1990] and until now, have you used other narcotics five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.6	4.6	83	1	Yes
65.4	8.7	157	2	No
	86.0	1,547	-6	LEGITIMATE SKIP
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1039-1040

C19AONRC	C19AONRC DAYS/MONTH DRUG USED AFTE
-----------------	---

When you used other narcotics, after [(END DATE)/January 1990], on the average, about how many days did you use other narcotics during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
15.7	0.7	13	1	One day
34.9	1.6	29	2	2-5 days
22.9	1.1	19	3	6-10 days
8.4	0.4	7	4	11-20 days
3.6	0.2	3	5	21-30 days
14.5	0.7	12	6	Everyday
	94.7	1,704	-6	LEGITIMATE SKIP
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1041-1042

C20ONRC	C20ONRC USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used other narcotics five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.3	1.4	26	1	Yes
68.7	3.2	57	2	No
	94.7	1,704	-6	LEGITIMATE SKIP
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1043-1044

C20AONRC	C20AONRC DAYS/MONTH R USED OTHER NA
-----------------	--

On the average, how many days did you use other narcotics during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.1	1	0	None
3.8	0.1	1	1	One day
30.8	0.4	8	2	2-5 days
23.1	0.3	6	3	6-10 days
15.4	0.2	4	4	11-20 days
7.7	0.1	2	5	21-30 days
15.4	0.2	4	6	Everyday
	97.9	1,761	-6	LEGITIMATE SKIP
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1045-1046

C21ONRC	C21ONRC USED OTHER NARCOTICS LAST
----------------	--

From (DATE 30 DAYS AGO) to now, about how many days have you used other narcotics?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	0.8	14	0	None
7.7	0.1	2	1	One day
11.5	0.2	3	2	2-5 days
3.8	0.1	1	3	6-10 days
11.5	0.2	3	4	11-20 days
3.8	0.1	1	5	21-30 days
7.7	0.1	2	6	Everyday
	97.9	1,761	-6	LEGITIMATE SKIP
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1047-1048

C16METH	C16METH EVER USED DRUG FIVE TIMES
----------------	--

Have you ever used methamphetamines five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	20.9	376	1	Yes
77.5	72.0	1,296	2	No
	6.3	114	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1049-1050

C17METH	C17METH	AGE	FIRST USED	METHAMPHET
----------------	----------------	------------	-------------------	-------------------

About how old were you the first time you tried methamphetamines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	10	
0.5	0.1	2	11	
1.9	0.4	7	12	
2.7	0.6	10	13	
5.0	1.1	19	14	
9.3	1.9	35	15	
15.9	3.3	60	16	
12.2	2.6	46	17	
12.5	2.6	47	18	
5.6	1.2	21	19	
8.5	1.8	32	20	
5.3	1.1	20	21	
3.7	0.8	14	22	
1.9	0.4	7	23	
1.6	0.3	6	24	
3.4	0.7	13	25	
1.3	0.3	5	26	
1.6	0.3	6	27	
1.3	0.3	5	28	
1.1	0.2	4	29	
1.3	0.3	5	30	
0.3	0.1	1	32	
0.5	0.1	2	33	
0.5	0.1	2	34	
0.3	0.1	1	35	
0.8	0.2	3	36	
0.3	0.1	1	38	
0.3	0.1	1	40	
0.3	0.1	1	44	
	78.6	1,414	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1051-1052

C18METH	C18METH USE METHAMPHETAMINES BEFO
----------------	--

In the five years before [(START MONTH)/YEAR/January 1990], did you use methamphetamines five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.1	9.2	166	1	Yes
55.9	11.7	210	2	No
	78.5	1,413	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1053-1054

C18AMETH	C18AMETH DAYS/MONTH DRUG USED BEFO
-----------------	---

When you used methamphetamines, in the five years before [(START MONTH)/YEAR/January 1990], on the average, about how many days did you use methamphetamines during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
19.9	1.8	33	1	One day
34.9	3.2	58	2	2-5 days
17.5	1.6	29	3	6-10 days
12.7	1.2	21	4	11-20 days
6.6	0.6	11	5	21-30 days
8.4	0.8	14	6	Everyday
	90.2	1,623	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1055-1056

C19METH	C19METH USE METHAMPHETAMINES AFTE
----------------	--

Looking at the calendar, after [(END DATE)/January 1990] and until now, have you used methamphetamines five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.1	4.1	74	1	Yes
79.9	16.4	295	2	No
	78.5	1,413	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1057-1058

C19AMETH	C19AMETH DAYS/MONTH DRUG USED AFTE
-----------------	---

When you used methamphetamines, after [(END DATE)/January 1990], on the average, about how many days did you use methamphetamines during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
20.5	0.8	15	1	One day
34.2	1.4	25	2	2-5 days
21.9	0.9	16	3	6-10 days
13.7	0.6	10	4	11-20 days
4.1	0.2	3	5	21-30 days
5.5	0.2	4	6	Everyday
	95.0	1,709	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1059-1060

C20METH	C20METH USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used methamphetamines five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.4	1.3	24	1	Yes
67.6	2.8	50	2	No
	95.0	1,709	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1061-1062

C20AMETH	C20AMETH DAYS/MONTH R USED METHAMPH
-----------------	--

On the average, how many days did you use methamphetamines during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.1	1	0	None
20.8	0.3	5	1	One day
50.0	0.7	12	2	2-5 days
8.3	0.1	2	3	6-10 days
12.5	0.2	3	4	11-20 days
4.2	0.1	1	6	Everyday
	97.8	1,759	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1063-1064

C21METH	C21ME30	USED METHAMPHETAMINE LAST
----------------	----------------	----------------------------------

From (DATE 30 DAYS AGO) to now, about how many days have you used methamphetamines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.2	1.1	19	0	None
4.2	0.1	1	1	One day
12.5	0.2	3	2	2-5 days
4.2	0.1	1	3	6-10 days
	97.8	1,759	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1065-1066

C16DOWN	C16DOWN	EVER USED DRUG FIVE TIMES
----------------	----------------	----------------------------------

Have you ever used downers five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	22.1	398	1	Yes
76.6	72.3	1,301	2	No
	5.1	91	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1067-1068

C17DOWN	C17DOWN AGE FIRST USED DOWNERS
----------------	---------------------------------------

About how old were you the first time you tried downers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	6	
0.3	0.1	1	7	
0.3	0.1	1	8	
0.3	0.1	1	9	
1.0	0.2	4	10	
0.5	0.1	2	11	
3.3	0.7	13	12	
4.8	1.1	19	13	
8.3	1.8	33	14	
11.3	2.5	45	15	
12.1	2.7	48	16	
10.3	2.3	41	17	
9.6	2.1	38	18	
4.0	0.9	16	19	
7.8	1.7	31	20	
2.8	0.6	11	21	
3.0	0.7	12	22	
2.5	0.6	10	23	
2.8	0.6	11	24	
4.3	0.9	17	25	
2.5	0.6	10	26	
1.5	0.3	6	27	
1.8	0.4	7	28	
1.3	0.3	5	29	
0.8	0.2	3	30	
0.5	0.1	2	31	
0.5	0.1	2	32	
0.8	0.2	3	34	
0.5	0.1	2	35	
0.3	0.1	1	36	
0.3	0.1	1	37	
	77.5	1,394	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1069-1070

C18DOWN	C18DOWN USE DOWNERS BEFORE START
----------------	---

In the five years before [(START MONTH)/YEAR/January 1990],
did you use downers five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.7	12.1	217	1	Yes
45.3	10.0	180	2	No
	77.5	1,394	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1071-1072

C18ADOWN	C18ADOWN DAYS/MONTH DRUG USED BEFO
-----------------	---

When you used downers, in the five years before [(START
MONTH)/YEAR/January 1990], on the average, about how many
days did you use downers during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
15.0	1.8	32	1	One day
39.9	4.7	85	2	2-5 days
18.8	2.2	40	3	6-10 days
11.7	1.4	25	4	11-20 days
4.7	0.6	10	5	21-30 days
9.9	1.2	21	6	Everyday
	87.5	1,574	-6	LEGITIMATE SKIP
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1073-1074

C19DOWN C19DOWN USE DOWNERS AFTER END DAT

Looking at the calendar, after [(END DATE)/January 1990] and until now, have you used downers five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.5	6.2	111	1	Yes
71.5	15.5	279	2	No
	77.5	1,394	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1075-1076

C19ADOWN C19ADOWN DAYS/MONTH DRUG USED AFTE

When you used downers, after [(END DATE)/January 1990], on the average, about how many days did you use downers during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
11.7	0.7	13	1	One day
45.0	2.8	50	2	2-5 days
16.2	1.0	18	3	6-10 days
11.7	0.7	13	4	11-20 days
3.6	0.2	4	5	21-30 days
11.7	0.7	13	6	Everyday
	93.0	1,673	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1077-1078

C20DOWN	C20DOWN USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used downers five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	2.7	49	1	Yes
56.6	3.6	64	2	No
	93.0	1,673	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1079-1080

C20ADOWN	C20ADOWN DAYS/MONTH R USED DOWNERS
-----------------	---

On the average, how many days did you use downers during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
8.3	0.2	4	1	One day
43.8	1.2	21	2	2-5 days
14.6	0.4	7	3	6-10 days
6.2	0.2	3	4	11-20 days
8.3	0.2	4	5	21-30 days
18.8	0.5	9	6	Everyday
	96.6	1,737	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1081-1082

C21DOWN	C21DOWN USED DOWNERS LAST 30 DAYS
----------------	--

From (DATE 30 DAYS AGO) to now, about how many days have you used downers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.8	1.2	22	0	None
13.0	0.3	6	1	One day
10.9	0.3	5	2	2-5 days
4.3	0.1	2	3	6-10 days
2.2	0.1	1	4	11-20 days
4.3	0.1	2	5	21-30 days
17.4	0.4	8	6	Everyday
	96.6	1,737	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1083-1084

C160THR	C160THR EVER USED DRUG FIVE TIMES
----------------	--

Have you ever used (OTHER DRUG) five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.3	113	1	Yes
93.3	87.3	1,571	2	No
	4.2	76	-6	LEGITIMATE SKIP
	2.1	38	-3	MISSING
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1085-1086

C170THR	C170THR	AGE	FIRST USED	OTHER DRUG
---------	---------	-----	------------	------------

About how old were you the first time you tried (OTHER DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.1	1	12	
1.8	0.1	2	13	
5.5	0.3	6	14	
2.7	0.2	3	15	
4.5	0.3	5	16	
5.5	0.3	6	17	
13.6	0.8	15	18	
10.0	0.6	11	19	
7.3	0.4	8	20	
8.2	0.5	9	21	
6.4	0.4	7	22	
1.8	0.1	2	23	
1.8	0.1	2	24	
5.5	0.3	6	25	
2.7	0.2	3	26	
0.9	0.1	1	27	
2.7	0.2	3	28	
0.9	0.1	1	29	
4.5	0.3	5	30	
0.9	0.1	1	32	
1.8	0.1	2	33	
3.6	0.2	4	34	
2.7	0.2	3	35	
0.9	0.1	1	40	
0.9	0.1	1	41	
0.9	0.1	1	48	
0.9	0.1	1	54	
	91.6	1,648	-6	LEGITIMATE SKIP
	2.3	41	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1087-1088

C180THR	C180THR USE OTHER DRUG BEFORE STA
----------------	--

In the five years before [(START MONTH)/YEAR/January 1990], did you use (OTHER DRUG) five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.6	3.3	59	1	Yes
46.4	2.8	51	2	No
	91.6	1,648	-6	LEGITIMATE SKIP
	2.3	41	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1089-1090

C18AOTHR	C18AOTHR DAYS/MONTH DRUG USED BEFO
-----------------	---

When you used (OTHER DRUG), in the five years before [(START MONTH)/YEAR/January 1990], on the average, about how many days did you use (OTHER DRUG) during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
12.1	0.4	7	1	One day
39.7	1.3	23	2	2-5 days
22.4	0.7	13	3	6-10 days
6.9	0.2	4	4	11-20 days
1.7	0.1	1	5	21-30 days
17.2	0.6	10	6	Everyday
	94.4	1,699	-6	LEGITIMATE SKIP
	2.3	42	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1091-1092

C190THR	C190THR USE OTHER DRUG AFTER END
----------------	---

Looking at the calendar, after [(END DATE)/January 1990] and until now, have you used (OTHER DRUG) five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	1.6	29	1	Yes
73.6	4.5	81	2	No
	91.6	1,648	-6	LEGITIMATE SKIP
	2.3	41	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1093-1094

C19AOTHR	C19AOTHR DAYS/MONTH DRUG USED AFTE
-----------------	---

When you used (OTHER DRUG), after [(END DATE)/January 1990], on the average, about how many days did you use (OTHER DRUG) during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
27.6	0.4	8	1	One day
41.4	0.7	12	2	2-5 days
24.1	0.4	7	3	6-10 days
3.4	0.1	1	4	11-20 days
3.4	0.1	1	6	Everyday
	96.1	1,729	-6	LEGITIMATE SKIP
	2.3	41	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1095-1096

C200THR	C200THR USE DRUG IN LAST YEAR
----------------	--------------------------------------

From (MONTH/YEAR AGO) 1994/1995 to now, have you used (OTHER DRUG) five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	0.6	11	1	Yes
62.1	1.0	18	2	No
	96.1	1,729	-6	LEGITIMATE SKIP
	2.3	41	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1097-1098

C20AOTHR	C20AOTHR DAYS/MONTH R USED OTHER DR
-----------------	--

On the average, how many days did you use (OTHER DRUG) during a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
18.2	0.1	2	1	One day
18.2	0.1	2	2	2-5 days
27.3	0.2	3	3	6-10 days
27.3	0.2	3	4	11-20 days
9.1	0.1	1	6	Everyday
	97.1	1,747	-6	LEGITIMATE SKIP
	2.3	41	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1099-1100

C210THR	C210THR USE OTHER DRUG LAST 30 DAY
----------------	---

From (DATE 30 DAYS AGO) to now, about how many days have you used (OTHER DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.4	8	0	None
0.0	0.0	0	1	One day
16.7	0.1	2	2	2-5 days
8.3	0.1	1	4	11-20 days
8.3	0.1	1	6	Everyday
	97.1	1,747	-6	LEGITIMATE SKIP
	2.2	40	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1101-1102

C22	SEE C16. IS ALCOHOL CODED '1' (YES
------------	---

SEE C16. IS ALCOHOL CODED "Y" (YES)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	28.1	506	1	Yes
71.9	71.9	1,293	2	No
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1103-1104

C23	HAS R USED ALCOHOL IN LAST 30 DAYS
------------	---

SEE C21 FOR ALCOHOL. HAS R USED ALCOHOL IN LAST 30 DAYS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.3	10.8	194	1	Yes
61.7	17.3	312	2	No
	71.9	1,293	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1105-1106

C24_1	C24_1 R DRINK ANY BEER/MALT LIQUOR
--------------	---

Again, thinking about the time from (DATE 30 DAYS AGO) to now, did you drink any beer / malt liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	8.7	157	1	Yes
16.0	1.7	30	2	No
	89.2	1,605	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1107-1108

C25_1

C25_1 AMOUNT OF BEER/MALT LIQUOR

From (DATE 30 DAYS AGO) to now, about how much beer / malt liquor have you usually been drinking on an average day?

CODE AMOUNT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.2	3	0.0	
0.6	0.1	1	0.2	
0.6	0.1	1	0.5	
30.8	2.7	48	1.0	
28.8	2.5	45	2.0	
10.3	0.9	16	3.0	
8.3	0.7	13	4.0	
1.3	0.1	2	5.0	
7.7	0.7	12	6.0	
0.6	0.1	1	7.0	
3.2	0.3	5	8.0	
1.9	0.2	3	10.0	
1.3	0.1	2	12.0	
0.6	0.1	1	15.0	
0.6	0.1	1	18.0	
0.6	0.1	1	24.0	
0.6	0.1	1	30.0	
	90.9	1,635	-6.0	LEGITIMATE SKIP
	0.4	8	-3.0	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Decimals: 1

Missing-data codes: lowest thru -1.0

Columns: 1109-1112

C25_2	C25_2 AMOUNT OF WINE/WINE COOLERS
--------------	--

From (DATE 30 DAYS AGO) to now, about how much wine / wine coolers have you usually been drinking on an average day?

CODE AMOUNT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	0.2	3	0.0	
2.1	0.1	1	0.2	
2.1	0.1	1	0.5	
40.4	1.1	19	1.0	
2.1	0.1	1	1.5	
23.4	0.6	11	2.0	
10.6	0.3	5	3.0	
6.4	0.2	3	4.0	
4.3	0.1	2	5.0	
2.1	0.1	1	10.0	
	96.9	1,743	-6.0	LEGITIMATE SKIP
	0.5	9	-3.0	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Decimals: 1

Missing-data codes: lowest thru -1.0

Columns: 1117-1120

C25_2A	C25_2A CONTAINER OF WINE/WINE COOL
---------------	---

From (DATE 30 DAYS AGO) to now, about how much wine / wine coolers have you usually been drinking on an average day?

CODE SIZE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	0.8	15	1	Bottles
47.6	1.1	20	3	Glasses
7.1	0.2	3	7	Fifths
9.5	0.2	4	11	Other (SPECIFY)
	96.9	1,743	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1121-1122

C25_3A	C25_3A SIZE OF LIQUOR
---------------	------------------------------

From (DATE 30 DAYS AGO) to now, about how much liquor have you usually been drinking on an average day?

CODE SIZE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	0.3	6	5	1/2 Pints
12.5	0.6	10	6	Pints
3.8	0.2	3	7	Quarts
2.5	0.1	2	8	Fifths
25.0	1.1	20	9	Drinks
40.0	1.8	32	10	Shots
8.8	0.4	7	11	Other (SPECIFY)
	94.7	1,703	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1130-1131

C27	C27 R EVER INJECT DRUGS WITH NEEDL
------------	---

Next, I have some questions about using a needle to inject drugs to get high or for other non-medical effects.

Have you ever, even one time, used a needle to inject drugs to get high or for other non-medical effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	33.9	609	1	Yes
66.0	65.8	1,184	2	No
	0.3	5	-3	MISSING
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1132-1133

C27A	C27A AGE WHEN NEEDLE FIRST USED
-------------	--

About how old were you the first time you used a needle to inject drugs to get high or for other non-medical effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	1	8	
0.3	0.1	2	10	
0.7	0.2	4	11	
0.7	0.2	4	12	
1.6	0.5	9	13	
3.8	1.2	22	14	
6.8	2.2	39	15	
6.8	2.2	39	16	
8.7	2.8	50	17	
9.6	3.1	55	18	
6.6	2.1	38	19	
9.1	2.9	52	20	
5.4	1.7	31	21	
4.7	1.5	27	22	
3.5	1.1	20	23	
2.8	0.9	16	24	
5.6	1.8	32	25	
3.0	0.9	17	26	
2.1	0.7	12	27	
3.0	0.9	17	28	
2.4	0.8	14	29	
2.3	0.7	13	30	
0.5	0.2	3	31	
2.1	0.7	12	32	
0.3	0.1	2	33	
1.2	0.4	7	34	
2.8	0.9	16	35	
1.2	0.4	7	36	
0.7	0.2	4	37	
0.5	0.2	3	38	
0.2	0.1	1	39	
0.2	0.1	1	40	
0.3	0.1	2	43	
	65.8	1,184	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	2.2	39	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1134-1135

C27B

C27B # TIMES R USED NEEDLE BEFORE

Thinking about the five years before [you went to (PROGRAM) in (START DATE)/January 1990], how many times did you use a needle, even one time, to inject drugs to get high or for some other non-medical effects? Would you say none, 1-9 times, 10-29 times, 30-49 times, 50-99 times, 100-199 times, or 200 times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	6.1	110	1	
18.4	6.2	112	2	
6.4	2.2	39	3	
4.4	1.5	27	4	
4.1	1.4	25	5	
6.6	2.2	40	6	
41.7	14.1	254	7	
0.3	0.1	2	8	
	65.8	1,184	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.2	4	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1136-1137

C28 # TIMES NEEDLE USED WHILE IN P

While you were in (PROGRAM), how many times did you use a needle, even one time, to inject drugs to get high or for other non medical effects? Would you say none, 1-9 times, 10-29 times, 30-49 times, 50-99 times, 100-199 times, or 200 times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.9	25.6	461	1	None
8.3	2.7	49	2	1-9 times
3.9	1.3	23	3	10-29
2.5	0.8	15	4	30-49 times
1.2	0.4	7	5	50-99 times
2.0	0.7	12	6	100-199
3.7	1.2	22	7	200 times or more
0.5	0.2	3	8	R NEVER INJECTED DRUGS
	66.4	1,194	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.2	4	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1138-1139

C28A DAYS PER MONTH R INJECTED DRU

While you were in (PROGRAM), about how many days (in an average month) did you inject drugs to get high or for other non-medical effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	None
11.8	0.8	15	1	One day
35.4	2.5	45	2	2-5 days
11.0	0.8	14	3	6-10 days
16.5	1.2	21	4	11-20 days
7.9	0.6	10	5	21-30 days
17.3	1.2	22	6	Everyday
	92.4	1,662	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1140-1141

C28B	C28B ATTEND SAFE NEEDLE CLASSES/CO
-------------	---

While you were in (PROGRAM), did you attend any classes or receive any counseling about safe needle use or the dangers of needle sharing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.1	3.8	69	1	Yes
43.9	3.0	54	2	No
	92.4	1,662	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	0.5	9	-3	MISSING
	0.2	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1142-1143

C28CA	C28CA COUNSELING AFFECT USING A NE
--------------	---

Do you think counseling or classes about safe needle use or the dangers of needle sharing at (PROGRAM) were very helpful, somewhat helpful, or not at all helpful in making it less likely for people to . . . use a needle to inject drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	2.2	39	1	Very Helpful
33.3	1.3	23	2	Somewhat Helpful
10.1	0.4	7	3	Not at all Helpful
	95.7	1,721	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1144-1145

C28CB C28CB COUNSELING AFFECT SHARING NE

Do you think counseling or classes about safe needle use or the dangers of needle sharing at (PROGRAM) were very helpful, somewhat helpful, or not at all helpful in making it less likely for people to . . . share needles?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.3	2.4	43	1	Very Helpful
30.4	1.2	21	2	Somewhat Helpful
7.2	0.3	5	3	Not at all Helpful
	95.7	1,721	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1146-1147

C28CC C28CC COUNSELING AFFECT SHARING NE

Do you think counseling or classes about safe needle use or the dangers of needle sharing at (PROGRAM) were very helpful, somewhat helpful, or not at all helpful in making it less likely for people to . . . share needle works?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.6	2.3	42	1	Very Helpful
31.8	1.2	21	2	Somewhat Helpful
4.5	0.2	3	3	Not at all Helpful
	95.7	1,721	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
	0.2	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1148-1149

C29	C29 # TIMES INJECTED DRUGS SINCE P
------------	---

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, how many times have you used a needle to inject drugs, even one time, to get high or for other non-medical effects? Would you say none, 1-9 times, 10-29 times, 30-49 times, 50-99 times, 100-199 times, or 200 times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	15.2	274	1	None
13.3	4.4	80	2	1-9 times
5.0	1.7	30	3	10-29 times
3.5	1.2	21	4	30-49 times
5.1	1.7	31	5	50-99 times
4.3	1.4	26	6	100-199 times
22.8	7.6	137	7	200 times or more
0.5	0.2	3	8	R HAS NEVER INJECTED DRUGS
	66.1	1,189	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.3	5	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1150-1151

C29A	C29A USED NEEDLE IN PAST YEAR
-------------	--------------------------------------

From (MONTH YEAR AGO) 1994/1995 to now, have you used a needle, even one time, to inject drugs to get high or for other non-medical effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.2	9.4	169	1	Yes
48.2	8.8	159	2	No
0.6	0.1	2	3	R HAS NEVER INJECTED DRUGS
	81.5	1,467	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1152-1153

LEGAL HISTORY

D1 R EVER BEEN ARRESTED

Next, I would like to ask about any involvement with the police, courts, and illegal activities. Let me remind you that this information will remain confidential and you can refuse to answer any questions.

Have you ever been arrested for any offense?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.4	83.7	1,506	1	Yes
15.6	15.5	279	2	No
	0.1	2	-2	DON'T KNOW
	0.7	12	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1154-1155

D1A R'S AGE AT FIRST ARREST

How old were you when you were first arrested?

1,799 cases (Range of valid codes: 5-64)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1156-1157

D2

D2 # OF ARRESTS BEFORE PROGRAM

Before [you went to (PROGRAM) in (START DATE)/January 1990], altogether, about how many times were you arrested? Please include times you were arrested before you were 18 years old.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	9.2	165	0	None
22.8	18.8	338	1	One time
13.6	11.2	202	2	Two times
11.9	9.8	176	3	Three times
7.1	5.8	105	4	Four times
6.0	4.9	89	5	Five times
13.0	10.7	193	6	6-10 times
5.4	4.4	80	7	11-15 times
5.5	4.6	82	8	16-30 times
1.8	1.5	27	9	31-50 times
1.8	1.5	27	10	51 times or more
	16.3	293	-6	LEGITIMATE SKIP
	1.0	18	-2	DON'T KNOW
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1158-1159

D3 # OF ARRESTS 5 YEARS BEFORE PRO

[Including the arrests you just told me about,] in the five years before [you went to (PROGRAM) in (START DATE)/January 1990], altogether, about how many times were you arrested? [Please include times you were arrested before you were 18 years old.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	18.3	329	0	None
25.1	20.8	374	1	One time
14.2	11.7	211	2	Two times
10.1	8.3	150	3	Three times
6.7	5.5	99	4	Four times
5.2	4.3	78	5	Five times
9.0	7.4	134	6	6-10 times
3.8	3.2	57	7	11-15 times
2.2	1.8	32	8	16-30 times
0.9	0.7	13	9	31-50 times
0.7	0.6	11	10	51 times or more
	16.3	293	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.7	13	-2	DON'T KNOW
	0.2	3	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1160-1161

D4 R SUPPORT SELF B ILLEGAL ACTIVI

Thinking about the time in the five years before [you went to (PROGRAM) in (START DATE)/January 1990], were there times when you mainly supported yourself by illegal activity (like hustling, dealing, fraud, boosting, and so on)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	30.4	547	1	Yes
69.3	68.6	1,235	2	No
	0.2	4	-3	MISSING
	0.2	4	-2	DON'T KNOW
	0.5	9	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1162-1163

D5**D5 R IN JAIL OR ON PROBATION MORE**

The next questions are about being under supervision by the court, the sheriff, or the department of corrections, that is, being in jail, prison, or detention, or being on probation or parole.

Thinking about the entire time before [you went to (PROGRAM) in (START DATE)/January 1990] at any time, were you in jail, prison, or detention, or on probation or parole for more than one day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.0	56.5	1,016	1	Yes
37.3	37.0	665	2	No
5.8	5.7	103	3	R NEVER INCARCERATED/UNDER SUPERVISION
	0.1	2	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.6	11	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1164-1165

D6A**D6A # OF YEARS R SPENT IN CORRECTO**

Again, thinking about the entire time before [(START DATE)/January 1990], were you . . . in jail for more than one day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	46.7	840	1	Yes
17.2	9.7	175	2	No
	43.6	784	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1166-1167

D6B R IN PRISON BEFORE PROGRAM

Again, thinking about the entire time before [(START DATE)/
January 1990], were you . . . in prison?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	16.3	294	1	Yes
70.9	39.9	717	2	No
	43.4	781	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1168-1169

D6C R IN JUVENILE DETENTION BEFORE

Again, thinking about the entire time before [(START DATE)/
January 1990], were you . . . in juvenile detention?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	12.5	225	1	Yes
77.8	43.8	788	2	No
	43.4	781	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1170-1171

D6D**D6D R IN TASC OR COURT DIVERSION P**

Again, thinking about the entire time before [(START DATE)/
January 1990], were you . . . in a TASC or court diversion
program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	7.6	137	1	Yes
86.4	48.2	867	2	No
	43.4	781	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.5	9	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1172-1173

D6E**D6E R SENTENCED TO PROBATION BEFOR**

Again, thinking about the entire time before [(START DATE)/
January 1990], were you . . . sentenced to probation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.8	42.6	767	1	Yes
24.2	13.6	245	2	No
	43.4	781	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.2	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1174-1175

D6F R ON PAROLE BEFORE PROGRAM

Again, thinking about the entire time before [(START DATE)/
January 1990], were you . . . on parole?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	12.2	219	1	Yes
78.3	44.0	792	2	No
	43.4	781	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1176-1177

D6G R UNDER OTHER SUPERVISION

Again, thinking about the entire time before [(START DATE)/
January 1990], were you . . . on any other kind of
correctional or criminal court supervision or control?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	4.7	84	1	Yes
91.6	50.9	916	2	No
	43.4	781	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1178-1179

D7**D7 R IN JAIL OR ON PROBATION MORE**

In the five years before [you went to (PROGRAM) in (START MONTH/YEAR)/January 1990] at anytime, were you in jail, prison or detention, or on probation or paroled for more than one day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.2	45.0	809	1	Yes
19.8	11.1	200	2	No
	43.4	781	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.2	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1180-1181

D7AA**D7AA R IN JAIL FOR MORE THAN ONE D**

Again, thinking about the time five years before [(START DATE)/January 1990] at anytime, were you . . . in jail for more than one day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.7	36.4	654	1	Yes
19.3	8.7	156	2	No
	54.5	981	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1182-1183

D7BA	D7BA # YEARS SPENT IN JAIL
-------------	-----------------------------------

About how many years did you spend . . . in jail for more than one day? Was it less than one year, 1-2 years, 3-4 years, or five years or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.8	29.6	532	1	Less than one year
15.2	5.5	99	2	1-2 years
1.8	0.7	12	3	3-4 years
1.1	0.4	7	4	5 years or more
	63.3	1,138	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1184-1185

D7AB	D7AB R IN PRISON AT ANY TIME
-------------	-------------------------------------

Again, thinking about the time five years before [(START DATE)/January 1990] at anytime, were you . . . in prison at any time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	12.2	219	1	Yes
72.9	32.7	589	2	No
	54.5	981	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1186-1187

D7BB**D7BB # YEARS SPENT IN PRISON**

About how many years did you spend . . . in prison any time?
Was it less than one year, 1-2 years, 3-4 years, or five
years or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.6	4.9	89	1	Less than one year
39.7	4.8	87	2	1-2 years
14.2	1.7	31	3	3-4 years
5.5	0.7	12	4	5 years or more
	87.3	1,570	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1188-1189

D7AC**D7AC R IN JUVENILE DETENTION**

Again, thinking about the time five years before [(START
DATE)/January 1990] at anytime, were you . . . in juvenile
detention?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	5.4	97	1	Yes
88.0	39.5	710	2	No
	54.5	981	-6	LEGITIMATE SKIP
	0.1	2	-5	NOT APPLICABLE
	0.5	9	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1190-1191

D7BC # YEARS SPENT IN JUVENILE DET

About how many years did you spend . . . in juvenile detention? Was it less than one year, 1-2 years, 3-4 years, or five years or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	4.3	78	1	Less than one year
14.6	0.8	14	2	1-2 years
3.1	0.2	3	3	3-4 years
1.0	0.1	1	4	5 years or more
	94.1	1,693	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1192-1193

D7AD R IN TASC OR COURT DIVERSION

Again, thinking about the time five years before [(START DATE)/January 1990] at anytime, were you . . . in a TASC or court diversion program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.6	5.6	101	1	Yes
87.4	39.1	703	2	No
	54.5	981	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
	0.3	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1194-1195

D7BD**D7BD # YEARS SPENT IN TASC/COURT D**

About how many years did you spend . . . in a TASC or court diversion program? Was it less than one year, 1-2 years, 3-4 years, or five years or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.2	4.2	76	1	Less than one year
23.8	1.3	24	2	1-2 years
1.0	0.1	1	3	3-4 years
	93.9	1,689	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1196-1197

D7AE**D7AE R SENTENCED TO PROBATION**

Again, thinking about the time five years before [(START DATE)/January 1990] at anytime, were you . . . sentenced to probation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.3	32.3	581	1	Yes
27.7	12.4	223	2	No
	54.5	981	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.3	5	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1198-1199

D7BE	D7BE # YEARS SPENT ON PROBATION
-------------	--

About how many years did you spend . . . sentenced to probation? Was it less than one year, 1-2 years, 3-4 years, or five years or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	8.4	151	1	Less than one year
46.2	14.7	265	2	1-2 years
15.5	4.9	89	3	3-4 years
11.9	3.8	68	4	5 years or more
	67.3	1,210	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1200-1201

D7AF	D7AF R ON PAROLE
-------------	-------------------------

Again, thinking about the time five years before [(START DATE)/January 1990] at anytime, were you . . . on parole?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.0	8.1	145	1	Yes
82.0	36.8	662	2	No
	54.5	981	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1202-1203

D7BF	D7BF # YEARS SPENT ON PROBATION
-------------	--

About how many years did you spend . . . on parole? Was it less than one year, 1-2 years, 3-4 years, or five years or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	2.9	52	1	Less than one year
43.4	3.4	62	2	1-2 years
12.6	1.0	18	3	3-4 years
7.7	0.6	11	4	5 years or more
	91.4	1,644	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1204-1205

D7AG	D7AG R ON ANY OTHER COURT SUPERVIS
-------------	---

Again, thinking about the time five years before [(START DATE)/January 1990] at anytime, were you . . . on any other kind of correctional or criminal court supervision or control?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	2.2	40	1	Yes
95.0	42.0	756	2	No
	54.5	981	-6	LEGITIMATE SKIP
	1.1	19	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1206-1207

D7BG # YEARS SPENT ON OTHER COURT

About how many years did you spend . . . on any other kind of correctional or criminal court supervision or control? Was it less than one year, 1-2 years, 3-4 years, or five years or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.1	1.5	27	1	Less than one year
28.9	0.6	11	2	1-2 years
	96.7	1,740	-6	LEGITIMATE SKIP
	1.1	20	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1208-1209

D8 R ARRESTED WHILE R WAS IN PROGR

Now, I'd like you to think about the time you were in (PROGRAM) from (START DATE) to (END DATE).

While you were in (PROGRAM), were you arrested?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	4.4	80	1	Yes
94.5	76.3	1,372	2	No
	18.0	323	-6	LEGITIMATE SKIP
	1.2	22	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1210-1211

D9**D9 # OF TIMES R ARRESTED WHILE IN**

While you were in (PROGRAM), altogether, about how many times were you arrested?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.6	3.3	59	1	
11.5	0.5	9	2	
5.1	0.2	4	3	
3.8	0.2	3	4	
1.3	0.1	1	5	
1.3	0.1	1	10	
1.3	0.1	1	11	
	94.3	1,697	-6	LEGITIMATE SKIP
	1.3	24	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1212-1213

D9A_1**POSSESSION OF DRUGS/DRUG PARAPHERNA**

Thinking about the (NUMBER FROM D9) arrests you had while you were in (PROGRAM), what were the main charges you were arrested for? (CODE ALL THAT APPLY)

Possession of drugs / drug paraphernalia

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	0.5	9	1	Yes
88.0	3.7	66	2	No
	94.3	1,697	-6	LEGITIMATE SKIP
	1.4	25	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1214-1215

D9A_2 DRUG SALE OR TRAFFICKING

Thinking about the (NUMBER FROM D9) arrests you had while you were in (PROGRAM), what were the main charges you were arrested for? (CODE ALL THAT APPLY)

Drug sale or trafficking

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.2	4	1	Yes
94.7	3.9	71	2	No
	94.3	1,697	-6	LEGITIMATE SKIP
	1.4	25	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1216-1217

D9A_3 DRIVING WHILE INTOXICATED (DWI) / (DU

Thinking about the (NUMBER FROM D9) arrests you had while you were in (PROGRAM), what were the main charges you were arrested for? (CODE ALL THAT APPLY)

Driving while intoxicated (DWI) / Driving under the influence (DUI)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	0.7	12	1	Yes
84.0	3.5	63	2	No
	94.3	1,697	-6	LEGITIMATE SKIP
	1.4	25	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1218-1219

D9A_4**FRAUD OR FORGERY**

Thinking about the (NUMBER FROM D9) arrests you had while you were in (PROGRAM), what were the main charges you were arrested for? (CODE ALL THAT APPLY)

Fraud or forgery

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.2	3	1	Yes
96.0	4.0	72	2	No
	94.3	1,697	-6	LEGITIMATE SKIP
	1.4	25	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1220-1221

D9A_5**BURGLARY**

Thinking about the (NUMBER FROM D9) arrests you had while you were in (PROGRAM), what were the main charges you were arrested for? (CODE ALL THAT APPLY)

Burglary

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.3	5	1	Yes
93.3	3.9	70	2	No
	94.3	1,697	-6	LEGITIMATE SKIP
	1.4	25	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1222-1223

D9A_6 OTHER KINDS OF THEFT

Thinking about the (NUMBER FROM D9) arrests you had while you were in (PROGRAM), what were the main charges you were arrested for? (CODE ALL THAT APPLY)

Other kinds of theft (ex: shoplifting, larceny, receiving / possessing stolen goods)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	1.1	19	1	Yes
74.7	3.1	56	2	No
	94.3	1,697	-6	LEGITIMATE SKIP
	1.4	25	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1224-1225

D9A_7 DISORDERLY CONDUCT, FIGHTING OR VAN

Thinking about the (NUMBER FROM D9) arrests you had while you were in (PROGRAM), what were the main charges you were arrested for? (CODE ALL THAT APPLY)

Disorderly conduct, fighting, or vandalism

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	0.4	7	1	Yes
90.7	3.8	68	2	No
	94.3	1,697	-6	LEGITIMATE SKIP
	1.4	25	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1226-1227

D9A_8**A VIOLENT OFFENSE**

Thinking about the (NUMBER FROM D9) arrests you had while you were in (PROGRAM), what were the main charges you were arrested for? (CODE ALL THAT APPLY)

A violent offense (ex: armed robbery, assault with a weapon, sexual assault, arson, homicide)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.2	4	1	Yes
94.7	3.9	71	2	No
	94.3	1,697	-6	LEGITIMATE SKIP
	1.4	25	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1228-1229

D9A_9**PROSTITUTION OR PROCUREMENT**

Thinking about the (NUMBER FROM D9) arrests you had while you were in (PROGRAM), what were the main charges you were arrested for? (CODE ALL THAT APPLY)

Prostitution or procurement

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.2	3	1	Yes
96.0	4.0	72	2	No
	94.3	1,697	-6	LEGITIMATE SKIP
	1.4	25	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1230-1231

D9A_10	VIOLATION OF PAROLE/PROBATION
---------------	--------------------------------------

Thinking about the (NUMBER FROM D9) arrests you had while you were in (PROGRAM), what were the main charges you were arrested for? (CODE ALL THAT APPLY)

Violation of parole / probation or other type of supervision

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.7	1.1	20	1	Yes
73.3	3.1	55	2	No
	94.3	1,697	-6	LEGITIMATE SKIP
	1.4	25	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1232-1233

D9A_11	OTHER DRUG OFFENSES
---------------	----------------------------

Thinking about the (NUMBER FROM D9) arrests you had while you were in (PROGRAM), what were the main charges you were arrested for? (CODE ALL THAT APPLY)

Other drug offenses (ex: drug manufacture / prescription fraud)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.2	75	2	No
	94.3	1,697	-6	LEGITIMATE SKIP
	1.4	25	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1234-1235

D9A_12**OTHER PUBLIC ORDER OFFENSE**

Thinking about the (NUMBER FROM D9) arrests you had while you were in (PROGRAM), what were the main charges you were arrested for? (CODE ALL THAT APPLY)

Other public order offense (ex: bookmaking, numbers, gambling, curfew violation, truancy, runaway)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.1	1	1	Yes
98.7	4.1	74	2	No
	94.3	1,697	-6	LEGITIMATE SKIP
	1.4	25	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1236-1237

D9A_13**OTHER PROPERTY OFFENSE**

Thinking about the (NUMBER FROM D9) arrests you had while you were in (PROGRAM), what were the main charges you were arrested for? (CODE ALL THAT APPLY)

Other property offense (ex: fraud, forgery, motor vehicle theft, pick pocketing, purse snatching, or mugging)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.3	5	1	Yes
93.3	3.9	70	2	No
	94.3	1,697	-6	LEGITIMATE SKIP
	1.4	25	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1238-1239

D9A_14 **OTHER VIOLENT OFFENSE**

Thinking about the (NUMBER FROM D9) arrests you had while you were in (PROGRAM), what were the main charges you were arrested for? (CODE ALL THAT APPLY)

Other violent offense (ex: aggravated assault, statutory rape, manslaughter, possession / selling illegal weapons)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.1	1	1	Yes
98.7	4.1	74	2	No
	94.3	1,697	-6	LEGITIMATE SKIP
	1.4	25	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1240-1241

D9A_15 **CANNOT CODE CHARGE**

Thinking about the (NUMBER FROM D9) arrests you had while you were in (PROGRAM), what were the main charges you were arrested for? (CODE ALL THAT APPLY)

CANNOT CODE CHARGE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	0.4	7	1	Yes
90.7	3.8	68	2	No
	94.3	1,697	-6	LEGITIMATE SKIP
	1.4	25	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1242-1243

D10	D10 R'S ILLEGAL ACTIVITIES WHILE IN
------------	--

While you were in (PROGRAM), were there times when you mainly supported yourself by illegal activity (like hustling, dealing, fraud, boosting, and so on)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	7.0	126	1	Yes
92.7	88.4	1,591	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	1.8	32	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.4	8	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1244-1245

D10A	D10A INVOLVEMENT IN ILLEGAL ACTIVI
-------------	---

While you were in (PROGRAM), would you say your involvement in illegal activity (like hustling, dealing, fraud, boosting, and so on) was more, less, or about the same as before you went there?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	0.6	10	1	More
46.6	3.8	68	2	Less
37.0	3.0	54	3	About the same
9.6	0.8	14	4	NEVER DID ILLEGAL ACTIVITY BEFORE PROGRA
	90.6	1,630	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1246-1247

D11 R IN JAIL OR ON PROBATION WHIL

While you were in (PROGRAM), between (START DATE) and (END DATE) at anytime were you in jail, prison, or detention, or on probation or paroled for more than one day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	16.7	300	1	Yes
82.7	79.9	1,437	2	No
	2.2	39	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.2	4	-2	DON'T KNOW
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1248-1249

D12A R IN JAIL FOR MORE THAN ONE D

While you were in (PROGRAM), at any time were you . . . in jail for more than one day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.1	3.4	61	1	Yes
79.9	13.5	242	2	No
	82.0	1,476	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1250-1251

D13A	D13A NUMBER
-------------	--------------------

While you were in (PROGRAM), altogether, about how much time did you spend . . . locked up in jail?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	0.6	11	1	
15.0	0.5	9	2	
8.3	0.3	5	3	
5.0	0.2	3	4	
1.7	0.1	1	5	
16.7	0.6	10	6	
6.7	0.2	4	7	
1.7	0.1	1	8	
1.7	0.1	1	10	
3.3	0.1	2	14	
1.7	0.1	1	18	
3.3	0.1	2	22	
1.7	0.1	1	24	
1.7	0.1	1	25	
1.7	0.1	1	27	
1.7	0.1	1	28	
8.3	0.3	5	30	
1.7	0.1	1	50	
	95.7	1,722	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1252-1253

D13ANUM	D13ANUM UNIT OF TIME
----------------	-----------------------------

RECORD NUMBER AND CODE DAYS, WEEKS, MONTHS, OR YEARS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.9	1.6	28	1	Days
23.0	0.8	14	2	Weeks
29.5	1.0	18	3	Months
1.6	0.1	1	4	Years
	95.7	1,722	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1254-1255

D12B R IN PRISON AT ANY TIME

While you were in (PROGRAM), at any time were you . . .
in prison at any time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	0.6	10	1	Yes
96.7	16.3	293	2	No
	82.0	1,476	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1256-1257

D13B NUMBER

While you were in (PROGRAM), altogether, about how much time
did you spend . . . locked up in prison?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.1	1	1	
20.0	0.1	2	2	
10.0	0.1	1	3	
20.0	0.1	2	4	
20.0	0.1	2	5	
10.0	0.1	1	7	
10.0	0.1	1	12	
	98.6	1,773	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1258-1259

D13BNUM	D13BNUM	UNIT OF TIME
----------------	----------------	---------------------

RECORD NUMBER AND CODE DAYS, WEEKS, MONTHS, OR YEARS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.1	1	2	Weeks
60.0	0.3	6	3	Months
30.0	0.2	3	4	Years
	98.6	1,773	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1260-1261

D12C	D12C	R IN JUVENILE DETENTION
-------------	-------------	--------------------------------

While you were in (PROGRAM), at any time were you . . .
in juvenile detention?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.4	8	1	Yes
97.4	16.4	295	2	No
	82.0	1,476	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1262-1263

D13C	D13C NUMBER
-------------	--------------------

While you were in (PROGRAM), altogether, about how much time did you spend . . . in juvenile detention?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	1	1	
12.5	0.1	1	2	
25.0	0.1	2	3	
12.5	0.1	1	4	
25.0	0.1	2	6	
12.5	0.1	1	10	
	98.7	1,775	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1264-1265

D13CNUM	D13CNUM UNIT OF TIME
----------------	-----------------------------

RECORD NUMBER AND CODE DAYS, WEEKS, MONTHS, OR YEARS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	0.2	3	1	Days
50.0	0.2	4	3	Months
12.5	0.1	1	4	Years
	98.7	1,775	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1266-1267

D12D	D12D R IN TASC/COURT DIVERSION PRO
-------------	---

While you were in (PROGRAM), at any time were you . . .
in a TASC or court diversion program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	1.2	21	1	Yes
93.1	15.7	282	2	No
	82.0	1,476	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1268-1269

D13D	D13D NUMBER
-------------	--------------------

While you were in (PROGRAM), altogether, about how much time
did you spend . . . in a TASC or court diversion program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.2	3	1	
4.8	0.1	1	2	
9.5	0.1	2	3	
14.3	0.2	3	4	
4.8	0.1	1	5	
19.0	0.2	4	6	
9.5	0.1	2	9	
9.5	0.1	2	12	
4.8	0.1	1	18	
4.8	0.1	1	28	
4.8	0.1	1	30	
	97.9	1,762	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1270-1271

D13DNUM	D13DNUM UNIT OF TIME
----------------	-----------------------------

RECORD NUMBER AND CODE DAYS, WEEKS, MONTHS, OR YEARS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.3	6	1	Days
19.0	0.2	4	2	Weeks
47.6	0.6	10	3	Months
4.8	0.1	1	4	Years
	97.9	1,762	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1272-1273

D12E	D12E R SENTENCED TO PROBATION
-------------	--------------------------------------

While you were in (PROGRAM), at any time were you . . .
 sentenced to probation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.9	12.8	230	1	Yes
24.1	4.1	73	2	No
	82.0	1,476	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1274-1275

D13E	D13E NUMBER
-------------	--------------------

While you were in (PROGRAM), altogether, about how much time did you spend . . . on probation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	2.2	39	1	
13.5	1.7	30	2	
18.8	2.3	42	3	
7.6	0.9	17	4	
7.2	0.9	16	5	
13.5	1.7	30	6	
2.7	0.3	6	7	
1.3	0.2	3	8	
2.2	0.3	5	9	
1.8	0.2	4	10	
0.4	0.1	1	11	
3.1	0.4	7	12	
1.3	0.2	3	13	
1.8	0.2	4	14	
0.9	0.1	2	17	
1.3	0.2	3	18	
0.4	0.1	1	23	
0.4	0.1	1	24	
0.4	0.1	1	28	
2.7	0.3	6	30	
0.9	0.1	2	42	
	86.4	1,554	-6	LEGITIMATE SKIP
	1.2	21	-3	MISSING
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1276-1277

D13ENUM	D13ENUM UNIT OF TIME
----------------	-----------------------------

RECORD NUMBER AND CODE DAYS, WEEKS, MONTHS, OR YEARS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	1.4	26	1	Days
9.9	1.2	22	2	Weeks
53.2	6.6	118	3	Months
25.2	3.1	56	4	Years
	86.4	1,554	-6	LEGITIMATE SKIP
	1.2	22	-3	MISSING
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1278-1279

D12F	D12F R ON PAROLE
-------------	-------------------------

While you were in (PROGRAM), at any time were you . . .
 on parole?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	2.3	42	1	Yes
86.0	14.4	259	2	No
	82.0	1,476	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1280-1281

D13F	D13F NUMBER
-------------	--------------------

While you were in (PROGRAM), altogether, about how much time did you spend . . . on parole?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	0.2	4	1	
11.6	0.3	5	2	
16.3	0.4	7	3	
9.3	0.2	4	4	
9.3	0.2	4	5	
16.3	0.4	7	6	
4.7	0.1	2	7	
2.3	0.1	1	9	
2.3	0.1	1	10	
2.3	0.1	1	12	
7.0	0.2	3	18	
2.3	0.1	1	24	
2.3	0.1	1	29	
4.7	0.1	2	30	
	96.7	1,739	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1282-1283

D13FNUM	D13FNUM UNIT OF TIME
----------------	-----------------------------

RECORD NUMBER AND CODE DAYS, WEEKS, MONTHS, OR YEARS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.3	0.6	10	1	Days
14.0	0.3	6	2	Weeks
51.2	1.2	22	3	Months
11.6	0.3	5	4	Years
	96.7	1,739	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1284-1285

D12G R ON OTHER SUPERVISION

While you were in (PROGRAM), at any time were you . . .
 on any other kind of correctional or criminal court
 supervision or control?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	0.8	14	1	Yes
95.3	15.7	282	2	No
	82.0	1,476	-6	LEGITIMATE SKIP
	1.2	22	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1286-1287

D13G NUMBER

While you were in (PROGRAM), altogether, about how much time
 did you spend . . . under supervision?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.2	4	1	
16.7	0.1	2	2	
8.3	0.1	1	4	
8.3	0.1	1	7	
8.3	0.1	1	8	
8.3	0.1	1	10	
8.3	0.1	1	23	
8.3	0.1	1	30	
	98.0	1,763	-6	LEGITIMATE SKIP
	1.3	24	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1288-1289

D13GNUM	D13GNUM	UNIT OF TIME
----------------	----------------	---------------------

RECORD NUMBER AND CODE DAYS, WEEKS, MONTHS, OR YEARS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.2	4	1	Days
16.7	0.1	2	2	Weeks
50.0	0.3	6	3	Months
	98.0	1,763	-6	LEGITIMATE SKIP
	1.3	24	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1290-1291

D14	D14	R ARRESTED AFTER LEAVING PROGR
------------	------------	---------------------------------------

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, altogether, about how many times have you been arrested?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.9	28.5	512	0	NEVER
23.4	19.1	343	1	One time
13.6	11.1	200	2	Two time
9.5	7.8	140	3	Three times
5.5	4.5	81	4	Four times
3.3	2.7	49	5	Five times
5.9	4.8	87	6	6-10 times
1.9	1.6	28	7	11-15 times
1.2	0.9	17	8	16-30 times
0.2	0.2	3	9	31-50 times
0.5	0.4	8	10	51 times or more
	16.3	293	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	1.7	30	-3	MISSING
	0.2	4	-2	DON'T KNOW
	0.2	3	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1292-1293

D14A	D14A # OF TIMES R WAS ARRESTED
-------------	---------------------------------------

Of the (NUMBER OF TIMES FROM D14) you were arrested after [you left (PROGRAM) in (END DATE)/January 1990], altogether, how many times have you been arrested from (MONTH YEAR AGO) 1994/1995 to now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	31.0	558	0	
27.0	14.8	266	1	
9.5	5.2	94	2	
2.9	1.6	29	3	
1.5	0.8	15	4	
1.0	0.6	10	5	
0.3	0.2	3	6	
0.2	0.1	2	7	
0.2	0.1	2	10	
0.2	0.1	2	11	
0.1	0.1	1	12	
0.1	0.1	1	15	
0.3	0.2	3	20	
0.1	0.1	1	30	
	43.8	788	-6	LEGITIMATE SKIP
	1.1	20	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1294-1295

D15**D15 R DO ILLEGAL ACTIVITIES SINCE**

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, have there been times when you mainly supported yourself by illegal activity (like hustling, dealing, fraud, boosting, and so on)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	19.0	342	1	Yes
80.8	80.0	1,440	2	No
	0.3	6	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.4	8	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1296-1297

D15A**D15A R DO ILLEGAL ACTIVITIES IN LA**

From (MONTH YEAR AGO) 1994/1995 to now, have there been times when you mainly supported yourself by illegal activity (like hustling, dealing, fraud, boosting, and so on)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.8	9.2	166	1	Yes
51.2	9.7	174	2	No
	80.7	1,451	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1298-1299

D15B MONTHS R SUPPORTED W/ILLEGAL

From (MONTH YEAR AGO) 1994/1959 to now, for how many months would you say you have mainly supported yourself by illegal activity? Would you say less than one month, one month, 2-3 months, 4-5 months, 6-8 months, 9-11 months, or twelve months (the entire year)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	0.8	14	1	Less than one month
6.0	0.6	10	2	One month
16.3	1.5	27	3	2-3 months
19.9	1.8	33	4	4-5 months
18.1	1.7	30	5	6-8 months
6.6	0.6	11	6	9-11 months
24.7	2.3	41	7	Twelve months/entire year
	90.4	1,626	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1300-1301

D16A R IN JAIL FOR MORE THAN ONE D

After you left (PROGRAM) in (END DATE)/January 1990 and until now, have you been . . . in jail for more than one day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.5	37.7	678	1	Yes
52.5	41.6	748	2	No
	5.8	104	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	14.6	263	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1302-1303

D17A	D17A # YEARS SPENT IN JAIL
-------------	-----------------------------------

After (END DATE)/January 1990 and until now, altogether, about how much time did you spend in jail for more than one day? Was it less than one year, 1-2 years, 3-4 years, or five years or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.0	30.7	553	1	Less than one year
14.1	5.3	95	2	1-2 years
3.7	1.4	25	3	3-4 years
0.1	0.1	1	4	5 years or more
	47.7	858	-6	LEGITIMATE SKIP
	14.7	264	-3	MISSING
	0.2	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1304-1305

D16B	D16B R IN PRISON AT ANY TIME
-------------	-------------------------------------

After you left (PROGRAM) in (END DATE)/January 1990 and until now, have you been . . . in prison at any time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	17.2	309	1	Yes
78.3	61.9	1,114	2	No
	5.8	104	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	14.8	266	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1306-1307

D17B # YEARS SPENT IN PRISON

After (END DATE)/January 1990 and until now, altogether, about how much time did you spend in prison at any time? Was it less than one year, 1-2 years, 3-4 years, or five years or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.4	5.7	103	1	Less than one year
39.6	6.8	122	2	1-2 years
22.1	3.8	68	3	3-4 years
4.9	0.8	15	4	5 years or more
	68.0	1,224	-6	LEGITIMATE SKIP
	14.8	267	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1308-1309

D16C R IN JUVENILE DETENTION

After you left (PROGRAM) in (END DATE)/January 1990 and until now, have you been . . . in juvenile detention?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.1	20	1	Yes
98.6	77.9	1,402	2	No
	5.8	104	-6	LEGITIMATE SKIP
	0.1	2	-5	NOT APPLICABLE
	14.7	265	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1310-1311

D17C**D17C # YEARS SPENT IN JUVENILE DET**

After (END DATE)/January 1990 and until now, altogether, about how much time did you spend in juvenile detention? Was it less than one year, 1-2 years, 3-4 years, or five years or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.0	0.9	17	1	Less than one year
10.0	0.1	2	2	1-2 years
5.0	0.1	1	3	3-4 years
	84.2	1,514	-6	LEGITIMATE SKIP
	14.7	265	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1312-1313

D16D**D16D R IN TASC OR COURT DIVERSION**

After you left (PROGRAM) in (END DATE)/January 1990 and until now, have you been . . . in a TASC or court diversion program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	4.5	81	1	Yes
94.3	74.3	1,336	2	No
	5.8	104	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	14.8	266	-3	MISSING
	0.3	5	-2	DON'T KNOW
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1314-1315

D17D # YEARS SPENT IN TASC/COURT D

After (END DATE)/January 1990 and until now, altogether, about how much time did you spend in a TASC or court diversion program? Was it less than one year, 1-2 years, 3-4 years, or five years or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.1	3.3	60	1	Less than one year
21.0	0.9	17	2	1-2 years
3.7	0.2	3	3	3-4 years
1.2	0.1	1	4	5 years or more
	80.7	1,452	-6	LEGITIMATE SKIP
	14.8	266	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1316-1317

D16E R SENTENCED TO PROBATION

After you left (PROGRAM) in (END DATE)/January 1990 and until now, have you been . . . sentenced to probation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	29.5	530	1	Yes
62.5	49.2	885	2	No
	5.8	104	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	14.8	267	-3	MISSING
	0.4	7	-2	DON'T KNOW
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1318-1319

D17E	D17E # YEARS SPENT ON PROBATION
-------------	--

After (END DATE)/January 1990 and until now, altogether, about how much time did you spend sentenced to probation? Was it less than one year, 1-2 years, 3-4 years, or five years or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	6.0	108	1	Less than one year
48.3	14.0	252	2	1-2 years
17.8	5.2	93	3	3-4 years
13.2	3.8	69	4	5 years or more
	55.7	1,002	-6	LEGITIMATE SKIP
	15.1	271	-3	MISSING
	0.2	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1320-1321

D16F	D16F R ON PAROLE
-------------	-------------------------

After you left (PROGRAM) in (END DATE)/January 1990 and until now, have you been . . . on parole?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	10.9	196	1	Yes
86.2	68.1	1,225	2	No
	5.8	104	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	14.8	267	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1322-1323

D17F # YEARS SPENT ON PROBATION

After (END DATE)/January 1990 and until now, altogether, about how much time did you spend on parole? Was it less than one year, 1-2 years, 3-4 years, or five years or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	3.9	71	1	Less than one year
34.0	3.7	66	2	1-2 years
16.0	1.7	31	3	3-4 years
13.4	1.4	26	4	5 years or more
	74.3	1,336	-6	LEGITIMATE SKIP
	14.9	268	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1324-1325

D16G R ON ANY OTHER COURT SUPERVIS

After you left (PROGRAM) in (END DATE)/January 1990 and until now, have you been . . . on any other kind of correctional or criminal court supervision?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	3.3	59	1	Yes
95.8	75.0	1,350	2	No
	5.8	104	-6	LEGITIMATE SKIP
	0.1	2	-5	NOT APPLICABLE
	15.4	277	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1326-1327

D17G**D17G # YEARS SPENT ON OTHER COURT**

After (END DATE)/January 1990 and until now, altogether, about how much time did you spend on any other kind of correctional or criminal court supervision? Was it less than one year, 1-2 years, 3-4 years, or five years or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.9	2.4	43	1	Less than one year
23.7	0.8	14	2	1-2 years
3.4	0.1	2	4	5 years or more
	81.3	1,463	-6	LEGITIMATE SKIP
	15.4	277	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1328-1329

D18**D18 MORE THAN ONE STATUS CODED**

SEE D16. IS MORE THAN ONE STATUS CODED "Y" (YES)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	32.4	583	1	Yes
62.7	54.4	978	2	No
	5.8	104	-6	LEGITIMATE SKIP
	7.3	132	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1330-1331

D19 YEARS SPENT IN ALL CATEGORIES

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, altogether, about how many years have you spent (ALL CATEGORIES CODED "1" FROM D16)? Would you say it has been a total of less than one year, 1-2 years, 3-4 years, or five years or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	6.2	112	1	Less than one year
30.0	9.4	170	2	1-2 years
28.1	8.8	159	3	3-4 years
22.1	6.9	125	4	5 years or more
	60.1	1,082	-6	LEGITIMATE SKIP
	8.1	146	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1332-1333

D20 R EVER STOLEN A MOTOR VEHICLE

Have you ever stolen a vehicle (car, truck, or motorcycle)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	17.3	312	1	Yes
82.6	82.3	1,481	2	No
	0.1	2	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1334-1335

D20A**D20A R STEAL VEHICLE 5 YEARS BEFOR**

Did you ever steal a vehicle between (DATE 5 YEARS BEFORE)
and (START DATE) when you went to (PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.2	8.6	155	1	Yes
49.8	8.6	154	2	No
	82.3	1,481	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1336-1337

D20B**D20B R ARRESTED FOR STEALING VEHIC**

Were you ever arrested for stealing a vehicle between (DATE
5 YEARS BEFORE) and (START DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.3	4.3	78	1	Yes
49.7	4.3	77	2	No
	90.9	1,635	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1338-1339

D20C R EVER STEAL VEHICLE WHILE IN

Did you ever steal a vehicle while you were attending (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.4	8	1	Yes
97.4	16.7	301	2	No
	82.3	1,481	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1340-1341

D20D R ARRESTED FOR STEALING VEHIC

Were you ever arrested for stealing a vehicle while you attended (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	2	1	Yes
75.0	0.3	6	2	No
	99.1	1,782	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1342-1343

D20E	D20E R STEAL VEHICLE AFTER LEAVING
-------------	---

After you left (PROGRAM) in (END DATE) until now, did you ever steal a vehicle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	4.3	78	1	Yes
74.7	12.8	230	2	No
	82.3	1,481	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1344-1345

D20F	D20F R ARRESTED FOR VEHICLE THEFT
-------------	--

After you left (PROGRAM) in (END DATE) until now, were you ever arrested for stealing a vehicle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.6	1.8	32	1	Yes
58.4	2.5	45	2	No
	95.1	1,711	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1346-1347

D21 **D21 R EVER DRIVEN WHILE INTOXICATE**

Have you ever driven while intoxicated (DWI)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.2	72.0	1,295	1	Yes
27.8	27.7	499	2	No
	0.1	1	-3	MISSING
	0.2	4	-1	REFUSED

 100.0 100.0 1,799 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1348-1349

D21A **D21A R DRIVE WHILE INTOXICATED BEF**

Did you ever drive while intoxicated between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.1	59.8	1,076	1	Yes
16.9	12.2	219	2	No
	27.7	499	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.2	4	-1	REFUSED

 100.0 100.0 1,799 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1350-1351

D21B**D21B R ARRESTED FOR DWI BEFORE PRO**

Were you ever arrested for driving while intoxicated (DWI) between (DATE 5 YEARS BEFORE) and (START DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.3	25.2	454	1	Yes
57.7	34.5	620	2	No
	39.9	718	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1352-1353

D21C**D21C R DRIVE INTOXICATED WHILE IN**

Did you ever drive while intoxicated while you were attending (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	6.3	114	1	Yes
91.1	65.2	1,173	2	No
	27.7	499	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1354-1355

D21D R ARRESTED FOR DUI WHILE IN P

Were you ever arrested for driving while intoxicated (DWI) while you attended (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	0.9	17	1	Yes
85.1	5.4	97	2	No
	92.9	1,672	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1356-1357

D21E R DRIVEN INTOXICATED SINCE LE

After you left (PROGRAM) in (END DATE) until now, have you ever driven while intoxicated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.2	43.1	775	1	Yes
39.8	28.5	512	2	No
	27.7	499	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1358-1359

D21F**D21F R ARRESTED FOR DUI SINCE LEAV**

After you left (PROGRAM) in (END DATE) until now, were you ever arrested for driving while intoxicated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.1	14.3	257	1	Yes
66.9	28.8	519	2	No
	56.2	1,011	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1360-1361

D22**D22 R EVER DRIVEN WHILE UNDER THE**

Have you ever driven while under the influence?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.4	63.3	1,138	1	Yes
36.6	36.5	656	2	No
	0.1	1	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1362-1363

D22A R DUI 5 YEARS BEFORE PROGRAM

Did you ever driven while under the influence between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.2	53.2	957	1	Yes
15.8	10.0	180	2	No
	36.5	656	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1364-1365

D22B R ARRESTED FOR DUI 5 YEARS BE

Were you ever arrested for driving while under the influence (DUI) between (DATE 5 YEARS BEFORE) and (START DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	14.8	266	1	Yes
72.2	38.4	690	2	No
	46.5	836	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1366-1367

D22C**D22C R EVER DUI WHILE ATTENDING PR**

Did you ever drive while under the influence while you were attending (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	7.0	126	1	Yes
88.8	55.8	1,004	2	No
	36.5	656	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1368-1369

D22D**D22D R ARRESTED FOR DUI WHILE IN P**

Were you ever arrested for driving while under the influence (DUI) while you attended (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	0.8	14	1	Yes
89.0	6.3	113	2	No
	92.3	1,660	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1370-1371

D22E R EVER DUI AFTER PROGRAM

After you left (PROGRAM) in (END DATE) until now, have you ever driven while under the influence?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.8	40.7	732	1	Yes
35.2	22.1	397	2	No
	36.5	656	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1372-1373

D22F R ARRESTED FOR DUI SINCE END

After you left (PROGRAM) in (END DATE) until now, were you ever arrested for driving while under the influence?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.8	10.9	196	1	Yes
73.2	29.8	536	2	No
	58.5	1,053	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1374-1375

D23**D23 R COMMIT PUBLIC ORDER OFFENSES**

Have you ever committed any kind of public disorder offenses, such as fighting, disorderly conduct, or vandalism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.9	39.8	716	1	Yes
60.1	59.9	1,077	2	No
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1376-1377

D23A**D23A COMMIT OFFENSE BEFORE PROGRAM**

Did you ever commit any kind of public disorder offenses, such as fighting, disorderly conduct, or vandalism between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.3	28.0	503	1	Yes
29.7	11.8	212	2	No
	59.9	1,077	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1378-1379

D23D**D23D ARRESTED FOR OFFENSE IN PROGR**

Were you ever arrested for committing any kind of public disorder offenses, such as fighting, disorderly conduct, or vandalism while you attended (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	1.1	20	1	Yes
63.6	1.9	35	2	No
	96.1	1,729	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1384-1385

D23E**D23E COMMIT OFFENSE AFTER PROGRAM**

After you left (PROGRAM) in (END DATE) until now, have you ever committed any kind of public disorder offenses, such as fighting, disorderly conduct, or vandalism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.3	19.0	342	1	Yes
51.7	20.3	366	2	No
	59.9	1,077	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1386-1387

D24A**D24A SELL DRUGS BEFORE PROGRAM**

Did you ever sell drugs or help someone else sell drugs, including cutting, weighing, packaging, making, or holding drugs, or having drug paraphernalia between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	36.7	661	1	Yes
23.0	11.0	197	2	No
	51.6	928	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.6	10	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1392-1393

D24B**D24B ARRESTED FOR SELLING BEFORE P**

Were you ever arrested for selling drugs or helping someone else sell drugs, including cutting, weighing, packaging, making, or holding drugs, or having drug paraphernalia between (DATE 5 YEARS BEFORE) and (START DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	10.2	184	1	Yes
72.2	26.5	477	2	No
	62.5	1,125	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.5	9	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1394-1395

D24E	D24E SELL DRUGS AFTER PROGRAM
-------------	--------------------------------------

After you left (PROGRAM) in (END DATE) until now, have you ever sold drugs or helped someone else sell drugs, including cutting, weighing, packaging, making, or holding drugs, or having drug paraphernalia?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.9	24.8	446	1	Yes
48.1	23.0	413	2	No
	51.6	928	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.6	10	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1400-1401

D24F	D24F ARRESTED FOR SELLING AFTER PR
-------------	---

After you left (PROGRAM) in (END DATE) until now, were you ever arrested for selling drugs or helping someone else sell drugs, including cutting, weighing, packaging, making, or holding drugs, or having drug paraphernalia?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.6	7.8	141	1	Yes
68.4	17.0	305	2	No
	74.5	1,341	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.5	9	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1402-1403

D25 **D25 INVOLVED IN PROSTITUTION/PROCU**

Have you ever had sex for money or drugs (prostitution) or asked others to have sex for money or drugs (procurement)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	18.2	327	1	Yes
81.7	81.3	1,463	2	No
	0.1	1	-3	MISSING
	0.4	8	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1404-1405

D25A **D25A PROSTITUTION/PROCUREMENT BEFO**

Did you ever have sex for money or drugs (prostitution) or asked others to have sex for money or drugs (procurement) between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	13.2	238	1	Yes
27.2	4.9	89	2	No
	81.3	1,463	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1406-1407

D25B**D25B ARRESTED BEFORE PROGRAM**

Were you ever arrested for having sex for money or drugs (prostitution) or asking others to have sex for money or drugs (procurement) between (DATE 5 YEARS BEFORE) and (START DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	1.8	33	1	Yes
85.9	11.2	201	2	No
	86.3	1,552	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1408-1409

D25C**D25C PROSTITUTION/PROCUREMENT IN P**

Did you ever have sex for money or drugs (prostitution) or asked others to have sex for money or drugs (procurement) while you were attending (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	2.4	44	1	Yes
86.5	15.6	281	2	No
	81.3	1,463	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1410-1411

D25D ARRESTED WHILE IN PROGRAM

Were you ever arrested for having sex for money or drugs (prostitution) or asking others to have sex for money or drugs (procurement) while you attended (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.2	3	1	Yes
93.3	2.3	42	2	No
	96.9	1,744	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1412-1413

D25E PROSTITUTION/PROCUREMENT AFTE

After you left (PROGRAM) in (END DATE) until now, have you ever had sex for money or drugs (prostitution) or asked others to have sex for money or drugs (procurement)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	9.7	175	1	Yes
46.5	8.4	152	2	No
	81.3	1,463	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1414-1415

D25F**D25F ARESSTED AFTER PROGRAM**

After you left (PROGRAM) in (END DATE) until now, were you ever arrested for having sex for money or drugs (prostitution) or asking others to have sex for money or drugs (procurement)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	1.5	27	1	Yes
84.6	8.2	148	2	No
	89.8	1,615	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1416-1417

D26**D26 R TAKE PART IN FRAUD OR FORGER**

Have you ever passed bad checks, forged checks, used a stolen credit card, or done any other kind of fraud or forgery?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	24.3	437	1	Yes
75.6	75.3	1,355	2	No
	0.1	2	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1418-1419

D26A FRAUD OR FORGERY BEFORE PROGR

Did you ever pass bad checks, use a stolen credit card, or do any other kind of fraud or forgery between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.3	14.9	268	1	Yes
38.7	9.4	169	2	No
	75.3	1,355	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1420-1421

D26B ARRESTED FOR FRAUD/FORGERY BE

Were you ever arrested for passing bad checks, forging checks, using a stolen credit card, or doing any other kind of forgery between (DATE 5 YEARS BEFORE) and (START DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	5.5	99	1	Yes
62.9	9.3	168	2	No
	84.7	1,524	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1422-1423

D26C**D26C FRAUD OR FORGERY WHILE IN PRO**

Did you ever pass bad checks, forge checks, use a stolen credit card, or do any other kind of fraud or forgery while you were attending (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	1.3	23	1	Yes
94.7	23.0	413	2	No
	75.3	1,355	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1424-1425

D26D**D26D ARRESTED WHILE IN PROGRAM**

Were you ever arrested for passing bad checks, forging checks, using a stolen credit card, or doing any other kind of fraud or forgery while you attended (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.7	0.3	5	1	Yes
77.3	0.9	17	2	No
	98.3	1,768	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1426-1427

D26E FRAUD OR FORGERY AFTER PROGRA

After you left (PROGRAM) in (END DATE) until now, have you ever passed bad checks, forger checks, used a stolen credit card, or done any other kind of fraud or forgery?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.0	10.5	188	1	Yes
57.0	13.8	249	2	No
	75.3	1,355	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1428-1429

D26F ARRESTED AFTER PROGRAM

After you left (PROGRAM) in (END DATE) until now, were you ever arrested for passing bad checks, forging checks, using a stolen credit card, or doing any other kind of fraud or forgery?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.8	3.1	56	1	Yes
70.2	7.3	132	2	No
	89.2	1,604	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1430-1431

D27**D27 R INVOLVED IN SHOPLIFTING OR L**

Have you ever shoplifted (boosted) or committed any other kind of theft, such as larceny or selling (fencing) stolen goods?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.6	42.4	763	1	Yes
57.4	57.2	1,029	2	No
	0.1	2	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1432-1433

D27A**D27A LARCENY BEFORE PROGRAM**

Did you ever shoplift (boost) or commit any other kind of theft, such as larceny or selling (fencing) stolen goods between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.8	28.7	517	1	Yes
32.2	13.6	245	2	No
	57.2	1,029	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1434-1435

D27D**D27D ARREST FOR LARCENY IN PROGRAM**

Were you ever arrested for shoplifting (boosting) or committing any other kind of theft, such as larceny or selling (fencing) stolen goods while you attended (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.6	1.4	25	1	Yes
68.4	3.0	54	2	No
	95.1	1,711	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1440-1441

D27E**D27E LARCENY AFTER PROGRAM**

After you left (PROGRAM) in (END DATE) until now, have you ever shoplifted (boosted) or committed any other kind of theft, such as larceny or selling (fencing) stolen goods?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	18.4	331	1	Yes
56.3	23.7	427	2	No
	57.2	1,029	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1442-1443

D28A**D28A BREAKING AND ENTERING BEFORE**

Did you ever break into a house, a business, or a vehicle to take someone else's money or property between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.8	14.4	259	1	Yes
38.2	8.9	160	2	No
	76.3	1,373	-6	LEGITIMATE SKIP
	0.1	1	-2	DON'T KNOW
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1448-1449

D28B**D28B ARREST FOR B & E BEFORE PROGR**

Were you ever arrested for breaking into a house, a business, or a vehicle to take someone else's money or property between (DATE 5 YEARS BEFORE) and (START DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.7	6.8	123	1	Yes
52.3	7.5	135	2	No
	85.2	1,533	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1450-1451

D28E**D28E BREAKING AND ENTERING AFTER P**

After you left (PROGRAM) in (END DATE) until now, have you ever broken into a house, a business, or a vehicle to take someone else's money or property?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	8.7	156	1	Yes
62.9	14.7	264	2	No
	76.3	1,373	-6	LEGITIMATE SKIP
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1456-1457

D28F**D28F ARREST FOR B & E AFTER PROGRA**

After you left (PROGRAM) in (END DATE) until now, were you ever arrested for breaking into a house, a business, or a vehicle to take someone else's money or property?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.8	4.8	87	1	Yes
44.2	3.8	69	2	No
	91.0	1,637	-6	LEGITIMATE SKIP
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1458-1459

D29 R EVER DO STRONGARM/ARMED ROBB

Have you ever used a weapon or physical force against someone to steal money or property from them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.4	134	1	Yes
92.5	92.3	1,660	2	No
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1460-1461

D29A STRONGARM/ARMED ROBBERY BEFOR

Did you ever use a weapon or physical force against someone to steal money or property from them between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	3.6	65	1	Yes
51.5	3.8	69	2	No
	92.3	1,660	-6	LEGITIMATE SKIP
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1462-1463

D29B**D29B ARREST BEFORE PROGRAM**

Were you ever arrested for using a weapon or physical force against someone to steal money or property from them between (DATE 5 YEARS BEFORE) and (START DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.6	1.6	29	1	Yes
55.4	2.0	36	2	No
	96.1	1,729	-6	LEGITIMATE SKIP
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1464-1465

D29C**D29C STRONGARM/ARMED ROBBERY IN PR**

Did you ever use a weapon or physical force against someone to steal money or property from them while you were attending (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.3	6	1	Yes
95.5	7.1	127	2	No
	92.3	1,660	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1466-1467

D29D ARREST FOR ROBBERY IN PROGRAM

Were you ever arrested for using a weapon or physical force against someone to steal money or property from them while you attended (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	1	1	Yes
83.3	0.3	5	2	No
	99.3	1,787	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1468-1469

D29E STRONGARM/ARMED ROBBERY AFTER

After you left (PROGRAM) in (END DATE) until now, have you ever used a weapon or physical force against someone to steal money or property from them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	3.1	55	1	Yes
58.6	4.3	78	2	No
	92.3	1,660	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1470-1471

D29F**D29F ARREST FOR ROBBERY AFTER PRO**

After you left (PROGRAM) in (END DATE) until now, were you ever arrested for using a weapon or physical force against someone to steal money or property from them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.6	1.3	24	1	Yes
56.4	1.7	31	2	No
	96.6	1,738	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1472-1473

D30**D30 R EVER COMMIT ARSON**

Have you ever set fire to a house, building, or vehicle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.8	68	1	Yes
96.2	95.9	1,726	2	No
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1474-1475

D30C**D30C COMMIT ARSON DURING PROGRAM**

Did you ever set fire to a house, building, or vehicle while you were attending (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.1	2	1	Yes
97.0	3.6	65	2	No
	95.9	1,726	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1480-1481

D30D**D30D ARRESTED FOR ARSON DURING PRO**

Were you ever arrested for setting fire to a house, building, or vehicle while you attended (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	No
	99.6	1,791	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1482-1483

D30E COMMIT ARSON AFTER PROGRAM

After you left (PROGRAM) in (END DATE) until now, have you ever set fire to a house, building, or vehicle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	0.4	8	1	Yes
88.1	3.3	59	2	No
	95.9	1,726	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1484-1485

D30F ARRESTED FOR ARSON AFTER PROG

After you left (PROGRAM) in (END DATE) until now, were you ever arrested for setting fire to a house, building, or vehicle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	8	2	No
	99.2	1,785	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1486-1487

D31	D31 R EVER THREATEN/ATTACK ATTACK
------------	--

Have you ever threatened or attacked someone with a weapon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	20.1	362	1	Yes
79.8	79.5	1,430	2	No
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1488-1489

D31A	D31A THREATEN/ATTACK BEFORE PROGRA
-------------	---

Did you ever threaten or attack someone with a weapon between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.0	12.3	221	1	Yes
39.0	7.8	141	2	No
	79.5	1,430	-6	LEGITIMATE SKIP
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1490-1491

D31D**D31D ARREST FOR ATTACK DURING PROG**

Were you ever arrested for threatening or attacking someone with a weapon while you attended (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.8	0.3	5	1	Yes
76.2	0.9	16	2	No
	98.2	1,767	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	0.2	3	-3	MISSING
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1496-1497

D31E**D31E ATTACK/THREATEN AFTER PROGRAM**

After you left (PROGRAM) in (END DATE) until now, have you ever threatened or attacked someone with a weapon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.8	9.4	169	1	Yes
53.2	10.7	192	2	No
	79.5	1,430	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1498-1499

D32A**D32A USE FORCE FOR SEX BEFORE PROG**

Did you ever force someone to have sex or do any kind of sex act against their will between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.1	0.7	13	1	Yes
51.9	0.8	14	2	No
	98.1	1,765	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1504-1505

D32B**D32B ARREST FOR FORCED SEX BEFORE**

Were you ever arrested for forcing someone to have sex or do any kind of sex act against their will between (DATE 5 YEARS BEFORE) and (START DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	0.1	2	1	Yes
84.6	0.6	11	2	No
	98.9	1,779	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1506-1507

D32C USE FORCE FOR SEX DURING PROG

Did you ever force someone to have sex or do any kind of sex act against their will while you were attending (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.1	1	1	Yes
96.3	1.4	26	2	No
	98.1	1,765	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1508-1509

D32D ARREST FOR FORCED SEX DURING

Were you ever arrested for forcing someone to have sex or do any kind of sex act against their will while you attended (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	No
	99.6	1,791	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1510-1511

D32E**D32E USE FORCE FOR SEX ATER PROGRA**

After you left (PROGRAM) in (END DATE) until now, have you ever forced someone to have sex or do any kind of sex act against their will?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.3	0.6	11	1	Yes
57.7	0.8	15	2	No
	98.1	1,765	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1512-1513

D32F**D32F ARREST FOR FORCED SEX AFTER P**

After you left (PROGRAM) in (END DATE) until now, were you ever arrested for forcing someone to have sex or do any kind of sex act against their will?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.1	1	1	Yes
91.7	0.6	11	2	No
	98.9	1,780	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1514-1515

D33 R EVER KILL SOMEONE NOT BY ACC

Have you ever killed someone, other than by accident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.6	28	1	Yes
98.4	98.1	1,764	2	No
	0.1	1	-3	MISSING
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1516-1517

D33A COMMIT HOMICIDE BEFORE PROGRA

Did you ever kill someone, other than by accident between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	0.6	10	1	Yes
64.3	1.0	18	2	No
	98.1	1,764	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1518-1519

D33B**D33B ARRESTED FOR HOMICIDE BEFORE**

Were you ever arrested for killing someone, other than by accident between (DATE 5 YEARS BEFORE) and (START DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.3	5	1	Yes
50.0	0.3	5	2	No
	99.1	1,782	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1520-1521

D33C**D33C COMMIT HOMICIDE DURING PROGRA**

Did you ever kill someone, other than by accident while you were attending (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.1	1	1	Yes
96.4	1.5	27	2	No
	98.1	1,764	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1522-1523

D33F**D33F ARRESTED FOR HOMICIDE AFTER P**

After you left (PROGRAM) in (END DATE) until now, were you ever arrested for killing someone, other than by accident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	1	Yes
33.3	0.1	1	2	No
	99.4	1,789	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1528-1529

D34**D34 R EVER VIOLATE PAROLE**

Have you ever violated parole, probation, or any other kind of supervision?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.9	32.8	590	1	Yes
67.1	66.9	1,203	2	No
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1530-1531

D34A **D34A VIOLATE PAROLE BEFORE PROGRAM**

Did you ever violate parole, probation or any other kind of supervision between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	17.5	315	1	Yes
46.2	15.0	270	2	No
	66.9	1,203	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1532-1533

D34B **D34B ARREST FOR VIOLATION BEFORE P**

Were you ever arrested for violating parole, probation or any kind of supervision between (DATE 5 YEARS BEFORE) and (START DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	12.1	218	1	Yes
30.8	5.4	97	2	No
	81.9	1,473	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1534-1535

D34C**D34C VIOLATE PAROLE DURING PROGRAM**

Did you ever violate parole, probation or any other kind of supervision while you were attending (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	4.4	79	1	Yes
86.3	27.6	497	2	No
	66.9	1,203	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1536-1537

D34D**D34D ARREST FOR VIOLATION DURING P**

Were you ever arrested for violating parole, probation or any kind of supervision while you attended (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.8	2.6	46	1	Yes
43.2	1.9	35	2	No
	94.5	1,700	-6	LEGITIMATE SKIP
	0.7	12	-3	MISSING
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1538-1539

D34E **D34E VIOLATE PAROLE AFTER PROGRAM**

After you left (PROGRAM) in (END DATE) until now, have you ever violated parole, probation or any other kind of supervision?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.0	20.3	366	1	Yes
37.0	12.0	215	2	No
	66.9	1,203	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1540-1541

D34F **D34F ARREST FOR VIOLATION AFTER PR**

After you left (PROGRAM) in (END DATE) until now, were you ever arrested for violating parole, probation or any other kind of supervision?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.0	15.0	270	1	Yes
26.0	5.3	95	2	No
	78.8	1,418	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1542-1543

D35**D35 R BREAK ANY OTHER LAWS**

Have you done anything else against the law that I didn't ask about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.7	139	1	Yes
92.2	91.8	1,651	2	No
	0.1	2	-3	MISSING
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1544-1545

D35A**D35A BREAK OTHER LAWS BEFORE PROGR**

Did you ever do anything else against the law that I didn't ask about between (DATE 5 YEARS BEFORE) and (START DATE) when you went to (PROGRAM)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.8	3.0	54	1	Yes
61.2	4.7	85	2	No
	91.8	1,651	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1546-1547

D35B **D35AVRB ARREST BEFORE PROGRAM**

Were you ever arrested for doing anything else against the law that I didn't ask about between (DATE 5 YEARS BEFORE) and (START DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.5	0.9	17	1	Yes
68.5	2.1	37	2	No
	96.5	1,736	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1548-1549

D35C **D35C LAW BROKEN DURING PROGRAM**

Did you ever do anything else against the law that I didn't ask about while you were attending (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.3	5	1	Yes
96.3	7.3	131	2	No
	91.8	1,651	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1550-1551

D35D**D35D ARREST DURING PROGRAM**

Were you ever arrested for doing anything else against the law that I didn't ask about while you attended (PROGRAM) between (START DATE) and (END DATE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	2	No
	99.1	1,782	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1552-1553

D35E**D35E LAWS BROKEN AFTER PROGRAM**

After you left (PROGRAM) in (END DATE) until now, have you ever done anything else against the law that I haven't asked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.8	3.7	66	1	Yes
52.2	4.0	72	2	No
	91.8	1,651	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1554-1555

D36AA	D36AA R ON PROBATION
--------------	-----------------------------

Right now . . . are you on probation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.9	9.9	178	1	Yes
45.1	8.1	146	2	No
	80.9	1,456	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1560-1561

D36AB	D36AB R ON PAROLE OF CONDITIONAL R
--------------	---

Right now . . . are you on parole or conditional release?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.7	4.7	85	1	Yes
73.3	13.0	233	2	No
	80.9	1,456	-6	LEGITIMATE SKIP
	1.0	18	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1562-1563

MARITAL STATUS

E1	E1 R CURRENTLY MARRIED
-----------	-------------------------------

First, are you currently married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.2	32.1	578	1	Yes
67.8	67.7	1,218	2	No
	0.1	1	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1568-1569

E1A	E1A R EVER BEEN MARRIED
------------	--------------------------------

Have you ever been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	29.0	522	1	Yes
56.8	38.4	691	2	No
0.2	0.2	3	3	MARRIAGE WAS ANNULLED
	32.1	578	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1570-1571

E2 R EVER LIVED WITH SOMEONE

Have you ever lived with someone in a marriage-like relationship?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	27.8	500	1	Yes
28.0	10.8	194	2	No
	61.3	1,103	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1572-1573

E3 # OF INDIVIDUALS R LIVED WITH O

Altogether, how many individuals have you been married to or lived with in a marriage-like relationship?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.9	11.1	199	1	
30.5	8.4	152	2	
18.0	5.0	90	3	
6.8	1.9	34	4	
1.2	0.3	6	5	
0.2	0.1	1	6	
0.8	0.2	4	7	
0.6	0.2	3	8	
1.2	0.3	6	10	
0.2	0.1	1	15	
0.2	0.1	1	18	
0.4	0.1	2	20	
	72.1	1,297	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1574-1575

E4MONTH**E4MONTH**

In what month and year did you start living with the first partner you were married to or in a marriage-like relationship with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	5.1	91	1	
7.8	5.6	101	2	
8.1	5.8	105	3	
6.9	4.9	89	4	
7.6	5.5	99	5	
12.6	9.1	163	6	
8.3	6.0	108	7	
9.8	7.1	127	8	
9.2	6.6	119	9	
7.9	5.7	102	10	
7.9	5.7	102	11	
7.1	5.1	92	12	
	10.8	194	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
	15.8	285	-2	DON'T KNOW
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1576-1577

E4YEAR**E4YEAR**

In what month and year did you start living with the first partner you were married to or in a marriage-like relationship with?

1,799 cases (Range of valid codes: 2-96)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1578-1579

E5 IS YEAR RECORDED BEFORE START D

IS YEAR RECORDED BEFORE START DATE YEAR / JANUARY 1990?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.4	72.7	1,307	1	Yes
18.6	16.6	298	2	No
	10.8	194	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1580-1581

E6 # YRS R LIVED WITH PARTNERS

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990] altogether, how many years did you live with the partner(s) you were married to or in a marriage-like relationship with? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	15.0	269	1	Less than one year
35.0	29.6	532	2	1-2 years
15.0	12.7	228	3	3-4 years
32.3	27.3	492	4	5 years or more
	10.8	194	-6	LEGITIMATE SKIP
	0.1	2	-5	NOT APPLICABLE
	3.4	61	-3	MISSING
	0.8	15	-2	DON'T KNOW
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1582-1583

E7**AUTOMATIC SKIP**

IF NO YELLOW PERIOD ON CALENDAR, SKIP TO E9. OTHERWISE GO TO E8.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	89.2	1,604	1	Activate skip
	10.8	194	-6	LEGITIMATE SKIP
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1584-1585

E8A**E8A R MARRIED WHEN FIRST ENTERING P**

When you first entered (PROGRAM) in (START DATE)/in January 1990, were you married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.7	27.8	501	1	Yes
67.3	57.4	1,033	2	No
	12.8	230	-6	LEGITIMATE SKIP
	1.6	28	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1586-1587

E8B E8B R HAVE PARTNER WHEN FIRST ENTER

When you first entered (PROGRAM) in (START DATE)/in January 1990, were you in a marriage-like relationship?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	21.1	379	1	Yes
63.8	37.1	668	2	No
	40.9	736	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1588-1589

E9 E9 TIME R SPENT W/PARTNER AFTER PR

After [you left (PROGRAM) in (END DATE/January 1990] and until now, altogether, about how much time have you lived with a partner you were married to or in a marriage-like relationship with? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.0	36	1	Less than one month
5.3	4.7	84	2	1-6 months
4.3	3.8	69	3	7-11 months
17.5	15.5	279	4	1-2 years
27.5	24.4	439	5	3-5 years
26.8	23.8	428	6	More than five years
12.6	11.2	201	7	NONE
3.7	3.3	59	8	R WAS NOT LIVING WITH PARTNER
	10.8	194	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1590-1591

E10**E10 TIME R WAS MARRIED OR LIVED W/**

From (MONTH YEAR AGO 1994/1995) to now, how much time have you lived with a partner you were married to or in a marriage-like relationship with? Has it been . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	3.1	55	1	Less than one month
3.7	2.7	49	2	1-2 months
3.4	2.6	46	3	3-4 months
5.5	4.1	74	4	5-6 months
4.0	2.9	53	5	7-8 months
5.1	3.8	68	6	9-11 months
50.6	37.5	675	7	12 months/entire year
17.2	12.8	230	8	NONE
6.3	4.7	84	9	R WAS NOT LIVING WITH PARTNER
	25.6	460	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1592-1593

LIVING ARRANGEMENTS

F1 NATURAL MOTHER BORN IN THE U.S.

Was your natural mother (that is, your birth mother) born in the United States?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	91.3	1,643	1	Yes
7.4	7.3	132	2	No
0.9	0.9	17	3	NEVER KNEW NATURAL MOTHER
	0.1	1	-3	MISSING
	0.2	4	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1594-1595

F2 NATURAL FATHER BORN IN THE U.S.

Was your natural father (that is, your birth father) born in the United States?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	89.5	1,611	1	Yes
7.5	7.4	134	2	No
2.1	2.1	37	3	NEVER KNEW NATURAL FATHER
	0.9	16	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1596-1597

F3**F3 R CURRENTLY LIVING WITH PARENTS**

Now, I would like to ask you about the people who raised you for most of your life, including your natural parents, step-parents, foster parents, and adoptive parents.

Right now, are you currently living with either or both of your parents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.1	91	1	Yes, with parents
8.7	8.7	156	2	Yes, with mother only
1.9	1.9	34	3	Yes, with father only
84.4	84.3	1,516	4	No
	0.1	1	-3	MISSING
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1598-1599

F3A**F3A AGE R LAST LIVED WITH MOTHER**

How old were you when you last lived with your mother? Again, I'm asking about the mother who raised you most of your life [including your natural mother, stepmother, adoptive or foster mother, grandmother or the mother who raised you for most of your life].

1,799 cases (Range of valid codes: 0-62)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1600-1601

F3B**F3B AGE R LAST LIVED WITH FATHER**

How old where you when you last lived with your father? Again, I'm asking about the father who raised you most of your life [including your natural father, stepfather, adoptive or foster father, grandfather, or the father who raised you for most of your life].

1,799 cases (Range of valid codes: 0-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1602-1603

F4	AUTOMATIC SKIP
-----------	-----------------------

CODE APPROPRIATE RESPONSE:

R NEVER LIVED WITH ANY PARENTS (F3A+F3B="NA") . . . 1
 R NEVER LIVED WITH MOTHER (F3A = "NA") 2
 R NEVER LIVED WITH FATHER (F3B = "NA") 3
 R LIVED WITH BOTH PARENTS 4

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	5	1	Never w/parents
0.6	0.6	10	2	Never w/mom
9.0	8.4	151	3	Never w/dad
90.1	84.1	1,513	4	Lived w/both
	5.1	91	-6	LEGITIMATE SKIP
	1.5	27	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1604-1605

F5**F5 HIGHEST GRADE OF SCHOOL FOR FAT**

What is the highest grade or year of school that your father
(who raised you most of your life) has ever completed and
gotten credit for?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.3	24	0	NEVER ATTENDED SCHOOL
0.1	0.1	1	1	1st Grade
0.3	0.2	4	2	2nd Grade
1.6	1.2	21	3	3rd Grade
1.6	1.1	20	4	4th Grade
1.6	1.1	20	5	5th Grade
5.4	3.8	69	6	6th Grade
3.8	2.7	49	7	7th Grade
8.6	6.1	110	8	8th Grade
3.8	2.7	49	9	9th Grade
6.9	4.9	88	10	10th Grade
3.4	2.4	43	11	11th Grade
37.6	26.6	479	12	12th Grade
1.9	1.3	24	13	1 Year College
5.3	3.7	67	14	2 Years College
0.5	0.4	7	15	3 Years College
10.3	7.3	131	16	4 Years College
5.4	3.8	69	17	Graduate/Professional School
	8.6	155	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	0.8	14	-3	MISSING
	19.6	352	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1606-1607

F5A**F5A FATHER HAVE HIGH SCHOOL DIPLOM**

IF F5=12 OR LESS, ASK: Does he have a high school diploma
or a GED?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.7	24.8	447	1	Yes, diploma
6.7	3.9	70	2	Yes, GED
50.6	29.4	529	3	No
	25.2	453	-6	LEGITIMATE SKIP
	10.3	186	-3	MISSING
	6.3	113	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1608-1609

F6

F6 HIGHEST GRADE OF SCHOOL FOR MOT

What is the highest grade or year of school that your mother (who raised you most of your life) has ever completed and gotten credit for?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.1	19	0	NEVER ATTENDED SCHOOL
0.8	0.7	12	1	1st Grade
0.4	0.3	6	2	2nd Grade
0.9	0.7	13	3	3rd Grade
0.7	0.6	10	4	4th Grade
1.0	0.8	15	5	5th Grade
2.6	2.2	39	6	6th Grade
2.2	1.8	32	7	7th Grade
6.5	5.3	96	8	8th Grade
4.5	3.7	67	9	9th Grade
8.3	6.8	123	10	10th Grade
5.1	4.2	76	11	11th Grade
43.2	35.5	639	12	12th Grade
2.7	2.2	40	13	1 Year College
6.4	5.3	95	14	2 Years College
1.6	1.3	23	15	3 Years College
7.7	6.3	114	16	4 Years College
4.1	3.3	60	17	Graduate/Professional School
	0.3	6	-6	LEGITIMATE SKIP
	0.1	2	-5	NOT APPLICABLE
	0.8	14	-3	MISSING
	16.5	296	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1610-1611

F6A MOTHER HAVE HIGH SCHOOL DIPLOM

IF F6=12 OR LESS, ASK: Does she have a high school diploma or a GED?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.5	33.4	601	1	Yes, diploma
9.1	6.2	111	2	Yes, GED
41.4	27.9	502	3	No
	18.8	338	-6	LEGITIMATE SKIP
	9.0	162	-3	MISSING
	4.7	84	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1612-1613

F7 COURTS ARRANGE FOR R TO LIVE SE

Now, I would like to ask you some questions about other living arrangements you may have had (before you were 18 years old).

Did the courts or a social service agency ever arrange a place for your to live separate from your family (before you were 18 years old)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	15.0	270	1	Yes
84.9	84.7	1,524	2	No
	0.2	3	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1614-1615

F8**F8 R RUN AWAY FROM HOME BEFORE AGE**

Did you ever run away from home or the place you usually lived (before you were 18 years old)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	31.9	573	1	Yes
68.1	67.9	1,221	2	No
	0.1	1	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1616-1617

F8A	F8A # OF TIMES R RAN AWAY
------------	----------------------------------

Altogether, how many times did you run away (before you were 18 years old)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	11.9	214	1	
21.3	6.6	118	2	
10.6	3.3	59	3	
5.0	1.6	28	4	
5.8	1.8	32	5	
3.1	0.9	17	6	
1.1	0.3	6	7	
1.3	0.4	7	8	
0.2	0.1	1	9	
4.7	1.4	26	10	
0.2	0.1	1	11	
1.1	0.3	6	12	
0.4	0.1	2	13	
1.6	0.5	9	15	
0.2	0.1	1	16	
2.3	0.7	13	20	
0.4	0.1	2	24	
0.9	0.3	5	25	
0.2	0.1	1	28	
0.4	0.1	2	30	
0.4	0.1	2	35	
0.2	0.1	1	44	
0.2	0.1	1	50	
0.2	0.1	1	60	
	68.1	1,225	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.8	14	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1618-1619

F9**F9 R EVER ASKED TO LEAVE BY PARENT**

Were you ever asked to leave home by a parent or guardian who was raising you or you were living with (before you were 18 years old)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	17.8	320	1	Yes
82.1	81.7	1,470	2	No
	0.2	4	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1620-1621

F10**F10 NUMBER OF NATURAL CHILDREN**

Now, I would like to ask you about any children you have or you have raised, including your natural children, stepchildren, foster children, or adopted children.

Altogether, how many natural children do you have?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.8	29.7	534	0	
21.1	21.0	378	1	
22.2	22.1	397	2	
14.8	14.7	265	3	
6.0	5.9	107	4	
2.8	2.8	51	5	
3.3	3.3	59	6	6+
	0.1	1	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1622-1623

F10A R EVER HAD CUSTODY OF ANY CHI

Have you ever had custody of any adopted children, foster children or stepchildren? (By custody, I mean being legally in charge of a child.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	12.0	216	1	Yes
87.9	87.3	1,570	2	No
	0.4	8	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1624-1625

F11 R HAVE CUSTODY OF CHILDREN BEF

Thinking about the five years before [you went to (PROGRAM) in (START MONTH/YEAR/January 1990], did you have custody of any children, including your natural children, stepchildren, adopted children, or foster children? (By custody, I mean being legally in charge of a child.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.4	36.2	652	1	Yes
48.6	34.2	616	2	No
	28.1	506	-6	LEGITIMATE SKIP
	1.1	20	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1626-1627

F11A	F11A # CHILDREN UNDER 18 R RAISED
-------------	--

In the five years before [you went to (PROGRAM) in (START DATE/January 1990)], how many children under 18 years old did you raise and live with, including your natural children, stepchildren, adopted children, and foster children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.6	11	0	
36.5	13.2	237	1	
33.1	12.0	215	2	
17.4	6.3	113	3	
6.8	2.4	44	4	
2.6	0.9	17	5	
1.8	0.7	12	6	6+
	62.7	1,128	-6	LEGITIMATE SKIP
	1.2	21	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1628-1629

F12	F12 R HAVE CUSTODY OF CHILDREN AFT
------------	---

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, have you had custody of any children, including your natural children, stepchildren, adopted children, or foster children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.3	40.9	735	1	Yes
41.7	29.2	526	2	No
	28.1	506	-6	LEGITIMATE SKIP
	1.3	24	-3	MISSING
	0.3	5	-2	DON'T KNOW
	0.2	3	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1630-1631

F12A	F12A # CHILDREN UNDER 18 R HAS RAI
-------------	---

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, how many children under 18 years old did you raise and live with, including your natural children, stepchildren, adopted children, and foster children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	1.4	26	0	
33.9	13.9	250	1	
33.9	13.9	250	2	
18.3	7.5	135	3	
6.4	2.6	47	4	
2.2	0.9	16	5	
1.8	0.7	13	6	6+
	57.8	1,040	-6	LEGITIMATE SKIP
	1.2	22	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1632-1633

F13	F13 R EVER LOSE CUSTODY OF CHILDR
------------	--

Have you ever lost custody of (any of your natural children under 18 years old or) an (other) children you were raising?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.3	14.2	256	1	Yes
79.7	56.0	1,008	2	No
	28.1	506	-6	LEGITIMATE SKIP
	1.2	22	-3	MISSING
	0.2	4	-2	DON'T KNOW
	0.2	3	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1634-1635

F13A**F13A R LOSE CUSTODY BEFORE PROGRAM**

Thinking about the time five years before [(START DATE)/
January 1990], did you lose custody of (any of your
natural children under 18 years old or) any (other)
children you were raising?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.8	7.2	130	1	Yes
46.5	6.6	119	2	No
2.7	0.4	7	3	GAVE UP CUSTODY TO GO TO TREATMENT
	84.5	1,521	-6	LEGITIMATE SKIP
	1.2	22	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1636-1637

F13B**F13B R GET CUSTODY BACK**

Did you get custody back of [(any of your natural children
under 18 years old or) any (other) children you were raising]
during this period?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.5	2.2	39	1	Yes
68.6	5.2	94	2	No
2.9	0.2	4	3	REGAINED CUSTODY BY COMPLETING TREATMENT
	91.2	1,640	-6	LEGITIMATE SKIP
	1.2	22	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1638-1639

F13C R LOSE CUSTODY WHILE IN PROGR

While you were in (PROGRAM), did you lose custody of (any of your natural children under 18 years old or) any (other) children you were raising?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	2.1	37	1	Yes
82.0	11.2	201	2	No
2.9	0.4	7	3	GAVE UP CUSTODY TO GO TO TREATMENT
	84.9	1,528	-6	LEGITIMATE SKIP
	1.4	26	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1640-1641

F13D R GET CUSTODY BACK

Did you get custody back of [(any of your natural children under 18 years old or) and (other) children you were raising] during this period?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	0.9	16	1	Yes
59.1	1.4	26	2	No
4.5	0.1	2	3	REGAINED CUSTODY BY COMPLETING TREATMENT
	96.1	1,729	-6	LEGITIMATE SKIP
	1.4	26	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1642-1643

F13E**F13E R LOSE CUSTODY AFTER PROGRAM**

After [(END DATE)/January 1990] and until now, have you lost custody (of any of your natural children under 18 years old or) and (other) children you were raising?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	5.2	93	1	Yes
61.7	8.7	156	2	No
1.6	0.2	4	3	GAVE UP CUSTODY TO GO TO TREATMENT
	84.5	1,521	-6	LEGITIMATE SKIP
	1.3	24	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1644-1645

F13F**F13F R GET CUSTODY BACK AFTER THIS**

Did you get custody back of [(any of your natural children under 18 years old or) and (other) children you were raising] during this period and until now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	0.9	16	1	Yes
76.8	4.1	73	2	No
6.3	0.3	6	3	REGAINED CUSTODY BY COMPLETING TREATMENT
	93.3	1,678	-6	LEGITIMATE SKIP
	1.4	26	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1646-1647

F14 R HAVE ANY CHILDREN 18 OR OLDE

Do you have any natural children, stepchildren, adopted children, foster children who are 18 years or older? Please do not include children you have already told me about.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	13.2	238	1	Yes
81.2	57.1	1,027	2	No
	28.1	506	-6	LEGITIMATE SKIP
	1.3	24	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1648-1649

F14A # OF CHILDREN OVER 18 R HAS L

After [(END DATE)/January 1990], and until now, how many children 18 years or older have you lived with, including your natural children, stepchildren, adopted children, or foster children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.3	6.2	112	0	
23.2	3.1	55	1	
18.6	2.4	44	2	
5.1	0.7	12	3	
3.0	0.4	7	4	
1.7	0.2	4	5	
1.3	0.2	3	6	6+
	85.5	1,539	-6	LEGITIMATE SKIP
	1.2	22	-3	MISSING
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1650-1651

F15**F15 R EVER HOMELESS BEFORE PROGRAM**

Thinking about the five years before [you went to (PROGRAM) in (START DATE)/January 1990] did you for at least two nights in a row, have no place to stay except for a homeless shelter or being on the street?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	22.3	401	1	Yes
77.7	77.5	1,394	2	No
	0.1	2	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1652-1653

F15A**F15A R STAY IN SHELTERS OR ON STRE**

Did you stay in shelters, on the street, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	3.5	63	1	In shelters
51.5	11.4	205	2	On the street
32.7	7.2	130	3	Both
	77.6	1,396	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1654-1655

F15B	F15B TIME R SPENT IN SHELTERS
-------------	--------------------------------------

In the five years before [(START DATE)/January 1990],
altogether, how much time would you say you have spent
in a shelter?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	0.3	6	0	None
47.1	5.0	90	1	Less than 1 month
33.5	3.6	64	2	1-6 months
6.3	0.7	12	3	7-12 months
3.1	0.3	6	4	13-18 months
2.6	0.3	5	5	19-30 months
2.6	0.3	5	6	31-42 months
0.5	0.1	1	7	43-54 months
1.0	0.1	2	9	HOMELESS IN SHELTERS ENTIRE TIME
	89.0	1,601	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.2	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1656-1657

F15C	F15C TIME R SPENT ON THE STREET
-------------	--

In the five years before [(START DATE)/January 1990], altogether, how much time would you say you have spent on the street?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	0.8	15	0	None
42.1	7.7	138	1	Less that 1 month
28.7	5.2	94	2	1-6 months
10.7	1.9	35	3	7-12 months
2.1	0.4	7	4	13-18 months
5.8	1.1	19	5	19-30 months
2.7	0.5	9	6	31-42 months
0.6	0.1	2	7	43-54 months
1.5	0.3	5	8	More than 54 months
1.2	0.2	4	9	HOMELESS ON STREET ENTIRE TIME
	81.2	1,461	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.3	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1658-1659

F16	F16 R LIVE IN AN APARTMENT SINCE P
------------	---

Now, I have some other questions about your living arrangements after [you left (PROGRAM) in (END DATE)/January 1990] and until now.

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, at any time, have you lived in your own apartment or house, either renting or buying, including living with parents or guardians?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	92.8	1,670	1	Yes
6.9	6.9	124	2	No
	0.2	3	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1660-1661

F16A TIME R SPENT IN ALL APARTMENT

After [(END DATE)/January 1990] and until now, altogether, about how much time would you say you have lived in all the apartment(s) or house(s) that you rented or bought?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	0	None
1.1	1.0	18	1	Less than 1 month
3.5	3.2	58	2	1-6 months
3.8	3.6	64	3	7-12 months
2.9	2.7	49	4	13-18 months
6.9	6.4	115	5	19-30 months
7.0	6.5	117	6	31-42 months
6.8	6.3	114	7	43-54 months
13.0	12.0	216	8	More than 54 months
54.8	50.8	913	9	ENTIRE TIME
	7.0	126	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.2	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1662-1663

F17 R EVER HOMELESS AFTER PROGRAM

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, have you for at least two nights in a row, had no place to stay except for a homeless shelter or being on the street?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	14.6	263	1	Yes
85.3	85.1	1,531	2	No
	0.1	1	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.2	3	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1664-1665

F17A	F17A R STAY IN SHELTERS OR ON STRE
-------------	---

Did you stay in shelters, on the street, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.2	2.5	45	1	In shelters
43.9	6.4	115	2	On the street
38.9	5.7	102	3	Both
	85.3	1,535	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1666-1667

F17B	F17B TIME R SPENT IN A SHELTER
-------------	---------------------------------------

After [(END DATE)/January 1990] and until now, altogether, how much time would you say you have spent in a shelter?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.1	2	0	None
38.2	3.1	55	1	Less than 1 month
40.3	3.2	58	2	1-6 months
11.8	0.9	17	3	7-12 months
2.1	0.2	3	4	13-18 months
3.5	0.3	5	5	19-30 months
1.4	0.1	2	6	31-42 months
0.7	0.1	1	8	More than 54 months
0.7	0.1	1	9	HOMELESS IN SHELTERS ENTIRE TIME
	91.7	1,650	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1668-1669

F17C TIME R SPENT ON THE STREET

After [(END DATE)/January 1990] and until now, altogether, how much time would you say you have spent out on the street?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.2	3	0	None
43.9	5.2	94	1	Less than 1 month
29.9	3.6	64	2	1-6 months
11.2	1.3	24	3	7-12 months
2.3	0.3	5	4	13-18 months
6.1	0.7	13	5	19-30 months
2.8	0.3	6	6	31-42 months
0.5	0.1	1	7	43-54 months
0.9	0.1	2	8	More than 54 months
0.9	0.1	2	9	HOMELESS ON STREET ENTIRE TIME
	87.9	1,581	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.2	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1670-1671

F19 R ATTEND ANY TYPE SCHOOL

Now, I would like to ask a few questions about your education after [(END DATE)/January 1990] and until now.

After [(END DATE)/January 1990] and until now, have you attended any type of school, a GED or high school equivalency program, an apprenticeship program, or taken any other classes to further your education or improve your job skills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.8	40.4	726	1	Yes
59.2	58.6	1,055	2	No
	0.1	1	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1672-1673

F19A_1	ELEMENTARY SCHOOL
---------------	--------------------------

Which ones? Elementary school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Yes
99.9	40.2	724	2	No
	58.8	1,058	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1674-1675

F19A_2	HIGH SCHOOL
---------------	--------------------

Which ones? High school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	3.2	58	1	Yes
92.0	37.1	667	2	No
	58.8	1,058	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1676-1677

F19A_3	GED/EQUIVALENCY PROGRAM
---------------	--------------------------------

Which ones? GED / Equivalency program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	8.8	159	1	Yes
78.1	31.5	566	2	No
	58.8	1,058	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1678-1679

F19A_4 JUNIOR COLLEGE

Which ones? Junior college

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	5.7	102	1	Yes
85.9	34.6	623	2	No
	58.8	1,058	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1680-1681

F19A_5 COLLEGE

Which ones? College

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	6.3	113	1	Yes
84.4	34.0	612	2	No
	58.8	1,058	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1682-1683

F19A_6 GRADUATE/PROFESSIONAL SCHOOL

Graduate / professional school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.8	15	1	Yes
97.9	39.5	710	2	No
	58.8	1,058	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1684-1685

F19A_7 TECHNICAL SCHOOL

Which ones? Technical school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.0	9.3	167	1	Yes
77.0	31.0	558	2	No
	58.8	1,058	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1686-1687

F19A_8 BUSINESS SCHOOL

Which ones? Business school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	2.0	36	1	Yes
95.0	38.3	689	2	No
	58.8	1,058	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1688-1689

F19A_9 APPRENTICESHIP PROGRAM

Which ones? Apprenticeship program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	2.7	49	1	Yes
93.2	37.6	676	2	No
	58.8	1,058	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1690-1691

F19A_10	OTHER SCHOOLS/CLASSES/PROGRAM (SPEC
----------------	--

Which ones? Other schools / classes / program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	11.7	211	1	Yes
70.9	28.6	514	2	No
	58.8	1,058	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1692-1693

F19B_0	NONE
---------------	-------------

After [(END DATE)/January 1990] and until now, what grades or years of school did you complete and get credit for?
 [CODE ALL THAT APPLY]

None

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	5.2	94	1	Yes
74.0	14.8	267	2	No
	77.7	1,398	-6	LEGITIMATE SKIP
	0.2	3	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1694-1695

F19B_1**1ST GRADE**

After [(END DATE)/January 1990] and until now, what grades or years of school did you complete and get credit for?
[CODE ALL THAT APPLY]

1st Grade

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	1	Yes
99.7	20.0	360	2	No
	77.7	1,398	-6	LEGITIMATE SKIP
	0.2	3	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1696-1697

F19B_2**2ND GRADE**

After [(END DATE)/January 1990] and until now, what grades or years of school did you complete and get credit for?
[CODE ALL THAT APPLY]

2nd Grade

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.1	361	2	No
	77.7	1,398	-6	LEGITIMATE SKIP
	0.2	3	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1698-1699

F19B_3	3RD GRADE
---------------	------------------

After [(END DATE)/January 1990] and until now, what grades or years of school did you complete and get credit for?
[CODE ALL THAT APPLY]

3rd Grade

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	1	Yes
99.7	20.0	360	2	No
	77.7	1,398	-6	LEGITIMATE SKIP
	0.2	3	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1700-1701

F19B_4	4TH GRADE
---------------	------------------

After [(END DATE)/January 1990] and until now, what grades or years of school did you complete and get credit for?
[CODE ALL THAT APPLY]

4th Grade

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.1	361	2	No
	77.7	1,398	-6	LEGITIMATE SKIP
	0.2	3	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1702-1703

F19B_5**5TH GRADE**

After [(END DATE)/January 1990] and until now, what grades
or years of school did you complete and get credit for?
[CODE ALL THAT APPLY]

5th Grade

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.1	361	2	No
	77.7	1,398	-6	LEGITIMATE SKIP
	0.2	3	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1704-1705

F19B_6**6TH GRADE**

After [(END DATE)/January 1990] and until now, what grades
or years of school did you complete and get credit for?
[CODE ALL THAT APPLY]

6th Grade

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	1	Yes
99.7	20.0	360	2	No
	77.7	1,398	-6	LEGITIMATE SKIP
	0.2	3	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1706-1707

F19B_7 **7TH GRADE**

After [(END DATE)/January 1990] and until now, what grades or years of school did you complete and get credit for?
[CODE ALL THAT APPLY]

7th Grade

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.1	2	1	Yes
99.4	20.0	359	2	No
	77.7	1,398	-6	LEGITIMATE SKIP
	0.2	3	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1708-1709

F19B_8 **8TH GRADE**

After [(END DATE)/January 1990] and until now, what grades or years of school did you complete and get credit for?
[CODE ALL THAT APPLY]

8th Grade

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.2	4	1	Yes
98.9	19.8	357	2	No
	77.7	1,398	-6	LEGITIMATE SKIP
	0.2	3	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1710-1711

F19B_9**9TH GRADE**

After [(END DATE)/January 1990] and until now, what grades or years of school did you complete and get credit for?
[CODE ALL THAT APPLY]

9th Grade

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	0.5	9	1	Yes
97.5	19.6	352	2	No
	77.7	1,398	-6	LEGITIMATE SKIP
	0.2	3	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1712-1713

F19B_10**10TH GRADE**

After [(END DATE)/January 1990] and until now, what grades or years of school did you complete and get credit for?
[CODE ALL THAT APPLY]

10th Grade

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	1.7	30	1	Yes
91.7	18.4	331	2	No
	77.7	1,398	-6	LEGITIMATE SKIP
	0.2	3	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1714-1715

F19B_11	11TH GRADE
----------------	-------------------

After [(END DATE)/January 1990] and until now, what grades or years of school did you complete and get credit for?
[CODE ALL THAT APPLY]

11th Grade

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	2.1	38	1	Yes
89.5	18.0	323	2	No
	77.7	1,398	-6	LEGITIMATE SKIP
	0.2	3	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1716-1717

F19B_12	12TH GRADE
----------------	-------------------

After [(END DATE)/January 1990] and until now, what grades or years of school did you complete and get credit for?
[CODE ALL THAT APPLY]

12th Grade

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	3.9	71	1	Yes
80.3	16.1	290	2	No
	77.7	1,398	-6	LEGITIMATE SKIP
	0.2	3	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1718-1719

F19B_13**1 YEAR COLLEGE**

After [(END DATE)/January 1990] and until now, what grades or years of school did you complete and get credit for?
[CODE ALL THAT APPLY]

1 Year College

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	3.9	70	1	Yes
80.6	16.2	291	2	No
	77.7	1,398	-6	LEGITIMATE SKIP
	0.2	3	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1720-1721

F19B_14**2 YEARS COLLEGE**

After [(END DATE)/January 1990] and until now, what grades or years of school did you complete and get credit for?
[CODE ALL THAT APPLY]

2 Years College

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	2.7	49	1	Yes
86.4	17.3	312	2	No
	77.7	1,398	-6	LEGITIMATE SKIP
	0.2	3	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1722-1723

F19B_15 **3 YEARS COLLEGE**

After [(END DATE)/January 1990] and until now, what grades or years of school did you complete and get credit for?
[CODE ALL THAT APPLY]

3 Years College

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	1.2	21	1	Yes
94.2	18.9	340	2	No
	77.7	1,398	-6	LEGITIMATE SKIP
	0.2	3	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1724-1725

F19B_16 **4 YEARS COLLEGE**

After [(END DATE)/January 1990] and until now, what grades or years of school did you complete and get credit for?
[CODE ALL THAT APPLY]

4 Years College

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	1.0	18	1	Yes
95.0	19.1	343	2	No
	77.7	1,398	-6	LEGITIMATE SKIP
	0.2	3	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1726-1727

F19B_17**GRADUATE/PROFESSIONAL SCHOOL**

After [(END DATE)/January 1990] and until now, what grades or years of school did you complete and get credit for?
[CODE ALL THAT APPLY]

Graduate / Professional School

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.6	10	1	Yes
97.2	19.5	351	2	No
	77.7	1,398	-6	LEGITIMATE SKIP
	0.2	3	-5	NOT APPLICABLE
	2.1	37	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1728-1729

F19C**F19C R RECEIVED DIPLOMA/GED SINCE**

After [(END DATE)/January 1990] and until now, have you received a high school diploma or a GED?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.7	10.5	189	1	Yes
59.3	15.3	275	2	No
	68.0	1,224	-6	LEGITIMATE SKIP
	0.3	5	-5	NOT APPLICABLE
	5.7	103	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1730-1731

HEALTH HISTORY

G1 G1 EVER FELT SAD AT LEAST TWO WEEK

Next, I would like to ask you about problems you may have had with your emotions, nerves, or your mental health.

Have you ever had at least two weeks when you felt very sad, blue, or depressed, and you lost interest or pleasure in things you usually cared about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.8	64.5	1,161	1	Yes
35.2	35.1	631	2	No
	0.1	1	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.2	3	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1732-1733

G2 G2 R HAVE SAD PERIOD BEFORE PROGRA

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], did you have at least two weeks when you felt very sad, blue, or depressed, and you lost interest or pleasure in things you usually cared about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.8	55.3	995	1	Yes
14.2	9.1	164	2	No
	35.4	637	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1734-1735

G3**G3 AGE WHEN R FIRST FELT DEPRESSED**

In the five years before [(START DATE)/January 1990], how old were you when you first felt like this (very sad, blue, or depressed, and you lost interest or pleasure in things you usually cared about)?

1,799 cases (Range of valid codes: 1-63)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1736-1737

G3A**G3A WAS DEPRESSION THE RESULT OF D**

Were any of these times the result of your alcohol or drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.0	37.4	673	1	Yes
32.0	17.6	317	2	No
	44.7	804	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.2	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1738-1739

G3B ALL/SOME/NONE OF DEPRESSION DU

Would you say all, some, or none of these times were the result of your alcohol or drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	16.4	295	1	All
54.8	20.4	367	2	Some
1.2	0.4	8	3	None
	62.5	1,125	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1740-1741

G4 R HAVE SAD PERIOD AFTER PROGRAM

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, have you had at least two weeks when you felt very sad, blue, or depressed, and you lost interest or pleasure in things you usually cared about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.6	53.8	968	1	Yes
16.4	10.6	190	2	No
	35.5	638	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1742-1743

G5

G5 ALL/SOME/NONE OF THESE TIMES DU

Would you say all, some, or none of these times were the result of your alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	6.1	109	1	All
37.3	19.9	358	2	Some
48.4	25.8	465	3	None
2.9	1.6	28	4	R NEVER USED ALCOHOL
	46.1	830	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1744-1745

G6 ALL/SOME/NONE OF THESE TIMES DU

Would you say all, some, or none of these times were the result of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	8.2	148	1	All
33.6	18.0	324	2	Some
41.7	22.3	402	3	None
9.4	5.1	91	4	R NEVER USED DRUGS
	46.1	830	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1746-1747

G7 R DEPRESSED FOR TWO WEEKS IN TH

From (MONTH YEAR AGO) 1994/1995 to now, have you had at least two weeks when you felt sad, blue or depressed, and you lost interest or pleasure in things you usually cared about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.8	40.2	723	1	Yes
25.2	13.6	244	2	No
	46.1	830	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1748-1749

G8**G8 ALL/SOME/NONE OF THESE TIMES DU**

Would you say all, some, or none of these times were the result of your alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	3.5	63	1	All
27.7	11.1	199	2	Some
58.7	23.5	422	3	None
4.9	1.9	35	4	R NEVER USED ALCOHOL
	59.7	1,074	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1750-1751

G9**G9 ALL/SOME/NONE OF THESE TIMES DU**

Would you say all, some, or none of these times were the result of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	4.3	78	1	All
26.2	10.5	189	2	Some
53.3	21.3	384	3	None
9.7	3.9	70	4	R NEVER USED DRUGS
	59.7	1,074	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1752-1753

G10 R EVER ATTEMPT SUICIDE

Have you ever attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	25.1	451	1	Yes
74.8	74.5	1,341	2	No
	0.1	1	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1754-1755

G11 R ATTEMPT SUICIDE BEFORE PROGR

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990] did you attempt suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	16.1	290	1	Yes
35.7	8.9	161	2	No
	74.9	1,347	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1756-1757

G12**G12 # OF TIMES R ATTEMPTED SUICIDE**

In the five years before [(START DATE)/January 1990], how many times did you attempt suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.7	7.1	128	1	
27.1	4.2	76	2	
15.0	2.3	42	3	
3.2	0.5	9	4	
1.4	0.2	4	5	
2.5	0.4	7	6	
0.4	0.1	1	7	
0.7	0.1	2	8	
0.7	0.1	2	9	
0.7	0.1	2	10	
0.7	0.1	2	12	
0.7	0.1	2	15	
0.4	0.1	1	21	
0.4	0.1	1	23	
0.4	0.1	1	36	
	83.8	1,508	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.4	8	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1758-1759

G13**G13 ATTEMPTS THE RESULTS OF ALCOHO**

Were any of these attempts the result of the effects of your alcohol or drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	10.1	182	1	Yes
35.7	5.6	101	2	No
	83.8	1,508	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	6	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1760-1761

G14 R ATTEMPT SUICIDE AFTER PROGRA

After [you left (PROGRAM) in (END DATE)/January 1990],
have you attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	9.3	167	1	Yes
62.8	15.7	282	2	No
	74.9	1,347	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1762-1763

G15 # OF TIMES R ATTEMPTED SUICIDE

How many times have you attempted suicide [after (END DATE)/
January 1990]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	5.1	91	1	
29.8	2.7	48	2	
5.6	0.5	9	3	
4.3	0.4	7	4	
0.6	0.1	1	5	
1.2	0.1	2	6	
0.6	0.1	1	10	
0.6	0.1	1	11	
0.6	0.1	1	15	
	90.6	1,629	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.3	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1764-1765

G16**G16 ANY ATTEMPTS DUE TO ALCOHOL US**

Were any of these attempts the result of the effects of your alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	3.8	68	1	Yes
56.4	5.2	93	2	No
2.4	0.2	4	3	R NEVER USED ALCOHOL
	90.6	1,629	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1766-1767

G17**G17 ANY ATTEMPTS DUE TO DRUG USE**

Were any of these attempts the result of the effects of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.8	3.8	69	1	Yes
54.5	5.0	90	2	No
3.6	0.3	6	3	R NEVER USED DRUGS
	90.6	1,629	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1768-1769

G18 ANY ATTEMPTS IN THE LAST YEAR

Were any of these attempts after (MONTH YEAR AGO) 1994/1995?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	2.6	46	1	Yes
72.6	6.8	122	2	No
	90.6	1,629	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1770-1771

G19 R HAVE TROUBLE CONTROLLING TEM

Have you ever had trouble controlling your temper so that you behaved violently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.3	47.1	848	1	Yes
52.7	52.5	945	2	No
	0.1	2	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.2	3	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1772-1773

G20**G20 R HAVE TROUBLE WITH TEMPER BEF**

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], how often did you have trouble controlling your temper so that you behaved violently-- would you say often, sometimes, rarely, or never?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.7	12.6	226	1	Often
37.4	17.6	317	2	Sometimes
27.7	13.1	235	3	Rarely
8.1	3.8	69	4	Never
	52.8	949	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1774-1775

G20A**G20A TEMPER TROUBLES DUE TO ALCOHO**

Were any of these times the result of your alcohol or drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	33.3	599	1	Yes
22.5	9.7	174	2	No
	56.3	1,013	-6	LEGITIMATE SKIP
	0.7	12	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1776-1777

G20B **G20B ALL/SOME/NONE OF TROUBLE DUE**

Would you say all, some, or none of these times were the result of your alcohol or drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	12.8	231	1	All
60.2	20.0	360	2	Some
1.2	0.4	7	3	None
	66.1	1,189	-6	LEGITIMATE SKIP
	0.6	11	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1778-1779

G21 **G21 R HAVE TROUBLE WITH TEMPER AFT**

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, how often have you had trouble controlling your temper so that you behaved violently--would you say often, sometimes, rarely, or never?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	4.4	79	1	Often
31.2	14.7	264	2	Sometimes
40.8	19.2	345	3	Rarely
18.6	8.7	157	4	Never
	52.8	949	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.2	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1780-1781

G22**G22 ALL/SOME/NONE OF THESE TIMES D**

Would you say all, some, or none of these times were the result of your alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	5.7	102	1	All
41.8	15.9	286	2	Some
40.6	15.5	278	3	None
2.8	1.1	19	4	R NEVER USED ALCOHOL
	61.5	1,106	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1782-1783

G23**G23 ALL/SOME/NONE OF THESE TIMES D**

Would you say all, some, or none of these times were the result of drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	3.3	59	1	All
31.5	12.0	216	2	Some
50.7	19.3	347	3	None
9.2	3.5	63	4	R NEVER USED DRUGS
	61.5	1,106	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1784-1785

G24 R HAVE TROUBLE WITH TEMPER IN

From (MONTH YEAR AGO) 1994/1995 to now, how often have you had trouble controlling your temper so that you behaved violently--would you say often, sometimes, rarely or never?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	2.9	52	1	Often
21.9	8.4	151	2	Sometimes
40.8	15.6	281	3	Rarely
29.7	11.3	204	4	Never
	61.5	1,106	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1786-1787

G25 ALL/SOME/NONE OF THESE TIMES D

Would you say all, some, or none of these times were the result of your alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	2.9	52	1	All
32.0	8.6	154	2	Some
52.6	14.1	253	3	None
4.6	1.2	22	4	R NEVER USED ALCOHOL
	72.8	1,310	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.2	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1788-1789

G26**G26 ALL/SOME/NONE OF THESE TIMES D**

Would you say all, some, or none of these times were the result of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	1.8	32	1	All
21.6	5.8	105	2	Some
60.2	16.2	292	3	None
11.5	3.1	56	4	R NEVER USED DRUGS
	72.8	1,310	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1790-1791

G27**G27 R HAVE HALLUCINATIONS OR DELUS**

Have you ever had hallucinations or delusions, that is, have ever seen or heard things that no one else could see or hear, or did you think that someone else controlled your thoughts?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	28.5	512	1	Yes
71.4	71.2	1,280	2	No
	0.1	1	-3	MISSING
	0.2	4	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1792-1793

G28 R HAVE HALLUCINATIONS BEFORE P

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], did you have any hallucinations or delusions, (that is, did you see or hear things that no one else could see or hear or did you think that someone else controlled your thoughts?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.7	19.3	347	1	Yes
31.3	8.8	158	2	No
	71.5	1,286	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.3	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1794-1795

G28A ANY HALLUCINATIONS DUE TO ALC

Were any of these times the result of your alcohol or drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	17.6	316	1	Yes
8.1	1.6	28	2	No
	80.6	1,450	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1796-1797

G28B**G28B ALL/SOME/NONE OF THESE TIMES**

Would you say all, some, or none of these times were the result of your alcohol or drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.0	13.0	233	1	All
24.8	4.3	78	2	Some
1.3	0.2	4	3	None
	82.2	1,479	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1798-1799

G29**G29 R HAVE HALLUCINATIONS/DELUSION**

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, have you had hallucinations or delusions (that is, you saw or heard things that no one else could see or hear or you thought that someone else controlled your thoughts)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.6	16.1	289	1	Yes
43.4	12.3	222	2	No
	71.5	1,286	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1800-1801

G30 HALLUCINATIONS/DELUSIONS DUE T

Would you say all, some, or none of the hallucinations or delusions you had were the result of your alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.8	3.6	65	1	All
21.4	3.4	61	2	Some
55.1	8.7	157	3	None
0.7	0.1	2	4	R NEVER USED ALCOHOL
	83.9	1,509	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1802-1803

G31 HALLUCINATIONS/DELUSIONS DUE T

Would you say all, some, or none of the hallucinations or delusions you had were the result of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.9	6.5	117	1	All
27.3	4.3	78	2	Some
23.1	3.7	66	3	None
8.7	1.4	25	4	R NEVER USED DRUGS
	83.9	1,509	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1804-1805

G32**G32 HALLUCINATIONS/DELUSIONS IN TH**

From (MONTH YEAR AGO) 1994/1995 to now, have you had hallucinations or delusions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	8.9	160	1	Yes
44.4	7.1	128	2	No
	83.9	1,509	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1806-1807

G33**G33 HALLUCINATIONS/DELUSIONS DUE T**

Would you say all, some or none of the hallucinations or delusions you have had were the result of your alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	1.4	26	1	All
19.1	1.7	30	2	Some
63.1	5.5	99	3	None
1.3	0.1	2	4	R NEVER USED ALCOHOL
	91.1	1,638	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1808-1809

G34 HALLUCINATIONS/DELUSIONS DUE T

Would you say all, some or none of the hallucinations or delusions you have had are the result of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.5	2.9	53	1	All
24.7	2.2	39	2	Some
34.8	3.1	55	3	None
7.0	0.6	11	4	R NEVER USED DRUGS
	91.1	1,638	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1810-1811

G35 R EVER SEEK HELP FOR EMOTIONAL

Have you ever seen a doctor, nurse, counselor, or social worker for problems with your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	53.2	957	1	Yes
46.5	46.3	833	2	No
	0.1	2	-3	MISSING
	0.3	6	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1812-1813

G36**G36 R SEEK HELP BEFORE PROGRAM**

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], did you see a doctor, nurse, counselor or social worker for problems with your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.3	30.3	545	1	Yes
42.7	22.6	406	2	No
	46.7	840	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	6	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1814-1815

G37**G37 # OF TIMES R SOUGHT HELP**

In the five years before [(START DATE)/January 1990], altogether, how many times would you say (you saw a doctor, nurse, counselor or social worker for problems with your emotions, nerves, or mental health)?

Min	=	1	Mean	=	36.818
Max	=	612	Std Dev	=	69.354
Median	=	10	Variance	=	4,809.927

(Based on 477 valid cases)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1816-1818

G38 R SEEK HELP FOR PROBLEMS AFTER

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, have you seen a doctor, nurse or counselor or social workers for problems with your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.9	39.7	714	1	Yes
25.1	13.3	239	2	No
	46.7	840	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1819-1820

G39 # OF TIMES R SOUGHT HELP AFTER

After [(END DATE)/January 1990], and until now, how many times (have you seen a doctor, nurse, counselor or social worker about your emotions, nerves, or mental health)?

Min	=	1	Mean	=	17.793
Max	=	96	Std Dev	=	19.233
Median	=	10	Variance	=	369.912

(Based on 641 valid cases)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1821-1822

G40**G40 R SEEK HELP IN LAST YEAR**

From (MONTH YEAR AGO) 1994/1995 to now, have you seen a doctor, nurse, counselor or social worker for problems with your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	24.8	446	1	Yes
37.5	14.9	268	2	No
	60.2	1,083	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1823-1824

G41**G41 # OF TIMES R SOUGHT HELP IN LA**

From (MONTH YEAR AGO) 1994/1995 to now, how many times (have you see a doctor, nurse, counselor or social worker for problems with your emotions, nerves or mental health)?

Min	=	1	Mean	=	19.711
Max	=	520	Std Dev	=	39.184
Median	=	8	Variance	=	1,535.395

(Based on 425 valid cases)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1825-1827

G42 R STAY OVERNIGHT IN HOSPITAL

Have you ever stayed overnight in a hospital or clinic for treatment of your emotions, nerves, or mental health, that wasn't the result of your alcohol or drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	15.7	283	1	Yes
84.2	83.7	1,505	2	No
	0.1	2	-3	MISSING
	0.2	4	-2	DON'T KNOW
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1828-1829

G43 R STAY OVERNIGHT IN HOSPITAL B

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], did you stay overnight in a hospital or clinic for treatment of your emotions, nerves, or mental health, that wasn't the result of your alcohol or drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.5	7.3	132	1	Yes
53.5	8.4	152	2	No
	84.2	1,514	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1830-1831

G44

G44 AGE OF R AT FIRST OVERNIGHT ST

In the five years before [(START DATE)/January 1990], how old were you the first time you stayed overnight in a hospital or clinic somewhere for treatment of your emotions, nerves, or mental health that wasn't the result of your alcohol or drug abuse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.1	2	12	
3.4	0.2	4	13	
5.1	0.3	6	14	
2.6	0.2	3	15	
6.0	0.4	7	16	
5.1	0.3	6	17	
2.6	0.2	3	18	
6.0	0.4	7	19	
3.4	0.2	4	20	
4.3	0.3	5	21	
5.1	0.3	6	22	
1.7	0.1	2	23	
1.7	0.1	2	24	
6.0	0.4	7	25	
4.3	0.3	5	26	
4.3	0.3	5	27	
2.6	0.2	3	28	
2.6	0.2	3	29	
2.6	0.2	3	30	
3.4	0.2	4	31	
3.4	0.2	4	32	
1.7	0.1	2	33	
1.7	0.1	2	34	
2.6	0.2	3	35	
5.1	0.3	6	36	
2.6	0.2	3	37	
1.7	0.1	2	38	
2.6	0.2	3	39	
0.9	0.1	1	40	
0.9	0.1	1	45	
0.9	0.1	1	49	
1.7	0.1	2	63	
	92.6	1,666	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.7	12	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1832-1833

G45	G45 # OF TIMES R STAYED OVERNIGHT
------------	--

In the five years before [(START DATE)/January 1990],
altogether, about how many times did you stay overnight
in a hospital or clinic for treatment of your emotions,
nerves, or your mental health, that wasn't the result
of your alcohol or drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.4	1.7	30	1	
23.7	1.6	28	2	
16.9	1.1	20	3	
3.4	0.2	4	4	
5.9	0.4	7	5	
1.7	0.1	2	6	
3.4	0.2	4	7	
0.8	0.1	1	8	
0.8	0.1	1	9	
1.7	0.1	2	10	
1.7	0.1	2	15	
0.8	0.1	1	18	
3.4	0.2	4	20	
0.8	0.1	1	21	
0.8	0.1	1	25	
0.8	0.1	1	32	
0.8	0.1	1	49	
0.8	0.1	1	63	
0.8	0.1	1	90	
1.7	0.1	2	100	
1.7	0.1	2	120	
0.8	0.1	1	365	
0.8	0.1	1	449	
	92.6	1,666	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.6	11	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1834-1836

G46**G46 R STAYED IN HOSPITAL SINCE EN**

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, have you stayed overnight in a hospital or clinic for treatment of your emotions, nerves, or mental health, that wasn't the result of your alcohol or drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.3	9.4	170	1	Yes
39.7	6.2	112	2	No
	84.2	1,514	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1837-1838

G47	G47 # OF TIMES R STAYED IN HOSPIT
------------	--

After [(END DATE)/January 1990] and until now altogether,
 about how many times have you stayed overnight in a
 hospital or clinic for treatment of your emotions, nerves
 or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.9	3.0	54	1	
13.4	1.2	22	2	
8.5	0.8	14	3	
6.1	0.6	10	4	
6.1	0.6	10	5	
3.0	0.3	5	6	
2.4	0.2	4	7	
1.8	0.2	3	10	
0.6	0.1	1	12	
3.0	0.3	5	14	
1.2	0.1	2	15	
0.6	0.1	1	18	
1.8	0.2	3	20	
1.2	0.1	2	21	
0.6	0.1	1	25	
4.3	0.4	7	30	
1.2	0.1	2	32	
0.6	0.1	1	35	
1.2	0.1	2	45	
0.6	0.1	1	49	
0.6	0.1	1	55	
2.4	0.2	4	60	
0.6	0.1	1	63	
0.6	0.1	1	70	
0.6	0.1	1	75	
1.8	0.2	3	90	
1.2	0.1	2	120	
0.6	0.1	1	400	
	90.4	1,627	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.3	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1839-1841

G48	G48 GENERAL HEALTH OF R
------------	--------------------------------

The next questions are about your physical health and illnesses, conditions or injuries you may have had.

In your lifetime, before [you went to (PROGRAM) in (START DATE)/January 1990], would you say your health was . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.2	28.1	505	1	Excellent
46.9	46.7	841	2	Good
19.5	19.4	349	3	Fair
5.4	5.4	97	4	Poor
	0.1	2	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.2	3	-1	REFUSED

 100.0 100.0 1,799 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1842-1843

G49	G49 HEALTH OF R BEFORE PROGRAM
------------	---------------------------------------

Now think about the five years before [(START DATE)/January 1990], would you say your health was . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	21.6	388	1	Excellent
44.0	43.9	789	2	Good
24.1	24.0	432	3	Fair
10.2	10.2	183	4	Poor
	0.1	2	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.1	2	-1	REFUSED

 100.0 100.0 1,799 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1844-1845

G50	G50 HEALTH OF R AFTER PROGRAM
------------	--------------------------------------

Thinking about the time after [you left to (PROGRAM) in (END DATE)/January 1990] and until now, would you say your health has been . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	21.4	385	1	Excellent
48.1	47.9	862	2	Good
22.4	22.3	401	3	Fair
8.0	8.0	144	4	Poor
	0.1	1	-3	MISSING
	0.2	4	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1846-1847

G51A	G51A TUBERCULOSIS
-------------	--------------------------

I'm going to read a list of illnesses, conditions or injuries. For each one, please tell me if you have ever had the illness, condition or injury.

Have you ever had any problems with . . . tuberculosis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.6	82	1	Yes
95.4	95.3	1,715	2	No
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1848-1849

G51B	G51B BREATHING CONDITIONS
-------------	----------------------------------

I'm going to read a list of illnesses, conditions or injuries. For each one, please tell me if you have ever had the illness, condition or injury.

Have you ever had any problems with . . . any other serious breathing condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	21.3	384	1	Yes
78.6	78.4	1,410	2	No
	0.2	3	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1850-1851

G51C	G51C HEART/BLOOD CONDITION
-------------	-----------------------------------

I'm going to read a list of illnesses, conditions or injuries. For each one, please tell me if you have ever had the illness, condition or injury.

Have you ever had any problems with . . . a serious heart or blood condition, including high blood pressure?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.9	20.8	374	1	Yes
79.1	78.8	1,418	2	No
	0.2	3	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1852-1853

G51D	G51D ANEMIA
-------------	--------------------

I'm going to read a list of illnesses, conditions or injuries. For each one, please tell me if you have ever had the illness, condition or injury.

Have you ever had any problems with . . . anemia?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	11.0	197	1	Yes
89.0	88.7	1,596	2	No
	0.1	2	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1854-1855

G51E	G51E HEPATITIS OR JAUNDICE
-------------	-----------------------------------

I'm going to read a list of illnesses, conditions or injuries. For each one, please tell me if you have ever had the illness, condition or injury.

Have you ever had any problems with . . . hepatitis or yellow jaundice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	14.6	263	1	Yes
85.4	85.2	1,533	2	No
	0.1	1	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1856-1857

G51F**G51F SERIOUS INTERNAL CONDITION**

I'm going to read a list of illnesses, conditions or injuries. For each one, please tell me if you have ever had the illness, condition or injury.

Have you ever had any problems with . . . a serious internal condition, such as stomach ulcers, sugar diabetes, or kidney or liver problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.8	24.7	445	1	Yes
75.2	75.0	1,350	2	No
	0.1	2	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1858-1859

G51G**G51G BONE OR MUSCLE CONDITIONS**

I'm going to read a list of illnesses, conditions or injuries. For each one, please tell me if you have ever had the illness, condition or injury.

Have you ever had any problems with . . . a serious bone or muscle condition, such as being paralyzed, bad arthritis, limping or bursitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	17.6	316	1	Yes
82.4	82.1	1,477	2	No
	0.2	4	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1860-1861

G51J**G51J CANCER**

I'm going to read a list of illnesses, conditions or injuries.
For each one, please tell me if you have ever had the illness,
condition or injury.

Have you ever had any problems with . . . cancer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.3	78	1	Yes
95.6	95.3	1,714	2	No
	0.1	1	-3	MISSING
	0.3	5	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1866-1867

G51K**G51K MISCARRIAGE, TOXEMIA, ABNORMA**

I'm going to read a list of illnesses, conditions or injuries.
For each one, please tell me if you have ever had the illness,
condition or injury.

Have you ever had any problems with . . . miscarriage,
toxemia, abnormal pap smear, or any other serious female
condition? (FEMALE R ONLY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.4	14.4	259	1	Yes
52.0	15.8	284	2	No
0.5	0.2	3	3	R IS MALE
	69.5	1,251	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1868-1869

G51AA	G51AA TUBERCULOSIS BEFORE
--------------	----------------------------------

In the five years before (START DATE), did you, eve if one time, see a doctor about the problems you had with . . . tuberculosis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.4	2.2	40	1	Yes
50.6	2.3	41	2	No
	95.4	1,717	-6	LEGITIMATE SKIP
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1870-1871

G51BA	G51BA TUBERCULOSIS AFTER
--------------	---------------------------------

After (END DATE), did you, even if one time, see a doctor about the problems you had with . . . tuberculosis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.7	2.8	50	1	Yes
38.3	1.7	31	2	No
	95.4	1,717	-6	LEGITIMATE SKIP
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1872-1873

G51AB**G51AB BREATHING CONDITION BEFORE**

In the five years before (START DATE), did you, eve if one time, see a doctor about the problems you had with . . . any other serious breathing condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.5	11.8	212	1	Yes
44.5	9.4	170	2	No
	78.5	1,412	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	0.1	2	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1874-1875

G51BB**G51BB BREATHING CONDITION AFTER**

After (END DATE), did you, even if one time, see a doctor about the problems you had with . . . any other serious breathing condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.6	15.5	278	1	Yes
27.4	5.8	105	2	No
	78.5	1,412	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1876-1877

G51AC	G51AC BLOOD CONDITION BEFORE
--------------	-------------------------------------

In the five years before (START DATE), did you, eve if one time, see a doctor about the problems you had with . . . a serious heart or blood condition, including high blood pressure?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	11.2	201	1	Yes
45.7	9.4	169	2	No
	79.0	1,422	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1878-1879

G51BC	G51BC BLOOD CONDITION AFTER
--------------	------------------------------------

After (END DATE), did you, even if one time, see a doctor about the problems you had with . . . a serious heart or blood condition, including high blood pressure?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.4	16.8	302	1	Yes
18.6	3.8	69	2	No
	79.0	1,422	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1880-1881

G51AD	G51AD ANEMIA BEFORE
--------------	----------------------------

In the five years before (START DATE), did you, eve if one time, see a doctor about the problems you had with . . . anemia?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.4	6.3	113	1	Yes
42.6	4.7	84	2	No
	88.9	1,600	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1882-1883

G51BD	G51BD ANEMIA AFTER
--------------	---------------------------

After (END DATE), did you, even if one time, see a doctor about the problems you had with . . . anemia?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.6	6.2	111	1	Yes
43.4	4.7	85	2	No
	88.9	1,600	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1884-1885

G51AF	G51AF	INTERNAL CONDITION BEFORE
--------------	--------------	----------------------------------

In the five years before (START DATE), did you, eve if one time, see a doctor about the problems you had with . . . a serious internal condition, such as stomach ulcers, sugar diabetes, or kidney or liver problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	12.4	223	1	Yes
49.1	12.0	215	2	No
	75.2	1,352	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1890-1891

G51BF	G51BF	INTERNAL CONDITION AFTER
--------------	--------------	---------------------------------

After (END DATE), did you, even if one time, see a doctor about the problems you had with . . . a serious internal condition, such as stomach ulcers, sugar diabetes, or kidney or liver problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	18.1	326	1	Yes
25.6	6.2	112	2	No
	75.2	1,352	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1892-1893

G51AH	G51AH CONVULSIONS BEFORE
--------------	---------------------------------

In the five years before (START DATE), did you, eve if one time, see a doctor about the problems you had with . . . a serious nerve condition, such as convulsions, epilepsy, or migraine headaches? Please do not include any mental health problems you've already told me about.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.5	9.5	171	1	Yes
47.5	8.6	155	2	No
	81.5	1,467	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1898-1899

G51BH	G51BH CONVULSIONS AFTER
--------------	--------------------------------

After (END DATE), did you, even if one time, see a doctor about the problems you had with . . . a serious nerve condition, such as convulsions, epilepsy, or migraine headaches? Please do not include any mental health problems you've already told me about.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.5	12.0	215	1	Yes
34.5	6.3	113	2	No
	81.5	1,467	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1900-1901

G51AJ	G51AJ	CANCER BEFORE
--------------	--------------	----------------------

In the five years before (START DATE), did you, eve if one time, see a doctor about the problems you had with . . . cancer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	1.2	21	1	Yes
72.0	3.0	54	2	No
	95.6	1,720	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1906-1907

G51BJ	G51BJ	CANCER AFTER
--------------	--------------	---------------------

After (END DATE), did you, even if one time, see a doctor about the problems you had with . . . cancer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	3.0	54	1	Yes
28.0	1.2	21	2	No
	95.6	1,720	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1908-1909

G52**G52 R EVER OVERDOSED ON ALCOHOL/DR**

Have you ever overdosed because of the alcohol or drugs you were using?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.7	28.6	514	1	Yes
71.3	70.9	1,276	2	No
	0.2	3	-3	MISSING
	0.3	5	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1914-1915

G53**G53 R OVERDOSE BEFORE PROGRAM**

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], did you overdose because of the alcohol or drugs you were using?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.9	18.9	340	1	Yes
34.1	9.8	176	2	No
	71.3	1,282	-6	LEGITIMATE SKIP
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1916-1917

G54	G54 # OF TIMES R OVERDOSED
------------	-----------------------------------

In the five years before [(START DATE)/January 1990],
altogether, how many times did you overdose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.6	6.6	118	1	
25.2	4.4	79	2	
15.0	2.6	47	3	
2.5	0.4	8	4	
4.8	0.8	15	5	
2.9	0.5	9	6	
0.3	0.1	1	7	
0.3	0.1	1	8	
0.3	0.1	1	9	
3.8	0.7	12	10	
0.6	0.1	2	12	
1.3	0.2	4	15	
1.3	0.2	4	20	
0.3	0.1	1	24	
0.3	0.1	1	25	
0.3	0.1	1	50	
3.2	0.6	10	100	100+
	81.1	1,459	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
	1.1	20	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1918-1920

G55	G55 R GO TO EMERGENCY ROOM WHEN OV
------------	---

In the five years before [(START DATE)/January 1990], did you
go to a hospital emergency room when you overdosed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.3	10.4	187	1	Yes
44.7	8.4	151	2	No
	81.1	1,459	-6	LEGITIMATE SKIP
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1921-1922

G56**G56 # OF TIMES R WENT TO EMERGENCY**

In the five years before [(START DATE)/January 1990], how many times did you go to a hospital emergency room when you overdosed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	5.4	97	1	
25.8	2.6	46	2	
9.0	0.9	16	3	
3.4	0.3	6	4	
2.8	0.3	5	5	
1.7	0.2	3	6	
0.6	0.1	1	9	
1.7	0.2	3	10	
0.6	0.1	1	100	
	89.6	1,612	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.3	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1923-1925

G57**G57 R OVERDOSED SINCE END OF PROGR**

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, have you overdosed because of the alcohol or drugs you were using?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.8	11.1	200	1	Yes
61.2	17.6	316	2	No
	71.3	1,282	-6	LEGITIMATE SKIP
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1926-1927

G58	G58 # OF TIMES R OVERDOSED
------------	-----------------------------------

After [(END DATE)/January 1990] and until now, altogether, how many times have you overdosed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.7	5.2	94	1	
23.3	2.4	44	2	
11.1	1.2	21	3	
2.6	0.3	5	4	
3.7	0.4	7	5	
2.1	0.2	4	6	
0.5	0.1	1	8	
2.1	0.2	4	10	
0.5	0.1	1	15	
0.5	0.1	1	20	
0.5	0.1	1	24	
0.5	0.1	1	25	
1.1	0.1	2	50	
1.6	0.2	3	100	100+
	88.9	1,599	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.6	10	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1928-1930

G59	G59 R GO TO EMERGENCY ROOM WHEN OV
------------	---

After [(END DATE)/January 1990] and until now, have you gone to a hospital emergency room when you overdosed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.1	6.4	115	1	Yes
41.9	4.6	83	2	No
	88.9	1,599	-6	LEGITIMATE SKIP
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1931-1932

G60**G60 # OF TIMES R WENT TO EMERGENCY**

After [(END DATE)/January 1990] and until now, altogether, how many times have you gone to a hospital emergency room when you overdosed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.8	3.7	67	1	
21.4	1.3	24	2	
11.6	0.7	13	3	
2.7	0.2	3	5	
0.9	0.1	1	6	
0.9	0.1	1	8	
0.9	0.1	1	14	
0.9	0.1	1	54	
0.9	0.1	1	100	
	93.6	1,684	-6	LEGITIMATE SKIP
	0.2	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1933-1935

G61**G61 R GONE TO EMERGENCY ROOM FOR O**

[Other than the times you overdosed], Have you ever even if one time, gone to a hospital emergency room for a physical illness, condition or injury, but you didn't stay overnight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.8	63.5	1,142	1	Yes
36.2	36.0	648	2	No
	0.4	7	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1936-1937

G62 R GONE TO EMERGENCY ROOM BEFOR

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], did you go to a hospital emergency room for a physical illness, condition or injury, but you didn't stay overnight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.8	42.7	769	1	Yes
32.2	20.3	366	2	No
	36.5	657	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.3	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1938-1939

G63 # TIMES R WENT TO EMERGENCY RO

In the five years before [(START DATE)/January 1990], how many times did you go to a hospital emergency room for a physical illness or condition (when you did not stay overnight and you hadn't overdosed)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.8	12.6	226	1	One time
61.1	25.7	463	2	2-9 times
6.2	2.6	47	3	10-19 times
2.2	0.9	17	4	20-49 times
0.5	0.2	4	5	50-99 times
0.1	0.1	1	6	100 or more times
	57.2	1,029	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.4	8	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1940-1941

G64**G64 R GO TO EMERGENCY ROOM AFTER P**

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, have you gone to a hospital emergency room for a physical illness, condition, or injury, (but you didn't stay overnight)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.2	44.5	800	1	Yes
29.8	18.9	340	2	No
	36.5	657	-6	LEGITIMATE SKIP
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1942-1943

G65**G65 # TIMES R WENT TO EMERGENCY RO**

After [(END DATE)/January 1990] and until now, altogether, how many times did you go to a hospital emergency room for a physical illness or condition (when you did not stay overnight and you hadn't overdosed)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	13.5	243	1	One time
61.1	26.8	483	2	2-9 times
5.4	2.4	43	3	10-19 times
2.0	0.9	16	4	20-49 times
0.5	0.2	4	5	50-99 times
0.3	0.1	2	6	100 or more times
	55.5	999	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.3	5	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1944-1945

G66 **G66 EVER GONE TO HOSPITAL FOR DETO**

Have you ever, even if one time, gone to a hospital because you were detoxing from the alcohol or drugs you were using?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	33.1	595	1	Yes
66.7	66.4	1,194	2	No
	0.1	1	-3	MISSING
	0.4	7	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1946-1947

G67 **G67 R GO FOR DETOXING BEFORE PROGR**

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], did you go to a hospital because you were detoxing from the alcohol or drugs you were using?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.8	18.4	331	1	Yes
44.2	14.6	262	2	No
	66.9	1,203	-6	LEGITIMATE SKIP
	0.2	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1948-1949

G68

G68 # OF TIMES R WENT FOR DETOXING

In the five years before [(START DATE)/January 1990], how many times did you go to a hospital because you were detoxing from alcohol or drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.5	7.8	141	1	
22.7	4.0	72	2	
11.7	2.1	37	3	
6.6	1.2	21	4	
3.8	0.7	12	5	
1.3	0.2	4	6	
1.3	0.2	4	7	
0.3	0.1	1	8	
0.3	0.1	1	9	
2.2	0.4	7	10	
1.6	0.3	5	12	
0.3	0.1	1	13	
0.3	0.1	1	15	
0.3	0.1	1	18	
1.6	0.3	5	20	
0.3	0.1	1	22	
0.3	0.1	1	25	
0.3	0.1	1	50	
0.3	0.1	1	100	
	81.6	1,468	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
	0.4	7	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1950-1952

G69

G69 R GO FOR DETOXING AFTER PROGRA

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, have you gone to a hospital because you were detoxing from the alcohol or drugs you were using?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.4	16.2	292	1	Yes
50.6	16.6	299	2	No
	66.9	1,203	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1953-1954

G70

G70 # OF TIMES R WENT FOR DETOXING

After [(END DATE)/January 1990] and until now, altogether,
how many times have you gone to a hospital because you were
detoxing from alcohol or drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.3	7.2	130	1	
20.3	3.2	57	2	
14.2	2.2	40	3	
5.3	0.8	15	4	
4.6	0.7	13	5	
2.5	0.4	7	6	
0.7	0.1	2	7	
1.4	0.2	4	8	
0.7	0.1	2	10	
0.4	0.1	1	12	
0.7	0.1	2	14	
0.7	0.1	2	15	
1.1	0.2	3	20	
0.4	0.1	1	32	
0.7	0.1	2	100	
	83.5	1,503	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.6	10	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1955-1957

G71 OTHER TIMES R WENT TO HOSPITAL

[(Other than times (you overdosed)/(and) (you were detoxing from alcohol or dugs)], Have you ever gone to a hospital for at least 24 hours for a physical illness, condition, or injury? [FEMALE R's: Please do not include hospital stays for a normal pregnancy.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.0	54.8	986	1	Yes
45.0	44.8	806	2	No
	0.2	4	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1958-1959

G72 R GO TO HOSPITAL BEFORE PROGRA

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], did you go to a hospital for at least 24 hours for a physical illness, condition, or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.6	26.9	484	1	Yes
50.4	27.3	492	2	No
	45.0	809	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.7	12	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1960-1961

G73

G73 # OF TIMES R WENT TO THIS HOSP

In the five years before [(START DATE)/January 1990],
altogether, about how many nights did you spend in the
hospital for a physical illness, condition, or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	5.5	99	1	
11.0	2.8	51	2	
14.5	3.7	67	3	
6.1	1.6	28	4	
6.5	1.7	30	5	
3.2	0.8	15	6	
7.6	1.9	35	7	
1.7	0.4	8	8	
1.1	0.3	5	9	
3.2	0.8	15	10	
0.9	0.2	4	11	
1.5	0.4	7	12	
0.2	0.1	1	13	
5.0	1.3	23	14	
0.2	0.1	1	15	
2.6	0.7	12	20	
1.9	0.5	9	21	
0.2	0.1	1	25	
0.4	0.1	2	28	
3.9	1.0	18	30	
0.4	0.1	2	35	
0.4	0.1	2	37	
0.4	0.1	2	45	
0.2	0.1	1	48	
0.6	0.2	3	50	
0.4	0.1	2	55	
0.9	0.2	4	60	
0.2	0.1	1	74	
0.2	0.1	1	75	
1.7	0.4	8	90	
0.2	0.1	1	98	
0.4	0.1	2	120	
0.2	0.1	1	140	
0.2	0.1	1	171	
	73.0	1,313	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
	0.8	15	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1962-1964

G74 R SPEND 24 HRS IN HOSPITAL AFT

After [you left (PROGRAM) in (END DATE)/January 1990] and until now, have you gone to a hospital for at least 24 hours for a physical illness, condition, or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.6	29.3	528	1	Yes
46.4	25.4	457	2	No
	45.0	809	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1965-1966

G75 # OF TIMES R SPENT 24 HRS IN H

After [(END DATE)/January 1990] and until now, altogether, about how many nights have you spent in the hospital for a physical illness, condition, or injury?

1,799 cases (Range of valid codes: 1-180)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1967-1969

G76 # OF NIGHTS SPENT IN PAST YEAR

From (MONTH YEAR AGO) 1994/1995 to now, how many of the (NUMBER FROM G75) nights did you spend in the hospital for a physical illness, condition, or injury?

1,799 cases (Range of valid codes: 0-128)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1970-1972

G77**G77 # OF TIMES R HAS SEEN PHYSICIA**

After [you left (PROGRAM) in (END DATE)/January 1990] and until now [and other than the times (you overdosed)/(and) (you were detoxing from alcohol or drugs altogether)], about how many times would you say you have seen a doctor for a physical illness, condition, or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	10.2	183	1	One time
46.7	45.7	823	2	2-9 times
13.0	12.8	230	3	10-19 times
8.7	8.5	153	4	20-49 times
3.0	2.9	53	5	50-99 times
3.5	3.4	61	6	More than 100 times
14.7	14.5	260	7	NONE/NEVER SAW A DOCTOR
	0.3	6	-3	MISSING
	1.5	27	-2	DON'T KNOW
	0.2	3	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1973-1974

G78**G78 # TIMES PHYSICIAN SEEN IN LAST**

From (MONTH YEAR AGO) 1994/1995 to now, how many times have you seen a doctor for a physical illness, condition, or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	20.3	365	1	One time
39.8	33.2	598	2	2-9 times
10.2	8.6	154	3	10-19 times
3.8	3.2	57	4	20-49 times
1.5	1.2	22	5	50-99 times
0.7	0.6	10	6	More than 100 times
19.8	16.5	297	7	NONE/NEVER SAW A DOCTOR
	16.1	290	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	0.3	5	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1975-1976

G79 # SEX PARTNERS SINCE PROGRAM

After [you left (PROGRAM) in (END DATE)/January 1990], about how many different people have you had sex with, even if only one time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	27.2	489	1	One person
52.8	51.1	919	2	2-10 persons
8.7	8.4	152	3	11-25 persons
3.8	3.7	67	4	26-100 persons
0.7	0.7	13	5	100-500 persons
0.3	0.3	5	6	More than 500 persons
5.6	5.4	97	7	NONE
	0.2	3	-3	MISSING
	1.1	20	-2	DON'T KNOW
	1.9	34	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1977-1978

G80 # SEX PARTNERS IN PAST YEAR

From (MONTH YEAR AGO) 1994/1995 to now, about how many different people have you had sex with, even if only one time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.6	52.4	942	1	One person
29.4	26.7	481	2	2-10 persons
2.3	2.1	37	3	11-25 persons
0.4	0.3	6	4	26-100 persons
0.2	0.2	3	5	100-500 persons
0.1	0.1	2	6	More than 500 persons
10.0	9.1	163	7	NONE
	5.4	97	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	1.7	31	-3	MISSING
	0.6	11	-2	DON'T KNOW
	1.4	25	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1979-1980

G81**G81 HAD SEX FOR MONEY/DRUGS**

From (MONTH YEAR AGO) 1994/1995 to now, have you had sex with someone so they would give you money, drugs, clothes or a place to sleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	4.2	76	1	Yes
94.9	79.2	1,424	2	No
	16.5	296	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1981-1982

G82**G82 EVER HAVE BLOOD TEST FOR AIDS**

Have you ever had a blood test for the AIDS virus?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.5	72.0	1,296	1	Yes
26.5	26.0	467	2	No
	0.1	1	-3	MISSING
	1.8	32	-2	DON'T KNOW
	0.2	3	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1983-1984

G83 HAVE TEST FOR AIDS BEFORE PROG

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], did you have a blood test for the AIDS virus?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.2	27.7	498	1	Yes
60.8	43.0	774	2	No
	27.9	502	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	1.2	21	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1985-1986

G84 R KNOW RESULTS OF LAST TEST

Did you know the results of the (last) test?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.6	9.6	172	1	Yes
3.4	0.9	17	2	No
3.4	0.9	17	3	RESULTS POSITIVE
58.6	16.2	291	4	RESULTS NEGATIVE
	72.2	1,299	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1987-1988

G86**G86 R TEST FOR AIDS WHILE IN PROGR**

While you were in (PROGRAM), did you have a blood test for the AIDS virus?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	30.0	540	1	Yes
53.3	34.3	617	2	No
	29.2	526	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	5.4	97	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1989-1990

G87**G87 R KNOW RESULTS OF LAST TEST**

Did you know the results of the (last) test?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	27.5	495	1	Yes
8.2	2.4	44	2	No
	69.0	1,242	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1991-1992

G88 R TEST FOR AIDS AFTER PROGRAM

After (you left (PROGRAM) in (END MONTH/YEAR)/January 1990] and until now, have you had a blood test for the AIDS virus?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.4	60.6	1,090	1	Yes
14.6	10.3	186	2	No
	28.1	506	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.4	7	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1993-1994

G89 R KNOW RESULTS OF LAST TEST

Do you know the results of the (last) test?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	17.6	316	1	Yes
3.9	2.3	42	2	No
3.3	2.0	36	3	RESULTS POSITIVE
63.9	38.7	696	4	RESULTS NEGATIVE
	38.7	697	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
	0.3	6	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1995-1996

G90**G90 R EVER ATTACKED WITH A WEAPON**

The next questions are about times you may have been attacked with a weapon or seriously hit or beaten.

Have you ever been attacked with a weapon, such as a knife or a gun, or seriously hit or beaten?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.5	50.4	906	1	Yes
49.5	49.4	888	2	No
	0.2	3	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1997-1998

G91**G91 R ATTACKED BEFORE PROGRAM**

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], had you been attacked with a weapon, or seriously hit or beaten?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.0	31.1	559	1	Yes
38.0	19.1	343	2	No
	49.6	893	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.2	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1999-2000

G92 **G92 R BEATEN BEFORE PROGRAM**

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], had you been hit or beaten so seriously that you were badly bruised, had to see a doctor or had to stay in bed for one day or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.4	20.0	360	1	Yes
35.6	11.1	199	2	No
	68.9	1,239	-6	LEGITIMATE SKIP
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2001-2002

G93 **G93 # TIMES R BEATEN BEFORE PROGRA**

In the five years before [(START DATE)/January 1990], how many times were you attacked with a weapon, or seriously hit or beaten?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.8	7.9	142	1	One time
41.7	8.3	149	2	2-5 times
7.8	1.6	28	3	6-10 times
4.5	0.9	16	4	11-25 times
4.2	0.8	15	5	26-100 times
2.0	0.4	7	6	More than 100 times
	80.0	1,439	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2003-2004

G95**G95 R BEATEN WHILE IN PROGRAM**

During the time you were in (PROGRAM), were you attacked with a weapon, or seriously hit or beaten?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	2.2	39	1	Yes
95.6	46.8	842	2	No
	50.6	911	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2005-2006

G96**G96 R HAVE TO SEE M.D. FOR BEATING**

During the time you were in (PROGRAM), were you hit or beaten so seriously, that you were badly bruised, had to see a doctor or had to stay in bed for one day or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.0	1.3	23	1	Yes
41.0	0.9	16	2	No
	97.4	1,753	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2007-2008

G97 R BEATEN AFTER PROGRAM

After [you left (PROGRAM) in (END DATE)/January 1990], have you been attacked with a weapon or seriously hit or beaten?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.9	24.4	439	1	Yes
51.1	25.5	458	2	No
	49.6	893	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.2	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2009-2010

G98 R HAVE TO SEE M.D. FOR BEATING

After [you left (PROGRAM) in (END DATE)/January 1990], have you been hit or beaten so seriously, that you were badly bruised, had to see a doctor or had to stay in bed for more than one day or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.5	16.8	302	1	Yes
31.5	7.7	139	2	No
	75.3	1,355	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2011-2012

G99

G99 # TIMES ATTACKED AFTER PROGRAM

After [(END DATE)/January 1990], how many times were you attacked with a weapon or seriously hit or beaten?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.2	8.2	148	1	One time
37.2	6.2	112	2	2-5 times
6.3	1.1	19	3	6-10 times
4.3	0.7	13	4	11-25 times
2.0	0.3	6	5	26-100 times
1.0	0.2	3	6	More than 100 times
	83.0	1,494	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2013-2014

EMPLOYMENT HISTORY

H1 H1 R EVER EMPLOYED FULL-TIME

The next questions are about your employment and sources of income you may have. First, I want to ask about your employment.

Have you ever been employed full-time, that is, have you worked at a job 35 hours or more a week? Please do not count any job that involved illegal activity.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.7	88.5	1,593	1	Yes
6.6	6.6	119	2	No
4.6	4.6	83	3	R CURRENTLY HAS FULL-TIME JOB
	0.1	1	-3	MISSING
	0.2	3	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2015-2016

H2 H2 R EMPLOYED BEFORE ENTERING PROG

Looking at the calendar, in the five years before [you went to (PROGRAM) in (START DATE)/January 1990], at anytime, were you employed full-time, (that is, were you working or had you worked 35 hours or more a week at any job?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.2	71.7	1,290	1	Yes
22.8	21.1	380	2	No
	6.8	122	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2017-2018

H3**H3 LONGEST R HAD FULL-TIME JOB**

In the five years before [(START DATE)/January 1990], what was the longest time you had any one full-time job where you worked 35 hours or more a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	10.6	191	1	Less than one year
26.9	19.1	344	2	1-2 years
21.4	15.2	274	3	3-4 years
36.8	26.2	471	4	5 years or more
	28.1	506	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
	0.2	4	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2019-2020

H3BDOL**H3BDOL R'S SALARY - DOLLARS**

Again, thinking about that same full-time job (where you worked 35 hours or more a week for the longest time that you just told me about), before taxes were taken out, what was your highest wage, salary, or rate of pay at that job?

Min	=	2.01	Mean	=	4,990.877
Max	=	100,000.00	Std Dev	=	14,200.354
Median	=	13.57	Variance	=	201,650,049.525

(Based on 1,226 valid cases)

Data type: numeric

Decimals: 2

Missing-data codes: lowest thru -1.00

Columns: 2021-2029

H3BRATE	H3BRATE R'S RATE OF PAY
----------------	--------------------------------

PROBE FOR RATE OF PAY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.9	38.2	687	1	Per hour
1.6	1.1	20	2	Per day
21.5	14.7	264	3	Per week
2.6	1.8	32	4	Every two weeks
0.2	0.1	2	5	Bi-monthly
4.2	2.9	52	6	Monthly
13.9	9.5	171	7	Per year
	28.1	506	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	1.1	19	-3	MISSING
	1.8	32	-2	DON'T KNOW
	0.7	13	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2030-2031

H4	H4 # YEARS R WORKED BEFORE PROGRAM
-----------	---

In the five years before [(START DATE)/January 1990], altogether, how many years did you work at full-time jobs where you worked 35 hours or more a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	6.1	109	1	Less than one year
19.9	14.1	254	2	1-2 years
23.3	16.6	298	3	3-4 years
48.3	34.3	617	4	5 years or more
	28.1	506	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
	0.4	8	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2032-2033

H4ADOL H4ADOL R'S HIGHEST RATE OF PAY - D

Thinking about all the of full-time jobs you had in the five years before [you went to (PROGRAM) in (START DATE/January 1990)], before taxes were taken out, what was your highest wage, salary, or rate of pay at any of the full-time jobs you had?

Min = 2.01 Mean = 5,024.534
 Max = 100,000.00 Std Dev = 14,180.820
 Median = 14.00 Variance = 201,095,663.910

(Based on 1,225 valid cases)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 2034-2042

H4ARATE H4ARATE R'S RATE OF PAY

PROBE FOR RATE OF PAY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.7	38.0	683	1	Per hour
1.5	1.0	18	2	Per day
21.0	14.1	253	3	Per week
2.2	1.5	27	4	Every two weeks
0.2	0.2	3	5	Bi-monthly
4.1	2.7	49	6	Monthly
14.3	9.6	172	7	Per year
	31.0	558	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	1.7	31	-3	MISSING
	0.2	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2043-2044

H7**H7 LONGEST R EMPLOYED AFTER PROGRAM**

After [(END DATE)/January 1990] and until now, what has been the longest time you have had any one full-time job where you worked 35 hours a week or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	11.5	206	1	Less than one year
33.4	22.8	411	2	1-2 years
23.5	16.1	289	3	3-4 years
26.3	18.0	323	4	5 years or more
	25.6	460	-6	LEGITIMATE SKIP
	5.9	107	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2049-2050

SAME2ND**EMPLOYER AT H7A SAME AS H4B**

CODER INSTRUCTION: WAS THIS EMPLOYER (H7A) MENTIONED PREVIOUSLY?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	16.3	293	1	Yes
76.6	53.3	959	2	No
	25.5	459	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	3.9	71	-3	MISSING
	0.3	6	-2	DON'T KNOW
	0.6	10	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2051-2052

H7BDOL	H7BDOL R'S SALARY - DOLLARS
---------------	------------------------------------

Again, thinking about that same full-time job (where you have worked 35 hours or more a week for the longest time that you just told me about), before taxes were taken out, what was your highest wage, salary, or rate of pay at that job?

Min	=	2.00	Mean	=	5,515.863
Max	=	100,000.00	Std Dev	=	14,880.776
Median	=	14.00	Variance	=	221,437,497.810

(Based on 1,196 valid cases)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 2053-2061

H7ARATE	H7ARATE R'S RATE OF PAY
----------------	--------------------------------

PROBE FOR RATE OF PAY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	37.5	675	1	Per hour
1.1	0.7	13	2	Per day
19.1	12.7	228	3	Per week
2.8	1.8	33	4	Every two weeks
0.4	0.3	5	5	Bi-monthly
5.0	3.3	60	6	Monthly
15.1	10.0	180	7	Per year
	27.3	492	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	6.1	109	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2062-2063

H8**H8 # YEARS R WORKED FULL-TIME**

After [(END DATE)/January 1990] and until now, altogether,
how many years have you worked 35 hours or more a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	7.3	132	1	Less than one year
19.6	13.1	235	2	1-2 years
27.1	18.0	324	3	3-4 years
42.2	28.1	505	4	5 years or more
	27.3	491	-6	LEGITIMATE SKIP
	6.2	111	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2064-2065

H8ADOL**H8ADOL R'S HIGHEST WAGE AFTER PROG**

Now, thinking about all of the full-time jobs you have had
after [you left (PROGRAM) in (END DATE)/January 1990] and
until now, before taxes were taken out, what has been your
highest wage, salary, or rate of pay at any of the full-
time jobs you have had?

Min	=	.00	Mean	=	5,865.712
Max	=	100,000.00	Std Dev	=	15,586.008
Median	=	15.00	Variance	=	242,923,647.464

(Based on 1,189 valid cases)

Data type: numeric

Decimals: 2

Missing-data codes: lowest thru -1.00

Columns: 2066-2074

H8ARATE	H8ARATE R'S RATE OF PAY
----------------	--------------------------------

PROBE FOR RATE OF PAY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.4	37.4	673	1	Per hour
0.9	0.6	10	2	Per day
18.3	12.0	215	3	Per week
2.5	1.6	29	4	Every two weeks
0.3	0.2	4	5	Bi-monthly
5.1	3.3	60	6	Monthly
15.5	10.1	182	7	Per year
	27.3	492	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	7.1	127	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.2	3	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2075-2076

SAME3RD	EMPLOYER AT H8B SAME AS H7A
----------------	------------------------------------

CODER INSTRUCTION: WAS THIS EMPLOYER (H8B) MENTIONED PREVIOUSLY?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.2	52.6	946	1	Yes
23.8	16.4	295	2	No
	27.3	491	-6	LEGITIMATE SKIP
	3.4	62	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.2	4	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2077-2078

H10

H10 R EMPLOYED IN THE LAST YEAR

Now, I would like to ask about your full-time employment in the last year, that is, from (MONTH YEAR AGO) 1994/1995 to now.

From (MONTH YEAR AGO) 1994/1995 to now, have you been employed full-time, that is, have you worked 35 hours or more a week at any job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.9	49.9	898	1	Yes
25.1	16.7	301	2	No
	27.3	492	-6	LEGITIMATE SKIP
	6.0	108	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2079-2080

H10A	H10A LONGEST FULL-TIME JOB IN LAST
-------------	---

Now, think about the one full-time job you've had the longest time from (MONTH YEAR AGO) 1994/1995 to now. How many months did you work at this job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.2	3	0	
2.3	1.1	20	1	
3.3	1.6	29	2	
5.1	2.5	45	3	
4.5	2.2	40	4	
3.8	1.9	34	5	
7.6	3.7	67	6	
3.4	1.7	30	7	
3.0	1.5	27	8	
3.6	1.8	32	9	
3.0	1.5	27	10	
3.6	1.8	32	11	
56.5	27.8	501	12	
	44.1	793	-6	LEGITIMATE SKIP
	6.6	118	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2081-2082

H10BDOL	H10BDOL SALARY FOR LONGEST HELD JOB
----------------	--

Again, thinking about that same job you just told me about (where you've worked full-time the longest time in the past year), before taxes were taken out, what was your highest wage, salary, or rate of pay at that job?

Min	=	.34	Mean	=	5,994.900
Max	=	100,000.00	Std Dev	=	15,542.948
Median	=	16.55	Variance	=	241,583,228.935

(Based on 887 valid cases)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 2083-2091

H10BRTE	H10BRTE R'S RATE OF PAY
----------------	--------------------------------

PROBE FOR RATE OF PAY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.8	26.9	484	1	Per hour
1.5	0.7	13	2	Per day
19.5	9.6	172	3	Per week
2.1	1.1	19	4	Every two weeks
0.3	0.2	3	5	Bi-monthly
6.0	2.9	53	6	Monthly
15.8	7.8	140	7	Per year
	44.3	797	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	6.3	114	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2092-2093

H12**H12 R EMPLOYED PT BEFORE PROGRAM**

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], were you or had you been employed part-time, (that is, were you working or had you worked less than 35 hours a week at any job)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.9	27.4	493	1	Yes
48.1	25.3	456	2	No
	46.2	831	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
	0.3	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2098-2099

H13**H13 R'S LONGEST PT JOB BEFORE PROG**

In the five years before [(START DATE)/January 1990], what was the longest time you had any one part-time job where you worked less than 35 hours a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.2	15.7	283	1	Less than one year
26.7	7.2	130	2	1-2 years
9.1	2.4	44	3	3-4 years
6.0	1.6	29	4	5 years or more
	71.9	1,293	-6	LEGITIMATE SKIP
	0.8	14	-3	MISSING
	0.3	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2100-2101

H13BRTE	H13BRTE R'S RATE OF PAY
----------------	--------------------------------

PROBE FOR RATE OF PAY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	18.9	340	1	Per hour
3.7	0.9	17	2	Per day
16.2	4.1	74	3	Per week
2.0	0.5	9	4	Every two weeks
1.3	0.3	6	6	Monthly
2.4	0.6	11	7	Per year
	71.9	1,293	-6	LEGITIMATE SKIP
	1.3	24	-3	MISSING
	1.3	24	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2112-2113

H14	H14 YEARS R WORKED PT BEFORE PROGR
------------	---

In the five years before [you went to (PROGRAM) in (START DATE)/January 1990], altogether, how many years did you work at part-time jobs where you worked less than 35 hours a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.2	11.7	210	1	Less than one year
31.9	8.6	155	2	1-2 years
13.6	3.7	66	3	3-4 years
11.3	3.1	55	4	5 years or more
	71.9	1,293	-6	LEGITIMATE SKIP
	0.8	15	-3	MISSING
	0.3	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2114-2115

SAME6TH**EMPLOYER AT H14B SAME AS H13A**

CODER INSTRUCTION: WAS THIS EMPLOYER (H14B) MENTIONED PREVIOUSLY?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.7	21.6	389	1	Yes
19.3	5.2	93	2	No
	71.9	1,293	-6	LEGITIMATE SKIP
	0.9	16	-3	MISSING
	0.4	8	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2126-2127

H15**H15 R EMPLOYED PT AFTER PROGRAM**

After [you left (PROGRAM) in (END DATE)/January 1990], and until now, have you been employed part-time, (that is, have you worked less than 35 hours a week at any job)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.3	21.5	387	1	Less than one year
68.3	50.2	903	2	1-2 years
2.4	1.8	32	3	3-4 years
	0.3	6	-5	NOT APPLICABLE
	25.7	463	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2128-2129

H15CDOL	H15CDOL R'S SALARY FOR PT JOB AFTE
----------------	---

Again, thinking about that same part-time job (where you have worked less than 35 hours a week for the longest time that you just told me about), before taxes were taken out, what was your highest wage, salary, or rate of pay at that job?

Min	=	1.50	Mean	=	233.779
Max	=	15,000.00	Std Dev	=	1,421.485
Median	=	6.00	Variance	=	2,020,620.493

(Based on 365 valid cases)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 2134-2141

H15CRTE	H15CRTE R'S RATE OF PAY
----------------	--------------------------------

PROBE FOR RATE OF PAY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.8	14.6	262	1	Per hour
4.4	0.9	16	2	Per day
18.4	3.7	67	3	Per week
1.1	0.2	4	4	Every two weeks
2.5	0.5	9	6	Monthly
1.9	0.4	7	7	Per year
	52.8	949	-6	LEGITIMATE SKIP
	26.2	471	-3	MISSING
	0.4	8	-2	DON'T KNOW
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2142-2143

H17 R EMPLOYED PT IN LAST YEAR

From (MONTH YEAR AGO) 1994/1995 to now, have you been employed part-time, (that is have you worked less than 35 hours a week at any job)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.5	9.9	179	1	Yes
53.5	11.5	206	2	No
	52.8	949	-6	LEGITIMATE SKIP
	25.8	464	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2144-2145

H17A LENGTH OF PT JOB IN LAST YEAR

Now, thinking about that same part-time job (where you've worked less than 35 hours a week you've had the longest time in the last year), how many months did you work part-time at this job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	0.6	10	0	
10.2	1.0	18	1	
11.9	1.2	21	2	
11.3	1.1	20	3	
10.2	1.0	18	4	
7.3	0.7	13	5	
9.6	0.9	17	6	
3.4	0.3	6	7	
2.8	0.3	5	8	
2.3	0.2	4	9	
2.3	0.2	4	10	
0.6	0.1	1	11	
22.6	2.2	40	12	
	64.3	1,156	-6	LEGITIMATE SKIP
	25.9	466	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2146-2147

H17BDOL	H17BDOL R'S SALARY FOR LONGEST PT
----------------	--

Again, thinking about that same part-time job you just told me about, (where you've worked part-time the longest time in the last year), before taxes are taken out, what was your highest wage, salary, or rate of pay at that job?

Min	=	.10	Mean	=	221.765
Max	=	10,000.00	Std Dev	=	1,026.847
Median	=	7.00	Variance	=	1,054,414.477

(Based on 166 valid cases)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 2148-2155

H17BRTE	H17BRTE R'S RATE OF PAY
----------------	--------------------------------

PROBE FOR RATE OF PAY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.7	6.1	109	1	Per hour
6.0	0.6	10	2	Per day
18.7	1.7	31	3	Per week
3.0	0.3	5	4	Every two weeks
3.6	0.3	6	6	Monthly
3.0	0.3	5	7	Per year
	64.3	1,156	-6	LEGITIMATE SKIP
	26.1	469	-3	MISSING
	0.3	6	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2156-2157

H19A_1**SPOUSE**

What is their relationship to you? (CODE ALL THAT APPLY)

Spouse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	17.6	317	1	Yes
68.8	38.9	700	2	No
	42.7	769	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2162-2163

H19A_2**PARTNER**

What is their relationship to you? (CODE ALL THAT APPLY)

Partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.8	14.0	252	1	Yes
75.2	42.5	765	2	No
	42.7	769	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2164-2165

H19A_3	PARENT
---------------	---------------

What is their relationship to you? (CODE ALL THAT APPLY)

Parent

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	20.5	368	1	Yes
63.8	36.1	649	2	No
	42.7	769	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2166-2167

H19A_4	CHILD
---------------	--------------

What is their relationship to you? (CODE ALL THAT APPLY)

Child

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	1.2	22	1	Yes
97.8	55.3	995	2	No
	42.7	769	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2168-2169

H19A_5**GRANDPARENT**

What is their relationship to you? (CODE ALL THAT APPLY)

Grandparent

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	1.9	35	1	Yes
96.6	54.6	982	2	No
	42.7	769	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2170-2171

H19A_6**OTHER RELATIVE**

What is their relationship to you? (CODE ALL THAT APPLY)

Other relative

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	3.3	60	1	Yes
94.1	53.2	957	2	No
	42.7	769	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2172-2173

H19A_7 FRIEND

What is their relationship to you? (CODE ALL THAT APPLY)

Friend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	5.4	97	1	Yes
90.5	51.1	920	2	No
	42.7	769	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2174-2175

H19A_8 OTHER SPECIFY

What is their relationship to you? (CODE ALL THAT APPLY)

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	4.4	80	1	Yes
92.1	52.1	937	2	No
	42.7	769	-6	LEGITIMATE SKIP
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2176-2177

H19B**H19B HELP RECEIVED PAY ALL EXPENSE**

After (END DATE)/January 1990 and until now, would you say that the help you have received with your living expenses has paid for less than half, half or more, or all of your living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	24.3	437	1	Less than half
42.4	23.7	427	2	Half or more
14.3	8.0	144	3	All
	42.7	769	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2178-2179

H21A**H21A INCOME FROM WAGES OR SALARY**

Now, I want to ask about other sources of income you may have had, in the past year, that is from (MONTH YEAR AGO) 1994/1995 to now. Please do not include income from illegal activities or help you received with living expenses from someone you lived with. From (MONTH YEAR AGO) 1994/1995 to now, have you personally gotten any income from . . . your wages salary, including tips, from all jobs or businesses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.6	61.0	1,097	1	Yes
35.4	33.5	602	2	No
	2.8	50	-5	NOT APPLICABLE
	1.6	28	-3	MISSING
	0.6	11	-2	DON'T KNOW
	0.6	11	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2180-2181

H22A	H22A AMOUNT FROM WAGES OR SALARY
-------------	---

From (MONTH YEAR AGO) 1994/1995 to now, before taxes are taken out, about how much income have you personally gotten from . . . your wages salary, including tips, from all jobs or businesses?

Min	=	.10	Mean	=	10,186.668
Max	=	100,000.00	Std Dev	=	15,647.015
Median	=	1,800.00	Variance	=	244,829,077.380

(Based on 1,043 valid cases)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 2182-2190

H22ATIM	H22ATIM TIME FRAME FOR SALARY
----------------	--------------------------------------

PROBE FOR RATE OF PAY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.5	17.0	305	1	Per week
18.9	10.9	196	2	Per month
51.6	29.7	534	3	Per year
	37.4	672	-6	LEGITIMATE SKIP
	0.1	1	-5	NOT APPLICABLE
	3.7	66	-3	MISSING
	0.7	13	-2	DON'T KNOW
	0.7	12	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2191-2192

H21B**H21B INCOME FROM GENERAL ASSISTANCE**

Now, I want to ask about other sources of income you may have had, in the past year, that is from (MONTH YEAR AGO) 1994/1995 to now. Please do not include income from illegal activities or help you received with living expenses from someone you lived with. From (MONTH YEAR AGO) 1994/1995 to now, have you personally gotten any income from . . . welfare, including General Assistance, or Relief or Aid to Dependent Children or to Families with Dependent Children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	18.7	337	1	Yes
80.2	76.1	1,369	2	No
	2.8	51	-5	NOT APPLICABLE
	1.7	30	-3	MISSING
	0.3	6	-2	DON'T KNOW
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2193-2194

H22B**H22B AMOUNT FROM GENERAL ASSISTANCE**

From (MONTH YEAR AGO) 1994/1995 to now, before taxes are taken out, about how much income have you personally gotten from . . . welfare, including General Assistance, or Relief or Aid to Dependent Children or to Families with Dependent Children?

Min	=	9.80	Mean	=	697.020
Max	=	15,000.00	Std Dev	=	1,648.627
Median	=	276.00	Variance	=	2,717,972.415

(Based on 318 valid cases)

Data type: numeric

Decimals: 2

Missing-data codes: lowest thru -1.00

Columns: 2195-2202

H22BTIM	H22BTIM TIME FRAME FOR GA OR RELI
----------------	--

PROBE FOR RATE OF PAY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.5	9	1	Per week
80.4	14.2	255	2	Per month
16.7	2.9	53	3	Per year
	79.6	1,432	-6	LEGITIMATE SKIP
	2.3	42	-3	MISSING
	0.3	5	-2	DON'T KNOW
	0.2	3	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2203-2204

H21C	H21C INCOME FROM UNEMPLOYMENT COMP
-------------	---

Now, I want to ask about other sources of income you may have had, in the past year, that is from (MONTH YEAR AGO) 1994/1995 to now. Please do not include income from illegal activities or help you received with living expenses from someone you lived with. From (MONTH YEAR AGO) 1994/1995 to now, have you personally gotten any income from . . . unemployment compensation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	6.7	121	1	Yes
92.9	88.3	1,588	2	No
	2.8	51	-5	NOT APPLICABLE
	1.6	28	-3	MISSING
	0.2	4	-2	DON'T KNOW
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2205-2206

H22C	H22C AMOUNT FROM UNEMPLOYMENT COMP
-------------	---

From (MONTH YEAR AGO) 1994/1995 to now, before taxes are taken out, about how much income have you personally gotten from . . . unemployment compensation?

Min	=	52.00	Mean	=	1,223.296
Max	=	11,010.00	Std Dev	=	1,858.447
Median	=	362.00	Variance	=	3,453,826.646

(Based on 119 valid cases)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 2207-2214

H22CTIM	H22CTIM TIME FRAME FOR UNEMPLOYME
----------------	--

PROBE FOR RATE OF PAY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.2	2.9	52	1	Per week
14.8	0.9	17	2	Per month
40.0	2.6	46	3	Per year
	91.6	1,647	-6	LEGITIMATE SKIP
	1.9	35	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2215-2216

H21D	H21D INCOME FROM DISABILITY OR SSI
-------------	---

Now, I want to ask about other sources of income you may have had, in the past year, that is from (MONTH YEAR AGO) 1994/1995 to now. Please do not include income from illegal activities or help you received with living expenses from someone you lived with. From (MONTH YEAR AGO) 1994/1995 to now, have you personally gotten any income from . . . disability pay or SSI?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	16.1	289	1	Yes
83.1	79.2	1,424	2	No
	2.8	51	-5	NOT APPLICABLE
	1.3	24	-3	MISSING
	0.2	4	-2	DON'T KNOW
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2217-2218

H22D	H22D AMOUNT FROM DISABILITY OR SSI
-------------	---

From (MONTH YEAR AGO) 1994/1995 to now, before taxes are taken out, about how much income have you personally gotten from . . . disability pay or SSI?

Min	=	30.00	Mean	=	956.530
Max	=	10,000.00	Std Dev	=	1,569.951
Median	=	487.00	Variance	=	2,464,744.668

(Based on 261 valid cases)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 2219-2226

H22DTIM	H22DTIM	TIME FRAME FOR DISABILITY
----------------	----------------	----------------------------------

PROBE FOR RATE OF PAY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	0.5	9	1	Per week
86.0	12.3	222	2	Per month
10.5	1.5	27	3	Per year
	82.5	1,484	-6	LEGITIMATE SKIP
	2.3	41	-3	MISSING
	0.4	8	-2	DON'T KNOW
	0.4	8	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2227-2228

H21E	H21E	INCOME FROM SOCIAL SECURITY/P
-------------	-------------	--------------------------------------

Now, I want to ask about other sources of income you may have had, in the past year, that is from (MONTH YEAR AGO) 1994/1995 to now. Please do not include income from illegal activities or help you received with living expenses from someone you lived with. From (MONTH YEAR AGO) 1994/1995 to now, have you personally gotten any income from . . . Social Security, pension, annuity, or interest from savings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	6.9	125	1	Yes
92.7	88.0	1,583	2	No
	2.8	50	-5	NOT APPLICABLE
	1.6	29	-3	MISSING
	0.2	4	-2	DON'T KNOW
	0.4	8	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2229-2230

H22E	H22E AMOUNT FROM SOCIAL SECURITY/P
-------------	---

From (MONTH YEAR AGO) 1994/1995 to now, before taxes are taken out, about how much income have you personally gotten from . . . Social Security, pension, annuity, or interest from savings?

Min	=	1	Mean	=	2,993.189
Max	=	100,000	Std Dev	=	10,716.659
Median	=	635	Variance	=	114,846,785.831

(Based on 106 valid cases)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2231-2236

H22ETIM	H22ETIM TIME FRAME FOR SOCIAL SEC
----------------	--

PROBE FOR RATE OF PAY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.0	3.9	70	2	Per month
34.0	2.0	36	3	Per year
	91.3	1,643	-6	LEGITIMATE SKIP
	2.3	42	-3	MISSING
	0.3	6	-2	DON'T KNOW
	0.1	2	-1	REFUSED

 100.0 100.0 1,799 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2237-2238

H21F**H21F INCOME FROM ALIMONY/CHLD SUPP**

Now, I want to ask about other sources of income you may have had, in the past year, that is from (MONTH YEAR AGO) 1994/1995 to now. Please do not include income from illegal activities or help you received with living expenses from someone you lived with. From (MONTH YEAR AGO) 1994/1995 to now, have you personally gotten any income from . . . alimony or child support?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.3	60	1	Yes
96.5	91.8	1,651	2	No
	2.7	49	-5	NOT APPLICABLE
	1.7	30	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2239-2240

H22F**H22F AMOUNT FROM ALIMONY/CHLD SUPP**

From (MONTH YEAR AGO) 1994/1995 to now, before taxes are taken out, about how much income have you personally gotten from . . . alimony or child support?

Min	=	20.00	Mean	=	280.174
Max	=	2,400.00	Std Dev	=	437.295
Median	=	100.00	Variance	=	191,227.316

(Based on 51 valid cases)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 2241-2247

H22FTIM	H22FTIM TIME FRAME ALIMONY/SUPPOR
----------------	--

PROBE FOR RATE OF PAY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	0.4	7	1	Per week
56.9	1.6	29	2	Per month
29.4	0.8	15	3	Per year
	94.9	1,708	-6	LEGITIMATE SKIP
	2.1	37	-3	MISSING
	0.1	2	-2	DON'T KNOW
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2248-2249

H21G	H21G INCOME FROM SPOUSE/PARTNER
-------------	--

Now, I want to ask about other sources of income you may have had, in the past year, that is from (MONTH YEAR AGO) 1994/1995 to now. Please do not include income from illegal activities or help you received with living expenses from someone you lived with. From (MONTH YEAR AGO) 1994/1995 to now, have you personally gotten any income from . . . (money/other money) from a (spouse, partner, or other) family member who was not living with you? (Not including the help we've already talked about).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	11.1	199	1	Yes
88.3	83.5	1,502	2	No
	2.8	50	-5	NOT APPLICABLE
	2.0	36	-3	MISSING
	0.3	5	-2	DON'T KNOW
	0.4	7	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2250-2251

H22G	H22G AMOUNT FROM SPOUSE/PARTNER
-------------	--

From (MONTH YEAR AGO) 1994/1995 to now, before taxes are taken out, about how much income have you personally gotten from . . . (money/other money) from a (spouse, partner, or other) family member who was not living with you? (Not including the help we've already talked about).

Min	=	10	Mean	=	1,960.717
Max	=	62,000	Std Dev	=	6,665.275
Median	=	300	Variance	=	44,425,884.822

(Based on 166 valid cases)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2252-2256

H22GTIM	H22GTIM TIME FRAME SPOUSE/PARTNER
----------------	--

PROBE FOR RATE OF PAY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	1.5	27	1	Per week
33.1	2.9	53	2	Per month
50.0	4.4	80	3	Per year
	86.8	1,562	-6	LEGITIMATE SKIP
	3.3	59	-3	MISSING
	0.7	13	-2	DON'T KNOW
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2257-2258

H21H	H21H INCOME FROM OTHER SOURCES
-------------	---------------------------------------

Now, I want to ask about other sources of income you may have had, in the past year, that is from (MONTH YEAR AGO) 1994/1995 to now. Please do not include income from illegal activities or help you received with living expenses from someone you lived with. From (MONTH YEAR AGO) 1994/1995 to now, have you personally gotten any income from . . . any other sources I haven't asked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	11.2	201	1	Yes
88.2	83.5	1,502	2	No
	0.1	1	-6	LEGITIMATE SKIP
	2.7	49	-5	NOT APPLICABLE
	1.9	35	-3	MISSING
	0.3	5	-2	DON'T KNOW
	0.3	6	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2259-2260

H22H	H22H AMOUNT FROM OTHER SOURCES
-------------	---------------------------------------

From (MONTH YEAR AGO) 1994/1995 to now, before taxes are taken out, about how much income have you personally gotten from . . . any other sources I haven't asked about?

Min	=	10.00	Mean	=	5,095.447
Max	=	200,000.00	Std Dev	=	20,328.663
Median	=	350.00	Variance	=	413,254,532.424

(Based on 180 valid cases)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 2261-2269

H22HTIM	H22HTIM	TIME FRAME FOR OTH SOURCE
----------------	----------------	----------------------------------

PROBE FOR RATE OF PAY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	0.8	15	1	Per week
56.4	5.6	101	2	Per month
35.2	3.5	63	3	Per year
	86.8	1,561	-6	LEGITIMATE SKIP
	0.2	4	-5	NOT APPLICABLE
	2.5	45	-3	MISSING
	0.5	9	-2	DON'T KNOW
	0.1	1	-1	REFUSED

 100.0 100.0 1,799 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2270-2271

INTERVIEW INFORMATION

PHONE1 IS A PHONE PRESENT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	84.6	1,522	1	Telephone present
14.8	14.7	264	2	No telephone
	0.2	4	-3	MISSING
	0.3	6	-2	DON'T KNOW
	0.2	3	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2272-2273

PHONE2 IS A PHONE PRESENT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.9	78.3	1,408	1	Telephone present
19.1	18.5	333	2	No telephone
	0.3	5	-5	NOT APPLICABLE
	0.4	8	-3	MISSING
	1.2	21	-2	DON'T KNOW
	1.3	24	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2274-2275

PERSON2	IS THERE A SECOND PERSON
----------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.8	60.6	1,091	1	Yes
39.2	39.1	704	2	No
	0.1	1	-2	DON'T KNOW
	0.2	3	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2276-2277

PHONE3	IS A PHONE PRESENT
---------------	---------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.7	51.3	922	1	Telephone present
13.3	7.8	141	2	No telephone
	39.4	708	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
	1.2	22	-2	DON'T KNOW
	0.3	5	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2278-2279

ENDYEAR	DATE END YEAR
----------------	----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.8	79.0	1,421	95	
20.2	20.0	360	96	
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2280-2281

TOTTIME	TOTAL INTERVIEW MINUTES
----------------	--------------------------------

TOTAL INTERVIEW MINUTES

1,799 cases (Range of valid codes: 19-280)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2282-2284

BOXII	BOXA FORM II
--------------	---------------------

DID R SIGN FORM II?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.9	84.8	1,525	1	Yes
13.1	12.8	230	2	No
	2.4	43	-3	MISSING
	0.1	1	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2285-2286

BOXIII	BOXA FORM III
---------------	----------------------

DID R SIGN FORM III?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	90.0	1,619	1	Yes
7.7	7.6	136	2	No
	2.4	44	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2287-2288

BOXIV**BOXB FORM IV**

DID R SIGN FOR IV?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.4	78.0	1,404	1	Yes
19.6	19.1	343	2	No
	0.3	5	-5	NOT APPLICABLE
	2.5	45	-3	MISSING
	0.1	2	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2289-2290

BOXRECPT**BOXB FORM/RECEIPT**

DID R SIGN FORM/RECEIPT?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.4	87.5	1,575	1	Yes
8.6	8.2	148	2	No
	0.2	3	-5	NOT APPLICABLE
	3.9	70	-3	MISSING
	0.2	3	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2291-2292

I11AB	I11AB USED DRUG IN PAST 24 HOURS
--------------	---

Have you used (DRUG) in the past 24 hours?

Heroin or other opiates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.6	2.9	53	1	Yes
40.4	2.0	36	2	No
	86.9	1,564	-6	LEGITIMATE SKIP
	8.1	146	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2297-2298

I11B	I11B USED COCAINE PAST 7 DAYS
-------------	--------------------------------------

Have you used (DRUG) in the past 7 days?

Cocaine, including crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	6.8	122	1	Yes
92.6	84.5	1,520	2	No
	0.1	1	-5	NOT APPLICABLE
	8.0	144	-3	MISSING
	0.2	3	-2	DON'T KNOW
	0.5	9	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2299-2300

I11BA	I11BA USE DRUG FOR MEDICAL REASONS
--------------	---

Did you use (DRUG) for medical or non-medical reasons?

Cocaine, including crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	0.2	4	1	Medical
96.7	6.5	117	2	Non-medical
	85.2	1,533	-6	LEGITIMATE SKIP
	8.1	145	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2301-2302

I11BB	I11BB USED DRUG IN PAST 24 HOURS
--------------	---

Have you used (DRUG) in the past 24 hours?

Cocaine, including crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.3	2.7	48	1	Yes
60.7	4.1	74	2	No
	85.2	1,533	-6	LEGITIMATE SKIP
	8.0	144	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2303-2304

I11C	I11C USED METHADONE PAST 7 DAYS
-------------	--

Have you used (DRUG) in the past 7 days?

Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	4.8	86	1	Yes
94.8	86.5	1,557	2	No
	0.1	1	-5	NOT APPLICABLE
	8.1	145	-3	MISSING
	0.6	10	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2305-2306

I11CA	I11CA USE DRUG FOR MEDICAL REASONS
--------------	---

Did you use (DRUG) for medical or non-medical reasons?

Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	4.4	80	1	Medical
7.0	0.3	6	2	Non-medical
	87.2	1,568	-6	LEGITIMATE SKIP
	8.1	145	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2307-2308

I11CB	I11CB USED DRUG IN PAST 24 HOURS
--------------	---

Have you used (DRUG) in the past 24 hours?

Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	4.3	78	1	Yes
9.3	0.4	8	2	No
	87.2	1,568	-6	LEGITIMATE SKIP
	8.1	145	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2309-2310

I11D	I11D USED AMPHETAMINES IN PAST 7 D
-------------	---

Have you used (DRUG) in the past 7 days?

Amphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	14	1	Yes
99.1	90.4	1,626	2	No
	0.1	1	-5	NOT APPLICABLE
	8.2	147	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.6	10	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2311-2312

I11DA	I11DA USE DRUG FOR MEDICAL REASONS
--------------	---

Did you use (DRUG) for medical or non-medical reasons?

Amphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.1	2	1	Medical
85.7	0.7	12	2	Non-medical
	91.1	1,638	-6	LEGITIMATE SKIP
	8.2	147	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2313-2314

I11DB	I11DB USED DRUG IN PAST 24 HOURS
--------------	---

Have you used (DRUG) in the past 24 hours?

Amphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	0.2	4	1	Yes
69.2	0.5	9	2	No
	91.1	1,638	-6	LEGITIMATE SKIP
	8.2	147	-3	MISSING
	0.1	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2315-2316

I11E	I11E USED BARBITUATES IN PAST 7 DA
-------------	---

Have you used (DRUG) in the past 7 days?

Barbiturates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.4	26	1	Yes
98.4	89.8	1,615	2	No
	0.1	1	-5	NOT APPLICABLE
	8.2	147	-3	MISSING
	0.6	10	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2317-2318

I11EA	I11EA USE DRUG FOR MEDICAL REASONS
--------------	---

Did you use (DRUG) for medical or non-medical reasons?

Barbiturates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	0.9	16	1	Medical
38.5	0.6	10	2	Non-medical
	90.4	1,626	-6	LEGITIMATE SKIP
	8.2	147	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2319-2320

I11EB	I11EB USED DRUG N PAST 24 HOURS
--------------	--

Have you used (DRUG) in the past 24 hours?

Barbiturates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	1.0	18	1	Yes
30.8	0.4	8	2	No
	90.4	1,626	-6	LEGITIMATE SKIP
	8.2	147	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2321-2322

I11F	I11F USED ALCOHOL IN PAST 7 DAYS
-------------	---

Have you used (DRUG) in the past 7 days?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.7	33.5	603	1	Yes
63.3	57.8	1,040	2	No
	0.1	1	-5	NOT APPLICABLE
	8.0	144	-3	MISSING
	0.1	1	-2	DON'T KNOW
	0.6	10	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2323-2324

I11FA	I11FA USE DRUG FOR MEDICAL REASONS
--------------	---

Did you use (DRUG) for medical or non-medical reasons?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.5	9	1	Medical
98.5	32.8	590	2	Non-medical
	58.5	1,052	-6	LEGITIMATE SKIP
	8.2	148	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2325-2326

I11FB	I11FB USED DRUG N PAST 24 HOURS
--------------	--

Have you used (DRUG) in the past 24 hours?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	21.9	394	1	Yes
33.6	11.1	199	2	No
	58.5	1,052	-6	LEGITIMATE SKIP
	8.4	152	-3	MISSING
	0.1	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2327-2328

I11G**I11G USED OTHER DRUGS IN PAST 7 DA**

Have you used (DRUG) in the past 7 days?

Any other drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	21.6	388	1	Yes
76.3	69.4	1,248	2	No
	0.1	1	-5	NOT APPLICABLE
	8.5	153	-3	MISSING
	0.5	9	-1	REFUSED
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2329-2330

I11GA**I11GA USE DRUG FOR MEDICAL REASONS**

Did you use (DRUG) for medical or non-medical reasons?

Any other drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.9	13.7	246	1	Medical
35.1	7.4	133	2	Non-medical
	69.9	1,258	-6	LEGITIMATE SKIP
	9.0	162	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2331-2332

I11GB	I11GB USED DRUG N PAST 24 HOURS
--------------	--

Have you used (DRUG) in the past 24 hours?

Any other drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	16.5	297	1	Yes
22.5	4.8	86	2	No
	69.9	1,258	-6	LEGITIMATE SKIP
	8.8	158	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2333-2334

I11AC	I11AC DRUG TEST RESULTS
--------------	--------------------------------

DRUG TEST RESULTS FOR -- Heroin or other opiates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	7.6	136	1	Positive
66.6	65.9	1,186	2	Negative
16.0	15.9	286	3	Refused
4.3	4.2	76	4	Not Possible
2.4	2.3	42	6	Invalid Specimen
3.1	3.1	56	7	Lost Specimen
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2335-2336

I11BC**I11BC DRUG TEST RESULTS**

DRUG TEST RESULTS FOR -- Cocaine, including crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	12.7	228	1	Positive
61.4	60.8	1,094	2	Negative
16.0	15.9	286	3	Refused
4.3	4.2	76	4	Not Possible
2.4	2.3	42	6	Invalid Specimen
3.1	3.1	56	7	Lost Specimen
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2337-2338

I11CC**I11CC DRUG TEST RESULTS**

DRUG TEST RESULTS FOR -- Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.9	89	1	Positive
69.2	68.5	1,233	2	Negative
16.0	15.9	286	3	Refused
4.3	4.2	76	4	Not Possible
2.4	2.3	42	6	Invalid Specimen
3.1	3.1	56	7	Lost Specimen
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2339-2340

I11DC	I11DC DRUG TEST RESULTS
--------------	--------------------------------

DRUG TEST RESULTS FOR -- Amphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	10	1	Positive
73.6	72.9	1,312	2	Negative
16.0	15.9	286	3	Refused
4.3	4.2	76	4	Not Possible
2.4	2.3	42	6	Invalid Specimen
3.1	3.1	56	7	Lost Specimen
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2341-2342

I11EC	I11EC DRUG TEST RESULTS
--------------	--------------------------------

DRUG TEST RESULTS FOR -- Barbiturates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,799	-6	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2343-2344

I11FC	I11FC DRUG TEST RESULTS
--------------	--------------------------------

DRUG TEST RESULTS FOR -- Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.7	102	1	Positive
68.5	67.8	1,220	2	Negative
16.0	15.9	286	3	Refused
4.3	4.2	76	4	Not Possible
2.4	2.3	42	6	Invalid Specimen
3.1	3.1	56	7	Lost Specimen
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2345-2346

I11GC	I11GC DRUG TEST RESULTS
--------------	--------------------------------

DRUG TEST RESULTS FOR -- Any other drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	15.6	281	1	Positive
58.4	57.9	1,041	2	Negative
16.0	15.9	286	3	Refused
4.3	4.2	76	4	Not Possible
2.4	2.3	42	6	Invalid Specimen
3.1	3.1	56	7	Lost Specimen
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2347-2348

CONSTRUCTED VARIABLES - DRUG USE

D6A_1 D6A_1 # OF YEARS R SPENT IN CORREC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.5	24.3	438	1	
26.1	14.6	263	2	
20.1	11.2	202	3	
6.9	3.8	69	4	
3.5	1.9	35	5	
	43.6	785	-3	MISSING
	0.4	7	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2349-2350

INHAL USED INHALANTS AS MAIN DRUG

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.4	84.4	1,519	0	Never used (or used less than 5 times)
1.2	1.2	21	1	Used as main drug at time entering tx
0.2	0.2	3	2	Used as main drug at other time
14.2	14.2	256	3	Used but not as main drug
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2351-2352

ALCOHOL	USED ALCOHOL AS MAIN DRUG
----------------	----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.5	63	0	Never used (or used less than 5 times)
62.1	62.1	1,117	1	Used as main drug at time entering tx
6.3	6.3	114	2	Used as main drug at other time
28.1	28.1	505	3	Used but not as main drug
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2353-2354

MARIJUAN	USED MARIJUANA AS MAIN DRUG
-----------------	------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.7	24.7	444	0	Never used (or used less than 5 times)
24.6	24.6	443	1	Used as main drug at time entering tx
2.8	2.8	50	2	Used as main drug at other time
47.9	47.9	862	3	Used but not as main drug
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2355-2356

CRACK	USED CRACK AS MAIN DRUG
--------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.9	58.9	1,060	0	Never used (or used less than 5 times)
21.2	21.2	382	1	Used as main drug at time entering tx
2.1	2.1	38	2	Used as main drug at other time
17.7	17.7	319	3	Used but not as main drug
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2357-2358

COCAINE	USED COCAINE AS MAIN DRUG
----------------	----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	41.4	745	0	Never used (or used less than 5 times)
24.1	24.1	433	1	Used as main drug at time entering tx
3.1	3.1	55	2	Used as main drug at other time
31.5	31.5	566	3	Used but not as main drug
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2359-2360

PCP	USED PCP AS MAIN DRUG
------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.2	86.2	1,550	0	Never used (or used less than 5 times)
0.6	0.6	11	1	Used as main drug at time entering tx
0.3	0.3	5	2	Used as main drug at other time
13.0	13.0	233	3	Used but not as main drug
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2361-2362

HALLUCIN	USED HALLUCINOGENS AS MAIN DRUG
-----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.0	67.0	1,206	0	Never used (or used less than 5 times)
3.1	3.1	56	1	Used as main drug at time entering tx
0.8	0.8	15	2	Used as main drug at other time
29.0	29.0	522	3	Used but not as main drug
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2363-2364

HEROIN	USED HEROIN AS MAIN DRUG
---------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	72.0	1,295	0	Never used (or used less than 5 times)
17.5	17.5	315	1	Used as main drug at time entering tx
1.1	1.1	19	2	Used as main drug at other time
9.4	9.4	170	3	Used but not as main drug
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2365-2366

ILLMETH USED ILLEGAL METHADONE AS MAIN DRUG

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	91.0	1,637	0	Never used (or used less than 5 times)
1.1	1.1	20	1	Used as main drug at time entering tx
0.3	0.3	5	2	Used as main drug at other time
7.6	7.6	137	3	Used but not as main drug
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2367-2368

NARC USED OTHER NARCOTICS AS MAIN DRUG

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.4	83.4	1,500	0	Never used (or used less than 5 times)
2.8	2.8	51	1	Used as main drug at time entering tx
0.3	0.3	6	2	Used as main drug at other time
13.5	13.5	242	3	Used but not as main drug
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2369-2370

METHAMPH USED METHAMPHETAMINES AS MAIN DRUG

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	72.8	1,309	0	Never used (or used less than 5 times)
5.3	5.3	96	1	Used as main drug at time entering tx
1.0	1.0	18	2	Used as main drug at other time
20.9	20.9	376	3	Used but not as main drug
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2371-2372

DOWNERS	USED DOWNERS AS MAIN DRUG			
---------	---------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	72.8	1,310	0	Never used (or used less than 5 times)
3.8	3.8	69	1	Used as main drug at time entering tx
1.2	1.2	22	2	Used as main drug at other time
22.1	22.1	398	3	Used but not as main drug
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2373-2374

OTHDRUG	USED OTHER DRUG AS MAIN DRUG			
---------	------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	89.5	1,610	0	Never used (or used less than 5 times)
3.2	3.2	57	1	Used as main drug at time entering tx
1.1	1.1	19	2	Used as main drug at other time
6.3	6.3	113	3	Used but not as main drug
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2375-2376

AGEFINH	AGE FIRST USED INHALANTS
----------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	1	5	
0.7	0.1	2	6	
0.7	0.1	2	7	
1.1	0.2	3	8	
1.4	0.2	4	9	
4.7	0.7	13	10	
4.0	0.6	11	11	
10.1	1.6	28	12	
11.2	1.7	31	13	
15.1	2.3	42	14	
12.6	1.9	35	15	
12.6	1.9	35	16	
5.4	0.8	15	17	
6.1	0.9	17	18	
2.2	0.3	6	19	
1.8	0.3	5	20	
0.7	0.1	2	21	
1.8	0.3	5	22	
2.5	0.4	7	23	
0.7	0.1	2	24	
1.4	0.2	4	25	
0.4	0.1	1	26	
0.4	0.1	1	28	
0.4	0.1	1	33	
1.1	0.2	3	35	
0.4	0.1	1	36	
0.4	0.1	1	37	
	83.9	1,509	-6	LEGITIMATE SKIP
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2377-2378

AGEFALC	AGE FIRST USED ALCOHOL
----------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	6	1	
0.6	0.6	10	2	
0.6	0.6	10	3	
0.9	0.9	16	4	
1.4	1.3	24	5	
2.3	2.2	39	6	
1.8	1.7	31	7	
3.0	2.9	52	8	
3.5	3.4	61	9	
5.2	5.0	90	10	
3.2	3.1	55	11	
12.7	12.2	220	12	
10.0	9.6	172	13	
12.7	12.2	219	14	
11.2	10.7	193	15	
11.6	11.1	200	16	
5.7	5.4	98	17	
5.5	5.3	95	18	
2.0	1.9	34	19	
1.6	1.6	28	20	
1.2	1.2	21	21	
1.0	0.9	17	22	
0.1	0.1	1	23	
0.4	0.4	7	24	
0.4	0.4	7	25	
0.2	0.2	3	26	
0.2	0.2	4	27	
0.2	0.2	3	28	
0.1	0.1	2	29	
0.2	0.2	4	30	
0.1	0.1	1	31	
0.2	0.2	3	35	
0.1	0.1	1	41	
	3.6	65	-6	LEGITIMATE SKIP
	0.4	7	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2379-2380

AGEFMAR	AGE FIRST USED MARIJUANA
----------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	5	
0.4	0.3	6	6	
1.3	0.9	17	7	
0.8	0.6	11	8	
1.8	1.3	24	9	
2.3	1.7	31	10	
4.2	3.1	56	11	
10.7	8.0	144	12	
12.6	9.4	169	13	
11.5	8.6	155	14	
12.3	9.2	165	15	
12.3	9.2	165	16	
7.7	5.7	103	17	
8.0	6.0	108	18	
2.5	1.9	34	19	
3.0	2.2	40	20	
2.1	1.6	28	21	
1.6	1.2	21	22	
0.7	0.6	10	23	
0.3	0.2	4	24	
1.5	1.1	20	25	
0.4	0.3	5	26	
0.4	0.3	6	27	
0.4	0.3	6	28	
0.1	0.1	1	29	
0.3	0.2	4	30	
0.3	0.2	4	31	
0.1	0.1	2	32	
0.1	0.1	1	33	
0.1	0.1	1	35	
0.2	0.2	3	40	
0.1	0.1	1	47	
	24.6	443	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2381-2382

AGFCRK	AGE FIRST USED CRACK
---------------	-----------------------------

PCT VALID	PCT ALL	N	VALUE	LABEL
0.5	0.2	4	13	
0.9	0.4	7	14	
1.5	0.6	11	15	
3.1	1.3	23	16	
3.1	1.3	23	17	
5.6	2.3	41	18	
3.7	1.5	27	19	
5.4	2.2	40	20	
4.1	1.7	30	21	
3.8	1.6	28	22	
3.5	1.4	26	23	
4.7	1.9	35	24	
6.9	2.8	51	25	
4.5	1.8	33	26	
4.9	2.0	36	27	
4.7	1.9	35	28	
4.1	1.7	30	29	
6.8	2.8	50	30	
2.3	0.9	17	31	
3.7	1.5	27	32	
2.6	1.1	19	33	
2.8	1.2	21	34	
5.0	2.1	37	35	
1.9	0.8	14	36	
1.2	0.5	9	37	
1.9	0.8	14	38	
0.7	0.3	5	39	
1.5	0.6	11	40	
0.8	0.3	6	41	
0.1	0.1	1	42	
0.7	0.3	5	43	
0.5	0.2	4	44	
0.7	0.3	5	45	
0.1	0.1	1	46	
0.9	0.4	7	47	
0.3	0.1	2	49	
0.1	0.1	1	50	
0.3	0.1	2	51	
	58.6	1,055	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2383-2384

AGEFCOC	AGE FIRST USED COCAINE
----------------	-------------------------------

1,799 cases (Range of valid codes: 2-53)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2385-2386

AGEFPCP	AGE FIRST USED PCP
----------------	---------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	1	8	
1.6	0.2	4	12	
3.2	0.4	8	13	
6.4	0.9	16	14	
11.2	1.6	28	15	
13.7	1.9	34	16	
13.7	1.9	34	17	
12.0	1.7	30	18	
5.6	0.8	14	19	
6.4	0.9	16	20	
3.6	0.5	9	21	
2.4	0.3	6	22	
3.6	0.5	9	23	
2.0	0.3	5	24	
4.4	0.6	11	25	
0.4	0.1	1	26	
1.2	0.2	3	27	
0.8	0.1	2	28	
1.2	0.2	3	29	
1.2	0.2	3	30	
1.2	0.2	3	32	
0.8	0.1	2	33	
1.2	0.2	3	35	
0.4	0.1	1	39	
0.4	0.1	1	42	
0.4	0.1	1	45	
0.4	0.1	1	50	
	85.7	1,541	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2387-2388

AGEFHAL	AGE FIRST USED HALLUCINOGENS
----------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	1	6	
0.2	0.1	1	9	
1.0	0.3	6	10	
0.3	0.1	2	11	
2.9	0.9	17	12	
4.7	1.6	28	13	
10.5	3.4	62	14	
14.0	4.6	83	15	
15.6	5.1	92	16	
16.1	5.3	95	17	
12.7	4.2	75	18	
4.1	1.3	24	19	
5.1	1.7	30	20	
2.9	0.9	17	21	
1.5	0.5	9	22	
1.5	0.5	9	23	
0.5	0.2	3	24	
2.4	0.8	14	25	
0.2	0.1	1	26	
0.2	0.1	1	27	
0.8	0.3	5	28	
0.3	0.1	2	29	
1.2	0.4	7	30	
0.3	0.1	2	31	
0.2	0.1	1	32	
0.2	0.1	1	34	
0.2	0.1	1	35	
0.2	0.1	1	36	
0.2	0.1	1	48	
	66.6	1,198	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2389-2390

AGEFHER	AGE FIRST USED HEROIN
----------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	2	8	
0.4	0.1	2	9	
0.6	0.2	3	10	
0.8	0.2	4	11	
0.2	0.1	1	12	
3.2	0.9	16	13	
4.0	1.1	20	14	
6.8	1.9	34	15	
6.8	1.9	34	16	
9.2	2.6	46	17	
10.2	2.8	51	18	
10.4	2.9	52	19	
8.2	2.3	41	20	
4.4	1.2	22	21	
3.8	1.1	19	22	
3.0	0.8	15	23	
2.2	0.6	11	24	
4.2	1.2	21	25	
3.6	1.0	18	26	
1.8	0.5	9	27	
4.2	1.2	21	28	
2.2	0.6	11	29	
1.4	0.4	7	30	
0.8	0.2	4	31	
1.2	0.3	6	32	
1.2	0.3	6	33	
0.6	0.2	3	34	
1.6	0.4	8	35	
0.6	0.2	3	36	
0.4	0.1	2	37	
0.8	0.2	4	38	
0.2	0.1	1	39	
0.4	0.1	2	40	
0.2	0.1	1	44	
0.2	0.1	1	47	
0.2	0.1	1	50	
	71.8	1,291	-6	LEGITIMATE SKIP
	0.3	6	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2391-2392

AGEFMTH	AGE FIRST USED ILLEGAL METHADONE
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.1	1	11	
1.9	0.2	3	13	
3.7	0.3	6	15	
7.4	0.7	12	16	
5.6	0.5	9	17	
4.3	0.4	7	18	
6.2	0.6	10	19	
8.0	0.7	13	20	
5.6	0.5	9	21	
4.9	0.4	8	22	
4.9	0.4	8	23	
0.6	0.1	1	24	
4.3	0.4	7	25	
3.1	0.3	5	26	
2.5	0.2	4	27	
6.8	0.6	11	28	
3.7	0.3	6	29	
8.6	0.8	14	30	
2.5	0.2	4	31	
2.5	0.2	4	32	
3.7	0.3	6	33	
1.2	0.1	2	34	
0.6	0.1	1	36	
1.9	0.2	3	38	
1.2	0.1	2	39	
0.6	0.1	1	40	
1.2	0.1	2	41	
0.6	0.1	1	42	
1.2	0.1	2	47	
	90.4	1,627	-6	LEGITIMATE SKIP
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2393-2394

AGEFNAR	AGE	FIRST	USED	OTHER	NARCOTICS
---------	-----	-------	------	-------	-----------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	5	
0.3	0.1	1	7	
0.7	0.1	2	8	
0.7	0.1	2	9	
2.4	0.4	7	10	
0.3	0.1	1	11	
2.0	0.3	6	12	
3.0	0.5	9	13	
3.4	0.6	10	14	
9.8	1.6	29	15	
8.8	1.4	26	16	
10.5	1.7	31	17	
12.2	2.0	36	18	
5.1	0.8	15	19	
8.4	1.4	25	20	
4.4	0.7	13	21	
5.1	0.8	15	22	
1.7	0.3	5	23	
1.7	0.3	5	24	
4.1	0.7	12	25	
0.7	0.1	2	26	
2.0	0.3	6	27	
1.7	0.3	5	28	
1.4	0.2	4	29	
2.7	0.4	8	30	
0.3	0.1	1	31	
1.4	0.2	4	32	
1.0	0.2	3	33	
0.7	0.1	2	34	
0.7	0.1	2	35	
0.7	0.1	2	36	
0.3	0.1	1	37	
0.3	0.1	1	38	
0.3	0.1	1	39	
0.7	0.1	2	40	
0.3	0.1	1	42	
	82.9	1,491	-6	LEGITIMATE SKIP
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2395-2396

AGEFAMP	AGE FIRST USED METHAMPHETAMINES
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	2	10	
0.8	0.2	4	11	
2.0	0.6	10	12	
2.9	0.8	14	13	
4.7	1.3	23	14	
10.2	2.8	50	15	
14.9	4.1	73	16	
11.0	3.0	54	17	
11.6	3.2	57	18	
5.5	1.5	27	19	
8.8	2.4	43	20	
5.5	1.5	27	21	
3.7	1.0	18	22	
2.0	0.6	10	23	
1.6	0.4	8	24	
3.5	0.9	17	25	
1.8	0.5	9	26	
2.0	0.6	10	27	
1.2	0.3	6	28	
1.0	0.3	5	29	
1.8	0.5	9	30	
0.4	0.1	2	32	
0.4	0.1	2	33	
0.4	0.1	2	34	
0.4	0.1	2	35	
0.6	0.2	3	36	
0.2	0.1	1	38	
0.4	0.1	2	40	
0.2	0.1	1	44	
	72.3	1,300	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2397-2398

AGEFDWN	AGE FIRST USED DOWNERS
----------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	1	5	
0.2	0.1	1	6	
0.2	0.1	1	7	
0.2	0.1	1	8	
0.4	0.1	2	9	
1.2	0.3	6	10	
0.4	0.1	2	11	
3.5	0.9	17	12	
5.5	1.5	27	13	
8.0	2.2	39	14	
12.5	3.4	61	15	
11.5	3.1	56	16	
9.2	2.5	45	17	
9.2	2.5	45	18	
3.9	1.1	19	19	
7.6	2.1	37	20	
2.9	0.8	14	21	
2.9	0.8	14	22	
2.7	0.7	13	23	
2.7	0.7	13	24	
4.1	1.1	20	25	
2.3	0.6	11	26	
1.6	0.4	8	27	
1.4	0.4	7	28	
1.0	0.3	5	29	
1.2	0.3	6	30	
0.4	0.1	2	31	
0.4	0.1	2	32	
0.4	0.1	2	33	
0.6	0.2	3	34	
0.6	0.2	3	35	
0.2	0.1	1	36	
0.4	0.1	2	37	
0.2	0.1	1	38	
	72.5	1,304	-6	LEGITIMATE SKIP
	0.4	8	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2399-2400

AGEFOTH	AGE FIRST USED OTHER DRUG			
----------------	----------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	1	2	
1.1	0.1	2	11	
0.5	0.1	1	12	
2.2	0.2	4	13	
4.9	0.5	9	14	
3.3	0.3	6	15	
7.1	0.7	13	16	
3.3	0.3	6	17	
10.9	1.1	20	18	
7.7	0.8	14	19	
5.5	0.6	10	20	
7.1	0.7	13	21	
6.0	0.6	11	22	
2.7	0.3	5	23	
1.6	0.2	3	24	
4.9	0.5	9	25	
3.3	0.3	6	26	
1.6	0.2	3	27	
3.3	0.3	6	28	
2.2	0.2	4	29	
3.3	0.3	6	30	
0.5	0.1	1	31	
1.1	0.1	2	32	
2.7	0.3	5	33	
3.3	0.3	6	34	
2.7	0.3	5	35	
0.5	0.1	1	36	
0.5	0.1	1	37	
0.5	0.1	1	40	
0.5	0.1	1	41	
0.5	0.1	1	42	
1.6	0.2	3	47	
0.5	0.1	1	48	
0.5	0.1	1	50	
0.5	0.1	1	54	
0.5	0.1	1	55	
	87.5	1,575	-6	LEGITIMATE SKIP
	2.3	41	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2401-2402

USBINH USED INHALANTS AS MAIN DRG BEFORE TX

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	94.2	1,694	0	No
5.2	5.2	93	1	Yes
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2403-2404

USBALC USED ALCOHOL AS MAIN DRG BEFORE TX

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	10.3	185	0	No
89.7	89.4	1,609	1	Yes
	0.3	5	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2405-2406

USBMAR USED MARIJUANA AS MAIN DRG BEFORE TX

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.8	42.6	766	0	No
57.2	56.9	1,023	1	Yes
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2407-2408

USBCRK	USED CRACK AS MAIN DRG BEFORE TX
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.6	71.3	1,282	0	No
28.4	28.3	509	1	Yes
	0.4	8	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2409-2410

USBCOC	USED COCAINE AS MAIN DRG BEFORE TX
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.4	55.1	991	0	No
44.6	44.3	797	1	Yes
	0.6	11	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2411-2412

USBPCP	USED PCP AS MAIN DRG BEFORE TX
---------------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	94.9	1,707	0	No
4.6	4.6	83	1	Yes
	0.5	9	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2413-2414

USBHAL USED HALLUCINOGENS AS MAIN DRG BEFORE TX

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.4	85.8	1,544	0	No
13.6	13.6	244	1	Yes
	0.6	11	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2415-2416

USBHER USED HEROIN AS MAIN DRG BEFORE TX

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.4	80.0	1,440	0	No
19.6	19.5	351	1	Yes
	0.4	8	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2417-2418

USBMTH USED ILLEGAL METHADONE AS MAIN DRG BEFOR

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	95.2	1,712	0	No
4.3	4.3	77	1	Yes
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2419-2420

USBNAR	USED OTHER NARCOTICS AS MAIN DRG BEFORE
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	89.4	1,608	0	No
10.0	9.9	178	1	Yes
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2421-2422

USBAMP	USED METHAMPHETAMINES AS MAIN DRG BEFORE
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.1	84.6	1,522	0	No
14.9	14.8	267	1	Yes
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2423-2424

USBDWN	USED DOWNERS AS MAIN DRG BEFORE TX
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.4	83.0	1,493	0	No
16.6	16.5	297	1	Yes
	0.5	9	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2425-2426

USBOTH USED OTHER DRG BEFORE TX AS MAIN DRG BEF

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	91.0	1,637	0	No
6.7	6.6	118	1	Yes
	2.4	44	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2427-2428

USBGINH NUMBER OF DAYS USED INHALANTS BEFORE TX

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	94.2	1,694	0	Did not use five times or more
0.9	0.9	16	1	1 day/month
2.5	2.5	45	2	2 to 5 days/month
0.3	0.3	6	3	6 to 10 days/month
0.4	0.4	8	4	11 to 20 days/month
0.4	0.4	7	5	21 to 31 days/month
0.5	0.5	9	6	Every day
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2429-2430

USBDALC NUMBER OF DAYS USED ALCOHOL BEFORE TX

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	10.3	185	0	Did not use five times or more
4.6	4.6	82	1	1 day/month
17.5	17.3	312	2	2 to 5 days/month
16.8	16.7	300	3	6 to 10 days/month
17.1	17.0	306	4	11 to 20 days/month
12.8	12.7	228	5	21 to 31 days/month
20.9	20.8	374	6	Every day
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2431-2432

USBDMAR	NUMBER OF DAYS USED MARIJUANA BEFORE TX			
---------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	42.6	766	0	Did not use five times or more
5.3	5.2	94	1	1 day/month
14.7	14.6	263	2	2 to 5 days/month
9.8	9.7	175	3	6 to 10 days/month
8.7	8.7	156	4	11 to 20 days/month
8.0	7.9	143	5	21 to 31 days/month
10.5	10.4	187	6	Every day
	0.8	15	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2433-2434

USBDCRK	NUMBER OF DAYS USED CRACK BEFORE TX			
---------	-------------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.5	71.3	1,282	0	Did not use five times or more
1.6	1.6	29	1	1 day/month
6.5	6.4	116	2	2 to 5 days/month
4.6	4.6	82	3	6 to 10 days/month
5.9	5.9	106	4	11 to 20 days/month
3.6	3.6	65	5	21 to 31 days/month
6.2	6.2	112	6	Every day
	0.4	7	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2435-2436

USBDCOC	NUMBER OF DAYS USED COCAINE BEFORE TX
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.4	55.1	991	0	Did not use five times or more
5.0	4.9	89	1	1 day/month
13.1	13.0	234	2	2 to 5 days/month
9.2	9.2	165	3	6 to 10 days/month
6.8	6.7	121	4	11 to 20 days/month
4.1	4.1	74	5	21 to 31 days/month
6.5	6.4	116	6	Every day
	0.5	9	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2437-2438

USBDCPC	NUMBER OF DAYS USED PCP BEFORE TX
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	94.9	1,707	0	Did not use five times or more
1.1	1.1	19	1	1 day/month
1.7	1.7	31	2	2 to 5 days/month
0.8	0.8	15	3	6 to 10 days/month
0.6	0.6	10	4	11 to 20 days/month
0.3	0.3	5	5	21 to 31 days/month
0.1	0.1	2	6	Every day
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2439-2440

USBDHAL	NUMBER OF DAYS USED HALLUCIN BEFORE TX			
---------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.7	85.9	1,545	0	Did not use five times or more
4.8	4.8	86	1	1 day/month
5.7	5.6	101	2	2 to 5 days/month
1.7	1.7	31	3	6 to 10 days/month
0.6	0.6	11	4	11 to 20 days/month
0.3	0.3	5	5	21 to 31 days/month
0.2	0.2	3	6	Every day
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2441-2442

USBDHER	NUMBER OF DAYS USED HEROIN BEFORE TX			
---------	--------------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.5	80.0	1,440	0	Did not use five times or more
1.3	1.3	23	1	1 day/month
2.1	2.1	38	2	2 to 5 days/month
2.0	2.0	36	3	6 to 10 days/month
2.0	1.9	35	4	11 to 20 days/month
2.1	2.1	37	5	21 to 31 days/month
10.1	10.0	180	6	Every day
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2443-2444

USBDMTH	NUMBER OF DAYS USED ILL METHAD BEFORE TX			
----------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	95.2	1,712	0	Did not use five times or more
0.6	0.6	10	1	1 day/month
1.8	1.8	33	2	2 to 5 days/month
1.0	0.9	17	3	6 to 10 days/month
0.4	0.4	8	4	11 to 20 days/month
0.1	0.1	1	5	21 to 31 days/month
0.3	0.3	6	6	Every day
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2445-2446

USBDNAR	NUMBER OF DAYS USED OTH NARCOTIC BEFORE			
----------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	89.4	1,608	0	Did not use five times or more
1.5	1.5	27	1	1 day/month
3.0	3.0	54	2	2 to 5 days/month
2.1	2.1	38	3	6 to 10 days/month
1.2	1.2	21	4	11 to 20 days/month
0.7	0.7	13	5	21 to 31 days/month
1.3	1.3	23	6	Every day
	0.8	15	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2447-2448

USBDAMP	NUMBER OF DAYS USED METHAMPHET BEFORE TX				
---------	--	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.1	84.6	1,522	0	Did not use five times or more
2.1	2.1	37	1	1 day/month
4.2	4.2	75	2	2 to 5 days/month
2.9	2.8	51	3	6 to 10 days/month
2.4	2.4	43	4	11 to 20 days/month
1.0	1.0	18	5	21 to 31 days/month
2.4	2.4	43	6	Every day
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2449-2450

USBDOWN	NUMBER OF DAYS USED DOWNERS BEFORE TX				
---------	---------------------------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.6	83.0	1,493	0	Did not use five times or more
1.9	1.9	34	1	1 day/month
6.2	6.1	110	2	2 to 5 days/month
3.5	3.5	63	3	6 to 10 days/month
2.0	2.0	36	4	11 to 20 days/month
1.0	0.9	17	5	21 to 31 days/month
1.8	1.8	33	6	Every day
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2451-2452

USAMAR	USED MARIJUANA AS MAIN DRG AFTER TX
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	59.1	1,064	0	No
40.0	39.5	710	1	Yes
	1.4	25	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2459-2460

USACRK	USED CRACK AS MAIN DRG AFTER TX
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.6	76.0	1,368	0	No
23.4	23.2	418	1	Yes
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2461-2462

USACOC	USED COCAINE AS MAIN DRG AFTER TX
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.9	74.5	1,341	0	No
25.1	25.0	449	1	Yes
	0.5	9	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2463-2464

USAMTH	USED ILLEGAL METHADONE AS MAIN DRG AFTER
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	96.3	1,733	0	No
3.1	3.1	56	1	Yes
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2471-2472

USANAR	USED OTHER NARCOTICS AS MAIN DRG AFTER T
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	92.8	1,670	0	No
6.5	6.4	116	1	Yes
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2473-2474

USAAMP	USED METHAMPHETAMINE AS MAIN DRG AFTER T
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	91.4	1,644	0	No
7.7	7.6	137	1	Yes
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2475-2476

USADWN USED DOWNERS AS MAIN DRG AFTER TX

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.4	90.5	1,628	0	No
8.6	8.6	154	1	Yes
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2477-2478

USAOTH USED OTHER DRUG AS MAIN DRG AFTER TX

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	94.2	1,694	0	No
3.5	3.4	61	1	Yes
	2.4	44	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2479-2480

USADINH NUMBER OF DAYS USED INHALANTS AFTER TX

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	97.0	1,745	0	Did not use five times or more
0.6	0.6	10	1	1 day/month
0.8	0.8	14	2	2 to 5 days/month
0.3	0.3	5	3	6 to 10 days/month
0.2	0.2	4	4	11 to 20 days/month
0.1	0.1	1	5	21 to 31 days/month
0.2	0.2	3	6	Every day
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2481-2482

USADALC	NUMBER OF DAYS USED ALCOHOL AFTER TX			
---------	--------------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.1	23.8	429	0	Did not use five times or more
7.5	7.4	134	1	1 day/month
20.4	20.2	363	2	2 to 5 days/month
14.7	14.6	262	3	6 to 10 days/month
13.9	13.7	247	4	11 to 20 days/month
8.0	7.9	143	5	21 to 31 days/month
11.4	11.3	203	6	Every day
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2483-2484

USADMAR	NUMBER OF DAYS USED MARIJUANA AFTER TX			
---------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.2	59.1	1,064	0	Did not use five times or more
6.7	6.6	119	1	1 day/month
12.3	12.1	218	2	2 to 5 days/month
6.6	6.5	117	3	6 to 10 days/month
6.1	6.0	108	4	11 to 20 days/month
3.7	3.7	66	5	21 to 31 days/month
4.2	4.2	75	6	Every day
	1.8	32	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2485-2486

USADCRK	NUMBER OF DAYS USED CRACK AFTER TX
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.6	76.0	1,368	0	Did not use five times or more
3.1	3.1	56	1	1 day/month
5.8	5.7	103	2	2 to 5 days/month
4.1	4.1	73	3	6 to 10 days/month
4.2	4.2	75	4	11 to 20 days/month
2.2	2.2	39	5	21 to 31 days/month
4.0	4.0	72	6	Every day
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2487-2488

USADCOC	NUMBER OF DAYS USED COCAINE AFTER TX
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.1	74.5	1,341	0	Did not use five times or more
3.8	3.7	67	1	1 day/month
7.7	7.6	137	2	2 to 5 days/month
4.4	4.4	79	3	6 to 10 days/month
3.6	3.6	64	4	11 to 20 days/month
2.1	2.1	37	5	21 to 31 days/month
3.4	3.4	61	6	Every day
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2489-2490

USADPCP	NUMBER OF DAYS USED PCP AFTER TX			
---------	----------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	97.3	1,751	0	Did not use five times or more
0.6	0.6	11	1	1 day/month
0.6	0.6	11	2	2 to 5 days/month
0.2	0.2	3	3	6 to 10 days/month
0.1	0.1	2	4	11 to 20 days/month
0.1	0.1	1	5	21 to 31 days/month
0.1	0.1	2	6	Every day
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2491-2492

USADHAL	NUMBER OF DAYS USED HALLUCIN AFTER TX			
---------	---------------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	93.5	1,682	0	Did not use five times or more
2.5	2.4	44	1	1 day/month
1.5	1.4	26	2	2 to 5 days/month
0.8	0.8	14	3	6 to 10 days/month
0.3	0.3	5	4	11 to 20 days/month
0.3	0.3	5	5	21 to 31 days/month
0.1	0.1	1	6	Every day
	1.2	22	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2493-2494

USADHER	NUMBER OF DAYS USED HEROIN AFTER TX
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.8	83.1	1,495	0	Did not use five times or more
1.3	1.3	24	1	1 day/month
2.5	2.4	44	2	2 to 5 days/month
1.7	1.7	30	3	6 to 10 days/month
1.6	1.6	29	4	11 to 20 days/month
2.2	2.2	40	5	21 to 31 days/month
6.8	6.8	122	6	Every day
	0.8	15	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2495-2496

USADMTH	NUMBER OF DAYS USED ILL METHAD AFTER TX
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	96.3	1,733	0	Did not use five times or more
0.5	0.5	9	1	1 day/month
1.2	1.2	21	2	2 to 5 days/month
0.8	0.8	15	3	6 to 10 days/month
0.4	0.4	7	4	11 to 20 days/month
0.1	0.1	1	5	21 to 31 days/month
0.1	0.1	1	6	Every day
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2497-2498

USADNAR	NUMBER OF DAYS USED OTH NARCOTIC AFTER
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	92.8	1,670	0	Did not use five times or more
1.0	1.0	18	1	1 day/month
2.1	2.1	38	2	2 to 5 days/month
1.5	1.5	27	3	6 to 10 days/month
0.6	0.6	10	4	11 to 20 days/month
0.4	0.4	7	5	21 to 31 days/month
0.9	0.9	16	6	Every day
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2499-2500

USADAMP	NUMBER OF DAYS USED METHAMPHET AFTER TX
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	91.4	1,645	0	Did not use five times or more
1.1	1.1	20	1	1 day/month
2.5	2.4	44	2	2 to 5 days/month
1.3	1.3	24	3	6 to 10 days/month
1.3	1.3	23	4	11 to 20 days/month
0.6	0.6	11	5	21 to 31 days/month
0.8	0.8	14	6	Every day
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2501-2502

USADDWN NUMBER OF DAYS USED DOWNERS AFTER TX

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.4	90.5	1,628	0	Did not use five times or more
0.8	0.8	14	1	1 day/month
3.6	3.6	65	2	2 to 5 days/month
1.8	1.8	32	3	6 to 10 days/month
1.0	1.0	18	4	11 to 20 days/month
0.4	0.4	7	5	21 to 31 days/month
1.0	1.0	18	6	Every day
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2503-2504

USADOTH NUMBER OF DAYS USED OTHER DRG AFTER TX

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	94.2	1,694	0	Did not use five times or more
0.5	0.5	9	1	1 day/month
1.1	1.1	19	2	2 to 5 days/month
0.6	0.6	10	3	6 to 10 days/month
0.5	0.4	8	4	11 to 20 days/month
0.1	0.1	2	5	21 to 31 days/month
0.7	0.7	13	6	Every day
	2.4	44	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2505-2506

USYINH USED INHALANTS YR BEFORE INTERVIEW

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	98.6	1,773	0	No
0.6	0.6	10	1	Yes
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2507-2508

USYALC	USED ALCOHOL YR BEFORE INTERVIEW			
---------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.6	45.4	816	0	No
54.4	54.1	974	1	Yes
	0.5	9	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2509-2510

USYMAR	USED MARIJUANA YR BEFORE INTERVIEW			
---------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.3	74.2	1,334	0	No
24.7	24.3	438	1	Yes
	1.5	27	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2511-2512

USYCRK	USED CRACK YR BEFORE INTERVIEW			
---------------	---------------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.1	87.5	1,574	0	No
11.9	11.8	213	1	Yes
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2513-2514

USYCOC	USED COCAINE YR BEFORE INTERVIEW
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	89.9	1,617	0	No
9.6	9.6	172	1	Yes
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2515-2516

USYPCP	USED PCP YR BEFORE INTERVIEW
---------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	98.7	1,776	0	No
0.3	0.3	5	1	Yes
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2517-2518

USYHAL	USED HALLUCIN YR BEFORE INTERVIEW
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	97.8	1,759	0	No
1.1	1.1	19	1	Yes
	1.2	21	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2519-2520

USYHER	USED HEROIN YR BEFORE INTERVIEW			
---------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	90.4	1,627	0	No
9.0	8.9	160	1	Yes
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2521-2522

USYMTH	USED ILL METHAD YR BEFORE INTERVIEW			
---------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	98.4	1,771	0	No
1.0	0.9	17	1	Yes
	0.6	11	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2523-2524

USYNAR	USED OTH NARCOTIC YR BEF INTERVIEW			
---------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	97.1	1,747	0	No
2.2	2.2	39	1	Yes
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2525-2526

USYAMP	USED METHAMPHET YR BEFORE INTERVIEW
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	96.2	1,731	0	No
2.9	2.8	51	1	Yes
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2527-2528

USYDWN	USED DOWNERS YR BEFORE INTERVIEW
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	95.2	1,713	0	No
4.0	3.9	71	1	Yes
	0.8	15	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2529-2530

USYOTH	USED OTHER DRG YR BEFORE INTERVIEW
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	95.8	1,724	0	No
1.8	1.7	31	1	Yes
	2.4	44	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2531-2532

USYDINH	# OF DAYS USED INHALANTS YR BEFORE INT				
---------	--	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	98.6	1,774	0	Did not use five times or more
0.2	0.2	3	1	1 day/month
0.1	0.1	2	2	2 to 5 days/month
0.1	0.1	1	4	11 to 20 days/month
0.1	0.1	2	5	21 to 31 days/month
0.1	0.1	1	6	Every day
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2533-2534

USYDALC	# OF DAYS USED ALCOHOL YR BEFORE INT				
---------	--------------------------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.3	45.8	824	0	Did not use five times or more
5.3	5.3	95	1	1 day/month
16.1	16.0	287	2	2 to 5 days/month
11.2	11.1	199	3	6 to 10 days/month
9.2	9.1	164	4	11 to 20 days/month
5.8	5.8	104	5	21 to 31 days/month
6.0	5.9	107	6	Every day
	1.1	19	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2535-2536

USYDMAR	# OF DAYS USED MARIJUANA YR BEFORE INT
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.7	74.4	1,338	0	Did not use five times or more
3.4	3.3	60	1	1 day/month
8.8	8.7	156	2	2 to 5 days/month
4.1	4.1	73	3	6 to 10 days/month
3.3	3.2	58	4	11 to 20 days/month
2.8	2.8	50	5	21 to 31 days/month
1.9	1.8	33	6	Every day
	1.7	31	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2537-2538

USYDCRK	# OF DAYS USED CRACK YR BEFORE INT
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.3	87.6	1,576	0	Did not use five times or more
1.0	0.9	17	1	1 day/month
3.5	3.4	62	2	2 to 5 days/month
2.0	2.0	36	3	6 to 10 days/month
2.0	1.9	35	4	11 to 20 days/month
1.8	1.8	32	5	21 to 31 days/month
1.5	1.5	27	6	Every day
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2539-2540

USYDCOC	# OF DAYS USED COCAINE YR BEFORE INT			
---------	--------------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	89.9	1,618	0	Did not use five times or more
1.4	1.4	25	1	1 day/month
3.0	2.9	53	2	2 to 5 days/month
1.3	1.3	23	3	6 to 10 days/month
1.6	1.6	28	4	11 to 20 days/month
1.2	1.2	22	5	21 to 31 days/month
1.0	0.9	17	6	Every day
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2541-2542

USYDPCP	# OF DAYS USED PCP YR BEFORE INT			
---------	----------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	98.7	1,776	0	Did not use five times or more
0.1	0.1	1	1	1 day/month
0.1	0.1	2	2	2 to 5 days/month
0.1	0.1	1	3	6 to 10 days/month
0.1	0.1	1	5	21 to 31 days/month
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2543-2544

USYDHAL	# OF DAYS USED HALLUCIN YR BEFORE INT
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	97.8	1,759	0	Did not use five times or more
0.4	0.4	8	1	1 day/month
0.4	0.4	8	2	2 to 5 days/month
0.1	0.1	1	3	6 to 10 days/month
0.1	0.1	1	4	11 to 20 days/month
0.1	0.1	1	5	21 to 31 days/month
	1.2	21	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2545-2546

USYDHER	# OF DAYS USED HEROIN YR BEFORE INT
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	90.4	1,627	0	Did not use five times or more
0.6	0.6	10	1	1 day/month
1.8	1.8	33	2	2 to 5 days/month
1.0	0.9	17	3	6 to 10 days/month
0.7	0.7	12	4	11 to 20 days/month
1.3	1.3	24	5	21 to 31 days/month
3.5	3.4	62	6	Every day
	0.8	14	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2547-2548

USYDMTH	# OF DAYS USED ILL METHAD YR BEFORE INT			
---------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	98.4	1,771	0	Did not use five times or more
0.2	0.2	3	1	1 day/month
0.3	0.3	6	2	2 to 5 days/month
0.2	0.2	4	3	6 to 10 days/month
0.1	0.1	2	4	11 to 20 days/month
0.1	0.1	1	6	Every day
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2549-2550

USYDNAR	# OF DAYS USED OTH NARCOTIC YR BEF INT			
---------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	97.2	1,748	0	Did not use five times or more
0.1	0.1	2	1	1 day/month
0.7	0.7	12	2	2 to 5 days/month
0.6	0.6	10	3	6 to 10 days/month
0.3	0.3	5	4	11 to 20 days/month
0.2	0.2	4	5	21 to 31 days/month
0.3	0.3	5	6	Every day
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2551-2552

USYDAMP	# OF DAYS USED METHAMPHET YR BEFORE INT			
----------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	96.3	1,732	0	Did not use five times or more
0.6	0.6	11	1	1 day/month
1.1	1.1	19	2	2 to 5 days/month
0.3	0.3	6	3	6 to 10 days/month
0.3	0.3	6	4	11 to 20 days/month
0.2	0.2	4	5	21 to 31 days/month
0.2	0.2	4	6	Every day
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2553-2554

USYDDWN	# OF DAYS USED DOWNERS YR BEFORE INT			
----------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	95.2	1,713	0	Did not use five times or more
0.3	0.3	5	1	1 day/month
1.5	1.4	26	2	2 to 5 days/month
0.6	0.6	10	3	6 to 10 days/month
0.6	0.6	10	4	11 to 20 days/month
0.4	0.4	7	5	21 to 31 days/month
0.7	0.7	12	6	Every day
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2555-2556

USYDOTH	# OF DAYS USED OTHER DRG YR BEFORE INT				
---------	--	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	95.8	1,724	0	Did not use five times or more
0.2	0.2	4	1	1 day/month
0.3	0.3	5	2	2 to 5 days/month
0.3	0.3	6	3	6 to 10 days/month
0.2	0.2	4	4	11 to 20 days/month
0.1	0.1	2	5	21 to 31 days/month
0.6	0.6	10	6	Every day
	2.4	44	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2557-2558

USNINH	ANY MONTHS NOT USED INHALANTS YR BEF INT				
--------	--	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	99.8	1,796	0	No
0.1	0.1	2	1	Yes
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2559-2560

USNALC	ANY MONTHS NOT USED ALCOHOL YR BEF INT				
--------	--	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	75.9	1,365	0	No
23.7	23.6	424	1	Yes
	0.6	10	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2561-2562

USNMAR ANY MONTHS NOT USED MARIJUANA YR BEF INT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	90.7	1,631	0	No
9.1	9.1	163	1	Yes
	0.3	5	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2563-2564

USNCRK ANY MONTHS NOT USED CRACK YR BEF INT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	94.1	1,693	0	No
5.7	5.7	102	1	Yes
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2565-2566

USNCOC ANY MONTHS NOT USED COCAINE YR BEF INT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	94.3	1,696	0	No
5.5	5.5	99	1	Yes
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2567-2568

USNPCP	ANY MONTHS NOT USED PCP YR BEF INT
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	99.8	1,795	0	No
0.1	0.1	1	1	Yes
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2569-2570

USNHAL	ANY MONTHS NOT USED HALLUCIN YR BEF INT
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	99.7	1,793	0	No
0.3	0.3	5	1	Yes
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2571-2572

USNHER	ANY MONTHS NOT USED HEROIN YR BEF INT
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	94.5	1,700	0	No
5.4	5.4	97	1	Yes
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2573-2574

USNMTH ANY MONTHS NOT USED ILL METHD YR BEF INT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	99.7	1,794	0	No
0.2	0.2	4	1	Yes
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2575-2576

USNNAR ANY MONTHS NOT USED OTH NARCOTC YR BEF I

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	99.4	1,788	0	No
0.5	0.5	9	1	Yes
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2577-2578

USNAMP ANY MONTHS NOT USED METHAMPHT YR BEF INT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	98.8	1,777	0	No
1.1	1.1	20	1	Yes
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2579-2580

USNDWN	ANY MONTHS NOT USED DOWNERS YR BEF INT			
---------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	99.1	1,782	0	No
0.8	0.8	14	1	Yes
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2581-2582

USNOTH	ANY MONTHS NOT USED OTHER DRG YR BEF INT			
---------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	99.2	1,784	0	No
0.6	0.6	11	1	Yes
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2583-2584

USNMINH	# MONTHS NOT USED INHALANTS YR BEF INT			
----------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	2	2 to 3 months
50.0	0.1	1	3	4 to 5 months
	99.8	1,796	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2585-2586

USNMALC	# MONTHS NOT USED ALCOHOL YR BEF INT
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	2.7	49	1	1 month
28.8	6.6	119	2	2 to 3 months
22.8	5.2	94	3	4 to 5 months
22.0	5.1	91	4	6 to 8 months
14.5	3.3	60	5	9 or more months
	76.1	1,369	-6	LEGITIMATE SKIP
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2587-2588

USNMMAR	# MONTHS NOT USED MARIJUANA YR BEF INT
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	0.7	13	1	1 month
23.9	2.1	38	2	2 to 3 months
22.6	2.0	36	3	4 to 5 months
27.7	2.4	44	4	6 to 8 months
17.6	1.6	28	5	9 or more months
	90.7	1,631	-6	LEGITIMATE SKIP
	0.5	9	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2589-2590

USNMCRK	# MONTHS NOT USED CRACK YR BEF INT				
---------	------------------------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	0.9	16	1	1 month
20.8	1.2	21	2	2 to 3 months
18.8	1.1	19	3	4 to 5 months
23.8	1.3	24	4	6 to 8 months
20.8	1.2	21	5	9 or more months
	94.1	1,693	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2591-2592

USNMCOC	# MONTHS NOT USED COCAINE YR BEF INT				
---------	--------------------------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	0.3	5	1	1 month
26.5	1.4	26	2	2 to 3 months
19.4	1.1	19	3	4 to 5 months
27.6	1.5	27	4	6 to 8 months
21.4	1.2	21	5	9 or more months
	94.3	1,696	-6	LEGITIMATE SKIP
	0.3	5	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2593-2594

USNMPCP	# MONTHS NOT USED PCP YR BEF INT				
---------	----------------------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.8	1,795	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2595-2596

USNMHAL # MONTHS NOT USED HALLUCIN YR BEF INT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.1	2	2	2 to 3 months
20.0	0.1	1	3	4 to 5 months
20.0	0.1	1	4	6 to 8 months
20.0	0.1	1	5	9 or more months
	99.7	1,793	-6	LEGITIMATE SKIP
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2597-2598

USNMHER # MONTHS NOT USED HEROIN YR BEF INT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	0.4	7	1	1 month
26.3	1.4	25	2	2 to 3 months
23.2	1.2	22	3	4 to 5 months
32.6	1.7	31	4	6 to 8 months
10.5	0.6	10	5	9 or more months
	94.5	1,700	-6	LEGITIMATE SKIP
	0.2	4	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2599-2600

USNMMTH # MONTHS NOT USED ILL METHAD YR BEF INT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	1	1 month
33.3	0.1	1	2	2 to 3 months
33.3	0.1	1	4	6 to 8 months
	99.7	1,794	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2601-2602

USNMNAR	# MONTHS NOT USED OTH NARCOTIC YR BEF I				
---------	---	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.1	1	1	1 month
22.2	0.1	2	2	2 to 3 months
33.3	0.2	3	3	4 to 5 months
11.1	0.1	1	4	6 to 8 months
22.2	0.1	2	5	9 or more months
	99.4	1,788	-6	LEGITIMATE SKIP
	0.1	2	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2603-2604

USNMAMP	# MONTHS NOT USED METHAMPHET YR BEF INT				
---------	---	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	0.2	3	2	2 to 3 months
15.8	0.2	3	3	4 to 5 months
26.3	0.3	5	4	6 to 8 months
42.1	0.4	8	5	9 or more months
	98.8	1,777	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2605-2606

USNMDWN	# MONTHS NOT USED DOWNERS YR BEF INT				
---------	--------------------------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	0.3	5	2	2 to 3 months
28.6	0.2	4	3	4 to 5 months
21.4	0.2	3	4	6 to 8 months
14.3	0.1	2	5	9 or more months
	99.1	1,782	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2607-2608

USNMOTH	# MONTHS NOT USED OTHER DRG YR BEF INT
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.1	1	1	1 month
16.7	0.1	2	2	2 to 3 months
25.0	0.2	3	3	4 to 5 months
16.7	0.1	2	4	6 to 8 months
33.3	0.2	4	5	9 or more months
	99.2	1,784	-6	LEGITIMATE SKIP
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2609-2610

USMINH	# OF DAYS USED INHALANTS MO BEFORE INT
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	98.9	1,779	0	Did not use five times or more
0.1	0.1	1	1	1 day/month
0.1	0.1	2	2	2 to 5 days/month
0.1	0.1	1	6	Every day
	0.9	16	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2611-2612

USMALC	# OF DAYS USED ALCOHOL MO BEFORE INT			
--------	--------------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.9	58.3	1,049	0	Did not use five times or more
4.4	4.4	79	1	1 day/month
14.1	14.0	252	2	2 to 5 days/month
8.8	8.7	157	3	6 to 10 days/month
7.0	6.9	124	4	11 to 20 days/month
3.2	3.2	57	5	21 to 31 days/month
3.6	3.6	64	6	Every day
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2613-2614

USMMAR	# OF DAYS USED MARIJUANA MO BEFORE INT			
--------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.9	81.4	1,464	0	Did not use five times or more
3.3	3.2	58	1	1 day/month
6.3	6.2	112	2	2 to 5 days/month
3.0	2.9	53	3	6 to 10 days/month
2.0	2.0	36	4	11 to 20 days/month
1.1	1.1	20	5	21 to 31 days/month
1.2	1.2	22	6	Every day
	1.9	34	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2615-2616

USMCRK	# OF DAYS USED CRACK MO BEFORE INT
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	93.2	1,677	0	Did not use five times or more
1.0	1.0	18	1	1 day/month
2.5	2.5	45	2	2 to 5 days/month
0.9	0.9	16	3	6 to 10 days/month
0.8	0.8	14	4	11 to 20 days/month
0.4	0.4	8	5	21 to 31 days/month
0.4	0.4	8	6	Every day
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2617-2618

USMCOC	# OF DAYS USED COCAINE MO BEFORE INT
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	94.6	1,701	0	Did not use five times or more
1.0	1.0	18	1	1 day/month
1.7	1.7	31	2	2 to 5 days/month
0.6	0.6	10	3	6 to 10 days/month
0.8	0.8	14	4	11 to 20 days/month
0.4	0.4	8	5	21 to 31 days/month
0.3	0.3	5	6	Every day
	0.7	12	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2619-2620

USMPCP	# OF DAYS USED PCP MO BEFORE INT			
---------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	98.9	1,779	0	Did not use five times or more
0.1	0.1	1	2	2 to 5 days/month
0.1	0.1	1	4	11 to 20 days/month
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2621-2622

USMHAL	# OF DAYS USED HALLUCIN MO BEFORE INT			
---------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	98.3	1,769	0	Did not use five times or more
0.2	0.2	4	1	1 day/month
0.1	0.1	2	2	2 to 5 days/month
0.1	0.1	1	3	6 to 10 days/month
0.1	0.1	1	5	21 to 31 days/month
	1.2	22	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2623-2624

USMHER	# OF DAYS USED HEROIN MO BEFORE INT			
---------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	94.3	1,696	0	Did not use five times or more
0.3	0.3	5	1	1 day/month
1.2	1.2	22	2	2 to 5 days/month
0.6	0.6	11	3	6 to 10 days/month
0.7	0.7	12	4	11 to 20 days/month
1.1	1.1	20	5	21 to 31 days/month
1.1	1.1	20	6	Every day
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2625-2626

USMMTH	# OF DAYS USED ILL METHAD MO BEFORE INT			
---------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	99.2	1,784	0	Did not use five times or more
0.1	0.1	1	3	6 to 10 days/month
0.1	0.1	2	4	11 to 20 days/month
0.1	0.1	1	6	Every day
	0.6	11	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2627-2628

USMNAR	# OF DAYS USED OTH NARCOTIC MO BEF INT				
--------	--	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	98.3	1,768	0	Did not use five times or more
0.1	0.1	2	1	1 day/month
0.2	0.2	4	2	2 to 5 days/month
0.2	0.2	3	3	6 to 10 days/month
0.3	0.3	5	4	11 to 20 days/month
0.1	0.1	2	5	21 to 31 days/month
0.1	0.1	2	6	Every day
	0.7	13	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2629-2630

USMAMP	# OF DAYS USED METHAMPHET MO BEFORE INT				
--------	---	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	98.1	1,764	0	Did not use five times or more
0.2	0.2	4	1	1 day/month
0.3	0.3	5	2	2 to 5 days/month
0.2	0.2	4	3	6 to 10 days/month
0.1	0.1	2	4	11 to 20 days/month
0.1	0.1	1	5	21 to 31 days/month
0.1	0.1	2	6	Every day
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2631-2632

USMDWN	# OF DAYS USED DOWNERS MO BEFORE INT
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	97.2	1,748	0	Did not use five times or more
0.4	0.4	7	1	1 day/month
0.5	0.5	9	2	2 to 5 days/month
0.1	0.1	2	3	6 to 10 days/month
0.1	0.1	1	4	11 to 20 days/month
0.3	0.3	5	5	21 to 31 days/month
0.5	0.5	9	6	Every day
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2633-2634

USMOTH	# OF DAYS USED OTHER DRG MO BEFORE INT
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	96.8	1,741	0	Did not use five times or more
0.2	0.2	3	2	2 to 5 days/month
0.1	0.1	2	3	6 to 10 days/month
0.2	0.2	3	4	11 to 20 days/month
0.4	0.4	7	6	Every day
	2.4	43	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2635-2636

USBSEC	USED ANY LESS COMMON DRUG BEF TX
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.7	61.6	1,108	0	No
38.3	38.2	688	1	Yes
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2637-2638

USASEC	USED ANY LESS COMMON DRUG AFT TX			
---------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.8	76.7	1,379	0	No
23.2	23.2	417	1	Yes
	0.2	3	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2639-2640

USBANY	USED ANY ILLICIT DRUG (NOT ALC) BEF TX			
---------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	22.2	399	0	No
77.8	77.8	1,400	1	Yes
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2641-2642

USAANY	USED ANY ILLICIT DRUG (NOT ALC) AFT TX			
---------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	38.4	690	0	No
61.6	61.6	1,109	1	Yes
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2643-2644

RACE	RACE AND HISPANIC ORIGIN OF CLIENT			
-------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.2	61.2	1,101	1	White (non-Hispanic)
27.8	27.7	499	2	Black (non-Hispanic)
7.6	7.6	137	3	Hispanic
3.4	3.4	61	4	Other
	0.1	1	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2653-2654

DISAGE	AGE AT TIME OF DISCHARGE (IN YEARS)			
---------------	--	--	--	--

1,799 cases (Range of valid codes: 1-75)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2655-2656

DISAGE2	AGE AT TIME OF DISCHARGE (4 CATEGS)			
----------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	8.7	156	1	Less than 18
37.5	37.5	674	2	18 to 29
36.7	36.7	660	3	30 to 39
17.2	17.2	309	4	40 or older
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2657-2658

PRETRT	# OF PREVIOUS TREAT EPISODES (3 CATS)
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.2	54.7	984	1	0
31.0	30.7	553	2	1 to 2
13.7	13.6	244	3	3 or more
	1.0	18	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2659-2660

COMPTRT	COMPLETED TREATMENT (YES/NO)
----------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.1	66.1	1,190	1	Yes
29.9	28.2	507	2	No
	5.7	102	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2661-2662

AFTTRT	ADDITIONAL TREAT AFTER TX (YES/NO)
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	52.4	943	1	Yes
47.1	46.6	839	2	No
	0.9	17	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2663-2664

HELPTRT	CLIENT THOUGHT TX HELPFUL (YES/NO)			
----------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	42.2	759	1	Very helpful
56.3	54.3	977	2	Somewhat/not helpful
	3.5	63	-3	MISSING
-----	-----	-----		
100.0	100.0	1,799	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2665-2666