



## **Treatment Episode Data Set -- Discharges (TEDS-D), 2008**

*United States Department of Health and  
Human Services. Substance Abuse and  
Mental Health Services Administration.  
Office of Applied Studies*

Codebook



is sponsored by



**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES**  
Substance Abuse and Mental Health Services Administration  
Office of Applied Studies  
[www.samhsa.gov](http://www.samhsa.gov)

# Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

## Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA ([samhda-support@samhsa.hhs.gov](mailto:samhda-support@samhsa.hhs.gov))

## Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

---

## Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

## Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

## Definitions

### CBHSQ

Center for Behavioral Health Statistics and Quality

### Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

### Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

### SAMHDA

Substance Abuse and Mental Health Data Archive

### SAMHSA

Substance Abuse and Mental Health Services Administration

## **Information about Copyrighted Content**

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### **NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## **TREATMENT EPISODE DATA SET – DISCHARGES CODEBOOK, 2008**

### **Introduction**

This codebook is for the Treatment Episode Data Set – Discharges (TEDS-D) for discharges from substance abuse treatment occurring in 2008. TEDS-D provides information on treatment completion, length of stay in treatment, and demographic and substance abuse characteristics of approximately 1.5 million discharges from alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D is more recently begun, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

Variables included in the discharge record include the same variables as the admissions data. Additionally, TEDS-D includes the following:

- Type of service at discharge;
- Length of stay; and
- Reason for discharge or discontinuation of service.

A full list of the variables can be viewed in the Variable Information and Frequency section of this codebook.

This codebook provides background and descriptive information for the TEDS-D public-use files, limitations of the data, and frequencies. References detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in

reporting practices, are available. Users may refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

## **Data Collection**

The [Treatment Episode Data Set State Instruction Manual - Discharge Data](#) is available from the SAMHSA Web site and provides complete instructions on how the TEDS-D data are processed and submitted by the states.

## **Confidentiality Protection**

Several measures were taken to protect the confidentiality of the TEDS-D records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent's record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-D cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

## **Universe**

The universe for TEDS-D is discharges in calendar year 2008 that were received and processed through October 10, 2011. These discharges were linked to either new admissions or transfers to treatment in another service type.

## **Coverage**

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly-funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly-funded is unknown.<sup>1</sup>

## **Data Limitations**

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by Federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus the TEDS does not include early intervention programs; these are considered to be prevention

<sup>1</sup> Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services*. DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.<sup>2</sup>

Limitations to be kept in mind while analyzing TEDS data include:

- The TEDS is an admission-based system, and therefore TEDS admissions and discharges do not represent individuals. For example, an individual admitted to and discharged from treatment twice within a calendar year would be counted as two admissions and two discharges.
- The data presented in this report provide information on treatment in specific service types, derived from linked pairs of admission/discharge records. The data do not necessarily represent complete treatment episodes, which may include stays in multiple types of service and would require analysis of series of linked pairs of records.
- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.

<sup>2</sup> Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services*. DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.



- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

## Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).

do if (STFIPS eq 2).
  compute AKSTATE=1.
else.
  compute AKSTATE=2.
end if.

variable labels  AKSTATE "ALASKA STATE INDICATOR".

value labels  AKSTATE  1 "ALASKA"  2 "ALL OTHER STATES".

format AKSTATE (f1.0).
```

## Contents of Public-Use Files

The TEDS public-use file contains discharge data for 44 states plus the District of Columbia and Puerto Rico. The following states did not report usable data for the year 2008: Alabama, Georgia, Mississippi, New Mexico, Pennsylvania, and West Virginia.

The TEDS Discharge public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands

are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file. The number of observations and variables for 2008 are as follows:

Filename: da29901-0001.txt

Number of observations: 1,677,937

Number of variables: 65

Records per case: 1

Logical record length: 127

### **User Responsibility**

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

### **Publications**

Substance Abuse and Mental Health Services Administration, Center for Behavioral Health Statistics and Quality. *Treatment Episode Data Set (TEDS): 2008. [Discharges](#) from Substance Abuse Treatment Services*. DASIS Series: S-56, DHHS Publication No. (SMA) 11-4628, Rockville MD, 2010.

The Center for Behavioral Health Statistics and Quality has other published [TEDS reports](#) on the SAMHSA Web site.

# **Treatment Episode Data Set -- Discharges (TEDS-D), 2008**

## **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

## Treatment Episode Data Set -- Discharges (TEDS-D), 2008

### Variable Groups

#### Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
<a href="#">IDENTIFICATION</a>	IDENTIFICATION	8
<a href="#">CLIENT CHARACTERISTICS</a>	CLIENT CHARACTERISTICS	8
<a href="#">GEOGRAPHIC</a>	GEOGRAPHIC	9
<a href="#">TREATMENT SERVICE CHARACTERISTICS</a>	TREATMENT SERVICE CHARACTERISTICS	9
<a href="#">REFERRAL SOURCES</a>	REFERRAL SOURCES	9
<a href="#">PRIOR SUBSTANCE ABUSE TREATMENT</a>	PRIOR SUBSTANCE ABUSE TREATMENT	9
<a href="#">SUBSTANCES OF ABUSE: ORIGINAL VARIABLES</a>	SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	9
<a href="#">SUBSTANCES OF ABUSE: CREATED VARIABLES</a>	SUBSTANCES OF ABUSE: CREATED VARIABLES	10
<a href="#">MENTAL HEALTH</a>	MENTAL HEALTH	10
<a href="#">INSURANCE/PAYMENT</a>	INSURANCE/PAYMENT	11

#### IDENTIFICATION

#### IDENTIFICATION

##### *Variables within this Variable Group*

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">CASEID</a>	CASE IDENTIFICATION NUMBER	11
<a href="#">DISYR</a>	YEAR OF DISCHARGE	11

#### CLIENT CHARACTERISTICS

#### CLIENT CHARACTERISTICS

##### *Variables within this Variable Group*

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">AGE</a>	AGE (RECODED)	11
<a href="#">GENDER</a>	SEX	12
<a href="#">RACE</a>	RACE	12
<a href="#">ETHNIC</a>	ETHNICITY (HISPANIC ORIGIN)	13
<a href="#">MARSTAT</a>	MARITAL STATUS	14
<a href="#">EDUC</a>	EDUCATION	15
<a href="#">EMPLOY</a>	EMPLOYMENT STATUS	15
<a href="#">DET NFL</a>	DETAILED 'NOT IN LABOR FORCE' CATEGORY	16
<a href="#">PREG</a>	PREGNANT AT TIME OF ADMISSION	16
<a href="#">VET</a>	VETERAN STATUS	17
<a href="#">LIVARAG</a>	LIVING ARRANGEMENTS	17

Variables within this Variable Group		
Variable	Variable Label	Page
<a href="#">PRIMINC</a>	SOURCE OF INCOME/SUPPORT	18
<a href="#">ARRESTS</a>	NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION	18

## GEOGRAPHIC

## GEOGRAPHIC

Variables within this Variable Group		
Variable	Variable Label	Page
<a href="#">STFIPS</a>	CENSUS STATE FIPS CODE	19
<a href="#">CBSA</a>	FIPS 2000 CBSA CODE	20
<a href="#">PMSA</a>	FIPS 1990 MSA CODE	27
<a href="#">REGION</a>	CENSUS REGION	34
<a href="#">DIVISION</a>	CENSUS DIVISION	35

## TREATMENT SERVICE CHARACTERISTICS

## TREATMENT SERVICE CHARACTERISTICS

Variables within this Variable Group		
Variable	Variable Label	Page
<a href="#">SERVSETD</a>	SERVICE SETTING AT DISCHARGE	36
<a href="#">METHUSE</a>	MEDICATION-ASSISTED OPIOID THERAPY	37
<a href="#">DAYWAIT</a>	DAYS WAITING TO ENTER TREATMENT	38
<a href="#">REASON</a>	REASON FOR DISCHARGE	38
<a href="#">LOS</a>	LENGTH OF STAY	39

## REFERRAL SOURCES

## REFERRAL SOURCES

Variables within this Variable Group		
Variable	Variable Label	Page
<a href="#">PSOURCE</a>	PRINCIPAL SOURCE OF REFERRAL	41
<a href="#">DETCRIM</a>	DETAILED CRIMINAL JUSTICE REFERRAL	42

## PRIOR SUBSTANCE ABUSE TREATMENT

## PRIOR SUBSTANCE ABUSE TREATMENT

Variables within this Variable Group		
Variable	Variable Label	Page
<a href="#">NOPRIOR</a>	NUMBER OF PRIOR TREATMENT EPISODES	43

## SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

## SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

Variables within this Variable Group		
Variable	Variable Label	Page
<a href="#">SUB1</a>	SUBSTANCE PROBLEM CODE (PRIMARY)	43
<a href="#">ROUTE1</a>	USUAL ROUTE OF ADMINISTRATION (PRIMARY)	45
<a href="#">FREQ1</a>	FREQUENCY OF USE (PRIMARY)	46
<a href="#">FRSTUSE1</a>	AGE AT FIRST USE (PRIMARY)	46
<a href="#">SUB2</a>	SUBSTANCE PROBLEM CODE (SECONDARY)	46

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">ROUTE2</a>	USUAL ROUTE OF ADMINISTRATION (SECONDARY)	48
<a href="#">FREQ2</a>	FREQUENCY OF USE (SECONDARY)	49
<a href="#">FRSTUSE2</a>	AGE AT FIRST USE (SECONDARY)	49
<a href="#">SUB3</a>	SUBSTANCE PROBLEM CODE (TERTIARY)	50
<a href="#">ROUTE3</a>	USUAL ROUTE OF ADMINISTRATION (TERTIARY)	51
<a href="#">FREQ3</a>	FREQUENCY OF USE (TERTIARY)	52
<a href="#">FRSTUSE3</a>	AGE AT FIRST USE (TERTIARY)	52

**SUBSTANCES OF ABUSE:  
CREATED VARIABLES**

**SUBSTANCES OF ABUSE: CREATED VARIABLES**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">NUMSUBS</a>	NUMBER OF SUBSTANCES REPORTED AT ADM.	53
<a href="#">IDU</a>	CURRENT IV DRUG USE REPORTED AT ADM.	53
<a href="#">ALCFLG</a>	ALCOHOL REPORTED AT ADM.	53
<a href="#">COKEFLG</a>	COCAINE/CRACK REPORTED AT ADM.	53
<a href="#">MARFLG</a>	MARIJUANA/HASHISH REPORTED AT ADM.	54
<a href="#">HERFLG</a>	HEROIN REPORTED AT ADM.	54
<a href="#">METHFLG</a>	NON-RX METHADONE REPORTED AT ADM.	54
<a href="#">OPSYNFLG</a>	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.	54
<a href="#">PCPFLG</a>	PCP REPORTED AT ADM.	55
<a href="#">HALLFLG</a>	OTHER HALLUCINOGENS REPORTED AT ADM.	55
<a href="#">MTHAMFLG</a>	METHAMPHETAMINE REPORTED AT ADM.	55
<a href="#">AMPHFLG</a>	OTHER AMPHETAMINES REPORTED AT ADM.	55
<a href="#">STIMFLG</a>	OTHER STIMULANTS REPORTED AT ADM.	56
<a href="#">BENZFLG</a>	BENZODIAZEPINES REPORTED AT ADM.	56
<a href="#">TRNQFLG</a>	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.	56
<a href="#">BARBFLG</a>	BARBITURATES REPORTED AT ADM.	56
<a href="#">SEDHPFLG</a>	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.	57
<a href="#">INHFLG</a>	INHALANTS REPORTED AT ADM.	57
<a href="#">OTCFLG</a>	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.	57
<a href="#">OTHERFLG</a>	OTHER DRUG REPORTED AT ADM.	57
<a href="#">ALCDRUG</a>	SUBSTANCE ABUSE TYPE	58

**MENTAL HEALTH**

**MENTAL HEALTH**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">DSMCRIT</a>	DSM DIAGNOSIS	58
<a href="#">PSYPROB</a>	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM	59

INSURANCE/PAYMENT		INSURANCE/PAYMENT	
<i>Variables within this Variable Group</i>			
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>	
<a href="#">HLTHINS</a>	HEALTH INSURANCE	59	
<a href="#">PRIMPAY</a>	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT	60	

CASEID	CASE IDENTIFICATION NUMBER
--------	----------------------------

Location: 1-8 (width: 8; decimal: 0)

Variable Type: numeric

Based upon 1677937 valid cases out of 1677937 total cases.

DISYR	YEAR OF DISCHARGE
-------	-------------------

Location: 9-12 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Year of client's discharge from substance abuse treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2008	-	1677937	100.0 %	100.0%

Based upon 1677937 valid cases out of 1677937 total cases.

AGE	AGE (RECODED)
-----	---------------

Location: 13-14 (width: 2; decimal: 0)

Variable Type: numeric

Question: Calculated from date of birth and date of admission and categorized.

Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	12-14	19086	1.1 %	1.1%
3	15-17	104557	6.2 %	6.2%
4	18-20	106506	6.3 %	6.3%
5	21-24	192380	11.5 %	11.5%
6	25-29	242990	14.5 %	14.5%
7	30-34	188964	11.3 %	11.3%
8	35-39	200508	11.9 %	11.9%
9	40-44	218611	13.0 %	13.0%
10	45-49	198583	11.8 %	11.8%
11	50-54	120657	7.2 %	7.2%
12	55 AND OVER	85095	5.1 %	5.1%

Based upon 1677937 valid cases out of 1677937 total cases.

GENDER	SEX
--------	-----

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Identifies client's gender.

Value	Label	Unweighted Frequency	%	Valid %
1	MALE	1135647	67.7 %	67.7%
2	FEMALE	541989	32.3 %	32.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	301	0.0 %	-

Based upon 1677636 valid cases out of 1677937 total cases.

RACE	RACE
------	------

Location: 17-18 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies the client's race:

- ALASKA NATIVE (ALEUT, ESKIMO, INDIAN): Origins in any of the original people of Alaska.
- AMERICAN INDIAN (OTHER THAN ALASKA NATIVE): Origins in any of the original people of North America and South America (including Central America) and who maintain cultural identification through tribal affiliation or community attachment.
- ASIAN OR PACIFIC ISLANDER: Origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands.
- BLACK OR AFRICAN AMERICAN: Origins in any of the black racial groups of Africa.
- WHITE: Origins in any of the original people of Europe, North Africa, or the Middle East.
- ASIAN: Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam.
- OTHER SINGLE RACE: Use this category for instances in which the client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories. (Do not use this category for clients indicating multiple races.)



- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.
- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	3565	0.2 %	0.2%
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	40252	2.4 %	2.4%
3	ASIAN OR PACIFIC ISLANDER	2115	0.1 %	0.1%
4	BLACK OR AFRICAN AMERICAN	351938	21.0 %	21.3%
5	WHITE	1054882	62.9 %	63.8%
13	ASIAN	10736	0.6 %	0.6%
20	OTHER SINGLE RACE	166602	9.9 %	10.1%
21	TWO OR MORE RACES	16181	1.0 %	1.0%
23	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	7248	0.4 %	0.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	24418	1.5 %	-

Based upon 1653519 valid cases out of 1677937 total cases.

ETHNIC	ETHNICITY (HISPANIC ORIGIN)
--------	-----------------------------

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.
- MEXICAN: Of Mexican origin, regardless of race.
- CUBAN: Of Cuban origin, regardless of race.
- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain),

other than Puerto Rican, Mexican, or Cuban, regardless of race.

- NOT OF HISPANIC ORIGIN:

- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PUERTO RICAN	63877	3.8 %	3.9%
2	MEXICAN	106066	6.3 %	6.4%
3	CUBAN	3587	0.2 %	0.2%
4	OTHER SPECIFIC HISPANIC	44640	2.7 %	2.7%
5	NOT OF HISPANIC ORIGIN	1416094	84.4 %	85.6%
6	HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED	20777	1.2 %	1.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	22896	1.4 %	-

Based upon 1655041 valid cases out of 1677937 total cases.

#### MARSTAT

#### MARITAL STATUS

Location: 21-22 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question:

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.
- NOW MARRIED: Includes those living together as married.
- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.
- DIVORCED, WIDOWED

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER MARRIED	764017	45.5 %	60.2%
2	NOW MARRIED	200234	11.9 %	15.8%
3	SEPARATED	74934	4.5 %	5.9%
4	DIVORCED, WIDOWED	229308	13.7 %	18.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	409444	24.4 %	-

Based upon 1268493 valid cases out of 1677937 total cases.

## EDUC

## EDUCATION

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	8 YEARS OR LESS	135107	8.1 %	8.2%
2	9-11	473567	28.2 %	28.7%
3	12	676237	40.3 %	41.0%
4	13-15	285127	17.0 %	17.3%
5	16 OR MORE	79593	4.7 %	4.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	28306	1.7 %	-

Based upon 1649631 valid cases out of 1677937 total cases.

## EMPLOY

## EMPLOYMENT STATUS

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.

- PART TIME: Working fewer than 35 hours each week.

- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.

- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DET NFLF).

Guidelines: Seasonal workers are coded in this category based

on their employment status at time of admission. For example, if they are employed full time at the time of admission, they are coded as 01. If they are not in labor force at time of admission, they are coded 04.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FULL TIME	317701	18.9 %	19.3%
2	PART TIME	121919	7.3 %	7.4%
3	UNEMPLOYED	541804	32.3 %	32.9%
4	NOT IN LABOR FORCE	664405	39.6 %	40.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	32108	1.9 %	-

Based upon 1645829 valid cases out of 1677937 total cases.

#### DET NFL

#### DETAILED 'NOT IN LABOR FORCE' CATEGORY

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMEMAKER	15054	0.9 %	2.8%
2	STUDENT	85910	5.1 %	16.2%
3	RETIRED, DISABLED	107092	6.4 %	20.2%
5	INMATE OF INSTITUTION	33944	2.0 %	6.4%
6	OTHER	288569	17.2 %	54.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1147368	68.4 %	-

Based upon 530569 valid cases out of 1677937 total cases.

#### PREG

#### PREGNANT AT TIME OF ADMISSION

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies whether the client was pregnant at the time of admission.

Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	21625	1.3 %	4.2%
2	NO	490850	29.3 %	95.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1165462	69.5 %	-

Based upon 512475 valid cases out of 1677937 total cases.

VET	VETERAN STATUS
-----	----------------

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	60030	3.6 %	4.2%
2	NO	1376570	82.0 %	95.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	241337	14.4 %	-

Based upon 1436600 valid cases out of 1677937 total cases.

LIVARAG	LIVING ARRANGEMENTS
---------	---------------------

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.

- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.

- INDEPENDENT LIVING: Clients living alone or with others

without supervision. Includes adult children (age 18 or over) living with parents.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMELESS	230674	13.7 %	14.1%
2	DEPENDENT LIVING	375504	22.4 %	22.9%
3	INDEPENDENT LIVING	1032377	61.5 %	63.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	39382	2.3 %	-

Based upon 1638555 valid cases out of 1677937 total cases.

#### PRIMINC SOURCE OF INCOME/SUPPORT

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	WAGES/SALARY	332671	19.8 %	31.3%
2	PUBLIC ASSISTANCE	73322	4.4 %	6.9%
3	RETIREMENT/PENSION, DISABILITY	59895	3.6 %	5.6%
20	OTHER	222986	13.3 %	21.0%
21	NONE	373105	22.2 %	35.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	615958	36.7 %	-

Based upon 1061979 valid cases out of 1677937 total cases.

#### ARRESTS NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: The number of arrests in the 30 days preceding the date of admission to treatment services.

Guidelines: This item is intended to capture the number of times the client was arrested for any cause during the 30 days preceding the date of admission to treatment. Any formal arrest is to be counted regardless of whether incarceration or conviction resulted and regardless of the status of the arrest proceedings at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	1278789	76.2 %	87.9%
1	ONCE	142150	8.5 %	9.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	2 OR MORE TIMES	34509	2.1 %	2.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	222489	13.3 %	-

Based upon 1455448 valid cases out of 1677937 total cases.

# STFIPS

## CENSUS STATE FIPS CODE

Location: 39-40 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: State FIPS codes consistent with those used by the U.S. Bureau of the Census.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	ALASKA	4974	0.3 %	0.3%
4	ARIZONA	15348	0.9 %	0.9%
5	ARKANSAS	32466	1.9 %	1.9%
6	CALIFORNIA	204099	12.2 %	12.2%
8	COLORADO	58617	3.5 %	3.5%
9	CONNECTICUT	40017	2.4 %	2.4%
10	DELAWARE	6374	0.4 %	0.4%
11	DISTRICT OF COLUMBIA	1344	0.1 %	0.1%
12	FLORIDA	34582	2.1 %	2.1%
15	HAWAII	7904	0.5 %	0.5%
16	IDAHO	3539	0.2 %	0.2%
17	ILLINOIS	69761	4.2 %	4.2%
18	INDIANA	17351	1.0 %	1.0%
19	IOWA	23904	1.4 %	1.4%
20	KANSAS	17720	1.1 %	1.1%
21	KENTUCKY	20418	1.2 %	1.2%
22	LOUISIANA	25300	1.5 %	1.5%
23	MAINE	12390	0.7 %	0.7%
24	MARYLAND	61735	3.7 %	3.7%
25	MASSACHUSETTS	65279	3.9 %	3.9%
26	MICHIGAN	51162	3.0 %	3.0%
27	MINNESOTA	43820	2.6 %	2.6%
29	MISSOURI	54378	3.2 %	3.2%
30	MONTANA	7562	0.5 %	0.5%
31	NEBRASKA	9334	0.6 %	0.6%
32	NEVADA	11083	0.7 %	0.7%
33	NEW HAMPSHIRE	5860	0.3 %	0.3%
34	NEW JERSEY	59011	3.5 %	3.5%
36	NEW YORK	286919	17.1 %	17.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
37	NORTH CAROLINA	27246	1.6 %	1.6%
38	NORTH DAKOTA	1945	0.1 %	0.1%
39	OHIO	74293	4.4 %	4.4%
40	OKLAHOMA	17736	1.1 %	1.1%
41	OREGON	46210	2.8 %	2.8%
44	RHODE ISLAND	8968	0.5 %	0.5%
45	SOUTH CAROLINA	30768	1.8 %	1.8%
46	SOUTH DAKOTA	15886	0.9 %	0.9%
47	TENNESSEE	13347	0.8 %	0.8%
48	TEXAS	45144	2.7 %	2.7%
49	UTAH	17752	1.1 %	1.1%
50	VERMONT	7257	0.4 %	0.4%
51	VIRGINIA	22545	1.3 %	1.3%
53	WASHINGTON	67311	4.0 %	4.0%
55	WISCONSIN	24448	1.5 %	1.5%
56	WYOMING	3223	0.2 %	0.2%
72	PUERTO RICO	1607	0.1 %	0.1%

Based upon 1677937 valid cases out of 1677937 total cases.

#### **CBSA**

#### **FIPS 2000 CBSA CODE**

Location: 41-45 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10180	ABILENE, TX METRO	1273	0.1 %	0.1%
10380	AGUADILLA-ISABELA-SAN SEBASTIAN, PR METRO	54	0.0 %	0.0%
10420	AKRON, OH METRO	5489	0.3 %	0.4%
10580	ALBANY-SCHENECTADY-TROY, NY METRO	17558	1.0 %	1.4%
10780	ALEXANDRIA, LA METRO	2484	0.1 %	0.2%
10880	ALLEGAN, MI MICRO	294	0.0 %	0.0%
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	912	0.1 %	0.1%
11100	AMARILLO, TX METRO	319	0.0 %	0.0%



<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
11260	ANCHORAGE, AK METRO	1232	0.1 %	0.1%
11300	ANDERSON, IN METRO	643	0.0 %	0.0%
11340	ANDERSON, SC METRO	1523	0.1 %	0.1%
11460	ANN ARBOR, MI METRO	1899	0.1 %	0.1%
11700	ASHEVILLE, NC METRO	1554	0.1 %	0.1%
11780	ASHTABULA, OH MICRO	1045	0.1 %	0.1%
12100	ATLANTIC CITY, NJ METRO	2782	0.2 %	0.2%
12260	AUGUSTA-RICHMOND COUNTY, GA-SC METRO	982	0.1 %	0.1%
12420	AUSTIN-ROUND ROCK, TX METRO	2195	0.1 %	0.2%
12540	BAKERSFIELD, CA METRO	3269	0.2 %	0.3%
12580	BALTIMORE-TOWSON, MD METRO	32304	1.9 %	2.5%
12700	BARNSTABLE TOWN, MA METRO	4397	0.3 %	0.3%
12940	BATON ROUGE, LA METRO	4951	0.3 %	0.4%
12980	BATTLE CREEK, MI METRO	595	0.0 %	0.0%
13020	BAY CITY, MI METRO	211	0.0 %	0.0%
13140	BEAUMONT-PORT ARTHUR, TX METRO	1776	0.1 %	0.1%
13380	BELLINGHAM, WA METRO	2761	0.2 %	0.2%
13740	BILLINGS, MT METRO	1340	0.1 %	0.1%
13780	BINGHAMTON, NY METRO	3098	0.2 %	0.2%
14060	BLOOMINGTON-NORMAL, IL METRO	1360	0.1 %	0.1%
14260	BOISE CITY-NAMPA, ID METRO	1390	0.1 %	0.1%
14460	BOSTON-CAMBRIDGE-QUINCY, MA-NH METRO	37146	2.2 %	2.9%
14500	BOULDER, CO METRO	1716	0.1 %	0.1%
14740	BREMERTON-SILVERDALE, WA METRO	2354	0.1 %	0.2%
14860	BRIDGEPORT-STAMFORD-NORWALK, CT METRO	7878	0.5 %	0.6%
15180	BROWNSVILLE-HARLINGEN, TX METRO	449	0.0 %	0.0%
15380	BUFFALO-CHEEKTOWAGA-TONAWANDA, NY METRO	16936	1.0 %	1.3%
15500	BURLINGTON, NC METRO	389	0.0 %	0.0%
15540	BURLINGTON-SOUTH BURLINGTON, VT METRO	1940	0.1 %	0.2%
15940	CANTON-MASSILLON, OH METRO	2492	0.1 %	0.2%
15980	CAPE CORAL-FORT MYERS, FL METRO	1174	0.1 %	0.1%
16300	CEDAR RAPIDS, IA METRO	2829	0.2 %	0.2%
16580	CHAMPAIGN-URBANA, IL METRO	986	0.1 %	0.1%
16700	CHARLESTON-NORTH CHARLESTON, SC METRO	5249	0.3 %	0.4%
16740	CHARLOTTE-GASTONIA-CONCORD, NC-SC METRO	6802	0.4 %	0.5%
16820	CHARLOTTESVILLE, VA METRO	522	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
16860	CHATTANOOGA, TN-GA METRO	1110	0.1 %	0.1%
16980	CHICAGO-NAPERVILLE-JOLIET, IL-IN-WI METRO	39496	2.4 %	3.1%
17020	CHICO, CA METRO	2797	0.2 %	0.2%
17140	CINCINNATI-MIDDLETOWN, OH-KY-IN METRO	6464	0.4 %	0.5%
17300	CLARKSVILLE, TN-KY METRO	651	0.0 %	0.1%
17460	CLEVELAND-ELYRIA-MENTOR, OH METRO	13285	0.8 %	1.0%
17780	COLLEGE STATION-BRYAN, TX METRO	312	0.0 %	0.0%
17820	COLORADO SPRINGS, CO METRO	6137	0.4 %	0.5%
17860	COLUMBIA, MO METRO	2808	0.2 %	0.2%
17900	COLUMBIA, SC METRO	4253	0.3 %	0.3%
18140	COLUMBUS, OH METRO	11602	0.7 %	0.9%
18580	CORPUS CHRISTI, TX METRO	2953	0.2 %	0.2%
19060	CUMBERLAND, MD-WV METRO	1982	0.1 %	0.2%
19100	DALLAS-FORT WORTH-ARLINGTON, TX METRO	6184	0.4 %	0.5%
19260	DANVILLE, VA METRO	270	0.0 %	0.0%
19340	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL METRO	4254	0.3 %	0.3%
19380	DAYTON, OH METRO	14866	0.9 %	1.2%
19500	DECATUR, IL METRO	1080	0.1 %	0.1%
19660	DELTONA-DAYTONA BEACH-ORMOND BEACH, FL METRO	1698	0.1 %	0.1%
19740	DENVER-AURORA, CO METRO	31479	1.9 %	2.4%
19780	DES MOINES, IA METRO	2766	0.2 %	0.2%
19820	DETROIT-WARREN-LIVONIA, MI METRO	20675	1.2 %	1.6%
20100	DOVER, DE METRO	808	0.0 %	0.1%
20260	DULUTH, MN-WI METRO	1880	0.1 %	0.1%
20500	DURHAM, NC METRO	1827	0.1 %	0.1%
20620	EAST LIVERPOOL-SALEM, OH MICRO	777	0.0 %	0.1%
21340	EL PASO, TX METRO	1920	0.1 %	0.1%
21660	EUGENE-SPRINGFIELD, OR METRO	4871	0.3 %	0.4%
21780	EVANSVILLE, IN-KY METRO	53	0.0 %	0.0%
22020	FARGO, ND-MN METRO	750	0.0 %	0.1%
22180	FAYETTEVILLE, NC METRO	828	0.0 %	0.1%
22220	FAYETTEVILLE-SPRINGDALE-ROGERS, AR-MO METRO	2388	0.1 %	0.2%
22420	FLINT, MI METRO	2525	0.2 %	0.2%
22500	FLORENCE, SC METRO	527	0.0 %	0.0%
22660	FORT COLLINS-LOVELAND, CO METRO	2727	0.2 %	0.2%
22900	FORT SMITH, AR-OK METRO	3335	0.2 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
23020	FORT WALTON BEACH-CRESTVIEW-DESTIN, FL METRO	66	0.0 %	0.0%
23420	FRESNO, CA METRO	8510	0.5 %	0.7%
23540	GAINESVILLE, FL METRO	496	0.0 %	0.0%
24020	GLENS FALLS, NY METRO	1386	0.1 %	0.1%
24140	GOLDSBORO, NC METRO	196	0.0 %	0.0%
24300	GRAND JUNCTION, CO METRO	2260	0.1 %	0.2%
24340	GRAND RAPIDS-WYOMING, MI METRO	4560	0.3 %	0.4%
24540	GREELEY, CO METRO	1948	0.1 %	0.2%
24660	GREENSBORO-HIGH POINT, NC METRO	1818	0.1 %	0.1%
24780	GREENVILLE, NC METRO	1196	0.1 %	0.1%
24860	GREENVILLE, SC METRO	4538	0.3 %	0.4%
25180	HAGERSTOWN-MARTINSBURG, MD-WV METRO	1703	0.1 %	0.1%
25540	HARTFORD-WEST HARTFORD-EAST HARTFORD, CT METRO	17096	1.0 %	1.3%
25860	HICKORY-MORGANTON-LENOIR, NC METRO	925	0.1 %	0.1%
26100	HOLLAND-GRAND HAVEN, MI METRO	779	0.0 %	0.1%
26180	HONOLULU, HI METRO	5106	0.3 %	0.4%
26380	HOUMA-BAYOU CANE-THIBODAUX, LA METRO	1124	0.1 %	0.1%
26420	HOUSTON-BAYTOWN-SUGAR LAND, TX METRO	9788	0.6 %	0.8%
26580	HUNTINGTON-ASHLAND, WV-KY-OH METRO	960	0.1 %	0.1%
26900	INDIANAPOLIS, IN METRO	83	0.0 %	0.0%
26980	IOWA CITY, IA METRO	2134	0.1 %	0.2%
27100	JACKSON, MI METRO	856	0.1 %	0.1%
27180	JACKSON, TN METRO	1324	0.1 %	0.1%
27260	JACKSONVILLE, FL METRO	2894	0.2 %	0.2%
27340	JACKSONVILLE, NC METRO	600	0.0 %	0.0%
27460	JAMESTOWN-DUNKIRK-FREDONIA, NY MICRO	1026	0.1 %	0.1%
27740	JOHNSON, CITYTN METRO	2471	0.1 %	0.2%
27900	JOPLIN, MO METRO	1826	0.1 %	0.1%
28020	KALAMAZOO-PORTAGE, MI METRO	1790	0.1 %	0.1%
28100	KANKAKEE-BRADLEY, IL METRO	1280	0.1 %	0.1%
28140	KANSAS CITY, MO-KS METRO	11472	0.7 %	0.9%
28420	KENNEWICK-RICHLAND-PASCO, WA METRO	2481	0.1 %	0.2%
28660	KILLEEN-TEMPLE-FORT HOOD, TX METRO	318	0.0 %	0.0%
28940	KNOXVILLE, TN METRO	1559	0.1 %	0.1%
29100	LA CROSSE, WI-MN METRO	56	0.0 %	0.0%
29180	LAFAYETTE, LA METRO	1591	0.1 %	0.1%
29340	LAKE CHARLES, LA METRO	1602	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
29460	LAKELAND-WINTER HAVEN, FL METRO	369	0.0 %	0.0%
29620	LANSING-EAST LANSING, MI METRO	1841	0.1 %	0.1%
29700	LAREDO, TX METRO	555	0.0 %	0.0%
29820	LAS VEGAS-PARADISE, NV METRO	5738	0.3 %	0.4%
30020	LAWTON, OK METRO	662	0.0 %	0.1%
30460	LEXINGTON-FAYETTE, KY METRO	2281	0.1 %	0.2%
30540	LEXINGTON-THOMASVILLE, NC MICRO	199	0.0 %	0.0%
30620	LIMA, OH METRO	335	0.0 %	0.0%
30700	LINCOLN, NE METRO	3081	0.2 %	0.2%
30780	LITTLE ROCK-NORTH LITTLE ROCK, AR METRO	6655	0.4 %	0.5%
30980	LONGVIEW, TX METRO	586	0.0 %	0.0%
31100	LOS ANGELES-LONG BEACH-SANTA ANA, CA METRO	56040	3.3 %	4.4%
31140	LOUISVILLE, KY-IN METRO	5899	0.4 %	0.5%
31180	LUBBOCK, TX METRO	1893	0.1 %	0.1%
31340	LYNCHBURG, VA METRO	594	0.0 %	0.0%
31460	MADERA, CA METRO	903	0.1 %	0.1%
31700	MANCHESTER-NASHUA, NH METRO	1842	0.1 %	0.1%
31900	MANSFIELD, OH METRO	706	0.0 %	0.1%
32420	MAYAGUEZ, PR METRO	34	0.0 %	0.0%
32580	MCALLEN-EDINBURG-PHARR, TX METRO	230	0.0 %	0.0%
32780	MEDFORD, OR METRO	2824	0.2 %	0.2%
32820	MEMPHIS, TN-MS-AR METRO	2348	0.1 %	0.2%
32900	MERCED, CA METRO	709	0.0 %	0.1%
33100	MIAMI-FORT LAUDERDALE-MIAMI BEACH, FL METRO	8185	0.5 %	0.6%
33260	MIDLAND, TX METRO	255	0.0 %	0.0%
33340	MILWAUKEE-WAUKESHA-WEST ALLIS, WI METRO	22	0.0 %	0.0%
33460	MINNEAPOLIS-ST. PAUL-BLOOMINGTON, MN-WI METRO	25817	1.5 %	2.0%
33700	MODESTO, CA METRO	4035	0.2 %	0.3%
33740	MONROE, LA METRO	2098	0.1 %	0.2%
33780	MONROE, MI METRO	487	0.0 %	0.0%
34740	MUSKEGON-NORTON SHORES, MI METRO	1381	0.1 %	0.1%
34820	MYRTLE BEACH-CONWAY-NORTH MYRTLE BEACH, SC METRO	1173	0.1 %	0.1%
34900	NAPA, CA METRO	302	0.0 %	0.0%
34940	NAPLES-MARCO ISLAND, FL METRO	536	0.0 %	0.0%
34980	NASHVILLE-DAVIDSON--MURFREESBORO, TN METRO	2500	0.1 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
35300	NEW HAVEN-MILFORD, CT METRO	6267	0.4 %	0.5%
35380	NEW ORLEANS-METAIRIE-KENNER, LA METRO	3365	0.2 %	0.3%
35620	NEW YORK-NEWARK-EDISON, NY-NJ-PA METRO	214102	12.8 %	16.6%
35660	NILES-BENTON HARBOR, MI METRO	874	0.1 %	0.1%
35980	NORWICH-NEW LONDON, CT METRO	4703	0.3 %	0.4%
36100	OCALA, FL METRO	452	0.0 %	0.0%
36140	OCEAN CITY, NJ METRO	1024	0.1 %	0.1%
36220	ODESSA, TX METRO	699	0.0 %	0.1%
36260	OGDEN-CLEARFIELD, UT METRO	2613	0.2 %	0.2%
36420	OKLAHOMA CITY, OK METRO	6085	0.4 %	0.5%
36500	OLYMPIA, WA METRO	2118	0.1 %	0.2%
36540	OMAHA-COUNCIL BLUFFS, NE-IA METRO	4098	0.2 %	0.3%
36740	ORLANDO, FL METRO	2167	0.1 %	0.2%
37100	OXNARD-VENTURA-THOUSAND OAKS VENTURA, CA METRO	3226	0.2 %	0.3%
37340	PALM BAY-MELBOURNE-TITUSVILLE, FL METRO	655	0.0 %	0.1%
37460	PANAMA CITY-LYNN HAVEN, FL METRO	957	0.1 %	0.1%
37620	PARKERSBURG-MARIETTA, WV-OH METRO	115	0.0 %	0.0%
37860	PENSACOLA-FERRY PASS-BRENT, FL METRO	1264	0.1 %	0.1%
37900	PEORIA, IL METRO	2922	0.2 %	0.2%
37980	PHILADELPHIA-CAMDEN-WILMINGTON, PA-NJ-DE-M METRO	12087	0.7 %	0.9%
38660	PONCE, PR METRO	238	0.0 %	0.0%
38860	PORTLAND-SOUTH PORTLAND, ME METRO	4721	0.3 %	0.4%
38900	PORTLAND-VANCOUVER-BEAVERTON, OR-WA METRO	25085	1.5 %	1.9%
38940	PORT ST. LUCIE, FL METRO	464	0.0 %	0.0%
39100	POUGHKEEPSIE-NEWBURGH-MIDDLETOWN, NY METRO	9792	0.6 %	0.8%
39300	PROVIDENCE-NEW BEDFORD-FALL RIVER, RI-MA METRO	14581	0.9 %	1.1%
39340	PROVO-OREM, UT METRO	1556	0.1 %	0.1%
39380	PUEBLO, CO METRO	3890	0.2 %	0.3%
39460	PUNTA GORDA, FL METRO	132	0.0 %	0.0%
39580	RALEIGH-CARY, NC METRO	2019	0.1 %	0.2%
39820	REDDING, CA METRO	2107	0.1 %	0.2%
39900	RENO-SPARKS, NV METRO	1825	0.1 %	0.1%
40060	RICHMOND, VA METRO	3704	0.2 %	0.3%
40140	RIVERSIDE-SAN BERNARDINO-ONTARIO, CA METRO	17198	1.0 %	1.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
40220	ROANOKE, VA METRO	931	0.1 %	0.1%
40340	ROCHESTER, MN METRO	1312	0.1 %	0.1%
40380	ROCHESTER, NY METRO	14417	0.9 %	1.1%
40420	ROCKFORD, IL METRO	2670	0.2 %	0.2%
40580	ROCKY MOUNT, NC METRO	581	0.0 %	0.0%
40900	SACRAMENTO--ARDEN-ARCADE--ROSEVILLE, CA METRO	10395	0.6 %	0.8%
40980	SAGINAW-SAGINZW TOWNSHIP NORTH, MI METRO	1670	0.1 %	0.1%
41060	SAINT CLOUD, MN METRO	1994	0.1 %	0.2%
41140	SAINT JOSEPH, MO-KS METRO	1128	0.1 %	0.1%
41180	SAINT LOUIS, MO-IL METRO	17384	1.0 %	1.4%
41420	SALEM, OR METRO	3944	0.2 %	0.3%
41500	SALINAS, CA METRO	1533	0.1 %	0.1%
41580	SALISBURY, NC MICRO	105	0.0 %	0.0%
41620	SALT LAKE CITY, UT METRO	9949	0.6 %	0.8%
41660	SAN ANGELO, TX METRO	190	0.0 %	0.0%
41700	SAN ANTONIO, TX METRO	5416	0.3 %	0.4%
41740	SAN DIEGO-CARLSBAD-SAN MARCOS, CA METRO	14672	0.9 %	1.1%
41860	SAN FRANCISCO-OAKLAND-FREMONT, CA METRO	28218	1.7 %	2.2%
41940	SAN JOSE-SUNNYVALE-SANTA CLARA, CA METRO	9271	0.6 %	0.7%
41980	SAN JUAN-CAGUAS-GUAYNABO, PR METRO	1143	0.1 %	0.1%
42020	SAN LUIS OBISPO-PASO ROBLES, CA METRO	1491	0.1 %	0.1%
42060	SANTA BARBARA-SANTA MARIA-GOLETA, CA METRO	3212	0.2 %	0.2%
42100	SANTA CRUZ-WATSONVILLE, CA METRO	2393	0.1 %	0.2%
42220	SANTA ROSA, CA METRO	4720	0.3 %	0.4%
42260	SARASOTA-BRADENTON-VENICE, FL METRO	37	0.0 %	0.0%
42660	SEATTLE-TACOMA-BELLEVUE, WA METRO	26867	1.6 %	2.1%
43300	SHERMAN-DENISON, TX METRO	250	0.0 %	0.0%
43340	SHREVEPORT-BOSSIER CITY, LA METRO	2145	0.1 %	0.2%
43580	SIOUX CITY, IA-NE-SD METRO	1381	0.1 %	0.1%
43620	SIOUX FALLS, SD METRO	5997	0.4 %	0.5%
43900	SPARTANBURG, SC METRO	2102	0.1 %	0.2%
44060	SPOKANE, WA METRO	7448	0.4 %	0.6%
44100	SPRINGFIELD, IL METRO	1878	0.1 %	0.1%
44140	SPRINGFIELD, MA METRO	6164	0.4 %	0.5%
44180	SPRINGFIELD, MO METRO	2256	0.1 %	0.2%
44220	SPRINGFIELD, OH METRO	1898	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
44700	STOCKTON, CA METRO	3661	0.2 %	0.3%
44940	SUMTER, SC METRO	782	0.0 %	0.1%
45060	SYRACUSE, NY METRO	9788	0.6 %	0.8%
45220	TALLAHASSEE, FL METRO	778	0.0 %	0.1%
45300	TAMPA-ST. PETERSBURG-CLEARWATER, FL METRO	5333	0.3 %	0.4%
45500	TEXARKANA TX-TEXARKANA, AR METRO	1521	0.1 %	0.1%
45780	TOLEDO, OH METRO	497	0.0 %	0.0%
45820	TOPEKA, KS METRO	1561	0.1 %	0.1%
45940	TRENTON-EWING, NJ METRO	1438	0.1 %	0.1%
46140	TULSA, OK METRO	2295	0.1 %	0.2%
46340	TYLER, TX METRO	248	0.0 %	0.0%
46540	UTICA-ROME, NY METRO	4110	0.2 %	0.3%
46700	VALLEJO-FAIRFIELD, CA METRO	2748	0.2 %	0.2%
47220	VINELAND-MILLVILLE-BRIDGETON, NJ METRO	3095	0.2 %	0.2%
47260	VIRGINIA BEACH-NORFOLK-NEWPORT NEWS, VA-NC METRO	4793	0.3 %	0.4%
47300	VISALIA-PORTERVILLE, CA METRO	3929	0.2 %	0.3%
47360	WACO, TX METRO	1506	0.1 %	0.1%
47900	WASHINGTON-ARLINGTON-ALEXANDRIA, DC-VA-MD-W METRO	22073	1.3 %	1.7%
47940	WATERLOO-CEDAR FALLS, IA METRO	1644	0.1 %	0.1%
48540	WHEELING, WV-OH METRO	645	0.0 %	0.1%
48620	WICHITA, KS METRO	5650	0.3 %	0.4%
48660	WICHITA FALLS, TX METRO	359	0.0 %	0.0%
48900	WILMINGTON, NC METRO	1210	0.1 %	0.1%
49180	WINSTON-SALEM, NC METRO	2596	0.2 %	0.2%
49340	WORCESTER, MA METRO	8804	0.5 %	0.7%
49420	YAKIMA, WA METRO	5854	0.3 %	0.5%
49660	YOUNGSTOWN-WARREN-BOARDMAN, OH-PA METRO	920	0.1 %	0.1%
49700	YUBA CITY-MARYSVILLE, CA METRO	920	0.1 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	391089	23.3 %	-

Based upon 1286848 valid cases out of 1677937 total cases.

**PMSA**

**FIPS 1990 MSA CODE**

Location: 46-49 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
40	ABILENE, TX MSA	1273	0.1 %	0.1%
60	AGUADILLA, PR MSA	54	0.0 %	0.0%
80	AKRON, OH PMSA	5489	0.3 %	0.4%
160	ALBANY-SCHENECTADY-TROY, NY MSA	17558	1.0 %	1.4%
220	ALEXANDRIA, LA MSA	2484	0.1 %	0.2%
320	AMARILLO, TX MSA	319	0.0 %	0.0%
380	ANCHORAGE, AK MSA	1232	0.1 %	0.1%
440	ANN ARBOR, MI PMSA	2015	0.1 %	0.2%
470	ARECIBO, PR PMSA	619	0.0 %	0.0%
480	ASHEVILLE, NC MSA	1554	0.1 %	0.1%
560	ATLANTIC-CAPE MAY, NJ PMSA	3806	0.2 %	0.3%
600	AUGUSTA-AIKEN, GA-SC MSA	982	0.1 %	0.1%
640	AUSTIN-SAN MARCOS, TX MSA	2195	0.1 %	0.2%
680	BAKERSFIELD, CA MSA	3269	0.2 %	0.3%
720	BALTIMORE, MD PMSA	32304	1.9 %	2.5%
743	BARNSTABLE-YARMOUTH, MA NECMA	4397	0.3 %	0.3%
760	BATON ROUGE, LA MSA	4951	0.3 %	0.4%
840	BEAUMONT-PORT ARTHUR, TX MSA	1776	0.1 %	0.1%
860	BELLINGHAM, WA MSA	2761	0.2 %	0.2%
870	BENTON HARBOR, MI MSA	874	0.1 %	0.1%
875	BERGEN-PASSAIC, NJ PMSA	9127	0.5 %	0.7%
880	BILLINGS, MT MSA	1340	0.1 %	0.1%
960	BINGHAMTON, NY MSA	3098	0.2 %	0.2%
1040	BLOOMINGTON-NORMAL, IL MSA	1360	0.1 %	0.1%
1080	BOISE CITY, ID MSA	1390	0.1 %	0.1%
1123	BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA	54015	3.2 %	4.2%
1125	BOULDER-LONGMONT, CO PMSA	1729	0.1 %	0.1%
1145	BRAZORIA, TX PMSA	721	0.0 %	0.1%
1150	BREMERTON, WA PMSA	2354	0.1 %	0.2%
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	449	0.0 %	0.0%
1260	BRYAN-COLLEGE STATION, TX MSA	312	0.0 %	0.0%
1280	BUFFALO-NIAGARA FALLS, NY MSA	16936	1.0 %	1.3%
1303	BURLINGTON, VT NECMA	1940	0.1 %	0.2%



<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1320	CANTON-MASSILLON, OH MSA	2492	0.1 %	0.2%
1360	CEDAR RAPIDS, IA MSA	2829	0.2 %	0.2%
1400	CHAMPAIGN-URBANA, IL MSA	986	0.1 %	0.1%
1440	CHARLESTON-NORTH CHARLESTON, SC MSA	5249	0.3 %	0.4%
1520	CHARLOTTE-GASTONIA-ROCK HILL, NC-SC MSA	6907	0.4 %	0.5%
1540	CHARLOTTESVILLE, VA MSA	522	0.0 %	0.0%
1560	CHATTANOOGA, TN-GA MSA	1110	0.1 %	0.1%
1600	CHICAGO, IL PMSA	39496	2.4 %	3.1%
1620	CHICO-PARADISE, CA MSA	2797	0.2 %	0.2%
1640	CINCINNATI, OH-KY-IN PMSA	6437	0.4 %	0.5%
1660	CLARKSVILLE-HOPKINSVILLE, TN-KY MSA	651	0.0 %	0.1%
1680	CLEVELAND-LORAIN-ELYRIA, OH PMSA	14330	0.9 %	1.1%
1720	COLORADO SPRINGS, CO MSA	6137	0.4 %	0.5%
1740	COLUMBIA, MO MSA	2808	0.2 %	0.2%
1760	COLUMBIA, SC MSA	4253	0.3 %	0.3%
1840	COLUMBUS, OH MSA	11602	0.7 %	0.9%
1880	CORPUS CHRISTI, TX MSA	2953	0.2 %	0.2%
1900	CUMBERLAND, MD-WV MSA	1982	0.1 %	0.2%
1920	DALLAS, TX PMSA	1065	0.1 %	0.1%
1950	DANVILLE, VA MSA	270	0.0 %	0.0%
1960	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL MSA	4254	0.3 %	0.3%
2000	DAYTON-SPRINGFIELD, OH MSA	16764	1.0 %	1.3%
2020	DAYTONA BEACH, FL MSA	1698	0.1 %	0.1%
2040	DECATUR, IL MSA	1080	0.1 %	0.1%
2080	DENVER, CO PMSA	31466	1.9 %	2.4%
2120	DES MOINES, IA MSA	2766	0.2 %	0.2%
2160	DETROIT, MI PMSA	21046	1.3 %	1.6%
2190	DOVER, DE MSA	808	0.0 %	0.1%
2240	DULUTH-SUPERIOR, MN-WI MSA	1880	0.1 %	0.1%
2281	DUTCHESS COUNTY, NY PMSA	5912	0.4 %	0.5%
2320	EL PASO, TX MSA	1920	0.1 %	0.1%
2400	EUGENE-SPRINGFIELD, OR MSA	4871	0.3 %	0.4%
2440	EVANSVILLE-HENDERSON, IN-KY MSA	53	0.0 %	0.0%
2520	FARGO-MOORHEAD, ND-MN MSA	750	0.0 %	0.1%
2560	FAYETTEVILLE, NC MSA	828	0.0 %	0.1%
2580	FAYETTEVILLE-SPRINGDALE-ROGERS, AR MSA	2388	0.1 %	0.2%
2640	FLINT, MI PMSA	2525	0.2 %	0.2%
2655	FLORENCE, SC MSA	527	0.0 %	0.0%
2670	FORT COLLINS-LOVELAND, CO MSA	2727	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2680	FORT LAUDERDALE, FL PMSA	3374	0.2 %	0.3%
2700	FORT MYERS-CAPE CORAL, FL MSA	1174	0.1 %	0.1%
2710	FORT PIERCE-PORT ST. LUCIE, FL MSA	464	0.0 %	0.0%
2720	FORT SMITH, AR-OK MSA	3335	0.2 %	0.3%
2750	FORT WALTON BEACH, FL MSA	66	0.0 %	0.0%
2800	FORT WORTH-ARLINGTON, TX PMSA	5119	0.3 %	0.4%
2840	FRESNO, CA MSA	9413	0.6 %	0.7%
2900	GAINESVILLE, FL MSA	496	0.0 %	0.0%
2920	GALVESTON-TEXAS CITY, TX PMSA	1042	0.1 %	0.1%
2975	GLENS FALLS, NY MSA	1386	0.1 %	0.1%
2980	GOLDSBORO, NC MSA	196	0.0 %	0.0%
2995	GRAND JUNCTION, CO MSA	2260	0.1 %	0.2%
3000	GRAND RAPIDS-MUSKEGON-HOLLAND, MI MSA	7014	0.4 %	0.5%
3060	GREELEY, CO PMSA	1948	0.1 %	0.2%
3120	GREENSBORO--WINSTON-SALEM--HIGH POINT, NC MSA	5002	0.3 %	0.4%
3150	GREENVILLE, NC MSA	1196	0.1 %	0.1%
3160	GREENVILLE-SPARTANBURG-ANDERSON, SC MSA	8163	0.5 %	0.6%
3180	HAGERSTOWN, MD PMSA	1703	0.1 %	0.1%
3200	HAMILTON-MIDDLETOWN, OH PMSA	27	0.0 %	0.0%
3283	HARTFORD, CT NECMA	17096	1.0 %	1.3%
3290	HICKORY-MORGANTON, NC MSA	925	0.1 %	0.1%
3320	HONOLULU, HI MSA	5106	0.3 %	0.4%
3350	HOUMA, LA MSA	1124	0.1 %	0.1%
3360	HOUSTON, TX PMSA	8025	0.5 %	0.6%
3400	HUNTINGTON-ASHLAND, WV-KY-OH MSA	960	0.1 %	0.1%
3480	INDIANAPOLIS, IN MSA	726	0.0 %	0.1%
3500	IOWA CITY, IA MSA	2134	0.1 %	0.2%
3520	JACKSON, MI MSA	856	0.1 %	0.1%
3580	JACKSON, TN MSA	1324	0.1 %	0.1%
3600	JACKSONVILLE, FL MSA	2894	0.2 %	0.2%
3605	JACKSONVILLE, NC MSA	600	0.0 %	0.0%
3610	JAMESTOWN, NY MSA	1026	0.1 %	0.1%
3640	JERSEY CITY, NJ PMSA	1699	0.1 %	0.1%
3660	JOHNSON CITY-KINGSPORT-BRISTOL, TN-VA MSA	2471	0.1 %	0.2%
3710	JOPLIN, MO MSA	1826	0.1 %	0.1%
3720	KALAMAZOO-BATTLE CREEK, MI MSA	2385	0.1 %	0.2%
3740	KANKAKEE, IL PMSA	1280	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3760	KANSAS CITY, MO-KS MSA	11472	0.7 %	0.9%
3810	KILLEEN-TEMPLE, TX MSA	318	0.0 %	0.0%
3840	KNOXVILLE, TN MSA	1559	0.1 %	0.1%
3870	LA CROSSE, WI-MN MSA	56	0.0 %	0.0%
3880	LAFAYETTE, LA MSA	1591	0.1 %	0.1%
3960	LAKE CHARLES, LA MSA	1602	0.1 %	0.1%
3980	LAKELAND-WINTER HAVEN, FL MSA	369	0.0 %	0.0%
4040	LANSING-EAST LANSING, MI MSA	1841	0.1 %	0.1%
4080	LAREDO, TX MSA	555	0.0 %	0.0%
4120	LAS VEGAS, NV-AZ MSA	5738	0.3 %	0.4%
4200	LAWTON, OK MSA	662	0.0 %	0.1%
4280	LEXINGTON, KY MSA	2281	0.1 %	0.2%
4320	LIMA, OH MSA	335	0.0 %	0.0%
4360	LINCOLN, NE MSA	3081	0.2 %	0.2%
4400	LITTLE ROCK-NORTH LITTLE ROCK, AR MSA	6655	0.4 %	0.5%
4420	LONGVIEW-MARSHALL, TX MSA	586	0.0 %	0.0%
4480	LOS ANGELES-LONG BEACH, CA PMSA	44259	2.6 %	3.4%
4520	LOUISVILLE, KY-IN MSA	5899	0.4 %	0.5%
4600	LUBBOCK, TX MSA	1893	0.1 %	0.1%
4640	LYNCHBURG, VA MSA	594	0.0 %	0.0%
4800	MANSFIELD, OH MSA	706	0.0 %	0.1%
4840	MAYAGUEZ, PR MSA	34	0.0 %	0.0%
4880	MCALLEN-EDINBURG-MISSION, TX MSA	230	0.0 %	0.0%
4890	MEDFORD-ASHLAND, OR MSA	2824	0.2 %	0.2%
4900	MELBOURNE-TITUSVILLE-PALM BAY, FL MSA	655	0.0 %	0.1%
4920	MEMPHIS, TN-AR-MS MSA	2348	0.1 %	0.2%
4940	MERCED, CA MSA	709	0.0 %	0.1%
5000	MIAMI, FL PMSA	2172	0.1 %	0.2%
5015	MIDDLESEX-SOMERSET-HUNTERDON, NJ PMSA	5122	0.3 %	0.4%
5080	MILWAUKEE-WAUKESHA, WI PMSA	22	0.0 %	0.0%
5120	MINNEAPOLIS-ST. PAUL, MN-WI MSA	25817	1.5 %	2.0%
5170	MODESTO, CA MSA	4035	0.2 %	0.3%
5190	MONMOUTH-OCEAN, NJ PMSA	8463	0.5 %	0.7%
5200	MONROE, LA MSA	2098	0.1 %	0.2%
5330	MYRTLE BEACH, SC MSA	1173	0.1 %	0.1%
5345	NAPLES, FL MSA	536	0.0 %	0.0%
5360	NASHVILLE, TN MSA	2500	0.1 %	0.2%
5380	NASSAU-SUFFOLK, NY PMSA	30211	1.8 %	2.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5483	NEW HAVEN-BRIDGEPORT-STAMFORD-WATERBURY-DANBURY, CT NECMA	14145	0.8 %	1.1%
5523	NEW LONDON-NORWICH, CT NECMA	4703	0.3 %	0.4%
5560	NEW ORLEANS, LA MSA	3365	0.2 %	0.3%
5600	NEW YORK, NY PMSA	142209	8.5 %	11.1%
5640	NEWARK, NJ PMSA	18183	1.1 %	1.4%
5660	NEWBURGH, NY-PA PMSA	3880	0.2 %	0.3%
5720	NORFOLK-VIRGINIA BEACH-NEWPORT NEWS, VA-NC MSA	4793	0.3 %	0.4%
5775	OAKLAND, CA PMSA	13098	0.8 %	1.0%
5790	OCALA, FL MSA	452	0.0 %	0.0%
5800	ODESSA-MIDLAND, TX MSA	954	0.1 %	0.1%
5880	OKLAHOMA CITY, OK MSA	6085	0.4 %	0.5%
5910	OLYMPIA, WA PMSA	2118	0.1 %	0.2%
5920	OMAHA, NE-IA MSA	4098	0.2 %	0.3%
5945	ORANGE COUNTY, CA PMSA	11781	0.7 %	0.9%
5960	ORLANDO, FL MSA	2167	0.1 %	0.2%
6015	PANAMA CITY, FL MSA	957	0.1 %	0.1%
6020	PARKERSBURG-MARIETTA, WV-OH MSA	115	0.0 %	0.0%
6080	PENSACOLA, FL MSA	1264	0.1 %	0.1%
6120	PEORIA-PEKIN, IL MSA	2922	0.2 %	0.2%
6160	PHILADELPHIA, PA-NJ PMSA	7700	0.5 %	0.6%
6360	PONCE, PR MSA	238	0.0 %	0.0%
6403	PORTLAND, ME NECMA	4721	0.3 %	0.4%
6440	PORTLAND-VANCOUVER, OR-WA PMSA	25085	1.5 %	1.9%
6483	PROVIDENCE-WARWICK-PAWTUCKET, RI NECMA	8358	0.5 %	0.6%
6520	PROVO-OREM, UT MSA	1556	0.1 %	0.1%
6560	PUEBLO, CO MSA	3890	0.2 %	0.3%
6580	PUNTA GORDA, FL MSA	132	0.0 %	0.0%
6640	RALEIGH-DURHAM-CHAPEL HILL, NC MSA	3846	0.2 %	0.3%
6690	REDDING, CA MSA	2107	0.1 %	0.2%
6720	RENO, NV MSA	1825	0.1 %	0.1%
6740	RICHLAND-KENNEWICK-PASCO, WA MSA	2481	0.1 %	0.2%
6760	RICHMOND-PETERSBURG, VA MSA	3704	0.2 %	0.3%
6780	RIVERSIDE-SAN BERNARDINO, CA PMSA	17198	1.0 %	1.3%
6800	ROANOKE, VA MSA	931	0.1 %	0.1%
6820	ROCHESTER, MN MSA	1312	0.1 %	0.1%
6840	ROCHESTER, NY MSA	14417	0.9 %	1.1%
6880	ROCKFORD, IL MSA	2670	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6895	ROCKY MOUNT, NC MSA	581	0.0 %	0.0%
6920	SACRAMENTO, CA PMSA	9605	0.6 %	0.7%
6960	SAGINAW-BAY CITY-MIDLAND, MI MSA	1881	0.1 %	0.1%
6980	ST. CLOUD, MN MSA	1994	0.1 %	0.2%
7000	ST. JOSEPH, MO MSA	1128	0.1 %	0.1%
7040	ST. LOUIS, MO-IL MSA	17384	1.0 %	1.4%
7080	SALEM, OR PMSA	3944	0.2 %	0.3%
7120	SALINAS, CA MSA	1533	0.1 %	0.1%
7160	SALT LAKE CITY-OGDEN, UT MSA	12562	0.7 %	1.0%
7200	SAN ANGELO, TX MSA	190	0.0 %	0.0%
7240	SAN ANTONIO, TX MSA	5416	0.3 %	0.4%
7320	SAN DIEGO, CA MSA	14672	0.9 %	1.1%
7360	SAN FRANCISCO, CA PMSA	15120	0.9 %	1.2%
7400	SAN JOSE, CA PMSA	9271	0.6 %	0.7%
7440	SAN JUAN-BAYAMON, PR PMSA	524	0.0 %	0.0%
7460	SAN LUIS OBISPO-ATASCADERO-PASO ROBLES, CA MSA	1491	0.1 %	0.1%
7480	SANTA BARBARA-SANTA MARIA-LOMPOC, CA MSA	3212	0.2 %	0.2%
7485	SANTA CRUZ-WATSONVILLE, CA PMSA	2393	0.1 %	0.2%
7500	SANTA ROSA, CA PMSA	4720	0.3 %	0.4%
7510	SARASOTA-BRADENTON, FL MSA	37	0.0 %	0.0%
7600	SEATTLE-BELLEVUE-EVERETT, WA PMSA	18962	1.1 %	1.5%
7640	SHERMAN-DENISON, TX MSA	250	0.0 %	0.0%
7680	SHREVEPORT-BOSSIER CITY, LA MSA	2145	0.1 %	0.2%
7720	SIOUX CITY, IA-NE MSA	1381	0.1 %	0.1%
7760	SIOUX FALLS, SD MSA	5997	0.4 %	0.5%
7840	SPOKANE, WA MSA	7448	0.4 %	0.6%
7880	SPRINGFIELD, IL MSA	1878	0.1 %	0.1%
7920	SPRINGFIELD, MO MSA	2256	0.1 %	0.2%
8003	SPRINGFIELD, MA NECMA	6164	0.4 %	0.5%
8120	STOCKTON-LODI, CA MSA	3661	0.2 %	0.3%
8140	SUMTER, SC MSA	782	0.0 %	0.1%
8160	SYRACUSE, NY MSA	9788	0.6 %	0.8%
8200	TACOMA, WA PMSA	7905	0.5 %	0.6%
8240	TALLAHASSEE, FL MSA	778	0.0 %	0.1%
8280	TAMPA-ST. PETERSBURG-CLEARWATER, FL MSA	5333	0.3 %	0.4%
8360	TEXARKANA, TX-TEXARKANA, AR MSA	1521	0.1 %	0.1%
8400	TOLEDO, OH MSA	497	0.0 %	0.0%
8440	TOPEKA, KS MSA	1561	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
8480	TRENTON, NJ PMSA	1438	0.1 %	0.1%
8560	TULSA, OK MSA	2295	0.1 %	0.2%
8640	TYLER, TX MSA	248	0.0 %	0.0%
8680	UTICA-ROME, NY MSA	4110	0.2 %	0.3%
8720	VALLEJO-FAIRFIELD-NAPA, CA PMSA	3050	0.2 %	0.2%
8735	VENTURA, CA PMSA	3226	0.2 %	0.3%
8760	VINELAND-MILLVILLE-BRIDGETON, NJ PMSA	3095	0.2 %	0.2%
8780	VISALIA-TULARE-PORTERVILLE, CA MSA	3929	0.2 %	0.3%
8800	WACO, TX MSA	1506	0.1 %	0.1%
8840	WASHINGTON, DC-MD-VA-WV PMSA	22073	1.3 %	1.7%
8920	WATERLOO-CEDAR FALLS, IA MSA	1644	0.1 %	0.1%
8960	WEST PALM BEACH-BOCA RATON, FL MSA	2639	0.2 %	0.2%
9000	WHEELING, WV-OH MSA	645	0.0 %	0.1%
9040	WICHITA, KS MSA	5650	0.3 %	0.4%
9080	WICHITA FALLS, TX MSA	359	0.0 %	0.0%
9160	WILMINGTON-NEWARK, DE-MD PMSA	4387	0.3 %	0.3%
9200	WILMINGTON, NC MSA	1210	0.1 %	0.1%
9260	YAKIMA, WA MSA	5854	0.3 %	0.5%
9270	YOLO, CA PMSA	790	0.0 %	0.1%
9320	YOUNGSTOWN-WARREN, OH MSA	1697	0.1 %	0.1%
9340	YUBA CITY, CA MSA	920	0.1 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	391089	23.3 %	-

Based upon 1286848 valid cases out of 1677937 total cases.

## REGION

## CENSUS REGION

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico

- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).

- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division

(Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).

- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).

- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	U.S. TERRITORIES	1607	0.1 %	0.1%
1	NORTHEAST	485701	28.9 %	28.9%
2	MIDWEST	404002	24.1 %	24.1%
3	SOUTH	339005	20.2 %	20.2%
4	WEST	447622	26.7 %	26.7%

Based upon 1677937 valid cases out of 1677937 total cases.

DIVISION	CENSUS DIVISION
----------	-----------------

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico

- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.

- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.

- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.

- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.

- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.

- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and

Tennessee.

- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.

- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.

- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	U.S. TERRITORIES	1607	0.1 %	0.1%
1	NEW ENGLAND	139771	8.3 %	8.3%
2	MIDDLE ATLANTIC	345930	20.6 %	20.6%
3	EAST NORTH CENTRAL	237015	14.1 %	14.1%
4	WEST NORTH CENTRAL	166987	10.0 %	10.0%
5	SOUTH ATLANTIC	184594	11.0 %	11.0%
6	EAST SOUTH CENTRAL	33765	2.0 %	2.0%
7	WEST SOUTH CENTRAL	120646	7.2 %	7.2%
8	MOUNTAIN	117124	7.0 %	7.0%
9	PACIFIC	330498	19.7 %	19.7%

Based upon 1677937 valid cases out of 1677937 total cases.

#### SERVSETD

#### SERVICE SETTING AT DISCHARGE

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the type of service the client was receiving prior to discharge.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT:

24 hour per day medical acute care services in hospital setting for detoxification for persons with severe medical complications associated with withdrawal.

- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL:

24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.

- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX):

24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER):

Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse



and dependency.

- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS):

Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.

- AMBULATORY - INTENSIVE OUTPATIENT:

As a minimum, the client must receive treatment lasting two or more hours per day for three or more days per week. (Includes partial hospitalization)

- AMBULATORY - NON-INTENSIVE OUTPATIENT:

Ambulatory treatment services including individual, family, and/or group services; these may include pharmacological therapies.

- AMBULATORY - DETOXIFICATION:

Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DETOX, 24 HR, HOSPITAL INPATIENT	70898	4.2 %	4.2%
2	DETOX, 24 HR, FREE-STANDING RESIDENTIAL	265843	15.8 %	15.8%
3	REHAB/RES, HOSPITAL (NON-DETOX)	5815	0.3 %	0.3%
4	REHAB/RES, SHORT TERM (30 DAYS OR FEWER)	193788	11.5 %	11.6%
5	REHAB/RES, LONG TERM (MORE THAN 30 DAYS)	142273	8.5 %	8.5%
6	AMBULATORY, INTENSIVE OUTPATIENT	200447	11.9 %	11.9%
7	AMBULATORY, NON-INTENSIVE OUTPATIENT.	775650	46.2 %	46.2%
8	AMBULATORY, DETOXIFICATION	22923	1.4 %	1.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	300	0.0 %	-

Based upon 1677637 valid cases out of 1677937 total cases.

**METHUSE**

**MEDICATION-ASSISTED OPIOID THERAPY**

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	84294	5.0 %	5.3%
2	NO	1503221	89.6 %	94.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	90422	5.4 %	-

Based upon 1587515 valid cases out of 1677937 total cases.

DAYWAIT	DAYS WAITING TO ENTER TREATMENT
Location:	58-60 (width: 3; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	<p>Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.</p> <p>Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.</p> <p>Based upon 867015 valid cases out of 1677937 total cases.</p> <ul style="list-style-type: none"> <li>• Mean: 7.08</li> <li>• Median: 0.00</li> <li>• Mode: 0.00</li> <li>• Minimum: 0.00</li> <li>• Maximum: 996.00</li> <li>• Standard Deviation: 44.19</li> </ul>

REASON	REASON FOR DISCHARGE
Location:	61-62 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	<p>Indicates the outcome of treatment or the reason for transfer or discontinuance of treatment.</p> <ul style="list-style-type: none"> <li>- TREATMENT COMPLETED: All parts of the treatment plan or program were completed.</li> <li>- LEFT AGAINST PROFESSIONAL ADVICE: Client chose not to complete program, with or without specific advice to continue treatment. Includes clients who "drop out" of treatment for unknown reason and clients who have not received treatment for some time and are discharged for "administrative" reasons.</li> <li>- TERMINATED BY FACILITY: Treatment terminated by action of facility, generally because of client non-compliance or violation of rules, laws, or procedures (not because client dropped out of treatment, client incarcerated, or other client motivated reason).</li> </ul>

- TRANSFERRED TO ANOTHER SUBSTANCE ABUSE TREATMENT PROGRAM OR FACILITY: Client was transferred to another substance abuse treatment program, provider or facility within an episode of treatment.

- INCARCERATED: This code is to be used for all clients whose course of treatment is terminated because the client has been incarcerated. Includes jail, prison, and house confinement.

- DEATH

- OTHER: Moved, illness, hospitalization, or other reason somewhat out of client's control.

- UNKNOWN: Client status at discharge is not known because for example, discharge record is lost or incomplete.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	TREATMENT COMPLETED	775733	46.2 %	46.2%
2	LEFT AGAINST PROFESSIONAL ADVICE	421762	25.1 %	25.1%
3	TERMINATED BY FACILITY	106253	6.3 %	6.3%
4	TRANSFERRED TO ANOTHER TREATMENT PROGRAM OR FACILITY	247013	14.7 %	14.7%
5	INCARCERATED	36003	2.1 %	2.1%
6	DEATH	4691	0.3 %	0.3%
7	OTHER	86297	5.1 %	5.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	185	0.0 %	-

Based upon 1677752 valid cases out of 1677937 total cases.

LOS	LENGTH OF STAY
-----	----------------

Location: 63-65 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the length of the treatment episode (in days).

Length of stay was computed using the date of admission and the date of last contact. One day is added to all outpatient discharges, so that the first day and last day of outpatient treatment are counted.

- 1 to 30: Data values in the 1-30 range represent the actual computed number of days the client spent in treatment

- 31: Length of stay is between 31 and 45 days.

- 32: Length of stay is between 46 and 60 days.

- 33: Length of stay is between 61 and 90 days.
- 34: Length of stay is between 91 and 120 days.
- 35: Length of stay is between 121 and 180 days.
- 36: Length of stay is between 181 and 365 days.
- 37: Length of stay is greater than 365 days.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	71308	4.2 %	4.2%
2	-	65159	3.9 %	3.9%
3	-	66095	3.9 %	3.9%
4	-	60337	3.6 %	3.6%
5	-	55099	3.3 %	3.3%
6	-	41953	2.5 %	2.5%
7	-	35714	2.1 %	2.1%
8	-	27981	1.7 %	1.7%
9	-	17062	1.0 %	1.0%
10	-	15742	0.9 %	0.9%
11	-	12220	0.7 %	0.7%
12	-	11234	0.7 %	0.7%
13	-	16174	1.0 %	1.0%
14	-	17634	1.1 %	1.1%
15	-	18501	1.1 %	1.1%
16	-	11571	0.7 %	0.7%
17	-	10475	0.6 %	0.6%
18	-	9605	0.6 %	0.6%
19	-	9604	0.6 %	0.6%
20	-	13916	0.8 %	0.8%
21	-	20690	1.2 %	1.2%
22	-	16639	1.0 %	1.0%
23	-	11055	0.7 %	0.7%
24	-	10313	0.6 %	0.6%
25	-	10183	0.6 %	0.6%
26	-	10753	0.6 %	0.6%
27	-	18939	1.1 %	1.1%
28	-	31266	1.9 %	1.9%
29	-	21993	1.3 %	1.3%
30	-	18545	1.1 %	1.1%
31	31 TO 45 DAYS	133900	8.0 %	8.0%
32	46 TO 60 DAYS	101831	6.1 %	6.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
33	61 TO 90 DAYS	164486	9.8 %	9.8%
34	91 TO 120 DAYS	131444	7.8 %	7.8%
35	121 TO 180 DAYS	153187	9.1 %	9.1%
36	181 TO 365 DAYS	167305	10.0 %	10.0%
37	MORE THAN A YEAR	68024	4.1 %	4.1%

Based upon 1677937 valid cases out of 1677937 total cases.

## PSOURCE

## PRINCIPAL SOURCE OF REFERRAL

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the person or agency referring the client to the alcohol or drug abuse treatment program:

- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories. Includes self-referral due to pending DWU/DUI.
- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment.
- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.
- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.
- EMPLOYER/EAP: A supervisor or an employee counselor.
- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.
- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred

prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	544710	32.5 %	33.1%
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	174018	10.4 %	10.6%
3	OTHER HEALTH CARE PROVIDER	102145	6.1 %	6.2%
4	SCHOOL (EDUCATIONAL)	15536	0.9 %	0.9%
5	EMPLOYER/EAP	9981	0.6 %	0.6%
6	OTHER COMMUNITY REFERRAL	181466	10.8 %	11.0%
7	COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI	620166	37.0 %	37.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	29915	1.8 %	-

Based upon 1648022 valid cases out of 1677937 total cases.

#### DETCRIM

#### DETAILED CRIMINAL JUSTICE REFERRAL

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT

- PROBATION/PAROLE

- DIVERSIONARY PROGRAM (e.g. TASC)

- PRISON

- DUI/DWI

- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency, corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as

Missing.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STATE/FEDERAL COURT, OTHER COURT	114867	6.8 %	23.9%
3	PROBATION/PAROLE	207614	12.4 %	43.1%
5	DIVERSIONARY PROGRAM	15228	0.9 %	3.2%
6	PRISON	11278	0.7 %	2.3%
7	DUI/DWI	40606	2.4 %	8.4%
8	OTHER RECOGNIZED LEGAL ENTITY, OTHER	91735	5.5 %	19.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1196609	71.3 %	-

Based upon 481328 valid cases out of 1677937 total cases.

#### **NOPRIOR**

#### **NUMBER OF PRIOR TREATMENT EPISODES**

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO PRIOR TREATMENT EPISODES	649402	38.7 %	42.7%
1	1 PRIOR TREATMENT EPISODES	331643	19.8 %	21.8%
2	2 PRIOR TREATMENT EPISODES	187689	11.2 %	12.4%
3	3 PRIOR TREATMENT EPISODES	109978	6.6 %	7.2%
4	4 PRIOR TREATMENT EPISODES	62214	3.7 %	4.1%
5	5 OR MORE PRIOR TREATMENT EPISODES	178179	10.6 %	11.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	158832	9.5 %	-

Based upon 1519105 valid cases out of 1677937 total cases.

#### **SUB1**

#### **SUBSTANCE PROBLEM CODE (PRIMARY)**

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's primary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.



(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	14543	0.9 %	0.9%
2	ALCOHOL	691427	41.2 %	41.4%
3	COCAINE/CRACK	202335	12.1 %	12.1%
4	MARIJUANA/HASHISH	277783	16.6 %	16.6%
5	HEROIN	230585	13.7 %	13.8%
6	NON-PRESCRIPTION METHADONE	4640	0.3 %	0.3%
7	OTHER OPIATES AND SYNTHETICS	87513	5.2 %	5.2%
8	PCP	3429	0.2 %	0.2%
9	OTHER HALLUCINOGENS	1667	0.1 %	0.1%
10	METHAMPHETAMINE	128773	7.7 %	7.7%
11	OTHER AMPHETAMINES	5950	0.4 %	0.4%
12	OTHER STIMULANTS	532	0.0 %	0.0%
13	BENZODIAZEPINES	9529	0.6 %	0.6%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	429	0.0 %	0.0%
15	BARBITURATES	909	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	3261	0.2 %	0.2%
17	INHALANTS	1033	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	821	0.0 %	0.0%
20	OTHER	6394	0.4 %	0.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	6384	0.4 %	-

Based upon 1671553 valid cases out of 1677937 total cases.

#### ROUTE1

#### USUAL ROUTE OF ADMINISTRATION (PRIMARY)

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	784568	46.8 %	47.7%
2	SMOKING	516857	30.8 %	31.4%
3	INHALATION	144200	8.6 %	8.8%
4	INJECTION (IV OR INTRAMUSCULAR)	193902	11.6 %	11.8%
20	OTHER	6200	0.4 %	0.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	32210	1.9 %	-

Based upon 1645727 valid cases out of 1677937 total cases.

**FREQ1 FREQUENCY OF USE (PRIMARY)**

Location: 76-77 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Specifies the frequency of use of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	481734	28.7 %	29.2%
2	1-3 TIMES IN THE PAST MONTH	205863	12.3 %	12.5%
3	1-2 TIMES IN THE PAST WEEK	147132	8.8 %	8.9%
4	3-6 TIMES IN THE PAST WEEK	191368	11.4 %	11.6%
5	DAILY	623115	37.1 %	37.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	28725	1.7 %	-

Based upon 1649212 valid cases out of 1677937 total cases.

**FRSTUSE1 AGE AT FIRST USE (PRIMARY)**

Location: 78-79 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	122663	7.3 %	7.4%
2	12-14	374774	22.3 %	22.7%
3	15-17	472809	28.2 %	28.7%
4	18-20	279879	16.7 %	17.0%
5	21-24	155437	9.3 %	9.4%
6	25-29	108110	6.4 %	6.6%
7	30-34	59924	3.6 %	3.6%
8	35-39	37223	2.2 %	2.3%
9	40-44	20582	1.2 %	1.2%
10	45-49	10642	0.6 %	0.6%
11	50-54	4473	0.3 %	0.3%
12	55 AND OVER	2238	0.1 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	29183	1.7 %	-

Based upon 1648754 valid cases out of 1677937 total cases.

**SUB2 SUBSTANCE PROBLEM CODE (SECONDARY)**

Location: 80-81 (width: 2; decimal: 0)  
 Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's secondary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep

aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	695867	41.5 %	42.1%
2	ALCOHOL	266947	15.9 %	16.2%
3	COCAINE/CRACK	225275	13.4 %	13.6%
4	MARIJUANA/HASHISH	264893	15.8 %	16.0%
5	HEROIN	34564	2.1 %	2.1%
6	NON-PRESCRIPTION METHADONE	4306	0.3 %	0.3%
7	OTHER OPIATES AND SYNTHETICS	49118	2.9 %	3.0%
8	PCP	2758	0.2 %	0.2%
9	OTHER HALLUCINOGENS	3201	0.2 %	0.2%
10	METHAMPHETAMINE	47234	2.8 %	2.9%
11	OTHER AMPHETAMINES	7292	0.4 %	0.4%
12	OTHER STIMULANTS	1076	0.1 %	0.1%
13	BENZODIAZEPINES	26100	1.6 %	1.6%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	816	0.0 %	0.0%
15	BARBITURATES	1167	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	6644	0.4 %	0.4%
17	INHALANTS	886	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	1094	0.1 %	0.1%
20	OTHER	13505	0.8 %	0.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	25194	1.5 %	-

Based upon 1652743 valid cases out of 1677937 total cases.

## ROUTE2

## USUAL ROUTE OF ADMINISTRATION (SECONDARY)

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	361010	21.5 %	38.0%
2	SMOKING	423297	25.2 %	44.5%
3	INHALATION	100134	6.0 %	10.5%
4	INJECTION (IV OR INTRAMUSCULAR)	61254	3.7 %	6.4%
20	OTHER	5443	0.3 %	0.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	726799	43.3 %	-

Based upon 951138 valid cases out of 1677937 total cases.

## **FREQ2 FREQUENCY OF USE (SECONDARY)**

Location: 84-85 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question: Specifies the frequency of use of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	360791	21.5 %	37.9%
2	1-3 TIMES IN THE PAST MONTH	153606	9.2 %	16.1%
3	1-2 TIMES IN THE PAST WEEK	99678	5.9 %	10.5%
4	3-6 TIMES IN THE PAST WEEK	97354	5.8 %	10.2%
5	DAILY	240033	14.3 %	25.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	726475	43.3 %	-

Based upon 951462 valid cases out of 1677937 total cases.

## **FRSTUSE2 AGE AT FIRST USE (SECONDARY)**

Location: 86-87 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	68496	4.1 %	7.2%
2	12-14	227831	13.6 %	24.0%
3	15-17	274504	16.4 %	28.9%
4	18-20	149826	8.9 %	15.8%
5	21-24	82983	4.9 %	8.7%
6	25-29	62530	3.7 %	6.6%
7	30-34	34851	2.1 %	3.7%
8	35-39	22572	1.3 %	2.4%
9	40-44	13592	0.8 %	1.4%
10	45-49	7685	0.5 %	0.8%
11	50-54	3408	0.2 %	0.4%
12	55 AND OVER	1650	0.1 %	0.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	728009	43.4 %	-

Based upon 949928 valid cases out of 1677937 total cases.

SUB3	SUBSTANCE PROBLEM CODE (TERTIARY)
Location:	88-89 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	<p>This field identifies the client's tertiary substance problem.</p> <ul style="list-style-type: none"> <li>(1) NONE</li> <li>(2) ALCOHOL</li> <li>(3) COCAINE/CRACK</li> <li>(4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.</li> <li>(5) HEROIN</li> <li>(6) NON-PRESCRIPTION METHADONE</li> <li>(7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.</li> <li>(8) PCP: Phencyclidine</li> <li>(9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.</li> <li>(10) METHAMPHETAMINE</li> <li>(11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.</li> <li>(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.</li> <li>(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.</li> <li>(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.</li> <li>(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.</li> <li>(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.</li> <li>(17) INHALANTS: Includes chloroform, ether, gasoline, glue,</li> </ul>

nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	1080253	64.4 %	75.1%
2	ALCOHOL	80765	4.8 %	5.6%
3	COCAINE/CRACK	75650	4.5 %	5.3%
4	MARIJUANA/HASHISH	89702	5.3 %	6.2%
5	HEROIN	12814	0.8 %	0.9%
6	NON-PRESCRIPTION METHADONE	2192	0.1 %	0.2%
7	OTHER OPIATES AND SYNTHETICS	24314	1.4 %	1.7%
8	PCP	1667	0.1 %	0.1%
9	OTHER HALLUCINOGENS	5358	0.3 %	0.4%
10	METHAMPHETAMINE	17567	1.0 %	1.2%
11	OTHER AMPHETAMINES	5204	0.3 %	0.4%
12	OTHER STIMULANTS	1245	0.1 %	0.1%
13	BENZODIAZEPINES	17814	1.1 %	1.2%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	598	0.0 %	0.0%
15	BARBITURATES	1008	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	4304	0.3 %	0.3%
17	INHALANTS	989	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	1116	0.1 %	0.1%
20	OTHER	16423	1.0 %	1.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	238954	14.2 %	-

Based upon 1438983 valid cases out of 1677937 total cases.

### ROUTE3

### USUAL ROUTE OF ADMINISTRATION (TERTIARY)

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	139982	8.3 %	40.0%
2	SMOKING	139098	8.3 %	39.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	INHALATION	47530	2.8 %	13.6%
4	INJECTION (IV OR INTRAMUSCULAR)	19695	1.2 %	5.6%
20	OTHER	3985	0.2 %	1.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1327647	79.1 %	-

Based upon 350290 valid cases out of 1677937 total cases.

### **FREQ3 FREQUENCY OF USE (TERTIARY)**

Location: 92-93 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question: Specifies the frequency of use of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	154184	9.2 %	43.3%
2	1-3 TIMES IN THE PAST MONTH	55309	3.3 %	15.5%
3	1-2 TIMES IN THE PAST WEEK	33908	2.0 %	9.5%
4	3-6 TIMES IN THE PAST WEEK	30591	1.8 %	8.6%
5	DAILY	82243	4.9 %	23.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1321702	78.8 %	-

Based upon 356235 valid cases out of 1677937 total cases.

### **FRSTUSE3 AGE AT FIRST USE (TERTIARY)**

Location: 94-95 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	32241	1.9 %	9.1%
2	12-14	84757	5.1 %	23.8%
3	15-17	102754	6.1 %	28.9%
4	18-20	56677	3.4 %	15.9%
5	21-24	29270	1.7 %	8.2%
6	25-29	21451	1.3 %	6.0%
7	30-34	12158	0.7 %	3.4%
8	35-39	7584	0.5 %	2.1%
9	40-44	4800	0.3 %	1.3%
10	45-49	2616	0.2 %	0.7%
11	50-54	1101	0.1 %	0.3%
12	55 AND OVER	438	0.0 %	0.1%



<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1322090	78.8 %	-

Based upon 355847 valid cases out of 1677937 total cases.

# **NUMSUBS      NUMBER OF SUBSTANCES REPORTED AT ADM.**

Location: 96-97 (width: 2; decimal: 0)  
Variable Type: numeric  
Question: Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	20221	1.2 %	1.2%
1	695634	41.5 %	41.5%
2	609264	36.3 %	36.3%
3	352818	21.0 %	21.0%

Based upon 1677937 valid cases out of 1677937 total cases.

# **IDU      CURRENT IV DRUG USE REPORTED AT ADM.**

Location: 98-99 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9 , -8  
Question: Flags record if injection was reported as primary, secondary, or tertiary route of administration.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO IDU REPORTED	1426691	85.0 %	86.1%
1	IDU REPORTED	231025	13.8 %	13.9%
-8 (M)	NO SUBSTANCES REPORTED	20221	1.2 %	-

Based upon 1657716 valid cases out of 1677937 total cases.

# **ALCFLG      ALCOHOL REPORTED AT ADM.**

Location: 100-100 (width: 1; decimal: 0)  
Variable Type: numeric  
Question: Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	639921	38.1 %	38.1%
1	SUBSTANCE REPORTED	1038016	61.9 %	61.9%

Based upon 1677937 valid cases out of 1677937 total cases.

# **COKEFLG      COCAINE/CRACK REPORTED AT ADM.**

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1187504	70.8 %	70.8%
1	SUBSTANCE REPORTED	490433	29.2 %	29.2%

Based upon 1677937 valid cases out of 1677937 total cases.

#### **MARFLG MARIJUANA/HASHISH REPORTED AT ADM.**

Location: 102-102 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1046485	62.4 %	62.4%
1	SUBSTANCE REPORTED	631452	37.6 %	37.6%

Based upon 1677937 valid cases out of 1677937 total cases.

#### **HERFLG HEROIN REPORTED AT ADM.**

Location: 103-103 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1400118	83.4 %	83.4%
1	SUBSTANCE REPORTED	277819	16.6 %	16.6%

Based upon 1677937 valid cases out of 1677937 total cases.

#### **METHFLG NON-RX METHADONE REPORTED AT ADM.**

Location: 104-104 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1666812	99.3 %	99.3%
1	SUBSTANCE REPORTED	11125	0.7 %	0.7%

Based upon 1677937 valid cases out of 1677937 total cases.

#### **OPSYNFLG OTHER OPIATES/SYNTHETICS REPORTED AT ADM.**

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1521711	90.7 %	90.7%
1	SUBSTANCE REPORTED	156226	9.3 %	9.3%

Based upon 1677937 valid cases out of 1677937 total cases.

#### PCPFLG PCP REPORTED AT ADM.

Location: 106-106 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1670083	99.5 %	99.5%
1	SUBSTANCE REPORTED	7854	0.5 %	0.5%

Based upon 1677937 valid cases out of 1677937 total cases.

#### HALLFLG OTHER HALLUCINOGENS REPORTED AT ADM.

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1667756	99.4 %	99.4%
1	SUBSTANCE REPORTED	10181	0.6 %	0.6%

Based upon 1677937 valid cases out of 1677937 total cases.

#### MTHAMFLG METHAMPHETAMINE REPORTED AT ADM.

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1485253	88.5 %	88.5%
1	SUBSTANCE REPORTED	192684	11.5 %	11.5%

Based upon 1677937 valid cases out of 1677937 total cases.

#### AMPHFLG OTHER AMPHETAMINES REPORTED AT ADM.

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1659533	98.9 %	98.9%
1	SUBSTANCE REPORTED	18404	1.1 %	1.1%

Based upon 1677937 valid cases out of 1677937 total cases.

#### **STIMFLG OTHER STIMULANTS REPORTED AT ADM.**

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1675087	99.8 %	99.8%
1	SUBSTANCE REPORTED	2850	0.2 %	0.2%

Based upon 1677937 valid cases out of 1677937 total cases.

#### **BENZFLG BENZODIAZEPINES REPORTED AT ADM.**

Location: 111-111 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1625049	96.8 %	96.8%
1	SUBSTANCE REPORTED	52888	3.2 %	3.2%

Based upon 1677937 valid cases out of 1677937 total cases.

#### **TRNQFLG OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.**

Location: 112-112 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1676094	99.9 %	99.9%
1	SUBSTANCE REPORTED	1843	0.1 %	0.1%

Based upon 1677937 valid cases out of 1677937 total cases.

#### **BARBFLG BARBITURATES REPORTED AT ADM.**

Location: 113-113 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1674858	99.8 %	99.8%
1	SUBSTANCE REPORTED	3079	0.2 %	0.2%

Based upon 1677937 valid cases out of 1677937 total cases.

#### **SEDHPFLG OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.**

Location: 114-114 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1663744	99.2 %	99.2%
1	SUBSTANCE REPORTED	14193	0.8 %	0.8%

Based upon 1677937 valid cases out of 1677937 total cases.

#### **INHFLG INHALANTS REPORTED AT ADM.**

Location: 115-115 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1675041	99.8 %	99.8%
1	SUBSTANCE REPORTED	2896	0.2 %	0.2%

Based upon 1677937 valid cases out of 1677937 total cases.

#### **OTCFLG OVER-THE-COUNTER MEDICATION REPORTED AT ADM.**

Location: 116-116 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1674915	99.8 %	99.8%
1	SUBSTANCE REPORTED	3022	0.2 %	0.2%

Based upon 1677937 valid cases out of 1677937 total cases.

#### **OTHERFLG OTHER DRUG REPORTED AT ADM.**

Location: 117-117 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1641898	97.9 %	97.9%
1	SUBSTANCE REPORTED	36039	2.1 %	2.1%

Based upon 1677937 valid cases out of 1677937 total cases.

#### ALCDRUG

#### SUBSTANCE ABUSE TYPE

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

Question: Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	20221	1.2 %	1.2%
1	ALCOHOL ONLY	372519	22.2 %	22.2%
2	OTHER DRUGS ONLY	619700	36.9 %	36.9%
3	ALCOHOL AND OTHER DRUGS	665497	39.7 %	39.7%

Based upon 1677937 valid cases out of 1677937 total cases.

#### DSMCRIT

#### DSM DIAGNOSIS

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALCOHOL-INDUCED DISORDER	8305	0.5 %	1.4%
2	SUBSTANCE-INDUCED DISORDER	12499	0.7 %	2.1%
3	ALCOHOL INTOXICATION	36062	2.1 %	6.1%
4	ALCOHOL DEPENDENCE	149114	8.9 %	25.0%
5	OPIOID DEPENDENCE	78054	4.7 %	13.1%
6	COCAINE DEPENDENCE	59141	3.5 %	9.9%
7	CANNABIS DEPENDENCE	55624	3.3 %	9.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
8	OTHER SUBSTANCE DEPENDENCE	57465	3.4 %	9.6%
9	ALCOHOL ABUSE	53215	3.2 %	8.9%
10	CANNABIS ABUSE	36361	2.2 %	6.1%
11	OTHER SUBSTANCE ABUSE	6398	0.4 %	1.1%
12	OPIOID ABUSE	3295	0.2 %	0.6%
13	COCAINE ABUSE	10792	0.6 %	1.8%
14	ANXIETY DISORDERS	1884	0.1 %	0.3%
15	DEPRESSIVE DISORDERS	5595	0.3 %	0.9%
16	SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS	2213	0.1 %	0.4%
17	BIPOLAR DISORDERS	3381	0.2 %	0.6%
18	ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS	1356	0.1 %	0.2%
19	OTHER MENTAL HEALTH CONDITION	4223	0.3 %	0.7%
20	OTHER CONDITION	10588	0.6 %	1.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1082372	64.5 %	-

Based upon 595565 valid cases out of 1677937 total cases.

#### PSYPROB

#### PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	329090	19.6 %	27.3%
2	NO	876031	52.2 %	72.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	472816	28.2 %	-

Based upon 1205121 valid cases out of 1677937 total cases.

#### HLTHINS

#### HEALTH INSURANCE

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRIVATE INSURANCE, BC/BS, HMO	87386	5.2 %	11.8%
2	MEDICAID	129430	7.7 %	17.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	52703	3.1 %	7.1%
4	NONE	470835	28.1 %	63.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	937583	55.9 %	-

Based upon 740354 valid cases out of 1677937 total cases.

# **PRIMPAY**

## **EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT**

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	SELF-PAY	112592	6.7 %	21.0%
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	27450	1.6 %	5.1%
3	MEDICARE, WORKER'S COMPENSATION	3362	0.2 %	0.6%
4	MEDICAID	75533	4.5 %	14.1%
5	OTHER GOVERNMENT PAYMENTS	199124	11.9 %	37.1%
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	70682	4.2 %	13.2%
9	OTHER	48540	2.9 %	9.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1140654	68.0 %	-

Based upon 537283 valid cases out of 1677937 total cases.



# APPENDIX



## APPENDIX A

### TEDS-D Variable Information (Alphabetical Order)

<u>Variable</u>	<u>Source</u> <sup>3</sup>	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
AGE	MDS	Num	2	13	14	AGE (RECODED)
ALCDRUG	Added	Num	2	118	119	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	100	100	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	109	109	OTHER AMPHETAMINES REPORTED AT ADM.
ARRESTS	SuDs	Num	2	37	38	NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION
BARBFLG	Added	Num	1	113	113	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	111	111	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	8	1	8	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	41	45	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	101	101	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	58	60	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	68	69	DETAILED CRIMINAL JUSTICE REFERRAL
DETNLF	SuDS	Num	2	27	28	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DISYR	Added	Num	4	9	12	YEAR OF DISCHARGE
DIVISION	Added	Num	2	52	53	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	120	121	DSM DIAGNOSIS
EDUC	MDS	Num	2	23	24	EDUCATION
EMPLOY	MDS	Num	2	25	26	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	19	20	ETHNICITY (HISPANIC ORIGIN)
FREQ1	MDS	Num	2	76	77	FREQUENCY OF USE (PRIMARY)

<sup>3</sup> MDS = Minimum Data Set      SuDS = Supplemental Data Set      Added = Variable Added to TEDS

<u>Variable</u>	<u>Source</u> <sup>3</sup>	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
FREQ2	MDS	Num 2	84	85		FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num 2	92	93		FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num 2	78	79		AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num 2	86	87		AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num 2	94	95		AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num 2	15	16		SEX
HALLFLG	Added	Num 1	107	107		OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num 1	103	103		HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num 2	124	125		HEALTH INSURANCE
IDU	Added	Num 2	98	99		CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num 1	115	115		INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num 2	33	34		LIVING ARRANGEMENTS
LOS	DIS	Num 3	63	65		LENGTH OF STAY
MARFLG	Added	Num 1	102	102		MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num 2	21	22		MARITAL STATUS
METHFLG	Added	Num 1	104	104		NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num 2	56	57		MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num 1	108	108		METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num 2	70	71		NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num 2	96	97		NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num 1	105	105		OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num 1	116	116		OVER-THE-COUNTER MEDICATION REPORTED AT ADM.
OTHERFLG	Added	Num 1	117	117		OTHER DRUG REPORTED AT ADM.

<u>Variable</u>	<u>Source</u> <sup>3</sup>	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
PCPFLG	Added	Num 1	106	106		PCP REPORTED AT ADM.
PMSA	Added	Num 4	46	49		FIPS 1990 MSA CODE
PREG	SuDS	Num 2	29	30		PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num 2	35	36		SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num 2	126	127		EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num 2	66	67		PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num 2	122	123		PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num 2	17	18		RACE
REASON	DIS	Num 2	61	62		REASON FOR DISCHARGE
REGION	Added	Num 2	50	51		CENSUS REGION
ROUTE1	MDS	Num 2	74	75		USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num 2	82	83		USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num 2	90	91		USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num 1	114	114		OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETD	MDS	Num 2	54	55		SERVICE SETTING AT DISCHARGE
STFIPS	Added	Num 2	39	40		CENSUS STATE FIPS CODE
STIMFLG	Added	Num 1	110	110		OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num 2	72	73		SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num 2	80	81		SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num 2	88	89		SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num 1	112	112		OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num 2	31	32		VETERAN STATUS



## APPENDIX B

### Variable Recode Table

Variable	Original Codes (original percentage)	Recodes
<b>AGE</b>  Age (Recoded)	Continuous (12-99)	2 12-14 3 15-17 4 18-20 5 21-24 6 25-29 7 30-34 8 35-39 9 40-44 10 45-49 11 50-54 12 55 and Over
<b>ARRESTS</b>  Number of Arrests Prior to Admission	Continuous (0-96)	0 None 1 Once 2 Two or More Times
<b>MARSTAT</b>  Marital Status	1 Never Married (60.2%) 2 Now Married (15.8%) 3 Separated (5.9%) 4 Divorced (16.5%) 5 Widowed (1.5%)	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
<b>EDUC</b>  Education	Continuous 0-25	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

Variable	Original Codes (original percentage)	Recodes
<b>DETNLF</b>  Detailed 'Not in Labor' Force	1 Homemaker (2.8%) 2 Student (16.2%) 3 Retired (2.1%) 4 Disabled (18.1%) 5 Inmate of Institution (6.4%) 6 Other (54.4%)	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
<b>PRIMINC</b>  Source of Income / Support	1 Wages/Salary (31.3%) 2 Public Assistance (6.9%) 3 Retirement/Pension (<1%) 4 Disability (4.9%) 20 Other (21.0%) 21 None (35.1%)	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
<b>PMSA</b>  FIPS 1990 MSA Code  <b>CBSA</b>  FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification.  When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into:  “UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID”
<b>DETCRIM</b>  Detailed Criminal Justice Referral	1 State/Federal Court (12.8%) 2 Other Court (11.1%) 3 Probation/Parole (43.1%) 4 Other Recognized Legal Entity (5.7%) 5 Diversionary Program (3.2%) 6 Prison (2.3%) 7 DUI/DWI (8.4%) 8 Other (13.4%)	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other



Variable	Original Codes (original percentage)	Recodes
<b>HLTHINS</b>  Health Insurance	1 Private Insurance (Other Than BC/BS or HMO) (5.6%) 2 Blue Cross / Blue Shield (BC/BS) (3.3%) 3 Medicare (1.5%) 4 Medicaid (17.6%) 6 Health Maintenance Organization (HMO) (2.9%) 20 Other (e.g. TriCare, Champus) (5.7%) 21 None (63.5%)	1 Private Insurance, BC/BS, HMO 2 Medicaid 3 Medicare/Other (e.g. Tricare, Champus) 4 None
<b>PRIMPAY</b>  Expected / Actual Primary Source of Payment	1 Self-Pay (20.9%) 2 Blue Cross / Blue Shield (1.4%) 3 Medicare (<1%) 4 Medicaid (14.1%) 5 Other Government Payments (37.1%) 6 Worker's Compensation (<1%) 7 Other Health Insurance Companies (3.7%) 8 No charge (Free, Charity, Special Research or Teaching) (13.1%) 9 Other (9.0%)	1 Self-Pay 2 Blue Cross / Blue Shield, Other Health Insurance Companies 3 Medicare, Worker's Compensation 4 Medicaid 5 Other Government Payments 8 No charge (Free, Charity, Special Research or Teaching) 9 Other
<b>FRSTUSE1</b>  Age at First Use (Primary)  <b>FRSTUSE2</b>  Age at First Use (Secondary)  <b>FRSTUSE3</b>  Age at First Use (Tertiary)	Continuous (0-99)	1 11 and Under 2 12-14 3 15-17 4 18-20 5 21-24 6 25-29 7 30-34 8 35-39 9 40-44 10 45-49 11 50-54 12 55 and Over

Variable	Original Codes (original percentage)	Recodes
<b>REASON</b>  Reason for Discharge	1 Treatment Completed (46.2%) 2 Left Against Professional Advice (25.1%) 3 Terminated by Facility (6.3%) 4 Transferred to Another Treatment Program or Facility (14.3%) 5 Incarcerated (2.1%) 6 Death (<1%) 7 Other (5.1%) 8 Unknown (0.0%) 14 Transferred to Another Treatment Program or Facility but did not Report (<1%)	1 Treatment Completed 2 Left Against Professional Advice 3 Terminated by Facility 4 Transferred to Another Treatment Program or Facility 5 Incarcerated 6 Death 7 Other 8 Unknown
<b>LOS</b>  Length of Stay (Days)	Continuous (0-3000)	1-30 (Continuous) 31 31 To 45 Days 32 46 To 60 Days 33 61 To 90 Days 34 91 To 120 Days 35 121 To 180 Days 36 181 To 365 Days 37 More Than a Year

Variable	Original Codes (original percentage)	Recodes
<b>DSMCRIT</b>	0.00	0 No Diagnosis
DSM Diagnosis	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenia / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
	999.97 – 999.99	-9 Missing

