

SAMHDA

SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

Uniform Facility Data Set, 1997: [United States]

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook

SAMHDA

is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Substance Abuse and Mental Health Services Administration

www.samhsa.gov

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@samhsa.hhs.gov)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

Processor Note
UFDS, 1997

SERIES NAME: UNIFORM FACILITY DATA SET

SERIES INFORMATION: The data elements and format that make up the core of the UNIFORM FACILITY DATA SET (UFDS) were first used in 1976 as part of survey efforts designed to measure the scope and use of drug abuse treatment services in the United States. This core was used throughout the 1970s and 1980s in several different surveys. In 1987, the National Drug and Alcoholism Treatment Unit Survey (NDATUS) was first administered and was then conducted annually from 1989 to 1993. After the creation of the Substance Abuse and Mental Health Services Administration (SAMHSA) in 1992, NDATUS was redesigned and, since 1995, has been conducted annually as the UNIFORM FACILITY DATA SET (UFDS) survey. UFDS is one of three components of SAMHSA's Drug and Alcohol Services Information System (DASIS) and is designed to provide the mechanism for quantifying the substance abuse treatment delivery system in the United States. DASIS was created in 1995 to facilitate the integration of SAMHSA's existing treatment services data sets and to reduce redundancy in data collection and reporting. The other two DASIS components are the National Master Facility Inventory (NMFI) and the Treatment Episode Data Set (TEDS). The NMFI is a comprehensive listing of all known substance abuse treatment, education, and prevention facilities in the United States. The TEDS is a client-level database of individuals admitted to publicly-funded substance abuse treatment facilities and is available from the SAMHDA Web site. Together, these three DASIS components provide national- and state-level data on persons receiving alcohol and substance abuse treatment as well as data on the facilities providing the treatment.



Drug and Alcohol Services Information System

Uniform Facility Data Set (UFDS):
1997

Public Use File Documentation -R

Office of Applied Studies



DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration

OFFICE OF APPLIED STUDIES

Uniform Facility Data Set (UFDS): 1997

Public Use File Documentation

Substance Abuse and Mental Health Services Administration
U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

5600 Fishers Lane, Room 16-105
Rockville, Maryland 20857

CHAPTER 1

INTRODUCTION

The 1997 Uniform Facility Data Set (UFDS) survey was conducted between October 1997 and March 1998 with a reference date of October 1, 1997. It was the 21st in a series of national surveys designed to measure the location, characteristics, and use of alcoholism and drug abuse treatment facilities and services throughout the United States, the District of Columbia, and other U.S. jurisdictions.¹ UFDS is the responsibility of the Office of Applied Studies, Substance Abuse and Mental Health Services Administration (SAMHSA).

Publications based on the 1997 UFDS survey include an analysis of results² and the *National Directory of Drug Abuse and Alcoholism Treatment and Prevention Programs*.

UFDS has evolved from national survey efforts begun in the 1970s by the National Institute on Drug Abuse (NIDA) to measure the scope and use of drug abuse treatment services in the United States. The sixth of these surveys, conducted in 1976, introduced the data elements and format that have formed the core of subsequent surveys. These include organizational setting, service orientation, services available, clients in treat-

ment by type of care, capacity, and annual revenue sources and amounts. The 1976 survey, called the National Drug Abuse Treatment Utilization Survey, was repeated in 1977 and 1978. In 1979, the National Institute on Alcohol Abuse and Alcoholism (NIAAA) became a co-sponsor of the survey, alcoholism treatment facilities were added, and the study was renamed the National Drug and Alcoholism Treatment Utilization Survey. This survey was repeated in 1980 and 1982. In 1984, a one-page version was used (the National Alcoholism and Drug Abuse Program Inventory). In 1987, the full version of the survey was reinstated, and it was renamed the National Drug and Alcoholism Treatment Unit Survey (NDATUS). NDATUS was conducted annually from 1989-1993. In 1992, with the creation of SAMHSA, responsibility for conducting the survey shifted to SAMHSA's Office of Applied Studies. The survey was redesigned, and conducted annually as the Uniform Facility Data Set survey beginning in 1995.

UFDS is designed to collect information from each facility in the country that provides substance abuse treatment, and from State-identified facilities providing other substance abuse services.³ UFDS includes private and publicly-funded facilities. All facilities report identifying information. Treatment facilities also report data on the type of services provided, numbers of clients, client demographics (i.e., age, sex, and race/ethnicity groups), other client characteris-

¹ The jurisdictions include the territories of American Samoa and Guam, the Federated States of Micronesia, the Republic of Palau, the Commonwealth of Puerto Rico, and the Virgin Islands of the United States.

² Office of Applied Studies, Substance Abuse and Mental Health Services Administration (1999). *The Uniform Facility Data Set (UFDS) Survey: 1997. Data on Substance Abuse Treatment Facilities*. Drug and Alcohol Services Information System Series: S6. DHHS Pub. No. (SMA) 99-3314.

³ Entities responding to UFDS are referred to as "facilities". This designation is consistent with the title of the survey, although, as discussed below, a "facility" may be a program-level, clinic-level, or multi-site respondent.

tics, capacity, and sources and amounts of revenue.

UFDS provides the mechanism for quantifying the dynamic character and composition of the U.S. substance abuse treatment delivery system. The UFDS objectives are:

- to assist SAMHSA and State and local governments in assessing the nature and extent of services of State-supported and other treatment facilities, and in forecasting treatment resource requirements;
- to update SAMHSA's National Master Facility Inventory (NMFI) of all known drug abuse and alcoholism treatment facilities and State-identified facilities providing other substance abuse services (described further below);
- to analyze general treatment services trends and to conduct comparative analyses for the nation, regions, and States; and
- to generate the *National Directory of Drug Abuse and Alcoholism Treatment and Prevention Programs*, a compendium of State-tracked facilities providing substance abuse treatment, prevention, and other services.

UFDS in the Context of DASIS

UFDS is one of the three components of SAMHSA's Drug and Alcohol Services Information System (DASIS). DASIS was created in 1995 to facilitate the integration of SAMHSA's existing treatment services data sets and to reduce redundancy and reporting burdens. The core of DASIS is the National Master Facility Inventory (NMFI), a continuously-updated comprehensive listing of all known substance abuse treatment facilities and State-identified prevention and education facilities. The other components of DASIS are the UFDS survey and the Treatment Episode Data Set (TEDS), a client-

level database of persons admitted to substance abuse treatment. A unique ID number assigned to the NMFI facility is used in the collection of facility-level data (UFDS) and client-level data (TEDS) so that the three data sets can be linked. Together, they provide national- and State-level information on the numbers and characteristics of individuals admitted to alcohol and drug treatment and describe the facilities that deliver care to those individuals.

The NMFI is the sampling universe for UFDS. Facilities in the NMFI fall into four general categories. These are distinguished by the services provided, the components of DASIS of which they are part, and the relationship of the facility to its State substance abuse agency. These categories are described below.

Treatment facilities administratively tracked by States and reporting to TEDS

The largest group of facilities (about 9,200 in 1997) includes facilities that are licensed or certified by the State substance abuse agency to provide substance abuse treatment (or are administratively tracked for other reasons), and are required by the States to provide TEDS client-level data. State DASIS representatives maintain this segment of the NMFI by reporting new facilities, closures, and address changes to SAMHSA.

Treatment facilities administratively tracked by States but not reporting to TEDS

This group (about 5,300 facilities in 1997) includes treatment facilities that are licensed, certified, or otherwise approved by the State substance abuse agency (or are administratively tracked for other reasons), but that are not required by the States to provide TEDS client-level data. Some private for-profit facilities fall into this category. This group also includes programs operated by Federal agencies (the

Bureau of Prisons, Department of Veterans Affairs, Department of Defense, and Indian Health Service). NMFI records for Federally-operated facilities are updated annually through lists provided by these agencies.

Treatment facilities not administratively tracked by States

This group of facilities (about 2,500 in 1997) represents the ongoing SAMHSA effort to make the NMFI as comprehensive as possible by including treatment facilities that States, for a variety of reasons, do not track. Many of these facilities are private for-profit, small group practices, or hospital-based programs. Most of them were identified through screening of alternative source databases such as the commercial American Business Index, the annual American Hospital Association survey, and SAMHSA's biennial Inventory of Mental Health Organizations. States are given the opportunity to review these lists and to add these facilities to the State-tracked list if appropriate.

Non-treatment facilities administratively tracked by States

These facilities (about 2,400 in 1997) provide prevention, education, intake, assessment, referral, or administrative services. The listing of this group of facilities is provided by State DASIS representatives.

NMFI-Imposed Constraints on UFDS

The use of the NMFI as the sampling universe for UFDS imposes certain constraints, concerned primarily with the unit of response and the scope of facilities included. The NMFI is largely a compilation of facilities in State administrative systems. Each State has a different system, and different criteria for eligibility.

Unit of response

SAMHSA requests that facilities be reported to the NMFI, UFDS, and TEDS at the same administrative level so that record linkage among the three data sets is valid. SAMHSA requests that States use point of delivery of service (i.e., physical location) as the defining factor for a facility. However, because of the different State administrative systems, there is no consistent use of this definition for a treatment facility. For example, in some States, multiple treatment programs (e.g., detox, residential, and outpatient) at the same address and under the same management have separate State licenses. These are treated as separate by the State, and receive separate NMFI ID numbers. In other States, multiple sites are included as a single entity under a parent or administrative unit. In many of these cases, individual sites can report client and services data, but revenue data are available only at a higher administrative level.

Until 1996, State substance abuse agencies distributed and collected the NDATUS/UFDS survey forms. Beginning in 1996, data collection was centralized and UFDS forms were sent directly to the facilities. A small percentage of facilities elected to report data at a higher administrative level than the State-determined NMFI facility level.

Thus UFDS data on the numbers of facilities, and on revenues, client counts, and services by type of facility must be interpreted with caution. Assessment of changes in the number of facilities over time may be more valid, assuming that individual States retain consistent definitions.

Scope of facilities included

The scope of facilities included in the NMFI is affected by differences in State systems of licensure, certification, accreditation, and the disbursement of public funds. For example, some

State substance abuse agencies regulate private facilities and individual practitioners while others do not. In some States, hospital-based substance abuse treatment facilities are not licensed through the State substance abuse agency. Some State substance abuse agencies track correctional facilities (State prisons and local jails) while others do not.

In an effort to address this, SAMHSA conducted a large-scale effort during 1995 and 1996 to identify substance abuse treatment facilities that, for a variety of reasons, were not on the NMFI. Some 15 source lists were considered, and facilities not on the NMFI were contacted to ascertain whether they provided substance abuse treatment. As expected, this yielded a number of hospital-based and small private facilities that were not on the NMFI. These facilities were sent the UFDS survey beginning in 1995, but they were not included in the published results of the survey until 1997.

Some facilities operated by Federal agencies (the Bureau of Prisons, Department of Veterans Affairs, Department of Defense, and Indian Health Service) are tracked, but not regulated, by the States. NMFI records for Federally-operated facilities are updated annually through lists provided by these Federal agencies. Facilities operated by the Bureau of Prisons were excluded from the 1997 UFDS because SAMHSA conducted a separate survey of correctional facilities (report forthcoming).

Procedures for the 1997 UFDS

Survey universe

The UFDS survey was sent to all facilities that were on the NMFI as of about 6 weeks before the survey reference date (October 1, 1997).

Content

The 1997 UFDS survey instrument was a 10-page document with 28 numbered questions (see Appendix A). Respondents provided information on treatment operations and on clients receiving care on October 1, 1997. Topics included:

- Facility identification information
- Ownership
- Hotline operation
- Substance abuse services (treatment, prevention, administrative, drunk-driving only, other)
- Organizational setting
- Organizational relationships (parent or affiliate(s); financial parent or affiliate(s), participation in managed care)
- Waiting list information
- Clients in treatment as of the survey reference date, including:
 - Client counts by type of care (hospital detoxification or rehabilitation, residential detoxification or rehabilitation, intensive outpatient and other outpatient)
 - Client counts by demographics (age group, sex, race/ethnicity) and type of care
 - Proportions treated for alcohol only, drug only, and both substances
 - Number receiving methadone/LAAM
 - Proportions of clients in selected population sub-groups (pregnant women, women with dependent children, injection drug users, persons with active TB, HIV-positive clients, clients in treatment previously, managed care clients, correctional clients)
- Beds available for treatment of substance abuse (hospital or residential) as of the survey reference date
- Annual unduplicated client count
- Annual total admissions
- Specific services (assessment, therapy, testing, health services, programs for special groups, etc.)
- Annual revenue sources and amounts

Data collection

Prior to the survey, faxes or letters were sent to all facilities to update address information, and to alert the facility to expect the survey. Data collection instruments (with State letters of endorsement or other enclosures) were mailed to each facility. During the data collection phase, contract personnel were available to answer facilities' questions concerning the survey. Two weeks after the initial mailing, thank you/reminder letters were sent to all facilities. Five to six weeks after the initial mailing, non-respondent facilities were sent a second mailing. About five weeks after the second mailing, non-respondents received a reminder telephone call. Those facilities that had not responded within two to three weeks of the reminder call were telephoned and asked to complete a slightly abbreviated version of the survey by telephone.

Forms accounting and response rate

Summary response rate information is presented in Table 1.1. A total of 19,956 forms were distributed to facilities. Of these facilities, 10 percent were determined to have been closed on the survey reference date, and data for 6 percent were "rolled up" (i.e., data were included with those reported by an administratively-linked facility), yielding an effective sample size of 16,695. Of the effective sample, 70 percent completed the full mail survey and 16 percent completed the telephone survey, resulting in a survey response rate of 86 percent. Non-respondents may have included facilities that were closed but could not be so identified.

Table 1.1
Forms accounting and response rate:
UFDS 1997

	<i>Number</i>	<i>Percent of total forms</i>	<i>Percent of effective sample</i>
Total forms distributed	19,956	100.0	
Closed facility	2,057	10.3	
Roll-up (data reported by another facility)	1,204	6.0	
Effective sample	16,695	83.7	100.0
Respondents	14,291	71.6	85.6
Mail	11,627	58.3	69.6
Telephone	2,664	13.3	16.0
Non-respondents	2,404	12.0	14.4

Quality assurance

All mail questionnaires were reviewed for inconsistencies and missing data. After data entry, automated quality assurance reviews were conducted. These included the rules used in manual editing, plus consistency checks not readily implemented by manual review. If problems were detected at either phase of editing that could not be resolved, facilities were contacted by telephone and the correct information secured. Non-response follow-up interviews conducted by telephone used a computer-assisted technique with built-in editing rules. The review process assured proper formatting, mechanical correctness, and internal consistency among responses.

Item non-response

The editing process ensured that item non-response was minimal. A few facilities did not provide client demographics; missing data were imputed using averaged responses from facilities

in the same State and with similar ownership and client mix characteristics.

Calculated variables

The 1997 UFDS questionnaire permitted some facilities to indicate more than one organizational setting (the setting within which services are delivered and, for settings specializing in substance abuse treatment, the general type of care offered). For the 1997 annual UFDS report, each facility was assigned to a single organizational setting (see Appendix B for details). This variable is included in the public use file.

Question 13 requested the percentages of clients receiving treatment for alcohol abuse only, drug abuse only, and both alcohol and drug abuse. Client numbers were calculated from these percentages for the number of active clients reported in Question 12g. These variables are included in the public use file.

Question 17 requested either client numbers or percentages of clients in various categories. If numbers were reported, percentages were calculated, and vice versa, for the number of active clients reported in Question 12g.

Profile of Responding Facilities

Facilities provided a range of substance abuse treatment, prevention, related services (e.g., intake, assessment, referral), and administrative functions. A significant number of treatment facilities were engaged in a range of services and were not restricted solely to the provision of clinical care. One-third of facilities served all four functions; another 46 percent provided some combination of these functions. Only 18 percent were single-function facilities.

There were 385 facilities that offered only drunk driving or DUI/DWI programs. For the 1997

UFDS survey, these were not required to complete the full survey.

The public use file is comprised of the 10,860 treatment facilities (76 percent of reporting facilities) that provided treatment services, either alone or in conjunction with other substance abuse services. Most of these 10,860 facilities (82 percent) completed the full survey, while 18 percent completed the telephone survey (see Appendix A).

Further Data Considerations and Limitations

As with any data collection effort, certain procedural considerations and data limitations must be taken into account when interpreting data from the 1997 UFDS. Some of these are outlined above. Some general issues are discussed here; considerations and limitations of specific data items are discussed where the data are presented.

- UFDS attempts to obtain responses from all known treatment and prevention facilities, but it is a voluntary survey. Treatment facilities are not included if they did not respond to the survey. There is no adjustment for facility non-response.
- Careful editing, extensive follow-up, and imputation of selected variables have greatly reduced item non-response. There are instances of non-response in many data items, however, and some variables have an explicit *Unknown* response option. In addition, respondents contacted by telephone completed a slightly abbreviated version of the survey (see Appendix A). To avoid the loss of usable information, all responding facilities were retained in the database.
- UFDS collects data about facilities, not individual clients. Data on clients represent an aggregate of clients in treatment for each reporting facility. Demographic data are

collected in different matrices of the survey form and cannot be cross-tabulated. While it is possible to report how many female clients and how many clients under age 18 were in treatment at a facility, the number of female clients under 18 cannot be determined.

Uniform Facility Data Set, 1997: [United States]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.



CASEID: CASE IDENTIFICATION NUMBER

Based upon 10,860 valid cases out of 10,860 total cases.

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

MODE: MAIL OR PHONE

Survey data collected by:

Value	Label	Unweighted Frequency	%
1	TELEPHONE FOLLOW-UP	1902	17.5 %
2	MAIL SURVEY	8958	82.5 %
	Missing Data		
	Total	10,860	100%

Based upon 10,860 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 6-7 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

STFIPS: STATE

State abbreviation

Value	Label	Unweighted Frequency	%
1	ALABAMA	77	0.7 %
2	ALASKA	60	0.6 %
3	ARKANSAS	0	0.0 %
4	ARIZONA	142	1.3 %
5	ARKANSAS	55	0.5 %
6	CALIFORNIA	1178	10.8 %
7	CONNECTICUT	0	0.0 %
8	COLORADO	143	1.3 %
9	CONNECTICUT	209	1.9 %
10	DELAWARE	41	0.4 %
11	DIST OF COLUMBIA	40	0.4 %
12	FLORIDA	526	4.8 %
13	GEORGIA	152	1.4 %
14	IDAHO	0	0.0 %
15	HAWAII	69	0.6 %
16	IDAHO	39	0.4 %
17	ILLINOIS	467	4.3 %
18	INDIANA	251	2.3 %

Value	Label	Unweighted Frequency	%
19	IOWA	78	0.7 %
20	KANSAS	145	1.3 %
21	KENTUCKY	231	2.1 %
22	LOUISIANA	137	1.3 %
23	MAINE	131	1.2 %
24	MARYLAND	304	2.8 %
25	MASSACHUSETTS	310	2.9 %
26	MICHIGAN	597	5.5 %
27	MINNESOTA	239	2.2 %
28	MISSISSIPPI	71	0.7 %
29	MISSOURI	142	1.3 %
30	MONTANA	45	0.4 %
31	NEBRASKA	97	0.9 %
32	NEVADA	71	0.7 %
33	NEW HAMPSHIRE	54	0.5 %
34	NEW JERSEY	237	2.2 %
35	NEW MEXICO	71	0.7 %
36	NEW YORK	1184	10.9 %
37	NORTH CAROLINA	139	1.3 %
38	NORTH DAKOTA	40	0.4 %
39	OHIO	484	4.5 %
40	OKLAHOMA	108	1.0 %
41	OREGON	160	1.5 %
42	PENNSYLVANIA	475	4.4 %
43	SOUTH DAKOTA	0	0.0 %
44	RHODE ISLAND	59	0.5 %
45	SOUTH CAROLINA	64	0.6 %
46	SOUTH DAKOTA	51	0.5 %
47	TENNESSEE	132	1.2 %
48	TEXAS	504	4.6 %
49	UTAH	112	1.0 %
50	VERMONT	20	0.2 %
	Missing Data		
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,860 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 78

Location: 8-9 (width: 2; decimal: 0)

Variable Type: numeric
 (Range of) Missing Values: -9

TREATMT: DOES FACILITY PROVIDE TREATMENT SVCS

On October 1, 1997, which of the following services were provided by this facility at this site? MARK ALL THAT APPLY Substance abuse treatment

Value	Label	Unweighted Frequency	%
1	YES	10860	100.0 %
	Missing Data		
	Total	10,860	100%

Based upon 10,860 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 1

Location: 10-11 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

PREVNTN: DOES FACILITY PROVIDE PREVENTION SVCS

On October 1, 1997, which of the following services were provided by this facility at this site? MARK ALL THAT APPLY Substance abuse prevention

Value	Label	Unweighted Frequency	%
0	NO	5084	46.8 %
1	YES	5771	53.1 %
	Missing Data		
-9	MISSING	5	0.0 %
	Total	10,860	100%

Based upon 10,855 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 12-13 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

OTHNONTX: DOES FACILITY PROVIDE OTHER SERVICES

On October 1, 1997, which of the following services were provided by this facility at this site? MARK ALL THAT APPLY Other substance abuse services

Value	Label	Unweighted Frequency	%
0	NO	1579	14.5 %
1	YES	9277	85.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING	4	0.0 %
	Total	10,860	100%

Based upon 10,856 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 14-15 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OWNERSHP: OWNER RESPONSIBLE FOR FACILITY

Who is the owner of this substance abuse facility? MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	PRIVATE-FOR-PROFIT	2550	23.5 %
2	PRIVATE NON-PROFIT	6498	59.8 %
3	STATE GOVERNMENT	483	4.4 %
4	LOCAL GOVERNMENT	887	8.2 %
5	TRIBAL GOVERNMENT	149	1.4 %
6	FEDERAL GOVERNMENT	293	2.7 %
	Missing Data		
	Total	10,860	100%

Based upon 10,860 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 6

Location: 16-17 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FEDOWN: WHICH FED GVRNMNT AGENCY OWNS FACILITY

Which federal government agency? MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	DEPT OF VETERANS AFFAIRS	154	1.4 %
2	DEPT OF DEFENSE	102	0.9 %
4	INDIAN HEALTH SVC	35	0.3 %
5	OTHER	2	0.0 %
	Missing Data		
-9	MISSING	10567	97.3 %

Value	Label	Unweighted Frequency	%
	Total	10,860	100%

Based upon 293 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 5

Location: 18-19 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HOTYN: DOES FACILITY OPERATE HOTLINE

Does this facility operate or participate in a hotline that provides substance abuse counseling and referral services?

Value	Label	Unweighted Frequency	%
1	YES	2903	26.7 %
2	NO	7957	73.3 %
	Missing Data		
	Total	10,860	100%

Based upon 10,860 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 20-21 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

LOC1: IF OTHER SETTING, OUTPATIENT

More specifically would you describe this facility as: (MARK YES OR NO FOR EACH)

OUTPATIENT substance abuse treatment facility

Value	Label	Unweighted Frequency	%
1	YES	4952	45.6 %
2	NO	2285	21.0 %
	Missing Data		
-9	MISSING	3623	33.4 %
	Total	10,860	100%

Based upon 7,237 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 22-23 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

LOC2: IF OTHER SETTING, COMM MENTAL HEALTH

More specifically would you describe this facility as: (MARK YES OR NO FOR EACH)

Community MENTAL health center or other mental health facility that provides a variety of services

Value	Label	Unweighted Frequency	%
1	YES	1928	17.8 %
2	NO	5309	48.9 %
	Missing Data		
-9	MISSING	3623	33.4 %
	Total	10,860	100%

Based upon 7,237 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

LOC3: IF OTHER SETTING, COMM HEALTH CENTER

More specifically would you describe this facility as: (MARK YES OR NO FOR EACH)

Community Health Center, including Migrant Health Center, Urban Indian Program, Health Care for the Homeless Center

Value	Label	Unweighted Frequency	%
1	YES	232	2.1 %
2	NO	7005	64.5 %
	Missing Data		
-9	MISSING	3623	33.4 %
	Total	10,860	100%

Based upon 7,237 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

LOC4: IF OTHER SETTING, HALFWAY HOUSE

More specifically would you describe this facility as: (MARK YES OR NO FOR EACH)

Halfway house

Value	Label	Unweighted Frequency	%
1	YES	733	6.7 %
2	NO	6504	59.9 %
	Missing Data		
-9	MISSING	3623	33.4 %
	Total	10,860	100%

Based upon 7,237 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 28-29 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

LOC5: IF OTHER SETTING, THERAPEUTIC COMMUNITY

More specifically would you describe this facility as: (MARK YES OR NO FOR EACH)

Therapeutic community

Value	Label	Unweighted Frequency	%
1	YES	916	8.4 %
2	NO	6321	58.2 %
	Missing Data		
-9	MISSING	3623	33.4 %
	Total	10,860	100%

Based upon 7,237 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 30-31 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

LOC6: IF OTHER SETTING, RESIDENTIAL S.A. TX

More specifically would you describe this facility as: (MARK YES OR NO FOR EACH)

Other RESIDENTIAL substance abuse treatment facility

Value	Label	Unweighted Frequency	%
1	YES	1852	17.1 %
2	NO	5385	49.6 %
	Missing Data		
-9	MISSING	3623	33.4 %
	Total	10,860	100%

Based upon 7,237 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

LOC7: IF OTHER SETTING, RELIG/COMMUNITY ORG

More specifically would you describe this facility as: (MARK YES OR NO FOR EACH)

Community or religious organization/agency that provides a variety of social services

Value	Label	Unweighted Frequency	%
1	YES	708	6.5 %
2	NO	6529	60.1 %
	Missing Data		
-9	MISSING	3623	33.4 %
	Total	10,860	100%

Based upon 7,237 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

LOC8: IF OTHER SETTING, SOME OTHER TYPE

More specifically would you describe this facility as: (MARK YES OR NO FOR EACH)

Other

Value	Label	Unweighted Frequency	%
1	YES	527	4.9 %
2	NO	6710	61.8 %
	Missing Data		
-9	MISSING	3623	33.4 %
	Total	10,860	100%

Based upon 7,237 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

MGMCARE: IS FACILITY OWNED BY MGD CARE ORGANZTN

Is this facility owned or operated by a managed care organization (for example, an HMO)?

Value	Label	Unweighted Frequency	%
1	YES	153	1.4 %
2	NO	10660	98.2 %
	Missing Data		
-9	MISSING	47	0.4 %
	Total	10,860	100%

Based upon 10,813 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

WRITARRA: DID FACILITY HAVE CONTRACTS W/ MGD CRE

On October 1, 1997, did this facility have letters of agreement or contacts with managed care organizations for providing substance abuse treatment services?

Value	Label	Unweighted Frequency	%
1	YES	5040	46.4 %
2	NO	5183	47.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING	637	5.9 %
	Total	10,860	100%

Based upon 10,223 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

WRITNUM: HOW MANY MGD CRE CNTRCTS FACILITY HAVE

With how many managed care organizations did you have formal written agreements or contracts?

Value	Label	Unweighted Frequency	%
1	-	708	6.5 %
2	-	576	5.3 %
3	-	494	4.5 %
4	-	422	3.9 %
5	-	413	3.8 %
6	-	253	2.3 %
7	-	162	1.5 %
8	-	157	1.4 %
9	-	70	0.6 %
10	-	341	3.1 %
11	-	41	0.4 %
12	-	144	1.3 %
13	-	44	0.4 %
14	-	61	0.6 %
15	-	133	1.2 %
16	-	21	0.2 %
17	-	29	0.3 %
18	-	33	0.3 %
19	-	10	0.1 %
20	-	139	1.3 %
21	-	14	0.1 %
22	-	10	0.1 %
23	-	7	0.1 %
24	-	13	0.1 %
25	-	74	0.7 %
26	-	4	0.0 %
27	-	11	0.1 %

Value	Label	Unweighted Frequency	%
28	-	6	0.1 %
29	-	6	0.1 %
30	-	79	0.7 %
31	-	5	0.0 %
32	-	8	0.1 %
33	-	5	0.0 %
34	-	4	0.0 %
35	-	29	0.3 %
36	-	10	0.1 %
37	-	3	0.0 %
38	-	7	0.1 %
39	-	1	0.0 %
40	-	33	0.3 %
41	-	1	0.0 %
42	-	8	0.1 %
43	-	2	0.0 %
44	-	6	0.1 %
45	-	8	0.1 %
46	-	5	0.0 %
47	-	3	0.0 %
48	-	6	0.1 %
49	-	1	0.0 %
50	-	45	0.4 %
	Missing Data		
-9	MISSING	6095	56.1 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,765 valid cases out of 10,860 total cases.

- Mean: 9.95
- Median: 5.00
- Mode: 1.00
- Minimum: 1
- Maximum: 300
- Standard Deviation: 15.81

Location: 42-44 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

Value	Label	Unweighted Frequency	%
1	GENERAL HOSPITAL	1099	10.1 %
2	PSYCH./OTHER(NON-VA)SPECIALIZED HOSPITAL	601	5.5 %
3	SOLO AND GROUP PRACTICES	1288	11.9 %
4	CRIMINAL JUSTICE	556	5.1 %
5	COMMUNITY MH CENTER OR OTHER MH FACILITY	1646	15.2 %
6	COMMUNITY HEALTH CENTER	103	0.9 %
7	MIXED/OTHER	496	4.6 %
8	OUTPATIENT	2523	23.2 %
9	RESIDENTIAL	1442	13.3 %
10	OP & RESID	653	6.0 %
11	COMMUNITY OR RELIGIOUS AGENCY/ORG.	453	4.2 %
	Missing Data		
	Total	10,860	100%

Based upon 10,860 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 11

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ADMIN: DOES FACILITY PROVIDE ADMIN SERVICES

On October 1, 1997, which of the following services were provided by this facility at this site? MARK ALL THAT APPLY Administrative services

Value	Label	Unweighted Frequency	%
0	NO	3382	31.1 %
1	YES	7472	68.8 %
	Missing Data		
-9	MISSING	6	0.1 %
	Total	10,860	100%

Based upon 10,854 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 47-48 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SETTING: CATEGORY THAT BEST DESCRIBES SETTING

Which ONE category best describes the SETTING of this substance abuse treatment facility? MARK ONE

Value	Label	Unweighted Frequency	%
1	GENERAL HOSPITAL	1091	10.0 %
2	PSYCHIATRIC HOSPITAL	367	3.4 %
3	OTHER SPECIALIZED HOSPITAL	242	2.2 %
4	SOLO PRACTICE	624	5.7 %
5	GROUP PRACTICE	664	6.1 %
6	SCHOOL (ELEM., SECONDARY, COLLEGE-UNIV.)	79	0.7 %
7	JAIL, PRISON, JUVENILE DETENTION CENTER	275	2.5 %
8	OTHER CRIMINAL JUSTICE	281	2.6 %
9	OTHER SETTING	7237	66.6 %
	Missing Data		
	Total	10,860	100%

Based upon 10,860 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 9

Location: 49-50 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

WAITLIST: DOES PROGRAM MAINTAIN A WAITING LIST

If a program is full, does this facility maintain a formal waiting list of people waiting for substance abuse services?

Value	Label	Unweighted Frequency	%
1	YES	5572	51.3 %
2	NO	5237	48.2 %
	Missing Data		
-9	MISSING	51	0.5 %
	Total	10,860	100%

Based upon 10,809 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

WAITNUM: HOW MANY PEOPLE ARE ON WAITING LIST

On October 1, 1997, how many people were on the waiting list?

Value	Label	Unweighted Frequency	%
0	-	2777	25.6 %
1	-	73	0.7 %

Value	Label	Unweighted Frequency	%
2	-	141	1.3 %
3	-	167	1.5 %
4	-	130	1.2 %
5	-	204	1.9 %
6	-	133	1.2 %
7	-	88	0.8 %
8	-	119	1.1 %
9	-	53	0.5 %
10	-	240	2.2 %
11	-	66	0.6 %
12	-	97	0.9 %
13	-	38	0.3 %
14	-	40	0.4 %
15	-	125	1.2 %
16	-	34	0.3 %
17	-	41	0.4 %
18	-	41	0.4 %
19	-	18	0.2 %
20	-	129	1.2 %
21	-	24	0.2 %
22	-	17	0.2 %
23	-	21	0.2 %
24	-	20	0.2 %
25	-	61	0.6 %
26	-	10	0.1 %
27	-	19	0.2 %
28	-	15	0.1 %
29	-	7	0.1 %
30	-	62	0.6 %
31	-	13	0.1 %
32	-	9	0.1 %
33	-	9	0.1 %
34	-	4	0.0 %
35	-	20	0.2 %
36	-	9	0.1 %
37	-	8	0.1 %
38	-	10	0.1 %
39	-	5	0.0 %
40	-	27	0.2 %
41	-	7	0.1 %
42	-	6	0.1 %
43	-	6	0.1 %

Value	Label	Unweighted Frequency	%
44	-	4	0.0 %
45	-	13	0.1 %
46	-	5	0.0 %
47	-	3	0.0 %
48	-	7	0.1 %
49	-	4	0.0 %
Missing Data			
-9	MISSING	5415	49.9 %
Total		10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,445 valid cases out of 10,860 total cases.

- Mean: 26.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 53377
- Standard Deviation: 750.33

Location: 53-57 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC1: ASSESSMENT COMP SUB ABUSE

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Assessment services - Comprehensive substance abuse assessment/diagnosis

Value	Label	Unweighted Frequency	%
0	NO	716	6.6 %
1	YES	8242	75.9 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC2: ASSESSMENT MENTAL HLTH

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Assessment services - Comprehensive mental health assessment/diagnosis

Value	Label	Unweighted Frequency	%
0	NO	5089	46.9 %
1	YES	3869	35.6 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC3: ASSESSMENT OTHER

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Assessment services - Other

Value	Label	Unweighted Frequency	%
0	NO	8513	78.4 %
1	YES	445	4.1 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC4: THERAPY FAMILY COUNSELING

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Therapy - Family counseling

Value	Label	Unweighted Frequency	%
0	NO	2443	22.5 %
1	YES	6515	60.0 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC5: THERAPY GROUP

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Therapy - Group therapy

Value	Label	Unweighted Frequency	%
0	NO	1086	10.0 %
1	YES	7872	72.5 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC6: THERAPY INDIVIDUAL

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Therapy - Individual therapy

Value	Label	Unweighted Frequency	%
0	NO	569	5.2 %
1	YES	8389	77.2 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 68-69 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

SRVC7: THERAPY PHARM/PRESCRIPTION MED

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Therapy - Pharmacotherapies/prescription medication

Value	Label	Unweighted Frequency	%
0	NO	5357	49.3 %
1	YES	3601	33.2 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 70-71 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

SRVC8: THERAPY RELAPSE PREVENTION GRPS

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Therapy - Relapse prevention groups

Value	Label	Unweighted Frequency	%
0	NO	2484	22.9 %
1	YES	6474	59.6 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 72-73 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

SRVC9: THERAPY OTHER

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Therapy - Other

Value	Label	Unweighted Frequency	%
0	NO	8411	77.4 %
1	YES	547	5.0 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 74-75 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

SRVC10: TESTING BLOOD/ALCOHOL

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Testing - Blood alcohol

Value	Label	Unweighted Frequency	%
0	NO	5419	49.9 %
1	YES	3539	32.6 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC11: TESTING DRUG/ALC URINE SCR

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Testing - Drug/alcohol urine screening

Value	Label	Unweighted Frequency	%
0	NO	2258	20.8 %
1	YES	6700	61.7 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC12: TESTING HAIR ANALYSIS

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Testing - Hair analysis

Value	Label	Unweighted Frequency	%
0	NO	8840	81.4 %
1	YES	118	1.1 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC13: TESTING HEPATITIS

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Testing - Hepatitis testing

Value	Label	Unweighted Frequency	%
0	NO	7273	67.0 %
1	YES	1685	15.5 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC14: TESTING HIV

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Testing - HIV testing

Value	Label	Unweighted Frequency	%
0	NO	5961	54.9 %
1	YES	2997	27.6 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC15: TESTING STD

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Testing - STANDARD testing

Value	Label	Unweighted Frequency	%
0	NO	6975	64.2 %
1	YES	1983	18.3 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC16: TESTING TB SCREENING

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Testing - TB screening

Value	Label	Unweighted Frequency	%
0	NO	5445	50.1 %
1	YES	3513	32.3 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 88-89 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

SRVC17: TESTING OTHER

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Testing - Other

Value	Label	Unweighted Frequency	%
0	NO	8725	80.3 %
1	YES	233	2.1 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 90-91 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

SRVC18: HEALTH SERV FAMILY PLANNING

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Health services - Family planning

Value	Label	Unweighted Frequency	%
0	NO	8330	76.7 %
1	YES	628	5.8 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 92-93 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

SRVC19: HEALTH SERV MEDICAL CARE

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Health services - Medical care

Value	Label	Unweighted Frequency	%
0	NO	6315	58.1 %
1	YES	2643	24.3 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 94-95 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

SRVC20: HEALTH SERV PRENATAL CARE

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Health services - Prenatal care

Value	Label	Unweighted Frequency	%
0	NO	8313	76.5 %
1	YES	645	5.9 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC21: HEALTH SERV PERINATAL CARE

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Health services - Perinatal care

Value	Label	Unweighted Frequency	%
0	NO	8531	78.6 %
1	YES	427	3.9 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC22: HEALTH SERV TB TREATMENT

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Health services - TB treatment

Value	Label	Unweighted Frequency	%
0	NO	7955	73.3 %
1	YES	1003	9.2 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC23: HEALTH SERV HLTH EDUCATION

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Health services - Health education

Value	Label	Unweighted Frequency	%
0	NO	4216	38.8 %
1	YES	4742	43.7 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC24: HEALTH SERV HIV/AIDS EDUCATION

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Health services - HIV/AIDS education

Value	Label	Unweighted Frequency	%
0	NO	3762	34.6 %
1	YES	5196	47.8 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC25: HEALTH SERV SMOKING CESSATION

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Health services - Smoking cessation

Value	Label	Unweighted Frequency	%
0	NO	7011	64.6 %
1	YES	1947	17.9 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC26: HEALTH SERV OTHER

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Health services - Other

Value	Label	Unweighted Frequency	%
0	NO	8822	81.2 %
1	YES	136	1.3 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC27: CONTINUING CARE AFTERCARE COUNSEL

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Continuing care - Aftercare counseling

Value	Label	Unweighted Frequency	%
0	NO	2404	22.1 %
1	YES	6554	60.3 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC28: CONTINUING CARE ALUMNI(AE) GRPS

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Continuing care - Alumni(ae) groups

Value	Label	Unweighted Frequency	%
0	NO	6748	62.1 %
1	YES	2210	20.3 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC29: CONTINUING CARE OTHER

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Continuing care - Other

Value	Label	Unweighted Frequency	%
0	NO	8840	81.4 %
1	YES	118	1.1 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC31: DOES FAC PROVIDE PRGS FOR DUAL DIAGNOS

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Programs for special groups - Dually-diagnosed (mental and substance abuse disorders)

Value	Label	Unweighted Frequency	%
0	NO	5605	51.6 %
1	YES	5255	48.4 %
	Missing Data		
	Total	10,860	100%

Based upon 10,860 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC35: TRANSITIONAL-ASSIST. SOCIAL SERV

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Transitional services - Assistance with obtaining Social Services

Value	Label	Unweighted Frequency	%
0	NO	4881	44.9 %
1	YES	4077	37.5 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC36: TRANSITIONAL SERV DISCHARGE PLAN

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Transitional services - Discharge planning

Value	Label	Unweighted Frequency	%
0	NO	2217	20.4 %

Value	Label	Unweighted Frequency	%
1	YES	6741	62.1 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC37: TRANSITIONAL SERV EMPLOYMENT

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Transitional services - Employment counseling/training

Value	Label	Unweighted Frequency	%
0	NO	6145	56.6 %
1	YES	2813	25.9 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC38: TRANSITIONAL SERV HOUSING ASSIST

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Transitional services - Housing assistance

Value	Label	Unweighted Frequency	%
0	NO	6521	60.0 %

Value	Label	Unweighted Frequency	%
1	YES	2437	22.4 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC39: TRANSITIONAL SERV REFERRAL

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Transitional services - Referral to other services

Value	Label	Unweighted Frequency	%
0	NO	1518	14.0 %
1	YES	7440	68.5 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC40: TRANSITIONAL SERV OTHER

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Transitional services - Other

Value	Label	Unweighted Frequency	%
0	NO	8861	81.6 %

Value	Label	Unweighted Frequency	%
1	YES	97	0.9 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC41: COMM OUTREACH DRUG/ALCOHOL ED

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Community Outreach - Drug and alcohol education

Value	Label	Unweighted Frequency	%
0	NO	3188	29.4 %
1	YES	5770	53.1 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC42: COMM OUTREACH EARLY INTERVENTION

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Community Outreach - Outreach/early intervention

Value	Label	Unweighted Frequency	%
0	NO	5648	52.0 %

Value	Label	Unweighted Frequency	%
1	YES	3310	30.5 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC43: COMM OUTREACH MEDIAL PRESENTATIONS

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Community Outreach - Media presentations (T.V., radio, brochures)

Value	Label	Unweighted Frequency	%
0	NO	5336	49.1 %
1	YES	3622	33.4 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC44: COMM OUTREACH MEMBERSHIP PROG

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Community Outreach - Membership in a community partnership program

Value	Label	Unweighted Frequency	%
0	NO	5951	54.8 %

Value	Label	Unweighted Frequency	%
1	YES	3007	27.7 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC45: COMM OUTREACH OTHER

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Community Outreach - Other

Value	Label	Unweighted Frequency	%
0	NO	8802	81.0 %
1	YES	156	1.4 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC46: OTHER SERV ACADEMIC ED/GED

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Other Services - Academic education/GED classes

Value	Label	Unweighted Frequency	%
0	NO	7587	69.9 %

Value	Label	Unweighted Frequency	%
1	YES	1371	12.6 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC47: OTHER SERV ACUPUNCTURE

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Other Services - Acupuncture

Value	Label	Unweighted Frequency	%
0	NO	8528	78.5 %
1	YES	430	4.0 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 142-143 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC48: OTHER SERV CASE MANAGEMENT

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Other Services - Case management services

Value	Label	Unweighted Frequency	%
0	NO	4462	41.1 %

Value	Label	Unweighted Frequency	%
1	YES	4496	41.4 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC49: OTHER SERV CHILD CARE

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Other Services - Child care

Value	Label	Unweighted Frequency	%
0	NO	8040	74.0 %
1	YES	918	8.5 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC50: OTHER SERV COMMUNICATION SKILL

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Other Services - Communication skills

Value	Label	Unweighted Frequency	%
0	NO	5696	52.4 %

Value	Label	Unweighted Frequency	%
1	YES	3262	30.0 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC51: OTHER SERV DETOXICATION

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Other Services - Detoxification from substance of abuse

Value	Label	Unweighted Frequency	%
0	NO	6759	62.2 %
1	YES	2199	20.2 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC52: OTHER SERV DOMESTIC VIOLENCE

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Other Services - Domestic violence - family/partner violence services

Value	Label	Unweighted Frequency	%
0	NO	6343	58.4 %

Value	Label	Unweighted Frequency	%
1	YES	2615	24.1 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC53: OTHER SERV HOME VISITS

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Other Services - Home visits

Value	Label	Unweighted Frequency	%
0	NO	7247	66.7 %
1	YES	1711	15.8 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 154-155 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC54: OTHER SERV LIFE SKILLS

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Other Services - Life skills for independent living

Value	Label	Unweighted Frequency	%
0	NO	5976	55.0 %

Value	Label	Unweighted Frequency	%
1	YES	2982	27.5 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC55: OTHER SERV OUTCOME FOLLOW-UP

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Other Services - Outcome follow-up (post-discharge)

Value	Label	Unweighted Frequency	%
0	NO	5700	52.5 %
1	YES	3258	30.0 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC56: OTHER SERV PARENTING/FAMILY

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Other Services - Parenting/family skills development

Value	Label	Unweighted Frequency	%
0	NO	5521	50.8 %

Value	Label	Unweighted Frequency	%
1	YES	3437	31.6 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC57: OTHER SERV SELF-HELP GRPS

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Other Services - Self-help groups, including 12-step programs

Value	Label	Unweighted Frequency	%
0	NO	3929	36.2 %
1	YES	5029	46.3 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 162-163 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC58: OTHER SERV SOCIALIZATION

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Other Services - Socialization/recreational services

Value	Label	Unweighted Frequency	%
0	NO	5790	53.3 %

Value	Label	Unweighted Frequency	%
1	YES	3168	29.2 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC59: OTHER SERV TRANSPORTATION

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Other Services - Transportation assistance to treatment

Value	Label	Unweighted Frequency	%
0	NO	5482	50.5 %
1	YES	3476	32.0 %
Missing Data			
-9	MISSING	1902	17.5 %
Total		10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC60: OTHER SERV OTHER

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Other Services - Other

Value	Label	Unweighted Frequency	%
0	NO	8790	80.9 %

Value	Label	Unweighted Frequency	%
1	YES	168	1.5 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC61: OTHER SERV WOMENS GROUPS

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Other Services - Women's groups

Value	Label	Unweighted Frequency	%
0	NO	8777	80.8 %
1	YES	181	1.7 %
	Missing Data		
-9	MISSING	1902	17.5 %
	Total	10,860	100%

Based upon 8,958 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC30: DOES FACILITY PROVIDE PRGS FOR ADOLES

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Programs for special groups - Adolescents

Value	Label	Unweighted Frequency	%
0	NO	6665	61.4 %

Value	Label	Unweighted Frequency	%
1	YES	4195	38.6 %
	Missing Data		
	Total	10,860	100%

Based upon 10,860 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC32: DOES FACILITY PROVIDE PRGS FOR HIV/AIDS

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Persons with HIV/AIDS

Value	Label	Unweighted Frequency	%
0	NO	8294	76.4 %
1	YES	2566	23.6 %
	Missing Data		
	Total	10,860	100%

Based upon 10,860 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC33: DOES FAC PROVIDE PRGS FOR PREG OR POST

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Pregnant/Postpartum women

Value	Label	Unweighted Frequency	%
0	NO	8660	79.7 %
1	YES	2200	20.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
	Total	10,860	100%

Based upon 10,860 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SRVC34: DOES FAC PROVIDE OTHER SPECIAL GROUPS

As of October 1, 1997, which of these services were being provided at this substance abuse facility? MARK ALL THAT APPLY

Programs for special groups - Other

Value	Label	Unweighted Frequency	%
0	NO	9845	90.7 %
1	YES	1015	9.3 %
	Missing Data		
	Total	10,860	100%

Based upon 10,860 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

METLAAM: DOES FACILITY DISPENSE METH OR LAAM

Does this facility dispense the opioid substitutes methadone or LAAM at this site?

Value	Label	Unweighted Frequency	%
1	YES	856	7.9 %
2	NO	9861	90.8 %
	Missing Data		
-9	MISSING	143	1.3 %
	Total	10,860	100%

Based upon 10,717 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 180-181 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

CLIEST: IS CLIENT TOTAL ACTUAL OR ESTIMATE

Are the numbers entered in the TOTAL box Q.12g actual active client counts for October 1, 1997. or you best estimate?

Value	Label	Unweighted Frequency	%
1	ACTUAL COUNT	6779	62.4 %
2	ESTIMATE	3585	33.0 %
	Missing Data		
-9	MISSING	496	4.6 %
	Total	10,860	100%

Based upon 10,364 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 182-183 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

HOSPRES: HOSP INP OR RESID 24 > 0

Did you enter a number larger than zero in either the Hospital Inpatient (Q.12a or Q.12b) or Residential 24 Hour Care (Q.12c or Q12.d) categories in Q.12?

Value	Label	Unweighted Frequency	%
1	YES	3849	35.4 %
	Missing Data		
-9	MISSING	7011	64.6 %
	Total	10,860	100%

Based upon 3,849 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 1

Location: 184-185 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

DEMOGEST: ARE NUMBERS ACTUAL COUNTS OR ESTIMATES

Are the numbers entered in Q.15 actual active client counts for October 1, 1997, or your best estimate?

Value	Label	Unweighted Frequency	%
1	ACTUAL ACTIVE CLIENT COUNTS	4860	44.8 %
2	ESTIMATE	4234	39.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING	1766	16.3 %
	Total	10,860	100%

Based upon 9,094 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

METNUM: HOW MANY WERE RECEIVING METHADONE

On October 1, 1997, approximately how many of the clients were receiving: a. Methadone at this site

Value	Label	Unweighted Frequency	%
0	-	68	0.6 %
1	-	26	0.2 %
2	-	25	0.2 %
3	-	18	0.2 %
4	-	12	0.1 %
5	-	11	0.1 %
6	-	6	0.1 %
7	-	5	0.0 %
8	-	7	0.1 %
9	-	4	0.0 %
10	-	7	0.1 %
11	-	4	0.0 %
12	-	6	0.1 %
14	-	4	0.0 %
15	-	3	0.0 %
16	-	3	0.0 %
17	-	2	0.0 %
18	-	2	0.0 %
19	-	3	0.0 %
20	-	10	0.1 %
22	-	1	0.0 %
23	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	3	0.0 %
28	-	1	0.0 %
29	-	2	0.0 %

Value	Label	Unweighted Frequency	%
30	-	6	0.1 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	1	0.0 %
35	-	6	0.1 %
36	-	1	0.0 %
37	-	5	0.0 %
38	-	2	0.0 %
40	-	7	0.1 %
41	-	6	0.1 %
43	-	5	0.0 %
44	-	2	0.0 %
45	-	4	0.0 %
47	-	1	0.0 %
50	-	6	0.1 %
51	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	2	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	4	0.0 %
	Missing Data		
-9	MISSING	10026	92.3 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 834 valid cases out of 10,860 total cases.

- Mean: 162.71
- Minimum: 0
- Maximum: 2187
- Standard Deviation: 183.58

Location: 188-191 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

LAAMNUM: HOW MANY WERE RECEIVING LAAM

On October 1, 1997, approximately how many of the clients were receiving: b. LAAM at this site

Value	Label	Unweighted Frequency	%
0	-	667	6.1 %
1	-	2	0.0 %
2	-	7	0.1 %
3	-	8	0.1 %
4	-	2	0.0 %
5	-	12	0.1 %
6	-	7	0.1 %
7	-	11	0.1 %
8	-	4	0.0 %
9	-	3	0.0 %
10	-	3	0.0 %
12	-	2	0.0 %
15	-	6	0.1 %
16	-	3	0.0 %
20	-	7	0.1 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	4	0.0 %
26	-	2	0.0 %
27	-	1	0.0 %
30	-	3	0.0 %
32	-	1	0.0 %
35	-	3	0.0 %
38	-	1	0.0 %
40	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
73	-	2	0.0 %
110	-	1	0.0 %
132	-	1	0.0 %
146	-	1	0.0 %
285	-	1	0.0 %
	Missing Data		
-9	MISSING	10084	92.9 %
	Total	10,860	100%

Based upon 776 valid cases out of 10,860 total cases.

- Mean: 2.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 285
- Standard Deviation: 15.05

Location: 192-194 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PREGNUM: NUMBER OF CLIENTS PREGNANT

On October 1, 1997, about how many of the clients recorded in the TOTAL box at Q.12g were:

a. Pregnant

Value	Label	Unweighted Frequency	%
0	-	1733	16.0 %
1	-	1326	12.2 %
2	-	699	6.4 %
3	-	316	2.9 %
4	-	190	1.7 %
5	-	168	1.5 %
6	-	83	0.8 %
7	-	54	0.5 %
8	-	72	0.7 %
9	-	28	0.3 %
10	-	60	0.6 %
11	-	26	0.2 %
12	-	13	0.1 %
13	-	15	0.1 %
14	-	17	0.2 %
15	-	21	0.2 %
16	-	7	0.1 %
17	-	4	0.0 %
18	-	5	0.0 %
19	-	4	0.0 %
20	-	19	0.2 %
21	-	7	0.1 %
22	-	5	0.0 %
23	-	4	0.0 %
24	-	6	0.1 %

Value	Label	Unweighted Frequency	%
25	-	6	0.1 %
26	-	2	0.0 %
27	-	4	0.0 %
28	-	6	0.1 %
29	-	2	0.0 %
30	-	2	0.0 %
31	-	1	0.0 %
32	-	5	0.0 %
34	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	2	0.0 %
39	-	2	0.0 %
40	-	7	0.1 %
41	-	2	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
48	-	2	0.0 %
50	-	2	0.0 %
54	-	2	0.0 %
56	-	1	0.0 %
57	-	2	0.0 %
73	-	1	0.0 %
76	-	1	0.0 %
	Missing Data		
-9	MISSING	5909	54.4 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,951 valid cases out of 10,860 total cases.

- Mean: 2.79
- Median: 1.00
- Mode: 0.00
- Minimum: 0
- Maximum: 500
- Standard Deviation: 10.30

Location: 195-197 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

On October 1, 1997, about how many of the clients recorded in the TOTAL box at Q.12g were:

b. Women with dependent children

Value	Label	Unweighted Frequency	%
0	-	702	6.5 %
1	-	743	6.8 %
2	-	673	6.2 %
3	-	531	4.9 %
4	-	444	4.1 %
5	-	412	3.8 %
6	-	328	3.0 %
7	-	218	2.0 %
8	-	240	2.2 %
9	-	141	1.3 %
10	-	282	2.6 %
11	-	108	1.0 %
12	-	155	1.4 %
13	-	111	1.0 %
14	-	120	1.1 %
15	-	188	1.7 %
16	-	83	0.8 %
17	-	81	0.7 %
18	-	91	0.8 %
19	-	62	0.6 %
20	-	159	1.5 %
21	-	55	0.5 %
22	-	52	0.5 %
23	-	44	0.4 %
24	-	48	0.4 %
25	-	102	0.9 %
26	-	34	0.3 %
27	-	36	0.3 %
28	-	55	0.5 %
29	-	37	0.3 %
30	-	96	0.9 %
31	-	23	0.2 %
32	-	30	0.3 %
33	-	19	0.2 %
34	-	27	0.2 %
35	-	49	0.5 %
36	-	19	0.2 %

Value	Label	Unweighted Frequency	%
37	-	18	0.2 %
38	-	27	0.2 %
39	-	21	0.2 %
40	-	69	0.6 %
41	-	13	0.1 %
42	-	26	0.2 %
43	-	13	0.1 %
44	-	13	0.1 %
45	-	32	0.3 %
46	-	14	0.1 %
47	-	12	0.1 %
48	-	24	0.2 %
49	-	9	0.1 %
	Missing Data		
-9	MISSING	3364	31.0 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,496 valid cases out of 10,860 total cases.

- Mean: 17.35
- Median: 6.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1000
- Standard Deviation: 37.44

Location: 198-201 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

INJNUM: NUMBER OF INJECTION DRUG USERS

On October 1, 1997, about how many of the clients recorded in the TOTAL box at Q.12g were:

c. Injection drugs users at the time of admission

Value	Label	Unweighted Frequency	%
0	-	1011	9.3 %
1	-	921	8.5 %
2	-	713	6.6 %
3	-	518	4.8 %
4	-	323	3.0 %

Value	Label	Unweighted Frequency	%
5	-	336	3.1 %
6	-	201	1.9 %
7	-	132	1.2 %
8	-	148	1.4 %
9	-	100	0.9 %
10	-	222	2.0 %
11	-	69	0.6 %
12	-	90	0.8 %
13	-	43	0.4 %
14	-	59	0.5 %
15	-	104	1.0 %
16	-	43	0.4 %
17	-	34	0.3 %
18	-	37	0.3 %
19	-	22	0.2 %
20	-	76	0.7 %
21	-	26	0.2 %
22	-	24	0.2 %
23	-	25	0.2 %
24	-	21	0.2 %
25	-	48	0.4 %
26	-	12	0.1 %
27	-	22	0.2 %
28	-	16	0.1 %
29	-	15	0.1 %
30	-	45	0.4 %
31	-	11	0.1 %
32	-	14	0.1 %
33	-	14	0.1 %
34	-	10	0.1 %
35	-	24	0.2 %
36	-	7	0.1 %
37	-	9	0.1 %
38	-	9	0.1 %
39	-	2	0.0 %
40	-	32	0.3 %
41	-	15	0.1 %
42	-	10	0.1 %
43	-	9	0.1 %
44	-	7	0.1 %
45	-	9	0.1 %
46	-	7	0.1 %

Value	Label	Unweighted Frequency	%
47	-	7	0.1 %
48	-	9	0.1 %
49	-	5	0.0 %
Missing Data			
-9	MISSING	4511	41.5 %
Total		10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,349 valid cases out of 10,860 total cases.

- Mean: 25.20
- Minimum: 0
- Maximum: 1100
- Standard Deviation: 71.19

Location: 202-205 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

TBNUM: NO. OF CLIENTS WITH TUBERCULOSIS

On October 1, 1997, about how many of the clients recorded in the TOTAL box at Q.12g were:

d. Known as having an active case of tuberculosis (TB)

Value	Label	Unweighted Frequency	%
0	-	2100	19.3 %
1	-	388	3.6 %
2	-	189	1.7 %
3	-	101	0.9 %
4	-	49	0.5 %
5	-	51	0.5 %
6	-	22	0.2 %
7	-	13	0.1 %
8	-	18	0.2 %
9	-	12	0.1 %
10	-	9	0.1 %
11	-	3	0.0 %
12	-	6	0.1 %
13	-	3	0.0 %
14	-	4	0.0 %
15	-	4	0.0 %

Value	Label	Unweighted Frequency	%
16	-	4	0.0 %
17	-	2	0.0 %
18	-	3	0.0 %
20	-	3	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	2	0.0 %
24	-	4	0.0 %
25	-	2	0.0 %
27	-	1	0.0 %
30	-	3	0.0 %
31	-	1	0.0 %
32	-	3	0.0 %
33	-	2	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
49	-	2	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
54	-	1	0.0 %
57	-	1	0.0 %
60	-	1	0.0 %
69	-	1	0.0 %
82	-	1	0.0 %
95	-	1	0.0 %
180	-	1	0.0 %
432	-	1	0.0 %
644	-	1	0.0 %
	Missing Data		
-9	MISSING	7838	72.2 %
	Total	10,860	100%

Based upon 3,022 valid cases out of 10,860 total cases.

- Mean: 1.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 644
- Standard Deviation: 15.27

Location: 206-208 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HIVNUM: NUMBER OF CLIENTS WITH HIV

On October 1, 1997, about how many of the clients recorded in the TOTAL box at Q.12g were:

e. HIV positive

Value	Label	Unweighted Frequency	%
0	-	1334	12.3 %
1	-	1004	9.2 %
2	-	570	5.2 %
3	-	304	2.8 %
4	-	185	1.7 %
5	-	166	1.5 %
6	-	110	1.0 %
7	-	51	0.5 %
8	-	67	0.6 %
9	-	33	0.3 %
10	-	89	0.8 %
11	-	24	0.2 %
12	-	40	0.4 %
13	-	15	0.1 %
14	-	24	0.2 %
15	-	43	0.4 %
16	-	15	0.1 %
17	-	8	0.1 %
18	-	15	0.1 %
19	-	10	0.1 %
20	-	29	0.3 %
21	-	11	0.1 %
22	-	14	0.1 %
23	-	6	0.1 %
24	-	6	0.1 %
25	-	19	0.2 %
26	-	5	0.0 %
27	-	5	0.0 %
28	-	9	0.1 %
29	-	5	0.0 %
30	-	12	0.1 %
31	-	3	0.0 %

Value	Label	Unweighted Frequency	%
32	-	10	0.1 %
33	-	3	0.0 %
34	-	3	0.0 %
35	-	11	0.1 %
36	-	5	0.0 %
37	-	2	0.0 %
38	-	4	0.0 %
39	-	3	0.0 %
40	-	10	0.1 %
41	-	5	0.0 %
42	-	2	0.0 %
43	-	3	0.0 %
44	-	2	0.0 %
45	-	6	0.1 %
46	-	2	0.0 %
47	-	5	0.0 %
48	-	4	0.0 %
50	-	7	0.1 %
	Missing Data		
-9	MISSING	6383	58.8 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,477 valid cases out of 10,860 total cases.

- Mean: 8.33
- Median: 1.00
- Mode: 0.00
- Minimum: 0
- Maximum: 2029
- Standard Deviation: 40.26

Location: 209-212 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PREVNUM: NO. OF CLIENTS WHO PREVIOUSLY RECD TX

On October 1, 1997, about how many of the clients recorded in the TOTAL box at Q.12g were:

f. Clients who had previously received substance abuse treatment from you or another facility

Value	Label	Unweighted Frequency	%
0	-	194	1.8 %
1	-	347	3.2 %
2	-	458	4.2 %
3	-	408	3.8 %
4	-	398	3.7 %
5	-	396	3.6 %
6	-	311	2.9 %
7	-	233	2.1 %
8	-	287	2.6 %
9	-	191	1.8 %
10	-	378	3.5 %
11	-	165	1.5 %
12	-	265	2.4 %
13	-	155	1.4 %
14	-	177	1.6 %
15	-	222	2.0 %
16	-	137	1.3 %
17	-	93	0.9 %
18	-	152	1.4 %
19	-	88	0.8 %
20	-	235	2.2 %
21	-	77	0.7 %
22	-	87	0.8 %
23	-	78	0.7 %
24	-	94	0.9 %
25	-	158	1.5 %
26	-	72	0.7 %
27	-	60	0.6 %
28	-	72	0.7 %
29	-	41	0.4 %
30	-	168	1.5 %
31	-	49	0.5 %
32	-	65	0.6 %
33	-	41	0.4 %
34	-	48	0.4 %
35	-	83	0.8 %
36	-	39	0.4 %
37	-	35	0.3 %
38	-	63	0.6 %
39	-	26	0.2 %
40	-	115	1.1 %
41	-	34	0.3 %

Value	Label	Unweighted Frequency	%
42	-	28	0.3 %
43	-	22	0.2 %
44	-	19	0.2 %
45	-	78	0.7 %
46	-	34	0.3 %
47	-	18	0.2 %
48	-	28	0.3 %
49	-	33	0.3 %
	Missing Data		
-9	MISSING	1811	16.7 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,049 valid cases out of 10,860 total cases.

- Mean: 42.70
- Minimum: 0
- Maximum: 6442
- Standard Deviation: 110.26

Location: 213-216 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

MGDNUM: NO. OF CLIENTS COVERED BY MANAGED CARE

On October 1, 1997, about how many of the clients recorded in the TOTAL box at Q.12g were:

g. Covered by managed care arrangements

Value	Label	Unweighted Frequency	%
0	-	1224	11.3 %
1	-	432	4.0 %
2	-	378	3.5 %
3	-	312	2.9 %
4	-	233	2.1 %
5	-	250	2.3 %
6	-	190	1.7 %
7	-	128	1.2 %
8	-	133	1.2 %
9	-	82	0.8 %
10	-	199	1.8 %

Value	Label	Unweighted Frequency	%
11	-	64	0.6 %
12	-	89	0.8 %
13	-	62	0.6 %
14	-	58	0.5 %
15	-	133	1.2 %
16	-	47	0.4 %
17	-	48	0.4 %
18	-	61	0.6 %
19	-	48	0.4 %
20	-	102	0.9 %
21	-	43	0.4 %
22	-	33	0.3 %
23	-	30	0.3 %
24	-	29	0.3 %
25	-	69	0.6 %
26	-	21	0.2 %
27	-	29	0.3 %
28	-	28	0.3 %
29	-	21	0.2 %
30	-	66	0.6 %
31	-	14	0.1 %
32	-	26	0.2 %
33	-	15	0.1 %
34	-	12	0.1 %
35	-	35	0.3 %
36	-	22	0.2 %
37	-	20	0.2 %
38	-	22	0.2 %
39	-	9	0.1 %
40	-	53	0.5 %
41	-	11	0.1 %
42	-	14	0.1 %
43	-	11	0.1 %
44	-	22	0.2 %
45	-	26	0.2 %
46	-	5	0.0 %
47	-	16	0.1 %
48	-	10	0.1 %
49	-	7	0.1 %
	Missing Data		
-9	MISSING	5233	48.2 %

Value	Label	Unweighted Frequency	%
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,627 valid cases out of 10,860 total cases.

- Mean: 22.78
- Median: 5.00
- Mode: 0.00
- Minimum: 0
- Maximum: 6845
- Standard Deviation: 105.78

Location: 217-220 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CJNUM: NO. OF COURT REFERRED CLIENTS

On October 1, 1997, about how many of the clients recorded in the TOTAL box at Q.12g were:

h. Criminal justice referred clients (excluding DUI/DWI)

Value	Label	Unweighted Frequency	%
0	-	638	5.9 %
1	-	553	5.1 %
2	-	615	5.7 %
3	-	459	4.2 %
4	-	364	3.4 %
5	-	346	3.2 %
6	-	277	2.6 %
7	-	211	1.9 %
8	-	240	2.2 %
9	-	161	1.5 %
10	-	310	2.9 %
11	-	133	1.2 %
12	-	150	1.4 %
13	-	92	0.8 %
14	-	123	1.1 %
15	-	201	1.9 %
16	-	86	0.8 %
17	-	81	0.7 %
18	-	102	0.9 %
19	-	76	0.7 %

Value	Label	Unweighted Frequency	%
20	-	182	1.7 %
21	-	45	0.4 %
22	-	67	0.6 %
23	-	69	0.6 %
24	-	52	0.5 %
25	-	104	1.0 %
26	-	54	0.5 %
27	-	46	0.4 %
28	-	47	0.4 %
29	-	44	0.4 %
30	-	125	1.2 %
31	-	36	0.3 %
32	-	46	0.4 %
33	-	38	0.3 %
34	-	36	0.3 %
35	-	82	0.8 %
36	-	29	0.3 %
37	-	30	0.3 %
38	-	35	0.3 %
39	-	19	0.2 %
40	-	85	0.8 %
41	-	21	0.2 %
42	-	30	0.3 %
43	-	23	0.2 %
44	-	18	0.2 %
45	-	44	0.4 %
46	-	26	0.2 %
47	-	25	0.2 %
48	-	32	0.3 %
49	-	22	0.2 %
	Missing Data		
-9	MISSING	2813	25.9 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8,047 valid cases out of 10,860 total cases.

- Mean: 32.16
- Minimum: 0
- Maximum: 9252
- Standard Deviation: 135.13

Location: 221-224 (width: 4; decimal: 0)

Variable Type: numeric
 (Range of) Missing Values: -9

PARENT: IS FACILITY A PARENT ORGANIZATION

On October 1, 1997, was this facility structured as a parent organization or master site with one or more affiliate sites that provide substance abuse treatment services?

Value	Label	Unweighted Frequency	%
1	YES	2516	23.2 %
2	NO	8294	76.4 %
	Missing Data		
-9	MISSING	50	0.5 %
	Total	10,860	100%

Based upon 10,810 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 225-226 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

NUMSUBS: IF PARENT ORG., HOW MANY AFFILIATES?

On October 1, 1997, how many affiliate sites did this facility have that provide substance abuse treatment services?

Value	Label	Unweighted Frequency	%
0	-	22	0.2 %
1	-	839	7.7 %
2	-	616	5.7 %
3	-	350	3.2 %
4	-	234	2.2 %
5	-	136	1.3 %
6	-	89	0.8 %
7	-	46	0.4 %
8	-	20	0.2 %
9	-	17	0.2 %
10	-	24	0.2 %
11	-	10	0.1 %
12	-	9	0.1 %
13	-	4	0.0 %
14	-	2	0.0 %
15	-	21	0.2 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	7	0.1 %

Value	Label	Unweighted Frequency	%
19	-	3	0.0 %
20	-	5	0.0 %
21	-	1	0.0 %
22	-	5	0.0 %
23	-	4	0.0 %
24	-	3	0.0 %
25	-	2	0.0 %
27	-	2	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	2	0.0 %
33	-	1	0.0 %
35	-	2	0.0 %
46	-	1	0.0 %
52	-	1	0.0 %
60	-	1	0.0 %
93	-	1	0.0 %
280	-	1	0.0 %
400	-	1	0.0 %
	Missing Data		
-9	MISSING	8372	77.1 %
	Total	10,860	100%

Based upon 2,488 valid cases out of 10,860 total cases.

- Mean: 3.49
- Median: 2.00
- Mode: 1.00
- Minimum: 0
- Maximum: 400
- Standard Deviation: 10.64

Location: 227-229 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ADMINLNK: IS FACILITY AN AFFILIATE ORGANIZATION

On October 1, 1997, was this facility an affiliate of a parent organization or master site?

Value	Label	Unweighted Frequency	%
1	YES	4577	42.1 %
2	NO	6198	57.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING	85	0.8 %
	Total	10,860	100%

Based upon 10,775 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OTHFAC: CAN YOU RESPOND FOR THIS SITE ONLY

Can you respond for only the services, activities, etc., provided at this site?

Value	Label	Unweighted Frequency	%
1	YES	10231	94.2 %
2	NO	595	5.5 %
	Missing Data		
-9	MISSING	34	0.3 %
	Total	10,860	100%

Based upon 10,826 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OTHNUM: HOW MANY SITES ARE YOU REPORTING FOR

If responding for only this site is not possible, for approximately how many sites will you be reporting in total?

Value	Label	Unweighted Frequency	%
1	2 SITES	252	2.3 %
2	3-5 SITES	243	2.2 %
3	6-10 SITES	79	0.7 %
4	MORE THAN 10 SITES	15	0.1 %
	Missing Data		
-9	MISSING	10271	94.6 %
	Total	10,860	100%

Based upon 589 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 4

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_CLI1: NUMBER OF HOSPITAL INPATIENTS-DETOX

In each of the categories listed below, please enter the number of active clients who were receiving substance abuse treatment at this facility on October 1, 1997.

DO NOT count codependents, parents, other relatives, friends (i.e., "collaterals"), or other nontreatment clients.

a. Hospital inpatient - Detoxification (on October 1, 1997 and were NOT discharged that day)

Value	Label	Unweighted Frequency	%
0	-	9898	91.1 %
1	-	136	1.3 %
2	-	156	1.4 %
3	-	105	1.0 %
4	-	91	0.8 %
5	-	93	0.9 %
6	-	51	0.5 %
7	-	29	0.3 %
8	-	39	0.4 %
9	-	22	0.2 %
10	-	41	0.4 %
11	-	8	0.1 %
12	-	25	0.2 %
13	-	8	0.1 %
14	-	9	0.1 %
15	-	19	0.2 %
16	-	4	0.0 %
17	-	4	0.0 %
18	-	5	0.0 %
19	-	3	0.0 %
20	-	7	0.1 %
21	-	2	0.0 %
22	-	7	0.1 %
23	-	2	0.0 %
24	-	3	0.0 %
25	-	4	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %

Value	Label	Unweighted Frequency	%
28	-	3	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
32	-	3	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	2	0.0 %
43	-	1	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
57	-	1	0.0 %
64	-	2	0.0 %
67	-	1	0.0 %
100	-	1	0.0 %
200	-	2	0.0 %
253	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1000
- Standard Deviation: 11.40

Location: 236-239 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_CLI2: NUMBER OF HOSPITAL INPATIENTS-REHAB

In each of the categories listed below, please enter the number of active clients who were receiving substance abuse treatment at this facility on

October 1, 1997.

DO NOT count codependents, parents, other relatives, friends (i.e., "collaterals"), or other nontreatment clients.

b. Hospital inpatient - Rehabilitation (on October 1, 1997 and were NOT discharged that day)

Value	Label	Unweighted Frequency	%
0	-	10229	94.2 %
1	-	63	0.6 %
2	-	82	0.8 %
3	-	40	0.4 %
4	-	39	0.4 %
5	-	36	0.3 %
6	-	27	0.2 %
7	-	11	0.1 %
8	-	32	0.3 %
9	-	12	0.1 %
10	-	31	0.3 %
11	-	11	0.1 %
12	-	18	0.2 %
13	-	8	0.1 %
14	-	12	0.1 %
15	-	11	0.1 %
16	-	12	0.1 %
17	-	4	0.0 %
18	-	11	0.1 %
19	-	5	0.0 %
20	-	8	0.1 %
21	-	2	0.0 %
22	-	2	0.0 %
23	-	3	0.0 %
24	-	13	0.1 %
25	-	2	0.0 %
26	-	3	0.0 %
27	-	9	0.1 %
28	-	4	0.0 %
29	-	3	0.0 %
30	-	8	0.1 %
31	-	2	0.0 %
32	-	3	0.0 %
34	-	3	0.0 %
35	-	4	0.0 %

Value	Label	Unweighted Frequency	%
36	-	1	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	3	0.0 %
41	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	3	0.0 %
49	-	1	0.0 %
50	-	5	0.0 %
51	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
55	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.77
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 400
- Standard Deviation: 7.74

Location: 240-242 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HOSPBED: NO. OF BEDS AVAIL FOR HOSPITAL INPT.

On October 1, 1997 how many of the beds at this facility could have been used for: a. Hospital inpatient substance abuse treatment

Value	Label	Unweighted Frequency	%
1	-	5	0.0 %
2	-	10	0.1 %
3	-	5	0.0 %
4	-	35	0.3 %
5	-	31	0.3 %
6	-	37	0.3 %

Value	Label	Unweighted Frequency	%
7	-	11	0.1 %
8	-	41	0.4 %
9	-	6	0.1 %
10	-	74	0.7 %
11	-	12	0.1 %
12	-	49	0.5 %
13	-	9	0.1 %
14	-	21	0.2 %
15	-	36	0.3 %
16	-	56	0.5 %
17	-	11	0.1 %
18	-	32	0.3 %
19	-	10	0.1 %
20	-	81	0.7 %
21	-	10	0.1 %
22	-	24	0.2 %
23	-	9	0.1 %
24	-	38	0.3 %
25	-	11	0.1 %
26	-	16	0.1 %
27	-	6	0.1 %
28	-	16	0.1 %
29	-	8	0.1 %
30	-	36	0.3 %
31	-	5	0.0 %
32	-	13	0.1 %
33	-	5	0.0 %
34	-	9	0.1 %
35	-	7	0.1 %
36	-	12	0.1 %
37	-	2	0.0 %
38	-	6	0.1 %
39	-	2	0.0 %
40	-	22	0.2 %
42	-	2	0.0 %
43	-	5	0.0 %
44	-	5	0.0 %
45	-	4	0.0 %
46	-	5	0.0 %
47	-	1	0.0 %
48	-	4	0.0 %
49	-	3	0.0 %

Value	Label	Unweighted Frequency	%
50	-	10	0.1 %
53	-	4	0.0 %
Missing Data			
-9	MISSING	9912	91.3 %
Total		10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 948 valid cases out of 10,860 total cases.

- Mean: 24.54
- Median: 18.00
- Mode: 20.00
- Minimum: 1
- Maximum: 420
- Standard Deviation: 27.37

Location: 243-245 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

H_AGE1: HOSP INP CLIENTS UNDER 18 YEARS OLD

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Hospital inpatient clients, under 18 years

Value	Label	Unweighted Frequency	%
0	-	10609	97.7 %
1	-	65	0.6 %
2	-	48	0.4 %
3	-	19	0.2 %
4	-	16	0.1 %
5	-	9	0.1 %
6	-	8	0.1 %
7	-	5	0.0 %

Value	Label	Unweighted Frequency	%
8	-	5	0.0 %
9	-	1	0.0 %
10	-	4	0.0 %
11	-	1	0.0 %
12	-	2	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
17	-	1	0.0 %
22	-	2	0.0 %
24	-	1	0.0 %
28	-	1	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
42	-	1	0.0 %
56	-	1	0.0 %
63	-	1	0.0 %
78	-	1	0.0 %
91	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 91
- Standard Deviation: 1.69

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

H_AGE2: HOSP INP CLIENTS BETWEEN AGE 18 - 20

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than

zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Hospital inpatient clients, age 18-20

Value	Label	Unweighted Frequency	%
0	-	10521	96.9 %
1	-	134	1.2 %
2	-	73	0.7 %
3	-	27	0.2 %
4	-	15	0.1 %
5	-	12	0.1 %
6	-	4	0.0 %
7	-	4	0.0 %
8	-	3	0.0 %
9	-	2	0.0 %
10	-	2	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
20	-	3	0.0 %
32	-	1	0.0 %
58	-	1	0.0 %
100	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 1.31

Location: 248-250 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

H_AGE3: HOSP INP CLIENTS BETWEEN AGE 21 - 24

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Hospital inpatient clients, age 21-24

Value	Label	Unweighted Frequency	%
0	-	10398	95.7 %
1	-	181	1.7 %
2	-	93	0.9 %
3	-	42	0.4 %
4	-	21	0.2 %
5	-	19	0.2 %
6	-	11	0.1 %
7	-	12	0.1 %
8	-	4	0.0 %
9	-	5	0.0 %
10	-	2	0.0 %
11	-	1	0.0 %
12	-	4	0.0 %
14	-	2	0.0 %
15	-	2	0.0 %
16	-	3	0.0 %
17	-	1	0.0 %
20	-	2	0.0 %
29	-	1	0.0 %
48	-	1	0.0 %
79	-	1	0.0 %
82	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 82

- Standard Deviation: 1.46

Location: 251-252 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

H_AGE4: HOSP INP CLIENTS AGE 25-34 YEARS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Hospital inpatient clients, age 25-34

Value	Label	Unweighted Frequency	%
0	-	10100	93.0 %
1	-	175	1.6 %
2	-	150	1.4 %
3	-	101	0.9 %
4	-	63	0.6 %
5	-	50	0.5 %
6	-	28	0.3 %
7	-	20	0.2 %
8	-	17	0.2 %
9	-	12	0.1 %
10	-	11	0.1 %
11	-	8	0.1 %
12	-	10	0.1 %
14	-	5	0.0 %
15	-	7	0.1 %
16	-	8	0.1 %
17	-	3	0.0 %
18	-	5	0.0 %
19	-	1	0.0 %
20	-	7	0.1 %
21	-	3	0.0 %
22	-	2	0.0 %
23	-	1	0.0 %

Value	Label	Unweighted Frequency	%
24	-	2	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
31	-	2	0.0 %
33	-	1	0.0 %
40	-	2	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
51	-	1	0.0 %
55	-	1	0.0 %
79	-	1	0.0 %
80	-	1	0.0 %
100	-	1	0.0 %
223	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 223
- Standard Deviation: 3.27

Location: 253-255 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

H_AGE5: HOSP INP CLIENTS AGE 35-44 YEARS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Hospital inpatient clients, age 35-44

Value	Label	Unweighted Frequency	%
0	-	9934	91.5 %
1	-	215	2.0 %
2	-	157	1.4 %
3	-	117	1.1 %
4	-	76	0.7 %
5	-	56	0.5 %
6	-	51	0.5 %
7	-	34	0.3 %
8	-	29	0.3 %
9	-	14	0.1 %
10	-	17	0.2 %
11	-	17	0.2 %
12	-	8	0.1 %
13	-	5	0.0 %
14	-	11	0.1 %
15	-	5	0.0 %
16	-	11	0.1 %
17	-	6	0.1 %
18	-	4	0.0 %
19	-	2	0.0 %
20	-	5	0.0 %
21	-	3	0.0 %
22	-	1	0.0 %
23	-	3	0.0 %
24	-	2	0.0 %
25	-	3	0.0 %
26	-	2	0.0 %
27	-	3	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
36	-	2	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
46	-	1	0.0 %
64	-	1	0.0 %
69	-	1	0.0 %
72	-	1	0.0 %
128	-	1	0.0 %
341	-	1	0.0 %

Value	Label	Unweighted Frequency	%
433	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 433
- Standard Deviation: 5.95

Location: 256-258 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

H_AGE6: HOSP INP CLIENTS AGE 45-64 YEARS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Hospital inpatient clients, age 45-64

Value	Label	Unweighted Frequency	%
0	-	10158	93.5 %
1	-	214	2.0 %
2	-	139	1.3 %
3	-	84	0.8 %
4	-	42	0.4 %
5	-	36	0.3 %
6	-	35	0.3 %
7	-	14	0.1 %
8	-	14	0.1 %
9	-	12	0.1 %
10	-	9	0.1 %

Value	Label	Unweighted Frequency	%
11	-	7	0.1 %
12	-	4	0.0 %
13	-	2	0.0 %
14	-	3	0.0 %
15	-	4	0.0 %
16	-	6	0.1 %
17	-	7	0.1 %
18	-	3	0.0 %
19	-	3	0.0 %
20	-	2	0.0 %
22	-	1	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
41	-	1	0.0 %
56	-	1	0.0 %
75	-	1	0.0 %
92	-	1	0.0 %
209	-	1	0.0 %
367	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 367
- Standard Deviation: 4.47

Location: 259-261 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

H_AGE7: HOSP INP CLIENTS AGE 65 AND OVER

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than

zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Hospital inpatient clients, age 65 and over

Value	Label	Unweighted Frequency	%
0	-	10611	97.7 %
1	-	133	1.2 %
2	-	35	0.3 %
3	-	13	0.1 %
4	-	3	0.0 %
5	-	3	0.0 %
6	-	2	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
9	-	2	0.0 %
17	-	1	0.0 %
24	-	1	0.0 %
40	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 40
- Standard Deviation: 0.55

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

H_AGE9: HOSP INP CLIENTS AGE TOTAL

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of

the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Hospital inpatient clients, (age subtotal)

Value	Label	Unweighted Frequency	%
0	-	9719	89.5 %
1	-	92	0.8 %
2	-	139	1.3 %
3	-	85	0.8 %
4	-	79	0.7 %
5	-	81	0.7 %
6	-	64	0.6 %
7	-	40	0.4 %
8	-	46	0.4 %
9	-	26	0.2 %
10	-	52	0.5 %
11	-	19	0.2 %
12	-	37	0.3 %
13	-	21	0.2 %
14	-	24	0.2 %
15	-	30	0.3 %
16	-	18	0.2 %
17	-	17	0.2 %
18	-	16	0.1 %
19	-	8	0.1 %
20	-	18	0.2 %
21	-	5	0.0 %
22	-	10	0.1 %
23	-	6	0.1 %
24	-	13	0.1 %
25	-	4	0.0 %
26	-	4	0.0 %
27	-	10	0.1 %
28	-	9	0.1 %
29	-	6	0.1 %
30	-	8	0.1 %
31	-	4	0.0 %
32	-	8	0.1 %
33	-	2	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
36	-	3	0.0 %

Value	Label	Unweighted Frequency	%
37	-	1	0.0 %
38	-	4	0.0 %
39	-	2	0.0 %
40	-	3	0.0 %
41	-	4	0.0 %
42	-	1	0.0 %
43	-	5	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
48	-	2	0.0 %
49	-	2	0.0 %
50	-	5	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 1.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1000
- Standard Deviation: 15.28

Location: 264-267 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

H_RE1: HOSP INP CLIENTS/WHITE

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Hospital inpatient clients, white (not of Hispanic origin)

Value	Label	Unweighted Frequency	%
0	-	9850	90.7 %
1	-	111	1.0 %
2	-	205	1.9 %
3	-	116	1.1 %
4	-	74	0.7 %
5	-	61	0.6 %
6	-	77	0.7 %
7	-	45	0.4 %
8	-	38	0.3 %
9	-	23	0.2 %
10	-	34	0.3 %
11	-	20	0.2 %
12	-	20	0.2 %
13	-	11	0.1 %
14	-	11	0.1 %
15	-	10	0.1 %
16	-	9	0.1 %
17	-	8	0.1 %
18	-	7	0.1 %
19	-	10	0.1 %
20	-	4	0.0 %
21	-	4	0.0 %
22	-	4	0.0 %
23	-	4	0.0 %
24	-	3	0.0 %
25	-	3	0.0 %
26	-	2	0.0 %
27	-	2	0.0 %
28	-	4	0.0 %
29	-	2	0.0 %
30	-	2	0.0 %
31	-	2	0.0 %
34	-	1	0.0 %
35	-	3	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
41	-	1	0.0 %
43	-	1	0.0 %
45	-	1	0.0 %

Value	Label	Unweighted Frequency	%
47	-	2	0.0 %
49	-	1	0.0 %
50	-	3	0.0 %
51	-	1	0.0 %
53	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
58	-	1	0.0 %
66	-	1	0.0 %
71	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 418
- Standard Deviation: 5.76

Location: 268-270 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

H_RE2: HOSP INP CLIENTS/BLACK

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Hospital inpatient clients, black (not of Hispanic origin)

Value	Label	Unweighted Frequency	%
0	-	10123	93.2 %
1	-	155	1.4 %
2	-	104	1.0 %
3	-	55	0.5 %
4	-	63	0.6 %
5	-	46	0.4 %
6	-	37	0.3 %
7	-	21	0.2 %
8	-	27	0.2 %
9	-	18	0.2 %
10	-	20	0.2 %
11	-	10	0.1 %
12	-	12	0.1 %
13	-	9	0.1 %
14	-	13	0.1 %
15	-	8	0.1 %
16	-	11	0.1 %
17	-	6	0.1 %
18	-	7	0.1 %
19	-	2	0.0 %
20	-	7	0.1 %
21	-	1	0.0 %
22	-	4	0.0 %
23	-	4	0.0 %
24	-	2	0.0 %
25	-	3	0.0 %
26	-	5	0.0 %
27	-	2	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
32	-	2	0.0 %
33	-	1	0.0 %
34	-	2	0.0 %
36	-	2	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	3	0.0 %
43	-	1	0.0 %
46	-	1	0.0 %
48	-	2	0.0 %

Value	Label	Unweighted Frequency	%
51	-	1	0.0 %
52	-	1	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
70	-	1	0.0 %
75	-	1	0.0 %
156	-	1	0.0 %
165	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 600
- Standard Deviation: 8.69

Location: 271-273 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

H_RE3: HOSP INP CLIENTS/HISPANIC

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Hospital inpatient clients, Hispanic

Value	Label	Unweighted Frequency	%
0	-	10445	96.2 %
1	-	131	1.2 %

Value	Label	Unweighted Frequency	%
2	-	87	0.8 %
3	-	41	0.4 %
4	-	35	0.3 %
5	-	17	0.2 %
6	-	9	0.1 %
7	-	7	0.1 %
8	-	5	0.0 %
9	-	6	0.1 %
10	-	2	0.0 %
11	-	1	0.0 %
12	-	3	0.0 %
14	-	3	0.0 %
15	-	1	0.0 %
17	-	1	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
33	-	1	0.0 %
97	-	1	0.0 %
134	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 134
- Standard Deviation: 1.92

Location: 274-276 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Hospital inpatient clients, Asian or Pacific Islander

Value	Label	Unweighted Frequency	%
0	-	10773	99.2 %
1	-	18	0.2 %
2	-	7	0.1 %
3	-	2	0.0 %
4	-	3	0.0 %
5	-	2	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 11
- Standard Deviation: 0.19

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

H_RE5: HOSP INP CLIENTS AMERICAN INDIAN/A.N.

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Hospital inpatient clients, American Indian/Alaskan Native

Value	Label	Unweighted Frequency	%
0	-	10699	98.5 %
1	-	68	0.6 %
2	-	20	0.2 %
3	-	5	0.0 %
4	-	4	0.0 %
5	-	3	0.0 %
6	-	1	0.0 %
12	-	2	0.0 %
19	-	1	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
28	-	1	0.0 %
48	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 48
- Standard Deviation: 0.68

Location: 279-280 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

H_RE6: HOSP INP CLIENTS OF OTHER RACE/ETHNIC

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Hospital inpatient clients, other race/ethnicity

Value	Label	Unweighted Frequency	%
0	-	10761	99.1 %
1	-	19	0.2 %
2	-	12	0.1 %
3	-	4	0.0 %
4	-	2	0.0 %
5	-	2	0.0 %
6	-	1	0.0 %
8	-	1	0.0 %
10	-	2	0.0 %
17	-	1	0.0 %
20	-	1	0.0 %
67	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 67
- Standard Deviation: 0.72

Location: 281-282 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

H_RE8: HOSP INP CLIENTS RACE/ETHNIC TOTAL

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST

EQUAL the Column 1 total for that row.

Hospital inpatient clients (race/ethnicity subtotal)

Value	Label	Unweighted Frequency	%
0	-	9719	89.5 %
1	-	92	0.8 %
2	-	139	1.3 %
3	-	85	0.8 %
4	-	79	0.7 %
5	-	81	0.7 %
6	-	64	0.6 %
7	-	40	0.4 %
8	-	46	0.4 %
9	-	26	0.2 %
10	-	52	0.5 %
11	-	19	0.2 %
12	-	37	0.3 %
13	-	21	0.2 %
14	-	24	0.2 %
15	-	30	0.3 %
16	-	18	0.2 %
17	-	17	0.2 %
18	-	16	0.1 %
19	-	8	0.1 %
20	-	18	0.2 %
21	-	5	0.0 %
22	-	10	0.1 %
23	-	6	0.1 %
24	-	13	0.1 %
25	-	4	0.0 %
26	-	4	0.0 %
27	-	10	0.1 %
28	-	9	0.1 %
29	-	6	0.1 %
30	-	8	0.1 %
31	-	4	0.0 %
32	-	8	0.1 %
33	-	2	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
36	-	3	0.0 %
37	-	1	0.0 %

Value	Label	Unweighted Frequency	%
38	-	4	0.0 %
39	-	2	0.0 %
40	-	3	0.0 %
41	-	4	0.0 %
42	-	1	0.0 %
43	-	5	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
48	-	2	0.0 %
49	-	2	0.0 %
50	-	5	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 1.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1000
- Standard Deviation: 15.28

Location: 283-286 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

H_SEX1: HOSP INP MALE CLIENTS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Hospital inpatient clients, male

Value	Label	Unweighted Frequency	%
0	-	9750	89.8 %
1	-	142	1.3 %
2	-	136	1.3 %
3	-	143	1.3 %
4	-	106	1.0 %
5	-	64	0.6 %
6	-	54	0.5 %
7	-	41	0.4 %
8	-	45	0.4 %
9	-	30	0.3 %
10	-	29	0.3 %
11	-	23	0.2 %
12	-	26	0.2 %
13	-	13	0.1 %
14	-	16	0.1 %
15	-	21	0.2 %
16	-	12	0.1 %
17	-	12	0.1 %
18	-	14	0.1 %
19	-	12	0.1 %
20	-	12	0.1 %
21	-	3	0.0 %
22	-	10	0.1 %
23	-	5	0.0 %
24	-	5	0.0 %
25	-	3	0.0 %
26	-	5	0.0 %
27	-	5	0.0 %
28	-	4	0.0 %
29	-	3	0.0 %
30	-	4	0.0 %
31	-	5	0.0 %
32	-	4	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
36	-	3	0.0 %
37	-	4	0.0 %
38	-	1	0.0 %
39	-	3	0.0 %
40	-	2	0.0 %
41	-	1	0.0 %
43	-	3	0.0 %

Value	Label	Unweighted Frequency	%
44	-	3	0.0 %
45	-	2	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
50	-	2	0.0 %
53	-	1	0.0 %
55	-	1	0.0 %
58	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 1.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 668
- Standard Deviation: 9.62

Location: 287-289 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

H_SEX2: HOSP INP FEMALE CLIENTS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Hospital inpatient clients, female

Value	Label	Unweighted Frequency	%
0	-	9999	92.1 %
1	-	217	2.0 %

Value	Label	Unweighted Frequency	%
2	-	138	1.3 %
3	-	108	1.0 %
4	-	58	0.5 %
5	-	71	0.7 %
6	-	48	0.4 %
7	-	24	0.2 %
8	-	16	0.1 %
9	-	10	0.1 %
10	-	19	0.2 %
11	-	8	0.1 %
12	-	11	0.1 %
13	-	7	0.1 %
14	-	6	0.1 %
15	-	8	0.1 %
16	-	6	0.1 %
17	-	2	0.0 %
18	-	6	0.1 %
19	-	3	0.0 %
20	-	6	0.1 %
21	-	2	0.0 %
22	-	3	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	4	0.0 %
26	-	1	0.0 %
27	-	2	0.0 %
28	-	4	0.0 %
29	-	2	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
34	-	2	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
41	-	1	0.0 %
50	-	1	0.0 %
55	-	1	0.0 %
65	-	1	0.0 %
96	-	1	0.0 %
120	-	1	0.0 %
154	-	1	0.0 %
183	-	1	0.0 %
332	-	1	0.0 %

Value	Label	Unweighted Frequency	%
367	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 367
- Standard Deviation: 5.93

Location: 290-292 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

H_SEX4: HOSP INP CLIENTS GENDER TOTAL

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Hospital inpatient clients (sex subtotal)

Value	Label	Unweighted Frequency	%
0	-	9719	89.5 %
1	-	92	0.8 %
2	-	139	1.3 %
3	-	85	0.8 %
4	-	79	0.7 %
5	-	81	0.7 %
6	-	64	0.6 %
7	-	40	0.4 %
8	-	46	0.4 %
9	-	26	0.2 %
10	-	52	0.5 %

Value	Label	Unweighted Frequency	%
11	-	19	0.2 %
12	-	37	0.3 %
13	-	21	0.2 %
14	-	24	0.2 %
15	-	30	0.3 %
16	-	18	0.2 %
17	-	17	0.2 %
18	-	16	0.1 %
19	-	8	0.1 %
20	-	18	0.2 %
21	-	5	0.0 %
22	-	10	0.1 %
23	-	6	0.1 %
24	-	13	0.1 %
25	-	4	0.0 %
26	-	4	0.0 %
27	-	10	0.1 %
28	-	9	0.1 %
29	-	6	0.1 %
30	-	8	0.1 %
31	-	4	0.0 %
32	-	8	0.1 %
33	-	2	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
36	-	3	0.0 %
37	-	1	0.0 %
38	-	4	0.0 %
39	-	2	0.0 %
40	-	3	0.0 %
41	-	4	0.0 %
42	-	1	0.0 %
43	-	5	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
48	-	2	0.0 %
49	-	2	0.0 %
50	-	5	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %

Value	Label	Unweighted Frequency	%
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 1.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1000
- Standard Deviation: 15.28

Location: 293-296 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_CLI3: NUMBER OF RESIDENTIAL-DETOX PATIENTS

In each of the categories listed below, please enter the number of active clients who were receiving substance abuse treatment at this facility on October 1, 1997.

DO NOT count codependents, parents, other relatives, friends (i.e., "collaterals"), or other nontreatment clients.

c. Residential (24-hour care) - Detoxification (on October 1, 1997 and were NOT discharged that day)

Value	Label	Unweighted Frequency	%
0	-	10117	93.2 %
1	-	66	0.6 %
2	-	89	0.8 %
3	-	63	0.6 %
4	-	48	0.4 %
5	-	41	0.4 %
6	-	43	0.4 %
7	-	40	0.4 %
8	-	28	0.3 %
9	-	19	0.2 %
10	-	22	0.2 %
11	-	19	0.2 %
12	-	22	0.2 %
13	-	4	0.0 %
14	-	15	0.1 %
15	-	13	0.1 %

Value	Label	Unweighted Frequency	%
16	-	13	0.1 %
17	-	9	0.1 %
18	-	11	0.1 %
19	-	9	0.1 %
20	-	20	0.2 %
21	-	8	0.1 %
22	-	6	0.1 %
23	-	5	0.0 %
24	-	3	0.0 %
25	-	5	0.0 %
26	-	3	0.0 %
27	-	4	0.0 %
28	-	2	0.0 %
29	-	5	0.0 %
30	-	9	0.1 %
31	-	6	0.1 %
32	-	6	0.1 %
33	-	3	0.0 %
35	-	5	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	3	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	3	0.0 %
51	-	1	0.0 %
59	-	1	0.0 %
62	-	1	0.0 %
65	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.78

- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 963
- Standard Deviation: 10.40

Location: 297-299 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

T_CLI4: NUMBER OF RESIDENTIAL-REHAB PATIENTS

In each of the categories listed below, please enter the number of active clients who were receiving substance abuse treatment at this facility on October 1, 1997.

DO NOT count codependents, parents, other relatives, friends (i.e., "collaterals"), or other nontreatment clients.

d. Residential (24-hour care) - Rehabilitation (on October 1, 1997 and were NOT discharged that day)

Value	Label	Unweighted Frequency	%
0	-	8050	74.1 %
1	-	29	0.3 %
2	-	41	0.4 %
3	-	32	0.3 %
4	-	48	0.4 %
5	-	77	0.7 %
6	-	117	1.1 %
7	-	77	0.7 %
8	-	107	1.0 %
9	-	57	0.5 %
10	-	112	1.0 %
11	-	59	0.5 %
12	-	137	1.3 %
13	-	73	0.7 %
14	-	115	1.1 %
15	-	94	0.9 %
16	-	116	1.1 %
17	-	55	0.5 %
18	-	90	0.8 %
19	-	49	0.5 %
20	-	85	0.8 %
21	-	53	0.5 %
22	-	52	0.5 %
23	-	36	0.3 %

Value	Label	Unweighted Frequency	%
24	-	59	0.5 %
25	-	54	0.5 %
26	-	27	0.2 %
27	-	31	0.3 %
28	-	42	0.4 %
29	-	24	0.2 %
30	-	32	0.3 %
31	-	18	0.2 %
32	-	29	0.3 %
33	-	23	0.2 %
34	-	15	0.1 %
35	-	44	0.4 %
36	-	23	0.2 %
37	-	18	0.2 %
38	-	17	0.2 %
39	-	12	0.1 %
40	-	39	0.4 %
41	-	9	0.1 %
42	-	17	0.2 %
43	-	13	0.1 %
44	-	13	0.1 %
45	-	25	0.2 %
46	-	13	0.1 %
47	-	15	0.1 %
48	-	16	0.1 %
49	-	8	0.1 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 8.82
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 6871
- Standard Deviation: 74.77

Location: 300-303 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RESBED: NO. OF BEDS AVAIL FOR NON-HOSPITAL RES

On October 1, 1997 how many of the beds at this facility could have been used for: b. Non-hospital residential (24-hour) substance abuse treatment

Value	Label	Unweighted Frequency	%
1	-	2	0.0 %
2	-	6	0.1 %
3	-	10	0.1 %
4	-	16	0.1 %
5	-	17	0.2 %
6	-	89	0.8 %
7	-	25	0.2 %
8	-	95	0.9 %
9	-	36	0.3 %
10	-	96	0.9 %
11	-	31	0.3 %
12	-	147	1.4 %
13	-	41	0.4 %
14	-	105	1.0 %
15	-	92	0.8 %
16	-	127	1.2 %
17	-	40	0.4 %
18	-	78	0.7 %
19	-	25	0.2 %
20	-	153	1.4 %
21	-	42	0.4 %
22	-	56	0.5 %
23	-	29	0.3 %
24	-	85	0.8 %
25	-	54	0.5 %
26	-	41	0.4 %
27	-	20	0.2 %
28	-	39	0.4 %
29	-	14	0.1 %
30	-	90	0.8 %
31	-	13	0.1 %
32	-	48	0.4 %
33	-	18	0.2 %
34	-	20	0.2 %
35	-	36	0.3 %
36	-	33	0.3 %
37	-	13	0.1 %
38	-	22	0.2 %

Value	Label	Unweighted Frequency	%
39	-	5	0.0 %
40	-	84	0.8 %
41	-	12	0.1 %
42	-	25	0.2 %
43	-	6	0.1 %
44	-	18	0.2 %
45	-	25	0.2 %
46	-	15	0.1 %
47	-	11	0.1 %
48	-	20	0.2 %
49	-	9	0.1 %
50	-	51	0.5 %
	Missing Data		
-9	MISSING	8177	75.3 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,683 valid cases out of 10,860 total cases.

- Mean: 40.62
- Median: 23.00
- Mode: 20.00
- Minimum: 1
- Maximum: 6871
- Standard Deviation: 141.54

Location: 304-307 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

R_AGE1: RESID 24 CLIENTS UNDER 18 YEARS OLD

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Residential clients, under 18 years

Value	Label	Unweighted Frequency	%
0	-	10130	93.3 %
1	-	130	1.2 %
2	-	64	0.6 %
3	-	38	0.3 %
4	-	29	0.3 %
5	-	31	0.3 %
6	-	23	0.2 %
7	-	22	0.2 %
8	-	17	0.2 %
9	-	16	0.1 %
10	-	18	0.2 %
11	-	17	0.2 %
12	-	21	0.2 %
13	-	15	0.1 %
14	-	25	0.2 %
15	-	14	0.1 %
16	-	14	0.1 %
17	-	16	0.1 %
18	-	12	0.1 %
19	-	6	0.1 %
20	-	19	0.2 %
21	-	13	0.1 %
22	-	6	0.1 %
23	-	8	0.1 %
24	-	8	0.1 %
25	-	6	0.1 %
26	-	5	0.0 %
27	-	3	0.0 %
28	-	5	0.0 %
29	-	4	0.0 %
30	-	8	0.1 %
31	-	6	0.1 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
36	-	4	0.0 %
37	-	3	0.0 %
38	-	4	0.0 %
40	-	4	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
46	-	4	0.0 %

Value	Label	Unweighted Frequency	%
48	-	4	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
67	-	1	0.0 %
74	-	2	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.90
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 276
- Standard Deviation: 6.90

Location: 308-310 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

R_AGE2: RESID 24 CLIENTS BETWEEN AGE 18 - 20

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Residential clients, age 18-20

Value	Label	Unweighted Frequency	%
0	-	9334	85.9 %
1	-	533	4.9 %

Value	Label	Unweighted Frequency	%
2	-	379	3.5 %
3	-	160	1.5 %
4	-	110	1.0 %
5	-	71	0.7 %
6	-	44	0.4 %
7	-	18	0.2 %
8	-	12	0.1 %
9	-	19	0.2 %
10	-	18	0.2 %
11	-	9	0.1 %
12	-	9	0.1 %
13	-	6	0.1 %
14	-	8	0.1 %
15	-	10	0.1 %
16	-	3	0.0 %
17	-	1	0.0 %
18	-	5	0.0 %
20	-	10	0.1 %
21	-	3	0.0 %
22	-	2	0.0 %
23	-	2	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	5	0.0 %
31	-	2	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
35	-	3	0.0 %
36	-	2	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	2	0.0 %
47	-	1	0.0 %
49	-	1	0.0 %
51	-	2	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %

Value	Label	Unweighted Frequency	%
60	-	1	0.0 %
70	-	2	0.0 %
78	-	1	0.0 %
80	-	1	0.0 %
90	-	1	0.0 %
125	-	1	0.0 %
Missing Data			
-9	MISSING	53	0.5 %
Total		10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.64
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 429
- Standard Deviation: 6.22

Location: 311-313 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

R_AGE3: RESID 24 CLIENTS BETWEEN AGE 21 - 24

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Residential clients, age 21-24

Value	Label	Unweighted Frequency	%
0	-	8843	81.4 %
1	-	501	4.6 %
2	-	433	4.0 %
3	-	240	2.2 %

Value	Label	Unweighted Frequency	%
4	-	172	1.6 %
5	-	154	1.4 %
6	-	93	0.9 %
7	-	69	0.6 %
8	-	54	0.5 %
9	-	23	0.2 %
10	-	47	0.4 %
11	-	13	0.1 %
12	-	14	0.1 %
13	-	8	0.1 %
14	-	7	0.1 %
15	-	16	0.1 %
16	-	11	0.1 %
17	-	8	0.1 %
18	-	7	0.1 %
19	-	6	0.1 %
20	-	15	0.1 %
21	-	3	0.0 %
22	-	4	0.0 %
23	-	2	0.0 %
25	-	5	0.0 %
26	-	4	0.0 %
27	-	2	0.0 %
28	-	2	0.0 %
29	-	2	0.0 %
30	-	6	0.1 %
31	-	2	0.0 %
32	-	3	0.0 %
33	-	2	0.0 %
35	-	2	0.0 %
36	-	2	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
40	-	3	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
55	-	2	0.0 %

Value	Label	Unweighted Frequency	%
60	-	1	0.0 %
61	-	1	0.0 %
62	-	1	0.0 %
65	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 1.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 787
- Standard Deviation: 9.40

Location: 314-316 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

R_AGE4: RESID 24 CLIENTS AGE 25-34 YEARS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Residential clients, age 25-34

Value	Label	Unweighted Frequency	%
0	-	8281	76.3 %
1	-	154	1.4 %
2	-	208	1.9 %
3	-	211	1.9 %
4	-	175	1.6 %
5	-	186	1.7 %

Value	Label	Unweighted Frequency	%
6	-	179	1.6 %
7	-	136	1.3 %
8	-	140	1.3 %
9	-	122	1.1 %
10	-	157	1.4 %
11	-	80	0.7 %
12	-	60	0.6 %
13	-	64	0.6 %
14	-	41	0.4 %
15	-	74	0.7 %
16	-	49	0.5 %
17	-	36	0.3 %
18	-	18	0.2 %
19	-	37	0.3 %
20	-	37	0.3 %
21	-	18	0.2 %
22	-	19	0.2 %
23	-	23	0.2 %
24	-	17	0.2 %
25	-	34	0.3 %
26	-	16	0.1 %
27	-	13	0.1 %
28	-	8	0.1 %
29	-	11	0.1 %
30	-	20	0.2 %
31	-	10	0.1 %
32	-	6	0.1 %
33	-	5	0.0 %
34	-	5	0.0 %
35	-	5	0.0 %
36	-	5	0.0 %
37	-	6	0.1 %
38	-	5	0.0 %
39	-	5	0.0 %
40	-	7	0.1 %
41	-	5	0.0 %
42	-	5	0.0 %
43	-	5	0.0 %
44	-	2	0.0 %
45	-	10	0.1 %
47	-	3	0.0 %
48	-	2	0.0 %

Value	Label	Unweighted Frequency	%
50	-	3	0.0 %
51	-	5	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 3.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 2740
- Standard Deviation: 30.09

Location: 317-320 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

R_AGE5: RESID 24 CLIENTS AGE 35-44 YEARS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Residential clients, age 35-44

Value	Label	Unweighted Frequency	%
0	-	8349	76.9 %
1	-	238	2.2 %
2	-	263	2.4 %
3	-	255	2.3 %
4	-	244	2.2 %
5	-	174	1.6 %
6	-	150	1.4 %
7	-	110	1.0 %

Value	Label	Unweighted Frequency	%
8	-	117	1.1 %
9	-	108	1.0 %
10	-	104	1.0 %
11	-	69	0.6 %
12	-	57	0.5 %
13	-	55	0.5 %
14	-	38	0.3 %
15	-	52	0.5 %
16	-	39	0.4 %
17	-	27	0.2 %
18	-	33	0.3 %
19	-	35	0.3 %
20	-	26	0.2 %
21	-	21	0.2 %
22	-	16	0.1 %
23	-	12	0.1 %
24	-	9	0.1 %
25	-	21	0.2 %
26	-	6	0.1 %
27	-	4	0.0 %
28	-	14	0.1 %
29	-	3	0.0 %
30	-	9	0.1 %
31	-	8	0.1 %
32	-	14	0.1 %
33	-	3	0.0 %
34	-	6	0.1 %
35	-	6	0.1 %
36	-	2	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
39	-	6	0.1 %
40	-	7	0.1 %
41	-	2	0.0 %
42	-	4	0.0 %
43	-	5	0.0 %
44	-	6	0.1 %
45	-	3	0.0 %
46	-	5	0.0 %
47	-	1	0.0 %
48	-	3	0.0 %
49	-	3	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 2.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 2126
- Standard Deviation: 22.66

Location: 321-324 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

R_AGE6: RESID 24 CLIENTS AGE 45-64 YEARS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Residential clients, age 45-64

Value	Label	Unweighted Frequency	%
0	-	8950	82.4 %
1	-	476	4.4 %
2	-	363	3.3 %
3	-	254	2.3 %
4	-	153	1.4 %
5	-	116	1.1 %
6	-	86	0.8 %
7	-	71	0.7 %
8	-	42	0.4 %
9	-	47	0.4 %

Value	Label	Unweighted Frequency	%
10	-	43	0.4 %
11	-	32	0.3 %
12	-	26	0.2 %
13	-	16	0.1 %
14	-	7	0.1 %
15	-	19	0.2 %
16	-	7	0.1 %
17	-	11	0.1 %
18	-	9	0.1 %
19	-	7	0.1 %
20	-	10	0.1 %
21	-	8	0.1 %
22	-	3	0.0 %
23	-	6	0.1 %
24	-	2	0.0 %
26	-	1	0.0 %
27	-	2	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
36	-	1	0.0 %
37	-	2	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
43	-	2	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
50	-	1	0.0 %
55	-	1	0.0 %
58	-	2	0.0 %
67	-	1	0.0 %
70	-	2	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %

Value	Label	Unweighted Frequency	%
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.99
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 743
- Standard Deviation: 8.65

Location: 325-327 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

R_AGE7: RESID 24 CLIENTS AGE 65 AND OVER

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Residential clients, age 65 and over

Value	Label	Unweighted Frequency	%
0	-	10531	97.0 %
1	-	150	1.4 %
2	-	67	0.6 %
3	-	22	0.2 %
4	-	9	0.1 %
5	-	8	0.1 %
6	-	4	0.0 %
7	-	3	0.0 %
8	-	3	0.0 %
10	-	2	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14	-	1	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
22	-	1	0.0 %
31	-	1	0.0 %
36	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 36
- Standard Deviation: 0.70

Location: 328-329 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

R_AGE9: RESID 24 CLIENTS AGE TOTAL

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Residential clients (age subtotal)

Value	Label	Unweighted Frequency	%
0	-	7805	71.9 %
1	-	32	0.3 %
2	-	58	0.5 %
3	-	42	0.4 %
4	-	52	0.5 %
5	-	76	0.7 %

Value	Label	Unweighted Frequency	%
6	-	124	1.1 %
7	-	95	0.9 %
8	-	109	1.0 %
9	-	64	0.6 %
10	-	113	1.0 %
11	-	71	0.7 %
12	-	141	1.3 %
13	-	79	0.7 %
14	-	121	1.1 %
15	-	100	0.9 %
16	-	110	1.0 %
17	-	66	0.6 %
18	-	96	0.9 %
19	-	52	0.5 %
20	-	98	0.9 %
21	-	63	0.6 %
22	-	62	0.6 %
23	-	39	0.4 %
24	-	54	0.5 %
25	-	62	0.6 %
26	-	34	0.3 %
27	-	34	0.3 %
28	-	43	0.4 %
29	-	20	0.2 %
30	-	43	0.4 %
31	-	22	0.2 %
32	-	34	0.3 %
33	-	21	0.2 %
34	-	18	0.2 %
35	-	43	0.4 %
36	-	24	0.2 %
37	-	16	0.1 %
38	-	22	0.2 %
39	-	14	0.1 %
40	-	43	0.4 %
41	-	10	0.1 %
42	-	21	0.2 %
43	-	9	0.1 %
44	-	15	0.1 %
45	-	29	0.3 %
46	-	13	0.1 %
47	-	14	0.1 %

Value	Label	Unweighted Frequency	%
48	-	21	0.2 %
49	-	10	0.1 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 9.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 6871
- Standard Deviation: 75.72

Location: 330-333 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

R_RE1: RESID 24 CLIENTS/WHITE

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Residential clients, white (not of Hispanic origin)

Value	Label	Unweighted Frequency	%
0	-	8024	73.9 %
1	-	113	1.0 %
2	-	158	1.5 %
3	-	146	1.3 %
4	-	163	1.5 %
5	-	179	1.6 %
6	-	150	1.4 %
7	-	132	1.2 %

Value	Label	Unweighted Frequency	%
8	-	136	1.3 %
9	-	112	1.0 %
10	-	133	1.2 %
11	-	104	1.0 %
12	-	118	1.1 %
13	-	87	0.8 %
14	-	95	0.9 %
15	-	86	0.8 %
16	-	70	0.6 %
17	-	54	0.5 %
18	-	59	0.5 %
19	-	57	0.5 %
20	-	58	0.5 %
21	-	30	0.3 %
22	-	32	0.3 %
23	-	34	0.3 %
24	-	27	0.2 %
25	-	38	0.3 %
26	-	17	0.2 %
27	-	17	0.2 %
28	-	26	0.2 %
29	-	20	0.2 %
30	-	26	0.2 %
31	-	19	0.2 %
32	-	17	0.2 %
33	-	16	0.1 %
34	-	10	0.1 %
35	-	17	0.2 %
36	-	14	0.1 %
37	-	10	0.1 %
38	-	15	0.1 %
39	-	3	0.0 %
40	-	15	0.1 %
41	-	6	0.1 %
42	-	7	0.1 %
43	-	8	0.1 %
44	-	5	0.0 %
45	-	11	0.1 %
46	-	6	0.1 %
47	-	3	0.0 %
48	-	6	0.1 %
49	-	2	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 4.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1980
- Standard Deviation: 25.33

Location: 334-337 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

R_RE2: RESID 24 CLIENTS/BLACK

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Residential clients, black (not of Hispanic origin)

Value	Label	Unweighted Frequency	%
0	-	8433	77.7 %
1	-	328	3.0 %
2	-	262	2.4 %
3	-	194	1.8 %
4	-	158	1.5 %
5	-	140	1.3 %
6	-	138	1.3 %
7	-	86	0.8 %
8	-	103	0.9 %
9	-	78	0.7 %

Value	Label	Unweighted Frequency	%
10	-	94	0.9 %
11	-	50	0.5 %
12	-	54	0.5 %
13	-	42	0.4 %
14	-	43	0.4 %
15	-	41	0.4 %
16	-	45	0.4 %
17	-	34	0.3 %
18	-	35	0.3 %
19	-	24	0.2 %
20	-	28	0.3 %
21	-	11	0.1 %
22	-	24	0.2 %
23	-	20	0.2 %
24	-	18	0.2 %
25	-	32	0.3 %
26	-	13	0.1 %
27	-	15	0.1 %
28	-	14	0.1 %
29	-	10	0.1 %
30	-	15	0.1 %
31	-	6	0.1 %
32	-	8	0.1 %
33	-	7	0.1 %
34	-	12	0.1 %
35	-	11	0.1 %
36	-	11	0.1 %
37	-	3	0.0 %
38	-	6	0.1 %
39	-	6	0.1 %
40	-	5	0.0 %
41	-	4	0.0 %
42	-	6	0.1 %
43	-	1	0.0 %
44	-	5	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	5	0.0 %
48	-	4	0.0 %
49	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %

Value	Label	Unweighted Frequency	%
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 3.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 2848
- Standard Deviation: 31.24

Location: 338-341 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

R_RE3: RESID 24 CLIENTS/HISPANIC

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Residential clients, Hispanic

Value	Label	Unweighted Frequency	%
0	-	9130	84.1 %
1	-	493	4.5 %
2	-	273	2.5 %
3	-	179	1.6 %
4	-	101	0.9 %
5	-	107	1.0 %
6	-	69	0.6 %
7	-	45	0.4 %
8	-	44	0.4 %
9	-	30	0.3 %
10	-	42	0.4 %
11	-	22	0.2 %

Value	Label	Unweighted Frequency	%
12	-	21	0.2 %
13	-	27	0.2 %
14	-	13	0.1 %
15	-	19	0.2 %
16	-	11	0.1 %
17	-	15	0.1 %
18	-	11	0.1 %
19	-	9	0.1 %
20	-	6	0.1 %
21	-	6	0.1 %
22	-	5	0.0 %
23	-	5	0.0 %
24	-	4	0.0 %
25	-	8	0.1 %
26	-	7	0.1 %
27	-	3	0.0 %
28	-	2	0.0 %
29	-	3	0.0 %
30	-	8	0.1 %
31	-	3	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	6	0.1 %
35	-	4	0.0 %
36	-	4	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
39	-	4	0.0 %
40	-	1	0.0 %
42	-	3	0.0 %
43	-	3	0.0 %
44	-	2	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
50	-	3	0.0 %
54	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 1.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1980
- Standard Deviation: 22.26

Location: 342-345 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

R_RE4: RESID 24 CLIENTS ASIAN OR PACIFIC

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Residential clients, Asian or Pacific Islander

Value	Label	Unweighted Frequency	%
0	-	10538	97.0 %
1	-	176	1.6 %
2	-	38	0.3 %
3	-	28	0.3 %
4	-	8	0.1 %
5	-	2	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
10	-	5	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
13	-	2	0.0 %
18	-	1	0.0 %
31	-	1	0.0 %

Value	Label	Unweighted Frequency	%
49	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 49
- Standard Deviation: 0.73

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

R_RE5: RESID 24 CLIENTS AMERICAN INDIAN/A.N.

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Residential clients, American Indian/Alaskan Native

Value	Label	Unweighted Frequency	%
0	-	10209	94.0 %
1	-	276	2.5 %
2	-	127	1.2 %
3	-	51	0.5 %
4	-	27	0.2 %
5	-	18	0.2 %
6	-	9	0.1 %
7	-	7	0.1 %
8	-	13	0.1 %
9	-	8	0.1 %
10	-	10	0.1 %

Value	Label	Unweighted Frequency	%
11	-	6	0.1 %
12	-	11	0.1 %
13	-	4	0.0 %
14	-	7	0.1 %
15	-	4	0.0 %
17	-	2	0.0 %
18	-	1	0.0 %
19	-	3	0.0 %
20	-	4	0.0 %
22	-	2	0.0 %
23	-	2	0.0 %
25	-	2	0.0 %
27	-	1	0.0 %
30	-	1	0.0 %
33	-	1	0.0 %
48	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 48
- Standard Deviation: 1.43

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

R_RE6: RESID 24 CLIENTS OF OTHER RACE/ETHNIC

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Residential clients, other race/ethnicity

Value	Label	Unweighted Frequency	%
0	-	10602	97.6 %
1	-	128	1.2 %
2	-	28	0.3 %
3	-	16	0.1 %
4	-	4	0.0 %
5	-	8	0.1 %
6	-	2	0.0 %
7	-	2	0.0 %
8	-	2	0.0 %
9	-	5	0.0 %
10	-	2	0.0 %
13	-	1	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
19	-	2	0.0 %
20	-	1	0.0 %
56	-	1	0.0 %
62	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 62
- Standard Deviation: 0.98

Location: 350-351 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

R_RE8: RESID 24 CLIENTS RACE/ETHNIC TOTAL

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Residential clients (race/ethnicity subtotal)

Value	Label	Unweighted Frequency	%
0	-	7805	71.9 %
1	-	32	0.3 %
2	-	58	0.5 %
3	-	42	0.4 %
4	-	52	0.5 %
5	-	76	0.7 %
6	-	124	1.1 %
7	-	95	0.9 %
8	-	109	1.0 %
9	-	64	0.6 %
10	-	113	1.0 %
11	-	71	0.7 %
12	-	141	1.3 %
13	-	79	0.7 %
14	-	121	1.1 %
15	-	100	0.9 %
16	-	110	1.0 %
17	-	66	0.6 %
18	-	96	0.9 %
19	-	52	0.5 %
20	-	98	0.9 %
21	-	63	0.6 %
22	-	62	0.6 %
23	-	39	0.4 %
24	-	54	0.5 %
25	-	62	0.6 %
26	-	34	0.3 %
27	-	34	0.3 %
28	-	43	0.4 %
29	-	20	0.2 %
30	-	43	0.4 %
31	-	22	0.2 %
32	-	34	0.3 %
33	-	21	0.2 %
34	-	18	0.2 %
35	-	43	0.4 %

Value	Label	Unweighted Frequency	%
36	-	24	0.2 %
37	-	16	0.1 %
38	-	22	0.2 %
39	-	14	0.1 %
40	-	43	0.4 %
41	-	10	0.1 %
42	-	21	0.2 %
43	-	9	0.1 %
44	-	15	0.1 %
45	-	29	0.3 %
46	-	13	0.1 %
47	-	14	0.1 %
48	-	21	0.2 %
49	-	10	0.1 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 9.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 6871
- Standard Deviation: 75.72

Location: 352-355 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

R_SEX1: RESID 24 MALE CLIENTS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Residential clients, male

Value	Label	Unweighted Frequency	%
0	-	8290	76.3 %
1	-	59	0.5 %
2	-	64	0.6 %
3	-	59	0.5 %
4	-	86	0.8 %
5	-	78	0.7 %
6	-	98	0.9 %
7	-	89	0.8 %
8	-	87	0.8 %
9	-	74	0.7 %
10	-	109	1.0 %
11	-	89	0.8 %
12	-	114	1.0 %
13	-	87	0.8 %
14	-	99	0.9 %
15	-	71	0.7 %
16	-	74	0.7 %
17	-	52	0.5 %
18	-	72	0.7 %
19	-	48	0.4 %
20	-	68	0.6 %
21	-	35	0.3 %
22	-	38	0.3 %
23	-	37	0.3 %
24	-	30	0.3 %
25	-	45	0.4 %
26	-	29	0.3 %
27	-	32	0.3 %
28	-	26	0.2 %
29	-	28	0.3 %
30	-	33	0.3 %
31	-	25	0.2 %
32	-	25	0.2 %
33	-	13	0.1 %
34	-	16	0.1 %
35	-	24	0.2 %
36	-	20	0.2 %
37	-	15	0.1 %
38	-	23	0.2 %
39	-	13	0.1 %

Value	Label	Unweighted Frequency	%
40	-	20	0.2 %
41	-	11	0.1 %
42	-	12	0.1 %
43	-	11	0.1 %
44	-	15	0.1 %
45	-	18	0.2 %
46	-	11	0.1 %
47	-	12	0.1 %
48	-	9	0.1 %
49	-	8	0.1 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 7.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 5497
- Standard Deviation: 60.62

Location: 356-359 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

R_SEX2: RESID 24 FEMALE CLIENTS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Residential clients, female

Value	Label	Unweighted Frequency	%
0	-	8678	79.9 %
1	-	169	1.6 %
2	-	188	1.7 %
3	-	157	1.4 %
4	-	162	1.5 %
5	-	126	1.2 %
6	-	168	1.5 %
7	-	114	1.0 %
8	-	120	1.1 %
9	-	94	0.9 %
10	-	95	0.9 %
11	-	60	0.6 %
12	-	74	0.7 %
13	-	57	0.5 %
14	-	52	0.5 %
15	-	53	0.5 %
16	-	54	0.5 %
17	-	26	0.2 %
18	-	37	0.3 %
19	-	21	0.2 %
20	-	37	0.3 %
21	-	24	0.2 %
22	-	23	0.2 %
23	-	12	0.1 %
24	-	14	0.1 %
25	-	14	0.1 %
26	-	10	0.1 %
27	-	8	0.1 %
28	-	14	0.1 %
29	-	7	0.1 %
30	-	13	0.1 %
31	-	5	0.0 %
32	-	5	0.0 %
33	-	4	0.0 %
34	-	5	0.0 %
35	-	11	0.1 %
36	-	5	0.0 %
37	-	3	0.0 %
38	-	6	0.1 %
39	-	3	0.0 %
40	-	6	0.1 %
41	-	1	0.0 %

Value	Label	Unweighted Frequency	%
42	-	6	0.1 %
43	-	4	0.0 %
45	-	2	0.0 %
46	-	2	0.0 %
47	-	2	0.0 %
48	-	2	0.0 %
50	-	5	0.0 %
51	-	1	0.0 %
	Missing Data		
-9	MISSING	53	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 2.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1374
- Standard Deviation: 17.17

Location: 360-363 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

R_SEX4: RESID 24 CLIENTS GENDER TOTAL

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Residential clients (sex subtotal)

Value	Label	Unweighted Frequency	%
0	-	7805	71.9 %
1	-	32	0.3 %

Value	Label	Unweighted Frequency	%
2	-	58	0.5 %
3	-	42	0.4 %
4	-	52	0.5 %
5	-	76	0.7 %
6	-	124	1.1 %
7	-	95	0.9 %
8	-	109	1.0 %
9	-	64	0.6 %
10	-	113	1.0 %
11	-	71	0.7 %
12	-	141	1.3 %
13	-	79	0.7 %
14	-	121	1.1 %
15	-	100	0.9 %
16	-	110	1.0 %
17	-	66	0.6 %
18	-	96	0.9 %
19	-	52	0.5 %
20	-	98	0.9 %
21	-	63	0.6 %
22	-	62	0.6 %
23	-	39	0.4 %
24	-	54	0.5 %
25	-	62	0.6 %
26	-	34	0.3 %
27	-	34	0.3 %
28	-	43	0.4 %
29	-	20	0.2 %
30	-	43	0.4 %
31	-	22	0.2 %
32	-	34	0.3 %
33	-	21	0.2 %
34	-	18	0.2 %
35	-	43	0.4 %
36	-	24	0.2 %
37	-	16	0.1 %
38	-	22	0.2 %
39	-	14	0.1 %
40	-	43	0.4 %
41	-	10	0.1 %
42	-	21	0.2 %
43	-	9	0.1 %

Value	Label	Unweighted Frequency	%
44	-	15	0.1 %
45	-	29	0.3 %
46	-	13	0.1 %
47	-	14	0.1 %
48	-	21	0.2 %
49	-	10	0.1 %
Missing Data			
-9	MISSING	53	0.5 %
Total		10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,807 valid cases out of 10,860 total cases.

- Mean: 9.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 6871
- Standard Deviation: 75.72

Location: 364-367 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_CLI5: NUMBER OF OUTPATIENTS

In each of the categories listed below, please enter the number of active clients who were receiving substance abuse treatment at this facility on October 1, 1997.

DO NOT count codependents, parents, other relatives, friends (i.e., "collaterals"), or other nontreatment clients.

e. Outpatients (less than 24-hour care) (who received a substance abuse treatment service between September 1 and October 1, 1997 and were still enrolled on October 1, 1997...DO NOT INCLUDE CLIENTS WHOSE ONLY SERVICE IS ATTENDING A DUI/DWI PROGRAM)

Value	Label	Unweighted Frequency	%
0	-	3372	31.0 %
1	-	96	0.9 %
2	-	133	1.2 %
3	-	149	1.4 %
4	-	134	1.2 %
5	-	207	1.9 %

Value	Label	Unweighted Frequency	%
6	-	152	1.4 %
7	-	94	0.9 %
8	-	114	1.0 %
9	-	72	0.7 %
10	-	291	2.7 %
11	-	67	0.6 %
12	-	163	1.5 %
13	-	63	0.6 %
14	-	78	0.7 %
15	-	186	1.7 %
16	-	88	0.8 %
17	-	69	0.6 %
18	-	60	0.6 %
19	-	57	0.5 %
20	-	216	2.0 %
21	-	62	0.6 %
22	-	63	0.6 %
23	-	55	0.5 %
24	-	68	0.6 %
25	-	163	1.5 %
26	-	51	0.5 %
27	-	55	0.5 %
28	-	50	0.5 %
29	-	39	0.4 %
30	-	178	1.6 %
31	-	47	0.4 %
32	-	52	0.5 %
33	-	25	0.2 %
34	-	45	0.4 %
35	-	97	0.9 %
36	-	38	0.3 %
37	-	38	0.3 %
38	-	43	0.4 %
39	-	33	0.3 %
40	-	125	1.2 %
41	-	31	0.3 %
42	-	25	0.2 %
43	-	36	0.3 %
44	-	21	0.2 %
45	-	73	0.7 %
46	-	18	0.2 %
47	-	33	0.3 %

Value	Label	Unweighted Frequency	%
48	-	39	0.4 %
49	-	28	0.3 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 62.43
- Minimum: 0
- Maximum: 5027
- Standard Deviation: 152.39

Location: 368-371 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_CLI6: NUMBER OF INTENSIVE OUTPATIENTS

In each of the categories listed below, please enter the number of active clients who were receiving substance abuse treatment at this facility on October 1, 1997.

DO NOT count codependents, parents, other relatives, friends (i.e., "collaterals"), or other nontreatment clients.

f. Intensive outpatients* (who received a substance abuse treatment service - including day treatment - between September 1 and October 1, 1997 and were still enrolled on October 1, 1997)

*Intensive outpatient services are services provided to a client that last 2 hours or more per day, 3 or more days a week

Value	Label	Unweighted Frequency	%
0	-	7160	65.9 %
1	-	90	0.8 %
2	-	131	1.2 %
3	-	132	1.2 %
4	-	131	1.2 %
5	-	146	1.3 %
6	-	129	1.2 %
7	-	103	0.9 %
8	-	163	1.5 %
9	-	70	0.6 %
10	-	227	2.1 %

Value	Label	Unweighted Frequency	%
11	-	67	0.6 %
12	-	140	1.3 %
13	-	62	0.6 %
14	-	71	0.7 %
15	-	142	1.3 %
16	-	58	0.5 %
17	-	45	0.4 %
18	-	65	0.6 %
19	-	43	0.4 %
20	-	156	1.4 %
21	-	43	0.4 %
22	-	56	0.5 %
23	-	28	0.3 %
24	-	43	0.4 %
25	-	83	0.8 %
26	-	33	0.3 %
27	-	30	0.3 %
28	-	34	0.3 %
29	-	13	0.1 %
30	-	108	1.0 %
31	-	15	0.1 %
32	-	33	0.3 %
33	-	18	0.2 %
34	-	27	0.2 %
35	-	45	0.4 %
36	-	25	0.2 %
37	-	20	0.2 %
38	-	16	0.1 %
39	-	12	0.1 %
40	-	56	0.5 %
41	-	15	0.1 %
42	-	19	0.2 %
43	-	14	0.1 %
44	-	14	0.1 %
45	-	20	0.2 %
46	-	8	0.1 %
47	-	8	0.1 %
48	-	7	0.1 %
49	-	11	0.1 %
	Missing Data		
-9	MISSING	55	0.5 %

Value	Label	Unweighted Frequency	%
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,805 valid cases out of 10,860 total cases.

- Mean: 12.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 3209
- Standard Deviation: 64.96

Location: 372-375 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

O_AGE1: OUTPAT CLIENTS UNDER 18 YEARS OLD

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Outpatient clients, under 18 years

Value	Label	Unweighted Frequency	%
0	-	6804	62.7 %
1	-	594	5.5 %
2	-	448	4.1 %
3	-	315	2.9 %
4	-	210	1.9 %
5	-	250	2.3 %
6	-	154	1.4 %
7	-	113	1.0 %
8	-	162	1.5 %
9	-	76	0.7 %
10	-	168	1.5 %
11	-	76	0.7 %

Value	Label	Unweighted Frequency	%
12	-	94	0.9 %
13	-	70	0.6 %
14	-	61	0.6 %
15	-	108	1.0 %
16	-	58	0.5 %
17	-	55	0.5 %
18	-	42	0.4 %
19	-	34	0.3 %
20	-	78	0.7 %
21	-	37	0.3 %
22	-	26	0.2 %
23	-	23	0.2 %
24	-	26	0.2 %
25	-	50	0.5 %
26	-	30	0.3 %
27	-	22	0.2 %
28	-	33	0.3 %
29	-	18	0.2 %
30	-	57	0.5 %
31	-	14	0.1 %
32	-	14	0.1 %
33	-	14	0.1 %
34	-	12	0.1 %
35	-	19	0.2 %
36	-	17	0.2 %
37	-	13	0.1 %
38	-	15	0.1 %
39	-	10	0.1 %
40	-	18	0.2 %
41	-	7	0.1 %
42	-	9	0.1 %
43	-	6	0.1 %
44	-	6	0.1 %
45	-	16	0.1 %
46	-	5	0.0 %
47	-	9	0.1 %
48	-	7	0.1 %
49	-	6	0.1 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 6.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 752
- Standard Deviation: 26.99

Location: 376-378 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

O_AGE2: OUTPAT CLIENTS BETWEEN AGE 18 - 20

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Outpatient clients, age 18-20

Value	Label	Unweighted Frequency	%
0	-	5490	50.6 %
1	-	966	8.9 %
2	-	907	8.4 %
3	-	560	5.2 %
4	-	383	3.5 %
5	-	403	3.7 %
6	-	205	1.9 %
7	-	175	1.6 %
8	-	151	1.4 %
9	-	124	1.1 %
10	-	245	2.3 %
11	-	95	0.9 %
12	-	90	0.8 %
13	-	58	0.5 %
14	-	39	0.4 %
15	-	86	0.8 %

Value	Label	Unweighted Frequency	%
16	-	59	0.5 %
17	-	39	0.4 %
18	-	38	0.3 %
19	-	23	0.2 %
20	-	95	0.9 %
21	-	26	0.2 %
22	-	23	0.2 %
23	-	29	0.3 %
24	-	28	0.3 %
25	-	47	0.4 %
26	-	15	0.1 %
27	-	20	0.2 %
28	-	15	0.1 %
29	-	17	0.2 %
30	-	31	0.3 %
31	-	9	0.1 %
32	-	8	0.1 %
33	-	12	0.1 %
34	-	9	0.1 %
35	-	12	0.1 %
36	-	16	0.1 %
37	-	9	0.1 %
38	-	5	0.0 %
39	-	9	0.1 %
40	-	19	0.2 %
41	-	6	0.1 %
42	-	8	0.1 %
43	-	5	0.0 %
44	-	3	0.0 %
45	-	7	0.1 %
46	-	5	0.0 %
47	-	6	0.1 %
48	-	5	0.0 %
49	-	4	0.0 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 5.01

- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1800
- Standard Deviation: 23.02

Location: 379-382 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

O_AGE3: OUTPAT CLIENTS BETWEEN AGE 21 - 24

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Outpatient clients, age 21-24

Value	Label	Unweighted Frequency	%
0	-	4578	42.2 %
1	-	778	7.2 %
2	-	734	6.8 %
3	-	568	5.2 %
4	-	457	4.2 %
5	-	506	4.7 %
6	-	290	2.7 %
7	-	231	2.1 %
8	-	215	2.0 %
9	-	124	1.1 %
10	-	368	3.4 %
11	-	106	1.0 %
12	-	124	1.1 %
13	-	90	0.8 %
14	-	95	0.9 %
15	-	160	1.5 %
16	-	73	0.7 %
17	-	49	0.5 %
18	-	63	0.6 %
19	-	56	0.5 %

Value	Label	Unweighted Frequency	%
20	-	172	1.6 %
21	-	43	0.4 %
22	-	37	0.3 %
23	-	39	0.4 %
24	-	34	0.3 %
25	-	65	0.6 %
26	-	33	0.3 %
27	-	21	0.2 %
28	-	17	0.2 %
29	-	26	0.2 %
30	-	67	0.6 %
31	-	16	0.1 %
32	-	27	0.2 %
33	-	27	0.2 %
34	-	19	0.2 %
35	-	34	0.3 %
36	-	16	0.1 %
37	-	12	0.1 %
38	-	16	0.1 %
39	-	18	0.2 %
40	-	46	0.4 %
41	-	7	0.1 %
42	-	8	0.1 %
43	-	10	0.1 %
44	-	8	0.1 %
45	-	14	0.1 %
46	-	9	0.1 %
47	-	9	0.1 %
48	-	7	0.1 %
49	-	3	0.0 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 7.91
- Median: 2.00
- Mode: 0.00
- Minimum: 0
- Maximum: 2300

• Standard Deviation: 30.95

Location: 383-386 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

O_AGE4: OUTPAT CLIENTS AGE 25-34 YEARS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Outpatient clients, age 25-34

Value	Label	Unweighted Frequency	%
0	-	3339	30.7 %
1	-	334	3.1 %
2	-	411	3.8 %
3	-	387	3.6 %
4	-	313	2.9 %
5	-	362	3.3 %
6	-	270	2.5 %
7	-	217	2.0 %
8	-	237	2.2 %
9	-	190	1.7 %
10	-	346	3.2 %
11	-	167	1.5 %
12	-	193	1.8 %
13	-	103	0.9 %
14	-	123	1.1 %
15	-	224	2.1 %
16	-	104	1.0 %
17	-	94	0.9 %
18	-	129	1.2 %
19	-	76	0.7 %
20	-	233	2.1 %
21	-	93	0.9 %
22	-	81	0.7 %

Value	Label	Unweighted Frequency	%
23	-	60	0.6 %
24	-	89	0.8 %
25	-	125	1.2 %
26	-	63	0.6 %
27	-	59	0.5 %
28	-	60	0.6 %
29	-	66	0.6 %
30	-	140	1.3 %
31	-	44	0.4 %
32	-	44	0.4 %
33	-	44	0.4 %
34	-	55	0.5 %
35	-	75	0.7 %
36	-	44	0.4 %
37	-	52	0.5 %
38	-	36	0.3 %
39	-	46	0.4 %
40	-	104	1.0 %
41	-	37	0.3 %
42	-	34	0.3 %
43	-	29	0.3 %
44	-	30	0.3 %
45	-	51	0.5 %
46	-	30	0.3 %
47	-	35	0.3 %
48	-	29	0.3 %
49	-	27	0.2 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 21.32
- Minimum: 0
- Maximum: 2240
- Standard Deviation: 51.03

Location: 387-390 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

O_AGE5: OUTPAT CLIENTS AGE 35-44 YEARS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Outpatient clients, age 35-44

Value	Label	Unweighted Frequency	%
0	-	3502	32.2 %
1	-	449	4.1 %
2	-	461	4.2 %
3	-	432	4.0 %
4	-	354	3.3 %
5	-	376	3.5 %
6	-	298	2.7 %
7	-	222	2.0 %
8	-	240	2.2 %
9	-	171	1.6 %
10	-	325	3.0 %
11	-	145	1.3 %
12	-	157	1.4 %
13	-	138	1.3 %
14	-	124	1.1 %
15	-	170	1.6 %
16	-	93	0.9 %
17	-	100	0.9 %
18	-	104	1.0 %
19	-	83	0.8 %
20	-	197	1.8 %
21	-	79	0.7 %
22	-	76	0.7 %
23	-	64	0.6 %
24	-	50	0.5 %
25	-	111	1.0 %
26	-	51	0.5 %

Value	Label	Unweighted Frequency	%
27	-	57	0.5 %
28	-	52	0.5 %
29	-	57	0.5 %
30	-	113	1.0 %
31	-	37	0.3 %
32	-	42	0.4 %
33	-	43	0.4 %
34	-	53	0.5 %
35	-	56	0.5 %
36	-	27	0.2 %
37	-	27	0.2 %
38	-	35	0.3 %
39	-	34	0.3 %
40	-	86	0.8 %
41	-	43	0.4 %
42	-	34	0.3 %
43	-	41	0.4 %
44	-	25	0.2 %
45	-	43	0.4 %
46	-	26	0.2 %
47	-	35	0.3 %
48	-	25	0.2 %
49	-	22	0.2 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 21.38
- Minimum: 0
- Maximum: 2400
- Standard Deviation: 57.79

Location: 391-394 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

O_AGE6: OUTPAT CLIENTS AGE 45-64 YEARS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Outpatient clients, age 45-64

Value	Label	Unweighted Frequency	%
0	-	4714	43.4 %
1	-	760	7.0 %
2	-	651	6.0 %
3	-	483	4.4 %
4	-	412	3.8 %
5	-	354	3.3 %
6	-	259	2.4 %
7	-	215	2.0 %
8	-	207	1.9 %
9	-	183	1.7 %
10	-	249	2.3 %
11	-	96	0.9 %
12	-	126	1.2 %
13	-	87	0.8 %
14	-	107	1.0 %
15	-	116	1.1 %
16	-	71	0.7 %
17	-	73	0.7 %
18	-	79	0.7 %
19	-	63	0.6 %
20	-	131	1.2 %
21	-	50	0.5 %
22	-	38	0.3 %
23	-	40	0.4 %
24	-	45	0.4 %
25	-	53	0.5 %
26	-	45	0.4 %
27	-	30	0.3 %
28	-	38	0.3 %
29	-	30	0.3 %
30	-	53	0.5 %
31	-	24	0.2 %

Value	Label	Unweighted Frequency	%
32	-	23	0.2 %
33	-	22	0.2 %
34	-	16	0.1 %
35	-	28	0.3 %
36	-	23	0.2 %
37	-	21	0.2 %
38	-	21	0.2 %
39	-	20	0.2 %
40	-	25	0.2 %
41	-	17	0.2 %
42	-	10	0.1 %
43	-	18	0.2 %
44	-	13	0.1 %
45	-	19	0.2 %
46	-	11	0.1 %
47	-	9	0.1 %
48	-	16	0.1 %
49	-	10	0.1 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 11.28
- Median: 1.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1042
- Standard Deviation: 33.57

Location: 395-398 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

O_AGE7: OUTPAT CLIENTS AGE 65 AND OVER

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Outpatient clients, age 65 and over

Value	Label	Unweighted Frequency	%
0	-	8291	76.3 %
1	-	881	8.1 %
2	-	536	4.9 %
3	-	254	2.3 %
4	-	148	1.4 %
5	-	155	1.4 %
6	-	81	0.7 %
7	-	52	0.5 %
8	-	46	0.4 %
9	-	34	0.3 %
10	-	72	0.7 %
11	-	19	0.2 %
12	-	18	0.2 %
13	-	14	0.1 %
14	-	13	0.1 %
15	-	19	0.2 %
16	-	9	0.1 %
17	-	6	0.1 %
18	-	11	0.1 %
19	-	5	0.0 %
20	-	26	0.2 %
21	-	8	0.1 %
22	-	12	0.1 %
23	-	5	0.0 %
24	-	7	0.1 %
25	-	6	0.1 %
26	-	6	0.1 %
27	-	4	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	4	0.0 %
31	-	3	0.0 %
32	-	3	0.0 %
33	-	3	0.0 %
34	-	1	0.0 %
35	-	4	0.0 %

Value	Label	Unweighted Frequency	%
36	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
42	-	1	0.0 %
44	-	2	0.0 %
45	-	3	0.0 %
46	-	3	0.0 %
50	-	4	0.0 %
51	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
57	-	1	0.0 %
59	-	1	0.0 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 1.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 776
- Standard Deviation: 12.43

Location: 399-401 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

O_AGE9: OUTPAT CLIENTS AGE TOTAL

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Outpatient clients, (age subtotal)

Value	Label	Unweighted Frequency	%
0	-	2389	22.0 %
1	-	90	0.8 %
2	-	129	1.2 %
3	-	139	1.3 %
4	-	126	1.2 %
5	-	169	1.6 %
6	-	152	1.4 %
7	-	112	1.0 %
8	-	133	1.2 %
9	-	80	0.7 %
10	-	278	2.6 %
11	-	82	0.8 %
12	-	157	1.4 %
13	-	77	0.7 %
14	-	100	0.9 %
15	-	175	1.6 %
16	-	102	0.9 %
17	-	77	0.7 %
18	-	93	0.9 %
19	-	64	0.6 %
20	-	186	1.7 %
21	-	81	0.7 %
22	-	81	0.7 %
23	-	79	0.7 %
24	-	93	0.9 %
25	-	153	1.4 %
26	-	62	0.6 %
27	-	63	0.6 %
28	-	76	0.7 %
29	-	51	0.5 %
30	-	178	1.6 %
31	-	57	0.5 %
32	-	69	0.6 %
33	-	41	0.4 %
34	-	66	0.6 %
35	-	112	1.0 %
36	-	46	0.4 %
37	-	50	0.5 %
38	-	50	0.5 %
39	-	43	0.4 %

Value	Label	Unweighted Frequency	%
40	-	132	1.2 %
41	-	42	0.4 %
42	-	43	0.4 %
43	-	46	0.4 %
44	-	32	0.3 %
45	-	90	0.8 %
46	-	25	0.2 %
47	-	38	0.3 %
48	-	42	0.4 %
49	-	38	0.3 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 74.88
- Minimum: 0
- Maximum: 8053
- Standard Deviation: 177.51

Location: 402-405 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

O_RE1: OUTPAT CLIENTS/WHITE

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Outpatient clients, white (not of Hispanic origin)

Value	Label	Unweighted Frequency	%
0	-	2789	25.7 %
1	-	243	2.2 %

Value	Label	Unweighted Frequency	%
2	-	257	2.4 %
3	-	253	2.3 %
4	-	244	2.2 %
5	-	242	2.2 %
6	-	204	1.9 %
7	-	185	1.7 %
8	-	219	2.0 %
9	-	162	1.5 %
10	-	234	2.2 %
11	-	128	1.2 %
12	-	181	1.7 %
13	-	107	1.0 %
14	-	155	1.4 %
15	-	156	1.4 %
16	-	104	1.0 %
17	-	103	0.9 %
18	-	111	1.0 %
19	-	102	0.9 %
20	-	141	1.3 %
21	-	92	0.8 %
22	-	84	0.8 %
23	-	82	0.8 %
24	-	93	0.9 %
25	-	110	1.0 %
26	-	84	0.8 %
27	-	71	0.7 %
28	-	81	0.7 %
29	-	66	0.6 %
30	-	121	1.1 %
31	-	64	0.6 %
32	-	49	0.5 %
33	-	58	0.5 %
34	-	50	0.5 %
35	-	89	0.8 %
36	-	51	0.5 %
37	-	49	0.5 %
38	-	39	0.4 %
39	-	40	0.4 %
40	-	96	0.9 %
41	-	42	0.4 %
42	-	51	0.5 %
43	-	58	0.5 %

Value	Label	Unweighted Frequency	%
44	-	48	0.4 %
45	-	64	0.6 %
46	-	36	0.3 %
47	-	47	0.4 %
48	-	40	0.4 %
49	-	32	0.3 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 43.58
- Minimum: 0
- Maximum: 6840
- Standard Deviation: 117.67

Location: 406-409 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

O_RE2: OUTPAT CLIENTS/BLACK

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Outpatient clients, black (not of Hispanic origin)

Value	Label	Unweighted Frequency	%
0	-	4704	43.3 %
1	-	800	7.4 %
2	-	615	5.7 %
3	-	395	3.6 %
4	-	296	2.7 %
5	-	293	2.7 %

Value	Label	Unweighted Frequency	%
6	-	217	2.0 %
7	-	191	1.8 %
8	-	173	1.6 %
9	-	106	1.0 %
10	-	201	1.9 %
11	-	87	0.8 %
12	-	104	1.0 %
13	-	95	0.9 %
14	-	64	0.6 %
15	-	136	1.3 %
16	-	63	0.6 %
17	-	53	0.5 %
18	-	71	0.7 %
19	-	62	0.6 %
20	-	123	1.1 %
21	-	49	0.5 %
22	-	46	0.4 %
23	-	37	0.3 %
24	-	54	0.5 %
25	-	78	0.7 %
26	-	34	0.3 %
27	-	48	0.4 %
28	-	40	0.4 %
29	-	38	0.3 %
30	-	58	0.5 %
31	-	35	0.3 %
32	-	26	0.2 %
33	-	25	0.2 %
34	-	28	0.3 %
35	-	48	0.4 %
36	-	20	0.2 %
37	-	26	0.2 %
38	-	40	0.4 %
39	-	17	0.2 %
40	-	58	0.5 %
41	-	16	0.1 %
42	-	21	0.2 %
43	-	18	0.2 %
44	-	20	0.2 %
45	-	19	0.2 %
46	-	15	0.1 %
47	-	16	0.1 %

Value	Label	Unweighted Frequency	%
48	-	25	0.2 %
49	-	13	0.1 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 17.40
- Minimum: 0
- Maximum: 3165
- Standard Deviation: 58.83

Location: 410-413 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

O_RE3: OUTPAT CLIENTS/HISPANIC

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Outpatient clients, Hispanic

Value	Label	Unweighted Frequency	%
0	-	5771	53.1 %
1	-	955	8.8 %
2	-	657	6.0 %
3	-	421	3.9 %
4	-	306	2.8 %
5	-	278	2.6 %
6	-	193	1.8 %
7	-	139	1.3 %
8	-	117	1.1 %
9	-	93	0.9 %

Value	Label	Unweighted Frequency	%
10	-	166	1.5 %
11	-	61	0.6 %
12	-	87	0.8 %
13	-	51	0.5 %
14	-	60	0.6 %
15	-	77	0.7 %
16	-	49	0.5 %
17	-	40	0.4 %
18	-	47	0.4 %
19	-	31	0.3 %
20	-	79	0.7 %
21	-	43	0.4 %
22	-	46	0.4 %
23	-	26	0.2 %
24	-	26	0.2 %
25	-	49	0.5 %
26	-	21	0.2 %
27	-	22	0.2 %
28	-	20	0.2 %
29	-	17	0.2 %
30	-	47	0.4 %
31	-	18	0.2 %
32	-	13	0.1 %
33	-	11	0.1 %
34	-	10	0.1 %
35	-	31	0.3 %
36	-	8	0.1 %
37	-	10	0.1 %
38	-	17	0.2 %
39	-	18	0.2 %
40	-	28	0.3 %
41	-	10	0.1 %
42	-	13	0.1 %
43	-	8	0.1 %
44	-	6	0.1 %
45	-	12	0.1 %
46	-	11	0.1 %
47	-	12	0.1 %
48	-	14	0.1 %
49	-	16	0.1 %
	Missing Data		
-9	MISSING	56	0.5 %

Value	Label	Unweighted Frequency	%
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 10.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1372
- Standard Deviation: 41.89

Location: 414-417 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

O_RE4: OUTPAT CLIENTS ASIAN OR PACIFIC

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Outpatient clients, Asian or Pacific Islander

Value	Label	Unweighted Frequency	%
0	-	9327	85.9 %
1	-	702	6.5 %
2	-	269	2.5 %
3	-	131	1.2 %
4	-	62	0.6 %
5	-	67	0.6 %
6	-	29	0.3 %
7	-	36	0.3 %
8	-	20	0.2 %
9	-	12	0.1 %
10	-	25	0.2 %
11	-	10	0.1 %

Value	Label	Unweighted Frequency	%
12	-	8	0.1 %
13	-	6	0.1 %
14	-	7	0.1 %
15	-	8	0.1 %
16	-	6	0.1 %
17	-	6	0.1 %
18	-	4	0.0 %
19	-	1	0.0 %
20	-	10	0.1 %
21	-	3	0.0 %
22	-	1	0.0 %
23	-	3	0.0 %
24	-	2	0.0 %
25	-	5	0.0 %
26	-	1	0.0 %
27	-	2	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	3	0.0 %
31	-	2	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	3	0.0 %
36	-	2	0.0 %
38	-	1	0.0 %
40	-	1	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %
45	-	2	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
53	-	2	0.0 %
63	-	2	0.0 %
69	-	1	0.0 %
71	-	1	0.0 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 0.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 324
- Standard Deviation: 5.13

Location: 418-420 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

O_RE5: OUTPAT CLIENTS AMERICAN INDIAN/A.N.

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Outpatient clients, American Indian/Alaskan Native

Value	Label	Unweighted Frequency	%
0	-	8408	77.4 %
1	-	882	8.1 %
2	-	408	3.8 %
3	-	228	2.1 %
4	-	132	1.2 %
5	-	119	1.1 %
6	-	70	0.6 %
7	-	51	0.5 %
8	-	57	0.5 %
9	-	40	0.4 %
10	-	53	0.5 %
11	-	23	0.2 %
12	-	21	0.2 %
13	-	12	0.1 %
14	-	16	0.1 %
15	-	23	0.2 %

Value	Label	Unweighted Frequency	%
16	-	11	0.1 %
17	-	12	0.1 %
18	-	16	0.1 %
19	-	4	0.0 %
20	-	16	0.1 %
21	-	8	0.1 %
22	-	9	0.1 %
23	-	5	0.0 %
24	-	3	0.0 %
25	-	13	0.1 %
26	-	3	0.0 %
27	-	5	0.0 %
28	-	9	0.1 %
29	-	6	0.1 %
30	-	9	0.1 %
31	-	4	0.0 %
32	-	7	0.1 %
33	-	3	0.0 %
34	-	1	0.0 %
35	-	5	0.0 %
36	-	2	0.0 %
37	-	1	0.0 %
38	-	3	0.0 %
39	-	1	0.0 %
40	-	7	0.1 %
41	-	1	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %
44	-	1	0.0 %
45	-	4	0.0 %
46	-	2	0.0 %
47	-	3	0.0 %
49	-	2	0.0 %
50	-	6	0.1 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 2.04

- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 719
- Standard Deviation: 14.85

Location: 421-423 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

O_RE6: OUTPAT CLIENTS OF OTHER RACE/ETHNIC

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Outpatient clients, other race/ethnicity

Value	Label	Unweighted Frequency	%
0	-	9566	88.1 %
1	-	487	4.5 %
2	-	216	2.0 %
3	-	117	1.1 %
4	-	94	0.9 %
5	-	55	0.5 %
6	-	45	0.4 %
7	-	31	0.3 %
8	-	17	0.2 %
9	-	20	0.2 %
10	-	17	0.2 %
11	-	18	0.2 %
12	-	13	0.1 %
13	-	12	0.1 %
14	-	2	0.0 %
15	-	13	0.1 %
16	-	7	0.1 %
17	-	2	0.0 %
18	-	4	0.0 %
19	-	4	0.0 %

Value	Label	Unweighted Frequency	%
20	-	4	0.0 %
21	-	3	0.0 %
22	-	6	0.1 %
23	-	7	0.1 %
24	-	1	0.0 %
25	-	2	0.0 %
27	-	1	0.0 %
29	-	4	0.0 %
30	-	3	0.0 %
31	-	1	0.0 %
33	-	3	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
40	-	2	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
48	-	2	0.0 %
50	-	1	0.0 %
52	-	2	0.0 %
54	-	1	0.0 %
60	-	2	0.0 %
62	-	1	0.0 %
63	-	1	0.0 %
70	-	1	0.0 %
75	-	1	0.0 %
78	-	1	0.0 %
90	-	1	0.0 %
106	-	1	0.0 %
113	-	1	0.0 %
123	-	1	0.0 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 0.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 523

• Standard Deviation: 7.89

Location: 424-426 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

O_RE8: OUTPAT CLIENTS RACE/ETHNIC TOTAL

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Outpatient clients (race/ethnicity subtotal)

Value	Label	Unweighted Frequency	%
0	-	2389	22.0 %
1	-	90	0.8 %
2	-	129	1.2 %
3	-	139	1.3 %
4	-	126	1.2 %
5	-	169	1.6 %
6	-	152	1.4 %
7	-	112	1.0 %
8	-	133	1.2 %
9	-	80	0.7 %
10	-	278	2.6 %
11	-	82	0.8 %
12	-	157	1.4 %
13	-	77	0.7 %
14	-	100	0.9 %
15	-	175	1.6 %
16	-	102	0.9 %
17	-	77	0.7 %
18	-	93	0.9 %
19	-	64	0.6 %
20	-	186	1.7 %
21	-	81	0.7 %
22	-	81	0.7 %

Value	Label	Unweighted Frequency	%
23	-	79	0.7 %
24	-	93	0.9 %
25	-	153	1.4 %
26	-	62	0.6 %
27	-	63	0.6 %
28	-	76	0.7 %
29	-	51	0.5 %
30	-	178	1.6 %
31	-	57	0.5 %
32	-	69	0.6 %
33	-	41	0.4 %
34	-	66	0.6 %
35	-	112	1.0 %
36	-	46	0.4 %
37	-	50	0.5 %
38	-	50	0.5 %
39	-	43	0.4 %
40	-	132	1.2 %
41	-	42	0.4 %
42	-	43	0.4 %
43	-	46	0.4 %
44	-	32	0.3 %
45	-	90	0.8 %
46	-	25	0.2 %
47	-	38	0.3 %
48	-	42	0.4 %
49	-	38	0.3 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 74.88
- Minimum: 0
- Maximum: 8053
- Standard Deviation: 177.51

Location: 427-430 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

O_SEX1: OUTPAT MALE CLIENTS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Outpatient clients, male

Value	Label	Unweighted Frequency	%
0	-	2741	25.2 %
1	-	153	1.4 %
2	-	226	2.1 %
3	-	200	1.8 %
4	-	205	1.9 %
5	-	208	1.9 %
6	-	187	1.7 %
7	-	171	1.6 %
8	-	193	1.8 %
9	-	139	1.3 %
10	-	208	1.9 %
11	-	114	1.0 %
12	-	159	1.5 %
13	-	122	1.1 %
14	-	138	1.3 %
15	-	156	1.4 %
16	-	104	1.0 %
17	-	132	1.2 %
18	-	127	1.2 %
19	-	95	0.9 %
20	-	151	1.4 %
21	-	77	0.7 %
22	-	88	0.8 %
23	-	81	0.7 %
24	-	103	0.9 %
25	-	111	1.0 %
26	-	91	0.8 %

Value	Label	Unweighted Frequency	%
27	-	84	0.8 %
28	-	84	0.8 %
29	-	62	0.6 %
30	-	107	1.0 %
31	-	57	0.5 %
32	-	71	0.7 %
33	-	58	0.5 %
34	-	52	0.5 %
35	-	97	0.9 %
36	-	67	0.6 %
37	-	53	0.5 %
38	-	56	0.5 %
39	-	45	0.4 %
40	-	115	1.1 %
41	-	33	0.3 %
42	-	49	0.5 %
43	-	30	0.3 %
44	-	34	0.3 %
45	-	60	0.6 %
46	-	36	0.3 %
47	-	53	0.5 %
48	-	40	0.4 %
49	-	35	0.3 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 50.34
- Minimum: 0
- Maximum: 6050
- Standard Deviation: 126.73

Location: 431-434 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

O_SEX2: OUTPAT FEMALE CLIENTS

Value	Label	Unweighted Frequency	%
0	-	3003	27.7 %

Value	Label	Unweighted Frequency	%
1	-	456	4.2 %
2	-	464	4.3 %
3	-	401	3.7 %
4	-	356	3.3 %
5	-	367	3.4 %
6	-	260	2.4 %
7	-	233	2.1 %
8	-	284	2.6 %
9	-	175	1.6 %
10	-	302	2.8 %
11	-	156	1.4 %
12	-	189	1.7 %
13	-	140	1.3 %
14	-	122	1.1 %
15	-	199	1.8 %
16	-	123	1.1 %
17	-	98	0.9 %
18	-	112	1.0 %
19	-	76	0.7 %
20	-	183	1.7 %
21	-	80	0.7 %
22	-	80	0.7 %
23	-	74	0.7 %
24	-	74	0.7 %
25	-	124	1.1 %
26	-	47	0.4 %
27	-	62	0.6 %
28	-	67	0.6 %
29	-	58	0.5 %
30	-	117	1.1 %
31	-	36	0.3 %
32	-	75	0.7 %
33	-	58	0.5 %
34	-	51	0.5 %
35	-	74	0.7 %
36	-	49	0.5 %
37	-	25	0.2 %
38	-	42	0.4 %
39	-	36	0.3 %
40	-	80	0.7 %
41	-	32	0.3 %
42	-	36	0.3 %

Value	Label	Unweighted Frequency	%
43	-	41	0.4 %
44	-	36	0.3 %
45	-	50	0.5 %
46	-	27	0.2 %
47	-	33	0.3 %
48	-	33	0.3 %
49	-	29	0.3 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 24.54
- Minimum: 0
- Maximum: 2003
- Standard Deviation: 59.81

Location: 435-438 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

O_SEX4: OUTPAT CLIENTS GENDER TOTAL

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Outpatient clients (sex subtotal)

Value	Label	Unweighted Frequency	%
0	-	2389	22.0 %
1	-	90	0.8 %
2	-	129	1.2 %
3	-	139	1.3 %
4	-	126	1.2 %

Value	Label	Unweighted Frequency	%
5	-	169	1.6 %
6	-	152	1.4 %
7	-	112	1.0 %
8	-	133	1.2 %
9	-	80	0.7 %
10	-	278	2.6 %
11	-	82	0.8 %
12	-	157	1.4 %
13	-	77	0.7 %
14	-	100	0.9 %
15	-	175	1.6 %
16	-	102	0.9 %
17	-	77	0.7 %
18	-	93	0.9 %
19	-	64	0.6 %
20	-	186	1.7 %
21	-	81	0.7 %
22	-	81	0.7 %
23	-	79	0.7 %
24	-	93	0.9 %
25	-	153	1.4 %
26	-	62	0.6 %
27	-	63	0.6 %
28	-	76	0.7 %
29	-	51	0.5 %
30	-	178	1.6 %
31	-	57	0.5 %
32	-	69	0.6 %
33	-	41	0.4 %
34	-	66	0.6 %
35	-	112	1.0 %
36	-	46	0.4 %
37	-	50	0.5 %
38	-	50	0.5 %
39	-	43	0.4 %
40	-	132	1.2 %
41	-	42	0.4 %
42	-	43	0.4 %
43	-	46	0.4 %
44	-	32	0.3 %
45	-	90	0.8 %
46	-	25	0.2 %

Value	Label	Unweighted Frequency	%
47	-	38	0.3 %
48	-	42	0.4 %
49	-	38	0.3 %
Missing Data			
-9	MISSING	56	0.5 %
Total		10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 74.88
- Minimum: 0
- Maximum: 8053
- Standard Deviation: 177.51

Location: 439-442 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_CLI7: TOTAL NUMBER OF ACTIVE CLIENTS

In each of the categories listed below, please enter the number of active clients who were receiving substance abuse treatment at this facility on October 1, 1997.

DO NOT count codependents, parents, other relatives, friends (i.e., "collaterals"), or other nontreatment clients.

g. TOTAL NUMBER OF ACTIVE CLIENTS (add a-f above)

Value	Label	Unweighted Frequency	%
0	-	150	1.4 %
1	-	85	0.8 %
2	-	129	1.2 %
3	-	146	1.3 %
4	-	161	1.5 %
5	-	176	1.6 %
6	-	225	2.1 %
7	-	173	1.6 %
8	-	197	1.8 %
9	-	115	1.1 %
10	-	327	3.0 %
11	-	129	1.2 %
12	-	254	2.3 %

Value	Label	Unweighted Frequency	%
13	-	129	1.2 %
14	-	182	1.7 %
15	-	243	2.2 %
16	-	178	1.6 %
17	-	135	1.2 %
18	-	160	1.5 %
19	-	115	1.1 %
20	-	257	2.4 %
21	-	129	1.2 %
22	-	131	1.2 %
23	-	97	0.9 %
24	-	142	1.3 %
25	-	191	1.8 %
26	-	99	0.9 %
27	-	96	0.9 %
28	-	108	1.0 %
29	-	71	0.7 %
30	-	189	1.7 %
31	-	76	0.7 %
32	-	94	0.9 %
33	-	64	0.6 %
34	-	91	0.8 %
35	-	145	1.3 %
36	-	82	0.8 %
37	-	65	0.6 %
38	-	80	0.7 %
39	-	59	0.5 %
40	-	148	1.4 %
41	-	48	0.4 %
42	-	61	0.6 %
43	-	58	0.5 %
44	-	48	0.4 %
45	-	106	1.0 %
46	-	45	0.4 %
47	-	47	0.4 %
48	-	55	0.5 %
49	-	40	0.4 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 85.99
- Minimum: 0
- Maximum: 9252
- Standard Deviation: 200.94

Location: 443-446 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

A_NUM: NUMBER OF CLIENTS TREATD FOR ALC ABUSE

Approximately what percentage of the clients in the Q.12g TOTAL box were being treated on October 1, 1997, for: a. Alcohol abuse only (Number calculated from reported percent and total active clients)

Value	Label	Unweighted Frequency	%
0	-	2818	25.9 %
1	-	587	5.4 %
2	-	642	5.9 %
3	-	535	4.9 %
4	-	443	4.1 %
5	-	423	3.9 %
6	-	344	3.2 %
7	-	258	2.4 %
8	-	272	2.5 %
9	-	194	1.8 %
10	-	240	2.2 %
11	-	162	1.5 %
12	-	174	1.6 %
13	-	125	1.2 %
14	-	165	1.5 %
15	-	178	1.6 %
16	-	129	1.2 %
17	-	106	1.0 %
18	-	112	1.0 %
19	-	91	0.8 %
20	-	143	1.3 %
21	-	75	0.7 %
22	-	92	0.8 %
23	-	75	0.7 %
24	-	64	0.6 %
25	-	78	0.7 %
26	-	57	0.5 %
27	-	60	0.6 %

Value	Label	Unweighted Frequency	%
28	-	58	0.5 %
29	-	54	0.5 %
30	-	82	0.8 %
31	-	46	0.4 %
32	-	43	0.4 %
33	-	51	0.5 %
34	-	33	0.3 %
35	-	47	0.4 %
36	-	35	0.3 %
37	-	25	0.2 %
38	-	44	0.4 %
39	-	30	0.3 %
40	-	48	0.4 %
41	-	34	0.3 %
42	-	40	0.4 %
43	-	33	0.3 %
44	-	34	0.3 %
45	-	47	0.4 %
46	-	27	0.2 %
47	-	33	0.3 %
48	-	23	0.2 %
49	-	29	0.3 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 22.66
- Minimum: 0
- Maximum: 5367
- Standard Deviation: 82.30

Location: 447-450 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

D_NUM: NUMBER OF CLIENTS TREATD FOR DRG ABUSE

Approximately what percentage of the clients in the Q.12g TOTAL box were being treated on October 1, 1997, for: b. Drug abuse only (Number calculated from reported percent and total active clients)

Value	Label	Unweighted Frequency	%
0	-	3297	30.4 %
1	-	623	5.7 %
2	-	580	5.3 %
3	-	520	4.8 %
4	-	471	4.3 %
5	-	381	3.5 %
6	-	284	2.6 %
7	-	239	2.2 %
8	-	261	2.4 %
9	-	182	1.7 %
10	-	256	2.4 %
11	-	164	1.5 %
12	-	164	1.5 %
13	-	110	1.0 %
14	-	118	1.1 %
15	-	146	1.3 %
16	-	102	0.9 %
17	-	88	0.8 %
18	-	125	1.2 %
19	-	87	0.8 %
20	-	112	1.0 %
21	-	65	0.6 %
22	-	46	0.4 %
23	-	70	0.6 %
24	-	74	0.7 %
25	-	77	0.7 %
26	-	55	0.5 %
27	-	49	0.5 %
28	-	54	0.5 %
29	-	57	0.5 %
30	-	75	0.7 %
31	-	34	0.3 %
32	-	41	0.4 %
33	-	36	0.3 %
34	-	36	0.3 %
35	-	42	0.4 %
36	-	26	0.2 %
37	-	30	0.3 %
38	-	30	0.3 %
39	-	22	0.2 %
40	-	52	0.5 %
41	-	27	0.2 %

Value	Label	Unweighted Frequency	%
42	-	27	0.2 %
43	-	31	0.3 %
44	-	21	0.2 %
45	-	30	0.3 %
46	-	22	0.2 %
47	-	17	0.2 %
48	-	32	0.3 %
49	-	22	0.2 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 28.27
- Minimum: 0
- Maximum: 3793
- Standard Deviation: 99.98

Location: 451-454 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

B_NUM: NO. OF CLTS TREATD FOR ALC / DRG ABUSE

Approximately what percentage of the clients in the Q.12g TOTAL box were being treated on October 1, 1997, for: c. Both alcohol and drug abuse (Number calculated from reported percent and total active clients)

Value	Label	Unweighted Frequency	%
0	-	1757	16.2 %
1	-	326	3.0 %
2	-	433	4.0 %
3	-	369	3.4 %
4	-	341	3.1 %
5	-	333	3.1 %
6	-	317	2.9 %
7	-	272	2.5 %
8	-	312	2.9 %
9	-	201	1.9 %
10	-	290	2.7 %
11	-	221	2.0 %
12	-	235	2.2 %
13	-	183	1.7 %

Value	Label	Unweighted Frequency	%
14	-	186	1.7 %
15	-	211	1.9 %
16	-	157	1.4 %
17	-	157	1.4 %
18	-	173	1.6 %
19	-	120	1.1 %
20	-	175	1.6 %
21	-	130	1.2 %
22	-	92	0.8 %
23	-	87	0.8 %
24	-	146	1.3 %
25	-	113	1.0 %
26	-	96	0.9 %
27	-	96	0.9 %
28	-	88	0.8 %
29	-	70	0.6 %
30	-	95	0.9 %
31	-	62	0.6 %
32	-	81	0.7 %
33	-	63	0.6 %
34	-	79	0.7 %
35	-	81	0.7 %
36	-	68	0.6 %
37	-	59	0.5 %
38	-	54	0.5 %
39	-	37	0.3 %
40	-	82	0.8 %
41	-	36	0.3 %
42	-	45	0.4 %
43	-	41	0.4 %
44	-	51	0.5 %
45	-	55	0.5 %
46	-	38	0.3 %
47	-	26	0.2 %
48	-	52	0.5 %
49	-	38	0.3 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 35.06
- Minimum: 0
- Maximum: 4027
- Standard Deviation: 89.83

Location: 455-458 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

A_PCT: PERCENT OF CLIENTS TRTED FOR ALC ABUSE

Approximately what percentage of the clients in the Q.12g TOTAL box were being treated on October 1, 1997, for: a. Alcohol abuse only (percent)

Value	Label	Unweighted Frequency	%
0	-	2755	25.4 %
1	-	80	0.7 %
2	-	106	1.0 %
3	-	62	0.6 %
4	-	58	0.5 %
5	-	306	2.8 %
6	-	64	0.6 %
7	-	60	0.6 %
8	-	81	0.7 %
9	-	51	0.5 %
10	-	680	6.3 %
11	-	47	0.4 %
12	-	75	0.7 %
13	-	62	0.6 %
14	-	53	0.5 %
15	-	251	2.3 %
16	-	51	0.5 %
17	-	62	0.6 %
18	-	43	0.4 %
19	-	45	0.4 %
20	-	588	5.4 %
21	-	40	0.4 %
22	-	51	0.5 %
23	-	37	0.3 %
24	-	41	0.4 %
25	-	419	3.9 %
26	-	39	0.4 %
27	-	52	0.5 %
28	-	35	0.3 %
29	-	39	0.4 %

Value	Label	Unweighted Frequency	%
30	-	391	3.6 %
31	-	38	0.3 %
32	-	42	0.4 %
33	-	141	1.3 %
34	-	53	0.5 %
35	-	125	1.2 %
36	-	29	0.3 %
37	-	31	0.3 %
38	-	51	0.5 %
39	-	35	0.3 %
40	-	352	3.2 %
41	-	31	0.3 %
42	-	43	0.4 %
43	-	43	0.4 %
44	-	39	0.4 %
45	-	90	0.8 %
46	-	33	0.3 %
47	-	45	0.4 %
48	-	39	0.4 %
49	-	23	0.2 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 29.04
- Median: 20.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 29.51

Location: 459-461 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

D_PCT: PERCENT OF CLIENTS TRTED FOR DRG ABUSE

Approximately what percentage of the clients in the Q.12g TOTAL box were being treated on October 1, 1997, for: b. Drug abuse only (percent)

Value	Label	Unweighted Frequency	%
0	-	3230	29.7 %
1	-	82	0.8 %
2	-	80	0.7 %
3	-	70	0.6 %
4	-	46	0.4 %
5	-	399	3.7 %
6	-	78	0.7 %
7	-	75	0.7 %
8	-	112	1.0 %
9	-	57	0.5 %
10	-	851	7.8 %
11	-	80	0.7 %
12	-	95	0.9 %
13	-	89	0.8 %
14	-	91	0.8 %
15	-	368	3.4 %
16	-	63	0.6 %
17	-	86	0.8 %
18	-	61	0.6 %
19	-	53	0.5 %
20	-	738	6.8 %
21	-	73	0.7 %
22	-	78	0.7 %
23	-	49	0.5 %
24	-	51	0.5 %
25	-	462	4.3 %
26	-	43	0.4 %
27	-	70	0.6 %
28	-	43	0.4 %
29	-	53	0.5 %
30	-	401	3.7 %
31	-	44	0.4 %
32	-	33	0.3 %
33	-	131	1.2 %
34	-	34	0.3 %
35	-	83	0.8 %
36	-	35	0.3 %
37	-	25	0.2 %
38	-	43	0.4 %
39	-	18	0.2 %
40	-	236	2.2 %
41	-	22	0.2 %

Value	Label	Unweighted Frequency	%
42	-	27	0.2 %
43	-	32	0.3 %
44	-	24	0.2 %
45	-	42	0.4 %
46	-	22	0.2 %
47	-	13	0.1 %
48	-	22	0.2 %
49	-	17	0.2 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 23.29
- Median: 14.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 28.30

Location: 462-464 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

B_PCT: PERC OF CLTS TREATED FOR ALC/DRG ABUSE

Approximately what percentage of the clients in the Q.12g TOTAL box were being treated on October 1, 1997, for: c. Both alcohol and drug abuse (percent)

Value	Label	Unweighted Frequency	%
0	-	1725	15.9 %
1	-	37	0.3 %
2	-	48	0.4 %
3	-	34	0.3 %
4	-	29	0.3 %
5	-	112	1.0 %
6	-	29	0.3 %
7	-	37	0.3 %
8	-	36	0.3 %
9	-	33	0.3 %
10	-	309	2.8 %
11	-	38	0.3 %

Value	Label	Unweighted Frequency	%
12	-	38	0.3 %
13	-	45	0.4 %
14	-	46	0.4 %
15	-	132	1.2 %
16	-	33	0.3 %
17	-	41	0.4 %
18	-	44	0.4 %
19	-	29	0.3 %
20	-	430	4.0 %
21	-	25	0.2 %
22	-	45	0.4 %
23	-	47	0.4 %
24	-	41	0.4 %
25	-	287	2.6 %
26	-	37	0.3 %
27	-	45	0.4 %
28	-	48	0.4 %
29	-	41	0.4 %
30	-	343	3.2 %
31	-	34	0.3 %
32	-	34	0.3 %
33	-	117	1.1 %
34	-	57	0.5 %
35	-	126	1.2 %
36	-	45	0.4 %
37	-	38	0.3 %
38	-	55	0.5 %
39	-	38	0.3 %
40	-	414	3.8 %
41	-	40	0.4 %
42	-	45	0.4 %
43	-	36	0.3 %
44	-	37	0.3 %
45	-	108	1.0 %
46	-	44	0.4 %
47	-	41	0.4 %
48	-	39	0.4 %
49	-	38	0.3 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 46.28
- Median: 45.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 34.32

Location: 465-467 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_AGE1: NUMBER OF CLIENTS UNDER 18 YEARS OLD

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Total clients, under 18 years

Value	Label	Unweighted Frequency	%
0	-	6315	58.1 %
1	-	650	6.0 %
2	-	493	4.5 %
3	-	334	3.1 %
4	-	226	2.1 %
5	-	270	2.5 %
6	-	171	1.6 %
7	-	132	1.2 %
8	-	167	1.5 %
9	-	89	0.8 %
10	-	189	1.7 %
11	-	83	0.8 %
12	-	118	1.1 %
13	-	74	0.7 %
14	-	77	0.7 %
15	-	121	1.1 %

Value	Label	Unweighted Frequency	%
16	-	71	0.7 %
17	-	60	0.6 %
18	-	50	0.5 %
19	-	39	0.4 %
20	-	99	0.9 %
21	-	42	0.4 %
22	-	33	0.3 %
23	-	29	0.3 %
24	-	34	0.3 %
25	-	57	0.5 %
26	-	36	0.3 %
27	-	26	0.2 %
28	-	34	0.3 %
29	-	15	0.1 %
30	-	66	0.6 %
31	-	13	0.1 %
32	-	20	0.2 %
33	-	16	0.1 %
34	-	15	0.1 %
35	-	24	0.2 %
36	-	22	0.2 %
37	-	17	0.2 %
38	-	22	0.2 %
39	-	10	0.1 %
40	-	21	0.2 %
41	-	8	0.1 %
42	-	10	0.1 %
43	-	6	0.1 %
44	-	5	0.0 %
45	-	16	0.1 %
46	-	8	0.1 %
47	-	9	0.1 %
48	-	11	0.1 %
49	-	5	0.0 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 7.54

- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 752
- Standard Deviation: 28.68

Location: 468-470 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_AGE2: NUMBER OF CLIENTS BETWEEN AGE 18 - 20

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Total clients, age 18-20

Value	Label	Unweighted Frequency	%
0	-	4273	39.3 %
1	-	1347	12.4 %
2	-	1192	11.0 %
3	-	685	6.3 %
4	-	460	4.2 %
5	-	474	4.4 %
6	-	257	2.4 %
7	-	199	1.8 %
8	-	173	1.6 %
9	-	144	1.3 %
10	-	281	2.6 %
11	-	98	0.9 %
12	-	104	1.0 %
13	-	61	0.6 %
14	-	42	0.4 %
15	-	99	0.9 %
16	-	61	0.6 %
17	-	42	0.4 %
18	-	38	0.3 %
19	-	23	0.2 %

Value	Label	Unweighted Frequency	%
20	-	112	1.0 %
21	-	26	0.2 %
22	-	33	0.3 %
23	-	29	0.3 %
24	-	34	0.3 %
25	-	51	0.5 %
26	-	16	0.1 %
27	-	18	0.2 %
28	-	19	0.2 %
29	-	17	0.2 %
30	-	40	0.4 %
31	-	10	0.1 %
32	-	12	0.1 %
33	-	13	0.1 %
34	-	9	0.1 %
35	-	12	0.1 %
36	-	15	0.1 %
37	-	14	0.1 %
38	-	6	0.1 %
39	-	9	0.1 %
40	-	26	0.2 %
41	-	5	0.0 %
42	-	8	0.1 %
43	-	6	0.1 %
44	-	2	0.0 %
45	-	6	0.1 %
46	-	5	0.0 %
47	-	7	0.1 %
48	-	4	0.0 %
49	-	6	0.1 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 5.74
- Median: 1.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1800

• Standard Deviation: 24.30

Location: 471-474 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_AGE3: NUMBER OF CLIENTS BETWEEN AGE 21 - 24

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Total clients, age 21-24

Value	Label	Unweighted Frequency	%
0	-	2983	27.5 %
1	-	1106	10.2 %
2	-	1058	9.7 %
3	-	758	7.0 %
4	-	577	5.3 %
5	-	637	5.9 %
6	-	367	3.4 %
7	-	281	2.6 %
8	-	262	2.4 %
9	-	148	1.4 %
10	-	446	4.1 %
11	-	115	1.1 %
12	-	147	1.4 %
13	-	96	0.9 %
14	-	92	0.8 %
15	-	193	1.8 %
16	-	89	0.8 %
17	-	63	0.6 %
18	-	62	0.6 %
19	-	63	0.6 %
20	-	199	1.8 %
21	-	44	0.4 %
22	-	41	0.4 %

Value	Label	Unweighted Frequency	%
23	-	37	0.3 %
24	-	30	0.3 %
25	-	68	0.6 %
26	-	36	0.3 %
27	-	27	0.2 %
28	-	22	0.2 %
29	-	26	0.2 %
30	-	78	0.7 %
31	-	20	0.2 %
32	-	32	0.3 %
33	-	28	0.3 %
34	-	23	0.2 %
35	-	36	0.3 %
36	-	20	0.2 %
37	-	12	0.1 %
38	-	19	0.2 %
39	-	17	0.2 %
40	-	52	0.5 %
41	-	7	0.1 %
42	-	8	0.1 %
43	-	8	0.1 %
44	-	13	0.1 %
45	-	14	0.1 %
46	-	9	0.1 %
47	-	11	0.1 %
48	-	9	0.1 %
49	-	4	0.0 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 9.10
- Median: 3.00
- Mode: 0.00
- Minimum: 0
- Maximum: 2300
- Standard Deviation: 33.03

Location: 475-478 (width: 4; decimal: 0)

Variable Type: numeric

T_AGE4: NUMBER OF CLIENTS AGE 25-34 YEARS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Total clients, age 25-34

Value	Label	Unweighted Frequency	%
0	-	1419	13.1 %
1	-	408	3.8 %
2	-	514	4.7 %
3	-	522	4.8 %
4	-	415	3.8 %
5	-	487	4.5 %
6	-	374	3.4 %
7	-	329	3.0 %
8	-	339	3.1 %
9	-	267	2.5 %
10	-	492	4.5 %
11	-	225	2.1 %
12	-	243	2.2 %
13	-	146	1.3 %
14	-	160	1.5 %
15	-	282	2.6 %
16	-	148	1.4 %
17	-	113	1.0 %
18	-	157	1.4 %
19	-	99	0.9 %
20	-	282	2.6 %
21	-	102	0.9 %
22	-	99	0.9 %
23	-	85	0.8 %
24	-	106	1.0 %
25	-	161	1.5 %

Value	Label	Unweighted Frequency	%
26	-	78	0.7 %
27	-	67	0.6 %
28	-	71	0.7 %
29	-	68	0.6 %
30	-	173	1.6 %
31	-	58	0.5 %
32	-	54	0.5 %
33	-	45	0.4 %
34	-	63	0.6 %
35	-	86	0.8 %
36	-	48	0.4 %
37	-	58	0.5 %
38	-	49	0.5 %
39	-	42	0.4 %
40	-	122	1.1 %
41	-	36	0.3 %
42	-	40	0.4 %
43	-	38	0.3 %
44	-	35	0.3 %
45	-	57	0.5 %
46	-	31	0.3 %
47	-	35	0.3 %
48	-	35	0.3 %
49	-	30	0.3 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 25.02
- Minimum: 0
- Maximum: 3690
- Standard Deviation: 63.22

Location: 479-482 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_AGE5: NUMBER OF CLIENTS AGE 35-44 YEARS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Total clients, age 35-44

Value	Label	Unweighted Frequency	%
0	-	1577	14.5 %
1	-	520	4.8 %
2	-	596	5.5 %
3	-	590	5.4 %
4	-	504	4.6 %
5	-	527	4.9 %
6	-	425	3.9 %
7	-	318	2.9 %
8	-	327	3.0 %
9	-	251	2.3 %
10	-	440	4.1 %
11	-	197	1.8 %
12	-	220	2.0 %
13	-	186	1.7 %
14	-	163	1.5 %
15	-	222	2.0 %
16	-	122	1.1 %
17	-	117	1.1 %
18	-	135	1.2 %
19	-	114	1.0 %
20	-	234	2.2 %
21	-	105	1.0 %
22	-	88	0.8 %
23	-	71	0.7 %
24	-	56	0.5 %
25	-	130	1.2 %
26	-	70	0.6 %
27	-	61	0.6 %
28	-	71	0.7 %
29	-	56	0.5 %
30	-	132	1.2 %

Value	Label	Unweighted Frequency	%
31	-	56	0.5 %
32	-	54	0.5 %
33	-	46	0.4 %
34	-	56	0.5 %
35	-	68	0.6 %
36	-	31	0.3 %
37	-	29	0.3 %
38	-	41	0.4 %
39	-	40	0.4 %
40	-	104	1.0 %
41	-	45	0.4 %
42	-	40	0.4 %
43	-	46	0.4 %
44	-	33	0.3 %
45	-	46	0.4 %
46	-	33	0.3 %
47	-	33	0.3 %
48	-	24	0.2 %
49	-	27	0.2 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 24.49
- Minimum: 0
- Maximum: 2863
- Standard Deviation: 64.65

Location: 483-486 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_AGE6: NUMBER OF CLIENTS AGE 45-64 YEARS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Total clients, age 45-64

Value	Label	Unweighted Frequency	%
0	-	3154	29.0 %
1	-	1045	9.6 %
2	-	924	8.5 %
3	-	686	6.3 %
4	-	546	5.0 %
5	-	467	4.3 %
6	-	351	3.2 %
7	-	250	2.3 %
8	-	257	2.4 %
9	-	221	2.0 %
10	-	308	2.8 %
11	-	126	1.2 %
12	-	151	1.4 %
13	-	98	0.9 %
14	-	124	1.1 %
15	-	147	1.4 %
16	-	81	0.7 %
17	-	86	0.8 %
18	-	94	0.9 %
19	-	74	0.7 %
20	-	143	1.3 %
21	-	56	0.5 %
22	-	43	0.4 %
23	-	51	0.5 %
24	-	48	0.4 %
25	-	64	0.6 %
26	-	44	0.4 %
27	-	29	0.3 %
28	-	42	0.4 %
29	-	28	0.3 %
30	-	63	0.6 %
31	-	31	0.3 %
32	-	25	0.2 %
33	-	26	0.2 %
34	-	20	0.2 %
35	-	25	0.2 %

Value	Label	Unweighted Frequency	%
36	-	20	0.2 %
37	-	21	0.2 %
38	-	26	0.2 %
39	-	24	0.2 %
40	-	28	0.3 %
41	-	20	0.2 %
42	-	14	0.1 %
43	-	17	0.2 %
44	-	14	0.1 %
45	-	20	0.2 %
46	-	12	0.1 %
47	-	9	0.1 %
48	-	12	0.1 %
49	-	10	0.1 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 12.57
- Median: 3.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1042
- Standard Deviation: 35.84

Location: 487-490 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_AGE7: NUMBER OF CLIENTS AGE 65 AND OVER

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Total clients, age 65 and over

Value	Label	Unweighted Frequency	%
0	-	8006	73.7 %
1	-	1015	9.3 %
2	-	609	5.6 %
3	-	283	2.6 %
4	-	153	1.4 %
5	-	159	1.5 %
6	-	91	0.8 %
7	-	55	0.5 %
8	-	49	0.5 %
9	-	37	0.3 %
10	-	73	0.7 %
11	-	22	0.2 %
12	-	23	0.2 %
13	-	13	0.1 %
14	-	14	0.1 %
15	-	20	0.2 %
16	-	8	0.1 %
17	-	7	0.1 %
18	-	14	0.1 %
19	-	3	0.0 %
20	-	28	0.3 %
21	-	6	0.1 %
22	-	11	0.1 %
23	-	8	0.1 %
24	-	7	0.1 %
25	-	9	0.1 %
26	-	7	0.1 %
27	-	3	0.0 %
28	-	4	0.0 %
30	-	6	0.1 %
31	-	1	0.0 %
32	-	4	0.0 %
33	-	3	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
36	-	2	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
41	-	1	0.0 %

Value	Label	Unweighted Frequency	%
44	-	3	0.0 %
45	-	2	0.0 %
46	-	3	0.0 %
49	-	1	0.0 %
50	-	4	0.0 %
52	-	1	0.0 %
53	-	2	0.0 %
57	-	1	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 1.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 776
- Standard Deviation: 12.54

Location: 491-493 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_AGE9: TOTAL NUMBER OF CLIENTS-AGE

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Total clients (age subtotal)

Value	Label	Unweighted Frequency	%
0	-	150	1.4 %
1	-	85	0.8 %
2	-	129	1.2 %
3	-	146	1.3 %
4	-	161	1.5 %
5	-	176	1.6 %
6	-	225	2.1 %
7	-	173	1.6 %
8	-	197	1.8 %
9	-	115	1.1 %
10	-	327	3.0 %
11	-	129	1.2 %
12	-	254	2.3 %
13	-	129	1.2 %
14	-	182	1.7 %
15	-	243	2.2 %
16	-	178	1.6 %
17	-	135	1.2 %
18	-	160	1.5 %
19	-	115	1.1 %
20	-	257	2.4 %
21	-	129	1.2 %
22	-	131	1.2 %
23	-	97	0.9 %
24	-	142	1.3 %
25	-	191	1.8 %
26	-	99	0.9 %
27	-	96	0.9 %
28	-	108	1.0 %
29	-	71	0.7 %
30	-	189	1.7 %
31	-	76	0.7 %
32	-	94	0.9 %
33	-	64	0.6 %
34	-	91	0.8 %
35	-	145	1.3 %
36	-	82	0.8 %
37	-	65	0.6 %
38	-	80	0.7 %
39	-	59	0.5 %
40	-	148	1.4 %
41	-	48	0.4 %

Value	Label	Unweighted Frequency	%
42	-	61	0.6 %
43	-	58	0.5 %
44	-	48	0.4 %
45	-	106	1.0 %
46	-	45	0.4 %
47	-	47	0.4 %
48	-	55	0.5 %
49	-	40	0.4 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 85.99
- Minimum: 0
- Maximum: 9252
- Standard Deviation: 200.94

Location: 494-497 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_RE1: NUMBER OF CLIENTS/WHITE

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Total clients , white (not of Hispanic origin)

Value	Label	Unweighted Frequency	%
0	-	683	6.3 %
1	-	294	2.7 %
2	-	341	3.1 %
3	-	346	3.2 %

Value	Label	Unweighted Frequency	%
4	-	333	3.1 %
5	-	333	3.1 %
6	-	318	2.9 %
7	-	270	2.5 %
8	-	305	2.8 %
9	-	238	2.2 %
10	-	342	3.1 %
11	-	201	1.9 %
12	-	252	2.3 %
13	-	159	1.5 %
14	-	213	2.0 %
15	-	225	2.1 %
16	-	168	1.5 %
17	-	164	1.5 %
18	-	159	1.5 %
19	-	149	1.4 %
20	-	185	1.7 %
21	-	115	1.1 %
22	-	110	1.0 %
23	-	109	1.0 %
24	-	121	1.1 %
25	-	137	1.3 %
26	-	96	0.9 %
27	-	80	0.7 %
28	-	94	0.9 %
29	-	95	0.9 %
30	-	155	1.4 %
31	-	83	0.8 %
32	-	66	0.6 %
33	-	65	0.6 %
34	-	57	0.5 %
35	-	103	0.9 %
36	-	58	0.5 %
37	-	59	0.5 %
38	-	57	0.5 %
39	-	49	0.5 %
40	-	116	1.1 %
41	-	53	0.5 %
42	-	63	0.6 %
43	-	63	0.6 %
44	-	52	0.5 %
45	-	68	0.6 %

Value	Label	Unweighted Frequency	%
46	-	47	0.4 %
47	-	57	0.5 %
48	-	52	0.5 %
49	-	37	0.3 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 48.59
- Minimum: 0
- Maximum: 6840
- Standard Deviation: 121.30

Location: 498-501 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_RE2: NUMBER OF CLIENTS/BLACK

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Total clients, black (not of Hispanic origin)

Value	Label	Unweighted Frequency	%
0	-	2826	26.0 %
1	-	980	9.0 %
2	-	781	7.2 %
3	-	527	4.9 %
4	-	398	3.7 %
5	-	394	3.6 %
6	-	318	2.9 %
7	-	265	2.4 %

Value	Label	Unweighted Frequency	%
8	-	255	2.3 %
9	-	174	1.6 %
10	-	288	2.7 %
11	-	136	1.3 %
12	-	135	1.2 %
13	-	130	1.2 %
14	-	99	0.9 %
15	-	161	1.5 %
16	-	102	0.9 %
17	-	92	0.8 %
18	-	108	1.0 %
19	-	77	0.7 %
20	-	159	1.5 %
21	-	61	0.6 %
22	-	59	0.5 %
23	-	59	0.5 %
24	-	72	0.7 %
25	-	103	0.9 %
26	-	48	0.4 %
27	-	55	0.5 %
28	-	47	0.4 %
29	-	44	0.4 %
30	-	81	0.7 %
31	-	39	0.4 %
32	-	38	0.3 %
33	-	29	0.3 %
34	-	35	0.3 %
35	-	60	0.6 %
36	-	30	0.3 %
37	-	31	0.3 %
38	-	51	0.5 %
39	-	26	0.2 %
40	-	70	0.6 %
41	-	25	0.2 %
42	-	31	0.3 %
43	-	22	0.2 %
44	-	28	0.3 %
45	-	23	0.2 %
46	-	20	0.2 %
47	-	21	0.2 %
48	-	28	0.3 %
49	-	18	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 21.38
- Minimum: 0
- Maximum: 3835
- Standard Deviation: 71.85

Location: 502-505 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_RE3: NUMBER OF CLIENTS/HISPANIC

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Total clients, Hispanic

Value	Label	Unweighted Frequency	%
0	-	4398	40.5 %
1	-	1278	11.8 %
2	-	882	8.1 %
3	-	553	5.1 %
4	-	390	3.6 %
5	-	379	3.5 %
6	-	252	2.3 %
7	-	160	1.5 %
8	-	175	1.6 %
9	-	124	1.1 %
10	-	203	1.9 %
11	-	83	0.8 %

Value	Label	Unweighted Frequency	%
12	-	99	0.9 %
13	-	77	0.7 %
14	-	74	0.7 %
15	-	94	0.9 %
16	-	62	0.6 %
17	-	51	0.5 %
18	-	57	0.5 %
19	-	38	0.3 %
20	-	86	0.8 %
21	-	52	0.5 %
22	-	50	0.5 %
23	-	31	0.3 %
24	-	30	0.3 %
25	-	52	0.5 %
26	-	26	0.2 %
27	-	22	0.2 %
28	-	28	0.3 %
29	-	21	0.2 %
30	-	57	0.5 %
31	-	26	0.2 %
32	-	16	0.1 %
33	-	16	0.1 %
34	-	15	0.1 %
35	-	32	0.3 %
36	-	13	0.1 %
37	-	12	0.1 %
38	-	23	0.2 %
39	-	21	0.2 %
40	-	32	0.3 %
41	-	10	0.1 %
42	-	14	0.1 %
43	-	12	0.1 %
44	-	10	0.1 %
45	-	16	0.1 %
46	-	13	0.1 %
47	-	12	0.1 %
48	-	13	0.1 %
49	-	21	0.2 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 12.26
- Minimum: 0
- Maximum: 2666
- Standard Deviation: 50.28

Location: 506-509 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_RE4: NUMBER OF CLIENTS ASIAN OR PACIFIC

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Total clients , Asian or Pacific Islander

Value	Label	Unweighted Frequency	%
0	-	9087	83.7 %
1	-	843	7.8 %
2	-	309	2.8 %
3	-	158	1.5 %
4	-	76	0.7 %
5	-	70	0.6 %
6	-	32	0.3 %
7	-	35	0.3 %
8	-	22	0.2 %
9	-	11	0.1 %
10	-	28	0.3 %
11	-	11	0.1 %
12	-	8	0.1 %
13	-	7	0.1 %
14	-	8	0.1 %
15	-	8	0.1 %
16	-	7	0.1 %

Value	Label	Unweighted Frequency	%
17	-	5	0.0 %
18	-	5	0.0 %
19	-	2	0.0 %
20	-	10	0.1 %
21	-	2	0.0 %
22	-	2	0.0 %
23	-	3	0.0 %
24	-	2	0.0 %
25	-	5	0.0 %
26	-	2	0.0 %
27	-	3	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
31	-	2	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	3	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
40	-	1	0.0 %
41	-	3	0.0 %
42	-	1	0.0 %
45	-	2	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
53	-	2	0.0 %
61	-	1	0.0 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 0.71
- Median: 0.00

- Mode: 0.00
- Minimum: 0
- Maximum: 335
- Standard Deviation: 5.30

Location: 510-512 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_RE5: NUMBER OF CLIENTS AMERICAN INDIAN/A.N.

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Total clients, American Indian/Alaskan Native

Value	Label	Unweighted Frequency	%
0	-	7926	73.0 %
1	-	1085	10.0 %
2	-	513	4.7 %
3	-	268	2.5 %
4	-	159	1.5 %
5	-	131	1.2 %
6	-	85	0.8 %
7	-	49	0.5 %
8	-	73	0.7 %
9	-	45	0.4 %
10	-	59	0.5 %
11	-	32	0.3 %
12	-	30	0.3 %
13	-	13	0.1 %
14	-	18	0.2 %
15	-	29	0.3 %
16	-	12	0.1 %
17	-	15	0.1 %
18	-	16	0.1 %
19	-	10	0.1 %
20	-	13	0.1 %

Value	Label	Unweighted Frequency	%
21	-	8	0.1 %
22	-	10	0.1 %
23	-	8	0.1 %
24	-	4	0.0 %
25	-	16	0.1 %
26	-	3	0.0 %
27	-	6	0.1 %
28	-	7	0.1 %
29	-	8	0.1 %
30	-	9	0.1 %
31	-	3	0.0 %
32	-	8	0.1 %
33	-	3	0.0 %
34	-	2	0.0 %
35	-	6	0.1 %
36	-	2	0.0 %
37	-	2	0.0 %
38	-	3	0.0 %
39	-	2	0.0 %
40	-	7	0.1 %
41	-	3	0.0 %
42	-	3	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %
45	-	3	0.0 %
46	-	3	0.0 %
47	-	4	0.0 %
49	-	1	0.0 %
50	-	7	0.1 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 2.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 719
- Standard Deviation: 15.18

Location: 513-515 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_RE6: NUMBER OF CLIENTS OF OTHER RACE/ETHNIC

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Total clients , other race/ethnicity

Value	Label	Unweighted Frequency	%
0	-	9378	86.4 %
1	-	594	5.5 %
2	-	245	2.3 %
3	-	135	1.2 %
4	-	93	0.9 %
5	-	65	0.6 %
6	-	50	0.5 %
7	-	32	0.3 %
8	-	22	0.2 %
9	-	19	0.2 %
10	-	22	0.2 %
11	-	18	0.2 %
12	-	14	0.1 %
13	-	12	0.1 %
14	-	4	0.0 %
15	-	12	0.1 %
16	-	9	0.1 %
17	-	3	0.0 %
18	-	4	0.0 %
19	-	5	0.0 %
20	-	6	0.1 %
21	-	2	0.0 %
22	-	5	0.0 %
23	-	6	0.1 %
24	-	1	0.0 %

Value	Label	Unweighted Frequency	%
25	-	2	0.0 %
27	-	1	0.0 %
29	-	6	0.1 %
30	-	3	0.0 %
31	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	2	0.0 %
40	-	2	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
48	-	2	0.0 %
50	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
60	-	3	0.0 %
62	-	1	0.0 %
70	-	1	0.0 %
71	-	1	0.0 %
73	-	1	0.0 %
75	-	1	0.0 %
84	-	1	0.0 %
87	-	1	0.0 %
90	-	1	0.0 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 0.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 523
- Standard Deviation: 8.09

Location: 516-518 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Total clients (race/ethnicity subtotal)

Value	Label	Unweighted Frequency	%
0	-	150	1.4 %
1	-	85	0.8 %
2	-	129	1.2 %
3	-	146	1.3 %
4	-	161	1.5 %
5	-	176	1.6 %
6	-	225	2.1 %
7	-	173	1.6 %
8	-	197	1.8 %
9	-	115	1.1 %
10	-	327	3.0 %
11	-	129	1.2 %
12	-	254	2.3 %
13	-	129	1.2 %
14	-	182	1.7 %
15	-	243	2.2 %
16	-	178	1.6 %
17	-	135	1.2 %
18	-	160	1.5 %
19	-	115	1.1 %
20	-	257	2.4 %
21	-	129	1.2 %
22	-	131	1.2 %
23	-	97	0.9 %
24	-	142	1.3 %
25	-	191	1.8 %
26	-	99	0.9 %
27	-	96	0.9 %
28	-	108	1.0 %

Value	Label	Unweighted Frequency	%
29	-	71	0.7 %
30	-	189	1.7 %
31	-	76	0.7 %
32	-	94	0.9 %
33	-	64	0.6 %
34	-	91	0.8 %
35	-	145	1.3 %
36	-	82	0.8 %
37	-	65	0.6 %
38	-	80	0.7 %
39	-	59	0.5 %
40	-	148	1.4 %
41	-	48	0.4 %
42	-	61	0.6 %
43	-	58	0.5 %
44	-	48	0.4 %
45	-	106	1.0 %
46	-	45	0.4 %
47	-	47	0.4 %
48	-	55	0.5 %
49	-	40	0.4 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 85.99
- Minimum: 0
- Maximum: 9252
- Standard Deviation: 200.94

Location: 519-522 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_SEX1: NUMBER OF MALE CLIENTS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex

category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Total clients, male

Value	Label	Unweighted Frequency	%
0	-	876	8.1 %
1	-	144	1.3 %
2	-	220	2.0 %
3	-	224	2.1 %
4	-	250	2.3 %
5	-	262	2.4 %
6	-	226	2.1 %
7	-	203	1.9 %
8	-	229	2.1 %
9	-	196	1.8 %
10	-	272	2.5 %
11	-	168	1.5 %
12	-	236	2.2 %
13	-	161	1.5 %
14	-	220	2.0 %
15	-	222	2.0 %
16	-	161	1.5 %
17	-	170	1.6 %
18	-	198	1.8 %
19	-	122	1.1 %
20	-	216	2.0 %
21	-	110	1.0 %
22	-	129	1.2 %
23	-	105	1.0 %
24	-	134	1.2 %
25	-	145	1.3 %
26	-	105	1.0 %
27	-	113	1.0 %
28	-	105	1.0 %
29	-	87	0.8 %
30	-	132	1.2 %
31	-	84	0.8 %
32	-	92	0.8 %
33	-	54	0.5 %

Value	Label	Unweighted Frequency	%
34	-	70	0.6 %
35	-	117	1.1 %
36	-	75	0.7 %
37	-	58	0.5 %
38	-	72	0.7 %
39	-	58	0.5 %
40	-	137	1.3 %
41	-	44	0.4 %
42	-	64	0.6 %
43	-	42	0.4 %
44	-	41	0.4 %
45	-	78	0.7 %
46	-	46	0.4 %
47	-	68	0.6 %
48	-	47	0.4 %
49	-	37	0.3 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 58.51
- Minimum: 0
- Maximum: 7402
- Standard Deviation: 147.16

Location: 523-526 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_SEX2: NUMBER OF FEMALE CLIENTS

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Total clients, female

Value	Label	Unweighted Frequency	%
0	-	1448	13.3 %
1	-	496	4.6 %
2	-	527	4.9 %
3	-	466	4.3 %
4	-	445	4.1 %
5	-	442	4.1 %
6	-	403	3.7 %
7	-	315	2.9 %
8	-	385	3.5 %
9	-	241	2.2 %
10	-	373	3.4 %
11	-	210	1.9 %
12	-	245	2.3 %
13	-	186	1.7 %
14	-	170	1.6 %
15	-	238	2.2 %
16	-	176	1.6 %
17	-	122	1.1 %
18	-	141	1.3 %
19	-	97	0.9 %
20	-	211	1.9 %
21	-	98	0.9 %
22	-	106	1.0 %
23	-	83	0.8 %
24	-	87	0.8 %
25	-	145	1.3 %
26	-	70	0.6 %
27	-	70	0.6 %
28	-	79	0.7 %
29	-	78	0.7 %
30	-	131	1.2 %
31	-	51	0.5 %
32	-	77	0.7 %
33	-	56	0.5 %
34	-	60	0.6 %
35	-	94	0.9 %
36	-	50	0.5 %
37	-	31	0.3 %
38	-	51	0.5 %
39	-	46	0.4 %

Value	Label	Unweighted Frequency	%
40	-	84	0.8 %
41	-	35	0.3 %
42	-	45	0.4 %
43	-	51	0.5 %
44	-	37	0.3 %
45	-	50	0.5 %
46	-	33	0.3 %
47	-	30	0.3 %
48	-	40	0.4 %
49	-	33	0.3 %
	Missing Data		
-9	MISSING	56	0.5 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 27.49
- Minimum: 0
- Maximum: 2003
- Standard Deviation: 63.82

Location: 527-530 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_SEX4: TOTAL NUMBER OF CLIENTS-SEX

Please complete the following table for the number of active clients reported in Q.12 (page 4).

Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.

Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0"

Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each ROW in Columns 2, 3, and 4 MUST EQUAL the Column 1 total for that row.

Total clients (sex subtotal)

Value	Label	Unweighted Frequency	%
0	-	150	1.4 %
1	-	85	0.8 %

Value	Label	Unweighted Frequency	%
2	-	129	1.2 %
3	-	146	1.3 %
4	-	161	1.5 %
5	-	176	1.6 %
6	-	225	2.1 %
7	-	173	1.6 %
8	-	197	1.8 %
9	-	115	1.1 %
10	-	327	3.0 %
11	-	129	1.2 %
12	-	254	2.3 %
13	-	129	1.2 %
14	-	182	1.7 %
15	-	243	2.2 %
16	-	178	1.6 %
17	-	135	1.2 %
18	-	160	1.5 %
19	-	115	1.1 %
20	-	257	2.4 %
21	-	129	1.2 %
22	-	131	1.2 %
23	-	97	0.9 %
24	-	142	1.3 %
25	-	191	1.8 %
26	-	99	0.9 %
27	-	96	0.9 %
28	-	108	1.0 %
29	-	71	0.7 %
30	-	189	1.7 %
31	-	76	0.7 %
32	-	94	0.9 %
33	-	64	0.6 %
34	-	91	0.8 %
35	-	145	1.3 %
36	-	82	0.8 %
37	-	65	0.6 %
38	-	80	0.7 %
39	-	59	0.5 %
40	-	148	1.4 %
41	-	48	0.4 %
42	-	61	0.6 %
43	-	58	0.5 %

Value	Label	Unweighted Frequency	%
44	-	48	0.4 %
45	-	106	1.0 %
46	-	45	0.4 %
47	-	47	0.4 %
48	-	55	0.5 %
49	-	40	0.4 %
Missing Data			
-9	MISSING	56	0.5 %
Total		10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,804 valid cases out of 10,860 total cases.

- Mean: 85.99
- Minimum: 0
- Maximum: 9252
- Standard Deviation: 200.94

Location: 531-534 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PREGPCT: PERCENTAGE OF CLIENTS PREGNANT

On October 1, 1997, about how many of the clients recorded in the TOTAL box at Q.12g were:

a. Pregnant

Value	Label	Unweighted Frequency	%
0	-	1787	16.5 %
1	-	906	8.3 %
2	-	603	5.6 %
3	-	376	3.5 %
4	-	232	2.1 %
5	-	236	2.2 %
6	-	130	1.2 %
7	-	95	0.9 %
8	-	79	0.7 %
9	-	35	0.3 %
10	-	91	0.8 %
11	-	29	0.3 %
12	-	15	0.1 %

Value	Label	Unweighted Frequency	%
13	-	55	0.5 %
14	-	24	0.2 %
15	-	25	0.2 %
16	-	10	0.1 %
17	-	21	0.2 %
18	-	6	0.1 %
19	-	12	0.1 %
20	-	20	0.2 %
21	-	9	0.1 %
22	-	8	0.1 %
23	-	2	0.0 %
24	-	4	0.0 %
25	-	19	0.2 %
26	-	1	0.0 %
27	-	5	0.0 %
28	-	1	0.0 %
29	-	3	0.0 %
30	-	4	0.0 %
32	-	3	0.0 %
33	-	10	0.1 %
34	-	2	0.0 %
35	-	3	0.0 %
36	-	1	0.0 %
38	-	3	0.0 %
40	-	5	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
50	-	10	0.1 %
52	-	1	0.0 %
54	-	2	0.0 %
56	-	2	0.0 %
57	-	1	0.0 %
60	-	4	0.0 %
67	-	4	0.0 %
68	-	1	0.0 %
	Missing Data		
-9	MISSING	5911	54.4 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,949 valid cases out of 10,860 total cases.

- Mean: 4.12
- Median: 1.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 11.02

Location: 535-537 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DEPPCT: PERCENTAGE OF WOMEN W/ DEP CHILDREN

b. Women with dependent children

Value	Label	Unweighted Frequency	%
0	-	670	6.2 %
1	-	108	1.0 %
2	-	113	1.0 %
3	-	158	1.5 %
4	-	135	1.2 %
5	-	216	2.0 %
6	-	170	1.6 %
7	-	187	1.7 %
8	-	219	2.0 %
9	-	166	1.5 %
10	-	349	3.2 %
11	-	216	2.0 %
12	-	166	1.5 %
13	-	265	2.4 %
14	-	226	2.1 %
15	-	246	2.3 %
16	-	149	1.4 %
17	-	226	2.1 %
18	-	156	1.4 %
19	-	152	1.4 %
20	-	384	3.5 %
21	-	112	1.0 %
22	-	118	1.1 %
23	-	112	1.0 %
24	-	96	0.9 %
25	-	264	2.4 %
26	-	64	0.6 %

Value	Label	Unweighted Frequency	%
27	-	92	0.8 %
28	-	56	0.5 %
29	-	112	1.0 %
30	-	141	1.3 %
31	-	45	0.4 %
32	-	60	0.6 %
33	-	144	1.3 %
34	-	28	0.3 %
35	-	66	0.6 %
36	-	43	0.4 %
37	-	27	0.2 %
38	-	60	0.6 %
39	-	21	0.2 %
40	-	117	1.1 %
41	-	19	0.2 %
42	-	24	0.2 %
43	-	27	0.2 %
44	-	25	0.2 %
45	-	23	0.2 %
46	-	12	0.1 %
47	-	13	0.1 %
48	-	6	0.1 %
49	-	7	0.1 %
	Missing Data		
-9	MISSING	3363	31.0 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,497 valid cases out of 10,860 total cases.

- Mean: 22.78
- Median: 16.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 22.91

Location: 538-540 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

INJPCT: PERCENTAGE OF INJECTION DRUG USERS

On October 1, 1997, about how many of the clients recorded in the TOTAL box

at Q.12g were:

c. Injection drugs users at the time of admission

Value	Label	Unweighted Frequency	%
0	-	968	8.9 %
1	-	305	2.8 %
2	-	288	2.7 %
3	-	291	2.7 %
4	-	204	1.9 %
5	-	346	3.2 %
6	-	206	1.9 %
7	-	182	1.7 %
8	-	191	1.8 %
9	-	128	1.2 %
10	-	328	3.0 %
11	-	116	1.1 %
12	-	84	0.8 %
13	-	137	1.3 %
14	-	137	1.3 %
15	-	153	1.4 %
16	-	53	0.5 %
17	-	107	1.0 %
18	-	77	0.7 %
19	-	50	0.5 %
20	-	165	1.5 %
21	-	60	0.6 %
22	-	46	0.4 %
23	-	42	0.4 %
24	-	47	0.4 %
25	-	120	1.1 %
26	-	29	0.3 %
27	-	41	0.4 %
28	-	30	0.3 %
29	-	46	0.4 %
30	-	76	0.7 %
31	-	42	0.4 %
32	-	24	0.2 %
33	-	99	0.9 %
34	-	11	0.1 %
35	-	35	0.3 %
36	-	22	0.2 %
37	-	11	0.1 %

Value	Label	Unweighted Frequency	%
38	-	48	0.4 %
39	-	9	0.1 %
40	-	74	0.7 %
41	-	20	0.2 %
42	-	14	0.1 %
43	-	25	0.2 %
44	-	18	0.2 %
45	-	36	0.3 %
46	-	11	0.1 %
47	-	12	0.1 %
48	-	12	0.1 %
49	-	5	0.0 %
Missing Data			
-9	MISSING	4511	41.5 %
Total		10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,349 valid cases out of 10,860 total cases.

- Mean: 19.22
- Median: 10.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 24.82

Location: 541-543 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

TBPCT: PERCENTAGE OF CLIENTS W/ TUBERCULOSIS

On October 1, 1997, about how many of the clients recorded in the TOTAL box at Q.12g were:

d. Known as having an active case of tuberculosis (TB)

Value	Label	Unweighted Frequency	%
0	-	2127	19.6 %
1	-	306	2.8 %
2	-	149	1.4 %
3	-	82	0.8 %
4	-	61	0.6 %
5	-	78	0.7 %

Value	Label	Unweighted Frequency	%
6	-	27	0.2 %
7	-	29	0.3 %
8	-	24	0.2 %
9	-	16	0.1 %
10	-	27	0.2 %
11	-	11	0.1 %
12	-	3	0.0 %
13	-	12	0.1 %
14	-	5	0.0 %
15	-	3	0.0 %
16	-	1	0.0 %
17	-	4	0.0 %
18	-	2	0.0 %
20	-	10	0.1 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	2	0.0 %
24	-	3	0.0 %
25	-	5	0.0 %
27	-	1	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
33	-	1	0.0 %
40	-	3	0.0 %
45	-	1	0.0 %
50	-	1	0.0 %
56	-	1	0.0 %
67	-	2	0.0 %
70	-	1	0.0 %
100	-	19	0.2 %
	Missing Data		
-9	MISSING	7838	72.2 %
	Total	10,860	100%

Based upon 3,022 valid cases out of 10,860 total cases.

- Mean: 1.99
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 8.91

Location: 544-546 (width: 3; decimal: 0)

Variable Type: numeric
 (Range of) Missing Values: -9

HIVPCT: PERCENTAGE OF CLIENTS WITH HIV

On October 1, 1997, about how many of the clients recorded in the TOTAL box at Q.12g were:

e. HIV positive

Value	Label	Unweighted Frequency	%
0	-	1326	12.2 %
1	-	519	4.8 %
2	-	403	3.7 %
3	-	312	2.9 %
4	-	226	2.1 %
5	-	299	2.8 %
6	-	190	1.7 %
7	-	122	1.1 %
8	-	126	1.2 %
9	-	64	0.6 %
10	-	165	1.5 %
11	-	49	0.5 %
12	-	45	0.4 %
13	-	68	0.6 %
14	-	47	0.4 %
15	-	55	0.5 %
16	-	18	0.2 %
17	-	47	0.4 %
18	-	15	0.1 %
19	-	16	0.1 %
20	-	73	0.7 %
21	-	16	0.1 %
22	-	9	0.1 %
23	-	5	0.0 %
24	-	6	0.1 %
25	-	41	0.4 %
26	-	7	0.1 %
27	-	10	0.1 %
28	-	5	0.0 %
29	-	7	0.1 %
30	-	19	0.2 %
31	-	8	0.1 %
32	-	14	0.1 %

Value	Label	Unweighted Frequency	%
33	-	18	0.2 %
34	-	3	0.0 %
35	-	7	0.1 %
36	-	2	0.0 %
37	-	2	0.0 %
38	-	3	0.0 %
39	-	1	0.0 %
40	-	19	0.2 %
41	-	1	0.0 %
42	-	4	0.0 %
43	-	3	0.0 %
44	-	2	0.0 %
45	-	3	0.0 %
47	-	4	0.0 %
49	-	1	0.0 %
50	-	13	0.1 %
53	-	1	0.0 %
	Missing Data		
-9	MISSING	6383	58.8 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,477 valid cases out of 10,860 total cases.

- Mean: 6.47
- Median: 2.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 12.43

Location: 547-549 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PREVPCT: PERCENTAGE OF CLIENTS WHO PREV RCD TX

On October 1, 1997, about how many of the clients recorded in the TOTAL box at Q.12g were:

f. Clients who had previously received substance abuse treatment from you or another facility

Value	Label	Unweighted Frequency	%
0	-	173	1.6 %
1	-	31	0.3 %
2	-	48	0.4 %
3	-	39	0.4 %
4	-	49	0.5 %
5	-	65	0.6 %
6	-	51	0.5 %
7	-	45	0.4 %
8	-	61	0.6 %
9	-	58	0.5 %
10	-	178	1.6 %
11	-	69	0.6 %
12	-	46	0.4 %
13	-	85	0.8 %
14	-	61	0.6 %
15	-	95	0.9 %
16	-	53	0.5 %
17	-	92	0.8 %
18	-	65	0.6 %
19	-	56	0.5 %
20	-	235	2.2 %
21	-	59	0.5 %
22	-	61	0.6 %
23	-	55	0.5 %
24	-	55	0.5 %
25	-	232	2.1 %
26	-	44	0.4 %
27	-	71	0.7 %
28	-	52	0.5 %
29	-	105	1.0 %
30	-	227	2.1 %
31	-	54	0.5 %
32	-	55	0.5 %
33	-	213	2.0 %
34	-	52	0.5 %
35	-	112	1.0 %
36	-	75	0.7 %
37	-	61	0.6 %
38	-	123	1.1 %
39	-	49	0.5 %
40	-	276	2.5 %
41	-	41	0.4 %

Value	Label	Unweighted Frequency	%
42	-	76	0.7 %
43	-	86	0.8 %
44	-	72	0.7 %
45	-	74	0.7 %
46	-	44	0.4 %
47	-	67	0.6 %
48	-	66	0.6 %
49	-	30	0.3 %
	Missing Data		
-9	MISSING	1806	16.6 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,054 valid cases out of 10,860 total cases.

- Mean: 51.79
- Median: 50.00
- Mode: 100.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 29.49

Location: 550-552 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

MGDPCT: PERCENT OF CLIENTS COVERED BY MGD CARE

On October 1, 1997, about how many of the clients recorded in the TOTAL box at Q.12g were:

g. Covered by managed care arrangements

Value	Label	Unweighted Frequency	%
0	-	1209	11.1 %
1	-	125	1.2 %
2	-	117	1.1 %
3	-	119	1.1 %
4	-	92	0.8 %
5	-	197	1.8 %
6	-	91	0.8 %
7	-	74	0.7 %
8	-	75	0.7 %
9	-	75	0.7 %

Value	Label	Unweighted Frequency	%
10	-	202	1.9 %
11	-	64	0.6 %
12	-	51	0.5 %
13	-	78	0.7 %
14	-	71	0.7 %
15	-	120	1.1 %
16	-	33	0.3 %
17	-	78	0.7 %
18	-	43	0.4 %
19	-	43	0.4 %
20	-	167	1.5 %
21	-	33	0.3 %
22	-	32	0.3 %
23	-	24	0.2 %
24	-	28	0.3 %
25	-	115	1.1 %
26	-	27	0.2 %
27	-	32	0.3 %
28	-	22	0.2 %
29	-	41	0.4 %
30	-	113	1.0 %
31	-	26	0.2 %
32	-	18	0.2 %
33	-	85	0.8 %
34	-	7	0.1 %
35	-	35	0.3 %
36	-	29	0.3 %
37	-	7	0.1 %
38	-	42	0.4 %
39	-	19	0.2 %
40	-	92	0.8 %
41	-	16	0.1 %
42	-	23	0.2 %
43	-	28	0.3 %
44	-	17	0.2 %
45	-	28	0.3 %
46	-	6	0.1 %
47	-	21	0.2 %
48	-	22	0.2 %
49	-	12	0.1 %
	Missing Data		
-9	MISSING	5233	48.2 %

Value	Label	Unweighted Frequency	%
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,627 valid cases out of 10,860 total cases.

- Mean: 29.26
- Median: 17.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 31.56

Location: 553-555 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CJPCT: PERCENT OF COURT REFERRED CLIENTS

On October 1, 1997, about how many of the clients recorded in the TOTAL box at Q.12g were:

h. Criminal justice referred clients (excluding DUI/DWI)

Value	Label	Unweighted Frequency	%
0	-	620	5.7 %
1	-	109	1.0 %
2	-	137	1.3 %
3	-	137	1.3 %
4	-	105	1.0 %
5	-	221	2.0 %
6	-	133	1.2 %
7	-	127	1.2 %
8	-	123	1.1 %
9	-	107	1.0 %
10	-	293	2.7 %
11	-	122	1.1 %
12	-	85	0.8 %
13	-	150	1.4 %
14	-	112	1.0 %
15	-	165	1.5 %
16	-	63	0.6 %
17	-	149	1.4 %
18	-	95	0.9 %
19	-	83	0.8 %

Value	Label	Unweighted Frequency	%
20	-	300	2.8 %
21	-	80	0.7 %
22	-	70	0.6 %
23	-	68	0.6 %
24	-	61	0.6 %
25	-	209	1.9 %
26	-	57	0.5 %
27	-	74	0.7 %
28	-	55	0.5 %
29	-	95	0.9 %
30	-	146	1.3 %
31	-	55	0.5 %
32	-	49	0.5 %
33	-	132	1.2 %
34	-	20	0.2 %
35	-	79	0.7 %
36	-	49	0.5 %
37	-	28	0.3 %
38	-	58	0.5 %
39	-	28	0.3 %
40	-	164	1.5 %
41	-	38	0.3 %
42	-	40	0.4 %
43	-	54	0.5 %
44	-	43	0.4 %
45	-	67	0.6 %
46	-	35	0.3 %
47	-	47	0.4 %
48	-	42	0.4 %
49	-	19	0.2 %
	Missing Data		
-9	MISSING	2807	25.8 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8,053 valid cases out of 10,860 total cases.

- Mean: 37.31
- Median: 27.00
- Mode: 100.00
- Minimum: 0
- Maximum: 100

• Standard Deviation: 32.15

Location: 556-558 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ADMITNUM: TOTAL NUMBER OF ADMISSIONS FOR SA TX

From October 1, 1996 to September 30, 1997 or during the most recent 12-month period for which information is available what was this facility's: a. Total number of substance abuse treatment admissions

Value	Label	Unweighted Frequency	%
0	-	72	0.7 %
1	-	9	0.1 %
2	-	36	0.3 %
3	-	25	0.2 %
4	-	38	0.3 %
5	-	41	0.4 %
6	-	36	0.3 %
7	-	22	0.2 %
8	-	32	0.3 %
9	-	20	0.2 %
10	-	75	0.7 %
11	-	14	0.1 %
12	-	53	0.5 %
13	-	29	0.3 %
14	-	24	0.2 %
15	-	83	0.8 %
16	-	39	0.4 %
17	-	25	0.2 %
18	-	31	0.3 %
19	-	31	0.3 %
20	-	88	0.8 %
21	-	30	0.3 %
22	-	29	0.3 %
23	-	25	0.2 %
24	-	49	0.5 %
25	-	76	0.7 %
26	-	24	0.2 %
27	-	22	0.2 %
28	-	34	0.3 %
29	-	26	0.2 %
30	-	115	1.1 %
31	-	35	0.3 %
32	-	38	0.3 %
33	-	36	0.3 %

Value	Label	Unweighted Frequency	%
34	-	28	0.3 %
35	-	72	0.7 %
36	-	45	0.4 %
37	-	32	0.3 %
38	-	35	0.3 %
39	-	25	0.2 %
40	-	126	1.2 %
41	-	30	0.3 %
42	-	47	0.4 %
43	-	27	0.2 %
44	-	37	0.3 %
45	-	64	0.6 %
46	-	29	0.3 %
47	-	40	0.4 %
48	-	48	0.4 %
49	-	23	0.2 %
	Missing Data		
-9	MISSING	657	6.0 %
	Total	10,860	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,203 valid cases out of 10,860 total cases.

- Mean: 362.53
- Minimum: 0
- Maximum: 43329
- Standard Deviation: 1059.59

Location: 559-563 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ADMTEST: IS TOTAL ADMIS NO. ESTIMATE OR ACTUAL

Is the number entered in: a. Q.18a an actual admissions count for the year or your best estimate?

Value	Label	Unweighted Frequency	%
1	ACTUAL COUNT	5015	46.2 %
2	BEST ESTIMATE	5046	46.5 %
	Missing Data		
-9	MISSING	799	7.4 %
	Total	10,860	100%

Based upon 10,061 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 564-565 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

UNDUPEST: IS UNDUPLICTD COUNT ESTIMATE OR ACTUAL

Is the number entered in: b. Q.18b an actual unduplicated count for the year or your best estimate?

Value	Label	Unweighted Frequency	%
1	ACTUAL COUNT	3824	35.2 %
2	BEST ESTIMATE	6021	55.4 %
Missing Data			
-9	MISSING	1015	9.3 %
Total		10,860	100%

Based upon 9,845 valid cases out of 10,860 total cases.

- Minimum: 1
- Maximum: 2

Location: 566-567 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

T_AG1FL: IMPUTATION FLAG - T_AGE1

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10427	96.0 %
1	VALUE IMPUTED	412	3.8 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 568-569 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

T_AG4FL: IMPUTATION FLAG - T_AGE4

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10427	96.0 %
1	VALUE IMPUTED	412	3.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 570-571 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_AG5FL: IMPUTATION FLAG - T_AGE5

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10427	96.0 %
1	VALUE IMPUTED	412	3.8 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 572-573 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_AG6FL: IMPUTATION FLAG - T_AGE6

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10427	96.0 %
1	VALUE IMPUTED	412	3.8 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 574-575 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_AG7FL: IMPUTATION FLAG - T_AGE7

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10427	96.0 %
1	VALUE IMPUTED	412	3.8 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 576-577 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HI_AG1FL: IMPUTATION FLAG - HI_AGE1

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10629	97.9 %
1	VALUE IMPUTED	210	1.9 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 578-579 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HI_AG4FL: IMPUTATION FLAG - HI_AGE4

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10629	97.9 %
1	VALUE IMPUTED	210	1.9 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 580-581 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HI_AG5FL: IMPUTATION FLAG - HI_AGE5

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10628	97.9 %
1	VALUE IMPUTED	210	1.9 %
Missing Data			
-9	MISSING	22	0.2 %
Total		10,860	100%

Based upon 10,838 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 582-583 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HI_AG6FL: IMPUTATION FLAG - HI_AGE6

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10629	97.9 %
1	VALUE IMPUTED	210	1.9 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 584-585 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HI_AG7FL: IMPUTATION FLAG - HI_AGE7

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10629	97.9 %
1	VALUE IMPUTED	210	1.9 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 586-587 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RC_AG1FL: IMPUTATION FLAG - RC_AGE1

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10610	97.7 %
1	VALUE IMPUTED	229	2.1 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 588-589 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RC_AG4FL: IMPUTATION FLAG - RC_AGE4

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10610	97.7 %
1	VALUE IMPUTED	229	2.1 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 590-591 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RC_AG5FL: IMPUTATION FLAG - RC_AGE5

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10610	97.7 %
1	VALUE IMPUTED	229	2.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 592-593 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RC_AG6FL: IMPUTATION FLAG - RC_AGE6

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10610	97.7 %
1	VALUE IMPUTED	229	2.1 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 594-595 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RC_AG7FL: IMPUTATION FLAG - RC_AGE7

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10610	97.7 %
1	VALUE IMPUTED	229	2.1 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 596-597 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OP_AG1FL: IMPUTATION FLAG - O_AGE1

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10467	96.4 %
1	VALUE IMPUTED	372	3.4 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 598-599 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OP_AG4FL: IMPUTATION FLAG - O_AGE4

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10468	96.4 %
1	VALUE IMPUTED	371	3.4 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 600-601 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OP_AG5FL: IMPUTATION FLAG - O_AGE5

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10467	96.4 %
1	VALUE IMPUTED	372	3.4 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 602-603 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OP_AG6FL: IMPUTATION FLAG - O_AGE6

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10467	96.4 %
1	VALUE IMPUTED	372	3.4 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 604-605 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OP_AG7FL: IMPUTATION FLAG - O_AGE7

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10467	96.4 %
1	VALUE IMPUTED	372	3.4 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 606-607 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_RE1FL: IMPUTATION FLAG - T_RE1

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10430	96.0 %
1	VALUE IMPUTED	409	3.8 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 608-609 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_RE2FL: IMPUTATION FLAG - T_RE2

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10429	96.0 %
1	VALUE IMPUTED	410	3.8 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 610-611 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_RE3FL: IMPUTATION FLAG - T_RE3

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10429	96.0 %
1	VALUE IMPUTED	410	3.8 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 612-613 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_RE4FL: IMPUTATION FLAG - T_RE4

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10429	96.0 %
1	VALUE IMPUTED	410	3.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 614-615 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_RE5FL: IMPUTATION FLAG - T_RE5

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10429	96.0 %
1	VALUE IMPUTED	410	3.8 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 616-617 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_RE6FL: IMPUTATION FLAG - T_RE6

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10429	96.0 %
1	VALUE IMPUTED	410	3.8 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 618-619 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HI_RE1FL: IMPUTATION FLAG - H_RE1

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10629	97.9 %
1	VALUE IMPUTED	210	1.9 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 620-621 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HI_RE2FL: IMPUTATION FLAG - H_RE2

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10629	97.9 %
1	VALUE IMPUTED	210	1.9 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 622-623 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HI_RE3FL: IMPUTATION FLAG - H_RE3

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10629	97.9 %
1	VALUE IMPUTED	210	1.9 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 624-625 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HI_RE4FL: IMPUTATION FLAG - H_RE4

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10629	97.9 %
1	VALUE IMPUTED	210	1.9 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 626-627 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HI_RE5FL: IMPUTATION FLAG - H_RE5

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10629	97.9 %
1	VALUE IMPUTED	210	1.9 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 628-629 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HI_RE6FL: IMPUTATION FLAG - H_RE6

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10629	97.9 %
1	VALUE IMPUTED	210	1.9 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 630-631 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RC_RE1FL: IMPUTATION FLAG - R_RE1

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10608	97.7 %
1	VALUE IMPUTED	231	2.1 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 632-633 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RC_RE2FL: IMPUTATION FLAG - R_RE2

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10608	97.7 %
1	VALUE IMPUTED	231	2.1 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 634-635 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RC_RE3FL: IMPUTATION FLAG - R_RE3

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10608	97.7 %
1	VALUE IMPUTED	231	2.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 636-637 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RC_RE4FL: IMPUTATION FLAG - R_RE4

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10608	97.7 %
1	VALUE IMPUTED	231	2.1 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 638-639 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RC_RE5FL: IMPUTATION FLAG - R_RE5

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10608	97.7 %
1	VALUE IMPUTED	231	2.1 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 640-641 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RC_RE6FL: IMPUTATION FLAG - R_RE6

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10608	97.7 %
1	VALUE IMPUTED	231	2.1 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 642-643 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OP_RE1FL: IMPUTATION FLAG - O_RE1

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10472	96.4 %
1	VALUE IMPUTED	367	3.4 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 644-645 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OP_RE2FL: IMPUTATION FLAG - O_RE2

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10472	96.4 %
1	VALUE IMPUTED	367	3.4 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 646-647 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OP_RE3FL: IMPUTATION FLAG - O_RE3

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10471	96.4 %
1	VALUE IMPUTED	368	3.4 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 648-649 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OP_RE4FL: IMPUTATION FLAG - O_RE4

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10471	96.4 %
1	VALUE IMPUTED	368	3.4 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 650-651 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OP_RE5FL: IMPUTATION FLAG - O_RE5

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10471	96.4 %
1	VALUE IMPUTED	368	3.4 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 652-653 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OP_RE6FL: IMPUTATION FLAG - O_RE6

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10471	96.4 %
1	VALUE IMPUTED	368	3.4 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 654-655 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_SX1FL: IMPUTATION FLAG - T_SEX1

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10444	96.2 %
1	VALUE IMPUTED	395	3.6 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 656-657 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_SX2FL: IMPUTATION FLAG - T_SEX2

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10443	96.2 %
1	VALUE IMPUTED	396	3.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 658-659 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HI_SX1FL: IMPUTATION FLAG - H_SEX1

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10631	97.9 %
1	VALUE IMPUTED	208	1.9 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 660-661 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HI_SX2FL: IMPUTATION FLAG - H_SEX2

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10631	97.9 %
1	VALUE IMPUTED	208	1.9 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 662-663 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RC_SX1FL: IMPUTATION FLAG - R_SEX1

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10614	97.7 %
1	VALUE IMPUTED	225	2.1 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 664-665 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RC_SX2FL: IMPUTATION FLAG - R_SEX2

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10614	97.7 %
1	VALUE IMPUTED	225	2.1 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 666-667 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OP_SX1FL: IMPUTATION FLAG - O_SEX1

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10478	96.5 %
1	VALUE IMPUTED	361	3.3 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 668-669 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OP_SX2FL: IMPUTATION FLAG - O_SX2

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10477	96.5 %
1	VALUE IMPUTED	362	3.3 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 670-671 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_AG2FL: IMPUTATION FLAG - T_AGE2

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10425	96.0 %
1	VALUE IMPUTED	414	3.8 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 672-673 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_AG3FL: IMPUTATION FLAG - T_AGE3

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10425	96.0 %
1	VALUE IMPUTED	414	3.8 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 674-675 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_AG9FL: IMPUTATION FLAG - T_AGE9

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10830	99.7 %
1	VALUE IMPUTED	9	0.1 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 676-677 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HI_AG2FL: IMPUTATION FLAG - HI_AGE2

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10628	97.9 %
1	VALUE IMPUTED	211	1.9 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 678-679 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HI_AG3FL: IMPUTATION FLAG - HI_AGE3

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10628	97.9 %
1	VALUE IMPUTED	211	1.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 680-681 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HI_AG9FL: IMPUTATION FLAG - HI_AGE9

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10778	99.2 %
1	VALUE IMPUTED	61	0.6 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 682-683 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RC_AG2FL: IMPUTATION FLAG - RC_AGE2

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10609	97.7 %
1	VALUE IMPUTED	230	2.1 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 684-685 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RC_AG3FL: IMPUTATION FLAG - RC_AGE3

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10609	97.7 %
1	VALUE IMPUTED	230	2.1 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 686-687 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RC_AG9FL: IMPUTATION FLAG - RC_AGE9

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10776	99.2 %
1	VALUE IMPUTED	63	0.6 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 688-689 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OP_AG2FL: IMPUTATION FLAG - O_AGE2

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10465	96.4 %
1	VALUE IMPUTED	374	3.4 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 690-691 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OP_AG3FL: IMPUTATION FLAG - O_AGE3

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10465	96.4 %
1	VALUE IMPUTED	374	3.4 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 692-693 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OP_AG9FL: IMPUTATION FLAG - O_AGE9

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10784	99.3 %
1	VALUE IMPUTED	55	0.5 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 694-695 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_RE8FL: IMPUTATION FLAG - T_RE8

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10830	99.7 %
1	VALUE IMPUTED	9	0.1 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 696-697 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HI_RE8FL: IMPUTATION FLAG - H_RE8

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10778	99.2 %
1	VALUE IMPUTED	61	0.6 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 698-699 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RC_RE8FL: IMPUTATION FLAG - R_RE8

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10776	99.2 %
1	VALUE IMPUTED	63	0.6 %
Missing Data			
-9	MISSING	21	0.2 %
Total		10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 700-701 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OP_RE8FL: IMPUTATION FLAG - O_RE8

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10784	99.3 %
1	VALUE IMPUTED	55	0.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 702-703 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

T_SX4FL: IMPUTATION FLAG - H_SEX4

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10831	99.7 %
1	VALUE IMPUTED	8	0.1 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 704-705 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HI_SX4FL: IMPUTATION FLAG - H_SEX4

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10778	99.2 %
1	VALUE IMPUTED	61	0.6 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 706-707 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RC_SX4FL: IMPUTATION FLAG - R_SEX4

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10776	99.2 %
1	VALUE IMPUTED	63	0.6 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 708-709 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

OP_SX4FL: IMPUTATION FLAG - O_SEX4

Value	Label	Unweighted Frequency	%
0	VALUE NOT IMPUTED	10784	99.3 %
1	VALUE IMPUTED	55	0.5 %
	Missing Data		
-9	MISSING	21	0.2 %
	Total	10,860	100%

Based upon 10,839 valid cases out of 10,860 total cases.

- Minimum: 0
- Maximum: 1

Location: 710-711 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

APPENDIX A

UFDS 1997 QUESTIONNAIRE

This Appendix contains a complete copy of the 1997 UFDS questionnaire that was sent by mail to all facilities. As noted in Chapter 1, 82 percent of the 10,860 responding treatment facilities completed this version of the questionnaire.

A slightly abbreviated version of the mail questionnaire was administered by telephone to those facilities that, after repeated efforts detailed in Chapter 1, had not completed the survey. The telephone interview was conducted

using computer-assisted telephone interviewing (CATI). A printed version of the CATI interview is not included here because it contains embedded instructions and skip patterns that make it difficult to read.

The CATI interview included all items from the mail survey except the detailed check list of substance abuse services (Question 20). However, the section of this check list concerning programs for special groups (items 30-34) was asked of telephone respondents.



DRUG AND ALCOHOL SERVICES INFORMATION SYSTEM (DASIS) UNIFORM FACILITY DATA SET (UFDS) OCTOBER 1, 1997

This questionnaire asks about the facility listed below. Please check the accuracy of the information. Update items that are blank or inaccurate by entering the correct information in the space provided on the lower half of this page. If you are reporting data for the first time, please provide all of the information requested.

IF NO CHANGES ARE NEEDED (ALL INFORMATION IS COMPLETE AND CORRECT), MARK (X) THIS BOX →

STATE ID _____	Don't <u>Know</u> -1 <input type="checkbox"/>	NFR ID _____ - ____	Don't <u>Know</u> -1 <input type="checkbox"/>
EIN ID:** _____	-1 <input type="checkbox"/>	FDA ID _____ - ____	-1 <input type="checkbox"/>

**The EIN ID number is your employer identification number or your federal tax identification number. Your accounting or personnel departments may have this number.

Facility Director's Name		
Facility Name		
Mailing Address		
City	State	ZIP Code

Street Name		
City	State	ZIP Code
County	Telephone No.	Ext. (if any)
Facility Director's Telephone No.	Ext. (if any)	Facility Fax Number:
		TTY/TDD Number:

Why is completing this questionnaire important?

Your participation makes a difference. The UFDS survey is the ONLY source of data on ALL known substance abuse treatment and prevention programs in the nation. When substance abuse policy makers and program managers need up-to-date national information on characteristics of substance abuse programs and the numbers and types of clients served, they rely on the UFDS. UFDS data are used to formulate the Nation's annual drug control strategy and to make many other important decisions regarding substance abuse policy.

This survey is sponsored by the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services.

Instructions

- The reference date for UFDS is October 1, 1997.
- Use a # 2 pencil. If you wish to change an answer, please erase cleanly.
- See example below for the proper way to record a number in a box.
- Return the completed questionnaire in the envelope provided.

If you have any questions concerning this questionnaire, or if you need additional blank forms, contact:

MATHEMATICA POLICY RESEARCH, INC.
1-888-324-UFDS (8337)

Correct

1	9
---	---

Incorrect

1	19
---	----

1. On October 1, 1997 was the facility named on the cover providing substance abuse treatment, prevention, administrative, or other nontreatment services?

- 1 Yes -> SKIP TO Q.2
2 No

1a. (If No) When did this facility close or stop providing substance abuse services? RECORD MONTH AND YEAR

MONTH: | | | |

YEAR: 19 | | | |

SKIP TO Q.27, PAGE 10

- 1 Don't Know

2. Who is the owner of this substance abuse facility?

MARK ONE ONLY

- 1 A Private-for-Profit Organization
2 A Private Non-Profit Organization
3 State Government
4 Local County or Community Government
5 Tribal Government

SKIP TO Q.3

- 6 Federal Government

2a. Which federal government agency?

MARK ONE ONLY

- 1 Department of Veterans Affairs
2 Department of Defense
3 Bureau of Prisons
4 Indian Health Service
5 Other (Specify:)

3. Does this facility operate or participate in a hotline that provides substance abuse counseling and referral services?

911 is not considered a hotline

- 1 Yes
2 No -> SKIP TO Q.4

3a. Please enter the hotline telephone number(s) and hours of operation. If 24 hours, check the box.

PHONE NUMBER(S): HOURS OF OPERATION 24 HOURS

()- Weekdays

Weekends

()- Weekdays

Weekends

4. On October 1, 1997, which of the following services were provided by this facility at this site?

MARK ALL THAT APPLY

- 1 Substance Abuse Treatment (services that focus on initiating and maintaining an individual's recovery from substance abuse and on averting relapse, including detoxification)
2 Substance Abuse Prevention (prevention activities directed at individuals not identified to be in need of treatment, such as information dissemination or education)
3 Other Substance Abuse Services (such as intake, assessment, and referral)
4 Administrative Services (such as billing, personnel, and scheduling)

5. Did you check box 1 in Q.4?

- 1 Yes
2 No -> SKIP TO Q.27, PAGE 10

5a. Is a drunk driving or DUI/DWI program the ONLY substance abuse service provided by this facility?

- 1 Yes -> SKIP TO Q.27, PAGE 10
2 No

6. Which ONE category best describes the SETTING of this substance abuse treatment facility?

MARK ONE

- 1 General hospital, may include an outpatient substance abuse unit on site
- 2 Psychiatric hospital, may include an outpatient substance abuse unit on site
- 3 Other specialized hospital, may include an outpatient substance abuse unit on site (for example, alcoholism, maternity, children's, orthopedic)
- 4 Solo practice
- 5 Group practice
- 6 School (elementary, secondary, college/university)
- 7 Jail, prison or juvenile detention center
- 8 Other criminal justice (TASC, pretrial diversion, court referral, probation, parole, community corrections)

➔ **SKIP TO Q.7**

9 Other setting

6a. More specifically would you describe this facility as:

MARK YES OR NO FOR EACH

YES NO

- 1 2 a. OUTPATIENT substance abuse treatment facility
- 1 2 b. Community MENTAL health center or other mental health facility that provides a variety of services
- 1 2 c. Community Health Center, including Migrant Health Center, Urban Indian Program, Health Care for the Homeless Center
- 1 2 d. Halfway House
- 1 2 e. Therapeutic Community
- 1 2 f. Other RESIDENTIAL substance abuse treatment facility
- 1 2 g. Community or religious organization/agency that provides a variety of social services
- 1 2 h. Other (*Specify:* _____)

7. Is this facility owned or operated by a managed care organization (for example, an HMO)?

- 1 Yes
- 2 No

8. On October 1, 1997, did this facility have letters of agreement or contracts with managed care organizations for providing substance abuse treatment services?

- 1 Yes, had formal written agreements or contracts with managed care organizations
- 2 No formal written agreements or contracts with managed care organizations → **SKIP TO Q.9**
- 1 Don't know → **SKIP TO Q.9**

8a. With how many managed care organizations did you have formal written agreements or contracts?

Number:

9. On October 1, 1997 was this facility structured as a parent organization or master site with one or more affiliate sites that provide substance abuse treatment services?

- 1 Yes
- 2 No → **SKIP TO Q.10, PAGE 3**

9a. On October 1, 1997, how many affiliate sites did this facility have that provide substance abuse treatment services?

Number:

10. On October 1, 1997, was this facility an affiliate of a parent organization or master site?

- 1 Yes
 2 No → SKIP TO Q.10b

10a. Please provide the following information for the parent organization/master site.

Organization: _____

Contact Name: _____

Mailing Address: _____

City: _____ State: _____

ZIP: _____ Telephone Number: (____) _____ - _____

10b. The rest of this questionnaire should be answered for those services, activities, etc. provided at this site by the facility listed on the cover of this questionnaire. Parent organizations or master sites should not include affiliate sites in their responses. Can you respond for only the services, activities, etc. provided at this site?

1 Yes →SKIP TO Q.11

2 No

10c. If responding for only this site is not possible, for approximately how many sites will you be reporting in total?

MARK ONE ONLY

- 2 sites
 3-5 sites
 6-10 sites
 More than 10 sites

11. **Waiting Lists.** If a program is full, does this facility maintain a formal waiting list of people waiting for substance abuse services?

- **Formal waiting list:** a record of the names, addresses, and telephone numbers of applicants eligible for admission. *The list must include the date of application and nature of follow-up contacts.*

- 1 Yes
 2 No → SKIP TO Q.12, PAGE 4

11a. On October 1, 1997, how many people were on the waiting list?

Number on Waiting List:

12. Number of Active Clients on October 1, 1997. In each of the categories listed below, please enter the number of active clients who were receiving substance abuse treatment at this facility on October 1, 1997:

- DO NOT count codependents, parents, other relatives, friends (i.e., "collaterals"), or other nontreatment clients.

IF NONE,
CHECK BOX

	NUMBER	
a. Hospital Inpatients - Detoxification on October 1, 1997 and were <u>not</u> discharged that day	□ □ □ □	<input type="checkbox"/>
b. Hospital Inpatients - Rehabilitation on October 1, 1997 and were <u>not</u> discharged that day	□ □ □ □	<input type="checkbox"/>
c. Residential (24-Hour Care) - Detoxification on October 1, 1997 and were <u>not</u> discharged that day	□ □ □ □	<input type="checkbox"/>
d. Residential (24-Hour Care) - Rehabilitation on October 1, 1997 and were <u>not</u> discharged that day	□ □ □ □	<input type="checkbox"/>
e. Outpatients (Less Than 24-Hour Care) who received a substance abuse treatment service between September 1 and October 1, 1997 and were still enrolled on October 1, 1997. . . .DO NOT INCLUDE CLIENTS WHOSE ONLY SERVICE IS ATTENDING A DUI/DWI PROGRAM	□ □ □ □	<input type="checkbox"/>
f. Intensive Outpatients* who received a substance abuse treatment service—including day treatment—between September 1 and October 1, 1997 and were still enrolled on October 1, 1997 *(Services provided to a client that last 2 hours or more per day/3 or more days a week)	□ □ □ □	<input type="checkbox"/>
g. TOTAL NUMBER OF ACTIVE CLIENTS (add a - f)	□ □ □ □ Q.12g	

12h. Are the numbers entered in the TOTAL box Q.12g actual active client counts for October 1, 1997 or your best estimate?

1 Actual count 2 Estimate

13. Approximately what percentage of the clients in the Q.12g TOTAL box were being treated on October 1, 1997 for:

a. Alcohol Abuse Only	□ □ □	.00%
b. Drug Abuse Only	□ □ □	.00%
c. Both Alcohol and Drug Abuse	□ □ □	.00%
TOTAL CLIENTS		100 %

14. Did you enter a number larger than zero in either the Hospital Inpatient (Q.12a or Q.12b) or Residential—24 Hour Care (Q.12c or Q.12d) categories in Q.12?

1 Yes 2 No → **SKIP TO Q.15, PAGE 5**

14a. On October 1, 1997, how many of the beds at this facility could have been used for:

	NUMBER OF BEDS	
a. Hospital Inpatient Substance Abuse Treatment	□ □ □ □	<input type="checkbox"/> NONE
b. Non-Hospital Residential (24-Hour) Substance Abuse Treatment	□ □ □ □	<input type="checkbox"/> NONE

CHARACTERISTICS OF ACTIVE CLIENTS ON OCTOBER 1, 1997

15. Please complete the following table for the number of active clients reported in Q.12 (page 4).

- Enter the TOTAL from Q.12g into the three TOTAL boxes in Column 1 below.
- Column 1. Enter the number of active clients for each age, race, and sex category in Column 1. For each category with no clients, enter zero, "0."
- Columns 2-4. For each age, race, and sex category with a number greater than zero in Column 1 complete Columns 2-4 to show how many clients were in each of the three types of care. The SUM of each row in Columns 2, 3 and 4 MUST EQUAL the Column 1 total for that row.

NUMBER OF ACTIVE CLIENTS BY TYPE OF CARE

Client Category	1	2	3	4
	TOTAL	HOSPITAL INPATIENT From Q.12a + Q.21b	RESIDENTIAL (24-HOUR CARE) From Q.12c + Q.12d	OUTPATIENT From Q.21e + Q.12f
AGE				
Under 18 years	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
18-20	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
21-24	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
25-34	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
35-44	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
45-64	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
65 and Over	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
Don't Know	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
TOTAL NUMBER OF ACTIVE CLIENTS	_ _ , _ _ _ (from Q.12g)	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
RACE/ETHNICITY				
White, not of Hispanic Origin	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
Black, not of Hispanic Origin	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
Hispanic	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
Asian or Pacific Islander	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
American Indian/Alaskan Native ..	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
Other	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
Don't Know	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
TOTAL NUMBER OF ACTIVE CLIENTS	_ _ , _ _ _ (from Q.12g)	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
GENDER				
Male	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
Female	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
Don't Know	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _
TOTAL NUMBER OF ACTIVE CLIENTS	_ _ , _ _ _ (from Q.12g)	_ _ , _ _ _	_ _ , _ _ _	_ _ , _ _ _

15a. Are the numbers entered in Q.15 actual active client counts for October 1, 1997 or your best estimate?

- 1 Actual active client counts
- 2 Estimate

16. Does this facility dispense the opioid substitutes methadone or LAAM at this site?

- 1 Yes → (Make certain your FDA ID number on the cover has been recorded and is correct)
 2 No → **SKIP TO Q.17**

16a. On October 1, 1997, approximately how many of the clients in the TOTAL box at Q.12g (page 4) were receiving:

Number

- a. Methadone at this site |__|,|__|__|__|
 b. LAAM at this site |__|,|__|__|__|

17. On October 1, 1997, about how many of the clients recorded in the TOTAL box at Q.12g were:

- Provide your answers *either* as numbers or percentages. Your best estimate is fine. If a reasonable estimate is not possible, mark the “Unknown” box.
- For 17a and 17b, the number entered should not exceed the total number of females reported in Q.15.
- The active clients in Q.12 can be reported more than once in categories a-h below.

	Number	OR	Percentage	Unknown
a. Pregnant?	__ , __ __ __		__ __ __ .00 %	<input type="checkbox"/> -1
b. Women with dependent children?	__ , __ __ __		__ __ __ .00 %	<input type="checkbox"/> -1
c. Injection drug users at the time of admission?	__ , __ __ __		__ __ __ .00 %	<input type="checkbox"/> -1
d. Known as having an active case of tuberculosis (TB)?	__ , __ __ __		__ __ __ .00 %	<input type="checkbox"/> -1
e. HIV positive?	__ , __ __ __		__ __ __ .00 %	<input type="checkbox"/> -1
f. Clients who had previously received substance abuse treatment from you or another facility?	__ , __ __ __		__ __ __ .00 %	<input type="checkbox"/> -1
g. Covered by managed care arrangements	__ , __ __ __		__ __ __ .00 %	<input type="checkbox"/> -1
h. Criminal justice referred clients (excluding DUI/DWI)	__ , __ __ __		__ __ __ .00 %	<input type="checkbox"/> -1

18. From October 1, 1996 to September 30, 1997—or during the most recent 12-month period for which information is available— what was this facility’s:

- DO NOT INCLUDE NONTREATMENT CLIENTS

a. <u>Total number of substance abuse treatment admissions</u> —count <u>every admission</u> for the year, which includes each admission for clients readmitted for treatment or clients entering more than one type of care	12 - MONTH ADMISSIONS	__ __ , __ __ __
b. <u>Unduplicated count of substance abuse treatment clients</u> —count <u>every client</u> treated during that time period—both new clients and clients already receiving treatment. HOWEVER, count each client only once, even if a client was readmitted or treated more than once during the time period. (This count should be <u>no less than</u> the total reported at Q.12g)	12 - MONTH CLIENTS	__ __ , __ __ __

19. Is the number entered in:

	<u>Actual Count</u>	<u>Best Estimate</u>
a. Q.18a an actual admissions count for the year or your best estimate?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b. Q.18b an actual unduplicated count for the year or your best estimate?	<input type="checkbox"/> 1	<input type="checkbox"/> 2

20. As of October 1, 1997, which of these services were being provided at this substance abuse facility?

MARK ALL THAT APPLY

Assessment Services

- 1 Comprehensive substance abuse assessment/diagnosis
- 2 Comprehensive mental health assessment/diagnosis (for example, psychological/psychiatric evaluation and testing)
- 3 Other (Specify: _____)

Therapy

- 4 Family counseling
- 5 Group therapy, not including relapse prevention
- 6 Individual therapy
- 7 Pharmacotherapies/prescription medication
- 8 Relapse prevention groups
- 9 Other (Specify: _____)

Testing (Include testing service even if specimen is sent to outside source for chemical analysis)

- 10 Blood alcohol testing (including breathalyzer)
- 11 Drug/alcohol urine screening
- 12 Hair analysis
- 13 Hepatitis testing
- 14 HIV testing
- 15 STD testing
- 16 TB screening
- 17 Other (Specify: _____)

Health Services

- 18 Family planning
- 19 Medical care (including physical exams)
- 20 Prenatal care
- 21 Perinatal care
- 22 TB treatment
- 23 Health education (for example, nutrition, contagious diseases, STD other than HIV/AIDS)
- 24 HIV/AIDS education/counseling/support
- 25 Smoking cessation
- 26 Other (Specify: _____)

Continuing Care

- 27 Aftercare counseling
- 28 Alumni(ae) groups
- 29 Other (Specify: _____)

Programs for Special Groups

- 30 Adolescents
- 31 Dually-diagnosed (mental and substance abuse disorders)
- 32 Persons with HIV/AIDS
- 33 Pregnant/Postpartum women
- 34 Other (Specify: _____)

Transitional Services

- 35 Assistance with obtaining Social Services (i.e., Medicaid, WIC, SSI, SSDI)
- 36 Discharge planning
- 37 Employment counseling/training
- 38 Housing assistance
- 32 Referral to other services
- 40 Other (Specify: _____)

Community Outreach

- 41 Drug and alcohol education
- 42 Outreach/early intervention
- 43 Media presentations (T.V., radio, brochures)
- 44 Membership in a community partnership program
- 45 Other (Specify: _____)

Other Services

- 46 Academic education/GED classes
- 47 Acupuncture
- 48 Case management services
- 49 Child care
- 50 Communication skills
- 51 Detoxification from substance of abuse
- 52 Domestic violence - family/partner violence services (physical, sexual and emotional abuse)
- 53 Home visits
- 54 Life skills for independent living
- 55 Outcome follow-up (post-discharge)
- 56 Parenting/family skills development
- 57 Self-help groups, including 12-step programs
- 58 Socialization/recreational services (for example, scheduled activities such as camping, sporting events)
- 59 Transportation assistance to treatment
- 60 Other (Specify: _____)

23. To answer Q.22, did you primarily use:

MARK ONE ONLY

- 1 An audited financial statement for the substance abuse treatment facility on the cover
- 2 An unaudited financial statement for the substance abuse treatment facility on the cover
- 3 The annual budget for the substance abuse treatment facility on the cover
- 4 A financial statement, budget, or records from an administrative parent
- 5 Estimates based on other records, budgets, or statements
- 6 Other estimates

24. Does the revenue or funding information reported in Q.22 include revenues or funding for a site OTHER THAN the one identified on the cover of this questionnaire?

- 1 Yes
- 2 No → **SKIP TO Q.25**

24a. Please complete a block below for each site whose revenue or funding information is included in Q.22. Make a photocopy of this page if more address blocks are needed or send your own printout.

NFR ID # _____ - ____	<input type="checkbox"/> -1 Don't Know
State ID # _____	<input type="checkbox"/> -1 Don't Know
Name _____	

Location Address _____	

City _____	
State _____	ZIP Code _ _ _ _ _ _ _
Telephone (_ _ _ _) - _ _ _ _ - _ _ _ _ _	
Ext. (if any) _____	

NFR ID # _____ - ____	<input type="checkbox"/> -1 Don't Know
State ID # _____	<input type="checkbox"/> -1 Don't Know
Name _____	

Location Address _____	

City _____	
State _____	ZIP Code _ _ _ _ _ _ _
Telephone (_ _ _ _) - _ _ _ _ - _ _ _ _ _	
Ext. (if any) _____	

25. Were you able to provide revenue or funding sources in Q.22 for at least 75 percent of the total reported revenue?

- 1 Yes → **SKIP TO Q.26, PAGE 10**
- 2 No

25a. Is there another organization that can provide the revenue or funding information for your facility?

- 1 Yes → **GO TO Q.25b, PAGE 10**
- 2 No →

Please explain: _____

SKIP TO Q.26, PAGE 10

25b. Please provide the following information for that organization.

Name of Organization _____		

Mailing Address _____		

City _____	State _____	ZIP Code _____
Name (Contact Person) _____		
Telephone (_ _ _ _)- _ _ _ _ - _ _ _ _	Ext. (if any) _____	

26. In addition to the funding you received for providing substance abuse treatment services, did you receive any Federal or State funding earmarked for prevention activities during the same 12-month period reported in Q.21a, page 8?

- 1 Yes
- 2 No
- 1 Don't Know

27. Please provide the following information about the person primarily responsible for completing this form.

- 1. Name: _____
- 2. Telephone Number:(_____) - _____
- 3. FAX Number:(_____) - _____ OR No FAX Number
- 4. Internet Address: _____ OR No Internet Address

28. When completed, you will be able to access the 1997 National Directory and the 1997 UFDS Data Report on the World Wide Web via SAMHSA's home page at www.samhsa.gov. If you would like to receive a paper copy of the National Directory or the data report, or the National Directory on diskette, please indicate below.

- 1 National Directory - paper copy
- 2 National Directory - diskette (requires minimum of 8 MB RAM and 386 or higher processor)
- 3 Report of UFDS survey findings - paper copy

Thank you for your participation. Please return this questionnaire in the envelope provided. If you no longer have the envelope, please mail this questionnaire to:

MATHEMATICA POLICY RESEARCH, INC.
ATTN: Pat Nemeth
P.O. Box 2393
Princeton, NJ 08543-2393

APPENDIX B

ORGANIZATIONAL SETTING

A consistent goal of UFDS has been to identify *treatment setting*, a concept that is subject to a variety of definitions and interpretations. Definitions of treatment setting generally fall into three categories. A treatment setting may be an organizational setting (e.g., a hospital or mental health center). It may indicate a treatment philosophy (e.g., social model or therapeutic community). Finally, it may indicate living arrangements while in treatment (e.g., outpatient, residential, halfway house). These different definitions are driven by the many different needs of data users. For example, treatment setting may be used by payers to set rates, by treatment professionals to determine levels of care, or by planners to determine system needs.

UFDS planners have tried to incorporate data elements that permit analysis of treatment setting from different viewpoints. These data elements have changed as the questionnaire evolved over time. In general, prior to 1995, organizational setting was collected in a single environment/location/setting question. Treatment philosophy and client living arrangement were collected in client census matrices, which cross-tabulated modality/type of care with environment/facility location. In 1995, the client census matrices were simplified to reduce the reporting burden, and the environment/setting/location question was expanded to recapture information lost from the matrices.

In the 1997 UFDS survey, treatment setting was collected in two related questions (Questions 6 and 6a; see Appendix A). Respondents were asked to select which one setting best described the facility. Options included general

hospital; psychiatric hospital; other specialized hospital; solo practice; group practice; school; jail, prison, or juvenile detention center; other criminal justice setting; and other setting. Facilities that selected ‘Other setting’ were asked to describe the facility more specifically, selecting all options that applied from a list that included: outpatient substance abuse treatment facility; community mental health center (CMHC); community health center; halfway house; therapeutic community; other residential substance abuse treatment facility; community or religious organization/agency providing a variety of social services; and other setting. This multiple listing, in conjunction with the counts of clients in treatment by type of care, was designed to permit flexibility in the definition and analysis of treatment setting.

The definition of treatment setting used in this report corresponds to that of *organizational setting*. To present facility and client data by organizational setting, it was necessary to assign each facility to a single setting category. Categories for the first question part of the setting question (where only one category could be checked) were essentially unchanged, although some were combined:

- General hospital (including VA hospitals that checked ‘Other specialized hospitals’)
- Psychiatric and other (non-VA) specialized hospitals
- Solo and group practices
- Criminal justice (jail, prison, juvenile detention, and other criminal justice settings)

Categories for the second part of the setting question, where multiple responses were permitted, were determined first on the basis of

whether a larger organizational affiliation was indicated. Thus facilities indicating that they were set in a community mental health center, community health center, or community or religious agency/organization were categorized as such. Facilities not indicating such an affiliation were classified as *Specialty substance abuse treatment facilities*. These were further subdivided according to client living arrangement (outpatient, residential, or mixed outpatient and residential). Categories for the second question were:

- Community mental health center or other mental health facility
- Community health center
- Community or religious agency/organization
- Specialty substance abuse treatment facility
 - Outpatient
 - Residential (halfway house, therapeutic community, other residential substance abuse treatment facility)
 - Mixed outpatient and residential

Facilities indicating more than one larger affiliation (such as both CMHC and community health center) were classified as *Mixed/Unknown*. This category also included the few facilities that indicated that they were schools in the first question.