

**NATIONAL SURVEY OF SUBSTANCE ABUSE  
TREATMENT SERVICES (N-SSATS), 2019**

**CODEBOOK**

Center for Behavioral Health Statistics and Quality  
Substance Abuse and Mental Health Services Administration

## **Acknowledgments**

This data file was prepared for the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (HHS).

## **Terms of Use**

These data are distributed under the following terms of use; by continuing past this page, you signify agreement to comply with the requirements below.

## **Privacy of Study Respondents**

Any intentional identification of an individual or organization, or unauthorized disclosure of identifiable information, violates the promise of confidentiality given to the providers of the information. Disclosure of identifiable information may also be punishable under federal law. Therefore, users of data agree to:

Use these data sets solely for research or statistical purposes, and not for investigation or re-identification of specific individuals or organizations.

Make no use of the identity of any individual discovered inadvertently, and report any such discovery to SAMHSA ([BHSIS\\_HelpDesk@eagletechva.com](mailto:BHSIS_HelpDesk@eagletechva.com)).

## **Public Domain Notice**

All material appearing in this document is in the public domain and may be reproduced or copied without permission from SAMHSA. Citation of the source is appreciated. This publication may not be reproduced or distributed for a fee without specific, written authorization of the Office of Communications, SAMHSA, U.S. Department of Health and Human Services.

## **Recommended Citation**

Substance Abuse and Mental Health Services Administration, *National Survey of Substance Abuse Treatment Services (N-SSATS): 2019. Data on Substance Abuse Treatment Facilities*. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2020.

Authors that use these data are strongly encouraged to send citations of their publications to SAMHSA for inclusion in a database of related work ([BHSIS\\_HelpDesk@eagletechva.com](mailto:BHSIS_HelpDesk@eagletechva.com)).

## **Disclaimers**

Data users acknowledge that SAMHSA and Eagle Technologies, Inc., bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

SAMHSA complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. *SAMHSA cumple con las leyes federales de derechos civiles aplicables y no discrimina por motivos de raza, color, nacionalidad, edad, discapacidad o sexo.*

## **Violations**

If SAMHSA determines this terms of use agreement has been violated, possible sanctions include:

- report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution;
- report of the violation to the Federal Office for Human Research Protections, if the confidentiality of human subjects has been violated;
- report of the violation of federal law to the United States Attorney General for possible prosecution;
- court-awarded payments of damages to any individual(s) or organization(s) harmed by the breach of confidential data.



# DESCRIPTION OF THE NATIONAL SURVEY OF SUBSTANCE ABUSE TREATMENT SERVICES (N-SSATS)

The 2019 National Survey of Substance Abuse Treatment Services (N-SSATS) was conducted between March and December 2019, with a reference date of March 29, 2019. It is the 42<sup>nd</sup> in a series of national surveys begun in the 1970s. The surveys were designed to collect data on the location, characteristics, and use of alcohol and drug abuse treatment facilities and services throughout the 50 states, the District of Columbia, and other jurisdictions.<sup>1</sup> The Center for Behavioral Health Statistics and Quality (CBHSQ) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services, plans and directs the N-SSATS.

N-SSATS is designed to collect information from all facilities in the United States, both public and private, that provide substance abuse treatment.<sup>2</sup>

N-SSATS provides a mechanism for quantifying the dynamic characteristics and composition of the U.S. substance abuse treatment delivery system. N-SSATS collects multipurpose data that can be used to:

- assist SAMHSA and state and local governments in assessing the nature and extent of services provided in state-supported and other substance abuse treatment facilities and in forecasting substance abuse treatment resource requirements;
- update SAMHSA's Inventory of Behavioral Health Services (I-BHS), which includes all known drug and alcohol abuse treatment facilities, both public and private;
- analyze substance abuse treatment services trends and conduct comparative analyses for the nation, regions, and states;
- generate the *National Directory of Drug and Alcohol Abuse Treatment Facilities*, a compendium of facilities approved by state substance abuse agencies for the provision of substance abuse treatment; and
- update the information in SAMHSA's Behavioral Health Treatment Services Locator, a searchable database of facilities that provide treatment. The Treatment Services Locator is available on the Internet at: <https://findtreatment.samhsa.gov>

---

<sup>1</sup> The jurisdictions include the territory of Guam, the Federated States of Micronesia, the Commonwealth of the Northern Mariana Islands, the Republic of Palau, the Commonwealth of Puerto Rico, and the Virgin Islands of the United States.

<sup>2</sup> Entities responding to N-SSATS are referred to as "facilities," which may be a program-level, clinic-level, or multi-site respondent.

## Data Collection Procedures for the 2019 N-SSATS

### *Field period and reference date*

The survey reference date for the 2019 N-SSATS was March 29, 2019. The field period was from March 29, 2019, through December 17, 2019.

### *Survey universe*

The 2019 N-SSATS facility universe totaled 19,795 facilities, including all 17,421 active treatment facilities on SAMHSA's I-BHS at a point four weeks before the survey reference date, and 2,374 facilities that were added by state substance abuse agencies or otherwise discovered during the data collection period.

### *Content*

The 2019 N-SSATS questionnaire contained 37 numbered questions. Topics included:

- facility identification information;
- operating entity;
- primary focus;
- type of care provided, i.e.
  - outpatient treatment services (regular outpatient treatment, intensive outpatient treatment, day treatment or partial hospitalization, detoxification, methadone/buprenorphine maintenance or naltrexone treatment),
  - residential (non-hospital) treatment services (long-term—more than 30 days, short-term—30 days or fewer, detoxification), and
  - hospital inpatient treatment services (inpatient treatment, inpatient detoxification);
- services offered (assessment and pre-treatment services, medical services, recovery support services, education and counseling services, pharmacotherapies, testing, transitional services, ancillary services, and other services);
- clinical/therapeutic approaches;
- special programs or groups provided for specific client types;
- provision of treatment services in sign language and/or in languages other than English;
- detoxification from alcohol, benzodiazepines, opioids, cocaine, methamphetamines, or other drugs, and routine use of medication during detoxification;
- client outreach (outreach to persons in the community who may need treatment);
- licensure, certification, or accreditation agencies or organizations;

- payment options accepted, including use of a sliding fee scale and/or treatment at no charge or minimal payment;
- receipt of government funding;
- smoking policy;
- the operation of an opioid treatment program (OTP) certified by SAMHSA offering maintenance and/or detoxification, and medications used;
- number of clients in treatment on March 29, 2019 (total clients; clients by type of treatment; total clients under the age of 18 years; and clients who were receiving methadone, buprenorphine, or naltrexone);
- percentage of clients in treatment on March 29, 2019, for abuse of both alcohol and drugs, alcohol abuse only, and drug abuse only;
- percentage of clients in treatment on March 29, 2019, with diagnosed co-occurring mental and substance use disorders;
- number of beds designated for residential (non-hospital) and hospital inpatient substance abuse treatment on March 29, 2019;
- whether the facility is a Federally Qualified Health Center (FQHC);
- how alcohol use disorder is treated and medications used;
- number of clients in treatment on March 29, 2019, who received medication for alcohol use disorder, medications used, and the type of care provided; and
- for Veterans Affairs (VA) facilities, suicide prevention-related services offered, suicide prevention interventions used, standardized suicide screening and evaluation tools used or made available, the number of clients identified for high risk of suicide, and the types of care provided to such clients.

### *Data collection*

There were three modes of data collection employed: a secure web-based questionnaire, a paper questionnaire sent by mail, and a telephone interview. About five weeks before the survey reference date of March 29, 2019, letters were mailed to all facilities to announce the survey. The letters also served to update records with new address information received from the U.S. Postal Service. During the last week of March 2019, a data collection packet (including the SAMHSA cover letter, state-specific letter of endorsement, state profile, information on completing the survey on the web, and a sheet of frequently asked questions) was mailed to each facility. To ease the burden on respondents, many of the data items that typically do not change from year to year were prefilled in the web-based questionnaire for those facilities that had completed the 2018 survey. Respondents could also request a paper questionnaire be sent to them.

During the data collection phase, contract personnel was available to answer facilities' questions concerning the survey. Support for facilities completing the questionnaire on the web was also available by e-mail. About three weeks after the initial data collection packet mailing, thank you/

reminder letters were sent to all facilities. Approximately nine weeks after the initial packet mailing, non-responding facilities were mailed a second packet. About one week after the second packet mailing, non-respondents received a reminder telephone call. A third packet containing a hard copy questionnaire was mailed about nine weeks after the second packet mailing. Those facilities that had not completed the survey by June 7, 2019, received reminder calls and were asked to complete the survey by computer-assisted telephone interview (CATI).

#### *Quality assurance*

The web questionnaire was programmed to be self-editing; that is, respondents were prompted to complete missing responses and to confirm or correct inconsistent responses.

All mail questionnaires were reviewed manually for consistency and for missing data. Calls were made to facilities to resolve unclear responses and to obtain missing data. After data entry, automated quality assurance reviews were conducted. The reviews incorporated the rules used in manual editing, plus consistency checks and checks for data outliers not readily identified by manual review.

Item non-response was minimized through editing and extensive follow-up. The item response rate for the 2019 N-SSATS averaged more than 99 percent across 329 separate items.

#### *Facility status and response rate*

*Table 1.1* presents a summary of response rate information. There were 19,795 facilities in the survey universe. Of these facilities, 1,987 facilities (10 percent) were found to be ineligible for the survey because they had closed or did not provide substance abuse treatment or detoxification. Of the remaining 17,808 facilities, 16,275 facilities (91 percent) completed the survey, and 15,961 (90 percent) were included in the 2019 N-SSATS report.



**Table 1.1. N-SSATS facilities, by status and mode of response: 2019**

	<i>Number</i>	<i>Percent</i>
<b>Total facilities in universe</b>	<b>19,795</b>	<b>100.0</b>
Closed/ineligible	1,987	10.0
Eligible	17,808	90.0
<b>Total eligible</b>	<b>17,808</b>	<b>100.0</b>
Non-respondents	1,533	8.6
Respondents	16,275	91.4
Excluded from report <sup>1</sup>	213	1.2
Roll-ups <sup>2</sup>	101	0.6
Included in report	15,961	89.6
<b>Mode of response</b>	<b>15,961</b>	<b>100.0</b>
Internet	14,338	89.6
Telephone	1,450	9.1
Mail	173	1.1

<sup>1</sup> Facilities excluded from the report included 125 non-treatment halfway houses, 55 solo practices not approved by the state agency for inclusion, and 33 facilities that treated incarcerated clients only.

<sup>2</sup> Facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS), 2019.

## Facility Selection for the 2019 N-SSATS Report


*Table 1.1.* The N-SSATS questionnaire is deliberately sent to some facilities that are excluded from the 2019 N-SSATS report, as explained below. For this cycle, 213 of the 16,275 questionnaire respondents provided information but were deemed out of the scope of the 2019 N-SSATS report. The excluded facilities and reasons for exclusion fell into three categories:

- 125 facilities were halfway houses that did not provide substance abuse treatment. These facilities were included in the survey so that they could be listed in the Directory and SAMHSA’s Behavioral Health Treatment Services Locator.
- 55 facilities were solo practitioners. I-BHS and N-SSATS are designed to include facilities rather than individuals. Solo practitioners are listed and surveyed only if a state substance abuse agency explicitly requests that they be included in the survey. The excluded solo practitioners were not identified for inclusion by a state substance abuse agency.
- 33 facilities were jails, prisons, or other organizations that treated incarcerated clients exclusively.

In addition to the facilities that were excluded from the report, there were 101 facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately. After the exclusion of 213 out-of-scope facilities and the roll-up of 101 facilities, 15,961 eligible respondent facilities remained to be included in the 2019 N-SSATS report.

## Survey Response Mode

*Figure 1.* The proportion of facilities using the web survey to respond to N-SSATS has increased steadily since the option was introduced in 2002. The percentage of facilities responding via the web increased from 33 percent in 2005 to 90 percent in 2019. Mail response declined from 45 percent in 2005 to 1 percent in 2019. Telephone response, which represents a follow-up of facilities that had not responded by mail or web, also declined, from 22 percent in 2005 to 9 percent in 2019.



SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS), 2005–2019.

## Data Considerations and Limitations

As with any data collection effort, certain procedural considerations and data limitations must be taken into account when interpreting data from the 2019 N-SSATS.

- N-SSATS attempts to obtain responses from all known treatment facilities, but it is a voluntary survey. There was no adjustment for the 9 percent facility non-response.
- N-SSATS is a point-prevalence survey. It provides information on the substance abuse treatment system and its clients on the reference date. Client counts reported do not represent annual totals. Rather, N-SSATS provides a “snapshot” of substance abuse treatment facilities and clients on an average day.
- Multiple responses were allowed for certain variables (e.g., services provided and specialized programs). Tabulations of these variables include the total number of facilities reporting each response.

## Terminology

The majority of tables in the 2019 N-SSATS report are organized by facility operation and type of care. Therefore, it is important to define these terms.

*Facility operation* indicates the type of entity responsible for the operation of the facility:

- private for-profit
- private non-profit
- government
  - local, county, or community
  - state
  - federal (Department of Veterans Affairs, Department of Defense, Indian Health Service, other)
  - tribal

*Clients in treatment* were defined as:

- hospital inpatient or residential (non-hospital) clients who received substance abuse treatment services at the facility on March 29, 2019; and
- outpatient clients who were seen at the facility for a substance abuse treatment or detoxification service at least once during the month of March 2019, and who were still enrolled in treatment on March 29, 2019.

*Type of care* indicates the services the facility offers:

- outpatient
  - regular outpatient
  - intensive outpatient
  - outpatient day treatment or partial hospitalization

- outpatient detoxification
- outpatient methadone/buprenorphine maintenance or naltrexone treatment
- residential (non-hospital)
  - short-term (30 days or less)
  - long-term (more than 30 days)
  - detoxification
- hospital inpatient
  - inpatient detoxification
  - inpatient treatment

For more information about the 2019 N-SSATS, including data tables, see:

<https://www.samhsa.gov/data/data-we-collect/n-ssats-national-survey-substance-abuse-treatment-services>

# N-SSATS BACKGROUND

## Survey History

N-SSATS has evolved from national survey efforts begun in the 1970s by the National Institute on Drug Abuse (NIDA) to measure the scope and use of drug abuse treatment services in the United States. The sixth of these surveys, conducted in 1976, introduced the data elements and format that have formed the core of subsequent surveys. These include organizational focus, service orientation, services available, clients in treatment by type of care, and hospital inpatient/residential capacity. The 1976 survey, called the National Drug Abuse Treatment Utilization Survey, was repeated in 1977 and 1978.

In 1979, the National Institute on Alcohol Abuse and Alcoholism (NIAAA) became a co-sponsor of the survey, alcoholism treatment facilities were added, and the study was renamed the National Drug and Alcoholism Treatment Utilization Survey. This survey was repeated in 1980 and 1982. In 1984, a one-page version called the National Alcoholism and Drug Abuse Program Inventory was used. In 1987, the full version of the survey was reinstated and renamed the National Drug and Alcoholism Treatment Unit Survey (NDATUS). NDATUS was conducted annually from 1989 to 1993.

In 1992, with the creation of SAMHSA, responsibility for conducting the survey shifted to SAMHSA's Office of Applied Studies (now the Center for Behavioral Health Statistics and Quality). The survey was redesigned, and it was conducted annually as the Uniform Facility Data Set (UFDS) survey from 1995 to 1998. During these years, the survey was conducted by mail with telephone follow-up of non-respondents. The 1999 survey year was a transition year during which the survey was redesigned and an abbreviated telephone survey of treatment facilities was conducted. In 2000, a redesigned full mail survey was reinstated with telephone follow-up; it was renamed the National Survey of Substance Abuse Treatment Services (N-SSATS). The reference date for the annual survey had always been the end of September or beginning of October. After the 2000 survey, the reference date was changed to the end of March, and no survey was conducted during 2001.

In 2000, the use of an Internet-based questionnaire was tested; beginning in 2002, all facilities were offered the opportunity to respond via the Internet.

Since 2013, the full N-SSATS questionnaire (with client counts) has alternated with an abbreviated version of the questionnaire. The full questionnaire, fielded in odd-numbered years, collects data on programs and clients; in alternate (even-numbered) years, an abbreviated N-SSATS questionnaire collects the program information needed to update the substance abuse section of the Behavioral Health Treatment Services Locator and collects information on other facility-related topics.

## **N-SSATS in the Context of the Behavioral Health Services Information System (BHSIS)**

N-SSATS is one of the components of SAMHSA’s Behavioral Health Services Information System (BHSIS). The core of BHSIS is the Inventory of Behavioral Health Services (I-BHS), a continuously updated, comprehensive listing of all known substance abuse treatment facilities and mental health treatment facilities. The other substance abuse component of BHSIS is the Treatment Episode Data Set (TEDS), a client-level database of admissions to and discharges from substance abuse treatment. Together, the components provide national- and state-level information on the numbers and characteristics of individuals admitted to alcohol and drug treatment programs and describe the facilities that deliver care to those individuals.

I-BHS is the list frame for N-SSATS. Facilities in I-BHS fall into two general categories and are distinguished by the relationship of the facility to its state substance abuse agency. These categories are described below.

### *Treatment facilities approved by state substance abuse agencies*

The largest group of facilities (17,087 in 2019) includes facilities that are licensed, certified, or otherwise approved by the state substance abuse agency to provide substance abuse treatment. State BHSIS representatives maintain this segment of I-BHS by reporting new facilities, closures, and address changes to SAMHSA. Some facilities are not licensed, certified, or otherwise approved by the state agency. Some private for-profit facilities fall into this category. The approved facility group also includes programs operated by federal agencies—the Department of Veterans Affairs (VA), the Department of Defense, the Indian Health Service—and opioid treatment programs certified by SAMHSA. I-BHS records for federally operated facilities are updated annually through lists provided by these agencies.

### *Treatment facilities not approved by state substance abuse agencies*

This group of facilities (2,708 in 2019) represents SAMHSA’s effort since the mid-1990s to make I-BHS as comprehensive as possible by including treatment facilities that state substance abuse agencies, for a variety of reasons, do not fund, license, or certify. Many of these facilities are private for-profit, small group practices, or hospital-based programs. Most of them are identified through periodic screening of alternative source databases. (See *Special efforts to improve survey coverage*.) State substance abuse agencies are given the opportunity to review these facilities and to add them to the state agency-approved list, if appropriate.

## **Survey Coverage**

The use of I-BHS as the list frame for N-SSATS imposes certain constraints related to the unit of response and the scope of facilities included. In addition, the expansion of I-BHS in recent years to provide a more complete enumeration of substance abuse treatment facilities means that year-to-year comparisons of the numbers of facilities reporting to N-SSATS must be interpreted with caution.

### *Unit of response*

N-SSATS is designed to collect data from each physical location where treatment services are provided. Accordingly, SAMHSA requests that state substance abuse agencies use the point of

delivery of service (i.e., physical location) as the defining factor for a facility. Because of the different state administrative systems, however, there are some inconsistencies in implementation. For example, in some states, multiple treatment programs (e.g., detoxification, residential, and outpatient) at the same address and under the same management have separate state licenses. These are treated as separate by the state substance abuse agency, and are given separate I-BHS ID numbers. In other states, multiple sites are included as a single entity under a parent or administrative unit. In many of these cases, individual sites can report services data in N-SSATS, but client data are available only at a higher administrative level. Beginning in 1995, efforts have been made to identify facility networks and to eliminate duplicate reporting by networks. For most facilities, reporting levels remain consistent from year to year. However, beginning in 1998, an emphasis was placed on collecting minimum information from all physical locations, and this resulted in an increase in the number of facilities.

### *Special efforts to improve survey coverage*

The great majority of treatment facilities in I-BHS are administratively monitored by state substance abuse agencies. Therefore, the scope of facilities included in I-BHS is affected by differences in state systems of licensure, certification, accreditation, and the disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency.

To address these differences, SAMHSA conducted a large-scale effort during 1995 and 1996 to identify substance abuse treatment facilities that, for a variety of reasons, were not on the inventory. About 15 source lists were examined, and facilities not on the inventory were contacted to ascertain whether or not they provided substance abuse treatment. As expected, this yielded a number of hospital-based and small private facilities that were not on the inventory. (These facilities were surveyed in 1995 and 1996, but they were not included in the published results of the survey until 1997.) Analysis of the results of this effort led to similar but more targeted updates before subsequent surveys. Potential new facilities are identified using data from infoUSA (formerly the American Business Index), the annual American Hospital Association survey, and SAMHSA's National Mental Health Services Survey, the source lists that yielded the most new facilities in 1995 and 1996. Survey participants, who are asked to report all of the treatment facilities in their administrative networks, also identify additional facilities during the survey itself. All newly identified facilities are initially included as not approved by the state substance abuse agency. State substance abuse agencies are given the opportunity to review these facilities and to add them to the state agency-approved list, if appropriate.

Expansion of survey coverage to include all sites within networks at which treatment was provided yielded a net increase of about 2,600 facilities between 1997 and 1998. These additions were not necessarily new facilities, but were facilities not previously included in the survey as separate sites. Between 2009 and 2019, the number of facilities eligible for inclusion in the 2019 N-SSATS report varied between 13,513 and 15,961. The total number is deceptive, however. There was significant turnover as facilities closed and others opened.

### *Data collection*

Until 1996, state substance abuse agencies distributed and collected the facility survey forms. Beginning in 1996, data collection was centralized; since that time, SAMHSA has mailed survey forms directly to and collected forms directly from the facilities and has conducted follow-up telephone interviews with the facility director or his/her designee. In 2000, SAMHSA introduced an online web version of the questionnaire for a few facilities in addition to the hard copy questionnaire. The web version of the questionnaire was fully implemented in 2002. The proportion of facilities using the web survey to respond to N-SSATS has increased steadily since its full inception in 2002.

### *Non-response*

Beginning in 1992, SAMHSA expanded efforts to obtain information from non-responding facilities. A representative sample of non-respondents was contacted and administered an abbreviated version of the survey instrument via telephone. In 1993 and later years, this effort was extended to all non-responding facilities. In 1997, a series of measures was introduced to enhance the survey response rate. These included advance notification and improved methods for updating address and contact information. Between 2004 and 2018, use of these methods and intensive telephone follow-up resulted in an annual follow-up rate (i.e., facilities in the sample either completed the survey or were determined to be closed or otherwise ineligible) of 92 to 96 percent. In 2019, the final response rate, counting eligible facilities, was 91 percent.

### *Exclusions*

In 1997, facilities offering only DUI/DWI programs were excluded; these facilities were reinstated in 1998.

Facilities operated by the Bureau of Prisons (BOP) were excluded from the 1997 survey and subsequent surveys because SAMHSA conducted a separate survey of correctional facilities.<sup>3</sup> During that survey, it was discovered that jails, prisons, and other organizations treating incarcerated persons only were poorly enumerated on the inventory. Beginning in 1999, these facilities were identified during the survey and excluded from analyses and public use data files.

I-BHS and N-SSATS are designed to include specialty substance abuse treatment facilities rather than individuals. Solo practitioners are listed on I-BHS and surveyed in N-SSATS only if the state substance abuse agency explicitly requests that they be included.

Beginning in 2000, halfway houses that did not provide substance abuse treatment were included on the inventory and in N-SSATS so that they could be listed in the *National Directory of Drug and Alcohol Abuse Treatment Facilities* (formerly the *National Directory of Drug and Alcohol Abuse Treatment Programs*) and on the Behavioral Health Treatment Services Locator (<https://findtreatment.samhsa.gov>). These facilities are excluded from analyses and public use data files.

---

<sup>3</sup> SAMHSA, Office of Applied Studies. *Substance Abuse Treatment in Adult and Juvenile Correctional Facilities: Findings From the Uniform Facility Data Set 1997 Survey of Correctional Facilities*. Drug and Alcohol Services Information System Series: S-9. DHHS Publication No. (SMA) 00-3380. Rockville, MD, 2000.



## Changes in Survey Content

Since 1992, SAMHSA has made adjustments each year to the survey design, both to minimize non-response and to include areas of emerging interest. For example, questions on the number of clients in treatment receiving buprenorphine were added in 2004. Questions about clinical/therapeutic methods, standard practices, and Access to Recovery grants were added in 2007. Questions about facility smoking policy were added in 2011; questions about outpatient facility operating capacity were modified in 2012; questions about injectable naltrexone (Vivitrol®) as a pharmacotherapy were added in 2011; questions about work activity and means to accomplish them, as well as the question asking for client counts of those prescribed extended-release injectable naltrexone (Vivitrol®), were added in 2013; and in 2017 the questions asking for client counts of those prescribed Vivitrol® were changed to request client counts of those receiving naltrexone for opioid use disorder.

There have also been changes within content areas. For example, in response to concerns about over-reporting of programs or groups for specific client types, the survey question was revised in 2003 to distinguish between those facilities that accepted specific client types and those facilities that offered specially designed programs or groups for that client type. As a result, the number and proportion of facilities offering programs or groups for each of the specified client types decreased. Surveys from 2003 and later are believed to more accurately represent the number and proportions of facilities providing programs or groups for the specified client types. In addition, over time more categories have been added to the specific client types (e.g., persons who have experienced trauma, active duty military, and members of military families in 2012 and young adults, persons who have experienced sexual abuse, and persons who have experienced intimate partner violence, domestic violence in 2013). Because of the increase in client types, the question was split in 2013. The portion asking if specific client types were served was limited to adolescents, adult women, and adult men. In addition, programs or groups were described as “specifically tailored.” In 2014, the first part of the question was revised again to collect another level of detail (i.e., the age range of males and females served, if any). The client types of adolescents, adult women, and adult men were added back to the second part of the question.

Since 2013, the full N-SSATS questionnaire (with client counts) has alternated with an abbreviated version of the questionnaire. This abbreviated questionnaire, first introduced in 2014, collects the facility, program, and services information that are needed to update the Behavioral Health Treatment Services Locator. It omits Section B, which includes the client counts. Other changes to the 2014 questionnaire included reinstatement of the “primary focus” question, which had been dropped from the 2013 questionnaire; in addition, the question asking if a facility operates an opioid treatment program (OTP) was revised: The informational bullets describing OTPs were reworded, and the response categories were more explicit about whether or not the facility operates an OTP, as well as whether or not methadone and/or buprenorphine are used. In 2015, the OTP question was again revised to ask facilities how they treat opioid addiction; the response categories were even more specific about how they used, or did not use, methadone, buprenorphine, or extended-release injectable naltrexone (Vivitrol®) and whether or not the facility was a federally certified OTP. In 2017, reference to Vivitrol® was deleted, and the question referred simply to naltrexone.

### *Changes in the 2019 survey*

In 2019, the question regarding services offered was revised by including three new categories (medical services, recovery support services, and education and counseling services), regrouping items from previous iterations of the survey, and adding new response options.

The 2019 questionnaire also introduced new questions about the sources of medication-assisted therapy (MAT) for opioid use disorder (OUD), as well as the estimated percentages of clients receiving these medication services. Section B of the 2019 survey was further enhanced with questions about the number of clients who received specific medications for alcohol use disorder (AUD) in each service setting.

An addendum to the 2019 questionnaire was also sent to VA facilities for purposes of collecting information about suicide prevention-related services offered.

## FREQUENCIES

Notes: The number in parentheses that follows each variable's headline description, e.g. "(Q.7)," denotes the corresponding question and response in the [survey instrument](#) from which the variable is drawn. All client count variables are derived from more than one question.



## **CASEID: Case identification number**

Program generated case (record) identifier.

A frequency distribution of this variable is not shown; each case has a unique value generated for identification purposes.

Variable Type: numeric

## STATE: State abbreviations

Value	Label	Frequency	%
AK	Alaska	96	0.6%
AL	Alabama	153	1.0%
AR	Arkansas	167	1.0%
AZ	Arizona	446	2.8%
CA	California	1,797	11.3%
CO	Colorado	408	2.6%
CT	Connecticut	220	1.4%
DC	District of Columbia	26	0.2%
DE	Delaware	44	0.3%
FL	Florida	725	4.5%
GA	Georgia	358	2.2%
HI	Hawaii	167	1.0%
IA	Iowa	187	1.2%
ID	Idaho	124	0.8%
IL	Illinois	775	4.9%
IN	Indiana	393	2.5%
KS	Kansas	179	1.1%
KY	Kentucky	449	2.8%
LA	Louisiana	146	0.9%
MA	Massachusetts	438	2.7%
MD	Maryland	431	2.7%
ME	Maine	186	1.2%
MI	Michigan	467	2.9%
MN	Minnesota	403	2.5%
MO	Missouri	281	1.8%
MS	Mississippi	110	0.7%
MT	Montana	88	0.6%
NC	North Carolina	552	3.5%
ND	North Dakota	85	0.5%
NE	Nebraska	131	0.8%
NH	New Hampshire	80	0.5%
NJ	New Jersey	370	2.3%

## STATE: State abbreviations

Value	Label	Frequency	%
NM	New Mexico	166	1.0%
NV	Nevada	106	0.7%
NY	New York	925	5.8%
OH	Ohio	554	3.5%
OK	Oklahoma	208	1.3%
OR	Oregon	234	1.5%
PA	Pennsylvania	600	3.8%
PR	Puerto Rico	97	0.6%
RI	Rhode Island	59	0.4%
SC	South Carolina	121	0.8%
SD	South Dakota	59	0.4%
TN	Tennessee	313	2.0%
TX	Texas	512	3.2%
UT	Utah	310	1.9%
VA	Virginia	254	1.6%
VT	Vermont	48	0.3%
WA	Washington	452	2.8%
WI	Wisconsin	276	1.7%
WV	West Virginia	116	0.7%
WY	Wyoming	57	0.4%
ZZ	Other jurisdictions	12	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: character

## DETOX: Facility offers detoxification (Q.1)

Value	Label	Frequency	%
0	No	12,453	78.0%
1	Yes	3,508	22.0%
	<i>Total</i>	15,961	100%

Variable Type: numeric



## TREATMT: Facility offers substance use treatment (Q.1)

Value	Label	Frequency	%
0	No	178	1.1%
1	Yes	15,783	98.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SMISEDSUD: Facility offers treatment for co-occurring serious mental illness (SMI)/serious emotional disturbance (SED) and substance use disorders (Q.1)**

Value	Label	Frequency	%
0	No	6,559	41.1%
1	Yes	9,402	58.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## OWNERSHP: Organization that operates the facility (Q.8)

Value	Label	Frequency	%
1	Private for-profit organization	6,327	39.6%
2	Private non-profit organization	8,043	50.4%
3	State government	310	1.9%
4	Local, county, or community government	694	4.3%
5	Tribal government	254	1.6%
6	Federal government	333	2.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**FEDOWN: Federal government agency that operates the facility (Q.8a)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	15,628	97.9%
1	Dept of Veterans Affairs	222	1.4%
2	Dept of Defense	69	0.4%
3	Indian Health Service	31	0.2%
4	Other	11	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## HOSPITAL: Facility is a hospital or located in or operated by a hospital (Q.24)

Value	Label	Frequency	%
M	Missing	41	0.3%
0	No	14,530	91.0%
1	Yes	1,390	8.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## LOCS: Type of hospital (Q.24a)

Value	Label	Frequency	%
.	Logical skip	14,569	91.3%
M	Missing	2	0.0%
1	General hospital (including VA hospitals)	1,005	6.3%
2	Psychiatric hospital	320	2.0%
3	Other specialty hospital	65	0.4%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**LOC5: Facility operates transitional housing or a halfway house for substance abuse clients (Q.25)**

Value	Label	Frequency	%
M	Missing	4	0.0%
0	No	14,393	90.2%
1	Yes	1,564	9.8%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## OTP: Facility operates an opioid treatment program (Q.13)

Value	Label	Frequency	%
0	No	14,270	89.4%
1	Yes	1,691	10.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



**ASSESSMENT: Number of assessment and pre-treatment services offered by this facility (Q.12)**

Value	Label	Frequency	%
.	Logical skip	1	0.0%
0	0 assessment services offered	166	1.0%
1	1 assessment service offered	218	1.4%
2	2 assessment services offered	750	4.7%
3	3 assessment services offered	1,370	8.6%
4	4 assessment services offered	2,315	14.5%
5	5 assessment services offered	3,255	20.4%
6	6 assessment services offered	3,562	22.3%
7	7 assessment services offered	3,203	20.1%
8	8 assessment services offered	1,121	7.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## TESTING: Number of testing services offered by this facility (Q.12)

Value	Label	Frequency	%
.	Logical skip	1	0.0%
0	0 testing services offered	1,445	9.1%
1	1 testing service offered	2,198	13.8%
2	2 testing services offered	3,924	24.6%
3	3 testing services offered	2,474	15.5%
4	4 testing services offered	1,098	6.9%
5	5 testing services offered	829	5.2%
6	6 testing services offered	981	6.1%
7	7 testing services offered	1,730	10.8%
8	8 testing services offered	966	6.1%
9	9 testing services offered	315	2.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**MEDICAL: Number of medical services offered by this facility (Q.12)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	1	0.0%
0	0 medical services offered	14,303	89.6%
1	1 medical service offered	271	1.7%
2	2 medical services offered	1,386	8.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**TRANSITION: Number of transitional services offered by this facility (Q.12)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	1	0.0%
0	0 transitional services offered	197	1.2%
1	1 transitional service offered	863	5.4%
2	2 transitional services offered	3,160	19.8%
3	3 transitional services offered	6,134	38.4%
4	4 transitional services offered	5,606	35.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## RECOVERY: Number of recovery support services offered by this facility (Q.12)

Value	Label	Frequency	%
.	Logical skip	1	0.0%
0	0 recovery support services offered	1,890	11.8%
1	1 recovery support service offered	1,929	12.1%
2	2 recovery support services offered	2,354	14.7%
3	3 recovery support services offered	2,791	17.5%
4	4 recovery support services offered	2,906	18.2%
5	5 recovery support services offered	2,802	17.6%
6	6 recovery support services offered	1,288	8.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**EDUCATION: Number of education and counseling services offered by this facility  
(Q.12)**

Value	Label	Frequency	%
.	Logical skip	2	0.0%
0	0 education and counseling services offered	81	0.5%
1	1 education and counseling service offered	99	0.6%
2	2 education and counseling services offered	211	1.3%
3	3 education and counseling services offered	822	5.2%
4	4 education and counseling services offered	1,271	8.0%
5	5 education and counseling services offered	2,440	15.3%
6	6 education and counseling services offered	2,319	14.5%
7	7 education and counseling services offered	2,193	13.7%
8	8 education and counseling services offered	2,461	15.4%
9	9 education and counseling services offered	3,077	19.3%
10	10 education and counseling services offered	985	6.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## ANCILLARY: Number of ancillary services offered by this facility (Q.12)

Value	Label	Frequency	%
.	Logical skip	1	0.0%
0	0 ancillary services offered	584	3.7%
1	1 ancillary service offered	1,454	9.1%
2	2 ancillary services offered	2,541	15.9%
3	3 ancillary services offered	3,335	20.9%
4	4 ancillary services offered	3,597	22.5%
5	5 ancillary services offered	2,564	16.1%
6	6 ancillary services offered	1,334	8.4%
7	7 ancillary services offered	411	2.6%
8	8 ancillary services offered	135	0.8%
9	9 ancillary services offered	5	0.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**OTHER\_SRVC: Number of other services offered by this facility (Q.12)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	1	0.0%
0	0 other services offered	9,259	58.0%
1	1 other service offered	3,460	21.7%
2	2 other services offered	1,094	6.9%
3	3 other services offered	2,147	13.5%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



**PHARMACOTHERAPIES: Number of pharmacotherapies offered by this facility (Q.12)**

Value	Label	Frequency	%
0	0 pharmacotherapies offered	5,534	34.7%
1	1 pharmacotherapy offered	1,953	12.2%
2	2 pharmacotherapies offered	1,074	6.7%
3	3 pharmacotherapies offered	1,015	6.4%
4	4 pharmacotherapies offered	811	5.1%
5	5 pharmacotherapies offered	780	4.9%
6	6 pharmacotherapies offered	715	4.5%
7	7 pharmacotherapies offered	711	4.5%
8	8 pharmacotherapies offered	743	4.7%
9	9 pharmacotherapies offered	677	4.2%
10	10 pharmacotherapies offered	643	4.0%
11	11 pharmacotherapies offered	561	3.5%
12	12 pharmacotherapies offered	333	2.1%
13	13 pharmacotherapies offered	250	1.6%
14	14 pharmacotherapies offered	76	0.5%
15	15 pharmacotherapies offered	60	0.4%
16	16 pharmacotherapies offered	25	0.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC89: Facility offers screening for substance abuse (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	517	3.2%
1	Yes	15,443	96.8%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC90: Facility offers screening for mental health disorders (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	3,609	22.6%
1	Yes	12,351	77.4%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC1: Facility offers comprehensive substance abuse assessment or diagnosis (Q.12)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
M	Missing	1	0.0%
0	No	999	6.3%
1	Yes	14,961	93.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC2: Facility offers comprehensive mental health assessment or diagnosis (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	6,996	43.8%
1	Yes	8,964	56.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC107: Facility offers screening for tobacco use (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	4,396	27.5%
1	Yes	11,564	72.5%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC91: Facility offers outreach to persons in the community who may need treatment (Q.12)**

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	5,678	35.6%
1	Yes	10,282	64.4%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC93: Facility offers interim services for clients when immediate admission is not possible (Q.12)**

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	8,301	52.0%
1	Yes	7,659	48.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



**SRVCEDCON: Facility offers professional interventionist/educational consultant (Q.12)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
M	Missing	1	0.0%
0	No	13,060	81.8%
1	Yes	2,900	18.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVCORAL: Facility offers drug and alcohol oral fluid testing (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	11,824	74.1%
1	Yes	4,136	25.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC10: Facility offers breathalyzer or other blood alcohol testing (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	5,728	35.9%
1	Yes	10,232	64.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC11: Facility offers drug or alcohol urine screening (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	1,967	12.3%
1	Yes	13,993	87.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

### SRVC73: Facility offers screening for hepatitis B (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	11,672	73.1%
1	Yes	4,288	26.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC74: Facility offers screening for hepatitis C (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	11,079	69.4%
1	Yes	4,881	30.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC14: Facility offers HIV testing (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	10,956	68.6%
1	Yes	5,004	31.4%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC15: Facility offers STD testing (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	11,868	74.4%
1	Yes	4,092	25.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



## SRVC16: Facility offers TB screening (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	9,310	58.3%
1	Yes	6,650	41.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVCMETA: Facility offers testing for metabolic syndrome (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	14,672	91.9%
1	Yes	1,288	8.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVCHAV: Facility offers hepatitis A (HAV) vaccination (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	14,427	90.4%
1	Yes	1,533	9.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVCHBV: Facility offers hepatitis B (HBV) vaccination (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	14,450	90.5%
1	Yes	1,510	9.5%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC37: Facility offers discharge planning (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	731	4.6%
1	Yes	15,229	95.4%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC27: Facility offers aftercare/continuing care (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	2,095	13.1%
1	Yes	13,865	86.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVCODED: Facility offers naloxone and overdose education (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	7,953	49.8%
1	Yes	8,007	50.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVCOUTCM: Facility offers outcome follow-up after discharge (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	5,052	31.7%
1	Yes	10,908	68.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



## SRVC97: Facility offers mentoring/peer support (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	6,181	38.7%
1	Yes	9,779	61.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC102: Facility offers self-help groups (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	8,147	51.0%
1	Yes	7,813	49.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

### SRVC39: Facility offers assistance in locating housing for clients (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	6,196	38.8%
1	Yes	9,764	61.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

### SRVC38: Facility offers employment counseling or training for clients (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	9,103	57.0%
1	Yes	6,857	43.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC36: Facility offers assistance with obtaining social services (for example, Medicaid, WIC, SSI, SSDI) (Q.12)**

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	5,414	33.9%
1	Yes	10,546	66.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVCCOACH: Facility offers recovery coach (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	12,347	77.4%
1	Yes	3,613	22.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC24: Facility offers HIV or AIDS education, counseling, or support (Q.12)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
M	Missing	2	0.0%
0	No	6,633	41.6%
1	Yes	9,326	58.4%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC104: Facility offers hepatitis education, counseling, or support (Q.12)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
M	Missing	2	0.0%
0	No	7,532	47.2%
1	Yes	8,427	52.8%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



## SRVC99: Facility offers health education other than HIV/AIDS or hepatitis (Q.12)

Value	Label	Frequency	%
M	Missing	2	0.0%
0	No	6,892	43.2%
1	Yes	9,067	56.8%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC100: Facility offers substance abuse education (Q.12)

Value	Label	Frequency	%
M	Missing	2	0.0%
0	No	477	3.0%
1	Yes	15,482	97.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC105: Facility offers smoking/tobacco cessation counseling (Q.12)

Value	Label	Frequency	%
M	Missing	2	0.0%
0	No	6,811	42.7%
1	Yes	9,148	57.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC6: Facility offers individual counseling (Q.12)

Value	Label	Frequency	%
M	Missing	2	0.0%
0	No	514	3.2%
1	Yes	15,445	96.8%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC5: Facility offers group counseling (Q.12)

Value	Label	Frequency	%
M	Missing	2	0.0%
0	No	1,109	6.9%
1	Yes	14,850	93.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC4: Facility offers family counseling (Q.12)

Value	Label	Frequency	%
M	Missing	2	0.0%
0	No	2,989	18.7%
1	Yes	12,970	81.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

### SRVC103: Facility offers marital/couples counseling (Q.12)

Value	Label	Frequency	%
M	Missing	2	0.0%
0	No	6,395	40.1%
1	Yes	9,564	59.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVCVOCED: Facility offers vocational training or educational support (Q.12)

Value	Label	Frequency	%
M	Missing	2	0.0%
0	No	13,471	84.4%
1	Yes	2,488	15.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



## SRVC49: Facility offers case management services (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	2,759	17.3%
1	Yes	13,201	82.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC96: Facility offers social skills development (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	3,979	24.9%
1	Yes	11,981	75.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC50: Facility offers child care for clients' children (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	15,024	94.1%
1	Yes	936	5.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC52: Facility offers domestic (family or partner) violence services (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	9,853	61.7%
1	Yes	6,107	38.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC98: Facility offers early intervention for HIV (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	12,290	77.0%
1	Yes	3,670	23.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC59: Facility offers transportation assistance to treatment (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	8,584	53.8%
1	Yes	7,376	46.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC101: Facility offers mental health services (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	4,858	30.4%
1	Yes	11,102	69.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC48: Facility offers acupuncture (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	14,983	93.9%
1	Yes	977	6.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



## SRVC75: Facility offers residential beds for clients' children (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	15,555	97.5%
1	Yes	405	2.5%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC117: Facility offers treatment services for gambling disorder (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	11,807	74.0%
1	Yes	4,153	26.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC118: Facility offers treatment services for Internet use disorder (Q.12)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
M	Missing	1	0.0%
0	No	13,543	84.9%
1	Yes	2,417	15.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC119: Facility offers treatment services for other addiction disorder (non-substance abuse) (Q.12)**

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	10,441	65.4%
1	Yes	5,519	34.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC70: Facility offers disulfram (Antabuse®) pharmacotherapy services (Q.12)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
M	Missing	1	0.0%
0	No	12,245	76.7%
1	Yes	3,715	23.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC71: Facility offers naltrexone (oral) pharmacotherapy services (Q.12)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
0	No	10,251	64.2%
1	Yes	5,710	35.8%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC108: Facility offers naltrexone (extended-release, injectable, for example, Vivitrol®) pharmacotherapy services (Q.12)**

Value	Label	Frequency	%
0	No	10,367	65.0%
1	Yes	5,594	35.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC88: Facility offers acamprosate (Campral®) pharmacotherapy services (Q.12)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
M	Missing	1	0.0%
0	No	12,080	75.7%
1	Yes	3,880	24.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



## SRVC94: Facility offers nicotine replacement pharmacotherapy services (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	10,789	67.6%
1	Yes	5,171	32.4%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC106: Facility offers non-nicotine smoking/tobacco cessation medications (for example, bupropion, varenicline) (Q.12)**

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	11,722	73.4%
1	Yes	4,238	26.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC95: Facility offers medications for psychiatric disorders (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	8,200	51.4%
1	Yes	7,760	48.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC85: Facility offers methadone pharmacotherapy services (Q.12)

Value	Label	Frequency	%
0	No	14,002	87.7%
1	Yes	1,959	12.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC87: Facility offers buprenorphine with naloxone pharmacotherapy services (Q.12)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
0	No	9,778	61.3%
1	Yes	6,183	38.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC86: Facility offers buprenorphine without naloxone pharmacotherapy services (Q.12)**

Value	Label	Frequency	%
0	No	11,655	73.0%
1	Yes	4,306	27.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC129: Facility offers buprenorphine sub-dermal implant (Probuphine®) pharmacotherapy services (Q.12)**

Value	Label	Frequency	%
0	No	15,423	96.6%
1	Yes	538	3.4%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC130: Facility offers buprenorphine (extended-release, injectable, for example, Sublocade®) pharmacotherapy services (Q.12)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
0	No	14,317	89.7%
1	Yes	1,644	10.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



**SRVCMEDHIV: Facility offers medications for HIV treatment (for example, antiretroviral medications such as tenofovir, efavirenz, emtricitabine, atazanavir, and lamivudine) (Q.12)**

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	14,659	91.8%
1	Yes	1,301	8.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVCMEDHCV: Facility offers medications for hepatitis C (HCV) treatment (for example, sofosbuvir, ledipasvir, interferon, peginterferon, ribavirin) (Q.12)**

Value	Label	Frequency	%
0	No	14,545	91.1%
1	Yes	1,416	8.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVCMEDLOFE: Facility offers lofexidine pharmacotherapy services (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	15,312	95.9%
1	Yes	648	4.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVCMEDCLON: Facility offers clonidine pharmacotherapy services (Q.12)

Value	Label	Frequency	%
M	Missing	1	0.0%
0	No	12,218	76.5%
1	Yes	3,742	23.4%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

### SRVC30: Facility has a tailored program for adolescents (Q.19a)

Value	Label	Frequency	%
M	Missing	16	0.1%
0	No	12,131	76.0%
1	Yes	3,814	23.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC120: Facility has a tailored program for young adults (Q.19a)

Value	Label	Frequency	%
M	Missing	16	0.1%
0	No	11,016	69.0%
1	Yes	4,929	30.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC34: Facility has a tailored program for adult women (Q.19a)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
M	Missing	16	0.1%
0	No	8,110	50.8%
1	Yes	7,835	49.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC33: Facility has a tailored program for pregnant/postpartum women (Q.19a)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
M	Missing	16	0.1%
0	No	12,070	75.6%
1	Yes	3,875	24.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



**SRVC64: Facility has a tailored program for adult men (Q.19a)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
M	Missing	16	0.1%
0	No	8,441	52.9%
1	Yes	7,504	47.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC63: Facility has a tailored program for seniors or older adults (Q.19a)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
M	Missing	16	0.1%
0	No	12,244	76.7%
1	Yes	3,701	23.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC62: Facility has a tailored program for lesbian, gay, bisexual, transgender (LGBT) clients (Q.19a)**

Value	Label	Frequency	%
M	Missing	16	0.1%
0	No	12,345	77.3%
1	Yes	3,600	22.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

### SRVC113: Facility has a tailored program for veterans (Q.19a)

Value	Label	Frequency	%
M	Missing	16	0.1%
0	No	12,486	78.2%
1	Yes	3,459	21.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## SRVC114: Facility has a tailored program for active duty military (Q.19a)

Value	Label	Frequency	%
M	Missing	16	0.1%
0	No	13,950	87.4%
1	Yes	1,995	12.5%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC115: Facility has a tailored program for members of military families (Q.19a)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
M	Missing	16	0.1%
0	No	13,660	85.6%
1	Yes	2,285	14.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC61: Facility has a tailored program for criminal justice clients (other than DUI/DWI)  
(Q.19a)**

Value	Label	Frequency	%
M	Missing	16	0.1%
0	No	10,197	63.9%
1	Yes	5,748	36.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC31: Facility has a tailored program for clients with co-occurring mental and substance use disorders (Q.19a)**

Value	Label	Frequency	%
M	Missing	16	0.1%
0	No	7,561	47.4%
1	Yes	8,384	52.5%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



**SRVCPAINSA: Facility has a tailored program for clients with co-occurring pain and substance use (Q.19a)**

Value	Label	Frequency	%
M	Missing	16	0.1%
0	No	12,955	81.2%
1	Yes	2,990	18.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC32: Facility has a tailored program for clients with HIV or AIDS (Q.19a)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
M	Missing	16	0.1%
0	No	12,764	80.0%
1	Yes	3,181	19.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC121: Facility has a tailored program for clients who have experienced sexual abuse (Q.19a)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
M	Missing	16	0.1%
0	No	11,436	71.6%
1	Yes	4,509	28.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC122: Facility has a tailored program for clients who have experienced intimate partner violence, domestic violence (Q.19a)**

Value	Label	Frequency	%
M	Missing	16	0.1%
0	No	11,454	71.8%
1	Yes	4,491	28.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC116: Facility has a tailored program for clients who have experienced trauma (Q.19a)**

Value	Label	Frequency	%
M	Missing	16	0.1%
0	No	9,133	57.2%
1	Yes	6,812	42.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SRVC35: Facility has a tailored program for other types of clients (Q.19a)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
0	No	15,204	95.3%
1	Yes	757	4.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

#### CTYPE4: Facility offers any hospital inpatient substance abuse services (Q.9)

Value	Label	Frequency	%
0	No	15,063	94.4%
1	Yes	898	5.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

### CTYPEH1: Facility offers hospital inpatient detoxification (Q.9a)

Value	Label	Frequency	%
.	Logical skip	15,063	94.4%
0	No	92	0.6%
1	Yes	806	5.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



## CTYPEHI2: Facility offers hospital inpatient treatment services (Q.9a)

Value	Label	Frequency	%
.	Logical skip	15,063	94.4%
0	No	218	1.4%
1	Yes	680	4.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**CTYPE7: Facility offers non-hospital residential treatment services (Q.10)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
0	No	12,167	76.2%
1	Yes	3,794	23.8%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

### CTYPERC1: Facility offers non-hospital residential detoxification (Q.10a)

Value	Label	Frequency	%
.	Logical skip	12,167	76.2%
0	No	2,384	14.9%
1	Yes	1,410	8.8%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

### CTYPERC3: Facility offers non-hospital residential short-term treatment (Q.10a)

Value	Label	Frequency	%
.	Logical skip	12,167	76.2%
0	No	1,408	8.8%
1	Yes	2,386	14.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

### CTYPERC4: Facility offers non-hospital residential long-term treatment (Q.10a)

Value	Label	Frequency	%
.	Logical skip	12,167	76.2%
0	No	836	5.2%
1	Yes	2,958	18.5%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

### CTYPE1: Facility offers any outpatient substance abuse services (Q.11)

Value	Label	Frequency	%
0	No	2,917	18.3%
1	Yes	13,044	81.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## CTYPE6: Facility offers outpatient detoxification (Q.11a)

Value	Label	Frequency	%
.	Logical skip	2,917	18.3%
0	No	11,292	70.7%
1	Yes	1,752	11.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**CTYPEML: Facility offers outpatient methadone/buprenorphine maintenance or naltrexone treatment (Q.11a)**

Value	Label	Frequency	%
.	Logical skip	2,917	18.3%
0	No	7,788	48.8%
1	Yes	5,256	32.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



**CTYPEOP: Facility offers outpatient day treatment or partial hospitalization (Q.11a)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	2,917	18.3%
0	No	10,789	67.6%
1	Yes	2,255	14.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## CTYPE2: Facility offers intensive outpatient treatment services (Q.11a)

Value	Label	Frequency	%
.	Logical skip	2,917	18.3%
0	No	5,719	35.8%
1	Yes	7,325	45.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

### CTYPE3: Facility offers regular outpatient treatment services (Q.11a)

Value	Label	Frequency	%
.	Logical skip	2,917	18.3%
0	No	930	5.8%
1	Yes	12,114	75.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**SIGNLANG: Facility provides substance use treatment services in sign language (Q.17)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
M	Missing	39	0.2%
0	No	10,342	64.8%
1	Yes	5,580	35.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**LANG: Facility provides substance use treatment in a language other than English (Q.18)**

Value	Label	Frequency	%
M	Missing	22	0.1%
0	No	7,529	47.2%
1	Yes	8,410	52.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**LANG1: Staff counselors provide substance use treatment in Hopi (Q.18b)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	15,065	94.4%
0	No	884	5.5%
1	Yes	12	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## LANG2: Staff counselors provide substance use treatment in Lakota (Q.18b)

Value	Label	Frequency	%
.	Logical skip	15,065	94.4%
0	No	878	5.5%
1	Yes	18	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

### LANG3: Staff counselors provide substance use treatment in Navajo (Q.18b)

Value	Label	Frequency	%
.	Logical skip	15,065	94.4%
0	No	845	5.3%
1	Yes	51	0.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



#### LANG4: Staff counselors provide substance use treatment in Yupik (Q.18b)

Value	Label	Frequency	%
.	Logical skip	15,065	94.4%
0	No	885	5.5%
1	Yes	11	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**LANG5: Staff counselors provide substance use treatment in other American Indian or Alaska Native language (Q.18b)**

Value	Label	Frequency	%
.	Logical skip	15,065	94.4%
0	No	871	5.5%
1	Yes	25	0.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## LANG6: Staff counselors provide substance use treatment in Arabic (Q.18b)

Value	Label	Frequency	%
.	Logical skip	15,065	94.4%
0	No	799	5.0%
1	Yes	97	0.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**LANG7: Staff counselors provide substance use treatment in any Chinese language (Q.18b)**

Value	Label	Frequency	%
.	Logical skip	15,065	94.4%
0	No	810	5.1%
1	Yes	86	0.5%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## LANG8: Staff counselors provide substance use treatment in Creole (Q.18b)

Value	Label	Frequency	%
.	Logical skip	15,065	94.4%
0	No	758	4.7%
1	Yes	138	0.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## LANG9: Staff counselors provide substance use treatment in French (Q.18b)

Value	Label	Frequency	%
.	Logical skip	15,065	94.4%
0	No	753	4.7%
1	Yes	143	0.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## LANG10: Staff counselors provide substance use treatment in German (Q.18b)

Value	Label	Frequency	%
.	Logical skip	15,065	94.4%
0	No	844	5.3%
1	Yes	52	0.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**LANG11: Staff counselors provide substance use treatment in Hmong (Q.18b)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	15,065	94.4%
0	No	860	5.4%
1	Yes	36	0.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



## LANG12: Staff counselors provide substance use treatment in Korean (Q.18b)

Value	Label	Frequency	%
.	Logical skip	15,065	94.4%
0	No	838	5.3%
1	Yes	58	0.4%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**LANG13: Staff counselors provide substance use treatment in Polish (Q.18b)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	15,065	94.4%
0	No	793	5.0%
1	Yes	103	0.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**LANG14: Staff counselors provide substance use treatment in Portuguese (Q.18b)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	15,065	94.4%
0	No	777	4.9%
1	Yes	119	0.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## LANG15: Staff counselors provide substance use treatment in Russian (Q.18b)

Value	Label	Frequency	%
.	Logical skip	15,065	94.4%
0	No	725	4.5%
1	Yes	171	1.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## LANG16: Staff counselors provide substance use treatment in Spanish (Q.18a1)

Value	Label	Frequency	%
.	Logical skip	11,880	74.4%
M	Missing	2	0.0%
0	No	253	1.6%
1	Yes	3,826	24.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**LANG17: Staff counselors provide substance use treatment in Vietnamese (Q.18b)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	15,065	94.4%
0	No	838	5.3%
1	Yes	58	0.4%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**LANG18: Staff counselors provide substance use treatment in any other language (Q.18b)**

Value	Label	Frequency	%
.	Logical skip	15,065	94.4%
0	No	761	4.8%
1	Yes	135	0.8%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**LANG19: Staff counselors provide substance use treatment in Italian (Q.18b)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	15,065	94.4%
0	No	833	5.2%
1	Yes	63	0.4%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



## LANG20: Staff counselors provide substance use treatment in Tagalog (Q.18b)

Value	Label	Frequency	%
.	Logical skip	15,065	94.4%
0	No	815	5.1%
1	Yes	81	0.5%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## LANG21: Staff counselors provide substance use treatment in Ojibwa (Q.18b)

Value	Label	Frequency	%
.	Logical skip	15,065	94.4%
0	No	884	5.5%
1	Yes	12	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## LANG22: Staff counselors provide substance use treatment in Greek (Q.18b)

Value	Label	Frequency	%
.	Logical skip	15,065	94.4%
0	No	869	5.4%
1	Yes	27	0.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**LANG23: Staff counselors provide substance use treatment in Japanese (Q.18b)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	15,065	94.4%
0	No	864	5.4%
1	Yes	32	0.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## LANG24: Staff counselors provide substance use treatment in Farsi (Q.18b)

Value	Label	Frequency	%
.	Logical skip	15,065	94.4%
0	No	822	5.2%
1	Yes	74	0.5%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**LANG25: Staff counselors provide substance use treatment in Hebrew (Q.18b)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	15,065	94.4%
0	No	849	5.3%
1	Yes	47	0.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## LANG26: Staff counselors provide substance use treatment in Hindi (Q.18b)

Value	Label	Frequency	%
.	Logical skip	15,065	94.4%
0	No	812	5.1%
1	Yes	84	0.5%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**DUI\_DWI: Facility offers a specially designed program for DUI/DWI or other drunk driver offenders (Q.16)**

Value	Label	Frequency	%
M	Missing	34	0.2%
0	No	12,101	75.8%
1	Yes	3,826	24.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



**ONLYDUI: Facility serves only DUI/DWI clients (Q.16a)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	12,135	76.0%
M	Missing	6	0.0%
0	No	3,738	23.4%
1	Yes	82	0.5%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**ONLYOUD: Facility serves only opioid use disorder clients (Q.13b)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	2,952	18.5%
M	Missing	6	0.0%
0	No	11,752	73.6%
1	Yes	1,251	7.8%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**OPIOIDDETOX: Facility provides detoxification from opioids of abuse with methadone or buprenorphine for treating opioid use disorder (Q.13c)**

Value	Label	Frequency	%
.	Logical skip	8,456	53.0%
M	Missing	8	0.1%
0	No	5,148	32.3%
1	Yes	2,349	14.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**OPIOIDDLOFE: Facility provides detoxification from opioids of abuse with lofexidine or clonidine for treating opioid use disorder (Q.13c)**

Value	Label	Frequency	%
.	Logical skip	8,456	53.0%
M	Missing	8	0.1%
0	No	6,239	39.1%
1	Yes	1,258	7.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**OPIOIDMAINT: Facility provides maintenance services with methadone or buprenorphine for treating opioid use disorder (Q.13c)**

Value	Label	Frequency	%
.	Logical skip	8,456	53.0%
M	Missing	8	0.1%
0	No	2,460	15.4%
1	Yes	5,037	31.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**OPIOIDNAL: Facility provides relapse prevention with naltrexone for treating opioid use disorder (Q.13c)**

Value	Label	Frequency	%
.	Logical skip	8,455	53.0%
M	Missing	8	0.1%
0	No	3,044	19.1%
1	Yes	4,454	27.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**OPIOIDOTH: Facility provides other medication services for treating opioid use disorder (Q.13c)**

Value	Label	Frequency	%
.	Logical skip	8,456	53.0%
0	No	7,497	47.0%
1	Yes	8	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**OPIOIDWDRAW: Facility provides maintenance services with medically supervised withdrawal (or taper) after a period of stabilization for treating opioid use disorder (Q.13c)**

Value	Label	Frequency	%
.	Logical skip	8,456	53.0%
M	Missing	8	0.1%
0	No	3,910	24.5%
1	Yes	3,587	22.5%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



## FEESCALE: Facility uses a sliding fee scale (Q.20)

Value	Label	Frequency	%
M	Missing	37	0.2%
0	No	6,737	42.2%
1	Yes	9,187	57.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**PAYASST: Facility offers treatment at no charge or minimal payment to clients who cannot afford to pay (Q.21)**

Value	Label	Frequency	%
M	Missing	44	0.3%
0	No	8,731	54.7%
1	Yes	7,186	45.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**EARMARK: Facility receives funding or grants from the federal government, or state, county, or local governments, to support its substance use treatment programs (Q.22)**

Value	Label	Frequency	%
D	Don't know	588	3.7%
M	Missing	32	0.2%
0	No	7,087	44.4%
1	Yes	8,254	51.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## REVCHK1: Accepts cash or self-payment for substance use treatment (Q.23)

Value	Label	Frequency	%
M	Missing	99	0.6%
0	No	1,454	9.1%
1	Yes	14,408	90.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**REVCHK2: Accepts private health insurance as source of payment for substance use treatment (Q.23)**

Value	Label	Frequency	%
M	Missing	99	0.6%
0	No	4,153	26.0%
1	Yes	11,709	73.4%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

### REVCHK3: Substance use treatment is free for all clients (Q.23)

Value	Label	Frequency	%
M	Missing	99	0.6%
0	No	15,409	96.5%
1	Yes	453	2.8%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## REVCHK5: Accepts Medicaid as source of payment for substance use treatment (Q.23)

Value	Label	Frequency	%
M	Missing	99	0.6%
0	No	4,984	31.2%
1	Yes	10,878	68.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## REVCHK8: Accepts Medicare as source of payment for substance use treatment (Q.23)

Value	Label	Frequency	%
M	Missing	99	0.6%
0	No	9,919	62.1%
1	Yes	5,943	37.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



**REVCHK10: Accepts state-financed health insurance plan other than Medicaid as source of payment for substance use treatment (Q.23)**

Value	Label	Frequency	%
M	Missing	99	0.6%
0	No	8,097	50.7%
1	Yes	7,765	48.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**REVCHK15: Accepts federal military insurance (such as TRICARE) as source of payment for substance use treatment (Q.23)**

Value	Label	Frequency	%
M	Missing	99	0.6%
0	No	9,856	61.8%
1	Yes	6,006	37.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**REVCHK17: Accepts IHS/Tribal/Urban (ITU) funds as source of payment for substance use treatment (Q.23)**

Value	Label	Frequency	%
M	Missing	99	0.6%
0	No	14,024	87.9%
1	Yes	1,838	11.5%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**ACCRED: Facility is licensed, certified, or accredited to provide substance abuse services by any of the organizations referenced (Q.27)**

Value	Label	Frequency	%
V	Logical skip/missing/unknown/incomplete/not applicable	35	0.2%
0	Not licensed, certified, or accredited by any of these organizations	7,294	45.7%
1	Licensed, certified, or accredited by any of these organizations	8,632	54.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## LICEN: Facility is licensed by hospital licensing authority or state authority (Q.27)

Value	Label	Frequency	%
V	Logical skip/missing/unknown/incomplete/not applicable	35	0.2%
0	Not licensed, certified, or accredited by any of these organizations	1,741	10.9%
1	Licensed, certified, or accredited by any of these organizations	14,185	88.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## LICENHOS: Facility is licensed by hospital licensing authority (Q.27)

Value	Label	Frequency	%
M	Missing	34	0.2%
N	Not applicable	1	0.0%
0	No	15,101	94.6%
1	Yes	825	5.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## LICENMH: Facility is licensed by state mental health department (Q.27)

Value	Label	Frequency	%
M	Missing	34	0.2%
N	Not applicable	1	0.0%
0	No	9,588	60.1%
1	Yes	6,338	39.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## LICENPH: Facility is licensed by state department of health (Q.27)

Value	Label	Frequency	%
M	Missing	34	0.2%
N	Not applicable	1	0.0%
0	No	8,405	52.7%
1	Yes	7,521	47.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



## LICENSED: Facility is licensed by state substance abuse agency (Q.27)

Value	Label	Frequency	%
M	Missing	34	0.2%
N	Not applicable	1	0.0%
0	No	3,465	21.7%
1	Yes	12,461	78.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## JCAHO: Facility has Joint Commission accreditation (Q.27)

Value	Label	Frequency	%
M	Missing	34	0.2%
N	Not applicable	1	0.0%
0	No	12,283	77.0%
1	Yes	3,643	22.8%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**CARF: Facility is Commission on Accreditation of Rehabilitation Facilities (CARF)-accredited (Q.27)**

Value	Label	Frequency	%
M	Missing	34	0.2%
N	Not applicable	1	0.0%
0	No	11,221	70.3%
1	Yes	4,705	29.5%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**NCQA: Facility is National Committee for Quality Assurance (NCQA)-accredited (Q.27)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
M	Missing	34	0.2%
N	Not applicable	1	0.0%
0	No	15,562	97.5%
1	Yes	364	2.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## COA: Facility is Council on Accreditation (COA)-accredited (Q.27)

Value	Label	Frequency	%
M	Missing	34	0.2%
N	Not applicable	1	0.0%
0	No	15,225	95.4%
1	Yes	701	4.4%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**HFAP: Facility is accredited by Healthcare Facilities Accreditation Program (HFAP)  
(Q.27)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
M	Missing	34	0.2%
N	Not applicable	1	0.0%
0	No	15,764	98.8%
1	Yes	162	1.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## A\_PCT: Percent of clients treated for only alcohol abuse (Q.34)

Value	Label	Frequency	%
.	Logical skip	3,673	23.0%
M	Missing	148	0.9%
N	Not applicable	373	2.3%
1	0–10	5,456	34.2%
2	11–20	2,140	13.4%
3	21–25	1,098	6.9%
4	26–40	1,542	9.7%
5	41+	1,531	9.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## B\_PCT: Percent of clients treated for both alcohol/drug abuse (Q.34)

Value	Label	Frequency	%
.	Logical skip	3,673	23.0%
M	Missing	146	0.9%
N	Not applicable	373	2.3%
1	0-25	4,276	26.8%
2	26-50	3,459	21.7%
3	51-60	874	5.5%
4	61-80	1,633	10.2%
5	81+	1,527	9.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



## D\_PCT: Percent of clients treated for only drug abuse (Q.34)

Value	Label	Frequency	%
.	Logical skip	3,673	23.0%
M	Missing	149	0.9%
N	Not applicable	373	2.3%
1	0–10	3,224	20.2%
2	11–20	1,538	9.6%
3	21–30	1,627	10.2%
4	31–55	2,178	13.6%
5	56+	3,199	20.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**HIBUPNUM: Hospital inpatient clients, buprenorphine dispensed or prescribed for opioid use disorder (Q.31c)**

Value	Label	Frequency	%
.	Logical skip	15,270	95.7%
M	Missing	3	0.0%
1	0-2	459	2.9%
2	3	46	0.3%
3	4-5	62	0.4%
4	6-10	70	0.4%
5	11+	51	0.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**HIMATNUM: Hospital inpatient clients — total medication assisted treatment — March 29, 2019 (Q.31c)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	15,848	99.3%
1	0-3	34	0.2%
2	4-6	18	0.1%
3	7-10	20	0.1%
4	11-20	20	0.1%
5	21+	21	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**HIMETNUM: Hospital inpatient clients, methadone dispensed for opioid use disorder (Q.31c)**

Value	Label	Frequency	%
.	Logical skip	15,848	99.3%
1	0-2	62	0.4%
2	3-5	7	0.0%
3	6-8	17	0.1%
4	9-18	16	0.1%
5	19+	11	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**HIVIVNUM: Hospital inpatient clients, naltrexone administered for opioid use disorder (Q.31c)**

Value	Label	Frequency	%
.	Logical skip	15,270	95.7%
M	Missing	1	0.0%
1	0-1	567	3.6%
2	2	39	0.2%
3	3	21	0.1%
4	4-5	27	0.2%
5	6+	36	0.2%
	<i>Total</i>	15,961	100%

Variable Type: numeric

**OPBUPNUM: Outpatient clients, buprenorphine dispensed or prescribed for opioid use disorder (Q.33c)**

Value	Label	Frequency	%
.	Logical skip	5,968	37.4%
M	Missing	26	0.2%
1	0-4	7,799	48.9%
2	5-10	502	3.1%
3	11-20	404	2.5%
4	21-50	557	3.5%
5	51+	705	4.4%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**OPMATNUM: Outpatient clients — total medication assisted treatment — March 29, 2019  
(Q.33c)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	14,624	91.6%
1	0–116	275	1.7%
2	117–200	219	1.4%
3	201–300	282	1.8%
4	301–455	218	1.4%
5	456+	343	2.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**OPMETNUM: Outpatient clients, methadone dispensed for opioid use disorder (Q.33c)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	14,624	91.6%
1	0–117	334	2.1%
2	118–200	231	1.4%
3	201–300	263	1.6%
4	301–450	189	1.2%
5	451+	320	2.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



**OPVIVNUM: Outpatient clients, naltrexone administered for opioid use disorder (Q.33c)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	5,968	37.4%
M	Missing	42	0.3%
1	0-2	8,742	54.8%
2	3	155	1.0%
3	4-6	372	2.3%
4	7-15	360	2.3%
5	16+	322	2.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**RCBUPNUM: Residential clients, buprenorphine dispensed or prescribed for opioid use disorder (Q.32c)**

Value	Label	Frequency	%
.	Logical skip	12,907	80.9%
M	Missing	11	0.1%
1	0-2	2,390	15.0%
2	3	131	0.8%
3	4-5	166	1.0%
4	6-9	146	0.9%
5	10+	210	1.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**RCMATNUM: Residential clients — total medication assisted treatment — March 29, 2019 (Q.32c)**

Value	Label	Frequency	%
.	Logical skip	15,842	99.3%
1	0-3	47	0.3%
2	4-7	17	0.1%
3	8-15	16	0.1%
4	16-28	21	0.1%
5	29+	18	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**RCMETNUM: Residential clients, methadone dispensed for opioid use disorder (Q.32c)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	15,841	99.2%
M	Missing	1	0.0%
1	0-3	74	0.5%
2	4-6	7	0.0%
3	7-13	15	0.1%
4	14-25	14	0.1%
5	26+	9	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**RCVIVNUM: Residential clients, naltrexone administered for opioid use disorder (Q.32c)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	12,907	80.9%
M	Missing	20	0.1%
1	0-1	2,531	15.9%
2	2	153	1.0%
3	3	95	0.6%
4	4-6	133	0.8%
5	7+	122	0.8%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## HOSPBED: Hospital inpatient clients — total beds designated for substance use treatment (Q.31e)

Value	Label	Frequency	%
.	Logical skip	15,270	95.7%
M	Missing	85	0.5%
1	0–10	225	1.4%
2	11–16	101	0.6%
3	17–21	74	0.5%
4	22–35	95	0.6%
5	36+	111	0.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**RESBED: Residential clients — total beds designated for substance use treatment (Q.32e)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	12,907	80.9%
M	Missing	136	0.9%
1	0–12	805	5.0%
2	13–18	548	3.4%
3	19–28	518	3.2%
4	29–47	503	3.2%
5	48+	544	3.4%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## H\_AGE1: Hospital inpatient clients under 18 years old (Q.31b)

Value	Label	Frequency	%
.	Logical skip	15,270	95.7%
1	0-2	650	4.1%
2	3-4	3	0.0%
3	5-10	14	0.1%
4	11-18	12	0.1%
5	19+	12	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>



## O\_AGE1: Outpatient clients under 18 years old (Q.33b)

Value	Label	Frequency	%
.	Logical skip	5,968	37.4%
M	Missing	38	0.2%
1	0-2	7,968	49.9%
2	3-5	639	4.0%
3	6-11	494	3.1%
4	12-24	406	2.5%
5	25+	448	2.8%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## R\_AGE1: Residential clients under 18 years old (Q.32b)

Value	Label	Frequency	%
.	Logical skip	12,907	80.9%
M	Missing	7	0.0%
1	0-5	2,842	17.8%
2	6-10	73	0.5%
3	11-16	49	0.3%
4	17-24	32	0.2%
5	25+	51	0.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLI1\_D: Hospital inpatient clients, detoxification — for DUI/DWI facilities (Q.31a)**

Value	Label	Frequency	%
.	Logical skip	15,924	99.8%
1	0-2	13	0.1%
2	3-4	3	0.0%
3	5-7	8	0.1%
4	8-12	5	0.0%
5	13+	8	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## T\_CLI1\_O: Hospital inpatient clients, detoxification — for OTP facilities (Q.31a)

Value	Label	Frequency	%
.	Logical skip	15,844	99.3%
1	0-5	41	0.3%
2	6-10	16	0.1%
3	11-16	16	0.1%
4	17-25	22	0.1%
5	26+	22	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLI1\_X: Hospital inpatient clients, detoxification — for non-OTP and non-DUI/DWI facilities (Q.31a)**

Value	Label	Frequency	%
.	Logical skip	15,415	96.6%
M	Missing	1	0.0%
1	0–2	218	1.4%
2	3–4	73	0.5%
3	5–8	98	0.6%
4	9–13	76	0.5%
5	14+	80	0.5%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## T\_CLI2\_D: Hospital inpatient clients, treatment — for DUI/DWI facilities (Q.31a)

Value	Label	Frequency	%
.	Logical skip	15,924	99.8%
1	0-4	21	0.1%
2	5-8	3	0.0%
3	9-15	7	0.0%
4	16-27	4	0.0%
5	28+	2	0.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## T\_CLI2\_O: Hospital inpatient clients, treatment — for OTP facilities (Q.31a)

Value	Label	Frequency	%
.	Logical skip	15,844	99.3%
1	0-5	74	0.5%
2	6-13	10	0.1%
3	14-20	10	0.1%
4	21-40	8	0.1%
5	41+	15	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLI2\_X: Hospital inpatient clients, treatment — for non-OTP and non-DUI/DWI facilities (Q.31a)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	15,416	96.6%
1	0-4	321	2.0%
2	5-8	51	0.3%
3	9-15	67	0.4%
4	16-29	47	0.3%
5	30+	59	0.4%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



### T\_CLI3\_D: Residential clients, detoxification — for DUI/DWI facilities (Q.32a)

Value	Label	Frequency	%
.	Logical skip	15,738	98.6%
1	0-2	171	1.1%
2	3	7	0.0%
3	4-6	21	0.1%
4	7-11	11	0.1%
5	12+	13	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

### T\_CLI3\_O: Residential clients, detoxification — for OTP facilities (Q.32a)

Value	Label	Frequency	%
.	Logical skip	15,840	99.2%
1	0-6	76	0.5%
2	7-11	11	0.1%
3	12-20	10	0.1%
4	21-31	12	0.1%
5	32+	12	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLI3\_X: Residential clients, detoxification — for non-OTP and non-DUI/DWI facilities (Q.32a)**

Value	Label	Frequency	%
.	Logical skip	13,220	82.8%
M	Missing	1	0.0%
1	0–2	2,303	14.4%
2	3–5	162	1.0%
3	6–8	84	0.5%
4	9–15	90	0.6%
5	16+	101	0.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLI5\_D: Outpatient clients, regular outpatient care — for DUI/DWI facilities (Q.33a)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	12,840	80.4%
M	Missing	1	0.0%
1	0–15	958	6.0%
2	16–30	514	3.2%
3	31–55	511	3.2%
4	56–107	569	3.6%
5	108+	568	3.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## T\_CLI5\_O: Outpatient clients, regular outpatient care — for OTP facilities (Q.33a)

Value	Label	Frequency	%
.	Logical skip	14,607	91.5%
1	0–9	1,037	6.5%
2	10–30	69	0.4%
3	31–77	79	0.5%
4	78–198	74	0.5%
5	199+	95	0.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLI5\_X: Outpatient clients, regular outpatient care — for non-OTP and non-DUI/DWI facilities (Q.33a)**

Value	Label	Frequency	%
.	Logical skip	9,620	60.3%
M	Missing	2	0.0%
1	0–10	2,621	16.4%
2	11–20	829	5.2%
3	21–40	947	5.9%
4	41–87	913	5.7%
5	88+	1,029	6.4%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## T\_CLI6\_D: Outpatient clients, intensive — for DUI/DWI facilities (Q.33a)

Value	Label	Frequency	%
.	Logical skip	12,963	81.2%
M	Missing	1	0.0%
1	0–6	1,854	11.6%
2	7–12	310	1.9%
3	13–21	279	1.7%
4	22–40	320	2.0%
5	41+	234	1.5%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## T\_CLI6\_O: Outpatient clients, intensive — for OTP facilities (Q.33a)

Value	Label	Frequency	%
.	Logical skip	14,611	91.5%
1	0–10	1,189	7.4%
2	11–17	29	0.2%
3	18–30	46	0.3%
4	31–55	35	0.2%
5	56+	51	0.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



**T\_CLI6\_X: Outpatient clients, intensive — for non-OTP and non-DUI/DWI facilities  
(Q.33a)**

Value	Label	Frequency	%
.	Logical skip	10,003	62.7%
M	Missing	1	0.0%
1	0–7	3,877	24.3%
2	8–12	576	3.6%
3	13–20	560	3.5%
4	21–38	481	3.0%
5	39+	463	2.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLI7\_D: Outpatient clients, detoxification — for DUI/DWI facilities (Q.33a)**

Value	Label	Frequency	%
.	Logical skip	13,049	81.8%
M	Missing	1	0.0%
1	0–2	2,807	17.6%
2	3–5	30	0.2%
3	6–10	26	0.2%
4	11–20	25	0.2%
5	21+	23	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## T\_CLI7\_O: Outpatient clients, detoxification — for OTP facilities (Q.33a)

Value	Label	Frequency	%
.	Logical skip	14,620	91.6%
1	0-2	1,196	7.5%
2	3-5	55	0.3%
3	6-10	31	0.2%
4	11-23	23	0.1%
5	24+	36	0.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLI7\_X: Outpatient clients, detoxification — for non-OTP and non-DUI/DWI facilities (Q.33a)**

Value	Label	Frequency	%
.	Logical skip	10,195	63.9%
M	Missing	2	0.0%
1	0–2	5,542	34.7%
2	3–5	83	0.5%
3	6–10	48	0.3%
4	11–25	40	0.3%
5	26+	51	0.3%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLI8\_D: Outpatient clients, day treatment/partial hospitalization — for DUI/DWI facilities (Q.33a)**

Value	Label	Frequency	%
.	Logical skip	13,057	81.8%
M	Missing	1	0.0%
1	0-4	2,736	17.1%
2	5-8	44	0.3%
3	9-15	48	0.3%
4	16-30	43	0.3%
5	31+	32	0.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLI8\_O: Outpatient clients, day treatment/partial hospitalization — for OTP facilities (Q.33a)**

Value	Label	Frequency	%
.	Logical skip	14,626	91.6%
1	0-6	1,310	8.2%
2	7-12	7	0.0%
3	13-20	4	0.0%
4	21-35	5	0.0%
5	36+	9	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLI8\_X: Outpatient clients, day treatment/partial hospitalization — for non-OTP and non-DUI/DWI facilities (Q.33a)**

Value	Label	Frequency	%
.	Logical skip	10,173	63.7%
M	Missing	2	0.0%
1	0-4	5,180	32.5%
2	5-9	193	1.2%
3	10-15	183	1.1%
4	16-28	111	0.7%
5	29+	119	0.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLI9\_D: Residential clients, short-term detoxification — for DUI/DWI facilities (Q.32a)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	15,735	98.6%
1	0-6	127	0.8%
2	7-12	23	0.1%
3	13-18	24	0.2%
4	19-30	22	0.1%
5	31+	30	0.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



## T\_CLI9\_O: Residential clients, short-term detoxification — for OTP facilities (Q.32a)

Value	Label	Frequency	%
.	Logical skip	15,841	99.2%
1	0–12	44	0.3%
2	13–18	11	0.1%
3	19–29	19	0.1%
4	30–50	23	0.1%
5	51+	23	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLI9\_X: Residential clients, short-term detoxification — for non-OTP and non-DUI/DWI facilities (Q.32a)**

Value	Label	Frequency	%
.	Logical skip	13,183	82.6%
M	Missing	1	0.0%
1	0–5	1,812	11.4%
2	6–10	279	1.7%
3	11–16	225	1.4%
4	17–29	226	1.4%
5	30+	235	1.5%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLI10\_D: Residential clients, long-term detoxification — for DUI/DWI facilities (Q.32a)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	15,736	98.6%
1	0-7	118	0.7%
2	8-13	35	0.2%
3	14-21	34	0.2%
4	22-40	22	0.1%
5	41+	16	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## T\_CLI10\_O: Residential clients, long-term detoxification — for OTP facilities (Q.32a)

Value	Label	Frequency	%
.	Logical skip	15,840	99.2%
1	0-8	90	0.6%
2	9-16	6	0.0%
3	17-40	11	0.1%
4	41-69	9	0.1%
5	70+	5	0.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLI10\_X: Residential clients, long-term detoxification — for non-OTP and non-DUI/DWI facilities (Q.32a)**

Value	Label	Frequency	%
.	Logical skip	13,188	82.6%
1	0-8	1,433	9.0%
2	9-14	405	2.5%
3	15-20	305	1.9%
4	21-35	318	2.0%
5	36+	312	2.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLIHI\_D: Total number of hospital inpatients — for DUI/DWI facilities (Q.31a)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	15,924	99.8%
1	0-4	9	0.1%
2	5-8	7	0.0%
3	9-15	7	0.0%
4	16-28	4	0.0%
5	29+	10	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## T\_CLIHI\_O: Total number of hospital inpatients — for OTP facilities (Q.31a)

Value	Label	Frequency	%
.	Logical skip	15,844	99.3%
1	0–8	25	0.2%
2	9–15	29	0.2%
3	16–24	17	0.1%
4	25–44	20	0.1%
5	45+	26	0.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLIHI\_X: Total number of hospital inpatients — for non-OTP and non-DUI/DWI facilities (Q.31a)**

Value	Label	Frequency	%
.	Logical skip	15,414	96.6%
1	0-4	173	1.1%
2	5-8	72	0.5%
3	9-15	114	0.7%
4	16-27	94	0.6%
5	28+	94	0.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



**T\_CLIML\_D: Outpatient clients, methadone maintenance — for DUI/DWI facilities  
(Q.33a)**

Value	Label	Frequency	%
.	Logical skip	13,020	81.6%
M	Missing	1	0.0%
1	0-4	2,480	15.5%
2	5-10	112	0.7%
3	11-20	102	0.6%
4	21-45	118	0.7%
5	46+	128	0.8%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## T\_CLIML\_O: Outpatient clients, methadone maintenance — for OTP facilities (Q.33a)

Value	Label	Frequency	%
.	Logical skip	14,543	91.1%
1	0–115	384	2.4%
2	116–199	232	1.5%
3	200–300	274	1.7%
4	301–450	210	1.3%
5	451+	318	2.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLIML\_X: Outpatient clients, methadone maintenance — for non-OTP and non-DUI/DWI facilities (Q.33a)**

Value	Label	Frequency	%
.	Logical skip	10,004	62.7%
M	Missing	2	0.0%
1	0–5	4,795	30.0%
2	6–12	194	1.2%
3	13–30	261	1.6%
4	31–75	277	1.7%
5	76+	428	2.7%
	<i>Total</i>	15,961	100%

Variable Type: numeric

## T\_CLIOP\_D: Total number of outpatient clients — for DUI/DWI facilities (Q.33a)

Value	Label	Frequency	%
.	Logical skip	12,835	80.4%
M	Missing	1	0.0%
1	0–20	843	5.3%
2	21–40	525	3.3%
3	41–70	567	3.6%
4	71–133	575	3.6%
5	134+	615	3.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## T\_CLIOP\_O: Total number of outpatient clients — for OTP facilities (Q.33a)

Value	Label	Frequency	%
.	Logical skip	14,542	91.1%
1	0–129	307	1.9%
2	130–218	249	1.6%
3	219–321	276	1.7%
4	322–485	245	1.5%
5	486+	342	2.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLIOP\_X: Total number of outpatient clients — for non-OTP and non-DUI/DWI facilities (Q.33a)**

Value	Label	Frequency	%
.	Logical skip	9,469	59.3%
M	Missing	1	0.0%
1	0–13	1,683	10.5%
2	14–27	1,132	7.1%
3	28–51	1,091	6.8%
4	52–105	1,198	7.5%
5	106+	1,387	8.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLIRC\_D: Total number of residential clients — for DUI/DWI facilities (Q.32a)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	15,734	98.6%
1	0–11	60	0.4%
2	12–17	49	0.3%
3	18–28	45	0.3%
4	29–50	39	0.2%
5	51+	34	0.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**T\_CLIRC\_O: Total number of residential clients — for OTP facilities (Q.32a)**

<b>Value</b>	<b>Label</b>	<b>Frequency</b>	<b>%</b>
.	Logical skip	15,839	99.2%
1	0–16	33	0.2%
2	17–26	13	0.1%
3	27–40	25	0.2%
4	41–79	28	0.2%
5	80+	23	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



**T\_CLIRC\_X: Total number of residential clients — for non-OTP and non-DUI/DWI facilities (Q.32a)**

Value	Label	Frequency	%
.	Logical skip	13,131	82.3%
1	0–10	921	5.8%
2	11–15	452	2.8%
3	16–23	458	2.9%
4	24–40	535	3.4%
5	41+	464	2.9%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**HIDISNUM: Hospital inpatient clients, disulfiram dispensed or prescribed for alcohol use disorder (Q.31d)**

Value	Label	Frequency	%
.	Logical skip	15,270	95.7%
M	Missing	7	0.0%
1	0-1	657	4.1%
2	2	8	0.1%
3	3-4	6	0.0%
4	5-10	7	0.0%
5	11+	6	0.0%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**HINALNUM: Hospital inpatient clients, naltrexone dispensed or prescribed for alcohol use disorder (Q.31d)**

Value	Label	Frequency	%
.	Logical skip	15,270	95.7%
M	Missing	4	0.0%
1	0-1	547	3.4%
2	2	42	0.3%
3	3-4	32	0.2%
4	5-6	36	0.2%
5	7+	30	0.2%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**HIACAMNUM: Hospital inpatient clients, acamprosate dispensed or prescribed for alcohol use disorder (Q.31d)**

Value	Label	Frequency	%
.	Logical skip	15,270	95.7%
M	Missing	10	0.1%
1	0-1	635	4.0%
2	2	15	0.1%
3	3-4	8	0.1%
4	5	11	0.1%
5	6+	12	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**RCDISNUM: Residential clients, disulfiram dispensed or prescribed for alcohol use disorder (Q.32d)**

Value	Label	Frequency	%
.	Logical skip	12,907	80.9%
M	Missing	27	0.2%
1	0-1	2,942	18.4%
2	2	31	0.2%
3	3-4	30	0.2%
4	5-7	11	0.1%
5	8+	13	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**RCNALNUM: Residential clients, naltrexone dispensed or prescribed for alcohol use disorder (Q.32d)**

Value	Label	Frequency	%
.	Logical skip	12,907	80.9%
M	Missing	28	0.2%
1	0-1	2,580	16.2%
2	2	138	0.9%
3	3	86	0.5%
4	4-6	115	0.7%
5	7+	107	0.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**RCACAMNUM: Residential clients, acamprosate dispensed or prescribed for alcohol use disorder (Q.32d)**

Value	Label	Frequency	%
.	Logical skip	12,907	80.9%
M	Missing	30	0.2%
1	0-1	2,893	18.1%
2	2	51	0.3%
3	3-4	36	0.2%
4	5-7	24	0.2%
5	8+	20	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**OPDISNUM: Outpatient clients, disulfiram dispensed or prescribed for alcohol use disorder (Q.33d)**

Value	Label	Frequency	%
.	Logical skip	5,968	37.4%
M	Missing	70	0.4%
1	0-1	9,472	59.3%
2	2	144	0.9%
3	3	64	0.4%
4	4-7	128	0.8%
5	8+	115	0.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric



**OPNALNUM: Outpatient clients, naltrexone dispensed or prescribed for alcohol use disorder (Q.33d)**

Value	Label	Frequency	%
.	Logical skip	5,968	37.4%
M	Missing	76	0.5%
1	0-1	8,563	53.6%
2	2-4	558	3.5%
3	5-6	234	1.5%
4	7-15	302	1.9%
5	16+	260	1.6%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

**OPACAMNUM: Outpatient clients, acamprosate dispensed or prescribed for alcohol use disorder (Q.33d)**

Value	Label	Frequency	%
.	Logical skip	5,968	37.4%
M	Missing	72	0.5%
1	0-1	9,482	59.4%
2	2	134	0.8%
3	3-4	84	0.5%
4	5-9	109	0.7%
5	10+	112	0.7%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric

## STFIPS: Census state FIPS code

Value	Label	Frequency	%
1	Alabama	153	1.0%
2	Alaska	96	0.6%
4	Arizona	446	2.8%
5	Arkansas	167	1.0%
6	California	1,797	11.3%
8	Colorado	408	2.6%
9	Connecticut	220	1.4%
10	Delaware	44	0.3%
11	District of Columbia	26	0.2%
12	Florida	725	4.5%
13	Georgia	358	2.2%
15	Hawaii	167	1.0%
16	Idaho	124	0.8%
17	Illinois	775	4.9%
18	Indiana	393	2.5%
19	Iowa	187	1.2%
20	Kansas	179	1.1%
21	Kentucky	449	2.8%
22	Louisiana	146	0.9%
23	Maine	186	1.2%
24	Maryland	431	2.7%
25	Massachusetts	438	2.7%
26	Michigan	467	2.9%
27	Minnesota	403	2.5%
28	Mississippi	110	0.7%
29	Missouri	281	1.8%
30	Montana	88	0.6%
31	Nebraska	131	0.8%
32	Nevada	106	0.7%
33	New Hampshire	80	0.5%
34	New Jersey	370	2.3%
35	New Mexico	166	1.0%

## STFIPS: Census state FIPS code

Value	Label	Frequency	%
36	New York	925	5.8%
37	North Carolina	552	3.5%
38	North Dakota	85	0.5%
39	Ohio	554	3.5%
40	Oklahoma	208	1.3%
41	Oregon	234	1.5%
42	Pennsylvania	600	3.8%
44	Rhode Island	59	0.4%
45	South Carolina	121	0.8%
46	South Dakota	59	0.4%
47	Tennessee	313	2.0%
48	Texas	512	3.2%
49	Utah	310	1.9%
50	Vermont	48	0.3%
51	Virginia	254	1.6%
53	Washington	452	2.8%
54	West Virginia	116	0.7%
55	Wisconsin	276	1.7%
56	Wyoming	57	0.4%
72	Puerto Rico	97	0.6%
99	Other jurisdictions	12	0.1%
	<i>Total</i>	<i>15,961</i>	<i>100%</i>

Variable Type: numeric